PHASE 08 / RUN AND RELEASE READINESS

Run and release readiness

Document the local run first, then decide what is needed for a public deployment.

Activities

Document VS Code setup, virtual-environment creation, dependency installation, `.env` configuration, launch, and manual checks.

Use `python -m uvicorn app.main:app --reload` for local development and `python -m app` as the alternate entry point.

For hosted use, set a strong secret, enable HTTPS-only cookies, restrict host access, and move secrets into the deployment platform's secret store.

Choose a supported database and backup plan before multi-user production use; add request limits, monitoring, and operational ownership.

Review Gemini terms, privacy disclosures for optional outfit images, and any marketplace-link policies before release.

Phase outputs

Acceptance checks

A new developer can start the local app and reach `/` and `/docs`.

Production configuration has no placeholder secrets and uses HTTPS.

A named owner accepts responsibility for deployment, data, monitoring, and ongoing model changes.

HANDOFF / LOCAL RUN AND RELEASE CHECKLIST

Start it in VS Code

Open the project folder that contains `requirements.txt` and the `app` directory. In the integrated PowerShell terminal, create the environment, install the packages, and run the server:

Open `http://127.0.0.1:8000` for the application, `http://127.0.0.1:8000/docs` for the API reference, and `http://127.0.0.1:8000/health` for a service check. If the source was extracted into a same-named folder, first change directory into the inner `PocketSmartAI` folder where `requirements.txt` lives.

Handoff checklist

Set a private `SECRET_KEY` in `.env`; keep `.env` outside version control.

Add a valid `GEMINI_API_KEY` to enable AI responses, or leave it blank to use the local fallback.

Try one home plan, one party plan, and one jewelry plan; verify the estimate stays under budget.

Register a user and confirm saved plans appear on the History page.

Review model availability and deployment safeguards before exposing the service publicly.

Current implementation boundary

The local build includes the FastAPI application, SQLite-backed accounts and history, a browser interface, Gemini integration, and local recommendation fallback. Marketplace links open search pages and do not represent live inventory or exact current pricing. Public production hosting, live retailer APIs, and operational monitoring require separate configuration and ownership.