Auto Data Set

Correlations

```
> cor(Auto[1:8])
                    mpg  cylinders displacement horsepower     weight acceleration       year     origin
mpg           1.0000000 -0.7776175   -0.8051269 -0.7784268 -0.8322442    0.4233285  0.5805410  0.5652088
cylinders    -0.7776175  1.0000000    0.9508233  0.8429834  0.8975273   -0.5046834 -0.3456474 -0.5689316
displacement -0.8051269  0.9508233    1.0000000  0.8972570  0.9329944   -0.5438005 -0.3698552 -0.6145351
horsepower   -0.7784268  0.8429834    0.8972570  1.0000000  0.8645377   -0.6891955 -0.4163615 -0.4551715
weight       -0.8322442  0.8975273    0.9329944  0.8645377  1.0000000   -0.4168392 -0.3091199 -0.5850054
acceleration  0.4233285 -0.5046834   -0.5438005 -0.6891955 -0.4168392    1.0000000  0.2903161  0.2127458
year          0.5805410 -0.3456474   -0.3698552 -0.4163615 -0.3091199    0.2903161  1.0000000  0.1815277
origin        0.5652088 -0.5689316   -0.6145351 -0.4551715 -0.5850054    0.2127458  0.1815277  1.0000000
> names(Auto)
```

diagnostic Plot



```
Coefficients:
             Estimate Std. Error t value Pr(>|t|)
(Intercept) 39.935861   0.717499   55.66   <2e-16 ***
horsepower  -0.157845   0.006446  -24.49   <2e-16 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 4.906 on 390 degrees of freedom
Multiple R-squared:  0.6059,    Adjusted R-squared:  0.6049
F-statistic: 599.7 on 1 and 390 DF,  p-value: < 2.2e-16

> predict(fit, data.frame(horsepower = 98), interval = "confidence")
       fit      lwr      upr
1 24.46708 23.97308 24.96108
>
> predict(fit, data.frame(horsepower = 98), interval = "confidence")
       fit      lwr      upr
1 24.46708 23.97308 24.96108
> plot(Auto$horsepower, Auto$mpg, main = "Scatterplot of mpg vs. horsepower", xlab = "horsepower", ylab = "mpg", col = "blue")
> abline(fit, col = "red")
>
> par(mfrow = c(2, 2))
> plot(fit)
>
>
```



Mulitiple Linear Regression

```
Call:
lm(formula = mpg ~ . - name, data = Auto)

Residuals:
    Min      1Q  Median      3Q     Max
-9.5903 -2.1565 -0.1169  1.8690 13.0604

Coefficients:
              Estimate Std. Error t value Pr(>|t|)
(Intercept)  -17.218435   4.644294  -3.707  0.00024 ***
cylinders     -0.493376   0.323282  -1.526  0.12780
displacement   0.019896   0.007515   2.647  0.00844 **
horsepower    -0.016951   0.013787  -1.230  0.21963
weight        -0.006474   0.000652  -9.929  < 2e-16 ***
acceleration   0.080576   0.098845   0.815  0.41548
year           0.750773   0.050973  14.729  < 2e-16 ***
origin         1.426141   0.278136   5.127 4.67e-07 ***
---
Signif. codes:  0 ‘***’ 0.001 ‘**’ 0.01 ‘*’ 0.05 ‘.’ 0.1 ‘ ’ 1

Residual standard error: 3.328 on 384 degrees of freedom
Multiple R-squared:  0.8215,    Adjusted R-squared:  0.8182
F-statistic: 252.4 on 7 and 384 DF,  p-value: < 2.2e-16

> names(Auto)
```

Predict

```
> predict(fit, data.frame(horsepower = 98), interval = "confidence")
       fit      lwr      upr
1 24.46708 23.97308 24.96108
>
>
```

Scatter Plot





FindOut Variable Names

```
> names(Auto)
[1] "mpg"          "cylinders"    "displacement" "horsepower"   "weight"       "acceleration" "year"         "origin"       "name"
> names(Auto)
```