

1

2

3

4

1


2

3

4

Fabrication Notes

Layer Stack Legend


	Material	Layer	Thickness	Dielectric Material	Type	Gerber	Weight	Process
		Top Overlay			Legend	GTO		
	Surface Material	Top Solder	0.03mm	SM-001	Solder Mask	GTS		
	Nickel, Gold	Top Surface Finish	0.00mm		Surface Finish			ENIG
	CF-004	L1(Signal)	0.04mm		Signal	GTL	1oz	ED
	Prepreg		0.10mm	Prepreg(3313)	Dielectric			
	CF-004	L2(PWR)	0.02mm		Signal	G1	0.5oz	ED
	Core		1.26mm	Core-039	Dielectric			
	CF-004	L3(GND)	0.02mm		Signal	G2	0.5oz	ED
	Prepreg		0.10mm	Prepreg(3313)	Dielectric			
	CF-004	L4(Signal)	0.04mm		Signal	GBL	1oz	ED
	Nickel, Gold	Bottom Surface Finish	0.00mm		Surface Finish			ENIG
	Surface Material	Bottom Solder	0.03mm	SM-001	Solder Mask	GBS		
		Bottom Overlay			Legend	GBO		
Total thickness: 1.63mm								

- NOTES: UNLESS OTHERWISE SPECIFIED.
1. MATERIAL: FR-4
 2. PCB CONSTRUCTION AS SHOWN IN LAYER STACK LEGEND
 3. SOLDER MASK COLOR: GREEN
 4. SILKSCREEN COLOR: WHITE
 5. ALL VIAS ARE TENTED ON BOTH SIDES UNLESS SOLDERMASK OPENED IN GERBER
 6. SILK SCREEN OVER PADS: NOT ALLOWED
 7. BOARD THICKNESS TOLERANCE: ±10%
 8. CONTROLLED IMPEDANCE:
FOLLOW CONTROLLED IMPEDANCE TABLE IF PRESENT


Controlled Impedance Table

Impedance Id	Transmission Line	Target Impedance	Calculated Impedance	Trace layer	Wide Trace Width	Narrow Trace Width	Gap	Reference layers	Substack	Clearance	Target Tolerance
1	Edge-Coupled Coated Microstrip	90	86.41	L1(Signal)	0.19mm	0.19mm	0.38mm	L2(PWR)	Board Layer Stack	0.13mm	10%
2	Edge-Coupled Coated Microstrip	90	86.41	L4(Signal)	0.19mm	0.19mm	0.38mm	L3(GND)	Board Layer Stack	0.13mm	10%


L1(Signal) (Scale 1:1)




L2(PWR) (Scale 1:1)




L3(GND) (Scale 1:1)



L4(Signal) (Scale 1:1)




Drill Drawing View (Scale 1.28:1)



Drill Table

Symbol	Count	Hole Size	Plated	Hole Tolerance
□	313	0.30mm	Plated	
✕	3	0.51mm	Plated	
⊕	3	0.58mm	Plated	
▽	4	0.61mm	Plated	
☆	14	0.70mm	Plated	
○	41	1.10mm	Plated	
□	58	1.30mm	Plated	
⊗	4	1.32mm	Plated	
◎	4	3.20mm	Plated	
444 Total				

Top Assembly (Scale 1:1)



Bottom Assembly (Scale 1:1)

