

SELENIUM AUTOMATION TESTING

Project 1: Google Search – Open Actor Simbu Search Results

Code

```
from selenium import webdriver
from selenium.webdriver.common.by import By
from selenium.webdriver.common.keys import Keys

driver = webdriver.Edge()

# Open Google
driver.get("https://www.google.com")

# Find Google search box
search_box = driver.find_element(By.NAME, "q")

# Search Doraemon
search_box.send_keys("Actor Simbu")
search_box.send_keys(Keys.ENTER)

# Keep browser open
input("Press Enter to close...")

driver.quit()
```

Project 2: SauceDemo Login and Product Listing

Code

```
from selenium import webdriver
from selenium.webdriver.common.by import By

# Open Chrome
driver = webdriver.Chrome()

# Open SauceDemo
driver.get("https://www.saucedemo.com/")

# Enter username
username = driver.find_element(By.ID, "user-name")
username.send_keys("standard_user")

# Enter password
password = driver.find_element(By.ID, "password")
password.send_keys("secret_sauce")

# Click Login
login_button = driver.find_element(By.ID, "login-button")
login_button.click()

# Find all products
```

```

products = driver.find_elements(By.CLASS_NAME, "inventory_item_name")

# Print product list
print("Products available in SauceDemo:")
print("-----")

for product in products:
    print(product.text)

# Keep browser open
input("Press Enter to close...")

# Close browser
driver.quit()

```

Project 3: OTP-Based Login Automation – Flipkart QA Approach

Code

```

from selenium import webdriver

from selenium.webdriver.common.by import By

from selenium.webdriver.support.ui import WebDriverWait

from selenium.webdriver.support import expected_conditions as EC

driver = webdriver.Edge()

driver.get("https://www.flipkart.com/")

wait = WebDriverWait(driver, 10)

login = wait.until(
    EC.element_to_be_clickable((By.CLASS_NAME, "K05FVO"))
)

phone = wait.until(
    EC.visibility_of_element_located((By.CLASS_NAME, "jwCbxy"))
)

phone.send_keys("9943235921")

button = wait.until(
    EC.element_to_be_clickable(
        (By.CSS_SELECTOR, ".xqOMQN.FFOUui")
    )
)

button.click()

otp = wait.until(
    EC.visibility_of_element_located((By.CLASS_NAME, "S1KmoO"))
)

```

```
)  
otp.send_keys(int(input("Enter OTP:")))  
button1 = wait.until(  
    EC.element_to_be_clickable(  
        (By.CSS_SELECTOR, ".xqOMQN.FFOOui")  
    )  
)  
button1.click()  
input("Press Enter to close the browser...")  
driver.quit()
```