



Dashboard » Computing Fundamentals » Campus Ho Chi Minh » Desktop Java Applications - PRJ311 » PRJ311-Senb » JDBC Database Access » Quiz 2

Question **6**

Not yet answered

Marked out of 1.00

Suppose that a database was registered the datasource name **KK** in ODBC of a system. To specify this database, the string should be used.

Select one:

- ☐ a. None of the others.
- ☐ b. "odbc:KK"
- ☐ c. "sun.jdbc.odbc.KK"
- ☐ d. "sun:odbc;jdbc:KK"
- ☒ e. "jdbc:odbc:KK"

Question **7**

Not yet answered

Marked out of 1.00

At the time a result set is created, the current row of this result set is put at.....

Select one:

- ☐ a. None of the above.
- ☐ b. The first record.
- ☐ c. The EOF position
- ☒ d. The BOF position

Question **8**

Not yet answered

Marked out of 1.00

Suppose that the **rs** result set contains no row. The following statement will return ...
`rs.next();`

Select one:

- ☒ a. false
- ☐ b. -1
- ☐ c. true
- ☐ d. null
- ☐ e. None of the others

Question **9**

Not yet answered

Marked out of 1.00

..... is (are) used to specify an application running on a computer in a network.

Select one:

- ☐ a. ID of the CPU
- ☐ b. IP
- ☐ c. Hostname
- ☒ d. IP and port
- ☐ e. Port

Question **10**

Not yet answered

Marked out of 1.00

A socket is one endpoint of a two-way communication link between two programs running on the network. It contains information that allow

Select one:

- ☐ a. determining where received data has been sent from.
- ☒ b. All of the other.
- ☐ c. determining where data will be received.
- ☐ d. a program on this computer identifies an application running on the other.



TRƯỜNG ĐẠI HỌC FPT

Dream of Innovation.

Quick Links

[About Us](#)

[Terms of use](#)

[FAQ](#)


[Support](#)

Follow Us



[Contact](#)

Lô E2a-7, Đường D1 Khu Công nghệ cao, P.Long Thạnh Mỹ, Q.9, TP.Hồ Chí Minh

 Phone: 02873005585

Copyright © 2015 - Developed by Nephzat.com. Powered by [Moodle](#)