MEP Design

Strategy Comparison

Traditional Strategy vs **Asset Management Strategy**

Mechanical · Electrical · Plumbing Engineering

Project Design | Asset Lifecycle | Cost Optimisation

Ahmed Abdulrazek
Design for Operation | Build for Value

Design Philosophy

Traditional Strategy

Capital-Cost Focused

- Minimise upfront installation and construction cost
- Lifecycle costs rarely modelled at design stage
- Equipment selected by lowest tender price
- Client value defined at practical completion
- Engineer liability ends at project handover

Asset Management Strategy

Whole-Life-Cost Focused

- Optimise CAPEX + OPEX + end-of-life disposal costs
- Net Present Value (NPV) and LCC analysis drive decisions
- Equipment selected on total cost of ownership
- Client value defined over 25-year asset horizon
- Engineer engaged as a lifecycle performance partner

Ahmed Abdulrazek
Design for Operation | Build for Value

Ahmed Abdulrazek
Design for Operation | Build for Value

Design Horizon & Scope

Traditional Strategy

Project Delivery Scope

- Design scope ends at handover / practical completion
- No formal post-occupancy evaluation built into contract
- O&M manuals issued but rarely linked to design intent
- Future adaptability rarely considered in spatial layout
- Replacement access not a primary design criterion

Asset Management Strategy

Asset Service Life (25–60 Years)

- Design targets operational KPIs throughout asset life
- Post-occupancy evaluation planned at design stage
- Maintainability and replacement cycles inform decisions
- Spatial zoning allows for future system upgrades
- Replacement access built into routes and voids

Ahmed Abdulrazek
Design for Operation | Build for Value

Ahmed Abdulrazek
Design for Operation | Build for Value

Maintenance Planning

Traditional Strategy

Reactive / Scheduled

- Maintenance regime left entirely to the FM team post-handover
- O&M manuals issued as static documents at completion
- Scheduled maintenance based on OEM guidance only
- Breakdown maintenance drives unplanned OPEX spikes
- No sensor or condition monitoring points specified at design

Asset Management Strategy

Predictive / Condition-Based

- Maintenance access zones and isolation built into design
- Sensor tap points and IoT connections specified by MEP engineer
- Condition-based monitoring reduces reactive callouts
- CMMS data feeds back into digital asset register (BIM/GIS)
- Planned preventative maintenance costs modelled at design stage

Ahmed Abdulrazek
Design for Operation | Build for Value

Documentation & Data Management

Traditional Strategy

2D Drawings + O&M Manuals

- Static paper / PDF documents issued at completion
- Asset data siloed across multiple consultant deliverables
- No structured data format for FM system integration
- Hard to update or query post-construction
- Version control difficult during operations phase

Asset Management Strategy

BIM + Digital Asset Register

- Live BIM model delivered as structured data handover (COBie, IFC)
- Asset register integrates with FM / CMMS systems from day one
- All MEP assets tagged with unique IDs, specs, and warranties
- Design intent remains traceable throughout asset life
- Digital twin foundation supports ongoing performance analysis

Ahmed Abdulrazek
Design for Operation | Build for Value

Redundancy & Resilience

Traditional Strategy

Code-Minimum N Configuration

- Redundancy sized to minimum statutory / code requirements
- No formal risk-weighted reliability modelling at design stage
- All systems treated with equal redundancy level
- Single points of failure may exist in non-regulated areas
- Resilience reviewed only after system failures occur

Asset Management Strategy

Risk-Weighted N+1 / N+2

- Criticality scoring applied across all MEP systems (FMEA)
- Redundancy tiers (N, N+1, N+2) allocated by failure consequence
- Critical assets designed for in-service maintenance (no downtime)
- Failure mode analysis drives isolation and bypass routing
- Resilience strategy reviewed and updated throughout asset life

Ahmed Abdulrazek
Design for Operation | Build for Value

Energy & Sustainability

Traditional Strategy

Design to Spec at Handover

- Energy model produced for regulatory compliance submission only
- No sub-metering or post-occupancy monitoring specified
- Design performance versus actual performance gap untracked
- Sustainability certifications achieved at handover, then dormant
- Carbon reduction targets left to operational team to manage

Asset Management Strategy

Continuous Performance Monitoring

- Sub-metering and IoT sensors specified as part of MEP scope
- Design intent modelled against actual post-occupancy data
- Energy use intensity (EUI) tracked against design benchmarks
- Sustainability certifications maintained with live data reporting
- Carbon reduction plans embedded into the asset management strategy

Ahmed Abdulrazek
Design for Operation | Build for Value

Summary: Key Outcomes

Traditional Strategy	Asset Management Strategy
Lower initial CAPEX *✓Advantage at project delivery*	**Higher upfront rigor** *~ Design investment at outset*
Higher long-term OPEX *✗ Reactive costs escalate in use*	**Lower total cost of ownership** *✓OPEX savings over asset life*
FM team carries risk *✗ Unplanned failures drive budget*	**Predictable operations** *✓Planned maintenance, less downtime*
Static documentation *✗ Data degrades post-handover*	**Live digital asset data** *✓BIM/CMMS integration from day one*
Compliance-only energy *✗ Performance gap untracked*	**Verified energy performance** *✓Post-occ. data closes design gap*

Ahmed Abdulrazek
Design for Operation | Build for Value