



ŘEDITELSTVÍ SILNIC A DÁLNIC ČR

NDIC - DATEX II Situation Publication - Počasí

Vydání 1.1rev0

Národní Dopravní Informační Centrum

2018-04-29

1	Úvod	2
1.1	Obecné pojmy	2
2	Koncepty	4
2.1	Publikace typu SituationPublication	4
2.2	Popis události (jen TrafficElement/Conditions)	5
2.3	Popis polohy události (předem definovaná místa na silniční síti)	6
3	Časová platnost	7
4	Popisování poloh	8
5	Příloha A: Příklady zpráv	9
5.1	visibility.xml - hustá mlha	9
6	Příloha B: W3C XML Schéma	12
6.1	schema.xsd	12
7	Changelog	68
	Literatura	69

Identifikátor a verze:

uri

cz-ndic_d2-weather-v1.1

Formát

1.1

Specifikace

1.1rev0

Aktualizováno

2018-04-29

Typ formátu:

Publikace

DATEX II v2.3/SituationPublication

Rozšiřuje

—

Vydavatel a autor:

Vydavatel

NDIC

Autor

Jan Vlčinský, Petr Bureš

Tento dokument popisuje datový formát, používaný pro poskytování informací o počasí a sjízdnosti komunikací

Tento dokument je určen pro poskytovatele či odběratele dat. Odběratel jej použije k zhodnocení formátu a pro případnou implementaci importu dat z přijatých XML souborů do vlastního informačního systému. Poskytovatel jej použije jako předepsanou šablonu výstupních dat a k implementaci exportu dat z vlastního informačního systému do systému NDIC.

Najdete zde:

- koncepční popis publikovaných informací
- informací o používaných metodách popisu polohy
- W3C XML Schéma formátu
- vzorek dat

Následující témata jsou mimo rámec tohoto popisu a jejich případné uvedení je pouze informativní:

- protokol přenosu včetně přístupového bodu, životního cyklu atp.
- související datové formáty
- typický původ dat
- typické použití dat

1.1 Obecné pojmy

Tento dokument používá následující pojmy:

formát

popis datové struktury pro přenos nějakého typu informace.

protokol

popis procesu a pravidel pro přenos dat.

NDIC

národní dopravně informační centrum

DATEX II model

model tříd pro popisování informací souvisejících se silniční dopravou. Model tříd ve formě UML je platformně nezávislý.

Jednou ze specifických platforem pro vyjádření modelu je XML.

Model je rozsáhlý (sestavá z několika tisíc strukturálních položek reprezentujících pojem včetně definice). Referenční data (UML model tříd ve formátu Enterprise Architect souboru EAP, XML Schéma a další) viz [d2ref]. Další podpůrné informace viz [d2supp].

(DATEX II) profil

zjednodušený model tříd, postačující pro konkrétní potřeby. Profil vzniká z modelu výběrem jeho konkrétních částí.

(DATEX II) rozšíření

rozšířený DATEX II model, doplňující struktury, které v základním modelu chybí a jsou zapotřebí pro konkrétní potřeby.

rozšíření úrovně B

Rozšíření DATEX II modelu, které je zpětně kompatibilní se základním DATEX II modelem, i když obsahuje přidané struktury. [16157-1]

rozšíření úrovně C

Rozšíření DATEX II modelu, které není zpětně kompatibilní se základním DATEX II modelem.

publikace

prvek DATEX II modelu, sloužící jako obálka přenášeného obsahu určitého typu. Každá zasílaná DATEX II zpráva obsahuje právě jeden prvek typu publikace. Existuje řada typů publikace, např. *SituationPublication* [16157-3], *ElaboratedDataPublication* [16157-5], *PredefinedLocationsPublication* [16157-3] atd.

(W3C) XML Schéma

jazyk, kterým lze definovat pravidla pro strukturu XML dokumentu.

XSD

XML dokument, obsahující XML Schéma. Někdy též synonymum pro XML Schéma samotné.

uri

text, který slouží jako unikátní identifikátor. V tomto dokumentu má každý formát své uri.

Popisovaný formát umožňuje publikovat informace o počasí a sjízdnosti komunikací pro sadu předem definovaných míst. Jedná se o dopravní informace, nejsou publikovány pravidelně, ale pouze při předem stanovených situacích, například hustá mlha, atp.

2.1 Publikace typu SituationPublication

Formát vychází z DATEX II publikace typu *SituationPublication* [16157-3]. Profil využívá jen malé podmnožiny z možných struktur.

```
1 <?xml version="1.0" encoding="utf-8"?>
2 <d2LogicalModel modelBaseVersion="2"
3 xmlns="http://datex2.eu/schema/2/2_0"
4 xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
5 xsi:schemaLocation="http://datex2.eu/schema/2/2_0 ../schema/schema.xsd">
6
7   <exchange>
8     <supplierIdentification>
9       <country>cz</country>
10      <nationalIdentifier>NDIC</nationalIdentifier>
11    </supplierIdentification>
12  </exchange>
13  <payloadPublication lang="cs" xsi:type="SituationPublication">
14    <feedType>x-format:cz-ndic_d2-weather-v1.1</feedType>
15    <publicationTime>2017-07-15T04:27:59+02:00</publicationTime>
16    <publicationCreator>
17      <country>cz</country>
18      <nationalIdentifier>NDIC</nationalIdentifier>
19    </publicationCreator>
```

2.2 Popis události (jen TrafficElement/Conditions)

SituationPublication předepisuje popis pomocí třídy *Situation*, která agreguje instance třídy *SituationRecord*, konkrétně potomky třídy *Conditions*. Mimo to obsahuje *Situation* hlavičku s obecným popisem dostupnosti služby.

Element *situation* se může opakovat a popisuje jednotlivé samostatné informace o počasí. Popisovaná situace se může vyvíjet v čase, element je tedy verzovaný a má svůj unikátní identifikátor.

Element *situationRecord* se v elementu *situation* může vyskytnout i vícekrát (pokaždé ale jiného typu), většinou se pak jedná o informace související s jednou událostí, situací. Element *situationRecord* se může vyvíjet v čase, element je tedy verzovaný a má svůj unikátní identifikátor.

```

20 <situation id="MeteoService15.1" version="5">
21   <situationVersionTime>2017-07-15T04:27:21+02:00</situationVersionTime>
22   <headerInformation>
23     <confidentiality>noRestriction</confidentiality>
24     <informationStatus>real</informationStatus>
25     <urgency>normalUrgency</urgency>
26   </headerInformation>
27   <situationRecord id="MeteoService15.1_PoorEnvironmentConditions"
28     version="5" xsi:type="PoorEnvironmentConditions">
29     <situationRecordCreationTime>2017-07-15T04:25:59+02:00</
↪situationRecordCreationTime>
30     <situationRecordVersionTime>2017-07-15T04:27:21+02:00</
↪situationRecordVersionTime>
31     <probabilityOfOccurrence>certain</probabilityOfOccurrence>
32     <source>
33       <sourceIdentification>ITSMTNDIC</sourceIdentification>
34       <sourceName>
35         <values>
36           <value lang="cs">Správci meteohlásek DI</value>
37         </values>
38       </sourceName>
39     </source>
40     <validity>
41       <validityStatus>definedByValidityTimeSpec</validityStatus>
42       <validityTimeSpecification>
43         <overallStartTime>2017-07-15T04:26:50+02:00</overallStartTime>
44         <overallEndTime>2017-07-15T04:46:50+02:00</overallEndTime>
45       </validityTimeSpecification>
46     </validity>
47     <generalPublicComment>
48       <comment>
49         <values>
50           <value lang="cs">Hustá mlha, viditelnost menší než 30 m,
51             Vysocanská</value>
52         </values>
53       </comment>
54     </generalPublicComment>
55     <groupOfLocations xsi:type="LocationByReference">
56       <predefinedLocationReference id="73D74C70-BFA8-408F-86CD-49B3689D9F5D"
57         targetClass="PredefinedLocation" version="1" />
58     </groupOfLocations>
59     <poorEnvironmentType>denseFog</poorEnvironmentType>
60     <visibility>
61       <minimumVisibilityDistance>
62         <integerMetreDistance>30</integerMetreDistance>
63       </minimumVisibilityDistance>

```

(continues on next page)

(pokračujte na předchozí stránce)

```

64     </visibility>
65 </situationRecord>

```

2.3 Popis polohy události (předem definovaná místa na silniční síti)

Poloha může být popsána bodem nebo krátkým liniovým úsekem na silniční síti, daným většinou přítomností meteorostanice. Vzhledem k tomu, že se poloha senzorů snímajících stav počasí nemění, využívá tento profil pro popis polohy odkazu na předem definovanou polohu popsanou instancí třídy *PredefinedLocation* z balíčku *PredefinedLocationsPublication*. Poloha tedy není popsána přímo v souboru.

Poloha události (např. náledí) je tedy vyjádřena odkazem do sady předem definovaných míst. Pro dohledání místa je proto nutno získat publikaci *PredefinedLocationsPublication* související s tímto zdrojem informací a v něm dohledat polohu shodného typu (dle *targetClass*, zde *PredefinedLocation*), se stejným identifikátorem a verzí.

Poloha pro kterou událost související s počasím platí, je specifikována v elementu *groupOfLocations* přetypovaným na *xsi:type="LocationByReference"*. Samotný odkaz je proveden vnořeným elementem *predefinedLocationReference* s atributem *targetClass="PredefinedLocation"*.

```

55 <groupOfLocations xsi:type="LocationByReference">
56   <predefinedLocationReference id="73D74C70-BFA8-408F-86CD-49B3689D9F5D"
57     targetClass="PredefinedLocation" version="1" />
58 </groupOfLocations>

```

Časová platnost

Časová platnost je uvedena pro každou jednotlivou událost (*SituationRecord*) samostatně a je vymezena časovým intervalem mezi dvěma časovými okamžiky. Třída *Validity* využívá výhradně instanci třídy *OverallPeriod* v roli *validityTimeSpecification* a elementy *overallStartTime* a *overallStopTime* definují začátek a konec tohoto intervalu.

Profil nedovoluje žádné další metody určení časové platnosti mimo výše uvedené (např. hodiny platnosti nebo dny platnosti).

```
40 <validity>
41   <validityStatus>definedByValidityTimeSpec</validityStatus>
42   <validityTimeSpecification>
43     <overallStartTime>2017-07-15T04:26:50+02:00</overallStartTime>
44     <overallEndTime>2017-07-15T04:46:50+02:00</overallEndTime>
45   </validityTimeSpecification>
46 </validity>
```

KAPITOLA 4

Popisování poloh

Formát popisuje polohy výhradně odkazem do sady předem definovaných poloh (třída *PredefinedLocation*) v publikaci *PredefinedLocationsPublication* [16157-3].

Metody popisu polohy jsou mimo rámec tohoto dokumentu a jsou popsány jinde.

Příloha A: Příklady zpráv

5.1 visibility.xml - hustá mlha

Publikace obsahuje právě jednu zprávu o husté mlze s viditelností do 30 metrů.

```
<?xml version="1.0" encoding="utf-8"?>
<d2LogicalModel modelBaseVersion="2"
xmlns="http://datex2.eu/schema/2/2_0"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://datex2.eu/schema/2/2_0 ../schema/schema.xsd">

  <exchange>
    <supplierIdentification>
      <country>cz</country>
      <nationalIdentifier>NDIC</nationalIdentifier>
    </supplierIdentification>
  </exchange>
  <payloadPublication lang="cs" xsi:type="SituationPublication">
    <feedType>x-format:cz-ndic_d2-weather-v1.1</feedType>
    <publicationTime>2017-07-15T04:27:59+02:00</publicationTime>
    <publicationCreator>
      <country>cz</country>
      <nationalIdentifier>NDIC</nationalIdentifier>
    </publicationCreator>
    <situation id="MeteoService15.1" version="5">
      <situationVersionTime>2017-07-15T04:27:21+02:00</situationVersionTime>
      <headerInformation>
        <confidentiality>noRestriction</confidentiality>
        <informationStatus>real</informationStatus>
        <urgency>normalUrgency</urgency>
      </headerInformation>
      <situationRecord id="MeteoService15.1_PoorEnvironmentConditions"
version="5" xsi:type="PoorEnvironmentConditions">
        <situationRecordCreationTime>2017-07-15T04:25:59+02:00</
↪situationRecordCreationTime>
        <situationRecordVersionTime>2017-07-15T04:27:21+02:00</
```

(continues on next page)

(pokračujte na předchozí stránce)

```

<→situationRecordVersionTime>
  <probabilityOfOccurrence>certain</probabilityOfOccurrence>
  <source>
    <sourceIdentification>ITSMTNDIC</sourceIdentification>
    <sourceName>
      <values>
        <value lang="cs">Správci meteohlásek DI</value>
      </values>
    </sourceName>
  </source>
  <validity>
    <validityStatus>definedByValidityTimeSpec</validityStatus>
    <validityTimeSpecification>
      <overallStartTime>2017-07-15T04:26:50+02:00</overallStartTime>
      <overallEndTime>2017-07-15T04:46:50+02:00</overallEndTime>
    </validityTimeSpecification>
  </validity>
  <generalPublicComment>
    <comment>
      <values>
        <value lang="cs">Hustá mlha, viditelnost menší než 30 m,
          Vysocanská</value>
      </values>
    </comment>
  </generalPublicComment>
  <groupOfLocations xsi:type="LocationByReference">
    <predefinedLocationReference id="73D74C70-BFA8-408F-86CD-49B3689D9F5D"
      targetClass="PredefinedLocation" version="1" />
  </groupOfLocations>
  <poorEnvironmentType>denseFog</poorEnvironmentType>
  <visibility>
    <minimumVisibilityDistance>
      <integerMetreDistance>30</integerMetreDistance>
    </minimumVisibilityDistance>
  </visibility>
</situationRecord>
</situation>
</payloadPublication>
</d2LogicalModel>

```

5.1.1 Kořenový element a obálka publikace

Kořenový element *d2LogicalModel* deklaruje, že se jedná o zprávu používající formát DATEX II.

Element *exchange* obsahuje identifikátor poskytovatele.

Element *payloadPublication* je obálkou pro přenos samotných informací, obsahující především elementy *situation*, kterých může být mnoho (v našem případě je jeden).

Atribut *xsi:type="SituationPublication"* v elementu *payloadPublication* určuje, že tato obálka je typu Publikace situace.

Element *feedType* uvádí typ publikace, uri schématu.

Element *publicationTime* uvádí čas vydání této publikace jako celku.

Element *publicationCreator* identifikuje tvůrce publikace.

5.1.2 Popis jedné konkrétní situace

Následující element *situation* se může opakovat a popisuje jednotlivé samostatné dopravní informace. Element *situationRecord* se v tomto případě vyskytuje v elementu *situation* právě jednou.

Element *situationVersionTime* uvádí čas vydání této verze situace jako celku.

Element *headerInformation* popisuje způsob nakládání s popisovanými informacemi.

Popis události (co se stalo)

Atribut *xsi:type="PoorEnvironmentConditions"* elementu *situationRecord* určuje typ zprávy. Při pohledu do DATEX II modelu lze ověřit, že jde o označení typu potomka třídy *Conditions*, používaných v tomto formátu.

Z této třídy jsou pak níže využity elementy *poorEnvironmentType* s hodnotou *denseFog* (hustá mlha). Element *minimumVisibilityDistance* upřesňuje viditelnost 30 metrů.

Časová platnost

Časová platnost situace je určena ve strukturách *validity* odhadem časového intervalu platnosti hodnotami od *overallStartTime* do *overallEndTime*.

Poloha události

Poloha události je vyjádřena odkazem do sady předem definovaných míst. Pro dohledání místa je proto nutno získat publikaci *PredefinedLocationsPublication* související s tímto zdrojem informací a v něm dohledat polohu shodného typu (dle *targetClass*, zde *PredefinedLocation*), se stejným identifikátorem a verzí.

Poloha, pro kterou informace o počasí platí, je specifikována pomocí elementu *groupOfLocations*. Ten má vždy *xsi:type="LocationByReference"*. Samotný odkaz je proveden vnořeným elementem *predefinedLocationReference* s atributem *targetClass="PredefinedLocation"*.

Atribut *id="73D74C70-BFA8-408F-86CD-49B3689D9F5D"* odkazuje na předem definovanou polohu s daným identifikátorem a atribut *version="1"* upřesňuje, o kterou verzi popisu polohy jde.

Další obsah

Mimo časovou platnost situace dokument uvádí čas vydání první verze *situationRecordCreationTime* a aktuální verze *situationRecordVersionTime* záznamu *situationRecord*.

Element *source* uvádí tvůrce této informace, tedy kdo tuto informaci vytvořil a odpovídá za její správnost.

Element *generalPublicComment* obsahuje obecný popis děje popsaneého ve zprávě, většinou jen v češtině. Jedná se o volný popis situace jejím tvůrcem.

Příloha B: W3C XML Schéma

Struktura XML přenášené zprávy je závazně definována pomocí následujícího W3C XML Schématu:

6.1 *schema.xsd*

```

1 <?xml version="1.0" encoding="utf-8" standalone="no"?>
2 <xs:schema elementFormDefault="qualified" attributeFormDefault="unqualified"
  ↳ xmlns:D2LogicalModel="http://datex2.eu/schema/2/2_0" version="2.3" targetNamespace=
  ↳ "http://datex2.eu/schema/2/2_0" xmlns:xs="http://www.w3.org/2001/XMLSchema">
3   <xs:complexType name="_ExtensionType">
4     <xs:sequence>
5       <xs:any namespace="##any" processContents="lax" minOccurs="0" maxOccurs=
  ↳ "unbounded" />
6     </xs:sequence>
7   </xs:complexType>
8   <xs:complexType name="_PredefinedLocationVersionedReference">
9     <xs:complexContent>
10      <xs:extension base="D2LogicalModel:VersionedReference">
11        <xs:attribute name="targetClass" use="required" fixed="PredefinedLocation" />
12      </xs:extension>
13    </xs:complexContent>
14  </xs:complexType>
15  <xs:complexType name="_PredefinedNonOrderedLocationGroupVersionedReference">
16    <xs:complexContent>
17      <xs:extension base="D2LogicalModel:VersionedReference">
18        <xs:attribute name="targetClass" use="required" fixed=
  ↳ "PredefinedNonOrderedLocationGroup" />
19      </xs:extension>
20    </xs:complexContent>
21  </xs:complexType>
22  <xs:simpleType name="AngleInDegrees">
23    <xs:annotation>
24      <xs:documentation>An integer number representing an angle in whole degrees.
  ↳ between 0 and 359.</xs:documentation>
25    </xs:annotation>

```

(continues on next page)

(pokračujte na předchozí stránce)

```

26     <xs:restriction base="D2LogicalModel:NonNegativeInteger" />
27 </xs:simpleType>
28 <xs:complexType name="ApplicationRateValue">
29     <xs:annotation>
30         <xs:documentation>A measured or calculated value of the application rate of a
↪ substance.</xs:documentation>
31     </xs:annotation>
32     <xs:complexContent>
33         <xs:extension base="D2LogicalModel:DataValue">
34             <xs:sequence>
35                 <xs:element name="applicationRate" type=
↪ "D2LogicalModel:IntensityKilogramsPerSquareMetre" minOccurs="1" maxOccurs="1">
36                     <xs:annotation>
37                         <xs:documentation>A value of the rate of application of a substance
↪ expressed in kilogrammes per square metre.</xs:documentation>
38                     </xs:annotation>
39                     </xs:element>
40                     <xs:element name="applicationRateValueExtension" type="D2LogicalModel:_
↪ ExtensionType" minOccurs="0" />
41                 </xs:sequence>
42             </xs:extension>
43         </xs:complexContent>
44     </xs:complexType>
45     <xs:complexType name="AxleFlowValue">
46         <xs:annotation>
47             <xs:documentation>A measured or calculated value of the flow rate of vehicle
↪ axles.</xs:documentation>
48         </xs:annotation>
49         <xs:complexContent>
50             <xs:extension base="D2LogicalModel:DataValue">
51                 <xs:sequence>
52                     <xs:element name="axleFlowRate" type="D2LogicalModel:AxlesPerHour"
↪ minOccurs="1" maxOccurs="1">
53                         <xs:annotation>
54                             <xs:documentation>A value of the flow rate of vehicle axles expressed
↪ in axles per hour.</xs:documentation>
55                         </xs:annotation>
56                         </xs:element>
57                         <xs:element name="axleFlowValueExtension" type="D2LogicalModel:_
↪ ExtensionType" minOccurs="0" />
58                     </xs:sequence>
59                 </xs:extension>
60             </xs:complexContent>
61         </xs:complexType>
62     <xs:simpleType name="AxlesPerHour">
63         <xs:annotation>
64             <xs:documentation>Vehicle axles per hour.</xs:documentation>
65         </xs:annotation>
66         <xs:restriction base="D2LogicalModel:NonNegativeInteger" />
67     </xs:simpleType>
68     <xs:simpleType name="Boolean">
69         <xs:annotation>
70             <xs:documentation>Boolean has the value space required to support the
↪ mathematical concept of binary-valued logic: {true, false}.</xs:documentation>
71         </xs:annotation>
72         <xs:restriction base="xs:boolean" />

```

(continues on next page)

(pokračujte na předchozí stránce)

```

73 </xs:simpleType>
74 <xs:complexType name="Cause" abstract="true">
75   <xs:annotation>
76     <xs:documentation>Contains details of the cause of a record within a situation</
77   </xs:documentation>
78   </xs:annotation>
79   <xs:sequence>
80     <xs:element name="causeExtension" type="D2LogicalModel:_ExtensionType"
81     <minOccurs="0" />
82   </xs:sequence>
83 </xs:complexType>
84 <xs:simpleType name="CauseTypeEnum">
85   <xs:annotation>
86     <xs:documentation>Types of causes of situations which are not managed or are
87   </xs:documentation>
88   </xs:annotation>
89   <xs:restriction base="xs:string">
90     <xs:enumeration value="accident">
91       <xs:annotation>
92         <xs:documentation>Accident.</xs:documentation>
93       </xs:annotation>
94     </xs:enumeration>
95     <xs:enumeration value="congestion">
96       <xs:annotation>
97         <xs:documentation>Traffic congestion.</xs:documentation>
98       </xs:annotation>
99     </xs:enumeration>
100    <xs:enumeration value="earlierAccident">
101      <xs:annotation>
102        <xs:documentation>An earlier accident.</xs:documentation>
103      </xs:annotation>
104    </xs:enumeration>
105    <xs:enumeration value="earlierEvent">
106      <xs:annotation>
107        <xs:documentation>An earlier event.</xs:documentation>
108      </xs:annotation>
109    </xs:enumeration>
110    <xs:enumeration value="earlierIncident">
111      <xs:annotation>
112        <xs:documentation>An earlier incident.</xs:documentation>
113      </xs:annotation>
114    </xs:enumeration>
115    <xs:enumeration value="equipmentFailure">
116      <xs:annotation>
117        <xs:documentation>Failure of roadside equipment.</xs:documentation>
118      </xs:annotation>
119    </xs:enumeration>
120    <xs:enumeration value="excessiveHeat">
121      <xs:annotation>
122        <xs:documentation>Excessive heat.</xs:documentation>
123      </xs:annotation>
124    </xs:enumeration>
125    <xs:enumeration value="frost">
126      <xs:annotation>
127        <xs:documentation>Frost.</xs:documentation>
128      </xs:annotation>

```

(continues on next page)

(pokračujte na předchozí stránce)

```

126     </xs:enumeration>
127     <xs:enumeration value="holidayTraffic">
128         <xs:annotation>
129             <xs:documentation>Holiday traffic.</xs:documentation>
130         </xs:annotation>
131     </xs:enumeration>
132     <xs:enumeration value="infrastructureFailure">
133         <xs:annotation>
134             <xs:documentation>Failure of road infrastructure.</xs:documentation>
135         </xs:annotation>
136     </xs:enumeration>
137     <xs:enumeration value="largeNumbersOfVisitors">
138         <xs:annotation>
139             <xs:documentation>Large numbers of visitors.</xs:documentation>
140         </xs:annotation>
141     </xs:enumeration>
142     <xs:enumeration value="obstruction">
143         <xs:annotation>
144             <xs:documentation>Obstruction (of unspecified type) on the roadway.</
↪ xs:documentation>
145         </xs:annotation>
146     </xs:enumeration>
147     <xs:enumeration value="pollutionAlert">
148         <xs:annotation>
149             <xs:documentation>An alert relating to dangerous levels of pollution.</
↪ xs:documentation>
150         </xs:annotation>
151     </xs:enumeration>
152     <xs:enumeration value="poorWeather">
153         <xs:annotation>
154             <xs:documentation>Poor weather conditions.</xs:documentation>
155         </xs:annotation>
156     </xs:enumeration>
157     <xs:enumeration value="problemsAtBorderPost">
158         <xs:annotation>
159             <xs:documentation>Problems at the border crossing.</xs:documentation>
160         </xs:annotation>
161     </xs:enumeration>
162     <xs:enumeration value="problemsAtCustomPost">
163         <xs:annotation>
164             <xs:documentation>Problems at the customs post on the border.</
↪ xs:documentation>
165         </xs:annotation>
166     </xs:enumeration>
167     <xs:enumeration value="problemsOnLocalRoads">
168         <xs:annotation>
169             <xs:documentation>Problems (of an unspecified nature) on the local roads.</
↪ xs:documentation>
170         </xs:annotation>
171     </xs:enumeration>
172     <xs:enumeration value="radioactiveLeakAlert">
173         <xs:annotation>
174             <xs:documentation>Radioactive leak alert.</xs:documentation>
175         </xs:annotation>
176     </xs:enumeration>
177     <xs:enumeration value="roadsideEvent">

```

(continues on next page)

(pokračujte na předchozí stránce)

```

178     <xs:annotation>
179       <xs:documentation>A roadside event (of unspecified nature) whether planned_
↪or not.</xs:documentation>
180     </xs:annotation>
181   </xs:enumeration>
182   <xs:enumeration value="rubberNecking">
183     <xs:annotation>
184       <xs:documentation>Drivers being distracted and turning to look at an_
↪accident or other roadside event.</xs:documentation>
185     </xs:annotation>
186   </xs:enumeration>
187   <xs:enumeration value="securityIncident">
188     <xs:annotation>
189       <xs:documentation>A security incident.</xs:documentation>
190     </xs:annotation>
191   </xs:enumeration>
192   <xs:enumeration value="shearWeightOfTraffic">
193     <xs:annotation>
194       <xs:documentation>Shear weight of traffic.</xs:documentation>
195     </xs:annotation>
196   </xs:enumeration>
197   <xs:enumeration value="technicalProblems">
198     <xs:annotation>
199       <xs:documentation>Technical problems.</xs:documentation>
200     </xs:annotation>
201   </xs:enumeration>
202   <xs:enumeration value="terrorism">
203     <xs:annotation>
204       <xs:documentation>A terrorist incident.</xs:documentation>
205     </xs:annotation>
206   </xs:enumeration>
207   <xs:enumeration value="toxicCloudAlert">
208     <xs:annotation>
209       <xs:documentation>An alert relating to the release of toxic gases and/or_
↪particulates.</xs:documentation>
210     </xs:annotation>
211   </xs:enumeration>
212   <xs:enumeration value="vandalism">
213     <xs:annotation>
214       <xs:documentation>A vandalism incident.</xs:documentation>
215     </xs:annotation>
216   </xs:enumeration>
217   <xs:enumeration value="other">
218     <xs:annotation>
219       <xs:documentation>Other than as defined in this enumeration.</
↪xs:documentation>
220     </xs:annotation>
221   </xs:enumeration>
222 </xs:restriction>
223 </xs:simpleType>
224 <xs:complexType name="Comment">
225   <xs:annotation>
226     <xs:documentation>A free text comment with an optional date/time stamp that can_
↪be used by the operator to convey un-coded observations/information.</
↪xs:documentation>
227   </xs:annotation>

```

(continues on next page)

(pokračujte na předchozí stránce)

```

228     <xs:sequence>
229       <xs:element name="comment" type="D2LogicalModel:MultilingualString" minOccurs="1
↳ " maxOccurs="1">
230         <xs:annotation>
231           <xs:documentation>A free text comment that can be used by the operator to
↳ convey un-coded observations/information.</xs:documentation>
232         </xs:annotation>
233       </xs:element>
234       <xs:element name="commentDateTime" type="D2LogicalModel:DateTime" minOccurs="0"
↳ maxOccurs="1">
235         <xs:annotation>
236           <xs:documentation>The date/time at which the comment was made.</
↳ xs:documentation>
237         </xs:annotation>
238       </xs:element>
239       <xs:element name="commentType" type="D2LogicalModel:CommentTypeEnum" minOccurs=
↳ "0" maxOccurs="1">
240         <xs:annotation>
241           <xs:documentation>A classification of the the type of comment.</
↳ xs:documentation>
242         </xs:annotation>
243       </xs:element>
244       <xs:element name="commentExtension" type="D2LogicalModel:_ExtensionType"
↳ minOccurs="0" />
245     </xs:sequence>
246   </xs:complexType>
247   <xs:simpleType name="CommentTypeEnum">
248     <xs:annotation>
249       <xs:documentation>Classification of comment types.</xs:documentation>
250     </xs:annotation>
251     <xs:restriction base="xs:string">
252       <xs:enumeration value="abnormalLoadMovementNote">
253         <xs:annotation>
254           <xs:documentation>A free text human oriented note describing details of
↳ abnormal load movements associated with the SituationRecord.</xs:documentation>
255         </xs:annotation>
256       </xs:enumeration>
257       <xs:enumeration value="dataProcessingNote">
258         <xs:annotation>
259           <xs:documentation>A free text human oriented note describing the way the
↳ information in the SituationRecord has been or should be processed.</
↳ xs:documentation>
260         </xs:annotation>
261       </xs:enumeration>
262       <xs:enumeration value="description">
263         <xs:annotation>
264           <xs:documentation>A free text human oriented description of the situation
↳ element defined by the SituationRecord.</xs:documentation>
265         </xs:annotation>
266       </xs:enumeration>
267       <xs:enumeration value="internalNote">
268         <xs:annotation>
269           <xs:documentation>A free text human oriented note that supports internal
↳ traffic control operations relating to the situation element defined by the
↳ SituationRecord.</xs:documentation>
270         </xs:annotation>

```

(continues on next page)

(pokračujte na předchozí stránce)

```

271     </xs:enumeration>
272     <xs:enumeration value="locationDescriptor">
273         <xs:annotation>
274             <xs:documentation>A free text human oriented description of the location of_
↪ the situation element defined by the SituationRecord.</xs:documentation>
275         </xs:annotation>
276     </xs:enumeration>
277     <xs:enumeration value="warning">
278         <xs:annotation>
279             <xs:documentation>A free text human oriented warning relating to the_
↪ SituationRecord, such as advising the recipient that an advanced warning on VMS_
↪ should be activated.</xs:documentation>
280         </xs:annotation>
281     </xs:enumeration>
282     <xs:enumeration value="other">
283         <xs:annotation>
284             <xs:documentation>Other than as defined in this enumeration.</
↪ xs:documentation>
285         </xs:annotation>
286     </xs:enumeration>
287 </xs:restriction>
288 </xs:simpleType>
289 <xs:simpleType name="ComputationMethodEnum">
290     <xs:annotation>
291         <xs:documentation>Types of computational methods used in deriving data values_
↪ for data sets.</xs:documentation>
292     </xs:annotation>
293     <xs:restriction base="xs:string">
294         <xs:enumeration value="arithmeticAverageOfSamplesBasedOnAFixedNumberOfSamples">
295             <xs:annotation>
296                 <xs:documentation>Arithmetic average of sample values based on a fixed_
↪ number of samples.</xs:documentation>
297             </xs:annotation>
298         </xs:enumeration>
299         <xs:enumeration value="arithmeticAverageOfSamplesInATimePeriod">
300             <xs:annotation>
301                 <xs:documentation>Arithmetic average of sample values in a time period.</
↪ xs:documentation>
302             </xs:annotation>
303         </xs:enumeration>
304         <xs:enumeration value="harmonicAverageOfSamplesInATimePeriod">
305             <xs:annotation>
306                 <xs:documentation>Harmonic average of sample values in a time period.</
↪ xs:documentation>
307             </xs:annotation>
308         </xs:enumeration>
309         <xs:enumeration value="medianOfSamplesInATimePeriod">
310             <xs:annotation>
311                 <xs:documentation>Median of sample values taken over a time period.</
↪ xs:documentation>
312             </xs:annotation>
313         </xs:enumeration>
314         <xs:enumeration value="movingAverageOfSamples">
315             <xs:annotation>
316                 <xs:documentation>Moving average of sample values.</xs:documentation>
317             </xs:annotation>

```

(continues on next page)

(pokračujte na předchozí stránce)

```

318     </xs:enumeration>
319   </xs:restriction>
320 </xs:simpleType>
321 <xs:simpleType name="ConcentrationKilogramsPerCubicMetre">
322   <xs:annotation>
323     <xs:documentation>Concentration defined in kilograms per cubic metre.
↪ (equivalent to grams per litre under standard conditions).</xs:documentation>
324   </xs:annotation>
325   <xs:restriction base="D2LogicalModel:Float" />
326 </xs:simpleType>
327 <xs:complexType name="ConcentrationOfVehiclesValue">
328   <xs:annotation>
329     <xs:documentation>A measured or calculated value of the concentration of
↪ vehicles on a unit stretch of road in a given direction.</xs:documentation>
330   </xs:annotation>
331   <xs:complexContent>
332     <xs:extension base="D2LogicalModel:DataValue">
333       <xs:sequence>
334         <xs:element name="concentrationOfVehicles" type=
↪ "D2LogicalModel:ConcentrationVehiclesPerKilometre" minOccurs="1" maxOccurs="1">
335           <xs:annotation>
336             <xs:documentation>A value of traffic density expressed in the number of
↪ vehicles per kilometre of road.</xs:documentation>
337           </xs:annotation>
338         </xs:element>
339         <xs:element name="concentrationOfVehiclesValueExtension" type=
↪ "D2LogicalModel:_ExtensionType" minOccurs="0" />
340       </xs:sequence>
341     </xs:extension>
342   </xs:complexContent>
343 </xs:complexType>
344 <xs:simpleType name="ConcentrationVehiclesPerKilometre">
345   <xs:annotation>
346     <xs:documentation>A measure of traffic density defined in number of vehicles
↪ per kilometre of road.</xs:documentation>
347   </xs:annotation>
348   <xs:restriction base="D2LogicalModel:NonNegativeInteger" />
349 </xs:simpleType>
350 <xs:complexType name="Conditions">
351   <xs:annotation>
352     <xs:documentation>Any conditions which have the potential to degrade normal
↪ driving conditions.</xs:documentation>
353   </xs:annotation>
354   <xs:complexContent>
355     <xs:extension base="D2LogicalModel:TrafficElement">
356       <xs:sequence>
357         <xs:element name="drivingConditionType" type=
↪ "D2LogicalModel:DrivingConditionTypeEnum" minOccurs="0" maxOccurs="1">
358           <xs:annotation>
359             <xs:documentation>Description of the driving conditions at the
↪ specified location.</xs:documentation>
360           </xs:annotation>
361         </xs:element>
362         <xs:element name="conditionsExtension" type="D2LogicalModel:_ExtensionType"
↪ minOccurs="0" />
363       </xs:sequence>

```

(continues on next page)

(pokračujte na předchozí stránce)

```

364     </xs:extension>
365 </xs:complexContent>
366 </xs:complexType>
367 <xs:simpleType name="ConfidentialityValueEnum">
368   <xs:annotation>
369     <xs:documentation>Values of confidentiality.</xs:documentation>
370   </xs:annotation>
371   <xs:restriction base="xs:string">
372     <xs:enumeration value="internalUse">
373       <xs:annotation>
374         <xs:documentation>For internal use only of the recipient organisation.</
↪ xs:documentation>
375       </xs:annotation>
376     </xs:enumeration>
377     <xs:enumeration value="noRestriction">
378       <xs:annotation>
379         <xs:documentation>No restriction on usage.</xs:documentation>
380       </xs:annotation>
381     </xs:enumeration>
382     <xs:enumeration value="restrictedToAuthorities">
383       <xs:annotation>
384         <xs:documentation>Restricted for use only by authorities.</xs:documentation>
385       </xs:annotation>
386     </xs:enumeration>
387     <xs:enumeration value="restrictedToAuthoritiesAndTrafficOperators">
388       <xs:annotation>
389         <xs:documentation>Restricted for use only by authorities and traffic_
↪ operators.</xs:documentation>
390       </xs:annotation>
391     </xs:enumeration>
392     <xs:enumeration value="restrictedToAuthoritiesTrafficOperatorsAndPublishers">
393       <xs:annotation>
394         <xs:documentation>Restricted for use only by authorities, traffic operators_
↪ and publishers (service providers).</xs:documentation>
395       </xs:annotation>
396     </xs:enumeration>
397     <xs:enumeration value="restrictedToAuthoritiesTrafficOperatorsAndVms">
398       <xs:annotation>
399         <xs:documentation>Restricted for use only by authorities, traffic operators,
↪ publishers (service providers) and variable message signs.</xs:documentation>
400       </xs:annotation>
401     </xs:enumeration>
402   </xs:restriction>
403 </xs:simpleType>
404 <xs:simpleType name="CountryEnum">
405   <xs:annotation>
406     <xs:documentation>List of countries.</xs:documentation>
407   </xs:annotation>
408   <xs:restriction base="xs:string">
409     <xs:enumeration value="at">
410       <xs:annotation>
411         <xs:documentation>Austria</xs:documentation>
412       </xs:annotation>
413     </xs:enumeration>
414     <xs:enumeration value="be">
415       <xs:annotation>

```

(continues on next page)

(pokračujte na předchozí stránce)

```

416     <xs:documentation>Belgium</xs:documentation>
417   </xs:annotation>
418 </xs:enumeration>
419 <xs:enumeration value="bg">
420   <xs:annotation>
421     <xs:documentation>Bulgaria</xs:documentation>
422   </xs:annotation>
423 </xs:enumeration>
424 <xs:enumeration value="ch">
425   <xs:annotation>
426     <xs:documentation>Switzerland</xs:documentation>
427   </xs:annotation>
428 </xs:enumeration>
429 <xs:enumeration value="cs">
430   <xs:annotation>
431     <xs:documentation>Serbia and Montenegro</xs:documentation>
432   </xs:annotation>
433 </xs:enumeration>
434 <xs:enumeration value="cy">
435   <xs:annotation>
436     <xs:documentation>Cyprus</xs:documentation>
437   </xs:annotation>
438 </xs:enumeration>
439 <xs:enumeration value="cz">
440   <xs:annotation>
441     <xs:documentation>Czech Republic</xs:documentation>
442   </xs:annotation>
443 </xs:enumeration>
444 <xs:enumeration value="de">
445   <xs:annotation>
446     <xs:documentation>Germany</xs:documentation>
447   </xs:annotation>
448 </xs:enumeration>
449 <xs:enumeration value="dk">
450   <xs:annotation>
451     <xs:documentation>Denmark</xs:documentation>
452   </xs:annotation>
453 </xs:enumeration>
454 <xs:enumeration value="ee">
455   <xs:annotation>
456     <xs:documentation>Estonia</xs:documentation>
457   </xs:annotation>
458 </xs:enumeration>
459 <xs:enumeration value="es">
460   <xs:annotation>
461     <xs:documentation>Spain</xs:documentation>
462   </xs:annotation>
463 </xs:enumeration>
464 <xs:enumeration value="fi">
465   <xs:annotation>
466     <xs:documentation>Finland</xs:documentation>
467   </xs:annotation>
468 </xs:enumeration>
469 <xs:enumeration value="fo">
470   <xs:annotation>
471     <xs:documentation>Faroe Islands</xs:documentation>

```

(continues on next page)

(pokračujte na předchozí stránce)

```

472     </xs:annotation>
473 </xs:enumeration>
474 <xs:enumeration value="fr">
475     <xs:annotation>
476         <xs:documentation>France</xs:documentation>
477     </xs:annotation>
478 </xs:enumeration>
479 <xs:enumeration value="gb">
480     <xs:annotation>
481         <xs:documentation>Great Britain</xs:documentation>
482     </xs:annotation>
483 </xs:enumeration>
484 <xs:enumeration value="gg">
485     <xs:annotation>
486         <xs:documentation>Guernsey</xs:documentation>
487     </xs:annotation>
488 </xs:enumeration>
489 <xs:enumeration value="gi">
490     <xs:annotation>
491         <xs:documentation>Gibraltar</xs:documentation>
492     </xs:annotation>
493 </xs:enumeration>
494 <xs:enumeration value="gr">
495     <xs:annotation>
496         <xs:documentation>Greece</xs:documentation>
497     </xs:annotation>
498 </xs:enumeration>
499 <xs:enumeration value="hr">
500     <xs:annotation>
501         <xs:documentation>Croatia</xs:documentation>
502     </xs:annotation>
503 </xs:enumeration>
504 <xs:enumeration value="hu">
505     <xs:annotation>
506         <xs:documentation>Hungary</xs:documentation>
507     </xs:annotation>
508 </xs:enumeration>
509 <xs:enumeration value="ie">
510     <xs:annotation>
511         <xs:documentation>Ireland</xs:documentation>
512     </xs:annotation>
513 </xs:enumeration>
514 <xs:enumeration value="im">
515     <xs:annotation>
516         <xs:documentation>Isle Of Man</xs:documentation>
517     </xs:annotation>
518 </xs:enumeration>
519 <xs:enumeration value="is">
520     <xs:annotation>
521         <xs:documentation>Iceland</xs:documentation>
522     </xs:annotation>
523 </xs:enumeration>
524 <xs:enumeration value="it">
525     <xs:annotation>
526         <xs:documentation>Italy</xs:documentation>
527     </xs:annotation>

```

(continues on next page)

(pokračujte na předchozí stránce)

```

528     </xs:enumeration>
529     <xs:enumeration value="je">
530         <xs:annotation>
531             <xs:documentation>Jersey</xs:documentation>
532         </xs:annotation>
533     </xs:enumeration>
534     <xs:enumeration value="li">
535         <xs:annotation>
536             <xs:documentation>Lichtenstein</xs:documentation>
537         </xs:annotation>
538     </xs:enumeration>
539     <xs:enumeration value="lt">
540         <xs:annotation>
541             <xs:documentation>Lithuania</xs:documentation>
542         </xs:annotation>
543     </xs:enumeration>
544     <xs:enumeration value="lu">
545         <xs:annotation>
546             <xs:documentation>Luxembourg</xs:documentation>
547         </xs:annotation>
548     </xs:enumeration>
549     <xs:enumeration value="lv">
550         <xs:annotation>
551             <xs:documentation>Latvia</xs:documentation>
552         </xs:annotation>
553     </xs:enumeration>
554     <xs:enumeration value="ma">
555         <xs:annotation>
556             <xs:documentation>Morocco</xs:documentation>
557         </xs:annotation>
558     </xs:enumeration>
559     <xs:enumeration value="mc">
560         <xs:annotation>
561             <xs:documentation>Monaco</xs:documentation>
562         </xs:annotation>
563     </xs:enumeration>
564     <xs:enumeration value="mk">
565         <xs:annotation>
566             <xs:documentation>Macedonia</xs:documentation>
567         </xs:annotation>
568     </xs:enumeration>
569     <xs:enumeration value="mt">
570         <xs:annotation>
571             <xs:documentation>Malta</xs:documentation>
572         </xs:annotation>
573     </xs:enumeration>
574     <xs:enumeration value="nl">
575         <xs:annotation>
576             <xs:documentation>Netherlands</xs:documentation>
577         </xs:annotation>
578     </xs:enumeration>
579     <xs:enumeration value="no">
580         <xs:annotation>
581             <xs:documentation>Norway</xs:documentation>
582         </xs:annotation>
583     </xs:enumeration>

```

(continues on next page)

(pokračujte na předchozí stránce)

```

584     <xs:enumeration value="pl">
585         <xs:annotation>
586             <xs:documentation>Poland</xs:documentation>
587         </xs:annotation>
588     </xs:enumeration>
589     <xs:enumeration value="pt">
590         <xs:annotation>
591             <xs:documentation>Portugal</xs:documentation>
592         </xs:annotation>
593     </xs:enumeration>
594     <xs:enumeration value="ro">
595         <xs:annotation>
596             <xs:documentation>Romania</xs:documentation>
597         </xs:annotation>
598     </xs:enumeration>
599     <xs:enumeration value="se">
600         <xs:annotation>
601             <xs:documentation>Sweden</xs:documentation>
602         </xs:annotation>
603     </xs:enumeration>
604     <xs:enumeration value="si">
605         <xs:annotation>
606             <xs:documentation>Slovenia</xs:documentation>
607         </xs:annotation>
608     </xs:enumeration>
609     <xs:enumeration value="sk">
610         <xs:annotation>
611             <xs:documentation>Slovakia</xs:documentation>
612         </xs:annotation>
613     </xs:enumeration>
614     <xs:enumeration value="sm">
615         <xs:annotation>
616             <xs:documentation>San Marino</xs:documentation>
617         </xs:annotation>
618     </xs:enumeration>
619     <xs:enumeration value="tr">
620         <xs:annotation>
621             <xs:documentation>Turkey</xs:documentation>
622         </xs:annotation>
623     </xs:enumeration>
624     <xs:enumeration value="va">
625         <xs:annotation>
626             <xs:documentation>Vatican City State</xs:documentation>
627         </xs:annotation>
628     </xs:enumeration>
629     <xs:enumeration value="other">
630         <xs:annotation>
631             <xs:documentation>Other than as defined in this enumeration.</
↪ <xs:documentation>
632         </xs:annotation>
633     </xs:enumeration>
634 </xs:restriction>
635 </xs:simpleType>
636 <xs:element name="d2LogicalModel" type="D2LogicalModel:D2LogicalModel">
637     <xs:unique name="_d2LogicalModelSituationRecordConstraint">
638         <xs:selector xpath="."/></D2LogicalModel:situationRecord" />

```

(continues on next page)

(pokračujte na předchozí stránce)

```

639     <xs:field xpath="@id" />
640     <xs:field xpath="@version" />
641   </xs:unique>
642   <xs:unique name="_d2LogicalModelSituationConstraint">
643     <xs:selector xpath="//D2LogicalModel:situation" />
644     <xs:field xpath="@id" />
645     <xs:field xpath="@version" />
646   </xs:unique>
647 </xs:element>
648 <xs:complexType name="D2LogicalModel">
649   <xs:annotation>
650     <xs:documentation>The DATEX II logical model comprising exchange, content_
↪ payload and management sub-models.</xs:documentation>
651   </xs:annotation>
652   <xs:sequence>
653     <xs:element name="exchange" type="D2LogicalModel:Exchange" />
654     <xs:element name="payloadPublication" type="D2LogicalModel:PayloadPublication"_
↪ minOccurs="0" />
655     <xs:element name="d2LogicalModelExtension" type="D2LogicalModel:_ExtensionType"_
↪ minOccurs="0" />
656   </xs:sequence>
657   <xs:attribute name="modelBaseVersion" use="required" fixed="2" />
658 </xs:complexType>
659 <xs:complexType name="DataValue" abstract="true">
660   <xs:annotation>
661     <xs:documentation>A data value of something that can be measured or calculated._
↪ Any provided meta-data values specified in the attributes override any specified_
↪ generic characteristics such as defined for a specific measurement in the_
↪ MeasurementSiteTable. </xs:documentation>
662   </xs:annotation>
663   <xs:sequence>
664     <xs:element name="dataError" type="D2LogicalModel:Boolean" minOccurs="0"_
↪ maxOccurs="1">
665       <xs:annotation>
666         <xs:documentation>Indication of whether the value is deemed to be erroneous_
↪ by the supplier, (true = erroneous). If not present the data value is assumed to be_
↪ ok. This may be used when automatic fault detection information relating to sensors_
↪ is available.</xs:documentation>
667       </xs:annotation>
668     </xs:element>
669     <xs:element name="reasonForDataError" type="D2LogicalModel:MultilingualString"_
↪ minOccurs="0" maxOccurs="1">
670       <xs:annotation>
671         <xs:documentation>The reason why the value is deemed to be erroneous by the_
↪ supplier.</xs:documentation>
672       </xs:annotation>
673     </xs:element>
674     <xs:element name="dataValueExtension" type="D2LogicalModel:_ExtensionType"_
↪ minOccurs="0" />
675   </xs:sequence>
676   <xs:attribute name="accuracy" type="D2LogicalModel:Percentage" use="optional">
677     <xs:annotation>
678       <xs:documentation>The extent to which the value is expected to be free from_
↪ error, measured as a percentage of the data value. 100% means fully accurate.</_
↪ xs:documentation>
679     </xs:annotation>

```

(continues on next page)

(pokračujte na předchozí stránce)

```

680     </xs:attribute>
681     <xs:attribute name="computationalMethod" type=
↪ "D2LogicalModel:ComputationMethodEnum" use="optional">
682         <xs:annotation>
683             <xs:documentation>Method of computation which has been used to compute this
↪ data value.</xs:documentation>
684         </xs:annotation>
685     </xs:attribute>
686     <xs:attribute name="numberOfIncompleteInputs" type=
↪ "D2LogicalModel:NonNegativeInteger" use="optional">
687         <xs:annotation>
688             <xs:documentation>The number of inputs detected but not completed during the
↪ sampling or measurement period; e.g. vehicles detected entering but not exiting the
↪ detection zone.</xs:documentation>
689         </xs:annotation>
690     </xs:attribute>
691     <xs:attribute name="numberOfInputValuesUsed" type=
↪ "D2LogicalModel:NonNegativeInteger" use="optional">
692         <xs:annotation>
693             <xs:documentation>The number of input values used in the sampling or
↪ measurment period to determine the data value.</xs:documentation>
694         </xs:annotation>
695     </xs:attribute>
696     <xs:attribute name="smoothingFactor" type="D2LogicalModel:Float" use="optional">
697         <xs:annotation>
698             <xs:documentation>Coefficient required when a moving average is computed to
↪ give specific weights to the former average and the new data. A typical formula is,
↪ F being the smoothing factor: New average = (old average) F + (new data) (1 - F).</
↪ xs:documentation>
699         </xs:annotation>
700     </xs:attribute>
701     <xs:attribute name="standardDeviation" type="D2LogicalModel:Float" use="optional">
702         <xs:annotation>
703             <xs:documentation>The standard deviation of the sample of input values from
↪ which this value was derived, measured in the units of the data value. </
↪ xs:documentation>
704         </xs:annotation>
705     </xs:attribute>
706     <xs:attribute name="supplierCalculatedDataQuality" type="D2LogicalModel:Percentage
↪ " use="optional">
707         <xs:annotation>
708             <xs:documentation>A measure of data quality assigned to the value by the
↪ supplier. 100% equates to ideal/perfect quality. The method of calculation is
↪ supplier specific and needs to be agreed between supplier and client.</
↪ xs:documentation>
709         </xs:annotation>
710     </xs:attribute>
711 </xs:complexType>
712 <xs:simpleType name="DateTime">
713     <xs:annotation>
714         <xs:documentation>A combination of integer-valued year, month, day, hour,
↪ minute properties, a decimal-valued second property and a time zone property from
↪ which it is possible to determine the local time, the equivalent UTC time and the
↪ time zone offset from UTC.</xs:documentation>
715     </xs:annotation>
716     <xs:restriction base="xs:dateTime" />

```

(continues on next page)

(pokračujte na předchozí stránce)

```

717 </xs:simpleType>
718 <xs:complexType name="DateTimeValue">
719   <xs:annotation>
720     <xs:documentation>A measured or calculated value of an instance in time.</
↪xs:documentation>
721   </xs:annotation>
722   <xs:complexContent>
723     <xs:extension base="D2LogicalModel:DataValue">
724       <xs:sequence>
725         <xs:element name="dateTime" type="D2LogicalModel:DateTime" minOccurs="1"
↪maxOccurs="1">
726           <xs:annotation>
727             <xs:documentation>A time stamp defining an instance in time.</
↪xs:documentation>
728           </xs:annotation>
729           </xs:element>
730           <xs:element name="dateTimeValueExtension" type="D2LogicalModel:_
↪ExtensionType" minOccurs="0" />
731         </xs:sequence>
732       </xs:extension>
733     </xs:complexContent>
734   </xs:complexType>
735   <xs:complexType name="DirectionBearingValue">
736     <xs:annotation>
737       <xs:documentation>A measured or calculated value of direction as a bearing.</
↪xs:documentation>
738     </xs:annotation>
739     <xs:complexContent>
740       <xs:extension base="D2LogicalModel:DataValue">
741         <xs:sequence>
742           <xs:element name="directionBearing" type="D2LogicalModel:AngleInDegrees"
↪minOccurs="1" maxOccurs="1">
743             <xs:annotation>
744               <xs:documentation>A value of direction expressed in terms of a bearing
↪measured in whole degrees. Unless otherwise specified the reference direction
↪corresponding to 0 degrees is North.</xs:documentation>
745             </xs:annotation>
746             </xs:element>
747             <xs:element name="directionBearingValueExtension" type="D2LogicalModel:_
↪ExtensionType" minOccurs="0" />
748           </xs:sequence>
749         </xs:extension>
750       </xs:complexContent>
751     </xs:complexType>
752   <xs:simpleType name="DirectionCompassEnum">
753     <xs:annotation>
754       <xs:documentation>Cardinal direction points of the compass.</xs:documentation>
755     </xs:annotation>
756     <xs:restriction base="xs:string">
757       <xs:enumeration value="east">
758         <xs:annotation>
759           <xs:documentation>East.</xs:documentation>
760         </xs:annotation>
761       </xs:enumeration>
762       <xs:enumeration value="eastNorthEast">
763         <xs:annotation>

```

(continues on next page)

(pokračujte na předchozí stránce)

```

764     <xs:documentation>East north east.</xs:documentation>
765   </xs:annotation>
766 </xs:enumeration>
767 <xs:enumeration value="eastSouthEast">
768   <xs:annotation>
769     <xs:documentation>East south east.</xs:documentation>
770   </xs:annotation>
771 </xs:enumeration>
772 <xs:enumeration value="north">
773   <xs:annotation>
774     <xs:documentation>North.</xs:documentation>
775   </xs:annotation>
776 </xs:enumeration>
777 <xs:enumeration value="northEast">
778   <xs:annotation>
779     <xs:documentation>North east.</xs:documentation>
780   </xs:annotation>
781 </xs:enumeration>
782 <xs:enumeration value="northNorthEast">
783   <xs:annotation>
784     <xs:documentation>North north east.</xs:documentation>
785   </xs:annotation>
786 </xs:enumeration>
787 <xs:enumeration value="northNorthWest">
788   <xs:annotation>
789     <xs:documentation>North north west.</xs:documentation>
790   </xs:annotation>
791 </xs:enumeration>
792 <xs:enumeration value="northWest">
793   <xs:annotation>
794     <xs:documentation>North west.</xs:documentation>
795   </xs:annotation>
796 </xs:enumeration>
797 <xs:enumeration value="south">
798   <xs:annotation>
799     <xs:documentation>South.</xs:documentation>
800   </xs:annotation>
801 </xs:enumeration>
802 <xs:enumeration value="southEast">
803   <xs:annotation>
804     <xs:documentation>South east.</xs:documentation>
805   </xs:annotation>
806 </xs:enumeration>
807 <xs:enumeration value="southSouthEast">
808   <xs:annotation>
809     <xs:documentation>South south east.</xs:documentation>
810   </xs:annotation>
811 </xs:enumeration>
812 <xs:enumeration value="southSouthWest">
813   <xs:annotation>
814     <xs:documentation>South south west.</xs:documentation>
815   </xs:annotation>
816 </xs:enumeration>
817 <xs:enumeration value="southWest">
818   <xs:annotation>
819     <xs:documentation>South west.</xs:documentation>

```

(continues on next page)

(pokračujte na předchozí stránce)

```

820     </xs:annotation>
821 </xs:enumeration>
822 <xs:enumeration value="west">
823     <xs:annotation>
824         <xs:documentation>West.</xs:documentation>
825     </xs:annotation>
826 </xs:enumeration>
827 <xs:enumeration value="westNorthWest">
828     <xs:annotation>
829         <xs:documentation>West north west.</xs:documentation>
830     </xs:annotation>
831 </xs:enumeration>
832 <xs:enumeration value="westSouthWest">
833     <xs:annotation>
834         <xs:documentation>West south west.</xs:documentation>
835     </xs:annotation>
836 </xs:enumeration>
837 </xs:restriction>
838 </xs:simpleType>
839 <xs:complexType name="DirectionCompassValue">
840     <xs:annotation>
841         <xs:documentation>A measured or calculated value of direction as a point of the ↵
↵ compass.</xs:documentation>
842     </xs:annotation>
843     <xs:complexContent>
844         <xs:extension base="D2LogicalModel:DataValue">
845             <xs:sequence>
846                 <xs:element name="directionCompass" type=
↵ "D2LogicalModel:DirectionCompassEnum" minOccurs="1" maxOccurs="1">
847                     <xs:annotation>
848                         <xs:documentation>A value of direction expressed in terms of points of ↵
↵ the compass.</xs:documentation>
849                     </xs:annotation>
850                 </xs:element>
851                 <xs:element name="directionCompassValueExtension" type="D2LogicalModel:_
↵ ExtensionType" minOccurs="0" />
852             </xs:sequence>
853         </xs:extension>
854     </xs:complexContent>
855 </xs:complexType>
856 <xs:simpleType name="DrivingConditionTypeEnum">
857     <xs:annotation>
858         <xs:documentation>Types of the perceived driving conditions.</xs:documentation>
859     </xs:annotation>
860     <xs:restriction base="xs:string">
861         <xs:enumeration value="impossible">
862             <xs:annotation>
863                 <xs:documentation>Current conditions are making driving impossible.</
↵ xs:documentation>
864             </xs:annotation>
865         </xs:enumeration>
866         <xs:enumeration value="hazardous">
867             <xs:annotation>
868                 <xs:documentation>Driving conditions are hazardous due to environmental ↵
↵ conditions.</xs:documentation>
869             </xs:annotation>

```

(continues on next page)

(pokračujte na předchozí stránce)

```

870     </xs:enumeration>
871     <xs:enumeration value="normal">
872         <xs:annotation>
873             <xs:documentation>Driving conditions are normal.</xs:documentation>
874         </xs:annotation>
875     </xs:enumeration>
876     <xs:enumeration value="passableWithCare">
877         <xs:annotation>
878             <xs:documentation>The roadway is passable to vehicles with driver care.</
↪ xs:documentation>
879         </xs:annotation>
880     </xs:enumeration>
881     <xs:enumeration value="unknown">
882         <xs:annotation>
883             <xs:documentation>Driving conditions are unknown.</xs:documentation>
884         </xs:annotation>
885     </xs:enumeration>
886     <xs:enumeration value="veryHazardous">
887         <xs:annotation>
888             <xs:documentation>Driving conditions are very hazardous due to
↪ environmental conditions.</xs:documentation>
889         </xs:annotation>
890     </xs:enumeration>
891     <xs:enumeration value="winterConditions">
892         <xs:annotation>
893             <xs:documentation>Driving conditions are consistent with those expected in
↪ winter.</xs:documentation>
894         </xs:annotation>
895     </xs:enumeration>
896     <xs:enumeration value="other">
897         <xs:annotation>
898             <xs:documentation>Other than as defined in this enumeration.</
↪ xs:documentation>
899         </xs:annotation>
900     </xs:enumeration>
901 </xs:restriction>
902 </xs:simpleType>
903 <xs:complexType name="ElaboratedDataFault">
904     <xs:annotation>
905         <xs:documentation>Details of a fault which is being reported for the related
↪ elaborated data.</xs:documentation>
906     </xs:annotation>
907     <xs:complexContent>
908         <xs:extension base="D2LogicalModel:Fault">
909             <xs:sequence>
910                 <xs:element name="elaboratedDataFault" type=
↪ "D2LogicalModel:ElaboratedDataFaultEnum" minOccurs="1" maxOccurs="1">
911                     <xs:annotation>
912                         <xs:documentation>The type of fault which is being reported for the
↪ specified elaborated data.</xs:documentation>
913                     </xs:annotation>
914                 </xs:element>
915                 <xs:element name="elaboratedDataFaultExtension" type="D2LogicalModel:_
↪ ExtensionType" minOccurs="0" />
916             </xs:sequence>
917         </xs:extension>

```

(continues on next page)

(pokračujte na předchozí stránce)

```

918     </xs:complexContent>
919 </xs:complexType>
920 <xs:simpleType name="ElaboratedDataFaultEnum">
921   <xs:annotation>
922     <xs:documentation>Types of elaborated data faults.</xs:documentation>
923   </xs:annotation>
924   <xs:restriction base="xs:string">
925     <xs:enumeration value="intermittentDataValues">
926       <xs:annotation>
927         <xs:documentation>Data values are being produced at intermittent intervals,
↪ which are not consistent with the expected reporting interval.</xs:documentation>
928       </xs:annotation>
929     </xs:enumeration>
930     <xs:enumeration value="noDataValuesAvailable">
931       <xs:annotation>
932         <xs:documentation>No elaborated data values are currently available.</
↪ xs:documentation>
933       </xs:annotation>
934     </xs:enumeration>
935     <xs:enumeration value="spuriousUnreliableDataValues">
936       <xs:annotation>
937         <xs:documentation>Spurious or unreliable data values are being produced.</
↪ xs:documentation>
938       </xs:annotation>
939     </xs:enumeration>
940     <xs:enumeration value="unspecifiedOrUnknownFault">
941       <xs:annotation>
942         <xs:documentation>An unspecified or unknown fault exists in the process,
↪ which is generating elaborated data.</xs:documentation>
943       </xs:annotation>
944     </xs:enumeration>
945     <xs:enumeration value="other">
946       <xs:annotation>
947         <xs:documentation>Other than as defined in this enumeration.</
↪ xs:documentation>
948       </xs:annotation>
949     </xs:enumeration>
950   </xs:restriction>
951 </xs:simpleType>
952 <xs:complexType name="Exchange">
953   <xs:annotation>
954     <xs:documentation>Details associated with the management of the exchange,
↪ between the supplier and the client.</xs:documentation>
955   </xs:annotation>
956   <xs:sequence>
957     <xs:element name="supplierIdentification" type=
↪ "D2LogicalModel:InternationalIdentifier" />
958     <xs:element name="exchangeExtension" type="D2LogicalModel:_ExtensionType"
↪ minOccurs="0" />
959   </xs:sequence>
960 </xs:complexType>
961 <xs:complexType name="Fault">
962   <xs:annotation>
963     <xs:documentation>Information about a fault relating to a specific piece of,
↪ equipment or process.</xs:documentation>
964   </xs:annotation>

```

(continues on next page)

(pokračujte na předchozí stránce)

```

965     <xs:sequence>
966       <xs:element name="faultIdentifier" type="D2LogicalModel:String" minOccurs="0"
↪maxOccurs="1">
967         <xs:annotation>
968           <xs:documentation>Unique identifier of the fault.</xs:documentation>
969         </xs:annotation>
970       </xs:element>
971       <xs:element name="faultDescription" type="D2LogicalModel:String" minOccurs="0"
↪maxOccurs="1">
972         <xs:annotation>
973           <xs:documentation>Textual description of the fault.</xs:documentation>
974         </xs:annotation>
975       </xs:element>
976       <xs:element name="faultCreationTime" type="D2LogicalModel:DateTime" minOccurs="0
↪" maxOccurs="1">
977         <xs:annotation>
978           <xs:documentation>The date and time at which the fault was originally
↪recorded/reported.</xs:documentation>
979         </xs:annotation>
980       </xs:element>
981       <xs:element name="faultLastUpdateTime" type="D2LogicalModel:DateTime" minOccurs=
↪"1" maxOccurs="1">
982         <xs:annotation>
983           <xs:documentation>The date and time at which the fault information as
↪specified in this instance was last updated.</xs:documentation>
984         </xs:annotation>
985       </xs:element>
986       <xs:element name="faultSeverity" type="D2LogicalModel:FaultSeverityEnum"
↪minOccurs="0" maxOccurs="1">
987         <xs:annotation>
988           <xs:documentation>The severity of the fault in terms of how it affects the
↪usability of the equipment or the reliability of the data generated by the
↪equipment.</xs:documentation>
989         </xs:annotation>
990       </xs:element>
991       <xs:element name="faultExtension" type="D2LogicalModel:_ExtensionType"
↪minOccurs="0" />
992     </xs:sequence>
993   </xs:complexType>
994   <xs:simpleType name="FaultSeverityEnum">
995     <xs:annotation>
996       <xs:documentation>Classification of the severity of faults.</xs:documentation>
997     </xs:annotation>
998     <xs:restriction base="xs:string">
999       <xs:enumeration value="low">
1000         <xs:annotation>

```

```

1001       <xs:documentation>The fault is of low severity and has only limited impact
↪on the usability of the equipment or the value of the data generated by the
↪equipment.</xs:documentation>
1002     </xs:annotation>
1003     </xs:enumeration>
1004     <xs:enumeration value="medium">
1005       <xs:annotation>
1006         <xs:documentation>The fault is of medium severity which will significantly
↪limit the usability of the equipment or devalue the usefulness of the data
↪

```

(continues on next page)

(pokračujte na předchozí stránce)

```

1007     </xs:annotation>
1008   </xs:enumeration>
1009   <xs:enumeration value="high">
1010     <xs:annotation>
1011       <xs:documentation>The fault is of high severity which will render the
1012       ↪equipment unusable or any data generated by the equipment to be of no value.</
1013       ↪xs:documentation>
1014     </xs:annotation>
1015   </xs:enumeration>
1016   <xs:enumeration value="unknown">
1017     <xs:annotation>
1018       <xs:documentation>The fault is of unknown severity and hence its effect on
1019       ↪the usability of the equipment or the usefulness of the data generated by the
1020       ↪equipment can not be assessed.</xs:documentation>
1021     </xs:annotation>
1022   </xs:enumeration>
1023 </xs:restriction>
1024 </xs:simpleType>
1025 <xs:simpleType name="Float">
1026   <xs:annotation>
1027     <xs:documentation>A floating point number whose value space consists of the
1028     ↪values  $m \times 2^e$ , where  $m$  is an integer whose absolute value is less than  $2^{24}$ , and  $e$ 
1029     ↪is an integer between -149 and 104, inclusive.</xs:documentation>
1030   </xs:annotation>
1031   <xs:restriction base="xs:float" />
1032 </xs:simpleType>
1033 <xs:complexType name="FloatingPointMetreDistanceValue">
1034   <xs:annotation>
1035     <xs:documentation>A measured or calculated value of distance in metres in a
1036     ↪floating point format.</xs:documentation>
1037   </xs:annotation>
1038   <xs:complexContent>
1039     <xs:extension base="D2LogicalModel:DataValue">
1040       <xs:sequence>
1041         <xs:element name="floatingPointMetreDistance" type=
1042         ↪"D2LogicalModel:MetresAsFloat" minOccurs="1" maxOccurs="1">
1043           <xs:annotation>
1044             <xs:documentation>A value of distance expressed in metres in a floating
1045             ↪point format.</xs:documentation>
1046           </xs:annotation>
1047         </xs:element>
1048         <xs:element name="floatingPointMetreDistanceValueExtension" type=
1049         ↪"D2LogicalModel:_ExtensionType" minOccurs="0" />
1050       </xs:sequence>
1051     </xs:extension>
1052   </xs:complexContent>
1053 </xs:complexType>
1054 <xs:complexType name="GroupOfLocations" abstract="true">
1055   <xs:annotation>
1056     <xs:documentation>One or more physically separate locations. Multiple locations
1057     ↪may be related, as in an itinerary (or route), or may be unrelated. It is not for
1058     ↪identifying the same physical location using different Location objects for
1059     ↪different referencing systems.</xs:documentation>
1060   </xs:annotation>
1061 </xs:sequence>

```

(continues on next page)

(pokračujte na předchozí stránce)

```

1049     <xs:element name="groupOfLocationsExtension" type="D2LogicalModel:_ExtensionType
↪ " minOccurs="0" />
1050   </xs:sequence>
1051 </xs:complexType>
1052 <xs:complexType name="HeaderInformation">
1053   <xs:annotation>
1054     <xs:documentation>Management information relating to the data contained within
↪ a publication.</xs:documentation>
1055   </xs:annotation>
1056   <xs:sequence>
1057     <xs:element name="confidentiality" type="D2LogicalModel:ConfidentialityValueEnum
↪ " minOccurs="1" maxOccurs="1">
1058       <xs:annotation>
1059         <xs:documentation>The extent to which the related information may be
↪ circulated, according to the recipient type. Recipients must comply with this
↪ confidentiality statement.</xs:documentation>
1060       </xs:annotation>
1061     </xs:element>
1062     <xs:element name="informationStatus" type="D2LogicalModel:InformationStatusEnum
↪ " minOccurs="1" maxOccurs="1">
1063       <xs:annotation>
1064         <xs:documentation>The status of the related information (real, test,
↪ exercise ....).</xs:documentation>
1065       </xs:annotation>
1066     </xs:element>
1067     <xs:element name="urgency" type="D2LogicalModel:UrgencyEnum" minOccurs="0"
↪ maxOccurs="1">
1068       <xs:annotation>
1069         <xs:documentation>This indicates the urgency with which a message recipient
↪ or Client should distribute the enclosed information. Urgency particularly relates
↪ to functions within RDS-TMC applications. </xs:documentation>
1070       </xs:annotation>
1071     </xs:element>
1072     <xs:element name="headerInformationExtension" type="D2LogicalModel:_
↪ ExtensionType" minOccurs="0" />
1073   </xs:sequence>
1074 </xs:complexType>
1075 <xs:simpleType name="InformationStatusEnum">
1076   <xs:annotation>
1077     <xs:documentation>Status of the related information (i.e. real, test or
↪ exercise).</xs:documentation>
1078   </xs:annotation>
1079   <xs:restriction base="xs:string">
1080     <xs:enumeration value="real">
1081       <xs:annotation>
1082         <xs:documentation>The information is real. It is not a test or exercise.</
↪ xs:documentation>
1083       </xs:annotation>
1084     </xs:enumeration>
1085     <xs:enumeration value="securityExercise">
1086       <xs:annotation>
1087         <xs:documentation>The information is part of an exercise which is for
↪ testing security.</xs:documentation>
1088       </xs:annotation>
1089     </xs:enumeration>
1090     <xs:enumeration value="technicalExercise">

```

(continues on next page)

(pokračujte na předchozí stránce)

```

1091     <xs:annotation>
1092       <xs:documentation>The information is part of an exercise which includes
↪ tests of associated technical subsystems.</xs:documentation>
1093     </xs:annotation>
1094   </xs:enumeration>
1095   <xs:enumeration value="test">
1096     <xs:annotation>
1097       <xs:documentation>The information is part of a test for checking the
↪ exchange of this type of information.</xs:documentation>
1098     </xs:annotation>
1099   </xs:enumeration>
1100 </xs:restriction>
1101 </xs:simpleType>
1102 <xs:simpleType name="Integer">
1103   <xs:annotation>
1104     <xs:documentation>An integer number whose value space is the set {-2147483648, -
↪ 2147483647, -2147483646, ..., -2, -1, 0, 1, 2, ..., 2147483645, 2147483646,
↪ 2147483647}.</xs:documentation>
1105   </xs:annotation>
1106   <xs:restriction base="xs:integer" />
1107 </xs:simpleType>
1108 <xs:complexType name="IntegerMetreDistanceValue">
1109   <xs:annotation>
1110     <xs:documentation>A measured or calculated value of distance in whole metres.</
↪ xs:documentation>
1111   </xs:annotation>
1112   <xs:complexContent>
1113     <xs:extension base="D2LogicalModel:DataValue">
1114       <xs:sequence>
1115         <xs:element name="integerMetreDistance" type=
↪ "D2LogicalModel:MetresAsNonNegativeInteger" minOccurs="1" maxOccurs="1">
1116           <xs:annotation>
1117             <xs:documentation>A value of distance expressed in metres in a non-
↪ negative integer format.</xs:documentation>
1118           </xs:annotation>
1119         </xs:element>
1120         <xs:element name="integerMetreDistanceValueExtension" type="D2LogicalModel:_
↪ ExtensionType" minOccurs="0" />
1121       </xs:sequence>
1122     </xs:extension>
1123   </xs:complexContent>
1124 </xs:complexType>
1125 <xs:simpleType name="IntensityKilogramsPerSquareMetre">
1126   <xs:annotation>
1127     <xs:documentation>A measure of the quantity of application of a substance to an
↪ area defined in kilograms per square metre.</xs:documentation>
1128   </xs:annotation>
1129   <xs:restriction base="D2LogicalModel:Float" />
1130 </xs:simpleType>
1131 <xs:simpleType name="IntensityMillimetresPerHour">
1132   <xs:annotation>
1133     <xs:documentation>A measure of precipitation intensity defined in millimetres
↪ per hour.</xs:documentation>
1134   </xs:annotation>
1135   <xs:restriction base="D2LogicalModel:Float" />
1136 </xs:simpleType>

```

(continues on next page)

(pokračujte na předchozí stránce)

```

1137 <xs:complexType name="InternationalIdentifier">
1138   <xs:annotation>
1139     <xs:documentation>An identifier/name whose range is specific to the particular
↪ country.</xs:documentation>
1140   </xs:annotation>
1141   <xs:sequence>
1142     <xs:element name="country" type="D2LogicalModel:CountryEnum" minOccurs="1"
↪ maxOccurs="1">
1143       <xs:annotation>
1144         <xs:documentation>ISO 3166-1 two character country code.</xs:documentation>
1145       </xs:annotation>
1146     </xs:element>
1147     <xs:element name="nationalIdentifier" type="D2LogicalModel:String" minOccurs="1"
↪ maxOccurs="1">
1148       <xs:annotation>
1149         <xs:documentation>Identifier or name unique within the specified country.</
↪ xs:documentation>
1150       </xs:annotation>
1151     </xs:element>
1152     <xs:element name="internationalIdentifierExtension" type="D2LogicalModel:_
↪ ExtensionType" minOccurs="0" />
1153   </xs:sequence>
1154 </xs:complexType>
1155 <xs:complexType name="KilogramsConcentrationValue">
1156   <xs:annotation>
1157     <xs:documentation>A measured or calculated value of concentration of a
↪ substance in grams per unit volume.</xs:documentation>
1158   </xs:annotation>
1159   <xs:complexContent>
1160     <xs:extension base="D2LogicalModel:DataValue">
1161       <xs:sequence>
1162         <xs:element name="kilogramsConcentration" type=
↪ "D2LogicalModel:ConcentrationKilogramsPerCubicMetre" minOccurs="1" maxOccurs="1">
1163           <xs:annotation>
1164             <xs:documentation>A value defining the amount of a substance in a given
↪ volume (concentration) expressed in kilograms per cubic metre.</xs:documentation>
1165           </xs:annotation>
1166         </xs:element>
1167         <xs:element name="kilogramsConcentrationValueExtension" type=
↪ "D2LogicalModel:_ExtensionType" minOccurs="0" />
1168       </xs:sequence>
1169     </xs:extension>
1170   </xs:complexContent>
1171 </xs:complexType>
1172 <xs:simpleType name="KilometresPerHour">
1173   <xs:annotation>
1174     <xs:documentation>A measure of speed defined in kilometres per hour.</
↪ xs:documentation>
1175   </xs:annotation>
1176   <xs:restriction base="D2LogicalModel:Float" />
1177 </xs:simpleType>
1178 <xs:simpleType name="Language">
1179   <xs:annotation>
1180     <xs:documentation>A language datatype, identifies a specified language by an
↪ ISO 639-1 2-alpha / ISO 639-2 3-alpha code.</xs:documentation>
1181   </xs:annotation>

```

(continues on next page)

(pokračujte na předchozí stránce)

```

1182     <xs:restriction base="xs:language" />
1183   </xs:simpleType>
1184   <xs:complexType name="Location" abstract="true">
1185     <xs:annotation>
1186       <xs:documentation>The specification of a location either on a network (as a
↪ point or a linear location) or as an area. This may be provided in one or more
↪ referencing systems.</xs:documentation>
1187     </xs:annotation>
1188     <xs:complexContent>
1189       <xs:extension base="D2LogicalModel:GroupOfLocations">
1190         <xs:sequence>
1191           <xs:element name="locationExtension" type="D2LogicalModel:_ExtensionType"
↪ minOccurs="0" />
1192         </xs:sequence>
1193       </xs:extension>
1194     </xs:complexContent>
1195   </xs:complexType>
1196   <xs:complexType name="LocationByReference">
1197     <xs:annotation>
1198       <xs:documentation>A location defined by reference to a predefined location.</
↪ xs:documentation>
1199     </xs:annotation>
1200     <xs:complexContent>
1201       <xs:extension base="D2LogicalModel:Location">
1202         <xs:sequence>
1203           <xs:element name="predefinedLocationReference" type="D2LogicalModel:_
↪ PredefinedLocationVersionedReference" minOccurs="1" maxOccurs="1">
1204             <xs:annotation>
1205               <xs:documentation>A reference to a versioned predefined location.</
↪ xs:documentation>
1206             </xs:annotation>
1207           </xs:element>
1208           <xs:element name="locationByReferenceExtension" type="D2LogicalModel:_
↪ ExtensionType" minOccurs="0" />
1209         </xs:sequence>
1210       </xs:extension>
1211     </xs:complexContent>
1212   </xs:complexType>
1213   <xs:complexType name="MeasurementEquipmentFault">
1214     <xs:annotation>
1215       <xs:documentation>Details of a fault which is being reported for the related
↪ measurement equipment.</xs:documentation>
1216     </xs:annotation>
1217     <xs:complexContent>
1218       <xs:extension base="D2LogicalModel:Fault">
1219         <xs:sequence>
1220           <xs:element name="measurementEquipmentFault" type=
↪ "D2LogicalModel:MeasurementEquipmentFaultEnum" minOccurs="1" maxOccurs="1">
1221             <xs:annotation>
1222               <xs:documentation>The type of fault which is being reported for the
↪ specified measurement equipment.</xs:documentation>
1223             </xs:annotation>
1224           </xs:element>
1225           <xs:element name="measurementEquipmentFaultExtension" type="D2LogicalModel:_
↪ ExtensionType" minOccurs="0" />
1226         </xs:sequence>

```

(continues on next page)

(pokračujte na předchozí stránce)

```

1227     </xs:extension>
1228 </xs:complexContent>
1229 </xs:complexType>
1230 <xs:simpleType name="MeasurementEquipmentFaultEnum">
1231   <xs:annotation>
1232     <xs:documentation>Types of measurement equipment faults.</xs:documentation>
1233   </xs:annotation>
1234   <xs:restriction base="xs:string">
1235     <xs:enumeration value="intermittentDataValues">
1236       <xs:annotation>
1237         <xs:documentation>Data values are being produced at intermittent intervals.↵
↵which are not consistent with the expected reporting interval.</xs:documentation>
1238       </xs:annotation>
1239     </xs:enumeration>
1240     <xs:enumeration value="noDataValuesAvailable">
1241       <xs:annotation>
1242         <xs:documentation>No measured data values are currently available.</
↵xs:documentation>
1243       </xs:annotation>
1244     </xs:enumeration>
1245     <xs:enumeration value="spuriousUnreliableDataValues">
1246       <xs:annotation>
1247         <xs:documentation>Spurious or unreliable data values are being produced.</
↵xs:documentation>
1248       </xs:annotation>
1249     </xs:enumeration>
1250     <xs:enumeration value="unspecifiedOrUnknownFault">
1251       <xs:annotation>
1252         <xs:documentation>An unspecified or unknown fault exists in the measurement.↵
↵equipment.</xs:documentation>
1253       </xs:annotation>
1254     </xs:enumeration>
1255     <xs:enumeration value="other">
1256       <xs:annotation>
1257         <xs:documentation>Other than as defined in this enumeration.</
↵xs:documentation>
1258       </xs:annotation>
1259     </xs:enumeration>
1260   </xs:restriction>
1261 </xs:simpleType>
1262 <xs:simpleType name="MetresAsFloat">
1263   <xs:annotation>
1264     <xs:documentation>A measure of distance defined in metres in a floating point.↵
↵format.</xs:documentation>
1265   </xs:annotation>
1266   <xs:restriction base="D2LogicalModel:Float" />
1267 </xs:simpleType>
1268 <xs:simpleType name="MetresAsNonNegativeInteger">
1269   <xs:annotation>
1270     <xs:documentation>A measure of distance defined in metres in a non negative.↵
↵integer format.</xs:documentation>
1271   </xs:annotation>
1272   <xs:restriction base="D2LogicalModel:NonNegativeInteger" />
1273 </xs:simpleType>
1274 <xs:complexType name="MultilingualString">
1275   <xs:sequence>

```

(continues on next page)

(pokračujte na předchozí stránce)

```

1276     <xs:element name="values">
1277         <xs:complexType>
1278             <xs:sequence>
1279                 <xs:element name="value" type="D2LogicalModel:MultilingualStringValue"
↳maxOccurs="unbounded" />
1280             </xs:sequence>
1281         </xs:complexType>
1282     </xs:element>
1283 </xs:sequence>
1284 </xs:complexType>
1285 <xs:complexType name="MultilingualStringValue">
1286     <xs:simpleContent>
1287         <xs:extension base="D2LogicalModel:MultilingualStringValue" type="D2LogicalModel:MultilingualStringValue" />
1288         <xs:attribute name="lang" type="xs:language" />
1289     </xs:extension>
1290 </xs:simpleContent>
1291 </xs:complexType>
1292 <xs:simpleType name="MultilingualStringValue" type="D2LogicalModel:MultilingualStringValue" />
1293 <xs:restriction base="xs:string">
1294     <xs:maxLength value="1024" />
1295 </xs:restriction>
1296 </xs:simpleType>
1297 <xs:complexType name="NonManagedCause">
1298     <xs:annotation>
1299         <xs:documentation>A cause of this situation record which is not managed by the
↳publication creator, i.e. one which is not represented by another situation record
↳produced by the same publication creator.</xs:documentation>
1300     </xs:annotation>
1301     <xs:complexContent>
1302         <xs:extension base="D2LogicalModel:Cause">
1303             <xs:sequence>
1304                 <xs:element name="causeType" type="D2LogicalModel:CauseTypeEnum" minOccurs=
↳"0" maxOccurs="1">
1305                     <xs:annotation>
1306                         <xs:documentation>Indicates an external influence that may be the
↳causation of components of a situation.</xs:documentation>
1307                     </xs:annotation>
1308                 </xs:element>
1309                 <xs:element name="nonManagedCauseExtension" type="D2LogicalModel:_
↳ExtensionType" minOccurs="0" />
1310             </xs:sequence>
1311         </xs:extension>
1312     </xs:complexContent>
1313 </xs:complexType>
1314 <xs:simpleType name="NonNegativeInteger">
1315     <xs:annotation>
1316         <xs:documentation>An integer number whose value space is the set {0, 1, 2, ...,
↳2147483645, 2147483646, 2147483647}.</xs:documentation>
1317     </xs:annotation>
1318     <xs:restriction base="xs:nonNegativeInteger" />
1319 </xs:simpleType>
1320 <xs:complexType name="NonOrderedLocationGroupByReference">
1321     <xs:annotation>
1322         <xs:documentation>A group of (i.e. more than one) physically separate locations
↳which have no specific order that are defined by reference to a predefined non-
↳ordered location group.</xs:documentation>

```

(continues on next page)

(pokračujte na předchozí stránce)

```

1323     </xs:annotation>
1324     <xs:complexContent>
1325       <xs:extension base="D2LogicalModel:NonOrderedLocations">
1326         <xs:sequence>
1327           <xs:element name="predefinedNonOrderedLocationGroupReference" type=
1328             ↪ "D2LogicalModel:_PredefinedNonOrderedLocationGroupVersionedReference" minOccurs="1" ↪
1329             ↪ maxOccurs="1">
1328             <xs:annotation>
1329               <xs:documentation>A reference to a versioned instance of a predefined ↪
1330               ↪ non ordered location group as specified in a PredefinedLocationsPublication.</ ↪
1331               ↪ xs:documentation>
1330             </xs:annotation>
1331             </xs:element>
1332             <xs:element name="nonOrderedLocationGroupByReferenceExtension" type=
1333             ↪ "D2LogicalModel:_ExtensionType" minOccurs="0" />
1334           </xs:sequence>
1335         </xs:extension>
1336       </xs:complexContent>
1337     </xs:complexType>
1338     <xs:complexType name="NonOrderedLocations" abstract="true">
1339       <xs:annotation>
1340         <xs:documentation>Multiple (i.e. more than one) physically separate locations ↪
1341         ↪ which have no specific order.</xs:documentation>
1342       </xs:annotation>
1343       <xs:complexContent>
1344         <xs:extension base="D2LogicalModel:GroupOfLocations">
1345           <xs:sequence>
1346             <xs:element name="nonOrderedLocationsExtension" type="D2LogicalModel:_ ↪
1347             ↪ ExtensionType" minOccurs="0" />
1348           </xs:sequence>
1349         </xs:extension>
1350       </xs:complexContent>
1351     </xs:complexType>
1352     <xs:complexType name="NonWeatherRelatedRoadConditions">
1353       <xs:annotation>
1354         <xs:documentation>Road surface conditions that are not related to the weather ↪
1355         ↪ but which may affect driving conditions.</xs:documentation>
1356       </xs:annotation>
1357       <xs:complexContent>
1358         <xs:extension base="D2LogicalModel:RoadConditions">
1359           <xs:sequence>
1360             <xs:element name="nonWeatherRelatedRoadConditionType" type=
1361             ↪ "D2LogicalModel:NonWeatherRelatedRoadConditionTypeEnum" minOccurs="1" maxOccurs=
1362             ↪ "unbounded">
1363               <xs:annotation>
1364                 <xs:documentation>The type of road conditions which are not related to ↪
1365                 ↪ the weather.</xs:documentation>
1366               </xs:annotation>
1367             </xs:element>
1368             <xs:element name="nonWeatherRelatedRoadConditionsExtension" type=
1369             ↪ "D2LogicalModel:_ExtensionType" minOccurs="0" />
1370           </xs:sequence>
1371         </xs:extension>
1372       </xs:complexContent>
1373     </xs:complexType>
1374     <xs:simpleType name="NonWeatherRelatedRoadConditionTypeEnum">

```

(continues on next page)

(pokračujte na předchozí stránce)

```

1367     <xs:annotation>
1368       <xs:documentation>Types of road surface conditions which are not related to the_
↪ weather.</xs:documentation>
1369     </xs:annotation>
1370     <xs:restriction base="xs:string">
1371       <xs:enumeration value="dieselOnRoad">
1372         <xs:annotation>
1373           <xs:documentation>Increased skid risk due to diesel on the road.</
↪ xs:documentation>
1374         </xs:annotation>
1375       </xs:enumeration>
1376       <xs:enumeration value="leavesOnRoad">
1377         <xs:annotation>
1378           <xs:documentation>Increased skid risk due to leaves on road.</
↪ xs:documentation>
1379         </xs:annotation>
1380       </xs:enumeration>
1381       <xs:enumeration value="looseChippings">
1382         <xs:annotation>
1383           <xs:documentation>Increased skid risk and injury risk due to loose_
↪ chippings on road.</xs:documentation>
1384         </xs:annotation>
1385       </xs:enumeration>
1386       <xs:enumeration value="looseSandOnRoad">
1387         <xs:annotation>
1388           <xs:documentation>Increased skid risk due to loose sand on road.</
↪ xs:documentation>
1389         </xs:annotation>
1390       </xs:enumeration>
1391       <xs:enumeration value="mudOnRoad">
1392         <xs:annotation>
1393           <xs:documentation>Increased skid risk due to mud on road.</xs:documentation>
1394         </xs:annotation>
1395       </xs:enumeration>
1396       <xs:enumeration value="oilOnRoad">
1397         <xs:annotation>
1398           <xs:documentation>Increased skid risk due to oil on road.</xs:documentation>
1399         </xs:annotation>
1400       </xs:enumeration>
1401       <xs:enumeration value="petrolOnRoad">
1402         <xs:annotation>
1403           <xs:documentation>Increased skid risk due to petrol on road.</
↪ xs:documentation>
1404         </xs:annotation>
1405       </xs:enumeration>
1406       <xs:enumeration value="roadSurfaceInPoorCondition">
1407         <xs:annotation>
1408           <xs:documentation>The road surface is damaged, severely rutted or potholed_
↪ (i.e. it is in a poor state of repair).</xs:documentation>
1409         </xs:annotation>
1410       </xs:enumeration>
1411       <xs:enumeration value="slipperyRoad">
1412         <xs:annotation>
1413           <xs:documentation>The road surface is slippery due to an unspecified non-
↪ weather related cause.</xs:documentation>
1414         </xs:annotation>

```

(continues on next page)

(pokračujte na předchozí stránce)

```

1415     </xs:enumeration>
1416     <xs:enumeration value="other">
1417         <xs:annotation>
1418             <xs:documentation>Other than as defined in this enumeration.</
↪ xs:documentation>
1419         </xs:annotation>
1420     </xs:enumeration>
1421 </xs:restriction>
1422 </xs:simpleType>
1423 <xs:complexType name="OccupancyChangeValue">
1424     <xs:annotation>
1425         <xs:documentation>A measured or calculated value of change of occupied parking
↪ spaces expressed as integer.</xs:documentation>
1426     </xs:annotation>
1427     <xs:complexContent>
1428         <xs:extension base="D2LogicalModel:DataValue">
1429             <xs:sequence>
1430                 <xs:element name="occupancyChange" type="D2LogicalModel:Integer" minOccurs=
↪ "1" maxOccurs="1">
1431                     <xs:annotation>
1432                         <xs:documentation>A measured or calculated absolut change of occupied
↪ parking spaces within a specified time expressed as integer.</xs:documentation>
1433                     </xs:annotation>
1434                 </xs:element>
1435                 <xs:element name="occupancyChangeValueExtension" type="D2LogicalModel:_
↪ ExtensionType" minOccurs="0" />
1436             </xs:sequence>
1437         </xs:extension>
1438     </xs:complexContent>
1439 </xs:complexType>
1440 <xs:complexType name="OverallPeriod">
1441     <xs:annotation>
1442         <xs:documentation>A continuous or discontinuous period of validity defined by
↪ overall bounding start and end times and the possible intersection of valid periods
↪ (potentially recurring) with the complement of exception periods (also potentially
↪ recurring).</xs:documentation>
1443     </xs:annotation>
1444     <xs:sequence>
1445         <xs:element name="overallStartTime" type="D2LogicalModel:DateTime" minOccurs="1
↪ " maxOccurs="1">
1446             <xs:annotation>
1447                 <xs:documentation>Start of bounding period of validity defined by date and
↪ time.</xs:documentation>
1448             </xs:annotation>
1449         </xs:element>
1450         <xs:element name="overallEndTime" type="D2LogicalModel:DateTime" minOccurs="0"
↪ maxOccurs="1">
1451             <xs:annotation>
1452                 <xs:documentation>End of bounding period of validity defined by date and
↪ time.</xs:documentation>
1453             </xs:annotation>
1454         </xs:element>
1455         <xs:element name="overallPeriodExtension" type="D2LogicalModel:_ExtensionType"
↪ minOccurs="0" />
1456     </xs:sequence>
1457 </xs:complexType>

```

(continues on next page)

(pokračujte na předchozí stránce)

```

1458 <xs:simpleType name="PassengerCarUnitsPerHour">
1459   <xs:annotation>
1460     <xs:documentation>Passenger car units per hour.</xs:documentation>
1461   </xs:annotation>
1462   <xs:restriction base="D2LogicalModel:NonNegativeInteger" />
1463 </xs:simpleType>
1464 <xs:complexType name="PayloadPublication" abstract="true">
1465   <xs:annotation>
1466     <xs:documentation>A payload publication of traffic related information or
↪ associated management information created at a specific point in time that can be
↪ exchanged via a DATEX II interface.</xs:documentation>
1467   </xs:annotation>
1468   <xs:sequence>
1469     <xs:element name="feedType" type="D2LogicalModel:String" minOccurs="0"
↪ maxOccurs="1">
1470       <xs:annotation>
1471         <xs:documentation>A classification of the information which is to be found
↪ in the publications originating from the particular feed.</xs:documentation>
1472       </xs:annotation>
1473     </xs:element>
1474     <xs:element name="publicationTime" type="D2LogicalModel:DateTime" minOccurs="1"
↪ maxOccurs="1">
1475       <xs:annotation>
1476         <xs:documentation>Date/time at which the payload publication was created.</
↪ xs:documentation>
1477       </xs:annotation>
1478     </xs:element>
1479     <xs:element name="publicationCreator" type=
↪ "D2LogicalModel:InternationalIdentifier" />
1480     <xs:element name="payloadPublicationExtension" type="D2LogicalModel:_
↪ ExtensionType" minOccurs="0" />
1481   </xs:sequence>
1482   <xs:attribute name="lang" type="D2LogicalModel:Language" use="required">
1483     <xs:annotation>
1484       <xs:documentation>The default language used throughout the payload
↪ publication.</xs:documentation>
1485     </xs:annotation>
1486   </xs:attribute>
1487 </xs:complexType>
1488 <xs:complexType name="PcuFlowValue">
1489   <xs:annotation>
1490     <xs:documentation>A measured or calculated value of the flow rate of passenger
↪ car units.</xs:documentation>
1491   </xs:annotation>
1492   <xs:complexContent>
1493     <xs:extension base="D2LogicalModel:DataValue">
1494       <xs:sequence>
1495         <xs:element name="pcuFlowRate" type="D2LogicalModel:PassengerCarUnitsPerHour
↪ " minOccurs="1" maxOccurs="1">
1496           <xs:annotation>
1497             <xs:documentation>A value of passenger car unit flow rate expressed in
↪ passenger car units per hour.</xs:documentation>
1498           </xs:annotation>
1499         </xs:element>
1500         <xs:element name="pcuFlowValueExtension" type="D2LogicalModel:_ExtensionType
↪ " minOccurs="0" />

```

(continues on next page)

(pokračujte na předchozí stránce)

```

1501     </xs:sequence>
1502   </xs:extension>
1503 </xs:complexContent>
1504 </xs:complexType>
1505 <xs:simpleType name="Percentage">
1506   <xs:annotation>
1507     <xs:documentation>A measure of percentage.</xs:documentation>
1508   </xs:annotation>
1509   <xs:restriction base="D2LogicalModel:Float" />
1510 </xs:simpleType>
1511 <xs:complexType name="PoorEnvironmentConditions">
1512   <xs:annotation>
1513     <xs:documentation>Any environmental conditions which may be affecting the_
1514 ↪ driving conditions on the road.</xs:documentation>
1515   </xs:annotation>
1516   <xs:complexContent>
1517     <xs:extension base="D2LogicalModel:Conditions">
1518       <xs:sequence>
1519         <xs:element name="poorEnvironmentType" type=
1520 ↪ "D2LogicalModel:PoorEnvironmentTypeEnum" minOccurs="1" maxOccurs="unbounded">
1521           <xs:annotation>
1522             <xs:documentation>The type of environment condition which is affecting_
1523 ↪ driving conditions.</xs:documentation>
1524           </xs:annotation>
1525           </xs:element>
1526           <xs:element name="precipitationDetail" type=
1527 ↪ "D2LogicalModel:PrecipitationDetail" minOccurs="0" />
1528           <xs:element name="visibility" type="D2LogicalModel:Visibility" minOccurs="0"
1529 ↪ " " />
1530           <xs:element name="temperature" type="D2LogicalModel:Temperature" minOccurs=
1531 ↪ "0" />
1532           <xs:element name="wind" type="D2LogicalModel:Wind" minOccurs="0" />
1533           <xs:element name="poorEnvironmentConditionsExtension" type="D2LogicalModel:_
1534 ↪ ExtensionType" minOccurs="0" />
1535         </xs:sequence>
1536       </xs:extension>
1537     </xs:complexContent>
1538   </xs:complexType>
1539 <xs:simpleType name="PoorEnvironmentTypeEnum">
1540   <xs:annotation>
1541     <xs:documentation>Types of poor environmental conditions.</xs:documentation>
1542   </xs:annotation>
1543   <xs:restriction base="xs:string">
1544     <xs:enumeration value="badWeather">
1545       <xs:annotation>
1546         <xs:documentation>Adverse weather conditions are affecting driving_
1547 ↪ conditions.</xs:documentation>
1548       </xs:annotation>
1549     </xs:enumeration>
1550     <xs:enumeration value="blizzard">
1551       <xs:annotation>
1552         <xs:documentation>Heavy snowfall in combination with strong winds, limiting_
1553 ↪ visibility to 50m or less.</xs:documentation>
1554       </xs:annotation>
1555     </xs:enumeration>
1556     <xs:enumeration value="blowingDust">

```

(continues on next page)

(pokračujte na předchozí stránce)

```

1548     <xs:annotation>
1549         <xs:documentation>Dust blowing across the roadway causing significantly
↪ reduced visibility.</xs:documentation>
1550     </xs:annotation>
1551 </xs:enumeration>
1552 <xs:enumeration value="blowingSnow">
1553     <xs:annotation>
1554         <xs:documentation>Fallen snow moving due to the forces of wind.</
↪ xs:documentation>
1555     </xs:annotation>
1556 </xs:enumeration>
1557 <xs:enumeration value="crosswinds">
1558     <xs:annotation>
1559         <xs:documentation>Strong cross winds across the direction of the roadway (e.
↪ g. on a ridge or bridge).</xs:documentation>
1560     </xs:annotation>
1561 </xs:enumeration>
1562 <xs:enumeration value="damagingHail">
1563     <xs:annotation>
1564         <xs:documentation>Large falling ice pellets or frozen rain capable of
↪ causing injury or damage to property.</xs:documentation>
1565     </xs:annotation>
1566 </xs:enumeration>
1567 <xs:enumeration value="denseFog">
1568     <xs:annotation>
1569         <xs:documentation>Dense fog, limiting visibility to 50m or less.</
↪ xs:documentation>
1570     </xs:annotation>
1571 </xs:enumeration>
1572 <xs:enumeration value="eclipse">
1573     <xs:annotation>
1574         <xs:documentation>Eclipse, either partial or full, of the sun causing low
↪ light levels during normal daylight period.</xs:documentation>
1575     </xs:annotation>
1576 </xs:enumeration>
1577 <xs:enumeration value="extremeCold">
1578     <xs:annotation>
1579         <xs:documentation>Abnormally low temperatures.</xs:documentation>
1580     </xs:annotation>
1581 </xs:enumeration>
1582 <xs:enumeration value="extremeHeat">
1583     <xs:annotation>
1584         <xs:documentation>Abnormally high expected maximum temperature.</
↪ xs:documentation>
1585     </xs:annotation>
1586 </xs:enumeration>
1587 <xs:enumeration value="fog">
1588     <xs:annotation>
1589         <xs:documentation>Fog, visibility more than 50m.</xs:documentation>
1590     </xs:annotation>
1591 </xs:enumeration>
1592 <xs:enumeration value="freezingFog">
1593     <xs:annotation>
1594         <xs:documentation>Fog, in conjunction with sub-zero air temperatures
↪ causing possible freezing of road surface.</xs:documentation>
1595     </xs:annotation>

```

(continues on next page)

(pokračujte na předchozí stránce)

```

1596     </xs:enumeration>
1597     <xs:enumeration value="frost">
1598         <xs:annotation>
1599             <xs:documentation>Frost can be expected.</xs:documentation>
1600         </xs:annotation>
1601     </xs:enumeration>
1602     <xs:enumeration value="gales">
1603         <xs:annotation>
1604             <xs:documentation>Winds between 60 km/h and 90 km/h.</xs:documentation>
1605         </xs:annotation>
1606     </xs:enumeration>
1607     <xs:enumeration value="gustyWinds">
1608         <xs:annotation>
1609             <xs:documentation>Constantly varying winds, significant at times.</
1610     <xs:documentation>
1611         </xs:annotation>
1612     </xs:enumeration>
1613     <xs:enumeration value="hail">
1614         <xs:annotation>
1615             <xs:documentation>Falling ice pellets or frozen rain.</xs:documentation>
1616         </xs:annotation>
1617     </xs:enumeration>
1618     <xs:enumeration value="heavyFrost">
1619         <xs:annotation>
1620             <xs:documentation>A thick coating of frost can be expected.</
1621     <xs:documentation>
1622         </xs:annotation>
1623     </xs:enumeration>
1624     <xs:enumeration value="heavyRain">
1625         <xs:annotation>
1626             <xs:documentation>Heavy rainfall, limiting visibility to 50m or less.</
1627     <xs:documentation>
1628         </xs:annotation>
1629     </xs:enumeration>
1630     <xs:enumeration value="heavySnowfall">
1631         <xs:annotation>
1632             <xs:documentation>Dense falling snow, limiting visibility to 50m or less.</
1633     <xs:documentation>
1634         </xs:annotation>
1635     </xs:enumeration>
1636     <xs:enumeration value="hurricaneForceWinds">
1637         <xs:annotation>
1638             <xs:documentation>Winds over 120 km/h.</xs:documentation>
1639         </xs:annotation>
1640     </xs:enumeration>
1641     <xs:enumeration value="lowSunGlare">
1642         <xs:annotation>
1643             <xs:documentation>Difficult visibility conditions created by low elevation,
1644     <xs:documentation>
1645         </xs:annotation>
1646     </xs:enumeration>
1647     <xs:enumeration value="moderateFog">
1648         <xs:annotation>
1649             <xs:documentation>Misty conditions impairing vision over 100m.</
1650     <xs:documentation>
1651         </xs:annotation>
1652     </xs:enumeration>

```

(continues on next page)

(pokračujte na předchozí stránce)

```

1646     </xs:enumeration>
1647     <xs:enumeration value="ozonePollution">
1648         <xs:annotation>
1649             <xs:documentation>High concentrations of ozone are present.</
↪ xs:documentation>
1650         </xs:annotation>
1651     </xs:enumeration>
1652     <xs:enumeration value="pollution">
1653         <xs:annotation>
1654             <xs:documentation>Pollution of an unspecified nature.</xs:documentation>
1655         </xs:annotation>
1656     </xs:enumeration>
1657     <xs:enumeration value="patchyFog">
1658         <xs:annotation>
1659             <xs:documentation>Fog, in which intermittent areas of dense fog may be_
↪ encountered.</xs:documentation>
1660         </xs:annotation>
1661     </xs:enumeration>
1662     <xs:enumeration value="precipitationInTheArea">
1663         <xs:annotation>
1664             <xs:documentation>Unspecified precipitation is falling on the area.</
↪ xs:documentation>
1665         </xs:annotation>
1666     </xs:enumeration>
1667     <xs:enumeration value="rain">
1668         <xs:annotation>
1669             <xs:documentation>Rain, visibility more than 50m.</xs:documentation>
1670         </xs:annotation>
1671     </xs:enumeration>
1672     <xs:enumeration value="rainChangingToSnow">
1673         <xs:annotation>
1674             <xs:documentation>Falling rain is changing to snow.</xs:documentation>
1675         </xs:annotation>
1676     </xs:enumeration>
1677     <xs:enumeration value="sandStorms">
1678         <xs:annotation>
1679             <xs:documentation>Sand blowing across the roadway causing significantly_
↪ reduced visibility.</xs:documentation>
1680         </xs:annotation>
1681     </xs:enumeration>
1682     <xs:enumeration value="severeExhaustPollution">
1683         <xs:annotation>
1684             <xs:documentation>Pollution from exhaust fumes has reached a level_
↪ sufficient to cause concern.</xs:documentation>
1685         </xs:annotation>
1686     </xs:enumeration>
1687     <xs:enumeration value="severeSmog">
1688         <xs:annotation>
1689             <xs:documentation>Environmental warning of very poor air quality resulting_
↪ from smog.</xs:documentation>
1690         </xs:annotation>
1691     </xs:enumeration>
1692     <xs:enumeration value="showers">
1693         <xs:annotation>
1694             <xs:documentation>Light rain or intermittent rain.</xs:documentation>
1695         </xs:annotation>

```

(continues on next page)

(pokračujte na předchozí stránce)

```

1696     </xs:enumeration>
1697     <xs:enumeration value="sleet">
1698         <xs:annotation>
1699             <xs:documentation>Rain mingled with snow or hail.</xs:documentation>
1700         </xs:annotation>
1701     </xs:enumeration>
1702     <xs:enumeration value="smogAlert">
1703         <xs:annotation>
1704             <xs:documentation>Environmental warning of poor air quality resulting from
1705 ↪ smog.</xs:documentation>
1706         </xs:annotation>
1707     </xs:enumeration>
1708     <xs:enumeration value="smokeHazard">
1709         <xs:annotation>
1710             <xs:documentation>Smoke drifting across the roadway causing significantly
1711 ↪ reduced visibility.</xs:documentation>
1712         </xs:annotation>
1713     </xs:enumeration>
1714     <xs:enumeration value="snowChangingToRain">
1715         <xs:annotation>
1716             <xs:documentation>Falling snow is changing to rain.</xs:documentation>
1717         </xs:annotation>
1718     </xs:enumeration>
1719     <xs:enumeration value="snowfall">
1720         <xs:annotation>
1721             <xs:documentation>Falling snow, visibility more than 50m.</xs:documentation>
1722         </xs:annotation>
1723     </xs:enumeration>
1724     <xs:enumeration value="sprayHazard">
1725         <xs:annotation>
1726             <xs:documentation>Reduced visibility resulting from spray created by moving
1727 ↪ vehicles on a wet roadway.</xs:documentation>
1728         </xs:annotation>
1729     </xs:enumeration>
1730     <xs:enumeration value="stormForceWinds">
1731         <xs:annotation>
1732             <xs:documentation>Winds between 90 km/h and 120 km/h.</xs:documentation>
1733         </xs:annotation>
1734     </xs:enumeration>
1735     <xs:enumeration value="strongGustsOfWind">
1736         <xs:annotation>
1737             <xs:documentation>Constantly varying winds, strong at times.</
1738 ↪ xs:documentation>
1739         </xs:annotation>
1740     </xs:enumeration>
1741     <xs:enumeration value="strongWinds">
1742         <xs:annotation>
1743             <xs:documentation>Winds between 40 km/h and 60 km/h.</xs:documentation>
1744         </xs:annotation>
1745     </xs:enumeration>
1746     <xs:enumeration value="swarmsOfInsects">
1747         <xs:annotation>
1748             <xs:documentation>Large numbers of insects which create a hazard for road
1749 ↪ users through reduced visibility.</xs:documentation>
1750         </xs:annotation>
1751     </xs:enumeration>

```

(continues on next page)

(pokračujte na předchozí stránce)

```

1747     <xs:enumeration value="temperatureFalling">
1748         <xs:annotation>
1749             <xs:documentation>The temperature is falling significantly.</
↪xs:documentation>
1750         </xs:annotation>
1751     </xs:enumeration>
1752     <xs:enumeration value="thunderstorms">
1753         <xs:annotation>
1754             <xs:documentation>Electrical storms, generally with heavy rain.</
↪xs:documentation>
1755         </xs:annotation>
1756     </xs:enumeration>
1757     <xs:enumeration value="tornadoes">
1758         <xs:annotation>
1759             <xs:documentation>Very violent, whirling windstorms affecting narrow strips_
↪of country.</xs:documentation>
1760         </xs:annotation>
1761     </xs:enumeration>
1762     <xs:enumeration value="veryStrongGustsOfWind">
1763         <xs:annotation>
1764             <xs:documentation>Constantly varying winds, very strong at times.</
↪xs:documentation>
1765         </xs:annotation>
1766     </xs:enumeration>
1767     <xs:enumeration value="visibilityReduced">
1768         <xs:annotation>
1769             <xs:documentation>Environmental conditions causing reduced visibility.</
↪xs:documentation>
1770         </xs:annotation>
1771     </xs:enumeration>
1772     <xs:enumeration value="whiteOut">
1773         <xs:annotation>
1774             <xs:documentation>Falling snow in blizzard conditions resulting in very_
↪reduced visibility.</xs:documentation>
1775         </xs:annotation>
1776     </xs:enumeration>
1777     <xs:enumeration value="winterStorm">
1778         <xs:annotation>
1779             <xs:documentation>Heavy rain, sleet, hail and/or snow in combination with_
↪strong winds, limiting visibility to 50m or less.</xs:documentation>
1780         </xs:annotation>
1781     </xs:enumeration>
1782 </xs:restriction>
1783 </xs:simpleType>
1784 <xs:complexType name="PrecipitationDetail">
1785     <xs:annotation>
1786         <xs:documentation>Details of precipitation (rain, snow etc.).</xs:documentation>
1787     </xs:annotation>
1788     <xs:sequence>
1789         <xs:element name="precipitationType" type="D2LogicalModel:PrecipitationTypeEnum
↪" minOccurs="0" maxOccurs="1">
1790             <xs:annotation>
1791                 <xs:documentation>The type of precipitation which is affecting the driving_
↪conditions.</xs:documentation>
1792             </xs:annotation>
1793         </xs:element>

```

(continues on next page)

(pokračujte na předchozí stránce)

```

1794     <xs:element name="precipitationIntensity" type=
1795     ↪ "D2LogicalModel:PrecipitationIntensityValue" minOccurs="0">
1796         <xs:annotation>
1797             <xs:documentation>The height of the precipitation received per unit time.</
1798             ↪ xs:documentation>
1799             </xs:annotation>
1800         </xs:element>
1801         <xs:element name="depositionDepth" type=
1802         ↪ "D2LogicalModel:FloatingPointMetreDistanceValue" minOccurs="0">
1803             <xs:annotation>
1804                 <xs:documentation>The equivalent depth of the water layer resulting from
1805                 ↪ precipitation or deposition on a non-porous horizontal surface. Non liquid
1806                 ↪ precipitation is considered as melted in water form. </xs:documentation>
1807             </xs:annotation>
1808         </xs:element>
1809         <xs:element name="precipitationDetailExtension" type="D2LogicalModel:_
1810         ↪ ExtensionType" minOccurs="0" />
1811     </xs:sequence>
1812 </xs:complexType>
1813 <xs:complexType name="PrecipitationIntensityValue">
1814     <xs:annotation>
1815         <xs:documentation>A measured or calculated value of the accumulation rate of
1816         ↪ precipitation.</xs:documentation>
1817     </xs:annotation>
1818     <xs:complexContent>
1819         <xs:extension base="D2LogicalModel:DataValue">
1820             <xs:sequence>
1821                 <xs:element name="millimetresPerHourIntensity" type=
1822                 ↪ "D2LogicalModel:IntensityMillimetresPerHour" minOccurs="1" maxOccurs="1">
1823                     <xs:annotation>
1824                         <xs:documentation>A value of precipitation intensity expressed in units
1825                         ↪ of millimetres per hour.</xs:documentation>
1826                     </xs:annotation>
1827                 </xs:element>
1828                 <xs:element name="precipitationIntensityValueExtension" type=
1829                 ↪ "D2LogicalModel:_ExtensionType" minOccurs="0" />
1830             </xs:sequence>
1831         </xs:extension>
1832     </xs:complexContent>
1833 </xs:complexType>
1834 <xs:simpleType name="PrecipitationTypeEnum">
1835     <xs:annotation>
1836         <xs:documentation>Types of precipitation.</xs:documentation>
1837     </xs:annotation>
1838     <xs:restriction base="xs:string">
1839         <xs:enumeration value="drizzle">
1840             <xs:annotation>
1841                 <xs:documentation>Light, fine rain.</xs:documentation>
1842             </xs:annotation>
1843         </xs:enumeration>
1844         <xs:enumeration value="freezingRain">
1845             <xs:annotation>
1846                 <xs:documentation>Freezing rain.</xs:documentation>
1847             </xs:annotation>
1848         </xs:enumeration>
1849         <xs:enumeration value="hail">

```

(continues on next page)

(pokračujte na předchozí stránce)

```

1840     <xs:annotation>
1841       <xs:documentation>Small balls of ice and compacted snow.</xs:documentation>
1842     </xs:annotation>
1843   </xs:enumeration>
1844   <xs:enumeration value="rain">
1845     <xs:annotation>
1846       <xs:documentation>Rain.</xs:documentation>
1847     </xs:annotation>
1848   </xs:enumeration>
1849   <xs:enumeration value="sleet">
1850     <xs:annotation>
1851       <xs:documentation>Wet snow mixed with rain.</xs:documentation>
1852     </xs:annotation>
1853   </xs:enumeration>
1854   <xs:enumeration value="snow">
1855     <xs:annotation>
1856       <xs:documentation>Snow.</xs:documentation>
1857     </xs:annotation>
1858   </xs:enumeration>
1859 </xs:restriction>
1860 </xs:simpleType>
1861 <xs:simpleType name="ProbabilityOfOccurrenceEnum">
1862   <xs:annotation>
1863     <xs:documentation>Levels of confidence that the sender has in the information,
1864     ↪ordered {certain, probable, risk of}.</xs:documentation>
1865   </xs:annotation>
1866   <xs:restriction base="xs:string">
1867     <xs:enumeration value="certain">
1868       <xs:annotation>
1869         <xs:documentation>The source is completely certain of the occurrence of the
1870         ↪situation record version content.</xs:documentation>
1871       </xs:annotation>
1872     </xs:enumeration>
1873     <xs:enumeration value="probable">
1874       <xs:annotation>
1875         <xs:documentation>The source has a reasonably high level of confidence of
1876         ↪the occurrence of the situation record version content.</xs:documentation>
1877       </xs:annotation>
1878     </xs:enumeration>
1879     <xs:enumeration value="riskOf">
1880       <xs:annotation>
1881         <xs:documentation>The source has a moderate level of confidence of the
1882         ↪occurrence of the situation record version content.</xs:documentation>
1883       </xs:annotation>
1884     </xs:enumeration>
1885   </xs:restriction>
1886 </xs:simpleType>
1887 <xs:complexType name="RoadConditions" abstract="true">
1888   <xs:annotation>
1889     <xs:documentation>Conditions of the road surface which may affect driving
1890     ↪conditions. These may be related to the weather (e.g. ice, snow etc.) or to other
1891     ↪conditions (e.g. oil, mud, leaves etc. on the road)</xs:documentation>
1892   </xs:annotation>
1893   <xs:complexContent>
1894     <xs:extension base="D2LogicalModel:Conditions">
1895       <xs:sequence>

```

(continues on next page)

(pokračujte na předchozí stránce)

```

1890     <xs:element name="roadConditionsExtension" type="D2LogicalModel:_
↪ExtensionType" minOccurs="0" />
1891     </xs:sequence>
1892   </xs:extension>
1893 </xs:complexContent>
1894 </xs:complexType>
1895 <xs:complexType name="RoadSurfaceConditionMeasurements">
1896   <xs:annotation>
1897     <xs:documentation>Measurements of the road surface condition which relate
↪specifically to the weather.</xs:documentation>
1898   </xs:annotation>
1899   <xs:sequence>
1900     <xs:element name="roadSurfaceTemperature" type="D2LogicalModel:TemperatureValue
↪" minOccurs="0">
1901       <xs:annotation>
1902         <xs:documentation>The temperature measured on the road surface.</
↪xs:documentation>
1903       </xs:annotation>
1904     </xs:element>
1905     <xs:element name="protectionTemperature" type="D2LogicalModel:TemperatureValue"
↪minOccurs="0">
1906       <xs:annotation>
1907         <xs:documentation>The road surface temperature down to which the surface is
↪protected from freezing.</xs:documentation>
1908       </xs:annotation>
1909     </xs:element>
1910     <xs:element name="deIcingApplicationRate" type=
↪"D2LogicalModel:ApplicationRateValue" minOccurs="0">
1911       <xs:annotation>
1912         <xs:documentation>Indicates the rate at which de-icing agents have been
↪applied to the specified road.</xs:documentation>
1913       </xs:annotation>
1914     </xs:element>
1915     <xs:element name="deIcingConcentration" type=
↪"D2LogicalModel:KilogramsConcentrationValue" minOccurs="0">
1916       <xs:annotation>
1917         <xs:documentation>Indicates the concentration of de-icing agent present in
↪surface water on the specified road.</xs:documentation>
1918       </xs:annotation>
1919     </xs:element>
1920     <xs:element name="depthOfSnow" type=
↪"D2LogicalModel:FloatingPointMetreDistanceValue" minOccurs="0">
1921       <xs:annotation>
1922         <xs:documentation>The depth of snow recorded on the road surface.</
↪xs:documentation>
1923       </xs:annotation>
1924     </xs:element>
1925     <xs:element name="waterFilmThickness" type=
↪"D2LogicalModel:FloatingPointMetreDistanceValue" minOccurs="0">
1926       <xs:annotation>
1927         <xs:documentation>The depth of standing water to be found on the road
↪surface.</xs:documentation>
1928       </xs:annotation>
1929     </xs:element>
1930     <xs:element name="roadSurfaceConditionMeasurementsExtension" type=
↪"D2LogicalModel:_ExtensionType" minOccurs="0" />

```

(continues on next page)

(pokračujte na předchozí stránce)

```

1931     </xs:sequence>
1932 </xs:complexType>
1933 <xs:complexType name="Situation">
1934     <xs:annotation>
1935         <xs:documentation>An identifiable instance of a traffic/travel situation
↳ comprising one or more traffic/travel circumstances which are linked by one or more
↳ causal relationships. Each traffic/travel circumstance is represented by a
↳ Situation Record.</xs:documentation>
1936     </xs:annotation>
1937     <xs:sequence>
1938         <xs:element name="situationVersionTime" type="D2LogicalModel:DateTime"
↳ minOccurs="0" maxOccurs="1">
1939             <xs:annotation>
1940                 <xs:documentation>The date/time that this current version of the Situation
↳ was written into the database of the supplier which is involved in the data
↳ exchange. Identity and version of the situation are defined by the class stereotype
↳ implementation.</xs:documentation>
1941             </xs:annotation>
1942         </xs:element>
1943         <xs:element name="headerInformation" type="D2LogicalModel:HeaderInformation" />
1944         <xs:element name="situationRecord" type="D2LogicalModel:SituationRecord"
↳ maxOccurs="unbounded" />
1945         <xs:element name="situationExtension" type="D2LogicalModel:_ExtensionType"
↳ minOccurs="0" />
1946     </xs:sequence>
1947     <xs:attribute name="id" type="xs:string" use="required" />
1948     <xs:attribute name="version" type="xs:string" use="required" />
1949 </xs:complexType>
1950 <xs:complexType name="SituationPublication">
1951     <xs:annotation>
1952         <xs:documentation>A publication containing zero or more traffic/travel
↳ situations.</xs:documentation>
1953     </xs:annotation>
1954     <xs:complexContent>
1955         <xs:extension base="D2LogicalModel:PayloadPublication">
1956             <xs:sequence>
1957                 <xs:element name="situation" type="D2LogicalModel:Situation" minOccurs="0"
↳ maxOccurs="unbounded" />
1958                 <xs:element name="situationPublicationExtension" type="D2LogicalModel:_
↳ ExtensionType" minOccurs="0" />
1959             </xs:sequence>
1960         </xs:extension>
1961     </xs:complexContent>
1962 </xs:complexType>
1963 <xs:complexType name="SituationRecord" abstract="true">
1964     <xs:annotation>
1965         <xs:documentation>An identifiable versioned instance of a single record/element
↳ within a situation.</xs:documentation>
1966     </xs:annotation>
1967     <xs:sequence>
1968         <xs:element name="situationRecordCreationTime" type="D2LogicalModel:DateTime"
↳ minOccurs="1" maxOccurs="1">
1969             <xs:annotation>
1970                 <xs:documentation>The date/time that the SituationRecord object (the first
↳ version of the record) was created by the original supplier.</xs:documentation>
1971             </xs:annotation>

```

(continues on next page)

(pokračujte na předchozí stránce)

```

1972     </xs:element>
1973     <xs:element name="situationRecordVersionTime" type="D2LogicalModel:DateTime"
↪ minOccurs="1" maxOccurs="1">
1974         <xs:annotation>
1975             <xs:documentation>The date/time that this current version of the
↪ SituationRecord within the situation was written into the database of the supplier
↪ which is involved in the data exchange. Identity and version of record are defined
↪ by the class stereotype implementation.</xs:documentation>
1976         </xs:annotation>
1977     </xs:element>
1978     <xs:element name="probabilityOfOccurrence" type=
↪ "D2LogicalModel:ProbabilityOfOccurrenceEnum" minOccurs="1" maxOccurs="1">
1979         <xs:annotation>
1980             <xs:documentation>An assessment of the degree of likelihood that the
↪ reported event will occur.</xs:documentation>
1981         </xs:annotation>
1982     </xs:element>
1983     <xs:element name="source" type="D2LogicalModel:Source" minOccurs="0" />
1984     <xs:element name="validity" type="D2LogicalModel:Validity" />
1985     <xs:element name="cause" type="D2LogicalModel:Cause" minOccurs="0" />
1986     <xs:element name="generalPublicComment" type="D2LogicalModel:Comment" minOccurs=
↪ "0" maxOccurs="unbounded">
1987         <xs:annotation>
1988             <xs:documentation>A comment which may be freely distributed to the general
↪ public</xs:documentation>
1989         </xs:annotation>
1990     </xs:element>
1991     <xs:element name="groupOfLocations" type="D2LogicalModel:GroupOfLocations" />
1992     <xs:element name="situationRecordExtension" type="D2LogicalModel:_ExtensionType
↪ " minOccurs="0" />
1993 </xs:sequence>
1994 <xs:attribute name="id" type="xs:string" use="required" />
1995 <xs:attribute name="version" type="xs:string" use="required" />
1996 </xs:complexType>
1997 <xs:complexType name="Source">
1998     <xs:annotation>
1999         <xs:documentation>Details of the source from which the information was obtained.
↪ </xs:documentation>
2000     </xs:annotation>
2001     <xs:sequence>
2002         <xs:element name="sourceCountry" type="D2LogicalModel:CountryEnum" minOccurs="0
↪ " maxOccurs="1">
2003             <xs:annotation>
2004                 <xs:documentation>ISO 3166-1 two character country code of the source of
↪ the information.</xs:documentation>
2005             </xs:annotation>
2006         </xs:element>
2007         <xs:element name="sourceIdentification" type="D2LogicalModel:String" minOccurs=
↪ "0" maxOccurs="1">
2008             <xs:annotation>
2009                 <xs:documentation>Identifier of the organisation or the traffic equipment
↪ which has produced the information relating to this version of the information.</
↪ xs:documentation>
2010             </xs:annotation>
2011         </xs:element>
2012         <xs:element name="sourceName" type="D2LogicalModel:MultilingualString"

```

(continues on next page)

(pokračujte na předchozí stránce)

```

2013   <minOccurs="0" maxOccurs="1">
2014       <xs:annotation>
2015           <xs:documentation>The name of the organisation which has produced the
2016   <information relating to this version of the information.</xs:documentation>
2017       </xs:annotation>
2018   </xs:element>
2019   <xs:element name="sourceType" type="D2LogicalModel:SourceTypeEnum" minOccurs="0
2020   <" maxOccurs="1">
2021       <xs:annotation>
2022           <xs:documentation>Information about the technology used for measuring the
2023   <data or the method used for obtaining qualitative descriptions relating to this
2024   <version of the information.</xs:documentation>
2025       </xs:annotation>
2026   </xs:element>
2027   <xs:element name="reliable" type="D2LogicalModel:Boolean" minOccurs="0"
2028   <maxOccurs="1">
2029       <xs:annotation>
2030           <xs:documentation>An indication as to whether the source deems the
2031   <associated information to be reliable/correct. "True" indicates it is deemed
2032   <reliable.</xs:documentation>
2033       </xs:annotation>
2034   </xs:element>
2035   <xs:element name="sourceExtension" type="D2LogicalModel:_ExtensionType"
2036   <minOccurs="0" />
2037   </xs:sequence>
2038 </xs:complexType>
2039 <xs:simpleType name="SourceTypeEnum">
2040     <xs:annotation>
2041       <xs:documentation>Type of sources from which situation information may be
2042   <derived.</xs:documentation>
2043     </xs:annotation>
2044     <xs:restriction base="xs:string">
2045       <xs:enumeration value="automobileClubPatrol">
2046         <xs:annotation>
2047           <xs:documentation>A patrol of an automobile club.</xs:documentation>
2048         </xs:annotation>
2049       </xs:enumeration>
2050       <xs:enumeration value="cameraObservation">
2051         <xs:annotation>
2052           <xs:documentation>A camera observation (either still or video camera).</
2053   <xs:documentation>
2054         </xs:annotation>
2055       </xs:enumeration>
2056       <xs:enumeration value="freightVehicleOperator">
2057         <xs:annotation>
2058           <xs:documentation>An operator of freight vehicles.</xs:documentation>
2059         </xs:annotation>
2060       </xs:enumeration>
2061       <xs:enumeration value="inductionLoopMonitoringStation">
2062         <xs:annotation>
2063           <xs:documentation>A station dedicated to the monitoring of the road network
2064   <by processing inductive loop information.</xs:documentation>
2065         </xs:annotation>
2066       </xs:enumeration>
2067       <xs:enumeration value="infraredMonitoringStation">
2068         <xs:annotation>

```

(continues on next page)

(pokračujte na předchozí stránce)

```

2057     <xs:documentation>A station dedicated to the monitoring of the road network.
↪ by processing infrared image information.</xs:documentation>
2058     </xs:annotation>
2059   </xs:enumeration>
2060   <xs:enumeration value="microwaveMonitoringStation">
2061     <xs:annotation>
2062       <xs:documentation>A station dedicated to the monitoring of the road network.
↪ by processing microwave information.</xs:documentation>
2063     </xs:annotation>
2064   </xs:enumeration>
2065   <xs:enumeration value="mobileTelephoneCaller">
2066     <xs:annotation>
2067       <xs:documentation>A caller using a mobile telephone (who may or may not be
↪ on the road network).</xs:documentation>
2068     </xs:annotation>
2069   </xs:enumeration>
2070   <xs:enumeration value="nonPoliceEmergencyServicePatrol">
2071     <xs:annotation>
2072       <xs:documentation>Emergency service patrols other than police.</
↪ xs:documentation>
2073     </xs:annotation>
2074   </xs:enumeration>
2075   <xs:enumeration value="otherInformation">
2076     <xs:annotation>
2077       <xs:documentation>Other sources of information.</xs:documentation>
2078     </xs:annotation>
2079   </xs:enumeration>
2080   <xs:enumeration value="otherOfficialVehicle">
2081     <xs:annotation>
2082       <xs:documentation>Personnel from a vehicle belonging to the road operator
↪ or authority or any emergency service, including authorised breakdown service
↪ organisations.</xs:documentation>
2083     </xs:annotation>
2084   </xs:enumeration>
2085   <xs:enumeration value="policePatrol">
2086     <xs:annotation>
2087       <xs:documentation>A police patrol.</xs:documentation>
2088     </xs:annotation>
2089   </xs:enumeration>
2090   <xs:enumeration value="privateBreakdownService">
2091     <xs:annotation>
2092       <xs:documentation>A private breakdown service.</xs:documentation>
2093     </xs:annotation>
2094   </xs:enumeration>
2095   <xs:enumeration value="publicAndPrivateUtilities">
2096     <xs:annotation>
2097       <xs:documentation>A utility organisation, either public or private.</
↪ xs:documentation>
2098     </xs:annotation>
2099   </xs:enumeration>
2100   <xs:enumeration value="registeredMotoristObserver">
2101     <xs:annotation>
2102       <xs:documentation>A motorist who is an officially registered observer.</
↪ xs:documentation>
2103     </xs:annotation>
2104   </xs:enumeration>

```

(continues on next page)

(pokračujte na předchozí stránce)

```

2105     <xs:enumeration value="roadAuthorities">
2106         <xs:annotation>
2107             <xs:documentation>A road authority.</xs:documentation>
2108         </xs:annotation>
2109     </xs:enumeration>
2110     <xs:enumeration value="roadOperatorPatrol">
2111         <xs:annotation>
2112             <xs:documentation>A patrol of the road operator or authority.</
↪xs:documentation>
2113         </xs:annotation>
2114     </xs:enumeration>
2115     <xs:enumeration value="roadsideTelephoneCaller">
2116         <xs:annotation>
2117             <xs:documentation>A caller who is using an emergency roadside telephone.</
↪xs:documentation>
2118         </xs:annotation>
2119     </xs:enumeration>
2120     <xs:enumeration value="spotterAircraft">
2121         <xs:annotation>
2122             <xs:documentation>A spotter aircraft of an organisation specifically
↪assigned to the monitoring of the traffic network.</xs:documentation>
2123         </xs:annotation>
2124     </xs:enumeration>
2125     <xs:enumeration value="trafficMonitoringStation">
2126         <xs:annotation>
2127             <xs:documentation>A station, usually automatic, dedicated to the monitoring
↪of the road network.</xs:documentation>
2128         </xs:annotation>
2129     </xs:enumeration>
2130     <xs:enumeration value="transitOperator">
2131         <xs:annotation>
2132             <xs:documentation>An operator of a transit service, e.g. bus link operator.
↪</xs:documentation>
2133         </xs:annotation>
2134     </xs:enumeration>
2135     <xs:enumeration value="vehicleProbeMeasurement">
2136         <xs:annotation>
2137             <xs:documentation>A specially equipped vehicle used to provide measurements.
↪</xs:documentation>
2138         </xs:annotation>
2139     </xs:enumeration>
2140     <xs:enumeration value="videoProcessingMonitoringStation">
2141         <xs:annotation>
2142             <xs:documentation>A station dedicated to the monitoring of the road network
↪by processing video image information.</xs:documentation>
2143         </xs:annotation>
2144     </xs:enumeration>
2145 </xs:restriction>
2146 </xs:simpleType>
2147 <xs:complexType name="SpeedValue">
2148     <xs:annotation>
2149         <xs:documentation>A measured or calculated value of speed.</xs:documentation>
2150     </xs:annotation>
2151     <xs:complexContent>
2152         <xs:extension base="D2LogicalModel:DataValue">
2153             <xs:sequence>

```

(continues on next page)

(pokračujte na předchozí stránce)

```

2154     <xs:element name="speed" type="D2LogicalModel:KilometresPerHour" minOccurs=
↪ "1" maxOccurs="1">
2155         <xs:annotation>
2156             <xs:documentation>A value of speed expressed in kilometres per hour.</
↪ xs:documentation>
2157         </xs:annotation>
2158     </xs:element>
2159     <xs:element name="speedValueExtension" type="D2LogicalModel:_ExtensionType"
↪ minOccurs="0" />
2160 </xs:sequence>
2161 </xs:extension>
2162 </xs:complexContent>
2163 </xs:complexType>
2164 <xs:simpleType name="String">
2165     <xs:annotation>
2166         <xs:documentation>A character string whose value space is the set of finite-
↪ length sequences of characters. Every character has a corresponding Universal
↪ Character Set code point (as defined in ISO/IEC 10646), which is an integer.</
↪ xs:documentation>
2167     </xs:annotation>
2168     <xs:restriction base="xs:string">
2169         <xs:maxLength value="1024" />
2170     </xs:restriction>
2171 </xs:simpleType>
2172 <xs:complexType name="Temperature">
2173     <xs:annotation>
2174         <xs:documentation>Details of atmospheric temperature.</xs:documentation>
2175     </xs:annotation>
2176     <xs:sequence>
2177         <xs:element name="airTemperature" type="D2LogicalModel:TemperatureValue"
↪ minOccurs="0">
2178             <xs:annotation>
2179                 <xs:documentation>The air temperature measured in the shade between 1.5 and
↪ 2 metres above ground level.</xs:documentation>
2180             </xs:annotation>
2181         </xs:element>
2182         <xs:element name="dewPointTemperature" type="D2LogicalModel:TemperatureValue"
↪ minOccurs="0">
2183             <xs:annotation>
2184                 <xs:documentation>The temperature to which the air would have to cool (at
↪ constant pressure and water vapour content) in order to reach saturation.</
↪ xs:documentation>
2185             </xs:annotation>
2186         </xs:element>
2187         <xs:element name="maximumTemperature" type="D2LogicalModel:TemperatureValue"
↪ minOccurs="0">
2188             <xs:annotation>
2189                 <xs:documentation>The maximum temperature during the forecast or
↪ measurement period.</xs:documentation>
2190             </xs:annotation>
2191         </xs:element>
2192         <xs:element name="minimumTemperature" type="D2LogicalModel:TemperatureValue"
↪ minOccurs="0">
2193             <xs:annotation>
2194                 <xs:documentation>The minimum temperature during the forecast or
↪ measurement period.</xs:documentation>

```

(continues on next page)

(pokračujte na předchozí stránce)

```

2195     </xs:annotation>
2196   </xs:element>
2197   <xs:element name="temperatureExtension" type="D2LogicalModel:_ExtensionType"
↪minOccurs="0" />
2198   </xs:sequence>
2199 </xs:complexType>
2200 <xs:simpleType name="TemperatureCelsius">
2201   <xs:annotation>
2202     <xs:documentation>A measure of temperature defined in degrees Celsius.</
↪xs:documentation>
2203   </xs:annotation>
2204   <xs:restriction base="D2LogicalModel:Float" />
2205 </xs:simpleType>
2206 <xs:complexType name="TemperatureValue">
2207   <xs:annotation>
2208     <xs:documentation>A measured or calculated value of temperature.</
↪xs:documentation>
2209   </xs:annotation>
2210   <xs:complexContent>
2211     <xs:extension base="D2LogicalModel:DataValue">
2212       <xs:sequence>
2213         <xs:element name="temperature" type="D2LogicalModel:TemperatureCelsius"
↪minOccurs="1" maxOccurs="1">
2214           <xs:annotation>
2215             <xs:documentation>A value of temperature expressed in degrees Celsius.</
↪xs:documentation>
2216           </xs:annotation>
2217         </xs:element>
2218         <xs:element name="temperatureValueExtension" type="D2LogicalModel:_
↪ExtensionType" minOccurs="0" />
2219       </xs:sequence>
2220     </xs:extension>
2221   </xs:complexContent>
2222 </xs:complexType>
2223 <xs:complexType name="TrafficElement" abstract="true">
2224   <xs:annotation>
2225     <xs:documentation>An event which is not planned by the traffic operator, which
↪is affecting, or has the potential to affect traffic flow.</xs:documentation>
2226   </xs:annotation>
2227   <xs:complexContent>
2228     <xs:extension base="D2LogicalModel:SituationRecord">
2229       <xs:sequence>
2230         <xs:element name="trafficElementExtension" type="D2LogicalModel:_
↪ExtensionType" minOccurs="0" />
2231       </xs:sequence>
2232     </xs:extension>
2233   </xs:complexContent>
2234 </xs:complexType>
2235 <xs:simpleType name="TrafficStatusEnum">
2236   <xs:annotation>
2237     <xs:documentation>List of terms used to describe traffic conditions.</
↪xs:documentation>
2238   </xs:annotation>
2239   <xs:restriction base="xs:string">
2240     <xs:enumeration value="impossible">
2241       <xs:annotation>

```

(continues on next page)

(pokračujte na předchozí stránce)

```

2242     <xs:documentation>Traffic in the specified direction is completely_
↪ congested, effectively at a standstill, making driving impossible.</
↪ xs:documentation>
2243     </xs:annotation>
2244     </xs:enumeration>
2245     <xs:enumeration value="congested">
2246     <xs:annotation>
2247     <xs:documentation>Traffic in the specified direction is congested making_
↪ driving very slow and difficult.</xs:documentation>
2248     </xs:annotation>
2249     </xs:enumeration>
2250     <xs:enumeration value="heavy">
2251     <xs:annotation>
2252     <xs:documentation>Traffic in the specified direction is heavier than usual_
↪ making driving conditions more difficult than normal.</xs:documentation>
2253     </xs:annotation>
2254     </xs:enumeration>
2255     <xs:enumeration value="freeFlow">
2256     <xs:annotation>
2257     <xs:documentation>Traffic in the specified direction is free flowing.</
↪ xs:documentation>
2258     </xs:annotation>
2259     </xs:enumeration>
2260     <xs:enumeration value="unknown">
2261     <xs:annotation>
2262     <xs:documentation>Traffic conditions are unknown.</xs:documentation>
2263     </xs:annotation>
2264     </xs:enumeration>
2265     </xs:restriction>
2266 </xs:simpleType>
2267 <xs:complexType name="TrafficStatusValue">
2268     <xs:annotation>
2269     <xs:documentation>A measured or calculated value of the status of traffic_
↪ conditions on a section of road in a specified direction.</xs:documentation>
2270     </xs:annotation>
2271     <xs:complexContent>
2272     <xs:extension base="D2LogicalModel:DataValue">
2273     <xs:sequence>
2274     <xs:element name="trafficStatusValue" type="D2LogicalModel:TrafficStatusEnum
↪ " minOccurs="1" maxOccurs="1">
2275     <xs:annotation>
2276     <xs:documentation>A status value of traffic conditions on the_
↪ identified section of road in the specified direction.</xs:documentation>
2277     </xs:annotation>
2278     </xs:element>
2279     <xs:element name="trafficStatusValueExtension" type="D2LogicalModel:_
↪ ExtensionType" minOccurs="0" />
2280     </xs:sequence>
2281     </xs:extension>
2282 </xs:complexContent>
2283 </xs:complexType>
2284 <xs:simpleType name="UrgencyEnum">
2285     <xs:annotation>
2286     <xs:documentation>Degrees of urgency that a receiving client should associate_
↪ with the disseminate of the information contained in the publication.</
↪ xs:documentation>

```

(continues on next page)

(pokračujte na předchozí stránce)

```

2287     </xs:annotation>
2288     <xs:restriction base="xs:string">
2289       <xs:enumeration value="extremelyUrgent">
2290         <xs:annotation>
2291           <xs:documentation>Dissemination of the information is extremely urgent.</
↪xs:documentation>
2292         </xs:annotation>
2293       </xs:enumeration>
2294       <xs:enumeration value="urgent">
2295         <xs:annotation>
2296           <xs:documentation>Dissemination of the information is urgent.</
↪xs:documentation>
2297         </xs:annotation>
2298       </xs:enumeration>
2299       <xs:enumeration value="normalUrgency">
2300         <xs:annotation>
2301           <xs:documentation>Dissemination of the information is of normal urgency.</
↪xs:documentation>
2302         </xs:annotation>
2303       </xs:enumeration>
2304     </xs:restriction>
2305   </xs:simpleType>
2306   <xs:complexType name="Validity">
2307     <xs:annotation>
2308       <xs:documentation>Specification of validity, either explicitly or by a validity_
↪time period specification which may be discontinuous.</xs:documentation>
2309     </xs:annotation>
2310     <xs:sequence>
2311       <xs:element name="validityStatus" type="D2LogicalModel:ValidityStatusEnum"
↪minOccurs="1" maxOccurs="1">
2312         <xs:annotation>
2313           <xs:documentation>Specification of validity, either explicitly overriding_
↪the validity time specification or confirming it.</xs:documentation>
2314         </xs:annotation>
2315       </xs:element>
2316       <xs:element name="validityTimeSpecification" type="D2LogicalModel:OverallPeriod
↪">
2317         <xs:annotation>
2318           <xs:documentation>A specification of periods of validity defined by overall_
↪bounding start and end times and the possible intersection of valid periods with_
↪exception periods (exception periods overriding valid periods).</xs:documentation>
2319         </xs:annotation>
2320       </xs:element>
2321       <xs:element name="validityExtension" type="D2LogicalModel:_ExtensionType"
↪minOccurs="0" />
2322     </xs:sequence>
2323   </xs:complexType>
2324   <xs:simpleType name="ValidityStatusEnum">
2325     <xs:annotation>
2326       <xs:documentation>Values of validity status that can be assigned to a described_
↪event, action or item.</xs:documentation>
2327     </xs:annotation>
2328     <xs:restriction base="xs:string">
2329       <xs:enumeration value="active">
2330         <xs:annotation>
2331           <xs:documentation>The described event, action or item is currently active_

```

(continues on next page)

(pokračujte na předchozí stránce)

```

2332   </xs:annotation>
2333   </xs:enumeration>
2334   <xs:enumeration value="suspended">
2335     <xs:annotation>
2336       <xs:documentation>The described event, action or item is currently
2337       <xs:documentation>suspended, that is inactive, regardless of the definition of the validity time
2338       <xs:documentation>specification.</xs:documentation>
2339     </xs:annotation>
2340     </xs:enumeration>
2341     <xs:enumeration value="definedByValidityTimeSpec">
2342       <xs:annotation>
2343         <xs:documentation>The validity status of the described event, action or
2344         <xs:documentation>item is in accordance with the definition of the validity time specification.</
2345         <xs:documentation>xs:documentation>
2346       </xs:annotation>
2347       </xs:enumeration>
2348     </xs:restriction>
2349   </xs:simpleType>
2350   <xs:complexType name="VehicleCountValue">
2351     <xs:annotation>
2352       <xs:documentation>A measured or calculated value of absolute count of vehicles
2353       <xs:documentation>within a specified period of time expressed as non negative integer.</
2354       <xs:documentation>xs:documentation>
2355     </xs:annotation>
2356     <xs:complexContent>
2357       <xs:extension base="D2LogicalModel:DataValue">
2358         <xs:sequence>
2359           <xs:element name="vehicleCount" type="D2LogicalModel:NonNegativeInteger"
2360           <xs:documentation>minOccurs="1" maxOccurs="1">
2361             <xs:annotation>
2362               <xs:documentation>A measured or calculated absolute count of vehicles
2363               <xs:documentation>within a specified period of time expressed as non negative integer.</
2364               <xs:documentation>xs:documentation>
2365             </xs:annotation>
2366             </xs:element>
2367             <xs:element name="vehicleCountValueExtension" type="D2LogicalModel:_
2368             <xs:documentation>ExtensionType" minOccurs="0" />
2369           </xs:sequence>
2370         </xs:extension>
2371       </xs:complexContent>
2372     </xs:complexType>
2373     <xs:complexType name="VehicleFlowValue">
2374       <xs:annotation>
2375         <xs:documentation>A measured or calculated value of the flow rate of vehicles.</
2376         <xs:documentation>xs:documentation>
2377       </xs:annotation>
2378       <xs:complexContent>
2379         <xs:extension base="D2LogicalModel:DataValue">
2380           <xs:sequence>
2381             <xs:element name="vehicleFlowRate" type="D2LogicalModel:VehiclesPerHour"
2382             <xs:documentation>minOccurs="1" maxOccurs="1">
2383               <xs:annotation>
2384                 <xs:documentation>A value of vehicle flow rate expressed in vehicles
2385                 <xs:documentation>per hour.</xs:documentation>
2386               </xs:annotation>

```

(continues on next page)

(pokračujte na předchozí stránce)

```

2374         </xs:element>
2375         <xs:element name="vehicleFlowValueExtension" type="D2LogicalModel:_
↪ExtensionType" minOccurs="0" />
2376     </xs:sequence>
2377 </xs:extension>
2378 </xs:complexContent>
2379 </xs:complexType>
2380 <xs:simpleType name="VehiclesPerHour">
2381     <xs:annotation>
2382         <xs:documentation>Vehicles per hour.</xs:documentation>
2383     </xs:annotation>
2384     <xs:restriction base="D2LogicalModel:NonNegativeInteger" />
2385 </xs:simpleType>
2386 <xs:complexType name="VersionedReference">
2387     <xs:attribute name="id" type="xs:string" use="required" />
2388     <xs:attribute name="version" type="xs:string" use="required" />
2389 </xs:complexType>
2390 <xs:complexType name="Visibility">
2391     <xs:annotation>
2392         <xs:documentation>Details of atmospheric visibility.</xs:documentation>
2393     </xs:annotation>
2394     <xs:sequence>
2395         <xs:element name="minimumVisibilityDistance" type=
↪"D2LogicalModel:IntegerMetreDistanceValue">
2396             <xs:annotation>
2397                 <xs:documentation>The minimum distance, measured or estimated, beyond which
↪drivers may be unable to clearly see a vehicle or an obstacle.</xs:documentation>
2398             </xs:annotation>
2399         </xs:element>
2400         <xs:element name="visibilityExtension" type="D2LogicalModel:_ExtensionType"
↪minOccurs="0" />
2401     </xs:sequence>
2402 </xs:complexType>
2403 <xs:complexType name="WeatherRelatedRoadConditions">
2404     <xs:annotation>
2405         <xs:documentation>Road surface conditions that are related to the weather which
↪may affect the driving conditions, such as ice, snow or water.</xs:documentation>
2406     </xs:annotation>
2407     <xs:complexContent>
2408         <xs:extension base="D2LogicalModel:RoadConditions">
2409             <xs:sequence>
2410                 <xs:element name="weatherRelatedRoadConditionType" type=
↪"D2LogicalModel:WeatherRelatedRoadConditionTypeEnum" minOccurs="1" maxOccurs=
↪"unbounded">
2411                     <xs:annotation>
2412                         <xs:documentation>The type of road surface condition that is related to
↪the weather which is affecting the driving conditions.</xs:documentation>
2413                     </xs:annotation>
2414                 </xs:element>
2415                 <xs:element name="roadSurfaceConditionMeasurements" type=
↪"D2LogicalModel:RoadSurfaceConditionMeasurements" minOccurs="0" />
2416                 <xs:element name="weatherRelatedRoadConditionsExtension" type=
↪"D2LogicalModel:_ExtensionType" minOccurs="0" />
2417             </xs:sequence>
2418         </xs:extension>
2419     </xs:complexContent>

```

(continues on next page)

(pokračujte na předchozí stránce)

```

2420 </xs:complexType>
2421 <xs:simpleType name="WeatherRelatedRoadConditionTypeEnum">
2422   <xs:annotation>
2423     <xs:documentation>Types of road surface conditions which are related to the
↪ weather.</xs:documentation>
2424   </xs:annotation>
2425   <xs:restriction base="xs:string">
2426     <xs:enumeration value="blackIce">
2427       <xs:annotation>
2428         <xs:documentation>Severe skid risk due to black ice (i.e. clear ice, which
↪ is impossible or very difficult to see).</xs:documentation>
2429       </xs:annotation>
2430     </xs:enumeration>
2431     <xs:enumeration value="deepSnow">
2432       <xs:annotation>
2433         <xs:documentation>Deep snow on the roadway.</xs:documentation>
2434       </xs:annotation>
2435     </xs:enumeration>
2436     <xs:enumeration value="dry">
2437       <xs:annotation>
2438         <xs:documentation>The road surface is dry.</xs:documentation>
2439       </xs:annotation>
2440     </xs:enumeration>
2441     <xs:enumeration value="freezingOfWetRoads">
2442       <xs:annotation>
2443         <xs:documentation>The wet road surface is subject to freezing.</
↪ xs:documentation>
2444       </xs:annotation>
2445     </xs:enumeration>
2446     <xs:enumeration value="freezingPavements">
2447       <xs:annotation>
2448         <xs:documentation>The pavements for pedestrians are subject to freezing.</
↪ xs:documentation>
2449       </xs:annotation>
2450     </xs:enumeration>
2451     <xs:enumeration value="freezingRain">
2452       <xs:annotation>
2453         <xs:documentation>Severe skid risk due to rain falling on sub-zero
↪ temperature road surface and freezing.</xs:documentation>
2454       </xs:annotation>
2455     </xs:enumeration>
2456     <xs:enumeration value="freshSnow">
2457       <xs:annotation>
2458         <xs:documentation>Fresh snow (with little or no traffic yet) on the roadway.
↪ </xs:documentation>
2459       </xs:annotation>
2460     </xs:enumeration>
2461     <xs:enumeration value="ice">
2462       <xs:annotation>
2463         <xs:documentation>Increased skid risk due to ice (of any kind).</
↪ xs:documentation>
2464       </xs:annotation>
2465     </xs:enumeration>
2466     <xs:enumeration value="iceBuildUp">
2467       <xs:annotation>
2468         <xs:documentation>Ice is building up on the roadway causing a serious skid
↪

```

(continues on next page)

(pokračujte na předchozí stránce)

```

2469   ↪ hazard.</xs:documentation>
2470       </xs:annotation>
2471       </xs:enumeration>
2472       <xs:enumeration value="iceWithWheelBarTracks">
2473           <xs:annotation>
2474               <xs:documentation>Ice on the road frozen in the form of wheel tracks.</
2475   ↪ xs:documentation>
2476       </xs:annotation>
2477       </xs:enumeration>
2478       <xs:enumeration value="icyPatches">
2479           <xs:annotation>
2480               <xs:documentation>Severe skid risk due to icy patches (i.e. intermittent
2481   ↪ ice on roadway).</xs:documentation>
2482       </xs:annotation>
2483       </xs:enumeration>
2484       <xs:enumeration value="looseSnow">
2485           <xs:annotation>
2486               <xs:documentation>Powdery snow on the road which is subject to being blown
2487   ↪ by the wind.</xs:documentation>
2488       </xs:annotation>
2489       </xs:enumeration>
2490       <xs:enumeration value="normalWinterConditionsForPedestrians">
2491           <xs:annotation>
2492               <xs:documentation>Conditions for pedestrians are consistent with those
2493   ↪ normally expected in winter.</xs:documentation>
2494       </xs:annotation>
2495       </xs:enumeration>
2496       <xs:enumeration value="packedSnow">
2497           <xs:annotation>
2498               <xs:documentation>Packed snow (heavily trafficked) on the roadway.</
2499   ↪ xs:documentation>
2500       </xs:annotation>
2501       </xs:enumeration>
2502       <xs:enumeration value="roadSurfaceMelting">
2503           <xs:annotation>
2504               <xs:documentation>The road surface is melting, or has melted due to
2505   ↪ abnormally high temperatures.</xs:documentation>
2506       </xs:annotation>
2507       </xs:enumeration>
2508       <xs:enumeration value="slipperyRoad">
2509           <xs:annotation>
2510               <xs:documentation>The road surface is slippery due to bad weather
2511   ↪ conditions.</xs:documentation>
2512       </xs:annotation>
2513       </xs:enumeration>
2514       <xs:enumeration value="slushOnRoad">
2515           <xs:annotation>
2516               <xs:documentation>Increased skid risk due to melting snow (slush) on road.</
2517   ↪ xs:documentation>
2518       </xs:annotation>
2519       </xs:enumeration>
2520       <xs:enumeration value="slushStrings">
2521           <xs:annotation>
2522               <xs:documentation>Melting snow (slush) on the roadway is formed into wheel
2523   ↪ tracks.</xs:documentation>
2524       </xs:annotation>

```

(continues on next page)

(pokračujte na předchozí stránce)

```

2515     </xs:enumeration>
2516     <xs:enumeration value="snowDrifts">
2517         <xs:annotation>
2518             <xs:documentation>Snow drifting is in progress or patches of deep snow are
↳ present due to earlier drifting.</xs:documentation>
2519         </xs:annotation>
2520     </xs:enumeration>
2521     <xs:enumeration value="snowOnPavement">
2522         <xs:annotation>
2523             <xs:documentation>Snow is on the pedestrian pavement.</xs:documentation>
2524         </xs:annotation>
2525     </xs:enumeration>
2526     <xs:enumeration value="snowOnTheRoad">
2527         <xs:annotation>
2528             <xs:documentation>Snow is lying on the road surface.</xs:documentation>
2529         </xs:annotation>
2530     </xs:enumeration>
2531     <xs:enumeration value="surfaceWater">
2532         <xs:annotation>
2533             <xs:documentation>Water is resting on the roadway which provides an
↳ increased hazard to vehicles.</xs:documentation>
2534         </xs:annotation>
2535     </xs:enumeration>
2536     <xs:enumeration value="wet">
2537         <xs:annotation>
2538             <xs:documentation>Road surface is wet.</xs:documentation>
2539         </xs:annotation>
2540     </xs:enumeration>
2541     <xs:enumeration value="wetAndIcyRoad">
2542         <xs:annotation>
2543             <xs:documentation>Increased skid risk due to partly thawed, wet road with
↳ packed snow and ice, or rain falling on packed snow and ice.</xs:documentation>
2544         </xs:annotation>
2545     </xs:enumeration>
2546     <xs:enumeration value="wetIcyPavement">
2547         <xs:annotation>
2548             <xs:documentation>Partly thawed, wet pedestrian pavement with packed snow
↳ and ice, or rain falling on packed snow and ice.</xs:documentation>
2549         </xs:annotation>
2550     </xs:enumeration>
2551     <xs:enumeration value="other">
2552         <xs:annotation>
2553             <xs:documentation>Other than as defined in this enumeration.</
↳ xs:documentation>
2554         </xs:annotation>
2555     </xs:enumeration>
2556 </xs:restriction>
2557 </xs:simpleType>
2558 <xs:complexType name="Wind">
2559     <xs:annotation>
2560         <xs:documentation>Wind conditions on the road. </xs:documentation>
2561     </xs:annotation>
2562     <xs:sequence>
2563         <xs:element name="windMeasurementHeight" type=
↳ "D2LogicalModel:MetresAsNonNegativeInteger" minOccurs="0" maxOccurs="1">
2564             <xs:annotation>

```

(continues on next page)

(pokračujte na předchozí stránce)

```

2565     <xs:documentation>The height in metres above the road surface at which the
↪wind is measured.</xs:documentation>
2566     </xs:annotation>
2567   </xs:element>
2568   <xs:element name="windSpeed" type="D2LogicalModel:SpeedValue" minOccurs="0">
2569     <xs:annotation>
2570       <xs:documentation>The wind speed averaged over at least 10 minutes,
↪measured at a default height of 10 metres (meteorological standard) above the road
↪surface, unless measurement height is specified.</xs:documentation>
2571     </xs:annotation>
2572   </xs:element>
2573   <xs:element name="maximumWindSpeed" type="D2LogicalModel:SpeedValue" minOccurs=
↪"0">
2574     <xs:annotation>
2575       <xs:documentation>The maximum wind speed in a measurement period of 10
↪minutes.</xs:documentation>
2576     </xs:annotation>
2577   </xs:element>
2578   <xs:element name="windDirectionBearing" type=
↪"D2LogicalModel:DirectionBearingValue" minOccurs="0">
2579     <xs:annotation>
2580       <xs:documentation>The average direction from which the wind blows, in terms
↪of a bearing measured in degrees (0 - 359).</xs:documentation>
2581     </xs:annotation>
2582   </xs:element>
2583   <xs:element name="windDirectionCompass" type=
↪"D2LogicalModel:DirectionCompassValue" minOccurs="0">
2584     <xs:annotation>
2585       <xs:documentation>The average direction from which the wind blows, in terms
↪of points of the compass.</xs:documentation>
2586     </xs:annotation>
2587   </xs:element>
2588   <xs:element name="windExtension" type="D2LogicalModel:_ExtensionType" minOccurs=
↪"0" />
2589 </xs:sequence>
2590 </xs:complexType>
2591 </xs:schema>

```

Changelog

version 1.1.0

- added feed type to schema and samples

version 1.0.1

- revision of the documentation, proofreading, changes to examples, some texts regarding locations and concepts have been modified to be more specific.

version 1.0.0

- Initial format and documentation

Literatura

- [16157-1] ČSN CEN TS 16157-1: Inteligentní dopravní systémy – Specifikace výměnného formátu DATEX II pro řízení dopravy a dopravní informace - Část 1: Obecný rámec a architektura
- [16157-2] ČSN CEN TS 16157-2: Inteligentní dopravní systémy – Specifikace výměnného formátu DATEX II pro řízení dopravy a dopravní informace - Část 2: Označování pozice
- [16157-3] ČSN CEN TS 16157-3:2011 Inteligentní dopravní systémy – Specifikace výměnného formátu DATEX II pro řízení dopravy a dopravní informace – Část 3: Publikace situace, <https://eshop.agentura-cas.cz/Detailnormy.aspx?k=91483>
- [16157-4] ČSN CEN TS 16157-4:2014 Inteligentní dopravní systémy – Specifikace výměnného formátu DATEX II pro řízení dopravy a dopravní informace – Část 4: Publikace proměnného dopravního značení, <https://eshop.agentura-cas.cz/Detailnormy.aspx?k=96672>
- [16157-5] ČSN CEN TS 16157-5:2014 Inteligentní dopravní systémy – Specifikace výměnného formátu DATEX II pro řízení dopravy a dopravní informace – Část 5: Publikace naměřených a zpracovaných dat, <https://eshop.agentura-cas.cz/Detailnormy.aspx?k=96677>
- [16157-6] ČSN CEN TS 16157-6:2015 Inteligentní dopravní systémy – Specifikace výměnného formátu DATEX II pro řízení dopravy a dopravní informace – Část 6: Publikace parkování
- [d2ref] DATEX II Current version/Reference set, <https://docs.datex2.eu/downloads/> (dostupné jen přihlášeným uživatelům).
- [d2supp] DATEX II Current version/Supporting, <https://docs.datex2.eu/> (dostupné jen přihlášeným uživatelům).

Symboly

(DATEX II) profil, [3](#)
(DATEX II) rozšíření, [3](#)
(W3C) XML Schéma, [3](#)

D

DATEX II model, [2](#)

F

formát, [2](#)

N

NDIC, [2](#)

P

protokol, [2](#)
publikace, [3](#)

R

rozšíření úrovně B, [3](#)
rozšíření úrovně C, [3](#)

U

uri, [3](#)

X

XSD, [3](#)