



ŘEDITELSTVÍ SILNIC A DÁLNIC ČR

NDIC - DATEX II Situation Publication - Weather

Release 1.2rev0

Národní Dopravní Informační Centrum

2023-08-29

CONTENTS

1 Introduction 2

1.1 Changelog 2

1.2 General terms 3

2 Concepts 4

2.1 Publication type SituationPublication 4

2.2 Event description 4

2.3 Location description (by predefined locations) 5

3 Time validity 6

4 Location referencing 7

5 Appendix A: Message examples 8

5.1 visibility.xml 8

6 Appendix B: W3C XML Schema 11

6.1 schema.xsd 11

7 Changelog 32

Bibliography 33

Index 34

Identifier and version:

uri
cz-ndic_d2-weather-v1.2

Format
1.2

Specification
1.2rev0

Updated
2023-08-29

Format type:

Publication
DATEX II v2.3/SituationPublication

Extends
—

Publisher and author:

Publisher
NDIC

Author
Jan Vlčinský, Petr Bureš

Summary

The document describes a data format used for publishing weather related information impacting the drivers on predefined set of locations.

INTRODUCTION

This document shall be used by publisher and / or subscriber. Subscriber shall use it for format suitability evaluation and for possible implementation of received NDIC data import into own information system. Publisher shall use it as a specification of data to be published format and for possible implementation of data export from own information system into NDIC.

Here you can find:

- conceptual description of published information
- information about location referencing methods used
- W3C XML schema of the format
- data sample(s)

Following topics are out of scope of this document and if present, shall be considered as informative only:

- transfer protocol incl. access point, life cycle etc.
- related data formats
- typical data origin
- typical data use

1.1 Changelog

version 1.0.0

- Initial format and documentation

version 1.0.1

- revision of the documentation, proofreading, changes to examples, some texts regarding locations and concepts have been modified to be more specific.

version 1.1.0

- added feed type to schema and samples

version 1.2

- added urlLink to situationRecord for additional description on the web
- added: feedDescription and safetyRelatedMessage tags

1.2 General terms

Following terms are used in this document:

format

description of data structure for transferring some kind of information

protocol

description of data transfer process and rules

NDIC

national traffic information centre

DATEX II model

class model for describing information related to the road traffic. The model in form of UML is platform independent.

One of specific platforms for expressing the model is XML.

The model is extensive (it consists of few thousands of structural items representing term incl. definition) For reference data (UML class model in form of Enterprise Architect EAP file, XML schema etc.) see [\[d2ref\]](#). For additional information see [\[d2supp\]](#).

(DATEX II) profile

simplified class model, still sufficient for specific needs. Profile is created from model by selecting only specific parts.

(DATEX II) extension

extended DATEX II model, adding data structures missing in standard model but needed for specific needs.

B level extension

Extension of DATEX II model, which is backward compatible with the original DATEX II model, even though it contains additional structures. [\[16157-1\]](#)

C level extension

Extension of DATEX II model, which is not backward compatible with the original DATEX II model.

publication

an element of DATEX II model, serving as an envelope for transmitted content of certain kind. Every sent DATEX II message contains exactly one element of publication type. There are various types of publications, for example *SituationPublication* [\[16157-3\]](#), *ElaboratedDataPublication* [\[16157-5\]](#), *PredefinedLocationsPublication* [\[16157-3\]](#) etc.

(W3C) XML schema

language, which allows definition of rules for a XML document structure.

XSD

XML document containing XML schema. Sometimes it is synonym for XML schema itself.

uri

uniform resource identifier, text, used as unique identifier. In this document, every format has it's own uri.

CONCEPTS

Described format allows publishing weather related information impacting driving conditions for a set of predefined locations. This information belongs to category of traffic information, it is not published in predefined intervals, the contents carry event type information, like “dense fog”.

2.1 Publication type SituationPublication

Format is based on DATEX II publication of type *SituationPublication* [16157-3]. Profile uses only small subset of possible structures.

```
1 <?xml version="1.0" encoding="utf-8"?>
2 <d2LogicalModel modelBaseVersion="2"
3 xmlns="http://datex2.eu/schema/2/2_0"
4 xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
5 xsi:schemaLocation="http://datex2.eu/schema/2/2_0 ../schema/schema.xsd">
6   <exchange>
7     <supplierIdentification>
8       <country>cz</country>
9       <nationalIdentifier>NDIC</nationalIdentifier>
10    </supplierIdentification>
11  </exchange>
12  <payloadPublication lang="cs" xsi:type="SituationPublication">
13    <feedType>x-format:cz-ndic_d2-weather-v1.2</feedType>
14    <publicationTime>2017-07-15T04:27:59+02:00</publicationTime>
15    <publicationCreator>
16      <country>cz</country>
17      <nationalIdentifier>NDIC</nationalIdentifier>
18    </publicationCreator>
```

2.2 Event description

Each event is described by the *situation* element, the described situation can evolve in time, so the element is versioned and has its unique identifier.

The *situationRecord* element can occur multiple times in the *situation* element (each time of a different type). The *situationRecord* element can evolve over time, so the element is versioned and has its own unique identifier derived from the identifier of the parent situation.

In particular, this publication includes:

- weather effects such as rain, wind, fog, snow, ice, etc.

This publication does not include any status information. The impacts of the event are not described.

Most of the structures provided by the *TrafficElement/Conditions* class are used to describe events. See the W3C XML Schema or possibly [d2ref] for the exact definition. e.g.

```

19 <situation id="MeteoService15.1" version="5">
20   <situationVersionTime>2017-07-15T04:27:21+02:00</situationVersionTime>
21   <headerInformation>
22     <confidentiality>noRestriction</confidentiality>
23     <informationStatus>real</informationStatus>
24     <urgency>normalUrgency</urgency>
25   </headerInformation>
26   <situationRecord id="MeteoService15.1_PoorEnvironmentConditions"
27     version="5" xsi:type="PoorEnvironmentConditions">

```

An indication that this is a safety-related event according to Delegated Regulation 886/2013 is given in the *safetyRelatedMessage* tag.

```

58   <situationRecordExtension>
59     <situationRecordExtendedApproved>
60       <safetyRelatedMessage>true</safetyRelatedMessage>
61     </situationRecordExtendedApproved>
62   </situationRecordExtension>

```

2.3 Location description (by predefined locations)

The position can be described by a point or a short linear section on the road network, given by the presence of a weather station. Since the position of the weather sensing sensors does not change, the location in this profile is described by a reference (id) to a predefined location set defined in different document. The reference points to a class instance *PredefinedLocation* from package *PredefinedLocationsPublication*. Therefore, the location is not described directly in the file.

Location of weather information is determined by reference to a set of predefined locations. To look up given location, it is necessary to obtain publication *PredefinedLocationsPublication*, related to this source of information and inside find location of identical type (by *targetClass*, here *PredefinedLocation*), with the same identifier and version.

The location for which the weather information is valid is specified by the *groupOfLocations* element re-typed to *xsi:type="LocationByReference"*, that includes element *predefinedLocationReference* with the attribute *targetClass="PredefinedLocation"*.

```

54 <groupOfLocations xsi:type="LocationByReference">
55   <predefinedLocationReference id="73D74C70-BFA8-408F-86CD-49B3689D9F5D"
56     targetClass="PredefinedLocation" version="1" />
57 </groupOfLocations>

```

The position description methods are further described in the chapter "Location referencing".

TIME VALIDITY

Time validity is stated independently for every single *SituationRecord* described in a situation and is defined by a time interval between two time instants. The class *Validity* is used with an instance of class *OverallPeriod* in the role of *validityTimeSpecification* and elements *overallStartTime* and *overallStopTime* to define start and end of the interval.

Apart from methods mentioned above, no other methods for time validity specification are allowed (e.g. hours of validity or days of validity).

```
39     <validity>
40       <validityStatus>definedByValidityTimeSpec</validityStatus>
41       <validityTimeSpecification>
42         <overallStartTime>2017-07-15T04:26:50+02:00</overallStartTime>
43         <overallEndTime>2017-07-15T04:46:50+02:00</overallEndTime>
44       </validityTimeSpecification>
45     </validity>
```


LOCATION REFERENCING

The format describes routes exclusively by a reference to set of predefined locations (class *PredefinedLocation*) in publication *PredefinedLocationsPublication* [16157-3].

Location referencing methods are out of scope of this document and are described elsewhere.

APPENDIX A: MESSAGE EXAMPLES

5.1 visibility.xml

Publication contains exactly one message about dense fog and visibility of 30 meters.

```
<?xml version="1.0" encoding="utf-8"?>
<d2LogicalModel modelBaseVersion="2"
xmlns="http://datex2.eu/schema/2/2_0"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://datex2.eu/schema/2/2_0 ../schema/schema.xsd">
  <exchange>
    <supplierIdentification>
      <country>cz</country>
      <nationalIdentifier>NDIC</nationalIdentifier>
    </supplierIdentification>
  </exchange>
  <payloadPublication lang="cs" xsi:type="SituationPublication">
    <feedType>x-format:cz-ndic_d2-weather-v1.2</feedType>
    <publicationTime>2017-07-15T04:27:59+02:00</publicationTime>
    <publicationCreator>
      <country>cz</country>
      <nationalIdentifier>NDIC</nationalIdentifier>
    </publicationCreator>
    <situation id="MeteoService15.1" version="5">
      <situationVersionTime>2017-07-15T04:27:21+02:00</situationVersionTime>
      <headerInformation>
        <confidentiality>noRestriction</confidentiality>
        <informationStatus>real</informationStatus>
        <urgency>normalUrgency</urgency>
      </headerInformation>
      <situationRecord id="MeteoService15.1_PoorEnvironmentConditions"
version="5" xsi:type="PoorEnvironmentConditions">
        <situationRecordCreationTime>2017-07-15T04:25:59+02:00</
↪situationRecordCreationTime>
        <situationRecordVersionTime>2017-07-15T04:27:21+02:00</
↪situationRecordVersionTime>
        <probabilityOfOccurrence>certain</probabilityOfOccurrence>
        <source>
          <sourceIdentification>ITSMTNDIC</sourceIdentification>
          <sourceName>
            <values>
              <value lang="cs">Správci meteohlásek DI</value>
            </values>
          </sourceName>
        </source>
      </situationRecord>
    </situation>
  </payloadPublication>
</d2LogicalModel>
```

(continues on next page)

(continued from previous page)

```

<validity>
  <validityStatus>definedByValidityTimeSpec</validityStatus>
  <validityTimeSpecification>
    <overallStartTime>2017-07-15T04:26:50+02:00</overallStartTime>
    <overallEndTime>2017-07-15T04:46:50+02:00</overallEndTime>
  </validityTimeSpecification>
</validity>
<generalPublicComment>
  <comment>
    <values>
      <value lang="cs">Hustá mlha, viditelnost menší než 30 m,
        Vysocanská</value>
    </values>
  </comment>
</generalPublicComment>
<groupOfLocations xsi:type="LocationByReference">
  <predefinedLocationReference id="73D74C70-BFA8-408F-86CD-49B3689D9F5D"
    targetClass="PredefinedLocation" version="1" />
</groupOfLocations>
<situationRecordExtension>
  <situationRecordExtendedApproved>
    <safetyRelatedMessage>true</safetyRelatedMessage>
  </situationRecordExtendedApproved>
</situationRecordExtension>
<poorEnvironmentType>denseFog</poorEnvironmentType>
<visibility>
  <minimumVisibilityDistance>
    <integerMetreDistance>30</integerMetreDistance>
  </minimumVisibilityDistance>
</visibility>
</situationRecord>
</situation>
</payloadPublication>
</d2LogicalModel>

```

5.1.1 Root element and publication envelope

Root element *d2LogicalModel* declares, that this message is using DATEX II.

Element *exchange* contains provider identifier.

Element *payloadPublication* is an envelope for actual information payload containing general information and one or more elements *situation*, (in our case there is one).

Attribute *xsi:type="SituationPublication"* in element *payloadPublication* determines, that this envelope is of type Situation publication.

Element *feedType* states publication schema by its uri.

Element *publicationTime* states publication time of this publication (file) as a whole.

Element *publicationCreator* identifies creator of the publication.

5.1.2 Description of one specific situation

Element *situation* describes a particular event, more particular events means more *situation* elements. Each *situation* element may contain one or more individual sub-messages, elements *situationRecord*. In this case occurs in the element *situation* just once.

Element *situationVersionTime* sets the time of the publication of this version of the situation.

Element *headerInformation* describes how to handle the information described.

Event description (what happened)

Element *situationRecord* of type *xsi:type="PoorEnvironmentConditions"* contains description of the situation, dense fog (*denseFog*) with visibility at 30 meters (*minimumVisibilityDistance* = 30).

Time validity

Estimated time validity is given in a structure *validity* by values of validity interval start *overallStartTime* and validity interval end *overallEndTime*.

Event location

Event location is determined by reference to a set of predefined locations. To look up given location, it is necessary to obtain publication *PredefinedLocationsPublication*, related to this source of information and inside find location of identical type (by *targetClass*, here *PredefinedLocation*), with the same identifier and version.

The location for which the weather related event is valid is specified by the *groupOfLocations* element. It always has *xsi:type="LocationByReference"* and includes element *predefinedLocationReference* with the attribute *targetClass="PredefinedLocation"*.

The attribute *id* = "73D74C70-BFA8-408F-86CD-49B3689D9F5D" refers to a predefined location with a given identifier, and the attribute *version* = '0' specifies the version of the location description.

Additional content

The document states time of its first version in *situationRecordCreationTime* and time of current version in *situationRecordVersionTime* for each *situationRecord*.

Element *source* lists the the creator of this information, who is responsible for its accuracy.

Element *generalPublicComment* contains a general description of the situation, mostly only in Czech language. This is a free text description as provided by the situation creator.

APPENDIX B: W3C XML SCHEMA

XML structure of a transmitted message is defined by following W3C XML schema:

6.1 *schema.xsd*

```

1 <?xml version="1.0" encoding="utf-8" standalone="no"?>
2 <xs:schema elementFormDefault="qualified" attributeFormDefault="unqualified"
  ↳ xmlns:D2LogicalModel="http://datex2.eu/schema/2/2_0" version="2.3" targetNamespace=
  ↳ "http://datex2.eu/schema/2/2_0" xmlns:xs="http://www.w3.org/2001/XMLSchema">
3   <xs:complexType name="_ExtensionType">
4     <xs:sequence>
5       <xs:any namespace="##any" processContents="lax" minOccurs="0" maxOccurs=
  ↳ "unbounded" />
6     </xs:sequence>
7   </xs:complexType>
8   <xs:complexType name="_PredefinedLocationVersionedReference">
9     <xs:complexContent>
10      <xs:extension base="D2LogicalModel:VersionedReference">
11        <xs:attribute name="targetClass" use="required" fixed="PredefinedLocation" />
12      </xs:extension>
13    </xs:complexContent>
14  </xs:complexType>
15  <xs:complexType name="_PredefinedNonOrderedLocationGroupVersionedReference">
16    <xs:complexContent>
17      <xs:extension base="D2LogicalModel:VersionedReference">
18        <xs:attribute name="targetClass" use="required" fixed=
  ↳ "PredefinedNonOrderedLocationGroup" />
19      </xs:extension>
20    </xs:complexContent>
21  </xs:complexType>
22  <xs:complexType name="_SituationRecordExtensionType">
23    <xs:sequence>
24      <xs:element name="situationRecordExtendedApproved" type=
  ↳ "D2LogicalModel:SituationRecordExtendedApproved" minOccurs="0" />
25      <xs:any namespace="##other" processContents="lax" minOccurs="0" maxOccurs=
  ↳ "unbounded" />
26    </xs:sequence>
27  </xs:complexType>
28  <xs:simpleType name="AngleInDegrees">
29    <xs:restriction base="D2LogicalModel:NonNegativeInteger" />
30  </xs:simpleType>
31  <xs:complexType name="ApplicationRateValue">
32    <xs:complexContent>
33      <xs:extension base="D2LogicalModel:DataValue">

```

(continues on next page)

(continued from previous page)

```

34     <xs:sequence>
35         <xs:element name="applicationRate" type=
36         ↪ "D2LogicalModel:IntensityKilogramsPerSquareMetre" minOccurs="1" maxOccurs="1" />
37         <xs:element name="applicationRateValueExtension" type="D2LogicalModel:_
38         ↪ ExtensionType" minOccurs="0" />
39     </xs:sequence>
40 </xs:extension>
41 </xs:complexContent>
42 </xs:complexType>
43 <xs:complexType name="AxleFlowValue">
44     <xs:complexContent>
45         <xs:extension base="D2LogicalModel:DataValue">
46             <xs:sequence>
47                 <xs:element name="axleFlowRate" type="D2LogicalModel:AxlesPerHour" ↪
48                 ↪ minOccurs="1" maxOccurs="1" />
49                 <xs:element name="axleFlowValueExtension" type="D2LogicalModel:_
50                 ↪ ExtensionType" minOccurs="0" />
51             </xs:sequence>
52         </xs:extension>
53     </xs:complexContent>
54 </xs:complexType>
55 <xs:simpleType name="AxlesPerHour">
56     <xs:restriction base="D2LogicalModel:NonNegativeInteger" />
57 </xs:simpleType>
58 <xs:simpleType name="Boolean">
59     <xs:restriction base="xs:boolean" />
60 </xs:simpleType>
61 <xs:complexType name="Cause" abstract="true">
62     <xs:sequence>
63         <xs:element name="causeExtension" type="D2LogicalModel:_ExtensionType" ↪
64         ↪ minOccurs="0" />
65     </xs:sequence>
66 </xs:complexType>
67 <xs:simpleType name="CauseTypeEnum">
68     <xs:restriction base="xs:string">
69         <xs:enumeration value="accident" />
70         <xs:enumeration value="congestion" />
71         <xs:enumeration value="earlierAccident" />
72         <xs:enumeration value="earlierEvent" />
73         <xs:enumeration value="earlierIncident" />
74         <xs:enumeration value="equipmentFailure" />
75         <xs:enumeration value="excessiveHeat" />
76         <xs:enumeration value="frost" />
77         <xs:enumeration value="holidayTraffic" />
78         <xs:enumeration value="infrastructureFailure" />
79         <xs:enumeration value="largeNumbersOfVisitors" />
80         <xs:enumeration value="obstruction" />
81         <xs:enumeration value="pollutionAlert" />
82         <xs:enumeration value="poorWeather" />
83         <xs:enumeration value="problemsAtBorderPost" />
84         <xs:enumeration value="problemsAtCustomPost" />
85         <xs:enumeration value="problemsOnLocalRoads" />
86         <xs:enumeration value="radioactiveLeakAlert" />
87         <xs:enumeration value="roadsideEvent" />
88         <xs:enumeration value="rubberNecking" />
89         <xs:enumeration value="securityIncident" />

```

(continues on next page)

(continued from previous page)

```

85     <xs:enumeration value="shearWeightOfTraffic" />
86     <xs:enumeration value="technicalProblems" />
87     <xs:enumeration value="terrorism" />
88     <xs:enumeration value="toxicCloudAlert" />
89     <xs:enumeration value="vandalism" />
90     <xs:enumeration value="other" />
91 </xs:restriction>
92 </xs:simpleType>
93 <xs:complexType name="Comment">
94     <xs:sequence>
95         <xs:element name="comment" type="D2LogicalModel:MultilingualString" minOccurs="1"
96         ↪ " maxOccurs="1" />
97         <xs:element name="commentDateTime" type="D2LogicalModel:DateTime" minOccurs="0"
98         ↪ maxOccurs="1" />
99         <xs:element name="commentType" type="D2LogicalModel:CommentTypeEnum" minOccurs=
100         ↪ "0" maxOccurs="1" />
101         <xs:element name="commentExtension" type="D2LogicalModel:_ExtensionType"
102         ↪ minOccurs="0" />
103     </xs:sequence>
104 </xs:complexType>
105 <xs:simpleType name="CommentTypeEnum">
106     <xs:restriction base="xs:string">
107         <xs:enumeration value="abnormalLoadMovementNote" />
108         <xs:enumeration value="dataProcessingNote" />
109         <xs:enumeration value="description" />
110         <xs:enumeration value="internalNote" />
111         <xs:enumeration value="locationDescriptor" />
112         <xs:enumeration value="warning" />
113         <xs:enumeration value="other" />
114     </xs:restriction>
115 </xs:simpleType>
116 <xs:simpleType name="ComputationMethodEnum">
117     <xs:restriction base="xs:string">
118         <xs:enumeration value="arithmeticAverageOfSamplesBasedOnAFixedNumberOfSamples" /
119         ↪ >
120         <xs:enumeration value="arithmeticAverageOfSamplesInATimePeriod" />
121         <xs:enumeration value="harmonicAverageOfSamplesInATimePeriod" />
122         <xs:enumeration value="medianOfSamplesInATimePeriod" />
123         <xs:enumeration value="movingAverageOfSamples" />
124     </xs:restriction>
125 </xs:simpleType>
126 <xs:simpleType name="ConcentrationKilogramsPerCubicMetre">
127     <xs:restriction base="D2LogicalModel:Float" />
128 </xs:simpleType>
129 <xs:complexType name="ConcentrationOfVehiclesValue">
130     <xs:complexContent>
131         <xs:extension base="D2LogicalModel:DataValue">
132             <xs:sequence>
133                 <xs:element name="concentrationOfVehicles" type=
134                 ↪ "D2LogicalModel:ConcentrationVehiclesPerKilometre" minOccurs="1" maxOccurs="1" />
135                 <xs:element name="concentrationOfVehiclesValueExtension" type=
136                 ↪ "D2LogicalModel:_ExtensionType" minOccurs="0" />
137             </xs:sequence>
138         </xs:extension>
139     </xs:complexContent>
140 </xs:complexType>

```

(continues on next page)

(continued from previous page)

```

134 <xs:simpleType name="ConcentrationVehiclesPerKilometre">
135   <xs:restriction base="D2LogicalModel:NonNegativeInteger" />
136 </xs:simpleType>
137 <xs:complexType name="Conditions">
138   <xs:complexContent>
139     <xs:extension base="D2LogicalModel:TrafficElement">
140       <xs:sequence>
141         <xs:element name="drivingConditionType" type=
142 ↪ "D2LogicalModel:DrivingConditionTypeEnum" minOccurs="0" maxOccurs="1" />
143         <xs:element name="conditionsExtension" type="D2LogicalModel:_ExtensionType" ↪
144 ↪ minOccurs="0" />
145       </xs:sequence>
146     </xs:extension>
147   </xs:complexContent>
148 </xs:complexType>
149 <xs:simpleType name="ConfidentialityValueEnum">
150   <xs:restriction base="xs:string">
151     <xs:enumeration value="internalUse" />
152     <xs:enumeration value="noRestriction" />
153     <xs:enumeration value="restrictedToAuthorities" />
154     <xs:enumeration value="restrictedToAuthoritiesAndTrafficOperators" />
155     <xs:enumeration value="restrictedToAuthoritiesTrafficOperatorsAndPublishers" />
156     <xs:enumeration value="restrictedToAuthoritiesTrafficOperatorsAndVms" />
157   </xs:restriction>
158 </xs:simpleType>
159 <xs:simpleType name="CountryEnum">
160   <xs:restriction base="xs:string">
161     <xs:enumeration value="at" />
162     <xs:enumeration value="be" />
163     <xs:enumeration value="bg" />
164     <xs:enumeration value="ch" />
165     <xs:enumeration value="cs" />
166     <xs:enumeration value="cy" />
167     <xs:enumeration value="cz" />
168     <xs:enumeration value="de" />
169     <xs:enumeration value="dk" />
170     <xs:enumeration value="ee" />
171     <xs:enumeration value="es" />
172     <xs:enumeration value="fi" />
173     <xs:enumeration value="fo" />
174     <xs:enumeration value="fr" />
175     <xs:enumeration value="gb" />
176     <xs:enumeration value="gg" />
177     <xs:enumeration value="gi" />
178     <xs:enumeration value="gr" />
179     <xs:enumeration value="hr" />
180     <xs:enumeration value="hu" />
181     <xs:enumeration value="ie" />
182     <xs:enumeration value="im" />
183     <xs:enumeration value="is" />
184     <xs:enumeration value="it" />
185     <xs:enumeration value="je" />
186     <xs:enumeration value="li" />
187     <xs:enumeration value="lt" />
188     <xs:enumeration value="lu" />
189     <xs:enumeration value="lv" />

```

(continues on next page)

(continued from previous page)

```

188     <xs:enumeration value="ma" />
189     <xs:enumeration value="mc" />
190     <xs:enumeration value="mk" />
191     <xs:enumeration value="mt" />
192     <xs:enumeration value="nl" />
193     <xs:enumeration value="no" />
194     <xs:enumeration value="pl" />
195     <xs:enumeration value="pt" />
196     <xs:enumeration value="ro" />
197     <xs:enumeration value="se" />
198     <xs:enumeration value="si" />
199     <xs:enumeration value="sk" />
200     <xs:enumeration value="sm" />
201     <xs:enumeration value="tr" />
202     <xs:enumeration value="va" />
203     <xs:enumeration value="other" />
204 </xs:restriction>
205 </xs:simpleType>
206 <xs:element name="d2LogicalModel" type="D2LogicalModel:D2LogicalModel">
207     <xs:unique name="_d2LogicalModelSituationRecordConstraint">
208         <xs:selector xpath="."/D2LogicalModel:situationRecord" />
209         <xs:field xpath="@id" />
210         <xs:field xpath="@version" />
211     </xs:unique>
212     <xs:unique name="_d2LogicalModelSituationConstraint">
213         <xs:selector xpath="."/D2LogicalModel:situation" />
214         <xs:field xpath="@id" />
215         <xs:field xpath="@version" />
216     </xs:unique>
217 </xs:element>
218 <xs:complexType name="D2LogicalModel">
219     <xs:sequence>
220         <xs:element name="exchange" type="D2LogicalModel:Exchange" />
221         <xs:element name="payloadPublication" type="D2LogicalModel:PayloadPublication"
222         ↪ minOccurs="0" />
223         <xs:element name="d2LogicalModelExtension" type="D2LogicalModel:_ExtensionType"
224         ↪ minOccurs="0" />
225     </xs:sequence>
226     <xs:attribute name="modelBaseVersion" use="required" fixed="2" />
227 </xs:complexType>
228 <xs:complexType name="DataValue" abstract="true">
229     <xs:sequence>
230         <xs:element name="dataError" type="D2LogicalModel:Boolean" minOccurs="0"
231         ↪ maxOccurs="1" />
232         <xs:element name="reasonForDataError" type="D2LogicalModel:MultilingualString"
233         ↪ minOccurs="0" maxOccurs="1" />
234         <xs:element name="dataValueExtension" type="D2LogicalModel:_ExtensionType"
235         ↪ minOccurs="0" />
236     </xs:sequence>
237     <xs:attribute name="accuracy" type="D2LogicalModel:Percentage" use="optional" />
238     <xs:attribute name="computationalMethod" type=
239     ↪ "D2LogicalModel:ComputationMethodEnum" use="optional" />
240     <xs:attribute name="numberOfIncompleteInputs" type=
241     ↪ "D2LogicalModel:NonNegativeInteger" use="optional" />
242     <xs:attribute name="numberOfInputValuesUsed" type=
243     ↪ "D2LogicalModel:NonNegativeInteger" use="optional" />

```

(continues on next page)

(continued from previous page)

```

236     <xs:attribute name="smoothingFactor" type="D2LogicalModel:Float" use="optional" />
237     <xs:attribute name="standardDeviation" type="D2LogicalModel:Float" use="optional" />
238     </xs:complexType>
239     <xs:simpleType name="DateTime">
240       <xs:restriction base="xs:dateTime" />
241     </xs:simpleType>
242     <xs:complexType name="DateTimeValue">
243       <xs:complexContent>
244         <xs:extension base="D2LogicalModel:DataValue">
245           <xs:sequence>
246             <xs:element name="dateTime" type="D2LogicalModel:DateTime" minOccurs="1"
247             ↪ maxOccurs="1" />
248             <xs:element name="dateTimeValueExtension" type="D2LogicalModel:_
249             ↪ ExtensionType" minOccurs="0" />
250           </xs:sequence>
251         </xs:extension>
252       </xs:complexContent>
253     </xs:complexType>
254     <xs:complexType name="DirectionBearingValue">
255       <xs:complexContent>
256         <xs:extension base="D2LogicalModel:DataValue">
257           <xs:sequence>
258             <xs:element name="directionBearing" type="D2LogicalModel:AngleInDegrees"
259             ↪ minOccurs="1" maxOccurs="1" />
260             <xs:element name="directionBearingValueExtension" type="D2LogicalModel:_
261             ↪ ExtensionType" minOccurs="0" />
262           </xs:sequence>
263         </xs:extension>
264       </xs:complexContent>
265     </xs:complexType>
266     <xs:simpleType name="DirectionCompassEnum">
267       <xs:restriction base="xs:string">
268         <xs:enumeration value="east" />
269         <xs:enumeration value="eastNorthEast" />
270         <xs:enumeration value="eastSouthEast" />
271         <xs:enumeration value="north" />
272         <xs:enumeration value="northEast" />
273         <xs:enumeration value="northNorthEast" />
274         <xs:enumeration value="northNorthWest" />
275         <xs:enumeration value="northWest" />
276         <xs:enumeration value="south" />
277         <xs:enumeration value="southEast" />
278         <xs:enumeration value="southSouthEast" />
279         <xs:enumeration value="southSouthWest" />
280         <xs:enumeration value="southWest" />
281         <xs:enumeration value="west" />
282         <xs:enumeration value="westNorthWest" />
283         <xs:enumeration value="westSouthWest" />
284       </xs:restriction>
285     </xs:simpleType>
286     <xs:complexType name="DirectionCompassValue">
287       <xs:complexContent>
288         <xs:extension base="D2LogicalModel:DataValue">

```

(continues on next page)

(continued from previous page)

```

286     <xs:sequence>
287       <xs:element name="directionCompass" type=
↪ "D2LogicalModel:DirectionCompassEnum" minOccurs="1" maxOccurs="1" />
288       <xs:element name="directionCompassValueExtension" type="D2LogicalModel:_
↪ ExtensionType" minOccurs="0" />
289     </xs:sequence>
290   </xs:extension>
291 </xs:complexContent>
292 </xs:complexType>
293 <xs:simpleType name="DrivingConditionTypeEnum">
294   <xs:restriction base="xs:string">
295     <xs:enumeration value="impossible" />
296     <xs:enumeration value="hazardous" />
297     <xs:enumeration value="normal" />
298     <xs:enumeration value="passableWithCare" />
299     <xs:enumeration value="unknown" />
300     <xs:enumeration value="veryHazardous" />
301     <xs:enumeration value="winterConditions" />
302     <xs:enumeration value="other" />
303   </xs:restriction>
304 </xs:simpleType>
305 <xs:complexType name="ElaboratedDataFault">
306   <xs:complexContent>
307     <xs:extension base="D2LogicalModel:Fault">
308       <xs:sequence>
309         <xs:element name="elaboratedDataFault" type=
↪ "D2LogicalModel:ElaboratedDataFaultEnum" minOccurs="1" maxOccurs="1" />
310         <xs:element name="elaboratedDataFaultExtension" type="D2LogicalModel:_
↪ ExtensionType" minOccurs="0" />
311       </xs:sequence>
312     </xs:extension>
313   </xs:complexContent>
314 </xs:complexType>
315 <xs:simpleType name="ElaboratedDataFaultEnum">
316   <xs:restriction base="xs:string">
317     <xs:enumeration value="intermittentDataValues" />
318     <xs:enumeration value="noDataValuesAvailable" />
319     <xs:enumeration value="spuriousUnreliableDataValues" />
320     <xs:enumeration value="unspecifiedOrUnknownFault" />
321     <xs:enumeration value="other" />
322   </xs:restriction>
323 </xs:simpleType>
324 <xs:complexType name="Exchange">
325   <xs:sequence>
326     <xs:element name="supplierIdentification" type=
↪ "D2LogicalModel:InternationalIdentifier" />
327     <xs:element name="exchangeExtension" type="D2LogicalModel:_ExtensionType"
↪ minOccurs="0" />
328   </xs:sequence>
329 </xs:complexType>
330 <xs:complexType name="Fault">
331   <xs:sequence>
332     <xs:element name="faultIdentifier" type="D2LogicalModel:String" minOccurs="0"
↪ maxOccurs="1" />
333     <xs:element name="faultDescription" type="D2LogicalModel:String" minOccurs="0"
↪ maxOccurs="1" />

```

(continues on next page)

(continued from previous page)

```

334     <xs:element name="faultCreationTime" type="D2LogicalModel:DateTime" minOccurs="0
↪ " maxOccurs="1" />
335     <xs:element name="faultLastUpdateTime" type="D2LogicalModel:DateTime" minOccurs=
↪ "1" maxOccurs="1" />
336     <xs:element name="faultSeverity" type="D2LogicalModel:FaultSeverityEnum"
↪ minOccurs="0" maxOccurs="1" />
337     <xs:element name="faultExtension" type="D2LogicalModel:_ExtensionType"
↪ minOccurs="0" />
338   </xs:sequence>
339 </xs:complexType>
340 <xs:simpleType name="FaultSeverityEnum">
341   <xs:restriction base="xs:string">
342     <xs:enumeration value="low" />
343     <xs:enumeration value="medium" />
344     <xs:enumeration value="high" />
345     <xs:enumeration value="unknown" />
346   </xs:restriction>
347 </xs:simpleType>
348 <xs:simpleType name="Float">
349   <xs:restriction base="xs:float" />
350 </xs:simpleType>
351 <xs:complexType name="FloatingPointMetreDistanceValue">
352   <xs:complexContent>
353     <xs:extension base="D2LogicalModel:DataValue">
354       <xs:sequence>
355         <xs:element name="floatingPointMetreDistance" type=
↪ "D2LogicalModel:MetresAsFloat" minOccurs="1" maxOccurs="1" />
356         <xs:element name="floatingPointMetreDistanceValueExtension" type=
↪ "D2LogicalModel:_ExtensionType" minOccurs="0" />
357       </xs:sequence>
358     </xs:extension>
359   </xs:complexContent>
360 </xs:complexType>
361 <xs:complexType name="GroupOfLocations" abstract="true">
362   <xs:sequence>
363     <xs:element name="groupOfLocationsExtension" type="D2LogicalModel:_ExtensionType
↪ " minOccurs="0" />
364   </xs:sequence>
365 </xs:complexType>
366 <xs:complexType name="HeaderInformation">
367   <xs:sequence>
368     <xs:element name="confidentiality" type="D2LogicalModel:ConfidentialityValueEnum
↪ " minOccurs="1" maxOccurs="1" />
369     <xs:element name="informationStatus" type="D2LogicalModel:InformationStatusEnum
↪ " minOccurs="1" maxOccurs="1" />
370     <xs:element name="urgency" type="D2LogicalModel:UrgencyEnum" minOccurs="0"
↪ maxOccurs="1" />
371     <xs:element name="headerInformationExtension" type="D2LogicalModel:_
↪ ExtensionType" minOccurs="0" />
372   </xs:sequence>
373 </xs:complexType>
374 <xs:simpleType name="InformationStatusEnum">
375   <xs:restriction base="xs:string">
376     <xs:enumeration value="real" />
377     <xs:enumeration value="securityExercise" />
378     <xs:enumeration value="technicalExercise" />

```

(continues on next page)

(continued from previous page)

```

379     <xs:enumeration value="test" />
380   </xs:restriction>
381 </xs:simpleType>
382 <xs:simpleType name="Integer">
383   <xs:restriction base="xs:integer" />
384 </xs:simpleType>
385 <xs:complexType name="IntegerMetreDistanceValue">
386   <xs:complexContent>
387     <xs:extension base="D2LogicalModel:DataValue">
388       <xs:sequence>
389         <xs:element name="integerMetreDistance" type=
390 ↪ "D2LogicalModel:MetresAsNonNegativeInteger" minOccurs="1" maxOccurs="1" />
391         <xs:element name="integerMetreDistanceValueExtension" type="D2LogicalModel:_
392 ↪ ExtensionType" minOccurs="0" />
393       </xs:sequence>
394     </xs:extension>
395   </xs:complexContent>
396 </xs:complexType>
397 <xs:simpleType name="IntensityKilogramsPerSquareMetre">
398   <xs:restriction base="D2LogicalModel:Float" />
399 </xs:simpleType>
400 <xs:simpleType name="IntensityMillimetresPerHour">
401   <xs:restriction base="D2LogicalModel:Float" />
402 </xs:simpleType>
403 <xs:complexType name="InternationalIdentifier">
404   <xs:sequence>
405     <xs:element name="country" type="D2LogicalModel:CountryEnum" minOccurs="1"
406 ↪ maxOccurs="1" />
407     <xs:element name="nationalIdentifier" type="D2LogicalModel:String" minOccurs="1"
408 ↪ maxOccurs="1" />
409     <xs:element name="internationalIdentifierExtension" type="D2LogicalModel:_
410 ↪ ExtensionType" minOccurs="0" />
411   </xs:sequence>
412 </xs:complexType>
413 <xs:complexType name="KilogramsConcentrationValue">
414   <xs:complexContent>
415     <xs:extension base="D2LogicalModel:DataValue">
416       <xs:sequence>
417         <xs:element name="kilogramsConcentration" type=
418 ↪ "D2LogicalModel:ConcentrationKilogramsPerCubicMetre" minOccurs="1" maxOccurs="1" />
419         <xs:element name="kilogramsConcentrationValueExtension" type=
420 ↪ "D2LogicalModel:_ExtensionType" minOccurs="0" />
421       </xs:sequence>
422     </xs:extension>
423   </xs:complexContent>
424 </xs:complexType>
425 <xs:simpleType name="KilometresPerHour">
426   <xs:restriction base="D2LogicalModel:Float" />
427 </xs:simpleType>
428 <xs:simpleType name="Language">
429   <xs:restriction base="xs:language" />
430 </xs:simpleType>
431 <xs:complexType name="Location" abstract="true">
432   <xs:complexContent>
433     <xs:extension base="D2LogicalModel:GroupOfLocations">
434       <xs:sequence>

```

(continues on next page)

(continued from previous page)

```

428     <xs:element name="locationExtension" type="D2LogicalModel:_ExtensionType"
↪ minOccurs="0" />
429   </xs:sequence>
430 </xs:extension>
431 </xs:complexContent>
432 </xs:complexType>
433 <xs:complexType name="LocationByReference">
434   <xs:complexContent>
435     <xs:extension base="D2LogicalModel:Location">
436       <xs:sequence>
437         <xs:element name="predefinedLocationReference" type="D2LogicalModel:_
↪ PredefinedLocationVersionedReference" minOccurs="1" maxOccurs="1" />
438         <xs:element name="locationByReferenceExtension" type="D2LogicalModel:_
↪ ExtensionType" minOccurs="0" />
439       </xs:sequence>
440     </xs:extension>
441   </xs:complexContent>
442 </xs:complexType>
443 <xs:complexType name="MeasurementEquipmentFault">
444   <xs:complexContent>
445     <xs:extension base="D2LogicalModel:Fault">
446       <xs:sequence>
447         <xs:element name="measurementEquipmentFault" type=
↪ "D2LogicalModel:MeasurementEquipmentFaultEnum" minOccurs="1" maxOccurs="1" />
448         <xs:element name="measurementEquipmentFaultExtension" type="D2LogicalModel:_
↪ ExtensionType" minOccurs="0" />
449       </xs:sequence>
450     </xs:extension>
451   </xs:complexContent>
452 </xs:complexType>
453 <xs:simpleType name="MeasurementEquipmentFaultEnum">
454   <xs:restriction base="xs:string">
455     <xs:enumeration value="intermittentDataValues" />
456     <xs:enumeration value="noDataValuesAvailable" />
457     <xs:enumeration value="spuriousUnreliableDataValues" />
458     <xs:enumeration value="unspecifiedOrUnknownFault" />
459     <xs:enumeration value="other" />
460   </xs:restriction>
461 </xs:simpleType>
462 <xs:simpleType name="MetresAsFloat">
463   <xs:restriction base="D2LogicalModel:Float" />
464 </xs:simpleType>
465 <xs:simpleType name="MetresAsNonNegativeInteger">
466   <xs:restriction base="D2LogicalModel:NonNegativeInteger" />
467 </xs:simpleType>
468 <xs:complexType name="MultilingualString">
469   <xs:sequence>
470     <xs:element name="values">
471       <xs:complexType>
472         <xs:sequence>
473           <xs:element name="value" type="D2LogicalModel:MultilingualStringValue"
↪ maxOccurs="unbounded" />
474         </xs:sequence>
475       </xs:complexType>
476     </xs:element>
477   </xs:sequence>

```

(continues on next page)

(continued from previous page)

```

478 </xs:complexType>
479 <xs:complexType name="MultilingualStringValue">
480   <xs:simpleContent>
481     <xs:extension base="D2LogicalModel:MultilingualStringValue" type="D2LogicalModel:MultilingualStringValue" />
482     <xs:attribute name="lang" type="xs:language" />
483   </xs:simpleContent>
484 </xs:complexType>
485 <xs:simpleType name="MultilingualStringValue" type="xs:string">
486   <xs:restriction base="xs:string">
487     <xs:maxLength value="1024" />
488   </xs:restriction>
489 </xs:simpleType>
490 <xs:complexType name="NonManagedCause">
491   <xs:complexContent>
492     <xs:extension base="D2LogicalModel:Cause">
493       <xs:sequence>
494         <xs:element name="causeType" type="D2LogicalModel:CauseTypeEnum" minOccurs="0" maxOccurs="1" />
495         <xs:element name="nonManagedCauseExtension" type="D2LogicalModel:_ExtensionType" minOccurs="0" />
496       </xs:sequence>
497     </xs:extension>
498   </xs:complexContent>
499 </xs:complexType>
500

```

```

501 <xs:simpleType name="NonNegativeInteger">
502   <xs:restriction base="xs:nonNegativeInteger" />
503 </xs:simpleType>
504 <xs:complexType name="NonOrderedLocationGroupByReference">
505   <xs:complexContent>
506     <xs:extension base="D2LogicalModel:NonOrderedLocations">
507       <xs:sequence>
508         <xs:element name="predefinedNonOrderedLocationGroupReference" type="D2LogicalModel:_PredefinedNonOrderedLocationGroupVersionedReference" minOccurs="1" maxOccurs="1" />
509         <xs:element name="nonOrderedLocationGroupByReferenceExtension" type="D2LogicalModel:_ExtensionType" minOccurs="0" />
510       </xs:sequence>
511     </xs:extension>
512   </xs:complexContent>
513 </xs:complexType>
514 <xs:complexType name="NonOrderedLocations" abstract="true">
515   <xs:complexContent>
516     <xs:extension base="D2LogicalModel:GroupOfLocations">
517       <xs:sequence>
518         <xs:element name="nonOrderedLocationsExtension" type="D2LogicalModel:_ExtensionType" minOccurs="0" />
519       </xs:sequence>
520     </xs:extension>
521   </xs:complexContent>
522 </xs:complexType>
523 <xs:complexType name="NonWeatherRelatedRoadConditions">
524   <xs:complexContent>
525     <xs:extension base="D2LogicalModel:RoadConditions">
526       <xs:sequence>

```

(continues on next page)

(continued from previous page)

```

527     <xs:element name="nonWeatherRelatedRoadConditionType" type=
↪ "D2LogicalModel:NonWeatherRelatedRoadConditionTypeEnum" minOccurs="1" maxOccurs=
↪ "unbounded" />
528     <xs:element name="nonWeatherRelatedRoadConditionsExtension" type=
↪ "D2LogicalModel:_ExtensionType" minOccurs="0" />
529     </xs:sequence>
530   </xs:extension>
531 </xs:complexContent>
532 </xs:complexType>
533 <xs:simpleType name="NonWeatherRelatedRoadConditionTypeEnum">
534   <xs:restriction base="xs:string">
535     <xs:enumeration value="dieselOnRoad" />
536     <xs:enumeration value="leavesOnRoad" />
537     <xs:enumeration value="looseChippings" />
538     <xs:enumeration value="looseSandOnRoad" />
539     <xs:enumeration value="mudOnRoad" />
540     <xs:enumeration value="oilOnRoad" />
541     <xs:enumeration value="petrolOnRoad" />
542     <xs:enumeration value="roadSurfaceInPoorCondition" />
543     <xs:enumeration value="slipperyRoad" />
544     <xs:enumeration value="other" />
545   </xs:restriction>
546 </xs:simpleType>
547 <xs:complexType name="OccupancyChangeValue">
548   <xs:complexContent>
549     <xs:extension base="D2LogicalModel:DataValue">
550       <xs:sequence>
551         <xs:element name="occupancyChange" type="D2LogicalModel:Integer" minOccurs=
↪ "1" maxOccurs="1" />
552         <xs:element name="occupancyChangeValueExtension" type="D2LogicalModel:_
↪ ExtensionType" minOccurs="0" />
553       </xs:sequence>
554     </xs:extension>
555   </xs:complexContent>
556 </xs:complexType>
557 <xs:complexType name="OverallPeriod">
558   <xs:sequence>
559     <xs:element name="overallStartTime" type="D2LogicalModel:DateTime" minOccurs="1"
↪ " maxOccurs="1" />
560     <xs:element name="overallEndTime" type="D2LogicalModel:DateTime" minOccurs="0"
↪ maxOccurs="1" />
561     <xs:element name="overallPeriodExtension" type="D2LogicalModel:_ExtensionType"
↪ minOccurs="0" />
562   </xs:sequence>
563 </xs:complexType>
564 <xs:simpleType name="PassengerCarUnitsPerHour">
565   <xs:restriction base="D2LogicalModel:NonNegativeInteger" />
566 </xs:simpleType>
567 <xs:complexType name="PayloadPublication" abstract="true">
568   <xs:sequence>
569     <xs:element name="feedDescription" type="D2LogicalModel:MultilingualString"
↪ minOccurs="0" maxOccurs="1" />
570     <xs:element name="feedType" type="D2LogicalModel:String" minOccurs="0"
↪ maxOccurs="1" />
571     <xs:element name="publicationTime" type="D2LogicalModel:DateTime" minOccurs="1"
↪ maxOccurs="1" />

```

(continues on next page)

(continued from previous page)

```

572     <xs:element name="publicationCreator" type=
↪ "D2LogicalModel:InternationalIdentifier" />
573     <xs:element name="payloadPublicationExtension" type="D2LogicalModel:_
↪ ExtensionType" minOccurs="0" />
574     </xs:sequence>
575     <xs:attribute name="lang" type="D2LogicalModel:Language" use="required" />
576 </xs:complexType>
577 <xs:complexType name="PcuFlowValue">
578   <xs:complexContent>
579     <xs:extension base="D2LogicalModel:DataValue">
580       <xs:sequence>
581         <xs:element name="pcuFlowRate" type="D2LogicalModel:PassengerCarUnitsPerHour
↪ " minOccurs="1" maxOccurs="1" />
582         <xs:element name="pcuFlowValueExtension" type="D2LogicalModel:_ExtensionType
↪ " minOccurs="0" />
583       </xs:sequence>
584     </xs:extension>
585   </xs:complexContent>
586 </xs:complexType>
587 <xs:simpleType name="Percentage">
588   <xs:restriction base="D2LogicalModel:Float" />
589 </xs:simpleType>
590 <xs:complexType name="PoorEnvironmentConditions">
591   <xs:complexContent>
592     <xs:extension base="D2LogicalModel:Conditions">
593       <xs:sequence>
594         <xs:element name="poorEnvironmentType" type=
↪ "D2LogicalModel:PoorEnvironmentTypeEnum" minOccurs="1" maxOccurs="unbounded" />
595         <xs:element name="precipitationDetail" type=
↪ "D2LogicalModel:PrecipitationDetail" minOccurs="0" />
596         <xs:element name="visibility" type="D2LogicalModel:Visibility" minOccurs="0
↪ " />
597         <xs:element name="temperature" type="D2LogicalModel:Temperature" minOccurs=
↪ "0" />
598         <xs:element name="wind" type="D2LogicalModel:Wind" minOccurs="0" />
599         <xs:element name="poorEnvironmentConditionsExtension" type="D2LogicalModel:_
↪ ExtensionType" minOccurs="0" />
600       </xs:sequence>
601     </xs:extension>
602   </xs:complexContent>
603 </xs:complexType>
604 <xs:simpleType name="PoorEnvironmentTypeEnum">
605   <xs:restriction base="xs:string">
606     <xs:enumeration value="badWeather" />
607     <xs:enumeration value="blizzard" />
608     <xs:enumeration value="blowingDust" />
609     <xs:enumeration value="blowingSnow" />
610     <xs:enumeration value="crosswinds" />
611     <xs:enumeration value="damagingHail" />
612     <xs:enumeration value="denseFog" />
613     <xs:enumeration value="eclipse" />
614     <xs:enumeration value="extremeCold" />
615     <xs:enumeration value="extremeHeat" />
616     <xs:enumeration value="fog" />
617     <xs:enumeration value="freezingFog" />
618     <xs:enumeration value="frost" />

```

(continues on next page)

(continued from previous page)

```

619     <xs:enumeration value="gales" />
620     <xs:enumeration value="gustyWinds" />
621     <xs:enumeration value="hail" />
622     <xs:enumeration value="heavyFrost" />
623     <xs:enumeration value="heavyRain" />
624     <xs:enumeration value="heavySnowfall" />
625     <xs:enumeration value="hurricaneForceWinds" />
626     <xs:enumeration value="lowSunGlare" />
627     <xs:enumeration value="moderateFog" />
628     <xs:enumeration value="ozonePollution" />
629     <xs:enumeration value="pollution" />
630     <xs:enumeration value="patchyFog" />
631     <xs:enumeration value="precipitationInTheArea" />
632     <xs:enumeration value="rain" />
633     <xs:enumeration value="rainChangingToSnow" />
634     <xs:enumeration value="sandStorms" />
635     <xs:enumeration value="severeExhaustPollution" />
636     <xs:enumeration value="severeSmog" />
637     <xs:enumeration value="showers" />
638     <xs:enumeration value="sleet" />
639     <xs:enumeration value="smogAlert" />
640     <xs:enumeration value="smokeHazard" />
641     <xs:enumeration value="snowChangingToRain" />
642     <xs:enumeration value="snowfall" />
643     <xs:enumeration value="sprayHazard" />
644     <xs:enumeration value="stormForceWinds" />
645     <xs:enumeration value="strongGustsOfWind" />
646     <xs:enumeration value="strongWinds" />
647     <xs:enumeration value="swarmsOfInsects" />
648     <xs:enumeration value="temperatureFalling" />
649     <xs:enumeration value="thunderstorms" />
650     <xs:enumeration value="tornadoes" />
651     <xs:enumeration value="veryStrongGustsOfWind" />
652     <xs:enumeration value="visibilityReduced" />
653     <xs:enumeration value="whiteOut" />
654     <xs:enumeration value="winterStorm" />
655 </xs:restriction>
656 </xs:simpleType>
657 <xs:complexType name="PrecipitationDetail">
658   <xs:sequence>
659     <xs:element name="precipitationType" type="D2LogicalModel:PrecipitationTypeEnum
660     ↪ minOccurs="0" maxOccurs="1" />
661     <xs:element name="precipitationIntensity" type=
662     ↪ "D2LogicalModel:PrecipitationIntensityValue" minOccurs="0" />
663     <xs:element name="depositionDepth" type=
664     ↪ "D2LogicalModel:FloatingPointMetreDistanceValue" minOccurs="0" />
665     <xs:element name="precipitationDetailExtension" type="D2LogicalModel:_
666     ↪ ExtensionType" minOccurs="0" />
667   </xs:sequence>
668 </xs:complexType>
669 <xs:complexType name="PrecipitationIntensityValue">
670   <xs:complexContent>
671     <xs:extension base="D2LogicalModel:DataValue">
672       <xs:sequence>
673         <xs:element name="millimetresPerHourIntensity" type=
674         ↪ "D2LogicalModel:IntensityMillimetresPerHour" minOccurs="1" maxOccurs="1" />

```

(continues on next page)

(continued from previous page)

```

670     <xs:element name="precipitationIntensityValueExtension" type=
↪ "D2LogicalModel:_ExtensionType" minOccurs="0" />
671     </xs:sequence>
672   </xs:extension>
673 </xs:complexContent>
674 </xs:complexType>
675 <xs:simpleType name="PrecipitationTypeEnum">
676   <xs:restriction base="xs:string">
677     <xs:enumeration value="drizzle" />
678     <xs:enumeration value="freezingRain" />
679     <xs:enumeration value="hail" />
680     <xs:enumeration value="rain" />
681     <xs:enumeration value="sleet" />
682     <xs:enumeration value="snow" />
683   </xs:restriction>
684 </xs:simpleType>
685 <xs:simpleType name="ProbabilityOfOccurrenceEnum">
686   <xs:restriction base="xs:string">
687     <xs:enumeration value="certain" />
688     <xs:enumeration value="probable" />
689     <xs:enumeration value="riskOf" />
690   </xs:restriction>
691 </xs:simpleType>
692 <xs:complexType name="RoadConditions" abstract="true">
693   <xs:complexContent>
694     <xs:extension base="D2LogicalModel:Conditions">
695       <xs:sequence>
696         <xs:element name="roadConditionsExtension" type="D2LogicalModel:_
↪ ExtensionType" minOccurs="0" />
697       </xs:sequence>
698     </xs:extension>
699   </xs:complexContent>
700 </xs:complexType>
701 <xs:complexType name="RoadSurfaceConditionMeasurements">
702   <xs:sequence>
703     <xs:element name="roadSurfaceTemperature" type="D2LogicalModel:TemperatureValue
↪ " minOccurs="0" />
704     <xs:element name="protectionTemperature" type="D2LogicalModel:TemperatureValue" ↪
↪ minOccurs="0" />
705     <xs:element name="deIcingApplicationRate" type=
↪ "D2LogicalModel:ApplicationRateValue" minOccurs="0" />
706     <xs:element name="deIcingConcentration" type=
↪ "D2LogicalModel:KilogramsConcentrationValue" minOccurs="0" />
707     <xs:element name="depthOfSnow" type=
↪ "D2LogicalModel:FloatingPointMetreDistanceValue" minOccurs="0" />
708     <xs:element name="waterFilmThickness" type=
↪ "D2LogicalModel:FloatingPointMetreDistanceValue" minOccurs="0" />
709     <xs:element name="roadSurfaceConditionMeasurementsExtension" type=
↪ "D2LogicalModel:_ExtensionType" minOccurs="0" />
710   </xs:sequence>
711 </xs:complexType>
712 <xs:complexType name="Situation">
713   <xs:sequence>
714     <xs:element name="situationVersionTime" type="D2LogicalModel:DateTime" ↪
↪ minOccurs="0" maxOccurs="1" />
715     <xs:element name="headerInformation" type="D2LogicalModel:HeaderInformation" />

```

(continues on next page)

(continued from previous page)

```

716     <xs:element name="situationRecord" type="D2LogicalModel:SituationRecord"
↪maxOccurs="unbounded" />
717     <xs:element name="situationExtension" type="D2LogicalModel:_ExtensionType"
↪minOccurs="0" />
718   </xs:sequence>
719   <xs:attribute name="id" type="xs:string" use="required" />
720   <xs:attribute name="version" type="xs:string" use="required" />
721 </xs:complexType>
722 <xs:complexType name="SituationPublication">
723   <xs:complexContent>
724     <xs:extension base="D2LogicalModel:PayloadPublication">
725       <xs:sequence>
726         <xs:element name="situation" type="D2LogicalModel:Situation" minOccurs="0"
↪maxOccurs="unbounded" />
727         <xs:element name="situationPublicationExtension" type="D2LogicalModel:_
↪ExtensionType" minOccurs="0" />
728       </xs:sequence>
729     </xs:extension>
730   </xs:complexContent>
731 </xs:complexType>
732 <xs:complexType name="SituationRecord" abstract="true">
733   <xs:sequence>
734     <xs:element name="situationRecordCreationTime" type="D2LogicalModel:DateTime"
↪minOccurs="1" maxOccurs="1" />
735     <xs:element name="situationRecordVersionTime" type="D2LogicalModel:DateTime"
↪minOccurs="1" maxOccurs="1" />
736     <xs:element name="probabilityOfOccurrence" type=
↪"D2LogicalModel:ProbabilityOfOccurrenceEnum" minOccurs="1" maxOccurs="1" />
737     <xs:element name="source" type="D2LogicalModel:Source" minOccurs="0" />
738     <xs:element name="validity" type="D2LogicalModel:Validity" />
739     <xs:element name="cause" type="D2LogicalModel:Cause" minOccurs="0" />
740     <xs:element name="generalPublicComment" type="D2LogicalModel:Comment" minOccurs=
↪"0" maxOccurs="unbounded" />
741     <xs:element name="urlLink" type="D2LogicalModel:UrlLink" minOccurs="0"
↪maxOccurs="unbounded" />
742     <xs:element name="groupOfLocations" type="D2LogicalModel:GroupOfLocations" />
743     <xs:element name="situationRecordExtension" type="D2LogicalModel:_
↪SituationRecordExtensionType" minOccurs="0" />
744   </xs:sequence>
745   <xs:attribute name="id" type="xs:string" use="required" />
746   <xs:attribute name="version" type="xs:string" use="required" />
747 </xs:complexType>
748 <xs:complexType name="SituationRecordExtendedApproved">
749   <xs:sequence>
750     <xs:element name="safetyRelatedMessage" type="D2LogicalModel:Boolean" minOccurs=
↪"0" maxOccurs="1" />
751   </xs:sequence>
752 </xs:complexType>
753 <xs:complexType name="Source">
754   <xs:sequence>
755     <xs:element name="sourceCountry" type="D2LogicalModel:CountryEnum" minOccurs="0
↪" maxOccurs="1" />
756     <xs:element name="sourceIdentification" type="D2LogicalModel:String" minOccurs=
↪"0" maxOccurs="1" />
757     <xs:element name="sourceName" type="D2LogicalModel:MultilingualString"
↪minOccurs="0" maxOccurs="1" />

```

(continues on next page)

(continued from previous page)

```

758     <xs:element name="sourceType" type="D2LogicalModel:SourceTypeEnum" minOccurs="0
↪ " maxOccurs="1" />
759     <xs:element name="reliable" type="D2LogicalModel:Boolean" minOccurs="0"
↪ maxOccurs="1" />
760     <xs:element name="sourceExtension" type="D2LogicalModel:_ExtensionType"
↪ minOccurs="0" />
761   </xs:sequence>
762 </xs:complexType>
763 <xs:simpleType name="SourceTypeEnum">
764   <xs:restriction base="xs:string">
765     <xs:enumeration value="automobileClubPatrol" />
766     <xs:enumeration value="cameraObservation" />
767     <xs:enumeration value="freightVehicleOperator" />
768     <xs:enumeration value="inductionLoopMonitoringStation" />
769     <xs:enumeration value="infraredMonitoringStation" />
770     <xs:enumeration value="microwaveMonitoringStation" />
771     <xs:enumeration value="mobileTelephoneCaller" />
772     <xs:enumeration value="nonPoliceEmergencyServicePatrol" />
773     <xs:enumeration value="otherInformation" />
774     <xs:enumeration value="otherOfficialVehicle" />
775     <xs:enumeration value="policePatrol" />
776     <xs:enumeration value="privateBreakdownService" />
777     <xs:enumeration value="publicAndPrivateUtilities" />
778     <xs:enumeration value="registeredMotoristObserver" />
779     <xs:enumeration value="roadAuthorities" />
780     <xs:enumeration value="roadOperatorPatrol" />
781     <xs:enumeration value="roadsideTelephoneCaller" />
782     <xs:enumeration value="spotterAircraft" />
783     <xs:enumeration value="trafficMonitoringStation" />
784     <xs:enumeration value="transitOperator" />
785     <xs:enumeration value="vehicleProbeMeasurement" />
786     <xs:enumeration value="videoProcessingMonitoringStation" />
787   </xs:restriction>
788 </xs:simpleType>
789 <xs:complexType name="SpeedValue">
790   <xs:complexContent>
791     <xs:extension base="D2LogicalModel:DataValue">
792       <xs:sequence>
793         <xs:element name="speed" type="D2LogicalModel:KilometresPerHour" minOccurs=
↪ "1" maxOccurs="1" />
794         <xs:element name="speedValueExtension" type="D2LogicalModel:_ExtensionType"
↪ minOccurs="0" />
795       </xs:sequence>
796     </xs:extension>
797   </xs:complexContent>
798 </xs:complexType>
799 <xs:simpleType name="String">
800   <xs:restriction base="xs:string">
801     <xs:maxLength value="1024" />
802   </xs:restriction>
803 </xs:simpleType>
804 <xs:complexType name="Temperature">
805   <xs:sequence>
806     <xs:element name="airTemperature" type="D2LogicalModel:TemperatureValue"
↪ minOccurs="0" />
807     <xs:element name="dewPointTemperature" type="D2LogicalModel:TemperatureValue"

```

(continues on next page)

(continued from previous page)

```

808   <minOccurs="0" />
      <xs:element name="maximumTemperature" type="D2LogicalModel:TemperatureValue"
809   <minOccurs="0" />
      <xs:element name="minimumTemperature" type="D2LogicalModel:TemperatureValue"
810   <minOccurs="0" />
      <xs:element name="temperatureExtension" type="D2LogicalModel:_ExtensionType"
811   <minOccurs="0" />
    </xs:sequence>
  </xs:complexType>
  <xs:simpleType name="TemperatureCelsius">
    <xs:restriction base="D2LogicalModel:Float" />
  </xs:simpleType>
  <xs:complexType name="TemperatureValue">
    <xs:complexContent>
      <xs:extension base="D2LogicalModel:DataValue">
        <xs:sequence>
812          <xs:element name="temperature" type="D2LogicalModel:TemperatureCelsius"
813          <minOccurs="1" maxOccurs="1" />
814          <xs:element name="temperatureValueExtension" type="D2LogicalModel:_
815          <ExtensionType" minOccurs="0" />
816        </xs:sequence>
      </xs:extension>
    </xs:complexContent>
  </xs:complexType>
  <xs:complexType name="TrafficElement" abstract="true">
    <xs:complexContent>
      <xs:extension base="D2LogicalModel:SituationRecord">
        <xs:sequence>
817          <xs:element name="trafficElementExtension" type="D2LogicalModel:_
818          <ExtensionType" minOccurs="0" />
819        </xs:sequence>
      </xs:extension>
    </xs:complexContent>
  </xs:complexType>
  <xs:simpleType name="TrafficStatusEnum">
    <xs:restriction base="xs:string">
820      <xs:enumeration value="impossible" />
821      <xs:enumeration value="congested" />
822      <xs:enumeration value="heavy" />
823      <xs:enumeration value="freeFlow" />
824      <xs:enumeration value="unknown" />
    </xs:restriction>
  </xs:simpleType>
  <xs:complexType name="TrafficStatusValue">
    <xs:complexContent>
      <xs:extension base="D2LogicalModel:DataValue">
        <xs:sequence>
825          <xs:element name="trafficStatusValue" type="D2LogicalModel:TrafficStatusEnum
826          <minOccurs="1" maxOccurs="1" />
827          <xs:element name="trafficStatusValueExtension" type="D2LogicalModel:_
828          <ExtensionType" minOccurs="0" />
829        </xs:sequence>
      </xs:extension>
    </xs:complexContent>
  </xs:complexType>
  <xs:simpleType name="UrgencyEnum">

```

(continues on next page)

(continued from previous page)

```

855     <xs:restriction base="xs:string">
856       <xs:enumeration value="extremelyUrgent" />
857       <xs:enumeration value="urgent" />
858       <xs:enumeration value="normalUrgency" />
859     </xs:restriction>
860   </xs:simpleType>
861   <xs:simpleType name="Url">
862     <xs:restriction base="xs:anyURI" />
863   </xs:simpleType>
864   <xs:complexType name="UrlLink">
865     <xs:sequence>
866       <xs:element name="urlLinkAddress" type="D2LogicalModel:Url" minOccurs="1"
867 ↪ maxOccurs="1" />
868       <xs:element name="urlLinkDescription" type="D2LogicalModel:MultilingualString"
869 ↪ minOccurs="0" maxOccurs="1" />
870       <xs:element name="urlLinkType" type="D2LogicalModel:UrlLinkTypeEnum" minOccurs=
871 ↪ "0" maxOccurs="1" />
872       <xs:element name="urlLinkExtension" type="D2LogicalModel:_ExtensionType"
873 ↪ minOccurs="0" />
874     </xs:sequence>
875   </xs:complexType>
876   <xs:simpleType name="UrlLinkTypeEnum">
877     <xs:restriction base="xs:string">
878       <xs:enumeration value="documentPdf" />
879       <xs:enumeration value="html" />
880       <xs:enumeration value="image" />
881       <xs:enumeration value="rss" />
882       <xs:enumeration value="videoStream" />
883       <xs:enumeration value="voiceStream" />
884       <xs:enumeration value="other" />
885     </xs:restriction>
886   </xs:simpleType>
887   <xs:complexType name="Validity">
888     <xs:sequence>
889       <xs:element name="validityStatus" type="D2LogicalModel:ValidityStatusEnum"
890 ↪ minOccurs="1" maxOccurs="1" />
891       <xs:element name="validityTimeSpecification" type="D2LogicalModel:OverallPeriod
892 ↪ " />
893       <xs:element name="validityExtension" type="D2LogicalModel:_ExtensionType"
894 ↪ minOccurs="0" />
895     </xs:sequence>
896   </xs:complexType>
897   <xs:simpleType name="ValidityStatusEnum">
898     <xs:restriction base="xs:string">
899       <xs:enumeration value="active" />
900       <xs:enumeration value="suspended" />
901       <xs:enumeration value="definedByValidityTimeSpec" />
902     </xs:restriction>
903   </xs:simpleType>
904   <xs:complexType name="VehicleCountValue">
905     <xs:complexContent>
906       <xs:extension base="D2LogicalModel:DataValue">
907         <xs:sequence>
908           <xs:element name="vehicleCount" type="D2LogicalModel:NonNegativeInteger"
909 ↪ minOccurs="1" maxOccurs="1" />
910           <xs:element name="vehicleCountValueExtension" type="D2LogicalModel:_

```

(continues on next page)

(continued from previous page)

```

903   <xs:extensionType" minOccurs="0" />
904   </xs:sequence>
905   </xs:extension>
906   </xs:complexContent>
907   </xs:complexType>
908   <xs:complexType name="VehicleFlowValue">
909     <xs:complexContent>
910       <xs:extension base="D2LogicalModel:DataValue">
911         <xs:sequence>
912           <xs:element name="vehicleFlowRate" type="D2LogicalModel:VehiclesPerHour"
913             ↪minOccurs="1" maxOccurs="1" />
914           <xs:element name="vehicleFlowValueExtension" type="D2LogicalModel:_
915             ↪ExtensionType" minOccurs="0" />
916         </xs:sequence>
917       </xs:extension>
918     </xs:complexContent>
919   </xs:complexType>
920   <xs:simpleType name="VehiclesPerHour">
921     <xs:restriction base="D2LogicalModel:NonNegativeInteger" />
922   </xs:simpleType>
923   <xs:complexType name="VersionedReference">
924     <xs:attribute name="id" type="xs:string" use="required" />
925     <xs:attribute name="version" type="xs:string" use="required" />
926   </xs:complexType>
927   <xs:complexType name="Visibility">
928     <xs:sequence>
929       <xs:element name="minimumVisibilityDistance" type=
930         ↪"D2LogicalModel:IntegerMetreDistanceValue" />
931       <xs:element name="visibilityExtension" type="D2LogicalModel:_ExtensionType"
932         ↪minOccurs="0" />
933     </xs:sequence>
934   </xs:complexType>
935   <xs:complexType name="WeatherRelatedRoadConditions">
936     <xs:complexContent>
937       <xs:extension base="D2LogicalModel:RoadConditions">
938         <xs:sequence>
939           <xs:element name="weatherRelatedRoadConditionType" type=
940             ↪"D2LogicalModel:WeatherRelatedRoadConditionTypeEnum" minOccurs="1" maxOccurs=
941             ↪"unbounded" />
942           <xs:element name="roadSurfaceConditionMeasurements" type=
943             ↪"D2LogicalModel:RoadSurfaceConditionMeasurements" minOccurs="0" />
944           <xs:element name="weatherRelatedRoadConditionsExtension" type=
945             ↪"D2LogicalModel:_ExtensionType" minOccurs="0" />
946         </xs:sequence>
947       </xs:extension>
948     </xs:complexContent>
949   </xs:complexType>
950   <xs:simpleType name="WeatherRelatedRoadConditionTypeEnum">
951     <xs:restriction base="xs:string">
952       <xs:enumeration value="blackIce" />
953       <xs:enumeration value="deepSnow" />
954       <xs:enumeration value="dry" />
955       <xs:enumeration value="freezingOfWetRoads" />
956       <xs:enumeration value="freezingPavements" />
957       <xs:enumeration value="freezingRain" />
958       <xs:enumeration value="freshSnow" />

```

(continues on next page)

(continued from previous page)

```

950     <xs:enumeration value="ice" />
951     <xs:enumeration value="iceBuildUp" />
952     <xs:enumeration value="iceWithWheelBarTracks" />
953     <xs:enumeration value="icyPatches" />
954     <xs:enumeration value="looseSnow" />
955     <xs:enumeration value="normalWinterConditionsForPedestrians" />
956     <xs:enumeration value="packedSnow" />
957     <xs:enumeration value="roadSurfaceMelting" />
958     <xs:enumeration value="slipperyRoad" />
959     <xs:enumeration value="slushOnRoad" />
960     <xs:enumeration value="slushStrings" />
961     <xs:enumeration value="snowDrifts" />
962     <xs:enumeration value="snowOnPavement" />
963     <xs:enumeration value="snowOnTheRoad" />
964     <xs:enumeration value="surfaceWater" />
965     <xs:enumeration value="wet" />
966     <xs:enumeration value="wetAndIcyRoad" />
967     <xs:enumeration value="wetIcyPavement" />
968     <xs:enumeration value="other" />
969   </xs:restriction>
970 </xs:simpleType>
971 <xs:complexType name="Wind">
972   <xs:sequence>
973     <xs:element name="windMeasurementHeight" type=
974     ↪ "D2LogicalModel:MetresAsNonNegativeInteger" minOccurs="0" maxOccurs="1" />
975     <xs:element name="windSpeed" type="D2LogicalModel:SpeedValue" minOccurs="0" />
976     <xs:element name="maximumWindSpeed" type="D2LogicalModel:SpeedValue" minOccurs=
977     ↪ "0" />
978     <xs:element name="windDirectionBearing" type=
979     ↪ "D2LogicalModel:DirectionBearingValue" minOccurs="0" />
980     <xs:element name="windDirectionCompass" type=
981     ↪ "D2LogicalModel:DirectionCompassValue" minOccurs="0" />
982     <xs:element name="windExtension" type="D2LogicalModel:_ExtensionType" minOccurs=
983     ↪ "0" />
984   </xs:sequence>
985 </xs:complexType>
986 </xs:schema>

```

CHANGELOG

version 1.2

- added urlLink to situationRecord for additional description on the web
- added: feedDescription and safetyRelatedMessage tags

version 1.1.0

- added feed type to schema and samples

version 1.0.1

- revision of the documentation, proofreading, changes to examples, some texts regarding locations and concepts have been modified to be more specific.

version 1.0.0

- Initial format and documentation

BIBLIOGRAPHY

- [16157-1] CEN TS 16157-1:2011 Intelligent transport systems – DATEX II data exchange specifications for traffic management and information – Part 1: Context and framework, https://standards.cencenelec.eu/dyn/www/f?p=CEN:110:0:::FSP_PROJECT:31061&cs=1ED8DA728BFDB3CF4C98EF696427A420D
- [16157-2] CEN TS 16157-2:2011 Intelligent transport systems - DATEX II data exchange specifications for traffic management and information - Part 2: Location referencing, , https://standards.cencenelec.eu/dyn/www/f?p=CEN:110:0:::FSP_PROJECT:31062&cs=11C587676AF23E874354108C5B94B99F6
- [16157-3] CEN TS 16157-3:2011 Intelligent transport systems - DATEX II data exchange specifications for traffic management and information - Part 3: Situation Publication, https://standards.cencenelec.eu/dyn/www/f?p=CEN:110:0:::FSP_PROJECT:31063&cs=154597D857428FFFF988477C51088FE30
- [16157-4] CEN TS 16157-4:2014 Intelligent transport systems - DATEX II data exchange specifications for traffic management and information - Part 4: Variable Message Sign (VMS) Publications, https://standards.cencenelec.eu/dyn/www/f?p=CEN:110:0:::FSP_PROJECT:37597&cs=1046FF87225820240FCDAE9E4EF3118EB
- [16157-5] CEN TS 16157-5:2014 Intelligent transport systems - DATEX II data exchange specifications for traffic management and information - Part 5: Measured and elaborated data publications, https://standards.cencenelec.eu/dyn/www/f?p=CEN:110:0:::FSP_PROJECT:37966&cs=110BD77D7F2B9A32FB04403D101009B89
- [16157-6] CEN TS 16157-6:2015 Intelligent transport systems - DATEX II data exchange specifications for traffic management and information - Part 6: Parking Publications, https://standards.cencenelec.eu/dyn/www/f?p=CEN:110:0:::FSP_PROJECT:40220&cs=1084702C54C56E3547969771C8305250B
- [d2ref] DATEX II Current version/Reference set, <https://docs.datex2.eu/downloads/>.
- [d2supp] DATEX II Current version/Supporting, <https://docs.datex2.eu/>.

Symbols

(DATEX II) extension, [3](#)
(DATEX II) profile, [3](#)
(W3C) XML schema, [3](#)

B

B level extension, [3](#)

C

C level extension, [3](#)

D

DATEX II model, [3](#)

F

format, [3](#)

N

NDIC, [3](#)

P

protocol, [3](#)
publication, [3](#)

U

uri, [3](#)

X

XSD, [3](#)