BDA LAB-1

Tanisha Gotadke

1BM21CS229

1. Create a database "Student" with the following attributes, RollNo, Age, ContactNo, Email-Id.

```
mongosh mongodb+srv://<ci ×
Microsoft Windows [Version 10.0.22631.3296]
(c) Microsoft Corporation. All rights reserved.
C:\Users\STUDENT>mongosh "mongodb+srv://cluster0.lwosis3.mongodb.net/" --apiVersion 1 --username skanda --password skand
a
Current Mongosh Log ID: 660a77b2e984f9d7dd18d38e
Connecting to:
                                                                                                                                                ials>@cluster0.lwosis3.mongodb.net/?appName=mongosh+2.0.0
Using MongoDB: 7.0.7 (API Version 1)
Using Mongosh: 2.0.0
mongosh 2.2.1 is available for download: https://www.mongodb.com/try/download/shell
 For mongosh info see: https://docs.mongodb.com/mongodb-shell/
 Atlas atlas-f4tdyn-shard-0 [primary] test> db.createCollection("Student");
Atlas atlas-f4tdyn-shard-0 [primary] test> db.student.insert({Rollno:1,Age:21,Cont:9876,email:"db.Student.insert({RollNo:1,Age:21,Cont:9876,email:"db.Student.insert({RollNo:1,Age:21,Cont:9876,email:"db.Student.insert({RollNo:1,Age:21,Cont:9876,email:"db.Student.insert({RollNo:1,Age:21,Cont:9876,email:"db.Student.insert({RollNo:1,Age:21,Cont:9876,email:"db.Student.insert({RollNo:1,Age:21,Cont:9876,email:"db.Student.insert({RollNo:1,Age:21,Cont:9876,email:"db.Student.insert({RollNo:1,Age:21,Cont:9876,email:"db.Student.insert({RollNo:1,Age:21,Cont:9876,email:"db.Student.insert({RollNo:1,Age:21,Cont:9876,email:"db.Student.insert({RollNo:1,Age:21,Cont:9876,email:"db.Student.insert({RollNo:1,Age:21,Cont:9876,email:"db.Student.insert({RollNo:1,Age:21,Cont:9876,email:"db.Student.insert({RollNo:1,Age:21,Cont:9876,email:"db.Student.insert({RollNo:1,Age:21,Cont:9876,email:"db.Student.insert({RollNo:1,Age:21,Cont:9876,email:"db.Student.insert({RollNo:1,Age:21,Cont:9876,email:"db.Student.insert({RollNo:1,Age:21,Cont:9876,email:"db.Student.insert({RollNo:1,Age:21,Cont:9876,email:"db.Student.insert({RollNo:1,Age:21,Cont:9876,email:"db.Student.insert({RollNo:1,Age:21,Cont:9876,email:"db.Student.insert({RollNo:1,Age:21,Cont:9876,email:"db.Student.insert({RollNo:1,Age:21,Cont:9876,email:"db.Student.insert({RollNo:1,Age:21,Cont:9876,email:"db.Student.insert({RollNo:1,Age:21,Cont:9876,email:"db.Student.insert({RollNo:1,Age:21,Cont:9876,email:"db.Student.insert({RollNo:1,Age:21,Cont:9876,email:"db.Student.insert({RollNo:1,Age:21,Cont:9876,email:"db.Student.insert({RollNo:1,Age:21,Cont:9876,email:"db.Student.insert({RollNo:1,Age:21,Cont:9876,email:"db.Student.insert({RollNo:1,Age:21,Cont:9876,email:"db.Student.insert({RollNo:1,Age:21,Cont:9876,email:"db.Student.insert({RollNo:1,Age:21,Cont:9876,email:"db.Student.insert({RollNo:1,Age:21,Cont:9876,email:"db.Student.insert({RollNo:1,Age:21,Cont:9876,email:"db.Student.insert({RollNo:1,Age:21,Cont:9876,email:"db.Student.insert({RollNo:1,Age:21,Cont:9876,email:"db.Student.insert({RollNo:1
                                                      76,email:"antara.de9@gmail.com"})
 Uncaught:
                           ror: Unexpected token, expected "," (1:104)
   > 1 | db.student.insert({Rollno:1,Age:21,Cont:9876,email:"db.Student.insert({RollNo:1,Age:21,Cont:9876,email:"antara.de9
   @gmail.com"})
Atlas atlas-f4tdyn-shard-0 [primary] test> db.Student.insert({RollNo:1,Age:21,Cont:9876,email:"antara.de9@gmail.com"});
DeprecationWarning: Collection.insert() is deprecated. Use insertOne, insertMany, or bulkWrite.
       acknowledged: true, insertedIds: { '0': ObjectId("660a7a96e984f9d7dd18d38f") }
```

```
Atlas atlas—f4tdyn—shard—0 [primary] test> db.Student.insert({RollNo:1, Age:21, Cont:9876, email:"antara.de9@gmail.com"});
DeprecationWarning: Collection.insert() is deprecated. Use insertOne, insertMany, or bulkWrite.

{
    acknowledged: true,
    insertedIds: { '0': ObjectId("660a7a96e984f9d7dd18d38f") }
}
Atlas atlas—f4tdyn—shard—0 [primary] test> db.Student.insert({RollNo:2, Age:22, Cont:9976, email:"anushka.de9@gmail.com"});

{
    acknowledged: true,
    insertedIds: { '0': ObjectId("660a7a9ce984f9d7dd18d390") }
}
Atlas atlas—f4tdyn—shard—0 [primary] test> db.Student.insert({RollNo:3, Age:21, Cont:5576, email:"anubhav.de9@gmail.com"});

{
    acknowledged: true,
    insertedIds: { '0': ObjectId("660a7aale984f9d7dd18d391") }
}
Atlas atlas—f4tdyn—shard—0 [primary] test> db.Student.insert({RollNo:4, Age:20, Cont:4476, email:"pani.de9@gmail.com"});

{
    acknowledged: true,
    insertedIds: { '0': ObjectId("660a7aa5e984f9d7dd18d392") }
}
Atlas atlas—f4tdyn—shard—0 [primary] test> db.Student.insert({RollNo:10, Age:23, Cont:2276, email:"rekha.de9@gmail.com"});

{
    acknowledged: true,
    insertedIds: { '0': ObjectId("660a7aabe984f9d7dd18d393") }
}
Atlas atlas—f4tdyn—shard—0 [primary] test> db.Student.find()
```

```
mongosh mongodb+srv://<ci \times +
     email: 'pani.de9@gmail.com'
     _id: ObjectId("660a7aabe984f9d7dd18d393"),
    RollNo: 10,
Age: 23,
Cont: 2276,
email: 'rekha.de9@gmail.com'
]
Atlas atlas-f4tdyn-shard-0 [primary] test> db.Student.update({RollNo:10},{$set:{
                               m"}})
DeprecationWarning: Collection.update() is deprecated. Use updateOne, updateMany, or bulkWrite.
  acknowledged: true,
insertedId: null,
  matchedCount: 1,
modifiedCount: 1,
  upsertedCount: 0
}
Atlas atlas-f4tdyn-shard-0 [primary] test> db.Student.insert({RollNo:11,Age:22,Name:
... "ABC", Cont: 2276, email: "rea.de9@gmail.com"});
  acknowledged: true,
insertedIds: { '0': ObjectId("660a7acde984f9d7dd18d394") }
Atlas atlas-f4tdyn-shard-0 [primary] test> db.Student.update({RollNo:11,Name:"ABC"},{$se
... t:{Name:"FEM"}})
Uncaught:
 SyntaxError: Unexpected token, expected "," (2:0)
```

```
Atlas atlas—f4tdyn-shard—0 [primary] test> db.Student.update({RollNo:11, Name: "ABC"}, {$set:{Name: "FEM"}}) {
    acknowledged: true,
    insertedId: null,
    matchedCount: 1,
    modifiedCount: 1,
    upsertedCount: 0
}
Atlas atlas—f4tdyn-shard—0 [primary] test> db.Student.find()
[
    _id: ObjectId("660a7a96e984f9d7dd18d38f"),
    RollNo: 1,
    Age: 21,
    Cont: 9876,
    email: 'antara.de9@gmail.com'
},
    _id: ObjectId("660a7a9ce984f9d7dd18d390"),
    RollNo: 2,
    Age: 22,
    Cont: 9976,
    email: 'anushka.de9@gmail.com'
},
    _id: ObjectId("660a7aale984f9d7dd18d391"),
    RollNo: 3,
    Age: 21,
    Cont: 5576,
    email: 'anushka.de9@gmail.com'
```

```
Atlas atlas=f4tdyn-shard-0 [primary] test> db.Student.update({RollNo:10}, {$set:{
... email:"Abhinav@gmail.com"}})
{
    acknowledged: true,
    insertedId: null,
    matchedCount: 1,
    modifiedCount: 0,
    upsertedCount: 0
}

Atlas atlas=f4tdyn-shard-0 [primary] test> db.Student.update({RollNo:11, Name: "ABC"}, {$se}
... t:{Name: "FEN"}})
Uncaught:
SyntaxError: Unexpected token, expected "," (2:0)

1 | db.Student.update({RollNo:11, Name: "ABC"}, {$se}
2 | t:{Name: "FEN"}})
3 |

Atlas atlas=f4tdyn-shard-0 [primary] test> db.Student.update({RollNo:11, Name: "ABC"}, {$set:{Name: "FEN"}})
{
    acknowledged: true,
    insertedId: null,
    matchedCount: 0,
    upsertedCount: 0,
    upsertedCount: 0,
    upsertedCount: 0,
    upsertedCount: 0,
    switched to db myDB
Atlas atlas=f4tdyn-shard-0 [primary] myDB> db;
```

Perform the following in Mongoshell

- 1. Execute the mongodb queries given in MongoDB_BDA_Final document.
- 2. Execute MongoDB exercises (Write it in observation)

```
Atlas atlas-f4tdyn-shard-0 [primary] test> use myDB;
switched to db myDB
Atlas atlas-f4tdyn-shard-0 [primary] myDB> db;
myDB
Atlas atlas-f4tdyn-shard-0 [primary] myDB> show dbs;
sample_mflix 116.12 MiB
test 72.00 KiB
              336.00 KiB
admin
local
               4.99 GiB
Atlas atlas-f4tdyn-shard-0 [primary] myDB> db.createCollection("Student");
      Error: Unexpected character '"'. (1:20)
> 1 | db.createCollection("Student");
Atlas atlas-f4tdyn-shard-0 [primary] myDB> db.createCollection('Student');
{ ok: 1 } Atlas atlas-f4tdyn-shard-0 [primary] myDB> db.Student.drop();
Atlas atlas-f4tdyn-shard-0 [primary] myDB> db.Student.insert({_id:1,StudName:"MichelleJacintha",Grade:"NI",Hobbies:"InternetS
Uncaught:
         ror: Unexpected token (1:34)
> 1 | db.Student.insert({_id:1,StudName:"MichelleJacintha",Grade:"VII",Hobbies:"InternetS
```

```
ernetSurfing"}); { acknowledged: true, insertedIds: { '0': 1 } }
Atlas atlas=f\(\text{tdyn-shard-0 [primary] myDB> db.Student.update(\{_id:3,StudName:\(\&\)quot;\(\AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanDavid\(\&\)quot;\(\Gar{AryanD
 Atlas atlas-f4tdyn-shard-0 [primary] myDB> db.Student.insert({_id:1,StudName:"MichelleJacintha",Grade:"VII",Hobbies:"Int
 Uncaught:
                         ror: Unexpected token (1:34)
 > 1 | db.Student.update({_id:3,StudName:"AryanDavid",Grade:"VII"},{$set:{Hobbies:"Skatin
 Atlas atlas-f4tdyn-shard-0 [primary] myDB> db.Student.update({_id:3,StudName:"AryanDavid",Grade:"VII"},{$set:{Hobbies:"S
     ating"}},{upsert:true});
      acknowledged: true,
      insertedId: 3,
matchedCount: 0,
     upsertedCount: 0,
       modifiedCount:
 Atlas atlas-f4tdyn-shard-0 [primary] myDB> db.Student.find({StudName:"Aryan David"});
 Atlas atlas-f4tdyn-shard-0 [primary] myDB> db.Student.find({},{StudName:1,Grade:1,_id:0});
       { StudName: 'MichelleJacintha', Grade: 'VII' }, { Grade: 'VII', StudName: 'AryanDavid' }
 Atlas atlas-f4tdyn-shard-0 [primary] myDB> db.Student.find({Grade:{$eq:'VII'}}).pretty();
Uncaught:
```

```
> 1 | db.Student.find({Hobbies :{ $in: ['Chess', 'Skating';]}}).pretty ();
2 |
Atlas atlas-f4tdyn-shard-0 [primary] myDB> db.Student.find({Hobbies :{ $in: ['Chess', 'Skating']}}).pretty ();
[
{ _id: 3, Grade: 'VII', StudName: 'AryanDavid', Hobbies: 'Skating' }
]
Atlas atlas-f4tdyn-shard-0 [primary] myDB> db.Student.find({StudName:/*M/}).pretty();
[
{ _id: 1,
    StudName: 'MichelleJacintha',
    Grade: 'VII',
    Hobbies: 'InternetSurfing'
}
Atlas atlas-f4tdyn-shard-0 [primary] myDB> db.Student.find({StudName:/e/}).pretty();
[
{ _id: 1,
    StudName: 'MichelleJacintha',
    Grade: 'VII',
    Hobbies: 'InternetSurfing'
}
Atlas atlas-f4tdyn-shard-0 [primary] myDB> db.Student.count();
DeprecationWarning: Collection.count() is deprecated. Use countDocuments or estimatedDocumentCount.
```