SQL Queries:-

Category: Sales & Revenue

1. Total Revenue: What is the total revenue generated across all orders?

```
select SUM([total_amount]) as TotalRevenue from [dw_SwiggyFoodDelivery].[swiggyFood].[dw_swiggy_delta_table]
```

Output:-

Messages | Results

	1.2F TotalRevenue
1	916781.729999994

2. Top Cuisines: Which are the top 5 cuisines by total revenue?

```
select TOP 5 cuisine,SUM([total_amount]) as TotalRevenue
from [dw_SwiggyFoodDelivery].[swiggyFood].[dw_swiggy_delta_table]
GROUP BY cuisine
order by SUM([total_amount]) desc
```

Output:-

SQL query 1 | 1.Sales & Revenue | 2.Operational Eff...

Run | Save as | Save as view | Explain query | Fix query errors

```
--2. Top Cuisines: Which are the top 5 cuisines by total revenue?
select TOP 5 cuisine,SUM([total_amount]) as TotalRevenue from [dw_SwiggyFoodDelivery].[swiggyFood].[dw_swiggy_delta_table]
GROUP BY cuisine
order by SUM([total_amount]) desc
```

Messages | Results

	ABC cuisine	1.2F TotalRevenue
1	North Indian	78461.31
2	Mughlai	77691.2400000001
3	Fast Food	76476.5400000001
4	Italian	73589.76
5	Indian	72934.98

3. Revenue by Location: Which area in Bengaluru generated the highest sales?

```
select location,Round(SUM(total_amount),2) as 'TotalRevenue'
from [dw_SwiggyFoodDelivery].[swiggyFood].[dw_swiggy_delta_table]
where city = 'Bengaluru'
GROUP  By location
```

Output:-

```
--3. Revenue by Location: Which area in Bengaluru generated the highest sales?
select location,Round(SUM(total_amount),2) as 'TotalRevenue'
from [dw_SwiggyFoodDelivery].[swiggyFood].[dw_swiggy_delta_table]
where city = 'Bengaluru'
GROUP By location
```

Messages | Results

	location	TotalRevenue
1	Koramangala	58003.62
2	RR Nagar	57745.23
3	BTM Layout	55788.75
4	Marthahalli	58134.66
5	HSR Layout	58401.84
6	Basavanagudi	62000.82
7	Kengeri	67968.81
8	Hebbal	62636.4
9	Banashankari	67240.59
10	Malleshwaram	58428.72
11	Electronic City	58520.43
12	JP Nagar	61283.25

4. Average Order Value (AOV): What is the average amount spent per order?

```
select order_id as orders ,AVG(total_amount) as 'Avg_amount'
FROM [dw_SwiggyFoodDelivery].[swiggyFood].[dw_swiggy_delta_table]
GROUP BY order_id
```

Output:-

```
--4. Average Order Value (AOV): What is the average amount spent per order?

select order_id as orders ,AVG(total_amount) as 'Avg_amount'
FROM [dw_SwiggyFoodDelivery].[swiggyFood].[dw_swiggy_delta_table]
GROUP BY order_id
```

Messages | Results

	orders	Avg_amount
1	ORD_3461	136.82
2	ORD_3368	9.57
3	ORD_3138	22.91
4	ORD_0463	116.66
5	ORD_2403	133.34
6	ORD_1194	109.09
7	ORD_3069	121.27
8	ORD_3814	137.3
9	ORD_1262	107.24
10	ORD_1451	15.5
11	ORD_3120	97.96

5. High-Value Orders: List the top 10 orders with the highest total_amount.

```
SELECT TOP 10 order_id, SUM(total_amount) as 'total_Amount'
FROM [dw_SwiggyFoodDelivery].[swiggyFood].[dw_swiggy_delta_table]
```

```
GROUP BY order_id
order by order_id desc
```

Output:-

Run | Save as | Save as view | Explain query | Fix query errors

```
--5. High-Value Orders: List the top 10 orders with the highest total_amount.

SELECT TOP 10 order_id, SUM(total_amount) as 'total_Amount'
FROM [dw_SwiggyFoodDelivery].[swiggyFood].[dw_swiggy_delta_table]
GROUP BY order_id
order by order_id desc
```

Messages | Results

	order_id	total_Amount
1	ORD_4000	373.86
2	ORD_3999	291.63
3	ORD_3998	23.64
4	ORD_3997	254.43
5	ORD_3996	162.09
6	ORD_3995	430.89
7	ORD_3994	36.24
8	ORD_3993	59.37
9	ORD_3992	324.87
10	ORD_3991	87.75

Category: Operational Efficiency

6. Average Delivery Time: What is the average delivery time (in minutes) for all online orders?

```
SELECT order_id as orders,ROUND(AVG(DATEDIFF(MINUTE,order_time,delivery_time)),2) as Avg_delivery_time_min
FROM [dw_SwiggyFoodDelivery].[swiggyFood].[dw_swiggy_delta_table]
WHERE online_order='Yes' and delivery_time IS NOT NULL
GROUP BY order_id
```

Output:-

```
-- 6. Average Delivery Time: What is the average delivery time (in minutes) for all online orders?
SELECT order_id as orders,ROUND(AVG(DATEDIFF(MINUTE,order_time,delivery_time)),2) as Avg_delivery_time_min
FROM [dw_SwiggyFoodDelivery].[swiggyFood].[dw_swiggy_delta_table]
WHERE online_order='Yes' and delivery_time IS NOT NULL
GROUP BY order_id
```

Messages | Results

	orders	Avg_delivery_time_min
1	ORD_0872	34
2	ORD_1531	44
3	ORD_1688	50
4	ORD_2022	39
5	ORD_2659	59
6	ORD_3461	42
7	ORD_3974	43
8	ORD_2446	52
9	ORD_3950	34
10	ORD_0258	50
11	ORD_1374	57

7. Fastest Restaurants: Which 5 restaurants have the fastest average delivery time?

```
SELECT TOP 5 restaurant,count(order_id) as orders, ROUND(AVG(DATEDIFF(MINUTE,order_time,delivery_time)),2) as
avg_delivery_minutes
FROM [dw_SwiggyFoodDelivery].[swiggyFood].[dw_swiggy_delta_table]
WHERE online_order  = 'Yes' and delivery_time IS NOT NULL and order_time IS NOT NULL
GROUP BY restaurant
ORDER BY ROUND(AVG(DATEDIFF(MINUTE,order_time,delivery_time)),2) asc
```

Output:-

```
-- 7. Fastest Restaurants: Which 5 restaurants have the fastest average delivery time?
SELECT TOP 5 restaurant,count(order_id) as orders, ROUND(AVG(DATEDIFF(MINUTE,order_time,delivery_time)),2) as avg_delivery_minutes
FROM [dw_SwiggyFoodDelivery].[swiggyFood].[dw_swiggy_delta_table]
WHERE online_order  = 'Yes' and delivery_time IS NOT NULL and order_time IS NOT NULL
GROUP BY restaurant
ORDER BY ROUND(AVG(DATEDIFF(MINUTE,order_time,delivery_time)),2) asc
```

Messages | Results

	restaurant	orders	avg_delivery_minutes
1	Mainland China	153	35
2	Pizza Hut	159	37
3	Truffles	177	37
4	McD	156	37
5	Nandhini	198	38

8. Location Delays: Which location has the highest average delivery time?

```
SELECT TOP 1 restaurant,count(order_id) as orders, ROUND(AVG(DATEDIFF(MINUTE,order_time,delivery_time)),2) as
avg_delivery_minutes
FROM [dw_SwiggyFoodDelivery].[swiggyFood].[dw_swiggy_delta_table]
WHERE online_order  = 'Yes' and delivery_time IS NOT NULL and order_time IS NOT NULL
GROUP BY restaurant
ORDER BY ROUND(AVG(DATEDIFF(MINUTE,order_time,delivery_time)),2) desc
```

Output:-

Run | Save as | Save as view | Explain query | Fix query errors

```
-- 8. Location Delays: Which location has the highest average delivery time?
SELECT TOP 1 restaurant,count(order_id) as orders, ROUND(AVG(DATEDIFF(MINUTE,order_time,delivery_time)),2) as avg_delivery_minutes
FROM [dw_SwiggyFoodDelivery].[swiggyFood].[dw_swiggy_delta_table]
WHERE online_order  = 'Yes' and delivery_time IS NOT NULL and order_time IS NOT NULL
GROUP BY restaurant
ORDER BY ROUND(AVG(DATEDIFF(MINUTE,order_time,delivery_time)),2) desc
```

Messages | Results

	restaurant	orders	avg_delivery_minutes
1	Sushi Zen	195	42

9. Distance Impact: What is the average delivery time for orders traveling more than 10km?

```
SELECT
COUNT(order_id) as orders, Round(AVG(distance_km),2) as avg_distance_km
 FROM  [dw_SwiggyFoodDelivery].[swiggyFood].[dw_swiggy_delta_table]
 WHERE online_order  = 'Yes' and  distance_km > 10 and
 delivery_time IS NOT NULL and
 order_time IS NOT NULL and
 distance_km IS NOT NULL
```

Output:-

```
-- 9. Distance Impact: What is the average delivery time for orders traveling more than 10km?
SELECT
COUNT(order_id) as orders, Round(AVG(distance_km),2) as avg_distance_km
 FROM  [dw_SwiggyFoodDelivery].[swiggyFood].[dw_swiggy_delta_table]
 WHERE online_order  = 'Yes' and  distance_km > 10 and
 delivery_time IS NOT NULL and
 order_time IS NOT NULL and
 distance_km IS NOT NULL
```

Messages | Results

	orders	avg_distance_km
1	990	12.57

10. Delivery Success Rate: How many orders have a valid delivery_time compared to the total online_order = 'Yes' count?

```
select
count(order_id) as total_Orders,
count(delivery_time) as valid_delievry_time
 from [dw_SwiggyFoodDelivery].[swiggyFood].[dw_swiggy_delta_table]
where online_order='Yes'
```

Output:-

```
--10. Delivery Success Rate: How many orders have a valid delivery_time compared to the total online_order = 'Yes' count?
select
count(order_id) as total_Orders,
count(delivery_time) as valid_delievry_time
 from [dw_SwiggyFoodDelivery].[swiggyFood].[dw_swiggy_delta_table]
where online_order='Yes'
```

Messages | Results

	total_Orders	valid_delievry_time
1	2901	2901

Category: Customer Behavior

11. Order Mode: What is the percentage split between "Online" vs "Offline" orders?

```
select
online_order,
count(order_id) as all_orders,
ROUND(COUNT(order_id) * 100.0 / SUM(COUNT(order_id)) OVER(), 2) as '%_of_Total'
 from [dw_SwiggyFoodDelivery].[swiggyFood].[dw_swiggy_delta_table]
 where online_order in ('Yes','No')
 GROUP BY online_order
order by all_orders desc
```

Output:-

```
-- 11. Order Mode: What is the percentage split between "Online" vs "Offline" orders?

select
online_order,
count(order_id) as all_orders,
ROUND(COUNT(order_id) * 100.0 / SUM(COUNT(order_id)) OVER(), 2) as '%_of_Total'
 from [dw_SwiggyFoodDelivery].[swiggyFood].[dw_swiggy_delta_table]
 where online_order in ('Yes','No')
 GROUP BY online_order
order by all_orders desc
```

Messages | Results

	online_order	all_orders	%_of_Total
1	Yes	2901	50.080000000000
2	No	2892	49.920000000000

12. Booking Influence: Do customers who "Book a Table" spend more on average than those who don't?

```
select
book_table,
count(order_id) as total_orders,
Round(Avg(total_amount),2) as avg_amount
 from [dw_SwiggyFoodDelivery].[swiggyFood].[dw_swiggy_delta_table]
 where book_table in ('Yes','No')
 group by book_table
 order by avg_amount desc
```

Output:-

```
-- 12. Booking Influence: Do customers who "Book a Table" spend more on average than those who don't?
select
book_table,
count(order_id) as total_orders,
Round(Avg(total_amount),2) as avg_amount
 from [dw_SwiggyFoodDelivery].[swiggyFood].[dw_swiggy_delta_table]
 where book_table in ('Yes','No')
 group by book_table
 order by avg_amount desc
```

Messages | Results

	book_table	total_orders	avg_amount
1	Yes	3096	76.89
2	No	3015	74.65

13. Peak Order Hours: During which hour of the day do most orders occur?

```
-- Two order hours have same order count
select TOP 2
datepart(hour,order_time) as order_hour,
count(order_id) as order_count
 from [dw_SwiggyFoodDelivery].[swiggyFood].[dw_swiggy_delta_table]
 where order_time is not null
 group by datepart(hour,order_time)
 order by count(order_id) desc
```

Output:-

Run | Save as | Save as view | Explain query | Fix query errors

```
-- 13. Peak Order Hours: During which hour of the day do most orders occur?
-- Two order hours have same order count
select TOP 2
datepart(hour,order_time) as order_hour,
count(order_id) as order_count
 from [dw_SwiggyFoodDelivery].[swiggyFood].[dw_swiggy_delta_table]
 where order_time is not null
 group by datepart(hour,order_time)
 order by count(order_id) desc
```

Messages | Results

	order_hour	order_count
1	4	570
2	9	570

14. Popular Locations: Which 5 locations have the highest volume of orders?

```
select  TOP 5
location,
count(order_id) as order_count
from [dw_SwiggyFoodDelivery].[swiggyFood].[dw_swiggy_delta_table]
group by location
order by count(order_id) desc
```

Output:-

Run | Save as | Save as view | Explain query | Fix query errors

```
-- 14. Popular Locations: Which 5 locations have the highest volume of orders?

select  TOP 5
location,
count(order_id) as order_count
 from [dw_SwiggyFoodDelivery].[swiggyFood].[dw_swiggy_delta_table]
 group by location
 order by count(order_id) desc
```

Messages | Results

	location	order_count
1	Kengeri	891
2	Banashankari	867
3	Jayanagar	867
4	Basavanagudi	831
5	Hebbal	813

15. Quantity Trends: What is the average ordered_qty per order for different cuisine types?

```
select cuisine,
count(order_id) as orders,
sum(ordered_qty) as tota_qty,
Round(avg(cast(ordered_qty as float)),2) as avg_qty
from [dw_SwiggyFoodDelivery].[swiggyFood].[dw_swiggy_delta_table]
Group by cuisine
```

Output:-

```
-- 15. Quantity Trends: What is the average ordered_qty per order for different cuisine types?

select cuisine,
count(order_id) as orders,
sum(ordered_qty) as tota_qty,
Round(avg(cast(ordered_qty as float)),2) as avg_qty
from [dw_SwiggyFoodDelivery].[swiggyFood].[dw_swiggy_delta_table]
Group by cuisine
```

Messages | Results

	cuisine	orders	tota_qty	avg_qty
1	Italian	951	4236	4.45
2	Biryani	885	3987	4.51
3	Japanese	960	4398	4.58
4	Coffee	882	3915	4.44
5	Chinese	894	3789	4.24
6	Indian	894	3969	4.44
7	South Indian	879	3939	4.48
8	Mexican	885	3846	4.35
9	Desserts	909	3975	4.37

Category: Quality & Ratings

16. Top Rated: Which restaurants have an average rating higher than 4.5?

```
select restaurant,
Round(Avg(rating),2) as avg_rating
 from [dw_SwiggyFoodDelivery].[swiggyFood].[dw_swiggy_delta_table]
 where rating is not null
 group by restaurant
 HAVING AVG(rating) > 4.5
```

Output:-

Run | Save as | Save as view | Explain query | Fix query errors

```
-- 16. Top Rated: Which restaurants have an average rating higher than 4.5?

select restaurant,
Round(Avg(rating),2) as avg_rating
 from [dw_SwiggyFoodDelivery].[swiggyFood].[dw_swiggy_delta_table]
 where rating is not null
 group by restaurant
 HAVING AVG(rating) > 4.5
```

Messages | Results

	restaurant	avg_rating

17. Cuisine Satisfaction: Which cuisine has the highest average customer rating?

```
select TOP 1 cuisine,
--count(order_id) as orders,
--count(rating) as ratings,
ROUND(AVG(rating), 2) as Avg_rating
 from [dw_SwiggyFoodDelivery].[swiggyFood].[dw_swiggy_delta_table]
 where rating is not null
 Group by cuisine
 order by ROUND(AVG(rating), 2)  desc
```

Output:-

```
-- 17. Cuisine Satisfaction: Which cuisine has the highest average customer rating?

select TOP 1 cuisine,
--count(order_id) as orders,
--count(rating) as ratings,
ROUND(AVG(rating), 2) as Avg_rating
 from [dw_SwiggyFoodDelivery].[swiggyFood].[dw_swiggy_delta_table]
 where rating is not null
 Group by cuisine
 order by ROUND(AVG(rating), 2)  desc
```

Messages | Results

	cuisine	Avg_rating
1	Mexican	3

18. Rating vs. Spend: Is there a correlation between high spending and high ratings?

```
SELECT
ROUND(
   (COUNT(*) * SUM(rating * total_amount) - SUM(rating) * SUM(total_amount)) /
NULLIF(
      SQRT(COUNT(*) * SUM(rating * rating) - POWER(SUM(rating), 2)) *
      SQRT(COUNT(*) * SUM(total_amount * total_amount) - POWER(SUM(total_amount), 2)), 0), 4) AS Pearson_Correlation
FROM [dw_SwiggyFoodDelivery].[swiggyFood].[dw_swiggy_delta_table]
WHERE rating > 0
AND total_amount > 0
```

Output:-

```sql
-- 18. Rating vs. Spend: Is there a correlation between high spending and high ratings?
SELECT
ROUND(
    (COUNT(*) * SUM(rating * total_amount) - SUM(rating) * SUM(total_amount)) /
NULLIF(
        SQRT(COUNT(*) * SUM(rating * rating) - POWER(SUM(rating), 2)) *
        SQRT(COUNT(*) * SUM(total_amount * total_amount) - POWER(SUM(total_amount), 2)), 0), 4) AS Pearson_Correlation
FROM [dw_SwiggyFoodDelivery].[swiggyFood].[dw_swiggy_delta_table]
WHERE rating > 0
AND total_amount > 0
```

Messages | Results

	Pearson_Correlation
1	0.002

19. Low Rating Audit: List the restaurants with more than 10 orders that have an average rating below 3.0.

```sql
select
restaurant,
count(1) as orders,
Round(AVG(rating),2) as Avg_Ratinng
 from [dw_SwiggyFoodDelivery].[swiggyFood].[dw_swiggy_delta_table]
 Group by restaurant
 Having count(1) > 10 and AVG(rating) < 3.0
```

Output:-

```sql
-- 19. Low Rating Audit: List the restaurants with more than 10 orders that have an average rating below 3.0.

select
restaurant,
count(1) as orders,
Round(AVG(rating),2) as Avg_Ratinng
 from [dw_SwiggyFoodDelivery].[swiggyFood].[dw_swiggy_delta_table]
 Group by restaurant
 Having count(1) > 10 and AVG(rating) < 3.0
```

Messages | Results | Search

	restaurant	orders	Avg_Ratinng
1	Vidyarthi Bhavan	849	2.85
2	Meghana Foods	843	2.77
3	Taco Bell	795	2.84
4	Burger King	816	2.85
5	Corner House	759	2.95
6	McD	702	2.98
7	Empire Restaurant	771	2.91
8	Leon Grill	873	2.87

20. City-Wide Quality: What is the average rating of food delivery across the entire city of Bengaluru?

```sql
select city , Round(Avg(rating),2) as avg_rating
from [dw_SwiggyFoodDelivery].[swiggyFood].[dw_swiggy_delta_table]
where city = 'Bengaluru'
Group by city
```

Output:-

```sql
-- 20. City-Wide Quality: What is the average rating of food delivery across the entire city of Bengaluru?

select city , Round(Avg(rating),2) as avg_rating
from [dw_SwiggyFoodDelivery].[swiggyFood].[dw_swiggy_delta_table]
where city = 'Bengaluru'
Group by city
```

Messages | Results

	city	avg_rating
1	Bengaluru	2.88