

VECTO 5.x Release Notes



VECTO v5.0.3 Official Release (08-07-2025)

Bug Fixes

- Avoid em conditioning calculation for non-FCHV (vecto/vecto!416)
- Safe conditioning data lookup (vecto/vecto!417)

VECTO v5.0.1 Official Release (03-07-2025)

Bug Fixes

- FCHV engineering run (vecto/vecto!391)
- H2 check in bus job (vecto/vecto!392)
- Auxiliaries REESS connection (vecto/vecto!397)
- Read PowerOutputConsumptionMap as kW (vecto/vecto!401)
- Select pruned missions for FCHV primary bus (vecto/vecto!403)
- Use angledrive in lorries' gearshift data creation (vecto/vecto!404)
- Remove wrong bus angledrive restrictions (vecto/vecto!405)
- Decl GUI error message when FCHV in eng mode (vecto/vecto!407)
- Set NgTankSystem default for primary buses (vecto/vecto!408)
- FCHV F-IEPC simulation runs! (vecto/vecto!409)
- Operational range for group 10 vehicle weights (vecto/vecto!402)
- Ovc fc weighting to correspond to CO2 computation (vecto/vecto!413)
- 3s Buffer compute max EM PLoss for FL OPs (vecto/vecto!412)
- Conditioning power demand for FCHVs (vecto/vecto!414)

VECTO v5.0.0-RC (05-06-2025)

Features

- New (v2.7) XSD for vehicles (vecto/vecto!334)
- Partial implementation for new vehicle battery (vecto/vecto!337)
- Readers for v2.7 vehicle XSD, and support for fuel cell vehicles. (vecto/vecto!341)
- Read monitoring data from job (vecto/vecto!345)
- 3rd amendment mrf cif xml schemas (vecto/vecto!340)
- MRF v1.0 vehicle (lorries and FCHV primary buses) writers (vecto/vecto!354)
- CIF v1.0 vehicle part (v2.4 vehicles and v2.7 lorries) (vecto/vecto!355)
- Use monitoring data from job to write report (vecto/vecto!360)
- In motion charging postprocessing (vecto/vecto!344)
- Disable (for RC & official) v27 vehicles except H2-ICE & FCHV lorries (vecto/vecto!375)
- EM-IEPC Thermal Derating - Tq_max and Buffer Mods - Post VECTO-4.3.4 Feed-Back (vecto/vecto!378)
- Forbid AT upshift for reduced dt before brake (vecto/vecto!381)
- Readers for v2.7 buses, improved reader tests. (vecto/vecto!382)
- HEV - Get Best dSOC in vsum (vecto/vecto!383)

Bug Fixes

- Non-https link in manual (vecto/vecto!339)
- V2.7 reader & XSD (vecto/vecto!342)
- Updated Monitoring Report XSD (FCHV, Multiple powertrains) (vecto/vecto!335)
- Updated XSLT file and hashing code for new vehicles and components. (vecto/vecto!338)
- Lock StoredResults list before accessing it to avoid race condition (vecto/vecto!343)
- V27 vehicle issues (vecto/vecto!346)
- 882 merge artifacts (vecto/vecto!347)
- FCHV angledrive input (vecto/vecto!348)
- Modify schema so that results can be written compatible with results for 2nd amendment: (vecto/vecto!349)
- Restore deleted code in monitoring report (vecto/vecto!350)
- Typo in MRF Inject module (vecto/vecto!351)
- Proper namespace for VIF IEPC sub-element (vecto/vecto!352)
- Mockup tests run successfully (vecto/vecto!353)
- Correcting errors in XML schema (and sample files): no engine output in... (vecto/vecto!356)
- Bugfixes/updates for the Monitoring report and testing via the MockupTests. (vecto/vecto!357)

- Replace U+2013 by regular dashes (vecto/vecto!359)
- Added missing IMC testdata (vecto/vecto!361)
- Retarder compulsory in all MRF vehicle components. (vecto/vecto!362)
- Add further condition to decide which results to write in case the input data is a Multistep bus (vecto/vecto!363)
- Check Articulated in json vehicle (vecto/vecto!365)
- Segment in Bus AirDrag data creation (vecto/vecto!364)
- FCHV pre-run execution (vecto/vecto!366)
- Write ZeroCO2EmissionsRange and HydrogenRange to H2-ICE reports. (vecto/vecto!367)
- Remove wrong angledrive restrictions (vecto/vecto!369)
- Set vectorundata in completed bus results, (vecto/vecto!368)
- Simulate OVC for FCHVs (vecto/vecto!370)
- FCHV H2 range in reports (vecto/vecto!371)
- Architecture in some MRF v1.0 tests (vecto/vecto!372)
- H2 properties check in exempted vehicle input (vecto/vecto!373)
- FCHV input classes inheritance (vecto/vecto!374)
- Standard values enum entry for v2.6 (vecto/vecto!376)
- Add Driving Actions for IEPC gearshift (vecto/vecto!377)
- ReEngage1C tolerance in AT (vecto/vecto!379)
- Take battery limit into account for EM overload - REESS Empty (vecto/vecto!380)
- Of v2.7, allow only IMC, H2-ICE conventional, FCHV Lorries (vecto/vecto!384)
- Disable reading data from external csv (vecto/vecto!385)
- OVC results (vecto/vecto!387)
- Ignore FCHV pre-run in best deltaSoC calculation (vecto/vecto!388)

Drop

- MaxChargingPower requirement for OVC in v2.7 (vecto/vecto!358)