GIT HTML ASSIGNMENT-

```
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~
$ git --version
git version 2.32.0.windows.2
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~
$ mkdir Assignments
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~
$ cd Assignments
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments
$ git init
Initialized empty Git repository in C:/Users/Tanaya/Assignments/.git/
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ git status
On branch master
No commits yet
Untracked files:
  (use "git add <file>..." to include in what will be committed)
         README.txt
nothing added to commit but untracked files present (use "git add" to track)
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ git add README.txt
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master) $ git commit -m "commiting readme txt file"
[master (root-commit) c7d51a3] commiting readme txt file
1 file changed, 1 insertion(+) create mode 100644 README.txt
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ git branch html-assignments
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ git checkout html-assignments
Switched to branch 'html-assignments'
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (html-assignments)
$ git commit -m "html assigmnets commit"
On branch html-assignments
Untracked files:
  (use "git add <file>..." to include in what will be committed)
         index.html
nothing added to commit but untracked files present (use "git add" to track)
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (html-assignments)
$ git add index.html
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (html-assignments)
$ git commit
Aborting commit due to empty commit message.
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (html-assignments)
$ git commit -m "html assignmets commit"
[html-assignments bad3ed2] html assignmets commit
1 file changed, 64 insertions(+)
 create mode 100644 index.html
```

```
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (html-assignments)
$ git status
On branch html-assignments
nothing to commit, working tree clean
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (html-assignments)
$ code
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (html-assignments)
$ git status
On branch html-assignments
nothing to commit, working tree clean
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (html-assignments)
$ git checkout master
Switched to branch 'master'
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ git add README.txt
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ git commit -m "committing readme txt file again" [master 207a7e1] committing readme txt file again 1 file changed, 1 insertion(+), 1 deletion(-)
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ graph
bash: graph: command not found
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ git graph
git: 'graph' is not a git command. See 'git --help'.
The most similar commands are
         branch
         grep
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ git status
On branch master
nothing to commit, working tree clean
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ git checkout html-assignments
Switched to branch 'html-assignments'
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (html-assignments)
$ git add index.html
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (html-assignments)

$ git commit -m "html assignmets commit again and again"
[html-assignments b4157ec] html assigmnets commit again and again
 1 file changed, 2 insertions(+)
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (html-assignments)
$ git checkout master
Switched to branch 'master'
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ git merge html-assignments
Merge made by the 'recursive' strategy.
index.html | 8 +++++++
 1 file changed, 8 insertions(+) create mode 100644 index.html
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ git status
On branch master
nothing to commit, working tree clean
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ git stash
```

```
No local changes to save
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ git stash list
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ git log
commit a3e93287d52b65f0cf876e73eb9da51058e10e47 (HEAD -> master)
Merge: 207a7e1 b4157ec
Author: TANAYA JADHAV <tanayayjadhav99@gmail.com>Date: Thu Jul 29 14:59:30 2021 +0530
     Merge branch 'html-assignments'
commit b4157ec91bb9a8524e91cec47bcfd05795673b3f (html-assignments)
Author: TANAYA JADHAV <tanayayjadhav99@gmail.com>Date: Thu Jul 29 14:58:41 2021 +0530
     html assigmnets commit again and again
commit 207a7e10c724da345a43824c8b38bfcfd169900f
Author: TANAYA JADHAV <tanayayjadhav99@gmail.com> Date: Thu Jul 29 14:53:39 2021 +0530
     commiting readme txt file again
commit d96c5c8671f44edc12102b9ecb362d44e3df1304
Author: TANAYA JADHAV <tanayayjadhav99@gmail.com>
          Thu Jul 29 14:51:18 2021 +0530
Date:
     updated html commit
commit bad3ed21ef26baff2eb4b42afc93a9d3207035b0
Author: TANAYA JADHAV <tanayayjadhav99@gmail.com>Date: Thu Jul 29 14:48:14 2021 +0530
     html assigmnets commit
commit c7d51a39dda033dc1e023b3db71f0d82f0482cfe
Author: TANAYA JADHAV <tanayayjadhav99@gmail.com>Date: Thu Jul 29 14:38:36 2021 +0530
     commiting readme txt file
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ git branch -d html-assignments
Deleted branch html-assignments (was b4157ec).
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ git status
On branch master
nothing to commit, working tree clean
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ git config --global user.username tanaya1708
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ git remote add origin https://github.com/tanaya1708/cap-Html-assignments.git
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ git push origin master
Enumerating objects: 17, done. Counting objects: 100% (17/17),
Counting objects: 17, done.

Delta compression using up to 8 threads

Compressing objects: 100% (15/15), done.

Writing objects: 100% (17/17), 1.73 KiB | 591.00 KiB/s, done.

Total 17 (delta 4), reused 0 (delta 0), pack-reused 0

remote: Resolving deltas: 100% (4/4), done.

To https://github.com/tanaya1708/cap-Html-assignments.git
 * [new branch]
                           master -> master
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
```

GIT CSS Assignments

```
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ git status
On branch master
nothing to commit, working tree clean
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ git branch css-assignments
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ git checkout css-assignments
Switched to branch 'css-assignments'
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (css-assignments)
$ git add index.css
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (css-assignments)
$ git commit -m "css assignments commit 1"
[css-assignments 2c6176d] css assignments commit 1
1 file changed, 3 insertions(+)
 create mode 100644 index.css
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (css-assignments)
$ git add README.txt
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (css-assignments)

$ git commit -m "committing readme for css 1"
[css-assignments 98f005b] committing readme for css 1
1 file changed, 2 insertions(+), 1 deletion(-)
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (css-assignments)
$ git checkout master
Switched to branch 'master'
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ git checkout css-assignments
Switched to branch 'css-assignments'
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (css-assignments)
$ git add index.css
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (css-assignments)
$ git commit -m" galtise delete"
On branch css-assignments
nothing to commit, working tree clean
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (css-assignments)
$ git add README.txt
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (css-assignments)
$ git commit -m" galtise delete>>>"
[css-assignments 66dbf2a] galtise delete>>>
1 file changed, 2 insertions(+), 1 deletion(-)
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (css-assignments)
$ git checkout master
Switched to branch 'master'
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ git add README.txt
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
```

```
$ git commit -m "master readme again commit"
[master babdbb6] master readme again commit
1 file changed, 3 insertions(+), 1 deletion(-)
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ git checkout css-assignments
Switched to branch 'css-assignments'
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (css-assignments)
$ git add index.css
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (css-assignments) $ git commit -m "final css commit" [css-assignments 7fab804] final css commit
 1 file changed, 4 insertions(+)
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (css-assignments)
$ git checkout master
Switched to branch 'master'
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ git merge css-assignments
Auto-merging README.txt
CONFLICT (content): Merge conflict in README.txt
Automatic merge failed; fix conflicts and then commit the result.
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master|MERGING)
$ git commit -m"tried resolving"
error: Committing is not possible because you have unmerged files. hint: Fix them up in the work tree, and then use 'git add/rm <file>'hint: as appropriate to mark resolution and make a commit.
fatal: Exiting because of an unresolved conflict.
           README.txt
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master|MERGING)
$ git merge css-assignments
error: Merging is not possible because you have unmerged files.
hint: Fix them up in the work tree, and then use 'git add/rm <file>'hint: as appropriate to mark resolution and make a commit.
fatal: Exiting because of an unresolved conflict.
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master|MERGING)
$ git add README.txt
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master|MERGING) $ git commit -m"tried resolving" [master Oce6b43] tried resolving
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ git merge css-assignments
Already up to date.
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ git branch -d css-assignments
Deleted branch css-assignments (was 7fab804).
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ git push origin master
Enumerating objects: 20, done.
Counting objects: 100% (20/20), done.
Delta compression using up to 8 threads
Compressing objects: 100% (18/18), done.
Writing objects: 100% (18/18), 1.97 KiB | 505.00 KiB/s, done.
Total 18 (delta 5), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (5/5), done.
To https://github.com/tanaval708/cap-Html-assignments.git
To https://github.com/tanaya1708/cap-Html-assignments.git
    a3e9328..0ce6b43 master -> master
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
```

GIT JS assignments

```
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ git branch js-assignments
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ git add-all
git: 'add-all' is not a git command. See 'git --help'.
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ git add -all
error: did you mean `--all` (with two dashes)?
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ git add --all
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ git commit -m"js 1 commit"
[master 8d37784] js 1 commit
2 files changed, 8 insertions(+), 1 deletion(-)
create mode 100644 index.js
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ git status
On branch master
nothing to commit, working tree clean
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ git checkout.
git: 'checkout.' is not a git command. See 'git --help'.
The most similar command is
          checkout
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ git checkout js-assignments
Switched to branch 'js-assignments'
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (js-assignments)
$ git add --all
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (js-assignments)
$ git commit -m "js 1.1 commit"
On branch js-assignments
nothing to commit, working tree clean
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (js-assignments)
$ git add --all
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (js-assignments)
$ git commit -m "js 1.2 commit"
[js-assignments e0654d8] js 1.2 commit
1 file changed, 1 insertion(+), 2 deletions(-)
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (js-assignments)
$ git checkout master
Switched to branch 'master'
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ git add --all
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master) $ git commit -m "js 1.3 commit" [master c93ea1f] js 1.3 commit
```

```
1 file changed, 1 insertion(+)
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ git checkout js-assignments
Switched to branch 'js-assignments'
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (js-assignments)
$ git add -all
error: did you mean `--all` (with two dashes)?
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (js-assignments)
$ git add --all
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (js-assignments)
$ git commit -m "js final commit"
[js-assignments cce7f0f] js final commit
1 file changed, 1 insertion(+)
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (js-assignments)
$ git checkout master
Switched to branch 'master'
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ git merge js-assignments
Auto-merging index.html
CONFLICT (content): Merge conflict in index.html Auto-merging README.txt
Automatic merge failed; fix conflicts and then commit the result.
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master|MERGING)
$ git add --al
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master|MERGING)
$ git add --all
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master|MERGING)
$ git merge js-assignments
fatal: You have not concluded your merge (MERGE_HEAD exists).
Please, commit your changes before you merge.
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master|MERGING) $ git commit -m "js final final commit" [master e42282a] js final final commit
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$_git_merge js-assignments
Already up to date.
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ git status
On branch master
nothing to commit, working tree clean
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ git push
fatal: The current branch master has no upstream branch.
To push the current branch and set the remote as upstream, use
     git push --set-upstream origin master
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master)
$ git push origin master
Enumerating objects: 20, done.
Counting objects: 100% (20/20), done.
Delta compression using up to 8 threads
Compressing objects: 100% (17/17), done.
Writing objects: 100% (17/17), 1.85 KiB | 947.00 KiB/s, done.
Total 17 (delta 7), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (7/7), completed with 1 local object. To https://github.com/tanaya1708/cap-Html-assignments.git
    Oce6b43..e42282a master -> master
```

```
Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master) $ git branch -d js-assignments Deleted branch js-assignments (was cce7f0f).

Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master) $ git push origin master Everything up-to-date

Tanaya@LAPTOP-5BF4TCK5 MINGW64 ~/Assignments (master) $
```