

Year

2018	2019	2020
2021	2022	2023
2024		

Overview

High-level key performance indicators, service volume trends, and spending metrics · 2018-2024

Total Spend	Total Beneficiaries	Cost Per Service	Total Services	YoY Growth %
304M	174K	1.70K	179K	26.30%

State


Alabama	Arizona	Arkansas
California	Colorado	Connecticut
Florida	Georgia	Hawaii

Test Category

Carrier / Prenatal Screening
Hematologic Malignancy Monitoring
Hereditary & Genetic Disease Testing (N...

Total Services by Test Category

Filtered to selection above




Trends

Category-level service growth and the relationship between spend and utilization growth · 2018-2024


Annual Service Volume Trends by Category

Comparing utilization trajectories and identifying fastest-growing test types (2018-2024)



Macro-Level YoY Growth Trends (Services & Spend)

Average year-over-year percentage growth aggregated across all test categories by year




Geographic

Genomic Testing concentration per state, normalized for population · 2018-2024


Services per 100,000 beneficiaries by state

Normalized for population to prevent population-size bias



Category concentration by state

Location quotient > 1.5 marks a category disproportionately common in that state



State


Select all	Alabama
Alaska	Arizona
Arkansas	California
Colorado	Connecticut

Outliers

States with statistically unusually utilization, spend or cost per service ($|z| > 2$) · 2018-2024


Utilization outliers

Z-score of services per 100k beneficiaries by state




Spend Outliers

Z-score of total Medicare spend by state



Cost-per-service outliers

Z-score of average cost per service by state




State

Select all	Alabama
Alaska	Arizona
Arkansas	California
Colorado	Connecticut

Access Gap

Cancer burden vs genomic testing utilization by state · 2018-2024



Kentucky, Mississippi, Louisiana, Minnesota, etc. show above-median age-adjusted cancer incidence paired with below-median genomic testing utilization per 100,000 beneficiaries, positioning them as candidates for further investigation into potential barriers to precision-medicine testing adoption, such as provider availability, referral patterns, or payer coverage differences.