

Homepage and replies revamp

20 August 2026. Repo: **qea-campaign-hq**. Written so a new agent can continue without the prior chat. Read this, then `TRUST.md` (frozen architecture) and `TRUST_OPEN.md` (live metric register).

DONE **Step 1 is in the working tree, uncommitted.** Opened moved to top-right as a percent. Bounce moved to the second row as a percent. People who replied / Calls / Meetings are unchanged. Do not redo Step 1.

NEXT **Start at Step 2.** Split “People who replied” into Total responses + Interested, make the bottom row five tiles, and make every click open the same pile as the number.

DO NOT Do not divide opens by 7,571. Do not count robots or unclassified rows as responses. Do not let the sync overwrite a human label. Do not rebuild the app. Do not start a lemlist API project — lemlist is being retired.

1. Resume in sixty seconds

The homepage tiles sit in one row, so they look like one story. They are not. Each tile counts a different pile. Mixing two piles is how 6.3% of 3,574 looked like it disagreed with 7,571 sent, and how a homepage “3” opened a Replies page of ~135.

Rule: the number, the click, and the list are the same pile. If they disagree, the work is not done.

Uncommitted files from Step 1:

`app/page.jsx` — tile order and percent display

`app/globals.css` — `.tile .val .pair` (smaller count next to a percent)

Also dirty before this session, unrelated: `TRUST.md`, untracked `TRUST_OPEN.md`. Leave them unless you are recording a metric decision.

2. What Step 1 did

Layout only. No new formulas. Opened already knew its honest pile (unique Instantly opens over tracked sends). Bounce already knew its pile (bounced over sent). This step only moved them and made the percent the loud number.

Row	Tile	Big number	Note
Top (hero, 4-col)	Active campaigns	count	unchanged
Top	People reached	count	first touches, Instantly-shaped
Top	Emails sent	count	Instantly + lemlist, all sends
Top	Emails opened	6.3% / 225	of 3,574 tracked · 3,997 no pixel

Row	Tile	Big number	Note
Bottom (4-col)	People who replied	3 (OLD math)	Step 2 replaces this
Bottom	Bounce rate	2.0%	149 of 7,571 · red above 5%
Bottom	Calls logged	count	unchanged
Bottom	Meetings booked	count	unchanged

Implementation notes the next agent must keep

- **Do not pass raw on a percent tile.** `components/tween.jsx` counts `[data-count]` up with `Math.round` and overwrites the cell. Passing 225 would wipe “6.3% / 225”. Passing 2.0 would show “2”.
- Opened markup: `{openRate}%<span class='pair'> / {num(uniqueOpens)}</span>`. The pair class is 48% size, --ink-2.
- Opened click is skipped when nothing is tracked (`href={trackedSent ? drill('opened') : undefined}`).
- The by-campaign table was not changed. Align it in Step 5, not now.

3. First principle — a pile

A number is only a count of the items in one pile. Two tiles can sit next to each other and still not mix. $3,574 + 3,997 = 7,571$. The “missing” mail is the no-pixel pile. It cannot register an open, so it must not sit in the open-rate fraction.

Question	Pile	All-time figure (20 Aug 2026, screenshot)
How much mail did we fire?	Every send, both tools	7,571
Of mail we could see opened, how much opened?	Instantly, tracking on	$225 / 3,574 = 6.3\%$
How many people got a first email?	Instantly first touches	1,839
How many humans said yes or no?	Instantly people, not robots, labelled	Step 2 — not built

There are three notebooks in the database. Overview tiles read the daily one (plus the `replies` table for the response rate). Campaign pages read lifetime totals. Replies / list / person pages read the address book. They are not calculated from each other. Full write-up: `TRUST.md §2`.

4. Agreed end state

Tanay, 20 Aug 2026. Build this. Do not invent a sixth tile.

Top (volume, 4 hero tiles): Active campaigns · People reached · Emails sent · **Emails opened** as percent / count, with the tracked-vs-no-pixel note. *Step 1 did this.*

Bottom (outcomes, 5 tiles, g5 already exists in CSS):

#	Tile	Big number	In the pile	Out of the pile
1	Total responses	count of people	interested + not interested (keep not_now / referral in Total, not in Interested)	robots, auto-reply, OOO, maternity, unclassified
2	Interested responses	count and % of people reached	sentiment = interested	everything else
3	Bounce rate	percent	bounced / sent	—
4	Calls logged	count	as today	—
5	Meetings booked	count	as today	—

Unclassified is homework, not a KPI. It belongs on /conflicts and on the Replies page when you click through. Labelling is what moves a person into Total or Interested. Until then they must not inflate either number.

Recommended notes under the new tiles: Total — “Does not include automated or out-of-office” plus “N need a label” if unclassified remain. Interested — “X% of people reached”. Do not put two different percents on the Interested tile. That is how 6.3% vs 7,571 started.

5. Remaining work, in order

Step 2 — Total responses and Interested (the real logic)

File: app/page.jsx, the block around lines 85–156 that builds responders. Today it **drops** not_interested and auto_reply, then counts distinct Instantly people. That is why the tile is 3, and why the note says “58 inbound, less 47 robots and 6 refusals”.

Change the filter to:

- Still Instantly only. People reached is Instantly. Mixing lemlist into the numerator fakes the rate. lemlist still lists on /replies.
- Still distinct people on lead_email, lowercased. One person, two emails, counts as 1.
- Drop auto_reply. Drop unclassified from both KPIs.
- **Total** = people with any of interested / not_interested / not_now / referral.
- **Interested** = people with interested anywhere. One interested row wins even if another row is not_interested.
- Bottom row: change g4 to g5.
- Interested % = interested / overall.new_leads_contacted (people reached), not / Total.
- Keep the five labelling buttons. Do not collapse them in this pass.

If a scope has no Instantly people-reached, both tiles stay an em dash, same as today (lemlist-only reps). A 0 would say “nobody wrote back.”

Step 3 — The click opens the same pile (the 3 vs 135 bug)

This is the bug Tanay actually feels. Homepage “People who replied” = 3. Click goes to /replies or /replies?tag=unclassified. That page is every inbound from both tools, all time, messages not people, no date picker, limit 300. Hence ~135.

Today vs required:

	Homepage tile today	/replies today	Required after click
Vendor	Instantly only	both	same as the tile
Unit	people	messages	people (expand for thread)
Robots	excluded	included	excluded, chip to show
Dates	homepage window	all time	same window in the URL
Rep	MV / TA / JU / MD	ignored	same rep in the URL

Pass homepage state in the URL, then make `app/replies/page.jsx` read it:

```
/replies?view=human, range=all -- Total responses
/replies?tag=interested, range=all -- Interested
/replies?tag=unclassified -- homework, also /conflicts
```

Reuse `windowFrom` and `repList` from `lib/db.js`. Put the same date picker and rep control on Replies that Overview already has. An “All inbound” chip may still show robots and lemlist so nothing is deleted — it is just not the default after a tile click.

Without Step 3, Step 2 looks right and still feels broken. Do not ship 2 without 3.

Step 4 — Instantly guesses; a human confirms; unclassified until then

Instantly does not mark a single message as auto-reply. `i_status` and `ai_interest_value` are **interest** labels. Auto vs real is a daily count. The sync already guesses robots from subject/body in `looksAutomatic()` (`supabase/functions/sync/index.ts` ~141–151). Interest labels are currently ignored.

On each new Instantly message, in this order:

- If it looks like a robot -> `auto_reply, classified_by = 'ai'`.
- Else if Instantly already tagged interested / not interested -> copy that, still 'ai', never 'human'.
- Else -> `unclassified`.

`ingest_replies` currently never updates sentiment on conflict (migration 20260819120000). That protects humans. Extend it so: if the stored row is **not** `classified_by = 'human'`, a later Instantly interest tag may update the guess. If a human has tapped, Instantly never wins.

Conflicts: `v_conflicts` kind `needs_review` waits 48 hours. Drop that wait so unknown replies show the same day. Labelling via existing `classify_reply` already stamps human and is skipped by the sync. Buttons stay: Interested, Not now, Referral, Not interested, Out of office. They live on `/replies` and `/conflicts`.

First action before coding the Instantly map: dump one live Instantly `/emails` payload and write down the actual interest field names and enums. Do not guess the vocabulary. The stored raw is not on those rows today.

Step 5 — By-campaign table

The table under the tiles still shows bounced as a count, opened, and replies with the old piles. Do this after the tiles, in a follow-up, so the table cannot disagree with the homepage. Not in the same commit as Step 2 unless it is free.

Step 6 — Prove it before calling it done

Against live Supabase project yfnqszwlyoyfhuwfmcy1, All time / All reps:

Tile	Must equal
Opened	unique Instantly tracked opens / tracked sends (screenshot: 225 / 3,574 = 6.3%)
Bounce rate	bounced / sent (screenshot: 149 / 7,571)
Total responses	distinct Instantly people whose label is a real yes/no/not_now/referral, not robot, not unclassified
Interested	the interested slice of that, % of people reached

Then click each tile and count the rows. If the list does not match the tile, it is not done. Useful queries already live in TRUST_OPEN.md §7 (Q2, Q3).

6. How replies work today (do not break this)

Table replies. Sentiment check: interested, referral, not_now, not_interested, auto_reply, unclassified. Human labels: classified_by = 'human'. Machine guesses: 'ai'. The sync skips human rows. Never stamp a machine guess as human — that would make the guess unfixable.

Do not relabel Bharat Mudgal’s two unclassified replies. Migration 20260818205745 explains why. His 28 Jul message is already interested, so he is already in the interested count.

lemlist replies often have subject only. Labelling from a preview is guessing. lemlist is being retired; do not build a per-contact body fetch.

Key files:

File	Why it matters
app/page.jsx	Overview tiles. Step 1 landed here. Step 2 lands here.
app/replies/page.jsx	No date/rep filters. Limit 300. Step 3.
app/conflicts/page.jsx	Unclassified homework. 48h wait. Step 4.
app/conflicts/actions.js	classifyReply to RPC classify_reply.
lib/db.js	windowFrom, repList, METRICS, listHref, dailyRange.
app/list/page.jsx	Drill-downs. Opened list is lifetime people, not windowed.
components/ui.jsx	Tile. value may be JSX. raw drives the tween.
components/tween.jsx	Integer count-up. Skip raw on percent tiles.
app/globals.css	.g5 exists. .pair added in Step 1.
supabase/functions/sync/index.ts	looksAutomatic, ingest_replies, Instantly /emails pull.
supabase/migrations/20260819120000_replies_keep_the_whole_message.sql	ingest_replies: vendor text only, never sentiment.

File	Why it matters
TRUST.md	Frozen 18 Aug provenance. Architecture, not current state.
TRUST_OPEN.md	Live register. T1 still OPEN (campaigns Reply %). Q5 unread lemlist.

7. Decisions already made — do not re-argue

- A rate is only valid when numerator and denominator are the same kind of thing.
- Opened denominator = tracked Instantly sends, not all sent. Shipped earlier in 8aafd4f; Step 1 only moved the tile.
- Response tiles stay Instantly-only until people-reached exists for both tools.
- Count people, not messages, on the homepage.
- Robots never enter Total or Interested.
- Unclassified never enters Total or Interested.
- Human labels survive the sync. `classified_by = 'human'` is sacred.
- Machine-read labels use `classified_by = 'ai'`, never 'human'.
- lemlist: no new API work.
- No new tables for this revamp.
- Calls and meetings stay as they are.
- Interested % uses people reached (1,839), not Total responses, unless Tanay overrides.
- `not_now` and referral stay as labels; they sit in Total, not in Interested, unless Tanay collapses the buttons to three.

8. Still open — ask Tanay if blocked

#	Question	Recommendation if he says pick
1	Collapse labelling buttons to Interested / Not interested / Automated?	No, not in this pass. Keep five. Map <code>not_now</code> + referral into Total only.
2	Include lemlist in Total/Interested counts?	No. Instantly only, same as today.
3	Interested % of people reached, or of Total responses?	People reached.
4	Default Replies view: one row per person or per email?	Person, expand for the thread.
5	Show robots on /replies by default?	No. Chip to reveal.
6	Use Instantly interest as a pre-tag before a human reads?	Yes, as 'ai' only, after dumping a live payload.

9. What not to do

- Do not “fix” opened by dividing 225 by 7,571.
- Do not put not-interested inside the Interested tile.
- Do not count unclassified as responses to make the number look bigger.
- Do not link Total responses to unfiltered /replies.
- Do not change Step 1's opened/bounce display unless you find a real bug.

- Do not commit secrets. The anon key in lib/db.js is already a public read-only key.
- Do not force-push, amend, or skip hooks.
- Do not treat TRUST.md live counts as current — it is a 18 Aug snapshot. Several items there are already closed; TRUST_OPEN.md is the live file.

10. Suggested first commit after you finish Step 2+3

Tanay did not ask to commit Step 1. Leave that to him. When Steps 2 and 3 work, one commit that covers: new piles, five-tile row, URL filters on /replies so click = list. Message should say why: homepage responses must mean humans who said yes or no, and the page behind the number must count the same people.

If something in this PDF disagrees with the code, believe the code and TRUST_OPEN.md, then fix the PDF. The product rule does not change: count the pile you name, and open that pile on click.