### 7.1. Console Application

**I've fixed the look command to produce output exactly like you asked for**

**ie:**




**Unit Test File**

```
using SwinAdventure;

namespace TestQueue
{
   public class Tests
   {
      Item item1 = new Item(new string[] { "sword" }, "sword", "a sword");
      Item item2 = new Item(new string[] { "shield" }, "shield", "a shield");
      Item item3 = new Item(new string[] { "shiba" }, "shiba", "a shiba");
      Item item4 = new Item(new string[] { "gem" }, "gem", "a gem");

      [SetUp]
      public void Setup()
      {
      }
```

```
// Test the Item class
[Test]
public void ItemIdentifiable()
{
   Assert.IsTrue(item1.AreYou("sword"));
}

[Test]
public void ShortDescription()
{
   Assert.That(item1.ShortDescription, Is.EqualTo("a sword (sword)"));
}

[Test]
public void FullDescription()
{
   Assert.That(item1.FullDescription, Is.EqualTo("a sword"));
}

// Test the Inventory class
[Test]
public void FindItem()
{
   Inventory inventory = new Inventory();
   inventory.Put(item1);

   Assert.IsTrue(inventory.HasItem("sword"));
}

[Test]
public void NoItem()
{
   Inventory inventory = new Inventory();
   Assert.IsFalse(inventory.HasItem("sword"));
}

[Test]
public void FetchItem()
{
   Inventory inventory = new Inventory();
```

```
        inventory.Put(item1);

        Assert.That(item1, Is.EqualTo(inventory.Fetch("sword")));
        Assert.IsTrue(inventory.HasItem("sword"));
    }

    [Test]
    public void TakeItem()
    {
        Inventory inventory = new Inventory();
        inventory.Put(item1);

        Assert.That(item1, Is.EqualTo(inventory.Take("sword")));
        Assert.IsFalse(inventory.HasItem("sword"));
    }

    [Test]
    public void ItemList()
    {

        Inventory inventory = new Inventory();
        inventory.Put(item1);
        inventory.Put(item2);

        //the list string below is the expected output, consisting of every
item in the following format: name ( first id)
        Assert.That(inventory.ItemList, Is.EqualTo("\t a sword (sword)\n\t a
shield (shield)\n"));

    }

    // Test the Player class
    [Test]
    public void PlayerIdentifiable()
    {
        Player player = new Player("Tan", "A player");

        Assert.IsTrue(player.AreYou("me"));
        Assert.IsTrue(player.AreYou("inventory"));
    }
```

```
    [Test]
    public void PlayerLocate()
    {
        Player player = new Player("Tan", "A player");
        player.Inventory.Put(item1);

        Assert.That(item1, Is.EqualTo(player.Locate("sword")));
    }

    [Test]
    public void PlayerLocateItself()
    {
        Player player = new Player("Tan", "A player");
        Assert.That(player, Is.EqualTo(player.Locate("me")));
        Assert.That(player, Is.EqualTo(player.Locate("inventory")));
    }

    [Test]
    public void PlayerLocateNothing()
    {
        Player player = new Player("Tan", "A player");
        Assert.That(player.Locate("sword"), Is.Null);
    }

    [Test]
    public void PlayerFullDescription()
    {
        Player player = new Player("Tan", "A player");
        player.Inventory.Put(item1);
        player.Inventory.Put(item2);

        //the list string below is the expected output, consisting of every
item in the following format: name ( first id)
        Assert.That(player.FullDescription, Is.EqualTo("You are Tan A
player\nYou are carrying:\n\t a sword (sword)\n\t a shield (shield)\n"));
    }

    //Test the Bag class
```

```
    [Test]
    public void BagLocate()
    {
        Bag backpack = new Bag(new string[] { "backpack" }, "backpack", "a
backpack");
        backpack.Inventory.Put(item1);
        backpack.Inventory.Put(item2);
        backpack.Inventory.Put(item3);

        //ask to return item and item stays in backpack
        Assert.That(item3, Is.EqualTo(backpack.Locate("shiba")));
        Assert.IsTrue(backpack.Inventory.HasItem("shiba"));

    }

    [Test]
    public void BagLocatesItself()
    {
        Bag backpack = new Bag(new string[] { "backpack" }, "backpack", "a
backpack");
        Assert.That(backpack, Is.EqualTo(backpack.Locate("backpack")));
    }

    [Test]
    public void BagLocateNothing()
    {
        Bag backpack = new Bag(new string[] { "backpack" }, "backpack", "a
backpack");
        Assert.That(backpack.Locate("sword"), Is.Null);
    }

    [Test]
    public void BagFullDescription()
    {
        Bag backpack = new Bag(new string[] { "backpack" }, "backpack", "a
backpack");
        backpack.Inventory.Put(item1);
        backpack.Inventory.Put(item2);
        backpack.Inventory.Put(item3);
```

```
        //the list string below is the expected output, consisting of every item in the following format: name ( first id)
        Assert.That(backpack.FullDescription, Is.EqualTo("In the backpack you can see:\n\t a sword (sword)\n\t a shield (shield)\n\t a shiba (shiba)\n"));
    }

    [Test]
    public void BagInBag()
    {
        Bag backpack = new Bag(new string[] { "backpack" }, "backpack", "a backpack");
        Bag satchel = new Bag(new string[] { "satchel" }, "satchel", "a satchel");

        backpack.Inventory.Put(satchel);

        Assert.That(satchel, Is.EqualTo(backpack.Locate("satchel")));
    }

    //Test for the LookCommand class
    [Test]
    public void LookAtMe()
    {
        Player player = new Player("Tan", "A player");
        player.Inventory.Put(item1);
        player.Inventory.Put(item2);
        LookCommand LookCommand = new LookCommand();

        string expectedDescription = "You are Tan A player\nYou are carrying:\n\t a sword (sword)\n\t a shield (shield)\n";
        string testDescription = LookCommand.Execute(player, new string[] { "look", "at", "me" });
        Assert.That(testDescription, Is.EqualTo(expectedDescription));

    }

    [Test]
    public void LookAtGem()
    {
```

```
        Player player = new Player("Tan", "A player");
        player.Inventory.Put(item4);
        LookCommand LookCommand = new LookCommand();

        string expectedDescription = "a gem";
        string testDescription = LookCommand.Execute(player, new string[]
{ "look", "at", "gem" });
        Assert.That(testDescription, Is.EqualTo(expectedDescription));
    }

    [Test]
    public void LookAtUnk()
    {
        Player player = new Player("Tan", "A player");
        LookCommand LookCommand = new LookCommand();

        string expectedDescription = "I can't find the gem in the Tan";
        string testDescription = LookCommand.Execute(player, new string[]
{ "look", "at", "gem" });
        Assert.That(testDescription, Is.EqualTo(expectedDescription));
    }

    [Test]
    public void LookAtGemInBag()
    {
        Player player = new Player("Tan", "A player");
        Bag backpack = new Bag(new string[] { "backpack" }, "backpack", "a
backpack");
        player.Inventory.Put(backpack);
        backpack.Inventory.Put(item4);
        LookCommand LookCommand = new LookCommand();

        string expectedDescription = "a gem";
        string testDescription = LookCommand.Execute(player, new string[]
{ "look", "at", "gem", "in", "backpack" });
        Assert.That(testDescription, Is.EqualTo(expectedDescription));
    }

    [Test]
    public void LookAtBag()
```

```
    {
        Player player = new Player("Tan", "A player");
        Bag backpack = new Bag(new string[] { "backpack" }, "backpack", "a
backpack");
        backpack.Inventory.Put(item1);
        backpack.Inventory.Put(item2);
        player.Inventory.Put(backpack);
        LookCommand LookCommand = new LookCommand();

        string expectedDescription = "In the backpack you can see:\n\t a
sword (sword)\n\t a shield (shield)\n";
        string testDescription = LookCommand.Execute(player, new string[]
{ "look", "at", "backpack" });
        Assert.That(testDescription, Is.EqualTo(expectedDescription));
    }

    [Test]
    public void LookAtGemInNoBag()
    {
        Player player = new Player("Tan", "A player");
        LookCommand LookCommand = new LookCommand();

        string expectedDescription = "I can't find the backpack";
        string testDescription = LookCommand.Execute(player, new string[]
{ "look", "at", "gem", "in", "backpack" });
        Assert.That(testDescription, Is.EqualTo(expectedDescription));
    }

    [Test]
    public void LookAtNoGemInBag()
    {
        Player player = new Player("Tan", "A player");
        Bag backpack = new Bag(new string[] { "backpack" }, "backpack", "a
backpack");
        player.Inventory.Put(backpack);
        LookCommand LookCommand = new LookCommand();

        string expectedDescription = "I can't find the gem in the backpack";
        string testDescription = LookCommand.Execute(player, new string[]
{ "look", "at", "gem", "in", "backpack" });
```

```
        Assert.That(testDescription, Is.EqualTo(expectedDescription));
    }

    [Test]
    public void InvalidLookCommand()
    {
        Player player = new Player("Tan", "A player");
        LookCommand LookCommand = new LookCommand();

        string expectedDescription = "I don't know how to look like that";

        //only 2 arguments
        string testDescription = LookCommand.Execute(player, new string[]
{ "look", "at" });
        Assert.That(testDescription, Is.EqualTo(expectedDescription));

        //4 arguments
        string testDescription2 = LookCommand.Execute(player, new
string[] { "look", "at", "gem", "in" });
        Assert.That(testDescription2, Is.EqualTo(expectedDescription));

        //5 arguments but the 4th argument is not "in"
        string testDescription3 = LookCommand.Execute(player, new
string[] { "look", "at", "a", "at", "b" });
        string expectedDescription2 = "What do you want to look in?";
        Assert.That(testDescription3, Is.EqualTo(expectedDescription2));

        //5 arguments but the 2nd argument is not "at"
        string testDescription4 = LookCommand.Execute(player, new
string[] { "look", "in", "a", "in", "b" });
        string expectedDescription3 = "What do you want to look at?";
        Assert.That(testDescription4, Is.EqualTo(expectedDescription3));
    }
  }
}
```

**Look Command**

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
```

```
using System.Threading.Tasks;

namespace SwinAdventure
{
    public class LookCommand : Command
    {
        public LookCommand() : base(new string[] { "look" })
        {
        }

        public override string Execute(Player p, string[] text)
        {
            if (text.Length != 3 && text.Length != 5)
            {
                return "I don't know how to look like that";
            }
            else if (text[0] != "look")
            {
                return "Error in look input";
            }
            else if (text[1] != "at")
            {
                return "What do you want to look at?";
            }
            else if (text.Length == 3)
            {
                return LookAtIn(text[2], p);
            }
            else if (text.Length == 5)
            {
                if (text[3] != "in")
                {
                    return "What do you want to look in?";
                }
                else
                {
                    IHaveInventory container = FetchContainer(p, text[4]) as
IHaveInventory;

                    // Check if container is null after the cast
                    if (container == null)
                    {
                        return "I can't find the " + text[4];
                    }
                    else
                    {
                        // Look at the thing in the container
                        return LookAtIn(text[2], container);
                    }
                }
            }
            //default return
            return "I don't know how to look like that";
        }

        public IHaveInventory? FetchContainer(Player p, string containerId)
        {
            if (p.Locate(containerId) != null)
            {
                return p.Locate(containerId) as IHaveInventory;
            }

            else
```

```
            {
                return null;
            }
        }

        public string LookAtIn(string thingId, IHaveInventory containerId)
        {
            GameObject? thing = containerId.Locate(thingId);
            if (thing == null)
            {
                return "I can't find the " + thingId + " in the " +
containerId.Name;
            }
            else
            {
                return thing.FullDescription;
            }
        }

        public interface IHaveInventory
        {
            GameObject? Locate(string id);

            string Name { get; }
        }


    }
}
```

**Command**

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
using System.Threading.Tasks;

namespace SwinAdventure
{
    public abstract class Command :
IdentifiableObject
    {
        public Command(string[] ids) : base(ids)
        {
        }

        public abstract string Execute(Player p,
string[] text);
```

```
    }
}
```

## Program

```
namespace SwinAdventure
{
    internal class Program
    {
        static void Main(string[] args)
        {
            Console.WriteLine("Enter the player's name:");
            string? playerName = Console.ReadLine();

            Console.WriteLine("Enter the player's description:");
            string? playerDescription = Console.ReadLine();

            Player player = new Player(playerName, playerDescription);

            Item shiba = new Item(new string[] { "shiba", "dog" }, "Shiba", "A
cute shiba inu");
            Item nitendo = new Item(new string[] { "switch", "nitendo" },
"Nitendo Switch", "A gaming console");

            player.Inventory.Put(shiba);
            player.Inventory.Put(nitendo);

            Bag container = new Bag(new string[] { "bag", "container" }, "Bag",
"A metal container");
            player.Inventory.Put(container);

            Item staff = new Item(new string[] { "staff", "stick" }, "Staff",
"A wooden (magical?) staff");
            Item glasses = new Item(new string[] { "glasses", "spectacles" },
"Glasses", "A pair of glasses");

            container.Inventory.Put(staff);
            container.Inventory.Put(glasses);

            while (true)
            {
                Console.WriteLine("Enter a command:");
                string? command = Console.ReadLine();
                // Split the command into an array of words contained within
the command
                string[] convertedCommand = command.Split(' ');
                LookCommand lookCommand = new LookCommand();

                Console.WriteLine(lookCommand.Execute(player,
convertedCommand));

            }
        }
    }
}
```

## Bag

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using static SwinAdventure.LookCommand;

namespace SwinAdventure
{
    public class Bag : Item, IHaveInventory
    {
        private Inventory _inventory = new Inventory();

        public Bag(string[] idents, string name, string desc) : base(idents,
name, desc)
        {
        }

        public Item? Locate(string id)
        {
            if (AreYou(id))
            {
                return this;
            }
           else
                return _inventory.Fetch(id);
        }

        public override string FullDescription
        {
            get
            {
                return "In the " + Name + " you can see:\n" +
_inventory.ItemList;
            }
        }

        public Inventory Inventory
        {
            get
            {
                return _inventory;
            }
        }

        GameObject? IHaveInventory.Locate(string id)
        {
            return Locate(id);
        }

        string IHaveInventory.Name
        {
            get
            {
                return Name;
            }
        }
    }
```

```
}
```

## Inventory

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
using System.Threading.Tasks;

namespace SwinAdventure
{
    public class Inventory
    {
        private List<Item> _items = new List<Item>();

        public Inventory()
        {
        }

        public string ItemList
        {
            get
            {
                string list = "";
                foreach (Item item in _items)
                {
                    list += "\t " + item.ShortDescription + "\n";
                }
                return list;
            }
        }
        public bool HasItem(string id)
        {
            foreach (Item item in _items)
            {
                if (item.AreYou(id))
                {
                    return true;
                }
            }
            return false;
        }

        public void Put(Item itm)
        {
            _items.Add(itm);
        }

        public Item? Take(string id)
        {
            foreach (Item item in _items)
            {
                if (item.AreYou(id))
                {
                    _items.Remove(item);
                    return item;
                }
            }
```

```
            return null;
        }

        public Item? Fetch(string id)
        {
            foreach (Item item in _items)
            {
                if (item.AreYou(id))
                {
                    return item;
                }
            }
            return null;
        }
    }
}
```

## Game Object

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
using System.Threading.Tasks;

namespace SwinAdventure
{
    public class GameObject : IdentifiableObject
    {
        private string _name;
        private string _description;

        public GameObject(string[] idents, string name, string desc) :
base(idents)
        {
            _name = name;
            _description = desc;
        }

        public string Name
        {
            get
            {
                return _name;
            }
        }

        public string Description
        {
            get
            {
                return _description;
            }
        }

        public string ShortDescription
        {
            get
            {
```

```
                return Description + " (" + FirstId + ")";
            }
        }

        public virtual string FullDescription
        {
            get
            {
                return Description;
            }
        }


    }
}
```

## Player

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using static SwinAdventure.LookCommand;

namespace SwinAdventure
{
    public class Player : GameObject, IHaveInventory
    {
        private Inventory _inventory = new Inventory();

        public Player(string name, string desc) : base(new string[] { "me",
"inventory" }, name, desc)
        {

        }

        public Inventory Inventory
        {
            get
            {
                return _inventory;
            }
        }

        public GameObject? Locate(string id)
        {
            if (AreYou(id))
            {
                return this;
            }
            else
            {
                return _inventory.Fetch(id);
            }
        }

        public override string FullDescription
```

```
        {
            get
            {
                return "You are " + Name + " " + Description + "\nYou are
carrying:\n" + _inventory.ItemList;
            }
        }

        GameObject? IHaveInventory.Locate(string id)
        {
            return Locate(id);
        }

        string IHaveInventory.Name
        {
            get
            {
                return Name;
            }
        }
    }
}
```

**Item**

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
using System.Threading.Tasks;


namespace SwinAdventure;
    public class Item : GameObject
    {
        public Item(string[] idents, string name,
string desc) : base(idents, name, desc)
        {
        }

    }
```

**Identifiable Object**

```
using System;
using System.Collections.Generic;
using System.Linq;
```

```
using System.Text;
using System.Threading.Tasks;

namespace SwinAdventure
{
    public abstract class IdentifiableObject
    {
        private List<string> _identifiers = new
List<string>();

        public IdentifiableObject(string[] idents)
        {
            foreach (string id in idents)
            {
                AddIdentifier(id.ToLower());
            }
        }

        public bool AreYou(string id)
        {
            return
_identifiers.Contains(id.ToLower());
        }

        public string FirstId
        {
            get
            {
                if (_identifiers.Count > 0)
                {
                    return _identifiers[0];
                }
                else
                {
                    return "";
                }
            }
        }

        public void AddIdentifier(string id)
        {
            _identifiers.Add(id.ToLower());
```

```
            }
        }
}
```

## All Test Passed