
ZOOM MARKETPLACE SUBMISSION REFERENCE

Marketplace Helper App

Architecture diagram for MCP-based Zoom Marketplace app management, OAuth authorization, manifest operations, and support requests.

1 SYSTEM ARCHITECTURE



2 AUTHORIZATION FLOW

1 — MCP client starts login
Client discovers protected-resource metadata and opens the helper authorization endpoint with PKCE.

2 — Helper creates state
Signed state binds the MCP redirect, nonce, requested scopes, and PKCE challenge.

3 — Zoom user consent
Browser is redirected to Zoom OAuth. The user authorizes the Marketplace Helper app.

4 — Callback and exchange
Helper receives the Zoom code, exchanges it server-side, and stores the resulting token record.

5 — Issue MCP tokens
Helper returns a one-time authorization code, then MCP access and refresh tokens to the client.

6 — Authenticated tools
Client sends a bearer token to `/mcp`; the helper refreshes Zoom tokens when needed.

3 MARKETPLACE MANAGEMENT FLOW

A — Tool request
Client calls an MCP tool such as list, create, inspect, export, validate, update, or delete.

B — Manifest safety
For updates, export the current manifest, change intended fields, validate the complete replacement.

C — Create by app type
General and S2S apps use `/v2/marketplace/apps`. Meeting SDK is configured within a General App.

D — Zoom API response
Helper preserves upstream status and error details, including validation responses with `ok:false`.

E — Verify destructive work
After delete or update, read back the app or manifest to confirm the effective state.

Security and deployment boundaries

TLS at public edge · Nginx reverse proxy · PKCE S256 · Signed OAuth state · One-time codes · Refresh-token rotation · SQLite 0600 · AES-256-GCM at rest · Secrets from environment

Current implementation scope

The deployed implementation uses a public HTTPS edge, Nginx, PM2, an AES-256-GCM encrypted local SQLite database, and outbound HTTPS calls to Zoom. It does not require PostgreSQL, Docker, RTMS, Zoom Apps SDK runtime, Meeting SDK runtime, AI providers, or another third-party database.