

Error starting at line : 1 in command - select output from table(dbms_workload_repository.awr_report_html(l_dbid=>(select dbid from v\$database), l_inst_num=>1, l_bid=>110, l_edid=>111)) Error at Command Line : 1 Column : 26 Error report - SQL Error: ORA-06553: PLS-306: wrong number or types of arguments in call to 'AWR_REPORT_HTML' https://docs.oracle.com/error-help/db/ora-06553/06553. 00000 - "PLS-%s: %s" *Cause: SQL compilation failed because of an illegal reference to a PL/SQL unit. *Action: If the PL/SQL error message does not provide a workaround, then try the SQL statement as a top-level call as the appropriate user with the appropriate privileges. More Details : https://docs.oracle.com/error-help/db/ora-06553/ OUTPUT

WARNING: Since the DB Time is less than one second, there was minimal foreground activity in the snapshot period. Some of the percentage values will be invalid. OUTPUT

WORKLOAD REPOSITORY PDB report (root snapshots)

DB Name	DB Id	Unique Name	Role	Edition	Release	RAC	CDB
RACDB	1231980070	racdb	PRIMARY	EE	19.0.0.0.0	YES	YES

OUTPUT

Instance	Inst Num	Startup Time
racdb1	1	20-Jul-26 15:59

Container DB Id	Container Name	Open Time
2326306786	PDB1	20-Jul-26 15:59

Host Name	Platform	CPUs	Cores	Sockets	Memory (GB)
rac1	Linux x86 64-bit	2	2	2	7.31

OUTPUT

	Snap Id	Snap Time	Sessions	Cursors/Session	Instances
Begin Snap:	110	20-Jul-26 16:10:22	1	2.0	1
End Snap:	111	20-Jul-26 17:00:31	1	5.0	1
Elapsed:		50.14 (mins)			
DB Time:		0.00 (mins)			

Report Summary

Load Profile

OUTPUT

OUTPUT

	Per Second	Per Transaction	Per Exec	Per Call
DB Time(s):	0.0	0.3	0.00	0.00
DB CPU(s):	0.0	0.3	0.00	0.00
Background CPU(s):	0.0	0.6	0.00	0.00
Redo size (bytes):	2.7	8,004.0		
Logical read (blocks):	4.5	13,638.0		
Block changes:	0.0	53.0		
Physical read (blocks):	0.1	320.0		
Physical write (blocks):	0.0	1.0		
Read IO requests:	0.1	316.0		
Write IO requests:	0.0	1.0		
Read IO (MB):	0.0	2.5		
Write IO (MB):	0.0	0.0		
IM scan rows:	0.0	0.0		
Session Logical Read IM:	0.0	0.0		
Global Cache blocks received:	0.0	2.0		
Global Cache blocks served:	0.0	2.0		
User calls:	0.0	101.0		
Parses (SQL):	0.4	1,123.0		
Hard parses (SQL):	0.1	339.0		
SQL Work Area (MB):	0.3	950.9		
Logons:	0.0	12.0		
User logons:	0.0	1.0		
Executes (SQL):	0.9	2,655.0		
Rollbacks:	0.0	0.0		
Transactions:	0.0			

Top 10 Foreground Events by Total Wait Time

OUTPUT

Event	Waits	Total Wait Time (sec)	Avg Wait	% DB time	Wait Class
DB CPU		.3		102.5	
db file sequential read	15	0	3.02ms	15.4	User I/O
PX Deq: Slave Session Stats	12	0	181.58us	.7	Other
PGA memory operation	151	0	13.85us	.7	Other
PX Deq: Join ACK	6	0	239.50us	.5	Other
SQL*Net break/reset to client	6	0	91.00us	.2	Application
PX Deq: Signal ACK EXT	6	0	35.33us	.1	Other
enq: PS - contention	2	0	53.50us	.0	Other
latch free	1	0	77.00us	.0	Other
DLM cross inst call completion	2	0	28.00us	.0	Other

Wait Classes by Total Wait Time

OUTPUT

Wait Class	Waits	Total Wait Time (sec)	Avg Wait Time	% DB time	Avg Active Sessions
DB CPU		0		102.5	0.0
User I/O	389	0	491.39us	64.9	0.0
System I/O	398	0	257.72us	34.8	0.0
Other	666	0	97.52us	22.0	0.0
Concurrency	14	0	1.21ms	5.8	0.0
Application	6	0	91.00us	.2	0.0
Network	42	0	880.95ns	.0	0.0

IO Profile

OUTPUT

	Read+Write Per Second	Read per Second	Write Per Second
Total Requests:	0.1	0.1	0.0
Database Requests:	0.1	0.1	0.0
Optimized Requests:	0.0	0.0	0.0
Redo Requests:			
Total (MB):	0.0	0.0	0.0
Database (MB):	0.0	0.0	0.0
Optimized Total (MB):	0.0	0.0	0.0
Redo (MB):			
Database (blocks):	0.1	0.1	0.0
Via Buffer Cache (blocks):	0.1	0.1	0.0
Direct (blocks):	0.0	0.0	0.0

Main Report OUTPUT

- [Report Summary](#)
- [Wait Events Statistics](#)
- [SQL Statistics](#)
- [Instance Activity Statistics](#)
- [IO Stats](#)
- [Wait Statistics](#)
- [Undo Statistics](#)
- [Segment Statistics](#)
- [Initialization Parameters](#)
- [Active Session History \(ASH\) Report](#)
- [ADDM Reports](#)

OUTPUT

[Back to Top](#)

Wait Events Statistics

- [Time Model Statistics](#)
- [Foreground Wait Class](#)
- [Foreground Wait Events](#)
- [Service Statistics](#)
- [Service Wait Class Stats](#)
- [Top Process Types by Wait Class](#)
- [Top Process Types by CPU Used](#)

OUTPUT

[Back to Top](#)

Time Model Statistics

- DB Time represents total time in user calls
- DB CPU represents CPU time of foreground processes
- Total CPU Time represents foreground and background processes
- Statistics including the word "background" measure background process time, therefore do not contribute to the DB time statistic
- Ordered by % of DB time in descending order, followed by Statistic Name

OUTPUT

Statistic Name	Time (s)	% of DB Time	% of Total CPU Time
DB CPU	0.30	102.51	33.94
parse time elapsed	0.24	81.47	
hard parse elapsed time	0.23	79.08	
sql execute elapsed time	0.21	71.14	
failed parse elapsed time	0.06	20.62	
connection management call elapsed time	0.03	10.00	
hard parse (sharing criteria) elapsed time	0.02	5.29	
PL/SQL execution elapsed time	0.00	1.14	
PL/SQL compilation elapsed time	0.00	1.10	
repeated bind elapsed time	0.00	0.02	
DB time	0.29		
background elapsed time	0.85		
background cpu time	0.59		66.06
total CPU time	0.89		

OUTPUT

[Back to Wait Events Statistics](#)

[Back to Top](#)

Foreground Wait Class

- s - second, ms - millisecond, us - microsecond, ns - nanosecond
- ordered by wait time desc, waits desc

- %Timeouts: value of 0 indicates value was < .5%. Value of null is truly 0
- Captured Time accounts for 120.2% of Total DB time .29 (s)
- Total FG Wait Time: .05 (s) DB CPU time: .30 (s)

OUTPUT

Wait Class	Waits	%Time -outs	Total Wait Time (s)	Avg wait	%DB time
DB CPU			0		102.51
User I/O	18	0	0	2.52ms	15.37
Other	181	0	0	34.04us	2.09
Application	6	0	0	91.00us	0.19
Network	40	0	0	925.00ns	0.01
Concurrency	0		0		0.00
System I/O	0		0		0.00

[Back to Wait Events Statistics](#)
[Back to Top](#)

Foreground Wait Events

- s - second, ms - millisecond, us - microsecond, ns - nanosecond

OUTPUT

- Only events with Total Wait Time (s) >= .001 are shown
- ordered by wait time desc, waits desc (idle events last)
- %Timeouts: value of 0 indicates value was < .5%. Value of null is truly 0

OUTPUT

Event	Waits	%Time -outs	Total Wait Time (s)	Avg wait	Waits /txn	% DB time
db file sequential read	15		0	3.02ms	15.00	15.37
PX Deq: Slave Session Stats	12		0	181.58us	12.00	0.74
PGA memory operation	151		0	13.85us	151.00	0.71
PX Deq: Join ACK	6		0	239.50us	6.00	0.49
SQL*Net message from client	40		295	7382.76ms	40.00	
PX Deq: Execution Msg	24		0	1.10ms	24.00	
PX Deq: Execute Reply	18		0	393.83us	18.00	
PX Deq: Parse Reply	6		0	617.33us	6.00	
PX Deq: Table Q Sample	2		0	578.00us	2.00	

[Back to Wait Events Statistics](#)
[Back to Top](#)

Service Statistics

- ordered by DB Time

Service Name	DB Time (s)	DB CPU (s)	Physical Reads (K)	Logical Reads (K)
pdb1	0	0	0	3

[Back to Wait Events Statistics](#) OUTPUT

[Back to Top](#)

Service Wait Class Stats

- Wait Class info for services in the Service Statistics section.
- Total Waits and Time Waited displayed for the following wait classes: User I/O, Concurrency, Administrative, Network
- Time Waited (Wt Time) in seconds

Service Name	User I/O Total Wts	User I/O Wt Time	Concurcy Total Wts	Concurcy Wt Time	Admin Total Wts	Admin Wt Time	Network Total Wts	Network Wt Time
pdb1	37	0	0	0	0	0	40	0

[Back to Wait Events Statistics](#) OUTPUT

[Back to Top](#)

Top Process Types by Wait Class

No data exists for this section of the report.

[Back to Wait Events Statistics](#)
[Back to Top](#)

Top Process Types by CPU Used

No data exists for this section of the report. OUTPUT

[Back to Wait Events Statistics](#)
[Back to Top](#)

SQL Statistics

- [SQL ordered by Elapsed Time](#)
- [SQL ordered by CPU Time](#)
- [SQL ordered by User I/O Wait Time](#)
- [SQL ordered by Gets](#)
- [SQL ordered by Reads](#)

OUTPUT

- [SQL ordered by Physical Reads \(UnOptimized\)](#)
- [SQL ordered by Executions](#)
- [SQL ordered by Parse Calls](#)
- [SQL ordered by Sharable Memory](#)
- [SQL ordered by Version Count](#)
- [SQL ordered by Cluster Wait Time](#)
- [Complete List of SQL Text](#)

[Back to Top](#)

SQL ordered by Elapsed Time

- Resources reported for PL/SQL code includes the resources used by all SQL statements called by the code.
- % Total DB Time is the Elapsed Time of the SQL statement divided into the Total Database Time multiplied by 100

OUTPUT

- %Total - Elapsed Time as a percentage of Total DB time
- %CPU - CPU Time as a percentage of Elapsed Time
- %IO - User I/O Time as a percentage of Elapsed Time
- Captured SQL account for 209.0% of Total DB Time (s): 0
- Captured PL/SQL account for 287.0% of Total DB Time (s): 0

OUTPUT

OUTPUT

OUTPUT

Elapsed Time (s)	Executions	Elapsed Time per Exec (s)	%Total	%CPU	%IO	SQL Id	
0.68	1	0.68	229.95	67.11	25.99	bxywuzvtp6wjg	DBMS_SCHEDULER
0.17	2	0.08	57.06	73.75	22.37	cz8wbmy7k5bxn	
0.12	2	0.06	41.15	80.25	13.75	68v4x7tgs79pg	java@rac1 (TNS V1-V3)
0.11	1	0.11	37.45	93.86	0.00	gskc5xjnxkbmy	DBMS_SCHEDULER
0.10	1	0.10	35.20	60.60	37.36	f705bwx3q0ydg	
0.07	1	0.07	23.61	58.61	35.44	6xvzxczk50czk	DBMS_SCHEDULER
0.05	147	0.00	15.60	22.08	77.03	acmvv4fhdc9zh	
0.04	86	0.00	13.93	84.53	8.21	121ffmrc95v7g	
0.04	584	0.00	12.74	61.67	5.01	f3ww8rgva3hrs	
0.03	75	0.00	11.63	45.78	56.06	3un99a0zwp4vd	
0.01	33	0.00	3.49	91.95	0.00	gngtvs38t0060	oraagent.bin@rac1 (TNS V1-V3) OUTPUT
0.01	24	0.00	3.13	77.79	0.00	9zbjgg87hy6uv	
0.01	160	0.00	3.08	90.96	4.58	5u7q54s63p4ts	OUTPUT
0.01	75	0.00	2.90	55.83	54.21	8swypbbr0m372	
0.01	113	0.00	2.68	97.64	0.00	2syvgzbxp4k9z	OUTPUT
0.00	25	0.00	1.38	83.92	0.00	6qz82dptf0qr7	
0.00	100	0.00	1.03	70.25	0.00	gjaap3w3qbf8c	OUTPUT

[Back to SQL Statistics](#)

[Back to Top](#)

SQL ordered by CPU Time

- Resources reported for PL/SQL code includes the resources used by all SQL statements called by the code.
- %Total - CPU Time as a percentage of Total DB CPU

OUTPUT

- %CPU - CPU Time as a percentage of Elapsed Time
- %IO - User I/O Time as a percentage of Elapsed Time
- Captured SQL account for 142.7% of Total CPU Time (s): 0
- Captured PL/SQL account for 191.6% of Total CPU Time (s): 0

OUTPUT

OUTPUT

OUTPUT

OUTPUT

OUTPUT

CPU Time (s)	Executions	CPU per Exec (s)	%Total	Elapsed Time (s)	%CPU	%IO	SQL Id	SQL Module	
0.45	1	0.45	150.54	0.68	67.11	25.99	bxywuzvtp6wjg	DBMS_SCHEDULER	PDB1
0.12	2	0.06	41.06	0.17	73.75	22.37	cz8wbmy7k5bxn		PDB1
0.10	1	0.10	34.29	0.11	93.86	0.00	gskc5xjnxkbmy	DBMS_SCHEDULER	PDB1
0.10	2	0.05	32.22	0.12	80.25	13.75	68v4x7tgs79pg	java@rac1 (TNS V1-V3)	PDB1
0.06	1	0.06	20.81	0.10	60.60	37.36	f705bwx3q0ydg		PDB1 OUTPUT
0.04	1	0.04	13.50	0.07	58.61	35.44	6xvzxczk50czk	DBMS_SCHEDULER	PDB1
0.03	86	0.00	11.48	0.04	84.53	8.21	121ffmrc95v7g		OUTPUT
0.02	584	0.00	7.67	0.04	61.67	5.01	f3ww8rgva3hrs		PDB1
0.02	75	0.00	5.19	0.03	45.78	56.06	3un99a0zwp4vd		OUTPUT

									PDB1
0.01	147	0.00	3.36	0.05	22.08	77.03	acmvv4fhdc9zh		PDB1
0.01	33	0.00	3.13	0.01	91.95	0.00	gngtvs38t0060	oraagent.bin@rac1 (TNS V1-V3)	PDB1
0.01	160	0.00	2.73	0.01	90.96	4.58	5u7g54s63p4ts		PDB1
0.01	113	0.00	2.55	0.01	97.64	0.00	2syvgzbxp4k9z		PDB1
0.01	24	0.00	2.37	0.01	77.79	0.00	9zbjgg87hy6uv		PDB1
0.00	75	0.00	1.58	0.01	55.83	54.21	8swypbbr0m372		PDB1
0.00	25	0.00	1.13	0.00	83.92	0.00	6qz82dptj0qr7		PDB1

[Back to SQL Statistics](#) OUTPUT

[Back to Top](#)

SQL ordered by User I/O Wait Time

- Resources reported for PL/SQL code includes the resources used by all SQL statements called by the code.
- %Total - User I/O Time as a percentage of Total User I/O Wait time
- %CPU - CPU Time as a percentage of Elapsed Time
- %IO - User I/O Time as a percentage of Elapsed Time
- Captured SQL account for 75.9% of Total User I/O Wait Time (s): 0
- Captured PL/SQL account for 111.8% of Total User I/O Wait Time (s): 0

OUTPUT

OUTPUT

OUTPUT

OUTPUT

OUTPUT

User I/O Time (s)	Executions	U/O per Exec (s)	%Total	Elapsed Time (s)	%CPU	%IO	SQL Id	
0.18	1	0.18	92.14	0.68	67.11	25.99	bxywuzvtp6wig	OUTPUT
								DBMS_SCHEDULER
0.04	1	0.04	20.27	0.10	60.60	37.36	f705bwx3q0ydg	
0.04	2	0.02	19.68	0.17	73.75	22.37	cz8wbmy7k5bxn	
0.04	147	0.00	18.53	0.05	22.08	77.03	acmvv4fhdc9zh	
0.02	1	0.02	12.90	0.07	58.61	35.44	6xvzxzck50czk	DBMS_SCHEDULER
0.02	75	0.00	10.05	0.03	45.78	56.06	3un99a0zwp4vd	
0.02	2	0.01	8.72	0.12	80.25	13.75	68v4x7tgs79pg	java@rac1 (TNS V1-V3)
0.00	75	0.00	2.43	0.01	55.83	54.21	8swypbbr0m372	
0.00	86	0.00	1.76	0.04	84.53	8.21	121ffmrc95v7g	
0.00	584	0.00	0.98	0.04	61.67	5.01	f3ww8rgva3hrs	

[Back to SQL Statistics](#)

[Back to Top](#)

SQL ordered by Gets

- Resources reported for PL/SQL code includes the resources used by all SQL statements called by the code.
- %Total - Buffer Gets as a percentage of Total Buffer Gets
- %CPU - CPU Time as a percentage of Elapsed Time
- %IO - User I/O Time as a percentage of Elapsed Time
- Total Buffer Gets: 13,638
- Captured SQL account for 85.2% of Total

OUTPUT

OUTPUT

OUTPUT

OUTPUT

OUTPUT

Buffer Gets	Executions	Gets per Exec	%Total	Elapsed Time (s)	%CPU	%IO	SQL Id	
9,048	1	9,048.00	66.34	0.68	67.1	26	bxywuzvtp6wig	DBMS_SCHEDULER
2,097	2	1,048.50	15.38	0.17	73.8	22.4	cz8wbmy7k5bxn	
1,975	584	3.38	14.48	0.04	61.7	5	f3ww8rgva3hrs	
1,665	2	832.50	12.21	0.12	80.3	13.7	68v4x7tgs79pg	java@rac1 (TNS V1-V3)
1,633	75	21.77	11.97	0.03	45.8	56.1	3un99a0zwp4vd	
1,197	1	1,197.00	8.78	0.10	60.6	37.4	f705bwx3q0ydg	
1,126	1	1,126.00	8.26	0.07	58.6	35.4	6xvzxzck50czk	DBMS_SCHEDULER
1,067	75	14.23	7.82	0.01	55.8	54.2	8swypbbr0m372	OUTPUT

734	1	734.00	5.38	0.11	93.9	0	gskc5xjnxkbmy	DBMS_SCHEDULER	
574	147	3.90	4.21	0.05	22.1	77	acmvv4fhdc9zh		
573	86	6.66	4.20	0.04	84.5	8.2	121ffmrc95v7g		
320	160	2.00	2.35	0.01	91	4.6	5u7q54s63p4ts		
278	113	2.46	2.04	0.01	97.6	0	2syvgzbxp4k9z		

OUTPUT

[Back to SQL Statistics](#)
[Back to Top](#)

SQL ordered by Reads

- %Total - Physical Reads as a percentage of Total Disk Reads
- %CPU - CPU Time as a percentage of Elapsed Time
- %IO - User I/O Time as a percentage of Elapsed Time
- Total Disk Reads: 320
- Captured SQL account for 32.8% of Total

OUTPUT

OUTPUT

OUTPUT

Physical Reads	Executions	Reads per Exec	%Total	Elapsed Time (s)	%CPU	%IO	SQL Id	SQL Module	
261	1	261.00	81.56	0.68	67.11	25.99	bxywuzvtp6wjg	DBMS_SCHEDULER	PDB1
50	2	25.00	15.63	0.17	73.75	22.37	cz8wbmy7k5bxn		PDB1
31	75	0.41	9.69	0.03	45.78	56.06	3un99a0zwp4vd		PDB1
25	1	25.00	7.81	0.07	58.61	35.44	6xvzxzck50czk	DBMS_SCHEDULER	PDB1
20	2	10.00	6.25	0.12	80.25	13.75	68v4x7tgs79pg	java@rac1 (TNS V1-V3)	PDB1
13	584	0.02	4.06	0.04	61.67	5.01	f3ww8rgva3hrs		PDB1 OUTPUT
9	75	0.12	2.81	0.01	55.83	54.21	8swypbbr0m372		PDB1
4	147	0.03	1.25	0.05	22.08	77.03	acmvv4fhdc9zh		PDB1 OUTPUT
1	86	0.01	0.31	0.04	84.53	8.21	121ffmrc95v7g		PDB1
1	160	0.01	0.31	0.01	90.96	4.58	5u7q54s63p4ts		PDB1 OUTPUT

[Back to SQL Statistics](#)
[Back to Top](#)

SQL ordered by Physical Reads (UnOptimized)

- UnOptimized Read Reqs = Physical Read Reqs - (Optimized Read Reqs - Cell Flash Cache Read Hits for Controfile)
- %Opt - Optimized Reads as percentage of SQL Read Requests
- %Total - UnOptimized Read Reqs as a percentage of Total UnOptimized Read Reqs
- Total Physical Read Requests: 316
- Captured SQL account for 18.4% of Total

OUTPUT

- Total UnOptimized Read Requests: 316
- Captured SQL account for 18.4% of Total
- Total Optimized Read Requests: 1
- Captured SQL account for 0.0% of Total

OUTPUT

OUTPUT

UnOptimized Read Reqs	Physical Read Reqs	Executions	UnOptimized Reqs per Exec	%Opt	%Total	SQL Id	SQL Module	
261	261	1	261.00	0.00	82.59	bxywuzvtp6wjg	DBMS_SCHEDULER	PDB1
50	50	2	25.00	0.00	15.82	cz8wbmy7k5bxn		PDB1
25	25	1	25.00	0.00	7.91	6xvzxzck50czk	DBMS_SCHEDULER	PDB1
20	20	2	10.00	0.00	6.33	68v4x7tgs79pg	java@rac1 (TNS V1-V3)	PDB1
6	6	584	0.01	0.00	1.90	f3ww8rgva3hrs		PDB1 OUTPUT
2	2	75	0.03	0.00	0.63	3un99a0zwp4vd		PDB1
2	2	147	0.01	0.00	0.63	acmvv4fhdc9zh		PDB1 OUTPUT
1	1	160	0.01	0.00	0.32	5u7q54s63p4ts		PDB1
1	1	75	0.01	0.00	0.32	8swypbbr0m372		PDB1 OUTPUT
1	1	1	1.00	0.00	0.32	f705bwx3q0ydg		PDB1

[Back to SQL Statistics](#)
[Back to Top](#)

OUTPUT

SQL ordered by Executions

- %CPU - CPU Time as a percentage of Elapsed Time
- %IO - User I/O Time as a percentage of Elapsed Time
- Total Executions: 2,655
- Captured SQL account for 53.7% of Total

OUTPUT

OUTPUT

OUTPUT

OUTPUT

Executions	Rows Processed	Rows per Exec	Elapsed Time (s)	%CPU	%IO	SQL Id	SQL Module	
584	584	1.00	0.04	61.7	5	f3ww8rgva3hrs		PDB1
160	160	1.00	0.01	91	4.6	5u7g54s63p4ts		PDB1
147	132	0.90	0.05	22.1	77	acmvv4fhdc9zh		PDB1
113	0	0.00	0.01	97.6	0	2syvqzbxp4k9z		PDB1
100	100	1.00	0.00	70.3	0	gjaap3w3qbf8c		PDB1
86	134	1.56	0.04	84.5	8.2	121ffmrc95v7g		PDB1
75	690	9.20	0.03	45.8	56.1	3un99a0zwp4vd		PDB1
75	458	6.11	0.01	55.8	54.2	8swypbbr0m372		PDB1
33	0	0.00	0.01	91.9	0	gngtvs38t0060	oraagent.bin@rac1 (TNS V1-V3)	PDB1 OUTPUT
25	18	0.72	0.00	83.9	0	6qz82dptj0qr7		PDB1

[Back to SQL Statistics](#)
[Back to Top](#)

OUTPUT

SQL ordered by Parse Calls

- Total Parse Calls: 1,123
- Captured SQL account for 73.2% of Total

OUTPUT

OUTPUT

OUTPUT

OUTPUT

OUTPUT

Parse Calls	Executions	% Total Parses	SQL Id	SQL Module	PDB Name	SQL Text
215	584	19.15	f3ww8rgva3hrs		PDB1	update /* KSMX:FLUSH COL */ sy...
160	160	14.25	5u7g54s63p4ts		PDB1	select toid from type\$ where p...
113	113	10.06	2syvqzbxp4k9z		PDB1	select u.name, o.name, a.inter...
100	100	8.90	gjaap3w3qbf8c		PDB1	select count(*) from ilmobj\$ w...
75	75	6.68	3un99a0zwp4vd		PDB1	select owner#, name, namespace...
75	75	6.68	8swypbbr0m372		PDB1	select order#, columns, types ...
33	33	2.94	gngtvs38t0060	oraagent.bin@rac1 (TNS V1-V3)	PDB1	SELECT /*+ CONNECT_BY_FILTERIN...
25	25	2.23	6qz82dptj0qr7		PDB1	select l.col#, l.intcol#, l.lo...
8	86	0.71	121ffmrc95v7g		PDB1	select i.obj#, i.ts#, i.file#,...
8	24	0.71	9zbjgg87hy6uv		PDB1	select t.ts#, t.file#, t.block...

[Back to SQL Statistics](#)
[Back to Top](#)

SQL ordered by Sharable Memory

OUTPUT

No data exists for this section of the report.

[Back to SQL Statistics](#)
[Back to Top](#)

SQL ordered by Version Count

No data exists for this section of the report.

[Back to SQL Statistics](#)
[Back to Top](#)

OUTPUT

SQL ordered by Cluster Wait Time

No data exists for this section of the report.

[Back to SQL Statistics](#)
[Back to Top](#)

Complete List of SQL Text

OUTPUT

OUTPUT

SQL Id	SQL Text
121ffmc95v7g	select i.obj#, i.ts#, i.file#, i.block#, i.intcols, i.type#, i.flags, i.property, i.pctfree\$, i.initrans, i.maxtrans, i.level, i.leafcnt, i.distkey, i.ibikkey, i.dbikkey, i.clufac, i.cols, i.analyzezeitime, i.samplesize, i.dataobj#, nvl(i.degree, 1), nvl(i.instances, 1), i.rowcnt, mod(i.pctthres\$, 256), i.lindmethod#, i.truncnt, nvl(c.unicols, 0), nvl(c.deferrable#+c.valid#, 0), nvl(i.spare1, i.intcols), i.spare4, i.spare2, i.spare6, decode(i.pctthres\$, null, null, mod(trunc(i.pctthres\$/256), 256)), nvl(i.evaluation#, 1), nvl(i.unusablebefore#, 0), nvl(i.unusablebeginning#, 0), ist.cachedblk, ist.cachehit, ist.logicalread from ind\$ i, ind_stats\$ ist, (select enabled, min(intcols) unicols, min(to_number(bitand(defer, 1))) deferrable#, min(to_number(bitand(defer, 4))) valid# from cdef\$ where obj#=1 and enabled > 1 group by enabled) c where i.obj#=c.e nabled(+) and i.obj# = ist.obj#(+) and i.bo#=:1 order by i.obj#
2syvqzbxp4k9z	select u.name, o.name, a.interface_version#, o.obj# from association\$ a, user\$ u, obj\$ o where a.obj# = :1 and a.property = :2 and a.stattype# = o.obj# and u.user# = o.owner#
3un99a0zwp4vd	select owner#, name, namespace, remoteowner, linkname, p_timestamp, p_obj#, nvl(property, 0), subname, type#, flags, d_attrs from dependency\$ d, obj\$ o where d_obj#=:1 and p_obj#=obj#(+) order by order#
5u7g54s63p4ts	select toid from type\$ where package_obj#=:1 and typ_name=:2
68v4x7tgs79pg	select /*distinct*/ object_name, object_type from all_objects where object_type in ('TABLE', 'VIEW', 'SYNONYM') and owner=user and object_name like :1 ESCAPE '\' and rownum < 50 union all select username ', 'USER' from all_users where username like :2 and rownum <= 20 order by object_name
6qz82dptj0qr7	select l.col#, l.intcol#, l.lobj#, l.ind#, l.ts#, l.file#, l.block#, l.chunk, l.pctversion\$, l.flags, l.property, l.retention, l.freepools from lob\$ l where l.obj# = :1 order by l.intcol# asc
6vxvzxck50czk	select cons.consumer_name from sys.dba_queue_subscribers cons left join sys.user\$ us on replace(cons.consumer_name, 'SCHED\$_AGT2\$_.')=us.user# where cons.queue_name='SCHEDULER\$_EVENT_QUEUE' and cons.consumer_name like 'SCHED\$_AGT2\$_%' and us.user# is null
8swypbbr0m372	select order#, columns, types from access\$ where d_obj#=:1
9zbjgq87hy6uv	select t.ts#, t.file#, t.block#, nvl(t.bobj#, 0), nvl(t.tab#, 0), t.intcols, nvl(t.clucols, 0), t.flags, t.pctfree\$, t.pctused\$, t.initrans, t.maxtrans, t.rowcnt, t.blkcnt, t.empcnt, t.avgspc, t.chncnt, t.avggrn, t.analyzezeitime, t.samplesize, t.cols, t.property, nvl(t.degree, 1), nvl(t.instances, 1), t.avgspc_fib, t.fibcnt, t.kernelcols, nvl(t.trigflag, 0), nvl(t.spare1, 0), nvl(t.spare2, 0), t.spare4, t.spare6, ts.cachedblk, ts.cachehit, ts.logicalread, ts.im_imcu_count, ts.im_block_count, ts.im_sys_incarnation, ts.im_stat_update_time, ts.scanrate, nvl(t.acdrflags, 0), nvl(t.acdrtsobj#, 0), t.acdrdefaulttime, nvl(t.acdrrowsintcol#, 0) from tab\$ t, tab_stats\$ ts where t.obj# = :1 and t.obj# = ts.obj# (+)
acmvv4fhdc9zh	select obj#, type#, ctime, mtime, stime, status, dataobj#, flags, oid\$, spare1, spare2, spare3, signature, spare7, spare8, spare9, nvl(dfllcollid, 16382), creappid, creverid, modappid, modverid, crepatchid, modpatchid from obj\$ where owner#=:1 and name=:2 and namespace=:3 and remoteowner is null and linkname is null and subname is null
bxywuzvtp6wjg	call dbms_scheduler.auto_purge ()
cz8wbmy7k5bxx	begin sys.dbms_aq_inv.internal_purge_queue_table(:1, :2, :3, :4, :5, :6, :7, :8, FALSE);end;
f3ww8rgva3hrs	update /* KSXM:FLUSH COL */ sys.col_usage\$ set equality_preds = equality_preds + decode(bitand(:flag, 1), 0, 0, 1), equijoin_preds = equijoin_preds + decode(bitand(:flag, 2), 0, 0, 1), nonequijoin_preds = nonequijoin_preds + decode(bitand(:flag, 4), 0, 0, 1), range_preds = range_preds + decode(bitand(:flag, 8), 0, 0, 1), like_preds = like_preds + decode(bitand(:flag, 16), 0, 0, 1), null_preds = null_preds + decode(bitand(:flag, 32), 0, 0, 1), flags = flags + :flag - bitand(flags, :flag), timestamp = :time where obj# = :objn and intcol# = :coln
f705bwx3q0ydc	select count(*) from dba_autotask_window_clients c, (select window_name, max(log_date) max_log_date from dba_scheduler_window_log where operation = 'OPEN' group by window_name) wo, (select window_name, max(log_date) max_log_date from dba_scheduler_window_log where operation = 'CLOSE' group by window_name) wc where c.window_name = wo.window_name and c.optimizer_stats = 'ENABLED' and wo.window_name = wc.window_name and wo.max_log_date < wc.max_log_date and wc.window_name not in (select h.window_name from dba_autotask_job_history h where h.client_name = 'auto optimizer stats collection' and h.job_start_time between wo.max_log_date and wc.max_log_date)
gjaap3w3qbf8c	select count(*) from ilmobj\$ where rownum = 1
gngtvs38t0060	SELECT /*+ CONNECT_BY_FILTERING */ s.privilege# FROM sys.sysauth\$ s CONNECT BY s.grantee# = PRIOR s.privilege# AND (s.privilege# > 0 OR s.privilege# = -352) START WITH (s.privilege# > 0 OR s.privilege# = -352) AND s.grantee# IN (SELECT c1.privilege# FROM sys.codeauth\$ c1 WHERE c1.obj# = :1) UNION SELECT c2.privilege# FROM sys.codeauth\$ c2 WHERE c2.obj# = :2 ORDER BY 1 ASC
gskc5jxnkxbmy	select unique(nvl2(job_subname, "" owner "." job_name "." job_subname "", "" owner "." job_name "")) jn, notification_owner ow from sys.scheduler\$_notification where bitand(flags, 1)=1 and owner "." job_name not in (select owner "." job_name from sys.dba_scheduler_jobs union all select qt.user_data.object_owner "." qt.user_data.object_name from sys.scheduler\$_event_qtab qt where state<2)

[Back to SQL Statistics](#)
[Back to Top](#)

Instance Activity Statistics

- [Key Instance Activity Stats](#)
- [Instance Activity Stats](#)

OUTPUT

- [Instance Activity Stats - Absolute Values](#)

[Back to Top](#)

Key Instance Activity Stats

- Ordered by statistic name

OUTPUT

Statistic	Total	per Second	per Trans
db block changes	53	0.02	53.00
execute count	2,655	0.88	2,655.00
logons cumulative	12	0.00	12.00
opened cursors cumulative	2,416	0.80	2,416.00
parse count (total)	1,123	0.37	1,123.00
parse time elapsed	62	0.02	62.00
physical reads	320	0.11	320.00
redo size	8,004	2.66	8,004.00
session cursor cache hits	2,025	0.67	2,025.00
session logical reads	13,638	4.53	13,638.00
user calls	101	0.03	101.00
workarea executions - optimal	348	0.12	348.00

[Back to Instance Activity Statistics](#)
[Back to Top](#)

Instance Activity Stats

OUTPUT

- Ordered by statistic name

OUTPUT

OUTPUT

OUTPUT

OUTPUT

OUTPUT

OUTPUT

OUTPUT

OUTPUT

OUTPUT

Statistic	Total	per Second	per Trans
CCursor + sql area evicted	21	0.01	21.00
CPU used by this session	78	0.03	78.00
CPU used when call started	21	0.01	21.00
CR blocks created	0	0.00	0.00
Client Advertised Receive Window	7	0.00	7.00
Client Advertised Send Window	7	0.00	7.00
Client Data Segments In	37	0.01	37.00
Client Data Segments Out	37	0.01	37.00
Client Path Maximum Transmission Unit(MTU)	65,535	21.78	65,535.00
Client Send Congestion Window	10	0.00	10.00
Client Time (usec) Busy Sending Data	121,000	40.22	121,000.00
Client Time (usec) Round Trip Time	4,730	1.57	4,730.00
Client Time (usec) Round Trip Time Variance	7,930	2.64	7,930.00
Client Total Bytes Acked	11,013	3.66	11,013.00
Client Total Bytes Received	11,762	3.91	11,762.00
DFO trees parallelized	2	0.00	2.00
HSC Heap Segment Block Changes	8	0.00	8.00
Heap Segment Array Updates	1	0.00	1.00
PX local messages rcv'd	44	0.01	44.00
PX local messages sent	44	0.01	44.00
Parallel operations not downgraded	2	0.00	2.00
Requests to/from client	40	0.01	40.00
SQL*Net roundtrips to/from client	40	0.01	40.00
active txn count during cleanout	0	0.00	0.00
blocks cleaned out using minact	5	0.00	5.00
buffer is not pinned count	11,364	3.78	11,364.00
buffer is pinned count	1,740	0.58	1,740.00
bytes received via SQL*Net from client	15,700	5.22	15,700.00
bytes sent via SQL*Net to client	16,417	5.46	16,417.00
calls to get snapshot scn: kcmgss	3,737	1.24	3,737.00
calls to kcmgas	8	0.00	8.00
calls to kcmgcs	563	0.19	563.00
cell physical IO interconnect bytes	2,621,440	871.39	2,621,440.00
cleanout - number of ktugct calls	0	0.00	0.00
cleanouts and rollbacks - consistent read gets	0	0.00	0.00
cluster key scan block gets	738	0.25	738.00
cluster key scans	500	0.17	500.00
commit cleanouts	13	0.00	13.00
commit cleanouts successfully completed	13	0.00	13.00
consistent changes	0	0.00	0.00
consistent gets	13,594	4.52	13,594.00
consistent gets examination	4,664	1.55	4,664.00
consistent gets examination (fastpath)	4,620	1.54	4,620.00
consistent gets from cache	13,594	4.52	13,594.00
consistent gets pin	8,930	2.97	8,930.00
consistent gets pin (fastpath)	8,658	2.88	8,658.00
cursor authentications	72	0.02	72.00
cursor reload failures	29	0.01	29.00
data blocks consistent reads - undo records applied	0	0.00	0.00
db block changes	53	0.02	53.00
db block gets	44	0.01	44.00
db block gets from cache	44	0.01	44.00
db block gets from cache (fastpath)	43	0.01	43.00
deferred (CURRENT) block cleanout applications	4	0.00	4.00
enqueue conversions	12	0.00	12.00
enqueue releases	377	0.13	377.00
enqueue requests	387	0.13	387.00
enqueue waits	2	0.00	2.00
execute count	2,655	0.88	2,655.00
file io service time	19,820	6.59	19,820.00
free buffer requested	321	0.11	321.00
gc local grants	320	0.11	320.00
gcs data block access records	320	0.11	320.00
global enqueue get time	4	0.00	4.00

global enqueue gets sync	15,145	5.03	15,145.00
global enqueue releases	15,118	5.03	15,118.00
heap block compress	5	0.00	5.00
immediate (CR) block cleanout applications	0	0.00	0.00
immediate (CURRENT) block cleanout applications	1	0.00	1.00
index fast full scans (full)	1	0.00	1.00
index fetch by key	1,269	0.42	1,269.00
index range scans	1,953	0.65	1,953.00
logical read bytes from cache	111,722,496	37,137.34	111,722,496.00
logons cumulative	12	0.00	12.00
messages sent	8	0.00	8.00
no work - consistent read gets	8,236	2.74	8,236.00
non-idle wait count	980	0.33	980.00
opened cursors cumulative	2,416	0.80	2,416.00
parse count (failures)	6	0.00	6.00
parse count (hard)	339	0.11	339.00
parse count (total)	1,123	0.37	1,123.00
parse time cpu	47	0.02	47.00
parse time elapsed	62	0.02	62.00
physical read IO requests	316	0.11	316.00
physical read bytes	2,621,440	871.39	2,621,440.00
physical read total IO requests	316	0.11	316.00
physical read total bytes	2,621,440	871.39	2,621,440.00
physical reads	320	0.11	320.00
physical reads cache	320	0.11	320.00
physical reads cache prefetch	4	0.00	4.00
physical reads for flashback new	0	0.00	0.00
pinned cursors current	3	0.00	3.00
process last non-idle time	1,279	0.43	1,279.00
queries parallelized	2	0.00	2.00
recursive calls	13,776	4.58	13,776.00
recursive cpu usage	75	0.02	75.00
redo entries	27	0.01	27.00
redo size	8,004	2.66	8,004.00
redo synch time (usec)	1	0.00	1.00
redo synch time overhead (usec)	0	0.00	0.00
redo synch time overhead count (2ms)	0	0.00	0.00
redo synch writes	1	0.00	1.00
redo write info find	0	0.00	0.00
rows fetched via callback	581	0.19	581.00
session connect time	1,257	0.42	1,257.00
session cursor cache hits	2,025	0.67	2,025.00
session logical reads	13,638	4.53	13,638.00
shared hash latch upgrades - no wait	14	0.00	14.00
sorts (memory)	632	0.21	632.00
sorts (rows)	3,387	1.13	3,387.00
sql area evicted	52	0.02	52.00
sql area purged	6	0.00	6.00
switch current caused by our pin	1	0.00	1.00
switch current to new buffer	1	0.00	1.00
table fetch by rowid	3,698	1.23	3,698.00
table fetch continued row	119	0.04	119.00
table scan blocks gotten	1,699	0.56	1,699.00
table scan disk non-IMC rows gotten	83,812	27.86	83,812.00
table scan rows gotten	83,812	27.86	83,812.00
table scans (short tables)	357	0.12	357.00
undo change vector size	2,364	0.79	2,364.00
user calls	101	0.03	101.00
user logons cumulative	1	0.00	1.00
user logouts cumulative	1	0.00	1.00
workarea executions - optimal	348	0.12	348.00

[Back to Instance Activity Statistics](#)
[Back to Top](#)

Instance Activity Stats - Absolute Values

- Statistics with absolute values (should not be diffed)

OUTPUT

Statistic	Begin Value	End Value
logons current	1	1
opened cursors current	2	5
session cursor cache count	357	605
session pga memory	4,537,064	4,799,208
session pga memory max	4,537,064	14,367,464
session uga memory	10,131,528	20,178,424
session uga memory max	22,129,120	43,913,712

[Back to Instance Activity Statistics](#)
[Back to Top](#)

IO Stats

OUTPUT

- [IOStat by Filetype summary](#)
- [Tablespace IO Stats](#)
- [File IO Stats](#)

[Back to Top](#)

IOStat by Filetype summary

- 'Data' columns suffixed with M,G,T,P are in multiples of 1024 other columns suffixed with K,M,G,T,P are in multiples of 1000
- Small Read and Large Read are average service times
- Ordered by (Data Read + Write) desc

OUTPUT

Filetype Name	Reads: Data	Reqs per sec	Data per sec	Writes: Data	Reqs per sec	Data per sec	Small Read	Large Read
Data File	2M	0.06	.001M	2M	0.03	.001M	423.08us	
Temp File	0M	0.00	0M	0M	0.00	0M	.00ns	
TOTAL:	2M	0.06	.001M	2M	0.03	.001M	418.48us	

[Back to IO Stats](#)
[Back to Top](#)

Tablespace IO Stats

No data exists for this section of the report.

[Back to IO Stats](#) OUTPUT
[Back to Top](#)

File IO Stats

No data exists for this section of the report.

[Back to IO Stats](#)
[Back to Top](#)

Buffer Wait Statistics

OUTPUT

No data exists for this section of the report.

[Back to Top](#)

Undo Statistics

- [Undo Segment Summary](#)
- [Undo Segment Stats](#)

OUTPUT [Back to Top](#)

Undo Segment Summary

No data exists for this section of the report.

[Back to Undo Statistics](#)
[Back to Top](#)

Undo Segment Stats

No data exists for this section of the report. OUTPUT

[Back to Undo Statistics](#)
[Back to Top](#)

Segment Statistics

- [Segments by Logical Reads](#)
 - [Segments by Physical Reads](#)
 - [Segments by Physical Read Requests](#)
 - [Segments by UnOptimized Reads](#)
- OUTPUT
- [Segments by Optimized Reads](#)
 - [Segments by Direct Physical Reads](#)
 - [Segments by Physical Writes](#)
 - [Segments by Physical Write Requests](#)
 - [Segments by Direct Physical Writes](#)
 - [Segments by Table Scans](#)
 - [Segments by DB Blocks Changes](#)
 - [Segments by Row Lock Waits](#)
 - [Segments by ITL Waits](#)
 - [Segments by Buffer Busy Waits](#)
 - [Segments by Global Cache Buffer Busy](#)
 - [Segments by CR Blocks Received](#)
 - [Segments by Current Blocks Received](#)
 - [Segments by Global Cache Remote Grants](#)

OUTPUT

[Back to Top](#)

Segments by Logical Reads

- Total Logical Reads: 13,638
- Captured Segments account for 2.1% of Total
- When ** MISSING ** occurs, some of the object attributes may not be available

Owner	Tablespace Name	Object Name	Subobject Name	Obj. Type	Obj#	Dataobj#	Logical Reads	%Total	PDB Name
SYS	SYSAUX	SMON_SCN_TIME		TABLE	423	421	272	1.99	PDB1 OUTPUT

[Back to Segment Statistics](#)
[Back to Top](#)

Segments by Physical Reads

No data exists for this section of the report.

[Back to Segment Statistics](#)
[Back to Top](#)

OUTPUT _____

Segments by Physical Read Requests

No data exists for this section of the report.

[Back to Segment Statistics](#)
[Back to Top](#)

Segments by UnOptimized Reads

No data exists for this section of the report.

[Back to Segment Statistics](#) OUTPUT _____
[Back to Top](#)

Segments by Optimized Reads

No data exists for this section of the report.

[Back to Segment Statistics](#)
[Back to Top](#)

Segments by Direct Physical Reads

No data exists for this section of the report. OUTPUT _____

[Back to Segment Statistics](#)
[Back to Top](#)

Segments by Physical Writes

No data exists for this section of the report.

[Back to Segment Statistics](#)
[Back to Top](#)

Segments by Physical Write Requests

OUTPUT _____

No data exists for this section of the report.

[Back to Segment Statistics](#)
[Back to Top](#)

Segments by Direct Physical Writes

No data exists for this section of the report.

[Back to Segment Statistics](#)
[Back to Top](#)

OUTPUT _____

Segments by Table Scans

No data exists for this section of the report.

[Back to Segment Statistics](#)
[Back to Top](#)

Segments by DB Blocks Changes

- % of Capture shows % of DB Block Changes for each top segment compared
- with total DB Block Changes for all segments captured by the Snapshot
- When ** MISSING ** occurs, some of the object attributes may not be available

OUTPUT _____

Owner	Tablespace Name	Object Name	Subobject Name	Obj. Type	Obj#	Dataobj#	DB Block Changes	% of Capture	PDB Name
SYS	SYSAUX	SMON_SCN_TIME		TABLE	423	421	48	100.00	PDB1

[Back to Segment Statistics](#)
[Back to Top](#)

Segments by Row Lock Waits

OUTPUT _____ No data exists for this section of the report.

[Back to Segment Statistics](#)
[Back to Top](#)

Segments by ITL Waits

No data exists for this section of the report.

[Back to Segment Statistics](#)
[Back to Top](#)

Segments by Buffer Busy Waits

OUTPUT _____

No data exists for this section of the report.

[Back to Segment Statistics](#)
[Back to Top](#)

Segments by Global Cache Buffer Busy

No data exists for this section of the report.

[Back to Segment Statistics](#)
[Back to Top](#)

OUTPUT

Segments by CR Blocks Received

No data exists for this section of the report.

[Back to Segment Statistics](#)
[Back to Top](#)

Segments by Current Blocks Received

No data exists for this section of the report.

OUTPUT [Back to Segment Statistics](#)
[Back to Top](#)

Segments by Global Cache Remote Grants

No data exists for this section of the report.

[Back to Segment Statistics](#)
[Back to Top](#)

OUTPUT

Initialization Parameters

- [Parameters modified by this container](#)
- [Parameters modified by other containers](#)
- [Multi-Valued Parameters modified by this container](#)
- [Multi-Valued Parameters modified by other containers](#)

OUTPUT
[Back to Top](#)

Parameters modified by this container

- This section shows all the modified initialization parameters that were in effect during the entire snapshot interval
- End Value is displayed only if the parameter value was modified within the snapshot interval

OUTPUT

Parameter Name	Begin value	End value (if different)	PDB Name
db_cache_size	0		PDB1
db_create_file_dest	+DATA		OUTPUT PDB1
pga_aggregate_limit	4294967296		PDB1
pga_aggregate_target	1073741824		PDB1
sga_target	0		PDB1
undo_tablespace	UNDOTBS1		PDB1

[Back to Initialization Parameters](#)
[Back to Top](#)

Parameters modified by other containers

- This section shows all the modified initialization parameters that were in effect during the snapshot interval
- End Value is displayed only if the parameter value was changed within the snapshot interval

OUTPUT

OUTPUT

OUTPUT

OUTPUT

OUTPUT

OUTPUT OUTPUT

Parameter Name	Begin value	End value (if different)	
ipdddb_enable	TRUE		
audit_file_dest	/u01/app/oracle/admin/racdb/adump		
audit_trail	DB		
cluster_database	TRUE		
cluster_interconnects	10.10.10.11		
compatible	19.0.0		
control_files	+DATA/RACDB/CONTROLFILE/current.261.1234363303, +FRA/RACDB/CONTROLFILE/current.256.1234363303		
db_block_size	8192		
db_cache_size	536870912		
db_create_file_dest	+DATA		
db_domain	localdomain		
db_file_name_convert	+DATA/RACDB, /u01/app/oracle/oradata/RACDB_S		

db_keep_cache_size	67108864		
db_name	racdb		OUTPUT
db_recovery_file_dest	+FRA		
db_recovery_file_dest_size	14687404032		
dg_broker_config_file1	+DATA/RACDB/dr1racdb.dat		
dg_broker_config_file2	+FRA/RACDB/dr2racdb.dat		
dg_broker_start	TRUE		
diagnostic_dest	/u01/app/oracle		
dispatchers	(PROTOCOL=TCP) (SERVICE=racdbXDB)		
enable_pluggable_database	TRUE		
fal_client	racdb		
fal_server			
instance_number	1		
listener_networks			
local_listener	(ADDRESS=(PROTOCOL=TCP) (HOST=192.168.122.211)(PORT=1521))		
log_archive_config	dg_config=(racdb_s)		OUTPUT
log_archive_dest_1	LOCATION=USE_DB_RECOVERY_FILE_DEST VALID_FOR=(ALL_LOGFILES,ALL_ROLES) DB_UNIQUE_NAME=racdb		
log_archive_dest_2	service="racdb_s",ASYNC NOAFFIRM delay=0 optional compression=disable max_failure=0 reopen=300 db_unique_name="racdb_s" net_timeout=30, valid_for= (online_logfile, all_roles)		
log_archive_dest_state_1	ENABLE		
log_archive_dest_state_2	ENABLE		
log_file_name_convert	+DATA/RACDB,/u01/app/oracle/oradata/RACDB_S		
nls_language	AMERICAN		
nls_territory	AMERICA		
open_cursors	300		
pga_aggregate_limit	4294967296		
pga_aggregate_target	2147483648		
processes	300		
remote_listener	rac-scan:1521		
remote_login_passwordfile	EXCLUSIVE		
sec_case_sensitive_logon	TRUE		OUTPUT
sga_target	1610612736		
standby_file_management	AUTO		
thread	1		
undo_tablespace	UNDOTBS1		

OUTPUT

[Back to Initialization Parameters](#)
[Back to Top](#)

Multi-Valued Parameters modified by this container

No data exists for this section of the report.

[Back to Initialization Parameters](#)
[Back to Top](#)

Multi-Valued Parameters modified by other containers

OUTPUT

- This section only displays parameters that have more than one value
- '(NULL)' indicates a missing parameter value
- A blank in the 'End Snapshot' indicates the same value as the 'Begin Snapshot'

Parameter Name	Begin value	End value (if different)	PDB Name
control_files	+DATA/RACDB/CONTROLFILE/current.261.1234363303 +FRA/RACDB/CONTROLFILE/current.256.1234363303		
db_file_name_convert	+DATA/RACDB /u01/app/oracle/oradata/RACDB_S		
log_archive_dest_2	ASYNC NOAFFIRM delay=0 optional compression=disable max_failure=0 reopen=300 db_unique_name="racdb_s" net_timeout=30 service="racdb_s"		
	valid_for=(online_logfile, all_roles)		
log_file_name_convert	+DATA/RACDB /u01/app/oracle/oradata/RACDB_S		OUTPUT

[Back to Initialization Parameters](#)
[Back to Top](#)

Active Session History (ASH) Report

OUTPUT

- [Top SQL with Top Events](#)
- [Top SQL with Top Row Sources](#)
- [Top Sessions](#)
- [Top Blocking Sessions](#)
- [Top PL/SQL Procedures](#)
- [Top Events](#)
- [Top Event P1/P2/P3 Values](#)
- [Top DB Objects](#)
- [Activity Over Time](#)

[Back to Top](#)

Top SQL with Top Events

OUTPUT _____

No data exists for this section of the report.

[Back to Active Session History \(ASH\) Report](#)
[Back to Top](#)

Top SQL with Top Row Sources

No data exists for this section of the report.

[Back to Active Session History \(ASH\) Report](#)
[Back to Top](#)

OUTPUT _____

Top Sessions

No data exists for this section of the report.

[Back to Active Session History \(ASH\) Report](#)
[Back to Top](#)

Top Blocking Sessions

No data exists for this section of the report.

[Back to Active Session History \(ASH\) Report](#) OUTPUT _____
[Back to Top](#)

Top PL/SQL Procedures

No data exists for this section of the report.

[Back to Active Session History \(ASH\) Report](#)
[Back to Top](#)

Top Events

No data exists for this section of the report. OUTPUT _____

[Back to Active Session History \(ASH\) Report](#)
[Back to Top](#)

Top Event P1/P2/P3 Values

No data exists for this section of the report.

[Back to Active Session History \(ASH\) Report](#)
[Back to Top](#)

Top DB Objects

OUTPUT _____

No data exists for this section of the report.

[Back to Active Session History \(ASH\) Report](#)
[Back to Top](#)

Activity Over Time

No data exists for this section of the report.

[Back to Active Session History \(ASH\) Report](#)
[Back to Top](#)

OUTPUT _____

[Back to Top](#)

End of Report 1,987 rows selected.