

# BẢN THIẾT KẾ DATABASE SPORTSWEAR WEBSITE

## 1. Tổng quan về Database.

## Tables

Name		
1		mern-db.users
2		mern-db.brands
3		mern-db.carts
4		mern-db.categories
5		mern-db.deliveryinfos
6		mern-db.orders
7		mern-db.products
8		mern-db.sizes

## 2. Chi tiết các table trong Database

### users

Columns

	Name	Key	Data type	Null	Attributes	References	Description
1	_id	🔑	Id	✓			
2	name		String	✓			
3	username		String	✓			
4	email		String	✓			
5	password		String	✓			
6	role		String	✓			
7	profilePicture		String	✓			
8	createdAt		DateTime	✓			
9	updatedAt		DateTime	✓			
10	_v		Int32	✓			

Relations

Foreign table	Primary table	Join	Title / Name / Description
carts	users	carts.user = <b>users._id</b>	fk_users_carts
deliveryinfos	users	deliveryinfos.user = <b>users._id</b>	fk_users_deliveryinfos
orders	users	orders.user = <b>users._id</b>	fk_users_orders

Unique keys

Key name	Columns	Description
🔑 _id	_id	



## brands

**Schema** mern-db  
**Name** brands  
**Type** Collection  
**Module** Diagram

### Columns

	Name	Key	Data type	Null	Attributes	References	Description
1	_id	🔑	Id	✓			
2	name		String	✓			
3	slug		String	✓			
4	createdAt		DateTime	✓			
5	updatedAt		DateTime	✓			
6	_v		Int32	✓			

### Relations

Foreign table	Primary table	Join	Title / Name / Description
products	brands	products.brand = brands._id	fk_brands_products

### Unique keys

Key name	Columns	Description
🔑 _id	_id	

Exported: 2021-09-10 10:19 Last imported: 2021-09-10 03:12



## categories

**Name** categories  
**Type** Collection  
**Module** Diagram

### Columns

	Name	Key	Data type	Null	Attributes	References	Description
1	□ _id	🔑	Id	✓			
2	□ name		String	✓			
3	□ slug		String	✓			
4	□ parentId		String	✓		categories	
5	□ createdAt		DateTime	✓			
6	□ updatedAt		DateTime	✓			
7	□ __v		Int32	✓			

### Relations

Foreign table	Primary table	Join	Title / Name / Description
categories	↗ i	categories	categories.parentId = categories._id fk_categories_categories
products	↗ i	categories	products.category = categories._id fk_categories_products

### Unique keys

Key name	Columns	Description
🔑 _id	_id	

 **products**▼ **Columns**

	Name	Key	Data type	Null	Attributes	References	Description
1	└ _id	🔑	Id	✓			
2	└ name		String	✓			
3	└ slug		String	✓			
4	└ price		Int32	✓			
5	└ description		String	✓			
6	└[] productPictures		Document[]	✓			
1	└ productPictures._id		Id	✓			
2	└ productPictures.img		String	✓			
7	└ category		Id	✓		categories	
8	└[] sizes		Document[]	✓			
1	└ sizes._id		Id	✓			
2	└ sizes.size		Id	✓			
3	└ sizes.quantity		Int32	✓			
4	└ sizes.updatedAt		DateTime	✓			
5	└ sizes.createdAt		DateTime	✓			
9	└ brand		Id	✓		brands	
10	└[] reviews		Null[]	✓			
11	└ createdAt		DateTime	✓			
12	└ updatedAt		DateTime	✓			
13	└ _v		Int32	✓			

## ▼ Relations

Foreign table	Primary table	Join	Title / Name / Description
products	 brands	<b>products.brand = brands._id</b>	fk_brands_products
products	 categories	<b>products.category = categories._id</b>	fk_categories_products
carts	 products	<b>carts.cartItems.product = products._id</b>	fk_products_carts
orders	 products	<b>orders.items.productId = products._id</b>	fk_products_orders

## ▼ Unique keys

Key name	Columns	Description
 _id	_id	



## carts

### Columns

	Name	Key	Data type	Null	Attributes	References	Description
1	└ _id	🔑	Id	✓			
2	└ user		Id	✓		users	
3	└ cartItems		Document[]	✓			
1	└ cartItems.quantity		Int32	✓			
2	└ cartItems._id		Id	✓			
3	└ cartItems.product		Id	✓		products	
4	└ cartItems.size		Id	✓		sizes	
4	└ createdAt		DateTime	✓			
5	└ updatedAt		DateTime	✓			
6	└ __v		Int32	✓			

### Relations

Foreign table	Primary table	Join	Title / Name / Description
carts	products	<code>carts.cartItems.product = products._id</code>	fk_products_carts
carts	sizes	<code>carts.cartItems.size = sizes._id</code>	fk_sizes_carts
carts	users	<code>carts.user = users._id</code>	fk_users_carts

### Unique keys

Key name	Columns	Description
🔑 _id	_id	



## sizes

**Documentation** mern-db@cluster0.dpsol.mongodb.net

**Schema** mern-db

**Name** sizes

**Type** Collection

**Module** Diagram

### Columns

	Name	Key	Data type	Null	Attributes	References	Description
1	_id	🔑	Id	✓			
2	size		String	✓			
3	description		String	✓			
4	_v		Int32	✓			

### Relations

Foreign table	Primary table	Join	Title / Name / Description
carts	sizes	carts.cartItems.size = sizes._id	fk_sizes_carts
orders	sizes	orders.items.sizeId = sizes._id	fk_sizes_orders

### Unique keys

Key name	Columns	Description
🔑 _id	_id	

Exported: 2021-09-10 10:19 Last imported: 2021-09-10 03:12



## deliveryinfos

<b>Name</b>	deliveryinfos
<b>Type</b>	Collection
<b>Module</b>	<a href="#">Diagram</a>

### Columns

	Name	Key	Data type	Null	Attributes	References	Description
1	└ _id	🔑	Id	✓			
2	└ user		Id	✓		users	
3	└ __v		Int32	✓			
4	└ [] address		Document[]	✓			
1	└ address._id		Id	✓			
2	└ address.name		String	✓			
3	└ address.address		String	✓			
5	└ createdAt		DateTime	✓			
6	└ updatedAt		DateTime	✓			

### Relations

Foreign table	Primary table	Join	Title / Name / Description
deliveryinfos	users	<code>deliveryinfos.user = users._id</code>	fk_users_deliveryinfos
orders	deliveryinfos	<code>orders.addressId = deliveryinfos._id</code>	fk_deliveryinfos_orders

### Unique keys

Key name	Columns	Description
🔑 _id	_id	



## orders

### Columns

	Name	Key	Data type	Null	Attributes	References	Description
1	└ _id	🔑	Id	✓			
2	└ paymentType		String	✓			
3	└ user		Id	✓		users	
4	└ addressId		Id	✓		deliveryinfos	
5	└ totalAmount		Int32	✓			
6	└ { } items		Document[]	✓			
1	└ items._id		Id	✓			
2	└ items.productId		Id	✓		products	
3	└ items.sizeId		Id	✓		sizes	
4	└ items.payablePrice		Int32	✓			
5	└ items.purchaseQty		Int32	✓			
7	└ paymentStatus		String	✓			
8	└ { } orderStatus		Document[]	✓			
1	└ orderStatus.type		String	✓			
2	└ orderStatus.isCompleted		Boolean	✓			
3	└ orderStatus._id		Id	✓			
4	└ orderStatus.date		DateTime	✓			
9	└ createdAt		DateTime	✓			
10	└ updatedAt		DateTime	✓			
11	└ __v		Int32	✓			

#### ▼ Relations

Foreign table	Primary table	Join	Title / Name / Description
orders	 deliveryinfos	<b>orders.addressId = deliveryinfos._id</b>	fk_deliveryinfos_orders
orders	 products	<b>orders.items.productId = products._id</b>	fk_products_orders
orders	 sizes	<b>orders.items.sizeId = sizes._id</b>	fk_sizes_orders
orders	 users	<b>orders.user = users._id</b>	fk_users_orders

#### ▼ Unique keys

Key name	Columns	Description
 _id	_id	

### 3. Diagram tổng quát.



