

Dental Disease Detection from Photographic Images Using Deep Learning

Ananya Agrawal

*Computer Science and Engineering
Department of Computing
Technologies*
SRM Institute of Science and
Technology
Kattankulathur, India
aa6196@srmist.edu.in

Rishav Tandon

*Computer Science and Engineering
Department of Computing
Technologies*
SRM Institute of Science and
Technology
Kattankulathur, India
rt1369@srmist.edu.in

Aryan Awasthi

*Computer Science and Engineering
Department of Computing
Technologies*
SRM Institute of Science and
Technology
Kattankulathur, India
aa8692@srmist.edu.in

Akshat Baranwal

*Computer Science and Engineering
Department of Computing
Technologies*
SRM Institute of Science and
Technology
Kattankulathur, India
ab6043@srmist.edu.in

Ruhani Bedi

*Computer Science and Engineering
Department of Computing
Technologies*
SRM Institute of Science and
Technology
Kattankulathur, India
rb6988@srmist.edu.in

Dr. Ajantha Lakshmanan

*Assistant Professor
Department of Computing
Technologies*
SRM Institute of Science and
Technology,
Kattankulathur, India
ajanthal@srmist.edu.in

Abstract— Ordinary individuals fail to detect their oral health issues because essential diagnostic methods remain scarce in their communities. Early detection of cavities, along with gingivitis and enamel loss, allows professionals to stop oral health problems from becoming more serious. The diagnostic tools, including manual examinations and X-rays, remain unavailable to underserved communities because they depend on both equipment and skilled healthcare personnel. This research utilizes YOLOv8 as an advanced object detection model to handle the identified gap by conducting dental disease diagnosis through photographic image analysis. The trained system executes real-time tasks when it scans 1493 image samples with four dental diagnosis to produce precise results in short periods. This tool creates dental diagnosis accessibility because it connects historically used methods with current AI technologies, particularly for remote diagnosis and care. The technology team is working on two successive goals, which involve increasing the database of images while building mobile applications to improve healthcare accessibility at dental centers across the country.

Index Terms— Dental disease detection, YOLOv8, deep learning, object detection, medical image analysis, photographic diagnosis, AI in dentistry, real-time healthcare, computer vision, web-based AI systems.

who remain undiagnosed. Multiple population groups that require dental services cannot get professional care because there are insufficient resources in neglected communities and impoverished areas. Proper diagnosis should come hand in hand with right-time intervention as this combination stands essential to prevent serious dental complications.

Specialized equipment requirements along with trained medical staff and patient compliance limit the professional availability of clinical examination and radiographic imaging for diagnosis. Manual judgment techniques experience two major problems because human evaluators make errors and produce different outcomes resulting in diagnostic uncertainty. The standard diagnostic practice for dental issues uses X-ray imaging yet extensive screening remains restricted by high expense combined with radiation risks along with insufficient access to equipment. Broad populations need an accurate accessible and economical solution to address their dental assessment needs because current challenges prove its necessity.

Artificial intelligence (AI) and deep learning approaches used in modern technology perform exceptionally well in medical visual inspections of radiological and dermatological and ophthalmological data. The detection of dental diseases through AI analysis of photographic images provides an appropriate solution that does not require expensive radiographic technology. Dental detection systems powered by artificial intelligence can automatically find abnormalities which enables doctors to detect early issues so they can execute quick preventive care and make appropriate specialist referrals.

I. INTRODUCTION

The worldwide population of 3.5 billion people suffers from oral diseases which persist as some of the most prevalent health issues around the world [1]. The medical management of dental caries and periodontitis as well as oral lesions leads to substantial health problems that cause pain and systemic risks for patients




Fig. 1. YOLOv8 detection results showing identified dental diseases with bounding boxes.

YOLOv8 operates as a speed-efficient object detection model in the proposed system for accurate dental disease recognition from photographic images. Standard photographs processed by the system can detect one of 4 dental diseases automatically without requiring X-ray analysis for immediate diagnosis. Our large specifically labeled image database containing 1493 entries enables the model to handle numerous dental disorders with strong universality across various ethnic groups. The AI assistant accessible through the web delivers immediate diagnostic results which function from healthcare workers up to dentists and then reach patients.

The research explores all stages of building the proposed AI-based dental diagnostic system from design to implementation and assessment. This study's primary achievements consist of the following key points:

- A real-time YOLOv8-based AI system functions to detect dental diseases.
- The team developed a substantial annotated image set with 1,493 pictures to boost both model accuracy and dependability levels.
- The system achieved 92% accuracy and 25ms inference time during performance optimization which makes it appropriate for real-time functions.
- The project introduced a web-based dental screening application which enables dental examinations between patients and non-professional providers.

The subsequent sections of this paper consist of two parts: Section II discusses existing research in AI-driven dental disease detection and Section III presents the proposed model and its essential elements. Section III details the proposed model and its key features. Research methodology disclosure presents information about dataset preparation along with a detailed overview of the model architecture in Section IV. The paper's experimental section and analysis are provided in Section V. Section VI of this paper serves to finish the study by presenting future research directions. X-ray imaging along with clinical examination constitutes traditional dental diagnostics but such methods remain inaccessible in under-resourced areas [2]. Standard photographic images have the potential to improve dental disease detection through deep learning and computer vision methods according to research [3].

II. RELATED WORK

Professionals have investigated the application of CNNs and object detection models in screening for dental disease. The deep learning application in medical imaging enhances the diagnostic accuracy with fast imaging processing, both in dental and radiologic and dermatologic fields. The researchers developed AI tools with X-ray and picture combination to detect dental issues, teeth cavities, and periodontal diseases.

a) Artificial Intelligence in Dental Imaging

The identification of dental diseases through AI started with machine learning being the initial field of research. Schwendicke et al determined that CNNs could identify both caries and restorations within panoramic X-rays according to their research findings. Ekert et al established the capabilities of their Fast API-Based Rephrase Convolutional Neural Networks (Faster R-CNN) to detect periodontal diseases with a precision rate of 89%. The models utilize radiographic data but this information proves challenging to obtain because it requires specialized software and equipment coupled with potential high costs.

AI technology in current development shows preference for dental diagnosis by utilizing photographic images. Research carried out by Moutselos et al. applied YOLOv3 to detect dental restorations yet faced problems identifying such issues in their initial stages. The YOLOv5 system for medical image analysis is explained by Zhao et al. in their investigation on skin cancer detection [13]. The achievements of these models do not extend to sufficient applications when applied in dental photographic image processing.

b) YOLO-Based Medical Image Analysis

The YOLO (You Only Look Once) family has gained popularity due to its real-time processing capabilities, making it a suitable choice for medical image analysis. Bai et al. [14] demonstrated the effectiveness of YOLOv4 in identifying lung abnormalities from CT scans, highlighting its potential in healthcare. Similarly, Park et al. [15] showed that YOLOv5 could be used for oral lesion detection, achieving superior performance over traditional CNN-based methods. These studies emphasize YOLO's ability to process high-resolution images with minimal latency, making it an ideal choice for dental disease detection from photographic images.

c) Challenges in AI-Driven Dental Diagnostics

Recent challenges work against the favorable effects AI models achieve when combined with CNNs and YOLO-based architectures. The existing dental research databases maintain problematic limitations in quantity so they block proper generalization of models. Dental disease predictions become inaccurate due to an insufficient number of labeled samples in oral cancer lesion representation. The deployment of atomic medical models faces two major challenges stemming from hardware system limitations and regulatory requirements that slow the detection of dental diseases through AI analysis. Down implementation speed. Artificial intelligence models running black box-style operations prevent dental professionals from understanding the reason behind medical decision-making

systems.

d) Our Contribution

The current research analyzes AI research against actual dental applications discovered in the existing literature. An advancement in our YOLOv8-based approach presents these main features in comparison to previous methodologies:

High generalization occurs through the use of 3500 images that come from a diverse and comprehensive dataset. YOLOv8 provides better detection performance because of its optimized feature extraction capabilities. The proposed system builds an online platform utilizing AI technology to present dental illness identification capabilities to viewers who do not need X-ray imaging procedures. Present explainable techniques as a means to handle model prediction interpretation.

Real-time image processing employed in deep learning leads to building an affordable dental diagnostic tool which can scale and operate efficiently. This system brings prominent focus to edible components because it helps the medical field enhance diagnostic methods for early identification thereby providing better dental care to patients without requiring excessive dental professional effort. Deep learning possesses diagnostic utility for dental caries according to the findings by Schwendicke et al. [10]. The detection of periodontal diseases in panoramically X-rayed patients reached 89% accuracy using Faster R-CNN according to Ekert et al. [11]. All models currently depend on radiographic data thus making them unusable by patients who do not have access to these images.

Beneficial changes in YOLO-based systems have improved medical imaging analysis in real time conditions. YOLOv3 received a dental application from Moutselos et al. [12] for restorations and disease detection although the system dealt with a narrow classification range. Zhao et al. [13] used YOLOv5 to detect skin cancer early on which shows again how YOLO effectively applies to healthcare. The analysis of dental photographic images did not receive implementation with YOLOv8.

III. PROPOSED METHODOLOGY

Standard photographic images receive processing through advanced deep learning techniques which replaces the need for traditional X-ray imaging to detect dental diseases in the proposed model. The system utilizes the advanced YOLOv8 (You Only Look Once Version 8) model, known for its rapid processing and precise real-time object detection capabilities. The model shows special advantages for medical purposes by doing diagnostic analysis and local recognition within one pass through its processing stage making dental condition detection more efficient. The trained system operates from a 1,542 dental image database with 4 disease categories ranging from dental cavities, oral ulcers, tooth discoloration and gingivitis. A wide range of dental images from diverse sources provides our model with balanced illumination settings and camera perspectives as well as demographic range diversity. The annotation tools including Labellmg were used to draw bounding boxes along with class labels according to YOLOv8 standards for all images.




Fig .2. Proposed Architecture

Our model performs initial image preprocessing that includes normalization together with clarity enhancements before starting the workflow. The processed image enters the YOLOv8 system which produces identification boundaries around the areas with diseases and provides their accurate classification results. The model now achieves 92% detection accuracy together with a 93.2% mean Average Precision (mAP) level that demonstrates its dependable detection capacity. Disease detection modes in real-time become feasible because the model processes requests in just 25 milliseconds. The system provides diagnostic predictions through its user-friendly web-based AI assistant that was developed using Streamlit which enables users to upload images and obtain analysis results within seconds. The system provides benefits to dental professionals and preliminary assessment seekers as it connects artificial intelligence capabilities with communal healthcare measures.

Photographic images serve instead of radiographic data to provide an economical and non-blemish approach to medical diagnosis. Standard photographic images replace traditional X-ray diagnostics which simplifies imaging costs while minimizing risks from X-ray exposures. Data augmentation methods strengthen the model by rotating images alongside contrast modifying and noise addition that leads to better performance even under varied imaging environments. All images received bounding box annotations through Labellmg and YOLOv8 labeling standards for their corresponding class labels. Future development will concentrate on expanding the data varieties and adding explainability functions to improve visual understanding while also adapting the model structure to work on mobile devices for instant analysis capabilities.

The YOLOv8 detection output visualizes dental image affected areas through bounding boxes that classify their corresponding

objects. The presented visualization method helps simplify model prediction understanding while making the system more user-friendly in its practical applications. Deep learning capabilities embedded in this model create the opportunity to revolutionize dental diagnostic procedures encouraging early identification while offering improved preventive care accessibility. The system allows users to download comprehensive reports showing the results of detection processes. The report includes all discovered dental conditions and confidence levels and reported affected regions and proposed treatments from the analysis. The system allows users to obtain the report as a PDF document for dental professional consultation or personal referencing.

Key Features:

Multiple key characteristics exist in this model to boost its performance for disease identification in dental settings. Real-time high-speed operation combined with superior accuracy defines the deep learning object detection system YOLOv8 as an essential feature of this model. Standard photographic images accelerate the diagnosis process by replacing X-ray images within our system to detect dental diseases with high precision. The system functioned with 1,493 retouched images that contained 4 diseases in order to maintain its effectiveness for multiple dental conditions. Modern bounding box methods within the model create more robust identification capabilities of dental target areas. Due to optimization methods the model processes dental images at very short detection times of less than 25 milliseconds.

Users can easily access this model through a web-based AI assistant that permits them to get instant dental image diagnosis after uploading files. Through this tool dentists gain advantages for delivering initial diagnoses using a device-independent system which facilitates patient and dental professional use. The single image analysis capability of the model enhances operational success for medicine while speeding up diagnosis times when measured against traditional diagnostic protocols. Data augmentation methods applied extensive modifications to the dataset through contrast adjustment and brightness correction and rotation with noise reduction functions and these operations optimize model generalization in various imaging environments. Additional development aims at growing dental disease dataset volumes alongside building model explanation tools and mobile versions designed to serve medical professionals in actual practice.

The proposed system implements sophisticated functionalities which boost its operational effectiveness together with its dependability when detecting dental illnesses. Real-time detection is the key function of the system which utilizes YOLOv8 to execute state-of-the-art object recognition operations rapidly. Standard photographic images flow through the system which makes it possible to replace costly X-ray imaging based on radiation. The system uses 1,493 annotated images which cover 4 dental conditions to demonstrate high accuracy rates while operating under different imaging settings. Users can access the system through the web interface which enables them to submit photographs to obtain instant results by using an intuitive operating system. The AI assistant uses bounding box annotations to provide tooth disease detection alongside classification therefore delivering easy interpretable results. The system applies

data enhancement methods which help the model to work effectively under different camera perspectives while maintaining image excellence. This model combines all these features to establish itself as a strong tool in dental diagnostic artificial intelligence thus providing a modern accessible and cost-efficient alternative to standard dental screening practices. Users can receive AI-generated diagnostic advice regarding detected conditions through the system. The system features report generation capabilities that provide users with a comprehensive breakdown between dental health conditions detected in their analysis and scoring accuracy levels alongside suggested course of action to seek additional care.

IV. RESEARCH METHODOLOGY

The research methodology consists of comprehensive procedures for dataset generation and deep learning model design so it achieves precise detection of dental diseases during training and evaluation stages. The dataset includes 1543 images showing 4 different dental conditions obtained from clinical records and educational repositories and public dental case studies. Preprocessing methods such as enhancement and noise reduction procedures together with augmentation techniques converted the images suitable for deep learning applications. YOLOv8 represents the primary network structure for this framework because it functions as one of the best detection systems which achieves quick performance with precise accuracy levels. The model was trained using PyTorch on Google Colab with a T4 GPU for faster processing. The training process utilized the T4 GPU's performance to improve computation efficiency and model accuracy through learning rate adjustments.

The proposed model demonstrated 92% accuracy during evaluations together with 25 milliseconds detection speed during testing. Evaluation phase measurements included mean Average Precision (mAP) along with precision, recall and the speed of inference operations. The model received deployment through the Streamlit framework as a web-based AI assistant that automatically diagnosed dental diseases after users uploaded images. Research integration of deep learning technologies and operational methods produced accurate dental diagnostic systems that users can easily access.

a) Dataset Description

The research data consisted of 1,543 photographic images which were used as research data which came from various sources to build proper representation. One thousand 1,493 images served for training purposes while 49 images served for validation and all images depicted four dental conditions. Photographic images used for the study came from both clinical patient records and educational repositories and public dental case studies. Multiple sources of data during collection allowed the model to identify various dental conditions which enhanced its general performance capabilities.

b) Model Architecture

YOLOv8 provided an optimal choice because of its advanced accuracy alongside anchor-free detection with a compact lightweight design intended for real-time dental disease recognition. Multiple performance-enhancing modifications were

brought to this model. The model achieved better small lesion detection through modified feature extraction layers which produced exact dental abnormality identification. Furthermore the model learned efficiently after hyperparameters were optimized through multiple experimentation rounds that occurred during 50 training epoch cycles. Multiple data augmentation techniques involving rotation emphasis together with brightness adjustments and flipping helped the model become more adaptable to image position and illumination variation.

c) Neural Network Optimization

The model received thorough optimization of its neural networks to achieve maximum effectiveness. The model loss function consisted of Cross-Entropy Loss and Intersection Over Union (IoU) Loss to deliver precise classification decisions and object localization performance. For optimal results the model worked with a batch size of 16 that managed to maintain a balance between processing speed and model security. During training the model reduced its learning rate from 0.01 to 0.001 and finally to 0.0001 through a series of structured decreases. The stepwise reduction of the learning rate achieved two goals: it minimized pattern overfitting and produced stable convergence results which produced better detection outcomes.

V. RESULT AND DISCUSSION

The researchers tested YOLOv8 against Faster R-CNN as well as SSD and YOLOv5 to evaluate its performance. Mean Average Precision (mAP@0.5) and inference time stood as important evaluation criteria that matter most for real-time dental disease detection. YOLOv8 model surpassed other models with a mAP@0.5 metric value of 93.2% while running in 25ms but Faster R-CNN performed at 89.4% with a 105ms runtime and YOLOv5 operated at 90.3% with 35ms and SSD operated at 85.8% with 48ms. Though a real-time diagnostic tool YOLOv8 demonstrates both high accuracy levels and short inference times so it proves itself as an optimal dental diagnostic detection system.

a) Model Architecture

The YOLOv8 model underwent evaluation against Faster R-CNN as well as SSD and YOLOv5 to determine its performance metrics of accuracy alongside inference speed. YOLOv8 produces superior performance to all competing models by achieving 93.2% mAP@0.5 while completing its inference process in 25 milliseconds. Faster R-CNN reached an mAP@0.5 of 89.4% yet operated at an inference rate of 105ms which rendered it unfit for real-time usage. The 48ms inference time of SSD allowed it to be faster than other models yet produced only 85.8% mAP@0.5 accuracy. The benchmark showed that YOLOv5 reached 90.3% accuracy which performed better than SSD and Faster R-CNN yet YOLOv8 demonstrated superior results. The superior combination of high accuracy and efficiency within YOLOv8 makes it an optimal solution for real-time dental disease detection applications.

b) Error Analysis

The high accuracy levels of YOLOv8 became noticeable throughout testing yet multiple problems became apparent. The main difficulty during testing involved confusing gingivitis with

periodontitis because both conditions shared similar visual characteristics. Although both diseases manifest similar gum redness and inflammation the model occasionally failed to distinguish between them due to these similarities.




Fig. 3. Confusion Matrix

The model detected images less accurately because image contrast changed according to different levels of lighting. Incorrect classification outcomes and false positives occurred when different lighting levels and shadow effects and levels of brightness created unreliable image conditions. The solution to this problem needs adaptive processing techniques that adjust image contrast along with lighting parameters between different images. The lack of severe dental disease cases in the dataset caused dataset bias to appear. The model experienced difficulties in generalizing knowledge for late-stage dental conditions since there were limited samples of such cases in the dataset. The planned future work targets expanding the current dataset with diverse dental condition severities to maintain effective detection for various dental diseases.

c) Deployment Strategy

Use of YOLOv8 model as a web-based application happens through deployment via Streamlit Python framework. Despite the automatic processing of images real-time, users submit their images through the web interface for disease diagnosis. The platform shows detected areas through bound boxes with classification labels which enables users to identify dental conditions effectively.



Fig. 4. User Interface of the Dental Disease Detection

Users can download an automatic report that shows the detection outcomes from the system. The findings are included in this report along with dental conditions identification, confidences scoring information, marked areas and designated treatment recommendations. Users can obtain this report in PDF format so they can access it either after examination or to share with dental professionals. The system enables instant diagnostic help to both dental clinicians and patients who need access to specialized clinical testing equipment which is distant from their location. The tool enables dentists to conduct screening procedures as well as provide preliminary diagnoses for patients who need professional medical attention. System development for mobile device use is part of the future plan to provide detection tool accessibility through smartphones. Healthcare settings can benefit from explainable AI techniques combined with confidence scoring to raise usability when dealing with clinical tests.

VI. CONCLUSION

Results indicate that YOLOv8 demonstrates suitable performance for diagnosing dental health conditions from photographic inputs. YOLOv8 demonstrates both clinical application suitability because of its real-time inference speed and its high precision output while maintaining 92% accuracy performance which makes it suitable for remote diagnostic use. Future work will concentrate on developing mobile-based implementation while building a larger dataset and conducting research on explainable AI approaches. This study's significance derives from the connection it creates between modern diagnostic AI technology and accessible healthcare delivery. Medical practitioners can use photographic image collection as a replacement for X-ray procedures to enhance diagnostic options at rural healthcare settings that lack standard diagnostic equipment. Telemedicine combined with smartphone applications allow patients to examine their oral health status ahead of professional visits through standardized use of this model. Yet several problems requiring improvement include inconsistent lighting and biased data patterns alongside detection errors. The research needs advancement of learning algorithms while implementing exceptional AI features suitable for smartphone operation. Implementing Grad-CAM visualization as an XAI technique improves interpretability thus enhancing system user trust. Real-time processing by this applied model delivers 92% accuracy at high precision levels making it suitable for both clinic and remote use. The forthcoming work will concentrate on mobile deployments together with new dataset creation along with AI system explanation mechanisms.

REFERENCES

- [1] World Health Organization, "Oral Health," WHO Fact Sheet, 2023.
- [2] J. H. Lee, J. Kim, and T. Park, "Deep Learning for Dental Caries Detection," *Diagnostics*, vol. 12, no. 3, pp. 789-798, 2022.
- [3] F. Schwendicke, M. Krois, and T. Ekert, "AI in Dentistry: Opportunities and Challenges," *Journal of Dental Research*, vol. 102, no. 5, pp. 542-549, 2023.
- [4] T. Ekert, F. Lang, and G. Schmidt, "Periodontal Disease Detection Using CNNs," *Scientific Reports*, vol. 13, no. 2, pp. 432-438, 2023.
- [5] X. Bai, Y. Zhang, and L. Chen, "YOLO for Medical Image Analysis," *Computerized Biology and Medicine*, vol. 151, pp. 104256, 2024.
- [6] W. Zhao, T. Liu, and H. Wang, "Skin Cancer Detection Using YOLOv5," *Computerized Biology and Medicine*, vol. 149, pp. 103781, 2023.

- [7] K. Moutselos, P. Dimopoulos, and E. Karanikas, "Deep Learning for Retinal Disease Detection," *Journal of Medical Systems*, vol. 47, no. 3, pp. 44, 2023.
- [8] S. Park, J. Choi, and H. Kim, "AI-Based Chest X-Ray Interpretation," *IEEE Transactions on Medical Imaging*, vol. 42, no. 7, pp. 2365-2374, 2023.
- [9] A. Kumar, M. Singh, and R. Gupta, "Object Detection in Medical Images," *Neural Computing and Applications*, vol. 35, pp. 2231-2242, 2023.
- [10] P. Singh, R. Mehta, and S. Sharma, "Dental Caries Classification Using AI," *Journal of Medical Imaging and AI*, vol. 11, no. 4, pp. 512-518, 2024.
- [11] J. Tan, Y. Li, and X. Wang, "YOLOv8 for Medical Disease Detection," *Medical Image Analysis*, vol. 86, pp. 104935, 2024.
- [12] R. Gupta, T. Sharma, and V. Raj, "Faster R-CNN for Dental AI," *IEEE Healthcare AI*, vol. 8, no. 3, pp. 182-189, 2024.
- [13] T. Brown, S. Evans, and L. Johnson, "Comparison of YOLO Variants for Healthcare," *Nature AI Review*, vol. 16, no. 2, pp. 329-336, 2024.
- [14] A. Patel, R. Verma, and S. Das, "Deep Learning in Oral Health," *Dental AI Journal*, vol. 9, no. 4, pp. 202-209, 2024.
- [15] L. Zhou, X. Yang, and Z. Li, "Computer Vision for Oral Health," *Computer Vision in Healthcare*, vol. 11, pp. 145-152, 2024.

