EDGE STYLE Rich runs and stable targets

STYLE_INHERITED ÇĞİÖŞÜ çğıöşü Işık İzmir **BOLD_RUN** *ITALIC_RUN* DIRECT_14

NBSP_CASE Alpha Beta and a long token https://example.invalid/research/unbrokenTokenunbrokenTokenunbrokenTokenunbrokenTokenunbrokenTokenunbrokenTokenunbrokenTokenunbrokenTokenunbrokenToken

TAB_CASE left center right

1. LIST_ONE Ordered item one
2. LIST_TWO Ordered item two

- BULLET_ONE Bullet item

BOOKMARK_TARGET Native paragraph identity

CROSS_REFERENCE BOOKMARK_TARGET Native paragraph identity

PAGE_REFERENCE 2

ENDNOTE_BODY[i]Native endnote link.

EDGE TABLE Merges nesting and repeated rows

HORIZONTAL_MERGE		MERGE_0_2
VERTICAL_MERGE	MERGE_1_1	MERGE_1_2
	MERGE_2_1	MERGE_2_2
MERGE_3_0	MERGE_3_1	MERGE_3_2

NESTED_0_0	NESTED_0_1
NESTED_1_0	NESTED_1_1

REPEATING_TABLE Table crossing a physical page

REPEAT_HEADER ID	Description	Value
ROW_001	A wrapped description with Turkish characters şğıöçü and English words.	7
ROW_002	A wrapped description with Turkish characters şğıöçü and English words.	14
ROW_003	A wrapped description with Turkish characters şğıöçü and English words.	21
ROW_004	A wrapped description with Turkish characters şğıöçü and English words.	28
ROW_005	A wrapped description with Turkish characters şğıöçü and English words.	35
ROW_006	A wrapped description with Turkish characters şğıöçü and English words.	42
ROW_007	A wrapped description with Turkish characters şğıöçü and English words.	49
ROW_008	A wrapped description with Turkish characters şğıöçü and English words.	56
ROW_009	A wrapped description with Turkish characters şğıöçü and English words.	63

EDGE MATH Editable native equations

MATH_INLINE Inline square

$$x^2$$

MATH_MATRIX Two by two matrix

$$\begin{pmatrix} 1 & 2 \\ 3 & 4 \end{pmatrix}$$

MATH_INTEGRAL Integral from zero to one

$$\int_0^1 x^2 dx = \frac{1}{3}$$

MATH_VECTOR Vector accent

$$\vec{v}$$