Taner Mehmet, Ümit (Orcid ID: 0000-0002-4710-6537)
Ray Patrick (Orcid ID: 0000-0001-9495-2317)
Brown Casey, M (Orcid ID: 0000-0002-8248-041X)

Incorporating Multidimensional Probabilistic Information into Robustness-based Water Systems Planning

Mehmet Ümit Taner[1], Patrick Ray[2], and Casey Brown[1]

[1] Deltares, Boussinesqweg 1, 2600 MH, Delft, The Netherlands

Email: umit.taner@deltares.nl

[2] Department of Civil and Environmental Engineering, University of Massachusetts,

12B Marston Hall, 130 Natural Resources Road Amherst, MA 01003-9293

Email: utaner@engin.umass.edu

[3] Department of Chemical and Environmental Engineering, University of Cincinnati,

601 Engnrng Res Center Cincinnati OH 45221-0012

Email: patrick.ray@uc.edu

Corresponding author: Mehmet Umit Taner (umit.taner@deltares.nl)

Key points

- A generalized method is developed to aid robust water planning using probabilistic information

- The joint probability of plausible futures is estimated using Bayesian belief networks

- Application to the Mwache Dam, Kenya, shows the added value of additional information

Abstract

The widespread uncertainty regarding future changes in climate, socioeconomic conditions, and demographics have increased interest in vulnerability-based frameworks for long-term planning of water resources. These frameworks shift the focus from projections of future conditions to the weaknesses of the baseline plans, and then to options for reductions in those weaknesses across a wide range of futures. A consistent challenge for vulnerability-based planning is how to assess the relative likelihood of the occurrence of the multidimensional and codependent uncertainties to which the system or plan is vulnerable. This work proposes a methodological solution to the problem, demonstrated in this case as an extension to Decision Scaling framework. The proposed approach first generates a wide range of futures using stochastic simulators, and then stress tests the system across those futures to identify vulnerabilities relative to stakeholder-defined performance thresholds. The relative likelihood of the vulnerabilities is then explored using a Bayesian network of the knowledge domain of the water resources system. The Bayesian network provides a formal representation of the joint probabilistic behavior of the system conditioned on the uncertain but potentially useful sources of information about the future, including historical trends, expert judgments, and model-based projections. The proposed approach is applied to compare four design options for a dam project in the Coastal Province of Kenya with respect to the reliability and net present value metrics. Results show that incorporation of belief information helps better distinguishing of the available options, principally by magnifying the differences between the computed net present values.

1. Introduction

Planners of water resources infrastructure and other similarly long-lived development projects face major challenges in coping with uncertainty from environmental, demographic, and financial factors, among others. Increasing hydrological evidence shows that anthropogenic climate change is altering the spatial and temporal variability of water resources by affecting precipitation quantities and patterns, evapotranspiration rates, and the frequency and intensity of storms (Arnell and Gosling 2013; IPCC 2013). Accelerated rates of change in population growth, urbanization, water use efficiency and consumption patterns simultaneously result in unpredictable shifts in long-term water and energy demands (Alcamo et al. 2007; Arnell and Lloyd-Hughes 2014; Vorosmarty et al. 2014). In many parts of the world, and in particular where new water infrastructure is most needed, political instability, market fluctuations and rapidly changing societal preferences make it difficult to weight present and future costs and benefits of long-lived development projects, such as large-scale dams (Jeuland 2010; Heal and Millner 2014). Moreover, for many projects, estimation of the uncertainty bounds faced by the planners is complicated by the interdependencies between the multiple uncertain factors; for example, land-use and climate conditions (Collins et al. 2002; Pahl-Wostl 2007).

The occurrence (and amplification) of complex, nonstationary stressors in long-term water resources planning has motivated an interest in approaches for "decision-making under deep uncertainty" (Hall et al. 2012; Walker et al. 2013; Dittrich et al. 2016; Kwakkel et al. 2016; Maier et al. 2016). These approaches avoid reliance on predictive assumptions about

the future and instead take the future to be unknowable, with information about the true range of possible futures, including any associated probability distributions, understood to be incomplete, inconsistent, or non-existent (Lempert et al. 2004). Under a deeply uncertain future, it is no longer possible to plan based on historical data, such as the statistical analyses of weather conditions or extremes (Milly et al. 2008; Brown 2010; Stakhiv 2011). In the deep uncertainty paradigm, scenarios developed from the projections of future climate change, forecasts of water demand, economic development, demographic movement, or similar, are reduced in usefulness by the potentially overwhelming range of uncertainty they span (Dessai and Hulme 2009). This is because such information is imprecise in nature due to a number of epistemic (knowledge-related) and ontological factors, including an incomplete understanding of the underlying systems and feedback mechanisms, subjective assumptions on unknowable future human behavior, and the intrinsic variability (randomness) in nature (Walker et al. 2003; Dessai and Hulme 2009; Wilby 2010; Haasnoot et al. 2012; Thompson et al. 2015).

One common approach to cope with deep uncertainty is to attempt to reduce vulnerabilities across many plausible futures (Wilby and Dessai 2010; Brown and Wilby 2012; Weaver et al. 2013; Maier et al. 2016). This typically involves a description of potential system vulnerabilities in terms of a preferred performance measure (e.g., based on an unacceptable level of reliability or costs), followed by procedures for identification of robust solutions (i.e., those that perform acceptably well across a wide domain of future conditions) (Giuliani and Castelletti 2016; McPhail et al. 2018). When quantifying robustness, "acceptable performance" can be defined in multiple ways: e.g., based on a critical performance threshold such as a minimum flow requirement (Kasprzyk et al. 2013; Singh et al. 2015), regret due to deviation from some baseline or expected performance (Spence and Brown 2016; Taner et al. 2017), or magnitude of variation in performance across multiple futures or scenarios (Kwakkel et al. 2015; Giuliani and Castelletti 2016). Independent of the measure, robustness-based planning requires a systematic, unbiased and fuller sampling of conditions that may occur over the planning period, without being constrained by a narrow range of prescriptive storylines or scenarios. Typically, no prior judgment is made on the occurrence likelihoods of possible future states, rather than an implicit inference to define a feasible range for the uncertainty domain. For example, Robust Decision Making uses "scenario discovery," a form of cluster analysis to find conditions where the system would be under most stress in the future, without assigning any weights to individual scenarios (Bryant and Lempert 2010). Info-Gap theory conceptualizes robustness as the greatest level of the radial distance around a starting point (e.g., a best-guess estimate of the future) with satisfactory performance across a prespecified uncertainty space (Sniedovich 2010).

This work is informed by a long-standing debate regarding the value and use of probabilistic information to support robustness-based planning (Groves and Lempert 2007; Parson et al. 2007; Shortridge et al. 2017; Borgomeo et al. 2018). One side of the debate suggests that there is no value in using probabilities, as such information may imply a greater degree of certainty about the future than exists and that the inference may, in turn, be misleading for decision-makers (Lempert 2000; Dessai and Hulme 2004; Groves and

Lempert 2007; Gong et al. 2017). When probabilistic information is not considered, each potential vulnerability is equally important on the overall robustness, which can also be interpreted as an implicitly equal weighting. On the other hand, some studies combine robustness-based approaches with probability weights derived from climate projection ensembles, paleodata, expert elicitations or similar (Manning et al. 2009; Moody and Brown 2012; Borgomeo et al. 2014, 2015b; Shortridge et al. 2017; Shortridge and Zaitchik 2018). These studies provide an additional layer of information that may be potentially useful for making more informed decisions, without obscuring the results of the vulnerability analyses. For example, by integrating probabilistic information into vulnerability analyses, one can explore the sensitivity of robust decisions to multiple probability distributions (Moody and Brown 2013; Whateley et al. 2014), or compare trade-offs between plan costs and robustness under different levels of risk (Borgomeo et al. 2014, 2018).

Decision Scaling framework (Brown et al. 2012) provides an example of how one can combine the results of a climate vulnerability analysis with probabilistic or quasi-probabilistic information from climate projections, or other sources of climate information. Decision scaling first uses stochastic weather generators to develop a wide range of possible future local conditions and then "stress tests" the system across those conditions to identify problematic futures that lead to unacceptable outcomes. After vulnerabilities are identified, different sources of information, e.g., projections, historical trends, expert opinion, are examined for determining the probability of problematic future conditions. For example, in Brown et al. (2012), the count of climate model projections was used as an indication of probability, with the assumption of equal weight for each model. This was followed by the use of fitted multivariate probability distributions in Moody and Brown (2013) and Whateley et al. (2014). Having decided that the assumption of equal likelihood and independence of projections is not supported, more sophisticated probability estimation techniques were presented in Steinschneider et al. (2015a). These past efforts to inform vulnerability analyses with probabilistic beliefs have only focused on climate information from paleodata, global or regional climate projections or expert judgments.

This paper represents the next advance, where we now look beyond climate uncertainty and introduce a formal, generalized framework to make full use of probabilistic knowledge or beliefs about multiple environmental, demographic, and financial uncertainties in long-term water planning. The coupling of multiple sources and types of belief information with vulnerability analysis for informing water planning decisions presents several challenges. First, subjective beliefs about relevant environmental, demographic, and financial factors cannot be evaluated in isolation due to the co-dependencies among the uncertainties they describe (Pahl-Wostl 2007; Döll et al. 2014; Sperotto et al. 2017). Examples of such dependencies include climate and price elasticity of household water demand (Franczyk and Chang 2009; Schleich and Hillenbrand 2009), climate variability effects on regional development (Hurd et al. 2004; Brown et al. 2011; Olmstead 2014), and climate change effects on land-use patterns (Syvitski 2003; Vörösmarty et al. 2003). Omitting such co-dependencies may lead to an underestimation of risks and in turn may result in maladaptive planning. To account for these co-dependencies requires conditional probability distributions. However, developing conditional probability distributions to represent beliefs about future

uncertainties is not a straightforward task as the beliefs used to derive those probability distributions come from diverse knowledge domains (e.g., hydrology, economics, public policy) and are in disparate forms (e.g., model-driven time-series data, point-estimate projections, qualitative survey results, or expert judgments).

To address these challenges, we propose "Bayesian Networks Decision Scaling" (BNDS). In the proposed approach, we first conduct a multidimensional stress test of the water resources system or investment plans across the pre-specified set of environmental, demographic, and financial uncertainties through exploratory modeling (e.g., Ray et al. 2018). At this phase, our goal is to have the best estimate of the true range of vulnerabilities that may occur over the planning horizon, without being constrained by scenarios or probability distributions derived from model projections or expert judgments. After identifying a fuller picture of the vulnerabilities, we then seek answers to the question of "what are the relative likelihoods of conditions associated with vulnerable futures?" We attempt to answer this question through a Bayesian belief network (BBN), which is used to estimate a posterior joint probability distribution of the future states explored previously. In this process, a BBN addresses the challenges arising from multidimensional uncertainties by providing a formal way to account for the conditional dependencies among multiple factors and providing a technique to blend the best available information from multiple, divergent information sources. Finally, we combine the results from the vulnerability assessment and the probabilistic inference from the BBN for a belief-informed robustness analysis, which can be used for a direct comparison of planning alternatives.

BNDS provides the tools for estimation of the likelihood of multidimensional futures consisting of non-independent uncertainties, essential for multidimensional risk assessment (and, subsequently, risk management), but previously lacking. It does this while drawing a clear distinction between the processes of vulnerability exploration and probabilistic inference based on subjective beliefs about the future. In doing this, it deemphasizes conflicts in beliefs by focusing the discussion on clearly-defined system vulnerabilities and motivating adaptation actions subject to a post-process sensitivity analysis of beliefs regarding future conditions. This is in contrast to the use of belief information in top-down or predict-then-act approaches, where such information is used directly to obtain a set of prescriptive scenarios, which commonly results in spanning a narrow and potentially biased fraction of possible futures (Lempert 2003; Weaver et al. 2013), and a cascading pyramid of uncertainty from one modeling step to another (Giorgi 2005; Wilby and Dessai 2010).

The remainder of this paper is structured as follows. In Section 2, we introduce the BBN concepts, and its past uses in water resources planning. In section 3, we introduce the procedures of the BNDS framework for water planning under uncertainty. In Section 4, we illustrate the proposed framework over a water supply design study in Mombasa, Kenya. Section 5 contains the results and the discussion of the case study application. Section 6 presents the conclusions from the study.

2. Bayesian Belief Networks

Bayesian Belief Networks (BBNs), are statistical models that are used for knowledge representation and reasoning across many fields from environmental science to medical research (Pearl 1988; Newton 2010; Aguilera et al. 2011). BBNs allow representation of uncertainty through a graphical network of variables, where the degree of belief on each variable is represented by a conditional probability distribution and the strength of the relationships between the connecting nodes is specified by node probability tables (NPTs). A fundamental feature of BBNs is the "conditional independence" or the absence of a connecting arrow between any two nodes. This feature allows NPTs to be generated "locally" by only considering the immediate parent nodes of the node being quantified, so all other entities are statistically independent, conditional upon the network structure. The joint probability density function (PDF) of a BBN with n discrete random variables $\{X_1, \ldots, X_N\}$ is propagated using the chain rule (Jensen and Nielsen 2007):

$$P(X_1, \ldots, X_N) = \prod_{i}^{n} P(X_i \mid pa(X_i)) \tag{1}$$

where $pa(X_i)$ is the probability distributions for the parent nodes of X_i, $P(x_i \mid pa(X_i))$ is the conditional probability distribution of X_i given its parent values. Once the network structure is generated, belief updating can be performed using Bayes rule (Pearl 1988):

$$P(X_i \mid e) \propto P(e \mid X_i) P(X_i) \tag{2}$$

where $P(X_i)$ is the prior probability, $P(e \mid X_i)$ is the likelihood function based on information e, and $P(X_i \mid e)$ is the posterior probability distribution (the probability of X_i after information e). In Equation 2, e may be in the form of hard evidence specifying a definite finding, or soft evidence specifying a new probability distribution for the variable. In the former case, belief updating takes place by instantiation of the variable X_i to its finding, i.e., entering the probability weight $P(X_i = x_i) = 1$; whereas in the latter case, the posterior probability distribution can be directly replaced by the new probability distribution. In the context of long-term water planning, belief updating with soft evidence is more relevant, as information about the future conditions such as demand levels never indicates a certainty, but rather (optimistically) a refined belief about how the future may unfold.

There are several well-established advantages of BBNs for making probabilistic inference over a knowledge domain. First, BNs are flexible regarding data requirements and processing, allowing them to combine knowledge of different source and accuracy in highly complex and multidisciplinary problems (Getoor et al. 2004). Second, BNs can provide a transparent, participatory modeling interface, where information from multiple stakeholders or experts can be incorporated in the form of subjective beliefs or elicitations, and easily revised when needed (Kumar et al. 2008; Newton 2010; Kjaerulff and Anders 2013). Third, BNs can handle situations where underlying data are missing or sparse, through learning algorithms that iteratively provide maximum likelihood estimates for the parameters given

the data and model structure (Uusitalo 2007). Finally, BNs can be easily incorporated into traditional decision analysis frameworks such as cost-benefit analysis (Lee et al. 2009; Åström et al. 2014), or used within dynamic contexts for making probabilistic inference over multiple time stages (Yet et al., 2016).

There is a growing body of literature in the use of BNs to support water resources decision-making (for detailed reviews, see Castelletti and Soncini-Sessa 2007; Aguilera et al. 2011; Sperotto et al. 2017). Kuikka and Varis (1997) show one of the first applications of this kind by using expert knowledge to assess climate change effects on watershed-level planning. Recently, BNs have been used to support decision-making in urban infrastructure planning (Noi and Nitivattananon 2015), irrigation system designs (Batchelor and Cain 1999; Henriksen and Barlebo 2008), environmental flow allocations (Pollino et al. 2007; Stewart-Koster et al. 2010; Chan et al. 2012) and sea level rise adaptation (Catenacci et al. 2013), and flood risk reduction (Noi and Nitivattananon 2015). Some studies discuss the integration of BNs with other decision-analysis tools and modeling techniques in water planning or similar fields. Castelletti and Soncini-Sessa (2007) state that BNs can be used to model an entire water resources system, or a specific component (e.g., hydrology, reservoir operations, water quality). They conclude that BNs can be particularly useful when there is no theory to support quantitative model formulations, in contrast to mechanistic models that quantify well-established theories about internal system processes. In this context, BNs have been integrated with rainfall-runoff (Dyer et al. 2014), groundwater (Martínez-Santos et al. 2010; Molina 2013), and water quality models Mesbah et al. (2009). Aside from the coupling of BNs with mechanistic (process-based) models, several studies demonstrate the use of BNs within decision support systems. Bertone et al. (2015) developed a risk assessment tool for managing the effects of extreme weather events, in which they use a Bayesian network to estimate the likelihood of meeting water quality targets, and a system dynamics model to assess the effectiveness of policy responses. Kocabas and Dragicevic (2013) used a Bayesian network to obtain decision rules related to land-use management choices of individuals, which are then used in an agent-based modeling framework to simulate land-use dynamics.

3. Bayesian Networks Decision Scaling

The proposed framework (Figure 1) begins with a bottom-up project screening process to describe the water resources planning problem, consisting of planning alternatives, exogenous uncertainties, performance metrics, and vulnerability thresholds. Vulnerability analysis is then applied to reveal the conditions associated with poor performance outcomes and identify the most important exogenous factors. In the next phase, a BBN is used to make a probabilistic inference on whether the previously identified vulnerabilities are likely to occur based on best available belief information. Finally, the results from the vulnerability analysis and probabilistic inference are evaluated together through multi-dimensional visualization techniques and summarized through a belief-informed robustness metric. These four major phases are discussed below; while the framework is demonstrated in a case study in Section 4.

Figure 1. Conceptual flow chart of the proposed method

Phase 1: Project screening

      The first phase of the framework defines essential components of the water system analysis such as the key uncertainties for the evaluation, performance measures and vulnerability thresholds with the inputs from project stakeholders, e.g., associated local organizations, project partners, funding agencies (Pahl-Wostl 2002; Ray and Brown 2015). Uncertainties typically include natural (hydroclimate) variability in the water resources

system and a set of exogenous factors $\{X_1, X_2, \ldots X_m\}$ to represent major environmental, demographic and financial factors relevant over the planning horizon of the project (e.g., 50 years). Exogenous uncertainties are long-term changes in hydroclimate variables such as temperature, precipitation, streamflow or evapotranspiration, demographic variables such as population growth rate or income level and other project-specific variables such as economic lifetime, construction delays, capital and maintenance costs, the economic value of the services provided by the infrastructure, or similar. Performance measures quantify performance under the evaluated futures based on the objectives of the study, which may include water system measures of reliability or resilience as well as financial measures such as Internal Rate of Return or Net Present Value (NPV) (Loucks et al. 2005). Finally, vulnerability thresholds define the acceptable limit of each performance metric based on the planning objectives or stakeholder preferences, for example, a water reliability target of 95 percent. Specifying vulnerability thresholds may be challenging, when there is no empirical data about critical tipping points (such as a minimum discharge requirement for protecting downstream ecology) or when there is a lack of consensus among the experts. In such cases, analysts can define vulnerability thresholds based on the spread of historical or model-simulated performance, for example, based on the outcome at the 90[th] or 95[th] percentile value of an output variable (Kasprzyk et al. 2013; Kalra et al. 2015)

Phase 2: Vulnerability analysis

The second phase of the analysis aims to provide a good understanding of the most important factors and the set of specific conditions or states of the worlds (SOWs) that may lead to vulnerable outcomes in terms of the predefined performance measures and vulnerability thresholds. The process begins with generating or sampling a sufficiently wide range of plausible futures to best describe the true range of uncertainty. Here, we assume that each feasible SOW is obtained by the combination of two components: stochastic realizations of natural variability and a random sample of exogenous factors that are generated from the uncertainty ranges of each factor. Natural variability is commonly represented as synthetic climate time-series data obtained from a stochastic weather generator (Steinschneider and Brown 2013). However, in some cases, it can be desirable to sample natural variability in hydrological conditions directly using a synthetic streamflow generator (Herman et al. 2010; Henley 2012; Borgomeo et al. 2015a), particularly when hydrologic models are not available and/or the development of such models is costly. A Random sample of exogenous factors, $x_1, \ldots, x_m$ can be generated by Latin Hypercube Sampling (LHS) (McKay et al. 1979). LHS samples are be obtained by dividing the continuous uncertainty range of each factor into n equal intervals and generating an $n \; x \; m$ matrix, where each factor interval is sampled exactly once. The domain of SOWs $\boldsymbol{\theta} \in \boldsymbol{\Omega}$ is then defined by combining n stochastic climate variability realizations and the $n \; x \; m$ LHS matrix, where each sampled factor interval is expressed by its midpoint value.

Next, system vulnerabilities are explored across the range of SOWs sampled using a chain of relevant system models to simulate hydrology, reservoir operations, water quality, and hydroeconomic models or similar. The modeling step relates the future conditions to long-term performance $y = f(\boldsymbol{\theta}, d)$, where d represents specific design configurations or

operational rules associated with the problem. The computed vector of performances $Y_d = \{y_1, \dots, y_n\}$ is then parsed into a binary variable to distinguish acceptable (satisfactory) and unacceptable (failure) performance outcomes with respect to the specified vulnerability thresholds (see Bryant and Lempert 2010; Whateley et al. 2014). This process, also referred to as a multi-dimensional stress test can be used to assess the planning alternatives and identify the options that yield the largest range of acceptable performances (Ray et al. 2018). Note that at this stage, no subjective inference is made on the likelihood of the vulnerabilities.

A sensitivity analysis can be conducted locally by perturbing the uncertain factors and assessing the impacts on the simulation results, or globally by considering the variations within the entire space of variability of the input factors simultaneously (Saltelli et al. 2000; Paton et al. 2013). The latter can be done by a variance-based method such as Sobol analysis, an Extended Fourier amplitude sensitivity test, or a sampling-based method such as partial rank correlation coefficient (PRCC) (Marino et al. 2008). The choice of a method depends on the types of models used in the analysis and the type of the relationships between the input and output variables (e.g., linear or monotonic), and it is advisable to use more than one method, if possible (Kasprzyk et al. 2013; Gao et al. 2015; Vano et al. 2015; Gao and Bryan 2016). In addition, the relative importance of the uncertain factors on un-acceptable or vulnerable outcomes can be identified using a regional sensitivity analysis, sometimes called Monte Carlo filtering (Pianosi et al. 2016). In this work, we carry out a regional sensitivity analysis to isolate the uncertain factors most responsible for vulnerabilities and ignore the remaining.

Phase 3: Probabilistic inference

The previous phase focused on exhaustive identification of vulnerabilities over a wide range of futures, without regard to the occurrence likelihood of those possible conditions. In practical cases, there is a need to prioritize among vulnerabilities when considering a range of planning options for adaptation. Uncertain but informative projections or predictions can be useful for such a prioritization of vulnerabilities for decision-support. In Phase 3, belief information is processed through a formal probabilistic approach for making an inference on the likelihoods of the vulnerabilities. The process of probabilistic inference involves two steps. First, a BBN model is defined to describe the influence relationships among the exogenous factors considered in the problem in probabilistic terms. Next, this BBN is used to obtain the joint occurrence probability of each SOW explored in Phase 2 by incorporating belief information.

The structure of the Bayesian network represents the direction of the causal or correlational relationships among the exogenous factors considered in the problem representing environmental, social, and financial uncertainties. These relationships can be specified with the project stakeholders based on a shared understanding of the system and its components, or simply based on empirical knowledge (see Chan et al. 2010; Maskrey et al. 2016). Each factor in the network is represented by n discrete states consistent with the sampling scheme used in Phase 2. This consistency ensures that a joint probability weight can be computed for any given future state i $P(\boldsymbol{\theta_i}) = P(x_{1,i},..,x_{m,i})$, $\boldsymbol{\theta_i} \in \boldsymbol{\Omega}$. In the process of model development, one major burden is to generate NPTs that describe the potentially

complex and nonlinear set of relationships among the nodes in probabilistic terms (for example between different states of temperature and water demand). In the common practice, such information can be obtained from stakeholder workshops (Batchelor and Cain 1999) or one-on-one interviews with the experts (Borsuk et al. 2001; Richards et al. 2013). For complex model structures with a large state space, empirical data or expertise can be directly encoded into NPTs by learning algorithms such as NoisyOR (Fenton et al. 2006) or Expectation Maximization (Uusitalo 2007). In this work, we address the problem of NPT generation by a relatively simple procedure. First, we describe each conditional variable through a truncated normal distribution $\psi(\bar{\mu}, \ \bar{\sigma}, a, b; X)$, where $\bar{\mu}$ and $\bar{\sigma}$ are the mean and variance of the distribution, and a and b specify the truncation interval. The parameters $\bar{\mu}$ and $\bar{\sigma}$ are specified through transfer functions based on the values of the parent nodes e.g., $\bar{\mu} = f\big(pa(X_i)\big)$ and $\bar{\sigma} = g\big(pa(X_i)\big)$, and a and b correspond to the prespecified lower and upper limits. These truncated normal distributions are then used to obtain the normalized probability weights of each possible variable state corresponding to n discrete intervals. The parameter values are set based on expert options, historical data or model outcomes.

In the last step of Phase 3, the Bayesian network model is used to propagate the joint probability weight of each SOW $P(\boldsymbol{\theta_i}|e), \boldsymbol{\theta_i} \in \boldsymbol{\Omega}$ by the chain rule (Equation 1). Note that the Bayesian network used in this step does not aim to sample future states or vulnerabilities, which was done in Phase 2 (Figure 1). Here, the Bayesian network is only used for approximating the relative plausibility of the range of predefined SOWs to provide additional information for decision-making. By doing this, the procedures for vulnerability analysis and probabilistic inference is clearly separated to reduce the risk of overlooking vulnerabilities that were believed, a priori, to be unlikely. This use of a Bayesian network is different from the common use, where they are used to sample uncertain factors and describe how the system could respond to the sampled states.

Phase 4: Belief-informed robustness evaluation

The final phase combines the results from the previous two phases by visualizing the vulnerabilities across the multivariate uncertainty space and by assessing the options in terms of robustness. While the common motivation in robustness analyses is identifying alternatives that are relatively independent of future (Matalas and Fiering 1977; Herman et al. 2015), the particular choice of metrics used to quantify robustness depends on the decision maker's attitude about the future. For example, under the case of extreme pessimism, the *maximin* metric allows making decisions by the worst-case scenario; whereas on the other hand, *maximax* metric focuses on the best possible scenario (Giuliani and Castelletti 2016). In water planning, two commonly applied robustness measures are satisficing and regret metrics (McPhail et al. 2018). The former case of satisficing-based robustness is defined as the ability to meet a specified vulnerability threshold and hence provide adequate performance, whereas regret-based metrics, on the other hand, focus on minimizing the opportunity cost of choosing incorrectly (for a detailed discussion see McPhail et al. 2018; Giuliani and Castelletti, 2016).

What is common across both satisficing and regret-based metrics of robustness is an (implicit) assumption that each possible future state is equally important in the robustness calculations, including the states that are extreme or potentially unlikely to occur. In the

context of climate change, Moody and Brown (2013) presented an alternative way to weight the plausible states when calculating robustness. This approach, termed as "climate-informed robustness" allows placing a higher weight to climate changes that are consistent with historical trends and climate change projections than those that are consistent with only one or none of these information sources (Whateley et al. 2014).

In this work, we propose "belief-informed" robustness as a more generalized form of climate-informed robustness index:

$$RI = \sum_i \Lambda(\boldsymbol{\theta_i}, d)\, P(\boldsymbol{\theta_i}|e) \tag{3}$$

where $\Lambda(\boldsymbol{\theta_i}, d)$ is the binary performance function representing system vulnerabilities and $P(\boldsymbol{\theta_i}|e)$ is normalized weight assigned to the future state θ_i. In Equation 3, $P(\boldsymbol{\theta_i}|e)$ is directly obtained from the probabilistic inference using BBN (Phase 2), which blends available sources of probabilistic information on future environmental, social, and financial conditions.

3. Application to the Mwache Dam, Kenya, shows the added value of probabilistic information

3.1. Project screening for the proposed water supply

The planned location of the Mwache Dam is on the Mwache River, about 22 km southwest of Mombasa (Figure 2). Estimated water deficits in the greater Mombasa region are as much as 60% of the total demand of 130 MCM (million cubic meters) per year, with both the total demand and deficit expected to increase with demographic and socioeconomic growth (Tahal 2013). Upon completion, the Mwache Dam is expected to provide an additional supply of about 80 MCM per year to Mombasa, of which 80% is expected to be used for augmenting Mombasa's domestic supply. The remaining 20% supply will be used to support irrigated agriculture in Kwale County and maintain ecosystem health downstream of the reservoir. However, the long-term performance of the water supply system can be reduced substantially due to reservoir sedimentation. According to the preliminary studies, expected sediment to be deposited in the reservoir over 50 years is up to 30 MCM, corresponding to about 20 to 40% of the total reservoir storage (CES 2014).

Figure 2. Overview of the Mwache Project. a) Approximate location of the proposed Dam, b) Storage capacities of four project design alternatives in comparison to annual release targets, proportional to their sizes, c) Projected Municipal Demands for the Mombasa City.

This analysis focused on the evaluation of four engineering design alternatives with gross storage volumes of 80, 100, 120, and 140 MCM and estimated present value costs of US$ 75, 89, 100, and 109 million respectively (Cervigni et al. 2015). Before the analysis, a project inception workshop was performed in August 2015 bringing together engineering project managers, academics, investors, and a diverse group of Kenyan stakeholders from the Water Resources Management Authority, Coastal Water Services Board, Coastal County representatives, and local universities. The major features of the analysis including the planning objectives, performance metrics, and key uncertainties has been defined from the outcomes of this inception workshop as well as the preliminary project design report (CES 2014) and the water supply master plan of the coastal province (Tahal 2013).

The plan is to allocate Mwache water to Mombasa's Mvita, Kauni, and Changwamwe districts, with a demand level of about 38 MCM per year in 2015, which is expected to increase to 65-105 MCM by the year 2035, depending on the level of regional socio-economic development (CES 2014). Allocations to agricultural irrigation and environmental flow are as of now expected to be secondary to domestic allocations, though disagreements persist among stakeholders on allocation priorities. Although the region has faced prolonged droughts in the past, this was not raised as a major concern for the stakeholders. For this work, the four design alternatives were evaluated with respect to water service and financial performance. For the former, a reliability metric was defined based on the percentage of times that the target water demand can be met (Hashimoto et al. 1982). The financial performance of the system was quantified based on the Net Present Value (NPV) of the project. The proposed water supply was evaluated across the natural variability of the local climate plus seven exogenous factors: gradual changes in mean annual temperature (°C) and precipitation (%) due to future climate shifts; the specific sediment yield, describing the amount of sediment deposited in the reservoir normalized by the contributing upstream area (m^3 per km^2 per year); annual municipal water demand (MCM per year); price charged for municipal water use (US$ per m^3); and the annual discount rate (%) respectively (Table 1).

Table 1. The uncertainties considered in the water supply design study

Uncertain factor	Description & uncertainty range
Natural climate variability (NVAR)	Stochastic realizations of the 1950-1999 period
Change in temperature (ΔTEMP)	From 0 to 5°C increase over the historical mean of 27 °C
Change in precipitation (ΔPRECIP)	From -50 to 50% over the historical mean of 845 mm
Municipal water demand (DEM)	From 60 to 100 MCM per year
Specific sediment yield (SSY)	From 150 to 600 m^3 per km^2- year
Price charged for water use (PRICE)	From 0.6 to 2.0 USD per m^3
Economic discount rate (EDR)	From 2 to 10%

3.2. Vulnerability analysis of the water supply system

The analysis begins with generating 1,000 SOWs depicting a wide range of plausible futures. First, an ensemble of 1,000 50-year sequences of monthly climate realizations is generated using a first-order wavelet autoregressive model (Steinschneider and Brown 2013) to sample the stochastic uncertainty in climate. The climate realizations provided new sequences of monthly minimum, mean and maximum temperature and mean precipitation while preserving the historical climate statistics (mean, variance, low-frequency precipitation variability) of the observed reference period from the year 1950 to 1999. Next, exogenous factors were sampled from their uncertainty range using Latin Hypercube Sampling and subsequently reordered by the Huntington and Lyrintzist (1998) algorithm to eliminate any potential correlations among the sampled factors. After sampling, each climate realization is incrementally shifted to reflect possible mean climate changes, resulting in a total of 1,000 transient climate trajectories. For precipitation changes, multiplicative factors are applied starting from 0% change from historical precipitation, and linearly increasing (or decreasing) to the specified value in the final period (e.g., 120% historical precipitation). For temperature changes, additive factors are applied starting from 0°C and linearly increasing to the specified temperature increase value in the final period (e.g., 3°C). Overall, the procedure applied here treats stochastic climate uncertainty (represented by natural variability realizations) as a categorical variable and combines it with the LHS samples representing the deeply uncertain factors. Although not applied in this work, one can also evaluate a smaller set of natural climate realizations across each sampled row of deeply uncertain factors to better isolate the adverse impacts of deeply uncertain factors.

The multidimensional stress test was conducted using a parsimonious water system model consisting of a hydrological simulation component to translate monthly precipitation and temperature to streamflow, and a reservoir component to estimate monthly water service deliveries to Mombasa. The hydrology component is a conceptual, lumped parameter "abcd" model adapted from Thomas (1981). The model was calibrated for ten years (1980 to 1990)

to fit the monthly historical flows at the River Gauge Station 3MA03, which is located on the Mwache River a few kilometers upstream of the dam site. The calibrated hydrology model yielded a Nash-Sutcliffe efficiency value of 0.64 on the annual time-step, which was deemed adequate considering the limited availability of observed streamflow data. The latter component simulates monthly reservoir operations to provide municipal water to the target districts of Mombasa and environmental discharges to meet the discharge requirements of up to 1.7 MCM per month. Since no further information was available about reservoir operations at the time of the analysis, we assumed a standard operating policy in which demand is satisfied if there is sufficient water in the reservoir, otherwise the reservoir empties (Taner 2017). The reservoir component also considers the gradual reductions in storage capacity due to sediment deposition. Annual sediment deposition to the reservoir is computed from the specific sediment yield and the reservoir trapping efficiency, which is estimated by the empirical formula given by Brune (1953).

Next, the outputs of the multidimensional stress test were used to calculate the reliability and NPV metrics for each simulation run. Reliability is calculated as the number of months that the reservoir can meet the specified target demand divided by the total number of months in the simulation period. The latter metric of NPV is defined as the total present value of benefits from monthly water service deliveries minus the present value total cost of the project:

$$NPV_{d,i} = \sum_{t=1}^{50} \frac{D(d,i) * PRICE_i}{(1+EDR_i)^t} - C_d$$

(4)

where the planning period begins in the current year $t = 0$ and extends to $t = 50$. Indices d, and i indicate the engineering design choice and the future state; C_d is the total cost of the project from the summation of the present value capital cost and the operating and maintenance costs over the life time of the project, $D(d, \theta_i)$ is the total water delivery to the Mombasa city at t in MCM per year; $PRICE_i$ is the unit price charged for municipal water use in US\$ per m^3, EDR_i is the economic discount rate expressed in decimal form.

The financial performances of different design alternatives were compared in regret terms. NPV regret is calculated from the difference between the best possible NPV value under a given future state $NPV_{d^*,i}$ and the actual NPV obtained in that state $NPV_{d,i}$:

$$NPV\ regret_{d,i} = NPV_{d^*,i} - NPV_{d,i}$$
(5)

The computed reliability and NPV-regret values across each simulation run were then converted to stakeholder defined vulnerabilities. For reliability, a value of less than 95% is defined as a vulnerability, whereas for NPV-regret, any value greater than US\$ 10 million is considered to be a vulnerable result.

In the final step of the vulnerability analysis, a regional sensitivity analysis was applied on the binary performance outcomes for identifying the most important exogenous

factors on each performance metric. The sensitivity analysis was carried out using the PRCC method to take into account nonlinear and monotonic interactions between the model response and the uncertain input factors. The exogenous factors were then ranked based on their influence on the given performance metrics.

3.3. Probabilistic inference through the BN model

For assessing the likelihood of the future outcomes explored, a Bayesian network was developed (Figure 3). The Bayesian network model of the Mwache water supply system consisted of seven random variables that are: 1) natural climate variability (NVAR); 2) mean climate change (MCC); 3) future population level of the Mwache supply system (POP); 4) future economic development level (DEV); 5) price charged for municipal water use (PRICE); 6) economic discount rate used in NPV estimation (EDR); 7) specific sediment yield (SSY); 8) and per capita demand for municipal water use (PCD). The nodes NVAR, PRICE, EDR, SSY, PCD, and DEM are discretized into 1,000 equal intervals by the same LHS scheme used for sampling (Section 3.3). POP was represented by three discrete levels (low, medium, and high) that correspond to values of 1.6, 2 and 2.4 million and spanning the range of population levels projected by the Coastal Kenya Water Resources Management Authority up to the year 2032 (CES 2014). MCC is a bivariate random node with 10^6 discrete levels from each unique combination of 1,000 mean temperature and precipitation changes.

The NPTs of the root nodes are the main entry points for belief information and represent the normalized probability weights assigned to the possible variable states. Figure 3 displays the contour lines that are used to weight the bivariate variable of mean temperature and precipitation changes. These contour lines were derived from the projected climate changes from the World Climate Research Programme Coupled Model Intercomparison Project Phase 5 (CMIP5) multi-model ensemble. This was done by first calculating mean temperature changes from a total of 65 model runs between the future period of 2020-2070 and the historical period of 1950-2000 (shown by each point on Figure 3-b). Next, these mean changes were fitted to a bivariate normal distribution:

$$P(\sim f(\Delta Temp, \Delta Precip)$$
$$= \frac{1}{(2\pi)^{\frac{k}{2}}|\Sigma|^{\frac{1}{2}}} exp[-\frac{1}{2}(X-\mu)^T \Sigma^{-1}(X-\mu)] \qquad (6)$$

where, μ is the means and Σ is the covariance matrix of the mean annual temperature (°C) and precipitation changes (%) respectively. This bivariate distribution was then used to calculate the normalized probability weights of the discrete climate change levels considered in the analysis. In this work, we chose to weight the climate change uncertainty space using a generally well-known normal distribution, which was also used in several past Decision Scaling applications (Moody and Brown 2013; Whateley et al. 2014). However, we recognize that the choice of a normal distribution can result in an undervaluation of extreme climate changes, and therefore, a fat-tailed distribution could be also preferred instead as shown by Taner et al. (2017). The subjective probabilities for the nodes DEV, POP, and EDR were set based on the outcomes of the stakeholder workshop held in August 2015. Based on

stakeholder preference, the highest probability weights were given to medium levels for DEV and POP. For the EDR and DEM, most likely values are set to be as 2% and 1.3 m^3 per USD, respectively (Figure 3).

The NPTs for the two intermediate nodes SSY and PCD were derived using conditional truncated normal distributions, based on the opinions of the local experts during stakeholder/expert meetings. For example, the conditional probability distribution of specific sediment yield is defined as $P(SSY|DEV) \sim \psi(\bar{\mu}, \bar{\sigma}, a, b; SSY)$, where $\bar{\mu}$ takes the values of 275, 325, and 375 m^3 per km^2 per year to reflect low, medium, and high economic development respectively. This reflects the view that a higher level of economic development will result in a higher level of urbanization, which in turn will increase SSY at the upstream of the project site. Here, we could also link SSY to MCC (i.e., precipitation change) as increasing flood events is expected to increase sediment flux from the catchment area. However, we could not establish any meaningful relationship based on the empirical data and therefore neglected this link. Similarly, the conditional distribution of PCD is specified by shifting its mean based on the values of DEV, MCC, and PRICE respectively. The mean of the distribution $P(PCD|DEV, CLIMATE, PRICE)$ was set to increase with increasing economic development and increasing mean annual temperatures; and decrease with the increasing price to reflecting the price elasticity domestic water consumption. The two random variables PCD and DEV, which are included in the Bayesian network but not in the LHS scheme are used to calculate the normalized probability weights for the deterministic node, DEM. Overall, the probabilistic inference was made by calculating the posterior joint probability weight of each of the 1,000 SOWs and then normalizing to sum to unity.

Figure 3. Bayesian network model. Circles in solid and dashed lines show random and deterministic nodes respectively. The probability weights used for the MCC, EDR, PRICE, DEV, and POP are shown above each node, with the x-axis displaying the probability weight of each variable level. The contour lines shown for the MCC node represent levels of equal probability weights obtained by fitting CMIP5 data-points (shown by black dots) to a bivariate normal distribution.

3.4. Robustness evaluation of the design alternatives

Finally, the posterior probability weights obtained from the BN model were used to rank the alternatives based on their robustness. For comparing the value of the demonstrated framework, robustness is expressed in two ways by considering all possible outcomes as

equally likely, and by weighting the outcomes based on the normalized probability weights from Section 3.4.

4. Results and discussion

In this section, we present the results for the water infrastructure design of the Mwache Dam in four sections. In Section 4.1, we show the computed range of vulnerabilities from the four design choices concerning the reliability and NPV metrics. In Section 4.2, we display the key factors affecting vulnerabilities from the regional sensitivity analysis. In Section 4.3, we illustrate vulnerabilities for the water supply system in the cases of uniform and belief-informed weighting using multidimensional visualizations. Finally, in Section 4.4, we compare the robustness of the four design alternatives with respect to the probabilistic weighting scheme and the performance metrics.

4.1. Vulnerabilities associated with the design options

Figure 4 depicts the range of unacceptable performance outcomes for the four designs options with respect to the reliability and NPV-regret metrics. As noted in section 3.2, unacceptable performance is defined as less than 95% for reliability and more than US$ 10 million with respect the NPV-regret regret (in Figure 4, shown by the dashed lines in each panel). The relationship between reliability and design capacity size is monotonic, as larger alternatives always outperform the smaller options due to increased storage. For example, almost half of the simulation runs under the 80 MCM choice results in a failure, whereas the failures for the 120 MCM choice are only 31%. In contrast, it is seen that the smaller design choices (80 and 100 MCM) yield a non-acceptable NPV-regret over a small fraction of futures (21% and 41% respectively), whereas larger choices (120 and 140 MCM) result in a substantially higher percentage of non-acceptable outcomes (63% and 74% respectively). However, an interesting finding is that the magnitude of NPV-regret can be higher in the smaller design sizes (> US$ 100 million), whereas for the larger sizes they are more clustered within the US$ 5-25 million range.

Figure 4. Vulnerabilities from the four design alternatives quantified according to the NPV-regret and reliability metrics. In each panel, the dashed lines indicate the thresholds that define acceptable and failure performance outcomes. The simulation runs with acceptable and failure performances are shown by the black and red circles. The star shows the ideal solution.

4.2. Performance sensitivity to exogenous uncertainty factors

Figure 5 shows the relative importance of the six exogenous factors on the vulnerability of the four design options based on the results of the regional sensitivity analysis (see Section 3.2). The relative importance of the factors depends on the metric used. Both reliability (Figure 5-a) and NPV-regret (Figure 5 -b) metrics are sensitive to only a fraction of the input factors. For reliability, the most important factors are precipitation change (0.75) and demand level (0.5) across all four designs. In the case of NPV-regret, the result varies based on the preferred design size. An interesting finding is that a relatively smaller design size of 100 MCM is found to be highly sensitive to precipitation change

(0.46), to a lesser extent to demand level (0.40), and insensitive to all the other factors. On the other hand, the two extreme choices (80 MCM and 120 MCM) were found to be equally sensitive to Price (0.39) and discount rate (0.4). Specific sediment yield and temperature change were found insignificant for all design choices.


**Figure 5.** Regional sensitivity analysis results for the project vulnerabilities for a) water service reliability, and b) NPV-regret. Larger values indicate greater sensitivity.

4.3. Multivariate visualization of vulnerabilities under different probabilistic assumptions

In this section, the range of future conditions that may lead to the unacceptable reliability outcomes is highlighted using alluvial (or Sankey) diagrams (Schmidt 2008). The results are visualized with respect to two probabilistic assumptions: a uniform weighting with the assumption that there is not sufficient information to distinguish the plausibility of one future state from another, and a belief-informed weighting, where each future condition is weighted based on the corresponding normalized joint probability value obtained from the Bayesian network (Section 3.3).

Figure 6 illustrates an alluvial diagram displaying the relationship between reliability and three key uncertainties explored (i.e., $\Delta Precip$, DEM, and SSY) for the reservoir design capacity of 140 MCM. The data used in Figure 6 is prepared by first dividing the uncertainty range of each factor into a few "meaningful" categories (e.g., low, medium and high), and then binning the stress test outcomes (1,000 data points) to those categories. Each alluvium (shown by as a stream on Figure 6) is then created based on the association of data in terms

of the reliability metric (the left-most vertical axis), and the three key factors (shown on the remaining axes). On Figure 6, the width of an alluvium indicates the cumulative fraction of underlying data-points within each category of a factor, as an indicator of its relative importance. When the data-points are uniformly weighted (Figure 6-a), there are six possible data patterns leading to an unacceptable reliability value, covering a total fraction of 0.31 of the total range. A large fraction of these unacceptable conditions is associated with a low precipitation level (from 10 to 50% decrease) and high demand level (from 80 to 100 MCM per year), with a cumulative weight of 0.19 out of 0.31. However, for the case of belief-informed weighting (Figure 6-b), the cumulative probability of these six patterns leading to unacceptable reliability is only 0.06. Note that on Figure 6-b, the low precipitation bin (50-90%) that is associated with most the failure outcomes has a very small value of marginal probability, reflecting the effects of GCM-driven belief information about the future climate. This finding shows that the belief information used to weight the outcomes provides an additional insight for decision-making, specifically to specify the level of concern associated with future vulnerabilities from not meeting the reliability target.

a) Uniform-weighting

b) Belief-informed weighting

Figure 6. Alluvial diagrams depicting weighted vulnerabilities for the reliability metric ad the design capacity of 140 MCM. Results are shown with respect to a) Uniform weighting, b) Belief-informed weighting. The alluvia marked in blue colors represent the cumulative fraction of outcomes that fail to meet the desired reliability threshold of 95% under given conditions. Alluvia thickness increase with the fraction of observations in each category, with the weights assigned to each data-points. The values indicated on the left of the plots depicts the weighted coverage of each alluvium as a percentage.

4.4. Robustness of alternatives under different probabilistic assumptions

The final recommendation for the water supply system is made based on a comparison of calculated robustness values of the four engineering design choices with respect to the performance measures and the preferred way weighting of the explored future outcomes.

Figure 7 shows the robustness of the design choices with respect to reliability and NPV-regret metrics under the uniform and belief-informed weightings. Robustness with respect to reliability increases with increasing storage capacity, with the most robust option being 140 MCM with robustness values 0.7 under the uniform-weighting and 0.92 under belief-informed weighting respectively (Figure 7-a). However, robustness with respect to NPV-regret displays a reversed ranking, in which smaller design alternatives are more preferable. With respect to robustness, the smallest design size (80 MCM) shows a robustness score of 0.8 under uniform weighting and 0.55 under belief-informed weighting (Figure 7-b). For both metrics, it is seen that the weighting scheme did not affect the preference ranking, however, changed the scaling. The robustness range for the NPV-regret metric is substantially wider (0.2 – 0.8) under uniform weighting in comparison to the same metric range under belief-informed weighting (0.4 to 0.6). As the two robustness criteria point out the two extreme design choices, which is 140 MCM with respect to reliability, and 80 MCM with respect to NPV-regret, the final judgment largely depends on the relative importance of each metric for the decision-maker.


Figure 7. Robustness of alternatives with respect to the underlying probabilistic assumptions of uniform and belief-informed weightings: a) Reliability metric, b) NPV-regret metric. The star symbol indicates the location of the ideal solution.

A further interesting information for the decision-makers is to show how much robustness one would sacrifice in terms of reliability to achieve a higher degree of NPV robustness. Figure 8 displays this information under uniform weighting and belief-informed weighting, respectively. When the vulnerability space is uniformly weighted, it is seen that the trade-offs between the two measures are relatively proportional across the four design choices. However, under the latter case of belief-informed weighting, it is seen that with only a marginal loss in economic robustness, reliability robustness can be increased substantially. One can argue the larger design alternatives such as 120 or 140 MCM are particularly more

favorable under the belief-informed weighting scheme due to the "flatness" of the trade-offs between reliability and NPV.


Figure 8. Robustness trade-offs of the alternatives with respect to NPV-regret and reliability metrics: a) Under uniform weighting, b) Under belief-informed weighting. The star symbol indicates the location of the ideal solution.

4.4. Final remarks on the integration of probabilistic information

The previous section demonstrates two strategies for probabilistic evaluation of system vulnerabilities under the four distinct reservoir design configurations. The former of these two is the more common uniform-weighting scheme, which applies the principle of insufficient reasoning, with the assumption that there is no basis to assign a higher probability weight to one possible outcome than another. The latter is belief-informed weighting, which represents our best effort to distinguish what we believe is more likely to occur over the future. The results under the "belief-informed" case incorporate into the risk-informing likelihood functions the richness of the most current scientific information (and the perspectives of credible experts) regarding the future in a way that the uniform-weighting scheme does not. Though we cannot know if one type of probability weighting scheme is more true of an unknowable future than the other, we can use BNDS to explore the impacts on the decision of many plausible pdfs of many relevant classes of future conditions and trade them off against each other in a posterior sensitivity analysis. BNDS offers flexibility to respond to one of the most fundamental precepts of deep uncertainty, that informed stakeholders may disagree on the proper pdf for future conditions, by quantitatively evaluating whether it is worthwhile to spend time on the disagreement (and refine the probabilities), or to move on to matters of greater consequence.

5. Conclusions

This paper develops a novel approach that bridges a scenario-neutral vulnerability analysis with a multidimensional likelihood assessment to support robust water resources planning across long time-scales. The coupled approach first uses exploratory modeling to evaluate a water resources system considering a wide range of climatic, demographic, and financial uncertainties and identifies possible futures conditions that lead to vulnerable outcomes with respect to the performance metrics and thresholds specified. A BBN then assimilates best available beliefs about the future conditions from multiple sources including historical data, model projections, stakeholder elicitations or similar. In this process, the BBN sets the conditional dependency relationships among distinct classes of uncertain factors and provides a multivariate joint probability distribution of possible futures conditional on the imprecise information assimilated. The results of the BBN are then used to assess the relative likelihoods of vulnerable outcomes and finally calculate a belief-informed robustness score.

The presented approach builds upon the existing decision scaling approach and makes several improvements. First, the adopted probabilistic network approach allows stakeholder beliefs and local information to be quantified and incorporated into the risk assessment process and strengthens the "bottom-up" nature of the analysis. Stakeholder participation is not only limited to the first phase of project characterization, e.g., the definition of performance thresholds, but also at the final phase of risk analysis and scenario definition. Second, the framework allows the blending of multiple sources of information in a coherent probabilistic framework way, which helps analysts to rapidly test the implications of divergent probabilistic assumptions about the future.

The separation of "vulnerability analysis" and "likelihood assessment" phases is of fundamental importance to the work. By beginning with the sensitivity analysis as the means of vulnerability assessment, a complete exploration of vulnerabilities is possible, and the risk is avoided that key vulnerabilities with very low probabilities will be missed. BNDS provides a full representation of the system response to uncertain factors, which in many cases is useful in its own right. In addition, stakeholders are generally uneasy with an analysis that requires initial estimations of probabilities, as they rightly recognize 1) they're ill-placed to make or judge such estimations and 2) the results are highly dependent on the choices. For these reasons, a diverse set of stakeholders will often disagree strongly about such required estimations.

There are several directions for future work. One potential use of the BNDS framework is to explore the robustness of decisions under a wide range of subjective probability distributions derived from distinctive world-views of the experts or model outcomes. In doing this, the analyst can identify dominating solutions, i.e., solutions that are less sensitive to probabilistic assumptions. In most cases, we think using multiple belief distributions may be more useful in addressing the deep climate and socio-economic uncertainties faced in water resources systems, where experts can almost never agree upon the subjective probabilities of possible outcomes. A second direction for the future research is to combine the BNDS framework with scenario discovery to obtain few, lower-dimensional scenarios that better reflect stakeholder beliefs (see Bryant and Lempert 2010). This requires

further developing of existing classification methods such as the Patient Rule Induction Method (PRIM) or the Classification and Regression Trees (Lempert et al. 2008) to account for the probabilistic information about the uncertain factors considered. We are currently working on a modified PRIM methodology that would be able to provide this additional information. Finally, although the presented work advances the existing decision-scaling methodology, the demonstrated procedure of combining vulnerability analysis with probability distributions can be easily applied to the other methods of decision making under deep uncertainty such as Robust Decision Making or Dynamic Adaptive Policy Pathways.

6. Acknowledgments

7. References

Aguilera PA, Fernández A, Fernández R, et al. (2011) Bayesian networks in environmental modelling. Environ Model Softw 26:1376–1388. doi: 10.1016/j.envsoft.2011.06.004

Alcamo J, Flörke M, Märker M (2007) Future long-term changes in global water resources driven by socio-economic and climatic changes. Hydrol Sci J 6667:37–41. doi: 10.1623/hysj.52.2.247

Arnell NW, Gosling SN (2013) The impacts of climate change on river flow regimes at the global scale. J Hydrol 486:351–364. doi: 10.1016/j.jhydrol.2013.02.010

Arnell NW, Lloyd-Hughes B (2014) The global-scale impacts of climate change on water resources and flooding under new climate and socio-economic scenarios. Clim Change 122:127–140. doi: 10.1007/s10584-013-0948-4

Åström H, Friis Hansen P, Garré L, Arnbjerg-Nielsen K (2014) An influence diagram for urban flood risk assessment through pluvial flood hazards under non-stationary conditions. J Water Clim Chang 5:276–286. doi: 10.2166/wcc.2014.103

Batchelor C, Cain J (1999) Application of belief networks to water management studies. Agric Water Manag 40:51–57. doi: 10.1016/S0378-3774(98)00103-6

Ben-Haim Y (2006) Info-gap decision theory: Decisions under severe uncertainty. Academic Press, San Diego

Bertone E, Sahin O, Richards R, Roiko A (2015) Bayesian Network and System Thinking modelling to manage water quality related health risks from extreme events. In: The 21st International Congress on Modelling and Simulation (MODSIM), Gold Coast, Australia. 29th November – 4th December 2015

Borgomeo E, Farmer CL, Hall JW (2015a) Numerical rivers: A synthetic streamflow generator for water resources vulnerability assessments. Water Resour Res 51:5382–5405. doi: 10.1002/2014WR016827

Borgomeo E, Hall JW, Fung F, et al (2014) Risk-based water resources planning: Incorporating probabilistic nonstationary climate uncertainties. Water Resour Res 4840–4847. doi: 10.1002/2015WR017273

Borgomeo E, Mortazavi-Naeini M, Hall JW, Guillod BP (2018) Risk, Robustness and Water Resources Planning Under Uncertainty. Earth's Futur 6:468–487. doi: 10.1002/2017EF000730

Borgomeo E, Naenini-Mortazavi M, Hall JW, O'Sullivan MJ (2015b) Trading-off tolerable risk with climate change adaptation costs in water supply systems. Water Resour Res 51:1333–1352. doi: 10.1002/2014WR015716

Borsuk M, Clemen R, Maguire L, Reckhow K (2001) Stakeholder Values and Scientific Modeling in the Neuse River Watershed. Gr Decis Negot 10:355–373. doi: 10.1023/A:1011231801266

Brown C (2010) The End of Reliability. J Water Resour Plan Manag 136:143–145. doi: 10.1061/(ASCE)WR.1943-5452.65

Brown C, Ghile Y, Laverty M, Li K (2012) Decision scaling: Linking bottom-up vulnerability analysis with climate projections in the water sector. Water Resour Res 48:1–12. doi: 10.1029/2011WR011212

Brown C, Meeks R, Hunu K, Yu W (2011) Hydroclimate risk to economic growth in sub-Saharan Africa. Clim Change 106:621–647. doi: 10.1007/s10584-010-9956-9

Brown C, Wilby RL (2012) An Alternate Approach to Assessing Climate Risks. Eos, Trans Am Geophys Union 93:401–402. doi: 10.1029/2012EO410001

Brune G. (1953) Trap efficiency of resevoirs. EOS, Trans Am Geophys Union 34:407–418

Bryant BP, Lempert RJ (2010) Thinking inside the box: A participatory, computer-assisted approach to scenario discovery. Technol Forecast Soc Change 77:34–49. doi: 10.1016/j.techfore.2009.08.002

Castelletti A, Soncini-Sessa R (2007) Bayesian Networks and participatory modelling in water resource management. Environ Model Softw 22:1075–1088. doi: 10.1016/j.envsoft.2006.06.003

Catenacci M, Giupponi C, Borsuk ME, et al (2013) Integrated assessment of sea-level rise adaptation strategies using a Bayesian decision network approach. Environ Model Softw 44:87–100. doi: 10.1016/j.envsoft.2012.10.010

Cervigni R, Strzepek KM, Liden MJR, et al (2015) Enhancing the climate resilience of Africa's infrastructure : the power and water sectors. Africa Dev Forum 219. doi: doi: 10.1596/978-1-4648-0466-3

CES (2014) The Mwache Multi-Purpose Dam Project: Detailed Design Report

Chan T, Ross H, Hoverman S, Powell B (2010) Participatory development of a Bayesian network model for catchment-based water resource management. Water Resour Res 46:1–12. doi: 10.1029/2009WR008848

Chan TUT., Hart B. BT, Kennard MJ, et al (2012) Bayesian network models for environmental flow decision making in the Daly River, northern territory, Austriala. River Res Appl 28:283–301. doi: 10.1002/rra.1456

Collins F, Division ES, Ridge O, et al (2002) The influence of land-use change and landscape

dynamics on the climate system: relevance to climate-change policy beyond the radiative effecct of greenhouse gases. Philos Trans R Soc A Math Phys Eng Sci 360:1705–1719. doi: 10.1098/rsta.2002.1027

Dessai S, Hulme M (2009) Climate prediction: a limit to adaptation? Adapt to Clim … 64–78. doi: http://dx.doi.org/10.1017/CBO9780511596667.006

Dessai S, Hulme M (2004) Does climate adaptation policy need probabilities? Clim Policy 4:107–128. doi: 10.1080/14693062.2004.9685515

Dittrich R, Wreford A, Moran D (2016) A survey of decision-making approaches for climate change adaptation: Are robust methods the way forward? Ecol Econ 122:79–89. doi: 10.1016/j.ecolecon.2015.12.006

Döll P, Jiménez-Cisneros B, Oki T, et al (2014) Integrating risks of climate change into water management. Hydrol Sci J 60:4–13. doi: 10.1080/02626667.2014.967250

Dyer F, ElSawah S, Croke B, et al (2014) The effects of climate change on ecologically-relevant flow regime and water quality attributes. Stoch Environ Res Risk Assess 28:67–82. doi: 10.1007/s00477-013-0744-8

Fenton NE, Neil M, Caballero JG (2006) Using Ranked Nodes to Model Qualitative Judgments in Bayesian Networks. IEEE Trans. Knowl. Data Eng.

Franczyk J, Chang H (2009) Spatial analysis of water use in Oregon, USA, 1985-2005. Water Resour Manag 23:755–774. doi: 10.1007/s11269-008-9298-9

Getoor L, Rhee JT, Koller D, Small P (2004) Understanding tuberculosis epidemiology using structured statistical models. Artif Intell Med 30:233–256. doi: 10.1016/j.artmed.2003.11.003

Giorgi F (2005) Climate change prediction. Clim Change 73:239–265. doi: 10.1007/s10584-005-6857-4

Giuliani M, Castelletti A (2016) Is robustness really robust? How different definitions of robustness impact decision-making under climate change. Clim Change 135:409–424. doi: 10.1007/s10584-015-1586-9

Gong M, Lempert R, Parker A, et al (2017) Testing the scenario hypothesis: An experimental comparison of scenarios and forecasts for decision support in a complex decision environment. Environ Model Softw 91:135–155. doi: 10.1016/j.envsoft.2017.02.002

Groves DG, Lempert RJ (2007) A new analytic method for finding policy-relevant scenarios. Glob Environ Chang 17:73–85. doi: 10.1016/j.gloenvcha.2006.11.006

Haasnoot M, Kwakkel JH, Walker WE, ter Maat J (2013) Dynamic adaptive policy pathways: A method for crafting robust decisions for a deeply uncertain world. Glob Environ Chang 23:485–498. doi: 10.1016/j.gloenvcha.2012.12.006

Haasnoot M, Middelkoop H, Offermans A, et al (2012) Exploring pathways for sustainable water management in river deltas in a changing environment. Clim Change 115:795–819. doi: 10.1007/s10584-012-0444-2

Hall JW, Lempert RJ, Keller K, et al (2012) Robust Climate Policies Under Uncertainty: A Comparison of Robust Decision Making and Info-Gap Methods. Risk Anal 32:1657–1672. doi: 10.1111/j.1539-6924.2012.01802.x

Hashimoto T, Stedinger JR, Loucks DP (1982) Reliability, resiliency, and vulnerability criteria for water resource system performance evaluation. Water Resour Res 18:14–20. doi: 10.1029/WR018i001p00014

Heal G, Millner A (2014) Uncertainty and decision making in climate change economics. Rev Environ Econ Policy 8:120–137. doi: 10.1093/reep/ret023

Henley BJ (2012) Climate-Informed Stochastic Hydrological Modelling

Henriksen HJ, Barlebo HC (2008) Reflections on the use of Bayesian belief networks for adaptive management. J Environ Manage 88:1025–1036. doi: 10.1016/j.jenvman.2007.05.009

Herman JD, Reed PM, Zeff HB, et al (2010) Synthetic drought scenario generation to support bottom-up water supply vulnerability assessments. J Water Resour Plan Manag 1–13. doi: 10.1061/(ASCE)WR.1943-5452.0000701.

Herman JD, Reed PM, Zeff HB, et al (2015) How Should Robustness Be Defined for Water Systems Planning under Change? J Water Resour Plan Manag 141:4015012. doi: 10.1061/(ASCE)WR.1943-5452.0000509

Huntington DE, Lyrintzist CS (1998) Improvements to and limitations of Latin hypercube sampling. Prob Engng Mech 13:245–253. doi: 10.1016/S0266-8920(97)00013-1

Hurd BH, Callaway M, Smith J, Kirshen P (2004) Climatic change and U.S. water resources: From modeled watershed impacts to national estimates. J Am Water Resour Assoc 40:129–148. doi: 10.1111/j.1752-1688.2004.tb01015.x

IPCC (2013) The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change. In: Stocker TF, Qin D, Plattner GK, et al. (eds) Climate Change 2013. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA, p 29

Jensen FVF V., Nielsen TDTD (2007) Bayesian Networks and Decision Graphs, 2nd ed. Springer, New York, NY

Jeuland M (2010) Social discounting of large dams with climate change uncertainty. Water Altern 3:185–206

Kalra NR, Groves DG, Bonzanigo L, et al (2015) Robust decision-making in the water sector : a strategy for implementing Lima's long-term water resources master plan. World Bank 1–51

Kasprzyk JJR, Nataraj S, Reed PM, Lempert RJ (2013) Many objective robust decision making for complex environmental systems undergoing change. Environ Model Softw 42:55–71. doi: 10.1016/j.envsoft.2012.12.007

Kjaerulff UB, Anders LM (2013) Bayesian networks and influence diagrams. Springer Science+ Business Media, 200, New York, NY

Kocabas V, Dragicevic S (2013) Bayesian networks and agent-based modeling approach for urban land-use and population density change: A BNAS model. J Geogr Syst 15:403–426. doi: 10.1007/s10109-012-0171-2

Kuikka S, Varis O (1997) Uncertainties of climatic change impacts in Finnish watersheds: A Bayesian network analysis of expert knowledge. Boreal Environ Res 2:109–128

Kumar V, Holzkaemper A, Surridge B, et al (2008) Bayesian challenges in integrated catchment modelling. iEMSs 2008 Int Congr Environ Model Softw Integr Sci Inf Technol Environ Assess Decis Mak 1–11

Kwakkel J, Walker W, Haasnoot M (2016) Coping with the Wickedness of Public Policy Problems: Approaches for Decision Making under Deep Uncertainty. J Water Resour Plan Manag 142:1816001. doi: 10.1061/(ASCE)WR.1943-5452.0000626

Kwakkel JH, Haasnoot M, Walker WE (2015) Developing dynamic adaptive policy pathways: a computer-assisted approach for developing adaptive strategies for a deeply uncertain world. Clim Change 132:373–386. doi: 10.1007/s10584-014-1210-4

Lee E, Park Y, Shin JG (2009) Large engineering project risk management using a Bayesian belief network. Expert Syst Appl 36:5880–5887. doi: 10.1016/j.eswa.2008.07.057

Lempert R, Nakicenovic N, Sarewitz D, Schlesinger M (2004) Characterizing climate change uncertainty for decision makers. Clim Change 65:1–9. doi: 10.1023/B:CLIM.0000037561.75281.b3

Lempert RJ (2003) Shaping the Next One Hundred Years: New Methods for Quantitative, Long-Term Policy Analysis

Lempert RJ (2000) Robust strategies abating climate change. Clim Change 45:387–401

Lempert RJ, Bryant BP, Bankes SC (2008) Comparing Algorithms for Scenario Discovery. Work Pap 1–35

Loucks DP, Van Beek E, Stedinger JR, et al (2005) Water resources systems planning and management: an introduction to methods, models and applications. UNESCO, Paris

Machina MJ, Siniscalchi M (2014) Ambiguity and ambiguity aversion. Handb Econ Risk Uncertain 1:729–807. doi: 10.1016/B978-0-444-53685-3.00013-1

Maier HR, Guillaume JHA, van Delden H, et al (2016) An uncertain future, deep uncertainty, scenarios, robustness and adaptation: How do they fit together? Environ Model Softw 81:154–164. doi: 10.1016/j.envsoft.2016.03.014

Manning LJ, Hall JW, Fowler HJ, et al (2009) Using probabilistic climate change information from a multimodel ensemble for water resources assessment. Water Resour Res 45:1–13. doi: 10.1029/2007WR006674

Marino S, Hogue IB, Ray CJ, Kirschner DE (2008) A methodology for performing global uncertainty and sensitivity analysis in systems biology. J Theor Biol 254:178–196. doi: 10.1016/j.jtbi.2008.04.011

Martínez-Santos P, Henriksen HJ, Zorrilla P, Martínez-Alfaro PE (2010) Comparative reflections on the use of modelling tools in conflictive water management settings: The Mancha Occidental aquifer, Spain. Environ Model Softw 25:1439–1449. doi: 10.1016/j.envsoft.2008.11.011

Maskrey SA, Mount NJ, Thorne CR, Dryden I (2016) Participatory modelling for stakeholder involvement in the development of flood risk management intervention options. Environ Model Softw 82:275–294. doi: 10.1016/j.envsoft.2016.04.027

Matalas NC, Fiering MB (1977) Water-resouce systems planning. In: Climate, climatic change, and water supply, studies in geo-physics. National Academy of Sciences, pp 99–110

McKay MD, Beckman RJ, Conover WJ (1979) Comparison of Three Methods for Selecting Values of Input Variables in the Analysis of Output from a Computer Code. Technometrics 21:239–245. doi: 10.1080/00401706.1979.10489755

McPhail C, Maier HR, Kwakkel JH, et al (2018) Robustness Metrics: How Are They Calculated, When Should They Be Used and Why Do They Give Different Results? Earth's Futur 6:169–191. doi: 10.1002/2017EF000649

Mesbah SM, Kerachian R, Nikoo MR (2009) Developing real time operating rules for trading discharge permits in rivers: Application of Bayesian Networks. Environ Model Softw 24:238–246. doi: 10.1016/j.envsoft.2008.06.007

Milly PCD, Betancourt J, Falkenmark M, et al (2008) Climate change. Stationarity is dead: whither water management? Science 319:573–574. doi: 10.1126/science.1151915

Molina (2013) Stochastic hydro-economic model for groundwater management using Bayesian networks: El Salobral-Los Llanos aquifer system. J Chem Inf Model 53:1689–1699. doi: 10.1017/CBO9781107415324.004

Moody P, Brown C (2012) Modeling stakeholder-defined climate risk on the Upper Great Lakes. Water Resour Res 48:1–15. doi: 10.1029/2012WR012497

Moody P, Brown C (2013) Robustness indicators for evaluation under climate change: Application to the upper Great Lakes. Water Resour Res 49:3576–3588. doi: 10.1002/wrcr.20228

Newton AC (2010) Use of a Bayesian network for Red Listing under uncertainty. Environ Model Softw 25:15–23. doi: 10.1016/j.envsoft.2009.07.016

Noi LVT, Nitivattananon V (2015) Assessment of vulnerabilities to climate change for urban water and wastewater infrastructure management: Case study in Dong Nai river basin, Vietnam. Environ Dev 16:119–137. doi: 10.1016/j.envdev.2015.06.014

Olmstead SM (2014) Climate change adaptation and water resource management: A review of the literature. Energy Econ 46:500–509. doi: 10.1016/j.eneco.2013.09.005

Pahl-Wostl C (2007) The implications of complexity for integrated resources management. Environ Model Softw 22:561–569. doi: 10.1016/j.envsoft.2005.12.024

Pahl-Wostl C (2002) Participative and Stakeholder-Based Policy Design, Evaluation and Modeling Processes. Integr Assess J 3:3–14

Parson E, Burkett V, Fisher-Vanden K, et al (2007) Global Change Scenarios: Their Development and Use. Program 116

Paton FL, Maier HR, Dandy GC (2013) Relative magnitudes of sources of uncertainty in assessing climate change impacts on water supply security for the southern Adelaide water supply system. Water Resour Res 49:1643–1667. doi: 10.1002/wrcr.20153

Pearl J (1988) Probabilistic Reasoning in Intelligent Systems: Networks of Plausible Inference. Morgan Kaufmann, San Mateo, CA. Pearl,

Pianosi F, Beven K, Freer J, et al (2016) Sensitivity analysis of environmental models: A systematic review with practical workflow. Environ Model Softw 79:214–232. doi: 10.1016/j.envsoft.2016.02.008

Pollino CA, White AK, Hart BT (2007) Examination of conflicts and improved strategies for the management of an endangered Eucalypt species using Bayesian networks. Ecol Modell 201:37–59. doi: 10.1016/j.ecolmodel.2006.07.032

Ray PA, Bonzanigo L, Wi S, et al (2018) Multidimensional stress test for hydropower investments facing climate, geophysical and financial uncertainty. Glob Environ Chang 48:168–181. doi: 10.1016/j.gloenvcha.2017.11.013

Ray PA, Brown CM (2015) Confronting Climate Uncertainty in Water Resources Planning and Project Design. The Decision Tree Framework.

Richards R, Sanó M, Roiko A, et al (2013) Bayesian belief modeling of climate change impacts for informing regional adaptation options. Environ Model Softw 44:113–121. doi: 10.1016/j.envsoft.2012.07.008

Saltelli A, C K, Marian E. (2000) Sensitivity analysis. Vol. 1. New York: Wiley, 2000., 1. Edition. Wiley, New York

Schleich J, Hillenbrand T (2009) Determinants of residential water demand in Germany. Ecol Econ 68:1756–1769. doi: 10.1016/j.ecolecon.2008.11.012

Schmidt M (2008) The sankey diagram in energy and material flow management. J Ind Ecol 12:82–94. doi: 10.1111/j.1530-9290.2008.00004.x

Shortridge J, Aven T, Guikema S (2017) Risk assessment under deep uncertainty: A methodological comparison. Reliab Eng Syst Saf 159:12–23. doi: 10.1016/j.ress.2016.10.017

Shortridge JE, Zaitchik BF (2018) Characterizing climate change risks by linking robust decision frameworks and uncertain probabilistic projections. Clim Change. doi: 10.1007/s10584-018-2324-x

Singh R, Reed PM, Keller K (2015) Many-objective robust decision making for managing an ecosystem with a deeply uncertain threshold response. Ecol Soc 20:. doi: 10.5751/ES-07687-200312

Sniedovich M (2010) A bird's view of info-gap decision theory. J Risk Financ 11:268–283. doi: 10.1108/15265941011043648

Spence CM, Brown CM (2016) Nonstationary decisionmodel for flood risk decision scaling. Water Resour Res 52:8650–8667. doi: 10.1029/2008WR006912.M

Sperotto A, Molina JL, Torresan S, et al (2017) Reviewing Bayesian Networks potentials for climate change impacts assessment and management: A multi-risk perspective. J Environ Manage 202:320–331. doi: 10.1016/j.jenvman.2017.07.044

Stakhiv EZ (2011) Pragmatic approaches for water management under climate change uncertainty. J Am Water Resour Assoc 47:1183–1196. doi: 10.1111/j.1752-1688.2011.00589.x

Steinschneider S, Brown C (2013) A semiparametric multivariate, multisite weather generator with low-frequency variability for use in climate risk assessments. Water Resour Res 49:7205–7220. doi: 10.1002/wrcr.20528

Steinschneider S, McCrary R, Mearns LO, Brown C (2015) The effects of climate model similarity on probabilistic climate projections and the implications for local, risk-based adaptation planning. Geophys Res Lett 42:5014–5022. doi: 10.1002/2015GL064529

Stewart-Koster B, Bunn SE, MacKay SJ, et al (2010) The use of Bayesian networks to guide investments in flow and catchment restoration for impaired river ecosystems. Freshw Biol 55:243–260. doi: 10.1111/j.1365-2427.2009.02219.x

Syvitski JPM (2003) Supply and flux of sediment along hydrological pathways: Research for the 21st century. Glob Planet Change 39:1–11. doi: 10.1016/S0921-8181(03)00008-0

Tahal (2013) Consultancy Services for Water Supply Master Plan for Mombasa and Other Towns Within Coast Province: Draft Water Supply Master Plan Main Report

Taner M (2017) Decision Analytical Methods for Robust Water Infrastructure Design under Deep Uncertainty. University of Massachusetts Amherst

Taner MÜMÜMUMÜ, Ray P, Brown C (2017) Robustness-based evaluation of hydropower infrastructure design under climate change. Clim Risk Manag 18:34–50. doi: 10.1016/j.crm.2017.08.002

Thomas A (1981) Improved Methods for National Water Assessment. Water Resources Contract: WR15249270

Thompson DWJ, Barnes EA, Deser C, et al (2015) Quantifying the role of internal climate variability in future climate trends. J Clim 28:6443–6456. doi: 10.1175/JCLI-D-14-00830.1

Uusitalo L (2007) Advantages and challenges of Bayesian networks in environmental modelling. Ecol Modell 203:312–318. doi: 10.1016/j.ecolmodel.2006.11.033

Vorosmarty CCJ, Green P, Salisbury J, Lammers RB (2014) Global Water Resources: Vulnerability from Climate Change and Population Growth. Science (80-) 289:284–288. doi: 10.1126/science.289.5477.284

Vörösmarty CJ, Meybeck M, Fekete B, et al (2003) Anthropogenic sediment retention: Major global impact from registered river impoundments. Glob Planet Change 39:169–190. doi: 10.1016/S0921-8181(03)00023-7

Walker W. E, Harremoes P, Rotmans J, et al (2003) Defining uncertainty: A Conceptual Basis for Uncertainty Management. Integr Assess 4:5–17. doi: 10.1076/iaij.4.1.5.16466

Walker WE, Haasnoot M, Kwakkel JH (2013) Adapt or perish: A review of planning approaches for adaptation under deep uncertainty. Sustain 5:955–979. doi: 10.3390/su5030955

Weaver CP, Lempert RJ, Brown C, et al (2013) Improving the contribution of climate model information to decision making: The value and demands of robust decision frameworks. Wiley Interdiscip Rev Clim Chang 4:39–60. doi: 10.1002/wcc.202

Whateley S, Steinschneider S, Brown C (2014) A climate change range-based method for estimating robustness for water resources supply. Water Resour Res 50:1–18. doi:

10.1002/2013WR014979.Reply

Wilby RL (2010) Evaluating climate model outputs for hydrological applications. Hydrol Sci J 55:1090–1093. doi: 10.1080/02626667.2010.513212

Wilby RL, Dessai S (2010) Robust adaptation to climate change. Weather 65:176–180. doi: 10.1002/wea.504

Yet B, Constantinou A, Fenton N, et al (2016) A Bayesian network framework for project cost, benefit and risk analysis with an agricultural development case study. Expert Syst Appl 60:141–155. doi: 10.1016/j.eswa.2016.05.005