NEVADA ORTHOPEDIC & SPINE CENTER

NORTHWEST LAS VEGAS
7455 W. Washington Ave Suite 160
Las Vegas, Nevada 89128

Phone: (702) 878-0393
www.nevadaorthopedic.com

HENDERSON
1505 Wigwam Pkwy Suite 330
Henderson, Nevada 89074

Home Health Order Form

Date: 04/14/2026	Patient Name: Cynthia Prince
Home: (815) 830-5790 Mobile: (815) 830-5790	Date of Birth: 08/13/1963
Address: 5501 E Harmon Ave Apt 181 Las Vegas, NV 89122-5239	Contact: PATTY 702.258.5529
Insurance: MEDICARE HPES NV MEDICAID	Diagnosis: Tear (chronic, incomplete), Rotator Cuff - RT (M75.111)

Pertinent documentation to follow, please notify if additional information is required

Order: EVALUATE AND TREAT:

PHYICAL THERAPY POST OP - SURGERY 04/15/2026

RIGHT SHODULDER ARTHROSCOPIC ROTATOR CUFF REPAIR - SEE TTACHED

Allergies:

EDWARD S. ASHMAN MD
Electronically Signed 04/14/2026 11:10:27 AM

EDWARD S. ASHMAN, M.D. - BRADLEY S. BAKER, M.D. - MICHAEL S. BRADFORD, M.D. - HOLMAN CHAN, M.D. - KEVIN GOLSHANI, M.D.

RONALD W. HILLOCK, M.D. - SHAIN L. HOWARD, D.O. - KEITH W. KOTECKI, M.D. - KEVIN LAROCHE, M.D. - JUSTIN LIMTONG, D.O.

ZEFU LIU, D.O. - CHINEDU O. NWASIKE, M.D. - REYNOLD L. RIMOLDI, M.D. - MICHAEL ROSSIDIS, D.P.M.

KEVIN R. SHARIF, M.D. - ARTHUR J. TAYLOR, M.D. - MICHAEL D. THOMAS, M.D.

Ashley Harrington, PA-C - Simon Hwang, PA-C - Dalton Laut, PA-C - Paul A. Morgan, PA-C - Lucas Porter, PA-C

Heather A. Rhoden, PA-C - Jessica Russian, APRN - Jason A. Zarn, PA-C - Jay Zurfluh, PA-C

NEVADA ORTHOPEDIC & SPINE CENTER

NORTHWEST LAS VEGAS
7455 W. Washington Ave Suite 160
Las Vegas, Nevada 89128

Phone: (702) 878-0393
www.nevadaorthopedic.com

HENDERSON
1505 Wigwam Pkwy Suite 330
Henderson, Nevada 89074

Patient Information

Patient Name:	**Cynthia Prince**	**MRN#:**	3282300	**Date of Birth:**	08/13/1963
Social Security #:	324-68-3577	**Language:**	English	**Referred by:**	EDWARD S. ASHMAN, MD
Gender:	Female	**Race:**	American Indian or Alaska Native	**PCP:**	MARIA C. MAGTOTO, APRN
Marital Status:	Undefined	**Ethnicity:**	Not Hispanic or Latino		
Home Address:	5501 E Harmon Ave Apt 181 Las Vegas, NV 89122-5239 Phone: (815) 830-5790 Mobile: (815) 830-5790 Email: cynthiagprince63@gmail.com	**Work Address:**	None	**Employer:** **Occupation:** **Employment Status:**	RETIRED None Unemployed
Guarantor Name:	Cynthia Prince	**Relation to Guarantor:**	Self	**Guarantor Information:**	5501 E Harmon Ave Apt 181 Las Vegas, NV 89122-5239 Phone: (815) 830-5790 Email: cynthiagprince63@gmail.com

Insurance Information

Carrier Information	Plan Information	Subscriber Information
MEDICARE PO Box 6776 Fargo, ND 58108-6776 Phone: (855) 609-9960 Plan Type: Undefined	Group #: NONE Plan #: 4PX9A11JP47 Enrollment date: 06/01/2025	Cynthia Prince DOB: 08/13/1963 5501 E Harmon Ave Apt 181 Las Vegas, NV 89122-5239 (815) 830-5790
HPES NV MEDICAID PO BOX 30042 Reno, NV 89520-3042 Phone: (800) 942-6511 Plan Type: Undefined	Group #: NONE Plan #: 00002499073 Enrollment date: 07/01/2025 Termination date: 04/30/2026	Cynthia Prince DOB: 08/13/1963 5501 E Harmon Ave Apt 181 Las Vegas, NV 89122-5239 (815) 830-5790

Emergency Contacts

Timothy Mcdunnin, Unknown(702) 527-3994

NEVADA ORTHOPEDIC & SPINE CENTER

7455 W. Washington Ave Suite 160
Las Vegas, Nevada 89128

Phone: (702) 878-0393
www.nevadaorthopedic.com

1505 Wigwam Pkwy Suite 330
Henderson, Nevada 89074

Cynthia Prince **MRN#:** 3282300 **DOB:** 08/13/1963, 62 years

Date: 02/17/2026

Orthopedic Evaluation

History of Present Illness

The patient is a 62 year old female presenting to discuss diagnostic procedure results.The patient had an MRI.

Patient History

Allergies

Penicillin []: Hives
piperacillin / tazobactam []: Hives
Allergies Reconciled

Medications

meloxicam (7.5mg tablet, 1 (one) oral twice a day, Taken starting 07/09/2025) Active.
ticagrelor (90mg tablet, oral) Active.
losartan (100mg tablet, oral) Active.
pregabalin (75mg capsule, oral) Active.
naltrexone (50mg tablet, oral) Active.
HYDROcodone-acetaminophen (5-325mg tablet, oral) Active.
traZODone (50mg tablet, oral) Active.
atorvastatin (40mg tablet, oral) Active.
Anoro Ellipta (62.5-25mcg/actuat Blister, With I, inhalation) Active.
albuterol sulfate (90mcg/actuat HFA Aerosol Inh, inhalation) Active.
meloxicam (15mg tablet, oral) Active.
atorvastatin (10mg tablet, oral) Active.
Medications Reconciled.

Past Surgical

No pertinent past surgical history Phreesia 07/02/2025

Social

Tobacco use >120 years Phreesia 07/02/2025
Disability Status: Disabled Phreesia 07/02/2025
Current work status: Not Currently Employed Phreesia 07/02/2025
Hand Dominance: Right Handed Phreesia 07/02/2025
Assistance Status: Home Assistance Available Phreesia 07/02/2025
Surgical Blood Transfusion: Does not approve surgical blood transfusion Phreesia 07/02/2025
Alcohol use: Occasional Alcohol Use Phreesia 07/02/2025
Contract: No Active Pain Contract Phreesia 07/02/2025
Drug Assessment: No Illicit Drug Use Phreesia 07/02/2025

Family

Diabetes: Father Phreesia 07/02/2025

Problem List

Sprain (other, subsequent), Shoulder - RT
Primary osteoarthritis, right shoulder
Problems Reconciled

History Note: She has right shoulder pain since she was knocked over by dogs
She has multiple stents and valves and cannot get an MRI
She recently got injections in her neck with pain management
Her neck is still sore

Right shoulder CT arthrogram shows a full-thickness rotator cuff tear 15 mm x 15 mm

Vitals

02/17/2026 01:16 PM
Weight: 85 lb **Height:** 59 in
Body Mass Index: 17.17 kg/m²
Pain Level: 3/10

Review of Systems

General Not Present- Chills and Fever.
Gastrointestinal Not Present- Diarrhea and Nausea.
Musculoskeletal Not Present- Atrophy.
Neurological Not Present- Loss of Consciousness.

Physical Exam

Chief complaint: Right shoulder pain and weakness

General: Awake, alert, oriented, appropriate. Skin intact, no acute distress.

HEENT: Normocephalic pupils equal round and reactive ears clear

Extremities:

The right shoulder was examined, there is no redness there is no warmth. Patient is neurologically intact. Passive forward flexion is full and active active forward flexion is 90°. Passive lateral abduction is full and active lateral abduction is 90°. Mild tenderness to palpation over the deltoid tuberosity. Nontender to palpation over the a.c. joint. Brisk capillary refill one through 5 intact. NVI over distal upper extremity. Has a positive drop arm test.

CT arthrogram was reviewed including images and there is a full-thickness rotator cuff tear.

Warned of the risks of surgery including but not limited to death stroke disability blood clot infection and septic arthritis osteomyelitis re tear need for repeat surgery. Arthrofibrosis. Rotator cuff re teaar. All questions were asked and answered.

I explained that no guarantees can be made regarding the results of surgery.

The patient was warned not to mix pain medication with any other pain medications. Patient has signed an agreement stating that if they receive pain medication from the hospital not receive pain medication from any other providers. Patient was warned not to mix pain medication with alcohol, nor to take at the same time as operating heavy machinery, or any activity in which they need to be of sound mind. They were instructed to take the pain medication only as directed.

Assessment is right rotator cuff tear chronic

Plan is right arthroscopic rotator cuff repair of a chronic retracted tear

I explained to the patient that she does not followup for rotator cuff tear and does not get surgery in a timely fashion one potential risk is that the rotator cuff tear could become irreparable which would change surgical options

Patients over 40, require medical clearance

Assessment and Plan

Tear (chronic, incomplete), Rotator Cuff - RT (M75.111)

Additional Instructions
Schedule, Shoulder Surgery

Pre-op studies to be completed by PCP

Follow up for pre-op



Electronically signed by: EDWARD S. ASHMAN MD
on 02/18/2026

Shoulder Rehabilitation Protocol

M.D. Restrictions: _____ Date Lifted: _____

_____

_____

Phase I Protection Phase (0 – 2 weeks)

Goals:

Patient understanding of restrictions and limitations
Decrease Pain / Swelling
Maintain Elbow and Wrist motion
Promote Healing

Helpful Patient Information

- Sleep with your sling on.
- Sleeping in a recliner may be more comfortable and help you sleep better.
- Ice often to reduce swelling and pain.

Phase I Exercises

Pendulums

Bend over at waist and steady yourself by grasping a firm object (chair, counter, etc.) with free hand. Swing arm gently forward and backward. Repeat 3 times.



Wrist Flexion / Extension

Begin with wrist in a neutral position and actively bend wrist forward then backward, Repeat 3 time. Do 3 sets. Do 3 sessions.



Wrist Supination / Pronation



Table Flexion

Sitting upright, slide forearm forward along table as you bend from the waist until a stretch is felt. Hold 30 seconds. Repeat 3 times. Do 3 sessions per day.



Towel Squeeze

With forearm resting on surface, gently squeeze towel. Hold 30 seconds, Repeat 3 times. Do 3 sets. Do 3 sessions



Start with arm in hand shaking position and slowly rotate palm down, then rotate hand back until the palm is facing up. Repeat 3 times. Do 3 sets. Do 3 sessions.

Elbow Flexion / Extension



With palm either up, down, or in thumbs up position, gently bend elbow up and return to the starting position. Repeat 3 times. Do 3 sets. Do 3 sessions

Gear Shift



Sitting straight in a chair place a cane in the involved hand and prop the cane against the front leg of the chair. Keepin the upper arm against the body allow the cane to swing out until a gentle stretch is felt. Hold 30 seconds. Repeat 3 times.

Table Rocking



Place both hands on a table and distribute weight through hands equally. Rock from side to side and back and forth. Repeat 3 times. Do 3 sessions

Towel Stretch



Stand upright with towel in hand place the hand on your uninjured side behind your head, and the hand on your injured side behind your back at your waist, grab towel. Move the towel up and down your back by bending your elbows. Hold the bent position for 30 seconds and then return to the starting position. Repeat 3 times.

Supine Chest

Lying on your back interlock your fingers across your chest. Press arm upward. Slowly lower arms to the starting position. Repeat 3 times. Do 3 sessions.



→



Supine Flexion

Lying on your back interlock fingers at waist. Lift hands slowly above your head until you feel a gentle stretch. Hold 30 seconds. Repeat 3 times. Do 3 sessions



→



Swiss ball flexion

Place both hands on top of the ball keeping hands on top of the ball bend at the waist until you feel a gentle stretch. Hold 30 seconds and Repeat 3 times.



→



Phase II Early Motion Phase (3 – 5 weeks)

Goals:
Increase PROM
Flexion ~ 140°
Eternal Rotation ~ 30°
Internal Rotation ~ 50° - 70°

Phase II Exercises

Incision self massage / mobilization

Gently massage incision sites. This will help make the scar smaller and more pliable.

Wand Flexion



Stand upright and hold a stick in both hands at each end, Stretch your arms by pushing with the uninvolved arm to lift the involved arm straight in front of you. Hold for 30 seconds and return to the starting position. Repeat 3 times.

Wand Extension

Stand upright and hold a stick in both hands behind your back. Move the stick away from your back. Hold the end position for 30 seconds. Relax and return to the starting position. Repeat 3 times.

Wand Internal Rotation

Stand upright holding a stick with both hands behind your back. Place the hand on your uninjured side behind your head grasping the stick, and the hand on your injured side behind your back at your waist. Move the stick up and down your back by bending your elbows. Hold the bent position for 30 seconds and then return to the starting position. Repeat 3 times.

Wand External Rotation



Stand straight and hold a stick in both hands, palms up. Keep your elbows at your sides and bent 90 degrees. Using your good arm, push your involved arm out away from your body while keeping the elbow of the injured arm at your side. Hold the stretch for 30 seconds. Repeat 3 times. Do 3 sessions

Wand Horizontal Abduction/Adduction

Keeping both palms down, push wand across body with uninvolved side. Then pull back across body, keeping arms parallel to floor. Do not allow trunk to twist. Hold 30 seconds. Repeat 3 times. Do 3 sessions.



Wall Walk (Flexion Only)



Stand erect, face wall and extend affected arm directly in front of your body so that fingertips touch the wall. Creep up the side of the wall with the fingertips, walk towards the wall as you reach higher and higher. Repeat with the fingertips going down the wall. Repeat 3 times. Do 3 sessions

Scapula Squeeze



Sitting straight up in a chair pull shoulders back and squeeze scapulas together. Hold 30 seconds. Repeat 3 times.

Profitter Flexion Stretch

Place both hands on the profitter slowly bend at the waist until a gentle stretch is felt. Hold 30 seconds and Repeat 3 times.





Phase III Activity Phase (6 – 8 weeks)

Goals:
Begin strengthening repaired rotator muscles
Increase ROM in all planes

Phase III Exercises

Thera Band Internal Rotation

- Stand with elbow bend and tight to your side.
- Keeping wrist locked pull hand in towards your stomach.
- Hold 2 seconds, and slowly rotate arm back out. Do not let the band snap your arm out.

Thera Band External Rotation

- Stand with elbow bend and tight to your side.
- Keeping wrist locked rotate arm out away from side.

Hold 2 seconds, and slowly rotate arm back. Do not let the band snap your arm in.

Shoulder Flexion



Shoulder Forward Lift (Flexion)

- Start with your arms at your side, your elbows straight and your thumbs pointed up.
- Raise your arms straight out in front of you, going as high as possible, without pain.
- Hold 2 seconds, and then slowly lower arms to starting position.

Shoulder Abduction

Shoulder Side Lift (Abduction)

- Start with your arms at your side, your elbows straight and your thumbs pointed out.
- Raise your arms out to your side, going as high as possible, without pain.

Serratus Press



Straight Arm Press - Serratus Anterior

- Lie on your back, with your elbows straight, hands pointing up to the ceiling.
- Keeping elbows straight, push shoulders forward as if to push open a door. (Your shoulders should come forward off the table)
- Hold for 2 seconds, and then return to starting position.

Thera Band Extension

Wall Walk Abduction

Phase IV Conditioning Phase (8-12 weeks)

Goals:
ROM Within Normal Limits
Increased Strength and Endurance

Phase IV Exercises

Prone Flexion



Prone Overhead Lift

- Lie on your stomach, forehead down, arms overhead and your thumbs pointed up.
- Raise your arms up off the table, keeping your trunk and head down. Hold for 2 seconds, and then slowly lower arms.

(Keep your elbows straight throughout the lift)

Prone Horizontal Abduction

Prone Horizontal Abduction

- Lie on your stomach with your arms out to the side. Hands at shoulder level, thumbs up.
- Keep elbows straight; raise your arms as high as you can toward the ceiling. Hold for 2 seconds, and then slowly lower arms.

Prone Extension



Prone Extension with External Rotation

- Lie on stomach elbows straight, thumbs out.
- Raise arms up off table. Hold 2 seconds and lower.

Prone Row / External Rotation



Prone Rowing / External Rotation

- Lie on your stomach arms hanging over the side of the table / bench, elbows bent to 90 degrees.
- Slowly raise your elbows toward the ceiling pinching your shoulder blades together.
- Rotate arms up so back of hand is toward ceiling. Hold for 2 seconds then lower.

PNF Exercises Up and Out

PNF exercises Down and Out