DIAGNOSIS: SPINAL STENOSIS IN THE LUMBAR REGION WITH NEUROGEN UNIT #: H000206506 H.5DPOD
WT: 176lb 5.92oz (80g) HT: 5ft 7in (170.18cm) BSA: 1.94m2 ACCT #: H89684142874 **H.545-A**
AGE: 62 SEX: M Serum Cr: 0.79 Est. CREATININE CL: 71.61 ML/MIN
ADMIT: 03/31/26
NOTES:

FIORE,KENNETH

ALLERGIES: **No Known Allergies**

ADMINISTRATION PERIOD: **0600 04/02/26** TO **0559 04/03/26**	START/STOP	**0600 - 1429**	**1430 - 2159**	**2200 - 0559**
NORMAL SALINE + 20MEQ KCL/L **1000 ML**	03/31/26	0828 ML 1000 MLS SITE: LH	1645	0045
125 MLS/HR INTRAVENOUS .Q8H DUR: ADMINISTER OVER 8 HR S:DC this IV for potassium greater than 5.0 RX #: H15289077	05/30/26			
NO ANTICOAGULANTS (NO ANTICOAGULANTS) **1 EACH (1 EACH)** MISCELLANEOUS AS DIRECTED RX #: H15289066	03/31/26 05/30/26			
ondansetron HCL (ONDANSETRON 4MG TABLET) **4 MG (1 TAB)** ORAL EVERY 8 HOURS AS NEEDED RX #: H15289070	03/31/26 05/30/26			
ondansetron HCL (ONDANSETRON) **4 MG-2 ML (1 VIAL)** INTRAVENOUS EVERY 8 HOURS AS NEEDED S:USE THIS IF UNABLE TO TAKE ORAL RX #: H15289067	03/31/26 05/30/26			
ACETAMINOPHEN (ACETAMINOPHEN TABLET) **325 MG (1 TAB)** ORAL EVERY 4 HOURS AS NEEDED COM: Limit total acetaminophen dose to 4 grams daily. Limit total acetaminophen dose to 2 grams daily for patients with hepatic dysfunction. RX #: H15289053	03/31/26 05/30/26			
KETOROLAC TROMETHAMINE (KETOROLAC) **30 MG-1 ML (1 VIAL)** INTRAVENOUS EVERY 6 HOURS AS NEEDED COM: ---------- * CAUTION: limit TORADOL therapy to 5 DAYS only ! DAY 1 = ---------- RX #: H15289061	03/31/26 04/05/26			

********** CONTINUE ON PAGE 2 **********

* = Meds not given REASON CODES	USER NAME AND TYPE	INIT	USER NAME AND TYPE	INIT
	PENA,MARIETTA LUCOT RN	ML		

INJECTION SITES
LH - Left Hand

DIAGNOSIS: SPINAL STENOSIS IN THE LUMBAR REGION WITH NEUROGEN UNIT #: H000206506 H.5DPOD
WT: 176lb 5.92oz (80g) HT: 5ft 7in (170.18cm) BSA: 1.94m2 ACCT #: H89684142874 **H.545-A**
AGE: 62 SEX: M Serum Cr: 0.79 Est. CREATININE CL: 71.61 ML/MIN
ADMIT: 03/31/26
NOTES:

FIORE,KENNETH

ALLERGIES: **No Known Allergies**

ADMINISTRATION PERIOD: **0600 04/02/26** TO **0559 04/03/26**	START/STOP	**0600 - 1429**	**1430 - 2159**	**2200 - 0559**
methocarbamoL (methocarbamoL)	03/31/26			
1000 MG-10 ML (1 VIAL) INTRAVENOUS EVERY 8 HOURS AS NEEDED	04/03/26			
COM: IV push over 3 to 4 minutes				
*STORE AT RM TEMPERATURE, DO NOT REFRIGERATE				
RX #: H15289074				
DOCUSATE SODIUM (DOCUSATE)	03/31/26	0825 ML	2100	
100 MG (1 CAP) ORAL TWICE DAILY AT 9AM AND 9P	05/30/26			
COM: May hold for loose stool.				
RX #: H15289058				
LORazepam. (LORazepam (2 MG/ML) INJ)	03/31/26			
1 MG-0.5 ML (0.5 VIAL) INTRAVENOUS EVERY 6 HOURS AS NEEDED	05/30/26			
RX #: H15289063				
TEMAZEPAM (TEMAZEPAM CAPSULE *CONTROL-SUB GREEN*)	03/31/26			
15 MG (1 CAP) ORAL AT BEDTIME AS NEEDED	05/30/26			
COM: !!!A HAZARDOUS: PPE/HANDLING PRECAUTION-PYXIS/TUBE:Y				
PYXIS/TUBE:Y				
Administration Instructions:				
- Wear ONE pair of USP800-compliant gloves to administer dose.				
- Do not open, crush, or split. Contact pharmacy if this is needed.				
- Wash hands after administration.				
Disposal Instructions:				
- Place all materials (med wrappers, cups, gloves, etc.) in a sealed plastic bag and discard into YELLOW or BLACK hazardous waste container				
- Place unused meds in pharmacy return bin or wasted meds in appropriate pharmaceutical waste container.				
May repeat x 1 if no results AFTER 1 hour				
RX #: H15289073				
diphenhydrAMINE HCL (diphenhydrAMINE (50 MG/1 ML))	03/31/26			
25 MG-0.5 ML (0.5 AMP) INTRAVENOUS EVERY 6 HOURS AS NEEDED	05/30/26			
COM: Nursing Note: If PRN, please obtain from PYXIS				
RX #: H15289057				

********** CONTINUE ON PAGE 3 **********

* = Meds not given	USER NAME AND TYPE	INIT	USER NAME AND TYPE	INIT
REASON CODES	PENA,MARIETTA LUCOT RN	ML		
INJECTION SITES				
LH - Left Hand				

DIAGNOSIS: SPINAL STENOSIS IN THE LUMBAR REGION WITH NEUROGEN
UNIT #: H000206506 H.5DPOD
WT: 176lb 5.92oz (80g) HT: 5ft 7in (170.18cm) BSA: 1.94m2
ACCT #: H89684142874 **H.545-A**
AGE: 62 SEX: M Serum Cr: 0.79 Est. CREATININE CL: 71.61 ML/MIN
ADMIT: 03/31/26
NOTES:

FIORE,KENNETH

ALLERGIES: **No Known Allergies**

ADMINISTRATION PERIOD: **0600 04/02/26** TO **0559 04/03/26**			START/STOP	**0600 - 1429**	**1430 - 2159**	**2200 - 0559**
ALBUTEROL SULFATE (ALBUTEROL SULFATE 2.5 MG/3 ML NEB SO			03/31/26			
2.5 MG-3 ML (1 ML)	NEBULIZATION	RT-EVERY 4 HOURS AS NEEDE	05/30/26			
RX #: H15289055						
oxyCODONE (OXYCODONE IR 30 MG TAB *CONTROL-SUB GREEN*)			03/31/26	1041 ML Q1:Verbal Q2:7 Q3:7 Q4:Yes Q5:		
30 MG (1 UDTAB)	ORAL	EVERY 4 HOURS AS NEEDED	05/30/26			
RX #: H15290331						
GABAPENTIN (GABAPENTIN)			03/31/26	1400		2200
400 MG (1 CAP)	ORAL	THREE TIMES DAILY	05/30/26			
RX #: H15290360						
QUEtiapine FUMARATE (QUEtiapine 100 MG TAB)			03/31/26		2100	
300 MG (3 TABLET)	ORAL	AT BEDTIME	05/30/26			
S:Medication may increase fall risk in the elderly, please assess fall risk and monitor patient.						
RX #: H15290367						
MORPHINE SULFATE ORAL (MORPHINE CONTIN *CONTROL-SUB GRE			03/31/26	0826 ML Q1:Verbal Q2:9 Q3:9 Q4:Yes Q5:	2100	
15 MG (1 TAB.SA)	ORAL	TWICE DAILY	05/30/26			
COM: *Do NOT Crush, Split, or Chew*						
RX #: H15290321						

********** CONTINUE ON PAGE 4 **********

* = Meds not given
REASON CODES

USER NAME AND TYPE	INIT	USER NAME AND TYPE	INIT
PENA,MARIETTA LUCOT RN	ML		

INJECTION SITES
LH - Left Hand

DIAGNOSIS: SPINAL STENOSIS IN THE LUMBAR REGION WITH NEUROGEN
WT: 176lb 5.92oz (80g) HT: 5ft 7in (170.18cm) BSA: 1.94m2
AGE: 62 SEX: M Serum Cr: 0.79 Est. CREATININE CL: 71.61 ML/MIN
ADMIT: 03/31/26
NOTES:

UNIT #: H000206506 H.5DPOD
ACCT #: H89684142874 **H.545-A**

FIORE,KENNETH

ALLERGIES: **No Known Allergies**

ADMINISTRATION PERIOD: **0600 04/02/26** TO **0559 04/03/26**	START/STOP	**0600 - 1429**	**1430 - 2159**	**2200 - 0559**
PRAZOSIN HCL (PRAZOSIN HCL)	03/31/26		2100	
2 MG (1 CAPSULE) ORAL AT BEDTIME	05/30/26			
COM: BEST GIVEN AT BEDTIME				
RX #: H15290361				
PARoxetine HCL (PARoxetine)	04/01/26	0827 ML Q1:Yes Q2:		
20 MG (1 TAB) ORAL DAILY	05/31/26			
COM: !!!A HAZARDOUS: PPE/HANDLING PRECAUTION-PYXIS/TUBE:Y PYXIS/TUBE:Y Administration Instructions: - Wear ONE pair of USP800-compliant gloves to administer dose. - Do not open, crush, or split. Contact pharmacy if this is needed. - Wash hands after administration. Disposal Instructions: - Place all materials (med wrappers, cups, gloves, etc.) in a sealed plastic bag and discard into YELLOW or BLACK hazardous waste container - Place unused meds in pharmacy return bin or wasted meds in appropriate pharmaceutical waste container. *Do NOT Crush, Split, or Chew*				
RX #: H15290333				
PROPRANOLOL HCL (PROPRANOLOL HCL)	03/31/26			
10 MG (1 TAB) ORAL TWICE DAILY AS NEEDED	05/30/26			
RX #: H15290364				

********** CONTINUE ON PAGE 5 **********

* = Meds not given
REASON CODES

USER NAME AND TYPE	INIT	USER NAME AND TYPE	INIT
PENA,MARIETTA LUCOT RN	ML		

INJECTION SITES
LH - Left Hand

DIAGNOSIS: SPINAL STENOSIS IN THE LUMBAR REGION WITH NEUROGEN
WT: 176lb 5.92oz (80g) HT: 5ft 7in (170.18cm) BSA: 1.94m2
AGE: 62 SEX: M Serum Cr: 0.79 Est. CREATININE CL: 71.61 ML/MIN
ADMIT: 03/31/26
NOTES:

UNIT #: H000206506 H.5DPOD
ACCT #: H89684142874 **H.545-A**

FIORE,KENNETH

ALLERGIES: **No Known Allergies**

ADMINISTRATION PERIOD: **0600 04/02/26** TO **0559 04/03/26**	START/STOP	**0600 - 1429**	**1430 - 2159**	**2200 - 0559**
ACETAMINOPHEN (ACETAMINOPHEN TABLET)	03/31/26	0826 ML	1430	0230
		Q1:	2030	
		Q2:		
		Q3:Verbal		
		Q4:9		
		Q5:		
		Q6:		
		Q7:		
		Q8:		
		Q9:		
		Q10:		
		Q11:9		
		Q12:		
		Q13:		
		Q14:		
		Q15:		
		Q16:		
		Q17:		
		Q18:		
		Q19:		
		Q20:		
		Q21:		
		Q22:		
		Q23:		
		Q24:		
		Q25:		
		Q26:		
		Q27:		
		Q28:		
		Q29:		
		Q30:		
		Q31:		
		Q32:Yes		
		Q33:		
650 MG (2 TAB) ORAL Every six hours	05/30/26			
COM: Limit total acetaminophen dose to 4 grams daily. Limit total acetaminophen dose to 2 grams daily for patients with hepatic dysfunction.				
RX #: H15290342				

DIAGNOSIS: SPINAL STENOSIS IN THE LUMBAR REGION WITH NEUROGEN
WT: 176lb 5.92oz (80g) HT: 5ft 7in (170.18cm) BSA: 1.94m2
AGE: 62 SEX: M Serum Cr: 0.79 Est. CREATININE CL: 71.61 ML/MIN
ADMIT: 03/31/26
NOTES:

UNIT #: H000206506 H.5DPOD
ACCT #: H89684142874 **H.545-A**

FIORE,KENNETH

ALLERGIES: **No Known Allergies**

ADMINISTRATION PERIOD: **0600 04/02/26** TO **0559 04/03/26**	START/STOP	**0600 - 1429**	**1430 - 2159**	**2200 - 0559**

********** CONTINUE ON PAGE 7 **********

* = Meds not given REASON CODES	USER NAME AND TYPE	INIT	USER NAME AND TYPE	INIT
	PENA,MARIETTA LUCOT RN	ML		

INJECTION SITES
LH - Left Hand

DIAGNOSIS: SPINAL STENOSIS IN THE LUMBAR REGION WITH NEUROGEN UNIT #: H000206506 H.5DPOD
WT: 176lb 5.92oz (80g) HT: 5ft 7in (170.18cm) BSA: 1.94m2 ACCT #: H89684142874 **H.545-A**
AGE: 62 SEX: M Serum Cr: 0.79 Est. CREATININE CL: 71.61 ML/MIN
ADMIT: 03/31/26
NOTES:

FIORE,KENNETH

ALLERGIES: **No Known Allergies**

ADMINISTRATION PERIOD: **0600 04/02/26** TO **0559 04/03/26**	START/STOP	**0600 - 1429**	**1430 - 2159**	**2200 - 0559**

********** CONTINUE ON PAGE 8 **********

* = Meds not given	USER NAME AND TYPE	INIT	USER NAME AND TYPE	INIT
REASON CODES				
	PENA,MARIETTA LUCOT RN	ML		
INJECTION SITES				
LH - Left Hand				

DIAGNOSIS: SPINAL STENOSIS IN THE LUMBAR REGION WITH NEUROGEN
WT: 176lb 5.92oz (80g) HT: 5ft 7in (170.18cm) BSA: 1.94m2
AGE: 62 SEX: M Serum Cr: 0.79 Est. CREATININE CL: 71.61 ML/MIN
ADMIT: 03/31/26
NOTES:

UNIT #: H000206506 H.5DPOD
ACCT #: H89684142874 **H.545-A**

FIORE,KENNETH

ALLERGIES: **No Known Allergies**

ADMINISTRATION PERIOD: **0600 04/02/26** TO **0559 04/03/26**	START/STOP	**0600 - 1429**	**1430 - 2159**	**2200 - 0559**
HYDROmorphone HCL (HYDROmorphone *CONTROL-SUB GREEN*)	03/31/26	0827 ML		
		SITE: LH		
		Q1:		
		Q2:		
		Q3:Verbal		
		Q4:9		
		Q5:		
		Q6:		
		Q7:		
		Q8:		
		Q9:		
		Q10:		
		Q11:9		
		Q12:		
		Q13:		
		Q14:		
		Q15:		
		Q16:		
		Q17:		
		Q18:		
		Q19:		
		Q20:		
		Q21:		
		Q22:		
		Q23:		
		Q24:		
		Q25:		
		Q26:		
		Q27:		
		Q28:		
		Q29:		
		Q30:		
		Q31:		
		Q32:Yes		
		Q33:		
1 MG-0.5 ML (0.5 VIAL) INTRAVENOUS EVERY 4 HOURS AS NEEDED	05/30/26			
S:HOLD FOR OVER SEDATION, HYPOXIA, HYPOTENSION OR CONFUSION.				
MAY REPEAT DOSE IN 1 HOUR IF PAIN STILL 7/10 OR GREATER.				
RX #: H15290320				

DIAGNOSIS: SPINAL STENOSIS IN THE LUMBAR REGION WITH NEUROGEN
WT: 176lb 5.92oz (80g) HT: 5ft 7in (170.18cm) BSA: 1.94m2
AGE: 62 SEX: M Serum Cr: 0.79 Est. CREATININE CL: 71.61 ML/MIN
ADMIT: 03/31/26
NOTES:

UNIT #: H000206506 H.5DPOD
ACCT #: H89684142874 **H.545-A**

FIORE,KENNETH

ALLERGIES: **No Known Allergies**

ADMINISTRATION PERIOD: **0600 04/02/26** TO **0559 04/03/26**	START/STOP	**0600 - 1429**	**1430 - 2159**	**2200 - 0559**

********** CONTINUE ON PAGE!0 **********

* = Meds not given REASON CODES	USER NAME AND TYPE	INIT	USER NAME AND TYPE	INIT
	PENA,MARIETTA LUCOT RN	ML		

INJECTION SITES
LH - Left Hand

DIAGNOSIS: SPINAL STENOSIS IN THE LUMBAR REGION WITH NEUROGEN UNIT #: H000206506 H.5DPOD
WT: 176lb 5.92oz (80g) HT: 5ft 7in (170.18cm) BSA: 1.94m2 ACCT #: H89684142874 **H.545-A**
AGE: 62 SEX: M Serum Cr: 0.79 Est. CREATININE CL: 71.61 ML/MIN
ADMIT: 03/31/26
NOTES:

FIORE,KENNETH

ALLERGIES: **No Known Allergies**

ADMINISTRATION PERIOD: **0600 04/02/26** TO **0559 04/03/26**	START/STOP	**0600 - 1429**	**1430 - 2159**	**2200 - 0559**
**** DISCONTINUED 04/02/26-0931				
PRTL ELECTROLYTE REPLACEMENT (ELECTROLYTE REPLACEMENT (	03/31/26	*0827 ML AC	2100	
Reminder MISCELLANEOUS TWICE DAILY	05/30/26			
COM: ELECTROLYTE PROTOCOL - STANDARD				
DINS:Reminder				
RX #: H15290330				
TRANEXAMIC ACID (Tranexamic Acid)	04/01/26			
1950 MG (3 TABLET) ORAL PREOP	05/31/26			
RX #: H15292965				

********** CONTINUE ON PAGE 11 **********

* = Meds not given	USER NAME AND TYPE	INIT	USER NAME AND TYPE	INIT
REASON CODES				
AC - Acknowledge Reminder	PENA,MARIETTA LUCOT RN	ML		
INJECTION SITES				
LH - Left Hand				