

| <u>IMPORTED API NAME</u> | <u>NUMBER OF SAMPLES</u> |
|---------------------------|--------------------------|
| Total Samples | 549035 |
| Samples w/ No Imports | 21,043 |
| GetProcAddress | 394546 |
| LoadLibraryA | 344607 |
| GetModuleHandleA | 305054 |
| ExitProcess | 301073 |
| VirtualAlloc | 244900 |
| WriteFile | 223855 |
| GetModuleFileNameA | 221006 |
| CloseHandle | 220358 |
| RegCloseKey | 213748 |
| VirtualFree | 211790 |
| GetLastError | 206775 |
| Sleep | 206334 |
| CreateFileA | 188088 |
| FreeLibrary | 172043 |
| GetCommandLineA | 170959 |
| MultiByteToWideChar | 164899 |
| ReadFile | 163617 |
| SetFilePointer | 162137 |
| RegQueryValueExA | 157475 |
| GetCurrentThreadId | 157271 |
| GetTickCount | 155653 |
| GetStdHandle | 152440 |
| MessageBoxA | 147925 |
| GetStartupInfoA | 147550 |
| RegOpenKeyExA | 145761 |
| GetCurrentProcess | 142796 |
| EnterCriticalSection | 139432 |
| LeaveCriticalSection | 137716 |
| WideCharToMultiByte | 135794 |
| DeleteCriticalSection | 135493 |
| VirtualProtect | 134281 |
| InitializeCriticalSection | 130043 |
| LocalAlloc | 127655 |
| FindClose | 125252 |
| CreateThread | 125196 |
| RtlUnwind | 125125 |
| IstrlenA | 122305 |
| GetDC | 120317 |
| UnhandledExceptionFilter | 119966 |
| WaitForSingleObject | 119873 |
| GetLocaleInfoA | 119202 |
| GetFileSize | 117066 |
| FindFirstFileA | 111895 |
| GetACP | 110780 |

This is a list of the imported APIs observed in over 1/2 a million samples. There are a number of considerations to remember with these numbers. Such as this does not take into account malware that was in PDFs/.docx/etc files.

Please contact nullbnx@bnxnet.com with any comments or questions.

www.bnxnet.com

If you'd like any tests run on my malware library just ask!

| | |
|-------------------------|--------|
| DeleteFileA | 110275 |
| GetVersionExA | 110217 |
| GetVersion | 108951 |
| GetCurrentProcessId | 107533 |
| TlsSetValue | 106602 |
| TlsGetValue | 106579 |
| RaiseException | 106266 |
| TerminateProcess | 105909 |
| CharNextA | 103817 |
| HeapAlloc | 103543 |
| LocalFree | 102555 |
| GetCPIInfo | 100301 |
| GetFileType | 96209 |
| GlobalAlloc | 96015 |
| HeapFree | 95497 |
| VirtualQuery | 94626 |
| DispatchMessageA | 93573 |
| ShowWindow | 93183 |
| SetEndOfFile | 92950 |
| RegSetValueExA | 92608 |
| DestroyWindow | 92378 |
| CreateWindowExA | 91450 |
| GetSystemMetrics | 90891 |
| GlobalFree | 88345 |
| InterlockedIncrement | 87564 |
| InterlockedDecrement | 87120 |
| LoadStringA | 86556 |
| GetThreadLocale | 85489 |
| SendMessageA | 85336 |
| DeleteObject | 85178 |
| GetTempPathA | 83077 |
| GetClientRect | 82505 |
| SelectObject | 82406 |
| GetWindowRect | 82168 |
| wsprintfA | 80875 |
| SetLastError | 80549 |
| QueryPerformanceCounter | 80092 |
| GetSystemDirectoryA | 79731 |
| DefWindowProcA | 78984 |
| GlobalLock | 78173 |
| GlobalUnlock | 77808 |
| TranslateMessage | 77467 |
| ShellExecuteA | 77001 |
| HeapReAlloc | 76615 |
| GetDeviceCaps | 76546 |
| SetTimer | 76058 |
| LoadCursorA | 75946 |

| | |
|-----------------------------|-------|
| CreateProcessA | 75697 |
| IsWindow | 75439 |
| RegCreateKeyExA | 74967 |
| SetWindowLongA | 74382 |
| EnableWindow | 74213 |
| GetWindowsDirectoryA | 74200 |
| HeapCreate | 73851 |
| PostQuitMessage | 73248 |
| SetWindowPos | 72988 |
| LoadResource | 72800 |
| GetFileAttributesA | 72351 |
| PeekMessageA | 71606 |
| IstrcpyN_A | 71053 |
| GetOEMCP | 70288 |
| BeginPaint | 69562 |
| EndPaint | 69200 |
| SetErrorMode | 68959 |
| SysFreeString | 68843 |
| GetStringTypeW | 67833 |
| IstrcpyA | 67769 |
| SizeofResource | 67287 |
| CallWindowProcA | 67092 |
| IsWindowVisible | 67042 |
| SetUnhandledExceptionFilter | 66354 |
| LoadLibraryExA | 66233 |
| GetWindowLongA | 66217 |
| LCMapStringW | 66127 |
| LCMapStringA | 65953 |
| SetHandleCount | 65868 |
| SetForegroundWindow | 65690 |
| GetStringTypeA | 65490 |
| GetProcessHeap | 65490 |
| GetEnvironmentStringsW | 65295 |
| GetSysColor | 65157 |
| RegisterClassA | 64876 |
| CreateDirectoryA | 64825 |
| LockResource | 64740 |
| FreeEnvironmentStringsA | 64264 |
| InvalidateRect | 64078 |
| FreeEnvironmentStringsW | 63842 |
| InterlockedExchange | 63373 |
| FindResourceA | 63279 |
| SetTextColor | 62859 |
| TlAlloc | 62765 |
| GetEnvironmentStrings | 62737 |
| GetSystemTimeAsFileTime | 62683 |
| BitBlt | 62369 |

| | |
|--------------------------|-------|
| SetCursor | 62045 |
| VerQueryValueA | 61807 |
| HeapDestroy | 61802 |
| IstrcatA | 61645 |
| CompareStringA | 61465 |
| ReleaseDC | 61161 |
| GetFullPathNameA | 61022 |
| CoCreateInstance | 61019 |
| MulDiv | 60826 |
| GetWindowTextA | 60399 |
| CopyFileA | 60303 |
| FindNextFileA | 60077 |
| IstrcmpiA | 59916 |
| CreateEventA | 59838 |
| FillRect | 59526 |
| DeleteDC | 59452 |
| SetEvent | 59334 |
| GetDesktopWindow | 59031 |
| SetBkColor | 58973 |
| GetDlgItem | 58937 |
| SetFileAttributesA | 58585 |
| IsWindowEnabled | 58149 |
| SetWindowTextA | 58135 |
| SetBkMode | 58036 |
| ScreenToClient | 57912 |
| GetSystemInfo | 57882 |
| TlsFree | 57808 |
| DrawTextA | 57656 |
| GetKeyboardType | 57475 |
| SystemParametersInfoA | 57053 |
| CreateCompatibleDC | 56520 |
| GetParent | 56505 |
| EnableMenuItem | 56244 |
| PostMessageA | 56007 |
| GetDiskFreeSpaceA | 55491 |
| LoadIconA | 55431 |
| UpdateWindow | 55164 |
| GetWindowThreadProcessId | 54761 |
| GetLocalTime | 54734 |
| IstrcmpA | 53622 |
| GetStockObject | 53341 |
| LoadBitmapA | 52835 |
| GetWindow | 52199 |
| FormatMessageA | 52012 |
| __vbaExceptHandler | 51746 |
| CoInitialize | 51675 |
| RegDeleteKeyA | 51183 |

| | |
|---------------------------|-------|
| CreateFontIndirectA | 50950 |
| CreateMutexA | 50681 |
| GetClassInfoA | 50579 |
| SetFocus | 50495 |
| CreateCompatibleBitmap | 50044 |
| CoTaskMemFree | 49718 |
| _initterm | 49687 |
| EndDialog | 49675 |
| KillTimer | 49487 |
| CreatePopupMenu | 49483 |
| RegDeleteValueA | 49185 |
| GetForegroundWindow | 48690 |
| FlushFileBuffers | 48481 |
| TrackPopupMenu | 48405 |
| GetSystemMenu | 47827 |
| FindWindowA | 47774 |
| OpenProcess | 47587 |
| HeapSize | 47392 |
| GetExitCodeProcess | 47302 |
| GetClassNameA | 46989 |
| DllFunctionCall | 46932 |
| GetCursorPos | 46898 |
| EVENT_SINK_Release | 46890 |
| EVENT_SINK_QueryInterface | 46887 |
| GetPrivateProfileStringA | 46879 |
| EVENT_SINK_AddRef | 46669 |
| _adjust_fdiv | 46415 |
| CallNextHookEx | 46303 |
| GetMessageA | 45814 |
| ImageList_Destroy | 45426 |
| SetFileTime | 45084 |
| GetObjectA | 45025 |
| GetFocus | 45020 |
| GetFileVersionInfoA | 44788 |
| ImageList_Create | 44674 |
| SaveDC | 44403 |
| UnhookWindowsHookEx | 44327 |
| SetStdHandle | 43653 |
| RemoveDirectoryA | 43529 |
| MoveFileA | 43273 |
| GetFileVersionInfoSizeA | 43206 |
| IsIconic | 43156 |
| CreateBrushIndirect | 42909 |
| EnumWindows | 42697 |
| SetWindowsHookExA | 42531 |
| CreateSolidBrush | 42214 |
| exit | 42136 |

| | |
|----------------------------|-------|
| WritePrivateProfileStringA | 42042 |
| free | 41866 |
| FileTimeToLocalFileTime | 41556 |
| InternetOpenA | 41457 |
| OpenProcessToken | 41373 |
| OleInitialize | 41133 |
| GetKeyState | 41124 |
| SetCurrentDirectoryA | 40748 |
| GetModuleHandleW | 40670 |
| OpenClipboard | 40632 |
| GetActiveWindow | 40549 |
| CloseClipboard | 40507 |
| ClientToScreen | 40067 |
| SetClassLongA | 40006 |
| ExitWindowsEx | 39967 |
| UnregisterClassA | 39951 |
| FreeResource | 39944 |
| RegisterWindowMessageA | 39490 |
| GetShortPathNameA | 39485 |
| ResetEvent | 39204 |
| _except_handler3 | 38692 |
| malloc | 38558 |
| OleUninitialize | 38511 |
| GetSubMenu | 38303 |
| MapWindowPoints | 38251 |
| GetMenu | 38188 |
| GetTempFileNameA | 38109 |
| RegEnumValueA | 38084 |
| EmptyClipboard | 37867 |
| GetDIBits | 37332 |
| SetCapture | 37226 |
| PtInRect | 37124 |
| SetClipboardData | 36822 |
| InternetCloseHandle | 36821 |
| DestroyMenu | 36728 |
| FindWindowExA | 36644 |
| ReleaseCapture | 36632 |
| VariantClear | 36244 |
| GetSystemTime | 36215 |
| CheckMenuItem | 36065 |
| ResumeThread | 35987 |
| GetMessagePos | 35972 |
| SetRect | 35844 |
| CoUninitialize | 35758 |
| GetModuleFileNameW | 35521 |
| GetCurrentThread | 35443 |
| IsDebuggerPresent | 35332 |

| | |
|-------------------------|-------|
| InternetReadFile | 35327 |
| SetActiveWindow | 35302 |
| GetWindowDC | 35249 |
| SysAllocStringLen | 35183 |
| OffsetRect | 35171 |
| DestroyIcon | 35111 |
| GetMenuItemCount | 34838 |
| DialogBoxParamA | 34789 |
| DrawIcon | 34785 |
| CreateBitmap | 34785 |
| VariantCopy | 34736 |
| GetWindowPlacement | 34661 |
| GetCapture | 34658 |
| memset | 34591 |
| IstrlenW | 34536 |
| RestoreDC | 34457 |
| IsChild | 34167 |
| GetEnvironmentVariableA | 33989 |
| AdjustWindowRectEx | 33977 |
| ExitThread | 33924 |
| GetMenuState | 33717 |
| SelectPalette | 33683 |
| IsBadReadPtr | 33545 |
| GlobalDeleteAtom | 33534 |
| ImageList_Add | 33409 |
| GetLastActivePopup | 33331 |
| GetTopWindow | 33319 |
| __set_app_type | 33275 |
| GetDateFormatA | 33256 |
| SysReAllocStringLen | 33114 |
| CreateFileW | 32897 |
| RealizePalette | 32882 |
| GetMenuItemID | 32803 |
| InflateRect | 32665 |
| SafeArrayPtrOfIndex | 32647 |
| _Clcos | 32538 |
| GlobalReAlloc | 32437 |
| PatBlt | 32307 |
| SetViewportOrgEx | 32295 |
| UnrealizeObject | 32260 |
| GetPixel | 32240 |
| SetPropA | 32235 |
| _allmul | 32215 |
| LineTo | 32183 |
| SetDlgItemTextA | 32182 |
| GlobalHandle | 32171 |
| memcpy | 32162 |

| | |
|----------------------------|-------|
| GetClipBox | 32153 |
| IsDialogMessageA | 32051 |
| SetMenu | 32025 |
| WinExec | 31943 |
| _Cl_sqrt | 31881 |
| GetCurrentDirectoryA | 31871 |
| IntersectRect | 31851 |
| GlobalAddAtomA | 31758 |
| _Cl_sin | 31698 |
| MapViewOfFile | 31644 |
| StretchBlt | 31593 |
| _Cl_log | 31573 |
| __p_fmode | 31563 |
| _Clexp | 31545 |
| _Clatan | 31536 |
| _adj_fdiv_m64 | 31528 |
| _Cltan | 31517 |
| _adj_fdiv_m32 | 31511 |
| _adj_fprem1 | 31509 |
| _adj_ftan | 31507 |
| _adj_fprem | 31503 |
| _adj_fdiv_r | 31497 |
| _adj_fdivr_m16i | 31486 |
| _adj_ftatan | 31483 |
| _adj_fdivr_m64 | 31483 |
| GetPropA | 31477 |
| _adj_fdivr_m32 | 31471 |
| _adj_fdiv_m32i | 31466 |
| _adj_fdivr_m32i | 31451 |
| RegEnumKeyA | 31434 |
| __vbaFPException | 31423 |
| _adj_fdiv_m16i | 31420 |
| __vbaChkstk | 31413 |
| CompareStringW | 31403 |
| GetTimeZoneInformation | 31078 |
| AdjustTokenPrivileges | 31028 |
| __vbaFreeVar | 31008 |
| RectVisible | 30985 |
| __getmainargs | 30856 |
| sprintf | 30836 |
| SHGetSpecialFolderLocation | 30716 |
| RedrawWindow | 30600 |
| __vbaFreeStr | 30558 |
| __vbaHresultCheckObj | 30557 |
| WindowFromPoint | 30444 |
| EnumCalendarInfoA | 30357 |
| RemovePropA | 30324 |

| | |
|---------------------------|-------|
| __vbaStrMove | 30283 |
| EqualRect | 30273 |
| _XcptFilter | 30267 |
| __vbaFreeVarList | 30213 |
| ExpandEnvironmentStringsA | 30060 |
| __vbaFreeStrList | 30042 |
| GetSysColorBrush | 29913 |
| ImageList_SetIconSize | 29880 |
| LoadImageA | 29589 |
| GetComputerNameA | 29586 |
| UnmapViewOfFile | 29575 |
| CreateDIBSection | 29546 |
| MoveToEx | 29506 |
| __setusermatherr | 29371 |
| __vbaNew2 | 29353 |
| _exit | 29218 |
| SetEnvironmentVariableA | 29180 |
| DrawEdge | 29105 |
| __vbaStrCat | 29081 |
| __p__commode | 28987 |
| __vbaStrCopy | 28977 |
| IsRectEmpty | 28948 |
| __vbaFreeObj | 28861 |
| SetStretchBltMode | 28805 |
| _onexit | 28778 |
| IsZoomed | 28742 |
| GetIconInfo | 28734 |
| CreatePalette | 28630 |
| CharLowerA | 28612 |
| SHGetPathFromIDListA | 28467 |
| GlobalFindAtomA | 28275 |
| RegOpenKeyA | 28238 |
| CreateDIBitmap | 28113 |
| GetKeyboardState | 28107 |
| LookupPrivilegeValueA | 28010 |
| _controlfp | 27978 |
| strstr | 27899 |
| GetDlgItemTextA | 27763 |
| __vbaStrVarMove | 27692 |
| __vbaSetSystemError | 27685 |
| DeleteMenu | 27649 |
| LoadLibraryW | 27630 |
| IsValidCodePage | 27550 |
| CharPrevA | 27534 |
| GetTextExtentPoint32A | 27488 |
| CreateToolhelp32Snapshot | 27407 |
| CharToOemA | 27403 |

| | |
|--------------------------|-------|
| DestroyCursor | 27353 |
| RegisterClipboardFormatA | 27284 |
| __vbaOnError | 27237 |
| GetStringTypeExA | 27216 |
| CreateMenu | 27180 |
| DrawIconEx | 27154 |
| EnumThreadWindows | 27139 |
| SetWindowOrgEx | 27072 |
| DrawMenuBar | 27067 |
| GetDriveTypeA | 26777 |
| WinHelpA | 26775 |
| SetScrollPos | 26688 |
| SHFileOperationA | 26598 |
| VariantInit | 26554 |
| FrameRect | 26527 |
| __vbaLenBstr | 26385 |
| ShowOwnedPopups | 26168 |
| __vbaVarDup | 26124 |
| __dllonexit | 26072 |
| SHGetFileInfoA | 25974 |
| atoi | 25937 |
| GetScrollPos | 25935 |
| AppendMenuA | 25882 |
| SetPixel | 25866 |
| __vbaVarMove | 25788 |
| ExcludeClipRect | 25754 |
| strncpy | 25671 |
| SetROP2 | 25525 |
| GetTextMetricsA | 25434 |
| GetDCEx | 25408 |
| CreateDialogParamA | 25324 |
| DrawFrameControl | 25284 |
| SetWindowPlacement | 25244 |
| __CxxFrameHandler | 25222 |
| ??2@YAPAXI@Z | 25214 |
| MapVirtualKeyA | 25138 |
| __vbaErrorOverflow | 25069 |
| OemToCharA | 25053 |
| WaitMessage | 25029 |
| InternetOpenUrlA | 25029 |
| GetKeyboardLayout | 25015 |
| FileTimeToDosDateTime | 24992 |
| RemoveMenu | 24956 |
| SafeArrayCreate | 24947 |
| __vbaAryDestruct | 24860 |
| SetScrollRange | 24831 |
| GetVolumeInformationA | 24808 |

| | |
|---------------------------|-------|
| __vbaStrCmp | 24712 |
| FileTimeToSystemTime | 24697 |
| ImageList_Remove | 24695 |
| ScrollWindow | 24690 |
| SetScrollInfo | 24688 |
| RegEnumKeyExA | 24674 |
| GetCursor | 24639 |
| IntersectClipRect | 24594 |
| GetScrollRange | 24582 |
| GetClipboardData | 24574 |
| GetSystemPaletteEntries | 24553 |
| SafeArrayGetUBound | 24536 |
| CheckDlgButton | 24484 |
| CompareFileTime | 24437 |
| GetMenuItemInfoA | 24398 |
| CreateIcon | 24340 |
| SetThreadLocale | 24303 |
| InsertMenuItemA | 24285 |
| CreateFileMappingA | 24249 |
| SafeArrayGetLBound | 24127 |
| ImageList_Draw | 24118 |
| InsertMenuA | 24115 |
| Process32Next | 24062 |
| SHBrowseForFolderA | 24007 |
| ReleaseMutex | 23992 |
| __vbaStrToAnsi | 23902 |
| WriteProcessMemory | 23880 |
| SetBrushOrgEx | 23867 |
| ShowScrollBar | 23853 |
| SendMessageTimeoutA | 23812 |
| Process32First | 23805 |
| __vbaFileOpen | 23733 |
| MsgWaitForMultipleObjects | 23622 |
| GetScrollInfo | 23585 |
| GetBitmapBits | 23470 |
| __vbaFileClose | 23435 |
| strlen | 23432 |
| GetPaletteEntries | 23337 |
| ImageList_DragEnter | 23221 |
| MessageBeep | 23163 |
| TranslateMDISysAccel | 23114 |
| ActivateKeyboardLayout | 23098 |
| GetWindowOrgEx | 23073 |
| __vbaObjSet | 23048 |
| GetMenuStringA | 23046 |
| CreateHalftonePalette | 23018 |
| GetFileTime | 22912 |

| | |
|--------------------------|-------|
| GetDIBColorTable | 22904 |
| ImageList_EndDrag | 22890 |
| ImageList_GetIconSize | 22883 |
| GetCurrentPositionEx | 22855 |
| SetDIBColorTable | 22826 |
| __vbaVarCat | 22806 |
| ImageList_DragLeave | 22773 |
| CloseServiceHandle | 22747 |
| ImageList_SetBkColor | 22741 |
| RegFlushKey | 22739 |
| EnableScrollBar | 22730 |
| ImageList_DragMove | 22705 |
| _acmdln | 22683 |
| ImageList_DrawEx | 22636 |
| SetParent | 22594 |
| __vbaStrVarVal | 22589 |
| ImageList_GetImageCount | 22587 |
| ImageList_BeginDrag | 22582 |
| SearchPathA | 22500 |
| GetKeyNameTextA | 22496 |
| ImageList_DragShowNolock | 22491 |
| ImageList_Read | 22474 |
| GetKeyboardLayoutList | 22469 |
| MoveWindow | 22469 |
| RegOpenKeyExW | 22436 |
| __vbaStrToUnicode | 22430 |
| GetConsoleCP | 22425 |
| CreatePenIndirect | 22411 |
| RegQueryValueExW | 22400 |
| RegQueryInfoKeyA | 22398 |
| DefFrameProcA | 22392 |
| GetBrushOrgEx | 22347 |
| ImageList_ReplacerIcon | 22324 |
| GetUserDefaultLCID | 22280 |
| __vbaGenerateBoundsError | 22230 |
| strchr | 22160 |
| GetConsoleMode | 22104 |
| __vbaEnd | 22087 |
| SetThreadPriority | 22047 |
| GetCommandLineW | 21970 |
| DefMDIChildProcA | 21892 |
| _strcmp | 21801 |
| __vbaI4Var | 21759 |
| SetMenuItemInfoA | 21693 |
| ImageList_GetBkColor | 21691 |
| ImageList_AddMasked | 21657 |
| ImageList_Write | 21606 |

| | |
|---------------------------------------|-------|
| MaskBlt | 21472 |
| GetDCOrgEx | 21411 |
| CharLowerBuffA | 20806 |
| RegisterClassExA | 20747 |
| ShowCursor | 20727 |
| VariantChangeTypeEx | 20697 |
| SetMapMode | 20657 |
| IsBadWritePtr | 20586 |
| DuplicateHandle | 20578 |
| URLDownloadToFileA | 20578 |
| InitCommonControls | 20562 |
| GetConsoleOutputCP | 20549 |
| strcpy | 20528 |
| WriteConsoleW | 20462 |
| ImageList_GetDragImage | 20459 |
| VariantChangeType | 20353 |
| Rectangle | 20349 |
| LoadKeyboardLayoutA | 20256 |
| WriteConsoleA | 20181 |
| __vbaFreeObjList | 20160 |
| __vbaUbound | 20160 |
| CoTaskMemAlloc | 20109 |
| strrchr | 19714 |
| GetExitCodeThread | 19712 |
| FindFirstFileW | 19677 |
| __vbaAryMove | 19650 |
| ProcCallEngine | 19644 |
| __vbaAryUnlock | 19610 |
| __vbaRedim | 19600 |
| TerminateThread | 19292 |
| OpenSCManagerA | 19268 |
| CopyRect | 19148 |
| CreateStreamOnHGlobal | 19087 |
| WSACleanup | 19084 |
| ImageList_SetDragCursorImage | 19018 |
| __vbaInStr | 18982 |
| MessageBoxW | 18919 |
| fclose | 18884 |
| OpenServiceA | 18878 |
| CharUpperBuffA | 18816 |
| ??3@YAXPAX@Z | 18694 |
| InitializeCriticalSectionAndSpinCount | 18658 |
| rand | 18655 |
| MethCallEngine | 18625 |
| __vbaI2I4 | 18586 |
| SystemTimeToFileTime | 18565 |
| __vbaAryLock | 18498 |

| | |
|------------------------------|-------|
| GetFileAttributesW | 18445 |
| ReadProcessMemory | 18408 |
| __vbaFpl4 | 18380 |
| strcat | 18366 |
| RegSetValueExW | 18318 |
| GetLocaleInfoW | 18308 |
| __vbaVar2Vec | 18243 |
| VirtualAllocEx | 18142 |
| DeleteFileW | 18091 |
| GetMessageTime | 18027 |
| SendMessageW | 18023 |
| __vbaVarTstEq | 18019 |
| PostThreadMessageA | 18016 |
| CLSIDFromString | 17994 |
| fopen | 17967 |
| InterlockedCompareExchange | 17923 |
| RegCreateKeyA | 17894 |
| OutputDebugStringA | 17690 |
| strcmp | 17576 |
| MessageBoxIndirectA | 17467 |
| StartServiceA | 17416 |
| PlayEnhMetaFile | 17266 |
| SHGetMalloc | 17234 |
| DeleteEnhMetaFile | 17185 |
| SendDlgItemMessageA | 17153 |
| CharUpperA | 17044 |
| __vbaAryConstruct2 | 17017 |
| GetEnhMetaFileHeader | 16923 |
| __vbaVarAdd | 16869 |
| SetEnhMetaFileBits | 16853 |
| __vbaObjSetAddref | 16775 |
| GetEnhMetaFileBits | 16733 |
| LoadStringW | 16731 |
| SetWinMetaFileBits | 16681 |
| GetWinMetaFileBits | 16605 |
| __vbaVarVargNofree | 16550 |
| ExtTextOutA | 16543 |
| GetEnhMetaFilePaletteEntries | 16525 |
| IsBadCodePtr | 16460 |
| OpenMutexA | 16351 |
| __vbaStrl4 | 16334 |
| __vbaVarCopy | 16327 |
| CopyEnhMetaFileA | 16306 |
| LocalReAlloc | 16254 |
| srand | 16115 |
| __vbaAryCopy | 16108 |
| CreateDCA | 16002 |

| | |
|-------------------------|-------|
| wcslen | 15989 |
| __vbaUI1I2 | 15988 |
| send | 15966 |
| MoveFileExA | 15944 |
| VariantCopyInd | 15907 |
| __vbaStrI2 | 15821 |
| DispatchMessageW | 15744 |
| WaitForMultipleObjects | 15446 |
| CoGetClassObject | 15215 |
| IsEqualGUID | 15197 |
| GetUserNameA | 15123 |
| GetWindowTextLengthA | 15119 |
| __vbaErase | 15049 |
| WSAStartup | 14938 |
| RegCreateKeyExW | 14933 |
| __vbaVarSub | 14929 |
| GetOpenFileNameA | 14910 |
| VirtualProtectEx | 14887 |
| IsDBCSLeadByte | 14879 |
| SetWindowLongW | 14801 |
| time | 14793 |
| wvsprintfA | 14704 |
| *invalid* | 14623 |
| GetDlgCtrlID | 14610 |
| __vbaLsetFixstr | 14553 |
| CreateWindowExW | 14487 |
| __vbaAryVar | 14467 |
| __vbaExitProc | 14425 |
| __vbaFixstrConstruct | 14201 |
| TextOutA | 14178 |
| CreateDirectoryW | 14158 |
| SuspendThread | 14138 |
| DeviceIoControl | 14125 |
| GetWindowLongW | 14048 |
| GlobalSize | 14026 |
| DefWindowProcW | 14013 |
| DrawFocusRect | 13996 |
| gethostbyname | 13845 |
| GetErrorInfo | 13818 |
| _strlwr | 13741 |
| HttpQueryInfoA | 13666 |
| __vbaI2Var | 13662 |
| strcmp | 13650 |
| PostMessageW | 13632 |
| LocalFileTimeToFileTime | 13620 |
| InternetConnectA | 13546 |
| _cexit | 13545 |

| | |
|---------------------------|-------|
| SHGetSpecialFolderPathA | 13489 |
| htons | 13421 |
| SetCursorPos | 13391 |
| DeleteService | 13371 |
| CharNextW | 13344 |
| FindResourceW | 13321 |
| __vbaRedimPreserve | 13268 |
| ValidateRect | 13235 |
| __vbaBoolVarNull | 13209 |
| GetClassLongA | 13135 |
| LPtoDP | 13134 |
| PeekMessageW | 13119 |
| __vbaPutOwner3 | 13019 |
| socket | 13012 |
| closesocket | 12982 |
| CreateEventW | 12977 |
| memmove | 12912 |
| IstrcmpW | 12886 |
| ClosePrinter | 12857 |
| GetVersionExW | 12843 |
| Netbios | 12781 |
| CreateServiceA | 12762 |
| StringFromCLSID | 12748 |
| CLSIDFromProgID | 12691 |
| GlobalMemoryStatus | 12686 |
| EnumChildWindows | 12670 |
| OpenPrinterA | 12663 |
| ControlService | 12625 |
| IsValidLocale | 12621 |
| LoadLibraryExW | 12619 |
| GetTimeFormatA | 12574 |
| Shell_NotifyIconA | 12408 |
| connect | 12378 |
| IstrcpyW | 12331 |
| DisableThreadLibraryCalls | 12319 |
| __vbaStrVarCopy | 12318 |
| __vbaInStrVar | 12267 |
| wcscmp | 12247 |
| SetViewportExtEx | 12244 |
| SetWindowExtEx | 12181 |
| InitCommonControlsEx | 12163 |
| IstrcmpiW | 12130 |
| __vbaVarTstNe | 12077 |
| wcscpy | 12075 |
| ShellExecuteExA | 12066 |
| HttpOpenRequestA | 11992 |
| RegQueryValueA | 11929 |

| | |
|---------------------------|-------|
| HttpSendRequestA | 11824 |
| fwrite | 11824 |
| __vbaGet3 | 11802 |
| recv | 11792 |
| FormatMessageW | 11783 |
| GetStartupInfoW | 11718 |
| __vbaVarZero | 11678 |
| GlobalGetAtomNameA | 11673 |
| __vbaI4ErrVar | 11602 |
| FindNextFileW | 11584 |
| BringWindowToTop | 11507 |
| FreeSid | 11460 |
| CreateRectRgn | 11381 |
| wsprintfW | 11274 |
| __vbaStrFixstr | 11251 |
| GetUserDefaultLangID | 11169 |
| TranslateAcceleratorA | 11154 |
| CreateProcessW | 11139 |
| Escape | 11091 |
| __vbaVarIndexLoad | 11087 |
| RegDeleteValueW | 11062 |
| Polyline | 11058 |
| SetWindowTextW | 11054 |
| LoadCursorW | 10971 |
| inet_addr | 10932 |
| CreateRemoteThread | 10905 |
| GetThreadContext | 10846 |
| InternetGetConnectedState | 10833 |
| GetTextExtentPointA | 10830 |
| UnlockFile | 10825 |
| ShellExecuteW | 10812 |
| GetSaveFileNameA | 10800 |
| GetFileDialogA | 10734 |
| EnumSystemLocalesA | 10697 |
| GetTempPathW | 10662 |
| GetTokenInformation | 10629 |
| VerQueryValueW | 10613 |
| CreatePipe | 10608 |
| GdiFlush | 10593 |
| GetWindowTextW | 10542 |
| __vbaRecAnsiToUni | 10525 |
| __vbaRecUniToAnsi | 10502 |
| LockFile | 10410 |
| keybd_event | 10389 |
| SetServiceStatus | 10382 |
| SetFileAttributesW | 10285 |
| QueryServiceStatus | 10174 |

| | |
|--|-------|
| SetPriorityClass | 10165 |
| __vbaVarForInit | 10131 |
| __vbaVarForNext | 10117 |
| GlobalFlags | 10096 |
| GetNextDlgTabItem | 10071 |
| SetMenuItemBitmaps | 9999 |
| ??1type_info@@@UAE@XZ | 9983 |
| _CxxThrowException | 9982 |
| SetThreadContext | 9959 |
| DosDateTimeToFileTime | 9928 |
| InitializeSecurityDescriptor | 9897 |
| LoadAcceleratorsA | 9813 |
| PtVisible | 9809 |
| ??1?\$basic_string@DU?\$char_traits@D@std::@A | 9744 |
| IstrcpynW | 9740 |
| GetMenuCheckMarkDimensions | 9714 |
| GetAsyncKeyState | 9696 |
| RegDeleteKeyW | 9675 |
| StringFromGUID2 | 9663 |
| SetSecurityDescriptorDacl | 9653 |
| __vbaPut3 | 9638 |
| QueryPerformanceFrequency | 9634 |
| fread | 9590 |
| OffsetViewportOrgEx | 9544 |
| LoadIconW | 9451 |
| ScaleViewportExtEx | 9434 |
| CreateDialogIndirectParamA | 9426 |
| __vbaFpR8 | 9418 |
| ScaleWindowExtEx | 9411 |
| ModifyMenuA | 9408 |
| LoadMenuA | 9403 |
| PathFileExistsA | 9394 |
| OleDraw | 9387 |
| GetFullPathNameW | 9321 |
| GetPrivateProfileIntA | 9313 |
| GetTextColor | 9270 |
| DragFinish | 9233 |
| CoRevokeClassObject | 9210 |
| CreatePen | 9192 |
| CoCreateGuid | 9189 |
| ?npos@?\$basic_string@DU?\$char_traits@D@std::@A | 9134 |
| __vbaRecDestruct | 9084 |
| GetClassInfoExA | 9066 |
| GetRgnBox | 9036 |
| GetBkColor | 8995 |
| OpenFileMappingA | 8981 |
| DocumentPropertiesA | 8973 |

| | |
|---|------|
| realloc | 8865 |
| DialogBoxParamW | 8841 |
| OpenEventA | 8829 |
| RtlInitUnicodeString | 8791 |
| InvalidateRgn | 8788 |
| lstrcatW | 8787 |
| __vbaI4Str | 8773 |
| GetMessageW | 8773 |
| capCreateCaptureWindowA | 8686 |
| TabbedTextOutA | 8624 |
| InternetCrackUrlA | 8603 |
| RegisterServiceCtrlHandlerA | 8587 |
| AllocateAndInitializeSid | 8576 |
| _access | 8554 |
| fseek | 8550 |
| __vbaCastObj | 8534 |
| RegisterClassW | 8522 |
| VirtualQueryEx | 8521 |
| SetConsoleCtrlHandler | 8519 |
| CallWindowProcW | 8489 |
| CreateRectRgnIndirect | 8482 |
| __vbaFpI2 | 8469 |
| _CorExeMain | 8463 |
| GrayStringA | 8462 |
| RegEnumKeyExW | 8446 |
| _amsg_exit | 8437 |
| mouse_event | 8394 |
| ?_Tidy@?\$basic_string@DU?\$char_traits@L | 8379 |
| FlushInstructionCache | 8371 |
| __vbaObjVar | 8363 |
| SHGetFolderPathA | 8351 |
| __vbaUI1I4 | 8345 |
| inet_ntoa | 8333 |
| IsWindowUnicode | 8316 |
| __vbaVarMul | 8310 |
| CreateSemaphoreA | 8302 |
| timeGetTime | 8283 |
| __vbaPowerR8 | 8266 |
| ?_C@?1??_Nullstr@?\$basic_string@DU?\$char_traits@L | 8234 |
| __vbaVarOr | 8186 |
| ?assign@?\$basic_string@DU?\$char_traits@L | 8169 |
| WaitForInputIdle | 8168 |
| __vbaLateIdCall | 8147 |
| __vbaLateIdCallLd | 8147 |
| __vbaVarAnd | 8096 |
| GdipFree | 8090 |
| GetAdaptersInfo | 8078 |

| | |
|-------------------------|------|
| CloseWindow | 8055 |
| IsDialogMessageW | 8046 |
| GetLogicalDriveStringsA | 8044 |
| _strcmpl | 8041 |
| IsDlgButtonChecked | 8009 |
| DrawTextW | 7991 |
| GetWindowsDirectoryW | 7951 |
| __vbaLenBstrB | 7921 |
| SetWindowRgn | 7890 |
| ?terminate@@YAXXZ | 7861 |
| GetSystemDefaultLCID | 7823 |
| ReleaseSemaphore | 7815 |
| SysStringLen | 7796 |
| GetClassNameW | 7794 |
| SetRectEmpty | 7781 |
| SHDeleteKeyA | 7769 |
| GetThreadPriority | 7758 |
| PeekNamedPipe | 7751 |
| MapDialogRect | 7704 |
| GdiplusStartup | 7697 |
| ProgIDFromCLSID | 7688 |
| _purecall | 7668 |
| EnumResourceLanguagesA | 7654 |
| GdipDisposeImage | 7652 |
| GetSystemDirectoryW | 7635 |
| CopyFileW | 7627 |
| CreateMutexW | 7614 |
| CreateFileMappingW | 7608 |
| CoTaskMemRealloc | 7607 |
| _iob | 7588 |
| GetPriorityClass | 7538 |
| CloseDesktop | 7529 |
| CoInitializeEx | 7500 |
| __vbaLateMemCall | 7494 |
| OleSetMenuDescriptor | 7481 |
| CharUpperW | 7443 |
| VirtualFreeEx | 7379 |
| GetActiveObject | 7373 |
| GetMapMode | 7369 |
| CreateFontA | 7302 |
| wcscat | 7301 |
| __vbaNew | 7285 |
| GetObjectW | 7280 |
| __vbaPrintFile | 7207 |
| RemoveDirectoryW | 7167 |
| RegQueryInfoKeyW | 7151 |
| CombineRgn | 7114 |

| | |
|---|------|
| FindResourceExA | 7108 |
| DestroyAcceleratorTable | 7079 |
| printf | 7059 |
| RegisterWindowMessageW | 7030 |
| SelectClipRgn | 7021 |
| wcsstr | 7018 |
| GetWindowExtEx | 7004 |
| EnumProcesses | 7001 |
| GetFileInformationByHandle | 6988 |
| CloseEnhMetaFile | 6984 |
| gethostname | 6982 |
| _strnicmp | 6981 |
| GetViewportExtEx | 6976 |
| CreateFontIndirectW | 6970 |
| GetLengthSid | 6960 |
| Ellipse | 6953 |
| __vbaLbound | 6932 |
| memcmp | 6919 |
| SystemParametersInfoW | 6886 |
| WSAIoctl | 6881 |
| DPtoLP | 6870 |
| __vbaFPInt | 6849 |
| IofCompleteRequest | 6846 |
| ExpandEnvironmentStringsW | 6843 |
| WSAGetLastError | 6835 |
| BeginDeferWindowPos | 6827 |
| calloc | 6825 |
| IsAccelerator | 6817 |
| IsClipboardFormatAvailable | 6812 |
| EnumClipboardFormats | 6801 |
| GdipAlloc | 6800 |
| __vbaDerefAry1 | 6789 |
| UnpackDDEIParam | 6786 |
| DeferWindowPos | 6785 |
| GetDateFormatW | 6748 |
| ZwClose | 6747 |
| FindAtomA | 6739 |
| CoFreeUnusedLibraries | 6738 |
| __vbaPut4 | 6682 |
| ExtSelectClipRgn | 6680 |
| CreateEnhMetaFileA | 6656 |
| GetNextDlgGroupItem | 6646 |
| InternetSetOptionA | 6644 |
| __vbaVarLateMemCallLd | 6639 |
| PathFindExtensionA | 6617 |
| ?assign@?\$basic_string@DU?\$char_traits@ | 6616 |
| MoveFileW | 6604 |

| | |
|-------------------------------|------|
| _wcsnicmp | 6589 |
| __vbaVarInt | 6583 |
| GdipGetImageEncoders | 6571 |
| InternetOpenW | 6570 |
| _itoa | 6569 |
| GdipGetImageEncodersSize | 6568 |
| waveOutWrite | 6567 |
| SetThreadDesktop | 6528 |
| ??0_Winit@std@@@QAE@XZ | 6509 |
| CopyImage | 6466 |
| GdiplusShutdown | 6466 |
| ??1_Winit@std@@@QAE@XZ | 6456 |
| GetCurrentDirectoryW | 6420 |
| PathFindFileNameA | 6419 |
| __vbaR8Str | 6415 |
| ??0Init@ios_base@std@@@QAE@XZ | 6408 |
| ??1Init@ios_base@std@@@QAE@XZ | 6382 |
| LoadImageW | 6377 |
| GetEnhMetaFileDescriptionA | 6374 |
| _snprintf | 6353 |
| Module32First | 6350 |
| strtok | 6340 |
| EndDeferWindowPos | 6339 |
| ftell | 6316 |
| OpenThreadToken | 6313 |
| SHChangeNotify | 6311 |
| __vbaVarCmpEq | 6308 |
| __vbaGetOwner4 | 6285 |
| CopyAcceleratorTableA | 6262 |
| ExAllocatePoolWithTag | 6233 |
| CheckRadioButton | 6233 |
| GetFileAttributesExA | 6230 |
| RegisterClassExW | 6227 |
| EndDoc | 6216 |
| IsProcessorFeaturePresent | 6215 |
| abs | 6210 |
| ??1_Lockit@std@@@QAE@XZ | 6209 |
| FindWindowW | 6197 |
| _wcsicmp | 6189 |
| StgCreateDocfileOnILockBytes | 6182 |
| __vbaFpUI1 | 6168 |
| CoRegisterMessageFilter | 6161 |
| wcsncpy | 6158 |
| _strupr | 6148 |
| __vbaLateMemCallLd | 6139 |
| StrStrIA | 6094 |
| LoadBitmapW | 6078 |

| | |
|-----------------------------|------|
| GetTextExtentPoint32W | 6077 |
| __vbaVarTstGt | 6069 |
| SetEnvironmentVariableW | 6056 |
| ??0_Lockit@std@@QAE@XZ | 6050 |
| CreateLockBytesOnHGlobal | 6023 |
| SafeArrayPutElement | 6021 |
| _strrev | 6020 |
| fprintf | 6018 |
| CreatePatternBrush | 6006 |
| StartServiceCtrlDispatcherA | 6006 |
| __vbaFpCmpCy | 6000 |
| _ftol | 5998 |
| SafeArrayGetElement | 5994 |
| GetSystemDefaultLangID | 5965 |
| bind | 5960 |
| OleFlushClipboard | 5956 |
| GetSaveFileNameW | 5951 |
| SetWindowContextHelpId | 5936 |
| FreeConsole | 5927 |
| ImageList_Replace | 5901 |
| swprintf | 5895 |
| GdipSaveImageToFile | 5893 |
| __vbaLateldSt | 5876 |
| OpenInputDesktop | 5864 |
| StgOpenStorageOnILockBytes | 5848 |
| tolower | 5834 |
| _TrackMouseEvent | 5819 |
| waveInOpen | 5800 |
| GetCurrentObject | 5767 |
| ReportEventA | 5761 |
| EndPage | 5756 |
| StartPage | 5744 |
| OleIsCurrentClipboard | 5735 |
| GetDiskFreeSpaceExA | 5735 |
| SetDlgItemTextW | 5732 |
| __vbaMidStmtBstr | 5728 |
| _vsnprintf | 5711 |
| CryptReleaseContext | 5692 |
| OpenDesktopA | 5689 |
| DrawTextExA | 5684 |
| DragQueryFileA | 5681 |
| TrackPopupMenuEx | 5674 |
| RegEnumValueW | 5669 |
| waveInUnprepareHeader | 5654 |
| ChildWindowFromPoint | 5653 |
| GetFileVersionInfoSizeW | 5640 |
| GetProfileStringA | 5639 |

| | |
|----------------------------|------|
| ConvertDefaultLocale | 5628 |
| RoundRect | 5627 |
| SendDlgItemMessageW | 5627 |
| SetSecurityInfo | 5623 |
| ioctlsocket | 5604 |
| capGetDriverDescriptionA | 5598 |
| fflush | 5577 |
| GetFileSizeEx | 5551 |
| __vbaStrErrVarCopy | 5543 |
| GdipCloneImage | 5519 |
| StretchDIBits | 5506 |
| GetWindowTextLengthW | 5505 |
| CharLowerW | 5499 |
| OleRun | 5493 |
| GetFileVersionInfoW | 5485 |
| ReuseDDEParam | 5429 |
| SetWindowsHookExW | 5421 |
| DebugBreak | 5419 |
| __vbaCopyBytes | 5403 |
| ChangeServiceConfigA | 5387 |
| listen | 5370 |
| GetEnvironmentVariableW | 5369 |
| EnumResourceNamesA | 5344 |
| AddAtomA | 5333 |
| signal | 5305 |
| Module32Next | 5264 |
| GetComputerNameW | 5254 |
| GetTempFileNameW | 5251 |
| GetLogicalDrives | 5243 |
| InternetQueryDataAvailable | 5239 |
| CryptCreateHash | 5215 |
| __getpid | 5201 |
| __vbaUI1Var | 5160 |
| LocalSize | 5144 |
| InitializeAcl | 5135 |
| __vbaUI1ErrVar | 5113 |
| _setmbcp | 5103 |
| _mbscmp | 5101 |
| RegOpenKeyW | 5074 |
| InternetCanonicalizeUrlA | 5060 |
| PathStripToRootA | 5051 |
| CreateAcceleratorTableA | 5020 |
| PathIsUNCA | 5011 |
| TextOutW | 5004 |
| CryptHashData | 4991 |
| waveInAddBuffer | 4981 |
| __vbaLenVar | 4964 |

| | |
|------------------------------|------|
| EqualSid | 4953 |
| atol | 4946 |
| IsValidSid | 4936 |
| abort | 4917 |
| waveInPrepareHeader | 4912 |
| WNetOpenEnumA | 4909 |
| GetProcessVersion | 4889 |
| SetCurrentDirectoryW | 4885 |
| OpenEventW | 4884 |
| OutputDebugStringW | 4883 |
| GetUserDefaultUILanguage | 4871 |
| __vbaRaiseEvent | 4864 |
| sscanf | 4853 |
| DeregisterEventSource | 4835 |
| waveInClose | 4829 |
| GlobalAddAtomW | 4824 |
| SetKeyboardState | 4822 |
| IsCharAlphaA | 4811 |
| GetThreadDesktop | 4808 |
| UnionRect | 4792 |
| GetOpenFileNameW | 4780 |
| GetShortPathNameW | 4778 |
| EnumServicesStatusA | 4777 |
| FindResourceExW | 4776 |
| ZwOpenKey | 4770 |
| waveInStart | 4770 |
| IoGetCurrentProcess | 4768 |
| SleepEx | 4763 |
| RegisterShellHookWindow | 4742 |
| ExtTextOutW | 4733 |
| ChooseColorA | 4726 |
| select | 4722 |
| GdipLoadImageFromFile | 4712 |
| ntohs | 4711 |
| CryptAcquireContextA | 4704 |
| IsMenu | 4702 |
| GetDlgItemTextW | 4677 |
| waveOutOpen | 4676 |
| _errno | 4672 |
| RtlAnsiStringToUnicodeString | 4659 |
| setsockopt | 4651 |
| wcschr | 4645 |
| CharToOemBuffA | 4644 |
| accept | 4642 |
| _c_exit | 4631 |
| ZwCreateFile | 4623 |
| UnregisterClassW | 4622 |

| | |
|---------------------------|------|
| __vbaI2Str | 4604 |
| GetClassInfoW | 4598 |
| ToAscii | 4574 |
| CopyIcon | 4567 |
| WSAAAsyncSelect | 4564 |
| ExFreePool | 4552 |
| GetAtomNameA | 4552 |
| __vbaVarNot | 4545 |
| CryptDestroyHash | 4531 |
| ShellExecuteExW | 4524 |
| GetTimeFormatW | 4512 |
| GetPrivateProfileStringW | 4507 |
| __vbaVarIndexLoadRefLock | 4502 |
| GetVolumeInformationW | 4501 |
| OpenFile | 4501 |
| RegCreateKeyW | 4498 |
| CommDlgExtendedError | 4497 |
| OemToCharBuffA | 4494 |
| GetDiskFreeSpaceW | 4470 |
| SHGetPathFromIDListW | 4452 |
| MmGetSystemRoutineAddress | 4446 |
| IoCreateDevice | 4437 |
| SafeArrayRedim | 4437 |
| SetProcessWindowStation | 4423 |
| __p_environ | 4410 |
| _setmode | 4403 |
| __vbaVarSetVar | 4402 |
| StrStrA | 4390 |
| HttpAddRequestHeadersA | 4381 |
| SHSetValueA | 4368 |
| _lclose | 4363 |
| _wcslwr | 4350 |
| WinHelpW | 4346 |
| GetTextMetricsW | 4327 |
| ScrollWindowEx | 4314 |
| LookupPrivilegeValueW | 4311 |
| getservbyname | 4300 |
| GetDoubleClickTime | 4299 |
| FindWindowExW | 4297 |
| _lopen | 4284 |
| _ismbblead | 4268 |
| CreateDialogParamW | 4262 |
| wcsrchr | 4255 |
| SetEntriesInAclA | 4255 |
| GetMenuItemInfoW | 4254 |
| IoDeleteDevice | 4253 |
| AddAccessAllowedAce | 4251 |

| | |
|------------------------------|------|
| ImageList_GetIcon | 4241 |
| RemovePropW | 4211 |
| isspace | 4208 |
| waveOutClose | 4202 |
| AppendMenuW | 4176 |
| OpenSCManagerW | 4171 |
| ShowCaret | 4161 |
| waveOutUnprepareHeader | 4155 |
| RegSetValueA | 4142 |
| IsCharAlphaNumericA | 4136 |
| LookupAccountNameA | 4126 |
| __vbaCastObjVar | 4121 |
| CoRegisterClassObject | 4100 |
| GetDriveTypeW | 4099 |
| waveOutPrepareHeader | 4095 |
| GetBkMode | 4088 |
| GetUserObjectInformationA | 4074 |
| GetUserNameW | 4074 |
| ZwSetValueKey | 4070 |
| waveOutReset | 4070 |
| AttachThreadInput | 4062 |
| waveInReset | 4058 |
| SetPropW | 4034 |
| GetCaretPos | 3998 |
| getenv | 3987 |
| PsGetVersion | 3962 |
| MoveFileExW | 3962 |
| DuplicateTokenEx | 3951 |
| GetClassLongW | 3946 |
| LoadAcceleratorsW | 3935 |
| CreateDCW | 3933 |
| SHGetValueA | 3928 |
| atexit | 3928 |
| InternetWriteFile | 3921 |
| SetTextAlign | 3918 |
| GetUpdateRect | 3909 |
| GetPropW | 3904 |
| HideCaret | 3902 |
| wcsncmp | 3900 |
| RtlMoveMemory | 3897 |
| PostThreadMessageW | 3894 |
| DisconnectNamedPipe | 3882 |
| SHGetDesktopFolder | 3871 |
| InternetGetLastResponseInfoA | 3858 |
| CharUpperBuffW | 3858 |
| GetModuleFileNameExA | 3842 |
| __vbaBoolVar | 3842 |

| | |
|---------------------------|------|
| MapVirtualKeyW | 3836 |
| GetMenuItemStringW | 3829 |
| IoCreateSymbolicLink | 3821 |
| RtlZeroMemory | 3806 |
| _beginthreadex | 3806 |
| ObfDereferenceObject | 3800 |
| InternetSetFilePointer | 3799 |
| _except_handler4_common | 3797 |
| _lock | 3796 |
| fgets | 3792 |
| _unlock | 3770 |
| PsCreateSystemThread | 3762 |
| ZwQuerySystemInformation | 3751 |
| RegEnumKeyW | 3742 |
| MmIsAddressValid | 3730 |
| TranslateAcceleratorW | 3727 |
| HeapValidate | 3714 |
| strncat | 3711 |
| __vbaStrR8 | 3698 |
| getsockname | 3690 |
| DeleteUrlCacheEntry | 3681 |
| CloseWindowStation | 3674 |
| GetClipRgn | 3670 |
| LocalUnlock | 3667 |
| DrawTextExW | 3666 |
| UuidCreate | 3650 |
| timeSetEvent | 3640 |
| GetProcessWindowStation | 3629 |
| PathAppendW | 3626 |
| CryptGetHashParam | 3602 |
| StartDocA | 3597 |
| WSAAAsyncGetHostByName | 3595 |
| __vbaVarLateMemSt | 3594 |
| RegisterClipboardFormatW | 3594 |
| BeginPath | 3593 |
| GlobalFindAtomW | 3587 |
| GetClassInfoExW | 3580 |
| GetKeyboardLayoutNameA | 3577 |
| Beep | 3575 |
| _lseek | 3568 |
| SHGetFolderPathW | 3559 |
| InterlockedExchangeAdd | 3555 |
| StrChrA | 3550 |
| __vbaR8Intl4 | 3543 |
| InternetSetStatusCallback | 3540 |
| CoDisconnectObject | 3538 |
| ZwCreateKey | 3536 |

| | |
|-----------------------------|------|
| PsLookupProcessByProcessId | 3535 |
| WaitForMultipleObjectsEx | 3513 |
| OpenServiceW | 3512 |
| CommandLineToArgvW | 3506 |
| CoInitializeSecurity | 3501 |
| SetMenuItemInfoW | 3501 |
| UrlEscapeA | 3494 |
| WSASocketA | 3493 |
| SetAbortProc | 3482 |
| SetDIBits | 3482 |
| isdigit | 3473 |
| OpenWindowStationA | 3469 |
| __vbaGetOwner3 | 3460 |
| InsertMenuW | 3456 |
| LocalLock | 3455 |
| CreateAcceleratorTableW | 3442 |
| QueryServiceConfigA | 3435 |
| InsertMenuItemW | 3432 |
| HeapSetInformation | 3419 |
| UrlUnescapeA | 3408 |
| CreateIconIndirect | 3408 |
| CheckMenuItemRadioItem | 3405 |
| OpenFileMappingW | 3402 |
| SetFileSecurityA | 3394 |
| toupper | 3393 |
| __vbaVarLateMemCallLdRf | 3377 |
| PulseEvent | 3373 |
| ZwUnmapViewOfSection | 3362 |
| ExtractIconA | 3361 |
| __vbaObjIs | 3346 |
| ExtCreatePen | 3345 |
| SHGetSpecialFolderPathW | 3323 |
| __vbaRecDestructAnsi | 3322 |
| GetFileAttributesExW | 3313 |
| LsaClose | 3306 |
| mbstowcs | 3303 |
| RevertToSelf | 3298 |
| DialogBoxIndirectParamA | 3296 |
| EnumDisplaySettingsA | 3293 |
| PathFileExistsW | 3289 |
| GetNumberFormatA | 3276 |
| CoInternetCreateZoneManager | 3254 |
| WritePrivateProfileStringW | 3253 |
| OpenPrinterW | 3247 |
| FlushViewOfFile | 3245 |
| EnumResourceTypesA | 3235 |
| ClipCursor | 3224 |

| | |
|---------------------------|------|
| RegisterEventSourceA | 3215 |
| WNetGetUserA | 3208 |
| sendto | 3205 |
| BlockInput | 3196 |
| DefDlgProcA | 3193 |
| _strup | 3190 |
| EnumProcessModules | 3189 |
| LoadMenuW | 3186 |
| ZwEnumerateKey | 3172 |
| ConvertSidToStringSidA | 3166 |
| localtime | 3164 |
| EVENT_SINK_GetIDsOfNames | 3161 |
| ZwCreateSection | 3145 |
| OleLockRunning | 3131 |
| ZwMapViewOfSection | 3126 |
| _snwprintf | 3118 |
| GetViewportOrgEx | 3113 |
| Polygon | 3111 |
| LockWindowUpdate | 3110 |
| OpenThread | 3093 |
| KeDelayExecutionThread | 3087 |
| WSACancelAsyncRequest | 3084 |
| ObReferenceObjectByHandle | 3083 |
| __vbaR4Var | 3083 |
| EndPath | 3082 |
| acmFormatChooseA | 3081 |
| ChildWindowFromPointEx | 3081 |
| DefFrameProcW | 3074 |
| PathFindFileNameW | 3072 |
| Arc | 3062 |
| ceil | 3062 |
| _vsnwprintf | 3061 |
| ImageList_SetImageCount | 3059 |
| CreateErrorInfo | 3059 |
| FatalAppExitA | 3059 |
| GetFileDialogW | 3053 |
| ImageList_GetImageInfo | 3050 |
| SendMessageTimeoutW | 3042 |
| ModifyMenuW | 3038 |
| PathRemoveFileSpecW | 3036 |
| waveOutGetNumDevs | 3023 |
| GetSidSubAuthority | 3020 |
| RegisterHotKey | 3009 |
| CharLowerBuffW | 3006 |
| SHDeleteKeyW | 3003 |
| waveInStop | 3002 |
| SHBrowseForFolderW | 3002 |

| | |
|----------------------------------|------|
| _hread | 3000 |
| IsBadStringPtrA | 2999 |
| wnsprintfA | 2991 |
| GetDlgItemInt | 2990 |
| GetLongPathNameA | 2990 |
| AlphaBlend | 2989 |
| CancelIo | 2987 |
| CreateRoundRectRgn | 2985 |
| timeKillEvent | 2974 |
| WSAAAsyncGetServByName | 2974 |
| RegQueryValueW | 2967 |
| GetSecurityInfo | 2961 |
| PathAppendA | 2945 |
| CreatePolygonRgn | 2941 |
| EVENT_SINK_Invoke | 2940 |
| Zombie_GetTypeInfo | 2937 |
| Zombie_GetTypeInfoCount | 2937 |
| LoadTypeLib | 2935 |
| Thread32First | 2935 |
| DeleteAtom | 2924 |
| __vbaVarCmpNe | 2919 |
| Thread32Next | 2914 |
| Pie | 2907 |
| FillRgn | 2899 |
| __vbaVarTstLt | 2897 |
| SetMenuItemDefault | 2890 |
| EndUpdateResourceA | 2886 |
| CreateIconFromResourceEx | 2877 |
| SetFileSecurityW | 2863 |
| SetClassLongW | 2843 |
| GdipDeleteGraphics | 2842 |
| GlobalMemoryStatusEx | 2836 |
| CoSetProxyBlanket | 2833 |
| SetNamedPipeHandleState | 2827 |
| GetSystemDefaultUILanguage | 2820 |
| AssocQueryStringW | 2819 |
| CreateIconFromResource | 2807 |
| InternetQueryOptionA | 2806 |
| GetAce | 2796 |
| GetPrivateProfileSectionA | 2791 |
| SetDlgItemInt | 2791 |
| wcsncat | 2784 |
| AdjustWindowRect | 2773 |
| RtlCompareUnicodeString | 2769 |
| GetPrivateProfileSectionNamesA | 2765 |
| IoRegisterDriverReinitialization | 2751 |
| SetLocalTime | 2739 |

| | |
|---------------------------|------|
| GetOverlappedResult | 2729 |
| SearchPathW | 2723 |
| StrToIntA | 2722 |
| mciSendStringA | 2718 |
| __vbaResume | 2705 |
| FindNextUrlCacheEntryA | 2704 |
| SHFileOperationW | 2701 |
| NetApiBufferFree | 2697 |
| GetKeyNameTextW | 2696 |
| _crt_debugger_hook | 2695 |
| ImageList_LoadImageW | 2694 |
| DragQueryFileW | 2688 |
| SendInput | 2685 |
| ??0exception@@QAE@ABV0@@Z | 2676 |
| FreeLibraryAndExitThread | 2674 |
| VkKeyScanA | 2672 |
| GetSecurityDescriptorDacl | 2662 |
| InSendMessage | 2650 |
| StrStrIW | 2649 |
| _initterm_e | 2648 |
| SetRectRgn | 2642 |
| PrintDlgA | 2638 |
| LookupAccountSidA | 2633 |
| ZwQueryValueKey | 2631 |
| __vbaRefVarArg | 2629 |
| SetErrorInfo | 2622 |
| SHDeleteValueA | 2618 |
| CopySid | 2615 |
| GetROP2 | 2605 |
| _mbsicmp | 2601 |
| InvertRect | 2592 |
| ConnectNamedPipe | 2590 |
| CreateBindCtx | 2590 |
| timeEndPeriod | 2589 |
| CoLockObjectExternal | 2589 |
| PlaySoundA | 2581 |
| StrCmpNIA | 2580 |
| __wgetmainargs | 2575 |
| GetKeyboardLayoutNameW | 2571 |
| DdeCmpStringHandles | 2569 |
| Istrcpy | 2564 |
| wcstombs | 2560 |
| LsaOpenPolicy | 2558 |
| CreateSemaphoreW | 2555 |
| UpdateResourceA | 2555 |
| PsTerminateSystemThread | 2555 |
| wvsprintfW | 2555 |

| | |
|--|------|
| __vbaForEachCollObj | 2543 |
| __vbaNextEachCollObj | 2542 |
| getpeername | 2541 |
| qsort | 2539 |
| BeginUpdateResourceA | 2524 |
| GlobalGetAtomNameW | 2517 |
| ImmGetContext | 2512 |
| __vbaVarDiv | 2510 |
| DefMDIChildProcW | 2505 |
| SetVolumeLabelA | 2498 |
| ?_Grow@?\$basic_string@DU?\$char_traits@ | 2497 |
| GetPrivateProfileIntW | 2496 |
| GetShellWindow | 2494 |
| ImmReleaseContext | 2491 |
| _EH_prolog | 2488 |
| RegisterTypeLib | 2467 |
| _fwrite | 2459 |
| fputc | 2448 |
| timeBeginPeriod | 2446 |
| ImageList_Copy | 2444 |
| StartDocW | 2440 |
| ??1exception@@UAE@XZ | 2434 |
| GetWindowRgn | 2429 |
| ReleaseStgMedium | 2427 |
| DragAcceptFiles | 2422 |
| DestroyCaret | 2419 |
| AbortDoc | 2419 |
| GetDiskFreeSpaceExW | 2414 |
| GetThreadTimes | 2409 |
| WaitForSingleObjectEx | 2406 |
| VerLanguageNameA | 2404 |
| ??0?\$basic_string@DU?\$char_traits@D@std@ | 2400 |
| UnregisterHotKey | 2399 |
| getsockopt | 2394 |
| CreateDialogIndirectParamW | 2387 |
| DdeDisconnect | 2369 |
| FindFirstUrlCacheEntryA | 2352 |
| SetPolyFillMode | 2346 |
| ?_Eos@?\$basic_string@DU?\$char_traits@D | 2345 |
| ChooseFontW | 2336 |
| fputs | 2321 |
| KeTickCount | 2318 |
| KeServiceDescriptorTable | 2317 |
| WaitForDebugEvent | 2316 |
| SafeArrayUnaccessData | 2313 |
| CreateEllipticRgn | 2306 |
| FlashWindow | 2306 |

| | |
|---------------------------------|------|
| AreFileApisANSI | 2304 |
| OpenMutexW | 2304 |
| GetUpdateRgn | 2303 |
| StrRChrA | 2302 |
| MsgWaitForMultipleObjectsEx | 2290 |
| SHGetFileInfoW | 2289 |
| EnumCalendarInfoW | 2282 |
| CoGetMalloc | 2281 |
| strtol | 2280 |
| DdeConnect | 2280 |
| CreateNamedPipeA | 2278 |
| WNetCloseEnum | 2277 |
| DdeClientTransaction | 2274 |
| _decode_pointer | 2269 |
| _encode_pointer | 2269 |
| DdeFreeStringHandle | 2268 |
| IoDeleteSymbolicLink | 2267 |
| ReadConsoleA | 2264 |
| DdeUninitialize | 2264 |
| DdeCreateStringHandleA | 2261 |
| GetCursorInfo | 2258 |
| GetProcessTimes | 2257 |
| SetFilePointerEx | 2254 |
| ImageList_LoadImageA | 2253 |
| GetTextFaceW | 2250 |
| EnumResourceNamesW | 2244 |
| CreateFontW | 2243 |
| SetNamedSecurityInfoA | 2242 |
| ContinueDebugEvent | 2240 |
| DdeNameService | 2238 |
| FindNextChangeNotification | 2235 |
| CryptDestroyKey | 2234 |
| EnumFontsA | 2231 |
| DdeGetLastError | 2230 |
| DrawDibDraw | 2221 |
| CreateDesktopA | 2218 |
| FindTextW | 2217 |
| GetTextExtentPointW | 2215 |
| VirtualLock | 2215 |
| OleCreate | 2215 |
| CoInternetCreateSecurityManager | 2214 |
| RevokeDragDrop | 2214 |
| SetLayeredWindowAttributes | 2213 |
| TryEnterCriticalSection | 2206 |
| MonitorFromPoint | 2203 |
| OpenSemaphoreA | 2202 |
| CharPrevW | 2192 |

| | |
|---------------------------------|------|
| Istrlen | 2191 |
| AddFontResourceA | 2189 |
| SignalObjectAndWait | 2189 |
| _assert | 2188 |
| strtoul | 2184 |
| KeInitializeTimer | 2184 |
| RtlCopyUnicodeString | 2183 |
| PsSetCreateProcessNotifyRoutine | 2182 |
| __vbaFpR4 | 2182 |
| shutdown | 2182 |
| ChooseFontA | 2181 |
| FoldStringW | 2179 |
| EnumFontsW | 2179 |
| __vbaVargVarMove | 2176 |
| EnumFontFamiliesExW | 2174 |
| __mb_cur_max | 2171 |
| Process32FirstW | 2165 |
| GetNearestPaletteIndex | 2164 |
| CreateCaret | 2157 |
| ExFreePoolWithTag | 2152 |
| GetSidSubAuthorityCount | 2152 |
| CreateICA | 2140 |
| ExtFloodFill | 2132 |
| KeQuerySystemTime | 2130 |
| recvfrom | 2130 |
| WNetEnumResourceA | 2125 |
| GetEnvironmentStringsA | 2125 |
| GetProfileIntA | 2124 |
| SetSecurityDescriptorOwner | 2117 |
| EncodePointer | 2116 |
| vsprintf | 2113 |
| __vbaStr2Vec | 2109 |
| RtlFreeUnicodeString | 2105 |
| strerror | 2101 |
| PathFindExtensionW | 2098 |
| WSASend | 2093 |
| DecodePointer | 2091 |
| GetInputState | 2088 |
| GetMonitorInfoW | 2084 |
| RegConnectRegistryW | 2083 |
| PathToRegion | 2077 |
| AddAce | 2076 |
| DdeInitializeA | 2074 |
| __vbaVarCmpGt | 2071 |
| IsTextUnicode | 2070 |
| __vbaLineInputStr | 2063 |
| DebugActiveProcess | 2062 |

| | |
|---------------------------|------|
| memchr | 2062 |
| DefDlgProcW | 2061 |
| __vbaUI1Str | 2059 |
| DrawAnimatedRects | 2059 |
| ExcludeUpdateRgn | 2058 |
| ImmGetCompositionStringA | 2056 |
| CreateProcessAsUserA | 2055 |
| IsDBCSLeadByteEx | 2055 |
| DdeFreeDataHandle | 2055 |
| DrawStateA | 2049 |
| Process32NextW | 2045 |
| _splitpath | 2043 |
| RegNotifyChangeKeyValue | 2041 |
| _wtol | 2040 |
| SwitchToThread | 2036 |
| OffsetRgn | 2034 |
| URLDownloadToFileW | 2033 |
| IsCharAlphaNumericW | 2032 |
| __vbaStrR4 | 2031 |
| RasEnumEntriesA | 2022 |
| __vbaVarSetObjAddref | 2022 |
| CreateProcessAsUserW | 2021 |
| PathCombineW | 2012 |
| _lcreat | 2009 |
| GetNumberFormatW | 2007 |
| GetStretchBltMode | 2003 |
| __vbaR8IntI2 | 1993 |
| __vbaLateMemSt | 1992 |
| FrameRgn | 1987 |
| _beginthread | 1986 |
| __vbaVarMod | 1985 |
| __CxxFrameHandler3 | 1979 |
| _wcmdln | 1968 |
| ?_Xran@std@@YAXXZ | 1968 |
| CryptAcquireContextW | 1968 |
| SafeArrayAccessData | 1962 |
| __vbaNextEachVar | 1961 |
| __vbaForEachVar | 1959 |
| DdeAccessData | 1956 |
| DdeQueryConvInfo | 1952 |
| __vbaStrUI1 | 1951 |
| DdeQueryStringA | 1951 |
| SetConsoleMode | 1950 |
| DdeCreateDataHandle | 1947 |
| GdipCreateBitmapFromScan0 | 1947 |
| GetObjectType | 1946 |
| DrawStateW | 1946 |

| | |
|--------------------------------|------|
| _wtoi | 1945 |
| SetClipboardViewer | 1940 |
| OpenDesktopW | 1937 |
| UuidToStringA | 1934 |
| SHEmptyRecycleBinA | 1934 |
| FreeDDEIParam | 1933 |
| LsaFreeMemory | 1929 |
| GetWindowInfo | 1929 |
| PageSetupDlgW | 1926 |
| CreateICW | 1925 |
| StrCmpW | 1924 |
| FindCloseChangeNotification | 1918 |
| TabbedTextOutW | 1916 |
| DdeSetUserHandle | 1912 |
| OleSetContainedObject | 1911 |
| isalnum | 1908 |
| PolyBezierTo | 1908 |
| GrayStringW | 1907 |
| ??0exception@@QAE@ABQBD@Z | 1904 |
| PrintDlgW | 1904 |
| ChooseColorW | 1902 |
| fgetc | 1901 |
| CascadeWindows | 1900 |
| SetWaitableTimer | 1900 |
| RegLoadKeyW | 1898 |
| InitializeFlatSB | 1888 |
| rename | 1888 |
| CopyFileExA | 1887 |
| SafeArrayCreateVector | 1886 |
| ReplaceTextW | 1886 |
| GetNearestColor | 1884 |
| _fileno | 1879 |
| CoGetInterfaceAndReleaseStream | 1878 |
| GetStringTypeExW | 1877 |
| EnumResourceLanguagesW | 1875 |
| DdePostAdvise | 1873 |
| GetMenuItemRect | 1869 |
| __CppXcptFilter | 1868 |
| ZwReadFile | 1863 |
| Shell_NotifyIconW | 1854 |
| KeWaitForSingleObject | 1853 |
| GetDialogBaseUnits | 1853 |
| _pctype | 1853 |
| WSAEventSelect | 1852 |
| DbgPrint | 1850 |
| GetUserObjectSecurity | 1847 |
| RegisterDragDrop | 1846 |

| | |
|--|------|
| timeGetDevCaps | 1841 |
| FindTextA | 1838 |
| GdipGetImageGraphicsContext | 1837 |
| FindCloseUrlCache | 1833 |
| AllocConsole | 1833 |
| RegSaveKeyW | 1831 |
| LoadKeyboardLayoutW | 1831 |
| GetPolyFillMode | 1830 |
| RtlInitAnsiString | 1827 |
| FtpPutFileA | 1826 |
| InternetConnectW | 1826 |
| GetMessageExtraInfo | 1823 |
| floor | 1823 |
| MonitorFromRect | 1822 |
| CreateStatusWindowW | 1820 |
| PathRemoveFileSpecA | 1819 |
| GetLongPathNameW | 1811 |
| CreateHatchBrush | 1811 |
| SetProcessWorkingSetSize | 1808 |
| StrCmpNIW | 1805 |
| setlocale | 1800 |
| VerSetConditionMask | 1799 |
| SetCaretPos | 1799 |
| CopyAcceleratorTableW | 1794 |
| ChangeDisplaySettingsA | 1793 |
| GetPrivateProfileSectionW | 1792 |
| CryptGenRandom | 1786 |
| PolyPolyline | 1785 |
| DdeUnaccessData | 1775 |
| WSARecv | 1772 |
| IsCharUpperA | 1770 |
| __vbaLsetFixstrFree | 1768 |
| RegGetKeySecurity | 1768 |
| MessageBoxExA | 1768 |
| __vbaDateVar | 1765 |
| __vbaStrComp | 1763 |
| DocumentPropertiesW | 1762 |
| SetThreadAffinityMask | 1758 |
| ShellAboutW | 1757 |
| ConvertStringSecurityDescriptorToSecurityD | 1753 |
| GetCommConfig | 1751 |
| GdipCreateBitmapFromHBITMAP | 1751 |
| wcstoul | 1749 |
| AddFontResourceW | 1747 |
| DialogBoxIndirectParamW | 1744 |
| VkKeyScanW | 1744 |
| LookupIconIdFromDirectory | 1739 |

| | |
|--|------|
| GetUserObjectInformationW | 1735 |
| ExtractIconExA | 1733 |
| acmStreamSize | 1730 |
| PathIsDirectoryA | 1730 |
| isalpha | 1730 |
| ZwWriteFile | 1728 |
| GetTextAlign | 1726 |
| GetLastInputInfo | 1720 |
| _write | 1718 |
| StartServiceW | 1717 |
| ZwOpenFile | 1710 |
| CreateWaitableTimerA | 1709 |
| CreatePropertySheetPageW | 1709 |
| strspn | 1708 |
| CoMarshalInterThreadInterfaceInStream | 1702 |
| IsBadStringPtrW | 1702 |
| GetCompressedFileSizeW | 1696 |
| lstrcpyN | 1695 |
| ImageList_SetOverlayImage | 1694 |
| FlushConsoleInputBuffer | 1690 |
| PrintDlgExW | 1690 |
| CopyFileExW | 1688 |
| IOpen | 1687 |
| _mbschr | 1686 |
| ImpersonateLoggedOnUser | 1685 |
| SetSystemTime | 1682 |
| SwapMouseButton | 1681 |
| ?_type_info_dtor_internal_method@type_i@ | 1673 |
| CloseFigure | 1670 |
| EnumFontFamiliesExA | 1669 |
| WNetAddConnection2A | 1668 |
| WNetGetConnectionW | 1667 |
| PolyBezier | 1666 |
| towupper | 1665 |
| midiOutReset | 1662 |
| GetAclInformation | 1658 |
| GetLogicalDriveStringsW | 1657 |
| CreateCursor | 1656 |
| CharToOemW | 1651 |
| PackDDEParam | 1647 |
| SetSecurityDescriptorGroup | 1647 |
| VerifyVersionInfoW | 1645 |
| GetComputerNameExA | 1644 |
| OpenIcon | 1642 |
| CheckSumMappedFile | 1638 |
| ImageNtHeader | 1635 |
| remove | 1629 |

| | |
|---------------------------------|------|
| RegReplaceKeyW | 1628 |
| OpenWindowStationW | 1626 |
| FlatSB_GetScrollInfo | 1626 |
| HttpSendRequestW | 1622 |
| TranslateCharsetInfo | 1622 |
| PathQuoteSpacesA | 1620 |
| IsCharLowerA | 1620 |
| ExtCreateRegion | 1616 |
| __vbaLenVarB | 1615 |
| DeleteTimerQueueTimer | 1613 |
| MapViewOfFileEx | 1612 |
| RegSetValueW | 1609 |
| ZwQueryInformationFile | 1608 |
| _close | 1606 |
| DoDragDrop | 1606 |
| strcspn | 1605 |
| HeapLock | 1603 |
| ?_Xlen@std@@@YAXXZ | 1601 |
| CryptImportKey | 1600 |
| EnumResourceTypesW | 1600 |
| StrToIntW | 1598 |
| _isctype | 1598 |
| FindFirstChangeNotificationA | 1597 |
| RegLoadKeyA | 1595 |
| wcstol | 1593 |
| Chord | 1591 |
| SetTokenInformation | 1590 |
| puts | 1589 |
| EnumDisplayMonitors | 1586 |
| GetBinaryTypeA | 1584 |
| GetConsoleScreenBufferInfo | 1584 |
| bsearch | 1581 |
| WindowFromDC | 1579 |
| GetCommState | 1578 |
| StringFromIID | 1578 |
| GetSecurityDescriptorSacl | 1574 |
| CryptUnprotectData | 1572 |
| IsCharAlphaW | 1571 |
| SystemTimeToTzSpecificLocalTime | 1570 |
| __vbaNameFile | 1569 |
| DrawStatusTextW | 1567 |
| CreateToolbarEx | 1566 |
| ResizePalette | 1560 |
| PageSetupDlgA | 1560 |
| ReadConsoleInputA | 1559 |
| EnumPrintersA | 1559 |
| WritePrivateProfileSectionA | 1559 |

| | |
|----------------------------|------|
| GetSystemWindowsDirectoryA | 1558 |
| towlower | 1551 |
| _configthreadlocale | 1551 |
| ZwSetInformationFile | 1550 |
| GetNamedSecurityInfoA | 1549 |
| _fmode | 1549 |
| ToUnicodeEx | 1542 |
| strftime | 1540 |
| waveOutGetDevCapsA | 1536 |
| WSACloseEvent | 1536 |
| GetProcessAffinityMask | 1536 |
| UnlockServiceDatabase | 1533 |
| iswspace | 1531 |
| GetProfileIntW | 1530 |
| CountClipboardFormats | 1530 |
| gethostbyaddr | 1529 |
| CreatePropertySheetPageA | 1527 |
| GetProfileStringW | 1527 |
| perror | 1527 |
| MonitorFromWindow | 1527 |
| CoCreateInstanceEx | 1522 |
| GetSystemWindowsDirectoryW | 1520 |
| FlatSB_SetScrollInfo | 1520 |
| WSACreateEvent | 1519 |
| acmStreamUnprepareHeader | 1518 |
| __vbaError | 1518 |
| _invoke_watson | 1517 |
| GetServiceKeyNameA | 1517 |
| CreateNamedPipeW | 1517 |
| StrStrW | 1517 |
| ObQueryNameString | 1514 |
| ToUnicode | 1510 |
| _controlfp_s | 1507 |
| GetAtomNameW | 1507 |
| GetAncestor | 1505 |
| mixerOpen | 1504 |
| CloseEventLog | 1502 |
| SetHandleInformation | 1502 |
| GetSidIdentifierAuthority | 1500 |
| KeInitializeEvent | 1500 |
| GetClipCursor | 1499 |
| HeapUnlock | 1497 |
| gmtime | 1495 |
| HeapWalk | 1493 |
| FlatSB_SetScrollProp | 1488 |
| ??_V@YAXPAX@Z | 1487 |
| GetConsoleTitleA | 1486 |

| | |
|--------------------------------|------|
| NtQuerySystemInformation | 1485 |
| GetTextCharsetInfo | 1478 |
| BroadcastSystemMessageA | 1477 |
| AddAtomW | 1474 |
| FtpOpenFileW | 1474 |
| __vbaFileSeek | 1467 |
| __vbaVarCmpLt | 1467 |
| __p__initenv | 1467 |
| NtUnmapViewOfSection | 1464 |
| LockServiceDatabase | 1463 |
| PropertySheetW | 1458 |
| WritePrivateProfileSectionW | 1457 |
| FlatSB_GetScrollPos | 1452 |
| WaitCommEvent | 1451 |
| DestroyPropertySheetPage | 1450 |
| HttpQueryInfoW | 1450 |
| _stat | 1450 |
| DuplicateIcon | 1450 |
| isprint | 1449 |
| __vbaInputFile | 1446 |
| ReportEventW | 1446 |
| midiStreamRestart | 1446 |
| ImageList_DrawIndirect | 1446 |
| isupper | 1444 |
| KeSetEvent | 1440 |
| mktme | 1435 |
| GetSystemPowerStatus | 1435 |
| _ltoa | 1435 |
| waveInGetNumDevs | 1435 |
| ImageList_AddIcon | 1434 |
| waveOutPause | 1434 |
| WaitNamedPipeA | 1434 |
| InternetOpenUrlW | 1434 |
| LockFileEx | 1432 |
| SHAutoComplete | 1432 |
| DnsQuery_W | 1432 |
| SetSystemPowerState | 1429 |
| GetPrivateProfileSectionNamesW | 1427 |
| CreateWaitableTimerW | 1426 |
| SetSysColors | 1426 |
| CreateIoCompletionPort | 1425 |
| PathAddBackslashW | 1425 |
| swscanf | 1423 |
| ImpersonateSelf | 1422 |
| StrCmpIW | 1417 |
| GetCalendarInfoA | 1414 |
| struprkr | 1414 |

| | |
|---------------------------|------|
| LoadUserProfileW | 1414 |
| RegSetKeySecurity | 1414 |
| waveInGetDevCapsA | 1413 |
| ICClose | 1413 |
| midiStreamOut | 1412 |
| InternetCrackUrlW | 1411 |
| DnsValidateName_W | 1411 |
| PathRemoveExtensionA | 1410 |
| iswctype | 1409 |
| EnumDisplayDevicesA | 1409 |
| SetDIBitsToDevice | 1408 |
| FlatSB_SetScrollPos | 1406 |
| CreateDesktopW | 1405 |
| htonl | 1405 |
| waveOutGetPosition | 1404 |
| __vbaVargVarCopy | 1403 |
| QueryDosDeviceA | 1402 |
| PathUnquoteSpacesA | 1400 |
| LoadCursorFromFileA | 1394 |
| ICSendMessage | 1393 |
| TransactNamedPipe | 1391 |
| UpdateLayeredWindow | 1391 |
| isxdigit | 1389 |
| GetSystemTimeAdjustment | 1388 |
| TileWindows | 1388 |
| GetGUIThreadInfo | 1385 |
| _chdir | 1379 |
| GetCaretBlinkTime | 1379 |
| __vbaGosub | 1377 |
| ConvertStringSidToSidW | 1375 |
| __vbaGosubFree | 1375 |
| RegSaveKeyA | 1374 |
| SHAppBarMessage | 1373 |
| acmMetrics | 1370 |
| PathStripPathA | 1369 |
| SetupComm | 1368 |
| ClearCommError | 1367 |
| LookupAccountSidW | 1364 |
| ImageList_Merge | 1363 |
| __vbaI2ErrVar | 1363 |
| HiliteMenuItem | 1362 |
| GetFontData | 1357 |
| GetQueuedCompletionStatus | 1354 |
| HttpOpenRequestW | 1353 |
| setvbuf | 1350 |
| RpcStringFreeW | 1350 |
| CharNextExA | 1348 |

| | |
|---|------|
| GetMonitorInfoA | 1348 |
| WTSFreeMemory | 1346 |
| DnsApiFree | 1344 |
| GetModuleBaseNameA | 1343 |
| EndMenu | 1341 |
| StgOpenStorage | 1341 |
| ?setstate@?\$basic_ios@DU?\$char_traits@L | 1339 |
| sin | 1339 |
| __vbaR8Var | 1338 |
| DragQueryPoint | 1336 |
| QueryDosDeviceW | 1334 |
| SwitchToThisWindow | 1334 |
| ImageList_GetImageRect | 1333 |
| SetupDiEnumDeviceInfo | 1332 |
| midiOutPrepareHeader | 1332 |
| getaddrinfo | 1331 |
| ReplyMessage | 1331 |
| CancelWaitableTimer | 1330 |
| PtInRegion | 1328 |
| DnsNameCompare_W | 1325 |
| GetFileSecurityA | 1324 |
| ExtractIconExW | 1323 |
| SetPaletteEntries | 1321 |
| WNetGetConnectionA | 1320 |
| GetSecurityDescriptorOwner | 1319 |
| CheckTokenMembership | 1318 |
| WriteProfileStringA | 1316 |
| IoFreeMdl | 1312 |
| EnumObjects | 1311 |
| SendNotifyMessageW | 1310 |
| midiStreamProperty | 1310 |
| IsCharLowerW | 1308 |
| UnlockFileEx | 1307 |
| OpenEventLogA | 1306 |
| ProcessIdToSessionId | 1305 |
| ?_Copy@?\$basic_string@DU?\$char_traits@ | 1304 |
| PropertySheetA | 1303 |
| GetComputerNameExW | 1302 |
| midiOutUnprepareHeader | 1302 |
| AllowSetForegroundWindow | 1302 |
| CertCloseStore | 1302 |
| CreateTimerQueueTimer | 1301 |
| GetCommModemStatus | 1298 |
| midiStreamOpen | 1298 |
| __vbaPrintObj | 1296 |
| system | 1295 |
| midiStreamStop | 1294 |

| | |
|--|------|
| CloseMetaFile | 1293 |
| GetQueueStatus | 1293 |
| __initenv | 1286 |
| localeconv | 1286 |
| putchar | 1284 |
| CryptVerifySignatureA | 1283 |
| midiStreamClose | 1280 |
| FindFirstChangeNotificationW | 1277 |
| SetConsoleTextAttribute | 1276 |
| FindAtomW | 1274 |
| StrChrW | 1274 |
| CryptDecrypt | 1270 |
| _getcwd | 1269 |
| WSAEnumNetworkEvents | 1266 |
| GlobalCompact | 1266 |
| _read | 1264 |
| InSendMessageEx | 1263 |
| KeBugCheckEx | 1262 |
| GdipDrawImageI | 1262 |
| PathStripToRootW | 1261 |
| islower | 1260 |
| RasGetEntryDialParamsA | 1259 |
| Istrcat | 1259 |
| GetCompressedFileSizeA | 1258 |
| StrokePath | 1257 |
| SubtractRect | 1257 |
| waveInGetDevCapsW | 1255 |
| PathMatchSpecW | 1255 |
| waveOutGetDevCapsW | 1254 |
| WSAConnect | 1253 |
| getc | 1252 |
| PathIsUNCW | 1249 |
| RegUnLoadKeyW | 1248 |
| ShowWindowAsync | 1247 |
| ZwDeleteKey | 1246 |
| acmStreamClose | 1242 |
| RegisterEventSourceW | 1242 |
| GetNativeSystemInfo | 1242 |
| SHGetValueW | 1242 |
| acmStreamOpen | 1241 |
| DefineDosDeviceW | 1241 |
| EnumTimeFormatsA | 1241 |
| LsaRetrievePrivateData | 1237 |
| freeaddrinfo | 1237 |
| CreateServiceW | 1237 |
| ?_Split@?\$basic_string@DU?\$char_traits@I | 1236 |
| wcstok | 1236 |

| | |
|---|------|
| OpenSemaphoreW | 1232 |
| RegRestoreKeyW | 1232 |
| InternalGetWindowText | 1231 |
| CreateBitmapIndirect | 1230 |
| PathIsDirectoryW | 1230 |
| _wcstrupr | 1226 |
| ?substr@?\$basic_string@DU?\$char_traits@ | 1226 |
| raise | 1226 |
| UnhookWinEvent | 1224 |
| MkParseDisplayName | 1223 |
| EnumDesktopWindows | 1223 |
| CloseDriver | 1222 |
| GetProcessShutdownParameters | 1221 |
| GetClipboardFormatNameA | 1221 |
| _vbaCyl2 | 1220 |
| KeGetCurrentIrql | 1219 |
| mixerSetControlDetails | 1218 |
| BuildExplicitAccessWithNameA | 1217 |
| Istrcmpl | 1215 |
| IsValidSecurityDescriptor | 1209 |
| OleReg GetUserType | 1209 |
| _mbsnbicmp | 1209 |
| OffsetWindowOrgEx | 1209 |
| AbortPath | 1208 |
| SetVolumeLabelW | 1208 |
| WriteFileEx | 1208 |
| TrackMouseEvent | 1207 |
| acmStreamConvert | 1206 |
| ImageList_LoadImage | 1205 |
| ReadConsoleOutputA | 1202 |
| SelectClipPath | 1202 |
| acmStreamPrepareHeader | 1201 |
| GetHGlobalFromStream | 1197 |
| CreateMailslotW | 1195 |
| MapVirtualKeyExW | 1194 |
| PathCombineA | 1194 |
| ICCompressorFree | 1192 |
| GetHandleInformation | 1190 |
| RtlUnicodeStringToAnsiString | 1190 |
| DrawCaption | 1189 |
| StrNCatA | 1188 |
| _fdopen | 1188 |
| NotifyWinEvent | 1186 |
| FindFirstFileExA | 1185 |
| GetTabbedTextExtentA | 1185 |
| _vbaForEachCollAd | 1185 |
| GetTitleBarInfo | 1185 |

| | |
|----------------------------------|------|
| waveOutSetVolume | 1184 |
| __vbaHresultCheck | 1184 |
| _itow | 1183 |
| StartServiceCtrlDispatcherW | 1183 |
| GdipCreateBitmapFromStream | 1181 |
| ReadConsoleW | 1178 |
| pow | 1178 |
| PolyDraw | 1177 |
| __vbaNextEachCollAd | 1177 |
| acmStreamReset | 1175 |
| CryptDeriveKey | 1175 |
| RtlEqualUnicodeString | 1174 |
| _mkdir | 1172 |
| InternetAttemptConnect | 1171 |
| SendNotifyMessageA | 1170 |
| iswdigit | 1170 |
| OpenDriver | 1169 |
| _mbsrchr | 1169 |
| CryptEncrypt | 1169 |
| __vbaFileCloseAll | 1164 |
| ZwOpenProcess | 1163 |
| SetLayout | 1160 |
| PStoreCreateInstance | 1160 |
| AlignRects | 1154 |
| ConvertSidToStringSidW | 1154 |
| _encoded_null | 1153 |
| SwitchDesktop | 1153 |
| GetThreadSelectorEntry | 1152 |
| __clean_type_info_names_internal | 1152 |
| GetMailslotInfo | 1151 |
| ReplaceTextA | 1151 |
| CharToOemBuffW | 1149 |
| ExGetPreviousMode | 1148 |
| GetLayout | 1148 |
| GetProcessPriorityBoost | 1147 |
| CreateEnvironmentBlock | 1147 |
| GdipCreateFromHDC | 1147 |
| RasHangUpA | 1146 |
| SetupDiDestroyDeviceInfoList | 1145 |
| QueryServiceConfigW | 1143 |
| IIDFromString | 1141 |
| IoAllocateMdl | 1141 |
| RegRestoreKeyA | 1138 |
| ArrangeIconicWindows | 1137 |
| SetConsoleTitleA | 1135 |
| SetLastErrorEx | 1135 |
| __vbaGosubReturn | 1135 |

| | |
|--|------|
| PathAddExtensionA | 1134 |
| CreateMailslotA | 1133 |
| GetGuiResources | 1130 |
| _malloc_crt | 1130 |
| WSAResetEvent | 1129 |
| __vbaStrLike | 1127 |
| EnumDateFormatsW | 1126 |
| CreateWellKnownSid | 1126 |
| ICSeqCompressFrame | 1125 |
| GetNamedPipeInfo | 1125 |
| SetConsoleCP | 1122 |
| GetCurrencyFormatA | 1122 |
| __vbaR4Str | 1122 |
| waveInGetErrorTextA | 1120 |
| SetProcessShutdownParameters | 1119 |
| EscapeCommFunction | 1118 |
| RtlFreeAnsiString | 1118 |
| CreateDirectoryExA | 1117 |
| AngleArc | 1117 |
| RegisterServiceCtrlHandlerW | 1117 |
| RegisterDeviceNotificationW | 1116 |
| ChangeServiceConfig2A | 1115 |
| __vbaGet4 | 1115 |
| FlashWindowEx | 1113 |
| TransparentBlt | 1112 |
| WriteProfileStringW | 1112 |
| GetCharWidthA | 1111 |
| StrRChrW | 1110 |
| SetUserObjectInformationW | 1110 |
| g_rgSCardT1Pci | 1108 |
| ImmGetCompositionStringW | 1106 |
| RtlTimeToTimeFields | 1105 |
| GetProcessMemoryInfo | 1104 |
| ChangeClipboardChain | 1104 |
| DuplicateToken | 1103 |
| ClearEventLogA | 1103 |
| InternetQueryOptionW | 1102 |
| ChangeMenuW | 1101 |
| ClearCommBreak | 1100 |
| GetRunningObjectTable | 1099 |
| ??_D?\$basic_ofstream@DU?\$char_traits@C | 1096 |
| RtlCompareMemory | 1095 |
| IofCallDriver | 1095 |
| _time64 | 1094 |
| _Clpow | 1092 |
| LookupAccountNameW | 1092 |
| wcscspn | 1090 |

| | |
|--|------|
| FatalExit | 1090 |
| ??1?\$basic_ios@DU?\$char_traits@D@std@ | 1089 |
| VirtualUnlock | 1089 |
| clock | 1088 |
| PathGetArgsA | 1081 |
| ??1out_of_range@std@@UAE@XZ | 1081 |
| GetWindowContextHelpId | 1080 |
| SHDeleteValueW | 1080 |
| FindExecutableW | 1079 |
| ??6std@@YAAV?\$basic_ostream@DU?\$ch | 1079 |
| RemoveFontResourceA | 1078 |
| PropVariantClear | 1078 |
| strcoll | 1074 |
| SetComputerNameA | 1074 |
| SCardEstablishContext | 1073 |
| StgCreateDocfile | 1072 |
| OffsetClipRgn | 1070 |
| WinVerifyTrust | 1069 |
| WNetUseConnectionW | 1069 |
| putc | 1068 |
| CopyEnhMetaFileW | 1068 |
| _vbaBoolStr | 1068 |
| GetModuleHandleExW | 1067 |
| SetConsoleCursorInfo | 1066 |
| GetPrivateProfileStructA | 1065 |
| waveInGetPosition | 1065 |
| ICSeqCompressFrameStart | 1065 |
| EnumCalendarInfoExA | 1064 |
| GetCommTimeouts | 1063 |
| CancelDC | 1063 |
| PdhCollectQueryData | 1063 |
| acmDriverClose | 1060 |
| FoldStringA | 1059 |
| GetConsoleWindow | 1058 |
| ??0logic_error@std@@QAE@ABV01@@Z | 1058 |
| ICSeqCompressFrameEnd | 1057 |
| wvnsprintfA | 1057 |
| SetupDiGetClassDevsA | 1056 |
| ??_D?\$basic_ifstream@DU?\$char_traits@D | 1054 |
| PeekConsoleInputA | 1054 |
| UnloadKeyboardLayout | 1053 |
| ??0out_of_range@std@@QAE@ABV01@@ | 1052 |
| _vbaVargVar | 1051 |
| QueueUserAPC | 1051 |
| WSAGetOverlappedResult | 1050 |
| ??0exception@std@@QAE@ABV01@@Z | 1050 |
| NtClose | 1050 |

| | |
|---|------|
| PathRemoveBackslashW | 1050 |
| ??1exception@std@@@UAE@XZ | 1049 |
| sndPlaySoundA | 1049 |
| modf | 1046 |
| ArcTo | 1046 |
| DllGetClassObject | 1045 |
| EnumDateFormatsExA | 1044 |
| DragDetect | 1042 |
| SetProcessPriorityBoost | 1042 |
| IsCharUpperW | 1039 |
| g_rgSCardRawPci | 1038 |
| RtlIntStatusToDosError | 1037 |
| GetVolumeNameForVolumeMountPointW | 1037 |
| SetWinEventHook | 1036 |
| ExtractIconW | 1036 |
| __vbaVarTstGe | 1034 |
| AccessCheck | 1033 |
| HeapCompact | 1033 |
| ?c_str@?\$basic_string@DU?\$char_traits@D@std@@@S | 1033 |
| IsBadHugeReadPtr | 1033 |
| GetCommProperties | 1032 |
| WritePrivateProfileStructA | 1032 |
| GetCurrentConsoleFont | 1031 |
| GlobalFix | 1031 |
| FindExecutableA | 1031 |
| GetProcessHeaps | 1030 |
| wcstod | 1029 |
| _mbsstr | 1028 |
| SetWindowWord | 1027 |
| DeleteTimerQueue | 1026 |
| PathRemoveArgsA | 1025 |
| SetNamedSecurityInfoW | 1025 |
| RegReplaceKeyA | 1023 |
| mixerGetLineInfoA | 1023 |
| SendDriverMessage | 1022 |
| SetThreadToken | 1022 |
| SHSetValueW | 1022 |
| GetClassWord | 1021 |
| div | 1020 |
| MessageBoxIndirectW | 1020 |
| ungetc | 1017 |
| ??0?\$basic_string@DU?\$char_traits@D@std@@@S | 1017 |
| wnsprintfW | 1017 |
| vfprintf | 1016 |
| EnumServicesStatusW | 1015 |
| acmGetVersion | 1014 |
| MmProbeAndLockPages | 1012 |

| | |
|---|------|
| PostQueuedCompletionStatus | 1012 |
| acmDriverOpen | 1011 |
| SetDoubleClickTime | 1011 |
| mixerGetLineControlsA | 1011 |
| SHCreateDirectoryExW | 1010 |
| acmDriverEnum | 1009 |
| SetCommConfig | 1008 |
| InternetSetOptionW | 1008 |
| vswprintf | 1008 |
| GetProcessDefaultLayout | 1006 |
| CopyMetaFileA | 1006 |
| ?find@?\$basic_string@DU?\$char_traits@D@std@ | 1006 |
| acmFormatEnumA | 1003 |
| MessageBoxExW | 1003 |
| EnumDateFormatsA | 1003 |
| DragObject | 1002 |
| _ismbcspace | 1002 |
| GetComboBoxInfo | 1001 |
| RegConnectRegistryA | 1001 |
| DefineDosDeviceA | 1000 |
| OleGetClipboard | 1000 |
| EnumPrintersW | 997 |
| WaitNamedPipeW | 997 |
| ZwAllocateVirtualMemory | 997 |
| ChangeMenuA | 997 |
| acmDriverDetailsA | 996 |
| PathAddExtensionW | 996 |
| __vbaDateR8 | 995 |
| SetThreadExecutionState | 994 |
| ASN1BERDecCheck | 994 |
| DeleteMetaFile | 993 |
| __security_error_handler | 992 |
| GetBinaryTypeW | 991 |
| MmUnlockPages | 991 |
| wvnsprintfW | 991 |
| VerFindFileA | 991 |
| BeginUpdateResourceW | 991 |
| SCardAccessStartedEvent | 991 |
| WriteClassStg | 989 |
| GetVolumePathNameA | 989 |
| GdipGetImageWidth | 988 |
| SetCommTimeouts | 986 |
| FillConsoleOutputCharacterA | 984 |
| wcspbrk | 984 |
| ??0?\$basic_ios@DU?\$char_traits@D@std@ | 981 |
| _open | 981 |
| CreateTimerQueue | 980 |

| | |
|---|-----|
| ?max_size@?\$basic_string@DU?\$char_trait | 979 |
| GetWindowWord | 979 |
| SetConsoleScreenBufferSize | 978 |
| EnumSystemLocalesW | 977 |
| EnumFontFamiliesW | 976 |
| acmDriverDetailsW | 975 |
| SetCommState | 974 |
| acmFormatTagEnumA | 973 |
| RegisterWaitForSingleObject | 973 |
| GetThreadPriorityBoost | 972 |
| ??1?\$basic_ostream@DU?\$char_traits@D@ | 971 |
| GetTextFaceA | 971 |
| GetSecurityDescriptorControl | 971 |
| MenuItemFromPoint | 970 |
| WSASetEvent | 967 |
| LresultFromObject | 967 |
| LocalHandle | 965 |
| LoadCursorFromFileW | 964 |
| GetNamedPipeHandleStateA | 963 |
| SetDebugErrorLevel | 963 |
| GdipScaleWorldTransform | 963 |
| acmDriverMessage | 962 |
| ??1?\$basic_istream@DU?\$char_traits@D@: | 962 |
| SetCommBreak | 962 |
| ??_7out_of_range@std@@6B@ | 962 |
| MapVirtualKeyExA | 961 |
| DeleteFiber | 960 |
| ReadFileEx | 960 |
| ??0?\$basic_istream@DU?\$char_traits@D@: | 959 |
| RealGetWindowClassW | 959 |
| IoDeviceObjectType | 958 |
| KeQueryTimeIncrement | 958 |
| ??_7?\$basic_ios@DU?\$char_traits@D@std@ | 958 |
| WriteConsoleInputA | 958 |
| ??8std@@YA_NABV?\$basic_string@DU?\$ch | 956 |
| AddFontMemResourceEx | 956 |
| GetProcessId | 956 |
| ??_U@YAPAXI@Z | 955 |
| atof | 955 |
| GetClipboardOwner | 955 |
| ?what@exception@std@@UBEPBDXZ | 953 |
| AttachConsole | 952 |
| FindVolumeClose | 950 |
| PurgeComm | 950 |
| GetSidLengthRequired | 949 |
| GetMenuContextHelpId | 948 |
| WriteConsoleOutputCharacterA | 948 |

| | |
|--|-----|
| ??1locale@std@@QAE@XZ | 947 |
| SetSecurityDescriptorSacl | 947 |
| ??_7\$basic_ostream@DU?\$char_traits@D@ | 944 |
| GetConsoleAliasA | 941 |
| SetupDiGetDeviceRegistryPropertyA | 940 |
| ?open@?\$basic_filebuf@DU?\$char_traits@ | 940 |
| GetVolumePathNameW | 939 |
| CreateDIBPatternBrushPt | 939 |
| SetConsoleCursorPosition | 938 |
| OpenWaitableTimerA | 937 |
| WriteClassStm | 937 |
| LsaAddAccountRights | 937 |
| ?_Refcnt@?\$basic_string@DU?\$char_traits@ | 937 |
| waveOutGetErrorTextA | 936 |
| UuidFromStringW | 936 |
| ScrollIDC | 936 |
| OleSaveToStream | 936 |
| ??1ios_base@std@@UAE@XZ | 935 |
| CreateEllipticRgnIndirect | 934 |
| GetMenuItemDefaultItem | 933 |
| CreateHardLinkW | 933 |
| OleDuplicateData | 931 |
| IoFreeIrp | 930 |
| GdipDeleteBrush | 929 |
| OleRegEnumVerbs | 927 |
| DdeGetData | 927 |
| UpdateColors | 926 |
| DelayLoadFailureHook | 926 |
| KeGetCurrentThread | 924 |
| ??0?\$basic_filebuf@DU?\$char_traits@D@st | 924 |
| ??1?\$basic_filebuf@DU?\$char_traits@D@st | 924 |
| EnumPropsA | 923 |
| CreateItemMoniker | 923 |
| longjmp | 923 |
| ??0?\$basic_ostream@DU?\$char_traits@D@ | 922 |
| SetMailslotInfo | 922 |
| Istrcmp | 921 |
| __GetMainArgs | 921 |
| StrDupA | 918 |
| DrawDibOpen | 918 |
| LogonUserW | 918 |
| RtlFillMemory | 918 |
| ??_8\$basic_ofstream@DU?\$char_traits@D@ | 917 |
| ??_7\$basic_ofstream@DU?\$char_traits@D@ | 917 |
| ??0ios_base@std@@IAE@XZ | 917 |
| StrCmpNW | 917 |
| LookupPrivilegeNameA | 916 |

| | |
|---|-----|
| cos | 916 |
| LocalFlags | 915 |
| GdipCreateSolidFill | 915 |
| FindFirstFileExW | 914 |
| SHGetDiskFreeSpaceA | 913 |
| GetCalendarInfoW | 911 |
| ??6std@@YAAV?\$basic_ostream@DU?\$ch | 910 |
| __vbaVarTstLe | 909 |
| PdhAddCounterA | 909 |
| GetEnhMetaFileDescriptionW | 909 |
| InternetSetCookieA | 907 |
| GdipGetImageHeight | 907 |
| DdeConnectList | 907 |
| ??1?\$basic_streambuf@DU?\$char_traits@D | 906 |
| VerifyVersionInfoA | 906 |
| SetThreadIdealProcessor | 906 |
| UuidToStringW | 906 |
| ProbeForRead | 905 |
| HttpSendRequestExA | 905 |
| __vbaI2Abs | 904 |
| OleLoadFromStream | 902 |
| SetSystemCursor | 901 |
| ChangeDisplaySettingsW | 901 |
| GetProfileSectionA | 900 |
| WriteConsoleOutputAttribute | 899 |
| StrokeAndFillPath | 899 |
| CreateDirectoryExW | 898 |
| CreateStatusWindow | 898 |
| IsDialogMessage | 898 |
| __WSAFDIsSet | 896 |
| EnumDisplaySettingsW | 896 |
| _fpreset | 896 |
| ??_7?\$basic_ifstream@DU?\$char_traits@D(| 895 |
| ??_8?\$basic_ifstream@DU?\$char_traits@D(| 893 |
| DrawDibClose | 892 |
| EnumSystemCodePagesA | 888 |
| GetProcessWorkingSetSize | 888 |
| LoadMenuIndirectA | 887 |
| WriteConsoleOutputA | 886 |
| GdipCloneBrush | 886 |
| MmMapLockedPagesSpecifyCache | 886 |
| PrintDlgExA | 885 |
| SetCommMask | 884 |
| PdhOpenQueryA | 883 |
| CreateOleAdviseHolder | 882 |
| GetRegionData | 881 |
| FindNextVolumeW | 881 |

| | |
|---|-----|
| _mbspbrk | 880 |
| SetFileApisToANSI | 880 |
| SetupCloseInfFile | 880 |
| _mbsnbcpy | 877 |
| fscanf | 877 |
| OemToCharW | 876 |
| GetProcessIoCounters | 874 |
| SetPixelV | 874 |
| iswalpha | 874 |
| __vbaStrBool | 873 |
| ??_D?\$basic_ostringstream@DU?\$char_traits@_S@basic@\$char_type@_S@basic@ | 872 |
| FillConsoleOutputAttribute | 871 |
| PathRenameExtensionW | 871 |
| SetThreadPriorityBoost | 869 |
| WNetAddConnection2W | 869 |
| _mbsicoll | 868 |
| NetShareEnum | 868 |
| PathUnquoteSpacesW | 867 |
| ShellAboutA | 867 |
| SetComputerNameW | 866 |
| PathRemoveBlanksA | 866 |
| mixerGetControlDetailsA | 866 |
| ?close@?\$basic_ofstream@DU?\$char_traits@_S@basic@\$char_type@_S@basic@ | 864 |
| TransmitCommChar | 863 |
| ?str@?\$basic_ostringstream@DU?\$char_traits@_S@basic@\$char_type@_S@basic@ | 863 |
| _wfopen | 862 |
| DrawStatusText | 861 |
| ??0exception@@QAE@XZ | 861 |
| ImageList_Duplicate | 859 |
| LookupPrivilegeDisplayNameA | 859 |
| FatalAppExitW | 857 |
| sqrt | 857 |
| SetTextCharacterExtra | 857 |
| EnumFontFamiliesA | 856 |
| GetCPIInfoExW | 855 |
| URLDownloadToCacheFileA | 855 |
| CertFreeCertificateContext | 855 |
| GdipDrawImageRectI | 855 |
| CallIMsgFilterA | 855 |
| CoGetCurrentProcess | 855 |
| ZwDeleteValueKey | 854 |
| PathSkipRootW | 854 |
| SetEntriesInAclW | 853 |
| SetUserObjectSecurity | 853 |
| OleSetClipboard | 853 |
| mixerClose | 853 |
| ?write@?\$basic_ostream@DU?\$char_traits@_S@basic@\$char_type@_S@basic@ | 852 |

| | |
|--|-----|
| UnregisterDeviceNotification | 852 |
| SetConsoleWindowInfo | 851 |
| StrCmpNA | 851 |
| GetWindowModuleFileNameA | 850 |
| AnyPopup | 850 |
| SetGraphicsMode | 849 |
| __vbaCyStr | 849 |
| PaintDesktop | 848 |
| __vbaVarFix | 848 |
| GetProfileSectionW | 847 |
| RectInRegion | 847 |
| GdipGetImagePixelFormat | 846 |
| FillPath | 845 |
| DlgDirListComboBoxA | 845 |
| GetModuleBaseNameW | 844 |
| CascadeChildWindows | 844 |
| GetSecurityDescriptorLength | 843 |
| DlgDirSelectComboBoxExA | 841 |
| ?close@?\$basic_ifstream@DU?\$char_traits@ | 840 |
| SetSystemTimeAdjustment | 839 |
| ?close@?\$basic_filebuf@DU?\$char_traits@ | 837 |
| ?read@?\$basic_istream@DU?\$char_traits@ | 836 |
| ChangeDisplaySettingsExA | 836 |
| SetFileApisToOEM | 835 |
| VkKeyScanExW | 835 |
| GetCharWidth32A | 834 |
| AssocQueryStringA | 833 |
| CoFileTimeNow | 833 |
| OleRegGetMiscStatus | 833 |
| GetScrollBarInfo | 833 |
| SetBitmapBits | 832 |
| StrRChrIA | 832 |
| RpcStringFreeA | 831 |
| GetDefaultPrinterW | 831 |
| LockSetForegroundWindow | 831 |
| LoadModule | 830 |
| GenerateConsoleCtrlEvent | 828 |
| GetPrivateProfileStructW | 828 |
| FloodFill | 828 |
| CredEnumerateA | 827 |
| EnumSystemCodePagesW | 825 |
| ReadConsoleInputW | 824 |
| EnumDesktopsW | 823 |
| CalcMenuBar | 820 |
| __vbaVarXor | 819 |
| GetBitmapDimensionEx | 818 |
| ToAsciiEx | 816 |

| | |
|--|-----|
| _unlink | 816 |
| SetBitmapDimensionEx | 815 |
| GdipDeleteFontFamily | 815 |
| IoAllocateIrp | 815 |
| GetDefaultCommConfigA | 814 |
| PathIsURLW | 811 |
| __vbaR8FixI4 | 809 |
| RasGetConnectStatusA | 809 |
| EndUpdateResourceW | 808 |
| WNetCancelConnection2W | 808 |
| CoUnmarshalInterface | 808 |
| GetOpenClipboardWindow | 808 |
| ?uflow@?\$basic_streambuf@DU?\$char_traits@D@std@@@UAE@XZ | 807 |
| GdipCreateFontFamilyFromName | 807 |
| __vbaVarSetObj | 807 |
| GetConsoleCursorInfo | 805 |
| GradientFill | 805 |
| RasEnumConnectionsA | 803 |
| SHGetPathFromIDList | 803 |
| ?imbue@?\$basic_streambuf@DU?\$char_traits@D@std@@@UAE@XZ | 802 |
| mciSendCommandA | 802 |
| ??0?\$basic_string@DU?\$char_traits@D@std@@@UAE@XZ | 801 |
| SetLocaleInfoA | 801 |
| ASN1BERDecBool | 799 |
| ??1runtime_error@std@@@UAE@XZ | 799 |
| UpdateResourceW | 799 |
| EraseTape | 799 |
| UnregisterWaitEx | 799 |
| ??1strstreambuf@std@@@UAE@XZ | 798 |
| GetDevicePowerState | 797 |
| SetVolumeMountPointA | 797 |
| ?sync@?\$basic_streambuf@DU?\$char_traits@D@std@@@UAE@XZ | 796 |
| VerInstallFileA | 796 |
| _wcscdup | 795 |
| ??_7runtime_error@std@@6B@ | 795 |
| ??0runtime_error@std@@@QAE@ABV01@@@UAE@XZ | 794 |
| ExSystemTimeToLocalTime | 794 |
| ReadConsoleOutputAttribute | 793 |
| _putenv | 793 |
| ChangeServiceConfigW | 792 |
| RtlAdjustPrivilege | 791 |
| ?showmany@?\$basic_streambuf@DU?\$char_traits@D@std@@@UAE@XZ | 790 |
| CallNamedPipeA | 789 |
| ?xspoutn@?\$basic_streambuf@DU?\$char_traits@D@std@@@UAE@XZ | 789 |
| ?setbuf@?\$basic_streambuf@DU?\$char_traits@D@std@@@UAE@XZ | 789 |
| NetLocalGroupAddMembers | 789 |
| __vbaAryVarVarg | 788 |

| | |
|--|-----|
| BackupRead | 788 |
| ?xsgetn@?\$basic_streambuf@DU?\$char_traits@C@H@ | 788 |
| WriteProfileSectionA | 788 |
| ?_Init@locale@std@@CAPAV_Locimp@12@C@ | 787 |
| ??4?\$basic_string@DU?\$char_traits@D@std@H@ | 787 |
| GetMenuBarInfo | 787 |
| log | 786 |
| ReadConsoleOutputCharacterA | 785 |
| ?overflow@strstreambuf@std@@MAEHH@ | 784 |
| RemoveFontResourceW | 784 |
| EnumPropsExW | 784 |
| SHGetSettings | 783 |
| ?seekpos@strstreambuf@std@@MAE?AV?C@ | 783 |
| PolylineTo | 782 |
| ?pbackfail@strstreambuf@std@@MAEHH@ | 782 |
| ?underflow@strstreambuf@std@@MAEHX@ | 782 |
| ?ends@std@@YAAAV?\$basic_ostream@DU? | 782 |
| FindFirstVolumeW | 781 |
| ?_Init@strstreambuf@std@@IAEXHPAD0H@ | 781 |
| ?freeze@strstreambuf@std@@QAEX_N@Z | 781 |
| GetTapeStatus | 781 |
| _setjmp3 | 781 |
| @System@initialization\$qqrv | 780 |
| CommConfigDialogA | 780 |
| Heap32First | 779 |
| DeleteUrlCacheEntryW | 779 |
| ?_Global@_Locimp@locale@std@@0PAV1@ | 779 |
| TileChildWindows | 778 |
| KeInitializeSpinLock | 776 |
| DllRegisterServer | 775 |
| ??0exception@std@@QAE@XZ | 774 |
| PlayMetaFile | 774 |
| _memicmp | 774 |
| KeStackAttachProcess | 773 |
| ??_7?\$basic_streambuf@DU?\$char_traits@ | 773 |
| PathIsRootW | 773 |
| __vbaCyl4 | 773 |
| ??1ostrstream@std@@UAE@XZ | 772 |
| ?seekoff@strstreambuf@std@@MAE?AV?\$ | 772 |
| DdeImpersonateClient | 771 |
| __vbaI4Abs | 771 |
| DllCanUnloadNow | 770 |
| ??_8?\$basic_ostringstream@DU?\$char_traits@ | 770 |
| ??_7?\$basic_ostringstream@DU?\$char_traits@ | 770 |
| ?_Tidy@?\$basic_stringbuf@DU?\$char_traits@ | 770 |
| WriteConsoleOutputW | 770 |
| GetListBoxInfo | 768 |

| | |
|--|-----|
| GetCommMask | 768 |
| @Sysutils@initialization\$qqrv | 767 |
| ??6std@@YAAV?\$basic_ostream@DU?\$ch | 767 |
| ??_7?\$basic_stringbuf@DU?\$char_traits@D | 767 |
| InitializeSid | 766 |
| ??0?\$basic_stringbuf@DU?\$char_traits@D@ | 766 |
| EnumPropsExA | 766 |
| WNetCancelConnection2A | 766 |
| SHEmptyRecycleBinW | 765 |
| SendIMEMessageExA | 765 |
| @Typinfo@initialization\$qqrv | 763 |
| GetModuleFileNameExW | 763 |
| InitMUILanguage | 763 |
| _callnewh | 763 |
| @Classes@initialization\$qqrv | 762 |
| ProbeForWrite | 762 |
| SetupDiGetDeviceRegistryPropertyW | 762 |
| KeUnstackDetachProcess | 761 |
| ??0exception@std@@QAE@ABQBD@Z | 760 |
| FtpPutFileW | 758 |
| __vbaFailedFriend | 756 |
| AddFontResourceExW | 756 |
| FtpSetCurrentDirectoryW | 756 |
| _ultoa | 756 |
| __vbal4Cy | 756 |
| SetConsoleTitleW | 755 |
| ??1?\$basic_stringbuf@DU?\$char_traits@D@ | 754 |
| ZwQueryInformationProcess | 754 |
| _lseek | 752 |
| GetNumberOfConsoleInputEvents | 752 |
| IoCreateFile | 752 |
| SetTextJustification | 752 |
| StrToIntExW | 752 |
| clearerr | 752 |
| LineDDA | 751 |
| CreateStdAccessibleObject | 749 |
| ??1?\$basic_ostringstream@DU?\$char_traits | 748 |
| GetSystemPaletteUse | 748 |
| GetTextExtentExPointW | 748 |
| WidenPath | 746 |
| LookupIconIdFromDirectoryEx | 746 |
| EnumWindowStationsW | 745 |
| CreatePropertySheetPage | 744 |
| SHFileOperation | 744 |
| SetLocaleInfoW | 743 |
| wctomb | 743 |
| @Inifiles@initialization\$qqrv | 742 |

| | |
|---|-----|
| LocalCompact | 742 |
| GetTraceLoggerHandle | 742 |
| __vbaDateStr | 742 |
| InternetCheckConnectionA | 741 |
| SetClassWord | 741 |
| InternetGetCookieA | 740 |
| SwitchToFiber | 739 |
| StrDupW | 739 |
| memcpy_s | 738 |
| RtlImageNtHeader | 738 |
| FillConsoleOutputCharacterW | 737 |
| DrawThemeIcon | 736 |
| SetConsoleOutputCP | 736 |
| StrCpyNW | 734 |
| UrlUnescapeW | 734 |
| @Registry@initialization\$qqrv | 733 |
| UnregisterWait | 732 |
| GetTapeParameters | 732 |
| RegisterDeviceNotificationA | 732 |
| OemKeyScan | 731 |
| @Variants@initialization\$qqrv | 730 |
| @Varutils@initialization\$qqrv | 730 |
| GetInputDesktop | 730 |
| SetProcessAffinityMask | 729 |
| SetTimeZoneInformation | 728 |
| CreateURLMoniker | 727 |
| DllUnregisterServer | 727 |
| ?append@?\$basic_string@DU?\$char_traits@ | 726 |
| OleCreateMenuDescriptor | 726 |
| ValidateRgn | 725 |
| @Sysconst@initialization\$qqrv | 725 |
| StrChrW | 725 |
| _open_osfhandle | 725 |
| CallNamedPipeW | 725 |
| @Activex@initialization\$qqrv | 724 |
| CryptGenKey | 723 |
| MakeSelfRelativeSD | 722 |
| EnumTimeFormatsW | 722 |
| PsGetCurrentProcessId | 721 |
| SetWindowsHookA | 721 |
| SHBindToParent | 721 |
| ReadClassStg | 720 |
| LocalShrink | 720 |
| RealChildWindowFromPoint | 720 |
| CoSuspendClassObjects | 720 |
| AnimateWindow | 718 |
| CoReleaseMarshalData | 717 |

| | |
|---------------------------|-----|
| HttpAddRequestHeadersW | 716 |
| KfReleaseSpinLock | 716 |
| GetCurrencyFormatW | 715 |
| EnumWindowStationsA | 714 |
| PrepareTape | 714 |
| ReplaceFileW | 714 |
| ASN1BERDecNull | 713 |
| GetTabbedTextExtentW | 713 |
| _findfirst | 713 |
| GetTapePosition | 712 |
| GetCPIInfoExA | 712 |
| IsHungAppWindow | 712 |
| PathIsRelativeW | 712 |
| GlobalUnfix | 711 |
| PathStripPathW | 710 |
| CharPrevExA | 710 |
| CM_Get_DevNode_Status | 710 |
| EnumDisplaySettingsExA | 709 |
| SendMessageCallbackW | 709 |
| GetConsoleTitleW | 708 |
| EndTask | 708 |
| ReadDirectoryChangesW | 707 |
| strtod | 707 |
| DdeEnableCallback | 707 |
| SHBrowseForFolder | 707 |
| _invalid_parameter_noinfo | 706 |
| WINNLSGetEnableStatus | 706 |
| StrToIntExA | 705 |
| EnumUILanguagesW | 705 |
| CreateHardLinkA | 705 |
| SetMenuItem | 705 |
| InitiateSystemShutdownA | 704 |
| StgIsStorageFile | 704 |
| ResetWriteWatch | 703 |
| EqualRgn | 702 |
| GetKBCodePage | 702 |
| SetTapePosition | 701 |
| GetClipboardFormatNameW | 701 |
| GetAltTabInfoW | 700 |
| MoveFileWithProgressA | 700 |
| ImageList_SetFilter | 699 |
| IoDriverObjectType | 699 |
| PathRemoveExtensionW | 699 |
| ASN1BERDecEoid | 698 |
| SHLoadInProc | 697 |
| WINNLSGetIMEHotkey | 695 |
| _findclose | 695 |

| | |
|---------------------------------|-----|
| FindNextVolumeA | 694 |
| CreateDiscardableBitmap | 693 |
| @Types@initialization\$qqrv | 693 |
| __vbaR8Cy | 693 |
| __p_argv | 693 |
| @Math@initialization\$qqrv | 692 |
| wcscoll | 692 |
| ExtEscape | 692 |
| @Rtlconsts@initialization\$qqrv | 688 |
| AddFontResourceExA | 688 |
| ClearBitmapAttributes | 688 |
| BackupSeek | 688 |
| LockWorkStation | 686 |
| IsValidLanguageGroup | 686 |
| CreateStatusWindowA | 685 |
| GetLargestConsoleWindowSize | 684 |
| Module32NextW | 684 |
| GetMenuItemInfo | 683 |
| UnregisterTraceGuids | 683 |
| __vbaRecAssign | 683 |
| GdipCreateHBITMAPFromBitmap | 682 |
| PathRemoveBlanksW | 681 |
| IsValidURL | 681 |
| WriteConsoleOutputCharacterW | 680 |
| FindFirstVolumeA | 679 |
| CreateWindowStationW | 679 |
| OpenWaitableTimerW | 679 |
| CoGetObject | 677 |
| GetDefaultCommConfigW | 676 |
| KfRaiseIrql | 676 |
| StrRStrIW | 676 |
| WSCEnumProtocols | 676 |
| GetWriteWatch | 675 |
| ispunct | 675 |
| GetTraceEnableLevel | 675 |
| SetupIterateCabinetA | 675 |
| SetConsoleActiveScreenBuffer | 674 |
| ZwLoadDriver | 674 |
| KfLowerIrql | 674 |
| GetProfilesDirectoryA | 674 |
| _lseeki64 | 674 |
| __vbaPutOwner4 | 673 |
| ctime | 673 |
| ReadConsoleOutputW | 673 |
| _findnext | 673 |
| DeleteTimerQueueEx | 672 |
| GdipSetInterpolationMode | 672 |

| | |
|---|-----|
| GetUrlCacheEntryInfoA | 672 |
| CreateMDIWindowA | 671 |
| CreateFiber | 671 |
| CoGetCallContext | 671 |
| StrCpyW | 670 |
| _endthread | 670 |
| LZCopy | 668 |
| ExAllocatePool | 668 |
| GetTraceEnableFlags | 668 |
| NetUserAdd | 667 |
| rewind | 666 |
| CertEnumCertificatesInStore | 666 |
| __vbaVerifyVarObj | 665 |
| MmBuildMdlForNonPagedPool | 664 |
| memmove_s | 663 |
| GetNamedPipeHandleStateW | 663 |
| GdipDeleteFont | 663 |
| SetDeskWallpaper | 662 |
| ?erase@?\$basic_string@DU?\$char_traits@[| 662 |
| SHGetFolderLocation | 661 |
| InternetErrorDlg | 660 |
| ResetDCW | 659 |
| RtlQueryRegistryValues | 659 |
| @Strutils@initialization\$qqrv | 658 |
| _local_unwind2 | 658 |
| VerLanguageNameW | 656 |
| QueueUserWorkItem | 656 |
| CreateMetaFileW | 656 |
| LoadMenuIndirectW | 655 |
| __vbaCyVar | 654 |
| ImpersonateDdeClientWindow | 653 |
| RtlInitString | 652 |
| _finite | 652 |
| ObReferenceObjectByName | 651 |
| KfAcquireSpinLock | 650 |
| PathIsFileSpecW | 650 |
| WriteProfileSectionW | 650 |
| OleLoad | 650 |
| _hwrite | 649 |
| Toolhelp32ReadProcessMemory | 649 |
| RtlDecompressBuffer | 649 |
| LoadAlterBitmap | 649 |
| SHAddToRecentDocs | 649 |
| PlaySoundW | 648 |
| ExtractAssociatedIconA | 647 |
| __vbaVarLateMemCallSt | 646 |
| StrRChrIW | 646 |

| | |
|---------------------------------|-----|
| WriteConsoleInputW | 645 |
| __vbaForEachCollVar | 645 |
| __vbaNextEachCollVar | 645 |
| ChangeDisplaySettingsExW | 644 |
| __vbaLateldStAd | 644 |
| DestroyEnvironmentBlock | 643 |
| PathCanonicalizeW | 643 |
| RegisterTraceGuidsW | 643 |
| OleUIBusyW | 642 |
| DragQueryFile | 642 |
| GdipSaveImageToStream | 642 |
| IoGetRelatedDeviceObject | 641 |
| LogonUserA | 640 |
| __vbaUnkVar | 639 |
| CommConfigDialogW | 639 |
| DdeCreateStringHandleW | 639 |
| NetUserEnum | 639 |
| __vbaVarIdiv | 639 |
| PathRemoveBackslashA | 639 |
| GetAltTabInfoA | 638 |
| __p__argc | 638 |
| GdipCreateFont | 636 |
| FindNextVolumeMountPointA | 635 |
| SendMessageCallbackA | 635 |
| __vbaVarCmpLe | 634 |
| BindIoCompletionCallback | 634 |
| InitiateSystemShutdownExW | 633 |
| ShellExecuteEx | 632 |
| EnumDesktopsA | 631 |
| GetGlyphOutlineA | 631 |
| fabs | 631 |
| GetCurrentHwProfileA | 631 |
| OemToCharBuffW | 630 |
| __vbaExitEachColl | 629 |
| SetupOpen | 629 |
| LZOpenFileA | 629 |
| SetMessageQueue | 628 |
| EnumMetaFile | 628 |
| KeInitializeApc | 628 |
| Shell_NotifyIcon | 628 |
| CreateMDIWindowW | 627 |
| EnumLanguageGroupLocalesA | 626 |
| SetArcDirection | 626 |
| CoRevertToSelf | 625 |
| CoImpersonateClient | 625 |
| AddVectoredExceptionHandler | 625 |
| CertDuplicateCertificateContext | 624 |

| | |
|---------------------------------|-----|
| @Dateutils@initialization\$qqrv | 623 |
| IoGetDeviceObjectPointer | 623 |
| SetupDiEnumDeviceInterfaces | 623 |
| ObfReferenceObject | 622 |
| OleTranslateAccelerator | 622 |
| PathGetDriveNumberW | 622 |
| CallIMsgFilter | 622 |
| SetInformationJobObject | 620 |
| SHFormatDrive | 620 |
| GetCharWidth32W | 619 |
| ImageDirectoryEntryToData | 618 |
| MmMapLockedPages | 617 |
| isgraph | 617 |
| CreateMetaFileA | 617 |
| SetCaretBlinkTime | 617 |
| OleLoadPicture | 617 |
| iswxdigit | 617 |
| DdeInitializeW | 616 |
| log10 | 616 |
| CreateConsoleScreenBuffer | 614 |
| _vbaVarCmpGe | 613 |
| GetIpAddrTable | 612 |
| EnumDisplayDevicesW | 612 |
| Idexp | 612 |
| LZClose | 611 |
| _get_osfhandle | 611 |
| WritePrivateProfileStructW | 610 |
| SetMapperFlags | 610 |
| DlgDirListW | 610 |
| InternetReadFileExA | 610 |
| ChoosePixelFormat | 609 |
| StrTrimA | 608 |
| OleGetIconOfClass | 608 |
| DlgDirSelectExA | 608 |
| SHEnumValueA | 608 |
| BuildCommDCBW | 607 |
| StrCatW | 607 |
| CoResumeClassObjects | 606 |
| _localtime64 | 606 |
| RtlRandom | 606 |
| RtlCreateSecurityDescriptor | 604 |
| DdeAbandonTransaction | 604 |
| SetComputerNameExW | 604 |
| KeReleaseMutex | 603 |
| SetColorAdjustment | 602 |
| mbtowc | 602 |
| ConvertThreadToFiber | 601 |

| | |
|---------------------------------------|-----|
| PlayMetaFileRecord | 600 |
| SHGetInstanceExplorer | 600 |
| SetDefaultCommConfigA | 599 |
| GetMUILanguage | 599 |
| SetCalendarInfoA | 599 |
| DlgDirListA | 599 |
| NetShareGetInfo | 598 |
| CoTreatAsClass | 597 |
| ScrollConsoleScreenBufferA | 596 |
| CreateEnhMetaFileW | 596 |
| OpenJobObjectA | 596 |
| VkKeyScanExA | 595 |
| DoEnvironmentSubstW | 595 |
| RtlWriteRegistryValue | 594 |
| OleCreateFromData | 593 |
| GetUserNameExW | 593 |
| ChangeTimerQueueTimer | 592 |
| PathIsUNCServerW | 592 |
| _fstat | 592 |
| WinHttpOpen | 591 |
| HttpEndRequestA | 591 |
| IsValidAcl | 591 |
| RtlAppendUnicodeToString | 591 |
| FindVolumeMountPointClose | 590 |
| BackupWrite | 590 |
| DrawThemeText | 588 |
| FindFirstVolumeMountPointW | 588 |
| RasDialA | 588 |
| @System@Finalization\$qqrv | 587 |
| @System@@HandleFinally\$qqrv | 587 |
| GetCharWidthW | 587 |
| @System@RegisterModule\$qqrp17System@ | 586 |
| @Syncobjs@Initialization\$qqrv | 586 |
| EnumUILanguagesA | 585 |
| WriteFileGather | 585 |
| DdeAddData | 585 |
| IMPQueryIMEW | 584 |
| KeClearEvent | 584 |
| PathAddBackslashA | 584 |
| CreateDataAdviseHolder | 583 |
| ExtractAssociatedIconExW | 583 |
| ?endl@std@@YAAAV?\$basic_ostream@DU | 582 |
| fmod | 582 |
| CryptGetKeyParam | 582 |
| CopyMetaFileW | 581 |
| @Sysutils@Finalization\$qqrv | 579 |
| ReadFileScatter | 579 |

| | |
|--|-----|
| RegOpenCurrentUser | 579 |
| CoAddRefServerProcess | 578 |
| PathQuoteSpacesW | 578 |
| NetUserGetInfo | 577 |
| @Typinfo@Finalization\$qqrv | 576 |
| CoMarshallInterface | 576 |
| EnumDateFormatsExW | 576 |
| SHCreateDirectoryExA | 576 |
| SetICMMode | 575 |
| @Classes@Finalization\$qqrv | 574 |
| OleDestroyMenuDescriptor | 574 |
| ReadConsoleOutputCharacterW | 573 |
| wprintf | 573 |
| SetMessageExtraInfo | 573 |
| CallMsgFilterW | 573 |
| TerminateJobObject | 572 |
| GetBinaryType | 572 |
| ZwQueryDirectoryFile | 571 |
| SetTapeParameters | 571 |
| _mbslwr | 571 |
| GetRandomRgn | 568 |
| Module32FirstW | 568 |
| TraceMessage | 567 |
| SetTimerQueueTimer | 566 |
| SetProcessDefaultLayout | 566 |
| URLDownloadToCacheFileW | 565 |
| ChrCmplA | 564 |
| DlgDirListComboBoxW | 564 |
| wcscpy_s | 563 |
| ??4?\$basic_string@DU?\$char_traits@D@std@ | 563 |
| SetMenuContextHelpId | 562 |
| wcsspn | 562 |
| GetClipboardViewer | 562 |
| GetConsoleAliasExesA | 561 |
| ChrCmplW | 561 |
| _wsplitpath | 560 |
| GetPrinterDriverW | 559 |
| GetTextCharset | 559 |
| PathGetCharTypeW | 558 |
| NdrClientCall2 | 558 |
| @Inifiles@Finalization\$qqrv | 557 |
| __vbaR8ErrVar | 557 |
| __vbaCyMulI2 | 557 |
| GetBoundsRect | 556 |
| _CorDlIMain | 556 |
| IsSystemResumeAutomatic | 554 |
| DnsQuery_A | 552 |

| | |
|---|-----|
| fgetpos | 551 |
| ntohl | 551 |
| GetVolumeNameForVolumeMountPointA | 550 |
| CMP_WaitNoPendingInstallEvents | 550 |
| GetKernelObjectSecurity | 550 |
| OleCreateStaticFromData | 550 |
| ModifyWorldTransform | 549 |
| StrCatBuffW | 548 |
| @System@@Halt0\$qqrv | 548 |
| AnimatePalette | 548 |
| UnloadUserProfile | 548 |
| IoFileObjectType | 548 |
| @Registry@Finalization\$qqrv | 547 |
| Heap32ListNext | 547 |
| StrChrIA | 547 |
| GetFontLanguageInfo | 546 |
| mixerGetNumDevs | 546 |
| @System@TObject@Dispatch\$qqrpv | 545 |
| @System@TObject@FreeInstance\$qqrv | 545 |
| @Variants@Finalization\$qqrv | 545 |
| @Varutils@Finalization\$qqrv | 545 |
| GetMetaFileBitsEx | 544 |
| @Sysconst@Finalization\$qqrv | 543 |
| GetThemeRect | 543 |
| UnhookWindowsHook | 543 |
| EnumPropsW | 543 |
| @Activex@Finalization\$qqrv | 542 |
| GetPath | 542 |
| GdipCreateBitmapFromStreamICM | 542 |
| StrRetToStrW | 541 |
| @System@@LStrClr\$qqrpv | 540 |
| __winitenv | 539 |
| DlgDirSelectExW | 539 |
| SetConvertStg | 539 |
| GdiGetBatchLimit | 537 |
| GetMetaFileA | 536 |
| _Clacos | 536 |
| ASN1BEREncLength | 536 |
| CreateFileMoniker | 536 |
| ??Hstd@@YA?AV?\$basic_string@DU?\$char_ | 535 |
| PathFindNextComponentW | 535 |
| FlatSB_GetScrollProp | 533 |
| OleCreateLinkFromData | 533 |
| IMPSetIMEA | 533 |
| RpcBindingFree | 533 |
| WTSGetActiveConsoleSessionId | 533 |
| PathIsPrefixW | 532 |

| | |
|---|-----|
| CoQueryProxyBlanket | 532 |
| ??0?\$basic_string@DU?\$char_traits@D@std@@@std@@QAE@XZ | 532 |
| SHDeleteEmptyKeyW | 530 |
| FindNextVolumeMountPointW | 530 |
| ExtractAssociatedIconW | 529 |
| GetClassFile | 529 |
| GetOutlineTextMetricsA | 529 |
| SetConsolePalette | 529 |
| GetConsoleAliasW | 528 |
| _dup | 528 |
| FlatSB_EnableScrollBar | 527 |
| __vbaVarIndexStore | 527 |
| IoBuildDeviceIoControlRequest | 526 |
| GlobalUnWire | 526 |
| PeekConsoleInputW | 526 |
| ShowConsoleCursor | 526 |
| CoLoadLibrary | 526 |
| _isatty | 526 |
| CreateMappedBitmap | 525 |
| FtpGetFileA | 525 |
| CreateDIBPatternBrush | 524 |
| EditWndProc | 524 |
| RtlFreeHeap | 524 |
| InternetSetStatusCallbackW | 524 |
| gets | 523 |
| BuildCommDCBA | 523 |
| CoInternetGetSession | 523 |
| GetWorldTransform | 523 |
| PropVariantCopy | 523 |
| RtlCopySid | 523 |
| OleGetAutoConvert | 522 |
| CoReleaseServerProcess | 522 |
| @System@@LStrAsg\$qqrpvpvx | 521 |
| @System@@LStrArrayClr\$qqrpvi | 521 |
| UrlEscapeW | 521 |
| @System@@LStrCatN\$qqrv | 520 |
| @System@@LStrCat\$qqrv | 520 |
| SetMetaFileBitsEx | 520 |
| LdrAccessResource | 520 |
| HlinkNavigateString | 520 |
| SHStrDupW | 520 |
| IsBadHugeWritePtr | 519 |
| _tzset | 519 |
| fwprintf | 519 |
| DdeDisconnectList | 518 |
| WTSQuerySessionInformationA | 518 |
| fsetpos | 517 |

| | |
|---|-----|
| SHQueryValueExA | 517 |
| DrawThemeEdge | 516 |
| Heap32Next | 516 |
| OleCreateLink | 516 |
| _Itow | 516 |
| CreateJobObjectA | 515 |
| SHQueryRecycleBinW | 515 |
| NtQueryInformationProcess | 515 |
| SHGetFileInfo | 515 |
| SetWorldTransform | 514 |
| OleSave | 514 |
| @Types@Finalization\$qqrv | 513 |
| IoDetachDevice | 513 |
| SetMiterLimit | 513 |
| KeInsertQueueApc | 513 |
| CombineTransform | 513 |
| WTSQueryUserToken | 513 |
| _ultow | 513 |
| CertFindCertificateInStore | 513 |
| __vbaCheckType | 512 |
| PrintWindow | 512 |
| @System@TObject@NewInstance\$qqrp17S | 511 |
| LdrFindResource_U | 511 |
| SetShellWindow | 511 |
| StrTrimW | 511 |
| CryptExportKey | 511 |
| @Math@Finalization\$qqrv | 510 |
| ?append@?\$basic_string@DU?\$char_traits@ | 510 |
| ReadFmtUserTypeStg | 510 |
| DrawFrame | 510 |
| BuildCommDCBAndTimeoutsA | 510 |
| GetWindowModuleFileName | 510 |
| KeLeaveCriticalSection | 509 |
| EnumDisplaySettingsExW | 509 |
| _strnset | 509 |
| @Rtlconsts@Finalization\$qqrv | 508 |
| Heap32ListFirst | 508 |
| InitAtomTable | 507 |
| AssignProcessToJobObject | 507 |
| PoCallDriver | 507 |
| GetWindowModuleFileNameW | 507 |
| OleQueryLinkFromData | 507 |
| WriteFmtUserTypeStg | 507 |
| PathIsContentTypeA | 507 |
| @System@@LStrCat3\$qqrv | 506 |
| HttpSendRequestExW | 506 |
| EnumSystemLanguageGroupsW | 506 |

| | |
|-----------------------------------|-----|
| MakeAbsoluteSD | 505 |
| @System@TObject@Free\$qqrv | 504 |
| IsWow64Process | 504 |
| ExtractAssociatedIconExA | 504 |
| UninitializeFlatSB | 503 |
| Crypt GetUserKey | 503 |
| GetFileSecurityW | 503 |
| WNetCancelConnectionA | 503 |
| GetThemeSysInt | 502 |
| mciSendStringW | 502 |
| CreateToolbar | 502 |
| SetUserObjectInformationA | 502 |
| RtlAppendUnicodeStringToString | 502 |
| SetMessageWaitingIndicator | 501 |
| KeEnterCriticalSection | 501 |
| BroadcastSystemMessageW | 501 |
| CreateUpDownControl | 501 |
| __vbaR4ErrVar | 501 |
| _rmdir | 501 |
| RpcBindingFromStringBindingW | 500 |
| @Sysutils@IntToStr\$qqri | 499 |
| StgCreatePropStg | 498 |
| PathGetCharTypeA | 498 |
| CoInstall | 498 |
| DragQueryFileAorW | 498 |
| ExtractIconEx | 498 |
| GetMetaRgn | 497 |
| ScrollConsoleScreenBufferW | 497 |
| Idiv | 497 |
| PolyPolygon | 497 |
| WINNLSEnableIME | 497 |
| EVENT_SINK2_AddRef | 497 |
| @System@@LStrAddRef\$qqrpv | 496 |
| @System@@DoneExcept\$qqrv | 496 |
| __vbaCyErrVar | 496 |
| MmUnmapLockedPages | 496 |
| ZwDeviceIoControlFile | 496 |
| EVENT_SINK2_Release | 496 |
| StrRStrA | 496 |
| RealGetWindowClassA | 494 |
| GetPixelFormat | 494 |
| SHFreeNameMappings | 494 |
| exp | 494 |
| @System@@LStrCopy\$qqrv | 493 |
| @System@@HandleAnyException\$qqrv | 492 |
| GetPriorityClipboardFormat | 492 |
| CreateScalableFontResourceA | 492 |

| | |
|---|-----|
| difftime | 492 |
| SHGetDataFromIDListW | 492 |
| @System@TObject@\$bdtr\$qqrv | 491 |
| CreateWindowStationA | 491 |
| @System@TObject@DefaultHandler\$qqrpv | 490 |
| InternetSetOptionExA | 490 |
| __vbaVarLikeVar | 490 |
| CreateTapePartition | 489 |
| iswprint | 489 |
| _alldiv | 489 |
| _hread | 489 |
| RtlAllocateHeap | 489 |
| SysAllocStringByteLen | 488 |
| _mbstok | 488 |
| CoCreateFreeThreadedMarshaler | 488 |
| SHGetDataFromIDListA | 488 |
| DdeQueryStringW | 487 |
| ClearBrushAttributes | 486 |
| CertOpenStore | 486 |
| @System@@LStrSetLength\$qqrv | 485 |
| @System@TObject@AfterConstruction\$qqr | 485 |
| SetComputerNameExA | 485 |
| ?what@exception@@UBEPBDXZ | 485 |
| FtpSetCurrentDirectoryA | 485 |
| SHEnumKeyExA | 485 |
| @System@@LStrToPChar\$qqrx17System@/ | 484 |
| MiniDumpWriteDump | 484 |
| frexp | 484 |
| @System@TObject@SafeCallException\$qqri | 483 |
| SetCriticalSectionSpinCount | 483 |
| InvertRgn | 483 |
| WriteOleStg | 483 |
| @\$xp\$13System@String | 482 |
| tan | 482 |
| ActivateActCtx | 481 |
| InternetCheckConnectionW | 480 |
| __vbaBoolErrVar | 480 |
| WSCInstallProvider | 480 |
| @System@@LStrPos\$qqrv | 479 |
| @System@@LStrCmp\$qqrv | 479 |
| @System@@LStrASg\$qqrpvxv | 479 |
| @System@TObject@BeforeDestruction\$qqr | 479 |
| @System@TObject@\$bctr\$qqrv | 479 |
| lineOpenA | 479 |
| RpcImpersonateClient | 479 |
| AddFontResourceTracking | 479 |
| __vbaLineInputVar | 479 |

| | |
|--|-----|
| CloseThemeData | 478 |
| @Strutils@Finalization\$qqrv | 478 |
| ??0\$basic_string@DU?\$char_traits@D@std::@_makepath | 478 |
| IMPGetIMEW | 478 |
| CheckEscapesW | 478 |
| FreeUserPhysicalPages | 477 |
| LookupPrivilegeNameW | 477 |
| _vbaFPFix | 477 |
| _ftime | 477 |
| @System@@LStrLen\$qqrx17System@AnsIString | 476 |
| GetModuleInformation | 476 |
| CreateJobObjectW | 476 |
| OleNoteObjectVisible | 476 |
| @System@@FinalizeArray\$qqrpvt1ui | 475 |
| asctime | 474 |
| UrlCombineW | 474 |
| GetUrlCacheEntryInfoW | 474 |
| GetConsoleAliasesLengthA | 474 |
| UrlGetPartW | 474 |
| _isnan | 473 |
| ReplaceFileA | 473 |
| freopen | 473 |
| NtOpenProcessToken | 473 |
| DoEnvironmentSubstA | 472 |
| MapGenericMask | 471 |
| KeInitializeMutex | 471 |
| GetGraphicsMode | 471 |
| HeapQueryInformation | 471 |
| StrFormatByteSizeW | 470 |
| StrSpnW | 470 |
| _chmod | 470 |
| @Forms@initialization\$qqrv | 470 |
| AddConsoleAliasA | 469 |
| FtpGetFileSize | 469 |
| FtpOpenFileA | 469 |
| PaintRgn | 469 |
| atan2 | 469 |
| @Controls@initialization\$qqrv | 469 |
| @Sysutils@Exception@ | 468 |
| WSASocketW | 468 |
| @Graphics@initialization\$qqrv | 468 |
| @Menus@initialization\$qqrv | 468 |
| PathRemoveArgsW | 468 |
| EnumSystemLanguageGroupsA | 467 |
| IsWellKnownSid | 467 |
| PathCanonicalizeA | 467 |

| | |
|--|-----|
| @Actnlist@initialization\$qqrv | 467 |
| @Extctrls@initialization\$qqrv | 467 |
| @Dialogs@initialization\$qqrv | 467 |
| @Printers@initialization\$qqrv | 467 |
| @Flatsb@initialization\$qqrv | 467 |
| QueryInformationJobObject | 466 |
| SetupDiGetClassDevsW | 466 |
| @Comobj@initialization\$qqrv | 466 |
| ZwDeleteFile | 466 |
| _chkstk | 466 |
| @Multimon@initialization\$qqrv | 466 |
| @Clipbrd@initialization\$qqrv | 466 |
| @System@@LStrDelete\$qqrv | 464 |
| @Classes@TStringList@ | 464 |
| GetTextExtentExPointA | 464 |
| __vbaFpCy | 464 |
| @System@@AfterConstruction\$qqrp14Syst | 463 |
| @System@Move\$qqrpXvpvi | 463 |
| SetupOpenInfFileW | 463 |
| @System@@LStrFromPChar\$qqrr17System@ | 462 |
| @System@@ClassCreate\$qqrp17System@T | 462 |
| GetConsoleAliasExesLengthA | 462 |
| GetEnhMetaFileA | 462 |
| CertDeleteCertificateFromStore | 462 |
| GetConsoleAliasExesLengthW | 461 |
| @System@TObject@ | 460 |
| MoveFileWithProgressW | 460 |
| ReadClassStm | 460 |
| _endthreadex | 460 |
| CancelDeviceWakeUpRequest | 460 |
| FlatSB_ShowScrollBar | 460 |
| @System@@HandleOnException\$qqrv | 459 |
| SetCalendarInfoW | 458 |
| @System@@BeforeDestruction\$qqrp14Syst | 457 |
| @System@@ClassDestroy\$qqrp14System@ | 457 |
| FindFirstVolumeMountPointA | 457 |
| SetupFindFirstLineW | 457 |
| WSAAddressToStringA | 456 |
| CreateClassMoniker | 456 |
| RtlEqualString | 455 |
| @System@@FinalizeRecord\$qqrpvt1 | 455 |
| EnumCalendarInfoExW | 455 |
| CoGetObjectContext | 455 |
| PathCompactPathExW | 455 |
| RpcStringBindingComposeW | 455 |
| __vbaGetFxStr3 | 454 |
| GetKerningPairsA | 454 |

| | |
|--|-----|
| CreateProcessWithLogonW | 454 |
| NdrServerCall2 | 454 |
| SetDefaultCommConfigW | 454 |
| WSAWaitForMultipleEvents | 454 |
| MapAndLoad | 454 |
| RtlLengthSid | 454 |
| CoRegisterPSCLsid | 453 |
| GetConsoleAliasExesW | 453 |
| ZwEnumerateValueKey | 453 |
| GetGlyphOutlineW | 453 |
| wcsncpy_s | 452 |
| WriteTapemark | 452 |
| NtAllocateVirtualMemory | 452 |
| CreatePolyPolygonRgn | 452 |
| ??1?\$basic_string@GU?\$char_traits@G@std@ | 452 |
| SysAllocString | 452 |
| @Sysutils@Format\$qqrx17System@AnsiStri | 451 |
| @Sysutils@FileExists\$qqrx17System@AnsiSti | 451 |
| DlgDirSelectComboBoxExW | 451 |
| FlatSB_SetScrollRange | 450 |
| InternetCanonicalizeUrlW | 450 |
| @Dateutils@Finalization\$qqrv | 449 |
| IoAttachDeviceToDeviceStack | 449 |
| ?uncaught_exception@std@@YA_NXZ | 449 |
| IUnknown_Release_Proxy | 449 |
| GetAltTabInfo | 449 |
| SHInvokePrinterCommandA | 449 |
| MakeSureDirectoryPathExists | 448 |
| DrawEscape | 448 |
| SetupFindNextLine | 448 |
| IsNetworkAlive | 448 |
| KelInitializeDpc | 448 |
| @System@@RaiseExcept\$qqrv | 447 |
| OleCreateLinkToFile | 447 |
| RtlUnicodeStringToInteger | 446 |
| InterlockedPushEntrySList | 446 |
| @Registry@TRegistry@ | 445 |
| GetHGlobalFromILockBytes | 445 |
| SheChangeDirA | 445 |
| SHQueryRecycleBinA | 444 |
| @System@@InitializeRecord\$qqrpvt1 | 443 |
| @Registry@TRegistry@\$bctr\$qqrv | 443 |
| RpcServerListen | 443 |
| _atoi64 | 443 |
| DdeKeepStringHandle | 443 |
| @System@@FillChar\$qqrpvc | 442 |
| @Sysutils@Exception@\$bctr\$qqrx17System | 442 |

| | |
|--|-----|
| SetConsoleCursor | 442 |
| _commode | 441 |
| InterlockedPopEntrySList | 441 |
| GetOutlineTextMetricsW | 440 |
| OleCreateFromFile | 440 |
| BindMoniker | 440 |
| PathBuildRootW | 440 |
| @Comctrls@initialization\$qqrv | 440 |
| ResetDCA | 439 |
| GetCharABCWidthsW | 439 |
| @Buttons@initialization\$qqrv | 439 |
| NS.GetServiceManager | 438 |
| FreeContextBuffer | 437 |
| GlobalWire | 437 |
| GetCharacterPlacementA | 437 |
| DrawInsert | 437 |
| PathRenameExtensionA | 437 |
| RtlSetDaclSecurityDescriptor | 437 |
| NtCreateFile | 437 |
| OleDoAutoConvert | 436 |
| ?append@?\$basic_string@DU?\$char_traits@ | 436 |
| ?cout@std@@@3V?\$basic_ostream@DU?\$ch | 436 |
| @Helpintfs@initialization\$qqrv | 435 |
| @Registry@TRegistry@SetRootKey\$qqrui | 434 |
| PlgBlt | 434 |
| IoCancelIrp | 434 |
| ?replace@?\$basic_string@DU?\$char_traits@ | 434 |
| NdrOleFree | 434 |
| @Registry@TRegistry@OpenKey\$qqrx17Sys | 433 |
| asin | 433 |
| _mbsnbcmp | 433 |
| @Registry@TRegistry@CloseKey\$qqrv | 432 |
| NS_CStringContainerFinish | 432 |
| CryptGetProvParam | 432 |
| OleIsRunning | 432 |
| DeactivateActCtx | 432 |
| @Sysutils@Trim\$qqrx17System@AnsiString | 431 |
| CryptSetProvParam | 431 |
| SHQueryValueExW | 431 |
| __vbaAryConstruct | 431 |
| UrlCreateFromPathW | 431 |
| acos | 431 |
| GetNetworkParams | 430 |
| @Comconst@initialization\$qqrv | 430 |
| OleConvertIStorageToOLESTREAMEx | 430 |
| __vbainStrB | 430 |
| NS_CStringContainerInit | 429 |

| | |
|---|-----|
| atan | 429 |
| @Consts@initialization\$qqrv | 429 |
| AbortSystemShutdownA | 428 |
| SetupGetStringFieldW | 428 |
| @Sysutils@UpperCase\$qqrx17System@Ans | 427 |
| wcscat_s | 427 |
| StgConvertPropertyToVariant | 427 |
| InternetCombineUrlA | 427 |
| @Stdctrls@initialization\$qqrv | 427 |
| _vbaCySub | 427 |
| GetThemeColor | 426 |
| __RTDynamicCast | 426 |
| NdrDIIGetObject | 426 |
| @Imglist@initialization\$qqrv | 426 |
| @Stdactns@initialization\$qqrv | 426 |
| CoFreeAllLibraries | 426 |
| isleadbyte | 426 |
| EnumEnhMetaFile | 425 |
| GetMouseMovePointsEx | 425 |
| OleQueryCreateFromData | 424 |
| CoDosDateTimeToFileTime | 424 |
| GetTextCharacterExtra | 423 |
| ZwQueryVolumeInformationFile | 423 |
| BroadcastSystemMessage | 423 |
| AddConsoleAliasW | 423 |
| CreateObjrefMoniker | 423 |
| DosPathToSessionPathA | 422 |
| @Syncobjs@Finalization\$qqrv | 421 |
| SetBoundsRect | 421 |
| CoGetInstanceFromIStorage | 421 |
| VarNot | 420 |
| ??Y?\$basic_string@DU?\$char_traits@D@std@@ | 420 |
| ImmUnlockIMC | 420 |
| DrawStatusTextA | 420 |
| CryptDecodeObject | 420 |
| ??Hstd@@YA?AV?\$basic_string@DU?\$char | 420 |
| PoStartNextPowerIrp | 419 |
| GetEnhMetaFileW | 419 |
| AddAccessDeniedAce | 419 |
| IMPGetIMEA | 419 |
| @Contnrs@initialization\$qqrv | 419 |
| @Extdlgs@initialization\$qqrv | 418 |
| CryptSignHashA | 418 |
| _argc | 417 |
| @Registry@TRegistry@ReadString\$qqrx17S | 417 |
| IoAllocateErrorLogEntry | 417 |
| @Sysutils@FindClose\$qqrr19Sysutils@TSear | 416 |

| | |
|--|-----|
| @\$xp\$19Sysutils@TSearchRec | 416 |
| GetColorSpace | 416 |
| IUnknown_AddRef_Proxy | 416 |
| ExitVDM | 415 |
| DllGetVersion | 415 |
| waveOutGetVolume | 415 |
| CertGetCertificateContextProperty | 415 |
| _mbsinc | 414 |
| FlattenPath | 413 |
| ZwQueryKey | 413 |
| GetSecurityDescriptorGroup | 413 |
| GetWsChanges | 413 |
| SendIMEMessageExW | 413 |
| CryptSetKeyParam | 412 |
| @Sysutils@FindFirst\$qqrx17System@Ansist | 411 |
| @Registry@TRegistry@WriteString\$qqrx17S | 411 |
| ASN1BEREncBool | 411 |
| CoRegisterSurrogateEx | 411 |
| SHRegSetUSValueW | 411 |
| RequestWakeUpLatency | 411 |
| RegisterServiceProcess | 411 |
| GetCharABCWidthsA | 410 |
| GetNamedSecurityInfoW | 410 |
| GetConvertStg | 410 |
| GetConsoleFontSize | 409 |
| NdrOleAllocate | 408 |
| CreateActCtxW | 408 |
| SetupDiCallClassInstaller | 408 |
| CoAllowSetForegroundWindow | 407 |
| SetWindowsHookW | 406 |
| GetRasterizerCaps | 406 |
| ChangeServiceConfig2W | 406 |
| _resetstkoflw | 405 |
| GetNumberOfConsoleMouseButtons | 405 |
| TranslateAccelerator | 405 |
| KeAttachProcess | 404 |
| RasGetEntryPropertiesA | 404 |
| _mbsdec | 404 |
| MapUserPhysicalPages | 403 |
| @Toolwin@initialization\$qqrv | 403 |
| @Comstrs@initialization\$qqrv | 403 |
| __lc_codepage | 403 |
| ShellHookProc | 403 |
| DuplicateConsoleHandle | 402 |
| IUnknown_QueryInterface_Proxy | 402 |
| IoAllocateWorkItem | 402 |
| ReplaceFile | 402 |

| | |
|---|-----|
| SetPixelFormat | 401 |
| HACCEL_UserUnmarshal | 401 |
| KeCancelTimer | 401 |
| setbuf | 400 |
| CreateScalableFontResourceW | 400 |
| KeInitializeSemaphore | 400 |
| CoEnableCallCancellation | 400 |
| FtpCreateDirectoryA | 400 |
| RtlCreateAcl | 400 |
| CoRegisterMallocSpy | 399 |
| ?flush@?\$basic_ostream@DU?\$char_traits@ | 399 |
| CryptQueryObject | 399 |
| PropertySheet | 398 |
| _umask | 398 |
| OleBuildVersion | 398 |
| StgOpenPropStg | 398 |
| RegUnLoadKeyA | 398 |
| ZwOpenSection | 397 |
| __vbaGetFxStr4 | 397 |
| NetUserGetLocalGroups | 397 |
| @Extactns@initialization\$qqrv | 397 |
| @Mapi@initialization\$qqrv | 397 |
| FreePropVariantArray | 396 |
| ExRaiseStatus | 396 |
| DnsHostnameToComputerNameA | 395 |
| ?sputc@?\$basic_streambuf@DU?\$char_trai | 395 |
| RealGetWindowClass | 394 |
| PathMatchSpecA | 394 |
| OleRegEnumFormatEtc | 394 |
| SHStrDupA | 394 |
| UtConvertDvt32toDvt16 | 393 |
| _sopen | 393 |
| GetServiceDisplayNameA | 393 |
| DdeQueryNextServer | 393 |
| ?size@?\$basic_string@DU?\$char_traits@D@ | 392 |
| ?_Osfx@?\$basic_ostream@DU?\$char_traits@ | 392 |
| PropStgNameToFmtId | 391 |
| _sleep | 391 |
| SHRegGetBoolUSValueW | 391 |
| @Db@initialization\$qqrv | 391 |
| NS_CStringGetData | 390 |
| RtlGetVersion | 390 |
| __vbaDerefAry | 389 |
| RequestDeviceWakeups | 389 |
| PR_AtomicDecrement | 389 |
| GetEffectiveClientRect | 389 |
| CoQueryReleaseObject | 389 |

| | |
|--|-----|
| ReleaseActCtx | 389 |
| CoMarshalHresult | 389 |
| ImmSetCompositionWindow | 389 |
| ASN1BEREncEoid | 388 |
| InitiateSystemShutdownW | 388 |
| NS_Alloc | 388 |
| HBITMAP_UserUnmarshal | 388 |
| feof | 388 |
| tmpfile | 388 |
| SHRegWriteUSValueA | 388 |
| CoGetMarshalSizeMax | 388 |
| GetCharacterPlacementW | 387 |
| FlatSB_GetScrollRange | 387 |
| GetMiterLimit | 387 |
| _i64toa | 387 |
| __vbaR8ForNextCheck | 387 |
| KeWaitForMultipleObjects | 386 |
| @Winhelpviewer@initialization\$qqrv | 386 |
| ZwFsControlFile | 386 |
| SetSystemPaletteUse | 385 |
| SetDCBrushColor | 385 |
| ImmLockIMC | 385 |
| KeDetachProcess | 384 |
| WSCDeinstallProvider | 384 |
| UnMapAndLoad | 384 |
| DdeReconnect | 383 |
| CoBuildVersion | 383 |
| CoGetCallerTID | 383 |
| GetMetaFileW | 382 |
| _chsize | 382 |
| @Listactns@initialization\$qqrv | 382 |
| ??Y?\$basic_string@DU?\$char_traits@D@std@@@ | 381 |
| ferror | 380 |
| GetConsoleDisplayMode | 380 |
| HashData | 380 |
| __vbaInStrVarB | 380 |
| UrlGetPartA | 379 |
| EnumDependentServicesW | 379 |
| CLIPFORMAT_UserMarshal | 379 |
| HBRUSH_UserFree | 379 |
| StrRetToBufW | 379 |
| RtlCompareString | 378 |
| MapUserPhysicalPagesScatter | 378 |
| CoInternetSetFeatureEnabled | 378 |
| HDC_UserFree | 378 |
| @Fmtbcd@initialization\$qqrv | 378 |
| @DblogDlg@initialization\$qqrv | 378 |

| | |
|--------------------------------|-----|
| MonikerRelativePathTo | 377 |
| @Sqltimst@initialization\$qqrv | 377 |
| @Mask@initialization\$qqrv | 377 |
| CertOpenSystemStoreW | 377 |
| TraceEvent | 376 |
| StgIsStorageILockBytes | 376 |
| KeResetEvent | 376 |
| AMGetErrorTextA | 375 |
| InetIsOffline | 375 |
| _HUGE | 375 |
| BuildCommDCBAndTimeoutsW | 374 |
| ObCreateObject | 374 |
| SetConsoleDisplayMode | 374 |
| OleCreateDefaultHandler | 374 |
| PR_AtomicIncrement | 373 |
| GetDeviceGammaRamp | 373 |
| HBRUSH_UserUnmarshal | 373 |
| @Dbpwdlg@initialization\$qqrv | 373 |
| CoQueryClientBlanket | 373 |
| CoGetTreatAsClass | 372 |
| IoReleaseCancelSpinLock | 372 |
| NS_StringContainerFinish | 372 |
| StgCreateStorageEx | 372 |
| @Dbctrls@initialization\$qqrv | 372 |
| GetVDMCurrentDirectories | 371 |
| RtlDeleteRegistryValue | 371 |
| SHOpenRegStream2A | 371 |
| NS_StringContainerInit | 371 |
| ASN1BEREncFlush | 371 |
| StrCatBuffA | 370 |
| cosh | 370 |
| CreateDataCache | 370 |
| OleCreateLinkFromDataEx | 370 |
| SetRelAbs | 370 |
| _timezone | 369 |
| @Dbconsts@initialization\$qqrv | 369 |
| @Jpeg@initialization\$qqrv | 369 |
| CancelTimerQueueTimer | 368 |
| CryptSetHashParam | 368 |
| CoRevokeMallocSpy | 368 |
| _utime | 368 |
| HWND_UserSize | 368 |
| NtDeviceIoControlFile | 367 |
| @Dbcommon@initialization\$qqrv | 367 |
| RtlCreateRegistryKey | 366 |
| CoSwitchCallContext | 366 |
| tmpnam | 366 |

| | |
|---|-----|
| CreateColorSpaceW | 365 |
| GetArcDirection | 364 |
| EnumICMProfilesW | 364 |
| ObReferenceObjectByPointer | 364 |
| FDIDestroy | 364 |
| AccessibleObjectFromWindow | 364 |
| WNetGetUniversalNameA | 363 |
| PlayEnhMetaFileRecord | 363 |
| GetClipboardSequenceNumber | 363 |
| ObtainUserAgentString | 362 |
| UpdateICMRegKeyA | 362 |
| DeleteVolumeMountPointW | 362 |
| strxfrm | 362 |
| @Maskutils@initialization\$qqrv | 362 |
| @Grids@initialization\$qqrv | 362 |
| PathIsFileSpecA | 362 |
| ?length@?\$basic_string@DU?\$char_traits@ | 361 |
| DdeSetQualityOfService | 361 |
| DllDebugObjectRPCHook | 361 |
| IoWMIRegistrationControl | 361 |
| InternetCreateUrlA | 360 |
| CreateGenericComposite | 360 |
| WSADuplicateSocketA | 360 |
| PsSetLoadImageNotifyRoutine | 360 |
| NdrCStdStubBuffer_Release | 359 |
| DirectPlay8Create | 358 |
| SwapBuffers | 358 |
| WSAAddressToStringW | 358 |
| FDICopy | 358 |
| SHPathPrepareForWriteW | 358 |
| NS_Free | 357 |
| ExReleaseResourceLite | 357 |
| CoTestCancel | 357 |
| @Axctrls@initialization\$qqrv | 357 |
| FDICreate | 357 |
| NtOpenKey | 357 |
| RtlIntegerToUnicodeString | 356 |
| @System@@StartExe\$qqrp23System@Pack | 356 |
| _filelength | 356 |
| EnumLanguageGroupLocalesW | 356 |
| ColSole1Class | 356 |
| @Filectrl@initialization\$qqrv | 356 |
| __vbaNextEachAry | 355 |
| ?find@?\$basic_string@DU?\$char_traits@D(| 355 |
| SHQueryInfoKeyA | 355 |
| sinh | 355 |
| PathIsUNCServerShareW | 355 |

| | |
|---------------------------------|-----|
| OleCreateEmbeddingHelper | 355 |
| @Stdvcl@initialization\$qqrv | 355 |
| NtAdjustPrivilegesToken | 355 |
| NdrDIICanUnloadNow | 355 |
| PathCommonPrefixA | 354 |
| OleConvertOLESTREAMToIStorage | 353 |
| SetupCloseLog | 353 |
| SNB_UserFree | 353 |
| CoCopyProxy | 353 |
| StrCSpnA | 353 |
| KeStallExecutionProcessor | 352 |
| SetKernelObjectSecurity | 352 |
| CoQueryAuthenticationServices | 352 |
| GetHookInterface | 352 |
| midiOutOpen | 352 |
| _flsbuf | 352 |
| G_UNK | 352 |
| SetDocumentBitStg | 351 |
| @Dxuxtheme@initialization\$qqrv | 351 |
| SysStringByteLen | 350 |
| NS_StringGetData | 350 |
| CoDisableCallCancellation | 350 |
| CoGetPSCLsid | 350 |
| LsaNtStatusToWinError | 349 |
| CoGetStandardMarshal | 349 |
| IoFreeWorkItem | 349 |
| @Oleserver@initialization\$qqrv | 349 |
| @Olectrls@initialization\$qqrv | 349 |
| OleCreateFromFileEx | 349 |
| SHGetDiskFreeSpaceExW | 349 |
| ExInitializeResourceLite | 348 |
| PathParseIconLocationA | 348 |
| @Vdbconsts@initialization\$qqrv | 347 |
| IoWriteErrorLogEntry | 346 |
| @Oleconst@initialization\$qqrv | 345 |
| _fullpath | 345 |
| MmHighestUserAddress | 344 |
| HMETAFILE_UserMarshal | 344 |
| CStdStubBuffer_IsIIDSupported | 344 |
| StrCSpnW | 344 |
| KeSetTimer | 343 |
| RpcRevertToSelf | 343 |
| RtlEqualSid | 343 |
| @Adoint@initialization\$qqrv | 343 |
| @Oledb@initialization\$qqrv | 343 |
| @Adodb@initialization\$qqrv | 343 |
| @Jconsts@initialization\$qqrv | 343 |

| | |
|---|-----|
| OleCreateLinkToFileEx | 343 |
| ImmAssociateContext | 343 |
| RtlTimeToSecondsSince1970 | 342 |
| CreatePointerMoniker | 342 |
| HBITMAP_UserMarshal | 342 |
| @Adoconst@initialization\$qqrv | 342 |
| @Mtx@initialization\$qqrv | 342 |
| @Gauges@initialization\$qqrv | 342 |
| @Cxgraphics@initialization\$qqrv | 342 |
| @Dxthememanager@initialization\$qqrv | 342 |
| @Cxcontrols@initialization\$qqrv | 342 |
| @Imagehlp@initialization\$qqrv | 342 |
| GetExpandedNameA | 342 |
| __vbaForEachAry | 341 |
| AllocateUserPhysicalPages | 341 |
| ExQueueWorkItem | 341 |
| UtGetDvt32Info | 341 |
| GetConsoleAliasesA | 341 |
| tanh | 341 |
| _filelengthi64 | 341 |
| HBITMAP_UserFree | 341 |
| @Cxclasses@initialization\$qqrv | 341 |
| @Cxlookandfeelpainters@initialization\$qqrv | 341 |
| @Cxlookandfeels@initialization\$qqrv | 341 |
| @Dbgrids@initialization\$qqrv | 341 |
| MakeDragList | 341 |
| RtlStringFromGUID | 340 |
| @Dxgrdate@initialization\$qqrv | 340 |
| PathFindNextComponentA | 340 |
| @Classes@TComponent@WriteState\$qqrp1 | 339 |
| @Classes@TPersistent@Assign\$qqrp19Class | 339 |
| SetupDiGetDeviceInterfaceDetailW | 339 |
| PathUndecorateW | 339 |
| CreateAntiMoniker | 339 |
| NtQueryInformationToken | 339 |
| WdtpInterfacePointer_UserFree | 339 |
| @Dxutils@initialization\$qqrv | 339 |
| @Dxcalc@initialization\$qqrv | 339 |
| @Dxededtr@initialization\$qqrv | 339 |
| @Checklst@initialization\$qqrv | 339 |
| WSAAccept | 339 |
| @Classes@TComponent@SafeCallException | 338 |
| GetColorAdjustment | 338 |
| IoInitializeIrp | 338 |
| HMENU_UserUnmarshal | 338 |
| @Dxtl@initialization\$qqrv | 338 |
| @Dxdbgrid@initialization\$qqrv | 338 |

| | |
|---|-----|
| CreateColorSpaceA | 337 |
| QueryServiceConfig2A | 337 |
| CLIPFORMAT_UserSize | 337 |
| GetCharABCWidthsFloatA | 337 |
| ??1?\$basic_string@_WU?\$char_traits@_W@_vscwprintf | 337 |
| MenuHelp | 336 |
| _Clfmod | 336 |
| CryptVerifySignatureW | 336 |
| CStdStubBuffer_AddRef | 336 |
| KeSetTimerEx | 336 |
| DnsHostnameToComputerNameW | 335 |
| KeReleaseSemaphore | 335 |
| RtlImageDirectoryEntryToData | 335 |
| CoWaitForMultipleHandles | 335 |
| ??6?\$basic_ostream@DU?\$char_traits@D@_wcsrev | 335 |
| MZP | 335 |
| StrFormatByteSize64A | 334 |
| GetKerningPairsW | 334 |
| VerFindFileW | 334 |
| RtlInitializeSid | 334 |
| __vbaStrCv | 334 |
| CoFileTimeToDosDateTime | 334 |
| @Dxoffice11@initialization\$qqrv | 334 |
| CertCreateCertificateContext | 334 |
| RtlLengthRequiredSid | 333 |
| UuidFromStringA | 333 |
| RegisterServiceCtrlHandlerExW | 333 |
| OpenJobObjectW | 333 |
| @Maxmin@initialization\$qqrv | 333 |
| @Rxconst@initialization\$qqrv | 333 |
| @Rxcconst@initialization\$qqrv | 333 |
| @Vclutils@initialization\$qqrv | 333 |
| @Rxstrutils@initialization\$qqrv | 333 |
| @Dateutil@initialization\$qqrv | 333 |
| @Rxprgrss@initialization\$qqrv | 333 |
| @Fileutil@initialization\$qqrv | 333 |
| @Strtools@initialization\$qqrv | 333 |
| DbgBreakPoint | 332 |
| __vbaWriteFile | 331 |
| OleMetafilePictFromIconAndLabel | 331 |
| WSCGetProviderPath | 331 |
| OpenOrCreateStream | 331 |
| HDC_UserSize | 331 |
| SHRegCloseUSKey | 331 |
| @Apputils@initialization\$qqrv | 331 |

| | |
|-----------------------------------|-----|
| @Dxcommon@initialization\$qqrv | 331 |
| CryptHashSessionKey | 331 |
| UrlApplySchemeW | 330 |
| GdipDrawString | 330 |
| GetNextVDMCommand | 330 |
| HACCEL_UserSize | 330 |
| WSCWriteProviderOrder | 330 |
| @Vedblib@initialization\$qqrv | 330 |
| @Rxdconst@initialization\$qqrv | 330 |
| @Rxhook@initialization\$qqrv | 330 |
| @Rxprops@initialization\$qqrv | 330 |
| @Placemnt@initialization\$qqrv | 330 |
| @Dbutils@initialization\$qqrv | 330 |
| @Vefileutils@initialization\$qqrv | 330 |
| @Vequery@initialization\$qqrv | 330 |
| WSARecvFrom | 330 |
| midilnClose | 330 |
| PFXExportCertStoreEx | 330 |
| _mbsnbcat | 330 |
| CStdStubBuffer_CountRefs | 329 |
| _mbccpy | 329 |
| @Dxedstr@initialization\$qqrv | 329 |
| @Dxcntner@initialization\$qqrv | 329 |
| @Dxeditor@initialization\$qqrv | 329 |
| DescribePixelFormat | 328 |
| RasEnumDevicesA | 328 |
| RegQueryMultipleValuesA | 328 |
| _mbctombb | 328 |
| SNB_UserUnmarshal | 328 |
| @Dxtlstr@initialization\$qqrv | 328 |
| @Dxgrfcmn@initialization\$qqrv | 328 |
| @Dxdbedtr@initialization\$qqrv | 328 |
| @Dxdbctrl@initialization\$qqrv | 328 |
| @Dxfilter@initialization\$qqrv | 328 |
| @Dxgrept@initialization\$qqrv | 328 |
| @Dxgrfdlg@initialization\$qqrv | 328 |
| @Dxgrfltr@initialization\$qqrv | 328 |
| IoAcquireCancelSpinLock | 328 |
| PathSearchAndQualifyA | 328 |
| RtlSubAuthoritySid | 327 |
| EmptyWorkingSet | 327 |
| SetVolumeMountPointW | 327 |
| HMETAFILE_UserUnmarshal | 327 |
| KeInsertQueueDpc | 327 |
| _creat | 327 |
| _ctype | 327 |
| getprotobyname | 327 |

| | |
|--|-----|
| GetSystemTimes | 326 |
| HACCEL_UserMarshal | 326 |
| _fstat64 | 326 |
| @Dxthemeconsts@initialization\$qqrv | 326 |
| @Cxscrollbar@initialization\$qqrv | 326 |
| wcsftime | 326 |
| ExDeleteNPagedLookasideList | 325 |
| ??Y?\$basic_string@DU?\$char_traits@D@std@@@ | 325 |
| SHPathPrepareForWriteA | 325 |
| CertAddCertificateContextToStore | 325 |
| PFXImportCertStore | 325 |
| ZwFlushKey | 324 |
| _CRT_RTC_INITW | 324 |
| DirectInputCreateA | 324 |
| RtlDeleteElementGenericTable | 324 |
| _mbsupr | 324 |
| PathMakeSystemFolderA | 324 |
| OleSetAutoConvert | 324 |
| DrawDibTime | 324 |
| GetEnhMetaFilePixelFormat | 324 |
| PathBuildRootA | 324 |
| StrFormatKBSIZEW | 323 |
| SetupGetLineTextW | 323 |
| ColsHandlerConnected | 323 |
| __p__wenviron | 323 |
| RtlUpperString | 323 |
| RtlLengthSecurityDescriptor | 323 |
| GetConsoleAliasesW | 322 |
| CryptContextAddRef | 322 |
| GetDllDirectoryA | 322 |
| PathSetDlgItemPathA | 322 |
| GetUserGeoid | 321 |
| GdiSetBatchLimit | 321 |
| EnumServicesStatusExW | 321 |
| @Jvcver@initialization\$qqrv | 321 |
| @Jvtypes@initialization\$qqrv | 321 |
| CoGetApartmentID | 321 |
| GetVolumePathNamesForVolumeNameW | 320 |
| RtlPrefixUnicodeString | 320 |
| @Jvcomponent@initialization\$qqrv | 320 |
| @Jclstrings@initialization\$qqrv | 320 |
| @Jclsyinfo@initialization\$qqrv | 320 |
| @Vedataset@initialization\$qqrv | 320 |
| @Betteradodataset@initialization\$qqrv | 320 |
| @Ado26_tlb@initialization\$qqrv | 320 |
| @Untvedatasetmsg@initialization\$qqrv | 320 |
| ??6?\$basic_ostream@DU?\$char_traits@D@ | 320 |

| | |
|---|-----|
| HWND_UserFree | 319 |
| HMETAFILE_UserSize | 319 |
| SHInvokePrinterCommandW | 319 |
| @System@ParamStr\$qqri | 318 |
| HPALETTE_UserFree | 318 |
| @Cxcontainer@initialization\$qqrv | 318 |
| ZwOpenSymbolicLinkObject | 317 |
| GetICMPProfileA | 317 |
| QueryServiceStatusEx | 317 |
| GetConsoleCursorMode | 317 |
| PathIsContentTypeW | 317 |
| KeQueryActiveProcessors | 316 |
| @Dxlayoutcommon@initialization\$qqrv | 316 |
| @Dxlayoutcontroladapters@initialization\$qqrv | 316 |
| @Dxlayoutlookandfeels@initialization\$qqrv | 316 |
| @Dxlayoutcontrol@initialization\$qqrv | 316 |
| @Vebutton@initialization\$qqrv | 316 |
| ImmNotifyIME | 316 |
| @Sysutils@FormatDateTime\$qqrx17System _strftime | 315 |
| CStdStubBuffer_QueryInterface | 315 |
| DnsFree | 315 |
| @Dxlayoureditform@initialization\$qqrv | 315 |
| @Dxlayoutcustomizeform@initialization\$qqrv | 315 |
| SHRegGetBoolUSValueA | 315 |
| SeAccessCheck | 314 |
| ColorCorrectPalette | 314 |
| NtOpenFile | 314 |
| @Jvvclutils@initialization\$qqrv | 314 |
| @Jvconst@initialization\$qqrv | 314 |
| @Jvxrconst@initialization\$qqrv | 314 |
| @Jvfunctions@initialization\$qqrv | 314 |
| @Jvdirectories@initialization\$qqrv | 314 |
| @Jclgraphics@initialization\$qqrv | 314 |
| @Jclgraphutils@initialization\$qqrv | 314 |
| InternetGetLastResponseInfoW | 313 |
| RegQueryMultipleValuesW | 313 |
| CoRegisterSurrogate | 313 |
| DeleteUrlCacheEntryA | 313 |
| @Dxdbtl@initialization\$qqrv | 313 |
| @Jvstrutils@initialization\$qqrv | 313 |
| @Jvfileutil@initialization\$qqrv | 313 |
| @Jvdateutil@initialization\$qqrv | 313 |
| @Jvprgrss@initialization\$qqrv | 313 |
| PathFindOnPathA | 313 |
| GetCharWidthFloatA | 312 |
| HPALETTE_UserMarshal | 312 |

| | |
|--|-----|
| auxGetVolume | 312 |
| ReadOleStg | 312 |
| SHRegEnumUSValueA | 312 |
| @Sysutils@Now\$qqrv | 311 |
| RtlAddAccessAllowedAce | 311 |
| SetThreadUILanguage | 311 |
| @Cxdateutils@initialization\$qqrv | 311 |
| @Cxformats@initialization\$qqrv | 311 |
| FreelconList | 311 |
| KeReadStateSemaphore | 310 |
| IoQueueWorkItem | 310 |
| DispGetIDsOfNames | 310 |
| STGMEDIUM_UserMarshal | 310 |
| @Untvform@initialization\$qqrv | 310 |
| @Veformeditor@initialization\$qqrv | 310 |
| @Untveformeditorfrm@initialization\$qqrv | 310 |
| @Cxedit@initialization\$qqrv | 310 |
| @Cxeditpaintutils@initialization\$qqrv | 310 |
| mmioRead | 310 |
| FindNextUrlCacheEntryW | 309 |
| CStdStubBuffer_DebugServerRelease | 309 |
| PathCompactPathExA | 309 |
| ImageList_SetFlags | 308 |
| @Cxeditutils@initialization\$qqrv | 308 |
| HBRUSH_UserMarshal | 307 |
| WdtpInterfacePointer_UserMarshal | 307 |
| @Cxttextedit@initialization\$qqrv | 307 |
| CryptMsgClose | 307 |
| IoReadPartitionTable | 306 |
| GetCharABCWidthsFloatW | 306 |
| StgGetFillLockBytesOnILockBytes | 306 |
| UserHandleGrantAccess | 306 |
| PathIsPrefixA | 306 |
| @System@@UniqueStringA\$qqrr17System(| 305 |
| SetupDiGetDeviceInterfaceDetailA | 305 |
| FindFirstUrlCacheEntryW | 305 |
| HENHMETAFILE_UserUnmarshal | 305 |
| LsaQueryInformationPolicy | 305 |
| @Cxedittextutils@initialization\$qqrv | 305 |
| FtpFindFirstFileA | 305 |
| WOWShellExecute | 305 |
| SetColorSpace | 304 |
| OleConvertIStorageToOLESTREAM | 304 |
| HWND_UserUnmarshal | 304 |
| SHGetDiskFreeSpaceExA | 304 |
| @System@@TryFinallyExit\$qqrv | 303 |
| SetupDiOpenDevRegKey | 303 |

| | |
|--------------------------------------|-----|
| CoInitializeWOW | 303 |
| @Jvstrutil@initialization\$qqrv | 303 |
| @Cxfilterconsts@initialization\$qqrv | 303 |
| @Cxdataconsts@initialization\$qqrv | 303 |
| @Cxlistbox@initialization\$qqrv | 303 |
| @Cxeditconsts@initialization\$qqrv | 303 |
| PathCommonPrefixW | 303 |
| @System@@RandInt\$qqrv | 302 |
| @Classes@TComponent@UpdateRegistry\$ | 302 |
| GetDocumentBitStg | 302 |
| CoCancelCall | 302 |
| CStdStubBuffer_Connect | 302 |
| mciGetErrorStringA | 302 |
| PathIsDirectoryEmptyW | 302 |
| MmAllocateMappingAddress | 301 |
| NdrDIIRegisterProxy | 301 |
| midiOutClose | 301 |
| NetRemoteTOD | 301 |
| @Cxcustomdata@initialization\$qqrv | 301 |
| @Cxfilter@initialization\$qqrv | 301 |
| @Cxdatautils@initialization\$qqrv | 301 |
| @Cxvariants@initialization\$qqrv | 301 |
| @Cxdatastorage@initialization\$qqrv | 301 |
| @Cxcheckbox@initialization\$qqrv | 301 |
| SHRegEnumUSKeyA | 301 |
| SHRegOpenUSKeyA | 301 |
| @System@Randomize\$qqrv | 300 |
| _CrtSetCheckCount | 300 |
| CoDeactivateObject | 300 |
| SetupGetIntField | 300 |
| SetupDiCreateDeviceInfoList | 300 |
| CLIPFORMAT_UserFree | 300 |
| @Cxmaskededit@initialization\$qqrv | 300 |
| __pioinfo | 300 |
| SHOpenFolderAndSelectItems | 300 |
| RtlInitializeGenericTable | 299 |
| PolyTextOutA | 299 |
| RpcMgmtStopServerListening | 299 |
| _tzname | 299 |
| _msize | 299 |
| @Cxbuttonededit@initialization\$qqrv | 299 |
| KdDisableDebugger | 298 |
| MmMapIoSpace | 298 |
| IoCreateNotificationEvent | 298 |
| FindFirstFreeAce | 298 |
| midiOutGetNumDevs | 298 |
| CStdStubBuffer_Invoke | 298 |

| | |
|--|-----|
| ColorHLSToRGB | 298 |
| ??0exception@std@@QAE@ABQBDH@Z | 298 |
| __badioinfo | 298 |
| SHIsFileAvailableOffline | 298 |
| __vbaVarLateMemStAd | 298 |
| StrPBrkW | 298 |
| CStdStubBuffer_Disconnect | 297 |
| ZwQuerySymbolicLinkObject | 297 |
| __vbaStrCompVar | 297 |
| ??Hstd@@YA?AV?\$basic_string@DU?\$char_traits@_WU@std@@@std@@Z | 297 |
| RtlMultiByteToUnicodeN | 296 |
| PathGetArgsW | 296 |
| CStdStubBuffer_DebugServerQueryInterface | 296 |
| _fpclass | 296 |
| ??0?\$basic_string@_WU?\$char_traits @_WU@std@@@std@@Z | 296 |
| HGLOBAL_UserMarshal | 296 |
| CoGetCurrentLogicalThreadId | 296 |
| @Cxdropdownedit@initialization\$qqrv | 296 |
| @Cxcurrencyedit@initialization\$qqrv | 296 |
| GetAspectRatioFilterEx | 295 |
| PoRequestPowerIrp | 295 |
| RtlCreateUnicodeString | 295 |
| DllGetClassObjectWOW | 295 |
| UtGetDvtd16Info | 295 |
| @Cxstyles@initialization\$qqrv | 295 |
| @Cxradiogroup@initialization\$qqrv | 295 |
| @Cxgroupbox@initialization\$qqrv | 295 |
| @Cxmruedit@initialization\$qqrv | 295 |
| @Cxhyperlinkedit@initialization\$qqrv | 295 |
| @Cxtimeeedit@initialization\$qqrv | 295 |
| @Cxspinedit@initialization\$qqrv | 295 |
| @Cxcalc@initialization\$qqrv | 295 |
| @Cxblobedit@initialization\$qqrv | 295 |
| @Cxmemo@initialization\$qqrv | 295 |
| @Cximage@initialization\$qqrv | 295 |
| @Cximagecombobox@initialization\$qqrv | 295 |
| @Cxcalendar@initialization\$qqrv | 295 |
| __iob_func | 294 |
| RpcServerRegisterIf | 294 |
| HBITMAP_UserSize | 294 |
| STGMEDIUM_UserFree | 294 |
| CoFreeLibrary | 294 |
| __vbaFreeVarg | 294 |
| AVIBuildFilterA | 294 |
| KeSetPriorityThread | 293 |
| RtlLeaveCriticalSection | 293 |
| SetupDiGetINFClassA | 293 |

| | |
|---|-----|
| CoGetInstanceFromFile | 293 |
| RtlxAnsiStringToUnicodeSize | 292 |
| CoRegisterChannelHook | 292 |
| CoUnloadingWOW | 292 |
| @Cxlike@initialization\$qqrv | 292 |
| SHCopyKeyA | 291 |
| NdrDIIUnregisterProxy | 291 |
| @Cxstandardmask@initialization\$qqrv | 291 |
| @Cxregexpr@initialization\$qqrv | 291 |
| @Cxeditrepositoryitems@initialization\$qqrv | 291 |
| @Cxeditedataregisteredrepositoryitems@init | 291 |
| __vbaStopExe | 290 |
| GetConsoleAliasesLengthW | 290 |
| @Cxdpdata@initialization\$qqrv | 290 |
| @Cxdbfilter@initialization\$qqrv | 290 |
| @Cxdblookupcombobox@initialization\$qqrv | 290 |
| @Cxbuttons@initialization\$qqrv | 290 |
| @Cxeditedbregisteredrepositoryitems@initia | 290 |
| @Cxdbeditrepository@initialization\$qqrv | 290 |
| PathRelativePathToA | 290 |
| SHDeleteEmptyKeyA | 290 |
| ExLocalTimeToSystemTime | 289 |
| MonikerCommonPrefixWith | 289 |
| @Cxexteditconsts@initialization\$qqrv | 289 |
| @Cxnavigator@initialization\$qqrv | 289 |
| PathUnExpandEnvStringsW | 289 |
| IoOpenDeviceRegistryKey | 288 |
| WTSQuerySessionInformationW | 288 |
| CheckColorsInGamut | 288 |
| SHGetInverseCMAP | 288 |
| @Cxpc@initialization\$qqrv | 288 |
| @Cxpcpainters@initialization\$qqrv | 288 |
| @Cxpcpaintersfactory@initialization\$qqrv | 288 |
| NtShutdownSystem | 288 |
| PathMakePrettyA | 288 |
| WRITE_PORT_UCHAR | 287 |
| GetICMPProfileW | 287 |
| OleCreateLinkEx | 287 |
| CryptSignHashW | 287 |
| scanf | 287 |
| GdiComment | 287 |
| IoGetAttachedDeviceReference | 286 |
| PathIsSameRootW | 286 |
| @Comobj@Finalization\$qqrv | 286 |
| OleCreateFromDataEx | 286 |
| AreAllAccessesGranted | 286 |
| @Cxgridcustomtableview@initialization\$qqi | 286 |

| | |
|---|-----|
| @Cxgridcustomview@initialization\$qqrv | 286 |
| @Cxgridcommon@initialization\$qqrv | 286 |
| @Cxfiltercontrol@initialization\$qqrv | 286 |
| @Cxgrid@initialization\$qqrv | 286 |
| @Cxgridtableview@initialization\$qqrv | 286 |
| @Cxgriddbtableview@initialization\$qqrv | 286 |
| @Cxgriddbdatadefinitions@initialization\$qq | 286 |
| SHRegSetUSValueA | 286 |
| ZwCreateDirectoryObject | 286 |
| @Sysutils@LowerCase\$qqrx17System@AnsI | 285 |
| DeleteColorSpace | 285 |
| CloseTrace | 285 |
| @Cxdb@initialization\$qqrv | 285 |
| @Cxdredit@initialization\$qqrv | 285 |
| UpdateDriverForPlugAndPlayDevicesA | 285 |
| SHEnumKeyExW | 285 |
| AVISaveOptionsFree | 284 |
| _vbaVarAbs | 284 |
| PathGetDriveNumberA | 284 |
| PsLookupThreadByThreadId | 284 |
| ZwTerminateProcess | 284 |
| HPalette_UserUnmarshal | 284 |
| @Cxlibrarystrs@initialization\$qqrv | 284 |
| IoRegisterDeviceInterface | 284 |
| StrPBrkA | 284 |
| @System@@WStrClr\$qqrpv | 283 |
| WdtpInterfacePointer_UserSize | 283 |
| IMPSetIMEW | 283 |
| DeleteAce | 283 |
| @Dxedlib@initialization\$qqrv | 283 |
| @Cxdata@initialization\$qqrv | 283 |
| @Cxitregisteredrepositoryitems@initializ: | 283 |
| @Cxfiltercontrolstrs@initialization\$qqrv | 283 |
| PathSetDlgItemPathW | 283 |
| joyGetPos | 282 |
| EnumICMPProfilesA | 282 |
| GetCharWidthFloatW | 282 |
| RtlMapGenericMask | 282 |
| @Cxlookupdbgrid@initialization\$qqrv | 282 |
| @Cxlookupgrid@initialization\$qqrv | 282 |
| @Cxdblockupedit@initialization\$qqrv | 282 |
| @Cxlookupedit@initialization\$qqrv | 282 |
| SHOpenRegStream2W | 282 |
| NS_StringSetDataRange | 281 |
| OpenProfileUserMapping | 281 |
| PsGetCurrentThreadId | 281 |
| @Graphics@Finalization\$qqrv | 281 |

| | |
|---|-----|
| @Controls@Finalization\$qqrv | 281 |
| @Menus@Finalization\$qqrv | 281 |
| CertGetNameStringW | 281 |
| OleInitializeWOW | 281 |
| @Cxpccconsts@initialization\$qqrv | 281 |
| @Cxstorage@initialization\$qqrv | 281 |
| @Cxfiltercontrolutils@initialization\$qqrv | 281 |
| OleCreateEx | 281 |
| _realloc | 281 |
| wglShareLists | 280 |
| RpcServerUnregisterIf | 280 |
| @Actnlist@Finalization\$qqrv | 280 |
| @Forms@Finalization\$qqrv | 280 |
| @Dialogs@Finalization\$qqrv | 280 |
| @Printers@Finalization\$qqrv | 280 |
| @Flatsb@Finalization\$qqrv | 280 |
| @Cxexteditutils@initialization\$qqrv | 280 |
| GdipCreateBitmapFromFileICM | 280 |
| PathSkipRootA | 279 |
| GetLogColorSpaceW | 279 |
| RpcServerUseProtseqEpW | 279 |
| NetScheduleJobAdd | 279 |
| @Multimon@Finalization\$qqrv | 279 |
| @Extctrls@Finalization\$qqrv | 279 |
| @Clipbrd@Finalization\$qqrv | 279 |
| @Cxpcgodialog@initialization\$qqrv | 279 |
| @Cxgridstrs@initialization\$qqrv | 279 |
| _getch | 279 |
| RtlCaptureContext | 279 |
| URLOpenBlockingStreamW | 279 |
| NS_StringSetData | 278 |
| GetTcpTable | 278 |
| RtlUpcaseUnicodeString | 278 |
| _daylight | 278 |
| @Cxgridlevel@initialization\$qqrv | 278 |
| @Cxcheckbox@initialization\$qqrv | 278 |
| @Cxgriddetailssite@initialization\$qqrv | 278 |
| @Cxfiltercontroldialog@initialization\$qqrv | 278 |
| @Cxfilterdialog@initialization\$qqrv | 278 |
| @Cxgridrows@initialization\$qqrv | 278 |
| SHCreateStreamOnFileW | 278 |
| RtlOemStringToUnicodeString | 278 |
| UpdateDCOMSettings | 278 |
| UpdateDriverForPlugAndPlayDevicesW | 277 |
| IoStartNextPacket | 277 |
| GetConsoleInputExeNameA | 277 |
| _CrtDbgReportW | 277 |

| | |
|--|-----|
| ObMakeTemporaryObject | 277 |
| IoInitializeTimer | 277 |
| @Tb2item@initialization\$qqrv | 277 |
| @Tb2anim@initialization\$qqrv | 277 |
| @Tbskinplus@initialization\$qqrv | 277 |
| @Tbskinshared@initialization\$qqrv | 277 |
| @Tb2consts@initialization\$qqrv | 277 |
| @Tb2common@initialization\$qqrv | 277 |
| @Tb2dock@initialization\$qqrv | 277 |
| @Tb2hook@initialization\$qqrv | 277 |
| @Tb2toolbar@initialization\$qqrv | 277 |
| @Tb2toolwindow@initialization\$qqrv | 277 |
| AssocCreate | 277 |
| SHRegDeleteUSValueW | 277 |
| SHCopyKeyW | 277 |
| @System@IsMultiThread | 276 |
| HICON_UserFree | 276 |
| MprConfigGetFriendlyName | 276 |
| StgOpenStorageEx | 276 |
| DirectInputCreateW | 276 |
| RtlCopyLuid | 276 |
| WSASetLastError | 276 |
| ASN1BEREncOpenType | 276 |
| _doserrno | 275 |
| PathFindOnPathW | 275 |
| swprintf_s | 274 |
| SetICMPProfileA | 274 |
| DcomChannelSetHResult | 274 |
| SHSkipJunction | 274 |
| @System@@GetMem\$qqri | 273 |
| MmFreeMappingAddress | 273 |
| MprConfigServerDisconnect | 273 |
| RegisterServiceCtrlHandlerExA | 273 |
| PolyPatBlt | 273 |
| ColorMatchToTarget | 272 |
| SetMetaRgn | 272 |
| CryptGetDefaultProviderA | 272 |
| StrCSpnIW | 272 |
| AbortSystemShutdownW | 272 |
| @Picturecontainer@initialization\$qqrv | 272 |
| EnableHookObject | 272 |
| HMENU_UserFree | 272 |
| @System@ParamCount\$qqrv | 271 |
| SetICMPProfileW | 271 |
| RegisterWaitForSingleObjectEx | 271 |
| RtlAnsiCharToUnicodeChar | 271 |
| _vbaVarIndexLoadRef | 271 |

| | |
|--|-----|
| UrlGetLocationW | 271 |
| ExAllocatePoolWithTagPriority | 271 |
| @Sysutils@IntToStr\$qqrj | 270 |
| RemoveFontResourceExA | 270 |
| PrivilegeCheck | 270 |
| ExReleaseFastMutex | 270 |
| DsGetDcNameW | 270 |
| HGLOBAL_UserFree | 270 |
| ?npos@?\$basic_string@GU?\$char_traits@G | 270 |
| @Dxincnew@initialization\$qqrv | 270 |
| @Dxinscus@initialization\$qqrv | 270 |
| @Dxinspct@initialization\$qqrv | 270 |
| SHRegCreateUSKeyW | 270 |
| @Sysutils@FileClose\$qqri | 269 |
| @Sysutils@AllocMem\$qqrui | 269 |
| IoGetDeviceProperty | 269 |
| IoStartPacket | 269 |
| @Sysutils@SystemTimeToDate Time\$qqrrx1: | 268 |
| @Sysutils@Date TimeToSystem Time\$qqrx16 | 268 |
| FixBrushOrgEx | 268 |
| MprConfigServerConnect | 268 |
| ImageList_GetFlags | 268 |
| @Jvprogressdlg@initialization\$qqrv | 268 |
| @Jvformprogress@initialization\$qqrv | 268 |
| NtWaitForSingleObject | 268 |
| URLOpenStreamA | 268 |
| @System@@FreeMem\$qqrpv | 267 |
| _ZSt4cerr | 267 |
| @Sysutils@FileOpen\$qqrx17System@Ansyst | 266 |
| RtlClearBits | 266 |
| SendARP | 266 |
| StrFormatKBSIZEA | 266 |
| ExUuidCreate | 266 |
| ReadStringStream | 266 |
| @Controls@TWinControl@GetClientOrigin\$ | 266 |
| @Controls@TWinControl@Update\$qqrv | 266 |
| @Controls@TWinControl@Invalidate\$qqrv | 266 |
| @Controls@TWinControl@ShowControl\$qq | 266 |
| @Controls@TWinControl@SetBounds\$qqrii | 266 |
| @Controls@TWinControl@CreateHandle\$qi | 266 |
| @Controls@TControl@SetDragMode\$qqr18 | 266 |
| _ismbcdigit | 266 |
| SHRegEnumUSValueW | 266 |
| AssocQueryStringByKeyW | 266 |
| UrlGetLocationA | 266 |
| @System@@InitializeArray\$qqrpvt1ui | 265 |
| @System@@PStrNCat\$qqrv | 265 |

| | |
|---|-----|
| fgetwc | 265 |
| ZwSetSecurityObject | 265 |
| fgetws | 265 |
| @System@@ROUND\$qqrv | 265 |
| @Forms@TCustomForm@SetFocus\$qqrv | 265 |
| @Forms@TCustomForm@DefaultHandler\$qqc | 265 |
| @Forms@TCustomForm@DestroyWindowH | 265 |
| @Forms@TCustomForm@SetParent\$qqrp2(| 265 |
| @Forms@TCustomForm@WantChildKey\$qc | 265 |
| @Forms@TCustomForm@GetClientRect\$qq | 265 |
| @Forms@TCustomForm@DefineProperties‘ | 265 |
| @Controls@TWinControl@CanAutoSize\$qq | 265 |
| @Controls@TWinControl@AssignTo\$qqrp1(| 265 |
| @Controls@TWinControl@ConstrainedResi: | 265 |
| @Controls@TWinControl@GetControlExten | 265 |
| @Controls@TWinControl@Repaint\$qqrv | 265 |
| @Controls@TWinControl@DestroyWnd\$qq | 265 |
| @Controls@TControl@InitiateAction\$qqrv | 265 |
| @Controls@TControl@GetFloatingDockSite | 265 |
| @Controls@TControl@SetBiDiMode\$qqr17(| 265 |
| @Controls@TControl@GetEnabled\$qqrv | 265 |
| @Controls@TControl@GetDragImages\$qqrv | 265 |
| SHRegDeleteEmptyUSKeyW | 265 |
| @System@LoadResString\$qqrp20System@1 | 264 |
| SetDeviceGammaRamp | 264 |
| KeRemoveQueueDpc | 264 |
| @Jvwndprochook@initialization\$qqrv | 264 |
| @Dxpagecontrol@initialization\$qqrv | 264 |
| @Dxpagecontroltrs@initialization\$qqrv | 264 |
| ASN1BERDecSkip | 264 |
| @Forms@TCustomForm@QueryInterface\$qq | 264 |
| @Forms@TCustomForm@UpdateActions\$qq | 264 |
| @Forms@TCustomForm@SetFocusedContr | 264 |
| @Forms@TCustomForm@GetFloating\$qqrv | 264 |
| @Forms@TCustomForm@AfterConstructior | 264 |
| @Forms@TScrollingWinControl@AutoScroll | 264 |
| SHRegQueryInfoUSKeyW | 264 |
| _tempnam | 264 |
| fputws | 263 |
| MmUnmapIoSpace | 263 |
| ImmIsIME | 263 |
| @Agentobjects_tlb@initialization\$qqrv | 263 |
| @Dxdbinsp@initialization\$qqrv | 263 |
| CryptDuplicateKey | 263 |
| @Forms@TCustomForm@BeforeDestructio | 263 |
| @Controls@TWinControl@CanResize\$qqrr1 | 263 |
| SHRegQueryUSValueA | 263 |

| | |
|---------------------------------------|-----|
| _wtoi64 | 262 |
| RpcServerRegisterIfEx | 262 |
| AVIGetFromClipboard | 262 |
| CM_Add_IDA | 262 |
| RtlUnicodeStringToOemString | 262 |
| StgConvertVariantToProperty | 262 |
| @Jvplacement@initialization\$qqrv | 262 |
| @Jvapputils@initialization\$qqrv | 262 |
| @Jvprops@initialization\$qqrv | 262 |
| @Htmllabel@initialization\$qqrv | 262 |
| @Forms@TCustomForm@CloseQuery\$qqrv | 262 |
| SHLoadNonloadedIconOverlayIdentifiers | 262 |
| SHCreateShellPalette | 262 |
| _ZNSs4_Rep20_S_empty_rep_storageE | 262 |
| @System@@WStrToPChar\$qqrx17System | 261 |
| SetConsoleMenuClose | 261 |
| SNB_UserSize | 261 |
| MmQuerySystemSize | 261 |
| IoConnectInterrupt | 261 |
| RtlHashUnicodeString | 261 |
| SHRegQueryUSValueW | 261 |
| StgCreatePropSetStg | 260 |
| CM_Add_Range | 260 |
| RtlFindLeastSignificantBit | 260 |
| _vbaCylnt | 260 |
| ZwFreeVirtualMemory | 260 |
| @Forms@Application | 260 |
| DrawDibGetBuffer | 260 |
| LZSeek | 259 |
| RtlInitializeBitmap | 259 |
| IoBuildPartialMdl | 259 |
| MmLockPagableDataSection | 259 |
| @Veedit@initialization\$qqrv | 259 |
| ImmGetOpenStatus | 259 |
| @System@@RaiseAgain\$qqrv | 258 |
| ObInsertObject | 258 |
| CryptDuplicateHash | 258 |
| LookupPrivilegeDisplayNameW | 258 |
| @Comctrls@Finalization\$qqrv | 258 |
| RtlCaptureStackBackTrace | 258 |
| DbgBreakPointWithStatus | 258 |
| CryptSetProviderA | 258 |
| IMPQueryIMEA | 258 |
| SnmpUtilOidCpy | 258 |
| ZwCreateEvent | 258 |
| GetThemeMetric | 257 |
| @System@@LStrFromChar\$qqrr17System@ | 257 |

| | |
|--|-----|
| @System@@CallDynaInst\$qqrv | 257 |
| @System@@IsClass\$qqrp14System@TObj | 257 |
| DeleteVolumeMountPointA | 257 |
| CryptEnumProviderTypesW | 257 |
| @Buttons@Finalization\$qqrv | 257 |
| ExRaiseAccessViolation | 257 |
| PathIsNetworkPathA | 257 |
| @Controls@TControl@SetEnabled\$qqro | 257 |
| SHOpenRegStreamA | 257 |
| @System@@AsClass\$qqrp14System@TObj | 256 |
| IoBuildSynchronousFsdRequest | 256 |
| CM_Get_Depth | 256 |
| WinHttpCloseHandle | 256 |
| @Forms@TCustomForm@Resizing\$qqr18Fo | 256 |
| @Forms@TCustomForm@SetParentBiDiMo | 256 |
| @Forms@TCustomForm@ReadState\$qqrp1 | 256 |
| @Forms@TCustomForm@DoDestroy\$qqrv | 256 |
| @Forms@TScrollingWinControl@AutoScroll | 256 |
| IoCreateSynchronizationEvent | 255 |
| PolyTextOutW | 255 |
| HMENU_UserMarshal | 255 |
| RtlTimeFieldsToTime | 255 |
| SeLockSubjectContext | 255 |
| GdipCreateBitmapFromFile | 255 |
| FmtIdToPropStgName | 255 |
| @Forms@TCustomForm@Notification\$qqrp | 255 |
| ObOpenObjectByPointer | 255 |
| IoInvalidateDeviceRelations | 254 |
| _wmakepath | 254 |
| MmSizeOfMdl | 254 |
| RtlCharToInteger | 254 |
| CryptSetProviderW | 254 |
| @Forms@TCustomForm@DoCreate\$qqrv | 254 |
| @Classes@TPersistent@AssignTo\$qqrp19Cl | 253 |
| SetMagicColors | 253 |
| GdiPlayScript | 253 |
| HGLOBAL_UserUnmarshal | 253 |
| HMETAPICT_UserMarshal | 253 |
| ?rfind@\$basic_string@DU?\$char_traits@D | 253 |
| @Forms@TCustomForm@CreateWindowH@ | 253 |
| @Forms@TCustomForm@CreateWnd\$qqrv | 253 |
| @Forms@TCustomForm@\$bctr\$qqrp18Clas | 253 |
| @Comconst@Finalization\$qqrv | 252 |
| CryptSetProviderExW | 252 |
| Direct3DCreate9 | 252 |
| LookupSecurityDescriptorPartsW | 252 |
| RtlDowncaseUnicodeString | 252 |

| | |
|---|-----|
| KeReadStateEvent | 252 |
| KeInitializeQueue | 252 |
| CreateStdProgressIndicator | 252 |
| IoGetDriverObjectExtension | 252 |
| @Forms@TCustomForm@CreateParams\$qc | 252 |
| GetPrinterW | 252 |
| _memccpy | 252 |
| LZRead | 252 |
| MmUnlockPagableImageSection | 251 |
| _filbuf | 251 |
| GetModuleHandleExA | 251 |
| SHGetIconOverlayIndexW | 251 |
| CryptGetDefaultProviderW | 250 |
| KefAcquireSpinLockAtDpcLevel | 250 |
| InternetAutodial | 250 |
| MmPageEntireDriver | 250 |
| @Helpintfs@Finalization\$qqrv | 250 |
| SHRegCreateUSKeyA | 250 |
| __argv | 249 |
| PathParseIconLocationW | 249 |
| SetupGetBinaryField | 249 |
| HMETAFILE_UserFree | 249 |
| HENHMETAFILE_UserMarshal | 249 |
| mixerGetDevCapsA | 249 |
| CheckMemoryGates | 249 |
| CryptProtectData | 249 |
| dwLBSubclass | 249 |
| ExAllocatePoolWithTag | 248 |
| CryptEnumProviderTypesA | 248 |
| NtCreateEvent | 248 |
| @Forms@TCustomForm@ShowModal\$qqrv | 248 |
| dll_crt0__FP11per_process | 248 |
| @System@UpCase\$qqrc | 247 |
| PoSetPowerState | 247 |
| glColor4f | 247 |
| SHEnumValueW | 247 |
| ??1ios@@UAE@XZ | 246 |
| @Classes@TList@ | 246 |
| @Sysutils@StrToInt\$qqrx17System@AnsiStr | 246 |
| RasGetStringA | 246 |
| HENHMETAFILE_UserSize | 246 |
| @System@@AbstractError\$qqrv | 245 |
| DeviceCapabilitiesExA | 245 |
| ?replace@?\$basic_string@DU?\$char_traits@_W@std@@@std@@QAE@A | 245 |
| RtlFreeOemString | 245 |
| @Consts@Finalization\$qqrv | 245 |
| ??0?\$basic_string@_WU?\$char_traits@_W@std@@@std@@QAE@A | 245 |

| | |
|--|-----|
| SetFileShortNameA | 245 |
| @Forms@TCustomForm@WndProc\$qqrr17 | 245 |
| InitializeSListHead | 245 |
| @System@@TRUNC\$qqrv | 244 |
| @Classes@TComponent@BeforeDestructor | 244 |
| @Classes@TList@Add\$qqrpv | 244 |
| GetGlyphOutline | 244 |
| PathCreateFromUrlW | 244 |
| IoGetTopLevelIrp | 244 |
| PoUnregisterSystemState | 244 |
| @Imglist@Finalization\$qqrv | 244 |
| @Stdctrls@Finalization\$qqrv | 244 |
| @Stdactns@Finalization\$qqrv | 244 |
| CryptEnumProvidersW | 244 |
| GdiPlayDCScript | 243 |
| AcceptEx | 243 |
| WinHttpOpenRequest | 243 |
| HENHMETAFILE_UserFree | 243 |
| GdipBitmapUnlockBits | 243 |
| StgPropertyLengthAsVariant | 243 |
| HMETAFILEPICT_UserFree | 243 |
| _vbaVarPow | 243 |
| @Forms@TCustomForm@Loaded\$qqrv | 243 |
| NS_StringCloneData | 242 |
| RasSetEntryPropertiesA | 242 |
| WdtpInterfacePointer_UserUnmarshal | 242 |
| ??\$?MDU?\$char_traits@D@std@@V?\$alloc | 242 |
| SetConsoleCursorMode | 242 |
| FsRtIsTotalDeviceFailure | 242 |
| ZwUnloadDriver | 242 |
| MmFreeContiguousMemory | 242 |
| StrFromTimeIntervalA | 242 |
| ?_Freeze@?\$basic_string@DU?\$char_traits@ | 242 |
| @Classes@TComponent@Notification\$qqrp | 241 |
| CryptEnumProvidersA | 241 |
| StgOpenAsyncDocfileOnFillLockBytes | 241 |
| @Classes@TComponent@ValidateRename\$ | 240 |
| @Vedataedit@initialization\$qqrv | 240 |
| RtlConvertSidToUnicodeString | 240 |
| UrlIsOpaqueW | 240 |
| SHRegGetUSValueA | 240 |
| RtlGUIDFromString | 239 |
| UpdateICMRegKeyW | 239 |
| InternetSetCookieW | 239 |
| CryptHashPublicKeyInfo | 239 |
| RtlEnterCriticalSection | 239 |
| GetConsoleInputWaitHandle | 239 |

| | |
|--|-----|
| IoSetDeviceInterfaceState | 239 |
| ZwQueryObject | 239 |
| @Controls@TControl@SetAutoSize\$qqro | 239 |
| @Controls@TControl@GetAction\$qqrvt | 239 |
| CoGetCancelObject | 238 |
| ??A?\$basic_string@DU?\$char_traits@D@std@@@Contnrs@Finalization\$qqrv | 238 |
| @Extdlgs@Finalization\$qqrv | 238 |
| @Forms@TCustomForm@\$bdtr\$qqrv | 238 |
| @Controls@TControl@SetName\$qqrx17Sys | 238 |
| EnableTheming | 237 |
| ExDeleteResourceLite | 237 |
| EnableEUDC | 237 |
| @Dxdbtcl@initialization\$qqrv | 237 |
| RtlAllocateAndInitializeSid | 237 |
| @Forms@TCustomForm@\$bctr\$qqrp18Clas | 237 |
| @Controls@TWinControl@CustomAlignPosi | 237 |
| @Controls@TWinControl@CustomAlignInse | 237 |
| ThunRTMain | 237 |
| PathUnmakeSystemFolderA | 237 |
| @Classes@TComponent@ReadState\$qqrp1 | 236 |
| glTexCoord2dv | 236 |
| SetupDiGetDeviceInstanceIdW | 236 |
| CoSetCancelObject | 236 |
| CryptSetProviderExA | 236 |
| FsRtlCheckLockForReadAccess | 236 |
| _main | 236 |
| SHGetThreadRef | 236 |
| @System@TObject@ClassName\$qqrp17Sys | 235 |
| @System@MainThreadID | 235 |
| @Classes@TComponent@SetName\$qqrx17 | 235 |
| @Classes@TComponent@DefineProperties\$ | 235 |
| IoIsSystemThread | 235 |
| LZInit | 235 |
| ZwOpenDirectoryObject | 235 |
| FsRtlIsNameInExpression | 235 |
| StgSetTimes | 235 |
| HWND_UserMarshal | 235 |
| KelInitializeTimerEx | 235 |
| @Forms@TForm@ | 235 |
| WSAStringToAddressA | 235 |
| UrlHashW | 235 |
| PathCompactPathA | 235 |
| @\$xp\$14System@Boolean | 234 |
| @\$xp\$20Classes@TNotifyEvent | 234 |
| vswprintf_s | 234 |
| QueryServiceObjectSecurity | 234 |

| | |
|---|-----|
| RtlUnicodeToOemN | 234 |
| CryptMsgGetParam | 234 |
| WriteStringStream | 234 |
| RtlUpcaseUnicodeChar | 234 |
| PathUndecorateA | 234 |
| RtlCopyString | 233 |
| CoGetStdMarshalEx | 233 |
| RealShellExecuteExW | 233 |
| CoUnmarshalHresult | 233 |
| @Spin@initialization\$qqrv | 233 |
| RtlxUnicodeStringToAnsiSize | 233 |
| PathIsRelativeA | 233 |
| SHRegDeleteEmptyUSKeyA | 233 |
| PathIsSameRootA | 233 |
| MmSetAddressRangeModified | 232 |
| glFogfv | 232 |
| CoReactivateObject | 232 |
| CMP_Report_LogOn | 232 |
| ObGetObjectSecurity | 232 |
| RtlFillMemoryUlong | 232 |
| SHGetIconOverlayIndexA | 232 |
| SHRegEnumUSKeyW | 232 |
| @Registry@TRegistry@WriteDateTime\$qqrv | 231 |
| GlmfBeginGlsBlock | 231 |
| ExtendVirtualBuffer | 231 |
| ExAcquireResourceSharedLite | 231 |
| @Tooledit@initialization\$qqrv | 231 |
| @Rxctrls@initialization\$qqrv | 231 |
| @Rxtimer@initialization\$qqrv | 231 |
| @Pickdate@initialization\$qqrv | 231 |
| GetWindowRgnBox | 231 |
| @System@@LStrFromPCharLen\$qqrr17Syst | 230 |
| WinHttpCrackUrl | 230 |
| SHRegDuplicateHKey | 230 |
| IoInvalidateDeviceState | 230 |
| NtQueryInformationFile | 230 |
| CreateJobSet | 230 |
| OpenEventLogW | 230 |
| RtlFindSetBits | 230 |
| WTSCloseServer | 230 |
| _aulldiv | 229 |
| glColor4i | 229 |
| InternetGetCookieW | 229 |
| EnumServicesStatusExA | 229 |
| auxSetVolume | 229 |
| @Colorgrd@initialization\$qqrv | 229 |
| @Controls@TWinControl@GetDeviceConte | 229 |

| | |
|--|-----|
| ImageLoad | 228 |
| __vbaFpCDblR8 | 228 |
| GetProcessImageFileNameA | 228 |
| RtlFindClearBitsAndSet | 228 |
| @Jvctlconst@initialization\$qqrv | 228 |
| @Forms@TCustomForm@PaintWindow\$qq | 228 |
| @Forms@TCustomForm@ValidateRename\$ | 228 |
| @\$xp\$11Forms@TForm | 228 |
| CryptEncodeObject | 228 |
| LookupSecurityDescriptorPartsA | 227 |
| DeregisterShellHookWindow | 227 |
| IoReleaseRemoveLockAndWaitEx | 227 |
| SeCaptureSubjectContext | 227 |
| IoRegisterShutdownNotification | 227 |
| @Dxinsprw@initialization\$qqrv | 227 |
| HICON_UserMarshal | 227 |
| StrRetToBufA | 227 |
| StrRetToStrA | 227 |
| SHRegQueryInfoUSKeyA | 227 |
| @Classes@TList@Get\$qqri | 226 |
| @Classes@TMemoryStream@ | 226 |
| IoSetPartitionInformation | 226 |
| WTHelperGetProvSignerFromChain | 226 |
| PathCompactPathW | 226 |
| @Jvclipicon@initialization\$qqrv | 226 |
| KeQueryInterruptTime | 226 |
| __vbaLateldCallSt | 226 |
| @Forms@TCustomForm@AlignControls\$qq | 226 |
| @Forms@TScrollingWinControl@AdjustClie | 226 |
| NtQueryObject | 226 |
| @Sysutils@Win32Platform | 225 |
| @Registry@TRegistry@WriteInteger\$qqrx1: | 225 |
| RtlFindNextForwardRunClear | 225 |
| HalMakeBeep | 225 |
| glColor3ui | 225 |
| HttpEndRequestW | 225 |
| IoDisconnectInterrupt | 225 |
| @Jvhleditor@initialization\$qqrv | 225 |
| @Jveditor@initialization\$qqrv | 225 |
| @JvhlpParser@initialization\$qqrv | 225 |
| SeTokenIsRestricted | 225 |
| ElfDeregisterEventSource | 225 |
| __vbaPutFxStr3 | 224 |
| glTexCoord2d | 224 |
| ObDereferenceObject | 224 |
| GetCatalogObject | 224 |
| CoCreateObjectInContext | 224 |

| | |
|---|-----|
| ?_C@?1??_Nullstr@?\$basic_string@GU?\$cl | 224 |
| @Toolwin@Finalization\$qqrv | 224 |
| @Comstrs@Finalization\$qqrv | 224 |
| @Jvgif@initialization\$qqrv | 224 |
| @Jvgraph@initialization\$qqrv | 224 |
| @Jvanifile@initialization\$qqrv | 224 |
| @Jvicolist@initialization\$qqrv | 224 |
| iswpunct | 224 |
| @System@TObject@ClassType\$qqrv | 223 |
| @Sysutils@Exception@\$bctr\$qqrx17System | 223 |
| WNetUseConnectionA | 223 |
| glStencilMask | 223 |
| glColor4d | 223 |
| GetConsoleFontInfo | 223 |
| IcmpSendEcho | 223 |
| NdrCStdStubBuffer2_Release | 223 |
| DirectInput8Create | 223 |
| IoSetHardErrorOrVerifyDevice | 223 |
| RtlVerifyVersionInfo | 223 |
| @Dxgriddialog@initialization\$qqrv | 223 |
| @Unitdxkolonlarex@initialization\$qqrv | 223 |
| @Rxcombos@initialization\$qqrv | 223 |
| @Unitdxkolonlargelismis@initialization\$qqr | 223 |
| @Unitkolonlar@initialization\$qqrv | 223 |
| @Unitkolonlargelismis@initialization\$qqrv | 223 |
| @Unitkolonlaropt@initialization\$qqrv | 223 |
| @Unitdxkolonlar@initialization\$qqrv | 223 |
| DeleteIpForwardEntry | 223 |
| _ui64toa | 223 |
| SetupDiGetDeviceInstanceIdA | 223 |
| READ_PORT_UCHAR | 222 |
| SetSecurityDescriptorControl | 222 |
| RtlInitializeCriticalSection | 222 |
| NtOpenThreadToken | 222 |
| GetConsoleCommandHistoryLengthA | 222 |
| _vbaFpCSngR4 | 222 |
| SHOpenRegStreamW | 222 |
| @Classes@TStream@GetPosition\$qqrv | 221 |
| IoCheckEaBufferValidity | 221 |
| IoReportResourceForDetection | 221 |
| ExRegisterCallback | 221 |
| ExAcquireFastMutexUnsafe | 221 |
| ??0?\$basic_string@_WU?\$char_traits@_W(| 221 |
| @Dxdbelib@initialization\$qqrv | 221 |
| mmioClose | 221 |
| IntLStrEqWorkerA | 221 |
| @Classes@TCollection@GetCount\$qqrv | 220 |

| | |
|--|-----|
| @Registry@TRegistry@ReadInteger\$qqrx17 | 220 |
| GetConsoleCommandHistoryA | 220 |
| GetLinguistLangSize | 220 |
| IoWMIWriteEvent | 220 |
| PathFindSuffixArrayW | 220 |
| @Classes@TStream@SetPosition\$qqrxj | 219 |
| SetFontEnumeration | 219 |
| GetComputerObject | 219 |
| OleGetIconOfFile | 219 |
| NetServerGetInfo | 219 |
| ??8std@@YA_NABV?\$basic_string@DU?\$cl | 219 |
| ?swap@?\$basic_string@DU?\$char_traits@L | 219 |
| @Jvdsdialogs@initialization\$qqrv | 219 |
| GetNumberOfEventLogRecords | 219 |
| KeRemoveQueue | 219 |
| SetConsoleInputExeNameA | 219 |
| cygwin_internal | 219 |
| @Classes@TStream@GetSize\$qqrv | 218 |
| @Sysutils@FreeAndNil\$qqrpv | 218 |
| IoReportDetectedDevice | 218 |
| KeRemoveDeviceQueue | 218 |
| @Vedatasearch@initialization\$qqrv | 218 |
| @Untsearchform@initialization\$qqrv | 218 |
| BuildExplicitAccessWithNameW | 217 |
| MmCreateMdl | 217 |
| HMETAFILEPICT_UserUnmarshal | 217 |
| WantArrows | 217 |
| IoThreadToProcess | 217 |
| SymInitialize | 217 |
| @Extactns@Finalization\$qqrv | 217 |
| @Mapi@Finalization\$qqrv | 217 |
| VerInstallFileW | 217 |
| CreateFontIndirectExW | 217 |
| RtlAddAccessAllowedAceEx | 216 |
| _vsnwprintf_s | 216 |
| ZwNotifyChangeKey | 216 |
| IoCheckShareAccess | 216 |
| ExAcquireFastMutex | 216 |
| HkOleRegisterObject | 216 |
| UrlIsNoHistoryW | 216 |
| SHRegDeleteUSValueA | 216 |
| @Classes@TFileStream@ | 215 |
| GdiStartDocEMF | 215 |
| IoSetThreadHardErrorMode | 215 |
| GdipBitmapLockBits | 215 |
| _mbslen | 215 |
| __vbaCyAdd | 215 |

| | |
|--|-----|
| EnumDependentServicesA | 215 |
| RtlUnicodeToMultiByteN | 215 |
| StrSpnA | 215 |
| PathUnExpandEnvStringsA | 215 |
| ImpersonateNamedPipeClient | 214 |
| FsRtlNotifyInitializeSync | 214 |
| RtlFindLastBackwardRunClear | 214 |
| @Olectnrs@initialization\$qqrv | 214 |
| _ismbcprint | 214 |
| PsGetCurrentThread | 214 |
| @Db@Finalization\$qqrv | 214 |
| CertGetCertificateChain | 214 |
| DirectDrawCreate | 214 |
| SdbFindFirstTag | 214 |
| @Classes@TCollection@Clear\$qqrv | 213 |
| IoGetDmaAdapter | 213 |
| _Clcosh | 213 |
| MmGetPhysicalAddress | 213 |
| AVIFileInit | 213 |
| HICON_UserSize | 213 |
| GetProcessHandleCount | 213 |
| PathUnmakeSystemFolderW | 213 |
| @System@@Assert\$qqrx17System@AnsiSti | 212 |
| @Classes@TStrings@GetValue\$qqrx17Syste | 212 |
| _waccess | 212 |
| _wgetenv | 212 |
| ungetwc | 212 |
| SetLastConsoleEventActive | 212 |
| ObReleaseObjectSecurity | 212 |
| KeRestoreFloatingPointState | 212 |
| ApphelpCheckIME | 212 |
| IoAcquireRemoveLockEx | 212 |
| @Classes@TFileStream@\$bctr\$qqrx17Syste | 211 |
| SetSetupOpen | 211 |
| CreateFiberEx | 211 |
| RtlAppendStringToString | 211 |
| RtlSecondsSince1970ToTime | 211 |
| ExReleaseFastMutexUnsafe | 211 |
| AssocQueryKeyA | 211 |
| ConvertStringSecurityDescriptorToSecurityD | 211 |
| UrlIsW | 211 |
| GetClassFileOrMime | 211 |
| SHParseDisplayName | 211 |
| @Classes@TStream@SetSize64\$qqrxj | 210 |
| ?append@?\$basic_string@DU?\$char_traits@ | 210 |
| RtlFindClearRuns | 210 |
| IoStopTimer | 210 |

| | |
|---------------------------------------|-----|
| CM_Get_Parent | 210 |
| HDC_UserUnmarshal | 210 |
| PathMakePrettyW | 210 |
| ?_set_se_translator@@YAP6AXIPAU_EXCEP | 210 |
| RtlDosPathNameToNtPathName_U | 210 |
| @Controls@TWinControl@GetHandle\$qqrv | 210 |
| @Controls@TControl@GetText\$qqrv | 210 |
| GetConsoleKeyboardLayoutNameA | 210 |
| VarPtr | 209 |
| KeSetSystemAffinityThread | 209 |
| NtQuerySystemTime | 209 |
| SetupDiBuildDriverInfoList | 209 |
| IoFreeErrorLogEntry | 209 |
| IoGetLowerDeviceObject | 209 |
| RtlClearAllBits | 209 |
| DirectSoundCreate | 209 |
| RpcBindingSetAuthInfoExW | 209 |
| InternetFindNextFileA | 209 |
| AreAnyAccessesGranted | 208 |
| ?_Inref@facet@locale@std@@QAEXXZ | 208 |
| HDC_UserMarshal | 208 |
| RpcServerInqBindings | 208 |
| PathIsDirectoryEmptyA | 208 |
| CcPurgeCacheSection | 208 |
| RtlValidSid | 208 |
| CLSIDFromProgIDEx | 208 |
| ICInfo | 208 |
| _mbclen | 208 |
| @Forms@TCustomForm@Close\$qqrv | 208 |
| GetMenuPosFromID | 208 |
| MmIsThisAnNtAsSystem | 208 |
| RtlValidSecurityDescriptor | 207 |
| GetProcessImageFileNameW | 207 |
| SeSinglePrivilegeCheck | 207 |
| DeviceCapabilitiesExW | 207 |
| _setjmp | 207 |
| @Winhelpviewer@Finalization\$qqrv | 207 |
| AVIFileExit | 207 |
| GdipDeletePen | 207 |
| KeSynchronizeExecution | 207 |
| _chdrive | 207 |
| @Jpeg@Finalization\$qqrv | 207 |
| CertVerifyCertificateChainPolicy | 207 |
| iswalnum | 206 |
| MmUnsecureVirtualMemory | 206 |
| KeReadStateMutex | 206 |
| RpcRaiseException | 206 |

| | |
|--|-----|
| AVIStreamInfoA | 206 |
| @DblogDlg@Finalization\$qqrv | 206 |
| SdbCloseDatabase | 206 |
| WNetEnumCachedPasswords | 206 |
| AssocQueryStringByKeyA | 206 |
| FreeVirtualBuffer | 205 |
| IolsWdmVersionAvailable | 205 |
| ImageUnload | 205 |
| RpcBindingVectorFree | 205 |
| ExpungeConsoleCommandHistoryA | 205 |
| SHCreateShellItem | 205 |
| IoRemoveShareAccess | 205 |
| ExSetTimerResolution | 205 |
| FsRtlMdlWriteCompleteDev | 205 |
| @Listactns@Finalization\$qqrv | 205 |
| ASN1BEREncCheck | 205 |
| rtl_uString_release | 205 |
| MmIsDriverVerifying | 205 |
| @Dxmdaset@initialization\$qqrv | 205 |
| EnumPortsA | 205 |
| UrlCompareA | 205 |
| SymSetOptions | 205 |
| ??0_Lockit@std@@QAE@H@Z | 204 |
| IoGetStackLimits | 204 |
| GetConsoleCommandHistoryLengthW | 204 |
| ??4?\$basic_string@_WU?\$char_traits@_W(| 204 |
| UuidCreateSequential | 204 |
| FtpCreateDirectoryW | 204 |
| @Fmtbcd@Finalization\$qqrv | 204 |
| SetDCPenColor | 204 |
| CcFastCopyRead | 204 |
| PathMakeSystemFolderW | 204 |
| __vbaRedimVar | 204 |
| GdiValidateHandle | 203 |
| MD5Init | 203 |
| FtpDeleteFileA | 203 |
| __p_acmdln | 203 |
| DdEntry8 | 203 |
| @Sqltimst@Finalization\$qqrv | 203 |
| UrlCompareW | 203 |
| GetConsoleHardwareState | 202 |
| dwOKSubclass | 202 |
| RpcServerUseProtseqEpA | 202 |
| SetConsoleNumberOfCommandsA | 202 |
| NdrStubForwardingFunction | 202 |
| ExRaiseDatatypeMisalignment | 202 |
| CertOpenSystemStoreA | 202 |

| | |
|---|-----|
| @Mask@Finalization\$qqrv | 202 |
| ?_Nomemory@std@@YAXXZ | 202 |
| ComPlusMigrate | 202 |
| GdiPlayJournal | 202 |
| InternetGetConnectedStateEx | 202 |
| KeSetBasePriorityThread | 201 |
| gdiPlaySpoolStream | 201 |
| _strdate | 201 |
| @Dateutils@IncDay\$qqrx16System@TDate1 | 201 |
| STGMEDIUM_UserSize | 201 |
| RegisterWaitForInputIdle | 201 |
| FsRtlCheckLockForWriteAccess | 201 |
| KePulseEvent | 201 |
| DdEntry52 | 201 |
| ?_Tidy@?\$basic_string@GU?\$char_traits@C | 201 |
| SNB_UserMarshal | 201 |
| IoCreateStreamFileObjectLite | 201 |
| SHFree | 201 |
| @Controls@TControl@SetText\$qqrx17Syste | 201 |
| @Dbpwdlg@Finalization\$qqrv | 201 |
| GetDefaultSortkeySize | 201 |
| PathFindSuffixArrayA | 201 |
| RtlGetNextRange | 200 |
| IcmpCreateFile | 200 |
| SetConsoleMaximumWindowSize | 200 |
| NetUseDel | 200 |
| DdEntry23 | 200 |
| NtQueryValueKey | 200 |
| GdipCreatePen1 | 200 |
| MmAllocatePagesForMdl | 200 |
| RemoveFontResourceExW | 200 |
| @Dbctrls@Finalization\$qqrv | 200 |
| close | 200 |
| KbdLayerDescriptor | 200 |
| ??0bad_cast@std@@QAE@ABV01@@@Z | 199 |
| ??1bad_cast@std@@UAE@XZ | 199 |
| CcFastMdlReadWait | 199 |
| OACreateTypeLib2 | 199 |
| ?append@?\$basic_string@DU?\$char_traits@ | 199 |
| ?good@ios_base@std@@QBE_NXZ | 199 |
| RtlExtendedIntegerMultiply | 199 |
| PoSetSystemState | 199 |
| ZwMakeTemporaryObject | 199 |
| ?sputn@?\$basic_streambuf@DU?\$char_trai | 199 |
| __vbaCyMul | 199 |
| MmForceSectionClosed | 199 |
| CertFreeCertificateChain | 199 |

| | |
|---|-----|
| ZwPowerInformation | 199 |
| WSASendTo | 199 |
| GetNlsSectionName | 199 |
| UrlCombineA | 199 |
| __vbaStrTextCmp | 198 |
| WinHttpConnect | 198 |
| SHUpdateRecycleBinIcon | 198 |
| @Dateutils@DayOf\$qqrx16System@TDateT | 198 |
| _stat64 | 198 |
| SafeArrayDestroy | 198 |
| vprintf | 198 |
| KeSetKernelStackSwapEnable | 198 |
| SHCreateStreamOnFileA | 198 |
| IoInitializeRemoveLockEx | 198 |
| SeAssignSecurity | 197 |
| @Sysutils@DeleteFile\$qqrx17System@Ansic | 197 |
| @Registry@TRegistry@ReadDateTime\$qqrx | 197 |
| RegisterWowExec | 197 |
| MmIsVerifierEnabled | 197 |
| DdEntry11 | 197 |
| DdEntry21 | 197 |
| DdEntry40 | 197 |
| DdEntry43 | 197 |
| @System@@RunError\$qqruc | 197 |
| GetGlyphIndicesW | 197 |
| CertGetEnhancedKeyUsage | 197 |
| _dup2 | 197 |
| _allrem | 196 |
| WinHttpSendRequest | 196 |
| @Dateutils@HourSpan\$qqrx16System@TDa | 196 |
| RpcStringBindingParseW | 196 |
| ?find@?\$basic_string@DU?\$char_traits@D@ | 196 |
| QueryServiceLockStatusW | 196 |
| FsRtlCheckOplock | 196 |
| FsRtlNotifyUninitializeSync | 196 |
| DdEntry31 | 196 |
| LZStart | 196 |
| SHCreateProcessAsUserW | 196 |
| HeapSummary | 195 |
| KeInsertHeadQueue | 195 |
| CloseProfileUserMapping | 195 |
| IcmpCloseHandle | 195 |
| ??\$?8DU?\$char_traits@D@std@@V?\$allocat | 195 |
| IoGetRequestorProcess | 195 |
| RtlGenerate8dot3Name | 195 |
| MmUnmapReservedMapping | 195 |
| KeRevertToUserAffinityThread | 195 |

| | |
|-------------------------------|-----|
| KeInitializeDeviceQueue | 195 |
| MmFreePagesFromMdl | 195 |
| DdEntry9 | 195 |
| DdEntry14 | 195 |
| DdEntry30 | 195 |
| DdEntry37 | 195 |
| DdEntry38 | 195 |
| rtl_uString_acquire | 195 |
| PsChargeProcessPoolQuota | 195 |
| KeRundownQueue | 195 |
| _swab | 195 |
| ImmGetVirtualKey | 195 |
| @Stdctrls@TLabel@ | 195 |
| @Axctrls@Finalization\$qqrv | 195 |
| FindFirstUrlCacheEntryExW | 195 |
| SymSetSearchPath | 195 |
| MD5Update | 194 |
| MD5Final | 194 |
| GetLogColorSpaceA | 194 |
| SetFileShortNameW | 194 |
| mixerGetLineControlsW | 194 |
| GetUrlCacheConfigInfoA | 194 |
| SeDeleteObjectAuditAlarm | 194 |
| DdEntry4 | 194 |
| DdEntry13 | 194 |
| DdEntry12 | 194 |
| DdEntry24 | 194 |
| DdEntry44 | 194 |
| RpcStringBindingComposeA | 194 |
| mmioDescend | 194 |
| OpenThemeData | 194 |
| IoStartTimer | 194 |
| ImmSetCompositionFontA | 194 |
| @Dbconsts@Finalization\$qqrv | 194 |
| @Dxuxtheme@Finalization\$qqrv | 194 |
| CmdBatNotification | 193 |
| IoRaiseHardError | 193 |
| KeRemoveEntryDeviceQueue | 193 |
| CcSetDirtyPinnedData | 193 |
| RtlxOemStringToUnicodeSize | 193 |
| DdEntry2 | 193 |
| DdEntry27 | 193 |
| DdEntry55 | 193 |
| rtl_uString_new | 193 |
| AVIStreamRelease | 193 |
| HGLOBAL_UserSize | 193 |
| @Dbcommon@Finalization\$qqrv | 193 |

| | |
|--|-----|
| GdipSetSmoothingMode | 192 |
| ?_set_new_handler@@YAP6AHI@ZP6AHI@ | 192 |
| StrFormatByteSizeA | 192 |
| ExGetSharedWaiterCount | 192 |
| RtlDeleteNoSplay | 192 |
| KeInsertByKeyDeviceQueue | 192 |
| MmSecureVirtualMemory | 192 |
| DdEntry1 | 192 |
| DdEntry17 | 192 |
| DdEntry39 | 192 |
| DdEntry41 | 192 |
| DdEntry47 | 192 |
| DdEntry56 | 192 |
| GetInterfaceInfo | 192 |
| NtQueryVirtualMemory | 192 |
| FtpGetCurrentDirectoryA | 192 |
| MmAddVerifierThunks | 191 |
| SHGetNewLinkInfo | 191 |
| SeReleaseSubjectContext | 191 |
| DdEntry5 | 191 |
| DdEntry7 | 191 |
| DdEntry15 | 191 |
| DdEntry22 | 191 |
| DdEntry25 | 191 |
| DdEntry33 | 191 |
| DdEntry36 | 191 |
| DdEntry51 | 191 |
| WTSServerOpenW | 191 |
| UrlMkGetSessionOption | 191 |
| KeSetImportanceDpc | 190 |
| ??Mstd@@YA_NABV?\$basic_string@DU?\$c | 190 |
| ?flags@ios_base@std@@QBEHXZ | 190 |
| FsRtlFastUnlockSingle | 190 |
| RtlSecondsSince1980ToTime | 190 |
| ExVerifySuite | 190 |
| DdEntry10 | 190 |
| DdEntry20 | 190 |
| DdEntry29 | 190 |
| DdEntry34 | 190 |
| DdEntry46 | 190 |
| SetupDiSetClassInstallParamsA | 190 |
| _winmajor | 190 |
| @Grids@Finalization\$qqrv | 190 |
| @Olectrls@Finalization\$qqrv | 190 |
| SetUserGeoID | 189 |
| ?clear@?\$basic_ios@DU?\$char_traits@D@` | 189 |
| GdipFillRectangleI | 189 |

| | |
|-------------------------------------|-----|
| WinHttpReceiveResponse | 189 |
| FsRtlIsFatDbcsLegal | 189 |
| DdEntry3 | 189 |
| DdEntry26 | 189 |
| DdEntry28 | 189 |
| DdEntry6 | 189 |
| DdEntry35 | 189 |
| DdEntry42 | 189 |
| DdEntry48 | 189 |
| DdEntry49 | 189 |
| RtlFreeSid | 189 |
| @Controls@TControl@SetVisible\$qqro | 189 |
| @Oleserver@Finalization\$qqrv | 189 |
| ReadEventLogW | 188 |
| __wargv | 188 |
| _chkesp | 188 |
| DdEntry19 | 188 |
| DdEntry45 | 188 |
| HACCEL_UserFree | 188 |
| SHRegGetValueW | 188 |
| KeInsertQueue | 188 |
| @Maskutils@Finalization\$qqrv | 188 |
| @Extctrls@TImage@ | 188 |
| @Imagehlp@Finalization\$qqrv | 188 |
| WritePrinter | 188 |
| IoGetDeviceToVerify | 187 |
| ??Bid@locale@std@@QAEIXZ | 187 |
| CcMapData | 187 |
| ObjectFromLresult | 187 |
| __vbaCheckTypeVar | 187 |
| CcMdlReadComplete | 187 |
| IoQueryFileInformation | 187 |
| MmResetDriverPaging | 187 |
| IoGetAttachedDevice | 187 |
| _pclose | 187 |
| DdEntry18 | 187 |
| DdEntry16 | 187 |
| DdEntry32 | 187 |
| UtConvertDvt16toDvt32 | 187 |
| SetConsoleHardwareState | 187 |
| _Clasin | 187 |
| NtSetInformationProcess | 187 |
| DbgPrompt | 187 |
| KeReadStateTimer | 187 |
| _mbscopy | 187 |
| ImmSetCandidateWindow | 187 |
| @Stdctrls@TButton@ | 187 |

| | |
|--|-----|
| NtSetValueKey | 187 |
| @Chart@initialization\$qqrv | 187 |
| @Tecanvas@initialization\$qqrv | 187 |
| @Teefunci@initialization\$qqrv | 187 |
| @Teengine@initialization\$qqrv | 187 |
| @Teeprocs@initialization\$qqrv | 187 |
| @Teeconst@initialization\$qqrv | 187 |
| @Series@initialization\$qqrv | 187 |
| SymCleanup | 187 |
| mmioOpenA | 186 |
| WinHttpReadData | 186 |
| ?_Unlock@?\$basic_streambuf@DU?\$char_t | 186 |
| ?_Lock@?\$basic_streambuf@DU?\$char_trai | 186 |
| ?tie@?\$basic_ios@DU?\$char_traits@D@stc | 186 |
| EnumSystemGeoID | 186 |
| IoWritePartitionTableEx | 186 |
| DdEntry50 | 186 |
| DdEntry53 | 186 |
| DdEntry54 | 186 |
| IoDeleteController | 186 |
| ImmSetCompositionFontW | 186 |
| @\$xp\$14System@Variant | 186 |
| @Stdvcl@Finalization\$qqrv | 186 |
| _Cltanh | 186 |
| @Fs_iinterpreter@initialization\$qqrv | 186 |
| @Fs_itools@initialization\$qqrv | 186 |
| @Fs_Iconst@initialization\$qqrv | 186 |
| @Fr_class@initialization\$qqrv | 186 |
| @Fr_dock@initialization\$qqrv | 186 |
| @Fr_prntr@initialization\$qqrv | 186 |
| @Syncobjs@TCriticalSection@\$bctr\$qqrv | 185 |
| @Syncobjs@TCriticalSection@ | 185 |
| IoGetDeviceInterfaces | 185 |
| RasDeleteEntryA | 185 |
| RtlSplay | 185 |
| CcFlushCache | 185 |
| SetFirmwareEnvironmentVariableA | 185 |
| GetTextExtentExPoint1 | 185 |
| CryptFindOIDInfo | 185 |
| @Fs_iclassesrtti@initialization\$qqrv | 185 |
| @Fs_ijss@initialization\$qqrv | 185 |
| ?cin@std@@@3V?\$basic_istream@DU?\$char | 185 |
| @Forms@TApplication@GetExeName\$qqrv | 185 |
| sndPlaySoundW | 184 |
| ExGetExclusiveWaiterCount | 184 |
| GdipDrawLine1 | 184 |
| ?rdbuf@?\$basic_ios@DU?\$char_traits@D@ | 184 |

| | |
|---|-----|
| SetConsoleKeyShortcuts | 184 |
| CcUnpinData | 184 |
| RtlSetAllBits | 184 |
| IoGetBootDiskInformation | 184 |
| waveOutRestart | 184 |
| RpcBindingFromStringBindingA | 184 |
| LoadRemoteFonts | 184 |
| HPALETTE_UserSize | 184 |
| @Cxgraphics@Finalization\$qqrv | 184 |
| @Cxcontrols@Finalization\$qqrv | 184 |
| @Dxthememanager@Finalization\$qqrv | 184 |
| @Cxlookandfeels@Finalization\$qqrv | 184 |
| @Cxclasses@Finalization\$qqrv | 184 |
| @Cxlookandfeelpainters@Finalization\$qqrv | 184 |
| @Oleconst@Finalization\$qqrv | 184 |
| RtlExpandEnvironmentStrings_U | 184 |
| OleUIBusyA | 184 |
| labs | 184 |
| @Frxclass@initialization\$qqrv | 184 |
| @Frxres@initialization\$qqrv | 184 |
| @Frxdmpclass@initialization\$qqrv | 184 |
| @Frxdsgnintf@initialization\$qqrv | 184 |
| @Frxpather@initialization\$qqrv | 184 |
| @Frxsearchdialog@initialization\$qqrv | 184 |
| @Frxgraphicutils@initialization\$qqrv | 184 |
| @Frxrcclass@initialization\$qqrv | 184 |
| @Frxclassrtti@initialization\$qqrv | 184 |
| @Fs_iformsrtti@initialization\$qqrv | 184 |
| @Fs_igraphicsrtti@initialization\$qqrv | 184 |
| @Fs_ipascal@initialization\$qqrv | 184 |
| @Fs_icpp@initialization\$qqrv | 184 |
| @Fs_ibasic@initialization\$qqrv | 184 |
| @Fs_idialogsrtti@initialization\$qqrv | 184 |
| RtlEnumerateGenericTable | 183 |
| @Classes@TStringList@SetSorted\$qqro | 183 |
| __vbaLateMemStAd | 183 |
| SHRegSetPathW | 183 |
| mmioAscend | 183 |
| PsDereferencePrimaryToken | 183 |
| @Db@TDataSet@Open\$qqrv | 183 |
| @Extctrls@TPanel@ | 183 |
| @Checklst@Finalization\$qqrv | 183 |
| @Filectrl@Finalization\$qqrv | 183 |
| wglMakeCurrent | 183 |
| AVIFileRelease | 183 |
| @Frxchm@initialization\$qqrv | 183 |

| | |
|--|-----|
| @Ganttch@initialization\$qqrv | 183 |
| ??\$?HDU?\$char_traits@D@std@@V?\$alloc | 183 |
| IoFreeMapRegisters | 182 |
| READ_PORT ULONG | 182 |
| @Classes@TStrings@SetValue\$qqrx17System@ | 182 |
| CreateSocketHandle | 182 |
| RtlVolumeDeviceToDosName | 182 |
| @Sysutils@ExtractFilePath\$qqrx17System@ | 182 |
| typelib_static_sequence_type_init | 182 |
| @Jconsts@Finalization\$qqrv | 182 |
| @Cxcontainer@Finalization\$qqrv | 182 |
| _hypot | 182 |
| UrlCanonicalizeW | 182 |
| @Frxvariables@initialization\$qqrv | 182 |
| @Frxml@initialization\$qqrv | 182 |
| @Frxmlserializer@initialization\$qqrv | 182 |
| @Frxpath@initialization\$qqrv | 182 |
| @Frxutils@initialization\$qqrv | 182 |
| @Fs_xml@initialization\$qqrv | 182 |
| @Fs_isysrtti@initialization\$qqrv | 182 |
| @Fs_iparser@initialization\$qqrv | 182 |
| @Fs_iexpression@initialization\$qqrv | 182 |
| @Fs_iilparser@initialization\$qqrv | 182 |
| @Fs_idisp@initialization\$qqrv | 182 |
| @Frxengine@initialization\$qqrv | 182 |
| @Frxaggregate@initialization\$qqrv | 182 |
| @Frxpreviewpages@initialization\$qqrv | 182 |
| @Frxctrls@initialization\$qqrv | 182 |
| @Frxdock@initialization\$qqrv | 182 |
| @Frxpreviewpagesettings@initialization\$qq | 182 |
| @Frxprintdialog@initialization\$qqrv | 182 |
| @Frxpathsw@initialization\$qqrv | 182 |
| @Frxdialogform@initialization\$qqrv | 182 |
| @Fs_ievents@initialization\$qqrv | 182 |
| @Frxdesgn@initialization\$qqrv | 182 |
| @Frxfcinsp@initialization\$qqrv | 182 |
| @Frxdatatree@initialization\$qqrv | 182 |
| @Frxdesneditors@initialization\$qqrv | 182 |
| @Frreditformat@initialization\$qqrv | 182 |
| @Frxstdwizard@initialization\$qqrv | 182 |
| @Frxrcdesgn@initialization\$qqrv | 182 |
| @Frxdbset@initialization\$qqrv | 182 |
| @Fs_idbrtti@initialization\$qqrv | 182 |
| @Frxexportmatrix@initialization\$qqrv | 182 |
| @Frxrexports@initialization\$qqrv | 182 |
| @Frxexportxls@initialization\$qqrv | 182 |
| @Frxrich@initialization\$qqrv | 182 |

| | |
|--|-----|
| @Frxrichedit@initialization\$qqrv | 182 |
| @Frxrichrtti@initialization\$qqrv | 182 |
| @Frxricheditor@initialization\$qqrv | 182 |
| @Frxexportpdf@initialization\$qqrv | 182 |
| @Frxdpffile@initialization\$qqrv | 182 |
| @Frxgzip@initialization\$qqrv | 182 |
| @Frxzlib@initialization\$qqrv | 182 |
| @Frxole@initialization\$qqrv | 182 |
| @Frxolertti@initialization\$qqrv | 182 |
| @Frxoleeditor@initialization\$qqrv | 182 |
| @Frxgradient@initialization\$qqrv | 182 |
| @Frxgradientrtti@initialization\$qqrv | 182 |
| @Frxdmpexport@initialization\$qqrv | 182 |
| @Frxcheckbox@initialization\$qqrv | 182 |
| @Frxcheckboxrtti@initialization\$qqrv | 182 |
| @Frxbarcode@initialization\$qqrv | 182 |
| @Frxbarcod@initialization\$qqrv | 182 |
| @Frxbarcodeeditor@initialization\$qqrv | 182 |
| @Frxbarcodertti@initialization\$qqrv | 182 |
| CLIPFORMAT_UserUnmarshal | 182 |
| PsiImpersonateClient | 181 |
| EqualDomainSid | 181 |
| KdEnableDebugger | 181 |
| ExIsProcessorFeaturePresent | 181 |
| CryptUIDlgSelectCA | 181 |
| getnameinfo | 181 |
| _tell | 181 |
| NetUserDel | 181 |
| NtQueryVolumeInformationFile | 181 |
| RtlFindClearBits | 181 |
| uno_type_destructData | 181 |
| GetDCPenColor | 181 |
| CertControlStore | 181 |
| FtpRemoveDirectoryW | 181 |
| @Frxunicodeutils@initialization\$qqrv | 181 |
| @Frxdesgnctrls@initialization\$qqrv | 181 |
| @Frxpathform@initialization\$qqrv | 181 |
| @Frxdesgnworkspace@initialization\$qqrv | 181 |
| @Frxunicodectrls@initialization\$qqrv | 181 |
| @Frixinsp@initialization\$qqrv | 181 |
| @Frxreporttree@initialization\$qqrv | 181 |
| @Frxsynmemo@initialization\$qqrv | 181 |
| @Frxdesgnworkspace1@initialization\$qqrv | 181 |
| @Frxcustomeditors@initialization\$qqrv | 181 |
| @Frreditmemo@initialization\$qqrv | 181 |
| @Frreditsysmemo@initialization\$qqrv | 181 |
| @Frreditpage@initialization\$qqrv | 181 |

| | |
|--|-----|
| @Frreditdataband@initialization\$qqrv | 181 |
| @Frreditstrings@initialization\$qqrv | 181 |
| @Frreditgroup@initialization\$qqrv | 181 |
| @Frxcodeutils@initialization\$qqrv | 181 |
| @Frreditpicture@initialization\$qqrv | 181 |
| @Frreditframe@initialization\$qqrv | 181 |
| @Frreditoptions@initialization\$qqrv | 181 |
| @Frreditreport@initialization\$qqrv | 181 |
| @Frxbabout@initialization\$qqrv | 181 |
| @Frreditreportdata@initialization\$qqrv | 181 |
| @Frreditvar@initialization\$qqrv | 181 |
| @Frreditexpr@initialization\$qqrv | 181 |
| @Fredithighlight@initialization\$qqrv | 181 |
| @Frreditstyle@initialization\$qqrv | 181 |
| @Frxnewitem@initialization\$qqrv | 181 |
| @Frxedittaborder@initialization\$qqrv | 181 |
| @Frxevaluateform@initialization\$qqrv | 181 |
| @Frxconneditor@initialization\$qqrv | 181 |
| @Fs_iextctrlsrtti@initialization\$qqrv | 181 |
| @Fs_idbctrlsrtti@initialization\$qqrv | 181 |
| @Fs_icharrtti@initialization\$qqrv | 181 |
| @Fs_iadortti@initialization\$qqrv | 181 |
| @Frxexportxml@initialization\$qqrv | 181 |
| @Frxfileutils@initialization\$qqrv | 181 |
| @Frxexporttxt@initialization\$qqrv | 181 |
| @Frxexporttxprn@initialization\$qqrv | 181 |
| @Frxexportimage@initialization\$qqrv | 181 |
| @Frxexportrtf@initialization\$qqrv | 181 |
| @Frxexporthtml@initialization\$qqrv | 181 |
| @Frxdctrl@initialization\$qqrv | 181 |
| @Frxdctrlrtti@initialization\$qqrv | 181 |
| @Frxcross@initialization\$qqrv | 181 |
| @Frxcrossmatrix@initialization\$qqrv | 181 |
| @Frxcrosseditor@initialization\$qqrv | 181 |
| @Frxcrossrtti@initialization\$qqrv | 181 |
| @Frxchart@initialization\$qqrv | 181 |
| @Frxcharrtti@initialization\$qqrv | 181 |
| @Frchartededitor@initialization\$qqrv | 181 |
| @Frxadocomponents@initialization\$qqrv | 181 |
| @Frxcustomdb@initialization\$qqrv | 181 |
| @Frxcustomdbeditor@initialization\$qqrv | 181 |
| @Frreditmd@initialization\$qqrv | 181 |
| @Frxeditaliases@initialization\$qqrv | 181 |
| @Frreditqueryparams@initialization\$qqrv | 181 |
| @Frreditsql@initialization\$qqrv | 181 |
| @Frxconnwizard@initialization\$qqrv | 181 |
| @Frxcustomdbrtti@initialization\$qqrv | 181 |

| | |
|---|-----|
| @Frxadortti@initialization\$qqrv | 181 |
| @Frxadoeditor@initialization\$qqrv | 181 |
| @Jvmail@initialization\$qqrv | 181 |
| vsprintf_s | 181 |
| IoAllocateController | 180 |
| SceStartTransaction | 180 |
| NtReadFile | 180 |
| NtDuplicateObject | 180 |
| GetSystemWow64DirectoryW | 180 |
| FindNextUrlCacheEntryExA | 180 |
| NtFsControlFile | 180 |
| LZDone | 180 |
| IoUpdateShareAccess | 180 |
| ExDeletePagedLookasideList | 180 |
| WSACancelBlockingCall | 180 |
| ??\$?HDU?\$char_traits@D@std@@V?\$alloc | 180 |
| TermssrvApplInstallMode | 180 |
| HICON_UserUnmarshal | 180 |
| InternetCombineUrlW | 180 |
| @Db@TDataSet@Next\$qqrv | 180 |
| @Db@TDataSet@Close\$qqrv | 180 |
| @Fqbclass@initialization\$qqrv | 180 |
| @Fqbdesign@initialization\$qqrv | 180 |
| @Fqbsynmemo@initialization\$qqrv | 180 |
| @Fqbutils@initialization\$qqrv | 180 |
| @Fqbzlib@initialization\$qqrv | 180 |
| @Fqblinkform@initialization\$qqrv | 180 |
| UnregisterConsoleIME | 179 |
| getprotobynumber | 179 |
| GopherOpenFileW | 179 |
| GetThreadIOPendingFlag | 179 |
| IoAcquireVpbSpinLock | 179 |
| typelib_static_type_init | 179 |
| ?cerr@std@@3V?\$basic_ostream@DU?\$ch | 179 |
| ExUnregisterCallback | 179 |
| @System@@WStrFromLStr\$qqrr17System@ | 179 |
| @Dxutils@Finalization\$qqrv | 179 |
| @Dxededtr@Finalization\$qqrv | 179 |
| @Dxcalc@Finalization\$qqrv | 179 |
| @Dxgrdate@Finalization\$qqrv | 179 |
| @Fqbres@initialization\$qqrv | 179 |
| @Fqbrcdesign@initialization\$qqrv | 179 |
| @Frxexportcsv@initialization\$qqrv | 179 |
| CryptCATAdminCalcHashFromFileHandle | 178 |
| BuildSecurityDescriptorW | 178 |
| _mbscspn | 178 |
| ?fill@?\$basic_ios@DU?\$char_traits@D@std | 178 |

| | |
|--|-----|
| ZwSetVolumeInformationFile | 178 |
| ??4?\$basic_string@_WU?\$char_traits@_W(| 178 |
| CoGetClassVersion | 178 |
| @Db@TDataSet@First\$qqrv | 178 |
| @Stdctrls@TEdit@ | 178 |
| @Dxtl@Finalization\$qqrv | 178 |
| @Dxdbgrid@Finalization\$qqrv | 178 |
| RestoreLastError | 178 |
| UTRegister | 178 |
| ICDecompress | 178 |
| UrlIsOpaqueA | 178 |
| GetVolumePathNamesForVolumeNameA | 177 |
| MmAllocateNonCachedMemory | 177 |
| ICGetInfo | 177 |
| GopherFindFirstFileA | 177 |
| IoMakeAssociatedIrp | 177 |
| NetUseAdd | 177 |
| @Sysutils@ExtractFileName\$qqrx17System(| 177 |
| KeFlushQueuedDpcs | 177 |
| @Forms@TCustomForm@Show\$qqrv | 177 |
| @Dxoffice11@Finalization\$qqrv | 177 |
| @Vdbconsts@Finalization\$qqrv | 177 |
| @Dbgrids@Finalization\$qqrv | 177 |
| IoVerifyPartitionTable | 177 |
| ??0logic_error@std@@@QAE@ABV?\$basic_s | 177 |
| DnsRecordListFree | 177 |
| AVIMakeCompressedStream | 177 |
| RtlInt64ToUnicodeString | 176 |
| RtlSetBits | 176 |
| KeNumberProcessors | 176 |
| PathIsNetworkPathW | 176 |
| ExReinitializeResourceLite | 176 |
| _eof | 176 |
| @Fr_progr@initialization\$qqrv | 176 |
| @Fr_const@initialization\$qqrv | 176 |
| @Fr_view@initialization\$qqrv | 176 |
| @Fr_ctrls@initialization\$qqrv | 176 |
| @Fr_pars@initialization\$qqrv | 176 |
| @Fr_intrp@initialization\$qqrv | 176 |
| @Fr_dset@initialization\$qqrv | 176 |
| @Fr_dbset@initialization\$qqrv | 176 |
| @Fr_dbrel@initialization\$qqrv | 176 |
| @Fr_fmted@initialization\$qqrv | 176 |
| @Fr_utils@initialization\$qqrv | 176 |
| @Fr_prdlg@initialization\$qqrv | 176 |
| @Fr_passw@initialization\$qqrv | 176 |
| @Fr_srch@initialization\$qqrv | 176 |

| | |
|---|-----|
| IoSetDeviceToVerify | 175 |
| GdipCreateBitmapFromGraphics | 175 |
| SymLoadModule | 175 |
| _mbsnicmp | 175 |
| RtlAreBitsSet | 175 |
| @System@@WStrArrayClr\$qqrpvi | 175 |
| @Controls@TControl@SetColor\$qqr15Grap | 175 |
| @Cxdateutils@Finalization\$qqrv | 175 |
| @Cxformats@Finalization\$qqrv | 175 |
| HBRUSH_UserSize | 175 |
| OleCreateFontIndirect | 175 |
| LZOpenFileW | 175 |
| LdrLoadDll | 175 |
| ??_7?\$basic_istream@DU?\$char_traits@D@ __vbaR8Sgn | 174 |
| RtlTimeToSecondsSince1980 | 174 |
| ExSetResourceOwnerPointer | 174 |
| HMENU_UserSize | 174 |
| @Cxgridcardview@initialization\$qqrv | 174 |
| rtl_uString_assign | 174 |
| FtpGetFileW | 174 |
| ??0?\$basic_string@DU?\$char_traits@D@stc@ @System@@StartLib\$qqrv | 174 |
| @Cxedit@Finalization\$qqrv | 174 |
| @Cxeditpaintutils@Finalization\$qqrv | 174 |
| MmAdvanceMdl | 174 |
| CryptEnumOIDInfo | 174 |
| PsGetProcessExitTime | 174 |
| RealShellExecuteExA | 174 |
| NetShareAdd | 173 |
| FindNextUrlCacheEntryExW | 173 |
| ?clear@?\$basic_string@DU?\$char_traits@D @System@@CheckAutoResult\$qqrl | 173 |
| NtWriteFile | 173 |
| CcSetReadAheadGranularity | 173 |
| SeAppendPrivileges | 173 |
| ExpungeConsoleCommandHistoryW | 173 |
| GdiAlphaBlend | 173 |
| ImmGetConversionStatus | 173 |
| RtlFindUnicodePrefix | 173 |
| @Sysutils@Date\$qqrv | 173 |
| @Adoint@Finalization\$qqrv | 173 |
| @Oledb@Finalization\$qqrv | 173 |
| @Adoconst@Finalization\$qqrv | 173 |
| @Stdctrls@TCheckBox@ | 173 |
| @Gauges@Finalization\$qqrv | 173 |
| @Cxmaskedit@Finalization\$qqrv | 173 |

| | |
|--|-----|
| @Cxtectedit@Finalization\$qqrv | 173 |
| @Cxbuttonedit@Finalization\$qqrv | 173 |
| @Cxstyles@Finalization\$qqrv | 173 |
| SetDllDirectoryA | 173 |
| ZwResumeThread | 173 |
| _ZN4Foam10FatalErrorE | 173 |
| IoRegisterFsRegistrationChange | 172 |
| GetIfTable | 172 |
| GopherCreateLocatorW | 172 |
| FsRtlIsDbcsInExpression | 172 |
| KeSetTargetProcessorDpc | 172 |
| IoGetDeviceInterfaceAlias | 172 |
| KeBugCheck | 172 |
| ClearEventLogW | 172 |
| _Cl sinh | 172 |
| @System@@VarFromLStr\$qqrr14System@\` | 172 |
| @Adodb@Finalization\$qqrv | 172 |
| @Mtx@Finalization\$qqrv | 172 |
| @Cxeditutils@Finalization\$qqrv | 172 |
| @Cxedittextutils@Finalization\$qqrv | 172 |
| WNetOpenEnumW | 172 |
| ??_D?\$basic_stringstream@DU?\$char_traits | 172 |
| SePrivilegeCheck | 171 |
| @Cxgridbandedtableview@initialization\$qq | 171 |
| rtl_string2UString | 171 |
| mmioWrite | 171 |
| SetLocalPrimaryComputerNameA | 171 |
| RtlUpcaseUnicodeToOemN | 171 |
| @Actnlist@TAction@ | 171 |
| @Actnlist@TActionList@ | 171 |
| @Forms@Screen | 171 |
| @Dxcommon@Finalization\$qqrv | 171 |
| vfwprintf | 171 |
| SetConsoleIcon | 170 |
| NdisRegisterProtocol | 170 |
| strcpy_s | 170 |
| osl_releaseMutex | 170 |
| osl_acquireMutex | 170 |
| @Controls@TImageList@ | 170 |
| @Cxscrollbar@Finalization\$qqrv | 170 |
| @Dxthemeconsts@Finalization\$qqrv | 170 |
| @Cxfilter@Finalization\$qqrv | 170 |
| @Cxdropdownedit@Finalization\$qqrv | 170 |
| @Cxblobedit@Finalization\$qqrv | 170 |
| @Cximage@Finalization\$qqrv | 170 |
| @Cxmemo@Finalization\$qqrv | 170 |
| @Cxcalc@Finalization\$qqrv | 170 |

| | |
|---|-----|
| @Cxcalendar@Finalization\$qqrv | 170 |
| @Cxtimeedit@Finalization\$qqrv | 170 |
| @Cxspinedit@Finalization\$qqrv | 170 |
| @Cxcheckbox@Finalization\$qqrv | 170 |
| @Cxcustomdata@Finalization\$qqrv | 170 |
| @Cxdatastorage@Finalization\$qqrv | 170 |
| @Cxcurrencyedit@Finalization\$qqrv | 170 |
| @Cxhyperlinkedit@Finalization\$qqrv | 170 |
| @Cximagecombobox@Finalization\$qqrv | 170 |
| @Cxmruredit@Finalization\$qqrv | 170 |
| @Cxradiogroup@Finalization\$qqrv | 170 |
| @Cxgroupbox@Finalization\$qqrv | 170 |
| FtpCommandA | 170 |
| @Dxtlclms@initialization\$qqrv | 170 |
| ??0bad_cast@std@@QAE@PBD@Z | 169 |
| GetConsoleKeyboardLayoutNameW | 169 |
| GetPrivateObjectSecurity | 169 |
| ??0?\$basic_string@GU?\$char_traits@G@std@mmioSeek | 169 |
| SeOpenObjectAuditAlarm | 169 |
| RtlRemoveUnicodePrefix | 169 |
| RtlInsertUnicodePrefix | 169 |
| @Forms@TApplication@ProcessMessages\$@Dxcntner@Finalization\$qqrv | 169 |
| @Dxedstr@Finalization\$qqrv | 169 |
| @Dxeditor@Finalization\$qqrv | 169 |
| @Cxdblookupcombobox@Finalization\$qqrv | 169 |
| @Cxdbdata@Finalization\$qqrv | 169 |
| @Cxdbfilter@Finalization\$qqrv | 169 |
| @Cxeditrepositoryitems@Finalization\$qqrv | 169 |
| @Cxeditdataregisteredrepositoryitems@Final | 169 |
| @Cxeditdbregisteredrepositoryitems@Final | 169 |
| @Cxdreditrepository@Finalization\$qqrv | 169 |
| wglCreateContext | 169 |
| IoReuseIrp | 169 |
| RealShellExecuteA | 168 |
| DebugSetProcessKillOnExit | 168 |
| CM_Locate_DevNodeW | 168 |
| FsRtlFastCheckLockForRead | 168 |
| FsRtlLookupLastLargeMcbEntry | 168 |
| InternalExtractIconListA | 168 |
| @Jvcver@Finalization\$qqrv | 168 |
| @Jvtypes@Finalization\$qqrv | 168 |
| rtl_allocateMemory | 168 |
| SHRegGetPathW | 168 |
| _vbaAptOffset | 168 |
| _fstat64 | 168 |

| | |
|---|-----|
| ImmSetConversionStatus | 168 |
| SHSetLocalizedName | 168 |
| __vbaI2Sgn | 168 |
| @\$xp\$17System@WideString | 168 |
| @Stdctrls@TComboBox@ | 168 |
| @Dxtlstr@Finalization\$qqrv | 168 |
| @Dxdbctrl@Finalization\$qqrv | 168 |
| @Dxgrfcmn@Finalization\$qqrv | 168 |
| @Dxdbedtr@Finalization\$qqrv | 168 |
| @Dxfilter@Finalization\$qqrv | 168 |
| @Dxgrexpt@Finalization\$qqrv | 168 |
| @Dxgrfltr@Finalization\$qqrv | 168 |
| @Dxgrfdlg@Finalization\$qqrv | 168 |
| FreeUrlCacheSpaceA | 168 |
| WSAIsBlocking | 168 |
| __vbaFpCSngR8 | 168 |
| ZwDuplicateObject | 168 |
| @Dxpsscore@initialization\$qqrv | 168 |
| @Dxpsglbl@initialization\$qqrv | 168 |
| @Dxpsutl@initialization\$qqrv | 168 |
| @Dxprndev@initialization\$qqrv | 168 |
| @Dxpsres@initialization\$qqrv | 168 |
| @Dxpssengn@initialization\$qqrv | 168 |
| @Dxpssngltn@initialization\$qqrv | 168 |
| @Dxwrap@initialization\$qqrv | 168 |
| @Dxbkgnd@initialization\$qqrv | 168 |
| @Dxextctrls@initialization\$qqrv | 168 |
| @Dxpspopupman@initialization\$qqrv | 168 |
| @Dxprnpg@initialization\$qqrv | 168 |
| @Dxpgsdlg@initialization\$qqrv | 168 |
| @Dxprevw@initialization\$qqrv | 168 |
| @Dxfmclr@initialization\$qqrv | 168 |
| @Dxpsfillpatterns@initialization\$qqrv | 168 |
| @Dxpsedgepatterns@initialization\$qqrv | 168 |
| @Dxpspgsmnubld@initialization\$qqrv | 168 |
| @Dxpsxplorertreeview@initialization\$qqrv | 168 |
| @Dxpsprvwstd@initialization\$qqrv | 168 |
| @Dxpsprvw@initialization\$qqrv | 168 |
| @Dxpsautohtextmnubld@initialization\$qqr | 168 |
| @Dxppattr@initialization\$qqrv | 168 |
| CcFastCopyWrite | 167 |
| SeDeassignSecurity | 167 |
| _fopen | 167 |
| SetupOpenFileQueue | 167 |
| IoVerifyVolume | 167 |
| rtl_freeMemory | 167 |
| @Comobj@OleCheck\$qqrl | 167 |

| | |
|---|-----|
| @Db@TDataSource@ | 167 |
| @Jvcomponent@Finalization\$qqrv | 167 |
| @Cxgriddbtableview@Finalization\$qqrv | 167 |
| @Cxgridcustomtableview@Finalization\$qqrv | 167 |
| @Cxfiltercontrol@Finalization\$qqrv | 167 |
| @Cxdataconsts@Finalization\$qqrv | 167 |
| @Cxfilterconsts@Finalization\$qqrv | 167 |
| @Cxlistbox@Finalization\$qqrv | 167 |
| @Cxeditconsts@Finalization\$qqrv | 167 |
| @Cxnavigator@Finalization\$qqrv | 167 |
| @Cxexteditconsts@Finalization\$qqrv | 167 |
| @Cxgridcommon@Finalization\$qqrv | 167 |
| @Cxgridcustomview@Finalization\$qqrv | 167 |
| @Cxgrid@Finalization\$qqrv | 167 |
| @Cxgridtableview@Finalization\$qqrv | 167 |
| @Cxgriddbdatadefinitions@Finalization\$qqrv | 167 |
| @Olectnrs@Finalization\$qqrv | 167 |
| LsaSetSecret | 167 |
| ??0out_of_range@std@@QAE@ABV?\$basic | 167 |
| ShowHideMenuCtl | 167 |
| @Dxpssimcs@initialization\$qqrv | 167 |
| @Dxpssesys@initialization\$qqrv | 167 |
| @Dxbase@initialization\$qqrv | 167 |
| @Dxfefdlg@initialization\$qqrv | 167 |
| @Dxpsform@initialization\$qqrv | 167 |
| @Dxpcprvw@initialization\$qqrv | 167 |
| @Dxextctrlsstrs@initialization\$qqrv | 167 |
| @Dxpsevnt@initialization\$qqrv | 167 |
| @Dxprndlg@initialization\$qqrv | 167 |
| @Dxfmdtfmt@initialization\$qqrv | 167 |
| @Dxfmpnfmt@initialization\$qqrv | 167 |
| @Dxpsfmttl@initialization\$qqrv | 167 |
| @Dxfmchfn@initialization\$qqrv | 167 |
| @Dxpsfmreportproperties@initialization\$qc | 167 |
| @Dxpsfmcompositiondsg@initialization\$qqi | 167 |
| @Dxpsfmcompositionadd@initialization\$qq | 167 |
| @Dxpscompsprovider@initialization\$qqrv | 167 |
| @Dxpscpds@initialization\$qqrv | 167 |
| @Dxpsfminkadd@initialization\$qqrv | 167 |
| @Dxpsfmeditdesc@initialization\$qqrv | 167 |
| @Dxpsprvwopt@initialization\$qqrv | 167 |
| @Dxfmmnpng@initialization\$qqrv | 167 |
| @Dxpsextlgs@initialization\$qqrv | 167 |
| @Dxfmzoom@initialization\$qqrv | 167 |
| @Dxfmdfnstl@initialization\$qqrv | 167 |
| @Dxpsfmautohtextfmt@initialization\$qqrv | 167 |
| @Dxpshtoolbarbld@initialization\$qqrv | 167 |

| | |
|---|-----|
| EqualPrefixSid | 167 |
| IoSetTopLevelIrp | 166 |
| WizardFree | 166 |
| WinHttpQueryDataAvailable | 166 |
| SheGetDirA | 166 |
| MmFreeNonCachedMemory | 166 |
| PathIsRootA | 166 |
| RtlDelete | 166 |
| RtlFindLongestRunClear | 166 |
| osl_getGlobalMutex | 166 |
| SetConsoleFont | 166 |
| NtMapViewOfSection | 166 |
| _Clatan2 | 166 |
| @System@@VarClr\$qqrr14System@Variant | 166 |
| @Sysutils@FormatFloat\$qqrx17System@An | 166 |
| @Classes@TComponent@GetComponentCc | 166 |
| @Classes@TComponent@GetComponent\$c | 166 |
| @Jclstrings@Finalization\$qqrv | 166 |
| @Jclsysinfo@Finalization\$qqrv | 166 |
| @Apputils@Finalization\$qqrv | 166 |
| @Cxpc@Finalization\$qqrv | 166 |
| @Cxpcpainters@Finalization\$qqrv | 166 |
| @Cxpcpaintersfactory@Finalization\$qqrv | 166 |
| @Cxgridcustompopupmenu@initialization\$ | 166 |
| @Cxgridpopupmenu@initialization\$qqrv | 166 |
| @Cxgriduihelper@initialization\$qqrv | 166 |
| @Cxgriduicustomtablehelper@initializati | 166 |
| @Cxgriduitablehelper@initialization\$qqrv | 166 |
| @Cxgriduibandedtablehelper@initializati | 166 |
| @Cxgriduicardhelper@initialization\$qqrv | 166 |
| @Cxgridstdpopupmenu@initialization\$qqrv | 166 |
| @Cxgridmenuoperations@initialization\$qqr | 166 |
| @Cxgridpopupmenuconsts@initialization\$qq | 166 |
| @Cxgridfooterpopupmenuitems@initializati | 166 |
| @Cxgridheaderpopupmenuitems@initializati | 166 |
| ASN1DecAlloc | 166 |
| CoInternetParseUrl | 166 |
| @Dxpstextout@initialization\$qqrv | 166 |
| GdipGetImagePalette | 166 |
| HalSetTimeIncrement | 165 |
| UnregisterGPNotification | 165 |
| ExCreateCallback | 165 |
| @System@@LStrFromWStr\$qqrr17System@ | 165 |
| @Sysutils@ChangeFileExt\$qqrx17System@/ | 165 |
| @Db@TFields@GetField\$qqri | 165 |
| @Db@TStringField@ | 165 |
| @Dxlayoutcontrol@Finalization\$qqrv | 165 |

| | |
|---|-----|
| @Dxlayoutcontrol@TdxLayoutControl@ | 165 |
| @Dxlayoutcommon@Finalization\$qqrv | 165 |
| @Dxlayoutlookandfeels@Finalization\$qqrv | 165 |
| @Dxlayoutcontroladapters@Finalization\$qq | 165 |
| @Strtools@Finalization\$qqrv | 165 |
| @Rxstrutils@Finalization\$qqrv | 165 |
| @Fileutil@Finalization\$qqrv | 165 |
| @Dateutil@Finalization\$qqrv | 165 |
| @Vclutils@Finalization\$qqrv | 165 |
| @Maxmin@Finalization\$qqrv | 165 |
| @Rxconst@Finalization\$qqrv | 165 |
| @Rxcconst@Finalization\$qqrv | 165 |
| @Rxprgrss@Finalization\$qqrv | 165 |
| @Vedblib@Finalization\$qqrv | 165 |
| @Dbutils@Finalization\$qqrv | 165 |
| @Rxdconst@Finalization\$qqrv | 165 |
| @Placemnt@Finalization\$qqrv | 165 |
| @Rxhook@Finalization\$qqrv | 165 |
| @Rxprops@Finalization\$qqrv | 165 |
| @Vefileutils@Finalization\$qqrv | 165 |
| @Vequery@Finalization\$qqrv | 165 |
| @Cxvariants@Finalization\$qqrv | 165 |
| @Cxdatautils@Finalization\$qqrv | 165 |
| GdipGetImagePaletteSize | 165 |
| GdipSetTextRenderingHint | 164 |
| RegisterGPNotification | 164 |
| NtSetInformationThread | 164 |
| SeQueryAuthenticationIdToken | 164 |
| KeSaveFloatingPointState | 164 |
| SeQueryInformationToken | 164 |
| ??0?\$basic_string@GU?\$char_traits@G@std@@@vbaVarNeg | 164 |
| KeDeregisterBugCheckCallback | 164 |
| @System@@HandleAutoException\$qqrv | 164 |
| @Comobj@CreateComObject\$qqrrx5_GUID | 164 |
| @Dxlayoutcontrol@TdxLayoutGroup@ | 164 |
| @Dxlayoutcontrol@TdxLayoutItem@ | 164 |
| @Dxlayoutcustomizeform@Finalization\$qqrv | 164 |
| @Dxlayoutheditform@Finalization\$qqrv | 164 |
| @Cxregexpr@Finalization\$qqrv | 164 |
| @Cxstandardmask@Finalization\$qqrv | 164 |
| @Vedataset@Finalization\$qqrv | 164 |
| @Betteradodataset@Finalization\$qqrv | 164 |
| @Ado26_tlb@Finalization\$qqrv | 164 |
| @Untvedatasetmsg@Finalization\$qqrv | 164 |
| SeSetSecurityDescriptorInfo | 164 |
| S_UNK | 164 |

| | |
|---------------------------------------|-----|
| CcGetFileObjectFromBcb | 163 |
| SHRegWriteUSValueW | 163 |
| GdipMeasureString | 163 |
| LsaStorePrivateData | 163 |
| LZCloseFile | 163 |
| MmCanFileBeTruncated | 163 |
| RtlUpperChar | 163 |
| HalExamineMBR | 163 |
| GetNumberOfConsoleFonts | 163 |
| osl_incrementInterlockedCount | 163 |
| typelib_static_type_getByTypeClass | 163 |
| RtlGetDaclSecurityDescriptor | 163 |
| WinStationQueryInformationW | 163 |
| SeCreateClientSecurity | 163 |
| @Db@TDataSet@FieldByName\$qqrx17Syste | 163 |
| @Db@TDataSet@GetFieldCount\$qqrv | 163 |
| @Dxdbtl@Finalization\$qqrv | 163 |
| @Vebutton@Finalization\$qqrv | 163 |
| @Cxbuttons@Finalization\$qqrv | 163 |
| GetAcceptExSockaddrs | 163 |
| CertFreeCRLContext | 163 |
| FtpDeleteFileW | 163 |
| __errno | 163 |
| write | 163 |
| RealShellExecuteW | 163 |
| @Fr_combo@initialization\$qqrv | 163 |
| @Fr_synmemo@initialization\$qqrv | 163 |
| HalSystemVectorDispatchEntry | 162 |
| SetConsoleLocaleEUDC | 162 |
| CcPinRead | 162 |
| IoRegisterFileSystem | 162 |
| RpcMgmtWaitServerListen | 162 |
| RtlGetCallersAddress | 162 |
| PsIsThreadTerminating | 162 |
| @Adodb@TADOQuery@GetSQL\$qqrv | 162 |
| @Adodb@TADOQuery@ | 162 |
| @Db@TDataSet@GetActive\$qqrv | 162 |
| @Db@TWideStringField@ | 162 |
| @Forms@TCustomForm@SetBorderStyle\$q | 162 |
| @Jvvclutils@Finalization\$qqrv | 162 |
| @Jvconst@Finalization\$qqrv | 162 |
| @Jvxrconst@Finalization\$qqrv | 162 |
| @Jvfunctions@Finalization\$qqrv | 162 |
| @Jvdirectories@Finalization\$qqrv | 162 |
| @Jclgraphics@Finalization\$qqrv | 162 |
| @Jclgraphutils@Finalization\$qqrv | 162 |
| @Jvstrutils@Finalization\$qqrv | 162 |

| | |
|--|-----|
| @Jvfileutil@Finalization\$qqrv | 162 |
| @Jvdateutil@Finalization\$qqrv | 162 |
| @Jvprgrss@Finalization\$qqrv | 162 |
| @Untvform@Finalization\$qqrv | 162 |
| @Veformeditor@Finalization\$qqrv | 162 |
| @Untveformeditorfrm@Finalization\$qqrv | 162 |
| @Cxlibrarystrs@Finalization\$qqrv | 162 |
| @Vedataset@TVEDataset@ | 162 |
| SetFileValidData | 162 |
| @Fr_desgn@initialization\$qqrv | 162 |
| @Fr_color@initialization\$qqrv | 162 |
| @Fr_insp@initialization\$qqrv | 162 |
| @Fr_popuplb@initialization\$qqrv | 162 |
| @Fr_flds1@initialization\$qqrv | 162 |
| @Fr_edit@initialization\$qqrv | 162 |
| @Fr_edit1@initialization\$qqrv | 162 |
| @Fr_pgopt@initialization\$qqrv | 162 |
| @Fr_gedit@initialization\$qqrv | 162 |
| @Fr_templ@initialization\$qqrv | 162 |
| @Fr_newrp@initialization\$qqrv | 162 |
| @Fr_dsopt@initialization\$qqrv | 162 |
| @Fr_attre@initialization\$qqrv | 162 |
| @Fr_expr@initialization\$qqrv | 162 |
| @Fr_funcs@initialization\$qqrv | 162 |
| @Fr_arg@initialization\$qqrv | 162 |
| @Fr_var@initialization\$qqrv | 162 |
| @Fr_flds@initialization\$qqrv | 162 |
| @Fr_hilit@initialization\$qqrv | 162 |
| @Fr_dopt@initialization\$qqrv | 162 |
| @Fr_dict@initialization\$qqrv | 162 |
| @Fr_vared@initialization\$qqrv | 162 |
| @Fr_bnded@initialization\$qqrv | 162 |
| @Fr_vbnd@initialization\$qqrv | 162 |
| @Fr_btyp@initialization\$qqrv | 162 |
| @Fr_grped@initialization\$qqrv | 162 |
| @Fr_about@initialization\$qqrv | 162 |
| @Fr_iflds@initialization\$qqrv | 162 |
| @Fr_restr@initialization\$qqrv | 162 |
| @Fr_pagef@initialization\$qqrv | 162 |
| LocalEnroll | 161 |
| AddAccessAllowedAceEx | 161 |
| uno_type_sequence_reference2One | 161 |
| uno_any_destruct | 161 |
| BackupEventLogA | 161 |
| GetUserNameExA | 161 |
| @Forms@TCustomForm@Release\$qqrv | 161 |
| @Cxlike@Finalization\$qqrv | 161 |

| | |
|---|-----|
| @Cxdredit@Finalization\$qqrv | 161 |
| @Cxdb@Finalization\$qqrv | 161 |
| @Cxlookupedit@Finalization\$qqrv | 161 |
| @Cxdblookupedit@Finalization\$qqrv | 161 |
| @Cxlookupgrid@Finalization\$qqrv | 161 |
| @Cxdata@Finalization\$qqrv | 161 |
| @Cxitregisteredrepositoryitems@Finaliza | 161 |
| @Cxlookupdbgrid@Finalization\$qqrv | 161 |
| @Cxfiltercontrolstrs@Finalization\$qqrv | 161 |
| StrIsIntlEqualW | 161 |
| read | 161 |
| @Dpsdxtllnk@initialization\$qqrv | 161 |
| @Dpsdxdctrllnk@initialization\$qqrv | 161 |
| @Dpsdxdgrlnk@initialization\$qqrv | 161 |
| GetKerningPairs | 160 |
| SetupDiGetDeviceInstallParamsW | 160 |
| CclsThereDirtyData | 160 |
| PoRegisterSystemState | 160 |
| vlc_plugin_set | 160 |
| uno_type_sequence_construct | 160 |
| @System@@VarFromInt\$qqrr14System@V; | 160 |
| @System@InitProc | 160 |
| @Cxgridstrs@Finalization\$qqrv | 160 |
| SetVDMCurrentDirectories | 160 |
| GdipGetVisibleClipBounds | 160 |
| GdipIsVisiblePoint | 160 |
| @Classes@Rect\$qqriii | 160 |
| @Graphics@TBrush@SetColor\$qqr15Graphi | 160 |
| DrawThemeBackground | 160 |
| RtllsNameLegalDOS8Dot3 | 160 |
| ??\$?HDU?\$char_traits@D@std@@V?\$alloc | 160 |
| IoWritePartitionTable | 159 |
| RpcBindingToStringBindingW | 159 |
| ?compare@?\$basic_string@DU?\$char_traits | 159 |
| SetupDiOpenDeviceInfoW | 159 |
| SetupCloseFileQueue | 159 |
| FsRtlFreeFileLock | 159 |
| SetHandleContext | 159 |
| IoAttachDevice | 159 |
| rtl_uString_newFromAscii | 159 |
| @Comconst @_SNoCloseActiveServer2 | 159 |
| @Adodb@TADOQuery@\$bctr\$qqrp18Class | 159 |
| @Db@TIntegerField@ | 159 |
| @Forms@TScreen@SetCursor\$qqr16Contro | 159 |
| @Cxstorage@Finalization\$qqrv | 159 |
| @Cxpcconsts@Finalization\$qqrv | 159 |
| @Cxfiltercontrolutils@Finalization\$qqrv | 159 |

| | |
|--|-----|
| @Cxgridlevel@Finalization\$qqrv | 159 |
| @Cxfilterdialog@Finalization\$qqrv | 159 |
| @Cxfiltercontroldialog@Finalization\$qqrv | 159 |
| @Cxgriddetailssite@Finalization\$qqrv | 159 |
| @Cxgridrows@Finalization\$qqrv | 159 |
| @Vedataset@TVEDataset@ParseSqlString\$c | 159 |
| @Jvstrutil@Finalization\$qqrv | 159 |
| ??0?\$basic_stringstream@DU?\$char_traits@ | 159 |
| PsReturnPoolQuota | 158 |
| RtlAreBitsClear | 158 |
| _auIrem | 158 |
| CreatePrivateObjectSecurity | 158 |
| SHSetThreadRef | 158 |
| LoadUserProfileA | 158 |
| ?_Init@?\$basic_filebuf@DU?\$char_traits@L | 158 |
| SetSetupSave | 158 |
| InternalExtractIconListW | 158 |
| StrNCatW | 158 |
| rtcByteValueBstr | 158 |
| KeRaiseIrqlToDpcLevel | 158 |
| STGMEDIUM_UserUnmarshal | 158 |
| RtlInitializeUnicodePrefix | 158 |
| CreateUrlCacheEntryA | 158 |
| _clearfp | 158 |
| @\$xp\$8ITypeLib | 158 |
| @Sysutils@AddTerminateProc\$qqrpqqrv\$o | 158 |
| @Comobj@ComClassManager\$qqrv | 158 |
| @Comobj@TComObjectFactory@RegisterCl | 158 |
| @Comobj@TComClassManager@ForEachFa | 158 |
| @Comobj@CoInitFlags | 158 |
| @Comobj@CoResumeClassObjects | 158 |
| @Comobj@CoReleaseServerProcess | 158 |
| @Comobj@CoAddRefServerProcess | 158 |
| @Comobj@CoInitializeEx | 158 |
| @Comobj@EOleRegistrationError@ | 158 |
| @Comobj@TComServerObject@ | 158 |
| @Comconst@_SNoCloseActiveServer1 | 158 |
| @Comconst@_SAutomationWarning | 158 |
| @Registry@TRegistry@ValueExists\$qqrx17S | 158 |
| @Jvwndprochook@Finalization\$qqrv | 158 |
| @Tb2toolbar@Finalization\$qqrv | 158 |
| @Tb2item@Finalization\$qqrv | 158 |
| @Tb2anim@Finalization\$qqrv | 158 |
| @Tbskinplus@Finalization\$qqrv | 158 |
| @Tbskinshared@Finalization\$qqrv | 158 |
| @Tb2consts@Finalization\$qqrv | 158 |
| @Tb2common@Finalization\$qqrv | 158 |

| | |
|---|-----|
| @Tb2dock@Finalization\$qqrv | 158 |
| @Tb2hook@Finalization\$qqrv | 158 |
| @Tb2toolwindow@Finalization\$qqrv | 158 |
| @Strtools@ReadStringFromReg\$qqr17Syste | 158 |
| @Cxcheckbox@Finalization\$qqrv | 158 |
| @Cxexteditutils@Finalization\$qqrv | 158 |
| NtCreateKey | 158 |
| QueryMemoryResourceNotification | 158 |
| @System@@LStrFromArray\$qqrr17System@ | 157 |
| AVIPutFileOnClipboard | 157 |
| NetShareDel | 157 |
| AsyncInstallDistributionUnit | 157 |
| UrlMkSetSessionOption | 157 |
| CcMdlWriteComplete | 157 |
| InternetDial | 157 |
| DecryptFileW | 157 |
| @System@@VarToLStr\$qqrr17System@Ans | 157 |
| @Adodb@TADOConnection@GetCommand | 157 |
| @Actnlist@TCustomAction@SetEnabled\$qq | 157 |
| @Stdctrls@TListBox@ | 157 |
| @Buttons@TSpeedButton@ | 157 |
| @Dxedlib@Finalization\$qqrv | 157 |
| @Cxpccgialog@Finalization\$qqrv | 157 |
| MmProbeAndLockProcessPages | 157 |
| GetIfEntry | 157 |
| FtpRemoveDirectoryA | 157 |
| getchar | 157 |
| GdiDeleteLocalDC | 156 |
| ExAllocatePoolWithQuota | 156 |
| CcMdlRead | 156 |
| WinHttpQueryHeaders | 156 |
| NtQuerySymbolicLinkObject | 156 |
| CcUnpinDataForThread | 156 |
| CcMdlWriteAbort | 156 |
| AllocateLocallyUniqueId | 156 |
| ?queryAdapter@OWeakObject@cppu@@U | 156 |
| InternetGetConnectedStateExA | 156 |
| @System@FindClassHInstance\$qqrp17Syste | 156 |
| @Comobj@TComObject@_Release\$qqsv | 156 |
| @Comobj@TComObject@_AddRef\$qqsv | 156 |
| @Comobj@TComObject@QueryInterface\$q | 156 |
| @Comobj@TComObject@ObjAddRef\$qqsv | 156 |
| @Comobj@TComObject@ObjQueryInterfac | 156 |
| @Comobj@TComObject@SafeCallException | 156 |
| @Comobj@TComObject@\$bdtr\$qqrv | 156 |
| @Db@TFloatField@ | 156 |
| @Vedataset@Connection\$qqrv | 156 |

| | |
|--|-----|
| NetWkstaUserEnum | 156 |
| CertDuplicateStore | 156 |
| ConvertFiberToThread | 156 |
| SetupDiCreateDeviceInfoA | 156 |
| InterlockedFlushSList | 156 |
| gluNurbsCallback | 156 |
| GopherGetAttributeA | 156 |
| ImageRvaToVa | 156 |
| @Fr_class@Finalization\$qqrv | 156 |
| @Fr_dock@Finalization\$qqrv | 156 |
| @Fr_prntr@Finalization\$qqrv | 156 |
| @Cxgridviewdata@initialization\$qqrv | 156 |
| IsLoggingEnabledA | 155 |
| GetExplicitEntriesFromAclW | 155 |
| ??\$?8DU?\$char_traits@D@std@@@V?\$alloc | 155 |
| RtlCheckRegistryKey | 155 |
| BaseFlushAppcompatCache | 155 |
| HalSetProfileInterval | 155 |
| GetCurrentHwProfileW | 155 |
| @System@@VarToInt\$qqrrx14System@Var | 155 |
| @Sysutils@SafeLoadLibrary\$qqrx17System@ | 155 |
| @Comobj@TComObject@ObjRelease\$qqsv | 155 |
| @Jvplacemnt@Finalization\$qqrv | 155 |
| @Jvapputils@Finalization\$qqrv | 155 |
| @Jvfileutil@NormalDir\$qqrx17System@Ans | 155 |
| @Jvprops@Finalization\$qqrv | 155 |
| @Untvform@TVForm@ShowModal\$qqrv | 155 |
| @Untvform@TVForm@\$bdtr\$qqrv | 155 |
| @Untvform@TVForm@\$bctr\$qqrp18Classe | 155 |
| @\$xp\$15Untvform@TVForm | 155 |
| @Untvform@TVForm@ | 155 |
| GetPrinterDataW | 155 |
| RpcEpResolveBinding | 155 |
| StgGetFillLockBytesOnFile | 155 |
| AVIFileOpenA | 155 |
| ??9std@@YA_NABV?\$basic_string@DU?\$cl | 155 |
| @Cxgriddbcardview@initialization\$qqrv | 155 |
| SeFreePrivileges | 154 |
| DirectDrawEnumerateA | 154 |
| InternetTimeToSystemTime | 154 |
| @System@@WStrCatN\$qqrv | 154 |
| ReadEventLogA | 154 |
| CreateAsyncBindCtx | 154 |
| @System@TInterfacedObject@BeforeDestru | 154 |
| @System@TInterfacedObject@AfterConstru | 154 |
| @System@TObject@GetInterface\$qqrrx5_G | 154 |
| @Variants@VarIsNull\$qqrrx14System@Vari | 154 |

| | |
|---|-----|
| @Tb2item@TTBPopupMenu@ | 154 |
| @Tb2item@TTBItem@ | 154 |
| @Strtools@Mess\$qqrv17System@AnsiString@ | 154 |
| @Vebutton@TVeButton@ | 154 |
| @Dxdbinsp@Finalization\$qqrv | 154 |
| @Dxinspct@Finalization\$qqrv | 154 |
| @Dxinscus@Finalization\$qqrv | 154 |
| @Dxincnew@Finalization\$qqrv | 154 |
| @Agentobjects_tlb@Finalization\$qqrv | 154 |
| rtcMidCharVar | 154 |
| LdrGetProcedureAddress | 154 |
| NtCreateSection | 154 |
| GdipNewPrivateFontCollection | 154 |
| ?assign@?\$basic_string@GU?\$char_traits@ | 154 |
| @Fr_e_txt@initialization\$qqrv | 154 |
| @Fr_shape@initialization\$qqrv | 154 |
| @Fr_chart@initialization\$qqrv | 154 |
| @Fr_ole@initialization\$qqrv | 154 |
| @Fr_cross@initialization\$qqrv | 154 |
| @Fr_cross1@initialization\$qqrv | 154 |
| @Fr_crossd@initialization\$qqrv | 154 |
| GdiEntry5 | 153 |
| WTSRegisterSessionNotification | 153 |
| ExAcquireResourceExclusiveLite | 153 |
| SeUnlockSubjectContext | 153 |
| GetExpandedNameW | 153 |
| @Cxexportstrs@initialization\$qqrv | 153 |
| msg_Generic | 153 |
| rtl_ustr_compare_WithLength | 153 |
| OleConvertOLESTREAMToIStorageEx | 153 |
| PsGetThreadProcessId | 153 |
| MmMapUserAddressesToPage | 153 |
| FsRtlSplitLargeMcb | 153 |
| @\$xp\$9IDispatch | 153 |
| @Comobj@TComClassManager@GetFactor | 153 |
| @Veedit@Finalization\$qqrv | 153 |
| @Picturecontainer@Finalization\$qqrv | 153 |
| @Cxgridlevel@TcxGridLevel@ | 153 |
| @Dxpagecontrol@Finalization\$qqrv | 153 |
| @Dxpagecontrolstrs@Finalization\$qqrv | 153 |
| GetServiceKeyNameW | 153 |
| SelectBrushLocal | 153 |
| ?c_str@?\$basic_string@GU?\$char_traits@C | 153 |
| @Dialogs@TOpenDialog@.GetFileName\$qqrv | 153 |
| @Stdctrls@TRadioButton@ | 153 |
| @Adodb@TADOConnection@ | 153 |
| @Fr_barcode@initialization\$qqrv | 153 |

| | |
|--|-----|
| @Frbarcod@initialization\$qqrv | 153 |
| @Cxgriddbandedtableview@initialization\$ | 153 |
| HalHandleNMI | 152 |
| RegisterConsoleVDM | 152 |
| GetPrinterA | 152 |
| sprintf_s | 152 |
| IoSetShareAccess | 152 |
| CcCopyWrite | 152 |
| IoGetDiskDeviceObject | 152 |
| @Sysutils@FindNext\$qqrr19Sysutils@TSear | 152 |
| @Cxexportgrid4link@initialization\$qqrv | 152 |
| @Cxexport@initialization\$qqrv | 152 |
| @Cxhtmlxmltxtexport@initialization\$qqrv | 152 |
| @Cxxlsexport@initialization\$qqrv | 152 |
| NtSetSecurityObject | 152 |
| ImmDisableIME | 152 |
| @Dxdbtlcl@Finalization\$qqrv | 152 |
| @Htmlabel@Finalization\$qqrv | 152 |
| EndPagePrinter | 151 |
| MmUserProbeAddress | 151 |
| MessageBoxTimeoutA | 151 |
| mixerGetControlDetailsW | 151 |
| FindFirstUrlCacheEntryExA | 151 |
| _mktime64 | 151 |
| KeRemoveByKeyDeviceQueue | 151 |
| ImmGetDefaultIMEWnd | 151 |
| @System@@VarToReal\$qqrrx14System@V; | 151 |
| @Vedataset@defConnection | 151 |
| @Htmlabel@THTMLLabel@ | 151 |
| @Dxmdataset@Finalization\$qqrv | 151 |
| @Vedataedit@Finalization\$qqrv | 151 |
| CertEnumSystemStore | 151 |
| DrawDibEnd | 151 |
| _pipe | 151 |
| ConsoleMenuControl | 151 |
| SHIsLowMemoryMachine | 151 |
| CcUninitializeCacheMap | 150 |
| DestroyPrivateObjectSecurity | 150 |
| ObjectDeleteAuditAlarmW | 150 |
| SetPrivateObjectSecurity | 150 |
| SetupDiEnumDriverInfoW | 150 |
| RtlOemToUnicodeN | 150 |
| IoCsqRemoveIrp | 150 |
| @System@TInterfacedObject@ | 150 |
| @Forms@TCustomForm@SetWindowState\$ | 150 |
| @Dxlayoutcontrol@TdxCustomLayoutItem@ | 150 |
| @Jvplacemnt@TJvFormStorage@ | 150 |

| | |
|--|-----|
| @Cxgriddbtableview@TcxGridDBTableView | 150 |
| @Cxgrid@TcxGrid@ | 150 |
| iscntrl | 150 |
| ResumeSuspendedDownload | 150 |
| SetupDiSetDeviceRegistryPropertyA | 150 |
| @Sysutils@ExtractFileDir\$qqrx17System@A | 150 |
| @Controls@TControl@Refresh\$qqrv | 150 |
| @Dialogs@TSaveDialog@ | 150 |
| @Dxpscxgridlnk@initialization\$qqrv | 150 |
| @Dxpscxcommon@initialization\$qqrv | 150 |
| @Fs_iinterpreter@Finalization\$qqrv | 150 |
| @Fs_itools@Finalization\$qqrv | 150 |
| @Fs_Iconst@Finalization\$qqrv | 150 |
| CryptCATAdminAcquireContext | 149 |
| DrawCaptionTempA | 149 |
| CloseConsoleHandle | 149 |
| _popen | 149 |
| TranslateMessageEx | 149 |
| NtOpenSymbolicLinkObject | 149 |
| SeImpersonateClientEx | 149 |
| mixerGetID | 149 |
| _ui64tow | 149 |
| @Classes@TList@Delete\$qqri | 149 |
| @Jvstrutils@ReplaceStr\$qqrx17System@An | 149 |
| @Cxgriddbtableview@TcxGridDBCOLUMN@ | 149 |
| @Cxgridtableview@TcxGridTableView@Get | 149 |
| @Spin@Finalization\$qqrv | 149 |
| glEnd | 149 |
| CertSaveStore | 149 |
| @Teeprocs@Finalization\$qqrv | 149 |
| @Tecanvas@Finalization\$qqrv | 149 |
| @Teeconst@Finalization\$qqrv | 149 |
| @Teengine@Finalization\$qqrv | 149 |
| @Chart@Finalization\$qqrv | 149 |
| @Teefunci@Finalization\$qqrv | 149 |
| @Series@Finalization\$qqrv | 149 |
| @Fs_iclassesrtti@Finalization\$qqrv | 149 |
| @Fs_ijss@Finalization\$qqrv | 149 |
| ?GetCheckPopServer@@YGHPADK0@Z | 149 |
| ?SetClientInstallDate@@YGXU_FILETIME@C | 149 |
| ?GetExcludedUrlsSeq@@YGKPAD@Z | 149 |
| GetUuid | 149 |
| ?GetDefaultCfgServer@@YGHPADK0@Z | 149 |
| ?GetGeoIPCountryCode@@YGHPADH0@Z | 149 |
| ?SetExcludedUrlsSeq@@YGHKPAD@Z | 149 |
| SetAdLocation | 149 |
| ?SetCheckPopServer@@YGHPAD0@Z | 149 |

| | |
|--|-----|
| ?SetClientId@@YGHPAD0@Z | 149 |
| ?SetLastPopupTimeT@@YGHU_FILETIME@() | 149 |
| ?SetPopupCountT@@YGHKPAD@Z | 149 |
| ?SetGeoIPCountryCode@@YGHPAD0@Z | 149 |
| ?SetPopupsStatusDisabled@@YGHKPAD@Z | 149 |
| ?SetDefaultCfgServer@@YGHPAD0@Z | 149 |
| ?GetLastPopupTimeT@@YG?AU_FILETIME@ | 149 |
| ?GetClientId@@YGHPADK0@Z | 149 |
| GetAdLocation | 149 |
| ?GetClientInstallDate@@YG?AU_FILETIME@ | 149 |
| ?IsPopupEngineDisabled@@YGHXZ | 149 |
| ?IsHeaderFirstRun@@YGHXZ | 149 |
| ?GetCfgFilePath@@YGHPADH@Z | 149 |
| ?GetWS2SendFrame@@YGHPADK@Z | 149 |
| ?GetPopupCountT@@YGKPAD@Z | 149 |
| ?GetCrc64@@YGHPADK0@Z | 149 |
| ?SetCrc64@@YGHPAD0@Z | 149 |
| ?getline@std@@YAAAV?\$basic_istream@D | 148 |
| iswcntrl | 148 |
| GopherOpenFileA | 148 |
| CreateProcessInternalW | 148 |
| SetupDiSetDeviceInstallParamsW | 148 |
| GetRelAbs | 148 |
| AccessibleChildren | 148 |
| @System@@VarCopy\$qqrr14System@Vari | 148 |
| @Jvprogressdlg@Finalization\$qqrv | 148 |
| @Jvformprogress@Finalization\$qqrv | 148 |
| @Dxdbelib@Finalization\$qqrv | 148 |
| @Colorgrd@Finalization\$qqrv | 148 |
| DowngradeAPI | 148 |
| VarR8FromStr | 148 |
| CheckRemoteDebuggerPresent | 148 |
| NtOpenProcess | 148 |
| @Classes@TComponent@FindComponent\$ | 148 |
| @Strtools@Mess\$qqr17System@AnsiString | 148 |
| @Frxclass@Finalization\$qqrv | 148 |
| @Frxres@Finalization\$qqrv | 148 |
| @Frxdmpclass@Finalization\$qqrv | 148 |
| @Frxdsgnintf@Finalization\$qqrv | 148 |
| @Frxpather@Finalization\$qqrv | 148 |
| @Frxsearchdialog@Finalization\$qqrv | 148 |
| @Frxgraphicutils@Finalization\$qqrv | 148 |
| @Frxrciclass@Finalization\$qqrv | 148 |
| @Frxclassrtti@Finalization\$qqrv | 148 |
| @Fs_iformsrtti@Finalization\$qqrv | 148 |
| @Fs_igraphicsrtti@Finalization\$qqrv | 148 |

| | |
|---|-----|
| @Fs_ipascal@Finalization\$qqrv | 148 |
| @Fs_icpp@Finalization\$qqrv | 148 |
| @Fs_ibasic@Finalization\$qqrv | 148 |
| @Fs_idialogsrtti@Finalization\$qqrv | 148 |
| SheSetCurDrive | 148 |
| SetConsoleNumberOfCommandsW | 147 |
| @System@FreeMemory\$qpv | 147 |
| GdiProcessSetup | 147 |
| GetMappedFileNameA | 147 |
| LsaFreeReturnBuffer | 147 |
| _spawnl | 147 |
| CcZeroData | 147 |
| IoFreeController | 147 |
| joyGetPosEx | 147 |
| WinSqmAddToStream | 147 |
| VarBoolFromStr | 147 |
| @Cxgridcardview@Finalization\$qqrv | 147 |
| ApphelpCheckRunApp | 147 |
| VDMConsoleOperation | 147 |
| @Registry@TRegIniFile@\$bctr\$qqrx17Syste | 147 |
| @Registry@TRegIniFile@ | 147 |
| @Forms@TCustomForm@SetVisible\$qqro | 147 |
| @Db@TSmallintField@ | 147 |
| @Frxvariables@Finalization\$qqrv | 147 |
| @Frxml@Finalization\$qqrv | 147 |
| @Frxmlserializer@Finalization\$qqrv | 147 |
| @Frxpath@Finalization\$qqrv | 147 |
| @Frxutils@Finalization\$qqrv | 147 |
| @Fs_xml@Finalization\$qqrv | 147 |
| @Fs_isysrtti@Finalization\$qqrv | 147 |
| @Fs_iparser@Finalization\$qqrv | 147 |
| @Fs_iexpression@Finalization\$qqrv | 147 |
| @Fs_ilparser@Finalization\$qqrv | 147 |
| @Fs_idisp@Finalization\$qqrv | 147 |
| @Frxengine@Finalization\$qqrv | 147 |
| @Frxaggregate@Finalization\$qqrv | 147 |
| @Frxpreviewpages@Finalization\$qqrv | 147 |
| @Frxctrls@Finalization\$qqrv | 147 |
| @Frxdock@Finalization\$qqrv | 147 |
| @Frxpreviewpagesettings@Finalization\$qqr | 147 |
| @Frxprintdialog@Finalization\$qqrv | 147 |
| @Frxpathsw@Finalization\$qqrv | 147 |
| @Frxdialogform@Finalization\$qqrv | 147 |
| @Fs_ievents@Finalization\$qqrv | 147 |
| @Frxchm@Finalization\$qqrv | 147 |
| @Frxdesgn@Finalization\$qqrv | 147 |
| @Frxfcinsp@Finalization\$qqrv | 147 |

| | |
|---------------------------------------|-----|
| @Frxdatatree@Finalization\$qqrv | 147 |
| @Frxdesneditors@Finalization\$qqrv | 147 |
| @Frreditformat@Finalization\$qqrv | 147 |
| @Frxstdwizard@Finalization\$qqrv | 147 |
| @Frxfcdesign@Finalization\$qqrv | 147 |
| @Frxdbset@Finalization\$qqrv | 147 |
| @Fs_idbtti@Finalization\$qqrv | 147 |
| @Frxexportmatrix@Finalization\$qqrv | 147 |
| @Frxrceexports@Finalization\$qqrv | 147 |
| @Frxexportxls@Finalization\$qqrv | 147 |
| @Frxrich@Finalization\$qqrv | 147 |
| @Frxrichedit@Finalization\$qqrv | 147 |
| @Frxrichrtti@Finalization\$qqrv | 147 |
| @Frxricheditor@Finalization\$qqrv | 147 |
| @Frxexportpdf@Finalization\$qqrv | 147 |
| @Frxdmpffile@Finalization\$qqrv | 147 |
| @Frxgzip@Finalization\$qqrv | 147 |
| @Frxzlib@Finalization\$qqrv | 147 |
| @Frxole@Finalization\$qqrv | 147 |
| @Frxolertti@Finalization\$qqrv | 147 |
| @Frxoleeditor@Finalization\$qqrv | 147 |
| @Frxgradient@Finalization\$qqrv | 147 |
| @Frxgradientrtti@Finalization\$qqrv | 147 |
| @Frxdmpexport@Finalization\$qqrv | 147 |
| @Frxchbox@Finalization\$qqrv | 147 |
| @Frxchboxrtti@Finalization\$qqrv | 147 |
| @Ganttch@Finalization\$qqrv | 147 |
| @Frxbbarcode@Finalization\$qqrv | 147 |
| @Frxbbarcode@Finalization\$qqrv | 147 |
| @Frxbbarcodeeditor@Finalization\$qqrv | 147 |
| @Frxbcodertti@Finalization\$qqrv | 147 |
| mmioSetInfo | 147 |
| _wsetlocale | 146 |
| KeAcquireQueuedSpinLockRaiseToSynch | 146 |
| AccessCheckAndAuditAlarmW | 146 |
| InternetUnlockRequestFile | 146 |
| UTUnRegister | 146 |
| IoCreateStreamFileObject | 146 |
| IolsOperationSynchronous | 146 |
| CcPreparePinWrite | 146 |
| ?ImplHelper_getImplementationId@cppu@ | 146 |
| ??0OWeakObject@cppu@@QAE@XZ | 146 |
| ??1OWeakObject@cppu@@MAE@XZ | 146 |
| vwprintf | 146 |
| GetServiceDisplayNameW | 146 |
| @System@@VarFromReal\$qqrv | 146 |
| @Classes@TList@IndexOf\$qqrpv | 146 |

| | |
|---|-----|
| @Math@IntPower\$qqrxgxi | 146 |
| @Actnlist@TCustomAction@SetChecked\$qc | 146 |
| @Registry@TRegistry@DeleteKey\$qqrx17Sy | 146 |
| @Tooledit@Finalization\$qqrv | 146 |
| @Rxctrls@Finalization\$qqrv | 146 |
| @Rxtimer@Finalization\$qqrv | 146 |
| @Pickdate@Finalization\$qqrv | 146 |
| @Jvclipicon@Finalization\$qqrv | 146 |
| __vbaStrDate | 146 |
| VarBstrFromBool | 146 |
| AVIStreamWrite | 146 |
| @\$xp\$17System@OleVariant | 146 |
| @Graphics@TBitmap@GetTransparentColor | 146 |
| @Graphics@TPicture@GetBitmap\$qqrv | 146 |
| @Graphics@TCanvas@TextOut\$qqriix17Sys | 146 |
| @Graphics@TCanvas@FillRect\$qqrrx11Type | 146 |
| @Fr_progr@Finalization\$qqrv | 146 |
| @Fr_const@Finalization\$qqrv | 146 |
| @Fr_view@Finalization\$qqrv | 146 |
| @Fr_ctrls@Finalization\$qqrv | 146 |
| @Fr_pars@Finalization\$qqrv | 146 |
| @Fr_intrp@Finalization\$qqrv | 146 |
| @Fr_dset@Finalization\$qqrv | 146 |
| @Fr_dbset@Finalization\$qqrv | 146 |
| @Fr_dbrel@Finalization\$qqrv | 146 |
| @Fr_fmted@Finalization\$qqrv | 146 |
| @Fr_utils@Finalization\$qqrv | 146 |
| @Fr_prdlg@Finalization\$qqrv | 146 |
| @Fr_passw@Finalization\$qqrv | 146 |
| @Fr_srch@Finalization\$qqrv | 146 |
| @Frunicodeutils@Finalization\$qqrv | 146 |
| @Frxdesgnctrls@Finalization\$qqrv | 146 |
| @Frpopupform@Finalization\$qqrv | 146 |
| @Frxdesgnworkspace@Finalization\$qqrv | 146 |
| @Frunicodectrls@Finalization\$qqrv | 146 |
| @Frxinsp@Finalization\$qqrv | 146 |
| @Frxreporttree@Finalization\$qqrv | 146 |
| @Frxsynmemo@Finalization\$qqrv | 146 |
| @Frxdesgnworkspace1@Finalization\$qqrv | 146 |
| @Frxcustomeditors@Finalization\$qqrv | 146 |
| @Frreditmemo@Finalization\$qqrv | 146 |
| @Frreditsysmemo@Finalization\$qqrv | 146 |
| @Frreditpage@Finalization\$qqrv | 146 |
| @Frreditdataband@Finalization\$qqrv | 146 |
| @Frreditstrings@Finalization\$qqrv | 146 |
| @Frreditgroup@Finalization\$qqrv | 146 |
| @Frxcodeutils@Finalization\$qqrv | 146 |

| | |
|--|-----|
| @Frreditpicture@Finalization\$qqrv | 146 |
| @Frreditframe@Finalization\$qqrv | 146 |
| @Frreditoptions@Finalization\$qqrv | 146 |
| @Frreditreport@Finalization\$qqrv | 146 |
| @Frxabout@Finalization\$qqrv | 146 |
| @Frreditreportdata@Finalization\$qqrv | 146 |
| @Frreditvar@Finalization\$qqrv | 146 |
| @Frreditexpr@Finalization\$qqrv | 146 |
| @Fredithighlight@Finalization\$qqrv | 146 |
| @Frreditstyle@Finalization\$qqrv | 146 |
| @Frxnewitem@Finalization\$qqrv | 146 |
| @Frredittaborder@Finalization\$qqrv | 146 |
| @Frxevaluateform@Finalization\$qqrv | 146 |
| @Frxconneditor@Finalization\$qqrv | 146 |
| @Fs_iextctrlsrtti@Finalization\$qqrv | 146 |
| @Fs_idbctrlsrtti@Finalization\$qqrv | 146 |
| @Fs_icharrtti@Finalization\$qqrv | 146 |
| @Fs_iadortti@Finalization\$qqrv | 146 |
| @Frxexportxml@Finalization\$qqrv | 146 |
| @Frxfileutils@Finalization\$qqrv | 146 |
| @Frxexporttxt@Finalization\$qqrv | 146 |
| @Frxexporttxtpn@Finalization\$qqrv | 146 |
| @Frxexportimage@Finalization\$qqrv | 146 |
| @Frxexportrtf@Finalization\$qqrv | 146 |
| @Frxexporthtml@Finalization\$qqrv | 146 |
| @Frxdctrl@Finalization\$qqrv | 146 |
| @Frxdctrlrtti@Finalization\$qqrv | 146 |
| @Frxcross@Finalization\$qqrv | 146 |
| @Frxcrossmatrix@Finalization\$qqrv | 146 |
| @Frxcrosseditor@Finalization\$qqrv | 146 |
| @Frxcrossrtti@Finalization\$qqrv | 146 |
| @Frxchart@Finalization\$qqrv | 146 |
| @Frxcharrtti@Finalization\$qqrv | 146 |
| @Frxcharteditor@Finalization\$qqrv | 146 |
| @Frxadocomponents@Finalization\$qqrv | 146 |
| @Frxcustomdb@Finalization\$qqrv | 146 |
| @Frxcustomdbeditor@Finalization\$qqrv | 146 |
| @Frreditmd@Finalization\$qqrv | 146 |
| @Frxeditaliases@Finalization\$qqrv | 146 |
| @Frreditqueryparams@Finalization\$qqrv | 146 |
| @Frreditsql@Finalization\$qqrv | 146 |
| @Frxconnwizard@Finalization\$qqrv | 146 |
| @Frxcustomdbrtti@Finalization\$qqrv | 146 |
| @Frxadortti@Finalization\$qqrv | 146 |
| @Frxadoeditor@Finalization\$qqrv | 146 |
| InternetTimeFromSystemTimeA | 145 |
| ?openprot@filebuf@@2HB | 145 |

| | |
|--|-----|
| IoSetSystemPartition | 145 |
| FsRtlAllocateFileLock | 145 |
| ?release@OWeakObject@cppu@@UAAXXZ | 145 |
| ?acquire@OWeakObject@cppu@@UAAXXZ | 145 |
| GdipDeletePath | 145 |
| @System@@VarToBool\$qqrrx14System@V | 145 |
| @System@@ReallocMem\$qqrrpvi | 145 |
| @Dxtl@TdxTreeListNode@GetIndex\$qqrv | 145 |
| @Tb2item@TTBSeparatorItem@ | 145 |
| @Tb2item@TTBSubmenuItem@ | 145 |
| @Betteradodataset@TBetterADODataset@I | 145 |
| @Dxgriddialog@Finalization\$qqrv | 145 |
| @Unitdxkolonlarex@Finalization\$qqrv | 145 |
| @Rxcombos@Finalization\$qqrv | 145 |
| @Unitdxkolonlargelismis@Finalization\$qqrv | 145 |
| @Unitkolonlar@Finalization\$qqrv | 145 |
| @Unitkolonlargelismis@Finalization\$qqrv | 145 |
| @Unitkolonlaropt@Finalization\$qqrv | 145 |
| @Unitdxkolonlar@Finalization\$qqrv | 145 |
| @Dxinsprw@Finalization\$qqrv | 145 |
| @Jvgif@Finalization\$qqrv | 145 |
| @Jvgraph@Finalization\$qqrv | 145 |
| @Jvanifile@Finalization\$qqrv | 145 |
| @Jvicolist@Finalization\$qqrv | 145 |
| GetInheritanceSourceW | 145 |
| NotifyChangeEventLog | 145 |
| SymGetOptions | 145 |
| @Classes@TCollectionItem@GetIndex\$qqrv | 145 |
| @Controls@TWinControl@HandleAllocated | 145 |
| @Dxdbgrid@TdxDBGrid@ | 145 |
| @Fqbclass@Finalization\$qqrv | 145 |
| @Fqbdesign@Finalization\$qqrv | 145 |
| @Fqbsynmemo@Finalization\$qqrv | 145 |
| @Fqbutils@Finalization\$qqrv | 145 |
| @Fqbzlib@Finalization\$qqrv | 145 |
| @Fqblinkform@Finalization\$qqrv | 145 |
| CryptUIDlgCertMgr | 144 |
| RasSetEntryDialParamsA | 144 |
| NdrStubCall2 | 144 |
| GdipCreatePath | 144 |
| _flushall | 144 |
| ?id@?\$ctype@D@std@@2V0locale@2@A | 144 |
| @System@TInterfacedObject@NewInstance | 144 |
| @System@@OleVarFromLStr\$qqrr17System | 144 |
| @Sysutils@StrLen\$qqrpvc | 144 |
| @Veedit@TVEEdit@SetValue\$qqrxsd | 144 |
| @Veedit@TVEEdit@ | 144 |

| | |
|--|-----|
| @Tb2item@TTBCustomItem@SetVisible\$qqq | 144 |
| @Cxstyles@TcxStyle@ | 144 |
| @Cxstyles@TcxStyleRepository@ | 144 |
| @Jvhleditor@Finalization\$qqrv | 144 |
| @Jveditor@Finalization\$qqrv | 144 |
| @Jvctlconst@Finalization\$qqrv | 144 |
| @Jvhlp parser@Finalization\$qqrv | 144 |
| @Cxgridbandedtableview@Finalization\$qqr | 144 |
| ApphelpShowDialog | 144 |
| ReadConsoleInputExA | 144 |
| RegOpenUserClassesRoot | 144 |
| @Sysutils@IncludeTrailingBackslash\$qqrx17 | 144 |
| @Sysutils@ExtractFileExt\$qqrx17System@A | 144 |
| @Sysutils@DirectoryExists\$qqrx17System@ | 144 |
| @Comobj@TAutoObjectFactory@\$bctr\$qqr | 144 |
| @Comobj@TAutoObject@Invoke\$qq sirx5_€ | 144 |
| @Comobj@TAutoObject@GetTypeInfoCoun | 144 |
| @Comobj@TAutoObject@GetTypeInfo\$qqsi | 144 |
| @Comobj@TAutoObject@GetIDsOfNames\$ | 144 |
| @Comobj@TAutoObject@Initialize\$qqrv | 144 |
| @Comobj@TAutoObjectFactory@ | 144 |
| @Comobj@TAutoObject@ | 144 |
| @Classes@TCollection@Add\$qqrv | 144 |
| @Graphics@TCanvas@TextWidth\$qqrx17Sy | 144 |
| @Dxtl@TCustomdxTreeList@GetCount\$qqrv | 144 |
| @Fr_desgn@Finalization\$qqrv | 144 |
| @Fr_class@TfrReport@PrepareReport\$qqrv | 144 |
| @Fr_class@TfrReport@DesignReport\$qqrv | 144 |
| @Fr_class@TfrReport@ | 144 |
| @Fr_color@Finalization\$qqrv | 144 |
| @Fr_insp@Finalization\$qqrv | 144 |
| @Fr_popuplb@Finalization\$qqrv | 144 |
| @Fr flds1@Finalization\$qqrv | 144 |
| @Fr_combo@Finalization\$qqrv | 144 |
| @Fr_edit@Finalization\$qqrv | 144 |
| @Fr_synmemo@Finalization\$qqrv | 144 |
| @Fr_edit1@Finalization\$qqrv | 144 |
| @Fr_pgopt@Finalization\$qqrv | 144 |
| @Fr_gedit@Finalization\$qqrv | 144 |
| @Fr_templ@Finalization\$qqrv | 144 |
| @Fr_newrp@Finalization\$qqrv | 144 |
| @Fr_dsopt@Finalization\$qqrv | 144 |
| @Fr_attre@Finalization\$qqrv | 144 |
| @Fr_expr@Finalization\$qqrv | 144 |
| @Fr_funcs@Finalization\$qqrv | 144 |
| @Fr_arg@Finalization\$qqrv | 144 |
| @Fr_var@Finalization\$qqrv | 144 |

| | |
|---|-----|
| @Fr_flds@Finalization\$qqrv | 144 |
| @Fr_hilit@Finalization\$qqrv | 144 |
| @Fr_dopt@Finalization\$qqrv | 144 |
| @Fr_dict@Finalization\$qqrv | 144 |
| @Fr_vared@Finalization\$qqrv | 144 |
| @Fr_bnded@Finalization\$qqrv | 144 |
| @Fr_vbnd@Finalization\$qqrv | 144 |
| @Fr_btyp@Finalization\$qqrv | 144 |
| @Fr_grped@Finalization\$qqrv | 144 |
| @Fr_about@Finalization\$qqrv | 144 |
| @Fr_iflds@Finalization\$qqrv | 144 |
| @Fr_restr@Finalization\$qqrv | 144 |
| @Fr_pagef@Finalization\$qqrv | 144 |
| @Jvmail@Finalization\$qqrv | 144 |
| @Fqbres@Finalization\$qqrv | 144 |
| @Fqbrcdesign@Finalization\$qqrv | 144 |
| @Frxexportcsv@Finalization\$qqrv | 144 |
| GdiEntry6 | 143 |
| GetThemeBool | 143 |
| CryptUIDlgSelectStoreA | 143 |
| SetServiceObjectSecurity | 143 |
| ObjectCloseAuditAlarmA | 143 |
| NetWkstaGetInfo | 143 |
| CcSetFileSizes | 143 |
| SeValidSecurityDescriptor | 143 |
| ASN1BEREncChar32String | 143 |
| DrawThemeParentBackground | 143 |
| @System@ExceptionClass | 143 |
| @Db@TDataSource@SetDataSet\$qqrp11Db | 143 |
| @Cxgriddbtableview@TcxGridDBTableView@ | 143 |
| @Dxgriddialog@TdxGridDialog@ | 143 |
| @Jvdsadialogs@Finalization\$qqrv | 143 |
| NtBuildNumber | 143 |
| _wfullpath | 143 |
| GetPrinterDriverA | 143 |
| @Sysutils@RaiseLastOSSError\$qqrv | 143 |
| @Variants@Null\$qqrv | 143 |
| @Imglist@TCustomImageList@Draw\$qqrp1 | 143 |
| @Extctrls@TPaintBox@ | 143 |
| @Dxtl@TCustomdxTreeListControl@GetCol@ | 143 |
| @Fr_class@TfrReport@PrintPreparedRepor | 143 |
| @Fr_class@TfrReport@LoadFromFile\$qqr17 | 143 |
| @Fr_dbset@TfrDBDataSet@ | 143 |
| @Dxtlclms@Finalization\$qqrv | 143 |
| uno_type_assignData | 143 |
| CLIPOBJ_ppoGetPath | 142 |
| NtQuerySecurityObject | 142 |

| | |
|---|-----|
| HalReportResourceUsage | 142 |
| _vscprintf | 142 |
| SetConsoleInputExeNameW | 142 |
| RtlDeleteCriticalSection | 142 |
| SfcIsFileProtected | 142 |
| KeRegisterBugCheckCallback | 142 |
| FsRtIIsHpfDbcsLegal | 142 |
| CertSetCertificateContextProperty | 142 |
| IoAllocateAdapterChannel | 142 |
| ImmDestroyContext | 142 |
| @System@@VarAddRef\$qqrr14System@Va | 142 |
| @Db@TDateTextField@ | 142 |
| @Jvplacemnt@TJvFormPlacement@SaveFor | 142 |
| @Cxgridcustomtableview@TcxCustomGridT | 142 |
| @Vedatasearch@Finalization\$qqrv | 142 |
| @Untsearchform@Finalization\$qqrv | 142 |
| @Cxgridcustompopupmenu@Finalization\$q | 142 |
| @Cxgridpopupmenu@Finalization\$qqrv | 142 |
| @Cxgriduihelper@Finalization\$qqrv | 142 |
| @Cxgriduicustomtablehelper@Finalization\$ | 142 |
| @Cxgriduitablehelper@Finalization\$qqrv | 142 |
| @Cxgriduibandedtablehelper@Finalization\$ | 142 |
| @Cxgriduicardhelper@Finalization\$qqrv | 142 |
| @Cxgridstdpopupmenu@Finalization\$qqrv | 142 |
| @Cxgridmenuoperations@Finalization\$qqrv | 142 |
| @Cxgridpopupmenuconsts@Finalization\$qq | 142 |
| @Cxgridfooterpopupmenuitems@Finalizatio | 142 |
| @Cxgridheaderpopupmenuitems@Finalizati | 142 |
| GdipNewInstalledFontCollection | 142 |
| @System@@VarCmpEQ\$qqrrx14System@V | 142 |
| @Fr_class@TfrReport@ShowPreparedRepo | 142 |
| @Fr_e_txt@Finalization\$qqrv | 142 |
| @Fr_barc@Finalization\$qqrv | 142 |
| @Frbarcod@Finalization\$qqrv | 142 |
| @Fr_shape@Finalization\$qqrv | 142 |
| @Fr_chart@Finalization\$qqrv | 142 |
| @Fr_ole@Finalization\$qqrv | 142 |
| @Fr_cross@Finalization\$qqrv | 142 |
| @Fr_cross1@Finalization\$qqrv | 142 |
| @Fr_crossd@Finalization\$qqrv | 142 |
| @Cxgriddbcardview@Finalization\$qqrv | 142 |
| @Frxclass@TfrxReport@ | 142 |
| EngStretchBltROP | 141 |
| ShowCertificate | 141 |
| NotifyAddrChange | 141 |
| SeCreateAccessState | 141 |
| joyGetDevCapsA | 141 |

| | |
|--|-----|
| rtl_uString_newFromStr_WithLength | 141 |
| InternetTimeFromSystemTime | 141 |
| HMETAFILEPICT_UserSize | 141 |
| @Sysutils@AnsiCompareText\$qqrx17Syste | 141 |
| @Untvform@EditForm\$qqrp11Forms@TFor | 141 |
| @Cxgrid@TcxCustomGrid@GetActiveView\$ | 141 |
| @Cxgridtableview@TcxGridTableView@Get | 141 |
| @Vedatasearch@TVeDataSearch@RemoveF | 141 |
| @Vedatasearch@TVeDataSearch@FilterQue | 141 |
| @Vedatasearch@TVeDataSearch@Execute\$ | 141 |
| @Vedatasearch@TVeDataSearch@ | 141 |
| rtcAnsiValueBstr | 141 |
| __vbaRedimPreserveVar | 141 |
| RemoveFontMemResourceEx | 141 |
| CryptCATAdminReleaseContext | 141 |
| VarCyFromStr | 141 |
| SetupOpenInffFileA | 141 |
| @System@@VarArrayGet\$qr14System@Va | 141 |
| @System@@VarFromWStr\$qqrr14System@ | 141 |
| @Registry@TRegIniFile@WriteBool\$qqrx17' | 141 |
| @Registry@TRegIniFile@ReadBool\$qqrx17S | 141 |
| @Registry@TRegIniFile@WriteInteger\$qqrx | 141 |
| @Registry@TRegIniFile@ReadInteger\$qqrx1 | 141 |
| @Math@Power\$qqrxgxg | 141 |
| @Imglist@TCustomImageList@Clear\$qqrv | 141 |
| @Imglist@TCustomImageList@\$bctr\$qqrp1 | 141 |
| @Dialogs@TOpenDialog@SetInitialDir\$qqrx | 141 |
| @Dialogs@TOpenDialog@GetFilterIndex\$qc | 141 |
| @Dxtl@TCustomdxTreeList@GetNode\$qqri | 141 |
| @Dxpsglbl@Finalization\$qqrv | 141 |
| @Dxpsutl@Finalization\$qqrv | 141 |
| @Dxprndev@Finalization\$qqrv | 141 |
| @Dxpsres@Finalization\$qqrv | 141 |
| @Dxpssengn@Finalization\$qqrv | 141 |
| @Dxpssngltn@Finalization\$qqrv | 141 |
| @Dxprnpg@Finalization\$qqrv | 141 |
| @Dxwrap@Finalization\$qqrv | 141 |
| @Dxbkgnd@Finalization\$qqrv | 141 |
| @Dxextctrls@Finalization\$qqrv | 141 |
| @Dxpspopupman@Finalization\$qqrv | 141 |
| @Dxpsscore@Finalization\$qqrv | 141 |
| @Dxpgsdlg@Finalization\$qqrv | 141 |
| @Dxprevw@Finalization\$qqrv | 141 |
| @Dxfmclr@Finalization\$qqrv | 141 |
| @Dxpsfillpatterns@Finalization\$qqrv | 141 |
| @Dxpsedgepatterns@Finalization\$qqrv | 141 |
| @Dxpspgsmnubld@Finalization\$qqrv | 141 |

| | |
|---|-----|
| @Dxpsexplorertreeview@Finalization\$qqrv | 141 |
| @Dxpsprvwstd@Finalization\$qqrv | 141 |
| @Dxpsprvw@Finalization\$qqrv | 141 |
| @Dxpsautohtextmnubld@Finalization\$qqrv | 141 |
| @Dxppattr@Finalization\$qqrv | 141 |
| @Cxgridviewdata@Finalization\$qqrv | 141 |
| @Frxclass@TfrxReport@ShowReport\$qqso | 141 |
| @Frxdbset@TfrxDBDataset@ | 141 |
| @Frxexportxls@TfrxXLSExport@ | 141 |
| @Frxexportpdf@TfrxPDFExport@ | 141 |
| GetConsoleCharType | 141 |
| uno_type_any_assign | 141 |
| CcDeferWrite | 140 |
| GetConsoleCommandHistoryW | 140 |
| _wgetcwd | 140 |
| @Classes@TList@Put\$qqripv | 140 |
| @Jvplacemnt@TJvFormPlacement@Restore | 140 |
| @Cxgridcustomview@TcxCustomGridView@ | 140 |
| @Cxgridpopupmenu@TcxGridPopupMenu@ | 140 |
| rtcSpaceVar | 140 |
| GopherGetAttributeW | 140 |
| SHRegGetUSValueW | 140 |
| @System@@VarAdd\$qqrr14System@Varia | 140 |
| @System@@INT\$qqrv | 140 |
| @Sysutils>CreateDir\$qqrx17System@AnsIS | 140 |
| @Imglist@TCustomImageList@AddMasked\$ | 140 |
| @Dxeditor@TdxInplaceMaskEdit@GetText\$ | 140 |
| @Dxtl@TdxTreeListColumn@GetCaption\$qc | 140 |
| @Strtools@Mess\$qqr17System@AnsiString | 140 |
| @Vedataset@TVEDataset@AddWhereClaus | 140 |
| @Dxpsimags@Finalization\$qqrv | 140 |
| @Dxpsesys@Finalization\$qqrv | 140 |
| @Dxbase@Finalization\$qqrv | 140 |
| @Dxfefdlg@Finalization\$qqrv | 140 |
| @Dxpsform@Finalization\$qqrv | 140 |
| @Dxpcprvw@Finalization\$qqrv | 140 |
| @Dxextctrlsstrs@Finalization\$qqrv | 140 |
| @Dxpsevnt@Finalization\$qqrv | 140 |
| @Dxprndlg@Finalization\$qqrv | 140 |
| @Dxfmdtfmt@Finalization\$qqrv | 140 |
| @Dxfmpnfmt@Finalization\$qqrv | 140 |
| @Dxpsfmttl@Finalization\$qqrv | 140 |
| @Dxfmchfn@Finalization\$qqrv | 140 |
| @Dxpsfmreportproperties@Finalization\$qqi | 140 |
| @Dxpsfmcompositiondsg@Finalization\$qqrv | 140 |
| @Dxpsfmcompositionadd@Finalization\$qqr | 140 |
| @Dxpscompsprovider@Finalization\$qqrv | 140 |

| | |
|--|-----|
| @Dxpsecpdsg@Finalization\$qqrv | 140 |
| @Dxpsfmlnkadd@Finalization\$qqrv | 140 |
| @Dxpsfmeditdesc@Finalization\$qqrv | 140 |
| @Dxpsprvwopt@Finalization\$qqrv | 140 |
| @Dxfmmnpg@Finalization\$qqrv | 140 |
| @Dxpsextlgs@Finalization\$qqrv | 140 |
| @Dxfmzoom@Finalization\$qqrv | 140 |
| @Dxfmdfnstl@Finalization\$qqrv | 140 |
| @Dxpsfmautohtextfmt@Finalization\$qqrv | 140 |
| @Dxpshftoolbarbld@Finalization\$qqrv | 140 |
| @Dxpsdxtllnk@Finalization\$qqrv | 140 |
| @Dxpsdxdctrlnk@Finalization\$qqrv | 140 |
| @Dxpsdxdgrlnk@Finalization\$qqrv | 140 |
| @Cxdropdownedit@TcxComboBox@ | 140 |
| @Cxgridbbandedtableview@Finalization\$q | 140 |
| @Frxclass@TfrxReport@PrepareReport\$qqr | 140 |
| @Frxclass@TfrxReport@LoadFromFile\$qqrx | 140 |
| @Fs_iinterpreter@TfsScript@ | 140 |
| @Frxdbset@TfrxDBDataset@SetDataSet\$qq | 140 |
| @Frxexporttxt@TfrxTXTExport@ | 140 |
| @Frxexportrtf@TfrxRTFExport@ | 140 |
| @Frxrich@TfrxRichObject@ | 140 |
| @Frxgzip@TfrxGZipCompressor@ | 140 |
| @Frxole@TfrxOLEObject@ | 140 |
| @Frxgradient@TfrxGradientObject@ | 140 |
| @Frxdmpexport@TfrxDotMatrixExport@ | 140 |
| @Frxcheckbox@TfrxCheckBoxObject@ | 140 |
| @Frbarcode@TfrxBarCodeObject@ | 140 |
| RegisterTraceGuidsA | 140 |
| GetIpForwardTable | 140 |
| MsiEnumProductsA | 139 |
| _ismbc1 | 139 |
| AccessibleObjectFromPoint | 139 |
| ?find@\$basic_string@DU?\$char_traits@D(| 139 |
| GetComPlusPackageInstallStatus | 139 |
| OpenConsoleW | 139 |
| _wmkdir | 139 |
| ?WeakImplHelper_query@cppu@@YA?AVWeakImplHelper@1@A | 139 |
| ?WeakImplHelper_getTypes@cppu@@YA?AVWeakImplHelper@1@A@A | 139 |
| FtpRenameFileA | 139 |
| GdiEntry3 | 139 |
| ImmSetOpenStatus | 139 |
| @Cxgridcustomview@TcxCustomGridView@ | 139 |
| @Cxgridtableview@TcxGridTableView@Get | 139 |
| rtcMidCharBstr | 139 |
| GdiEntry13 | 139 |
| __getreent | 139 |

| | |
|--|-----|
| _ismbcalpha | 139 |
| @System@@OleVarFromInt\$qqrr17System@ | 139 |
| @Sysutils@GetModuleName\$qqrui | 139 |
| @Classes@TCollection@Delete\$qqri | 139 |
| @Imglist@TCustomImageList@SetHeight\$qqri | 139 |
| @Imglist@TCustomImageList@SetWidth\$qqri | 139 |
| @Db@TField@GetDisplayLabel\$qqrv | 139 |
| @Db@TDataSet@ | 139 |
| @Jvfileutil@ForceDirectories\$qqr17System@ | 139 |
| @Dxdbgrid@TCustomdxDBGrid@SetDataSo | 139 |
| @Dxexedtr@TdxInplaceSpinEdit@GetIntVali | 139 |
| @Dxedlib@TdxPickEdit@ | 139 |
| @Dxedlib@TdxSpinEdit@ | 139 |
| @Dxpstextout@Finalization\$qqrv | 139 |
| @Dxgriddialog@TdxGridDialog@SaveToReg | 139 |
| @Cxgridcustomtableview@TcxCustomGridT | 139 |
| @Cxdropdownedit@TcxCustomComboBoxP | 139 |
| @Cxtededit@TcxCustomTextEdit@SetItemI | 139 |
| @Cxtededit@TcxCustomTextEdit@GetItem | 139 |
| @Cxgridtableview@TcxGridTableView@Get | 139 |
| @Cxexportgrid4link@Finalization\$qqrv | 139 |
| @Cxexport@Finalization\$qqrv | 139 |
| @Cxexportstrs@Finalization\$qqrv | 139 |
| @Cxxlsexport@Finalization\$qqrv | 139 |
| @Cxhtmlxmltxtexport@Finalization\$qqrv | 139 |
| @Jvmail@TJvMail@SendMail\$qqro | 139 |
| @Jvmail@TJvMail@ | 139 |
| @Frxclass@TfrxReport@AddFunction\$qqrx1 | 139 |
| @Frxclass@TfrxReport@Print\$qqsv | 139 |
| @Frxclass@TfrxReport@Export\$qqrp31Frxc | 139 |
| @Frxclass@TfrxReport@DesignReport\$qqsv | 139 |
| @Frxclass@TfrxCustomDBDataSet@\$bctr\$qq | 139 |
| @Frxclass@TfrxDataSet@ | 139 |
| @Frxprinter@frxPrinters\$qqrv | 139 |
| @Frxprinter@TfrxPrinters@SetPrinterIndex@ | 139 |
| @Fs_iformsrtti@TfsFormsRTTI@ | 139 |
| @Fs_iclassesrtti@TfsClassesRTTI@ | 139 |
| @Fs_igraphicsrtti@TfsGraphicsRTTI@ | 139 |
| @Fs_ipascal@TfsPascal@ | 139 |
| @Fs_icpp@TfsCPP@ | 139 |
| @Fs_ibasic@TfsBasic@ | 139 |
| @Fs_ijs@TfsJScript@ | 139 |
| @Fs_idialogsrtti@TfsDialogsRTTI@ | 139 |
| @Frxdesgn@TfrxDesigner@ | 139 |
| @Fs_iextctrlsrtti@TfsExtCtrlsRTTI@ | 139 |
| @Fs_idbrtti@TfsDBRTTI@ | 139 |
| @Fs_idbctrlsrtti@TfsDBCtrlsRTTI@ | 139 |

| | |
|--|-----|
| @Fs_icharrtti@TfsChartRTTI@ | 139 |
| @Fs_iadortti@TfsADORTTI@ | 139 |
| @Frxeportxml@TfrxXMLExport@ | 139 |
| @Frxeportimage@TfrxJPEGExport@ | 139 |
| @Frxeportimage@TfrxTIFFExport@ | 139 |
| @Frxeportimage@TfrxBMPExport@ | 139 |
| @Frxeporthtml@TfrxHTMLExport@ | 139 |
| @Frxdctrl@TfrxDialogControls@ | 139 |
| @Frxcross@TfrxCrossObject@ | 139 |
| @Frxchart@TfrxChartObject@ | 139 |
| @Frxadocomponents@TfrxADOComponents@ | 139 |
| @Frxeportcsv@TfrxCSVExport@ | 139 |
| DirectInputCreateEx | 138 |
| GdiEntry8 | 138 |
| MsiGetMode | 138 |
| HalTranslateBusAddress | 138 |
| BroadcastSystemMessageExA | 138 |
| ExInitializeNPagedLookasideList | 138 |
| RpcServerRegisterAuthInfoW | 138 |
| ??4?\$basic_string@GU?\$char_traits@G@std@ | 138 |
| CcInitializeCacheMap | 138 |
| CcUnpinRepinnedBcb | 138 |
| IoReleaseRemoveLockEx | 138 |
| ?_Grow@?\$basic_string@GU?\$char_traits@ | 138 |
| lineShutdown | 138 |
| RtlInsertElementGenericTable | 138 |
| GdiEntry10 | 138 |
| @Cxgridtableview@TcxGridTableView@Get | 138 |
| @Vedatasearch@TStringSearchField@ | 138 |
| WNetEnumResourceW | 138 |
| JLI_MemFree | 138 |
| LdrGetDllHandle | 138 |
| BuildSecurityDescriptorA | 138 |
| InternetSetOptionExW | 138 |
| @System@@OleVarFromVar\$qqrr17System | 138 |
| @Sysutils@GUIDToString\$qqrrx5_GUID | 138 |
| @Variants@EmptyParam | 138 |
| @Dxtl@TdxTreeListColumn@GetVisible\$qqr | 138 |
| @Dxtl@TCustomdxTreeList@EndUpdate\$qq | 138 |
| @Dxtl@TCustomdxTreeList@ColumnsCusto | 138 |
| @Dxtl@TCustomdxTreeList@BeginUpdate\$qq | 138 |
| @Dxtl@TdxTreeListNode@GetString\$qqri | 138 |
| @Dxdbctrl@TCustomdxDBTreeListControl@ | 138 |
| @Dxededtr@TdxInplaceCheckEdit@GetChec | 138 |
| @Dxedlib@TdxCheckEdit@ | 138 |
| @Dxpsscore@TdxComponentPrinter@ | 138 |
| @Dxpssdxbgrlnk@TdxDBGridReportLink@ | 138 |

| | |
|--|-----|
| @Dxgriddialog@TdxGridDialog@LoadFromR | 138 |
| @Cxgridlevel@TcxGridLevel@GetItem\$qqri | 138 |
| @Cxdropdownedit@TcxCustomComboBox@ | 138 |
| @Cxcheckbox@TcxCustomCheckListBox@ | 138 |
| @Cxcheckbox@TcxCustomCheckListBox@ | 138 |
| @Cxcheckbox@TcxCheckListBoxItems@A | 138 |
| @Cxcheckbox@TcxCheckListBoxItems@C | 138 |
| @Cxcheckbox@TcxCheckListBoxItem@Se | 138 |
| @Cxcheckbox@TcxCheckListBoxItem@Ge | 138 |
| @Cxcheckbox@TcxCheckListBox@ | 138 |
| @Cxgriddbtableview@TcxGridDBTableView | 138 |
| @DxpscxgridInk@Finalization\$qqrv | 138 |
| @Dxpscxcommon@Finalization\$qqrv | 138 |
| CryptCATAdminEnumCatalogFromHash | 137 |
| ZwQueryDirectoryObject | 137 |
| NetGetDCName | 137 |
| DeviceCapabilitiesA | 137 |
| CcCanIWrite | 137 |
| GetCharABCWidthsI | 137 |
| NtQueryInformationThread | 137 |
| SetUrlCacheEntryInfoW | 137 |
| GdiGradientFill | 137 |
| SetTermSrvAppInstallMode | 137 |
| InternetCreateUrlW | 137 |
| VarDateFromStr | 137 |
| GetProfilesDirectoryW | 137 |
| FtpFindFirstFileW | 137 |
| @System@@IntfDispCall\$qv | 137 |
| @System@@VarRDiv\$qqrr14System@Varia | 137 |
| @System@@VarMul\$qqrr14System@Varia | 137 |
| @Dialogs@InputBox\$qqrx17System@AnsiSt | 137 |
| @Adodb@TCustomADODataSet@GetConne | 137 |
| @Jvplacemnt@TJvFormPlacement@SetIniSe | 137 |
| @Dxdbgrid@TCustomdxDBGrid@SetGroupF | 137 |
| @Dxtl@TCustomdxTreeList@FullExpand\$qq | 137 |
| @Dxtl@TCustomdxTreeList@FullCollapse\$q | 137 |
| @Veedit@TVEEdit@GetValue\$qqrv | 137 |
| @Fr_e_txt@TfrTextExport@ | 137 |
| @Fr_chart@TfrChartObject@ | 137 |
| @Fr_ole@TfrOLEObject@ | 137 |
| @Dxpsscore@TCustomdxComponentPrinter@ | 137 |
| @Dxpsscore@TCustomdxComponentPrinter@ | 137 |
| @Dxpsscore@TdxReportTitle@SetText\$qqrx1 | 137 |
| @Fr_cross@TfrCrossObject@ | 137 |
| @Cxcheckbox@TcxCustomCheckListBox@ | 137 |
| @Cxcheckbox@TcxCheckListBoxItem@Se | 137 |
| @Cxgridtableview@TcxGridTableView@Get | 137 |

| | |
|--|-----|
| @Cxgridtableview@TcxGridTableView@Get | 137 |
| @Cxgridtableview@TcxGridTableOptionsVie | 137 |
| @Cxgridtableview@TcxGridTableOptionsCu: | 137 |
| @Cxgridtableview@TcxGridViewData@GetF | 137 |
| @Cxgriddbtableview@TcxGridDBCOLUMN@C | 137 |
| @Cxgriddbdatadefinitions@TcxGridItemDBI | 137 |
| @Dxpscxgridlnk@TdxGridReportLink@ | 137 |
| @Cxexportgrid4link@ExportGrid4ToExcel\$q | 137 |
| _wsplitpath_s | 136 |
| RegDisablePredefinedCache | 136 |
| _expand | 136 |
| MmFlushImageSection | 136 |
| IoCheckQuotaBufferValidity | 136 |
| VerifyConsoleIoHandle | 136 |
| __vbaVargObj | 136 |
| NetServerEnum | 136 |
| @Dxgrclms@initialization\$qqrv | 136 |
| CertFindExtension | 136 |
| @System@RemoveModuleUnloadProc\$qqrj | 136 |
| @System@AddModuleUnloadProc\$qqrpqqr | 136 |
| ShellMessageBoxA | 136 |
| JLI_ExactVersionId | 136 |
| JLI_JarUnpackFile | 136 |
| JLI_StringDup | 136 |
| JLI_ParseManifest | 136 |
| JLI_ValidVersionString | 136 |
| JLI_AcceptableRelease | 136 |
| JLI_FreeManifest | 136 |
| JLI_MemAlloc | 136 |
| GetFirmwareEnvironmentVariableW | 136 |
| GopherFindFirstFileW | 136 |
| SheChangeDirExW | 136 |
| UpdateFromAppChange | 136 |
| @Variants@VarIsFloat\$qqrrx14System@Var | 136 |
| @Controls@TWinControl@SetParentWindow | 136 |
| @Controls@TWinControl@\$bctr\$qqrui | 136 |
| @Adodb@TCustomADODataset@GetComm | 136 |
| @Adodb@TCustomADODataset@GetComm | 136 |
| @Adodb@TADOConnection@GetProperties | 136 |
| @Db@TField@GetDisplayName\$qqrv | 136 |
| @Vedatasearch@TVeDataSearch@ GetUserF | 136 |
| @Vedatasearch@TVeDataSearch@GetResul | 136 |
| @Vedatasearch@TVeDataSearch@GetSearc | 136 |
| @Vedatasearch@TVeDataSearch@GetSearc | 136 |
| @Vedatasearch@TVeDataSearch@WriteVal | 136 |
| @Vedatasearch@TVeDataSearch@ResetVal | 136 |
| @Vedatasearch@TSearchField@GetValue\$qq | 136 |

| | |
|---|-----|
| @Cxclasses@cxSetResourceString\$qqrpvx1 | 136 |
| @Jvplacemnt@TJvFormPlacement@GetIniS | 136 |
| @Jvfileutil@GetTempDir\$qqrv | 136 |
| @Dxdbgrid@TdxDBGrid@SaveToXML\$qqrx1 | 136 |
| @Dxdbgrid@TdxDBGrid@SaveToText\$qqrx1 | 136 |
| @Dxdbgrid@TdxDBGrid@SaveToXLS\$qqrx1 | 136 |
| @Dxdbgrid@TdxDBGrid@SaveToHTML\$qqrx1 | 136 |
| @Dxdbgrid@TdxDBGridFilter@SetActive\$qq | 136 |
| @Dxdbgrid@TCustomdxDBGrid@SetFooterF | 136 |
| @Dxdbgrid@TCustomdxDBGrid@GetFooter | 136 |
| @Dxdbgrid@TCustomdxDBGrid@GetFilter\$e | 136 |
| @Dxdbgrid@sdxPanelText | 136 |
| @Dxtl@TCustomdxTreeListControl@SetHea | 136 |
| @Dxdbcctrl@TCustomdxDBTreeListControl@ | 136 |
| @Dxdbcctrl@TdxDBTreeListColumn@SetSum | 136 |
| @Dxexedtr@TdxInplaceDateEdit@SetDate\$e | 136 |
| @Dxexedtr@TdxInplaceDateEdit@GetDate\$ | 136 |
| @Dxedlib@TdxDateEdit@ | 136 |
| @Oleserver@TOleServer@QueryInterface\$c | 136 |
| @Oleserver@TOleServer@SetConnectKind\$ | 136 |
| @Oleserver@TOleServer@GetServer\$qqrv | 136 |
| @Oleserver@TOleServer@Loaded\$qqrv | 136 |
| @Oleserver@TOleServer@\$bdtr\$qqrv | 136 |
| @Oleserver@TOleServer@\$bctr\$qqrp18Cla | 136 |
| @\$xp\$20Oleserver@TOleServer | 136 |
| @Oleserver@TOleServer@ | 136 |
| @Fr_class@TfrReport@SaveToFile\$qqr17Sy | 136 |
| @Fr_class@TfrPages@Add\$qqrv | 136 |
| @Fr_class@TfrPages@Clear\$qqrv | 136 |
| @Fr_class@TfrPages@GetPages\$qqri | 136 |
| @Fr_class@TfrLineView@\$bctr\$qqrv | 136 |
| @Fr_class@TfrBandView@SetBandType\$qq | 136 |
| @Fr_class@TfrBandView@\$bctr\$qqrv | 136 |
| @Fr_class@TfrMemoView@\$bctr\$qqrv | 136 |
| @Fr_class@TfrView@SetBounds\$qqriiiii | 136 |
| @Fr_class@TfrLineView@ | 136 |
| @Fr_class@TfrBandView@ | 136 |
| @Fr_class@TfrMemoView@ | 136 |
| @Cxstyles@SaveStyleSheetsToIniFile\$qqrx1 | 136 |
| @Cxstyles@TcxStyleRepository@GetStyleSh | 136 |
| @Cxstyles@TcxStyleRepository@GetStyleSh | 136 |
| @Cxcustomdata@TcxCustomDataController | 136 |
| @Cxcustomdata@TcxCustomDataController | 136 |
| @Cxcustomdata@TcxDataSummaryItems@i | 136 |
| @Cxcustomdata@TcxDataSummaryItems@i | 136 |
| @Cxcustomdata@TcxDataSummaryItems@i | 136 |
| @Cxcustomdata@TcxDataSummaryItem@Si | 136 |

| | |
|--|-----|
| @Cxcustomdata@TcxDataSummaryItem@S | 136 |
| @Cxcustomdata@TcxDataSummaryItem@S | 136 |
| @Cxcustomdata@TcxCustomDataSummaryI | 136 |
| @Cxcustomdata@TcxCustomDataSummaryI | 136 |
| @Cxcustomdata@TcxDataControllerGroups | 136 |
| @Cxcustomdata@TcxDataControllerGroups | 136 |
| @Cxdpdata@TcxDBDataController@GetFilte | 136 |
| @Cxdpdata@TcxDBDataController@GetDat | 136 |
| @Cxdbdata@TcxDBDataSummaryItem@Set | 136 |
| @Cxdbdata@TcxDBDataFilterCriteria@SetA | 136 |
| @Cxgrid@TcxCustomGrid@GetViewCount\$e | 136 |
| @Cxgridcustomtableview@TcxCustomGridT | 136 |
| @Cximagecombobox@TcxCustomImageCon | 136 |
| @Cximagecombobox@TcxImageComboBoxI | 136 |
| @Cxgridstrs@_scxGridFilterCustomizeButto | 136 |
| @Cxgridstrs@_scxGridGroupByBoxCaption | 136 |
| @Cxgridstrs@_scxGridCustomizationFormCr | 136 |
| @Cxgridstrs@_scxGridCustomizationFormCr | 136 |
| @Cxgridtableview@TcxGridTableView@Get | 136 |
| @Cxgriddbtableview@TcxGridDBTableView@ | 136 |
| @Cxgriddbtableview@TcxGridDBTableSumm | 136 |
| @Cxgriddbtableview@TcxGridDBTableSumm | 136 |
| @Cxgriddbdatadefinitions@TcxGridItemDBC | 136 |
| @Cxexportgrid4link@ExportGrid4ToText\$qq | 136 |
| @Cxexportgrid4link@ExportGrid4ToXML\$qc | 136 |
| @Cxexportgrid4link@ExportGrid4ToHTML\$c | 136 |
| rtl_uString_newConcat | 136 |
| WinHttpCreateUrl | 136 |
| _wrename | 135 |
| GdiDIIInitialize | 135 |
| GetGeoInfoW | 135 |
| RtlGetAce | 135 |
| EnterCriticalPolicySection | 135 |
| _mbsspn | 135 |
| PsReferencePrimaryToken | 135 |
| SeTokenIsAdmin | 135 |
| AddLocalAlternateComputerNameA | 135 |
| RegisterBindStatusCallback | 135 |
| VarBstrFromDate | 135 |

| | |
|--|-----|
| _copysign | 135 |
| @Cxstyles@LoadStyleSheetsFromIniFile\$qqi | 135 |
| @DxpscxgridInk@TdxGridReportLinkStyleSh | 135 |
| @Dxpscxcommon@TdxCustomcxControlReç | 135 |
| CryptCATCatalogInfoFromContext | 134 |
| WinHttpSetOption | 134 |
| RpcAsyncCompleteCall | 134 |
| FtpGetCurrentDirectoryW | 134 |
| CopyLZFile | 134 |
| ?deallocate@?\$_node_alloc@\$00\$0A@@@_ | 134 |
| ?allocate@?\$_node_alloc@\$00\$0A@@@_S1 | 134 |
| RtlNumberOfClearBits | 134 |
| mmioCreateChunk | 134 |
| FsRtlDeregisterUncProvider | 134 |
| _set_error_mode | 134 |
| CreateFontIndirectExA | 134 |
| DrawDibGetPalette | 134 |
| VarI4FromStr | 134 |
| _gcvt | 134 |
| AVIFileCreateStreamA | 134 |
| GdiConsoleTextOut | 133 |
| GetCurrentActCtx | 133 |
| NS_GetComponentManager | 133 |
| ??0bad_cast@@QAE@ABV0@@Z | 133 |
| ReadUrlCacheEntryStream | 133 |
| KeInsertDeviceQueue | 133 |
| StackWalk | 133 |
| _mbsrev | 133 |
| CreateUrlCacheContainerW | 133 |
| IoSetPartitionInformationEx | 133 |
| DeletePrinterConnectionW | 133 |
| ?find_last_of@?\$basic_string@DU?\$char_tr | 133 |
| rtcVarBstrFromAnsi | 133 |
| DoOrganizeFavDlg | 133 |
| PdhGetDataSourceTimeRangeW | 133 |
| UrlCreateFromPathA | 133 |
| AVIStreamSetFormat | 133 |
| @Sysutils@StrToIntDef\$qqrx17System@Ans | 132 |
| ExNotifyCallback | 132 |
| GetDCBrushColor | 132 |
| mixerGetLineInfoW | 132 |
| PsGetProcessId | 132 |
| ?_Eos@?\$basic_string@GU?\$char_traits@G | 132 |
| InternetAutodialHangup | 132 |
| RegisterLogonProcess | 132 |
| GetCharWidthI | 132 |
| VarBstrFromCy | 132 |

| | |
|---|-----|
| IoCreateDisk | 132 |
| EncryptFileW | 132 |
| WriteConsoleInputVDMA | 132 |
| @System@@VarToCurr\$qqrrx14System@V: | 132 |
| SetWindowTheme | 132 |
| ?string_table_delete_all@@YGHPAUST_stir | 132 |
| ?xml_parse_config@@YGHPADPAPAU_tagC | 132 |
| ?string_table_add@@YGHPAUST_string_tab | 132 |
| ?string_table_alloc@@YGHPAPAUSt_string_ | 132 |
| PsGetCurrentProcess | 131 |
| _wfopen | 131 |
| _putws | 131 |
| ??1bad_cast@@UAE@XZ | 131 |
| IoReadDiskSignature | 131 |
| RpcBindingSetAuthInfoA | 131 |
| GdipDeleteStringFormat | 131 |
| MmLockPagableSectionByHandle | 131 |
| EngCreateBitmap | 131 |
| ZwOpenThread | 131 |
| GdipReversePath | 131 |
| StartPagePrinter | 130 |
| CcSetBcbOwnerPointer | 130 |
| MsiCloseHandle | 130 |
| UrlZonesDetach | 130 |
| _allshr | 130 |
| WinHttpGetIEProxyConfigForCurrentUser | 130 |
| FindNextUrlCacheGroup | 130 |
| IoQueryFileDosDeviceName | 130 |
| ExpandEnvironmentStringsForUserW | 130 |
| Zombie_AddRef | 130 |
| ColorAdjustLuma | 130 |
| EndDocPrinter | 130 |
| GdipAddPathArc | 130 |
| ??6?\$basic_ostream@DU?\$char_traits@D@ | 130 |
| NtSetEvent | 130 |
| CcCopyRead | 129 |
| MsiEnumClientsA | 129 |
| MsiDoActionA | 129 |
| KeReleaseQueuedSpinLock | 129 |
| waveOutMessage | 129 |
| _ftol2 | 129 |
| QueryDepthSList | 129 |
| GetGlyphIndicesA | 129 |
| CM_Get_DevNode_Status_Ex | 129 |
| AVIStreamGetFrame | 129 |
| CryptVerifyMessageSignature | 129 |
| GdiReleaseDC | 129 |

| | |
|---|-----|
| _getmbcp | 129 |
| __vbaVarSetVarAddref | 129 |
| InternetGoOnline | 129 |
| VarNeg | 129 |
| GetUrlCacheEntryInfoExA | 129 |
| GopherCreateLocatorA | 129 |
| GetThemeFont | 129 |
| BuildTrusteeWithSidW | 129 |
| InvalidateConsoleDIBits | 129 |
| ?? | 129 |
| CcRepinBcb | 128 |
| NS_StringContainerInit2 | 128 |
| NS_CStringSetData | 128 |
| GetOldestEventLogRecord | 128 |
| CryptUIDlgViewCertificateW | 128 |
| NtSetInformationFile | 128 |
| ZwSetEvent | 128 |
| GetExplicitEntriesFromAclA | 128 |
| ??6?\$basic_ostream@DU?\$char_traits@D@ | 128 |
| SetServiceAsTrustedW | 128 |
| rtcFileLength | 128 |
| UrlCanonicalizeA | 128 |
| __vbaVarTextTstEq | 127 |
| wglGetCurrentContext | 127 |
| KefReleaseSpinLockFromDpcLevel | 127 |
| RpcServerRegisterAuthInfoA | 127 |
| _strtoui64 | 127 |
| SeSetAccessStateGenericMapping | 127 |
| ?npos@?\$basic_string @_WU?\$char_traits@ | 127 |
| lineNegotiateAPIVersion | 127 |
| _getdcwd | 127 |
| NtProtectVirtualMemory | 127 |
| StartTraceW | 127 |
| rtcBstrFromAnsi | 127 |
| ObjectCloseAuditAlarmW | 126 |
| RtlOpenCurrentUser | 126 |
| RetrieveUrlCacheEntryStreamA | 126 |
| ??Y?\$basic_string@GU?\$char_traits@G@st | 126 |
| FindActCtxSectionGuid | 126 |
| LsaGetUserName | 126 |
| NtOpenEvent | 126 |
| RtlFindMostSignificantBit | 126 |
| GdiGetDC | 126 |
| PathRelativePathToW | 126 |
| GdipCreateLineBrush | 126 |
| GetStringBitmapA | 125 |
| GetTextExtentPointI | 125 |

| | |
|--|-----|
| SamRemoveMultipleMembersFromAlias | 125 |
| GdipGetGenericFontFamilySansSerif | 125 |
| CommitUrlCacheEntryA | 125 |
| IoReleaseVpbSpinLock | 125 |
| GdiSetAttrs | 125 |
| _wremove | 125 |
| ??Y?\$basic_string@_WU?\$char_traits@_W(| 125 |
| ImmGetConversionListA | 125 |
| __toascii | 125 |
| rtcStrConvVar2 | 125 |
| CryptUIDlgSelectCertificateW | 125 |
| GetHFONT | 125 |
| FreeGPOListW | 125 |
| ASN1BEREncNull | 125 |
| InternetFindNextFileW | 125 |
| GetFirmwareEnvironmentVariableA | 125 |
| TzSpecificLocalTimeToSystemTime | 125 |
| WTSEnumerateSessionsW | 124 |
| GdiFixUpHandle | 124 |
| FtpRenameFileW | 124 |
| mixerGetDevCapsW | 124 |
| WTHelperGetProvCertFromChain | 124 |
| BaseCleanupAppcompatCacheSupport | 124 |
| UnlockUrlCacheEntryStream | 124 |
| Direct3DCreate8 | 124 |
| PATHOBJ_vEnumStart | 124 |
| is_wctype | 124 |
| RegisterMessagePumpHook | 124 |
| sleep | 124 |
| ?sputn@?\$basic_streambuf@DU?\$char_trai | 124 |
| AssocQueryKeyW | 124 |
| @Sysutils@EncodeDate\$qqrususus | 123 |
| XFORMOBJ_bApplyXform | 123 |
| midiConnect | 123 |
| CommitUrlCacheEntryW | 123 |
| ?_Getfacet@locale@std@@QBEPBVfacet@` | 123 |
| _stati64 | 123 |
| CredFree | 123 |
| DllInstall | 123 |
| GetConsoleNlsMode | 123 |
| @Vedatasearch@TIntegerSearchField@ | 123 |
| CertFindCRLInStore | 123 |
| RegisterWowBaseHandlers | 123 |
| QueryServiceLockStatusA | 123 |
| IncrementUrlCacheHeaderData | 123 |
| SymGetSymFromName | 123 |
| wcsxfrm | 123 |

| | |
|---|-----|
| SHQueryInfoKeyW | 123 |
| @System@@AddRefArray\$qqrv | 122 |
| SamConnectWithCreds | 122 |
| WNetGetLastErrorW | 122 |
| ?reserve@?\$basic_string@DU?\$char_traits@ RtlSubAuthorityCountSid | 122 |
| _gmtime64 | 122 |
| WTHelperProvDataFromStateData | 122 |
| InternetInitializeAutoProxyDll | 122 |
| _commit | 122 |
| GetUrlCacheEntryInfoExW | 122 |
| putwc | 122 |
| WSALookupServiceEnd | 122 |
| IsProcessInJob | 122 |
| SystemFunction040 | 122 |
| ASN1BERDecSXVal | 122 |
| ExpandEnvironmentStringsForUserA | 122 |
| WinStationFreeMemory | 122 |
| Ssync_ANSI_UNICODE_Struct_For_WOW | 122 |
| swscanf_s | 121 |
| NtQueryDirectoryFile | 121 |
| HalQueryRealTimeClock | 121 |
| NdisDeregisterProtocol | 121 |
| FtpCommandW | 121 |
| CM_Reenumerate_DevNode_Ex | 121 |
| GdipCreateStringFormat | 121 |
| CoGetContextToken | 121 |
| PathResolve | 121 |
| DeleteUrlCacheContainerW | 121 |
| ZwFlushVirtualMemory | 121 |
| IsTokenUntrusted | 121 |
| LsaLookupNames | 120 |
| LoadUrlCacheContent | 120 |
| InternetSetDialState | 120 |
| ??0?\$basic_string@GU?\$char_traits@G@std@ mmioOpenW | 120 |
| CertVerifySubjectCertificateContext | 120 |
| BaseInitAppcompatCacheSupport | 120 |
| _getws | 120 |
| ImmGetProperty | 120 |
| ?erase@?\$basic_string@GU?\$char_traits@ ??1OBJECT@@UAE@XZ | 120 |
| DosPathToSessionPathW | 120 |
| GetJobW | 120 |
| gluQuadricCallback | 120 |
| IsThemeActive | 120 |
| @Classes@TComponent@QueryInterface\$Q | 119 |

| | |
|--|-----|
| GdiCreateLocalEnhMetaFile | 119 |
| InprocServer32FromString | 119 |
| IoUnregisterFsRegistrationChange | 119 |
| GdiInitSpool | 119 |
| ICInstall | 119 |
| ?replace@?\$basic_string@DU?\$char_traits@ | 119 |
| SelectFontLocal | 119 |
| ?assign@?\$basic_string@GU?\$char_traits@ | 119 |
| _wopen | 119 |
| rtl_string_release | 119 |
| InternetHangUp | 119 |
| IoReadPartitionTableEx | 119 |
| EnumFormsW | 119 |
| GetConsoleInputExeNameW | 119 |
| ImmEnumRegisterWordW | 119 |
| ??0ARRAY@@QAE@XZ | 119 |
| ??1DSTRING@@UAE@XZ | 119 |
| GetEffectiveRightsFromAclW | 119 |
| ReadConsoleInputExW | 119 |
| ObjectDeleteAuditAlarmA | 119 |
| DetectAutoProxyUrl | 119 |
| EnableTrace | 119 |
| ?str@?\$basic_stringstream@DU?\$char_trait | 119 |
| @Cxgridcustomtableview@TcxCustomGridT | 119 |
| rtl_ustr_reverseCompare_WithLength | 119 |
| Control_RunDLLW | 119 |
| MmAllocateContiguousMemory | 118 |
| @System@@DynArraySetLength\$qqrv | 118 |
| strncpy_s | 118 |
| READ_PORT USHORT | 118 |
| DeleteIpNetEntry | 118 |
| GdipDrawImageRectRect | 118 |
| ??0?\$basic_ofstream@DU?\$char_traits@D@ | 118 |
| RemoveLocalAlternateComputerNameW | 118 |
| uno_type_sequence_realloc | 118 |
| GetClassURL | 118 |
| ImmRegisterWordW | 118 |
| SafeArrayDestroyDescriptor | 118 |
| NtAddAtom | 118 |
| rtcLeftCharBstr | 118 |
| InternetGetConnectedStateExW | 118 |
| RemoveVectoredExceptionHandler | 118 |
| PSetupEnumMonitor | 118 |
| GetSystemWow64DirectoryA | 118 |
| @System@@DynArrayClear\$qqrrpvpv | 117 |
| ZwWaitForSingleObject | 117 |
| HttpInitialize | 117 |

| | |
|--|-----|
| HttpTerminate | 117 |
| ?length@?\$char_traits@D@std@@SAIPBD@ | 117 |
| GetMultipleTrusteeA | 117 |
| RtlLookupElementGenericTable | 117 |
| PdhCloseQuery | 117 |
| IoRequestDeviceEject | 117 |
| ??0DSTRING@@QAE@XZ | 117 |
| UnlockUrlCacheEntryFile | 117 |
| CertGetNameStringA | 117 |
| StrIsIntlEqualA | 117 |
| _vbaLateMemCallSt | 117 |
| _vbaExitEachVar | 117 |
| SetupFindFirstLineA | 117 |
| EngLineTo | 116 |
| gluTessCallback | 116 |
| GetMappedFileNameW | 116 |
| CreateUrlCacheEntryW | 116 |
| NtOpenSection | 116 |
| UpdatePerUserSystemParameters | 116 |
| EventWrite | 116 |
| ImmCreateContext | 116 |
| PATHOBJ_bEnum | 116 |
| _ecvt | 116 |
| ImmInstallIMEA | 116 |
| GetUrlCacheHeaderData | 116 |
| NtEnumerateValueKey | 116 |
| SpoolerInit | 116 |
| URLOpenBlockingStreamA | 116 |
| IsUrlCacheEntryExpiredA | 116 |
| _wcsnset | 116 |
| ImageRvaToSection | 116 |
| ?find_first_of@?\$basic_string@DU?\$char_traits@ | 116 |
| RegisterSystemThread | 116 |
| GetEUDCTimeStampExW | 115 |
| GetTextExtentExPointWPri | 115 |
| HalAssignSlotResources | 115 |
| QueryActCtxW | 115 |
| SHGetFolderPathAndSubDirW | 115 |
| RpcServerUseProtseqW | 115 |
| MiniDumpReadDumpStream | 115 |
| DsRoleFreeMemory | 115 |
| RtlQueryEnvironmentVariable_U | 115 |
| ImmSetCompositionStringA | 115 |
| ImmGetDescriptionA | 115 |
| optarg | 115 |
| ?insert@?\$basic_string@DU?\$char_traits@I | 115 |
| FindClosePrinterChangeNotification | 115 |

| | |
|-----------------------------------|-----|
| @Classes@TComponent@\$bdtr\$qqrv | 114 |
| ?_Xlength_error@std@@YAXPBD@Z | 114 |
| PsRevertToSelf | 114 |
| FtpPutFileEx | 114 |
| InternetDialW | 114 |
| DrawCaptionTempW | 114 |
| CM_Get_DevNode_Registry_PropertyW | 114 |
| SymGetModuleInfo | 114 |
| capCreateCaptureWindowW | 114 |
| RtlAddAce | 114 |
| ImmEnumInputContext | 114 |
| GdipLoadImageFromStream | 114 |
| @Vedataset@DonemNo\$qqrv | 114 |
| CertNameToStrW | 114 |
| GetNumaAvailableMemoryNode | 114 |
| EndFormPage | 114 |
| GetConsoleSelectionInfo | 114 |
| GetTrusteeTypeA | 114 |
| GdiEntry14 | 113 |
| GdiGetCodePage | 113 |
| HalClearSoftwareInterrupt | 113 |
| WRITE_PORT_BUFFER USHORT | 113 |
| GdiTransparentBlt | 113 |
| GetProgmanWindow | 113 |
| CM_Get_Child | 113 |
| InternetGoOnlineA | 113 |
| SetUrlCacheEntryGroup | 113 |
| fputwc | 113 |
| InternetWriteFileExA | 113 |
| TransmitFile | 113 |
| ASN1Free | 113 |
| KeQueryPerformanceCounter | 113 |
| InternetLockRequestFile | 113 |
| @Vedataset@FirmaNo\$qqrv | 113 |
| GdiEntry12 | 113 |
| NlsGetCacheUpdateCount | 113 |
| snprintf | 113 |
| SetupDiClassNameFromGuidA | 113 |
| OleLoadPictureEx | 113 |
| WinStationOpenServerW | 113 |
| unlink | 113 |
| PathIsUNCServerShareA | 113 |
| IoSetStartIoAttributes | 112 |
| GdipDrawImageRect | 112 |
| FreeCredentialsHandle | 112 |
| UnloadNetworkFonts | 112 |
| kSystemEncoding | 112 |

| | |
|--|-----|
| ??0Tbstr@XPRT@@QAE@PBG@Z | 112 |
| ?Assign@Tbstr@XPRT@@QAEAAV12@ABV: | 112 |
| ??1Tbstr@XPRT@@QAE@XZ | 112 |
| ?GetString@Tbstr@XPRT@@QBEPBGXZ | 112 |
| ?Assign@Tbstr@XPRT@@QAEAAV12@PBG@ | 112 |
| ??0Tbstr@XPRT@@QAE@PBDPBG@Z | 112 |
| ??0Tbstr@XPRT@@QAE@ABV01@@Z | 112 |
| ?GetLength@Tbstr@XPRT@@QBEHXZ | 112 |
| CreateProcessInternalA | 112 |
| PrivCopyFileExW | 112 |
| CcRemapBcb | 112 |
| HT_Get8BPPMaskPalette | 112 |
| ImmEscapeW | 112 |
| ?Initialize@ARRAY@@QAEKK@Z | 112 |
| IoEnumerateDeviceObjectList | 112 |
| ZwQueryInformationThread | 112 |
| SetUrlCacheConfigInfoW | 112 |
| CreateActCtxA | 112 |
| GetHandleContext | 112 |
| SetupCopyOEMInfW | 112 |
| StrFromTimeIntervalW | 111 |
| RtlValidRelativeSecurityDescriptor | 111 |
| RegisterApplicationRestart | 111 |
| ?resize@?\$basic_string@DU?\$char_traits@I@std@@@Z | 111 |
| ??6ostream@@QAEAV0@PBD@Z | 111 |
| CcPinMappedData | 111 |
| SeFilterToken | 111 |
| SafeArrayAllocDescriptorEx | 111 |
| ?Mid@Tbstr@XPRT@@QBE?AV12@HH@Z | 111 |
| ?Append@Tbstr@XPRT@@QAEAAV12@G@ | 111 |
| _XprtMemAlloc@4 | 111 |
| xprt_memset | 111 |
| xprt_memmove | 111 |
| ?FreeDataChain@SPlex@XPRT@@QAEXXZ | 111 |
| ?Create@SPlex@XPRT@@SGPAU12@AAPA | 111 |
| _XprtMemFree@4 | 111 |
| ??0Tbstr@XPRT@@QAE@XZ | 111 |
| ?Compare@Tbstr@XPRT@@QBEHPBG@Z | 111 |
| ?GetAt@Tbstr@XPRT@@QBEGH@Z | 111 |
| ?Find@Tbstr@XPRT@@QBEHGH@Z | 111 |
| ?Mid@Tbstr@XPRT@@QBE?AV12@H@Z | 111 |
| ?IsEmpty@Tbstr@XPRT@@QBE_NXZ | 111 |
| EventRegister | 111 |
| EventUnregister | 111 |
| ImmGetCompositionWindow | 111 |
| AddLocalAlternateComputerNameW | 111 |
| AdjustTokenGroups | 111 |

| | |
|--|-----|
| ASN1BERDecOctetString | 111 |
| ASN1_CloseModule | 111 |
| SetupDiGetDeviceInstallParamsA | 111 |
| GetAppCompatFlags2 | 111 |
| ??_Difstream@@QAEXXZ | 111 |
| ColorRGBToHLS | 111 |
| ?get@?\$basic_istream@DU?\$char_traits@U@std@@@QAEAXXZ | 111 |
| WSAAsyncGetServByPort | 111 |
| @Vedatasearch@TDateSearchField@ | 111 |
| ??0?\$basic_streambuf@DU?\$char_traits@D@std@@@QBEHXZ | 110 |
| ?width@ios_base@std@@@QBEHXZ | 110 |
| GetNumaNodeProcessorMask | 110 |
| DeleteSecurityContext | 110 |
| ?RemoveKey@TPtrFromPtrMap@XPRT@@@QAEAVXPRTPTR@0 | 110 |
| ?GetNextAssoc@TPtrFromPtrMap@XPRT@() | 110 |
| ?GetStartPosition@TPtrFromPtrMap@XPRT@() | 110 |
| _XprtDestroyThread@8 | 110 |
| _XprtCreateThread@8 | 110 |
| xprt_strlen | 110 |
| ?Finish@TMdXDigest@XPRT@@@UAEHPAEH | 110 |
| ?Update@TMessageDigest@XPRT@@@QAEX | 110 |
| ?SetCount@TPtrArray@XPRT@@@QAE_NHH@0 | 110 |
| _XprtAtomicIncrement@4 | 110 |
| xprt_strcmp | 110 |
| ??ATPtrFromPtrMap@XPRT@@@QAEAAPAXF | 110 |
| xprt_iswdigit | 110 |
| ?SetAtGrow@TPtrArray@XPRT@@@QAEHXP@0 | 110 |
| ?Detach@TBstr@XPRT@@@QAEPAGXZ | 110 |
| ?Attach@TBstr@XPRT@@@QAEEXPAG@Z | 110 |
| ?GetEncodedString@TBstr@XPRT@@@QBEPE | 110 |
| ??OTPtrArray@XPRT@@@QAE@XZ | 110 |
| _XprtGetMilliseconds@0 | 110 |
| _XprtInitialize@8 | 110 |
| _XprtUninitialize@0 | 110 |
| ?Lookup@TPtrFromPtrMap@XPRT@@@QBE_ | 110 |
| ??OTPtrFromPtrMap@XPRT@@@QAE@H@Z | 110 |
| ?SetAt@TPtrFromPtrMap@XPRT@@@QAEPA | 110 |
| ?RemoveAll@TPtrFromPtrMap@XPRT@@@QAEAVXPRTPTR@0 | 110 |
| ??1TPtrFromPtrMap@XPRT@@@QAE@XZ | 110 |
| ?Assign@TBstr@XPRT@@@QAEAAV12@PBDI | 110 |
| xprt_memcpy | 110 |
| ?Add@TPtrArray@XPRT@@@QAEHPAX@Z | 110 |
| ??1TPtrArray@XPRT@@@QAE@XZ | 110 |
| _XprtAtomicDecrement@4 | 110 |
| EnumerateLocalComputerNamesW | 110 |
| BRUSHOBJ_hGetColorTransform | 110 |
| GdiDeleteSpoolFileHandle | 110 |

| | |
|--------------------------------------|-----|
| rtcSplit | 110 |
| InternetShowSecurityInfoByURL | 110 |
| InternetTimeToSystemTimeW | 110 |
| ShowClientAuthCerts | 110 |
| ASN1_Encode | 110 |
| strcasncmp | 110 |
| RegisterConsoleIME | 110 |
| OleTranslateColor | 110 |
| PathIsUNCServerA | 110 |
| @Classes@TComponent@ | 109 |
| SetLayoutWidth | 109 |
| EngDeletePalette | 109 |
| _wpopen | 109 |
| BaseCheckAppcompatCache | 109 |
| GdipFillRectangle | 109 |
| NetUserSetInfo | 109 |
| RunOnceUrlCache | 109 |
| gluNewTess | 109 |
| GetInternalWindowPos | 109 |
| InternetGoOnlineW | 109 |
| DeleteUrlCacheContainerA | 109 |
| getpid | 109 |
| @Vedatasearch@TVeDataSearch@SetVeDat | 109 |
| @System@@WStrCat\$qqrr17System@Wide | 108 |
| ?_Decref@facet@locale@std@@QAEPAV12 | 108 |
| VDMOperationStarted | 108 |
| RetrieveUrlCacheEntryStreamW | 108 |
| SheFullPathW | 108 |
| SetupScanFileQueueW | 108 |
| AddAuditAccessAce | 108 |
| ?Initialize@WSTRING@@QAEPPB1@KK@Z | 108 |
| _mktemp | 108 |
| rtl_ustr_valueOfInt32 | 108 |
| rtl_uStringbuffer_insert | 108 |
| WinStationSetInformationW | 108 |
| SetComPlusPackageInstallStatus | 108 |
| ImmConfigureIMEW | 108 |
| ShowSecurityInfo | 108 |
| DrawDibBegin | 108 |
| GetGeoInfoA | 108 |
| NotifyBootConfigStatus | 108 |
| ASN1BEREncCharString | 108 |
| SetEntriesInAuditListA | 108 |
| ASN1_CloseDecoder | 108 |
| iswlower | 108 |
| _spawnv | 108 |
| DrawDibRealize | 108 |

| | |
|--|-----|
| FindMimeFromData | 108 |
| __vbaCyForNext | 108 |
| rtcDoEvents | 108 |
| BuildTrusteeWithNameW | 108 |
| ?find_first_not_of@?\$basic_string@DU?\$ch | 108 |
| GetNumaHighestNodeNumber | 108 |
| ZwAccessCheckAndAuditAlarm | 107 |
| SetSystemMenu | 107 |
| NtAllocateLocallyUniqueId | 107 |
| InternetSecurityProtocolToStringA | 107 |
| ?width@ios_base@std@@QAEHH@Z | 107 |
| WSAAAsyncGetHostByAddr | 107 |
| UnlockWindowStation | 107 |
| GopherGetLocatorTypeW | 107 |
| AddRefActCtx | 107 |
| ??0?\$basic_string@GU?\$char_traits@G@st | 107 |
| SetLocalPrimaryComputerNameW | 107 |
| glBegin | 107 |
| SetSysColorsTemp | 107 |
| ??4?\$basic_string@GU?\$char_traits@G@st | 107 |
| CryptCATAdminReleaseCatalogContext | 107 |
| DrawDibStop | 107 |
| RegisterConsoleOS2 | 107 |
| DeletePrinter | 107 |
| ?c_str@?\$basic_string@_WU?\$char_traits@ | 107 |
| MkParseDisplayNameEx | 107 |
| ZwSystemDebugControl | 107 |
| SHRegOpenUSKeyW | 107 |
| DirectDrawCreateEx | 106 |
| HallInitSystem | 106 |
| ICCompress | 106 |
| AccessCheckAndAuditAlarmA | 106 |
| InternetSetDialStateA | 106 |
| InternetConfirmZoneCrossing | 106 |
| _inp | 106 |
| GetNodeClusterState | 106 |
| __fpecode | 106 |
| BuildTrusteeWithNameA | 106 |
| WinStationNameFromLogonIdW | 106 |
| DeviceCapabilitiesW | 106 |
| PrivateExtractIconExA | 106 |
| EudcLoadLinkW | 106 |
| _unloadaddll | 106 |
| ImmRegisterWordA | 106 |
| GdiEntry2 | 106 |
| WSADuplicateSocketW | 106 |
| SystemFunction041 | 106 |

| | |
|---|-----|
| SetUrlCacheEntryGroupA | 106 |
| InternetAlgIdToStringA | 106 |
| FreeUrlCacheSpaceW | 106 |
| FreeInheritedFromArray | 106 |
| _getdrive | 106 |
| C_UNK | 106 |
| @Classes@TComponent@Loaded\$qqrv | 105 |
| InitSafeBootMode | 105 |
| IoMapTransfer | 105 |
| HalSetBusDataByOffset | 105 |
| UpdateUrlCacheContentPath | 105 |
| ?_Register@facet@locale@std@@QAEXXZ | 105 |
| ?eof@?\$char_traits@D@std@@SAHZ | 105 |
| SetClientTimeZoneInformation | 105 |
| CM_Get_Device_IDW | 105 |
| ImmEscapeA | 105 |
| ASN1BERDecS32Val | 105 |
| midiOutShortMsg | 105 |
| rtl_uString2String | 105 |
| rtl_uString_new_WithLength | 105 |
| __CxxLongjmpUnwind | 105 |
| RtlDestroyEnvironment | 105 |
| ScriptItemize | 105 |
| lineInitialize | 105 |
| PdhGetCounterInfoA | 105 |
| InternetQueryFortezzaStatus | 105 |
| InstallPerfDIIA | 105 |
| CryptBinaryToStringW | 105 |
| IsHostInProxyBypassList | 105 |
| __assert | 105 |
| SetAclInformation | 105 |
| rtl_string_newFromStr | 105 |
| SetFolderPermissionsForSharing | 105 |
| GetLocalPathFromNetResourceA | 105 |
| GetNetResourceFromLocalPathA | 105 |
| ReleaseBindInfo | 105 |
| ImmInstallIMEW | 104 |
| @System@@WStrLAsg\$qqrr17System@Wic | 104 |
| @Classes@TPersistent@\$bdtr\$qqrv | 104 |
| FsRtlGetNextFileLock | 104 |
| IoQueryDeviceDescription | 104 |
| NIsMbCodePageTag | 104 |
| _wcsicoll | 104 |
| ?find_first_not_of@\$basic_string@DU?\$ch | 104 |
| ?eq_int_type@?\$char_traits@D@std@@SA | 104 |
| SetupDiSetSelectedDriverW | 104 |
| ??_Dofstream@@QAEXXZ | 104 |

| | |
|--|-----|
| LockWindowStation | 104 |
| _toupper | 104 |
| ImmGetCandidateListW | 104 |
| GetUserProfileDirectoryA | 104 |
| RtlIpv4AddressToStringA | 104 |
| PrivMoveFileIdentityW | 104 |
| fork | 104 |
| ??0?\$basic_ostringstream@DU?\$char_traits | 104 |
| AddMonitorA | 104 |
| GetConsoleProcessList | 104 |
| SetPrinterA | 104 |
| RpcMgmtSetServerStackSize | 104 |
| NotifyRouteChange | 104 |
| _wchmod | 103 |
| CM_Get_Device_ID_List_ExW | 103 |
| NdisOpenAdapter | 103 |
| NdrAsyncServerCall | 103 |
| FONTOBJ_vGetInfo | 103 |
| RtlUnhandledExceptionFilter | 103 |
| ImmSetStatusWindowPos | 103 |
| _setsystime | 103 |
| _vbaI2Cy | 103 |
| AddPrinterConnectionW | 103 |
| GetBestInterface | 103 |
| SetupDiGetClassDevsExW | 103 |
| IoUnregisterFileSystem | 103 |
| BackupEventLogW | 103 |
| sethostname | 103 |
| SetJobW | 103 |
| CreateUrlCacheContainerA | 103 |
| _open64 | 103 |
| UrlHashA | 103 |
| ScriptShape | 103 |
| auxGetDevCapsA | 103 |
| waveInMessage | 103 |
| _heapchk | 103 |
| LZCreateFileW | 103 |
| HalReturnToFirmware | 102 |
| BroadcastSystemMessageExW | 102 |
| GetUrlCacheConfigInfoW | 102 |
| GopherGetLocatorTypeA | 102 |
| ?widens@?\$basic_ios@DU?\$char_traits@D@ | 102 |
| EngCreateSemaphore | 102 |
| WmiQueryTraceInformation | 102 |
| IoGetDeviceAttachmentBaseRef | 102 |
| DsBindW | 102 |
| ?GetDigestSize@TMdXDigest@XPRT@@UBI | 102 |

| | |
|--|-----|
| ??0TMessageDigest@XPRT@@QAE@XZ | 102 |
| ?Transform@TMd5Digest@XPRT@@EAEXQ | 102 |
| ?Lock@TSpinLock@XPRT@@QAEXXZ | 102 |
| ?Unlock@TSpinLock@XPRT@@QAEXXZ | 102 |
| ?SetOptimalLoad@TPtrFromPtrMap@XPRT@ | 102 |
| GetUrlCacheGroupAttributeW | 102 |
| SetWindowStationUser | 102 |
| RegGetValueW | 102 |
| MirrorRgn | 102 |
| ImmGetIMEFileNameW | 102 |
| _mbscat | 102 |
| usleep | 102 |
| GetAppliedGPOListW | 102 |
| ASN1_CreateEncoder | 102 |
| NtWriteVirtualMemory | 102 |
| ??6?\$basic_ostream@DU?\$char_traits@D@ | 102 |
| IoGetRequestorProcessId | 102 |
| WinStationCloseServer | 102 |
| WinStationEnumerateW | 102 |
| GetThemeMargins | 102 |
| GetThemePartSize | 102 |
| MultinetGetConnectionPerformanceW | 102 |
| _wsopen | 101 |
| ShowX509EncodedCertificate | 101 |
| GetUrlCacheGroupAttributeA | 101 |
| RpcRevertToSelfEx | 101 |
| OpenBackupEventLogW | 101 |
| RetrieveUrlCacheEntryFileA | 101 |
| ?sgetc@?\$basic_streambuf@DU?\$char_traits@_WU@? | 101 |
| ?substr@?\$basic_string@_WU?\$char_traits@_W@ | 101 |
| ??Y?\$basic_string@_WU?\$char_traits@_W@ | 101 |
| ?_Unlock@_Mutex@std@@QAEXXZ | 101 |
| strcat_s | 101 |
| CryptExportPublicKeyInfo | 101 |
| BuildTrusteeWithSidA | 101 |
| EngAssociateSurface | 101 |
| ImmGetCandidateListA | 101 |
| _localtime64_s | 101 |
| glEnable | 101 |
| CryptUIDlgViewCRLW | 101 |
| ?clear@ios_base@std@@QAEXH_N@Z | 101 |
| GetRawInputDeviceInfoA | 101 |
| RtlIpv4StringToAddressW | 101 |
| DebugActiveProcessStop | 101 |
| SetupDiClassGuidsFromNameA | 101 |
| DeleteUrlCacheGroup | 101 |
| WSAEnumProtocolsA | 101 |

| | |
|--|-----|
| SetUrlCacheEntryGroupW | 101 |
| WSASetBlockingHook | 101 |
| WSALookupServiceBeginW | 101 |
| LoadTypeLibEx | 101 |
| PathIsLFNFileSpecA | 101 |
| WTSSUnRegisterSessionNotification | 100 |
| CM_Get_Device_ID_List_Size_ExW | 100 |
| PathIsURLA | 100 |
| RpcEpRegisterW | 100 |
| WSAHtonl | 100 |
| FlushIpNetTable | 100 |
| RecordShutdownReason | 100 |
| _control87 | 100 |
| OpenAs_RunDLL | 100 |
| GdiAddGlsRecord | 100 |
| AccessibleObjectFromEvent | 100 |
| EnumDeviceDrivers | 100 |
| wglDeleteContext | 100 |
| _mbctoupper | 100 |
| ZwCreateSymbolicLinkObject | 100 |
| SetUrlCacheConfigInfoA | 100 |
| InternetShowSecurityInfoByURLW | 100 |
| SetUrlCacheEntryInfoA | 100 |
| InternetGetCertByURLA | 100 |
| PdhGetLogFileSize | 100 |
| ZwQueryInformationToken | 100 |
| SceSetupUpdateSecurityFile | 100 |
| DllMain | 100 |
| SetupGetStringFieldA | 100 |
| CPDecrypt | 100 |
| _CILog10 | 100 |
| SetConsoleOS2OemFormat | 100 |
| DsFreeNameResultW | 99 |
| _strset | 99 |
| HalSetBusData | 99 |
| HalAllocateCrashDumpRegisters | 99 |
| LsaGetSystemAccessAccount | 99 |
| CM_Locate_DevNode_ExW | 99 |
| LsaLookupAuthenticationPackage | 99 |
| RegisterUrlCacheNotification | 99 |
| UnlockUrlCacheEntryFileW | 99 |
| _rotr | 99 |
| RetrieveUrlCacheEntryFileW | 99 |
| ?at@?\$basic_string@DU?\$char_traits@D@` | 99 |
| _mbsncmp | 99 |
| KeAcquireSpinLock | 99 |
| NtOpenDirectoryObject | 99 |

| | |
|--|----|
| ImmGetStatusWindowPos | 99 |
| GetTcpStatistics | 99 |
| EngFillPath | 99 |
| ImmSimulateHotKey | 99 |
| rtcR8ValFromBstr | 99 |
| FONTOBJ_cGetGlyphs | 99 |
| glViewport | 99 |
| ImpersonateAnonymousToken | 99 |
| LBIItemFromPt | 99 |
| InternetTimeFromSystemTimeW | 99 |
| PdhConnectMachineA | 99 |
| SetUrlCacheGroupAttributeA | 99 |
| DCIBeginAccess | 99 |
| CPHashData | 99 |
| InternetReadFileExW | 99 |
| ?is_ip_address@@YGHPAD@Z | 99 |
| ?MyCfgSetString@@YGHPAD00@Z | 99 |
| ?MyCfgGetString@@YGHPAD0H0@Z | 99 |
| WSANtohs | 99 |
| @Classes@TComponent@\$bctr\$qqrp18Clas | 98 |
| @\$xp\$18Classes@TComponent | 98 |
| ConvertSecurityDescriptorToStringSecurityD | 98 |
| GetAdaptersAddresses | 98 |
| RpcEpUnregister | 98 |
| ?_Lock @_Mutex@std@@QAEXXZ | 98 |
| _vsnprintf_s | 98 |
| SetInternalWindowPos | 98 |
| _getw | 98 |
| _mbscoll | 98 |
| ImmGetGuideLineW | 98 |
| wscanf | 98 |
| rtcStringVar | 98 |
| ?substr@?\$basic_string@GU?\$char_traits@ | 98 |
| InternetDialA | 98 |
| HttpCheckDavCompliance | 98 |
| I_RpcExceptionFilter | 98 |
| vsnprintf | 98 |
| FindActCtxSectionStringW | 98 |
| CPDeriveKey | 98 |
| rtl_ustr_lastIndexOfChar_WithLength | 98 |
| __vbaCyForInit | 98 |
| WSALookupServiceNextW | 98 |
| getservbyport | 98 |
| SetConsoleNlsMode | 97 |
| GetCharWidthInfo | 97 |
| __vbaVargParmRef | 97 |
| HalGetEnvironmentVariable | 97 |

| | |
|---|----|
| InternetConfirmZoneCrossingW | 97 |
| SetUrlCacheHeaderData | 97 |
| ICLocate | 97 |
| _allshl | 97 |
| STROBJ_vEnumStart | 97 |
| ??1ofstream@@UAE@XZ | 97 |
| ?begin@?\$basic_string@DU?\$char_traits@I | 97 |
| AVISaveOptions | 97 |
| NtPowerInformation | 97 |
| EngMarkBandingSurface | 97 |
| ImmUnregisterWordA | 97 |
| glLoadIdentity | 97 |
| RtlCreateUserThread | 97 |
| SetupDiEnumDriverInfoA | 97 |
| _wctime | 97 |
| InternetShowSecurityInfoByURLA | 97 |
| ?close@ifstream@@QAEXXZ | 97 |
| FindNextUrlCacheContainerW | 97 |
| DeletePortA | 97 |
| NdisWaitEvent | 97 |
| ICCompressorChoose | 97 |
| SetFirmwareEnvironmentVariableW | 97 |
| SetUrlCacheGroupAttributeW | 97 |
| rtcRandomNext | 97 |
| _wunlink | 96 |
| ?_Xout_of_range@std@@YAXPBD@Z | 96 |
| GdipDrawImagePointRectI | 96 |
| InternetConfirmZoneCrossingA | 96 |
| ?Append@TBstr@XPRT@@QAEAAV12@AB' | 96 |
| DsRoleGetPrimaryDomainInformation | 96 |
| SymEnumerateSymbolsW | 96 |
| PdhGetFormattedCounterValue | 96 |
| _beep | 96 |
| ImmCreateIMCC | 96 |
| rtcFreeFile | 96 |
| ?Compare@OBJECT@@UBEJPBV1@@Z | 96 |
| RpcBindingSetAuthInfoW | 96 |
| iswascii | 96 |
| SetTaskmanWindow | 96 |
| DsCrackNamesW | 96 |
| wglGetCurrentDC | 96 |
| InternetSecurityProtocolToStringW | 96 |
| MenuWindowProcA | 96 |
| rtcLeftCharVar | 96 |
| CertStrToNameW | 96 |
| alarm | 96 |
| CPGenKey | 96 |

| | |
|---|----|
| CPSignHash | 96 |
| rtcErrObj | 96 |
| IsAppThemed | 96 |
| DsUnBindW | 95 |
| ??0bad_cast@@QAE@PBD@Z | 95 |
| IsGUIThread | 95 |
| ??\$?6DU?\$char_traits@D@std@@V?\$allocat | 95 |
| auxGetNumDevs | 95 |
| UuidIsNil | 95 |
| InternetSetDialStateW | 95 |
| _spawnle | 95 |
| ImmGetIMEMenuItemsW | 95 |
| ?getloc@ios_base@std@@QBE?AVlocale@` | 95 |
| ?append@?\$basic_string@GU?\$char_traits@ | 95 |
| rtcMsgBox | 95 |
| CryptUIWizExport | 95 |
| InternetFortezzaCommand | 95 |
| ASN1BEREncSX | 95 |
| _fcntl64 | 95 |
| DrawMenuBarTemp | 95 |
| _kbhit | 95 |
| ZwSetInformationProcess | 95 |
| _lrotl | 95 |
| WriteConsoleInputVDMW | 95 |
| gettimeofday | 95 |
| uname | 95 |
| SetupDiSetClassInstallParamsW | 95 |
| ?Initialize@WSTRING@@QAE@PBGK@Z | 95 |
| @Classes@TThread@DoTerminate\$qqrv | 94 |
| @Classes@TThread@ | 94 |
| NtSetSystemInformation | 94 |
| CM_Disconnect_Machine | 94 |
| NlsMbOemCodePageTag | 94 |
| s_perror | 94 |
| var_GetChecked | 94 |
| CertComparePublicKeyInfo | 94 |
| NtDuplicateToken | 94 |
| GdiDescribePixelFormat | 94 |
| EngTransparentBlt | 94 |
| ImmIsUIMessageW | 94 |
| CryptGetMessageCertificates | 94 |
| rtcRightCharVar | 94 |
| IsUrlCacheEntryExpiredW | 94 |
| RtlExitUserThread | 94 |
| ASN1BERDecGeneralizedTime | 94 |
| _global_unwind2 | 94 |
| SetupDiDestroyDriverInfoList | 94 |

| | |
|---|----|
| _impure_ptr | 94 |
| DeleteIE3Cache | 94 |
| NtResumeThread | 94 |
| IsPathSharedA | 94 |
| ?end@?\$basic_string@DU?\$char_traits@D@?find_last_not_of@?\$basic_string@DU?\$char_traits@D@?end@? | 94 |
| AddPrinterW | 94 |
| @Classes@TThread@\$bdtr\$qqrv | 93 |
| NetDfsManagerInitialize | 93 |
| RpcServerInqDefaultPrincNameW | 93 |
| _strtoi64 | 93 |
| SymLoadModule64 | 93 |
| rtl_uStringbuffer_insert_ascii | 93 |
| uno_type_any_construct | 93 |
| iswgraph | 93 |
| ImmIsUIMessageA | 93 |
| ImmGetCandidateWindow | 93 |
| GdiIsMetaPrintDC | 93 |
| FONTOBJ_pQueryGlyphAttrs | 93 |
| EngCreateClip | 93 |
| @System@@VarCmpNE\$qqrrx14System@V | 93 |
| SetDIIDirectoryW | 93 |
| ZwPulseEvent | 93 |
| EngLoadModule | 93 |
| glClear | 93 |
| CreateMemoryResourceNotification | 93 |
| InternetTimeToSystemTimeA | 93 |
| ASN1BERDecCharString | 93 |
| ?empty@?\$basic_string@DU?\$char_traits@D@?find_last_not_of@?\$basic_string@DU?\$char_traits@D@?end@? | 93 |
| GetThemeBackgroundContentRect | 93 |
| @Forms@TApplication@CreateForm\$qqrp1 | 93 |
| WSAStringToAddressW | 93 |
| SymGetSymFromAddr | 93 |
| R_UNK | 93 |
| @Sysutils@StrPas\$qqrpxc | 92 |
| GdiGetSpoolMessage | 92 |
| READ_PORT_BUFFER USHORT | 92 |
| WRITE_PORT ULONG | 92 |
| GdipImageRotateFlip | 92 |
| LsalCLookupNames | 92 |
| CM_Get_Parent_Ex | 92 |
| IoVolumeDeviceToDosName | 92 |
| uno_any_construct | 92 |
| lineDrop | 92 |
| glLightiv | 92 |
| DebugBreakProcess | 92 |
| StrCmpLogicalW | 92 |

| | |
|--|----|
| _spawnlpe | 92 |
| rtcKillFiles | 92 |
| glMatrixMode | 92 |
| ?_Split@?\$basic_string@GU?\$char_traits@(| 92 |
| FindFirstUrlCacheContainerW | 92 |
| RasGetProjectionInfoA | 92 |
| ASN1BERDecNotEndOfContents | 92 |
| ASN1intx_free | 92 |
| dup | 92 |
| ??5?\$basic_istream@DU?\$char_traits@D@: | 92 |
| ?createSingleFactory@cppu@@@YA?AV?\$Ref | 92 |
| rtl_uString_newFromStr | 92 |
| DeviceMode | 92 |
| GdiEntry4 | 91 |
| RtlFindMessage | 91 |
| __p__osver | 91 |
| LsaCreateAccount | 91 |
| NdisFreePacket | 91 |
| RtlExtendedLargeIntegerDivide | 91 |
| HT_Get8BPPFormatPalette | 91 |
| RtlCreateEnvironment | 91 |
| RtlSetEnvironmentVariable | 91 |
| __vbaI4Sgn | 91 |
| GdipSetStringFormatAlign | 91 |
| bInitSystemAndFontsDirectoriesW | 91 |
| _wexecl | 91 |
| ImmGetRegisterWordStyleA | 91 |
| ImmLockIMCC | 91 |
| MprAdminUserOpen | 91 |
| _alloca_probe | 91 |
| OpenTraceW | 91 |
| LsaDelete | 91 |
| RpcAsyncInitializeHandle | 91 |
| RtlDestroyQueryDebugBuffer | 91 |
| I_RpcBindingIsClientLocal | 91 |
| _fcloseall | 91 |
| FreeADsMem | 91 |
| CryptSIPGetSignedDataMsg | 91 |
| ?get@?\$basic_istream@DU?\$char_traits@L | 91 |
| opendir | 91 |
| NtQueryDefaultLocale | 91 |
| capGetDriverDescriptionW | 91 |
| rtl_string_new | 91 |
| @System@@DynArrayHigh\$qqrv | 90 |
| @System@@ValLong\$qqrx17System@AnsiS | 90 |
| @\$xp\$15System@Cardinal | 90 |
| @Classes@TThread@\$bctr\$qqro | 90 |

| | |
|---|----|
| @Dateutils@SecondOfTheYear\$qqrx16Syste | 90 |
| wcsnlen | 90 |
| EngFindResource | 90 |
| HttpAddUrl | 90 |
| osl_destroyMutex | 90 |
| osl_createMutex | 90 |
| GetIcmpStatistics | 90 |
| ControlTraceW | 90 |
| PrivilegedServiceAuditAlarmA | 90 |
| EngGetDriverName | 90 |
| _wasctime | 90 |
| ?_Getcat@?\$_ctype@D@std@@SAIPAPBVfa | 90 |
| @Rxstrutils@ReplaceStr\$qqrx17System@Ar | 90 |
| readdir | 90 |
| sigaction | 90 |
| _Getctype | 90 |
| CryptMsgUpdate | 90 |
| @Forms@TApplication@Run\$qqrv | 90 |
| @Forms@TApplication@Initialize\$qqrv | 90 |
| ImmGetIMEFileNameA | 90 |
| MesHandleFree | 90 |
| VariantTimeToSystemTime | 90 |
| InstallScreenSaver | 90 |
| @\$xp\$14System@Integer | 89 |
| FtpGetFileEx | 89 |
| NdisAllocatePacket | 89 |
| InternetGetCertByURL | 89 |
| __crtLCMapStringA | 89 |
| CM_Get_Global_State | 89 |
| midiOutGetVolume | 89 |
| rtl_str_getLength | 89 |
| AbortPrinter | 89 |
| MapFileAndCheckSumA | 89 |
| _mbsnbset | 89 |
| ImmGetCandidateListCountA | 89 |
| ImmShowSoftKeyboard | 89 |
| ImmGetCompositionFontA | 89 |
| RtlxUnicodeStringToOemSize | 89 |
| LsaRemoveAccountRights | 89 |
| SetProgmanWindow | 89 |
| SetServiceA | 89 |
| GetCurrentThemeName | 89 |
| __p__iob | 89 |
| NtLockFile | 89 |
| closedir | 89 |
| fileno | 89 |
| ioctl | 89 |

| | |
|---|----|
| UnloadPerfCounterTextStringsW | 89 |
| SHCreateStreamOnFileEx | 89 |
| rtcHexVarFromVar | 89 |
| PrivateExtractIconsA | 89 |
| GdipGetClipBoundsI | 89 |
| ConfigurePortA | 89 |
| GdiEndPageEMF | 88 |
| KeReleaseSpinLock | 88 |
| CM_Connect_MachineW | 88 |
| ?_Ipfx@?\$basic_istream@DU?\$char_traits@ | 88 |
| ?PrepareToParse@ARGUMENT_LEXEMIZER@ | 88 |
| ObjectOpenAuditAlarmA | 88 |
| HttpCreateHttpHandle | 88 |
| WmiSystemControl | 88 |
| WmiCompleteRequest | 88 |
| GdiGetSpoolFileHandle | 88 |
| _ismbckata | 88 |
| _wspawnvp | 88 |
| ImmGetConversionListW | 88 |
| ImmGetIMCClockCount | 88 |
| ?Strcat@WSTRING@@QAEYPBV1@@Z | 88 |
| ?Initialize@WSTRING@@QAEYPDK@Z | 88 |
| FONTOBJ_pxoGetXform | 88 |
| AnyLinkedFonts | 88 |
| ZwAdjustPrivilegesToken | 88 |
| GetRecordInfoFromTypeInfo | 88 |
| FindFirstUrlCacheContainerA | 88 |
| ?width@ios_base@std@@QAE_J_J@Z | 88 |
| ?width@ios_base@std@@QBE_JXZ | 88 |
| sigemptyset | 88 |
| GetPrinterDriverDirectoryA | 88 |
| rtl_string_assign | 88 |
| CertNameToStrA | 88 |
| @Classes@TThread@AfterConstruction\$qqq | 87 |
| RtlUshortByteSwap | 87 |
| FsRtlMdlReadComplete | 87 |
| NdisCloseAdapter | 87 |
| GdiSetLastError | 87 |
| FindFirstUrlCacheGroup | 87 |
| _Getdays | 87 |
| _Getnames | 87 |
| SetupDiGetDriverInstallParamsW | 87 |
| NhpAllocateAndGetInterfaceInfoFromStack | 87 |
| ??\$?9DU?\$char_traits@D@std@@V?\$alloc@ | 87 |
| GdipDrawPath | 87 |
| GdipDrawImageRectRectI | 87 |
| midiOutGetDevCapsA | 87 |

| | |
|--|----|
| @Classes@TThread@Resume\$qqrv | 85 |
| __vbaVarTextTstNe | 85 |
| cGetTFFFromFOT | 85 |
| ExEventObjectType | 85 |
| NdisFreeMemory | 85 |
| AddMonitorW | 85 |
| AcquireCredentialsHandleW | 85 |
| GdiAddGlsBounds | 85 |
| xmlFree | 85 |
| @Themes@initialization\$qqrv | 85 |
| @Uxtheme@initialization\$qqrv | 85 |
| __p__winitenv | 85 |
| RtlRegisterWait | 85 |
| GdipDisposeImageAttributes | 85 |
| EngReleaseSemaphore | 85 |
| ImmGetDescriptionW | 85 |
| OleIconToCursor | 85 |
| SafeArrayAllocData | 85 |
| UnlockUrlCacheEntryFileA | 85 |
| ScriptGetGlyphABCWidth | 85 |
| _wstat | 85 |
| _geteuid32 | 85 |
| EnumerateLocalComputerNamesA | 85 |
| glGetLightiv | 85 |
| SymFunctionTableAccess | 85 |
| PathIsSystemFolderW | 85 |
| uno_type_sequence_assign | 85 |
| @System@@_lmul\$qqrv | 84 |
| @System@@LStrInsert\$qqrv | 84 |
| @Classes@TPersistent@DefineProperties\$q | 84 |
| @\$xp\$18Sysutils@TFileName | 84 |
| ?push_back@?\$basic_string@DU?\$char_traits@T@std@\$char_type@T@std@ | 84 |
| ?snextc@?\$basic_streambuf@DU?\$char_traits@T@std@\$char_type@T@std@ | 84 |
| xmlFreeDoc | 84 |
| READ_PORT_BUFFER ULONG | 84 |
| KdComPortInUse | 84 |
| AddPortW | 84 |
| GdipCreateImageAttributes | 84 |
| _lsearch | 84 |
| ImmGetGuideLineA | 84 |
| ?DoParsing@ARGUMENT_LEXEMIZER@@Q | 84 |
| NetMessageBufferSend | 84 |
| AVIStreamBeginStreaming | 84 |
| GdiConvertPalette | 84 |
| XLATEOBJ_cGetPalette | 84 |
| CAGetCertTypePropertyEx | 84 |
| OleUIObjectPropertiesA | 84 |

| | |
|---|----|
| RegisterUserApiHook | 84 |
| OpenBackupEventLogA | 84 |
| NtEnumerateKey | 84 |
| ASN1BEREncEndOfContents | 84 |
| ScriptGetLogicalWidths | 84 |
| GdipAddPathLine1 | 84 |
| kill | 84 |
| link | 84 |
| rtcReplace | 84 |
| GetNumaProcessorNode | 84 |
| acmFormatSuggest | 83 |
| @\$xp\$11System@Char | 83 |
| @Classes@TStream@ReadBuffer\$qqrpvi | 83 |
| DrawDibSetPalette | 83 |
| HalRequestIpi | 83 |
| InternetAlgIdToStringW | 83 |
| CreateUrlCacheGroup | 83 |
| RpcAsyncAbortCall | 83 |
| GetFormW | 83 |
| PathSearchAndQualifyW | 83 |
| ASN1BEREncObjectIdentifier | 83 |
| ASN1CEREncMultibyteString | 83 |
| ??\$?M_WU?\$char_traits@_W@std@@V?\$\$: | 83 |
| @Masks@initialization\$qqrv | 83 |
| GdipCreatePathGradientFromPath | 83 |
| GdipSetPathGradientSurroundColorsWithCo | 83 |
| GdipSetPathGradientCenterColor | 83 |
| GdipAddPathString | 83 |
| SetVirtualResolution | 83 |
| GdiInitializeLanguagePack | 83 |
| GdiArtificialDecrementDriver | 83 |
| ImmDestroySoftKeyboard | 83 |
| ?Put@ARRAY@@@UAEEPAVOBJECT@@@Z | 83 |
| ??0FLAG_ARGUMENT@@QAE@XZ | 83 |
| ?SetCaseSensitive@ARGUMENT_LEXEMIZER | 83 |
| OleUIConvertW | 83 |
| GetFontUnicodeRanges | 83 |
| getwc | 83 |
| _spawnvp | 83 |
| ZwOpenProcessToken | 83 |
| _getpwuid32 | 83 |
| SamConnect | 83 |
| @System@@DynArrayAsg\$qqrv | 82 |
| @Classes@TThread@Terminate\$qqrv | 82 |
| @Sysutils@DecodeDate\$qqrx16System@TD | 82 |
| _snwprintf_s | 82 |
| WintrustCertificateTrust | 82 |

| | |
|--|----|
| GetJobA | 82 |
| RemoveFontResourceTracking | 82 |
| var_Create | 82 |
| I_RpcMapWin32Status | 82 |
| GdipGetPathGradientPointCount | 82 |
| NetUserChangePassword | 82 |
| ImmGetHotKey | 82 |
| ImmGetIMEMenuItemsA | 82 |
| SetupSave | 82 |
| OleSavePictureFile | 82 |
| EngLockSurface | 82 |
| glClearColor | 82 |
| glRotatef | 82 |
| OleUIEditLinksA | 82 |
| ShowStartGlass | 82 |
| TraceDumpExA | 82 |
| NdrConvert | 82 |
| rtl_ustr_asciil_reverseEquals_WithLength | 82 |
| GetTrusteeTypeW | 82 |
| SdbFindNextTag | 82 |
| DrawDibStart | 82 |
| CancelOverlappedAccess | 82 |
| ?HostToIP@CCommon@@SAHPAD0K@Z | 82 |
| ?crc64_calc_buffer@CCommon@@SA_JPAC | 82 |
| ?Base64EncodeFunc@CCommon@@SAHPA | 82 |
| ?string_table_lookup@@YGHPAUst_string_ | 82 |
| ?ShowPopupInDefaultBrowser2@CPopup@ | 82 |
| ?ModuleFromAddress@CCommon@@SAPA | 82 |
| ?FileTimeSecondsBetween@CCommon@@` | 82 |
| ?IsWindowsVista@CCommon@@SAHXZ | 82 |
| ?is_ie_version@CPopup@@SAHPAD@Z | 82 |
| ?FindBrowserWindow@CBrowserUtil@@SG | 82 |
| ?IsBrowserExe@CBrowserUtil@@SGHPAD@ | 82 |
| ?FireCoolPopup@CSmallPopup@@SAHPAU | 82 |
| RtlUnicodeToMultiByteSize | 82 |
| GetFriendlyIndex | 82 |
| NetApiBufferSize | 82 |
| GetNamedSecurityInfoExA | 82 |
| I_UNK | 82 |
| @Strutils@AnsiReplaceStr\$qqrx17System@, | 81 |
| timeGetSystemTime | 81 |
| _sys_nerr | 81 |
| FindExeDlgProc | 81 |
| __RTCastToVoid | 81 |
| _cprintf | 81 |
| ImmGetCandidateListCountW | 81 |
| _ftol2_sse | 81 |

| | |
|--|----|
| MprAdminUserGetInfo | 81 |
| ??1ARRAY@@UAE@XZ | 81 |
| ?IsValueSet@ARGUMENT@@QAEEHZ | 81 |
| EngStrokeAndFillPath | 81 |
| RtlIpv4StringToAddressA | 81 |
| RtlCreateQueryDebugBuffer | 81 |
| InternetWriteFileExW | 81 |
| CertAddEncodedCertificateToStore | 81 |
| optind | 81 |
| setsid | 81 |
| GdipIsClipEmpty | 81 |
| SearchTreeForFile | 81 |
| ?_Freeze@?\$basic_string@GU?\$char_traits@ | 81 |
| PathCreateFromUrlA | 81 |
| UnloadPerfCounterTextStringsA | 81 |
| _wcslwr_s | 81 |
| NtTerminateThread | 81 |
| ?_Refcnt@?\$basic_string@GU?\$char_traits@ | 81 |
| @\$xp\$16Classes@TStrings | 80 |
| @Sysutils@IntToHex\$qqrii | 80 |
| __lc_handle_func | 80 |
| ??_D?\$basic_istream@DU?\$char_trait | 80 |
| xmlDocGetRootElement | 80 |
| ASN1utf8string_free | 80 |
| _telli64 | 80 |
| EnumPortsW | 80 |
| SHFindFiles | 80 |
| _putch | 80 |
| ImmDestroyIMCC | 80 |
| MprAdminUserWrite | 80 |
| _seh_longjmp_unwind | 80 |
| EngPaint | 80 |
| CAGetCertTypeProperty | 80 |
| CACloseCertType | 80 |
| StartDocPrinterA | 80 |
| AddIPAddress | 80 |
| ZwImpersonateThread | 80 |
| RegisterTasklist | 80 |
| URLDownloadW | 80 |
| ASN1_CloseEncoder | 80 |
| glNormal3dv | 80 |
| ?close@ofstream@@QAEXZ | 80 |
| GdipGetPathLastPoint | 80 |
| SamTestPrivateFunctionsUser | 80 |
| OleUIPasteSpecialW | 80 |
| @\$xp\$11System@Byte | 79 |
| @Classes@TStrings@GetName\$qqri | 79 |

| | |
|---|----|
| @\$xp\$19Classes@TStringList | 79 |
| GdiConvertEnhMetaFile | 79 |
| EngTextOut | 79 |
| __crtCompareStringA | 79 |
| CreateVirtualBuffer | 79 |
| DirectSoundCaptureEnumerateA | 79 |
| RpcMgmtSetCancelTimeout | 79 |
| ZwOpenEvent | 79 |
| MultinetGetConnectionPerformanceA | 79 |
| _cgets | 79 |
| ImmRequestMessageA | 79 |
| ImmAssociateContextEx | 79 |
| ImmSetHotKey | 79 |
| ImmCreateSoftKeyboard | 79 |
| rtcFileLen | 79 |
| ??0ARGUMENT_LEXEMIZER@@QAE@XZ | 79 |
| WNetGetUniversalNameW | 79 |
| CAFreeCertTypeProperty | 79 |
| SetEntriesInAccessListA | 79 |
| LsaLookupSids | 79 |
| ?find_first_of@?\$basic_string@DU?\$char_traits@_S@std@\$char_t@_S@std@ | 79 |
| sigaddset | 79 |
| sigprocmask | 79 |
| rtl_string_newFromStr_WithLength | 79 |
| OleUIChangeSourceA | 79 |
| GdipAddPathEllipse | 79 |
| ScriptStringFree | 79 |
| FindActCtxSectionStringA | 79 |
| GdiDrawStream | 79 |
| @\$xp\$19Classes@TPersistent | 78 |
| @Sysutils@CompareMem\$qqrpvt1i | 78 |
| SetupIterateCabinetW | 78 |
| IsAsyncMoniker | 78 |
| GetEffectiveRightsFromAclA | 78 |
| ?sbumpc@?\$basic_streambuf@DU?\$char_traits@_S@std@\$char_t@_S@std@ | 78 |
| GdiConvertAndCheckDC | 78 |
| EngUnlockSurface | 78 |
| xmlNewDoc | 78 |
| CacheSettingsDlg | 78 |
| HalEndSystemInterrupt | 78 |
| GetSecurityInfoExW | 78 |
| GdipReleaseDC | 78 |
| ImmEnumRegisterWordA | 78 |
| ImmGetRegisterWordStyleW | 78 |
| ?Initialize@ARGUMENT_LEXEMIZER@@QAE | 78 |
| ??1ARGUMENT_LEXEMIZER@@UAE@XZ | 78 |
| CoRegCleanup | 78 |

| | |
|--|----|
| EngCreatePalette | 78 |
| glPushMatrix | 78 |
| GdiEntry7 | 78 |
| DCIDestroy | 78 |
| rtl_string_newConcat | 78 |
| rtcRandomize | 78 |
| OleUICanConvertOrActivateAs | 78 |
| _fcvt | 78 |
| WinStationGetTermSrvCountersValue | 78 |
| NS_CStringContainerInit2 | 78 |
| @Classes@TComponent@FreeNotification\$ | 77 |
| @Classes@TThread@WaitFor\$qqrv | 77 |
| @Classes@TCollection@Notify\$qqrp23Class | 77 |
| @Classes@TCollection@Deleting\$qqrp23Clas | 77 |
| @Classes@TCollection@Added\$qqrrp23Clas | 77 |
| @Classes@TCollection@SetItemName\$qqrp | 77 |
| @Classes@TCollection@EndUpdate\$qqrv | 77 |
| @Classes@TCollection@BeginUpdate\$qqrv | 77 |
| @Classes@TCollection@Assign\$qqrp19Clas | 77 |
| @Classes@TCollection@\$bdtr\$qqrv | 77 |
| @Classes@TCollectionItem@SetIndex\$qqri | 77 |
| @Classes@TCollectionItem@SetCollection\$ | 77 |
| @Classes@TCollectionItem@\$bdtr\$qqrv | 77 |
| @Classes@TCollectionItem@\$bctr\$qqrp19C | 77 |
| @\$xp\$23Classes@TCollectionItem | 77 |
| @Classes@TCollectionItem@ | 77 |
| @Classes@TPersistent@ | 77 |
| @Sysutils@CompareText\$qqrx17System@A | 77 |
| ?_Getglobalocale@locale@std@@CAPAV_I | 77 |
| CreateSystemThreads | 77 |
| __uncaught_exception | 77 |
| ??0?\$basic_string@GU?\$char_traits@G@std@ | 77 |
| _wstrftime | 77 |
| DrawDibProfileDisplay | 77 |
| GdiConvertFont | 77 |
| WSAUnhookBlockingHook | 77 |
| CryptBinaryToStringA | 77 |
| ICRemove | 77 |
| LoadKeyboardLayoutEx | 77 |
| RemoveLocalAlternateComputerNameA | 77 |
| FONTOBJ_cGetAllGlyphHandles | 77 |
| _mbsset | 77 |
| ??1STRING_ARGUMENT@@UAE@XZ | 77 |
| CloseCluster | 77 |
| PathIsLFNFileSpecW | 77 |
| IsNTAdmin | 77 |
| LeaveCriticalPolicySection | 77 |

| | |
|--|----|
| SystemTimeToVariantTime | 77 |
| SetTcpEntry | 77 |
| BaseUpdateAppcompatCache | 77 |
| SetupDiSetDeviceInstallParamsA | 77 |
| pthread_atfork | 77 |
| DCIOpenProvider | 77 |
| GdiEntry1 | 77 |
| ExtractFiles | 77 |
| NdisSetEvent | 77 |
| _stat64i32 | 77 |
| CryptMsgOpenToDecode | 77 |
| ConvertSecurityDescriptorToAccessNamedA | 77 |
| CreateLinkInfoA | 77 |
| GetTimestampForLoadedLibrary | 77 |
| SystemFunction006 | 77 |
| OleUIChangeIconA | 77 |
| OleUIInsertObjectA | 77 |
| ImmSetCompositionStringW | 77 |
| RtlNumberGenericTableElements | 77 |
| @Syncobjs@TCriticalSection@Enter\$qqrv | 76 |
| @Classes@TCollection@Update\$qqrp23Clas | 76 |
| _wchdir | 76 |
| auxOutMessage | 76 |
| JetTerm | 76 |
| ??0?\$basic_string@DU?\$char_traits@D@std@ | 76 |
| GdiGetDevmodeForPage | 76 |
| GdiQueryTable | 76 |
| xmlNewDocNode | 76 |
| xmlParseFile | 76 |
| _XprtCompareString@8 | 76 |
| ?TrimRight@TBstr@XPRT@@QAEAAV12@X | 76 |
| _XprtFreeString@4 | 76 |
| _XprtAllocString@4 | 76 |
| ?TrimLeft@TBstr@XPRT@@QAEAAV12@XZ | 76 |
| CryptStringToBinaryA | 76 |
| @KbmMemReseng@initialization\$qqrv | 76 |
| FindFileInSearchPath | 76 |
| SystemFunction036 | 76 |
| WinStationEnumerate_IndexedW | 76 |
| _mbbtype | 76 |
| _safe_fdiv | 76 |
| _ismbbpunct | 76 |
| ImmRequestMessageW | 76 |
| RtlSetOwnerSecurityDescriptor | 76 |
| __threadid | 76 |
| GetStringBitmapW | 76 |
| EngAcquireSemaphore | 76 |

| | |
|---|----|
| ??1ifstream@@UAE@XZ | 76 |
| RtlQueryProcessDebugInformation | 76 |
| SetCursorContents | 76 |
| LsaQueryInfoTrustedDomain | 76 |
| UrlIsA | 76 |
| WinStation GetAllProcesses | 76 |
| HalSetDisplayParameters | 76 |
| KeAcquireQueuedSpinLock | 76 |
| _mtlock | 76 |
| PSetupGetSelectedDriverInfo | 76 |
| isatty | 76 |
| setrlimit | 76 |
| HlinkClone | 76 |
| EnumPrinterDriversA | 76 |
| LsaCreateTrustedDomainEx | 76 |
| ?setg@?\$basic_streambuf@DU?\$char_traits@_N@std@@@3_JB | 76 |
| NdisAllocatePacketPoolEx | 76 |
| AllowForegroundActivation | 76 |
| @Syncobjs@TCriticalSection@Leave\$qqrv | 75 |
| @Classes@TStream@CopyFrom\$qqrp15Class@_N@std@@@3_JB | 75 |
| @Classes@TStringList@\$bdtr\$qqrv | 75 |
| @Sysutils@DecodeTime\$qqrx16System@TD@_N@std@@@3_JB | 75 |
| ?_BADOFF@std@@@3_JB | 75 |
| _mbctype | 75 |
| GetAccessPermissionsForObjectW | 75 |
| InitializeSecurityContextW | 75 |
| InstallHook | 75 |
| ??0?\$basic_ifstream@DU?\$char_traits@D@std@@@3_JB | 75 |
| GetMultipleTrusteeOperationA | 75 |
| BaseDumpAppcompatCache | 75 |
| xmlGetProp | 75 |
| lineGetCallInfoA | 75 |
| HidD_GetPreparsedData | 75 |
| GdipSetStringFormatLineAlign | 75 |
| FONTOBJ_pifi | 75 |
| _heapset | 75 |
| _pwctype | 75 |
| _cabs | 75 |
| GdiConvertMetaFilePict | 75 |
| CAFIndCertTypeByName | 75 |
| ASN1BEREncS32 | 75 |
| wglGetProcAddress | 75 |
| WinStationEnumerateProcesses | 75 |
| ServerInstallW | 75 |
| posix_regcomp | 75 |
| posix_reexec | 75 |
| RtlCreateTagHeap | 75 |

| | |
|--|----|
| EngAlphaBlend | 75 |
| CryptDecodeObjectEx | 75 |
| FindFileInPath | 75 |
| PdhCloseLog | 75 |
| glStencilOp | 75 |
| ScriptCacheGetHeight | 75 |
| _mbbtombc | 75 |
| CM_Get_Device_ID_ExW | 75 |
| UnenableRouter | 75 |
| WinStationFreeGAPMemory | 75 |
| @System@@InitResStringImports\$qqrv | 74 |
| @Classes@TMemoryStream@\$bdtr\$qqrv | 74 |
| @Sysutils@AnsiPos\$qqrx17System@AnsiStr | 74 |
| @Sysutils@IncludeTrailingPathDelimiter\$qq | 74 |
| @Sysutils@EncodeTime\$qqrusususus | 74 |
| @Sysutils@StrDispose\$qqrpc | 74 |
| ?showmany@?\$basic_streambuf@DU?\$ch | 74 |
| ?xsgt@?\$basic_streambuf@DU?\$char_traits@ | 74 |
| _ismbchira | 74 |
| InitializeChangeNotify | 74 |
| KeAcquireSpinLockRaiseToSynch | 74 |
| IoFlushAdapterBuffers | 74 |
| rand_s | 74 |
| _wcstoui64 | 74 |
| CoInternetCompareUrl | 74 |
| ScrollChildren | 74 |
| LsaCreateSecret | 74 |
| __lc_codepage_func | 74 |
| GdiPlayPageEMF | 74 |
| NtTerminateProcess | 74 |
| RpcServerUnregisterIfEx | 74 |
| xmlAddChild | 74 |
| ?Append@TBstr@XPRT@@QAEAAV12@PB | 74 |
| ?assign@?\$basic_string@DU?\$char_traits@ | 74 |
| NetUserModalsGet | 74 |
| WinSqmIncrementDWORD | 74 |
| __iscsym | 74 |
| _wpgmpt | 74 |
| _ismbbtrail | 74 |
| ClearCustData | 74 |
| @Adodb@TCustomADODataset@GetParam | 74 |
| @Adodb@TParameter@SetValue\$qqrrx14S | 74 |
| rtcDir | 74 |
| EudcUnloadLinkW | 74 |
| GdiGetCharDimensions | 74 |
| GdiQueryFonts | 74 |
| CASetCertTypeKeySpec | 74 |

| | |
|---|----|
| ConvertStringSidToSidA | 74 |
| _execvp | 74 |
| ASN1charstring_free | 74 |
| WriteEncryptedFileRaw | 74 |
| PrivateExtractIconsW | 74 |
| DCICloseProvider | 74 |
| GdipAddPathStringI | 74 |
| ??\$?9DU?\$char_traits@D@std@@V?\$allocat | 74 |
| ExfInterlockedInsertTailList | 74 |
| D3DXCreateFontA | 74 |
| UnDecorateSymbolName | 74 |
| WEP | 74 |
| midiOutSetVolume | 74 |
| RtlInitializeResource | 74 |
| GdipGetLogFontW | 74 |
| __p_wpgmpt | 74 |
| mciSendCommandW | 73 |
| @Classes@TMemoryStream@Clear\$qqrv | 73 |
| @Classes@TStream@WriteBuffer\$qqrpvxi | 73 |
| @Classes@TStream@Seek\$qqrxj19Classes@ | 73 |
| @Classes@TStream@SetSize\$qqrxj | 73 |
| @Classes@TStrings@IndexOfObject\$qqrp14 | 73 |
| @Classes@TCollectionItem@GetDisplayNan | 73 |
| @Sysutils@TrimRight\$qqrx17System@AnsiS | 73 |
| _fseeki64 | 73 |
| ?xspputn@?\$basic_streambuf@DU?\$char_tr: | 73 |
| LsaLogonUser | 73 |
| LsaDeleteTrustedDomain | 73 |
| __pctype_func | 73 |
| ??0?\$basic_ofstream@DU?\$char_traits@D@ | 73 |
| _abnormal_termination | 73 |
| NtAllocateUuids | 73 |
| ??1PATH_ARGUMENT@@UAE@XZ | 73 |
| _findfirsti64 | 73 |
| xmlstrcmp | 73 |
| @Uxtheme@Finalization\$qqrv | 73 |
| ?Left@TBstr@XPRT@@QBE?AV12@H@Z | 73 |
| Imi | 73 |
| NdisInitializeEvent | 73 |
| GdipCreateLineBrushFromRectI | 73 |
| DriveType | 73 |
| EngStrokePath | 73 |
| @Dialogs@ShowMessage\$qqrx17System@/ | 73 |
| ??0PATH@@QAE@XZ | 73 |
| GdiGetLocalFont | 73 |
| STROBJ_bEnum | 73 |
| CAFreeCertTypeExtensions | 73 |

| | |
|--|----|
| WaitForPrinterChange | 73 |
| OleUIInsertObjectW | 73 |
| OleUIAddVerbMenuW | 73 |
| EtwTraceMessage | 73 |
| ZonesReInit | 73 |
| NtQueryKey | 73 |
| ASN1char32string_cmp | 73 |
| GdipGetVisibleClipBoundsI | 73 |
| ??9std@@YA_NABV?\$basic_string@DU?\$cf | 73 |
| CryptUIDlgViewContext | 73 |
| IoGetConfigurationInformation | 73 |
| PSetupDestroyPrinterDeviceInfoList | 73 |
| chdir | 73 |
| getpwnam | 73 |
| getrlimit | 73 |
| sigfillset | 73 |
| strsignal | 73 |
| AddFormA | 73 |
| ClassInstall32 | 73 |
| RpcServerRegisterIf2 | 73 |
| @System@@SetEq\$qqrv | 72 |
| @Classes@TStringList@CustomSort\$qqrpqq | 72 |
| @Classes@TStringList@Sort\$qqrv | 72 |
| @Classes@TStringList@SetUpdateState\$qqr | 72 |
| @Classes@TStringList@SetCapacity\$qqri | 72 |
| @Classes@TStringList@PutObject\$qqrip14S | 72 |
| @Classes@TStringList@GetObject\$qqri | 72 |
| @Classes@TStringList@GetCount\$qqrv | 72 |
| @Classes@TStringList@GetCapacity\$qqrv | 72 |
| @Classes@TStringList@Get\$qqri | 72 |
| @Classes@TStringList@Exchange\$qqrii | 72 |
| @Classes@TStringList@Delete\$qqri | 72 |
| @Classes@TStringList@Clear\$qqrv | 72 |
| @Classes@TStringList@Changing\$qqrv | 72 |
| @Classes@TStringList@Changed\$qqrv | 72 |
| @Classes@TStrings@SaveToStream\$qqrp15 | 72 |
| @Classes@TStrings@Move\$qqrii | 72 |
| @Classes@TStrings@LoadFromStream\$qqrp16 | 72 |
| @Classes@TStrings@GetTextStr\$qqrv | 72 |
| @Classes@TStrings@GetText\$qqrv | 72 |
| @Classes@TStrings@DefineProperties\$qqrp17 | 72 |
| @Classes@TStrings@Assign\$qqrp19Classes | 72 |
| @Classes@TStrings@AddStrings\$qqrp16Cla | 72 |
| @Classes@TCollectionItem@SetDisplayName | 72 |
| @Classes@TList@SetCapacity\$qqri | 72 |
| @Sysutils@StrLCopy\$qqrpcpxcui | 72 |
| @Sysutils@LeadBytes | 72 |

| | |
|---|----|
| @Sysutils@EConvertError@ | 72 |
| ?_Init@?\$basic_streambuf@DU?\$char_trait | 72 |
| ?id@?\$codecvt@DDH@std@@2V0locale@2 | 72 |
| GdiCleanCacheDC | 72 |
| SQLRowCount | 72 |
| HalCalibratePerformanceCounter | 72 |
| BuildImpersonateTrusteeA | 72 |
| ??0?\$basic_ifstream@DU?\$char_traits@D@ | 72 |
| SafeArrayCopy | 72 |
| DecryptMessage | 72 |
| WNetAddConnection3A | 72 |
| xmlSetProp | 72 |
| @Themes@Finalization\$qqrv | 72 |
| _XprtHashString@4 | 72 |
| GetRoleTextW | 72 |
| FindDebugInfoFile | 72 |
| BRUSHOBJ_pvGetRbrush | 72 |
| _execvpe | 72 |
| _wsearchenv | 72 |
| ?!Initialize@FLAG_ARGUMENT@@QAEPPAD | 72 |
| GdiRealizationInfo | 72 |
| GdiResetDCEMF | 72 |
| DeletePrinterDataA | 72 |
| RpcServerUseAllProtseqsIfEx | 72 |
| GetTrusteeNameW | 72 |
| SQLFreeHandle | 72 |
| __CxxDetectRethrow | 72 |
| ASN1char32string_free | 72 |
| WNet GetUserW | 72 |
| RpcSmDestroyClientContext | 72 |
| ??0ifstream@@QAE@PBDHH@Z | 72 |
| __p_tzname | 72 |
| IoGetFileObjectGenericMapping | 72 |
| SQLFetch | 72 |
| AddUsersToEncryptedFile | 72 |
| __FrameUnwindFilter | 72 |
| GdipAddPathPath | 72 |
| ?setw@std@@YA?AU?\$_Smanip@H@1@H | 72 |
| HalGetInterruptVector | 72 |
| SHGetNewLinkInfoW | 72 |
| AtlMarshalPtrInProc | 72 |
| GdiSetPixelFormat | 72 |
| ResetPrinterA | 72 |
| CM_Free_Res_Des_Handle | 72 |
| rtl_string_acquire | 72 |
| ??Ostd@@YA_NABV?\$basic_string@DU?\$cl | 72 |
| AddPortA | 72 |

| | |
|---|----|
| NdisRequest | 72 |
| SetIpStatistics | 72 |
| AddPrinterA | 72 |
| @Classes@TMemoryStream@Write\$qqrpvx | 71 |
| @Classes@TMemoryStream@Realloc\$qqrri | 71 |
| @Classes@TMemoryStream@SetSize\$qqri | 71 |
| @Classes@TCustomMemoryStream@Seek\$ | 71 |
| @Classes@TCustomMemoryStream@Read\$ | 71 |
| @Classes@TStream@SetSize\$qqri | 71 |
| @Classes@TStringList@CompareStrings\$qqi | 71 |
| @Classes@TStringList@Put\$qqrix17System(| 71 |
| @Classes@TStringList@InsertItem\$qqrix17S | 71 |
| @Classes@TStringList@InsertObject\$qqrix1 | 71 |
| @Classes@TStringList@Insert\$qqrix17Syste | 71 |
| @Classes@TStringList@IndexOf\$qqrx17Syst | 71 |
| @Classes@TStringList@Find\$qqrx17System(| 71 |
| @Classes@TStringList@AddObject\$qqrx17S | 71 |
| @Classes@TStringList@Add\$qqrx17System(| 71 |
| @Classes@TStrings@SetTextStr\$qqrx17Syst | 71 |
| @Classes@TStrings@SetText\$qqrpc | 71 |
| @Classes@TStrings@SetCommaText\$qqrx1 | 71 |
| @Classes@TStrings@SaveToFile\$qqrx17Syst | 71 |
| @Classes@TStrings@LoadFromFile\$qqrx17S | 71 |
| @Classes@TStrings@IndexOfName\$qqrx17 | 71 |
| @Classes@TOwnedCollection@\$bctr\$qqrp1 | 71 |
| @Classes@TThreadList@UnlockList\$qqrv | 71 |
| @Classes@TThreadList@LockList\$qqrv | 71 |
| @\$xp\$24Classes@TOwnedCollection | 71 |
| @Classes@TOwnedCollection@ | 71 |
| @Classes@TThreadList@ | 71 |
| @Sysutils@SysErrorMessage\$qqri | 71 |
| @Sysutils@DayOfWeek\$qqrx16System@TD: | 71 |
| @Sysutils@StrNew\$qqrpvc | 71 |
| @Sysutils@AnsiSameText\$qqrx17System@/ | 71 |
| ?-_7ios_base@std@@6B@ | 71 |
| __vbaVarTextCmpEq | 71 |
| EngComputeGlyphSet | 71 |
| EngCheckAbort | 71 |
| HalReadDmaCounter | 71 |
| CopyBindInfo | 71 |
| RegOverridePredefKey | 71 |
| ?rfind@?\$basic_string@DU?\$char_traits@D | 71 |
| acrxSysRegistry | 71 |
| ?clone@AcRxObject@@UBEPAV1@XZ | 71 |
| ?comparedTo@AcRxObject@@UBE?AW4Or | 71 |
| ?isEqualToString@AcRxObject@@UBEHPBV1@@: | 71 |

| | |
|---|----|
| ?copyFrom@AcRxObject@@UAE?AW4Error | 71 |
| WSAAAsyncGetProtoByNumber | 71 |
| RtlCreateHeap | 71 |
| xmlNewTextChild | 71 |
| RtlRunDecodeUnicodeString | 71 |
| WmiNotificationRegistrationW | 71 |
| ??0ofstream@@QAE@XZ | 71 |
| RtlQueryInformationAcl | 71 |
| ImmUnlockIMCC | 71 |
| GetLayeredWindowAttributes | 71 |
| __STRINGTOLD | 71 |
| _wexecve | 71 |
| GdipLoadImageFromStreamICM | 71 |
| FindMediaType | 71 |
| @Adodb@TParameters@GetItem\$qqri | 71 |
| ?Initialize@STRING_ARGUMENT@@QAEPPA | 71 |
| GdiEndDocEMF | 71 |
| glTranslatef | 71 |
| glVertex2f | 71 |
| HidD_GetHidGuid | 71 |
| GetDeviceDriverBaseNameA | 71 |
| DialogBoxIndirectParamAorW | 71 |
| Extract | 71 |
| ASN1BERDecZeroCharString | 71 |
| PFXExportCertStore | 71 |
| GdipIsVisiblePointI | 71 |
| CiSvcMain | 71 |
| _lstat64 | 71 |
| StartFormPage | 71 |
| GetFontResourceInfoW | 71 |
| rtcSpaceBstr | 71 |
| GetMultipleTrusteeW | 71 |
| SdbGetDatabaseID | 71 |
| EnumPrinterDriversW | 71 |
| ??1String@@QAE@XZ | 71 |
| @Classes@TCustomMemoryStream@SetPo | 70 |
| @Classes@TCollection@GetItem\$qqri | 70 |
| @Classes@TStringStream@ | 70 |
| @Sysutils@TMultiReadExclusiveWriteSynch | 70 |
| @Sysutils@ExpandFileName\$qqrx17System | 70 |
| @Sysutils@TMultiReadExclusiveWriteSynch | 70 |
| @Registry@TRegistry@OpenKeyReadOnly\$() | 70 |
| ImageDirectoryEntryToDataEx | 70 |

| | |
|--|----|
| CoInternetCombineUrl | 70 |
| CM_Get_DevNode_Registry_Property_ExW | 70 |
| NdisAllocateMemoryWithTag | 70 |
| DdeGetQualityOfService | 70 |
| LsaRegisterLogonProcess | 70 |
| GdiConvertToDevmodeW | 70 |
| ?assign@?\$basic_string@DU?\$char_traits@ ??0?\$basic_istream@DU?\$char_traits@ | 70 |
| GdiConvertRegion | 70 |
| EngWideCharToMultiByte | 70 |
| ??0AcRxObject@@IAE@XZ | 70 |
| WNetAddConnection3W | 70 |
| NetDfsAddFtRoot | 70 |
| xmlNewNode | 70 |
| GetSurfaceFromDC | 70 |
| _putw | 70 |
| NdisReturnPackets | 70 |
| NdisDprAllocatePacket | 70 |
| NDIS_BUFFER_TO_SPAN_PAGES | 70 |
| WinStationReset | 70 |
| RtlLookupFunctionEntry | 70 |
| glTexParameteri | 70 |
| ImmGetIMClockCount | 70 |
| _wtoi | 70 |
| ?max_size@?\$basic_string@GU?\$char_trait ??0STRING_ARGUMENT@@QAE@XZ | 70 |
| EngDeletePath | 70 |
| glColor3f | 70 |
| CAUpdateCA | 70 |
| SamiEncryptPasswords | 70 |
| NtResetEvent | 70 |
| ASN1BERDecEndOfContents | 70 |
| ASN1CEREncGeneralizedTime | 70 |
| LsaEnumerateTrustedDomains | 70 |
| CryptStringToBinaryW | 70 |
| GdiEntry15 | 70 |
| ?_Id_cnt@id@locale@std@@0HA | 70 |
| IsPathSharedW | 70 |
| SetPrinterW | 70 |
| GetPerAdapterInfo | 70 |
| RtlCreateTimer | 70 |
| StrToInt64ExW | 70 |
| @System@@SetUnion\$qqrv | 69 |
| @\$xp\$16System@TDateTime | 69 |
| @Classes@TStringStream@\$bctr\$qqrx17Sys | 69 |
| @Classes@TCustomMemoryStream@ | 69 |
| @Sysutils@TrimLeft\$qqrx17System@AnsiSt | 69 |

| | |
|---|----|
| @Registry@TRegistry@GetValueNames\$qqi | 69 |
| wcsncat_s | 69 |
| GdiGetPageHandle | 69 |
| WRITE_PORT_BUFFER ULONG | 69 |
| ExInterlockedPopEntrySList | 69 |
| GdiPlayPrivatePageEMF | 69 |
| WSAJoinLeaf | 69 |
| SetupDiInstallDriverFiles | 69 |
| ?desc@AcRxDynamicLinker@@SAPAVAcRxC | 69 |
| ?acDocManagerPtr@@YAPAVAcApDocMan | 69 |
| ?InitAcUiDLL@@YAXXZ | 69 |
| xmlDocDumpMemory | 69 |
| ??\$?8_WU?\$char_traits@_W@std@@@V?\$a | 69 |
| BuildImpersonateExplicitAccessWithNameW | 69 |
| glPopMatrix | 69 |
| ?open@ofstream@@QAEXPBDHH@Z | 69 |
| HidP_GetCaps | 69 |
| HidD_FreePreparedData | 69 |
| _wfreopen | 69 |
| SQLGetData | 69 |
| @Rxstrutils@AddChar\$qqrcx17System@Ans | 69 |
| ??1PATH@@UAE@XZ | 69 |
| EngMultiByteToUnicodeN | 69 |
| __isascii | 69 |
| CAGetCertTypeKeySpec | 69 |
| CASetCertTypeExtension | 69 |
| CAUpdateCertType | 69 |
| CAGetCAProperty | 69 |
| RevokeBindStatusCallback | 69 |
| _mbctolower | 69 |
| ASN1_FreeDecoded | 69 |
| _getdllprocaddr | 69 |
| CloseEncryptedFileRaw | 69 |
| NdisOpenProtocolConfiguration | 69 |
| _scalb | 69 |
| chroot | 69 |
| SystemFunction007 | 69 |
| OleUIAddVerbMenuA | 69 |
| RevokeActiveObject | 69 |
| vc7fpo | 69 |
| NdisDprFreePacket | 69 |
| NdisQueryBufferOffset | 69 |
| NdisMSleep | 69 |
| CreateProxyArpEntry | 69 |
| SetPrinterDataExA | 69 |
| @Classes@TCollection@ | 68 |
| @Nb30@initialization\$qqrv | 68 |

| | |
|--|----|
| ?always_noconv@codecvt_base@std@@QE | 68 |
| AVIFileInfoA | 68 |
| HalAcquireDisplayOwnership | 68 |
| ConfigStartMenu | 68 |
| LdrUnloadDll | 68 |
| @System@@WStrAsg\$qqrr17System@Wide | 68 |
| LsaLookupPrivilegeDisplayName | 68 |
| ??A?\$basic_string@DU?\$char_traits@D@st | 68 |
| CompleteAuthToken | 68 |
| adsw_acadMainWnd | 68 |
| GetPopupTipbar | 68 |
| GdipCreateFromHWND | 68 |
| NtRaiseHardError | 68 |
| _wmktemp | 68 |
| BluetoothAuthenticateDevice | 68 |
| mysql_init | 68 |
| ClusterControl | 68 |
| glBindTexture | 68 |
| GdiIsMetaFileDC | 68 |
| CAEnumNextCertType | 68 |
| AuthzInitializeContextFromSid | 68 |
| NtDeleteKey | 68 |
| ASN1CEREncUTCTime | 68 |
| __CxxUnregisterExceptionObject | 68 |
| __CxxExceptionFilter | 68 |
| glGetError | 68 |
| LsaEnumerateAccountRights | 68 |
| _mmap64 | 68 |
| tcgetattr | 68 |
| waitpid | 68 |
| RtlAcquireResourceExclusive | 68 |
| block_Alloc | 68 |
| libintl_gettext | 68 |
| GetTrusteeNameA | 68 |
| RasCpEnumProtocolIds | 68 |
| NdisCancelSendPackets | 68 |
| BindImageEx | 68 |
| rtl_ustr_ascii_compare_WithLength | 68 |
| NdisAllocateMemory | 68 |
| WSANtohl | 68 |
| GdipClosePathFigure | 68 |
| _ZN4Foam4InfoE | 68 |
| @Classes@TStream@WriteDescendent\$qqr | 67 |
| @Classes@TCollection@\$bctr\$qqrp17Syste | 67 |
| @\$xp\$19Classes@TCollection | 67 |
| @Sysutils@StrToInt64Def\$qqrx17System@A | 67 |
| @Nb30@Finalization\$qqrv | 67 |

| | |
|--|----|
| ?in@?\$codecvt@DDH@std@@QBEHAAHPB | 67 |
| ?out@?\$codecvt@DDH@std@@QBEHAAHF | 67 |
| ExTryToAcquireFastMutex | 67 |
| RtlComputeCrc32 | 67 |
| _wputenv | 67 |
| WinHttpAddRequestHeaders | 67 |
| _stricoll | 67 |
| DisplayExitWindowsWarnings | 67 |
| GetAcceptLanguagesA | 67 |
| STROBJ_bGetAdvanceWidths | 67 |
| GdiSwapBuffers | 67 |
| WNetGetLastErrorA | 67 |
| LoadLocalFonts | 67 |
| RtlVirtualUnwind | 67 |
| RegisterServicesProcess | 67 |
| __pxcptinfoptrs | 67 |
| ??Y?\$basic_string@GU?\$char_traits@G@std@ | 67 |
| SafeArraySetIID | 67 |
| @Db@TDataSet@GetFieldValue\$qqrx17Syst | 67 |
| rtclImmediateIf | 67 |
| OleLoadPicturePath | 67 |
| gluPerspective | 67 |
| lineDevSpecificFeature | 67 |
| CACertTypeGetSecurity | 67 |
| PrivilegedServiceAuditAlarmW | 67 |
| NtDeleteValueKey | 67 |
| ASN1_FreeEncoded | 67 |
| ASN1_CreateModule | 67 |
| RtlInitializeGenericTableAvl | 67 |
| OleCreatePropertyFrame | 67 |
| _ungetch | 67 |
| SetupCopyOEMInfa | 67 |
| munmap | 67 |
| tcsetattr | 67 |
| UspFreeMem | 67 |
| CryptAcquireCertificatePrivateKey | 67 |
| SysReAllocString | 67 |
| ConvertSecurityDescriptorToAccessA | 67 |
| osl_getFileURLFromSystemPath | 67 |
| rtl_uStringbuffer_ensureCapacity | 67 |
| CM_Open_DevNode_Key_Ex | 67 |
| RpcNetworkIsProtseqValidA | 67 |
| rcmd | 67 |
| InternalDeleteIpNetEntry | 67 |
| ?reserve@?\$basic_string@_WU?\$char_trait | 67 |
| bMakePathNameW | 67 |
| WinStationRenameW | 67 |

| | |
|---|----|
| _strnicoll | 67 |
| CryptUIWizQueryCertRequestNoDS | 67 |
| WinStationServerPing | 67 |
| NdisReadConfiguration | 67 |
| NtVdmControl | 67 |
| GdipAddPathLine | 67 |
| @Dateutils@HourOfTheDay\$qqrx16System(| 66 |
| _unlock_file | 66 |
| _lock_file | 66 |
| midilnAddBuffer | 66 |
| GdipGetImageBounds | 66 |
| ZwSuspendThread | 66 |
| WinHttpGetProxyForUrl | 66 |
| LsaEnumeratePrivileges | 66 |
| QuerySecurityPackageInfoA | 66 |
| RtlGetCompressionWorkSpaceSize | 66 |
| xmlStrEqual | 66 |
| ?Empty@TBstr@XPRT@@QAEXXZ | 66 |
| ?find@\$basic_string @_WU?\$char_traits@. | 66 |
| ZwYieldExecution | 66 |
| CryptSignMessage | 66 |
| NtReplyPort | 66 |
| _itow_s | 66 |
| PdhOpenQueryW | 66 |
| lineGetAddressCaps | 66 |
| ?PutSeparators@ARGUMENT_LEXEMIZER@i | 66 |
| PsGetProcessImageFileName | 66 |
| NetApiBufferAllocate | 66 |
| ClusterResourceControl | 66 |
| GdiEntry16 | 66 |
| CLIPROJ_bEnum | 66 |
| EngMultiByteToWideChar | 66 |
| CACertTypeSetSecurity | 66 |
| CACloseCA | 66 |
| NtOpenThread | 66 |
| __CxxQueryExceptionSize | 66 |
| DCICreatePrimary | 66 |
| ??6?\$basic_ostream@DU?\$char_traits@D@ | 66 |
| CM_Get_Next_Res_Des | 66 |
| RegenerateUserEnvironment | 66 |
| IsWindowInDestroy | 66 |
| CoRetireServer | 66 |
| ResUtilDupString | 66 |
| IntlStrEqWorkerW | 66 |
| _wmakepath_s | 66 |
| DeleteFormA | 66 |
| ZwCreateTimer | 66 |

| | |
|---|----|
| ?append@?\$_basic_string@_WU?\$char_trait | 66 |
| RegInstall | 66 |
| IsServerSideWindow | 66 |
| GetAuditedPermissionsFromAclW | 66 |
| _except_handler2 | 66 |
| KeRaiseIrql | 66 |
| EXITPROCESS | 66 |
| WinStationEnumerateA | 66 |
| @Registry@TRegistry@WriteBinaryData\$qq | 65 |
| NtNotifyChangeDirectoryFile | 65 |
| HallInitializeProcessor | 65 |
| ZombifyActCtx | 65 |
| __crtGetStringTypeW | 65 |
| ??0locale@std@@QAE@XZ | 65 |
| NtFlushBuffersFile | 65 |
| DirectSoundEnumerateW | 65 |
| FsRtlCopyRead | 65 |
| GetTextFaceAliasW | 65 |
| SQLExecute | 65 |
| HidD_GetAttributes | 65 |
| CertGetIssuerCertificateFromStore | 65 |
| SetShellWindowEx | 65 |
| SHUnlockShared | 65 |
| _heapwalk | 65 |
| _pgmpt | 65 |
| ??0CLASS_DESCRIPTOR@@QAE@XZ | 65 |
| ClusterEnum | 65 |
| GetClusterNetInterface | 65 |
| GdiSetServerAttr | 65 |
| glHint | 65 |
| CAGetCertTypeFlags | 65 |
| CAFreeCAProperty | 65 |
| CAEnumCertTypes | 65 |
| __CxxRegisterExceptionObject | 65 |
| GdipAddPathArcI | 65 |
| InitiateSystemShutdownExA | 65 |
| MyMalloc | 65 |
| GetStateTextA | 65 |
| GetProfileType | 65 |
| GdiEntry11 | 65 |
| midilnStart | 65 |
| TraceRegisterExA | 65 |
| RtlGetSaclSecurityDescriptor | 65 |
| DialinHoursDialog | 65 |
| RtlGetNtProductType | 65 |
| _mbsnextc | 65 |
| ObjectOpenAuditAlarmW | 65 |

| | |
|---|----|
| CoGetDefaultContext | 65 |
| ?append@?\$basic_string@GU?\$char_traits@ | 65 |
| InternalGetIpNetTable | 65 |
| SetSecurityInfoExW | 65 |
| RtlGetElementGenericTable | 65 |
| WinStationGetLanAdapterNameW | 65 |
| NdisCloseConfiguration | 65 |
| ?_Getcat@?\$codecvt@DDH@std@@SAIPAF | 64 |
| ?getloc@?\$basic_streambuf@DU?\$char_tra | 64 |
| ?unshift@?\$codecvt@DDH@std@@@QBEHA | 64 |
| PATHOBJ_vEnumStartClipLines | 64 |
| FsRtlInitializeTunnelCache | 64 |
| ExfInterlockedPopEntryList | 64 |
| GdipCreateBitmapFromResource | 64 |
| IsJITInProgress | 64 |
| mmioInstallIOProcA | 64 |
| NetGetAnyDCName | 64 |
| BuildImpersonateTrusteeW | 64 |
| NumaVirtualQueryNode | 64 |
| InitializeSecurityContextA | 64 |
| NamedEscape | 64 |
| WSCUpdateProvider | 64 |
| ASN1uint32_uoctets | 64 |
| _vbaR4Sgn | 64 |
| _p_amblksiz | 64 |
| _wstat64 | 64 |
| _environ | 64 |
| lineSetAgentStateEx | 64 |
| ?Initialize@CLASS_DESCRIPTOR@@QAEEXZ | 64 |
| PszAllocA | 64 |
| RtlSetGroupSecurityDescriptor | 64 |
| SetClusterName | 64 |
| BRUSHOBJ_pvAllocRbrush | 64 |
| STROBJ_bEnumPositionsOnly | 64 |
| _getche | 64 |
| vQueueCreate | 64 |
| SQLSetPos | 64 |
| LsaEnumerateAccounts | 64 |
| ConvertAccessToSecurityDescriptorA | 64 |
| ASN1BEREncChar16String | 64 |
| ASN1octetstring_free | 64 |
| ASN1DecSetError | 64 |
| CPIApplet | 64 |
| StrRStrW | 64 |
| MessageBoxTimeoutW | 64 |
| OpenINFEEngine | 64 |
| WinStationUnRegisterConsoleNotification | 64 |

| | |
|-----------------------------------|----|
| _rotl | 64 |
| _setgroups32 | 64 |
| LogonScheduleDialog | 64 |
| DialinHoursDialogEx | 64 |
| DirSyncScheduleDialogEx | 64 |
| SymGetTypeFromName | 64 |
| @Db@TDataSet@Append\$qqrv | 64 |
| PdhAddCounterW | 64 |
| putwchar | 64 |
| glCopyTexImage1D | 64 |
| RasEnumConnectionsW | 64 |
| ZwProtectVirtualMemory | 64 |
| LsaGetLogonSessionData | 64 |
| DefRawInputProc | 64 |
| NdisResetEvent | 64 |
| glTexCoord4i | 64 |
| SymGetLineFromAddr64 | 64 |
| KeLowerIrql | 63 |
| ZwSetSystemTime | 63 |
| WRITE_PORT_BUFFER_UCHAR | 63 |
| READ_PORT_BUFFER_UCHAR | 63 |
| fwscanf | 63 |
| LsaEnumeratePrivilegesOfAccount | 63 |
| SetupDiOpenDeviceInterfaceW | 63 |
| EngQueryEMFInfo | 63 |
| SHLoadOLE | 63 |
| RtlCompressBuffer | 63 |
| ?Append@TBstr@XPRT@@QAEAAV12@PBI | 63 |
| ASN1BERDecZeroChar16String | 63 |
| NTPTimeToNTFileTime | 63 |
| KeRaiseIrqlToSynchLevel | 63 |
| glTexCoord4sv | 63 |
| GdipCreatePen2 | 63 |
| FONTOBJ_pfdg | 63 |
| _set_sbh_threshold | 63 |
| _wspawnvpe | 63 |
| _wfindfirsti64 | 63 |
| lineGetDevConfigW | 63 |
| lineOpenW | 63 |
| @Db@TDataSet@Edit\$qqrv | 63 |
| ?GetStandardOutput@PROGRAM@@UAEP@ | 63 |
| GetTransform | 63 |
| SetupTermDefaultQueueCallback | 63 |
| SetupInstallFromInfSectionW | 63 |
| _wexecvp | 63 |
| ObjectPrivilegeAuditAlarmA | 63 |
| NdisGetReceivedPacket | 63 |

| | |
|---|----|
| _Eps | 63 |
| RpcBindingServerFromClient | 63 |
| _setgid32 | 63 |
| _setuid32 | 63 |
| socketpair | 63 |
| NtDelayExecution | 63 |
| EngCreateDeviceSurface | 63 |
| GdiStartPageEMF | 63 |
| DirSyncScheduleDialog | 63 |
| __vbaMidStmtVar | 63 |
| SetFormA | 63 |
| glDisable | 63 |
| SetNamedSecurityInfoExA | 63 |
| GetRoleTextA | 63 |
| mmGetCurrentTask | 63 |
| NdisReEnumerateProtocolBindings | 63 |
| ??Hstd@@YA?AV?\$basic_string@GU?\$char_ | 63 |
| ??Hstd@@YA?AV?\$basic_string@GU?\$char_ | 63 |
| WSAEnumProtocolsW | 63 |
| SetupDiDestroyClassImageList | 63 |
| _wgetdcwd | 63 |
| NdisMSetAttributesEx | 63 |
| InternalCreateIpNetEntry | 63 |
| ??BString@@QBE?AVOUString@rtl@@XZ | 63 |
| _locking | 62 |
| _mbsbtype | 62 |
| RtlGetCurrentPeb | 62 |
| __vbaAryRecMove | 62 |
| DecodeSystemPointer | 62 |
| CliImmSetHotKey | 62 |
| EngUnicodeToMultiByteN | 62 |
| MD4Init | 62 |
| RtlDestroyHeap | 62 |
| LoadIFilter | 62 |
| __p__winver | 62 |
| NdisAllocateSpinLock | 62 |
| A_SHAFinal | 62 |
| GdipGetDC | 62 |
| _wexecvpe | 62 |
| ApphelpCheckExe | 62 |
| @Sysutils@QuotedStr\$qqrx17System@Ansi! | 62 |
| rtcUpperCaseVar | 62 |
| BluetoothSelectDevices | 62 |
| BluetoothSelectDevicesFree | 62 |
| ClusterGroupEnum | 62 |
| RestoreClusterDatabase | 62 |
| MoveClusterGroup | 62 |

| | |
|---|----|
| SCardDisconnect | 62 |
| CARemoveCACertificateType | 62 |
| __vbaR8FixI2 | 62 |
| SetupQueueCopyW | 62 |
| PnPInterface | 62 |
| bPrinterSetup | 62 |
| vPrinterPropPages | 62 |
| bFolderGetPrinter | 62 |
| ?compare@?\$basic_string@DU?\$char_traits@D@std@@QAE@XZ | 62 |
| GdiplIsVisibleRect | 62 |
| ASN1BERDecExplicitTag | 62 |
| LdrFindEntryForAddress | 62 |
| _DefWindowProc@16 | 62 |
| DCIEndAccess | 62 |
| SceWriteSecurityProfileInfo | 62 |
| WinStationRegisterConsoleNotification | 62 |
| lineGetNewCalls | 62 |
| NdisQueryPendingIOCount | 62 |
| CredUnmarshalCredentialW | 62 |
| SymGetSymPrev64 | 62 |
| DriverProc | 62 |
| SeExports | 62 |
| ?fail@ios_base@std@@QBE_NXZ | 62 |
| _mbstrlen | 62 |
| ??OPATH_ARGUMENT@@QAE@XZ | 62 |
| ObjectPrivilegeAuditAlarmW | 62 |
| GetCursorFrameInfo | 62 |
| _i64tow | 62 |
| _cwait | 62 |
| CM_Get_Sibling_Ex | 62 |
| RtlAcquireResourceShared | 62 |
| NtCreateTimer | 62 |
| ConvertSecurityDescriptorToAccessNamedW | 62 |
| WinStationGetProcessSid | 62 |
| NdisMRegisterDevice | 62 |
| WSAHtons | 62 |
| _mbsncpy | 62 |
| RpcEpRegisterA | 62 |
| glRasterPos4dv | 62 |
| FaultInIEFeature | 62 |
| _wsystem | 62 |
| _swprintf | 61 |
| AddFormW | 61 |
| GetUdpTable | 61 |
| ??Ofstream@@QAE@XZ | 61 |
| _wstrdate | 61 |
| DirectSoundCaptureCreate | 61 |

| | |
|--------------------------------------|----|
| EncryptMessage | 61 |
| GetAccessPermissionsForObjectA | 61 |
| MmSectionObjectType | 61 |
| AuthzAccessCheck | 61 |
| ReasonCodeNeedsBugID | 61 |
| VarUI4FromDec | 61 |
| mysql_close | 61 |
| NtDeleteFile | 61 |
| ChangeClusterResourceGroup | 61 |
| _vbaVarTextTstGt | 61 |
| CASetCertTypeFlags | 61 |
| AMGetErrorTextW | 61 |
| GdipIsVisibleRectI | 61 |
| RtlAssert | 61 |
| ASN1open_free | 61 |
| ASN1DecRealloc | 61 |
| glRasterPos4fv | 61 |
| RtlFormatCurrentUserKeyPath | 61 |
| SymEnumerateSymbols64 | 61 |
| NdisInitializeWrapper | 61 |
| _FInf | 61 |
| RpcServerTestCancel | 61 |
| mmioFlush | 61 |
| HlinkCreateFromString | 61 |
| HlinkOnNavigate | 61 |
| ?SystemExceptionTranslator@@YAXPAU_E | 61 |
| GetThemeBackgroundExtent | 61 |
| TraceDeregisterA | 61 |
| WSAEnumNameSpaceProvidersW | 61 |
| QueryServiceConfig2W | 61 |
| OleUIUpdateLinksA | 61 |
| ??0locale@std@@QAE@PBDH@Z | 61 |
| SymGetSymPrev | 61 |
| ASN1BERDecDouble | 61 |
| WSARecvEx | 61 |
| WinStationGetLanAdapterNameA | 61 |
| CcScheduleReadAhead | 60 |
| GdipFlush | 60 |
| GdipGetFontSize | 60 |
| NetLocalGroupGetMembers | 60 |
| __crtLCMapStringW | 60 |
| WTHelperCertIsSelfSigned | 60 |
| ?close@fstream@@QAEXXZ | 60 |
| DirectSoundCreate8 | 60 |
| ApplyControlToken | 60 |
| ?Find@TBstr@XPRT@@QBEHPBGH@Z | 60 |
| FindNextPrinterChangeNotification | 60 |

| | |
|---------------------------------------|----|
| GetAuditedPermissionsFromAclA | 60 |
| gListBase | 60 |
| GdiGetPageCount | 60 |
| _utime64 | 60 |
| _get_sbh_threshold | 60 |
| _ismbcpunct | 60 |
| GetOleaccVersionInfo | 60 |
| rtcTrimVar | 60 |
| ?Usage@PROGRAM@@UBEXXZ | 60 |
| ?Fatal@PROGRAM@@UBEXXZ | 60 |
| ?Fatal@PROGRAM@@UBAXKKPADZZ | 60 |
| CloseClusterResource | 60 |
| ClusterGroupControl | 60 |
| ClusterOpenEnum | 60 |
| ?Normalize@TBstr@XPRT@@QAEAAV12@> | 60 |
| CAFindByName | 60 |
| CAEnumCertTypesForCA | 60 |
| WmiOpenBlock | 60 |
| MsiDatabaseExportW | 60 |
| ASN1EncSetError | 60 |
| ASN1BEREncOctetString | 60 |
| SetupDiGetDriverInfoDetailA | 60 |
| _osver | 60 |
| CM_Get_Sibling | 60 |
| HlinkCreateFromData | 60 |
| GetThemeBackgroundRegion | 60 |
| _ctype_ | 60 |
| PSetupPreSelectDriver | 60 |
| mmDrvInstall | 60 |
| OleUIEditLinksW | 60 |
| CreateStdAccessibleProxyA | 60 |
| rtcRightCharBstr | 60 |
| EnumMonitorsA | 60 |
| LoadSTRING | 60 |
| @Controls@TWinControl@SetParentBackgr | 60 |
| RtlReleaseResource | 60 |
| WinStationBroadcastSystemMessage | 60 |
| NdisIMDeInitializeDeviceInstance | 60 |
| NdisReleaseSpinLock | 60 |
| NdisAcquireSpinLock | 60 |
| NdisMDeregisterDevice | 60 |
| NdisTerminateWrapper | 60 |
| NdisInitUnicodeString | 60 |
| NdisMRegisterUnloadHandler | 60 |
| NdisIMInitializeDeviceInstanceEx | 60 |
| TrustFreeDecode | 59 |
| ConvertSecurityDescriptorToAccessW | 59 |

| | |
|--|----|
| ?id@?\$_ctype@G@std@@2V0locale@2@A | 59 |
| CM_Free_Log_Conf_Handle | 59 |
| @Dbtables@initialization\$qqrv | 59 |
| HalAllProcessorsStarted | 59 |
| NdisIMAssociateMiniport | 59 |
| AuthzFreeResourceManager | 59 |
| GdipSetCompositingQuality | 59 |
| GdipSetPathGradientCenterPointI | 59 |
| GetTaskmanWindow | 59 |
| CreateStdAccessibleProxyW | 59 |
| ?size@?\$_basic_string@GU?\$char_traits@G@ | 59 |
| SQLExtendedFetch | 59 |
| rtcLowerCaseVar | 59 |
| ?GetStandardInput@PROGRAM@@UAEPAV | 59 |
| ?DisplayMessage@PROGRAM@@UBEEKW4 | 59 |
| ?DisplayMessage@PROGRAM@@UBAEKW4 | 59 |
| OfflineClusterGroup | 59 |
| GetClusterResourceState | 59 |
| GetClusterNetInterfaceState | 59 |
| ClusterResourceEnum | 59 |
| ClusterRegOpenKey | 59 |
| EngGradientFill | 59 |
| CLIPOBJ_cEnumStart | 59 |
| RpcBindingToStringBindingA | 59 |
| IsUserAdmin | 59 |
| ASN1BEREncExplicitTag | 59 |
| ASN1BERDecBitString2 | 59 |
| ZwDelayExecution | 59 |
| gluErrorString | 59 |
| WTSServerOpenA | 59 |
| GdipLoadImageFromFileICM | 59 |
| LsaGetRemoteUserName | 59 |
| NdrConformantStringUnmarshall | 59 |
| GetPrinterDataA | 59 |
| EnumPrintProcessorsW | 59 |
| CoFreeUnusedLibrariesEx | 59 |
| ?Initialize@PATH_ARGUMENT@@QAEPPAD | 59 |
| osl_openFile | 59 |
| osl_closeFile | 59 |
| libintl_bindtextdomain | 59 |
| GetGPOListA | 59 |
| @Dxdbgrid@TdxDBGridColumn@ | 59 |
| SHCreateStreamWrapper | 59 |
| RtlQueueWorkItem | 59 |
| MCIWndCreateA | 59 |
| GdipGraphicsClear | 59 |
| TrusteeAccessToObjectA | 59 |

| | |
|--------------------------------------|----|
| GetAddressByNameA | 59 |
| NdisIMCancelInitializeDeviceInstance | 59 |
| NdisGetPoolFromPacket | 59 |
| SystemFunction001 | 59 |
| HalSetEnvironmentVariable | 58 |
| LsaSetSystemAccessAccount | 58 |
| _vbaLateMemNamedCall | 58 |
| _wfopen_s | 58 |
| ?read@istream@@QAEAAV1@PADH@Z | 58 |
| WNetGetResourceParentA | 58 |
| @Bde@initialization\$qqrv | 58 |
| @Smintf@initialization\$qqrv | 58 |
| @Bdeconst@initialization\$qqrv | 58 |
| CreateRestrictedToken | 58 |
| SymFindFileInPath | 58 |
| NdisIMDeregisterLayeredMiniport | 58 |
| NdisIMGetCurrentPacketStack | 58 |
| AVIStreamLength | 58 |
| CryptImportPublicKeyInfo | 58 |
| SetEntriesInAccessListW | 58 |
| @Dxgrclms@Finalization\$qqrv | 58 |
| ?ValidateVersion@PROGRAM@@UBEXKK@ | 58 |
| ?GetStandardError@PROGRAM@@UAEPAV | 58 |
| glsBlock | 58 |
| glsChannel | 58 |
| RasEditPhonebookEntryA | 58 |
| AddClusterResourceDependency | 58 |
| EngPlgBlt | 58 |
| glPopAttrib | 58 |
| glLineWidth | 58 |
| glDepthFunc | 58 |
| short_from_ndr_temp | 58 |
| CACreateCertType | 58 |
| CASetCertTypeProperty | 58 |
| IsTokenRestricted | 58 |
| OleUIConvertA | 58 |
| _EL_Xlen | 58 |
| _EL_Xran | 58 |
| _EL_free | 58 |
| _EL_malloc | 58 |
| SQLSetEnvAttr | 58 |
| ASN1_CreateDecoder | 58 |
| ZwWriteVirtualMemory | 58 |
| _sys_errlist | 58 |
| DisplInvoke | 58 |
| ?open@ifstream@@QAEXPBDHH@Z | 58 |
| NdrAsyncClientCall | 58 |

| | |
|--|----|
| ScelsSystemDatabase | 58 |
| @System@@_IOTest\$qqrv | 58 |
| WNetAddConnectionA | 58 |
| BuildImpersonateExplicitAccessWithNameA | 58 |
| StopTraceW | 58 |
| EnumerateLoadedModules | 58 |
| LsaEnumerateTrustedDomainsEx | 58 |
| LsaGetQuotasForAccount | 58 |
| SamCloseHandle | 58 |
| PrinterMessageBoxW | 58 |
| ?deallocate@?\$allocator @_W@std@@QAE | 58 |
| OpenAs_RunDLLA | 58 |
| SetupDiCreateDeviceInfoListExW | 58 |
| CM_Get_Device_Interface_ListW | 58 |
| NdisIMNotifyPnPEvent | 58 |
| NdisIMGetDeviceContext | 58 |
| NdisIMCopySendPerPacketInfo | 58 |
| @Registry@TRegistry@DeleteValue\$qqrx17 | 58 |
| KdPollBreakIn | 57 |
| LsaOpenSecret | 57 |
| WintrustAddActionID | 57 |
| WintrustRemoveActionID | 57 |
| ??_Dfstream@QAEXXZ | 57 |
| QueryContextAttributesW | 57 |
| ?Get_Standard_Input_Stream@@YGPAVSTF | 57 |
| ASN1ztchar16string_free | 57 |
| ?begin@?\$basic_string @_WU?\$char_traits@ | 57 |
| ?clear@?\$basic_string @_WU?\$char_traits@ | 57 |
| typelib_typedescriptionreference_equals | 57 |
| AVIStreamGetFrameOpen | 57 |
| _Strxfrm | 57 |
| CredDeleteW | 57 |
| AuthzInitializeResourceManager | 57 |
| ClusterRegEnumKey | 57 |
| _heapmin | 57 |
| __unDName | 57 |
| SQLBindCol | 57 |
| ??1PROGRAM@@UAE@XZ | 57 |
| ??0PROGRAM@@IAE@XZ | 57 |
| mysql_real_connect | 57 |
| ClusterNodeOpenEnum | 57 |
| OfflineClusterResource | 57 |
| ClusterResourceTypeCloseEnum | 57 |
| ClusterRegDeleteKey | 57 |
| PdhOpenLogW | 57 |
| ObFindHandleForObject | 57 |
| glOrtho | 57 |

| | |
|---|----|
| CAAddCACertificateType | 57 |
| CompareSecurityIds | 57 |
| RtlGetLastWin32Error | 57 |
| _wfindfirst | 57 |
| MyRealloc | 57 |
| _ismbcsymbol | 57 |
| lineAddToConference | 57 |
| _Nan | 57 |
| NIsConvertIntegerToString | 57 |
| SceRollbackTransaction | 57 |
| BRUSHOBJ__ulGetBrushColor | 57 |
| __p__ptype | 57 |
| NdrGetBuffer | 57 |
| ??0CEception@@QAE@XZ | 57 |
| GetThemeTextExtent | 57 |
| ??1?\$basic_ios@GU?\$char_traits@G@std@ | 57 |
| NtOpenEventPair | 57 |
| osl_getSystemTime | 57 |
| SamOpenAlias | 57 |
| libintl_textdomain | 57 |
| EnumerateLoadedModules64 | 57 |
| ??6std@@YAAV?\$basic_ostream@GU?\$ch | 57 |
| VarBstrCat | 57 |
| ExfInterlockedRemoveHeadList | 57 |
| mmTaskBlock | 57 |
| WTSLogoffSession | 57 |
| CertCompareCertificate | 57 |
| ?_Fiopen@std@@YAPAU_iobuf@@PBDHH(| 57 |
| ResetPrinterW | 57 |
| ImmUnregisterWordW | 57 |
| NdisIMCopySendCompletePerPacketInfo | 57 |
| NdisIMRegisterLayeredMiniport | 57 |
| glMapGrid1d | 57 |
| SQLSetScrollOptions | 56 |
| CM_Get_HW_Prof_Flags_ExW | 56 |
| _Strftime | 56 |
| I_RpcBindingInqTransportType | 56 |
| _findnexti64 | 56 |
| xprt_strlcpy | 56 |
| _wrmdir | 56 |
| GetDIIIDirectoryW | 56 |
| A_SHAInit | 56 |
| DbgPrintEx | 56 |
| GdipCreateMatrix | 56 |
| DisableProcessWindowsGhosting | 56 |
| glsBinary | 56 |
| BackupClusterDatabase | 56 |

| | |
|---|----|
| SetClusterGroupName | 56 |
| ClusterResourceOpenEnum | 56 |
| _atodbl | 56 |
| CM_Get_Next_Res_Des_Ex | 56 |
| GdiFullscreenControl | 56 |
| GetEUDCTimeStamp | 56 |
| EngCopyBits | 56 |
| RpcServerUseAllProtseqsIf | 56 |
| GetOverlappedAccessResults | 56 |
| _atoldbl | 56 |
| MyFree | 56 |
| ASN1bitstring_cmp | 56 |
| ASN1BERDecUTF8String | 56 |
| SetSecurityInfoExA | 56 |
| CryptUIWizImport | 56 |
| SceGetDatabaseSetting | 56 |
| WinStationOpenServerA | 56 |
| NdisQueryBufferSafe | 56 |
| _LCosh | 56 |
| NdrConformantStringMarshall | 56 |
| NdrClientInitializeNew | 56 |
| NdrConformantStringBufferSize | 56 |
| GdiIsPlayMetafileDC | 56 |
| gBlendFunc | 56 |
| GetNamedSecurityInfoExW | 56 |
| IpRenewAddress | 56 |
| SCardReleaseContext | 56 |
| ?QueryDirectory@SYSTEM@@SGPAVFSN_D | 56 |
| osl_removeFile | 56 |
| osl_getDateTimeFromTimeValue | 56 |
| CredWriteW | 56 |
| _Poly | 56 |
| ValidateLocale | 56 |
| @Db@TGuidField@ | 56 |
| GdipAddPathRectangles | 56 |
| VarBstrCmp | 56 |
| ?find@?\$basic_string@GU?\$char_traits@G(| 56 |
| ?allocate@?\$allocator@_W@std@@QAEPA | 56 |
| AVIStreamCreate | 56 |
| SQLBindParameter | 56 |
| dn_expand | 56 |
| ??Hstd@@YA?AV?\$basic_string@GU?\$char | 56 |
| CM_Request_Device_Eject_ExW | 56 |
| ??5?\$basic_istream@DU?\$char_traits@D@: | 56 |
| ProcessTrace | 56 |
| ImmGetCompositionFontW | 56 |
| I_CryptUIProtect | 56 |

| | |
|---|----|
| NdisTransferData | 56 |
| _execip | 56 |
| glGetTexLevelParameteriv | 56 |
| SystemFunction025 | 56 |
| glColor3fv | 56 |
| SQLCancel | 55 |
| KeSetTimeIncrement | 55 |
| joyGetNumDevs | 55 |
| RtlInitializeCriticalSectionAndSpinCount | 55 |
| ExIsResourceAcquiredSharedLite | 55 |
| ?ToInt@TBstr@XPRT@@QBEHH@Z | 55 |
| ASN1charstring_cmp | 55 |
| ?rfind@?\$basic_string@_WU?\$char_traits@ | 55 |
| ?_Xran@_String_base@std@@SAXXZ | 55 |
| ??Ofstream@@QAE@PBDHH@Z | 55 |
| SymUnloadModule | 55 |
| CertSerializeCertificateStoreElement | 55 |
| RpcMgmtIsServerListening | 55 |
| GdipSetPathGradientFocusScales | 55 |
| @Extctrls@TTimer@ | 55 |
| ?name@type_info@@QBEPBDXZ | 55 |
| RtlSetSaclSecurityDescriptor | 55 |
| CloseClusterNotifyPort | 55 |
| ClusterGetEnumCount | 55 |
| SetClusterQuorumResource | 55 |
| SetClusterGroupNodeList | 55 |
| ResumeClusterNode | 55 |
| GetClusterNetworkId | 55 |
| GetClusterFromNode | 55 |
| EvictClusterNodeEx | 55 |
| ClusterRegQueryInfoKey | 55 |
| EngQueryLocalTime | 55 |
| glScalef | 55 |
| CryptFormatObject | 55 |
| SetupDefaultQueueCallbackW | 55 |
| _mbsncat | 55 |
| ZwOpenThreadTokenEx | 55 |
| WTSEnumerateSessionsA | 55 |
| TrusteeAccessToObjectW | 55 |
| StartDocPrinterW | 55 |
| lineSetupConference | 55 |
| IoUnregisterShutdownNotification | 55 |
| GdiConvertBrush | 55 |
| GetThemeAppProperties | 55 |
| SCardListReadersA | 55 |
| glGetIntegerv | 55 |
| _Snan | 55 |

| | |
|---|----|
| RtlQueryTimeZoneInformation | 55 |
| ASN1intx_sub | 55 |
| OleUIChangeSourceW | 55 |
| UrlIsNoHistoryA | 55 |
| ??\$getline@DU?\$char_traits@D@std@@V? | 55 |
| CM_Get_Child_Ex | 55 |
| NetWkstaTransportEnum | 55 |
| WSAttemptAutodialName | 55 |
| EnumerateSecurityPackagesW | 55 |
| _mbsnbcnt | 54 |
| WinHttpWriteData | 54 |
| SHHelpShortcuts_RunDLL | 54 |
| ?begin@?\$basic_string@DU?\$char_traits@I | 54 |
| XLATEOBJ_iXlate | 54 |
| ?TestAccess@TFile@XPRT@@SA_NPBGI@Z | 54 |
| ?end@?\$basic_string@_WU?\$char_traits@_ | 54 |
| SetupDiBuildClassInfoListExW | 54 |
| AddAccessDeniedAceEx | 54 |
| NtLoadKey | 54 |
| NtInitiatePowerAction | 54 |
| WinSqmIsOptedIn | 54 |
| GdipAddPathEllipsel | 54 |
| _fmode_dll | 54 |
| lineCreateAgentSessionW | 54 |
| SQLFreeStmt | 54 |
| @Controls@TControl@SetWidth\$qqri | 54 |
| GetClusterNetInterfaceKey | 54 |
| GetClusterInformation | 54 |
| GetClusterFromResource | 54 |
| EvictClusterNode | 54 |
| ClusterRegCloseKey | 54 |
| RpcServerInqDefaultPrincNameA | 54 |
| SQLPrepare | 54 |
| joyReleaseCapture | 54 |
| NtQueryAttributesFile | 54 |
| UpdatePerfNameFilesW | 54 |
| NlsResetProcessLocale | 54 |
| ElfReportEventW | 54 |
| ASN1BERDecUTCTime | 54 |
| ASN1bitstring_free | 54 |
| ASN1BERDecU32Val | 54 |
| ASN1BEREncMultibyteString | 54 |
| ElfCloseEventLog | 54 |
| _wfdopen | 54 |
| _Stold | 54 |
| AcceptSecurityContext | 54 |
| __RTtypeid | 54 |

| | |
|--|----|
| CryptUIWizDigitalSign | 54 |
| CryptUIWizFreeDigitalSignContext | 54 |
| SetEntriesInAuditListW | 54 |
| NdisSend | 54 |
| UuidCompare | 54 |
| RtlInsertElementGenericTableAvl | 54 |
| LsalCLookupSids | 54 |
| tree_peek_ndr | 54 |
| NtSetInformationObject | 54 |
| GetNumberOfInterfaces | 54 |
| NtQueryDirectoryObject | 54 |
| _ismbclegal | 54 |
| osl_readFile | 54 |
| SetThreadPreferredUILanguages | 54 |
| DriverCallback | 54 |
| CertAddCRLContextToStore | 54 |
| @Dxdbgrid@TdxDBGridMaskColumn@ | 54 |
| ??1bad_alloc@std@@UAE@XZ | 54 |
| GetDriverModuleHandle | 54 |
| WSASendDisconnect | 54 |
| SymGetLineFromName | 54 |
| WTSVirtualChannelClose | 54 |
| ResUtilGetProperty | 54 |
| typelib_typedescriptionreference_release | 54 |
| NtSetContextThread | 54 |
| ImmGenerateMessage | 54 |
| IcmpSendEcho2 | 54 |
| CreateEditableStream | 54 |
| RtlAddAccessAllowedObjectAce | 54 |
| vlc_Log | 54 |
| IoFreeAdapterChannel | 54 |
| OpenDataFile | 53 |
| SQLParamData | 53 |
| SQLDisconnect | 53 |
| BindAsyncMoniker | 53 |
| _exec1 | 53 |
| UuidEqual | 53 |
| DeviceEventWorker | 53 |
| ZwDisplayString | 53 |
| SymGetSymFromAddr64 | 53 |
| ?CompareNoCase@TBstr@XPRT@@QBEHPI | 53 |
| ASN1utctime_cmp | 53 |
| ADSIEExecuteSearch | 53 |
| HalDisplayString | 53 |
| AVIStreamSampleToTime | 53 |
| ??0ifstream@@QAE@XZ | 53 |
| GdipStartPathFigure | 53 |

| | |
|---|----|
| lineConfigDialogEdit | 53 |
| @Variants@Unassigned\$qqrv | 53 |
| SetClusterNetworkPriorityOrder | 53 |
| SetClusterNetworkName | 53 |
| GetClusterResourceTypeKey | 53 |
| GetClusterFromNetwork | 53 |
| GetClusterFromNetInterface | 53 |
| FailClusterResource | 53 |
| ClusterResourceTypeControl | 53 |
| ClusterRegGetKeySecurity | 53 |
| XLATEOBJ_hGetColorTransform | 53 |
| EngBitBlt | 53 |
| EngStretchBlt | 53 |
| RtlLockHeap | 53 |
| ??1CTXStringW@@QAE@XZ | 53 |
| ASN1ztcharstring_free | 53 |
| ASN1BEREncU32 | 53 |
| ASN1BERDecObjectIdentifier2 | 53 |
| ASN1BERDecOpenType2 | 53 |
| GdipCreateLineBrushFromRect | 53 |
| ?find@?\$basic_string@GU?\$char_traits@G(| 53 |
| StrNCmpA | 53 |
| ??_F?\$basic_string@DU?\$char_traits@D@s: | 53 |
| EngGetCurrentCodePage | 53 |
| _FDscale | 53 |
| ?GetTickCount@TTime@XPRT@@SA?AV12(| 53 |
| _Dnorm | 53 |
| _mbsninc | 53 |
| SetNamedSecurityInfoExW | 53 |
| AddAuditAccessAceEx | 53 |
| SetupDiGetClassImageList | 53 |
| wglSwapLayerBuffers | 53 |
| ZwDuplicateToken | 53 |
| NtYieldExecution | 53 |
| SetCPGlobal | 53 |
| mblen | 53 |
| ASN1BEREncRemoveZeroBits | 53 |
| StrCSpnIA | 53 |
| DeviceDone | 53 |
| NdrFixedArrayFree | 53 |
| curl_easy_init | 53 |
| mmioStringToFOURCCA | 53 |
| ??8type_info@@QBE_NABV0@@Z | 53 |
| FindExecutableImageEx | 53 |
| NtCreateMutant | 53 |
| rtl_ustr_indexOfChar_WithLength | 53 |
| AddPrinterConnectionA | 53 |

| | |
|---|----|
| RtlDeleteResource | 53 |
| rexec | 53 |
| SetIfEntry | 53 |
| glTexCoord4dv | 53 |
| StrRStrA | 53 |
| DsBindA | 52 |
| PsEstablishWin32Callouts | 52 |
| ?assign@?\$basic_string@DU?\$char_traits@ | 52 |
| ??0STREAM_MESSAGE@@QAE@XZ | 52 |
| StrNCmplA | 52 |
| ??1TFile@XPRT@@UAE@XZ | 52 |
| ?Open@TFile@XPRT@@QAE_NPBGI_N@Z | 52 |
| ??0TFile@XPRT@@QAE@XZ | 52 |
| FeClientInitialize | 52 |
| GetPermLayers | 52 |
| NetQueryDisplayInformation | 52 |
| AVIStreamGetFrameClose | 52 |
| AVIStreamStart | 52 |
| NdrClientCall | 52 |
| SetServiceBits | 52 |
| @Db@TBooleanField@ | 52 |
| mysql_store_result | 52 |
| mysql_error | 52 |
| ClusterGroupCloseEnum | 52 |
| ClusterGroupOpenEnum | 52 |
| ClusterResourceGetEnumCount | 52 |
| ClusterRegEnumValue | 52 |
| GetFormA | 52 |
| EngGetPrinterDataFileName | 52 |
| PsProcessType | 52 |
| SetupOpenAppendInfFileW | 52 |
| SetupInitDefaultQueueCallbackEx | 52 |
| _FDtest | 52 |
| ClientThreadSetup | 52 |
| RtlRandomEx | 52 |
| GetRawInputDeviceList | 52 |
| ??0CTXStringW@@QAE@XZ | 52 |
| ??BCTXStringW@@QBEPB_WXZ | 52 |
| GetPrinterDriverDirectoryW | 52 |
| ASN1BERDecPeekTag | 52 |
| ASN1BEREncBitString | 52 |
| _ismbbkalnum | 52 |
| SQLDescribeParam | 52 |
| SHAlloc | 52 |
| GdiCreateLocalMetaFilePict | 52 |
| CryptUIGetViewSignaturesPagesW | 52 |
| ??Hstd@@YA?AV?\$basic_string@DU?\$char | 52 |

| | |
|--|----|
| SceFreeMemory | 52 |
| _Stof | 52 |
| ??1_Container_base12@std@@QAE@XZ | 52 |
| HeapQueryTagW | 52 |
| ?Display@MESSAGE@@QAAEPBDZZ | 52 |
| osl_setFilePos | 52 |
| TraceVprintfExA | 52 |
| SymFunctionTableAccess64 | 52 |
| rtcStrReverse | 52 |
| DeviceListen | 52 |
| PFXVerifyPassword | 52 |
| curl_easy_setopt | 52 |
| BuildTrusteeWithObjectsAndSidW | 52 |
| ?end@\$basic_string@DU?\$char_traits@D(| 52 |
| ?begin@\$basic_string@DU?\$char_traits@I | 52 |
| AddPrinterDriverA | 52 |
| NPLoadNameSpaces | 52 |
| typelib_typedescriptionreference_acquire | 52 |
| pthread_mutex_lock | 52 |
| pthread_mutex_unlock | 52 |
| InitSecurityInterfaceW | 52 |
| L_UNK | 52 |
| HalGetBusDataByOffset | 51 |
| ZwUnloadKey | 51 |
| RtlAreAllAccessesGranted | 51 |
| URLOpenPullStreamW | 51 |
| AddPrinterDriverExW | 51 |
| LsaOpenAccount | 51 |
| CM_Get_Hardware_Profile_Info_ExW | 51 |
| DhcpAddServer | 51 |
| EncodeSystemPointer | 51 |
| ?end@\$basic_string@DU?\$char_traits@D(| 51 |
| ??1fstream@@UAE@XZ | 51 |
| OleCreatePictureIndirect | 51 |
| ?DirSpecFromFullSpec@TFile@XPRT@@SA? | 51 |
| SetupGetLineTextA | 51 |
| midiInGetErrorTextA | 51 |
| GdipCreateFromHWNDDCM | 51 |
| EnterReaderModeHelper | 51 |
| GdipBitmapGetPixel | 51 |
| __p_mbcasemap | 51 |
| RegisterRawInputDevices | 51 |
| BluetoothFindRadioClose | 51 |
| @Adodb@TParameters@Refresh\$qqrv | 51 |
| mysql_free_result | 51 |
| mysql_fetch_row | 51 |
| ClusterGroupGetEnumCount | 51 |

| | |
|---|----|
| GetClusterKey | 51 |
| ClusterResourceTypeEnum | 51 |
| ClusterRegCreateKey | 51 |
| XLATEOBJ_piVector | 51 |
| EngDeleteSemaphore | 51 |
| WmiCloseBlock | 51 |
| SQLFreeConnect | 51 |
| AVIFileGetStream | 51 |
| BaseInitAppcompatCache | 51 |
| CM_Next_Range | 51 |
| NtUnloadKey | 51 |
| CopyStgMedium | 51 |
| _heapused | 51 |
| _wenviron | 51 |
| ASN1BERDecBitString | 51 |
| GetPrinterDataExW | 51 |
| _searchenv | 51 |
| SceDcPromoCreateGPOsInSysvolEx | 51 |
| _execve | 51 |
| _FRteps | 51 |
| WSAAAsyncGetProtoByName | 51 |
| QueryWorkingSet | 51 |
| GdiPlayEMF | 51 |
| I_RpcGetBuffer | 51 |
| @System@ExceptObject\$qqrv | 51 |
| HeapExtend | 51 |
| CryptSIPVerifyIndirectData | 51 |
| ??0CHString@@QAE@XZ | 51 |
| _fpieee_flt | 51 |
| RasValidateEntryNameA | 51 |
| RtlRaiseStatus | 51 |
| _Toupper | 51 |
| LoadPerfCounterTextStringsW | 51 |
| HalProcessorIdle | 51 |
| _yn | 51 |
| DeviceConnect | 51 |
| curl_easy_perform | 51 |
| HlinkGoForward | 51 |
| ??\$?HDU?\$char_traits@D@std@@V?\$alloc | 51 |
| ??\$?H_WU?\$char_traits@_W@std@@V?\$sa | 51 |
| VirtualBufferExceptionHandler | 51 |
| glGetTexLevelParameterfv | 51 |
| SetupDiClassNameFromGuidExW | 51 |
| _vbaVarTextCmpNe | 51 |
| ?erase@?\$basic_string@_WU?\$char_traits@ | 51 |
| _spawnvpe | 51 |
| CreateIpForwardEntry | 51 |

| | |
|------------------------------------|----|
| glLighti | 51 |
| mbstowcs_s | 50 |
| SetupDiSetDeviceRegistryPropertyW | 50 |
| CheckEscapesA | 50 |
| strlen | 50 |
| __mb_cur_max_func | 50 |
| WNetLogonNotify | 50 |
| ?SetFileName@FSN_FILTER@@QAEEPBVWS | 50 |
| WTSEnumerateProcessesA | 50 |
| _XprtGenerateRandom@8 | 50 |
| __vbaVargObjAddref | 50 |
| waveOutBreakLoop | 50 |
| SymSetContext | 50 |
| _ismbbkpunct | 50 |
| A_SHAUpdate | 50 |
| CryptDecryptMessage | 50 |
| MBToWCSEx | 50 |
| __C_specific_handler | 50 |
| BluetoothFindFirstRadio | 50 |
| BluetoothGetDeviceInfo | 50 |
| CM_Get_Device_IDA | 50 |
| @Controls@TControl@SetHeight\$qqri | 50 |
| ?PutSwitches@ARGUMENT_LEXEMIZER@@ | 50 |
| CanResourceBeDependent | 50 |
| AuthzOpenObjectAudit | 50 |
| GetGlyphOutlineWow | 50 |
| RpcServerUseAllProtseqsEx | 50 |
| GetAppCompatFlags | 50 |
| ??0CTXStringW@@QAE@PB_W@Z | 50 |
| ??H@YA?AVCTXStringW@@ABV0@PB_W@ | 50 |
| _strncoll | 50 |
| glDeleteTextures | 50 |
| SafeArrayGetDim | 50 |
| ?getline@istream@@QAEAAV1@PADHD@Z | 50 |
| SceAddToNameStatusList | 50 |
| UserClientDIIInitialize | 50 |
| AddAuditAccessObjectAce | 50 |
| NdrConformantArrayUnmarshall | 50 |
| NdrFreeBuffer | 50 |
| SetConsoleCommandHistoryMode | 50 |
| FONTOBJ_pvTrueTypeFontFile | 50 |
| EngDeleteSurface | 50 |
| LsaEnumerateAccountsWithUserRight | 50 |
| glLightfv | 50 |
| SetupDiSetSelectedDriverA | 50 |
| SetupDiGetClassImageIndex | 50 |
| RtlPcToFileHeader | 50 |

| | |
|---|----|
| osl_getFilePos | 50 |
| osl_writeFile | 50 |
| osl_getGlobalTimer | 50 |
| rtl_crc32 | 50 |
| inflate | 50 |
| XcvDataW | 50 |
| _FSnan | 50 |
| _Getcoll | 50 |
| _inpd | 50 |
| GdipAddPathPie | 50 |
| _chgsign | 50 |
| GetNameByTypeA | 50 |
| QuerySecurityPackageInfoW | 50 |
| AddPorts | 50 |
| ??Y?\$basic_string@_WU?\$char_traits@_W(| 50 |
| ?_Tidy@?\$basic_string@_WU?\$char_traits@ | 50 |
| CryptSIPGetRegWorkingFlags | 50 |
| @Graphutil@initialization\$qqrv | 50 |
| _Mbrtowc | 50 |
| PathIsSystemFolderA | 50 |
| cppu_unsatisfied_iquery_msg | 50 |
| OsThunkDdUnlockD3D | 50 |
| StrNCmpW | 50 |
| _vbaPutFxStr4 | 50 |
| CryptCATCDFOpen | 50 |
| SystemFunction026 | 50 |
| ?HostToIP@@YGHPAD0K@Z | 50 |
| ?Base64EncodeFunc@@YGHPAD0H@Z | 50 |
| ?CanCheckPopup@@YGHPAU_TSharedStruc | 50 |
| ?GetWindowsProductId@@YGHPADK@Z | 50 |
| ?SetLastPopupTimeNT@@YGHU_FILETIME@ | 50 |
| ?SetPopupCountNT@@YGHKPAD@Z | 50 |
| ?ParsePopupData@@YGHPADPAU_tagPopu | 50 |
| ?SaveQoolPopups_T@@YGHPAU_tagQoolP | 50 |
| ?SaveQoolPopups_NT@@YGHPAU_tagQool | 50 |
| ?SetPopupInProgress@@YGHH@Z | 50 |
| ?ShowPopupInDefaultBrowser@@YGHKPAL | 50 |
| ?ShowPopupInDefaultBrowser2@@YGHKPA | 50 |
| ?AddFiredPid@@YGHPAPAU_tagQoolPopu | 50 |
| ?GetLastPopupTimeNT@@YG?AU_FILETIME | 50 |
| ?RemoveOldPopups@@YGHPAPAU_tagQoc | 50 |
| ?IsPopupInProgress@@YGHXZ | 50 |
| ?GetUniqueClientId@@YGHPADK@Z | 50 |
| ?FindBrowserWindow@@YGPAUHWND__@ | 50 |
| ?LoadFiredPopups_T@@YGHPAPAU_tagQo | 50 |
| ?GetOSVersionString@@YGHPADK@Z | 50 |
| ?IsWindowsMe@@YGHXZ | 50 |

| | |
|--|----|
| ?GetIEVersion@@YGXPADK@Z | 50 |
| ?ScheduleFileUpdate@@YGXPAD0@Z | 50 |
| ?FileTimeSecondsBetween@@YG_JU_FILETI | 50 |
| ?GetHardwareHashCrcHex@@YGH PADH@Z | 50 |
| ?ParsePacketContent@@YGH PAU_tagHttpC | 50 |
| ?ModuleFromAddress@@YGPAUHINSTANC | 50 |
| ?LoadFiredPopups_NT@@YGH PAPAU_tagQ | 50 |
| ?GetPopupCountNT@@YGKPAD@Z | 50 |
| IPSecFreePolStr | 50 |
| glGetPixelMapusv | 50 |
| D_UNK | 50 |
| SQLPutData | 49 |
| RtlSetTimeZoneInformation | 49 |
| ExAcquireSharedStarveExclusive | 49 |
| SafeArrayGetVartype | 49 |
| CM_Set_HW_Prof_Flags_ExW | 49 |
| ?_Tidy@?\$basic_string@DU?\$char_traits@[| 49 |
| ?endl@@YAAAVostream@@AAV1@@Z | 49 |
| ?nothrow@std@@3Un othrow_t@1@B | 49 |
| RtlReAllocateHeap | 49 |
| ?find_last_of@?\$basic_string@DU?\$char_tr | 49 |
| ADSIGetFirstRow | 49 |
| GetOpenCardNameW | 49 |
| mmioGetInfo | 49 |
| NtReplyWaitReceivePort | 49 |
| GetSecurityInfoExA | 49 |
| GdipCloneBitmapAreal | 49 |
| @Vedataset@TVEDataset@\$bctr\$qqrp18Clz | 49 |
| CertVerifyTimeValidity | 49 |
| mysql_errno | 49 |
| GetClusterFromGroup | 49 |
| midiOutLongMsg | 49 |
| glGenLists | 49 |
| HlinkSimpleNavigateToString | 49 |
| _LExp | 49 |
| _ismb slead | 49 |
| SamLookupNamesInDomain | 49 |
| GetMultipleTrusteeOperationW | 49 |
| ASN1_GetEncoderOption | 49 |
| CertFreeCTLContext | 49 |
| _mbcjsto jms | 49 |
| glAccum | 49 |
| RpcSsDestroyClientContext | 49 |
| WSHIoctl | 49 |
| _strerror | 49 |
| _Denorm | 49 |
| GetETM | 49 |

| | |
|--|----|
| CryptMsgControl | 49 |
| SCardConnectA | 49 |
| ?_Debug_message@std@@YAXPB_W0I@Z | 49 |
| ?_Orphan_all @_Container_base12@std@@ | 49 |
| RtlCreateTimerQueue | 49 |
| rtl_string_newReplace | 49 |
| inflateEnd | 49 |
| UninstallHook | 49 |
| HlinkGoBack | 49 |
| ??_7?\$basic_ios@GU?\$char_traits@G@std(| 49 |
| _lfind | 49 |
| PortClose | 49 |
| EnumJobsW | 49 |
| __p_mbctype | 49 |
| CertAddCTLContextToStore | 49 |
| CertGetPublicKeyLength | 49 |
| CoGetProcessIdentifier | 49 |
| RtlDeregisterWait | 49 |
| CM_Is_Dock_Station_Present | 49 |
| PrintersGetCommand_RunDLL | 49 |
| GetNumaAvailableMemory | 49 |
| GetRawInputBuffer | 49 |
| FindControlClose | 49 |
| IoAllocateDriverObjectExtension | 49 |
| Icmp6CreateFile | 49 |
| ?swap@?\$basic_string@_WU?\$char_traits@ | 49 |
| SCardListCardsA | 49 |
| PFXIsPFXBlob | 49 |
| NtFlushKey | 49 |
| AutoDialFunc | 49 |
| GImfCloseMetaFile | 49 |
| ScheduleJob | 48 |
| __iscsymf | 48 |
| PsChargePoolQuota | 48 |
| FreeAddrInfoW | 48 |
| WSAInstallServiceClassW | 48 |
| IsUninstallImageValid | 48 |
| ?epptr@?\$basic_streambuf@DU?\$char_trai | 48 |
| InitializeLpkHooks | 48 |
| mixerMessage | 48 |
| SetupDiCreateDeviceInfoW | 48 |
| KeTryToAcquireQueuedSpinLock | 48 |
| GetUserProfileDirectoryW | 48 |
| GdipSetImageAttributesColorMatrix | 48 |
| @Vedataset@TVEDataset@SetRealTableNar | 48 |
| @Vedataset@UserNo\$qqrv | 48 |
| EnumPrinterDataW | 48 |

| | |
|---|----|
| mysql_commit | 48 |
| mysql_rollback | 48 |
| mysql_fetch_lengths | 48 |
| mysql_real_query | 48 |
| SetClusterServiceAccountPassword | 48 |
| GetClusterNodeState | 48 |
| ImageGetDigestStream | 48 |
| glCallLists | 48 |
| glVertex3f | 48 |
| FileEncryptionStatusW | 48 |
| CertFindChainInStore | 48 |
| SetupCommitFileQueueW | 48 |
| CIState | 48 |
| SQLExecDirect | 48 |
| ??1CTXBSTR@@QAE@XZ | 48 |
| ??4CTXStringW@@QAEAAV0@PB_W@Z | 48 |
| LdrShutdownThread | 48 |
| _futime | 48 |
| midlInGetDevCapsA | 48 |
| IoGetBaseFileSystemDeviceObject | 48 |
| CM_Reenumerate_DevNode | 48 |
| _Irotr | 48 |
| _gmtime32_s | 48 |
| Control_RunDLL | 48 |
| SceEnforceSecurityPolicyPropagation | 48 |
| CryptUIDlgSelectCertificateFromStore | 48 |
| SceConfigureSystem | 48 |
| SceAnalyzeSystem | 48 |
| SceCopyBaseProfile | 48 |
| @System@@Close\$qqrr15System@TTextRe | 48 |
| @System@@Assign\$qqrr15System@TTextR | 48 |
| statfs | 48 |
| NdrConformantArrayBufferSize | 48 |
| EngEraseSurface | 48 |
| SCardTransmit | 48 |
| ??0_Container_base12@std@@QAE@XZ | 48 |
| OpenEncryptedFileRawW | 48 |
| _mbsspnp | 48 |
| NtNotifyChangeKey | 48 |
| glGenTextures | 48 |
| glTexImage2D | 48 |
| SymGetModuleInfoW64 | 48 |
| ?QueryFile@SYSTEM@@SGPAVFSN_FILE@0 | 48 |
| CertAddSerializedElementToStore | 48 |
| HeapCreateTagsW | 48 |
| ?_Copy@\$basic_string@GU?\$char_traits@ | 48 |
| _Sinh | 48 |

| | |
|--|----|
| ??5?\$basic_istream@DU?\$char_traits@D@: | 48 |
| MmIsNonPagedSystemAddressValid | 48 |
| curl_global_init | 48 |
| OsThunkDdGetDC | 48 |
| NtQuerySection | 48 |
| OleLoadPictureFileEx | 48 |
| NdrPointerMarshall | 48 |
| SceSvcSetInformationTemplate | 48 |
| WSASetServiceW | 48 |
| RtlSystemTimeToLocalTime | 48 |
| OsThunkDdGetBltStatus | 48 |
| joySetCapture | 48 |
| ??0?\$basic_ostream@DU?\$char_traits@D@ | 48 |
| EnumFormsA | 48 |
| SymGetModuleBase64 | 48 |
| glVertex4iv | 48 |
| _spawnvve | 47 |
| _mbsdup | 47 |
| RtlLargeIntegerShiftLeft | 47 |
| WinHttpSetStatusCallback | 47 |
| OsThunkDdGetDriverInfo | 47 |
| SetProcessDPIAware | 47 |
| ?MakeLower@TBstr@XPRT@@QAEAAV12@ | 47 |
| _XprtBinToBase64@16 | 47 |
| midiDisconnect | 47 |
| HttpRemoveUrl | 47 |
| ?_M_increment@?\$_Rb_global@_N@_STL@ | 47 |
| ?_Rebalance@?\$_Rb_global@_N@_STL@@ | 47 |
| glDeleteLists | 47 |
| ?tellg@?\$_basic_istream@DU?\$char_traits@ | 47 |
| ??8std@@YA_NABV?\$basic_string@GU?\$cl@ | 47 |
| _MessageBox@16 | 47 |
| NtQueryInformationJobObject | 47 |
| WinStationIsHelpAssistantSession | 47 |
| NtSetQuotaInformationFile | 47 |
| PdhRemoveCounter | 47 |
| __lc_collate_cp | 47 |
| glsAppRef | 47 |
| RasCreatePhonebookEntryA | 47 |
| GetClusterNetworkState | 47 |
| GetClusterNetworkKey | 47 |
| STROBJ_dwGetCodePage | 47 |
| GdiGetLocalDC | 47 |
| MesEncodeFixedBufferHandleCreate | 47 |
| ??1?\$basic_ifstream@DU?\$char_traits@D@ | 47 |
| ?write@ostream@@QAEAAV1@PBDH@Z | 47 |
| GdipGetFontCollectionFamilyList | 47 |

| | |
|------------------------------------|----|
| ElfChangeNotify | 47 |
| ??BCTXBSTR@@QBEPA_WXZ | 47 |
| _aullshr | 47 |
| _outpd | 47 |
| ASN1BERDecOpenType | 47 |
| ZwSetContextThread | 47 |
| _ismbcI2 | 47 |
| _getdrives | 47 |
| SetupDiRemoveDevice | 47 |
| SafeArrayAllocDescriptor | 47 |
| _ismbcupper | 47 |
| GetHashFromFileW | 47 |
| _ismbcI0 | 47 |
| _LSinh | 47 |
| _FExp | 47 |
| NdrPointerFree | 47 |
| RpcSsEnableAllocate | 47 |
| DeletePrinterKeyA | 47 |
| CertGetIntendedKeyUsage | 47 |
| lineGetID | 47 |
| _nextafter | 47 |
| ??1CHString@@QAE@XZ | 47 |
| rtl_ustr_getLength | 47 |
| _Xbig | 47 |
| _LRteps | 47 |
| RtlGetOwnerSecurityDescriptor | 47 |
| ZwAlertThread | 47 |
| SHRegSetPathA | 47 |
| DelNode | 47 |
| CertFindCTLInStore | 47 |
| CertGetSubjectCertificateFromStore | 47 |
| curl_global_cleanup | 47 |
| DsRoleCancel | 47 |
| SymGetModuleBase | 47 |
| _PostMessage@16 | 47 |
| _vswprintf | 47 |
| _FSinh | 47 |
| _Getcvt | 47 |
| GdipGetPropertyItemSize | 47 |
| FindExecutableImage | 47 |
| SceFreeProfileMemory | 47 |
| SetupDiChangeState | 47 |
| RtlUniform | 47 |
| GdiAddFontResourceW | 47 |
| ReadEncryptedFileRaw | 47 |
| SetupDiCreateDevRegKeyW | 47 |
| NetWkstaUserGetInfo | 47 |

| | |
|---|----|
| CM_Get_First_Log_Conf | 47 |
| glShadeModel | 47 |
| AddAccessDeniedObjectAce | 47 |
| CertOIDToAlgId | 47 |
| QuerySendMessage | 47 |
| DrawDibChangePalette | 47 |
| HalStartNextProcessor | 47 |
| _wspawnv | 46 |
| _ismbbprint | 46 |
| _mbsncnt | 46 |
| HalAllocateCommonBuffer | 46 |
| ?data@?\$_basic_string@DU?\$char_traits@D | 46 |
| ?pptr@?\$_basic_streambuf@DU?\$char_trait: | 46 |
| SealMessage | 46 |
| ?RemoveAt@TPtrArray@XPRT@@QAEXHH(| 46 |
| ?set_terminate@@YAP6AXXZP6AXXZ@Z | 46 |
| glPushAttrib | 46 |
| _wfindfirst64 | 46 |
| phoneGetMessage | 46 |
| glsComment | 46 |
| CryptMemFree | 46 |
| GetClusterResourceKey | 46 |
| GetClusterNodeId | 46 |
| WTSDisconnectSession | 46 |
| CreatePrivateObjectSecurityEx | 46 |
| WmiQuerySingleInstanceW | 46 |
| ?tolower@?\$_ctype@D@std@@QBEDD@Z | 46 |
| EnumJobsA | 46 |
| NdisGetCurrentSystemTime | 46 |
| _y0 | 46 |
| ??0CTXBSTR@@QAE@PB_W@Z | 46 |
| ASN1BERDecLength | 46 |
| _wexecv | 46 |
| _fputchar | 46 |
| gluUnProject | 46 |
| __setusermatherr_m | 46 |
| ?compare@?\$_basic_string@DU?\$char_traits@ | 46 |
| WSAEnumNameSpaceProvidersA | 46 |
| CM_Open_Class_Key_ExW | 46 |
| CM_Get_Res_Des_Data_Size_Ex | 46 |
| ICImageDecompress | 46 |
| GetFontAssocStatus | 46 |
| LsaConnectUntrusted | 46 |
| NtQueryPerformanceCounter | 46 |
| CheckNameLegalDOS8Dot3W | 46 |
| NtOpenMutant | 46 |
| NetGroupGetInfo | 46 |

| | |
|--|----|
| _LInf | 46 |
| LsaQueryTrustedDomainInfoByName | 46 |
| RtlStartRXact | 46 |
| GdipRestoreGraphics | 46 |
| ?Throttle@@YGJKKKK@Z | 46 |
| GdipGetImageRawFormat | 46 |
| GdipGetLogFontA | 46 |
| ??\$?H_WU?\$char_traits@_W@std@@@V?\$sa | 46 |
| _FDenorm | 46 |
| SetupDiDeleteDeviceInfo | 46 |
| WindowFromAccessibleObject | 46 |
| NdrPointerBufferSize | 46 |
| @Sysutils@StrToDate\$qqr17System@Ansics | 46 |
| PdhExpandWildCardPathW | 46 |
| GetAddressByNameW | 46 |
| MigrateWinsockConfiguration | 46 |
| CryptUIDlgFreeCAContext | 46 |
| wcstok_s | 46 |
| @ | 46 |
| ConvertAnsiDevModeToUnicodeDevmode | 46 |
| _rmtmp | 46 |
| __vbaVarSetUnk | 45 |
| GetIpNetTable | 45 |
| WinHttpGetDefaultProxyConfiguration | 45 |
| ??\$?ODU?\$char_traits@D@std@@@V?\$alloc | 45 |
| ??\$?6U?\$char_traits@D@std@@@std@@@Y | 45 |
| IsValidUILanguage | 45 |
| RegRestoreAll | 45 |
| EngFreeModule | 45 |
| ??1?\$ctype@D@std@@@UAE@XZ | 45 |
| DrvGetModuleHandle | 45 |
| auxGetDevCapsW | 45 |
| ADSIDeleteDSObject | 45 |
| ?_M_decrement@?\$_Rb_global@_N@_STL | 45 |
| NS_StringCopy | 45 |
| DnsReplaceRecordSetW | 45 |
| TdiCopyBufferToMdl | 45 |
| GetAllUsersProfileDirectoryW | 45 |
| WinStationConnectW | 45 |
| PdhLookupPerfNameByIndexA | 45 |
| wcstombs_s | 45 |
| GdipSetPenDashStyle | 45 |
| CM_Get_Device_Interface_List_SizeW | 45 |
| CryptMsgGetAndVerifySigner | 45 |
| ?QueryString@WSTRING@@QBEP_AV1@KK(| 45 |
| lua_gettop | 45 |
| lua_tonumber | 45 |

| | |
|--------------------------------|----|
| lua_settop | 45 |
| lua_tolstring | 45 |
| lua_pushstring | 45 |
| lua_type | 45 |
| GetNumaProcessorMap | 45 |
| PdhUpdateLogW | 45 |
| _LPoly | 45 |
| midiOutGetDevCapsW | 45 |
| glClearDepth | 45 |
| DeletePrinterDriverExW | 45 |
| CertGetCTLContextProperty | 45 |
| RtlSetThreadPoolStartFunc | 45 |
| RpcObjectSetInqFn | 45 |
| DBToAmpFactor | 45 |
| SQLDriverConnect | 45 |
| ?Format@CTXStringW@@QAAXPB_WZZ | 45 |
| ??0CTXStringW@@QAE@ABV0@@Z | 45 |
| ASN1_SetDecoderOption | 45 |
| _heapadd | 45 |
| ASN1objectidentifier2_cmp | 45 |
| JetMove | 45 |
| ZwGetContextThread | 45 |
| HNetFreeSharingServicesPage | 45 |
| HNetGetSharingServicesPage | 45 |
| HNetDeleteRasConnection | 45 |
| _cscanf | 45 |
| __p__mb_cur_max | 45 |
| SetJobA | 45 |
| ValidateLCTYPE | 45 |
| CheckNameLegalDOS8Dot3A | 45 |
| RouterLogDeregisterW | 45 |
| RouterLogRegisterW | 45 |
| EnumPrinterDataExA | 45 |
| _Rteps | 45 |
| _LDscale | 45 |
| _Dtest | 45 |
| ?Initialize@FSN_FILTER@@QAEEXZ | 45 |
| SetupGetInfFileListA | 45 |
| rtcStringBstr | 45 |
| CryptMsgEncodeAndSignCTL | 45 |
| _LoadIcon@8 | 45 |
| fwprintf_s | 45 |
| UnmapDebugInformation | 45 |
| GdipDrawLine | 45 |
| SetupDiGetClassDescriptionExW | 45 |
| DeletePrinterConnectionA | 45 |
| EnumProtocolsW | 45 |

| | |
|---|----|
| WerReportCloseHandle | 45 |
| WerReportSubmit | 45 |
| CoSetState | 45 |
| midiStreamPosition | 45 |
| IsWinEventHookInstalled | 45 |
| RtlUnlockHeap | 45 |
| NtMakeTemporaryObject | 45 |
| midInStop | 45 |
| NetGroupDel | 45 |
| register_icmp | 45 |
| RevertSecurityContext | 45 |
| _tolower | 45 |
| _FDnorm | 45 |
| NtGetContextThread | 45 |
| SetupDiClassGuidsFromNameW | 45 |
| NetUseGetInfo | 45 |
| ??1ByteString@@QAE@XZ | 45 |
| SymRegisterFunctionEntryCallback | 45 |
| E_UNK | 45 |
| SQLAllocHandle | 44 |
| HalAllocateAdapterChannel | 44 |
| DefDriverProc | 44 |
| ??\$?8DU?\$char_traits@D@std@@V?\$alloc@ | 44 |
| CertStrToNameA | 44 |
| GdiConvertBitmap | 44 |
| PsRestoreImpersonation | 44 |
| RtlRaiseException | 44 |
| OsThunkDdCreateMoComp | 44 |
| lineClose | 44 |
| KeAddSystemServiceTable | 44 |
| NtCreatePort | 44 |
| GetTickCount64 | 44 |
| SLGetWindowsInformationDWORD | 44 |
| ?flush@?\$basic_ostream@GU?\$char_traits@ | 44 |
| ?sputc@?\$basic_streambuf@GU?\$char_trai | 44 |
| phoneGetButtonInfo | 44 |
| BluetoothEnableDiscovery | 44 |
| lua_pushnumber | 44 |
| GetClusterResourceNetworkName | 44 |
| bzero | 44 |
| SCardEndTransaction | 44 |
| gluLookAt | 44 |
| UuidCreateNil | 44 |
| vlc_mutex_lock | 44 |
| vlc_mutex_unlock | 44 |
| DirectSoundFullDuplexCreate | 44 |
| _FXbig | 44 |

| | |
|--|----|
| GetWinStationInfo | 44 |
| GdipAddPathBezierI | 44 |
| LHashValOfNameSys | 44 |
| CryptUIDlgViewCTLA | 44 |
| SignError | 44 |
| PvkGetCryptProv | 44 |
| CM_Open_Class_KeyA | 44 |
| EnumPrinterDataA | 44 |
| SQLGetStmtOption | 44 |
| gluOrtho2D | 44 |
| RpcAsyncCancelCall | 44 |
| ?GetYear@TTime@XPRT@@QBEHXZ | 44 |
| ?GetMonth@TTime@XPRT@@QBEHXZ | 44 |
| ?GetDay@TTime@XPRT@@QBEHXZ | 44 |
| SceSysPrep | 44 |
| CM_Get_Res_Des_Data_Size | 44 |
| GetGPOListW | 44 |
| LogEventW | 44 |
| _Strcoll | 44 |
| NdrConformantArrayMarshall | 44 |
| NdrServerInitializeNew | 44 |
| DeletePrinterDriverA | 44 |
| g_rgSCardTOPci | 44 |
| RouterLogEventW | 44 |
| AccessCheckByType | 44 |
| es_format_Init | 44 |
| glFlush | 44 |
| SymMatchFileName | 44 |
| _wstati64 | 44 |
| SHRegGetPathA | 44 |
| RtlSelfRelativeToAbsoluteSD | 44 |
| TdiRegisterPnPHandlers | 44 |
| ?_Pninc@?\$basic_streambuf@DU?\$char_tr: | 44 |
| AddPrintProvidorA | 44 |
| SetupDiGetClassInstallParamsW | 44 |
| HlinkNavigate | 44 |
| EnumMonitorsW | 44 |
| RtlInitUnicodeStringEx | 44 |
| SymEnumerateSymbols | 44 |
| ACUIProviderInvokeUI | 44 |
| NetUserGetGroups | 44 |
| NetGroupEnum | 44 |
| SamFreeMemory | 44 |
| RtlSizeHeap | 44 |
| config_ChainParse | 44 |
| SHExtractIconsW | 44 |
| CM_Get_Res_Des_Data | 44 |

| | |
|--------------------------------------|----|
| PvkPrivateKeySave | 43 |
| PvkFreeCryptProv | 43 |
| GetCryptProvFromCert | 43 |
| NtSetVolumeInformationFile | 43 |
| CreateProfileFromLogColorSpaceW | 43 |
| ??_7bad_cast@std@@6B@ | 43 |
| gluProject | 43 |
| GdiConvertBitmapV5 | 43 |
| CryptUIDlgViewCRLA | 43 |
| ?Replace@TBstr@XPRT@@QAEHPBG0@Z | 43 |
| SceSvcGetInformationTemplate | 43 |
| TraceDeregisterW | 43 |
| _Tolower | 43 |
| NdrAllocate | 43 |
| MesDecodeIncrementalHandleCreate | 43 |
| IpReleaseAddress | 43 |
| ?Initialize@PATH@@QAEPPV1@E@Z | 43 |
| ?GetData@CHString@@IBEPAUCHStringDat | 43 |
| ?Format@CHString@@QAAXPBGZZ | 43 |
| ??4CHString@@QAEABV0@ABV0@@Z | 43 |
| ?Mid@CHString@@QBE?AV1@H@Z | 43 |
| ?Left@CHString@@QBE?AV1@H@Z | 43 |
| ??0CHString@@QAE@PBG@Z | 43 |
| ??4CHString@@QAEABV0@PBG@Z | 43 |
| rtcGetTimer | 43 |
| RemoveTraceCallback | 43 |
| LsaOpenTrustedDomain | 43 |
| EditStreamPaste | 43 |
| ?Initialize@PATH@@QAEPPVWSTRING@@ | 43 |
| ?NewBuf@DSTRING@@UAEEK@Z | 43 |
| HttpAddFragmentToCache | 43 |
| CryptVerifyDetachedMessageSignature | 43 |
| curl_formfree | 43 |
| curl_formadd | 43 |
| OpenCluster | 43 |
| AdvancedDocumentPropertiesA | 43 |
| midiInOpen | 43 |
| @Graphutil@Finalization\$qqrv | 43 |
| _Cosh | 43 |
| ImagehlpApiVersion | 43 |
| WPUCCompleteOverlappedRequest | 43 |
| SymGetModuleInfoW | 43 |
| SetupDiGetDeviceInfoListDetailW | 43 |
| WCSToMBEx | 43 |
| CredMarshalTargetInfo | 43 |
| GetNameByTypeW | 43 |
| EnumProtocolsA | 43 |

| | |
|--|----|
| OsThunkDdDestroyMoComp | 43 |
| UnregisterUserApiHook | 43 |
| typelib_typedescriptionreference_assign | 43 |
| I_NetNameValidate | 43 |
| NetGroupAddUser | 43 |
| SQLMoreResults | 43 |
| _getsyslime | 43 |
| CM_Set_HW_Prof_FlagsA | 43 |
| SCardReconnect | 43 |
| ?SetRelativeMapMode@OutputDevice@@@L | 43 |
| ?SetMapMode@OutputDevice@@UAEXXZ | 43 |
| ?SetMapMode@OutputDevice@@UAEXAB\ | 43 |
| GetDeviceDriverBaseNameW | 43 |
| _Wcrtomb | 43 |
| GetOSVersion | 43 |
| RtlGetFirstRange | 42 |
| READ_REGISTER_BUFFER_ULONG | 42 |
| SQLBulkOperations | 42 |
| Exfi386InterlockedDecrementLong | 42 |
| ??_D?\$basic_fstream@DU?\$char_traits@D(| 42 |
| PerfCollect | 42 |
| WinHttpSetTimeouts | 42 |
| __vbaFileLock | 42 |
| _Getmonths | 42 |
| CcPrepareMdlWrite | 42 |
| DecryptFileA | 42 |
| _XprtGetSystemInfo@0 | 42 |
| ?AppendFileNameToSpec@TFile@XPRT@@. | 42 |
| _XprtStringLen@4 | 42 |
| xprt_ucslcpy | 42 |
| ResUtilStopService | 42 |
| glFinish | 42 |
| NtCompleteConnectPort | 42 |
| NtAcceptConnectPort | 42 |
| _aulldvrm | 42 |
| InstallFlash | 42 |
| @Dxgdiplusapi@initialization\$qqrv | 42 |
| @Dxgdiplusclasses@initialization\$qqrv | 42 |
| ZwCancelTimer | 42 |
| lua_getfield | 42 |
| lua_rawgeti | 42 |
| lua_createtable | 42 |
| lua_setfield | 42 |
| lua_pushvalue | 42 |
| ClusterCloseEnum | 42 |
| GetClusterGroupState | 42 |
| ClusterResourceCloseEnum | 42 |

| | |
|---|----|
| ClusterRegQueryValue | 42 |
| RpcSmSetThreadHandle | 42 |
| RpcServerUseAllProtseqs | 42 |
| var_Inherit | 42 |
| vlc_mutex_init | 42 |
| GdipSetPenLineJoin | 42 |
| SetupSetDirectoryIdW | 42 |
| AVIFileOpenW | 42 |
| CorBindToRuntimeEx | 42 |
| RpcMgmtInqlIds | 42 |
| ConvertAccessToSecurityDescriptorW | 42 |
| AtlAdvise | 42 |
| GdipAddPathBeziersI | 42 |
| SQLAllocStmt | 42 |
| ?IsEmpty@CTXStringW@@QBE_NXZ | 42 |
| glRasterPos2f | 42 |
| _FindResource@12 | 42 |
| DirectDrawCreateClipper | 42 |
| FindFirstPrinterChangeNotification | 42 |
| HeapUsage | 42 |
| _commode_dll | 42 |
| HalGetBusData | 42 |
| TdiDeregisterPnPHandlers | 42 |
| ZwSetSystemInformation | 42 |
| TracePrintfA | 42 |
| IoCreateDriver | 42 |
| _LDtest | 42 |
| SetupGetLineCountW | 42 |
| _invalid_parameter | 42 |
| DeletePrintProcessorA | 42 |
| ?egptr@?\$basic_streambuf@DU?\$char_traits@C@H@\$ | 42 |
| ?QueryInvalidArgument@ARGUMENT_LEXE | 42 |
| ?Get_Standard_Output_Stream@@YGPAVS | 42 |
| ??YCHString@@QAEABV0@PBG@Z | 42 |
| CertCompareIntegerBlob | 42 |
| AccessCheckByTypeResultList | 42 |
| ?Resize@DSTRING@@UAEK@Z | 42 |
| ZwTerminateThread | 42 |
| ZwQueryEaFile | 42 |
| StrNCmplW | 42 |
| QueryWin31IniFilesMappedToRegistry | 42 |
| ?at@?\$basic_string@DU?\$char_traits@D@H@\$ | 42 |
| CertEnumPhysicalStore | 42 |
| FindResources | 42 |
| _MAKEINTRESOURCE@4 | 42 |
| phoneConfigDialogA | 42 |
| _execv | 42 |

| | |
|------------------------------------|----|
| _wfindnext | 42 |
| SetupFreeSourceListA | 42 |
| SetupDiCreateDeviceInfoListExA | 42 |
| SetupDiOpenClassRegKeyExW | 42 |
| RtlConvertSharedToExclusive | 42 |
| CertDuplicateCRLContext | 42 |
| CryptCATAdminAddCatalog | 42 |
| DestroyReasons | 42 |
| ?Tokenize@TBstr@XPRT@@QBE?AV12@PB | 42 |
| gimp_main | 42 |
| OpenTraceA | 42 |
| SymGetLinePrev64 | 42 |
| ??1QString@@QAE@XZ | 42 |
| SymEnumerateSymbolsW64 | 42 |
| _fopen64 | 42 |
| ZwRestoreKey | 42 |
| ApplyPatchToFileA | 42 |
| F_UNK | 42 |
| OpenAs_RunDLLW | 41 |
| SetupGetFieldCount | 41 |
| EncryptFileA | 41 |
| ?Initialize@STREAM_MESSAGE@@QAEPAV | 41 |
| midilnGetNumDevs | 41 |
| ADSISetSearchPreference | 41 |
| _wcsupr_s | 41 |
| _IsDialogMessage@8 | 41 |
| NtPrivilegeCheck | 41 |
| EtwEventRegister | 41 |
| PdhMakeCounterPathA | 41 |
| GdipDrawRectangle | 41 |
| CM_Get_Class_Name_ExW | 41 |
| lineInitializeExW | 41 |
| lua_pcall | 41 |
| lua_close | 41 |
| lua_pushboolean | 41 |
| luaL_ref | 41 |
| luaL_unref | 41 |
| mysql_real_escape_string | 41 |
| AddClusterResourceNode | 41 |
| GetClusterNotify | 41 |
| WmiDevInstToInstanceNameW | 41 |
| CM_Open_DevNode_Key | 41 |
| RpcSmSwapClientAllocFree | 41 |
| GdipFillEllipse | 41 |
| IoGetInitialStack | 41 |
| SetUserFileEncryptionKey | 41 |
| GetReasonTitleFromReasonCode | 41 |

| | |
|---|----|
| _safe_fprem1 | 41 |
| ?CreateTXData@Data@Util@@YAHPPAPAUI | 41 |
| NtClearEvent | 41 |
| ElfNumberOfRecords | 41 |
| CertCreateContext | 41 |
| ??0?\$basic_string@DU?\$char_traits@D@std@@ | 41 |
| FreeCryptProvFromCert | 41 |
| AddPortExW | 41 |
| UnregisterCMMW | 41 |
| CreateFormatEnumerator | 41 |
| TdiReturnChainedReceives | 41 |
| SQLGetTypeInfoA | 41 |
| gluNewQuadric | 41 |
| _FCosh | 41 |
| CryptFindCertificateKeyProvInfo | 41 |
| SetupDiGetActualSectionToInstallW | 41 |
| @KbmMemtable@Finalization\$qqrv | 41 |
| RtlTimeToElapsedTimeFields | 41 |
| SCardBeginTransaction | 41 |
| CM_Remove_SubTree | 41 |
| DeletePrintProviderA | 41 |
| RtlIpv6StringToAddressW | 41 |
| _setmaxstdio | 41 |
| ?QueryWSTR@WSTRING@@QBEPAGKKPAG | 41 |
| LsaCreateTrustedDomain | 41 |
| AutoTrace | 41 |
| glTexCoord2f | 41 |
| _LSnan | 41 |
| NetShareSetInfo | 41 |
| _LDenorm | 41 |
| ConfigurePortW | 41 |
| __Iconv_init | 41 |
| _gmtime32 | 41 |
| PaintMenuBar | 41 |
| WNetAddConnectionW | 41 |
| WNetGetProviderNameA | 41 |
| DAD_DragLeave | 41 |
| midiStreamPause | 41 |
| SymGetLineFromAddr | 41 |
| RasGetConnectStatusW | 41 |
| _LoadLibrary@4 | 41 |
| _FormatMessage@28 | 41 |
| _GetUnicodeRedirectionLayer@0 | 41 |
| _wspawnle | 41 |
| @Forms@TCustomForm@RequestAlign\$qqi | 41 |
| @Forms@TCustomForm@DestroyHandle\$qq | 41 |
| @Controls@TWinControl@DockReplaceDoc | 41 |

| | |
|---|----|
| CryptCATOpen | 41 |
| ExtDeviceMode | 41 |
| NetFileEnum | 41 |
| GetServiceA | 41 |
| AuthzFreeContext | 41 |
| LocalEnrollNoDS | 41 |
| _j0 | 41 |
| SetupOpenLog | 41 |
| midiOutGetErrorTextA | 41 |
| SetupDiClassNameFromGuidW | 41 |
| ??0String@@QAE@ABVResId@@@Z | 41 |
| CmFree | 41 |
| DnsStatusString | 41 |
| CryptCATClose | 41 |
| SceGetServerProductType | 40 |
| ExReleaseResourceForThreadLite | 40 |
| InitializeProcessForWsWatch | 40 |
| Control_RunDLL | 40 |
| ?_Getcat@?\$ctype@G@std@@SAIPAPBVfa | 40 |
| CM_Get_Device_ID_Size_Ex | 40 |
| IsColorProfileTagPresent | 40 |
| RegSaveRestoreOnINF | 40 |
| @System@UnregisterModule\$qqrp17Syster | 40 |
| RtlRunEncodeUnicodeString | 40 |
| FsRtlMdlRead | 40 |
| ?eback@?\$basic_streambuf@DU?\$char_traits@ | 40 |
| CryptImportPublicKeyInfoEx | 40 |
| EtwEventUnregister | 40 |
| ?is@?\$ctype@G@std@@QBE_NFG@Z | 40 |
| lineTranslateAddressW | 40 |
| SetTraceCallback | 40 |
| GdipGetImageDecoders | 40 |
| lua_gettable | 40 |
| lua_objlen | 40 |
| lua_isstring | 40 |
| luaL_loadfile | 40 |
| luaL_newstate | 40 |
| lua_remove | 40 |
| CryptMemAlloc | 40 |
| ClusterRegSetKeySecurity | 40 |
| ClusterRegDeleteValue | 40 |
| CM_Remove_SubTree_Ex | 40 |
| ADsFreeColumn | 40 |
| ??_7?\$basic_filebuf@DU?\$char_traits@D@: | 40 |
| ScriptGetProperties | 40 |
| DirectSoundCaptureCreate8 | 40 |
| _FEps | 40 |

| | |
|---|----|
| _loaddll | 40 |
| AVIStreamReadFormat | 40 |
| RpcCancelThread | 40 |
| ??0CTXStringW@@QAE@PA_W@Z | 40 |
| glRotated | 40 |
| _GetVersionEx@4 | 40 |
| RtlGetFullPathName_U | 40 |
| _wperror | 40 |
| SetupDiRegisterDeviceInfo | 40 |
| glVertex2i | 40 |
| gluPartialDisk | 40 |
| gluNurbsSurface | 40 |
| gluQuadricNormals | 40 |
| SceGenerateRollback | 40 |
| SymGetLineNext64 | 40 |
| SymRegisterCallback64 | 40 |
| SymUnloadModule64 | 40 |
| SCardStatusA | 40 |
| SoftpubCleanup | 40 |
| _localtime32 | 40 |
| TranslateNameW | 40 |
| RouterLogRegisterA | 40 |
| GdiPrinterThunk | 40 |
| ZwFindAtom | 40 |
| RunSetupCommand | 40 |
| ADVANCEDSETUPDIALOG | 40 |
| _LoadCursor@8 | 40 |
| ?_Getfacet@locale@std@@QBEPBVfacet@` | 40 |
| @Sysutils@DateSeparator | 40 |
| CM_Get_Res_Des_Data_Ex | 40 |
| SetupDiGetClassDescriptionW | 40 |
| glGetString | 40 |
| RtlEqualDomainName | 40 |
| ResUtilVerifyService | 40 |
| rtl_ustrToInt32 | 40 |
| midilnPrepareHeader | 40 |
| ??A?\$basic_string@_WU?\$char_traits@_W | 40 |
| ASN1zchar32string_free | 40 |
| NetSessionEnum | 40 |
| NetFileGetInfo | 40 |
| SetupDiDrawMinIcon | 40 |
| WNetGetResourceParentW | 40 |
| osl_getThreadTextEncoding | 40 |
| osl_decrementInterlockedCount | 40 |
| RtlCreateUnicodeStringFromAsciz | 40 |
| NtReadVirtualMemory | 40 |
| rtcVarFromFormatVar | 40 |

| | |
|--|----|
| SymGetModuleInfo64 | 40 |
| ?SetText@Window@@UAEXABVString@@@() | 40 |
| ?CreateResMgr@ResMgr@@SAPAV1@PBDI | 40 |
| GetUdpStatistics | 40 |
| _ZN4Foam8fileName5debugE | 40 |
| StrToInt64ExA | 39 |
| FsRtlINotifyFullReportChange | 39 |
| FreePrinterNotifyInfo | 39 |
| __crtCompareStringW | 39 |
| NtModifyBootEntry | 39 |
| CreateColorTransformW | 39 |
| ExIsResourceAcquiredExclusiveLite | 39 |
| KeFlushWriteBuffer | 39 |
| AuthziFreeAuditEventType | 39 |
| NtPrivilegeObjectAuditAlarm | 39 |
| CM_Query_Remove_SubTree | 39 |
| @Extctrls@TTimer@SetEnabled\$qqro | 39 |
| RasRenameEntryA | 39 |
| lua_isnumber | 39 |
| SetClusterResourceName | 39 |
| ClusterRegSetValue | 39 |
| K32GetModuleFileNameExW | 39 |
| VARIANT_UserFree | 39 |
| CM_Register_Device_Driver | 39 |
| vlc_mutex_destroy | 39 |
| WSHNotify | 39 |
| DllRegisterServerEx | 39 |
| ?_Iscloc@locale@std@@QBE_NXZ | 39 |
| ZwCreateProcess | 39 |
| ??H@YA?AVCTXStringW@@ABV0@0@Z | 39 |
| _wcsnicoll | 39 |
| glFrontFace | 39 |
| GetRegisteredRawInputDevices | 39 |
| ??4CTXStringW@@QAEAAV0@ABV0@@Z | 39 |
| gluScaleImage | 39 |
| gluEndTrim | 39 |
| _winminor | 39 |
| CryptUIDlgViewCertificateA | 39 |
| ?peek@?\$basic_istream@DU?\$char_traits@ | 39 |
| mdate | 39 |
| _Stod | 39 |
| _Hugeval | 39 |
| SetFormW | 39 |
| SymLoadModuleEx | 39 |
| TracePrintfExA | 39 |
| CryptCATEnumerateAttr | 39 |
| ??1STREAM_MESSAGE@@UAE@XZ | 39 |

| | |
|---|----|
| CM_Locate_DevNode_ExA | 39 |
| _FNan | 39 |
| ILGetNext | 39 |
| midilnUnprepareHeader | 39 |
| getwchar | 39 |
| GetBestRoute | 39 |
| _execle | 39 |
| _itoa_s | 39 |
| BaseCleanupAppcompatCache | 39 |
| CertFindAttribute | 39 |
| RtlIntStatusToDosErrorNoTeb | 39 |
| RtlUpcaseUnicodeStringToOemString | 39 |
| _safe_fdivr | 39 |
| _wspawnlp | 39 |
| SceSetupUpdateSecurityKey | 39 |
| GetTypeByNameW | 39 |
| inet_network | 39 |
| InstallCatalog | 39 |
| SymGetTypeInfo | 39 |
| I_CryptUIProtectFailure | 39 |
| SheGetDirW | 39 |
| char_array_from_ndr | 39 |
| NetUseEnum | 39 |
| QueryFontAssocStatus | 39 |
| CompareStringOrdinal | 39 |
| g_free | 39 |
| ConnectToPrinterDlg | 39 |
| EnumPageFilesA | 39 |
| SceUpdateSecurityProfile | 39 |
| DDInternalUnlock | 39 |
| GetDeviceDriverFileNameA | 39 |
| ?RequestHelp@Window@@UAEXABVHelpE | 39 |
| ?GetSurroundingTextSelection@Window@() | 39 |
| ?GetSurroundingText@Window@@UBE?AV | 39 |
| ?GetOptimalSize@Window@@UBE?AVSize(| 39 |
| ?GetPrimarySelection@Window@@UAE?AV | 39 |
| ?GetClipboard@Window@@UAE?AV?\$Refe | 39 |
| ?GetDragGestureRecognizer@Window@@L | 39 |
| ?GetDragSource@Window@@UAE?AV?\$Re | 39 |
| ?GetDropTarget@Window@@UAE?AV?\$Re | 39 |
| ?GetParentLabeledBy@Window@@UBEPAV | 39 |
| ?GetParentLabelFor@Window@@UBEPAV1 | 39 |
| ?SetComponentInterface@Window@@UAE | 39 |
| ?GetComponentInterface@Window@@UAE | 39 |
| ?GetDisplayBackground@Window@@UBE | 39 |
| ?GetDisplayText@Window@@UBE?AVString@XZ | 39 |
| ?GetText@Window@@UBE?AVString@@XZ | 39 |

| | |
|--|----|
| ?Invalidate@Window@@UAEXG@Z | 39 |
| ?Invalidate@Window@@UAEXABVRectangl | 39 |
| ?Invalidate@Window@@UAEXABVRegion@ | 39 |
| ?Scroll@Window@@UAEXJJG@Z | 39 |
| ?Scroll@Window@@UAEXJJABVRectangle@ | 39 |
| ?IsScollable@Window@@UBEEZ | 39 |
| ?SetOutputSizePixel@Window@@UAEXABV | 39 |
| ?GetSizePixel@Window@@UBE?AVSize@@ | 39 |
| ?SetSizePixel@Window@@UAEXABVSize@() | 39 |
| ?GetPosPixel@Window@@UBE?AVPoint@@ | 39 |
| ?SetPosPixel@Window@@UAEXABVPoint@ | 39 |
| ?SetPosSizePixel@Window@@UAEXJJJG@; | 39 |
| ?SetPosSizePixel@Window@@UAEXABVPoi | 39 |
| ?SetSettings@Window@@UAEXABVAllSetti | 39 |
| ?GetPreferredKeyInputWindow@Window@ | 39 |
| ?GetFocus@Window@@UAEXXZ | 39 |
| ?Deactivate@Window@@UAEXXZ | 39 |
| ?Activate@Window@@UAEXXZ | 39 |
| ?Move@Window@@UAEXXZ | 39 |
| ?PrePaint@Window@@UAEXXZ | 39 |
| ?KeyUp@Window@@UAEXABVKeyEvent@() | 39 |
| ?SetSettings@Window@@UAEXABVAllSetti | 39 |
| ?LoseFocus@Window@@UAEXXZ | 39 |
| ?UserEvent@Window@@UAEXKPAX@Z | 39 |
| ?CreateAccessible@Window@@UAE?AV?\$F | 39 |
| ?Tracking@Window@@UAEXABVTrackingE | 39 |
| ?Command@Window@@UAEXABVCommai | 39 |
| StackWalk64 | 39 |
| GdipDeletePrivateFontCollection | 39 |
| SceGetObjectSecurity | 38 |
| FsRtlRemoveLargeMcbEntry | 38 |
| ZwResetEvent | 38 |
| RtlLargeIntegerArithmeticShift | 38 |
| ICImageCompress | 38 |
| SHHelpShortcuts_RunDLL | 38 |
| SetupDiGetINFClassW | 38 |
| DeleteProfileA | 38 |
| _vbaAryRebase1Var | 38 |
| ??1?\$basic_iostream@DU?\$char_traits@D@ | 38 |
| ?cout@@3Vostream_withassign@@A | 38 |
| NtDeleteBootEntry | 38 |
| WNetGetNetworkInformationW | 38 |
| ?Initialize@PATH@@QAEEPBGE@Z | 38 |
| ADSICreateDSObject | 38 |
| AddPrintProcessorA | 38 |
| CM_Get_First_Log_Conf_Ex | 38 |
| TdiMatchPdoWithChainedReceiveContext | 38 |

| | |
|---|----|
| HidP_GetSpecificButtonCaps | 38 |
| ReadPrinter | 38 |
| QueryFullProcessImageNameW | 38 |
| __vbaVargVarRef | 38 |
| ?Initialize@LONG_ARGUMENT@@QAEEPAC | 38 |
| GdipGetImageDecodersSize | 38 |
| luaL_register | 38 |
| lua_rawget | 38 |
| lua_rawset | 38 |
| lua_topointer | 38 |
| lua_typename | 38 |
| rtcSendKeys | 38 |
| NtReleaseSemaphore | 38 |
| CM_Get_DevNode_Registry_PropertyA | 38 |
| NtQueryInstallUILanguage | 38 |
| GdipSetPenCustomEndCap | 38 |
| _Dscale | 38 |
| ??0CTXBSTR@@QAE@ABVCTXStringW@@@C | 38 |
| ??_D?\$basic_stringstream@GU?\$char_traits@ | 38 |
| glnInitNames | 38 |
| _GetComputerName@8 | 38 |
| _CreateDialogIndirectParam@20 | 38 |
| SQLConnect | 38 |
| gluBeginSurface | 38 |
| GetDCRegionData | 38 |
| DCISetClipList | 38 |
| TopIListCreate | 38 |
| RtlImpersonateSelf | 38 |
| SetupDiGetSelectedDriverW | 38 |
| @Masks@Finalization\$qqrv | 38 |
| lineOpen | 38 |
| TraceDeregisterExA | 38 |
| CM_Request_Eject_PC_Ex | 38 |
| AVIBuildFilter | 38 |
| AddAccessAllowedObjectAce | 38 |
| NtOpenTimer | 38 |
| _LEps | 38 |
| CertGetCRLFromStore | 38 |
| PathIsSlowA | 38 |
| AddHardwareWizard | 38 |
| ASN1_CreateDecoderEx | 38 |
| ScesrvTerminateServer | 38 |
| SQLNumParams | 38 |
| ?find@?\$basic_string@_WU?\$char_traits@_ | 38 |
| GetPwrCapabilities | 38 |
| CertDuplicateCertificateChain | 38 |
| joySetThreshold | 38 |

| | |
|---|----|
| _wcreat | 38 |
| _mbctokata | 38 |
| ?append@?\$basic_string@GU?\$char_traits@ | 38 |
| User32!InitializeImmEntryTable | 38 |
| GetServiceW | 38 |
| getnetbyname | 38 |
| WerReportSetParameter | 38 |
| WerReportCreate | 38 |
| ?queryInterface@OWeakObject@cppu@@@l | 38 |
| RpcNsBindingInqEntryNameA | 38 |
| TraceRegisterExW | 38 |
| SymGetSymFromName64 | 38 |
| ImmReSizeIMCC | 38 |
| GetAdapterOrderMap | 38 |
| NetGroupDelUser | 38 |
| CM_Move_DevNode | 38 |
| ?IsWindowsVista@@YAHXZ | 38 |
| ?DeleteRecoveryModule@@YAXXZ | 38 |
| ??0String@@QAE@ABVOUString@rtl@@@ | 38 |
| NPG GetUser | 38 |
| ?Resize@Window@@UAEXXZ | 38 |
| ?KeyInput@Window@@UAEXABVKeyEvent@ | 38 |
| ?MouseButtonUp@Window@@UAEXABVM | 38 |
| ?MouseMove@Window@@UAEXABVMous | 38 |
| CmRealloc | 38 |
| RtlAreAnyAccessesGranted | 38 |
| ?qFree@@YAXPAX@Z | 38 |
| GdipGetFontCollectionFamilyCount | 38 |
| RtlCopyRangeList | 37 |
| SceProcessSecurityPolicyGPO | 37 |
| CreateURLMonikerEx | 37 |
| __p__winminor | 37 |
| WinHttpSetCredentials | 37 |
| NdisAllocateBuffer | 37 |
| __deregister_frame_info | 37 |
| __register_frame_info | 37 |
| ?open@?\$basic_ofstream@DU?\$char_traits@ | 37 |
| SetupInstallFilesFromInfSectionW | 37 |
| FsRtLegalAnsiCharacterArray | 37 |
| _XprtUtf8ToString@16 | 37 |
| ?Delete@TBstr@XPRT@@QAEHHH@Z | 37 |
| ?Init@TCritSec@XPRT@@QAEXXZ | 37 |
| ?Term@TCritSec@XPRT@@QAEXXZ | 37 |
| ?Lock@TCritSec@XPRT@@QAEXXZ | 37 |
| ?Unlock@TCritSec@XPRT@@QAEXXZ | 37 |
| ADSIOpenDSObject | 37 |
| ADSICloseDSObject | 37 |

| | |
|---|----|
| CommonPropertySheetUIW | 37 |
| @Vedbcurredit@initialization\$qqrv | 37 |
| ??6ostream@@QAEAV0@K@Z | 37 |
| ?assign@?\$basic_string@DU?\$char_traits@ | 37 |
| _wtempnam | 37 |
| wglRealizeLayerPalette | 37 |
| HidD_GetProductString | 37 |
| WinStationQueryLogonCredentialsW | 37 |
| WinStationDisconnect | 37 |
| ScriptBreak | 37 |
| _set_invalid_parameter_handler | 37 |
| ?_Osfx@?\$basic_ostream@GU?\$char_traits | 37 |
| ??0LONG_ARGUMENT@@QAE@XZ | 37 |
| I_NetNameCompare | 37 |
| CM_Register_Device_Interface_ExW | 37 |
| RpcSsFree | 37 |
| ?CompareNormal@TBstr@XPRT@@QBEHPI | 37 |
| NS_UTF16ToCString | 37 |
| CryptGetDefaultOIDFunctionAddress | 37 |
| SQLAllocConnect | 37 |
| SQLNumResultCols | 37 |
| RemoveClusterResourceNode | 37 |
| RpcSmSetClientAllocFree | 37 |
| _mbsnset | 37 |
| ?DoFormat@CFmtString@@QAEPB_WPBM | 37 |
| ?TXLog_DoTXLogVW@@YAXPAUtagLogObj@ | 37 |
| _ftime64 | 37 |
| ASN1CEREncEndBlk | 37 |
| ASN1char16string_free | 37 |
| _CallWindowProc@20 | 37 |
| StartTraceA | 37 |
| _mtunlock | 37 |
| gluTessEndPolygon | 37 |
| gluNewNurbsRenderer | 37 |
| Error | 37 |
| Msg | 37 |
| _LNan | 37 |
| _LXbig | 37 |
| SetupDiGetDriverInfoDetailW | 37 |
| ?__Fiopen@std@@YAPAU_iobuf@@PBDH@ | 37 |
| ?_Initcvt@?\$basic_filebuf@DU?\$char_traits | 37 |
| RtlSetAttributesSecurityDescriptor | 37 |
| NtQueryEvent | 37 |
| InternetSetStatusCallbackA | 37 |
| NetLocalGroupEnum | 37 |
| ??0?\$basic_string@DU?\$char_traits@D@st | 37 |
| RtlpNtSetValueKey | 37 |

| | |
|--|----|
| OleCreatePropertyFrameIndirect | 37 |
| WmiSetSingleInstanceW | 37 |
| StrStrNW | 37 |
| ?resize@?\$basic_string@GU?\$char_traits@` | 37 |
| @Dxmdaset@TdxMemData@ | 37 |
| CertEnumCTLsInStore | 37 |
| ?deallocate@?\$allocator@D@std@@@QAEXF | 37 |
| SamAddMemberToAlias | 37 |
| CloseSpoolFileHandle | 37 |
| SymEnumerateModules64 | 37 |
| _Exp | 37 |
| ??Mstd@@YA_NABV?\$basic_string@GU?\$c | 37 |
| OleLoadPictureFile | 37 |
| @Sysutils@CurrentYear\$qqrv | 37 |
| @Sysutils@IsLeapYear\$qqrus | 37 |
| ASN1intx2uint32 | 37 |
| ?eof@ios_base@std@@QBE_NXZ | 37 |
| ??OBJECT@@IAE@XZ | 37 |
| ClbAddData | 37 |
| CryptUIDlgViewCertificatePropertiesA | 37 |
| _GetModuleFileName@12 | 37 |
| InternalDeleteIpForwardEntry | 37 |
| _XprtMemRealloc@8 | 37 |
| SaferCreateLevel | 37 |
| CertDeleteCRLFromStore | 37 |
| rtl_ustr_shortenedCompare_WithLength | 37 |
| AtlModuleInit | 37 |
| NtCreateDirectoryObject | 37 |
| FileEncryptionStatusA | 37 |
| RtlTraceDatabaseUnlock | 37 |
| RtlSelfRelativeToAbsoluteSD2 | 37 |
| ?Paint@Window@@UAEXABVRectangle@C | 37 |
| ?MouseButtonDown@Window@@UAEXAB` | 37 |
| MMCInitialize | 37 |
| GetOSMajorVersion | 37 |
| CmStrrchrA | 37 |
| SceOpenPolicy | 37 |
| ?eventFilter@QObject@@UAE_NPAV1@PA` | 37 |
| ?childEvent@QObject@@MAEXP@AVQChildE | 37 |
| ??8std@@YA_NPBGABV?\$basic_string@GU | 37 |
| PfxFindPrefix | 37 |
| SQLSpecialColumnsW | 36 |
| SceSvcFree | 36 |
| FsRtlLookupLargeMcbEntry | 36 |
| LdrAddRefDll | 36 |
| ?assign@?\$basic_string@DU?\$char_traits@ | 36 |
| PrintMessageFromModule | 36 |

| | |
|---|----|
| RegisterHelper | 36 |
| RegisterContext | 36 |
| AVIMakeFileFromStreams | 36 |
| WTSEnumerateProcessesW | 36 |
| RpcBindingInqAuthClientW | 36 |
| xmlDocSetRootElement | 36 |
| ?Right@TBstr@XPRT@@QBE?AV12@H@Z | 36 |
| ADSIGetNextRow | 36 |
| ADSIGetColumn | 36 |
| ADSICloseSearchHandle | 36 |
| TdiCopyMdIToBuffer | 36 |
| CredUIParseUserNameW | 36 |
| SQLSetStmtAttr | 36 |
| DebugCreate | 36 |
| CredEnumerateW | 36 |
| _WinStationWaitForConnect | 36 |
| NtConnectPort | 36 |
| ?setstate@?\$basic_ios@GU?\$char_traits@C | 36 |
| CM_Request_Eject_PC | 36 |
| @Vequery@Donemtoken | 36 |
| @Vequery@FirmaToken | 36 |
| lua_pushinteger | 36 |
| GetClusterGroupKey | 36 |
| rtcChoose | 36 |
| __vbaR4Cy | 36 |
| gluQuadricOrientation | 36 |
| GetPerformanceInfo | 36 |
| ?fail@ios@@QBEHXZ | 36 |
| EtwRegisterTraceGuidsW | 36 |
| EtwGetTraceLoggerHandle | 36 |
| EtwGetTraceEnableLevel | 36 |
| EtwGetTraceEnableFlags | 36 |
| SamLookupIdsInDomain | 36 |
| SamDeleteAlias | 36 |
| ?IsEmpty@CTXBSTR@@QAEHXZ | 36 |
| ElfOldestRecord | 36 |
| TraceVprintfExW | 36 |
| midilnReset | 36 |
| gluTessEndContour | 36 |
| gluDeleteQuadric | 36 |
| GdiGetLocalBrush | 36 |
| SQLForeignKeys | 36 |
| SQLSetConnectOption | 36 |
| _wutime | 36 |
| SceSvcConvertSDToText | 36 |
| @System@@_lldiv\$qqrv | 36 |
| NdrSendReceive | 36 |

| | |
|---|----|
| SelectTransDlg | 36 |
| RtlZeroHeap | 36 |
| RpcBindingSetObject | 36 |
| GetComputerObjectNameW | 36 |
| CertFindRDNAttr | 36 |
| SCardLocateCardsW | 36 |
| _wassert | 36 |
| CreateNlsSecurityDescriptor | 36 |
| SHCreateItemFromParsingName | 36 |
| inflateInit2_ | 36 |
| MmSystemRangeStart | 36 |
| RefreshPolicy | 36 |
| ElfRegisterEventSourceW | 36 |
| ??0FSN_FILTER@@QAE@XZ | 36 |
| ??1?\$basic_stringbuf@GU?\$char_traits@G@std@ | 36 |
| RtlLookupElementGenericTableAvl | 36 |
| SQLCopyDesc | 36 |
| _fgetchar | 36 |
| _longjmpex | 36 |
| _wutime64 | 36 |
| CreateDialogIndirectParamAorW | 36 |
| ASN1intx2int32 | 36 |
| QueryPathOfRegTypeLib | 36 |
| NtSuspendThread | 36 |
| _wexecl | 36 |
| CertSetEnhancedKeyUsage | 36 |
| sscanf_s | 36 |
| ?allocate@?\$allocator@D@std@@QAEPAD | 36 |
| @Controls@TWinControl@UpdateControlO | 36 |
| CM_Query_And_Remove_SubTreeW | 36 |
| _Inf | 36 |
| @Sysutils@StrToDateDef\$qqrx17Syster | 36 |
| @Sysutils@MonthDays | 36 |
| QueryTraceW | 36 |
| h_errno | 36 |
| UrlMkBuildVersion | 36 |
| ASN1intxisuint32 | 36 |
| ASN1objectidentifier_free | 36 |
| rresvport | 36 |
| ResUtilVerifyPropertyTable | 36 |
| WerReportAddFile | 36 |
| CryptUIWizFreeCertRequestNoDS | 36 |
| RetrievePKCS7FromCA | 36 |
| _logb | 36 |
| IsCatalogFile | 36 |
| NetUserModalsSet | 36 |
| InitSecurityInterfaceA | 36 |

| | |
|--|----|
| TTIsEmbeddingEnabledForFacename | 36 |
| __threadhandle | 36 |
| WRITE_REGISTER ULONG | 36 |
| RtlIntegerToChar | 36 |
| CM_Register_Device_InterfaceW | 36 |
| SnmpUtilMemFree | 36 |
| InbvCheckDisplayOwnership | 36 |
| PATHOBJ_vGetBounds | 36 |
| ??1Control@@@UAE@XZ | 36 |
| ?Execute@Dialog@@UAEFXZ | 36 |
| SymFromAddr | 36 |
| IoSetIoCompletion | 36 |
| ?event@QObject@@@UAE_NPAVQEvent@@ | 36 |
| ?timerEvent@QObject@@@MAEXP_AVQTimer | 36 |
| ?connectNotify@QObject@@@MAEXPBD@Z | 36 |
| ?disconnectNotify@QObject@@@MAEXPBD@ | 36 |
| ?find@\$basic_string@GU?\$char_traits@G(| 36 |
| GetDeviceDriverFileNameW | 36 |
| CreateIpNetEntry | 36 |
| strtok_s | 35 |
| ?_Gndec@?\$basic_streambuf@DU?\$char_traits@T@std@ | 35 |
| _ismbstrail | 35 |
| SeReleaseSecurityDescriptor | 35 |
| JetIdle | 35 |
| ExInterlockedPushEntrySList | 35 |
| NdisAllocateBufferPool | 35 |
| Ke386IoSetAccessProcess | 35 |
| midiOutGetID | 35 |
| FreeMRUList | 35 |
| _WinStationNotifyLogon | 35 |
| _ismbclower | 35 |
| ??8type_info@@@QBEHABV0@@@Z | 35 |
| ?getline@?\$basic_istream@DU?\$char_traits@T@std@ | 35 |
| ?to_int_type@?\$char_traits@D@std@@@SAl | 35 |
| ExInitializePagedLookasideList | 35 |
| AddCredentialsA | 35 |
| DsFreePasswordCredentials | 35 |
| ??0TBstr@XPRT@@QAE@GH@Z | 35 |
| ADSIGetObjectAttributes | 35 |
| ADSISetObjectAttributes | 35 |
| CM_Get_Depth_Ex | 35 |
| _mbcjmstojis | 35 |
| _wspawnl | 35 |
| Extend | 35 |
| HidP_GetUsages | 35 |
| RtlSetProcessIsCritical | 35 |
| WaitForMachinePolicyForegroundProcessing | 35 |

| | |
|---|----|
| __vbaR4ForNextCheck | 35 |
| SetupDiOpenClassRegKey | 35 |
| wglCreateLayerContext | 35 |
| GdipDrawRectangleI | 35 |
| GdipDeleteRegion | 35 |
| _wtmpnam | 35 |
| CallINtPowerInformation | 35 |
| lineGetDevCapsW | 35 |
| @\$xp\$17System@IInterface | 35 |
| @Dcsystem@initialization\$qqrv | 35 |
| @Dcclasses@initialization\$qqrv | 35 |
| @Dcconsts@initialization\$qqrv | 35 |
| @Dcapi@initialization\$qqrv | 35 |
| @Dcdreamlib@initialization\$qqrv | 35 |
| @Dchook@initialization\$qqrv | 35 |
| @Dccommon@initialization\$qqrv | 35 |
| PdhAdd009CounterW | 35 |
| CM_Open_Class_Key_ExA | 35 |
| CM_Modify_Res_Des_Ex | 35 |
| RpcBindingInqAuthClientExA | 35 |
| double_from_ndr | 35 |
| KeReleaseInStackQueuedSpinLockFromDpcL | 35 |
| ?Copy@TBstr@XPRT@@QBEPAGXZ | 35 |
| gluLoadSamplingMatrices | 35 |
| _wcstoi64 | 35 |
| HidP_MaxUsageListLength | 35 |
| SQLFreeEnv | 35 |
| ConfigDSN | 35 |
| ClusterResourceTypeOpenEnum | 35 |
| RpcServerInqlf | 35 |
| GdipPrivateAddFontFile | 35 |
| SamOpenDomain | 35 |
| ??1CFmtString@@QAE@XZ | 35 |
| ??0CFmtString@@QAE@XZ | 35 |
| BaseProcessInitPostImport | 35 |
| ASN1BEREoid_free | 35 |
| __vbaAryRecCopy | 35 |
| SetupDiSetSelectedDevice | 35 |
| NtQueryQuotaInformationFile | 35 |
| ??YCTXStringW@@QAEAV0@PB_W@Z | 35 |
| ??6?\$basic_ostream@DU?\$char_traits@D@ | 35 |
| gluBuild2DMipmaps | 35 |
| _fileinfo | 35 |
| g_pMemAlloc | 35 |
| KeyValuesSystem | 35 |
| NtOpenSemaphore | 35 |
| MesDecodeBufferHandleCreate | 35 |

| | |
|--|----|
| IoRegisterBootDriverReinitialization | 35 |
| SetupOpenMasterInf | 35 |
| TracePutsExA | 35 |
| stream_Peek | 35 |
| ?FindOneOf@CHString@@QBEHPBG@Z | 35 |
| PsThreadType | 35 |
| UpdSpSetDynamicStringA | 35 |
| UpdSpCopyErrorA | 35 |
| UpdSpPromptForDiskA | 35 |
| UpdSpInitDefaultQueueCallbackEx | 35 |
| UpdSpGetStringFieldW | 35 |
| UpdSpCommitFileQueueA | 35 |
| UpdSpOpenFileQueue | 35 |
| UpdSpGetSourceInfoA | 35 |
| UpdSpDefaultQueueCallbackW | 35 |
| UpdSpDefaultQueueCallbackA | 35 |
| UpdSpDecompressOrCopyFileA | 35 |
| UpdSpGetTargetPathW | 35 |
| UpdSpInstallFromInfSectionA | 35 |
| UpdSpGetIntField | 35 |
| UpdSpGetBinaryField | 35 |
| UpdSpScanFileQueueA | 35 |
| UpdSpGetLineTextW | 35 |
| UpdSpOpenInfFileA | 35 |
| UpdSpCloseInfFile | 35 |
| UpdSpSetDirectoryIdA | 35 |
| UpdSpInstallFilesFromInfSectionA | 35 |
| UpdSpGetLineCountA | 35 |
| UpdSpGetLineByIndexA | 35 |
| UpdSpGetStringFieldA | 35 |
| UpdSpFindFirstLineA | 35 |
| UpdSpGetLineTextA | 35 |
| UpdSpGetFieldCount | 35 |
| UpdSpFindNextLine | 35 |
| UpdSpGetMultiSzFieldW | 35 |
| UpdSpFindFirstLineW | 35 |
| UpdSpFindNextMatchLineW | 35 |
| UpdSpGetTargetPathA | 35 |
| ?QueryStream@FSN_FILE@@QAEPAVFILE_` ??0?\$basic_stringbuf@GU?\$char_traits@G@ ??1?\$basic_iostream@GU?\$char_traits@G@ | 35 |
| SnmpUtilMemAlloc | 35 |
| ASN1open_cmp | 35 |
| ASN1generalizedtime_cmp | 35 |
| InternalSetIfEntry | 35 |
| CertVerifyValidityNesting | 35 |
| CryptMemRealloc | 35 |

| | |
|--|----|
| ?_Osfx@?\$_basic_ostream@_WU?\$char_trai | 35 |
| WNetGetProviderNameW | 35 |
| CertGetStoreProperty | 35 |
| CertFreeCertificateChainEngine | 35 |
| SetPrinterDataA | 35 |
| rtcHexBstrFromVar | 35 |
| ?_Gninc@?\$_basic_streambuf@DU?\$char_tr | 35 |
| GetMarkOfTheWeb | 35 |
| GetEventLogInformation | 35 |
| SymUnDName | 35 |
| LsaEnumerateLogonSessions | 35 |
| __p__wargv | 35 |
| ResUtilGetProperties | 35 |
| CryptUIWizSubmitCertRequestNoDS | 35 |
| __vbaRsetFixstr | 35 |
| CryptUIDlgSelectCertificateA | 35 |
| NetLocalGroupAdd | 35 |
| QueryAllTracesW | 35 |
| NetSessionDel | 35 |
| NetSessionGetInfo | 35 |
| ASN1BEREncGeneralizedTime | 35 |
| RtlMultiByteToUnicodeSize | 35 |
| FontIsLinked | 35 |
| glColorMaterial | 35 |
| Dot3SetProfile | 35 |
| ??0runtime_error@std@@QAE@ABV?\$basi | 35 |
| ??0String@@QAE@PBDGGK@Z | 35 |
| ?GetSettings@Application@@SAABVAllSetti | 35 |
| SceSetupUnwindSecurityFile | 35 |
| ICGetDisplayFormat | 35 |
| ?customEvent@QObject@@MAEXP_AVQEve | 35 |
| MD4Final | 34 |
| IoRegisterPlugPlayNotification | 34 |
| DsBindWithCredW | 34 |
| _y1 | 34 |
| RtlUnicodeStringToOemSize | 34 |
| _cpu | 34 |
| WinHttpTimeFromSystemTime | 34 |
| @System@@WStrCat3\$qqrr17System@Wic | 34 |
| ?to_char_type@?\$_char_traits@D@std@@S | 34 |
| ?open@fstream@?QAEXPBDHH@Z | 34 |
| NtTranslateFilePath | 34 |
| NtEnumerateBootEntries | 34 |
| _AIL_shutdown@0 | 34 |
| DsMapSchemaGuidsW | 34 |
| WTSVirtualChannelPurgeOutput | 34 |
| ?Init@TFileInfo@XPRT@@IAEXPBGI_JABVT | 34 |

| | |
|--|----|
| ?find_last_of@?\${basic_string}@_WU?\$char_ | 34 |
| ADSIFreeColumn | 34 |
| HalStopProfileInterrupt | 34 |
| NdisUnchainBufferAtFront | 34 |
| ?set_unexpected@@YAP6AXXZP6AXXZ@Z | 34 |
| glColor3uiv | 34 |
| WinStationCheckLoopBack | 34 |
| RtlEnumerateGenericTableWithoutSplaying | 34 |
| ??0\${basic_string}@GU?\$char_traits@G@std@@@V?\$allocator@G@std@@@Z | 34 |
| ?is@?\${ctype}@D@std@@@QBE_NFD@Z | 34 |
| CM_First_Range | 34 |
| @Db@TAutoIncField@ | 34 |
| @Controls@TControl@SetLeft\$qqri | 34 |
| DsMakeSpnW | 34 |
| ValidateVertexShader | 34 |
| ValidatePixelShader | 34 |
| EditStreamSetNameA | 34 |
| LPSAFEARRAY_UserFree | 34 |
| SCardLocateCardsA | 34 |
| wglUseFontOutlinesA | 34 |
| var_AddCallback | 34 |
| DirectSoundEnumerateA | 34 |
| CloseClusterGroup | 34 |
| float_from_ndr | 34 |
| IMIDL_wchar_strcpy | 34 |
| WNetCancelConnectionW | 34 |
| _cgetws | 34 |
| EtwUnregisterTraceGuids | 34 |
| _ultow_s | 34 |
| __vbaOnGoCheck | 34 |
| SetServiceAsTrustedA | 34 |
| ??\$?MGU?\$char_traits@G@std@@@V?\$allocator@G@std@@@Z | 34 |
| DDInternalLock | 34 |
| QueryUsersOnEncryptedFile | 34 |
| SaferGetLevelInformation | 34 |
| ?GetLength@CTXStringW@@QBEHZ | 34 |
| SelectCMM | 34 |
| SQLSetStmtOption | 34 |
| gluBeginCurve | 34 |
| gluTessNormal | 34 |
| ??6\${basic_ostream}@DU?\$char_traits@D@std@@@V?\$basic_ostringstream@DU?\$char_traits@D@std@@@Z | 34 |
| OpenClusterGroup | 34 |
| CM_Query_And_Remove_SubTree_ExW | 34 |
| _cwprintf | 34 |
| NtCreateSymbolicLinkObject | 34 |
| SnmpUtilVarBindFree | 34 |
| gluNurbsProperty | 34 |

| | |
|--|----|
| _truncate64 | 34 |
| RouterLogEventA | 34 |
| HlinkResolveShortcut | 34 |
| LpcRequestWaitReplyPort | 34 |
| __setargv | 34 |
| _memcpy | 34 |
| DeletePrinterDriverW | 34 |
| RegSaveKeyExW | 34 |
| SetupGetInfFileListW | 34 |
| CryptEncodeObjectEx | 34 |
| SCardListCardsW | 34 |
| GetPrintProcessorDirectoryA | 34 |
| _mbctohira | 34 |
| CreateProcessInternalWSecure | 34 |
| ??0bad_alloc@std@@QAE@ABV01@@Z | 34 |
| NtQueryEaFile | 34 |
| ?Mid@CHString@@QBE?AV1@HH@Z | 34 |
| NdrInterfacePointerMarshall | 34 |
| glTexEnvf | 34 |
| CertCompareCertificateName | 34 |
| ElfOpenEventLogA | 34 |
| ?SetAttributes@FSN_FILTER@@QAEEKKK@; | 34 |
| LaunchINFSectionEx | 34 |
| rtcCommandVar | 34 |
| DbgUiConnectToDbg | 34 |
| ElfOpenEventLogW | 34 |
| LsaDeregisterLogonProcess | 34 |
| ?flush@?\$basic_ostream@_WU?\$char_trait | 34 |
| ??\$?8_WU?\$char_traits@_W@std@@V?\$a | 34 |
| ?sputc@?\$basic_streambuf@_WU?\$char_tr | 34 |
| RtlGetGroupSecurityDescriptor | 34 |
| CryptMsgDuplicate | 34 |
| LoadBITMAP | 34 |
| _GetProcAddress_@8 | 34 |
| _CreateWindowEx@48 | 34 |
| _ismbbkprint | 34 |
| @\$xp\$13System@string | 34 |
| CM_Setup_DevNode | 34 |
| ?find_last_of@?\$basic_string@GU?\$char_tr | 34 |
| RtlIpv6AddressToStringA | 34 |
| ASN1BERDecFlush | 34 |
| ScriptFreeCache | 34 |
| ?_query_new_mode@@YAHXZ | 34 |
| SetServiceW | 34 |
| glScissor | 34 |
| ResUtilGetBinaryValue | 34 |
| mmioStringToFOURCCW | 34 |

| | |
|--|----|
| _scwprintf | 34 |
| ?append@?\$basic_string@_WU?\$char_trait | 34 |
| _SendMessage@16 | 34 |
| OleUIPasteSpecialA | 34 |
| CredReadW | 34 |
| PoRegisterDeviceForIdleDetection | 34 |
| AllocADsMem | 34 |
| ?resize@?\$basic_string@_WU?\$char_traits< | 34 |
| NetServerSetInfo | 34 |
| NetGroupSetInfo | 34 |
| CryptUnregisterOIDInfo | 34 |
| SafeArrayGetRecordInfo | 34 |
| rtcEndOfFile | 34 |
| CertGetCRLContextProperty | 34 |
| NtCreateSemaphore | 34 |
| Icmp6SendEcho2 | 34 |
| HalStartProfileInterrupt | 34 |
| SQLSetConnectAttr | 34 |
| mmioSetBuffer | 34 |
| GetIpStatistics | 34 |
| glTranslated | 34 |
| _safe_fprem | 34 |
| ?PreNotify@SystemWindow@@UAEJAAVN< | 34 |
| ?Resizing@SystemWindow@@UAEXAAVSiz< | 34 |
| ?Roll@SystemWindow@@UAEXXZ | 34 |
| ?Pin@SystemWindow@@UAEXXZ | 34 |
| ?TitleButtonClick@SystemWindow@@UAEY | 34 |
| ??0String@@QAE@XZ | 34 |
| IDDrawBegin | 34 |
| DPA_Create | 34 |
| IoUnregisterPlugPlayNotification | 33 |
| CancelIPChangeNotify | 33 |
| Ke386QueryIoAccessMap | 33 |
| __setlc_active_func | 33 |
| ??0?\$basic_iostream@DU?\$char_traits@D@ | 33 |
| ?tellg@istream@@QAEJXZ | 33 |
| FsRtlIUninitializeFileLock | 33 |
| WTSSendMessageW | 33 |
| xmlSaveFormatFileEnc | 33 |
| @\$xp\$14System@TObject | 33 |
| FsCiShutdown | 33 |
| ?GetInfo@TFile@XPRT@@SA_NPBGAAVTFil | 33 |
| ?Remove@TBstr@XPRT@@QAEHG@Z | 33 |
| ?Read@TFile@XPRT@@UAEHPAXH@Z | 33 |
| ?ReverseFind@TBstr@XPRT@@QBEHG@Z | 33 |
| ??1?\$allocator@PAX@_STL@@QAE@XZ | 33 |
| ??1?\$vector@PAXV?\$allocator@PAX@_STL | 33 |

| | |
|--|----|
| ?swap@?\$vector@PAXV?\$allocator@PAX@ | 33 |
| ??0?\$vector@PAXV?\$allocator@PAX@_STL(| 33 |
| ?get_allocator@?\$vector@PAXV?\$allocator@ | 33 |
| SymGetLinePrev | 33 |
| acmFormatTagDetailsW | 33 |
| ??Oofstream@@QAE@ABV0@@Z | 33 |
| WaitForUserPolicyForegroundProcessing | 33 |
| WinStationShutdownSystem | 33 |
| RegDeleteKeyExW | 33 |
| EtwEventWrite | 33 |
| ?_set_new_mode@@YAHH@Z | 33 |
| ?snextc@?\$basic_streambuf@GU?\$char_tr@ | 33 |
| ?widen@?\$basic_ios@GU?\$char_traits@G@ | 33 |
| AVIStreamInfoW | 33 |
| CM_Set_HW_Prof_Flags_ExA | 33 |
| @Sysutils@StrToFloat\$qqrx17System@Ans!' | 33 |
| lua_toboolean | 33 |
| luaL_openlibs | 33 |
| RtlNewSecurityObject | 33 |
| @System@LoadResourceModule\$qqrpc | 33 |
| RtlSubtreePredecessor | 33 |
| ObCloseHandle | 33 |
| KeAcquireInStackQueuedSpinLockAtDpcLeve | 33 |
| var_DelCallback | 33 |
| InternetAutodialCallback | 33 |
| ZwTerminateJobObject | 33 |
| ZwAssignProcessToJobObject | 33 |
| SQLSetDescRec | 33 |
| SQLGetDiagRecW | 33 |
| RpcBindingInqAuthClientA | 33 |
| SystemFunction008 | 33 |
| midiOutCacheDrumPatches | 33 |
| UpdateTraceW | 33 |
| ldap_add | 33 |
| ?CreateTXBuffer@Data@Util@@YAHPPAPAU | 33 |
| ??H@YA?AVCTXStringW@@PB_WABV0@@ | 33 |
| MmUnmapViewOfSection | 33 |
| ASN1BERDotVal2Eoid | 33 |
| JetEndSession | 33 |
| ?Left@CTXStringW@@QBE?AV1@H@Z | 33 |
| joyGetThreshold | 33 |
| gluCylinder | 33 |
| _winver | 33 |
| InbvSetScrollRegion | 33 |
| SetSuspendState | 33 |
| Q_strncpy | 33 |
| Q_snprintf | 33 |

| | |
|---|----|
| CM_Query_Resource_Conflict_List | 33 |
| PsLookupProcessThreadByCid | 33 |
| ExtractIconResInfoW | 33 |
| ZwQuerySecurityObject | 33 |
| DhcpEnumClasses | 33 |
| __startup | 33 |
| SystemFunction009 | 33 |
| SCardGetStatusChangeW | 33 |
| SetupDiBuildClassInfoList | 33 |
| _free_dbg | 33 |
| ?copy@?\$char_traits@G@std@@SAPAGPA | 33 |
| ?ReleaseBuffer@CHString@@QAEXH@Z | 33 |
| ?GetBufferSetLength@CHString@@QAEPA | 33 |
| gluPickMatrix | 33 |
| Ndr GetUserMarshalInfo | 33 |
| GetAllUsersProfileDirectoryA | 33 |
| MmAdjustWorkingSetSize | 33 |
| ??_7basic_stringstream@GU?\$char_traits | 33 |
| ??5basic_istream@GU?\$char_traits@G@: | 33 |
| SetProcessDEPPolicy | 33 |
| ZwQueueApcThread | 33 |
| glCopyTexImage2D | 33 |
| ReallocADsStr | 33 |
| GetAdapterIndex | 33 |
| _stat32 | 33 |
| FreeObjectInfo | 33 |
| ??_7facet@locale@std@@6B@ | 33 |
| ExecuteCab | 33 |
| StrRetToBSTR | 33 |
| CryptFreeOIDFunctionAddress | 33 |
| CryptInitOIDFunctionSet | 33 |
| @System@TObject@ToString\$qqrv | 33 |
| @System@TObject@GetHashCode\$qqrv | 33 |
| @System@TObject@Equals\$qqrp14System(| 33 |
| GdipGetImageThumbnail | 33 |
| SymRegisterFunctionEntryCallback64 | 33 |
| SymGetLineNext | 33 |
| FindDebugInfoFileEx | 33 |
| NdrPointerUnmarshall | 33 |
| WSAProviderConfigChange | 33 |
| pSetupStringFromGuid | 33 |
| ??1WeakReferenceHelper@uno@star@suni | 33 |
| SHCreateThreadRef | 33 |
| SaferCloseLevel | 33 |
| RasHangUpW | 33 |
| ClbSetColumnWidths | 33 |
| ?do_toupper@?\$ctype@D@std@@MBEDD | 33 |

| | |
|---|----|
| CryptUIDlgSelectStoreW | 33 |
| GdiReleaseLocalDC | 33 |
| GdipAddPathClosedCurve2 | 33 |
| _LoadString@16 | 33 |
| ?DebugTrace@@YAHDPBDZZ | 33 |
| NtReleaseMutant | 33 |
| glEdgeFlagPointer | 33 |
| CsrClientCallServer | 33 |
| ImpersonateSecurityContext | 33 |
| NdrComplexArrayFree | 33 |
| SafeArrayCreateEx | 33 |
| gimp_locale_directory | 33 |
| rtl_ustr_indexOfStr_WithLength | 33 |
| CertCreateSelfSignCertificate | 33 |
| PsSetCreateThreadNotifyRoutine | 33 |
| RtlUlongByteSwap | 33 |
| _wexeclp | 33 |
| MesInqProcEncodingId | 33 |
| ?DataChanged@Dialog@@UAEXABVDataCh | 33 |
| ?Draw@Dialog@@MAEXPAPAVOutputDevice@ | 33 |
| ??1PushButton@@UAE@XZ | 33 |
| ?StartExecuteModal@Dialog@@UAEXABVLi | 33 |
| ?Close@Dialog@@UAEEXZ | 33 |
| ??0ByteString@@QAE@PBD@Z | 33 |
| SetupGetLineCountA | 33 |
| IPSecFreeMulNegPolData | 33 |
| WzToSzWithAlloc | 33 |
| SetupFindNextMatchLineA | 33 |
| ??0QString@@QAE@ABV0@@Z | 33 |
| CoInternetQueryInfo | 33 |
| SceSetupRootSecurity | 32 |
| SetIpNetEntry | 32 |
| NtQueueApcThread | 32 |
| ??Bios_base@std@@QBEPAJXZ | 32 |
| GetStandardColorSpaceProfileA | 32 |
| InternalGetPS2CSAFromLCS | 32 |
| GetWindowsAccountDomainSid | 32 |
| xmlIMutexLock | 32 |
| xmlIMutexUnlock | 32 |
| xmlINewChild | 32 |
| xmlISubstituteEntitiesDefault | 32 |
| ?IsOpen@TFile@XPRT@@QBE_NXZ | 32 |
| ?seekg@?\$basic_istream@DU?\$char_traits@ | 32 |
| midInGetDevCapsW | 32 |
| SetLogonNotifyWindow | 32 |
| _WinStationNotifyLogoff | 32 |
| MessageLoop | 32 |

| | |
|--|----|
| InitInstance | 32 |
| GdipCreateFontFromDC | 32 |
| ?sgetc@?\$basic_streambuf@GU?\$char_trai | 32 |
| CM_Run_Detection | 32 |
| @Graphics@TFont@SetColor\$qqqr15Graphic | 32 |
| @Menus@TMenuItem@ | 32 |
| xmlNodeGetContent | 32 |
| NtCancelIoFile | 32 |
| RtlDeleteSecurityObject | 32 |
| WinSqmSetString | 32 |
| DsFreeDomainControllerInfoW | 32 |
| SystemFunction012 | 32 |
| SnmpUtilOidAppend | 32 |
| LsaSetTrustedDomainInfoByName | 32 |
| DirectSoundCaptureEnumerateW | 32 |
| ZwConnectPort | 32 |
| PlaySound | 32 |
| ?PropertyStr@CFmtString@@QAEHPB_W0@ | 32 |
| ASN1BEREncUTF8String | 32 |
| UnsealMessage | 32 |
| _aexit_rtn_dll | 32 |
| glColor4bv | 32 |
| ?get@istream@@IAEAAV1@PADHH@Z | 32 |
| SQLTransact | 32 |
| gluGetTessProperty | 32 |
| gluDisk | 32 |
| ?GetHour@TTime@XPRT@@QBEHXZ | 32 |
| ?GetMinute@TTime@XPRT@@QBEHXZ | 32 |
| OpenClusterNetInterface | 32 |
| SeDeleteAccessState | 32 |
| CM_Query_Arbitrator_Free_Data_Ex | 32 |
| CM_Register_Device_Interface_ExA | 32 |
| RtlIsTextUnicode | 32 |
| SetIpForwardEntry | 32 |
| __msg_Generic | 32 |
| g_VProfCurrentProfile | 32 |
| RtlDeleteElementGenericTableAvl | 32 |
| MapFileAndCheckSumW | 32 |
| __vbaCopyBytesZero | 32 |
| ExfInterlockedInsertHeadList | 32 |
| RtlDestroyAtomTable | 32 |
| data_into_ndr | 32 |
| EngDeleteClip | 32 |
| date_Increment | 32 |
| date_Init | 32 |
| date_Set | 32 |
| RtlLargeIntegerToChar | 32 |

| | |
|--|----|
| SCardListReadersW | 32 |
| SCardGetStatusChangeA | 32 |
| _malloc_dbg | 32 |
| ??9std@@YA_NABV?\$basic_string@GU?\$cl | 32 |
| g_log | 32 |
| ?Compare@CHString@@QBEHPBG@Z | 32 |
| ?Find@CHString@@QBEHG@Z | 32 |
| CM_Query_And_Remove_SubTreeA | 32 |
| ??9std@@YA_NABV?\$basic_string@GU?\$cl | 32 |
| SymEnumSourceFiles | 32 |
| GetPrintProcessorDirectoryW | 32 |
| PdhParseCounterPathW | 32 |
| RtlNewSecurityGrantedAccess | 32 |
| ??_8?\$basic_stringstream@GU?\$char_traits | 32 |
| WinStationShadow | 32 |
| SamCreateGroupInDomain | 32 |
| SheChangeDirExA | 32 |
| ASN1BERDecZeroChar32String | 32 |
| ??8std@@YA_NABV?\$basic_string@GU?\$cl | 32 |
| SamRemoveMemberFromAlias | 32 |
| CertGetValidUsages | 32 |
| WinVerifyTrustEx | 32 |
| SetupDiCancelDriverInfoSearch | 32 |
| joyGetDevCapsW | 32 |
| _fgetwchar | 32 |
| ?_Init@?\$basic_streambuf@DU?\$char_trait | 32 |
| @System@TObject@NewInstance\$qqrv | 32 |
| CryptCATCDFEnumMembersByCDFTag | 32 |
| _ismbbalnum | 32 |
| SymUndName64 | 32 |
| WSAGetServiceClassInfoW | 32 |
| ZwQueryDefaultLocale | 32 |
| PdhSetDefaultRealTimeDataSource | 32 |
| SetupDiGetDeviceInfoListDetailA | 32 |
| @Controls@TControl@SetAlign\$qqrv15Contr | 32 |
| glAlphaFunc | 32 |
| ?get@WeakReferenceHelper@uno@star@s | 32 |
| ScriptGetFontProperties | 32 |
| ASN1BERDecObjectIdentifier | 32 |
| RtlEraseUnicodeString | 32 |
| CredUnmarshalTargetInfo | 32 |
| WSApSetPostRoutine | 32 |
| wglUseFontBitmapsA | 32 |
| ResUtilGetPropertySize | 32 |
| CertRegisterSystemStore | 32 |
| ?do_tolower@?\$ctype@D@std@@MBEPBC | 32 |
| DsGetDcNameA | 32 |

| | |
|---|----|
| CryptUIFreeCertificatePropertiesPagesA | 32 |
| MmMapLockedPagesWithReservedMapping | 32 |
| RtlUnwindEx | 32 |
| RegQueryOEMId | 32 |
| I_NetPathType | 32 |
| NetGroupGetUsers | 32 |
| SamGetAliasMembership | 32 |
| CryptUIWizBuildCTL | 32 |
| TranslateNameA | 32 |
| _ismbbkana | 32 |
| rtl_ustr_compareIgnoreCase_WithLength | 32 |
| _ismbcalnum | 32 |
| IPSecAssignPolicy | 32 |
| SetSecurityDescriptorRMControl | 32 |
| RtlDetermineDosPathNameType_U | 32 |
| WriteHitLogging | 32 |
| SetupDiClassGuidsFromNameExW | 32 |
| CM_Set_HW_Prof_FlagsW | 32 |
| RtlCustomCPToUnicodeN | 32 |
| AtlGetVersion | 32 |
| URLDownloadA | 32 |
| ?ErrorTrace@@YAHDPBDZZ | 32 |
| WNetDisconnectDialog | 32 |
| ??0FixedLine@@QAE@PAVWindow@@ABV | 32 |
| ??1Dialog@@UAE@XZ | 32 |
| KeReleaseInStackQueuedSpinLock | 32 |
| FsRtIMdlReadDev | 32 |
| ??1ResMgr@@QAE@XZ | 32 |
| _ZN4Foam4word5debugE | 32 |
| EnableRouter | 32 |
| KilpiServiceRoutine | 31 |
| SeRegisterLogonSessionTerminatedRoutine | 31 |
| ?close@?\$basic_fstream@DU?\$char_traits@ | 31 |
| RevokeFormatEnumerator | 31 |
| NdisFreeBufferPool | 31 |
| DPA_Search | 31 |
| SzToWzWithAlloc | 31 |
| IsColorProfileValid | 31 |
| MakeSignature | 31 |
| ExfInterlockedAddUlong | 31 |
| IoRaiseInformationalHardError | 31 |
| MatchToken | 31 |
| OsThunkDdCreateSurfaceEx | 31 |
| xmlSaveFile | 31 |
| ??0TPtrList@XPRT@@QAE@H@Z | 31 |
| xprt_wcslen | 31 |
| ??1TPtrList@XPRT@@QAE@XZ | 31 |

| | |
|---|----|
| ?RemoveHead@TPtrList@XPRT@@QAEPAX | 31 |
| ?AddTail@TPtrList@XPRT@@QAEPAU__PO! | 31 |
| NetRegisterDomainNameChangeNotificatio | 31 |
| WSCEnableNSProvider | 31 |
| KeAcquireSpinLockAtDpcLevel | 31 |
| ??_Gistrstream@@UAEPAXI@Z | 31 |
| NtSetSystemPowerState | 31 |
| NtFilterToken | 31 |
| _WinStationCallback | 31 |
| OleUIObjectPropertiesW | 31 |
| _alldvrm | 31 |
| GdipSetStringFormatFlags | 31 |
| ?sbumpc@?\$basic_streampbuf@GU?\$char_t | 31 |
| __unDNameEx | 31 |
| @Controls@TControl@SetTop\$qqri | 31 |
| rtcEnvironVar | 31 |
| lua_call | 31 |
| PdhEnumObjectItemsW | 31 |
| I_RpcFreeBuffer | 31 |
| midilnGetErrorTextW | 31 |
| OleUIUpdateLinksW | 31 |
| CreateClusterResourceType | 31 |
| _inpw | 31 |
| RpcSsSetThreadHandle | 31 |
| AmpFactorToDB | 31 |
| CM_Free_Log_Conf | 31 |
| ?GetBSTR@CTXStringW@@QBEPA_WXZ | 31 |
| ASN1CEREncBeginBlk | 31 |
| ASN1CEREncFlushBlkElement | 31 |
| CoInternetGetSecurityUrl | 31 |
| gllndexubv | 31 |
| glTexCoord1i | 31 |
| glVertex2sv | 31 |
| DSoundHelp | 31 |
| ??0CTXStringW@@QAE@ABVCTXBSTR@@@C | 31 |
| SQLGetCursorName | 31 |
| SQLGetInfo | 31 |
| SQLDescribeCol | 31 |
| CM_Request_Device_EjectA | 31 |
| glTexCoord3s | 31 |
| gluEndCurve | 31 |
| ?binary@filebuf@@2HB | 31 |
| gluQuadricTexture | 31 |
| gluSphere | 31 |
| gluTessProperty | 31 |
| WSCInstallNameSpace | 31 |
| WSCUnInstallNameSpace | 31 |

| | |
|--|----|
| CryptUIFreeViewSignaturesPagesW | 31 |
| VarI4FromDec | 31 |
| WSHAddressToString | 31 |
| RemoveClusterResourceDependency | 31 |
| PauseClusterNode | 31 |
| CM_Query_Remove_SubTree_Ex | 31 |
| TrimVirtualBuffer | 31 |
| ?_open@@YAHPBDHH@Z | 31 |
| ICOpenFunction | 31 |
| SQLTablesW | 31 |
| RtlDeregisterWaitEx | 31 |
| enum_from_ndr | 31 |
| OpenFontsDialog | 31 |
| SetupPromptReboot | 31 |
| @KbmMemreseng@Finalization\$qqrv | 31 |
| date_Get | 31 |
| RsopSetPolicySettingStatus | 31 |
| BaseQueryModuleData | 31 |
| WSANSPIoctl | 31 |
| Wow64DisableWow64FsRedirection | 31 |
| SamGetMembersInAlias | 31 |
| Tcl_CreateInterp | 31 |
| Tcl_CreateCommand | 31 |
| PdhOpenQueryH | 31 |
| rtcGetObject | 31 |
| _SetWindowText@8 | 31 |
| ?AppendBase@PATH@@QAEYPBVWSTRINC | 31 |
| ??_8?\$basic_stringstream@GU?\$char_traits | 31 |
| ??0?\$basic_iostream@GU?\$char_traits@G@ | 31 |
| SheRemoveQuotesW | 31 |
| DestroyLinkInfo | 31 |
| GetLinkInfoData | 31 |
| IsValidLinkInfo | 31 |
| glTexEnvi | 31 |
| BuildLDAPPathFromADsPath2 | 31 |
| RtlNumberOfSetBits | 31 |
| ?setstate@?\$basic_ios@_WU?\$char_traits@ | 31 |
| WNetConnectionDialog | 31 |
| WNetGetNetworkInformationA | 31 |
| SamDeleteUser | 31 |
| CertSetCTLContextProperty | 31 |
| CertCreateCTLContext | 31 |
| CryptGetDefaultOIDList | 31 |
| SzToWz | 31 |
| UpdSpStringTableInitialize | 31 |
| UpdSpStringTableInitializeEx | 31 |
| UpdSpStringTableAddString | 31 |

| | |
|--|----|
| UpdSpStringTableAddStringEx | 31 |
| UpdSpStringTableLookUpString | 31 |
| UpdSpStringTableLookUpStringEx | 31 |
| UpdSpStringTableDestroy | 31 |
| UpdSpStringTableEnum | 31 |
| I_RpcBindingInqLocalClientPID | 31 |
| @_CatchCleanup\$qv | 31 |
| WTSEnumerateServersA | 31 |
| @System@@@UStrAsg\$qqrr20System@Unic | 31 |
| @System@@@UStrClr\$qqrpv | 31 |
| glPopName | 31 |
| SamQueryInformationAlias | 31 |
| StartDocDlgA | 31 |
| ResUtilFindDependentDiskResourceDriveLet | 31 |
| ResUtilGetAllProperties | 31 |
| SafeArrayGetElemsize | 31 |
| CryptSetOIDFunctionValue | 31 |
| BASIC_CLASS_AddRef | 31 |
| NtDeleteAtom | 31 |
| _j1 | 31 |
| ?copy@?\$char_traits@D@std@@SAPADPAI | 31 |
| EnrollmentCOMObjectFactory_getInstance | 31 |
| NtSetTimer | 31 |
| MsCatFreeHashTag | 31 |
| NetLocalGroupDel | 31 |
| SetAdapterIpAddress | 31 |
| FlsSetValue | 31 |
| FlsFree | 31 |
| SetCatalogState | 31 |
| _snwscnf | 31 |
| OsThunkDdFlipToGDISurface | 31 |
| OsThunkDdResetVisrgn | 31 |
| glVertexPointer | 31 |
| glColor3s | 31 |
| AcquireCredentialsHandleA | 31 |
| CertDeleteCTLFromStore | 31 |
| gimp_ui_init | 31 |
| _AIL_startup@0 | 31 |
| OsThunkDdGetAvailDriverMemory | 31 |
| ?SetAnnouncePopup@@YGXH@Z | 31 |
| ?SetAnnounceMenu@@YGXH@Z | 31 |
| ?SetAnnounceWindow@@YGXH@Z | 31 |
| ?SetEchoChars@@YGXH@Z | 31 |
| ?SetTrackInputFocus@@YGXH@Z | 31 |
| ?SetTrackCaret@@YGXH@Z | 31 |
| ?UninitKeys@@YGHXZ | 31 |
| ?UnInitMSAA@@YGHXZ | 31 |

| | |
|---|----|
| ?GetCurrentText@@YGXPAGH@Z | 31 |
| ?BackToApplication@@YGXXZ | 31 |
| ?InitKeys@@YGHPAUWND__@@@Z | 31 |
| ?InitMSAA@@YGHXZ | 31 |
| ?SetReviewLevel@@YGXH@Z | 31 |
| ?GetTrackCaret@@YGHXZ | 31 |
| ?GetTrackInputFocus@@YGHXZ | 31 |
| ?GetEchoChars@@YGHXZ | 31 |
| ?GetAnnounceWindow@@YGHXZ | 31 |
| ?GetAnnounceMenu@@YGHXZ | 31 |
| ?GetAnnouncePopup@@YGHXZ | 31 |
| ?GetAnnounceToolTips@@YGHXZ | 31 |
| ?GetReviewLevel@@YGHXZ | 31 |
| ?SetAnnounceToolTips@@YGXH@Z | 31 |
| JetCreateInstance | 31 |
| GetIpErrorString | 31 |
| ?find_last_not_of@\$basic_string@DU?\$ch | 31 |
| CM_Request_Device_Eject_ExA | 31 |
| SymEnumSymbols | 31 |
| ResUtilStartResourceService | 31 |
| CryptHashToBeSigned | 31 |
| SCardListReaderGroupsA | 31 |
| ?PopContext@ResMgr@@QAEXPBVResourc | 31 |
| ??0String@@QAE@ABV0@@Z | 31 |
| ??6ostream@@QAEAAV0@J@Z | 31 |
| ??1Bitmap@@QAE@XZ | 31 |
| ??1QByteArray@@QAE@XZ | 31 |
| _ZTTSt19basic_istringstreamIcSt11char_trait | 31 |
| __UNK | 31 |
| SQLEndTran | 30 |
| SQLGetDiagFieldW | 30 |
| KlInitializeMutant | 30 |
| DPA_DestroyCallback | 30 |
| DhcpDeleteServer | 30 |
| AddEntryBootFileGpt | 30 |
| LowNtWriteFile | 30 |
| LowNtReadFile | 30 |
| LowNtReadOnlyAttributeOff | 30 |
| GetSystemVolume | 30 |
| DynamicSupport | 30 |
| RgszwFromArgs | 30 |
| RgszwFromValist | 30 |
| TranslateError | 30 |
| GetColorProfileFromHandle | 30 |
| FsRtlAreNamesEqual | 30 |
| ?to_int_type@\$char_traits@G@std@@SA | 30 |
| _mbsnbcoll | 30 |

| | |
|---|----|
| vlc_gettext | 30 |
| _mbsncpy_s | 30 |
| ?_M_fill_insert@?\$vector@PAXV?\$allocator@PAX@?reserve@?\$vector@PAXV?\$allocator@PAX@??0?\$vector@PAXV?\$allocator@PAX@_STL(RpcMgmtInqStats | 30 |
| acmFormatChooseW | 30 |
| wglCopyContext | 30 |
| ?basefield@ios@@2JB | 30 |
| ??_7logic_error@std@@6B@ | 30 |
| HidP_GetUsageValue | 30 |
| AuthzFreeHandle | 30 |
| RegDefaultUserConfigQueryW | 30 |
| _WinStationNotifyDisconnectPipe | 30 |
| NtRequestWaitReplyPort | 30 |
| glFogi | 30 |
| ?_Ipxf@?\$basic_istream@GU?\$char_traits@@Dxdbinrw@initialization\$qqrv | 30 |
| ?DosDriveNameToNtDriveName@IFS_SYSTE | 30 |
| lua_insert | 30 |
| luaL_loadbuffer | 30 |
| mysql_num_fields | 30 |
| I_NetNameCanonicalize | 30 |
| RpcBindingSetOption | 30 |
| K32EnumProcessModules | 30 |
| dll_dllcrt0 | 30 |
| CreateClusterResource | 30 |
| LsaSetInformationTrustedDomain | 30 |
| rtcSetFileAttr | 30 |
| ReallocADsMem | 30 |
| ExInterlockedFlushSList | 30 |
| glPopClientAttrib | 30 |
| NS_CStringCloneData | 30 |
| CertSerializeCTLStoreElement | 30 |
| ?eof@ios@@QBEHZ | 30 |
| RegisterClusterNotify | 30 |
| ?RawCreateGFElementByXmtl@GF@Util@@C | 30 |
| ASN1CEREncNewBlkElement | 30 |
| CreateStdDispatch | 30 |
| ??Ofstream@@QAE@ABV0@@Z | 30 |
| SQLNativeSql | 30 |
| SQLAllocEnv | 30 |
| PdhGetDataSourceTimeRangeA | 30 |
| _fputwchar | 30 |
| FreeEncryptionCertificateHashList | 30 |
| __p_timezone | 30 |
| WSHSetSocketInformation | 30 |

| | |
|--|----|
| WSHJoinLeaf | 30 |
| CloseClusterNetInterface | 30 |
| CreateClusterGroup | 30 |
| ZwFlushInstructionCache | 30 |
| KeAcquireInStackQueuedSpinLock | 30 |
| CM_Set_Class_Registry_PropertyW | 30 |
| RandomSeed | 30 |
| Q_strnicmp | 30 |
| ?GetSubNode@CVProfNode@@QAEPAV1@ | 30 |
| ?EnterScope@CVProfNode@@QAEXXZ | 30 |
| ?ExitScope@CVProfNode@@QAE_NXZ | 30 |
| GetCPUInformation | 30 |
| _wspawnvve | 30 |
| CM_Merge_Range_List | 30 |
| CM_Get_Device_ID_Size | 30 |
| LsaSetInformationPolicy | 30 |
| CryptMsgSignCTL | 30 |
| PacketInitPacket | 30 |
| PacketOpenAdapter | 30 |
| RegIsMachinePolicyAllowHelp | 30 |
| RegWinStationQuerySecurityW | 30 |
| RouterLogDeregisterA | 30 |
| PATHOBJ_bEnumClipLines | 30 |
| SQLGetPrivateProfileString | 30 |
| SymGetSymNext | 30 |
| CertEnumCRLsInStore | 30 |
| RpcMgmtInqServerPrincNameW | 30 |
| @System@@LStrClr\$qqrr17System@AnsiSti | 30 |
| @Stdctrls@TGroupBox@ | 30 |
| ?replace@?\$basic_string@DU?\$char_traits@ | 30 |
| NhGetInterfaceNameFromGuid | 30 |
| stream_Control | 30 |
| ?Find@CHString@@QBEHPBG@Z | 30 |
| Wow64RevertWow64FsRedirection | 30 |
| glVertex3fv | 30 |
| CM_Query_Arbitrator_Free_Size_Ex | 30 |
| @Sysutils@FloatToStr\$qqrg | 30 |
| midInMessage | 30 |
| data_size_ndr | 30 |
| ResolveLinkInfoA | 30 |
| rtcGetPresentDate | 30 |
| ScriptXtoCP | 30 |
| ?rfind@?\$basic_string@_WU?\$char_traits@ | 30 |
| ?seekg@?\$basic_istream@DU?\$char_traits@ | 30 |
| DeleteIPAddress | 30 |
| CryptMsgVerifyCountersignatureEncoded | 30 |
| CertCreateCertificateChainEngine | 30 |

| | |
|---|----|
| CryptEncryptMessage | 30 |
| _GetToolsFilePath@16 | 30 |
| OpenClusterResource | 30 |
| ??4streambuf@@QAEAAV0@ABV0@@Z | 30 |
| glVertex3i | 30 |
| SamiChangePasswordUser | 30 |
| PrinterProperties | 30 |
| _acmdln_dll | 30 |
| DeletePrinterDataExA | 30 |
| @Sysutils@DateToStr\$qqrx16System@TDat | 30 |
| ASN1intx_setuint32 | 30 |
| RtlDeleteTimerQueue | 30 |
| ResUtilFindDwordProperty | 30 |
| DeletePrinterDataW | 30 |
| ?do_tolower@?\$ctype@D@std@@MBEDD(| 30 |
| ??\$?H_WU?\$char_traits@_W@std@@@V?\$sa | 30 |
| GetGadgetFocus | 30 |
| MoFreeMediaType | 30 |
| ImagehlpApiVersionEx | 30 |
| ImmDisableTextFrameService | 30 |
| FIsGetValue | 30 |
| FIsAlloc | 30 |
| OsThunkDdSetGammaRamp | 30 |
| OsThunkDdUnlock | 30 |
| OsThunkDdDestroyD3DBuffer | 30 |
| NtImpersonateAnonymousToken | 30 |
| ADsEnumClasses | 30 |
| DeletePrinterKeyW | 30 |
| ?rfind@?\$basic_string@DU?\$char_traits@D | 30 |
| GdiConvertDC | 30 |
| MoCopyMediaType | 30 |
| CM_Query_And_Remove_SubTree_ExA | 30 |
| AtlUnadvise | 30 |
| midiOutCachePatches | 30 |
| CsrCaptureMessageBuffer | 30 |
| GetCMMInfo | 30 |
| glMaterialfv | 30 |
| WSCWriteNameSpaceOrder | 30 |
| ??5istream@@QAEAAV0@PAD@Z | 30 |
| QueryCredentialsAttributesW | 30 |
| CM_Open_Class_KeyW | 30 |
| CM_Request_Device_EjectW | 30 |
| ?compare@?\$basic_string@GU?\$char_trait: | 30 |
| CertRDNValueToStrA | 30 |
| ??1RadioButton@@@UAE@XZ | 30 |
| ??0RadioButton@@@QAE@PAVWindow@@@ | 30 |
| ?Notify@Dialog@@UAEJAAVNotifyEvent@() | 30 |

| | |
|---|----|
| ?StateChanged@Dialog@@UAEXG@Z | 30 |
| ??0ModalDialog@@QAE@PAVWindow@@, | 30 |
| CmMalloc | 30 |
| KeI386MachineType | 30 |
| Kei386EoiHelper | 30 |
| ??4QString@@QAEAAV0@ABV0@@Z | 30 |
| LdapMsgFree | 30 |
| SetupGetLineByIndexW | 30 |
| SQLGetTypeInfoW | 29 |
| KeI386FlatToGdtSelector | 29 |
| __p_pgmptr | 29 |
| ReportFault | 29 |
| __lc_collate_cp_func | 29 |
| GetInstallDirectoryPath | 29 |
| LowAcquirePrivilege | 29 |
| FreeRgszw | 29 |
| RgszwDupRgszw | 29 |
| GetErrorData | 29 |
| AddEntryBootFileMbr | 29 |
| DeleteSecurityPackageW | 29 |
| RtlUnicodeStringToCountedOemString | 29 |
| DsCrackSpnW | 29 |
| ?DisableLineMode@KEYBOARD@@QAEEXZ | 29 |
| LdrDisableThreadCalloutsForDII | 29 |
| OsThunkDdQueryDirectDrawObject | 29 |
| OsThunkD3dDrawPrimitives2 | 29 |
| ?_Xlen @_String_base@std@@SAXXZ | 29 |
| WSARecvDisconnect | 29 |
| ?getImplementationId@OIImplementationId | 29 |
| ??1OIImplementationId@cppu@@QAE@XZ | 29 |
| ?_Rebalance_for_erase@?\$_Rb_global@_N | 29 |
| SxsLookupClrGuid | 29 |
| ??4Iostream_init@@QAEAAV0@ABV0@@Z | 29 |
| glScaled | 29 |
| ?underflow@stdiobuf@@UAEHXZ | 29 |
| ??_7istrstream@@6B@ | 29 |
| NtCreatePagingFile | 29 |
| CM_Get_Device_Interface_List_SizeA | 29 |
| ??6ostream@@QAEAAV0@H@Z | 29 |
| @Adodb@TCustomADODataset@SetComm | 29 |
| rtcInStrRev | 29 |
| InternetEnumPerSiteCookieDecisionW | 29 |
| vlc_object_release | 29 |
| ??_Gexception@@UAEPAXI@Z | 29 |
| GetDeviceID | 29 |
| SQLFetchScroll | 29 |
| SQLConnectW | 29 |

| | |
|--|----|
| ??Bios@@QBEPAZZ | 29 |
| CreateClusterNotifyPort | 29 |
| ?EraseTimerCallback@XTimer@@YAHPAU | 29 |
| ??8CTXBSTR@@QBE_NPB_W@Z | 29 |
| ?PropertyDWord@CFmtString@@QAEHPB_ | 29 |
| ASN1BERDecChar32String | 29 |
| ASN1BEREoid2DotVal | 29 |
| ?compare@?\$basic_string@GU?\$char_traits@ | 29 |
| glRasterPos2d | 29 |
| _ExtTextOut@32 | 29 |
| VarUI4FromR8 | 29 |
| ForceNexusLookupExW | 29 |
| ?get@istream@@QAEAAV1@AAD@Z | 29 |
| ??YCTXStringW@@QAEAAV0@ABV0@@Z | 29 |
| SQLError | 29 |
| gluTessBeginPolygon | 29 |
| gluPwlCurve | 29 |
| gluTessVertex | 29 |
| CmWinHelp | 29 |
| NtFlushInstructionCache | 29 |
| ClusterNetInterfaceControl | 29 |
| NtSetThreadExecutionState | 29 |
| SystemFunction011 | 29 |
| @System@@RewriteFile\$qqrr15System@TFi | 29 |
| PacketAllocatePacket | 29 |
| LogErrorA | 29 |
| __exitargv | 29 |
| SystemFunction016 | 29 |
| @Db@TDataSet@Delete\$qqrv | 29 |
| @Forms@TCustomForm@AlignControls\$qq | 29 |
| SetupGetSourceInfoA | 29 |
| CryptSIPRemoveSignedDataMsg | 29 |
| stream_Block | 29 |
| ?GetBuffer@CHString@@QAEPAZH@Z | 29 |
| stream_Read | 29 |
| ?rdbuf@istrstream@@QBEPAVstrstreambuf@ | 29 |
| RtlDeleteAtomFromAtomTable | 29 |
| Tcl_DeleteInterp | 29 |
| glGetDoublev | 29 |
| glEndList | 29 |
| CM_Move_DevNode_Ex | 29 |
| gluEndSurface | 29 |
| BackupPerfRegistryToFileW | 29 |
| glDrawPixels | 29 |
| GetStdColorF | 29 |
| DeleteFormW | 29 |
| CryptFindLocalizedString | 29 |

| | |
|--|----|
| LoadIMAGE | 29 |
| RtlIdentifierAuthoritySid | 29 |
| OaBuildVersion | 29 |
| @System@@UStrArrayClr\$qqrpvi | 29 |
| SamEnumerateAliasesInDomain | 29 |
| TopIScheduleCacheCreate | 29 |
| SetupDiLoadClassIcon | 29 |
| NetFileClose | 29 |
| ??0?\$basic_string@GU?\$char_traits@G@std@@@QEAZ | 29 |
| ResUtilSetPropertyParameterBlock | 29 |
| ResUtilGetResourceDependency | 29 |
| OsThunkDdGetDxHandle | 29 |
| ?do_toupper@?\$ctype@D@std@@@MBEPB@QEAZ | 29 |
| ?IsDrive@PATH@@@QBEEZ | 29 |
| CreateAction | 29 |
| GetGadgetSize | 29 |
| PdhGetFormattedCounterArrayW | 29 |
| WTSWaitSystemEvent | 29 |
| CryptUIDlgViewSignerInfoA | 29 |
| CryptUIDlgViewCTLW | 29 |
| Icmp6ParseReplies | 29 |
| _dstbias | 29 |
| OsThunkDdCanCreateD3DBuffer | 29 |
| OsThunkDdReenableDirectDrawObject | 29 |
| glColorPointer | 29 |
| __vbaCVarAryUdt | 29 |
| glPixelZoom | 29 |
| WNetSetConnectionA | 29 |
| BasepCheckWinSaferRestrictions | 29 |
| SceUpdateObjectInfo | 29 |
| CertAddStoreToCollection | 29 |
| AllocateAndGetIpAddrTableFromStack | 29 |
| ??0?\$ctype@D@std@@@QAE@PBF_NI@Z | 29 |
| libintl_bind_textdomain_codeset | 29 |
| glReadBuffer | 29 |
| OsThunkDdDeleteDirectDrawObject | 29 |
| CertFindCertificateInCRL | 29 |
| ASN1CEREncChar32String | 29 |
| CsrAllocateCaptureBuffer | 29 |
| LdrQueryImageFileExecutionOptions | 29 |
| ResUtilEnumResources | 29 |
| ??1FSN_FILTER@@UAE@XZ | 29 |
| ??_7bad_alloc@std@@6B@ | 29 |
| CryptEnumKeyIdentifierProperties | 29 |
| ??0OKButton@@QAE@PAVWindow@@ABV | 29 |
| ?Check@RadioButton@@QAEXE@Z | 29 |
| ??0CancelButton@@QAE@PAVWindow@@A | 29 |

| | |
|--|----|
| SetupDecompressOrCopyFileW | 29 |
| BindImage | 29 |
| T_UNK | 29 |
| WmiCreateObjectWithFormat | 29 |
| WmiEventSourceConnect | 29 |
| WmiSetAndCommitObject | 29 |
| ImageGetCertificateData | 29 |
| ?connect@QObject@@SA_NPBV1@PBD01V | 29 |
| CryptVerifyCertificateSignatureEx | 29 |
| CertAddEnhancedKeyUsageIdentifier | 29 |
| rtclnputCharCountVar | 29 |
| MsiGetComponentPathA | 28 |
| SQLSetDescFieldW | 28 |
| _strlwr_s | 28 |
| __unguarded_readlc_active_add_func | 28 |
| ??7ios_base@std@@QBE_NXZ | 28 |
| FsRtIsNtstatusExpected | 28 |
| RtlUpcaseUnicodeStringToCountedOemStrin | 28 |
| FsRtInitializeOplock | 28 |
| KdDebuggerEnabled | 28 |
| StrStrNIW | 28 |
| WTSQueryUserConfigA | 28 |
| _XprtGetMessageQueue@0 | 28 |
| WRITE_PORT_USHORT | 28 |
| RtlIsDosDeviceName_U | 28 |
| waveOutSetPlaybackRate | 28 |
| glGetFloatv | 28 |
| glIndexPointer | 28 |
| ?lockc@ios@@KAXXZ | 28 |
| ??5istream@@QAEAAV0@AAD@Z | 28 |
| ?is_open@ofstream@@QBEHXZ | 28 |
| ??1?\$basic_ofstream@DU?\$char_traits@D@std@ | 28 |
| QueryWindows31FilesMigration | 28 |
| _WinStationFUSCanRemoteUserDisconnect | 28 |
| glNormalPointer | 28 |
| CM_Get_Device_ID_List_SizeW | 28 |
| lineTranslateDialogW | 28 |
| ?QueryDriveType@SYSTEM@@SG?AW4DRI` | 28 |
| mysql_escape_string | 28 |
| mysql_fetch_fields | 28 |
| UTF8Toisolat1 | 28 |
| DispGetParam | 28 |
| RpcIfIdVectorFree | 28 |
| PrivateCoInstall | 28 |
| ??_Dostrstream@@QAEXXZ | 28 |
| LsaQueryTrustedDomainInfo | 28 |
| __p__daylight | 28 |

| | |
|---|----|
| ?CreateTXArray@Data@Util@@YAHPPAPAUI | 28 |
| ?GetPlatformCore@Core@Util@@YAHPPAPF | 28 |
| ?CreateObject@GF@Util@@YAJABU_GUID(| 28 |
| NtTraceEvent | 28 |
| ASN1BERDecMultibyteString | 28 |
| ASN1BEREncObjectIdentifier2 | 28 |
| GdiEntry9 | 28 |
| glMateriali | 28 |
| glColor4us | 28 |
| glRasterPos3f | 28 |
| glIndexMask | 28 |
| _GetUserName@8 | 28 |
| _RegisterClassEx_@4 | 28 |
| _IsCharAlphaNumeric_@4 | 28 |
| AccessCheckByTypeResultListAndAuditAlarm | 28 |
| ?gbump@streambuf@@IAEXH@Z | 28 |
| sqlite3_close | 28 |
| UnregisterCMMA | 28 |
| SQLSpecialColumns | 28 |
| glTexCoord4iv | 28 |
| WSHOpenSocket2 | 28 |
| CloseClusterNetwork | 28 |
| RandomFloat | 28 |
| UserRealizePalette | 28 |
| @System@@BlockWrite\$qqrr15System@TF | 28 |
| PacketCloseAdapter | 28 |
| LogEventA | 28 |
| CryptMsgOpenToEncode | 28 |
| TreeResetNamedSecurityInfoW | 28 |
| RpcSmGetThreadHandle | 28 |
| CACloneCertType | 28 |
| DbgUserBreakPoint | 28 |
| @Forms@TScrollingWinControl@AdjustClien | 28 |
| ?compare@?\$basic_string@_WU?\$char_traits@_WU@std@ | 28 |
| NtRemoveloCompletion | 28 |
| GetWindowLongPtrA | 28 |
| SetWindowLongPtrA | 28 |
| ?Initialize@FSTRING@@QAEPAVWSTRING@ | 28 |
| gluQuadricDrawStyle | 28 |
| NdrComplexStructUnmarshall | 28 |
| Tcl_SetResult | 28 |
| midiOutMessage | 28 |
| GetTcpStatisticsEx | 28 |
| InternalGetUdpTable | 28 |
| UserLpkTabbedTextOut | 28 |
| NtLicenseRequestA | 28 |
| NtLsFreeHandle | 28 |

| | |
|---------------------------------------|----|
| CM_Get_Version | 28 |
| ScriptString_pcOutChars | 28 |
| SQLCloseCursor | 28 |
| ?id@?\$_ctype@_W@std@@2V0locale@2@/_ | 28 |
| WNetGetResourceInformationW | 28 |
| @JvprogressDlg@TJvProgressDlg@ | 28 |
| LsaOpenTrustedDomainByName | 28 |
| WmiDestroyObject | 28 |
| DeletePrintProcessorW | 28 |
| CDGenerateRandomBits | 28 |
| _mbslwr_s | 28 |
| @Forms@TCustomForm@PaintWindow\$qq | 28 |
| @Forms@TCustomForm@ValidateRename\$ | 28 |
| @Classes@TComponent@UpdateRegistry\$c | 28 |
| @Controls@TWinControl@GetDeviceConte | 28 |
| @Controls@TWinControl@SetParentDouble | 28 |
| @Controls@TControl@SetName\$qqrx20Sys | 28 |
| SamCreateAliasInDomain | 28 |
| NetDfsAddStdRootForced | 28 |
| ScriptGetCMap | 28 |
| mmioAdvance | 28 |
| SetupDefaultQueueCallbackA | 28 |
| @Forms@TApplication@Terminate\$qqrv | 28 |
| glRasterPos2i | 28 |
| ResUtilsResourceClassEqual | 28 |
| XFORMOBJ_iGetXform | 28 |
| IoCheckQuerySetVolumeInformation | 28 |
| ILFindChild | 28 |
| GdipSetImageAttributesColorKeys | 28 |
| ForwardGadgetMessage | 28 |
| SymGetLineFromName64 | 28 |
| kUtf8Encoding | 28 |
| ?AppendFormat@TBstr@XPRT@@QAAXPBC | 28 |
| WTSTerminateProcess | 28 |
| NetScheduleJobDel | 28 |
| FreeADsStr | 28 |
| _GetOpenFileName@4 | 28 |
| OsThunkDdSetExclusiveMode | 28 |
| OsThunkDdGetScanLine | 28 |
| OsThunkDdGetFlipStatus | 28 |
| OsThunkDdAttachSurface | 28 |
| glTexParameterf | 28 |
| NetApiBufferReallocate | 28 |
| CM_Get_Device_ID_List_ExA | 28 |
| ??_8ifstream@@7B@ | 28 |
| LpcRequestPort | 28 |
| ZwWaitForMultipleObjects | 28 |

| | |
|--|----|
| NPCloseEnum | 28 |
| CertAddEncodedCTLToStore | 28 |
| _vswprintf_c_l | 28 |
| OsThunkDdCreateSurface | 28 |
| OsThunkD3dValidateTextureStageState | 28 |
| _XprtStringToUtf8@16 | 28 |
| RtlFreeHandle | 28 |
| IPSecFreeFilterData | 28 |
| RtlAcquirePebLock | 28 |
| NtCancelTimer | 28 |
| glEdgeFlag | 28 |
| glPolygonMode | 28 |
| _GetWindowTextLength@4 | 28 |
| CredReadDomainCredentialsW | 28 |
| SymEnumSym | 28 |
| LsaQuerySecret | 28 |
| MD4Update | 28 |
| _mbsnicoll | 28 |
| NetLocalGroupSetInfo | 28 |
| ??0HelpButton@@QAE@PAVWindow@@A | 28 |
| ?EndDialog@Dialog@@QAEXJ@Z | 28 |
| ??1INetURLObject@@QAE@XZ | 28 |
| ??0?\$basic_string@_WU?\$char_traits@_W(| 28 |
| ResUtilSetSzValue | 28 |
| _getmaxstdio | 28 |
| RtlConvertUlongToLargeInteger | 28 |
| LpcPortObjectType | 28 |
| RtlUpcaseUnicodeToCustomCPN | 28 |
| OsThunkD3dContextDestroy | 28 |
| ?assign@?\$char_traits@G@std@@SAXAAG | 28 |
| ?free@QString@@CAXPAUData@1@@Z | 28 |
| ?shared_null@QListData@@2UData@1@A | 28 |
| RpcMgmtInqComTimeout | 28 |
| rtl_ustr_hashCode_WithLength | 28 |
| ?toLocal8Bit@QString@@QBE?AVQByteArr | 28 |
| CmBuildFullPathFromRelativeW | 28 |
| _ZN4Foam6VectorIdE4zeroE | 28 |
| DsGetDomainControllerInfoW | 27 |
| SQLPrepareW | 27 |
| HttpSetServiceConfiguration | 27 |
| HttpDeleteServiceConfiguration | 27 |
| AsrAddSifEntryW | 27 |
| SetupDiGetClassDevPropertySheetsW | 27 |
| VerifySignature | 27 |
| FsRtlInitializeMcb | 27 |
| FsRtlPrivateLock | 27 |
| MatchEnumTag | 27 |

| | |
|--|----|
| ??1MULTIPLE_PATH_ARGUMENT@@UAE@ | 27 |
| SaferGetPolicyInformation | 27 |
| OsThunkDdCreateD3DBuffer | 27 |
| xmlNewProp | 27 |
| CM_Setup_DevNode_Ex | 27 |
| ?createSingleComponentFactory@cppu@@' | 27 |
| HalQueryDisplayParameters | 27 |
| TdiRegisterProvider | 27 |
| TdiBuildNetbiosAddress | 27 |
| glCallList | 27 |
| glTexImage1D | 27 |
| ?rdbuf@ostrstream@@QBEPAVstrstreambu | 27 |
| ??0ostrstream@@QAE@PADHH@Z | 27 |
| ??0istream@@IAE@ABV0@@Z | 27 |
| DnsApiAlloc | 27 |
| AuthzInitializeAuditEventType | 27 |
| NtLockProductActivationKeys | 27 |
| RtlSetThreadIsCritical | 27 |
| RegUserConfigQuery | 27 |
| RpcGetAuthorizationContextForClient | 27 |
| WinStationGetMachinePolicy | 27 |
| ??1?\$basic_ostream@GU?\$char_traits@G@ | 27 |
| GdipCreateFontFromLogfontA | 27 |
| CM_Get_Device_ID_ListW | 27 |
| @Graphics@TBitmap@ | 27 |
| @Menus@TPopupMenu@ | 27 |
| @Advpanel@initialization\$qqrv | 27 |
| @Advimage@initialization\$qqrv | 27 |
| @Apxpv\$initialization\$qqrv | 27 |
| @Dxnav\$initialization\$qqrv | 27 |
| @Dxnavbar\$initialization\$qqrv | 27 |
| @Dxnavbarbase\$initialization\$qqrv | 27 |
| @Dxnavbarcollns\$initialization\$qqrv | 27 |
| @Dxnavbarstyles\$initialization\$qqrv | 27 |
| @Dxnavbarconsts\$initialization\$qqrv | 27 |
| @Dxnavbargraphics\$initialization\$qqrv | 27 |
| @Dxnavbarviewsfact\$initialization\$qqrv | 27 |
| @Dxnavbarbaseviews\$initialization\$qqrv | 27 |
| @Dxnavbarxpviews\$initialization\$qqrv | 27 |
| @Dxnavbarofficeviews\$initialization\$qqrv | 27 |
| @Dxnavbarexplorerviews\$initialization\$qq | 27 |
| @Dxnavbaroffice11views\$initialization\$qqrv | 27 |
| @Dxnavbarstoolboxviews\$initialization\$qqrv | 27 |
| @Dcedit\$initialization\$qqrv | 27 |
| @Dccontrols\$initialization\$qqrv | 27 |
| ?QueryFileSystemName@IFS_SYSTEM@@S | 27 |
| PdhEnumObjectsW | 27 |
| CM_Modify_Res_Des | 27 |

| | |
|----------------------------------|----|
| GetDomainDNSNameForDomain | 27 |
| VarR8Round | 27 |
| HlinkNavigateMoniker | 27 |
| MimeOleSetCompatMode | 27 |
| NtSetIoCompletion | 27 |
| NetServerDiskEnum | 27 |
| _wexeclpe | 27 |
| _snwscanf_s | 27 |
| NetDfsAddStdRoot | 27 |
| ASN1_SetEncoderOption | 27 |
| DMOUnregister | 27 |
| glColor4b | 27 |
| glColor3i | 27 |
| glTexCoord4fv | 27 |
| SetupDiGetClassDevsExA | 27 |
| WinStationVirtualOpen | 27 |
| RtlZombifyActivationContext | 27 |
| LsaQueryForestTrustInformation | 27 |
| ?is_open@ifstream@@QBEHXZ | 27 |
| ??7ios@@QBEHXZ | 27 |
| CM_Get_Device_ID_ExA | 27 |
| RestartDialog | 27 |
| CM_Uninstall_DevNode | 27 |
| MprInfoBlockRemove | 27 |
| RegWinStationQueryW | 27 |
| RtmCreateEnumerationHandle | 27 |
| ScriptCPToX | 27 |
| CertAddCertificateLinkToStore | 27 |
| VarFormatDateTime | 27 |
| @KbmMemtable@TkbmMemTable@ | 27 |
| NhGetInterfaceNameFromDeviceGuid | 27 |
| @Stdctrls@TMemo@ | 27 |
| SetupPromptForDiskA | 27 |
| TrustIsCertificateSelfSigned | 27 |
| _local_unwind4 | 27 |
| _wcsset | 27 |
| MimeOleGetInternat | 27 |
| ??0FSTRING@@QAE@XZ | 27 |
| rtcArray | 27 |
| Shadow_Me | 27 |
| Tcl_EvalEx | 27 |
| mbrtowc | 27 |
| mbsinit | 27 |
| putc_unlocked | 27 |
| strerror_r | 27 |
| NetLocalGroupGetInfo | 27 |
| gluDeleteTess | 27 |

| | |
|--|----|
| SystemFunction019 | 27 |
| ?TruncateBase@PATH@@QAEEXZ | 27 |
| ?HasWildCard@PATH@@QBEEHZ | 27 |
| LsaSetDomainInformationPolicy | 27 |
| AddSecurityPackageW | 27 |
| GdipSaveGraphics | 27 |
| glCopyPixels | 27 |
| WTSSetSessionInformationA | 27 |
| MsiAdvertiseProductW | 27 |
| RpcServerUseProtseqIfA | 27 |
| DsFreeNameResultA | 27 |
| SetPrinterDataExW | 27 |
| CDLocateCheckSum | 27 |
| CDBuildIntegrityVect | 27 |
| CDFindCommonCSystemWithKey | 27 |
| CDLocateCSystem | 27 |
| ?replace@?\$basic_string@GU?\$char_traits@U@std@@@YABU?\$_DebugHeapTag_func@std@@@YA@Z | 27 |
| mciDriverYield | 27 |
| ??3@YAXPAXABU_DebugHeapTag_t@std@I | 27 |
| ??2@YAPAXIABU_DebugHeapTag_t@std@C | 27 |
| ?_DebugHeapTag_func@std@@@YA@Z | 27 |
| UnRegisterTypeLib | 27 |
| GdipImageGetFrameDimensionsList | 27 |
| GetStateTextW | 27 |
| pSetupGuidFromString | 27 |
| DMOREgister | 27 |
| _Itow_s | 27 |
| GetDefaultUserProfileDirectoryW | 27 |
| glDrawBuffer | 27 |
| CMP_GetBlockedDriverInfo | 27 |
| ResUtilSetResourceServiceStartParameters | 27 |
| CertRemoveStoreFromCollection | 27 |
| ??0OTypeCollection@cppu@@QAE@ABVTy | 27 |
| KiUserCallbackDispatcher | 27 |
| CryptSIPLoad | 27 |
| GetStdColorI | 27 |
| ??0bad_alloc@std@@QAE@PBD@Z | 27 |
| SetDefaultPrinterA | 27 |
| SaferSetLevelInformation | 27 |
| _XprtBase64ToBin@12 | 27 |
| ADsGetLastError | 27 |
| OsThunkDdLockD3D | 27 |
| OsThunkD3dContextCreate | 27 |
| SCardCancel | 27 |
| WintrustGetRegPolicyFlags | 27 |
| CertAddEncodedCertificateToSystemStoreA | 27 |
| __programe | 27 |

| | |
|--|----|
| NetapiBufferAllocate | 27 |
| CryptUIWizCertRequest | 27 |
| MsiOpenPackageW | 27 |
| FormatEx | 27 |
| WmiExecuteMethodW | 27 |
| CertDuplicateCTLContext | 27 |
| glVertex3dv | 27 |
| g_signal_connect_data | 27 |
| gimp_install_procedure | 27 |
| OsThunkDdGetDriverState | 27 |
| OsThunkDdLock | 27 |
| ?WeakComponentImplHelper_getTypes@cp | 27 |
| ?WeakComponentImplHelper_query@cppu | 27 |
| ??0WeakComponentImplHelperBase@cppu | 27 |
| ?removeVetoableChangeListener@OProperti | 27 |
| ?addVetoableChangeListener@OPropertySe | 27 |
| ?removePropertyChangeListener@OProperti | 27 |
| ?addPropertyChangeListener@OPropertySet | 27 |
| ?getPropertyValue@OPropertySetHelper@c | 27 |
| ?setPropertyValue@OPropertySetHelper@c | 27 |
| ?getFastPropertyValue@OPropertySetHelp | 27 |
| ?firePropertiesChangeEvent@OPropertySet | 27 |
| ?removePropertiesChangeListener@OPrope | 27 |
| ?addPropertiesChangeListener@OPropertyS | 27 |
| ?getPropertyValues@OPropertySetHelper@ | 27 |
| ?setPropertyValues@OPropertySetHelper@ | 27 |
| ?removeEventListener@WeakComponentIm | 27 |
| ?addEventListener@WeakComponentImplH | 27 |
| ?dispose@WeakComponentImplHelperBase | 27 |
| ?release@WeakComponentImplHelperBase | 27 |
| ?acquire@WeakComponentImplHelperBase | 27 |
| ??1WeakComponentImplHelperBase@cppu | 27 |
| uno_type_equalData | 27 |
| WmiQueryGuidInformation | 27 |
| LoadTextFilter | 27 |
| SymFromName | 27 |
| ?replace@?\$basic_string@GU?\$char_traits@ | 27 |
| RtlDnsHostNameToComputerName | 27 |
| RtlReleasePebLock | 27 |
| glVertex3iv | 27 |
| ??_7stdiostream@@6B@ | 27 |
| SymMatchString | 27 |
| GdipClearPathMarkers | 27 |
| GdipSetPathMarker | 27 |
| ??1QVariant@@QAE@XZ | 27 |
| lineAddProviderA | 27 |
| NdrByteCountPointerFree | 27 |

| | |
|--|----|
| EventEnabled | 27 |
| DnsReplaceRecordSetA | 27 |
| _wcsncoll | 27 |
| SQLGetDescField | 27 |
| KeReadStateQueue | 27 |
| MmUnmapVideoDisplay | 27 |
| SeAssignSecurityEx | 27 |
| ??1BitmapEx@@QAE@XZ | 27 |
| ?GetUILocale@AllSettings@@QBEABULocal | 27 |
| H_UNK | 27 |
| ?append@QListData@@QAEPAPEAXXZ | 27 |
| SetupQuerySourceListW | 27 |
| ?paintEngine@QWidget@@UBEPAVQPaintE | 27 |
| ?getDC@QWidget@@UBEPAUHDC__@@XZ | 27 |
| ?heightForWidth@QWidget@@UBEHH@Z | 27 |
| ?setVisible@QWidget@@UAEX_N@Z | 27 |
| ?devType@QWidget@@UBEHXZ | 27 |
| ?metric@QWidget@@MBEHW4PaintDevice | 27 |
| ?actionEvent@QWidget@@MAEXPQAction | 27 |
| ?closeEvent@QWidget@@MAEXPQClose | 27 |
| GdipIsVisibleClipEmpty | 27 |
| A | 27 |
| HalAdjustResourceList | 26 |
| MsiCollectUserInfoW | 26 |
| DsQuoteRdnValueW | 26 |
| SQLDescribeColW | 26 |
| CM_Set_DevNode_Registry_Property_ExW | 26 |
| CreateAsyncBindCtxEx | 26 |
| NetLocalGroupDelMembers | 26 |
| SheGetDirExW | 26 |
| FsRtlFindInTunnelCache | 26 |
| ?to_char_type@?\$char_traits@G@std@@S | 26 |
| ??3TXprtAllocated@XPRT@@SAXPAX@Z | 26 |
| _XprtUrlEncode@8 | 26 |
| ?TrimRight@TBstr@XPRT@@QAEAAV12@C | 26 |
| ?TrimLeft@TBstr@XPRT@@QAEAAV12@G@C | 26 |
| ??0TBstr@XPRT@@QAE@PBDHPBG@Z | 26 |
| ?get@?\$basic_istream@DU?\$char_traits@L | 26 |
| _mbcasemap | 26 |
| waveOutGetPitch | 26 |
| acmFormatDetailsW | 26 |
| glCopyTexSubImage1D | 26 |
| glEnableClientState | 26 |
| glClearStencil | 26 |
| glPixelTransferi | 26 |
| ?sputc@streambuf@@QAEHH@Z | 26 |
| ??6ostream@@QAEAAV0@P6AAAVisos@@F | 26 |

| | |
|--------------------------------------|----|
| ??0stdiostream@@QAE@ABV0@@Z | 26 |
| ??_Gstdiobuf@@UAEPAXI@Z | 26 |
| I_ScSendTSMMessage | 26 |
| AuthzInitializeAuditEvent | 26 |
| AuthziLogAuditEvent | 26 |
| ?ciDelete@@YGXPAX@Z | 26 |
| RtlIsGenericTableEmpty | 26 |
| @Db@TDataSet@Last\$qqrv | 26 |
| @Db@TNumericField@ | 26 |
| __timezone | 26 |
| K32GetModuleBaseNameW | 26 |
| bcopy | 26 |
| glFogf | 26 |
| glTexCoordPointer | 26 |
| vlc_restorecancel | 26 |
| vlc_savecancel | 26 |
| MimeOleGetPropertySchema | 26 |
| ZwCreateJobObject | 26 |
| LoadByOrdinal | 26 |
| ??_8ostream@@7B@ | 26 |
| ?seekoff@streambuf@@UAEJJW4seek_dir@ | 26 |
| _outpw | 26 |
| SamOpenUser | 26 |
| _ismbbgraph | 26 |
| ??4CTXBSTR@@QAEAAV0@PB_W@Z | 26 |
| InitiateShutdownW | 26 |
| __vbaLateldNamedCall | 26 |
| ASN1BERDecChar16String | 26 |
| GetThemeSysFont | 26 |
| JetUpdate | 26 |
| RegisterFormatEnumerator | 26 |
| glGetMapiv | 26 |
| wglDescribeLayerPlane | 26 |
| glIndexf | 26 |
| _WriteConsoleInput_@16 | 26 |
| _GetTabbedTextExtent_@20 | 26 |
| _tsystem | 26 |
| _ClearEventLog_@8 | 26 |
| SetupInstallServicesFromInfSectionA | 26 |
| ConvertU2TrusteeToSid | 26 |
| ?setbuf@ifstream@@QAEPAVstreambuf@C | 26 |
| ?Find@CTXStringW@@QBEHPB_WH@Z | 26 |
| ?SetTimeout@TXTimer@@YAHIPAUTXTIME | 26 |
| SQLProcedureColumns | 26 |
| SQLGetTypeInfo | 26 |
| SQLProcedures | 26 |
| SystemFunction017 | 26 |

| | |
|--|----|
| ??0__non_rtti_object@@QAE@ABV0@@Z | 26 |
| ??1?\$basic_streambuf@GU?\$char_traits@G | 26 |
| gluNextContour | 26 |
| _statusfp | 26 |
| glDrawArrays | 26 |
| RtlLargeIntegerNegate | 26 |
| ??A?\$basic_string@GU?\$char_traits@G@st | 26 |
| PacketGetAdapterNames | 26 |
| RpcSsSetClientAllocFree | 26 |
| I_ScSetServiceBitsW | 26 |
| NdrMesTypeDecode2 | 26 |
| _wctime64 | 26 |
| @System@IsConsole | 26 |
| SetupGetSourceFileLocationA | 26 |
| SetupInstallFromInfSectionA | 26 |
| ??6?\$basic_ostream@DU?\$char_traits@D@ | 26 |
| CryptSIPCreateIndirectData | 26 |
| LoadPerfCounterTextStringsA | 26 |
| glColor4fv | 26 |
| CryptUnregisterDefaultOIDFunction | 26 |
| FreeGPOListA | 26 |
| GetFileVersionInfoExW | 26 |
| GetFileVersionInfoSizeExW | 26 |
| InbvAcquireDisplayOwnership | 26 |
| VarDecFromI1 | 26 |
| _CreateFile@28 | 26 |
| SystemFunction027 | 26 |
| ?EnableBreakHandling@KEYBOARD@@SGE | 26 |
| ImportSecurityContextA | 26 |
| DsGetSpnA | 26 |
| NotifyCallbackData | 26 |
| ControlTraceA | 26 |
| RtmDeleteRoute | 26 |
| @Idcomponent@initialization\$qqrv | 26 |
| @Idstack@initialization\$qqrv | 26 |
| @Idglobal@initialization\$qqrv | 26 |
| @Jvprogressdlg@TJvProgressDlg@Show\$qq | 26 |
| @Jvprogressdlg@TJvProgressDlg@SetValue! | 26 |
| @Jvprogressdlg@TJvProgressDlg@SetMaxin | 26 |
| @Jvprogressdlg@TJvProgressDlg@Close\$qq | 26 |
| joy32Message | 26 |
| _wspawnlpe | 26 |
| _aligned_free | 26 |
| rtcBstrFromFormatVar | 26 |
| ?x_maxbit@ios@@0JA | 26 |
| _PfBindInterfaceToIPAddress@12 | 26 |
| UnregisterMessagePumpHook | 26 |

| | |
|--|----|
| VarDiv | 26 |
| ?insert@?\$basic_string@DU?\$char_traits@I | 26 |
| @System@@UStrCatN\$qqrv | 26 |
| glColor3d | 26 |
| glIndexsv | 26 |
| _strnnextc | 26 |
| SafeArraySetRecordInfo | 26 |
| NtLoadDriver | 26 |
| SceSvcUpdateInfo | 26 |
| @Controls@TControl@GetClientWidth\$qqrv | 26 |
| SetupVerifyInfFileW | 26 |
| ScriptTextOut | 26 |
| ??0WeakReferenceHelper@uno@star@suni | 26 |
| DMOEnum | 26 |
| ResUtilVerifyResourceService | 26 |
| ?createOneInstanceFactory@cppu@@YA?A' | 26 |
| CertIsValidCRLForCertificate | 26 |
| CryptMsgVerifyCountersignatureEncodedEx | 26 |
| CertVerifyCRLTimeValidity | 26 |
| InitGadgets | 26 |
| SetGadgetStyle | 26 |
| _SendDlgItemMessage@20 | 26 |
| ??4istream_withassign@@QAEAAVistream@ | 26 |
| AboutDialogProc | 26 |
| WSAGetServiceClassNameByClassIdA | 26 |
| SHChangeNotifyDeregister | 26 |
| acmFormatTagDetailsA | 26 |
| OsThunkDdCreateSurfaceObject | 26 |
| OsThunkDdCanCreateSurface | 26 |
| ZwTestAlert | 26 |
| mmsystemGetVersion | 26 |
| QueryContextAttributesA | 26 |
| ??_7ifstream@@6B@ | 26 |
| ??_Gostream@@UAEPAXI@Z | 26 |
| g_type_check_instance_cast | 26 |
| CryptUIGetViewSignaturesPagesA | 26 |
| OsThunkDdBlt | 26 |
| rtl_ustr_valueOfDouble | 26 |
| ?insert@?\$basic_string@DU?\$char_traits@I | 26 |
| SetupDiDeleteDeviceInterfaceData | 26 |
| GetUniDirectionalAdapterInfo | 26 |
| glTexGendv | 26 |
| RtlFindSetBitsAndClear | 26 |
| NtUnlockFile | 26 |
| CsrClientConnectToServer | 26 |
| NtQueryDefaultUILanguage | 26 |
| _ShellExecute_@24 | 26 |

| | |
|--------------------------------------|----|
| RtlGetNtGlobalFlags | 26 |
| ?QueryFsnodeArray@FSN_DIRECTORY@@Q | 26 |
| SymGetSearchPath | 26 |
| CsrGetProcessId | 26 |
| RasGetEntryPropertiesW | 26 |
| SetupDiInstallDevice | 26 |
| VarUI1FromI1 | 26 |
| ?IsFileExist@FS@@YAHPB_W@Z | 26 |
| GetLogicalProcessorInformation | 26 |
| RpcBindingSetAuthInfoExA | 26 |
| RpcIfInqId | 26 |
| SePrivilegeObjectAuditAlarm | 26 |
| DeletePrintProvidorW | 26 |
| CmStrchrA | 26 |
| CmLoadIconA | 26 |
| CmFmtMsgA | 26 |
| MmMapMemoryDumpMdl | 26 |
| ExWindowStationObjectType | 26 |
| _execle | 26 |
| ?SetNumberFormatInt@SvStream@@QAEX | 26 |
| ??6SvStream@@QAEAAV0@E@Z | 26 |
| ?ReleaseAccess@Bitmap@@QAEXPBVBitmap | 26 |
| ImageEnumerateCertificates | 26 |
| ?shared_null@QString@@0UData@1@A | 26 |
| StrCatChainW | 26 |
| WmiEventSourceDisconnect | 26 |
| CmLoadIconW | 26 |
| WinHttpQueryOption | 26 |
| ?mouseDoubleClickEvent@QWidget@@MA | 26 |
| ?releaseDC@QWidget@@UBEXPAUHDC__C | 26 |
| ?languageChange@QWidget@@MAEXXZ | 26 |
| ?windowActivationChange@QWidget@@M | 26 |
| ?fontChange@QWidget@@MAEXABVQFont | 26 |
| ?paletteChange@QWidget@@MAEXABVQP | 26 |
| ?enabledChange@QWidget@@MAEX_N@Z | 26 |
| ?styleChange@QWidget@@MAEXAAVQStyl | 26 |
| ?focusNextPrevChild@QWidget@@MAE_N_ | 26 |
| ?inputMethodQuery@QWidget@@UBE?AV | 26 |
| ?winEvent@QWidget@@MAE_NPAUtagMS | 26 |
| ?hideEvent@QWidget@@MAEXPBVQHideE | 26 |
| ?dragMoveEvent@QWidget@@MAEXPBVQ | 26 |
| ?tabletEvent@QWidget@@MAEXPBVQTabl | 26 |
| ?moveEvent@QWidget@@MAEXPBVQMov | 26 |
| ?leaveEvent@QWidget@@MAEXPBVQEven | 26 |
| ?enterEvent@QWidget@@MAEXPBVQEven | 26 |
| SQLGetConnectAttrW | 25 |
| SQLSetStmtAttrW | 25 |

| | |
|---|----|
| SQLSetCursorNameW | 25 |
| AsyncGetClassBits | 25 |
| _Unwind_Resume | 25 |
| ??0?\$basic_string@DU?\$char_traits@D@std@@@V?\$allocator@D@std@@@0 | 25 |
| HidP_SetUsages | 25 |
| PrintMessage | 25 |
| PrintError | 25 |
| WTSSendMessageA | 25 |
| WTSSetUserConfigW | 25 |
| OsThunkDdBeginMoCompFrame | 25 |
| _XprtPostQuitMessage@8 | 25 |
| ??\$?5DU?\$char_traits@D@std@@@V?\$allocator@D@std@@@0 | 25 |
| DeletePrinterIC | 25 |
| CM_Delete_DevNode_Key_Ex | 25 |
| WSALookupServiceNextA | 25 |
| cldap_open | 25 |
| glLogicOp | 25 |
| glTexGend | 25 |
| glTexSubImage2D | 25 |
| ??0ostream _withassign@@QAE@XZ | 25 |
| ??_7exception@@6B@ | 25 |
| AuthzInitializeAuditParams | 25 |
| AuthzFreeAuditEvent | 25 |
| RpcFreeAuthorizationContext | 25 |
| NtAlpcSendWaitReceivePort | 25 |
| BluetoothFindFirstDevice | 25 |
| BluetoothRemoveDevice | 25 |
| BluetoothFindDeviceClose | 25 |
| BluetoothFindNextDevice | 25 |
| @Strtools@QS\$qqr17System@AnsiStringci | 25 |
| @Vedataset@GetSystemCurrencyFormatWi | 25 |
| ?GetLexeme@ARGUMENT@@QAEPAVWSTI | 25 |
| @System@@LStrAsg\$qqrv | 25 |
| DsFreeSchemaGuidMapW | 25 |
| CM_Get_Class_Key_NameW | 25 |
| CM_Get_Class_Registry_PropertyA | 25 |
| CM_Set_HW_Prof | 25 |
| ExInterlockedAddLargeInteger | 25 |
| MimeOleUnEscapeStringInPlace | 25 |
| ??0ifstream@@QAE@HPADH@Z | 25 |
| SQLSetConnectAttrW | 25 |
| SQLGetFunctions | 25 |
| CsrAllocateMessagePointer | 25 |
| _wfindnexti64 | 25 |
| GdipPathIterNextMarker | 25 |
| GdipPathIterNextMarkerPath | 25 |
| GdipPathIterGetCount | 25 |

| | |
|---|----|
| GdipCreateMatrix2 | 25 |
| SamSetSecurityObject | 25 |
| ?GetSelfUin@Contact@Util@@YAKXZ | 25 |
| NtAlertThread | 25 |
| CACountCertTypes | 25 |
| JetDetachDatabase | 25 |
| CreateSecurityPage | 25 |
| glEvalMesh2 | 25 |
| glVertex4d | 25 |
| glMap2d | 25 |
| _EnumWindowStations_@8 | 25 |
| VarUI4FromCy | 25 |
| ??5istream@@QAEAAV0@AAF@Z | 25 |
| ??1CTXStringA@@QAE@XZ | 25 |
| SQLBrowseConnect | 25 |
| SQLColumns | 25 |
| gluDeleteNurbsRenderer | 25 |
| waveInGetErrorTextW | 25 |
| SQLPrimaryKeys | 25 |
| WSHGetSocketInformation | 25 |
| ?Write@TFile@XPRT@@UAEHPBXH@Z | 25 |
| ??6?\$basic_ostream@DU?\$char_traits@D@ | 25 |
| vlc_memcpy | 25 |
| PacketSetHwFilter | 25 |
| RtlInitCodePageTable | 25 |
| RtlInitializeHandleTable | 25 |
| ScriptJustify | 25 |
| MesEncodeDynBufferHandleCreate | 25 |
| DeleteMonitorA | 25 |
| CAInstallDefaultCertType | 25 |
| RegisterActiveObject | 25 |
| ?sh_read@filebuf@@2HB | 25 |
| D3DXCreateLine | 25 |
| LsaAddPrivilegesToAccount | 25 |
| ?Empty@CHString@@QAEXXZ | 25 |
| _seterrormode | 25 |
| glNewList | 25 |
| AddPrintProcessorW | 25 |
| IoDeleteDriver | 25 |
| CM_Set_DevNode_Problem_Ex | 25 |
| CertCreateCRLContext | 25 |
| GetDefaultUserProfileDirectoryA | 25 |
| ObSetSecurityDescriptorInfo | 25 |
| ExRaiseException | 25 |
| CoGetClassObjectFromURL | 25 |
| _GetProp@8 | 25 |
| waveOutGetID | 25 |

| | |
|--|----|
| WmiQueryAllDataW | 25 |
| GdipAddPathCurveI | 25 |
| AddPrinterDriverW | 25 |
| NtSetEaFile | 25 |
| RouterLogEventDataW | 25 |
| GetVersionFromFile | 25 |
| SetActivePwrScheme | 25 |
| RtlRealSuccessor | 25 |
| @Idwinsock2@initialization\$qqrv | 25 |
| @Idstackwindows@initialization\$qqrv | 25 |
| @Idiohandler@initialization\$qqrv | 25 |
| @Jvprogressdlg@TJvProgressDlg@SetText\$(| 25 |
| mciGetErrorStringW | 25 |
| GdipSetStringFormatTrimming | 25 |
| CreateTraceInstanceld | 25 |
| DbgUiDebugActiveProcess | 25 |
| _gmtime64_s | 25 |
| ?find_first_of@?\$basic_string@_WU?\$char_ | 25 |
| @System@@UStrLAsg\$qqrr20System@Unic | 25 |
| @Variants@@VarClr\$qqrr8TVarData | 25 |
| @Inifiles@TIniFile@ | 25 |
| RecycleSurrogate | 25 |
| IsHookSet | 25 |
| CryptCATPersistStore | 25 |
| SetupCacheEx | 25 |
| @Forms@TApplication@SetTitle\$qqrx17Sys | 25 |
| ??0WeakReferenceHelper@uno@star@suni | 25 |
| __p_wcmdln | 25 |
| glPixelStorei | 25 |
| VarFormatNumber | 25 |
| _GetWindowText@12 | 25 |
| ??_8stdiostream@@7Bostream@@@ | 25 |
| MoInitMediaType | 25 |
| CryptUIGetCertificatePropertiesPagesA | 25 |
| NtSetSystemTime | 25 |
| OsThunkDdWaitForVerticalBlank | 25 |
| CertUnregisterPhysicalStore | 25 |
| DbgUiWaitStateChange | 25 |
| WmiQuerySingleInstanceA | 25 |
| SceGetAreas | 25 |
| rtcSaveSetting | 25 |
| ?getFastPropertyValue@OPropertyContain | 25 |
| ??0OPropertyArrayHelper@cppu@@QAE@, | 25 |
| ?createPropertySetInfo@OPropertySetHelp | 25 |
| ?end@?\$basic_string@DU?\$char_traits@D@ | 25 |
| glColor4ub | 25 |
| RtlSetCurrentDirectory_U | 25 |

| | |
|---|----|
| RtlQueryAtomInAtomTable | 25 |
| CsrFreeCaptureBuffer | 25 |
| RtlCompactHeap | 25 |
| NtGetDevicePowerState | 25 |
| NtPulseEvent | 25 |
| glClearIndex | 25 |
| RtlFindActivationContextSectionString | 25 |
| _MapVirtualKeyEx_@12 | 25 |
| GetTrusteeFormW | 25 |
| SheFullPathA | 25 |
| VarI2FromDec | 25 |
| cmc_free | 25 |
| CryptVerifyMessageSignatureWithKey | 25 |
| DeleteProxyArpEntry | 25 |
| ZwAllocateLocallyUniqueId | 25 |
| SQLParamOptions | 25 |
| ?_Fpz@std@@@3_JB | 25 |
| SCardGetProviderIdA | 25 |
| glTexCoord3iv | 25 |
| glMultMatrixf | 25 |
| ??4ostream _withassign@@QAEAAV0@ABV | 25 |
| ??4CTXStringW@@QAEAAV0@PA_W@Z | 25 |
| MapDebugInformation | 25 |
| glIndexi | 25 |
| I_RpcSessionStrictContextHandle | 25 |
| ADsGetNextRow | 25 |
| ??_D?\$basic_ofstream@GU?\$char_traits@C | 25 |
| ?find_first_of@?\$basic_string@GU?\$char_t@ | 25 |
| BuildADsPathFromLDAPPath2 | 25 |
| ZwLoadKey | 25 |
| CM_Get_Device_Interface_List_ExW | 25 |
| I_RpcServerUseProtseq2W | 25 |
| ZwSaveKey | 25 |
| ?mousePressEvent@QWidget@@MAEXP@V | 25 |
| ?inputMethodEvent@QWidget@@MAEXP@V | 25 |
| ?showEvent@QWidget@@MAEXP@V@QShow | 25 |
| ?dropEvent@QWidget@@MAEXP@V@QDropF | 25 |
| ?dragLeaveEvent@QWidget@@MAEXP@V@Q | 25 |
| ?dragEnterEvent@QWidget@@MAEXP@V@QI | 25 |
| ?contextMenuEvent@QWidget@@MAEXP@V | 25 |
| ?resizeEvent@QWidget@@MAEXP@V@QResi | 25 |
| ?focusInEvent@QWidget@@MAEXP@V@QFoc | 25 |
| ?wheelEvent@QWidget@@MAEXP@V@QWhe | 25 |
| CertFindSubjectInCTL | 25 |
| rtcGetTimeVar | 25 |
| WmiMofEnumerateResourcesA | 25 |
| NtQueryMultipleValueKey | 25 |

| | |
|---|----|
| ?OnPrepareBackup@CVssWriter@@UAG_N | 25 |
| ?OnVSSApplicationStartup@CVssWriter@@ | 25 |
| ResUtilGetDwordValue | 25 |
| ??0filebuf@@QAE@XZ | 25 |
| ?qMemSet@@YAPAXPAXHI@Z | 25 |
| RtlFindRange | 24 |
| CM_Register_Device_Driver_Ex | 24 |
| CDLGetLongPathNameW | 24 |
| ??0\$_String_val@DV?\$allocator@D@std@ | 24 |
| ExInitializeRundownProtection | 24 |
| IsLFNDrive | 24 |
| ImageAddCertificate | 24 |
| DsGetSpnW | 24 |
| DevicePropertySheets | 24 |
| _snprintf_s | 24 |
| ZwInitiatePowerAction | 24 |
| TdiMapUserRequest | 24 |
| TdiRegisterDeviceObject | 24 |
| glCopyTexSubImage2D | 24 |
| glPushClientAttrib | 24 |
| ?width@ios@@QAEHH@Z | 24 |
| ?clrlock@ios@@QAAXXZ | 24 |
| ??_Iostream@@6B@ | 24 |
| ?append@?\$basic_string@GU?\$char_traits(| 24 |
| DnsFlushResolverCache | 24 |
| CryptCATGetMemberInfo | 24 |
| ServiceMain | 24 |
| ??_Eexception@@UAEPAIX@Z | 24 |
| _vbaUI1Cy | 24 |
| CM_Unregister_Device_InterfaceA | 24 |
| gluBeginTrim | 24 |
| RpcCancelThreadEx | 24 |
| RpcBindingInqObject | 24 |
| var_SetChecked | 24 |
| IsValidInterface | 24 |
| MimeOleGetRelatedSection | 24 |
| ?get@istream@@QAEAAV1@AAVstreambu | 24 |
| LsaClearAuditLog | 24 |
| ?SetInterval@TXTimer@@YAHIPAUTXTime | 24 |
| NtSaveKey | 24 |
| ASN1BERDecOctetString2 | 24 |
| glGetMaterialiv | 24 |
| _BeginUpdateResource_@8 | 24 |
| AllocADsStr | 24 |
| ?ReverseFind@CTXStringW@@QBEH_W@Z | 24 |
| ??8@YA_NABVCTXStringW@@PB_W@Z | 24 |
| sqlite3_exec | 24 |

| | |
|--|----|
| RegisterCMMW | 24 |
| gluTessBeginContour | 24 |
| ?setmode@filebuf@@QAEHH@Z | 24 |
| SheRemoveQuotesA | 24 |
| mciDriverNotify | 24 |
| _NWLogonSetAdmin | 24 |
| WinntIsWorkstation | 24 |
| ?GetSecond@TTime@XPRT@@QBEHZ | 24 |
| CMP_Init_Detection | 24 |
| CM_Query_Arbitrator_Free_Size | 24 |
| CM_Uninstall_DevNode_Ex | 24 |
| RtlCancelTimer | 24 |
| PacketSetBuff | 24 |
| PacketReceivePacket | 24 |
| RouterLogEventExA | 24 |
| RtmAddRoute | 24 |
| TraceDumpExW | 24 |
| SQLGetDescRecW | 24 |
| RpcTestCancel | 24 |
| __CRTL_MEM_UseBorMM | 24 |
| __CRTL_TLS_Alloc | 24 |
| __CRTL_TLS_ExitThread | 24 |
| __CRTL_TLS_Free | 24 |
| __CRTL_TLS_GetValue | 24 |
| __CRTL_TLS_InitThread | 24 |
| __CRTL_TLS_SetValue | 24 |
| ConfigDSNW | 24 |
| SetupUninstallOEMInfW | 24 |
| VDMEnumTaskWOWEx | 24 |
| WmiReceiveNotificationsW | 24 |
| ConvertToAutoInheritPrivateObjectSecurity | 24 |
| RsopResetPolicySettingStatus | 24 |
| WmiFreeBuffer | 24 |
| rtcCreateObject2 | 24 |
| CM_Add_IDW | 24 |
| HrGetIconFromMediaType | 24 |
| RasGetProjectionInfoW | 24 |
| _SetWindowLong@12 | 24 |
| QuerySecurityContextToken | 24 |
| ?sgetn@streambuf@@QAEHPADH@Z | 24 |
| glCullFace | 24 |
| glDepthMask | 24 |
| JetGotoPosition | 24 |
| rtcTrimBstr | 24 |
| NeedRebootInit | 24 |
| GetActivePwrScheme | 24 |
| ?insert@?\$basic_string@GU?\$char_traits@I | 24 |

| | |
|---------------------------------------|----|
| @Idthread@initialization\$qqrv | 24 |
| UpdSpOpenAppendInfFileA | 24 |
| ??6ostream@@QAEAAV0@P6AAAV0@AAV1 | 24 |
| ??6ostream@@QAEAAV0@PBE@Z | 24 |
| DEVICECAPABILITIES | 24 |
| rtcGetSetting | 24 |
| HlinkSimpleNavigateToMoniker | 24 |
| @System@@UStrEqual\$qqrv | 24 |
| @System@@UStrLen\$qqrx20System@Unic | 24 |
| CoEnterServiceDomain | 24 |
| CoLeaveServiceDomain | 24 |
| Tcl_SplitList | 24 |
| SetupDiGetDeviceInterfaceAlias | 24 |
| ScriptStringXtoCP | 24 |
| GetSecurityDescriptorRMControl | 24 |
| DnsQueryConfigAllocEx | 24 |
| mciFreeCommandResource | 24 |
| ResUtilSetPropertyParameterBlockEx | 24 |
| CertUnregisterSystemStore | 24 |
| CertVerifyRevocation | 24 |
| CryptGetAsyncParam | 24 |
| SetupDiOpenDeviceInterfaceRegKey | 24 |
| BluetoothUnregisterAuthentication | 24 |
| BluetoothRegisterForAuthentication | 24 |
| GetMessageExW | 24 |
| CreateGadget | 24 |
| SetGadgetParent | 24 |
| _SetProp@12 | 24 |
| CryptCATGetAttrInfo | 24 |
| ?WbemMemFree@CWin32DefaultArena@() | 24 |
| ?WbemMemAlloc@CWin32DefaultArena@() | 24 |
| NetScheduleJobEnum | 24 |
| CM_Set_HW_Prof_Ex | 24 |
| SCardConnectW | 24 |
| @Cxgridcustomtableview@TcxCustomGridT | 24 |
| LsaLookupNames2 | 24 |
| NetShareCheck | 24 |
| CryptUIGetCertificatePropertiesPagesW | 24 |
| glColor3ubv | 24 |
| glVertex3d | 24 |
| SheShortenPathA | 24 |
| I_ScSetServiceBitsA | 24 |
| SceSetDatabaseSetting | 24 |
| g_malloc | 24 |
| ?Assign@String@@QAEAAV1@ABV1@@Z | 24 |
| OsThunkDdGetMoCompFormats | 24 |
| OsThunkDdGetInternalMoComplInfo | 24 |

| | |
|--|----|
| OsThunkDdEndMoCompFrame | 24 |
| ?replace@?\$basic_string@GU?\$char_traits@ | 24 |
| SQLStatistics | 24 |
| EnumServiceGroupW | 24 |
| IPSecDeleteFilterData | 24 |
| IPSecEnumFilterData | 24 |
| CryptMsgCountersignEncoded | 24 |
| CryptDecryptAndVerifyMessageSignature | 24 |
| glLightModeli | 24 |
| RtlAbsoluteToSelfRelativeSD | 24 |
| GdipCreateTexture | 24 |
| NtQueryFullAttributesFile | 24 |
| glColor3b | 24 |
| CollectCIISAPIPerformanceData | 24 |
| pcap_close | 24 |
| ??0strstream@@QAE@PADHH@Z | 24 |
| GetProductInfo | 24 |
| CM_Set_DevNode_Registry_Property_ExA | 24 |
| SymEnumTypes | 24 |
| ICDraw | 24 |
| GetExtendedTcpTable | 24 |
| ExInitializeZone | 24 |
| ??5istream@@QAEAAV0@AAI@Z | 24 |
| ??0INetURLObject@@QAE@ABVOUString@ | 24 |
| ?getProcessServiceFactory@comphelper@@ | 24 |
| ?_query_new_handler@@YAP6AHI@ZXZ | 24 |
| IsLogonAsSystem | 24 |
| MMCSetServerConfig | 24 |
| MMCSetPhoneInfo | 24 |
| MMCShutdown | 24 |
| ??0GraphicConversionParameters@@QAE@ | 24 |
| V_UNK | 24 |
| ?append@QString@@QAEAAV1@ABV1@@ | 24 |
| RtlAddVectoredExceptionHandler | 24 |
| ?New@CWbemCallSecurity@@SGPAV1@XZ | 24 |
| NtCreateJobSet | 24 |
| RtlActivateActivationContextEx | 24 |
| MesBufferHandleReset | 24 |
| CryptEnumOIDFunction | 24 |
| CryptVerifyDetachedMessageHash | 24 |
| ImageGetCertificateHeader | 24 |
| SetupRemoveFromSourceListW | 24 |
| ?mouseMoveEvent@QWidget@@MAEXP@ | 24 |
| ?mouseReleaseEvent@QWidget@@MAEXP@ | 24 |
| ?event@QWidget@@MAE_NPAVQEvent@() | 24 |
| ?minimumSizeHint@QWidget@@UBE?AVQ | 24 |
| ??1QApplication@@UAE@XZ | 24 |

| | |
|---|----|
| ?changeEvent@QWidget@@MAEXP_AVQE | 24 |
| ?focusOutEvent@QWidget@@MAEXP_AVQF | 24 |
| ?keyReleaseEvent@QWidget@@MAEXP_AVC | 24 |
| ?keyPressEvent@QWidget@@MAEXP_AVQK | 24 |
| GetCanonicalPathInfoA | 24 |
| ?OnVSSShutdown@CVssWriter@@UAG_NX | 24 |
| ?OnBackOffIOOnVolume@CVssWriter@@U | 24 |
| TranslateColors | 24 |
| _CommDlg_OpenSave_GetSpec@12 | 24 |
| MakeBold | 24 |
| ?Clear@CIniW@@QAEXXZ | 24 |
| ?SetPrimaryFile@CIniW@@QAEXPBG@Z | 24 |
| SchemaGetPropertyInfoByIndex | 24 |
| _GetPopupInfo@4 | 23 |
| _InstallEventHook@4 | 23 |
| _SetZoomRect@8 | 23 |
| _FakeCursorMove@8 | 23 |
| DsUnBindA | 23 |
| CM_Get_Version_Ex | 23 |
| _GetKeyboardLayoutName_@4 | 23 |
| IoCompleteRequest | 23 |
| ?end@?\$basic_string@DU?\$char_traits@D(| 23 |
| ?begin@?\$basic_string@DU?\$char_traits@I | 23 |
| midiOutGetErrorTextW | 23 |
| waveOutSetPitch | 23 |
| glMap1f | 23 |
| ?getline@istream@@QAEAAV1@PACHD@Z | 23 |
| ??0filebuf@@QAE@H@Z | 23 |
| ?ipfx@istream@@QAEHH@Z | 23 |
| DnsFreeConfigStructure | 23 |
| ldap_COMPARE | 23 |
| EtwEventEnabled | 23 |
| glTexCoord2fv | 23 |
| CM_Test_Range_Available | 23 |
| @Sysutils@Abort\$qqrv | 23 |
| @Dbvalcb@initialization\$qqrv | 23 |
| ??1ctype_base@std@@UAE@XZ | 23 |
| RtlGetCurrentDirectory_U | 23 |
| RpcServerUseProtseqExA | 23 |
| MimeOleAlgNameFromSMimeCap | 23 |
| _VkKeyScanEx_@8 | 23 |
| ??0istream@@QAE@PAVstreambuf@@@Z | 23 |
| ??4istream@@IAEAAV0@PAVstreambuf@C | 23 |
| ?tie@ios@@QAEPAVostream@@PAV2@@; | 23 |
| OpenClusterNode | 23 |
| glTexCoord1sv | 23 |
| WMCreateProfileManager | 23 |

| | |
|--|----|
| ??M@YA_NABVCTXStringW@@0@Z | 23 |
| glFogiv | 23 |
| JetCreateIndex | 23 |
| RouterLogEventStringW | 23 |
| __argc_dll | 23 |
| glColor4ui | 23 |
| _DialogBoxParam_@20 | 23 |
| _RegSetValueEx_@24 | 23 |
| MenuWindowProcW | 23 |
| WmiMofEnumerateResourcesW | 23 |
| ??_Gostream_withassign@@UAEPAI@Z | 23 |
| ?tellp@ostream@@QAEJXZ | 23 |
| ??1ostrstream@@UAE@XZ | 23 |
| ?GetBuffer@CTXStringW@@QAEPA_WH@Z | 23 |
| SetColorProfileHeader | 23 |
| SQLGetConnectOption | 23 |
| ?Throw@GCError@@QBEXXZ | 23 |
| ?Set@GCStr@@QAEXPB_W@Z | 23 |
| ?Set@GCErrorInfo@@SGXPAUIErrorInfo@@ | 23 |
| ?CreateInstanceNoRelease@GCIPtrBase@@ | 23 |
| ?QueryInterfaceNoRelease@GCIPtrBase@@ | 23 |
| ??0GCSmartExceptionFilter@@QAE@_N@Z | 23 |
| ??1GCSmartExceptionFilter@@QAE@XZ | 23 |
| ??0GCSmartInvalidParameterHandler@@QF | 23 |
| ??1GCSmartInvalidParameterHandler@@QF | 23 |
| ?HandleAllErrorCatch@@YGXXZ | 23 |
| ?EndErrorBlock@GCCriticalErrorInfo@@SGX | 23 |
| ?StartErrorBlock@GCCriticalErrorInfo@@SG | 23 |
| ??1GCSmartTerminateHandler@@QAE@XZ | 23 |
| ??0GCSmartTerminateHandler@@QAE@_N | 23 |
| ??1GCSmartExceptionTranslator@@UAE@X | 23 |
| ??0GCSmartExceptionTranslator@@QAE@_ | 23 |
| ?InitThread@GCMso@@SGXXZ | 23 |
| ?Uninit@GCMso@@SGX_N@Z | 23 |
| ??1GCError@@QAE@XZ | 23 |
| ??1GCAAnyIPtr@@QAE@XZ | 23 |
| ?int_RawError@GCError@@CG?AV1@KJ@Z | 23 |
| ?_Release@GCStr@@AAEXXZ | 23 |
| ?GrooveDelete@@YAXPAX@Z | 23 |
| ?GrooveNew@@YAPAXI@Z | 23 |
| QueryColorProfile | 23 |
| sqlite3_step | 23 |
| ?pcount@strstream@@QBEHXZ | 23 |
| gluErrorUnicodeStringEXT | 23 |
| SHHelpShortcuts_RunDLLW | 23 |
| _NWLogonQueryAdmin | 23 |
| ?GetTime64@TTime@XPRT@@QBE_JXZ | 23 |

| | |
|--|----|
| WinWatchOpen | 23 |
| CM_Delete_Range | 23 |
| PacketSetReadTimeout | 23 |
| ??5?\$basic_istream@DU?\$char_traits@D@! | 23 |
| RtmDequeueRouteChangeMessage | 23 |
| glEvalCoord1f | 23 |
| CASetCertTypePropertyEx | 23 |
| NtSetDefaultLocale | 23 |
| @Controls@TWinControl@\$bdtr\$qqrv | 23 |
| BuildADsParentPath | 23 |
| MprInfoBlockSet | 23 |
| MprAdminPortGetInfo | 23 |
| WNetGetResourceInformationA | 23 |
| ?find_first_of@?\$basic_string@GU?\$char_traits@U?\$cxx_error_category@U@std@? | 23 |
| HrDecomposeMsgID@24 | 23 |
| MNLS_CompareStringW@24 | 23 |
| ScUNCFromLocalPath@12 | 23 |
| MAPIDeleteMail | 23 |
| DsGetDcOpenA | 23 |
| CloseClusterNode | 23 |
| ZwClearEvent | 23 |
| ElfRegisterEventSourceA | 23 |
| LsaSetQuotasForAccount | 23 |
| ?ReadLine@STREAM@@@QAEPAVWSTRING | 23 |
| ScsrvlInitializeServer | 23 |
| PSetupAssociateICMPProfiles | 23 |
| PSetupGetLocalDataField | 23 |
| InternetGetCookieExA | 23 |
| ResUtilFindLongProperty | 23 |
| GdipAddPathCurve2I | 23 |
| _mbsnbicoll | 23 |
| ?pbackfail@streambuf@@UAEHH@Z | 23 |
| CommandLineFromMsiDescriptor | 23 |
| rtcLowerCaseBstr | 23 |
| ZwQueryFullAttributesFile | 23 |
| ?replace@?\$basic_string@DU?\$char_traits@U?\$cxx_error_category@U@std@? | 23 |
| @Idcodermime@initialization\$qqrv | 23 |
| CryptSIPRetrieveSubjectGuid | 23 |
| DsCrackNamesA | 23 |
| mciExecute | 23 |
| ?sh_write@filebuf@@2HB | 23 |
| ??1stdiostream@@UAE@XZ | 23 |
| TF_InitSystem | 23 |
| @System@@UStrCat3\$qqrr20System@Unic | 23 |
| @\$xp\$7Integer | 23 |
| @Graphics@TBitmap@\$bctr\$qqrv | 23 |
| @Controls@TControl@SetText\$qqrx20Syste | 23 |

| | |
|--|----|
| MTSCreateActivity | 23 |
| glPixelMapfv | 23 |
| AccessCheckByTypeResultListAndAuditAlarm | 23 |
| HTTPSFinalProv | 23 |
| _ismbcgraph | 23 |
| SymEnumerateModules | 23 |
| TopIEdgeCreate | 23 |
| TopIAddEdgeToGraph | 23 |
| NdrStubInitialize | 23 |
| NdrProxyInitialize | 23 |
| SheChangeDirW | 23 |
| PdhGetCounterInfoW | 23 |
| PdhPlaGetLogFileNameW | 23 |
| PdhPlaGetInfoW | 23 |
| SetupDiGetClassImageListExW | 23 |
| WTSEnumerateServersW | 23 |
| _ctime64 | 23 |
| ?replace@?\$basic_string@GU?\$char_traits@ | 23 |
| ?open@?\$basic_ifstream@DU?\$char_traits@ | 23 |
| ??_ctype_base@std@@6B@ | 23 |
| ?insert@?\$basic_string@DU?\$char_traits@I | 23 |
| DAD_DragEnterEx | 23 |
| _splitpath_s | 23 |
| DeleteHandle | 23 |
| CryptUIStartCertMgr | 23 |
| ADsSetLastError | 23 |
| OsThunkDdReleaseDC | 23 |
| OsThunkDdRenderMoComp | 23 |
| OsThunkDdGetMoCompGuids | 23 |
| gllsTexture | 23 |
| glGetTexEnvfv | 23 |
| CM_Get_Class_Registry_PropertyW | 23 |
| SpLsaModelInitialize | 23 |
| EnumerateSecurityPackagesA | 23 |
| Format | 23 |
| CreateTypeLib | 23 |
| SaferSetPolicyInformation | 23 |
| gluGetNurbsProperty | 23 |
| gimp_drawable_get | 23 |
| NdrNsGetBuffer | 23 |
| ??Oostream@@IAE@ABV0@@Z | 23 |
| ZwSetInformationThread | 23 |
| _AIL_set_redist_directory@4 | 23 |
| _trename | 23 |
| OsThunkDdFlip | 23 |
| ??4WeakReferenceHelper@uno@star@suni | 23 |
| IPSecSetFilterData | 23 |

| | |
|---|----|
| CertCreateCTLEntryFromCertificateContextP | 23 |
| CertEnumCRLContextProperties | 23 |
| CertVerifyCTLUsage | 23 |
| glBitmap | 23 |
| @\$bdele\$qpv | 23 |
| GdipGetSmoothingMode | 23 |
| SnmpExtensionQuery | 23 |
| RtlAllocateHandle | 23 |
| RtlDestroyProcessParameters | 23 |
| NtCreateJobObject | 23 |
| glClipPlane | 23 |
| LocateCatalogsA | 23 |
| DsGetDcNextA | 23 |
| RtlActivateActivationContextUnsafeFast | 23 |
| RtlReleaseActivationContext | 23 |
| SetupLogErrorW | 23 |
| glNormal3f | 23 |
| SetupDiGetClassDescriptionA | 23 |
| SetupDiCreateDevRegKeyA | 23 |
| CM_Set_DevNode_Registry_PropertyW | 23 |
| ?read@istream@@QAEAAV1@PAEH@Z | 23 |
| DbgHelpCreateUserDumpW | 23 |
| dbghelp | 23 |
| EnumPrintProcessorsA | 23 |
| glutInitWindowSize | 23 |
| glutInitDisplayMode | 23 |
| glutDisplayFunc | 23 |
| glutMainLoop | 23 |
| SCardIsValidContext | 23 |
| SCardListReaderGroupsW | 23 |
| GdipSetSolidFillColor | 23 |
| RtlDeleteAce | 23 |
| InternalSetIpStats | 23 |
| OpenClusterNetwork | 23 |
| LdrProcessRelocationBlock | 23 |
| InternetClearAllPerSiteCookieDecisions | 23 |
| ??_7?\$basic_istream@GU?\$char_traits@G@ | 23 |
| NDRCContextBinding | 23 |
| CM_Detect_Resource_Conflict | 23 |
| CmStrCpyAllocW | 23 |
| __p__winmajor | 23 |
| MMCSetLineInfo | 23 |
| NIsOemCodePage | 23 |
| OsThunkDdDestroySurface | 23 |
| ?GetBitmapEx@Graphic@@QBE?AVBitmapI | 23 |
| RpcSmAllocate | 23 |
| ?detach@QByteArray@@QAEXXZ | 23 |

| | |
|---|----|
| ??0QVariant@@QAE@XZ | 23 |
| ??0QChar@@QAE@UQLatin1Char@@@Z | 23 |
| ??1logic_error@std@@UAE@XZ | 23 |
| ?what@logic_error@std@@UBEPBDXZ | 23 |
| RpcMgmtEpEltInqDone | 23 |
| RpcServerUseProtseqEpExA | 23 |
| SheGetCurDrive | 23 |
| ?OnPostSnapshot@CVssWriter@@UAG_NP_ | 23 |
| _vbaFpCDblR4 | 23 |
| RtlSetHeapInformation | 23 |
| ReBaseImage | 23 |
| ?setWindowTitle@QWidget@@QAEXABVQS_ | 23 |
| ?qWinMain@@YAXPAUHINSTANCE__@@0I | 23 |
| HalGetAdapter | 22 |
| OfficeCleanupPolicy | 22 |
| SQLNativeSqlW | 22 |
| SQLProcedureColumnsW | 22 |
| ??0?\$basic_fstream@DU?\$char_traits@D@ | 22 |
| NtSystemDebugControl | 22 |
| CDLGetLongPathNameA | 22 |
| SpoolerPrinterEvent | 22 |
| MFSshutdown | 22 |
| MFStartup | 22 |
| ??0?\$basic_fstream@DU?\$char_traits@D@ | 22 |
| ?seekg@istream@@QAEAAV1@JW4seek_d | 22 |
| DeleteSecurityPackageA | 22 |
| Options_RunDLLW | 22 |
| WNetConnectionDialog1A | 22 |
| ?QueryCurrentDosDriveName@SYSTEM@@ | 22 |
| WmiSetSingleItemA | 22 |
| xmlNewMutex | 22 |
| ?Remove@TFile@XPRT@@SA_NPBG@Z | 22 |
| ?GetProcAddress@TLibrary@XPRT@@QBEP | 22 |
| ?RemoveAll@TPtrList@XPRT@@QAEXXZ | 22 |
| ?AddHead@TPtrList@XPRT@@QAEPAU__P | 22 |
| ?FileNameFromFullSpec@TFile@XPRT@@S_ | 22 |
| ??1TLibrary@XPRT@@UAE@XZ | 22 |
| ?Load@TLibrary@XPRT@@QAE_NPBG@Z | 22 |
| ??0TLibrary@XPRT@@QAE@XZ | 22 |
| NetServiceInstall | 22 |
| RasEnumEntriesW | 22 |
| TracePrintfExW | 22 |
| ??5istream@@QAEAAV0@AAE@Z | 22 |
| ??_Dstdiostream@@QAEXXZ | 22 |
| ?seekg@istream@@QAEAAV1@J@Z | 22 |
| ?xsgetn@streambuf@@UAEHPADH@Z | 22 |
| ??_Distream@@QAEXXZ | 22 |

| | |
|---|----|
| glTexCoord1s | 22 |
| GdipCreateBitmapFromHICON | 22 |
| ?eof@?\$char_traits@G@std@@@SAGXZ | 22 |
| ??0filebuf@@QAE@HPADH@Z | 22 |
| lineGetTranslateCapsW | 22 |
| @Graphics@TFont@SetSize\$qqri | 22 |
| luaopen_luasql_sqlite3 | 22 |
| luaopen_luasql_mysql | 22 |
| RegDeleteTreeW | 22 |
| ElfReadEventLogW | 22 |
| VarR8FromUI1 | 22 |
| __vbaStrTextLike | 22 |
| RpcSmEnableAllocate | 22 |
| RpcBindingInqAuthInfoA | 22 |
| _strdec | 22 |
| DEVICEMODE | 22 |
| MimeOleGenerateCID | 22 |
| ?gcount@istream@@QBEHXZ | 22 |
| ?getline@istream@@QAEAAV1@PAEHD@Z | 22 |
| AtlAxWinInit | 22 |
| CredReadA | 22 |
| ??4CTXBSTR@@QAEAAV0@ABV0@@@Z | 22 |
| ?Length@CTXBSTR@@QBEIXZ | 22 |
| ZwOpenMutant | 22 |
| SeekPrinter | 22 |
| pSetupDoesUserHavePrivilege | 22 |
| __vbaAry | 22 |
| ??\$?8GU?\$char_traits@G@std@@V?\$alloc | 22 |
| JetMakeKey | 22 |
| JetInit | 22 |
| wglGetLayerPaletteEntries | 22 |
| glRectiv | 22 |
| _ModifyMenu_@20 | 22 |
| _SHGetPathFromIDList_@8 | 22 |
| VarDateFromUdate | 22 |
| BuildADsPathFromParent | 22 |
| ??0istrstream@@QAE@ABV0@@Z | 22 |
| ??5istream@@QAEAAV0@P6AAAV0@AAVC | 22 |
| ?ReleaseBuffer@CTXStringW@@QAEXH@Z | 22 |
| GetColorDirectoryW | 22 |
| CheckBitmapBits | 22 |
| ??0GCStr@@QAE@PB_W@Z | 22 |
| glMapGrid2f | 22 |
| sqlite3_finalize | 22 |
| gluNurbsCurve | 22 |
| LibMain | 22 |
| WSHGetSockaddrType | 22 |

| | |
|--|----|
| WSHGetWildcardSockaddr | 22 |
| WSHStringToAddress | 22 |
| WSHGetWSAProtocolInfo | 22 |
| WSHGetWinsockMapping | 22 |
| WSHGetProviderGuid | 22 |
| ??\$?9GU?\$char_traits@G@std@@@V?\$alloc | 22 |
| CM_Unregister_Device_Interface_ExA | 22 |
| MprAdminPortEnum | 22 |
| PacketFreePacket | 22 |
| RtmEnumerateGetNextRoute | 22 |
| DhcpGetMibInfo | 22 |
| RpcMgmtEpEltInqNextA | 22 |
| ScriptApplyDigitSubstitution | 22 |
| CryptSignCertificate | 22 |
| SetupFindNextMatchLineW | 22 |
| GetRequestedRuntimeInfo | 22 |
| LogErrorW | 22 |
| RouterLogEventStringA | 22 |
| cdtInit | 22 |
| MprInfoBlockFind | 22 |
| CatalogCompactHashDatabase | 22 |
| MAPIOpenLocalFormContainer | 22 |
| MAPIReadMail | 22 |
| ?length@?\$char_traits@G@std@@@SAIPBG(| 22 |
| ?DeleteChAt@WSTRING@@QAEXKK@Z | 22 |
| demux_vaControlHelper | 22 |
| es_format_Clean | 22 |
| es_format_Copy | 22 |
| FlushPrinter | 22 |
| ?toupper@?\$ctype@D@std@@QBEDD@Z | 22 |
| CryptRegisterDefaultOIDFunction | 22 |
| gluBuild1DMipmaps | 22 |
| NdrStubGetBuffer | 22 |
| GetQMPolicy | 22 |
| NetGetJoinableOUs | 22 |
| InternalGetTcpTable | 22 |
| JetCreateDatabase2 | 22 |
| MsiRecordGetStringA | 22 |
| NtCreateIoCompletion | 22 |
| RtmIsRoute | 22 |
| RtmDeregisterClient | 22 |
| RtmGetFirstRoute | 22 |
| RtmCloseEnumerationHandle | 22 |
| RegisterOCX | 22 |
| NeedReboot | 22 |
| MmUnmapViewInSessionSpace | 22 |
| NSPStartup | 22 |

| | |
|---|----|
| WOW32DriverCallback | 22 |
| CmConvertRelativePathW | 22 |
| ?DelHook@@YGHXZ | 22 |
| DnsNameCompareEx_W | 22 |
| DsCrackSpn3W | 22 |
| ??_Distream_withassign@@QAEXXZ | 22 |
| LsaLookupPrivilegeValue | 22 |
| GetComponentIDFromCLSSPEC | 22 |
| @System@@UStrCat\$qqrr20System@Unicc | 22 |
| @System@@UStrAddRef\$qqrv | 22 |
| @Graphics@TCanvas@GetHandle\$qqrv | 22 |
| @Controls@TControl@GetFloating\$qqrv | 22 |
| SafeRef | 22 |
| glGetTexEnviv | 22 |
| PrintersGetCommand_RunDLLA | 22 |
| TopIEdgeGetFromVertex | 22 |
| ??0_Locinfo@std@@QAE@PBD@Z | 22 |
| @Widestrings@initialization\$qqrv | 22 |
| NoExecuteAddFileOptOutList | 22 |
| @Dxgrclms@TdxDBGGridDateColumn@ | 22 |
| @Dbclient@initialization\$qqrv | 22 |
| @Dsintf@initialization\$qqrv | 22 |
| @Provider@initialization\$qqrv | 22 |
| ?assign@?\$basic_string@GU?\$char_traits@ | 22 |
| UMSEnterCSWraper | 22 |
| _AIL_file_read@8 | 22 |
| _GetSaveFileName@4 | 22 |
| Rsop FileAccessCheck | 22 |
| GetStdColorBrushI | 22 |
| CM_Get_Device_ID_ListA | 22 |
| OfficeInitializePolicy | 22 |
| NetShareDelSticky | 22 |
| @Vequery@ApplySystemCurrencyFormatTo | 22 |
| ASN1_GetDecoderOption | 22 |
| ATMEnumMMFonts | 22 |
| GlmfEndGlsBlock | 22 |
| CryptUIDlgViewCertificatePropertiesW | 22 |
| glTexCoord4s | 22 |
| SetupFreeSourceListW | 22 |
| DnsIsStatusRcode | 22 |
| SetupDiOpenDeviceInfoA | 22 |
| DeletePortW | 22 |
| _GetTextExtentPoint32@16 | 22 |
| OsThunkDdDeleteSurfaceObject | 22 |
| OsThunkDdGetMoCompBuffInfo | 22 |
| SheGetPathOffsetW | 22 |
| SoftModalMessageBox | 22 |

| | |
|---|----|
| IPSecUnassignPolicy | 22 |
| CryptVerifyMessageHash | 22 |
| CertSetCRLContextProperty | 22 |
| gIEvalPoint2 | 22 |
| CredRenameW | 22 |
| RtlPrefixString | 22 |
| RtlLookupAtomInAtomTable | 22 |
| NtQueryInformationAtom | 22 |
| RtlFormatMessage | 22 |
| _GetKeyNameText_@12 | 22 |
| RtlDeactivateActivationContextUnsafeFast | 22 |
| StrChrNIW | 22 |
| CredWriteDomainCredentialsW | 22 |
| SetupDiClassNameFromGuidExA | 22 |
| SetupDiClassGuidsFromNameExA | 22 |
| SystemFunction021 | 22 |
| InternalGetPS2ColorSpaceArray | 22 |
| SystemFunction003 | 22 |
| ??1QPixmap@@UAE@XZ | 22 |
| tett | 22 |
| SHChangeNotifySuspendResume | 22 |
| ExportSecurityContext | 22 |
| CmCustomHangUp | 22 |
| MmFreeContiguousMemorySpecifyCache | 22 |
| SCardStatusW | 22 |
| JetOpenFile | 22 |
| SCardListInterfacesA | 22 |
| gITexCoord4f | 22 |
| ?assign@?\$basic_string@_WU?\$char_traits | 22 |
| ?Append@String@@QAEAAV1@ABV1@@Z | 22 |
| _GetTextExtentPoint@16 | 22 |
| ?seekp@ostream@@QAEAAV1@JW4seek_@ | 22 |
| RtlGetFrame | 22 |
| SystemFunction005 | 22 |
| DeletePrinterDataExW | 22 |
| SplInitialize | 22 |
| WrapStoreEntryID@24 | 22 |
| ??_8istrstream@@7B@ | 22 |
| ?GetMainURL@INetURLObject@@QBE?AVC | 22 |
| LdapModDnS | 22 |
| IPSecCreateNFAData | 22 |
| ScriptStringGetOrder | 22 |
| ?DeInit@CmLogFile@@QAEJXZ | 22 |
| KeSetAffinityThread | 22 |
| ?CreateFromInt32@ByteString@@SA?AV1@ | 22 |
| ?GetBitmap@BitmapEx@@QBE?AVBitmap@ | 22 |
| ?ReadInt32@FilterConfigItem@@QAEJABVC | 22 |

| | |
|---|----|
| ?GetStatusIndicator@FilterConfigItem@@Q | 22 |
| SystemFunction033 | 22 |
| W_UNK | 22 |
| P_UNK | 22 |
| ?fromAscii@QString@@SA?AV1@PBDH@Z | 22 |
| ?fromAscii_helper@QString@@CAPAUData | 22 |
| RtlDeactivateActivationContext | 22 |
| MsiDatabaseMergeW | 22 |
| MsiEnumComponentsA | 22 |
| ??_7?\$basic_ofstream@GU?\$char_traits@G | 22 |
| ?CIShutdown@@YGXXZ | 22 |
| GetIpStatisticsEx | 22 |
| double_array_from_ndr | 22 |
| MpHeapFree | 22 |
| VarDecFromI2 | 22 |
| ??1QWidget@@UAE@XZ | 22 |
| CryptInstallOIDFunctionAddress | 22 |
| ?OnBackupComplete@CVssWriter@@UAG_ | 22 |
| ?Subscribe@CVssWriter@@QAGJK@Z | 22 |
| ?IsPathAffected@CVssWriter@@IBG_NPBG | 22 |
| ?SetWriterFailure@CVssWriter@@IAGJJ@Z | 22 |
| WTSSetUserConfigA | 22 |
| _ismbalpha | 22 |
| RtlQueryHeapInformation | 22 |
| ZwSetEaFile | 22 |
| CertAddEncodedCertificateToSystemStoreW | 22 |
| SetIpTTL | 22 |
| ?lockptr@streambuf@@IAEPAU_CRT_CRITICAL_SECTION@0 | 22 |
| GetUdpStatisticsEx | 22 |
| ?exec@QApplication@@SAHZ | 22 |
| RasFreeBuffer | 22 |
| HalDispatchTable | 21 |
| RtlDeleteRange | 21 |
| SQLColumnPrivilegesW | 21 |
| NetAlertRaiseEx | 21 |
| ?rfind@?\$basic_string@DU?\$char_traits@D | 21 |
| DsServerRegisterSpnW | 21 |
| DsWriteAccountSpnW | 21 |
| ??0HMEM@@QAE@XZ | 21 |
| midInGetID | 21 |
| ?component_getFactoryHelper@cppu@@Y | 21 |
| SymGetSymNext64 | 21 |
| waveOutGetPlaybackRate | 21 |
| ??0strstream@@QAE@ABV0@@Z | 21 |
| glEvalPoint1 | 21 |
| ??0ostrstream@@QAE@ABV0@@Z | 21 |
| ??0iostream@@IAE@ABV0@@Z | 21 |

| | |
|---------------------------------------|----|
| ??5istream@@QAEAAV0@AAJ@Z | 21 |
| ??5istream@@QAEAAV0@AAG@Z | 21 |
| DnsExtractRecordsFromMessage_W | 21 |
| SynchronizeWindows31FilesAndWindowsNT | 21 |
| RtlCheckProcessParameters | 21 |
| InitializeProfileMappingApi | 21 |
| RemapAndMoveUserW | 21 |
| ImmSystemHandler | 21 |
| GdipSetCompositingMode | 21 |
| CM_Connect_MachineA | 21 |
| ?out_waiting@streambuf@@QBEHXZ | 21 |
| ?AnalyzePath@PATH@@QAE?AW4PATH_AI | 21 |
| GdipSetImageAttributesThreshold | 21 |
| NetPlsRemote | 21 |
| WinStationGetSessionIds | 21 |
| WinStationRevertFromServicesSession | 21 |
| WinStationSwitchToServicesSession | 21 |
| vDbgPrintExWithPrefix | 21 |
| PdhOpenLogA | 21 |
| VarUI1FromDisp | 21 |
| CM_Disable_DevNode | 21 |
| NdrProxyGetBuffer | 21 |
| SnmpUtilOidNCmp | 21 |
| glIndexd | 21 |
| CertEnumCertificateContextProperties | 21 |
| ??4ostream@@IAEAAV0@PAVstreambuf@(` | 21 |
| ?opfx@ostream@@@QAEHXZ | 21 |
| _aligned_offset_realloc | 21 |
| ??_Estdiobuf@@UAEPAXI@Z | 21 |
| ??8@YA_NABVCTXStringW@@0@Z | 21 |
| JetAttachDatabase | 21 |
| ClusWorkerStart | 21 |
| _SetDefaultCommConfig_@12 | 21 |
| _GetBinaryType_@8 | 21 |
| _NDdeShareAdd_@20 | 21 |
| _EnumDisplaySettings_@12 | 21 |
| _GetClassLong_@8 | 21 |
| OpenComponentLibraryEx | 21 |
| CLSIDFromStringByBitness | 21 |
| GdipCloneMatrix | 21 |
| VarCmp | 21 |
| ?bitalloc@ios@@SAJXZ | 21 |
| ??5istream@@QAEAAV0@AAC@Z | 21 |
| BeginCacheTransaction | 21 |
| IsValidPtrOut | 21 |
| _mbsncoll | 21 |
| ??0CTXBSTR@@QAE@ABV0@@Z | 21 |

| | |
|--|----|
| ?GetTXDataStr@Data@Util@@YAHPAUITX@ | 21 |
| ?GetMinorVer@Version@@YAEXZ | 21 |
| ?GetMajorVer@Version@@YAEXZ | 21 |
| glNormal3d | 21 |
| glTexCoord1d | 21 |
| WSHOpenSocket | 21 |
| WSHEnumProtocols | 21 |
| NtSetInformationToken | 21 |
| CsrCaptureMessageString | 21 |
| ?rdbuf@stdiostream@@QBEAVstdiobuf@I | 21 |
| CM_Create_DevNodeW | 21 |
| NtCreateThread | 21 |
| IcmpParseReplies | 21 |
| IoReportTargetDeviceChangeAsynchronous | 21 |
| GetRealProcAddress | 21 |
| CertRDNValueToStrW | 21 |
| SetupDiGetClassBitmapIndex | 21 |
| cdtDrawExt | 21 |
| cdtTerm | 21 |
| VarFormatPercent | 21 |
| ?append@?\$basic_string@_WU?\$char_trait | 21 |
| EnableIdleRoutine@8 | 21 |
| FBadProp@4 | 21 |
| MNLS_IstrcmpW@8 | 21 |
| HrGetAttachIcon | 21 |
| HrGetLastOpenFileDirectory | 21 |
| MimeOleSMimeCapGetEncAlg | 21 |
| RestorePerfRegistryFromFileW | 21 |
| CertEnumSystemStoreLocation | 21 |
| NtFreeUserPhysicalPages | 21 |
| __ValidateParameters@8 | 21 |
| MAPIOpenLocalFormContainer@4 | 21 |
| Tcl_GetStringResult | 21 |
| Tcl_ResetResult | 21 |
| glMultMatrixd | 21 |
| NetServiceEnum | 21 |
| NetJoinDomain | 21 |
| NetValidateName | 21 |
| PdhMakeCounterPathW | 21 |
| SystemFunction013 | 21 |
| ElfBackupEventLogFileA | 21 |
| ParseX509EncodedCertificateForListBoxEntry | 21 |
| ??0?\$basic_ifstream@DU?\$char_traits@D@ | 21 |
| GdipAddPathClosedCurveI | 21 |
| GdipAddPathCurve3I | 21 |
| ??0bad_typeid@@QAE@PBD@Z | 21 |
| @BorIndmm@SysGetMem\$qqri | 21 |

| | |
|--|----|
| MmProtectMdlSystemAddress | 21 |
| JetGetAttachInfoInstance | 21 |
| SetupSetFileQueueAlternatePlatformW | 21 |
| ??0?\$basic_string@_WU?\$char_traits @_W(| 21 |
| ?_Getcat@?\$ctype @_W@std@@SAIPAPBV | 21 |
| AdvInstallFile | 21 |
| DolInflInstall | 21 |
| IsPwrHibernateAllowed | 21 |
| MimeOleGetFileInfoW | 21 |
| ?replace@?\$basic_string@GU?\$char_traits@ | 21 |
| @Idcomponent@Finalization\$qqrv | 21 |
| @Idstack@Finalization\$qqrv | 21 |
| @Idglobal@Finalization\$qqrv | 21 |
| @JvprogressDlg@TJvProgressDlg@\$bctr\$qq | 21 |
| RtlExtendedMagicDivide | 21 |
| Options_RunDLL | 21 |
| mysql_fetch_field | 21 |
| mysql_options | 21 |
| mmioSendMessage | 21 |
| ?base@streambuf@@IBEPADXZ | 21 |
| _getwch | 21 |
| ?overflow@filebuf@@UAEHH@Z | 21 |
| VDMKillWOW | 21 |
| EnumPrinterKeyA | 21 |
| RtlGetLongestNtPathLength | 21 |
| ?_Getcat@?\$ctype@D@std@@SAIPAPBVfa | 21 |
| IsValidPtrIn | 21 |
| @System@@UStrCopy\$qqrx20System@Uni | 21 |
| @System@@AStrCmp\$qqrv | 21 |
| @Controls@TControl@Loaded\$qqrv | 21 |
| @Controls@TControl@Perform\$qqruiii | 21 |
| NdrSimpleStructMarshall | 21 |
| MAPIDetails | 21 |
| glGetTexGendv | 21 |
| glReadPixels | 21 |
| GdipGetPropertyItem | 21 |
| OpenPersonalTrustDBDialog | 21 |
| ??0\$streambuf@@IAE@PADH@Z | 21 |
| SetupLogErrorA | 21 |
| TopIScheduleMerge | 21 |
| TopIScheduleisEqual | 21 |
| @System@@LStrArrayClr\$qqrv | 21 |
| @Widestrings@Finalization\$qqrv | 21 |
| VarAbs | 21 |
| QueryAllTracesA | 21 |
| __vbaF | 21 |
| ?AddFolder@CCollection@@QAEPAVCFold | 21 |

| | |
|--|----|
| ?find@\$basic_string@GU?\$char_traits@G(| 21 |
| ?end@\$basic_string@GU?\$char_traits@G(| 21 |
| _PeekMessage@20 | 21 |
| CheckElevationEnabled | 21 |
| CryptGetKeyIdentifierProperty | 21 |
| SetupDiCreateDeviceInterfaceRegKeyW | 21 |
| GdipWarpPath | 21 |
| _LoadMenu@8 | 21 |
| _LoadBitmap@8 | 21 |
| SoftpubLoadMessage | 21 |
| ?str@strstreambuf@@QAEPADXZ | 21 |
| TopIListNumberOfElements | 21 |
| ?Set@TTime@XPRT@@QAEYHHHHH@Z | 21 |
| WTSShutdownSystem | 21 |
| ?_name_internal_method@type_info@@QI | 21 |
| CryptCATEnumerateMember | 21 |
| CryptHashMessage | 21 |
| glEvalCoord2d | 21 |
| glIndexdv | 21 |
| glPointSize | 21 |
| NetMessageNameEnum | 21 |
| NetMessageNameDel | 21 |
| CryptUIFreeViewSignaturesPagesA | 21 |
| LdapDeleteExtS | 21 |
| CM_Set_Class_Registry_PropertyA | 21 |
| ImmCallIMEConsoleIME | 21 |
| ImmTranslateMessage | 21 |
| drvGetDefaultCommConfigA | 21 |
| SHGetKnownFolderPath | 21 |
| NtAccessCheckAndAuditAlarm | 21 |
| GdipSetPixelOffsetMode | 21 |
| _cputws | 21 |
| ?ends@@YAAVostream@@AAV1@@Z | 21 |
| gimp_drawable_detach | 21 |
| CsrIdentifyAlertableThread | 21 |
| ??_7logic_error@@6B@ | 21 |
| PdhEnumObjectsA | 21 |
| UpdatePerfNameFilesA | 21 |
| _AIL_file_type@8 | 21 |
| rtcUpperCaseBstr | 21 |
| MsiEnumRelatedProductsA | 21 |
| HrIStorageFromStream@16 | 21 |
| newMultiByteFromWideCharSize | 21 |
| ?disposing@WeakComponentImplHelperBa | 21 |
| ?seekg@\$basic_istream@DU?\$char_traits(| 21 |
| IPSecEnumPolicyData | 21 |
| CertEnumCTLContextProperties | 21 |

| | |
|---|----|
| CryptSignAndEncryptMessage | 21 |
| RtlConvertExclusiveToShared | 21 |
| NtMapUserPhysicalPagesScatter | 21 |
| GdipSetPathGradientPresetBlend | 21 |
| GdipSetPathGradientCenterPoint | 21 |
| QueryCredentialsAttributesA | 21 |
| RtlValidateHeap | 21 |
| LdrFindResourceDirectory_U | 21 |
| LdrShutdownProcess | 21 |
| glEvalCoord2f | 21 |
| pcap_freealldevs | 21 |
| ??6ostream@@QAEAAV0@E@Z | 21 |
| glVertex4sv | 21 |
| tid32Message | 21 |
| glNormal3s | 21 |
| _FindExecutable_@12 | 21 |
| AccessCheckByTypeResultListAndAuditAlarm | 21 |
| ?overflow@strstreambuf@@UAEHH@Z | 21 |
| RtlRemoveVectoredExceptionHandler | 21 |
| RtlFreeThreadActivationContextStack | 21 |
| DnsValidateName_UTF8 | 21 |
| RegQueryValueExU | 21 |
| SystemFunction029 | 21 |
| SCardIntroduceCardTypeW | 21 |
| SQLProceduresW | 21 |
| glRasterPos2dv | 21 |
| SamQueryInformationGroup | 21 |
| rtl_uStringbuffer_newFromStr_WithLength | 21 |
| ??_filebuf@@6B@ | 21 |
| e | 21 |
| StrChrNW | 21 |
| AVIStreamRead | 21 |
| ??0QWidget@@QAE@PAV0@V?\$QFlags@V | 21 |
| InternetSetPerSiteCookieDecisionW | 21 |
| NdrInterfacePointerUnmarshall | 21 |
| glTexEnviv | 21 |
| ?capacity@\$basic_string@GU?\$char_traits | 21 |
| PlayGdiScriptOnPrinterIC | 21 |
| ??_D?\$basic_ifstream@GU?\$char_traits@G | 21 |
| ?clear@\$basic_string@GU?\$char_traits@C | 21 |
| ?setbuf@filebuf@@UAEPAVstreambuf@@F | 21 |
| CertAddCTLLinkToStore | 21 |
| glRectdv | 21 |
| CtxInitUser32 | 21 |
| InbvSetTextColor | 21 |
| ??6SvStream@@QAEAAV0@PBD@Z | 21 |
| ??6SvStream@@QAEAAV0@D@Z | 21 |

| | |
|---|----|
| ?Convert@Bitmap@@QAEYW4BmpConvers | 21 |
| ?AcquireReadAccess@Bitmap@@QAEPAVBi | 21 |
| ?GetPixel@BitmapReadAccess@@QBE?AVB | 21 |
| ??0FilterConfigItem@@QAE@ABVOUString(| 21 |
| ??1FilterConfigItem@@QAE@XZ | 21 |
| ?GetFilterData@FilterConfigItem@@QBE?A` | 21 |
| ?WriteInt32@FilterConfigItem@@QAEXABV | 21 |
| M_UNK | 21 |
| SCardGetCardTypeProviderNameA | 21 |
| RtlPinAtomInAtomTable | 21 |
| WTSSetSessionInformationW | 21 |
| RpcMgmtEnableIdleCleanup | 21 |
| ExfInterlockedPushEntryList | 21 |
| RasRpc GetUserPreferences | 21 |
| ??0?\$basic_filebuf@GU?\$char_traits@G@sI | 21 |
| RpcSsGetThreadHandle | 21 |
| ImmGetImeInfoEx | 21 |
| ?qt_metacast@QWidget@@UAEPAXPBD@Z | 21 |
| ?sizeHint@QWidget@@UBE?AVQSize@@X: | 21 |
| ?qt_metacall@QWidget@@UAEHW4Call@C | 21 |
| ?paintEvent@QWidget@@MAEXPQPaint | 21 |
| ResUtilFindBinaryProperty | 21 |
| CmIsDigitW | 21 |
| ?SetEntry@CIniA@@QAEXPBD@Z | 21 |
| InternetSetCookieExA | 21 |
| ?free@ QVectorData@@SAXPAU1@H@Z | 21 |
| ?allocate@ QVectorData@@SAPAU1@HH@Z | 21 |
| rtcMakeDir | 21 |
| RtlAddAtomToAtomTable | 20 |
| MsiProvideQualifiedComponentExW | 20 |
| MsiSetInstallLevel | 20 |
| DsIsMangledDnA | 20 |
| SQLStatisticsW | 20 |
| MFCREATENetVRoot | 20 |
| MFCREATEWMPMDEOpCenter | 20 |
| MFInvokeCallback | 20 |
| MFCREATEAsyncResult | 20 |
| CreatePropertyStore | 20 |
| ??\$_NDU?\$char_traits@D@std@@V?\$alloc | 20 |
| ExAcquireSharedWaitForExclusive | 20 |
| ExAllocateFromPagedLookasideList | 20 |
| CcGetDirtyPages | 20 |
| RtlReserveChunk | 20 |
| OpenRegStream | 20 |
| ConvertColorNameToIndex | 20 |
| _XprtMessageLoop@0 | 20 |
| XprtTrace | 20 |

| | |
|---|----|
| XprtTrace2 | 20 |
| ?Sleep@TThread@XPRT@@SAXI@Z | 20 |
| @Dxdbgridvecurrcolumn@initialization\$qqr | 20 |
| ?component_writeInfoHelper@cppu@@YAI | 20 |
| lineAccept | 20 |
| ?setmode@ofstream@@QAEHH@Z | 20 |
| ?getdouble@istream@@AAEHPADH@Z | 20 |
| ?fd@filebuf@@QBEHZ | 20 |
| ?put@ostream@@QAEAAV1@E@Z | 20 |
| ?_Cltab@?\$ctype@D@std@@OPBFB | 20 |
| _CreatePropertySheetPage_@4 | 20 |
| _GetObject@12 | 20 |
| GdipSetClipRegion | 20 |
| GdipSetStringFormatHotkeyPrefix | 20 |
| ??A?\$basic_string@GU?\$char_traits@G@st | 20 |
| WSALookupServiceBeginA | 20 |
| CM_Add_Res_Des_Ex | 20 |
| ?flush@ostream@@QAEAAV1@XZ | 20 |
| ??0iostream_init@@QAE@XZ | 20 |
| @\$xp\$11System@Word | 20 |
| @Controls@TControl@BringToFront\$qqrv | 20 |
| @Dbtables@Finalization\$qqrv | 20 |
| @Smintf@Finalization\$qqrv | 20 |
| @Bde@Finalization\$qqrv | 20 |
| @Bdeconst@Finalization\$qqrv | 20 |
| ?Initialize@MULTIPLE_PATH_ARGUMENT@1 | 20 |
| dll_noncygwin_dllcrt0 | 20 |
| rtcRgb | 20 |
| ??4?\$basic_string@DU?\$char_traits@D@st | 20 |
| RtlWalkHeap | 20 |
| ??5istream@@QAEAAV0@PAC@Z | 20 |
| ?Save@CCollection@@QAEKXZ | 20 |
| ??_7ofstream@@6B@ | 20 |
| ?clrlock@streambuf@@QAEXXZ | 20 |
| ClusterNetworkEnum | 20 |
| AVIFileInfoW | 20 |
| WNetSetLastErrorA | 20 |
| TraceEventInstance | 20 |
| AtIAxGetControl | 20 |
| __vbaCyAbs | 20 |
| ??1__non_rtti_object@@UAE@XZ | 20 |
| ??_Gistream_withassign@@UAEPAXI@Z | 20 |
| LdrSetDIIManifestProber | 20 |
| rtcSetDateVar | 20 |
| MsiSummaryInfoPersist | 20 |
| mciGetDeviceIDW | 20 |
| JetPrepareUpdate | 20 |

| | |
|------------------------------------|----|
| JetBeginSession | 20 |
| _NDdeGetShareSecurity_@24 | 20 |
| _ObjectCloseAuditAlarm_@12 | 20 |
| _VerQueryValue_@16 | 20 |
| OpenComponentLibraryOnStreamEx | 20 |
| CreateComponentLibraryEx | 20 |
| RtlpEnsureBufferSize | 20 |
| PrintersGetCommand_RunDLLW | 20 |
| ADsGetObjectAttributes | 20 |
| ??5istream@@QAEAAV0@AAO@Z | 20 |
| ?rdbuf@ofstream@@QBEPAVfilebuf@@XZ | 20 |
| ?CompareNoCase@CTXStringW@@QBEHPE | 20 |
| GetColorDirectoryA | 20 |
| VarR8FromR4 | 20 |
| PdhTranslateLocaleCounterW | 20 |
| glMap1d | 20 |
| DhcpUndoRequestParams | 20 |
| SHChangeNotifyRegister | 20 |
| DestroyOverStructPool | 20 |
| UnimodemWaitCommEventEx | 20 |
| CallEnding | 20 |
| ClusterNodeGetEnumCount | 20 |
| DCISetSrcDestClip | 20 |
| DCICreateOverlay | 20 |
| WinWatchGetClipList | 20 |
| CM_Free_Res_Des | 20 |
| ?str@ostrstream@@QAEPADXZ | 20 |
| ?unbuffered@streambuf@@IAEXH@Z | 20 |
| UnregisterIdleTask | 20 |
| MprAdminUserWriteProffFlags | 20 |
| MprAdminGetErrorString | 20 |
| DhcpAuditLogSetParams | 20 |
| DhcpSetMScopeInfo | 20 |
| DhcpEnumServers | 20 |
| _fstat64i32 | 20 |
| RtlLargeIntegerSubtract | 20 |
| @_InitTermAndUnexPtrs\$qv | 20 |
| __argv_default_expand | 20 |
| __handle_exitargv | 20 |
| __handle_setargv | 20 |
| __handle_wexitargv | 20 |
| __handle_wsetargv | 20 |
| __wargv_default_expand | 20 |
| GetThemeInt | 20 |
| SetupGetInflInformationW | 20 |
| VDMTerminateTaskWOW | 20 |
| CAGetCAFlags | 20 |

| | |
|-------------------------------------|----|
| CAOIDGetLdapURL | 20 |
| GetThemeDocumentationProperty | 20 |
| @System@IsMemoryManagerSet\$qqrv | 20 |
| @System@MainInstance | 20 |
| @Typinfo@DotSep | 20 |
| @Buttons@TBitBtn@ | 20 |
| ForceSyncFgPolicy | 20 |
| RouterLogEventDataA | 20 |
| SetupDiBuildClassInfoListExA | 20 |
| CM_Register_Device_InterfaceA | 20 |
| MprInfoCreate | 20 |
| MprAdminPortDisconnect | 20 |
| CredIsMarshaledCredentialW | 20 |
| HrValidateIPMSubtree@20 | 20 |
| MAPIDeinitIdle@0 | 20 |
| ??4exception@@QAEAAV0@ABV0@@@Z | 20 |
| RtlSetValueHeap | 20 |
| ScGenerateMuid@4 | 20 |
| rtcVarType | 20 |
| Tcl_ProcCmd | 20 |
| Tcl_DeleteClone | 20 |
| ClusterNetworkOpenEnum | 20 |
| ClusterNodeCloseEnum | 20 |
| NdrMesTypeFree2 | 20 |
| rtclsNumeric | 20 |
| ConvertSDToStringSDRootDomainW | 20 |
| ElfClearEventLogFileA | 20 |
| DeleteMMPolicy | 20 |
| IsCharSpaceW | 20 |
| _i64tow_s | 20 |
| _PfUnBindInterface@4 | 20 |
| InternalSetIpForwardEntry | 20 |
| MsiAdvertiseProductExW | 20 |
| LdapModifyS | 20 |
| LaunchINFSection | 20 |
| MimeOleCreatePropertySet | 20 |
| MimeOleCreateByteStream | 20 |
| @Idwinsock2@Finalization\$qqrv | 20 |
| @Idstackwindows@Finalization\$qqrv | 20 |
| @Idiohandler@Finalization\$qqrv | 20 |
| ?instance@CiSAPUTrace@@SAPAV1@ABV? | 20 |
| ?Traceout@CiSAPUTrace@@QAEXHABV?\$b | 20 |
| mciGetYieldProc | 20 |
| ResUtilEnumResourcesEx | 20 |
| __ExceptionHandler | 20 |
| _abort | 20 |
| LsaSetForestTrustInformation | 20 |

| | |
|---|----|
| ?xalloc@ios@@SAHXZ | 20 |
| TF_CreateCicLoadMutex | 20 |
| mmioRenameA | 20 |
| UnregisterMagickInfo | 20 |
| RegisterMagickInfo | 20 |
| ConstantString | 20 |
| SetMagickInfo | 20 |
| __p__pwctype | 20 |
| VarUI4FromDisp | 20 |
| VarCyFromUI2 | 20 |
| ?erase@?\$basic_string@DU?\$char_traits@L | 20 |
| EssReceiptRequestEncodeEx | 20 |
| @System@@EnsureUnicodeString\$qqrr20S\ | 20 |
| glTexGeni | 20 |
| glFrustum | 20 |
| glGetMaterialfv | 20 |
| SamSetInformationAlias | 20 |
| ?Open@CCollection@@QAEKPBG@Z | 20 |
| @System@@WriteLn\$qqrr15System@TText | 20 |
| GdipImageSelectActiveFrame | 20 |
| ??1?\$basic_istream@GU?\$char_traits@G@: | 20 |
| TopISTHeapInit | 20 |
| NdrProxySendReceive | 20 |
| RtlIpv6StringToAddressA | 20 |
| _vbaLateMemNamedCallLd | 20 |
| srcfiles | 20 |
| DCIDraw | 20 |
| PdhiPlaRunAs | 20 |
| PdhiPlaFormatBlanksW | 20 |
| @\$xp\$15Graphics@TColor | 20 |
| @Controls@TControl@GetClientHeight\$qqrr | 20 |
| _free_locale | 20 |
| ?TrimRight@CHString@@QAEXXZ | 20 |
| VarDecFromDate | 20 |
| glDrawElements | 20 |
| mciLoadCommandResource | 20 |
| @Controls@TWinControl@GetClientRect\$qqrr | 20 |
| @Controls@TWinControl@SetFocus\$qqrv | 20 |
| @Controls@TWinControl@ReadState\$qqrp: | 20 |
| MPInitializeCriticalSection | 20 |
| _SetDlgItemText@12 | 20 |
| CryptCreateKeyIdentifierFromCSP | 20 |
| ??1_Locinfo@std@@QAE@XZ | 20 |
| ??5std@@YAAV?\$basic_istream@DU?\$ch: | 20 |
| MapGadgetPoints | 20 |
| DUserSendEvent | 20 |
| _GetWindowLong@8 | 20 |

| | |
|--|----|
| CAOIDFreeProperty | 20 |
| ToplVertexGetOutEdge | 20 |
| NetWkstaSetInfo | 20 |
| WSAInstallServiceClassA | 20 |
| DllRegisterServerExA | 20 |
| ?GetEncodedByteLength@TBstr@XPRT@@@C | 20 |
| _XprtCanonicalizeScreenName@8 | 20 |
| ?GetTm@TTime@XPRT@@QBE_NPAUtm@ | 20 |
| SplDriverUnloadComplete | 20 |
| ??_Estrstream@@UAEPAXI@Z | 20 |
| RtlUpdateTimer | 20 |
| NtReadFileScatter | 20 |
| OpenNtmsSessionW | 20 |
| SfcGetNextProtectedFile | 20 |
| NetDfsSetClientInfo | 20 |
| _GetClassInfo@12 | 20 |
| _FindText_@4 | 20 |
| OsThunkDdQueryMoCompStatus | 20 |
| CryptCATPutAttrInfo | 20 |
| CertRemoveEnhancedKeyUsageIdentifier | 20 |
| ATMMakePFMW | 20 |
| NetServiceControl | 20 |
| NetServerTransportEnum | 20 |
| NetConnectionEnum | 20 |
| CryptUIDlgViewSignerInfoW | 20 |
| acmFormatDetailsA | 20 |
| CM_Get_HW_Prof_FlagsA | 20 |
| VarBoolFromDate | 20 |
| gimp_dialog_new | 20 |
| ??6ostream@@QAEAAV0@O@Z | 20 |
| ZwCancelIoFile | 20 |
| ??4WeakReferenceHelper@uno@star@suni | 20 |
| _AIL_mem_free_lock@4 | 20 |
| _AIL_open_stream@12 | 20 |
| _AIL_open_3D_provider@4 | 20 |
| _AIL_close_stream@4 | 20 |
| _AIL_set_stream_loop_count@8 | 20 |
| _AIL_pause_stream@8 | 20 |
| MESSAGEBOXA | 20 |
| ?convertFastPropertyValue@OPropertyCont | 20 |
| ?setFastPropertyValue_NoBroadcast@OProj | 20 |
| ?ImplHelper_getTypes@cppu@@YA?AV?\$\$ | 20 |
| ?ImplHelper_query@cppu@@YA?AVAny@u | 20 |
| rtl_ustrToInt64 | 20 |
| rtl_uString_newToAsciiUpperCase | 20 |
| InternetGetCookieExW | 20 |
| RtlDosApplyFileIsolationRedirection_Ustr | 20 |

| | |
|--|----|
| RtlMultiAppendUnicodeStringBuffer | 20 |
| IPSecGetAssignedPolicyData | 20 |
| CoCreateActivity | 20 |
| CertSetCertificateContextPropertiesFromCTI | 20 |
| CryptExportPublicKeyInfoEx | 20 |
| CertRegisterPhysicalStore | 20 |
| RtlGetLastNtStatus | 20 |
| NtOpenIoCompletion | 20 |
| RtlIpv6AddressToStringW | 20 |
| SetupDiDeleteDevRegKey | 20 |
| WRITE_REGISTER_UCHAR | 20 |
| GdipSetPathGradientWrapMode | 20 |
| GdipSetLineGammaCorrection | 20 |
| GdipCreateLineBrushFromRectWithAngle | 20 |
| GdipCreateHatchBrush | 20 |
| __vbaVarErrI4 | 20 |
| SystemFunction035 | 20 |
| NtIsSystemResumeAutomatic | 20 |
| CITextToSelectTree | 20 |
| CIGetGlobalPropertyList | 20 |
| ResUtilGetResourceNameDependency | 20 |
| glNormal3sv | 20 |
| NtDisplayString | 20 |
| CM_Unregister_Device_InterfaceW | 20 |
| CM_Set_DevNode_Registry_PropertyA | 20 |
| ImmPutImeMenuItemsIntoMappedFile | 20 |
| RxNetAccessDel | 20 |
| ScriptPlace | 20 |
| SasIdentifyPackageA | 20 |
| GdipAddPathPolygonI | 20 |
| NPAddConnection3 | 20 |
| CertIsRDNAtrsInCertificateName | 20 |
| KeSetIdealProcessorThread | 20 |
| _futime64 | 20 |
| JetEnumerateColumns | 20 |
| ShellExec_RunDLL | 20 |
| ??_Eistream@@UAEPAXI@Z | 20 |
| strup | 20 |
| ?Assign@String@@QAEAAV1@ABVOUString@Z | 20 |
| ?Seek@SvStream@@QAEKK@Z | 20 |
| osl_getSystemPathFromFileURL | 20 |
| ??_7strstreambuf@@6B@ | 20 |
| ?CreateFileW@FS@@YAHPB_WKPAPAUITX@Z | 20 |
| ?get@istream@@QAEAAV1@AAC@Z | 20 |
| ??_Gstreambuf@@UAEPAXI@Z | 20 |
| WOWAppExit | 20 |
| BMAPISaveMail | 20 |

| | |
|---|----|
| ?_Nullstr@?\$basic_string@GU?\$char_traits@U@std@@QAE@Z | 20 |
| ZwReplaceKey | 20 |
| lineAddProviderW | 20 |
| InternalGetIpAddrTable | 20 |
| ?Right@CTXStringW@@QBE?AV1@H@Z | 20 |
| OsThunkD3dContextDestroyAll | 20 |
| RtlFlushSecureMemoryCache | 20 |
| ??0QFile@@QAE@ABVQString@@@Z | 20 |
| ??8QString@@QBE_NABV0@@Z | 20 |
| ??4QString@@QAEAAV0@PBD@Z | 20 |
| glTexParameterfv | 20 |
| SearchStatusCode | 20 |
| _aligned_malloc | 20 |
| FindNLSString | 20 |
| NtQueryLicenseValue | 20 |
| glArrayElement | 20 |
| NtSetSystemEnvironmentValueEx | 20 |
| NtAccessCheck | 20 |
| CM_Get_Device_Interface_List_ExA | 20 |
| Control_FillCache_RunDLLA | 20 |
| ?activate@QMetaObject@@SAXPAVQObjec | 20 |
| __var_Create | 20 |
| __var_Get | 20 |
| ?OnPreRestore@CVssWriter@@UAG_NPAV | 20 |
| ??0CVssWriter@@QAE@XZ | 20 |
| ?OnPostRestore@CVssWriter@@UAG_NPA' | 20 |
| ?Unsubscribe@CVssWriter@@QAGJXZ | 20 |
| ?OnContinueIOOnVolume@CVssWriter@@I | 20 |
| GdipCreatePathIter | 20 |
| GdipDeletePathIter | 20 |
| ?ws@@YAAAVistream@@AAV1@@Z | 20 |
| ?keyReleaseEvent@QAbstractButton@@M@ | 20 |
| ResUtilPropertyListFromParameterBlock | 20 |
| RtlDefaultNpAcl | 20 |
| RtlAddRefActivationContext | 20 |
| CmStripFileNameW | 20 |
| CmLoadImageW | 20 |
| ??1CCollection@@QAE@XZ | 20 |
| SetupQueryInfOriginalFileInfoW | 20 |
| _LoadImage_@24 | 20 |
| CertAddCRLLinkToStore | 20 |
| CryptGetOIDFunctionAddress | 20 |
| CryptGetOIDFunctionValue | 20 |
| _ZN4Foam7Pstream8proIDs_E | 20 |
| ??4WString@@QAEAAV0@ABV0@@Z | 20 |
| ?DeleteString@WString@@AAEXPAG@Z | 20 |
| ??0WString@@QAE@XZ | 20 |

| | |
|--|----|
| ??4WString@@QAEAAV0@PBG@Z | 20 |
| ??0WString@@QAE@PAGH@Z | 20 |
| ??YWString@@QAEAAV0@PBG@Z | 20 |
| RtlCompareMemoryUlong | 20 |
| ?realloc@QVectorData@@SAPAU1@PAL | 20 |
| KiDispatchInterrupt | 20 |
| PsInitialSystemProcess | 20 |
| SafeArrayLock | 19 |
| MsiSetTargetPathW | 19 |
| MsiLocateComponentA | 19 |
| DsBindWithCredA | 19 |
| DsMakePasswordCredentialsW | 19 |
| CmAtolW | 19 |
| CsrBroadcastSystemMessageExW | 19 |
| SetupInitDefaultQueueCallback | 19 |
| ?Initialize@FLAG_ARGUMENT@@QAEPAV | 19 |
| ?Initialize@TIMEINFO@@QAEXPBV1@@Z | 19 |
| ??MTIMEINFO@@QBEEV0@@Z | 19 |
| DeleteColorTransform | 19 |
| @System@@PackageUnload\$qqrpX23System | 19 |
| @System@@PackageLoad\$qqrpX23System(| 19 |
| CIRestrictionToFullTree | 19 |
| VideoPortDebugPrint | 19 |
| ??1ostream_withassign@@UAE@XZ | 19 |
| ?in_avail@streambuf@@QBEHXZ | 19 |
| ??1ostream@@UAE@XZ | 19 |
| glTexCoord3dv | 19 |
| glEvalMesh1 | 19 |
| ?attach@fstream@@QAEHX@Z | 19 |
| ?fLockclInit@ios@@0HA | 19 |
| ?sync_with_stdio@ios@@SAXXZ | 19 |
| ?attach@filebuf@@QAEPAV1@H@Z | 19 |
| ??0stdiobuf@@QAE@PAU_ibuf@@@Z | 19 |
| ?insert@?\$basic_string@DU?\$char_traits@I | 19 |
| Chkdsk | 19 |
| NtRequestPort | 19 |
| ?eq_int_type@?\$char_traits@G@std@@SA | 19 |
| SafeArrayUnlock | 19 |
| CM_Enable_DevNode_Ex | 19 |
| CM_Create_Range_List | 19 |
| ??0logic_error@@QAE@ABQBD@Z | 19 |
| @Adodb@TADOQuery@ExecSQL\$qqrv | 19 |
| @Controls@TControl@SetShowHint\$qqro | 19 |
| @Dxgdiplusapi@Finalization\$qqrv | 19 |
| rtcVarStrFromVar | 19 |
| ??0MULTIPLE_PATH_ARGUMENT@@QAE@ | 19 |
| ?Initialize@DP_DRIVE@@QAEEPBVWSTRIN | 19 |

| | |
|--------------------------------------|----|
| RemoveUsersFromEncryptedFile | 19 |
| VMDetectWOW | 19 |
| RtlEnlargedUnsignedDivide | 19 |
| VarAdd | 19 |
| VarR8FromDec | 19 |
| CM_Query_Arbitrator_Free_Data | 19 |
| PutMem2 | 19 |
| SchemaAddRef | 19 |
| VectorFromBstr | 19 |
| SnmpUtilOidFree | 19 |
| glColor4s | 19 |
| gllIndexiv | 19 |
| CreateIMAPTransport | 19 |
| _CharPrev_@8 | 19 |
| ?open@filebuf@@QAEPAV1@PBDHH@Z | 19 |
| SQLGetCursorNameW | 19 |
| SQLDriverConnectW | 19 |
| DbgUiStopDebugging | 19 |
| ??5istream@@QAEAAV0@P6AAAVisos@@A | 19 |
| ?eatwhite@istream@@QAEXXZ | 19 |
| ??_Giostream@@UAEPAXI@Z | 19 |
| ClusterNodeControl | 19 |
| ClusterNetworkControl | 19 |
| WmiFileHandleToInstanceNameW | 19 |
| CredDeleteA | 19 |
| ??_7ios@@@6B@ | 19 |
| MsiSourceListForceResolutionW | 19 |
| AtlModuleRegisterClassObjects | 19 |
| CAEnumFirstCA | 19 |
| _winminor_dll | 19 |
| _FindWindow_@8 | 19 |
| _RegSetValue_@20 | 19 |
| _GetCharWidth_@16 | 19 |
| DeleteAllActivatorsForClid | 19 |
| GetCatalogObject2 | 19 |
| UpdateFromComponentChange | 19 |
| OpenComponentLibraryOnMemEx | 19 |
| GetSimpleTableDispenser | 19 |
| VarI8FromBool | 19 |
| GetDDSurfaceLocal | 19 |
| WTVirtualChannelOpen | 19 |
| WmiQueryAllDataMultipleA | 19 |
| ?cerr@@3Vostream_withassign@@A | 19 |
| ?is_open@fstream@@QBEHXZ | 19 |
| ?rdbuf@strstream@@QBEPAVstrstreambuf | 19 |
| ?setf@ios@@QAEJJ@Z | 19 |
| ?close@filebuf@@QAEPAV1@XZ | 19 |

| | |
|--------------------------------------|----|
| ??_7stdiobuf@@6B@ | 19 |
| ?allocate@streambuf@@IAEHXZ | 19 |
| ?Mid@CTXStringW@@QBE?AV1@HH@Z | 19 |
| ??0CCmdCodecBase@@QAE@XZ | 19 |
| ?QueryInterface@CCmdCodecBase@@MAC | 19 |
| ?AddRef@CCmdCodecBase@@MAGKXZ | 19 |
| ?Release@CCmdCodecBase@@MAGKXZ | 19 |
| ?CodeTXData@CCmdCodecBase@@UAGJP@ | 19 |
| ?DecodeBuffer@CCmdCodecBase@@UAGJF | 19 |
| ??1CCmdCodecBase@@UAE@XZ | 19 |
| ?OpenUrlInIM@URL@Util@@YAXABVCTXSt | 19 |
| ExInterlockedAddLargeStatistic | 19 |
| OpenColorProfileA | 19 |
| EncryptionDisable | 19 |
| UserRegisterWowHandlers | 19 |
| mciGetDeviceIDFromElementIDA | 19 |
| UmPlatformDeinitialize | 19 |
| NlsAnsiCodePage | 19 |
| CM_Add_ID_ExW | 19 |
| ErrExecute | 19 |
| CM_Enumerate_Classes_Ex | 19 |
| CM_Disable_DevNode_Ex | 19 |
| MprAdminInterfaceCreate | 19 |
| MprSetupProtocolEnum | 19 |
| DhcpDsInit | 19 |
| DhcpCreateOption | 19 |
| LdrUnlockLoaderLock | 19 |
| RpcSsAllocate | 19 |
| SetupInstallServicesFromInfSectionW | 19 |
| NtSetSystemEnvironmentValue | 19 |
| @System@FindHInstance\$qqrpv | 19 |
| @System@SetMemoryManager\$qqrrx21Sys | 19 |
| @System@ExitProc | 19 |
| @System@CmdLine | 19 |
| @System@IsLibrary | 19 |
| RsopAccessCheckByType | 19 |
| ADsEncodeBinaryData | 19 |
| MprAdminPortClearStats | 19 |
| MprAdminMIBEntryDelete | 19 |
| WNetDisconnectDialog1A | 19 |
| SHGetNewLinkInfoA | 19 |
| CryptCATCDFEnumMembers | 19 |
| ?_Doraise@runtime_error@std@@MBEXXZ | 19 |
| MAPILogoff | 19 |
| __CPPValidateParameters@8 | 19 |
| ScCopyProps@16 | 19 |
| EncodeID@12 | 19 |

| | |
|---|----|
| NtSetInformationJobObject | 19 |
| RtlIpv4AddressToStringW | 19 |
| MimeOleCreateHeaderTable | 19 |
| MimeOleSMimeCapInit | 19 |
| MimeOleParseRfc822AddressW | 19 |
| LpValFindProp@12 | 19 |
| MNLS_IsBadStringPtrW@8 | 19 |
| SamiLmChangePasswordUser | 19 |
| CM_Get_Device_ID_List_Size_ExA | 19 |
| SHDeleteOrphanKeyA | 19 |
| ClusterNodeEnum | 19 |
| AVIClearClipboard | 19 |
| ?GotABreak@KEYBOARD@@SGEXZ | 19 |
| ?Initialize@KEYBOARD@@QAEAAA@Z | 19 |
| ??0KEYBOARD@@QAE@XZ | 19 |
| ??_TOBJECT@@6B@ | 19 |
| SQLPrepareA | 19 |
| CM_Enable_DevNode | 19 |
| _ZTVN10__cxxabiv117__class_type_infoE | 19 |
| LdapValueFree | 19 |
| ASN1_CloseEncoder2 | 19 |
| ShipAssert | 19 |
| ?_Lock@?\$basic_streambuf@_WU?\$char_traits@_T@1@ | 19 |
| SetPerUserSecValues | 19 |
| FileSaveRestoreOnINF | 19 |
| MimeOleGetCodePageCharset | 19 |
| ?at@?\$basic_string@GU?\$char_traits@G@!@ | 19 |
| @Iduri@initialization\$qqrv | 19 |
| @Idthread@Finalization\$qqrv | 19 |
| VarUI2FromDate | 19 |
| VarUI2FromUI4 | 19 |
| BaseSetProcessCreateNotify | 19 |
| BaseSrvNIsLogon | 19 |
| BaseSrvNIsUpdateRegistryCache | 19 |
| WintrustGetDefaultForUsage | 19 |
| WTHelperGetKnownUsages | 19 |
| ?Start@CmLogFile@@QAEJH@Z | 19 |
| _JNU_ThrowOutOfMemoryError@8 | 19 |
| CredUIInitControls | 19 |
| ?seekp@ostream@@QAEAAV1@J@Z | 19 |
| TF_GetGlobalCompartment | 19 |
| TF_PostAllThreadMsg | 19 |
| ?get@istream@@QAEAAV1@PAEHD@Z | 19 |
| ?doallocate@strstreambuf@@MAEHXZ | 19 |
| DbgUiGetThreadDebugObject | 19 |
| MimeOleGetPropW | 19 |
| BMAPIDetails | 19 |

| | |
|--|----|
| glGetTexImage | 19 |
| SamQuerySecurityObject | 19 |
| ??0CCollection@@QAE@XZ | 19 |
| GdipImageGetFrameCount | 19 |
| CryptCATCDFEnumAttributes | 19 |
| SoftpubInitialize | 19 |
| DbgHelpCreateUserDump | 19 |
| ToplVertexSetId | 19 |
| NdrClearOutParameters | 19 |
| WTSQueryUserConfigW | 19 |
| ClassCompleteRequest | 19 |
| ElfBackupEventLogFileW | 19 |
| @Sysutils@UpperCase\$qqr20System@Unic | 19 |
| NtCurrentTeb | 19 |
| URLOpenPullStreamA | 19 |
| VarUI4FromUI1 | 19 |
| mciGetDriverData | 19 |
| @Controls@TWinControl@CreateWindowH | 19 |
| newWideCharFromMultiByte | 19 |
| ?compare@?\$basic_string@DU?\$char_traits@ | 19 |
| CryptSIPRemoveProvider | 19 |
| FindGadgetFromPoint | 19 |
| LookupGadgetTicket | 19 |
| GetGadgetTicket | 19 |
| BuildAnimation | 19 |
| GetGadgetRect | 19 |
| SetGadgetMessageFilter | 19 |
| SetupRemoveInstallSectionFromDiskSpaceLi | 19 |
| TrustDecode | 19 |
| ToplMakeGraphState | 19 |
| glSelectBuffer | 19 |
| ??1istrstream@@UAE@XZ | 19 |
| PathMakeUniqueName | 19 |
| QuerySpoolMode | 19 |
| RtlGetUserInfoHeap | 19 |
| NtQueryTimerResolution | 19 |
| NtFlushVirtualMemory | 19 |
| CloseNtmsSession | 19 |
| SetupAddInstallSectionToDiskSpaceListA | 19 |
| CryptRegisterOIDInfo | 19 |
| glRasterPos4d | 19 |
| LdapAddExtS | 19 |
| glColor4iv | 19 |
| SoftpubLoadSignature | 19 |
| LsaQueryDomainInformationPolicy | 19 |
| Recover | 19 |
| drvSetDefaultCommConfigA | 19 |

| | |
|--|----|
| drvCommConfigDialogA | 19 |
| HtmlHelpA | 19 |
| ?QueryFullPath@PATH@@QBEPAV1@XZ | 19 |
| ?resize@?\$basic_string@DU?\$char_traits@I | 19 |
| ??\$?8GU?\$char_traits@G@std@@V?\$allocat | 19 |
| ?do_tolower@?\$ctype@G@std@@MBEPBC | 19 |
| gtk_widget_destroy | 19 |
| D3DXVec3Project | 19 |
| vlc_clone | 19 |
| vlc_join | 19 |
| ??0istrstream@@QAE@PAD@Z | 19 |
| _AIL_set_3D_orientation@28 | 19 |
| _AIL_set_3D_position@16 | 19 |
| _AIL_open_3D_listener@4 | 19 |
| _AIL_enumerate_3D_providers@12 | 19 |
| _AIL_release_3D_sample_handle@4 | 19 |
| _AIL_allocate_3D_sample_handle@4 | 19 |
| _AIL_decompress_ASI@24 | 19 |
| _AIL_WAV_info@8 | 19 |
| _AIL_decompress_ADPCM@12 | 19 |
| _AIL_3D_sample_status@4 | 19 |
| _AIL_set_3D_sample_loop_count@8 | 19 |
| _AIL_end_3D_sample@4 | 19 |
| _AIL_set_3D_sample_volume@8 | 19 |
| _AIL_stream_status@4 | 19 |
| _AIL_start_stream@4 | 19 |
| ?GetBestEncoding@TBstr@XPRT@@QBE?A` | 19 |
| kAsciiEncoding | 19 |
| ?Insert@TBstr@XPRT@@QAEHHPBG@Z | 19 |
| NetScheduleJobGetInfo | 19 |
| MimeOleSetBodyPropW | 19 |
| GetDIIMajorVersion | 19 |
| MimeOleSetDefaultCharset | 19 |
| ZwQueryDefaultUILanguage | 19 |
| NtMapUserPhysicalPages | 19 |
| __lc_handle | 19 |
| PrivateExtractIconExW | 19 |
| UserLpkPSMTextOut | 19 |
| IPSecFreeISAKMPData | 19 |
| CertAlgIdToOID | 19 |
| CryptUninstallDefaultContext | 19 |
| gIDisableClientState | 19 |
| RasDeviceEnum | 19 |
| newMultiByteFromWideChar | 19 |
| READ_REGISTER_UCHAR | 19 |
| __ErrorExit | 19 |
| ImportSecurityContextW | 19 |

| | |
|---|----|
| GetMem2 | 19 |
| SystemFunction024 | 19 |
| NtAllocateUserPhysicalPages | 19 |
| CsrNewThread | 19 |
| NtCreateMailslotFile | 19 |
| NtCreateNamedPipeFile | 19 |
| RtlCreateProcessParameters | 19 |
| NtTerminateJobObject | 19 |
| glLineStipple | 19 |
| glRenderMode | 19 |
| ClusWorkerTerminate | 19 |
| glTexSubImage1D | 19 |
| RxNetAccessAdd | 19 |
| RegisterPrintNotify | 19 |
| bFolderRefresh | 19 |
| CredGetSessionTypes | 19 |
| SystemFunction015 | 19 |
| lineAddProvider | 19 |
| NtAdjustGroupsToken | 19 |
| JetDefragment | 19 |
| CAGetCertTypeExpiration | 19 |
| CertAddEncodedCRLToStore | 19 |
| glutInitWindowPosition | 19 |
| RtlQueryInformationActivationContext | 19 |
| JetSetLS | 19 |
| ??_oiostream_withassign@@6B@ | 19 |
| NtUnloadDriver | 19 |
| VarUpdateFromDate | 19 |
| ZwPrivilegedServiceAuditAlarm | 19 |
| FtMulDw@12 | 19 |
| CryptSIPPPutSignedDataMsg | 19 |
| ?assign@?\$basic_string@_WU?\$char_traits | 19 |
| ?CreateFromAscii@String@@SA?AV1@PBD | 19 |
| rtl_uString_getToken | 19 |
| ConvertUnicodeDevModeToAnsiDevmode | 19 |
| ??_Gifstream@@UAEPAI@Z | 19 |
| ??Oostream_withassign@@QAE@ABV0@@ | 19 |
| OnlineClusterGroup | 19 |
| InternalSetTcpEntry | 19 |
| SnmpExtensionInit | 19 |
| RtlInitNlsTables | 19 |
| mciGetCreatorTask | 19 |
| strncasecmp | 19 |
| LockHandle | 19 |
| HrFreeAttachData | 19 |
| VarPow | 19 |
| IoCreateController | 19 |

| | |
|--|----|
| DbgUiIssueRemoteBreakin | 19 |
| _aligned_realloc | 19 |
| SetupScanFileQueueA | 19 |
| ?_Myptr@?\$basic_string@DU?\$char_traits@ | 19 |
| I_RpcSsDontSerializeContext | 19 |
| O_UNK | 19 |
| I_UNK | 19 |
| ?fromWCharArray@QString@@SA?AV1@PE | 19 |
| ??1QFile@@@UAE@XZ | 19 |
| ?fromUtf8@QString@@SA?AV1@PBDH@Z | 19 |
| SCardGetProviderIdW | 19 |
| VarCyMull4 | 19 |
| MsiGetFeatureUsageA | 19 |
| CM_Get_Device_Interface_List_Size_ExA | 19 |
| ComputeAccessTokenFromCodeAuthzLevel | 19 |
| I_RpcAllocate | 19 |
| SHDefExtractIconW | 19 |
| ??_7?\$basic_filebuf@GU?\$char_traits@G@ | 19 |
| ??6std@@YAAV?\$basic_ostream@GU?\$ch | 19 |
| ??1?\$basic_filebuf@GU?\$char_traits@G@si | 19 |
| ??_8?\$basic_ifstream@GU?\$char_traits@G@ | 19 |
| RpcServerUseProtseqIfExA | 19 |
| long_array_from_ndr | 19 |
| ??1istrstream@@@UAE@XZ | 19 |
| inet_aton | 19 |
| GdiplIsOutlineVisiblePathPointI | 19 |
| ?checkStateSet@QAbstractButton@@MAEX | 19 |
| ?show@QWidget@@QAEXXZ | 19 |
| ??1QIcon@@QAE@XZ | 19 |
| LoadRegTypeLib | 19 |
| _GetVolumeInformation_@32 | 19 |
| CmIsSpaceW | 19 |
| ?RemoveCollection@CCollection@@QAEKH | 19 |
| BluetoothMapClassOfDeviceToImageIndex | 19 |
| BluetoothFindFirstService | 19 |
| BluetoothFindFirstClassId | 19 |
| BluetoothFindNextClassId | 19 |
| BluetoothFindClassIdClose | 19 |
| BluetoothFindNextService | 19 |
| BluetoothFindServiceClose | 19 |
| RasSetKey | 19 |
| _ZN4Foam7Pstream9myProcNo_E | 19 |
| _ZTVN4Foam8ISstreamE | 19 |
| _ZTVSt15basic_streambufIcSt11char_traitsIc | 19 |
| ?raw_name@type_info@@QBEPBDXZ | 19 |
| ??1QLabel@@@UAE@XZ | 19 |
| ?sizeHint@QLabel@@UBE?AVQSize@@XZ | 19 |

| | |
|---------------------------------------|----|
| ?event@QLabel@@MAE_NPAVQEvent@@(| 19 |
| ?changeEvent@QLabel@@MAEXPAPAVQEvent | 19 |
| ?paintEvent@QLabel@@MAEXPAPAVQPaintEv | 19 |
| ?heightForWidth@QLabel@@UBEHH@Z | 19 |
| ?minimumSizeHint@QLabel@@UBE?AVQSi: | 19 |
| ?qt_metacall@QLabel@@UAEHW4Call@QN | 19 |
| ?qt_metacast@QLabel@@UAEPAXPBD@Z | 19 |
| ?metaObject@QLabel@@UBEPBUQMetaOb | 19 |
| ??0 QLabel@@QAE@PAVQWidget@@V?\$Q | 19 |
| ?qBadAlloc@@YAXXZ | 19 |
| ??_8strstream@@7Bostream@@@ | 19 |
| ResolveDesktopForWOW | 19 |
| RegisterMediaTypeClass | 19 |
| ?_ios_base_dtor@ios_base@std@@CAXPA' | 18 |
| HalPrivateDispatchTable | 18 |
| MsiEnumClientsW | 18 |
| MsiGetFeatureCostW | 18 |
| MsiSetComponentStateW | 18 |
| MsiEnumPatchesA | 18 |
| SQLGetInfoW | 18 |
| SQLGetStmtAttrW | 18 |
| LAYOUT | 18 |
| ZwReleaseMutant | 18 |
| _Z5qFreePv | 18 |
| _vbaDateR4 | 18 |
| CmStrchrW | 18 |
| FsRtlUninitializeLargeMcb | 18 |
| FsRtlGetNextLargeMcbEntry | 18 |
| RemoveHook | 18 |
| DAD_DragMove | 18 |
| ??OTIMEINFO@@QBEEV0@@Z | 18 |
| ?CreateDirectoryPath@FSN_DIRECTORY@@ | 18 |
| ?SetConsoleConversions@WSTRING@@SGX | 18 |
| RegGetSchedConnectionName | 18 |
| RegSetUserDefaults | 18 |
| RegGetSyncSettings | 18 |
| RegGetHandlerTopLevelKey | 18 |
| RegSchedHandlerItemsChecked | 18 |
| RegQueryLoadHandlerOnEvent | 18 |
| RegGetHandlerRegistrationInfo | 18 |
| RegGetSyncItemSettings | 18 |
| RegRemoveManualSyncSettings | 18 |
| RegSetSyncItemSettings | 18 |
| RegSetProgressDetailsState | 18 |
| RegGetProgressDetailsState | 18 |
| MobsyncGetClassObject | 18 |
| DisplayOptions | 18 |

| | |
|---|----|
| RegGetSchedSyncSettings | 18 |
| DoneCIPerformanceData | 18 |
| LocateCatalogsW | 18 |
| _XprtEntityEscape@8 | 18 |
| ?FindOneOf@TBstr@XPRT@@QBEHPBG@Z | 18 |
| ?removeInterface@OInterfaceContainerHel | 18 |
| FCICreate | 18 |
| VideoPortZeroMemory | 18 |
| CTEInitialize | 18 |
| RpcMgmtSetComTimeout | 18 |
| ?underflow@strstreambuf@@UAEHXZ | 18 |
| ?sputbackc@streambuf@@QAEHD@Z | 18 |
| glGetTexGenfv | 18 |
| ??_8strstream@@7Bistream@@@ | 18 |
| ??_Eistream_withassign@@UAEPAXI@Z | 18 |
| ?ebuf@streambuf@@IBEPADXZ | 18 |
| ?sputn@streambuf@@QAEHPBDH@Z | 18 |
| ?seekoff@filebuf@@UAEJJW4seek_dir@ios | 18 |
| ?fill@ios@@QAEDD@Z | 18 |
| ?cin@@3Vistream_withassign@@A | 18 |
| DnsAcquireContextHandle_A | 18 |
| ldap_search_sA | 18 |
| ?_Lock@?\$basic_streambuf@GU?\$char_trai | 18 |
| ?_Unlock@?\$basic_streambuf@GU?\$char_t | 18 |
| LPSAFEARRAY_UserUnmarshal | 18 |
| ??0ios@@IAE@XZ | 18 |
| @Graphics@TFont@SetName\$qqrx17Syster | 18 |
| @Dxgdiplusclasses@Finalization\$qqrv | 18 |
| ?Initialize@MOUNT_POINT_MAP@@QAEEX | 18 |
| ??0DP_DRIVE@@QAE@XZ | 18 |
| K32GetModuleInformation | 18 |
| WinSqmAddToAverageDWORD | 18 |
| rtcEnvironBstr | 18 |
| NtGetPlugPlayEvent | 18 |
| PdhSetQueryTimeRange | 18 |
| rtcMidVar | 18 |
| ??1CLexer@@QAE@XZ | 18 |
| SCardIntroduceReaderGroupA | 18 |
| glGetBooleanv | 18 |
| gluGetString | 18 |
| short_from_ndr | 18 |
| @Dbvedatedit@initialization\$qqrv | 18 |
| msleep | 18 |
| CryptSIPRetrieveSubjectGuidForCatalogFile | 18 |
| ?unbuffered@streambuf@@IBEHXZ | 18 |
| ??1streambuf@@UAE@XZ | 18 |
| ??_Gfstream@@UAEPAXI@Z | 18 |

| | |
|--------------------------------------|----|
| ?writepad@ostream@@AAEAAV1@PBD0@ | 18 |
| ?setbuf@ofstream@@QAEPAVstreambuf@ | 18 |
| ?unlock@ios@@QAAXXZ | 18 |
| NtCallbackReturn | 18 |
| NtFlushWriteBuffer | 18 |
| ?pptr@strembuf@@IBEPADXZ | 18 |
| ??1istream_withassign@@UAE@XZ | 18 |
| ClusterNetworkGetEnumCount | 18 |
| OnlineClusterResource | 18 |
| DeleteClusterGroup | 18 |
| SystemFunction023 | 18 |
| ElfReportEventA | 18 |
| ?AllocSysString@CTXStringW@@QBEPA_W | 18 |
| ?RawInitGFElementByXtml@GF@Util@@YA | 18 |
| RtlReportException | 18 |
| MsiEnableUIPreview | 18 |
| JetSetSystemParameter | 18 |
| JetCommitTransaction | 18 |
| JetSetcurrentIndex | 18 |
| _lstrcpy_@8 | 18 |
| _GetGlyphOutline_@28 | 18 |
| ServerGetApplicationType | 18 |
| ActivatorUpdateForIsRouterChanges | 18 |
| VarEqv | 18 |
| WTVirtualChannelQuery | 18 |
| LdapCacheAddRef | 18 |
| BuildADsParentPathFromObjectInfo2 | 18 |
| ?overflow@stdiobuf@@UAEHH@Z | 18 |
| ??5istream@@QAEAAV0@AAH@Z | 18 |
| ??_7fstream@@6B@ | 18 |
| ??0CTXStringA@@QAE@XZ | 18 |
| CreateProfileFromLogColorSpaceA | 18 |
| InstallColorProfileA | 18 |
| InternalGetPS2PreviewCRD | 18 |
| MB_GetString | 18 |
| PdhParseCounterPathA | 18 |
| PdhEnumMachinesW | 18 |
| sqlite3_bind_int | 18 |
| sqlite3_column_text | 18 |
| ?ignore@istream@@QAEAAV1@HH@Z | 18 |
| SQLTables | 18 |
| ServerLicensingGetAvailablePolicyIds | 18 |
| StartMonitorThread | 18 |
| UnimodemWriteFileEx | 18 |
| WSHGetBroadcastSockaddr | 18 |
| MmRemovePhysicalMemory | 18 |
| ??6ostream@@QAEAAV0@M@Z | 18 |

| | |
|---|----|
| ?dec@@YAAA@ios@@AAV1@@Z | 18 |
| CM_Get_HW_Prof_FlagsW | 18 |
| MprInfoDelete | 18 |
| mmioRenameW | 18 |
| CM_Create_DevNodeA | 18 |
| rtcCharValueBstr | 18 |
| DhcpSetSuperScopeV4 | 18 |
| __matherr | 18 |
| __matherrl | 18 |
| CAGetCertTypeFlagsEx | 18 |
| DoneFILTERPerformanceData | 18 |
| @Kbmmemtable@TkbmCustomMemTable@ | 18 |
| SetupGetLineByIndexA | 18 |
| CASetCAFags | 18 |
| @Forms@TApplication@ShowException\$qq | 18 |
| @Forms@TScrollingWinControl@\$bdtr\$qqr | 18 |
| @Comctrls@TPageControl@ | 18 |
| @Comctrls@TTabSheet@ | 18 |
| MprSetupProtocolFree | 18 |
| MprAdminInterfaceConnect | 18 |
| MprAdminMIBEntryCreate | 18 |
| MprAdminInterfaceTransportAdd | 18 |
| MprAdminInterfaceSetCredentials | 18 |
| VarUI8FromI1 | 18 |
| VarUI4FromI1 | 18 |
| MAPIFindNext | 18 |
| cmc_list | 18 |
| MAPIInitialize | 18 |
| FixMAPI | 18 |
| ScCreateConversationIndex@16 | 18 |
| MimeEditDocumentFromStream | 18 |
| ?Strstr@WSTRING@@QBEKPBV1@@Z | 18 |
| ??H@YG?AVCHString@@ABV0@PBG@Z | 18 |
| RtlGetNativeSystemInformation | 18 |
| GdiIsVisiblePathPoint | 18 |
| NetUnjoinDomain | 18 |
| RtlLargeIntegerShiftRight | 18 |
| RasDeviceConnect | 18 |
| NdrProxyFreeBuffer | 18 |
| RasGetEntryDialParamsW | 18 |
| ?DisableBreakHandling@KEYBOARD@@SGE | 18 |
| ?EnableLineMode@KEYBOARD@@QAEEXZ | 18 |
| ?QueryFullPathString@PATH@@QBEPAVW! | 18 |
| LsaRemovePrivilegesFromAccount | 18 |
| SetupGetTargetPathA | 18 |
| ChangeWindowMessageFilter | 18 |
| ?-_7istream_withassign@@6B@ | 18 |

| | |
|--|----|
| CryptCATCDFClose | 18 |
| mciSetDriverData | 18 |
| MsiSummaryInfo SetPropertyW | 18 |
| MsiSetComponentStateA | 18 |
| Gdip SetPropertyItem | 18 |
| RtmBlockDeleteRoutes | 18 |
| MapInterfaceToAdapter | 18 |
| CM_Get_Device_Interface_ListA | 18 |
| SQLGetDescRec | 18 |
| ?find_first_of@?\$basic_string@DU?\$char_traits@_W@std@@@V?\$a | 18 |
| ?_Unlock@?\$basic_streampbuf@_WU?\$char | 18 |
| NPOpenEnum | 18 |
| ElfOpenBackupEventLogA | 18 |
| GetVersionFromFileEx | 18 |
| UserUnInstStubWrapper | 18 |
| FileSaveRestore | 18 |
| RegSaveRestore | 18 |
| AddDelBackupEntry | 18 |
| CloseINFEngine | 18 |
| TranslateInfStringEx | 18 |
| glVertex2fv | 18 |
| EnumPrinterDataExW | 18 |
| MimeOleParseMhtmlUrl | 18 |
| MimeOleSMimeCapAddSMimeCap | 18 |
| @Idresourcestrings@initialization\$qqrv | 18 |
| @Idexception@initialization\$qqrv | 18 |
| @Idstackconsts@initialization\$qqrv | 18 |
| @Idbasecomponent@initialization\$qqrv | 18 |
| @Idantifreezebase@initialization\$qqrv | 18 |
| @Idcodermime@Finalization\$qqrv | 18 |
| @Idtcpconnection@initialization\$qqrv | 18 |
| @Idsockethandle@initialization\$qqrv | 18 |
| @Idsocks@initialization\$qqrv | 18 |
| @Idintercept@initialization\$qqrv | 18 |
| @Forms@TCustomForm@Hide\$qqrv | 18 |
| ImmSendIMEMessageExA | 18 |
| SdbGetEntryFlags | 18 |
| SQLSetCursorName | 18 |
| ServerDIIInitialization | 18 |
| MsiLoadStringW | 18 |
| ?GPPS@CIniA@@QBEPADPBD00@Z | 18 |
| _JNU_ThrowNullPointerException@8 | 18 |
| TF_UninitSystem | 18 |
| getenv_s | 18 |
| LogMagickEvent | 18 |
| ??0?\$basic_string@DU?\$char_traits@D@stc | 18 |

| | |
|--|----|
| SetupOpenAppendInfFileA | 18 |
| RegisterMediaTypes | 18 |
| @\$xp\$7Boolean | 18 |
| @Sysutils@ExtractFilePath\$qqrx20System@ | 18 |
| @Graphics@TBitmap@GetCanvas\$qqrv | 18 |
| @Controls@TControl@SetParentBiDiMode\$ | 18 |
| @Controls@TControl@Notification\$qqrp18c | 18 |
| glRectd | 18 |
| glLightModelfv | 18 |
| glMaterialf | 18 |
| SamAddMemberToGroup | 18 |
| ToplVertexCreate | 18 |
| ToplSTHeapDestroy | 18 |
| ToplHeapsElementOf | 18 |
| ScriptStringAnalyse | 18 |
| SQLInstallDriver | 18 |
| SceOpenProfile | 18 |
| ?UlibRealloc@@YGPAXPAXK@Z | 18 |
| mciGetDeviceIDA | 18 |
| SHGetSetSettings | 18 |
| _get_osplatform | 18 |
| WTSVirtualChannelWrite | 18 |
| UspAllocCache | 18 |
| statvfs | 18 |
| ShellExec_RunDLLW | 18 |
| @Dbclient@Finalization\$qqrv | 18 |
| @Dsintf@Finalization\$qqrv | 18 |
| @Provider@Finalization\$qqrv | 18 |
| SaferIdentifyLevel | 18 |
| _GetTempPath_@8 | 18 |
| ?str@istrstream@@QAEPADXZ | 18 |
| CryptRegisterOIDFunction | 18 |
| ??_7?\$ctype@D@std@@@6B@ | 18 |
| SetPermLayers | 18 |
| UtilDrawBlendRect | 18 |
| FindStdColor | 18 |
| GetGadgetAnimation | 18 |
| SetGadgetRect | 18 |
| _GetDlgItemText@16 | 18 |
| NetReplSetInfo | 18 |
| NetErrorLogClear | 18 |
| glRasterPos3sv | 18 |
| glIndexub | 18 |
| OleUIPromptUserW | 18 |
| JetSetColumns | 18 |
| ??1TMemStream@XPRT@@UAE@XZ | 18 |
| _XprtStringByteLen@8 | 18 |

| | |
|--|----|
| MimeOleGenerateMID | 18 |
| SnmpGetTimeout | 18 |
| NtCloseObjectAuditAlarm | 18 |
| ?compare@?\$char_traits@D@std@@SAHPI | 18 |
| _IsCharLower_@4 | 18 |
| _NDdeIsValidShareName_@4 | 18 |
| WSAGetServiceClassNameByClassIdW | 18 |
| CryptCloseAsyncHandle | 18 |
| ATMXYShowTextA | 18 |
| NetStatisticsGet | 18 |
| CryptUIWizCreateCertRequestNoDS | 18 |
| ADsSetObjectAttributes | 18 |
| LdapGetSyntaxOfAttributeOnServer | 18 |
| FindEntryInSearchTable | 18 |
| glTexCoord3f | 18 |
| glColor4dv | 18 |
| glNormal3fv | 18 |
| SvcEntry_CiSvc | 18 |
| CM_Get_Resource_Conflict_Count | 18 |
| SpUserModeInitialize | 18 |
| ?freeze@strstreambuf@@QAEXH@Z | 18 |
| ?do_is@?\$ctype@G@std@@MBEPBGPBG0 | 18 |
| gtk_box_get_type | 18 |
| gtk_box_pack_start | 18 |
| gtk_container_get_type | 18 |
| gtk_container_set_border_width | 18 |
| gimp_pixel_rgn_init | 18 |
| WinStationAutoReconnect | 18 |
| ??5istream@@QAEEAV0@AAM@Z | 18 |
| ??0iostream_init@@QAE@AAViios@@H@Z | 18 |
| glGetPointerv | 18 |
| _AIL_set_3D_sample_file@8 | 18 |
| _AIL_start_3D_sample@4 | 18 |
| _AIL_set_stream_volume_levels@12 | 18 |
| FBadEntryList@4 | 18 |
| _StartDoc@8 | 18 |
| WSAGetQOSByName | 18 |
| ?throwGenericSQLEception@dbtools@@Y/ | 18 |
| ?getPropMap@OMetaConnection@connect | 18 |
| ?getNameByIndex@OPropertyMap@dbtool | 18 |
| ?getResourceString@SharedResources@con | 18 |
| ??0SharedResources@connectivity@@QAE(| 18 |
| ??1SharedResources@connectivity@@QAE(| 18 |
| ?checkDisposed@connectivity@@YAXE@Z | 18 |
| ?getString@comphelper@@YA?AVOUString | 18 |
| ??0OPropertySetHelper@cppu@@QAE@AA | 18 |
| ??1OPropertySetHelper@cppu@@QAE@XZ | 18 |

| | |
|--|----|
| ?queryInterface@OPropertySetHelper@cpp | 18 |
| ?setFastPropertyValue@OPropertySetHelper@ | 18 |
| ?release@OReference@vos@@UAAJXZ | 18 |
| ?acquire@OReference@vos@@UAAJXZ | 18 |
| ?getline@?\$basic_istream@DU?\$char_traits@_T@std@ | 18 |
| ValidateErrorQueue | 18 |
| BSTR_UserFree | 18 |
| HrAthGetFileNameW | 18 |
| _aexit_rtn | 18 |
| IPSecEnumISAKMPData | 18 |
| ?MakeUpper@TBstr@XPRT@@QAEAAV12@ | 18 |
| CertSerializeCRLStoreElement | 18 |
| CryptUnregisterOIDFunction | 18 |
| GetIcmpStatisticsEx | 18 |
| glRasterPos2iv | 18 |
| RasGetConnectInfo | 18 |
| AtlSetErrorInfo | 18 |
| _WinHelp@16 | 18 |
| NtGetWriteWatch | 18 |
| AddCredentialsW | 18 |
| ReleaseBold | 18 |
| glPrioritizeTextures | 18 |
| RtlCutoverTimeToSystemTime | 18 |
| DbgUiContinue | 18 |
| RtlDeleteTimerQueueEx | 18 |
| NtOpenJobObject | 18 |
| CIBuildQueryTree | 18 |
| ResUtilAddUnknownProperties | 18 |
| MimeOleGetAllocator | 18 |
| TopListAddElem | 18 |
| TopEdgeAssociate | 18 |
| glLoadMatrixf | 18 |
| VarR8FromI4 | 18 |
| _QueryServiceConfig_@16 | 18 |
| ?lockptr@ios@@IAEPAU_CRT_CRITICAL_SECTION@0 | 18 |
| PrinterMessageBoxA | 18 |
| AdvancedSetupDialog | 18 |
| CPEncrypt | 18 |
| SQLGetConfigMode | 18 |
| _CharNext_@4 | 18 |
| _CreateStatusWindow_@16 | 18 |
| DUserFindClass | 18 |
| NdrMesTypeEncode2 | 18 |
| CredUIPromptForCredentialsW | 18 |
| SetupDiCreateDeviceInterfaceA | 18 |
| SystemFunction004 | 18 |
| ?_Eostrstream@@UAEPAXI@Z | 18 |

| | |
|--|----|
| RegisterCMMA | 18 |
| ?at@?\$basic_string@GU?\$char_traits@G@! | 18 |
| NdrUserMarshalFree | 18 |
| glGetPolygonStipple | 18 |
| ADsGetObject | 18 |
| RtlMakeSelfRelativeSD | 18 |
| CAOICreateNew | 18 |
| CryptVerifyCertificateSignature | 18 |
| glutReshapeFunc | 18 |
| RtlEnlargedIntegerMultiply | 18 |
| ??0fstream@@QAE@HPADH@Z | 18 |
| ??0filebuf@@QAE@ABV0@@Z | 18 |
| rtcGetDateVar | 18 |
| config_Duplicate | 18 |
| vlc_dgettext | 18 |
| ??_iostream@@7Bostream@@@ | 18 |
| ?Append@String@@QAEAAV1@G@Z | 18 |
| rtl_uString_newToAsciiLowerCase | 18 |
| ClusterNetworkCloseEnum | 18 |
| LogonIdFromWinStationNameW | 18 |
| NdrUserMarshalMarshall | 18 |
| NdrNsSendReceive | 18 |
| MprConfigGetGuidName | 18 |
| MesIncrementalHandleReset | 18 |
| SQLAllocHandleStd | 18 |
| ADsDeleteAttributeDefinition | 18 |
| ADsWriteClassDefinition | 18 |
| IsGCNamespace | 18 |
| InternalGetIpForwardTable | 18 |
| DhcpAcquireParameters | 18 |
| glGetMapfv | 18 |
| pcap_findalldevs | 18 |
| SQLGetDescFieldW | 18 |
| ??4logic_error@@QAEAV0@ABV0@@Z | 18 |
| ??4ostrstream@@QAEAV0@ABV0@@Z | 18 |
| KeGetRecommendedSharedDataAlignment | 18 |
| ?_Xran@_String_base@std@@QBEXXZ | 18 |
| VRetrieveDriverErrorsRowCol | 18 |
| ??1MapMode@@QAE@XZ | 18 |
| ?GetSolarMutex@Application@@SAAAVIDI | 18 |
| ?SetParams@CmLogFile@@QAEJHKPBD@Z | 18 |
| ?Stop@CmLogFile@@QAEJXZ | 18 |
| GdipCreateRegionPath | 18 |
| ImmUnlockImeDpi | 18 |
| MsiConfigureFeatureFromDescriptorW | 18 |
| ?toInt@QString@@QBEHPA_NH@Z | 18 |
| ?open@ QFile@@UAE_NV?\$QFlags@W4Op | 18 |

| | |
|--|----|
| ?arg@QString@@QBE?AV1@ABV1@HABVC | 18 |
| ??4bad_cast@@QAEAAV0@ABV0@@Z | 18 |
| VarI2FromI4 | 18 |
| GetDisplayName | 18 |
| GetStandardColorSpaceProfileW | 18 |
| ??_8?\$basic_ofstream@GU?\$char_traits@G | 18 |
| DUserRegisterSuper | 18 |
| __vbaCyUI1 | 18 |
| ClassUpdateInformationInRegistry | 18 |
| ClassInitializeSrbLookasideList | 18 |
| ClassInitialize | 18 |
| ClassClaimDevice | 18 |
| ClassCreateDeviceObject | 18 |
| MsiDecomposeDescriptorA | 18 |
| MsiInstallProductW | 18 |
| mmTaskCreate | 18 |
| ??_7?\$basic_ofstream@GU?\$char_traits@G | 18 |
| ?open@?\$basic_filebuf@GU?\$char_traits@ | 18 |
| Exfi386InterlockedIncrementLong | 18 |
| GdipSetPageUnit | 18 |
| SchemaGetClassInfo | 18 |
| SetImageConfigInformation | 18 |
| ExSystemExceptionFilter | 18 |
| AVIStreamTimeToSample | 18 |
| I_RpcSendReceive | 18 |
| ?ciNew@@YGPAXI@Z | 18 |
| ??4QByteArray@@QAEAAV0@ABV0@@Z | 18 |
| ?tr@QMetaObject@@QBE?AVQString@@P | 18 |
| NtIsProcessInJob | 18 |
| GdipPathIterNextSubpath | 18 |
| GetControlInfo | 18 |
| ??6ostream@@QAEAAV0@PAVstreambuf@ | 18 |
| SetSoftwareUpdateAdvertisementState | 18 |
| ?mouseReleaseEvent@QAbstractButton@@ | 18 |
| ?changeEvent@QAbstractButton@@MAEXP | 18 |
| ?timerEvent@QAbstractButton@@MAEXPA | 18 |
| NtQuerySystemEnvironmentValueEx | 18 |
| RtlActivateActivationContext | 18 |
| RtlFindActivationContextSectionGuid | 18 |
| @Cxcheckcombobox@initialization\$qqrv | 18 |
| ?insert@?\$basic_string@GU?\$char_traits@I | 18 |
| _PfCreateInterface@24 | 18 |
| _PfAddFiltersToInterface@24 | 18 |
| RasCompressionGetInfo | 18 |
| ?focusNextPrevChild@ QLabel@@MAE_N_N | 18 |
| ?contextMenuEvent@ QLabel@@MAEXP@AV(| 18 |
| ?focusOutEvent@ QLabel@@MAEXP@AVQFoc | 18 |

| | |
|--|----|
| ?focusInEvent@QLabel@@MAEXPAVQFocus | 18 |
| ?keyPressEvent@QLabel@@MAEXPAVQKey | 18 |
| ?mouseMoveEvent@QLabel@@MAEXPAVQ | 18 |
| ?mouseReleaseEvent@QLabel@@MAEXPAVQ | 18 |
| ?mousePressEvent@QLabel@@MAEXPAVQ | 18 |
| ?setText@QLabel@@QAEABVQString@@@C | 18 |
| _ui64toa_s | 18 |
| VarDecAdd | 18 |
| ??_7bad_cast@@6B@ | 18 |
| RtlFreeRangeList | 17 |
| MsiAdvertiseProductExA | 17 |
| MsiSetTargetPathA | 17 |
| MsiViewModify | 17 |
| ConvertStringSDToSDRootDomainW | 17 |
| _ZN7QString4freeEPNS_4DataE | 17 |
| DirectPlayCreate | 17 |
| ?end@?\$basic_string@GU?\$char_traits@G@ | 17 |
| ?begin@?\$basic_string@GU?\$char_traits@G@ | 17 |
| CmStrStrW | 17 |
| FsRtlCurrentBatchOplock | 17 |
| ExConvertExclusiveToSharedLite | 17 |
| FsRtlUninitializeOplock | 17 |
| FsRtlDeleteTunnelCache | 17 |
| FsRtlINotifyFilterChangeDirectory | 17 |
| DsFreeDomainControllerInfoA | 17 |
| DsListSitesW | 17 |
| WTSVirtualChannelPurgeInput | 17 |
| CheckColors | 17 |
| ??1TFileFinder@XPRT@@UAE@XZ | 17 |
| ?FindNext@TFileFinder@XPRT@@QAE_NI@ | 17 |
| ?GetFileSpec@TFileFinder@XPRT@@QBE?A | 17 |
| ?Find@TFileFinder@XPRT@@QAE_NPBGI@ | 17 |
| ??0TFileFinder@XPRT@@QAE@XZ | 17 |
| _XprtGetMicroseconds@0 | 17 |
| XML_SetElementHandler | 17 |
| XML_SetUserData | 17 |
| XML_ParserCreate | 17 |
| ??2TXprtAllocated@XPRT@@SAPAXI@Z | 17 |
| ?CanonicalizeSpec@TFile@XPRT@@SA?AVT | 17 |
| xprt_wcsicmp | 17 |
| ?RemoveTrailingSeparator@TFile@XPRT@@@ | 17 |
| _XprtRequestMessageId@0 | 17 |
| _XprtRegisterMessageCallback@8 | 17 |
| _XprtPostMessage@16 | 17 |
| _XprtUnregisterMessageCallback@4 | 17 |
| _XprtReleaseMessageId@4 | 17 |
| _XprtCompareNormal@8 | 17 |

| | |
|--|----|
| ?InsertAt@TPtrArray@XPRT@@QAEEXHPAXI | 17 |
| xprt_wcscmp | 17 |
| XML_ParserFree | 17 |
| ??4exception@std@@QAEAAV01@ABV01@ | 17 |
| DsAddressToSiteNamesA | 17 |
| CM_Get_Class_Name_ExA | 17 |
| CM_Invert_Range_List | 17 |
| SetupPromptForDiskW | 17 |
| osl_waitCondition | 17 |
| osl_createCondition | 17 |
| osl_setCondition | 17 |
| ??1OInterfaceContainerHelper@cppu@@Q | 17 |
| ?addInterface@OInterfaceContainerHelper@ | 17 |
| ??0OInterfaceContainerHelper@cppu@@Q | 17 |
| FCIDestroy | 17 |
| FCIFlushCabinet | 17 |
| RpcMgmtStatsVectorFree | 17 |
| glRasterPos3s | 17 |
| glRasterPos2sv | 17 |
| ??_Eios@@UAEPAXI@Z | 17 |
| ?rdbuf@ifstream@@QBEPAVfilebuf@@XZ | 17 |
| ?tie@ios@@QBEPAVostream@@XZ | 17 |
| _GetFileVersionInfoSize_@8 | 17 |
| WinSqmAddToStreamEx | 17 |
| SdbReadBinaryTag | 17 |
| PifMgr_CloseProperties | 17 |
| ExtractVersionResource16W | 17 |
| LPSAFEARRAY_Marshal | 17 |
| ??Ofstream@@QAE@H@Z | 17 |
| ??_7strstream@@6B@ | 17 |
| @System@@VarFromTDateTime\$qqrv | 17 |
| @Sysutils@IntToHex\$qqrji | 17 |
| @Controls@TWinControl@GetControl\$qqri | 17 |
| DwmSetWindowAttribute | 17 |
| WmiQueryAllDataA | 17 |
| Repair | 17 |
| lineGetCountryW | 17 |
| PutMemEvent | 17 |
| ?open@?\$basic_ofstream@DU?\$char_traits | 17 |
| WmiQueryAllDataMultipleW | 17 |
| VarBoolFromDec | 17 |
| ADsGetColumn | 17 |
| ADsCreateAttributeDefinition | 17 |
| UnMarshallLDAPToLDAPSynID | 17 |
| VarDateFromI8 | 17 |
| var_Get | 17 |
| MimeOleSMimeCapRelease | 17 |

| | |
|--|----|
| ?lock@ios@@QAAXXZ | 17 |
| RtlSetInformationAcl | 17 |
| RtlSetSecurityDescriptorRMControl | 17 |
| ?pbump@streambuf@@IAEXH@Z | 17 |
| ?precision@ios@@QBEHXZ | 17 |
| ?bad@ios@@QBEHXZ | 17 |
| PropVariantChangeType | 17 |
| TreeResetNamedSecurityInfoA | 17 |
| SystemFunction030 | 17 |
| ??4CTXBSTR@@QAEAAV0@ABVCTXStringW | 17 |
| ZwCloseObjectAuditAlarm | 17 |
| MsiSourceListClearAllW | 17 |
| CAEnumNextCA | 17 |
| JetSetColumn | 17 |
| JetBeginTransaction | 17 |
| JetSeek | 17 |
| TracePrintfW | 17 |
| EditSecurity | 17 |
| IsLoggingEnabledW | 17 |
| _osmajor_dll | 17 |
| _QueryDosDevice_@12 | 17 |
| _CreateDialogParam_@20 | 17 |
| _InitiateSystemShutdown_@20 | 17 |
| _CopyEnhMetaFile_@8 | 17 |
| NtSetInformationKey | 17 |
| RtlIntPathNameToDosPathName | 17 |
| LdapAddS | 17 |
| VarUI2FromCy | 17 |
| ?setbuf@strstreambuf@@UAEPAVstreambu | 17 |
| ??0fstream@@QAE@PBDHH@Z | 17 |
| ?oct@@YAAAVios@@AAV1@@Z | 17 |
| ?Empty@CTXStringW@@QAEXXZ | 17 |
| ??BCTXStringA@@QBEPBDXZ | 17 |
| ??8CTXBSTR@@QBE_NABV0@@Z | 17 |
| sqlite3_column_type | 17 |
| QueryRecoveryAgentsOnEncryptedFile | 17 |
| mmioInstallIOProcW | 17 |
| ServerLicensingDeactivateCurrentPolicy | 17 |
| WinStationRemoveLicense | 17 |
| WinStationGenerateLicense | 17 |
| ?Close@TFile@XPRT@@UAE_NXZ | 17 |
| WinWatchClose | 17 |
| Wow64EnableWow64FsRedirection | 17 |
| HalFlushCommonBuffer | 17 |
| ?unlockbuf@ios@@QAAXXZ | 17 |
| GenGetData | 17 |
| MfCopy | 17 |

| | |
|---|----|
| MprAdminIsServiceRunning | 17 |
| SHGetUnreadMailCountW | 17 |
| IoSetInformation | 17 |
| RouterLogEventExW | 17 |
| DhcpRemoveOptionV5 | 17 |
| DhcpServerQueryAttribute | 17 |
| DhcpAddSubnetElement | 17 |
| DhcpEnumSubnetClientsV4 | 17 |
| DhcpServerQueryDnsRegCredentials | 17 |
| _memset | 17 |
| _strlen | 17 |
| CertSetStoreProperty | 17 |
| SetupQueryInfFileInformationW | 17 |
| NtQuerySystemEnvironmentValue | 17 |
| @System@@LStrLen\$qqrv | 17 |
| @Typinfo@BooleanIdents | 17 |
| @Controls@TControl@\$bdtr\$qqrv | 17 |
| KeGetPreviousMode | 17 |
| MprInfoBlockQuerySize | 17 |
| MprAdminInterfaceTransportGetInfo | 17 |
| mssip32DIIRegisterServer | 17 |
| LsaSetSecurityObject | 17 |
| MAPIUninitialize | 17 |
| SzFindSz@8 | 17 |
| MAPILogon | 17 |
| PpropFindProp@12 | 17 |
| ??4ostream _withassign@@QAEAAVostream | 17 |
| NtAssignProcessToJobObject | 17 |
| EssSecurityLabelEncodeEx | 17 |
| ?Set@STREAM_MESSAGE@@UAEEKW4MES | 17 |
| GetColorProfileElementTag | 17 |
| FGetComponentPath | 17 |
| OpenStreamOnFile@24 | 17 |
| GetAttribIMsgOnIStg@12 | 17 |
| GdiplIsOutlineVisiblePathPoint | 17 |
| GdiplIsVisiblePathPointI | 17 |
| Tcl_CloneInterp | 17 |
| ?rfind@?\$basic_string@GU?\$char_traits@G | 17 |
| IsRasmanProcess | 17 |
| SdbFreeFlagInfo | 17 |
| ?QueryResourceString@BASE_SYSTEM@@S | 17 |
| ?SetFileName@FSN_FILTER@@QAEFPBD@Z | 17 |
| PSetupDriverInfoFromName | 17 |
| acmMessage32 | 17 |
| SetupDiAskForOEMDisk | 17 |
| EvtClose | 17 |
| KeUpdateRunTime | 17 |

| | |
|--|----|
| GdipBitmapSetResolution | 17 |
| HTTPSCertificateTrust | 17 |
| ?do_narrow@?\$ctype@G@std@@MBEPBG | 17 |
| dh | 17 |
| ToplScheduleImport | 17 |
| ToplVertexNumberOfOutEdges | 17 |
| DeleteMonitorW | 17 |
| ClassReleaseRemoveLock | 17 |
| @Sysutils@TEncoding@\$bcdtr\$qqrv | 17 |
| @Sysutils@TLanguages@\$bcdtr\$qqrv | 17 |
| @Sysutils@Exception@\$bcdtr\$qqrv | 17 |
| @Sysutils@Exception@\$bcctr\$qqrv | 17 |
| @Sysutils@TEncoding@\$bcctr\$qqrv | 17 |
| @Sysutils@TLanguages@\$bcctr\$qqrv | 17 |
| @Classes@TComponent@UpdateAction\$qq | 17 |
| @Classes@TThread@\$bcdtr\$qqrv | 17 |
| @Classes@TThread@\$bcctr\$qqrv | 17 |
| @Timespan@TTimeSpan@\$bcctr\$qqrv | 17 |
| @Timespan@TTimeSpan@\$bcdtr\$qqrv | 17 |
| SystemFunction028 | 17 |
| posix_regfree | 17 |
| SoftpubFreeDefUsageCallData | 17 |
| @Xmldoc@initialization\$qqrv | 17 |
| glPassThrough | 17 |
| @Controls@TWinControl@CreateParams\$q | 17 |
| MPDeleteCriticalSection | 17 |
| _SHGetFileInfo_@20 | 17 |
| SHGetNameFromIDList | 17 |
| GetProxyDllInfo | 17 |
| AllocateAndGetTcpExTableFromStack | 17 |
| NtSuspendProcess | 17 |
| ??_Gbad_cast@@UAEPAXI@Z | 17 |
| PathGetShortPath | 17 |
| VarInt | 17 |
| GetGadgetRgn | 17 |
| InvalidateGadget | 17 |
| _DeleteFile@4 | 17 |
| CAOIDAdd | 17 |
| CryptCATVerifyMember | 17 |
| ToplGraphNumberOfVertices | 17 |
| ToplVertexGetParent | 17 |
| @Controls@TWinControl@DefaultHandler\$ | 17 |
| @Controls@TWinControl@WndProc\$qqrr17 | 17 |
| @Controls@TWinControl@DestroyWindowI | 17 |
| RtlNormalizeProcessParams | 17 |
| ?GetCommon@@YAPAVCCommon@@XZ | 17 |
| ?xml_parse_config@@YGHPADPAPA_U_tagC | 17 |

| | |
|---|----|
| ?CreateCSmallPopup@@YAPAVCSmallPopu | 17 |
| ?GetBrowserUtil@@YAPAVCBrowserUtil@C | 17 |
| ?CreateStringTable@@YAPAVCStringTable@ | 17 |
| ?CreateCPopup@@YAPAVCPopup@@XZ | 17 |
| deflateEnd | 17 |
| sym | 17 |
| ?open@?\$basic_ifstream@DU?\$char_traits< | 17 |
| JetCreateTableColumnIndex | 17 |
| ?GetNextValue@TPtrFromPtrMap@XPRT@(| 17 |
| _XprtUrlDecode@8 | 17 |
| _XprtFlipMem@8 | 17 |
| ?SetPosition@TMemStream@XPRT@@UAE | 17 |
| ??0TMemStream@XPRT@@QAE@PBXH@Z | 17 |
| xprt_memcmp | 17 |
| ?OnExternalEntityRef@TXmlParser@XPRT@ | 17 |
| ?OnDefault@TXmlParser@XPRT@@MAEXPI | 17 |
| ?OnEndCdataSection@TXmlParser@XPRT@I | 17 |
| ?OnComment@TXmlParser@XPRT@@MAE | 17 |
| ?OnProcessingInstruction@TXmlParser@XPI | 17 |
| ?Go@TXmlParser@XPRT@@QAE_NXZ | 17 |
| ??1TXmlParser@XPRT@@UAE@XZ | 17 |
| ?Stop@TXmlParser@XPRT@@QAEXXZ | 17 |
| ??0TXmlParser@XPRT@@QAE@AAVTStrear | 17 |
| ?OnStartCdataSection@TXmlParser@XPRT@ | 17 |
| PR_Free | 17 |
| PropSysFreeString | 17 |
| MimeOleSMimeCapAddCert | 17 |
| MimeOleGetBodyPropW | 17 |
| ??4ofstream@@QAEAAV0@ABV0@@@Z | 17 |
| SetupCommitFileQueueA | 17 |
| EjectNtmsMedia | 17 |
| GetNtmsObjectInformationW | 17 |
| EnumerateNtmsObject | 17 |
| DeleteNtmsMediaPool | 17 |
| ?CreateVssBackupComponents@@YGJPAPA | 17 |
| _TextOut@20 | 17 |
| _SendMessageTimeout_@28 | 17 |
| CryptMsgCountersign | 17 |
| ATMProperlyLoaded | 17 |
| glTexCoord2sv | 17 |
| NetMessageNameAdd | 17 |
| CryptUIFreeCertificatePropertiesPagesW | 17 |
| SchemaClose | 17 |
| SchemaGetClassInfoByIndex | 17 |
| ADsWriteAttributeDefinition | 17 |
| ??0EA_SET@@QAE@XZ | 17 |
| ?QueryLastWriteTime@FAT_DIRENT@@QBI | 17 |

| | |
|---|----|
| ?do_scan_is@?\$_ctype@G@std@@MBEPBG | 17 |
| CM_Get_HW_Prof_Flags_ExA | 17 |
| CM_Run_Detection_Ex | 17 |
| gtk_dialog_get_type | 17 |
| gtk_widget_show | 17 |
| gimp_plugin_menu_register | 17 |
| IsDestinationReachableA | 17 |
| HrAllocAdviseSink@12 | 17 |
| UNKOBJ_ScC0Reallocate@12 | 17 |
| ConvertMultiSZNameToW | 17 |
| ??0CharsetMap@dbtools@@QAE@XZ | 17 |
| ?throwFeatureNotImplementedException@? | 17 |
| ?queryInterface@?\$_WeakComponentImplH | 17 |
| ?acquire@?\$_WeakComponentImplHelper4@ | 17 |
| ?find@OCharsetMap@dbtools@@QBE?AVC | 17 |
| ?addEventListener@?\$_WeakComponentImpl | 17 |
| ?removeEventListener@?\$_WeakComponent | 17 |
| ?getTypes@?\$_WeakComponentImplHelper4@ | 17 |
| ?getImplementationId@?\$_WeakComponent | 17 |
| ?end@OCharsetMap@dbtools@@QBE?AVC | 17 |
| ??1CharsetIterator@OCharsetMap@dbtools | 17 |
| ??DCharsetIterator@OCharsetMap@dbtools | 17 |
| ??1CharsetIteratorDerefHelper@dbtools@? | 17 |
| ??1OCharsetMap@dbtools@@UAE@XZ | 17 |
| ??8dbtools@@YA_NABVCharsetIterator@O | 17 |
| ??1ORowSetValueDecorator@connectivity@ | 17 |
| ??_EORowSetValueDecorator@connectivity@ | 17 |
| ?getEmptyValue@ODatabaseMetaDataResu | 17 |
| ??0ORowSetValue@connectivity@@QAE@? | 17 |
| ??0ORowSetValueDecorator@connectivity@ | 17 |
| ?setRows@ODatabaseMetaDataResultSet@? | 17 |
| ?getURL@OMetaConnection@connectivity@ | 17 |
| ?getTypes@ODatabaseMetaDataResultSet@ | 17 |
| ??1ODatabaseMetaDataResultSet@connecti | 17 |
| ?createArrayHelper@ODatabaseMetaDataR | 17 |
| ?getInfoHelper@ODatabaseMetaDataResult | 17 |
| ?getPropertySetInfo@ODatabaseMetaDataR | 17 |
| ?getValue@ODatabaseMetaDataResultSet@ | 17 |
| ?disposing@ODatabaseMetaDataResultSet@ | 17 |
| ??_EODatabaseMetaDataResultSet@connec | 17 |
| ?release@ODatabaseMetaDataResultSet@c | 17 |
| ?acquire@ODatabaseMetaDataResultSet@c | 17 |
| ?queryInterface@ODatabaseMetaDataResul | 17 |
| ??0ODatabaseMetaDataResultSet@connecti | 17 |
| ?disposing@ODatabaseMetaDataBase@con | 17 |
| ?getConnectionInfo@ODatabaseMetaDataB | 17 |
| ?getConnection@ODatabaseMetaDataBase(| 17 |

| | |
|---|----|
| ?getTypeInfo@ODatabaseMetaData@O | 17 |
| ?getMaxTablesInSelect@ODatabaseMetaData@O | 17 |
| ?getMaxStatements@ODatabaseMetaData@O | 17 |
| ?supportsCatalogsInTableDefinitions@ODat | 17 |
| ?supportsCatalogsInDataManipulation@ODa | 17 |
| ?supportsSchemasInTableDefinitions@ODat | 17 |
| ?supportsSchemasInDataManipulation@ODa | 17 |
| ?getCatalogSeparator@ODatabaseMetaData@O | 17 |
| ?isCatalogAtStart@ODatabaseMetaData@O | 17 |
| ?supportsAlterTableWithDropColumn@ODat | 17 |
| ?supportsAlterTableWithAddColumn@ODat | 17 |
| ?getIdentifierQuoteString@ODatabaseMeta | 17 |
| ?storesMixedCaseQuotedIdentifiers@ODat | 17 |
| ?supportsMixedCaseQuotedIdentifiers@ODa | 17 |
| ?getImplementationId@?\$_WeakImplHelper | 17 |
| ?getTypes@?\$_WeakImplHelper2@VXDatabase | 17 |
| ?release@?\$_WeakImplHelper2@VXDatabase | 17 |
| ?acquire@?\$_WeakImplHelper2@VXDatabase | 17 |
| ?queryInterface@?\$_WeakImplHelper2@VXL | 17 |
| ?getInt32@ORowSetValue@connectivity@C | 17 |
| ?setTypeKind@ORowSetValue@connectivity | 17 |
| ?free@ORowSetValue@connectivity@@AAI | 17 |
| ??1ORowSetValue@connectivity@@QAE@Y | 17 |
| ?dispose@?\$_WeakComponentImplHelper4@C | 17 |
| ?getBOOL@comphelper@@YAEAVAny@ui | 17 |
| ?getINT32@comphelper@@YAJABVAny@ui | 17 |
| ?disposing@OPropertySetHelper@cppu@@ | 17 |
| ?getline@std@@YAAV?\$basic_istream@G | 17 |
| ??8std@@YA_NPBDABV?\$basic_string@DU | 17 |
| ?find_last_of@?\$_basic_string@DU?\$char_tr | 17 |
| SQLColumnsW | 17 |
| VarDecNeg | 17 |
| MimeOleSetPropW | 17 |
| CreateIMAPTransport2 | 17 |
| EssSignCertificateDecodeEx | 17 |
| CsrCaptureMessageMultiUnicodeStringsInPI | 17 |
| IPSecFreeMulNFAData | 17 |
| ?Replace@TBstr@XPRT@@QAEHGG@Z | 17 |
| ?SetMode@TBlockCipher@XPRT@@QAEXW | 17 |
| ?SetIV@TBlockCipher@XPRT@@QAEXPBE@ | 17 |
| ?ProcessData@TBlockCipher@XPRT@@UAE | 17 |
| ??0TMd5Digest@XPRT@@QAE@H@Z | 17 |
| xprt_snprintf | 17 |
| ?Assign@TBstr@XPRT@@QAEAAV12@PBGI | 17 |
| _XprtStringUtf8ByteLen@8 | 17 |
| CertVerifyCRLRevocation | 17 |
| CryptDecodeMessage | 17 |

| | |
|--|----|
| CertFindSubjectInSortedCTL | 17 |
| CryptSetKeyIdentifierProperty | 17 |
| glClearAccum | 17 |
| RasRpcSetUserPreferences | 17 |
| ZwFlushWriteBuffer | 17 |
| PdhLookupPerfNameByIndexW | 17 |
| AtlModuleTerm | 17 |
| _CommDlg_OpenSave_GetFilePath@12 | 17 |
| SetupInstallFileA | 17 |
| ?GetFile@CIniW@@QBEPBGXZ | 17 |
| RtlCreateAtomTable | 17 |
| NtWriteFileGather | 17 |
| NtUnlockVirtualMemory | 17 |
| NtSignalAndWaitForSingleObject | 17 |
| glDepthRange | 17 |
| PdhFormatFromRawValue | 17 |
| MimeOleGetCodePageInfo | 17 |
| glTexGenf | 17 |
| RtlDosSearchPath_U | 17 |
| CPExportKey | 17 |
| ??_Gistream@@UAEPAIX@Z | 17 |
| _NDdeShareSetInfo_@24 | 17 |
| DUserSendMethod | 17 |
| PeekMessageExW | 17 |
| JetOpenTempTable3 | 17 |
| SetupDiCreateDeviceInterfaceW | 17 |
| RtlGetLengthWithoutLastFullDosOrNtPathEl | 17 |
| ?put@ostream@@QAEAAV1@D@Z | 17 |
| glRasterPos3dv | 17 |
| MsiProcessAdvertiseScriptA | 17 |
| rtcSetTimeVar | 17 |
| KeReleaseSpinLockFromDpcLevel | 17 |
| gimp_progress_init | 17 |
| PeekMessageExA | 17 |
| ADsEnumerateNext | 17 |
| RasGetErrorStringW | 17 |
| McastEnumerateScopes | 17 |
| NtQueryMutant | 17 |
| _CharUpper@4 | 17 |
| PutMemStr | 17 |
| CAOID SetProperty | 17 |
| ?getint@istream@@AAEHPAD@Z | 17 |
| RtlCreateSystemVolumeInformationFolder | 17 |
| VarI1FromDisp | 17 |
| GetVarConversionLocaleSetting | 17 |
| glGetTexGeniv | 17 |
| ?sunk_with_stdio@ios@@0HA | 17 |

| | |
|---|----|
| ?sync@filebuf@@UAEHXZ | 17 |
| ??_Eostream_withassign@@UAEPAXI@Z | 17 |
| VarR4FromI1 | 17 |
| ?what@runtime_error@std@@UBEPBDXZ | 17 |
| ?size@?\$basic_string@_WU?\$char_traits@_ | 17 |
| ?Enable@Window@@QAEX_N0@Z | 17 |
| ?Notify@Window@@UAEJAAVNotifyEvent@ | 17 |
| ?PreNotify@Window@@UAEJAAVNotifyEve | 17 |
| AddPortExA | 17 |
| ?delbuf@ios@@QBEHXZ | 17 |
| VarUI2FromDec | 17 |
| SetupSetDirectoryIdExA | 17 |
| NetReplGetInfo | 17 |
| NdrSimpleStructBufferSize | 17 |
| NdrInterfacePointerFree | 17 |
| NdrUserMarshalUnmarshal | 17 |
| URLOpenStreamW | 17 |
| ADsExecuteSearch | 17 |
| VarUI2FromI8 | 17 |
| SpiInstanceInit | 17 |
| ?rfind@?\$basic_string@GU?\$char_traits@G | 17 |
| GetAltMonthNames | 17 |
| pcap_open_live | 17 |
| MimeOleGetCertsFromThumbprints | 17 |
| ADsCloseSearchHandle | 17 |
| NtResumeProcess | 17 |
| ?Log@CmLogFile@@QAAXW4_CMLOG_ITEI | 17 |
| RasGetConnectionStatistics | 17 |
| gimp_progress_update | 17 |
| MimeOleCreateHashTable | 17 |
| ??9type_info@@QBEHABV0@@Z | 17 |
| CM_Get_DevNode_Registry_Property_ExA | 17 |
| ??1QFileInfo@@QAE@XZ | 17 |
| SQLConnectA | 17 |
| WerpSetCallBack | 17 |
| MimeOleParseRfc822Address | 17 |
| SQLSetDescField | 17 |
| MsiProvideComponentA | 17 |
| MsiVerifyPackageA | 17 |
| RtlCreateActivationContext | 17 |
| ??_Eiostream@@UAEPAXI@Z | 17 |
| MsiSetFeatureStateA | 17 |
| RegSetValueExU | 17 |
| inflateInit_ | 17 |
| RtlTryEnterCriticalSection | 17 |
| RtlValidateProcessHeaps | 17 |
| CryptSIPAddProvider | 17 |

| | |
|--|----|
| CryptExportPKCS8 | 17 |
| ?length@?\$basic_string@GU?\$char_traits@ | 17 |
| ClassDeleteSrbLookasideList | 17 |
| ClassDeviceControl | 17 |
| ErrClose | 17 |
| NdrSimpleStructUnmarshall | 17 |
| ?insert@?\$basic_string@GU?\$char_traits@` | 17 |
| mci32Message | 17 |
| ?close@?\$basic_filebuf@GU?\$char_traits@ | 17 |
| CredGetTargetInfoA | 17 |
| FXMemAttach | 17 |
| PdhGetCounterTimeBase | 17 |
| ??1CEventLog@@QAE@XZ | 17 |
| ??_Distrstream@@QAEXXZ | 17 |
| ??_Fbad_cast@@QAEXXZ | 17 |
| CryptGetMessageSignerCount | 17 |
| ??1QUrl@@QAE@XZ | 17 |
| ?translate@QCoreApplication@@SA?AVQSt | 17 |
| ?qRegisterResourceData@@YA_NHPBE00@ | 17 |
| ?qUnregisterResourceData@@YA_NHPBE00 | 17 |
| RtlpApplyLengthFunction | 17 |
| ??1CVssWriter@@UAE@XZ | 17 |
| DuplicateEncryptionInfoFile | 17 |
| CreateDispTypeInfo | 17 |
| CryptCATEnumerateCatAttr | 17 |
| ResUtilGetBinaryProperty | 17 |
| ResUtilResourcesEqual | 17 |
| ?nextCheckState@QAbstractButton@@MAE | 17 |
| ?mousePressEvent@QAbstractButton@@M | 17 |
| IsFolderPrivateForUser | 17 |
| open | 17 |
| DbgUiConvertStateChangeStructure | 17 |
| ?SetEntry@CIniW@@QAEXPBG@Z | 17 |
| ?GPPI@CIniA@@QBEKPBD0K@Z | 17 |
| ?WPPB@CIniW@@QAEXPBG0H@Z | 17 |
| ?WPPI@CIniW@@QAEXPBG0K@Z | 17 |
| StretchDIB | 17 |
| ?AddTitle@CCollection@@QAEPAVCTitle@` | 17 |
| GetImageConfigInformation | 17 |
| pSetupWriteLogError | 17 |
| ??_8stdiostream@@7Bistream@@@ | 17 |
| HrDoAttachmentVerb | 17 |
| RtlCreateAndSetSD | 17 |
| _ZTVSt9basic_iosIcSt11char_traitsIcEE | 17 |
| GdipPathIterNextSubpathPath | 17 |
| GdipPathIterNextPathType | 17 |
| ProcessGroupPolicyCompleted | 17 |

| | |
|---|----|
| ??YWString@@QAEAAV0@ABV0@@Z | 17 |
| ZwSetHighWaitLowEventPair | 17 |
| MsiGetFileVersionW | 17 |
| ??0QApplication@@QAE@AAHPAPADH@Z | 17 |
| ?mouseMoveEvent@QAbstractButton@@@N | 17 |
| MsiConfigureFeatureFromDescriptorA | 17 |
| ?minimumSizeHint@QAbstractScrollArea@() | 17 |
| ?GetError@SvStream@@QBEKXZ | 17 |
| ResUtilFindExpandedSzProperty | 17 |
| ILFree | 17 |
| _wstat64i32 | 16 |
| RtlIsRangeAvailable | 16 |
| RtlDeleteOwnersRanges | 16 |
| MsiGetFeatureUsageW | 16 |
| DsIsMangledDnW | 16 |
| GetSoftwareUpdateInfo | 16 |
| _ultoa_s | 16 |
| _ZNK7QString11toLocal8BitEv | 16 |
| FsRtlFastCheckLockForWrite | 16 |
| ExFreeToPagedLookasideList | 16 |
| WNetGetSearchDialog | 16 |
| ?pbase@?\$basic_streambuf@GU?\$char_tra | 16 |
| OsThunkDdAlphaBlt | 16 |
| SetupDiCreateDeviceInterfaceRegKeyA | 16 |
| SetupQuerySpaceRequiredOnDriveW | 16 |
| osl_destroyCondition | 16 |
| osl_joinWithThread | 16 |
| EnableThemeDialogTexture | 16 |
| FCIAddFile | 16 |
| ZwSetInformationObject | 16 |
| HalFreeCommonBuffer | 16 |
| TdiDeregisterNetAddress | 16 |
| CTELogEvent | 16 |
| ??_7istream@@@6B@ | 16 |
| ?init@ios@@IAEXPAVstreambuf@@@Z | 16 |
| glLightf | 16 |
| glRasterPos4sv | 16 |
| glPolygonOffset | 16 |
| glInterleavedArrays | 16 |
| ?rdbuf@ios@@QBEPAVstreambuf@@XZ | 16 |
| ?good@ios@@QBEHXZ | 16 |
| _EnumPropsEx_@12 | 16 |
| _StartServiceCtrlDispatcher_@4 | 16 |
| DnsValidateName_A | 16 |
| HidD_FlushQueue | 16 |
| NtAlpcConnectPort | 16 |
| ImmActivateLayout | 16 |

| | |
|---|----|
| glLoadMatrixd | 16 |
| ?tie@?\$basic_ios@GU?\$char_traits@G@std@?x_curindex@ios@@0HA | 16 |
| ?fill@ios@@QBEDXZ | 16 |
| lineMakeCallW | 16 |
| @System@@VarToWStr\$qqrr17System@W | 16 |
| @Classes@TList@Clear\$qqrv | 16 |
| @Graphics@TFont@SetHeight\$qqri | 16 |
| @Controls@TWinControl@GetControlCount | 16 |
| _tzname | 16 |
| SetMemEvent | 16 |
| NtSaveMergedKeys | 16 |
| PdhBrowseCountersA | 16 |
| CM_Enumerate_Classes | 16 |
| ReadSecurityDescriptorControlType | 16 |
| AdsTypeFreeAdsObjects | 16 |
| VarI8FromDisp | 16 |
| _GetCompressedFileSize_@8 | 16 |
| ??6ostream@@QAEAAV0@PBC@Z | 16 |
| ??_8istream@@7B@ | 16 |
| ?sync@stdiobuf@@UAEHXZ | 16 |
| ?text@filebuf@@2HB | 16 |
| ??_Estreambuf@@UAEPAXI@Z | 16 |
| ldap_delete | 16 |
| ??1logic_error@@UAE@XZ | 16 |
| MsiRecordSetStreamW | 16 |
| JetCloseTable | 16 |
| RasPortReceiveEx | 16 |
| RasGetInfo | 16 |
| RasInitialize | 16 |
| ZwResumeProcess | 16 |
| _WritePrivateProfileStruct_@20 | 16 |
| _DeviceCapabilities_@20 | 16 |
| _EnumDependentServices_@24 | 16 |
| ?SynchronizeTime@CProxy@@QAEJPAG@Z | 16 |
| ?GeoLocate@CProxy@@QAEJXZ | 16 |
| ?Close@CProxy@@QAEXXZ | 16 |
| ?SendRemoteHttpRequest@CProxy@@QAE | 16 |
| ??1CProxy@@QAE@XZ | 16 |
| ?LoadDll@CProxy@@QAEJPBG@Z | 16 |
| ?Open@CProxy@@QAEJHPAX@Z | 16 |
| DirectDrawEnumerateW | 16 |
| RtlDoesFileExists_U | 16 |
| SchemaGetStringFromStringTable | 16 |
| LdapTypeToAdsTypeDNWithString | 16 |
| LdapSearchExtS | 16 |
| AdsTypeToLdapTypeCopyGeneralizedTime | 16 |

| | |
|---|----|
| ?IsEmpty@CString@@QBEHXZ | 16 |
| ??1stdiobuf@@UAE@XZ | 16 |
| ??4istream_withassign@@QAEAAVistream@ | 16 |
| ??1CLangList@@QAE@XZ | 16 |
| ??4CTXStringW@@QAEAAV0@ABVCTXBSTR | 16 |
| ScriptIsComplex | 16 |
| CreateColorTransformA | 16 |
| InternalSetDeviceConfig | 16 |
| GetNamedProfileInfo | 16 |
| CloseColorProfile | 16 |
| SQLColAttributes | 16 |
| @Cxgeometry@initialization\$qqrw | 16 |
| sqlite3_bind_blob | 16 |
| sqlite3_column_blob | 16 |
| WinStationQueryInformationA | 16 |
| WinStationSendMessageA | 16 |
| WinStationTerminateProcess | 16 |
| UnimodemNotifyTSP | 16 |
| ??1CReaderWriterLock3@@QAE@XZ | 16 |
| KeTryToAcquireQueuedSpinLockRaiseToSync | 16 |
| TdiBuildNetbiosAddressEa | 16 |
| TdiDefaultRcvDatagramHandler | 16 |
| ?begin@?\$basic_string@DU?\$char_traits@I | 16 |
| ?precision@ios@@QAEHH@Z | 16 |
| ??1istream@@UAE@XZ | 16 |
| MprInfoBlockAdd | 16 |
| MprAdminMIBEntryGet | 16 |
| MprAdminUserServerDisconnect | 16 |
| PacketGetNetType | 16 |
| SdbOpenDatabase | 16 |
| CreateTable | 16 |
| RouterGetErrorStringW | 16 |
| RtlDeleteTimer | 16 |
| RtmGetNextHopPointer | 16 |
| DhcpCreateOptionV5 | 16 |
| DhcpEnumSubnetElementsV5 | 16 |
| DhcpEnumSubnets | 16 |
| DhcpGetOptionInfo | 16 |
| DhcpCreateSubnet | 16 |
| TrustFindIssuerCertificate | 16 |
| DceErrorInqTextA | 16 |
| AVIFileCreateStream | 16 |
| MsiConfigureProductA | 16 |
| WintrustLoadFunctionPointers | 16 |
| CryptCATStoreFromHandle | 16 |
| AddPersonalTrustDBPages | 16 |
| MsCatConstructHashTag | 16 |

| | |
|---|----|
| SwapPword@8 | 16 |
| UNKOBJ_ScSzFromIdsAlloc@20 | 16 |
| ??1bad_typeid@@UAE@XZ | 16 |
| ?Empty@CPropStoreManager@@QAEXXZ | 16 |
| CreateNNTPTransport | 16 |
| ?find@?\$char_traits@G@std@@SAPBGPBG | 16 |
| TouchFileTimes | 16 |
| ?GetLexemeAt@ARGUMENT_LEXEMIZER@0 | 16 |
| MsiApplyPatchA | 16 |
| RasGetHport | 16 |
| cmc_logoff | 16 |
| MAPIUninitialize@0 | 16 |
| RefreshPolicyEx | 16 |
| SamiSetDSRMPassword | 16 |
| AVISaveVW | 16 |
| ?PutMultipleSwitch@ARGUMENT_LEXEMIZE | 16 |
| LsaSetTrustedDomainInformation | 16 |
| PSetupInstallMonitor | 16 |
| CPVerifySignature | 16 |
| CPSetKeyParam | 16 |
| RestoreMediaSense | 16 |
| ??_Gios@@UAEPAXI@Z | 16 |
| ResUtilFindExpandSzProperty | 16 |
| rtcStrConvVar | 16 |
| MsiGetUserInfoA | 16 |
| MsiRecordClearData | 16 |
| Gdip GetAllPropertyItems | 16 |
| ReadServerSupportsIsADControl | 16 |
| CreateThreadpoolWait | 16 |
| WaitForThreadpoolWaitCallbacks | 16 |
| CloseThreadpoolWait | 16 |
| SetThreadpoolWait | 16 |
| WerpInitiateCrashReporting | 16 |
| ?str@?\$basic_stringstream@_WU?\$char_tr: | 16 |
| DelNodeRunDLL32 | 16 |
| SamSetInformationUser | 16 |
| SQLGetDiagRec | 16 |
| MimeOleObjectFromMoniker | 16 |
| MimeOleFindCharset | 16 |
| @Idssopenssl@initialization\$qqrv | 16 |
| @Idssopensslheaders@initialization\$qqrv | 16 |
| ILGetSize | 16 |
| CryptSIPGetInfo | 16 |
| CmLoadSmallIconA | 16 |
| ?Right@CHString@@QBE?AV1@H@Z | 16 |
| _JNU_ThrowByName@12 | 16 |
| FindSheet | 16 |

| | |
|--|----|
| ADsPropCreateNotifyObj | 16 |
| ??6ostream@@QAEAAV0@D@Z | 16 |
| ??_8iostream@@7Bistream@@@ | 16 |
| FPropExists@8 | 16 |
| cmc_look_up | 16 |
| GetFirstImageInList | 16 |
| AcquireImage | 16 |
| ?copy@?\$basic_string@GU?\$char_traits@G | 16 |
| RtlGetActiveActivationContext | 16 |
| RtlEqualLuid | 16 |
| ?construct@?\$allocator@D@std@@QAEXP, | 16 |
| @System@@UStrFromWStr\$qqrr20System(| 16 |
| @System@@UStrFromWArray\$qqrr20Syste | 16 |
| @System@@UStrFromArray\$qqrr20System | 16 |
| @System@TObject@ClassName\$qqrv | 16 |
| @\$xp\$17System@AnsiString | 16 |
| @Forms@TApplication@SetMainFormOnTa | 16 |
| @Graphics@TBitmap@SetPixelFormat\$qqr2 | 16 |
| @Graphics@TGraphic@SetTransparent\$qqr | 16 |
| @Graphics@TGraphic@Equals\$qqrp17Grap | 16 |
| @Graphics@TGraphic@DefineProperties\$qc | 16 |
| @\$xp\$17Graphics@TGraphic | 16 |
| glColor3iv | 16 |
| SamRidToSid | 16 |
| Tcl_FreeList | 16 |
| __vbaVarIndexStoreObj | 16 |
| @System@@CopyRecord\$qqrv | 16 |
| @System@@WStrAddRef\$qqrr17System@` | 16 |
| GdipBitmapSetPixel | 16 |
| GdipGetPropertySize | 16 |
| GdipImageGetFrameDimensionsCount | 16 |
| WTHelperGetFileName | 16 |
| TopIListSetIter | 16 |
| TopIGraphFindEdgesForMST | 16 |
| TopIEdgeSetWeight | 16 |
| NdrProxyErrorHandler | 16 |
| _wfindnext64 | 16 |
| mod32Message | 16 |
| @System@@StartExe\$qqrv | 16 |
| @Sysutils@Time\$qqrv | 16 |
| @Sysutils@Trim\$qqrx20System@UnicodeSt | 16 |
| @Forms@TScrollingWinControl@DoGesture | 16 |
| @loutils@initialization\$qqrv | 16 |
| @loutils@Finalization\$qqrv | 16 |
| @loutils@TPath@\$bcctr\$qqrv | 16 |
| @loutils@TPath@\$bcdtr\$qqrv | 16 |
| @Controls@TControl@CreateTouchManage | 16 |

| | |
|--|----|
| MsiAdvertiseProductA | 16 |
| LoadSTRINGFromHKCU | 16 |
| LpkPresent | 16 |
| @Xmlschema@initialization\$qqrv | 16 |
| @Xmlintf@initialization\$qqrv | 16 |
| @Xmldom@initialization\$qqrv | 16 |
| @Msxmldom@initialization\$qqrv | 16 |
| @Xmlschematags@initialization\$qqrv | 16 |
| _ReplaceText_@4 | 16 |
| _FreeEnvironmentStrings@4 | 16 |
| ?ConvertToPureFile@FS@@YA?AVCTXString@ | 16 |
| _tfopen | 16 |
| SetGadgetRootInfo | 16 |
| SetGadgetBufferInfo | 16 |
| SetGadgetFocus | 16 |
| _CreateFont@56 | 16 |
| _DrawText@20 | 16 |
| ??0bad_cast@@QAE@ABQBD@Z | 16 |
| ??0iostream@@QAE@PAVstreambuf@@@ | 16 |
| @Controls@TWinControl@CreateWnd\$qqrv | 16 |
| ??0strstream@@QAE@XZ | 16 |
| XRegThunkEntry | 16 |
| WinStationNtsdDebug | 16 |
| _WinStationReadRegistry | 16 |
| ldap_unbind | 16 |
| deflate | 16 |
| ExtensionApiVersion | 16 |
| SetupAddInstallSectionToDiskSpaceListW | 16 |
| LdrFlushAlternateResourceModules | 16 |
| COMResModuleInstance | 16 |
| DeallocateNtmsMedia | 16 |
| DismountNtmsMedia | 16 |
| AccessNtmsLibraryDoor | 16 |
| SetNtmsObjectInformationW | 16 |
| CreateNtmsMediaPoolW | 16 |
| SetNtmsDeviceChangeDetection | 16 |
| MountNtmsMedia | 16 |
| AsrRestorePlugPlayRegistryData | 16 |
| AsrFreeContext | 16 |
| ??4CString@@QAEABV0@PBG@Z | 16 |
| _SetComputerName_@4 | 16 |
| ATMInstallSubstFontA | 16 |
| ATMMakePSSW | 16 |
| ATMMakePFMA | 16 |
| glRasterPos3iv | 16 |
| glMapGrid1f | 16 |
| LdapcSetStickyServer | 16 |

| | |
|--|----|
| ?SetAtDisabler@CLexer@@QAEXH@Z | 16 |
| ADsDeleteDSObject | 16 |
| wglUseFontBitmapsW | 16 |
| gIRasterPos4f | 16 |
| ??_Gbad_typeid@@UAEPAXI@Z | 16 |
| MsiEnumProductsW | 16 |
| MsiProcessAdvertiseScriptW | 16 |
| CM_Get_Hardware_Profile_InfoW | 16 |
| ??_Glogic_error@@UAEPAXI@Z | 16 |
| SamGetDisplayEnumerationIndex | 16 |
| ?QueryNthCluster@FAT@@QBEKKK@Z | 16 |
| ??1ROOTDIR@@UAE@XZ | 16 |
| ?QueryEaSetClusterNumber@EA_HEADER@ | 16 |
| ?IsValidCreationTime@FAT_DIRENT@@QBE | 16 |
| ?Read@REAL_FAT_SA@@UAEEPAVMESSAG | 16 |
| PurgeDownloadDirectory | 16 |
| ?before@type_info@@QBEHABV1@Z | 16 |
| ?do_is@\$ctype@G@std@@MBE_NFG@Z | 16 |
| ?do_scan_not@\$ctype@G@std@@MBEPB | 16 |
| ?do_toupper@\$ctype@G@std@@MBEPB | 16 |
| ldap_err2stringA | 16 |
| ldap_first_attributeA | 16 |
| ??_Efilebuf@@UAEPAXI@Z | 16 |
| g_strdup | 16 |
| g_strdup_printf | 16 |
| NPAddConnection | 16 |
| GetManagedApplications | 16 |
| _create_locale | 16 |
| PyList_New | 16 |
| ?TrimRight@CString@@QAEXXZ | 16 |
| ?setAutoRetrievingStatement@OAutoRetrie | 16 |
| ?setConnectionInfo@OMetaConnection@co | 16 |
| ?disposing@OMetaConnection@connectivit | 16 |
| ??1OAutoRetrievingBase@connectivity@@I | 16 |
| ??1OMetaConnection@connectivity@@UAE | 16 |
| ??0OAutoRetrievingBase@connectivity@@I | 16 |
| ??0OMetaConnection@connectivity@@QAF | 16 |
| ?getSomething@OMetaConnection@conne | 16 |
| ??BRowSetValue@connectivity@@QBEEFXZ | 16 |
| ??BRowSetValue@connectivity@@QBEJXZ | 16 |
| ??BRowSetValue@connectivity@@QBEXFXZ | 16 |
| ?fill@ORowSetValue@connectivity@@QAE | 16 |
| ??0ODatabaseMetaDataBase@connectivity@ | 16 |
| ??1OResultSetPrivileges@connectivity@@U | 16 |
| ?getValue@OResultSetPrivileges@connectiv | 16 |
| ?release@\$WeakComponentImplHelper4@ | 16 |
| ?disposing@OResultSetPrivileges@connecti | 16 |

| | |
|--|----|
| ??_EOResultSetPrivileges@connectivity@@I | 16 |
| ??0ResultSetPrivileges@connectivity@@Q | 16 |
| ??1ODatabaseMetaDataBase@connectivity@ | 16 |
| ??BRowSetValue@connectivity@@QBE?AI | 16 |
| ??BRowSetValue@connectivity@@QBE?AI | 16 |
| ?getInt16@ORowSetValue@connectivity@@C | 16 |
| ?makeAny@ORowSetValue@connectivity@ | 16 |
| ?getLong@ORowSetValue@connectivity@@ | 16 |
| ?getFloat@ORowSetValue@connectivity@@ | 16 |
| ?getDouble@ORowSetValue@connectivity@ | 16 |
| ??BRowSetValue@connectivity@@QBE?AI | 16 |
| ?getInt8@ORowSetValue@connectivity@@I | 16 |
| ?getBool@ORowSetValue@connectivity@@ | 16 |
| ??4ORowSetValue@connectivity@@QAEAA` | 16 |
| ?insertNewPosition@OSkipDeletedSet@con | 16 |
| ??2OSkipDeletedSet@connectivity@@SAPA | 16 |
| ??0OSkipDeletedSet@connectivity@@QAE@C | 16 |
| ??4ORowSetValue@connectivity@@QAEAA` | 16 |
| ??4ORowSetValue@connectivity@@QAEAA` | 16 |
| ?deletePosition@OSkipDeletedSet@connect | 16 |
| ?getString@ORowSetValue@connectivity@@(| 16 |
| ??BRowSetValue@connectivity@@QBE?AI | 16 |
| ?getSequence@ORowSetValue@connectivit | 16 |
| ?implUpdateObject@dbtools@@YAEABV?\$I | 16 |
| ?skipDeleted@OSkipDeletedSet@connectivi | 16 |
| ?getMappedPosition@OSkipDeletedSet@co | 16 |
| ??3ORowSetValue@connectivity@@SAXPA> | 16 |
| ??0ORowSetValue@connectivity@@QAE@A | 16 |
| ??3ORowSetValue@connectivity@@SAXPA> | 16 |
| ??4ORowSetValue@connectivity@@QAEAA` | 16 |
| ??1OSkipDeletedSet@connectivity@@QAE@C | 16 |
| ??3OSkipDeletedSet@connectivity@@SAXP@ | 16 |
| ?getTransformedGeneratedStatement@OAI | 16 |
| ?throwFunctionSequenceException@dbtool | 16 |
| ??0OSQLParser@connectivity@@QAE@ABV | 16 |
| ?parseTree@OSQLParser@connectivity@@(| 16 |
| ?substituteParameterNames@OSQLParseNc | 16 |
| ?parseNodeToStr@OSQLParseNode@conne | 16 |

| | |
|---|----|
| ??1OSQLParser@connectivity@@QAE@XZ | 16 |
| ?setObjectWithInfo@dbtools@@YAXABV?\$I | 16 |
| ??0RowSetValue@connectivity@@QAE@Y | 16 |
| ?fill@ORowSetValue@connectivity@@QAE@Y | 16 |
| ??0RowSetValue@connectivity@@QAE@A | 16 |
| ??BRowSetValue@connectivity@@QBE?A` | 16 |
| ?throwGenericSQLException@OMetaConne | 16 |
| ?getResourceStringWithSubstitution@Share | 16 |
| ?throwInvalidIndexException@dbtools@@Y | 16 |
| ?implSetObject@dbtools@@YAEABV?\$Refe | 16 |
| ?throwFunctionNotSupportedException@db | 16 |
| ?release@connectivity@@YAXAAJAAU?\$OB | 16 |
| rtl_string_newReplaceStrAt | 16 |
| rtl_str_valueOfDouble | 16 |
| ?erase@?\$basic_string@DU?\$char_traits@L | 16 |
| DsEnumerateDomainTrustsA | 16 |
| MimeOleCreateMessageParts | 16 |
| RtlResetRtlTranslations | 16 |
| ??3CDbCmdTreeNode@@SGXPAX@Z | 16 |
| ?QueryPidLookupTable@CiStorage@@QAEF | 16 |
| IPSecFreeMultiAKMPData | 16 |
| IPSecCopyNFAData | 16 |
| READ_REGISTER USHORT | 16 |
| READ_REGISTER ULONG | 16 |
| rtl_str_compare | 16 |
| RtlIsValidHandle | 16 |
| RtlGetProcessHeaps | 16 |
| LdrUnloadAlternateResourceModule | 16 |
| RtlSetIoCompletionCallback | 16 |
| VDMGetSymbol | 16 |
| JetFreeBuffer | 16 |
| rtcInputBox | 16 |
| rtcStrFromVar | 16 |
| ??5std@@YAAV?\$basic_istream@DU?\$ch: | 16 |
| ??6ostream@@QAEAAV0@PBX@Z | 16 |
| CPGetHashParam | 16 |
| I_NetLogonControl2 | 16 |
| AllocConvertMultiSZNameToAEx | 16 |
| _RegEnumKeyEx_@32 | 16 |
| CM_Unregister_Device_Interface_ExW | 16 |
| ?read@istream@@QAEAAV1@PACH@Z | 16 |
| glRectsv | 16 |
| glIndexes | 16 |
| MsiRecordSetStreamA | 16 |
| MsiNotifySidChangeW | 16 |
| Exfi386InterlockedExchangeUlong | 16 |
| PfxInitialize | 16 |

| | |
|---|----|
| gimp_displays_flush | 16 |
| VarUI1FromUI8 | 16 |
| RasDialW | 16 |
| PfxRemovePrefix | 16 |
| _wcscrror | 16 |
| _RemoveProp@8 | 16 |
| CASetCertTypeExpiration | 16 |
| glutKeyboardFunc | 16 |
| ?blen@streambuf@@IBEHXZ | 16 |
| JetCompact | 16 |
| picture_CopyPixels | 16 |
| SetColorProfileElementSize | 16 |
| VarI4FromI1 | 16 |
| glNormal3bv | 16 |
| glVertex2dv | 16 |
| ??_Diostream@@QAEXXZ | 16 |
| ??6ostream@@QAEAAV0@C@Z | 16 |
| _ZN7QStringaSERKS_ | 16 |
| SystemFunction032 | 16 |
| ?Show@Window@@QAEYEG@Z | 16 |
| ??1MessBox@@UAE@XZ | 16 |
| MAPIOpenFormMgr | 16 |
| BMAPIGetAddress | 16 |
| ?setb@streambuf@@IAEXPAD0H@Z | 16 |
| InternalGetIfTable | 16 |
| GdipWidenPath | 16 |
| glTexCoord2i | 16 |
| waveInGetID | 16 |
| NdrUserMarshalBufferSize | 16 |
| AVIStreamFindSample | 16 |
| RtlInsertElementGenericTableFull | 16 |
| ?append@?\$basic_string@GU?\$char_traits< | 16 |
| CM_Add_Res_Des | 16 |
| ?seekpos@streambuf@@UAEJJH@Z | 16 |
| CoGetInterceptor | 16 |
| DrawThemeTextEx | 16 |
| DibEnumFormat | 16 |
| VarI1FromDec | 16 |
| ??0MapMode@@QAE@W4MapUnit@@@Z | 16 |
| RtlApplicationVerifierStop | 16 |
| HrComposeMsgID@24 | 16 |
| UspAllocTemp | 16 |
| SystemFunction020 | 16 |
| MimeOleCreateBody | 16 |
| ??0QFileInfo@@QAE@ABVQString@@@Z | 16 |
| waveOutGetErrorTextW | 16 |
| GetThreadUILanguage | 16 |

| | |
|---|----|
| HrAthGetFileName | 16 |
| lineGetProviderListW | 16 |
| glColor3sv | 16 |
| glTexCoord1f | 16 |
| PSetupInstallICMPProfiles | 16 |
| VarR8FromBool | 16 |
| PdhUpdateLogFileCatalog | 16 |
| LdrEnumResources | 16 |
| ClassInitializeMediaChangeDetection | 16 |
| ClassReadDriveCapacity | 16 |
| ClassSendSrbSynchronous | 16 |
| ?attach@ofstream@@QAEXH@Z | 16 |
| ADsDeleteClassDefinition | 16 |
| LdapReadAttribute | 16 |
| ChkdskEx | 16 |
| MsiReinstallProductW | 16 |
| ??0?\$basic_ostream@GU?\$char_traits@G@ | 16 |
| ??_7?\$basic_ifstream@GU?\$char_traits@G@ | 16 |
| ??0?\$basic_istream@GU?\$char_traits@G@: | 16 |
| GetRTTAndHopCount | 16 |
| ResUtilStopResourceService | 16 |
| RtmGetMostSpecificDestination | 16 |
| ??1Graphic@@UAE@XZ | 16 |
| GetInformationCodeAuthzPolicyW | 16 |
| TdiDefaultRcvExpeditedHandler | 16 |
| RasPortEnumProtocols | 16 |
| RasEnumLanNets | 16 |
| MgmGetMfe | 16 |
| ??0QUrl@@QAE@ABVQString@@@Z | 16 |
| ?IsCorrectVersion@SYSTEM@@SGEXZ | 16 |
| joyConfigChanged | 16 |
| NetServerComputerNameDel | 16 |
| ?setp@streambuf@@IAEXPAD0@Z | 16 |
| rtl_ustr_ascii_shortenedCompare_WithLeng | 16 |
| ?focusInEvent@QPushButton@@MAEXPAVI | 16 |
| ?focusOutEvent@QPushButton@@MAEXPAA | 16 |
| ?hitButton@QAbstractButton@@MBE_NAB | 16 |
| ?childEvent@QLayout@@MAEXPAVQChildE | 16 |
| ?geometry@QLayout@@UBE?AVQRect@@ | 16 |
| ?isEmpty@QLayout@@UBE_NXZ | 16 |
| ?widget@QLayoutItem@@UAEPAVQWidget | 16 |
| ?layout@QLayout@@UAEPAV1@XZ | 16 |
| ?spacerItem@QLayoutItem@@UAEPAVQSp | 16 |
| ?indexOf@QLayout@@UBEHPAVQWidget@ | 16 |
| ?paintEvent@QPushButton@@MAEXPAVQF | 16 |
| ResUtilResourceTypesEqual | 16 |
| fstat | 16 |

| | |
|--|----|
| stat | 16 |
| do_echo_req | 16 |
| NtSetInformationDebugObject | 16 |
| ?GetHInst@CIniW@@QBEPAUHINSTANCE_ | 16 |
| ?Close@CCollection@@QAEKXZ | 16 |
| glGetPixelMapfv | 16 |
| WinStationSendMessageW | 16 |
| MimeOleInetDateToFileTime | 16 |
| DhcpOpenGlobalEvent | 16 |
| LdapNextAttribute | 16 |
| LdapModifyExtS | 16 |
| ADsAbandonSearch | 16 |
| ADsGetPreviousRow | 16 |
| MsiRecordIsNull | 16 |
| CryptCreateAsyncHandle | 16 |
| _ZN4Foam7argList12validOptionsE | 16 |
| _ZTVN4Foam13IStringStreamE | 16 |
| _ZN4Foam25distributedTriSurfaceMesh22di | 16 |
| glVertex3s | 16 |
| JetTerm2 | 16 |
| CM_Get_Device_Interface_AliasA | 16 |
| ServerLicensingClose | 16 |
| BSTR_UserUnmarshal | 16 |
| _aligned_offset_malloc | 16 |
| IOJ | 16 |
| RtlSetLastWin32Error | 15 |
| MsiRecordGetInteger | 15 |
| MsiLocateComponentW | 15 |
| DsReplicaFreeInfo | 15 |
| DsReplicaGetInfo2W | 15 |
| HideProcess | 15 |
| Control_RunDLLAsUserW | 15 |
| DsGetDcOpenW | 15 |
| _ZN7QObject10childEventEP11QChildEvent | 15 |
| _ZN7QObject11eventFilterEPS_P6QEvent | 15 |
| _ZN7QObject13connectNotifyEPKc | 15 |
| _ZN7QObject16disconnectNotifyEPKc | 15 |
| _ZN7QString16fromAscii_helperEPKci | 15 |
| SHGetFolderPathAndSubDirA | 15 |
| ?replace@?\$basic_string@DU?\$char_traits@ | 15 |
| DPA_Sort | 15 |
| SetupDiGetHwProfileList | 15 |
| FsRtlTruncateMcb | 15 |
| NlsOemLeadByteInfo | 15 |
| FsRtlCopyWrite | 15 |
| FsRtlProcessFileLock | 15 |
| ?uflow@?\$basic_streampbuf@GU?\$char_trai | 15 |

| | |
|---|----|
| DsClientMakeSpnForTargetServerA | 15 |
| CIMakeIClCommand | 15 |
| XML_SetCharacterDataHandler | 15 |
| ??0?\$basic_ofstream@DU?\$char_traits@D@ | 15 |
| ??0?\$basic_ifstream@DU?\$char_traits@D@ | 15 |
| NetDfsRemoveFtRootForced | 15 |
| @KbmMemCsvStreamFormat@initialization\$ | 15 |
| lineSetStatusMessages | 15 |
| TdiEnumerateAddresses | 15 |
| TdiRegisterNetAddress | 15 |
| TdiInitialize | 15 |
| CTEBlock | 15 |
| CTEInitTimer | 15 |
| glEvalCoord1d | 15 |
| glRectf | 15 |
| ?fd@ofstream@@QBEHXZ | 15 |
| ??4strstreambuf@@QAEAAV0@ABV0@@Z | 15 |
| ?lockbuf@ios@@QAAXXZ | 15 |
| ??oofstream@@QAE@HPADH@Z | 15 |
| ??_Gstdiostream@@UAEPAXI@Z | 15 |
| _GetFileTitle@12 | 15 |
| _UpdateResource_@24 | 15 |
| _OpenFile_@12 | 15 |
| ldap_compare_ext_sW | 15 |
| HidD_GetFeature | 15 |
| SdbReadDWORDTag | 15 |
| _environ_dll | 15 |
| CreateTextServices | 15 |
| ?rdbuf@?\$basic_ios@GU?\$char_traits@G@ | 15 |
| ?fill@?\$basic_ios@GU?\$char_traits@G@stc | 15 |
| VarUI4FromStr | 15 |
| CM_Enumerate_EnumeratorsA | 15 |
| ?putback@istream@@QAEAAV1@D@Z | 15 |
| ?fd@fstream@@QBEHXZ | 15 |
| @Classes@TList@Grow\$qqrv | 15 |
| @Classes@TList@\$bdtr\$qqrv | 15 |
| @Adodb@TCustomADODataset@ | 15 |
| @Db@TDataSet@FindField\$qqrx17System@ | 15 |
| @Controls@TControl@SetCursor\$qqr16Con | 15 |
| @Dxinspectordbvecurr@initialization\$qqrv | 15 |
| ?DeleteEntry@AUTOREG@@SGEPBVWSTRII | 15 |
| ??1DP_DRIVE@@UAE@XZ | 15 |
| ?AddEntry@AUTOREG@@SGEPBVWSTRING | 15 |
| ??0MOUNT_POINT_MAP@@QAE@XZ | 15 |
| DevQueryPrint | 15 |
| DebugSetMute | 15 |
| LdapSearchInitPage | 15 |

| | |
|---|----|
| SCardLocateCardsByATRA | 15 |
| input_GetItem | 15 |
| var_Set | 15 |
| vlc_release | 15 |
| WMCreateEditor | 15 |
| GetAppliedGPOListA | 15 |
| MimeOleClearDirtyTree | 15 |
| ?put@ostream@@QAEAAV1@C@Z | 15 |
| ??_Gfilebuf@@UAEPAXI@Z | 15 |
| ?doallocate@streambuf@@MAEHXZ | 15 |
| ldap_get_values | 15 |
| ldap_get_valuesA | 15 |
| ??8CTXBSTR@@QBE_NPA_W@Z | 15 |
| MsiSetInternalUI | 15 |
| GetThemeSysColor | 15 |
| JetOpenTable | 15 |
| JetOpenDatabase | 15 |
| SetupQueueCopyIndirectA | 15 |
| DirectDrawEnumerateExW | 15 |
| LdapTypeFreeLdapObjects | 15 |
| LdapGetSyntaxIdOfAttribute | 15 |
| LdapRenameExtS | 15 |
| VarBstrFromDec | 15 |
| ?clear@ios@@QAEXH@Z | 15 |
| ?unsetf@ios@@QAEJJ@Z | 15 |
| ?setrdbuf@stdiobuf@@QAEHHH@Z | 15 |
| ??_Dstrstream@@QAEXXZ | 15 |
| ??0CCiAdminParams@@QAE@PAVLangLis | 15 |
| ?DecodeNumber@CCmdCodecBase@@IAE | 15 |
| ?GetLength@CTXStringA@@QBEHXZ | 15 |
| GetPS2ColorRenderingIntent | 15 |
| GetCountColorProfileElements | 15 |
| PdhVbOpenLog | 15 |
| sqlite3_column_bytes | 15 |
| FreeEncryptedFileKeyInfo | 15 |
| ??0ostream_withassign@@QAE@PAVstrear | 15 |
| ?stossc@streambuf@@QAEXXZ | 15 |
| ??_D?\$basic_ostringstream@GU?\$char_trai | 15 |
| mid32Message | 15 |
| wod32Message | 15 |
| _WinStationReInitializeSecurity | 15 |
| _WinStationUpdateSettings | 15 |
| StopMonitoringHandle | 15 |
| CreateOverStructPool | 15 |
| ?ReadLock@CReaderWriterLock3@@QAEAX | 15 |
| ?setf@ios_base@std@@QAEHHH@Z | 15 |
| ??6?\$basic_ostream@DU?\$char_traits@D@ | 15 |

| | |
|---|----|
| _set_purecall_handler | 15 |
| ZwWaitLowEventPair | 15 |
| mmTaskYield | 15 |
| CMP_WaitServicesAvailable | 15 |
| MprAdminMIBBufferFree | 15 |
| SdbQueryData | 15 |
| RtmCreateNextHopEnum | 15 |
| RtmFindNextHop | 15 |
| _cwscanf | 15 |
| RtmDeleteRouteTable | 15 |
| DhcpEnumOptionValuesV5 | 15 |
| DhcpEnumMScopeElements | 15 |
| DhcpGetAllOptions | 15 |
| DhcpAddMScopeElement | 15 |
| DhcpSetSubnetInfo | 15 |
| DhcpEnumSubnetClientsV5 | 15 |
| GdipAddPathCurve2 | 15 |
| GdipWindingModeOutline | 15 |
| SetupGetFileCompressionInfoW | 15 |
| @Extctrls@TBevel@ | 15 |
| @Extctrls@TTimer@SetInterval\$qqrui | 15 |
| RtlGetNtVersionNumbers | 15 |
| RtlQueryInformationActiveActivationContex | 15 |
| SetupDiInstallClassW | 15 |
| pSetupStringTableLookUpString | 15 |
| ?_Getpfirst @_Container _base12@std@@Q | 15 |
| MprAdminInterfaceDeviceGetInfo | 15 |
| VarBstrFromUI2 | 15 |
| SoftpubDumpStructure | 15 |
| SoftpubAuthenticode | 15 |
| VarCyMul | 15 |
| UIAddRef@4 | 15 |
| FEqualNames@8 | 15 |
| FreeProws@4 | 15 |
| ?seekoff@stdiobuf@@UAEJJW4seek_dir@ic | 15 |
| NtLockVirtualMemory | 15 |
| SetWindowLongPtrW | 15 |
| GetWindowLongPtrW | 15 |
| MimeOleFileTimeToInetDate | 15 |
| MimeEditViewSource | 15 |
| ?GetPattern@ARGUMENT@@QAEPAVWSTF | 15 |
| DDGetAttachedSurfaceLcl | 15 |
| WSARemoveServiceClass | 15 |
| ??_Gstrstreambuf@@UAEPAXI@Z | 15 |
| gluEndPolygon | 15 |
| FDecodeID@12 | 15 |
| UNKOBJ_Free@8 | 15 |

| | |
|---|----|
| HrGetOmiProvidersFlags@8 | 15 |
| DCIEnum | 15 |
| CM_Get_Hardware_Profile_InfoA | 15 |
| DeleteClusterResourceType | 15 |
| RasGetEapUserDataW | 15 |
| rtcCurrentDir | 15 |
| VarDecFromBool | 15 |
| PSetupCreateMonitorInfo | 15 |
| CP GetUserKey | 15 |
| CP GetKeyParam | 15 |
| CP HashSessionKey | 15 |
| wctype | 15 |
| TraceMessageVa | 15 |
| cygwin32_socket | 15 |
| JetSnapshotStop | 15 |
| chmod | 15 |
| MsiProvideQualifiedComponentW | 15 |
| MsiSetExternalUIW | 15 |
| UuidHash | 15 |
| LdapReadAttributeFast | 15 |
| ReadGlobalPwrPolicy | 15 |
| EssReceiptEncodeEx | 15 |
| @Idcoder@initialization\$qqrv | 15 |
| @Idcoder3to4@initialization\$qqrv | 15 |
| ??\$?9DU?\$char_traits@D@std@@V?\$allocator@Z@std@@QAE@PBD@Z | 15 |
| ??0__non_rtti_object@@@QAE@PBD@Z | 15 |
| ?Init@CmLogFile@@QAEJPAUHINSTANCE_ | 15 |
| RpcMgmtInqServerPrincNameA | 15 |
| TF_InvalidAssemblyListCache | 15 |
| UploadLog | 15 |
| GetAgentPath | 15 |
| AgentExists | 15 |
| GetStatus | 15 |
| GetLogDirectory | 15 |
| InstallFilterHook@4 | 15 |
| ThrowMagickException | 15 |
| DestroyImageList | 15 |
| CM_Find_Range | 15 |
| ?sputn@?\$basic_streambuf@_WU?\$char_traits@_WU@std@@QAE@PBD@Z@std@@QAE@PBD@Z | 15 |
| ?destroy@?\$allocator@D@std@@QAE@PBD@Z@std@@QAE@PBD@Z | 15 |
| MimeOleSMimeCapGetHashAlg | 15 |
| @System@@New\$qqripv | 15 |
| @Graphics@TGraphic@Changed\$qqrp14Sys | 15 |
| @Graphics@TGraphic@\$bctr\$qqrv | 15 |
| @Graphics@TGraphic@ | 15 |
| @Controls@TControl@DefineProperties\$qq | 15 |
| BMAPIReadMail | 15 |

| | |
|--|----|
| wglSetLayerPaletteEntries | 15 |
| glVertex2iv | 15 |
| SamiSetBootKeyInformation | 15 |
| SamCreateUserInDomain | 15 |
| NetDfsAdd | 15 |
| sqlite3_errmsg | 15 |
| @System@@@WStrLen\$qqrx17System@WideChar | 15 |
| @System@@@WriteOLEString\$qqrr15System@ | 15 |
| DsReplicaSyncW | 15 |
| ??1CProcess@@@QAE@XZ | 15 |
| FindCertsByIssuer | 15 |
| WTHelperOpenKnownStores | 15 |
| ??Oostrstream@@QAE@XZ | 15 |
| ??5istream@@QAEAAV0@AAK@Z | 15 |
| CM_Enumerate_Enumerators_ExA | 15 |
| lineSetCallData | 15 |
| TopIFree | 15 |
| TopIListRemoveElem | 15 |
| TopIScheduleDuration | 15 |
| SceGetSecurityProfileInfo | 15 |
| ClassAcquireRemoveLockEx | 15 |
| @Sysutils@StrToInt\$qqrx20System@Unicod | 15 |
| @Classes@Point\$qqrii | 15 |
| @Gifimg@initialization\$qqrv | 15 |
| SaferRecordEventLogEntry | 15 |
| _calloc_crt | 15 |
| @Classes@TStringList@\$bctr\$qqrv | 15 |
| @Controls@TControl@SetPopupMenu\$qqrr | 15 |
| rtl_uString_newTrim | 15 |
| glMap2f | 15 |
| @Variants@@@VarFromLStr\$qqrr8TVarDatax | 15 |
| glVertex4i | 15 |
| @System@@@RewritText\$qqrr15System@TT | 15 |
| EnumPrintProcessorDatatypesW | 15 |
| NS_CStringSetDataRange | 15 |
| CAOIDDelete | 15 |
| ?GetString@CTXStringW@@@QBEPB_WXZ | 15 |
| ZwSetDefaultLocale | 15 |
| ZwSetTimer | 15 |
| short_array_from_ndr | 15 |
| ?DisplayMsg@MESSAGE@@@QAAEKW4MESS | 15 |
| DUserPostEvent | 15 |
| SetupCache | 15 |
| ??0CLangList@@@QAE@PAUICiCLangRes@@ | 15 |
| WVTAsn1SpcStatementTypeDecode | 15 |
| WintrustAddDefaultForUsage | 15 |
| GenericChainCertificateTrust | 15 |

| | |
|--|----|
| NetGroupSetUsers | 15 |
| TopIDeleteComponents | 15 |
| TopIIterFree | 15 |
| SamDeleteGroup | 15 |
| DsGetSiteNameW | 15 |
| MimeEditGetBackgroundImageUrl | 15 |
| MimeOleGetFileExtension | 15 |
| ConvertSidToU2Trustee | 15 |
| ConvertSidToString | 15 |
| AllocateNtmsMedia | 15 |
| _EnumFontFamilies_@16 | 15 |
| SoftpubDefCertInit | 15 |
| CryptSignMessageWithKey | 15 |
| wglSwapMultipleBuffers | 15 |
| SchemaOpen | 15 |
| LdapGetSchemaObjectCount | 15 |
| LdapFirstEntry | 15 |
| LdapValueFreeLen | 15 |
| ADsCreateClassDefinition | 15 |
| SoftpubLoadDefUsageCallData | 15 |
| RasDialDlgW | 15 |
| CM_Free_Log_Conf_Ex | 15 |
| MsiGetComponentStateA | 15 |
| WmiExecuteMethodA | 15 |
| DnsApiRealloc | 15 |
| Dns_InitializeWinsock | 15 |
| SamGetMembersInGroup | 15 |
| SamShutdownSamServer | 15 |
| ?Initialize@EA_HEADER@@QAEPAVMEM@ | 15 |
| ??1FAT_DIRENT@@UAE@XZ | 15 |
| ?put@\$basic_ostream@DU?\$char_traits@ | 15 |
| ?do_widen@?\$ctype@G@std@@MBEPBD@ | 15 |
| ?do_widen@?\$ctype@G@std@@MBEGD@ | 15 |
| tapiGetLocationInfoW | 15 |
| ConnectDlgProc | 15 |
| UnicodeToMultiByte | 15 |
| AdvancedDocumentPropertiesW | 15 |
| ?flags@ios@@QBEJXZ | 15 |
| ATMFontStatus | 15 |
| QT_Thunk | 15 |
| _snscanf | 15 |
| WrapProgress@20 | 15 |
| _GetDiskFreeSpaceEx@16 | 15 |
| ?rfind@\$basic_string@GU?\$char_traits@G | 15 |
| WNetPasswordChangeNotify | 15 |
| SafeArrayDestroyData | 15 |
| VarR4FromUI4 | 15 |

| | |
|---|----|
| VarXor | 15 |
| IPSecGetISAKMPData | 15 |
| IPSecFreeMulFilterData | 15 |
| IPSecAllocPolStr | 15 |
| CryptMsgCalculateEncodedLength | 15 |
| PdhParseInstanceNameA | 15 |
| PdhEnumMachinesHA | 15 |
| PdhGetRawCounterValue | 15 |
| AtIAxGetHost | 15 |
| _MoveFile@8 | 15 |
| SeCaptureSecurityDescriptor | 15 |
| __CRTL_MEM_GetBorMemPtrs | 15 |
| DownloadFile | 15 |
| RtlQueryTagHeap | 15 |
| LdrLoadAlternateResourceModule | 15 |
| JetGetInstanceInfo | 15 |
| MimeOleCreateMessage | 15 |
| __dummy_export | 15 |
| RtlUnlockBootStatusData | 15 |
| NtImpersonateClientOfPort | 15 |
| ?sh_none@filebuf@@2HB | 15 |
| CPAcquireContext | 15 |
| CPDestroyKey | 15 |
| pSetupGetRealSystemTime | 15 |
| _GrayString_@36 | 15 |
| UnregisterGadgetMessageString | 15 |
| SetActionTimeslice | 15 |
| RpcNetworkIsProtseqValidW | 15 |
| EnumPrinterKeyW | 15 |
| WinHttpSetDefaultProxyConfiguration | 15 |
| AccessCheckByTypeAndAuditAlarmW | 15 |
| SQLExecDirectW | 15 |
| CM_Set_DevNode_Problem | 15 |
| BuildTrusteeWithObjectsAndSidA | 15 |
| MAPISendMail | 15 |
| _WinStationUpdateClientCachedCredentials | 15 |
| ?is_open@?\$basic_ifstream@DU?\$char_traits@D@: | 15 |
| glIsEnabled | 15 |
| glGetTexParameterfv | 15 |
| MsiFormatRecordA | 15 |
| CompleteCreateSysmemSurface | 15 |
| AcquireDDThreadLock | 15 |
| McastApiStartup | 15 |
| ??5?\$basic_istream@DU?\$char_traits@D@: | 15 |
| DUserCastClass | 15 |
| UnregisterGadgetProperty | 15 |
| DUserDeleteGadget | 15 |

| | |
|---------------------------------------|----|
| IsInsideContext | 15 |
| CM_Free_Resource_Conflict_Handle | 15 |
| var_Destroy | 15 |
| JetGetCursorInfo | 15 |
| GetMem4 | 15 |
| GetMemStr | 15 |
| SaslInitializeSecurityContextA | 15 |
| VarRound | 15 |
| CADeleteCertType | 15 |
| ExInterlockedExtendZone | 15 |
| glutSwapBuffers | 15 |
| JetBackupInstance | 15 |
| JetResetSessionContext | 15 |
| ??0strstreambuf@@QAE@H@Z | 15 |
| ?stdiofile@stdiobuf@@QAEPAU_iobuf@@@Y | 15 |
| AssociateColorProfileWithDeviceW | 15 |
| OleQueryProtocol | 15 |
| CryptCATCDFEnumCatAttributes | 15 |
| ?sync@istream@@QAEHXZ | 15 |
| VarI8FromR4 | 15 |
| aout_FormatNbChannels | 15 |
| ?widen@?\$ctype@_W@std@@QBE_WD@Z | 15 |
| ?GetTextWidth@OutputDevice@@QBEJABV | 15 |
| ??0Rectangle@@QAE@ABVPoint@@ABVSi; | 15 |
| OpenTnefStream | 15 |
| RTFSync | 15 |
| ?peek@istream@@QAEHXZ | 15 |
| ?setmode@fstream@@QAEHH@Z | 15 |
| ??6ostream@@QAEAAV0@F@Z | 15 |
| rtl_compareMemory | 15 |
| ??1CTXHttpDownloadSink@@UAE@XZ | 15 |
| ?SetUIInterface@CTXHttpDownload@@QAE | 15 |
| ??0CTXHttpDownloadSink@@IAE@XZ | 15 |
| SetupRemoveFromSourceListA | 15 |
| DnsGetCacheDataTable | 15 |
| HidD_SetFeature | 15 |
| ZwAccessCheckByTypeAndAuditAlarm | 15 |
| ?pword@ios@@QBEAAPAXH@Z | 15 |
| lineGetIDW | 15 |
| SQLDataSources | 15 |
| InitObjectInfo | 15 |
| _WinStationCheckForApplicationName | 15 |
| ServerLicensingOpenW | 15 |
| SQLGetDescRecA | 15 |
| DsEnumerateDomainTrustsW | 15 |
| ?Erase@String@@QAEAAV1@GG@Z | 15 |
| __p_dstbias | 15 |

| | |
|-------------------------------------|----|
| LdapTypeToAdsTypeDNWithBinary | 15 |
| AdsTypeToLdapTypeCopyDNWithString | 15 |
| SetupDiRemoveDeviceInterface | 15 |
| ZwFilterToken | 15 |
| ??0CmLogFile@@QAE@XZ | 15 |
| CmStrCpyAllocA | 15 |
| vlc_cond_destroy | 15 |
| vlc_cond_init | 15 |
| vlc_cond_signal | 15 |
| RemoveRelocations | 15 |
| GetFileMUIPath | 15 |
| UpdateDebugInfoFileEx | 15 |
| ImmDisableIme | 15 |
| RpcServerInqCallAttributesW | 15 |
| __vbaUdtVar | 15 |
| ?close@QFile@@UAEXXZ | 15 |
| ??YQString@@QAEAAV0@PBD@Z | 15 |
| WerReportAddDump | 15 |
| WerPlsTransportAvailable | 15 |
| MMCGetProviderList | 15 |
| SQLNativeSqlA | 15 |
| glRasterPos3d | 15 |
| ??4fstream@@QAEAAV0@AAV0@@Z | 15 |
| ImmRegisterClient | 15 |
| PSetupDestroyDriverInfo3 | 15 |
| PSetupSelectDriver | 15 |
| MsiDatabaseApplyTransformA | 15 |
| MsiQueryProductStateA | 15 |
| NtLoadKey2 | 15 |
| SchemaGetPropertyInfo | 15 |
| ADsHelperGetCurrentRowMessage | 15 |
| AdsTypeToLdapTypeCopyDNWithBinary | 15 |
| glIndexfv | 15 |
| GetGadgetStyle | 15 |
| ClassQueryTimeOutRegistryValue | 15 |
| ClassSpinDownPowerHandler | 15 |
| ClassSendDeviceIoControlSynchronous | 15 |
| ClassFindModePage | 15 |
| HalSetRealTimeClock | 15 |
| SystemFunction018 | 15 |
| RasRpcGetInstalledProtocols | 15 |
| LdapGetNextPageS | 15 |
| ADsSetSearchPreference | 15 |
| MsiEvaluateConditionW | 15 |
| FlushTraceA | 15 |
| ?GetNextToken@CLexer@@QAEJPAGPAK@ | 15 |
| MpHeapAlloc | 15 |

| | |
|---|----|
| UpdateDebugInfoFile | 15 |
| SymRegisterCallback | 15 |
| CMP_GetServerSideDeviceInstallFlags | 15 |
| SetupGetSourceInfoW | 15 |
| DtcPerfOpen | 15 |
| RasGetCredentialsA | 15 |
| ?staticMetaObject@QWidget@@@2UQMetaObject | 15 |
| __vbaVarTextCmpGt | 15 |
| CM_Delete_Class_Key | 15 |
| FindFirstControl | 15 |
| ATMGetVersionExA | 15 |
| RasStartRasAutolfRequired | 15 |
| RasGetDeviceName | 15 |
| RasGetCalledIdInfo | 15 |
| ?setObjectName@QObject@@@QAEXABVQString | 15 |
| ??1QTimer@@@UAE@XZ | 15 |
| ZwQuerySystemEnvironmentValueEx | 15 |
| ?GetEntryBuffer@CGenericCiProxy@@@QAEF | 15 |
| VarDateFromR8 | 15 |
| LdapGetSubSchemaSubEntryPath | 15 |
| ?addWidget@QBoxLayout@@@QAEPAVQW | 15 |
| ?metaObject@QVBoxLayout@@@UBEPBUQM | 15 |
| ?qt_metacast@QVBoxLayout@@@UAEPAXPB | 15 |
| ?qt_metacall@QVBoxLayout@@@UAEHW4Ca | 15 |
| ?addItem@QBoxLayout@@@UAEXPQLayou | 15 |
| ?itemAt@QBoxLayout@@@UBEPAVQLayoutIt | 15 |
| ?takeAt@QBoxLayout@@@UAEPAVQLayoutIt | 15 |
| ?count@QBoxLayout@@@UBEHZ | 15 |
| ?sizeHint@QBoxLayout@@@UBE?AVQSize@() | 15 |
| ?minimumSize@QBoxLayout@@@UBE?AVQS | 15 |
| ?maximumSize@QBoxLayout@@@UBE?AVQS | 15 |
| ?expandingDirections@QBoxLayout@@@UBE | 15 |
| ?setGeometry@QBoxLayout@@@UAEXPBVQ | 15 |
| ?hasHeightForWidth@QBoxLayout@@@UBE_ | 15 |
| ?heightForWidth@QBoxLayout@@@UBEHH@ | 15 |
| ?minimumHeightForWidth@QBoxLayout@@@ | 15 |
| ?invalidate@QBoxLayout@@@UAEXXZ | 15 |
| ??1QVBoxLayout@@@UAE@XZ | 15 |
| ?qt_metacast@QPushButton@@@UAEPAXPB | 15 |
| ?qt_metacall@QPushButton@@@UAEHW4Ca | 15 |
| ?event@QPushButton@@@MAE_NPAVQE | 15 |
| ?SetParams@CmLogFile@@@QAEJHKPBG@Z | 15 |
| NtResetWriteWatch | 15 |
| NtCreateProcessEx | 15 |
| glAreTexturesResident | 15 |
| SetIoCompletionProc | 15 |
| DhcpCApiCleanup | 15 |

| | |
|---|----|
| LdapTypeToAdsTypeGeneralizedTime | 15 |
| ADsGetFirstRow | 15 |
| LdapOpenObject2 | 15 |
| SortAndRemoveDuplicateOIDs | 15 |
| ??0CTXStringA@@QAE@PBD@Z | 15 |
| _PfDeleteInterface@4 | 15 |
| _ZN4Foam9dimLengthE | 15 |
| _ZTVSt19basic_istreamIcSt11char_trail | 15 |
| sqlite3_bind_text | 15 |
| ??1filebuf@@UAE@XZ | 15 |
| @Cxlabel@initialization\$qqrv | 15 |
| MsiDatabaseGenerateTransformA | 15 |
| ?setText@QLineEdit@@QAEXABVQString@ | 15 |
| SceConfigureConvertedFileSecurity | 15 |
| I_RpcFree | 15 |
| ModifyAuthCode | 15 |
| VideoPortInitialize | 15 |
| WRITE_REGISTER_BUFFER_UCHAR | 15 |
| MCIWndRegisterClass | 15 |
| SplitSymbols | 15 |
| JetDupCursor | 15 |
| AddSecurityPackageA | 15 |
| ?fd@ifstream@@QBEHXZ | 15 |
| sqlite3_column_double | 15 |
| sqlite3_reset | 15 |
| ResUtilGetResourceDependencyByClass | 15 |
| ?compare@?\$basic_string@GU?\$char_traits@U@std@@@QAE@Z | 15 |
| MsiGetFeatureInfoW | 14 |
| MsiRecordGetStringW | 14 |
| MsiEnableLogW | 14 |
| ldap_openW | 14 |
| WOWGetVDMPointerUnfix | 14 |
| CM_Get_Device_Interface_List_Size_ExW | 14 |
| __setlc_active | 14 |
| ZwQueryVirtualMemory | 14 |
| SheShortenPathW | 14 |
| _ZN7QObject11customEventEP6QEvent | 14 |
| _Unwind_DeleteException | 14 |
| _Unwind_GetDataRelBase | 14 |
| _Unwind_GetIPInfo | 14 |
| _Unwind_GetLanguageSpecificData | 14 |
| _Unwind_GetRegionStart | 14 |
| _Unwind_GetTextRelBase | 14 |
| _Unwind_SetGR | 14 |
| _Unwind_SetIP | 14 |
| RasGetAutodialEnableW | 14 |
| ??0strstream@std@@QAE@PADHH@Z | 14 |

| | |
|--|----|
| ??1sstream@std@@UAE@XZ | 14 |
| ?open@?\$basic_fstream@DU?\$char_traits@C@H@ | 14 |
| SHCreateQueryCancelAutoPlayMoniker | 14 |
| CcSetAdditionalCacheAttributes | 14 |
| FsRtlPostStackOverflow | 14 |
| FsRtlPostPagingFileStackOverflow | 14 |
| FsRtlRemoveMcbEntry | 14 |
| GenerateCopyFilePaths | 14 |
| SetupRemoveFileLogEntryA | 14 |
| EnsureUTF8 | 14 |
| osl_resetCondition | 14 |
| osl_createSuspendedThread | 14 |
| osl_resumeThread | 14 |
| osl_destroyThread | 14 |
| RtlEnumerateGenericTableWithoutSplaying@ | 14 |
| CTEScheduleEvent | 14 |
| TdiProviderReady | 14 |
| CTESignal | 14 |
| CTEInitString | 14 |
| ??0ostream@@IAE@XZ | 14 |
| ??4sstream@@QAEAAV0@AAV0@@@Z | 14 |
| ??4ostream_withassign@@QAEAAVostream@ | 14 |
| ?flush@@YAAAVostream@@AAV1@@Z | 14 |
| ?x_lockc@ios@@OU_CRT_CRITICAL_SECTIO | 14 |
| DnsDhcpSrvRegisterTerm | 14 |
| DnsModifyRecordsInSet_A | 14 |
| DnsRecordStringForType | 14 |
| DnsNameCompare_A | 14 |
| ldap_openA | 14 |
| HidP_SetUsageValue | 14 |
| EtwEventWriteNoRegistration | 14 |
| SdbReadBYTETag | 14 |
| ImmLoadIME | 14 |
| GdipSetClipRectI | 14 |
| GdipFillRegion | 14 |
| _vbaExitEachAry | 14 |
| CM_Delete_Class_Key_Ex | 14 |
| ?sync@streambuf@@UAEHXZ | 14 |
| @Extctrls@TCustomPanel@SetBevelOuter\$ | 14 |
| @Comctrls@TTreeNodes@GetNodeFromIn | 14 |
| @Comctrls@TTreeNodes@GetCount\$qqrv | 14 |
| @Comctrls@TTreeView@ | 14 |
| ?PushEntry@AUTOREG@@SGEPBVWSTRINC | 14 |
| ?SetAutochkTimeOut@VOL_LIODPDRV@@S | 14 |
| _putwch | 14 |
| lineGetCountry | 14 |
| GetMemEvent | 14 |

| | |
|--|----|
| RtlImageRvaToVa | 14 |
| PdhGetLogFileTypeA | 14 |
| PdhRelogW | 14 |
| __vbaCySgn | 14 |
| VarSub | 14 |
| lineDevSpecific | 14 |
| input_item_NewExt | 14 |
| _RemoveDirectory_@4 | 14 |
| ??0strstreambuf@@QAE@P6APAXJ@ZP6A× | 14 |
| ??4stdiostream@@QAEAAV0@AAV0@@Z | 14 |
| ??_Eifstream@@UAEPAXI@Z | 14 |
| RtlpNtOpenKey | 14 |
| ?flags@ios@@QAEJJ@Z | 14 |
| ??0istream@@IAE@XZ | 14 |
| ??1ContentRestriction@@QAE@XZ | 14 |
| SamAddMultipleMembersToAlias | 14 |
| SaferComputeTokenFromLevel | 14 |
| ber_scanf | 14 |
| ??_Estdiostream@@UAEPAXI@Z | 14 |
| ??9CTXBSTR@@QBE_NABV0@@Z | 14 |
| ??0CTXStringW@@QAE@UtagUTF8@@PBD | 14 |
| ?Get32ByteValueAddedSign@Misc@Util@@ | 14 |
| ?IsOnline@Contact@Util@@YAHK@Z | 14 |
| MsiPreviewDialogA | 14 |
| MsiUseFeatureExW | 14 |
| MsiPreviewBillboardA | 14 |
| SetHook | 14 |
| ?swap@?\$basic_string@GU?\$char_traits@C | 14 |
| CACountCAs | 14 |
| JetDelete | 14 |
| JetRetrieveColumn | 14 |
| JetRollback | 14 |
| JetAddColumn | 14 |
| ??0CProxy@@QAE@XZ | 14 |
| SchemaGetObjectCount | 14 |
| MapLDAPTypeToADSType | 14 |
| ADsCreateDSObjectExt | 14 |
| LdapTypeCopyConstruct | 14 |
| GetDefaultServer | 14 |
| ?setbuf@fstream@@QAEPAVstreambuf@@ | 14 |
| ??4istream@@IAEAAV0@ABV0@@Z | 14 |
| ?get@istream@@QAEAAV1@PACHD@Z | 14 |
| ?dbp@streambuf@@QAEXXZ | 14 |
| ?Replace@CTXStringW@@QAEHPB_W0@Z | 14 |
| ?GetSignFmt@URL@Util@@YAXAAVCFmtSt | 14 |
| TranslateBitmapBits | 14 |
| UninstallColorProfileW | 14 |

| | |
|--|----|
| ?CompareNoCase@raw_GCStr@@SGJPB_W | 14 |
| ?int_DeallocateBufferIfNecessary@GCStackS | 14 |
| ?Set@GCStackStrBase@@QAEXQB_WK@Z | 14 |
| ?Append@GCStackStrBase@@QAEXQB_WK | 14 |
| ?Equals@raw_GCStr@@SG_NPB_W0@Z | 14 |
| ?int_COMError@GCError@@CG?AV1@JPAL | 14 |
| ?Empty@GCIPtrBase@@QAEXXZ | 14 |
| glColor3dv | 14 |
| sqlite3_bind_int64 | 14 |
| sqlite3_column_int64 | 14 |
| sqlite3_errcode | 14 |
| __vbaVarTextTstLt | 14 |
| WinStationWaitSystemEvent | 14 |
| WinStationInstallLicense | 14 |
| SetUnimodemTimer | 14 |
| CancelUnimodemTimer | 14 |
| ReinitOverStruct | 14 |
| FreeOverStruct | 14 |
| UnimodemDeviceIoControlEx | 14 |
| AllocateOverStructEx | 14 |
| mpRealloc | 14 |
| ?SetSpinCount@CSpinLock@@QAE_NG@Z | 14 |
| ?CreatePath@TFile@XPRT@@SA_NPBG@Z | 14 |
| ?reserve@?\$basic_string@GU?\$char_traits@ | 14 |
| ?max@?\$numeric_limits@I@std@@SAIXZ | 14 |
| HalRequestSoftwareInterrupt | 14 |
| NdisFreeBuffer | 14 |
| RtlConvertUiListToApiList | 14 |
| ?sync@strstreambuf@@UAEHXZ | 14 |
| PickIconDlg | 14 |
| MprAdminMIBEntryGetFirst | 14 |
| MprConfigInterfaceTransportGetHandle | 14 |
| BCP_moretext | 14 |
| MgmDeInitialize | 14 |
| DhcpRpcFreeMemory | 14 |
| DhcpGetClientInfoV4 | 14 |
| DhcpEnumOptions | 14 |
| DhcpEnumMSscopes | 14 |
| DhcpRemoveMScopeElement | 14 |
| DhcpAddSubnetElementV5 | 14 |
| DhcpRemoveSubnetElement | 14 |
| DhcpSetOptionValueV5 | 14 |
| DhcpCreateClass | 14 |
| DhcpDeleteClass | 14 |
| DhcpServerSetConfig | 14 |
| SQLInstallTranslatorW | 14 |
| SQLCreateDataSourceEx | 14 |

| | |
|--------------------------------------|----|
| NtDeleteObjectAuditAlarm | 14 |
| PrinterPropPageProvider | 14 |
| DocumentPropertiesWrap | 14 |
| VDMModuleNext | 14 |
| CAOIDFreeLdapURL | 14 |
| IsThemePartDefined | 14 |
| @Comctrls@TStatusBar@ | 14 |
| @Sysutils@Exception@\$bdtr\$qqrv | 14 |
| MprAdminInterfaceGetCredentialsEx | 14 |
| SoftpubCheckCert | 14 |
| IsBadBoundedStringPtr@8 | 14 |
| CreateTable@36 | 14 |
| HrComposeEID@28 | 14 |
| UNKOBJ _ScAllocateMore@16 | 14 |
| MNLS_WideCharToMultiByte@32 | 14 |
| BuildDisplayTable@40 | 14 |
| MAPIAdminProfiles | 14 |
| HrSetOneProp@8 | 14 |
| ??_E__non_rtti_object@@UAEPAXI@Z | 14 |
| ?AddCatalog@CMachineAdmin@@QAEXPB` | 14 |
| RtlConvertLongToLargeInteger | 14 |
| tree_into_ndr | 14 |
| RpcBindingReset | 14 |
| ?Get_Standard_Error_Stream@@YGPAVSTR | 14 |
| ?SpanIncluding@CString@@QBE?AV1@PBG | 14 |
| RasGetSubEntryHandleA | 14 |
| RtlDebugPrintTimes | 14 |
| CmUnRegisterCallback | 14 |
| RxNetAccessEnum | 14 |
| ldap_escape_filter_element | 14 |
| RasGetDialParams | 14 |
| RasRpcDeleteEntry | 14 |
| DeleteProfileW | 14 |
| RasSetEapUserDataA | 14 |
| PdhGetDataSourceTimeRangeH | 14 |
| _ChangeDisplaySettings_@8 | 14 |
| ?QueryFreeDiskSpace@IFS_SYSTEM@@SGE | 14 |
| ForceNexusLookup | 14 |
| RasSetEapUserInfo | 14 |
| GetDefaultPrinterA | 14 |
| CPGetProvParam | 14 |
| CPDestroyHash | 14 |
| ??0istream_withassign@@QAE@XZ | 14 |
| ??_Eostream@@UAEPAXI@Z | 14 |
| cygwin32_connect | 14 |
| __vbaStrArryToUnicode | 14 |
| JetGetSystemParameter | 14 |

| | |
|---|----|
| _findnext32 | 14 |
| RpcBindingCopy | 14 |
| ??\$?9_WU?\$char_traits@_W@std@@V?\$a | 14 |
| ??5?\$basic_istream@DU?\$char_traits@D@: | 14 |
| UserInstStubWrapper | 14 |
| FileSaveMarkNotExist | 14 |
| WriteGlobalPwrPolicy | 14 |
| SamQueryDisplayInformation | 14 |
| EssKeyExchPreferenceDecodeEx | 14 |
| MimeOleEncodeHeader | 14 |
| OleUIPromptUserA | 14 |
| @Iduri@Finalization\$qqrv | 14 |
| @Idheaderlist@initialization\$qqrv | 14 |
| @Idssopenssl@Finalization\$qqrv | 14 |
| @Idserveriohandler@initialization\$qqrv | 14 |
| @Idtcpserver@initialization\$qqrv | 14 |
| @Idserveriohandlersocket@initialization\$qc | 14 |
| @Idthreadmgrdefault@initialization\$qqrv | 14 |
| @Idthreadmgr@initialization\$qqrv | 14 |
| @Idthreadsafe@initialization\$qqrv | 14 |
| @Idssopensslheaders@Finalization\$qqrv | 14 |
| SdbTagIDToTagRef | 14 |
| CTEScheduleDelayedEvent | 14 |
| MsiAdvertiseScriptW | 14 |
| aux32Message | 14 |
| _fclose | 14 |
| _fopen | 14 |
| I_RpcSend | 14 |
| ADsPropSendErrorMessage | 14 |
| ADsPropShowErrorDialog | 14 |
| ADsPropSetHwndWithTitle | 14 |
| rtclsEmpty | 14 |
| ?xsputn@streambuf@@UAEHPBDH@Z | 14 |
| SyncAuthenticPixels | 14 |
| ??6?\$basic_ostream@_WU?\$char_traits@_` | 14 |
| DeletePrinterDriverExA | 14 |
| CreatePOP3Transport | 14 |
| @System@TlInterfacedObject@_Release\$qq | 14 |
| @System@TlInterfacedObject@_AddRef\$qq | 14 |
| @System@TlInterfacedObject@QueryInterface\$qq | 14 |
| @Sysutils@FileExists\$qqrx20System@Unico | 14 |
| @Dwmapi@Finalization\$qqrv | 14 |
| PRProviderInit | 14 |
| glTexCoord3sv | 14 |
| gllsList | 14 |
| glPixelStoref | 14 |
| SamOpenGroup | 14 |

| | |
|--|----|
| SamTestPrivateFunctionsDomain | 14 |
| WmiSetSingleInstanceA | 14 |
| InstallApplication | 14 |
| GdipCreateHICONFromBitmap | 14 |
| DsRemoveDsServerW | 14 |
| DsQuoteRdnValueA | 14 |
| DsFreeSpnArrayW | 14 |
| DriverInitializePolicy | 14 |
| ?empty@?\$basic_string@GU?\$char_traits@ | 14 |
| ??4ios@@IAEAAV0@ABV0@@Z | 14 |
| ToplGraphSetVertexIter | 14 |
| ToplGraphCreate | 14 |
| WahCreateHandleContextTable | 14 |
| SceSetupGenerateTemplate | 14 |
| ?_Term@?\$ctype@D@std@@KAXXZ | 14 |
| AllocInstanceData | 14 |
| SetScalability | 14 |
| CompressFramesInfo | 14 |
| Compress | 14 |
| FreeInstanceData | 14 |
| CompressEnd | 14 |
| CompressBegin | 14 |
| CurrentIP | 14 |
| @System@Pos\$qqrx20System@UnicodeStri | 14 |
| @\$xp\$14Graphics@TFont | 14 |
| @Gifimg@Finalization\$qqrv | 14 |
| ScriptStringGetLogicalWidths | 14 |
| @Extctrls@TTimer@SetOnTimer\$qqrynpqqr | 14 |
| _ZNSt8ios_base4InitC1Ev | 14 |
| _ZNSt8ios_base4InitD1Ev | 14 |
| VarUI1FromUI4 | 14 |
| VarDecFromStr | 14 |
| @Midas@initialization\$qqrv | 14 |
| @Midconst@initialization\$qqrv | 14 |
| @Databkr@initialization\$qqrv | 14 |
| @Msxml@initialization\$qqrv | 14 |
| @Xmldom@Finalization\$qqrv | 14 |
| RasConnectionNotificationA | 14 |
| glRectfv | 14 |
| @\$xp\$16Menus@TPopupMenu | 14 |
| @Controls@TWinControl@ | 14 |
| CryptSetAsyncParam | 14 |
| NS_StringGetMutableData | 14 |
| ??4istream_withassign@@QAEAAV0@ABVC | 14 |
| CryptVerifySignatureU | 14 |
| ImmSetActiveContext | 14 |
| ?QueryLibraryEntryPoint@SYSTEM@@SGP6 | 14 |

| | |
|--|----|
| ?IsGuidVolName@PATH@@QAEEXZ | 14 |
| DUserRegisterStub | 14 |
| BuildInterpolation | 14 |
| AttachWndProcW | 14 |
| _AddAtom_@4 | 14 |
| WahCloseThread | 14 |
| SetupAddToSourceListA | 14 |
| WVTAsn1CatMemberInfoDecode | 14 |
| CryptCATPutMemberInfo | 14 |
| DriverCleanupPolicy | 14 |
| NetpwPathCanonicalize | 14 |
| NetLogonGetTimeServiceParentDomain | 14 |
| _ObjectDeleteAuditAlarm_@12 | 14 |
| @Graphics@TBrush@SetStyle\$qqqr20Graphi | 14 |
| acmDriverAddW | 14 |
| ImmLockClientImc | 14 |
| PifMgr_OpenProperties | 14 |
| @Sysutils@BoolToStr\$qqroo | 14 |
| PacketSendPacket | 14 |
| ??0?\$basic_string@_WU?\$char_traits @_W(| 14 |
| EssContentHintDecodeEx | 14 |
| EssReceiptRequestDecodeEx | 14 |
| ZwCompleteConnectPort | 14 |
| ??\$?H_WU?\$char_traits @_W@std@@V?\$a | 14 |
| ?AfxExtractSubString@@YGHAAVCString@C | 14 |
| _MessageBoxEx_@20 | 14 |
| _CopyFileEx_@24 | 14 |
| DirectDrawEnumerateExA | 14 |
| ADsEnumAttributes | 14 |
| MapADSTypeToLDAPType | 14 |
| acmDriverID | 14 |
| glTexCoord3i | 14 |
| glRasterPos2s | 14 |
| glTexParameteriv | 14 |
| MsiGetShortcutTargetA | 14 |
| SetupGetTargetPathW | 14 |
| DnsRecordSetCompare | 14 |
| ??0REAL_FAT_SA@@QAE@XZ | 14 |
| ?FreeChain@FAT@@QAEXK@Z | 14 |
| ??1REAL_FAT_SA@@UAE@XZ | 14 |
| ?Initialize@CLUSTER_CHAIN@@QAEPAVM | 14 |
| RouterLogEventValistExA | 14 |
| ?classic@locale@std@@SAABV12@XZ | 14 |
| ?imbue@?\$basic_ios@DU?\$char_traits@D@ | 14 |
| ?find_first_not_of@?\$basic_string@GU?\$ch | 14 |
| ??1?\$ctype@G@std@@UAE@XZ | 14 |
| ??\$HGU?\$char_traits@G@std@@V?\$alloc | 14 |

| | |
|---|----|
| CM_Get_Class_Key_Name_ExA | 14 |
| phoneSetHookSwitch | 14 |
| GetNetResourceFromLocalPathW | 14 |
| WinStationRequestSessionsList | 14 |
| InternetGetPerSiteCookieDecisionW | 14 |
| CMP_UnregisterNotification | 14 |
| ?rdstate@ios@@QBEHXZ | 14 |
| block_Realloc | 14 |
| ??6ostream@@QAEAAV0@I@Z | 14 |
| GdipResetClip | 14 |
| MsiEnumFeaturesW | 14 |
| ??ACString@@QBEGH@Z | 14 |
| ??Hstd@@YA?AV?\$basic_string@DU?\$char_ | 14 |
| NetDfsGetInfo | 14 |
| NetpMergeFtinfo | 14 |
| SQLColumnPrivilegesA | 14 |
| VarR4FromI8 | 14 |
| VarBoolFromDisp | 14 |
| MimeOleCreateSecurity | 14 |
| CreateRangeList | 14 |
| CertEnumSubjectInSortedCTL | 14 |
| RasGetPortUserData | 14 |
| ZwSetInformationToken | 14 |
| PdhExpandCounterPathW | 14 |
| PdhLookupPerfIndexByNameA | 14 |
| PdhValidatePathA | 14 |
| KdDebuggerNotPresent | 14 |
| _strcpy | 14 |
| WinDbgExtensionDllInit | 14 |
| WmiFileHandleToInstanceNameA | 14 |
| __vbaCyFix | 14 |
| MprAdminConnectionEnum | 14 |
| WmiEnumerateGuids | 14 |
| _strspnp | 14 |
| ?GetPrimaryRegPath@ClniW@@QBEPBGXZ | 14 |
| @Adodb@TADOConnection@SetConnectior | 14 |
| SaslEnumerateProfilesW | 14 |
| ToplGraphMakeRing | 14 |
| glTexCoord4d | 14 |
| glNormal3b | 14 |
| glTexGeniv | 14 |
| ?!lock@streambuf@@QAEXXZ | 14 |
| AddPrintProvidorW | 14 |
| CreatePrinterIC | 14 |
| pcap_setfilter | 14 |
| glEvalCoord2dv | 14 |
| CPDuplicateKey | 14 |

| | |
|--|----|
| CPIImportKey | 14 |
| CPGenRandom | 14 |
| PdhVbGetDoubleCounterValue | 14 |
| _CharUpperBuff_@8 | 14 |
| _OemToCharBuff_@12 | 14 |
| RtlSetSecurityObject | 14 |
| AccessCheckByTypeResultListAndAuditAlarm | 14 |
| ??4ifstream@@QAEAAV0@ABV0@@Z | 14 |
| glRects | 14 |
| MSChapSrvChangePassword | 14 |
| ??4iostream@@IAEAAV0@AAV0@@Z | 14 |
| IPSecSetNegPolData | 14 |
| IPSecAllocPolMem | 14 |
| __vbaVarTextCmpLt | 14 |
| WahCloseSocketHandle | 14 |
| rtcIsNull | 14 |
| ReleaseDDThreadLock | 14 |
| D3DParseUnknownCommand | 14 |
| ADsBuildEnumerator | 14 |
| BaseSrvNewObDirAcls | 14 |
| subpicture_region_New | 14 |
| JetIntersectIndexes | 14 |
| JetEscrowUpdate | 14 |
| JetAttachDatabaseWithStreaming | 14 |
| CAIsCertTypeCurrent | 14 |
| GetOwnerModuleFromTcpEntry | 14 |
| ?find_last_of@?\$basic_string@GU?\$char_tr | 14 |
| glutPostRedisplay | 14 |
| SCardState | 14 |
| JetGetLock | 14 |
| RtlAbortRXact | 14 |
| CreateXmlReader | 14 |
| SetupDiGetSelectedDriverA | 14 |
| FtMulDwDw@8 | 14 |
| ??_8istream_withassign@@7B@ | 14 |
| VarI2FromI1 | 14 |
| _ungetwch | 14 |
| VulanHookDll | 14 |
| _ZN7QString11shared_nullE | 14 |
| ??0FixedText@@QAE@PAVWindow@@AB\ | 14 |
| ?GetParent@Window@@QBEPAV1@XZ | 14 |
| ??1Font@@QAE@XZ | 14 |
| ?GetObject@Container@@QBEPAXK@Z | 14 |
| ?Call@Link@@QBEJPAX@Z | 14 |
| ?CreateFromInt32@String@@SA?AV1@JF@ | 14 |
| fcntl | 14 |
| MAPIAllocateBuffer | 14 |

| | |
|---------------------------------------|----|
| ScRelocNotifications@20 | 14 |
| ??9@YA_NABVCTXStringW@@0@Z | 14 |
| ?DeleteFileW@FS@@@YAHPB_W@Z | 14 |
| ?Download@CTXHttpDownload@@QAEHPE | 14 |
| ??1CTXHttpDownload@@UAE@XZ | 14 |
| ??0CTXHttpDownload@@QAE@XZ | 14 |
| GdipAddPathCurve3 | 14 |
| SetupQueryInfVersionInformationA | 14 |
| \$I10_OUTPUT | 14 |
| JetGetDatabaseFileInfo | 14 |
| _mktime32 | 14 |
| HrThisThreadAdviseSink@8 | 14 |
| GetLocaleInfoEx | 14 |
| JetBackup | 14 |
| RtlAddAuditAccessAce | 14 |
| ?ClearList@CCombinedPropertyList@@QAE | 14 |
| CoGetComCatalog | 14 |
| glEvalCoord1fv | 14 |
| ADsGetNextColumnName | 14 |
| CAGetCAExpiration | 14 |
| DhcpHandlePnPEvent | 14 |
| MAPIFreeBuffer | 14 |
| RtmGetChangedDests | 14 |
| RtlEmptyAtomTable | 14 |
| VarI2FromCy | 14 |
| SQLGetStmtAttr | 14 |
| SQLColumnsA | 14 |
| GetODBCSharedData | 14 |
| SQLBindParam | 14 |
| SQLDriverConnectA | 14 |
| RtlpNtCreateKey | 14 |
| GenEqual | 14 |
| PostODBCComponentError | 14 |
| ??4CTXStringA@@QAEAAV0@ABV0@@Z | 14 |
| ??0Content@ucbhelper@@QAE@ABVOUSti | 14 |
| ??1Content@ucbhelper@@QAE@XZ | 14 |
| intcmp | 14 |
| VARIANT_UserMarshal | 14 |
| VarUI2FromI2 | 14 |
| FreePadrlist@4 | 14 |
| CredentialUpdateFree | 14 |
| ??1CmLogFile@@QAE@XZ | 14 |
| RasSetCredentialsA | 14 |
| RasSetEntryDialParamsW | 14 |
| gimp_drawable_flush | 14 |
| gimp_procedural_db_get_data | 14 |
| gimp_procedural_db_set_data | 14 |

| | |
|---|----|
| CredGetTargetInfoW | 14 |
| HrGetAttachIconByFile | 14 |
| SxTracerDebuggerBreak | 14 |
| SxTracerShouldTrackFailure | 14 |
| SxTracerGetThreadContextRetail | 14 |
| RpcAsyncGetCallStatus | 14 |
| ??1QDir@@@QAE@XZ | 14 |
| ?toString@QVariant@@QBE?AVQString@@ | 14 |
| _MapVirtualKey_@8 | 14 |
| _JNU_ThrowIOException@8 | 14 |
| Socksify | 14 |
| SQLSetCursorNameA | 14 |
| Win32PoolAllocationStats | 14 |
| RegSetValueW | 14 |
| WerReportSetUIOption | 14 |
| MimeOleGetPropA | 14 |
| ??4filebuf@@QAEAAV0@ABV0@@Z | 14 |
| lineSetupConferenceA | 14 |
| lineSetAgentSessionState | 14 |
| lineUnparkA | 14 |
| VarI4FromI2 | 14 |
| MAPISaveMail | 14 |
| MsiInstallMissingComponentA | 14 |
| OpenEncryptedFileRawA | 14 |
| VarUI4FromUI2 | 14 |
| LPSAFEARRAY_UserSize | 14 |
| _EnumResourceNames_@16 | 14 |
| IPSecGetFilterData | 14 |
| RtlDestroyHandleTable | 14 |
| ClassGetDeviceParameter | 14 |
| ClassInterpretSenseInfo | 14 |
| ClassSetDeviceParameter | 14 |
| ClassAsynchronousCompletion | 14 |
| ClassIoComplete | 14 |
| ClassScanForSpecial | 14 |
| OleCreateLinkFromClip | 14 |
| NdrSimpleTypeUnmarshall | 14 |
| NdrInterfacePointerBufferSize | 14 |
| LdapTypeBinaryToString | 14 |
| LdapMakeSchemaCacheObsolete | 14 |
| FtgRegisterIdleRoutine@20 | 14 |
| ??Hstd@@YA?AV?\$basic_string@GU?\$char_ | 14 |
| _PfRemoveGlobalFilterFromInterface@8 | 14 |
| ??6ostream@@QAEAAV0@G@Z | 14 |
| BuildTrusteeWithObjectsAndNameA | 14 |
| MpGetHeapHandle | 14 |
| FXMemDetach | 14 |

| | |
|---|----|
| PdhVbAddCounter | 14 |
| JetBeginExternalBackupInstance | 14 |
| __vbaVarTextCmpLe | 14 |
| CM_Add_Empty_Log_Conf_Ex | 14 |
| DeleteClusterResource | 14 |
| ReleaseControlHandle | 14 |
| CryptInstallDefaultContext | 14 |
| RasReferenceCustomCount | 14 |
| PrivacySetZonePreferenceW | 14 |
| SHCoCreateInstance | 14 |
| ??0QByteArray@@QAE@PBD@Z | 14 |
| ??0QTimer@@QAE@PAVQObject@@@Z | 14 |
| RasGetUnicodeDeviceName | 14 |
| ?Initialize@CVssWriter@@QAGJU_GUID@C | 14 |
| ??9std@@YA_NPBGABV?\$basic_string@GU | 14 |
| MCIWndCreateW | 14 |
| _SetFileSecurity_@12 | 14 |
| SQLBrowseConnectA | 14 |
| ResUtilGetResourceDependentIPAddressPro | 14 |
| rtl_ustr_valueOfInt64 | 14 |
| DDMGetPhonebookInfo | 14 |
| RasRpcDisconnect | 14 |
| _DlgDirList_@20 | 14 |
| ?Read@SECRUN@@UAEEHZ | 14 |
| ?keyPressEvent@QPushButton@@MAEXP@` | 14 |
| ?minimumSizeHint@QPushButton@@UBE?. | 14 |
| ?changeEvent@QFrame@@MAEXP@AVQEve` | 14 |
| ?sizeHint@QPushButton@@UBE?AVQSize@ | 14 |
| ??1QPushButton@@UAE@XZ | 14 |
| ?setText@QAbstractButton@@QAEABVQS | 14 |
| ResUtilGetMultiSzProperty | 14 |
| RtlFirstFreeAce | 14 |
| glVertex3sv | 14 |
| RtlDosSearchPath_Ustr | 14 |
| ?LoadSection@CIniW@@QBEPAGPBG@Z | 14 |
| glTexEnvfv | 14 |
| PdhExpandCounterPathA | 14 |
| JetDeleteIndex | 14 |
| StoreSetSearchSubTree | 14 |
| ?CiNtOpen@@YGPAXPBGKKK@Z | 14 |
| ZwCreateEventPair | 14 |
| CryptAcquireContextU | 14 |
| LdapTypeToAdsTypeCopyConstruct | 14 |
| LdapGetDn | 14 |
| Component | 14 |
| I_RpcServerUseProtseqEp2W | 14 |
| AllocConvertMultiSZNameToA | 14 |

| | |
|---|----|
| NdrConvert2 | 14 |
| _ZN4Foam4PoutE | 14 |
| MsiInstallMissingComponentW | 14 |
| pthread_create | 14 |
| SetMemHook | 14 |
| rtcGetFileAttr | 14 |
| ?Read@LOG_IO_DP_DRIVE@@QAEVBIG_II | 14 |
| NtAccessCheckByTypeResultList | 14 |
| ?addLayout@QBoxLayout@@QAEPAVQLa\ | 14 |
| ??0QHBoxLayout@@QAE@XZ | 14 |
| ?eventFilter@QDialog@@MAE_NPAVQObj\ | 14 |
| ?minimumSizeHint@QDialog@@UBE?AVQS | 14 |
| ?keyPressEvent@QDialog@@MAEXPAVQKe | 14 |
| ?contextMenuEvent@QDialog@@MAEXPAT\ | 14 |
| ?reject@QDialog@@UAEXXZ | 14 |
| ?metaObject@QHBoxLayout@@UBEPBUQN | 14 |
| ?qt_metacast@QHBoxLayout@@UAEPAPE | 14 |
| ?qt_metacall@QHBoxLayout@@UAEHW4C\ | 14 |
| ??1QHBoxLayout@@UAE@XZ | 14 |
| ??1QFont@@QAE@XZ | 14 |
| ?text@QLineEdit@@QBE?AVQString@@XZ | 14 |
| ?objectName@QObject@@QBE?AVQString(| 14 |
| ZwIsProcessInJob | 14 |
| _AIL_quick_startup@20 | 14 |
| _AIL_quick_halt@4 | 14 |
| _AIL_quick_play@8 | 14 |
| JetInit2 | 14 |
| ?keyPressEvent@QAbstractButton@@MAE\ | 14 |
| ?focusInEvent@QAbstractButton@@MAEXP | 14 |
| ?focusOutEvent@QAbstractButton@@MAE\ | 14 |
| ?viewportEvent@QAbstractScrollArea@@M | 14 |
| ?sizeHint@QAbstractScrollArea@@UBE?AVI | 14 |
| RtlDliShutdownInProgress | 14 |
| pSetupSetGlobalFlags | 14 |
| @Dxdbgridvedatecolumn@initialization\$qqi | 14 |
| wglGetProcAddress | 14 |
| ?GetStartupData@CGenericCiProxy@@QAE | 14 |
| __mb_cur_max_l_func | 14 |
| CloseCodeAuthzLevel | 14 |
| VarDateFromR4 | 14 |
| ElfClearEventLogFileW | 14 |
| ?shared_null@QByteArray@@0UData@1@ | 14 |
| VarDateFromUI8 | 14 |
| VarCyFromI2 | 14 |
| ?find@\$basic_string@_WU?\$char_traits@ | 14 |
| VarI1FromUI2 | 14 |
| sqlite3_bind_double | 14 |

| | |
|--|----|
| sqlite3_bind_null | 14 |
| glTexCoord2iv | 14 |
| ??0CFlexArray@@QAE@HH@Z | 14 |
| ??1CFlexArray@@QAE@XZ | 14 |
| ?InsertAt@CFlexArray@@QAEHHPAX@Z | 14 |
| _JNU_ThrowIOExceptionWithLastError@8 | 14 |
| IoAssignResources | 13 |
| MsiViewExecute | 13 |
| MsiReinstallProductA | 13 |
| MsiMessageBoxW | 13 |
| MsiRecordReadStream | 13 |
| DsReplicaVerifyObjectsA | 13 |
| SQLForeignKeysW | 13 |
| IsUserAnAdmin | 13 |
| ZwCreateMutant | 13 |
| Control_FillCache_RunDLLW | 13 |
| NdisAllocatePacketPool | 13 |
| _ZN7QObject10timerEventEP11QTimerEven | 13 |
| _Unwind_RaiseException | 13 |
| _Unwind_Resume_or_Rethrow | 13 |
| __emutls_get_address | 13 |
| ?pbase@?\$basic_streambuf@DU?\$char_traits@T@?@? | 13 |
| FsRtlNotifyCleanup | 13 |
| FsRtlNotifyFullChangeDirectory | 13 |
| FsRtlDissectName | 13 |
| FsRtlAddToTunnelCache | 13 |
| RtlOemStringToCountedUnicodeString | 13 |
| FsRtlFastUnlockAllByKey | 13 |
| FsRtlBalanceReads | 13 |
| WNetSupportGlobalEnum | 13 |
| ?egptr@?\$basic_streambuf@GU?\$char_traits@T@?@? | 13 |
| ?pbump@?\$basic_streambuf@GU?\$char_traits@T@?@? | 13 |
| ??8WSTRING@@QBEEABV0@@Z | 13 |
| ?SetClassDescriptor@OBJECT@@IAEXPBVCI | 13 |
| CreateDeviceLinkProfile | 13 |
| InterlockedCompareExchange64 | 13 |
| @Sysutils@StrPCopy\$qqrpcx17System@Ans | 13 |
| BindIFilterFromStream | 13 |
| ICQAPIUtil_FreeUser | 13 |
| lineDeallocateCall | 13 |
| lineAnswer | 13 |
| TdiCopyMdlChainToMdlChain | 13 |
| NdisDprReleaseSpinLock | 13 |
| glGetTexParameteriv | 13 |
| ??0ios@QAE@PAVstreambuf@@@Z | 13 |
| ??0stdiobuf@@QAE@ABV0@@Z | 13 |
| ?setf@ios@@QAEJJ@Z | 13 |

| | |
|---------------------------------------|----|
| ??5istream@@QAEAAV0@AAN@Z | 13 |
| ?setlock@stremabuf@@QAEXXZ | 13 |
| ?iword@ios@@QBEAAJH@Z | 13 |
| ??0fstream@@QAE@H@Z | 13 |
| ?osfx@ostream@@QAEXXZ | 13 |
| _CreateWaitableTimer_@12 | 13 |
| _CreateDesktop_@24 | 13 |
| DnsSetConfigDword | 13 |
| ber_peek_tag | 13 |
| HidD_SetNumInputBuffers | 13 |
| GhostWindowFromHungWindow | 13 |
| NtCreateWaitablePort | 13 |
| SdbGetDatabaseMatch | 13 |
| IsNetDrive | 13 |
| ShimFlushCache | 13 |
| ?SetPhrase@CContentRestriction@@QAEXP | 13 |
| @Contnrs@TObjectList@\$bctr\$qqrv | 13 |
| @Contnrs@TObjectList@ | 13 |
| @Dxlayout@initialization\$qqrv | 13 |
| ??1MOUNT_POINT_MAP@@UAE@XZ | 13 |
| ?IsFrontEndPresent@AUTOREG@@SGEPBV\ | 13 |
| DnsRemoveRegistrations | 13 |
| DnsNotifyResolver | 13 |
| LsaUnregisterPolicyChangeNotification | 13 |
| ZwAlertResumeThread | 13 |
| PdhGetRawCounterArrayW | 13 |
| VarOr | 13 |
| CM_Enumerate_EnumeratorsW | 13 |
| SCardForgetReaderGroupA | 13 |
| SnmpUtilVarBindListFree | 13 |
| _GetEnvironmentVariable_@12 | 13 |
| ?adjustfield@ios@@2JB | 13 |
| ?unlockc@ios@@KAXXZ | 13 |
| ?rdbuf@fstream@@QBEPAVfilebuf@@XZ | 13 |
| ??0CMachineAdmin@@QAE@PBGH@Z | 13 |
| SamQueryInformationUser | 13 |
| SaferiRecordEventLogEntry | 13 |
| ldap_modify_extW | 13 |
| ??_7ostrstream@@6B@ | 13 |
| ?egptr@stremabuf@@IBEPADXZ | 13 |
| MsiSourceListAddSourceW | 13 |
| MsiQueryFeatureStateA | 13 |
| JetCloseDatabase | 13 |
| TraceGetConsoleW | 13 |
| ZwContinue | 13 |
| SetupAddSectionToDiskSpaceListA | 13 |
| PathName | 13 |

| | |
|---|----|
| FindSearchTableIndex | 13 |
| ?Format@CString@@QAAZ | 13 |
| ?GetAssocAt@CMapStringToPtr@@IBEPAU | 13 |
| ??M@YG_NABVCString@@PBG@Z | 13 |
| ?floatfield@ios@@2JB | 13 |
| ?pbase@streambuf@@IBEPADXZ | 13 |
| ?seekoff@strstreambuf@@UAEJJW4seek_d | 13 |
| ??0CGenericCiProxy@@QAE@AAVSharedN | 13 |
| ??0CStandardPropMapper@@QAE@XZ | 13 |
| ?GetAt@CTXStringW@@QBE_WH@Z | 13 |
| ??9@YA_NABVCTXStringW@@PB_W@Z | 13 |
| ?Trim@CTXStringW@@QAEAAV1@XZ | 13 |
| EnumColorProfilesA | 13 |
| SetStandardColorSpaceProfileW | 13 |
| ?int_Win32Error@GCError@@CG?AV1@KK | 13 |
| ?ms_GlobalPointersInitializationSemaphore | 13 |
| ?Format@GCStr@@QAAJPB_WZZ | 13 |
| PdhCalculateCounterFromRawValue | 13 |
| ??_7streambuf@@6B@ | 13 |
| ServerQueryInetConnectorInformationW | 13 |
| _WinStationShadowTarget | 13 |
| CreateUnimodemTimer | 13 |
| SyncDeviceIoControl | 13 |
| UnimodemReadFileEx | 13 |
| UnimodemQueueUserAPC | 13 |
| CallBeginning | 13 |
| StopMonitorThread | 13 |
| ?GetSpinCount@CReaderWriterLock@@QBI | 13 |
| ?_ReadLockSpin@CReaderWriterLock2@@A | 13 |
| ?sm_wDefaultSpinCount@CReaderWriterLo | 13 |
| ?Free@TLibrary@XPRT@@QAE_NXZ | 13 |
| ?AddTrailingSeparator@TFile@XPRT@@SA? | 13 |
| xprt_wcsrchr | 13 |
| ?kDirectorySeparator@TFile@XPRT@@2GB | 13 |
| ?GetLength@TFile@XPRT@@UBE_JXZ | 13 |
| ?RemoveAt@TPtrList@XPRT@@QAEXPB_ | 13 |
| ?Find@TPtrList@XPRT@@QBEPAU__POSITI | 13 |
| ZwSetDefaultUILanguage | 13 |
| ?compare@?\$char_traits@G@std@@SAHP | 13 |
| vlc_module_set | 13 |
| LeQueryOpen | 13 |
| Control_FillCache_RunDLL | 13 |
| MprConfigInterfaceTransportAdd | 13 |
| MprConfigInterfaceTransportEnum | 13 |
| SdbInitDatabase | 13 |
| rtcMidBstr | 13 |
| ZwSetBootEntryOrder | 13 |

| | |
|---------------------------------------|----|
| SQLColAttributeW | 13 |
| SQLGetEnvAttr | 13 |
| DhcpEnumSubnetClients | 13 |
| DhcpDsCleanup | 13 |
| DhcpGetVersion | 13 |
| DhcpGetAllOptionValues | 13 |
| DhcpEnumSubnetElementsV4 | 13 |
| DhcpGetSubnetInfo | 13 |
| DhcpGetOptionInfoV5 | 13 |
| DhcpGetMCastMibInfo | 13 |
| DhcpRemoveOptionValue | 13 |
| DhcpRemoveOptionValueV5 | 13 |
| DhcpDeleteSubnet | 13 |
| DhcpDeleteSuperScopeV4 | 13 |
| DhcpServerSetDnsRegCredentials | 13 |
| RtlLargeIntegerAdd | 13 |
| PdhBindInputDataSourceW | 13 |
| vDocumentDefaults | 13 |
| @Extctrls@TRadioGroup@ | 13 |
| MsiDatabaseExportA | 13 |
| ?AddRef@CEmptyPropertyList@@UAGKXZ | 13 |
| ?GetLCIDFromString@@YGKPAG@Z | 13 |
| SetupQueueCopyA | 13 |
| pSetupStringTableEnum | 13 |
| VarCyFromUI1 | 13 |
| UNKOBJ_COFree@8 | 13 |
| HrValidateParameters@8 | 13 |
| FtDivFtBogus@20 | 13 |
| ??5istream@@QAEAAV0@PAE@Z | 13 |
| ?UpdateDiskLowInfo@CDiskFreeStatus@@C | 13 |
| ??1CWorkManager@@QAE@XZ | 13 |
| MimeOleStripHeaders | 13 |
| __vlc_object_release | 13 |
| ?SetAtGrow@CStringArray@@QAEHPBG@ | 13 |
| ?AssignCopy@CString@@IAEXHPBG@Z | 13 |
| ldap_get_next_page | 13 |
| glGetError | 13 |
| ScLocalPathFromUNC@12 | 13 |
| ldap_modrdn_sW | 13 |
| InternetSetCookieExW | 13 |
| RasRegisterPnPHandler | 13 |
| RasRpcPortGetInfo | 13 |
| ProcessGroupPolicyCompletedEx | 13 |
| RasGetAutodialAddressW | 13 |
| UnInitializeRAS | 13 |
| VarCyFromI1 | 13 |
| _CharLower@4 | 13 |

| | |
|---|----|
| _GetDefaultCommConfig_@12 | 13 |
| ?DeleteAllMembers@ARRAY@@UAEEXZ | 13 |
| SQLPrimaryKeysA | 13 |
| CPSetProvParam | 13 |
| NdrConformantArrayFree | 13 |
| ??1CStaticCritSec@@QAE@XZ | 13 |
| ??0CStaticCritSec@@QAE@XZ | 13 |
| ?anyFailure@CStaticCritSec@@SGHXZ | 13 |
| RunSetupCommandW | 13 |
| ExecuteCabW | 13 |
| RegRestoreAllW | 13 |
| pSetupFree | 13 |
| CM_Free_Range_List | 13 |
| _ZdIPv | 13 |
| _Znwj | 13 |
| NtSetHighWaitLowEventPair | 13 |
| LdapOpenObject | 13 |
| ReadPwrScheme | 13 |
| VarIdiv | 13 |
| @IIdresourcestrings@Finalization\$qqrv | 13 |
| @IIdexception@Finalization\$qqrv | 13 |
| @IIdstackconsts@Finalization\$qqrv | 13 |
| @IIdbasecomponent@Finalization\$qqrv | 13 |
| @IIdantifreezebase@Finalization\$qqrv | 13 |
| @IIdtcpclient@Finalization\$qqrv | 13 |
| @IIdtcpconnection@Finalization\$qqrv | 13 |
| @IIdsockethandle@Finalization\$qqrv | 13 |
| @IIdsocks@Finalization\$qqrv | 13 |
| @IIdintercept@Finalization\$qqrv | 13 |
| DAD_AutoScroll | 13 |
| SdbReadMsiTransformInfo | 13 |
| CoDisconnectContext | 13 |
| VssFreeSnapshotPropertiesInternal | 13 |
| NdrServerContextMarshall | 13 |
| DocumentPropertySheets | 13 |
| phoneSetData | 13 |
| FtSubFt@16 | 13 |
| ??5istream@@QAEAAV0@PAVstreambuf@ | 13 |
| QueueAuthenticPixels | 13 |
| DhcpRemoveDNSRegistrations | 13 |
| RtlAddAuditAccessAceEx | 13 |
| @System@@WStrFromUStr\$qqrr17System(| 13 |
| @Forms@TCustomForm@SetTop\$qqri | 13 |
| @Forms@TCustomForm@SetLeft\$qqri | 13 |
| @Graphics@TBitmap@GetScanline\$qqri | 13 |
| @Graphics@TCanvas@Draw\$qqriip17Graph | 13 |
| @Controls@TControl@ClientToScreen\$qqrr | 13 |

| | |
|--|----|
| @\$xp\$15Extctrls@TImage | 13 |
| @Appevnts@initialization\$qqrv | 13 |
| LaunchWizard@20 | 13 |
| DeinitMapiUtil@0 | 13 |
| GetTnefStreamCodepage@12 | 13 |
| glPixelMapusv | 13 |
| SamCreateUser2InDomain | 13 |
| sqlite3_changes | 13 |
| sqlite3_free | 13 |
| @System@@WStrCmp\$qqrv | 13 |
| ?InitializeForRead@CDynStream@@QAEXXZ | 13 |
| ??1CFilerDaemon@@QAE@XZ | 13 |
| CryptCATCDFEnumMembersByCDFTagEx | 13 |
| WTHelperGetFileHash | 13 |
| ??0CNatLanguageRestriction@@QAE@PBG/ | 13 |
| ToplEdgeDisassociate | 13 |
| ToplHeapInsert | 13 |
| ToplVertexNumberOfInEdges | 13 |
| WahEnumerateHandleContexts | 13 |
| WahInsertHandleContext | 13 |
| SQLRemoveTranslatorW | 13 |
| SQLInstallTranslatorExW | 13 |
| PerfClose | 13 |
| @Sysutils@Format\$qqrx20System@Unicode | 13 |
| VarBoolFromI1 | 13 |
| VarI2FromUI4 | 13 |
| InitializeKeyHook | 13 |
| JetOpenTempTable2 | 13 |
| JetCreateIndex2 | 13 |
| glGetMapdv | 13 |
| @Xmlschema@Finalization\$qqrv | 13 |
| @Xmlintf@Finalization\$qqrv | 13 |
| @Msxmldom@Finalization\$qqrv | 13 |
| @Xmlldoc@Finalization\$qqrv | 13 |
| @Xmlschematags@Finalization\$qqrv | 13 |
| @Cxdwmapi@initialization\$qqrv | 13 |
| @Cxdrawtextutils@initialization\$qqrv | 13 |
| @Controls@TWinControl@SetTabOrder\$qq | 13 |
| @Controls@TControl@IsVisibleStored\$qqrv | 13 |
| @\$xp\$15Controls@TAlign | 13 |
| _RegCreateKeyEx_@36 | 13 |
| RegQueryUtilityCommandList | 13 |
| ??5?\$basic_istream@DU?\$char_traits@D@: | 13 |
| VDMGetPointer | 13 |
| ?disposeAndClear@OInterfaceContainerHel | 13 |
| rtl_copyMemory | 13 |
| CredUIReadSSOCredW | 13 |

| | |
|---|----|
| SHRegisterValidateTemplate | 13 |
| ILClone | 13 |
| _CreateFontIndirect@4 | 13 |
| WNetGetConnection2A | 13 |
| WVTAsn1SpcMinimalCriteriaInfoEncode | 13 |
| DsRoleDnsNameToFlatName | 13 |
| NetServiceGetInfo | 13 |
| ToplGraphInit | 13 |
| ToplVertexFree | 13 |
| glTexGenfv | 13 |
| @Controls@TCustomControl@\$bdtr\$qqrv | 13 |
| EditStreamSetInfoA | 13 |
| @Db@TWideStringField@GetAsWideString\$ | 13 |
| WinStationNameFromLogonIdA | 13 |
| WinStationSetPoolCount | 13 |
| SdbReadQWORDTagRef | 13 |
| ImmIMPGetIMEA | 13 |
| MsiGetProductInfoW | 13 |
| MsiQueryProductStateW | 13 |
| ResUtilFindSzProperty | 13 |
| I_NetlogonComputeServerDigest | 13 |
| EssSignCertificateEncodeEx | 13 |
| MimeOleSMimeCapsFromDlg | 13 |
| ?SetAt@CMapStringToPtr@@QAEXPBGPAX | 13 |
| ??0CString@@QAE@XZ | 13 |
| _OpenMutex_@12 | 13 |
| WVTAsn1CatMemberInfoEncode | 13 |
| ATMEnumFonts | 13 |
| ATMGetOutlineW | 13 |
| GetLDAPTypeNames | 13 |
| LdapcKeepHandleAround | 13 |
| LdapDeleteS | 13 |
| DriverFinalPolicy | 13 |
| CM_Get_Next_Log_Conf | 13 |
| ?width@ios@@QBEHZ | 13 |
| DnsDhcpSrvRegisterHostName | 13 |
| ?QueryName@FAT_DIRENT@@QBEEPAVW! | 13 |
| ??0FAT_DIRENT@@QAE@XZ | 13 |
| drvCommConfigDialogW | 13 |
| ?setbuf@?\$basic_streambuf@DU?\$char_traits@T@std@ | 13 |
| ?_Unlock@?\$basic_streambuf@DU?\$char_traits@T@std@ | 13 |
| ?_Lock@?\$basic_streambuf@DU?\$char_traits@T@std@ | 13 |
| CAGetCACertificate | 13 |
| ?do_tolower@?\$ctype@G@std@@MBEGG@ | 13 |
| ?do_toupper@?\$ctype@G@std@@MBEGG@ | 13 |
| ?do_narrow@?\$ctype@G@std@@MBEDGC@ | 13 |
| lineAgentSpecific | 13 |

| | |
|---|----|
| ldap_value_free_len | 13 |
| DsGetDcSiteCoverageW | 13 |
| ?setlock@ios@@QAAXXZ | 13 |
| gtk_dialog_set_alternative_button_order | 13 |
| gtk_window_get_type | 13 |
| gimp_drawable_is_rgb | 13 |
| gimp_standard_help_func | 13 |
| ?Initialize@LOG_IO_DP_DRIVE@@QAEEPBV | 13 |
| ?QueryNtfsSupportInfo@DP_DRIVE@@SGJF | 13 |
| ?ShellSort@TLINK@@QAEXXZ | 13 |
| ZwOpenThreadToken | 13 |
| ScriptString_pLogAttr | 13 |
| MsiEnumComponentQualifiersA | 13 |
| BMAPISendMail | 13 |
| OpenStreamOnFile | 13 |
| ?GetAt@CStringArray@@QBE?AVCString@() | 13 |
| ?InsertAt@CStringArray@@QAEXHPAV1@C | 13 |
| AVISaveV | 13 |
| SetupVerifyInfFileA | 13 |
| SetupGetSourceFileLocationW | 13 |
| SQLGetDiagRecA | 13 |
| VarUI4FromBool | 13 |
| MimeOleGetExtContentType | 13 |
| MimeEditCreateMimeDocument | 13 |
| _findnext64 | 13 |
| IPSecCopyISAKMPData | 13 |
| IPSecSetNFAData | 13 |
| glColor3usv | 13 |
| glEdgeFlagv | 13 |
| glRasterPos3fv | 13 |
| GlmfEndPlayback | 13 |
| RasDolke | 13 |
| RasPortGetStatisticsEx | 13 |
| ZwAreMappedFilesTheSame | 13 |
| PdhGetLogSetGUID | 13 |
| PdhGetDefaultPerfCounterW | 13 |
| PdhIsRealTimeQuery | 13 |
| RtlTraceDatabaseFind | 13 |
| MprAdminMIBEntryGetNext | 13 |
| RtlExtendHeap | 13 |
| NtRequestWakeUpLatency | 13 |
| NtRequestDeviceWakeUp | 13 |
| PdhGetDllVersion | 13 |
| PdhConnectMachineW | 13 |
| JetGetTableColumnInfo | 13 |
| CreateSMTPTransport | 13 |
| glVertex4s | 13 |

| | |
|--|----|
| _OemToChar_@8 | 13 |
| BMAPIGetReadMail | 13 |
| RtlGetSetBootStatusData | 13 |
| NtInitializeRegistry | 13 |
| @Inifiles@TCustomIniFile@\$bctr\$qqrx17Sys | 13 |
| pcap_next_ex | 13 |
| mmTaskSignal | 13 |
| CPCreateHash | 13 |
| SQLValidDSN | 13 |
| PdhRelogA | 13 |
| ExtensionPropSheetPageProc | 13 |
| SystemFunction034 | 13 |
| SdbGetNextChild | 13 |
| ZwGetPlugPlayEvent | 13 |
| NtCreateDebugObject | 13 |
| DbgPrintReturnControlC | 13 |
| glLightModeliv | 13 |
| CredMarshalCredentialW | 13 |
| IPSecCopyNegPolData | 13 |
| IPSecFreeFilterSpec | 13 |
| GetIcmpStatsFromStackEx | 13 |
| GetUdpStatsFromStackEx | 13 |
| GetIpStatsFromStackEx | 13 |
| GetTcpStatsFromStackEx | 13 |
| SetGadgetOrder | 13 |
| AdsTypeToPropVariant2 | 13 |
| ADsDecodeBinaryData | 13 |
| T120_CreateAppletSAP | 13 |
| ??0QString@@QAE@PBD@Z | 13 |
| CloseRASConnections | 13 |
| MimeOleOpenFileStream | 13 |
| CASetCertTypeFlagsEx | 13 |
| CAOIDGetProperty | 13 |
| GetExtendedUdpTable | 13 |
| RtlSetControlSecurityDescriptor | 13 |
| NtSecureConnectPort | 13 |
| ZwRenameKey | 13 |
| StartDocDlgW | 13 |
| VarR4FromR8 | 13 |
| wglSetPixelFormat | 13 |
| OleGetLinkUpdateOptions | 13 |
| OleSavedClientDoc | 13 |
| OleObjectConvert | 13 |
| VarUI1FromR4 | 13 |
| SamChangePasswordUser2 | 13 |
| ??0istrstream@@QAE@PADH@Z | 13 |
| ?rdbuf@?\$basic_ios@_WU?\$char_traits@_` | 13 |

| | |
|--|----|
| ?tie@?\$_basic_ios@_WU?\$char_traits@_W@ | 13 |
| ??1ListBox@@UAE@XZ | 13 |
| ??1FixedText@@UAE@XZ | 13 |
| ?ReleaseReference@SvRefBase@@QAEXXZ | 13 |
| ?AddRef@SvRefBase@@QAEKXZ | 13 |
| ?clog@@3Vostream_withassign@@A | 13 |
| ??_Dostream_withassign@@QAEXXZ | 13 |
| DCISetDestination | 13 |
| ShellExec_RunDLL | 13 |
| ?CombineQNC@FS@@YA?AVCTXStringW@ | 13 |
| ?MoveDownloadFile@CTXHttpDownload@() | 13 |
| _GetEnvironmentStrings_@4 | 13 |
| ?IsFileSystemEnabled@IFS_SYSTEM@@SGE@ | 13 |
| ??0SUPERAREA@@IAE@XZ | 13 |
| ServerLicensingSetPolicy | 13 |
| ?setp@?\$_basic_streambuf@DU?\$char_trait: | 13 |
| ScriptStringOut | 13 |
| glRasterPos4s | 13 |
| ??0CCritSec@@QAE@XZ | 13 |
| ?Write@CMemoryLog@@QAEXJ@Z | 13 |
| ?GetMemLogObject@@YGPAVCMemoryLog | 13 |
| ?Initialize@CUnk@@UAEHXZ | 13 |
| ?Release@CUnk@@UAGKXZ | 13 |
| ?AddRef@CUnk@@UAGKXZ | 13 |
| ?QueryInterface@CUnk@@UAGJABU_GUID | 13 |
| ??0CUnk@@QAE@PAVCLifeControl@@PAL | 13 |
| ??1CUnk@@UAE@XZ | 13 |
| AVISaveW | 13 |
| CredRenameA | 13 |
| RtlEnumerateGenericTableAvl | 13 |
| lineCompleteCall | 13 |
| ZwCreateThread | 13 |
| _fitused | 13 |
| @System@@LStrToPChar\$qqrv | 13 |
| ?MMCUpdateRegistry@@YGJHPBVCObjectF | 13 |
| getcwd | 13 |
| VarMod | 13 |
| RtmReleaseChangedDests | 13 |
| RtmDeregisterEntity | 13 |
| CM_Get_Class_NameW | 13 |
| CreateFileU | 13 |
| VarAnd | 13 |
| RasGetEapUserIdentityA | 13 |
| BufferedPaintUnInit | 13 |
| BufferedPaintInit | 13 |
| EndBufferedPaint | 13 |
| BeginBufferedPaint | 13 |

| | |
|---|----|
| SQLPrimaryKeysW | 13 |
| SQLForeignKeysA | 13 |
| ?setmode@ifstream@@QAEHH@Z | 13 |
| DsGetForestTrustInformationW | 13 |
| ?GetOutputSizePixel@OutputDevice@@QBI | 13 |
| ??1SvMemoryStream@@UAE@XZ | 13 |
| MsiViewClose | 13 |
| ?TerminateGrooveProcess@GCError@@SG | 13 |
| OpenThefStreamEx@32 | 13 |
| DeregisterIdleRoutine@4 | 13 |
| CmBuildFullPathFromRelativeA | 13 |
| glMaterialiv | 13 |
| vlc_cond_wait | 13 |
| RtlInterlockedFlushSList | 13 |
| MsiIsProductElevatedA | 13 |
| MsiRecordSetStringW | 13 |
| VarI4FromDisp | 13 |
| ?length@\$basic_string @_WU?\$char_traits | 13 |
| U_UNK | 13 |
| ?toLower@QString@@QBE?AV1@XZ | 13 |
| ?mid@QString@@QBE?AV1@HH@Z | 13 |
| ??8QString@@QBE_NPBD@Z | 13 |
| ?shared_null@QMapData@@2U1@A | 13 |
| ?continueFreeData@QMapData@@QAEXH(| 13 |
| ??0QChar@@QAE@D@Z | 13 |
| NetDfsRemoveFtRoot | 13 |
| inflateReset | 13 |
| glDebugEntry | 13 |
| ?assign@\$char_traits@D@std@@SAXAAD. | 13 |
| SQLTablePrivilegesA | 13 |
| SnmpCreateSession | 13 |
| phoneGetDisplay | 13 |
| lineSetLineDevStatus | 13 |
| ?GetData@CString@@IBEPAUCStringData@ | 13 |
| ?Release@CString@@IAEXXZ | 13 |
| glVertex2d | 13 |
| VarCyFromR8 | 13 |
| TopIPScheduleValid | 13 |
| MsiSequenceW | 13 |
| ?end@\$basic_string@DU?\$char_traits@D(| 13 |
| LdapMemFree | 13 |
| PdhTranslate009CounterW | 13 |
| RtlEncodePointer | 13 |
| IPSecFreeNFAData | 13 |
| glVertex2s | 13 |
| DUserGetGutsData | 13 |
| ??1CDbSortKey@@QAE@XZ | 13 |

| | |
|----------------------------------|----|
| ClassWmiCompleteRequest | 13 |
| DocWndProc | 13 |
| OleIsDcMeta | 13 |
| OleRevertClientDoc | 13 |
| ?MakeLower@CTXStringW@@QAEAAV1@X | 13 |
| GetGadgetCenterPoint | 13 |
| GetMessageExA | 13 |
| LdapSearchAbandonPage | 13 |
| LdapTypeToAdsTypeUTCTime | 13 |
| _PfRemoveFilterHandles@12 | 13 |
| pSetupRealloc | 13 |
| SdbGrabMatchingInfoEx | 13 |
| SdbGrabMatchingInfo | 13 |
| DestroyTable | 13 |
| @Dialogs@TOpenDialog@ | 13 |
| JetDBUtilities | 13 |
| JetResetCounter | 13 |
| JetDeleteTable | 13 |
| __vbaVarTextCmpGe | 13 |
| ldap_modrdnA | 13 |
| mxd32Message | 13 |
| TdiDefaultReceiveHandler | 13 |
| ATMInstallSubstFontW | 13 |
| ?start@QTimer@@QAEHX@Z | 13 |
| _ZN7QString9fromAsciiEPKci | 13 |
| _ZN9QListData11shared_nulIE | 13 |
| RasSendNotification | 13 |
| DtcPerfCollect | 13 |
| DtcPerfClose | 13 |
| wglUseFontOutlinesW | 13 |
| PdhComputeCounterStatistics | 13 |
| VarR4FromDec | 13 |
| ?resize@QWidget@@QAEABVQSize@@@ | 13 |
| ??0QVBoxLayout@@QAE@XZ | 13 |
| CmAtolA | 13 |
| CmFmtMsgW | 13 |
| ?GPPI@CIniW@@QBEKPBG0K@Z | 13 |
| ??1CIniW@@QAE@XZ | 13 |
| CmParsePathW | 13 |
| glTexCoord1dv | 13 |
| getpwuid | 13 |
| FindNextControl | 13 |
| _GetCommandLine_@0 | 13 |
| JetGetCurrentIndex2 | 13 |
| OleRename | 13 |
| newMultiByteFromWideCharEx | 13 |
| RtlAnsiStringToUnicodeSize | 13 |

| | |
|---|----|
| StoreInitHandle | 13 |
| McastGenUID | 13 |
| DhcpReleaselpAddressLease | 13 |
| VarI4FromUI1 | 13 |
| SnmpOpen | 13 |
| ??_8fstream@@@7Bistream@@@ | 13 |
| HrAttachDataFromFile | 13 |
| LdapAttributeFree | 13 |
| AdsTypeToLdapTypeCopyTime | 13 |
| ?SetFSlashDisabler@CLexer@@QAEXH@Z | 13 |
| LdapCountEntries | 13 |
| LdapGetValues | 13 |
| gimp_tile_cache_ntiles | 13 |
| WOW32ResolveMultiMediaHandle | 13 |
| _GetTextExtentExPoint_@28 | 13 |
| RasDeAllocateRoute | 13 |
| ZwImpersonateClientOfPort | 13 |
| _ZTVSt15basic_stringbufIcSt11char_traitsIcE | 13 |
| PSetupSelectDeviceButtons | 13 |
| RasGetCountryInfoW | 13 |
| PSetupFreeMem | 13 |
| _ExpandEnvironmentStrings_@12 | 13 |
| LogonUserExW | 13 |
| MoCreateMediaType | 13 |
| ?setVisible@QDialog@@UAEX_N@Z | 13 |
| ?closeEvent@QDialog@@MAEXP@VQCloseE | 13 |
| ?done@QDialog@@UAEXH@Z | 13 |
| ?accept@QDialog@@UAEXXZ | 13 |
| ?inputMethodQuery@QLineEdit@@UBE?AV | 13 |
| ?inputMethodEvent@QLineEdit@@MAEXP@ | 13 |
| ?changeEvent@QLineEdit@@MAEXP@VQE | 13 |
| ?dropEvent@QLineEdit@@MAEXP@VQDrop | 13 |
| ?dragLeaveEvent@QLineEdit@@MAEXP@VAC | 13 |
| ?dragMoveEvent@QLineEdit@@MAEXP@VAC | 13 |
| ?dragEnterEvent@QLineEdit@@MAEXP@VQ | 13 |
| ?paintEvent@QLineEdit@@MAEXP@VQPain | 13 |
| ?focusOutEvent@QLineEdit@@MAEXP@VQF | 13 |
| ?focusInEvent@QLineEdit@@MAEXP@VQFo | 13 |
| ?keyPressEvent@QLineEdit@@MAEXP@VQk | 13 |
| ?mouseDoubleClickEvent@QLineEdit@@M@ | 13 |
| ?mouseReleaseEvent@QLineEdit@@MAEXP@F | 13 |
| ?mousePressEvent@QLineEdit@@MAEXP@A | 13 |
| ?connectSlotsByName@QMetaObject@@S@ | 13 |
| _AIL_quick_handles@12 | 13 |
| _AIL_set_digital_master_room_type@8 | 13 |
| _AIL_set_DirectSound_HWND@8 | 13 |
| _AIL_quick_set_volume@12 | 13 |

| | |
|--|----|
| _AIL_set_stream_position@8 | 13 |
| _AIL_quick_status@4 | 13 |
| _AIL_quick_load_mem@8 | 13 |
| _AIL_quick_unload@4 | 13 |
| glutCreateWindow | 13 |
| ?detach@QListData@@QAEPAUData@1@H | 13 |
| SaferIsExecutableFileType | 13 |
| ??_7ostream@@6B@ | 13 |
| ?Read@SvStream@@QAEKPAXK@Z | 13 |
| _difftime64 | 13 |
| JetDeleteColumn2 | 13 |
| IoQueryVolumeInformation | 13 |
| SetInformationCodeAuthzLevelW | 13 |
| RtlRealPredecessor | 13 |
| sqlite3_last_insert_rowid | 13 |
| CIBuildQueryNode | 13 |
| __vbaVarTextTstLe | 13 |
| rtcRemoveDir | 13 |
| ElfOpenBackupEventLogW | 13 |
| DsListServersInSiteA | 13 |
| ??0ByteString@@QAE@XZ | 13 |
| libvlc_new | 12 |
| MsiSetFeatureAttributesW | 12 |
| MsiGetFeatureCostA | 12 |
| MsiGetPropertyW | 12 |
| MsiSummaryInfoGetPropertyW | 12 |
| MsiLoadStringA | 12 |
| DsRemoveDsDomainA | 12 |
| DsReplicaGetInfoW | 12 |
| DsClientMakeSpnForTargetServerW | 12 |
| SetupSetFileQueueFlags | 12 |
| _GetMenuItemInfo_@16 | 12 |
| _ShellExecuteEx_@4 | 12 |
| ZwCreatePort | 12 |
| ZwRequestWaitReplyPort | 12 |
| ZwRaiseHardError | 12 |
| _ZN10QByteArray7reallocEi | 12 |
| ?unsetf@ios_base@std@@QAEKH@Z | 12 |
| ??0?\$basic_string@DU?\$char_traits@D@std@@@QAE@XZ | 12 |
| DPA_EnumCallback | 12 |
| FsRtlNormalizeNtstatus | 12 |
| FsRtlDoesNameContainWildCards | 12 |
| FsRtlNumberOfRunsInLargeMcb | 12 |
| ?ReadWLine@STREAM@@QAEEPAGKPAKEI | 12 |
| ICQAPICall_GetVersion | 12 |
| NetReplImportDirDel | 12 |
| @Jvutils@initialization\$qqrv | 12 |

| | |
|--|----|
| @Advxpvs@initialization\$qqrv | 12 |
| @Advgrid@initialization\$qqrv | 12 |
| @Asgdd@initialization\$qqrv | 12 |
| decode_URI | 12 |
| net_Read | 12 |
| rtl_moduleCount_acquire | 12 |
| rtl_moduleCount_release | 12 |
| rtl_moduleCount_canUnload | 12 |
| ??1OInterfaceIteratorHelper@cppu@@QAE | 12 |
| ?next@OInterfaceIteratorHelper@cppu@@ | 12 |
| ??0OInterfaceIteratorHelper@cppu@@QAE | 12 |
| IoQueueThreadIrp | 12 |
| VideoPortEnumerateChildren | 12 |
| TdiDeregisterNotificationHandler | 12 |
| TdiDeregisterAddressChangeHandler | 12 |
| TdiDeregisterDeviceObject | 12 |
| TdiDefaultSendPossibleHandler | 12 |
| ?underflow@filebuf@@UAEHXZ | 12 |
| ??0istream_withassign@@QAE@PAVstream | 12 |
| ??_Eistrstream@@UAEPAXI@Z | 12 |
| ?write@ostream@@QAEAAV1@PBEH@Z | 12 |
| ?_Init@?\$basic_stringbuf@DU?\$char_traits | 12 |
| _GetCharABCWidthsFloat_@16 | 12 |
| DnsAsyncRegisterInit | 12 |
| DnsUpdateTest_W | 12 |
| HidP_GetUsagesEx | 12 |
| ?ciNewNoThrow@@YGPAXI@Z | 12 |
| glPixelMapuiv | 12 |
| GdipTransformPath | 12 |
| SetOaNoCache | 12 |
| CM_Get_Log_Conf_Priority_Ex | 12 |
| ?pcount@ostrstream@@QBEHXZ | 12 |
| BCP_setcolfmt | 12 |
| @Comobj@TComObject@Initialize\$qqrv | 12 |
| @Comobj@TComObjectFactory@ | 12 |
| @Comobj@TComObject@ | 12 |
| @Actnlist@TCustomActionList@SetState\$qc | 12 |
| @Contnrs@TObjectList@Add\$qqrp14Systen | 12 |
| @Forms@TApplication@SetHandle\$qqrui | 12 |
| @Extctrls@TSplitter@ | 12 |
| @Registry@TRegistry@KeyExists\$qqrx17Sys | 12 |
| @Dxexgred@initialization\$qqrv | 12 |
| DwmIsCompositionEnabled | 12 |
| ?DeleteEntry@AUTOREG@@SGEPBVWSTRII | 12 |
| LsaQuerySecurityObject | 12 |
| DnsAsyncRegisterTerm | 12 |
| ?compare@?\$basic_string@DU?\$char_traits | 12 |

| | |
|--|----|
| ZwQueryInformationJobObject | 12 |
| PdhSelectDataSourceA | 12 |
| PdhTranslate009CounterA | 12 |
| PdhEnumLogSetNamesA | 12 |
| PdhOpenQuery | 12 |
| BstrFromVector | 12 |
| ?ParseTree@CParseCommandTree@@QAE) | 12 |
| glsCharubz | 12 |
| LdapNextEntry | 12 |
| SchemaGetSyntaxOfAttribute | 12 |
| SCardAddReaderToGroupA | 12 |
| SCardControl | 12 |
| glLoadName | 12 |
| GetPrinterDataExA | 12 |
| ?unlock@streambuf@@QAEXXZ | 12 |
| ?pbackfail@stdiobuf@@UAEHH@Z | 12 |
| ?ShrinkToFit@CPhysStorage@@QAEXXZ | 12 |
| SamQueryInformationDomain | 12 |
| ??4ostream@@IAEAAV0@ABV0@@Z | 12 |
| ?MessageBoxW@Misc@Util@@YAHPAUIGF | 12 |
| JetCreateDatabase | 12 |
| RtlUpcaseUnicodeToMultiByteN | 12 |
| VarI2FromUI2 | 12 |
| ?FindOneOf@CString@@QBEHPBG@Z | 12 |
| ??0CSyncObject@@QAE@PBG@Z | 12 |
| ?Release@CString@@KGXPAUCStringData@ | 12 |
| ??0CString@@QAE@ABV0@@Z | 12 |
| ?setg@streambuf@@IAEXPAD00@Z | 12 |
| ??0streambuf@@IAE@XZ | 12 |
| ?Mid@CTXStringW@@QBE?AV1@H@Z | 12 |
| ?CodeNumber@CCmdCodecBase@@IAEXP{ | 12 |
| ??0CTXStringA@@QAE@UtagGBK@@PB_W | 12 |
| ?Find@CTXStringW@@QBEH_WH@Z | 12 |
| ?Empty@CTXBSTR@@QAEXXZ | 12 |
| ?GuidFromString@Com@Util@@YAJPA_W@ | 12 |
| ?ConvertTXDataStringBundle@Convert@Uti | 12 |
| ?GetPublicName@Contact@Util@@YA?AVC | 12 |
| SetColorProfileElementReference | 12 |
| UninstallColorProfileA | 12 |
| PdhVbGetLogFileSize | 12 |
| PdhCollectQueryDataEx | 12 |
| EncryptedFileKeyInfo | 12 |
| mbrlen | 12 |
| SHUpdateImageA | 12 |
| SHDoDragDrop | 12 |
| SHDefExtractIconA | 12 |
| ServerGetInternetConnectorStatus | 12 |

| | |
|---|----|
| MonitorHandle | 12 |
| UmPlatformInitialize | 12 |
| FreeUnimodemTimer | 12 |
| ?InitializeVersionInfo@CMdVersionInfo@@I | 12 |
| ?ConvertSharedToExclusive@CReaderWriter | 12 |
| ?GetDefaultSpinAdjustmentFactor@CFakeLc | 12 |
| ?GetSpinCount@CSmallSpinLock@@QBEGX: | 12 |
| ?rbegin@?\$basic_string@DU?\$char_traits@ | 12 |
| ExInterlockedInsertTailList | 12 |
| PfxInsertPrefix | 12 |
| TdiDefaultDisconnectHandler | 12 |
| TdiDefaultConnectHandler | 12 |
| TdiDefaultErrorHandler | 12 |
| TdiPnPRequest | 12 |
| ?set_new_handler@@YAP6AXXP6AXXZ@Z | 12 |
| vlc_config_create | 12 |
| vlc_config_set | 12 |
| ??0ifstream@@QAE@ABV0@@@Z | 12 |
| RtlSubtreeSuccessor | 12 |
| MprConfigTransportCreate | 12 |
| MprAdminMIBServerConnect | 12 |
| MprConfigInterfaceDelete | 12 |
| MprConfigTransportSetInfo | 12 |
| MprConfigInterfaceEnum | 12 |
| SdbReadEntryInformation | 12 |
| SdbGetStandardDatabaseGUID | 12 |
| SdbReadStringTag | 12 |
| ?GetWord@CTXCommPack@@QAEHAAGHI | 12 |
| ??1CTXCommPack@@UAE@XZ | 12 |
| ??0CTXCommPack@@QAE@XZ | 12 |
| CheckTable | 12 |
| EnumOverTable | 12 |
| RtmWriteAddressFamilyConfig | 12 |
| MgmGetNextMfeStats | 12 |
| GetOpenFileNamePreviewA | 12 |
| _getwc | 12 |
| RtmReleaseRouteInfo | 12 |
| DhcpSetThreadOptions | 12 |
| DhcpEnumOptionValues | 12 |
| DhcpEnumSubnetElements | 12 |
| DhcpSetOptionValue | 12 |
| DhcpEnumMScopeClients | 12 |
| DhcpScanDatabase | 12 |
| DhcpRemoveSubnetElementV5 | 12 |
| DhcpServerRedoAuthorization | 12 |
| xmlFreeParserCtxt | 12 |
| AVIFileReadData | 12 |

| | |
|--|----|
| CITextToFullTree | 12 |
| @Comctrls@TProgressBar@ | 12 |
| D3DXCreateTextureFromFileInMemory | 12 |
| IsThemeBackgroundPartiallyTransparent | 12 |
| VarUI2FromUI1 | 12 |
| cmc_query_configuration | 12 |
| OpenTnefStreamEx | 12 |
| MAPIResolveName | 12 |
| HrDispatchNotifications@4 | 12 |
| MapStorageSCode@4 | 12 |
| ChangeIdleRoutine@28 | 12 |
| FBadRestriction@4 | 12 |
| ?Marshall@CVectorRestriction@@QBEXAA\ | 12 |
| ?SetBOOL@CStorageVariant@@QAEXFI@Z | 12 |
| ?Marshall@CNatLanguageRestriction@@QE | 12 |
| ?Close@CPipeClient@@IAEXXZ | 12 |
| EssMLHistoryEncodeEx | 12 |
| MimeOleSMimeCapsToDlg | 12 |
| stream_Delete | 12 |
| ?FormatMessageW@CString@@QAXIZZ | 12 |
| ??0CString@@QAE@PBE@Z | 12 |
| ??0strstreambuf@@QAE@XZ | 12 |
| WMDRMCreateProvider | 12 |
| ScriptLayout | 12 |
| CmRegisterCallback | 12 |
| CM_Add_ID_ExA | 12 |
| RxNetAccessGetInfo | 12 |
| RasGetBuffer | 12 |
| NtOpenThreadTokenEx | 12 |
| _CompareString_@24 | 12 |
| ?QueryWindowsErrorMessage@SYSTEM@@ | 12 |
| WNetSetConnectionW | 12 |
| VDMGetSegmentInfo | 12 |
| CPReleaseContext | 12 |
| _ui64tow_s | 12 |
| ??0?\$basic_string@DU?\$char_traits@D@std@@@oexn | 12 |
| ??4__non_rtti_object@@QAEAAV0@ABV0@ | 12 |
| ClrCreateManagedInstance | 12 |
| InitializeLibrary | 12 |
| AttachHandleToThreadPool | 12 |
| GetXSPHeap | 12 |
| __vbaStrAryToAnsi | 12 |
| SetColorProfileElement | 12 |
| __udivdi3 | 12 |
| __gxx_personality_v0 | 12 |
| MsiInstallProductA | 12 |

| | |
|--|----|
| MsiProvideComponentFromDescriptorA | 12 |
| MsiGetFeatureValidStatesW | 12 |
| MsiCreateAndVerifyInstallerDirectory | 12 |
| MsiSequenceA | 12 |
| RpcNetworkInqProtseqsA | 12 |
| StiCreateInstanceW | 12 |
| _itoa_s | 12 |
| ??6?\$basic_ostream@DU?\$char_traits@D@ | 12 |
| SHDeleteOrphanKeyW | 12 |
| ber_bvdup | 12 |
| _TabbedTextOut_@32 | 12 |
| @Idassignednumbers@Finalization\$qqrv | 12 |
| @Idiohandlersocket@Finalization\$qqrv | 12 |
| @Idrfcreply@Finalization\$qqrv | 12 |
| @Idstream@Finalization\$qqrv | 12 |
| @Idtcpstream@Finalization\$qqrv | 12 |
| @Idstrings@Finalization\$qqrv | 12 |
| NdisQueryAdapterInstanceId | 12 |
| CTESystemUpTime | 12 |
| GetThemeSysBool | 12 |
| MsiGetLastErrorRecord | 12 |
| MsiGetComponentPathW | 12 |
| SQLInitEnumServers | 12 |
| wid32Message | 12 |
| SnmpMgrCtl | 12 |
| ReleaseClassDevice | 12 |
| EnumDeviceByClass | 12 |
| LoadICON | 12 |
| IsDisplayValid | 12 |
| LoadDialogString | 12 |
| _JNU_ReleaseStringPlatformChars@12 | 12 |
| _JNU_GetStringPlatformChars@12 | 12 |
| ?CreateVssSnapshotSetDescription@@YGJU | 12 |
| ??0stdiostream@@QAE@PAU_ibuf@@@Z | 12 |
| CloseIMsgSession@4 | 12 |
| ??0streambuf@@QAE@ABV0@@Z | 12 |
| CopyMagickString | 12 |
| GetVirtualPixels | 12 |
| TransformImageColorspace | 12 |
| SetupRemoveFromDiskSpaceListW | 12 |
| @System@@UStrFromPWChar\$qqrr20Syste | 12 |
| @Graphics@TFont@SetColor\$qqrx15Graphi | 12 |
| @Inifiles@TCustomIniFile@\$bctr\$qqrx20Sys | 12 |
| GetSystemDEPPolicy | 12 |
| ??1TLINK@@UAE@XZ | 12 |
| DllInitialize | 12 |
| ScInitMapiUtil@4 | 12 |

| | |
|--|----|
| SamEnumerateGroupsInDomain | 12 |
| curl_easy_cleanup | 12 |
| @System@@Dispose\$qqrpvt1 | 12 |
| @System@ExceptObjProc | 12 |
| DsFreeSpnArrayA | 12 |
| ?AddTable@CDBNestingNode@@QAEHPAV | 12 |
| TrustOpenStores | 12 |
| SetupGetMultiSzFieldW | 12 |
| SetupCancelTemporarySourceList | 12 |
| ??0CDefColumnRegEntry@@QAE@XZ | 12 |
| TopIGetSpanningTreeEdgesForVtx | 12 |
| TopIIterAdvance | 12 |
| SetupDiGetSelectedDevice | 12 |
| WahRemoveHandleContext | 12 |
| WahReferenceContextByHandle | 12 |
| SQLRemoveDriverW | 12 |
| SQLRemoveTranslator | 12 |
| SQLCreateDataSourceW | 12 |
| SQLWritePrivateProfileString | 12 |
| SQLSetConfigMode | 12 |
| SceBrowseDatabaseTable | 12 |
| SceSvcConvertTextToSD | 12 |
| SetCPUID | 12 |
| CompressQuery | 12 |
| RegPdEnumerateW | 12 |
| SHRestricted | 12 |
| @System@@UStrDelete\$qqrr20System@Ur | 12 |
| @System@@LStrEqual\$qqrv | 12 |
| @Forms@TCustomForm@SetFormStyle\$qqi | 12 |
| @\$xp\$18Forms@TCloseAction | 12 |
| @Db@TDataSet@EnableControls\$qqrv | 12 |
| @Db@TDataSet@DisableControls\$qqrv | 12 |
| fscanf_s | 12 |
| @System@@UStrSetLength\$qqrr20System@Ur | 12 |
| @System@@UStrFromWChar\$qqrr20Syster | 12 |
| @Sysutils@ExtractFileName\$qqrx20System(| 12 |
| DMOGetTypes | 12 |
| VarR4FromUI2 | 12 |
| @Dxcore@Finalization\$qqrv | 12 |
| @Idemailaddress@initialization\$qqrv | 12 |
| @Variants@@VarFromInt\$qqrr8TVarDataxi | 12 |
| glPushName | 12 |
| @Controls@TWinControl@AlignControls\$qc | 12 |
| @Controls@TWinControl@AdjustClientRect | 12 |
| lineGetDevCaps | 12 |
| lineSetCurrentLocation | 12 |
| RegOpenKeyExI | 12 |

| | |
|--|----|
| _GetMenuString_@20 | 12 |
| ??0CTXStringW@@QAE@H@Z | 12 |
| ?TrimLeft@CHString@@QAEXXZ | 12 |
| GdipFlattenPath | 12 |
| GdipAddPathCurve | 12 |
| ImmProcessKey | 12 |
| ?FreeLibraryHandle@SYSTEM@@SGXPAX@ | 12 |
| ?MakeFileToken@MESSAGE@@SG_KPBD@ | 12 |
| EngFreeMem | 12 |
| EngAllocMem | 12 |
| EngDeviceIoControl | 12 |
| _TranslateAccelerator@12 | 12 |
| CM_Get_Device_Interface_AliasW | 12 |
| WTHelperGetAgencyInfo | 12 |
| NetReplExportDirLock | 12 |
| NetpDbgPrint | 12 |
| TopIStHeapExtractMin | 12 |
| @Graphics@TPen@SetColor\$qqqr15Graphics | 12 |
| acmFormatEnumW | 12 |
| ?CoTaskAllocator@@3VCCoTaskAllocator@I | 12 |
| CollectFILTERPerformanceData | 12 |
| @Classes@TThread@Synchronize\$qqrynpqc | 12 |
| JetIndexRecordCount | 12 |
| I_NetlogonComputeClientDigest | 12 |
| GetProcessDEPPolicy | 12 |
| ??1nsCOMPtr_base@@QAE@XZ | 12 |
| RtlAddAccessDeniedAceEx | 12 |
| AsrCreateStateFileW | 12 |
| @Extctrls@TTimer@\$bctr\$qqrp18Classes@` | 12 |
| RegPdEnumerateA | 12 |
| ?GetNextAssoc@CMapStringToPtr@@QBEX | 12 |
| ?AfxLoadString@@YGHIPAGI@Z | 12 |
| ??_FCMapStringToPtr@@QAEXXZ | 12 |
| ??YCString@@QAEABV0@G@Z | 12 |
| ComPs_NdrDllCanUnloadNow | 12 |
| _LookupPrivilegeValue_@12 | 12 |
| @Dxlayoutcxeditadapters@initialization\$qq | 12 |
| CryptCATHandleFromStore | 12 |
| I_CryptInsertLruEntry | 12 |
| ATMAddFontA | 12 |
| ATMGetVersionEx | 12 |
| glPolygonStipple | 12 |
| I_NetListTraverse | 12 |
| I_NetListCanonicalize | 12 |
| RapGetFieldSize | 12 |
| RapParmNumDescriptor | 12 |
| RapConvertSingleEntry | 12 |

| | |
|----------------------------------|----|
| RapAsciiToDecimal | 12 |
| RapArrayLength | 12 |
| RapAuxDataCount | 12 |
| RapTotalSize | 12 |
| RapStructureSize | 12 |
| RapAuxDataCountOffset | 12 |
| RapConvertSingleEntryEx | 12 |
| RapStructureAlignment | 12 |
| ??1BYTE_STREAM@@UAE@XZ | 12 |
| RemoveUninstallImage | 12 |
| CM_Is_Dock_Station_Present_Ex | 12 |
| CM_Add_Empty_Log_Conf | 12 |
| CM_Get_Hardware_Profile_Info_ExA | 12 |
| MsiSourceListAddSourceA | 12 |
| SetupCopyErrorA | 12 |
| DnsGetLastFailedUpdateInfo | 12 |
| Dns_FindAuthoritativeZoneLib | 12 |
| bcp_bind | 12 |
| SamLookupDomainInSamServer | 12 |
| ?QueryLongName@FATDIR@@QAEIJPAVW | 12 |
| ?Initialize@ROOTDIR@@QAEPAVMEM@@ | 12 |
| ??1FILEDIR@@UAE@XZ | 12 |
| drvSetDefaultCommConfigW | 12 |
| drvGetDefaultCommConfigW | 12 |
| NetDfsRemoveStdRoot | 12 |
| CoInternetIsFeatureEnabled | 12 |
| GdipCreateRegion | 12 |
| SQLSetConnectOptionW | 12 |
| SetupGetInflInformationA | 12 |
| g_malloc_n | 12 |
| gtk_main | 12 |
| gtk_table_get_type | 12 |
| gtk_table_new | 12 |
| gtk_table_set_col_spacings | 12 |
| CryptCATGetCatAttrInfo | 12 |
| vlc_cancel | 12 |
| glRasterPos4i | 12 |
| ZwCreateNamedPipeFile | 12 |
| ScriptRecordDigitSubstitution | 12 |
| Shell_GetImageLists | 12 |
| MAPILogonEx@20 | 12 |
| GetOutlookVersion | 12 |
| SQLErrorA | 12 |
| SQLProceduresA | 12 |
| MimeOleSMimeCapsFull | 12 |
| __unguarded_readlc_active | 12 |
| ??0CPropertyRestriction@@QAE@XZ | 12 |

| | |
|--|----|
| IPSecFreeNegPolData | 12 |
| IPSecClosePolicyStore | 12 |
| IPSecDeleteISAKMPData | 12 |
| IPSecExportPolicies | 12 |
| IPSecCopyPolicyData | 12 |
| IPSecCreateNegPolData | 12 |
| PL_strcasecmp | 12 |
| CertResyncCertificateChainEngine | 12 |
| wglGetPixelFormat | 12 |
| RtlAddAccessDeniedObjectAce | 12 |
| PdhVbGetCounterPathElements | 12 |
| PdhGetFormattedCounterArrayA | 12 |
| AtlModuleGetClassObject | 12 |
| _free | 12 |
| _malloc | 12 |
| SaslGetProfilePackageW | 12 |
| GetComputerObjectNameA | 12 |
| rtcVarBstrFromByte | 12 |
| MprAdminUserReadProfFlags | 12 |
| CmLoadSmallIconW | 12 |
| RtlUsageHeap | 12 |
| NtCancelDeviceWakeupsRequest | 12 |
| DoneCIISAPIPerformanceData | 12 |
| MimeEditIsSafeToRun | 12 |
| RegWinStationQueryEx | 12 |
| _RegCreateKey_@12 | 12 |
| _FindNextFile_@8 | 12 |
| RegLoadMUIStringW | 12 |
| NdisSetTimer | 12 |
| ldap_count_references | 12 |
| CPDuplicateHash | 12 |
| NetDfsGetClientInfo | 12 |
| ?Index12@FAT@@ABEKK@Z | 12 |
| ?Set12@FAT@@AAEXKK@Z | 12 |
| ?SearchForDirEntry@FATDIR@@QAEPAXPB' | 12 |
| DsBindWithSpnA | 12 |
| SceCloseProfile | 12 |
| ?QueryPath@PATH@@QBEPAV1@XZ | 12 |
| ___ExceptionHandler | 12 |
| GetTrusteeFormA | 12 |
| DsReplicaAddA | 12 |
| DsListRolesW | 12 |
| RtlSetTimer | 12 |
| MpHeapReAlloc | 12 |
| ?compare@?\$basic_string@GU?\$char_traits@I@std@@@std@@YAXABV01@DU@Z | 12 |
| ?insert@?\$basic_string@DU?\$char_traits@I@std@@@std@@YAXABV01@DU@Z | 12 |
| RtlValidAcl | 12 |

| | |
|---------------------------------------|----|
| MsiGetUserInfoW | 12 |
| MsiGetProductPropertyA | 12 |
| IdentifyCodeAuthzLevelW | 12 |
| I_CertUpdateStore | 12 |
| ScriptString_pSize | 12 |
| ScriptStringValidate | 12 |
| AdsFreeAdsValues | 12 |
| ADsOpenObject | 12 |
| RasScriptTerm | 12 |
| SetupSetDirectoryIdA | 12 |
| ??_Ebad_cast@@UAEPAIX@Z | 12 |
| ?DeleteRecoveryModule@@YGXXZ | 12 |
| ldap_modifyA | 12 |
| ??0QVariant@@QAE@H@Z | 12 |
| ??0QVariant@@QAE@ABVQString@@@Z | 12 |
| SaslEnumerateProfilesA | 12 |
| DisableMediaSense | 12 |
| PsSetProcessPriorityByClass | 12 |
| SCardIntroduceCardTypeA | 12 |
| SCardReleaseStartedEvent | 12 |
| ?SetValue@CPropertyRestriction@@QAEXA | 12 |
| SceRegisterRegValues | 12 |
| RtlPopFrame | 12 |
| UIFromSzHex@4 | 12 |
| CbOfEncoded@4 | 12 |
| RtlCreateProcessReflection | 12 |
| VarI4FromCy | 12 |
| VarDecFromCy | 12 |
| VarI8FromDec | 12 |
| MprConfigInterfaceCreate | 12 |
| ??0PushButton@@QAE@PAVWindow@@A | 12 |
| ?SetStyle@Window@@QAEX_J@Z | 12 |
| ?GetStyle@Window@@QBE_JXZ | 12 |
| ??1FixedLine@@UAE@XZ | 12 |
| ??0String@@QAE@ABV0@GG@Z | 12 |
| UNKOBJ_ScCOAllocate@12 | 12 |
| ??0ifstream@@QAE@H@Z | 12 |
| ??1iostream_init@@QAE@XZ | 12 |
| ClusterResourceTypeGetEnumCount | 12 |
| DisplaySYSDMCPL | 12 |
| rtl_ustr_ascii_compareIgnoreCase_Witl | 12 |
| _OutputDebugString_@4 | 12 |
| ServerLicensingGetPolicy | 12 |
| JetGetLS | 12 |
| ??1sstreambuf@@UAE@XZ | 12 |
| KiFastSystemCall | 12 |
| glFeedbackBuffer | 12 |

| | |
|--------------------------------------|----|
| @Iclist@initialization\$qqrv | 12 |
| mciGetDeviceIDFromElementIDW | 12 |
| cmc_send_documents | 12 |
| AVIStreamOpenFromFile | 12 |
| phoneGetLamp | 12 |
| lineSetAgentMeasurementPeriod | 12 |
| tapiRequestMediaCallA | 12 |
| phoneShutdown | 12 |
| InternalSetIpNetEntry | 12 |
| @System@@LStrAddRef\$qqrv | 12 |
| DhcpReleaseParameters | 12 |
| UFromSz@4 | 12 |
| _CreateMailslot_@16 | 12 |
| NextMatchInTable | 12 |
| RtmGetExactMatchDestination | 12 |
| RpcServerUseProtseqA | 12 |
| VarR8FromCy | 12 |
| RasFreeEapUserIdentityA | 12 |
| VarDecFromR8 | 12 |
| ErrCopyFromLink | 12 |
| OleLockServer | 12 |
| OleEqual | 12 |
| PostODBCError | 12 |
| SQLColumnPrivileges | 12 |
| SQLGetConnectAttrA | 12 |
| TopIDeleteGraphState | 12 |
| ?Equals@String@@QBEEABV1@@Z | 12 |
| SetupDiSetDriverInstallParamsW | 12 |
| ?HandleMessageMapErrorCatch@@YGXKIJ@ | 12 |
| ZwEnumerateSystemEnvironmentValuesEx | 12 |
| sqlite3_open_v2 | 12 |
| glVertex4f | 12 |
| RasGetAutodialParamW | 12 |
| RasSetEntryPropertiesW | 12 |
| gimp_dialog_get_type | 12 |
| gimp_dialog_run | 12 |
| SystemFunction022 | 12 |
| pcap_loop | 12 |
| NtExtendSection | 12 |
| VarR4FromUI8 | 12 |
| ??1QThread@@UAE@XZ | 12 |
| ?exists@QFile@@SA_NABVQString@@@Z | 12 |
| ?arg@QString@@QBE?AV1@HHHABVQCha | 12 |
| ??0QDir@@QAE@ABVQString@@@Z | 12 |
| ?remove@QFile@@SA_NABVQString@@@ | 12 |
| _getuid32 | 12 |
| PdhUpdateLogA | 12 |

| | |
|---------------------------------------|----|
| rtcInputCountVar | 12 |
| _ObjectPrivilegeAuditAlarm_@24 | 12 |
| EssKeyExchPreferenceEncodeEx | 12 |
| CreateRASTransport | 12 |
| VarDecFromR4 | 12 |
| SnmpDuplicatePdu | 12 |
| SQLSetConnectOptionA | 12 |
| ?GetData@CStringArray@@QAEPAVCString | 12 |
| SCardIntroduceReaderW | 12 |
| SystemFunction002 | 12 |
| SystemFunction014 | 12 |
| VarI1FromR8 | 12 |
| ?eback@streambuf@@IBEPADXZ | 12 |
| SetupDiSetDeviceInterfaceDefault | 12 |
| ??0CReaderWriterLock3@@QAE@XZ | 12 |
| ??_FCIniA@@QAEXXZ | 12 |
| ?GPPS@CIniW@@QBEPAGPBG00@Z | 12 |
| SQLGetCursorNameA | 12 |
| ?Initialize@FAT_DIRENT@@QAEPAZ | 12 |
| CursorLibLockDesc | 12 |
| FGetComponentPath@20 | 12 |
| TopISetAllocator | 12 |
| MsiEnumComponentsW | 12 |
| MsiInvalidateFeatureCache | 12 |
| MsiEnumComponentQualifiersW | 12 |
| MsiGetFileSignatureInformationW | 12 |
| ZwSetDebugFilterState | 12 |
| _IsCharUpper_@4 | 12 |
| RtlConvertToAutoInheritSecurityObject | 12 |
| CMP_RegisterNotification | 12 |
| NdrConformantStructBufferSize | 12 |
| SetupDiGetClassInstallParamsA | 12 |
| ?ResetType@CAllocStorageVariant@@IAEX | 12 |
| ?AcqLine@CQueryScanner@@QAEPAHG@Z | 12 |
| RtlTraceDatabaseDestroy | 12 |
| MsiGetPropertyW | 12 |
| OleDelete | 12 |
| ??ACTXStringW@@QBE_WH@Z | 12 |
| AdsTypeToLdapTypeCopyConstruct | 12 |
| SetBrushAttributes | 12 |
| InitializeLoginDialog | 12 |
| wglDescribePixelFormat | 12 |
| NtAreMappedFilesTheSame | 12 |
| MsiQueryFeatureStateFromDescriptorW | 12 |
| MsiOpenDatabaseA | 12 |
| AVISave | 12 |
| _PfMakeLog@4 | 12 |

| | |
|---------------------------------------|----|
| ??Oiostream@@IAE@XZ | 12 |
| vlc_ureduce | 12 |
| ?get@istream@@QAEAAV1@PADHD@Z | 12 |
| glLightModelf | 12 |
| ResUtilSetResourceServiceEnvironment | 12 |
| RtlInvertRangeList | 12 |
| ??_Estrstreambuf@@UAEPAXI@Z | 12 |
| RasGetLinkStatistics | 12 |
| NPGetReconnectFlags | 12 |
| SdbCreateMsiTransformFile | 12 |
| RtmGetRouteAge | 12 |
| RtmLockRoute | 12 |
| JetRestore2 | 12 |
| ldap_parse_extended_resultA | 12 |
| ldap_add_ext | 12 |
| decoder_NewAudioBuffer | 12 |
| MprAdminUserSetInfo | 12 |
| ?SetWtzFromPattern@Strings@MsoCF@@Y | 12 |
| ?SetWzFromNumber@Strings@MsoCF@@Y | 12 |
| ??1CToolbarData@MsoCF@@QAE@XZ | 12 |
| ?TheApp@Frame@MsoCF@@YGPAUAFram | 12 |
| ??0CToolbarData@MsoCF@@QAE@XZ | 12 |
| ?Init@CToolbarData@MsoCF@@QAGXPBU! | 12 |
| ?CreateTheApp@Frame@MsoCF@@YGXAA | 12 |
| ?Start@Frame@MsoCF@@YGXXZ | 12 |
| ?Start@Utilities@MsoCF@@YGXHPAU_msc | 12 |
| ?Finish@Utilities@MsoCF@@YGXXZ | 12 |
| ?Finish@Frame@MsoCF@@YGXXZ | 12 |
| ?TerminateTheApp@Frame@MsoCF@@YG | 12 |
| ?AppendArrayOfCharactersToWz@Strings@ | 12 |
| ?g_FixedBufferAllocator@MsoCF@@3VCFix | 12 |
| ?g_FastBufferAllocator@MsoCF@@3VCFast | 12 |
| ?LookupProperty@MsoCF@@YGABUProper | 12 |
| ?Set@Properties@MsoCF@@YGXPUIProp | 12 |
| ?SetWzFromPattern@Strings@MsoCF@@Y(| 12 |
| ?Free@Allocator@Memory@MsoCF@@YG) | 12 |
| ?SetWzFromResource@Strings@MsoCF@@ | 12 |
| ?TheActionManager@MsoCF@@YGPAUIAct | 12 |
| ?utf16@QString@@QBEPBGXZ | 12 |
| ?metaObject@QTimer@@UBEPBUQMetaOl | 12 |
| ?qt_metacast@QTimer@@UAEPAXPBD@Z | 12 |
| ?qt_metacall@QTimer@@UAEHW4Call@QI | 12 |
| ?timerEvent@QTimer@@MAEXPAVQTimerl | 12 |
| ??1QObject@@UAE@XZ | 12 |
| _ZN7QObject5eventEP6QEvent | 12 |
| _ZN7QString6appendERKS_ | 12 |
| _ZN9QListData6appendEv | 12 |

| | |
|---|----|
| RasIsTrustedCustomDll | 12 |
| __var_Set | 12 |
| ?Initialize@WSTRING@@QAEEXZ | 12 |
| RtlAddressInSectionTable | 12 |
| SHEnableServiceObject | 12 |
| ImmLockImeDpi | 12 |
| SQLDataSourcesW | 12 |
| AssocIsDangerous | 12 |
| VDMSetContext | 12 |
| ??4?\$basic_string@GU?\$char_traits@G@std@@@Q | 12 |
| InitializeCIISAPIPerformanceData | 12 |
| _ResetDC_@8 | 12 |
| ?UnMarshallTree@CDbCmdTreeNode@@SC | 12 |
| ?GetBackupSize@CPropStoreManager@@Q | 12 |
| LdapFirstAttribute | 12 |
| ?GetUpperBound@CStringArray@@QBEHXZ | 12 |
| ?heightForWidth@QLayoutItem@@UBEHH(| 12 |
| ?minimumHeightForWidth@QLayoutItem@ | 12 |
| ?invalidate@QLayoutItem@@UAEXXZ | 12 |
| ?layout@QLayoutItem@@UAEPAVQLayout(| 12 |
| ??0QSpacerItem@@QAE@HHW4Policy@QS | 12 |
| ?sizeHint@QSpacerItem@@UBE?AVQSize@ | 12 |
| ?minimumSize@QSpacerItem@@UBE?AVQ | 12 |
| ?maximumSize@QSpacerItem@@UBE?AVQ | 12 |
| ?expandingDirections@QSpacerItem@@UB | 12 |
| ?setGeometry@QSpacerItem@@UAEXABC | 12 |
| ?geometry@QSpacerItem@@UBE?AVQRect | 12 |
| ?isEmpty@QSpacerItem@@UBE_NXZ | 12 |
| ?hasHeightForWidth@QLayoutItem@@UBE | 12 |
| ?spacerItem@QSpacerItem@@UAEPV1@) | 12 |
| GetOSBuildNumber | 12 |
| ?GPPB@CIniW@@QBEHPBG0H@Z | 12 |
| RtlComputePrivatizedDIIName_U | 12 |
| RtlDecodePointer | 12 |
| RtlGetControlSecurityDescriptor | 12 |
| _RemoveFontResource_@4 | 12 |
| JetTruncateLogInstance | 12 |
| NetpOpenConfigData | 12 |
| SetupDecompressOrCopyFileA | 12 |
| NtImpersonateThread | 12 |
| SnmpSetVb | 12 |
| ?replace@?\$basic_string@DU?\$char_traits@ | 12 |
| I_NetServerPasswordGet | 12 |
| __vbaEraseNoPop | 12 |
| LdapInitializeSearchPreferences | 12 |
| ReadPagingSupportedAttr | 12 |
| InitHelperDII | 12 |

| | |
|--|----|
| ?_Init@?\$basic_filebuf@GU?\$char_traits@C | 12 |
| ReleaseCLStmtResources | 12 |
| HlinkTranslateURL | 12 |
| I_CryptUninstallOssGlobal | 12 |
| SdbGetFirstChild | 12 |
| ?QueryParentsWithChildren@DIGRAPH@@@ | 12 |
| ??1VOL_LIODPDRV@@@UAE@XZ | 12 |
| GetOwnerModuleFromUdpEntry | 12 |
| rtcChangeDir | 12 |
| DsAddressToSiteNamesExW | 12 |
| RemovePrivateCvSymbolicEx | 12 |
| ??1QLineEdit@@@UAE@XZ | 12 |
| ?sizeHint@QDialog@@@UBE?AVQSize@@@XZ | 12 |
| ?metaObject@QPushButton@@@UBEPBUQN | 12 |
| ?contextMenuEvent@QLineEdit@@@MAEXP/ | 12 |
| ?mouseMoveEvent@QLineEdit@@@MAEXP/ | 12 |
| ?minimumSizeHint@QLineEdit@@@UBE?AVC | 12 |
| ?sizeHint@QLineEdit@@@UBE?AVQSize@@@X | 12 |
| ?event@QLineEdit@@@UAE_NPAVQEvent@() | 12 |
| ?qt_metacall@QLineEdit@@@UAEHW4Call@ | 12 |
| ?qt_metacast@QLineEdit@@@UAEPAXPBD@ | 12 |
| ?metaObject@QLineEdit@@@UBEPBUQMeta | 12 |
| MsiDatabaseOpenViewA | 12 |
| DbgUiRemoteBreakin | 12 |
| GdipCloneFontFamily | 12 |
| GdipPrivateAddMemoryFont | 12 |
| RtlFindFirstRunClear | 12 |
| ??0QIcon@@@QAE@XZ | 12 |
| ?fromUtf16@QString@@@SA?AV1@PBGH@Z | 12 |
| ??1QTranslator@@@UAE@XZ | 12 |
| ??0QTranslator@@@QAE@PAVQObject@@@@ | 12 |
| ?load@QTranslator@@@QAE_NABVQString@ | 12 |
| ?installTranslator@QCoreApplication@@SA | 12 |
| rtcBeep | 12 |
| NtPrivilegedServiceAuditAlarm | 12 |
| SetupGetFileQueueFlags | 12 |
| ?detach_grow@QListData@@@QAEPAUData@ | 12 |
| GetPS2ColorRenderingDictionary | 12 |
| MmGetPhysicalMemoryRanges | 12 |
| ??0CFilterDaemon@@QAE@AAVCiProxy@() | 12 |
| RegisterGadgetProperty | 12 |
| ?GetUShort@CMemDeSerStream@@@UAEG | 12 |
| ??5SvStream@@@QAEAAV0@AAE@Z | 12 |
| IsPrint | 12 |
| ese | 12 |
| NdisDprAcquireSpinLock | 12 |
| rtcPackTime | 12 |

| | |
|--|----|
| ?SetName@PATH@@QAEYPBVWSTRING@() | 12 |
| sqlite3_value_type | 12 |
| ReBaseImage64 | 12 |
| ?close@QWidget@@QAE_NXZ | 12 |
| rtl_str_indexOfChar_WithLength | 12 |
| sqlite3_prepare_v2 | 12 |
| MsiProcessMessage | 12 |
| osl_getThreadIdIdentifier | 12 |
| DsMakeSpnA | 12 |
| ?SetDefaultSpinCount@CReaderWriterLock@ | 12 |
| RegSaveKeyExA | 11 |
| libvlc_add_intf | 11 |
| libvlc_playlist_play | 11 |
| libvlc_release | 11 |
| libvlc_wait | 11 |
| ?read@?\$basic_istream@DU?\$char_traits@ | 11 |
| MsiViewFetch | 11 |
| DsGetDomainControllerInfoA | 11 |
| DsMakePasswordCredentialsA | 11 |
| ldap_add_ext_sA | 11 |
| ConfigDriverW | 11 |
| _matherr | 11 |
| WSPStartup | 11 |
| _ZN7QObject7connectEPKS_PKcS1_S3_N2QI | 11 |
| ApplicationRecoveryFinished | 11 |
| ??5?\$basic_istream@DU?\$char_traits@D@: | 11 |
| ?seekoff@strstreambuf@std@@MAE?AV?\$ | 11 |
| ICMThunk32 | 11 |
| FsRtlUninitializeMcb | 11 |
| FsRtlNotifyVolumeEvent | 11 |
| FsRtlFastUnlockAll | 11 |
| FsRtlLookupLastLargeMcbEntryAndIndex | 11 |
| FsRtlOblockFsctrl | 11 |
| ??1MEM_BLOCK_MGR@@UAE@XZ | 11 |
| ?QueryIterator@ARRAY@@UBEPAVITERATC | 11 |
| I_NetLogonSamLogoff | 11 |
| DsRoleAbortDownlevelServerUpgrade | 11 |
| @Qrexpr@initialization\$qqrv | 11 |
| @Qrenved@initialization\$qqrv | 11 |
| @Qrabout@initialization\$qqrv | 11 |
| @Qrprgres@initialization\$qqrv | 11 |
| @Qrprnsu@initialization\$qqrv | 11 |
| @Qrlabled@initialization\$qqrv | 11 |
| @Qrexpred@initialization\$qqrv | 11 |
| @Qrcctrls@initialization\$qqrv | 11 |
| @Qrcomped@initialization\$qqrv | 11 |
| @Qrextra@initialization\$qqrv | 11 |

| | |
|--|----|
| @Qrexpbld@initialization\$qqrv | 11 |
| @Quickrpt@initialization\$qqrv | 11 |
| @Qrprev@initialization\$qqrv | 11 |
| @Qrprntr@initialization\$qqrv | 11 |
| HalBeginSystemInterrupt | 11 |
| TdiDefaultChainedRcvDatagramHandler | 11 |
| glTexCoord1iv | 11 |
| ??0strstreambuf@@QAE@ABV0@@Z | 11 |
| _GetPrivateProfileSection_@16 | 11 |
| _BuildCommDCB_@8 | 11 |
| DnsIpv6StringToAddress | 11 |
| DnsQueryExW | 11 |
| DnsDhcpSrvRegisterInit | 11 |
| ldap_sasl_bind_sW | 11 |
| ldap_modify_sW | 11 |
| HungWindowFromGhostWindow | 11 |
| GetThreadId | 11 |
| SdbFindFirstNamedTag | 11 |
| ImmWINNLSEnableIME | 11 |
| IIIsEqual | 11 |
| SHGetFolderPathEx | 11 |
| GdipSetImageAttributesWrapMode | 11 |
| WSASetServiceA | 11 |
| VarCyCmpR8 | 11 |
| @Comobj@TComObjectFactory@\$bctr\$qqrj | 11 |
| @Registry@TRegistry@ReadBool\$qqrx17Sy: | 11 |
| @Registry@TRegistry@WriteBool\$qqrx17Sy | 11 |
| @Comctrls@TTreeNodes@Clear\$qqrv | 11 |
| @Strtools@ReadStringFromFile\$qqr17Syste | 11 |
| @Vedataset@GetSystemCurrencyFormat\$qq | 11 |
| ?QueryAutochkTimeOut@VOL_LIODPDRV@ | 11 |
| LsaRegisterPolicyChangeNotification | 11 |
| ?QueryInterface@CEmptyPropertyList@@U | 11 |
| ??0CAallocStorageVariant@@QAE@W4VARE | 11 |
| CM_Get_Class_NameA | 11 |
| __vbaVarTextLikeVar | 11 |
| VarI1FromI2 | 11 |
| VarI4FromDate | 11 |
| ?SetSpinCount@CCritSec@@SGKPAPAVCCri | 11 |
| ?SetSpinCount@CCritSec@@QAE_NG@Z | 11 |
| ?SetTableLockSpinCount@CLKRLinearHashTable | 11 |
| ?IsWriteUnlocked@CLKRHashTable@@QBE | 11 |
| ?_WriteLockSpin@CReaderWriterLock@@A | 11 |
| SCardRemoveReaderFromGroupA | 11 |
| SnmpUtilPrintAsnAny | 11 |
| input_item_AddOption | 11 |
| GdipDeleteCachedBitmap | 11 |

| | |
|--|----|
| _RegQueryValueEx_@24 | 11 |
| SE_DllUnloaded | 11 |
| SE_InstallAfterInit | 11 |
| SE_ProcessDying | 11 |
| InvisibleSelectDb | 11 |
| ?Open@CCollection@@QAEKPBD@Z | 11 |
| ?end@?\$basic_string@GU?\$char_traits@G(| 11 |
| ??4std::dbuf@@QAEAAV0@ABV0@@Z | 11 |
| ??0CTimeLimit@@QAE@KK@Z | 11 |
| CICreateCommand | 11 |
| _set_SSE2_enable | 11 |
| SamGetCompatibilityMode | 11 |
| GetInheritanceSourceA | 11 |
| ldap_parse_referenceW | 11 |
| ?GetLCID@NLS@@YAKXZ | 11 |
| ?IsVASFlagValid@Contact@Util@@YAHKE@ | 11 |
| MsiDatabaseIsTablePersistentW | 11 |
| AtlModuleUnregisterServer | 11 |
| JetGetColumnInfo | 11 |
| GdipPathIterGetSubpathCount | 11 |
| GdipPathIterIsValid | 11 |
| GdipPathIterHasCurve | 11 |
| SetupDiGetCustomDevicePropertyA | 11 |
| InstallHinfSectionA | 11 |
| VarFormatFromTokens | 11 |
| VarI2FromDisp | 11 |
| ?InitHashTable@CMapStringToPtr@@QAE | 11 |
| ??H@YG?AVCString@@DABV0@@Z | 11 |
| SetPrivateObjectSecurityEx | 11 |
| ??0strstreambuf@@QAE@PADHO@Z | 11 |
| ??1CPhraseRestriction@@QAE@XZ | 11 |
| ??1CPropertyStoreWids@@QAE@XZ | 11 |
| ?DecodeStringLenHead@CCmdCodecBase@ | 11 |
| ?GetRegulatedTime@Time@Util@@YA_NA. | 11 |
| sqlite3_open | 11 |
| ?GetValue@GCRegistryKey@@QBEJAAKPB_ | 11 |
| ?Open@GCRegistryKey@@QAEJK@Z | 11 |
| ??1GCRRegistryKey@@UAE@XZ | 11 |
| ??0GCRRegistryKey@@QAE@W4KEY_ROOT@ | 11 |
| ?GetValue@GCRegistryKey@@QBEJAAVGCS | 11 |
| ?DeleteValue@GCRegistryKey@@QAEJPB_\ | 11 |
| ?QueryInterfaceNoReleaseNoThrow@GCIPI | 11 |
| PdhEnumMachinesHW | 11 |
| LpkInitialize | 11 |
| RegEnumValueU | 11 |
| WinStationEnumerate_IndexedA | 11 |
| CSCEnumForStatsW | 11 |

| | |
|--|----|
| CSCPInFileW | 11 |
| CSCDeleteW | 11 |
| ResetCallCount | 11 |
| ?_TryReadLockRecursive@CReaderWriterLo | 11 |
| ?IsWin9x@CMdVersionInfo@@SAHZ | 11 |
| ?GetDefaultSpinAdjustmentFactor@CCritSec | 11 |
| ?sm_dblDfltSpinAdjFctr@CSpinLock@@1NA | 11 |
| ?WriteUnlock@CFakeLock@@QAEXXZ | 11 |
| ?InsertTail@CDoubleList@@QAEXQAVCListE | 11 |
| ?_TryReadLock@CReaderWriterLock@@AAI | 11 |
| ?seekp@?\$basic_ostream@DU?\$char_traits | 11 |
| ??6?\$basic_ostream@GU?\$char_traits@G@ | 11 |
| TdiPnPPowerComplete | 11 |
| CM_Create_DevNode_ExW | 11 |
| MprConfigTransportGetHandle | 11 |
| MprAdminInterfaceGetHandle | 11 |
| SdbQueryApphelpInformation | 11 |
| SHOpenPropSheetW | 11 |
| RtmIsBestRoute | 11 |
| TcOpenInterfaceW | 11 |
| TcEnumerateInterfaces | 11 |
| RtlEqualPrefixSid | 11 |
| RtlSetUserFlagsHeap | 11 |
| RtlDowncaseUnicodeChar | 11 |
| SQLBrowseConnectW | 11 |
| MgmGetFirstMfeStats | 11 |
| DhcpEnumOptionsV5 | 11 |
| DhcpGetMScopeInfo | 11 |
| DhcpGetSuperScopeInfoV4 | 11 |
| DhcpRemoveSubnetElementV4 | 11 |
| DhcpSetClientInfoV4 | 11 |
| DhcpAddSubnetElementV4 | 11 |
| DhcpRemoveOption | 11 |
| @Sysconst @_SRangeError | 11 |
| RpcStringBindingParseA | 11 |
| PyErr_SetString | 11 |
| PyObject_GetAttrString | 11 |
| Py_InitModule4 | 11 |
| _Py_NoneStruct | 11 |
| InitializeCIPerformanceData | 11 |
| @Sysutils@FloatToDateTIme\$qqrxg | 11 |
| @Comctrls@TProgressBar@SetPosition\$qqqr | 11 |
| ?max@?\$numeric_limits@H@std@@SAHZ | 11 |
| @Comctrls@TStatusPanel@SetText\$qqrx17' | 11 |
| @Comctrls@TPageControl@SetActivePage\$ | 11 |
| ??1CMemSerStream@@UAE@XZ | 11 |
| ?GetPropInfoFromName@CEmptyPropertyL | 11 |

| | |
|--|----|
| SetupGetFileQueueCount | 11 |
| pSetupStringTableLookUpStringEx | 11 |
| VarCyNeg | 11 |
| VarBstrFromI2 | 11 |
| mscat32DIIUnregisterServer | 11 |
| WVTAsn1SpcSpAgencyInfoDecode | 11 |
| VarI8FromUI8 | 11 |
| ??X?\$_Complex_base@M@std@@QAEAAV | 11 |
| ?gbump@?\$basic_streambuf@GU?\$char_tr | 11 |
| FBadRow@4 | 11 |
| HrEntryIDFromSz@12 | 11 |
| ScCopyNotifications@16 | 11 |
| FBadPropTag@4 | 11 |
| HrDecomposeEID@28 | 11 |
| UNKOBJ_FreeRows@8 | 11 |
| HrGetDisplayNameWithSizeForFile | 11 |
| ?epptr@?\$basic_streambuf@GU?\$char_trai | 11 |
| ?RemoveKey@CMapStringToPtr@@QAEHPI | 11 |
| RasConnectionNotificationW | 11 |
| RasGetEntryHrasconnW | 11 |
| RasCreatePhonebookEntryW | 11 |
| ??_Eofstream@@UAEPAXI@Z | 11 |
| ShutdownBlockReasonCreate | 11 |
| ldap_simple_bind_sA | 11 |
| glsReadFunc | 11 |
| MAPIInitialize@4 | 11 |
| MAPIAllocateMore@12 | 11 |
| DsRoleServerSaveStateForUpgrade | 11 |
| DsGetDcCloseW | 11 |
| NetRenameMachineInDomain | 11 |
| ?GetFirst@TLINK@@QAEPAXXZ | 11 |
| ?EnableVolumeCompression@IFS_SYSTEM@ | 11 |
| ?QueryParents@DIGRAPH@@QBEEKPAVNL | 11 |
| ?GetCannedSecurity@IFS_SYSTEM@@SGPA | 11 |
| RasPortRetrieveUserData | 11 |
| RasRpcPortEnum | 11 |
| RasPortOpenEx | 11 |
| LsdnResolvePrevTab | 11 |
| LsSetCompression | 11 |
| RasGetCustomAuthDataA | 11 |
| UpdSplterateCabinetA | 11 |
| UpdSpGetLineCountW | 11 |
| UpdSpGetLineByIndexW | 11 |
| UpdSpGetSourceFileLocationA | 11 |
| UpdSpCloseFileQueue | 11 |
| UpdSpQueueCopyA | 11 |
| PdhEnumObjectItemsHW | 11 |

| | |
|--|----|
| _GetCharacterPlacement_@24 | 11 |
| ??0TIMEINFO@@QAE@XZ | 11 |
| EvtSubscribe | 11 |
| btowc | 11 |
| wcrtomb | 11 |
| odefin | 11 |
| gIColorMask | 11 |
| JetOSSnapshotThaw | 11 |
| JetRetrieveTaggedColumnList | 11 |
| long_from_ndr | 11 |
| ??6?\$basic_ostream@_WU?\$char_traits@_` | 11 |
| PortsClassInstaller | 11 |
| ComDBOpen | 11 |
| ComDBCClaimPort | 11 |
| ComDBReleasePort | 11 |
| ComDBClose | 11 |
| AccessCheckByTypeAndAuditAlarmA | 11 |
| WNetGetConnection3W | 11 |
| MultinetGetErrorTextA | 11 |
| WNetGetConnection2W | 11 |
| WNetGetConnection3A | 11 |
| GetPwrDiskSpindownRange | 11 |
| ldap_first_entry | 11 |
| DwmUpdateThumbnailProperties | 11 |
| DwmExtendFrameIntoClientArea | 11 |
| _LookupAccountName_@28 | 11 |
| @IdAuthentication@initialization\$qqrv | 11 |
| CTEInitEvent | 11 |
| CTEStartTimer | 11 |
| CLSIDFromOle1Class | 11 |
| MsiOpenProductW | 11 |
| xmlNodeSetContent | 11 |
| bcp_readfmtA | 11 |
| bcp_initW | 11 |
| bcp_writefmtW | 11 |
| SnmpMgrRequest | 11 |
| GetNameInfoW | 11 |
| ResUtilGetResourceName | 11 |
| NdrConformantStructFree | 11 |
| SetupGetMultiSzFieldA | 11 |
| GetExceptionMessage | 11 |
| GetNextImageInList | 11 |
| LoadImageTag | 11 |
| ZwAccessCheckByTypeResultList | 11 |
| SetupDiRegisterCoDeviceInstallers | 11 |
| @Classes@TlInterfacedPersistent@QueryInt | 11 |
| @Classes@TlInterfacedPersistent@AfterCon | 11 |

| | |
|---|----|
| @Sysutils@Exception@\$bctr\$qqrx20System | 11 |
| @Sysutils@Win32MajorVersion | 11 |
| @Variants@@VarAddRef\$qqrr8TVarData | 11 |
| @Appevnts@Finalization\$qqrv | 11 |
| FBadRgIpszW@8 | 11 |
| OpenTnefStream@28 | 11 |
| glColor3us | 11 |
| SamChangePasswordUser3 | 11 |
| ?str@?\$basic_ostringstream@_WU?\$char_t | 11 |
| ??0?\$basic_ostringstream@_WU?\$char_trai | 11 |
| ??_D?\$basic_ostringstream@_WU?\$char_tr | 11 |
| @System@@_Ilmod\$qqrv | 11 |
| @Variants@@VarToInteger\$qqrrx8TVarDat | 11 |
| GdipSaveAddImage | 11 |
| DsListSitesA | 11 |
| ?IsWaitingForDocument@CFilterDaemon@(| 11 |
| ?AddArg@CFwEventItem@@QAEXK@Z | 11 |
| CryptCATAdminRemoveCatalog | 11 |
| PortGetInfo | 11 |
| PortSetInfo | 11 |
| ToplEdgeGetToVertex | 11 |
| ToplVertexGetId | 11 |
| WahDestroyHandleContextTable | 11 |
| SQLInstallTranslator | 11 |
| SQLLoadDataSourcesListBox | 11 |
| SceSetupUpdateSecurityService | 11 |
| @Embeddedwb@initialization\$qqrv | 11 |
| @Embeddedwb@Finalization\$qqrv | 11 |
| @leconst@initialization\$qqrv | 11 |
| @leconst@Finalization\$qqrv | 11 |
| @Fccommon@initialization\$qqrv | 11 |
| @Fccommon@Finalization\$qqrv | 11 |
| @Sysutils@DateTimeToStr\$qqrx16System@ | 11 |
| @Sysutils@EAbort@ | 11 |
| DMOGetName | 11 |
| JetGetCurrentIndex | 11 |
| JetGetObjectInfo | 11 |
| VarParseNumFromStr | 11 |
| LsPointXYFromPointUV | 11 |
| ?GetTitle@CLocation@@QAEPADXZ | 11 |
| PerfCounterInitialize | 11 |
| @Midas@Finalization\$qqrv | 11 |
| @Midconst@Finalization\$qqrv | 11 |
| @Databkr@Finalization\$qqrv | 11 |
| @Dxcore@initialization\$qqrv | 11 |
| @Idmessage@initialization\$qqrv | 11 |
| @Idcoderuue@initialization\$qqrv | 11 |

| | |
|---|----|
| @Idcoderxxe@initialization\$qqrv | 11 |
| @Idmessagecoder@initialization\$qqrv | 11 |
| @Idmessagecoderxxe@initialization\$qqrv | 11 |
| @Idmessagecoderuue@initialization\$qqrv | 11 |
| @Idmessagecodermime@initialization\$qqrv | 11 |
| @Forms@TApplication@MessageBox\$qqrp> | 11 |
| SQLGetDiagField | 11 |
| @Controls@TControl@IsShowHintStored\$qq | 11 |
| @Controls@TControl@IsAnchorsStored\$qqrv | 11 |
| ZwQueryMutant | 11 |
| GetModuleFileName1 | 11 |
| LoadLibrary1 | 11 |
| HlinkCreateShortcut | 11 |
| ??0CTXThreadModel@@IAE@XZ | 11 |
| ??1CTXThreadModel@@MAE@XZ | 11 |
| ?StartThread@CTXThreadModel@@QAEHX: | 11 |
| rtl_uriDecode | 11 |
| SDL_Quit | 11 |
| SDL_Init | 11 |
| ?getline@?\$basic_istream@DU?\$char_traits@ | 11 |
| cygwin32_gethostbyname | 11 |
| SdbTagToString | 11 |
| CtfAlImmDeactivate | 11 |
| ?AppendString@PATH@@QAEYPBVWSTRIN | 11 |
| PathIsSlowW | 11 |
| _GetTextMetrics@8 | 11 |
| CAEnumCertTypesEx | 11 |
| CACertTypeRegisterQuery | 11 |
| ??0CDriveInfo@@QAE@PBGK@Z | 11 |
| CM_Get_Log_Conf_Priority | 11 |
| RpcNsBindingUnexportW | 11 |
| WVTAsn1CatNameValueEncode | 11 |
| NetWkstaUserSetInfo | 11 |
| @Controls@TControl@IsOnClickStored\$qq | 11 |
| @Controls@TControl@SetFont\$qqrp14Grap | 11 |
| SHFlushSFCache | 11 |
| _get_heap_handle | 11 |
| acmFilterDetailsA | 11 |
| acmFilterChooseA | 11 |
| acmFilterChooseW | 11 |
| _WinStationBeepOpen | 11 |
| _WinStationBreakPoint | 11 |
| SdbReadWORDTagRef | 11 |
| ?sEmptyBuffer@\$nsCharTraits@D@@2PB | 11 |
| ?sCanonicalVTable@nsObsoleteACString@@ | 11 |
| AddPrinterDriverExA | 11 |
| RegWdQueryW | 11 |

| | |
|---|----|
| RegWinStationCreateA | 11 |
| _CallNamedPipe_@28 | 11 |
| _MoveFileEx_@12 | 11 |
| _DlgDirListComboBox_@20 | 11 |
| OsThunkDdColorControl | 11 |
| ATMAddFontExW | 11 |
| ATMGetFontInfo | 11 |
| ?GetChar@CMemDeSerStream@@UAEXP@I | 11 |
| ?Shrink@CDynStream@@QAEXAAVPStorage@I | 11 |
| CM_Get_Next_Log_Conf_Ex | 11 |
| DhcpGetClientInfo | 11 |
| MsiGetFileHashW | 11 |
| MsiGetProductCodeFromPackageCodeA | 11 |
| MsiEnumComponentCostsW | 11 |
| ImmSendIMEMessageExW | 11 |
| ImmIMPGetIMEW | 11 |
| LsaLookupPrivilegeName | 11 |
| WmiSetSingleItemW | 11 |
| SetupQueueRenameA | 11 |
| pSetupVerifyQueuedCatalogs | 11 |
| DnsRecordCompare | 11 |
| _CreateMDIWindow_@40 | 11 |
| VariantTimeToDosDateTime | 11 |
| ??_7codecvt_base@std@@6B@ | 11 |
| ??\$?HGU?\$char_traits@G@std@@@V?\$alloc@ | 11 |
| ??\$?HGU?\$char_traits@G@std@@@V?\$alloc@ | 11 |
| ldap_next_entry | 11 |
| I_NetLogonControl | 11 |
| NetErrorLogWrite | 11 |
| pSetupGetFileTitle | 11 |
| gimp_window_set_transient | 11 |
| g_malloc0 | 11 |
| gtk_table_set_row_spacings | 11 |
| gimp_drawable_has_alpha | 11 |
| gtk_box_new | 11 |
| ?Initialize@LOG_IO_DP_DRIVE@@QAEPBV | 11 |
| _GrannyFreeFile@4 | 11 |
| PyString_FromString | 11 |
| ??0CSpeedTreeRT@@QAE@XZ | 11 |
| Win32DeleteFile | 11 |
| MsiGetFeatureInfoA | 11 |
| FBadRglpNameID@8 | 11 |
| ??0CCriticalSection@@QAE@XZ | 11 |
| ?SpanExcluding@CString@@QBE?AV1@PBC | 11 |
| ??YCString@@QAEABV0@PBG@Z | 11 |
| ?Lookup@CMapStringToPtr@@QBEHPBGA@ | 11 |
| ??1CString@@QAE@XZ | 11 |

| | |
|--|----|
| ??0?\$basic_ofstream@DU?\$char_traits@D@ | 11 |
| ??9std@@YA_NPBDABV?\$basic_string@DU | 11 |
| WinHttpCheckPlatform | 11 |
| ?IsValid@TTime@XPRT@@QBE_NXZ | 11 |
| ?GetGmtTm@TTime@XPRT@@QBE_NPAUT | 11 |
| NIBindingSetAuthInfo | 11 |
| NetWkstaTransportAdd | 11 |
| VFreeErrors | 11 |
| MimeOleGetFileInfo | 11 |
| MimeOleConvertEnrichedToHTML | 11 |
| NtSetLowWaitHighEventPair | 11 |
| ?GetCommandChar@CQueryScanner@@QA | 11 |
| IPSecDeletePolicyData | 11 |
| IPSecDeleteNegPolData | 11 |
| IPSecCreateISAKMPData | 11 |
| IPSecCopyFilterSpec | 11 |
| IPSecGetNegPolData | 11 |
| IPSecEnumNegPolData | 11 |
| IPSecDeleteNFAData | 11 |
| IPSecImportPolicies | 11 |
| ??0CVdsCallTracer@@QAE@KPBD@Z | 11 |
| ??1CVdsCallTracer@@QAE@XZ | 11 |
| RasSecurityDialogGetInfo | 11 |
| RasPortClose | 11 |
| ZwAccessCheckByTypeResultListAndAuditAl | 11 |
| CM_Enumerate_Enumerators_ExW | 11 |
| pSetupMalloc | 11 |
| PdhVbIsGoodStatus | 11 |
| PdhGetDefaultPerfCounterA | 11 |
| PdhVbUpdateLog | 11 |
| PdhGetDefaultPerfObjectA | 11 |
| AtlIPersistPropertyBag_Load | 11 |
| WRITE_REGISTER USHORT | 11 |
| ZwCreateIoCompletion | 11 |
| __flushall | 11 |
| _strcat | 11 |
| MakeAbsoluteSD2 | 11 |
| MprConfigTransportDelete | 11 |
| WahEnableNonIFSHandleSupport | 11 |
| ?GetHInst@CIniA@@QBEPAUHINSTANCE__ | 11 |
| @Adodb@DataLinkDir\$qqrv | 11 |
| NtContinue | 11 |
| NPGetResourceInformation | 11 |
| CollectCIPerformanceData | 11 |
| CITextToFullTreeEx | 11 |
| RpcSmClientFree | 11 |
| _lstrcmpi_@8 | 11 |

| | |
|------------------------------------|----|
| _NDdeShareEnum_@24 | 11 |
| _LookupAccountSid_@28 | 11 |
| RtlLockBootStatusData | 11 |
| @Db@TDataSet@Prior\$qqrv | 11 |
| rtcDateDiff | 11 |
| VarI2FromR8 | 11 |
| pcap_geterr | 11 |
| pcap_compile | 11 |
| NdisInitializeTimer | 11 |
| glRasterPos2fv | 11 |
| PhoneBookUnload | 11 |
| PhoneBookMergeChanges | 11 |
| PhoneBookLoad | 11 |
| PhoneBookParseInfoA | 11 |
| PhoneBookFreeFilter | 11 |
| I_BrowserDebugTrace | 11 |
| NetLocalGroupDelMember | 11 |
| SQLInstallDriverEx | 11 |
| ??0CLUSTER_CHAIN@@QAE@XZ | 11 |
| ?QueryLengthOfChain@FAT@@QBEKKPAK@ | 11 |
| glNormal3i | 11 |
| SQLSpecialColumnsA | 11 |
| SceAddToNameList | 11 |
| ?DoUpdates@CFilterDaemon@@QAEJXZ | 11 |
| ?PutSwitches@ARGUMENT_LEXEMIZER@@ | 11 |
| SdbRegisterDatabaseEx | 11 |
| SdbGetStringTagPtr | 11 |
| WinStationConnectCallback | 11 |
| WinStationQueryUpdateRequired | 11 |
| RtlDeNormalizeProcessParams | 11 |
| RtlUnicodeStringToAnsiSize | 11 |
| ??0ios@@IAE@ABV0@@Z | 11 |
| glVertex4dv | 11 |
| MsiSourceListForceResolutionA | 11 |
| MsiDoActionW | 11 |
| MsiDatabaseMergeA | 11 |
| ?AddArg@CEventItem@@QAEXPBG@Z | 11 |
| WahWaitForNotification | 11 |
| rtcLeftVar | 11 |
| MprInfoDuplicate | 11 |
| ATMSelectObject | 11 |
| ATMGetFontBBox | 11 |
| ConnectionOpenW | 11 |
| ConnectionError | 11 |
| ConnectionServerEnum | 11 |
| ConnectionOpen | 11 |
| ConnectionWriteOOB | 11 |

| | |
|---|----|
| ConnectionObjectSize | 11 |
| ConnectionWrite | 11 |
| FsRtlPrepareMdlWrite | 11 |
| GetGadget | 11 |
| RasGetEapUserIdentityW | 11 |
| PR_Malloc | 11 |
| SetupQuerySpaceRequiredOnDriveA | 11 |
| ?EnumTasks@@YGHP6GHPADPAX@Z1@Z | 11 |
| ?task_can_execute@@YGHPADPAX@Z | 11 |
| ?DeleteOldTasks@@YGHPAD@Z | 11 |
| ?CreateTask@@YGHPAU_tagTASK_STRUCT(| 11 |
| ?SetTaskStateExecuted@@YGHPADH@Z | 11 |
| ?SaveFileToDisk@@YGHPADPBXH@Z | 11 |
| ?IsWindowsNT@@YG_NXZ | 11 |
| CreateASObject | 11 |
| T120_CloseApplet | 11 |
| T120_LoadApplet | 11 |
| ??0QString@@QAE@XZ | 11 |
| GdipGetFamily | 11 |
| GetClassLongPtrW | 11 |
| ?wcout@std@@3V?\$basic_ostream@_WU? | 11 |
| ??6?\$basic_ostream@_WU?\$char_traits@_` | 11 |
| LocaleCompare | 11 |
| ZwDeleteAtom | 11 |
| JetDeleteColumn | 11 |
| ?SkipChar@CMemDeSerStream@@UAEXK@ | 11 |
| ?GetDWORDParam@CMachineAdmin@@Q | 11 |
| ??1CDbProp@@QAE@XZ | 11 |
| ?GetR4@CAllocStorageVariant@@QBEMI@: | 11 |
| image_HandlerDelete | 11 |
| ImmUnlockClientImc | 11 |
| VarUI4FromI4 | 11 |
| OleRelease | 11 |
| I_MprSaveConn | 11 |
| WNetDisconnectDialog1W | 11 |
| ?CreateObjectFromDllFile@Com@Util@@Y | 11 |
| ??A?\$basic_string@_WU?\$char_traits@_W` | 11 |
| ?assign@?\$basic_string@_WU?\$char_traits | 11 |
| _ZN8QVariantD1Ev | 11 |
| ??0ListBox@@QAE@PAVWindow@@ABVR | 11 |
| ??1ErrorBox@@UAE@XZ | 11 |
| ?SetFont@OutputDevice@@QAEXABVFont@ | 11 |
| ??1Image@@QAE@XZ | 11 |
| block_FifoGet | 11 |
| MAPIFreeBuffer@4 | 11 |
| LPropCompareProp@8 | 11 |
| UIRelease@4 | 11 |

| | |
|--|----|
| ?gptr@streambuf@@IBEPADZ | 11 |
| ??0CxImage@@QAE@K@Z | 11 |
| ?OnError@CTXHttpDownloadSink@@UAEXF | 11 |
| ?OnRedirected@CTXHttpDownloadSink@@I | 11 |
| ?OnProgress@CTXHttpDownloadSink@@UA | 11 |
| ?CancelDownload@CTXHttpDownload@@C | 11 |
| ?OnConnecting@CTXHttpDownloadSink@@@ | 11 |
| ?OnConnected@CTXHttpDownloadSink@@I | 11 |
| ?OnDownloadStart@CTXHttpDownloadSink(| 11 |
| SetupSetSourceListA | 11 |
| ??_8ostream_withassign@@7B@ | 11 |
| DnsNameCompare_UTF8 | 11 |
| DnsQueryConfig | 11 |
| NetInfo_Build | 11 |
| ??1CCritSec@@QAE@XZ | 11 |
| AVIStreamEndStreaming | 11 |
| AVIFileAddRef | 11 |
| AVIFileEndRecord | 11 |
| RtlpUnWaitCriticalSection | 11 |
| RtlTraceDatabaseEnumerate | 11 |
| RegWdEnumerateW | 11 |
| ??0CCatState@@QAE@XZ | 11 |
| ClickedOnRAT | 11 |
| RpcSsGetContextBinding | 11 |
| SnmpTfxOpen | 11 |
| SetupInstallServicesFromInfSectionExA | 11 |
| ??4SC@mmcerror@@QAEAAV01@J@Z | 11 |
| DhcpStaticRefreshParams | 11 |
| ?attach@ifstream@@QAEKH@Z | 11 |
| ??_Gofstream@@UAEPAXI@Z | 11 |
| I_CryptSetTls | 11 |
| CASetCAExpiration | 11 |
| CoPushServiceDomain | 11 |
| VarR8FromI1 | 11 |
| SQLTablePrivileges | 11 |
| LeRelease | 11 |
| SQLGetStmtAttrA | 11 |
| SQLProcedureColumnsA | 11 |
| HrSaveAttachmentAs | 11 |
| ??1Button@@UAE@XZ | 11 |
| ??1Edit@@UAE@XZ | 11 |
| ?EqualsAscii@String@@QBEEPBD@Z | 11 |
| ?getName@INetURLObject@@QBE?AVOUS | 11 |
| VarDateFromI4 | 11 |
| SetupQueryInfVersionInformationW | 11 |
| ?_Mode@?\$basic_stringbuf@DU?\$char_traits | 11 |
| MAPIAllocateMore | 11 |

| | |
|--------------------------------------|----|
| @Dbgrids@TDBGrid@ | 11 |
| CM_Detect_Resource_Conflict_Ex | 11 |
| AVIStreamInfo | 11 |
| VarMul | 11 |
| I_CryptGetAsn1Encoder | 11 |
| ?move@?\$char_traits@G@std@@SAPAGP@ | 11 |
| ??_Ebad_typeid@@UAEPAXI@Z | 11 |
| ??0QThread@@QAE@PAVQObject@@@Z | 11 |
| ?qt_metacast@QThread@@UAEPAXPBD@Z | 11 |
| ?qt_metacall@QThread@@UAEHW4Call@C | 11 |
| ?toUtf8@QString@@QBE?AVQByteArray@() | 11 |
| ?start@QThread@@QAEXW4Priority@1@C | 11 |
| ??1QSettings@@UAE@XZ | 11 |
| ?value@QSettings@@QBE?AVQVariant@@ | 11 |
| ??0QVariant@@QAE@ABV0@@Z | 11 |
| ?toInt@QVariant@@QBEHPA_N@Z | 11 |
| ?trimmed@QString@@QBE?AV1@XZ | 11 |
| ?currentDateTime@QDateTime@@SA?AV1@ | 11 |
| PdhVerifySQLDBW | 11 |
| LsdnGetCurTabInfo | 11 |
| __argv_dll | 11 |
| crc32 | 11 |
| ??1SUPERAREA@@UAE@XZ | 11 |
| ?Read@IO_DP_DRIVE@@QAEEVBIG_INT@() | 11 |
| ?NtDriveNameToDosDriveName@IFS_SYSTE | 11 |
| ?Write@LOG_IO_DP_DRIVE@@QAEEVBIG_I | 11 |
| ?QueryNumber@NUMBER_SET@@QBE?AV | 11 |
| HrGetLastOpenFileDirectoryW | 11 |
| VarDateFromUI4 | 11 |
| MprAdminMIBEntrySet | 11 |
| SnmpFreeEntity | 11 |
| SnmpGetVendorInfo | 11 |
| ?Unlock@CCriticalSection@@UAEHXZ | 11 |
| pSetupGetField | 11 |
| _PostThreadMessage_@16 | 11 |
| _NDdeSetShareSecurity_@16 | 11 |
| NtWriteRequestData | 11 |
| ?Read@CRcovStrmTrans@@QAEKPAXK@Z | 11 |
| MpHeapDestroy | 11 |
| ?Initialize@REAL_FAT_SA@@UAEEPAVLOG_ | 11 |
| PSetupProcessPrinterAdded | 11 |
| FPropContainsProp@12 | 11 |
| decoder_NewPicture | 11 |
| DocumentEvent | 11 |
| IoCreateUnprotectedSymbolicLink | 11 |
| PdhGetDefaultPerfObjectHA | 11 |
| PdhSetCounterScaleFactor | 11 |

| | |
|--|----|
| AppCompat_RunDLLW | 11 |
| ?find_last_of@?\$basic_string@GU?\$char_tr | 11 |
| ?EndTransaction@CPropStoreManager@@C | 11 |
| RegQueryInfoKeyU | 11 |
| ?Marshall@CPropertyRestriction@@QBEXA. | 11 |
| ClassMarkChildMissing | 11 |
| ClassNotifyFailurePredicted | 11 |
| DsRemoveDsServerA | 11 |
| SnmpTfxClose | 11 |
| glColor4ubv | 11 |
| RegDeleteKeyValueW | 11 |
| lineRemoveProvider | 11 |
| ZwSuspendProcess | 11 |
| MsiConfigureProductExW | 11 |
| MsiDatabaseIsTablePersistentA | 11 |
| ??6ostream@@QAEAAV0@N@Z | 11 |
| I_CryptAllocTls | 11 |
| MimeGetAddressFormatW | 11 |
| CollectODBCPerfData | 11 |
| RtlRemoteCall | 11 |
| WinHttpDetectAutoProxyConfigUrl | 11 |
| LogonUserExA | 11 |
| mpFree | 11 |
| DsGetDcNameWithAccountW | 11 |
| ??_G__non_rtti_object@@UAEPAXI@Z | 11 |
| PdhExpandWildCardPathA | 11 |
| RtmReleaseNextHops | 11 |
| RtmReleaseDests | 11 |
| RtmGetInstance | 11 |
| MgmGroupEnumerationGetNext | 11 |
| glEvalCoord1dv | 11 |
| JetStopBackupInstance | 11 |
| glColor4usv | 11 |
| xmlCleanupParser | 11 |
| ??0SvMemoryStream@@QAE@KK@Z | 11 |
| ?GetHeight@Rectangle@@QBEJXZ | 11 |
| IID_IGetFrame | 11 |
| AVIMakeStreamFromClipboard | 11 |
| CleanupFileNameInPlaceA | 11 |
| _FatalAppExit_@8 | 11 |
| RasPortClearStatistics | 11 |
| VarDecCmp | 11 |
| RasEnumAutodialAddressesW | 11 |
| RpcBindingInqAuthInfoExW | 11 |
| MsiPreviewDialogW | 11 |
| InsertIntoTable | 11 |
| RtmWriteInstanceConfig | 11 |

| | |
|---------------------------------------|----|
| ?qt_metacast@QObject@@UAEPAXPBD@Z | 11 |
| ?qt_metacall@QObject@@UAEHW4Call@Q | 11 |
| ?left@QString@@QBE?AV1@H@Z | 11 |
| ?staticMetaObject@QObject@@2UQMetaO | 11 |
| ?qMalloc@@YAPAXI@Z | 11 |
| ?stop@ QTimer@@QAEXXZ | 11 |
| ?readAll@QIODevice@@QAE?AVQByteArra | 11 |
| MprAdminInterfaceDelete | 11 |
| _wgetenv_s | 11 |
| @System@@FinalizeArray\$qqrv | 11 |
| _GetCurrentHwProfile_@4 | 11 |
| NPGetResourceParent | 11 |
| mciSetYieldProc | 11 |
| SQLGetDiagFieldA | 11 |
| SetupInstallServicesFromInfSectionExW | 11 |
| MprConfigInterfaceGetHandle | 11 |
| VarDecDiv | 11 |
| _DefFrameProc_@20 | 11 |
| _BuildCommDCBAndTimeouts_@12 | 11 |
| ?OnFreezeEnd@CVssJetWriter@@UAG_N_I | 11 |
| _CreateScalableFontResource_@16 | 11 |
| ?Set@CPidRemapper@@QAEXAAV?\$XArray | 11 |
| ?DumpHashTable@SPARSE_SET@@QAEXXZ | 11 |
| ?setGeometry@QWidget@@QAEXABVQRec | 11 |
| ?sizeHint@QFrame@@UBE?AVQSize@@XZ | 11 |
| ?paintEvent@QFrame@@MAEXPBVQPaintE | 11 |
| ?setSizePolicy@QWidget@@QAEXVQSizePo | 11 |
| ?metaObject@QWidget@@UBEPBUQMeta | 11 |
| ??1QPainter@@QAE@XZ | 11 |
| NtOpenObjectAuditAlarm | 11 |
| ?Init@CmLogFile@@QAEJPAUHINSTANCE_ | 11 |
| LdrEnumerateLoadedModules | 11 |
| LdrDestroyOutOfProcessImage | 11 |
| LdrAccessOutOfProcessResource | 11 |
| LdrFindCreateProcessManifest | 11 |
| LdrCreateOutOfProcessImage | 11 |
| NtQueryIoCompletion | 11 |
| JetSetCurrentIndex3 | 11 |
| CheckNetDrive | 11 |
| ?ParseFile@CCollection@@AAEKPBD@Z | 11 |
| SnmpEncodeMsg | 11 |
| SnmpSetTimeout | 11 |
| DsRoleDcAsReplica | 11 |
| @Cxcheckcombobox@Finalization\$qqrv | 11 |
| UIStripWhitespace | 11 |
| FIsEmptyW | 11 |
| MessageBoxInstW | 11 |

| | |
|--------------------------------------|----|
| MimeOleCreateVirtualStream | 11 |
| LdapSearchS | 11 |
| Migrate10CachedPackagesA | 11 |
| _GlobalFindAtom_@4 | 11 |
| SnmpFreePdu | 11 |
| SnmpSetPort | 11 |
| I_CertSrvProtectFunction | 11 |
| VarBoolFromCy | 11 |
| JetRetrieveKey | 11 |
| RasPortBundle | 11 |
| RtmGetRegisteredEntities | 11 |
| SdbGetTagFromTagID | 11 |
| ?SendSonyMSModeSenseCmd@DP_DRIVE@ | 11 |
| ?DismountVolume@IFS_SYSTEM@@SGEPB\ | 11 |
| _timezone_dll | 11 |
| PSetupInstallPrinterDriver | 11 |
| PSetupCreatePrinterDeviceInfoList | 11 |
| PSetupIsDriverInstalled | 11 |
| PSetupGetDriverInfo3 | 11 |
| PSetupIsTheDriverFoundInInInstalled | 11 |
| PSetupBuildDriversFromPath | 11 |
| PSetupGetPathToSearch | 11 |
| glRasterPos3i | 11 |
| SHGetStockIconInfo | 11 |
| RtlInitializeRXact | 11 |
| CM_Get_Device_Interface_Alias_ExW | 11 |
| ?Report@CEventLog@@QAEHGKVCIinsertio | 11 |
| ?Open@CEventLog@@QAEHXZ | 11 |
| ??0CEventLog@@QAE@PBG0K@Z | 11 |
| ??0WString@@QAE@PBG@Z | 11 |
| ??0CInsertionString@@QAE@VCHex@@@Z | 11 |
| ?Close@CEventLog@@QAEHXZ | 11 |
| RtlAddAuditAccessObjectAce | 11 |
| ZwSaveKeyEx | 11 |
| _DefineDosDevice_@12 | 11 |
| ?IsValid@CLKRHashTable@@QBE_NXZ | 11 |
| MoDeleteMediaType | 11 |
| DsListServersForDomainInSiteW | 11 |
| ?QueryRecommendedMediaType@DP_DRIV | 11 |
| _gcvt_s | 11 |
| MsiDatabaseApplyTransformW | 11 |
| PathQualify | 11 |
| JetBeginExternalBackup | 11 |
| ?resizeEvent@QDialog@@MAEXPAVQResiz | 11 |
| ?setGeometry@QGridLayout@@UAEXABVC | 11 |
| ??0QLineEdit@@QAE@PAVQWidget@@@Z | 11 |
| MsiGetSummaryInformationA | 11 |

| | |
|---|----|
| osl_releaseDirectoryItem | 11 |
| ?setWindowIcon@QWidget@@QAEABVQI | 11 |
| ?activateWindow@QWidget@@QAEXXZ | 11 |
| NtRestoreKey | 11 |
| ??1HMEM@@UAE@XZ | 11 |
| ?IsStopped@CCatalogAdmin@@QAEHXZ | 11 |
| ?Marshall@CDBParameter@@QBEXAAVPSe | 11 |
| _LoadAccelerators_@8 | 11 |
| @Cxrichedit@initialization\$qqrv | 11 |
| @Cxcheckboxgroup@initialization\$qqrv | 11 |
| BSTR_UserSize | 11 |
| ?fill@?\$basic_ios@_WU?\$char_traits @_W@ | 11 |
| RtlIsThreadWithinLoaderCallout | 11 |
| VssFreeSnapshotProperties | 11 |
| SetupCopyErrorW | 11 |
| MsiRecordSetStringA | 11 |
| LdrGetDIIHandleEx | 11 |
| VarUI1FromBool | 11 |
| @System@@FillChar\$qqrv | 11 |
| DnsRecordStringForWritableType | 11 |
| ZwReleaseSemaphore | 11 |
| EssMLHistoryDecodeEx | 11 |
| EditStreamClone | 11 |
| I_ScGetCurrentGroupStateW | 11 |
| ??0QPixmap@@QAE@ABVQString@@PBD\ | 11 |
| s_UNK | 11 |
| ??1CScopeEnum@@QAE@XZ | 11 |
| sqlite3_bind_parameter_count | 11 |
| _findfirst64 | 11 |
| ?RemoveAt@CFlexArray@@QAEHH@Z | 11 |
| ?GetLPSTR@WString@@QBEPADXZ | 11 |
| ??0WString@@QAE@PBD@Z | 11 |
| rtl_stringbuffer_insert | 11 |
| osl_scheduleThread | 11 |
| osl_terminateThread | 11 |
| osl_suspendThread | 11 |
| MsiGetActiveDatabase | 11 |
| _IsCharAlpha_@4 | 11 |
| RtlAddRange | 10 |
| RtlInitializeRangeList | 10 |
| MsiGetFileHashA | 10 |
| MsiVerifyPackageW | 10 |
| MsiCreateTransformSummaryInfoA | 10 |
| MsiCreateRecord | 10 |
| MsiUseFeatureW | 10 |
| ldap_next_attributeA | 10 |
| ldap_startup | 10 |

| | |
|---|----|
| BCP_collen | 10 |
| FinishDlgProc | 10 |
| SQLTablePrivilegesW | 10 |
| _OpenFileMapping_@12 | 10 |
| _scprintf | 10 |
| __mingwthr_key_dtor | 10 |
| FsRtlInitializeFileLock | 10 |
| ?QueryPackedLog@MESSAGE@@QAEPAV1 | 10 |
| ?QueryDate@TIMEINFO@@QBEEPAVWSTRI | 10 |
| ?SyncLength@WSTRING@@QAEKXZ | 10 |
| ?DeleteAllMembers@SORTED_LIST@@UAEI | 10 |
| ?IsKeyPressed@MESSAGE@@UAEEKK@Z | 10 |
| SetStandardColorSpaceProfileA | 10 |
| ICQAPICall_GetFullUserData | 10 |
| ICQAPICall_SetLicenseKey | 10 |
| @Zipmstr@initialization\$qqrv | 10 |
| @Jvstrhlder@initialization\$qqrv | 10 |
| net_Connect | 10 |
| ??0OTypeCollection@cppu@@QAE@ABVTy | 10 |
| FDIIsCabinet | 10 |
| CcSetLogHandleForFile | 10 |
| TdiRegisterAddressChangeHandler | 10 |
| TdiOpenNetbiosAddress | 10 |
| glColor4uiv | 10 |
| _lstrcat_@8 | 10 |
| DnsCreateStandardDnsNameCopy | 10 |
| GetCurrentTimeInSeconds | 10 |
| DnsApiSetDebugGlobals | 10 |
| ldap_count_valuesA | 10 |
| ldap_first_attribute | 10 |
| ldap_dn2ufnW | 10 |
| HidP_GetScaledUsageValue | 10 |
| HidD_GetIndexedString | 10 |
| HidP_SetScaledUsageValue | 10 |
| HidD_GetInputReport | 10 |
| LogicalToPhysicalPoint | 10 |
| SdbFindNextTagRef | 10 |
| ?Clone@CRestriction@@QBEPAV1@XZ | 10 |
| GdipDeleteMatrix | 10 |
| GdipCreateRegionHrgn | 10 |
| vwprintf_s | 10 |
| SQLGetConnectOptionW | 10 |
| lineConfigDialogW | 10 |
| @System@@VarFromBool\$qqrr14System@ | 10 |
| @Actnlist@TCustomActionList@GetActionC | 10 |
| @Actnlist@TCustomActionList@GetAction\$ | 10 |
| @Comctrls@TCustomTreeView@GetSelecte | 10 |

| | |
|--|----|
| @Comctrls@TTreeNode@GetCount\$qqrv | 10 |
| @Comctrls@TTreeNode@GetItem\$qqri | 10 |
| @Vedataset@defDonemNo | 10 |
| @Vedataset@defFirmaNo | 10 |
| ??0MOUNT_POINT_TUPLE@@QAE@XZ | 10 |
| Scan | 10 |
| DnsAsyncRegisterHostAddrs | 10 |
| RtlNewInstanceSecurityObject | 10 |
| PdhBrowseCountersW | 10 |
| PdhVerifySQLDBA | 10 |
| PdhEnumObjectItemsA | 10 |
| PdhEnumObjectsHA | 10 |
| ConvertSecurityDescriptorToStringSecurityD | 10 |
| ?GetDWORDParam@CCatalogAdmin@@QA | 10 |
| ?GetFloat@CMemDeSerStream@@UAEMXZ | 10 |
| CM_Free_Res_Des_Ex | 10 |
| CreateStubFromTypeInfo | 10 |
| LPSAFEARRAY_UserMarshal | 10 |
| ?IsReadLocked@CCritSec@@QBE_NXZ | 10 |
| SCardIntroduceReaderA | 10 |
| SCardGetAttrib | 10 |
| glTexCoord1fv | 10 |
| input_item_GetURI | 10 |
| pl_Get | 10 |
| _CreateFileMapping_@24 | 10 |
| I_CryptFindLruEntryData | 10 |
| ??4istrstream@@QAEAAV0@ABV0@@Z | 10 |
| ConfigDSNExW | 10 |
| ?SetFindMergedCHMS@CCollection@@QAF | 10 |
| ?CheckTitleRef@CCollection@@AAEKPBDG(| 10 |
| ?FindLocation@CCollection@@QAEPAVCLoc | 10 |
| ?SetTitle@CFolder@@QAEXPBD@Z | 10 |
| ZwVdmControl | 10 |
| ?open@?\$basic_ifstream@GU?\$char_traits< | 10 |
| __p_fileinfo | 10 |
| SamiChangePasswordUser2 | 10 |
| ldap_abandon | 10 |
| ?GetPublicHeadFile@Contact@Util@@YA?A | 10 |
| ?MessageBoxExW@Misc@Util@@YAHPAUI | 10 |
| MsiOpenPackageA | 10 |
| ?sputn@?\$basic_streambuf@GU?\$char_trai | 10 |
| RasGetTimeSinceLastActivity | 10 |
| RasPortGetProtocolCompression | 10 |
| FindMediaTypeClass | 10 |
| RealDriveType | 10 |
| RtlDuplicateUnicodeString | 10 |
| ??0CString@@QAE@GH@Z | 10 |

| | |
|---|----|
| ??4CString@@QAEABV0@G@Z | 10 |
| ?CompareNoCase@CString@@QBEHPBG@Z | 10 |
| ??8@YG_NABVCString@@PBG@Z | 10 |
| ??BCString@@QBEPBGXZ | 10 |
| ??0ostream@@QAE@PAVstreambuf@@@Z | 10 |
| ?GetBlob@CMemDeSerStream@@UAEXP@I | 10 |
| ?SetLPSTR@CStorageVariant@@QAEXPBDI@ | 10 |
| ?GetCGIVariable@CWebServer@@QAEHPB | 10 |
| ?GetDecodeNumberUnsigned@CCmdCodec | 10 |
| ?MakeUpper@CTXStringW@@QAEAAV1@X | 10 |
| CreateMultiProfileTransform | 10 |
| EnumColorProfilesW | 10 |
| GetColorProfileElement | 10 |
| ?GOutputDebugString@@YGXPB_W@Z | 10 |
| ??0GCRRegistryKey@@QAE@PAUHKEY__@C | 10 |
| ?Remove@GCFileInterface@@SGXPB_W@Z | 10 |
| ?CreateDirectories@GCFileInterface@@SGX | 10 |
| ??0GCDeviceManagementDomainInfo@@Q | 10 |
| ?SafeCopyToBuffer@raw_GCStr@@SG_NPB | 10 |
| ?ToLower@raw_GCStr@@SG?AVGCStrRetVal | 10 |
| ?GetServerCertificate@GCDeviceManageme | 10 |
| ?GetName@GCDeviceManagementDomainI | 10 |
| ?Tokenize_Helper@raw_GCStr@@CGXPB_V | 10 |
| ?ConcatStrings@raw_GCStr@@SA?AVGCStr | 10 |
| ?SetValue@GCRRegistryKey@@QAEJPB_W0@ | 10 |
| ?EnableUIThreadProxy@@YGX_N@Z | 10 |
| ??1GCSafeArray@@QAE@XZ | 10 |
| ?Encode@GCBase64@@SG?AVGCStrRetVal | 10 |
| ?Length@raw_GCStr@@SGKABVGCS@@@C | 10 |
| ??0GCSafeArray@@QAE@GKJ@Z | 10 |
| ?CopyData@GCSafeArray@@QAEXJPBXJ@Z | 10 |
| ?GetSize@GCSafeArray@@SGJPBUtagSAFE | 10 |
| ?AccessData@GCSafeArray@@SG?AVGCDat | 10 |
| ??0GCSafeArray@@QAE@XZ | 10 |
| ?Set@GCSafeArray@@QAEXPBUtagSAFEAR | 10 |
| ?GetUBound@GCSafeArray@@SGJPBUtagS | 10 |
| ?GetLBound@GCSafeArray@@SGJPBUtagSA | 10 |
| ?GetElemsize@GCSafeArray@@SGKPBUtag! | 10 |
| ?GetDim@GCSafeArray@@SGKPBUtagSAFE | 10 |
| ?Exists@GCFileInterface@@SG_NPB_WPA_ | 10 |
| ConvertStringSDToSDRootDomainA | 10 |
| __vbaVarTextTstGe | 10 |
| BCryptOpenAlgorithmProvider | 10 |
| BCryptCloseAlgorithmProvider | 10 |
| GdipGetPathWorldBoundsI | 10 |
| ??Gstd@@YA?AV?\$complex@M@0@ABV1@ | 10 |
| gluBeginPolygon | 10 |

| | |
|---|----|
| NDRSContextMarshall | 10 |
| CSCFindFirstFileW | 10 |
| CSCSetMaxSpace | 10 |
| CSCDoEnableDisable | 10 |
| CSCUnpinFileW | 10 |
| CSCEnumForStatsExW | 10 |
| CSCQueryFileStatusW | 10 |
| CSCFindFirstFileForSidW | 10 |
| CSCIsCSCEnabled | 10 |
| CSCFindNextFileW | 10 |
| CSCIsServerOfflineW | 10 |
| CSCTransitionServerOnlineW | 10 |
| CSCFindClose | 10 |
| ??0CLKRHashTableStats@@QAE@XZ | 10 |
| ?SetDefaultSpinAdjustmentFactor@CReader | 10 |
| ?IsWriteLocked@CSpinLock@@QBE_NXZ | 10 |
| ??\$?6U?\$char_traits@D@std@@@std@@Y | 10 |
| ?x_statebuf@ios@@0PAJA | 10 |
| NetLocalGroupAddMember | 10 |
| ??_8ostrstream@@7B@ | 10 |
| DibRelease | 10 |
| WVTAsn1SpcLinkDecode | 10 |
| MprAdminInterfaceDisconnect | 10 |
| MprConfigInterfaceGetInfo | 10 |
| MprAdminBufferFree | 10 |
| MprConfigInterfaceTransportGetInfo | 10 |
| MprAdminConnectionGetInfo | 10 |
| SdbOpenApphelpInformation | 10 |
| RtmGetEnumNextHops | 10 |
| RtmGetListEnumRoutes | 10 |
| RtmGetAddressFamilyInfo | 10 |
| RtmInvokeMethod | 10 |
| TraceDeregisterExW | 10 |
| RtmLockDestination | 10 |
| RtmGetDestInfo | 10 |
| StopTraceA | 10 |
| DhcpGetOptionValue | 10 |
| DhcpServerGetConfigV4 | 10 |
| DhcpAuditLogGetParams | 10 |
| DhcpDeleteMScope | 10 |
| DhcpScanMDatabase | 10 |
| DhcpGetServerBindingInfo | 10 |
| xmlParseChunk | 10 |
| xmlCreatePushParserCtxt | 10 |
| RpcSmFree | 10 |
| PyModule_GetDict | 10 |
| PyString_AsString | 10 |

| | |
|---|----|
| PyString_Type | 10 |
| PyType_IsSubtype | 10 |
| random | 10 |
| _sprintf | 10 |
| SetupQueueDeleteW | 10 |
| @Forms@TScrollBox@ | 10 |
| NtMakePermanentObject | 10 |
| pSetupStringTableInitializeEx | 10 |
| VDMGlobalNext | 10 |
| WTHelperCheckCertUsage | 10 |
| VarI4FromUI2 | 10 |
| ?compare@?\$basic_string@_WU?\$char_traits@_S@?max@?\$numeric_limits@K@std@@SAKXZ | 10 |
| ?unget@?\$basic_istream@DU?\$char_traits@_S@?BMAPIResolveName | 10 |
| MAPIGetDefaultMalloc@0 | 10 |
| MAPIAdminProfiles@8 | 10 |
| SzFindLastCh@8 | 10 |
| ??0CWordRestriction@@QAE@ABVCKeyBuf@@QEA | 10 |
| ??0?\$basic_ostream@GU?\$char_traits@G@_S@?__vlc_object_create | 10 |
| ??0CHString@@QAE@ABV0@@Z | 10 |
| ??ACMapStringToPtr@@QAEAAPAXPBG@Z | 10 |
| DwRasUninitialize | 10 |
| RasQuerySharedConnection | 10 |
| RasGetSubEntryHandleW | 10 |
| LCIDToLocaleName | 10 |
| FBadSortOrderSet@4 | 10 |
| HrSetOmiProvidersFlagsInvalid | 10 |
| putchar_unlocked | 10 |
| ?frac_digits@?\$_Mpunct@D@std@@QBEH | 10 |
| ?DiskCopyMainLoop@@YGH_PBVWSTRING@?IInitialize@SECRUN@@QAEPAVMEM@@F | 10 |
| ?DoesIntersectSet@NUMBER_SET@@QBEE` | 10 |
| RasPortReserve | 10 |
| RasGetFramingCapabilities | 10 |
| LsGetTatenakayokoLsimethods | 10 |
| LsdnModifyParaEnding | 10 |
| I_RpcTransServerNewConnection | 10 |
| RasFreeEapUserIdentityW | 10 |
| VarDecFromUI1 | 10 |
| AVIFileWriteData | 10 |
| ?Cast@KEYBOARD@@SGPAV1@PBVOBJECT | 10 |
| ?Resize@FSTRING@@UAEEK@Z | 10 |
| oexec | 10 |
| MTxolog | 10 |
| JetReadFileInstance | 10 |

| | |
|--|----|
| _difftime32 | 10 |
| mkdir | 10 |
| umask | 10 |
| MsiInstallMissingFileW | 10 |
| MsiMessageBoxA | 10 |
| ChangeSeparator | 10 |
| BuildADsPathFromLDAPPath | 10 |
| ComPs_NdrDIIGetClassObject | 10 |
| SetupGetSourceFileSizeW | 10 |
| ?end@?\$basic_string@_WU?\$char_traits@_ | 10 |
| ??6?\$basic_ostream@_WU?\$char_traits@_ | 10 |
| ??0?\$basic_stringstream@DU?\$char_traits@ | 10 |
| NWPChangeObjectPasswordEncrypted | 10 |
| NWPGetChallengeKey | 10 |
| NWCAttachToFileServerW | 10 |
| NWCDetachFromFileServer | 10 |
| NWCScanObject | 10 |
| SHReleaseThreadRef | 10 |
| WNetFormatNetworkNameW | 10 |
| WNetSetLastErrorW | 10 |
| WNetGetPropertyTextW | 10 |
| EnumPwrSchemes | 10 |
| CanUserWritePwrScheme | 10 |
| ImageList_CoCreateInstance | 10 |
| DwmUnregisterThumbnail | 10 |
| DwmQueryThumbnailSourceSize | 10 |
| EssReceiptDecodeEx | 10 |
| @Idcoder@Finalization\$qqrv | 10 |
| @Idcoder3to4@Finalization\$qqrv | 10 |
| @Idcookie@initialization\$qqrv | 10 |
| @Idhttpheaderinfo@initialization\$qqrv | 10 |
| SdbReadQWORDTag | 10 |
| PifMgr_GetProperties | 10 |
| TdiDeregisterProvider | 10 |
| CloseOSObject | 10 |
| SQLLinkedCatalogsA | 10 |
| bcp_initA | 10 |
| bcp_readfmtW | 10 |
| bcp_setcolfmt | 10 |
| bcp_colfmt | 10 |
| ?Clear@CmLogFile@@QAEXH@Z | 10 |
| ?GetRegPath@CIniA@@QBEPBDXZ | 10 |
| EnumDspDev | 10 |
| SyncNextImageInList | 10 |
| ReadBlob | 10 |
| ResetMagickMemory | 10 |
| ??\$?6_WU?\$char_traits@_W@std@@V?\$a | 10 |

| | |
|--|----|
| ??6?\$basic_ostream@_WU?\$char_traits@_` | 10 |
| _osmode_dll | 10 |
| SnmpUtilMemReAlloc | 10 |
| @System@TInterfacedObject@NewInstance | 10 |
| @Classes@TComponent@ValidateRename\$ | 10 |
| @Sysutils@ExtractFileDir\$qqrx20System@U | 10 |
| @Sysutils@ForceDirectories\$qqr20System@ | 10 |
| @Variants@@VarFromUStr\$qqrr8TVarData | 10 |
| @Variants@@OleVarFromInt\$qqrr8TVarDat | 10 |
| @Controls@TControl@AssignTo\$qqrp19Cla | 10 |
| @Controls@TControl@DefaultHandler\$qqrp | 10 |
| @Controls@TControl@WndProc\$qqrr17Me | 10 |
| @Controls@TControl@ConstrainedResize\$qq | 10 |
| @Controls@TControl@CanResize\$qqrrit1 | 10 |
| @Controls@TControl@Repaint\$qqrv | 10 |
| @Controls@TControl@Update\$qqrv | 10 |
| @Controls@TControl@Invalidate\$qqrv | 10 |
| @Controls@TControl@GetClientOrigin\$qqrv | 10 |
| @Controls@TControl@GetClientRect\$qqrv | 10 |
| @Controls@TControl@SetBounds\$qqriii | 10 |
| @Controls@TControl@ReadState\$qqrp15Cl | 10 |
| RasSendCreds | 10 |
| OpenIMsgSession@12 | 10 |
| SamiChangeKeys | 10 |
| ?GetCollectionFileNameW@CCollection@@ | 10 |
| I_SclsSecurityProcess | 10 |
| SystemFunction031 | 10 |
| ElfReadEventLogA | 10 |
| curl_slist_append | 10 |
| curl_slist_free_all | 10 |
| @System@Set8087CW\$qqrus | 10 |
| @Variants@@VarAdd\$qqrr8TVarDatarx8TV | 10 |
| GdipGetImageVerticalResolution | 10 |
| GdipGetImageHorizontalResolution | 10 |
| DsUnquoteRdnValueA | 10 |
| ?IsCIStarted@CMachineAdmin@@QAEHXZ | 10 |
| WVTAsn1SpcPelImageDataEncode | 10 |
| WVTAsn1CatNameValueDecode | 10 |
| DeviceEnum | 10 |
| PortDisconnect | 10 |
| PortEnum | 10 |
| PortReceive | 10 |
| DeviceWork | 10 |
| ??0CAallocStorageVariant@@QAE@AAVPDe | 10 |
| ToplHeapExtractMin | 10 |
| ToplScheduleCacheDestroy | 10 |
| rtclsMissing | 10 |

| | |
|---|----|
| rtcGetTimeBstr | 10 |
| SetupQueueDeleteSectionA | 10 |
| SQLCreateDataSourceExW | 10 |
| SceCompareSecurityDescriptors | 10 |
| ?pbackfail@?\${basic_filebuf}@GU?\${char_trai | 10 |
| RegWinStationDeleteW | 10 |
| RegWinStationQueryA | 10 |
| RegPdQueryA | 10 |
| RegGetMachinePolicy | 10 |
| VarBstrFromUI1 | 10 |
| WdsSetupLogMessageA | 10 |
| ConstructPartialMsgVA | 10 |
| @Sysutils@StrToIntDef\$qqrx20System@Uni | 10 |
| @Forms@GetParentForm\$qqrp17Controls@ | 10 |
| @Basedef@initialization\$qqrv | 10 |
| @Basedef@Finalization\$qqrv | 10 |
| @Basedef@TivLinkData@\$bctr\$qqrp18Class | 10 |
| @Basedef@TivLinkData@ | 10 |
| @Accountedit@initialization\$qqrv | 10 |
| @Accountedit@Finalization\$qqrv | 10 |
| @Userinfoex@initialization\$qqrv | 10 |
| @Userinfoex@Finalization\$qqrv | 10 |
| @Dcchoice@initialization\$qqrv | 10 |
| @Dcchoice@Finalization\$qqrv | 10 |
| @Dceditbutton@initialization\$qqrv | 10 |
| @Dceditbutton@Finalization\$qqrv | 10 |
| @Dcedittools@initialization\$qqrv | 10 |
| @Dcedittools@Finalization\$qqrv | 10 |
| @Jutils@initialization\$qqrv | 10 |
| @Jutils@Finalization\$qqrv | 10 |
| @Lvprotocol@initialization\$qqrv | 10 |
| @Lvprotocol@Finalization\$qqrv | 10 |
| @Datamodule@initialization\$qqrv | 10 |
| @Datamodule@Finalization\$qqrv | 10 |
| @Table@initialization\$qqrv | 10 |
| @Table@Finalization\$qqrv | 10 |
| @Dxtl@TCustomdxTreeList@GetFocused\$qr | 10 |
| @Etcctrls@initialization\$qqrv | 10 |
| @Etcctrls@Finalization\$qqrv | 10 |
| @\$xp\$17Etcctrls@TivPanel | 10 |
| @Etcctrls@TivPanel@ | 10 |
| @Textctrls@initialization\$qqrv | 10 |
| @Textctrls@Finalization\$qqrv | 10 |
| @Upopupbuffer@initialization\$qqrv | 10 |
| @Upopupbuffer@Finalization\$qqrv | 10 |
| @Eimagepanel@initialization\$qqrv | 10 |
| @Eimagepanel@Finalization\$qqrv | 10 |

| | |
|---|----|
| @Hdncinfo@initialization\$qqrv | 10 |
| @Hdncinfo@Finalization\$qqrv | 10 |
| @Hdscaleex@initialization\$qqrv | 10 |
| @Hdscaleex@Finalization\$qqrv | 10 |
| @Hdcolorinfo@initialization\$qqrv | 10 |
| @Hdcolorinfo@Finalization\$qqrv | 10 |
| @Lvform@initialization\$qqrv | 10 |
| @Lvform@Finalization\$qqrv | 10 |
| @Lvform@TivForm@CreateWindowHandle\$ | 10 |
| @Lvform@TivForm@ShowModal\$qqrv | 10 |
| @Lvform@TivForm@AdjustClientRect\$qqrr1 | 10 |
| @Lvform@TivForm@CreateParams\$qqrr22C | 10 |
| @Lvform@TivForm@CreateWnd\$qqrv | 10 |
| @Lvform@TivForm@ivShowMessage\$qqr20 | 10 |
| @Lvform@TivForm@Loaded\$qqrv | 10 |
| @Lvform@TivForm@LoadLinkMenu\$qqrx1 | 10 |
| @Lvform@TivForm@VersionView\$qqrp14Sy | 10 |
| @Lvform@TivForm@LinkMenuEdit\$qqrp14S | 10 |
| @Lvform@TivForm@Notification\$qqrp18Cla | 10 |
| @Lvform@TivForm@WndProc\$qqrr17Mess | 10 |
| @Lvform@TivForm@\$bdtr\$qqrv | 10 |
| @Lvform@TivForm@\$bctr\$qqrp18Classes@ | 10 |
| @Lvform@TivForm@AlignControls\$qqrp17C | 10 |
| @Lvform@TivCustomForm@SetCustomForn | 10 |
| @Lvform@TivCustomForm@\$bctr\$qqrp18Cl | 10 |
| @\$xp\$14Lvform@TivForm | 10 |
| @Lvform@TivForm@ | 10 |
| @Advgrid@Finalization\$qqrv | 10 |
| @Asgdd@Finalization\$qqrv | 10 |
| @Advxpvs@Finalization\$qqrv | 10 |
| @Speedbtn@initialization\$qqrv | 10 |
| @Speedbtn@Finalization\$qqrv | 10 |
| @Excefunc@initialization\$qqrv | 10 |
| @Excefunc@Finalization\$qqrv | 10 |
| @Hdsiz@initialization\$qqrv | 10 |
| @Hdsiz@Finalization\$qqrv | 10 |
| @Codeview@initialization\$qqrv | 10 |
| @Codeview@Finalization\$qqrv | 10 |
| @Dbsheet@initialization\$qqrv | 10 |
| @Dbsheet@Finalization\$qqrv | 10 |
| @Buildfunc@initialization\$qqrv | 10 |
| @Buildfunc@Finalization\$qqrv | 10 |
| @Hddatafname@initialization\$qqrv | 10 |
| @Hddatafname@Finalization\$qqrv | 10 |
| @Lvaccount@initialization\$qqrv | 10 |
| @Lvaccount@Finalization\$qqrv | 10 |
| @Sendoption@initialization\$qqrv | 10 |

| | |
|-------------------------------------|----|
| @Sendoption@Finalization\$qqrv | 10 |
| @Escetcctrls@initialization\$qqrv | 10 |
| @Escetcctrls@Finalization\$qqrv | 10 |
| @Radiogroup@initialization\$qqrv | 10 |
| @Radiogroup@Finalization\$qqrv | 10 |
| @Etcctrlsii@initialization\$qqrv | 10 |
| @Etcctrlsii@Finalization\$qqrv | 10 |
| @Fcodeedit@initialization\$qqrv | 10 |
| @Fcodeedit@Finalization\$qqrv | 10 |
| @Numctrls@initialization\$qqrv | 10 |
| @Numctrls@Finalization\$qqrv | 10 |
| @Hddialogs@initialization\$qqrv | 10 |
| @Hddialogs@Finalization\$qqrv | 10 |
| @Edutils@initialization\$qqrv | 10 |
| @Edutils@Finalization\$qqrv | 10 |
| @Imageutils@initialization\$qqrv | 10 |
| @Imageutils@Finalization\$qqrv | 10 |
| @Dlgnumpice@initialization\$qqrv | 10 |
| @Dlgnumpice@Finalization\$qqrv | 10 |
| @Gigrclms@initialization\$qqrv | 10 |
| @Gigrclms@Finalization\$qqrv | 10 |
| @Hdorderinfo@initialization\$qqrv | 10 |
| @Hdorderinfo@Finalization\$qqrv | 10 |
| @Escatmdata@initialization\$qqrv | 10 |
| @Escatmdata@Finalization\$qqrv | 10 |
| @Ufgnmstcode@initialization\$qqrv | 10 |
| @Ufgnmstcode@Finalization\$qqrv | 10 |
| @Extcodeedit@initialization\$qqrv | 10 |
| @Extcodeedit@Finalization\$qqrv | 10 |
| @Ugroupman@initialization\$qqrv | 10 |
| @Ugroupman@Finalization\$qqrv | 10 |
| @Dlgelw@initialization\$qqrv | 10 |
| @Dlgelw@Finalization\$qqrv | 10 |
| @Textlabels@initialization\$qqrv | 10 |
| @Textlabels@Finalization\$qqrv | 10 |
| @Windowmanager@initialization\$qqrv | 10 |
| @Windowmanager@Finalization\$qqrv | 10 |
| @Ivjconfigbtn@initialization\$qqrv | 10 |
| @Ivjconfigbtn@Finalization\$qqrv | 10 |
| @Ivjbtn@initialization\$qqrv | 10 |
| @Ivjbtn@Finalization\$qqrv | 10 |
| @Hdscale@initialization\$qqrv | 10 |
| @Hdscale@Finalization\$qqrv | 10 |
| @Epopupbox@initialization\$qqrv | 10 |
| @Epopupbox@Finalization\$qqrv | 10 |
| @Shapeinfo@initialization\$qqrv | 10 |
| @Shapeinfo@Finalization\$qqrv | 10 |

| | |
|---|----|
| @Msgdlg@initialization\$qqrv | 10 |
| @Msgdlg@Finalization\$qqrv | 10 |
| CredpEncodeCredential | 10 |
| @Forms@TApplication@SetTitle\$qqrx20Sys | 10 |
| JetMakeKey@20 | 10 |
| VarUI1FromI4 | 10 |
| LsCompressSubline | 10 |
| XspLogEvent | 10 |
| LoadLibraryUsingFullPath | 10 |
| PrintResourceString | 10 |
| AspnetLoadResourceDLL | 10 |
| @Msxml@Finalization\$qqrv | 10 |
| @Dxbar@initialization\$qqrv | 10 |
| @Cxgeometry@Finalization\$qqrv | 10 |
| @Cxdwmapi@Finalization\$qqrv | 10 |
| @Cxdrawtextutils@Finalization\$qqrv | 10 |
| @Dxbarstrs@initialization\$qqrv | 10 |
| @Idemailaddress@Finalization\$qqrv | 10 |
| ??\$?8_WU?\$char_traits@_W@std@@@V?\$Sa | 10 |
| @Graphics@TBitmap@SetHandle\$qqrui | 10 |
| @Graphics@TBitmap@GetPixelFormat\$qqrv | 10 |
| @Graphics@TGraphic@SaveToFile\$qqrx17S | 10 |
| @Graphics@TGraphic@LoadFromFile\$qqrx1 | 10 |
| @Graphics@TGraphic@GetTransparent\$qqrv | 10 |
| @\$xp\$22Controls@TEndDragEvent | 10 |
| @\$xp\$24Controls@TStartDragEvent | 10 |
| @\$xp\$23Controls@TDragDropEvent | 10 |
| @\$xp\$23Controls@TDragOverEvent | 10 |
| @\$xp\$18Controls@TDragMode | 10 |
| @\$xp\$16Controls@TCursor | 10 |
| lineGetLineDevStatus | 10 |
| lineDial | 10 |
| lineTranslateDialog | 10 |
| GetVersionExl | 10 |
| RegDeleteKeyl | 10 |
| RegCreateKeyExl | 10 |
| RegSetValueExl | 10 |
| RegEnumKeyExl | 10 |
| LoadStringl | 10 |
| __lwrite_@12 | 10 |
| I_CryptFreeLruCache | 10 |
| ?StopThread@CTXThreadModel@@QAEXK@ | 10 |
| rtl_ustr_lastIndexOfStr_WithLength | 10 |
| ?get@ContentBroker@ucbhelper@@SAPAV | 10 |
| IoAttachDeviceByPointer | 10 |
| SDL_SetModuleHandle | 10 |
| SDL_strlcpy | 10 |

| | |
|---|----|
| SDL_strlcat | 10 |
| ?_Orphan_all @_Container_base0@std@@C | 10 |
| I_CryptReleaseLruEntry | 10 |
| ?MMCErrorBox@@YGHII@Z | 10 |
| EngQueryPerformanceCounter | 10 |
| EngQueryPerformanceFrequency | 10 |
| EngDeleteEvent | 10 |
| EngWaitForSingleObject | 10 |
| EngCreateEvent | 10 |
| ??1CRangeRestriction@@QAE@XZ | 10 |
| ??0CRegChangeEvent@@QAE@PBGH@Z | 10 |
| ?GetLPSTR@CAllocStorageVariant@@QBEP, | 10 |
| vlc_meta_New | 10 |
| SoftpubDIIUnregisterServer | 10 |
| I_NetDatabaseRedo | 10 |
| DsAddressToSiteNamesExA | 10 |
| TopIIsTopIException | 10 |
| _.GetServiceDisplayName_@16 | 10 |
| @Sysutils@DecimalSeparator | 10 |
| @Graphics@TCanvas@MoveTo\$qqrii | 10 |
| @Graphics@TCanvas@LineTo\$qqrii | 10 |
| SHSimpleIDListFromPath | 10 |
| ASN1BERDecS8Val | 10 |
| SdbCloseApphelpInformation | 10 |
| ImmIMPSetIMEA | 10 |
| ?assign_from_qi@nsCOMPtr_base@@QAEY | 10 |
| ??1nsACString_internal@@QAE@XZ | 10 |
| ?assign_from_helper@nsCOMPtr_base@@@C | 10 |
| PL_strlen | 10 |
| MimeOleGetCharsetInfo | 10 |
| MimeOleGetDefaultCharset | 10 |
| HrSaveAttachToFile | 10 |
| SetupDiGetDeviceInfoListClass | 10 |
| CloseNtmsNotification | 10 |
| ??0strstreambuf@std@@QAE@H@Z | 10 |
| SetupRemoveSectionFromDiskSpaceListA | 10 |
| RegWdDeleteW | 10 |
| RegCdQueryW | 10 |
| RegMergeUserConfigWithUserParameters | 10 |
| RegPdQueryW | 10 |
| RegWdEnumerateA | 10 |
| ?FormatV@CString@@IAEXPBGPAD@Z | 10 |
| ?Find@CString@@QBEHPBG@Z | 10 |
| _GetLogColorSpace_@12 | 10 |
| OsThunkDdCreateDirectDrawObject | 10 |
| @Fr_class@TfrReport@ExportTo\$qqrp24Fr_ | 10 |
| I_CryptGetLruEntryIdentifier | 10 |

| | |
|---------------------------------------|----|
| ATMAddFontExA | 10 |
| ATMGetGlyphListW | 10 |
| ATMGetPostScriptNameA | 10 |
| ATMAddFontW | 10 |
| acmStreamMessage | 10 |
| acmDriverRemove | 10 |
| ?QueryWCExpansion@PATH@@QAEPAV1@ | 10 |
| GenericChainFinalProv | 10 |
| ?ReadProperty@CPropStoreManager@@QF | 10 |
| ProvideUiAlerts | 10 |
| rtcJoin | 10 |
| DhcpGetThreadOptions | 10 |
| MsiConfigureProductExA | 10 |
| MsiGetShortcutTargetW | 10 |
| SetInformationCodeAuthzPolicyW | 10 |
| SetupDiGetWizardPage | 10 |
| DnsReleaseContextHandle | 10 |
| QueryDirectEx | 10 |
| Dns_GetRandomXid | 10 |
| Dns_WriteQuestionToMessage | 10 |
| NetInfo_Copy | 10 |
| bcp_columns | 10 |
| bcp_moretext | 10 |
| bcp_exec | 10 |
| bcp_colptr | 10 |
| bcp_sendrow | 10 |
| SQLCloseEnumServers | 10 |
| ?Initialize@FAT_DIRENT@@QAEPAXE@Z | 10 |
| ??1CLUSTER_CHAIN@@UAE@XZ | 10 |
| ?Read@EA_SET@@UAEEXZ | 10 |
| SafeArrayGetID | 10 |
| _GetFullPathName_@16 | 10 |
| ??0?\$ctype@G@std@@QAE@I@Z | 10 |
| ber_free | 10 |
| ldap_set_optionA | 10 |
| ldap_unbind_s | 10 |
| SetupSetPlatformPathOverrideA | 10 |
| g_object_new | 10 |
| g_object_unref | 10 |
| gtk_container_add | 10 |
| gtk_dialog_get_content_area | 10 |
| RpcSsSwapClientAllocFree | 10 |
| ?QueryCanonicalNtDriveName@IFS_SYSTEM | 10 |
| PyErr_Clear | 10 |
| DAD_ShowDragImage | 10 |
| SHObjectProperties | 10 |
| DAD_SetDragImage | 10 |

| | |
|--|----|
| MsiSetFeatureAttributesA | 10 |
| ??0CStringArray@@QAE@XZ | 10 |
| ?Mid@CString@@QBE?AV1@HH@Z | 10 |
| ?FreeAssoc@CMapStringToPtr@@IAEXP@U | 10 |
| OsThunkDdUpdateOverlay | 10 |
| EvtCreateRenderContext | 10 |
| EvtRender | 10 |
| SQLGetConnectAttr | 10 |
| VarCat | 10 |
| VarUI1FromDec | 10 |
| VarI1FromI8 | 10 |
| VarI8FromUI1 | 10 |
| MimeOleSetBodyPropA | 10 |
| MimeOleAlgStrengthFromSMimeCap | 10 |
| ??0CMemSerStream@@QAE@I@Z | 10 |
| IPSecCreatePolicyData | 10 |
| IPSecFreeFilterSpecs | 10 |
| IPSecOpenPolicyStore | 10 |
| ?VdsTraceEx@@YAXKKPADZZ | 10 |
| RtlLocalTimeToSystemTime | 10 |
| PdhCreateSQLTablesW | 10 |
| AtlUnmarshalPtr | 10 |
| NetReplImportDirEnum | 10 |
| ASN1BERDecS16Val | 10 |
| @_ThrowExceptionLDTCSqpvt1t1t1uiuiui | 10 |
| ?find_first_of@?\$basic_string@GU?\$char_traits@U@std@ | 10 |
| SecpFreeMemory | 10 |
| RtlDescribeChunk | 10 |
| ?insert@?\$basic_string@DU?\$char_traits@I@std@ | 10 |
| oflNg | 10 |
| oopt | 10 |
| open | 10 |
| odescr | 10 |
| MTxOciGetVersion | 10 |
| MprAdminServerDisconnect | 10 |
| MprAdminIsDomainRasServer | 10 |
| GdipGetClipBounds | 10 |
| ?RemoveEntry@CLockedDoubleList@@QAE | 10 |
| ?ReadOrWriteLock@CReaderWriterLock3@() | 10 |
| @Adodb@TADOConnection@\$bctr\$qqrp18i | 10 |
| @Dxlayoutlookandfeels@TdxLayoutWebLoc | 10 |
| @Cxbuttons@TcxButton@ | 10 |
| NPGetConnectionPerformance | 10 |
| ResUtilEnumPrivateProperties | 10 |
| JetGetTableIndexInfo | 10 |
| JetSetIndexRange | 10 |
| ToplVertexSetParent | 10 |

| | |
|--|----|
| TopDeleteSpanningTreeEdges | 10 |
| glTexCoord2s | 10 |
| @Db@TDataSet@SetFieldValue\$qqrx17Syst | 10 |
| VarBstrFromR8 | 10 |
| VarDecFromUI4 | 10 |
| ldap_first_attributeW | 10 |
| ldap_count_values | 10 |
| CPSetHashParam | 10 |
| NetpwPathType | 10 |
| I_NetServerReqChallenge | 10 |
| SQLWriteFileDSN | 10 |
| ?QueryAllocatedClusters@FAT@@QBEKXZ | 10 |
| ??0FILEDIR@@QAE@XZ | 10 |
| ??1FAT_SA@@UAE@XZ | 10 |
| ?CreatePluginContainer@CContainerFactory | 10 |
| ?DestroyPluginContainer@CContainerFactor | 10 |
| ?destroy@CiSAPUTrace@@SAXXZ | 10 |
| PdhSelectDataSourceW | 10 |
| PdhEnumLogSetNamesW | 10 |
| _lcreat_@8 | 10 |
| _RegLoadKey_@12 | 10 |
| ?Traverse@FSN_DIRECTORY@@QBEEPAVPA | 10 |
| ?PutMultipleSwitch@ARGUMENT_LEXEMIZE | 10 |
| SystemFunction010 | 10 |
| GetLocalManagedApplications | 10 |
| SdbGetTagDataSize | 10 |
| SdbQueryDataEx | 10 |
| NdisMIndicateStatus | 10 |
| DsaopExecuteScript | 10 |
| RtlDumpResource | 10 |
| ?RemoveTail@CDoubleList@@QAEQAVCLis | 10 |
| ?_Stinit@?1??_Init@?\$basic_filebuf@DU?\$C | 10 |
| GetRawInputDeviceInfoW | 10 |
| glMapGrid2d | 10 |
| glNormal3iv | 10 |
| MsiGetSourcePathA | 10 |
| LsalCLookupNamesWithCreds | 10 |
| SaferiCompareTokenLevels | 10 |
| IPSecCreateFilterData | 10 |
| VarCyFromDec | 10 |
| WahCompleteRequest | 10 |
| WahQueueUserApc | 10 |
| WahCloseNotificationHandleHelper | 10 |
| rtcFileDialogTime | 10 |
| MprAdminConnectionClearStats | 10 |
| ATMFontStatusW | 10 |
| ConnectionTransact | 10 |

| | |
|--|----|
| ConnectionMode | 10 |
| ConnectionVer | 10 |
| ConnectionStatus | 10 |
| ConnectionServerEnumW | 10 |
| ConnectionRead | 10 |
| ConnectionCheckForData | 10 |
| TermSession | 10 |
| RegOpenHKCUKeyExU | 10 |
| GetGadgetRotation | 10 |
| BinarySDToSecurityDescriptor | 10 |
| ADsBuildVarArrayStr | 10 |
| AdsTypeToPropVariant | 10 |
| ADsFreeEnumerator | 10 |
| rtcGetMonthOfYear | 10 |
| ldap_modrdn2W | 10 |
| StartStopOldWB | 10 |
| T120_CreatePluggableTransport | 10 |
| T120_QueryApplet | 10 |
| ?fromLocal8Bit@QString@@SA?AV1@PBD@ | 10 |
| ??0QPixmap@@QAE@XZ | 10 |
| _FSOUND_Close@0 | 10 |
| Tcl_GetVar | 10 |
| JetRetrieveColumns | 10 |
| do_echo_rep | 10 |
| PutMem4 | 10 |
| HidP_SetData | 10 |
| SaslInitializeSecurityContextW | 10 |
| NdisGeneratePartialCancelId | 10 |
| ?getInstalledProductPath@CERutil@@UBE? | 10 |
| ?getInstalledProductSerialNum@CERutil@@ | 10 |
| ?getInstalledProductKey@CERutil@@UBE?A | 10 |
| ?getInstalledProductName@CERutil@@UBE | 10 |
| ?setTheCERutil@CERutil@@SA_NPAV1@@@ | 10 |
| ??0CERutil@@QAE@XZ | 10 |
| ?getVersionNumber@CERutil@@UAE?AV?\$ | 10 |
| ??1CERutil@@UAE@XZ | 10 |
| ?makeBuildVersion@CERutil@@UAE?AV?\$C | 10 |
| ?getCADMngrSettingsRegPath@CERutil@@I | 10 |
| ?makeRegistryVersion@CERutil@@UAE?AV | 10 |
| ?endl@std@@YAAV?\$basic_ostream@_W | 10 |
| KeRegisterBugCheckReasonCallback | 10 |
| __glutInitWithExit | 10 |
| __glutCreateWindowWithExit | 10 |
| SCardForgetReaderW | 10 |
| RtlEnableEarlyCriticalSectionEventCreation | 10 |
| ZwSecureConnectPort | 10 |
| JetGetCounter | 10 |

| | |
|---|----|
| JetSetDatabaseSize | 10 |
| ? SetProperty@CDbPropBaseRestriction@@@ | 10 |
| ??1CEventItem@@QAE@XZ | 10 |
| ?cilsValidPointer@@YGHPBX@Z | 10 |
| image_HandlerCreate | 10 |
| VarDateFromI1 | 10 |
| VarDecFix | 10 |
| ?QueryNumber@WSTRING@@QBEEPAJKK@ | 10 |
| DibClone | 10 |
| BmClone | 10 |
| ??4iostream@@IAEAAV0@PAVstreambuf@ | 10 |
| ?InitNetwork@Network@Util@@YAHXZ | 10 |
| VarDecFromUI2 | 10 |
| VarI1FromStr | 10 |
| BuildTrusteeWithObjectsAndNameW | 10 |
| ?eq_int_type@?\$char_traits@_W@std@@@` | 10 |
| ?eof@?\$char_traits@_W@std@@@SAGXZ | 10 |
| ?widen@?\$basic_ios@_WU?\$char_traits@_ | 10 |
| fnmatch | 10 |
| ?getCaughtException@cppu@@YA?AVAny@ | 10 |
| ?GetDisplayText@Control@@UBE?AVString | 10 |
| ??1ModalDialog@@UAE@XZ | 10 |
| ??1OKButton@@UAE@XZ | 10 |
| ??1Window@@UAE@XZ | 10 |
| ?DeactivatePage@TabPage@@UAEXXZ | 10 |
| ?CreateAccessible@TabPage@@UAE?AV?\$f | 10 |
| ?Draw@TabPage@@UAEXPAPAVOutputDevice | 10 |
| ?Paint@TabPage@@UAEXABVRectangle@C | 10 |
| ?DataChanged@TabPage@@UAEXABVData | 10 |
| ?StateChanged@TabPage@@UAEXG@Z | 10 |
| ?TopLeft@Rectangle@@QBE?AVPoint@@X | 10 |
| ?Search@String@@QBEGGG@Z | 10 |
| rtl_createUuid | 10 |
| NtReplaceKey | 10 |
| @Vedatasearch@TVeDataSearch@ResetFull | 10 |
| StgOpenStorageOnHandle | 10 |
| ?GetFileHash@FS@Util@@YAHPB_WAAVC1 | 10 |
| ?GetDownloadedFilePath@CTXHttpDownload | 10 |
| ??1CTXDataReportCodecBase@@UAE@XZ | 10 |
| ??0CTXDataReportCodecBase@@QAE@XZ | 10 |
| ?CodeCLV@CTXDataReportCodecBase@@@l | 10 |
| ?RegisterCodec@DataReport@Util@@YAJKI | 10 |
| ?CodeWord@CTXDataReportCodecBase@@@ | 10 |
| ??0VOL_LIODPDRV@@IAE@XZ | 10 |
| ??1NUMBER_SET@@UAE@XZ | 10 |
| _WinStationUpdateUserConfig | 10 |
| ServerLicensingUnloadPolicy | 10 |

| | |
|---------------------------------------|----|
| 3 | 10 |
| EditStreamSetNameW | 10 |
| DnsRecordBuild_W | 10 |
| MNLS_IstrlenW@4 | 10 |
| ?get@istream@@QAEAAV1@AAE@Z | 10 |
| MprGetUsrParams | 10 |
| ??0CPhysStorage@@IAE@AAVPStorage@@ | 10 |
| ??1CQueryUnknown@@QAE@XZ | 10 |
| @System@@BeforeDestruction\$qqrv | 10 |
| @System@@AfterConstruction\$qqrv | 10 |
| @System@@ClassDestroy\$qqrv | 10 |
| @System@@ClassCreate\$qqrv | 10 |
| KsSynchronousDeviceControl | 10 |
| RtlIsValidOemCharacter | 10 |
| WrapCompressedRTFStream@12 | 10 |
| pSetupUnicodeToMultiByte | 10 |
| _RegUnLoadKey_@8 | 10 |
| _GetWindowsDirectory_@8 | 10 |
| RtmGetNextHopInfo | 10 |
| WinStationActivateLicense | 10 |
| CM_Get_Global_State_Ex | 10 |
| CADeleteLocalAutoEnrollmentObject | 10 |
| MmDisableModifiedWriteOfSection | 10 |
| VarFix | 10 |
| VarCyCmp | 10 |
| ODBCSetTryWaitValue | 10 |
| NtWaitForDebugEvent | 10 |
| RtlInitializeContext | 10 |
| OleCopyFromLink | 10 |
| DefCreateFromClip | 10 |
| PbCreate | 10 |
| Nsi GetAllParameters | 10 |
| ??0Bitmap@@QAE@XZ | 10 |
| ?Draw@Window@@UAEXPAPAVOutputDevice | 10 |
| ??0CheckBox@@QAE@PAVWindow@@AB\ | 10 |
| ?PostUserEvent@Application@@SAKABVLin | 10 |
| ?GetToken@String@@QBE?AV1@GG@Z | 10 |
| ?removeSegment@INetURLObject@@QAE_ | 10 |
| VarDecSub | 10 |
| ?HandleAllNoUIErrorCatch@@YGXXZ | 10 |
| ScsiPortNotification | 10 |
| HrSetOmiProvidersFlagsInvalid@4 | 10 |
| ScMAPIXFromSMAPI | 10 |
| GetOutlookVersion@0 | 10 |
| SHCreateThread | 10 |
| RasRenameEntryW | 10 |
| RasSetSubEntryPropertiesW | 10 |

| | |
|---|----|
| RasSetCredentialsW | 10 |
| _pctype_dll | 10 |
| __mb_cur_max_dll | 10 |
| ?MarkDirty@CDynStream@@QAEHXZ | 10 |
| ?at@?\$basic_string@_WU?\$char_traits @_V | 10 |
| GdipSetClipRect | 10 |
| GdipCloneStringFormat | 10 |
| ??YQString@@QAEAAV0@VQChar@@@Z | 10 |
| ?sprintf@QString@@QAAAQV1@PBDZZ | 10 |
| ?unlock@QMutex@@QAEXXZ | 10 |
| ?fileName@QFileInfo@@QBE?AVQString@(| 10 |
| ?number@QString@@SA?AV1@HH@Z | 10 |
| ??1QTextStream@@UAE@XZ | 10 |
| ?split@QString@@QBE?AVQStringList@@A | 10 |
| ?startsWith@QString@@QBE_NABV1@W4C | 10 |
| ??1QDateTime@@QAE@XZ | 10 |
| ??9QString@@QBE_NPBD@Z | 10 |
| DevQueryPrintEx | 10 |
| PdhGetDefaultPerfObjectW | 10 |
| LsDestroyLine | 10 |
| DceErrorInqTextW | 10 |
| _ChangeMenu_@20 | 10 |
| _GetModuleHandle_@4 | 10 |
| JNI_GetCreatedJavaVMs | 10 |
| ?is@?\$ctype@_W@std@@QBE_NF_W@Z | 10 |
| SQLSetStmtAttrA | 10 |
| CursorLibLockDbc | 10 |
| SQLDrivers | 10 |
| SQLDriversA | 10 |
| SnmpGetPduData | 10 |
| _SnmpSetAgentAddress@4 | 10 |
| SnmpOidCopy | 10 |
| SnmpOidToStr | 10 |
| ?Copy@CStringArray@@QAEXABV1@@Z | 10 |
| ??9@YG_NABVCString@@0@Z | 10 |
| SCardAddReaderToGroupW | 10 |
| NtCompressKey | 10 |
| CreateTypeLib2 | 10 |
| ?ClearList@CPropertyList@@QAEXXZ | 10 |
| ??0CTransaction@@QAE@XZ | 10 |
| pSetupStringTableAddString | 10 |
| pSetupGetGlobalFlags | 10 |
| ?ReadLock@CSpinLock@@QAEXXZ | 10 |
| ??0CIniW@@QAE@PAUHINSTANCE__@@P | 10 |
| MsiEnumPatchesW | 10 |
| MsiApplyPatchW | 10 |
| SQLColAttributesA | 10 |

| | |
|---|----|
| ?InitFATChkDirty@REAL_FAT_SA@@QAEEP/ | 10 |
| ?sbumpc@streambuf@@QAEHXZ | 10 |
| ?DoDownloadMode@COISApp@@QAEXAAI | 10 |
| ?FDоШutdown@OISAppApi@@YG_NXZ | 10 |
| ?CdIDoEvent@OISAppApi@@YG_NAAUtagN | 10 |
| ?RFMDisableApp@COISApp@@QAEXXZ | 10 |
| ?DoSendToMode@COISApp@@QAEXABUD | 10 |
| ?SetFrameHwnd@OISAppApi@@YGXPAUH\ | 10 |
| ?OnSetFocus@OISAppApi@@YGXXZ | 10 |
| ?CreateMediaWindow@OISAppApi@@YGP, | 10 |
| ?ExitInstance@OISAppApi@@YGXXZ | 10 |
| ?GetApp@OISAppApi@@YGP_AVCOISApp@I | 10 |
| ?CdIDoldle@OISAppApi@@YGXXZ | 10 |
| TopIScheduleNumEntries | 10 |
| MsiProvideAssemblyA | 10 |
| @Variants@VarArrayOf\$qrpx14System@V | 10 |
| ?begin@?\$basic_string@DU?\$char_traits@I | 10 |
| RtlIpv4AddressToStringExW | 10 |
| VarCylInt | 10 |
| VarUI2FromBool | 10 |
| _CreateIC_@16 | 10 |
| ?GetComObjectEventSource@@YGAIV?\$CE | 10 |
| ?GetFacility@SC@mmcerror@@ABE?AW4fc | 10 |
| ?GetBrowserCodepage@@YGKAAVCWebSe | 10 |
| ClassSetFailurePredictionPoll | 10 |
| ClassAcquireChildLock | 10 |
| ClassModeSense | 10 |
| FsRtlGetNextMcbEntry | 10 |
| ErrGetUpdateOptions | 10 |
| NdrSimpleTypeMarshall | 10 |
| FixMAPI@0 | 10 |
| rtcChangeDrive | 10 |
| ?FetchProperty@COLEPropManager@@QAI | 10 |
| ??1CGenericCiProxy@@UAE@XZ | 10 |
| AdvancedDialogProc | 10 |
| glStencilFunc | 10 |
| DefCreateFromFile | 10 |
| EventActivityIdControl | 10 |
| ??_7\$cctype@G@std@@6B@ | 10 |
| _PfDeleteLog@0 | 10 |
| MAPIOpenFormMgr@8 | 10 |
| ResUtil SetPropertyTableEx | 10 |
| RasSetAutodialEnableW | 10 |
| ILSaveToStream | 10 |
| SdbUnregisterDatabase | 10 |
| PdhGetRawCounterArrayA | 10 |
| PdhVbGetOneCounterPath | 10 |

| | |
|--|----|
| PdhEnumMachinesA | 10 |
| RtmCreateRouteEnum | 10 |
| MgmGetNextMfe | 10 |
| SdbFindNextMsiPackage | 10 |
| SdbGetMsiPackageInformation | 10 |
| ??_7bad_typeid@@6B@ | 10 |
| @Graphics@TFont@GetStyle\$qqrv | 10 |
| @Extctrls@TCustomPanel@\$bctr\$qqrp18Cl; | 10 |
| JetRollback@8 | 10 |
| JetExternalRestore | 10 |
| RtmReleaseEntityInfo | 10 |
| RtmGetEnumDests | 10 |
| HookOn | 10 |
| ldap_err2string | 10 |
| ldap_escape_filter_elementW | 10 |
| ldap_value_free | 10 |
| ldap_extended_operationW | 10 |
| xmlStrdup | 10 |
| ?GetWidth@Rectangle@@QBEJXZ | 10 |
| rtl_getGlobalProcessId | 10 |
| EditStreamSetInfoW | 10 |
| @Tabs@initialization\$qqrv | 10 |
| HrSafeGetStreamSize | 10 |
| HrlsStreamUnicode | 10 |
| IUnknownList.CreateInstance | 10 |
| _OpenWindowStation_@12 | 10 |
| _GetTempFileName_@16 | 10 |
| GdipCreateLineBrushFromRectWithAngleI | 10 |
| MsiOpenPackageExA | 10 |
| PdhValidatePathW | 10 |
| PdhVbCreateCounterPathList | 10 |
| ?detach2@QListData@@QAEPAUData@1@ | 10 |
| ?qWarning@@YAXPBDZZ | 10 |
| ?cast@QMetaObject@@QBEPAVQObject@I | 10 |
| ??1QDebug@@QAE@XZ | 10 |
| ?qDebug@@YA?AVQDebug@@XZ | 10 |
| ?shared_null@ QVectorData@@2U1@A | 10 |
| ?staticMetaObject@QThread@@2UQMetaC | 10 |
| RasSetDeviceConfigInfo | 10 |
| RasSetCommSettings | 10 |
| VarR4FromI4 | 10 |
| RtlNewSecurityObjectEx | 10 |
| typelib_typedescriptionreference_getDescri | 10 |
| typelib_typedescription_release | 10 |
| _RegReplaceKey_@16 | 10 |
| PdhVbOpenQuery | 10 |
| VideoForWindowsVersion | 10 |

| | |
|--|----|
| gimp_drawable_merge_shadow | 10 |
| gimp_drawable_update | 10 |
| _FindResourceEx_@16 | 10 |
| FBadRowSet@4 | 10 |
| ?OnPreRestoreEnd@CVssJetWriter@@UAG | 10 |
| ?IsPartialFileSupportEnabled@CVssWriter@ | 10 |
| ??1CVssJetWriter@@UAE@XZ | 10 |
| ?OnPrepareBackupBegin@CVssJetWriter@0 | 10 |
| RtlSetSecurityObjectEx | 10 |
| TraceSQLGetConnectAttrW | 10 |
| LocaleNameToLCID | 10 |
| ?GetNextDataSlot@TLINK@@QAEAAVBIG_I | 10 |
| ?QuerySectorSize@DP_DRIVE@@UBEKXZ | 10 |
| ??0QFrame@@QAE@PAVQWidget@@V?\$C | 10 |
| ?qt_metacast@QFrame@@UAEPAXPBD@Z | 10 |
| ?qt_metacall@QFrame@@UAEHW4Call@Q | 10 |
| ?event@QFrame@@MAE_NPAVQEvent@@ | 10 |
| ??1QFrame@@UAE@XZ | 10 |
| ?hide@QWidget@@QAEXXZ | 10 |
| ??1QLayoutItem@@UAE@XZ | 10 |
| ?setContentsMargins@QLayout@@QAEXHF | 10 |
| ??0QPainter@@QAE@PAVQPaintDevice@0 | 10 |
| ?setToolTip@QWidget@@QAEXABVQString | 10 |
| __vlc_object_find | 10 |
| RasDeleteEntryW | 10 |
| ?SetFile@CIniW@@QAEXPBG@Z | 10 |
| geteuid | 10 |
| getuid | 10 |
| VarUI1FromUI2 | 10 |
| _CharToOem_@8 | 10 |
| ??1SStorageObject@@QAE@XZ | 10 |
| ?SetPriority@CGenericCiProxy@@QAEXKK@ | 10 |
| JetOSSnapshotFreeze | 10 |
| JetGetTruncateLogInfoInstance | 10 |
| OleSetData | 10 |
| _BackupEventLog_@8 | 10 |
| NetGetDisplayInformationIndex | 10 |
| RtlAddAccessDeniedAce | 10 |
| ?InsertChild@CDbCmdTreeNode@@IAEXP@ | 10 |
| GetImageUnusedHeaderBytes | 10 |
| SnmpStrToContext | 10 |
| SnmpFreeContext | 10 |
| ZwCreateSemaphore | 10 |
| rtcRightVar | 10 |
| HrStreamSeekSet | 10 |
| PszToUnicode | 10 |
| MessageBoxInst | 10 |

| | |
|--------------------------------------|----|
| PszSkipWhiteA | 10 |
| CopyRegistry | 10 |
| LdapTypeFreeLdapModList | 10 |
| LdapTypeFreeLdapModObject | 10 |
| ??0CTXStringA@@QAE@PBDH@Z | 10 |
| ?Utf8ToWS@Convert@Util@@YA?AVCTXSti | 10 |
| ?GetStatus@Contact@Util@@YAGK@Z | 10 |
| gimp_tile_width | 10 |
| _GetKerningPairs_@12 | 10 |
| SnmpSetPduData | 10 |
| SnmpGetLastError | 10 |
| SnmpGetVb | 10 |
| _MessageBoxIndirect_@4 | 10 |
| SetupRenameErrorW | 10 |
| WmiTraceMessage | 10 |
| TraceSQLDataSourcesW | 10 |
| SearchInTable | 10 |
| _ZN4Foam7Pstream15nProcsSimpleSumE | 10 |
| PSetupFreeDrvField | 10 |
| ?Push@INTSTACK@@QAEVBIG_INT@@@: | 10 |
| GetFileNameFromBrowse | 10 |
| GetMemObj | 10 |
| PSetupIsCompatibleDriver | 10 |
| PSetupDestroyMonitorInfo | 10 |
| PSetupShowBlockedDriverUI | 10 |
| PSetupDestroySelectedDriverInfo | 10 |
| PSetupCreateDrvSetupPage | 10 |
| ??0CLockedDoubleList@@QAE@XZ | 10 |
| @Cxlabel@Finalization\$qqrw | 10 |
| pSetupQueryMultiSzValueToArray | 10 |
| ?Release@CEnumString@@UAGKXZ | 10 |
| SetConsoleReserveKeys | 10 |
| ??X?\$_Complex_base@O@std@@QAEAAV(| 10 |
| MoDuplicateMediaType | 10 |
| GetTnefStreamCodepage | 10 |
| ?Initialize@DP_DRIVE@@QAEPPBVWSTRIN(| 10 |
| ?Initialize@SUPERAREA@@IAEPAVMEM@ | 10 |
| I_CryptUnregisterSmartCardStore | 10 |
| ImageRemoveCertificate | 10 |
| DsMapSchemaGuidsA | 10 |
| ??1QGridLayout@@UAE@XZ | 10 |
| ??1QDialog@@UAE@XZ | 10 |
| ??0QDialog@@QAE@PAVQWidget@@V?\$C | 10 |
| ?showEvent@QDialog@@MAEXPQVShowI | 10 |
| ?information@QMessageBox@@SA?AW4St | 10 |
| ?staticMetaObject@QDialog@@2UQMetaO | 10 |
| ?invalidate@QGridLayout@@UAEXXZ | 10 |

| | |
|--|----|
| ?minimumHeightForWidth@QGridLayout@() | 10 |
| ?heightForWidth@QGridLayout@@UBEHH@ | 10 |
| ?hasHeightForWidth@QGridLayout@@UBE_ | 10 |
| ?expandingDirections@QGridLayout@@UBI | 10 |
| ?maximumSize@QGridLayout@@UBE?AVQ: | 10 |
| ?minimumSize@QGridLayout@@UBE?AVQS | 10 |
| ?sizeHint@QGridLayout@@UBE?AVQSize@ | 10 |
| ?count@QGridLayout@@UBEHZX | 10 |
| ?takeAt@QGridLayout@@UAEPAVQLayoutI | 10 |
| ?itemAt@QGridLayout@@UBEPAVQLayoutI | 10 |
| ?addItem@QGridLayout@@MAEXPAPQLay | 10 |
| ?qt_metacall@QGridLayout@@UAEHW4Cal | 10 |
| ?qt_metacast@QGridLayout@@UAEPAXPBI | 10 |
| ?metaObject@QGridLayout@@UBEPBUQM | 10 |
| ?setWordWrap@QLabel@@QAEX_N@Z | 10 |
| ?setEnabled@QWidget@@QAEX_N@Z | 10 |
| _RegisterClass_@4 | 10 |
| _GetProfileString_@20 | 10 |
| ?ReleaseVersionInfo@CMdVersionInfo@@S | 10 |
| osl_getFileStatus | 10 |
| osl_getDirectoryItem | 10 |
| rtl_fillMemory | 10 |
| ZwCreateWaitablePort | 10 |
| KiUserApcDispatcher | 10 |
| ?desktop@QApplication@@SAPAVQDesko | 10 |
| ?sizePolicy@QWidget@@QBE?AVQSizePolicy | 10 |
| ?append@QString@@QAEAAV1@VQChar@ | 10 |
| ?toAscii@QString@@QBE?AVQByteArray@ | 10 |
| _chkstk | 10 |
| PoSetHiberRange | 10 |
| ??1NTFS_MFT_FILE@@UAE@XZ | 10 |
| ?qDebug@@YAXPBDZZ | 10 |
| ?AppendChild@CDBCmdTreeNode@@IAEXI | 10 |
| ZwQuerySystemTime | 10 |
| InternalGetPS2ColorRenderingDictionary | 10 |
| ?begin@?\$basic_string@GU?\$char_traits@ | 10 |
| NetDfsMove | 10 |
| I_RpcServerUseProtseqEp2A | 10 |
| CM_Intersect_Range_List | 10 |
| NdrByteCountPointerUnmarshall | 10 |
| ?QuerySize@TLINK@@QBEGXZ | 10 |
| ImmSetActiveContextConsoleIME | 10 |
| ?init@?\$basic_ios@DU?\$char_traits@D@st | 10 |
| _realloc_crt | 10 |
| SetupDiInstallClassExW | 10 |
| _OpenBackupEventLog_@8 | 10 |
| ?CreateActionManager@MsoCF@@YGXPAP | 10 |

| | |
|--|----|
| _ GetUserObjectInformation_@20 | 10 |
| NdisGetFirstBufferFromPacket | 10 |
| NdisQueryBuffer | 10 |
| ?AddNext@NUMBER_SET@@QAEEVBIG_IN` | 10 |
| MsiConfigureProductW | 10 |
| ??0BYTE_STREAM@@QAE@XZ | 10 |
| ?FillAndReadByte@BYTE_STREAM@@AAEI | 10 |
| TraceVersion | 10 |
| SHLoadIndirectString | 10 |
| MsiDatabaseGenerateTransformW | 10 |
| VarUI8FromStr | 10 |
| ??_Dostream@@QAEXXZ | 10 |
| NdrSimpleStructFree | 10 |
| VarBoolFromI2 | 10 |
| JetCloseFile | 10 |
| DnsAcquireContextHandle_W | 10 |
| NetInfo_ResetServerPriorities | 10 |
| ?isfx@istream@@QAEXXZ | 10 |
| I_RpcAsyncAbortCall | 10 |
| @System@@IsClass\$qqrv | 10 |
| VarWeekdayName | 10 |
| ?_ReadOrWriteLock@CLKRLinearHashTable(| 10 |
| rtl_uString_newReplaceStrAt | 10 |
| RtlEnlargedUnsignedMultiply | 10 |
| sqlite3_result_error | 10 |
| sqlite3_value_int | 10 |
| sqlite3_busy_handler | 10 |
| sqlite3_get_autocommit | 10 |
| sqlite3_create_function | 10 |
| sqlite3_result_value | 10 |
| ObQueryObjectAuditingByHandle | 10 |
| TdiRegisterNotificationHandler | 10 |
| _ObjectOpenAuditAlarm_@48 | 10 |
| ScriptStringCPToX | 10 |
| ?SetTableLockSpinCount@CLKRHashTable@ | 10 |
| VarCyFromR4 | 10 |
| _JNU_ThrowInternalError@8 | 10 |
| ??0COBJECT@@IAE@XZ | 10 |
| @\$xp\$20Controls@TWinControl | 10 |
| LsaOpenPolicySce | 10 |
| PbCreateFromFile | 10 |
| ??0ByteString@@QAE@ABV0@@Z | 10 |
| EventGuidToName | 10 |
| ??0REST_OF_LINE_ARGUMENT@@QAE@XZ | 10 |
| MsiGetProductCodeFromPackageCodeW | 9 |
| MsiSummaryInfoGetPropertyCount | 9 |
| MsiDecomposeDescriptorW | 9 |

| | |
|-------------------------------------|---|
| DsReplicaAddW | 9 |
| DsReplicaModifyW | 9 |
| ldap_perror | 9 |
| ldap_compare_sW | 9 |
| WizIntSecurityDlgProc | 9 |
| CloseLPR | 9 |
| OpenLPR | 9 |
| ?narrow@?\$_ctype@G@std@@QBEDGD@Z | 9 |
| GetOpenFileNamePreviewW | 9 |
| GetSaveFileNamePreviewW | 9 |
| FsRtlNumberOfRunsInMcb | 9 |
| FsRtlOblockIsFastIoPossible | 9 |
| FsRtlInitializeLargeMcb | 9 |
| CcWaitForCurrentLazyWriterActivity | 9 |
| ?Strrchr@WSTRING@@QBEKGK@Z | 9 |
| ?IsLoaded@TLibrary@XPRT@@QBE_NXZ | 9 |
| XML_SetProcessingInstructionHandler | 9 |
| XML_GetBuffer | 9 |
| XML_GetCurrentColumnNumber | 9 |
| XML_GetCurrentLineNumber | 9 |
| XML_ErrorString | 9 |
| XML_GetErrorCode | 9 |
| XML_ParseBuffer | 9 |
| _XprtSeedRandom@8 | 9 |
| _XprtGetMicroseconds64@0 | 9 |
| _XprtTlsSetValue@8 | 9 |
| _XprtTlsGetValue@4 | 9 |
| _XprtTlsReleaseKey@4 | 9 |
| _XprtTlsRequestKey@0 | 9 |
| WOWGetVDMPointer | 9 |
| NetReplImportDirGetInfo | 9 |
| @Zipdll@initialization\$qqrv | 9 |
| @Zcallbck@initialization\$qqrv | 9 |
| @Unzdll@initialization\$qqrv | 9 |
| @Zipmsg@initialization\$qqrv | 9 |
| @Zipstructs@initialization\$qqrv | 9 |
| dialog_VFatal | 9 |
| lineGetDevCapsA | 9 |
| Kel386AbiosCall | 9 |
| VideoPortReadPortBufferUchar | 9 |
| VideoPortWritePortUshort | 9 |
| VideoPortSetBytesUsed | 9 |
| CTEAllocateString | 9 |
| _CreateProcess_@40 | 9 |
| _GetShortPathName_@12 | 9 |
| DnsRecordSetCopyEx | 9 |
| DnsFlushResolverCacheEntry_W | 9 |

| | |
|---|---|
| Dns_UpdateLib | 9 |
| ?Initialize@NTFS_SA@@QAEEPAVLOG_IO_C | 9 |
| ldap_search_stA | 9 |
| ldap_encode_sort_controlA | 9 |
| ldap_control_freeW | 9 |
| HidD_GetSerialNumberString | 9 |
| HidP_GetValueCaps | 9 |
| LoadMSSearchHooks | 9 |
| RegisterErrorReportingDialog | 9 |
| SdbOpenApphelpDetailsDatabase | 9 |
| ImmIMPQueryIMEA | 9 |
| GetUName | 9 |
| ?PutWString@@YGXAAVPStream@@PB | 9 |
| ?Next@CPropertyList@@UAEPBVCPropEntr | 9 |
| VarI2FromUI1 | 9 |
| lineSetAppPriorityW | 9 |
| @System@@VarCmpGT\$qqrrx14System@V | 9 |
| @Sysutils@SameText\$qqrx17System@AnsiS | 9 |
| @Comobj@GUIDToString\$qqrrx5_GUID | 9 |
| @Comobj@StringToGUID\$qqrx17System@A | 9 |
| @Classes@TInterfaceList@GetCount\$qqrv | 9 |
| @Classes@TInterfaceList@Get\$qqri | 9 |
| @Adodb@TParameter@GetValue\$qqrv | 9 |
| @Contnrs@TObjectList@Notify\$qqrpv25Cla | 9 |
| @Extctrls@TCustomPanel@SetBorderStyle\$ | 9 |
| @Extctrls@TCustomPanel@SetBevelWidth\$ | 9 |
| @Registry@TRegistry@GetKeyNames\$qqrp | 9 |
| @Comctrls@TTreeNode@GetChildren\$qqrv | 9 |
| @Tb2toolbar@TTBToolbar@ | 9 |
| @Dcsystem@Finalization\$qqrv | 9 |
| @Dcclasses@Finalization\$qqrv | 9 |
| @Dcconsts@Finalization\$qqrv | 9 |
| @Dcapi@Finalization\$qqrv | 9 |
| @Dcdreamlib@Finalization\$qqrv | 9 |
| @Dchook@Finalization\$qqrv | 9 |
| @Dccommon@Finalization\$qqrv | 9 |
| @Dxmasterview@initialization\$qqrv | 9 |
| @Dxmasterviewstrs@initialization\$qqrv | 9 |
| icudt36_dat | 9 |
| Quarantine_Restore | 9 |
| GetRestoreCount | 9 |
| Quarantine_RestoreInit | 9 |
| Quarantine_Create | 9 |
| Quarantine | 9 |
| AdFailedRepair | 9 |
| Quarantine_Close | 9 |
| GetScanCurrentCount | 9 |

| | |
|---------------------------------------|---|
| AdRepair | 9 |
| Release | 9 |
| Engine2 | 9 |
| Init2 | 9 |
| GetScanCurrentPos | 9 |
| RtlUnicodeToCustomCPN | 9 |
| PdhAdd009CounterA | 9 |
| PdhBrowseCountersHW | 9 |
| VarI4FromR4 | 9 |
| VarCyMull8 | 9 |
| VarI1FromDate | 9 |
| ?WriteProperty@CPropStoreManager@@Q | 9 |
| RpcBindingInqOption | 9 |
| float_array_from_ndr | 9 |
| VarR4FromBool | 9 |
| VarUI2FromUI8 | 9 |
| playlist_Control | 9 |
| var_Change | 9 |
| vlc_object_kill | 9 |
| GdipDrawCachedBitmap | 9 |
| GdipCreateCachedBitmap | 9 |
| SetDefaultPrinterW | 9 |
| _GetLocaleInfo_@16 | 9 |
| ??0istream_withassign@@QAE@ABV0@@Z | 9 |
| ??4CFIFOString@@QAEAAV0@ABV0@@Z | 9 |
| ?GetOrder@CFolder@@QAEKXZ | 9 |
| ?round_error@?\$numeric_limits@K@std@ | 9 |
| ?falseename@?\$numpunct@G@std@@QBE | 9 |
| LoadBinaryFilter | 9 |
| ?Add@CDbSortSet@@QAEHABVCDbSortKey | 9 |
| WMCreateReaderPriv | 9 |
| __crtGetLocaleInfoW | 9 |
| SaferiSearchMatchingHashRules | 9 |
| ldap_get_values_lenA | 9 |
| ?ConvertXMLStrToTXData@Convert@Util@ | 9 |
| ?RecordTransEnd@Perf@Util@@YAJ_JPB_V | 9 |
| ??0CTXBSTR@@QAE@H@Z | 9 |
| ?OpenContactChatSession@ChatSession@U | 9 |
| ?QueryTXChatSession@ChatSession@Util@ | 9 |
| GetPhysicallyInstalledSystemMemory | 9 |
| rtcAppActivate | 9 |
| KiReleaseSpinLock | 9 |
| MsiDatabaseGetPrimaryKeysW | 9 |
| MsiSetMode | 9 |
| AtlAxCreateDialogW | 9 |
| CAAccessCheck | 9 |
| RasPortListen | 9 |

| | |
|--|---|
| RasActivateRouteEx | 9 |
| RasAllocateRoute | 9 |
| BuildLDAPPathFromADsPath | 9 |
| VarR8FromI2 | 9 |
| VarR8FromUI4 | 9 |
| VarDateFromUpdateEx | 9 |
| ??P@YG_NPBGABVCString@@@Z | 9 |
| ?HashKey@CMapStringToPtr@@QBEIPBG@ | 9 |
| ??1CMapStringToPtr@@UAE@XZ | 9 |
| ?SetSize@CStringArray@@QAEXHH@Z | 9 |
| ??O@YG_NABVCString@@PBG@Z | 9 |
| GetBitmapAttributes | 9 |
| ?GetProperties@CDbProperties@@UAGJKQ | 9 |
| ?Release@CQueryUnknown@@UAGKXZ | 9 |
| ?SetValue@CPropertyRestriction@@QAEXP | 9 |
| ?RemoveCatalogFiles@CMachineAdmin@@ | 9 |
| ?Skip@CEnumString@@UAGJK@Z | 9 |
| ?NewStemmer@CCiOle@@SGPAUIStemme | 9 |
| ?CodeEndArray@CCmdCodecBase@@IAEX | 9 |
| ?CodeArrayLenHead@CCmdCodecBase@@I | 9 |
| ?EnableUnicodeString@CCmdCodecBase@C | 9 |
| ?GuidToString@Com@Util@@YAJABU_GUIL | 9 |
| ?IsFlagValid@Contact@Util@@YAHKK@Z | 9 |
| ?CreateMsgPack@Msg@Util@@YAHPPAPAU | 9 |
| DisassociateColorProfileFromDeviceA | 9 |
| PdhExpandWildCardPathHA | 9 |
| _strinc | 9 |
| GdipGetPathWorldBounds | 9 |
| ?max@\$numeric_limits@G@std@@SAGXZ | 9 |
| ?imag@\$Complex_base@M@std@@QAE | 9 |
| ?round_error@\$numeric_limits@G@std@ | 9 |
| ?atan2@\$_Ctr@O@std@@SAOOO@Z | 9 |
| LsSetDoc | 9 |
| ?IsEmpty@CDoubleList@@QBE_NXZ | 9 |
| ?IsWriteLocked@CFakeLock@@QBE_NXZ | 9 |
| ??4CReaderWriterLock@@QAEAAV0@ABVC | 9 |
| ??4CFakeLock@@QAEAAV0@ABV0@@Z | 9 |
| ??1ACE_Thread_Mutex@@QAE@XZ | 9 |
| ??0ACE_Thread_Mutex@@QAE@PBDPAUA | 9 |
| ??1ACE_Condition_Thread_Mutex@@QAE@ | 9 |
| ?broadcast@ACE_Condition_Thread_Mutex | 9 |
| ?wait@ACE_Condition_Thread_Mutex@@Q | 9 |
| ??1ACE_Recursive_Thread_Mutex@@QAE@ | 9 |
| ??0ACE_Recursive_Thread_Mutex@@QAE@ | 9 |
| ?acquire@ACE_Recursive_Thread_Mutex@() | 9 |
| ?release@ACE_Recursive_Thread_Mutex@() | 9 |
| ?instance@ACE_Log_Msg@@SAPAV1@XZ | 9 |

| | |
|---|---|
| ??1ACE_Cleanup@@UAE@XZ | 9 |
| ?shutting_down@ACE_Object_Manager@@ | 9 |
| ?starting_up@ACE_Object_Manager@@SAI | 9 |
| ??1ACE_Message_Block@@UAE@XZ | 9 |
| ??0?\$basic_ostringstream@GU?\$char_traits@ | 9 |
| ?data@?\$basic_string@GU?\$char_traits@G | 9 |
| SetupDiOpenDeviceInterfaceA | 9 |
| vlc_memset | 9 |
| NdisWriteEventLogEntry | 9 |
| CM_Get_Class_Key_NameA | 9 |
| ZwOpenJobObject | 9 |
| ?IsWriteUnlocked@CReaderWriterLock3@@ | 9 |
| OleSetLinkUpdateOptions | 9 |
| EnumerateTraceGuids | 9 |
| MprAdminServerConnect | 9 |
| ?SetBufferIn@CTXCommPack@@QAEXAAV(| 9 |
| RtmIgnoreChangedDest | 9 |
| DumpTable | 9 |
| RtmCreateRouteListEnum | 9 |
| RtmGetRoutePointer | 9 |
| RtmCreateDestEnum | 9 |
| TcDeregisterClient | 9 |
| TcCloseInterface | 9 |
| TcDeleteFilter | 9 |
| TcAddFlow | 9 |
| TcAddFilter | 9 |
| TcRegisterClient | 9 |
| TcDeleteFlow | 9 |
| ?str@?\$basic_stringbuf@DU?\$char_traits@ | 9 |
| RtmDeregisterFromChangeNotification | 9 |
| RtmBlockSetRouteEnable | 9 |
| CredProfileLoaded | 9 |
| DhcpGetClassInfo | 9 |
| DhcpServerSetConfigV4 | 9 |
| RtlAppendAsciizToString | 9 |
| @System@UniqueString\$qqrr17System@Ar | 9 |
| RpcObjectInqType | 9 |
| PyCallable_Check | 9 |
| PyExc_RuntimeError | 9 |
| PyImport_ImportModule | 9 |
| PyTuple_GetItem | 9 |
| I_SystemFocusDialog | 9 |
| pSetupSetQueueFlags | 9 |
| glGetClipPlane | 9 |
| @Classes@TComponent@UpdateRegistry\$C | 9 |
| @Forms@TCustomForm@PaintWindow\$qq | 9 |
| @Forms@TCustomForm@ValidateRename\$ | 9 |

| | |
|---|---|
| @Controls@TWinControl@GetDeviceConte | 9 |
| @Controls@TControl@SetEnabled\$qqr4boc | 9 |
| @Dsgnintf@initialization\$qqrv | 9 |
| SCardGetCardTypeProviderNameW | 9 |
| ZwMapUserPhysicalPages | 9 |
| ??0CImpersonateRemoteAccess@@QAE@P | 9 |
| ?AddArg@CEventItem@@QAEXK@Z | 9 |
| pSetupGetCurrentDriverSigningPolicy | 9 |
| SetupAdjustDiskSpaceListW | 9 |
| cdtDraw | 9 |
| VDMGetDbgFlags | 9 |
| mssip32DIIUnregisterServer | 9 |
| WTHelperGetFileHandle | 9 |
| CryptCATPutCatAttrInfo | 9 |
| WmiNotificationRegistrationA | 9 |
| ??4_Num_int_base@std@@QAEAAU01@AI | 9 |
| ?find_first_of@\$basic_string@GU?\$char_t | 9 |
| OpenIMsgOnIStg@44 | 9 |
| ScCountProps@12 | 9 |
| cmc_act_on | 9 |
| SzFindCh@8 | 9 |
| ScBinFromHexBounded@12 | 9 |
| FBadRglpszA@8 | 9 |
| ?snextc@streambuf@@QAEHXZ | 9 |
| ??0CRcovStrmMDTrans@@QAE@AAVPRcov | 9 |
| ?InitIterator@CPropertyList@@UAEXXZ | 9 |
| SetupTerminateFileLog | 9 |
| EssContentHintEncodeEx | 9 |
| ?assign@\$char_traits@D@std@@SAPADP | 9 |
| NtRaiseException | 9 |
| char_from_ndr | 9 |
| ?SetAt@CHString@@QAEHG@Z | 9 |
| ?ConcatInPlace@CString@@IAEXHPBG@Z | 9 |
| DwEnumEntryDetails | 9 |
| RasGetSubEntryPropertiesW | 9 |
| RasInvokeEapUI | 9 |
| GetThreadPreferredUILanguages | 9 |
| ldap_bind_s | 9 |
| MAPIAddress | 9 |
| CchOfEncoding@4 | 9 |
| ScCountNotifications@12 | 9 |
| mempcpy | 9 |
| NetpAddTlnFtinfoEntry | 9 |
| ??1SECRUN@@UAE@XZ | 9 |
| ?QuerySectors@DP_DRIVE@@UBE?AVBIG_ | 9 |
| ??1DIGRAPH@@UAE@XZ | 9 |
| ?IsEntryPresent@AUTOREG@@SGEPBVWST | 9 |

| | |
|---|---|
| ??0NUMBER_SET@@QAE@XZ | 9 |
| RasSetDevConfig | 9 |
| RsopLoggingEnabled | 9 |
| GetPreviousFgPolicyRefreshInfo | 9 |
| SetBitmapAttributes | 9 |
| RasGetCredentialsW | 9 |
| PdhExpandWildCardPathHW | 9 |
| VarR8FromI8 | 9 |
| ??0STRING_ARRAY@@QAE@XZ | 9 |
| ?Initialize@TIMEINFO_ARGUMENT@@QAE@E | 9 |
| ??0TIMEINFO_ARGUMENT@@QAE@XZ | 9 |
| ?SetTimeInfo@FSN_FILTER@@QAE@PBVTIN | 9 |
| ?RemoveNode@SYSTEM@@SGEPAPAVFSN@ | 9 |
| ?UseAlternateName@FSNODE@@QAE@XZ | 9 |
| ?DoesNodeMatch@FSN_FILTER@@QAE@PA | 9 |
| ?GetNext@FSN_DIRECTORY@@QAE@AVFSN@ | 9 |
| ?Initialize@STRING_ARRAY@@QAE@KKK@Z | 9 |
| CloseODBCPerfData | 9 |
| osetpi | 9 |
| odessp | 9 |
| odefinsp | 9 |
| obndrn | 9 |
| ??_Efstream@@UAE@PAXI@Z | 9 |
| JetRestore | 9 |
| _wfindfirst32i64 | 9 |
| __umoddi3 | 9 |
| _ZdaPv | 9 |
| _Znaj | 9 |
| __cxa_pure_virtual | 9 |
| MsiGetComponentStateW | 9 |
| MsiDeleteUserDataW | 9 |
| CompatFlagsFromClsid | 9 |
| LdapCompareExt | 9 |
| ASN1BERDecU16Val | 9 |
| ??_D?\$basic_istream@DU?\$char_traits@D@C | 9 |
| FsRtlMdlWriteComplete | 9 |
| SetupSetPlatformPathOverrideW | 9 |
| pSetupAddTagToGroupOrderListEntry | 9 |
| ?ws@std@@YAAV?\$basic_istream@DU?\$ | 9 |
| ?push_back@?\$basic_string@_WU?\$char_t | 9 |
| WNetPropertyDialogW | 9 |
| WNetConnectionDialog2 | 9 |
| WNetGetHomeDirectoryW | 9 |
| ldap_compare_sA | 9 |
| SrvrWndProc | 9 |
| @Idhttp@initialization\$qqrv | 9 |
| @Idmultipartformdata@initialization\$qqrv | 9 |

| | |
|---|---|
| @Idheaderlist@Finalization\$qqrv | 9 |
| @Idserveriohandler@Finalization\$qqrv | 9 |
| @Idtcpserver@Finalization\$qqrv | 9 |
| @Idserveriohandlersocket@Finalization\$qqrv | 9 |
| @Idthreadmgrdefault@Finalization\$qqrv | 9 |
| @Idthreadmgr@Finalization\$qqrv | 9 |
| @Idthreadsafe@Finalization\$qqrv | 9 |
| ObSetSecurityObjectByPointer | 9 |
| SQLGetNextEnumeration | 9 |
| bcp_control | 9 |
| ??_FCIniW@@@QAEXXZ | 9 |
| ?SetICSDataPath@CIniW@@@QAEXPBG@Z | 9 |
| SnmpMgrClose | 9 |
| SnmpMgrGetTrap | 9 |
| GetHardwareKey | 9 |
| _JNU_NewStringPlatform@8 | 9 |
| _fread | 9 |
| ??_8?\$basic_iostream@DU?\$char_traits@D | 9 |
| EOFBlob | 9 |
| DestroyImageInfo | 9 |
| AcquireQuantumMemory | 9 |
| ReadBlobByte | 9 |
| SaveImageTag | 9 |
| WriteBlob | 9 |
| DestroyImage | 9 |
| RtlAddAttributeActionToRXact | 9 |
| SnmpSvcSetLogLevel | 9 |
| SnmpSvcAddrIsIpx | 9 |
| @Madtools@Finalization\$qqrv | 9 |
| @Graphics@TCanvas@\$bctr\$qqrv | 9 |
| @Graphics@ColorToRGB\$qqrv15Graphics@T | 9 |
| WrapCompressedRTFStream | 9 |
| MNLS_MultiByteToWideChar@24 | 9 |
| SamGetGroupsForUser | 9 |
| SamSetInformationDomain | 9 |
| ?NewLocationHistory@CTitle@@QAEPAULc | 9 |
| ?AddLocationHistory@CTitle@@QAEKKPBDI | 9 |
| ?GetNextLocation@CLocation@@QAEPAV1I | 9 |
| ConvertSDToStringSDRootDomainA | 9 |
| curl_easy_getinfo | 9 |
| @System@RaiseList\$qqrv | 9 |
| @Classes@TDataModule@ReadState\$qqrp1 | 9 |
| @Classes@TDataModule@DefineProperties | 9 |
| @Classes@TDataModule@DoDestroy\$qqrv | 9 |
| @Classes@TDataModule@DoCreate\$qqrv | 9 |
| @Classes@TDataModule@BeforeDestructio | 9 |
| @Classes@TDataModule@AfterConstructio | 9 |

| | |
|--|---|
| GdipRemovePropertyItem | 9 |
| DsReplicaUpdateRefsW | 9 |
| DsIsMangledRdnValueA | 9 |
| DsRemoveDsDomainW | 9 |
| DsListServersInSiteW | 9 |
| ?AcqRst@CRangeKeyRepository@@QAEPAV | 9 |
| ?_FindGroupListAnchor@CDbNestingNode@ | 9 |
| CryptCATAdminResolveCatalogPath | 9 |
| WVTAsn1SpcMinimalCriteriaInfoDecode | 9 |
| omap | 9 |
| SetupCreateDiskSpaceListA | 9 |
| SetupAddToDiskSpaceListA | 9 |
| SetupRemoveInstallSectionFromDiskSpaceLi | 9 |
| PortGetIOHandle | 9 |
| PortClearStatistics | 9 |
| PortSend | 9 |
| PortTestSignalState | 9 |
| PortSetFraming | 9 |
| DeviceGetDevConfigEx | 9 |
| ?EnumerateProperty@CPidLookupTable@@ | 9 |
| ?UpdateContentIndex@@YGKPBG00H@Z | 9 |
| ?AddRef@CEnumWorkId@@UAGKXZ | 9 |
| TopIIterGetObject | 9 |
| TopIStHeapAdd | 9 |
| TopIEdgeDestroy | 9 |
| TopIEdgeFree | 9 |
| SQLGetPrivateProfileStringW | 9 |
| SceGetScpProfileDescription | 9 |
| SceNotifyPolicyDelta | 9 |
| ??_7\$money_put@DV?\$ostreambuf_iterat | 9 |
| RegWinStationSetSecurityW | 9 |
| RegWinStationSetNumValueW | 9 |
| RegCloseServer | 9 |
| @\$xp\$18Classes@TAlignment | 9 |
| @IvProtocol@SendTrMessage\$qqrrx26lvprc | 9 |
| @\$xp\$26lvprotocol@TivClientPacket | 9 |
| @Table@TIVTable@ClearData\$qqrv | 9 |
| @\$xp\$14Table@TIVTable | 9 |
| @Table@TIVTable@ | 9 |
| @\$xp\$19Table@TIVDataSource | 9 |
| @Table@TIVDataSource@ | 9 |
| @\$xp\$20Etcctrls@TivSpeedBtn | 9 |
| @Etcctrls@TivSpeedBtn@ | 9 |
| @\$xp\$17Textctrls@TivText | 9 |
| @Textctrls@TivText@ | 9 |
| @Ivform@TivForm@SetBusy\$qqrxo | 9 |
| VarFormatCurrency | 9 |

| | |
|---|---|
| @System@@UniqueStringU\$qqrr20System(| 9 |
| @Sysutils@LowerCase\$qqrx20System@Unic | 9 |
| @Registry@TRegistry@OpenKey\$qqrx20Sys | 9 |
| @Comctrls@TListItems@GetCount\$qqrv | 9 |
| _mbsupr_s | 9 |
| JetGetSecondaryIndexBookmark | 9 |
| JetRetrieveColumn@32 | 9 |
| JetCreateTableColumnIndex2 | 9 |
| JetPrepareUpdate@12 | 9 |
| VarDecMul | 9 |
| VarUI2FromR8 | 9 |
| LsLwMultDivR | 9 |
| LsFinishCurrentSubline | 9 |
| LsdnGetFormatDepth | 9 |
| @Dxstatusbar@initialization\$qqrv | 9 |
| @Idcoderuue@Finalization\$qqrv | 9 |
| @Idcoderxxe@Finalization\$qqrv | 9 |
| @Idmessagecoder@Finalization\$qqrv | 9 |
| @Idmessagecoderxxe@Finalization\$qqrv | 9 |
| @Idmessagecoderuue@Finalization\$qqrv | 9 |
| @Idmessagecodermime@Finalization\$qqrv | 9 |
| ??\$?9_WU?\$char_traits@_W@std@@@V?\$a | 9 |
| @Sysutils@StrToDate Time\$qqrx17System@ | 9 |
| @Graphics@CopyPalette\$qqrui | 9 |
| @Graphics@TSharedImage@Release\$qqrv | 9 |
| @Graphics@TSharedImage@Reference\$qqr | 9 |
| @Graphics@TPicture@UnregisterGraphicCl | 9 |
| @Graphics@TPicture@RegisterFileFormat\$qq | 9 |
| @Graphics@TSharedImage@ | 9 |
| @Graphics@EInvalidGraphicOperation@ | 9 |
| @Graphics@EInvalidGraphic@ | 9 |
| @Controls@TWinControl@SetTabStop\$qqrc | 9 |
| @Controls@TWinControl@GetTabOrder\$qq | 9 |
| @Controls@TWinControl@PaintWindow\$qqr | 9 |
| @Controls@TControl@Hide\$qqrv | 9 |
| @Controls@TControl@SetParentShowHint\$qq | 9 |
| @\$xp\$17Controls@TAnchors | 9 |
| ZwQuerySection | 9 |
| lineGetTranslateCaps | 9 |
| _LoadVersionedResourceEx@16 | 9 |
| GetModuleHandleI | 9 |
| ilGenImages | 9 |
| RegFreeUtilityCommandList | 9 |
| CAFindByCertType | 9 |
| ?SetAsyncCallback@TXTimer@@YAHP6GXP | 9 |
| rtl_uriEncode | 9 |
| rtl_getUriCharClass | 9 |

| | |
|---|---|
| AllocateAndGetUdpExTableFromStack | 9 |
| RtlTraceDatabaseCreate | 9 |
| IoSynchronousPageWrite | 9 |
| SDL_GetError | 9 |
| SDL_SetVideoMode | 9 |
| SDL_Flip | 9 |
| SDL_PollEvent | 9 |
| SDL_FreeSurface | 9 |
| ??6?\$basic_ostream@DU?\$char_traits@D@ | 9 |
| CryptLoadSip | 9 |
| GetInformationCodeAuthzLevelW | 9 |
| luaopen_math | 9 |
| ?Log@MESSAGE@@QAAEPBDZZ | 9 |
| SQLUILoadResourceDLL | 9 |
| CACertTypeAccessCheckEx | 9 |
| WVTAsn1SpcPcImageDecode | 9 |
| WTHelperCertFindIssuerCertificate | 9 |
| NetpHexDump | 9 |
| I_NetServerTrustPasswordsGet | 9 |
| NetShareEnumSticky | 9 |
| NetReplExportDirDel | 9 |
| ToplVertexGetInEdge | 9 |
| glEvalCoord2fv | 9 |
| _CopyMetaFile_@8 | 9 |
| DeltaNotify | 9 |
| @Controls@TGraphicControl@\$bdtr\$qqrv | 9 |
| @Controls@TControl@IsColorStored\$qqrv | 9 |
| @Controls@TControl@IsFontStored\$qqrv | 9 |
| @\$xp\$24Controls@TMouseMoveEvent | 9 |
| @\$xp\$20Controls@TMouseEvent | 9 |
| SPEnumTypes | 9 |
| WinStationConnectA | 9 |
| PathCleanupSpec | 9 |
| @Ansistrings@initialization\$qqrv | 9 |
| @Ansistrings@Finalization\$qqrv | 9 |
| ?GetNextKey@TPtrFromPtrMap@XPRT@@@` | 9 |
| ?ToDouble@TBstr@XPRT@@QBENXZ | 9 |
| ?Append@TBstr@XPRT@@QAEAAV12@PBI | 9 |
| ?GetValue@TXmlAttributes@XPRT@@QBEF | 9 |
| _XprtAtomicTestAndSet@4 | 9 |
| _XprtCompareNoCase@8 | 9 |
| _XprtCompareLocale@12 | 9 |
| ?NS_NewGenericModule2@@YAIPBUnsMo | 9 |
| ?Adopt@nsCSubstring@@QAEXPADI@Z | 9 |
| ?sCanonicalVTable@nsObsoleteAString@@@` | 9 |
| PL_strdup | 9 |
| CM_Get_DevNode_Custom_PropertyW | 9 |

| | |
|--|---|
| RtlApplyRXactNoFlush | 9 |
| RtlEqualComputerName | 9 |
| WaitForNtmsNotification | 9 |
| OpenNtmsNotification | 9 |
| MoveToNtmsMediaPool | 9 |
| DeleteNtmsMedia | 9 |
| SetNtmsObjectSecurity | 9 |
| InjectNtmsMedia | 9 |
| EndNtmsDeviceChangeDetection | 9 |
| BeginNtmsDeviceChangeDetection | 9 |
| @Math@Max\$qqrxixi | 9 |
| @Graphics@TPen@SetWidth\$qqri | 9 |
| ?erase@?\$basic_string@_WU?\$char_traits@ | 9 |
| ?str@?\$basic_stringstream@DU?\$char_trait | 9 |
| SetupInitializeLogFileA | 9 |
| RegSAMUserConfig | 9 |
| RegConsoleShadowQueryA | 9 |
| RegBuildNumberQuery | 9 |
| RegCdDeleteA | 9 |
| RegConsoleShadowQueryW | 9 |
| ??M@YG_NPBGABVCString@@@Z | 9 |
| _GlobalAddAtom_@4 | 9 |
| _OpenEvent_@12 | 9 |
| OsThunkDdUnattachSurface | 9 |
| WVTAsn1SpcIndirectDataContentDecode | 9 |
| WVTAsn1SpcSigInfoEncode | 9 |
| DoAddToFavDlg | 9 |
| HlinkFindFrame | 9 |
| SHAddSubscribeFavorite | 9 |
| I_CryptRemoveLruEntry | 9 |
| ATMRemoveFontW | 9 |
| ATMGetBuildStr | 9 |
| ATMFontAvailableW | 9 |
| ATMBBoxBaseXYShowTextW | 9 |
| ATMXYShowText | 9 |
| ATMEnumFontsA | 9 |
| ATMGetGlyphListA | 9 |
| KiFastSystemCallRet | 9 |
| SHGetImageList | 9 |
| acmDriverAddA | 9 |
| glTexCoord3fv | 9 |
| ?GetStackTrace@@YGXPADK@Z | 9 |
| ?LokNewWorkId@CPropertyStore@@AAEKI | 9 |
| ExecuteUninstall | 9 |
| NtTestAlert | 9 |
| DhcpServerRestoreDatabase | 9 |
| DhcpServerBackupDatabase | 9 |

| | |
|---|---|
| DhcpCreateClientInfo | 9 |
| MsiReinstallFeatureW | 9 |
| MsiGetProductCodeW | 9 |
| SetupDiGetCustomDevicePropertyW | 9 |
| SetupDuplicateDiskSpaceListW | 9 |
| Dns_ReadRecordStructureFromPacket | 9 |
| bcp_done | 9 |
| bcp_collen | 9 |
| bcp_getcolfmt | 9 |
| dbprtypeW | 9 |
| bcp_writefmtA | 9 |
| SaferiChangeRegistryScope | 9 |
| ?do_in@?\$codecvt@DDH@std@@MBEHA@ | 9 |
| ?do_encoding@codecvt_base@std@@MBE@ | 9 |
| ?do_max_length@codecvt_base@std@@M@ | 9 |
| ?_Myptr@?\$basic_string@DU?\$char_traits@ | 9 |
| ldap_msgfree | 9 |
| I_NetDfsIsThisADomainName | 9 |
| I_BrowserQueryOtherDomains | 9 |
| SetupDiGetHwProfileListExA | 9 |
| gimp_filename_to_utf8 | 9 |
| CM_Dup_Range_List | 9 |
| ?Gstrstream@@UAEPAXI@Z | 9 |
| ??1iostream@@UAE@XZ | 9 |
| wglSwapBuffers | 9 |
| iILoad | 9 |
| PyTuple_Type | 9 |
| MsiDatabaseGetPrimaryKeysA | 9 |
| MsiReinstallFeatureFromDescriptorW | 9 |
| MsiGetLanguage | 9 |
| ?Right@CString@@QBE?AV1@H@Z | 9 |
| OsThunkDdAddAttachedSurface | 9 |
| NdrServerContextNewUnmarshall | 9 |
| gtk_vbox_new | 9 |
| SetupLogFileW | 9 |
| PrivacyGetZonePreferenceW | 9 |
| DsValidateSubnetNameW | 9 |
| I_NetServerPasswordSet | 9 |
| I_NetServerAuthenticate | 9 |
| SQLColAttribute | 9 |
| VarBoolFromUI2 | 9 |
| VarBoolFromI8 | 9 |
| VarUI2FromStr | 9 |
| ?facet_Register@facet@locale@std@@CAX | 9 |
| ?SetEndKey@CRangeRestriction@@QAEXAE@ | 9 |
| ?RemoveCatalog@CMachineAdmin@@QAE@ | 9 |
| ?ReadProperty@CPropStoreManager@@QAF | 9 |

| | |
|--|---|
| ?GetDouble@CMemDeSerStream@@UAEN | 9 |
| ??1CVirtualString@@QAE@XZ | 9 |
| IPSecFreeMulPolicyData | 9 |
| IPSecCopyAuthMethod | 9 |
| _XprtHexToBin@16 | 9 |
| ??0TAesCipher@XPRT@@QAE@W4ECipher | 9 |
| ??1TAesCipher@XPRT@@UAE@XZ | 9 |
| _VdsDisableCOMFatalExceptionHandling@0 | 9 |
| gIRecti | 9 |
| gIPixelTransferf | 9 |
| RasProtocolEnum | 9 |
| RasGetInfoEx | 9 |
| RasmanUninitialize | 9 |
| RasSetDialParams | 9 |
| LdrSetAppCompatDIIRedirectionCallback | 9 |
| SetupDiGetDriverInstallParamsA | 9 |
| SetupSetFileQueueAlternatePlatformA | 9 |
| SetupInstallFileExA | 9 |
| NetpwNameCanonicalize | 9 |
| WmiFireEvent | 9 |
| NtSetHighEventPair | 9 |
| GetAllocMemCount | 9 |
| ?pbackfail@?\$basic_streambuf@GU?\$char_ | 9 |
| SecpTranslateNameEx | 9 |
| SecpTranslateName | 9 |
| WVTAsn1SpcSpOpusInfoDecode | 9 |
| ?tolower@?\$ctype@D@std@@QBEPBDPAE | 9 |
| ?ReturnBuffer@CPhysStorage@@QAEXKHH | 9 |
| ?IsValid@CAllocStorageVariant@@QBEHZ | 9 |
| ?InitializeForWrite@CDynStream@@QAEXK | 9 |
| olog | 9 |
| Enlist | 9 |
| oclose | 9 |
| MprConfigServerInstall | 9 |
| CmStrCatAllocW | 9 |
| @Adodb@TADOConnection@SetCommand | 9 |
| @Dxlayoutlookandfeels@TdxLayoutLookAn | 9 |
| @Vedatedit@TVEDateEdit@SetDateVal\$qc | 9 |
| @Vedatedit@TVEDateEdit@ | 9 |
| PdhParseInstanceNameW | 9 |
| ResUtilGetSzValue | 9 |
| I_RpcBCacheFree | 9 |
| VDMSetDbgFlags | 9 |
| VDMModuleFirst | 9 |
| TopIEdgeSetVtx | 9 |
| TopIEdgeSetFromVertex | 9 |
| PacketSetNumWrites | 9 |

| | |
|--|---|
| ldap_set_optionW | 9 |
| glVertex4fv | 9 |
| NetDfsEnum | 9 |
| NetpNetBiosStatusToApiStatus | 9 |
| RxNetAccessSetInfo | 9 |
| NetpInitFtinfoContext | 9 |
| I_BrowserSetNetlogonState | 9 |
| ?QueryLastAccessTime@FAT_DIRENT@@QE | 9 |
| ?GetEa@EA_SET@@QAEPAU_EA@@KPAJP, | 9 |
| ??0EA_HEADER@@QAE@XZ | 9 |
| _vbaHRESULTCheckNonvirt | 9 |
| SetGadgetRotation | 9 |
| FindGadgetMessages | 9 |
| SceCommitTransaction | 9 |
| ??8CDbColld@@QBEHABV0@@Z | 9 |
| ?SetAttributes@FSNODE@@QAEEKPAK@Z | 9 |
| ?IsWriteUnlocked@CSmallSpinLock@@QBE | 9 |
| ?replace@?\$basic_string@DU?\$char_traits@ | 9 |
| ZwLockFile | 9 |
| MsiGetSummaryInformationW | 9 |
| WahCreateSocketHandle | 9 |
| WahNotifyAllProcesses | 9 |
| WahCreateNotificationHandle | 9 |
| WahOpenCurrentThread | 9 |
| WahCloseApcHelper | 9 |
| WahCloseHandleHelper | 9 |
| WahOpenNotificationHandleHelper | 9 |
| WahOpenHandleHelper | 9 |
| MprAdminTransportSetInfo | 9 |
| ATMGetBuildStrW | 9 |
| ATMAddFontEx | 9 |
| ConnectionClose | 9 |
| ConnectionErrorW | 9 |
| InitSession | 9 |
| ConnectionGetSvrUser | 9 |
| InitEnumServers | 9 |
| GetNextEnumeration | 9 |
| InitSSPIPackage | 9 |
| TermSSPIPackage | 9 |
| CloseEnumServers | 9 |
| gimp_drawable_is_gray | 9 |
| GetGadgetProperty | 9 |
| SecurityDescriptorToBinarySD | 9 |
| ADsBuildVarArrayInt | 9 |
| @System@@WStrFromWChar\$qqrr17Syste | 9 |
| SetupQueryDrivesInDiskSpaceListA | 9 |
| InventoryNtmsLibrary | 9 |

| | |
|---|---|
| rtc GetAllSettings | 9 |
| ldap_start_tls_sA | 9 |
| _FSOUND_Sample_Free@4 | 9 |
| Tcl_AppendResult | 9 |
| Tcl_EvalFile | 9 |
| Tcl_SetVar | 9 |
| SetPortW | 9 |
| ?GetProductName@@YA?AV?\$CStringT@_` | 9 |
| ?InstallUserData@@YGIHZ | 9 |
| GetMemVar | 9 |
| SetMemVar | 9 |
| RpcMgmtEpEltInqNextW | 9 |
| glutSolidSphere | 9 |
| glutIdleFunc | 9 |
| SCardForgetReaderGroupW | 9 |
| SCardForgetCardTypeW | 9 |
| JetResetTableSequential | 9 |
| JetBeginTransaction@4 | 9 |
| JetGetRecordPosition | 9 |
| JetGetVersion | 9 |
| ?FormFullTree@CTextToTree@@QAEPAUta | 9 |
| SetupEnumPublishedInfW | 9 |
| VarDecFromDisp | 9 |
| VarUI4FromR4 | 9 |
| VarR4FromDate | 9 |
| MfRelease | 9 |
| ErrReconnect | 9 |
| OleQueryCreateFromClip | 9 |
| OleEnumObjects | 9 |
| WNetGetProviderTypeW | 9 |
| ?OnUninitCom@Misc@Util@@YAXXZ | 9 |
| ?OnExitCoreCenter@Misc@Util@@YAXXZ | 9 |
| ?InitPlatform@CoreCenter@Util@@YAHPA_ | 9 |
| ?InitPlatformCoreConfig@Boot@Util@@YAI | 9 |
| ?InitPlatformGFCConfig@Boot@Util@@YAH | 9 |
| ?InitPlatformI18NConfig@Boot@Util@@YAI | 9 |
| ?OnExitWinMain@Misc@Util@@YAXXZ | 9 |
| VarTokenizeFormatString | 9 |
| DispCallFunc | 9 |
| SamEnumerateDomainsInSamServer | 9 |
| SamEnumerateUsersInDomain | 9 |
| ResUtilsPathValid | 9 |
| ?find_first_of@\$basic_string@_WU?\$char_ | 9 |
| ?to_int_type@\$char_traits @_W@std@@S | 9 |
| _ZN10QByteArrayC1EPKc | 9 |
| ?SetWeight@Font@@QAEXW4FontWeight@ | 9 |
| ?SetText@Control@@UAEXABVString@@@ | 9 |

| | |
|--|---|
| ??1CancelButton@@UAE@XZ | 9 |
| ?IsEnabled@Window@@QBEEHZ | 9 |
| ??0ErrorBox@@QAE@PAVWindow@@ABV | 9 |
| ?ToInt32@String@@QBEJXZ | 9 |
| block_FifoCount | 9 |
| ??_Elogic_error@@UAEPAXI@Z | 9 |
| s | 9 |
| ?Destroy@CxImage@@QAE_NXZ | 9 |
| ?Detach@CTXBSTR@@QAEPA_WXZ | 9 |
| SetupQuerySourceListA | 9 |
| _RegisterWindowMessage_@4 | 9 |
| ??0bad_exception@std@@QAE@ABV01@C | 9 |
| ??0bad_exception@std@@QAE@PBD@Z | 9 |
| ??Hstd@@YA?AV?\$complex@M@0@ABV1I | 9 |
| SQLConfigDriverW | 9 |
| TTEnableEmbeddingForFacename | 9 |
| Query_Main | 9 |
| @Clipicon@initialization\$qqrv | 9 |
| BMAPIFindNext | 9 |
| FBinFromHex@8 | 9 |
| SnmpUtilPrintOid | 9 |
| SnmpSvcGetEnterpriseOID | 9 |
| NdrComplexStructMarshall | 9 |
| AVIStreamWriteData | 9 |
| ComSvcsExceptionFilter | 9 |
| ?do_frac_digits@?\$_Mpunct@D@std@@M | 9 |
| osl_freeSecurityHandle | 9 |
| osl_getCurrentSecurity | 9 |
| ?Put.MaxValue@CValueNormalizer@@QAE | 9 |
| ?BeginTransaction@CPropStoreManager@C | 9 |
| ?GetStringDbRestriction@@YGPAVCDBRest | 9 |
| ?InitIterator@CStaticPropertyList@@UAEXX | 9 |
| ?str@strstream@@QAEPADXZ | 9 |
| RtlConsoleMultiByteToUnicodeN | 9 |
| @System@@GetMem\$qqrv | 9 |
| ?Trace_@SC@mmcerror@@QBEXXZ | 9 |
| CACertTypeUnregisterQuery | 9 |
| ?setbuf@streambuf@@UAEPAV1@PADH@I | 9 |
| pSetupStringTableDestroy | 9 |
| RtmDeleteEnumHandle | 9 |
| MgmGroupEnumerationEnd | 9 |
| RtmDeleteRouteList | 9 |
| RtmReadInstanceConfig | 9 |
| _WinStationShadowTargetSetup | 9 |
| MultinetGetErrorTextW | 9 |
| InitDialogAgain | 9 |
| D3DXCreateSprite | 9 |

| | |
|--|---|
| VarUI1FromCy | 9 |
| SafeArrayCreateVectorEx | 9 |
| pcap_sendpacket | 9 |
| ?is_open@filebuf@@QBEHXZ | 9 |
| ZwReplyPort | 9 |
| LeSetBounds | 9 |
| GenSaveToStream | 9 |
| OleCopyToClipboard | 9 |
| DefCreateFromTemplate | 9 |
| LeQueryBounds | 9 |
| NsiAllocateAndGetTable | 9 |
| NsiFreeTable | 9 |
| ?IsActivityTrackerEnabled@@YA_NXZ | 9 |
| ?HasBeenActivitySinceLastReset@@YA_NXZ | 9 |
| ?ResetActivityCheck@@YAXXZ | 9 |
| ?EnableActivityTracker@@YA_N_N@Z | 9 |
| SQLTablesA | 9 |
| SQLStatisticsA | 9 |
| ??1Timer@@UAE@XZ | 9 |
| ??0Timer@@QAE@XZ | 9 |
| ?SetTimeout@Timer@@QAEXK@Z | 9 |
| ?Start@Timer@@QAEXXZ | 9 |
| ?GrabFocus@Window@@QAEXXZ | 9 |
| ??0ByteString@@QAE@ABVString@@GK@` | 9 |
| ?setAbsURIRef@INetURLObject@@AAE_NA | 9 |
| ?setFastPropertyValue@OPropertyContain | 9 |
| LdapReadAttribute2 | 9 |
| ?int_ErrorBase@GCError@@CG?AV1@KJPB | 9 |
| ?ms_Is32BitAppOn64BitWindows@GCOSVe | 9 |
| ?EqualsNoCase@GCStr@@QBE_NPB_W@Z | 9 |
| ScsiPortGetBusData | 9 |
| ScsiPortInitialize | 9 |
| ScsiPortGetDeviceBase | 9 |
| ScsiPortStallExecution | 9 |
| ZwImpersonateAnonymousToken | 9 |
| RtlpWaitForCriticalSection | 9 |
| FtAddFt@16 | 9 |
| strncat_s | 9 |
| VerQueryValueIndexA | 9 |
| ??_7__non_rtti_object@@6B@ | 9 |
| RasAutodialEntryToNetwork | 9 |
| RasQuerySharedAutoDial | 9 |
| g_set_error | 9 |
| gimp_pixel_rgn_set_rect | 9 |
| InternalGetDeviceConfig | 9 |
| stream_ReadLine | 9 |
| ??0TMemStream@XPRT@@QAE@XZ | 9 |

| | |
|---|---|
| ??1TZipArchive@XPRT@@UAE@XZ | 9 |
| ?ExtractAt@TZipArchive@XPRT@@UAEPAV | 9 |
| ??0TZipArchive@XPRT@@QAE@AAVTStrea | 9 |
| ??0bad_typeid@@QAE@ABV0@@Z | 9 |
| CM_Get_Device_Interface_Alias_ExA | 9 |
| DwCloneEntry | 9 |
| VarUI8FromUI1 | 9 |
| IsThemeDialogTextureEnabled | 9 |
| MsiQueryFeatureStateW | 9 |
| SetupDiInstallClassExA | 9 |
| ?_Myptr@?\$basic_string @_WU?\$char_traits | 9 |
| GdipResetPath | 9 |
| ??0QMutex@@QAE@W4RecursionMode@() | 9 |
| ??1QMutex@@QAE@XZ | 9 |
| ??0QVariant@@QAE @_N@Z | 9 |
| ?contains@QString@@QBE?AVQBool@@A | 9 |
| ??MQString@@QBE_NABV0@@Z | 9 |
| ?remove@QFile@@QAE_NXZ | 9 |
| MimeOleSetPropA | 9 |
| MimeOleGetContentTypeExt | 9 |
| PdhReadRawLogRecord | 9 |
| ?sbumpc@?\$basic_streambuf @_WU?\$char_traits | 9 |
| ?max_size@?\$basic_string @_WU?\$char_traits | 9 |
| ?sgetc@?\$basic_streambuf @_WU?\$char_traits | 9 |
| ?snextc@?\$basic_streambuf @_WU?\$char_traits | 9 |
| ?_Ipf@?\$basic_istream @_WU?\$char_traits | 9 |
| g_printerr | 9 |
| __xmlGenericErrorContext | 9 |
| ?Initialize@TLINK@@QAEEG@Z | 9 |
| MsiGetProductCodeA | 9 |
| OpenThreadWaitChainSession | 9 |
| GetThreadWaitChain | 9 |
| CloseThreadWaitChainSession | 9 |
| GetProcessIdOfThread | 9 |
| FindNextFileNameW | 9 |
| FindFirstFileNameW | 9 |
| SnmpClose | 9 |
| SnmpStrToOid | 9 |
| ??H@YG?AVCString@@ABV0@G@Z | 9 |
| ?Mid@CString@@QBE?AV1@H@Z | 9 |
| ??8@YG_NPBGABVCString@@@Z | 9 |
| SCardListInterfacesW | 9 |
| pSetupHandleFailedVerification | 9 |
| _LoadMenuIndirect @_4 | 9 |
| _GetSystemDirectory @_8 | 9 |
| VarUI8FromI8 | 9 |
| glColor4sv | 9 |

| | |
|---------------------------------------|---|
| pSetupStringTableSetExtraData | 9 |
| pSetupRegistryDelnode | 9 |
| ?IsValid@CLKRLinearHashTable@@QBE_NX | 9 |
| ?SetHInst@CIniW@@QAEXPauHINSTANCE_ | 9 |
| regexec | 9 |
| regcomp | 9 |
| ?QueryCensusAndRelocate@FAT_SA@@QA | 9 |
| ?IsValidLastAccessTime@FAT_DIRENT@@QI | 9 |
| ??1EA_SET@@UAE@XZ | 9 |
| ZwResetWriteWatch | 9 |
| CursorLibLockStmt | 9 |
| FtNegFt@8 | 9 |
| ToplGetAlwaysSchedule | 9 |
| ZwSetEventBoostPriority | 9 |
| __sys_nerr | 9 |
| VarUI1FromR8 | 9 |
| _ReadConsoleInput_@16 | 9 |
| _fstat32 | 9 |
| RpcMgmtInqDefaultProtectLevel | 9 |
| ?GetSingletonObject@CMMCStrongReferen | 9 |
| IPSecSetISAKMPData | 9 |
| NdrFullPointerXlatFree | 9 |
| RpcBindingInqAuthClientExW | 9 |
| NDRCCContextMarshall | 9 |
| DbgSetDebugFilterState | 9 |
| ClassSignalCompletion | 9 |
| ClassInitializeEx | 9 |
| ClassReleaseChildLock | 9 |
| ClassInvalidateBusRelations | 9 |
| ?sgetc@streambuf@@QAEHXZ | 9 |
| _osversion_dll | 9 |
| RtlCreateServiceSid | 9 |
| RasRpcGetInstalledProtocolsEx | 9 |
| RtlPushFrame | 9 |
| ?QueryFreeSectors@REAL_FAT_SA@@QBE | 9 |
| RtlUnhandledExceptionFilter2 | 9 |
| ?DisableVPathNotify@CMetaDataMgr@@Q | 9 |
| sout_AccessOutWrite | 9 |
| MsiReinstallFeatureA | 9 |
| MsiViewGetColumnInfo | 9 |
| ??1CObject@@UAE@XZ | 9 |
| GetMMAAuthMethods | 9 |
| _PfTestPacket@20 | 9 |
| FlushTraceW | 9 |
| NdrEncapsulatedUnionMarshall | 9 |
| MimeOleGetBodyPropA | 9 |
| DhcpDeleteClientInfo | 9 |

| | |
|--|---|
| ZwAdjustGroupsToken | 9 |
| RemovePrivateCvSymbolic | 9 |
| pSetupConcatenatePaths | 9 |
| pSetupAddMinIconToList | 9 |
| PdhBindInputDataSourceA | 9 |
| PdhCreateSQLTablesA | 9 |
| PdhSetLogSetRunID | 9 |
| RtmGetInstanceInfo | 9 |
| MgmGroupEnumerationStart | 9 |
| ?ToHr@SC@mmcrror@@QBEJXZ | 9 |
| ?s_hInst@SC@mmcrror@@OPAUHINSTAN | 9 |
| ??0?\$CEventLock@UAppEvents@@@QAE | 9 |
| ?DoFailTest@@YGXJ@Z | 9 |
| ??0CPropListFile@@QAE@PAVCEmptyProp | 9 |
| SdbRegisterDatabase | 9 |
| @Controls@TControl@IsEnabledStored\$qqrr | 9 |
| JetGotoBookmark | 9 |
| RtmLookupIPDestination | 9 |
| RtmGetRouteInfo | 9 |
| ?Insert@Container@@QAEXPAXK@Z | 9 |
| ??0Container@@QAE@GGG@Z | 9 |
| ??1Container@@QAE@XZ | 9 |
| MprAdminInterfaceUpdateRoutes | 9 |
| SeSetSecurityDescriptorInfoEx | 9 |
| CenterDialog | 9 |
| _VkKeyScan_@4 | 9 |
| WinEnumerateDevices | 9 |
| RasRpcUnloadDLL | 9 |
| RasGetConnectionParams | 9 |
| RasRpcEnumConnections | 9 |
| DosDateTimeToVariantTime | 9 |
| ??1NTFS_FRS_STRUCTURE@@UAE@XZ | 9 |
| ?ComputeDupInfoSignature@NTFS_MFT_IN | 9 |
| rtcRound | 9 |
| MsiGetProductInfoFromScriptW | 9 |
| WmiDevInstToInstanceNameA | 9 |
| NtSetLdtEntries | 9 |
| getppid | 9 |
| RtmDereferenceHandles | 9 |
| ??0QObject@@QAE@PAV0@@Z | 9 |
| ?write@QIODevice@@QAE_JPBD_J@Z | 9 |
| ?lastIndexOf@QString@@QBEHVQChar@@ | 9 |
| ?at@QString@@QBE?BVQChar@@H@Z | 9 |
| ?split@QString@@QBE?AVQStringList@@A | 9 |
| ?shared_null@QHashData@@2U1@A | 9 |
| ?remove@QListData@@QAEH@Z | 9 |
| ?errorString@QIODevice@@QBE?AVQString | 9 |

| | |
|--|---|
| ??6QDebug@@QAEAAV0@PBD@Z | 9 |
| ??4QByteArray@@QAEAAV0@PBD@Z | 9 |
| ??6QDebug@@QAEAAV0@ABVQString@@@ | 9 |
| ?WindowsVersion@QSysInfo@@2W4WinV@ | 9 |
| _ZN7QObject16staticMetaObjectE | 9 |
| _ZN9QListData6detachEi | 9 |
| _ZNK7QStringeqERKS_ | 9 |
| RasGetCustomScriptDll | 9 |
| rtl_byte_sequence_release | 9 |
| @System@@PStrCpy\$qqrv | 9 |
| ?SkipULong@CMemDeSerStream@@UAEX | 9 |
| GdipSetPenColor | 9 |
| RemoveWindowSubclass | 9 |
| ??1?\$basic_ofstream@GU?\$char_traits@G@ | 9 |
| ?TryWriteLock@CCritSec@@QAE_NXZ | 9 |
| ?_FindRecord@CLKRLinearHashTable@@AB | 9 |
| OpenColorProfileW | 9 |
| ODBCInternalConnectW | 9 |
| SQLColAttributesW | 9 |
| PsRemoveLoadImageNotifyRoutine | 9 |
| ldap_init | 9 |
| ??Gstd@@YA?AV?\$complex@N@0@ABNAI | 9 |
| ?OnThawBegin@CVssJetWriter@@UAG_NX | 9 |
| ?AreComponentsSelected@CVssWriter@@I | 9 |
| ?OnPostSnapshot@CVssJetWriter@@UAG_I | 9 |
| ?OnPostRestoreEnd@CVssJetWriter@@UAC | 9 |
| _NDdeTrustedShareEnum_@24 | 9 |
| ZwQueryInstallUILanguage | 9 |
| TraceSQLGetDescFieldW | 9 |
| ??0CANNED_SECURITY@@QAE@XZ | 9 |
| ?node_delete@QMapData@@QAEQAPAU | 9 |
| ?metaObject@QFrame@@UBEPBUQMetaO | 9 |
| ?setLayout@QWidget@@QAEPAVQVLayout | 9 |
| ??0QPushButton@@QAE@PAVQWidget@@ | 9 |
| I_RpcReceive | 9 |
| CmLoadStringW | 9 |
| ?SetPrimaryRegPath@CIniW@@QAEXPBG@ | 9 |
| vlc_fopen | 9 |
| lseek | 9 |
| truncate | 9 |
| VarI1FromUI1 | 9 |
| WVTAsn1SpcIndirectDataContentEncode | 9 |
| ??1?\$XPtr@VCDbProjectListElement@@@C | 9 |
| ??0CPropertyRestriction@@QAE@KABVCFu | 9 |
| PbCreateLinkFromFile | 9 |
| OleEnumFormats | 9 |
| _GetFileVersionInfo_@16 | 9 |

| | |
|--------------------------------------|---|
| _GetPrivateProfileSectionNames_@12 | 9 |
| _RegDeleteValue_@8 | 9 |
| _NDdeSetTrustedShare_@12 | 9 |
| ZwShutdownSystem | 9 |
| _WinStationAnnoyancePopup | 9 |
| MsiUseFeatureA | 9 |
| ?Remove@CWorkQueue@@QAEXPAPWOr | 9 |
| GetSpoolFileHandle | 9 |
| VarUI2FromI4 | 9 |
| SnmpCreatePdu | 9 |
| _SnmpConveyAgentAddress@4 | 9 |
| SnmpListen | 9 |
| SnmpStartup | 9 |
| SnmpSendMsg | 9 |
| SnmpSetRetry | 9 |
| SnmpRegister | 9 |
| SnmpEntityToStr | 9 |
| SnmpCountVbl | 9 |
| SnmpSetTranslateMode | 9 |
| SnmpGetRetransmitMode | 9 |
| SnmpStrToEntity | 9 |
| SnmpCreateVbl | 9 |
| NetReplImportDirAdd | 9 |
| ??1CDbPropSet@@QAE@XZ | 9 |
| StrToIntA | 9 |
| HrGetBodyElement | 9 |
| CchFileTimeToDateTImeW | 9 |
| PszDupA | 9 |
| HrAttachDataFromBodyPart | 9 |
| ??1CWordRestriction@@QAE@XZ | 9 |
| ?SkipByte@CMemDeSerStream@@UAEXXZ | 9 |
| SignerSign | 9 |
| _OpenEventLog_@8 | 9 |
| ?CIniA_GetEntryFromReg@CIniA@@IBPAE | 9 |
| @Calendar@initialization\$qqrv | 9 |
| ?SetSection@CIniA@@QAEXPBD@Z | 9 |
| I_CryptRegisterSmartCardStore | 9 |
| LdrQueryProcessModuleInformation | 9 |
| ?Unlock@CLockedSingleList@@QAEXXZ | 9 |
| ?_TryReadLock@CReaderWriterLock3@@A | 9 |
| LsEnumLine | 9 |
| LsForceBreakSubline | 9 |
| ADsCreateDSObject | 9 |
| RpcCertGeneratePrincipalNameW | 9 |
| ?ComputeFileNameSignature@NTFS_MFT_I | 9 |
| RasSetPortUserData | 9 |
| _ZN4Foam7Pstream18treeCommunication_ | 9 |

| | |
|--|---|
| _ZN4Foam7Pstream20linearCommunication | 9 |
| _ZN4Foam7Pstream5debugE | 9 |
| _ZN4Foam8Iostream5name_E | 9 |
| _ZTISi | 9 |
| _ZTISt19basic_istringstreamIcSt11char_trait< | 9 |
| pSetupOutOfMemory | 9 |
| IASGetHostByName | 9 |
| SdbGetBinaryTagData | 9 |
| ?QueryMediaByte@DP_DRIVE@@QBEEHZ | 9 |
| ?Look@INTSTACK@@QBE?AVBIG_INT@@K | 9 |
| ??1CStringArray@@UAE@XZ | 9 |
| LssbGetDurTrailInSubline | 9 |
| _makepath_s | 9 |
| ?ReadUnlock@CReaderWriterLock3@@QAE | 9 |
| SamRemoveMemberFromGroup | 9 |
| SamSetMemberAttributesOfGroup | 9 |
| PbLoadFromStream | 9 |
| ?WriteProperty@CPropStoreManager@@Q | 9 |
| PSetupInstallInboxDriverSilently | 9 |
| PSetupSetSelectDevTitleAndInstructions | 9 |
| ?_Unlock@CSpinLock@@AAEXXZ | 9 |
| @Cxcheckbox@TcxCustomCheckBox@GetCl | 9 |
| InstallHinfSectionW | 9 |
| _winmajor_dll | 9 |
| _ZN5QFile5closeEv | 9 |
| _ZN5QFileD1Ev | 9 |
| ZwSetIntervalProfile | 9 |
| VarNumFromParseNum | 9 |
| GetNextFgPolicyRefreshInfo | 9 |
| EssSecurityLabelDecodeEx | 9 |
| ?Apply@CLKRLinearHashTable@@QAEKP6G | 9 |
| _CreateWindowStation_@16 | 9 |
| I_CryptGetAsn1Decoder | 9 |
| MsiProvideComponentFromDescriptorW | 9 |
| ?SetI4@CStorageVariant@@QAEXJI@Z | 9 |
| NtSaveKeyEx | 9 |
| JetEndExternalBackup | 9 |
| JetCreateDatabaseWithStreaming | 9 |
| DsReplicaSyncA | 9 |
| DsListServersForDomainInSiteA | 9 |
| OleClone | 9 |
| ?qt_metacast@QDialog@@UAEPAXPBD@Z | 9 |
| ?qt_metacall@QDialog@@UAEHW4Call@Q | 9 |
| ?addWidget@QGridLayout@@QAEXPBV@V | 9 |
| CM_Delete_DevNode_Key | 9 |
| ?WriteUnlock@CReaderWriterLock3@@QAI | 9 |
| DhcpDsInitDS | 9 |

| | |
|---------------------------------------|---|
| ZwPlugPlayControl | 9 |
| ?GetCollectionFileName@CCollection@@Q | 9 |
| ?setFocusPolicy@QWidget@@QAEXW4Foc | 9 |
| ?setSpacing@QBoxLayout@@QAEXH@Z | 9 |
| ?setMinimumSize@QWidget@@QAEXHH@ | 9 |
| glutInit | 9 |
| ZwReadVirtualMemory | 9 |
| SetupAddToSourceListW | 9 |
| SetupDiSelectBestCompatDrv | 9 |
| @Db@TField@SetEditText\$qqrx17System@ | 9 |
| @Cxcheckbox@TcxCheckBox@ | 9 |
| ??1NTFS_EXTENT_LIST@@UAE@XZ | 9 |
| ??_F?\$collate@G@std@@QAEXXZ | 9 |
| AtaPortNotification | 9 |
| AtaPortReadPortUchar | 9 |
| AtaPortStallExecution | 9 |
| AtaPortWritePortUchar | 9 |
| AtaPortWritePortUlong | 9 |
| AtaPortGetPhysicalAddress | 9 |
| AtaPortConvertPhysicalAddressToUlong | 9 |
| AtaPortGetScatterGatherList | 9 |
| AtaPortGetParentBusType | 9 |
| AtaPortRequestCallback | 9 |
| AtaPortWritePortBufferUshort | 9 |
| AtaPortGetUnCachedExtension | 9 |
| AtaPortCompleteRequest | 9 |
| AtaPortCompleteAllActiveRequests | 9 |
| AtaPortReleaseRequestSenseIrb | 9 |
| AtaPortBuildRequestSenseIrb | 9 |
| AtaPortReadPortBufferUshort | 9 |
| AtaPortInitialize | 9 |
| AtaPortGetDeviceBase | 9 |
| AtaPortDeviceStateChange | 9 |
| ?setAlignment@QLabel@@QAEXV?\$QFlags | 9 |
| ?timerEvent@QTextEdit@@MAEXP@AVQTim | 9 |
| ?mouseDoubleClickEvent@QTextEdit@@M@ | 9 |
| ?wheelEvent@QTextEdit@@MAEXP@AVQWh | 9 |
| ?keyReleaseEvent@QTextEdit@@MAEXP@AV | 9 |
| ?focusInEvent@QTextEdit@@MAEXP@AVQFo | 9 |
| ?resizeEvent@QTextEdit@@MAEXP@AVQRes | 9 |
| ?contextMenuEvent@QTextEdit@@MAEXP@AV | 9 |
| ?dragEnterEvent@QTextEdit@@MAEXP@AVC | 9 |
| ?dragMoveEvent@QTextEdit@@MAEXP@AVC | 9 |
| ?dragLeaveEvent@QTextEdit@@MAEXP@AVC | 9 |
| ?dropEvent@QTextEdit@@MAEXP@AVQDrop | 9 |
| ?showEvent@QTextEdit@@MAEXP@AVQShow | 9 |
| ?changeEvent@QTextEdit@@MAEXP@AVQE | 9 |

| | |
|--|---|
| ?inputMethodEvent@QTextEdit@@MAEXP/ | 9 |
| ?inputMethodQuery@QTextEdit@@MBE?A' | 9 |
| ?scrollContentsBy@QTextEdit@@MAEXHH(| 9 |
| ?createMimeTypeDataFromSelection@QTextEdit | 9 |
| ?canInsertFromMimeTypeData@QTextEdit@@M | 9 |
| ?insertFromMimeTypeData@QTextEdit@@MAE) | 9 |
| ??1QBrush@@QAE@XZ | 9 |
| ?setPixmap@QLabel@@QAEXABVQPixmap(| 9 |
| ?move@QWidget@@QAEXABVQPoint@@(| 9 |
| ??1CScopeRestriction@@QAE@XZ | 9 |
| ?GetGlobalStaticPropertyList@@YGPVCSta | 9 |
| ??0CLocalGlobalPropertyList@@QAE@PAVC | 9 |
| ?Marshall@CBaseStorageVariant@@QBEXA | 9 |
| ??0CPropStoreManager@@QAE@K@Z | 9 |
| ?put@\$basic_ostream@GU?\$char_traits@ | 9 |
| NDRSContextMarshallEx | 9 |
| ??Nstd@@YA_NABV?\$basic_string@DU?\$cl | 9 |
| ModifyRatings | 9 |
| _ChooseFont_@4 | 9 |
| ?SetNumberOfSortProps@CCatState@@QA | 9 |
| ?GrowBuffer@CVirtualString@@AAEK@Z | 9 |
| SetNetName | 9 |
| ResUtilSetMultiSzValue | 9 |
| GetStdColorPenF | 9 |
| SoftpubDIIRegisterServer | 9 |
| I_CryptAddSmartCardCertToStore | 9 |
| ?min@\$numeric_limits@_N@std@@SA_N | 9 |
| ??1istrstream@std@@UAE@XZ | 9 |
| NtAlpcCreatePort | 9 |
| AlpcMaxAllowedMessageLength | 9 |
| NtAlpcAcceptConnectPort | 9 |
| AlpcInitializeMessageAttribute | 9 |
| NtAlpcOpenSenderProcess | 9 |
| NtAlpcCancelMessage | 9 |
| NtApphelpCacheControl | 9 |
| AlpcGetMessageAttribute | 9 |
| rtclsArray | 9 |
| SeSystemDefaultDacl | 9 |
| NdisFreeSpinLock | 9 |
| LeUpdate | 9 |
| ErrQueryProtocol | 9 |
| ?RemoveEdge@DIGRAPH@@QAEEKK@Z | 9 |
| StartWsdpService | 9 |
| ?SafeStrlen@CString@@KGHPBG@Z | 9 |
| ?Initialize@BYTE_STREAM@@QAEEPAVSTRI | 9 |
| ChConvertFromHex | 9 |
| I_RpcParseSecurity | 9 |

| | |
|---|---|
| ?clear@?\$vector@PAXV?\$allocator@PAX@_ | 9 |
| @Sconnect@initialization\$qqrv | 9 |
| @Controls@TControl@SetParentColor\$qqrc | 9 |
| VfFailDeviceNode | 8 |
| MsiRecordDataSize | 8 |
| DsaopUnBind | 8 |
| ldap_err2stringW | 8 |
| ldap_deleteW | 8 |
| ldap_delete_sA | 8 |
| ldap_value_freeW | 8 |
| ldap_simple_bind_sW | 8 |
| ldap_ufn2dnW | 8 |
| BCP_bind | 8 |
| BCP_done | 8 |
| BCP_batch | 8 |
| BCP_colptr | 8 |
| SetupDiSetDriverInstallParamsA | 8 |
| SetPortA | 8 |
| ZwReplyWaitReceivePort | 8 |
| Ke386SetIoAccessMap | 8 |
| DlInstallDriverW | 8 |
| _ZN7QObject13setObjectNameERK7QString | 8 |
| _ZN7QString14fromWCharArrayEPKwi | 8 |
| _ZN7QString8fromUtf8EPKci | 8 |
| _ZN7QWidget10enterEventEP6QEvent | 8 |
| _ZN7QWidget10fontChangeERK5QFont | 8 |
| _ZN7QWidget10leaveEventEP6QEvent | 8 |
| _ZN7QWidget10paintEventEP11QPaintEvent | 8 |
| _ZN7QWidget10setVisibleEb | 8 |
| _ZN7QWidget10wheelEventEP11QWheelEv | 8 |
| _ZN7QWidget11actionEventEP12QActionEv | 8 |
| _ZN7QWidget11changeEventEP6QEvent | 8 |
| _ZN7QWidget11resizeEventEP12QResizeEve | 8 |
| _ZN7QWidget11styleChangeER6QStyle | 8 |
| _ZN7QWidget11tabletEventEP12QTTabletEve | 8 |
| _ZN7QWidget12focusInEventEP11QFocusEv | 8 |
| _ZN7QWidget13dragMoveEventEP14QDragI | 8 |
| _ZN7QWidget13enabledChangeEb | 8 |
| _ZN7QWidget13focusOutEventEP11QFocusE | 8 |
| _ZN7QWidget13keyPressEventEP9QKeyEver | 8 |
| _ZN7QWidget13paletteChangeERK8QPalett | 8 |
| _ZN7QWidget14dragEnterEventEP15QDragE | 8 |
| _ZN7QWidget14dragLeaveEventEP15QDragI | 8 |
| _ZN7QWidget14languageChangeEvent | 8 |
| _ZN7QWidget14setWindowTitleERK7QString | 8 |
| _ZN7QWidget15keyReleaseEventEP9QKeyEv | 8 |
| _ZN7QWidget16inputMethodEventEP17QIn | 8 |

| | |
|---|---|
| _ZN7QWidget17mouseReleaseEventEP11QM | 8 |
| _ZN7QWidget18focusNextPrevChildEb | 8 |
| _ZN7QWidget21mouseDoubleClickEventEP1 | 8 |
| _ZN7QWidget22windowActivationChangeEvent | 8 |
| _ZN7QWidget8winEventEP6tagMSGPI | 8 |
| _ZN7QWidget9dropEventEP10QDropEvent | 8 |
| _ZN7QWidget9hideEventEP10QHideEvent | 8 |
| _ZN7QWidget9moveEventEP10QMoveEvent | 8 |
| _ZN7QWidget9showEventEP10QShowEvent | 8 |
| _ZNK7QWidget11paintEngineEv | 8 |
| _ZNK7QWidget14heightForWidthEi | 8 |
| _ZNK7QWidget15minimumSizeHintEv | 8 |
| _ZNK7QWidget16inputMethodQueryEN2Qt: | 8 |
| _ZNK7QWidget5getDCEv | 8 |
| _ZNK7QWidget6metricEN12QPaintDevice17 | 8 |
| _ZNK7QWidget7devTypeEv | 8 |
| _ZNK7QWidget8sizeHintEv | 8 |
| _ZNK7QWidget9releaseDCEP5HDC__ | 8 |
| _ZThn8_NK7QWidget11paintEngineEv | 8 |
| _ZThn8_NK7QWidget5getDCEv | 8 |
| _ZThn8_NK7QWidget6metricEN12QPaintDe | 8 |
| _ZThn8_NK7QWidget7devTypeEv | 8 |
| _ZThn8_NK7QWidget9releaseDCEP5HDC__ | 8 |
| ??\$?5DU?\$char_traits@D@std@@@std@@@ | 8 |
| ?erase@?\$basic_string@DU?\$char_traits@I | 8 |
| FsRtlDeleteKeyFromTunnelCache | 8 |
| FsRtlAddLargeMcbEntry | 8 |
| @Sysutils@ForceDirectories\$qqr17System@ | 8 |
| @Classes@TStrings@EndUpdate\$qqrv | 8 |
| @Classes@TStrings@BeginUpdate\$qqrv | 8 |
| SetupGetFileCompressionInfoA | 8 |
| pSetupOpenAndMapFileForRead | 8 |
| @Qr3const@initialization\$qqrv | 8 |
| KeAcquireInStackQueuedSpinLockRaiseToSy | 8 |
| VideoPortCheckForDeviceExistance | 8 |
| VideoPortGetVersion | 8 |
| VideoPortReadRegisterUlong | 8 |
| NdisCmMakeCallComplete | 8 |
| ??0logic_error@@QAE@ABV0@@Z | 8 |
| ??0?\$time_get@GV?\$istreambuf_iterator@ | 8 |
| wctob | 8 |
| ?tolower@?\$ctype@G@std@@QBEPBGPAC | 8 |
| _StartService_@12 | 8 |
| _SetUserObjectInformation_@16 | 8 |
| DnsGlobals | 8 |
| Reg_ReadGlobalsEx | 8 |
| DnsModifyRecordsInSet_UTF8 | 8 |

| | |
|---|---|
| DnsQueryExUTF8 | 8 |
| DnsFindAuthoritativeZone | 8 |
| DnsModifyRecordsInSet_W | 8 |
| Dns_PingAdapterServers | 8 |
| ??0NTFS_UPCASE_FILE@@QAE@XZ | 8 |
| ??1NTFS_BAD_CLUSTER_FILE@@UAE@XZ | 8 |
| ldap_get_dnA | 8 |
| ldap_set_option | 8 |
| ldap_modifyW | 8 |
| ldap_parse_page_control | 8 |
| ldap_count_valuesW | 8 |
| HidP_GetUsageValueArray | 8 |
| HidD_GetPhysicalDescriptor | 8 |
| HidP_InitializeReportForID | 8 |
| HidP_TranslateUsagesToI8042ScanCodes | 8 |
| HidP_UnsetUsages | 8 |
| ??4?\$complex@M@std@@QAEAAV01@AB | 8 |
| ??0CPerfMon@@QAE@PBG@Z | 8 |
| StopCBTHook | 8 |
| SafeArrayCopyData | 8 |
| VarI4FromR8 | 8 |
| TestDlgProc | 8 |
| @Comobj@CreateRegKey\$qqrx17System@/ | 8 |
| @Classes@TList@Error\$qqrp17System@TM | 8 |
| @Adodb@TADOStoredProc@ExecProc\$qqrv | 8 |
| @Adodb@TADOStoredProc@\$bctr\$qqrp18C | 8 |
| @Adodb@TCustomADODDataSet@SetComm | 8 |
| @Adodb@TParameters@ParamByName\$qc | 8 |
| @Adodb@TADOStoredProc@ | 8 |
| @Db@TDataSet@IsEmpty\$qqrv | 8 |
| @Db@TField@ | 8 |
| @Actnlist@TCustomAction@SetShortCut\$qc | 8 |
| @Comctrls@TTreeNode@GetParent\$qqrv | 8 |
| @Comctrls@TTreeNode@Expand\$qqro | 8 |
| @Comctrls@TTreeNode@SetText\$qqrx17Sy | 8 |
| @Dxlayoutcontrol@TdxCustomLayoutContr | 8 |
| @Dxlayoutcontrol@TdxCustomLayoutItem@ | 8 |
| @Jvplacemnt@TJvFormPlacement@ | 8 |
| @Tb2item@TTBCustomItem@GetItem\$qqri | 8 |
| @Vedbcurredit@Finalization\$qqrv | 8 |
| InitProcessPriv | 8 |
| UnInitProcessPriv | 8 |
| UnInitThread | 8 |
| InitThread | 8 |
| ?FindDescendent@Element@DirectUI@@Q | 8 |
| StrToIntD | 8 |
| ?EndDefer@Element@DirectUI@@QAEXK@ | 8 |

| | |
|---|---|
| ?SetVisible@Element@DirectUI@@QAEJ_N | 8 |
| ?IsRTLReading@Element@DirectUI@@UAE_ | 8 |
| ?IsContentProtected@Element@DirectUI@() | 8 |
| ?GetContentStringAsDisplayed@Element@L | 8 |
| ?OnPropertyChanging@Element@DirectUI@C | 8 |
| ?OnPropertyChanging@Element@DirectUI@C | 8 |
| ?OnPropertyChanged@Element@DirectUI@ | 8 |
| ?OnKeyFocusMoved@Element@DirectUI@() | 8 |
| ?OnMouseFocusMoved@Element@DirectUI | 8 |
| ?GetID@Element@DirectUI@@QAEGXZ | 8 |
| ?Click@Button@DirectUI@@SG?AVUID@@ | 8 |
| ?Destroy@Element@DirectUI@@QAEJ_N@ | 8 |
| ?HandleUiaEventListener@Element@DirectI | 8 |
| ?HandleUiaPropertyChangingListener@Elem | 8 |
| ?HandleUiaPropertyListener@Element@Dir | 8 |
| ?HandleUiaDestroyListener@Element@Dire | 8 |
| ?GetElementProviderImpl@Element@Direct | 8 |
| ?DefaultAction@Element@DirectUI@@UAE | 8 |
| ?GetKeyFocused@Element@DirectUI@@UA | 8 |
| ?OnUnHosted@Element@DirectUI@@MAE | 8 |
| ?OnHosted@Element@DirectUI@@MAEXP/ | 8 |
| ?_SelfLayoutUpdateDesiredSize@Element@ | 8 |
| ?_SelfLayoutDoLayout@Element@DirectUI@C | 8 |
| ?QueryInterface@Element@DirectUI@@UA | 8 |
| ?MessageCallback@Element@DirectUI@@I | 8 |
| ?SetKeyFocus@Element@DirectUI@@UAEX | 8 |
| ?EnsureVisible@Element@DirectUI@@UAE | 8 |
| ?GetAdjacent@Element@DirectUI@@UAEP | 8 |
| ?Remove@Element@DirectUI@@UAEJPAP/ | 8 |
| ?Insert@Element@DirectUI@@UAEJPAPAV | 8 |
| ?Add@Element@DirectUI@@UAEJPAPAV12 | 8 |
| ?GetContentSize@Element@DirectUI@@U/ | 8 |
| ?Paint@Element@DirectUI@@UAEXPNUHD | 8 |
| ClearSearchPictureAndMusicAndVideo | 8 |
| ClearSearchInternet | 8 |
| ClearRunList | 8 |
| ClearMediaPlayLog | 8 |
| ClearRecent | 8 |
| ClearTemp | 8 |
| ClearWinTemp | 8 |
| ClearRecycleBin | 8 |
| ClearSearchComputerAndPeople | 8 |
| ClearAutoForm | 8 |
| ClearSiteVisitedLog | 8 |
| ClearIECache | 8 |
| ClearCookie | 8 |
| ClearSearchFileFolder | 8 |

| | |
|---|---|
| QuarantinePow | 8 |
| PowerScan | 8 |
| GetRestartAVmon | 8 |
| ClearHistory | 8 |
| DnsQueryConfigDword | 8 |
| ??1?\$numpunct@G@std@@UAE@XZ | 8 |
| ?find_last_not_of@?\$basic_string@GU?\$ch | 8 |
| PdhVbGetCounterPathFromList | 8 |
| VarBstrFromUI8 | 8 |
| VarUI8FromDate | 8 |
| VarDateFromI2 | 8 |
| ?EnumPropInfo@CEmptyPropertyList@@UA | 8 |
| ?GetBOOL@CAllocStorageVariant@@QBEFI | 8 |
| ?AddScope@CCatalogAdmin@@QAEXPBG0 | 8 |
| ?GetAllEntries@CPropertyList@@UAEJPAPA | 8 |
| ?BuildRegistryPropertiesKey@@YGXAAV?\$X | 8 |
| __glsparser_create | 8 |
| LdapParsePageControl | 8 |
| VarFormat | 8 |
| ?ConvertSharedToExclusive@CSpinLock@@ | 8 |
| SCardSetAttrib | 8 |
| SnmpUtilVarBindCpy | 8 |
| SnmpUtilOidToA | 8 |
| input_Control | 8 |
| playlist_CurrentInput | 8 |
| WinSqmEventWrite | 8 |
| WinSqmEventEnabled | 8 |
| _CreateDC_@16 | 8 |
| OpenDirHook | 8 |
| ??1CLocation@@QAE@XZ | 8 |
| ?GetIdW@CTitle@@QAEPBGXZ | 8 |
| ?SetVolume@CLocation@@QAEXPBD@Z | 8 |
| ?SetVolume@CLocation@@QAEXPBG@Z | 8 |
| ?_Doraise@overflow_error@std@@MBEXX | 8 |
| ?copy@?\$basic_string@DU?\$char_traits@D | 8 |
| ?_Nullstr@?\$basic_string@DU?\$char_traits@ | 8 |
| ??0?\$time_put@GV?\$ostreambuf_iterator@ | 8 |
| _StartFWCiSvcWork@12 | 8 |
| ?Find@CEmptyPropertyList@@QAEPBVCPr | 8 |
| ??1CPropStoreManager@@QAE@XZ | 8 |
| ??0CRangeRestriction@@QAE@XZ | 8 |
| GetAndInitializePlatformObject | 8 |
| WdfGetLpcInterface | 8 |
| InitializePlatformLibrary | 8 |
| OpenPrivateNamespaceW | 8 |
| ClosePrivateNamespace | 8 |
| GetLocalManagedApplicationData | 8 |

| | |
|---|---|
| ldap_delete_ext_sA | 8 |
| ldap_check_filterA | 8 |
| ldap_first_reference | 8 |
| ??MCTXBSTR@@QBE_NABV0@@Z | 8 |
| ?Copy@CTXBSTR@@QBEPA_WXZ | 8 |
| ?FreeData@Metadata@Util@@YAJAAPA_W | 8 |
| ?Get@Metadata@Util@@YAJPAUITXData@ | 8 |
| MsiGetTargetPathA | 8 |
| MsiGetProductInfoFromScriptA | 8 |
| MsiDatabaseOpenViewW | 8 |
| AtlHiMetricToPixel | 8 |
| ??6?\$basic_ostream@GU?\$char_traits@G@ | 8 |
| JetCreateTable | 8 |
| RasSignalNewConnection | 8 |
| RasReferenceRasman | 8 |
| RasGetEapUserDataA | 8 |
| ??_7CCriticalSection@@6B@ | 8 |
| ?ElementAt@CStringArray@@QAEAAVCStri | 8 |
| ?FreeExtra@CString@@QAEXXZ | 8 |
| ??_7COBJECT@@6B@ | 8 |
| ??9@YG_NABVCString@@PBG@Z | 8 |
| ?Empty@CString@@QAEXXZ | 8 |
| ?MakeISearch@@YGJPAPAUISearchQueryH | 8 |
| ?UnMarshall@CDbCollId@@QAEHAAPDDeS | 8 |
| ?Resume@CProcess@@QAEXXZ | 8 |
| ?DecodeEndArray@CCmdCodecBase@@IAE | 8 |
| ?DecodeArrayLenHead@CCmdCodecBase@ | 8 |
| ?SafeLoadLibrary@Sys@Util@@YAPAUHINS | 8 |
| ?PropertyLong@CFmtString@@QAEHPB_W. | 8 |
| ?IsServerControlBitOn@Misc@Util@@YAHK | 8 |
| ?IsBuddy@Contact@Util@@YAHK@Z | 8 |
| PdhEnumObjectsHW | 8 |
| _strninc | 8 |
| ?get@istream@@QAEHXZ | 8 |
| sqlite3_prepare | 8 |
| BCryptGetProperty | 8 |
| ?do_grouping@?\$numpunct@G@std@@M | 8 |
| ?do_truename@?\$numpunct@D@std@@N | 8 |
| SHUpdateImageW | 8 |
| ??1CSingleList@@QAE@XZ | 8 |
| ?_RemoveThisFromGlobalList@CLKRLinearH | 8 |
| ?SetDefaultSpinAdjustmentFactor@CFakeLo | 8 |
| ??1CDoubleList@@QAE@XZ | 8 |
| ??4CLockedSingleList@@QAEAAV0@ABV0@ | 8 |
| ??0ACE_Time_Value@@QAE@ABU_FILETIN | 8 |
| ??0ACE_Condition_Thread_Mutex@@QAE@ | 8 |
| ?str@?\$basic_ostringstream@DU?\$char_tra | 8 |

| | |
|--|---|
| ??0?\$basic_string@GU?\$char_traits@G@std@ | 8 |
| ??6?\$basic_ostream@DU?\$char_traits@D@std@ | 8 |
| VideoPortScanRom | 8 |
| VideoPortMapDmaMemory | 8 |
| VideoPortAcquireSpinLockAtDpcLevel | 8 |
| ??1codecvt_base@std@@UAE@XZ | 8 |
| ?hash@?\$collate@D@std@@QBEJPBD0@Z | 8 |
| CM_Get_Device_ID_List_SizeA | 8 |
| ZwQueryTimer | 8 |
| CsrSetPriorityClass | 8 |
| ?ReadLock@CReaderWriterLock2@@QAEXXZ | 8 |
| ?TryReadLock@CFakeLock@@QAE_NXZ | 8 |
| ?SetDefaultSpinCount@CReaderWriterLock@ | 8 |
| ?WriteUnlock@CSpinLock@@QAEXXZ | 8 |
| ?delbuf@ios@@QAEXH@Z | 8 |
| LeChangeData | 8 |
| glsNumd | 8 |
| ZwWriteRequestData | 8 |
| ILCreateFromPathA | 8 |
| MprConfigInterfaceTransportRemove | 8 |
| SdbOpenApphelpDetailsDatabaseSP | 8 |
| MgmReleaseInterfaceOwnership | 8 |
| RtmReleaseRoutes | 8 |
| RtmAddNextHop | 8 |
| NtQueryPortInformationProcess | 8 |
| ZwFlushBuffersFile | 8 |
| MgmGetMfeStats | 8 |
| RtmDeleteNextHop | 8 |
| RtmBlockMethods | 8 |
| RtmGetNetworkCount | 8 |
| DhcpSetOptionInfoV5 | 8 |
| DhcpGetOptionValueV5 | 8 |
| MatchCmdLine | 8 |
| PyErr_BadArgument | 8 |
| PyErr_Fetch | 8 |
| PyObject_CallObject | 8 |
| PyTuple_New | 8 |
| Py_BuildValue | 8 |
| TowerConstruct | 8 |
| pSetupGetQueueFlags | 8 |
| @Db@TDataSet@Insert\$qqrv | 8 |
| @Comctrls@TProgressBar@SetMax\$qqri | 8 |
| GetWindowTheme | 8 |
| SetThemeAppProperties | 8 |
| @Forms@TCustomForm@SetParentBiDiMode\$qqv | 8 |
| @Controls@TWinControl@UpdateLastResized\$qqv | 8 |
| @Extctrls@TCustomRadioGroup@SetItemIn | 8 |

| | |
|---------------------------------------|---|
| @Comctrls@TStatusPanels@GetItem\$qqri | 8 |
| @Dsgnintf@Finalization\$qqrv | 8 |
| ZwSetBootOptions | 8 |
| SetupPrepareQueueForRestoreW | 8 |
| lineRemoveFromConference | 8 |
| VarUI1FromI8 | 8 |
| ?thousands_sep@\$numpunct@D@std@@ | 8 |
| MNLS_IstrcpyW@8 | 8 |
| _osver_dll | 8 |
| ?Init@CSdidLookupTable@@QAEHPAVCiSto | 8 |
| ??0CDbColumns@@QAE@I@Z | 8 |
| ZwWaitHighEventPair | 8 |
| ??1range_error@std@@UAE@XZ | 8 |
| ?eq@?\$char_traits@D@std@@SA_NABDO@ | 8 |
| ?move@?\$char_traits@D@std@@SAPADP@ | 8 |
| RpcServerYield | 8 |
| EtwLogTraceEvent | 8 |
| ??1CSyncObject@@UAE@XZ | 8 |
| RasSetAutodialAddressW | 8 |
| ldap_search_ext | 8 |
| HrAddColumnsEx@20 | 8 |
| rtcCommandBstr | 8 |
| nl_langinfo | 8 |
| ldap_get_dn | 8 |
| ldap_sslinitW | 8 |
| ldap_modify_s | 8 |
| ?AddStart@NUMBER_SET@@QAEEVBIG_IN | 8 |
| ??0READ_CACHE@@QAE@XZ | 8 |
| ?GetNext@TLINK@@QEPAXPAX@Z | 8 |
| ?Write@SECRUN@@UAEEHZ | 8 |
| ?Initialize@VOL_LIODPDRV@@IAEEPBVWST | 8 |
| ?AddVolumeName@MOUNT_POINT_MAP@ | 8 |
| ?FileSetAttributes@IFS_SYSTEM@@SGEPBV | 8 |
| ?ForceAutochk@VOL_LIODPDRV@@QAEEEl | 8 |
| RasFindPrerequisiteEntry | 8 |
| RasConnectionGetStatistics | 8 |
| RasRpcRemoteGetSystemDirectory | 8 |
| RasRpcDeviceEnum | 8 |
| RasPortDisconnect | 8 |
| RasPortSetFraming | 8 |
| LsModifyLineHeight | 8 |
| LsEnumSubline | 8 |
| LsdnSubmitSublines | 8 |
| LsdnResetPenNode | 8 |
| RasEnumAutodialAddressesA | 8 |
| RasGetSubEntryPropertiesA | 8 |
| RasEnumDevicesW | 8 |

| | |
|--|---|
| RasValidateEntryNameW | 8 |
| PdhGetLogFileTypeW | 8 |
| _OpenSemaphore_@12 | 8 |
| ?SetNoSpcBetweenDstAndSwitch@ARGUME | 8 |
| ?SetAllowSwitchGlomming@ARGUMENT_LE | 8 |
| ?TruncateNameAtColon@PATH@@QAEXXZ | 8 |
| ?Truncate@WSTRING@@QAEKK@Z | 8 |
| ?ConvertToUTC@TIMEINFO@@QAEEXZ | 8 |
| ??1TIMEINFO_ARGUMENT@@UAE@XZ | 8 |
| ?ExitProgram@PROGRAM@@SGXK@Z | 8 |
| ?GetPFlagBreak@KEYBOARD@@QBEQAHXZ | 8 |
| ?MakeDirectory@SYSTEM@@SGPAVFSN_DI | 8 |
| ?DeleteDirectory@FSN_DIRECTORY@@QAE | 8 |
| ?QueryComponentArray@PATH@@QBEPA\ | 8 |
| ?EndsWithDelimiter@PATH@@QBEEZX | 8 |
| ?Copy@FSN_FILE@@QBEEPAVPATH@@PA\ | 8 |
| ?ModifyName@PATH@@QAEEPBVWSTRIN\ | 8 |
| ?DisplaySystemError@SYSTEM@@SGXKH@: | 8 |
| ?IsEmpty@FSN_DIRECTORY@@QBEEZX | 8 |
| ?FindFirstFileW@@YGPAXPBVPATH@@PAL | 8 |
| ocof | 8 |
| ofetch | 8 |
| opinit | 8 |
| orol | 8 |
| cygwin32_inet_addr | 8 |
| MsiGetFeatureStateA | 8 |
| MsiQueryFeatureStateFromDescriptorA | 8 |
| GetFavoritesNumber | 8 |
| ??5?\$basic_istream@DU?\$char_traits@D@: | 8 |
| ??5?\$basic_istream@DU?\$char_traits@D@! | 8 |
| ?begin@?\$basic_string @_WU?\$char_traits@ | 8 |
| ?overflow@?\$basic_streambuf@DU?\$char_ | 8 |
| ??5?\$basic_istream@DU?\$char_traits@D@: | 8 |
| ??\$?6_WU?\$char_traits@ _W@std@@@std | 8 |
| IoSetCompletionRoutineEx | 8 |
| IcaRawInput | 8 |
| IcaChannelInput | 8 |
| IcaBufferFree | 8 |
| IcaBufferError | 8 |
| IcaCreateThread | 8 |
| IcaAllocateWorkItem | 8 |
| IcaQueueWorkItemEx | 8 |
| IcaStackAllocatePool | 8 |
| IcaCloseHandle | 8 |
| IcaCreateHandle | 8 |
| IcaStackFreePool | 8 |
| IcaWaitForSingleObject | 8 |

| | |
|---|---|
| IcaStackAllocatePoolWithTag | 8 |
| WNetDisconnectDialog2 | 8 |
| WNetGetPropertyTextA | 8 |
| IsPwrSuspendAllowed | 8 |
| EnumPrintProcessorDatatypesA | 8 |
| @Idhttp@Finalization\$qqrv | 8 |
| @Idmultipartformdata@Finalization\$qqrv | 8 |
| @Idauthenticationmanager@initialization\$qc | 8 |
| @Idauthentication@Finalization\$qqrv | 8 |
| @Idcookiemanager@initialization\$qqrv | 8 |
| @Comctrls@TRichEdit@ | 8 |
| CtfImmCoUninitialize | 8 |
| MsiProvideQualifiedComponentA | 8 |
| lua_pushlstring | 8 |
| ?SetEntryFromIdx@CIniW@@@QAEXK@Z | 8 |
| ?GetPrimaryRegPath@CIniA@@QBEPBDXZ | 8 |
| SnmpMgrOpen | 8 |
| _JNU_ThrowByNameWithLastError@12 | 8 |
| _time | 8 |
| RpcSmDisableAllocate | 8 |
| ?s_dwMainThreadID@SC@mmcerror@@0K | 8 |
| SetupDiSelectDevice | 8 |
| LoadImagesTag | 8 |
| TellBlob | 8 |
| GetBlobSize | 8 |
| AcquireNextImage | 8 |
| RelinquishMagickMemory | 8 |
| CloneImageInfo | 8 |
| NtReplyWaitReplyPort | 8 |
| SnmpUtilUTF8ToUnicode | 8 |
| SnmpSvcInitUptime | 8 |
| SnmpUtilVarBindListCpy | 8 |
| @System@@SetElem\$qqrv | 8 |
| @Madtools@initialization\$qqrv | 8 |
| @Classes@TList@Insert\$qqripv | 8 |
| @Sysutils@DirectoryExists\$qqrx20System@ | 8 |
| @Sysutils@SameText\$qqrx20System@Unic | 8 |
| @Graphics@TBitmap@SetTransparentColor | 8 |
| @Controls@TControl@ScreenToClient\$qqrr | 8 |
| ?AddCollection@CCollection@@QAEPAVCC | 8 |
| @System@@DynArrayAddRef\$qqrv | 8 |
| @System@@Finalize\$qqrpvt1 | 8 |
| @System@@WStrPos\$qqrv | 8 |
| @System@BeginThread\$qqrpvuipqqrpv\$it1 | 8 |
| @System@Get8087CW\$qqrv | 8 |
| @System@HeapAllocFlags | 8 |
| @System@Output | 8 |

| | |
|--|---|
| @Sysutils@StrToFloatDef\$qqrx17System@A | 8 |
| @Sysutils@Trim\$qqrx17System@WideString | 8 |
| @Variants@@VarCmpEQ\$qqrrx8TVarData@1 | 8 |
| @Classes@TDataModule@\$bctr\$qqrp18Class | 8 |
| @Classes@TDataModule@\$bctr\$qqrp18Class | 8 |
| DsFreeSchemaGuidMapA | 8 |
| ?GetPropInfoFromId@CEmptyPropertyList@ | 8 |
| ?CiNtOpenNoThrow@@YGJAAAPAXBGKKK@ | 8 |
| ?Find@CPropertyList@@UAEPBVCPropEntry | 8 |
| WVTAsn1SpcFinancialCriteriaInfoEncode | 8 |
| PortCompressionSetInfo | 8 |
| PortConnect | 8 |
| DeviceGetInfo | 8 |
| GetZeroDeviceInfo | 8 |
| DeviceGetDevConfig | 8 |
| PortInit | 8 |
| DeviceSetInfo | 8 |
| PortSetIoCompletionPort | 8 |
| PortGetPortState | 8 |
| PortGetStatistics | 8 |
| SetCommSettings | 8 |
| RemovePort | 8 |
| RastapiGetCalledID | 8 |
| RastapiSetCalledID | 8 |
| GetConnectInfo | 8 |
| UnloadRastapiDll | 8 |
| ?AddSortColumn@CDbSortNode@@QAEHA | 8 |
| ??0CFwEventItem@@QAE@GKGKPAX@Z | 8 |
| ?Marshall@CNodeRestriction@@QBEXAAVF | 8 |
| Direct3DCreateDevice | 8 |
| TopIListFree | 8 |
| TopIHeapIsEmpty | 8 |
| TopIScheduleMaxUnavailable | 8 |
| TopIEdgeSetToVertex | 8 |
| NtReplyWaitReceivePortEx | 8 |
| SceSvcSetInfo | 8 |
| ?seekp@?\$basic_ostream@GU?\$char_traits | 8 |
| RegWinStationAccessCheck | 8 |
| RegCdQueryA | 8 |
| RegGetMachinePolicyEx | 8 |
| RegWinStationEnumerateW | 8 |
| ??0MESSAGE@@QAE@XZ | 8 |
| KelsExecutingDpc | 8 |
| @Sysutils@FormatFloat\$qqrx20System@Un | 8 |
| @Basedef@TLinkDataItems@GetItem\$qqri | 8 |
| @Db@TDataSet@FieldByName\$qqrx20Syste | 8 |
| @Lvform@TivForm@SetivHelpOn\$qqrxo | 8 |

| | |
|--|---|
| VarI1FromUI4 | 8 |
| ?MakeUpper@CHString@@QAEXXZ | 8 |
| @Classes@TResourceStream@ | 8 |
| @Sysutils@IncludeTrailingPathDelimiter\$qq | 8 |
| @Sysutils@ShowException\$qqrp14System@ | 8 |
| @Registry@TRegistry@SetRootKey\$qqrp6H | 8 |
| @Menus@TMainMenu@ | 8 |
| _ZStlsISt11char_traitsIcEERSt13basic_ostream | 8 |
| JetRegisterCallback | 8 |
| VarI1FromCy | 8 |
| LssbFDonePresSubline | 8 |
| LsQueryLineCpPpoint | 8 |
| @Dxbar@Finalization\$qqrv | 8 |
| @Dxfading@initialization\$qqrv | 8 |
| @Cxaccessibility@initialization\$qqrv | 8 |
| @Dxbarstrs@Finalization\$qqrv | 8 |
| @Idmessage@Finalization\$qqrv | 8 |
| @Sysutils@TimeToStr\$qqrx16System@TDat | 8 |
| @Sysutils@StrAlloc\$qqrui | 8 |
| @Forms@TScreen@GetWidth\$qqrv | 8 |
| SetEnvironmentStringsW | 8 |
| ldap_initA | 8 |
| lineTranslateAddress | 8 |
| lineMakeCall | 8 |
| ?erase@?\$basic_string@GU?\$char_traits@C | 8 |
| ?SetLocalMatrices@CSpeedTreeRT@@QAEY | 8 |
| _GrannyControlsComplete@4 | 8 |
| DeviceCapabilities | 8 |
| _NDdeGetTrustedShare_@20 | 8 |
| ?GetBufferOut@CTXCommPack@@QAEHAFA | 8 |
| ?AddWord@CTXCommPack@@QAEHGH@Z | 8 |
| ?GetByte@CTXCommPack@@QAEHAAEH@ | 8 |
| ?AddDWord@CTXCommPack@@QAEHKH@ | 8 |
| SDL_WM_SetCaption | 8 |
| SDL_getenv | 8 |
| IMG_Load | 8 |
| ??4CHString@@QAEABV0@PBD@Z | 8 |
| I_CryptFreeTls | 8 |
| I_CryptFlushLruCache | 8 |
| luaopen_string | 8 |
| luaopen_table | 8 |
| luaopen_base | 8 |
| ??0CHKDSK_MESSAGE@@QAE@XZ | 8 |
| ?Initialize@CHKDSK_MESSAGE@@QAEPAV | 8 |
| ??1CHKDSK_MESSAGE@@UAE@XZ | 8 |
| ?Set@CHKDSK_MESSAGE@@UAEEKW4MES | 8 |
| SQLUIUnloadResourceDLL | 8 |

| | |
|--|---|
| I_NetServerPasswordSet2 | 8 |
| GdipPathIterEnumerate | 8 |
| GdipPathIterRewind | 8 |
| SetupDefaultQueueCallback | 8 |
| vlc_meta_Set | 8 |
| RegQueryValueExI | 8 |
| CryptCATAdminPauseServiceForBackup | 8 |
| LPSAFEARRAY_Unmarshal | 8 |
| __lopen_@8 | 8 |
| @Proxies@initialization\$qqrv | 8 |
| @Forms@TApplication@Restore\$qqrv | 8 |
| @Graphics@TCanvas@SetFont\$qqrp14Grap | 8 |
| @Controls@TWinControl@DefineProperties | 8 |
| @Comctrls@TListItems@Add\$qqrv | 8 |
| @Stdctrls@TCustomLabel@\$bctr\$qqrp18Cl | 8 |
| @Appevnts@TApplicationEvents@ | 8 |
| acmFilterEnumA | 8 |
| _WinStationNotifyNewSession | 8 |
| deflateInit_ | 8 |
| @Regexpr@Finalization\$qqrv | 8 |
| PL_DHashTableInit | 8 |
| PL_DHashTableFinish | 8 |
| PL_DHashFinalizeStub | 8 |
| PL_DHashMoveEntryStub | 8 |
| PL_DHashFreeTable | 8 |
| PL_DHashAllocTable | 8 |
| ?assign_from_gs_contractid_with_error@ns | 8 |
| ?sEmptyBuffer@?\$nsCharTraits@G@@2PB | 8 |
| ?assign_with_AddRef@nsCOMPtr_base@@ | 8 |
| ?assign_from_gs_contractid@nsCOMPtr_ba | 8 |
| ?assign_from_qi_with_error@nsCOMPtr_ba | 8 |
| NS_Free_P | 8 |
| ??1nsAString_internal@@QAE@XZ | 8 |
| ??0nsCreateInstanceByContractID@@QAE@ | 8 |
| __vbaMidStmtBstrB | 8 |
| CM_Get_Resource_Conflict_DetailsW | 8 |
| GetNtmsObjectSecurity | 8 |
| UpdateNtmsOmidInfo | 8 |
| ImportNtmsDatabase | 8 |
| GetNtmsObjectAttributeW | 8 |
| SetNtmsObjectAttributeW | 8 |
| IdentifyNtmsSlot | 8 |
| SetNtmsUIOptionsW | 8 |
| @\$xp\$25Controls@TSizeConstraints | 8 |
| RegWinStationQueryValueW | 8 |
| RegCdCreateW | 8 |
| RegCdEnumerateA | 8 |

| | |
|--------------------------------------|---|
| RegIsTServer | 8 |
| _SHFileOperation_@4 | 8 |
| _EnumProps_@8 | 8 |
| WVTAsn1SpcStatementTypeEncode | 8 |
| SoftwareUpdateMessageBox | 8 |
| ATMFontSelected | 8 |
| ATMGetMenuNameA | 8 |
| ATMBBoxBaseXYShowTextA | 8 |
| ATMGetGlyphList | 8 |
| ATMGetMenuNameW | 8 |
| ATMMakePSSA | 8 |
| ATMAddFont | 8 |
| glTexCoord3d | 8 |
| ZwReleaseKeyedEvent | 8 |
| BASS_Init | 8 |
| CoPopServiceDomain | 8 |
| acmFormatTagEnumW | 8 |
| ?SkipUShort@CMemDeSerStream@@UAEX` | 8 |
| DhcpSetOptionInfo | 8 |
| SslFreeCertificate | 8 |
| SslLoadCertificate | 8 |
| CombineRecordsInBlob | 8 |
| DnsQueryExA | 8 |
| DnsRecordBuild_UTF8 | 8 |
| DnsUtf8ToUnicode | 8 |
| DnsNameCompareEx_UTF8 | 8 |
| DnsNotifyResolverClusterIp | 8 |
| bcp_batch | 8 |
| SQLLinkedCatalogsW | 8 |
| dbprtypeA | 8 |
| ?IsValidLastWriteTime@FAT_DIRENT@@QB | 8 |
| AllocLocalData | 8 |
| pvTerminateProgram | 8 |
| FreeLocalData | 8 |
| DBDatabase | 8 |
| DBCclose | 8 |
| DBXAccess | 8 |
| BcxExit | 8 |
| ZPREXTEND | 8 |
| bPrintFileName | 8 |
| bGetActualArgsExv | 8 |
| ZEXVARG | 8 |
| PropertiesEx | 8 |
| ZTRADVER | 8 |
| ZMINVER | 8 |
| ZMINVERUX | 8 |
| pszCurrentModule | 8 |

| | |
|----------------------------------|---|
| bOptimizeSearch | 8 |
| iNewFrmSpec | 8 |
| pszSUBProto | 8 |
| psArgv | 8 |
| iArgc | 8 |
| CallAllPrograms | 8 |
| PROGC | 8 |
| ZNOMEXE | 8 |
| BcMain2 | 8 |
| TraceDebug2 | 8 |
| DBCreateVars2 | 8 |
| CANVID | 8 |
| EntryInitProgramData | 8 |
| cRowsRI | 8 |
| cColsRI | 8 |
| RI | 8 |
| KYM | 8 |
| ExitInitProgramData | 8 |
| EntryTerminateProgram | 8 |
| DBRemoveVars | 8 |
| RCCHAN | 8 |
| WgsInitData | 8 |
| ExitTerminateProgram | 8 |
| szProgramName | 8 |
| RCSRCH | 8 |
| SearchSTR | 8 |
| WgsExitAppThread | 8 |
| WgsInitID | 8 |
| DBDefineStructs | 8 |
| SaferiPopulateDefaultsInRegistry | 8 |
| BrowseForGPO | 8 |
| RtlInterlockedPushListSList | 8 |
| ??_7?\$codecvt@DDH@std@@@6B@ | 8 |
| ??0?\$allocator@D@std@@@QAE@XZ | 8 |
| NetpwNameValidate | 8 |
| NetDfsManagerGetConfigInfo | 8 |
| g_object_get_data | 8 |
| CreateMD5SSOHash | 8 |
| ATMEnumMMFontsA | 8 |
| illInit | 8 |
| _AIL_open_digital_driver@16 | 8 |
| _AIL_close_digital_driver@4 | 8 |
| _AIL_release_sample_handle@4 | 8 |
| Py_SetProgramName | 8 |
| PyDict_SetItemString | 8 |
| PyObject_GetAttr | 8 |
| PyList_Append | 8 |

| | |
|--|---|
| PyInt_AsLong | 8 |
| PyDict_Type | 8 |
| MsiFormatRecordW | 8 |
| MsiSetFeatureStateW | 8 |
| _CommDlg_OpenSave_GetFolderPath@12 | 8 |
| ?LoadStringW@CString@@QAEHI@Z | 8 |
| ??H@YG?AVCString@@GABV0@@Z | 8 |
| ?NewAssoc@CMapStringToPtr@@IAEPAUC. | 8 |
| ?Lock@CSyncObject@@UAEHK@Z | 8 |
| CM_Get_Class_Key_Name_ExW | 8 |
| I_NetServerGetTrustInfo | 8 |
| VarBoolFromUI1 | 8 |
| VarDateFromUI2 | 8 |
| CsrCaptureTimeout | 8 |
| ZwAccessCheckByType | 8 |
| ?SetCurrentProperty@CQueryParser@@AAI | 8 |
| ?VerifyThreadHasAdminPrivilege@@YGXXZ | 8 |
| IPSecEnumNFAData | 8 |
| IPSecCopyFilterData | 8 |
| PR_smprintf | 8 |
| RasPortSetInfo | 8 |
| ZwOpenTimer | 8 |
| ZwSetSystemEnvironmentValueEx | 8 |
| RtlLargeIntegerDivide | 8 |
| vDbgPrintEx | 8 |
| PdhGetDefaultPerfObjectHW | 8 |
| PdhListLogFileHeaderA | 8 |
| AtlCreateTargetDC | 8 |
| DsGetDcNameWithAccountA | 8 |
| I_NetLogonSendToSam | 8 |
| ASN1BEREncUTCTime | 8 |
| ASN1CEREncCharString | 8 |
| DoDeleteAllItems | 8 |
| HookKBLL | 8 |
| @_ReThrowException\$quipuc | 8 |
| _strcmp | 8 |
| typelib_typedescriptionreference_new | 8 |
| ??6?\$basic_ostream@GU?\$char_traits@G@ | 8 |
| ??8locale@std@@QBE_NABV01@@Z | 8 |
| ?open@?\$basic_fstream@DU?\$char_traits@ | 8 |
| ?_Init@?\$money_put@DV?\$ostreambuf_ite | 8 |
| ??Kstd@@YA?AV?\$complex@N@0@ABNAE | 8 |
| ??0CPersDeComp@@QAE@AAVPDirectory@ | 8 |
| ?ReleaseRead@CPropertyStore@@AAEXAA' | 8 |
| ??1CPropertyList@@UAE@XZ | 8 |
| ?QueryInterface@CFwPropertyMapper@@I | 8 |
| ?GetFileSystem@CDriveInfo@@QAE?AW4e | 8 |

| | |
|---|---|
| ?Release@CEnumWorkid@@UAGKXZ | 8 |
| ocon | 8 |
| oermsg | 8 |
| ologTransacted | 8 |
| MprAdminMIBServerDisconnect | 8 |
| MprAdminInterfaceDeviceSetInfo | 8 |
| ?IsWinNt4orLater@CMdVersionInfo@@SAH | 8 |
| ?WriteUnlock@CLKRLinearHashTable@@QE | 8 |
| ?Write@CmLogFile@@AAEJPAG@Z | 8 |
| ??0CIniA@@QAE@PAUHINSTANCE__@@PI | 8 |
| @Cxdredit@TcxDBTextEdit@ | 8 |
| @Fr_dctrl@initialization\$qqrv | 8 |
| @Fr_redit@initialization\$qqrv | 8 |
| @Fr_rect@initialization\$qqrv | 8 |
| @Fr_chbox@initialization\$qqrv | 8 |
| @Fr_adodb@initialization\$qqrv | 8 |
| @Fr_dblookupctl@initialization\$qqrv | 8 |
| @Fr_dbutils@initialization\$qqrv | 8 |
| @Fr_adotable@initialization\$qqrv | 8 |
| @Fr_dbfldeditor@initialization\$qqrv | 8 |
| @Fr_dbfldlist@initialization\$qqrv | 8 |
| @Fr_dbnewlookup@initialization\$qqrv | 8 |
| @Fr_adomd@initialization\$qqrv | 8 |
| @Fr_adoquery@initialization\$qqrv | 8 |
| @Fr_dbsqledit@initialization\$qqrv | 8 |
| @Fr_adoqueryparam@initialization\$qqrv | 8 |
| @Fr_adoquery2@initialization\$qqrv | 8 |
| @Fr_adoqueryparam2@initialization\$qqrv | 8 |
| @Froleexl@initialization\$qqrv | 8 |
| @Fr_e_csv@initialization\$qqrv | 8 |
| @Fr_rich@initialization\$qqrv | 8 |
| LdrVerifyImageMatchesChecksum | 8 |
| ResUtil SetPropertyTable | 8 |
| ResUtil EnumProperties | 8 |
| RegUserConfig Rename | 8 |
| TopI VertexInit | 8 |
| TopI GraphDestroy | 8 |
| _RegOpenKey_@12 | 8 |
| IcmpSendEcho2Ex | 8 |
| NdisCancelTimer | 8 |
| ??6?\$basic_ostream@GU?\$char_traits@G@ | 8 |
| Idap_create_sort_controlW | 8 |
| DsRoleDcAsDc | 8 |
| ?Read@CLUSTER_CHAIN@@UAEEXZ | 8 |
| ?Initialize@FILEDIR@@QAEEPAVMEM@@P | 8 |
| ??0FAT_SA@@QAE@XZ | 8 |
| ?Initialize@EA_SET@@QAEEPAVMEM@@P | 8 |

| | |
|--|---|
| PdhLookupPerfIndexByNameW | 8 |
| PdhBrowseCountersHA | 8 |
| TF_CreateInputProcessorProfiles | 8 |
| PowerDeterminePlatformRole | 8 |
| RemoveGadgetProperty | 8 |
| UtilDrawOutlineRect | 8 |
| ?GetPhysicalPath@CWebServer@@QAEKPB | 8 |
| GdipCreateFromHDC2 | 8 |
| GdipSetWorldTransform | 8 |
| NdisMIndicateStatusComplete | 8 |
| ServerLicensingFreePolicyInformation | 8 |
| ServerLicensingGetPolicyInformationA | 8 |
| WinStationSetInformationA | 8 |
| DsGetRdnW | 8 |
| ZwAddAtom | 8 |
| osl_unloadModule | 8 |
| ?IsUnlocked@CLockedDoubleList@@QBE_N | 8 |
| ?sm_dblDfltSpinAdjFctr@CReaderWriterLocl | 8 |
| ?ReadLock@CLKRLinearHashTable@@QBEX | 8 |
| ??OClockedSingleList@@QAE@XZ | 8 |
| ?pbump@?\$basic_streambuf@DU?\$char_tr | 8 |
| NtAccessCheckByType | 8 |
| ZwQueryIoCompletion | 8 |
| NtCreateProfile | 8 |
| ZwTraceEvent | 8 |
| ZwTranslateFilePath | 8 |
| ??_8fstream@@7Bostream@@@ | 8 |
| I_RpcPauseExecution | 8 |
| NtSetTimerResolution | 8 |
| RtlAddCompoundAce | 8 |
| WahDisableNonIFSHandleSupport | 8 |
| WahOpenApcHelper | 8 |
| MprConfigBufferFree | 8 |
| MprDomainRegisterRasServer | 8 |
| I_CryptFindLruEntry | 8 |
| ATMGetFontInfoW | 8 |
| ATMGetNtmFields | 8 |
| ATMGetPostScriptName | 8 |
| ATMXYShowTextW | 8 |
| GenClientContext | 8 |
| ConnectionSqlVer | 8 |
| ConnectionFlushCache | 8 |
| ConnectionOption | 8 |
| AddGadgetMessageHandler | 8 |
| ConvertSecDescriptorToVariant | 8 |
| PropVariantToAdsType | 8 |
| @Stdctrls@TCustomEdit@SelectAll\$qqrv | 8 |

| | |
|---|---|
| NS_CStringToUTF16 | 8 |
| I_RpcServerAllocateIpPort | 8 |
| ZwQuerySemaphore | 8 |
| _FSOUND_StopSound@4 | 8 |
| _FSOUND_Init@12 | 8 |
| _FSOUND_SetVolume@8 | 8 |
| RARReadHeader | 8 |
| JetAttachDatabase2 | 8 |
| JetSetColumnDefaultValue | 8 |
| JetExternalRestore2 | 8 |
| c32SetDLLErrInfo | 8 |
| ?Delete@BasePrivate@@YAXPAX@Z | 8 |
| rtcLeftTrimVar | 8 |
| JetGrowDatabase | 8 |
| JetGetLogInfoInstance | 8 |
| _fdopen64 | 8 |
| glutGet | 8 |
| NtQueryDebugFilterState | 8 |
| WizDatabaseDlgProc | 8 |
| BCP_exec | 8 |
| JetDelete@8 | 8 |
| ?FastInit@CPropStoreManager@@QAEXPAT_ | 8 |
| ?GetCLSID@CAutoStorageVariant@@QBE?A | 8 |
| ??1CRestriction@@QAE@XZ | 8 |
| ?_Pdif@?\$basic_string@GU?\$char_traits@C | 8 |
| VarUI8FromUI2 | 8 |
| DnsIsAMailboxType | 8 |
| LAUNCHWIZARD | 8 |
| cmc_logon | 8 |
| LeCopy | 8 |
| ErrSetHostNames | 8 |
| OleRequestData | 8 |
| DefCreate | 8 |
| ErrSetData | 8 |
| OleCreateInvisible | 8 |
| WNetClearConnections | 8 |
| ?InitPlatformFileSystem@Boot@Util@@YAF | 8 |
| ?replace@?\$basic_string@_WU?\$char_trait | 8 |
| _ZN11QTextStreamD1Ev | 8 |
| ??1Wallpaper@@QAE@XZ | 8 |
| ?Notify@Control@@UAEJAAVNotifyEvent@ | 8 |
| ?GetSizePixel@Image@@QBE?AVSize@@X | 8 |
| ??0Time@@QAE@KKKK@Z | 8 |
| ?AppendAscii@String@@QAEAAV1@PBD@ | 8 |
| ??0Time@@QAE@XZ | 8 |
| ?QueryDelete@SvRefBase@@MAEXXZ | 8 |
| cmc_read | 8 |

| | |
|--|---|
| FPropCompareProp@12 | 8 |
| ??0strstreambuf@@QAE@PAEH0@Z | 8 |
| WinWatchNotify | 8 |
| ?SetAsyncCallback@TXTimer@@YAHPAUIT@ | 8 |
| ?SetPerfReportDataForWord@PerfDataRcp | 8 |
| ?RemoveAll@SPARSE_SET@@QAEEHZ | 8 |
| ?CheckValidSecurityDescriptor@IFS_SYSTEM | 8 |
| WinStationQueryLicense | 8 |
| ?clone@ACE_Message_Block@@UBEPAV1C | 8 |
| ?get_handle@ACE_Event_Handler@@UBEP | 8 |
| ?set_handle@ACE_Event_Handler@@UAEX | 8 |
| ?priority@ACE_Event_Handler@@UAEXH@ | 8 |
| ?priority@ACE_Event_Handler@@UBEHXZ | 8 |
| ?handle_input@ACE_Event_Handler@@UA | 8 |
| ?handle_output@ACE_Event_Handler@@U | 8 |
| ?handle_exception@ACE_Event_Handler@C | 8 |
| ?handle_timeout@ACE_Event_Handler@@I | 8 |
| ?handle_exit@ACE_Event_Handler@@UAEI | 8 |
| ?handle_close@ACE_Event_Handler@@UAI | 8 |
| ?handle_signal@ACE_Event_Handler@@UA | 8 |
| ?resume_handler@ACE_Event_Handler@@ | 8 |
| ?handle_qos@ACE_Event_Handler@@UAEI | 8 |
| ?handle_group_qos@ACE_Event_Handler@ | 8 |
| ?reactor@ACE_Event_Handler@@UBEPAVA | 8 |
| ?reactor@ACE_Event_Handler@@UAEXPBV | 8 |
| ?suspend@ACE_Task_Base@@UAEHXZ | 8 |
| ?resume@ACE_Task_Base@@UAEHXZ | 8 |
| ?open@ACE_Task_Base@@UAEHPAX@Z | 8 |
| ?close@ACE_Task_Base@@UAEHK@Z | 8 |
| ?module_closed@ACE_Task_Base@@UAEH | 8 |
| ?put@ACE_Task_Base@@UAEHPAVACE_Me | 8 |
| ?wait@ACE_Task_Base@@UAEHXZ | 8 |
| ?init@ACE_Shared_Object@@UAEHHQAPA | 8 |
| ?fini@ACE_Shared_Object@@UAEHXZ | 8 |
| ?info@ACE_Shared_Object@@UBEHPAPAD | 8 |
| ?max_time@ACE_Time_Value@@2V1@B | 8 |
| ?log@ACE_Log_Msg@@QAAHW4ACE_Log_ | 8 |
| ?conditional_set@ACE_Log_Msg@@QAEXP | 8 |
| ?svc@ACE_Task_Base@@UAEHXZ | 8 |
| ??1ACE_Task_Base@@UAE@XZ | 8 |
| ??1ACE_Message_Queue_Base@@UAE@XZ | 8 |
| ?signal@ACE_Condition_Thread_Mutex@@ | 8 |
| ?get_singleton_lock@ACE_Object_Manager | 8 |
| ??0ACE_Task_Base@@QAE@PAVACE_Thre | 8 |
| XML_Parse | 8 |
| ??1bad_exception@std@@UAE@XZ | 8 |
| JetOpenFileInstance | 8 |

| | |
|---------------------------------------|---|
| RpcNsBindingImportBeginA | 8 |
| RpcNsBindingLookupDone | 8 |
| DnsValidateUtf8Byte | 8 |
| DnsUpdateTest_UTF8 | 8 |
| ?!lock@QMutex@@QAEXXZ | 8 |
| @Db@TDateField@ | 8 |
| @Rxfgif@initialization\$qqrv | 8 |
| @Rxgraph@initialization\$qqrv | 8 |
| @Anifile@initialization\$qqrv | 8 |
| @Rxfconst@initialization\$qqrv | 8 |
| SnmpTfxQuery | 8 |
| moz_xmalloc | 8 |
| moz_free | 8 |
| EditStreamCopy | 8 |
| ConvertStringSDToSDDomainW | 8 |
| ShutDownCM | 8 |
| DTC_XaClose | 8 |
| DTC_XaStart | 8 |
| ?GetDtcLogPath@@YGHKPAG@Z | 8 |
| ?InstallDtcClient@@YGJPAGKK@Z | 8 |
| DTC_XaComplete | 8 |
| DTC_XaOpen | 8 |
| DTC_XaCommit | 8 |
| DllGetDTCProxy | 8 |
| DTC_XaPrepare | 8 |
| DTC_XaForget | 8 |
| ?RemoveDtc@@YGJPAG00@Z | 8 |
| ?MakeLocalCommand@@YGJPAPAUUIUnkn | 8 |
| ?SetStartKey@CRangeRestriction@@QAEXA | 8 |
| ??1COccRestriction@@QAE@XZ | 8 |
| ILFindLastID | 8 |
| LdapProvOpenStore | 8 |
| ODBCGetTryWaitValue | 8 |
| @System@@Close\$qqrv | 8 |
| @System@@FreeMem\$qqrv | 8 |
| ?setf@ios_base@std@@QAEHH@Z | 8 |
| _TTCharToUnicode@24 | 8 |
| _TTRunValidationTests@8 | 8 |
| _TTGetEmbeddingType@8 | 8 |
| _TTDeleteEmbeddedFont@12 | 8 |
| _TTEnableEmbeddingForFacename@8 | 8 |
| _TTIsEmbeddingEnabled@8 | 8 |
| _TTEmbedFont@44 | 8 |
| ?GetErrorMessage@SC@mmcerror@@QBE | 8 |
| ?GetHWnd@SC@mmcerror@@SGPAUHWN | 8 |
| ??BSC@mmcerror@@QBE_NXZ | 8 |
| CAEnumCertTypesForCAEx | 8 |

| | |
|--|---|
| VarI2FromDate | 8 |
| ?close@?\$basic_ofstream@GU?\$char_traits | 8 |
| PropCopyMore@16 | 8 |
| _CreateEnhMetaFile_@16 | 8 |
| _LoadCursorFromFile_@4 | 8 |
| _GetFileAttributes_@4 | 8 |
| RtmAddRouteToDest | 8 |
| RtmGetEnumRoutes | 8 |
| WinStationEnumerateLicenses | 8 |
| CASetCAProperty | 8 |
| CASetCACertificate | 8 |
| CASetCASecurity | 8 |
| ?replace@?\$basic_string@GU?\$char_traits@ | 8 |
| RepairCompactProc | 8 |
| CcGetFileObjectFromSectionPtrs | 8 |
| VarBoolFromR4 | 8 |
| _FindFirstChangeNotification_@12 | 8 |
| SQLGetInfoA | 8 |
| NtQueryBootOptions | 8 |
| PbQueryBounds | 8 |
| PbCreateFromClip | 8 |
| PbCreateFromTemplate | 8 |
| OpenODBCPerfData | 8 |
| SQLColAttributeA | 8 |
| ??0CTXStringW@@QAE@PB_WH@Z | 8 |
| ?GetBuffer@CTXStringA@@QAEPAH@Z | 8 |
| ??0Edit@@QAE@PAVWindow@@ABVResIc | 8 |
| ?DataChanged@Window@@UAEXABVData | 8 |
| ?StateChanged@Window@@UAEXG@Z | 8 |
| ?LogicToPixel@OutputDevice@@QBE?AVSiz | 8 |
| ?IsVisible@Window@@QBEEZ | 8 |
| ?SetHelpId@Window@@QAEXK@Z | 8 |
| ??0SvtPathOptions@@QAE@XZ | 8 |
| ??1SvtPathOptions@@UAE@XZ | 8 |
| ??0SvMemoryStream@@QAE@PAXKG@Z | 8 |
| ??0String@@QAE@D@Z | 8 |
| ?setFinalSlash@INetURLObject@@QAE_NXZ | 8 |
| ?getPropertyValue@Content@ucbhelper@() | 8 |
| ?describeProperties@OPropertyContainerHe | 8 |
| LdapGetValuesLen | 8 |
| UNKOBJ_ScAllocate@12 | 8 |
| ScsiPortGetPhysicalAddress | 8 |
| ScsiPortLogError | 8 |
| ScsiPortConvertUlongToPhysicalAddress | 8 |
| RtlWalkFrameChain | 8 |
| CredentialUpdateNotify | 8 |
| CredentialUpdateRegister | 8 |

| | |
|---------------------------------------|---|
| RasSetSubEntryPropertiesA | 8 |
| RasEditPhonebookEntryW | 8 |
| ATMGetVersionExW | 8 |
| ATMGetOutline | 8 |
| gimp_pixel_rgn_get_rect | 8 |
| make_URI | 8 |
| ?Append@TPtrArray@XPRT@@QAEHABV12 | 8 |
| xprt_uintlen | 8 |
| xprt_intlen | 8 |
| kUnicodeEncoding | 8 |
| kLatin1Encoding | 8 |
| kEnglishLanguage | 8 |
| ??0TBstr@XPRT@@QAE@PBGH@Z | 8 |
| ??0TShaDigest@XPRT@@QAE@XZ | 8 |
| ??0TMd4Digest@XPRT@@QAE@H@Z | 8 |
| ?Set@TTime@XPRT@@QAEXPBG@Z | 8 |
| ?Finish@TShaDigest@XPRT@@UAEHPAEH@ | 8 |
| ?SetOp@TCipher@XPRT@@QAEXW4ECiph@ | 8 |
| xprt_time | 8 |
| ??1TCipher@XPRT@@UAE@XZ | 8 |
| ?GetType@TBlockCipher@XPRT@@UAE?AV | 8 |
| ??0TBlockCipher@XPRT@@QAE@W4ECiph@ | 8 |
| ??0TCipher@XPRT@@QAE@W4ECipherOp@ | 8 |
| ?SetAt@TBstr@XPRT@@QAEXHG@Z | 8 |
| _XprtCompareVersionsA@8 | 8 |
| _XprtGetDelayLoadRoot@0 | 8 |
| ?MakeBigEndian@TBstr@XPRT@@QAEAAV | 8 |
| ??1TConvertFromUcs2@XPRT@@QAE@XZ | 8 |
| ??0TConvertFromUcs2@XPRT@@QAE@PBC | 8 |
| xprt_strtol | 8 |
| xprt_strcmp | 8 |
| xprt_strstr | 8 |
| ?FindIndex@TPtrList@XPRT@@QBEPAU__P | 8 |
| xprt_isspace | 8 |
| xprt_strtok | 8 |
| xprt_strchr | 8 |
| xprt_toupper | 8 |
| xprt_wcstol | 8 |
| ?InsertBefore@TPtrList@XPRT@@QAEPAU__ | 8 |
| _XprtHashFile@16 | 8 |
| ??0TSha256Digest@XPRT@@QAE@XZ | 8 |
| xprt_abs | 8 |
| _XprtInetNtoA@8 | 8 |
| _XprtInetParse@16 | 8 |
| _XprtStringEncodedByteLen@12 | 8 |
| kGsmEncoding | 8 |
| _XprtAolToIsoEncoding@8 | 8 |

| | |
|--|---|
| _XprtIsoToAolEncoding@8 | 8 |
| ?Lookup@TPtrFromPtrMap@XPRT@@QAEF | 8 |
| ?Finish@THmac@XPRT@@QAEHPAEH@Z | 8 |
| ?Update@THmac@XPRT@@QAEXPBEH@Z | 8 |
| ??0THmac@XPRT@@QAE@AAVTMessageD | 8 |
| ?SetLastWriteTime@TFile@XPRT@@SA_NP | 8 |
| _XprtComputeChecksum@8 | 8 |
| _XprtHashNormal@4 | 8 |
| ?FindValue@TPtrFromPtrMap@XPRT@@QF | 8 |
| kTextMimeType | 8 |
| xprt_wcsncmp | 8 |
| _XprtAolToIsoLang@8 | 8 |
| _XprtIsoToAolLang@8 | 8 |
| kTextAolRtfMimeType | 8 |
| ?FormatGmt@TTime@XPRT@@QBE?AVTBs | 8 |
| xprt_pow | 8 |
| kTextPlainMimeType | 8 |
| _XprtInetIsNonroutable@4 | 8 |
| _XprtInetIsValid@4 | 8 |
| ?Find@TPtrArray@XPRT@@QBEHPAXH@Z | 8 |
| ?RemoveAtPos@TPtrFromPtrMap@XPRT@() | 8 |
| ?MakeValidSpec@TFile@XPRT@@SA?AVTB | 8 |
| ?CreateTempFileSpec@TFile@XPRT@@SA?, | 8 |
| ?Insert@TBstr@XPRT@@QAEHHG@Z | 8 |
| ??1TBufferedFile@XPRT@@UAE@XZ | 8 |
| ??0TBufferedFile@XPRT@@QAE@H@Z | 8 |
| ??0TInetChecksum@XPRT@@QAE@XZ | 8 |
| ?Finish@TInetChecksum@XPRT@@QAEGXZ | 8 |
| ?SetCurrent@TInetChecksum@XPRT@@QA | 8 |
| ?Update@TInetChecksum@XPRT@@QAEXP | 8 |
| ?Finish@TCrc32Digest@XPRT@@QAEIXZ | 8 |
| ??0TCrc32Digest@XPRT@@QAE@XZ | 8 |
| _XprtCompareWildcard@8 | 8 |
| xprt_iswalpha | 8 |
| xprt_iswalnum | 8 |
| xprt_wcsncmp | 8 |
| _XprtBinToHex@16 | 8 |
| ??1TXmlDeserializer@XPRT@@UAE@XZ | 8 |
| ?Deserialize@TXmlSerializable@XPRT@@Q | 8 |
| ??0TXmlDeserializer@XPRT@@QAE@AAVT | 8 |
| ??1TXmlWriter@XPRT@@UAE@XZ | 8 |
| ?GetData@TMemStream@XPRT@@QBEPB) | 8 |
| ?GetLength@TMemStream@XPRT@@UBE_ | 8 |
| ?WriteEndDocument@TXmlWriter@XPRT@ | 8 |
| ?Serialize@TXmlSerializable@XPRT@@QBE_ | 8 |
| ?WriteStartDocument@TXmlWriter@XPRT@ | 8 |
| ??0TXmlWriter@XPRT@@QAE@AAVTStrea | 8 |

| | |
|--|---|
| ?OnCharacterData@TXmlParser@XPRT@@@I | 8 |
| ?EndElement@TXmlParser@XPRT@@@MA | 8 |
| ?Assign@TBstr@XPRT@@@QAEAAV12@PBDI | 8 |
| xprt_isdigit | 8 |
| ?Find@TZipArchive@XPRT@@@UAEPAU__PC | 8 |
| ?GetTempDirectory@TFile@XPRT@@@SA?AV | 8 |
| xprt_strlcat | 8 |
| _XprtUnicodeToMultibyte@16 | 8 |
| _XprtMultibyteToUnicode@16 | 8 |
| _XprtInetAtoN@12 | 8 |
| ?GetBstrPtr@TBstr@XPRT@@@QAEPAVAGXZ | 8 |
| xprt_isalnum | 8 |
| xprt_tolower | 8 |
| ?kLibraryExtension@TLibrary@XPRT@@@2QE | 8 |
| ?Copy@TPtrArray@XPRT@@@QAEABV12@I | 8 |
| ??0TTimer@XPRT@@@QAE@XZ | 8 |
| ?SetCallback@TTimer@XPRT@@@QAEPAVT | 8 |
| ?Stop@TTimer@XPRT@@@QAEXXZ | 8 |
| ?IsRunning@TTimer@XPRT@@@QBE_NXZ | 8 |
| ?Start@TTimer@XPRT@@@QAE_NH_N@Z | 8 |
| ??1TTimer@XPRT@@@UAE@XZ | 8 |
| xprt_rand | 8 |
| ?GetTimeZoneOffset@TTime@XPRT@@@SA? | 8 |
| xprt_snprintf | 8 |
| xprt_wcstoul | 8 |
| ?Unlock@TSpinLockRE@XPRT@@@QAEXXZ | 8 |
| ?Lock@TSpinLockRE@XPRT@@@QAEXXZ | 8 |
| ?GetNext@TPtrFromPtrMap@XPRT@@@QBE | 8 |
| ?GetFileSpec@TLibrary@XPRT@@@QBEABVT | 8 |
| ?VAdoptKey@TPtrFromGuidMap@XPRT@@@ | 8 |
| ?VOrphanKey@TPtrFromGuidMap@XPRT@@@ | 8 |
| ?VCompareKeys@TPtrFromGuidMap@XPRT | 8 |
| ?VHashKey@TPtrFromGuidMap@XPRT@@@I | 8 |
| InitializeConditionVariable | 8 |
| QueryTraceA | 8 |
| ??1CCatState@@@QAE@XZ | 8 |
| ?AcqWord@CQueryScanner@@@QAEPAVAGXZ | 8 |
| NdrClientInitialize | 8 |
| FsRtlRegisterUncProvider | 8 |
| PerfOpen | 8 |
| GdipCombineRegionPath | 8 |
| GdipStringFormatGetGenericDefault | 8 |
| ?mkpath@QDir@@@QBE_NABVQString@@@C | 8 |
| ?absolutePath@QDir@@@QBE_AVQString@@@C | 8 |
| ?exists@QDir@@@QBE_NXZ | 8 |
| ??0QTextStream@@@QAE@PAVQIODevice@ | 8 |
| ?indexOf@QString@@@QBEHABV1@HW4Ca | 8 |

| | |
|--------------------------------------|---|
| ?exists@QFileInfo@@QBE_NXZ | 8 |
| ??YQString@@QAEAAV0@ABV0@@Z | 8 |
| ?erase@QListData@@QAEPAXPAPAX@Z | 8 |
| popen | 8 |
| LsFindNextBreakSubline | 8 |
| _InsertMenuItem_@16 | 8 |
| ?GetITypeLib@CComPlusTypelib@@QAEPAI | 8 |
| QueryUserDIIW | 8 |
| ??_7CComPlusInterface@@6B@ | 8 |
| CGMIsAdministrator | 8 |
| ??4CComPlusInterface@@QAEAAV0@ABV0 | 8 |
| UnSocksify | 8 |
| cygwin_detach_dll | 8 |
| g_return_if_fail_warning | 8 |
| g_type_check_class_cast | 8 |
| deflateInit2_ | 8 |
| RpcNsMgmtEntryCreateA | 8 |
| ?Initialize@CANNED_SECURITY@@QAEEXZ | 8 |
| ?GetMessageW@IO_DP_DRIVE@@QAEPAV | 8 |
| ?WriteToFile@IFS_SYSTEM@@SGEPBVWSTI | 8 |
| ??0LOG_IO_DP_DRIVE@@QAE@XZ | 8 |
| ?Verify@IO_DP_DRIVE@@QAEVBIG_INT@ | 8 |
| RegisterWaitChainCOMCallback | 8 |
| CheckWindowThreadDesktop | 8 |
| CoGetCallState | 8 |
| CoGetActivationState | 8 |
| WerpAddAppCompatData | 8 |
| WerpReportCancel | 8 |
| WerpGetReportConsent | 8 |
| WerpAddRegisteredDataToReport | 8 |
| WerpAddFile | 8 |
| WerpPromptUser | 8 |
| WerpAddSecondaryParameter | 8 |
| WerpSetEventName | 8 |
| WerpSetDynamicParameter | 8 |
| WerpGetReportFlags | 8 |
| WerpSetReportFlags | 8 |
| SCardRemoveReaderFromGroupW | 8 |
| MprAdminServerGetCredentials | 8 |
| MprConfigTransportGetInfo | 8 |
| ??Mstd@@YA_NPBDABV?\$basic_string@DU | 8 |
| ?sqrt@?\$_Ctr@M@std@@SAMM@Z | 8 |
| SQLSetParam | 8 |
| ??_7CStringArray@@6B@ | 8 |
| SCardSetCardTypeProviderNameA | 8 |
| SCardAccessNewReaderEvent | 8 |
| KeFindConfigurationEntry | 8 |

| | |
|---|---|
| VarBstrFromI1 | 8 |
| ??0CQueryScanner@@QAE@PBGHKH@Z | 8 |
| ?Marshall@CRestriction@@QBEXAAVPSerSt | 8 |
| ?QueryInterface@CQueryUnknown@@UAG | 8 |
| ??0CPropertyValueParser@@QAE@AAVCQI | 8 |
| ?IsNullPointerVariant@@YGHPAUtagPROPV | 8 |
| ?UnMarshall@CDBContentVector@@QAEH, | 8 |
| ?GetParent@CFolder@@QAEPAV1@XZ | 8 |
| ?AllocCopyValue@CCollection@@AAEKPAV | 8 |
| ??4CPointerList@@QEAHAV0@ABV0@@Z | 8 |
| ?GetSampleLocation@CCollection@@QAEP, | 8 |
| SetupRemoveFileLogEntryW | 8 |
| ?_InsertThisIntoGlobalList@CLKRLinearHash | 8 |
| ?WPPS@CIniW@@QAEXPBG00@Z | 8 |
| MsiSourceListClearAllA | 8 |
| ?AllocChain@FAT@@QAEKKPAK@Z | 8 |
| ?Write@CLUSTER_CHAIN@@UAEEHZ | 8 |
| @Graphics@TFont@SetCharset\$qqruc | 8 |
| SdbSetEntryFlags | 8 |
| SdbIsNullGUID | 8 |
| NetConfigSet | 8 |
| ZwSetDefaultHardErrorPort | 8 |
| NtAccessCheckByTypeResultListAndAuditAla | 8 |
| ?assign@?\$basic_string@_WU?\$char_traits | 8 |
| CMGetNamedProfileInfo | 8 |
| CMTranslateRGB | 8 |
| CMCreateTransformExtW | 8 |
| CMTranslateRBGsExt | 8 |
| HrAddColumns@16 | 8 |
| HrQueryAllRows@24 | 8 |
| @Dcscript@initialization\$qqrv | 8 |
| @Dcaxscript@initialization\$qqrv | 8 |
| @Dcapp@initialization\$qqrv | 8 |
| @Dccdes@initialization\$qqrv | 8 |
| @Dcparser@initialization\$qqrv | 8 |
| Utf16ToUtf8 | 8 |
| ?MMCErrorBox@@YGHPGVSC@mmerror | 8 |
| ?FatalError@SC@mmerror@@QBEXXZ | 8 |
| ??8@YA_NPB_WABVCTXStringW@@@Z | 8 |
| RpcBindingInqAuthInfoExA | 8 |
| ??4?\$basic_streambuf@GU?\$char_traits@G | 8 |
| IsStartDelete | 8 |
| RemoveGadgetMessageHandler | 8 |
| ?EnumVServers@CMetaDataMgr@@QAEXA | 8 |
| I_CryptEnableLruOfEntries | 8 |
| ?Release@CImpersonateRemoteAccess@@I | 8 |
| ??0CCategorizationSet@@QAE@ABV0@@Z | 8 |

| | |
|---|---|
| ApplicationRecoveryInProgress | 8 |
| pSetupStringTableGetExtraData | 8 |
| VideoPortReleaseSpinLockFromDpcLevel | 8 |
| LdrInitializeThunk | 8 |
| DsUnquoteRdnValueW | 8 |
| MsiEnumFeaturesA | 8 |
| MsiProvideQualifiedComponentExA | 8 |
| DnsWriteReverseNameStringForIpAddress | 8 |
| ?GetString@CTXStringA@@QBEPBDXZ | 8 |
| LdapSearch | 8 |
| EbDestroyContext | 8 |
| ?LokUpdate@CCatStateInfo@@QAEHXZ | 8 |
| glRasterPos4iv | 8 |
| LeSetTargetDevice | 8 |
| ??\$?9GU?\$char_traits@G@std@@@V?\$alloc: | 8 |
| ??1facet@locale@std@@UAE@XZ | 8 |
| CloseMMFilterHandle | 8 |
| AVIFileOpen | 8 |
| _PfRebindFilters@8 | 8 |
| xmlCheckVersion | 8 |
| xmlUnlinkNode | 8 |
| xmlStrndup | 8 |
| DecodeRecipientID | 8 |
| DecodeAttrSequence | 8 |
| RegCreateKeyExU | 8 |
| DhcpSetServerBindingInfo | 8 |
| DbgUiSetThreadDebugObject | 8 |
| NtCreateKeyedEvent | 8 |
| ResUtilFreeParameterBlock | 8 |
| ?CreateHolder@@YGJPAUIGPDispenser@@ | 8 |
| SetupSetDirectoryIdExW | 8 |
| pSetupStringTableDuplicate | 8 |
| CryptCATCDFEnumAttributesWithCDFTag | 8 |
| MgmAddGroupMembershipEntry | 8 |
| RtmHoldDestination | 8 |
| DeleteFromTable | 8 |
| RtmReferenceHandles | 8 |
| ?Throw@SC@mmcrror@@QAEXJ@Z | 8 |
| ?OpenExclusive@CMmStream@@QAEXPAG | 8 |
| SdbResolveDatabase | 8 |
| SdbGetDatabaseVersion | 8 |
| @System@@VarCmp\$qqrv | 8 |
| @Graphics@TFont@GetSize\$qqrv | 8 |
| @StdCtrls@TCustomListBox@GetItemIndex\$ | 8 |
| @StdCtrls@TCustomEdit@SetMaxLength\$qc | 8 |
| @StdCtrls@TCustomEdit@\$bctr\$qqrp18Clas | 8 |
| @Controls@TWinControl@AlignControls\$qc | 8 |

| | |
|--|---|
| @Controls@TWinControl@AdjustClientRect | 8 |
| JetCloseDatabase@12 | 8 |
| SetupDiMoveDuplicateDevice | 8 |
| RtmRegisterForChangeNotification | 8 |
| RtmGetExactMatchRoute | 8 |
| RouteTheCall | 8 |
| ?open@?\$basic_ofstream@DU?\$char_traits | 8 |
| ldap_start_tls_sw | 8 |
| ??0MapMode@@QAE@ABV0@@Z | 8 |
| ?EnterWait@Window@@QAEXXZ | 8 |
| ??1Polygon@@QAE@XZ | 8 |
| rtl_uString_newReplace | 8 |
| AppCleanup | 8 |
| videoThunk32 | 8 |
| CreateTempFile | 8 |
| AppendTempFileList | 8 |
| _RegQueryValue_@16 | 8 |
| StrConnectState | 8 |
| RasServerPortClose | 8 |
| RasAddConnectionPort | 8 |
| ?QueryDefaultClustersPerIndexBuffer@NTF | 8 |
| RasPhonebookDlgW | 8 |
| RasAutodialQueryDlgW | 8 |
| MsiPreviewBillboardW | 8 |
| srandom | 8 |
| VarI4FromUI4 | 8 |
| VarR8FromDate | 8 |
| MgmRegisterMProtocol | 8 |
| ?fromLatin1@QString@@SA?AV1@PBDH@: | 8 |
| ?toLatin1@QString@@QBE?AVQByteArray@ | 8 |
| ??0QUrl@@QAE@XZ | 8 |
| ?qRealloc@@YAPAXPAXI@Z | 8 |
| ?malloc@QVectorData@@SAPAU1@HHHP@ | 8 |
| ?grow@QVectorData@@SAHHHH_N@Z | 8 |
| ?toString@QUrl@@QBE?AVQString@@V?\$ | 8 |
| ?reset@QIODevice@@UAE_NXZ | 8 |
| _ZN7QObject11qt_metacallEN11QMetaObj | 8 |
| _ZN7QObject11qt_metacastEPKc | 8 |
| _ZN7QObjectC2EPS_ | 8 |
| _ZN7QObjectD2Ev | 8 |
| _ZN9QListData11detach_growEPii | 8 |
| _ZNK7QString5ToIntEPbi | 8 |
| LOpenDialAsst | 8 |
| ?setDelegator@OWeakAggObject@cppu@C | 8 |
| @System@@VarClr\$qqrv | 8 |
| @System@@VarAdd\$qqrv | 8 |
| @System@@VarFromInt\$qqrv | 8 |

| | |
|--------------------------------------|---|
| inet_nton | 8 |
| ?Flush@CDynStream@@QAEXXZ | 8 |
| GdipTranslateWorldTransform | 8 |
| LoadLibraryShim | 8 |
| tapiGetLocationInfo | 8 |
| _EnumResourceTypes_@12 | 8 |
| _DlgDirSelectEx_@16 | 8 |
| ?GetCurrentLevel@CVssWriter@@IBG?AWL | 8 |
| RasRPCBind | 8 |
| RasSetRouterUsage | 8 |
| _.GetServiceKeyName_@16 | 8 |
| ?CheckHasIndexTable@CiStorage@@SGHPE | 8 |
| ?ReBuild@CPidRemapper@@QAEXABVCPid | 8 |
| ?SkipDouble@CMemDeSerStream@@UAEX | 8 |
| PathIsExe | 8 |
| ?GetVolumeW@CLocation@@QAEPBGXZ | 8 |
| NtPlugPlayControl | 8 |
| InitializeSRWLock | 8 |
| ?LookupKey@CMapStringToPtr@@QBEHPB | 8 |
| ?AllocBuffer@CString@@IAEH@Z | 8 |
| IPSecIsDomainPolicyAssigned | 8 |
| ?SetSystemId@LOG_IO_DP_DRIVE@@QAE | 8 |
| ?Add@NUMBER_SET@@QAEPPBV1@@Z | 8 |
| ?Format@VOL_LIODPDRV@@QAE?AW4FOF | 8 |
| ?AddDriveName@MOUNT_POINT_MAP@@ | 8 |
| ?Initialize@DIGRAPH@@QAEHK@Z | 8 |
| ?setProperty@QObject@@QAE_NPBDABVC | 8 |
| ??0QVBoxLayout@@QAE@PAVQWidget@C | 8 |
| ?setFrameShape@QFrame@@QAEW4Sha | 8 |
| ?setIcon@QAbstractButton@@QAEABVQI | 8 |
| ??4QPixmap@@QAEAAV0@ABV0@@Z | 8 |
| ?setChecked@QAbstractButton@@QAE_N | 8 |
| RasAutoDialSharedConnection | 8 |
| pSetupIsGuidNull | 8 |
| ZwSetThreadExecutionState | 8 |
| ZwCompareTokens | 8 |
| picture_pool_Delete | 8 |
| NtNotifyChangeMultipleKeys | 8 |
| ?SkipBlob@CMemDeSerStream@@UAEXK@ | 8 |
| ?Open@CMmStream@@QAEPBGKKKH@ | 8 |
| JetOSSnapshotPrepare | 8 |
| JetGetDatabaseInfo | 8 |
| GlmfInitPlayback | 8 |
| SetGadgetProperty | 8 |
| PbCreateLinkFromClip | 8 |
| _GetFileSecurity_@20 | 8 |
| _LookupPrivilegeDisplayName_@20 | 8 |

| | |
|--|---|
| NetErrorLogRead | 8 |
| _SetCurrentDirectory_@4 | 8 |
| ?DeleteKey@CLKRHashTable@@QAE?AW4I | 8 |
| SnmpRecvMsg | 8 |
| SnmpGetTranslateMode | 8 |
| SnmpContextToStr | 8 |
| SnmpDeleteVb | 8 |
| SetupUninstallNewlyCopiedInfs | 8 |
| SetupQueryInfOriginalFileInformationA | 8 |
| NetAuditWrite | 8 |
| @System@@WStrCopy\$qqrx17System@Wi | 8 |
| @Fileutil@NormalDir\$qqrx17System@AnsiS | 8 |
| @Dxtl@TdxTreeListNode@GetValue\$qqri | 8 |
| @DxLayoutControl@TdxCustomLayoutItem@ | 8 |
| ?insert@?\$basic_string@GU?\$char_traits@I | 8 |
| ??0CRangeKeyRepository@@QAE@XZ | 8 |
| CreateLogFile | 8 |
| GenerateUniqueFileName | 8 |
| IsDigit | 8 |
| HrGetStreamSize | 8 |
| PszDupW | 8 |
| CchFileTimeToDateTimesz | 8 |
| HrGetCertKeyUsage | 8 |
| SzGetCertificateEmailAddress | 8 |
| CryptAllocFunc | 8 |
| FBuildTempPathW | 8 |
| ??0CLexer@@QAE@PAG@Z | 8 |
| ?SetValue@CPropertyRestriction@@QAEXP | 8 |
| Migrate10CachedPackagesW | 8 |
| ?GetCombineName@Contact@Util@@YA?A | 8 |
| gimp_preview_invalidate | 8 |
| gimp_scale_entry_new | 8 |
| ??1CParseCommandTree@@QAE@XZ | 8 |
| _DrawState_@40 | 8 |
| AbortSystemShutdown_ | 8 |
| SnmpSetRetransmitMode | 8 |
| SnmpDecodeMsg | 8 |
| SnmpFreeVbl | 8 |
| SnmpCleanup | 8 |
| ?.IsEnabled@CmLogFile@@QAEHXZ | 8 |
| ?Clear@CIniA@@QAEXXZ | 8 |
| ?GetTXDataBuf@Data@Util@@YAHPAUITXI | 8 |
| _CharToOemBuff_@12 | 8 |
| wsprintf_ | 8 |
| ?SetSection@CIniW@@QAEXPBG@Z | 8 |
| ?GetSection@CIniW@@QBEPBGXZ | 8 |
| CryptEnumProvidersU | 8 |

| | |
|---|---|
| RegDeleteValueU | 8 |
| I_RpcGetExtendedError | 8 |
| MpHeapCreate | 8 |
| RpcErrorGetNextRecord | 8 |
| ??1NTFS_INDEX_TREE@@UAE@XZ | 8 |
| RasSetCalledIdInfo | 8 |
| MgmTakeInterfaceOwnership | 8 |
| RtmInsertInRouteList | 8 |
| ?log@?\$_Ctr@M@std@@SAMM@Z | 8 |
| _ZN4Foam4Time15controlDictNameE | 8 |
| _ZN4Foam7Pstream7parRun_E | 8 |
| _ZN4Foam8polyMesh13defaultRegionE | 8 |
| pSetupDuplicateString | 8 |
| RasSetCustomAuthDataW | 8 |
| ?QueryDriveName@MOUNT_POINT_MAP@ | 8 |
| ??1LOG_IO_DP_DRIVE@@UAE@XZ | 8 |
| ??0READ_WRITE_CACHE@@QAE@XZ | 8 |
| LsDestroySubline | 8 |
| ?CheckAndAdd@SPARSE_SET@@QAEEVBIG | 8 |
| ImmFreeLayout | 8 |
| ?sm_llGlobalList@CLKRHashTable@@0VCLc | 8 |
| ?SetSortProp@CCatState@@QAEXPBGW4S@ | 8 |
| ?ReadUnlock@CLKRLinearHashTable@@QB | 8 |
| jio_fprintf | 8 |
| OsThunkDdSetOverlayPosition | 8 |
| pthread_cancel | 8 |
| pthread_setcanceltype | 8 |
| _ZN5QFile4openE6QFlagsIN9QIODevice12O | 8 |
| _ZN7QString16codecForCStringsE | 8 |
| RtlGetElementGenericTableAvl | 8 |
| SetupInstallFilesFromInfSectionA | 8 |
| SetContextAttributesA | 8 |
| ?Banner@CmLogFile@@QAEXXZ | 8 |
| ?CIniW_GetEntryFromReg@CIniW@@IBEP_A | 8 |
| ?GetDefaultSpinAdjustmentFactor@CSmallS | 8 |
| ?WriteLock@CReaderWriterLock3@@QAEX_ | 8 |
| ?_PredTrue@CLKRLinearHashTable@@CG?_ | 8 |
| RatingCustomSetUserOptions | 8 |
| RatingInit | 8 |
| RatingCustomAddRatingHelper | 8 |
| ?SetHWnd@SC@mmcrror@@SGXPAUHWI | 8 |
| ??4SC@mmcrror@@QAEAAV01@ABV01@ | 8 |
| PutMemObj | 8 |
| _ExtractAssociatedIcon_@12 | 8 |
| _PfRemoveFiltersFromInterface@20 | 8 |
| DsReplicaSyncAllA | 8 |
| DsCrackUnquotedMangledRdnW | 8 |

| | |
|--|---|
| ?_Gettnames@_Locinfo@std@@QBE?AV_T | 8 |
| ?grouping@?\$numpunct@D@std@@QBE?A | 8 |
| CredUICmdLinePromptForCredentialsW | 8 |
| MsiProvideAssemblyW | 8 |
| MsiVerifyDiskSpace | 8 |
| _cpumode_dll | 8 |
| JetUpgradeDatabase | 8 |
| JetConvertDDL | 8 |
| ?Remove@NUMBER_SET@@QAEEVBIG_IN1 | 8 |
| JetStopService | 8 |
| DsReplicaVerifyObjectsW | 8 |
| DsCrackSpnA | 8 |
| ??0QLabel@@QAE@ABVQString@@PAVQV | 8 |
| ?setWeight@QFont@@QAEXH@Z | 8 |
| ?setFont@QWidget@@QAEXABVQFont@@ | 8 |
| ?size@QFile@@UBE_JXZ | 8 |
| MsiGetProductPropertyW | 8 |
| ?s_aBucketSizes@?1??BucketSizes@CLKRHa | 8 |
| LdapSearchST | 8 |
| DhcpDeleteServerDS | 8 |
| DhcpAddServerDS | 8 |
| DhcpDsCleanupDS | 8 |
| I_CryptFindSmartCardCertInStore | 8 |
| IrtlTrace | 8 |
| ?RemoveEntry@CDoubleList@@SGXQAVCLI | 8 |
| HexFromBin@12 | 8 |
| ?setMaximumSize@QWidget@@QAEXHH@ | 8 |
| ?getSaveFileName@QFileDialog@@SA?AVC | 8 |
| ?isChecked@QAbstractButton@@QBE_NXZ | 8 |
| ?qt_metacast@QMenu@@UAEPXPBD@Z | 8 |
| ?event@QMenu@@MAE_NPAVQEvent@@ | 8 |
| ?timerEvent@QMenu@@MAEXPATimerI | 8 |
| ?sizeHint@QMenu@@UBE?AVQSize@@XZ | 8 |
| ?mousePressEvent@QMenu@@MAEXPAPVC | 8 |
| ?mouseReleaseEvent@QMenu@@MAEXPAPC | 8 |
| ?mouseMoveEvent@QMenu@@MAEXPAPVC | 8 |
| ?wheelEvent@QMenu@@MAEXPAPQWheel | 8 |
| ?keyPressEvent@QMenu@@MAEXPAPQKey | 8 |
| ?enterEvent@QMenu@@MAEXPAPQEvent(| 8 |
| ?leaveEvent@QMenu@@MAEXPAPQEvent(| 8 |
| ?paintEvent@QMenu@@MAEXPAPQPaintE | 8 |
| ?actionEvent@QMenu@@MAEXPAPQAction | 8 |
| ?hideEvent@QMenu@@MAEXPAPQHideEv | 8 |
| ?changeEvent@QMenu@@MAEXPAPQEver | 8 |
| ?focusNextPrevChild@QMenu@@MAE_N_I | 8 |
| ?raise@QWidget@@QAEXXZ | 8 |
| ?system@QLocale@@SA?AV1@XZ | 8 |

| | |
|--|---|
| ??0QString@@QAE@ABVQByteArray@@@ | 8 |
| ServerSetInternetConnectorStatus | 8 |
| SCardForgetReaderA | 8 |
| HrIStreamToBSTR | 8 |
| ?IsArcSystemPartition@IFS_SYSTEM@@SGE | 8 |
| SetupAsyncCdConfig | 8 |
| MmAllocateContiguousMemorySpecifyCache | 8 |
| DhcpCApiInitialize | 8 |
| ?Empty@CSdidLookupTable@@QAEXXZ | 8 |
| _osplatform | 8 |
| ??0CIndexTable@@QAE@AAVCiStorage@@ | 8 |
| @Stdctrls@TCustomListBox@\$bctr\$qqrp18C | 8 |
| _SetFileAttributes_@8 | 8 |
| AtaPortQuerySystemTime | 8 |
| AtaPortCopyMemory | 8 |
| AtaPortEtwTraceLog | 8 |
| ?setText@QTextEdit@@QAEXABVQString@ | 8 |
| bFolderEnumPrinters | 8 |
| UnregisterPrintNotify | 8 |
| ?ReadProperty@CPropStoreManager@@QAF | 8 |
| ?_wcstoui64@@YA_KPBGPAPAGH@Z | 8 |
| WNetConnectionDialog1W | 8 |
| NetDfsRename | 8 |
| ??_8ofstream@@7B@ | 8 |
| NDRcopy | 8 |
| NdrByteCountPointerBufferSize | 8 |
| ?gbump@?\$basic_streambuf@DU?\$char_tr | 8 |
| ?denorm_min@?\$numeric_limits@_N@std:: | 8 |
| ??0?\$time_put@DV?\$ostreambuf_iterator@ | 8 |
| @Controls@TControl@Show\$qqrv | 8 |
| CmStrtokW | 8 |
| ?PutValue@CValueNormalizer@@QAEXKAA | 8 |
| ResUtilGetSzProperty | 8 |
| RtmGetNextRoute | 8 |
| t | 8 |
| ??4Bitmap@@QAEAAV0@ABV0@@Z | 8 |
| DsGetDcSiteCoverageA | 8 |
| RtlComputeImportTableHash | 8 |
| NPGetCaps | 8 |
| NPGetUniversalName | 8 |
| NPEnumResource | 8 |
| NPFormatNetworkName | 8 |
| NPCancelConnection | 8 |
| JetOpenTempTable | 8 |
| Exi386InterlockedExchangeUlong | 8 |
| StartHook | 8 |
| _SearchPath_@24 | 8 |

| | |
|---|---|
| lineHold | 8 |
| ResUtilSetPrivatePropertyList | 8 |
| ?_7?\$basic_iostream@DU?\$char_traits@D | 8 |
| ZwGetWriteWatch | 8 |
| JetDetachDatabase2 | 8 |
| GetSecurityUserInfo | 8 |
| I_CryptWalkAllLruCacheEntries | 8 |
| rtDecFromVar | 8 |
| _GetProfileSection_@12 | 8 |
| NtWaitLowEventPair | 8 |
| VarI4FromBool | 8 |
| VarCyFromBool | 8 |
| lstrcatl | 8 |
| lstrlenl | 8 |
| CharNextl | 8 |
| lstrcpyl | 8 |
| ?GetMessageW@SUPERAREA@@QAEPAVN | 8 |
| DnsFlushResolverCacheEntry_UTF8 | 8 |
| GetSaveFileNamePreviewA | 8 |
| TTEmbedFontEx | 8 |
| RtlLogStackBackTrace | 8 |
| @System@@LStrLAsg\$qqrv | 8 |
| ??1MESSAGE@@UAE@XZ | 8 |
| ?OnPostRestoreBegin@CVssJetWriter@@U | 8 |
| ?GetBackupType@CVssWriter@@IBG?AW4 | 8 |
| ?OnBackupCompleteBegin@CVssJetWriter@ | 8 |
| ?CreateVssExamineWriterMetadata@@YGJF | 8 |
| CACertTypeQuery | 8 |
| @Dxdockcontrolnetview@initialization\$qqrv | 8 |
| @Dxdockcontrolxpview@initialization\$qqrv | 8 |
| @Dxdockcontrolofficeview@initialization\$qi | 8 |
| ?sm_dbIDfltSpinAdjFctr@CFakeLock@@1NA | 8 |
| ?TryWriteLock@CReaderWriterLock3@@QA | 8 |
| ??6QTextStream@@QAEAAV0@ABVQString | 8 |
| RtlGetSecurityDescriptorRMControl | 8 |
| CosGetCallContext | 8 |
| ComSvcsLogError | 8 |
| GetMTAThreadPoolMetrics | 8 |
| DispManGetContext | 8 |
| GetTrkSvrObject | 8 |
| CoLoadServices | 8 |
| MiniDumpW | 8 |
| FindNextStreamW | 8 |
| SeAuditingFileOrGlobalEvents | 8 |
| ?IsWin95@CMdVersionInfo@@SAHZ | 8 |
| I_CryptInstallAsn1Module | 8 |
| Ke386CallBios | 8 |

| | |
|--|---|
| FindFirstStreamW | 8 |
| NetInfo_IsForUpdate | 8 |
| ??0MultiTypeInterfaceContainerHelper@CI | 8 |
| ??1MultiTypeInterfaceContainerHelper@CI | 8 |
| ?OnPrepareSnapshotEnd@CVssJetWriter@C | 8 |
| ??0CVssJetWriter@@QAE@XZ | 8 |
| ?min@\$numeric_limits@G@std@@SAGXZ | 8 |
| _SHBrowseForFolder_@4 | 8 |
| I_CertSyncStore | 8 |
| ?max@\$numeric_limits@E@std@@SAEXZ | 8 |
| ??0QCursor@@QAE@W4CursorShape@Qt@ | 8 |
| ??1QCursor@@QAE@XZ | 8 |
| ?_H0@CLKRLinearHashTable@@ABEKK@Z | 8 |
| ?hex@@YAAAViso@@AAV1@@Z | 8 |
| DwmRegisterThumbnail | 8 |
| __DestructExceptionObject | 8 |
| ?Size@CLKRLinearHashTable@@QBEKXZ | 8 |
| ?QueryPageSize@IFS_SYSTEM@@SGKXZ | 8 |
| HidP_UsageListDifference | 8 |
| ??0ostrstream@std@@QAE@PADHH@Z | 8 |
| ?find_first_of@\$basic_string@DU?\$char_t@ | 8 |
| Dns_RecvTcp | 8 |
| VarR4FromStr | 8 |
| ?Empty@CFlexArray@@QAEXXZ | 8 |
| SetupLogFileA | 8 |
| NetDfsSetInfo | 8 |
| NtAccessCheckByTypeAndAuditAlarm | 8 |
| DnsReplaceRecordSetUTF8 | 8 |
| ?WriteLock@CReaderWriterLock@@QAEXX: | 8 |
| Dns_ParsePacketRecord | 8 |
| @Scktcomp@initialization\$qqrv | 8 |
| @Cxcheckgroup@Finalization\$qqrv | 8 |
| @Sconnect@Finalization\$qqrv | 8 |
| @Cxrichedit@Finalization\$qqrv | 8 |
| @Idwship6@initialization\$qqrv | 8 |
| @Idwship6@Finalization\$qqrv | 8 |
| @Idiohandlerstack@initialization\$qqrv | 8 |
| @Idiohandlerstack@Finalization\$qqrv | 8 |
| @Idssl@initialization\$qqrv | 8 |
| @Idssl@Finalization\$qqrv | 8 |
| @Idglobalprotocols@initialization\$qqrv | 8 |
| @Idglobalprotocols@Finalization\$qqrv | 8 |
| @Idcharsets@initialization\$qqrv | 8 |
| @Idcharsets@Finalization\$qqrv | 8 |
| ?Verify@IO_DP_DRIVE@@QAEEVBIG_INT@ | 8 |
| __vbaRedimPreserveVar2 | 8 |
| ?_Fiopen@std@@YAPAU_iobuf@@PB_WH | 7 |

| | |
|--|---|
| VfFailSystemBIOS | 7 |
| MsiReinstallFeatureFromDescriptorA | 7 |
| MsiGetSourcePathW | 7 |
| DsWriteAccountSpnA | 7 |
| DsReplicaConsistencyCheck | 7 |
| DsLogEntry | 7 |
| ldap_extended_operation | 7 |
| ldap_add_s | 7 |
| ldap_sasl_bind_sA | 7 |
| ldap_extended_operation_sA | 7 |
| ldap_modrdn2_s | 7 |
| ldap_next_attributeW | 7 |
| NDdeGetStringA | 7 |
| SetupGetBackupInformationA | 7 |
| _GetCharABCWidths_@16 | 7 |
| _Z9qBadAllocv | 7 |
| _ZN11QVectorData4freeEPS_i | 7 |
| _ZNK7QObject10objectNameEv | 7 |
| _ZN12QApplicationC1ERiPPci | 7 |
| _ZN7QWidget10closeEventEP11QCloseEven | 7 |
| _ZN7QWidget14mouseMoveEventEP11QMc | 7 |
| _ZN7QWidget15mousePressEventEP11QMo | 7 |
| _ZN7QWidget6resizeERK5QSize | 7 |
| IsFarEastNonOSR2Win95 | 7 |
| NetAlertRaise | 7 |
| pSetupAccessRunOnceNodeList | 7 |
| @Jvtooledit@initialization\$qqrv | 7 |
| @Jvpickdate@initialization\$qqrv | 7 |
| @Jvinterpretfrm@initialization\$qqrv | 7 |
| @Jvinterpreter@initialization\$qqrv | 7 |
| @Jvinterpretelparser@initialization\$qqrv | 7 |
| @Jvinterpretconst@initialization\$qqrv | 7 |
| @Jvinterpreter_all@initialization\$qqrv | 7 |
| @Jvinterpreter_system@initialization\$qqrv | 7 |
| @Jvinterpreter_sysutils@initialization\$qqrv | 7 |
| @Jvinterpreter_classes@initialization\$qqrv | 7 |
| @Jvinterpreter_graphics@initialization\$qqrv | 7 |
| @Jvinterpreter_windows@initialization\$qqrv | 7 |
| @Jvinterpreter_controls@initialization\$qqrv | 7 |
| @Jvinterpreter_dialogs@initialization\$qqrv | 7 |
| @Jvinterpreter_jvregauto@initialization\$qq | 7 |
| @Jvregauto@initialization\$qqrv | 7 |
| @Jvdsgnintf@initialization\$qqrv | 7 |
| @Jvinterpreter_stdctrls@initialization\$qqrv | 7 |
| @Jvinterpreter_comctrls@initialization\$qqrv | 7 |
| @Jvinterpreter_extctrls@initialization\$qqrv | 7 |
| @Jvinterpreter_forms@initialization\$qqrv | 7 |

| | |
|--|---|
| @Jvinterpreter_menus@initialization\$qqrv | 7 |
| @Jvinterpreter_grids@initialization\$qqrv | 7 |
| @Jvinterpreter_db@initialization\$qqrv | 7 |
| @Jvinterpreter_dbtables@initialization\$qqrv | 7 |
| @Jvinterpreter_dbctrls@initialization\$qqrv | 7 |
| @Jvinterpreter_dbgrids@initialization\$qqrv | 7 |
| @Jvinterpreter_quickrpt@initialization\$qqrv | 7 |
| @Jvinterpreter_jveditor@initialization\$qqrv | 7 |
| vlc_getnameinfo | 7 |
| lineSetDevConfigA | 7 |
| lineInitializeExA | 7 |
| IoGetRequestorSessionId | 7 |
| VideoPortGetCurrentIrql | 7 |
| VideoPortGetAssociatedDeviceExtension | 7 |
| VideoPortGetMdl | 7 |
| NdisSetPacketPoolProtocolId | 7 |
| NdisPacketPoolUsage | 7 |
| CredUIParseUserNameA | 7 |
| glGetPixelMapuiv | 7 |
| ??4overflow_error@std@@QAEAAV01@AB | 7 |
| wctrans | 7 |
| ?open@?\$basic_fstream@GU?\$char_traits@_SetEnvironmentVariable_@8 | 7 |
| _CallIMsgFilter_@8 | 7 |
| _DialogBoxIndirectParam_@20 | 7 |
| Dns_SkipToRecord | 7 |
| Dns_SendAndRecvUdp | 7 |
| DnsUpdateTest_A | 7 |
| DnsUnicodeToUtf8 | 7 |
| Dns_SetRecordDataLength | 7 |
| Dns_SendEx | 7 |
| ?MakeNonresident@NTFS_ATTRIBUTE@@U | 7 |
| ?Read@NTFS_ATTRIBUTE@@QAEEPAXVBIG | 7 |
| ?QueryAttribute@NTFS_FILE_RECORD_SEGN | 7 |
| ??0NTFS_ATTRIBUTE_DEFINITION_TABLE@C | 7 |
| ?NtfsUpcaseCompare@@YGJPBGK0KPBVNT | 7 |
| HidP_SetUsageValueArray | 7 |
| HidP_GetButtonCaps | 7 |
| HidD_GetManufacturerString | 7 |
| LockClrVersion | 7 |
| ISF_TMBPostMessage | 7 |
| ?ReadSReg@sregConfig@@QAEEH@Z | 7 |
| ChangeWindowMessageFilterEx | 7 |
| ??1CSort@@QAE@XZ | 7 |
| InitializeFILTERPerformanceData | 7 |
| XInputGetState | 7 |
| VarCySub | 7 |

| | |
|--|---|
| BCP_writefmt | 7 |
| BCP_init | 7 |
| @Comctrls@TCustomHotKey@SetHotKey\$q | 7 |
| @Comctrls@TCustomHotKey@GetHotKey\$c | 7 |
| @Comctrls@TCustomTreeView@GetNodeA | 7 |
| @Comctrls@TTreeNodes@GetFirstNode\$qq | 7 |
| @Comctrls@TTreeNodes@AddObject\$qqrp: | 7 |
| @Comctrls@TTreeNodes@AddChildObject\$ | 7 |
| @Comctrls@TTreeNodes@\$bctr\$qqrp24Cor | 7 |
| @Comctrls@TTreeNode@Delete\$qqrv | 7 |
| @Comctrls@TTreeNode@GetIndex\$qqrv | 7 |
| @Comctrls@TTreeNode@SetSelected\$qqro | 7 |
| @Comctrls@TTreeNode@SetData\$qqrpv | 7 |
| @Comctrls@TTreeNode@\$bctr\$qqrp19Com | 7 |
| @Comctrls@THotKey@ | 7 |
| @Comctrls@TTreeNodes@ | 7 |
| @Comctrls@TTreeNode@ | 7 |
| @Veedit@TVEEdit@AsInteger\$qqrv | 7 |
| @Dxlayoutcontrol@TdxCustomLayoutContr | 7 |
| @Tb2toolbar@TTBCustomToolbar@SetImage | 7 |
| @Tb2item@TTBPopupMenu@SetImages\$qc | 7 |
| @Tb2item@TTBSeparatorItem@\$bctr\$qqrp | 7 |
| @Tb2item@TTBSubmenuItem@\$bctr\$qqrp: | 7 |
| @Tb2item@TTBCustomItem@SetCaption\$q | 7 |
| @Tb2item@TTBCustomItem@Delete\$qqri | 7 |
| @Tb2item@TTBCustomItem@Add\$qqrp21T | 7 |
| @Tb2item@TTBCustomItem@SetAction\$qq | 7 |
| @Tb2item@TTBCustomItem@GetAction\$qc | 7 |
| @Tb2item@TTBCustomItem@\$bctr\$qqrp18 | 7 |
| @Advpanel@Finalization\$qqrv | 7 |
| @Advpanel@TAutoSize@SetEnabled\$qqrxo | 7 |
| @Advpanel@TPanelCaption@SetVisible\$qq | 7 |
| @Advpanel@TPanelCaption@SetTopIndent: | 7 |
| @Advpanel@TPanelCaption@SetText\$qqrx1 | 7 |
| @Advpanel@TPanelCaption@SetMinMaxBu | 7 |
| @Advpanel@TPanelCaption@SetIndent\$qqi | 7 |
| @Advpanel@TPanelCaption@SetColorTo\$qi | 7 |
| @Advpanel@TPanelCaption@SetColor\$qqrs | 7 |
| @Advpanel@TCustomAdvPanel@SetTopInd | 7 |
| @Advpanel@TCustomAdvPanel@SetIndent: | 7 |
| @Advpanel@TCustomAdvPanel@SetBorder | 7 |
| @Advpanel@TCustomAdvPanel@SetColorTi | 7 |
| @Advpanel@TCustomAdvPanel@SetTextVA | 7 |
| @Advpanel@TCustomAdvPanel@SetBorder | 7 |
| @Advpanel@TCustomAdvPanel@SetHover\$ | 7 |
| @Advpanel@TCustomAdvPanel@SetHeight | 7 |
| @Advpanel@TCustomAdvPanel@GetHeight | 7 |

| | |
|--|---|
| @Advpanel@TCustomAdvPanel@SetURLCol | 7 |
| @Advpanel@TCustomAdvPanel@SetText\$q | 7 |
| @Advpanel@TCustomAdvPanel@SetImages | 7 |
| @Advpanel@TCustomAdvPanel@\$bctr\$qqqr | 7 |
| @Advpanel@TAdvPanelGroup@ | 7 |
| @Advpanel@TCustomAdvPanel@ | 7 |
| @Advimage@Finalization\$qqrv | 7 |
| @Apxpvs@Finalization\$qqrv | 7 |
| @Dxnavbar@Finalization\$qqrv | 7 |
| @Dxnavbar@TdxCustomNavBar@SetSmallIrr | 7 |
| @Dxnavbar@TdxNavBar@ | 7 |
| @Dxnavbarbase@Finalization\$qqrv | 7 |
| @Dxnavbarbase@TdxNavBarComponentCol | 7 |
| @DxnavbarcollNs@Finalization\$qqrv | 7 |
| @DxnavbarcollNs@TdxNavBarItems@Add\$c | 7 |
| @DxnavbarcollNs@TdxNavBarItem@SetCap | 7 |
| @DxnavbarcollNs@TdxNavBarItem@SetActi | 7 |
| @DxnavbarcollNs@TdxNavBarGroups@GetI | 7 |
| @DxnavbarcollNs@TdxNavBarGroups@Add | 7 |
| @DxnavbarcollNs@TdxNavBarGroup@SetUs | 7 |
| @DxnavbarcollNs@TdxNavBarGroup@SetLa | 7 |
| @DxnavbarcollNs@TdxNavBarGroup@SetCa | 7 |
| @DxnavbarcollNs@TdxNavBarGroup@Creat | 7 |
| @Dxnavbarmodels@Finalization\$qqrv | 7 |
| @Dxnavbarmodels@Finalization\$qqrv | 7 |
| @Dxnavbargraphics@Finalization\$qqrv | 7 |
| @Dxnavbarviewsfact@Finalization\$qqrv | 7 |
| @Dxnavbarmodelviews@Finalization\$qqrv | 7 |
| @Dredit@Finalization\$qqrv | 7 |
| @Dredit@TDCFileNameEdit@ | 7 |
| @Dcontrols@Finalization\$qqrv | 7 |
| @Cxcustomdata@TcxDataSummary@GetFo | 7 |
| ?GetAccessibleImpl@HWNDElement@Direc | 7 |
| ?GetHWND@NativeHWNDHost@DirectUI@ | 7 |
| ?Host@NativeHWNDHost@DirectUI@@QAI | 7 |
| ?Initialize@HWNDElement@DirectUI@@QA | 7 |
| ?Register@HWNDElement@DirectUI@@SG. | 7 |
| ?OnGroupChanged@HWNDElement@Direct | 7 |
| ?OnEvent@HWNDElement@DirectUI@@UA | 7 |
| ??0HWNDElement@DirectUI@@QAE@XZ | 7 |
| ?OnPropertyChanged@HWNDElement@Dir | 7 |
| ?OnInput@HWNDElement@DirectUI@@UA | 7 |

| | |
|--|---|
| ??1HWNDElement@DirectUI@@UAE@XZ | 7 |
| ?WndProc@HWNDElement@DirectUI@@U | 7 |
| ?CanSetFocus@HWNDElement@DirectUI@() | 7 |
| ?OnCompositionChanged@HWNDElement@ | 7 |
| ?OnDestroy@HWNDElement@DirectUI@@I | 7 |
| ?OnGetDlgCode@HWNDElement@DirectUI@ | 7 |
| ?OnNoChildWithShortcutFound@HWNDEler | 7 |
| ?OnThemeChanged@HWNDElement@Direc | 7 |
| ?GetHWND@HWNDElement@DirectUI@@I | 7 |
| ?OnWmThemeChanged@HWNDElement@L | 7 |
| ?RemoveTooltip@HWNDElement@DirectUI | 7 |
| ?ActivateTooltip@HWNDElement@DirectUI | 7 |
| ?UpdateTooltip@HWNDElement@DirectUI@ | 7 |
| ??5std@@YAAV?\$basic_istream@DU?\$ch: | 7 |
| ??4?\$basic_ostream@GU?\$char_traits@G@ | 7 |
| ZwFreeUserPhysicalPages | 7 |
| VarUI4FromUI8 | 7 |
| ?GetStringFromLCID@@YGXKPAG@Z | 7 |
| ??0CPPathParser@@QAE@PBGK@Z | 7 |
| ADSIGetNextColumnName | 7 |
| ?Apply@CLKRHashTable@@QAEKP6G?AW4 | 7 |
| ?ReadLock@CSmallSpinLock@@QAEXXZ | 7 |
| SnmpUtilOctetsNCmp | 7 |
| SnmpUtilOctetsFree | 7 |
| SnmpUtilOctetsCopy | 7 |
| osd_MenuActivate | 7 |
| var_TriggerCallback | 7 |
| var_Type | 7 |
| DefTxtFmtDlgProc | 7 |
| ?RemoveAll@CPointerList@@QAEXXZ | 7 |
| ?NewLocation@CCollection@@AAEPAVCLo | 7 |
| ?ConfirmTitles@CCollection@@QAEXXZ | 7 |
| ??0CFIFOString@@QAE@XZ | 7 |
| ?CheckTitleRef@CCollection@@AAEKPBGG(| 7 |
| ?GetTitleW@Clocation@@QAEPBGXZ | 7 |
| ??0CTitle@@QAE@XZ | 7 |
| ?seekpos@?\$basic_streambuf@DU?\$char_t | 7 |
| ??1underflow_error@std@@UAE@XZ | 7 |
| ?find_first_not_of@?\$basic_string@GU?\$ch | 7 |
| ??5?\$basic_istream@GU?\$char_traits@G@: | 7 |
| ?_Infv@?\$_Ctr@O@std@@SAOO@Z | 7 |
| ?ChangeDirty@CPropStoreInfo@@AAEXH@ | 7 |
| ?GetVolumeName@CDriveInfo@@QAEPBG | 7 |
| ?Cleanup@CDbColl@QAEXXZ | 7 |
| ShutdownPlatformLibrary | 7 |
| WudfWaitForDebugger | 7 |
| SamSetInformationGroup | 7 |

| | |
|---|---|
| ldap_get_next_page_s | 7 |
| ?RecordTransBegin@Perf@Util@@YA_JPB_ | 7 |
| ?GetAccountName@Account@Util@@YA?A | 7 |
| ?IsInBlackList@Contact@Util@@YAHK@Z | 7 |
| SHEvaluateSystemCommandTemplate | 7 |
| CreateReachPackageReceiver | 7 |
| CreateReachPackageSender | 7 |
| MsiNotifySidChangeA | 7 |
| GdipFillEllipse1 | 7 |
| ?begin@?\$basic_string@GU?\$char_traits@(| 7 |
| ?end@?\$basic_string@GU?\$char_traits@G(| 7 |
| CACertTypeAccessCheck | 7 |
| ADSIModifyRdn | 7 |
| VarMonthName | 7 |
| VarCyFromI4 | 7 |
| ?GetAt@CString@@QBEGH@Z | 7 |
| ?GetLength@CString@@QBEHXZ | 7 |
| ?Unlock@CSyncObject@@UAEHJPAJ@Z | 7 |
| ?RemoveAt@CStringArray@@QAEXHH@Z | 7 |
| ?Collate@CString@@QBEHPBG@Z | 7 |
| ?FreeDataChain@CPlex@@QAEXXZ | 7 |
| ??H@YG?AVCString@@ABV0@D@Z | 7 |
| ?RemoveAll@CMapStringToPtr@@QAEXXZ | 7 |
| ?GetR8@CAllocStorageVariant@@QBENI@Z | 7 |
| ?GetNumber@CQueryScanner@@QAEHAAI | 7 |
| ?IsScopeValid@@YGJPBGIH@Z | 7 |
| ?GetNumber@CQueryScanner@@QAEHAA_ | 7 |
| ?VT_VARIANT_GT@@YGHABUtagPROPVARI | 7 |
| ?GetPropInfo@CEmptyPropertyList@@QAE | 7 |
| ?Marshall@CDBColld@@QBEXAAVPSerStre | 7 |
| ?CodeArrayTXDataNumber@CCmdCodecBas | 7 |
| ?DecodeArrayTXDataNumber@CCmdCodecI | 7 |
| ?Delete@CTXStringW@@QAEHHH@Z | 7 |
| ?Compare@CTXStringW@@QBEHPB_W@Z | 7 |
| ?TrimLeft@CTXStringW@@QAEAAV1@XZ | 7 |
| ScriptApplyLogicalWidth | 7 |
| wait | 7 |
| ConvertIndexToColorName | 7 |
| AssociateColorProfileWithDeviceA | 7 |
| GetColorProfileHeader | 7 |
| SpoolerCopyFileEvent | 7 |
| VarCyFromUI8 | 7 |
| _strncnt | 7 |
| sqlite3_column_count | 7 |
| ?denorm_min@?\$numeric_limits@F@std@ | 7 |
| MPCSIInitialize | 7 |
| ??0CDoubleList@@QAE@XZ | 7 |

| | |
|--|---|
| ?InsertTail@CLockedDoubleList@@QAEXQA | 7 |
| ?IsReadLocked@CReaderWriterLock3@@QE | 7 |
| ??H@YA?AVACE_Time_Value@@ABV0@0@ | 7 |
| ?at_exit_i@ACE_Object_Manager@@AAEHI | 7 |
| ?instance@ACE_Object_Manager@@SAPAV | 7 |
| ace_cleanup_destroyer | 7 |
| ?normalize@ACE_Time_Value@@AAEXXZ | 7 |
| ?widen@?\$ctype@G@std@@QBEGD@Z | 7 |
| StrFormatByteSizeEx | 7 |
| VideoPortUnlockPages | 7 |
| VideoPortGetVgaStatus | 7 |
| TdiDefaultChainedReceiveHandler | 7 |
| ?-_7?\$time_put@GV?\$ostreambuf_iterator | 7 |
| NtSetUuidSeed | 7 |
| KiUserExceptionDispatcher | 7 |
| LeEnumFormat | 7 |
| ErrShow | 7 |
| OleRegisterClientDoc | 7 |
| LeEqual | 7 |
| OleClose | 7 |
| DefCreateLinkFromFile | 7 |
| DibGetData | 7 |
| glsGetLayeri | 7 |
| ILRemoveLastID | 7 |
| MFHeapAlloc | 7 |
| MFHeapFree | 7 |
| MprAdminInterfaceGetInfo | 7 |
| SdbReadBYTETagRef | 7 |
| PsGetProcessPeb | 7 |
| RtmGetChangeStatus | 7 |
| RtmReleaseEntities | 7 |
| TraceGetConsoleA | 7 |
| ?setprecision@std@@YA?AU?\$_Smanip@H | 7 |
| SQLDebug | 7 |
| RtmReleaseNextHopInfo | 7 |
| RtmGetOpaqueInformationPointer | 7 |
| RtmReadAddressFamilyConfig | 7 |
| CredReadDomainCredentialsA | 7 |
| CredpConvertTargetInfo | 7 |
| CredWriteDomainCredentialsA | 7 |
| KeSetEventBoostPriority | 7 |
| xmlCtxtUseOptions | 7 |
| @Sysutils@ERangeError@ | 7 |
| _AIL_set_file_callbacks@16 | 7 |
| Pylnt_FromLong | 7 |
| @Comctrls@TProgressBar@GetPosition\$qq | 7 |
| lineMonitorMedia | 7 |

| | |
|---|---|
| GetThemeSysColorBrush | 7 |
| @Stdctrls@TButton@\$bctr\$qqrp18Classes@ | 7 |
| NtReadRequestData | 7 |
| ?SetProperty@CFullPropSpec@@QAEXK@Z | 7 |
| ?Marshall@CDbPropSet@@QBEXAAVPSerSt | 7 |
| ??0CDbPropIDSet@@QAE@XZ | 7 |
| ??1CDbContentBaseRestriction@@QAE@XZ | 7 |
| TracePutsExW | 7 |
| SetupUninstallOEMInfA | 7 |
| VDMIsModuleLoaded | 7 |
| WintrustSetRegPolicyFlags | 7 |
| KeyboardHook_Stop | 7 |
| ??5?\$basic_istream@GU?\$char_traits@G@: | 7 |
| ??_7?\$codecvt@GDH@std@@6B@ | 7 |
| ScRelocProps@20 | 7 |
| UIPropSize@4 | 7 |
| _pwctype_dll | 7 |
| ?VT_VARIANT_NE@@YGHABUtagPROPVARI | 7 |
| ?StopFiltering@CFilterDaemon@@QAEXXZ | 7 |
| ??0CPropertyNameArray@@QAE@I@Z | 7 |
| ?GetVPathSSLAcess@CMetaDataMgr@@Q | 7 |
| ZwAccessCheckByTypeResultListAndAuditAl | 7 |
| ZwUnlockVirtualMemory | 7 |
| ??4CTcpMibABC@@QAEAAV0@ABV0@@Z | 7 |
| ?Read@CPortABC@@UAEKQAXPAEKPAK@Z | 7 |
| ??1CTcpMibABC@@UAE@XZ | 7 |
| ??0CTcpMibABC@@QAE@XZ | 7 |
| ??4CPortABC@@QAEAAV0@ABV0@@Z | 7 |
| ??0CTcpMibABC@@QAE@ABV0@@Z | 7 |
| ??_7CTcpMibABC@@6B@ | 7 |
| ??1CPortABC@@UAE@XZ | 7 |
| ??_7CPortABC@@6B@ | 7 |
| LocalAddPortUI | 7 |
| ??0CPortABC@@QAE@XZ | 7 |
| ??1overflow_error@std@@UAE@XZ | 7 |
| ??0?\$basic_ifstream@GU?\$char_traits@G@: | 7 |
| libintl_sprintf | 7 |
| ?MakeLower@CHString@@QAEXXZ | 7 |
| ??H@YG?AVCHString@@ABV0@0@Z | 7 |
| RasClearConnectionStatistics | 7 |
| ldap_searchW | 7 |
| ldap_bindA | 7 |
| glsUCS4toUTF8 | 7 |
| MAPIAllocateBuffer@8 | 7 |
| ZwOpenSemaphore | 7 |
| I_NetGetDCList | 7 |
| NetpCleanFtinfoContext | 7 |

| | |
|---|---|
| ber_bvecfree | 7 |
| ?!invalidateVolume@IO_DP_DRIVE@@QAEE | 7 |
| ??OSPARSE_SET@@QAE@XZ | 7 |
| ?ReverseCopy@INTSTACK@@QAEEPAV1@() | 7 |
| RasPortFree | 7 |
| RasRequestNotification | 7 |
| LsQueryFLineEmpty | 7 |
| LsMatchPresSubline | 7 |
| LsdnResetObjDim | 7 |
| LsdnQueryPenNode | 7 |
| RasGetAutodialParamA | 7 |
| RasSetAutodialAddressA | 7 |
| StrCmpCA | 7 |
| SamiSetDSRMPasswordOWF | 7 |
| ??1?\$allocator@g@_STL@@QAE@XZ | 7 |
| ?out@?\$codecvt@gd@std@@QBEHAAHF | 7 |
| ocom | 7 |
| KeQueryPriorityThread | 7 |
| D3DXCreateTextureFromFileInMemoryEx | 7 |
| _chown32 | 7 |
| PrivateSetDbgTag | 7 |
| ??0?\$basic_ostream@DU?\$char_traits@D@ | 7 |
| NewFolder | 7 |
| BToolbar_Remove | 7 |
| MoveDownFavorite | 7 |
| MoveUpFavorite | 7 |
| DestroyADMWindow | 7 |
| CreateADMWindow | 7 |
| ProcessFavSelChange | 7 |
| CM_Get_DevNode_Custom_PropertyA | 7 |
| pSetupEnablePrivilege | 7 |
| WNetDirectoryNotifyA | 7 |
| WNetDirectoryNotifyW | 7 |
| WNetGetProviderTypeA | 7 |
| DeletePwrScheme | 7 |
| ReadProcessorPwrScheme | 7 |
| WriteProcessorPwrScheme | 7 |
| WritePwrScheme | 7 |
| GetCurrentPowerPolicies | 7 |
| ldap_create_vlv_controlW | 7 |
| ldap_compare_ext | 7 |
| ldap_modrdn2 | 7 |
| ldap_parse_vlv_controlA | 7 |
| ldap_ufn2dn | 7 |
| MimeOleGenerateFileName | 7 |
| @Idauthenticationmanager@Finalization\$qc | 7 |
| @Idcookiemanager@Finalization\$qqrv | 7 |

| | |
|--|---|
| @Idcookie@Finalization\$qqrv | 7 |
| @Idhttpheaderinfo@Finalization\$qqrv | 7 |
| @Idantifreeze@initialization\$qqrv | 7 |
| RtlPrefetchMemoryNonTemporal | 7 |
| ldap_get_paged_count | 7 |
| ldap_modify_ext_s | 7 |
| ?SetICSDataPath@CIniA@@QAEXPBD@Z | 7 |
| ?SetRegPath@CIniA@@QAEXPBD@Z | 7 |
| ?Init3DEx@CMyBitmap@@SAHPAUHWND_ | 7 |
| GameDataDataSetQuery | 7 |
| _DXSoundinit@4 | 7 |
| RoleDataQuery | 7 |
| RoleViewCreate | 7 |
| LoadCURSOR | 7 |
| StretchBitmap | 7 |
| CreateWriter | 7 |
| GetStorageDependencyInformation | 7 |
| QueryRemoteFonts | 7 |
| ??6?\$basic_ostream@_WU?\$char_traits@_` | 7 |
| _pgmptr_dll | 7 |
| NtRemoveProcessDebug | 7 |
| @Classes@TList@Error\$qqrx20System@Uni | 7 |
| @Sysutils@Win32MinorVersion | 7 |
| @Contnrs@TObjectList@GetItem\$qqri | 7 |
| @Graphics@TPicture@\$bctr\$qqrv | 7 |
| @\$xp\$17Graphics@TPicture | 7 |
| @Graphics@TCanvas@ | 7 |
| @Extctrls@TImage@\$bctr\$qqrp18Classes@ | 7 |
| ??1CTitle@@QAE@XZ | 7 |
| SwapPlong@8 | 7 |
| ?AddChildFolder@CFolder@@QAEPAV1@PI | 7 |
| ?SetLanguage@CTitle@@QAEXG@Z | 7 |
| ?SetId@CTitle@@QAEXPBD@Z | 7 |
| ?HandleCollectionEntry@CCollection@@AA | 7 |
| ?HandleLocation@CCollection@@AAEKPAV | 7 |
| ?SetPath@CLocation@@QAEXPBD@Z | 7 |
| RpcEpRegisterNoReplaceA | 7 |
| @System@@DynArrayCopy\$qqrpvt1rpv | 7 |
| @System@@_IlsI\$qqrv | 7 |
| @System@@WStrDelete\$qqrr17System@W | 7 |
| @System@@SetSub\$qqrv | 7 |
| @System@AcquireExceptionObject\$qqrv | 7 |
| @System@ErrorAddr | 7 |
| @Sysconst @_SModuleAccessViolation | 7 |
| @Sysconst @_SExternalException | 7 |
| @Sysconst @_SWriteAccess | 7 |
| @Sysconst @_SReadAccess | 7 |

| | |
|---|---|
| @Sysconst @_SPrivilege | 7 |
| @Sysconst @_SControlC | 7 |
| @Sysconst @_SStackOverflow | 7 |
| @Sysconst @_SUnderflow | 7 |
| @Sysconst @_SOverflow | 7 |
| @Sysconst @_SZeroDivide | 7 |
| @Sysconst @_SInvalidOp | 7 |
| @Sysconst @_SIntOverflow | 7 |
| @Sysconst @_SDivByZero | 7 |
| @Sysutils@ExtractFileDrive\$qqrx17System@ | 7 |
| @Variants@@VarToLStr\$qqrr17System@An | 7 |
| @Classes@TDataModule@\$bdtr\$qqrv | 7 |
| DsReplicaDelA | 7 |
| DsCrackSpn2W | 7 |
| DsServerRegisterSpnA | 7 |
| ?FindPropid@CPidLookupTable@@QAEHAB | 7 |
| ??4CDbColId@@QAEAAV0@ABV0@@Z | 7 |
| ?GetLong@CMemDeSerStream@@UAEJXZ | 7 |
| ?_Doraise@bad_alloc@std@@MBEXXZ | 7 |
| _basemajor_dll | 7 |
| pSetupStringTableStringFromId | 7 |
| PortChangeCallback | 7 |
| PortOpen | 7 |
| PortReceiveComplete | 7 |
| EnableDeviceForDialIn | 7 |
| ?SetRestriction@CDBSelectNode@@QAEHP | 7 |
| ?AddEntry@CPropertyList@@UAEXPACPrc | 7 |
| Direct3DCreate | 7 |
| D3DFree | 7 |
| FlushD3DDevices | 7 |
| PaletteAssociateNotify | 7 |
| PaletteUpdateNotify | 7 |
| ToplVertexDestroy | 7 |
| SQLGetTranslatorW | 7 |
| SQLGetInstalledDrivers | 7 |
| SceCompareNameList | 7 |
| ??4?\$basic_fstream@DU?\$char_traits@D@ | 7 |
| ?erase@?\$basic_string@GU?\$char_traits@C | 7 |
| RegUserConfigDelete | 7 |
| RegDenyTSConnectionsPolicy | 7 |
| Reg GetUserPolicy | 7 |
| RegCdEnumerateW | 7 |
| @Sysutils@TimeToStr\$qqr16System@TDate | 7 |
| @Sysutils@DateToStr\$qqr16System@TDate | 7 |
| @Adscnnct@initialization\$qqrv | 7 |
| @Adscnnct@Finalization\$qqrv | 7 |
| @Adscnnct@TAdsConnection@ | 7 |

| | |
|--|---|
| @Ace@initialization\$qqrv | 7 |
| @Ace@Finalization\$qqrv | 7 |
| @Adsset@initialization\$qqrv | 7 |
| @Adsset@Finalization\$qqrv | 7 |
| @Adsfunc@initialization\$qqrv | 7 |
| @Adsfunc@Finalization\$qqrv | 7 |
| @Adsdata@initialization\$qqrv | 7 |
| @Adsdata@Finalization\$qqrv | 7 |
| @Aceunpub@initialization\$qqrv | 7 |
| @Aceunpub@Finalization\$qqrv | 7 |
| @Adsver@initialization\$qqrv | 7 |
| @Adsver@Finalization\$qqrv | 7 |
| @Adsstrng@initialization\$qqrv | 7 |
| @Adsstrng@Finalization\$qqrv | 7 |
| @Adstable@initialization\$qqrv | 7 |
| @Adstable@Finalization\$qqrv | 7 |
| @Adsdictionary@initialization\$qqrv | 7 |
| @Adsdictionary@Finalization\$qqrv | 7 |
| @\$xp\$11Types@TRect | 7 |
| @Classes@Bounds\$qqriii | 7 |
| VarDeclInt | 7 |
| MsiConfigureFeatureA | 7 |
| RpcErrorResetEnumeration | 7 |
| @System@ExceptAddr\$qqrv | 7 |
| @\$xp\$8Cardinal | 7 |
| @Sysutils@FormatDateTime\$qqrx20System | 7 |
| @Actnlist@TCustomAction@SetVisible\$qqrc | 7 |
| @Comctrls@TListItem@SetImage\$qqrii | 7 |
| PR_GetCurrentThread | 7 |
| _ZNSolsEi | 7 |
| VarI4FromI8 | 7 |
| GetRecordInfoFromGuids | 7 |
| LsdnFinishByPen | 7 |
| AllowPermLayer | 7 |
| @Menus@TMenuItem@SetChecked\$qqro | 7 |
| @Dxfading@Finalization\$qqrv | 7 |
| @Cxaccessibility@Finalization\$qqrv | 7 |
| @Dxbarcustomcustomizationform@initializ | 7 |
| @Dxbarcustomcustomizationform@Finalizat | 7 |
| @Mask@TCustomMaskEdit@SetText\$qqrx1 | 7 |
| @Mask@TCustomMaskEdit@GetText\$qqrv | 7 |
| @Mask@TMaskEdit@ | 7 |
| @Graphics@TCanvas@StretchDraw\$qqrrx1: | 7 |
| NeedCurrentDirectoryForExePathW | 7 |
| lineConfigDialog | 7 |
| lineSetDevConfig | 7 |
| ?replace@?\$basic_string@GU?\$char_traits@ | 7 |

| | |
|---|---|
| _UnregisterClass_@8 | 7 |
| CAGetCASecurity | 7 |
| ?AddByte@CTXCommPack@@QAEHE@Z | 7 |
| ?GetChatSessionMainWnd@ChatSession@U | 7 |
| ?getContentProviderManagerInterface@Cor | 7 |
| GetFilterState | 7 |
| RtlTraceDatabaseValidate | 7 |
| SDL_Delay | 7 |
| SDL_UpperBlit | 7 |
| _get_errno | 7 |
| luaopen_os | 7 |
| ??1FSTRING@@UAE@XZ | 7 |
| _set_errno | 7 |
| ??1CFolder@@QAE@XZ | 7 |
| rtcCurrentDirBstr | 7 |
| ?LookupSDID@CSdidLookupTable@@QAEKF | 7 |
| ??0CMemSerStream@@QAE@PAEK@Z | 7 |
| ??3CDbParameter@@SGXPAX@Z | 7 |
| SetupDiGetHwProfileFriendlyNameA | 7 |
| vlc_meta_AddExtra | 7 |
| vlc_meta_Delete | 7 |
| NetEnumerateComputerNames | 7 |
| I_NetLogonSamLogon | 7 |
| NetpGetConfigBool | 7 |
| _WaitNamedPipe_@8 | 7 |
| @Designeditors@initialization\$qqrv | 7 |
| @Proxies@Finalization\$qqrv | 7 |
| SHCreateStdEnumFmtEtc | 7 |
| @Controls@TControl@CanAutoSize\$qqrrit1 | 7 |
| @\$xp\$24Controls@TStartDockEvent | 7 |
| @Comctrls@TListItems@GetItem\$qqri | 7 |
| @Comctrls@TListView@ | 7 |
| WinStationRenameA | 7 |
| CtfImmGetGuidAtom | 7 |
| @Regexpr@initialization\$qqrv | 7 |
| RpcServerUseProtseqExW | 7 |
| PL_DHashTableOperate | 7 |
| ?strcmp@nsCRT@@SAHPBD0@Z | 7 |
| ?GrowArrayBy@nsVoidArray@@MAEHH@Z | 7 |
| ?Assign@nsCSubstring@@QAEXPBDI@Z | 7 |
| ?Replace@nsCSubstring@@QAEXIIPBDI@Z | 7 |
| @\$xp\$16Graphics@TBitmap | 7 |
| @Controls@TCustomControl@PaintWindow | 7 |
| @\$xp\$18Controls@TDragKind | 7 |
| ?copy@?\$char_traits@_W@std@@SAPA_W | 7 |
| SetupQueueCopySectionA | 7 |
| RegWinStationQuerySecurityA | 7 |

| | |
|---|---|
| RegPdCreateA | 7 |
| RegDefaultUserConfigQueryA | 7 |
| RegUserConfigSet | 7 |
| RegWinStationEnumerateA | 7 |
| RegGetTServerVersion | 7 |
| ??O@YG_NPBGABVCString@@@Z | 7 |
| ??P@YG_NABVCString@@0@Z | 7 |
| _FindFirstFileEx_@24 | 7 |
| _CreateProcessAsUser_@44 | 7 |
| WVTAsn1SpcSpAgencyInfoEncode | 7 |
| mscat32DIIRegisterServer | 7 |
| OpenURL | 7 |
| ATMGetVersion | 7 |
| acmFilterTagDetailsA | 7 |
| ?Stricmp@WSTRING@@SGHPAG0@Z | 7 |
| ?MakePath@CFullPath@@QAEXPBG@Z | 7 |
| ??1CPhysStorage@@UAE@XZ | 7 |
| GetUninstallImageSize | 7 |
| ??1?\$basic_fstream@DU?\$char_traits@D@ | 7 |
| SslGetMaximumKeySize | 7 |
| ImmWINNLSGetIMEHotkey | 7 |
| CreateCodeAuthzLevel | 7 |
| SQLLinkedServers | 7 |
| StrAdd | 7 |
| RADDR | 7 |
| ComposeFileName | 7 |
| SkipRightBlk | 7 |
| RTAB | 7 |
| AllocateAndGetIfTableFromStack | 7 |
| ?sync@?\$basic_istream@DU?\$char_traits@ | 7 |
| ??0_Locimp@locale@std@@AAE@ABV012(| 7 |
| ?do_out@?\$codecvt@DDH@std@@MBEHA | 7 |
| ??0?\$codecvt@DDH@std@@QAE@I@Z | 7 |
| ?find_last_not_of@?\$basic_string@DU?\$ch | 7 |
| ldap_memfreeA | 7 |
| BCP_control | 7 |
| g_strconcat | 7 |
| gtk_toggle_button_get_type | 7 |
| gtk_toggle_button_set_active | 7 |
| gtk_widget_set_size_request | 7 |
| libintl_fprintf | 7 |
| gimp_image_get_colormap | 7 |
| I_RpcNsBindingSetEntryName | 7 |
| _fileinfo_dll | 7 |
| ftsWordBreak | 7 |
| vlc_control_cancel | 7 |
| ??0DIGRAPH@@QAE@XZ | 7 |

| | |
|---|---|
| ilOriginFunc | 7 |
| _GrannyGetMaterialTextureByType@8 | 7 |
| _AIL_last_error@0 | 7 |
| _AIL_stop_sample@4 | 7 |
| _AIL_set_sample_loop_count@8 | 7 |
| _AIL_start_sample@4 | 7 |
| _AIL_init_sample@4 | 7 |
| _AIL_allocate_sample_handle@4 | 7 |
| PyImport_AddModule | 7 |
| Py_Initialize | 7 |
| Py_Finalize | 7 |
| PyErr_Print | 7 |
| PyString_InternFromString | 7 |
| PyDict_GetItemString | 7 |
| PyTuple_Size | 7 |
| ?GetCollisionObject@CSpeedTreeRT@@QAI | 7 |
| Shell_GetCachedImageIndex | 7 |
| SHILCreateFromPath | 7 |
| RestartDialogEx | 7 |
| MsiViewGetErrorW | 7 |
| ??N@YG_NPBGABVCString@@@Z | 7 |
| ??YCString@@QAEABV0@D@Z | 7 |
| ?UnlockBuffer@CString@@QAEXXZ | 7 |
| NdrServerInitializeMarshall | 7 |
| ??0\$basic_string@DU?\$char_traits@D@std@@@Z | 7 |
| ??0CAcByteStream@@QAE@XZ | 7 |
| ??6CAcByteStream@@QAEAAV0@AAK@Z | 7 |
| ??1CAcByteStream@@UAE@XZ | 7 |
| ?GetBytesStreamd@CAcByteStream@@QAI | 7 |
| ?GetBuffer@CAcByteStream@@QAEPAEXZ | 7 |
| ?SetLocationName@CAcLocation@@QAEXC | 7 |
| ??1CAcLocation@@UAE@XZ | 7 |
| ?SetLocationName@CAcLocation@@QAEXV | 7 |
| ??0CAcLocation@@QAE@XZ | 7 |
| ?GetAdapters@CAcLocation@@QAE?AV?\$vector@V?\$basic_string@DU?\$char_traits@D@std@@@Z | 7 |
| ??6CAcByteStream@@QAEAAV0@AAV?\$ba | 7 |
| ??1CAcPrfMgr@@QAE@XZ | 7 |
| ?ReadLocation@CAcPrfMgr@@QAEKAAVCA | 7 |
| ??0CAcPrfMgr@@QAE@XZ | 7 |
| ?GetLastActiveLocation@CAcPrfMgr@@QAI | 7 |
| ?NormalPrintLogFile@AcLogInfo@@QAAXP_ | 7 |
| ?GetLogInfoInstance@AcLogInfo@@SAPAV1ACHIprGetRegDWord | 7 |
| ?ErrorPrintLogFile@AcLogInfo@@QAAXPAG | 7 |
| NetpCopyFtinfoContext | 7 |
| DsDeregisterDnsHostRecordsW | 7 |
| NetpGetConfigDword | 7 |

| | |
|---|---|
| NetEnumerateTrustedDomains | 7 |
| ZwSetLdtEntries | 7 |
| ?SkipGUID@CMemDeSerStream@@UAEXXZ | 7 |
| ?Release@CEmptyPropertyList@@UAGKXZ | 7 |
| ??0CVirtualString@@QAE@I@Z | 7 |
| ?MultiByteToXArrayWideChar@@YGKPBEKI | 7 |
| ?IsPaused@CCatalogAdmin@@QAEHXZ | 7 |
| ?Commit@CRcovStrmAppendTrans@@QAE | 7 |
| ComPs_NdrDIIUnregisterProxy | 7 |
| PR_GetEnv | 7 |
| PR_smprintf_free | 7 |
| RasRpcGetSystemDirectory | 7 |
| NtQueryBootEntryOrder | 7 |
| SetupScanFileQueue | 7 |
| SetupGetFileCompressionInfoExW | 7 |
| PdhGetDefaultPerfCounterHA | 7 |
| AtlComQIPtrAssign | 7 |
| AtlModuleRevokeClassObjects | 7 |
| AtlGetObjectSourceInterface | 7 |
| AtlWaitWithMessageLoop | 7 |
| AtlAxDialogBoxW | 7 |
| AtlModuleRegisterTypeLib | 7 |
| I_NetServerSetServiceBitsEx | 7 |
| ASN1BERDecU8Val | 7 |
| ASN1CEREncZeroMultibyteString | 7 |
| ASN1BEREncDouble | 7 |
| KiBugCheckData | 7 |
| RtlCreateUserProcess | 7 |
| IASRegisterComponent | 7 |
| @Stdctrls@TCustomComboBox@SetItemIn | 7 |
| ?find_first_not_of@\$basic_string@GU?\$ch | 7 |
| ??_7\$num_put@GV?\$ostreambuf_iterator | 7 |
| SetContextAttributesW | 7 |
| WTHelperGetProvPrivateDataFromChain | 7 |
| ?rend@\$basic_string@DU?\$char_traits@D | 7 |
| ?seekp@\$basic_ostream@DU?\$char_traits | 7 |
| ?SkipFloat@CMemDeSerStream@@UAEXXZ | 7 |
| ?LongInit@CPropStoreManager@@QAEXAA | 7 |
| ?Open@COLEPropManager@@QAEHABVCF | 7 |
| ocan | 7 |
| oparse | 7 |
| oexfet | 7 |
| obndrv | 7 |
| oerhms | 7 |
| MTxOciInit | 7 |
| ofen | 7 |
| MTxOciRegisterCursor | 7 |

| | |
|--|---|
| MprInfoRemoveAll | 7 |
| CompressPhoneNumber | 7 |
| MprAdminTransportGetInfo | 7 |
| MprPortSetUsage | 7 |
| ?CIni_SetFile@CIniW@@KGXPAPAGPBG@Z | 7 |
| BindIFilterFromStorage | 7 |
| ResUtilFreeEnvironment | 7 |
| ResUtilCreateDirectoryTree | 7 |
| NdrByteCountPointerMarshall | 7 |
| VDMGetAddrExpression | 7 |
| TopIScheduleValid | 7 |
| TopIEdgeGetWeight | 7 |
| GlmfPlayGlsRecord | 7 |
| _GetOutlineTextMetrics_@12 | 7 |
| _RegConnectRegistry_@12 | 7 |
| MAPISendDocuments | 7 |
| @Variants@@VarFromBool\$qqrr8TVarData: | 7 |
| rtcDateAdd | 7 |
| VARIANT_UserSize | 7 |
| ??_D?\$basic_ostream@GU?\$char_traits@G | 7 |
| ldap_parse_vlv_controlW | 7 |
| ldap_free_controls | 7 |
| ldap_search_extA | 7 |
| ldap_delete_s | 7 |
| NetpwPathCompare | 7 |
| NetpGetConfigValue | 7 |
| NetDfsRemove | 7 |
| I_BrowserServerEnum | 7 |
| TF_CreateThreadMgr | 7 |
| SetGadgetFill | 7 |
| SceEnumerateServices | 7 |
| ?SetDWORDParam@CMachineAdmin@@Q | 7 |
| ogetpi | 7 |
| WinStationShadowStop | 7 |
| ServerLicensingGetPolicyInformationW | 7 |
| LogonIdFromWinStationNameA | 7 |
| DsReplicaModifyA | 7 |
| DsAddSidHistoryA | 7 |
| DsaopBind | 7 |
| DsBindWithSpnW | 7 |
| NtUnloadKeyEx | 7 |
| osl_getFunctionSymbol | 7 |
| ?IsWriteUnlocked@CReaderWriterLock@@(| 7 |
| ?_CalcKeyHash@CLKRHashTable@@@ABEKK(| 7 |
| ?ReadUnlock@CReaderWriterLock2@@@QAE | 7 |
| ?ConvertSharedToExclusive@CFakeLock@@ | 7 |
| ??0?\$money_get@DV?\$istreambuf_iterator | 7 |

| | |
|--|---|
| ?_Getcat@?\$_money_put@DV?\$ostreambuf | 7 |
| ??0?\$_codecvt@GDH@std@@QAE@ABV_Lo | 7 |
| ?opfx@?\$_basic_ostream@GU?\$char_traits@ | 7 |
| NtStartProfile | 7 |
| NdrNonConformantStringMarshall | 7 |
| glColor3bv | 7 |
| ?GetOleDBErrorInfo@@YGJPAUIUnknown@ | 7 |
| I_ScPnPGetServiceName | 7 |
| ZwOpenEventPair | 7 |
| ZwReplyWaitReplyPort | 7 |
| FaxClose | 7 |
| MprDomainQueryRasServer | 7 |
| ATMFontStatusA | 7 |
| IoSetFileOrigin | 7 |
| DUserCastHandle | 7 |
| GetDebug | 7 |
| DUserStopAnimation | 7 |
| DUserBuildGadget | 7 |
| ConvertSecurityDescriptorToSecDes | 7 |
| Cla\$DPopLong | 7 |
| Cla\$EVENT | 7 |
| Cla\$freewindow | 7 |
| Cla\$init | 7 |
| Cla\$OPENwindow | 7 |
| Cla\$PushLong | 7 |
| Cla\$PushString | 7 |
| Cla\$pwopen | 7 |
| Cla\$Stack2DStack | 7 |
| _sysinit | 7 |
| PR_sscanf | 7 |
| PR_Now | 7 |
| PR_snprintf | 7 |
| SetupDestroyDiskSpaceList | 7 |
| NdrRpcSsDefaultFree | 7 |
| ldap_free_controlsW | 7 |
| ldap_rename_ext_s | 7 |
| RARCloseArchive | 7 |
| RpcMgmtEpEltnqBegin | 7 |
| Tcl_Init | 7 |
| buf32Alloc | 7 |
| buf32GetInfo | 7 |
| ?GetBaseStringManager@String@Base@@@S | 7 |
| ??1Exception@Base@@UAE@XZ | 7 |
| ?Throw@Base@@YGXJ@Z | 7 |
| ?BaseAtlThrow@ATL@@YGXJ@Z | 7 |
| _ZSt4endlIcSt11char_traitsIcEERSt13basic_o | 7 |
| SaslAcceptSecurityContext | 7 |

| | |
|--|---|
| JetSnapshotStart | 7 |
| ?GetPMPDirectory@@YA?AV?\$CStringT@_` | 7 |
| ?GetDriverDirectory@@YA?AV?\$CStringT@_` | 7 |
| ?GetPlotStylesDirectory@@YA?AV?\$CString | 7 |
| hcreg_SetErrorHandler | 7 |
| ?GetProgramName@@YA?AV?\$CStringT@_` | 7 |
| ?GetCompanyName@@YA?AV?\$CStringT@_` | 7 |
| ?GetAppKey@@YA?AV?\$CStringT@_WV?\$S | 7 |
| ??2HT_Object@@SAPAXI@Z | 7 |
| ??1HT_String@@UAE@XZ | 7 |
| ??0HT_String@@QAE@PB_W@Z | 7 |
| ??3HT_Object@@SAXPAX@Z | 7 |
| ??3HT_String@@SAXPAX@Z | 7 |
| ?copy@HT_String@@QAEXPB_W@Z | 7 |
| ?SPMP@@YAPAVHT_SPMem_Pool@@XZ | 7 |
| ??0HT_Plot_Config_Manager@@QAE@AAV | 7 |
| HD_Create_App_Error_Handler | 7 |
| IASUninitialize | 7 |
| PutMemVar | 7 |
| rtcGetHourOfDay | 7 |
| rtcGetMinuteOfHour | 7 |
| rtcGetSecondOfMinute | 7 |
| RasCustomDeleteEntryNotify | 7 |
| CmCustomDialDlg | 7 |
| RasCustomEntryDlg | 7 |
| DestroyString | 7 |
| ??0?\$money_get@GV?\$istreambuf_iterator | 7 |
| __glutCreateMenuWithExit | 7 |
| ZwQueryMultipleValueKey | 7 |
| ?_FindOrAddValueNode@CDbPropertyRestr | 7 |
| ?Pause@CCatalogAdmin@@QAEHXZ | 7 |
| ?BorrowNewBuffer@CPhysStorage@@QAEI | 7 |
| ??0CEventItem@@QAE@GGKGKPBX@Z | 7 |
| CreateVssBackupComponentsInternal | 7 |
| glsNumui | 7 |
| LdrFindResourceEx_U | 7 |
| VarI1FromBool | 7 |
| NtSetBootEntryOrder | 7 |
| ?QueryChAt@WSTRING@@QBEGK@Z | 7 |
| DnsStringCopyAllocateEx | 7 |
| DnsQuery_UTF8 | 7 |
| BmRelease | 7 |
| DibSaveToStream | 7 |
| PbGetData | 7 |
| LeCopyFromLink | 7 |
| OleCreateFromClip | 7 |
| BmEqual | 7 |

| | |
|---|---|
| ASN1BERDecZeroMultibyteString | 7 |
| ?GetProgramBinDir@Sys@Util@@YA?AVCT | 7 |
| VarI1FromR4 | 7 |
| ?find@?\$char_traits@D@std@@SAPBDPBD | 7 |
| VarUI4FromI8 | 7 |
| GetPortVal | 7 |
| SamRemoveMemberFromForeignDomain | 7 |
| _ZN11QTextStreamIsERK7QString | 7 |
| _ZNK7QString3argERKS_iRK5QChar | 7 |
| ??1ConfigItem@utl@@UAE@XZ | 7 |
| ?GetProperties@ConfigItem@utl@@IAE?A\ | 7 |
| ?GetHeight@Font@@QBEJXZ | 7 |
| ??1FixedImage@@UAE@XZ | 7 |
| ??0Font@@QAE@ABV0@@Z | 7 |
| ?SetBackground@OutputDevice@@QAEXAE | 7 |
| ??0Wallpaper@@QAE@ABVColor@@@Z | 7 |
| ?FillLayoutData@Control@@MBEXXZ | 7 |
| ??1HelpButton@@UAE@XZ | 7 |
| ?ActivatePage@TabPage@@UAEXXZ | 7 |
| ??0Time@@QAE@ABV0@@Z | 7 |
| ??0Date@@QAE@XZ | 7 |
| ??1SvRefBase@@MAE@XZ | 7 |
| ?release@?\$WeakImplHelper3@VXAttribute | 7 |
| ?acquire@?\$WeakImplHelper3@VXAttribut | 7 |
| ?queryInterface@?\$WeakImplHelper3@VX/ | 7 |
| ??0SvXMLAttributeList@@QAE@XZ | 7 |
| ?AddAttribute@SvXMLAttributeList@@QAE | 7 |
| ??1SvXMLAttributeList@@UAE@XZ | 7 |
| ??0SvtSysLocale@@QAE@XZ | 7 |
| FsRtlAllocatePoolWithTag | 7 |
| ??0?\$basic_istream@_WU?\$char_trai | 7 |
| ?replace@?\$basic_string@_WU?\$char_trait | 7 |
| ??_D?\$basic_istream@_WU?\$char_trai | 7 |
| mysql_query | 7 |
| IsmGetRealPlatform | 7 |
| TrackedIsmCreateSimpleObjectPattern | 7 |
| IsmEnumFirstSourceObjectEx | 7 |
| IsmEnumNextObject | 7 |
| IsmAbortObjectEnum | 7 |
| IsmSetEnvironmentFlag | 7 |
| IsmSetEnvironmentString | 7 |
| IsmSetCancel | 7 |
| TrackedIsmExpandEnvironmentString | 7 |
| IsmReleaseObject | 7 |
| IsmDestroyObjectString | 7 |
| IsmReleaseMemory | 7 |
| IsmDestroyObjectHandle | 7 |

| | |
|--|---|
| TrackedIsmCreateObjectHandle | 7 |
| TrackedIsmCreateObjectStringsFromHandlef | 7 |
| IsmAcquireObjectEx | 7 |
| IsmGetObjectTypeId | 7 |
| TrackedIsmGetNativeObjectName | 7 |
| TrackedIsmGetMemory | 7 |
| IsmAddComponentAlias | 7 |
| IsmIsComponentSelected | 7 |
| LogEnd | 7 |
| LogA | 7 |
| LogBegin | 7 |
| VarI2FromUI8 | 7 |
| VARIANT_UserUnmarshal | 7 |
| ?GetWidth@CxImage@@QBEKXZ | 7 |
| ?GetHeight@CxImage@@QBEKXZ | 7 |
| ??8@YA_NPB_WABVCTXBSTR@@@Z | 7 |
| ?GetConfigFieldData@ModuleConfig@@YA. | 7 |
| ?GetFileName@FS@Util@@YA?AVCTXString@ | 7 |
| ?IsAppLocked@Misc@Util@@YAHXZ | 7 |
| _RegSaveKey_@12 | 7 |
| _IsBadStringPtr_@8 | 7 |
| _DefDlgProc_@16 | 7 |
| _LogonUser_@24 | 7 |
| ??1?\$moneypunct@G\$00@std@@UAE@XZ | 7 |
| ?RestoreThreadExecutionState@@YGXJK@Z | 7 |
| ?QueryDriveHandle@DP_DRIVE@@QBEPA | 7 |
| ?activate@ACE_Task_Base@@UAEHJHHJHP | 7 |
| ??G@YA?AVACE_Time_Value@@ABV0@0@ | 7 |
| ?last_error@ACE_OS@@SAHZ | 7 |
| ?release@ACE_Message_Block@@QAEPAV | 7 |
| ?total_length@ACE_Message_Block@@QBE | 7 |
| ?total_size@ACE_Message_Block@@QBEIX | 7 |
| ?dump@ACE_Condition_Thread_Mutex@@ | 7 |
| JetGetBookmark | 7 |
| JetEndExternalBackupInstance2 | 7 |
| RpcNsBindingUnexportA | 7 |
| RpcNsProfileEltRemoveW | 7 |
| I_RpcReBindBuffer | 7 |
| RpcNsProfileEltInqDone | 7 |
| RpcNsMgmtEntryDeleteA | 7 |
| ??_7?\$basic_istream@DU?\$char_traits | 7 |
| TTEmbedFont | 7 |
| TTDeleteEmbeddedFont | 7 |
| DnsRegisterClusterAddress | 7 |
| HidP_GetLinkCollectionNodes | 7 |
| HidD_SetOutputReport | 7 |
| AVIFileCreateStreamW | 7 |

| | |
|---|---|
| MesEncodeIncrementalHandleCreate | 7 |
| VarBstrFromUI4 | 7 |
| _EnumDesktops_@12 | 7 |
| VarDecRound | 7 |
| GetDisplayConfigBufferSizes | 7 |
| CursorLibTransact | 7 |
| LeSetHostNames | 7 |
| LeCreateInvisible | 7 |
| OleUnlockServer | 7 |
| BmDraw | 7 |
| OleQueryClientVersion | 7 |
| SeTokenType | 7 |
| SQLSetDescFieldA | 7 |
| ??YCTXStringW@@QAEAAV0 @_W@Z | 7 |
| ?Replace@CTXStringW@@QAEH_W0@Z | 7 |
| ??9CTXBSTR@@QBE_NPB_W@Z | 7 |
| NetpNtStatusToApiStatus | 7 |
| ?SetState@CheckBox@@QAEXW4TriState@ | 7 |
| ??0String@@QAE@ABVByteString@@GK@: | 7 |
| ?GetTokenCount@String@@QBEGG@Z | 7 |
| ?GetToken@String@@QBE?AV1@GGAAG@ | 7 |
| ??0INetURLObject@@QAE@XZ | 7 |
| ??0INetURLObject@@QAE@ABV0@@Z | 7 |
| VarI8FromI2 | 7 |
| VarDateFromDec | 7 |
| SetupDiDeleteDeviceInterfaceRegKey | 7 |
| EngSetEvent | 7 |
| ??0?\$basic_stringbuf@DU?\$char_traits@D@ | 7 |
| ??_8?\$basic_istream@DU?\$char_trait: | 7 |
| ScsiPortCompleteRequest | 7 |
| ScsiPortSetBusDataByOffset | 7 |
| BMAPIAddress | 7 |
| HrSzFromEntryID@12 | 7 |
| NtAccessCheckByTypeResultListAndAuditAla | 7 |
| ZwCompressKey | 7 |
| ATMForceFontChange | 7 |
| g_file_error_from_errno | 7 |
| g_file_error_quark | 7 |
| g_strerror | 7 |
| @Math@Min\$qqrxhd | 7 |
| av_new_stream | 7 |
| av_free | 7 |
| CoGetState | 7 |
| FilterLoad | 7 |
| config_GetUserDir | 7 |
| mwait | 7 |
| WakeAllConditionVariable | 7 |

| | |
|---------------------------------------|---|
| GetThemeIntList | 7 |
| GetThemeSysString | 7 |
| GetThemeString | 7 |
| MSChapSrvChangePassword2 | 7 |
| ?AddChild@CNodeRestriction@@QAEXPAPI_ | 7 |
| ?SetUI1@CStorageVariant@@QAEXEI@Z | 7 |
| A_UNK | 7 |
| ??0QString@@QAE@VQChar@@@Z | 7 |
| ?wait@QThread@@QAE_NK@Z | 7 |
| ?toUInt@QString@@QBEIPA_NH@Z | 7 |
| ?absoluteFilePath@QFileInfo@@QBE?AVQS | 7 |
| ?isNull@QVariant@@QBE_NXZ | 7 |
| ?node_create@QMapData@@QAEPAUNod | 7 |
| ?createData@QMapData@@SAPAU1@H@Z | 7 |
| ?isDir@QFileInfo@@QBE_NXZ | 7 |
| inet_ntop | 7 |
| InstallModem | 7 |
| LsdnGetDup | 7 |
| LsdnDistribute | 7 |
| LsDestroyContext | 7 |
| LsQueryLinePointPcp | 7 |
| _CharLowerBuff_@8 | 7 |
| _GetPrivateProfileString_@24 | 7 |
| ??_7CComPlusMethod@@6B@ | 7 |
| ??1CComPlusInterface@@UAE@XZ | 7 |
| ??0CComPlusInterface@@QAE@ABV0@@Z | 7 |
| ??1CComPlusComponent@@UAE@XZ | 7 |
| ??4CComPlusComponent@@QAEAAV0@AB | 7 |
| ??0CComPlusComponent@@QAE@ABV0@() | 7 |
| _getgid32 | 7 |
| g_ptr_array_free | 7 |
| g_ptr_array_new | 7 |
| g_type_check_instance_is_a | 7 |
| g_type_class_peek_parent | 7 |
| __xmlGenericError | 7 |
| xmlParseDocument | 7 |
| ?Initialize@INTSTACK@@QAEEXZ | 7 |
| ??0DIGRAPH_EDGE@@QAE@XZ | 7 |
| ?SendSonyMSInquiryCmd@DP_DRIVE@@Q | 7 |
| ?QueryDisjointRange@NUMBER_SET@@QB | 7 |
| MsiCloseAllHandles | 7 |
| GetApplicationRestartSettings | 7 |
| RtlImageNtHeaderEx | 7 |
| WerpSetIntegratorReportId | 7 |
| WerpGetNumFiles | 7 |
| WerpGetFileByIndex | 7 |
| WerpCreateIntegratorReportId | 7 |

| | |
|---|---|
| WerpFreeString | 7 |
| ?compare@?\$collate@G@std@@QBEHPBG | 7 |
| SnmpCancelMsg | 7 |
| ?LockBuffer@CString@@QAEPAZ | 7 |
| ?Lock@CCriticalSection@@UAEHK@Z | 7 |
| SCardReleaseNewReaderEvent | 7 |
| SCardReleaseAllEvents | 7 |
| _RegQueryMultipleValues_@20 | 7 |
| @\$bnew\$qui | 7 |
| RtlCreateBootStatusDataFile | 7 |
| VarR8Pow | 7 |
| VarDateFromDisp | 7 |
| ??1CPropertyStore@@QAE@XZ | 7 |
| ?AddTitle@CCollection@@QAEPAVCTitle@() | 7 |
| ?GetId@CLocation@@QBEPAZ | 7 |
| ?GetId@CTitle@@QAEPAZ | 7 |
| pSetupShouldDeviceBeExcluded | 7 |
| ?GetRegPath@CIniW@@QBEPAZ | 7 |
| CmStrtokA | 7 |
| ?QueryChCount@WSTRING@@QBEKZ | 7 |
| ZwNotifyChangeMultipleKeys | 7 |
| ?write@ostream@@QAEAAV1@PBCH@Z | 7 |
| @Variants@@VarCopy\$qqrr8TVarDatarx8T\ | 7 |
| @\$xp\$15Classes@TThread | 7 |
| NetAuditClear | 7 |
| RtlAddActionToRXact | 7 |
| NtQueryIntervalProfile | 7 |
| ??_F?\$num_put@GV?\$ostreambuf_iterator | 7 |
| ??_bad_typeid@std@@6B@ | 7 |
| ?_Getcat@?\$ctype@_W@std@@SAIPAPBV | 7 |
| VarCyFromDisp | 7 |
| _CreateEvent_@16 | 7 |
| _CreateService_@52 | 7 |
| _DispatchMessage_@4 | 7 |
| _WritePrivateProfileSection_@12 | 7 |
| ?ScFlushPostponed@CEventBuffer@@AAE? | 7 |
| ?GetHelpID@SC@mmcerror@@QAEKZ | 7 |
| ?LastRefReleased@CMMCStrongReferences | 7 |
| IPSecSetPolicyData | 7 |
| NtSetIntervalProfile | 7 |
| ?SetEventMask@CTXHttpDownload@@QAE | 7 |
| ?GetVersionExW@Version@@YAXAAUtagVi | 7 |
| DllEnumClassObjects | 7 |
| ServiceInit | 7 |
| ??Hstd@@YA?AV?\$complex@N@0@ABNAI | 7 |
| ??4bad_cast@std@@QAEAAV01@ABV01@ | 7 |
| LsSetModWidthPairs | 7 |

| | |
|---|---|
| LsSetBreakSubline | 7 |
| LsGetReverseLsimethods | 7 |
| DetachWndProc | 7 |
| DUserPostMethod | 7 |
| pSetupCenterWindowRelativeToParent | 7 |
| ?GetWChar@CMemDeSerStream@@UAEXF | 7 |
| ?PeekULong@CMemDeSerStream@@UAEK | 7 |
| RegisterApplicationRecoveryCallback | 7 |
| RpcServerUseProtseqEpExW | 7 |
| MmIsRecursiveIoFault | 7 |
| KeFindConfigurationNextEntry | 7 |
| IoSynchronousInvalidateDeviceRelations | 7 |
| DsReplicaUpdateRefsA | 7 |
| DsCrackSpn2A | 7 |
| MsiCreateTransformSummaryInfoW | 7 |
| _osminor_dll | 7 |
| GetApplicationRecoveryCallback | 7 |
| RtlDeleteBoundaryDescriptor | 7 |
| RtlAddSIDToBoundaryDescriptor | 7 |
| RtlCreateBoundaryDescriptor | 7 |
| WerpSubmitReportFromStore | 7 |
| WerpOpenMachineQueue | 7 |
| WerpCloseStore | 7 |
| WerpEnumerateStoreNext | 7 |
| WerpEnumerateStoreStart | 7 |
| WerpOpenUserQueue | 7 |
| WerpSetReportInformation | 7 |
| WerpGetReportInformation | 7 |
| WerpGetReportType | 7 |
| WerpLoadReport | 7 |
| ?Append@CTXStringW@@QAEXABV1@@Z | 7 |
| GetStdColorPenI | 7 |
| ADSIGetPreviousRow | 7 |
| BuildADsParentPathFromObjectInfo | 7 |
| SnmpSvcSetLogType | 7 |
| InternetGetPerSiteCookieDecisionA | 7 |
| RTFSync@12 | 7 |
| RtlCheckForOrphanedCriticalSection | 7 |
| SetMemObj | 7 |
| glsNumbv | 7 |
| ?Setup@CPropStoreManager@@QAEXKKKK | 7 |
| ObjQuerySize | 7 |
| LeSaveToStream | 7 |
| LeQueryOutOfDate | 7 |
| OleQueryLinkFromClip | 7 |
| DibEqual | 7 |
| ?assign@?\$basic_string@GU?\$char_traits@ | 7 |

| | |
|--|---|
| NhGetGuidFromInterfaceName | 7 |
| xmlInitParser | 7 |
| SetAttribIMsgOnIStg@16 | 7 |
| _CRT_RTC_INIT | 7 |
| LocaleNCompare | 7 |
| SetThreadpoolTimer | 7 |
| SetupRenameErrorA | 7 |
| InbvResetDisplay | 7 |
| KeSaveStateForHibernate | 7 |
| RegCreateHKCUKeyExU | 7 |
| mpCalloc | 7 |
| MmMapViewOfSection | 7 |
| RtlNumberGenericTableElementsAvl | 7 |
| pSetupStringTableAddStringEx | 7 |
| SetupCreateDiskSpaceListW | 7 |
| SetupQueueCopyIndirectW | 7 |
| SdbReadStringTagRef | 7 |
| RtmLockNextHop | 7 |
| RtmUpdateAndUnlockRoute | 7 |
| ?FormatErrorString@@YGXPBGVSC@mmce | 7 |
| ?SetPath@CScopeAdmin@@QAEXPBG@Z | 7 |
| ApphelpCheckMsiPackage | 7 |
| SdbDeletePermLayerKeys | 7 |
| @Graphics@TCanvas@StretchDraw\$qqrrx1: | 7 |
| @Forms@TCustomForm@SetPosition\$qqr1! | 7 |
| __ftol | 7 |
| GenerateRsopPolicy | 7 |
| png_create_info_struct | 7 |
| png_destroy_read_struct | 7 |
| png_destroy_write_struct | 7 |
| png_read_end | 7 |
| png_read_info | 7 |
| png_set_IHDR | 7 |
| png_set_write_fn | 7 |
| png_write_end | 7 |
| png_write_info | 7 |
| JetStopBackup | 7 |
| JetGetAttachInfo | 7 |
| SetupDiGetClassRegistryPropertyA | 7 |
| RtmRegisterEntity | 7 |
| ?GetSizePixel@Bitmap@@QBE?AVSize@@@> | 7 |
| ??0Graphic@@QAE@ABVBitmapEx@@@Z | 7 |
| ??0VirtualDevice@@QAE@G@Z | 7 |
| ??1VirtualDevice@@UAE@XZ | 7 |
| ??0GDIMetaFile@@QAE@XZ | 7 |
| ??1GDIMetaFile@@UAE@XZ | 7 |
| ??0TempFile@utl@@QAE@PBVString@@E | 7 |

| | |
|---|---|
| ?GetURL@TempFile@utl@@QBE?AVString@ | 7 |
| ??1TempFile@utl@@QAE@XZ | 7 |
| ??0Polygon@@QAE@XZ | 7 |
| ?Remove@Container@@QAEPAHK@Z | 7 |
| ?GetSize@Rectangle@@QBE?AVSize@@XZ | 7 |
| ConfigDialogProc | 7 |
| TopIStHeapCostReduced | 7 |
| FsRtlAllocatePool | 7 |
| VideoPortAssociateEventsWithDmaHandle | 7 |
| TdiDefaultChainedRcvExpeditedHandler | 7 |
| CreateDataObject | 7 |
| HrlStreamWToBSTR | 7 |
| BrowseForFolder | 7 |
| _RegisterServiceCtrlHandler_@8 | 7 |
| IsModuleRemovable | 7 |
| ??0strstreambuf@std@@QAE@PBDH@Z | 7 |
| RasGetEapUserInfo | 7 |
| MsiEvaluateConditionA | 7 |
| creat | 7 |
| setjmp | 7 |
| Tcl_Eval | 7 |
| RtmGetEntityInfo | 7 |
| ??8QString@@QBE_NABVQLatin1String@@ | 7 |
| ??1QRegExp@@QAE@XZ | 7 |
| ?isOpen@QIODevice@@QBE_NXZ | 7 |
| ?freeNode@QHashData@@QEXPAX@Z | 7 |
| ?bytesAvailable@QIODevice@@UBE_JXZ | 7 |
| ?bytesToWrite@QIODevice@@UBE_JXZ | 7 |
| ?canReadLine@QIODevice@@UBE_NXZ | 7 |
| ?removeGuard@QMetaObject@@SAXPAPA | 7 |
| ?changeGuard@QMetaObject@@SAXPAPA | 7 |
| ?disconnect@QObject@@SA_NPBV1@PBD | 7 |
| ?clear@QString@@QAEXXZ | 7 |
| ?data@QByteArray@@QEPADXZ | 7 |
| _ZN11QMetaObject8activateEP7QObjectPKS | 7 |
| DirectXFileCreate | 7 |
| ZwQueryPerformanceCounter | 7 |
| @\$xp\$17Etcctrls@TivLabel | 7 |
| @Etcctrls@TivLabel@ | 7 |
| typelib_typedescription_complete | 7 |
| ??1?\$XPtr@VCDbColumnNode@@@QAE | 7 |
| _lstrcpy_n_@12 | 7 |
| _GetLogicalDriveStrings_@8 | 7 |
| ??1?\$num_get@DV?\$istreambuf_iterator@ | 7 |
| SHCreateItemFromIDList | 7 |
| ?IsWin98@CMdVersionInfo@@SAHZ | 7 |
| RegDeleteKeyExA | 7 |

| | |
|--|---|
| ResUtilGetPropertyFormats | 7 |
| _nc_user_definable | 7 |
| AVISaveVA | 7 |
| ??5?\$basic_istream@DU?\$char_traits@D@! | 7 |
| ?exceptions@ios_base@std@@QAEXF@Z | 7 |
| VarUI1FromStr | 7 |
| clock_gettime | 7 |
| _CopyAcceleratorTable_@12 | 7 |
| _SendMessageCallback_@24 | 7 |
| _GetCharWidthFloat_@16 | 7 |
| _PrivilegedServiceAuditAlarm_@20 | 7 |
| _NDdeShareDel_@12 | 7 |
| _ZN8QVariantC1Ei | 7 |
| _ZNK7QString7toAsciiEv | 7 |
| _ZNK8QVariant8toStringEv | 7 |
| _ZN6QLabel7setTextERK7QString | 7 |
| _ZN6QLabelC1EP7QWidget6QFlagsIN2Qt10 | 7 |
| phoneSetLamp | 7 |
| WizLanguageDlgProc | 7 |
| ASN1CEREncOctetString | 7 |
| ?OnPrepareSnapshotBegin@CVssJetWriter@ | 7 |
| xmlMemoryDump | 7 |
| DsAddressToSiteNamesW | 7 |
| RasSetAutodialParamW | 7 |
| _DlgDirSelectComboBoxEx_@16 | 7 |
| _ForceMasterMerge@16 | 7 |
| ??0CPidLookupTable@@QAE@XZ | 7 |
| ILCloneFirst | 7 |
| RpcNsBindingLookupBeginW | 7 |
| ??0CLocation@@QAE@XZ | 7 |
| RtlFirstEntrySList | 7 |
| ReleaseSRWLockExclusive | 7 |
| AcquireSRWLockExclusive | 7 |
| TraceSQLSetConnectOption | 7 |
| TraceSQLError | 7 |
| TraceSQLSetPos | 7 |
| ManagedRequestW | 7 |
| ?FormatMessageW@CString@@QAAXPBZ | 7 |
| ?QueryNtfsTime@IFS_SYSTEM@@SGXPAT_ | 7 |
| ?setAttribute@QWidget@@QAEXW4Widge | 7 |
| ?style@QWidget@@QBEPAVQStyle@@XZ | 7 |
| ?rect@QWidget@@QBE?AVQRect@@XZ | 7 |
| _ErrorMessage | 7 |
| _startupd | 7 |
| CmIsDigitA | 7 |
| UpdateFont | 7 |
| VarUI8FromBool | 7 |

| | |
|---|---|
| picture_NewFromFormat | 7 |
| vlc_fourcc_AreUVPlanesSwapped | 7 |
| RasGetAutodialAddressA | 7 |
| NtSetBootOptions | 7 |
| ?GetByte@CMemDeSerStream@@UAEEXZ | 7 |
| JetMove@16 | 7 |
| JetOpenFileSectionInstance | 7 |
| EnumGadgets | 7 |
| GetGadgetRootInfo | 7 |
| GenCopy | 7 |
| LeSetData | 7 |
| _FindAtom_@4 | 7 |
| _.CreateDirectory_@8 | 7 |
| module_exists | 7 |
| ?DeleteIf@CLKRHashTable@@QAEKP6G?AV | 7 |
| SnmpGetRetry | 7 |
| SnmpFreeDescriptor | 7 |
| ??_Ffacet@locale@std@@QAEXXZ | 7 |
| ?ignore@?\$basic_istream@DU?\$char_traits | 7 |
| @Curredit@initialization\$qqrv | 7 |
| @Rxcalc@initialization\$qqrv | 7 |
| ?Remove@CDbSortSet@@QAEXI@Z | 7 |
| ?AppendListElement@CDBListAnchor@@IAI | 7 |
| ?LoadEntry@CIniW@@IBEPAGPBG@Z | 7 |
| WzToSz | 7 |
| DeleteTempFileOnShutdownEx | 7 |
| FBuildTempPath | 7 |
| WriteStreamToFile | 7 |
| HrStreamToByte | 7 |
| HrCheckTridentMenu | 7 |
| PszToANSI | 7 |
| FIIsEmptyA | 7 |
| HrLPSZCPToBSTR | 7 |
| HrCopyStream | 7 |
| ReplaceChars | 7 |
| WriteStreamToFileW | 7 |
| PszEscapeMenuStringA | 7 |
| GetHtmlCharset | 7 |
| CryptFreeFunc | 7 |
| ?QueryInterface@CEnumWorkid@@UAGJA | 7 |
| ldap_create_vlv_controlA | 7 |
| MsiUseFeatureExA | 7 |
| ?CopyTXDataField@Data@Util@@YAHPAUI | 7 |
| ?AddInfo@CTXHttpDownload@@QAEHABV | 7 |
| ?CodeServerData_Boolean@API@AdvCon | 7 |
| ?DecodeServerData_Boolean@API@AdvC | 7 |
| ?IsChatSessionOpen@ChatSession@Util@@ | 7 |

| | |
|---|---|
| gimp_preview_draw_buffer | 7 |
| _GetDiskFreeSpace_@20 | 7 |
| _GetDateFormat_@24 | 7 |
| _AddFontResource_@4 | 7 |
| _lstrcmp_@8 | 7 |
| SnmpDuplicateVbl | 7 |
| _byteswap_ulong | 7 |
| VarCyFromUI4 | 7 |
| ?IsUnlocked@CLockedSingleList@@QBE_NX | 7 |
| ?_TryWriteLock@CReaderWriterLock3@@A | 7 |
| ?IsLocked@CLockedSingleList@@QBE_NXZ | 7 |
| LsdnFinishRegular | 7 |
| JetRestoreInstance | 7 |
| JetEndExternalBackupInstance | 7 |
| JetRenameColumn | 7 |
| HrGetOneProp@12 | 7 |
| TraceSQLGetEnvAttr | 7 |
| TraceSQLSetStmtAttrW | 7 |
| TraceSQLSetCursorNameW | 7 |
| TraceSQLAllocEnv | 7 |
| TraceSQLTablesW | 7 |
| ?IsFree@NTFS_BITMAP@@QBEEVBIG_INT@ | 7 |
| ?QuerySegmentReference@NTFS_MFT_INF(| 7 |
| ?Initialize@NTFS_MFT_INFO@@QAEEXZ | 7 |
| RasBundleGetPort | 7 |
| RtmGetEntityMethods | 7 |
| _vbaRedimVar2 | 7 |
| ?open@?\$basic_ofstream@GU?\$char_traits | 7 |
| ??1__non_rtti_object@std@@UAE@XZ | 7 |
| ?max@?\$numeric_limits@J@std@@SAJXZ | 7 |
| PdhEnumObjectItemsHA | 7 |
| IASAdler32 | 7 |
| IASGetDictionary | 7 |
| SdbTagRefToTagID | 7 |
| SdbFindFirstTagRef | 7 |
| LsExpandSubline | 7 |
| LdrInitShimEngineDynamic | 7 |
| HidD_GetNumInputBuffers | 7 |
| ?TryWriteLock@CReaderWriterLock2@@QA | 7 |
| ?ReadOrWriteLock@CCritSec@@QAE_NXZ | 7 |
| TraceSQLBindParameter | 7 |
| ?overflow@?\$basic_stringbuf@DU?\$char_tr | 7 |
| ErrUpdate | 7 |
| LeReconnect | 7 |
| SamiOemChangePasswordUser2 | 7 |
| OleRenameClientDoc | 7 |
| LdapCreatePageControl | 7 |

| | |
|--|---|
| ?WritePrimaryProperty@CPropStoreManager | 7 |
| PSetupThisPlatform | 7 |
| ?ReadOrWriteUnlock@CReaderWriterLock3 | 7 |
| ?ConvertExclusiveToShared@CLKRHashTable | 7 |
| ?sm_pfnTryEnterCriticalSection@CCriticalSe | 7 |
| @Cxsplitter@initialization\$qqrv | 7 |
| SetupGetNonInteractiveMode | 7 |
| pclose | 7 |
| vlc_iconv | 7 |
| vlc_iconv_close | 7 |
| vlc_iconv_open | 7 |
| ldap_addA | 7 |
| ?Format@CString@@QAAXPBGZZ | 7 |
| _ZN5QFileC1ERK7QString | 7 |
| _ZN9QFileInfoD1Ev | 7 |
| _ZNK7QStringeqERK13QLatin1String | 7 |
| mysql_select_db | 7 |
| ??1CIniA@@QAE@XZ | 7 |
| ?IsWriteUnlocked@CReaderWriterLock2@@ | 7 |
| RatingEnable | 7 |
| RatingCustomDeleteCrackedData | 7 |
| RatingCustomCrackData | 7 |
| VerifySupervisorPassword | 7 |
| RatingEnabledQuery | 7 |
| ClickedOnPRF | 7 |
| RatingCustomRemoveRatingHelper | 7 |
| RatingAccessDeniedDialog2 | 7 |
| RatingCustomAddRatingSystem | 7 |
| ChangeSupervisorPassword | 7 |
| RatingFreeDetails | 7 |
| RatingObtainCancel | 7 |
| ?SetProperty@CFullPropSpec@@QAEHPBG | 7 |
| ?GetPropInfo@CEmptyPropertyList@@QAE | 7 |
| glsPad | 7 |
| picture_NewFromResource | 7 |
| pSetupStringTableInitialize | 7 |
| DnsCreateStringCopy | 7 |
| j | 7 |
| @Cxgridcustomtableview@TcxCustomGridT | 7 |
| ?ChkDsk@VOL_LIODPDRV@@QAEW4FIX_I | 7 |
| ?GetBuf@CTXCommPack@@QAEHHPAEHH@ | 7 |
| MsiGetFeatureStateW | 7 |
| ?GetScodeError@@YGJAAVCException@@@C | 7 |
| ?AllocHeapAndCopy@@YGPAGPBGAAC@Z | 7 |
| ?seekg@?\$basic_istream@DU?\$char_traits< | 7 |
| lua_pushlightuserdata | 7 |
| ??Gstd@@YA?AV?\$complex@N@0@ABV1C | 7 |

| | |
|---|---|
| DsInheritSecurityIdentityA | 7 |
| DsReplicaDelW | 7 |
| NdrClientContextMarshall | 7 |
| ?exec@QDialog@@QAEHXZ | 7 |
| ??0QFont@@QAE@XZ | 7 |
| ?atEnd@QFile@@UBE_NXZ | 7 |
| ?_InsertThisIntoGlobalList@CLKRHashTable(| 7 |
| ?ReadOrWriteLock@CFakeLock@@QAE_NX | 7 |
| osl_getExecutableFile | 7 |
| rtl_str_reverseCompare_WithLength | 7 |
| StoreBeginSearch | 7 |
| StoreSetSearchOneLevel | 7 |
| StoreCollectAttributes | 7 |
| DhcpDsGetRoot | 7 |
| DhcpEnumServersDS | 7 |
| StoreEndSearch | 7 |
| StoreSearchGetNext | 7 |
| I_CryptGetDefaultCryptProvForEncrypt | 7 |
| I_CryptGetTls | 7 |
| GdipPathIterCopyData | 7 |
| ZwQueryQuotaInformationFile | 7 |
| ??1type_info@@UEAA@XZ | 7 |
| ?IsWriteLocked@CLKRHashTable@@QBE_N | 7 |
| ?MMCErrorBox@@YGVHSC@mmcerror@@ | 7 |
| ?FromLastError@SC@mmcerror@@QAEAA\ | 7 |
| ldap_conn_from_msg | 7 |
| ??4CCritSec@@QAEAAV0@ABV0@@Z | 7 |
| ?getOpenFileName@QFileDialog@@SA?AVI | 7 |
| ??0QIcon@@QAE@ABVQString@@@Z | 7 |
| ??0QMenu@@QAE@PAVQWidget@@@Z | 7 |
| ?setAutoFillBackground@QWidget@@QAE\ | 7 |
| ?addFile@QIcon@@QAEABVQString@@AI | 7 |
| ??0QToolButton@@QAE@PAVQWidget@@ | 7 |
| ??0QGridLayout@@QAE@XZ | 7 |
| ?qt_metacast@QToolButton@@UAEPAXPBI | 7 |
| ?qt_metacall@QToolButton@@UAEHW4Ca | 7 |
| ?event@QToolButton@@MAE_NPAVQEven | 7 |
| ?timerEvent@QToolButton@@MAEXPAPVQT | 7 |
| ?sizeHint@QToolButton@@UBE?AVQSize@ | 7 |
| ?minimumSizeHint@QToolButton@@UBE?/ | 7 |
| ?mousePressEvent@QToolButton@@MAEX | 7 |
| ?mouseReleaseEvent@QToolButton@@MA | 7 |
| ?enterEvent@QToolButton@@MAEXPAPQE | 7 |
| ?leaveEvent@QToolButton@@MAEXPAPQE | 7 |
| ?paintEvent@QToolButton@@MAEXPAPQP | 7 |
| ?actionEvent@QToolButton@@MAEXPAPQ | 7 |
| ?changeEvent@QToolButton@@MAEXPAPVC | 7 |

| | |
|---|---|
| ?hitButton@QToolButton@@MBE_NABVQP | 7 |
| ?nextCheckState@QToolButton@@MAEXXZ | 7 |
| ?qt_metacall@QMenu@@UAEHW4Call@QI | 7 |
| ??1QToolButton@@UAE@XZ | 7 |
| ??1QMenu@@UAE@XZ | 7 |
| ?winId@QWidget@@QBEPAUHWND__@@ | 7 |
| ?staticMetaObject@QMainWindow@@2UQ | 7 |
| ??1QKeySequence@@QAE@XZ | 7 |
| ?qt_assert@@YAXPBD0H@Z | 7 |
| ?replace@QString@@QAEAAV1@VQChar@ | 7 |
| ?name@QLocale@@QBE?AVQString@@XZ | 7 |
| __hwrite_@12 | 7 |
| _GetICMPProfile_@12 | 7 |
| NtStopProfile | 7 |
| ?NewTitle@CCollection@@AAEPAVCTitle@ | 7 |
| RicheditStreamOut | 7 |
| ?Acquire@HMEM@@UAEPAXKK@Z | 7 |
| rtl_ustr_compare | 7 |
| InbvSolidColorFill | 7 |
| IoReportHalResourceUsage | 7 |
| MtxCluIsClusterPresent | 7 |
| DhcpRenewIpAddressLeaseEx | 7 |
| DhcpDeRegisterOptions | 7 |
| ?Marshall@CPropNameArray@@QBEXAAVF | 7 |
| DhcpDeRegisterParamChange | 7 |
| pSetupUnmapAndCloseFile | 7 |
| _RegOpenKeyEx_@20 | 7 |
| ??9@YG_NPBGABVCString@@@Z | 7 |
| ?event@QProgressBar@@MAE_NPAVQEvi | 7 |
| ?sizeHint@QProgressBar@@UBE?AVQSize@ | 7 |
| ?minimumSizeHint@QProgressBar@@UBE? | 7 |
| ?text@QProgressBar@@UBE?AVQString@C | 7 |
| ?setRenderHint@QPainter@@QAEXW4Ren | 7 |
| ??1QRegion@@QAE@XZ | 7 |
| ?setRgb@QColor@@QAEXHHHH@Z | 7 |
| ?applicationDirPath@QCoreApplication@@! | 7 |
| ConstructPrinterFriendlyName | 7 |
| PrintUIEntryW | 7 |
| PrintNotifyTray_Exit | 7 |
| vServerPropPages | 7 |
| ShowErrorMessageSC | 7 |
| PrintNotifyTray_Init | 7 |
| ??1CDbPropIDSet@@QAE@XZ | 7 |
| ?Empty@CPidLookupTable@@QAEXXZ | 7 |
| ?Marshall@CFullPropSpec@@QBEXAAVPSe | 7 |
| ldap_sasl_bindW | 7 |
| ?global@locale@std@@SA?AV12@ABV12@ | 7 |

| | |
|---|---|
| IID_IAccessible | 7 |
| LIBID_Accessibility | 7 |
| OleSetBounds | 7 |
| ??_7?\$basic_stringstream@DU?\$char_traits@ | 7 |
| ?sungetc@?\$basic_streampbuf@DU?\$char_t@ | 7 |
| ?_Gninc@?\$basic_streampbuf@GU?\$char_tr@ | 7 |
| CheckField | 7 |
| DisplayADMItem | 7 |
| ErrorMessageBox | 7 |
| _PageSetupDlg_@4 | 7 |
| SSL_CTX_new | 7 |
| SSL_connect | 7 |
| SSL_library_init | 7 |
| SSL_load_error_strings | 7 |
| SSL_new | 7 |
| SSL_read | 7 |
| SSL_set_fd | 7 |
| SSL_write | 7 |
| @Zlib@initialization\$qqrv | 7 |
| ?GetDiskSpace@CDriveInfo@@QAEAAJ0@ | 7 |
| ??1CRegChangeEvent@@QAE@XZ | 7 |
| ZwQuerySystemEnvironmentValue | 7 |
| NtWaitHighEventPair | 7 |
| StrNCpyA | 7 |
| ??6?\$basic_oiostream@GU?\$char_traits@G@ | 7 |
| ?Skip@CEnumWorkid@@UAGJK@Z | 7 |
| ?SetExclude@CScopeAdmin@@QAEXH@Z | 7 |
| ?MakeICommand@@YGJPAPAUIUnknown@ | 7 |
| NetWkstaTransportDel | 7 |
| NetReplImportDirUnlock | 7 |
| JetSetCurrentIndex4 | 7 |
| RtlMapSecurityErrorToNtStatus | 7 |
| NtCompareTokens | 7 |
| GetSystemPreferredUILanguages | 7 |
| HrFillRasCombo | 7 |
| NPGetConnection | 7 |
| EnumPageFilesW | 7 |
| ?CdlWorkPaneCallback@OISAppApi@@YGH | 7 |
| ?DoBrowseMode@COISApp@@SGXABV?ST | 7 |
| ?DoUploadMode@COISApp@@QAEXABV?S | 7 |
| ?DoEditMode@COISApp@@QAEXABV?STAr | 7 |
| ?GetOISSelectionContext@OISAppApi@@YC | 7 |
| ?InitInstance@OISAppApi@@YGXPUMSOII | 7 |
| ?SetContextMenuCallback@OISAppApi@@Y | 7 |
| ?SetShowToolbar@OISAppApi@@YGXP6GX | 7 |
| ?Singleton@CAppOA@@SGPAV1@XZ | 7 |
| ?GetRootCollection@CAppOA@@SGXPAPB_ | 7 |

| | |
|--|---|
| ?GetCDLContext@OISAppApi@@YGPAUICdl | 7 |
| ?DgRedEyePaneDialog@OISAppApi@@YGP@ | 7 |
| ?DgRotatePaneDialog@OISAppApi@@YGPA | 7 |
| ?DgRenamePaneDialog@OISAppApi@@YGF@ | 7 |
| ?DgHueSatPaneDialog@OISAppApi@@YGP@ | 7 |
| ?DgBrightContrastPaneDialog@OISAppApi@ | 7 |
| ?DgCropPaneDialog@OISAppApi@@YGPAVI | 7 |
| ?DgFileFormatOptDialog@OISAppApi@@YG | 7 |
| ?DgResizeDialog@OISAppApi@@YGPAVDLD | 7 |
| ?DgEditHomeDialog@OISAppApi@@YGPAV | 7 |
| ?DgNavigationPaneDialog@OISAppApi@@Y | 7 |
| ?DgPublishDialog@OISAppApi@@YGPAVDL | 7 |
| ?DgUploadDialog@OISAppApi@@YGPAVDL | 7 |
| ?DgEditModeButtonBar@OISAppApi@@YGI | 7 |
| ?DgUploadModeButtonBar@OISAppApi@@@ | 7 |
| ?DgCompressPicsDialog@OISAppApi@@YGI | 7 |
| ?DgLocatePicturesDialog@OISAppApi@@YC | 7 |
| ?DgHomeDialog@OISAppApi@@YGPAVDLD | 7 |
| ?DgEmailDialog@OISAppApi@@YGPAVDLDi | 7 |
| ?DgPropertiesPaneDialog@OISAppApi@@YI | 7 |
| ?DoNormalMode@COISApp@@SGXXZ | 7 |
| ??1SequenceAsHashMap@comhelper@@@(` | 7 |
| @Db@TDataSet@GotoBookmark\$qqrpv | 7 |
| ??0CDBSortSet@@QAE@I@Z | 7 |
| ClassGetDriverExtension | 7 |
| ClassReleaseQueue | 7 |
| TraceSQLGetCursorName | 7 |
| TraceSQLColAttribute | 7 |
| TraceSQLSetScrollOptions | 7 |
| TraceSQLSetConnectOptionW | 7 |
| BmChangeData | 7 |
| PbDraw | 7 |
| MfDraw | 7 |
| ResUtilFindMultiSzProperty | 7 |
| RasPortConnectComplete | 7 |
| ??4CRandom@@QAEAAV0@ABV0@@Z | 7 |
| JetTruncateLog | 7 |
| StopWsdpService | 7 |
| lineSetNumRings | 7 |
| ??1?\$XPtr@VCDbProjectListAnchor@@@@ | 7 |
| ?ReadPrimaryProperty@CPropStoreManage | 7 |
| EfsDetail | 7 |
| HidD_GetMsGenreDescriptor | 7 |
| wglChoosePixelFormat | 7 |
| NTTimeToNTPTime | 7 |
| IsDestinationReachableW | 7 |
| ?IsValid@COccRestriction@@QBEHXZ | 7 |

| | |
|---|---|
| HrGetStreamPos | 7 |
| I_CryptGetFileVersion | 7 |
| ??4bad_typeid@@QAEAAV0@ABV0@@Z | 7 |
| _CreateAcceleratorTable_@8 | 7 |
| _EnumResourceLanguages_@20 | 7 |
| decoder_NewSubpicture | 7 |
| ServerLicensingOpenA | 7 |
| ?quiet_NaN@?\$numeric_limits@I@std@@@! | 7 |
| ?epptr@streambuf@@IBEPADXZ | 7 |
| MprConfigServerRestore | 7 |
| ExInterlockedInsertHeadList | 7 |
| DnsNotifyResolverEx | 7 |
| DnsApiHeapReset | 7 |
| DnsGetBufferLengthForStringCopy | 7 |
| DnsNameCopyAllocate | 7 |
| IASRequestThread | 7 |
| IASAllocateUniqueId | 7 |
| DhcpRequestOptions | 7 |
| RtlTraceDatabaseLock | 7 |
| _DriverUninstall@4 | 7 |
| _DriverInstall@8 | 7 |
| _IsDriverInstalled@0 | 7 |
| ?QueryCreationTime@FAT_DIRENT@@QBEI | 7 |
| DnsRecordTypeForName | 7 |
| NetInfo_Free | 7 |
| ??_F?\$basic_filebuf@DU?\$char_traits@D@: | 7 |
| PVDecodeObject | 7 |
| CreateSystemHandleName | 7 |
| MsiGetPatchInfoW | 7 |
| ?SetPrimaryRegPath@CIniA@@QAEXPBD@ | 7 |
| NdrConformantVaryingArrayBufferSize | 7 |
| @Menus@TMenuItem@SetEnabled\$qqro | 7 |
| EditStreamSetName | 7 |
| ?assign_from_gs_cid_with_error@nsCOMPT | 7 |
| ?SetLength@nsSubstring@@QAEXI@Z | 7 |
| ?DisplayMsg@MESSAGE@@QAEEK@Z | 7 |
| LsGetMinDurBreaks | 7 |
| VarI2FromR4 | 7 |
| VDMGetThreadSelectorEntry | 7 |
| pSetupIsUserAdmin | 7 |
| ?GetCurrentVolumeCount@CVssWriter@@I | 7 |
| DhcpRequestParams | 7 |
| CACreateLocalAutoEnrollmentObject | 7 |
| IID_IAVIStream | 7 |
| _TTLoadEmbeddedFont@40 | 7 |
| TTIsEmbeddingEnabled | 7 |
| w_UNK | 7 |

| | |
|--|---|
| SetupQueryFileLogW | 7 |
| ?GetDefaultSpinCount@CSmallSpinLock@@ | 7 |
| ?Unlock@CLockedDoubleList@@QAEXXZ | 7 |
| @Dxdockzones@initialization\$qqrv | 7 |
| ?to_char_type@?\$char_traits@_W@std@@ | 7 |
| ?IsEmpty@CLockedSingleList@@QBE_NXZ | 7 |
| VarR8FromUI8 | 7 |
| ??_7CMapStringToPtr@@6B@ | 7 |
| FBadColumnSet@4 | 7 |
| ZwSetLowEventPair | 7 |
| ZwQueryInformationPort | 7 |
| CreateSymbolicLinkW | 7 |
| Dns_CloseConnection | 7 |
| ZwQueryPortInformationProcess | 7 |
| FsRtlMdlReadCompleteDev | 7 |
| MmMapViewInSessionSpace | 7 |
| ??0SC@mmcrror@@QAE@J@Z | 7 |
| ??4?\$basic_stringstream@GU?\$char_traits@ | 7 |
| rtl_string_new_WithLength | 7 |
| MprAdminInterfaceEnum | 7 |
| ?OnPreRestoreBegin@CVssJetWriter@@UA | 7 |
| ?GetCurrentVolumeArray@CVssWriter@@II | 7 |
| ?s_hWnd@SC@mmcrror@@OPAUHWND_ | 7 |
| ??0NTFS_LOGFILE@@QAE@XZ | 7 |
| osl_waitThread | 7 |
| ?curr_symbol@?\$_Mpunct@D@std@@QBE | 7 |
| ?setCursor@QWidget@@QAEXABVQCursor | 7 |
| ?setFixedSize@QWidget@@QAEXHH@Z | 7 |
| Istrcmpil | 7 |
| I_CryptDetachTls | 7 |
| ?Write@SvStream@@QAEKPBXK@Z | 7 |
| ?addInterface@OMultiTypeInterfaceContain | 7 |
| LeActivate | 7 |
| ?ScFromMMC@@YG?AVSC@mmcrror@@ | 7 |
| VDMEnumProcessWOW | 7 |
| rtcFileLocation | 7 |
| RegDBBackup | 7 |
| ResUtilGetDwordProperty | 7 |
| ?Clone@CDBCmdTreeNode@@QBEPAV1@I | 7 |
| ??0NTFS_MFTFILE@@QAE@XZ | 7 |
| ?min@?\$numeric_limits@F@std@@SAFXZ | 7 |
| ?_RemoveThisFromGlobalList@CLKRHashTa | 7 |
| ?IsEmpty@CLockedDoubleList@@QBE_NXZ | 7 |
| ?TryWriteLock@CSmallSpinLock@@QAE_N | 7 |
| PcildeXSetBusData | 7 |
| PcildeXInitialize | 7 |
| PcildeXGetBusData | 7 |

| | |
|--|---|
| ??0CTXStringA@@QAE@ABV0@@Z | 7 |
| SdbReadDWORDTagRef | 7 |
| RtlGetDefaultCodePage | 7 |
| ?loadResource@QTextEdit@@UAE?AVQVar | 7 |
| ?focusNextPrevChild@QTextEdit@@@MAE_N | 7 |
| ?paintEvent@QTextEdit@@MAEXPAPAVQPain | 7 |
| ?focusOutEvent@QTextEdit@@MAEXPAPAVQI | 7 |
| ?keyPressEvent@QTextEdit@@MAEXPAPAVQI | 7 |
| ?mouseMoveEvent@QTextEdit@@MAEXPAPAVPA | 7 |
| ?mouseReleaseEvent@QTextEdit@@MAEXPAPAVF | 7 |
| ?mousePressEvent@QTextEdit@@MAEXPAPAVP | 7 |
| ?event@QTextEdit@@MAE_NPAVQEvent@ | 7 |
| ?qt_metacast@QTextEdit@@UAEPAXPBD@ | 7 |
| ?metaObject@QTextEdit@@UBEPBUQMeta | 7 |
| ?setReadOnly@QTextEdit@@QAEX_N@Z | 7 |
| ??0QTextEdit@@QAE@PAVQWidget@@@Z | 7 |
| ??1QTextEdit@@UAE@XZ | 7 |
| ?setWindowFlags@QWidget@@QAEXV?\$QL | 7 |
| ?openUrl@QDesktopServices@@SA_NABVC | 7 |
| ??0QBrush@@QAE@ABVQColor@@W4Bru | 7 |
| ?qt_metacall@QTextEdit@@UAEHW4Call@ | 7 |
| ?compare@?\$basic_string@GU?\$char_traits@ | 7 |
| ?fromLatin1_helper@QString@@CAPAUDat | 7 |
| ZwCreateKeyedEvent | 7 |
| ?NumSubTables@CLKRHashTable@@QBEH) | 7 |
| ?IsReadLocked@CLKRHashTable@@QBE_N) | 7 |
| ?WriteUnlock@CCritSec@@QAEXXZ | 7 |
| ?NumSubTables@CLKRLinearHashTable@@ | 7 |
| DsListInfoForServerA | 7 |
| BmSaveToStream | 7 |
| AtlFreeMarshalStream | 7 |
| OleQueryReleaseError | 7 |
| ObjQueryType | 7 |
| ?insert@?\$basic_string@GU?\$char_traits@I | 7 |
| ?GetData@CStringArray@@QBEPBVCStringI | 7 |
| MsiOpenPackageExW | 7 |
| @__lockDebuggerData\$qv | 7 |
| @__unlockDebuggerData\$qv | 7 |
| __debuggerDisableTerminateCallback | 7 |
| VDMGlobalFirst | 7 |
| _JVM_NativePath@4 | 7 |
| _JVM_GetLastErrorString@8 | 7 |
| LeObjectLong | 7 |
| ObjRename | 7 |
| I_CryptUninstallAsn1Module | 7 |
| ??0CDbNatLangRestriction@@QAE@PBGAB | 7 |
| @Rxdbccomb@initialization\$qqrv | 7 |

| | |
|---|---|
| ??6SvStream@@QAEAAV0@K@Z | 7 |
| RasGetKey | 7 |
| ?find_last_not_of@?\$basic_string@_WU?\$c | 7 |
| @Ccpbst@TfrmReport@SaveSystemOptio | 7 |
| @Ccpbst@TfrmReport@SaveReportSetupC | 7 |
| @Ccpbst@TfrmReport@PrintReportHeade | 7 |
| @Ccpbst@TfrmReport@OpenReportDatas | 7 |
| @Ccpbst@TfrmReport@LoadSystemSectio | 7 |
| @Ccpbst@TfrmReport@LoadReportSetupC | 7 |
| @Ccpbst@TfrmReport@LoadProgramSecti | 7 |
| @Ccpbst@TfrmReport@LoadAlternateRep | 7 |
| @Ccpbst@TfrmReport@GetSelection\$qqrv | 7 |
| @Ccpbst@TfrmReport@GetReportDataset | 7 |
| @Ccpbst@TfrmReport@DoReportDatasetF | 7 |
| @Ccpbst@TfrmReport@DoPrintDetail\$qqrv | 7 |
| @Ccpbst@TfrmReport@DoAfterQueryOpe | 7 |
| @Ccpbst@TfrmReport@CloseReportDatas | 7 |
| @Db@TDataSet@FieldByName\$qqrx17Syste | 7 |
| @Db@TField@GetEditText\$qqrv | 7 |
| @Hcxlookup@initialization\$qqrv | 7 |
| @Hcxlookup@Finalization\$qqrv | 7 |
| @Hdateprop@initialization\$qqrv | 7 |
| @Hdateprop@Finalization\$qqrv | 7 |
| @Cscfrm@initialization\$qqrv | 7 |
| @Cscfrm@Finalization\$qqrv | 7 |
| @Cscfrm@TCCBaseForm@WndProc\$qqrr1 | 7 |
| @Cscfrm@TCCBaseForm@SingleItemEdit\$ | 7 |
| @Cscfrm@TCCBaseForm@SingleItemAdd\$ | 7 |
| @Cscfrm@TCCBaseForm@LoadSystemOpti | 7 |
| @Cscfrm@TCCBaseForm@Loaded\$qqrv | 7 |
| @Cscfrm@TCCBaseForm@InitSearchContr | 7 |
| @Cscfrm@TCCBaseForm@HandleDateValic | 7 |
| @Cscfrm@TCCBaseForm@HandleCCMessa | 7 |
| @Hsrchdlg@initialization\$qqrv | 7 |
| @Hsrchdlg@Finalization\$qqrv | 7 |
| @Hform@THITForm@ReadState\$qqrp15Cla | 7 |
| @Hform@THITForm@DoGetCurrencyText\$ | 7 |
| @Hform@THITForm@DoColumnCurrencyTe | 7 |
| @Hform@THITForm@\$bdtr\$qqrv | 7 |
| @Hcxgrid@initialization\$qqrv | 7 |
| @Hcxgrid@Finalization\$qqrv | 7 |
| @Cxgriddbchartview@initialization\$qqrv | 7 |
| @Cxgriddbchartview@Finalization\$qqrv | 7 |
| @Cxgridchartview@initialization\$qqrv | 7 |
| @Cxgridchartview@Finalization\$qqrv | 7 |
| @Ccdmdb@dtmCCWINDatabase | 7 |
| @Ccdmdb@TdtmCCWINDatabase@ | 7 |

| | |
|--|---|
| @Hclasses@initialization\$qqrv | 7 |
| @Hclasses@Finalization\$qqrv | 7 |
| @Ccmisc@initialization\$qqrv | 7 |
| @Ccmisc@Finalization\$qqrv | 7 |
| @Ccconst@initialization\$qqrv | 7 |
| @Ccconst@Finalization\$qqrv | 7 |
| @Midaslib@initialization\$qqrv | 7 |
| @Midaslib@Finalization\$qqrv | 7 |
| @Crtl@initialization\$qqrv | 7 |
| @Crtl@Finalization\$qqrv | 7 |
| @Ccdmopt@dtmSystemOption | 7 |
| @Ccdmopt@TdtmSystemOption@ | 7 |
| @Hdatecnv@initialization\$qqrv | 7 |
| @Hdatecnv@Finalization\$qqrv | 7 |
| @Ccdm_dbconnection@initialization\$qqrv | 7 |
| @Ccdm_dbconnection@Finalization\$qqrv | 7 |
| @Ccrecerr@initialization\$qqrv | 7 |
| @Ccrecerr@Finalization\$qqrv | 7 |
| @Cclog@initialization\$qqrv | 7 |
| @Cclog@Finalization\$qqrv | 7 |
| @Onguard@initialization\$qqrv | 7 |
| @Onguard@Finalization\$qqrv | 7 |
| @Ogutil@initialization\$qqrv | 7 |
| @Ogutil@Finalization\$qqrv | 7 |
| @Ogsrmgr@initialization\$qqrv | 7 |
| @Ogsrmgr@Finalization\$qqrv | 7 |
| @Ccdmsys@dtmCCSystem | 7 |
| @Ccdmsys@TdtmCCSystem@ | 7 |
| @Ccdbbak@initialization\$qqrv | 7 |
| @Ccdbbak@Finalization\$qqrv | 7 |
| @Ccdmsct@dtmSecurityControl | 7 |
| @Ccdmsct@TdtmSecurityControl@ | 7 |
| @Ccdmrep@dtmReport | 7 |
| @Ccdmrep@TdtmReport@ | 7 |
| @Idsysvcl@initialization\$qqrv | 7 |
| @Idsysvcl@Finalization\$qqrv | 7 |
| @Idcoderbinhex4@initialization\$qqrv | 7 |
| @Idcoderbinhex4@Finalization\$qqrv | 7 |
| @Idmessagecoderquotedprintable@initializ | 7 |
| @Idmessagecoderquotedprintable@Finaliza | 7 |
| @Idsasl@initialization\$qqrv | 7 |
| @Idsasl@Finalization\$qqrv | 7 |
| @Pdfhdr@initialization\$qqrv | 7 |
| @Pdfhdr@Finalization\$qqrv | 7 |
| @Ccclientopt@initialization\$qqrv | 7 |
| @Ccclientopt@Finalization\$qqrv | 7 |
| MgmGetFirstMfe | 7 |

| | |
|--|---|
| g_assertion_message_expr | 7 |
| ?sm_dblDfltSpinAdjFctr@CReaderWriterLoc | 7 |
| CryptSignHashU | 7 |
| DnsCopyStringEx | 7 |
| RtlIsActivationContextActive | 7 |
| ?GetString@CMemDeSerStream@@UAEPAI | 7 |
| ConvertInterfaceLuidToNameW | 7 |
| rtcFileAttributes | 7 |
| ?DisableCI@CMachineAdmin@@QAEHXZ | 7 |
| ?Copy@CDbPropSet@@QAEHABUtagDBPRC | 7 |
| RasQueryRedialOnLinkFailure | 6 |
| SnmpSvcGetUptime | 6 |
| KeAreApcsDisabled | 6 |
| VflsVerificationEnabled | 6 |
| MsiDatabaseImportA | 6 |
| MsiGetFileVersionA | 6 |
| DsInheritSecurityIdentityW | 6 |
| DsaopBindWithCred | 6 |
| ldap_search_sW | 6 |
| ldap_modrdn | 6 |
| ldap_delete_extA | 6 |
| ldap_memfree | 6 |
| NDdeShareAddW | 6 |
| SetupGetFileCompressionInfoExA | 6 |
| _Z7qMemSetPvij | 6 |
| _Z8qWinMainP11HINSTANCE__SO_PciRiR7Q | 6 |
| _ZN11QVectorData10reallocateEPS_iii | 6 |
| _ZN11QVectorData8allocateEii | 6 |
| _ZN12QApplication4execEv | 6 |
| ?insert@?\$basic_string@DU?\$char_traits@I | 6 |
| CoGetInterceptorFromTypeInfo | 6 |
| @Sysutils@Exception@\$bctr\$qrp20System | 6 |
| @Classes@TCustomMemoryStream@SaveT | 6 |
| I_NetDfsGetVersion | 6 |
| DsGetDcNextW | 6 |
| I_NetLogonUasLogoff | 6 |
| net_Printf | 6 |
| net_Write | 6 |
| rtl_reallocateMemory | 6 |
| lineGetCallStatus | 6 |
| lineGetDevConfigA | 6 |
| lineGetIDA | 6 |
| VideoPortReadPortUlong | 6 |
| VideoPortStartDma | 6 |
| VideoPortFreeCommonBuffer | 6 |
| VideoPortWriteRegisterUlong | 6 |
| VideoPortClearEvent | 6 |

| | |
|---|---|
| NdisGetDriverHandle | 6 |
| NdisMCmActivateVc | 6 |
| NdisInterlockedInsertHeadList | 6 |
| DebugConnect | 6 |
| RenInitInstance@12 | 6 |
| FMessageLoop@12 | 6 |
| RenExitInstance@0 | 6 |
| ?neg_format@?\$_Mpunct@D@std@@QBE` | 6 |
| ?underflow@?\$basic_stringbuf@DU?\$char_ | 6 |
| ??_7?\$time_get@GV?\$istreambuf_iterator@ | 6 |
| ?is_open@?\$basic_ofstream@GU?\$char_tr@ | 6 |
| ??5std@@YAAV?\$basic_istream@DU?\$ch@ | 6 |
| _LoadLibraryEx_@12 | 6 |
| _SetWindowsHookEx_@16 | 6 |
| DnsWriteQuestionToBuffer_W | 6 |
| Dns_OpenTcpConnectionAndSend | 6 |
| Dns_AllocateMsgBuf | 6 |
| DnsWriteQuestionToBuffer_UTF8 | 6 |
| ?Initialize@NTFS_FILE_RECORD_SEGMENT@ | 6 |
| ?Initialize@NTFS_UPCASE_TABLE@@QAEEP | 6 |
| ?Extend@NTFS_MASTER_FILE_TABLE@@QA | 6 |
| ?Initialize@NTFS_REFLECTED_MASTER_FILE_ | 6 |
| ldap_create_sort_control | 6 |
| ldap_encode_sort_controlW | 6 |
| ldap_create_page_controlW | 6 |
| ldap_modify | 6 |
| ldap_set_dbg_routine | 6 |
| ldap_parse_reference | 6 |
| ldap_modify_ext_sW | 6 |
| ldap_parse_sort_controlW | 6 |
| HidD_Hello | 6 |
| HidP_MaxDataListLength | 6 |
| RegisterPowerSettingNotification | 6 |
| UnregisterPowerSettingNotification | 6 |
| ImmPenAuxInput | 6 |
| ILCombine | 6 |
| ILCreateFromPath | 6 |
| ??_F?\$moneypunct@G\$00@std@@QAEXXZ | 6 |
| ?CloseRecord@CPropStoreManager@@QA | 6 |
| ??0CMmStream@@QAE@KH@Z | 6 |
| ?SetDWORDParam@CCatalogAdmin@@QA | 6 |
| BluetoothSetServiceState | 6 |
| BluetoothUpdateDeviceRecord | 6 |
| hazirla | 6 |
| VarUI1FromI2 | 6 |
| lineGetAppPriorityW | 6 |
| lineGetRequestW | 6 |

| | |
|---|---|
| @Db@TMemoField@ | 6 |
| @Db@TblobField@ | 6 |
| @Jpeg@TJPEGImage@ | 6 |
| @Dxinrwex@initialization\$qqrv | 6 |
| ?SetLayoutPos@Element@DirectUI@@QAE. | 6 |
| @System@@RunError\$qqrv | 6 |
| ?not_eof@\$char_traits@D@std@@SAHAB | 6 |
| ZwListenPort | 6 |
| PdhTranslateLocaleCounterA | 6 |
| VarUI1FromDate | 6 |
| ?QueryCatalogEnum@CMachineAdmin@@@C | 6 |
| ??1CscopeAdmin@@QAE@XZ | 6 |
| CM_Get_Resource_Conflict_DetailsA | 6 |
| glsNumulv | 6 |
| glsNullCommandFunc | 6 |
| rtR8FromErrVar | 6 |
| ?SetDefaultSpinAdjustmentFactor@CSmallIS | 6 |
| ?sm_wDefaultSpinCount@CSpinLock@@1G. | 6 |
| ??0CFakeLock@@QAE@XZ | 6 |
| aout_VolumeGet | 6 |
| aout_VolumeSet | 6 |
| libvlc_Quit | 6 |
| net_ListenClose | 6 |
| playlist_Clear | 6 |
| var_FreeList | 6 |
| var_GetAndSet | 6 |
| vlc_error | 6 |
| SelectUIIdxDlgProc | 6 |
| ?SetVersion@CCollection@@QAEXK@Z | 6 |
| ?FindTitle@CCollection@@QAEPAVCTitle@ | 6 |
| ?WriteFolders@CCollection@@AAEHPAPAV | 6 |
| ?DecrementRefTitleCount@CCollection@@I | 6 |
| ?SetOrder@CFolder@@QAEXK@Z | 6 |
| ?HandleCollection@CCollection@@AAEKPA | 6 |
| ?SetId@CLocation@@QAEXPBG@Z | 6 |
| RtlSetLastWin32ErrorAndNtStatusFromNtSta | 6 |
| ZwAcceptConnectPort | 6 |
| ?cos@std@@YA?AV?\$complex@N@1@AB\ | 6 |
| ?epsilon@\$numeric_limits@G@std@@SA | 6 |
| ??4?\$basic_stringbuf@DU?\$char_traits@D@ | 6 |
| ?overflow@\$basic_filebuf@GU?\$char_trai | 6 |
| ?cos@std@@YA?AV?\$complex@O@1@AB\ | 6 |
| ??6std@@YAAV?\$basic_ostream@DU?\$ch | 6 |
| ?_Doraise@range_error@std@@MBEXXZ | 6 |
| ?Commit@CRcovStrmMDTrans@@QAEXXZ | 6 |
| ?VerifyConsistency@PRcovStorageObj@@Q | 6 |
| ??1CNodeRestriction@@QAE@XZ | 6 |

| | |
|--|---|
| ??1CPidRemapper@@QAE@XZ | 6 |
| ?Add@CWorkQueue@@QAEPAVPWorkIte | 6 |
| ?ShrinkFromFront@CPhysStorage@@QAEKI | 6 |
| ?ReadProperty@CPropertyStore@@QAEHKI | 6 |
| ??1CRegNotify@@MAE@XZ | 6 |
| LpkGetCharacterPlacement | 6 |
| ldap_add_sA | 6 |
| ldap_rename_extW | 6 |
| ldap_search_ext_sA | 6 |
| ldap_compare_ext_s | 6 |
| ldap_compare_ext_sA | 6 |
| ??YCTXBSTR@@QAEAAV0@ABV0@@Z | 6 |
| MQGetResourceHandle | 6 |
| MsiSourceListClearSourceW | 6 |
| AtlModuleUpdateRegistryFromResourceD | 6 |
| IsPartOfDomain | 6 |
| ConfigureModem | 6 |
| VarI2FromBool | 6 |
| VarDecAbs | 6 |
| SHCreateItemInKnownFolder | 6 |
| ??0?\$basic_stringstream@GU?\$char_traits@ | 6 |
| ??\$?6GU?\$char_traits@G@std@@@V?\$alloc@ | 6 |
| RouterAssert | 6 |
| DDMTransportCreate | 6 |
| RasCreateConnection | 6 |
| RasDestroyConnection | 6 |
| RtlValidateUnicodeString | 6 |
| _set_abort_behavior | 6 |
| GetAndSet | 6 |
| ?GetBufferSetLength@CString@@QAEPAH | 6 |
| ??0CString@@QAE@PBG@Z | 6 |
| ??BCCriticalSection@@QAEPAU_RTL_CRITICAL | 6 |
| ?FreeExtra@CStringArray@@QAEXXZ | 6 |
| ?Compare@CString@@QBEHPBG@Z | 6 |
| ?GetCount@CMapStringToPtr@@QBEHXZ | 6 |
| ?CopyBeforeWrite@CString@@IAEXXZ | 6 |
| ??O@YG_NABVCString@@0@Z | 6 |
| ?SetI2@CStorageVariant@@QAEFI@Z | 6 |
| ??1CFileMapView@@QAE@XZ | 6 |
| ?GetProperties@CGetDbProps@@QAEPAI | 6 |
| ?StrLen@CKeyBuf@@QBEIXZ | 6 |
| ?ReadProperty@CPropStoreManager@@QAE | 6 |
| ?Grow@CDynStream@@QAEAAVPStorage | 6 |
| ?DumpWorkId@@YGJPBGKPAEAAK00K@Z | 6 |
| ?CleanupDataValue@CDBCmdTreeNode@@ | 6 |
| ?CodeBuffer@CCmdCodecBase@@IAEXPB_ | 6 |
| ?DecodeArrayTXDataStringLenHead@CCmd | 6 |

| | |
|--|---|
| ?CodeBufferLenHead@CCmdCodecBase@@ | 6 |
| ?GBKToUnicode@Convert@Util@@YA_NAA | 6 |
| ?DecodeBuffer@CCmdCodecBase@@IAEXP | 6 |
| ?GetMsgTime@Msg@Util@@YA_JPAUITXM | 6 |
| ?GetAccountValue@Account@Util@@YA?A | 6 |
| sqlite3_column_text16 | 6 |
| ?_Doraise@length_error@std@@MBEXXZ | 6 |
| ??8std@@YA_NABOABV?\$complex@O@0@ | 6 |
| ?pow@std@@YA?AV?\$complex@N@1@AE | 6 |
| TpWaitForWait | 6 |
| TpAllocWait | 6 |
| TpReleaseWait | 6 |
| TpSetWait | 6 |
| ?DevMsg@@YAXPBDZZ | 6 |
| DevMsg | 6 |
| IoWMIQueryAllDataMultiple | 6 |
| VideoPortRegisterBugcheckCallback | 6 |
| VideoPortSetEvent | 6 |
| VideoPortQuerySystemTime | 6 |
| VideoPortMapBankedMemory | 6 |
| ?get@?\$basic_istream@GU?\$char_traits@C | 6 |
| ??_7?\$num_put@DV?\$ostreambuf_iterator | 6 |
| ?IsReadUnlocked@CFakeLock@@QBE_NXZ | 6 |
| ?GetDefaultSpinAdjustmentFactor@CReade | 6 |
| ?GetDefaultSpinCount@CCritSec@@SGGXZ | 6 |
| ErrActivate | 6 |
| glsGetGLRCi | 6 |
| glsPixelSetup | 6 |
| glsCallArray | 6 |
| ApphelpUpdateCacheEntry | 6 |
| ?GetDWord@CTXCommPack@@QAEHAAKf | 6 |
| ZwInitializeRegistry | 6 |
| NtCreateEventPair | 6 |
| NtListenPort | 6 |
| BCP_colfmt | 6 |
| RtmReleaseDestInfo | 6 |
| MgmlInitialize | 6 |
| SQLInstallerErrorW | 6 |
| RtlpNtMakeTemporaryKey | 6 |
| KiRaiseUserExceptionDispatcher | 6 |
| PyLong_AsLong | 6 |
| PyModule_AddIntConstant | 6 |
| _printf | 6 |
| ?_Doraise@bad_cast@std@@MBEXXZ | 6 |
| @System@@FindDynaInst\$qqrv | 6 |
| @Stdctrls@TCustomEdit@GetModified\$qqrv | 6 |
| @Classes@TComponent@UpdateRegistry\$c | 6 |

| | |
|--|---|
| @Forms@TForm@\$bctr\$qqrp18Classes@TC | 6 |
| @Forms@TForm@\$bdtr\$qqrv | 6 |
| SendMail | 6 |
| ??0CDbQueryResults@@QAE@XZ | 6 |
| ?SetLogonInfo@CScopeAdmin@@QAEXPBG | 6 |
| ?Add@CKeyArray@@QAEHHABVCKey@@@C | 6 |
| ?VT_VARIANT_GE@@YGHABUtagPROPVARI | 6 |
| ?OpenRecordForWrites@CPropStoreManage | 6 |
| RouterLogEventValistExW | 6 |
| KeyboardHook_Start | 6 |
| ??0?\$basic_string@GU?\$char_traits@G@st | 6 |
| ??4locale@std@@@QAEAAV01@ABV01@@@Z | 6 |
| ?close@?\$messages@D@std@@QBEXH@Z | 6 |
| ??Pstd@@YA_NABV?\$basic_string@GU?\$cl | 6 |
| ?log@std@@YA?AV?\$complex@O@1@AB\ | 6 |
| ?exp@std@@YA?AV?\$complex@O@1@AB' | 6 |
| ?QueryInterface@CEnumString@@UAGJABI | 6 |
| ?AppendListElement@CDBListAnchor@@IAI | 6 |
| ?Start@CCatalogAdmin@@QAEHXZ | 6 |
| LocalConfigurePortUI | 6 |
| InitializePrintMonitorUI | 6 |
| ??0CPortABC@@QAE@ABV0@@@Z | 6 |
| ??4CString@@QAEABV0@PBD@Z | 6 |
| EtwEventActivityIdControl | 6 |
| ldap_stop_tls_s | 6 |
| ScMAPIXFromCMC | 6 |
| strtoumax | 6 |
| I_NetAccountDeltas | 6 |
| ldap_search_init_pageA | 6 |
| ??_0?\$Complex_base@O@std@@QAEAA\ | 6 |
| ??6?\$basic_ostream@GU?\$char_traits@G@ | 6 |
| ??0SECRUN@@QAE@XZ | 6 |
| ?AddEdge@DIGRAPH@@QAEKK@Z | 6 |
| RasGetDevConfigEx | 6 |
| RasPortGetBundledPort | 6 |
| RunPerl | 6 |
| LssbFDoneDisplay | 6 |
| LssbGetNumberDnodesInSubline | 6 |
| I_RpcNsBindingSetEntryNameW | 6 |
| RasScriptInit | 6 |
| RasClearLinkStatistics | 6 |
| VarUI8FromDec | 6 |
| VarDecFromI8 | 6 |
| _WriteProfileSection_@8 | 6 |
| SetupDiSetClassRegistryPropertyW | 6 |
| pSetupCaptureAndConvertAnsiArg | 6 |
| ??1?\$allocator@D@_STL@@QAE@XZ | 6 |

| | |
|--|---|
| ??0?\$basic_string@DV?\$char_traits@D@_S | 6 |
| ??1?\$basic_string@DV?\$char_traits@D@_S | 6 |
| W32TimeQueryNTPProviderStatus | 6 |
| W32TimeGetNetlogonServiceBits | 6 |
| W32TimeSyncNow | 6 |
| ?pow@std@@YA?AV?\$complex@M@1@AI | 6 |
| _lchown32 | 6 |
| ??0?\$String_val@_WV?\$allocator @_W@st | 6 |
| ?exceptions@ios_base@std@@QAEXH@Z | 6 |
| ??0?\$basic_istream@DU?\$char_traits@D@: | 6 |
| ?flush@std@@YAAV?\$basic_ostream@DL | 6 |
| NwNdsReadAttrDef | 6 |
| NwNdsGetAttrListFromBuffer | 6 |
| NwNdsGetSyntaxID | 6 |
| NwNdsChangeUserPassword | 6 |
| NwNdsConnHandleFree | 6 |
| NwNdsObjectHandleToConnHandle | 6 |
| NwNdsOpenObject | 6 |
| NwNdsCreateQueryNode | 6 |
| NwNdsDeleteQueryTree | 6 |
| NwNdsSearch | 6 |
| NwNdsGetAttrDefListFromBuffer | 6 |
| NwNdsReadClassDef | 6 |
| NwNdsRenameObject | 6 |
| NwNdsMoveObject | 6 |
| NwNdsPutInBuffer | 6 |
| NwNdsListSubObjects | 6 |
| NwNdsGetObjectListFromBuffer | 6 |
| NwNdsReadObject | 6 |
| NwNdsRemoveObject | 6 |
| NwNdsAddObject | 6 |
| NwNdsCreateBuffer | 6 |
| NwNdsModifyObject | 6 |
| NwNdsFreeBuffer | 6 |
| NwNdsCloseObject | 6 |
| NwNdsGetClassDefListFromBuffer | 6 |
| WNetGetDirectoryTypeA | 6 |
| MergeLegacyPwrScheme | 6 |
| LoadCurrentPwrScheme | 6 |
| IsPwrShutdownAllowed | 6 |
| IsAdminOverrideActive | 6 |
| ValidatePowerPolicies | 6 |
| ldap_bindW | 6 |
| ldap_compareA | 6 |
| ldap_result2error | 6 |
| ber_skip_tag | 6 |
| LdapGetLastError | 6 |

| | |
|---|---|
| ldap_sslinit | 6 |
| OleQueryServerVersion | 6 |
| OleRegisterServerDoc | 6 |
| @Registry@TRegIniFile@WriteString\$qqrx1` | 6 |
| @Registry@TRegIniFile@ReadString\$qqrx17 | 6 |
| @Cxbuttonedit@TcxButtonEdit@ | 6 |
| CtfImmRestoreToolbarWnd | 6 |
| RtlSetBit | 6 |
| NdisCompletePnPEvent | 6 |
| WOWHandle32 | 6 |
| Ctl3dGetVer | 6 |
| GetMyRegKey | 6 |
| jio_snprintf | 6 |
| NtThawTransactions | 6 |
| NtFreezeTransactions | 6 |
| NtFreezeRegistry | 6 |
| NtThawRegistry | 6 |
| ?LoadVssSnapshotSetDescription@@YGJPBC | 6 |
| CreateWriterEx | 6 |
| SetupInitializeLogFileW | 6 |
| SetupDiGetActualSectionToInstallA | 6 |
| CreateProp@24 | 6 |
| ?_Getcat@?\$_num_put@GV?\$ostreambuf_it | 6 |
| GetAuthenticIndexQueue | 6 |
| AcquireImageColormap | 6 |
| SaveImagesTag | 6 |
| GetImageListLength | 6 |
| WriteBlobByte | 6 |
| NtSetEventBoostPriority | 6 |
| @System@Ln\$qqrxg | 6 |
| @System@Exp\$qqrxg | 6 |
| @Classes@TStreamAdapter@\$bctr\$qqrp15` | 6 |
| @Classes@TStreamAdapter@ | 6 |
| @Sysutils@Exception@ToString\$qqrv | 6 |
| @Sysutils@Exception@RaisingException\$qq | 6 |
| @Sysutils@Exception@GetBaseException\$q | 6 |
| @Variants@@OleVarFromUStr\$qqrr8TVarD | 6 |
| @Variants@@VarToUStr\$qqrr20System@U | 6 |
| @Graphics@TBitmap@SetAlphaFormat\$qq | 6 |
| @Graphics@TPicture@UnregisterGraphicCl | 6 |
| @Graphics@TPicture@RegisterPixelFormat\$ | 6 |
| @Graphics@TGraphic@WriteData\$qqrp15C | 6 |
| @Graphics@TGraphic@SetSize\$qqrii | 6 |
| @Graphics@TGraphic@SaveToFile\$qqrx20S | 6 |
| @Graphics@TGraphic@ReadData\$qqrp15CI | 6 |
| @Graphics@TGraphic@LoadFromFile\$qqrx2 | 6 |
| @Graphics@TGraphic@Equals\$qqrp14Syste | 6 |

| | |
|---|---|
| @Graphics@TGraphic@DrawTransparent\$q | 6 |
| @Graphics@TCanvas@SetHandle\$qqrp5HD | 6 |
| @Menus@TMenuItem@SetCaption\$qqrx20 | 6 |
| @Zlib@inflateEnd\$qqrr16Zlib@TZStreamRe | 6 |
| @Zlib@inflate\$qqrr16Zlib@TZStreamReci | 6 |
| @Zlib@inflateInit_\$qqrr16Zlib@TZStreamRe | 6 |
| @Zlib@deflateEnd\$qqrr16Zlib@TZStreamRe | 6 |
| @Zlib@deflate\$qqrr16Zlib@TZStreamReci | 6 |
| @Zlib@deflateInit_\$qqrr16Zlib@TZStreamR | 6 |
| @Extctrls@TImage@SetPicture\$qqrp17Gra | 6 |
| @Dateutils@SecondsBetween\$qqrx16Syste | 6 |
| @\$xp\$17Msxml@IXMLDOMText | 6 |
| @Comobj@HandleSafeCallException\$qqrp1 | 6 |
| @Comobj@EOleException@ | 6 |
| ??4CCollection@@QAEAAV0@ABV0@@Z | 6 |
| ?DeleteTitle@CCollection@@AAEKPAVCTitl | 6 |
| ?MergeKeywords@CCollection@@QAEHPA | 6 |
| ?GetColNo@CCollection@@QAEKXZ | 6 |
| ?GetLangId@CCollection@@QAEGPBG@Z | 6 |
| ?SetNextLocation@CLocation@@QAEXPBV1 | 6 |
| ?WriteFolder@CCollection@@AAEHPAPAVC | 6 |
| Reiniciar | 6 |
| I_UuidCreate | 6 |
| @\$xp\$24Sysutils@TFormatSettings | 6 |
| @Comobj@CreateOleObject\$qqrx17System | 6 |
| ?Impersonate@CImpersonateClient@@AAE | 6 |
| ?Next@CCatalogEnum@@QAEHXZ | 6 |
| ?NextWorkId@CPropertyStoreWids@@QAE | 6 |
| ?PutWString@CDbCmdTreeNode@@SGXAA | 6 |
| ??1CColumns@@QAE@XZ | 6 |
| ?UnMarshall@CDbNumeric@@QAEHAAVPC | 6 |
| ?Dolt@CCopyRcovObject@@QAEJXZ | 6 |
| ?PutMinValue@CValueNormalizer@@QAEX | 6 |
| ?GetStr@CKeyBuf@@QBEPAGXZ | 6 |
| SetupBackupErrorW | 6 |
| SetupSetSourceListW | 6 |
| SetupRemoveSectionFromDiskSpaceListW | 6 |
| WSAGetServiceClassInfoA | 6 |
| ?GetWeight@CDbCmdTreeNode@@QBEJXZ | 6 |
| ?Marshall@CNotRestriction@@QBEXAAVPS | 6 |
| ??0CDynStream@@QAE@PAVPMmStream@ | 6 |
| SurfaceFlipNotify | 6 |
| D3DMalloc | 6 |
| D3DRealloc | 6 |
| Direct3D_HALCleanUp | 6 |
| ToplGraphAddVertex | 6 |
| ToplGraphRemoveVertex | 6 |

| | |
|--|---|
| TopGraphFree | 6 |
| ??1CXTPBufferDC@@UAE@XZ | 6 |
| ??0CXTPClientRect@@QAE@PBVCWnd@@ | 6 |
| SQLPostInstallerErrorW | 6 |
| SQLManageDataSources | 6 |
| SceGetTimeStamp | 6 |
| SceSetupBackupSecurity | 6 |
| RegWinStationQueryNumValueW | 6 |
| RegCdCreateA | 6 |
| RegWdDeleteA | 6 |
| @Adsdata@TAdsDataSet@SetTableName\$q | 6 |
| @Adstable@TAdsTable@ | 6 |
| @Gauges@TGauge@SetProgress\$qqri | 6 |
| @Gauges@TGauge@ | 6 |
| ?SetLoggingEnabled@MESSAGE@@QAEQE@ | 6 |
| IoRegisterLastChanceShutdownNotification | 6 |
| @\$xp\$15Sysutils@TBytes | 6 |
| @\$xp\$16Graphics@TCanvas | 6 |
| @Comctrls@TCustomStatusBar@SetSimple1 | 6 |
| @Basedef@TLinkDataItems@Add\$qqrv | 6 |
| @Db@TField@GetDisplayText\$qqrv | 6 |
| @\$xp\$21Etcctrls@TivStatusBar | 6 |
| @Etcctrls@TivStatusBar@ | 6 |
| @\$xp\$20Etcctrls@TivRTFLabel | 6 |
| @Etcctrls@TivRTFLabel@ | 6 |
| @System@FindResourceHInstance\$qqrui | 6 |
| @System@@InitImports\$qqrv | 6 |
| @System@DebugHook | 6 |
| @Classes@TComponent@_Release\$qqsv | 6 |
| @Classes@TComponent@_AddRef\$qqsv | 6 |
| @Classes@TComponent@SetName\$qqrx20 | 6 |
| @Sysutils@DeleteFile\$qqrx20System@Unic | 6 |
| @Comctrls@TListItems@EndUpdate\$qqrv | 6 |
| @Comctrls@TListItems@BeginUpdate\$qqrv | 6 |
| @Comctrls@TListItem@GetState\$qqri | 6 |
| @Comctrls@TListItem@SetCaption\$qqrx20 | 6 |
| @Comctrls@TPageControl@SetActivePageI | 6 |
| LsFetchAppendToCurrentSublineResume | 6 |
| LsFetchAppendToCurrentSubline | 6 |
| ??0CFolder@@QAE@XZ | 6 |
| ?StartWrapper@@YAHXZ | 6 |
| @Stdctrls@TCustomCheckBox@\$bctr\$qqrp1 | 6 |
| @Shfolder@initialization\$qqrv | 6 |
| @Shfolder@Finalization\$qqrv | 6 |
| @Xmlconst@initialization\$qqrv | 6 |
| @Xmlconst@Finalization\$qqrv | 6 |
| @Cxlibraryconsts@initialization\$qqrv | 6 |

| | |
|--|---|
| @Dxbarcustform@initialization\$qqrv | 6 |
| @Dxbarnameed@initialization\$qqrv | 6 |
| @Dxbarpopupmenued@initialization\$qqrv | 6 |
| @Dxbaritemed@initialization\$qqrv | 6 |
| @Dxbaraddgroupitemsed@initialization\$qq | 6 |
| @Dxbarcommon@initialization\$qqrv | 6 |
| @Dxstatusbar@Finalization\$qqrv | 6 |
| @Stdctrls@TCustomEdit@SetReadOnly\$qqrv | 6 |
| @Extctrls@TShape@ | 6 |
| @Sysutils@AnsiUpperCase\$qqrx17System@ | 6 |
| @Controls@TWinControl@DestroyHandle\$qq | 6 |
| @Controls@TControl@ | 6 |
| @\$xp\$18Controls@TTabOrder | 6 |
| lineSetAppPriority | 6 |
| lineGetDevConfig | 6 |
| PyFloat_FromDouble | 6 |
| ?GetRTTypeByUin@Contact@Util@@YAKK@ | 6 |
| rtl_string_newToAsciiLowerCase | 6 |
| osl_getThreadKeyData | 6 |
| osl_setThreadKeyData | 6 |
| osl_destroyThreadKey | 6 |
| osl_createThreadKey | 6 |
| ?queryInterface@InteractionRequest@ucbh | 6 |
| ?acquire@InteractionRequest@ucbhelper@ | 6 |
| ?release@InteractionRequest@ucbhelper@ | 6 |
| ExInterlockedCompareExchange64 | 6 |
| PsAssignImpersonationToken | 6 |
| IoAdapterObjectType | 6 |
| SDL_GetKeyState | 6 |
| ?_Swap_all @_Container_base0@std@@QA | 6 |
| ?compare@?\$basic_string@DU?\$char_traits@ | 6 |
| fprintf_s | 6 |
| cygwin32_send | 6 |
| ?QueryNextLibraryEntryPoint@SYSTEM@@@` | 6 |
| ?GetSnapshotNtDeviceName@SNAPSHOT@ | 6 |
| ?GetVolumeSnapshot@SNAPSHOT@@SGEP | 6 |
| ?ReleaseVolumeSnapshot@SNAPSHOT@@S | 6 |
| _wsopen_s | 6 |
| TipInvokeMethod2 | 6 |
| rtcSin | 6 |
| ?AcqPhrase@CQueryScanner@@QAEPAZ | 6 |
| ?SetSecret@@YGXPBG00K@Z | 6 |
| _FindWindowEx_@16 | 6 |
| @Designeditors@Finalization\$qqrv | 6 |
| _ShowSplashScreen@0 | 6 |
| _PPMain@0 | 6 |
| @\$xp\$18Sysutils@Exception | 6 |

| | |
|--|---|
| SceSetupMoveSecurityFile | 6 |
| @System@AllocMem\$qqrui | 6 |
| @Sysutils@ExcludeTrailingPathDelimiter\$qq | 6 |
| @Graphics@TIcon@ | 6 |
| @Controls@TCustomControl@\$bctr\$qqrp1\$ | 6 |
| @\$xp\$23Controls@TCustomControl | 6 |
| @Controls@TCustomControl@ | 6 |
| @\$xp\$27Controls@TContextPopupEvent | 6 |
| @Comctrls@TToolButton@ | 6 |
| HttpQueryServiceConfiguration | 6 |
| ?Alloc@WSManMemory@@SGPAXIABVCall | 6 |
| ?Free@WSManMemory@@SGXPAXABVCall | 6 |
| @Classes@TList@Last\$qqrv | 6 |
| @Pngimage@initialization\$qqrv | 6 |
| @Pngimage@Finalization\$qqrv | 6 |
| ??1nsCOMArray_base@@IAE@XZ | 6 |
| ??0nsCreateInstanceByCID@@QAE@ABUns | 6 |
| ?Equals@nsCSubstring@@QBEHPBD@Z | 6 |
| ?EmptyString@@YAABVnsString@@@XZ | 6 |
| ??1nsVoidArray@@UAE@XZ | 6 |
| ?ElementAt@nsVoidArray@@QBEPAXH@Z | 6 |
| ?Assign@nsCSubstring@@QAEXABV1@@Z | 6 |
| ?Adopt@nsSubstring@@QAEXPAGI@Z | 6 |
| ??0nsSupportsWeakReference@@QAE@XZ | 6 |
| ?GetWeakReference@nsSupportsWeakRefe | 6 |
| PR_Calloc | 6 |
| @Graphics@TCanvas@GetPixel\$qqrii | 6 |
| @Graphics@TCanvas@Rectangle\$qqriii | 6 |
| WaitForTSConnectionsPolicyChanges | 6 |
| RegWdCreateW | 6 |
| Reg GetUserConfigFromUserParameters | 6 |
| ?GetSize@CStringArray@@QBEHXZ | 6 |
| _GetPrivateProfileStruct_@20 | 6 |
| @Fr_e_rtf@initialization\$qqrv | 6 |
| @Fr_e_html2@initialization\$qqrv | 6 |
| URLQualifyA | 6 |
| ASN1ztchar16string_cmp | 6 |
| ASN1intx_add | 6 |
| ATMGetOutlineA | 6 |
| ATMSetFlags | 6 |
| ATMFontAvailable | 6 |
| ATMFinish | 6 |
| ATMGetFontPathsW | 6 |
| BASS_Stop | 6 |
| ??0CONT_MEMORY@@QAE@XZ | 6 |
| ?IsCIPaused@CMachineAdmin@@QAEHXZ | 6 |
| ??1CDFA@@QAE@XZ | 6 |

| | |
|---|---|
| ?GetStorage@CPropStoreManager@@QAE@ | 6 |
| DhcpCreateClientInfoV4 | 6 |
| MsiGetFeatureValidStatesA | 6 |
| SslCrackCertificate | 6 |
| SslEmptyCacheA | 6 |
| UninstallApplication | 6 |
| Dns_CreateMulticastSocket | 6 |
| SetCondition | 6 |
| szTmpBuf | 6 |
| ZNOKEY | 6 |
| FindDB5 | 6 |
| VARLIST | 6 |
| TABOffset | 6 |
| RPEE | 6 |
| RFLV | 6 |
| RPED | 6 |
| CheckProto | 6 |
| GetDB5 | 6 |
| pInfoExe | 6 |
| CallBCFunction | 6 |
| pFrmtBuffer | 6 |
| DefineButtonIvt | 6 |
| DefineLabel3 | 6 |
| DefineEdit11 | 6 |
| DefineFormat | 6 |
| DefineWindow10 | 6 |
| pszID | 6 |
| ZVIDCOMPVIS | 6 |
| WgsRestoreInputData | 6 |
| RO | 6 |
| RIF | 6 |
| RRA | 6 |
| wKeyFlags | 6 |
| pszDecodMessage | 6 |
| ABC | 6 |
| WgsSetEnabledKeys | 6 |
| WgsMessageBoxEx | 6 |
| VarI8FromR8 | 6 |
| AllocateAndGetIpForwardTableFromStack | 6 |
| ??0?\$allocator@D@std@@@QAE@ABV01@C | 6 |
| ?find_last_not_of@?\$basic_string@GU?\$ch | 6 |
| GdipGetRegionBoundsI | 6 |
| GdipSetStringFormatMeasurableCharacterR | 6 |
| GdipMeasureCharacterRanges | 6 |
| VerifyCatalogFile | 6 |
| g_error_free | 6 |
| g_slist_append | 6 |

| | |
|--------------------------------------|---|
| g_strdup | 6 |
| g_utf8_validate | 6 |
| g_object_set | 6 |
| g_object_set_data | 6 |
| gtk_label_new | 6 |
| gtk_main_quit | 6 |
| NdrConformantStructMarshall | 6 |
| vlc_poll | 6 |
| ATMGetFontPaths | 6 |
| ?Add@NUMBER_SET@@QAEEVBIG_INT@@ | 6 |
| ?GetData@TLINK@@QAEEAVBIG_INT@@G | 6 |
| ?QueryChildren@DGRAPH@@QBEEKPAVN | 6 |
| ??1ComponentContext@comhelper@@QA | 6 |
| ilSetInteger | 6 |
| ilGetData | 6 |
| ilConvertImage | 6 |
| ilCopyPixels | 6 |
| ilBindImage | 6 |
| ilSave | 6 |
| ilDeleteImages | 6 |
| ilGetInteger | 6 |
| _GrannySetControlLoopCount@8 | 6 |
| _AIL_close_3D_listener@4 | 6 |
| _AIL_close_3D_provider@4 | 6 |
| _AIL_set_3D_velocity@20 | 6 |
| _AIL_stop_3D_sample@4 | 6 |
| _AIL_resume_3D_sample@4 | 6 |
| _AIL_set_sample_volume_pan@12 | 6 |
| _AIL_end_sample@4 | 6 |
| _AIL_resume_sample@4 | 6 |
| _AIL_sample_status@4 | 6 |
| PyRun_String | 6 |
| PyNumber_Check | 6 |
| ??3CSpeedTreeRT@@SAXPAX@Z | 6 |
| Msi SetPropertyA | 6 |
| ?SetAt@CString@@QAEXHG@Z | 6 |
| ?TrimLeft@CString@@QAEXXZ | 6 |
| _QWidgetList_next | 6 |
| _QClxApplication_setWndProcHook | 6 |
| ??6CAcByteStream@@QAEEAV0@AAE@Z | 6 |
| ??0CAcLanSettings@@QAE@XZ | 6 |
| ??1CAcLanSettings@@UAE@XZ | 6 |
| ?GetPnpId@CAcAdptSettings@@QAE?AV?\$ | 6 |
| ?AddAdapter@CAcLocation@@QAEXAAVCA | 6 |
| ?SetHomePage@CAcAdptSettings@@QAEX | 6 |
| ?SetPnpId@CAcAdptSettings@@QAEXV?\$b | 6 |
| ?GetProcessId@AcProcessHlpr@@SAKPAG0 | 6 |

| | |
|---|---|
| ??0AcBrowserServices@@QAE@XZ | 6 |
| ?ImpersonatePid@AcProcessHlpr@@SAKK@ | 6 |
| ??1AcBrowserServices@@UAE@XZ | 6 |
| ??1CAcEvent@@UAE@XZ | 6 |
| ??0CAcEvent@@QAE@XZ | 6 |
| ?InitSecurityAttribute@AcHelper@@SAHPA | 6 |
| ?GetAcHelperInstance@AcHelper@@SAPA\ | 6 |
| ACHlprGetRoamingFlags | 6 |
| ?AcDebugInitializeModule@AcLogInfo@@Q | 6 |
| ?GetShellExeName@AcHelper@@SAPBGXZ | 6 |
| ACHlprGetLangSubDirFromLangID | 6 |
| ?GetAdapterInformationFromPnpID@AcAda | 6 |
| ??1AcAdaptersInfo@@UAE@XZ | 6 |
| ??0AcAdaptersInfo@@QAE@XZ | 6 |
| ?UnInitAcAdaptersInfoDII@@YAKXZ | 6 |
| ?GetWANAdapterSupportType@AcAdapters | 6 |
| DsGetSiteNameA | 6 |
| NetServerTransportDel | 6 |
| NetServerTransportAddEx | 6 |
| PostComponentError | 6 |
| LHashValOfNameSysA | 6 |
| ZwLockProductActivationKeys | 6 |
| RtlGetLengthWithoutTrailingPathSeparators | 6 |
| ?begin@?\$basic_string@_WU?\$char_traits@ | 6 |
| ??\$?HDU?\$char_traits@D@std@@V?\$alloc@ | 6 |
| ?id@?\$codecvt@_WDH@std@@2V0locale@ | 6 |
| ?OpenRecord@CPropStoreManager@@QAE | 6 |
| ?Copy@CDbProp@@QAEHABUtagDBPROP@ | 6 |
| ?Commit@CRcovStrmWriteTrans@@QAEXX | 6 |
| ??0CFullPropSpec@@QAE@ABV0@@Z | 6 |
| ?Clone@CEnumString@@UAGJPAPAUIEnun | 6 |
| ?FormQueryTree@@YGPAVCDBCmdTreeNo | 6 |
| ??0CDbCollId@@QAE@ABV0@@Z | 6 |
| ?Uninitialize@CVdsPnPNotificationBase@@ | 6 |
| ?VdsTraceW@@YAXKPAGZZ | 6 |
| ?VdsTraceExW@@YAXKKPAGZZ | 6 |
| ?GuidToString@@YGJPAU_GUID@@PAGK@ | 6 |
| ?IsLoggingEnabledW@@YGEXZ | 6 |
| ?IsDriveLetter@@YGHPAG@Z | 6 |
| ?OpenDevice@@YGKPAGKPAPAX@Z | 6 |
| ?VdsTrace@@YAXKPADZZ | 6 |
| ?GetDeviceName@@YGKPAXHKPAG@Z | 6 |
| ?GetInterfaceDetailData@@YGKPAXPAU_SF | 6 |
| ?GetDeviceNumber@@YGKPAXPAU_STORA | 6 |
| ?Next@CPrvEnumObject@@UAGJKPAPAUII | 6 |
| ?Skip@CPrvEnumObject@@UAGJK@Z | 6 |
| ?Reset@CPrvEnumObject@@UAGJXZ | 6 |

| | |
|---|---|
| ?Clone@CPrvEnumObject@@UAGJPAPAUIE | 6 |
| ?Uninitialize@CVdsAsyncObjectBase@@SG | 6 |
| ?GetDiskLayout@@YGKPAXPAPA_U_DRIVE_L | 6 |
| ?IsNoAutoMount@@YGHXZ | 6 |
| ??1CVdsWmiVariantObjectArrayEnum@@Q | 6 |
| ?Detach@CVdsWmiVariantObjectArrayEnum | 6 |
| ?VdsWmiCopyFromVariantByteArray@@YG | 6 |
| ?VdsWmiGetObjectFromInstance@@YGJPAI | 6 |
| ?VdsWmiGetByteFromInstance@@YGJPAUI | 6 |
| ?Next@CVdsWmiVariantObjectArrayEnum@ | 6 |
| ?Attach@CVdsWmiVariantObjectArrayEnum | 6 |
| ?VdsWmiConnectToNamespace@@YGJPAG | 6 |
| ??0CVdsWmiVariantObjectArrayEnum@@Q | 6 |
| ?Append@CPrvEnumObject@@QAEJPAUIU | 6 |
| ?Clear@CPrvEnumObject@@QAEXXZ | 6 |
| ?LockDismountVolume@@YGKPAXHE@Z | 6 |
| ?RegisterHandle@CVdsPnPNotificationBase | 6 |
| ?GetPartitionInformation@@YGKPAXPAU_P | 6 |
| ?GetDeviceAndMediaType@@YGKPAGPAXP | 6 |
| ?Initialize@CVdsPnPNotificationBase@@QA | 6 |
| ?Initialize@CVdsAsyncObjectBase@@SGKXZ | 6 |
| ?IsWinPE@@YGHXZ | 6 |
| ?VdsInitializeCriticalSection@@YGKPAU_RTI | 6 |
| ??0CVdsAsyncObjectBase@@QAE@XZ | 6 |
| ??1CVdsAsyncObjectBase@@QAE@XZ | 6 |
| ?Signal@CVdsAsyncObjectBase@@QAEXXZ | 6 |
| ?SetCompletionStatus@CVdsAsyncObjectBa | 6 |
| ?QueryStatus@CVdsAsyncObjectBase@@U | 6 |
| ?VdsIscsiIpAddressToString@@YGJPAU_VDS | 6 |
| ?VdsWmiGetUlonglongFromInstance@@YG | 6 |
| ?VdsWmiFindInstanceOfClass@@YGJPAUIW | 6 |
| ?VdsIscsiCheckEqualIpAddress@@YGHU_VE | 6 |
| ?VdsIscsiIpseIdToIpAddress@@YGJEKPAEP | 6 |
| ?VdsIscsiIpAddressToIpseId@@YGJPAU_VC | 6 |
| ?WriteBootCode@@YGKPAX@Z | 6 |
| ?CoFreeStringArray@@YGXPAPAGJ@Z | 6 |
| ?MountVolume@@YGKPAG@Z | 6 |
| ?GetVolumeName@@YGJPAGK0@Z | 6 |
| ?AssignTempVolumeName@@YGJPAGQAGI | 6 |
| ?GetVolumeDiskExtentInfo@@YGKPAXPAP@ | 6 |
| ?RemoveTempVolumeName@@YGXPAG0@ | 6 |
| ?GarbageCollectDriveLetters@@YGXXZ | 6 |
| ?DeleteNetworkShare@@YGHPAG@Z | 6 |
| ?LockVolume@@YGKPAXE@Z | 6 |
| ?VdsIscsiGetIpAddressFromInstance@@YGJ | 6 |
| ?VdsWmiGetObjectInVariantObjectArray@C | 6 |
| ?VdsIscsiCacheSessionDevices@@YGJPAUIE | 6 |

| | |
|--|---|
| ?VdsWmiCallMethod@@YGJPAUIWbemSer | 6 |
| ?VdsWmiSetObjectInInstance@@YGJPAUIW | 6 |
| ?VdsWmiGetMethodArgumentObject@@YC | 6 |
| ?VdsWmiSetUlonglongInInstance@@YGJPAI | 6 |
| ?VdsWmiCreateVariantArray@@YGJGJPAUT | 6 |
| ?VdsWmiSetUlongInInstance@@YGJPAUIW | 6 |
| ?VdsWmiCreateClassInstance@@YGJPAUIW | 6 |
| ?DeleteBcdObjects@@YGJPAU_VDS_PARTIT | 6 |
| ?UnregisterHandle@CVdsPnPNotificationBa | 6 |
| ?GetDeviceRegistryProperty@@YGKKKPAPA | 6 |
| ?VdsAllocateEmptyString@@YGPAGXZ | 6 |
| ?GetDeviceRegistryProperty@@YGKPAXPAL | 6 |
| ?CreateDeviceInfoSet@@YGKPAGPAPAXPAI | 6 |
| ?IsDiskClustered@@YGKPAXPAE1@Z | 6 |
| ?WaitImpl@CVdsAsyncObjectBase@@QAEJ | 6 |
| ?RemoveEventSource@@YGKPAG@Z | 6 |
| ?AddEventSource@@YGKPAGPAUHINSTAN | 6 |
| ?VdsHeapAlloc@@YGPAXPAXKK@Z | 6 |
| ?InitializeSecurityDescriptor@@YGKKPAXPA | 6 |
| ?LogInfo@@YGXPAGKKPAXKOPAD@Z | 6 |
| ?.LogError@@YGXPAGKKPAXKKOPAD@Z | 6 |
| ?VdsHeapFree@@YGHGXK0@Z | 6 |
| ?VdsWmiGetUlongFromInstance@@YGJPAL | 6 |
| RasGetHportFromConnection | 6 |
| RasGetDeviceConfigInfo | 6 |
| RasPortGetBundle | 6 |
| RasPortSend | 6 |
| RasPortReceive | 6 |
| RasGetNumPortOpen | 6 |
| RtlAppendPathElement | 6 |
| AtlAxCreateDialogA | 6 |
| AtlPixelToHiMetric | 6 |
| AtlDevModeW2A | 6 |
| AtlModuleUnregisterServerEx | 6 |
| I_NetDatabaseSync2 | 6 |
| lineSendUserUserInfo | 6 |
| __Return_unwind | 6 |
| __raiseDebuggerException | 6 |
| _fseek | 6 |
| ?resetiosflags@std@@YA?AU?\$_Smanip@F | 6 |
| ?real@std@@YANABV?\$complex@N@1@C | 6 |
| ??Pstd@@YA_NABV?\$basic_string@DU?\$cl | 6 |
| ??0?\$basic_string@GU?\$char_traits@G@st | 6 |
| ??0?\$money_put@DV?\$ostreambuf_iterato | 6 |
| ??_F?\$moneypunct@D\$00@std@@QAEXXZ | 6 |
| SaslGetProfilePackageA | 6 |
| rtcGetDateBstr | 6 |

| | |
|--|---|
| OpenPersonalTrustDBDialogEx | 6 |
| ?Marshall@CDbProp@@QBEXAAVPSerStrea | 6 |
| ??0CAallocStorageVariant@@QAE@PBGAAV | 6 |
| ?SetProperties@CDbProperties@@UAGJKQ. | 6 |
| ??1CDbSortSet@@QAE@XZ | 6 |
| ?SetProperty@CDbColId@@QAEHPBG@Z | 6 |
| ??0CSdidLookupTable@@QAE@XZ | 6 |
| ologof | 6 |
| obindps | 6 |
| MprAdminDeviceEnum | 6 |
| ?PcsInitializeWER@@YAHXZ | 6 |
| ?Init@CNbuuLib@@SAXPAUHINSTANCE__6 | 6 |
| ??0CNbuuStaticCtrl@@QAE@XZ | 6 |
| ??1CNbuuStaticCtrl@@UAE@XZ | 6 |
| ?_SegIndex@CLKRLinearHashTable@@ABE` | 6 |
| ?GetDefaultSpinCount@CSpinLock@@SGGX | 6 |
| ?SetDefaultSpinCount@CReaderWriterLock2 | 6 |
| ?GetDefaultSpinCount@CReaderWriterLock3 | 6 |
| ?ConvertExclusiveToShared@CCritSec@@Q | 6 |
| ??_7?\$money_get@GV?\$istreambuf_iteratc | 6 |
| @Cxedit@TcxCustomEdit@GetStyle\$qqrv | 6 |
| @Dxlt@TCustomdxTreeList@GetLastNode\$` | 6 |
| @Dxdbctrl@TCustomdxDBTreeListControl@ | 6 |
| @Dxdbctrl@TCustomdxDBTreeListControl@ | 6 |
| @Cxdblookupcombobox@TcxDBLookupCom | 6 |
| @Fr_dctrl@Finalization\$qqrv | 6 |
| @Fr_redit@Finalization\$qqrv | 6 |
| @Fr_rrect@Finalization\$qqrv | 6 |
| @Fr_chbox@Finalization\$qqrv | 6 |
| @Fr_adodb@Finalization\$qqrv | 6 |
| @Fr_dblookupctl@Finalization\$qqrv | 6 |
| @Fr_dbutils@Finalization\$qqrv | 6 |
| @Fr_adotable@Finalization\$qqrv | 6 |
| @Fr_dbfldeditor@Finalization\$qqrv | 6 |
| @Fr_dbfldlist@Finalization\$qqrv | 6 |
| @Fr_dbnewlookup@Finalization\$qqrv | 6 |
| @Fr_adomd@Finalization\$qqrv | 6 |
| @Fr_adoquery@Finalization\$qqrv | 6 |
| @Fr_dbsqleedit@Finalization\$qqrv | 6 |
| @Fr_adoqueryparam@Finalization\$qqrv | 6 |
| @Fr_adoquery2@Finalization\$qqrv | 6 |
| @Fr_adoqueryparam2@Finalization\$qqrv | 6 |
| @Froleexl@Finalization\$qqrv | 6 |
| @Fr_e_csv@Finalization\$qqrv | 6 |
| @Fr_rich@Finalization\$qqrv | 6 |
| @Vedbcurredit@TVEDbEdit@ | 6 |
| RtlCopySidAndAttributesArray | 6 |

| | |
|--|---|
| VDMSetThreadContext | 6 |
| VDMGetModuleSelector | 6 |
| RegOpenServerW | 6 |
| RegWinStationSetSecurityA | 6 |
| RegWinStationCreateW | 6 |
| ASN1objectidentifier_cmp | 6 |
| ASN1BEREncZeroMultibyteString | 6 |
| _InsertMenu_@20 | 6 |
| _RegEnumValue_@32 | 6 |
| @Variants@@VarFromTDateTime\$qqrv | 6 |
| @Variants@@VarFromReal\$qqrv | 6 |
| @Variants@@VarToBool\$qqrx8TVarData | 6 |
| @Comctrls@TToolBar@ | 6 |
| pcap_open | 6 |
| Cla\$ACCEPTED | 6 |
| ??_7?\$moneypunct@D\$00@std@@@6B@ | 6 |
| ?_Fabs@std@@@YAMABV?\$complex@M@1 | 6 |
| ldap_parse_extended_resultW | 6 |
| ldap_connect | 6 |
| ldap_create_sort_controlA | 6 |
| ldap_parse_resultW | 6 |
| NetRemoteComputerSupports | 6 |
| NetReplImportDirLock | 6 |
| NetConfig GetAll | 6 |
| SQLPostInstallerError | 6 |
| SQLWriteFileDSNW | 6 |
| NdrStubCall | 6 |
| WaitMessageEx | 6 |
| ??0_OutputArray@cv@@@QAE@AAVMat@1 | 6 |
| ?fastFree@cv@@YAXPAX@Z | 6 |
| ??0Exception@cv@@@QAE@HABV?\$basic_st | 6 |
| ?error@cv@@YAXABVException@1@@Z | 6 |
| ??1Exception@cv@@@UAE@XZ | 6 |
| ??0_InputArray@cv@@@QAE@ABVMat@1@ | 6 |
| ?deallocate@Mat@cv@@QAEXXZ | 6 |
| SceLookupPrivRightName | 6 |
| SceSvcQueryInfo | 6 |
| SceCreateDirectory | 6 |
| IoAssignDriveLetters | 6 |
| ?Add@CDbColumns@@QAEHABVCDbColId | 6 |
| ?SetRunningAsSystem@ClImpersonateSyste | 6 |
| obreak | 6 |
| CtfImmDispatchDeflmeMessage | 6 |
| ImmWINNLSGetEnableStatus | 6 |
| CtfImmlsGuidMapEnable | 6 |
| DsListDomainsInSiteW | 6 |
| RtlpNotOwnerCriticalSection | 6 |

| | |
|--|---|
| osl_loadModule | 6 |
| ?sm_wDefaultSpinCount@CCritSec@@1GA | 6 |
| ?ReadLock@CReaderWriterLock@@QAEXXZ | 6 |
| ?ReadUnlock@CSmallSpinLock@@QAEXXZ | 6 |
| ?_Getcat@?\$collate@G@std@@SAIXZ | 6 |
| ?denorm_min@?\$numeric_limits@G@std@ | 6 |
| ??6std@@YAAV?\$basic_ostream@GU?\$ch | 6 |
| RpcMgmtSetAuthorizationFn | 6 |
| RpcSsContextLockExclusive | 6 |
| MsiProvideComponentW | 6 |
| ?PidToRealPid@CPidMapper@@QAEKK@Z | 6 |
| ?Reset@CRegChangeEvent@@QAEXXZ | 6 |
| ?Release@CWorkQueue@@QAEXPACWor | 6 |
| ?sqrt@?\$_Ctr@O@std@@SAOO@Z | 6 |
| ?_Isnan@?\$_Ctr@N@std@@SA_NN@Z | 6 |
| ??6std@@YAAV?\$basic_ostream@GU?\$ch | 6 |
| AuthzGetInformationFromContext | 6 |
| IPSecFreePolicyData | 6 |
| AllocateAndGetUdpExTable2FromStack | 6 |
| AllocateAndGetTcpExTable2FromStack | 6 |
| MprConfigTransportEnum | 6 |
| MprAdminRegisterConnectionNotification | 6 |
| KeProfileInterrupt | 6 |
| InitGadgetComponent | 6 |
| DUserCastDirect | 6 |
| PropVariantToAdsType2 | 6 |
| Cla\$CLEAR | 6 |
| Cla\$clearstr | 6 |
| Cla\$CLOSEwindow | 6 |
| Cla\$EndEventLoop | 6 |
| Cla\$MessageBox | 6 |
| Cla\$PopString | 6 |
| Cla\$SetPropS | 6 |
| Cla\$StackCompareNEQ | 6 |
| Cla\$StackConcat | 6 |
| Cla\$StartEventLoop | 6 |
| NS_CStringCopy | 6 |
| PR_Read | 6 |
| PR_Close | 6 |
| PR_DestroyLock | 6 |
| PR_Lock | 6 |
| PR_Unlock | 6 |
| PR_NewLock | 6 |
| ldap_search_stW | 6 |
| _FSOUND_Stream_SetBufferSize@4 | 6 |
| _FSOUND_SetHWND@4 | 6 |
| _FSOUND_GetError@0 | 6 |

| | |
|---|---|
| _FSOUND_SetPaused@8 | 6 |
| GdipStringFormatGetGenericTypographic | 6 |
| RARProcessFile | 6 |
| Tcl_CreateObjCommand | 6 |
| Tcl_FindExecutable | 6 |
| buf32Unlock | 6 |
| buf32GetMem | 6 |
| buf32MergeMem | 6 |
| ?Shutdown@Sqm@@@YGXXZ | 6 |
| ?Startup@Sqm@@@YGXXZ | 6 |
| rtcRightTrimVar | 6 |
| ??1HT_Object@@@UAE@XZ | 6 |
| ??1HT_Exception@@@UAE@XZ | 6 |
| ?what@HT_Exception@@@UBEPBDXZ | 6 |
| ?load_pcp@HT_Plot_Config_Manager@@Q | 6 |
| ?load_pc2@HT_Plot_Config_Manager@@Q | 6 |
| IASVariantChangeType | 6 |
| IASInitialize | 6 |
| CoInternetCombineUri | 6 |
| CreateUri | 6 |
| ReadImage | 6 |
| I_RpcBindingInqSecurityContext | 6 |
| glutWireSphere | 6 |
| glutWireTorus | 6 |
| ZwUnlockFile | 6 |
| WizDSNDlgProc | 6 |
| ?TransferNode@CDBCmdTreeNode@@QAE | 6 |
| ?_pGlobalPropListFile@CLocalGlobalPropert | 6 |
| ?RequiresFlush@CPhysStorage@@QAEHK@ | 6 |
| ?replace@?\$basic_string@DU?\$char_traits@ | 6 |
| BCryptCreateHash | 6 |
| BCryptHashData | 6 |
| BCryptFinishHash | 6 |
| BCryptDestroyHash | 6 |
| glsDeleteContext | 6 |
| glsIsUTF8String | 6 |
| glsGetContexti | 6 |
| ?_Init@?\$messages@G@std@@IAEXABV_L | 6 |
| ??5?\$basic_istream@GU?\$char_traits@G@: | 6 |
| NtQueryOpenSubKeys | 6 |
| __vlc_object_attach | 6 |
| VarUI8FromR4 | 6 |
| VarI8FromUI4 | 6 |
| ??1?\$basic_istringstream@DU?\$char_traits@ | 6 |
| VarDecCmpR8 | 6 |
| DnsNameCopy | 6 |
| DnsFlushResolverCacheEntry_A | 6 |

| | |
|---|---|
| Dns_AddRecordsToMessage | 6 |
| Dns_ReadPacketName | 6 |
| LeDraw | 6 |
| MfChangeData | 6 |
| GenChangeData | 6 |
| DefLoadFromStream | 6 |
| OleCreateFromTemplate | 6 |
| RtlReleaseSRWLockExclusive | 6 |
| RtlAcquireSRWLockExclusive | 6 |
| ?Append@CTXStringW@@QAEXPB_W@Z | 6 |
| ?SetIdleCallback@TXTimer@@YAHPAUITXIC | 6 |
| ?GetParentDir@FS@Util@@YA?AVCTXString@0 | 6 |
| VarCyRound | 6 |
| VarCyFromI8 | 6 |
| LdapUTF8ToUnicode | 6 |
| MprConfigInterfaceSetInfo | 6 |
| ?SetMasterCHM@CCollection@@QAEXPBD@Z | 6 |
| ?Dirty@CCollection@@QAEXXZ | 6 |
| ?_wopen@@YAHPB_WHH@Z | 6 |
| ??0ConfigItem@utl@@IAE@VOUString@rtl | 6 |
| ?SetHeight@Font@@QAEXJ@Z | 6 |
| ?SetImage@FixedImage@@QAEXABVImage | 6 |
| ??0FixedImage@@QAE@PAVWindow@@A | 6 |
| ?GetFocus@Control@@UAEXXZ | 6 |
| ?LoseFocus@Control@@UAEXXZ | 6 |
| ?GetOptimalSize@Control@@UBE?AVSize@ | 6 |
| ??1QueryBox@@UAE@XZ | 6 |
| ??0QueryBox@@QAE@PAVWindow@@AB | 6 |
| ?SetUniqueId@Window@@QAEXK@Z | 6 |
| ?removeFinalSlash@INetURLObject@@QAE | 6 |
| ??1SvLockBytes@@UAE@XZ | 6 |
| ?RemoveMark@SvStream@@UAEXK@Z | 6 |
| ?AddMark@SvStream@@UAEXK@Z | 6 |
| ??0SvLockBytes@@QAE@PAVSvStream@@ | 6 |
| rtl_uStringbuffer_newFromStringBuffer | 6 |
| ?queryInterface@?\$WeakImplHelper2@VXI | 6 |
| ??1MultiLineEdit@@UAE@XZ | 6 |
| ?GetLocaleData@SvtSysLocale@@QBEABVL | 6 |
| ??0MultiLineEdit@@QAE@PAVWindow@@ | 6 |
| HlinkCreateBrowseContext | 6 |
| HlinkQueryCreateFromData | 6 |
| ?_Raise_handler@std@@3P6AXABVexcepti | 6 |
| ?destroy@?\$allocator @_W@std@@QAEXP | 6 |
| ?construct@?\$allocator @_W@std@@QAEX | 6 |
| IsmGetTempFile | 6 |
| IsmEnumFirstComponent | 6 |
| IsmReplacePhysicalObject | 6 |

| | |
|--|---|
| IsmGetEnvironmentMultiSz | 6 |
| TrackedIsmDuplicateString | 6 |
| IsmSendMessageToApp | 6 |
| IsmEnumNextComponent | 6 |
| ?IsValid@CxImage@@QBE_NXZ | 6 |
| CreateCanvas | 6 |
| DrawTexture | 6 |
| DeleteTexture | 6 |
| ??1CTXFileDialog@@QAE@XZ | 6 |
| ?DoModal@CTXFileDialog@@QAEHXZ | 6 |
| ??0CTXFileDialog@@QAE@HPB_WOOKOPAL | 6 |
| ?IsFileSystemFile@FS@@YAHPB_W@Z | 6 |
| ?IsDirectoryExist@FS@@YAHPB_W@Z | 6 |
| ?EraseAsyncCallback@TXTimer@@YAHPAU | 6 |
| ??8@YA_NPA_WABVCTXBSTR@@@Z | 6 |
| ?Decode16@Encode@Util@@YAHABVCTXS | 6 |
| ?SetDataDWord@DataReport@Util@@YAJK | 6 |
| ?clear@?\$basic_ios@GU?\$char_traits@G@ | 6 |
| ??_D?\$basic_iostream@DU?\$char_traits@D | 6 |
| ?SetCache@IO_DP_DRIVE@@QAEXPADRI | 6 |
| ?Recover@VOL_LIODPDRV@@QAEPBVWS | 6 |
| ??0ACE_Message_Block@@QAE@PAVACE_ | 6 |
| ?cond_signal@ACE_OS@@SAHPAVACE_con | 6 |
| ?cond_wait@ACE_OS@@SAHPAVACE_cond | 6 |
| ?cond_init@ACE_OS@@SAHPAVACE_cond_ | 6 |
| ??_7ACE_Message_Queue_Base@@6B@ | 6 |
| ??_7ACE_Cleanup@@6B@ | 6 |
| ?cond_broadcast@ACE_OS@@SAHPAVACE_ | 6 |
| ?cond_destroy@ACE_OS@@SAHPAVACE_c | 6 |
| ?dispatch_message@Window@Win32@GU | 6 |
| ?dispatch_system_message@Window@Win | 6 |
| ??_DHtmlView@Win32@GUI@WinGenerics | 6 |
| ??0TaskRunner@WinGenerics@@QAE@PA | 6 |
| ?enqueue_task@TaskRunner@WinGenerics | 6 |
| ??_DTaskRunner@WinGenerics@@QAEXXZ | 6 |
| ?svc@TaskRunner@WinGenerics@@MAEH) | 6 |
| ??_DScheduler@WinGenerics@@QAEXXZ | 6 |
| ??0Scheduler@WinGenerics@@QAE@PAVS | 6 |
| ?schedule@Scheduler@WinGenerics@@QA | 6 |
| ?is_full_screen_window@Window@Win32(| 6 |
| ?to_lower_s@StringManip@WinGenerics@ | 6 |
| ?log_level@StreamLogger@Logging@WinG | 6 |
| ?trim@StringManip@WinGenerics@@YAXP | 6 |
| ?fini@WinGenerics@@YA_NXZ | 6 |
| ?init@WinGenerics@@YA_NPAUHINSTANC | 6 |
| ?log_level@StreamLogger@Logging@WinG | 6 |
| ?log_message@FileLogger@Logging@WinG | 6 |

| | |
|--|---|
| ??_DFileLogger@Logging@WinGenerics@@ | 6 |
| ??1FactoryImpl@COM@WinGenerics@@M | 6 |
| ?set@FactoryImpl@COM@WinGenerics@@ | 6 |
| ??0FactoryImpl@COM@WinGenerics@@QF | 6 |
| ?start_factory@FactoryImpl@COM@WinGe | 6 |
| ?stop_factory@FactoryImpl@COM@WinGe | 6 |
| ?dialog_ptr@Dialog@Win32@GUI@WinGer | 6 |
| ?unregister_factory@FactoryImpl@COM@V | 6 |
| ?is_running@FactoryImpl@COM@WinGene | 6 |
| ?class_factory@FactoryImpl@COM@WinGe | 6 |
| ?set_cookie@HTTPCookie@Networking@W | 6 |
| ?get_cookie@HTTPCookie@Networking@W | 6 |
| ?mime_url_encode@StringManip@WinGen | 6 |
| ?start_session@HTTPCookie@Networking@ | 6 |
| ??0HTTPCookie@Networking@WinGenerics | 6 |
| ??0CookieStorageWinReg@Networking@W | 6 |
| ??0CookieHandlerMS@Networking@WinGe | 6 |
| ??_DCookieStorageWinReg@Networking@V | 6 |
| ??_DCookieHandlerMS@Networking@WinG | 6 |
| ??_DHTTPCookie@Networking@WinGeneri | 6 |
| ?process_timer@Window@Win32@GUI@W | 6 |
| ?detach@Dialog@Win32@GUI@WinGeneri | 6 |
| ?process_cancel@Dialog@Win32@GUI@Wi | 6 |
| ?process_cancel@Window@Win32@GUI@V | 6 |
| ?process_ok@Dialog@Win32@GUI@WinGe | 6 |
| ?display_modal@Dialog@Win32@GUI@Wi | 6 |
| ?set_active@Window@Win32@GUI@WinG | 6 |
| ?bring_to_top@Window@Win32@GUI@Wi | 6 |
| ??1FileInfo@WinGenerics@@QAE@XZ | 6 |
| ?iconic@Window@Win32@GUI@WinGeneri | 6 |
| ?redraw@Window@Win32@GUI@WinGeneri | 6 |
| ?register_factory@FactoryImpl@COM@Win | 6 |
| ?default_message_processing_i@Dialog@W | 6 |
| ?base_view_hwnd@HtmlView@Win32@GL | 6 |
| ?get_focus@Window@Win32@GUI@WinG | 6 |
| ?set_focus@Window@Win32@GUI@WinGe | 6 |
| ??0Guid@WinGenerics@@QAE@XZ | 6 |
| ?generate@Guid@WinGenerics@@QAEXXZ | 6 |
| ??BGuid@WinGenerics@@QBE?AV?\$basic_ | 6 |
| ??1Guid@WinGenerics@@QAE@XZ | 6 |
| ?set_foreground2@Window@Win32@GUI@C | 6 |
| ?wchar_to_utf8@StringManip@WinGeneric | 6 |
| ?to_lower@StringManip@WinGenerics@@' | 6 |
| ?send_message@Window@Win32@GUI@V | 6 |
| ?mbc_to_wchar@StringManip@WinGeneric | 6 |
| ??0HtmlView@Win32@GUI@WinGenerics@ | 6 |
| ?dispatch_system_message@Dialog@Win32 | 6 |

| | |
|---------------------------------------|---|
| ?process_close@Window@Win32@GUI@W | 6 |
| ?control@HtmlView@Win32@GUI@WinGe | 6 |
| ??0Window@Win32@GUI@WinGenerics@(| 6 |
| ??0Dialog@Win32@GUI@WinGenerics@@I | 6 |
| ?construct@Dialog@Win32@GUI@WinGen | 6 |
| ?handle@Window@Win32@GUI@WinGene | 6 |
| ?start_timer@Window@Win32@GUI@Win | 6 |
| ??1Window@Win32@GUI@WinGenerics@(| 6 |
| ??1Dialog@Win32@GUI@WinGenerics@@I | 6 |
| ?remove_ref@Window@Win32@GUI@Win | 6 |
| ?process_resize@Window@Win32@GUI@V | 6 |
| ?process_message@Window@Win32@GUI | 6 |
| ?process_command@Window@Win32@GU | 6 |
| ?process_system_command@Window@Win | 6 |
| ?process_init_popup_menu@Window@Win | 6 |
| ?process_dialog_color@Window@Win32@ | 6 |
| ?process_window_pos_changing@Window | 6 |
| ?process_get_min_max_info@Window@Wi | 6 |
| ?process_activate@Window@Win32@GUI@C | 6 |
| ?process_window_pos_changed@Window@C | 6 |
| ?process_context_menu@Window@Win32@ | 6 |
| ?create@Window@Win32@GUI@WinGene | 6 |
| ?screen_to_client@Window@Win32@GUI@C | 6 |
| ?client_area@Window@Win32@GUI@Win | 6 |
| ?icon@Window@Win32@GUI@WinGeneric | 6 |
| ?icon@Window@Win32@GUI@WinGeneric | 6 |
| ?detach@Window@Win32@GUI@WinGene | 6 |
| ?default_message_processing_i@Window@ | 6 |
| ?dialog_ptr@Window@Win32@GUI@WinG | 6 |
| ?equal@Window@Win32@GUI@WinGener | 6 |
| ?focus@Window@Win32@GUI@WinGener | 6 |
| ?stop_timer@Window@Win32@GUI@Win | 6 |
| ?menu@Window@Win32@GUI@WinGener | 6 |
| ?menu@Window@Win32@GUI@WinGener | 6 |
| ?coordinates@Window@Win32@GUI@Win | 6 |
| ?invalidate@Window@Win32@GUI@WinG | 6 |
| ?update@Window@Win32@GUI@WinGene | 6 |
| ?move@Window@Win32@GUI@WinGener | 6 |
| ?set_foreground@Window@Win32@GUI@ | 6 |
| ?enable@Window@Win32@GUI@WinGene | 6 |
| ?enable@Window@Win32@GUI@WinGene | 6 |
| ?child@Window@Win32@GUI@WinGeneri | 6 |
| ?text_w@Window@Win32@GUI@WinGene | 6 |
| ?text_w@Window@Win32@GUI@WinGene | 6 |
| ?text@Window@Win32@GUI@WinGeneric | 6 |
| ?text@Window@Win32@GUI@WinGeneric | 6 |
| ?show@Window@Win32@GUI@WinGener | 6 |

| | |
|---|---|
| ??1WindowManager@Win32@GUI@WinGe | 6 |
| ??0WindowManager@Win32@GUI@WinGe | 6 |
| ?process_message@WindowManager@Win | 6 |
| ?attach@Window@Win32@GUI@WinGene | 6 |
| ?process_ok@Window@Win32@GUI@Win | 6 |
| ?message@DispatchContext@Win32@GUI@ | 6 |
| ?wparam@DispatchContext@Win32@GUI@ | 6 |
| ??0MessageHandler@Win32@GUI@WinGe | 6 |
| ??0FileInfo@WinGenerics@@QAE@XZ | 6 |
| ?load@FileInfo@WinGenerics@@QAEXPBD | 6 |
| ??0Version@FileInfo@WinGenerics@@QAE | 6 |
| ?visible@Window@Win32@GUI@WinGene | 6 |
| JetEndSession@8 | 6 |
| ??0?\$time_get@GV?\$istreambuf_iterator@ | 6 |
| RpcNsProfileEltInqNextW | 6 |
| RpcNsBindingSelect | 6 |
| RpcNsBindingExportW | 6 |
| RpcNsGroupMbrAddW | 6 |
| RpcNsEntryObjectInqBeginA | 6 |
| RpcNsGroupMbrInqBeginA | 6 |
| DhcpDeleteMClientInfo | 6 |
| DnsCreateReverseNameStringForIpAddress | 6 |
| CreateNPPIInterface | 6 |
| ??1?\$basic_istringstream@GU?\$char_traits@ | 6 |
| ?is_open@?\$basic_fstream@GU?\$char_trai | 6 |
| SnmpUtilOidCmp | 6 |
| SnmpUtilAnsiToUnicode | 6 |
| SnmpUtilUnicodeToUTF8 | 6 |
| ??1CInCritSec@@QAE@XZ | 6 |
| ?InternalQueryInterface@CUnkInternal@@I | 6 |
| ?InternalRelease@CUnkInternal@@QAEKXZ | 6 |
| ??0CInCritSec@@QAE@PAU_RTL_CRITICAL_ | 6 |
| ?OnInitialize@CUnk@@UAEHXZ | 6 |
| ?Release@CUnkInternal@@UAGKXZ | 6 |
| ?AddRef@CUnkInternal@@UAGKXZ | 6 |
| ?QueryInterface@CUnkInternal@@UAGJAB | 6 |
| ??0CUnkInternal@@QAE@PAVCLifeControl | 6 |
| ??_7CUnkInternal@@6B@ | 6 |
| XRE_StringToChildProcessType | 6 |
| XRE_InitChildProcess | 6 |
| WmiQuerySingleInstanceMultipleA | 6 |
| ?_Getcat@?\$moneypunct@D\$00@std@@S | 6 |
| MprConfigServerRefresh | 6 |
| MprAdminInterfaceSetCredentialsEx | 6 |
| MprConfigServerGetInfo | 6 |
| ??0CKeyArray@@QAE@HH@Z | 6 |
| ?GetTotalSizeInKB@CPropertyStore@@QAE | 6 |

| | |
|--|---|
| Ctl3dRegister | 6 |
| Ctl3dAutoSubclass | 6 |
| IoForwardIrpSynchronously | 6 |
| EtwWrite | 6 |
| EtwRegister | 6 |
| ?max@?\$numeric_limits@M@std@@SAM@ | 6 |
| ?denorm_min@?\$numeric_limits@H@std@ | 6 |
| SQLSetConnectAttrA | 6 |
| SnmpSvcGetUptimeFromTime | 6 |
| NtCreateToken | 6 |
| _TTGetEmbeddedFontInfo@28 | 6 |
| ??4?\$CEventLock@UAppEvents@@@QAE | 6 |
| ?ScEmitOrPostpone@CEventBuffer@@QAE | 6 |
| ?HrFromSc@@YGJABVSC@mmcerror@@@ | 6 |
| _freopen64 | 6 |
| gmtime_r | 6 |
| ?endl@std@@YAAV?\$basic_ostream@GU@ | 6 |
| ??0?\$basic_ofstream@GU?\$char_traits@G@ | 6 |
| _PolyTextOut_@12 | 6 |
| _ReportEvent_@36 | 6 |
| _GetMessage_@16 | 6 |
| _GetMetaFile_@4 | 6 |
| CAFIndByIssuerDN | 6 |
| ??Kstd@@YA?AV?\$complex@N@0@ABV10 | 6 |
| ?register_callback@ios_base@std@@QAE | 6 |
| VarI1FromI4 | 6 |
| VarUI8FromDisp | 6 |
| VarUI4FromI2 | 6 |
| QueryDisplayConfig | 6 |
| PowerGetActiveScheme | 6 |
| SHGetKnownFolderIDList | 6 |
| SQLGetConnectOptionA | 6 |
| RtlFindCharInUnicodeString | 6 |
| ZwLoadKey2 | 6 |
| LeObjectConvert | 6 |
| ErrSetUpdateOptions | 6 |
| LeGetData | 6 |
| ObjQueryName | 6 |
| MfEqual | 6 |
| SeQuerySecurityDescriptorInfo | 6 |
| PsDereferenceImpersonationToken | 6 |
| SeCreateClientSecurityFromSubjectContext | 6 |
| COPYFILEA | 6 |
| CLOSEHANDLE | 6 |
| ?AddFileSystem@FS@@YAJW4FILESYSTEM_ | 6 |
| DsMergeForestTrustInformationW | 6 |
| ?GetCanonicalTextColor@Control@@MBEA | 6 |

| | |
|---|---|
| ?GetCanonicalFont@Control@@MBEABVF0 | 6 |
| ?Search@String@@QBEGABV1@G@Z | 6 |
| ?Copy@String@@QBE?AV1@GG@Z | 6 |
| ?createCursor@Content@ucbhelper@@QA | 6 |
| ?registerProperty@OPropertyContainerHelp | 6 |
| ScsiPortMoveMemory | 6 |
| ScsiPortGetUncachedExtension | 6 |
| MAPIInitIdle@4 | 6 |
| FtAdcFt@20 | 6 |
| ?erase@?\$basic_string@DU?\$char_traits@I | 6 |
| RasSetOldPassword | 6 |
| RasSetEapUserDataW | 6 |
| ATMGetBuildStrA | 6 |
| gimp_int_radio_group_new | 6 |
| gimp_radio_button_update | 6 |
| avcodec_find_decoder | 6 |
| avcodec_open | 6 |
| av_register_all | 6 |
| SetupDiGetClassDescriptionExA | 6 |
| input_item_SetMeta | 6 |
| RasScriptReceive | 6 |
| WinReGetConfig | 6 |
| visetupds | 6 |
| GetThemePropertyOrigin | 6 |
| ??0CDBContentRestriction@@QAE@PBGAB | 6 |
| FaxConnectFaxServerW | 6 |
| ??6?\$basic_ostream@GU?\$char_traits@G@ | 6 |
| RasEapGetInfo | 6 |
| ?separator@QDir@@SA?AVQChar@@XZ | 6 |
| ?cleanPath@QDir@@SA?AVQString@@ABV | 6 |
| ?toNativeSeparators@QDir@@SA?AVQString | 6 |
| ?self@QCoreApplication@@OPAV1@A | 6 |
| ?type@QVariant@@QBE?AW4Type@1@XZ | 6 |
| ??4QVariant@@QAEAAV0@ABV0@@Z | 6 |
| ?number@QString@@SA?AV1@NDH@Z | 6 |
| ?toStdString@QString@@QBE?AV?\$basic_s | 6 |
| ?QStringList_contains@QtPrivate@@YA?AV | 6 |
| ?compare@QString@@QBEHABV1@W4Cas | 6 |
| ?exists@QFile@@QBE_NXZ | 6 |
| ?endsWith@QString@@QBE_NABV1@W4C | 6 |
| ?replace@QString@@QAEAAV1@ABV1@0\ | 6 |
| ?exists@QDir@@QBE_NABVQString@@@Z | 6 |
| ?endsWith@QString@@QBE_NABVQChar@ | 6 |
| LsDisplaySubline | 6 |
| _tcsncat | 6 |
| WinlogonHandlePendingInfOperations | 6 |
| RegDBRestore | 6 |

| | |
|--|---|
| ??4CComPlusTypelib@@QAEAAV0@ABV0@ | 6 |
| g_array_append_vals | 6 |
| g_array_free | 6 |
| g_array_new | 6 |
| g_malloc0_n | 6 |
| g_ptr_array_add | 6 |
| g_object_class_install_property | 6 |
| g_object_ref | 6 |
| g_type_name | 6 |
| g_type_register_static | 6 |
| ?underflow@?\$basic_filebuf@DU?\$char_traits@_S@std@ | 6 |
| ?rdstate@ios_base@std@@QBEHXZ | 6 |
| RpcNsEntryObjectInqNext | 6 |
| RpcNsGroupMbrAddA | 6 |
| RpcNsEntryExpandNameW | 6 |
| ?Remove@NUMBER_SET@@QAEVBIG_IN1 | 6 |
| ?Initialize@NUMBER_SET@@QAEEXZ | 6 |
| ?FlushCache@IO_DP_DRIVE@@QAEHZ | 6 |
| SCardSetCardTypeProviderNameW | 6 |
| MprAdminInterfaceTransportSetInfo | 6 |
| ??8std@@YA_NABMABV?\$complex@M@0@ | 6 |
| ??ACStringArray@@QBE?AVCString@@H@ | 6 |
| ??M@YG_NABVCString@@@0@Z | 6 |
| InbvDisplayString | 6 |
| _GetEnhMetaFile_@4 | 6 |
| _GetNamedPipeHandleState_@28 | 6 |
| @\$bdla\$qpv | 6 |
| @\$bnwa\$qui | 6 |
| _tcsncmp | 6 |
| ?GetColumn@CCatState@@QBEPBGI@Z | 6 |
| ??1CNatLanguageRestriction@@QAE@XZ | 6 |
| ??0CSort@@QAE@I@Z | 6 |
| ?GetVolume@CLocation@@QAEPAHZ | 6 |
| ?HandleTitle@CCollection@@AAEKPAVCPai | 6 |
| ?GetIdW@CLocation@@QAEPBGXZ | 6 |
| ?GetMasterCHM@CCollection@@QAEHPAP | 6 |
| SetupInstallFileExW | 6 |
| ?IsWin2k@CMDVersionInfo@@SAHXZ | 6 |
| ??1CLockedSingleList@@QAE@XZ | 6 |
| ?SetWriteICSData@CIniW@@QAEXH@Z | 6 |
| ?Stricmp@MBSTR@@SGHPADO@Z | 6 |
| @Menus@TMenuItem@GetItem\$qqri | 6 |
| @Menus@TMenuItem@GetCount\$qqrv | 6 |
| @Forms@TApplication@HandleException\$c | 6 |
| ??4?\$basic_fstream@GU?\$char_traits@G@std@ | 6 |
| ??\$?O_WU?\$char_traits@_W@std@@@V?\$a | 6 |
| VarR8FromDisp | 6 |

| | |
|--|---|
| PdhGetDefaultPerfCounterHW | 6 |
| _wvsprintf_@12 | 6 |
| ?SetMainThreadID@SC@mmcerror@@SGXI | 6 |
| ?Release@CMMCStrongReferences@@SGK: | 6 |
| ??4CEventBuffer@@QAEAV0@ABV0@@Z | 6 |
| ??0CEventBuffer@@QAE@XZ | 6 |
| ?GetEventBuffer@@YGAAVCEventBuffer@C | 6 |
| ?InternalAddRef@CMMCStrongReferences@ | 6 |
| ?ClearRequestHeader@CTXHttpDownload@ | 6 |
| ?DecodeBufferLenHead@CCmdCodecBase@ | 6 |
| LsalSetupWasRun | 6 |
| LsapAuOpenSam | 6 |
| LsapCheckBootMode | 6 |
| LsapInitLsa | 6 |
| LsapDsInitializePromoteInterface | 6 |
| LsapDsInitializeDsStateInfo | 6 |
| SamIIInitialize | 6 |
| ??_F_Locinfo@std@@QAEXXZ | 6 |
| ?_Clocptr@_Locimp@locale@std@@OPAV1 | 6 |
| MIDL_wchar_strlen | 6 |
| NdrEncapsulatedUnionFree | 6 |
| LsdnFinishBySubline | 6 |
| DUserGetRotatePRID | 6 |
| GetStdPalette | 6 |
| GetStdColorName | 6 |
| DUserGetScalePRID | 6 |
| ?AbortWorkItems@CWorkManager@@QAE | 6 |
| ?SetCD@CCatState@@QAEXPBG@Z | 6 |
| ??1CSynRestriction@@QAE@XZ | 6 |
| ?setiosflags@std@@YA?AU?\$Smanip@H@ | 6 |
| ??Dstd@@YA?AV?\$complex@M@0@ABV1(| 6 |
| ??_8?\$basic_fstream@DU?\$char_traits@D@ | 6 |
| ?AddMachine@CCatState@@QAEXAAV?\$XF | 6 |
| ?Destroy@NativeHWNDHost@DirectUI@@I | 6 |
| ?CreateStyleParser@HWNDElement@Direct | 6 |
| BaseAttachCompleteThunk | 6 |
| KeI386Call16BitFunction | 6 |
| KeEnterKernelDebugger | 6 |
| BreakRecordsIntoBlob | 6 |
| Dns_BuildPacket | 6 |
| WerpLaunchResponse | 6 |
| ??H@YA?AVCTXStringW@@ABV0 @_W@Z | 6 |
| ?Current@CMessageLoop@NetDisk@@SAP | 6 |
| ?PostTask@CMessageLoop@NetDisk@@QA | 6 |
| ??1CTask@NetDisk@@UAE@XZ | 6 |
| GetGadgetScale | 6 |
| ZwStopProfile | 6 |

| | |
|---|---|
| OleQuerySize | 6 |
| OleUpdate | 6 |
| OleSetHostNames | 6 |
| OleQueryOutOfDate | 6 |
| OleQueryName | 6 |
| DibCopy | 6 |
| ??0String@@QAE@PBG@Z | 6 |
| ?deallocate@?\$allocator@G@std@@QAEXI | 6 |
| PL_HashTableAdd | 6 |
| PL_HashTableDestroy | 6 |
| PL_NewHashTable | 6 |
| xmlNewParserCtxt | 6 |
| xmlNodeListGetString | 6 |
| xmlFreeNode | 6 |
| vlc_CPU | 6 |
| I_CryptGetOssGlobal | 6 |
| ?str@?\$basic_stringbuf@DU?\$char_traits@ | 6 |
| DestroyQuantumInfo | 6 |
| AcquireQuantumInfo | 6 |
| SetImageProperty | 6 |
| GetImageProperty | 6 |
| ExportQuantumPixels | 6 |
| vlc_object_create | 6 |
| DhcpSetClientInfo | 6 |
| ExGetCurrentProcessorCounts | 6 |
| ZwCreateMailslotFile | 6 |
| ClusWorkerCheckTerminate | 6 |
| ResUtilGetEnvironmentWithNetName | 6 |
| MPCSUInitialize | 6 |
| mpMalloc | 6 |
| ZwQueryInformationAtom | 6 |
| NdrStubInitializeMarshall | 6 |
| EnvIFO | 6 |
| SetupAddToDiskSpaceListW | 6 |
| pSetupInstallCatalog | 6 |
| cvNamedWindow | 6 |
| MgmDeRegisterMProtocol | 6 |
| RtmDeleteRouteToDest | 6 |
| ?MakeMetadataCommand@@YGJPAPAUIU | 6 |
| SdbReleaseDatabase | 6 |
| ApphelpFixMsiPackage | 6 |
| SdbFindFirstMsiPackage | 6 |
| ?WriteByte@STREAM@@QAEEE@Z | 6 |
| CoInvalidateRemoteMachineBindings | 6 |
| @Graphics@TCanvas@TextHeight\$qqrx17S\ | 6 |
| @StdCtrls@TCustomEdit@DefaultHandler\$q | 6 |
| @StdCtrls@TCustomEdit@DestroyWnd\$qqrv | 6 |

| | |
|---|---|
| @StdCtrls@TCustomEdit@GetSelText\$qqrv | 6 |
| @StdCtrls@TCustomEdit@GetSelTextBuf\$qc | 6 |
| @StdCtrls@TCustomEdit@Clear\$qqrv | 6 |
| @StdCtrls@TCustomEdit@SetSelLength\$qqrv | 6 |
| @StdCtrls@TCustomEdit@GetSelLength\$qqi | 6 |
| @StdCtrls@TCustomEdit@SetSelStart\$qqri | 6 |
| @StdCtrls@TCustomEdit@GetSelStart\$qqrv | 6 |
| @StdCtrls@TCustomEdit@DoSetMaxLength\$qqi | 6 |
| @StdCtrls@TCustomEdit@ | 6 |
| _atol | 6 |
| png_create_write_struct | 6 |
| png_error | 6 |
| png_get_valid | 6 |
| png_read_update_info | 6 |
| png_set_compression_level | 6 |
| png_set_expand | 6 |
| png_set_interlace_handling | 6 |
| png_set_read_fn | 6 |
| JetGetIndexInfo | 6 |
| JetCreateInstance2 | 6 |
| ?open@\$basic_ifstream@DU?\$char_traits@ | 6 |
| ?SetScaleX@MapMode@@QAEXABVFractio | 6 |
| ?SetScaleY@MapMode@@QAEXABVFractio | 6 |
| ?SetOrigin@MapMode@@QAEXABVPoint@ | 6 |
| ?PixelToLogic@OutputDevice@@QBE?AVSiz | 6 |
| ??4Font@@QAEAAV0@ABV0@@Z | 6 |
| ??0Font@@QAE@XZ | 6 |
| ?Push@OutputDevice@@QAEXG@Z | 6 |
| ?Pop@OutputDevice@@QAEXXZ | 6 |
| ?LogicToLogic@OutputDevice@@SA?AVSize | 6 |
| ??4MapMode@@QAEAAV0@ABV0@@Z | 6 |
| ??0GDI MetaFile@@QAE@ABV0@@Z | 6 |
| ?CreateStream@UcbStreamHelper@utl@@ | 6 |
| ??0Fraction@@QAE@JJ@Z | 6 |
| ?Flush@SvStream@@QAEXXZ | 6 |
| ?Count@PolyPolygon@@QBEGXZ | 6 |
| ??1PolyPolygon@@QAE@XZ | 6 |
| ??0String@@QAE@G@Z | 6 |
| NtAddBootEntry | 6 |
| strtrim | 6 |
| KiAcquireSpinLock | 6 |
| FIIsHTMLFile | 6 |
| OpenFileStreamWithFlagsW | 6 |
| StrAsyncConnectState | 6 |
| RasRpcGetCountryInfo | 6 |
| RasBundleGetStatistics | 6 |
| ??1NTFS_BITMAP@@UAE@XZ | 6 |

| | |
|---------------------------------------|---|
| ?QueryLcnFromVcn@NTFS_EXTENT_LIST@ | 6 |
| ??1NTFS_FILE_RECORD_SEGMENT@@UAE@ | 6 |
| ?GetOleError@@YGJAAVCException@@@Z | 6 |
| MsiViewGetErrorA | 6 |
| UpdateTraceA | 6 |
| getdtablesize | 6 |
| Tcl_AppendElement | 6 |
| Tcl_DStringFree | 6 |
| Tcl_DStringInit | 6 |
| Tcl_DeleteCommand | 6 |
| Tcl_ExprLong | 6 |
| Tcl_GetVar2 | 6 |
| Tcl_GlobalEval | 6 |
| Tcl_Merge | 6 |
| Tcl_SetVar2 | 6 |
| Tcl_TraceVar | 6 |
| Tcl_UntraceVar | 6 |
| Tcl_VarEval | 6 |
| Tcl_VarTraceInfo | 6 |
| RtIsMarkedForChangeNotification | 6 |
| ??0QString@@QAE@ABVQLatin1String@@ | 6 |
| ??0QDateTime@@QAE@XZ | 6 |
| ?deref@QBasicAtomicInt@@QAE_NXZ | 6 |
| ??9QBasicAtomicInt@@QBE_NH@Z | 6 |
| ?singleShot@ QTimer@@SAXHPAVQObject@ | 6 |
| ??0QRegExp@@QAE@ABVQString@@W4C | 6 |
| ?resize@QByteArray@@QAEXH@Z | 6 |
| ?qHash@@YAIABVQString@@@Z | 6 |
| ?rehash@QHashData@@QAEXH@Z | 6 |
| ?waitForReadyRead@QIODevice@@UAE_N | 6 |
| ?waitForBytesWritten@QIODevice@@UAE_ | 6 |
| ?append@QByteArray@@QAEAAV1@ABV1 | 6 |
| ??0QUrl@@QAE@ABV0@@Z | 6 |
| ?registerType@QMetaType@@SAHPBDP6A | 6 |
| ?nextNode@QHashData@@SAPAUNode@1 | 6 |
| ??0QVariant@@QAE@ABVQByteArray@@(| 6 |
| ?host@QUrl@@QBE?AVQString@@XZ | 6 |
| ?tr@QObject@@SA?AVQString@@PBD0@Z | 6 |
| ?startsWith@QString@@QBE_NABVQChar@ | 6 |
| ?insert@QListData@@QAEPAPAXH@Z | 6 |
| ?handler@QVariant@@1PBUEHandler@1@E | 6 |
| ?constData@QVariant@@QBEPBXXZ | 6 |
| ?userType@QVariant@@QBEHXZ | 6 |
| ?toBase64@QByteArray@@QBE?AV1@XZ | 6 |
| ?terminate@QThread@@QAEXXZ | 6 |
| ?windowsVersion@QSysInfo@@SA?AW4Wi | 6 |
| ?processEvents@QCoreApplication@@SAX\ | 6 |

| | |
|---|---|
| ?node_create@QMapData@@QAEPAUNod | 6 |
| ?createData@QMapData@@SAPAU1@XZ | 6 |
| ??0QLibrary@@QAE@ABVQString@@PAVC | 6 |
| ??1QLibrary@@UAE@XZ | 6 |
| ?resolve@QLibrary@@QAEPAXPBD@Z | 6 |
| _ZN5QChar9fromAsciiEc | 6 |
| _ZN7QString4growEi | 6 |
| _ZN7QString7reallocEi | 6 |
| ZwQueryOpenSubKeys | 6 |
| __vlc_mutex_destroy | 6 |
| @Basedef@TLinkDataItems@GetCount\$qqrr | 6 |
| @Userinfoex@UserInfomationEx | 6 |
| @\$xp\$30Eimagepanel@TeBorderImagePan | 6 |
| @Eimagepanel@TeBorderImagePanel@ | 6 |
| @\$xp\$24Dxdbgrid@TdxDBGridColumn | 6 |
| @\$xp\$16Dbsheet@TivSheet | 6 |
| @Dbsheet@TivSheet@ | 6 |
| @Flatctrls@initialization\$qqrv | 6 |
| @Flatctrls@Finalization\$qqrv | 6 |
| @Ufgnaccount@initialization\$qqrv | 6 |
| @Ufgnaccount@Finalization\$qqrv | 6 |
| @System@@VarFromCurr\$qqrv | 6 |
| @System@@PStrNCpy\$qqrv | 6 |
| @System@Null | 6 |
| @Adstable@TAdsQuery@ | 6 |
| ?EnumVPaths@CMetaDataMember@@QAEAA | 6 |
| ??Nstd@@YA_NPBGABV?\$basic_string@GL | 6 |
| RtlIpv6AddressToStringExW | 6 |
| GdipSetPenEndCap | 6 |
| GdipSetPenDashArray | 6 |
| _DII_Main@12 | 6 |
| ?MaxSize@CLKRLinearHashTable@@QBEKX | 6 |
| ?_LockSpin@CReaderWriterLock3@@AAEXI | 6 |
| _WriteProfileString_@12 | 6 |
| pcap_stats | 6 |
| ??_Fbad_typeid@@QAEXXZ | 6 |
| _waccess_s | 6 |
| ldap_add_ext_s | 6 |
| _NDdeGetString_@12 | 6 |
| _CommConfigDialog_@12 | 6 |
| _ZN8QVariantC1ERK7QString | 6 |
| _ZN9QListData5eraseEPPV | 6 |
| _ZN15QAbstractButton7setTextERK7QString | 6 |
| _ZN7QWidget5eventEP6QEvent | 6 |
| SPOpenItem | 6 |
| ASN1octetstring_cmp | 6 |
| ?GetCurrentSnapshotSetId@CVssWriter@@ | 6 |

| | |
|--|---|
| rtcTan | 6 |
| xmlSaveFormatFile | 6 |
| xmlStrcat | 6 |
| xmlXIncludeProcessFlags | 6 |
| uno_destructData | 6 |
| CoInternetGetProtocolFlags | 6 |
| RasDeviceGetInfo | 6 |
| RasBundleClearStatistics | 6 |
| RasInitializeNoWait | 6 |
| _NDdeIsValidAppTopicList_@4 | 6 |
| ?DeleteRegistryParamNoThrow@CCatalogA | 6 |
| ?DeleteLocalFiles@CCollection@@AAEXPAL | 6 |
| ?GetLocation@CTitle@@QAEPAULocationH | 6 |
| ?GetNextTitle@CTitle@@QAEPAV1@XZ | 6 |
| TraceSQLProceduresW | 6 |
| TraceSQLAllocHandle | 6 |
| TraceSQLMoreResults | 6 |
| ??ACStringArray@@QAEAAVCString@@H@ | 6 |
| SceDcPromoCreateGPOsInSysvol | 6 |
| RpcErrorGetNumberOfRecords | 6 |
| SceProcessSecurityPolicyGPOEx | 6 |
| ?setValue@QSettings@@QAEXABVQString@ | 6 |
| ?frameGeometry@QWidget@@QBE?AVQR@ | 6 |
| ?staticMetaObject@QPushButton@@2UQN | 6 |
| ?text@QAbstractButton@@QBE?AVQString | 6 |
| ?setMaximumWidth@QWidget@@QAEXH@ | 6 |
| _vbaAryCo | 6 |
| _QueryServiceLockStatus_@16 | 6 |
| CommitSpoolData | 6 |
| ?DisplayMsg@MESSAGE@@QAAEKPBDZZ | 6 |
| vout_display_PlacePicture | 6 |
| ldap_modify_sA | 6 |
| ldap_modify_extA | 6 |
| JetSetSessionContext | 6 |
| JetDupSession | 6 |
| JetCloseFileInstance | 6 |
| JetRenameTable | 6 |
| DUserRegisterGuts | 6 |
| ZwNotifyChangeDirectoryFile | 6 |
| ?ReadLock@CFakeLock@@QAEXXZ | 6 |
| ?Read@CRegAccess@@QAEKPBGK@Z | 6 |
| ?Next@CStaticPropertyList@@UAEPBVCPro | 6 |
| ?LocaleToCodepage@@YGKK@Z | 6 |
| SetupQueueDeleteA | 6 |
| glutMouseFunc | 6 |
| VarUI2FromI1 | 6 |
| ?AddRefedTitle@CCollection@@AAEKPAVC | 6 |

| | |
|--|---|
| ??1CFIFOString@@QAE@XZ | 6 |
| SetupDeleteErrorW | 6 |
| NetReplExportDirUnlock | 6 |
| ??_Gostrstream@@UAEPAXI@Z | 6 |
| CmStripPathAndExtW | 6 |
| ?SetWriteICSData@CIniA@@QAEXH@Z | 6 |
| ?Generate@CRandom@@QAEHXZ | 6 |
| IDrawText | 6 |
| PszFromANSIStreamA | 6 |
| CreateStreamOnHFile | 6 |
| CrackNotificationPackage | 6 |
| CreateEnumFormatEtc | 6 |
| fGetBrowserUrlEncoding | 6 |
| UpdateRebarBandColors | 6 |
| HrGetElementImpl | 6 |
| FMissingCert | 6 |
| CreateStreamOnHFileW | 6 |
| HrRewindStream | 6 |
| WriteStreamToFileHandle | 6 |
| ReplaceCharsW | 6 |
| ??1?\$XPtr@VCDbCmdTreeNode@@@@@QA | 6 |
| ?Next@CCombinedPropertyList@@UAEPBV | 6 |
| ??0CPropertyNameArray@@QAE@AAVPDeSerS | 6 |
| ?SetWeight@CDBCmdTreeNode@@QAEXJ@C | 6 |
| ?ReportEventW@CEventLog@@QAEXAAVCI | 6 |
| ?My_wcstoui64@@YA_KPBGPAPAGH@Z | 6 |
| ?AcceptCommand@CQueryScanner@@QAE | 6 |
| MsiOpenProductA | 6 |
| AVIBuildFilterW | 6 |
| ??0CTXStringW@@QAE@UtagEN@@PBDH(| 6 |
| _CreateMutex_@12 | 6 |
| ?tolower@?\$ctype@G@std@@QBEGG@Z | 6 |
| SnmpOidCompare | 6 |
| ?FormatWrite@CmLogFile@@AAEXW4_CM | 6 |
| ?Utf8FromWS@Convert@Util@@YA?AVCT@ | 6 |
| ??1Big@@QAE@XZ | 6 |
| ??4Big@@QAEAAV0@ABV0@@Z | 6 |
| ?from_binary@@YA?AVBig@@HPAD@Z | 6 |
| ??0Big@@QAE@XZ | 6 |
| ??1CEcdsa@@QAE@XZ | 6 |
| ??0CEcdsa@@QAE@W4ECCBIT@eccparam(| 6 |
| ?data@?\$basic_string@_WU?\$char_traits@ | 6 |
| ?SetEntryFromIdx@CIniA@@QAEXK@Z | 6 |
| CmStrrchrW | 6 |
| CmStrStrA | 6 |
| RpcServerUseProtseqIfExW | 6 |
| NdrContextHandleInitialize | 6 |

| | |
|--|---|
| NtRenameKey | 6 |
| ?_SubTable@CLKRHashTable@@ABEPAVCLI | 6 |
| ?TryReadLock@CReaderWriterLock3@@QA | 6 |
| ?Lock@CLockedDoubleList@@QAEXXZ | 6 |
| MPInitializeCriticalSectionAndSpinCount | 6 |
| pSetupVerifyCatalogFile | 6 |
| LsFindPrevBreakSubline | 6 |
| LssbGetPlsrnsFromSubline | 6 |
| LsQueryPointPcpSubline | 6 |
| LsdnFinishDelete | 6 |
| LsGetSpecialEffectsSubline | 6 |
| JetUnregisterCallback | 6 |
| JetReadFile | 6 |
| TraceOpenLogFile | 6 |
| TraceSQLGetConnectAttr | 6 |
| TraceSQLExtendedFetch | 6 |
| TraceSQLStatisticsW | 6 |
| TraceSQLBulkOperations | 6 |
| ??0NTFS_SA@@@QAE@XZ | 6 |
| ?Read@NTFS_SA@@@QAEPAVMESSAGE@C | 6 |
| ?ReadList@NTFS_ATTRIBUTE_LIST@@QAE | 6 |
| ?QueryName@NTFS_ATTRIBUTE_RECORD@ | 6 |
| RasSetAddressDisable | 6 |
| ZwSetInformationDebugObject | 6 |
| RtmCreateRouteList | 6 |
| rtcQBCColor | 6 |
| ?min@\$numeric_limits@J@std@@SAJXZ | 6 |
| _ZN4Foil12FatalIOErrorE | 6 |
| _ZTTSt19basic_ostringstreamIcSt11char_trai | 6 |
| _ZTVN10__cxxabiv121__vmi_class_type_inf | 6 |
| MprAdminPortReset | 6 |
| MprAdminSendUserMessage | 6 |
| _JVM_LatestUserDefinedLoader@4 | 6 |
| IASGetLocalDictionary | 6 |
| RasSetAutodialEnableA | 6 |
| RasGetCustomAuthDataW | 6 |
| SdbEnumMsiTransforms | 6 |
| ApphelpGetNTVDMInfo | 6 |
| ?CheckAndAdd@NUMBER_SET@@QAEEVBI | 6 |
| ?GetAt@MOUNT_POINT_MAP@@QAEEKPA | 6 |
| ?Remove@NUMBER_SET@@QAEEPBV1@ | 6 |
| ?CheckAndRemove@NUMBER_SET@@QAE | 6 |
| ?IsEntryPresent@AUTOREG@@SGEPBVWST | 6 |
| ??_7CSyncObject@@6B@ | 6 |
| ?Left@CString@@QBE?AV1@H@Z | 6 |
| ldap_free_controlsA | 6 |
| pthread_mutex_init | 6 |

| | |
|---|---|
| _i64toa_s | 6 |
| ?SetBSTR@CAllocStorageVariant@@QAEXP_ | 6 |
| ?GetDrive@SUPERAREA@@QAEPAVIO_DP_ | 6 |
| curl_easy_reset | 6 |
| ?_Clear@CLKRLinearHashTable@@AAEX_N(| 6 |
| ?IsWriteLocked@CReaderWriterLock3@@Q | 6 |
| ??_Ftime_base@std@@QAEXXZ | 6 |
| ?erase@?\$basic_string@DU?\$char_traits@[| 6 |
| ??4?\$basic_istream@GU?\$char_traits@G@: | 6 |
| BmQueryBounds | 6 |
| DibQueryBounds | 6 |
| MfQueryBounds | 6 |
| GenClone | 6 |
| LdapControlFree | 6 |
| ?SetScopeProperties@@YGXPUICommand | 6 |
| rtcPartition | 6 |
| ?IsWriteLocked@CLKRLinearHashTable@@C | 6 |
| ?_H1@CLKRLinearHashTable@@CGKKK@Z | 6 |
| @Cxtrackbar@initialization\$qqrv | 6 |
| @Cxcolorcombobox@initialization\$qqrv | 6 |
| poll | 6 |
| ?data@CPlex@@QAEPAXXZ | 6 |
| ??1CCriticalSection@@UAE@XZ | 6 |
| _ZN11QTextStreamC1EP9QIODevice | 6 |
| _ZN9QFileInfoC1ERK7QString | 6 |
| gimp_double_adjustment_update | 6 |
| MakeFullPidlForDevice | 6 |
| ZwCallbackReturn | 6 |
| EditStreamCut | 6 |
| AVIStreamReadData | 6 |
| WTHelperIsInRootStore | 6 |
| phoneSetDisplay | 6 |
| ?CIniA_WriteEntryToReg@CIniA@@IBEHPA | 6 |
| CmEndOfStrW | 6 |
| ?_TryWriteLock@CReaderWriterLock2@@A | 6 |
| RatingCustomSetDefaultBureau | 6 |
| RatingCheckUserAccess | 6 |
| RatingAddPropertyPages | 6 |
| RatingObtainQuery | 6 |
| RatingAccessDeniedDialog | 6 |
| RatingSetupUI | 6 |
| ?AddRef@CDbProperties@@UAGKXZ | 6 |
| ?AddRef@CMMCStrongReferences@@SGK> | 6 |
| SetupDiGetClassImageListExA | 6 |
| picture_pool_NewExtended | 6 |
| _DrawTextEx_@24 | 6 |
| _strerror_@4 | 6 |

| | |
|--|---|
| ??0?\$basic_streambuf@GU?\$char_traits@G | 6 |
| ldap_compare_extW | 6 |
| RasDeleteSubEntryW | 6 |
| CMCheckRGBs | 6 |
| Dns_ReadPacketNameAllocate | 6 |
| ??0?\$basic_streambuf@_WU?\$char_traits@ | 6 |
| ?imbue@?\$basic_streambuf@_WU?\$char_t | 6 |
| ?sync@?\$basic_streambuf@_WU?\$char_tra | 6 |
| ?uflow@?\$basic_streambuf@_WU?\$char_t@ | 6 |
| ??1?\$basic_streambuf@_WU?\$char_traits@ | 6 |
| ?GetData@TLINK@@QAEAAVBIG_INT@@P | 6 |
| aout_CheckChannelReorder | 6 |
| VarBoolFromUI8 | 6 |
| NetPlsUncComputerNameValid | 6 |
| GetImageQuantumDepth | 6 |
| MsiEnableLogA | 6 |
| MsiGetDatabaseState | 6 |
| ?Clone@COccRestriction@@QBEPAV1@XZ | 6 |
| ??1CPidLookupTable@@QAE@XZ | 6 |
| ??1CImpersonationTokenCache@@QAE@XZ | 6 |
| JetCloseTable@8 | 6 |
| ?replace@?\$basic_string@DU?\$char_traits@ | 6 |
| ?_Init@?\$basic_streambuf@GU?\$char_trait | 6 |
| JetComputeStats | 6 |
| ToplIterCreate | 6 |
| ?setAutoDefault@QPushButton@@QAEX_N | 6 |
| ??0QPushButton@@QAE@ABVQString@@F | 6 |
| ??0QGridLayout@@QAE@PAVQWidget@@@ | 6 |
| ?addItem@QGridLayout@@QAEXPAVQLayc | 6 |
| ?fileEngine@QFile@@UBEPAVQAbstractFile | 6 |
| ?writeData@QFile@@MAE_JPBD_J@Z | 6 |
| ?readLineData@QFile@@MAE_JPAD_J@Z | 6 |
| ?readData@QFile@@MAE_JPAD_J@Z | 6 |
| ?seek@QFile@@UAE_N_J@Z | 6 |
| ?pos@QFile@@UBE_JXZ | 6 |
| ?isSequential@QFile@@UBE_NXZ | 6 |
| ?qt_metacall@QFile@@UAEHW4Call@QM@ | 6 |
| ?qt_metacast@QFile@@UAEPAXPBD@Z | 6 |
| ?metaObject@QFile@@UBEPBUQMetaObj@ | 6 |
| _SendNotifyMessage_@16 | 6 |
| _PropertySheet_@4 | 6 |
| MsiGetFileSignatureInformationA | 6 |
| ?ConvertSharedToExclusive@CReaderWriter | 6 |
| ?WriteLock@CSmallSpinLock@@QAEXXZ | 6 |
| rtl_byte_sequence_assign | 6 |
| rtl_byte_sequence_construct | 6 |
| osl_getAbsoluteFileURL | 6 |

| | |
|---|---|
| DhcpDsValidateService | 6 |
| StoreDeleteObject | 6 |
| StoreGetHandle | 6 |
| StoreCreateObjectVA | 6 |
| DhcpDsGetAttribs | 6 |
| DhcpDsSetLists | 6 |
| DhcpDsDelServer | 6 |
| RtlNewSecurityObjectWithMultipleInheritance | 6 |
| I_CryptCreateLruCache | 6 |
| ZwWriteFileGather | 6 |
| ??9SC@mmcerror@@QBE_NJ@Z | 6 |
| ldap_close_extended_op | 6 |
| ?_ExtractKey@CLKRLinearHashTable@@ABI | 6 |
| ?setFrameShadow@QFrame@@QAEXW4Sh | 6 |
| ?setReadOnly@QLineEdit@@QAEX_N@Z | 6 |
| ?metaObject@QGroupBox@@UBEPBUQMe | 6 |
| ?qt_metacast@QGroupBox@@UAEPAXPBD | 6 |
| ?qt_metacall@QGroupBox@@UAEHW4Call | 6 |
| ?event@QGroupBox@@MAE_NPAVQEvent | 6 |
| ?childEvent@QGroupBox@@MAEXPAPAVQCh | 6 |
| ?minimumSizeHint@QGroupBox@@UBE?A\ | 6 |
| ?mousePressEvent@QGroupBox@@MAEXP | 6 |
| ?mouseReleaseEvent@QGroupBox@@MAE | 6 |
| ?mouseMoveEvent@QGroupBox@@MAEXF | 6 |
| ?focusInEvent@QGroupBox@@MAEXPAPAVQI | 6 |
| ?paintEvent@QGroupBox@@MAEXPAPAVQPa | 6 |
| ?resizeEvent@QGroupBox@@MAEXPAPAVQR | 6 |
| ?changeEvent@QGroupBox@@MAEXPAPAVQI | 6 |
| ??1QGroupBox@@UAE@XZ | 6 |
| ?warning@QMessageBox@@SA?AW4Stand | 6 |
| ?metaObject@QRadioButton@@UBEPBUQI | 6 |
| ?qt_metacast@QRadioButton@@UAEPAXPPI | 6 |
| ?qt_metacall@QRadioButton@@UAEHW4C | 6 |
| ?event@QRadioButton@@MAE_NPAVQEve | 6 |
| ?sizeHint@QRadioButton@@UBE?AVQSize@ | 6 |
| ?mouseMoveEvent@QRadioButton@@MAE | 6 |
| ?paintEvent@QRadioButton@@MAEXPAPAVQ | 6 |
| ?hitButton@QRadioButton@@MBE_NABVC | 6 |
| ?event@QComboBox@@UAE_NPAVQEvent | 6 |
| ?sizeHint@QComboBox@@UBE?AVQSize@ | 6 |
| ?minimumSizeHint@QComboBox@@UBE?A | 6 |
| ?mousePressEvent@QComboBox@@MAEXI | 6 |
| ?mouseReleaseEvent@QComboBox@@MAI | 6 |
| ?wheelEvent@QComboBox@@MAEXPAPAVQI | 6 |
| ?keyPressEvent@QComboBox@@MAEXPAPAV | 6 |
| ?keyReleaseEvent@QComboBox@@MAEXP | 6 |
| ?focusOutEvent@QComboBox@@MAEXPAPAV | 6 |

| | |
|--|---|
| ?resizeEvent@QComboBox@@MAEXP_AVQF | 6 |
| ?contextMenuEvent@QComboBox@@MAE | 6 |
| ?showEvent@QComboBox@@MAEXP_AVQS | 6 |
| ?hideEvent@QComboBox@@MAEXP_AVQHi | 6 |
| ?changeEvent@QComboBox@@MAEXP_AVC | 6 |
| ?inputMethodEvent@QComboBox@@MAE) | 6 |
| ?inputMethodQuery@QComboBox@@MBE | 6 |
| ?showPopup@QComboBox@@UAEXXZ | 6 |
| ?hidePopup@QComboBox@@UAEXXZ | 6 |
| ?screenGeometry@QDesktopWidget@@QB | 6 |
| ?addSeparator@QMenu@@QAEP_AVQActio | 6 |
| ?setCentralWidget@QMainWindow@@QAE | 6 |
| ?metaObject@QToolButton@@UBEPUQM | 6 |
| ?metaObject@QMenu@@UBEPUQMetaO | 6 |
| ?contextMenuEvent@QMainWindow@@M | 6 |
| ?createPopupMenu@QMainWindow@@UA | 6 |
| ?windowTitle@QWidget@@QBE?AVQString | 6 |
| ?event@QApplication@@MAE_NPAVQEve | 6 |
| ?notify@QApplication@@UAE_NPAVQObj | 6 |
| ?compressEvent@QApplication@@MAE_NF | 6 |
| ?commitData@QApplication@@UAEXAAVQ | 6 |
| ?qt_metacast@QApplication@@UAEPAXPB | 6 |
| ?qt_metacall@QApplication@@UAEHW4Ca | 6 |
| ?staticMetaObject@QApplication@@2UQM | 6 |
| ?focusInEvent@QComboBox@@MAEXP_AVC | 6 |
| ?isEmpty@QTranslator@@UBE_NXZ | 6 |
| ?translate@QTranslator@@UBE?AVQString | 6 |
| ?qt_metacall@QTranslator@@UAEHW4Call | 6 |
| ?qt_metacast@QTranslator@@UAEPAXPBD | 6 |
| ?metaObject@QTranslator@@UBEPUQMe | 6 |
| _ReadEventLog_@28 | 6 |
| _GetCharWidth32_@16 | 6 |
| OpenFileStreamShare | 6 |
| IVoidPtrList_CreateInstance | 6 |
| HrStreamSeekCur | 6 |
| BrowseForFolderW | 6 |
| ?MachinePlatform@@3VMACHINE@@A | 6 |
| uno_any_clear | 6 |
| DhcpPersistentRequestParams | 6 |
| DhcpNotifyConfigChangeEx | 6 |
| DhcpLeaseIpAddress | 6 |
| DhcpRegisterParamChange | 6 |
| ??0CRegAccess@@QAE@KPBG@Z | 6 |
| ??0CWorkQueue@@QAE@IW4WorkQueue` | 6 |
| ??0CDbSelectNode@@QAE@XZ | 6 |
| ?SetFirstChildFolder@CFolder@@QAEXP_AV | 6 |
| CtfImmSetCiceroStartInThread | 6 |

| | |
|--|---|
| ?Size@CLKRHashTable@@QBEKXZ | 6 |
| @System@@AddRefRecord\$qqrv | 6 |
| @Dxgrclex@initialization\$qqrv | 6 |
| NtWaitForKeyedEvent | 6 |
| ?Save@NTFS_INDEX_TREE@@QAEEPAVNTF | 6 |
| ?AfxGetEmptyString@@YGABVCString@@X | 6 |
| ??4?\$basic_ostringstream@GU?\$char_traits | 6 |
| ??1QDomNode@@QAE@XZ | 6 |
| ?setSizeConstraint@QLayout@@QAEXW4Si | 6 |
| ??0QSystemTrayIcon@@QAE@PAVQObject | 6 |
| ?setIcon@QSystemTrayIcon@@QAEXABVQI | 6 |
| ??1QSystemTrayIcon@@UAE@XZ | 6 |
| ??0QRectF@@QAE@ABVQRect@@@Z | 6 |
| ?right@QString@@QBE?AV1@H@Z | 6 |
| ShowErrorMessageHR | 6 |
| ZwSetQuotaInformationFile | 6 |
| ldap_modrdnW | 6 |
| pSetupDestroyRunOnceNodeList | 6 |
| NtLockRegistryKey | 6 |
| ??0?\$money_put@GV?\$ostreambuf_iterato | 6 |
| RasPortEnum | 6 |
| RasPortCancelReceive | 6 |
| RasRegisterPnPEvent | 6 |
| Shell_MergeMenus | 6 |
| SHStartNetConnectionDialogW | 6 |
| IID_IAccessibleHandler | 6 |
| FilterAttach | 6 |
| FilterVolumeFindFirst | 6 |
| FilterVolumeFindNext | 6 |
| FilterVolumeFindClose | 6 |
| FilterVolumeInstanceFindFirst | 6 |
| FilterVolumeInstanceFindNext | 6 |
| FilterInstanceFindFirst | 6 |
| FilterAttachAtAltitude | 6 |
| FilterInstanceFindClose | 6 |
| FilterFindFirst | 6 |
| FilterFindNext | 6 |
| FilterFindClose | 6 |
| FilterUnload | 6 |
| FilterGetDosName | 6 |
| FilterDetach | 6 |
| FilterInstanceFindNext | 6 |
| ?round_error@?\$numeric_limits@M@std@ | 6 |
| SeAuditingFileEvents | 6 |
| BToolbar_Edit | 6 |
| GetFavoritesMaxNumber | 6 |
| SelectADMItem | 6 |

| | |
|---|---|
| _RegEnumKey_@16 | 6 |
| EngCreateWnd | 6 |
| EngCreateDriverObj | 6 |
| EngDeleteDriverObj | 6 |
| WNDOBJ_cEnumStart | 6 |
| WNDOBJ_bEnum | 6 |
| WNDOBJ_vSetConsumer | 6 |
| EngDeleteWnd | 6 |
| EngControlSprites | 6 |
| _getegid32 | 6 |
| ??0?\$basic_istringstream@DU?\$char_traits< | 6 |
| ?_Init@?\$codecvt@GDH@std@@IAEXABV_ | 6 |
| ?Next@CEnumWorkid@@UAGJKPAK0@Z | 6 |
| ?GetFileName@CPathParser@@QBEHPAGA | 6 |
| DibDraw | 6 |
| I_RpcNsInterfaceUnexported | 6 |
| ATMMakePFM | 6 |
| DisassociateColorProfileFromDeviceW | 6 |
| ??4ios_base@std@@QAEAAV01@ABV01@I | 6 |
| ZwCreatePagingFile | 6 |
| ?UnMarshall@CDbByGuid@@QAEHAAPD@ | 6 |
| - | 6 |
| n | 6 |
| Ex | 6 |
| ?assign@?\$basic_string@GU?\$char_traits@ | 6 |
| ?narrow@?\$ctype@G@std@@QBEPBGPBG | 6 |
| ??0Bitmap@@QAE@ABVSize@@GPBVBitm | 6 |
| ??4Graphic@@QAEAAV0@ABV0@@Z | 6 |
| RasPortSetFramingEx | 6 |
| NetUnregisterDomainNameChangeNotificat | 6 |
| NetReplExportDirSetInfo | 6 |
| pcap_open_offline | 6 |
| pthread_attr_setdetachstate | 6 |
| pthread_attr_destroy | 6 |
| pthread_attr_init | 6 |
| NetServerComputerNameAdd | 6 |
| CredWriteA | 6 |
| ??8std@@YA_NABV?\$complex@N@0@0@ | 6 |
| CmStrTrimW | 6 |
| JetSetTableSequential | 6 |
| ?Clear@CLKRHashTable@@QAEXXZ | 6 |
| ?ConvertExclusiveToShared@CSmallSpinLoc | 6 |
| GetWindowRegionData | 6 |
| DCICreateOffscreen | 6 |
| TraceCloseLogFile | 6 |
| TraceSQLForeignKeysW | 6 |
| TraceSQLCopyDesc | 6 |

| | |
|--|---|
| UnregisterGadgetMessage | 6 |
| JetUpdate@20 | 6 |
| VarI2FromStr | 6 |
| rtcPackDate | 6 |
| SPReadItem | 6 |
| ClassBuildRequest | 6 |
| TraceSQLGetDiagField | 6 |
| TraceSQLGetDiagRecW | 6 |
| TraceSQLFreeHandle | 6 |
| MfSaveToStream | 6 |
| ResUtilTerminateServiceProcessFromResDll | 6 |
| _winver_dll | 6 |
| ?Add@NUMBER_SET@@QAEVBIG_INT@@ | 6 |
| JetTerm@4 | 6 |
| JetInit3 | 6 |
| HidP_GetData | 6 |
| TraceSQLSetCursorName | 6 |
| ?GetVPathAccess@CMetaDataMember@@QAEK | 6 |
| I_CryptDisableLruOfEntries | 6 |
| NetLocalGroupSetMembers | 6 |
| DsRoleGetDcOperationResults | 6 |
| I_RpcTransDatagramAllocate | 6 |
| DeleteQMPolicy | 6 |
| CloseTransportFilterHandle | 6 |
| BSTR_UserMarshal | 6 |
| ServerQueryInetConnectorInformationA | 6 |
| ??4?\$numeric_limits@H@std@@QAEAAV0: | 6 |
| ?Initialize@HMEM@@QAEEXZ | 6 |
| ?Init@CRcovStorageHdr@@QAEXK@Z | 6 |
| Dns_ParseMessage | 6 |
| DnsUpdate | 6 |
| IASReportEvent | 6 |
| IASSetMaxNumberOfThreads | 6 |
| ResUtilDupParameterBlock | 6 |
| NtSetDefaultHardErrorPort | 6 |
| RtlOemStringToUnicodeSize | 6 |
| MsiGetPropertyA | 6 |
| RxNetServerEnum | 6 |
| I_NetServerAuthenticate3 | 6 |
| I_NetLogonSamLogonWithFlags | 6 |
| ?in@?\$codecvt@GDH@std@@QBEHAAHPB | 6 |
| rtl_ustr_toDouble | 6 |
| NdrFullPointerXlatInit | 6 |
| _SystemParametersInfo_@16 | 6 |
| NtSetDefaultUILanguage | 6 |
| ?SetFillColor@OutputDevice@@QAEXABVC | 6 |
| ?SetLineColor@OutputDevice@@QAEXABV | 6 |

| | |
|--|---|
| WVTAsn1SpcFinancialCriteriaInfoDecode | 6 |
| @Classes@TStream@SetPosition\$qqri | 6 |
| K32EnumProcesses | 6 |
| EditStreamSetInfo | 6 |
| ldap_modify_ext | 6 |
| ??0nsVoidArray@@QAE@XZ | 6 |
| ?Assign@nsSubstring@@QAEXPBGI@Z | 6 |
| ?Replace@nsSubstring@@QAEXIIPBGI@Z | 6 |
| LsResetRMIInCurrentSubline | 6 |
| LsAppendRunToCurrentSubline | 6 |
| RasSetCachedCredentials | 6 |
| TraceSQLGetInfoW | 6 |
| SHMultiFileProperties | 6 |
| ?InstallAlternateWriter@CVssWriter@@QAI | 6 |
| ?OnIdentify@CVssJetWriter@@UAG_NPAVI | 6 |
| ??Hstd@@YA?AV?\$complex@N@0@ABV1C | 6 |
| ?contextMenuEvent@QAbstractScrollArea@_EnumFonts_@16 | 6 |
| TTLoadEmbeddedFont | 6 |
| rtl_str_indexOfStr_WithLength | 6 |
| ?ReadOrWriteUnlock@CSpinLock@@QAEX_@Vepanel@initialization\$qqrv | 6 |
| CryptExtOpenCRL | 6 |
| CryptExtOpenCTLW | 6 |
| CryptExtAddP7RW | 6 |
| CryptExtAddPFXW | 6 |
| RtlInterlockedPopEntrySList | 6 |
| ??4CLKRHashTableStats@@QAEAAV0@ABV | 6 |
| ?ReadUnlock@CSpinLock@@QAEXXZ | 6 |
| ?TryWriteLock@CReaderWriterLock@@QAE | 6 |
| ?IsUsable@CLKRHashTable@@QBE_NXZ | 6 |
| MpHeapValidate | 6 |
| ?HeadNode@CDoubleList@@QBEQBVCListE | 6 |
| ?IsReadLocked@CLKRLinearHashTable@@Q | 6 |
| ?ConvertExclusiveToShared@CReaderWriter | 6 |
| ?InsertAt@CStringArray@@QAEXHPBGH@Z | 6 |
| SetupDiGetHwProfileFriendlyNameExA | 6 |
| SelImpersonateClient | 6 |
| ??0CVarVector@@QAE@XZ | 6 |
| ??4CVarVector@@QAEAAV0@AAV0@@Z | 6 |
| ?Size@CVarVector@@QAEHXZ | 6 |
| ?FillCVarAt@CVarVector@@QAEXHAAVCVa | 6 |
| ?SetUnknown@CVar@@QAEXPUIUnknown | 6 |
| ?FillVariant@CVar@@QAEXPUItagVARIANT | 6 |
| ??1CVar@@QAE@XZ | 6 |
| ?RemoveAt@CVarVector@@QAEHH@Z | 6 |
| ??1CVarVector@@QAE@XZ | 6 |

| | |
|--|---|
| ?SetBSTR@CVar@@QAEHPAG@Z | 6 |
| ??0CVarVector@@QAE@HHH@Z | 6 |
| ?SetVarVector@CVar@@QAEXPACVarVect | 6 |
| ?Empty@CVar@@QAEXXZ | 6 |
| ?Add@CVarVector@@QAEHAAVCVar@@@ | 6 |
| ?GetOleType@CVar@@QAEHXZ | 6 |
| ??YWString@@QAEAAV0@G@Z | 6 |
| ?GetNewVariant@CVar@@QAEPAUtagVARI | 6 |
| ?SetVariant@CVar@@QAEHPAUtagVARIAN` | 6 |
| ?Init@CVar@@AAEXXZ | 6 |
| ??4CVar@@QAEAAV0@ABV0@@@Z | 6 |
| ?SetAt@CStringArray@@QAEHPBG@Z | 6 |
| ?Append@CStringArray@@QAEHABV1@@` | 6 |
| ??0CString@@QAE@PBGH@Z | 6 |
| getopt_long | 6 |
| CAccessCheckEx | 6 |
| CAGetCertTypeExtensionsEx | 6 |
| LsSetExpansion | 6 |
| SetupGetSourceFileSizeA | 6 |
| ConvertInterfaceIndexToLuid | 6 |
| ConvertLengthToIpv4Mask | 6 |
| CancelSynchronousIo | 6 |
| InitializeProcThreadAttributeList | 6 |
| UpdateProcThreadAttribute | 6 |
| DeleteProcThreadAttributeList | 6 |
| McastRenewAddress | 6 |
| McastApiCleanup | 6 |
| ZwPrivilegeObjectAuditAlarm | 6 |
| VideoPortDDCMonitorHelper | 6 |
| VideoPortGetBytesUsed | 6 |
| NtRegisterThreadTerminatePort | 6 |
| ?BlockBroadcasts@ConfigurationBroadcaste | 6 |
| ??1IOInputStreamWrapper@utl@@UAE@XZ | 6 |
| ?executeCommand@Content@ucbhelper@` | 6 |
| GetUserPreferredUILanguages | 6 |
| KeWaitForMutexObject | 6 |
| ?FromMMC@SC@mmcerror@@QAEAAV12 | 6 |
| ?GetTestWizardInfo@COISApp@@SGXW4T` | 6 |
| ?SetTestWizardInfo@COISApp@@SGJKUtag | 6 |
| ??0CCiRegParams@@QAE@PBG@Z | 6 |
| ?PauseCI@CMachineAdmin@@QAEHXZ | 6 |
| ??0NTFS_FILE_RECORD_SEGMENT@@QAE@C | 6 |
| ?Flush@NTFS_FILE_RECORD_SEGMENT@@@` | 6 |
| ??0NTFS_EXTENT_LIST@@QAE@XZ | 6 |
| ?IsValid@CNodeRestriction@@QBEHXZ | 6 |
| osl_getUserName | 6 |
| ??0QImage@@QAE@XZ | 6 |

| | |
|--|---|
| ??4QImage@@QAEAAV0@ABV0@@Z | 6 |
| ?showNormal@QWidget@@QAEXXZ | 6 |
| ?_Makpat@?\$_Mpunct@G@std@@AAEXA/ | 6 |
| ?_LockSpin@CReaderWriterLock2@@AAEX_ | 6 |
| RpcCertGeneratePrincipalNameA | 6 |
| ??1CDbPropBaseRestriction@@QAE@XZ | 6 |
| _FindFirstFile_@8 | 6 |
| ??1CMetaDataMgr@@QAE@XZ | 6 |
| VarR4FromDisp | 6 |
| linePickupA | 6 |
| ??1?\$basic_ios@_WU?\$char_traits@_W@s: | 6 |
| ?min@?\$numeric_limits@E@std@@SAEXZ | 6 |
| VarBoolFromI4 | 6 |
| ?insert@?\$basic_string@_WU?\$char_traits(| 6 |
| ?removeInterface@OMultiTypeInterfaceCor | 6 |
| SymGetFileLineOffsets64 | 6 |
| ??0CComPlusMethod@@QAE@ABV0@@Z | 6 |
| COMPlusUninstallActionW | 6 |
| ??4CComPlusMethod@@QAEAAV0@ABV0@C | 6 |
| RunMTSToCom | 6 |
| ClusWorkerCreate | 6 |
| _WinStationGetApplicationInfo | 6 |
| ?SkipLong@CMemDeSerStream@@UAEXXZ | 6 |
| VideoPortAcquireDeviceLock | 6 |
| MsiGetPatchInfoA | 6 |
| NdrCorrelationInitialize | 6 |
| ??0NTFS_UPCASE_TABLE@@QAE@XZ | 6 |
| ??0NTFS_ATTRIBUTE_LIST@@QAE@XZ | 6 |
| ?QueryFileReference@NTFS_INDEX_TREE@I | 6 |
| NetServerTransportAdd | 6 |
| ??P@YG_NABVCString@@PBG@Z | 6 |
| ?Find@CString@@QBEHG@Z | 6 |
| ?gcount@?\$basic_istream@DU?\$char_traits | 6 |
| CAGetDN | 6 |
| ?sungetc@?\$basic_streampbuf@GU?\$char_t | 6 |
| IsCompositionActive | 6 |
| PvkPrivateKeySaveToMemory | 6 |
| SignerAddTimeStampResponseEx | 6 |
| PvkPrivateKeyLoad | 6 |
| PvkPrivateKeyAcquireContext | 6 |
| PvkPrivateKeyAcquireContextA | 6 |
| ?Resize@NTFS_ATTRIBUTE@@UAEEVBIG_IM | 6 |
| ??0NTFS_ATTRIBUTE_RECORD@@QAE@XZ | 6 |
| _JVM_ActiveProcessorCount@0 | 6 |
| _JVM_GetAllThreads@8 | 6 |
| ?length@?\$codecvt@GDH@std@@QBEHA@ | 6 |
| ?qt_metacall@QProgressBar@@UAEHW4C: | 6 |

| | |
|---|---|
| ?qt_metacast@QProgressBar@@UAEPAPE | 6 |
| ??0QProgressBar@@QAE@PAVQWidget@C | 6 |
| ?setPen@QPainter@@QAEXABVQPen@@C | 6 |
| ?setFont@QPainter@@QAEXABVQFont@@ | 6 |
| MsiCollectUserInfoA | 6 |
| ?Show@CNbuuCommonMessageBox@@SA | 6 |
| ??0CPCSL2InfoReader@@QAE@XZ | 6 |
| ?ReadPCSL@CPCSL2InfoReader@@QAEHPA | 6 |
| ?GetUIManufacturer@CPCSL2InfoReader@@ | 6 |
| ??1CPCSL2InfoReader@@QAE@XZ | 6 |
| _vbaRsetFixstrFree | 6 |
| RasAutodialAddressToNetwork | 6 |
| VarI8FromI1 | 6 |
| OleExecute | 6 |
| LeGetUpdateOptions | 6 |
| ?_Initialize@CLKRLinearHashTable@@AAE? | 6 |
| ?do_hash@?\$collate@D@std@@MBEJPBD(| 6 |
| ?SetDefaultSpinCount@CSpinLock@@SGXG | 6 |
| _RegisterEventSource @_8 | 6 |
| ?Stricmp@WSTRING@@QBEJPBV1@@Z | 6 |
| _CreateNamedPipe @_32 | 6 |
| rtl_stringbuffer_newFromStr_WithLength | 6 |
| ??0?\$moneypunct@G\$0A@@std@@QAE@ | 6 |
| ZwOpenKeyedEvent | 6 |
| @Controls@TWinControl@\$bctr\$qqrp18Cla | 6 |
| @Extctrls@TCustomPanel@CanAutoSize\$qq | 6 |
| @Extctrls@TCustomPanel@CreateParams\$c | 6 |
| @\$xp\$15Extctrls@TPanel | 6 |
| ?GetSampleLocationW@CCollection@@QAI | 6 |
| ZwQueryAttributesFile | 6 |
| tapiRequestMakeCall | 6 |
| osl_openDirectory | 6 |
| osl_closeDirectory | 6 |
| osl_getNextDirectoryItem | 6 |
| ?empty@?\$basic_string @_WU?\$char_traits | 6 |
| ?NotifyWriteRead@CRequestClient@@QAE | 6 |
| ErrObjectConvert | 6 |
| ?open@?\$basic_fstream@DU?\$char_traits@ | 6 |
| ??1CDynStream@@QAE@XZ | 6 |
| ?getLegacyServiceFactory@ComponentCont | 6 |
| ??0CTXStringW@@QAE@UtagGBK@@PBDf | 6 |
| BuildDropTarget | 6 |
| MsilsProductElevatedW | 6 |
| ??0length_error@std@@QAE@ABV?\$basic_ | 6 |
| VarBoolFromR8 | 6 |
| GetThemeEnumValue | 6 |
| ??0CAallocStorageVariant@@QAE@PBU_GU | 6 |

| | |
|---|---|
| @Scktcomp@Finalization\$qqrv | 6 |
| ?Equals@ByteString@@QBEABV1@@Z | 6 |
| ?CreateFromAscii@String@@SA?AV1@PBD | 6 |
| ??5SvStream@@QAEAAV0@AAK@Z | 6 |
| ??6SvStream@@QAEAAV0@G@Z | 6 |
| ?SeekRel@SvStream@@QAEKJ@Z | 6 |
| ?_Gettrue @_Locinfo@std@@QBEPBDXZ | 6 |
| MsiDeleteUserDataA | 6 |
| ??1messages_base@std@@UAE@XZ | 6 |
| ?_EqualKeys@CLKRLinearHashTable@@ABE | 6 |
| ?find_first_not_of@\$basic_string @_WU?\$ | 6 |
| ?Kill@UCBContentHelper@utl@@SAEABVSt | 6 |
| @Ccpbst@TfrmReport@ReportHeader\$qq | 6 |
| @Ccpbst@TfrmReport@RenderCopies\$qq | 6 |
| @Ccpbst@TfrmReport@PrintReport\$qqrv | 6 |
| @Ccpbst@TfrmReport@LoadPrinterOptior | 6 |
| @Ccpbst@TfrmReport@GetReportDM\$qq | 6 |
| @Ccpbst@TfrmReport@setDtsReport\$qqrv | 6 |
| @Ccpbst@TfrmReport@FormCreate\$qqrp | 6 |
| @Ccpbst@TfrmReport@DoReportSetup\$qq | 6 |
| @Ccpbst@TfrmReport@DoReportCleanup | 6 |
| @Ccpbst@TfrmReport@DoProcessPrint\$qq | 6 |
| @Ccpbst@TfrmReport@DoPrintSelection\$qq | 6 |
| @Ccpbst@TfrmReport@AddSelectionField | 6 |
| @Ccpbst@TfrmReport@\$bctr\$qqrp18Clas | 6 |
| @\$xp\$18Ccpbst@TfrmReport | 6 |
| @Ccpbst@TfrmReport@ | 6 |
| @Ccsfrm@TCCBaseForm@GetOnlineHelpA | 6 |
| @Ccsfrm@TCCBaseForm@CheckDatesOnFi | 6 |
| @Ccdir@initialization\$qqrv | 6 |
| @Ccdir@Finalization\$qqrv | 6 |
| @Hreport@THITReport@PrintValue\$qqrxixi | 6 |
| @Endigrph@initialization\$qqrv | 6 |
| @Endigrph@Finalization\$qqrv | 6 |
| @Enmisc@initialization\$qqrv | 6 |
| @Enmisc@Finalization\$qqrv | 6 |
| @Entgagr@initialization\$qqrv | 6 |
| @Entgagr@Finalization\$qqrv | 6 |
| @Engbm@initialization\$qqrv | 6 |
| @Engbm@Finalization\$qqrv | 6 |
| @Entifgr@initialization\$qqrv | 6 |
| @Entifgr@Finalization\$qqrv | 6 |
| @Enpnggr@initialization\$qqrv | 6 |
| @Enpnggr@Finalization\$qqrv | 6 |
| @Enepsgr@initialization\$qqrv | 6 |
| @Enepsgr@Finalization\$qqrv | 6 |
| @Enpdfgr@initialization\$qqrv | 6 |

| | |
|--|---|
| @Enpdfgr@Finalization\$qqrv | 6 |
| @Enjpggr@initialization\$qqrv | 6 |
| @Enjpggr@Finalization\$qqrv | 6 |
| DsaopPrepareScript | 6 |
| ?OnPrepareBackupEnd@CVssJetWriter@@@l | 6 |
| ??Dstd@@YA?AV?\$complex@N@0@ABV1C | 6 |
| @Controls@TControl@SetParentFont\$qqro | 6 |
| ?SetSpinCount@CReaderWriterLock3@@QAF | 6 |
| ??4?\$basic_ios@GU?\$char_traits@G@std@ | 6 |
| ??1QPalette@@QAE@XZ | 6 |
| @Wwintl@initialization\$qqrv | 6 |
| @Wwcommon@initialization\$qqrv | 6 |
| @Wwfilter@initialization\$qqrv | 6 |
| @Wwdbdatetimepicker@initialization\$qqrv | 6 |
| @Wwriched@initialization\$qqrv | 6 |
| ZwQueryBootEntryOrder | 6 |
| ?OnBackupCompleteEnd@CVssJetWriter@C | 6 |
| rtCyFromErrVar | 6 |
| ?_H0@CLKRLinearHashTable@@CGKKK@Z | 6 |
| ?MinPageInUse@CPhysStorage@@QAEHAA | 6 |
| DsRoleDemoteDc | 6 |
| PbCopyToClipboard | 6 |
| ?UnMarshall@CDbProp@@QAEHAAVPDeSe | 6 |
| ?GetFile@CIniA@@QBEPBDXZ | 6 |
| @Comctrls@TPageControl@GetPageCount\$ | 6 |
| _ShellAbout_@16 | 6 |
| _DragQueryFile_@16 | 6 |
| ??0CColumnSet@@QAE@I@Z | 6 |
| I_CryptInstallOssGlobal | 6 |
| _GetDiskFreeSpaceEx_@16 | 6 |
| SisRestoredCommonStoreFile | 6 |
| ?Read@CRegAccess@@QAEPAGPBG0@Z | 6 |
| READ_REGISTER_BUFFER_UCHAR | 5 |
| MsiSetExternalUIA | 5 |
| DsListDomainsInSiteA | 5 |
| ldap_modrdn_sA | 5 |
| NDdeShareEnumW | 5 |
| NDdeTrustedShareEnumA | 5 |
| NDdeShareEnumA | 5 |
| NDdeShareDelA | 5 |
| NDdeSetTrustedShareW | 5 |
| NDdeSetShareSecurityW | 5 |
| NDdeSetTrustedShareA | 5 |
| NDdeShareGetInfoA | 5 |
| NDdeShareSetInfoW | 5 |
| NDdeShareDelW | 5 |
| BCP_sendrow | 5 |

| | |
|--|---|
| WriteJobData | 5 |
| StartJob | 5 |
| InitiateConnection | 5 |
| CancelJob | 5 |
| EndJob | 5 |
| ZwRequestPort | 5 |
| _ZN11QMetaObject18connectSlotsByNameE | 5 |
| _ZN16QCoreApplication9translateEPKcS1_S: | 5 |
| _ZN6QTimer5startEi | 5 |
| _ZN6QTimerC1EP7QObject | 5 |
| _ZN11QMainWindow11qt_metacallEN11QM | 5 |
| _ZN11QMainWindow11qt_metacastEPKc | 5 |
| _ZN11QMainWindow15createPopupMenuE | 5 |
| _ZN11QMainWindow16contextMenuEventE | 5 |
| _ZN11QMainWindow16staticMetaObjectE | 5 |
| _ZN11QMainWindow5eventEP6QEvent | 5 |
| _ZN11QMainWindowC2EP7QWidget6QFlags: | 5 |
| _ZN11QMainWindowD2Ev | 5 |
| _ZN7QWidget10setEnabledEb | 5 |
| _ZN7QWidget11setGeometryERK5QRect | 5 |
| _ZN7QWidget16contextMenuEventEP17QCc | 5 |
| _ZN7QWidget20setContextMenuPolicyEN2C | 5 |
| _ZN7QWidgetC1EPS_6QFlagsIN2Qt10Windo | 5 |
| GdipGetFontHeight | 5 |
| CmStrCatAllocA | 5 |
| SHQueryUserNotificationState | 5 |
| @Jclbase@initialization\$qqrv | 5 |
| @Jclbase@Finalization\$qqrv | 5 |
| VerifierSetFlags | 5 |
| RxNetUserPasswordSet | 5 |
| @Jvxctrls@initialization\$qqrv | 5 |
| @Jvtimer@initialization\$qqrv | 5 |
| SHGetAttributesFromDataObject | 5 |
| osl_yieldThread | 5 |
| KeI386AllocateGdtSelectors | 5 |
| KeUserModeCallback | 5 |
| ZwAddBootEntry | 5 |
| VideoPortReleaseSpinLock | 5 |
| VideoPortWritePortBufferUchar | 5 |
| VideoPortGetDmaAdapter | 5 |
| VideoPortStallExecution | 5 |
| VideoPortInterlockedExchange | 5 |
| VideoPortLockBuffer | 5 |
| VideoPortLockPages | 5 |
| VideoPortSynchronizeExecution | 5 |
| NdisReadPciSlotInformation | 5 |
| NdisCoGetTapiCallId | 5 |

| | |
|---|---|
| NdisImmediateWritePciSlotInformation | 5 |
| ?append@?\$basic_string@DU?\$char_traits@ | 5 |
| ??Hstd@@YA?AV?\$complex@N@0@ABV1C | 5 |
| ??0?\$basic_ostream@GU?\$char_traits@G@ | 5 |
| ??_D?\$basic_fstream@GU?\$char_traits@G@ | 5 |
| ?do_truename@?\$numpunct@G@std@@N | 5 |
| ?id@?\$num_put@GV?\$ostreambuf_iterator | 5 |
| ??4?\$basic_ifstream@GU?\$char_traits@G@ | 5 |
| _EnumFontFamiliesEx_@20 | 5 |
| _GlobalGetAtomName_@12 | 5 |
| Dns_WriteDottedNameToPacket | 5 |
| DnsDowncaseDnsNameLabel | 5 |
| ?SafeQueryAttribute@NTFS_FRS_STRUCTUR | 5 |
| ?CompareDupInfo@NTFS_MFT_INFO@@SG | 5 |
| ?IsAttributePresent@NTFS_FILE_RECORD_SI | 5 |
| ?QueryVolumeFlagsAndLabel@NTFS_SA@@ | 5 |
| ?Initialize@NTFS_ATTRIBUTE@@QAEEPAVL | 5 |
| ?TakeCensus@NTFS_SA@@QAEEPAVNTFS_ | 5 |
| ?ReadSet@NTFS_FRS_STRUCTURE@@QAEE | 5 |
| ??1NTFS_ATTRIBUTE_RECORD@@UAE@XZ | 5 |
| ldap_escape_filter_elementA | 5 |
| ldap_create_page_controlA | 5 |
| ldap_next_reference | 5 |
| ldap_initW | 5 |
| ldap_control_freeA | 5 |
| ber_printf | 5 |
| ImmLoadLayout | 5 |
| PathYetAnotherMakeUniqueName | 5 |
| ?max@?\$numeric_limits@_N@std@@SA_N | 5 |
| ?_Init@?\$messages@D@std@@IAEXABV_L | 5 |
| ??4?\$_Ctr@O@std@@QAEEAV01@ABV01@ | 5 |
| ?SetLPWSTR@CStorageVariant@@QAEXPBC | 5 |
| ??1GCUnknown@@UAE@XZ | 5 |
| ??0GCUnknown@@QAE@XZ | 5 |
| ?QueryInterface@GCUnknown@@UAGJABL | 5 |
| ?AddRef@GCUnknown@@UAGKXZ | 5 |
| ?Release@GCUnknown@@UAGKXZ | 5 |
| ??0ModuleBase@@QAE@XZ | 5 |
| ??1ModuleBase@@UAE@XZ | 5 |
| AVIStreamOpenFromFileW | 5 |
| BCP_readfmt | 5 |
| lineRegisterRequestRecipient | 5 |
| lineGetAddressCapsW | 5 |
| @Strtools@WriteStringToReg\$qqr17System | 5 |
| @Dxdbinsp@TdxDBInspector@ | 5 |
| @Dxdbinsp@TdxInspectorDBRow@ | 5 |
| @Dxinspct@TdxInspectorRow@SetVisible\$C | 5 |

| | |
|---|---|
| @Dxinspct@TCustomdxInspector@SetCusto | 5 |
| @Dxinspct@TCustomdxInspector@SaveToR | 5 |
| @Dxinspct@TCustomdxInspector@LoadFror | 5 |
| @Dxdbinrw@Finalization\$qqrv | 5 |
| @Dxdbinrw@TdxInspectorDBButtonRow@ | 5 |
| @Dxdbinrw@TdxInspectorDBMaskRow@ | 5 |
| GdipFillPolygonI | 5 |
| ?DestroyWindow@NativeHWNDHost@Direc | 5 |
| ??1UIFactory@DirectUI@@QAE@XZ | 5 |
| ?Add@Element@DirectUI@@QAEJPAV12@ | 5 |
| ?LoadFromResource@DUIFactory@DirectUI | 5 |
| ??0UIFactory@DirectUI@@QAE@PAUHWI | 5 |
| ?Destroy@Layout@DirectUI@@QAEXXZ | 5 |
| ?SetLayout@Element@DirectUI@@QAEJPA` | 5 |
| ?Create@FillLayout@DirectUI@@SGJPAPAV | 5 |
| ?DoubleBuffered@Element@DirectUI@@Q | 5 |
| ?SetAccessible@Element@DirectUI@@QAE | 5 |
| ?Release@Value@DirectUI@@QAEXXZ | 5 |
| ?GetKeyFocusedElement@HWNDElement@ | 5 |
| ?GetClassInfoPtr@CCPushButton@DirectUI(| 5 |
| ?GetClassInfoW@HWNDElement@DirectUI(| 5 |
| ?IsVolumeDirty@IFS_SYSTEM@@SGEPAVW | 5 |
| VarCyFix | 5 |
| ?id@?\$time_get@GV?\$istreambuf_iterator(| 5 |
| ?do_neg_format@?\$_Mpunct@G@std@@@I | 5 |
| ??4?\$allocator@X@std@@QAEAAV01@AB\ | 5 |
| GetManagedApplicationCategories | 5 |
| VarI1FromUI8 | 5 |
| ?Done@CFwAsyncWorkItem@@QAEXXZ | 5 |
| RpcProtseqVectorFreeW | 5 |
| RpcSsDisableAllocate | 5 |
| glsCommandString | 5 |
| glsCaptureFunc | 5 |
| glsEndGLS | 5 |
| rtcFV | 5 |
| VarImp | 5 |
| VarDateFromUI1 | 5 |
| ?DeleteKey@CLKRLinearHashTable@@QAE\ | 5 |
| lineMonitorDigits | 5 |
| aout_ToggleMute | 5 |
| aout_VolumeUp | 5 |
| config_GetInt | 5 |
| intf_Create | 5 |
| net_Accept | 5 |
| net_Listen | 5 |
| osd_MenuDown | 5 |
| osd_MenuHide | 5 |

| | |
|--|---|
| osd_MenuNext | 5 |
| osd_MenuPrev | 5 |
| osd_MenuShow | 5 |
| osd_MenuUp | 5 |
| playlist_AddInput | 5 |
| playlist_Lock | 5 |
| playlist_RecursiveNodeSort | 5 |
| playlist_Status | 5 |
| playlist_Unlock | 5 |
| utf8_vfprintf | 5 |
| var_Command | 5 |
| vlc_GetActionId | 5 |
| WMCreateReader | 5 |
| CITYSTATEZIP | 5 |
| SCRNEXIST | 5 |
| ?SetTitle@CLocation@@QAEXPBG@Z | 5 |
| ?GetRootFolder@CCollection@@QAEPAVCF | 5 |
| ?DeleteLocation@CCollection@@AAEKPAVC | 5 |
| ?IsDirty@CCollection@@QAEHXZ | 5 |
| ?pword@ios_base@std@@QAEAAPAXH@Z | 5 |
| ?_Cosh@?\$_Ctr@O@std@@SAOOO@Z | 5 |
| ??5?\$basic_istream@GU?\$char_traits@G@: | 5 |
| ?pubsync@?\$basic_streambuf@GU?\$char_t | 5 |
| ??Kstd@@YA?AV?\$complex@M@0@ABV1C | 5 |
| ?real@?\$_Complex_base@N@std@@QAE | 5 |
| ??4?\$numeric_limits@E@std@@QAEAAV01 | 5 |
| ?putback@?\$basic_istream@GU?\$char_trai | 5 |
| ?get@?\$messages@D@std@@QBE?AV?\$ba | 5 |
| ?AddError@CEventItem@@QAEXK@Z | 5 |
| ?GetNumber@CQueryScanner@@QAEHAA_ | 5 |
| ?RemoveChild@CNodeRestriction@@QAEP | 5 |
| ?Append@CEnumWorkid@@QAEXK@Z | 5 |
| ?IsRunningAsSystem@CImpersonateSystem | 5 |
| ??1CDbColumns@@QAE@XZ | 5 |
| LpkEditControl | 5 |
| ber_flatten | 5 |
| WMCreateWriterPriv | 5 |
| WMCreateWriterFileSink | 5 |
| WMCreateIndexer | 5 |
| WMCreateWriterNetworkSink | 5 |
| WMValidateData | 5 |
| WMCheckURLExtension | 5 |
| WMCreateBackupRestorerPrivate | 5 |
| ?Record@Perf@Util@@YAJPB_WH00@Z | 5 |
| ?Get@Metadata@Util@@YAJPAUITXData@ | 5 |
| ?GetNickname@Contact@Util@@YA?AVCT | 5 |
| AtlIPersistPropertyBag_Save | 5 |

| | |
|--|---|
| AtlAxDialogBoxA | 5 |
| CalculateDiffTime | 5 |
| UnSetHook | 5 |
| ?str@?\$basic_stringstream@GU?\$char_traits@_Ss@_Ss@ | 5 |
| ??6?\$basic_ostream@GU?\$char_traits@G@_Ss@_Ss@ | 5 |
| DDMAdminPortEnum | 5 |
| IfObjectNotifyOfReachabilityChange | 5 |
| RasRpcConnectServer | 5 |
| RasGetProtocolInfo | 5 |
| ??4CString@@QAEABV0@PBE@Z | 5 |
| GetBrushAttributes | 5 |
| ?Init@CPidLookupTable@@QAEHPAVPRcov | 5 |
| ?Accept@CQueryScanner@@QAEXXZ | 5 |
| ?ReadProperty@CPropStoreManager@@QAF | 5 |
| ??1CNotRestriction@@QAE@XZ | 5 |
| ?fgetsw@CFileBuffer@@QAEKAAV?\$XGrow | 5 |
| ?IsIISAdminUp@CMetaDataMgr@@SGHAAI | 5 |
| ??YCTXStringW@@QAEAAV0@ABVCTXBSTR | 5 |
| ?GetCodeNumberUnsigned@CCmdCodecBa | 5 |
| ?IsEnableYaHei@Misc@Util@@YAHXZ | 5 |
| ?GetTipIconFile@Misc@Util@@YA?AVCTXS | 5 |
| ?GetMobileUserType@Contact@Util@@YAP | 5 |
| _bitBlt_3 | 5 |
| @Cx inplace container@initialization\$qqrv | 5 |
| _baseversion_dll | 5 |
| sqlite3_bind_text16 | 5 |
| sqlite3_open16 | 5 |
| tapiGetLocationInfoA | 5 |
| ?Rename@TFile@XPRT@@SA_NPBG0@Z | 5 |
| ?_FTPPtrList@XPRT@@QAEXXZ | 5 |
| ?SetPosition@TFile@XPRT@@UAE_N_JH@Z | 5 |
| ?_Fpz@std@@3_JA | 5 |
| ?str@?\$basic_ostream@GU?\$char_traits@_Ss@_Ss@ | 5 |
| CheckFile | 5 |
| _AssertValidWritePtr | 5 |
| VideoPortPutDmaAdapter | 5 |
| VideoPortWritePortBufferUshort | 5 |
| VideoPortMapMemory | 5 |
| VideoPortGetBusData | 5 |
| NdisMInitializeScatterGatherDma | 5 |
| NdisMSynchronizeWithInterrupt | 5 |
| NdisPacketSize | 5 |
| ?_Init@?\$num_put@GV?\$ostreambuf_iterator@_Ss@_Ss@ | 5 |
| ?_Doraise@domain_error@std@@MBEXXZ | 5 |
| RtlSetMemoryStreamSize | 5 |
| ?BucketSize@CLKRHashTableStats@@SGJJ@_Ss@_Ss@ | 5 |
| WVTAsn1SpcSigInfoDecode | 5 |

| | |
|--|---|
| MfCallbackFunc | 5 |
| LeQueryProtocol | 5 |
| OleQueryType | 5 |
| glIsGetStreamCRC32 | 5 |
| DisableMouseHook | 5 |
| SdbFindFirstMsiPackage_Str | 5 |
| RtmGetLessSpecificDestination | 5 |
| NtOpenKeyedEvent | 5 |
| SQLConfigDriver | 5 |
| SetupDiGetDevicePropertyW | 5 |
| SetupQueueRenameW | 5 |
| @Cxgridcustomtableview@TcxGridTableCell | 5 |
| ?precision@ios_base@std@@QAEHH@Z | 5 |
| @System@GetMemoryManager\$qqrr21Syst | 5 |
| @Sysutils@EStackOverflow@ | 5 |
| @Controls@TWinControl@InsertControl\$qc | 5 |
| @Controls@TControl@SetVisible\$qqr4bool | 5 |
| @Extctrls@TTimer@SetEnabled\$qqr4bool | 5 |
| @@Split@Initialize | 5 |
| @@Split@Finalize | 5 |
| @TDataField@GetModified\$qqrv | 5 |
| @TDataField@GetText\$qqrv | 5 |
| @@Datafld@Initialize | 5 |
| @@Datafld@Finalize | 5 |
| @TDataField@ | 5 |
| @@Esgrid@Initialize | 5 |
| @@Esgrid@Finalize | 5 |
| @MakeDate\$qipvi | 5 |
| @SQLStream@CommandReset\$qv | 5 |
| @SQLStream@SetSelSkipSizeForAll\$qi | 5 |
| @\$blsh\$qr9SQLStreami | 5 |
| @\$blsh\$qr9SQLStreampc | 5 |
| @\$blsh\$qr9SQLStreamr5SDate | 5 |
| @\$brsh\$qr9SQLStreampc | 5 |
| @\$blor\$qr9SQLStreamri | 5 |
| @\$blor\$qr9SQLStreampc | 5 |
| @\$blor\$qr9SQLStreamr5SDate | 5 |
| @SDate@\$bctr\$qv | 5 |
| @TBasicParams@\$bctr\$qv | 5 |
| @TBasicParams@Load\$qv | 5 |
| @ParseParameters\$qpcppc | 5 |
| @InitializeForm\$qp18Forms@TApplicationp | 5 |
| @MsgDialog\$qpvp9SQLStreampcit3 | 5 |
| @MsgDialog\$qpvpct2iii | 5 |
| @GetMsgFromDB\$qp9SQLStreampcit2 | 5 |
| @DateToString\$qp5SDatepc | 5 |
| @ShowUserManual\$qpct1 | 5 |

| | |
|--|---|
| @SystemMenuCommand\$qr17Messages@T | 5 |
| @DuplicateMem\$qpvii | 5 |
| @StartConnection\$qp11Forms@TFormpcp1 | 5 |
| @EndConnection\$qp13SQLConnectiont1p14 | 5 |
| _StopFWCiSvcWork@16 | 5 |
| ?StopCI@CMachineAdmin@@QAEHXZ | 5 |
| RouterGetErrorStringA | 5 |
| VarUI2FromR4 | 5 |
| GetThemeBitmap | 5 |
| ??1?\$basic_ifstream@GU?\$char_traits@G@ | 5 |
| ??0?\$basic_streambuf@GU?\$char_traits@G | 5 |
| ??Dstd@@YA?AV?\$complex@O@O@ABV1C | 5 |
| ?widen@?\$ctype@D@std@@QBEPBDPBDO | 5 |
| ?gptr@?\$basic_streambuf@GU?\$char_traits | 5 |
| ?open@?\$basic_ofstream@GU?\$char_traits | 5 |
| ?replace@?\$basic_string@DU?\$char_traits@ | 5 |
| ?imag@?\$_Complex_base@M@std@@QBE | 5 |
| ?ParseStringColumns@@YGPAVCDBColumn | 5 |
| DsRoleUpgradeDownlevelServer | 5 |
| g_type_init | 5 |
| stream_UrlNew | 5 |
| ?MakeLower@CString@@QAEXXZ | 5 |
| RasSetCustomAuthDataA | 5 |
| RasGetAutodialEnableA | 5 |
| EtwEventWriteTransfer | 5 |
| ldap_bind_sA | 5 |
| ldap_simple_bind_s | 5 |
| ldap_delete_sW | 5 |
| ldap_create_page_control | 5 |
| glIsUnsupportedCommand | 5 |
| strtoimax | 5 |
| libiconv | 5 |
| libiconv_open | 5 |
| DhcpRegisterOptions | 5 |
| NetAuditRead | 5 |
| ldap_search_abandon_page | 5 |
| ldap_compare_s | 5 |
| ??_7?\$time_put@DV?\$ostreambuf_iterator | 5 |
| ?Write@IO_DP_DRIVE@@QAEEVBIG_INT@ | 5 |
| RasGetHConnFromEntry | 5 |
| RasRpcGetErrorString | 5 |
| RasLinkGetStatistics | 5 |
| LsTruncateSubline | 5 |
| LsdnFinishByOneChar | 5 |
| LsGetWarichuLsimethods | 5 |
| LsGetLineDur | 5 |
| LsQueryLineDup | 5 |

| | |
|--|---|
| NdrServerCall | 5 |
| NcFreeNetconProperties | 5 |
| HrRenameConnection | 5 |
| NcIsValidConnectionName | 5 |
| HrLaunchConnectionEx | 5 |
| HrLaunchConnection | 5 |
| StartNCW | 5 |
| HrCreateDesktopIcon | 5 |
| @Cxgridcustomtableview@TcxCustomGridT | 5 |
| HIMAGELIST_QueryInterface | 5 |
| Q_strncat | 5 |
| NdrMesTypeEncode | 5 |
| fchdir | 5 |
| fchmod | 5 |
| __cxa_guard_acquire | 5 |
| __cxa_guard_release | 5 |
| MsiOpenDatabaseW | 5 |
| ?putback@\$basic_istream@DU?\$char_traits@_S@?basic_string@_WU?\$char_traits@_S@?basic_string@_WU?\$char_traits@_S@System@@ResetFile\$qqrr15System@TFile | 5 |
| CtfImmTIMActivate | 5 |
| NdisCompleteBindAdapter | 5 |
| NdisCopyBuffer | 5 |
| __wcserror | 5 |
| ldap_bind | 5 |
| WOWGetVDMPointerFix | 5 |
| MsiRecordGetFieldCount | 5 |
| mysql_ping | 5 |
| mysql_get_client_version | 5 |
| xmlGetLastError | 5 |
| ?SetRegPath@CIniW@@QAEXPBG@Z | 5 |
| ?LoadSection@CIniA@@QBEPADPBD@Z | 5 |
| ?CIniA_DeleteEntryFromReg@CIniA@@IBEF | 5 |
| Simple3DObjCreate | 5 |
| ?QueryMonitorManager@@YAPAVIMonitor | 5 |
| ??H@YG?AVCHString@@PBGABV0@@Z | 5 |
| _JVM_CurrentTimeMillis@8 | 5 |
| _fprintf | 5 |
| _fwrite | 5 |
| ??0?\$num_get@GV?\$istreambuf_iterator@ | 5 |
| SynclImage | 5 |
| DestroyBlob | 5 |
| SeekBlob | 5 |

| | |
|---|---|
| CloneImage | 5 |
| SnmpUtilUnicodeToAnsi | 5 |
| @Classes@TThread@Suspend\$qqrv | 5 |
| @Classes@TCollectionItem@SetDisplayNam | 5 |
| @Variants@VarToWideStr\$qqrrx14System@ | 5 |
| @Inifiles@TIniFile@\$bdtr\$qqrv | 5 |
| @Inifiles@TCustomIniFile@ReadSections\$qr | 5 |
| @Inifiles@TCustomIniFile@WriteBinaryStre | 5 |
| @Inifiles@TCustomIniFile@ReadBinaryStrea | 5 |
| @Inifiles@TCustomIniFile@ValueExists\$qqr | 5 |
| @Inifiles@TCustomIniFile@WriteBool\$qqrx: | 5 |
| @Inifiles@TCustomIniFile@WriteTime\$qqrx | 5 |
| @Inifiles@TCustomIniFile@WriteFloat\$qqrx | 5 |
| @Inifiles@TCustomIniFile@WriteDateTime\$ | 5 |
| @Inifiles@TCustomIniFile@WriteDate\$qqrx | 5 |
| @Inifiles@TCustomIniFile@ReadTime\$qqrx: | 5 |
| @Inifiles@TCustomIniFile@ReadFloat\$qqrx: | 5 |
| @Inifiles@TCustomIniFile@ReadDateTime\$ | 5 |
| @Inifiles@TCustomIniFile@ReadDate\$qqrx2 | 5 |
| @Inifiles@TCustomIniFile@ReadBool\$qqrx2 | 5 |
| @Inifiles@TCustomIniFile@WriteInteger\$qc | 5 |
| @Inifiles@TCustomIniFile@ReadInteger\$qq | 5 |
| @Controls@TControl@RequestAlign\$qqrv | 5 |
| @\$xp\$22Msxml@IXMLDOMAttribute | 5 |
| @\$xp\$21Msxml@IXMLDOMDocument | 5 |
| @\$xp\$25Msxml@IXMLDOMNodeMa | 5 |
| @\$xp\$21Msxml@IXMLDOMNodeList | 5 |
| @\$xp\$17Msxml@IXMLDOMNode | 5 |
| @\$xp\$27Msxml@IXMLDOMImplementation | 5 |
| @Msxml@CLASS_DOMDocument | 5 |
| regpro | 5 |
| ?SetTitle@CFolder@@QAEXPBG@Z | 5 |
| ?Add@CPointerList@@QAEPAUListItem@@ | 5 |
| ?GetAt@CMessages@@QAEPAVCMessage@ | 5 |
| ?Delete@CContacts@@QAEXH@Z | 5 |
| ?GetAt@CContacts@@QAEPAVCCContact@C | 5 |
| @System@@WStrFromPWChar\$qqrr17Syst | 5 |
| @System@TObject@ClassParent\$qqrp17Sys | 5 |
| @Activex@Succeeded\$qqrl | 5 |
| @Sysutils@EmptyStr | 5 |
| @Variants@@VarFromWStr\$qqrr8TVarData | 5 |
| @Variants@@VarToWStr\$qqrr17System@V | 5 |
| @\$xp\$19Classes@TDataModule | 5 |
| @Classes@TDataModule@ | 5 |
| GdipSetImagePalette | 5 |
| GdipGetImageDimension | 5 |
| DsListInfoForServerW | 5 |

| | |
|--|---|
| ?ReportEventW@CFwEventItem@@QAEXA/ | 5 |
| CITextToSelectTreeEx | 5 |
| ?CheckError@CLocalGlobalPropertyList@@@C | 5 |
| ?EnumerateFilesInDir@CiStorage@@SGXPB | 5 |
| ?Add@CDbQueryResults@@QAEXPAGK@Z | 5 |
| WVTAsn1SpcSpOpusInfoEncode | 5 |
| ?imag@?\$_Complex_base@N@std@@QAE | 5 |
| ?_Doraise@logic_error@std@@MBEXXZ | 5 |
| SetupDiSelectOEMDrv | 5 |
| SetupQueryInfFileInformationA | 5 |
| DeviceSetDevConfig | 5 |
| ?Read@CDynStream@@QAEKPAXK@Z | 5 |
| TopIHeapCreate | 5 |
| ZSP_MakeSpoolFilePath | 5 |
| ?NPSPMessageBox@@YAHPAUHWND__@@@ | 5 |
| RtlRegisterSecureMemoryCacheCallback | 5 |
| ODBCCPIApplet | 5 |
| SQLInstallerError | 5 |
| SQLWritePrivateProfileStringW | 5 |
| SQLRemoveDriverManager | 5 |
| SQLReadFileDSN | 5 |
| SQLLoadDriverListBox | 5 |
| SQLInstallDriverW | 5 |
| SQLInstallTranslatorEx | 5 |
| SQLConfigDataSource | 5 |
| SceGenerateGroupPolicy | 5 |
| ?abs@std@@YAMABV?\$complex@M@1@() | 5 |
| ?seekoff@?\$basic_filebuf@GU?\$char_traits | 5 |
| ??Ostd@@YA_NPBDABV?\$basic_string@DU | 5 |
| @Sysutils@DateTimeToStr\$qqr16System@T | 5 |
| @Gauges@TGauge@Set.MaxValue\$qqri | 5 |
| RtlLookupElementGenericTableFull | 5 |
| OleRenameServerDoc | 5 |
| OleUnblockServer | 5 |
| OleRevokeObject | 5 |
| @\$xp\$19Classes@TShiftState | 5 |
| @\$xp\$22Dxtl@TdxTreeListColumn | 5 |
| @\$xp\$20Dxtl@TdxTreeListNode | 5 |
| GetCommonRegKey | 5 |
| ??0?\$allocator@_W@std@@QAE@XZ | 5 |
| ??0?\$allocator@_W@std@@QAE@ABV01@ | 5 |
| @System@UTF8Encode\$qqrx20System@Un | 5 |
| @System@UniqueString\$qqrr20System@Ur | 5 |
| @System@TObject@ClassParent\$qqrv | 5 |
| @Types@Rect\$qqriii | 5 |
| @Classes@TStringList@SetCaseSensitive\$qc | 5 |
| @Sysutils@OutOfMemoryError\$qqrv | 5 |

| | |
|---|---|
| @Sysutils@ExtractFileExt\$qqrx20System@U | 5 |
| @Sysutils@ExtractFileDrive\$qqrx20System@ | 5 |
| @Sysutils@ThousandSeparator | 5 |
| @Registry@TRegistry@ReadInteger\$qqrx20 | 5 |
| @Menus@TMenuItem@SetVisible\$qqro | 5 |
| @Comctrls@TListItem@GetIndex\$qqrv | 5 |
| @Comctrls@TListColumn@SetWidth\$qqri | 5 |
| _findfirst32 | 5 |
| LsdnSkipCurTab | 5 |
| ?SetExTitlePtr@CFolder@@QAEXPACExTitl | 5 |
| @System@@IntOver\$qqrv | 5 |
| @Db@TParam@SetAsString\$qqrx17System@ | 5 |
| @Idcoderheader@initialization\$qqrv | 5 |
| @System@StringToWideChar\$qqrx17Syste | 5 |
| @Variants@@OleVarFromVar\$qqrr8TVarDa | 5 |
| @Forms@TScreen@GetDesktopWidth\$qqrv | 5 |
| @Forms@TScreen@GetDesktopHeight\$qqrv | 5 |
| @Forms@TScreen@GetHeight\$qqrv | 5 |
| @System@@Append\$qqrr15System@TText | 5 |
| @\$xp\$15System@WordBool | 5 |
| @Classes@TResourceStream@\$bctr\$qqruix | 5 |
| @Classes@TStrings@Append\$qqrx17Syste | 5 |
| @\$xp\$15Classes@TStream | 5 |
| @Forms@TApplication@GetTitle\$qqrv | 5 |
| @Olectrls@TOleControl@OnRequestEdit\$qc | 5 |
| @Olectrls@TOleControl@OnChanged\$qqsi | 5 |
| @Olectrls@TOleControl@QueryInterface\$qi | 5 |
| @Olectrls@TOleControl@WndProc\$qqrr17N | 5 |
| @Olectrls@TOleControl@SetParent\$qqrp20 | 5 |
| @Olectrls@TOleControl@SetBounds\$qqriii | 5 |
| @Olectrls@TOleControl@GetWideStringPro | 5 |
| @Olectrls@TOleControl@DestroyWindowH | 5 |
| @Olectrls@TOleControl@DefineProperties\$ | 5 |
| @Olectrls@TOleControl@DefaultHandler\$q | 5 |
| @Olectrls@TOleControl@CreateWnd\$qqrv | 5 |
| @Olectrls@TOleControl@\$bdtr\$qqrv | 5 |
| @Olectrls@TOleControl@\$bctr\$qqrp18Clas | 5 |
| @\$xp\$20Olectrls@TOleControl | 5 |
| @Olectrls@TOleControl@ | 5 |
| MessageBoxI | 5 |
| RegisterClassExI | 5 |
| CreateWindowExI | 5 |
| DefWindowProcI | 5 |
| yoklam | 5 |
| ?CopyTo@CTXBSTR@@QBEJPAPA_W@Z | 5 |
| ?SetBufferIn@CTXCommPack@@QAEXPBEII | 5 |
| ?cancelCommandExecution@ucbhelper@@` | 5 |

| | |
|--|---|
| PsReferenceImpersonationToken | 5 |
| Kel386GetLid | 5 |
| SDL_WM_SetIcon | 5 |
| TTF_OpenFont | 5 |
| TTF_Init | 5 |
| RpcServerUseProtseqIfW | 5 |
| BluetoothSendAuthenticationResponse | 5 |
| BluetoothGetRadioInfo | 5 |
| CtfImmlsTextFrameServiceDisabled | 5 |
| luaopen_debug | 5 |
| rtcLog | 5 |
| IsDriverLoaded | 5 |
| SetSpeakerConfiguration | 5 |
| SMaxLog | 5 |
| GetPlatformIDString | 5 |
| SetUserState | 5 |
| GetPlatformHWInformation | 5 |
| GetJackDevice | 5 |
| SetJackDevice | 5 |
| GetOpMode | 5 |
| InitInterface | 5 |
| GetCapabilities | 5 |
| rtcSwitch | 5 |
| ??1CDbQueryResults@@QAE@XZ | 5 |
| _GetClassName_@12 | 5 |
| @\$xp\$14Db@TDataSource | 5 |
| @Designconst@initialization\$qqrv | 5 |
| @Classes@AllocateHWnd\$qqrynpqqrr17Me | 5 |
| @Classes@TList@Sort\$qqrpqqrpv1\$i | 5 |
| @Sysutils@SafeLoadLibrary\$qqrx20System@ | 5 |
| @Sysutils@FindFirst\$qqrx20System@Unico | 5 |
| @Imglist@TCustomImageList@GetCount\$qq | 5 |
| @Imglist@TCustomImageList@GetIcon\$qq | 5 |
| @Graphics@TIcon@\$bctr\$qqrv | 5 |
| @Graphics@TFont@ | 5 |
| @Controls@TWinControl@Notification\$qq | 5 |
| @Controls@TSizeConstraints@SetConstrain | 5 |
| @Comctrls@TListColumns@GetItem\$qqri | 5 |
| ?AllocBstr@WSManMemory@@SGPAGPBG | 5 |
| ShowDcNotFoundErrorDialog | 5 |
| @System@@Halt\$qqri | 5 |
| @Tuneupwow64@Finalization\$qqrv | 5 |
| @Gnugettext@Finalization\$qqrv | 5 |
| @Forms@TApplication@HelpCommand\$qq | 5 |
| @Forms@TCustomForm@SetClientHeight\$qq | 5 |
| @Decutil@initialization\$qqrv | 5 |
| @Decutil@Finalization\$qqrv | 5 |

| | |
|--------------------------------------|---|
| @Crc@Finalization\$qqrv | 5 |
| @Zipforge@initialization\$qqrv | 5 |
| @Zipforge@Finalization\$qqrv | 5 |
| @Zfconst@initialization\$qqrv | 5 |
| @Zfconst@Finalization\$qqrv | 5 |
| @Zfstrfunc@initialization\$qqrv | 5 |
| @Zfstrfunc@Finalization\$qqrv | 5 |
| @Gr32@Finalization\$qqrv | 5 |
| @Uicons@Finalization\$qqrv | 5 |
| @Ehshelprouter@THelpRouter@ | 5 |
| ?InsertObjectAt@nsCOMArray_base@@IAE | 5 |
| ?AppendUTF16toUTF8@@YAXABVnsAString | 5 |
| ?InsertElementAt@nsVoidArray@@QAEHPA | 5 |
| ?SetLength@nsCSubstring@@QAEXI@Z | 5 |
| ?strcmp@nsCRT@@SAHPB@Z | 5 |
| PL_strncmp | 5 |
| PL_FinishArenaPool | 5 |
| @Forms@TApplication@CancelHint\$qqrv | 5 |
| ?compare@?\$char_traits@_W@std@@SAH | 5 |
| ??4CString@@QAEABV0@ABV0@Z | 5 |
| ?MakeReverse@CString@@QAEXZ | 5 |
| OsThunkDdSetColorKey | 5 |
| @Vedatasearch@TVeDataSearch@SearchFi | 5 |
| ASN1char16string_cmp | 5 |
| ASN1BEREncTag | 5 |
| ATMRemoveFont | 5 |
| ATMRemoveSubstFontW | 5 |
| ATMGetNtmFieldsW | 5 |
| BASS_Free | 5 |
| BASS_ChannelsActive | 5 |
| BASS_ErrorGetCode | 5 |
| LdapControlsFree | 5 |
| acmFilterTagEnumW | 5 |
| acmDriverPriority | 5 |
| acmFilterDetailsW | 5 |
| ?Initialize@MACHINE@@QAEEZ | 5 |
| ?GetVPathAuthorization@CMetaDataMgr@ | 5 |
| ?Query@CQueryParser@@AAEPAVCDbRest | 5 |
| ??0CFileMapView@@QAE@PBG@Z | 5 |
| DhcpServerQueryAttributes | 5 |
| SslGenerateRandomBits | 5 |
| SslEmptyCacheW | 5 |
| ImmIMPSetIMEW | 5 |
| ImmIMPQueryIMEW | 5 |
| SetupAddSectionToDiskSpaceListW | 5 |
| ehTraceEvent | 5 |
| ehUnregisterTraceGUIDs | 5 |

| | |
|--|---|
| ehFreeEventBuffer | 5 |
| ehAllocateEventBuffer | 5 |
| ehRegisterTraceGUIDs | 5 |
| PHB | 5 |
| DefineGroupBox3 | 5 |
| RRI | 5 |
| ZDECOD | 5 |
| RCI | 5 |
| ?PLGINWindowProc@WWndPlugInClient@() | 5 |
| ?AddPlugIn@WWndPlugInClient@@UAEXP_ | 5 |
| ?RemovePlugIn@WWndPlugInClient@@UA | 5 |
| ?_Getcat@?\$codecvt@DDH@std@@SAIPAF | 5 |
| ?find_first_not_of@?\$basic_string@DU?\$ch | 5 |
| ?do_unshift@?\$codecvt@DDH@std@@MBI | 5 |
| ?max_size@?\$allocator@D@std@@QBEIXZ | 5 |
| ?do_length@?\$codecvt@DDH@std@@MBE | 5 |
| NetReplExportDirAdd | 5 |
| RxRemoteApi | 5 |
| CM_Get_DevNode_Custom_Property_ExA | 5 |
| g_file_test_utf8 | 5 |
| g_list_append | 5 |
| g_list_free | 5 |
| gtk_check_button_new_with_mnemonic | 5 |
| gtk_dialog_run | 5 |
| gtk_table_attach | 5 |
| gtk_widget_get_type | 5 |
| gimp_pixel_rgn_get_row | 5 |
| gimp_frame_new | 5 |
| EnableTraceEx | 5 |
| EvtOpenPublisherMetadata | 5 |
| ConvertInterfaceAliasToLuid | 5 |
| NdfCreateIncident | 5 |
| NdfCloseIncident | 5 |
| SetThreadStackGuarantee | 5 |
| @Dbchart@initialization\$qqrv | 5 |
| @Dbchart@Finalization\$qqrv | 5 |
| ATMFontAvailableA | 5 |
| ?Pop@INTSTACK@@QAEXK@Z | 5 |
| ??1INTSTACK@@UAE@XZ | 5 |
| ?QueryDisjointRangeAndAssignBuffer@TLIN | 5 |
| GdipCombineRegionRegion | 5 |
| iLEnable | 5 |
| iLSHutDown | 5 |
| iLTexImage | 5 |
| iLSaveImage | 5 |
| iLSetPixels | 5 |
| _GrannyNewWorldPose@4 | 5 |

| | |
|--|---|
| _GrannyGetSourceSkeleton@4 | 5 |
| _GrannyFreeWorldPose@4 | 5 |
| _GrannySetLogCallback@4 | 5 |
| _GrannyFreeModelInstance@4 | 5 |
| _GrannyFindBoneByName@12 | 5 |
| _GrannyGetWorldPose4x4@8 | 5 |
| _GrannyGetWorldPoseComposite4x4@8 | 5 |
| _GrannyGetMeshBindingToBoneIndices@4 | 5 |
| _GrannyFreeMeshBinding@4 | 5 |
| _GrannyInstantiateModel@4 | 5 |
| _GrannyNewLocalPose@4 | 5 |
| _GrannyNewMeshBinding@12 | 5 |
| _GrannyGetFileInfo@4 | 5 |
| _GrannyReadEntireFileFromMemory@8 | 5 |
| _GrannySetModelClock@8 | 5 |
| _GrannyUpdateModelMatrix@16 | 5 |
| _GrannyFreeLocalPose@4 | 5 |
| _GrannyFreeFileSection@8 | 5 |
| _GrannyGetWorldPoseComposite4x4Array@ | 5 |
| _GrannyFreeCompletedModelControls@4 | 5 |
| _GrannySampleModelAnimationsAccelerate | 5 |
| _GrannyGetMeshIndexCount@4 | 5 |
| _GrannyGetTotalTypeSize@4 | 5 |
| _GrannyGetMeshVertexCount@4 | 5 |
| _GrannyMeshIsRigid@4 | 5 |
| _GrannySetControlEaseInCurve@28 | 5 |
| _GrannyFreeControlOnceUnused@4 | 5 |
| _GrannySetControlSpeed@8 | 5 |
| _GrannyPlayControlledAnimation@12 | 5 |
| _GrannyFreeControlIfComplete@4 | 5 |
| _GrannyCompleteControlAt@8 | 5 |
| _GrannySetControlEaseOut@8 | 5 |
| _GrannySetControlEaseOutCurve@28 | 5 |
| _GrannySetControlEaseIn@8 | 5 |
| _GrannySetControlRawLocalClock@8 | 5 |
| _GrannyGetControlLocalDuration@4 | 5 |
| _GrannyGetControlRawLocalClock@4 | 5 |
| _GrannyGetControlLoopCount@4 | 5 |
| _GrannyGetControlSpeed@4 | 5 |
| _GrannyFreeControl@4 | 5 |
| GrannyPNT332VertexType | 5 |
| _GrannyCopyMeshIndices@12 | 5 |
| _GrannyCopyMeshVertices@12 | 5 |
| _GrannyDeformVertices@24 | 5 |
| _GrannyGetMeshVertices@4 | 5 |
| _GrannyGetMeshTriangleGroups@4 | 5 |
| _GrannyGetMeshTriangleGroupCount@4 | 5 |

| | |
|--|---|
| _GrannyFreeMeshDeformer@4 | 5 |
| _GrannyNewMeshDeformer@12 | 5 |
| _GrannyGetMeshVertexType@4 | 5 |
| _AIL_auto_update_3D_position@8 | 5 |
| _AIL_3D_sample_volume@4 | 5 |
| _AIL_stream_volume_levels@12 | 5 |
| _AIL_sample_volume_pan@12 | 5 |
| _AIL_set_sample_file@12 | 5 |
| PyFloat_AsDouble | 5 |
| ??OSGeometry@CSpeedTreeRT@@QAE@XZ | 5 |
| ?GetTextures@CSpeedTreeRT@@QBEXAAU | 5 |
| ??OSTextures@CSpeedTreeRT@@QAE@XZ | 5 |
| ?SetLodLimits@CSpeedTreeRT@@QAEXMM | 5 |
| ?GetLeafMaterial@CSpeedTreeRT@@QBEPI | 5 |
| ?GetFrondMaterial@CSpeedTreeRT@@QBE | 5 |
| ?GetBranchMaterial@CSpeedTreeRT@@QB | 5 |
| ?SetDropToBillboard@CSpeedTreeRT@@SA | 5 |
| ?SetLeafRockingState@CSpeedTreeRT@@Q | 5 |
| ?GetBoundingBox@CSpeedTreeRT@@QBEX | 5 |
| ?Compute@CSpeedTreeRT@@QAE_NPBMI | 5 |
| ?SetTreeSize@CSpeedTreeRT@@QAEXMM | 5 |
| ?SetNumLeafRockingGroups@CSpeedTreeR | 5 |
| ?SetFrondWindMethod@CSpeedTreeRT@@ | 5 |
| ?GetCollisionObjectCount@CSpeedTreeRT@ | 5 |
| ?SetBranchWindMethod@CSpeedTreeRT@() | 5 |
| ?SetFrondLightingMethod@CSpeedTreeRT@ | 5 |
| ?SetLeafLightingMethod@CSpeedTreeRT@() | 5 |
| ?SetBranchLightingMethod@CSpeedTreeRT(| 5 |
| ?GetCurrentError@CSpeedTreeRT@@SAPBI | 5 |
| ?LoadTree@CSpeedTreeRT@@QAE_NPBD@ | 5 |
| ?LoadTree@CSpeedTreeRT@@QAE_NPBEI@ | 5 |
| ?SetTextureFlip@CSpeedTreeRT@@SAX_N@ | 5 |
| ??2CSpeedTreeRT@@SAPAXI@Z | 5 |
| ?MakeInstance@CSpeedTreeRT@@QAEPAV | 5 |
| ?ComputeLodLevel@CSpeedTreeRT@@QAE | 5 |
| ?SetLodLevel@CSpeedTreeRT@@QAEXM@; | 5 |
| ?GetNumLeafLodLevels@CSpeedTreeRT@@ | 5 |
| ?GetNumFrondLodLevels@CSpeedTreeRT@ | 5 |
| ?GetNumBranchLodLevels@CSpeedTreeRT@ | 5 |
| ?SetTime@CSpeedTreeRT@@SAXM@Z | 5 |
| ?SetWindStrength@CSpeedTreeRT@@QAEI | 5 |
| ?SetNumWindMatrices@CSpeedTreeRT@@ | 5 |
| ?SetLightState@CSpeedTreeRT@@SAXI_N@ | 5 |
| ?GetTreePosition@CSpeedTreeRT@@QBEPI | 5 |
| ?SetLeafWindMethod@CSpeedTreeRT@@Q | 5 |
| ??1CSpeedTreeRT@@QAE@XZ | 5 |
| ?SetLightAttributes@CSpeedTreeRT@@SAX | 5 |

| | |
|---|---|
| ?SetCamera@CSpeedTreeRT@@SAXPBM0@ | 5 |
| ??1STextures@CSpeedTreeRT@@QAE@XZ | 5 |
| ??1SGeometry@CSpeedTreeRT@@QAE@XZ | 5 |
| ?SetTreePosition@CSpeedTreeRT@@QAEXI | 5 |
| ?GetGeometry@CSpeedTreeRT@@QAEXAA | 5 |
| NdrNonConformantStringBufferSize | 5 |
| ?tellg@?\$basic_istream@GU?\$char_traits@ | 5 |
| NetpNetBiosReset | 5 |
| NIBindingAddServerToCache | 5 |
| ?end@?\$basic_string @_WU?\$char_traits@ | 5 |
| ?out@?\$codecvt @_WDH@std@@QBEHAAI | 5 |
| ?in@?\$codecvt @_WDH@std@@QBEHAAHI | 5 |
| ?_Getcat@?\$codecvt @_WDH@std@@SAIP | 5 |
| ??_7?\$codecvt @_WDH@std@@@6B@ | 5 |
| ??0?\$codecvt @_WDH@std@@QAE@I@Z | 5 |
| ?SkipWChar@CMemDeSerStream@@UAEXI | 5 |
| ?Get@CRegAccess@@QAEKPBG@Z | 5 |
| ?UnInitializeGlobalResouce@@YGJXZ | 5 |
| ?Initialize@CGlobalResource@@QAEJXZ | 5 |
| ??0CGlobalResource@@QAE@XZ | 5 |
| ?Next@CRtlMapIter@@QAEAAV1@XZ | 5 |
| ?Begin@CRtlMap@@QAE?AVCRtlMapIter@ | 5 |
| ?GetEntryPointer@CRtlListIter@@QAEPAXX | 5 |
| ?InsertTailPointer@CRtlList@@QAEHPAX@I | 5 |
| ?Remove@CRtlList@@QAEAAVCrtlListIter | 5 |
| ?Remove@CRtlMap@@QAEHAAVCrtlEntry@ | 5 |
| ?FindPtr@CRtlMap@@QAEHAAVCrtlEntry@C | 5 |
| ?RemoveAll@CRtlMap@@QAEHX@Z | 5 |
| ?Insert@CRtlMap@@QAEHAAVCrtlEntry@() | 5 |
| ?Find@CRtlMap@@QAEHAAVCrtlEntry@() | 5 |
| ?AcquireRundownProtection@@YGEPAU_R | 5 |
| ?ReleaseRundownProtection@@YGXPAU_R | 5 |
| ??1CRtlMap@@UAE@XZ | 5 |
| ?InsertUnique@CRtlMap@@QAEHAAVCrtlE | 5 |
| ?InsertHeadPointer@CRtlList@@QAEHPAX@C | 5 |
| ?IsEfiFirmware@@YGHXZ | 5 |
| ?InitializeRundownProtection@@YGXPAU_F | 5 |
| ?GetFMIFSGetDefaultFilesystemRoutine@@ | 5 |
| ?GetFMIFSEnableCompressionRoutine@@YI | 5 |
| ?GetFMIFSFormatEx2Routine@@YGP6GXPA | 5 |
| ?VdsDoesDiskHaveArcPath@@YGKKPAE@Z | 5 |
| ?IsDiskReadOnly@@YGPAXPAE@Z | 5 |
| ?WaitForRundownProtectionRelease@@YG | 5 |
| ??1CGlobalResource@@QAE@XZ | 5 |
| ?Begin@CRtlList@@QAE?AVCRtlListIter@ | 5 |
| ?GetEntry@CRtlListIter@@QAEPAVCrtlEntr | 5 |
| ?RemoveAll@CRtlList@@QAEXXZ | 5 |

| | |
|--|---|
| ??1CRtlList@@QAE@XZ | 5 |
| ?End@CRtlList@@QAE?AVCRtlListIter@@XZ | 5 |
| ??0CRtlList@@QAE@P6GXPACRtlEntry@@ | 5 |
| ?Prev@CRtlListIter@@QAEAAV1@XZ | 5 |
| ?Next@CRtlListIter@@QAEAAV1@XZ | 5 |
| ??0CRtlIMap@@QAE@KP6GXPACRtlEntry@ | 5 |
| ZwQueryEvent | 5 |
| SetupQueryFileLogA | 5 |
| AtlInternalQueryInterface | 5 |
| AtlAxCreateControl | 5 |
| AtlComPtrAssign | 5 |
| AtlRegisterClassCategoriesHelper | 5 |
| AtlModuleAddCreateWndData | 5 |
| AtlModuleLoadTypeLib | 5 |
| AtlModuleRegisterWndClassInfoW | 5 |
| NetBrowserStatisticsGet | 5 |
| NetSetPrimaryComputerName | 5 |
| @StdCtrls@TCustomComboBox@GetItemIn | 5 |
| _sscanf | 5 |
| _strncpy | 5 |
| ?get@?\$basic_istream@GU?\$char_traits@C | 5 |
| ?getline@?\$basic_istream@GU?\$char_traits@C | 5 |
| ?seekp@?\$basic_ostream@GU?\$char_traits@C | 5 |
| ?epsilon@?\$numeric_limits@I@std@@SA | 5 |
| ??X?\$_Complex_base@N@std@@QAEAAV | 5 |
| ?-_F?\$complex@O@std@@QAEXXZ | 5 |
| ?cosh@std@@YA?AV?\$complex@M@1@A | 5 |
| ??Kstd@@YA?AV?\$complex@N@0@ABV10 | 5 |
| DDAdminPortReset | 5 |
| DDMServiceInitialize | 5 |
| RasAcctProviderFreeAttributes | 5 |
| IfObjectLoadPhonebookInfo | 5 |
| DDMGetIdentityAttributes | 5 |
| rtcMacId | 5 |
| ?QuerySdidLookupTable@CIStorage@@QAE | 5 |
| ?AddCatalog@CCatState@@QAEAAV?\$XP1 | 5 |
| ?ChangeCurrentCatalog@CCatState@@QAE | 5 |
| ?FPSToPROPID@CPidConverter@@UAEJABV | 5 |
| ??1CPropertyRestriction@@QAE@XZ | 5 |
| php_request_shutdown | 5 |
| tsrm_shutdown | 5 |
| tsrm_startup | 5 |
| ts_resource_ex | 5 |
| sapi_startup | 5 |
| sapi_globals_id | 5 |
| php_request_startup | 5 |
| php_register_variable | 5 |

| | |
|--|---|
| php_module_startup | 5 |
| php_handle_aborted_connection | 5 |
| php_module_shutdown_wrapper | 5 |
| zend_error | 5 |
| executor_globals_id | 5 |
| _efree | 5 |
| ??1CNbuuStaticBitmapSkin@@UAE@XZ | 5 |
| ?SetTextColor@CNbuuStaticCtrl@@QAEXK@ | 5 |
| ??0CNbuuStaticBitmapSkin@@QAE@XZ | 5 |
| ??0CSingleList@@QAE@XZ | 5 |
| ?IsReadUnlocked@CCritSec@@QBE_NXZ | 5 |
| ?sm_wDefaultSpinCount@CFakeLock@@1G | 5 |
| ?sm_llGlobalList@CLKRLinearHashTable@@ | 5 |
| ??1CSmallSpinLock@@QAE@XZ | 5 |
| ?bad@ios_base@std@@QBE_NXZ | 5 |
| ?LoadEntry@CIniA@@IBEPADPBD@Z | 5 |
| @Cxcontainer@TcxCustomContainerStyle@. | 5 |
| NdrConformantVaryingStructMarshall | 5 |
| VDMGetSelectorModule | 5 |
| VDMEnumTaskWOW | 5 |
| @Dxskinslookandfeelpainter@initialization\$ | 5 |
| @Dxskinsstrs@initialization\$qqrv | 5 |
| @Dxskinscore@initialization\$qqrv | 5 |
| @Dxskinsdefaultpainters@initialization\$qqrv | 5 |
| @System@Pos\$qqrx17System@AnsiString@ | 5 |
| @Variants@@VarCmpNE\$qqrrx8TVarData@1 | 5 |
| @Variants@@VarFromCurr\$qqrv | 5 |
| @Qrabout@Finalization\$qqrv | 5 |
| @Qrprgres@Finalization\$qqrv | 5 |
| @Qrexpr@Finalization\$qqrv | 5 |
| @Qrlabled@Finalization\$qqrv | 5 |
| @Qrexpred@Finalization\$qqrv | 5 |
| @Qrcctrls@Finalization\$qqrv | 5 |
| @Qrprnsu@Finalization\$qqrv | 5 |
| @Qrcomped@Finalization\$qqrv | 5 |
| @Qrenved@Finalization\$qqrv | 5 |
| @Qrexpblk@Finalization\$qqrv | 5 |
| @Quickrpt@Finalization\$qqrv | 5 |
| @Qrextra@Finalization\$qqrv | 5 |
| @Qrprev@Finalization\$qqrv | 5 |
| @Qrprntr@Finalization\$qqrv | 5 |
| rtclsDate | 5 |
| pcap_findalldevs_ex | 5 |
| PacketRequest | 5 |
| ?pptr@?\$basic_streambuf@GU?\$char_traits@ | 5 |
| ?is_open@?\$basic_fstream@DU?\$char_traits@ | 5 |
| ??_7?\$money_put@GV?\$ostreambuf_iterator@ | 5 |

| | |
|--|---|
| ldap_value_freeA | 5 |
| ldap_parse_result | 5 |
| I_NetLogonSamLogonEx | 5 |
| NetUserSetGroups | 5 |
| NetMessageNameGetInfo | 5 |
| RxNetAccess GetUserPerms | 5 |
| NetpwNameCompare | 5 |
| SQLReadFileDSNW | 5 |
| SQLInstallODBCW | 5 |
| TF_GetThreadFlags | 5 |
| TF_GetThreadMgr | 5 |
| TF_CreateLangBarItemMgr | 5 |
| EvtNext | 5 |
| EvtQuery | 5 |
| @Toolsapi@initialization\$qqrv | 5 |
| @Toolsapi@Finalization\$qqrv | 5 |
| UtilGetColor | 5 |
| ?id@?\$num_put@DV?\$ostreambuf_iterator | 5 |
| ?copySize@Mat@cv@@@QAEXABV12@@@Z | 5 |
| ?create@Mat@cv@@@QAEXHPBHH@Z | 5 |
| ?GetSectorSize@CDriveInfo@@@QAEKXZ | 5 |
| ?Write@CRcovStrmTrans@@IAEXPBXK@Z | 5 |
| GetXaSwitch | 5 |
| CtfAIImmActivate | 5 |
| DsaopBindWithSpn | 5 |
| ?RemoveTail@CLockedDoubleList@@QAEQ | 5 |
| ?WriteLock@CFakeLock@@QAEXXZ | 5 |
| ?ReadUnlock@CCritSec@@QAEXXZ | 5 |
| ?ReadOrWriteUnlock@CFakeLock@@QAEX_ | 5 |
| ?_TryLock@CSmallSpinLock@@AAE_NXZ | 5 |
| ??4_Winit@std@@@QAEAAV01@ABV01@@: | 5 |
| ?unget@?\$basic_istream@GU?\$char_traits | 5 |
| ?_Nanv@?\$_Ctr@M@std@@SAMM@Z | 5 |
| ?conj@std@@YA?AV?\$complex@O@1@AB | 5 |
| ?decimal_point@?\$_Mpunct@D@std@@QI | 5 |
| ??0underflow_error@std@@QAE@ABV?\$b | 5 |
| NdrMesSimpleTypeAlignSize | 5 |
| AuthzInitializeObjectAccessAuditEvent | 5 |
| AuthzilInitializeAuditParamsWithRM | 5 |
| AuthzilInitializeContextFromToken | 5 |
| AuthziAllocateAuditParams | 5 |
| AuthziFreeAuditParams | 5 |
| AuthziFreeAuditQueue | 5 |
| AuthzCachedAccessCheck | 5 |
| RpcUserFree | 5 |
| RasPrivilegeAndCallBackNumber | 5 |
| ATMEnumMMFontsW | 5 |

| | |
|--|---|
| ATMEnumFontsW | 5 |
| ATMGetFontPathsA | 5 |
| ATMRmveSubstFontA | 5 |
| ATMClient | 5 |
| gimp_drawable_bpp | 5 |
| gimp_rgn_iterate2 | 5 |
| AtlModuleUnRegisterTypeLib | 5 |
| AtlPersistStreamInit_Load | 5 |
| CredMarshalCredentialA | 5 |
| Cla\$comparestr | 5 |
| Cla\$DecDistinct | 5 |
| Cla\$DISPLAY | 5 |
| Cla\$DPushLong | 5 |
| Cla\$freestr | 5 |
| Cla\$FreeUfo | 5 |
| Cla\$GetPropS | 5 |
| Cla\$Mem2Ufo | 5 |
| Cla\$PopCString | 5 |
| Cla\$PopTemp | 5 |
| Cla\$POST | 5 |
| Cla\$PushCString | 5 |
| Cla\$SetPropV | 5 |
| Cla\$StackCLIP | 5 |
| Cla\$StackCompareN | 5 |
| Cla\$StackConcatR | 5 |
| Cla\$storecstr | 5 |
| Cla\$storestr | 5 |
| Cla\$TODAY | 5 |
| @Sysutils@FileSetAttr\$qqrx17System@AnsI | 5 |
| @Controls@TMouse@GetCursorPos\$qqrv | 5 |
| @Controls@Mouse | 5 |
| @Comctrls@TListItems@Clear\$qqrv | 5 |
| Init | 5 |
| NS_Realloc | 5 |
| PR_GetError | 5 |
| ldap_count_values_len | 5 |
| NtQueryInformationPort | 5 |
| _FSOUND_Stream_Close@4 | 5 |
| _FSOUND_Stream_Stop@4 | 5 |
| _FSOUND_3D_Listener_SetAttributes@32 | 5 |
| _FSOUND_Update@0 | 5 |
| _FSOUND_3D_SetDopplerFactor@4 | 5 |
| _FSOUND_3D_SetRolloffFactor@4 | 5 |
| _FSOUND_SetOutput@4 | 5 |
| _FSOUND_GetVersion@0 | 5 |
| _FSOUND_Stream_SetEndCallback@12 | 5 |
| _FSOUND_Sample_GetMode@4 | 5 |

| | |
|---|---|
| _FSOUND_3D_SetAttributes@12 | 5 |
| RAROpenArchive | 5 |
| NPGetConnection3 | 5 |
| CreateEventExW | 5 |
| buf32GetWHU | 5 |
| buf32DupBuf | 5 |
| buf32Lock | 5 |
| ?ThrowLastError@Base@@YGXXZ | 5 |
| ?IsVistaOrGreater@OS@Base@@YG_NXZ | 5 |
| SetMain32Options | 5 |
| HexToStr | 5 |
| _findfirst64i32 | 5 |
| ??1CAdUiDialog@@UAE@XZ | 5 |
| @Classes@TThread@SetPriority\$qqr23Class | 5 |
| InetDialHandler | 5 |
| CmReConnect | 5 |
| _initializePIntArray | 5 |
| _initializePPointArray | 5 |
| _initPWideStrings | 5 |
| _initPAnsiStrings | 5 |
| NdrMesProcEncodeDecode2 | 5 |
| ??9std@@YA_NABV?\$complex@M@0@AB | 5 |
| ?begin@?\$basic_string@GU?\$char_traits@(| 5 |
| glutSolidCone | 5 |
| glutSolidTorus | 5 |
| glutWireCone | 5 |
| ?x_lockc@ios@@0U_RTL_CRITICAL_SECTIOI | 5 |
| ?Load@CLocalGlobalPropertyList@@QAEXC | 5 |
| ?grouping@?\$_Mpunct@D@std@@QBE?A\ | 5 |
| ?narrow@?\$_ctype@D@std@@QBEPBDBD | 5 |
| glsWriteFunc | 5 |
| glsHeaderi | 5 |
| glsGetOpcodeCount | 5 |
| glsGetCommandFunc | 5 |
| glsNumsv | 5 |
| ?peek@?\$basic_istream@GU?\$char_traits@ | 5 |
| ?negative_sign@?\$_Mpunct@G@std@@QE | 5 |
| ?toupper@?\$_ctype@G@std@@QBEGG@Z | 5 |
| BtMemFree | 5 |
| BtCloseAPI | 5 |
| ?setbase@std@@YA?AU?\$_Smanip@H@1@ | 5 |
| ??0BITVECTOR@@QAE@XZ | 5 |
| ??0MEM_BLOCK_MGR@@QAE@XZ | 5 |
| BmEnumFormat | 5 |
| NtCreateThreadEx | 5 |
| ?MinimzeMemory@Sys@Util@@YAXXZ | 5 |
| ?ValidateBugReport@TXBugReport@@YAX | 5 |

| | |
|--|---|
| ?InitPlatformModeConfig@Boot@Util@@Y | 5 |
| ?GetProgramRootDir@Sys@Util@@YA?AVC | 5 |
| ?SetCustomObjectFactory@GF@Util@@YA? | 5 |
| aout_FifoPop | 5 |
| Proces | 5 |
| ?GetTitleW@CFolder@@QAEPBGXZ | 5 |
| ?GetNextFolder@CFolder@@QAEPAV1@XZ | 5 |
| ?DeleteFolder@CCollection@@QAEKPAVCF | 5 |
| ?MergeKeywords@CCollection@@QAEHPA\ | 5 |
| I_RpcBindingToStaticStringBindingW | 5 |
| _ZN10QByteArray11shared_nullE | 5 |
| _ZN11QTextStreamlsEc | 5 |
| ?getTime@LocaleDataWrapper@@QBE?AV! | 5 |
| ?getDate@LocaleDataWrapper@@QBE?AVS | 5 |
| ?GetControlFont@Window@@QBE?AVFont | 5 |
| ?OutputToScreenPixel@Window@@QBE?AV | 5 |
| ?Update@Window@@QAEXXZ | 5 |
| ?StateChanged@TabDialog@@UAEXG@Z | 5 |
| ??0Image@@QAE@ABVResId@@@Z | 5 |
| ?SetControlFont@Window@@QAEABVFor | 5 |
| ??0TabPage@@QAE@PAVWindow@@ABVI | 5 |
| ??1TabPage@@UAE@XZ | 5 |
| ??4Image@@QAEAAV0@ABV0@@Z | 5 |
| ??0Image@@QAE@ABV0@@Z | 5 |
| ?Resize@TabDialog@@UAEXXZ | 5 |
| ?getFSysPath@INetURLObject@@QBE?AVO | 5 |
| ?BottomRight@Rectangle@@QBE?AVPoint(| 5 |
| ??1SvFileStream@@UAE@XZ | 5 |
| ??0SvFileStream@@QAE@ABVString@@G | 5 |
| ?FirstSelected@SvTreeList@@ABEPAVSvList | 5 |
| ??0FixedInfo@@QAE@PAVWindow@@ABV | 5 |
| HlinkGetSpecialReference | 5 |
| vlc_thread_join | 5 |
| ??0?\$basic_string@DU?\$char_traits@D@st | 5 |
| ?_Throw@std@@YAXABVexception@stdext | 5 |
| BT_SetAppName | 5 |
| BT_InstallSehFilter | 5 |
| BT_SetFlags | 5 |
| IsmGetControlFile | 5 |
| IsmGetActiveScopeName | 5 |
| IsmInitialize | 5 |
| IsmSetPlatform | 5 |
| IsmStartEtmModules | 5 |
| IsmStartTransport | 5 |
| IsmSetRollbackJournalType | 5 |
| IsmDoesRollbackDataExist | 5 |
| IsmPreserveJournal | 5 |

| | |
|---------------------------------------|---|
| IsmCanWriteRollbackJournal | 5 |
| IsmTerminate | 5 |
| IsmSave | 5 |
| IsmRollback | 5 |
| IsmLoad | 5 |
| IsmRemoveAllUserSuppliedComponents | 5 |
| IsmSelectMasterGroup | 5 |
| IsmIsSystemScopeSelected | 5 |
| IsmGetObjectTypeName | 5 |
| IsmSetEnvironmentMultiSz | 5 |
| IsmGetTempStorage | 5 |
| IsmSelectComponent | 5 |
| IsmRegisterProgressBarCallback | 5 |
| IsmSetEnvironmentValue | 5 |
| IsmAppendEnvironmentMultiSz | 5 |
| IsmAddControlFile | 5 |
| IsmSetTransportStorage | 5 |
| IsmSelectTransport | 5 |
| IsmRegisterTransport | 5 |
| IsmExecute | 5 |
| SuppressAllLogPopups | 5 |
| LogDeleteOnNextInit | 5 |
| ?Load@CxImage@@QAE_NPB_WK@Z | 5 |
| ?Draw@CxImage@@QAEJPAUHDC__@A@E | 5 |
| ?Decode@CxImage@@QAE_NPAVCxFile@C | 5 |
| ?CreateFromHBITMAP@CxImage@@QAE_N | 5 |
| ?Encode@CxImage@@QAE_NPAVCxFile@C | 5 |
| CanvasToTexture | 5 |
| ?GetFileFullName@CTXFileDialog@@QBE?A | 5 |
| ?LoadXmlByName@FS@Util@@YAHPB_WP | 5 |
| ?.CreateDirectoryW@FS@@YAHPB_W@Z | 5 |
| ??9CTXBSTR@@QBE_NPA_W@Z | 5 |
| GdipDrawImage | 5 |
| RasAutodialDisableDlgA | 5 |
| ?_Callfn@ios_base@std@@AAEXW4event | 5 |
| ?GetSortedFirst@TLINK@@QAEPAAXZ | 5 |
| ?IsATformat@DP_DRIVE@@QBEEHZ | 5 |
| ?Initialize@SPARSE_SET@@QAEEXZ | 5 |
| _set_security_error_handler | 5 |
| VarI8FromDate | 5 |
| RpcNsBindingUnexportPnPA | 5 |
| RpcNsProfileEltInqBeginW | 5 |
| RpcNsGroupMbrRemoveA | 5 |
| RpcNsEntryObjectInqBeginW | 5 |
| ?denorm_min@\$numeric_limits@I@std@ | 5 |
| DhcpModifyClass | 5 |
| ??0CXTPWindowRect@@QAE@PBVCWnd@ | 5 |

| | |
|---|---|
| ?_Init@?\$time_get@GV?\$istreambuf_iterat | 5 |
| _apr_pstrdup@8 | 5 |
| _apr_palloc@8 | 5 |
| ?pow@std@@YA?AV?\$complex@N@1@AE | 5 |
| ??8std@@YA_NABV?\$complex@M@0@AB | 5 |
| ?read@?\$basic_istream@GU?\$char_traits@ | 5 |
| __CxxCallUnwindDtor | 5 |
| ??1_Timevec@std@@QAE@XZ | 5 |
| BASS_StreamCreateFile | 5 |
| BASS_Start | 5 |
| OpenURLA | 5 |
| ?Enum@CWin32RegAccess@@QAEHPAGK@ | 5 |
| ?GetLPWSTR@CAllocStorageVariant@@QBE | 5 |
| ?HTMLEscapeW@@YGXPBGAACVirtualStri | 5 |
| SnmpMgrOidToStr | 5 |
| SnmpMgrGetTrapEx | 5 |
| SnmpMgrStrToOid | 5 |
| IsValidEnhMetaRecord | 5 |
| EtwUnregister | 5 |
| RasDialDlgA | 5 |
| ?decimal_point@?\$numpunct@D@std@@@C | 5 |
| ?infinity@?\$numeric_limits@N@std@@SA | 5 |
| SQLExecDirectA | 5 |
| ExInterlockedDecrementLong | 5 |
| @Classes@TComponent@ValidateRename\$ | 5 |
| ?setw@std@@YA?AU?\$Smanip@_J@1@_ | 5 |
| SRSetRestorePointA | 5 |
| LanaCfgFromCommandArgs | 5 |
| ??9SC@mmcrror@@QBE_NABV01@@Z | 5 |
| rmdir | 5 |
| VarCyFromDate | 5 |
| ?push_back@?\$basic_string@GU?\$char_tr | 5 |
| ?assign@?\$basic_string@GU?\$char_traits@ | 5 |
| _OpenSCManager_@12 | 5 |
| ?_Nanv@?\$_Ctr@N@std@@SANN@Z | 5 |
| ?imag@?\$_Complex_base@O@std@@QBE | 5 |
| RpcObjectSetType | 5 |
| SHGetIDListFromObject | 5 |
| OleQueryOpen | 5 |
| OleQueryReleaseStatus | 5 |
| ObDereferenceSecurityDescriptor | 5 |
| ObLogSecurityDescriptor | 5 |
| RpcBindingCreateW | 5 |
| RpcBindingBind | 5 |
| RpcBindingUnbind | 5 |
| GETCOMMANDLINEA | 5 |
| FINDNEXTFILEA | 5 |

| | |
|--|---|
| FINDFIRSTFILEA | 5 |
| ?RemoveFileSystem@FS@@YAHPB_W@Z | 5 |
| ??0CTXBSTR@@QAE@ABU_GUID@@@Z | 5 |
| ?GetPlatformCore@CoreCenter@Util@@YA | 5 |
| HTMLLayoutSetElementState | 5 |
| ?GetWindow@VCLUnoHelper@@SAPAVWi | 5 |
| ??0ErrorBox@@QAE@PAVWindow@@_JAE | 5 |
| ?Stop@Timer@@QAEXXZ | 5 |
| ?createWithServiceFactory@OConfiguration | 5 |
| ??1OConfigurationTreeRoot@utl@@UAE@) | 5 |
| ?ConvertPhysicalNameToURL@LocalFileHel | 5 |
| ?EraseLeadingChars@String@@QAEAAV1@ | 5 |
| ?EraseTrailingChars@String@@QAEAAV1@I | 5 |
| ?insertName@INetURLObject@@AAE_NAB` | 5 |
| ?get@Content@ucbhelper@@QBE?AV?\$Re | 5 |
| osl_getEnvironment | 5 |
| LdapIsClassNameValidOnServer | 5 |
| Utf8ToUtf16 | 5 |
| Warning | 5 |
| ATMGetNtmFieldsA | 5 |
| gimp_progress_init_printf | 5 |
| av_bitstream_filter_filter | 5 |
| av_bitstream_filter_init | 5 |
| av_free_packet | 5 |
| avcodec_close | 5 |
| av_find_input_format | 5 |
| av_find_stream_info | 5 |
| av_gettime | 5 |
| av_interleaved_write_frame | 5 |
| av_open_input_file | 5 |
| av_read_frame | 5 |
| av_seek_frame | 5 |
| av_set_parameters | 5 |
| av_write_header | 5 |
| av_write_trailer | 5 |
| avformat_alloc_context | 5 |
| dump_format | 5 |
| url_fclose | 5 |
| url_fopen | 5 |
| av_freep | 5 |
| av_rescale_q | 5 |
| input_item_CopyOptions | 5 |
| input_item_NewWithType | 5 |
| input_item_node_AppendItem | 5 |
| input_item_node_Create | 5 |
| input_item_node_PostAndDelete | 5 |
| services_discovery.AddItem | 5 |

| | |
|---|---|
| stream_MemoryNew | 5 |
| vlc_meta_Get | 5 |
| vlc_sd_probe_Add | 5 |
| xml_Create | 5 |
| xml_Delete | 5 |
| strndup | 5 |
| vztxxlt | 5 |
| vilcl2g | 5 |
| ymalloc | 5 |
| yexit | 5 |
| GetThemeFilename | 5 |
| Options_RunDLA | 5 |
| I_RpcIfInqTransferSyntaxes | 5 |
| @System@@ReadLn\$qqrr15System@TTextI | 5 |
| @System@@ResetText\$qqrr15System@TTe | 5 |
| RtlDecompressChunks | 5 |
| FaxFreeBuffer | 5 |
| ?_Getctype @_Locinfo@std@@QBE?AU_Cty | 5 |
| ?underflow@?\$basic_streambuf@DU?\$char | 5 |
| rtcBstrFromChar | 5 |
| rtcSetDateBstr | 5 |
| rtcFixVar | 5 |
| TipSetOption | 5 |
| RasEapInvokeConfigUI | 5 |
| RasEapInvokeInteractiveUI | 5 |
| RasEapGetIdentity | 5 |
| RasEapFreeMemory | 5 |
| ?winEventFilter@QCoreApplication@@UAE | 5 |
| ??0QEvent@@QAE@W4Type@0@@Z | 5 |
| ??1QMutexLocker@@QAE@XZ | 5 |
| ??0QMutexLocker@@QAE@PAVQMutex@() | 5 |
| ?entryInfoList@QDir@@QBE?AV?\$QList@V | 5 |
| ?size@QFileInfo@@QBE_JXZ | 5 |
| ?toBool@QVariant@@QBE_NXZ | 5 |
| ?unlock@QMutexLocker@@QAEXXZ | 5 |
| ?elapsed@QTime@@QBEHXZ | 5 |
| ?start@QTime@@QAEXXZ | 5 |
| ?QStringList_join@QtPrivate@@YA?AVQString | 5 |
| ?arguments@QCoreApplication@@SA?AVQ | 5 |
| ??0QFileInfo@@QAE@ABV0@@Z | 5 |
| dup2 | 5 |
| pipe | 5 |
| HTMLLayoutGetParentElement | 5 |
| ?SetHook@@YGHXZ | 5 |
| _tcsrev | 5 |
| BZ2_bzDecompressInit | 5 |
| g_build_filename | 5 |

| | |
|--|---|
| g_dir_close | 5 |
| g_print | 5 |
| g_string_free | 5 |
| g_string_new | 5 |
| g_try_malloc | 5 |
| g_object_get | 5 |
| ?sinh@std@@YA?AV?\$complex@M@1@A@ | 5 |
| ?denorm_min@?\$numeric_limits@M@std@ | 5 |
| RpcNsBindingLookupBeginA | 5 |
| RpcNsMgmtBindingUnexportW | 5 |
| ?IsThisNtfs@IFS_SYSTEM@@SGEVBIG_INT@ | 5 |
| ?Initialize@READ_CACHE@@QAEPAVIO_D | 5 |
| VarI8FromStr | 5 |
| VarBoolFromUI4 | 5 |
| SCardIntroduceReaderGroupW | 5 |
| SQLDescribeColA | 5 |
| ZwWaitForKeyedEvent | 5 |
| VarUI4FromDate | 5 |
| _tcscspn | 5 |
| ?FillMax@CKeyArray@@QAEHH@Z | 5 |
| ?MakePrivileged@CImpersonateSystem@@ | 5 |
| ?SetFILETIME@CStorageVariant@@QAEXU_ | 5 |
| ??OCPointerList@@QAE@XZ | 5 |
| ?FindRecord@CLKRHashTable@@QBE?AW4 | 5 |
| ?TryReadLock@CReaderWriterLock2@@QA | 5 |
| ?SetDefaultSpinAdjustmentFactor@CCritSec | 5 |
| ??1EA_HEADER@@UAE@XZ | 5 |
| ZwQueryBootOptions | 5 |
| @Sysutils@StrToInt64\$qqrx17System@Ansi | 5 |
| @Classes@TList@Notify\$qqrpv25Classes@T | 5 |
| @Strutils@LeftStr\$qqrx17System@AnsiStrin | 5 |
| _Getdays @_Locinfo@std@@QBEPBDXZ | 5 |
| ??5?\$basic_istream@GU?\$char_traits@G@: | 5 |
| ??0?\$basic_filebuf@DU?\$char_traits@D@st | 5 |
| ?assign@?\$basic_string @_WU?\$char_traits | 5 |
| ?toupper@?\$ctype @_W@std@@QBE_W_V | 5 |
| @Jvitemssearchs@initialization\$qqrv | 5 |
| _ChooseColor @_4 | 5 |
| _GetProfileInt @_12 | 5 |
| iso_getentry | 5 |
| ??7SC@mmcrror@@QBEHXZ | 5 |
| ??0CEventBuffer@@QAE@ABV0@@Z | 5 |
| ?InternalLastRefReleased@CMMCStrongRef | 5 |
| ?SCODEFromSc@@YGJABVSC@mmcrror@ | 5 |
| ?InternalRelease@CMMCStrongReferences@ | 5 |
| ?SetHinst@SC@mmcrror@@SGXPAUHINS` | 5 |
| RtlUlonglongByteSwap | 5 |

| | |
|--|---|
| LsapDsDebugInitialize | 5 |
| SampUsingDsData | 5 |
| ?seekoff@?\$basic_filebuf@DU?\$char_traits | 5 |
| ??Ystd@@YAAV?\$complex@N@0@AAV1C | 5 |
| I_RpcTurnOnEEInfoPropagation | 5 |
| NdrMesTypeAlignSize2 | 5 |
| NdrXmitOrRepAsBufferSize | 5 |
| LsdnFinishDeleteAll | 5 |
| LsdnSetAbsBaseLine | 5 |
| LsdnFinishRegularAddAdvancePen | 5 |
| SetGadgetCenterPoint | 5 |
| GetGadgetBufferInfo | 5 |
| ?ReadProperty@CPropStoreManager@@QF | 5 |
| ?Find@CStaticPropertyList@@UAEPBVCProj | 5 |
| _AbortMerges@16 | 5 |
| ?DisableNotification@CRegNotify@@QAEX | 5 |
| ??0CColumns@@QAE@I@Z | 5 |
| ??0CRcovStrmTrans@@IAE@AAVPRcovStor | 5 |
| ?GetLocation@CCatalogAdmin@@QAEPBG | 5 |
| I_CryptAddRefLruEntry | 5 |
| ??5?\$basic_istream@DU?\$char_traits@D@: | 5 |
| ?do_close@?\$messages@D@std@@@MBEXF | 5 |
| ASN1BERDecTag | 5 |
| ??0CColumns@@QAE@ABV0@@Z | 5 |
| DeRegisterShell | 5 |
| FsRtlAllocatePoolWithTag | 5 |
| IoReadOperationCount | 5 |
| VideoPortAllocateCommonBuffer | 5 |
| VideoPortSetDmaContext | 5 |
| VideoPortDeleteSpinLock | 5 |
| VideoPortCompareMemory | 5 |
| NdisReadNetworkAddress | 5 |
| ?InitDownloadTempDirectory@CTXHttpDow | 5 |
| ?GetLCID@TXI18N@@YAKXZ | 5 |
| ?GetBuffer@CTXStringW@@QAEPA_WXZ | 5 |
| ?IsFileNameValid@DiskUtil@NetDisk@@YA | 5 |
| ?IsPathValid@DiskUtil@NetDisk@@YAHABV | 5 |
| ?GetPathLevel@DiskUtil@NetDisk@@YAHA | 5 |
| GetCurrentThreadCompartmentId | 5 |
| BASIC_CLASS_GetIDsOfNames | 5 |
| glsError | 5 |
| glsULongLow | 5 |
| glsIsExtensionSupported | 5 |
| ??3CDbPropSet@@SGXPAX@Z | 5 |
| ?SetSZParam@CMachineAdmin@@QAEXPB | 5 |
| OleReconnect | 5 |
| GenEnumFormat | 5 |

| | |
|---|---|
| ShutdownBlockReasonDestroy | 5 |
| ??4String@@QAEAAV0@ABV0@@Z | 5 |
| PL_HashTableLookup | 5 |
| PR_CallOnce | 5 |
| _PfGetInterfaceStatistics@16 | 5 |
| xmlStrlen | 5 |
| ?GetC@CxMemFile@@UAEJXZ | 5 |
| GetQuantumPixels | 5 |
| GetStringInfoDatum | 5 |
| GetImageProfile | 5 |
| CreateThreadpoolTimer | 5 |
| CloseThreadpoolTimer | 5 |
| ?DXDitherArray@@YGXPBUDXDITHERDESC(| 5 |
| ZwSetHighEventPair | 5 |
| I_RpcServerInqTransportType | 5 |
| NdrConformantVaryingArrayUnmarshall | 5 |
| rtcExp | 5 |
| rtUI1FromErrVar | 5 |
| cvReleaseImage | 5 |
| TraceSQLFetch | 5 |
| ??0CMMCStrongReferences@@AAE@XZ | 5 |
| ?SetCatalog@CCatState@@QAEXPBG@Z | 5 |
| ?Close@CPhysStorage@@QAEXXZ | 5 |
| ?Value@CDbScalarValue@@QAEXAAVCStor | 5 |
| ApphelpFixMsiPackageExe | 5 |
| MemFreelas | 5 |
| @\$xp\$17Classes@TBiDiMode | 5 |
| @Graphics@TCanvas@TextRect\$qqrrx13Wi | 5 |
| @Graphics@TCanvas@FillRect\$qqrrx13Win | 5 |
| @Graphics@TFont@GetHandle\$qqrv | 5 |
| @StdCtrls@TCustomListBox@SetItemIndex\$ | 5 |
| @StdCtrls@TCustomEdit@CreateWindowHa | 5 |
| @StdCtrls@TCustomEdit@CreateParams\$qq | 5 |
| @Forms@GetParentForm\$qqrp17Controls@ | 5 |
| @Menus@TMenuItem@Add\$qqrp15Menus | 5 |
| @Menus@TMenuItem@\$bctr\$qqrp18Class@ | 5 |
| @Controls@TWinControl@IsCtl3DStored\$qr | 5 |
| @Controls@TControl@IsBiDiModeStored\$qr | 5 |
| _atof | 5 |
| png_create_read_struct | 5 |
| png_read_row | 5 |
| png_set_gray_to_rgb | 5 |
| png_set_strip_16 | 5 |
| png_write_row | 5 |
| SetupCommitFileQueue | 5 |
| @KbmMemCsvStreamFormat@Finalization\$() | 5 |
| ?Scale@GDIMetaFile@@QAEXNN@Z | 5 |

?Move@GDIMetaFile@@QAEXJJ@Z
?AddGradientActions@OutputDevice@@QA
?LogicToLogic@OutputDevice@@SA?AVPoi
??0Font@@QAE@ABVString@@ABVSize@C
??0Graphic@@QAE@XZ
?GetDefaultDevice@Application@@SAPAVC
?GetGDIMetaFile@Graphic@@QBEABVGDI
??0MapMode@@QAE@XZ
?SetSettings@OutputDevice@@UAEXABVAI
?Center@Rectangle@@QBE?AVPoint@@XZ
??0Polygon@@QAE@ABVRectangle@@@Z
??0PolyPolygon@@QAE@GG@Z
@Ppdb@initialization\$qqrv
@Pprtti@initialization\$qqrv
@Pputils@initialization\$qqrv
@Ppdisplayformat@initialization\$qqrv
@Pptypes@initialization\$qqrv
@Pppintr@initialization\$qqrv
@Pprelatv@initialization\$qqrv
@Ppcomm@initialization\$qqrv
@Ppdsintf@initialization\$qqrv
@Ppcache@initialization\$qqrv
@Ppreport@initialization\$qqrv
@Pptextsearchsettings@initialization\$qqrv
@Pptextsearcherror@initialization\$qqrv
@Pppreviewformsettings@initialization\$qq
@Ppenum@initialization\$qqrv
@Ppbackgroundprintsettings@initializati
@Ppparameter@initialization\$qqrv
@Ppoutlinereportnodecreator@initializati
@Ppoutlinenodecreator@initialization\$qqrv
@Ppoutlinesettings@initialization\$qqrv
@Ppoutlineparticipant@initialization\$qqrv
@Ppoutlinenode@initialization\$qqrv
@Pptreenode@initialization\$qqrv
@Ppoutlinedrawcommand@initialization\$qi
@Ppdevice@initialization\$qqrv
@Ppforms@initialization\$qqrv
@Ppprod@initialization\$qqrv
@Ppprndev@initialization\$qqrv
@Ppdrwcmd@initialization\$qqrv
@Ppplaintext@initialization\$qqrv
@Ppviewr@initialization\$qqrv
@Ppscrlbox@initialization\$qqrv
@Ppflddev@initialization\$qqrv
@Ppbackgroundprintmanager@initializati
@Ppbackgroundprintqueue@initialization\$c

| | |
|--|---|
| @Ppbackgroundprintthread@initialization\$qqrv | 5 |
| @Ppbackgroundreportgenerator@initialization\$qqrv | 5 |
| @Ppbackgroundprintrequest@initialization\$qqrv | 5 |
| @Ppasfield@initialization\$qqrv | 5 |
| @Ppreporttemplatertti@initialization\$qqrv | 5 |
| @Pptmplat@initialization\$qqrv | 5 |
| @Ppclass@initialization\$qqrv | 5 |
| @Ppdsgnct@initialization\$qqrv | 5 |
| @Ppinistorage@initialization\$qqrv | 5 |
| @Ppprnabl@initialization\$qqrv | 5 |
| @Ppbands@initialization\$qqrv | 5 |
| @Ppstrtch@initialization\$qqrv | 5 |
| @Ppruler@initialization\$qqrv | 5 |
| @Ppcmpreg@initialization\$qqrv | 5 |
| @Ppoutlinegroupnodecreator@initialization\$qqrv | 5 |
| @Ppoutline@initialization\$qqrv | 5 |
| @Ppstrutils@initialization\$qqrv | 5 |
| @Ppsubrpt@initialization\$qqrv | 5 |
| @Ppoutlinereportsettings@initialization\$qqrv | 5 |
| @Ppasdlg@initialization\$qqrv | 5 |
| @Ppasctrl@initialization\$qqrv | 5 |
| @Pphorizontalbandengine@initialization\$qqrv | 5 |
| @Ppbandengine@initialization\$qqrv | 5 |
| @Ppclasut@initialization\$qqrv | 5 |
| @Ppregion@initialization\$qqrv | 5 |
| @Ppctrls@initialization\$qqrv | 5 |
| @Ppengine@initialization\$qqrv | 5 |
| @Ppnodatadlg@initialization\$qqrv | 5 |
| @Ppmemo@initialization\$qqrv | 5 |
| @Ppcdlg@initialization\$qqrv | 5 |
| @Pppdlg@initialization\$qqrv | 5 |
| @Ppmetabitmap@initialization\$qqrv | 5 |
| @Ppprvdlg@initialization\$qqrv | 5 |
| @Pppreview@initialization\$qqrv | 5 |
| @Pptextsearchcustompreview@initialization\$qqrv | 5 |
| @Pptextsearchcustomengine@initialization\$qqrv | 5 |
| @Pptextsearchdrawcommandhighlighter@initialization\$qqrv | 5 |
| @Pptextsearchoccurrence@initialization\$qqrv | 5 |
| @Pptextsearchdrawcommandhighlightregister@initialization\$qqrv | 5 |
| @Pparchiv@initialization\$qqrv | 5 |
| @Pptextsearchengineregistry@initialization\$qqrv | 5 |
| @Pptextsearchpreviewicons@initialization\$qqrv | 5 |
| @Pppreviewicons@initialization\$qqrv | 5 |
| @Ppoutlineviewer@initialization\$qqrv | 5 |
| @Ppdetailbandengine@initialization\$qqrv | 5 |
| @Ppverticalbandengine@initialization\$qqrv | 5 |
| @Ppmath@initialization\$qqrv | 5 |

| | |
|--|---|
| @Ppmodule@initialization\$qqrv | 5 |
| @Pptmedlg@initialization\$qqrv | 5 |
| @Pptmdlg@initialization\$qqrv | 5 |
| @Ppbarcod@initialization\$qqrv | 5 |
| @Ppvar@initialization\$qqrv | 5 |
| @Pprichtx@initialization\$qqrv | 5 |
| @Ppautosearchrtti@initialization\$qqrv | 5 |
| @Ppbackgroundcontaineradapter@initializa | 5 |
| @PpbackgroundthreadsSync@initialization\$q | 5 |
| @Pptextsearchregistration@initialization\$qc | 5 |
| @Pptextsearchtoolbox@initialization\$qqrv | 5 |
| @Pptextsearchrichtextengine@initialization. | 5 |
| @Pptextsearchengine@initialization\$qqrv | 5 |
| @Pptextsearchpagelist@initialization\$qqrv | 5 |
| @Pptextsearchpage@initialization\$qqrv | 5 |
| @Pptextsearchrichtexthighlighter@initializa | 5 |
| @Pptextsearchselectionhighlighter@initializ | 5 |
| @Pptextsearchhighlighter@initialization\$qq | 5 |
| @Pptextsearchsettingsdialog@initialization\$ | 5 |
| @Pptextsearchpreview@initialization\$qqrv | 5 |
| @Ppdbpipe@initialization\$qqrv | 5 |
| @Ppdsgndb@initialization\$qqrv | 5 |
| @Pptreevw@initialization\$qqrv | 5 |
| @Pptb97x@initialization\$qqrv | 5 |
| @Pptb97ut@initialization\$qqrv | 5 |
| @Pptb97@initialization\$qqrv | 5 |
| @Ppide@initialization\$qqrv | 5 |
| @Pptoolwn@initialization\$qqrv | 5 |
| @Ppmetaal@initialization\$qqrv | 5 |
| @Pprptwiz@initialization\$qqrv | 5 |
| @Ppmetarw@initialization\$qqrv | 5 |
| @Pprwzdlg@initialization\$qqrv | 5 |
| @Ppwizard@initialization\$qqrv | 5 |
| @Ppformwrapper@initialization\$qqrv | 5 |
| @Ppdsgner@initialization\$qqrv | 5 |
| @Ppoutlinesettingsdialog@initialization\$qq | 5 |
| @Ppoutlinesettingspreviewthread@initializat | 5 |
| @Ppchecktreeview@initialization\$qqrv | 5 |
| @Pppgndlg@initialization\$qqrv | 5 |
| @Ppcordlg@initialization\$qqrv | 5 |
| @Pplabwiz@initialization\$qqrv | 5 |
| @Ppavintl@initialization\$qqrv | 5 |
| @Pplabeldef@initialization\$qqrv | 5 |
| @Ppavstd@initialization\$qqrv | 5 |
| @Pplwzdlg@initialization\$qqrv | 5 |
| @Ppnewdlg@initialization\$qqrv | 5 |
| @Ppmmdlg@initialization\$qqrv | 5 |

| | |
|---------------------------------|---|
| @Ppvardlg@initialization\$qqrv | 5 |
| @Ppdrldlg@initialization\$qqrv | 5 |
| @Ppbardlg@initialization\$qqrv | 5 |
| @Ppbpsdlg@initialization\$qqrv | 5 |
| @Ppdatdlg@initialization\$qqrv | 5 |
| @Ppposdlg@initialization\$qqrv | 5 |
| @Ppdemo@initialization\$qqrv | 5 |
| @Ppshfdlg@initialization\$qqrv | 5 |
| @Pprstdlg@initialization\$qqrv | 5 |
| @Ppclcdlg@initialization\$qqrv | 5 |
| @Ppmemdlg@initialization\$qqrv | 5 |
| @Ppabout@initialization\$qqrv | 5 |
| @Ppgrddlg@initialization\$qqrv | 5 |
| @Ppfmtdlg@initialization\$qqrv | 5 |
| @Ppgrpdlg@initialization\$qqrv | 5 |
| @Pptxtdlg@initialization\$qqrv | 5 |
| @Tabnotbk@initialization\$qqrv | 5 |
| @Pppgsdlg@initialization\$qqrv | 5 |
| @Ppriched@initialization\$qqrv | 5 |
| @Ppendusr@initialization\$qqrv | 5 |
| _vbaPut0 | 5 |
| IoCheckDesiredAccess | 5 |
| CcGetLsnForFileObject | 5 |
| VideoPortGetCommonBuffer | 5 |
| OpenFileStreamShareW | 5 |
| HrIndexOfMonth | 5 |
| PszSkipWhiteW | 5 |
| ShellUtil_GetSpecialFolderPath | 5 |
| HTMLLayoutRequestElementData | 5 |
| HTMLLayoutPostEvent | 5 |
| HTMLLayoutScrollToView | 5 |
| HTMLLayoutCombineURL | 5 |
| HTMLLayoutVisitElements | 5 |
| HTMLLayoutSetElementInnerText16 | 5 |
| long_from_ndr_temp | 5 |
| StopHook | 5 |
| ATMRemoveFontA | 5 |
| FormDecoratedAsyncDeviceName | 5 |
| StandardErrorMessage | 5 |
| GetUnknownString | 5 |
| RegGetNetworkDeviceName | 5 |
| TestUserForAdmin | 5 |
| StrSdClass | 5 |
| RasGetDevConfig | 5 |
| RasSetConnectionParams | 5 |
| RasEnumConnectionPorts | 5 |
| RasGetNdiswanDriverCaps | 5 |

| | |
|---------------------------------------|---|
| ?ResetIterator@NTFS_INDEX_TREE@@QAE | 5 |
| ?QueryFlags@NTFS_MFT_INFO@@SGEPAXC | 5 |
| ?Initialize@NTFS_BAD_CLUSTER_FILE@@QF | 5 |
| ?Write@NTFS_FRS_STRUCTURE@@QAEEXZ | 5 |
| ?Initialize@NTFS_FILE_RECORD_SEGMENT@ | 5 |
| PHD | 5 |
| ZENDFIL | 5 |
| CallDIIFunction2 | 5 |
| RunWindow6 | 5 |
| WgsSetDefinedKeys | 5 |
| WgsSetUncheckedKeys | 5 |
| RtlInterlockedPushEntrySList | 5 |
| ?RegisterPropertySpace@MsoCF@@YGXPBI | 5 |
| ?GetProperty@IPropertySet@MsoCF@@QA | 5 |
| ?ProduceAtom@MsoCF@@YGXPAPAVIAton | 5 |
| ?FreeAndZero_ComplexType@CPropertyDaI | 5 |
| ?FGet@Properties@MsoCF@@YG_NPAUIPr | 5 |
| PdhListLogFileHeaderW | 5 |
| ?ref@QBasicAtomicInt@@QAE_NXZ | 5 |
| ?begin@QListData@@QBEPAPAXXXZ | 5 |
| ??4QDateTime@@QAEAAV0@ABV0@@Z | 5 |
| ?end@QListData@@QBEPAPAXXXZ | 5 |
| ?currentDate@QDate@@SA?AV1@XZ | 5 |
| ?isEmpty@QString@@QBE_NXZ | 5 |
| ?indexOf@QString@@QBEHVQChar@@HW | 5 |
| ?chop@QString@@QAEEXH@Z | 5 |
| ?readLineData@QIODevice@@MAE_JPAD_J | 5 |
| ?qstrcmp@@YAHABVQByteArray@@PBD@ | 5 |
| ??0QByteArray@@QAE@PBDH@Z | 5 |
| ?compare@QString@@QBEHABV1@@Z | 5 |
| ??4QUrl@@QAEAAV0@ABV0@@Z | 5 |
| ?path@QUrl@@QBE?AVQString@@XZ | 5 |
| ?sender@QObject@@IBEPAV1@XZ | 5 |
| ??0QVariant@@QAE @_J@Z | 5 |
| ??0QDateTime@@QAE@ABV0@@Z | 5 |
| ?hasShrunk@QHashData@@QAEEXZ | 5 |
| ?fromBase64@QByteArray@@SA?AV1@AB' | 5 |
| ?dir@QFileInfo@@QBE?AVQDir@@XZ | 5 |
| ?fromString@QDateTime@@SA?AV1@ABV1 | 5 |
| ?deleteLater@QObject@@QAEEXZ | 5 |
| ??1QDataStream@@UAE@XZ | 5 |
| ?isRunning@QThread@@QBE_NXZ | 5 |
| ?read@QIODevice@@QAE?AVQByteArray@ | 5 |
| ?currentTime@QTime@@SA?AV1@XZ | 5 |
| ??0QByteArray@@QAE@XZ | 5 |
| ?read@QIODevice@@QAE_JPAD_J@Z | 5 |
| ?seek@QIODevice@@UAE_N_J@Z | 5 |

| | |
|---|---|
| _ZN8QMapData10createDataEi | 5 |
| _ZN8QMapData11node_createEPPNS_4Nod | 5 |
| _ZN8QMapData11shared_nulle | 5 |
| _ZN8QMapData16continueFreeDataEi | 5 |
| MprAdminUserServerConnect | 5 |
| __vlc_object_detach | 5 |
| __vlc_thread_create | 5 |
| __vlc_thread_join | 5 |
| @\$xp\$16Forms@TScrollBox | 5 |
| @\$xp\$24Extcodeedit@TExtCodeEdit | 5 |
| @Extcodeedit@TExtCodeEdit@ | 5 |
| @System@VarArrayOf\$qqrp14System@Va | 5 |
| @System@@VarToCurr\$qqrv | 5 |
| @Sysutils@CurrToStr\$qqr15System@Curre | 5 |
| @Adstable@TAdsQuery@AdsCloseSQLState | 5 |
| u32GetAppDataFolder | 5 |
| ??0FullPath@@QAE@PBGI@Z | 5 |
| ?_ImpersonateIf@CImpersonateRemoteAcc | 5 |
| ?append@?\$basic_string@GU?\$char_traits(| 5 |
| ??6std@_YAAA?\$_basic_ostream@DU?\$ch | 5 |
| sout_AccessOutControl | 5 |
| sout_AccessOutDelete | 5 |
| sout_AccessOutNew | 5 |
| sout_MuxAddStream | 5 |
| sout_MuxDelete | 5 |
| sout_MuxDeleteStream | 5 |
| sout_MuxNew | 5 |
| sout_MuxSendBuffer | 5 |
| GdipResetWorldTransform | 5 |
| SHBindToObject | 5 |
| ZwQueryTimerResolution | 5 |
| ?IsReadUnlocked@CReaderWriterLock@@C | 5 |
| ?InsertHead@CDoubleList@@QAEXQAVCLis | 5 |
| ?QueryVolumeLabel@SYSTEM@@SGPAVW! | 5 |
| CorBindToCurrentRuntime | 5 |
| RunDIIW | 5 |
| ?open@?\$basic_fstream@GU?\$char_traits@ | 5 |
| ?grouping@?\$numpunct@G@std@@QBE?A | 5 |
| ?-_7bad_exception@std@@6B@ | 5 |
| ?isfx@?\$basic_istream@GU?\$char_traits@C | 5 |
| ?polar@std@@YA?AV?\$complex@N@1@A | 5 |
| nanosleep | 5 |
| ??0?\$numpunct@G@std@@QAE@ABV_Loc | 5 |
| _Shell_NotifyIcon_@8 | 5 |
| GdipGetAdjustableArrowCapFillState | 5 |
| GdipSetAdjustableArrowCapWidth | 5 |
| GdipCreateAdjustableArrowCap | 5 |

| | |
|---|---|
| WdiGetParameterByName | 5 |
| WdiGetParameterData | 5 |
| WdiAddParameter | 5 |
| _ZN5QFile6existsERK7QString | 5 |
| _ZN7QThread11qt_metacallEN11QMetaObj | 5 |
| _ZN7QThread11qt_metacastEPKc | 5 |
| _ZN7QThread5startENS_8PriorityE | 5 |
| _ZN7QThreadC2EP7QObject | 5 |
| _ZN7QThreadD2Ev | 5 |
| _ZN9QListData6removeEi | 5 |
| _ZNK11QMetaObject2trEPKcS1_ | 5 |
| _ZN11QPushButton10setDefaultEb | 5 |
| _ZN11QPushButtonC1EP7QWidget | 5 |
| _ZN5QFont12setPointSizeEi | 5 |
| _ZN5QFontC1Ev | 5 |
| _ZN5QFontD1Ev | 5 |
| _ZN5QIconD1Ev | 5 |
| _ZN6QLabel12setAlignmentE6QFlagsIN2Qt1 | 5 |
| _ZN7QCursorC1EN2Qt11CursorShapeE | 5 |
| _ZN7QCursorD1Ev | 5 |
| _ZN7QDialog10setVisibleEb | 5 |
| _ZN7QDialog11eventFilterEP7QObjectP6QE\ | 5 |
| _ZN7QDialog16contextMenuEventEP17QCoo | 5 |
| _ZN7QDialog4doneEi | 5 |
| _ZN7QDialog6acceptEv | 5 |
| _ZN7QWidget12setAttributeEN2Qt15Widge | 5 |
| _ZNK7QDialog15minimumSizeHintEv | 5 |
| ASN1CEREncChar16String | 5 |
| ?IsBootableSystemStateBackedUp@CVssWr | 5 |
| ?OnAbortEnd@CVssJetWriter@@UAGXXZ | 5 |
| ?OnIdentify@CVssWriter@@UAG_NPAVIVs: | 5 |
| ?\$_F\$cctype@G@std@@QAEXXZ | 5 |
| __xmlParserVersion | 5 |
| htmlReadFile | 5 |
| inputPush | 5 |
| xmlDebugDumpDocument | 5 |
| xmlGetExternalEntityLoader | 5 |
| xmlLoadCatalogs | 5 |
| xmlNoNetExternalEntityLoader | 5 |
| xmlReadFile | 5 |
| xmlSetExternalEntityLoader | 5 |
| typelib_typedescription_getByName | 5 |
| phoneSetRing | 5 |
| RasRegisterRedialCallback | 5 |
| RasSecurityDialogSend | 5 |
| RasRpcRemote GetUserPreferences | 5 |
| _GetEnhMetaFileDescription_@12 | 5 |

| | |
|---|---|
| ?GetStr@CKey@@QBEPAGXZ | 5 |
| ?AddToWorkList@CWorkManager@@QAEX | 5 |
| AcquireSRWLockShared | 5 |
| ReleaseSRWLockShared | 5 |
| TraceSQLDriverConnectW | 5 |
| TraceSQLGetData | 5 |
| TraceSQLSpecialColumns | 5 |
| TraceSQLProcedureColumnsW | 5 |
| TraceSQLSetDescRec | 5 |
| TraceReturn | 5 |
| TraceSQLNativeSqlW | 5 |
| TraceSQLTransact | 5 |
| TraceSQLDescribeCol | 5 |
| ?defaultBootstrap_InitialComponentContext | 5 |
| ??1CheckBox@@UAE@XZ | 5 |
| I | 5 |
| ?GetBuffer@CString@@QAEPAH@Z | 5 |
| ?Lock@CCriticalSection@@QAEHXZ | 5 |
| ??H@YG?AVCString@@ABV0@0@Z | 5 |
| ?AfxW2AHelper@@YGPADPADPBGH@Z | 5 |
| ?RemoveAll@CStringArray@@QAEAXZ | 5 |
| ?ReleaseBuffer@CString@@QAEHX@Z | 5 |
| SceGetDbTime | 5 |
| ?Set@BIG_INT@@QAEXPBE@Z | 5 |
| ?contains@QRect@@QBE_NABVQPoint@@ | 5 |
| ??0QVariant@@QAE@PBD@Z | 5 |
| ?setIconSize@QAbstractButton@@QAEQAB' | 5 |
| ?style@QApplication@@SAPAVQStyle@@X | 5 |
| _config_GetPsz | 5 |
| utf8_fopen | 5 |
| __free_heaps | 5 |
| _ExtractIcon_@12 | 5 |
| setgid | 5 |
| setgroups | 5 |
| setuid | 5 |
| vout_window_Control | 5 |
| ZwOpenIoCompletion | 5 |
| ?SetPhrase@CNatLanguageRestriction@@Q | 5 |
| JetSetColumn@28 | 5 |
| ErrSetTargetDevice | 5 |
| @Jvfileutil@FileDate\$qqrx17System@/ | 5 |
| @Jvfileutil@CopyFile\$qqrx17System@AnsI\$ | 5 |
| @Jvfileutil@RemoveBackSlash\$qqrx17Syste | 5 |
| I_BrowserResetStatistics | 5 |
| ServerLicensingLoadPolicy | 5 |
| CsGetClassStorePath | 5 |
| ExInterlockedAddUlong | 5 |

| | |
|--|---|
| ScsiPortReadPortUchar | 5 |
| ScsiPortWritePortUchar | 5 |
| ?GetCGIVariableW@CWebServer@@QAEHF | 5 |
| ??0CiStorage@@QAE@PBGAAUICiCAdviseS | 5 |
| ?InitIterator@CCombinedPropertyList@@U, | 5 |
| ?IsWriteProtected@CDriveInfo@@QAEHXZ | 5 |
| ?Append@CEnumString@@QAEXPBG@Z | 5 |
| SetupQueueRenameSectionW | 5 |
| SetupGetBackupInformationW | 5 |
| ?DeleteRecord@CLKRHashTable@@QAE?A\ | 5 |
| ??1CLKRHashTable@@QAE@XZ | 5 |
| ??_7?\$money_get@DV?\$istreambuf_iteratc | 5 |
| ?positive_sign@?\$_Mpunct@G@std@@QB | 5 |
| glutSpecialFunc | 5 |
| SHCreatePropSheetExtArray | 5 |
| RutlFree | 5 |
| ??4CFolder@@QAEAAV0@ABV0@@Z | 5 |
| ?do_thousands_sep@?\$_Mpunct@G@std@ | 5 |
| ?_Isinf@?\$_Ctr@M@std@@SA_NM@Z | 5 |
| @Db@TNumericField@SetDisplayFormat\$qi | 5 |
| @Db@TBCDField@ | 5 |
| @Registry@TRegistry@\$bdtr\$qqrv | 5 |
| @Dxedlib@TdxEdit@ | 5 |
| @Jvbutton@initialization\$qqrv | 5 |
| I_NetServerAuthenticate2 | 5 |
| ?VnConvGetOptions@@YAXPAU_VnConvOr | 5 |
| VnFileConvert | 5 |
| ?genConvert@@YAHAAVVnCharset@@0AA | 5 |
| ?VnCharsetLibObj@@3VCVnCharsetLib@@@ | 5 |
| ?getVnCharset@CVnCharsetLib@@QAEPAV | 5 |
| ?UkStoreKeyOrderMap@@YAHPBDAUUKK | 5 |
| ?MsViMethodMapping@@3PAUUKKeyMap | 5 |
| ?VIQRMethodMapping@@3PAUUKKeyMap | 5 |
| ?VniMethodMapping@@3PAUUKKeyMap | 5 |
| ?SimpleTelexMethodMapping@@3PAUUKK | 5 |
| ?TelexMethodMapping@@3PAUUKKeyMap | 5 |
| ?UkLoadKeyOrderMap@@YAHPBDAUUKK | 5 |
| VnConvert | 5 |
| ?UnikeyLoadUserKeyMap@@YAHPB@Z | 5 |
| ?InitUkHook@@YAXXZ | 5 |
| ?DecryptFunc@@YGHPADO@Z | 5 |
| ?Marshall@CDbByGuid@@QBEXAAVPSerSti | 5 |
| ?GetI4@CAllocStorageVariant@@QBEJI@Z | 5 |
| rtcBstrFromByte | 5 |
| ?OpenFile@CmLogFile@@AAEJXZ | 5 |
| ?SetPrimaryFile@CIniA@@QAEXPBD@Z | 5 |
| HrCreateTridentMenu | 5 |

| | |
|---|---|
| FIsSpaceA | 5 |
| CleanupFileNameInPlaceW | 5 |
| GetExePath | 5 |
| FIsHTMLFileW | 5 |
| PVGetCertificateParam | 5 |
| FIsValidFileNameCharW | 5 |
| OpenFileStream | 5 |
| ?Eof@CMmStreamConsecBuf@@QAEHXZ | 5 |
| ?Unmap@CRcovStrmTrans@@IAEXW4Data | 5 |
| ?AcceptWord@CQueryScanner@@QAEXXZ | 5 |
| ldap_parse_sort_control | 5 |
| MsiGetProductInfoA | 5 |
| lineParkW | 5 |
| ?AddInfo@CTXHttpDownload@@QAEHABV | 5 |
| ?QueryInfo@CTXHttpDownload@@QAEHAE | 5 |
| gimp_drawable_mask_intersect | 5 |
| gimp_int_adjustment_update | 5 |
| gimp_table_attach_aligned | 5 |
| SignerTimeStamp | 5 |
| _GetAtomName_@12 | 5 |
| _CreateSemaphore_@16 | 5 |
| _NDdeShareGetInfo_@28 | 5 |
| ?GetSection@CIniA@@QBEPBDXZ | 5 |
| ?CIni_SetFile@CIniA@@KGXPAPADPBD@Z | 5 |
| ?Init@CRandom@@QAEXK@Z | 5 |
| ?Encode16@Encode@Util@@YA?AVCTXStri | 5 |
| ?ToLower@CTXBSTR@@QAEJXZ | 5 |
| ?SetDataReportBit@DataReport@Util@@YF | 5 |
| HlinkGetValueFromParams | 5 |
| RpcErrorClearInformation | 5 |
| I_RpcTransConnectionReallocPacket | 5 |
| NdrNonConformantStringUnmarshall | 5 |
| ?_TryLock@CSpinLock@@AAE_NXZ | 5 |
| ?ConvertSharedToExclusive@CLKRLinearHas | 5 |
| ?Pop@CSingleList@@QAEQAVCSingleListEn | 5 |
| ?_AddRefRecord@CLKRLinearHashTable@@ | 5 |
| SetupDiGetHwProfileFriendlyNameW | 5 |
| SetupSetNonInteractiveMode | 5 |
| LsGetHihLsimethods | 5 |
| RpcErrorStartEnumeration | 5 |
| TraceSQLGetConnectOption | 5 |
| TraceSQLSetDescField | 5 |
| TraceSQLTablePrivilegesW | 5 |
| TraceSQLBindParam | 5 |
| TraceSQLColAttributesW | 5 |
| TraceSQLDriversW | 5 |
| ?Initialize@NTFS_FILE_RECORD_SEGMENT@ | 5 |

| | |
|---|---|
| ?QueryExtentList@NTFS_ATTRIBUTE_RECOR | 5 |
| ?AddExtent@NTFS_EXTENT_LIST@@QAEV | 5 |
| ?QueryAttributeByOrdinal@NTFS_FILE_REC | 5 |
| ??ONTFS_BITMAP@@QAE@XZ | 5 |
| ?QueryEntry@NTFS_INDEX_TREE@@QAEK | 5 |
| ??ONTFS_CLUSTER_RUN@@QAE@XZ | 5 |
| ??ONTFS_BITMAP_FILE@@QAE@XZ | 5 |
| rtcSYD | 5 |
| rtcAbsVar | 5 |
| ??Orange_error@std@@QAE@ABV?\$basic_ | 5 |
| ??_F?\$codecvt@GDH@std@@QAEXXZ | 5 |
| ?date_order@?\$time_get@GV?\$istreambuf | 5 |
| ??Nstd@@YA_NABV?\$basic_string@GU?\$cl | 5 |
| _ZN4Foam7argList9validArgsE | 5 |
| _ZTVN4Foam8OSstreamE | 5 |
| _Unwind_SjLj_Register | 5 |
| _Unwind_SjLj_Resume | 5 |
| _Unwind_SjLj_Unregister | 5 |
| __cxa_begin_catch | 5 |
| __cxa_end_catch | 5 |
| FaxAccessCheck | 5 |
| MprAdminInterfaceSetInfo | 5 |
| SdbReadWORDTag | 5 |
| MsiSummaryInfoGetPropertyA | 5 |
| ?Create@CPlex@@SGPAU1@AAPAU1@II@ | 5 |
| ??4CPlex@@QAEAAU0@ABU0@@Z | 5 |
| _tcsnccmp | 5 |
| ldap_modrdn2A | 5 |
| pthread_cond_destroy | 5 |
| pthread_cond_wait | 5 |
| pthread_cond_init | 5 |
| pthread_cond_signal | 5 |
| pthread_join | 5 |
| pthread_mutex_destroy | 5 |
| NdisInitializeReadWriteLock | 5 |
| ?QueryMemberCount@TLINK@@QBEGXZ | 5 |
| DAD_DragEnterEx2 | 5 |
| ?TryReadLock@CCritSec@@QAE_NXZ | 5 |
| ?ConvertSharedToExclusive@CReaderWriter | 5 |
| ??4CLockedDoubleList@@QAEAV0@ABV0 | 5 |
| ?_TryWriteLock@CReaderWriterLock@@AA | 5 |
| TraceSQLDrivers | 5 |
| TraceSQLFreeEnv | 5 |
| TraceSQLGetDiagRec | 5 |
| TraceSQLErrorW | 5 |
| ?quiet_NaN@?\$numeric_limits@O@std@@ | 5 |
| ??_Ostd@@YAAV?\$complex@N@0@AAV1 | 5 |

| | |
|---|---|
| SetupDiOpenClassRegKeyExA | 5 |
| ldap_count_entries | 5 |
| ??YCTXBSTR@@QAEAAV0@PB_W@Z | 5 |
| OleQueryReleaseMethod | 5 |
| SchemasClassAContainer | 5 |
| ?ReadProperty@CPropertyStore@@QAEHA. | 5 |
| rtcVarDateFromVar | 5 |
| ?GetSpinCount@CSpinLock@@QBEGXZ | 5 |
| LpkDIIInitialize | 5 |
| @Cxprogressbar@initialization\$qqrv | 5 |
| @Cxfontnamecombobox@initialization\$qqr | 5 |
| @Cxtreeview@initialization\$qqrv | 5 |
| _JVM_IsInterface@8 | 5 |
| jio_vsnprintf | 5 |
| ERR_error_string | 5 |
| ERR_get_error | 5 |
| RSA_generate_key | 5 |
| openlog | 5 |
| syslog | 5 |
| SetupQueueDefaultCopyW | 5 |
| SetupDiSetClassRegistryPropertyA | 5 |
| access_GetParentInput | 5 |
| ??H@YG?AVCString@@ABV0@PBG@Z | 5 |
| _ZN11QMetaObject11removeGuardEPP7QO | 5 |
| _ZN5QCharC1Ec | 5 |
| ZwLockRegistryKey | 5 |
| ZwLockVirtualMemory | 5 |
| _ZN4QDirC1ERK7QString | 5 |
| _ZN4QDirD1Ev | 5 |
| _ZN9QDateTimeD1Ev | 5 |
| _ZNK7QString4leftEi | 5 |
| _ZNK8QVariant5ToIntEPb | 5 |
| SaslIdentifyPackageW | 5 |
| _GetCurrentDirectory_@8 | 5 |
| ?ReadUnlock@CLKRHashTable@@QBEXXZ | 5 |
| ?FindKey@CLKRLinearHashTable@@QBE?A' | 5 |
| RatingCustomInit | 5 |
| ??8SC@mmcerror@@QBE_NJ@Z | 5 |
| DeleteMMFilter | 5 |
| AddTunnelFilter | 5 |
| vlc_fourcc_GetCodecFromString | 5 |
| ExReleaseRundownProtection | 5 |
| _DefMDIChildProc_@16 | 5 |
| ?It@?\$char_traits@D@std@@SA_NABD0@ | 5 |
| WNetPropertyDialogA | 5 |
| ldap_sasl_bindA | 5 |
| _PfAddGlobalFilterToInterface@8 | 5 |

| | |
|--|---|
| CMGetInfo | 5 |
| CMCreateDeviceLinkProfile | 5 |
| CMCreateTransform | 5 |
| CMIsProfileValid | 5 |
| CMTranslateRGBs | 5 |
| CMCreateMultiProfileTransform | 5 |
| CMCreateTransformExt | 5 |
| CMCheckColorsInGamut | 5 |
| CMTranslateColors | 5 |
| @Sysutils@IncMonth\$qqrx16System@TDate | 5 |
| ??5?\$basic_istream@GU?\$char_traits@G@: | 5 |
| IoAttachDeviceToDeviceStackSafe | 5 |
| FsRtlDissectDbcs | 5 |
| ?replace@?\$basic_string @_WU?\$char_trait | 5 |
| ?xspputn@?\$basic_streambuf @_WU?\$char_ | 5 |
| ?_Xsgetn_s@?\$basic_streambuf @_WU?\$ch | 5 |
| ?xsgetn@?\$basic_streambuf @_WU?\$char_1 | 5 |
| ?underflow@?\$basic_streambuf @_WU?\$ch | 5 |
| ?showmanyC@?\$basic_streambuf @_WU?\$c | 5 |
| ?pbackfail@?\$basic_streambuf @_WU?\$cha | 5 |
| ?setbuf@?\$basic_streambuf @_WU?\$char_t | 5 |
| HTUI_DeviceColorAdjustmentA | 5 |
| _wputenv_s | 5 |
| CtfImmLeaveColInitCountSkipMode | 5 |
| SetImageType | 5 |
| _HUGE_dll | 5 |
| ??0CFileBuffer@@QAE@AAVCFileMapView | 5 |
| lua_touserdata | 5 |
| ?replace@?\$basic_string@GU?\$char_traits@ | 5 |
| ??_7?\$basic_fstream@GU?\$char_traits@G@: | 5 |
| ??4out_of_range@std@@QAEAAV01@ABV | 5 |
| ?min@?\$numeric_limits@D@std@@SADXZ | 5 |
| GdipCreateLineBrushI | 5 |
| AVIFileInfo | 5 |
| SkinH_AttachRes | 5 |
| SkinH_SetAero | 5 |
| ??0?\$moneypunct@D\$00@std@@QAE@I@ | 5 |
| ?RemoveEntryList@ListEntry@NetDisk@@Y | 5 |
| ?LogThreadSafe@CDiskLog@NetDisk@@SA | 5 |
| ?InsertTailList@ListEntry@NetDisk@@YAXP | 5 |
| ?Push@CSingleList@@QAEXQAVCSingleListI | 5 |
| rtl_byte_sequence_reference2One | 5 |
| rtl_byte_sequence_equals | 5 |
| rtl_byte_sequence_acquire | 5 |
| xmlXPathFreeObject | 5 |
| xmlXPathFreeContext | 5 |
| xmlXPathEvalExpression | 5 |

| | |
|-------------------------------------|---|
| xmlXPathNewContext | 5 |
| DhcpDsGetLists | 5 |
| DhcpDsEnumServers | 5 |
| StoreCleanupHandle | 5 |
| DhcpDsAddServer | 5 |
| ConvertInterfaceLuidToGuid | 5 |
| DdEntry0 | 5 |
| ??4CReaderWriterLock3@@QAEAAV0@ABV | 5 |
| ??4CMdVersionInfo@@QAEAAV0@ABV0@I | 5 |
| ?setTabOrder@QWidget@@SAXPAV1@0@I | 5 |
| ?addLayout@QGridLayout@@QAEXPQLa | 5 |
| ?setSpacing@QGridLayout@@QAEXH@Z | 5 |
| ?setCurrentIndex@QComboBox@@QAEXH@I | 5 |
| ??0QComboBox@@QAE@PAVQWidget@@ | 5 |
| ?metaObject@QComboBox@@UBEPBUQM | 5 |
| ?qt_metacast@QComboBox@@UAEPAXPBI | 5 |
| ?qt_metacall@QComboBox@@UAEHW4Cal | 5 |
| ?paintEvent@QComboBox@@MAEXPAPQP | 5 |
| ??1QComboBox@@UAE@XZ | 5 |
| ??1QMainWindow@@UAE@XZ | 5 |
| ?addAction@QWidget@@QAEXPVQAction | 5 |
| ?metaObject@QAction@@UBEPBUQMetaO | 5 |
| ?qt_metacast@QAction@@UAEPAXPBZ | 5 |
| ?qt_metacall@QAction@@UAEHW4Call@Q | 5 |
| ?event@QAction@@MAE_NPAVQEvent@@ | 5 |
| ??1QAction@@UAE@XZ | 5 |
| ??0QMainWindow@@QAE@PAVQWidget@ | 5 |
| ?event@QMainWindow@@MAE_NPAVQE | 5 |
| ?saveState@QApplication@@UAEXAAVQSe | 5 |
| ?qt_metacast@QMainWindow@@UAEPAXF | 5 |
| ?qt_metacall@QMainWindow@@UAEHW4I | 5 |
| ??1QAbstractButton@@UAE@XZ | 5 |
| HidePrc | 5 |
| MprConfigInterfaceTransportSetInfo | 5 |
| MprAdminInterfaceQueryUpdateResult | 5 |
| HrBSTRToLPSZ | 5 |
| PszMonthFromIndex | 5 |
| PVGetMsgParam | 5 |
| PszDayFromIndex | 5 |
| HrCreatePhonebookEntry | 5 |
| ?IsPC98@MACHINE@@QAEEXZ | 5 |
| KdEnteredDebugger | 5 |
| InbvEnableDisplayString | 5 |
| InbvInstallDisplayStringFilter | 5 |
| MtxCluIsSameClusterW | 5 |
| MtxCluIsNetworkNameInLocalClusterW | 5 |
| MtxCluIsSameNodeW | 5 |

| | |
|---|---|
| MtxCluSetSecurityRegValue | 5 |
| MtxCluGetDTCStatusW | 5 |
| MtxCluGetDTCVirtualServerNameW | 5 |
| MtxCluIsClusterPresentExW | 5 |
| MtxCluGetComputerNameW | 5 |
| MtxCluGetSecurityRegValue | 5 |
| DhcpNotifyConfigChange | 5 |
| DhcpReleaseIpAddressLeaseEx | 5 |
| ?SetColumn@CCatState@@QAEXPBGI@Z | 5 |
| NtEnumerateTransactionObject | 5 |
| RtlCopySecurityDescriptor | 5 |
| pSetupSetArrayToMultiSzValue | 5 |
| @Dateutils@YearOf\$qqrx16System@TDate1 | 5 |
| @Controls@TControl@GetBoundsRect\$qqrv | 5 |
| @Cxcheckbox@TcxCustomCheckBox@SetCh | 5 |
| ?GetTail@CFIFOString@@QAEKPAPAD@Z | 5 |
| ?Relocate@NTFS_CLUSTER_RUN@@QAEXV | 5 |
| gimp_drawable_preview_new | 5 |
| gimp_preview_get_position | 5 |
| gimp_preview_get_size | 5 |
| ?at@QDomNodeList@@QBE?AVQDomNode | 5 |
| ??1QDomNodeList@@QAE@XZ | 5 |
| ??1QDomDocument@@QAE@XZ | 5 |
| ?itemTextRect@QStyle@@UBE?AVQRect@I | 5 |
| ?itemPixmapRect@QStyle@@UBE?AVQRect@I | 5 |
| ?drawItemText@QStyle@@UBEXPAVQPaint | 5 |
| ?drawItemPixmap@QStyle@@UBEXPAVQP; | 5 |
| ?generatedIconPixmap@QCommonStyle@C | 5 |
| ?update@QWidget@@QAEXZ | 5 |
| ?qt_metacast@QSystemTrayIcon@@UAEPA | 5 |
| ?qt_metacall@QSystemTrayIcon@@UAEHW | 5 |
| ??0QPixmap@@QAE@ABV0@@Z | 5 |
| ?setMinimumWidth@QWidget@@QAEXH@ | 5 |
| ?event@QSystemTrayIcon@@MAE_NPAVQ | 5 |
| ?setToolTip@QSystemTrayIcon@@QAEXAB | 5 |
| ?storageLocation@QDesktopServices@@SA | 5 |
| ?setVisible@QSystemTrayIcon@@QAEX_NC | 5 |
| ??0Orange_error@std@@QAE@ABV01@@Z | 5 |
| ??4CString@@QAEABV0@D@Z | 5 |
| ?ReverseFind@CString@@QBEHG@Z | 5 |
| pSetupStringTableStringFromIdEx | 5 |
| I_NetServerSetServiceBits | 5 |
| NdrGetSimpleTypeMemorySize | 5 |
| SetupQueueCopySectionW | 5 |
| ?_8?\$basic_fstream@GU?\$char_traits@G@ | 5 |
| ?id@?\$moneypunct@G\$00@std@@2V0loc | 5 |
| FsRtlGetFileSize | 5 |

| | |
|--|---|
| IsFavoriteItem | 5 |
| _.CreateDirectoryEx_@12 | 5 |
| _EndUpdateResource_@8 | 5 |
| aout_BitsPerSample | 5 |
| aout_FormatPrepare | 5 |
| @Zlibconst@initialization\$qqrv | 5 |
| ?GetDATE@CAllocStorageVariant@@QBENI | 5 |
| ??0CDbColumnNode@@QAE@ABUtagDBID | 5 |
| ?VT_VARIANT_LT@@YGHABUtagPROPVARI | 5 |
| LeShow | 5 |
| GenSetData | 5 |
| rtclIsObject | 5 |
| ?_Swap_all @_Container_base12@std@@Q | 5 |
| ATMGetMenuItemName | 5 |
| ATMBeginFontChange | 5 |
| data_from_ndr | 5 |
| ??_7time_base@std@@6B@ | 5 |
| ?SaCreateAndCopy@@YGHAAVPMemoryAll | 5 |
| eA | 5 |
| r | 5 |
| ??Ostd@@YA_NABV?\$basic_string@GU?\$cl | 5 |
| _tcsicmp | 5 |
| ??Oios_base@std@@QAE@ABV01@@Z | 5 |
| ?AcquireWriteAccess@Bitmap@@QAEPAVB | 5 |
| ??0Graphic@@QAE@ABVBitmap@@@Z | 5 |
| ?SetPixel@BitmapWriteAccess@@QAEXJJAF | 5 |
| VTagOutput | 5 |
| PyErr_Occurred | 5 |
| PyExc_TypeError | 5 |
| PySequence_GetItem | 5 |
| InternetEnumPerSiteCookieDecisionA | 5 |
| NetReplExportDirEnum | 5 |
| DsValidateSubnetNameA | 5 |
| bpf_validate | 5 |
| pcap_strerror | 5 |
| install_bpf_program | 5 |
| pthread_setcancelstate | 5 |
| pthread_exit | 5 |
| PacketSetMinToCopy | 5 |
| PacketSetLoopbackBehavior | 5 |
| I_CryptNetEnumUrlCacheEntry | 5 |
| D3DXCreateFontW | 5 |
| ??0?\$money_get@GV?\$istreambuf_iterator | 5 |
| ??6?\$basic_ostream@GU?\$char_traits@G@ | 5 |
| ?SetFile@CIniA@@QAEXPBD@Z | 5 |
| ?SetHInst@CIniA@@QAEXPAAUHINSTANCE_ | 5 |
| ZwReadFileScatter | 5 |

| | |
|---|---|
| PszScanToWhiteA | 5 |
| IsUpper | 5 |
| ?ConvertExclusiveToShared@CFakeLock@@ | 5 |
| ?SetDefaultSpinAdjustmentFactor@CSpinLo | 5 |
| WinWatchDidStatusChange | 5 |
| TraceSQLProcedures | 5 |
| ?CopyFrom@NLS_STR@@QAEJABV1@@Z | 5 |
| ??2ALLOC_BASE@@SGPAXI@Z | 5 |
| ??0DEC_STR@@QAE@KI@Z | 5 |
| ??3ALLOC_BASE@@SGXPAX@Z | 5 |
| ?Resize@BUFFER@@QAEJI@Z | 5 |
| ?QueryPtr@BUFFER@@QBEPAXZ | 5 |
| ?QuerySize@BUFFER@@QBEIXZ | 5 |
| ??1BUFFER@@QAE@XZ | 5 |
| ??0BUFFER@@QAE@I@Z | 5 |
| ??0NLS_STR@@IAE@PAGIH@Z | 5 |
| ??0NLS_STR@@QAE@PBG@Z | 5 |
| ??0NLS_STR@@QAE@XZ | 5 |
| ?InsertParams@NLS_STR@@QAEJPAPBV1@ | 5 |
| NETUI_stricmp | 5 |
| ??8NLS_STR@@QBEHABV0@@Z | 5 |
| ?CopyFrom@NLS_STR@@QAEJPBGI@Z | 5 |
| ??4NLS_STR@@QAEAAV0@PBG@Z | 5 |
| ??1NLS_STR@@QAE@XZ | 5 |
| ?QueryHelpContext@DIALOG_WINDOW@@ | 5 |
| ?QueryHelpFile@DIALOG_WINDOW@@MA | 5 |
| ?OnValidationError@DIALOG_WINDOW@@ | 5 |
| ?OnControlError@DIALOG_WINDOW@@M | 5 |
| ?OnSysColorChange@DIALOG_WINDOW@@ | 5 |
| ?OnCtlColor@DIALOG_WINDOW@@MAEP@ | 5 |
| ?OnDlgDeactivation@DIALOG_WINDOW@@ | 5 |
| ?OnDlgActivation@DIALOG_WINDOW@@N | 5 |
| ?OnScrollBarThumb@DIALOG_WINDOW@@ | 5 |
| ?OnScrollBar@DIALOG_WINDOW@@MAEH | 5 |
| ?OnCancel@DIALOG_WINDOW@@MAEHXZ | 5 |
| ?OnOK@DIALOG_WINDOW@@MAEHXZ | 5 |
| ?OnCommand@DIALOG_WINDOW@@MAE | 5 |
| ?QueryRobustHwnd@DIALOG_WINDOW@@ | 5 |
| ?OnUserMessage@OWNER_WINDOW@@N | 5 |
| ?Process@DIALOG_WINDOW@@QAEJPAH@ | 5 |
| ?MsgPopup@@YGHABVOWNINGWND@@J | 5 |
| ??0RESOURCE_STR@@QAE@J@Z | 5 |
| ??1AUTO_CURSOR@@QAE@XZ | 5 |
| ?Load@NLS_STR@@QAEJJ@Z | 5 |
| ?MsgPopup@@YGHABVOWNINGWND@@J | 5 |
| ??0AUTO_CURSOR@@QAE@PBG@Z | 5 |
| ?Init@BLT@@SGJPAUHINSTANCE__@@IIII@ | 5 |

| | |
|--------------------------------------|---|
| ?Term@BLT@@SGXPAUHINSTANCE_@@@6 | 5 |
| ?MayRun@DIALOG_WINDOW@@MAEHXZ | 5 |
| ?OnTimer@DIALOG_WINDOW@@MAEHAB | 5 |
| ?QueryHwnd@WINDOW@@QBEPAUHWNC | 5 |
| ?Process@DIALOG_WINDOW@@QAEJPAI@ | 5 |
| ??1WINDOW@@QAE@XZ | 5 |
| ??1DIALOG_WINDOW@@QAE@XZ | 5 |
| ?ClaimFocus@CONTROL_WINDOW@@QAE: | 5 |
| ?SetText@WINDOW@@QAEXPBG@Z | 5 |
| ?SetText@WINDOW@@QAEXABVNLS_STR@ | 5 |
| ?Enable@WINDOW@@QAEXH@Z | 5 |
| ?Show@WINDOW@@QAEHH@Z | 5 |
| ??0PUSH_BUTTON@@QAE@PAVOWNER_V | 5 |
| ??0SLE@@QAE@PAVOWNER_WINDOW@@ | 5 |
| ??0SLT@@QAE@PAVOWNER_WINDOW@@ | 5 |
| ??0DIALOG_WINDOW@@QAE@ABVIDRESC | 5 |
| ?Dismiss@DIALOG_WINDOW@@IAEXI@Z | 5 |
| ?MsgPopup@@YGHABVOWNINGWND@@J | 5 |
| ?SetState@STATE_BUTTON_CONTROL@@IA | 5 |
| ?QueryState@STATE_BUTTON_CONTROL@() | 5 |
| ?QueryLeftMargin@DTE@@UBEIXZ | 5 |
| ?AppendDataTo@STR_DTE@@UBEJPAVNLS | 5 |
| ?Paint@STR_DTE@@UBEXPAPUHDC__@@PI | 5 |
| ?QueryItem@BLT_LISTBOX@@QBEPAVLBI@ | 5 |
| ?QueryCurrentItem@LIST_CONTROL@@QB | 5 |
| ?Compare_HAWforHawaii@LBI@@UBEHAB | 5 |
| ?CalcHeight@LBI@@UAEII@Z | 5 |
| ?Paint@DISPLAY_TABLE@@QBEXPAPLISTBC | 5 |
| ??0DISPLAY_TABLE@@QAEAAPAVDTE@@I | 5 |
| ??0DISPLAY_TABLE@@QAE@IPBI@Z | 5 |
| ??0DM_DTE@@QAE@PAVDISPLAY_MAP@() | 5 |
| ?ReleaseLBI@BLT_LISTBOX@@EAEXPAPLBI@ | 5 |
| ?RequestLBI@BLT_LISTBOX@@EAEPAVLBI@ | 5 |
| ?OnCtlColor@CONTROL_WINDOW@@UAEF | 5 |
| ?IndicateError@CONTROL_WINDOW@@UA | 5 |
| ?Validate@CONTROL_WINDOW@@UAEJXZ | 5 |
| ?OnUserAction@CONTROL_WINDOW@@M | 5 |
| ?CD_Guiltt@BLT_LISTBOX@@MAEJHPAVNL | 5 |
| ?CD_VKey@LISTBOX@@MAEHGG@Z | 5 |
| ?CD_Char@BLT_LISTBOX@@MAEHGG@Z | 5 |
| ?CD_Measure@BLT_LISTBOX@@MAEHPAU | 5 |
| ?CD_Draw@LISTBOX@@MAEHPAUTagDRAV | 5 |
| ?QueryEventEffects@LIST_CONTROL@@MA | 5 |
| ?SetControlValueFocus@CONTROL_WINDO | 5 |
| ?SetTabStop@CONTROL_WINDOW@@MAE | 5 |
| ?RestoreValue@LIST_CONTROL@@MAEXH@ | 5 |
| ?SaveValue@LIST_CONTROL@@MAEXH@Z | 5 |

| | |
|--------------------------------------|---|
| ?Invalidate@WINDOW@@QAEXH@Z | 5 |
| ?SelectItem@LIST_CONTROL@@QAEXHH@` | 5 |
| ?QueryCount@LIST_CONTROL@@QBEHXZ | 5 |
| ?SetRedraw@WINDOW@@QAEXH@Z | 5 |
| ?CD_Guiltt@CONTROL_WINDOW@@MAEJf | 5 |
| ?CD_VKey@CONTROL_WINDOW@@MAEHc | 5 |
| ?CD_Char@CONTROL_WINDOW@@MAEHc | 5 |
| ?CD_Measure@CONTROL_WINDOW@@MA | 5 |
| ?CD_Draw@CONTROL_WINDOW@@MAEHl | 5 |
| ?QueryEventEffects@BUTTON_CONTROL@(` | 5 |
| ?RestoreValue@STATE_BUTTON_CONTROL@ | 5 |
| ?SaveValue@STATE_BUTTON_CONTROL@@ | 5 |
| ??0STATE_BUTTON_CONTROL@@IAE@PAV | 5 |
| ??1FONT@@QAE@XZ | 5 |
| ?QueryOwnerHwnd@WINDOW@@QBEPAUL | 5 |
| ?SetPos@WINDOW@@QAEXVXYPOINT@@ | 5 |
| ??1DISPLAY_CONTEXT@@QAE@XZ | 5 |
| ??0DISPLAY_CONTEXT@@QAE@PAUHWND | 5 |
| ?IsValid@DIALOG_WINDOW@@MAEHXZ | 5 |
| ?FilterMessage@DIALOG_WINDOW@@MAI | 5 |
| ?IsPumpFinished@DIALOG_WINDOW@@M | 5 |
| NetpReleasePrivilege | 5 |
| NetpGetPrivilege | 5 |
| VDMGetThreadContext | 5 |
| HrGetOmiProvidersFlags | 5 |
| JetDefragment2 | 5 |
| ??0MediaDescriptor@comphelper@@QAE@C | 5 |
| ??1MediaDescriptor@comphelper@@QAE@C | 5 |
| VarI4FromUI8 | 5 |
| ?Release@CFwPropertyMapper@@UAGKXZ | 5 |
| TAPASLink | 5 |
| SPWriteItem | 5 |
| SPDeleteType | 5 |
| SPGetSubtypeInfo | 5 |
| SPReleaseContext | 5 |
| SPCloseItem | 5 |
| SPGetTypeInfo | 5 |
| SPAcquireContext | 5 |
| SPDeleteItem | 5 |
| SPSetProvParam | 5 |
| SPProviderInitialize | 5 |
| SPCreateSubtype | 5 |
| SPGetProvParam | 5 |
| SPCreateType | 5 |
| FPasswordChangeNotify | 5 |
| SPDeleteSubtype | 5 |
| SPEnumItems | 5 |

| | |
|--|---|
| SPEnumSubtypes | 5 |
| SPGetProvInfo | 5 |
| ClassResetMediaChangeTimer | 5 |
| ClassSplitRequest | 5 |
| ClassEnableMediaChangeDetection | 5 |
| ClassSendSrbAsynchronous | 5 |
| ClassSendStartUnit | 5 |
| TopIHeapDestroy | 5 |
| TraceSQLSetParam | 5 |
| TraceSQLDataSources | 5 |
| TraceSQLBrowseConnectW | 5 |
| TraceSQLTables | 5 |
| ErrObjectLong | 5 |
| ResUtilGetPropertiesToParameterBlock | 5 |
| ResUtilSetDwordValue | 5 |
| ResUtilVerifyPrivatePropertyList | 5 |
| RasPortGetFramingEx | 5 |
| QuarantineView | 5 |
| GetQuarantineKeepDay | 5 |
| SetKeepDay | 5 |
| _vbaUI1Sgn | 5 |
| ?imread@cv@@YA?AVMat@1@ABV?\$basic | 5 |
| ??YCString@@QAEABV0@ABV0@@Z | 5 |
| plane_CopyPixels | 5 |
| HidP_GetExtendedAttributes | 5 |
| TraceSQLGetStmtOption | 5 |
| TraceSQLGetTypeinfoW | 5 |
| ?AddCachedProperty@CCatalogAdmin@@C | 5 |
| ??0\$_Complex_base@O@std@@QAE@AB | 5 |
| ?find_first_not_of@?\$basic_string@GU?\$ch | 5 |
| ?min@?\$numeric_limits@C@std@@SACXZ | 5 |
| rtcAtn | 5 |
| AddMMFilter | 5 |
| EnumTransportFilters | 5 |
| GetMMPolicy | 5 |
| AddQMPolicy | 5 |
| ?SetVolumeLabelAndPrintFormatReport@V(| 5 |
| ?SendSonyMSTestUnitReadyCmd@DP_DRIV | 5 |
| HookOff | 5 |
| ?MinPageInUse@CBufferCache@@QAEHAA | 5 |
| ?DecodeHtmlNumeric@@YGXPAG@Z | 5 |
| ?SetDefaultProperty@CCatState@@QAEXP | 5 |
| SetupRemoveFromDiskSpaceListA | 5 |
| Dns_UpdateLibEx | 5 |
| NetInfo_Clean | 5 |
| IASSetMaxThreadIdle | 5 |
| lineGetAgentInfo | 5 |

| | |
|--------------------------------------|---|
| execvp | 5 |
| TopIScheduleExportReadonly | 5 |
| DnsExtractRecordsFromMessage_UTF8 | 5 |
| DnsNameCompareEx_A | 5 |
| ?id@?\$collate@D@std@@2V0locale@2@A | 5 |
| HrFindInetTimeZone | 5 |
| rtl_str_valueOfInt32 | 5 |
| PR_LocalTimeParameters | 5 |
| PR_ExplodeTime | 5 |
| ??0OTypeCollection@cppu@@QAE@ABVTy | 5 |
| ?AppendAscii@String@@QAEAAV1@PBDG(| 5 |
| ?getExtension@INetURLObject@@QBE?AVC | 5 |
| ?DrawRect@OutputDevice@@QAEXABVRec | 5 |
| ?SetPointer@Window@@QAEXABVPointer(| 5 |
| ZwSetSystemPowerState | 5 |
| SceAddToObjectList | 5 |
| ZwCreateProfile | 5 |
| IID_IAVIEditStream | 5 |
| gdwDPlaySPRefCount | 5 |
| ??_7nsDefaultStringComparator@@6B@ | 5 |
| ?EnsureMutable@nsSubstring@@IAEXXZ | 5 |
| ?Assign@nsSubstring@@QAEXABV1@@Z | 5 |
| pcap_lookupnet | 5 |
| pcap_datalink | 5 |
| TpSimpleTryPost | 5 |
| LsSqueezeSubline | 5 |
| LsCreateLine | 5 |
| TraceSQLGetStmtAttr | 5 |
| ?OnFreezeBegin@CVssJetWriter@@UAG_N | 5 |
| ??0QRect@@QAE@HHHH@Z | 5 |
| ?wheelEvent@QAbstractScrollArea@@MAE | 5 |
| ?setPointSize@ QFont@@QAEXH@Z | 5 |
| i_UNK | 5 |
| rtcBstrFromError | 5 |
| ?It@?\$char_traits@G@std@@SA_NABG0@ | 5 |
| rtl_getTextEncodingFromMimeType | 5 |
| lua_tointeger | 5 |
| ?FindRecord@CLKRLinearHashTable@@QBE | 5 |
| ?ReadUnlock@CFakeLock@@QAEXXZ | 5 |
| VarUI8FromUI4 | 5 |
| CryptExtAddCTL | 5 |
| CryptExtAddP7R | 5 |
| CryptExtAddPFX | 5 |
| CryptExtAddSPCW | 5 |
| CryptExtOpenCTL | 5 |
| CryptExtOpenCERW | 5 |
| CryptExtOpenPKCS7W | 5 |

| | |
|---|---|
| ?SetBufferSize@SvStream@@QAEXG@Z | 5 |
| ??1CharClass@@QAE@XZ | 5 |
| rtl_math_uStringToDouble | 5 |
| ?SetDefaultSpinCount@CFakeLock@@SGXG | 5 |
| ?WriteUnlock@CSmallSpinLock@@QAEXXZ | 5 |
| ?SetDefaultSpinAdjustmentFactor@CReader | 5 |
| RasCompressionSetInfo | 5 |
| FireVSDebugEvent | 5 |
| _ftelli64 | 5 |
| CryptExtOpenCER | 5 |
| CryptExtOpenCRLW | 5 |
| CryptExtAddCER | 5 |
| CryptExtOpenP7RW | 5 |
| CryptExtOpenCATW | 5 |
| CryptExtAddCRL | 5 |
| ?AddRef@CCollection@@QAEXXZ | 5 |
| GetDIIType | 5 |
| ?IsLocalComputer@@YGJPAG@Z | 5 |
| I_RpcConnectionInqSockBuffSize | 5 |
| GdipGetFontStyle | 5 |
| IoReportTargetDeviceChange | 5 |
| GetMemNewObj | 5 |
| PifMgr_SetProperties | 5 |
| CsEnumApps | 5 |
| ?IsEmpty@CMapStringToPtr@@QBEHXZ | 5 |
| ASN1CEREncBitString | 5 |
| HrDecodeObject | 5 |
| PsJobType | 5 |
| RtlNextUnicodePrefix | 5 |
| RasSrvIsServiceRunning | 5 |
| LsdnSetRigidDup | 5 |
| ??0CTXStringA@@QAE@UtagUTF8@@PB_` | 5 |
| ?IsEmpty@CTXStringA@@QBE_NXZ | 5 |
| RtlQueueApcWow64Thread | 5 |
| Dns_ResetNetworkInfo | 5 |
| SetKeyboardFilterHook | 5 |
| SetMouseFilterHook | 5 |
| PoShutdownBugCheck | 5 |
| NlsLeadByteInfo | 5 |
| ClassSetMediaChangeState | 5 |
| McastRequestAddress | 5 |
| McastReleaseAddress | 5 |
| DhcpAcquireParametersByBroadcast | 5 |
| RtlEnumerateGenericTableLikeADirectory | 5 |
| VideoPortFreePool | 5 |
| VideoPortAllocatePool | 5 |
| ?remove@OInterfaceIteratorHelper@cppu@ | 5 |

| | |
|--|---|
| ?setPropertyValue@Content@ucbhelper@@C | 5 |
| ?transferContent@Content@ucbhelper@@I | 5 |
| ??0Content@ucbhelper@@QAE@XZ | 5 |
| RtlReleaseRelativeName | 5 |
| RtlDosPathNameToRelativeNtPathName_U | 5 |
| FsRtlLookupLastMcbEntry | 5 |
| CreatePrivateObjectSecurityWithMultipleInh | 5 |
| RtlUnlockMemoryStreamRegion | 5 |
| ?_Getcat@?\$time_get@DV?\$istreambuf_it@ | 5 |
| ufdSplitPathname | 5 |
| MmGrowKernelStack | 5 |
| @\$xp\$17Hdscale@THDScaler | 5 |
| @Hdscale@THDScaler@ | 5 |
| osl_getProcessInfo | 5 |
| _strand | 5 |
| ?OnThawEnd@CVssJetWriter@@UAG_N_N | 5 |
| PL_strfree | 5 |
| Cla\$code | 5 |
| ?AddEntry@CCombinedPropertyList@@UAI | 5 |
| ??1CMmStream@@UAE@XZ | 5 |
| RpcEpRegisterNoReplaceW | 5 |
| ?underflow@?\$basic_filebuf@GU?\$char_tr@ | 5 |
| ?Initialize@NTFS_BOOT_FILE@@QAEEPAVN | 5 |
| CryptSetProviderU | 5 |
| ??6?\$basic_oiostream@GU?\$char_traits@G@ | 5 |
| ?thousands_sep@?\$numpunct@G@std@@@ | 5 |
| ??1CFwAsyncWorkItem@@UAE@XZ | 5 |
| ?norm@std@@YANABV?\$complex@N@1@ | 5 |
| ?max@?\$numeric_limits@C@std@@SACXZ | 5 |
| ??6QTextStream@@QAEAAV0@PBD@Z | 5 |
| ??0QImage@@QAE@HHW4Format@0@@I | 5 |
| ?height@QImage@@QBEHXZ | 5 |
| ?isMinimized@QWidget@@QBE_NXZ | 5 |
| PostMessageI | 5 |
| GetWindowsDirectoryI | 5 |
| wodMessage | 5 |
| ?Initialize@NTFS_BITMAP@@QAEEVBIG_IN | 5 |
| ?Tell@CxMemFile@@UAEJXZ | 5 |
| ?getContainer@OMultiTypeInterfaceContair | 5 |
| ParseDecoratedAsyncDeviceName | 5 |
| ?MakeSc@SC@mmcerror@@AAEXW4facilit | 5 |
| @Cxgridtableview@TcxGridTableController(| 5 |
| ?Close@CPropSetMap@COLEPropManager(| 5 |
| ??_7domain_error@std@@6B@ | 5 |
| demux_PacketizerDestroy | 5 |
| demux_PacketizerNew | 5 |
| ?append@?\$basic_string@_WU?\$char_trait | 5 |

| | |
|---|---|
| SysprepComplus2 | 5 |
| ??_7CComPlusComponent@@6B@ | 5 |
| ??0CComPlusObject@@QAE@ABV0@@Z | 5 |
| ResUtilSetExpandSzValue | 5 |
| ResUtilGetPrivateProperties | 5 |
| ?SaComputeSize@@YGKGAAUtagSAFEARRA | 5 |
| Mm64BitPhysicalAddress | 5 |
| ?QueryAttributeList@NTFS_FRS_STRUCTURE | 5 |
| ??0NTFS_INDEX_TREE@@QAE@XZ | 5 |
| NetpCloseConfigData | 5 |
| ?sinh@std@@YA?AV?\$complex@O@1@AB | 5 |
| ?CIniW_DeleteEntryFromReg@CIniW@@IBI | 5 |
| ?SetSpinCount@CReaderWriterLock2@@QAF | 5 |
| SpcGetCertFromKey | 5 |
| PvkPrivateKeyLoadFromMemoryA | 5 |
| SignerAddTimeStampResponse | 5 |
| SignerCreateTimeStampRequest | 5 |
| PvkPrivateKeySaveA | 5 |
| ??1CANNED_SECURITY@@UAE@XZ | 5 |
| HidD_GetConfiguration | 5 |
| ?InsertEntry@NTFS_INDEX_TREE@@QAEEKI | 5 |
| handleSync | 5 |
| _Java_sun_security_provider_NativeSeedGe | 5 |
| _NET_SetSockOpt@20 | 5 |
| _NET_MapSocketOption@12 | 5 |
| _NET_GetSockOpt@20 | 5 |
| _NET_ThrowNew@12 | 5 |
| _NET_InetAddressToSockaddr@24 | 5 |
| _NET_Bind@12 | 5 |
| ?id@?\$money_get@GV?\$istreambuf_iterator | 5 |
| ?setDisabled@QWidget@@QAEX_N@Z | 5 |
| ?paintEvent@QProgressBar@@MAEXP_AVQI | 5 |
| ?metaObject@QProgressBar@@UBEPBUQN | 5 |
| ??0QBrush@@QAE@W4GlobalColor@Qt@I | 5 |
| ?nextCheckState@QCheckBox@@MAEXXZ | 5 |
| ?checkStateSet@QCheckBox@@MAEXXZ | 5 |
| ?hitButton@QCheckBox@@MBE_NABVQPo | 5 |
| ?paintEvent@QCheckBox@@MAEXP_AVQPAI | 5 |
| ?mouseMoveEvent@QCheckBox@@MAEXP | 5 |
| ?sizeHint@QCheckBox@@UBE?AVQSize@@ | 5 |
| ?event@QCheckBox@@MAE_NPAVQEvent | 5 |
| ?setValue@QProgressBar@@QAEXH@Z | 5 |
| ?restore@QPainter@@QAEXXZ | 5 |
| ?save@QPainter@@QAEXXZ | 5 |
| ??0QPainterPath@@QAE@XZ | 5 |
| ?drawPixmap@QPainter@@QAEXABVQRec | 5 |
| ??0QFont@@QAE@ABVQString@@HH_N@ | 5 |

| | |
|--|---|
| SignerTimeStampEx | 5 |
| PvkPrivateKeySaveToMemoryA | 5 |
| SignerSignEx | 5 |
| PvkPrivateKeyReleaseContext | 5 |
| PvkPrivateKeyAcquireContextFromMemoryA | 5 |
| ?ConvertToByteStream@CAcLocation@@QAF | 5 |
| ?GetLocationList@CAcPrfMgr@@QAEKAAV | 5 |
| ?ReadCcpSettings@CAcPrfMgr@@QAEKAAI | 5 |
| ACHlprGetRegString | 5 |
| ??1CNbuuCommonButtonCtrl@@UAE@XZ | 5 |
| ??1CNbuuWindowBackgroundCtrl@@UAE@ | 5 |
| ??1CNbuuWindowBackgroundSkin@@UAE@ | 5 |
| ??0CNbuuWindowBackgroundCtrl@@QAE@ | 5 |
| ??0CNbuuWindowBackgroundSkin@@QAE@ | 5 |
| ?PcsLoadFont@@YAXPAUtagLOGFONTW@() | 5 |
| ??0CNbuuCommonButtonCtrl@@QAE@XZ | 5 |
| @Registry@TRegistry@ReadString\$qqrx20S | 5 |
| ??0QFont@@QAE@ABV0@@@Z | 5 |
| ?allocateNode@QHashData@@QAEPAFH@ | 5 |
| ?detach_helper2@QHashData@@QAEPAU1 | 5 |
| ?free_helper@QHashData@@QAEXP6AXPA | 5 |
| ??1CInternalPropertyRestriction@@QAE@X | 5 |
| MfGetData | 5 |
| OleSetColorScheme | 5 |
| ?RemoveHead@CLockedDoubleList@@QAE | 5 |
| ??0LIST@@QAE@XZ | 5 |
| ??1MEM_ALLOCATOR@@UAE@XZ | 5 |
| _ZN7col_val9invisibleE | 5 |
| ?_DeleteIf@CLKRLinearHashTable@@AAEKI | 5 |
| _SetClassLong @_12 | 5 |
| ?hash@\$collate@G@std@@QBEJPBG0@Z | 5 |
| FaxInitializeEventQueue | 5 |
| ?GetFilterByName@SfxFilter@@SAPBV1@A | 5 |
| ?GetError@SotStorage@@QBEKXZ | 5 |
| ?QueryDelete@SotObject@@UAEXXZ | 5 |
| @Forms@TControlScrollBar@SetPosition\$qi | 5 |
| @Extctrls@TCustomPanel@Paint\$qqrv | 5 |
| ?table@\$ctype@D@std@@IBEPBFXZ | 5 |
| DsReplicaSyncAllW | 5 |
| DsListRolesA | 5 |
| ?GetRefTitleCount@CCollection@@QAEKXZ | 5 |
| I_RpcGetBufferWithObject | 5 |
| ConvertStringSDToSDDomainA | 5 |
| BmCopy | 5 |
| ??0CString@@QAE@PBD@Z | 5 |
| ?First@CPointerList@@QAEPAUListItem@@ | 5 |
| ?GetNextAttributeRecord@NTFS_FRS_STRU | 5 |

| | |
|---|---|
| desifrovat | 5 |
| ?RefreshParams@CWorkQueue@@QAEXKK | 5 |
| ?SetUI8@CStorageVariant@@QAEXT_ULAR | 5 |
| ??0CRcovStrmAppendTrans@@QAE@AAVP | 5 |
| ?Empty@WString@@QAEXXZ | 5 |
| ?isunialphanum@@YGHG@Z | 5 |
| ?UnbindPtr@WString@@QAEPAGXZ | 5 |
| ?Transform@MD5@@SGXPAXIQAE@Z | 5 |
| ?CriticalFailADAPTrace@@YGHPBD@Z | 5 |
| ??0CInsertionString@@QAE@J@Z | 5 |
| ?baseName@QFileInfo@@QBE?AVQString@ | 5 |
| ?codecForCStrings@QString@@OPAVQTextC | 5 |
| ??0CRequestQueue@@QAE@IIIHIIABU_GU | 5 |
| RtlIsValidIndexHandle | 5 |
| ?GetAllocLength@CString@@QBEHXZ | 5 |
| MsiDatabaseImportW | 5 |
| ?Assign@ByteString@@QAEAAV1@ABVOST | 5 |
| ??0ComponentContext@comphelper@@QAF | 5 |
| ?do_close@?\$messages@G@std@@@MBEXF | 5 |
| handleRead | 5 |
| handleLseek | 5 |
| winFileHandleOpen | 5 |
| _JVM_RawMonitorExit@4 | 5 |
| _JVM_RawMonitorEnter@4 | 5 |
| _JVM_RawMonitorDestroy@4 | 5 |
| _JVM_RawMonitorCreate@0 | 5 |
| CACreateNewCA | 5 |
| CADeleteCA | 5 |
| ??1CWin32RegAccess@@QAE@XZ | 5 |
| ?SetMappedCacheSize@CPropStoreManage | 5 |
| ?UnMarshall@CDbParameter@@QAEHAAV | 5 |
| LeClose | 5 |
| @Htlistb@initialization\$qqrv | 5 |
| NtDebugActiveProcess | 5 |
| FindAssemblyModulesW | 5 |
| _CopyFile_@12 | 5 |
| IoIsFileOriginRemote | 5 |
| IoWriteTransferCount | 5 |
| HitTestThemeBackground | 5 |
| LsdnQueryObjDimRange | 5 |
| MfClone | 5 |
| ?ignore@?\$basic_istream@DU?\$char_traits | 5 |
| GeoIP_country_code_by_addr | 5 |
| GeoIP_delete | 5 |
| GeoIP_new | 5 |
| GeoIP_open | 5 |
| ModifyZones | 5 |

| | |
|--|---|
| ?ImplHelper_queryNoXInterface@cppu@@` | 5 |
| ?ImplInhHelper_getTypes@cppu@@YA?AV | 5 |
| ?convertLanguageToLocale@MsLangId@@S | 5 |
| ?Next@Container@@QAEPAZ | 5 |
| ?First@Container@@QAEPAZ | 5 |
| ?Insert@String@@QAEAAV1@ABV1@G@Z | 5 |
| ?SetError@SvStream@@QAEXK@Z | 5 |
| _tccpy | 5 |
| ?TryWriteLock@CSpinLock@@QAE_NXZ | 5 |
| ??_7?\$basic_iostream@GU?\$char_traits@G | 5 |
| ??0?\$complex@O@std@@QAE@ABO0@Z | 5 |
| pSetupGetInfSections | 5 |
| GetLongQueue | 5 |
| ?CopyInputToOutput@OStorageHelper@cor | 5 |
| @Hreport@THITReport@PrintValue\$qqrxixi | 5 |
| @Hreport@THITReport@PrintField\$qqrxixiç | 5 |
| @Graphics@TPen@GetWidth\$qqrv | 5 |
| @Graphics@TPen@GetColor\$qqrv | 5 |
| @Controls@TControl@GetDeviceContext\$q | 5 |
| DefCreateInvisible | 5 |
| ??0CTXStringW@@QAE@ABU_GUID@@@Z | 5 |
| ?IsWin98orLater@CMdVersionInfo@@SAH | 5 |
| VDMGetContext | 5 |
| VDMStartTaskInWOW | 5 |
| VarUI8FromCy | 5 |
| ??1QFontMetrics@@QAE@XZ | 5 |
| @Sysutils@ExceptObject\$qqrv | 5 |
| @Controls@TWinControl@SetParentCtl3D\$ | 5 |
| ILAppendID | 5 |
| AccSetEntriesInAList | 5 |
| AccConvertAccessToSecurityDescriptor | 5 |
| ?GetDefaultSpinCount@CFakeLock@@SGG | 5 |
| MpHeapSize | 5 |
| CcGetFlushedValidData | 5 |
| _mbsnbcat_s | 5 |
| DnsGetPrimaryDomainName_A | 5 |
| VarBstrFromI4 | 5 |
| ZwEnumerateBootEntries | 5 |
| @Cxpc@TcxTabSheet@ | 5 |
| ??5QDataStream@@QAEAAV0@AAH@Z | 5 |
| SHGetPropertyStoreForWindow | 5 |
| CheckTrustEx | 5 |
| BerBvFree | 5 |
| ?QueryScopeAdmin@CScopeEnum@@QAEF | 5 |
| NtEnumerateSystemEnvironmentValuesEx | 5 |
| II | 5 |
| Window | 5 |

| | |
|---|---|
| ?GetDefaultSpinCount@CReaderWriterLock: | 5 |
| _Z8qWarningPKcz | 5 |
| AccProvRevokeAccessRights | 5 |
| AccProvGetCapabilities | 5 |
| gimp_image_set_colormap | 5 |
| GdipDrawArc | 5 |
| ?size@QPixmap@@QBE?AVQSize@@XZ | 5 |
| VarDecFromUI8 | 5 |
| herror | 5 |
| ??1BitmapColor@@QAE@XZ | 5 |
| VideoPortCreateSpinLock | 5 |
| NdisCmDispatchCallConnected | 5 |
| GetUILanguageInfo | 5 |
| SqmGetSession | 5 |
| ?toPlainText@QTextEdit@@QBE?AVQString | 5 |
| @Stdctrls@TCustomListBox@Clear\$qqrv | 5 |
| x | 5 |
| @Wwdbedit@initialization\$qqrv | 5 |
| @Wwdatsrc@initialization\$qqrv | 5 |
| @Wwframe@initialization\$qqrv | 5 |
| @Wwstr@initialization\$qqrv | 5 |
| @Wwtypes@initialization\$qqrv | 5 |
| @Wwlocate@initialization\$qqrv | 5 |
| @Wwdialog@initialization\$qqrv | 5 |
| @Wwstorep@initialization\$qqrv | 5 |
| @Wwstacks@initialization\$qqrv | 5 |
| @Wwsystem@initialization\$qqrv | 5 |
| @Wwtable@initialization\$qqrv | 5 |
| @Wwquery@initialization\$qqrv | 5 |
| @Wwqbe@initialization\$qqrv | 5 |
| @Wwpict@initialization\$qqrv | 5 |
| @Wwdbigrd@initialization\$qqrv | 5 |
| @Wwtrackicon@initialization\$qqrv | 5 |
| @Wwrichole@initialization\$qqrv | 5 |
| @Wwrich@initialization\$qqrv | 5 |
| @Wwdotdot@initialization\$qqrv | 5 |
| @Wwdblook@initialization\$qqrv | 5 |
| @Wwdbgrid@initialization\$qqrv | 5 |
| @Wwmemo@initialization\$qqrv | 5 |
| @Wwmonthcalendar@initialization\$qqrv | 5 |
| @Wwdbcomb@initialization\$qqrv | 5 |
| @Wwrchdlg@initialization\$qqrv | 5 |
| @Wwrichtb@initialization\$qqrv | 5 |
| @Wwricholecallback@initialization\$qqrv | 5 |
| ?GetWSTR@WSTRING@@QBEPBGXZ | 5 |
| ??0QIcon@@QAE@ABVQPixmap@@@Z | 5 |
| @Stdctrls@TCustomListBox@\$bdtr\$qqrv | 5 |

| | |
|--|---|
| @Forms@TScrollingWinControl@CreateWindow | 5 |
| @Comctrls@TPageControl@GetPage\$qqrv | 5 |
| RtmMarkDestForChangeNotification | 5 |
| _CreateColorSpace @_4 | 5 |
| Win_Proc | 5 |
| @\$xp\$23Controls@TKeyPressEvent | 5 |
| @\$xp\$18Controls@TKeyEvent | 5 |
| SQLGetDescFieldA | 5 |
| RegisterTransportExtDII | 5 |
| rtcGetYear | 5 |
| rtcGetDayOfMonth | 5 |
| ?rmdir@QDir@@QBE_NABVQString@@@Z | 5 |
| f_UNK | 5 |
| KdPowerTransition | 4 |
| ldap_search_ext_sW | 4 |
| ldap_controls_free | 4 |
| NDdeGetShareSecurityA | 4 |
| NDdeIsValidAppTopicListA | 4 |
| NDdeGetStringW | 4 |
| NDdeGetTrustedShareA | 4 |
| NDdeIsValidAppTopicListW | 4 |
| NDdeGetShareSecurityW | 4 |
| NDdeIsValidShareNameA | 4 |
| NDdeIsValidShareNameW | 4 |
| NDdeShareSetInfoA | 4 |
| NDdeTrustedShareEnumW | 4 |
| NDdeShareAddA | 4 |
| NDdeSetShareSecurityA | 4 |
| NDdeSpecialCommandW | 4 |
| NDdeSpecialCommandA | 4 |
| RtlIpv4AddressToStringExA | 4 |
| _ZN4QUrlD1Ev | 4 |
| _ZN6QTimer5startEv | 4 |
| _ZN11QMainWindow16setCentralWidgetEP | 4 |
| _ZN7QWidget14setMaximumSizeEii | 4 |
| _ZN7QWidget14setWindowFlagsE6QFlagsIN | 4 |
| ?StartInject@@YAIPAUHWND__@@0@Z | 4 |
| GetIEUrlMonitorMsg | 4 |
| PeerFreeData | 4 |
| @Jclresources@initialization\$qqrv | 4 |
| @Jclresources@Finalization\$qqrv | 4 |
| @Jvconsts@initialization\$qqrv | 4 |
| @Jvconsts@Finalization\$qqrv | 4 |
| @Jvjclutils@initialization\$qqrv | 4 |
| @Jvresources@initialization\$qqrv | 4 |
| @Jvresources@Finalization\$qqrv | 4 |
| net_Gets | 4 |

| | |
|--|---|
| MpConfigDelValue | 4 |
| MpConfigIteratorOpen | 4 |
| MpConfigIteratorEnum | 4 |
| MpConfigIteratorClose | 4 |
| MpConfigGetValueAlloc | 4 |
| MpCleanOpen | 4 |
| MpConfigOpen | 4 |
| MpConfigClose | 4 |
| MpScanResult | 4 |
| MpConfigGetValue | 4 |
| MpConfigUninitialize | 4 |
| MpConfigInitialize | 4 |
| MpFreeMemory | 4 |
| MpClientUtilExportFunctions | 4 |
| JumpHookOff | 4 |
| JumpHookOn | 4 |
| FsRtlSyncVolumes | 4 |
| VideoPortReadPortBufferUshort | 4 |
| VideoPortAllocateBuffer | 4 |
| VideoPortSetTrappedEmulatorPorts | 4 |
| VideoPortInterlockedIncrement | 4 |
| VideoPortReleaseDeviceLock | 4 |
| VideoPortInt10 | 4 |
| VideoPortWriteRegisterUchar | 4 |
| VideoPortCheckForDeviceExistence | 4 |
| VideoPortReadPortUchar | 4 |
| NdisOpenConfiguration | 4 |
| NdisMRemoveMiniport | 4 |
| NdisCxDeregisterSap | 4 |
| NdisCmDeactivateVc | 4 |
| EthFilterDprIndicateReceive | 4 |
| NdisCmRegisterSapComplete | 4 |
| NdisSetPacketCancelId | 4 |
| ?min@?\$numeric_limits@N@std@@SANXZ | 4 |
| ?_F?\$complex@M@std@@QAEXXZ | 4 |
| ??4?\$basic_ostringstream@DU?\$char_traits | 4 |
| ?!Initialize@NTFS_FILE_RECORD_SEGMENT@ | 4 |
| ?!Initialize@NTFS_LOG_FILE@@QAEPAVNT | 4 |
| ?Read@NTFS_SA@@UAEEHZ | 4 |
| ??1NTFS_SA@@UAE@XZ | 4 |
| ?QueryClusterFactor@NTFS_SA@@QBEEHZ | 4 |
| ber_alloc_t | 4 |
| ldap_parse_page_controlW | 4 |
| ldap_simple_bindA | 4 |
| _LaunchSignupWizard@12 | 4 |
| CDefFolderMenu_Create | 4 |
| ILLoadFromStream | 4 |

| | |
|---|---|
| CDefFolderMenu_Create2 | 4 |
| ?pubseekoff@?\$basic_streambuf@DU?\$cha | 4 |
| ?do_compare@?\$collate@D@std@@MBEH | 4 |
| ??0CPropertyStoreWids@@QAE@AAVCProj | 4 |
| GdipGetInterpolationMode | 4 |
| GdipTranslateMatrix | 4 |
| GdipSetMatrixElements | 4 |
| GdipTranslateTextureTransform | 4 |
| ??1ObjectFactory@@UAE@XZ | 4 |
| ??0ObjectFactory@@QAE@XZ | 4 |
| ?NclLogDump@@YAXAAVCMModuleInfo@@. | 4 |
| @Variants@VarToStrDef\$qqrrx14System@V | 4 |
| @Cxgridcustomtableview@TcxCustomGridT | 4 |
| @Cxgridlevel@TcxGridLevel@SetVisible\$qqi | 4 |
| @Dbvalcb@Finalization\$qqrv | 4 |
| @Dxdbinrw@TdxInspectorDBGraphicRow@ | 4 |
| @Dxlayout@Finalization\$qqrv | 4 |
| @Jvgif@TJvGIFImage@ | 4 |
| ?Destroy@DUIXmlParser@DirectUI@@QAE | 4 |
| ?SetXMLFromResource@DUIXmlParser@Dir | 4 |
| ?Create@DUIXmlParser@DirectUI@@SGJP/ | 4 |
| ??8std@@YA_NABV?\$complex@M@0@0@ | 4 |
| ??_7?\$basic_streambuf@GU?\$char_traits@ | 4 |
| ?truename@?\$numpunct@G@std@@QBE? | 4 |
| ZwAllocateUserPhysicalPages | 4 |
| ZwUnloadKeyEx | 4 |
| ZwQueryIntervalProfile | 4 |
| ??0CDbContentRestriction@@QAE@PBGAB | 4 |
| ?Get@CRegAccess@@QAEXPBGPAGI@Z | 4 |
| NdrConformantVaryingArrayMarshall | 4 |
| NdrpGetTypeGenCookie | 4 |
| glsGetConstiv | 4 |
| glsRequireExtension | 4 |
| glsContext | 4 |
| glsGetLayerf | 4 |
| glsUTF8toUCS1z | 4 |
| VarR4CmpR8 | 4 |
| ?IsReadLocked@CSmallSpinLock@@QBE_N | 4 |
| ?GetStatistics@CLKRHashTable@@QBE?AV(| 4 |
| net_vaPrintf | 4 |
| osd_Volume | 4 |
| secstotimestr | 4 |
| WMCreateWriter | 4 |
| ?GetTitle@CFolder@@QAEPAADXZ | 4 |
| ?bIsVisible@CFolder@@QAEHXZ | 4 |
| ?SetNextTitle@CTitle@@QAEXPAV1@@Z | 4 |
| ?DeleteChildren@CCollection@@AAEXPAP/ | 4 |

| | |
|---|---|
| ?SetId@CTitle@@QAEXPBG@Z | 4 |
| ?SetSampleLocation@CCollection@@QAEXF | 4 |
| ZwRaiseException | 4 |
| ??9std@@YA_NABNABV?\$complex@N@0@C | 4 |
| ?scan_not@?\$ctype@D@std@@QBEPBDFP | 4 |
| ??5std@@YAAV?\$basic_istream@DU?\$ch: | 4 |
| ?denorm_min@?\$numeric_limits@C@std@ | 4 |
| ?UnMarshall@CDBCmdTreeNode@@QAEH/ | 4 |
| ?AddRef@CEnumString@@UAGKXZ | 4 |
| ?QueryCatalogAdmin@CCatalogEnum@@Q | 4 |
| ldap_delete_extW | 4 |
| ldap_check_filterW | 4 |
| ?SBCToDBC@Convert@Util@@YA_NAAVCT | 4 |
| ?GetService@GF@Util@@YAJABU_GUID@() | 4 |
| MsiEnumProductsExW | 4 |
| CompareElapsedTime | 4 |
| GdipCreateFontFromLogfontW | 4 |
| ??\$?8GU?\$char_traits@G@std@@V?\$alloc | 4 |
| RasAcctProviderStartAccounting | 4 |
| RasSetSharedAutoDial | 4 |
| SetVarConversionLocaleSetting | 4 |
| ?Add@CStringArray@@QAEHPBG@Z | 4 |
| RegisterIdleTask | 4 |
| ?SetBSTR@CStorageVariant@@QAEXPAGI@ | 4 |
| ?EnumerateValues@CRegAccess@@QAEXP, | 4 |
| ??0CSynRestriction@@QAE@ABVCKey@@@k | 4 |
| ?ParseExpression@CParseCommandTree@() | 4 |
| ?GetCY@CAllocStorageVariant@@QBE?ATt@ | 4 |
| ?wcsipattern@@YGPAGPAGPBG@Z | 4 |
| _tcsnset | 4 |
| ?UnicodeToGBK@Convert@Util@@YA_NAA | 4 |
| ?IsVASFlagValidEx@Contact@Util@@YAKKE | 4 |
| ?SaveMsg@Msg@Util@@YAHPB_WKKKPAL | 4 |
| ?SaveMsg@Msg@Util@@YAHPB_W000KKP | 4 |
| ?GetMsgAbstract@Msg@Util@@YA?AVCTX | 4 |
| ?find_first_not_of@?\$basic_string@_WU?\$ | 4 |
| FaxGetDeviceStatusA | 4 |
| _basemino_dll | 4 |
| BCryptGenRandom | 4 |
| NetValidatePasswordPolicy | 4 |
| AssertValidStringPtr | 4 |
| SeOpenObjectForDeleteAuditAlarm | 4 |
| VideoPortWriteRegisterBufferUchar | 4 |
| VideoPortStopTimer | 4 |
| VideoPortGetDeviceBase | 4 |
| NdisCompleteUnbindAdapter | 4 |
| ?do_decimal_point@?\$numpunct@D@std@ | 4 |

| | |
|---|---|
| ?is_open@?\$basic_ifstream@GU?\$char_traits@_N@std@ | 4 |
| ?signaling_NaN@?\$numeric_limits@O@std@ | 4 |
| RtlInitializeAtomPackage | 4 |
| ?ReadUnlock@CReaderWriterLock@@QAEX | 4 |
| ?_CurrentThreadId@CSmallSpinLock@@CG. | 4 |
| SetNextNetDrive | 4 |
| GenDraw | 4 |
| glsEndCapture | 4 |
| glsHeaderLayeri | 4 |
| glsUpdateCaptureExecTable | 4 |
| glsCopyStream | 4 |
| glsGetCommandAttrib | 4 |
| glsNumb | 4 |
| ReadCabinetState | 4 |
| ?GetString@CTXCommPack@@QAEHAAVC1 | 4 |
| TcQueryFlowA | 4 |
| TcOpenInterfaceA | 4 |
| TcEnumerateFlows | 4 |
| TcQueryInterface | 4 |
| TcGetFlowNameW | 4 |
| TcGetFlowNameA | 4 |
| TcSetFlowW | 4 |
| TcModifyFlow | 4 |
| TcSetInterface | 4 |
| TcSetFlowA | 4 |
| TcQueryFlowW | 4 |
| RtlCaptureStackContext | 4 |
| ZwSetInformationKey | 4 |
| VDMGetSegtablePointer | 4 |
| @Cxgraphics@TcxCanvas@GetFont\$qqrv | 4 |
| @Sysutils@GetCurrentDir\$qqrv | 4 |
| @Sysutils@EControlC@ | 4 |
| @Sysutils@EPrivilege@ | 4 |
| @Sysutils@EAccessViolation@ | 4 |
| @Sysutils@EUnderflow@ | 4 |
| @Sysutils@EOverflow@ | 4 |
| @Sysutils@EZeroDivide@ | 4 |
| @Sysutils@EInvalidOp@ | 4 |
| @Sysutils@EIntOverflow@ | 4 |
| @Sysutils@EDivByZero@ | 4 |
| @Controls@TWinControl@CanFocus\$qqrv | 4 |
| @Extctrls@TCustomRadioGroup@SetColumn | 4 |
| @TDataField@SetModified\$qqrv4bool | 4 |
| @TDataField@SetText\$qqrv17System@AnsiString | 4 |
| @TIntDF@GetValue\$qqrv | 4 |
| @TDateDF@ | 4 |
| @TIntDF@ | 4 |

| | |
|--|---|
| @@Prntree@Initialize | 4 |
| @@Prntree@Finalize | 4 |
| @TPrinterTree@ | 4 |
| @Forms@TForm@\$bctr\$qqrp18Classes@TC | 4 |
| @\$Date@ToComponents\$qpit1t1t1t1t1t1 | 4 |
| @\$bgtr\$qr5SDatet1 | 4 |
| @TranslateWord\$qpct1 | 4 |
| @TGeneralParams@AddParam\$qpct1p4boc | 4 |
| @TGeneralParams@GetParams\$qp9SQLStr€ | 4 |
| @REPORTERROR@\$bdtr\$qv | 4 |
| @FIELD@Bind\$qpv | 4 |
| @SECTION@Print\$qv | 4 |
| @REPORT@Open\$qpc | 4 |
| @REPORT@Close\$qv | 4 |
| @REPORT@GetSection\$qpc | 4 |
| @REPORT@PageFeed\$qv | 4 |
| @CreateReport\$qpci | 4 |
| @DestroyReport\$qp6REPORT | 4 |
| @SECTION@GetField\$qpc | 4 |
| ?Lookup@CPropStoreInfo@@AAEIK@Z | 4 |
| _LoadBHIFilter@16 | 4 |
| ?AccessCheck@CSdidLookupTable@@QAEH | 4 |
| SetupQueueDeleteSectionW | 4 |
| ?not_eof@?\$char_traits@G@std@@SAGAB | 4 |
| ?_Pninc@?\$basic_streambuf@GU?\$char_tr: | 4 |
| ?\$_F?\$messages@G@std@@QAEXXZ | 4 |
| ??4bad_exception@std@@QAEAAV01@AB` | 4 |
| ??0?\$moneypunct@G\$00@std@@QAE@I@ | 4 |
| ??0?\$codecvt@DDH@std@@QAE@ABV_Lo | 4 |
| ScDupPropset@16 | 4 |
| ?ReOpenStream@CPhysIndex@@EAEXXZ | 4 |
| ? GetUserHdrInfo@CIndexTable@@QAEXAA | 4 |
| ??0CPhysStorage@@IAE@AAVPStorage@@ | 4 |
| ?GetI2@CAllocStorageVariant@@QBIFI@Z | 4 |
| ?DataWriteRead@CRequestClient@@QAEXI | 4 |
| gdk_pixbuf_new | 4 |
| GetXformInfo | 4 |
| stream_DemuxNew | 4 |
| stream_DemuxSend | 4 |
| vlc_stat | 4 |
| ?GetStartPosition@CMapStringToPtr@@QB | 4 |
| ldap_ufn2dnA | 4 |
| ldap_get_dnW | 4 |
| ldap_rename_ext_sW | 4 |
| glsNumfv | 4 |
| glsUTF8toUCS2z | 4 |
| glsGetContextubz | 4 |

| | |
|---|---|
| glsGetAllContexts | 4 |
| glsNumlv | 4 |
| DsRoleGetDatabaseFacts | 4 |
| ldap_search_ext_s | 4 |
| ?_Nanv@?\$_Ctr@O@std@@SAOO@Z | 4 |
| ??Kstd@@YA?AV?\$complex@O@0@ABV10 | 4 |
| ?_Cosh@?\$_Ctr@M@std@@SAMMM@Z | 4 |
| ?sin@std@@YA?AV?\$complex@N@1@ABV | 4 |
| ?EnableVolumeUpgrade@IFS_SYSTEM@@SI | 4 |
| ?ComputeVolId@SUPERAREA@@SGKK@Z | 4 |
| RasDeviceSetInfo | 4 |
| I_RpcBindingCopy | 4 |
| RpcSsDontSerializeContext | 4 |
| NdrNonEncapsulatedUnionUnmarshall | 4 |
| RasSetAutodialParamA | 4 |
| ExInterlockedExchangeUlong | 4 |
| ??\$_5DU?\$char_traits@D@std@@@std@@@ | 4 |
| GetMsgHookOff | 4 |
| GetMsgHookOn | 4 |
| FveRecoverWizard | 4 |
| GetIfEntry2 | 4 |
| ?_Infv@?\$_Ctr@M@std@@SAMMI@Z | 4 |
| ??4?\$_basic_iostream@GU?\$char_traits@G@ | 4 |
| _fchown32 | 4 |
| DriverPackageUninstallA | 4 |
| DoReboot | 4 |
| GetAdmWindowHandle | 4 |
| MoveADMWindow | 4 |
| CanDeleteADM | 4 |
| ?tolower@?\$_ctype@_W@std@@QBE_W_V | 4 |
| ?find_first_not_of@?\$_basic_string @_WU?\$ | 4 |
| ?rfind@?\$_basic_string @_WU?\$char_traits@ | 4 |
| ldap_open | 4 |
| ldap_extended_operationA | 4 |
| ber_bvfree | 4 |
| ldap_parse_resultA | 4 |
| ldap_get_values_len | 4 |
| ldap_rename_ext | 4 |
| @System@@FileSize\$qqrr15System@TFileR | 4 |
| @Sysutils@FileDateToDateTIme\$qqri | 4 |
| @Sysutils@FileAge\$qqrx17System@AnsiStri | 4 |
| @Idhttp@TIdHTTP@ | 4 |
| @Comctrls@TTextAttributes@SetColor\$qqr | 4 |
| @JvprogressDlg@TJvProgressDlg@SetStayO | 4 |
| CtfAlmmmlsIME | 4 |
| ldap_get_option | 4 |
| WOWHandle16 | 4 |

| | |
|--|---|
| MsiEnumComponentCostsA | 4 |
| DeleteString | 4 |
| LoadBitmapFromFile | 4 |
| CreateThisKey | 4 |
| SaveString | 4 |
| AuthzReportSecurityEventFromParams | 4 |
| AuthzUnregisterSecurityEventSource | 4 |
| AuthzRegisterSecurityEventSource | 4 |
| rtcTypeName | 4 |
| ??Ostd@@YA_NABV?\$basic_string@DU?\$cl | 4 |
| ??4_Num_base@std@@QAEAAU01@ABU0 | 4 |
| ??0?\$messages@G@std@@QAE@I@Z | 4 |
| ??4underflow_error@std@@QAEAAV01@A | 4 |
| ?exp@?\$_Ctr@M@std@@SAMM@Z | 4 |
| GetAuthenticPixels | 4 |
| GetVirtualIndexQueue | 4 |
| pathconf | 4 |
| SnmpUtilAsnAnyCpy | 4 |
| @Madexcept@initialization\$qqrv | 4 |
| @Madexcept@Finalization\$qqrv | 4 |
| @Madstrings@initialization\$qqrv | 4 |
| @Madstrings@Finalization\$qqrv | 4 |
| @Madmapfile@initialization\$qqrv | 4 |
| @Madmapfile@Finalization\$qqrv | 4 |
| @Maddisasm@initialization\$qqrv | 4 |
| @Maddisasm@Finalization\$qqrv | 4 |
| @Madstacktrace@initialization\$qqrv | 4 |
| @Madstacktrace@Finalization\$qqrv | 4 |
| @Madlinkdisasm@initialization\$qqrv | 4 |
| @Madlinkdisasm@Finalization\$qqrv | 4 |
| @Madlisthardware@initialization\$qqrv | 4 |
| @Madlisthardware@Finalization\$qqrv | 4 |
| @Madlistprocesses@initialization\$qqrv | 4 |
| @Madlistprocesses@Finalization\$qqrv | 4 |
| @Madlistmodules@initialization\$qqrv | 4 |
| @Madlistmodules@Finalization\$qqrv | 4 |
| @Classes@ClassGroupOf\$qqrp17System@T | 4 |
| @Classes@CurrentGroup | 4 |
| @Sysutils@Exception@\$bctr\$qqrx20System | 4 |
| @Sysutils@FileIsReadOnly\$qqrx20System@ | 4 |
| @Sysutils@FileSetAttr\$qqrx20System@Unic | 4 |
| @Contnrs@TBucketList@\$bctr\$qqr24Contn | 4 |
| @Contnrs@TBucketList@BucketFor\$qqrpv | 4 |
| @Contnrs@TCustomBucketList@SetData\$qr | 4 |
| @Contnrs@TCustomBucketList@FindItem\$c | 4 |
| @Contnrs@TCustomBucketList@Find\$qqrpv | 4 |
| @Contnrs@TCustomBucketList@\$bdtr\$qqrv | 4 |

| | |
|---|---|
| @Contnrs@TCustomBucketList@DeleteItem | 4 |
| @Contnrs@TCustomBucketList@AddItem\$q | 4 |
| @Contnrs@TCustomBucketList@Add\$qqrpv | 4 |
| @Contnrs@TBucketList@ | 4 |
| @Inifiles@TIniFile@UpdateFile\$qqrv | 4 |
| @Inifiles@TIniFile@ReadSections\$qqrp16Cl | 4 |
| @Controls@TControl@GetDeviceContext\$q | 4 |
| @Extctrls@TImage@CanAutoSize\$qqrrit1 | 4 |
| @Extctrls@TImage@Paint\$qqrv | 4 |
| @Extctrls@TImage@\$bdtr\$qqrv | 4 |
| ?FindTitle@CCollection@@QAEPAVCTitle@ | 4 |
| ?SetId@CLocation@@QAEXPBD@Z | 4 |
| ?AddLocation@CCollection@@QAEPAVCLoc | 4 |
| ?GetLangId@CCollection@@QAEGPBD@Z | 4 |
| ?FirstLocation@CCollection@@QAEPAVCLo | 4 |
| ?Delete@CCalendars@@QAEXH@Z | 4 |
| ?Find@CCalendars@@QBEHPBVCCalendar@ | 4 |
| ?GetAt@CMessages@@QBEPBVCMessage@ | 4 |
| ?Delete@CMessages@@QAEXH@Z | 4 |
| ?Find@CMessages@@QBEHPBVCMessage@ | 4 |
| ?GetAt@CCalendars@@QBEHPBVCCalendar@ | 4 |
| ??8RecurrenceData@@UBE_NABV0@@Z | 4 |
| ??9RecurrenceData@@UBE_NABV0@@Z | 4 |
| ?DeleteThis@DailyData@@EAEXXZ | 4 |
| ?GetAt@CCalendars@@QAEPAVCCalendar@ | 4 |
| ??1DailyData@@EAE@XZ | 4 |
| ??1RecurrenceData@@MAE@XZ | 4 |
| ?Find@CContacts@@QBEHPBVCCContact@C | 4 |
| ?GetAt@CContacts@@QBEPBVCContact@C | 4 |
| CriaDir | 4 |
| sqlite3_busy_timeout | 4 |
| sqlite3_column_name | 4 |
| @System@@InitWideStrings\$qqrv | 4 |
| @Comobj@EOleSysError@ | 4 |
| GdipGetImageType | 4 |
| @Imglist@TCustomImageList@GetBitmap\$C | 4 |
| ?Remove@CSort@@QAEXI@Z | 4 |
| ??0CDFA@@QAE@PBGAACTimeLimit@@I | 4 |
| ??0?\$complex@N@std@@QAE@ABV?\$con | 4 |
| ?sputbackc@?\$basic_streambuf@GU?\$char | 4 |
| ??0length_error@std@@QAE@ABV01@@Z | 4 |
| ?do_compare@?\$collate@G@std@@MBEH | 4 |
| SetupQueryDrivesInDiskSpaceListW | 4 |
| ?EnableVPathNotify@CMetaDataMgr@@Q/ | 4 |
| ??1CDbCmdTreeNode@@QAE@XZ | 4 |
| Direct3DCreateTexture | 4 |
| FlushD3DDevices2 | 4 |

| | |
|---|---|
| Direct3DGetSWRastZPixFmts | 4 |
| TopIEdgeInit | 4 |
| ??1CXTPFontDC@@UAE@XZ | 4 |
| ??0CXTPFontDC@@QAE@PAVCDC@@PAVC | 4 |
| ??0CTPPenDC@@QAE@PAUHDC__@@K@ | 4 |
| ??1CTPPenDC@@UAE@XZ | 4 |
| ??0CXTPBrushDC@@QAE@PAUHDC__@@I | 4 |
| ??1CXTPBrushDC@@UAE@XZ | 4 |
| ?LoadBitmapFromResource@NPSGdiPlusUti | 4 |
| SQLGetInstalledDriversW | 4 |
| SQLGetAvailableDriversW | 4 |
| SQLWriteDSNToIniW | 4 |
| SQLInstallDriverManager | 4 |
| SQLRemoveDSNFromIniW | 4 |
| SQLCreateDataSource | 4 |
| ?_Doraise@underflow_error@std@@MBEX | 4 |
| wcsrtombs | 4 |
| ?underflow@?\$basic_streambuf@GU?\$char | 4 |
| ?setp@?\$basic_streambuf@GU?\$char_traits | 4 |
| ?truename@?\$numpunct@D@std@@QBE? | 4 |
| RegWinStationDeleteA | 4 |
| RegPdDeleteA | 4 |
| RegPdDeleteW | 4 |
| ?ClearDeviceStatusCallback@CWBTAPI@@C | 4 |
| ?GapStartDiscovery@CWBTAPI@@QAE?AW | 4 |
| ??0CWBTAPI@@QAE@XZ | 4 |
| ?ConnectToServer@CWBTAPI@@QAE?AW4 | 4 |
| ?SetOnDeviceFoundCallback@CWBTAPI@@I | 4 |
| ?SetOnDeviceStatusCallback@CWBTAPI@@I | 4 |
| ?SetOnInquiryCompleteCallback@CWBTAPI@ | 4 |
| ?SetOnDiscoveryEventCallback@CWBTAPI@ | 4 |
| ?GapStartInquiry@CWBTAPI@@QAE?AW4W | 4 |
| ?GapStopInquiry@CWBTAPI@@QAE?AW4W | 4 |
| ?BtmDeviceIsReady@CWBTAPI@@QAEHXZ | 4 |
| ?GapBond@CWBTAPI@@QAE?AW4WBtRc@ | 4 |
| ??1CWBTAPI@@QAE@XZ | 4 |
| ?ClearDeviceFoundCallback@CWBTAPI@@C | 4 |
| OSIF_OpenX | 4 |
| OSIF_Close | 4 |
| OSIF_GetObjectById | 4 |
| OSIF_WriteObject | 4 |
| OleSavedServerDoc | 4 |
| OleRevokeServerDoc | 4 |
| OleRevokeServer | 4 |
| OleBlockServer | 4 |
| @System@@UStrCmp\$qqrv | 4 |
| @\$xp\$8AnsiChar | 4 |

| | |
|--|---|
| @Basedef@TivLinkData@GetValue\$qqr20S | 4 |
| @Dxtl@TCustomdxTreeList@ClearNodes\$qqc | 4 |
| @Dxtl@TCustomdxTreeList@Add\$qqrv | 4 |
| @Dxtl@TdxTreeListColumn@ | 4 |
| @\$xp\$19Textctrls@TivDBText | 4 |
| @Textctrls@TivDBText@ | 4 |
| CmstpExtensionProc | 4 |
| CMConfig | 4 |
| _CMConfig@8 | 4 |
| CMConfigEx | 4 |
| @System@@PCharLen\$qqrpc | 4 |
| @\$xp\$24System@TInterfacedObject | 4 |
| @\$xp\$8SmallInt | 4 |
| @Classes@TComponent@FindComponent\$ | 4 |
| @Classes@TStrings@GetValueFromIndex\$q | 4 |
| @Sysutils@CompareText\$qqrx20System@U | 4 |
| @Math@ifThen\$qqroxixi | 4 |
| @Graphics@TCanvas@TextWidth\$qqrx20Sy | 4 |
| @Registry@TRegistry@ValueExists\$qqrx20S | 4 |
| @Registry@TRegistry@WriteInteger\$qqrx2(| 4 |
| @Registry@TRegistry@\$bctr\$qqrui | 4 |
| @Syncobjs@TEvent@ResetEvent\$qqrv | 4 |
| @Syncobjs@TEvent@ | 4 |
| @Comctrls@TListColumn@GetWidth\$qqrv | 4 |
| @Comctrls@TListColumn@SetCaption\$qqrx | 4 |
| @Clipbrd@Clipboard\$qqrv | 4 |
| _ZSt4cout | 4 |
| clearerr_s | 4 |
| JetGetLogInfo | 4 |
| LsCreateSubline | 4 |
| LsCreateContext | 4 |
| ?SetPath@CLocation@@QAEXPBG@Z | 4 |
| @Forms@TScreen@GetFormCount\$qqrv | 4 |
| @Forms@TScreen@GetForm\$qqri | 4 |
| @Dxbarcustform@Finalization\$qqrv | 4 |
| @Dxbarnameed@Finalization\$qqrv | 4 |
| @Dxbarpopupmenued@Finalization\$qqrv | 4 |
| @Dxbaritemed@Finalization\$qqrv | 4 |
| @Dxbaraddgroupitemsed@Finalization\$qqrv | 4 |
| @Dxbarcommon@Finalization\$qqrv | 4 |
| @Dxbarskinconsts@initialization\$qqrv | 4 |
| @Dxbaraccessibility@initialization\$qqrv | 4 |
| GetProcessPathID | 4 |
| RealignPE | 4 |
| HEEnterWindowLoop | 4 |
| @Idsmtp@initialization\$qqrv | 4 |
| @Idmessageclient@initialization\$qqrv | 4 |

| | |
|--|---|
| @Idiohandlerstream@initialization\$qqrv | 4 |
| @Idcoderquotedprintable@initialization\$qq | 4 |
| @Variants@@VarSub\$qqrr8TVarDatarx8TV@ | 4 |
| @Variants@@DispInvoke\$qp8TVarDatarx8T | 4 |
| @Ddeman@initialization\$qqrv | 4 |
| endhook | 4 |
| @Sysutils@SysLocale | 4 |
| @Classes@TWriter@WriteListEnd\$qqrv | 4 |
| @Classes@TStream@ | 4 |
| @Stdctrls@TCustomEdit@SetPasswordChar | 4 |
| @Olectrls@TOleControl@SetWideStringProj | 4 |
| @Olectrls@TOleControl@SetName\$qqrx17S | 4 |
| CreateEvent! | 4 |
| ?UnmapDII@@YAHPAUHWND __@@H@Z | 4 |
| ?GetBufferByteLeft@CTXCommPack@@QBF | 4 |
| ?WriteTipInContactChatSession@ChatSession | 4 |
| ?getLength@OInterfaceContainerHelper@cf | 4 |
| rtl_str_compareIgnoreCase_WithLength | 4 |
| ?getSelection@InteractionRequest@ucbhel | 4 |
| @Progressdialog@initialization\$qqrv | 4 |
| @Unitformprogress@initialization\$qqrv | 4 |
| SetFilter | 4 |
| SetClientHwnd | 4 |
| SetTargetPid | 4 |
| SetLoggingActi | 4 |
| SetFilterState | 4 |
| KiUnexpectedInterrupt | 4 |
| IoReportResourceUsage | 4 |
| SDL_DisplayFormat | 4 |
| TTF_RenderText_Solid | 4 |
| I_CryptEnumMatchingLruEntries | 4 |
| ClbStyleW | 4 |
| EngUnmapFile | 4 |
| EngMapFile | 4 |
| TerminateAllInst | 4 |
| ClearToTerminate | 4 |
| GetInterfaceVersion | 4 |
| ? SetProperty@CDbPropBaseRestriction@@@I | 4 |
| ? Cleanup@CDbProp@@QAEXXZ | 4 |
| NwEnumConnections | 4 |
| NwSetLogonScript | 4 |
| NwQueryInfo | 4 |
| NWDetachFromFileServer | 4 |
| NWGetFileVersionInfo | 4 |
| NwNdsReadObjectInfo | 4 |
| NwNdsOpenGenericHandle | 4 |
| NWGetObjectname | 4 |

| | |
|---|---|
| NwlibMakeNcp | 4 |
| NWAttachToFileServer | 4 |
| NWReadPropertyValue | 4 |
| NwNdsOpenStream | 4 |
| NwNdsReadAttribute | 4 |
| NwNdsOpenTreeHandle | 4 |
| NwNdsSetTreeContext | 4 |
| NwNdsGetTreeContext | 4 |
| NwNdsResolveName | 4 |
| @Designintf@initialization\$qqrv | 4 |
| @Designmenus@initialization\$qqrv | 4 |
| @Designconst@Finalization\$qqrv | 4 |
| @Sysutils@DiskSize\$qqruc | 4 |
| @Graphics@TPicture@GetWidth\$qqrv | 4 |
| @Graphics@TFont@\$bctr\$qqrv | 4 |
| @Controls@TCustomControl@Paint\$qqrv | 4 |
| @Controls@TWinControl@SetParent\$qqrp2 | 4 |
| @Controls@TWinControl@RequestAlign\$qc | 4 |
| @Comctrls@TListItem@SetChecked\$qqro | 4 |
| @Comctrls@TListItem@GetChecked\$qqrv | 4 |
| @\$xp\$15Stdctrls@TLabel | 4 |
| @Extdlgs@TOpenPictureDialog@ | 4 |
| @Cxdbdata@TcxDBDataController@SetData | 4 |
| acmFilterTagDetailsW | 4 |
| Activate_RunDLL | 4 |
| SdbQueryFlagInfo | 4 |
| @System@Random\$qqrx1 | 4 |
| @Tutranslation@Finalization\$qqrv | 4 |
| @Sysutils@AnsiPos\$qqrx20System@Unicod | 4 |
| @Sysutils@StrPas\$qqrpzb | 4 |
| @Sysutils@StrPLCopy\$qqrpbx20System@Ur | 4 |
| @Sysutils@ChangeFileExt\$qqrx20System@L | 4 |
| @Tuneuppow64@initialization\$qqrv | 4 |
| @Gnugettext@initialization\$qqrv | 4 |
| @Appevnts@TCustomApplicationEvents@\$l | 4 |
| @Crc@initialization\$qqrv | 4 |
| @Stringhelper@initialization\$qqrv | 4 |
| @Stringhelper@Finalization\$qqrv | 4 |
| @Turegistry@initialization\$qqrv | 4 |
| @Turegistry@Finalization\$qqrv | 4 |
| @Turegistry@CurrentOS | 4 |
| @Smallmozillastuff@initialization\$qqrv | 4 |
| @Smallmozillastuff@Finalization\$qqrv | 4 |
| @Zfhash@Finalization\$qqrv | 4 |
| @Tufileutils@initialization\$qqrv | 4 |
| @Tufileutils@Finalization\$qqrv | 4 |
| @Diskaccess@initialization\$qqrv | 4 |

| | |
|--|---|
| @Diskaccess@Finalization\$qqrv | 4 |
| @Smallturegistry@initialization\$qqrv | 4 |
| @Smallturegistry@Finalization\$qqrv | 4 |
| @Satask@Finalization\$qqrv | 4 |
| @Netapi32@initialization\$qqrv | 4 |
| @Netapi32@Finalization\$qqrv | 4 |
| @Windows2000@initialization\$qqrv | 4 |
| @Windows2000@Finalization\$qqrv | 4 |
| @Sidstore@initialization\$qqrv | 4 |
| @Sidstore@Finalization\$qqrv | 4 |
| @Ntcommon@initialization\$qqrv | 4 |
| @Ntcommon@Finalization\$qqrv | 4 |
| @Advapi32@initialization\$qqrv | 4 |
| @Advapi32@Finalization\$qqrv | 4 |
| @Tuhelper@initialization\$qqrv | 4 |
| @Tuhelper@Finalization\$qqrv | 4 |
| @Tuhelper@LoadAndResizeWizardPic\$qqrp | 4 |
| @Htm1un2@initialization\$qqrv | 4 |
| @Htm1un2@Finalization\$qqrv | 4 |
| @Styleun@initialization\$qqrv | 4 |
| @Styleun@Finalization\$qqrv | 4 |
| @Readhtml@initialization\$qqrv | 4 |
| @Readhtml@Finalization\$qqrv | 4 |
| @Stylepars@initialization\$qqrv | 4 |
| @Stylepars@Finalization\$qqrv | 4 |
| @Usp10@Finalization\$qqrv | 4 |
| @Gr32@initialization\$qqrv | 4 |
| @Gr32_lowlevel@initialization\$qqrv | 4 |
| @Gr32_lowlevel@Finalization\$qqrv | 4 |
| @Gr32_system@initialization\$qqrv | 4 |
| @Gr32_system@Finalization\$qqrv | 4 |
| @Gr32_blend@initialization\$qqrv | 4 |
| @Gr32_blend@Finalization\$qqrv | 4 |
| @Gr32_resamplers@initialization\$qqrv | 4 |
| @Gr32_resamplers@Finalization\$qqrv | 4 |
| @Gr32_rasterizers@initialization\$qqrv | 4 |
| @Gr32_rasterizers@Finalization\$qqrv | 4 |
| @Imagehelper@initialization\$qqrv | 4 |
| @Imagehelper@Finalization\$qqrv | 4 |
| @Htm1gif1@initialization\$qqrv | 4 |
| @Htm1gif1@Finalization\$qqrv | 4 |
| @Vwprint@initialization\$qqrv | 4 |
| @Vwprint@Finalization\$qqrv | 4 |
| @Ditherunit@initialization\$qqrv | 4 |
| @Ditherunit@Finalization\$qqrv | 4 |
| @Tujournal@initialization\$qqrv | 4 |
| @Tujournal@Finalization\$qqrv | 4 |

| | |
|--|---|
| @Tusysinfo@initialization\$qqrv | 4 |
| @Tusysinfo@Finalization\$qqrv | 4 |
| @Tuappinit@initialization\$qqrv | 4 |
| @Tuappinit@Finalization\$qqrv | 4 |
| @Tuformstyler@TTUFormStyler@ | 4 |
| @Tuheadinglabel@TTUHeadingLabel@ | 4 |
| @Ocmutils@Finalization\$qqrv | 4 |
| @Unetapi@initialization\$qqrv | 4 |
| @Unetapi@Finalization\$qqrv | 4 |
| @Tuprogressbar@initialization\$qqrv | 4 |
| @Tuprogressbar@Finalization\$qqrv | 4 |
| @Tuprogressbar@CheckProgressbar\$qqrpz | 4 |
| @Tuhtmlviewer@TTUHTMLViewer@ | 4 |
| @Tuappcompat@initialization\$qqrv | 4 |
| @Tuappcompat@Finalization\$qqrv | 4 |
| @Uicons@initialization\$qqrv | 4 |
| @Advancedicon@initialization\$qqrv | 4 |
| @Advancedicon@Finalization\$qqrv | 4 |
| @Madshell@initialization\$qqrv | 4 |
| @Madshell@Finalization\$qqrv | 4 |
| @Ehshelprouter@initialization\$qqrv | 4 |
| @Ehshelprouter@Finalization\$qqrv | 4 |
| @Tureport@TUReportData | 4 |
| ?GetWMIADAPCmdLine@@YGPAGH@Z | 4 |
| ?EnableAllPrivileges@@YGJK@Z | 4 |
| ?Equals@nsCSubstring@@QBEHABV1@@@Z | 4 |
| ?AppendInt@nsCString@@QAEXHH@Z | 4 |
| ??OnsAutoVoidArray@@QAE@XZ | 4 |
| ?AppendUTF8toUTF16@@YAXABVnsACStrir | 4 |
| ?Assign@nsCSubstring@@QAEXABVnsACStri | 4 |
| ?Assign@nsACString_internal@@QAEXABV: | 4 |
| ?ToNewCString@@YAPADABVnsACString_ir | 4 |
| NS_Alloc_P | 4 |
| PL_InitArenaPool | 4 |
| PL_ArenaAllocate | 4 |
| convert_xml_special_chars | 4 |
| SetupDiGetHwProfileFriendlyNameExW | 4 |
| @Math@Min\$qqrxixi | 4 |
| @\$xp\$24Imglist@TCustomImageList | 4 |
| @Controls@TControl@SetConstraints\$qqrp: | 4 |
| _WritePrivateProfileString_@16 | 4 |
| @Fr_e_rtf@Finalization\$qqrv | 4 |
| @Fr_e_rtf@TfrRTFExport@ | 4 |
| @Fr_e_html2@Finalization\$qqrv | 4 |
| DoPrivacyDlg | 4 |
| HlinkFrameNavigate | 4 |
| SHGetIDispatchForFolder | 4 |

| | |
|--|---|
| URLQualifyW | 4 |
| DoAddToFavDlgW | 4 |
| SetQueryNetSessionCount | 4 |
| HlinkFrameNavigateNHL | 4 |
| AddUrlToFavorites | 4 |
| DoFileDialog | 4 |
| ATMEndFontChange | 4 |
| BASS_SetConfig | 4 |
| ?!IsInSetup@MESSAGE@@UAEEXZ | 4 |
| ?Initialize@LIST@@QAEEXZ | 4 |
| ?Insert@LIST@@QAEPAVOBJECT@@PAV1 | 4 |
| ?ValidateScopeRestriction@@YGHPAVCRest | 4 |
| ?IsCIStopped@CMachineAdmin@@QAEHXZ | 4 |
| EnvoMSO | 4 |
| WinHttpQueryAuthSchemes | 4 |
| CredIsMarshaledCredentialA | 4 |
| DefineOutputDev | 4 |
| TABSet | 4 |
| ZDB_VALRECORD | 4 |
| TABWriteLineExt | 4 |
| TABCloseSettings | 4 |
| TABClosePrinting | 4 |
| GetStyle | 4 |
| EntrySub2 | 4 |
| DefinePos4 | 4 |
| ExitSub | 4 |
| ??1_Locimp@locale@std@@MAE@XZ | 4 |
| ?_Locimp_Addfac@_Locimp@locale@std@! | 4 |
| HttpExtensionProc | 4 |
| g_fopen | 4 |
| g_list_length | 4 |
| g_list_prepend | 4 |
| g_snprintf | 4 |
| gtk_adjustment_get_type | 4 |
| gtk_cell_renderer_text_new | 4 |
| gtk_entry_get_text | 4 |
| gtk_entry_get_type | 4 |
| gtk_entry_new | 4 |
| gtk_entry_set_text | 4 |
| gtk_frame_get_type | 4 |
| gtk_frame_new | 4 |
| gtk_label_get_type | 4 |
| gtk_list_store_append | 4 |
| gtk_list_store_get_type | 4 |
| gtk_list_store_new | 4 |
| gtk_list_store_set | 4 |
| gtk_message_dialog_new | 4 |

| | |
|--|---|
| gtk_scrolled_window_get_type | 4 |
| gtk_scrolled_window_new | 4 |
| gtk_scrolled_window_set_policy | 4 |
| gtk_scrolled_window_set_shadow_type | 4 |
| gtk_tree_model_get | 4 |
| gtk_tree_model_get_type | 4 |
| gtk_tree_selection_get_selected | 4 |
| gtk_tree_view_append_column | 4 |
| gtk_tree_view_column_new_with_attribute | 4 |
| gtk_tree_view_get_model | 4 |
| gtk_tree_view_get_selection | 4 |
| gtk_tree_view_get_type | 4 |
| gtk_tree_view_new_with_model | 4 |
| gimp_image_height | 4 |
| gimp_image_width | 4 |
| MatchTagsInCmdLine | 4 |
| InitializeCriticalSectionEx | 4 |
| @Teengine@TCustomAxisPanel@GetSeries@ | 4 |
| @Dbchart@TDBChart@ | 4 |
| net_OpenDgram | 4 |
| vlc_timer_create | 4 |
| vlc_timer_destroy | 4 |
| vlc_timer_schedule | 4 |
| ATMMakePSS | 4 |
| ATMBBoxBaseXYShowText | 4 |
| GdipSetClipHrgn | 4 |
| SHCreateLocalServerRunDII | 4 |
| MsiSourceListForceResolutionExW | 4 |
| I_RpcTransDatagramFree | 4 |
| NdrVaryingArrayUnmarshall | 4 |
| ??0?\$basic_ifstream@GU?\$char_traits@G@ | 4 |
| ??0CRequestClient@@QAE@PBGPUIUIDBPr@ | 4 |
| ?PropertyToPropId@CStandardPropMapper | 4 |
| PR_SetEnv | 4 |
| ?InvalidateDiskCache@@YGJPAG@Z | 4 |
| ?GetVolumeGuidPathnames@@YGJPAGPAK | 4 |
| ?GetFileSystemRecognitionName@@YGJPA | 4 |
| ?GetVolumeUniqueId@YGKPAU_VDS_VOL | 4 |
| ?GetBootFromDiskNumber@@YGJPAK@Z | 4 |
| ?GetDeviceLocationEx@@YGKPAXKPAU_VD | 4 |
| ?IsDiskCurrentStateReadOnly@@YGKPAXPA | 4 |
| ?GetMediaGeometryEx@@YGKPAXPAU_VD | 4 |
| ?GetDiskOfflineReason@@YGKPAXPAW4_V | 4 |
| ?AllocateAndGetVolumePathName@@YGJP | 4 |
| Ras GetUserCredentials | 4 |
| RasRpcRemoteRasDeleteEntry | 4 |
| RtlCopyOutOfProcessMemoryStreamTo | 4 |

| | |
|---|---|
| ZwRegisterThreadTerminatePort | 4 |
| AtlModuleAddTermFunc | 4 |
| AtlAxAttachControl | 4 |
| AtlModuleRegisterServer | 4 |
| AtlModuleExtractCreateWndData | 4 |
| lineGetRequestA | 4 |
| ZwAccessCheck | 4 |
| ??1?\$num_put@GV?\$ostreambuf_iterator@ | 4 |
| ??0?\$basic_iostream@DU?\$char_traits@D@ | 4 |
| ?_Getcat@?\$ctype@D@std@@SAIXZ | 4 |
| ??_F?\$time_get@GV?\$istreambuf_iterator@ | 4 |
| DDMSendUserMessage | 4 |
| IfObjectInitiatePersistentConnections | 4 |
| RasAuthProviderInitialize | 4 |
| RasAcctProviderInitialize | 4 |
| DDMServicePostListens | 4 |
| DDMAdminPortClearStats | 4 |
| RasAcctProviderTerminate | 4 |
| RasAuthProviderAuthenticateUser | 4 |
| DDMAdminServerGetInfo | 4 |
| DDMAdminConnectionGetInfo | 4 |
| rtcPMT | 4 |
| ?NumberOfSortProps@CCatState@@QBEIX: | 4 |
| ?Flush@CPhysStorage@@QAEXH@Z | 4 |
| sapi_shutdown | 4 |
| zend_llist_init | 4 |
| php_module_shutdown | 4 |
| php_import_environment_variables | 4 |
| zend_eval_string | 4 |
| ??1CCommonAboutDlg@@UAE@XZ | 4 |
| ?DoModal@CCommonAboutDlg@@QAEHX: | 4 |
| ??0CCommonAboutDlg@@QAE@XZ | 4 |
| ?DrawParentBackBuffer@CNbuuBackBuffer | 4 |
| ?DrawBackBufferPart@CNbuuBackBuffer@() | 4 |
| ?DrawBackBuffer@CNbuuBackBuffer@@UA | 4 |
| ?DeleteBackBuffer@CNbuuBackBuffer@@U | 4 |
| ?CreateBackBuffer@CNbuuBackBuffer@@U | 4 |
| ?m_dwLayout@CNbuuLib@@0KA | 4 |
| ?WPPB@CIniA@@QAEXPBD0H@Z | 4 |
| @Fr_class@TfrReport@Clear\$qqrv | 4 |
| EndCacheTransaction | 4 |
| TopIScheduleCreate | 4 |
| vlc_open | 4 |
| @Comctrls@TTreeNodes@AddChild\$qqrp1{ | 4 |
| @Dbtables@TTable@ | 4 |
| ?grouping@?\$_Mpunct@G@std@@QBE?A\ | 4 |
| ??0?\$complex@M@std@@QAE@ABM0@Z | 4 |

| | |
|--|---|
| ?cosh@@std@@YA?AV?\$complex@N@1@AE | 4 |
| ?-_F?\$time_put@DV?\$ostreambuf_iterator | 4 |
| ?seekpos@?\$basic_streampbuf@GU?\$char_t | 4 |
| ldap_simple_bind | 4 |
| ldap_add_extA | 4 |
| ldap_get_optionA | 4 |
| ber_first_element | 4 |
| ldap_modrdn2_sA | 4 |
| NetReplExportDirGetInfo | 4 |
| DsRoleGetDcOperationProgress | 4 |
| NetAddAlternateComputerName | 4 |
| SQLValidDSNW | 4 |
| SQLRemoveDriver | 4 |
| ??0ROOTDIR@@QAE@XZ | 4 |
| NdrConformantVaryingStructFree | 4 |
| NdrGetSimpleTypeBufferAlignment | 4 |
| NdrCorrelationPass | 4 |
| SetMemNewObj | 4 |
| TF_CreateLangBarMgr | 4 |
| TF_RunInputCPL | 4 |
| TF_CreateDisplayAttributeMgr | 4 |
| TF_CreateCategoryMgr | 4 |
| TF_IsCtfmonRunning | 4 |
| @Idemessages@initialization\$qqrv | 4 |
| @Idemessages@Finalization\$qqrv | 4 |
| @Tabdock@initialization\$qqrv | 4 |
| @Tabdock@Finalization\$qqrv | 4 |
| @Basedock@initialization\$qqrv | 4 |
| @Basedock@Finalization\$qqrv | 4 |
| @Deskutil@initialization\$qqrv | 4 |
| @Deskutil@Finalization\$qqrv | 4 |
| @Deskform@initialization\$qqrv | 4 |
| @Deskform@Finalization\$qqrv | 4 |
| @Dockform@initialization\$qqrv | 4 |
| @Dockform@Finalization\$qqrv | 4 |
| DUserInstanceOf | 4 |
| ?id@?\$numpunct@D@std@@2V0locale@2 | 4 |
| ?type@_InputArray@cv@@UBEHH@Z | 4 |
| ?empty@_InputArray@cv@@UBE_NXZ | 4 |
| ?channels@_InputArray@cv@@UBEHH@Z | 4 |
| ?depth@_InputArray@cv@@UBEHH@Z | 4 |
| ?total@_InputArray@cv@@UBEIH@Z | 4 |
| ?size@_InputArray@cv@@UBE?AV?\$Size_@ | 4 |
| ?kind@_InputArray@cv@@UBEHXZ | 4 |
| ?getMatVector@_InputArray@cv@@UBEXA | 4 |
| ?getMat@_InputArray@cv@@UBE?AVMat@ | 4 |
| ?imshow@cv@@YAXABV?\$basic_string@D | 4 |

| | |
|---|---|
| SceAppendSecurityProfileInfo | 4 |
| ?RemoveFirstChild@CDbCmdTreeNode@@I | 4 |
| PathProcessCommand | 4 |
| IsLFNDriveA | 4 |
| ?IsReadLocked@CReaderWriterLock@@QBF | 4 |
| ?_Contract@CLKRLinearHashTable@@AAE? | 4 |
| ?_Expand@CLKRLinearHashTable@@AAE?A | 4 |
| ?IsWriteUnlocked@CCritSec@@QBE_NXZ | 4 |
| ?sm_dbIDfltSpinAdjFctr@CCritSec@@1NA | 4 |
| ?IsLocked@CLockedDoubleList@@QBE_NXZ | 4 |
| ?sm_wDefaultSpinCount@CSmallSpinLock@ | 4 |
| ??0time_base@std@@QAE@I@Z | 4 |
| ?pbackfail@?\$basic_streambuf@DU?\$char_ | 4 |
| ??_7?\$moneypunct@G\$00@std@@6B@ | 4 |
| ?arg@std@@YANABV?\$complex@N@1@@ | 4 |
| ?do_always_noconv@codecvt_base@std@() | 4 |
| ?getloc@?\$basic_streambuf@GU?\$char_tra | 4 |
| ?do_thousands_sep@?\$_Mpunct@D@std@ | 4 |
| ?open@?\$basic_ifstream@DU?\$char_traits@ | 4 |
| ?intl@?\$moneypunct@G\$0A@@std@@2_` | 4 |
| ?_Sinh@?\$_Ctr@N@std@@SANN@Z | 4 |
| MsiGetTargetPathW | 4 |
| ??1CSdidLookupTable@@QAE@XZ | 4 |
| ??0SSStorageObject@@QAE@PAVPStorageO | 4 |
| ??0?\$money_put@GV?\$ostreambuf_iterato | 4 |
| ??0?\$basic_ios@GU?\$char_traits@G@std@ | 4 |
| AuthziModifyAuditEvent | 4 |
| AuthziModifyAuditQueue | 4 |
| AuthziModifyAuditEventType | 4 |
| AuthzilInitializeAuditQueue | 4 |
| AuthzilInitializeAuditParamsFromArray | 4 |
| RtlIpv6StringToAddressExW | 4 |
| PRShowSaveFromMsginaW | 4 |
| PRShowRestoreFromMsginaW | 4 |
| PRShowSaveWizardExW | 4 |
| PRShowRestoreWizardW | 4 |
| KRShowKeyMgr | 4 |
| PRShowRestoreWizardExW | 4 |
| Est0300300019 | 4 |
| Est0300300022 | 4 |
| Est0301300058 | 4 |
| Est0301300047 | 4 |
| Est0301300051 | 4 |
| Est0301300057 | 4 |
| Est0301300048 | 4 |
| Est0301300015 | 4 |
| Cla\$CLOCK | 4 |

| | |
|---|---|
| Cla\$DecAdd | 4 |
| Cla\$DPopReal | 4 |
| Cla\$DStack2Stack | 4 |
| Cla\$FILE_CLOSE | 4 |
| Cla\$FILE_NEXT | 4 |
| Cla\$FOCUS | 4 |
| Cla\$HIDE | 4 |
| Cla\$KEYCODE | 4 |
| Cla\$realdistinct | 4 |
| Cla\$SELECT | 4 |
| Cla\$StackCompareR | 4 |
| Cla\$StackErrstr | 4 |
| Cla\$StackINSTRING | 4 |
| Cla\$StackRotate | 4 |
| Cla\$StackSUB | 4 |
| Cla\$StackUPPER | 4 |
| Cla\$StashBP | 4 |
| @Comctrls@TListItem@SetCaption\$qqrx17` | 4 |
| Install | 4 |
| NS_CStringGetMutableData | 4 |
| NS_NewLocalFile | 4 |
| PR_SetError | 4 |
| PL_strcmp | 4 |
| rtcFormatDateTime | 4 |
| rtcCreateObject | 4 |
| ldap_explode_dn | 4 |
| _FSOUND_GetMaxChannels@0 | 4 |
| _FSOUND_Stream_GetMode@4 | 4 |
| _FSOUND_Stream_SetMode@8 | 4 |
| _FSOUND_Stream_PlayEx@16 | 4 |
| _FSOUND_SetDriver@4 | 4 |
| _FSOUND_3D_SetMinMaxDistance@12 | 4 |
| _FSOUND_SetMute@8 | 4 |
| _FSOUND_3D_SetDistanceFactor@4 | 4 |
| _FSOUND_Sample_Load@20 | 4 |
| _FSOUND_Sample_SetMinMaxDistance@12 | 4 |
| _FSOUND_GetDriverName@4 | 4 |
| _FSOUND_SetMinHardwareChannels@4 | 4 |
| _FSOUND_GetVolume@4 | 4 |
| _FSOUND_Stream_Open@16 | 4 |
| _FSOUND_GetNumDrivers@0 | 4 |
| _FSOUND_SetMaxHardwareChannels@4 | 4 |
| _FSOUND_GetDriverCaps@8 | 4 |
| _FSOUND_PlaySoundEx@16 | 4 |
| _FSOUND_SetPriority@8 | 4 |
| text_style_Duplicate | 4 |
| buf32MergeBuf | 4 |

| | |
|---|---|
| ?New@BasePrivate@@YAPAXI_N@Z | 4 |
| _ZNSsD1Ev | 4 |
| RndNum | 4 |
| RenameFileA | 4 |
| HexStrToNum | 4 |
| GetProcessorSupport | 4 |
| DecToStr | 4 |
| SetWindowInCenter | 4 |
| IsFileA | 4 |
| SelectColor32 | 4 |
| _findnext64i32 | 4 |
| ?copy@HT_String@@QAEXABV1@@Z | 4 |
| _QApplication_activeWindow | 4 |
| NdrFullPointerQueryRefId | 4 |
| ?real@?\$Complex_base@M@std@@QBEM | 4 |
| ?fill@?\$basic_ios@DU?\$char_traits@D@std | 4 |
| SCardLocateCardsByATRW | 4 |
| _tcsnccpy | 4 |
| ??0CFullPath@@QAE@PBG@Z | 4 |
| ?SetLocale@CCatState@@QAEXPBG@Z | 4 |
| ??0?\$basic_ofstream@DU?\$char_traits@D@std | 4 |
| SetFileInfoByHandle | 4 |
| glsULongHigh | 4 |
| glsNumi | 4 |
| glsGetHeaderiv | 4 |
| ?_Psum@?\$basic_string@DU?\$char_traits@ | 4 |
| ?pow@std@@YA?AV?\$complex@M@1@AI | 4 |
| BtMemAlloc | 4 |
| BtOpenAPI | 4 |
| __block_New | 4 |
| ?Initialize@BITVECTOR@@QAEEKW4BIT@@ | 4 |
| DnsRecordSetDetach | 4 |
| DnsGetDnsServerList | 4 |
| MfEnumFormat | 4 |
| OleRevokeClientDoc | 4 |
| ErrQueryOpen | 4 |
| ogg_page_eos | 4 |
| ogg_page_granulepos | 4 |
| ogg_page_serialno | 4 |
| ogg_stream_pagein | 4 |
| ogg_sync_init | 4 |
| ogg_sync_buffer | 4 |
| ogg_sync_wrote | 4 |
| ogg_stream_init | 4 |
| ogg_stream_clear | 4 |
| ogg_sync_clear | 4 |
| ogg_stream_packetout | 4 |

| | |
|--|---|
| vorbis_info_init | 4 |
| ?DeIdleCallback@Window@Util@@YAJPAV | 4 |
| ?NotifyIdle@XTimer@@YAXXZ | 4 |
| ??BCSDateTime@@QBENXZ | 4 |
| ??0CSDateTime@@QAE@XZ | 4 |
| ??1CSDateTime@@QAE@XZ | 4 |
| ??1CAuditDetails@@UAE@XZ | 4 |
| ??1CAuditContext@@UAE@XZ | 4 |
| VarCyAdd | 4 |
| VarR4FromCy | 4 |
| ldap_add_ext_sW | 4 |
| ldap_deleteA | 4 |
| ldap_modrdn2_sW | 4 |
| SetPortVal | 4 |
| ShutdownWinIo | 4 |
| ?AddLocationHistory@CTitle@@QAEKKPBG | 4 |
| ?_wsopen@@YAHPB_WHBB@Z | 4 |
| lineGetMessage | 4 |
| ?length@\$char_traits @_W@std@@SAIPB_ | 4 |
| ?imbue@\$basic_ios @_WU?\$char_traits@_ | 4 |
| _Z17qt_message_output9QtMsgTypePKc | 4 |
| ?GetDefaultFont@OutputDevice@@SA?AVF | 4 |
| ?GetColor@Wallpaper@@QBEABVColor@@ | 4 |
| ?GetOutputSize@OutputDevice@@QBE?AV | 4 |
| ??0Image@@QAE@XZ | 4 |
| ??1WarningBox@@UAE@XZ | 4 |
| ?SearchAndReplace@String@@QAEGABV1@ | 4 |
| ?IsDark@Color@@QBEEHZ | 4 |
| ?IsA@SvFileStream@@UBEGXZ | 4 |
| ?ResetError@SvFileStream@@UAEXXZ | 4 |
| ?SetSize@SvFileStream@@MAEXK@Z | 4 |
| ?FlushData@SvFileStream@@MAEXXZ | 4 |
| ?SeekPos@SvFileStream@@MAEKK@Z | 4 |
| ?PutData@SvFileStream@@MAEKPBXK@Z | 4 |
| ?GetData@SvFileStream@@MAEKPAHK@Z | 4 |
| ??1SvtSecurityOptions@@UAE@XZ | 4 |
| ??0SvtSecurityOptions@@QAE@XZ | 4 |
| ?GetMacroSecurityLevel@SvtSecurityOption | 4 |
| ?encodeBase64@SvXMLUnitConverter@@S | 4 |
| ??1FixedInfo@@UAE@XZ | 4 |
| ?Clear@SvLBox@@QAEXXZ | 4 |
| HlinkCreateExtensionServices | 4 |
| us_strtod | 4 |
| vlc_sdp_Start | 4 |
| vlc_thread_create | 4 |
| KeServiceDescriptorTabIf | 4 |
| BT_SetSupportServer | 4 |

| | |
|--|---|
| SymEnumSymbolsW | 4 |
| SymInitializeW | 4 |
| LogReInitW | 4 |
| VarI8FromCy | 4 |
| CryptExtAddSPC | 4 |
| ?FindFormat@CxImageHelper@@YAKPAVC | 4 |
| ?LoadGif@CxImageHelper@@YAPAVCxImage | 4 |
| ?ConvertXMLToTXData@Convert@Util@@Y | 4 |
| ?IsRunning@CTXHttpDownload@@QAEHXZ | 4 |
| ?ScreenPoint2ClientPoint@GF@Util@@YAX | 4 |
| _EnumICMPProfiles_@12 | 4 |
| ?_Init_cnt@Init@ios_base@std@@0HA | 4 |
| ??0INTSTACK@@QAE@XZ | 4 |
| ??1PARSE_SET@@UAE@XZ | 4 |
| ?Sort@TLINK@@QAEXXZ | 4 |
| ??0FileLogger@Logging@WinGenerics@@C | 4 |
| ?log_message@FileLogger@Logging@WinG | 4 |
| ?utf8_to_wchar@StringManip@WinGeneric | 4 |
| ?trim@StringManip@WinGenerics@@YAXP | 4 |
| ?to_lower@StringManip@WinGenerics@@` | 4 |
| ?mime_url_decode@StringManip@WinGen | 4 |
| ?setlocale@StringManip@WinGenerics@@` | 4 |
| ??Nstd@@YA_NPBDABV?\$basic_string@DU | 4 |
| ??Zstd@@YAAAV?\$complex@N@0@AAV1C | 4 |
| __Wcrtomb_lk | 4 |
| ?_Psum@?\$basic_string@GU?\$char_traits@ | 4 |
| RpcNsMgmtEntryCreateW | 4 |
| RpcNsGroupMbrInqDone | 4 |
| I_RpcNsSendReceive | 4 |
| I_RpcNsRaiseException | 4 |
| RpcNsEntryObjectInqDone | 4 |
| RpcNsBindingUnexportPnPW | 4 |
| RpcNsProfileEltInqBeginA | 4 |
| RpcNsEntryExpandNameA | 4 |
| RpcNsProfileEltAddA | 4 |
| RpcNsProfileEltInqNextA | 4 |
| RpcNsMgmtEntryInqlIdsA | 4 |
| RpcNsProfileEltRemoveA | 4 |
| _tcsinc | 4 |
| ??0underflow_error@std@@QAE@ABV01@ | 4 |
| @Strhlder@initialization\$qqrv | 4 |
| DhcpDsClearHostServerEntries | 4 |
| DhcpServerGetConfig | 4 |
| SDL_FillRect | 4 |
| DuplicateBlob | 4 |
| GetStringFromBlob | 4 |
| SetDwordInBlob | 4 |

| | |
|---|---|
| GetNPPBlobTable | 4 |
| ?Create@CProductInfo@@SA_NHPAH@Z | 4 |
| ?_Addfac@locale@std@@QAEAAV12@PAV | 4 |
| ?do_pos_format@?\$_Mpunct@G@std@@@I | 4 |
| ?_ThrowMemoryException_@@YGXXZ | 4 |
| ??1Registry@@QAE@XZ | 4 |
| ??_F?\$numpunct@G@std@@QAEEXZ | 4 |
| ?arg@std@@YAMABV?\$complex@M@1@() | 4 |
| ??0?\$_Mpunct@D@std@@QAE@ABV_Loci | 4 |
| osl_releasePipe | 4 |
| osl_createPipe | 4 |
| ??Dstd@@YA?AV?\$complex@N@0@ABNAI | 4 |
| ZwDebugActiveProcess | 4 |
| RtlApplyRXact | 4 |
| BASS_ChannelStop | 4 |
| MprAdminTransportCreate | 4 |
| URLAssociationDialogW | 4 |
| AddMIMEFileTypesPS | 4 |
| ?StrLen@CKey@@QBEIXZ | 4 |
| ?Reopen@CPhysStorage@@QAEXH@Z | 4 |
| ?BorrowBuffer@CPhysStorage@@QAEPAKK | 4 |
| Ctl3dDlgFramePaint | 4 |
| Ctl3dSetStyle | 4 |
| Ctl3dCtlColorEx | 4 |
| Ctl3dEnabled | 4 |
| Ctl3dSubclassDlgEx | 4 |
| Ctl3dIsAutoSubclass | 4 |
| SnmpMgrTrapListen | 4 |
| IoGetDevicePropertyData | 4 |
| ?GetCurrentUin@@YAKPAUIQQCore@@@Z | 4 |
| ?GetQQDataBuf@@YAJPAUIQQData@@PBI | 4 |
| ?GetCurrentSysTempData@@YAXPAUIQQC | 4 |
| ??3@YAXPEAX@Z | 4 |
| ?infinity@?\$_numeric_limits@K@std@@SAK | 4 |
| ??0?\$basic_istringstream@GU?\$char_traits< | 4 |
| ?_Getcoll@_Locinfo@std@@QBE?AU_Collv | 4 |
| ?cosh@std@@YA?AV?\$complex@O@1@AE | 4 |
| ??4?\$numeric_limits@O@std@@QAEAAV0 | 4 |
| @Classes@TThread@\$bctr\$qr4bool | 4 |
| GetFalconKeyValue | 4 |
| SeCloseObjectAuditAlarm | 4 |
| ??1?CEventLock@UAppEvents@@@QAE | 4 |
| ?FormatErrorIds@@YGXIVSC@mmcrror@() | 4 |
| getc_unlocked | 4 |
| mbsrtowcs | 4 |
| HrPnpInstanceIdFromGuid | 4 |
| HrLanConnectionNameFromGuidOrPath | 4 |

| | |
|---|---|
| ?signaling_NaN@?\$numeric_limits@C@std:: | 4 |
| ?_Isinf@?\$_Ctr@N@std@@SA_NN@Z | 4 |
| _GetTextFace_@12 | 4 |
| @System@@Write0Char\$qqrr15System@T | 4 |
| WNetFormatNetworkNameA | 4 |
| ?_Getcat@?\$moneypunct@G\$0A@@std@() | 4 |
| ?scan_is@?\$ctype@D@std@@QBEPBDFPBI | 4 |
| D3DXMatrixLookAtLH | 4 |
| D3DXMatrixMultiply | 4 |
| ??0?\$_String_val@DV?\$allocator@D@std@ | 4 |
| PowerSetActiveScheme | 4 |
| PowerSettingAccessCheck | 4 |
| BufferedPaintSetAlpha | 4 |
| ??1CNcsWmiAutoParsedObjectPath@@QAE | 4 |
| ?Parse@CNcsWmiAutoParsedObjectPath@() | 4 |
| ??0CNcsWmiAutoParsedObjectPath@@QAE | 4 |
| ?GetObjectIDFromTeamOfAdapPath@CIANe | 4 |
| ?GetVlanObjectIDFromPath@CIANet_Ethern | 4 |
| ?GetBootAgentIDFromPath@CIANet_Ethern | 4 |
| ?MakePathFromObjectID@CIANet_Ethernet | 4 |
| ?MakePathFromBootAgentID@CIANet_Ethe | 4 |
| ?MakeTeamOfAdapPathFromObjectID@CIAI | 4 |
| ?GetAdapterIDFromMemberAdapterPath@C | 4 |
| ?MakePathFromVlanObjectID@CIANet_Ethe | 4 |
| ?MakeVlanServicePathFromParentObjectID@ | 4 |
| ?GetObjectIDFromPath@CIANet_EthernetAc | 4 |
| ?insert@?\$basic_string@_WU?\$char_traits< | 4 |
| LeQueryType | 4 |
| KeQueryActiveProcessorCountEx | 4 |
| ExEnterCriticalSectionAndAcquireResourceEx | 4 |
| ExEnterCriticalSectionAndAcquireResourceSht | 4 |
| ExReleaseResourceAndLeaveCriticalSection | 4 |
| @Jcldebug@initialization\$qqrv | 4 |
| @Jclhookexcept@initialization\$qqrv | 4 |
| CREATEFILEA | 4 |
| DeleteCanvas | 4 |
| NetpParmsQueryUserProperty | 4 |
| NetpParmsUserPropertyFree | 4 |
| NetpParmsSetUserProperty | 4 |
| MediaInfo_Option | 4 |
| ??1SvtURLBox@@UAE@XZ | 4 |
| ?GetInterface@VCLUnoHelper@@SA?AV?\$I | 4 |
| ?GetSurroundingText@Edit@@UBE?AVStrin | 4 |
| ?GetSurroundingTextSelection@Edit@@UBI | 4 |
| ?CalcSize@Edit@@UBE?AVSize@@G@Z | 4 |
| ?GetMaxVisChars@Edit@@UBEGXZ | 4 |
| ?dragGestureRecognized@Edit@@MAEXAB | 4 |

| | |
|--|---|
| ?dragDropEnd@Edit@@MAEXABUDragSour | 4 |
| ?dragEnter@Edit@@MAEXABUDropTargetD | 4 |
| ?dragEnter@DragAndDropClient@unohelpe | 4 |
| ?dragExit@Edit@@MAEXABUDropTargetEve | 4 |
| ?dragExit@DragAndDropClient@unohelper(| 4 |
| ?dragOver@Edit@@MAEXABUDropTargetD | 4 |
| ?dragOver@DragAndDropClient@unohelper | 4 |
| ?dropActionChanged@DragAndDropClient@ | 4 |
| ?drop@Edit@@MAEXABUDropTargetDropE | 4 |
| ?GetPreferredKeyInputWindow@Edit@@UA | 4 |
| ?Tracking@Edit@@UAEXABVTrackingEvent(| 4 |
| ?Command@Edit@@UAEXABVCommandEv | 4 |
| ?LoseFocus@Edit@@UAEXXZ | 4 |
| ?Paint@Edit@@UAEXABVRectangle@@@Z | 4 |
| ?KeyInput@Edit@@UAEXABVKeyEvent@@@I | 4 |
| ?MouseButtonUp@Edit@@UAEXABVMouse | 4 |
| ?MouseButtonDown@Edit@@UAEXABVMo | 4 |
| ?dropActionChanged@DragAndDropClient@ | 4 |
| ?SetNoSelection@ListBox@@UAEXXZ | 4 |
| ?IsEntryPosSelected@ListBox@@UBEEG@Z | 4 |
| ?IsEntrySelected@ListBox@@UBEEABVStrin | 4 |
| ?GetSelectEntryPos@ListBox@@UBEGG@Z | 4 |
| ?GetSelectEntry@ListBox@@UBE?AVString(| 4 |
| ?GetSelectEntryCount@ListBox@@UBEGXZ | 4 |
| ?SelectEntryPos@ListBox@@UAEXGE@Z | 4 |
| ?SelectEntry@ListBox@@UAEXABVString@() | 4 |
| ?GetEntryCount@ListBox@@UBEGXZ | 4 |
| ?GetEntry@ListBox@@UBE?AVString@@G(| 4 |
| ?GetEntryPos@ListBox@@UBEGABVString@ | 4 |
| ?GetEntryPos@ListBox@@UBEGPBX@Z | 4 |
| ?Clear@ListBox@@UAEXXZ | 4 |
| ?RemoveEntry@ListBox@@UAEXABVString(| 4 |
| ?RemoveEntry@ListBox@@UAEXG@Z | 4 |
| ?InsertEntry@ListBox@@UAEGABVString@() | 4 |
| ?InsertEntry@ListBox@@UAEGABVImage@ | 4 |
| ?InsertEntry@ListBox@@UAEGABVString@() | 4 |
| ?DoubleClick@ListBox@@UAEXXZ | 4 |
| ?Select@ListBox@@UAEXXZ | 4 |
| ?UserDraw@ListBox@@UAEXABVUserDraw | 4 |
| ?FillLayoutData@ListBox@@MBEXXZ | 4 |
| ?GetOptimalSize@ListBox@@UBE?AVSize@ | 4 |
| ?GetDisplayBackground@ListBox@@UBEAB | 4 |
| ?SetPosSizePixel@ListBox@@UAEXJJJG@Z | 4 |
| ?SetPosSizePixel@ListBox@@UAEXABVPoin | 4 |
| ?GetPreferredKeyInputWindow@ListBox@() | 4 |
| ?PreNotify@ListBox@@UAEJAAVNotifyEven | 4 |
| ?DataChanged@ListBox@@UAEXABVDataCl | 4 |

| | |
|--|---|
| ?StateChanged@ListBox@@UAEXG@Z | 4 |
| ?LoseFocus@ListBox@@UAEXXZ | 4 |
| ?GetFocus@ListBox@@UAEXXZ | 4 |
| ?Resize@ListBox@@UAEXXZ | 4 |
| ?Draw@ListBox@@UAEXPAPAVOutputDevice(| 4 |
| ??0QueryBox@@QAE@PAVWindow@@_JA | 4 |
| ??0Window@@QAE@PAV0 @_J@Z | 4 |
| ??0ImageList@@QAE@ABVResId@@@Z | 4 |
| ??1ImageList@@QAE@XZ | 4 |
| ?LogicToPixel@OutputDevice@@QBE?AVPo | 4 |
| ?IsTravelSelect@ListBox@@QBEEHZ | 4 |
| ?GetImage@ImageList@@QBE?AVImage@(| 4 |
| ??1OConfigurationNode@utl@@UAE@XZ | 4 |
| ?getNodeValue@OConfigurationNode@utl@ | 4 |
| ?GetWorkPath@SvtPathOptions@@QBEAB\ | 4 |
| ?AssignAscii@String@@QAEAAV1@PBD@Z | 4 |
| ?SearchAndReplaceAscii@String@@QAE GPI | 4 |
| ?HandleError@ErrorHandler@@SAGKG@Z | 4 |
| ?smartRel2Abs@INetURLObject@@QBE?AV | 4 |
| ??4INetURLObject@@QAEAAV0@ABV0@@ | 4 |
| ??0INetURLObject@@QAE@ABVOUString@ | 4 |
| ?CompareIgnoreCaseToAscii@String@@QBI | 4 |
| ?isFolder@Content@ucbhelper@@QAEHZ | 4 |
| ?getURL@Content@ucbhelper@@QBEABVC | 4 |
| ScsiPortWriteRegisterUlong | 4 |
| ScsiPortReadRegisterUlong | 4 |
| ScsiPortReadRegisterUchar | 4 |
| RtlProtectHeap | 4 |
| gimp_image_insert_layer | 4 |
| gimp_image_new | 4 |
| gimp_image_set_filename | 4 |
| gimp_layer_new | 4 |
| gimp_register_file_handler_mime | 4 |
| gimp_register_magic_load_handler | 4 |
| TpAllocWork | 4 |
| __daylight | 4 |
| DevicePropertiesA | 4 |
| demux_GetParentInput | 4 |
| encode_URI_component | 4 |
| vlc_event_attach | 4 |
| vlc_event_detach | 4 |
| BT_AddLogFile | 4 |
| vzstndx | 4 |
| ypmlog | 4 |
| yppmsg | 4 |
| ypplog | 4 |
| ypprn | 4 |

| | |
|--|---|
| ypinit | 4 |
| ywocget | 4 |
| ypdest | 4 |
| yspproc | 4 |
| ysssem | 4 |
| ytok | 4 |
| GetThemePosition | 4 |
| ?AddKey@CSynRestriction@@QAEXABVCKe | 4 |
| ZwOpenProcessTokenEx | 4 |
| @System@@ReadLString\$qqrr15System@T | 4 |
| KeDisconnectInterrupt | 4 |
| NdisSystemProcessorCount | 4 |
| unzLocateFile | 4 |
| unzClose | 4 |
| unzReadCurrentFile | 4 |
| unzGetCurrentFileInfo | 4 |
| unzOpenCurrentFile | 4 |
| unzCloseCurrentFile | 4 |
| TiffAddMsTags | 4 |
| GetSpeedText | 4 |
| _BinkWait@4 | 4 |
| uncompress | 4 |
| ??4?\$numeric_limits@D@std@@QAEAAV0: | 4 |
| ?_Init@?\$num_get@GV?\$istreambuf_iterat | 4 |
| ??0?\$basic_fstream@GU?\$char_traits@G@ | 4 |
| ?real@?\$_Complex_base@O@std@@QAECA | 4 |
| PutMem8 | 4 |
| ?exit@QCoreApplication@@SAXH@Z | 4 |
| ?toStdWString@QString@@QBE?AV?\$basic | 4 |
| ??1QEvent@@UAE@XZ | 4 |
| ?isFile@QFileInfo@@QBE_NXZ | 4 |
| ?suffix@QFileInfo@@QBE?AVQString@@XZ | 4 |
| ?path@QFileInfo@@QBE?AVQString@@XZ | 4 |
| ??0QSettings@@QAE@ABVQString@@W4F | 4 |
| ?entryList@QDir@@QBE?AVQStringList@@ | 4 |
| ?append@QString@@QAEAAV1@PBD@Z | 4 |
| ??0QWaitCondition@@QAE@XZ | 4 |
| ?detach3@QListData@@QAEPAUData@1@ | 4 |
| ?lastIndexOf@QString@@QBEHABV1@HW | 4 |
| ?fileName@QFile@@QBE?AVQString@@XZ | 4 |
| ?wcout@std@@3V?\$basic_ostream@GU?\$ | 4 |
| ExInterlockedIncrementLong | 4 |
| ?log@?\$_Ctr@N@std@@SANN@Z | 4 |
| rtcPV | 4 |
| ?Next@CScopeEnum@@QAEHXZ | 4 |
| SpoolerDevQueryPrintW | 4 |
| g_file_read | 4 |

| | |
|---|---|
| g_array_set_size | 4 |
| g_assertion_message | 4 |
| g_clear_error | 4 |
| g_convert | 4 |
| g_dgettext | 4 |
| g_hash_table_destroy | 4 |
| g_hash_table_insert | 4 |
| g_hash_table_lookup | 4 |
| g_hash_table_new_full | 4 |
| g_intern_static_string | 4 |
| g_realloc | 4 |
| g_slist_free | 4 |
| g_str_equal | 4 |
| g_str_hash | 4 |
| g_strdup_vprintf | 4 |
| g_strfreev | 4 |
| g_strsplit | 4 |
| g_object_notify | 4 |
| g_value_get_boolean | 4 |
| g_value_get_uint | 4 |
| g_value_init | 4 |
| g_value_set_boolean | 4 |
| g_value_set_uint | 4 |
| g_value_unset | 4 |
| xmlNanoHTTPClose | 4 |
| xmlNanoHTTPRead | 4 |
| ?pubseekpos@?\$basic_streambuf@DU?\$ch | 4 |
| ?conj@std@@YA?AV?\$complex@N@1@AB | 4 |
| ?_Getcat@?\$money_get@GV?\$istreambuf_ | 4 |
| ?isfx@?\$basic_istream@DU?\$char_traits@L | 4 |
| RpcNsGroupMbrRemoveW | 4 |
| RpcNsProfileElAddW | 4 |
| RpcNsBindingExportPnPA | 4 |
| VarBstrFromR4 | 4 |
| _atof_l | 4 |
| ?AllocHeapAndGetString@@YGPAGAAVPI | 4 |
| ??1CAallocStorageVariant@@IAE@XZ | 4 |
| ?Init@CMmStreamConsecBuf@@QAEXPAPI | 4 |
| ?SetParent@CFolder@@QAEXPAPI@@Z | 4 |
| ?GetFindMergedCHMS@CCollection@@QAI | 4 |
| ??4CSmallSpinLock@@QAEEAV0@ABV0@C | 4 |
| ?SetReadICSData@CIniA@@QAEXH@Z | 4 |
| @System@@WStrFromWArray\$qqrr17Syste | 4 |
| @System@TObject@ClassInfo\$qqrp17Syste | 4 |
| @System@IResult\$qqrv | 4 |
| @Sysutils@Exception@\$bctr\$qqrp20System | 4 |
| @Variants@@VarArrayGet\$qr8TVarDataipx | 4 |

| | |
|--|---|
| @Classes@TMemoryStream@LoadFromStre | 4 |
| @Strutils@RightStr\$qqrx17System@AnsiStr | 4 |
| SimplifiedDINotificationW | 4 |
| _RemoveTecladoHook | 4 |
| ?sync@?\$basic_streambuf@GU?\$char_trait | 4 |
| ?sgetn@?\$basic_streambuf@DU?\$char_trai | 4 |
| ?copyfmt@?\$basic_ios@DU?\$char_traits@[| 4 |
| ?quiet_NaN@?\$numeric_limits@J@std@@@: | 4 |
| ?Idexp@\$_Ct@M@std@@SAMMH@Z | 4 |
| VarUI8FromR8 | 4 |
| LPSAFEARRAY_Size | 4 |
| _GetPrivateProfileInt_@16 | 4 |
| RegCdDeleteW | 4 |
| ??_FSC@mmcerror@@QAEXXZ | 4 |
| ?Lock@CEventBuffer@@QAEXXZ | 4 |
| ?IsLocked@CEventBuffer@@QAE_NXZ | 4 |
| ?FromWin32@SC@mmcerror@@QAEAAV1: | 4 |
| ?Unlock@CEventBuffer@@QAEXXZ | 4 |
| ?MMCErrorBox@@YGH_PBG_I@Z | 4 |
| ?FormatErrorShort@@YGXVSC@mmcerror@ | 4 |
| ?MMCErrorBox@@YGHIVSC@mmcerror@C | 4 |
| ?_Tidy@ios_base@std@@AAEXXZ | 4 |
| ?min@?\$numeric_limits@I@std@@@SAIXZ | 4 |
| ??1?\$numpunct@D@std@@@UAE@XZ | 4 |
| ?signaling_NaN@?\$numeric_limits@E@std(| 4 |
| ??0?\$numpunct@G@std@@@QAE@I@Z | 4 |
| NdrServerContextNewMarshall | 4 |
| NdrConformantStringMemorySize | 4 |
| I_RpcServerInqAddressChangeFn | 4 |
| NdrXmitOrRepAsFree | 4 |
| I_RpcFreePipeBuffer | 4 |
| I_RpcGetCurrentCallHandle | 4 |
| LsSetBreaking | 4 |
| LssbFlsSublineEmpty | 4 |
| RegisterGadgetMessage | 4 |
| GetStdColorBrushF | 4 |
| RtlQueryDepthSList | 4 |
| ??0CFwAsyncWorkItem@@QAE@AAVCWor | 4 |
| ?ContainsDrive@CDriveInfo@@SGHPBG@Z | 4 |
| ?SetR8@CStorageVariant@@QAEXNI@Z | 4 |
| ?Rewind@CMmStreamConsecBuf@@QAEX | 4 |
| ??0CLocalGlobalPropertyList@@QAE@K@Z | 4 |
| ??1?\$money_put@GV?\$ostreambuf_iterato | 4 |
| ?_Doraise@out_of_range@std@@MBEXXZ | 4 |
| ?sync@?\$basic_istream@GU?\$char_traits@ | 4 |
| ?_8?\$basic_ostream@DU?\$char_traits@D(| 4 |
| luaL_loadstring | 4 |

| | |
|---------------------------------------|---|
| ?CloseRecord@CPropStoreManager@@QAE | 4 |
| DwmSetIconicThumbnail | 4 |
| ?GetParent@Element@DirectUI@@QAEPAV | 4 |
| @Versioninfo@initialization\$qqrv | 4 |
| @Versioninfo@Finalization\$qqrv | 4 |
| VideoPortGetDmaContext | 4 |
| VideoPortReadStateEvent | 4 |
| NdisGetBufferPhysicalArraySize | 4 |
| NdisMReadDmaCounter | 4 |
| NdisMPciAssignResources | 4 |
| NdisOverrideBusNumber | 4 |
| Kel386ReleaseGdtSelectors | 4 |
| WRITE_REGISTER_BUFFER USHORT | 4 |
| DSA_GetItemPtr | 4 |
| ?GetExeDir@Sys@Util@@YA?AVCTXStringW | 4 |
| ?TrimLeft@CTXStringW@@QAEAAV1 @_W@C | 4 |
| ??0CTXStringW@@QAE@_WH@Z | 4 |
| ?Now@Time@NetDisk@@SA?AV12@XZ | 4 |
| ?WCharToMByte@DiskUtil@NetDisk@@YA | 4 |
| ?Quit@CMessageLoop@NetDisk@@QAEXX: | 4 |
| ?GetFileName@DiskUtil@NetDisk@@YAXAI | 4 |
| ?GetFilePath@DiskUtil@NetDisk@@YAXAB\ | 4 |
| ??0ActionCommand@IPC@NetDisk@@QA | 4 |
| ?Serialize@CActionCommand@IPC@NetDis | 4 |
| ?Serialize@CActionCommand@IPC@NetDis | 4 |
| ??1ActionCommand@IPC@NetDisk@@UA | 4 |
| ?Serialize@CNotifyCommand@IPC@NetDisl | 4 |
| ?Serialize@CNotifyCommand@IPC@NetDisl | 4 |
| ??1NotifyCommand@IPC@NetDisk@@UA | 4 |
| ?Serialize@CTaskDetail@IPC@NetDisk@@L | 4 |
| ?Serialize@CTaskDetail@IPC@NetDisk@@L | 4 |
| ??1TaskDetail@IPC@NetDisk@@UAE@XZ | 4 |
| ?Serialize@CTaskListCommand@IPC@NetDi | 4 |
| ?Serialize@CTaskListCommand@IPC@NetDi | 4 |
| ??1TaskListCommand@IPC@NetDisk@@U | 4 |
| ??_7CIPCProtocol@IPC@NetDisk@@6B@ | 4 |
| ??1CIPCProtocol@IPC@NetDisk@@UAE@X: | 4 |
| ?CheckValid@CIPCProtocol@IPC@NetDisk@ | 4 |
| glsEndObj | 4 |
| glsUTF8toUCS4 | 4 |
| glsGetHeaderfv | 4 |
| glsPixelSetupGen | 4 |
| ?VT_VARIANT_EQ@@YGHABUtagPROPVARI | 4 |
| ?StartCI@CMachineAdmin@@QAEHXZ | 4 |
| ?MakeBackupCopy@CPidLookupTable@@Q | 4 |
| ?SaCreateData@@YGHAAVPVarAllocator@() | 4 |
| ErrQueryOutOfDate | 4 |

| | |
|---|---|
| OleActivate | 4 |
| DpxNewJob | 4 |
| ?find_last_not_of@?\$basic_string@GU?\$ch | 4 |
| ?allocate@?\$allocator@G@std@@QAEPA | 4 |
| NdfExecuteDiagnosis | 4 |
| PL_HashTableEnumerateEntries | 4 |
| PL_CompareValues | 4 |
| PR_SetThreadPrivate | 4 |
| PR_GetThreadPrivate | 4 |
| PR_NewThreadPrivateIndex | 4 |
| MsiApplyMultiplePatchesA | 4 |
| rtl_zeroMemory | 4 |
| xmlMalloc | 4 |
| vout_AllocatePicture | 4 |
| _Z21qRegisterResourceDataiPKhS0_S0_ | 4 |
| I_CryptGetDefaultCryptProv | 4 |
| ImportQuantumPixels | 4 |
| GetQuantumExtent | 4 |
| DestroyStringInfo | 4 |
| GetStringInfoLength | 4 |
| picture_Setup | 4 |
| RasScriptSend | 4 |
| cvCreateImage | 4 |
| cvWaitKey | 4 |
| cvLoadImage | 4 |
| cvShowImage | 4 |
| BestMatchInTable | 4 |
| ?GetMainThreadID@SC@mmcerror@@SGK | 4 |
| ?GetPropertyInfo@CDbProperties@@UAGJI | 4 |
| ?GetGUID@CMemDeSerStream@@UAEXAA | 4 |
| SdbSetPermLayerKeys | 4 |
| ??0PRINT_STREAM@@QAE@XZ | 4 |
| ??1PRINT_STREAM@@UAE@XZ | 4 |
| DoRequest | 4 |
| @Sysutils@DecodeDate\$qqr16System@TDa | 4 |
| @Graphics@TBitmap@\$bdtr\$qqrv | 4 |
| @Graphics@TFont@GetName\$qqrv | 4 |
| @StdCtrls@TCustomEdit@CreateWnd\$qqrv | 4 |
| @StdCtrls@TCustomEdit@SetBorderStyle\$qq | 4 |
| @\$xp\$20StdCtrls@TCustomEdit | 4 |
| @Controls@TCustomControl@PaintWindow | 4 |
| @Controls@TWinControl@SetTabStop\$qqrv | 4 |
| @Controls@TWinControl@PaintWindow\$qq | 4 |
| @Controls@TControl@SetParentBiDiMode\$ | 4 |
| @Controls@TControl@SetShowHint\$qqrv4bc | 4 |
| @Controls@TControl@SetParentFont\$qqrv4l | 4 |
| @Grids@TCustomGrid@SetRowCount\$qqri | 4 |

| | |
|---|---|
| @Grids@TCustomGrid@SetColWidths\$qqri | 4 |
| @Grids@TCustomGrid@SetColCount\$qqri | 4 |
| @Grids@TCustomGrid@\$bdtr\$qqrv | 4 |
| @Checklst@TCheckListBox@GetChecked\$qqc | 4 |
| @Checklst@TCheckListBox@ | 4 |
| @Stdctrls@TCustomEdit@\$bdtr\$qqrv | 4 |
| key | 4 |
| png_get_IHDR | 4 |
| png_set_bgr | 4 |
| png_set_packing | 4 |
| EnableMouseHook | 4 |
| CreateAssemblyNameObject | 4 |
| SxsInstallW | 4 |
| CreateAssemblyCache | 4 |
| ?LogMessage@CLogger@@@SAXHPBG00H@? | 4 |
| @Jclfileutils@initialization\$qqrv | 4 |
| @Jclfileutils@Finalization\$qqrv | 4 |
| @Jclsutils@initialization\$qqrv | 4 |
| @Jclsutils@Finalization\$qqrv | 4 |
| @Jclmath@initialization\$qqrv | 4 |
| @Jclmath@Finalization\$qqrv | 4 |
| @Jclconsole@Finalization\$qqrv | 4 |
| @Jclshell@initialization\$qqrv | 4 |
| @Jclshell@Finalization\$qqrv | 4 |
| @Jclregistry@initialization\$qqrv | 4 |
| @Jclregistry@Finalization\$qqrv | 4 |
| @Snmp@initialization\$qqrv | 4 |
| @Snmp@Finalization\$qqrv | 4 |
| @Kbmmembinarystreamformat@initializati | 4 |
| ?AddHatchActions@OutputDevice@@QAEX | 4 |
| ??0BitmapEx@@QAE@ABVBitmap@@@Z | 4 |
| ??0BitmapEx@@QAE@ABV0@@Z | 4 |
| ?Crop@BitmapEx@@QAEABVRectangle@() | 4 |
| ?GetOrientation@Font@@QBEFXZ | 4 |
| ?GetWeight@Font@@QBE?AW4FontWeigh | 4 |
| ?EnableOutput@OutputDevice@@QAEXE@ | 4 |
| ?GetName@Font@@QBEABVString@@XZ | 4 |
| ?SetAlign@Font@@QAEXW4TextAlign@@@C | 4 |
| ?PixelToLogic@OutputDevice@@QBE?AVSiz | 4 |
| ?GetType@Graphic@@QBE?AW4GraphicTy | 4 |
| ?Hook@GDIMetaFile@@MAEJXZ | 4 |
| ?Linker@GDIMetaFile@@MAEXPAAOutput[| 4 |
| ?LeaveWait@Window@@QAEXXZ | 4 |
| ??1LineInfo@@QAE@XZ | 4 |
| ??1OOutputStreamWrapper@utl@@UAE@` | 4 |
| ?release@OOutputStreamWrapper@utl@@@ | 4 |
| ?acquire@OOutputStreamWrapper@utl@@@ | 4 |

| | |
|--|---|
| ?queryInterface@OOutputStreamWrapper@ | 4 |
| ??OOutputStreamWrapper@utl@@QAE@, | 4 |
| ??XFraction@@QAEAV0@ABV0@@Z | 4 |
| ??4Polygon@@QAEAV0@ABV0@@Z | 4 |
| ?CompareIgnoreCaseToAscii@ByteString@C | 4 |
| ?SetChar@String@@QAEXGG@Z | 4 |
| ?GetBoundRect@PolyPolygon@@QBE?AVR | 4 |
| ??0Polygon@@QAE@ABV0@@Z | 4 |
| ?GetPoint@Polygon@@QBEABVPoint@@G | 4 |
| ?GetObject@PolyPolygon@@QBEABVPolyg | 4 |
| ?GetSize@Polygon@@QBEGXZ | 4 |
| ??0PolyPolygon@@QAE@ABVPolygon@@C | 4 |
| ??1AttachGuard@VirtualMachine@jvmacce | 4 |
| ??0AttachGuard@VirtualMachine@jvmacce | 4 |
| @Dasql@initialization\$qqrv | 4 |
| @Dametadata@initialization\$qqrv | 4 |
| @Dadb@initialization\$qqrv | 4 |
| @Dasqlreservedwords@initialization\$qqrv | 4 |
| @Dametadatamanager@initialization\$qqrv | 4 |
| @Damagicsql@initialization\$qqrv | 4 |
| @Dalinkbroker@initialization\$qqrv | 4 |
| @Dajointabledlg@initialization\$qqrv | 4 |
| @Ppdbbde@initialization\$qqrv | 4 |
| @Dadataview@initialization\$qqrv | 4 |
| @Daforms@initialization\$qqrv | 4 |
| @Dadatamodule@initialization\$qqrv | 4 |
| @Daquerydataview@initialization\$qqrv | 4 |
| @Dadbde@initialization\$qqrv | 4 |
| @Dapreviewdatadlg@initialization\$qqrv | 4 |
| @Ppzincirlabel@initialization\$qqrv | 4 |
| @Ppdrawzincirlabel@initialization\$qqrv | 4 |
| @Mychkbox@initialization\$qqrv | 4 |
| @Mychkdlg@initialization\$qqrv | 4 |
| MprAdminGetPDCServer | 4 |
| IoPageRead | 4 |
| VideoPortReadPortUshort | 4 |
| VideoPortQueryPerformanceCounter | 4 |
| VideoPortLogError | 4 |
| VideoPortWriteRegisterUshort | 4 |
| NdisSetPacketStatus | 4 |
| NdrComplexStructFree | 4 |
| OpenFileStreamW | 4 |
| HTMLLayoutSetMediaType | 4 |
| HTMLLayoutSetCallback | 4 |
| HTMLLayoutSetCapture | 4 |
| HTMLLayoutSelectParent | 4 |
| HTMLLayoutGetElementHwnd | 4 |

| | |
|----------------------------------|---|
| HTMLLayoutGetElementInnerText16 | 4 |
| HTMLLayoutSortElements | 4 |
| HTMLLayoutGetStyleAttribute | 4 |
| HTMLLayoutIsElementVisible | 4 |
| HTMLLayoutSelectElements | 4 |
| HTMLLayoutGetElementIndex | 4 |
| HTMLLayoutGetElementLocation | 4 |
| HTMLLayoutElementGetExpando | 4 |
| HTMLLayoutCreateElement | 4 |
| HTMLLayoutElementSetExpando | 4 |
| HTMLLayoutGetNthChild | 4 |
| HTMLLayoutGetChildrenCount | 4 |
| HTMLLayoutInsertElement | 4 |
| HTMLLayoutAttachEventHandler | 4 |
| HTMLLayoutGetElementInnerText | 4 |
| HTMLLayoutLoadHtmlEx | 4 |
| HTMLLayoutClassNameA | 4 |
| HTMLLayoutLoadFile | 4 |
| HTMLLayoutGetAttributeCount | 4 |
| HTMLLayoutGetNthAttribute | 4 |
| HTMLLayoutGetType | 4 |
| HTMLLayoutDataReady | 4 |
| HTMLLayoutGetAttributeByName | 4 |
| HTMLLayoutGetMinWidth | 4 |
| HTMLLayoutGetMinHeight | 4 |
| HTMLLayoutLoadHtml | 4 |
| HTMLLayoutGetElementState | 4 |
| HTMLLayoutSetAttributeByName | 4 |
| HTMLLayoutUpdateElement | 4 |
| HTMLLayoutGetRootElement | 4 |
| HTMLLayout_UseElement | 4 |
| HTMLLayoutAttachEventHandlerEx | 4 |
| HTMLLayout_UnuseElement | 4 |
| ??0strstreambuf@std@@QAE@PADH0@Z | 4 |
| ATMGetPostScriptNameW | 4 |
| NetBIOSDeviceEnumerate | 4 |
| QueryCurrentWinStation | 4 |
| ElapsedTimeString | 4 |
| CurrentDateTimeString | 4 |
| GetAssociatedPortName | 4 |
| DateTimeString | 4 |
| CtxGetAnyDCName | 4 |
| RasBundleClearStatisticsEx | 4 |
| RasEnableIpSec | 4 |
| RasGetConnectionUserData | 4 |
| RasSetConnectionUserData | 4 |
| RasPortSetProtocolCompression | 4 |

| | |
|---------------------------------------|---|
| ??1NTFS_LOG_FILE@@UAE@XZ | 4 |
| ?Create@NTFS_FILE_RECORD_SEGMENT@0 | 4 |
| ?Write@NTFS_BITMAP@@QAEEPAVNTFS_A | 4 |
| ?Initialize@NTFS_EXTENT_LIST@@QAEEVBI | 4 |
| FormatNumber | 4 |
| GR | 4 |
| SetExEuro | 4 |
| Close | 4 |
| DefineComboOptions | 4 |
| fsync | 4 |
| Tcl_DStringAppendElement | 4 |
| Tcl_Free | 4 |
| ?secsTo@QDateTime@@QBEHABV1@@Z | 4 |
| ??0QLatin1String@@QAE@PBD@Z | 4 |
| ?size@QListData@@QBEHXZ | 4 |
| ?isEmpty@QListData@@QBE_NXZ | 4 |
| ??8QBasicAtomicInt@@QBE_NH@Z | 4 |
| ?at@QListData@@QBEPAPAXH@Z | 4 |
| ??0QLocale@@QAE@W4Language@0@W4 | 4 |
| ?endsWith@QString@@QBE_NABVQLatin1C | 4 |
| ?prepend@QListData@@QAEPAPEAXXZ | 4 |
| ??AQString@@QAE?AVQCharRef@@H@Z | 4 |
| ?indexIn@QRegExp@@QBEHABVQString@() | 4 |
| ?simplified@QString@@QBE?AV1@XZ | 4 |
| ?allocateNode@QHashData@@QAEPAPEAXXZ | 4 |
| ?destroyAndFree@QHashData@@QAEPEAXXZ | 4 |
| ?detach_helper@QHashData@@QAEPAU1@ | 4 |
| ?chop@QByteArray@@QAEPEAXH@Z | 4 |
| ??1QBuffer@@UAE@XZ | 4 |
| ?port@QUrl@@QBEHXZ | 4 |
| ??4QBasicAtomicInt@@QAEAAV0@H@Z | 4 |
| ?isValid@QVariant@@QBE_NXZ | 4 |
| ?startTimer@QObject@@QAEHH@Z | 4 |
| ?killTimer@QObject@@QAEPEAXH@Z | 4 |
| ??MQQDate@QDate@@QBE_NABV0@0@Z | 4 |
| ??0QFile@@QAE@XZ | 4 |
| ?flush@QFile@@QAE_NXZ | 4 |
| ??0QFileInfo@@QAE@ABVQFile@0@Z | 4 |
| ?error@QFile@@QBE?AW4FileError@1@XZ | 4 |
| ?setFileName@QFile@@QAEPEAVQString@ | 4 |
| ?parent@QObject@@QBEPAV1@XZ | 4 |
| ?toPercentEncoding@QUrl@@SA?AVQByteA | 4 |
| ?toUrl@QVariant@@QBE?AVQUrl@0@XZ | 4 |
| ?toByteArray@QVariant@@QBE?AVQByteA | 4 |
| ?toLongLong@QVariant@@QBE_JPA_N@Z | 4 |
| ?postEvent@QCoreApplication@@SAXPAVC | 4 |
| ?toHex@QByteArray@@QBE?AV1@XZ | 4 |

| | |
|--|---|
| ??6@YAAAVQDataStream@@AAV0@ABVQ! | 4 |
| ??5@YAAAVQDataStream@@AAV0@AAVQ! | 4 |
| ?setStatus@QDataStream@@QAEXW4Statu | 4 |
| ?setTerminationEnabled@QThread@@KAX_ | 4 |
| ?instance@QCoreApplication@@SAPAV1@) | 4 |
| ?load@QLibrary@@QAE_NXZ | 4 |
| ?clear@QByteArray@@QAEXXZ | 4 |
| ?size@QIODevice@@UBE_JXZ | 4 |
| ?pos@QIODevice@@UBE_JXZ | 4 |
| ?open@QIODevice@@UAE_NV?\$QFlags@V | 4 |
| ?trUtf8@QMetaObject@@QBE?AVQString@ | 4 |
| ?tr@QMetaObject@@QBE?AVQString@@P | 4 |
| ?trUtf8@QMetaObject@@QBE?AVQString@ | 4 |
| _ZN7QString13fromLocal8BitEPKci | 4 |
| vout_ControlWindow | 4 |
| vout_PlacePicture | 4 |
| vout_ReleaseWindow | 4 |
| vout_RequestWindow | 4 |
| vout_vaControlDefault | 4 |
| SDDMLoadDriver | 4 |
| @Graphics@TFont@SetName\$qqrx20Syster | 4 |
| @Dcchoice@TDCCustomComboBox@SetItem | 4 |
| @Dxtl@TCustomdxTreeList@GetFocusedNu | 4 |
| @Ivaccount@TivAccountBox@AccountNum | 4 |
| @Hdflatspinedit@initialization\$qqrv | 4 |
| @Hdflatspinedit@Finalization\$qqrv | 4 |
| @\$xp\$27Flatctrls@THDFlatPassWDEdit | 4 |
| @Flatctrls@THDFlatPassWDEdit@ | 4 |
| @\$xp\$25Flatctrls@THDFlatComboBox | 4 |
| @Flatctrls@THDFlatComboBox@ | 4 |
| ?getTypes@OComponentHelper@cppu@@I | 4 |
| ??0OComponentHelper@cppu@@QAE@AA | 4 |
| ?release@OComponentHelper@cppu@@U/ | 4 |
| ?acquire@OComponentHelper@cppu@@U/ | 4 |
| ?removeEventListener@OComponentHelper | 4 |
| ?addEventListener@OComponentHelper@C | 4 |
| ?dispose@OComponentHelper@cppu@@U. | 4 |
| ?queryAggregation@OComponentHelper@C | 4 |
| ??1OComponentHelper@cppu@@UAE@XZ | 4 |
| ?queryInterface@OComponentHelper@cpp | 4 |
| GetICifRWFileFromFile | 4 |
| WriteImage | 4 |
| @System@@VarSub\$qqrv | 4 |
| @System@@VarToReal\$qqrv | 4 |
| @Sysutils@FormatCurr\$qqrx17System@Ans | 4 |
| @Adsset@TAdsSettings@ | 4 |
| @Adstable@TAdsQuery@ExecSQL\$qqrv | 4 |

| | |
|--|---|
| ?pubimbue@?\$_basic_streambuf@DU?\$char | 4 |
| ?imag@?\$_Complex_base@N@std@@QBE | 4 |
| ?tellp@?\$_basic_ostream@DU?\$char_traits@ | 4 |
| vlc_getaddrinfo | 4 |
| GdipSetLinePresetBlend | 4 |
| GdipAddPathBezier | 4 |
| GdipSetClipPath | 4 |
| GdipGetClip | 4 |
| ??0\$_basic_ofstream@GU?\$char_traits@G@ | 4 |
| NtSetLowEventPair | 4 |
| gtk_hbox_new | 4 |
| gtk_object_get_type | 4 |
| gimp_drawable_mask_bounds | 4 |
| ?set_new_handler@std@@YAP6AXXZP6AX) | 4 |
| delFile | 4 |
| ?GetWidth@LBitmapBase@@QAEHXZ | 4 |
| ?GetHeight@LBitmapBase@@QAEHXZ | 4 |
| _nc_head | 4 |
| ??8std@@YA_NABV?\$complex@O@0@0@ | 4 |
| ??_F?\$basic_stringstream@GU?\$char_traits | 4 |
| ??Pstd@@YA_NABV?\$basic_string@DU?\$cl | 4 |
| ?do_hash@?\$collate@G@std@@MBEJPBG@ | 4 |
| ??0\$_basic_stringstream@GU?\$char_traits@ | 4 |
| ldap_search_extW | 4 |
| ?log@std@@YA?AV?\$complex@N@1@AB\ | 4 |
| SHCreateShellFolderView | 4 |
| _ZN16QCoreApplication18applicationDirPatl | 4 |
| _ZN7QString7sprintfEPKcz | 4 |
| _ZN12QApplicationD1Ev | 4 |
| _ZN15QAbstractButton10setCheckedEb | 4 |
| _ZN6QFrame13setFrameShapeENS_5ShapeE | 4 |
| _ZN7QDialog4execEv | 4 |
| _ZN7QDialog6rejectEv | 4 |
| _ZN7QWidget10setToolTipERK7QString | 4 |
| _ZN7QWidget13setStyleSheetERK7QString | 4 |
| _ZN7QWidget14setFocusPolicyEN2Qt11Focus | 4 |
| _ZN7QWidget14setMinimumSizeEii | 4 |
| _ZN7QWidget7setFontERK5QFont | 4 |
| _ZN7QWidget8setFocusEN2Qt11FocusReasc | 4 |
| _ZN7QWidget9setCursorERK7QCursor | 4 |
| _ZNK7QDialog8sizeHintEv | 4 |
| ODBCQualifyFileDSNW | 4 |
| GetMem8 | 4 |
| __xmlLoadExtDtdDefaultValue | 4 |
| xmlCopyDoc | 4 |
| xmlFreeDtd | 4 |
| xmlFreeParserInputBuffer | 4 |

| | |
|--|---|
| xmlGetIntSubset | 4 |
| xmlNewIOInputStream | 4 |
| xmlXPathOrderDocElems | 4 |
| typelib_typedescription_acquire | 4 |
| fsGetAvastProgramPath | 4 |
| RasRpcConnect | 4 |
| _GetFileAttributesEx_@12 | 4 |
| ?MakeBackupCopy@CPhysStorage@@QAEY | 4 |
| ?UnMarshall@CRestriction@@SGPAV1@AA | 4 |
| ?Serialize@CDbQueryResults@@QBEXAAVP | 4 |
| ?AddChildFolder@CFolder@@QAEPAV1@PI | 4 |
| ?Release@CCollection@@AAEKXZ | 4 |
| TraceSQLPutData | 4 |
| CloseThreadpoolWork | 4 |
| SubmitThreadpoolWork | 4 |
| CreateThreadpoolWork | 4 |
| TraceSQLSetStmtAttr | 4 |
| TraceSQLColumnPrivileges | 4 |
| TraceSQLGetDescRecW | 4 |
| TraceSQLEExecute | 4 |
| TraceSQLColumnPrivilegesW | 4 |
| TraceSQLRowCount | 4 |
| TraceSQLConnectW | 4 |
| TraceSQLGetFunctions | 4 |
| luaL_checklstring | 4 |
| ?CheckAndRemove@SPARSE_SET@@QAEEL | 4 |
| NdrRangeUnmarshall | 4 |
| pfnFreeRoutines | 4 |
| NdrConformantVaryingStructUnmarshall | 4 |
| ?toStringList@QVariant@@QBE?AVQStringL | 4 |
| ?mapToGlobal@QWidget@@QBE?AVQPoin | 4 |
| ?layout@QWidget@@QBEPAVQLayout@@` | 4 |
| ?staticMetaObject@QFrame@@2UQMetaO | 4 |
| ?width@QPixmap@@QBEHXZ | 4 |
| ?height@QPixmap@@QBEHXZ | 4 |
| _GetClipboardFormatName_@12 | 4 |
| _basGetProfileInt@12 | 4 |
| NtSetDebugFilterState | 4 |
| RtlpNtEnumerateSubKey | 4 |
| RtlQueryProcessBackTraceInformation | 4 |
| SQLDataSourcesA | 4 |
| exsltLibexsltVersion | 4 |
| exsltLibraryVersion | 4 |
| exsltLibxmlVersion | 4 |
| xsltEngineVersion | 4 |
| xsltLibxmlVersion | 4 |
| xsltLibxsltVersion | 4 |

| | |
|---|---|
| xsltMaxDepth | 4 |
| xmlStrchr | 4 |
| xmlStrncmp | 4 |
| ?Strcmpis@MBSTR@@SGHPAD0@Z | 4 |
| RasIsSharedConnection | 4 |
| CredpDecodeCredential | 4 |
| RtlImageRvaToSection | 4 |
| @Cxttextedit@TcxTextEdit@ | 4 |
| _RegQueryInfoKey_@48 | 4 |
| CsGetClassStore | 4 |
| CsGetAppCategories | 4 |
| CsUnregisterAppCategory | 4 |
| CsRegisterAppCategory | 4 |
| ReleasePackageInfo | 4 |
| CsCreateClassStore | 4 |
| ReleasePackageDetail | 4 |
| ?GetFILETIME@WBEMTime@@QBEHPU_F | 4 |
| ??4WBEMTime@@QAEABV0@QAG@Z | 4 |
| ScsiPortWritePortUlong | 4 |
| ScsiPortReadPortUshort | 4 |
| CryptImportPKCS8 | 4 |
| SDL_RWFromFile | 4 |
| GetAcceptLanguagesW | 4 |
| ??1CImpersonateSystem@@QAE@XZ | 4 |
| ??1CImpersonateClient@@QAE@XZ | 4 |
| ?FindKey@CLKRHashTable@@QBE?AW4LK_ | 4 |
| ?id@?\$num_get@GV?\$istreambuf_iterator@ | 4 |
| ??Hstd@@YA?AV?\$complex@O@0@ABOAI | 4 |
| glutMotionFunc | 4 |
| ?GetLanguage@CTitle@@QAEGXZ | 4 |
| ?_isnan@?\$_Ctr@M@std@@SA_NM@Z | 4 |
| ?real@?\$_Complex_base@M@std@@QAEI | 4 |
| ??_7?\$basic_stringbuf@GU?\$char_traits@G | 4 |
| @Dialogs@TOpenDialog@\$bctr\$qqrp18Clas | 4 |
| @Vedataset@defUserNo | 4 |
| @Dxpagecontrol@TdxPageControl@ | 4 |
| @Dxpagecontrol@TdxTabSheet@ | 4 |
| @Jvbutton@Finalization\$qqrv | 4 |
| DoesUserHavePrivilege | 4 |
| getpagesize | 4 |
| ?VnConvResetOptions@@YAXPAU_VnConv@ | 4 |
| ?GetVietHookDII@@YAPAUHINSTANCE__@ | 4 |
| ?IsVietnamese@@YAHXZ | 4 |
| ?VnConvSetOptions@@YAXPAU_VnConvOp@ | 4 |
| ?ModifyStatusIcon@@YAXXZ | 4 |
| ?SetUnikeyOptions@@YAXPAU_UnikeyOpti@ | 4 |
| ?SetOutputCharset@@YAHH@Z | 4 |

| | |
|---|---|
| ?UnikeyLoadMacro@@YAXPBD@Z | 4 |
| ?SetUnikeyReady@@YAXXZ | 4 |
| ?SetInputMethod@@YAHW4UkInputMetho | 4 |
| ?EnableUnikey@@YAXH@Z | 4 |
| ?SetUnikeySysInfo@@YAXPAU_UnikeySysIn | 4 |
| ?MyKeyHook@@YGJHIJ@Z | 4 |
| ?SetSwitchKey@@YAXH@Z | 4 |
| ?RecreateStatusIcon@@YAXXZ | 4 |
| ?SwitchMode@@YAXXZ | 4 |
| ?DeleteStatusIcon@@YAXXZ | 4 |
| ZBCERR | 4 |
| ?Get@CWin32RegAccess@@QAEHPGAAK(| 4 |
| ?AddRefWorkThreads@CWorkQueue@@QF | 4 |
| PutMemNewObj | 4 |
| UIStripWhitespaceW | 4 |
| CreateNotify | 4 |
| HrCreateAccountManager | 4 |
| ?GetPropTypeCount@CEmptyPropertyList@ | 4 |
| ?GetTotalSizeInKB@CPropStoreManager@C | 4 |
| ?DecodeURLEscapes@@YGXPAAKPAGK@ | 4 |
| ldap_compareW | 4 |
| ?GetRawName@Contact@Util@@YA?AVCT | 4 |
| ?OpenUrlInIM@URL@Util@@YAXABVCTXSt | 4 |
| ?GetGroupMemShowName@Group@Util@ | 4 |
| ?OpenUrlWithIE@URL@Util@@YAHABVCT | 4 |
| ?GetTXChatSession@ChatSession@Util@@Y | 4 |
| ?ChatFrameEvent@ChatSession@Util@@YA | 4 |
| ?WriteTipInChatSession@ChatSession@Util | 4 |
| ?WriteMsgInChatSession@ChatSession@Util | 4 |
| _BroadcastSystemMessage_@20 | 4 |
| ?begin@?\$basic_string@GU?\$char_traits@I | 4 |
| IoWriteOperationCount | 4 |
| ??4CmLogFile@@QAEAV0@ABV0@@Z | 4 |
| ?GetLogFilePath@CmLogFile@@QAEPBGXZ | 4 |
| SCardForgetCardTypeA | 4 |
| ??0CTXTTime@@QAE @_J@Z | 4 |
| ?TranslateToName@TXLocation2@@YAHKK | 4 |
| ?GetFileSystemDirectory@FS@@YAHPB_W | 4 |
| ?TrimLeft@CTXStringW@@QAEAV1@PB_ | 4 |
| ?SetString@CTXStringW@@QAEXPB_WH@I | 4 |
| ?QQVerify@CEcdsa@@QAE_NABUCPublicK | 4 |
| ?Format@CTXStringA@@QAAXPBDZZ | 4 |
| strlcpy | 4 |
| ?Run@CTXHttpDownload@@EAEIXZ | 4 |
| SetCanvasFilter | 4 |
| ?IsMobileTerminal@Contact@Util@@YAHK | 4 |
| ?IsEmailAccount@Misc@Util@@YAHAAVCT | 4 |

| | |
|---|---|
| ??1CDRStrCodecBase@@UAE@XZ | 4 |
| ?DRCodecStr@CDRStrCodecBase@@UAGJEI | 4 |
| ?Release@CDRStrCodecBase@@MAGKXZ | 4 |
| ?AddRef@CDRStrCodecBase@@MAGKXZ | 4 |
| ?QueryInterface@CDRStrCodecBase@@MA | 4 |
| ??0CDRStrCodecBase@@QAE@XZ | 4 |
| ?resize@?\$basic_string @_WU?\$char_traits< | 4 |
| _PfSetLogBuffer@28 | 4 |
| @Appevent@initialization\$qqrv | 4 |
| @Rxshell@initialization\$qqrv | 4 |
| SQLConfigDataSourceW | 4 |
| HlinkParseDisplayName | 4 |
| SimpleTypeAlignment | 4 |
| BtGetLocalInfo2 | 4 |
| BtDiscoverRemoteDevice2 | 4 |
| ?IsWriteUnlocked@CSpinLock@@QBE_NXZ | 4 |
| ?ReadLock@CLKRHashTable@@QBEXXZ | 4 |
| LsPointUV2FromPointUV1 | 4 |
| pcap_lookupdev | 4 |
| ZwMapUserPhysicalPagesScatter | 4 |
| ??0locale@std@@QAE@ABV01@@Z | 4 |
| RpcErrorEndEnumeration | 4 |
| RpcErrorSaveErrorInfo | 4 |
| TraceSQLSetConnectAttr | 4 |
| TraceSQLColumns | 4 |
| TraceSQLExecDirect | 4 |
| TraceSQLNumResultCols | 4 |
| TraceSQLPrepareW | 4 |
| ?AllocateFileRecordSegment@NTFS_MASTE | 4 |
| ??1NTFS_MFT_INFO@@UAE@XZ | 4 |
| ??0NTFS_BAD_CLUSTER_FILE@@QAE@XZ | 4 |
| RasPortOpen | 4 |
| RtlSetCurrentEnvironment | 4 |
| __vbaLdZeroAry | 4 |
| ??4runtime_error@std@@QAEAAV01@ABV | 4 |
| vSetDdrawflag | 4 |
| av_dup_packet | 4 |
| guess_format | 4 |
| put_flush_packet | 4 |
| _ZN4Foil0SLLListBase13endConstIter_E | 4 |
| _ZN4Foil13messageStreamcvRNS_8OSstre | 4 |
| _ZN4Foil4TimeC1ERKNS_4wordERKNS_8fi | 4 |
| _ZN4Foil4TimeD1Ev | 4 |
| _ZN4Foil5error4exitEi | 4 |
| _ZN4Foil5error5abortEv | 4 |
| _ZN4Foil5errorclEPKcS2_i | 4 |
| _ZN4Foil6string14removeRepeatedEc | 4 |

| | |
|---|---|
| _ZN4Foam6string14removeTrailingEc | 4 |
| _ZN4Foam7argListC1ERiRPPcbb | 4 |
| _ZN4Foam7argListD1Ev | 4 |
| _ZN4Foam8IOobjectC1ERKNS_4wordERKNS_ | 4 |
| _ZN4Foam8IOobjectD1Ev | 4 |
| _ZN4FoamIsERNS_7OstreamEPKc | 4 |
| _ZN4FoamIsERNS_7OstreamERKNS_4wordE | 4 |
| _ZN4FoamIsERNS_7OstreamEc | 4 |
| _ZN4FoamIsERNS_7OstreamEd | 4 |
| _ZNK4Foam4Time8timeNameEv | 4 |
| _ZNK4Foam7argList13checkRootCaseEv | 4 |
| _ZTVN4Foam13OStringStreamE | 4 |
| _ZNKSt5ctypeIcE13_M_widen_initEv | 4 |
| _ZNSo3putEc | 4 |
| _ZNSo5flushEv | 4 |
| _ZNSs12_M_leak_hardEv | 4 |
| _ZNSs4_Rep10_M_destroyERKSalcE | 4 |
| _ZNSs6resizeEjc | 4 |
| _ZNSsC2EPKcRKSalcE | 4 |
| _ZNSsC2ERKSs | 4 |
| _ZNSsD2Ev | 4 |
| _ZNSt9basic_iosIcSt11char_traitsIcEE5clearE | 4 |
| _ZSt16__ostream_insertIcSt11char_traitsIcE | 4 |
| _ZSt16__throw_bad_castv | 4 |
| _ZTISo | 4 |
| _ZTIS19basic_ostringstreamIcSt11char_trait | 4 |
| __dynamic_cast | 4 |
| __gxx_personality_sj0 | 4 |
| CM_Is_Version_Available_Ex | 4 |
| CM_Create_DevNode_ExA | 4 |
| SetupAdjustDiskSpaceListA | 4 |
| MprAdminDeregisterConnectionNotification | 4 |
| MprAdminEstablishDomainRasServer | 4 |
| ImpersonatePrinterClient | 4 |
| ??0CMapStringToPtr@@QAE@H@Z | 4 |
| _tcsncicmp | 4 |
| ldap_get_values_lenW | 4 |
| ??0TLINK@@QAE@XZ | 4 |
| curl_multi_add_handle | 4 |
| curl_multi_init | 4 |
| curl_multi_perform | 4 |
| curl_multi_info_read | 4 |
| curl_multi_fdset | 4 |
| ?sm_IpOSVERSIONINFO@CMdVersionInfo@ | 4 |
| ?TryReadLock@CSmallSpinLock@@QAE_NX | 4 |
| TraceSQLNumParams | 4 |
| ??0?\$basic_iostream@GU?\$char_traits< | 4 |

| | |
|--|---|
| ??_7__non_rtti_object@std@@6B@ | 4 |
| ??0?\$complex@O@std@@QAE@ABV?\$con | 4 |
| OleQueryBounds | 4 |
| ?SetScopePropertiesNoThrow@@YGJPAUIC | 4 |
| CreateExprSrvObj | 4 |
| ?IsReadLocked@CSpinLock@@QBE_NXZ | 4 |
| ?_CmpExch@CReaderWriterLock3@@AAE_I | 4 |
| ?SetBucketLockSpinCount@CLKRHashTable@ | 4 |
| ?TryReadLock@CSpinLock@@QAE_NXZ | 4 |
| ?Last@CLockedDoubleList@@QAEQAVCListI | 4 |
| LpkDrawTextEx | 4 |
| LpkExtTextOut | 4 |
| LpkGetTextExtentExPoint | 4 |
| LpkUseGDIWidthCache | 4 |
| LpkTabbedTextOut | 4 |
| LpkPSMTextOut | 4 |
| RtlIoDecodeMemIoResource | 4 |
| RtlCmDecodeMemIoResource | 4 |
| @Cxtreeview@Finalization\$qqrv | 4 |
| @Cxsplitter@Finalization\$qqrv | 4 |
| @Cxspinbutton@initialization\$qqrv | 4 |
| EVP_bf_cbc | 4 |
| strsep | 4 |
| SetupQueueDefaultCopyA | 4 |
| SetupBackupErrorA | 4 |
| clBuildProgram | 4 |
| clCreateBuffer | 4 |
| clCreateCommandQueue | 4 |
| clCreateContextFromType | 4 |
| clCreateKernel | 4 |
| clCreateProgramWithSource | 4 |
| clEnqueueNDRangeKernel | 4 |
| clEnqueueReadBuffer | 4 |
| clGetPlatformIDs | 4 |
| clGetPlatformInfo | 4 |
| clReleaseCommandQueue | 4 |
| clReleaseContext | 4 |
| clReleaseKernel | 4 |
| clReleaseProgram | 4 |
| clSetKernelArg | 4 |
| cbreak | 4 |
| endwin | 4 |
| getmaxx | 4 |
| getmaxy | 4 |
| initscr | 4 |
| noecho | 4 |
| wattroff | 4 |

| | |
|---|---|
| wattron | 4 |
| wclear | 4 |
| wgetch | 4 |
| wrefresh | 4 |
| pthread_cond_timedwait | 4 |
| pthread_rwlock_init | 4 |
| pthread_rwlock_rdlock | 4 |
| pthread_rwlock_unlock | 4 |
| pthread_rwlock_wrlock | 4 |
| vlc_rand_bytes | 4 |
| ldap_compare_extA | 4 |
| _ZN9QHashData11free_helperEPFvPNS_4Nc | 4 |
| gimp_toggle_button_update | 4 |
| IsAdmDirty | 4 |
| ResetAdmDirtyFlag | 4 |
| AdmSaveData | 4 |
| ZwSetUuidSeed | 4 |
| ZwReadRequestData | 4 |
| _Z6qDebugPKcz | 4 |
| _ZN16QCoreApplicationD1Ev | 4 |
| _ZN5QFile6removeERK7QString | 4 |
| _ZN7QObject10startTimerEi | 4 |
| _ZN9QDateTime15currentDateTimeEv | 4 |
| _ZNK4QDir5mkdirERK7QString | 4 |
| _ZNK4QDir6existsEv | 4 |
| _ZNK4QDir6mkpathERK7QString | 4 |
| _ZNK7QString11lastIndexOfERKS_iN2Qt15CaseS_ | 4 |
| _ZNK7QString8endsWithERKS_N2Qt15CaseS_ | 4 |
| _ZNK8QVariant6toBoolEv | 4 |
| ?_CurrentThreadId@CSpinLock@@CGJXZ | 4 |
| ?IsReadUnlocked@CReaderWriterLock3@@ | 4 |
| ?QueryInterface@CDbProperties@@UAGJA | 4 |
| ??1CEventBuffer@@QAE@XZ | 4 |
| ?GetHelpFile@SC@mmcrror@@SGPBGXZ | 4 |
| ?GetCode@SC@mmcrror@@QBEJXZ | 4 |
| glsGetCaptureExecTable | 4 |
| glsGetStreamType | 4 |
| glsDataPointer | 4 |
| glsNuml | 4 |
| RasCustomDial | 4 |
| _ZN6QBrushD1Ev | 4 |
| _ZN7QWidget10setPaletteERK8QPalette | 4 |
| _ZN7QWidget5closeEv | 4 |
| _ZN8QPalette8setBrushENS_10ColorGroupE | 4 |
| _ZN8QPaletteD1Ev | 4 |
| vzstrip | 4 |
| ymfree | 4 |

| | |
|---|---|
| ympoolc | 4 |
| ExAcquireRundownProtection | 4 |
| pSetupModifyGlobalFlags | 4 |
| RtlCloneMemoryStream | 4 |
| ?log10@std@@YA?AV?\$complex@N@1@A | 4 |
| ber_init | 4 |
| CMDeleteTransform | 4 |
| CMCreateTransformW | 4 |
| CMConvertIndexToColorName | 4 |
| CMConvertColorNameToIndex | 4 |
| CMCreateProfileW | 4 |
| CMCheckColors | 4 |
| DsCrackUnquotedMangledRdnA | 4 |
| ?imag@?\$_Complex_base@O@std@@QAE | 4 |
| ??Ystd@@YAAV?\$complex@M@0@AAV1I | 4 |
| ?get@?\$basic_istream@_WU?\$char_traits@ | 4 |
| ??5?\$basic_istream@_WU?\$char_traits@_v | 4 |
| ?GetBuffer@TLINK@@QAEPAXPAX@Z | 4 |
| RunScript | 4 |
| WTHelperCertCheckValidSignature | 4 |
| I_NetGetForestTrustInformation | 4 |
| NetConfigGet | 4 |
| ConcatenateMagickString | 4 |
| ?GetIEProxySetting@Network@Util@@YAH | 4 |
| ?GetTimeOffsetUTC@NLS@@YAJXZ | 4 |
| ?QueryInfo@CTXHttpDownload@@QAEHAE | 4 |
| ?SetConfigFile@TXI18N@@YAHPB_W0@Z | 4 |
| MsiAdvertiseScriptA | 4 |
| JetGotoSecondaryIndexBookmark | 4 |
| GdiGetBitmapBitsSize | 4 |
| QueryApplication | 4 |
| UnregisterApplication | 4 |
| SetActionLogMode | 4 |
| SetSilent | 4 |
| AppRegEnum | 4 |
| RegisterApplication | 4 |
| OpenAppRegEnum | 4 |
| SetActionEnum | 4 |
| SetActionLogModeSz | 4 |
| SetActionName | 4 |
| RunDLL32_UnregisterApplication | 4 |
| RunDLL32_RegisterApplication | 4 |
| RefreshAppRegEnum | 4 |
| SetActionLogFile | 4 |
| ExecuteAction | 4 |
| CloseAppRegEnum | 4 |
| ??0?\$basic_stringbuf@DU?\$char_traits@D@ | 4 |

| | |
|---|---|
| RtlSetCriticalSectionSpinCount | 4 |
| NdrClientContextUnmarshall | 4 |
| TopIAddEdgeSetToGraph | 4 |
| ??1QDialogButtonBox@@UAE@XZ | 4 |
| ?changeEvent@QDialogButtonBox@@MAE | 4 |
| ?event@QDialogButtonBox@@MAE_NPAVC | 4 |
| ?qt_metacall@QDialogButtonBox@@UAEH | 4 |
| ?qt_metacast@QDialogButtonBox@@UAEP | 4 |
| ?metaObject@QDialogButtonBox@@UBEPE | 4 |
| _EnumServicesStatus_@32 | 4 |
| ?IsDeleted@DEntry@NetDisk@@YAHPAU_I | 4 |
| ?GetName@DEntry@NetDisk@@YAPB_WQ | 4 |
| ?IsState@DEntry@NetDisk@@YAHPAU_DE | 4 |
| ?GetSingletonPtr@CConfigCenter@NetDisk | 4 |
| ?StartThread@CThreadBase@NetDisk@@Q | 4 |
| ?GetSingletonPtr@CNetDiskDb@NetDisk@C | 4 |
| ?StopThread@CThreadBase@NetDisk@@Q | 4 |
| ?Run@CThreadIO@NetDisk@@MAEIXZ | 4 |
| ??0CThreadBase@NetDisk@@IAE@ABVCTX | 4 |
| ??1CThreadBase@NetDisk@@MAE@XZ | 4 |
| ?GetSingleton@CConfigCenter@NetDisk@C | 4 |
| ?GetDefaultSpinAdjustmentFactor@CReader | 4 |
| ?First@CLockedDoubleList@@QAEQAVCList | 4 |
| rtl_uriConvertRelToAbs | 4 |
| osl_createDirectoryPath | 4 |
| rtl_byte_sequence_constructFromArray | 4 |
| rtl_bootstrap_get_from_handle | 4 |
| rtl_bootstrap_args_open | 4 |
| rtl_str_compare_WithLength | 4 |
| xmlNewNs | 4 |
| xmlAddPrevSibling | 4 |
| xmlSearchNsByHref | 4 |
| xmlNewText | 4 |
| ?SetExclamationDisabler@CLexer@@QAE | 4 |
| LdapCrackUserDNtoNTLMUser2 | 4 |
| RtlIsGenericTableEmptyAvl | 4 |
| ConvertInterfaceNameToLuidW | 4 |
| ConvertStringToInterfacePhysicalAddress | 4 |
| ConvertInterfacePhysicalAddressToLuid | 4 |
| ParseNetworkString | 4 |
| WdsSetupLogMessageW | 4 |
| ConstructPartialMsgVW | 4 |
| ExtractIconToFile | 4 |
| ??0QGroupBox@@QAE@PAVQWidget@@@C | 4 |
| ?critical@QMessageBox@@SA?AW4Standar | 4 |
| ?count@QComboBox@@QBEHZ | 4 |
| ??0QRadioButton@@QAE@PAVQWidget@() | 4 |

| | |
|---|---|
| ?insertItem@QComboBox@@QAEXHABVQI | 4 |
| ?currentIndex@QComboBox@@QBEHXZ | 4 |
| ?setTitle@QMenu@@QAEXABVQString@@ | 4 |
| ?setText@QAction@@QAEXABVQString@@ | 4 |
| ?menuAction@QMenu@@QBEPAVQAction | 4 |
| ?setToolButtonStyle@QToolButton@@QAE | 4 |
| ?setWindowState@QWidget@@QAEXV?\$Q | 4 |
| ?windowState@QWidget@@QBE?AV?\$QFl | 4 |
| ?allWidgets@QApplication@@SA?AV?\$QLis | 4 |
| ?setSizeGripEnabled@QDialog@@QAEX_N@ | 4 |
| ??0QKeySequence@@QAE@ABVQString@C | 4 |
| ?setShortcut@QAbstractButton@@QAEXAB | 4 |
| ?codecForLocale@ QTextCodec@@SAPAV1@C | 4 |
| ?fromAscii@QChar@@SA?AV1@D@Z | 4 |
| _dupenv_s | 4 |
| ZwQueryDebugFilterState | 4 |
| ?GetMasterCHM@CCollection@@QAEHPAF | 4 |
| HrGetCertificateParam | 4 |
| HrCopyStreamCB | 4 |
| rtcVarFromError | 4 |
| glsNumul | 4 |
| cygwin32_shutdown | 4 |
| ??0OTypeCollection@cppu@@QAE@ABVTy | 4 |
| NS_GetMemoryManager | 4 |
| DhcpFallbackRefreshParams | 4 |
| DhcpDelPersistentRequestParams | 4 |
| ?Empty@CRcovStrmWriteTrans@@QAEXXZ | 4 |
| ??0CAallocStorageVariant@@QAE@AAUtagP | 4 |
| ?AddLocation@CCollection@@QAEPAVCLoc | 4 |
| ?GetVersion@CCollection@@QAEKXZ | 4 |
| RtlCopyLuidAndAttributesArray | 4 |
| SdbGetPermLayerKeys | 4 |
| pSetupRetrieveServiceConfig | 4 |
| @System@@WStrInsert\$qqrx17System@W | 4 |
| @Rxstrutils@DelChars\$qqrx17System@Ansi | 4 |
| @Dxlt@TdxTreeListColumn@SetVisible\$qqr | 4 |
| @Dxlt@TdxTreeListColumn@SetCaption\$qq | 4 |
| I_CryptTouchLruEntry | 4 |
| ?QueryFileSizes@NTFS_FILE_RECORD_SEGN | 4 |
| ?-_Fmessages_base@std@@QAEXXZ | 4 |
| ??1SimpleResMgr@@UAE@XZ | 4 |
| ?ReadString@SimpleResMgr@@QAE?AVStri | 4 |
| ?GetVisibleRootFolder@CCollection@@QA | 4 |
| gimp_pixel_rgn_set_row | 4 |
| ?documentElement@QDomDocument@@C | 4 |
| ?elementsByTagName@QDomElement@@@C | 4 |
| ?length@QDomNodeList@@QBEIXZ | 4 |

| | |
|--|---|
| ?attributes@QDomNode@@QBE?AVQDomI | 4 |
| ?namedItem@QDomNamedNodeMap@@C | 4 |
| ?nodeValue@QDomNode@@QBE?AVQString | 4 |
| ??1QDomNamedNodeMap@@QAE@XZ | 4 |
| ?text@QDomElement@@QBE?AVQString@ | 4 |
| ??1QDomElement@@QAE@XZ | 4 |
| ?setLineWidth@QFrame@@QAEXH@Z | 4 |
| ??0QMatrix@@QAE@XZ | 4 |
| ?sizeFromContents@QWindowsStyle@@UB | 4 |
| ?subElementRect@QWindowsStyle@@UBE` | 4 |
| ?setClipRegion@QPainter@@QAEXABVQRe | 4 |
| ?drawControl@QWindowsStyle@@UBEXW` | 4 |
| ?drawPrimitive@QWindowsStyle@@UBEXV | 4 |
| ?devType@QPixmap@@UBEHXZ | 4 |
| ?paintEngine@QPixmap@@UBEPAVQPaintE | 4 |
| ?getDC@QPaintDevice@@UBEPAUHDC__@ | 4 |
| ?releaseDC@QPaintDevice@@UBEXPAUHD | 4 |
| ?metric@QPixmap@@MBEHW4PaintDevice | 4 |
| ??1QWindowsStyle@@UAE@XZ | 4 |
| ?polish@QWindowsStyle@@UAEXAAVQPal | 4 |
| ?polish@QWindowsStyle@@UAEXPBVQAp | 4 |
| ?polish@QWindowsStyle@@UAEXPBVQWi | 4 |
| ?unpolish@QWindowsStyle@@UAEXPBVQF | 4 |
| ?unpolish@QWindowsStyle@@UAEXPBVQV | 4 |
| ?standardPalette@QStyle@@UBE?AVQPale | 4 |
| ?hitTestComplexControl@QCommonStyle@ | 4 |
| ?subControlRect@QCommonStyle@@UBE?_ | 4 |
| ?styleHint@QWindowsStyle@@UBEHW4Sty | 4 |
| ?standardPixmap@QWindowsStyle@@UBE` | 4 |
| ?drawComplexControl@QWindowsStyle@@ | 4 |
| ?pixelMetric@QWindowsStyle@@UBEHW4! | 4 |
| ??0QWindowsStyle@@QAE@XZ | 4 |
| ?qt_metacast@QWindowsStyle@@UAEPAX | 4 |
| ?qt_metacall@QWindowsStyle@@UAEHW4 | 4 |
| ?staticMetaObject@QWindowsStyle@@2U(| 4 |
| ?setStyle@QWidget@@QAEXPBVQStyle@@ | 4 |
| ?pixmap@ QLabel@@QBEPBVQPixmap@@) | 4 |
| ?property@QObject@@QBE?AVQVariant@! | 4 |
| ?contains@QSettings@@QBE_NABVQString | 4 |
| ??0QSettings@@QAE@ABVQString@@0PA' | 4 |
| ldap_search_init_page | 4 |
| ?GetHashTableSize@CMapStringToPtr@@Q | 4 |
| ?AfxA2WHelper@@YGPAGPAGPBDH@Z | 4 |
| NIBindingRemoveServerFromCache | 4 |
| ?resize@?\$basic_string@GU?\$char_traits@! | 4 |
| NdrNonEncapsulatedUnionMarshall | 4 |
| I_BrowserQueryStatistics | 4 |

| | |
|---|---|
| DbgQueryDebugFilterState | 4 |
| NormalizeString | 4 |
| ?log10@std@@YA?AV?\$complex@O@1@A | 4 |
| ?_Cosh@?\$_Ctr@N@std@@SANN@Z | 4 |
| ?imag@std@@YAMABV?\$complex@M@1@C | 4 |
| GETMODULEHANDLEA | 4 |
| EngQueryDeviceAttribute | 4 |
| EngDebugBreak | 4 |
| EngFindImageProcAddress | 4 |
| @Fileutil@GetWindowsDir\$qqrv | 4 |
| @Buttons@TSpeedButton@SetDown\$qqro | 4 |
| @Dxtl@TdxTreeList@ | 4 |
| GdipGetFamilyName | 4 |
| @Dxbarexitems@initialization\$qqrv | 4 |
| ?Remove@CColumns@@QAEXI@Z | 4 |
| ?Seek@CRcovStrmTrans@@QAEHK@Z | 4 |
| ?RemoveScope@CCatalogAdmin@@QAEXP | 4 |
| ??1CKeyArray@@QAE@XZ | 4 |
| ?MakePath@CFullPath@@QAEYPBGI@Z | 4 |
| _get_invalid_parameter_handler | 4 |
| _get_terminate | 4 |
| _get_purecall_handler | 4 |
| _get_unexpected | 4 |
| _freefls | 4 |
| __fls_setvalue@8 | 4 |
| __fls_getvalue@4 | 4 |
| __get_flindex | 4 |
| __set_flsgetvalue | 4 |
| _dosmaperr | 4 |
| _initptd | 4 |
| vout_CreatePicture | 4 |
| vout_DisplayPicture | 4 |
| ?exp@std@@YA?AV?\$complex@M@1@AB | 4 |
| ??0?\$basic_fstream@GU?\$char_traits@G@ | 4 |
| _getgroups32 | 4 |
| mkstemp | 4 |
| strlcat | 4 |
| Ge | 4 |
| ??Dstd@@YA?AV?\$complex@O@0@ABOAI | 4 |
| ??_F?\$num_get@DV?\$istreambuf_iterator@C | 4 |
| gA | 4 |
| eep | 4 |
| ect | 4 |
| u | 4 |
| ndowFromPoint | 4 |
| eRect | 4 |
| C | 4 |

| | |
|---|---|
| tPropA | 4 |
| d | 4 |
| N | 4 |
| ?pubimbue@?\$basic_streambuf@GU?\$char | 4 |
| ?CompareTo@ByteString@@QBE?AW4Strin | 4 |
| PyCode_New | 4 |
| PyString_FromStringAndSize | 4 |
| _Py_TrueStruct | 4 |
| PyObject_SetAttrString | 4 |
| PyDict_New | 4 |
| PyErr_Format | 4 |
| PoRegisterPowerSettingCallback | 4 |
| pthread_setspecific | 4 |
| pthread_once | 4 |
| pthread_getspecific | 4 |
| pthread_key_create | 4 |
| I_RpcReallocPipeBuffer | 4 |
| ZwSetSystemEnvironmentValue | 4 |
| ?setstate@?\$basic_ios@DU?\$char_traits@C | 4 |
| __vlc_object_destroy | 4 |
| SPInit | 4 |
| GdipRotateWorldTransform | 4 |
| ?_Myptr@?\$basic_string@_WU?\$char_trait | 4 |
| ??0QDomDocument@@QAE@XZ | 4 |
| ??0CRandom@@QAE@XZ | 4 |
| HrCopyStreamToByte | 4 |
| HrIndexOfWeek | 4 |
| CreateTempFileStream | 4 |
| ?sm_pfnSetCriticalSectionSpinCount@CCriti | 4 |
| ?Initialize@SORTED_LIST@@QAEEE@Z | 4 |
| welInitDLL | 4 |
| weCheckForLostTempFiles | 4 |
| weOpenFile | 4 |
| weNewFile | 4 |
| weShutdown | 4 |
| rtcSqr | 4 |
| TraceSQLBindCol | 4 |
| TraceSQLForeignKeys | 4 |
| TraceSQLEndTran | 4 |
| TraceSQLGetDiagFieldW | 4 |
| ?GetSelItem@@YGJPAUHWND__@@IPAVN | 4 |
| ??0NLS_STR@@QAE@I@Z | 4 |
| ?QuerySelCount@FMX@@QBEIXZ | 4 |
| ??0FMX@@QAE@PAUHWND__@@@Z | 4 |
| ?Refresh@FMX@@QAEXXZ | 4 |
| ?QueryFocus@FMX@@QBEIXZ | 4 |
| ?DelSubStr@NLS_STR@@QAEXAAVISTR@@ | 4 |

| | |
|-------------------------------------|---|
| ??YISTR@@QAEKH@Z | 4 |
| ??OISTR@@QAE@ABVNL_S_STR@@@Z | 4 |
| ??ONLS_STR@@QAE@ABV0@@Z | 4 |
| ?IsHeterogeneousSelection@FMX@@QAEH | 4 |
| ?Add@SLIST@@QAEJPAX@Z | 4 |
| ?MapNTStatus@ERRMAP@@SGJJPAHJ@Z | 4 |
| ??OW32_FS_ENUM@@QAE@PBGOW4FILE_ | 4 |
| ?QueryName@FS_ENUM@@QBEJPAVNLS_! | 4 |
| ?Next@FS_ENUM@@QAEHXZ | 4 |
| ??1STRLIST@@QAE@XZ | 4 |
| ??0STRLIST@@QAE@H@Z | 4 |
| ??1BITFIELD@@QAE@XZ | 4 |
| ?DelSubStr@NLS_STR@@QAEAAVISTR@@ | 4 |
| ?QueryChar@NLS_STR@@QBEGABVISTR@() | 4 |
| ??EISTR@@QAEAAV0@XZ | 4 |
| ??OISTR@@QAE@ABV0@@Z | 4 |
| NETUI_IsDBCS | 4 |
| ??BBITFIELD@@QAEKXZ | 4 |
| ?strchr@NLS_STR@@QBEHPAVISTR@@G@ | 4 |
| ??4BITFIELD@@QAEAAV0@K@Z | 4 |
| ??OBITFIELD@@QAE@K@Z | 4 |
| ??4NLS_STR@@QAEAAV0@ABV0@@Z | 4 |
| ?strrchr@NLS_STR@@QBEHPAVISTR@@G@ | 4 |
| ??BBITFIELD@@QAEGXZ | 4 |
| ?MapCopyFrom@NLS_STR@@QAEJPBGI@Z | 4 |
| ?InsertStr@NLS_STR@@QAEHABV1@AAVIS | 4 |
| ?Next@ITER_SL@@QAEPAXXZ | 4 |
| ?QueryNumElem@SLIST@@QAEIXZ | 4 |
| ??1ITER_STRLIST@@QAE@XZ | 4 |
| ??0ITER_STRLIST@@QAE@AAVSTRLIST@@@ | 4 |
| ??8BITFIELD@@QAEHAAV0@@Z | 4 |
| ??OBITFIELD@@QAE@ABV0@@Z | 4 |
| ??4BITFIELD@@QAEAAV0@ABV0@@Z | 4 |
| ?Resize@BITFIELD@@QAEJI@Z | 4 |
| ??_4BITFIELD@@QAEXG@Z | 4 |
| ??0ITER_SL@@QAE@PAVSLIST@@@Z | 4 |
| ?QueryProp@ITER_SL@@QAEPAXXZ | 4 |
| ??OSLIST@@QAE@XZ | 4 |
| ?Remove@SLIST@@QAEPAVAAVITER_SL@() | 4 |
| ?SetIter@SLIST@@IAEXPASL_NODE@@@ | 4 |
| ??1ITER_SL@@QAE@XZ | 4 |
| ?Reset@ITER_SL@@QAEXXZ | 4 |
| ??1SLIST@@QAE@XZ | 4 |
| ?AppendChar@NLS_STR@@QAEJG@Z | 4 |
| ?strlen@NLS_STR@@QBEIXZ | 4 |
| ?strstr@NLS_STR@@QBEHPAVISTR@@ABV | 4 |
| ??YNLS_STR@@QAEAAV0@ABV0@@Z | 4 |

| | |
|--------------------------------------|---|
| NETUI_strcmp | 4 |
| ?QueryNumChar@NLS_STR@@QBEIXZ | 4 |
| ??_4BITFIELD@@QAEXABV0@@Z | 4 |
| ?Append@NLS_STR@@QAEJABV1@@Z | 4 |
| ??9NLS_STR@@QBEHABV0@@Z | 4 |
| ??_5BITFIELD@@QAEXABV0@@Z | 4 |
| ?SetAllBits@BITFIELD@@QAEXW4BITVALUE | 4 |
| ??2ALLOC_BASE@@SGPAXIPAX@Z | 4 |
| ?InsertParams@NLS_STR@@QAAJIPBV1@Z | 4 |
| ??0BITFIELD@@QAE@G@Z | 4 |
| ?CreateNew@NEW_LM_OBJ@@QAEJXZ | 4 |
| ?CompareACL@NET_ACCESS_1@@@QAEHPA | 4 |
| ??0NET_ACCESS_1@@@QAE@PBG0@Z | 4 |
| ?Write@NEW_LM_OBJ@@QAEJXZ | 4 |
| ?QueryServer@LOCATION@@QBEPBGXZ | 4 |
| ??1LOCATION@@QAE@XZ | 4 |
| ?CheckIfNT@LOCATION@@QAEJPAH@Z | 4 |
| ??0LOCATION@@QAE@PBGH@Z | 4 |
| ??1OS_SECURITY_DESCRIPTOR@@QAE@XZ | 4 |
| ??1OS_SID@@QAE@XZ | 4 |
| ??1NET_ACCESS_1@@@QAE@XZ | 4 |
| ?SetOwner@OS_SECURITY_DESCRIPTOR@@ | 4 |
| ?QuerySystemSid@NT_ACCOUNTS.utility | 4 |
| ??0OS_SID@@QAE@PAXHPAVOS_SECURITY | 4 |
| ??0OS_SECURITY_DESCRIPTOR@@QAE@PA | 4 |
| ??1OS_ACL@@QAE@XZ | 4 |
| ??1OS_ACE@@QAE@XZ | 4 |
| ?SetDACL@OS_SECURITY_DESCRIPTOR@@C | 4 |
| ?AddACE@OS_ACL@@QAEKABVOS_ACE@ | 4 |
| ?SetSID@OS_ACE@@QAEJABVOS_SID@@@C | 4 |
| ?SetAccessMask@OS_ACE@@QAEHK@Z | 4 |
| ??0OS_ACE@@QAE@PAX@Z | 4 |
| ??0OS_ACL@@QAE@PAU_ACL@@HPAVOS | 4 |
| ?Compare@OS_SECURITY_DESCRIPTOR@@ | 4 |
| ?SetGroup@OS_SECURITY_DESCRIPTOR@@ | 4 |
| ?SetOwner@OS_SECURITY_DESCRIPTOR@@ | 4 |
| ?SetSACL@OS_SECURITY_DESCRIPTOR@@C | 4 |
| ?SetName@NET_ACCESS@@QAEJPBG@Z | 4 |
| ?QueryFailingName@NET_ACCESS_1@@@QB | 4 |
| ?Delete@NET_ACCESS@@QAEJXZ | 4 |
| ?WriteNew@NEW_LM_OBJ@@QAEJXZ | 4 |
| ?CopyAccessPerms@NET_ACCESS_1@@@QAI | 4 |
| ?SetAuditFlags@NET_ACCESS_1@@@QAEJF@ | 4 |
| ?QueryServerName@NET_ACCESS@@QBEP | 4 |
| ?QueryACECount@NET_ACCESS_1@@@QBEI@ | 4 |
| ?SetPerm@NET_ACCESS_1@@@QAEJPBGW4 | 4 |
| ?ClearPerms@NET_ACCESS_1@@@QAEJXZ | 4 |

| | |
|---------------------------------------|---|
| ??1DOMAIN_WITH_DC_CACHE@@QAE@XZ | 4 |
| ?QueryAnyDC@DOMAIN@@QBEPBGXZ | 4 |
| ?GetInfo@DOMAIN_WITH_DC_CACHE@@U | 4 |
| ??0DOMAIN_WITH_DC_CACHE@@QAE@PE | 4 |
| ??1WKSTA_10@@QAE@XZ | 4 |
| I_MNetComputerNameCompare | 4 |
| ?QueryLogonDomain@WKSTA_10@@QBEP | 4 |
| ??0WKSTA_10@@QAE@PBG@Z | 4 |
| ?QueryName@OS_SID@@QBEJPAVNLS_STF | 4 |
| ?QueryOwner@OS_SECURITY_DESCRIPTOR@ | 4 |
| ??1API_SESSION@@QAE@XZ | 4 |
| ??1LSA_POLICY@@QAE@XZ | 4 |
| ??1LSA_TRANSLATED_SID_MEM@@QAE@X | 4 |
| ??1LSA_REF_DOMAIN_MEM@@QAE@XZ | 4 |
| ??1LSA_TRANSLATED_NAME_MEM@@QAE | 4 |
| ??1LSA_ACCT_DOM_INFO_MEM@@QAE@> | 4 |
| ?QueryFailingNameIndex@LSA_TRANSLATEI | 4 |
| ?TranslateNamesToSids@LSA_POLICY@@Q | 4 |
| ?BuildQualifiedAccountName@NT_ACCOUN | 4 |
| ?Copy@OS_SID@@QAEJABV1@@Z | 4 |
| ??0OS_SID@@QAE@PAXKPAVOS_SECURITY | 4 |
| ?GetAccountDomain@LSA_POLICY@@QBEJ | 4 |
| ?QueryLastSubAuthority@OS_SID@@QBEJP | 4 |
| ??0LSA_ACCT_DOM_INFO_MEM@@QAE@I | 4 |
| ?TranslateSidsToNames@LSA_POLICY@@Q | 4 |
| ??0LSA_TRANSLATED_NAME_MEM@@QAE | 4 |
| ??0LSA_REF_DOMAIN_MEM@@QAE@H@Z | 4 |
| ??0LSA_TRANSLATED_SID_MEM@@QAE@F | 4 |
| ??0LSA_POLICY@@QAE@PBGK@Z | 4 |
| ??0API_SESSION@@QAE@PBGH@Z | 4 |
| ?DeleteACE@OS_ACL@@QAEJK@Z | 4 |
| ??8OS_SID@@QBEHABV0@@Z | 4 |
| ?QuerySID@OS_ACE@@QBEJPAPAVOS_SID | 4 |
| ?QueryACE@OS_ACL@@QBEJKPAVOS_ACE@ | 4 |
| ?QueryACECount@OS_ACL@@QBEJPAK@Z | 4 |
| ?GetQualifiedAccountNames@NT_ACCOUN | 4 |
| ?TrimLastSubAuthority@OS_SID@@QAEJPA | 4 |
| ?Next@OS_SACL SUBJECT ITER@@UAEHP/ | 4 |
| ??1OS_SACL SUBJECT ITER@@QAE@XZ | 4 |
| ??0OS_SACL SUBJECT ITER@@QAE@PAVO | 4 |
| ?QuerySACL@OS_SECURITY_DESCRIPTOR@I | 4 |
| ?Next@OS_DACL SUBJECT ITER@@UAEHP. | 4 |
| ??1OS_DACL SUBJECT ITER@@QAE@XZ | 4 |
| ??0OS_DACL SUBJECT ITER@@QAE@PAVC | 4 |
| ?QueryDACL@OS_SECURITY_DESCRIPTOR@ | 4 |
| ?QueryAccessMask@OS_ACE@@QBEKXZ | 4 |
| ?QueryGroup@OS_SECURITY_DESCRIPTOR@C | 4 |

| | |
|--------------------------------------|---|
| ?Copy@OS_SECURITY_DESCRIPTOR@@QAE | 4 |
| ?QuerySubAuthorityCount@OS_SID@@QBE | 4 |
| ??1LSA_AUDIT_EVENT_INFO_MEM@@QAEI | 4 |
| ?GetAuditEventInfo@LSA_POLICY@@QAEJP | 4 |
| ??0LSA_AUDIT_EVENT_INFO_MEM@@QAEI | 4 |
| ?Next@USER0_ENUM_ITER@@QAEPBVUSE | 4 |
| ??1LOC_LM_RESUME_ENUM@@QAE@XZ | 4 |
| ??1LOC_LM_ENUM@@QAE@XZ | 4 |
| ??1LM_RESUME_ENUM_ITER@@IAE@XZ | 4 |
| ??1LM_ENUM_ITER@@IAE@XZ | 4 |
| ??RGROUP0_ENUM_ITER@@QAEPBVGROU | 4 |
| ??0GROUP0_ENUM_ITER@@QAE@AAVGRC | 4 |
| ?GetInfo@LM_ENUM@@QAEJXZ | 4 |
| ??0GROUP0_ENUM@@QAE@ABVLOCATION | 4 |
| ??0USER0_ENUM_ITER@@QAE@AAVUSERC | 4 |
| ?GetInfo@LM_RESUME_ENUM@@QAEJH@ | 4 |
| ??0USER0_ENUM@@QAE@ABVLOCATIONC | 4 |
| ??0NET_NAME@@QAE@PBGW4NETNAME_ | 4 |
| ?QueryComputerName@NET_NAME@@QA | 4 |
| ??1NET_NAME@@QAE@XZ | 4 |
| ?SetGroup@OS_SECURITY_DESCRIPTOR@@ | 4 |
| ?GetInfo@NEW_LM_OBJ@@QAEJXZ | 4 |
| ?OnTimer@CANCEL_TASK_DIALOG@@MAE | 4 |
| ??0CANCEL_TASK_DIALOG@@QAE@IPAUH' | 4 |
| ??1CANCEL_TASK_DIALOG@@QAE@XZ | 4 |
| ??1MASK_MAP@@QAE@XZ | 4 |
| ?Add@MASK_MAP@@QAEJQUUS_IDS_PA | 4 |
| ??0MASK_MAP@@QAE@XZ | 4 |
| ?SetText@SLT_ELLIPSIS@@QAEJPBG@Z | 4 |
| ?MsgPopup@@YGHABVOWNINGWND@@J | 4 |
| ?MsgPopup@@YGHABVOWNINGWND@@J | 4 |
| ?Init@BASE_ELLIPSIS@@SGJXZ | 4 |
| ?Term@BASE_ELLIPSIS@@SGXXZ | 4 |
| ??1POPUP_MENU@@QAE@XZ | 4 |
| ?EnableItem@MENU_BASE@@QBEIIHI@Z | 4 |
| ??0POPUP_MENU@@QAE@PAUHMENU__ | 4 |
| ?Add@MASK_MAP@@QAEJABVBITFIELD@I | 4 |
| ?IsPresent@MASK_MAP@@QAEHPAVBITFI | 4 |
| ?StringToBits@MASK_MAP@@QAEJABVNLS | 4 |
| ?QueryEventEffects@CONTROL_VALUE@I | 4 |
| ?SetControlValueFocus@CONTROL_VALUE@ | 4 |
| ?SetTabStop@CONTROL_VALUE@@MAEXH | 4 |
| ?RestoreValue@CONTROL_VALUE@@MAEX | 4 |
| ?SaveValue@CONTROL_VALUE@@MAEXHC | 4 |
| ?AfterGroupActions@CONTROL_GROUP@@ | 4 |
| ?OnGroupAction@CONTROL_GROUP@@MA | 4 |
| ?OnUserAction@CONTROL_GROUP@@MAE | 4 |

| | |
|---------------------------------------|---|
| ?IsDestroyable@LBI@@MAEHXZ | 4 |
| ?AddItem@BLT_LISTBOX@@QAEHPAVLBI@ | 4 |
| ?DeleteAllItems@LIST_CONTROL@@QAEXX | 4 |
| ?DeleteItem@LIST_CONTROL@@QAEHH@Z | 4 |
| ?QueryUserSelectedBits@SET_OF_AUDIT_C | 4 |
| ?Enable@SET_OF_AUDIT_CATEGORIES@@C | 4 |
| ?RemoveSelection@LIST_CONTROL@@QAE | 4 |
| ??0SET_OF_AUDIT_CATEGORIES@@QAE@P | 4 |
| ??1SET_OF_AUDIT_CATEGORIES@@QAE@X | 4 |
| ??1NT_USER_BROWSER_DIALOG@@QAE@` | 4 |
| ?ApplyPermissionsToCheckBoxes@SET_OF_ | 4 |
| ??1BROWSER SUBJECT ITER@@QAE@XZ | 4 |
| ?Next@BROWSER SUBJECT ITER@@QAEJP | 4 |
| ?QueryQualifiedName@BROWSER SUBJECT | 4 |
| ??0BROWSER SUBJECT ITER@@QAE@PAVI | 4 |
| ??0NT_USER_BROWSER_DIALOG@@QAE@I | 4 |
| ?MakeDefault@PUSH_BUTTON@@QAEXXZ | 4 |
| ??0SLT_FONT@@QAE@PAVOWNER_WINDOW | 4 |
| ?QuerySelection@RADIO_GROUP@@QBEIX | 4 |
| ?QueryItemText@STRING_LIST_CONTROL@ | 4 |
| ??1LIST_CONTROL@@IAE@XZ | 4 |
| ?InvalidateItem@LISTBOX@@QAEXHH@Z | 4 |
| ?InsertItem@STRING_LIST_CONTROL@@QA | 4 |
| ?EnumStrings@MASK_MAP@@QAEJPAVNLI | 4 |
| ?SetSize@WINDOW@@QAEXHHH@Z | 4 |
| ?QuerySize@WINDOW@@QBE?AVXYDIMEN | 4 |
| ?SetSize@WINDOW@@QAEXVXYDIMENSIO | 4 |
| ?QueryTextExtent@DEVICE_CONTEXT@@QI | 4 |
| ?QueryPos@WINDOW@@QBE?AVXYPOINT | 4 |
| ??0COMBOBOX@@QAE@PAVOWNER_WINDOW | 4 |
| ?AddItem@STRING_LIST_CONTROL@@QAE | 4 |
| ?FindItemExact@STRING_LIST_CONTROL@C | 4 |
| ?QueryDmDte@SUBJECT_BITMAP_BLOCK@ | 4 |
| ??0LBI@@QAE@XZ | 4 |
| ??1LBI@@UAE@XZ | 4 |
| ?BitsToString@MASK_MAP@@QAEJABVBIT | 4 |
| ?QueryBits@MASK_MAP@@QAEJIPAVBITFI | 4 |
| ??1SUBJECT_BITMAP_BLOCK@@QAE@XZ | 4 |
| ?QueryWidth@DISPLAY_MAP@@QBEIXZ | 4 |
| ??0SUBJECT_BITMAP_BLOCK@@QAE@XZ | 4 |
| ??0BLT_LISTBOX@@QAE@PAVOWNER_WINDOW | 4 |
| ?QuerySelItems@LIST_CONTROL@@QBEJP | 4 |
| ?QuerySelCount@LIST_CONTROL@@QBEH` | 4 |
| ?QueryHelpContext@NT_USER_BROWSER_I | 4 |
| ?QueryHelpFile@NT_USER_BROWSER_DIAL | 4 |
| ?OnDlgDeactivation@NT_USER_BROWSER_I | 4 |
| ?OnOK@NT_USER_BROWSER_DIALOG@@N | 4 |

| | |
|--------------------------------------|---|
| ?OnCommand@NT_USER_BROWSER_DIALC | 4 |
| ?OnUserMessage@NT_USER_BROWSER_DIA | 4 |
| ?SetSelection@RADIO_GROUP@@QAEXI@Z | 4 |
| ??1ARRAY_CONTROLVAL_CID_PAIR@@QAE | 4 |
| ??1RADIO_GROUP@@QAE@XZ | 4 |
| ??0CONTROL_WINDOW@@QAE@PAVOWN | 4 |
| ?Enable@MAGIC_GROUP@@QAEXH@Z | 4 |
| ?AddAssociation@MAGIC_GROUP@@QAEJI | 4 |
| ??0MAGIC_GROUP@@QAE@PAVOWNER_V | 4 |
| ?MayRun@CANCEL_TASK_DIALOG@@MAEI | 4 |
| ?QueryObjectName@CANCEL_TASK_DIALOG | 4 |
| WNetFMXGetPermCaps | 4 |
| WNetFMXGetPermHelp | 4 |
| WNetFMXEditPerm | 4 |
| IsGadgetParentChainStyle | 4 |
| IoCsqInitialize | 4 |
| ?Next@CEnumString@@UAGJKPAPAGPAK@ | 4 |
| ClassGetVpb | 4 |
| ClassDisableMediaChangeDetection | 4 |
| playlist_LockControl | 4 |
| TraceSQLPrepare | 4 |
| TraceSQLGetDescRec | 4 |
| TraceSQLGetStmtAttrW | 4 |
| TraceSQLAllocConnect | 4 |
| EventNameFree | 4 |
| RasConnectionEnum | 4 |
| _system | 4 |
| ??1LIST@@UAE@XZ | 4 |
| ZwModifyBootEntry | 4 |
| ComPs_NdrDllRegisterProxy | 4 |
| gimp_help_set_help_data | 4 |
| gimp_spin_button_new | 4 |
| ?load_sty@HT_Plot_Config_Manager@@QF | 4 |
| ??0HT_String@@QAE@ABV0@@Z | 4 |
| StyEditEx | 4 |
| FlushColorBooks | 4 |
| ldap_rename_extA | 4 |
| ??N@YG_NABVCString@@0@Z | 4 |
| ParseAbsoluteGeometry | 4 |
| SqmWaitForUploadComplete | 4 |
| SqmStartUpload | 4 |
| ?HandleAllCriticalErrorCatch@@YGXXZ | 4 |
| ?GetDefault@GCLocale@@SG?BV1@XZ | 4 |
| ?MessageFormat@GCStackStrBase@@QAEJ | 4 |
| ?Initialize@GCErrorServices@@SGXJJ@Z | 4 |
| ?UninitCOM@GCMso@@SGXXZ | 4 |
| ?InitCOM@GCMso@@SGXXZ | 4 |

| | |
|--|---|
| ?Init@GCMso@@SGXXZ | 4 |
| ?GetHandle@GCGrooveResourceModule@() | 4 |
| ?SetFromResource@GCStackStrBase@@QAI | 4 |
| ??1GCLocale@@QAE@XZ | 4 |
| CtfImmSetAppCompatFlags | 4 |
| ShimDumpCache | 4 |
| TraceSQLFreeConnect | 4 |
| ?ReadProperty@COLEPropManager@@QAE | 4 |
| ?Add@CKeyArray@@QAEHHABVCKeyBuf@ | 4 |
| StrToIntW | 4 |
| PszAllocW | 4 |
| RicheditStreamIn | 4 |
| Start | 4 |
| NetpGetFileSecurity | 4 |
| ??Nstd@@YA_NABV?\$basic_string@DU?\$cl | 4 |
| ?Release@CDbProperties@@UAGKXZ | 4 |
| ?CheckError@CPropListFile@@QAEJAAKPAF | 4 |
| @Adsdata@TAdsDataSet@ApplyRange\$qqr | 4 |
| @Adsdata@TAdsDataSet@SetRangeStart\$qi | 4 |
| @Adsdata@TAdsDataSet@SetRangeEnd\$qq | 4 |
| @System@@UStrFromPWCharLen\$qqrr20S | 4 |
| @Classes@TFileStream@\$bctr\$qqrx20Syste | 4 |
| @Sysutils@LastDelimiter\$qqrx20System@U | 4 |
| LdapParseResult | 4 |
| lineSetQueueMeasurementPeriod | 4 |
| Tranform | 4 |
| ?polar@std@@YA?AV?\$complex@M@1@A | 4 |
| @System@@ResetFile\$qqrv | 4 |
| @System@@VarMul\$qqrv | 4 |
| @Db@TFieldDefs@Add\$qqrx17System@An | 4 |
| ldap_search_s | 4 |
| ?Shutdown@CPropStoreManager@@QAEX | 4 |
| ?NameToReal@CPidRemapper@@QAEKPBI | 4 |
| SetupDiGetActualSectionToInstallExW | 4 |
| IASRadiusCrypt | 4 |
| MmMapVideoDisplay | 4 |
| ResUtilGetCoreClusterResources | 4 |
| ?classCChildFrame@CChildFrame@@2UCRl | 4 |
| NWPAddTrustee | 4 |
| NWPGetObjectID | 4 |
| NWCReadPropertyValue | 4 |
| NWCDestroyQueue | 4 |
| NWCCreateQueue | 4 |
| NWPCreateDirectory | 4 |
| NWCCreateObject | 4 |
| NWCGetVolumeName | 4 |
| NWCWritePropertyValue | 4 |

| | |
|--|---|
| NWCCreateProperty | 4 |
| NWCChangePropertySecurity | 4 |
| NWCDeleteObject | 4 |
| NWCGetFileServerVersionInfo | 4 |
| NWCIsObjectInSet | 4 |
| NWCGetObjectID | 4 |
| NWCAddObjectToSet | 4 |
| NWCDeleteObjectFromSet | 4 |
| NWCGetVolumeNumber | 4 |
| NWCGetObjectName | 4 |
| ??_F?\$codecvt@DDH@std@@QAEXXZ | 4 |
| ?pow@?\$_Ctr@N@std@@SANN@Z | 4 |
| ??2@YAPAXIHPBDH@Z | 4 |
| ??0CHPRBReg@@QAE@XZ | 4 |
| ?AddDir@CCatState@@QAEXAAV?\$XPtrST@ | 4 |
| ??Kstd@@YA?AV?\$complex@O@0@ABV10 | 4 |
| rtl_ustr_valueOffloat | 4 |
| MCIWndCreate | 4 |
| PR_ExitMonitor | 4 |
| PR_EnterMonitor | 4 |
| DeleteTempFile | 4 |
| ZwSaveMergedKeys | 4 |
| ?PROP_URL@MediaDescriptor@comphelpe | 4 |
| ?PROP_TYPENAME@MediaDescriptor@com | 4 |
| ?PROP_INPUTSTREAM@MediaDescriptor@c | 4 |
| ??1SvtSysLocale@@QAE@XZ | 4 |
| ?SetUpdateMode@Window@@QAEXE@Z | 4 |
| ?SetBackground@OutputDevice@@QAEXXZ | 4 |
| ??0ListBox@@QAE@PAVWindow@@_J@Z | 4 |
| tapiRequestDrop | 4 |
| lineHandoffW | 4 |
| RtlSetThreadErrorMode | 4 |
| ?SetFromUnicode@CGlbChar@@QAGHQBG | 4 |
| ?clear@?\$basic_ios@_WU?\$char_traits@_V | 4 |
| WdsTerminate | 4 |
| RunOCMW | 4 |
| @Controls@TWinControl@CMDialogChar\$q | 4 |
| @Controls@TControl@SetAction\$qqrp20Cl@ | 4 |
| @Zlib@Finalization\$qqrv | 4 |
| StartMessagePump | 4 |
| ?ShowWindow@NativeHWNDHost@DirectL | 4 |
| ?Create@NativeHWNDHost@DirectUI@@S@ | 4 |
| AVIStreamAddRef | 4 |
| IID_IAVIFile | 4 |
| InternetSetPerSiteCookieDecisionA | 4 |
| rtcIntVar | 4 |
| ?Assign@nsSubstring@@QAEXABVnsAString | 4 |

?Equals@nsSubstring@@QBEHABVnsAString
?EqualsASCII@nsSubstring@@QBEHPBDI@Z
?CallGetService@@YAIPBDABUnsID@@PAP
?Assign@nsCSubstring@@QAEXABVnsCSub
?FindChar@nsSubstring@@QBEHGI@Z
?LowerCaseEqualsASCII@nsSubstring@@QE
?AppendInt@nsString@@QAEXHH@Z
?ToInteger@nsString@@QBEHPAHI@Z
PR_Réalloc
NdrXmitOrRepAsUnmarshall
TraceSQLGetInfo
?_Lockit_dtor@_Lockit@std@@SAXH@Z
?_Lockit_ctor@_Lockit@std@@SAXH@Z
?overflow@?\$basic_stringbuf@GU?\$char_t@
??5std@@YAAAV?\$basic_istream@DU?\$char_t@
??_8?\$basic_fstream@DU?\$char_traits@D@
??1?\$collate@G@std@@UAE@XZ
??5?\$basic_istream@GU?\$char_traits@G@:
?setstate@ios_base@std@@QAEXF@Z
?do_thousands_sep@?\$numpunct@D@std(
ldap_parse_page_controlA
RegisterEvTrace
?epsilon@?\$numeric_limits@F@std@@SAF
??_F?\$money_put@DV?\$ostreambuf_iterator
??_F?\$basic_istringstream@DU?\$char_traits@
?focusInEvent@QAbstractItemView@@MAE
?focusOutEvent@QAbstractItemView@@MAE
?dragEnterEvent@QAbstractItemView@@MAE
?inputMethodEvent@QAbstractItemView@@MAE
?inputMethodQuery@QAbstractItemView@@MAE
?focusNextPrevChild@QAbstractItemView@@MAE
?sizeHintForRow@QAbstractItemView@@U
?edit@QAbstractItemView@@MAE_NABVC
?updateEditorData@QAbstractItemView@@MAE
?updateEditorGeometries@QAbstractItemV
?verticalScrollbarAction@QAbstractItemV
?verticalScrollbarValueChanged@QAbstractI
?horizontalScrollbarValueChanged@QAbstract
?closeEditor@QAbstractItemView@@MAEX
?commitData@QAbstractItemView@@MAE
?editorDestroyed@QAbstractItemView@@MAE
?selectionCommand@QAbstractItemView@@MAE
?resize@QWidget@@QAEXHH@Z
?setMinimumSize@QWidget@@QAEXABVC
?setMaximumSize@QWidget@@QAEXABVC
?setFamily@QFont@@QAEXABVQString@@MAE
?setScaledContents@QLabel@@QAEX_N@Z

| | |
|--|---|
| ?setStyleSheet@QWidget@@QAEXABVQStr | 4 |
| ??0?\$basic_streambuf@GU?\$char_traits@G | 4 |
| ?seekp@?\$basic_ostream@DU?\$char_traits | 4 |
| c_UNK | 4 |
| ??1CReaderWriterLock2@@QAE@XZ | 4 |
| ?ConvertExclusiveToShared@CSpinLock@@ | 4 |
| CryptExtOpenSTR | 4 |
| SetSystemTimer | 4 |
| ?HeadNode@ClockedDoubleList@@QBEQB | 4 |
| ?WriteLock@CSpinLock@@QAEXXZ | 4 |
| ??_8?\$basic_istream@GU?\$char_traits@G@ | 4 |
| ??1money_base@std@@UAE@XZ | 4 |
| ?_Addstd@ios_base@std@@IAEXXZ | 4 |
| CryptExtAddCERW | 4 |
| CryptExtOpenCAT | 4 |
| CryptExtOpenSTRW | 4 |
| CryptExtOpenPKCS7 | 4 |
| CryptExtOpenP7R | 4 |
| ?AddArg@CFwEventItem@@QAEXPBG@Z | 4 |
| ??H@YG?AVCString@@PBGABV0@@Z | 4 |
| block_FifoShow | 4 |
| Kel386SetGdtSelector | 4 |
| CeRapiInitEx | 4 |
| mysql_connect | 4 |
| rtcSLN | 4 |
| ldap_delete_ext_s | 4 |
| SDL_ShowCursor | 4 |
| ?sm_dbIDfltSpinAdjFctr@CReaderWriterLoc | 4 |
| _CorlIsFarEastWindow@0 | 4 |
| ?GetThisMessageMap@WCmnUI_PropertyP | 4 |
| ??0WCmnUI_PropertyPage@@QAE@IIK@Z | 4 |
| ??1WCmnUI_PropertyPage@@UAE@XZ | 4 |
| ?QueryScopeAdmin@CCatalogAdmin@@QF | 4 |
| ?Map@CMmStreamConsecBuf@@QAEXK@ | 4 |
| ??N@YG_NABVCString@@PBG@Z | 4 |
| EthFilterDprIndicateReceiveComplete | 4 |
| NdisQueryMapRegisterCount | 4 |
| FlsValidFileNameCharA | 4 |
| _ftime32 | 4 |
| RasSrvCleanupService | 4 |
| RasEntryDlgW | 4 |
| RouterEntryDlgW | 4 |
| RasUserEnableManualDial | 4 |
| RasSrvAllowConnectionsConfig | 4 |
| RasUserGetManualDial | 4 |
| RasSrvAddPropPages | 4 |
| GetRasDialOutProtocols | 4 |

| | |
|--|---|
| RouterEntryDlgA | 4 |
| RasPhonebookDlgA | 4 |
| RasUserPrefsDlg | 4 |
| DwTerminalDlg | 4 |
| RasEntryDlgA | 4 |
| RasSrvEnumConnections | 4 |
| MsiRecordSetInteger | 4 |
| ?GetStatus@Contact@Util@@YAXKAAGAA\ | 4 |
| ??1CBasicInfo@Group@Util@@UAE@XZ | 4 |
| ZwCreateToken | 4 |
| ?do_in@?\$codecvt@GDH@std@@MBEHAA | 4 |
| DhcpLeaseIpAddressEx | 4 |
| DhcpRenewIpAddressLease | 4 |
| MQReceiveMessageByLookupId | 4 |
| MQOpenQueue | 4 |
| MQPathNameToFormatName | 4 |
| MQReceiveMessage | 4 |
| MQCloseQueue | 4 |
| MQCloseCursor | 4 |
| MQCreateCursor | 4 |
| MQCreateQueue | 4 |
| VideoPortDisableInterrupt | 4 |
| NdisMCmRegisterAddressFamily | 4 |
| I_RpcServerRegisterForwardFunction | 4 |
| ??0OTypeCollection@cppu@@QAE@ABVTy | 4 |
| osl_checkCondition | 4 |
| ??1WildCard@@QAE@XZ | 4 |
| ?Matches@WildCard@@QBEEABVString@C | 4 |
| ?GetUILanguage@AllSettings@@QBEGXZ | 4 |
| ?release@OInputStreamWrapper@utl@@U | 4 |
| ?acquire@OInputStreamWrapper@utl@@U | 4 |
| ?queryInterface@OInputStreamWrapper@U | 4 |
| ??0OInputStreamWrapper@utl@@QAE@A/ | 4 |
| TiffClose | 4 |
| subpicture_region_Delete | 4 |
| ?GetOrCreate@SfxApplication@@SAPAV1@ | 4 |
| ?TraceAndClear@SC@mmcrror@@QAEXX: | 4 |
| CryptExtAddCRLW | 4 |
| CryptExtAddCTLW | 4 |
| u32GetAppIni | 4 |
| gizlebeni | 4 |
| @\$xp\$28Hdspeedbutton@THDSpeedButton | 4 |
| @Hdspeedbutton@THDSpeedButton@ | 4 |
| @Hdscale@THDScaler@InitStretchControl\$ | 4 |
| ?rbegin@?\$basic_string @_WU?\$char_traits | 4 |
| uno_sequence_construct | 4 |
| NtQueryInformationTransaction | 4 |

| | |
|--|---|
| NtOpenTransaction | 4 |
| NtQueryInformationEnlistment | 4 |
| NtOpenResourceManager | 4 |
| NtOpenEnlistment | 4 |
| NtQueryInformationTransactionManager | 4 |
| NtOpenTransactionManager | 4 |
| CommitEnlistment | 4 |
| OpenResourceManager | 4 |
| OpenEnlistment | 4 |
| RecoverEnlistment | 4 |
| CommitComplete | 4 |
| OpenTransactionManagerById | 4 |
| RollbackEnlistment | 4 |
| vlc_asprintf | 4 |
| RpcNsMgmtBindingUnexportA | 4 |
| ?ParseQueryPhrase@CQueryParser@@QAE | 4 |
| NetServerEnumEx | 4 |
| ?Initialize@NTFS_ATTRIBUTE_DEFINITION_T | 4 |
| ?Initialize@NTFS_MFT_INFO@@QAEEVBIG_ | 4 |
| ?ReadAgain@NTFS_FRS_STRUCTURE@@QA | 4 |
| ?SetVolumeFlag@NTFS_SA@@QAEEGPAE@ | 4 |
| ?SetAlias@CScopeAdmin@@QAEXPBG@Z | 4 |
| ?Marshall@CDbNumeric@@QBEXAAVPSerS | 4 |
| osl_createInetSocketAddress | 4 |
| osl_createSocket | 4 |
| osl_releaseSocket | 4 |
| osl_connectSocketTo | 4 |
| osl_setInetPortOfSocketAddress | 4 |
| osl_isThreadRunning | 4 |
| osl_resolveHostname | 4 |
| osl_getLocalHostname | 4 |
| osl_destroySocketAddress | 4 |
| ??_F?\$basic_string@GU?\$char_traits@G@s | 4 |
| sout_AccessOutSeek | 4 |
| glsNumf | 4 |
| glsGetConstubz | 4 |
| ??1CFullPropSpec@@QAE@XZ | 4 |
| DeleteTransportFilter | 4 |
| GetQMPolicyByID | 4 |
| ?denorm_min@?\$numeric_limits@E@std@ | 4 |
| RegGetValueA | 4 |
| PowerWriteACValueIndex | 4 |
| ?arg@QString@@QBE?AV1@NHDHABVQC1 | 4 |
| ?remove@QString@@QAEAAV1@HH@Z | 4 |
| ?setNum@QString@@QAEAAV1@_JH@Z | 4 |
| ?startDetached@QProcess@@SA_NABVQSt | 4 |
| ?toDouble@QString@@QBENPA_N@Z | 4 |

| | |
|--|---|
| ??0Region@@QAE@XZ | 4 |
| ?fromImage@QPixmap@@SA?AV1@ABVQI | 4 |
| ?isNull@QImage@@QBE_NXZ | 4 |
| DriverPackageInstallW | 4 |
| buf32Free | 4 |
| wmemcpy_s | 4 |
| ?IsReadUnlocked@CLKRLinearHashTable@C | 4 |
| ??0CxImage@@QAE@ABV0 @_N11@Z | 4 |
| ?Read@CxMemFile@@UAEIPAXII@Z | 4 |
| ?Write@CxMemFile@@UAEIPBXII@Z | 4 |
| ?Seek@CxMemFile@@UAE_NJH@Z | 4 |
| ?Size@CxMemFile@@UAEJXZ | 4 |
| ?Flush@CxMemFile@@UAE_NXZ | 4 |
| ?Eof@CxMemFile@@UAE_NXZ | 4 |
| ?Error@CxMemFile@@UAEJXZ | 4 |
| ?PutC@CxMemFile@@UAE_NE@Z | 4 |
| ??0CMarkup@@QAE@XZ | 4 |
| ?IntoElem@CMarkup@@QAE_NXZ | 4 |
| ?OutOfElem@CMarkup@@QAE_NXZ | 4 |
| ??3Object@vos@@SAXPAX@Z | 4 |
| ??2Object@vos@@SAPAXI@Z | 4 |
| ?disposeAndClear@OMultiTypeInterfaceCor | 4 |
| ?WeakAggImplHelper_getTypes@cppu@@Y | 4 |
| ?queryInterface@OWeakAggObject@cppu@ | 4 |
| ?acquire@OWeakAggObject@cppu@@UAA | 4 |
| ?release@OWeakAggObject@cppu@@UAA | 4 |
| OleGetData | 4 |
| DefCreateLinkFromClip | 4 |
| JetCommitTransaction@8 | 4 |
| ??_D?\$basic_istream@GU?\$char_traits@G@ | 4 |
| GetSystemMessageW | 4 |
| StrSystemWaitReason | 4 |
| ?IsError@SC@mmcerror@@QBE_NXZ | 4 |
| glsGetConsti | 4 |
| glsNumus | 4 |
| glsLongLow | 4 |
| glsUTF8toUCS4z | 4 |
| glsHeaderfv | 4 |
| glsFlush | 4 |
| ?GetSZParam@CMachineAdmin@@QAEHPI | 4 |
| _CreateMetaFile_@4 | 4 |
| CeRapiUninit | 4 |
| I_RpcBindingInqDynamicEndpointA | 4 |
| ??0CNodeRestriction@@QAE@KI@Z | 4 |
| ??_7length_error@std@@6B@ | 4 |
| ??6?\$basic_ostream@GU?\$char_traits@G@ | 4 |
| ??1CSpinLock@@QAE@XZ | 4 |

| | |
|---|---|
| ??0?\$basic_ios@_WU?\$char_traits@_W@s | 4 |
| ?getline@?\$basic_istream@_WU?\$char_tra | 4 |
| ??0?\$basic_ifstream@_WU?\$char_traits@_ | 4 |
| ?epsilon@?\$numeric_limits@D@std@@SAI | 4 |
| ?osfx@?\$basic_ostream@GU?\$char_traits@ | 4 |
| gl\$CommandAPI | 4 |
| lineUnparkW | 4 |
| ?compare@?\$basic_string@_WU?\$char_tra | 4 |
| ?sync_with_stdio@ios_base@std@@SA_N_ | 4 |
| ?ReleaseSolarMutex@Application@@SAKXZ | 4 |
| ?AcquireSolarMutex@Application@@SAXK@ | 4 |
| I_CryptReadTrustedPublisherDWORDValueF | 4 |
| ?write_string@Registry@WinGenerics@@Y | 4 |
| ?remove_value@Registry@WinGenerics@@ | 4 |
| ?read_string@Registry@WinGenerics@@YA | 4 |
| ?write_long@Registry@WinGenerics@@YA | 4 |
| ?read_long@Registry@WinGenerics@@YAJ | 4 |
| ?Read@NTFS_FRS_STRUCTURE@@UAEEHZ | 4 |
| ?Write@NTFS_ATTRIBUTE@@UAEEPBXBIC | 4 |
| getline | 4 |
| ?_Initcvt@?\$basic_filebuf@GU?\$char_traits | 4 |
| ?CheckFileExist@@YAHPI_W@Z | 4 |
| _UTLStandardHelpButton@12 | 4 |
| _UTLLoadString@4 | 4 |
| ?max@?\$numeric_limits@D@std@@SADXZ | 4 |
| ?epsilon@?\$numeric_limits@M@std@@SA | 4 |
| ?max@?\$numeric_limits@F@std@@SAFXZ | 4 |
| ldap_delete_ext_sW | 4 |
| RegGetNetworkServiceName | 4 |
| ?IsUsable@CLKRLinearHashTable@@QBE_N | 4 |
| ??4CSingleList@@QAEAAV0@ABV0@@Z | 4 |
| ?WriteLock@CLKRHashTable@@QAEXXZ | 4 |
| ??4CTXStringA@@QAEAV0@PBD@Z | 4 |
| SrFreeRestoreStatus | 4 |
| SrFreeRpPropArray | 4 |
| ??0NTFS_ATTRIBUTE@@QAE@XZ | 4 |
| ?RemoveAll@NUMBER_SET@@QAEHZ | 4 |
| ?GetNext@NTFS_INDEX_TREE@@QAEPU_ | 4 |
| ?CopyIterator@NTFS_INDEX_TREE@@QAE | 4 |
| AuthzInitializeContextFromAuthzContext | 4 |
| _JNU_GetStaticFieldByName@20 | 4 |
| _JVM_GetManagement@4 | 4 |
| ?Idexp@?\$_Ctr@N@std@@SANNH@Z | 4 |
| TraceSQLAllocStmt | 4 |
| TraceSQLGetCursorNameW | 4 |
| ?metaObject@QSystemTrayIcon@@UBEPB | 4 |
| ?drawRects@QPainter@@QAEXPBVQRectF | 4 |

| | |
|---|---|
| ?setModal@QDialog@@QAEX_N@Z | 4 |
| ?isHidden@QWidget@@QBE_NXZ | 4 |
| ?qt_metacall@QCheckBox@@UAEHW4Call(| 4 |
| ?qt_metacast@QCheckBox@@UAEPAXPBDI | 4 |
| ?metaObject@QCheckBox@@UBEPBUQMe | 4 |
| ?setRange@QProgressBar@@QAEXHH@Z | 4 |
| ?brush@QPalette@@QBEABVQBrush@@W | 4 |
| ??0QBrush@@QAE@XZ | 4 |
| ?setAlignment@QLineEdit@@QAEXV?\$QFla | 4 |
| ?addRect@QPainterPath@@QAEXABVQRec | 4 |
| ??0QPen@@QAE@ABVQBrush@@NW4Pen | 4 |
| ??1QPainterPath@@QAE@XZ | 4 |
| rtl_math_round | 4 |
| PvkPrivateKeyLoadFromMemory | 4 |
| SignerFreeSignerContext | 4 |
| ??0_Loc_init@ios_base @_STL@@QAE@XZ | 4 |
| ??0Init@ios_base @_STL@@QAE@XZ | 4 |
| ??1_Loc_init@ios_base @_STL@@QAE@XZ | 4 |
| ??1Init@ios_base @_STL@@QAE@XZ | 4 |
| ?SetStringSid@CAcLocation@@QAEXV?\$bas | 4 |
| ?GetPhBkEntryName@CAcModemSettings@ | 4 |
| ?GetBrowserPxySettings@CAcAdptSettings@ | 4 |
| ?GetStringSid@CAcLocation@@QAE?AV?\$b | 4 |
| ?SetAdptDescr@CAcAdptSettings@@QAEXV | 4 |
| ?AcSvcCancelProfileApply@@YAHXZ | 4 |
| ?AcSvcGetEventFromId@@YAHAAVCAcEve | 4 |
| ?AcSvcRegisterNotifications@@YAHPAUHW | 4 |
| ?AcSvcGetAdapterMedia@@YAHV?\$basic_s | 4 |
| ?AcSvcNotifyWinLogonEvent@@YAHPAU_W | 4 |
| ?AcSvcGetProfileStatus@@YAHPAGEPAE@Z | 4 |
| ?ShowExtendWwanPopup@@YAXXZ | 4 |
| ??0CMsngerWin@@QAE@XZ | 4 |
| ?Init@CMsngerWin@@QAEXPACWCnd@@ | 4 |
| ?LaunchEditPropSheet@@YAHAAV?\$CString | 4 |
| ?CheckForSubCString@@YAHV?\$CStringT@` | 4 |
| ?GetAdapterSettingsForGivenType@@YAPA | 4 |
| ?ShowChangePasswordDlg@@YAHPAU_PA | 4 |
| ??1CSelectWANNW@@UAE@XZ | 4 |
| ??0CSelectWANNW@@QAE@V?\$CStringT@` | 4 |
| ??1CUnblockSIM@@UAE@XZ | 4 |
| ??0CUnblockSIM@@QAE@V?\$CStringT@GV | 4 |
| ?CEnterPIN@@UAE@XZ | 4 |
| ?CEnterPIN@@QAE@V?\$CStringT@GV? | 4 |
| ?ShowNotebookModeWwanPopup@@YAXXZ | 4 |
| ?CheckIfUserWantsToEnableAdapter@@YAI | 4 |
| ?ShowMiMoWarningDlg@@YAXXZ | 4 |
| ?LaunchDiagnosticsWindow@@YAXV?\$CStr | 4 |

| | |
|---|---|
| ??1CMsngerWin@@@UAE@XZ | 4 |
| ?SetProxySettings@AcBrowserServices@@C | 4 |
| ?LaunchApplication@AcProcessHlpr@@SAH | 4 |
| ?GetUserStringSid@AcHelper@@QAEHAAV | 4 |
| ACHlpr GetUserRegDWord | 4 |
| ACHlpr SetUserRegDWord | 4 |
| ?GetInstalledPath@AcUserInfo@@QAEPBG | 4 |
| ?GetAcUserInfoInstance@AcUserInfo@@SA | 4 |
| ?PCSL_GetVariantID@CPCSL2InfoReader@@ | 4 |
| ?TranslateMenuAccelerator@CNbuuWindow | 4 |
| ??1CNbuuComboBoxCtrl@@@UAE@XZ | 4 |
| ??1CNbuuCheckButtonCtrl@@@UAE@XZ | 4 |
| ?GetNextPhoneManufacturer@CPCSL2InfoR | 4 |
| ?GetFirstPhoneManufacturer@CPCSL2InfoR | 4 |
| ??0CNbuuComboBoxCtrl@@@QAE@XZ | 4 |
| ?NGSCM_GetCommonngr@@YAPAUHINS1 | 4 |
| ?SetTooltip@?\$CNbuuButtonImpl@VCNbuu | 4 |
| ??0CNbuuCheckButtonCtrl@@@QAE@XZ | 4 |
| SE_IsShimDll | 4 |
| OpenComponentLibraryTS | 4 |
| CreateComponentLibraryTS | 4 |
| rtl_ustr_shortenedCompareIgnoreAsciiCase_ | 4 |
| ??0QColor@@@QAE@W4GlobalColor@Qt@() | 4 |
| ?width@QImage@@QBEHZ | 4 |
| ??1QStringRef@@@QAE@XZ | 4 |
| ??8@YA_NABVQLatin1String@@ABVQString | 4 |
| KeServiceDescriptorTable | 4 |
| ??0RWCString@@@QAE@PBD@Z | 4 |
| ASN1intx_uoctets | 4 |
| ??0?\$messages@G@std@@@QAE@ABV_Loc | 4 |
| ??5std@@YAAAV?\$basic_istream@GU?\$ch: | 4 |
| LeExecute | 4 |
| DibChangeData | 4 |
| ?_Getcat@?\$messages@D@std@@SAIXZ | 4 |
| ?CheckTable@CLKRLinearHashTable@@QBFI | 4 |
| enu | 4 |
| ?strcmp@WSTRING@@SGHPAG0@Z | 4 |
| ?SetSpinCount@CSmallSpinLock@@QAE_N | 4 |
| ??1SfxItemSet@@@UAE@XZ | 4 |
| ?Tell@SvStream@@QBEKXZ | 4 |
| ?SearchAscii@String@@QBEGPBDG@Z | 4 |
| ?Match@String@@QBEGABV1@@@Z | 4 |
| ?Len@String@@QBEGXZ | 4 |
| ??1InteractionRequest@ucbhelper@@MAE | 4 |
| ??0SimpleInteractionRequest@ucbhelper@() | 4 |
| ??_DSotStorage@@IAEXXZ | 4 |
| ??0SotStorage@@QAE@PAVSvStream@@E | 4 |

| | |
|--------------------------|---|
| GetCurrentThreAdId | 4 |
| WideChArToMultiByte | 4 |
| MultiByteToWideChAr | 4 |
| UnhAndledExceptionFilter | 4 |
| RAiseException | 4 |
| TIsSetValue | 4 |
| TIsGetValue | 4 |
| LocAlalloc | 4 |
| GetModuleHAndlea | 4 |
| FreeLibrAry | 4 |
| HeApFree | 4 |
| HeApRealloc | 4 |
| HeApalloc | 4 |
| GetProcessHeAp | 4 |
| SysReallocStringLen | 4 |
| SysallocStringLen | 4 |
| RegSetVAlueExW | 4 |
| RegQueryVAlueExW | 4 |
| RegCreateKeyExW | 4 |
| RegCreateKeyW | 4 |
| WAitForSingleObject | 4 |
| VirtuAlProtectEx | 4 |
| VirtuAlFreeEx | 4 |
| VirtuAlFree | 4 |
| VirtuAlallocEx | 4 |
| VirtuAlalloc | 4 |
| TerminAteThreAd | 4 |
| TerminAteProcess | 4 |
| SetThreAdPriority | 4 |
| SetThreAdContext | 4 |
| SetFileattributesW | 4 |
| ResumeThreAd | 4 |
| ReAdProcessMemory | 4 |
| ReAdFile | 4 |
| LocAlfileTimeToFileTime | 4 |
| LoAdResource | 4 |
| LoAdLibrAry | 4 |
| GlobAlUnlock | 4 |
| GlobAlSize | 4 |
| GlobAlLock | 4 |
| GetTimeFormAtW | 4 |
| GetThreAdContext | 4 |
| GetTempPAthW | 4 |
| GetProcaddress | 4 |
| GetModuleHandlea | 4 |
| GetModuleFileNAmeW | 4 |
| GetLocAlTime | 4 |

| | |
|--|---|
| GetLastError | 4 |
| GetFileAttributesW | 4 |
| GetDateFormAtW | 4 |
| GetCommAndLineW | 4 |
| CreateThread | 4 |
| CreateRemoteThread | 4 |
| CreateProcessW | 4 |
| CreateMutexW | 4 |
| CreateFileW | 4 |
| CreateDirectoryW | 4 |
| CloseHandle | 4 |
| TransliterateMessage | 4 |
| SetClipboardViewer | 4 |
| SendMessage | 4 |
| RegisterWindowMessageW | 4 |
| RegisterClassW | 4 |
| PostMessage | 4 |
| PeekMessage | 4 |
| MessageBoxW | 4 |
| MapVirtualKeyW | 4 |
| GetWindowThreadProcessId | 4 |
| GetKeyboardLayout | 4 |
| GetKeyState | 4 |
| GetClipboardData | 4 |
| DispatchMessage | 4 |
| DefWindowProcA | 4 |
| CloseClipboard | 4 |
| CharUpperW | 4 |
| CharLowerW | 4 |
| CallNextHookEx | 4 |
| SHGetFolderPathW | 4 |
| SHGetSpecialFolderPath | 4 |
| SHGetMalloc | 4 |
| FindExecutableW | 4 |
| URLDownloadToFileW | 4 |
| DeleteUrlCacheEntryW | 4 |
| CreateToolhelp32Snapshot | 4 |
| GetModuleFileNameExW | 4 |
| NtUnmapViewOfSection | 4 |
| CreateWindowExW | 4 |
| GetKeyboardState | 4 |
| InternetCloseHandle | 4 |
| ?insert@?\$basic_string@_WU?\$char_traits@ | 4 |
| ?AddFileNameAttribute@NTFS_FILE_RECORD | 4 |
| @Types@OffsetRect\$qqrr11Types@TRectii | 4 |
| @Sysutils@SysErrorMessage\$qqrui | 4 |
| @Dxdockpanel@Finalization\$qqrv | 4 |

| | |
|--|---|
| @Dxdockcontrol@Finalization\$qqrv | 4 |
| @Dxdockconsts@Finalization\$qqrv | 4 |
| ?FindLocation@CCollection@@QAEPAVCLoc | 4 |
| ?_F?\$num_put@DV?\$ostreambuf_iterator | 4 |
| ??OSCREEN@@QAE@XZ | 4 |
| RpcNsMgmtInqExpAge | 4 |
| NdrRpcSmClientFree | 4 |
| NdrServerUnmarshall | 4 |
| NdrConformantStructMemorySize | 4 |
| ?write@?\$basic_ostream@DU?\$char_traits | 4 |
| ?Write@NTFS_FILE_RECORD_SEGMENT@@ | 4 |
| SHCreateShellItemFromArrayIDLLists | 4 |
| I_RpcServerSetAddressChangeFn | 4 |
| g2acomm_winmain | 4 |
| ?IsLeaf@CRestriction@@QBEHZ | 4 |
| TraceSQLProcedureColumns | 4 |
| ??4?\$numeric_limits@F@std@@QAEAV01 | 4 |
| ??4length_error@std@@QAEAV01@ABV0 | 4 |
| ??Hstd@@YA?AV?\$complex@O@0@ABV1C | 4 |
| FltBuildDefaultSecurityDescriptor | 4 |
| FltCreateCommunicationPort | 4 |
| FltFreeSecurityDescriptor | 4 |
| FltStartFiltering | 4 |
| FltGetFileNameInformation | 4 |
| FltReleaseFileNameInformation | 4 |
| FltSendMessage | 4 |
| FltUnregisterFilter | 4 |
| FltCloseClientPort | 4 |
| FltRegisterFilter | 4 |
| _fgets | 4 |
| ?ShowServiceNotAvailableError@@YAXAV | 4 |
| ??1WaitObject@@QAE@XZ | 4 |
| ??0Resource@@IAE@ABVResId@@@Z | 4 |
| ?implInitialize@OGenericUnoDialog@svt@() | 4 |
| ?acquire@OGenericUnoDialog@svt@@UAA | 4 |
| ?execute@OGenericUnoDialog@svt@@UA/ | 4 |
| ?supportsService@OGenericUnoDialog@svt | 4 |
| ?release@OGenericUnoDialog@svt@@UAA | 4 |
| ??1OGenericUnoDialog@svt@@MAE@XZ | 4 |
| ?setTitle@OGenericUnoDialog@svt@@UAA | 4 |
| ?destroyDialog@OGenericUnoDialog@svt@ | 4 |
| ?Notify@WizardDialog@@UAEJAAVNotifyE | 4 |
| ?initialize@OGenericUnoDialog@svt@@UA | 4 |
| ?convertFastPropertyValue@OGenericUnoD | 4 |
| ?setFastPropertyValue_NoBroadcast@OGen | 4 |
| ?queryInterface@OGenericUnoDialog@svt@ | 4 |
| ?getTypes@OGenericUnoDialog@svt@@UA | 4 |

| | |
|--|---|
| ??0OGenericUnoDialog@svt@@IAE@ABV?§ | 4 |
| ??BCSyncObject@@QBEPAZ | 4 |
| ??0locale@std@@AAE@PAV_Locimp@01@ | 4 |
| ?falseename@?\$numpunct@D@std@@QBEI | 4 |
| ??0?\$collate@D@std@@QAE@I@Z | 4 |
| ??0?\$messages@D@std@@QAE@I@Z | 4 |
| ??4_Timevec@std@@QAEAAV01@ABV01@ | 4 |
| PvkPrivateKeyReleaseContextA | 4 |
| SE_DynamicShim | 4 |
| ?Record@GDIMetaFile@@QAEXPAVOutput | 4 |
| ?Stop@GDIMetaFile@@QAEXXZ | 4 |
| ?SetColor@Font@@QAEXABVColor@@@Z | 4 |
| ?Initialize@READ_WRITE_CACHE@@QAEPP | 4 |
| ?ConcatCopy@CString@@IAEXHPBGH0@Z | 4 |
| SRSetRestorePointW | 4 |
| ??_F?\$basic_stringbuf@GU?\$char_traits@G | 4 |
| config_FindConfig | 4 |
| rtl_getAppCommandArgCount | 4 |
| rtl_getAppCommandArg | 4 |
| ?IncrementRefTitleCount@CCollection@@C | 4 |
| _OpenDesktop_@16 | 4 |
| ?ConvertExclusiveToShared@CReaderWriter | 4 |
| ?_ReadLockSpin@CReaderWriterLock3@@@A | 4 |
| ?_BucketAddress@CLKRLinearHashTable@C | 4 |
| ??0CDBColId@@QAE@ABUTagDBID@@@Z | 4 |
| ?round_error@?\$numeric_limits@C@std@i | 4 |
| StartMTSTOCOM | 4 |
| ??4CComPlusObject@@QAEAAV0@ABV0@ | 4 |
| SysprepComplus | 4 |
| ??_7CComPlusObject@@6B@ | 4 |
| DbgLoadImageSymbols | 4 |
| ??2SimpleReferenceObject@salhelper@@S | 4 |
| ??3SimpleReferenceObject@salhelper@@S | 4 |
| adj_fdiv_m64 | 4 |
| ?Init@CString@@IAEXXZ | 4 |
| ??_7?\$num_get@DV?\$istreambuf_iterator@ | 4 |
| ??_F?\$money_put@GV?\$ostreambuf_iterator@ | 4 |
| GetThemeTextMetrics | 4 |
| GetThemeSysSize | 4 |
| LssbGetObjDimSubline | 4 |
| pSetupMakeSurePathExists | 4 |
| ??1NTFS_UPCASE_FILE@@UAE@XZ | 4 |
| DnsDhcpSrvRegisterInitialize | 4 |
| Envia_Encr | 4 |
| TipoConexao | 4 |
| PppStop | 4 |
| SSL_free | 4 |

| | |
|--|---|
| SSLv23_client_method | 4 |
| _putenv_s | 4 |
| @Scktcomp@TCustomWinSocket@ReceiveT | 4 |
| @Scktcomp@TCustomWinSocket@SendTex | 4 |
| @Scktcomp@TServerSocket@ | 4 |
| ??_7\$basic_fstream@DU?\$char_traits@D@C | 4 |
| _estrndup | 4 |
| ?convertIsoStringToLanguage@MsLangId@() | 4 |
| ?convertLocaleToLanguage@MsLangId@@S | 4 |
| osl_getLocalTimeFromSystemTime | 4 |
| ?Clear@Container@@QAEAXZ | 4 |
| ?WriteByteString@SvStream@@QAEAAV1@ | 4 |
| ?Remove@Container@@QAEPAAXZ | 4 |
| ?GetPos@Container@@QBEKPBX@Z | 4 |
| ?GetCurPos@Container@@QBEKXZ | 4 |
| ??_7SvRefBase@@6B@ | 4 |
| ??1SvGlobalName@@QAE@XZ | 4 |
| ??4Time@@QAEAAV0@ABV0@@Z | 4 |
| ??6SvStream@@QAEAAV0@J@Z | 4 |
| ??5SvStream@@QAEAAV0@AAJ@Z | 4 |
| ??5SvStream@@QAEAAV0@AAF@Z | 4 |
| @Classes@UnRegisterClass\$qqrp17System@ | 4 |
| @Classes@RegisterClass\$qqrp17System@TI | 4 |
| @Stdctrls@TStaticText@ | 4 |
| ?IsReadUnlocked@CSpinLock@@QBE_NXZ | 4 |
| ?sm_dbIDfltSpinAdjFctr@CSmallSpinLock@() | 4 |
| ??0CScopeRestriction@@QAE@PBGHH@Z | 4 |
| ?decimal_point@?\$numpunct@G@std@@(| 4 |
| ?_Init@ios_base@std@@IAEXXZ | 4 |
| LssbGetDupSubline | 4 |
| ??1Region@@QAE@XZ | 4 |
| ?GetDirectConfigProperty@ConfigManager@ | 4 |
| ?conj@std@@YA?AV?\$complex@M@1@A@ | 4 |
| LeClone | 4 |
| ?_Getcat@?\$codecvt@GDH@std@@SAIXZ | 4 |
| GetShortQueue | 4 |
| ?IsAvailable@ResMgr@@QBEEABVResId@() | 4 |
| Dns_SkipPacketName | 4 |
| _OpenWaitableTimer_@12 | 4 |
| Wsl\$CloseDown | 4 |
| ?CompareToAscii@String@@QBE?AW4Strin | 4 |
| ??0InfoBox@@QAE@PAVWindow@@ABVS | 4 |
| @Hreport@THITReport@PrintField\$qqrxixip | 4 |
| ?abs@std@@YAOABV?\$complex@O@1@@ | 4 |
| _CrtDbgReport | 4 |
| ?InsertIntoFile@NTFS_ATTRIBUTE@@UAEEI | 4 |
| @Controls@TControl@CMMouseLeave\$qq | 4 |

| | |
|--|---|
| @Jvcomctrls@initialization\$qqrv | 4 |
| ?QueryPluginCore@CoreCenter@Util@@YA | 4 |
| ?TopFrameFromPoint@GF@Util@@YAJPAU | 4 |
| _ZN10QBoxLayout10setSpacingEi | 4 |
| _ZN10QBoxLayout9addWidgetEP7QWidgeti | 4 |
| _ZN7QWidget11qt_metacallEN11QMetaObj | 4 |
| _ZN7QWidget11qt_metacastEPKc | 4 |
| _ZN7QWidget16staticMetaObjectE | 4 |
| _ZN7QWidgetC2EPS_6QFlagsIN2Qt10Windo | 4 |
| _ZN7QWidgetD2Ev | 4 |
| _ZTV11QSpaceItem | 4 |
| ?do_falsename@?\$_numpunct@D@std@@@I | 4 |
| ?ConvertExclusiveToShared@CReaderWriter | 4 |
| ?polar@std@@YA?AV?\$complex@O@1@A | 4 |
| JetPrepareToCommitTransaction | 4 |
| ??0CriticalSection@ASL@@QAE@XZ | 4 |
| ??0CriticalSectionLock@ASL@@QAE@ABVC | 4 |
| ??1CriticalSectionLock@ASL@@QAE@XZ | 4 |
| ??1CriticalSection@ASL@@QAE@XZ | 4 |
| VDMProcessException | 4 |
| VDMBreakThread | 4 |
| pfnSizeRoutines | 4 |
| EvtFormatMessage | 4 |
| StrCpyNA | 4 |
| ??0QFontMetrics@@QAE@ABVQFont@@@A | 4 |
| VideoPortReadRegisterUshort | 4 |
| @Stdctrls@TCustomEdit@SetAutoSize\$qqro | 4 |
| @Controls@TWinControl@SetCtl3D\$qqro | 4 |
| @Buttons@TBitBtn@GetGlyph\$qqrv | 4 |
| StiCreateInstance | 4 |
| dpStartDoc | 4 |
| dpNewPage | 4 |
| dpEndDoc | 4 |
| dpFont | 4 |
| dpText | 4 |
| AccConvertSDToAccess | 4 |
| AccRewriteSetEntriesInAcl | 4 |
| AccGetInheritanceSource | 4 |
| AccProvGetAllRights | 4 |
| AccProvHandleIsObjectAccessible | 4 |
| AccConvertAccessMaskToActrlAccess | 4 |
| AccGetAccessForTrustee | 4 |
| AccRewriteSetNamedRights | 4 |
| ??0?\$collate@G@std@@QAE@I@Z | 4 |
| ??_F?\$time_put@GV?\$ostreambuf_iterator | 4 |
| ?_Infv@?\$_Ctr@N@std@@SANN@Z | 4 |
| rtBstrFromErrVar | 4 |

| | |
|---|---|
| ?GetPointer@Window@@QBEABVPointer@ | 4 |
| ?setMinimumHeight@QWidget@@QAEXH@ | 4 |
| ??0QPalette@@QAE@XZ | 4 |
| ?setPalette@QWidget@@QAEXABVQPalette@ | 4 |
| SteamMountFilesystem | 4 |
| setenv | 4 |
| @Wwcheckbox@initialization\$qqrv | 4 |
| RtmBlockConvertRoutesToStatic | 4 |
| ??1CPerfMon@@QAE@XZ | 4 |
| @Dateutils@MonthOf\$qqrx16System@TDal | 4 |
| @Cxpc@TcxPageControl@ | 4 |
| GetPS2ColorSpaceArray | 4 |
| ??0QDataStream@@QAE@PAVQIODevice@ | 4 |
| DsAddSidHistoryW | 4 |
| ??0CDbColl@QAE@ABU_GUID@@PBG@ | 4 |
| ?SetR4@CStorageVariant@@QAEXMI@Z | 4 |
| glSwapBuffers | 4 |
| Dns_InitializeMsgRemoteSockaddr | 4 |
| ZwGetDevicePowerState | 4 |
| tStdHandle | 4 |
| ndFirstFileA | 4 |
| ?IsReadUnlocked@CReaderWriterLock2@@ | 4 |
| ?IsEmpty@CSingleList@@QBE_NXZ | 4 |
| NdrUserMarshalSimpleTypeConvert | 4 |
| AccConvertAclToAccess | 4 |
| AccProvHandleGetTrusteesAccess | 4 |
| AccProvGetTrusteesAccess | 4 |
| AccFreeIndexArray | 4 |
| AccProvHandleRevokeAccessRights | 4 |
| _ZN6QColorC1EN2Qt11GlobalColorE | 4 |
| _ZN7QPixmapD1Ev | 4 |
| K32GetModuleBaseNameA | 4 |
| ?flush@std@@YAAAV?\$basic_ostream@GL | 4 |
| ?TopRight@Rectangle@@QBE?AVPoint@@ | 4 |
| ?BottomLeft@Rectangle@@QBE?AVPoint@ | 4 |
| gimp_quit | 4 |
| ZwSetIoCompletion | 4 |
| @Db@TDataSet@Refresh\$qqrv | 4 |
| ?_WriteLockSpin@CReaderWriterLock3@@, | 4 |
| BASS_StreamFree | 4 |
| ??Kstd@@YA?AV?\$complex@M@0@ABV1C | 4 |
| ??0?\$basic_filebuf@GU?\$char_traits@G@std@ | 4 |
| ?ReleaseWorkThreads@CWorkQueue@@Q | 4 |
| ExExtendZone | 4 |
| NdisMGetDmaAlignment | 4 |
| MsiEnumRelatedProductsW | 4 |
| ?ChangeCurrentScope@CCatState@@QAEX | 4 |

| | |
|---|---|
| MmTrimAllSystemPagableMemory | 4 |
| ?WritePropertyInNewRecord@CPropStoreN | 4 |
| _ZN6QMutex4lockEv | 4 |
| _ZN6QMutex6unlockEv | 4 |
| _ZN6QMutexC1ENS_13RecursionModeE | 4 |
| _checkRealPlayerEligible@8 | 4 |
| ldap_addW | 4 |
| EnumForTerminate | 4 |
| SendDataMsg | 4 |
| JS_PropertyStub | 4 |
| JS_ConvertStub | 4 |
| JS_ResolveStub | 4 |
| JS_EnumerateStub | 4 |
| ?Init@nsPromiseFlatCString@@AAEXABVns. | 4 |
| lineGetAddressStatusA | 4 |
| ElfFlushEventLog | 4 |
| obndra | 4 |
| @Cxpc@TcxTabSheet@SetTabVisible\$qqrxo | 4 |
| ??0Link@@QAE@PAXP6AJ00@Z@Z | 4 |
| ??0CHString@@QAE@PBD@Z | 4 |
| ?find_first_not_of@\$basic_string@DU?\$ch | 4 |
| ?ExtensionHasScriptMap@CMetaDataMgr@ | 4 |
| g_str_has_suffix | 4 |
| ?SetI8@CStorageVariant@@QAEXT_LARGE_ | 4 |
| DsIsMangledRdnValueW | 4 |
| ExInterlockedPopEntryList | 4 |
| ??4?\$numeric_limits@_N@std@@QAEAAVl | 4 |
| _FSOUND_Sample_Load@16 | 4 |
| _FSOUND_PlaySound@8 | 4 |
| PySequence_Size | 4 |
| PyType_Type | 4 |
| DisableHotKeyHook | 4 |
| MtxCluBringOnlineDTCW | 4 |
| MtxCluTakeOfflineDTCW | 4 |
| Startup | 4 |
| tFocus | 4 |
| @Wwdredit@Finalization\$qqrv | 4 |
| @Wwdatsrc@Finalization\$qqrv | 4 |
| @Wwframe@Finalization\$qqrv | 4 |
| @Wwcommon@Finalization\$qqrv | 4 |
| @Wwstr@Finalization\$qqrv | 4 |
| @Wwtypes@Finalization\$qqrv | 4 |
| @Wwintl@Finalization\$qqrv | 4 |
| @Wwlocate@Finalization\$qqrv | 4 |
| @Wwdialog@Finalization\$qqrv | 4 |
| @Wwstorep@Finalization\$qqrv | 4 |
| @Wwfilter@Finalization\$qqrv | 4 |

| | |
|---|---|
| @Wwstacks@Finalization\$qqrv | 4 |
| @Wwsystem@Finalization\$qqrv | 4 |
| @Wwtable@Finalization\$qqrv | 4 |
| @Wwquery@Finalization\$qqrv | 4 |
| @Wwqbe@Finalization\$qqrv | 4 |
| @Wwpict@Finalization\$qqrv | 4 |
| @Wwdbigrd@Finalization\$qqrv | 4 |
| @Wwriched@Finalization\$qqrv | 4 |
| @Wwtrackicon@Finalization\$qqrv | 4 |
| @Wwrichole@Finalization\$qqrv | 4 |
| @Wwrich@Finalization\$qqrv | 4 |
| @Wwdotdot@Finalization\$qqrv | 4 |
| @Wwdblook@Finalization\$qqrv | 4 |
| @Wwdbgrid@Finalization\$qqrv | 4 |
| @Wwmemo@Finalization\$qqrv | 4 |
| @Wwdbdatetimepicker@Finalization\$qqrv | 4 |
| @Wwmonthcalendar@Finalization\$qqrv | 4 |
| @Wwdbcomb@Finalization\$qqrv | 4 |
| @Wwrchdlg@Finalization\$qqrv | 4 |
| @Wwrichtb@Finalization\$qqrv | 4 |
| @Wwricholecallback@Finalization\$qqrv | 4 |
| ??1length_error@std@@UAE@XZ | 4 |
| ??1BITVECTOR@@UAE@XZ | 4 |
| ?Initialize@CONT_MEM@@QAEPAHK@Z | 4 |
| ??0MEM_ALLOCATOR@@QAE@XZ | 4 |
| ?Allocate@MEM_ALLOCATOR@@QAEPAHK | 4 |
| @Graphics@TCanvas@Ellipse\$qqriii | 4 |
| @Stdctrls@TCustomListBox@SetStyle\$qqr2: | 4 |
| @Stdctrls@TCustomMemo@\$bdtr\$qqrv | 4 |
| @Stdctrls@TCustomMemo@\$bctr\$qqrp18C | 4 |
| @Stdctrls@TCustomGroupBox@\$bctr\$qqrp18C | 4 |
| @Forms@TCustomForm@SetClientWidth\$qq | 4 |
| @Forms@TScrollBox@CreateParams\$qqrr2: | 4 |
| @Forms@TScrollBox@\$bctr\$qqrp18Classes | 4 |
| @Forms@TScrollingWinControl@AlignContr | 4 |
| @Extctrls@TTimer@\$bdtr\$qqrv | 4 |
| @Buttons@TBitBtn@SetKind\$qqr19Buttons | 4 |
| @Buttons@TBitBtn@\$bctr\$qqrp18Classes@ | 4 |
| @Comctrls@TTabSheet@SetPageControl\$qq | 4 |
| @Comctrls@TTabSheet@\$bctr\$qqrp18Class | 4 |
| LdapResult | 4 |
| AccProvCancelOperation | 4 |
| AccRewriteGetExplicitEntriesFromAcl | 4 |
| AccLookupAccountTrustee | 4 |
| AccProvHandleSetAccessRights | 4 |
| ??0CReaderWriterLock2@@QAE@XZ | 4 |
| ?SetPaletteEntryCount@BitmapWriteAccess | 4 |

| | |
|---|---|
| ?SetPaletteColor@BitmapWriteAccess@@Q | 4 |
| WaitForSingl | 4 |
| g | 4 |
| ls | 4 |
| pcap_create | 4 |
| _GetTimeFormat_@24 | 4 |
| DnsResolverOp | 4 |
| ConvertGuidToStringW | 4 |
| SetCurrentThreadCompartmentId | 4 |
| Dhcpv6ReleaseParameters | 4 |
| Dhcpv6 GetUserClasses | 4 |
| Dhcpv6 SetUserClass | 4 |
| Dhcpv6 AcquireParameters | 4 |
| @\$xp\$17Controls@TCaption | 4 |
| SetSearchPathMode | 4 |
| tModuleHandleA | 4 |
| SHChangeNotification_Lock | 4 |
| SHCLSIDFromString | 4 |
| SHCloneSpecialIDList | 4 |
| @Cprmst@TfrmReport@SetActiveFlagField | 4 |
| SetupEnumInfSectionsA | 4 |
| @Db@TField@SetReadOnly\$qqrxo | 4 |
| @Dbclient@TCustomClientDataSet@CreateI | 4 |
| @Dbclient@TClientDataSet@ | 4 |
| VideoPortWritePortBufferUlong | 4 |
| ??1?\$basic_string@EU?\$char_traits@E@std | 4 |
| ??4?\$basic_string@GU?\$char_traits@G@st | 4 |
| ??0?\$basic_string@GU?\$char_traits@G@st | 4 |
| ??Y?\$basic_string@GU?\$char_traits@G@st | 4 |
| ??0?\$basic_string@GU?\$char_traits@G@st | 4 |
| ??1?\$basic_string@GU?\$char_traits@G@st | 4 |
| RasRefConnection | 4 |
| ?ReplaceASCII@nsSubstring@@QAEXIIPBDI | 4 |
| ?SizeTo@nsVoidArray@@UAEEHH@Z | 4 |
| ?Assign@nsAString_internal@@QAEXABV1(| 4 |
| ?scan_is@?\$ctype@G@std@@QBEPBGFPB | 4 |
| rtcLeftBstr | 4 |
| ??0CDbColld@@QAE@XZ | 4 |
| ?staticMetaObject@QLineEdit@@2UQMeta | 4 |
| ?staticMetaObject@QLabel@@2UQMetaOb | 4 |
| ?do_decimal_point@?\$_Mpunct@D@std@ | 4 |
| NDdeShareGetInfoW | 3 |
| NDdeGetTrustedShareW | 3 |
| SetupDiGetActualModelsSectionW | 3 |
| _ZN4QUrlC1ERK7QString | 3 |
| _ZN16QDesktopServices7openUrlERK4QUrl | 3 |
| _ZN7QWidget12setFixedSizeEii | 3 |

| | |
|--|---|
| _ZN7QWidget13setSizePolicyE11QSizePolicy | 3 |
| _ZN7QWidget4moveERK6QPoint | 3 |
| _ZN8QWebViewC1EP7QWidget | 3 |
| _ZNK8QWebView4pageEv | 3 |
| ??0CDevLog@@QAE@H@Z | 3 |
| ??RCDevLog@@QBAXKIPBDZZ | 3 |
| ?FlushLog@@YAXK@Z | 3 |
| ?Log@@YAXKIPBDZZ | 3 |
| ?DeleteAdware@@YAJKPAVCCoreManip@() | 3 |
| ?TrustAdware@@YAHKPAVCCoreManip@@ | 3 |
| ??0CHashChecker@@QAE@XZ | 3 |
| ?IsQuarantineForDriveAllowed@CAVQuaran | 3 |
| ?InitAVEngine@CCoreManip@@QAE_NXZ | 3 |
| ?IsRegKeyValuePresent@@YA_NPBDAK@ | 3 |
| ?DoSimpleDeletion@CAVQuarantine@@SA_ | 3 |
| ?setAutoRun@CPostponedTasks@AVPostpo | 3 |
| ?getInstance@CAVKernel@@SAPAV1 @_N@ | 3 |
| ??1CAVLog@@QAE@XZ | 3 |
| ??1CHashChecker@@QAE@XZ | 3 |
| ?Flush@CAVLog@@QAEXK@Z | 3 |
| ?insert@?\$basic_string@DU?\$char_traits@I | 3 |
| ?insert@?\$basic_string@DU?\$char_traits@I | 3 |
| ??1CXTMemDC@@UAE@XZ | 3 |
| ??1CXTSplitterWnd@@UAE@XZ | 3 |
| ?Get@XT_AUX_DATA@@SAAU1@XZ | 3 |
| ??0CXTSplitterWnd@@QAE@XZ | 3 |
| ??1CXTCaption@@UAE@XZ | 3 |
| PeerCollabUnregisterEvent | 3 |
| PeerCollabCloseHandle | 3 |
| SPUnsubscribeOnRundown | 3 |
| SPDeleteContact | 3 |
| PeopleNearMeUpdateFriendlyName | 3 |
| SPUpdateMeContact | 3 |
| SPUpdateContact | 3 |
| PeopleNearMeGetEndpointsNearMe | 3 |
| SPGetEndpointName | 3 |
| SPSetEndpointName | 3 |
| PeopleNearMeUpdateEndpointName | 3 |
| SPGetObjects | 3 |
| SPPublishObject | 3 |
| SPUnregisterApplication | 3 |
| SPRegisterApplication | 3 |
| SPGetApplications | 3 |
| SPGetEndpoints | 3 |
| SPGetPresenceInfo | 3 |
| SPSetPresenceInfo | 3 |
| CollabPublicationStopListen | 3 |

| | |
|---------------------------------------|---|
| SPUnpublishObjects | 3 |
| CollabPublicationPublish | 3 |
| PeopleNearMeSignin | 3 |
| CollabPublicationUnpublish | 3 |
| PeopleNearMeSignout | 3 |
| CollabUnregisterIPAddrChange | 3 |
| AISpecificStart | 3 |
| ContactManagerInit | 3 |
| CollabLayerInitialize | 3 |
| AIStartup | 3 |
| PeopleNearMeInitialize | 3 |
| AISpecificStop | 3 |
| PeopleNearMeUninitialize | 3 |
| CollabPublicationShutdown | 3 |
| AIShutdown | 3 |
| CollabLayerShutdown | 3 |
| ContactManagerCleanup | 3 |
| CollabLoadPrivacyStmt | 3 |
| CollabTrimNicknameSpaces | 3 |
| CollabPublicationInitialize | 3 |
| CollabSetSignInInfo | 3 |
| CollabRegisterIPAddrChange | 3 |
| SPSubscribeEndpoint | 3 |
| SPUnsubscribeEndpoint | 3 |
| CollabPublicationListen | 3 |
| CollabDisableAutoStart | 3 |
| CollabSetup | 3 |
| SPQueryContactData | 3 |
| CollabEnableAutoStart | 3 |
| CollabUpdateContact | 3 |
| CollabGetContact | 3 |
| SPUpdateUserPicture | 3 |
| AIApplicationGetRegistrationInfo | 3 |
| Collab GetUserSettings | 3 |
| CollabConvertPictureToBitmap | 3 |
| AIRespond | 3 |
| CollabGetSignInInfo | 3 |
| SPUpdateUserSettings | 3 |
| CollabSetUserSettings | 3 |
| @Jvcomponentbase@initialization\$qqrv | 3 |
| @Jvcomponentbase@Finalization\$qqrv | 3 |
| @Jvwin32@initialization\$qqrv | 3 |
| @Jvwin32@Finalization\$qqrv | 3 |
| @Jvvcl5utils@initialization\$qqrv | 3 |
| @Jvvcl5utils@Finalization\$qqrv | 3 |
| @Jvjclutils@Finalization\$qqrv | 3 |
| lineGetAddressCapsA | 3 |

| | |
|--|---|
| lineMakeCallA | 3 |
| IcaMemoryAllocate | 3 |
| IcaMemoryFree | 3 |
| IcaCdWaitForMultipleObjects | 3 |
| IcaCdWaitForSingleObject | 3 |
| IcaCdIoControl | 3 |
| MpUtilsExportFunctions | 3 |
| MpUpdateStart | 3 |
| MpManagerVersionQuery | 3 |
| MpManagerOpen | 3 |
| MpScanStart | 3 |
| MpCleanStart | 3 |
| MpHandleClose | 3 |
| FsRtlResetLargeMcb | 3 |
| KeProfileInterruptWithSource | 3 |
| VideoPortMoveMemory | 3 |
| VideoPortSetBusData | 3 |
| VideoPortWriteRegisterBufferUshort | 3 |
| VideoPortReadRegisterBufferUlong | 3 |
| NdisClCloseAddressFamily | 3 |
| NdisImmediateReadPortUchar | 3 |
| NdisWritePciSlotInformation | 3 |
| NdisMFlushLog | 3 |
| NdisMRegisterMiniport | 3 |
| NdisEqualString | 3 |
| NdisMCmDeactivateVc | 3 |
| <u>_vbaR</u> | 3 |
| ??0?\$messages@D@std@@QAE@ABV_Loci | 3 |
| ?open@?\$basic_ifstream@GU?\$char_traits< | 3 |
| ?overflow@?\$basic_filebuf@DU?\$char_trail | 3 |
| ??0?\$_Complex_base@M@std@@QAE@AE | 3 |
| ??9std@@YA_NABOABV?\$complex@O@0@C | 3 |
| DnsRecordCopyEx | 3 |
| ldap_searchA | 3 |
| ldap_explode_dnA | 3 |
| HidD_SetConfiguration | 3 |
| VLC_AddlIntf | 3 |
| VLC_CleanUp | 3 |
| VLC_Create | 3 |
| VLC_Destroy | 3 |
| VLC_Init | 3 |
| VLC_Version | 3 |
| rootwrap | 3 |
| ??0?\$basic_fstream@DU?\$char_traits@D@ | 3 |
| GdipScaleTextureTransform | 3 |
| ?CreateObject@ObjectFactory@@UBEPAUII | 3 |
| ?CreateObject@ObjectFactory@@UBEPAUII | 3 |

| | |
|---|---|
| ?CreateObject@ObjectFactory@@UBEPAUII | 3 |
| ?GetClassMethods@ObjectFactory@@UBEP | 3 |
| ?GetClassID@ObjectFactory@@UBEHPBD@ | 3 |
| ?GetClassID@ObjectFactory@@UBEHABVty | 3 |
| ?NclInit@@YAXPAUHINSTANCE__@@PA_W | 3 |
| ?NclLogDump@@YAXAAVCModuleInfo@@I | 3 |
| @Cxgridcustomtableview@TcxGridRecordHi | 3 |
| @Cxgridcustomview@TcxGridSite@GetGrid' | 3 |
| @Cxgridcustomview@TcxGridSite@ | 3 |
| @Cxgridtableview@TcxGridTableController(| 3 |
| @Cxgridtableview@TcxGridTableController(| 3 |
| @Dxdbinrw@TdxInspectorDBMemoRow@ | 3 |
| @Dxinspectordbvecurr@Finalization\$qqrv | 3 |
| @Dxexgred@Finalization\$qqrv | 3 |
| SetPhysicalCursorPos | 3 |
| ??0NativeHWNDHost@DirectUI@@QAE@X: | 3 |
| ??1NativeHWNDHost@DirectUI@@UAE@X: | 3 |
| ?SetContentString@Element@DirectUI@@C | 3 |
| ?Initialize@NativeHWNDHost@DirectUI@@ | 3 |
| ?SetEnabled@Element@DirectUI@@QAEJ_I | 3 |
| ?GetLocation@Element@DirectUI@@QAEP | 3 |
| ??1?\$money_get@DV?\$istreambuf_iterator | 3 |
| ??0_Timevec@std@@QAE@PAX@Z | 3 |
| ZwMakePermanentObject | 3 |
| NdrComplexArrayMarshall | 3 |
| RpcAsyncRegisterInfo | 3 |
| glsDisplayMapfv | 3 |
| glsAbortCall | 3 |
| __glsParser_print | 3 |
| glsDeleteReadPrefix | 3 |
| rtcSetTimeBstr | 3 |
| ADSIAbandonSearch | 3 |
| ??1CLockedDoubleList@@QAE@XZ | 3 |
| aout_VolumeDown | 3 |
| OVERRIDE | 3 |
| ??4CTitle@@QAEAAV0@ABV0@@Z | 3 |
| ?HandleFolder@CCollection@@AAEKPAVCF | 3 |
| ??6std@@YAAA?\$\$basic_ostream@GU?\$\$ch | 3 |
| ?wclog@std@@3V?\$\$basic_ostream@GU?\$\$c | 3 |
| ??0?\$\$moneypunct@D\$0A@@std@@QAE@ | 3 |
| ?polar@std@@YA?AV?\$\$complex@N@1@A | 3 |
| ??0CSvcQuery@@QAE@PBGPAUIDBProperi | 3 |
| ?OpenFileFromPath@@YGPAU_iobuf@@PE | 3 |
| ??0bad_cast@@AAE@PBQBD@Z | 3 |
| WudfDebugBreakPoint | 3 |
| WudflsUserDebuggerPresent | 3 |
| WudflsKernelDebuggerPresent | 3 |

| | |
|--|---|
| ProcessIdleTasks | 3 |
| ?FindOneOf@CTXStringW@@QBEHPB_W@ | 3 |
| ??YCTXBSTR@@QAEAV0@ABVCTXStringW | 3 |
| ?IsInvisible@Contact@Util@@YAHK@Z | 3 |
| ?IsVisible@Contact@Util@@YAHK@Z | 3 |
| MsiEnumProductsExA | 3 |
| MsiSourceListAddMediaDiskW | 3 |
| DRMIsWindowProtected | 3 |
| ?rend@?\$basic_string@GU?\$char_traits@G | 3 |
| ?Write@CDynStream@@QAEXPAXK@Z | 3 |
| ??4CDbByGuid@@QAEAV0@ABV0@@Z | 3 |
| __seh_longjmp_unwind@4 | 3 |
| ?GetLoginServerTime@Time@Util@@YAKX: | 3 |
| ?GetBOOL@Metadata@Util@@YAJPAUITXD | 3 |
| ?AdviseWebBrowser@IEEvent@Util@@YAF | 3 |
| ?LightInLightOut@GF@Util@@YAJPAUIGFFr | 3 |
| ?AddReport@URL@Util@@YA?AVCTXString | 3 |
| ?IsNewFlagValid@Contact@Util@@YAHKK@ | 3 |
| ?AdjustUrl@URL@Util@@YA?AVCTXStringV | 3 |
| ?IsMaskFlagValid@Contact@Util@@YAJKEK | 3 |
| ?OpenUrlWithWnd@URL@Util@@YAPAUH' | 3 |
| FaxSendDocumentA | 3 |
| FaxEnumRoutingMethodsA | 3 |
| FaxSetGlobalRoutingInfoA | 3 |
| SetHooks | 3 |
| sqlite3_prepare16 | 3 |
| CredpEncodeSecret | 3 |
| CredRestoreCredentials | 3 |
| CredBackupCredentials | 3 |
| ?_Getcat@?\$numpunct@D@std@@SAIXZ | 3 |
| ??0ACE_Time_Value@@QAE@JJ@Z | 3 |
| ?acquire@ACE_Thread_Mutex@@QAEHXZ | 3 |
| ?release@ACE_Thread_Mutex@@QAEHXZ | 3 |
| ??1ACE_INET_Addr@@UAE@XZ | 3 |
| ?ends@std@@YAAA?\$\$basic_ostream@GU | 3 |
| consoleGetResult_LoginCentralServer | 3 |
| consoleLaunch | 3 |
| CommandLine_Tier0 | 3 |
| ?Lock@CThreadMutex@@QAEXXZ | 3 |
| _AssertValidReadPtr | 3 |
| GetCVarIF | 3 |
| VideoPortFreeDeviceBase | 3 |
| VideoPortDoDma | 3 |
| VideoPortQueryServices | 3 |
| NdisOpenFile | 3 |
| NdisWriteConfiguration | 3 |
| NdisGetVersion | 3 |

| | |
|---|---|
| NdisReadEisaSlotInformation | 3 |
| NdisImmediateWritePortUlong | 3 |
| NdisInterlockedPopEntryList | 3 |
| NdisCmDeregisterSapComplete | 3 |
| NdisAdjustBufferLength | 3 |
| NdisCompareUnicodeString | 3 |
| ??_7?\$numpunct@G@std@@6B@ | 3 |
| ??0?\$num_put@GV?\$ostreambuf_iterator@ | 3 |
| ?_CmpExch@CReaderWriterLock@@AAE_N | 3 |
| PbEnumFormats | 3 |
| glsBeginGLS | 3 |
| glsCallStream | 3 |
| glsNums | 3 |
| SetMouseHook | 3 |
| GetErrorMode | 3 |
| ApphelpFreeFileAttributes | 3 |
| ApphelpCheckInstallShieldPackage | 3 |
| ApphelpGetFileAttributes | 3 |
| ?BrokenCodec@CCmdCodecBase@@IAEXP` | 3 |
| ?DecodeArrayTXDataBuffer@CCmdCodecBa | 3 |
| ?DecodeArrayTXDataBufferLenHead@CCmd | 3 |
| ?GetRegSubKey@API@Registry@@YAHPA_ | 3 |
| KeSetDmaloCoherency | 3 |
| InbvNotifyDisplayOwnershipLost | 3 |
| NtAlertResumeThread | 3 |
| @Classes@TStrings@\$bdtr\$qqrv | 3 |
| PyCode_Type | 3 |
| IoCreateFileSpecifyDeviceObjectHint | 3 |
| SetupDiSetDevicePropertyW | 3 |
| @TDateDF@GetValue\$qqrv | 3 |
| @TEditGrid@GetRowCount\$qqrv | 3 |
| @TEditGrid@Empty\$qqrv | 3 |
| @TEditGrid@Populate\$qqrv | 3 |
| @TEditGrid@AddLine\$qqrv | 3 |
| @TEditGrid@SetDataLength\$qqri | 3 |
| @TEditGrid@GetRow\$qqrv | 3 |
| @TEditGrid@XSetRow\$qqri | 3 |
| @TEditGrid@XGetRow\$qqri | 3 |
| @TEditGrid@ | 3 |
| @TDBHelp@Execute\$qqrp14System@TObj | 3 |
| @TDBHelp@Validate\$qqrp14System@TObj | 3 |
| @@Dbhelp@Initialize | 3 |
| @@Dbhelp@Finalize | 3 |
| @TDBHelp@ | 3 |
| @SDate@\$o7TDFDate\$qv | 3 |
| @SDate@Assign\$q7TDFDate | 3 |
| @YetKon\$qpvp9SQLStreamipct4t4t4t4t4 | 3 |

| | |
|---|---|
| @TGeneralParams@ClearParams\$qv | 3 |
| ?uflow@?\$basic_filebuf@DU?\$char_traits@ | 3 |
| ??1?\$money_get@GV?\$istreambuf_iterator | 3 |
| ?showmany@?\$basic_streambuf@GU?\$ch | 3 |
| ?_Isnan@?\$_Ctr@O@std@@SA_NO@Z | 3 |
| ??0?\$basic_fstream@GU?\$char_traits@G@ | 3 |
| ?infinity@?\$numeric_limits@O@std@@SA(| 3 |
| ??6?\$basic_ostream@DU?\$char_traits@D@ | 3 |
| ?classic_table@?\$ctype@D@std@@KAPBF> | 3 |
| ?pow@std@@YA?AV?\$complex@M@1@AI | 3 |
| ?do_decimal_point@?\$_Mpunct@G@std@ | 3 |
| ??_7?\$numpunct@D@std@@6B@ | 3 |
| ??Y?\$Complex_base@M@std@@QAEAAV | 3 |
| ??Nstd@@YA_NABV?\$basic_string@GU?\$cl | 3 |
| ?AddRef@CQueryUnknown@@UAGKXZ | 3 |
| D3DXCreateFontIndirectA | 3 |
| __module_Need | 3 |
| __module_Unneed | 3 |
| ber_next_element | 3 |
| ldap_memfreeW | 3 |
| glsIsContext | 3 |
| glsGetContextFunc | 3 |
| CryptUnprotectMemory | 3 |
| CryptProtectMemory | 3 |
| PsGetProcessSectionBaseAddress | 3 |
| I_BrowserDebugCall | 3 |
| ldap_modrdn_s | 3 |
| ?neg_format@?\$_Mpunct@G@std@@QBE | 3 |
| ?QueryVolumeName@MOUNT_POINT_MAF | 3 |
| RasSecurityDialogReceive | 3 |
| RasRpcRemoteSetUserPreferences | 3 |
| LsGetRubyLsimethods | 3 |
| RasScriptGetIpAddress | 3 |
| VfFailDriver | 3 |
| FsRtINotifyChangeDirectory | 3 |
| _AppendMenu_@16 | 3 |
| LaunchColorCpl | 3 |
| ?Enter@CStaticCritSec@@QAEXXZ | 3 |
| ?Leave@CStaticCritSec@@QAEXXZ | 3 |
| ??4?\$basic_string@DV?\$char_traits@D @_S | 3 |
| ??Y?\$basic_string@DV?\$char_traits@D @_S | 3 |
| ??0?\$basic_string@DV?\$char_traits@D @_S | 3 |
| ?_M_allocate_block@?\$_String_base@DV?{ | 3 |
| ??1?\$String_base@DV?\$allocator@D @_ST | 3 |
| ??0?\$basic_string@DV?\$char_traits@D @_S | 3 |
| ??0__Named_exception@_STL@@QAE@AB | 3 |
| ??0runtime_error@_STL@@QAE@ABV01@ | 3 |

| | |
|---|---|
| ??1runtime_error@_STL@@UAE@XZ | 3 |
| MemAllocScratch | 3 |
| MemFreeScratch | 3 |
| ??0bad_typeid@std@@QAE@ABV01@@Z | 3 |
| ??1?\$moneypunct@D\$00@std@@UAE@XZ | 3 |
| ?do_curr_symbol@?\$_Mpunct@G@std@@ | 3 |
| OcCreateOcPage | 3 |
| OcGetWizardPages | 3 |
| OcSubComponentsPresent | 3 |
| OcTerminate | 3 |
| OcCreateSetupPage | 3 |
| OcRememberWizardDialogHandle | 3 |
| OcInitialize | 3 |
| DIFXAPISetLogCallbackA | 3 |
| DriverPackagePreinstallA | 3 |
| DriverPackageInstallA | 3 |
| ShowADMWindow | 3 |
| ??0?\$basic_stringstream@_WU?\$char_traits@_W@std@@@ | 3 |
| ??5?\$basic_istream@_WU?\$char_traits@_W@std@@@ | 3 |
| ??0?\$basic_string@_WU?\$char_traits@_W@std@@@ | 3 |
| ?seekoff@?\$basic_streampbuf@DU?\$char_traits@_W@std@@@ | 3 |
| ??6?\$basic_ostream@_WU?\$char_traits@_W@std@@@ | 3 |
| ldap_add_extW | 3 |
| @Sysutils@DateTimeToFileDate\$qr16Syste | 3 |
| @Sysutils@FileSetDate\$qr17System@Ans | 3 |
| @Idhttp@TIdCustomHTTP@GetResponseHe | 3 |
| @Idhttp@TIdCustomHTTP@Get\$qr17Syste | 3 |
| @Idhttp@TIdCustomHTTP@Head\$qr17Sys | 3 |
| @Idhttp@TIdCustomHTTP@\$bctr\$qr18Cl | 3 |
| @Idexception@EIdConnectException@ | 3 |
| @Idexception@EIdReadTimeout@ | 3 |
| @Idantifreezebase@TIdAntiFreezeBase@\$b | 3 |
| @Comctrls@TTextAttributes@GetStyle\$qr19 | 3 |
| @Idantifreeze@Finalization\$qr19 | 3 |
| @Idantifreeze@TIdAntiFreeze@ | 3 |
| ImmGetAppCompatFlags | 3 |
| GetCommShadowMSR | 3 |
| CopyDropFilesFrom32 | 3 |
| WOW32ResolveHandle | 3 |
| W32Dispatch | 3 |
| WOW32ResolveMemory | 3 |
| WOWYield16 | 3 |
| GetCommHandle | 3 |
| WOWDirectedYield16 | 3 |
| WOWGlobalAlloc16 | 3 |
| WOWFreeMetafile | 3 |
| WOWCallback16 | 3 |

| | |
|---|---|
| WOWCallback16Ex | 3 |
| WOWUseMciavi16 | 3 |
| WOWGlobalLock16 | 3 |
| iAP2 | 3 |
| _JVM_InitializeSocketLibrary@0 | 3 |
| _JVM_GetSockOpt@20 | 3 |
| _tcsncset | 3 |
| @Tb2mru@initialization\$qqrv | 3 |
| @Inifiles@TIniFile@DeleteKey\$qqrx20Syste | 3 |
| @Inifiles@TIniFile@EraseSection\$qqrx20Sys | 3 |
| @Inifiles@TIniFile@ReadSectionValues\$qqrx | 3 |
| @Inifiles@TIniFile@ReadSection\$qqrx20Syste | 3 |
| @Inifiles@TIniFile@ReadString\$qqrx20Syste | 3 |
| ?SetTitle@CLocation@@QAEXPBD@Z | 3 |
| PegaSysDir | 3 |
| Tcl_Clone_Interp | 3 |
| NdrMesSimpleTypeEncode | 3 |
| @System@TObject@GetInterfaceEntry\$qqri | 3 |
| @Sysutils@GetLocaleFormatSettings\$qqrir2 | 3 |
| @Sysutils@DateToStr\$qqrx16System@TDat | 3 |
| @Sysutils@WideFormat\$qqrx17System@W | 3 |
| @Variants@@OleVarFromLStr\$qqrr8TVarD@ | 3 |
| GdipGetImageFlags | 3 |
| ?BuildRegistryScopesKey@@YGXAAV?\$XArr | 3 |
| ?_Exp@?\$_Ctr@O@std@@SAFPAAOF@Z | 3 |
| CM_Get_DevNode_Custom_Property_ExW | 3 |
| ?URLEscapeW@@YGXPBGAAVCVirtualString@ | 3 |
| phoneOpen | 3 |
| ImfGetLastError | 3 |
| ImfPrintJob | 3 |
| s2Native | 3 |
| s2ANSI | 3 |
| s2OpenPrinter | 3 |
| s2ByteLength | 3 |
| s2Enable | 3 |
| s2Disable | 3 |
| s2StartDocPrinter | 3 |
| s2Set | 3 |
| ??0CXTPBufferDC@@QAE@PAUHDC__@@. | 3 |
| ?OnHookMessage@CXTPOffice2007FrameH | 3 |
| ?OnWndMsg@?\$_CXTPCommandBarsSiteBas | 3 |
| ?OnSetPreviewMode@?\$_CXTPFrameWndBa | 3 |
| ?LoadFrame@?\$_CXTPFrameWndBase@VCFr | 3 |
| ?RegisterCrashHandler@@YAHPB_W0@Z | 3 |
| ?SetThreadLocaleEx@@YAHK@Z | 3 |
| ?Initialize@NPSGdiPlusUtil@@YAXXZ | 3 |
| ?Uninitialize@NPSGdiPlusUtil@@YAXXZ | 3 |

| | |
|--|---|
| ??0CNPNSDropTarget@@QAE@XZ | 3 |
| ??1CNPNSDropTarget@@UAE@XZ | 3 |
| ?DrawStreichPNG@NPSGdiPlusUtil@@YAHP | 3 |
| SQLInstallODBC | 3 |
| SQLRemoveDSNFromIni | 3 |
| SQLGetTranslator | 3 |
| SQLInstallDriverManagerW | 3 |
| SQLRemoveDefaultDataSource | 3 |
| ?_Getcat@?\$moneypunct@G\$00@std@@S | 3 |
| ?max@?\$numeric_limits@N@std@@SANX: | 3 |
| ?_Isinf@?\$_Ctr@O@std@@SA_NO@Z | 3 |
| ?round_error@?\$numeric_limits@F@std@() | 3 |
| ?-_8?\$basic_iostream@GU?\$char_traits@G | 3 |
| ?epsilon@?\$numeric_limits@K@std@@SAK | 3 |
| RegWinStationQueryDefaultSecurity | 3 |
| @Adsfunc@TAdsExtendedTable@AdsPackT@ | 3 |
| @Adsdata@TAdsDataSet@SetExclusive\$qqqr | 3 |
| ?Stricmp@WSTRING@@QBEJPBV1@K@Z | 3 |
| ?HSP_ConnectGateway@CWBTAPI@@QAE? | 3 |
| ?OAPP_AuthenticateAuthentication@CWBT/ | 3 |
| ?SyncResolveConflict@CWBTAPI@@QAE?AI | 3 |
| ?BTManageSecurity@CWBTAPI@@QAE?AW | 3 |
| ?FaxCreateConnection@CWBTAPI@@QAE?/ | 3 |
| ?LapCreateConnection@CWBTAPI@@QAE?/ | 3 |
| ?DunCreateConnection@CWBTAPI@@QAE? | 3 |
| ?SppCreateConnection@CWBTAPI@@QAE?/ | 3 |
| ?Hid_Connect@CWBTAPI@@QAE?AW4WBt | 3 |
| ?SyncSynchronize@CWBTAPI@@QAE?AW4I | 3 |
| ?SetOnSyncSynchronizeCallback@CWBTAPI@ | 3 |
| ?SetOnHidStateChangeCallback@CWBTAPI@ | 3 |
| ?SetOnHSPConnectionStatusChangedCallba | 3 |
| ?SetOnHAGConnectionStatusChangedCallba | 3 |
| ?SetOnFaxStateChangeCallback@CWBTAPI@ | 3 |
| ?SetOnLapStateChangeCallback@CWBTAPI@ | 3 |
| ?SetOnDunStateChangeCallback@CWBTAPI@ | 3 |
| ?SetOnSppStateChangeCallback@CWBTAPI@ | 3 |
| ?SetOnSyncProgressCallback@CWBTAPI@@ | 3 |
| ?ClearDeviceLostCallback@CWBTAPI@@QA | 3 |
| ?ClearDiscoveryEventCallback@CWBTAPI@() | 3 |
| ?SetOnDeviceLostCallback@CWBTAPI@@QA | 3 |
| ?SetOnOppAbortCallback@CWBTAPI@@QA | 3 |
| ?LapRemoveConnection@CWBTAPI@@QAE | 3 |
| ?DunRemoveConnection@CWBTAPI@@QAE | 3 |
| ?SetOnAuthenticationCompleteCallback@C\ | 3 |
| ?SetOnLinkKeyNotificationCallback@CWBTA | 3 |
| ?SetOnStackStateChangedCallback@CWBTAl | 3 |
| ?FaxRemoveConnection@CWBTAPI@@QAE` | 3 |

| | |
|---|---|
| ?SetOnConfigurationResetCallback@CWBtAPI@@QAE@XZ | 3 |
| ?SetOnLocalServiceStateChangeCallback@CWBtAPI@@QAE@XZ | 3 |
| ?GapGetInquiredDevices@CWBtAPI@@QAE@XZ | 3 |
| ?OppAbort@CWBtAPI@@QAE?AW4WBtRc@ | 3 |
| ?GapGetAvailableServices@CWBtAPI@@QAE@XZ | 3 |
| ?GapGetLocalServices@CWBtAPI@@QAE@XZ | 3 |
| ?GapGetActiveConnections@CWBtAPI@@QAE@XZ | 3 |
| ?Hid_Disconnect@CWBtAPI@@QAE?AW4WBtRc@ | 3 |
| ?BtmResetConfiguration@CWBtAPI@@QAE@XZ | 3 |
| ?HSP_DisconnectGateway@CWBtAPI@@QAE@XZ | 3 |
| ?GapGetApplicationState@CWBtAPI@@QAE@XZ | 3 |
| ?ClearSppStateChangeCallback@CWBtAPI@ | 3 |
| ?ClearDunStateChangeCallback@CWBtAPI@ | 3 |
| ?ClearLapStateChangeCallback@CWBtAPI@ | 3 |
| ?ClearFaxStateChangeCallback@CWBtAPI@ | 3 |
| ?ClearHAGConnectionStatusChangedCallback@ | 3 |
| ?ClearHSPConnectionStatusChangedCallback@ | 3 |
| ?HAG_DisconnectHeadset@CWBtAPI@@QAE@XZ | 3 |
| ?ClearSyncAbortCallback@CWBtAPI@@QAE@XZ | 3 |
| ?SetOnSyncAbortCallback@CWBtAPI@@QAE@XZ | 3 |
| ?SyncAbort@CWBtAPI@@QAE?AW4WBtRc@ | 3 |
| ?SppRemoveConnection@CWBtAPI@@QAE@XZ | 3 |
| ?LapDisconnect@CWBtAPI@@QAE?AW4WBtRc@ | 3 |
| ?ClearSyncSynchronizeCallback@CWBtAPI@ | 3 |
| ?ClearHidStateChangeCallback@CWBtAPI@ | 3 |
| ?ClearSyncProgressCallback@CWBtAPI@@QAE@XZ | 3 |
| ??0CBTvCard@@QAE@XZ | 3 |
| OSIF_IsSupported | 3 |
| OSIF_IsPimSupported | 3 |
| OSIF_IsPresent | 3 |
| OSIF_Open | 3 |
| ??1CBTvCard@@QAE@XZ | 3 |
| OSIF_ReadObjects | 3 |
| OSIF_FindObject | 3 |
| OSIF_GetNextObject | 3 |
| OSIF_ModifyObject | 3 |
| OSIF_AddObject | 3 |
| OSIF_GetFirstObject | 3 |
| OSIF_CodeToString | 3 |
| OSIF_GetObjectName | 3 |
| BalloonTooltip_Delete | 3 |
| BalloonTooltip_RegisterClass | 3 |
| BalloonTooltip_Move | 3 |
| BalloonTooltip_Create | 3 |
| ?TMessageBox@@YAHPAUHWND__@@PB | 3 |
| @Sysutils@StrToFloat\$qqrx20System@Unic | 3 |
| @\$xp\$19Basedef@TivLinkData | 3 |

| | |
|---|---|
| @Ivprotocol@SendSbMessage\$qqrrx26Ivprc | 3 |
| @Table@TIVTable@SetUpdate\$qqrx20Syste | 3 |
| @Dataparser@initialization\$qqrv | 3 |
| @Dataparser@Finalization\$qqrv | 3 |
| GetCurrentDisplay | 3 |
| ?max_size@?\$allocator @_W@std@@@QBEI> | 3 |
| @System@@UStrInsert\$qqrx20System@Un | 3 |
| @System@@Assert\$qqrx20System@Unicoc | 3 |
| @System@ShareMemoryManager\$qqrv | 3 |
| @System@AttemptToUseSharedMemoryM | 3 |
| @Classes@TResourceStream@\$bctr\$qqruix | 3 |
| @Sysutils@StrToDateDef\$qqrx20Syster | 3 |
| @Sysutils@EArgumentOutOfRangeExceptior | 3 |
| @Registry@TRegistry@GetDataType\$qqrx21 | 3 |
| @Syncobjs@TEvent@SetEvent\$qqrv | 3 |
| @Syncobjs@TEvent@\$bctr\$qqrp20_SECURI | 3 |
| @Comctrls@TCustomListView@GetItemAt\$ | 3 |
| @Comctrls@TCustomListView@SetCheckbo | 3 |
| @Comctrls@TListItems@SetCount\$qqri | 3 |
| @Comctrls@TListItem@SetState\$qqrio | 3 |
| @Clipbrd@TClipboard@SetAsText\$qqrx20S | 3 |
| @Clipbrd@TClipboard@ | 3 |
| @Generics_defaults @_LookupVtableInfo\$qq | 3 |
| @Generics_collections@TArray@ | 3 |
| NS_GetTraceRefcnt | 3 |
| NS_GetDebug | 3 |
| NS_RegisterXPCOMExitRoutine | 3 |
| @Forms@TApplication@HelpContext\$qqri | 3 |
| @Cmtwnform@initialization\$qqrv | 3 |
| @Cmtwnform@Finalization\$qqrv | 3 |
| @Cmtwnform@TMtWnForm@GetCustomiz | 3 |
| @Cmtwnform@TMtWnForm@Loaded\$qqrv | 3 |
| @Cmtwnform@TMtWnForm@DefaultPopu | 3 |
| @Cmtwnform@TMtWnForm@PersEnabled\$ | 3 |
| @Cmtwnform@TMtWnForm@StorePersEna | 3 |
| @Cmtwnform@TMtWnForm@RestorePersE | 3 |
| @Cmtwnform@TMtWnForm@RegisterPers! | 3 |
| @Cmtwnform@TMtWnForm@FormDestroy | 3 |
| @Cmtwnform@TMtWnForm@DoRestorePe | 3 |
| @Cmtwnform@TMtWnForm@SetStandard | 3 |
| @Cmtwnform@TMtWnForm@DoStorePers! | 3 |
| @Cmtwnform@TMtWnForm@FormClose\$qq | 3 |
| @Mtutils@initialization\$qqrv | 3 |
| @Mtutils@Finalization\$qqrv | 3 |
| @Mtintf@initialization\$qqrv | 3 |
| @Mtintf@Finalization\$qqrv | 3 |
| @Mtversioninfo@initialization\$qqrv | 3 |

| | |
|--|---|
| @Mtversioninfo@Finalization\$qqrv | 3 |
| @Mtsysutils@initialization\$qqrv | 3 |
| @Mtsysutils@Finalization\$qqrv | 3 |
| @Mtsysinfo@initialization\$qqrv | 3 |
| @Mtsysinfo@Finalization\$qqrv | 3 |
| @Mtneutils@initialization\$qqrv | 3 |
| @Mtneutils@Finalization\$qqrv | 3 |
| @Mtcommon@initialization\$qqrv | 3 |
| @Mtcommon@Finalization\$qqrv | 3 |
| @Mtclientdataset@initialization\$qqrv | 3 |
| @Mtclientdataset@Finalization\$qqrv | 3 |
| @Mtxmlcommon@initialization\$qqrv | 3 |
| @Mtxmlcommon@Finalization\$qqrv | 3 |
| @Mtxmldom@initialization\$qqrv | 3 |
| @Mtxmldom@Finalization\$qqrv | 3 |
| @Mtmsxmldom@initialization\$qqrv | 3 |
| @Mtmsxmldom@Finalization\$qqrv | 3 |
| @Mtxmldoc@initialization\$qqrv | 3 |
| @Mtxmldoc@Finalization\$qqrv | 3 |
| @Mtxmlintf@initialization\$qqrv | 3 |
| @Mtxmlintf@Finalization\$qqrv | 3 |
| @Mtcustompers@initialization\$qqrv | 3 |
| @Mtcustompers@Finalization\$qqrv | 3 |
| @Utycommon@initialization\$qqrv | 3 |
| @Utycommon@Finalization\$qqrv | 3 |
| @Mtforms@initialization\$qqrv | 3 |
| @Mtforms@Finalization\$qqrv | 3 |
| @Mtforms@ShowForm\$qqrpvp17System@· | 3 |
| @Dxbar@TdxBarItemLinks@GetItem\$qqri | 3 |
| @Dxbar@TdxBarItemLink@GetItem\$qqrv | 3 |
| @Dxbar@TdxBarButton@ | 3 |
| @Dxbar@TdxBarPopupMenu@ | 3 |
| @Cxlibraryconsts@Finalization\$qqrv | 3 |
| @Dxbarskinconsts@Finalization\$qqrv | 3 |
| @Dxbaraccessibility@Finalization\$qqrv | 3 |
| @Dxribbon@initialization\$qqrv | 3 |
| @Dxribbon@Finalization\$qqrv | 3 |
| @Dxbarskin@initialization\$qqrv | 3 |
| @Dxbarskin@Finalization\$qqrv | 3 |
| @Dxribbonskins@initialization\$qqrv | 3 |
| @Dxribbonskins@Finalization\$qqrv | 3 |
| @Dxribbonformcaptionhelper@initialization | 3 |
| @Dxribbonformcaptionhelper@Finalization | 3 |
| @Dxribbonform@initialization\$qqrv | 3 |
| @Dxribbonform@Finalization\$qqrv | 3 |
| @Dxribbongrouplayoutcalculator@initializat | 3 |
| @Dxribbongrouplayoutcalculator@Finalizati | 3 |

| | |
|---|---|
| @Mtmodeswitcher@initialization\$qqrv | 3 |
| @Mtmodeswitcher@Finalization\$qqrv | 3 |
| @Mtdbgrid@initialization\$qqrv | 3 |
| @Mtdbgrid@Finalization\$qqrv | 3 |
| @Mtedit@initialization\$qqrv | 3 |
| @Mtedit@Finalization\$qqrv | 3 |
| @Mtsblookup@initialization\$qqrv | 3 |
| @Mtsblookup@Finalization\$qqrv | 3 |
| @Mtresbuttons@initialization\$qqrv | 3 |
| @Mtresbuttons@Finalization\$qqrv | 3 |
| @Mtbuttons@initialization\$qqrv | 3 |
| @Mtbuttons@Finalization\$qqrv | 3 |
| @Mtfixedbuttons@initialization\$qqrv | 3 |
| @Mtfixedbuttons@Finalization\$qqrv | 3 |
| @Uwnmtbgridexport@initialization\$qqrv | 3 |
| @Uwnmtbgridexport@Finalization\$qqrv | 3 |
| @Mttablistbox@initialization\$qqrv | 3 |
| @Mttablistbox@Finalization\$qqrv | 3 |
| @Mtpanel@initialization\$qqrv | 3 |
| @Mtpanel@Finalization\$qqrv | 3 |
| @Mtdbgridexport@initialization\$qqrv | 3 |
| @Mtdbgridexport@Finalization\$qqrv | 3 |
| @Uwnmtbgridexportfixed@initialization\$qqrv | 3 |
| @Uwnmtbgridexportfixed@Finalization\$qqrv | 3 |
| @Uwnmtbgridprint@initialization\$qqrv | 3 |
| @Uwnmtbgridprint@Finalization\$qqrv | 3 |
| @Mtutils@initialization\$qqrv | 3 |
| @Mtutils@Finalization\$qqrv | 3 |
| @Ib_header@initialization\$qqrv | 3 |
| @Ib_header@Finalization\$qqrv | 3 |
| @Ib_session@initialization\$qqrv | 3 |
| @Ib_session@Finalization\$qqrv | 3 |
| @Ib_constants@initialization\$qqrv | 3 |
| @Ib_constants@Finalization\$qqrv | 3 |
| @Ib_utils@initialization\$qqrv | 3 |
| @Ib_utils@Finalization\$qqrv | 3 |
| @Unixpass@initialization\$qqrv | 3 |
| @Unixpass@Finalization\$qqrv | 3 |
| @Ib_parse@initialization\$qqrv | 3 |
| @Ib_parse@Finalization\$qqrv | 3 |
| @Ib_components@initialization\$qqrv | 3 |
| @Ib_components@Finalization\$qqrv | 3 |
| @Ib_maskinterface@initialization\$qqrv | 3 |
| @Ib_maskinterface@Finalization\$qqrv | 3 |
| @Ib_nodelist@initialization\$qqrv | 3 |
| @Ib_nodelist@Finalization\$qqrv | 3 |
| @Urounding@initialization\$qqrv | 3 |

| | |
|---|---|
| @Urounding@Finalization\$qqrv | 3 |
| @Ib_schema@initialization\$qqrv | 3 |
| @Ib_schema@Finalization\$qqrv | 3 |
| @Ibd_login@initialization\$qqrv | 3 |
| @Ibd_login@Finalization\$qqrv | 3 |
| @Ibd_cancelquery@initialization\$qqrv | 3 |
| @Ibd_cancelquery@Finalization\$qqrv | 3 |
| @Ibd_error@initialization\$qqrv | 3 |
| @Ibd_error@Finalization\$qqrv | 3 |
| @Ibodataset@initialization\$qqrv | 3 |
| @Ibodataset@Finalization\$qqrv | 3 |
| @Mtfields@initialization\$qqrv | 3 |
| @Mtfields@Finalization\$qqrv | 3 |
| @Mtcacheddataset@initialization\$qqrv | 3 |
| @Mtcacheddataset@Finalization\$qqrv | 3 |
| @Mtiboquery@initialization\$qqrv | 3 |
| @Mtiboquery@Finalization\$qqrv | 3 |
| @Mtiboquery@TMtIBOQuery@ | 3 |
| @Mtdatabase@initialization\$qqrv | 3 |
| @Mtdatabase@Finalization\$qqrv | 3 |
| @Mtsqlutils@initialization\$qqrv | 3 |
| @Mtsqlutils@Finalization\$qqrv | 3 |
| @Mtfindcomponents@initialization\$qqrv | 3 |
| @Mtfindcomponents@Finalization\$qqrv | 3 |
| @Mtdateedit@initialization\$qqrv | 3 |
| @Mtdateedit@Finalization\$qqrv | 3 |
| @Mtfindcompimpl@initialization\$qqrv | 3 |
| @Mtfindcompimpl@Finalization\$qqrv | 3 |
| @Mtlogmsg@initialization\$qqrv | 3 |
| @Mtlogmsg@Finalization\$qqrv | 3 |
| @Mtdialogs@initialization\$qqrv | 3 |
| @Mtdialogs@Finalization\$qqrv | 3 |
| @Uwnwaitperform@initialization\$qqrv | 3 |
| @Uwnwaitperform@Finalization\$qqrv | 3 |
| @Mtinvregistry@initialization\$qqrv | 3 |
| @Mtinvregistry@Finalization\$qqrv | 3 |
| @Mtinvregistry@TMtInvRegistry@UnregisterF | 3 |
| @Mtinvregistry@TMtInvRegistry@RegisterF | 3 |
| @Mtinvregistry@MtInvocationRegistry\$qqrv | 3 |
| @Mturi@initialization\$qqrv | 3 |
| @Mturi@Finalization\$qqrv | 3 |
| @Mtpluginmanager@initialization\$qqrv | 3 |
| @Mtpluginmanager@Finalization\$qqrv | 3 |
| @Mtsettingsdf@initialization\$qqrv | 3 |
| @Mtsettingsdf@Finalization\$qqrv | 3 |
| @Mtappinterface@initialization\$qqrv | 3 |
| @Mtappinterface@Finalization\$qqrv | 3 |

| | |
|---|---|
| @Udmapplication@initialization\$qqrv | 3 |
| @Udmapplication@Finalization\$qqrv | 3 |
| @Udmsecurity@initialization\$qqrv | 3 |
| @Udmsecurity@Finalization\$qqrv | 3 |
| @Udmsecurity@DmSecurity | 3 |
| @Utysecurity@initialization\$qqrv | 3 |
| @Utysecurity@Finalization\$qqrv | 3 |
| @Cmtmdbase@initialization\$qqrv | 3 |
| @Cmtmdbase@Finalization\$qqrv | 3 |
| @Utysupportoutente@initialization\$qqrv | 3 |
| @Utysupportoutente@Finalization\$qqrv | 3 |
| @Ucryptstring@initialization\$qqrv | 3 |
| @Ucryptstring@Finalization\$qqrv | 3 |
| @Sptools@initialization\$qqrv | 3 |
| @Sptools@Finalization\$qqrv | 3 |
| @Lbcipher@initialization\$qqrv | 3 |
| @Lbcipher@Finalization\$qqrv | 3 |
| @Lbutils@initialization\$qqrv | 3 |
| @Lbutils@Finalization\$qqrv | 3 |
| @Lbstring@initialization\$qqrv | 3 |
| @Lbstring@Finalization\$qqrv | 3 |
| @Lbproc@initialization\$qqrv | 3 |
| @Lbproc@Finalization\$qqrv | 3 |
| @Mtpasswordsecurity@initialization\$qqrv | 3 |
| @Mtpasswordsecurity@Finalization\$qqrv | 3 |
| @Udmmarta@initialization\$qqrv | 3 |
| @Udmmarta@Finalization\$qqrv | 3 |
| @Mtsettings@initialization\$qqrv | 3 |
| @Mtsettings@Finalization\$qqrv | 3 |
| @Mtsettingsstream@initialization\$qqrv | 3 |
| @Mtsettingsstream@Finalization\$qqrv | 3 |
| @Mtsettingsstreamdf@initialization\$qqrv | 3 |
| @Mtsettingsstreamdf@Finalization\$qqrv | 3 |
| @Mtsettingsstreamdoubleini@initialization\$qqrv | 3 |
| @Mtsettingsstreamdoubleini@Finalization\$qqrv | 3 |
| @Mtdbpw@initialization\$qqrv | 3 |
| @Mtdbpw@Finalization\$qqrv | 3 |
| @Mtsettingsdfcommon@initialization\$qqrv | 3 |
| @Mtsettingsdfcommon@Finalization\$qqrv | 3 |
| @Mtuacutils@initialization\$qqrv | 3 |
| @Mtuacutils@Finalization\$qqrv | 3 |
| @Mtappdbaccess@initialization\$qqrv | 3 |
| @Mtappdbaccess@Finalization\$qqrv | 3 |
| @Udmparametrinodo@initialization\$qqrv | 3 |
| @Udmparametrinodo@Finalization\$qqrv | 3 |
| @Mtcachemanager@initialization\$qqrv | 3 |
| @Mtcachemanager@Finalization\$qqrv | 3 |

| | |
|---|---|
| @Mttransnav@initialization\$qqrv | 3 |
| @Mttransnav@Finalization\$qqrv | 3 |
| @Mtcontrollist@initialization\$qqrv | 3 |
| @Mtcontrollist@Finalization\$qqrv | 3 |
| @Mtcolors@initialization\$qqrv | 3 |
| @Mtcolors@Finalization\$qqrv | 3 |
| @Mtserverinfogenerator@initialization\$qqrv | 3 |
| @Mtserverinfogenerator@Finalization\$qqrv | 3 |
| @Mtserverinfo@initialization\$qqrv | 3 |
| @Mtserverinfo@Finalization\$qqrv | 3 |
| @Uwnrichiestapassword@initialization\$qqrv | 3 |
| @Uwnrichiestapassword@Finalization\$qqrv | 3 |
| @Uwnlookupgenerico@initialization\$qqrv | 3 |
| @Uwnlookupgenerico@Finalization\$qqrv | 3 |
| @Cmtwnlookup@initialization\$qqrv | 3 |
| @Cmtwnlookup@Finalization\$qqrv | 3 |
| @Mtcertificato@initialization\$qqrv | 3 |
| @Mtcertificato@Finalization\$qqrv | 3 |
| @Dllx509@initialization\$qqrv | 3 |
| @Dllx509@Finalization\$qqrv | 3 |
| @Udmtemptables@initialization\$qqrv | 3 |
| @Udmtemptables@Finalization\$qqrv | 3 |
| @Ib_process@initialization\$qqrv | 3 |
| @Ib_process@Finalization\$qqrv | 3 |
| @Ib_script@initialization\$qqrv | 3 |
| @Ib_script@Finalization\$qqrv | 3 |
| @Utycommondf@initialization\$qqrv | 3 |
| @Utycommondf@Finalization\$qqrv | 3 |
| @Mtcipheraes@initialization\$qqrv | 3 |
| @Mtcipheraes@Finalization\$qqrv | 3 |
| @Lbclass@initialization\$qqrv | 3 |
| @Lbclass@Finalization\$qqrv | 3 |
| @Lbconst@initialization\$qqrv | 3 |
| @Lbconst@Finalization\$qqrv | 3 |
| @Mtbase64@initialization\$qqrv | 3 |
| @Mtbase64@Finalization\$qqrv | 3 |
| @Mtdfclient@initialization\$qqrv | 3 |
| @Mtdfclient@Finalization\$qqrv | 3 |
| @Uroclient@initialization\$qqrv | 3 |
| @Uroclient@Finalization\$qqrv | 3 |
| @Uroencryption@initialization\$qqrv | 3 |
| @Uroencryption@Finalization\$qqrv | 3 |
| @Urocipher@initialization\$qqrv | 3 |
| @Urocipher@Finalization\$qqrv | 3 |
| @Urodecutil@initialization\$qqrv | 3 |
| @Urodecutil@Finalization\$qqrv | 3 |
| @Urodecconst@initialization\$qqrv | 3 |

| | |
|---|---|
| @Urodeconst@Finalization\$qqrv | 3 |
| @Urohash@initialization\$qqrv | 3 |
| @Urohash@Finalization\$qqrv | 3 |
| @Urociphers@initialization\$qqrv | 3 |
| @Urociphers@Finalization\$qqrv | 3 |
| @Urocipher1@initialization\$qqrv | 3 |
| @Urocipher1@Finalization\$qqrv | 3 |
| @Urozlib@initialization\$qqrv | 3 |
| @Urozlib@Finalization\$qqrv | 3 |
| @Urodl@initialization\$qqrv | 3 |
| @Urodl@Finalization\$qqrv | 3 |
| @Uroclasses@initialization\$qqrv | 3 |
| @Uroclasses@Finalization\$qqrv | 3 |
| @Urothread@initialization\$qqrv | 3 |
| @Urothread@Finalization\$qqrv | 3 |
| @Urores@initialization\$qqrv | 3 |
| @Urores@Finalization\$qqrv | 3 |
| @Urodltoxml@initialization\$qqrv | 3 |
| @Urodltoxml@Finalization\$qqrv | 3 |
| @Uroxmllintf@initialization\$qqrv | 3 |
| @Uroxmllintf@Finalization\$qqrv | 3 |
| @Uroopenxmlimpl@initialization\$qqrv | 3 |
| @Uroopenxmlimpl@Finalization\$qqrv | 3 |
| @Uroxdom_2_3@initialization\$qqrv | 3 |
| @Uroxdom_2_3@Finalization\$qqrv | 3 |
| @Urounicodeconv@initialization\$qqrv | 3 |
| @Urounicodeconv@Finalization\$qqrv | 3 |
| @Urotypes@initialization\$qqrv | 3 |
| @Urotypes@Finalization\$qqrv | 3 |
| @Uroserializer@initialization\$qqrv | 3 |
| @Uroserializer@Finalization\$qqrv | 3 |
| @Urobinaryhelpers@initialization\$qqrv | 3 |
| @Urobinaryhelpers@Finalization\$qqrv | 3 |
| @Uroclientintf@initialization\$qqrv | 3 |
| @Uroclientintf@Finalization\$qqrv | 3 |
| @Urohttptools@initialization\$qqrv | 3 |
| @Urohttptools@Finalization\$qqrv | 3 |
| @Uroremoteservice@initialization\$qqrv | 3 |
| @Uroremoteservice@Finalization\$qqrv | 3 |
| @Uroservicecomponent@initialization\$qqrv | 3 |
| @Uroservicecomponent@Finalization\$qqrv | 3 |
| @Urobinmessage@initialization\$qqrv | 3 |
| @Urobinmessage@Finalization\$qqrv | 3 |
| @Urostreamserializer@initialization\$qqrv | 3 |
| @Urostreamserializer@Finalization\$qqrv | 3 |
| @Urocompression@initialization\$qqrv | 3 |
| @Urocompression@Finalization\$qqrv | 3 |

| | |
|--|---|
| @Urosoapmessage@initialization\$qqrv | 3 |
| @Urosoapmessage@Finalization\$qqrv | 3 |
| @Uroxmserializer@initialization\$qqrv | 3 |
| @Uroxmserializer@Finalization\$qqrv | 3 |
| @Urodltowsdl@initialization\$qqrv | 3 |
| @Urodltowsdl@Finalization\$qqrv | 3 |
| @Uroindyhttpchannel@initialization\$qqrv | 3 |
| @Uroindyhttpchannel@Finalization\$qqrv | 3 |
| @Uroindytcpchannel@initialization\$qqrv | 3 |
| @Uroindytcpchannel@Finalization\$qqrv | 3 |
| @Mtinternetcommon@initialization\$qqrv | 3 |
| @Mtinternetcommon@Finalization\$qqrv | 3 |
| @Dfserverlibrary_intf@initialization\$qqrv | 3 |
| @Dfserverlibrary_intf@Finalization\$qqrv | 3 |
| @Uroeventrepository@initialization\$qqrv | 3 |
| @Uroeventrepository@Finalization\$qqrv | 3 |
| @Urosessions@initialization\$qqrv | 3 |
| @Urosessions@Finalization\$qqrv | 3 |
| @Mtro@initialization\$qqrv | 3 |
| @Mtro@Finalization\$qqrv | 3 |
| @Mtdfservertypes@initialization\$qqrv | 3 |
| @Mtdfservertypes@Finalization\$qqrv | 3 |
| @Utyappconsts@initialization\$qqrv | 3 |
| @Utyappconsts@Finalization\$qqrv | 3 |
| @Udmlookuptables@initialization\$qqrv | 3 |
| @Udmlookupables@Finalization\$qqrv | 3 |
| @Mtvclutils@initialization\$qqrv | 3 |
| @Mtvclutils@Finalization\$qqrv | 3 |
| @Idcoderheader@Finalization\$qqrv | 3 |
| @System@@LStrFromPWChar\$qqrr17Syste | 3 |
| @Sysutils@StrPos\$qqrpxct1 | 3 |
| @Strutils@MidStr\$qqrx17System@AnsiStrir | 3 |
| @Shdocvw@initialization\$qqrv | 3 |
| @Ddeman@Finalization\$qqrv | 3 |
| LockDownProtectService | 3 |
| CreateUpdateEvents | 3 |
| sethook | 3 |
| @Sysutils@Beep\$qqrv | 3 |
| @Classes@TWriter@WriteListBegin\$qqrv | 3 |
| @Classes@TReader@ReadListEnd\$qqrv | 3 |
| @Classes@TStrings@ | 3 |
| @Olectrls@TOleControl@StandardEvent\$qc | 3 |
| @Olectrls@TOleControl@SetWordBoolProp | 3 |
| @Olectrls@TOleControl@SetIntegerProp\$qc | 3 |
| @Olectrls@TOleControl@InvokeEvent\$qqrit | 3 |
| @Olectrls@TOleControl@GetWordBoolProp | 3 |
| @Olectrls@TOleControl@GetIntegerProp\$qc | 3 |

| | |
|--|---|
| @Olectrls@TOleControl@SuppressException | 3 |
| ?AppendFormat@CTXStringW@@QAAXPB_ | 3 |
| ?addPropertiesChangeListener@ContentImpl | 3 |
| ?removePropertiesChangeListener@Content | 3 |
| ?addProperty@ContentImplHelper@ucbhel | 3 |
| ?removeProperty@ContentImplHelper@ucb | 3 |
| ?addPropertySetInfoChangeListener@Conte | 3 |
| ?removePropertySetInfoChangeListener@Cc | 3 |
| ?addCommandInfoChangeListener@Content | 3 |
| ?removeCommandInfoChangeListener@Cor | 3 |
| ?exchange@ContentImplHelper@ucbhelper | 3 |
| ?notifyPropertiesChange@ContentImplHelp | 3 |
| ?deleted@ContentImplHelper@ucbhelper@ | 3 |
| ?getPropertySetInfo@ContentImplHelper@ | 3 |
| ?getCommandInfo@ContentImplHelper@uc | 3 |
| ?cancelCommandExecution@ucbhelper@@` | 3 |
| ??1SimpleAuthenticationRequest@ucbhelpe | 3 |
| ??1ResultSetImplHelper@ucbhelper@@UAI | 3 |
| ??0ResultSetImplHelper@ucbhelper@@QAI | 3 |
| ?queryInterface@ResultSetImplHelper@ucb | 3 |
| ?acquire@ResultSetImplHelper@ucbhelper(| 3 |
| ?release@ResultSetImplHelper@ucbhelper(| 3 |
| ?getTypes@ResultSetImplHelper@ucbhelpe | 3 |
| ?getImplementationId@ResultSetImplHelp | 3 |
| ?getImplementationName@ResultSetImplH | 3 |
| ?supportsService@ResultSetImplHelper@uc | 3 |
| ?getSupportedServiceNames@ResultSetImp | 3 |
| ?dispose@ResultSetImplHelper@ucbhelper(| 3 |
| ?addEventListener@ResultSetImplHelper@u | 3 |
| ?removeEventListener@ResultSetImplHelp | 3 |
| ?getStaticResultSet@ResultSetImplHelper@ | 3 |
| ?setListener@ResultSetImplHelper@ucbhel | 3 |
| ?connectToCache@ResultSetImplHelper@uc | 3 |
| ?getCapabilities@ResultSetImplHelper@ucb | 3 |
| ?createCommandIdentifier@ContentImplHe | 3 |
| ?queryInterface@ContentIdentifier@ucbhel | 3 |
| ?acquire@ContentIdentifier@ucbhelper@@ | 3 |
| ?release@ContentIdentifier@ucbhelper@@ | 3 |
| ??1ContentIdentifier@ucbhelper@@UAE@) | 3 |
| ?getIdentifier@ContentImplHelper@ucbhel | 3 |
| ?removeEventListener@ContentImplHelper(| 3 |
| ?addEventListener@ContentImplHelper@uc | 3 |
| ?dispose@ContentImplHelper@ucbhelper@ | 3 |
| ??0ContentImplHelper@ucbhelper@@QAE(| 3 |
| ??1ContentImplHelper@ucbhelper@@UAE(| 3 |
| ?inserted@ContentImplHelper@ucbhelper@ | 3 |
| ??1PropertyValueSet@ucbhelper@@UAE@` | 3 |

| | |
|---|---|
| ?release@PropertyValueSet@ucbhelper@@ | 3 |
| ?acquire@PropertyValueSet@ucbhelper@@ | 3 |
| ?queryInterface@PropertyValueSet@ucbhel | 3 |
| ??0PropertyValueSet@ucbhelper@@QAE@. | 3 |
| ?compareContentIds@ContentProviderImpl | 3 |
| ??0ContentProviderImplHelper@ucbhelper(| 3 |
| ??1ContentProviderImplHelper@ucbhelper(| 3 |
| ?queryExistingContent@ContentProviderIm | 3 |
| ?registerNewContent@ContentProviderImp | 3 |
| ??0InternetProxyDecider@ucbhelper@@QA | 3 |
| ??1InternetProxyDecider@ucbhelper@@QA | 3 |
| ?removeContentEventListener@ContentImpl | 3 |
| ??0ContentIdentifier@ucbhelper@@QAE@, | 3 |
| ?addContentEventListener@ContentImplHel | 3 |
| IoWMISSuggestInstanceName | 3 |
| FsRtlTruncateLargeMcb | 3 |
| lineSwapHold | 3 |
| strerror_s | 3 |
| CtfIImmIsCiceroStartedInThread | 3 |
| CustomControlInfoW | 3 |
| QSQLColumnName | 3 |
| QSQLColumnType | 3 |
| QSQLConvertLength | 3 |
| QSQLColumns | 3 |
| SHRecMemInsert | 3 |
| QSQLCancel | 3 |
| QSQLResults | 3 |
| QSQLNextRow | 3 |
| QSQLExecDirect | 3 |
| QSQLBind | 3 |
| SHRecMemFree | 3 |
| SHRecMemInit | 3 |
| SQLSvcExit | 3 |
| SHRecMemAdd | 3 |
| QSQLPurgeResults | 3 |
| QSQLIsConnDead | 3 |
| QSQLLogoff | 3 |
| QSQLLogonEx | 3 |
| SHRecMemDelete | 3 |
| SQLSvclnIt | 3 |
| SHRecMemLock | 3 |
| SetIndependentHeadphone | 3 |
| GetIndependentHeadphone | 3 |
| GetSPDIFCAPRATE | 3 |
| GetJackFunction | 3 |
| ?DeleteRecord@CPropStoreManager@@QA | 3 |
| ??1CNPConfigMgr@@UAE@XZ | 3 |

| | |
|--|---|
| ??0CNPConfigMgr@@QAE@XZ | 3 |
| @Db@TDataSet@GetFieldNames\$qqrp16Cl: | 3 |
| @Designintf@Finalization\$qqrv | 3 |
| @Designmenus@Finalization\$qqrv | 3 |
| @Classes@DeallocateHWnd\$qqrui | 3 |
| @Classes@TCollection@Owner\$qqrv | 3 |
| @Sysutils@StrDispose\$qqrb | 3 |
| @Strutils@LeftStr\$qqrx17System@WideStr | 3 |
| @Graphics@TPen@SetStyle\$qqr18Graphics | 3 |
| @Inifiles@THashedStringList@ | 3 |
| @Inifiles@TCustomIniFile@ | 3 |
| @Controls@TCustomControl@PaintWindow | 3 |
| @\$xp\$32Controls@TConstrainedResizeEven | 3 |
| @\$xp\$24Controls@TCanResizeEvent | 3 |
| @\$xp\$26Controls@TGetSiteInfoEvent | 3 |
| @\$xp\$21Controls@TUnDockEvent | 3 |
| @\$xp\$23Controls@TDockOverEvent | 3 |
| @\$xp\$23Controls@TDockDropEvent | 3 |
| @Comctrls@TListItem@SetData\$qqrpv | 3 |
| @Comctrls@TTreeNode@SetText\$qqrx20Sy | 3 |
| @Stdctrls@TCustomLabel@Notification\$qqr | 3 |
| @Stdctrls@TCustomLabel@Paint\$qqrv | 3 |
| @Stdctrls@TCustomLabel@GetLabelText\$qq | 3 |
| @Extctrls@TNotebook@ | 3 |
| @System@@VarSub\$qqrr14System@Variar | 3 |
| @Dxdbinrw@TdxInspectorDBDateRow@ | 3 |
| a | 3 |
| CtfImmGenerateMessage | 3 |
| @Tutranslation@initialization\$qqrv | 3 |
| @Winlanguageids@initialization\$qqrv | 3 |
| @Winlanguageids@Finalization\$qqrv | 3 |
| @Sysutils@StrICmp\$qqpxct1 | 3 |
| @Sysutils@StrToBool\$qqrx20System@Unic | 3 |
| @Sysutils@EAssertionFailed@ | 3 |
| @Sysutils@EHeapException@ | 3 |
| @Sysutils@Exception@CleanUpStackInfoPrc | 3 |
| @Sysutils@Exception@GetExceptionStackIn | 3 |
| @Turegistry@IsAdmin\$qqrv | 3 |
| @Turegistry@SetProductRegDateTimeValue | 3 |
| @Turegistry@CurAppDataDir | 3 |
| @Zfcipher@initialization\$qqrv | 3 |
| @Zfcipher@Finalization\$qqrv | 3 |
| @Zfdecutil@initialization\$qqrv | 3 |
| @Zfdecutil@Finalization\$qqrv | 3 |
| @Zfhash@initialization\$qqrv | 3 |
| @Zfsha1@initialization\$qqrv | 3 |
| @Zfsha1@Finalization\$qqrv | 3 |

| | |
|--|---|
| @Satask@initialization\$qqrv | 3 |
| @Sautils@initialization\$qqrv | 3 |
| @Sautils@Finalization\$qqrv | 3 |
| @Ntsecurity@initialization\$qqrv | 3 |
| @Ntsecurity@Finalization\$qqrv | 3 |
| @Htmlsubs@initialization\$qqrv | 3 |
| @Htmlsubs@Finalization\$qqrv | 3 |
| @Usp10@initialization\$qqrv | 3 |
| @Tuxsourceurl@initialization\$qqrv | 3 |
| @Tuxsourceurl@Finalization\$qqrv | 3 |
| @Privileg@Finalization\$qqrv | 3 |
| @Tuwscapi@initialization\$qqrv | 3 |
| @Tuwscapi@Finalization\$qqrv | 3 |
| @Tugraphics@initialization\$qqrv | 3 |
| @Tugraphics@Finalization\$qqrv | 3 |
| @Tugraphics@LoadGraphic\$qqrxip15Extctrl | 3 |
| @Libxmlparser@initialization\$qqrv | 3 |
| @Libxmlparser@Finalization\$qqrv | 3 |
| @Tustylerepository@initialization\$qqrv | 3 |
| @Tustylerepository@Finalization\$qqrv | 3 |
| @Ufrmmeula@initialization\$qqrv | 3 |
| @Ufrmmeula@Finalization\$qqrv | 3 |
| @Tuappinstancepools@initialization\$qqrv | 3 |
| @Tuappinstancepools@Finalization\$qqrv | 3 |
| @Accessibility@initialization\$qqrv | 3 |
| @Accessibility@Finalization\$qqrv | 3 |
| @Ocmutils@initialization\$qqrv | 3 |
| @Tutaskscheduler@initialization\$qqrv | 3 |
| @Tutaskscheduler@Finalization\$qqrv | 3 |
| @Tunagscreen@initialization\$qqrv | 3 |
| @Tunagscreen@Finalization\$qqrv | 3 |
| @Tustatistics@initialization\$qqrv | 3 |
| @Tustatistics@Finalization\$qqrv | 3 |
| @Gr32_image@initialization\$qqrv | 3 |
| @Gr32_image@Finalization\$qqrv | 3 |
| @Gr32_microtiles@initialization\$qqrv | 3 |
| @Gr32_microtiles@Finalization\$qqrv | 3 |
| @Ehshelprouter@THelpRouter@DisplayTop | 3 |
| @Virtualtrees@Finalization\$qqrv | 3 |
| @Tucolormixer@initialization\$qqrv | 3 |
| @Tucolormixer@Finalization\$qqrv | 3 |
| @Tureport@initialization\$qqrv | 3 |
| @Tureport@Finalization\$qqrv | 3 |
| @Tureport@TTURReportModule@Init\$qqrv | 3 |
| @Tucomhelper@initialization\$qqrv | 3 |
| @Tucomhelper@Finalization\$qqrv | 3 |
| ??1CThreadMutex@@QAE@XZ | 3 |

| | |
|---|---|
| ??0CThreadMutex@@QAE@XZ | 3 |
| NetLogonSetServiceBits | 3 |
| ??_7nsDefaultCStringComparator@@6B@ | 3 |
| ??_7nsCaseInsensitiveCStringComparator@() | 3 |
| ??1nsCStringArray@@UAE@XZ | 3 |
| ?RemoveElementsAt@nsVoidArray@@QAEI | 3 |
| ?Compact@nsAutoVoidArray@@UAEXXZ | 3 |
| ?SizeTo@nsAutoVoidArray@@UAEHH@Z | 3 |
| ?Clear@nsAutoVoidArray@@UAEXXZ | 3 |
| ??0nsCStringArray@@QAE@XZ | 3 |
| ?ToNewUnicode@@YAPAGABVnsAString_in | 3 |
| PL_DHashTableEnumerate | 3 |
| ?NS_GetWeakReference@@YAPAVnsIWeak | 3 |
| ?AppendASCIItoUTF16@@YAXABVnsACStrir | 3 |
| ??0nsQueryReferent@@QAE@PAVnsIWeak | 3 |
| ??_7nsSupportsWeakReference@@6B@ | 3 |
| SetupDiGetClassRegistryPropertyW | 3 |
| GetGlobalBabyJITEnabled | 3 |
| @Classes@TWriter@WriteInteger\$qqri | 3 |
| @Classes@TReader@ReadInteger\$qqrv | 3 |
| @Graphics@TCanvas@CopyRect\$qqrrx11Ty | 3 |
| @Controls@TControl@DblClick\$qqrv | 3 |
| @Controls@TControl@Resize\$qqrv | 3 |
| @Jvmail@TJvMail@LogOn\$qqrv | 3 |
| @Jvmail@TJvMailRecipients@Add\$qqrv | 3 |
| DllRegisterWindowClasses | 3 |
| ImportPrivacySettings | 3 |
| BASS_SamplePlayEx | 3 |
| BASS_ChannelSetAttributes | 3 |
| BASS_SampleLoad | 3 |
| GetSyntaxOfAttribute | 3 |
| acmFilterTagEnumA | 3 |
| acmFilterEnumW | 3 |
| ?Cast@SCREEN@@SGPAV1@PBVOBJECT@() | 3 |
| DhcpGetClientOptions | 3 |
| DhcpSetOptionValuesV5 | 3 |
| ?_Xfunc@tr1@std@@YAXXZ | 3 |
| TABJumpRowsExt | 3 |
| FormatDouble | 3 |
| TABCheckIntrExt | 3 |
| PRINTINFO | 3 |
| SetLabelEnable | 3 |
| SetEditConditions3 | 3 |
| SYSDATEXT | 3 |
| g_slist_insert_sorted | 3 |
| g_source_remove | 3 |
| gtk_dialog_set_default_response | 3 |

| | |
|---|---|
| gtk_frame_set_shadow_type | 3 |
| gtk_image_new_from_stock | 3 |
| gtk_label_set_text | 3 |
| gtk_list_store_clear | 3 |
| gtk_menu_shell_get_type | 3 |
| gtk_message_dialog_get_type | 3 |
| gtk_misc_get_type | 3 |
| gtk_misc_set_alignment | 3 |
| gtk_toggle_button_get_active | 3 |
| gtk_tree_model_get_iter | 3 |
| gtk_tree_model_get_iter_first | 3 |
| gtk_tree_model_get_path | 3 |
| gtk_tree_path_free | 3 |
| gtk_tree_selection_select_iter | 3 |
| gtk_widget_set_sensitive | 3 |
| gimp_drawable_type | 3 |
| ConvertInterfaceLuidToIndex | 3 |
| RpcErrorLoadErrorInfo | 3 |
| I_RpcTransDatagramAllocate2 | 3 |
| @Vedatasearch@TBooleanSearchField@ | 3 |
| @Dxcntner@TdxEditStyleController@ | 3 |
| @Teeprocs@TCustomTeePanel@SaveToBitr | 3 |
| @Teeprocs@TCustomTeePanel@SaveToMe | 3 |
| @Teengine@TChartSeries@SetShowInLeger | 3 |
| @Chart@TCustomChartLegend@SetLegend! | 3 |
| @Series@TLineSeries@ | 3 |
| ?QueryNtfsVersion@IFS_SYSTEM@@SGEPA | 3 |
| GdipGetRegionHRgn | 3 |
| GdipCreateRegionRectI | 3 |
| ??1NamedValueCollection@comphelper@@@ | 3 |
| ?qualifiedNameComponents@dbtools@@Y | 3 |
| MsiDeterminePatchSequenceW | 3 |
| ?seekg@?\$basic_istream@GU?\$char_traits< | 3 |
| W32N_CancelPacketRead | 3 |
| ??5CAcByteStream@@QAEAAV0@AAK@Z | 3 |
| ??5CAcByteStream@@QAEAAV0@AAE@Z | 3 |
| ??0CAcByteStream@@QAE@PAEK@Z | 3 |
| ??6CAcByteStream@@QAEAAV0@AAH@Z | 3 |
| ??6CAcByteStream@@QAEAAV0@AAV?\$ve | 3 |
| ?Read@CAcByteStream@@QAEXP@E@Z | 3 |
| ??5CAcByteStream@@QAEAAV0@AAH@Z | 3 |
| ??5CAcByteStream@@QAEAAV0@AAV?\$ba | 3 |
| ?SetLastActiveLocation@CAcPrfMgr@@QAE | 3 |
| ?WriteLocation@CAcPrfMgr@@QAEKAAVC | 3 |
| ?GetPreferredLocation@CAcPrfMgr@@QAE | 3 |
| g_hHeapAlloc | 3 |
| VarUI8FromI2 | 3 |

| | |
|--|---|
| ?narrow@?\$_ctype@_W@std@@QBED_WD | 3 |
| ?erase@?\$_basic_string@DU?\$char_traits@I | 3 |
| ?Recognize@CDFA@@QAEEPBG@Z | 3 |
| XRE_main | 3 |
| XRE_GetBinaryPath | 3 |
| XRE_FreeAppData | 3 |
| XRE_GetFileFromPath | 3 |
| XRE_CreateAppData | 3 |
| NS_LogInit | 3 |
| NS_LogTerm | 3 |
| RasRpcGetDevConfig | 3 |
| SetupDiInstallDeviceInterfaces | 3 |
| AtlAxCreateControlEx | 3 |
| AtlModuleRegisterWndClassInfoA | 3 |
| NetDfsGetDcAddress | 3 |
| IASAttributeAlloc | 3 |
| IASAttributeRelease | 3 |
| @\$brsh\$qr9SQLStreamri | 3 |
| @\$blor\$qr9SQLStreamrd | 3 |
| @TEfesBufferArray@SetCurrentRow\$qi | 3 |
| @TEfesBufferArray@GetAllFields\$qpv | 3 |
| @TEfesBufferArray@SetAllFields\$qpv | 3 |
| @TEfesBufferArray@AddRow\$qv | 3 |
| @CreateBufferArray\$qpii | 3 |
| @DestroyBufferArray\$qp16TEfesBufferArra | 3 |
| @__DynamicCastVCLptr\$qqrpvt1 | 3 |
| ??_7\$time_get@DV?\$istreambuf_iterator@ | 3 |
| ??1?\$moneypunct@D\$0A@@std@@UAE@ | 3 |
| ?do_encoding@?\$_codecvt@GDH@std@@N | 3 |
| ??4?\$numeric_limits@G@std@@QAEAAV0: | 3 |
| ??9std@@YA_NABV?\$complex@N@0@ABI | 3 |
| ?epsilon@?\$_numeric_limits@J@std@@SAJ | 3 |
| ?find_last_not_of@?\$_basic_string@DU?\$ch | 3 |
| ??6?\$basic_ostream@GU?\$char_traits@G@ | 3 |
| ?_Init@?\$_collate@D@std@@IAEXABV_Loci | 3 |
| RasAuthProviderTerminate | 3 |
| RasAuthProviderFreeAttributes | 3 |
| DDMAdminPortGetInfo | 3 |
| DDMAdminConnectionClearStats | 3 |
| IfObjectSetDialoutHoursRestriction | 3 |
| DDMAdminInterfaceDisconnect | 3 |
| DDMDisconnectInterface | 3 |
| RasAuthConfigChangeNotification | 3 |
| RasAcctProviderStopAccounting | 3 |
| DDMRegisterConnectionNotification | 3 |
| DDMConnectInterface | 3 |
| RasAcctConfigChangeNotification | 3 |

| | |
|---|---|
| rtcIPMT | 3 |
| TipGetAddressOfPredeclaredInstance | 3 |
| rtcGetHostLCID | 3 |
| ?GetNumber@CQueryScanner@@QAEHAAJ | 3 |
| ?_wcsFileName@CGlobalPropFileRefresher@ | 3 |
| ?Disconnect@CRequestClient@@QAEXXZ | 3 |
| ??3CDbColl@SGXPAX@Z | 3 |
| zif_dl | 3 |
| _php_stream_free | 3 |
| ??1CNbuuTabSkin@@UAE@XZ | 3 |
| ??1CRTLHelper@@UAE@XZ | 3 |
| ??0CRTLHelper@@QAE@PBG@Z | 3 |
| ??0CCSDWrapper@@QAE@XZ | 3 |
| ??1CCSDWrapper@@UAE@XZ | 3 |
| ?SetSupportedDevices@CCSDWrapper@@C | 3 |
| ?Initialize@CCSDWrapper@@QAEJPAUHWI | 3 |
| ??0CNBitmapUtil@@QAE@XZ | 3 |
| ??1CNBitmapUtil@@QAE@XZ | 3 |
| ??0CNbuuTabCtrl@@QAE@XZ | 3 |
| ??1CNbuuTabCtrl@@UAE@XZ | 3 |
| ?AddListener@CCSDWrapper@@QAEXPAC | 3 |
| ?SelectDevice@CCSDWrapper@@QAEJH@Z | 3 |
| ?SetSelectionMode@CCSDWrapper@@QAE | 3 |
| ??0CNbuuTabSkin@@QAE@XZ | 3 |
| ?m_hInstRes@CNbuuLib@@OPAUHINSTAN | 3 |
| ?ReadLock@CCritSec@@QAEXXZ | 3 |
| ??Dstd@@YA?AV?\$complex@O@0@ABV1C | 3 |
| ?_Getfalse@_Locinfo@std@@QBEPBDXZ | 3 |
| GetICifFileFromFile | 3 |
| NtCreateProcess | 3 |
| NdrComplexArrayMemorySize | 3 |
| DllRegisterServerExW | 3 |
| DllUnregisterServerEx | 3 |
| GenerateTypeLibW | 3 |
| GenerateTypeLib | 3 |
| vlc_dup | 3 |
| @System@Frac\$qqrxg | 3 |
| @Variants@@VarNot\$qqrr8TVarData | 3 |
| @Variants@@VarToReal\$qqrrx8TVarData | 3 |
| @Comctrls@TTreeNodes@Add\$qqrp18Com | 3 |
| @Comctrls@TTreeNode@GetLevel\$qqrv | 3 |
| @Comctrls@TUpDown@ | 3 |
| @Dateutils@DaysInMonth\$qqrx16System@ | 3 |
| @Qr4const@initialization\$qqrv | 3 |
| @Qr4const@Finalization\$qqrv | 3 |
| @Qrsearchdlg@initialization\$qqrv | 3 |
| @Qrsearchdlg@Finalization\$qqrv | 3 |

| | |
|--|---|
| @Qrwebfilt@initialization\$qqrv | 3 |
| @Qrwebfilt@Finalization\$qqrv | 3 |
| @Pdfconst@initialization\$qqrv | 3 |
| @Pdfconst@Finalization\$qqrv | 3 |
| @Lzw@initialization\$qqrv | 3 |
| @Lzw@Finalization\$qqrv | 3 |
| @Grimctrl@initialization\$qqrv | 3 |
| @Grimctrl@Finalization\$qqrv | 3 |
| @Qrpdffilt@initialization\$qqrv | 3 |
| @Qrpdffilt@Finalization\$qqrv | 3 |
| @Qrexport@initialization\$qqrv | 3 |
| @Qrexport@Finalization\$qqrv | 3 |
| rtcCallByName | 3 |
| pcap_dump_close | 3 |
| pcap_dump | 3 |
| pcap_dump_open | 3 |
| pcap_lib_version | 3 |
| BatteryClassStatusNotify | 3 |
| BatteryClassIocctl | 3 |
| BatteryClassInitializeDevice | 3 |
| ??4?\$complex@N@std@@@QAEAAV01@ABI | 3 |
| ?gcount@?\$basic_istream@GU?\$char_traits@ | 3 |
| ?epsilon@?\$numeric_limits@H@std@@@SAI | 3 |
| ?narrow@?\$basic_ios@GU?\$char_traits@G | 3 |
| ldap_parse_sort_controlA | 3 |
| ldap_search_init_pageW | 3 |
| ldap_add_sW | 3 |
| PhoneBookGetPhoneDescA | 3 |
| PhoneBookCopyFilter | 3 |
| PhoneBookGetCountryNameW | 3 |
| PhoneBookMatchFilter | 3 |
| PhoneBookGetPhoneType | 3 |
| PhoneBookGetRegionNameA | 3 |
| PhoneBookGetPhoneCanonicalA | 3 |
| PhoneBookEnumCountries | 3 |
| PhoneBookGetPhoneDUNA | 3 |
| PhoneBookEnumNumbersWithRegionsZero | 3 |
| PhoneBookGetPhoneDispA | 3 |
| PhoneBookGetPhoneNonCanonicalA | 3 |
| PhoneBookEnumNumbers | 3 |
| PhoneBookEnumRegions | 3 |
| PhoneBookGetCountryNameA | 3 |
| PhoneBookGetCountryId | 3 |
| I_NetDatabaseSync | 3 |
| I_BrowserQueryEmulatedDomains | 3 |
| SQLGetAvailableDrivers | 3 |
| NdrComplexArrayUnmarshall | 3 |

| | |
|--|---|
| ??1CCUEWinApp@@UAE@XZ | 3 |
| ?ExitInstance@CCUEWinApp@@UAEHXZ | 3 |
| ??0CCUEWinApp@@QAE@XZ | 3 |
| @System@Internal@Excutils@initialization\$ | 3 |
| @System@Internal@Excutils@Finalization\$ | 3 |
| @System@Sysutils@initialization\$qqrv | 3 |
| @System@Sysutils@Finalization\$qqrv | 3 |
| @System@Sysutils@TOSVersion@\$bcctr\$qc | 3 |
| @System@Sysutils@TEncoding@\$bcdtr\$qqi | 3 |
| @System@Sysutils@TLanguages@\$bcdtr\$qi | 3 |
| @System@Sysutils@Exception@\$bcdtr\$qqqr | 3 |
| @System@Sysutils@Exception@\$bcctr\$qqqr | 3 |
| @System@Sysutils@TOSVersion@\$bcdtr\$qi | 3 |
| @System@Sysutils@TEncoding@\$bcctr\$qqqr | 3 |
| @System@Sysutils@TLanguages@\$bcctr\$qqqr | 3 |
| @System@Varutils@initialization\$qqrv | 3 |
| @System@Varutils@Finalization\$qqrv | 3 |
| @System@Variants@initialization\$qqrv | 3 |
| @System@Variants@Finalization\$qqrv | 3 |
| @System@Typinfo@initialization\$qqrv | 3 |
| @System@Typinfo@Finalization\$qqrv | 3 |
| @System@Classes@initialization\$qqrv | 3 |
| @System@Classes@Finalization\$qqrv | 3 |
| @System@Classes@TOserverMapping@\$k | 3 |
| @System@Classes@TLoginCredentialService | 3 |
| @System@Classes@TLoginCredentialService | 3 |
| @System@Classes@TBinaryWriter@\$bcdtr\$ | 3 |
| @System@Classes@TThread@\$bcdtr\$qqrv | 3 |
| @System@Classes@TThread@\$bcctr\$qqrv | 3 |
| @System@Classes@TBinaryWriter@\$bcctr\$ | 3 |
| @System@Classes@TOserverMapping@\$k | 3 |
| @System@Timespan@TTimeSpan@\$bcctr\$ | 3 |
| @System@Timespan@TTimeSpan@\$bcdtr\$ | 3 |
| @System@Syncobjs@initialization\$qqrv | 3 |
| @System@Syncobjs@Finalization\$qqrv | 3 |
| @System@Dateutils@TTimeZone@\$bcdtr\$ | 3 |
| @System@Dateutils@TTimeZone@\$bcctr\$c | 3 |
| @System@lutils@initialization\$qqrv | 3 |
| @System@lutils@Finalization\$qqrv | 3 |
| @System@lutils@TPath@\$bcctr\$qqrv | 3 |
| @System@lutils@TPath@\$bcdtr\$qqrv | 3 |
| @System@Inifiles@initialization\$qqrv | 3 |
| @System@Inifiles@Finalization\$qqrv | 3 |
| @System@Win@Registry@initialization\$qq | 3 |
| @System@Win@Registry@Finalization\$qqqr | 3 |
| @System@Win@Registry@TRegistry@\$bcc | 3 |
| @System@Win@Registry@TRegistry@\$bcd | 3 |

| | |
|--|---|
| @System@Uiconsts@Initialization\$qqrv | 3 |
| @System@Uiconsts@Finalization\$qqrv | 3 |
| @Vcl@Graphics@Initialization\$qqrv | 3 |
| @Vcl@Graphics@Finalization\$qqrv | 3 |
| @Vcl@Actnlist@Initialization\$qqrv | 3 |
| @Vcl@Actnlist@Finalization\$qqrv | 3 |
| @System@Helpintfs@Initialization\$qqrv | 3 |
| @System@Helpintfs@Finalization\$qqrv | 3 |
| @Winapi@Uxtheme@Initialization\$qqrv | 3 |
| @Winapi@Uxtheme@Finalization\$qqrv | 3 |
| @Vcl@Graphutil@Initialization\$qqrv | 3 |
| @Vcl@Graphutil@Finalization\$qqrv | 3 |
| @Vcl@StdCtrls@TStaticText@\$bcctr\$qqrv | 3 |
| @Vcl@StdCtrls@TListBox@\$bcctr\$qqrv | 3 |
| @Vcl@StdCtrls@TCheckBox@\$bcctr\$qqrv | 3 |
| @Vcl@StdCtrls@TButton@\$bcctr\$qqrv | 3 |
| @Vcl@StdCtrls@TComboBox@\$bcctr\$qqrv | 3 |
| @Vcl@StdCtrls@TMemo@\$bcctr\$qqrv | 3 |
| @Vcl@StdCtrls@TEdit@\$bcctr\$qqrv | 3 |
| @Vcl@StdCtrls@TGroupBox@\$bcctr\$qqrv | 3 |
| @Vcl@StdCtrls@TCustomStaticText@\$bcctr | 3 |
| @Vcl@StdCtrls@TScrollBar@\$bcctr\$qqrv | 3 |
| @Vcl@StdCtrls@TCustomListBox@\$bcctr\$qqrv | 3 |
| @Vcl@StdCtrls@TRadioButton@\$bcctr\$qqrv | 3 |
| @Vcl@StdCtrls@TCustomCheckBox@\$bcctr | 3 |
| @Vcl@StdCtrls@TCustomButton@\$bcctr\$qc | 3 |
| @Vcl@StdCtrls@TCustomComboBox@\$bcctr | 3 |
| @Vcl@StdCtrls@TCustomMemo@\$bcctr\$qc | 3 |
| @Vcl@StdCtrls@TCustomEdit@\$bcctr\$qqrv | 3 |
| @Vcl@StdCtrls@TCustomGroupBox@\$bcctr | 3 |
| @Vcl@StdCtrls@TStaticText@\$bcdtr\$qqrv | 3 |
| @Vcl@StdCtrls@TCustomStaticText@\$bcdtr | 3 |
| @Vcl@StdCtrls@TScrollBar@\$bcdtr\$qqrv | 3 |
| @Vcl@StdCtrls@TListBox@\$bcdtr\$qqrv | 3 |
| @Vcl@StdCtrls@TCustomListBox@\$bcdtr\$qq | 3 |
| @Vcl@StdCtrls@TRadioButton@\$bcdtr\$qqrv | 3 |
| @Vcl@StdCtrls@TCheckBox@\$bcdtr\$qqrv | 3 |
| @Vcl@StdCtrls@TCustomCheckBox@\$bcdtr | 3 |
| @Vcl@StdCtrls@TButton@\$bcdtr\$qqrv | 3 |
| @Vcl@StdCtrls@TCustomButton@\$bcdtr\$qc | 3 |
| @Vcl@StdCtrls@TComboBox@\$bcdtr\$qqrv | 3 |
| @Vcl@StdCtrls@TCustomComboBox@\$bcdt | 3 |
| @Vcl@StdCtrls@TMemo@\$bcdtr\$qqrv | 3 |
| @Vcl@StdCtrls@TCustomMemo@\$bcdtr\$qc | 3 |
| @Vcl@StdCtrls@TEdit@\$bcdtr\$qqrv | 3 |
| @Vcl@StdCtrls@TCustomEdit@\$bcdtr\$qqrv | 3 |
| @Vcl@StdCtrls@TGroupBox@\$bcdtr\$qqrv | 3 |

| | |
|---|---|
| @Vcl@Stdctrls@TCustomGroupBox@\$bcdtr | 3 |
| @System@Win@Comobj@initialization\$qqi | 3 |
| @System@Win@Comobj@Finalization\$qqri | 3 |
| @System@Win@Comobj@TComServerObj@ | 3 |
| @System@Win@Comobj@TComServerObj@ | 3 |
| @Vcl@Printers@initialization\$qqrv | 3 |
| @Vcl@Printers@Finalization\$qqrv | 3 |
| @Vcl@Clipbrd@initialization\$qqrv | 3 |
| @Vcl@Clipbrd@Finalization\$qqrv | 3 |
| @Vcl@Comctrls@initialization\$qqrv | 3 |
| @Vcl@Comctrls@Finalization\$qqrv | 3 |
| @Vcl@Comctrls@THeaderControl@\$bcctr\$qqi | 3 |
| @Vcl@Comctrls@TStatusBar@\$bcctr\$qqrv | 3 |
| @Vcl@Comctrls@TComboBoxEx@\$bcctr\$qqc | 3 |
| @Vcl@Comctrls@TCustomComboBoxEx@\$il | 3 |
| @Vcl@Comctrls@TPageScroller@\$bcctr\$qq | 3 |
| @Vcl@Comctrls@TDateTimePicker@\$bcctr\$qq | 3 |
| @Vcl@Comctrls@TCoolBar@\$bcctr\$qqrv | 3 |
| @Vcl@Comctrls@TToolBar@\$bcctr\$qqrv | 3 |
| @Vcl@Comctrls@TListView@\$bcctr\$qqrv | 3 |
| @Vcl@Comctrls@TCustomListView@\$bcctr\$qq | 3 |
| @Vcl@Comctrls@THotKey@\$bcctr\$qqrv | 3 |
| @Vcl@Comctrls@TCustomHotKey@\$bcctr\$qq | 3 |
| @Vcl@Comctrls@TUpDown@\$bcctr\$qqrv | 3 |
| @Vcl@Comctrls@TCustomUpDown@\$bcctr\$qq | 3 |
| @Vcl@Comctrls@TRichEdit@\$bcctr\$qqrv | 3 |
| @Vcl@Comctrls@TCustomRichEdit@\$bcctr\$qq | 3 |
| @Vcl@Comctrls@TProgressBar@\$bcctr\$qqr | 3 |
| @Vcl@Comctrls@TTrackBar@\$bcctr\$qqrv | 3 |
| @Vcl@Comctrls@TTreeView@\$bcctr\$qqrv | 3 |
| @Vcl@Comctrls@TCustomTreeView@\$bcctr\$qq | 3 |
| @Vcl@Comctrls@TCustomHeaderControl@ | 3 |
| @Vcl@Comctrls@TCustomStatusBar@\$bcctr\$qq | 3 |
| @Vcl@Comctrls@TTabControl@\$bcctr\$qqrv | 3 |
| @Vcl@Comctrls@TCustomTabControl@\$bcctr\$qq | 3 |
| @Vcl@Comctrls@TComboBoxEx@\$bcdtr\$qqi | 3 |
| @Vcl@Comctrls@TCustomComboBoxEx@\$il | 3 |
| @Vcl@Comctrls@TPageScroller@\$bcdtr\$qq | 3 |
| @Vcl@Comctrls@TDateTimePicker@\$bcdtr\$qq | 3 |
| @Vcl@Comctrls@TCoolBar@\$bcdtr\$qqrv | 3 |
| @Vcl@Comctrls@TToolBar@\$bcdtr\$qqrv | 3 |
| @Vcl@Comctrls@TListView@\$bcdtr\$qqrv | 3 |
| @Vcl@Comctrls@TCustomListView@\$bcdtr\$qq | 3 |
| @Vcl@Comctrls@THotKey@\$bcdtr\$qqrv | 3 |
| @Vcl@Comctrls@TCustomHotKey@\$bcdtr\$qq | 3 |
| @Vcl@Comctrls@TUpDown@\$bcdtr\$qqrv | 3 |
| @Vcl@Comctrls@TCustomUpDown@\$bcdtr\$qq | 3 |

| | |
|---|---|
| @Vcl@Comctrls@TRichEdit@\$bcdtr\$qqrv | 3 |
| @Vcl@Comctrls@TCustomRichEdit@\$bcdtr | 3 |
| @Vcl@Comctrls@TProgressBar@\$bcdtr\$qq | 3 |
| @Vcl@Comctrls@TTrackBar@\$bcdtr\$qqrv | 3 |
| @Vcl@Comctrls@TTreeView@\$bcdtr\$qqrv | 3 |
| @Vcl@Comctrls@TCustomTreeView@\$bcdt | 3 |
| @Vcl@Comctrls@THeaderControl@\$bcdtr\$ | 3 |
| @Vcl@Comctrls@TCustomHeaderControl@ | 3 |
| @Vcl@Comctrls@TStatusBar@\$bcdtr\$qqrv | 3 |
| @Vcl@Comctrls@TCustomStatusBar@\$bcdt | 3 |
| @Vcl@Comctrls@TTabControl@\$bcdtr\$qqr | 3 |
| @Vcl@Comctrls@TCustomTabControl@\$bc | 3 |
| @Vcl@Dialogs@initialization\$qqrv | 3 |
| @Vcl@Dialogs@Finalization\$qqrv | 3 |
| @Vcl@Extctrls@initialization\$qqrv | 3 |
| @Vcl@Extctrls@Finalization\$qqrv | 3 |
| @Vcl@Extctrls@TLinkLabel@\$bcctr\$qqrv | 3 |
| @Vcl@Extctrls@TCustomLinkLabel@\$bcc | 3 |
| @Vcl@Extctrls@TCategoryPanelGroup@\$bc | 3 |
| @Vcl@Extctrls@TCustomCategoryPanelGro | 3 |
| @Vcl@Extctrls@TLinkLabel@\$bcdtr\$qqrv | 3 |
| @Vcl@Extctrls@TCustomLinkLabel@\$bcdtr | 3 |
| @Vcl@Extctrls@TCategoryPanelGroup@\$bc | 3 |
| @Vcl@Extctrls@TCustomCategoryPanelGro | 3 |
| @Vcl@Themes@initialization\$qqrv | 3 |
| @Vcl@Themes@Finalization\$qqrv | 3 |
| @Vcl@Themes@TCustomStyleEngine@\$bcc | 3 |
| @Vcl@Themes@TCustomStyleEngine@\$bcc | 3 |
| @Winapi@Flatsb@initialization\$qqrv | 3 |
| @Winapi@Flatsb@Finalization\$qqrv | 3 |
| @Vcl@Forms@initialization\$qqrv | 3 |
| @Vcl@Forms@Finalization\$qqrv | 3 |
| @Vcl@Forms@TForm@\$bcctr\$qqrv | 3 |
| @Vcl@Forms@TCustomForm@\$bcctr\$qqrv | 3 |
| @Vcl@Forms@TScrollBox@\$bcctr\$qqrv | 3 |
| @Vcl@Forms@TForm@\$bcdtr\$qqrv | 3 |
| @Vcl@Forms@TCustomForm@\$bcdtr\$qqrv | 3 |
| @Vcl@Forms@TScrollBox@\$bcdtr\$qqrv | 3 |
| @Vcl@Menus@initialization\$qqrv | 3 |
| @Vcl@Menus@Finalization\$qqrv | 3 |
| @Vcl@Controls@initialization\$qqrv | 3 |
| @Vcl@Controls@Finalization\$qqrv | 3 |
| @Vcl@Captioneddocktree@initialization\$qc | 3 |
| @Vcl@Captioneddocktree@Finalization\$qq | 3 |
| @Vcl@Tabs@initialization\$qqrv | 3 |
| @Vcl@Tabs@Finalization\$qqrv | 3 |
| @Vcl@Docktabset@initialization\$qqrv | 3 |

| | |
|---|---|
| @Vcl@Docktabset@Finalization\$qqrv | 3 |
| @Percentagedocktree@initialization\$qqrv | 3 |
| @Percentagedocktree@Finalization\$qqrv | 3 |
| @Vcl@Buttons@initialization\$qqrv | 3 |
| @Vcl@Buttons@Finalization\$qqrv | 3 |
| @Vcl@Extdlgs@initialization\$qqrv | 3 |
| @Vcl@Extdlgs@Finalization\$qqrv | 3 |
| @Winapi@Mapi@initialization\$qqrv | 3 |
| @Winapi@Mapi@Finalization\$qqrv | 3 |
| @Vcl@Exactnts@initialization\$qqrv | 3 |
| @Vcl@Exactnts@Finalization\$qqrv | 3 |
| @Vcl@Actnmenus@initialization\$qqrv | 3 |
| @Vcl@Actnmenus@Finalization\$qqrv | 3 |
| @Vcl@Actnman@initialization\$qqrv | 3 |
| @Vcl@Actnman@Finalization\$qqrv | 3 |
| @Vcl@Platformdefaultstyleactnctrls@initialization\$qqrv | 3 |
| @Vcl@Platformdefaultstyleactnctrls@Finalization\$qqrv | 3 |
| @Xml@Win@Msxmldom@initialization\$qqrv | 3 |
| @Xml@Win@Msxmldom@Finalization\$qqrv | 3 |
| @Xml@Xmldom@initialization\$qqrv | 3 |
| @Xml@Xmldom@Finalization\$qqrv | 3 |
| @Xml@Xmlintf@initialization\$qqrv | 3 |
| @Xml@Xmlintf@Finalization\$qqrv | 3 |
| @Designeditors@TComponentEditor@Copy | 3 |
| @Designeditors@TComponentEditor@GetD | 3 |
| @Designeditors@TComponentEditor@Edit\$ | 3 |
| @\$xp\$30Designeditors@TComponentEditor | 3 |
| @Designeditors@TComponentEditor@ | 3 |
| @Vcl@Imaging@Jpeg@initialization\$qqrv | 3 |
| @Vcl@Imaging@Jpeg@Finalization\$qqrv | 3 |
| @Vcl@Imaging@Pngimage@initialization\$qqrv | 3 |
| @Vcl@Imaging@Pngimage@Finalization\$qqrv | 3 |
| @Fs_iinrtti@initialization\$qqrv | 3 |
| @Vcl@Checklst@TCheckListBox@\$bcctr\$qq | 3 |
| @Vcl@Checklst@TCheckListBox@\$bcdtr\$qc | 3 |
| UtilBuildFont | 3 |
| UtilSetBackground | 3 |
| ?circle@cv@@YAXAAVMat@1@V?\$Point_< | 3 |
| ?waitKey@cv@@YAH@Z | 3 |
| ?GetFILETIME@CAllocStorageVariant@@QB | 3 |
| GdipScaleMatrix | 3 |
| CEAD90BF | 3 |
| CtfImmHideToolbarWnd | 3 |
| CtfImmLastEnabledWndDestroy | 3 |
| ?BucketSizes@CLKRHashTableStats@@SGPE | 3 |
| ?encoding@codecvt_base@std@@QBEHZ | 3 |
| ?_Init@?\$time_get@DV?\$istreambuf_iterat | 3 |

| | |
|---|---|
| ??4?\$complex@N@std@@QAEAAV01@ABV02@ | 3 |
| ?imbue@?\$basic_ios@GU?\$char_traits@G@ | 3 |
| ?sync@?\$basic_filebuf@DU?\$char_traits@L@ | 3 |
| ??0?\$basic_ios@DU?\$char_traits@D@std@ | 3 |
| ??0overflow_error@std@@QAE@ABV01@() | 3 |
| ?infinity@?\$numeric_limits@H@std@@SAI | 3 |
| ?_Ifmt@?\$num_put@DV?\$ostreambuf_iter: | 3 |
| I_RpcBindingInqWireIdForSnego | 3 |
| NdrFullPointerInsertRefId | 3 |
| NdrXmitOrRepAsMarshall | 3 |
| ?AcquireRead@CPropertyStore@@AAEXAA' | 3 |
| ??0CCategorizationSet@@QAE@I@Z | 3 |
| ??Pstd@@YA_NABV?\$basic_string@GU?\$char_traits@C@std@@@6B@ | 3 |
| ??4?\$basic_iostream@DU?\$char_traits@D@std@ | 3 |
| gimp_rgb_get_uchar | 3 |
| RegisterGadgetMessageString | 3 |
| DUserGetRectPRID | 3 |
| GetGadgetMessageFilter | 3 |
| AtlIPersistStreamInit_Save | 3 |
| ThunkConnect32 | 3 |
| Cla\$ADDqueue | 3 |
| Cla\$DecDivide | 3 |
| Cla\$DecMul | 3 |
| Cla\$DecSub | 3 |
| Cla\$DISABLE | 3 |
| Cla\$ENABLE | 3 |
| Cla\$FIELD | 3 |
| Cla\$FILEERRORMSG | 3 |
| Cla\$FILE_DELETE | 3 |
| Cla\$FILE_OPEN | 3 |
| Cla\$FILE_SETkk | 3 |
| Cla\$FILE_SET_PROPERTY | 3 |
| Cla\$FREEqueue | 3 |
| Cla\$GETqueueptr | 3 |
| Cla\$PopBind | 3 |
| Cla\$PopReal | 3 |
| Cla\$PushPictLong | 3 |
| Cla\$PushReal | 3 |
| Cla\$RECORDSqueue | 3 |
| Cla\$SETCURSOR | 3 |
| Cla\$SORTqueuekey | 3 |
| Cla\$StackLEFT | 3 |
| Cla\$StackLen | 3 |
| Cla\$STACKpop | 3 |
| Cla\$UNHIDE | 3 |
| \$GLOBALREQUEST | 3 |

| | |
|--|---|
| \$GLOBALRESPONSE | 3 |
| \$VCRREQUEST | 3 |
| ADDITEM@F13WINDOWMANAGER12TOOLE | 3 |
| ASK@F13WINDOWMANAGER | 3 |
| INIT@F13WINDOWMANAGER | 3 |
| KILL@F13WINDOWMANAGER | 3 |
| KILL@F8INICLASS | 3 |
| OPEN@F13WINDOWMANAGER | 3 |
| PRIMEFIELDS@F13WINDOWMANAGER | 3 |
| PRIMEUPDATE@F13WINDOWMANAGER | 3 |
| RESET@F13WINDOWMANAGERUc | 3 |
| RESTOREFIELD@F13WINDOWMANAGERI | 3 |
| RUN@F13WINDOWMANAGER | 3 |
| RUN@F13WINDOWMANAGERUsUc | 3 |
| SETALERTS@F13WINDOWMANAGER | 3 |
| SETPROCEDURENAME@F10ERRORCLASSOsks | 3 |
| SETRESPONSE@F13WINDOWMANAGERUc | 3 |
| TAKEACCEPTED@F13WINDOWMANAGER | 3 |
| TAKECLOSEEVENT@F13WINDOWMANAGER | 3 |
| TAKECOMPLETED@F13WINDOWMANAGER | 3 |
| TAKEEVENT@F13WINDOWMANAGER | 3 |
| TAKEFIELDVENT@F13WINDOWMANAGER | 3 |
| TAKENEWSELECTION@F13WINDOWMANAG | 3 |
| TAKEREJECTED@F13WINDOWMANAGER | 3 |
| TAKESELECTED@F13WINDOWMANAGER | 3 |
| TAKEWINDOWEVENT@F13WINDOWMANAC | 3 |
| TYPE\$TOOLBARCLASS | 3 |
| UPDATE@F13WINDOWMANAGER | 3 |
| VMT\$ERRORCLASS | 3 |
| VMT\$INICLASS | 3 |
| VMT\$TOOLBARCLASS | 3 |
| @Classes@EInvalidOperation@ | 3 |
| @Sysutils@FileWrite\$qqripvui | 3 |
| @Sysutils@CompareStr\$qqrx17System@An | 3 |
| @Graphics@TPicture@LoadFromFile\$qqrx1 | 3 |
| @Graphics@TPicture@GetIcon\$qqrv | 3 |
| @Controls@THintWindow@\$bctr\$qqrp18CI | 3 |
| @Comctrls@TProgressBar@GetMax\$qqrv | 3 |
| @Gifimage@initialization\$qqrv | 3 |
| @Gifimage@Finalization\$qqrv | 3 |
| @Tubutton@initialization\$qqrv | 3 |
| @Tubutton@Finalization\$qqrv | 3 |
| @Uicons@CreateSystemImageList\$qqro | 3 |
| PRImplodeTime | 3 |
| JULIANDATE | 3 |
| rtcDDB | 3 |
| rtcRate | 3 |

| | |
|--|---|
| ??0QVariant@@QAE@ABVQStringList@@@ | 3 |
| ?inherits@QObject@@QBE_NPBD@Z | 3 |
| ?HanAuthGetServiceTypeCode@@YGHPADF | 3 |
| Tcl_GetIntFromObj | 3 |
| TclGetString | 3 |
| Tcl_UnsetVar | 3 |
| Tcl_CreateSlave | 3 |
| DelayExecutionTh | 3 |
| buf32GetBuf | 3 |
| mem32Fill | 3 |
| rtcVarBstrFromChar | 3 |
| _ZNsolsEPFRSoS_E | 3 |
| AvRevertMmThreadCharacteristics | 3 |
| NdisCopyFromPacketToPacket | 3 |
| ?GetPlottersDirectory@@YA?AV?\$CStringT@ | 3 |
| SetAppKeyFromPlotterWizardOnly | 3 |
| ??H@YA?AVHT_String@@ABV0@0@Z | 3 |
| ?Format@HT_String@@QAAHPB_WZZ | 3 |
| ??0HT_Std_System_IO_Capabilities@@QAE | 3 |
| ?deletePath@PM_Object@@QAEXPB_W@Z | 3 |
| ?extract_compound_str_ex@@YA_NPB_WA | 3 |
| ?nextNode@PM_Iterator@@QAEPB_WAAV | 3 |
| ?newIterator@PM_Object@@QBEPAVPM_I | 3 |
| ?load@PM_Object@@QAEXPB_WW4FileTy | 3 |
| ??0PM_Object@@QAE@PAVHT_Error_Hand | 3 |
| ?GetProperty@PM_Object@@QBE_NPB_W | 3 |
| ?getPropertySize@PM_Object@@QBEIPB_V | 3 |
| ??1PM_Object@@UAE@XZ | 3 |
| ?load_DEVMODE@HT_Plot_Config_Manage | 3 |
| ?save_pc3@HT_Plot_Config_Manager@@Q | 3 |
| ?config_to_pm3@HT_Plot_Config_Manager | 3 |
| ?driver_tag_line@HT_Plot_Config_Manager | 3 |
| ?pm3_to_config@HT_Plot_Config_Manager | 3 |
| ?load_drc@HT_Plot_Config_Manager@@Q | 3 |
| ??0CPortListCtrl@@QAE@XZ | 3 |
| ??0CLPTConfigDlg@@QAE@PAVCWnd@@@C | 3 |
| ?Initialize@CCOMConfigDlg@@QAE_NV?\$H | 3 |
| ?Initialize@CPortListCtrl@@QAE_NV?\$HT_S | 3 |
| ??1CPortListCtrl@@UAE@XZ | 3 |
| ??0CCOMConfigDlg@@QAE@PAVCWnd@@ | 3 |
| PC3EditEx | 3 |
| PlotterCalibrationWizard | 3 |
| ?sputn@\$basic_streambuf@_WU?\$char_t@ | 3 |
| ??6?\$basic_ostream@_WU?\$char_traits@_ | 3 |
| main_ | 3 |
| _QWidgetList_first | 3 |
| _QWidgetList_current | 3 |

| | |
|---------------------------------------|---|
| _QWidgetList_count | 3 |
| _QWidgetList_destroy | 3 |
| _QEvent_isQCustomEvent | 3 |
| _QByteArray_destroy | 3 |
| _QByteArray_create | 3 |
| _QApp_created | 3 |
| _QClxWidget_MaxWidgetSize | 3 |
| _Qt_hook_events | 3 |
| _QWorkspace_hook_hook_windowActivate | 3 |
| _QWorkspace_hook_create | 3 |
| _QWorkspace_hook_destroy | 3 |
| _QTimer_hook_hook_timeout | 3 |
| _QTimer_hook_create | 3 |
| _QScrollBar_hook_create | 3 |
| _QScrollBar_hook_destroy | 3 |
| _QPopupMenu_hook_hook_aboutToShow | 3 |
| _QPopupMenu_hook_hook_highlighted | 3 |
| _QPopupMenu_hook_hook_activated | 3 |
| _QPopupMenu_hook_create | 3 |
| _QScrollView_hook_hook_contentsMoving | 3 |
| _QScrollView_hook_create | 3 |
| _QMenuBar_hook_hook_highlighted | 3 |
| _QMenuBar_hook_hook_activated | 3 |
| _QMenuBar_hook_create | 3 |
| _QWidget_hook_create | 3 |
| _QWidget_hook_destroy | 3 |
| _QObject_hook_hook_destroyed | 3 |
| _QObject_hook_create | 3 |
| _QObject_hook_destroy | 3 |
| _QOpenScrollView_setMargins | 3 |
| _QOpenScrollView_create | 3 |
| _QClxStyle_refresh | 3 |
| _QClxStyle_create2 | 3 |
| _QClxStyle_create | 3 |
| _QClxStyleHooks_hook_StyleDestroyed | 3 |
| _QClxStyleHooks_create | 3 |
| _QClxMimeSource_addFormat | 3 |
| _QClxDragObject_create | 3 |
| _QOpenWidget_updateMask | 3 |
| _QOpenWidget_clearWFlags | 3 |
| _QOpenWidget_setWFlags | 3 |
| _QOpenWidget_getWFlags | 3 |
| _QOpenWidget_clearWState | 3 |
| _QOpenWidget_setWState | 3 |
| _QOpenWidget_keyReleaseEvent | 3 |
| _QOpenWidget_keyPressEvent | 3 |
| _QClxDrawUtil_FadeEffect | 3 |

| | |
|----------------------------------|---|
| _QClxDrawUtil_ScrollEffect | 3 |
| _QClxIODevice_hook_progress | 3 |
| _QClxIODevice_create | 3 |
| _QClxObjectMap_find | 3 |
| _QClxObjectMap_remove | 3 |
| _QClxObjectMap_add | 3 |
| _QWMatrix_create2 | 3 |
| _QWMatrix_destroy | 3 |
| _QPixmapCache_clear | 3 |
| _QPaintDeviceMetrics_logicalDpiY | 3 |
| _QPaintDeviceMetrics_create | 3 |
| _QPaintDeviceMetrics_destroy | 3 |
| _QWindowsMime_registerMimeType | 3 |
| _QMimeSource_encodedData | 3 |
| _QMimeSource_provides | 3 |
| _QMenuData_findItem | 3 |
| _QMenuData_setItemChecked | 3 |
| _QMenuData_setItemEnabled | 3 |
| _QMenuData_changeItem3 | 3 |
| _QMenuData_changeItem | 3 |
| _QMenuData_iconSet | 3 |
| _QMenuData_setAccel | 3 |
| _QMenuData_removeItem | 3 |
| _QMenuData_insertSeparator | 3 |
| _QMenuData_insertItem7 | 3 |
| _QMenuData_insertItem5 | 3 |
| _QIODevice_readAll | 3 |
| _QIODevice_writeBlock2 | 3 |
| _QIODevice_destroy | 3 |
| _QFontMetrics_boundingRect3 | 3 |
| _QFontMetrics_create | 3 |
| _QFontMetrics_destroy | 3 |
| _QCursor_pos | 3 |
| _QCursor_destroy | 3 |
| _QCursor_hotSpot | 3 |
| _QCursor_bitmap | 3 |
| _QCursor_create3 | 3 |
| _QCursor_create2 | 3 |
| _QBitmap_create6 | 3 |
| _QBitmap_create4 | 3 |
| _QBitmap_create2 | 3 |
| _QBitmap_create | 3 |
| _QBitmap_destroy | 3 |
| _QWorkspace_activeWindow | 3 |
| _QWorkspace_create | 3 |
| _QTimer_stop | 3 |
| _QTimer_changeInterval | 3 |

| | |
|------------------------------|---|
| _QTimer_start | 3 |
| _QTimer_create | 3 |
| _QWindowsStyle_create | 3 |
| _QSizeGrip_create | 3 |
| _QScrollBarSetValue | 3 |
| _QScrollBar_setLineStep | 3 |
| _QScrollBar_setTracking | 3 |
| _QPopupMenu_to_QMenuData | 3 |
| _QPopupMenu_popup | 3 |
| _QPopupMenu_create | 3 |
| _QPenSetColor | 3 |
| _QPen_setWidth | 3 |
| _QPen_width | 3 |
| _QPen_setStyle | 3 |
| _QPen_style | 3 |
| _QPen_create | 3 |
| _QPen_destroy | 3 |
| _QPainter_boundingRect2 | 3 |
| _QPainter_drawText4 | 3 |
| _QPainter_fillRect2 | 3 |
| _QPainter_drawTiledPixmap | 3 |
| _QPainter_drawPixmap | 3 |
| _QPainter_drawRect2 | 3 |
| _QPainter_moveTo | 3 |
| _QPainter_setClipRegion | 3 |
| _QPainter_setClipRect2 | 3 |
| _QPainter_translate | 3 |
| _QPainter_restoreWorldMatrix | 3 |
| _QPainter_saveWorldMatrix | 3 |
| _QPainter_setWorldMatrix | 3 |
| _QPainter_setRasterOp | 3 |
| _QPainter_setBrush | 3 |
| _QPainter_setPen | 3 |
| _QPainterSetFont | 3 |
| _QPainter_isActive | 3 |
| _QPainter_end | 3 |
| _QPainter_begin | 3 |
| _QPainter_create3 | 3 |
| _QPainter_create | 3 |
| _QPainter_destroy | 3 |
| _QColorDialog_customCount | 3 |
| _QBrush_setPixmap | 3 |
| _QBrushSetColor | 3 |
| _QBrush_setStyle | 3 |
| _QBrush_style | 3 |
| _QBrush_create5 | 3 |
| _QBrush_create4 | 3 |

| | |
|---------------------------|---|
| _QBrush_create3 | 3 |
| _QBrush_create | 3 |
| _QBrush_destroy | 3 |
| _QObject_isWidgetType | 3 |
| _QObject_inherits | 3 |
| _QObject_event | 3 |
| _QObject_destroy | 3 |
| _QRegion_subtract | 3 |
| _QRegion_intersect | 3 |
| _QRegion_isEmpty | 3 |
| _QRegion_create3 | 3 |
| _QRegion_destroy | 3 |
| _QPixmap_isQBitmap | 3 |
| _QPixmap_convertFromImage | 3 |
| _QPixmap_convertToImage | 3 |
| _QPixmap_setMask | 3 |
| _QPixmap_mask | 3 |
| _QPixmap_resize | 3 |
| _QPixmap_defaultDepth | 3 |
| _QPixmap_depth | 3 |
| _QPixmap_height | 3 |
| _QPixmap_width | 3 |
| _QPixmap_isNull | 3 |
| _QPixmap_create8 | 3 |
| _QPixmap_create2 | 3 |
| _QPixmap_create | 3 |
| _QPixmap_destroy | 3 |
| _QPalette_inactive | 3 |
| _QPalette_disabled | 3 |
| _QPalette_active | 3 |
| _QPalette_brush | 3 |
| _QPalette_color | 3 |
| _QPalette_create4 | 3 |
| _QPalette_create2 | 3 |
| _QPalette_create | 3 |
| _QPalette_destroy | 3 |
| _QColorGroup_setBrush | 3 |
| _QColorGroupSetColor | 3 |
| _QColorGroup_create4 | 3 |
| _QColorGroup_destroy | 3 |
| _QIconSet_pixmap2 | 3 |
| _QIconSet_create2 | 3 |
| _QIconSet_destroy | 3 |
| _QImageIO_imageFormat2 | 3 |
| _QImageIO_write | 3 |
| _QImageIO_read | 3 |
| _QImageIO_setFormat | 3 |

| | |
|-------------------------|---|
| _QImageIO_setImage | 3 |
| _QImageIO_image | 3 |
| _QImageIO_create2 | 3 |
| _QImageIO_destroy | 3 |
| _QImage_pixel | 3 |
| _QImage_convertDepth | 3 |
| _QImage_fill | 3 |
| _QImage_colorTable | 3 |
| _QImage_scanLine | 3 |
| _QImageSetColor | 3 |
| _QImage_bitOrder | 3 |
| _QImage_depth | 3 |
| _QImage_height | 3 |
| _QImage_width | 3 |
| _QImage_isNull | 3 |
| _QImage_create9 | 3 |
| _QImage_create2 | 3 |
| _QImage_create | 3 |
| _QImage_destroy | 3 |
| _QFont_charSetForLocale | 3 |
| _QFont_setCharSet | 3 |
| _QFont_setFixedPitch | 3 |
| _QFont_fixedPitch | 3 |
| _QFont_setStrikeOut | 3 |
| _QFont_strikeOut | 3 |
| _QFont_setUnderline | 3 |
| _QFont_underline | 3 |
| _QFont_setItalic | 3 |
| _QFont_italic | 3 |
| _QFont_setBold | 3 |
| _QFont_bold | 3 |
| _QFont_setWeight | 3 |
| _QFont_weight | 3 |
| _QFont_setPixelSize | 3 |
| _QFont_pixelSize | 3 |
| _QFont_setPointSize | 3 |
| _QFont_pointSize | 3 |
| _QFont_setFamily | 3 |
| _QFont_family | 3 |
| _QFont_create | 3 |
| _QFont_destroy | 3 |
| _QColor_blue | 3 |
| _QColor_green | 3 |
| _QColor_red | 3 |
| _QColor_rgb2 | 3 |
| _QColor_create7 | 3 |
| _QColor_create2 | 3 |

| | |
|----------------------------------|---|
| _QColor_destroy | 3 |
| _QScrollView_resizeContents | 3 |
| _QScrollView_contentsToViewport2 | 3 |
| _QScrollView_viewport | 3 |
| _QScrollView_verticalScrollBar | 3 |
| _QScrollView_horizontalScrollBar | 3 |
| _QScrollView_setCornerWidget | 3 |
| _QScrollView_setHScrollBarMode | 3 |
| _QScrollView_setVScrollBarMode | 3 |
| _QScrollViewaddChild | 3 |
| _QScrollViewremoveChild | 3 |
| _QScrollView_setResizePolicy | 3 |
| _QMessageBox_critical | 3 |
| _QMessageBox_warning | 3 |
| _QMessageBox_information | 3 |
| _QMenuBar_to_QMenuData | 3 |
| _QMenuBar_activateItemAt | 3 |
| _QMenuBar_create | 3 |
| _QFrame_setMidLineWidth | 3 |
| _QFrame_midLineWidth | 3 |
| _QFrame_setLineWidth | 3 |
| _QFrame_lineWidth | 3 |
| _QFrame_frameWidth | 3 |
| _QFrame_setFrameStyle | 3 |
| _QFrame_create | 3 |
| _QCustomEvent_data | 3 |
| _QCustomEvent_create2 | 3 |
| _QCustomEvent_destroy | 3 |
| _QDragResponseEvent_dragAccepted | 3 |
| _QDropEvent_accept | 3 |
| _QPaintEvent_region | 3 |
| _QPaintEvent_create | 3 |
| _QPaintEvent_destroy | 3 |
| _QKeyEvent_accept | 3 |
| _QKeyEvent_count | 3 |
| _QKeyEvent_isAutoRepeat | 3 |
| _QKeyEvent_text | 3 |
| _QKeyEvent_stateAfter | 3 |
| _QKeyEvent_state | 3 |
| _QKeyEvent_ascii | 3 |
| _QKeyEvent_key | 3 |
| _QKeyEvent_create | 3 |
| _QKeyEvent_destroy | 3 |
| _QWheelEvent_accept | 3 |
| _QWheelEvent_state | 3 |
| _QWheelEvent_globalPos | 3 |
| _QWheelEvent_delta | 3 |

| | |
|---------------------------------------|---|
| _QMouseEvent_state | 3 |
| _QMouseEvent_button | 3 |
| _QMouseEvent_y | 3 |
| _QMouseEvent_x | 3 |
| _QMouseEvent_create | 3 |
| _QEvent_type | 3 |
| _QDragObject_setPixmap2 | 3 |
| _QDragObject_setPixmap | 3 |
| _QDragObject_drag | 3 |
| _QApplication_quit | 3 |
| _QApplication_setStartDragDistance | 3 |
| _QApplication_setStartDragTime | 3 |
| _QApplication_setDesktopSettingsAware | 3 |
| _QApplication_postEvent | 3 |
| _QApplication_sendEvent | 3 |
| _QApplication_exit_loop | 3 |
| _QApplication_enter_loop | 3 |
| _QApplication_focusWidget | 3 |
| _QApplication_desktop | 3 |
| _QApplication_topLevelWidgets | 3 |
| _QApplicationSetFont | 3 |
| _QApplication_setPalette | 3 |
| _QApplication_palette | 3 |
| _QApplication_setGlobalMouseTracking | 3 |
| _QApplication_restoreOverrideCursor | 3 |
| _QApplication_setOverrideCursor | 3 |
| _QApplication_setStyle | 3 |
| _QWidget_to_QPaintDevice | 3 |
| _QWidget_setFont2 | 3 |
| _QWidget_setPalette2 | 3 |
| _QWidget_find | 3 |
| _QWidget_testWFlags | 3 |
| _QWidget_testWState | 3 |
| _QWidget_setAutoMask | 3 |
| _QWidget_setAcceptDrops | 3 |
| _QWidget_scroll | 3 |
| _QWidget_erase3 | 3 |
| _QWidget_reparent2 | 3 |
| _QWidget_reparent | 3 |
| _QWidget_sizeHint | 3 |
| _QWidget_isMinimized | 3 |
| _QWidget_isVisible | 3 |
| _QWidget_setGeometry2 | 3 |
| _QWidget_setGeometry | 3 |
| _QWidget_resize2 | 3 |
| _QWidget_stackUnder | 3 |
| _QWidget_lower | 3 |

| | |
|-----------------------------|---|
| _QWidget_raise | 3 |
| _QWidget_showNormal | 3 |
| _QWidget_showMaximized | 3 |
| _QWidget_showMinimized | 3 |
| _QWidget_hide | 3 |
| _QWidget_show | 3 |
| _QWidget_repaint | 3 |
| _QWidget_update3 | 3 |
| _QWidget_update | 3 |
| _QWidget_keyboardGrabber | 3 |
| _QWidget_mouseGrabber | 3 |
| _QWidget_releaseKeyboard | 3 |
| _QWidget_releaseMouse | 3 |
| _QWidget_grabMouse | 3 |
| _QWidget_setFocusProxy | 3 |
| _QWidget_hasFocus | 3 |
| _QWidget_setFocusPolicy | 3 |
| _QWidget_setActiveWindow | 3 |
| _QWidget_setFocus | 3 |
| _QWidget_setMouseTracking | 3 |
| _QWidget_setIcon | 3 |
| _QWidget_setCaption | 3 |
| _QWidget_clearMask | 3 |
| _QWidget_setMask | 3 |
| _QWidget_caption | 3 |
| _QWidget_setCursor | 3 |
| _QWidget_palette | 3 |
| _QWidget_setBackgroundColor | 3 |
| _QWidget_setBackgroundMode | 3 |
| _QWidget_mapFromGlobal | 3 |
| _QWidget_mapToGlobal | 3 |
| _QWidget_setMaximumHeight | 3 |
| _QWidget_setMaximumWidth | 3 |
| _QWidget_setMinimumHeight | 3 |
| _QWidget_setMinimumWidth | 3 |
| _QWidget_height | 3 |
| _QWidget_width | 3 |
| _QWidget_pos | 3 |
| _QWidget_geometry | 3 |
| _QWidget_frameGeometry | 3 |
| _QWidget_setEnabled | 3 |
| _QWidget_isEnabled | 3 |
| _QWidget_isTopLevel | 3 |
| _QWidget_setStyle | 3 |
| _QWidget_winId | 3 |
| _QWidget_create | 3 |
| _QWidget_destroy | 3 |

| | |
|---|---|
| _QClxApplication_destroy | 3 |
| _QClxApplication_create | 3 |
| RelinquishUniqueFileResource | 3 |
| I_RpcConnectionSetSockBuffSize | 3 |
| ?sqrt@?\$_Ctr@N@std@@SANN@Z | 3 |
| ?close@?\$basic_fstream@GU?\$char_traits@C@? | 3 |
| ??5std@@YAAV?\$basic_istream@GU?\$char_traits@C@? | 3 |
| _tcstok | 3 |
| ?precision@ios_base@std@@QBEHZ | 3 |
| GetFileInformationByHandleEx | 3 |
| CreateVssExamineWriterMetadataInternal | 3 |
| CreateXmlReaderInputWithEncodingName | 3 |
| _strrchr | 3 |
| glsGetCurrentTime | 3 |
| glsCallArrayInContext | 3 |
| ??_F?\$basic_stringbuf@DU?\$char_traits@D@std@? | 3 |
| ?denorm_min@?\$numeric_limits@K@std@? | 3 |
| ??0?\$time_get@DV?\$istreambuf_iterator@K@std@? | 3 |
| EccCloseAPI | 3 |
| EccOpenAPI | 3 |
| EccFreePECCCONNECTINFO | 3 |
| EccEnumConnectInfo | 3 |
| EccGetConnectInfo | 3 |
| _FreeImage_Load@12 | 3 |
| ?Strcmpis@WSTRING@@SGHPAGO@Z | 3 |
| ?Put@LIST@@UAEEPAVOBJECT@@@Z | 3 |
| ?SkipWhite@WSTRING@@SGPAGPAG@Z | 3 |
| ?DoNotRestoreConsoleMode@KEYBOARD@? | 3 |
| ?Replace@WSTRING@@QAEEKPBV1@KK@? | 3 |
| ?Sort@STRING_ARRAY@@UAEEE@Z | 3 |
| ?IsSameClass@OBJECT@@QBEEPBV1@?Z | 3 |
| ?Strspn@WSTRING@@QBEPBV1@K@Z | 3 |
| Dns_CreateSocketEx | 3 |
| DnsIpv6AddressToString | 3 |
| GetTaskVisibleWindow | 3 |
| estr_StringListDelete | 3 |
| estr_Duplicate | 3 |
| eint_InitToolkit | 3 |
| eerr_CreateErrorReport | 3 |
| eerr_PrintErrorReport | 3 |
| esmg_ProcessExit | 3 |
| emsc_HeapMalloc | 3 |
| emsc_HeapFree | 3 |
| esec_CheckSecurity | 3 |
| eerr_DeleteErrorReportEx | 3 |
| estr_StringListCreate | 3 |
| esmg_ProcessInit | 3 |

| | |
|--|---|
| esmg_ComLineArgsGet | 3 |
| esmg_ApplicationInit | 3 |
| esmg_OSVersioCheck | 3 |
| ogg_sync_reset | 3 |
| ogg_sync_pageseek | 3 |
| ogg_page_bos | 3 |
| ogg_stream_reset | 3 |
| ogg_page_continued | 3 |
| vorbis_comment_clear | 3 |
| vorbis_info_clear | 3 |
| vorbis_dsp_clear | 3 |
| vorbis_block_clear | 3 |
| vorbis_synthesis_headerin | 3 |
| vorbis_synthesis_read | 3 |
| vorbis_synthesis_pcmout | 3 |
| vorbis_synthesis_blockin | 3 |
| vorbis_block_init | 3 |
| vorbis_synthesis_init | 3 |
| vorbis_synthesis | 3 |
| vorbis_comment_init | 3 |
| ?GetMemoryUsage@Sys@Util@@YAXAAK0 | 3 |
| ?AddIdleCallback@Window@Util@@YAJPA' | 3 |
| ?NotifyIdle@Window@Util@@YAJXZ | 3 |
| ?AddFmtString@TXStringBundle@@YAXABV | 3 |
| ?GetSession@TXLog@@YAKXZ | 3 |
| ?Init@Version@@YAHXZ | 3 |
| ?GetUserDataSaveSetting@Sys@Util@@YAI | 3 |
| ?GetGlobalSysDir@Sys@Util@@YA?AVCTXS | 3 |
| ?GetBuildVer@Version@@YAKXZ | 3 |
| ??0CSDaTeTime@@QAE@ABV0@@Z | 3 |
| ?OnInitDialog@CSDialog@@MAEHXZ | 3 |
| ??9CSDaTeTime@@QBEHABV0@@Z | 3 |
| ?GetSQLTimeStampFilterString@CSDateTim | 3 |
| ?GetSetItemDataIndirect@CSListView@@Q | 3 |
| ?AddItemIndirect@CSListView@@QAEKHPE | 3 |
| ?Open@CSRecordset@@UAEHIPBDK@Z | 3 |
| ?Close@CSRecordset@@UAEXXZ | 3 |
| ?GetPayrollDatabase@CApUtil@@SAPAVC | 3 |
| ldap_get_valuesW | 3 |
| ldapMapErrorToWin32 | 3 |
| ldap_get_optionW | 3 |
| CloseNWNBPerformanceData | 3 |
| CloseNbfPerformanceData | 3 |
| CollectSPXPerformanceData | 3 |
| OpenSPXPerformanceData | 3 |
| CollectDhcpPerformanceData | 3 |
| OpenNbfPerformanceData | 3 |

| | |
|--|---|
| OpenTcpIpPerformanceData | 3 |
| OpenNWNBPerformanceData | 3 |
| CollectTcpIpPerformanceData | 3 |
| OpenIPXPerformanceData | 3 |
| CloseTcpIpPerformanceData | 3 |
| OpenDhcpPerformanceData | 3 |
| ??6?\$basic_ostream@_WU?\$char_traits@_Z12kDebugStream9QtMsgTypeiPKciS1_ | 3 |
| ?getContentProviderInterface@ContentBroker | 3 |
| ?IsSubPath@UCBContentHelper@util@@SAEAAQ | 3 |
| ??0IInputStreamHelper@util@@QAE@ABV | 3 |
| ?acquire@IInputStreamHelper@util@@UAZ | 3 |
| ?release@IInputStreamHelper@util@@UAZ | 3 |
| ??1IInputStreamHelper@util@@UAE@XZ | 3 |
| ?typeConvert@util@@YAXABUDateTime@u | 3 |
| ?GetUILocaleDataWrapper@AllSettings@@I | 3 |
| ??0Window@@QAE@PAV0@ABVResId@@A | 3 |
| ?SetCurPageId@TabControl@@QAEXG@Z | 3 |
| ?SetTabPage@TabControl@@QAEXGPAVTa | 3 |
| ??0TabControl@@QAE@PAVWindow@@A | 3 |
| ??0TabDialog@@QAE@PAVWindow@@ABV | 3 |
| ?Paint@FixedImage@@UAEXABVRectangle | 3 |
| ?Draw@FixedImage@@UAEXPAVOutputDe | 3 |
| ?Resize@FixedImage@@UAEXXZ | 3 |
| ?StateChanged@FixedImage@@UAEXG@Z | 3 |
| ?DataChanged@FixedImage@@UAEXABVD | 3 |
| ?UserDraw@FixedImage@@UAEXABVUserC | 3 |
| ?ShowQuickHelp@Help@@SAEPAVWindow | 3 |
| ?GetMousePosPixel@HelpEvent@@QBEABV | 3 |
| ?LogicToPixel@OutputDevice@@QBE?AVRe | 3 |
| ?IsQuickHelpEnabled@Help@@SAEXZ | 3 |
| ?IsBalloonHelpEnabled@Help@@SAEXZ | 3 |
| ?EnableInput@Window@@QAEXEE@Z | 3 |
| ?GetTabPage@TabControl@@QBEPAVTabP | 3 |
| ??1TabDialog@@UAE@XZ | 3 |
| ??0WarningBox@@QAE@PAVWindow@@A | 3 |
| ?ShowBalloon@Help@@SAEPAVWindow@I | 3 |
| ??1TabControl@@UAE@XZ | 3 |
| ??0Rectangle@@QAE@ABVPoint@@0@Z | 3 |
| ?GetSecureURLs@SvtSecurityOptions@@QE | 3 |
| ?SetSecureURLs@SvtSecurityOptions@@QA | 3 |
| ?GetTrustedAuthors@SvtSecurityOptions@C | 3 |
| ?IsReadOnly@SvtSecurityOptions@@QBEEV | 3 |
| ?SetMacroSecurityLevel@SvtSecurityOption | 3 |
| ?SetTrustedAuthors@SvtSecurityOptions@C | 3 |
| ??0SvTreeListBox@@QAE@PAVWindow@@A | 3 |
| ?Last@SvTreeList@@QBEPAVSvListEntry@C | 3 |

| | |
|--|---|
| ?Clear@SvHeaderTabListBox@@QAEXXZ | 3 |
| ??1SvTreeListBox@@UAE@XZ | 3 |
| ?SetNodeDefaultImages@SvTreeListBox@@ | 3 |
| ?SetSublistOpenWithLeftRight@SvTreeListB | 3 |
| ?SetEntryText@SvTabListBox@@QAEXABVS | 3 |
| ??0SvxSimpleTable@@QAE@PAVWindow@ | 3 |
| ?EnableTable@SvxSimpleTable@@QAEXXZ | 3 |
| ?DisableTable@SvxSimpleTable@@QAEXXZ | 3 |
| ??1SvxSimpleTable@@UAE@XZ | 3 |
| ?SetTabs@SvxSimpleTable@@QAEXP AJW4I | 3 |
| ?InsertHeaderEntry@SvxSimpleTable@@QA | 3 |
| httpd_HostDelete | 3 |
| input_item_GetDuration | 3 |
| ??\$_WU?\$char_traits@_W@std@@V?\$a | 3 |
| E | 3 |
| ion | 3 |
| ?Resample2@CxImage@@QAE_NJJW4Inter | 3 |
| ?GetFrameDelay@CxImage@@QBEKXZ | 3 |
| ?DecreaseBpp@CxImage@@QAE_NK_NPAL | 3 |
| GeoRectangleEx | 3 |
| SetTextureFilter | 3 |
| GetTextureHandle | 3 |
| GetCanvasHandle | 3 |
| FillSolidRect | 3 |
| ?GetNextPathName@CTXFileDialog@@QBE | 3 |
| ?GetStartPosition@CTXFileDialog@@QBEPA | 3 |
| ?GetFilePrefix@FS@Util@@YA?AVCTXString | 3 |
| ?GetFileExt@CTXFileDialog@@QAE?AVCTXS | 3 |
| ?GetFileSuffix@FS@Util@@YA?AVCTXString | 3 |
| ?EnableLowCpuPriority@CTXThreadModel@ | 3 |
| ?GetMonitorRectFromPoint@Misc@Util@@ | 3 |
| ?wcerr@std@@3V?\$basic_ostream@GU?\$c | 3 |
| Info | 3 |
| _m64 | 3 |
| RpcNsGroupDeleteA | 3 |
| RpcNsBindingExportA | 3 |
| RpcNsMgmtHandleSetExpAge | 3 |
| RpcNsBindingExportPnPW | 3 |
| _tcsnextc | 3 |
| ??4?\$_Complex_base@M@std@@QAEAAV | 3 |
| ?InitNPSSkinManager@@YAXPB_W0@Z | 3 |
| ??0CXTPBufferDC@@QAE@AAVCPaintDC@ | 3 |
| UnMarshalBlob | 3 |
| MarshalBlob | 3 |
| RaiseNMEvent | 3 |
| SetStringInBlob | 3 |
| FindOneOf | 3 |

| | |
|---|---|
| recursiveDeleteKey | 3 |
| ?Get_PRODUCT_BAND@CProductInfo@@S | 3 |
| ?Get_COMPANY_NAME@CProductInfo@@S | 3 |
| ?Get_PRODUCT_NAME@CProductInfo@@S | 3 |
| SSDBWinMain | 3 |
| ?signaling_NaN@?\$numeric_limits@K@std@ | 3 |
| ??5std@@YAAV?\$basic_istream@GU?\$ch:@ | 3 |
| ??Xstd@@YAAV?\$complex@N@0@AAV1@ | 3 |
| ??0CNtSid@@QAE@W4SidType@0@@Z | 3 |
| ??8CNtSid@@QAEHAAV0@@Z | 3 |
| ?GetTextSid@CNtSid@@QAEHPAGPAK@Z | 3 |
| ??0CNtSid@@QAE@PAX@Z | 3 |
| ??0CNtSid@@QAE@ABV0@@Z | 3 |
| ??4CNtSid@@QAEAAV0@ABV0@@Z | 3 |
| ??1CUnkInternal@@UAE@XZ | 3 |
| ??1CNtSid@@QAE@XZ | 3 |
| ap_log_error | 3 |
| _apr_array_push@4 | 3 |
| _apr_array_make@12 | 3 |
| ?_Init@?\$numpunct@G@std@@IAEXABV_I | 3 |
| ?_Getcat@?\$num_get@GV?\$istreambuf_it | 3 |
| ?pbckfail@?\$basic_filebuf@DU?\$char_trai | 3 |
| BASS_MusicLoad | 3 |
| BASS_Pause | 3 |
| MprAdminInterfaceTransportRemove | 3 |
| RegOpenServerA | 3 |
| MailToProtocolHandler | 3 |
| TranslateURLW | 3 |
| URLAssociationDialogA | 3 |
| MailToProtocolHandlerA | 3 |
| AutodialHookCallback | 3 |
| TelnetProtocolHandler | 3 |
| MIMEAssociationDialogW | 3 |
| TelnetProtocolHandlerA | 3 |
| FileProtocolHandler | 3 |
| MIMEAssociationDialogA | 3 |
| FileProtocolHandlerA | 3 |
| StaticWndProc3d | 3 |
| EditWndProc3d | 3 |
| Ctl3dSubclassCtl | 3 |
| ComboWndProc3d | 3 |
| Ctl3dColorChange | 3 |
| BtnWndProc3d | 3 |
| ListWndProc3d | 3 |
| Ctl3dCtlColor | 3 |
| Ctl3dUnAutoSubclass | 3 |
| ?GetInstallFolder@@YA?AVCString@@XZ | 3 |

| | |
|--|---|
| ?CheckFileExist1@@@YAHVCString@@@Z | 3 |
| ?CreateQQData@@@YAXPAPAUIQQData@@ | 3 |
| ?GetQQDataStr@@@YAJPAUIQQData@@PBC | 3 |
| ?GetExeFolder@@YA?AVCString@@XZ | 3 |
| ?GetCurrentUserData@@YAXPAUIQQCore@ | 3 |
| ?OnError@CHttpDownloadUIInterface@@U | 3 |
| ?OnRedirected@CHttpDownloadUIInterface | 3 |
| ?OnProgress@CHttpDownloadUIInterface@ | 3 |
| ?OnDownloadStart@CHttpDownloadUIInter | 3 |
| ??1CHttpDownload@@UAE@XZ | 3 |
| ??1CHttpDownloadUIInterface@@UAE@XZ | 3 |
| ??0CHttpDownload@@QAE@XZ | 3 |
| ??0CHttpDownloadUIInterface@@IAE@XZ | 3 |
| ?SetUIInterface@CHttpDownload@@QAEXF | 3 |
| ?CopyAFieldQQData@@YAJPAUIQQData@C | 3 |
| ?GetCurrentUin@@YAHPAUIQQCore@@PA | 3 |
| ??2@YAPEAX_K@Z | 3 |
| ?norm@std@@@YAMABV?\$complex@M@1(| 3 |
| ?xsgetn@?\$basic_streambuf@GU?\$char_tr | 3 |
| ?sqrt@std@@@YA?AV?\$complex@N@1@AB | 3 |
| ?ComposeLocalEndPoint@@YGXPBGPAPAG | 3 |
| mqrpcSetLocalRpcMutualAuth | 3 |
| ?mqrpcUnbindQMService@@YGJPAPAXPAP | 3 |
| SetupInfObjectInstallActionW | 3 |
| AsrCreateStateFileA | 3 |
| SetupSetDisplay | 3 |
| SetupChangeFontSize | 3 |
| dirfd | 3 |
| localtime_r | 3 |
| tzset | 3 |
| _ReadPackageString@24 | 3 |
| _GetAtomInt@8 | 3 |
| _GetAtom@8 | 3 |
| _SetAtomInt@12 | 3 |
| _GetScriptObject@12 | 3 |
| _NameOfAtom@8 | 3 |
| LogMessageA | 3 |
| _SetActiveScene@8 | 3 |
| _InfoBarScrollMessage@16 | 3 |
| _InfoBarGroupMessage@12 | 3 |
| _InfoBarFlushMessages@0 | 3 |
| _ReadPackageIntMulti@20 | 3 |
| _CasinoFrameHandle@0 | 3 |
| _StateChange@8 | 3 |
| _ReadPackageInt@16 | 3 |
| ??1?\$time_get@GV?\$istreambuf_iterator@ | 3 |
| LsaApLogonUserEx2 | 3 |

| | |
|---|---|
| LsaApCallPackagePassthrough | 3 |
| MsvSamValidate | 3 |
| ?close@?\$basic_ifstream@GU?\$char_traits@_N@std@ | 3 |
| ?open@?\$basic_ofstream@GU?\$char_traits@_N@std@ | 3 |
| @System@@DispInvoke\$qv | 3 |
| ?signaling_NaN@?\$numeric_limits@N@std@ | 3 |
| ?iword@ios_base@std@@QAEAAJH@Z | 3 |
| ?atan2@?\$_Ctr@N@std@@SANN@Z | 3 |
| ?_Getcat@?\$time_get@GV?\$istreambuf_it@_N@std@ | 3 |
| D3DXMatrixInverse | 3 |
| D3DXCreateTexture | 3 |
| D3DXMatrixPerspectiveFovLH | 3 |
| D3DXVec3TransformCoord | 3 |
| D3DXMatrixRotationY | 3 |
| SHCreateDataObject | 3 |
| @Vedatasearch@TSearchField@GetValueAs | 3 |
| OSIF_FreeObject | 3 |
| PowerReadFriendlyName | 3 |
| WlanOpenHandle | 3 |
| EtwWriteTransfer | 3 |
| KeSetCoalescableTimer | 3 |
| ObReferenceSecurityDescriptor | 3 |
| IoCreateFileEx | 3 |
| ExInitializeLookasideListEx | 3 |
| ExDeleteLookasideListEx | 3 |
| KeQueryMaximumProcessorCountEx | 3 |
| KeGetCurrentProcessorNumberEx | 3 |
| NmrRegisterProvider | 3 |
| NmrDeregisterProvider | 3 |
| NmrWaitForProviderDeregisterComplete | 3 |
| RpcExceptionFilter | 3 |
| GETSYSTEMTIME | 3 |
| MOVEFILEA | 3 |
| LSTRCPYA | 3 |
| ??9@YA_NABVCTXStringW@@@_W@Z | 3 |
| ?Append@CTXStringA@@@QAEXABV1@@Z | 3 |
| ?AppendChar@CTXStringA@@@QAEXD@Z | 3 |
| ?DataChanged@Control@@UAEXABVDataC@ | 3 |
| ??1PopupMenu@@UAE@XZ | 3 |
| ?SetEntryData@ListBox@@QAEXGPAX@Z | 3 |
| ?SetDropDownLineCount@ListBox@@QAEX | 3 |
| ?HasChildPathFocus@Window@@QBEEE@Z | 3 |
| ?SetDefDialogParent@Application@@SAXP@ | 3 |
| ?GetEntryData@ListBox@@QBEPAXG@Z | 3 |
| ??1SvPtrarr@@QAE@XZ | 3 |
| ??0SvPtrarr@@QAE@GE@Z | 3 |
| ?Remove@SvPtrarr@@QAEXGG@Z | 3 |

| | |
|--|---|
| ?Insert@SvPtrarr@@QAEXABQAXG@Z | 3 |
| ??4OConfigurationNode@utl@@QAEABV01 | 3 |
| ??0OConfigurationNode@utl@@QAE@XZ | 3 |
| ?CompareProtocolScheme@INetURLObject(| 3 |
| ?isDocument@Content@ucbhelper@@QAE | 3 |
| ?getTypes@OPropertyContainer@comphelp | 3 |
| ??0InteractionRequest@comphelper@@Q | 3 |
| ?queryInterface@?\$WeakImplHelper1@VXI | 3 |
| ?acquire@?\$WeakImplHelper1@VXIInteracti | 3 |
| ?release@?\$WeakImplHelper1@VXIInteracti | 3 |
| ??1InteractionRequest@comphelper@@U | 3 |
| _HCreateWinStyle@4 | 3 |
| _HAttachWinStyle@8 | 3 |
| TVP_AddFilterHook | 3 |
| TVP_Quit | 3 |
| TVP_SetMainWindow | 3 |
| TVP_InitSkin | 3 |
| TVP_CanFilter | 3 |
| ??1CSkinDialog@@UAE@XZ | 3 |
| ?LeftButtonDown@CSkinDialog@@UAEXVC | 3 |
| ?MouseMoved@CSkinDialog@@UAEXVCStr | 3 |
| ?ClickText@CSkinDialog@@UAEXH@Z | 3 |
| ?TextClicked@CSkinDialog@@UAEXVCString | 3 |
| ?ChangeTrack@CSkinDialog@@UAEXHII@Z | 3 |
| ?TrackChange@CSkinDialog@@UAEXVCString | 3 |
| ?PressButton@CSkinDialog@@UAEXH@Z | 3 |
| ?ButtonPressed@CSkinDialog@@UAEXVCSt | 3 |
| ?ProgresChanged@CSkinDialog@@UAEXVC | 3 |
| ??0CSkinDialog@@QAE@IPAVCWnd@@@Z | 3 |
| ?messageMap@CSkinDialog@@1UAFX_MS | 3 |
| ?SptUpdate@CSkinDialog@@QAEXHPAN@Z | 3 |
| ?SptSetYRange@CSkinDialog@@QAEXHH@I | 3 |
| ?LoadMainwndSkin@CSkinDialog@@QAEHF | 3 |
| ?OnInitDialog@CSkinDialog@@MAEHXZ | 3 |
| ?OnPaint@CSkinDialog@@IAEXXZ | 3 |
| ?SetText@CSkinDialog@@QAEHPBD0@Z | 3 |
| ?SptSetGraphType@CSkinDialog@@QAEXH | 3 |
| ?SetButtonCheck@CSkinDialog@@QAEHPBI | 3 |
| ?FreeMainwnd@CSkinDialog@@QAEXXZ | 3 |
| ?Setup@CSkinDialog@@MAEXAAVCBitmap | 3 |
| ScsiPortGetVirtualAddress | 3 |
| ScsiPortFreeDeviceBase | 3 |
| ScsiPortWriteRegisterUchar | 3 |
| dllFunctionCall | 3 |
| s_ioctl | 3 |
| s_open | 3 |
| gimp_register_save_handler | 3 |

| | |
|-------------------------------|---|
| av_pix_fmt_descriptors | 3 |
| CredpConvertCredential | 3 |
| input_item_SetDuration | 3 |
| make_path | 3 |
| vlc_hold | 3 |
| vlc_opendir | 3 |
| BT_SetActivityType | 3 |
| NdsLoadString | 3 |
| G | 3 |
| ymrealc | 3 |
| NdrServerInitializeUnmarshall | 3 |
| wiasReadPropGuid | 3 |
| wiasWriteMultiple | 3 |
| wiasFreePropContext | 3 |
| wiasGetItemType | 3 |
| wiasUpdateValidFormat | 3 |
| wiasCreatePropContext | 3 |
| wiasValidateItemProperties | 3 |
| wiasCreateDrvItem | 3 |
| wiasWritePropLong | 3 |
| wiasSetItemPropAttribs | 3 |
| wiasSetItemPropNames | 3 |
| wiasGetDrvItem | 3 |
| FaxGetArchiveConfigurationW | 3 |
| FaxRefreshArchive | 3 |
| FaxGetSenderInformation | 3 |
| FaxFreeSenderInformation | 3 |
| FaxSetJobW | 3 |
| FaxRemoveMessage | 3 |
| FaxEndMessagesEnum | 3 |
| FaxEnumMessagesW | 3 |
| FaxStartMessagesEnum | 3 |
| FaxGetMessageW | 3 |
| FaxEnumJobsExW | 3 |
| FaxGetJobExW | 3 |
| FaxUnregisterForServerEvents | 3 |
| FaxRegisterForServerEvents | 3 |
| FaxAccessCheckEx | 3 |
| FaxGetQueueStates | 3 |
| FaxGetMessageTiffW | 3 |
| FaxGetSenderInfoW | 3 |
| FaxSetSenderInformation | 3 |
| FaxGetRecipientInfoW | 3 |
| TiffPrintDC | 3 |
| GetW2kMsTiffTags | 3 |
| FreeMsTagInfo | 3 |
| UnHook | 3 |

| | |
|---|---|
| ?assign@?\$char_traits@G@std@@SAPAGP | 3 |
| ?infinity@?\$numeric_limits@M@std@@SA | 3 |
| ?_Exp@?\$_Ctr@M@std@@SAFPAMMF@Z | 3 |
| ?imag@std@@YANABV?\$complex@N@1@ | 3 |
| ??Dstd@@YA?AV?\$complex@M@0@ABMA | 3 |
| ?qVersion@@YAPBDXZ | 3 |
| ?applicationFilePath@QCoreApplication@@ | 3 |
| ?completeBaseName@QFileInfo@@QBE?A\ | 3 |
| ?exec@QThread@@IAEHXZ | 3 |
| ?quit@QThread@@QAEXXZ | 3 |
| ?thread@QObject@@QBEPAVQThread@@ | 3 |
| ?moveToThread@QObject@@QAEXPATQT\ | 3 |
| ?copy@QFile@@SA_NABVQString@@0@Z | 3 |
| ?wait@QWaitCondition@@QAE_NPAVQMu | 3 |
| ??1QWaitCondition@@QAE@XZ | 3 |
| ?copy@QFile@@QAE_NABVQString@@@Z | 3 |
| ?toString@QDateTime@@QBE?AVQString@ | 3 |
| ?toUpper@QString@@QBE?AV1@XZ | 3 |
| ??0QDirIterator@@QAE@ABVQString@@V | 3 |
| ?hasNext@QDirIterator@@QBE_NXZ | 3 |
| ?next@QDirIterator@@QAE?AVQString@@ | 3 |
| ??1QDirIterator@@UAE@XZ | 3 |
| ?absoluteFilePath@QDir@@QBE?AVQString | 3 |
| ??1 QSqlDatabase@@QAE@XZ | 3 |
| ??0 QSqlDatabase@@QAE@ABV0@@Z | 3 |
| ??0 QSqlDatabase@@QAE@XZ | 3 |
| ?close@QSqlDatabase@@QAEXXZ | 3 |
| ?isOpen@QSqlDatabase@@QBE_NXZ | 3 |
| ??1 QSqlQuery@@QAE@XZ | 3 |
| ??1 QSqlError@@QAE@XZ | 3 |
| ?text@QSqlError@@QBE?AVQString@@XZ | 3 |
| ?lastError@QSqlQuery@@QBE?AV QSqlError | 3 |
| ?exec@QSqlQuery@@QAE_NABVQString@ | 3 |
| ??0 QSqlQuery@@QAE@V QSqlDatabase@@ | 3 |
| ?open@QSqlDatabase@@QAE_NXZ | 3 |
| ?setDatabaseName@QSqlDatabase@@QAE | 3 |
| ?addDatabase@QSqlDatabase@@SA?AV1@ | 3 |
| ?exec@QSqlQuery@@QAE_NXZ | 3 |
| ?bindValue@QSqlQuery@@QAEXABVQString | 3 |
| ?prepare@QSqlQuery@@QAE_NABVQString | 3 |
| ?next@QSqlQuery@@QAE_NXZ | 3 |
| ??4 QSqlDatabase@@QAEAAV0@ABV0@@Z | 3 |
| symlink | 3 |
| rtcDatePart | 3 |
| LssbGetVisibleDcpInSubline | 3 |
| Cla\$DecDistinctR | 3 |
| Cla\$storebdate | 3 |

| | |
|------------------------------|---|
| Cla\$storebtime | 3 |
| BZ2_bzCompress | 3 |
| BZ2_bzCompressEnd | 3 |
| BZ2_bzCompressInit | 3 |
| BZ2_bzDecompress | 3 |
| BZ2_bzDecompressEnd | 3 |
| g_file_info_get_size | 3 |
| g_file_new_for_uri | 3 |
| g_file_query_info | 3 |
| g_input_stream_read | 3 |
| g_array_sized_new | 3 |
| g_base64_encode_close | 3 |
| g_base64_encode_step | 3 |
| g_byte_array_append | 3 |
| g_byte_array_free | 3 |
| g_byte_array_new | 3 |
| g_hash_table_foreach | 3 |
| g_hash_table_new | 3 |
| g_hash_table_remove | 3 |
| g_io_channel_unref | 3 |
| g_io_channel_write_chars | 3 |
| g_list_foreach | 3 |
| g_list_nth_data | 3 |
| g_logv | 3 |
| g_path_get_dirname | 3 |
| g_ptr_array_set_size | 3 |
| g_quark_from_static_string | 3 |
| g_slist_length | 3 |
| g_slist_prepend | 3 |
| g_slist_remove | 3 |
| g_slist_reverse | 3 |
| g_strcmp0 | 3 |
| g_string_append | 3 |
| g_string_append_len | 3 |
| g_string_insert_c | 3 |
| g_string_sized_new | 3 |
| g_string_truncate | 3 |
| g_utf8_get_char | 3 |
| g_utf8_skip | 3 |
| g_boxed_type_register_static | 3 |
| g_enum_register_static | 3 |
| g_object_new_valist | 3 |
| g_object_set_data_full | 3 |
| g_object_weak_ref | 3 |
| g_object_weak_unref | 3 |
| g_param_spec_boolean | 3 |
| g_param_spec_enum | 3 |

| | |
|---|---|
| g_param_spec_int | 3 |
| g_param_spec_object | 3 |
| g_param_spec_string | 3 |
| g_strdup_value_contents | 3 |
| g_type_check_value_holds | 3 |
| g_type_class_peek | 3 |
| g_type_class_ref | 3 |
| g_type_class_unref | 3 |
| g_type_value_table_peek | 3 |
| g_value_array_append | 3 |
| g_value_array_free | 3 |
| g_value_array_get_nth | 3 |
| g_value_array_new | 3 |
| g_value_dup_string | 3 |
| g_value_get_boxed | 3 |
| g_value_get_double | 3 |
| g_value_get_enum | 3 |
| g_value_get_flags | 3 |
| g_value_get_int | 3 |
| g_value_get_object | 3 |
| g_value_get_string | 3 |
| g_value_set_boxed | 3 |
| g_value_set_double | 3 |
| g_value_set_enum | 3 |
| g_value_set_flags | 3 |
| g_value_set_int | 3 |
| g_value_set_object | 3 |
| g_value_set_string | 3 |
| g_value_set_uint64 | 3 |
| xmlAllocOutputBuffer | 3 |
| xmlFindCharEncodingHandler | 3 |
| ?ipfx@?\$basic_istream@DU?\$char_traits@I | 3 |
| ?infinity@?\$numeric_limits@C@std@@SAC | 3 |
| ??0?\$basic_ios@DU?\$char_traits@D@std@ | 3 |
| ??0?\$collate@D@std@@QAE@ABV_Locinf | 3 |
| I_RpcNsNegotiateTransferSyntax | 3 |
| RpcNsMgmtSetExpAge | 3 |
| RpcNsBindingImportBeginW | 3 |
| RpcNsProfileDeleteA | 3 |
| ?EnableFileSystem@IFS_SYSTEM@@SGEPB\ | 3 |
| _mkgmtime64 | 3 |
| VarDateFromBool | 3 |
| VdriveQuery | 3 |
| _memmove | 3 |
| __stornl | 3 |
| __parnl | 3 |
| __partype | 3 |

| | |
|---|---|
| __parnd | 3 |
| __retl | 3 |
| __parc | 3 |
| __parl | 3 |
| __conRelease | 3 |
| __conParam | 3 |
| __retnl | 3 |
| __conArrayPut | 3 |
| __conPutNL | 3 |
| __conNew | 3 |
| __conNewArray | 3 |
| __retc | 3 |
| __storl | 3 |
| __conReturn | 3 |
| __ret | 3 |
| __conPutC | 3 |
| __conType | 3 |
| ?AddRef@CFwPropertyMapper@@UAGKXZ | 3 |
| ??0CRegNotify@@QAE@PBG@Z | 3 |
| SHEnumerateUnreadMailAccountsW | 3 |
| ?RemoveAll@CFIFOString@@QAEXXZ | 3 |
| sqlcxt | 3 |
| @System@@Pos\$qqrv | 3 |
| @System@@Copy\$qqrv | 3 |
| @\$xp\$15System@Smallint | 3 |
| @Sysutils@StrPLCopy\$qqrpcx17System@An | 3 |
| @Sysutils@EInOutError@ | 3 |
| @Typinfo@SetStrProp\$qqrp14System@TOb | 3 |
| @Typinfo@GetStrProp\$qqrp14System@TO\ | 3 |
| @Typinfo@SetOrdProp\$qqrp14System@TO | 3 |
| @Typinfo@GetOrdProp\$qqrp14System@TO | 3 |
| @Typinfo@GetPropInfo\$qqrp17Typinfo@T\ | 3 |
| @Graphics@TIcon@GetHandle\$qqrv | 3 |
| @\$xp\$14Graphics@TIcon | 3 |
| @Forms@TApplication@Minimize\$qqrv | 3 |
| ?CreateTheApp@Framework@Jot@@YGXP, | 3 |
| ?TheApp@Framework@Jot@@YGP\AUAFrar | 3 |
| ??0CToolbarData@Jot@@QAE@XZ | 3 |
| ?Init@CToolbarData@Jot@@QAGXPBUStati | 3 |
| ?TerminateTheApp@Framework@Jot@@YC | 3 |
| ?Finish@Framework@Jot@@YGXXZ | 3 |
| ??1CToolbarData@Jot@@QAE@XZ | 3 |
| ?Start@Framework@Jot@@YGXXZ | 3 |
| ?TheEmptyWz@Jot@@YGPBGXZ | 3 |
| ?g_FastBufferAllocator@Jot@@3VCFastBuff | 3 |
| ?g_FixedBufferAllocator@Jot@@3VCFixedB | 3 |
| ?SetWzFromNumber@Strings@Jot@@YGXA | 3 |

| | |
|--|---|
| ?FreeRgbCbCore@Memory@Jot@@YGXP@E | 3 |
| ?AppendArrayOfCharactersToWz@Strings@ | 3 |
| ?SetWzFromResource@Strings@Jot@@YGX | 3 |
| ?SetWtzFromPattern@Strings@Jot@@YGXA | 3 |
| ?SetWzFromPattern@Strings@Jot@@YGXA. | 3 |
| ?CreateActionManager@Jot@@YGXPAPAUI | 3 |
| ?CopyWzToWz@Strings@Jot@@YGXPBGAA | 3 |
| ?InitJotUtil@Jot@@YGXHPAU_msotcfcf@@ | 3 |
| ?Set@Properties@Jot@@YGXPUIProperty: | 3 |
| ?UsePropertyInfo@Properties@Jot@@YGPE | 3 |
| ?TheActionManager@Jot@@YGPAUIActionI | 3 |
| ?DoUploadMode@COISApp@@QAEXABV?\$ | 3 |
| ?DoBrowseMode@COISApp@@SAXABV?\$T | 3 |
| ?DoNormalMode@COISApp@@SAXXZ | 3 |
| ?CdlWorkPaneCallback@OISAppApi@@YIHI | 3 |
| ?GetRootCollection@CAppOA@@SAXPAPB(| 3 |
| ?Singleton@CAppOA@@SAPAV1@XZ | 3 |
| ?DoEditMode@COISApp@@QAEXABV?\$TOI | 3 |
| ?SetContextMenuCallback@OISAppApi@@Y | 3 |
| ?SetShowToolbar@OISAppApi@@YGXP6IXH | 3 |
| ?GetOISSelectionContext@OISAppApi@@YC | 3 |
| ?SetTestWizardInfo@COISApp@@SAJKUtag | 3 |
| ?GetTestWizardInfo@COISApp@@SAXW4TE | 3 |
| ?GetCDLContext@OISAppApi@@YGPAUICdl | 3 |
| ?DgRedEyePaneDialog@OISAppApi@@YGP/ | 3 |
| ?DgRotatePaneDialog@OISAppApi@@YGPA | 3 |
| ?DgHueSatPaneDialog@OISAppApi@@YGP/ | 3 |
| ?DgBrightContrastPaneDialog@OISAppApi@ | 3 |
| ?DgCropPaneDialog@OISAppApi@@YGPAVI | 3 |
| ?DgFileFormatOptDialog@OISAppApi@@YG | 3 |
| ?DgEditHomeDialog@OISAppApi@@YGPAV | 3 |
| ?DgNavigationPaneDialog@OISAppApi@@Y | 3 |
| ?DgPublishDialog@OISAppApi@@YGPAVDL | 3 |
| ?DgRenamePaneDialog@OISAppApi@@YGF | 3 |
| ?DgUploadDialog@OISAppApi@@YGPAVDL | 3 |
| ?DgEditModeButtonBar@OISAppApi@@YGI | 3 |
| ?DgUploadModeButtonBar@OISAppApi@@@ | 3 |
| ?DgCompressPicsDialog@OISAppApi@@YGI | 3 |
| ?DgResizeDialog@OISAppApi@@YGPAVDLD | 3 |
| ?DgLocatePicturesDialog@OISAppApi@@YC | 3 |
| ?DgHomeDialog@OISAppApi@@YGPAVDLD | 3 |
| ?DgEmailDialog@OISAppApi@@YGPAVDLDi | 3 |
| ?DgPropertiesPaneDialog@OISAppApi@@YI | 3 |
| ?InitInstance@OISAppApi@@YGXPUMSOII | 3 |
| D3DPERF_EndEvent | 3 |
| D3DPERF_BeginEvent | 3 |
| ?wcin@std@@3V?\$basic_istream@GU?\$ch | 3 |

| | |
|--|---|
| ??0?\$money_get@DV?\$istreambuf_iterator | 3 |
| ??Hstd@@YA?AV?\$complex@O@0@ABV1C | 3 |
| ExInterlockedPushEntryList | 3 |
| @Jvlistbox@initialization\$qqrv | 3 |
| @Jvdrivectrls@initialization\$qqrv | 3 |
| @Jvcombobox@initialization\$qqrv | 3 |
| @Jvmaxpixel@initialization\$qqrv | 3 |
| @Jvpropautosave@initialization\$qqrv | 3 |
| @Jvsearchfiles@initialization\$qqrv | 3 |
| libiconv_close | 3 |
| 41F0C6FE | 3 |
| ?Encode16@Encode@Util@@YA?AVCTXStri | 3 |
| ?-_F?\$basic_stringstream@DU?\$char_traits | 3 |
| ??Kstd@@YA?AV?\$complex@O@0@ABOA{ | 3 |
| ?do_length@?\$codecvt@DDH@std@@@MBE | 3 |
| ??1?\$money_put@DV?\$ostreambuf_iterato | 3 |
| tree_size_ndr | 3 |
| NdrRpcSsDisableAllocate | 3 |
| NdrpCreateProxy | 3 |
| NdrRpcSmSetClientToOsf | 3 |
| NDRCContextUnmarshall | 3 |
| ?IsCatalogInactive@CCatalogAdmin@@QAE | 3 |
| ??0locale@std@@@QAE@ABV01@0H@Z | 3 |
| ?pow@std@@YA?AV?\$complex@N@1@AE | 3 |
| ?curr_symbol@?\$_Mpunct@G@std@@@QBF | 3 |
| ?_Init@?\$numpunct@D@std@@IAEXABV_I | 3 |
| ??4?\$_Complex_base@N@std@@@QAEAAV(| 3 |
| mysql_insert_id | 3 |
| PyMem_Free | 3 |
| RAROpenArchiveEx | 3 |
| ?GetFactoryLock@Element@DirectUI@@SG | 3 |
| ??0CritSecLock@DirectUI@@QAE@PAU_RT | 3 |
| ?ClassExist@ClassInfoBase@DirectUI@@SG | 3 |
| ?Register@ClassInfoBase@DirectUI@@QAE | 3 |
| ??1CritSecLock@DirectUI@@QAE@XZ | 3 |
| ?Initialize@ClassInfoBase@DirectUI@@QAE | 3 |
| ??1ClassInfoBase@DirectUI@@UAE@XZ | 3 |
| ?AssertPIZeroRef@ClassInfoBase@DirectUI(| 3 |
| ?GetChildren@ClassInfoBase@DirectUI@@I | 3 |
| ?RemoveChild@ClassInfoBase@DirectUI@@ | 3 |
| ?AddChild@ClassInfoBase@DirectUI@@UAI | 3 |
| ?IsGlobal@ClassInfoBase@DirectUI@@UBE | 3 |
| ?GetModule@ClassInfoBase@DirectUI@@L | 3 |
| ?IsSubclassOf@ClassInfoBase@DirectUI@@ | 3 |
| ?IsValidProperty@ClassInfoBase@DirectUI@ | 3 |
| ?GetName@ClassInfoBase@DirectUI@@UB | 3 |
| ?GetGlobalIndex@ClassInfoBase@DirectUI@C | 3 |

| | |
|---|---|
| ?GetPICount@ClassInfoBase@DirectUI@@@L | 3 |
| ?GetByClassIndex@ClassInfoBase@DirectUI | 3 |
| ?EnumPropertyInfo@ClassInfoBase@DirectI | 3 |
| ?Release@ClassInfoBase@DirectUI@@UAEI | 3 |
| ?AddRef@ClassInfoBase@DirectUI@@UAEAX | 3 |
| ??0ClassInfoBase@DirectUI@@QAE@XZ | 3 |
| ?GetClassInfoPtr@HWNDElement@DirectUI | 3 |
| ?RemoveTooltip@Element@DirectUI@@M | 3 |
| ?ActivateTooltip@Element@DirectUI@@M | 3 |
| ?UpdateTooltip@Element@DirectUI@@MA | 3 |
| ?OnGroupChanged@Element@DirectUI@@ | 3 |
| ?GetValue@Element@DirectUI@@@QAEPAV | 3 |
| ?GetType@Value@DirectUI@@QBEHXZ | 3 |
| ?AddListener@Element@DirectUI@@QAEJF | 3 |
| ?SetValue@Element@DirectUI@@QAEJP6G | 3 |
| WICCreateImagingFactory_Proxy | 3 |
| @Idepropset@initialization\$qqrv | 3 |
| @Idepropset@Finalization\$qqrv | 3 |
| @Optintf@initialization\$qqrv | 3 |
| @Optintf@Finalization\$qqrv | 3 |
| @Appstrs@initialization\$qqrv | 3 |
| @Appstrs@Finalization\$qqrv | 3 |
| @Appconst@initialization\$qqrv | 3 |
| @Appconst@Finalization\$qqrv | 3 |
| @Ideversioninfo@initialization\$qqrv | 3 |
| @Ideversioninfo@Finalization\$qqrv | 3 |
| @Compintf@initialization\$qqrv | 3 |
| @Compintf@Finalization\$qqrv | 3 |
| @Stfilsys@initialization\$qqrv | 3 |
| @Stfilsys@Finalization\$qqrv | 3 |
| @Agecache@initialization\$qqrv | 3 |
| @Agecache@Finalization\$qqrv | 3 |
| @Parserthread@initialization\$qqrv | 3 |
| @Parserthread@Finalization\$qqrv | 3 |
| @Filehist@initialization\$qqrv | 3 |
| @Filehist@Finalization\$qqrv | 3 |
| @Palmgr@initialization\$qqrv | 3 |
| @Palmgr@Finalization\$qqrv | 3 |
| @Ideinslistbox@initialization\$qqrv | 3 |
| @Ideinslistbox@Finalization\$qqrv | 3 |
| @Editoractions@initialization\$qqrv | 3 |
| @Editoractions@Finalization\$qqrv | 3 |
| @Template@initialization\$qqrv | 3 |
| @Template@Finalization\$qqrv | 3 |
| @Galbrow@initialization\$qqrv | 3 |
| @Galbrow@Finalization\$qqrv | 3 |
| @Gallery@initialization\$qqrv | 3 |

| | |
|-----------------------------------|---|
| @Gallery@Finalization\$qqrv | 3 |
| @Projectfrm@initialization\$qqrv | 3 |
| @Projectfrm@Finalization\$qqrv | 3 |
| @Containers@initialization\$qqrv | 3 |
| @Containers@Finalization\$qqrv | 3 |
| @Pakutil@initialization\$qqrv | 3 |
| @Pakutil@Finalization\$qqrv | 3 |
| @Pakmgr@initialization\$qqrv | 3 |
| @Pakmgr@Finalization\$qqrv | 3 |
| @Projectintf@initialization\$qqrv | 3 |
| @Projectintf@Finalization\$qqrv | 3 |
| @Projectmgr@initialization\$qqrv | 3 |
| @Projectmgr@Finalization\$qqrv | 3 |
| @Cominout@initialization\$qqrv | 3 |
| @Cominout@Finalization\$qqrv | 3 |
| @Filefind@initialization\$qqrv | 3 |
| @Filefind@Finalization\$qqrv | 3 |
| @Msglines@initialization\$qqrv | 3 |
| @Msglines@Finalization\$qqrv | 3 |
| @Msgviewform@initialization\$qqrv | 3 |
| @Msgviewform@Finalization\$qqrv | 3 |
| @Idedockform@initialization\$qqrv | 3 |
| @Idedockform@Finalization\$qqrv | 3 |
| @Winlist@initialization\$qqrv | 3 |
| @Winlist@Finalization\$qqrv | 3 |
| @Desktop@initialization\$qqrv | 3 |
| @Desktop@Finalization\$qqrv | 3 |
| @Evalmod@initialization\$qqrv | 3 |
| @Evalmod@Finalization\$qqrv | 3 |
| @Combrows@initialization\$qqrv | 3 |
| @Combrows@Finalization\$qqrv | 3 |
| @Codcmplt@initialization\$qqrv | 3 |
| @Codcmplt@Finalization\$qqrv | 3 |
| @Envoptions@initialization\$qqrv | 3 |
| @Envoptions@Finalization\$qqrv | 3 |
| @Codemgr@initialization\$qqrv | 3 |
| @Codemgr@Finalization\$qqrv | 3 |
| @Ideservices@initialization\$qqrv | 3 |
| @Ideservices@Finalization\$qqrv | 3 |
| @Vclient@initialization\$qqrv | 3 |
| @Vclient@Finalization\$qqrv | 3 |
| @Vedopts@initialization\$qqrv | 3 |
| @Vedopts@Finalization\$qqrv | 3 |
| @Vedtypes@initialization\$qqrv | 3 |
| @Vedtypes@Finalization\$qqrv | 3 |
| @Edprocs@initialization\$qqrv | 3 |
| @Edprocs@Finalization\$qqrv | 3 |

| | |
|--|---|
| @Uiutils@initialization\$qqrv | 3 |
| @Uiutils@Finalization\$qqrv | 3 |
| @Docmodul@initialization\$qqrv | 3 |
| @Docmodul@Finalization\$qqrv | 3 |
| @Ideintf@initialization\$qqrv | 3 |
| @Ideintf@Finalization\$qqrv | 3 |
| @Comtypes@initialization\$qqrv | 3 |
| @Comtypes@Finalization\$qqrv | 3 |
| @Packageadddbase@initialization\$qqrv | 3 |
| @Packageadddbase@Finalization\$qqrv | 3 |
| @Paklist@initialization\$qqrv | 3 |
| @Paklist@Finalization\$qqrv | 3 |
| @Packagestate@initialization\$qqrv | 3 |
| @Packagestate@Finalization\$qqrv | 3 |
| @Passym@initialization\$qqrv | 3 |
| @Passym@Finalization\$qqrv | 3 |
| @Pkgcontainers@initialization\$qqrv | 3 |
| @Pkgcontainers@Finalization\$qqrv | 3 |
| @Pkgeditors@initialization\$qqrv | 3 |
| @Pkgeditors@Finalization\$qqrv | 3 |
| @Pascrtrs@initialization\$qqrv | 3 |
| @Pascrtrs@Finalization\$qqrv | 3 |
| @Paspkgcreators@initialization\$qqrv | 3 |
| @Paspkgcreators@Finalization\$qqrv | 3 |
| @Custompkgdescription@initialization\$qqrv | 3 |
| @Custompkgdescription@Finalization\$qqrv | 3 |
| @Propinsp@initialization\$qqrv | 3 |
| @Propinsp@Finalization\$qqrv | 3 |
| @Pasmgr@initialization\$qqrv | 3 |
| @Pasmgr@Finalization\$qqrv | 3 |
| @Makefilemgr@initialization\$qqrv | 3 |
| @Makefilemgr@Finalization\$qqrv | 3 |
| @Moduleexplorer@initialization\$qqrv | 3 |
| @Moduleexplorer@Finalization\$qqrv | 3 |
| @Basenewpackage@initialization\$qqrv | 3 |
| @Basenewpackage@Finalization\$qqrv | 3 |
| @Existingpackage@initialization\$qqrv | 3 |
| @Existingpackage@Finalization\$qqrv | 3 |
| @Newpackage@initialization\$qqrv | 3 |
| @Newpackage@Finalization\$qqrv | 3 |
| @Componentexpertpage@initialization\$qqrv | 3 |
| @Componentexpertpage@Finalization\$qqrv | 3 |
| @Pakaddunitfile@initialization\$qqrv | 3 |
| @Pakaddunitfile@Finalization\$qqrv | 3 |
| @Addunittoexistingpackage@initialization\$qqrv | 3 |
| @Addunittoexistingpackage@Finalization\$qqrv | 3 |
| @Addunittonewpackage@initialization\$qqrv | 3 |

| | |
|--|---|
| @Addunittonewpackage@Finalization\$qqrv | 3 |
| @Editcolorpage@initialization\$qqrv | 3 |
| @Editcolorpage@Finalization\$qqrv | 3 |
| @Packageinstpage@initialization\$qqrv | 3 |
| @Packageinstpage@Finalization\$qqrv | 3 |
| @Liboptions@initialization\$qqrv | 3 |
| @Liboptions@Finalization\$qqrv | 3 |
| @Appoptionspage@initialization\$qqrv | 3 |
| @Appoptionspage@Finalization\$qqrv | 3 |
| @Appformspage@initialization\$qqrv | 3 |
| @Appformspage@Finalization\$qqrv | 3 |
| @Packageaddrequires@initialization\$qqrv | 3 |
| @Packageaddrequires@Finalization\$qqrv | 3 |
| PsDisableImpersonation | 3 |
| VideoPortWritePortUchar | 3 |
| VideoPortWriteRegisterBufferUlong | 3 |
| VideoPortReleaseBuffer | 3 |
| VideoPortGetAssociatedDeviceID | 3 |
| NdisInterlockedAddLargeInteger | 3 |
| NdisCoRequest | 3 |
| NdisBufferVirtualAddress | 3 |
| NdisUnchainBufferAtBack | 3 |
| ?GetParentDir@File@Util@@YA?AVCTXStri | 3 |
| ?SplitPath@DiskUtil@NetDisk@@YAXABVC` | 3 |
| ?_7?\$collate@D@std@@6B@ | 3 |
| ?QueryFileStartingCluster@FAT_SA@@QAE | 3 |
| rtcGetValue | 3 |
| TipInvokeMethod | 3 |
| glsLongHigh | 3 |
| glsHeaderf | 3 |
| glsHeaderLayerf | 3 |
| glsNumubv | 3 |
| glsGetHeaderi | 3 |
| glsGetOpcodes | 3 |
| ?UnMarshall@CDbProperties@@QAEHAAV | 3 |
| ??1CSizeSerStream@@UAE@XZ | 3 |
| ??0CSizeSerStream@@QAE@XZ | 3 |
| BmGetData | 3 |
| ??1ComboBox@@UAE@XZ | 3 |
| ??1Application@@UAE@XZ | 3 |
| GetDocBaseFactory | 3 |
| InitializeDocBase | 3 |
| ?start@Thread@@UAE_NW4Priority@IGCT | 3 |
| ?isRunning@Thread@@UBE_NXZ | 3 |
| ?setPriority@Thread@@UAEXW4Priority@I | 3 |
| ??4String@@QAEABV0@PBG@Z | 3 |
| ??0Thread@@QAE@XZ | 3 |

| | |
|--|---|
| ?waitForEnd@Thread@@UBE_NK@Z | 3 |
| ?init@COMThread@@MAEX_N@Z | 3 |
| ??1Thread@@UAE@XZ | 3 |
| ??0NotCopyable@@IAE@XZ | 3 |
| ??0Size@@QAE@HH@Z | 3 |
| ?Object@GCLogFile@@SAAV1@XZ | 3 |
| ??1NotCopyable@@IAE@XZ | 3 |
| ??0String@@QAE@ABV?\$basic_string@GU`vaila | 3 |
| PL_HashTableRemove | 3 |
| MsiDetermineApplicablePatchesA | 3 |
| MsiSourceListClearMediaDiskW | 3 |
| MsiGetProductInfoExA | 3 |
| _PfBindInterfaceToIndex@16 | 3 |
| rtl_bootstrap_get | 3 |
| xmlAddID | 3 |
| WakeConditionVariable | 3 |
| SleepConditionVariableCS | 3 |
| geraini | 3 |
| SetQuantumImageType | 3 |
| SetImageProfile | 3 |
| AcquireStringInfo | 3 |
| ReadBlobFloat | 3 |
| ReadBlobLong | 3 |
| GetImageOption | 3 |
| block_Init | 3 |
| module_need | 3 |
| WaitForThreadpoolTimerCallbacks | 3 |
| Mix_CloseAudio | 3 |
| KiDeliverApc | 3 |
| KelsAttachedProcess | 3 |
| SendPacket | 3 |
| pSetupMultiByteToUnicode | 3 |
| phoneClose | 3 |
| rtcCompareBstr | 3 |
| cvChangeSeqBlock | 3 |
| cvSplit | 3 |
| cvStartReadSeq | 3 |
| cvCreateMemStorage | 3 |
| cvGetSize | 3 |
| cvDestroyWindow | 3 |
| ?Copy@CDbParameter@@QAEHABUtagDBF | 3 |
| ?Initialize@PRINT_STREAM@@QAEPBVPA` | 3 |
| MemAlloclas | 3 |
| Initializelas | 3 |
| AllocateAttributes | 3 |
| Configurelas | 3 |

| | |
|---|---|
| FreeAttributes | 3 |
| Shutdownlas | 3 |
| MemReallocas | 3 |
| @System@@WStrClr\$qqrr17System@Wide | 3 |
| @Classes@RegisterComponents\$qqrx17Syst | 3 |
| @Graphics@TBitmap@LoadFromResourceN | 3 |
| @Graphics@TCanvas@CopyRect\$qqrrx13W | 3 |
| @Graphics@TCanvas@BrushCopy\$qqrrx13V | 3 |
| @Graphics@TFont@GetHeight\$qqrv | 3 |
| @StdCtrls@TCustomListBox@SetBorderStyle | 3 |
| @StdCtrls@TCustomListBox@GetItemHeight | 3 |
| @StdCtrls@TCustomEdit@Change\$qqrv | 3 |
| @Menus@TMenuItem@SetShortCut\$qqrus | 3 |
| @Menus@TMenuItem@SetCaption\$qqrx17 | 3 |
| @Controls@TWinControl@SetBorderWidth! | 3 |
| @Controls@TWinControl@KeyPress\$qqrrc | 3 |
| @Controls@TControl@SetParentColor\$qqr4 | 3 |
| @Controls@TControl@ClientToScreen\$qqrr | 3 |
| @ExtCtrls@TCustomPanel@SetBevelInnner\$c | 3 |
| @Buttons@TSpeedButton@SetGlyph\$qqrp1 | 3 |
| @Buttons@TSpeedButton@\$bdtr\$qqrv | 3 |
| @Buttons@TSpeedButton@\$bctr\$qqrp18Cl | 3 |
| @Grids@TStringGrid@SetCells\$qqriix17Syst | 3 |
| @Grids@TStringGrid@GetCells\$qqrii | 3 |
| @Grids@TCustomGrid@DeleteRow\$qqri | 3 |
| @Grids@TCustomGrid@DeleteColumn\$qqri | 3 |
| @Grids@TCustomGrid@SetGridLineWidth\$qq | 3 |
| @Grids@TCustomGrid@SetBorderStyle\$qqr | 3 |
| @Grids@TCustomGrid@GetVisibleRowCour | 3 |
| @Grids@TCustomGrid@CreateParams\$qqrr | 3 |
| @Grids@TCustomGrid@CalcSizingState\$qqr | 3 |
| @Grids@TCustomGrid@Paint\$qqrv | 3 |
| @Grids@TCustomGrid@DefineProperties\$qq | 3 |
| @Grids@TCustomGrid@CanEditShow\$qqrv | 3 |
| @Grids@TStringGrid@ | 3 |
| @Grids@TDrawGrid@\$bdtr\$qqrv | 3 |
| _ftell | 3 |
| _WinMain | 3 |
| _install_allegro_version_check | 3 |
| allegro_exit | 3 |
| create_bitmap | 3 |
| destroy_bitmap | 3 |
| destroy_sample | 3 |
| install_keyboard | 3 |
| install_sound | 3 |
| load_bitmap | 3 |
| load_sample | 3 |

| | |
|--------------------------------------|---|
| makecol | 3 |
| masked.blit | 3 |
| play_sample | 3 |
| screen | 3 |
| set_color_depth | 3 |
| set_gfx_mode | 3 |
| set_volume | 3 |
| textprintf_ex | 3 |
| png_get_io_ptr | 3 |
| png_get_rowbytes | 3 |
| png_set_sig_bytes | 3 |
| png_set_tRNS_to_alpha | 3 |
| MgmDeleteGroupMembershipEntry | 3 |
| HPDealloc | 3 |
| RetrievePath | 3 |
| xmlSetStructuredErrorFunc | 3 |
| @Widestrutils@initialization\$qqrv | 3 |
| @Widestrutils@Finalization\$qqrv | 3 |
| @Jclwidestrings@initialization\$qqrv | 3 |
| @Jclwidestrings@Finalization\$qqrv | 3 |
| @Jcllogic@initialization\$qqrv | 3 |
| @Jcllogic@Finalization\$qqrv | 3 |
| @Jcl8087@initialization\$qqrv | 3 |
| @Jcl8087@Finalization\$qqrv | 3 |
| @Jclconsole@initialization\$qqrv | 3 |
| @Jclinifiles@initialization\$qqrv | 3 |
| @Jclinifiles@Finalization\$qqrv | 3 |
| @Jclwin32@initialization\$qqrv | 3 |
| @Jclwin32@Finalization\$qqrv | 3 |
| @Jclsecurity@initialization\$qqrv | 3 |
| @Jclsecurity@Finalization\$qqrv | 3 |
| @Jcldatetime@initialization\$qqrv | 3 |
| @Jcldatetime@Finalization\$qqrv | 3 |
| @Kbmmbinarystreamformat@Finalizatio | 3 |
| @Encddecld@initialization\$qqrv | 3 |
| @Idftp@initialization\$qqrv | 3 |
| @Idftp@Finalization\$qqrv | 3 |
| @Idsimpleserver@initialization\$qqrv | 3 |
| @Idsimpleserver@Finalization\$qqrv | 3 |
| @Jclmime@initialization\$qqrv | 3 |
| @Jclmime@Finalization\$qqrv | 3 |
| ?StaticType@SvxPageField@@SAP6APAXXZ | 3 |
| ?GetColor@Font@@QBEABVColor@@XZ | 3 |
| ?Export@GraphicConverter@@SAKAAVSvSt | 3 |
| ?GetTextArray@OutputDevice@@QBEJABV! | 3 |
| ?GetAlign@Font@@QBE?AW4TextAlign@@ | 3 |
| ?GetItalic@Font@@QBE?AW4FontItalic@@ | 3 |

| | |
|--|---|
| ??8Font@@QBEEABV0@@Z | 3 |
| ?GetFontMetric@OutputDevice@@QBE?AV | 3 |
| ?GetAscent@FontMetric@@QBEJXZ | 3 |
| ??1FontInfo@@QAE@XZ | 3 |
| ?GetDescent@FontMetric@@QBEJXZ | 3 |
| ?AddAction@GDIMetaFile@@QAEXPAMet | 3 |
| ?GetFocusWindow@Application@@SAPAV | 3 |
| ?ConvertURLToPhysicalName@LocalFileHel | 3 |
| ?GetStream@TempFile@utl@@QAEPAVSvS | 3 |
| ??0Polygon@@QAE@ABVRectangle@@AB\ | 3 |
| ??APolygon@@QAEAAVPoint@@G@Z | 3 |
| ?Insert@PolyPolygon@@QAEXABVPolygon(| 3 |
| ?GetFlags@Polygon@@QBE?AW4PolyFlags(| 3 |
| @Dbzinvredit@initialization\$qqrv | 3 |
| CreateBlob | 3 |
| NdisMRegisterIoPortRange | 3 |
| NdisMatchPdoWithPacket | 3 |
| NdisMStartBufferPhysicalMapping | 3 |
| NdisMQueryAdapterInstanceName | 3 |
| HrStreamSeekEnd | 3 |
| GetControlDependentFile | 3 |
| RemoveExpiredControls | 3 |
| RpcProtseqVectorFreeA | 3 |
| ATMGetFontInfoA | 3 |
| EnumerateMultiUserServers | 3 |
| RasBundleGetStatisticsEx | 3 |
| ?ReadNext@NTFS_FRS_STRUCTURE@@QAE | 3 |
| BCRound | 3 |
| InvertDate | 3 |
| CreateKey | 3 |
| Open2 | 3 |
| Find | 3 |
| DefFuncKey3 | 3 |
| DefineTVDouble | 3 |
| FreeBlob | 3 |
| BlobAdd | 3 |
| dlclose | 3 |
| dlerror | 3 |
| dlopen | 3 |
| dlsym | 3 |
| setpgid | 3 |
| Tcl_ConvertElement | 3 |
| Tcl_DStringAppend | 3 |
| Tcl_DoOneEvent | 3 |
| Tcl_GetByteArrayFromObj | 3 |
| Tcl_GetEncoding | 3 |
| Tcl_GetVar2Ex | 3 |

| | |
|--------------------------------------|---|
| Tcl_PkgProvide | 3 |
| Tcl_ScanElement | 3 |
| Tcl_SetSystemEncoding | 3 |
| Tcl_UtfToLower | 3 |
| Tcl_WrongNumArgs | 3 |
| ?Encode16@@YAXAAVCString@@@Z | 3 |
| ?OpenUrlWithTe@@YAXPAUWND__@@V | 3 |
| ?connect@QObject@@QBE_NPBV1@PBD1\ | 3 |
| ?toLongLong@QString@@QBE_JPA_NH@Z | 3 |
| ?startsWith@QString@@QBE_NABVQLatin1 | 3 |
| ??1QObjectPrivate@@UAE@XZ | 3 |
| ??0QObjectPrivate@@QAE@H@Z | 3 |
| ??0QObject@@IAE@AAVQObjectPrivate@C | 3 |
| ??0QByteArray@@QAE@ABV0@@Z | 3 |
| ??4QCharRef@@QAEAAV0@ABVQChar@@ | 3 |
| ??BQByteArray@@QBEPDXZ | 3 |
| ?isEmpty@QByteArray@@QBE_NXZ | 3 |
| ?write@QIODevice@@QAE_JABVQByteArray | 3 |
| ?number@QString@@SA?AV1@IH@Z | 3 |
| ?number@QString@@SA?AV1@_JH@Z | 3 |
| ??4QString@@QAEAAV0@ABVQLatin1String | 3 |
| ??9QString@@QBE_NABV0@@Z | 3 |
| ?length@QString@@QBEHXZ | 3 |
| ?toEncoded@QUrl@@QBE?AVQByteArray@ | 3 |
| ?resolved@QUrl@@QBE?AV1@ABV1@@Z | 3 |
| ?setPort@QUrl@@QAEHX@Z | 3 |
| ?truncate@QString@@QAEHX@Z | 3 |
| ?atEnd@QIODevice@@UBE_NXZ | 3 |
| ??YQByteArray@@QAEAAV0@ABV0@@Z | 3 |
| ?remove@QByteArray@@QAEAAV1@HH@ | 3 |
| ?constData@QByteArray@@QBEPDXZ | 3 |
| ?mid@QByteArray@@QBE?AV1@HH@Z | 3 |
| ?append@QByteArray@@QAEAAV1@D@Z | 3 |
| ?peek@QIODevice@@QAE_JPAD_J@Z | 3 |
| ?addGuard@QMetaObject@@SAXPAPAVQC | 3 |
| ?endsWith@QByteArray@@QBE_ND@Z | 3 |
| ??6QDebug@@QAEAAV0@_J@Z | 3 |
| ?number@QByteArray@@SA?AV1@HH@Z | 3 |
| ?encodedQuery@QUrl@@QBE?AVQByteArray | 3 |
| ??AQByteArray@@QBE?BDH@Z | 3 |
| ?toLowerCase@QByteArray@@QBE?AV1@XZ | 3 |
| ??0QBuffer@@QAE@PAVQObject@@@Z | 3 |
| ?startsWith@QByteArray@@QBE_NPBD@Z | 3 |
| ?password@QUrl@@QBE?AVQString@@XZ | 3 |
| ?userName@QUrl@@QBE?AVQString@@X: | 3 |
| ?data@QBuffer@@QBEABVQByteArray@@ | 3 |
| ?open@QBuffer@@UAE_NV?\$QFlags@W4(| 3 |

| | |
|--------------------------------------|---|
| ?setParent@QObject@@QAEXPV1@@Z | 3 |
| ?scheme@QUrl@@QBE?AVQString@@XZ | 3 |
| ?close@QBuffer@@UAEXXZ | 3 |
| ??BQBasicAtomicInt@@QBEHXZ | 3 |
| ??7QBasicAtomicInt@@QBE_NXZ | 3 |
| ??0QVariant@@QAE@HPBX@Z | 3 |
| ?addSecs@QDateTime@@QBE?AV1@H@Z | 3 |
| ?day@QDate@@QBEHXZ | 3 |
| ?arg@QString@@QBE?AV1@ABV1@0@Z | 3 |
| ??0QVariant@@QAE@ABVQDateTime@@C | 3 |
| ?lastModified@QFileInfo@@QBE?AVQDate | 3 |
| ?toLocalFile@QUrl@@QBE?AVQString@@X | 3 |
| ??1QIODevice@@UAE@XZ | 3 |
| ?qt_metacast@QIODevice@@UAEPAXPBD@ | 3 |
| ?qt_metacall@QIODevice@@UAEHW4Call@ | 3 |
| ?fromString@QDateTime@@SA?AV1@ABV1 | 3 |
| ??8QDateTime@@QBE_NABV0@@Z | 3 |
| ??4QString@@QAEAAV0@VQChar@@@Z | 3 |
| ?setTimeSpec@QDateTime@@QAEXPW4Tim | 3 |
| ?toDate@QVariant@@QBE?AVQDateT | 3 |
| ??0QVariant@@QAE@ABVQUrl@@@Z | 3 |
| ?type@QEvent@@QBE?AW4Type@1@XZ | 3 |
| ??1QCryptographicHash@@QAE@XZ | 3 |
| ?result@QCryptographicHash@@QBE?AVQI | 3 |
| ?addData@QCryptographicHash@@QAEXP@ | 3 |
| ??0QCryptographicHash@@QAE@W4Algori | 3 |
| ?readRawData@QDataStream@@QAEHPAC | 3 |
| ??0QDataStream@@QAE@ABVQByteArray(| 3 |
| ?hash@QCryptographicHash@@SA?AVQByt | 3 |
| ?qrand@@YAHXZ | 3 |
| ?size@QString@@QBEHXZ | 3 |
| ??5QDataStream@@QAEAAV0@AAC@Z | 3 |
| ?resolve@QLibrary@@SAPAXABVQString@ | 3 |
| ??4QByteRef@@QAEAAV0@D@Z | 3 |
| ?metaObject@QObject@@UBEPBUQMetaO | 3 |
| ??6QDebug@@QAEAAV0@H@Z | 3 |
| ?fromRawData@QByteArray@@SA?AV1@P | 3 |
| ?cap@QRegExp@@QAE?AVQString@@H@: | 3 |
| ?exactMatch@QRegExp@@QBE_NABVQString | 3 |
| ?append@QByteArray@@QAEAAV1@PBD@ | 3 |
| ?second@QTime@@QBEHXZ | 3 |
| ?msec@QTime@@QBEHXZ | 3 |
| ?month@QDate@@QBEHXZ | 3 |
| ?year@QDate@@QBEHXZ | 3 |
| ?isNull@QString@@QBE_NXZ | 3 |
| ?size@QByteArray@@QBEHXZ | 3 |
| _ZN11QTextStreamlsEi | 3 |

| | |
|--|---|
| _ZN7QObject10disconnectEPKS_ | 3 |
| _ZN7QObject11deleteLaterEv | 3 |
| _ZN7QString6numberEii | 3 |
| _ZNK7QStringItERKS_ | 3 |
| RasRpcGetVersion | 3 |
| @Graphics@TFont@SetSize\$qqrxI | 3 |
| @Controls@TWinControl@SelectNext\$qqrp | 3 |
| @Dcchoice@THDBaseFlatComboBox@GetV | 3 |
| @Etcctrlsii@TlvNumEdit@GetValue\$qqrv | 3 |
| @Etcctrlsii@TlvNumEdit@GetAsInteger\$qqr | 3 |
| @Hddialogs@HDShowMessage\$qqrx20Syste | 3 |
| @\$xp\$28Flatctrls@THDFlatAccountBox2 | 3 |
| @Flatctrls@THDFlatAccountBox2@ | 3 |
| rtl_byte_sequence_constructNoDefault | 3 |
| uno_getMapping | 3 |
| @System@@WriteLn\$qqrv | 3 |
| @System@@RewritText\$qqrrpv | 3 |
| @System@@VarToPStr\$qqrpvrx14System@ | 3 |
| @Filectrl@TFileListBox@ | 3 |
| IsCharSpaceA | 3 |
| sout_AnnounceRegisterSDP | 3 |
| sout_AnnounceUnRegister | 3 |
| vlc_freeaddrinfo | 3 |
| GdipAddPathLine2 | 3 |
| GdipSetPenStartCap | 3 |
| GdipGetCompositingQuality | 3 |
| SetString | 3 |
| GetLineArgs | 3 |
| gtk_adjustment_set_value | 3 |
| asprintf | 3 |
| ?WriteLock@CLKRLinearHashTable@@QAE | 3 |
| ?IsReadLocked@CFakeLock@@QBE_NXZ | 3 |
| ??0CSmallSpinLock@@QAE@XZ | 3 |
| ILIIsParent | 3 |
| ??9type_info@@QBE_NABV0@@Z | 3 |
| p | 3 |
| _ecvt_s | 3 |
| ?real@std@@YAOABV?\$complex@O@1@C | 3 |
| ??1LBitmapBase@@UAE@XZ | 3 |
| _nc_disable_period | 3 |
| _nc_tracing | 3 |
| DisableGSLink | 3 |
| EnableGSLink | 3 |
| ??6std@@YAAV?\$basic_ostream@DU?\$ch | 3 |
| ?-_F?\$basic_ostringstream@DU?\$char_trait | 3 |
| ?insert@?\$basic_string@DU?\$char_traits@I | 3 |
| ?-_F?\$time_get@DV?\$istreambuf_iterator@C | 3 |

| | |
|---|---|
| _tclen | 3 |
| _tcsncat | 3 |
| _Z5qrndv | 3 |
| _Z6qsrandj | 3 |
| _ZN6QTimer11setIntervalEi | 3 |
| _ZNK7QString3argEyiRK5QChar | 3 |
| _ZNK7QString7indexOfERKS_iN2Qt15CaseSe | 3 |
| _ZN11QMessageBox7warningEP7QWidgetRl | 3 |
| _ZN12QTextBrowserC1EP7QWidget | 3 |
| _ZN5QIconC1Ev | 3 |
| _ZN5QMenu12addSeparatorEv | 3 |
| _ZN6QFrame14setFrameShadowENS_6Shad | 3 |
| _ZN6QFrameC1EP7QWidget6QFlagsIN2Qt1C | 3 |
| _ZN7QDialog10closeEventEP11QCloseEvent | 3 |
| _ZN7QDialog11qt_metacallEN11QMetaObje | 3 |
| _ZN7QDialog11qt_metacastEPKc | 3 |
| _ZN7QDialog11resizeEventEP12QResizeEver | 3 |
| _ZN7QDialog13keyPressEventEP9QKeyEvent | 3 |
| _ZN7QDialog16staticMetaObjectE | 3 |
| _ZN7QDialog9showEventEP10QShowEvent | 3 |
| _ZN7QDialogC2EP7QWidget6QFlagsIN2Qt1C | 3 |
| _ZN7QDialogD2Ev | 3 |
| _ZN7QWidget7repaintEv | 3 |
| _ZN7QWidget9addActionEP7QAction | 3 |
| _ZN8QSpinBox10setMaximumEi | 3 |
| _ZN8QSpinBox10setMinimumEi | 3 |
| _ZN8QSpinBoxC1EP7QWidget | 3 |
| _ZN9QComboBox10insertItemEiRK5QIconRK | 3 |
| _ZN9QComboBox15setCurrentIndexEi | 3 |
| _ZN9QComboBox5clearEv | 3 |
| _ZN9QComboBoxC1EP7QWidget | 3 |
| _ZN9QLineEdit12setMaxLengthEi | 3 |
| _ZN9QLineEdit7setTextERK7QString | 3 |
| _ZN9QLineEditC1EP7QWidget | 3 |
| _ZN9QTextEdit7setHtmlERK7QString | 3 |
| _ZNK8QSpinBox5valueEv | 3 |
| _ZNK9QComboBox5countEv | 3 |
| _ZNK9QLineEdit4textEv | 3 |
| rtcCos | 3 |
| __xmlDoValidityCheckingDefaultValue | 3 |
| __xmlGetWarningsDefaultValue | 3 |
| __xmlParserDebugEntities | 3 |
| __xmlTreeIndentString | 3 |
| htmlCreatePushParserCtxt | 3 |
| htmlDocDump | 3 |
| htmlFreeParserCtxt | 3 |
| htmlParseChunk | 3 |

| | |
|------------------------------------|---|
| htmlSaveFile | 3 |
| htmlSaveFileFormat | 3 |
| xmlAddEncodingAlias | 3 |
| xmlC14NDocDumpMemory | 3 |
| xmlCtxtReadFile | 3 |
| xmlCtxtReadIO | 3 |
| xmlDebugDumpEntities | 3 |
| xmlDeregisterNodeDefault | 3 |
| xmlDocDump | 3 |
| xmlEncodeEntitiesReentrant | 3 |
| xmlFreeEnumeration | 3 |
| xmlFreePattern | 3 |
| xmlFreeStreamCtxt | 3 |
| xmlFreeTextReader | 3 |
| xmlFreeValidCtxt | 3 |
| xmlGetNodePath | 3 |
| xmlHasFeature | 3 |
| xmlKeepBlanksDefault | 3 |
| xmlLineNumbersDefault | 3 |
| xmlMemFree | 3 |
| xmlMemMalloc | 3 |
| xmlMemRealloc | 3 |
| xmlMemSetup | 3 |
| xmlMemUsed | 3 |
| xmlMemoryStrdup | 3 |
| xmlNewValidCtxt | 3 |
| xmlParseDTD | 3 |
| xmlParserInputBufferCreateFilename | 3 |
| xmlPatternGetStreamCtxt | 3 |
| xmlPatternMatch | 3 |
| xmlPatterncompile | 3 |
| xmlPedanticParserDefault | 3 |
| xmlReadFd | 3 |
| xmlReadIO | 3 |
| xmlReaderForFile | 3 |
| xmlReaderWalker | 3 |
| xmlRegisterNodeDefault | 3 |
| xmlRelaxNGCleanupTypes | 3 |
| xmlRelaxNGFree | 3 |
| xmlRelaxNGFreeParserCtxt | 3 |
| xmlRelaxNGFreeValidCtxt | 3 |
| xmlRelaxNGNewParserCtxt | 3 |
| xmlRelaxNGNewValidCtxt | 3 |
| xmlRelaxNGParse | 3 |
| xmlRelaxNGSetParserErrors | 3 |
| xmlRelaxNGSetValidErrors | 3 |
| xmlRelaxNGValidateDoc | 3 |

| | |
|--------------------------------|---|
| xmlSAXDefaultVersion | 3 |
| xmlSaveClose | 3 |
| xmlSaveDoc | 3 |
| xmlSaveFileEnc | 3 |
| xmlSaveToFd | 3 |
| xmlSaveToFilename | 3 |
| xmlSchemaFree | 3 |
| xmlSchemaFreeParserCtxt | 3 |
| xmlSchemaFreeValidCtxt | 3 |
| xmlSchemaNewParserCtxt | 3 |
| xmlSchemaNewValidCtxt | 3 |
| xmlSchemaParse | 3 |
| xmlSchemaSetParserErrors | 3 |
| xmlSchemaSetValidErrors | 3 |
| xmlSchemaValidateDoc | 3 |
| xmlSchemaValidateStream | 3 |
| xmlSchematronFree | 3 |
| xmlSchematronFreeParserCtxt | 3 |
| xmlSchematronFreeValidCtxt | 3 |
| xmlSchematronNewParserCtxt | 3 |
| xmlSchematronNewValidCtxt | 3 |
| xmlSchematronParse | 3 |
| xmlSchematronValidateDoc | 3 |
| xmlSetCompressMode | 3 |
| xmlShell | 3 |
| xmlStreamPop | 3 |
| xmlStreamPush | 3 |
| xmlTextReaderConstLocalName | 3 |
| xmlTextReaderConstName | 3 |
| xmlTextReaderConstNamespaceUri | 3 |
| xmlTextReaderConstValue | 3 |
| xmlTextReaderCurrentNode | 3 |
| xmlTextReaderDepth | 3 |
| xmlTextReaderHasValue | 3 |
| xmlTextReaderIsEmptyElement | 3 |
| xmlTextReaderIsValid | 3 |
| xmlTextReaderNodeType | 3 |
| xmlTextReaderRead | 3 |
| xmlTextReaderRelaxNGValidate | 3 |
| xmlTextReaderSchemaValidate | 3 |
| xmlTextReaderSetParserProp | 3 |
| xmlValidGetValidElements | 3 |
| xmlValidateDocument | 3 |
| xmlValidateDtd | 3 |
| lineSetAgentActivity | 3 |
| uno_constructData | 3 |
| typelib_typedescription_new | 3 |

| | |
|---------------------------------------|---|
| typelib_typedescription_register | 3 |
| uno_copyAndConvertData | 3 |
| rtl_ustr_ascii_compare | 3 |
| RasGetCountryInfoA | 3 |
| lineSetCallTreatment | 3 |
| cmnbInit | 3 |
| cmnbFree | 3 |
| ?AddToWorkQueue@CFwAsyncWorkItem@ | 3 |
| ?AddFolder@CCollection@@QAEPAVCFold | 3 |
| lineGetProviderListA | 3 |
| ConfigTranslator | 3 |
| GetSystemFirmwareTable | 3 |
| TraceSQLSetConnectAttrW | 3 |
| TraceSQLSetStmtOption | 3 |
| TraceSQLPrimaryKeys | 3 |
| LsalCLookupSidsWithCreds | 3 |
| CheckFileType | 3 |
| KillSystemTimer | 3 |
| ??1SvtLinguConfig@@UAE@XZ | 3 |
| ??0SvtLinguConfig@@QAE@XZ | 3 |
| ?GetImplementation@VCLXWindow@@SAF | 3 |
| Uninstall | 3 |
| GetUserDefaultLocaleName | 3 |
| GetSystemDefaultLocaleName | 3 |
| RtlGetUILanguageInfo | 3 |
| RtIpSetPreferredUILanguages | 3 |
| SDDMReadProfile | 3 |
| SceSetupConfigureServices | 3 |
| FveuiWizard | 3 |
| FveuiipClearFveWizOnStartup | 3 |
| ?beginGroup@QSettings@@QAEABVQString | 3 |
| ?installEventFilter@QObject@@QAEPAV1(| 3 |
| ?endGroup@QSettings@@QAEAXZ | 3 |
| ?buttons@QMouseEvent@@QBE?AV?\$QFla | 3 |
| ?setFrameStyle@QFrame@@QAEHX@Z | 3 |
| ?currentWidget@QStackedWidget@@QBEP | 3 |
| ?setContentsMargins@QWidget@@QAEHXI | 3 |
| ?removeWidget@QLayout@@QAEPAVQW | 3 |
| ?staticMetaObject@QSplitter@@2UQMetaO | 3 |
| __delayLoadHelper | 3 |
| lineGetAgentActivityListW | 3 |
| _____ | 3 |
| _basGetLanguagePath@0 | 3 |
| _basLoadLanguage@4 | 3 |
| _basGetProcAddress@8 | 3 |
| SceDcPromoteSecurityEx | 3 |
| WVTAsn1SpcLinkEncode | 3 |

| | |
|---|---|
| xsltApplyStylesheet | 3 |
| xsltFreeStylesheet | 3 |
| ?LogMessage@MESSAGE@@QAEEPBVWSTI | 3 |
| PsRemoveCreateThreadNotifyRoutine | 3 |
| ldap_set_dbg_flags | 3 |
| ldap_extended_operation_sW | 3 |
| ??0CWin32RegAccess@@QAE@PAUHKEY_ | 3 |
| ?GetPropType@CEmptyPropertyList@@SGC | 3 |
| ?ReInit@CQueryUnknown@@QAEXKPAPAV | 3 |
| GdipGetDpiY | 3 |
| PbCreateInvisible | 3 |
| @Placemnt@TFormStorage@ | 3 |
| I_NetDatabaseDeltas | 3 |
| RtlQueryProcessLockInformation | 3 |
| ScsiPortReadPortBufferUshort | 3 |
| ScsiPortWritePortBufferUshort | 3 |
| ?_Addfac@_Locimp@locale@std@@AAEXP | 3 |
| IsValidRelativeSecurityDescriptor | 3 |
| SDL_GetTicks | 3 |
| SDL_LoadBMP_RW | 3 |
| SDL_MapRGB | 3 |
| SDL_SetAlpha | 3 |
| ?IsStarted@CCatalogAdmin@@QAEHXZ | 3 |
| PuCreateDebugPrintsObject | 3 |
| PuDbgPrint | 3 |
| ?_Fmt@?\$num_put@GV?\$ostreambuf_iter | 3 |
| SHLockShared | 3 |
| IsValidDevmodeW | 3 |
| ?GetPathW@CLocation@@QAEPBGXZ | 3 |
| ?abs@std@@YANABV?\$complex@N@1@@ | 3 |
| @System@@VarArrayPut\$qr14System@Vai | 3 |
| @Dialogs@InputQuery\$qqrx17System@Ans | 3 |
| @Db@TCustomConnection@Open\$qqrv | 3 |
| @Dxlayoutlookandfeels@TdxLayoutOfficeLo | 3 |
| @Dbvedateedit@Finalization\$qqrv | 3 |
| @Dbvedateedit@TDBVEDateEdit@ | 3 |
| @Kbmmemtable@TkbmCustomMemTable@ | 3 |
| @Tbskinplus@TTBSkin@ | 3 |
| @Dxgriddialog@TdxGridDialog@Execute\$qc | 3 |
| @Dxstatusbar@TdxStatusBarPanels@GetItc | 3 |
| @Dxstatusbar@TdxStatusBar@ | 3 |
| @Cxcheckcombobox@TcxCheckComboBoxIt | 3 |
| @Cxcheckcombobox@TcxCheckComboBoxC | 3 |
| @Jvbasedlg@initialization\$qqrv | 3 |
| @Jvbasedlg@Finalization\$qqrv | 3 |
| @Jvbrowserfolder@initialization\$qqrv | 3 |
| @Jvbrowserfolder@Finalization\$qqrv | 3 |

| | |
|--|---|
| ?_Init@?\$collate@G@std@@IAEXABV_Loci | 3 |
| ??0?\$_Mpunct@G@std@@QAE@I_N@Z | 3 |
| ?getText@CMacroTable@@QAEPBIH@Z | 3 |
| ?getKey@CMacroTable@@QAEPBIH@Z | 3 |
| ?loadFromFile@CMacroTable@@QAEHPBD@ | 3 |
| ?writeToFile@CMacroTable@@QAEHPBD@ | 3 |
| ?addItem@CMacroTable@@QAEHPBX0H@` | 3 |
| ?resetContent@CMacroTable@@QAEXXZ | 3 |
| ?init@CMacroTable@@QAEXXZ | 3 |
| ?MyMouseHook@@YGJHIJ@Z | 3 |
| ReplaceString | 3 |
| GetPartOfString | 3 |
| AddSI | 3 |
| ZapDynamicStruct | 3 |
| AddDynamicStruct | 3 |
| DefineDynamicStruct5 | 3 |
| GetDynamicStruct2 | 3 |
| ?SetDATE@CStorageVariant@@QAEXNI@Z | 3 |
| ??4CIniA@@QAEAAV0@ABV0@@Z | 3 |
| ?CIniW_WriteEntryToReg@CIniW@@IBEHP. | 3 |
| strtrimW | 3 |
| HrSetDirtyFlagImpl | 3 |
| HrLPSZToBSTR | 3 |
| ??0CEventLog@@QAE@PBG0@Z | 3 |
| ?UnMarshall@CDbPropSet@@QAEHAAVPD | 3 |
| ldap_sslnitA | 3 |
| 4D0E97B2 | 3 |
| ??0CTXStringW@@QAE@ABUtagVARIANT@ | 3 |
| ?UnRegisterCodec@DataReport@Util@@YA | 3 |
| ?AddToRecentCommList@Misc@Util@@YA | 3 |
| ?IsPrevented@Contact@Util@@YAHK@Z | 3 |
| ?GetIMVersion@Contact@Util@@YAGK@Z | 3 |
| ?DelOldVerPluginRegDomain@Misc@Util@ | 3 |
| ?FlashChatFrameWnd@ChatSession@Util@ | 3 |
| gimp_zoom_preview_get_source | 3 |
| gimp_zoom_preview_get_type | 3 |
| gimp_zoom_preview_new | 3 |
| ??0CInternalPropertyRestriction@@QAE@K | 3 |
| ?_dwLastCheckMoment@CGlobalPropFileRe | 3 |
| SePublicDefaultDacl | 3 |
| ?GetHour@CTXTIME@@QBEHXZ | 3 |
| ?GetMinute@CTXTIME@@QBEHXZ | 3 |
| ?GetSecond@CTXTIME@@QBEHXZ | 3 |
| ?Random@Sys@Util@@YAHXZ | 3 |
| ?GetYear@CTXTIME@@QBEHXZ | 3 |
| ?GetMonth@CTXTIME@@QBEHXZ | 3 |
| ?GetDay@CTXTIME@@QBEHXZ | 3 |

| | |
|---|---|
| ??4CTXTime@@QAEAAV0 @_J@Z | 3 |
| ?ReleaseBuffer@CTXStringA@@QAEHX@Z | 3 |
| ?GetBuffer@CTXStringA@@QEPADXZ | 3 |
| ?CopyFileW@FS@@YAHPB_W0H@Z | 3 |
| ?SlideFrame@GF@Util@@YAJPAUIGFFrame | 3 |
| GetCanvasWindow | 3 |
| SetViewportOrg | 3 |
| LockTextureBits | 3 |
| UnlockTextureBits | 3 |
| ?SetMsgTime@Msg@Util@@YAXPAUITXMs | 3 |
| ?GetAccountType@Account@Util@@YAEK@ | 3 |
| ?IsEmailMainShow@Contact@Util@@YAHK | 3 |
| HlinkSetSpecialReference | 3 |
| HlinkResolveMonikerForData | 3 |
| OleSaveToStreamEx | 3 |
| HlinkNavigateToStringReference | 3 |
| HlinkPreprocessMoniker | 3 |
| HlinkUpdateStackItem | 3 |
| HlinkOnRenameDocument | 3 |
| HlinkResolveShortcutToMoniker | 3 |
| ?SetReadICSData@CIniW@@QAEHX@Z | 3 |
| NdrRpcSsDefaultAllocate | 3 |
| NdrServerInitialize | 3 |
| BtAddServiceRecord | 3 |
| BtDisconnectCOMM | 3 |
| BtConnectCOMM2 | 3 |
| BtGetCOMMInfoList2 | 3 |
| NtCompactKeys | 3 |
| ?RemoveHead@CDoubleList@@QAEQAVCL | 3 |
| TraceSQLExecDirectW | 3 |
| ?Initialize@NTFS_BITMAP_FILE@@QEEPA\ | 3 |
| IID_IVbaHost | 3 |
| TipCreateInstanceProject2 | 3 |
| BASIC_CLASS_Release | 3 |
| _ZN4Foam10SLLListBase6appendEPNS0_4link | 3 |
| _ZN4Foam6HasherEPKvjj | 3 |
| _ZN4Foam6VectorIdE8typeNameE | 3 |
| _ZN4Foam8polyMeshC1ERKNS_8IOobjectE | 3 |
| _ZN4Foam8polyMeshD1Ev | 3 |
| _ZN4FoamdvERKNS_6stringES2_ | 3 |
| _ZN4FoamIlsERNS_7OstreamERKNS_5Token1 | 3 |
| _ZN4FoamIlsERNS_7OstreamERKNS_8fileNar | 3 |
| _ZN4FoamIlsERNS_7OstreamEi | 3 |
| _ZNK4Foam11regIOobject5writeEv | 3 |
| _ZNK4Foam8IOstream5checkEPKc | 3 |
| _ZNK4Foam8IOstream5printERNS_7Ostrea | 3 |
| _ZTVN4Foam14primitiveEntryE | 3 |

| | |
|--|---|
| _ZTVN4Foam8ITstreamE | 3 |
| _ZNSs6assignERKSs | 3 |
| _ZNSsC1EPKcjRKSalcE | 3 |
| _ZNSt15basic_stringbufIcSt11char_traitsIcES | 3 |
| _ZNSt6localeC1Ev | 3 |
| _ZNSt6localeD1Ev | 3 |
| _ZNSt8ios_baseC2Ev | 3 |
| _ZNSt8ios_baseD2Ev | 3 |
| _ZNSt9basic_iosIcSt11char_traitsIcEE4initEP! | 3 |
| _ZTVSt19basic_ostreamIcSt11char_trai | 3 |
| __cxa_bad_cast | 3 |
| MprConfigServerBackup | 3 |
| RevertToPrinterSelf | 3 |
| ldap_search | 3 |
| NdisIMQueueMiniportCallback | 3 |
| RutlDwordDup | 3 |
| curl_multi_cleanup | 3 |
| CreateTexture | 3 |
| TraceSQLDescribeParam | 3 |
| ?LoadLibraries@LBase@@SAKK@Z | 3 |
| ?Save@LBitmapBase@@UAEHPADHHHIPAL | 3 |
| ?Size@LBitmapBase@@UAEHHHK@Z | 3 |
| ?Copy@LBitmapBase@@UAEHAAV1@@Z | 3 |
| ?UnloadLibraries@LBase@@SAXK@Z | 3 |
| ?end@?\$basic_string@GU?\$char_traits@G(| 3 |
| ?begin@?\$basic_string@GU?\$char_traits@(| 3 |
| _tcsset | 3 |
| ?IsStranger@Contact@Util@@YAHK@Z | 3 |
| ?SendAutoReplyMsgToBuddy@ChatSession(| 3 |
| ?GetChatSessionMainHWnd@ChatSession@ | 3 |
| ?WriteMsgTipInChatSession@ChatSession@ | 3 |
| ?DetermineDriveType@CStorage@@SGIPB | 3 |
| rtcRightTrimBstr | 3 |
| ?_CurrentThreadId@CReaderWriterLock3@ | 3 |
| ?WriteUnlock@CReaderWriterLock2@@QA | 3 |
| ?InsertHead@ClockedDoubleList@@QAEXC | 3 |
| ?SPrintfAppend@DSTRING@@UAAEPBGZZ | 3 |
| ?SPrintf@DSTRING@@UAAEPBGZZ | 3 |
| @Cxtrackbar@Finalization\$qqrv | 3 |
| @Cxcolorcombobox@Finalization\$qqrv | 3 |
| @Cxlistview@initialization\$qqrv | 3 |
| _JVM_GetMethodIdxLocalsCount@12 | 3 |
| _JVM_GetCPMethodNameUTF@12 | 3 |
| _JVM_GetMethodIdxExceptionTableEntry@21 | 3 |
| _JVM_GetMethodIdxExceptionTableLength@ | 3 |
| _JVM_GetMethodIdxMaxStack@12 | 3 |
| _JVM_GetMethodIdxExceptionIndexes@16 | 3 |

| | |
|-------------------------------------|---|
| _JVM_GetCPFieldSignatureUTF@12 | 3 |
| _JVM_GetClassMethodsCount@8 | 3 |
| _JVM_GetClassFieldsCount@8 | 3 |
| _JVM_GetClassCPTypes@12 | 3 |
| _JVM_GetClassCPEntriesCount@8 | 3 |
| _JVM_GetCPMethodSignatureUTF@12 | 3 |
| _JVM_GetCPFieldModifiers@16 | 3 |
| _JVM_GetCPMethodModifiers@16 | 3 |
| _JVM_IsSameClassPackage@12 | 3 |
| _JVM_GetCPMethodClassNameUTF@12 | 3 |
| _JVM_GetCPFieldClassNameUTF@12 | 3 |
| _JVM_GetCPClassNameUTF@12 | 3 |
| _JVM_GetMethodIdxArgsSize@12 | 3 |
| _JVM_GetMethodIdxModifiers@12 | 3 |
| _JVM_IsConstructorIdx@12 | 3 |
| _JVM_GetMethodIdxByteCodeLength@12 | 3 |
| _JVM_GetMethodIdxByteCode@16 | 3 |
| _JVM_GetFieldIdxModifiers@12 | 3 |
| _JVM_FindClassFromClass@16 | 3 |
| _JVM_GetClassNameUTF@8 | 3 |
| _JVM_GetMethodIdxNameUTF@12 | 3 |
| _JVM_GetMethodIdxSignatureUTF@12 | 3 |
| _JVM_GetMethodIdxExceptionsCount@12 | 3 |
| _JVM_ReleaseUTF@4 | 3 |
| RtlpNtQueryValueKey | 3 |
| MD5_Final | 3 |
| MD5_Init | 3 |
| MD5_Update | 3 |
| closelog | 3 |
| setmode | 3 |
| clCreateProgramWithBinary | 3 |
| clEnqueueWriteBuffer | 3 |
| clFinish | 3 |
| clGetDeviceIDs | 3 |
| clGetDeviceInfo | 3 |
| clGetProgramBuildInfo | 3 |
| clGetProgramInfo | 3 |
| delwin | 3 |
| echo | 3 |
| halfdelay | 3 |
| idlok | 3 |
| immedok | 3 |
| leaveok | 3 |
| mvwhline | 3 |
| mvwprintw | 3 |
| newwin | 3 |
| nocbreak | 3 |

| | |
|---|---|
| scrolllok | 3 |
| stdscr | 3 |
| vwprintw | 3 |
| wclrtoeol | 3 |
| wgetnstr | 3 |
| wprintw | 3 |
| wresize | 3 |
| pthread_detach | 3 |
| pthread_self | 3 |
| SQLSCMEnumClusterSQLServicesW | 3 |
| SQLSCMControlPlatW | 3 |
| SQLSCMEnumDependentServicesW | 3 |
| SQLSCMGetServiceStatePlatW | 3 |
| QSQLLEnumerateServers | 3 |
| input_item_PostSubItem | 3 |
| vlc_b64_encode | 3 |
| _ZN11QMetaObject11changeGuardEPP7QOI | 3 |
| _ZNK5QFile6existsEv | 3 |
| _ZNK5QFile8fileNameEv | 3 |
| _ZNK7QString5splitERK5QCharNS_13SplitBe | 3 |
| _ZNK7QString7trimmedEv | 3 |
| gtk_button_get_type | 3 |
| _ZN10QTextCodec12codecForNameERK10QI | 3 |
| _ZN10QTextCodec4cftrE | 3 |
| _ZN16QCoreApplication9argumentsEv | 3 |
| _ZN16QCoreApplicationC1ERiPPc | 3 |
| _ZN5QFile11setFileNameERK7QString | 3 |
| _ZN5QFile5flushEv | 3 |
| _ZN5QFile6renameERK7QStringS2_ | 3 |
| _ZN5QFileC1Ev | 3 |
| _ZN5QTime11currentTimeEv | 3 |
| _ZN7QString6appendE5QChar | 3 |
| _ZN8QProcess13startDetachedERK7QString | 3 |
| _ZN8QVariantC1EPKc | 3 |
| _ZN9QDateTime10fromTime_tEj | 3 |
| _ZN9QSettingsC1ERK7QStringNS_6FormatEf | 3 |
| _ZNK5QFile4sizeEv | 3 |
| _ZNK7QString12toWCharArrayEPw | 3 |
| _ZNK9QDateTime8toStringERK7QString | 3 |
| _ZNK9QSettings5valueERK7QStringRK8QVar | 3 |
| ?GetSpinCount@CCritSec@@QBEGXZ | 3 |
| ??1CReaderWriterLock@@QAE@XZ | 3 |
| ?Throw@SC@mmcerror@@QAEXXZ | 3 |
| glsHeaderubz | 3 |
| glsUCS1toUTF8z | 3 |
| ?find_first_of@\$basic_string@_WU?\$char_ | 3 |
| _Z23qUnregisterResourceDataiPKhsO_SO_ | 3 |

| | |
|---|---|
| _ZN16QXmlStreamReader8readNextEv | 3 |
| _ZN16QXmlStreamReaderC1Ev | 3 |
| _ZN16QXmlStreamReaderD1Ev | 3 |
| _ZN7QThread16staticMetaObjectE | 3 |
| _ZN9QIODevice5writeEPKcx | 3 |
| _ZN9QIODevice7readAllEv | 3 |
| _ZNK16QXmlStreamReader4nameEv | 3 |
| _ZNK16QXmlStreamReader5atEndEv | 3 |
| _ZNK16QXmlStreamReader9tokenTypeEv | 3 |
| _ZNK7QString3argExiiRK5QChar | 3 |
| _ZNK7QThread9isRunningEv | 3 |
| _ZNK9QIODevice11errorStringEv | 3 |
| _ZN7QWidget17setWindowModalityEN2Qt1 | 3 |
| _ZN8QPaletteC1ERKS_ | 3 |
| _ZNK7QWidget7paletteEv | 3 |
| _cxv53n | 3 |
| ExWaitForRundownProtectionRelease | 3 |
| ExfAcquirePushLockExclusive | 3 |
| ??1?\$messages@G@std@@@UAE@XZ | 3 |
| ldap_dn2ufnA | 3 |
| ldap_search_st | 3 |
| CMCreateProfile | 3 |
| ?_Init@?\$basic_stringbuf@GU?\$char_traits@ | 3 |
| ??4_Locinfo@std@@QAEAAV01@ABV01@() | 3 |
| ??0AString@@QAE@XZ | 3 |
| ??0AString@@QAE@ABV0@@Z | 3 |
| ??1AString@@QAE@XZ | 3 |
| KeRemoveSystemServiceTable | 3 |
| ObAssignSecurity | 3 |
| ??0?\$basic_istream@_WU?\$char_traits@_V | 3 |
| ??_D?\$basic_istream@_WU?\$char_traits@_V | 3 |
| ?seekpos@?\$basic_streambuf@_WU?\$char_traits@_V | 3 |
| ?seekoff@?\$basic_streambuf@_WU?\$char_traits@_V | 3 |
| ?overflow@?\$basic_streambuf@_WU?\$char_traits@_V | 3 |
| ZTagGetUINT | 3 |
| ZTagAddElement | 3 |
| HTUI_ColorAdjustmentW | 3 |
| HTUI_ColorAdjustment | 3 |
| HTUI_DeviceColorAdjustmentW | 3 |
| HTUI_DeviceColorAdjustment | 3 |
| NetpAllocFtinfoEntry | 3 |
| zlibVersion | 3 |
| png_set_compression_strategy | 3 |
| png_set_text | 3 |
| png_get_text | 3 |
| SetGeometry | 3 |
| ResetImageProfileIterator | 3 |

| | |
|---|---|
| GetNextImageProfile | 3 |
| ReadBlobMSBLong | 3 |
| ?SetProxyInfo@NetworkEnv@Util@@YAJPA | 3 |
| ?QueryInfo@CTXHttpDownload@@QAEHAE | 3 |
| ?QueryInfo@CTXHttpDownload@@QAEHAE | 3 |
| ?AddBufLenWord@CTXCommPack@@QAEF | 3 |
| ?Reset@CTXCommPack@@QAEXZ | 3 |
| ??1CP2PDownloadUIInterface@@UAE@XZ | 3 |
| ??1CP2PDownload@@UAE@XZ | 3 |
| ??1CP2PDownloadParam@@UAE@XZ | 3 |
| ?SetTargetShareRate@CP2PDownload@@Q | 3 |
| ?Download@CP2PDownload@@QAEHPAVC | 3 |
| ?EnableShareTimeout@CP2PDownload@@(| 3 |
| ?SetUserPrefer@CP2PDownloadParam@@C | 3 |
| ?SetPartInfo@CP2PDownloadParam@@QAI | 3 |
| ?SetApplicationType@CP2PDownloadParam | 3 |
| ?SetP2PStatReport@CP2PDownloadParam@ | 3 |
| ?SetHttpSpeedLimit@CP2PDownloadParam | 3 |
| ?SetHttpConnectionLimit@CP2PDownloadP | 3 |
| ?SetDownloadMechanism@CP2PDownloadF | 3 |
| ?SetLocalFileName@CP2PDownloadParam@ | 3 |
| ?SetTorrentURL@CP2PDownloadParam@@ | 3 |
| ?SetFileURL@CP2PDownloadParam@@QAE | 3 |
| ?SetStunServer@CP2PDownloadParam@@(| 3 |
| ?SetPeerServer@CP2PDownloadParam@@(| 3 |
| ?Init@CP2PDownloadParam@@QAEHZ | 3 |
| ?SetUIInterface@CP2PDownload@@QAEXP | 3 |
| ?SetP2PFile@CP2PDownload@@QAEXABVC | 3 |
| ??0CP2PDownloadParam@@QAE@XZ | 3 |
| ??0CP2PDownload@@QAE@XZ | 3 |
| ??0CP2PDownloadUIInterface@@QAE@XZ | 3 |
| ?AbortDownload@CP2PDownload@@QAEX | 3 |
| ?GetTargetShareRate@CP2PDownload@@C | 3 |
| ?GetProxyInfo@NetworkEnv@Util@@YAJP/ | 3 |
| ?SetUserLCID@TXI18N@@YAXK@Z | 3 |
| ?GetBuf@CTXCommPack@@QAEHPAPBEHI | 3 |
| ConsoleControl | 3 |
| RtlExitUserProcess | 3 |
| RtlGetCriticalSectionRecursionCount | 3 |
| lua_newuserdata | 3 |
| ?seekpos@?\$basic_filebuf@DU?\$char_traits@ | 3 |
| ?signaling_NaN@?\$numeric_limits@J@std@ | 3 |
| DwmEnableBlurBehindWindow | 3 |
| ?setFocus@QWidget@@QAEXW4FocusReas | 3 |
| ?addButton@QDialogButtonBox@@QAEXP/ | 3 |
| ??0QDialogButtonBox@@QAE@PAVQWidge | 3 |
| ?setStandardButtons@QDialogButtonBox@() | 3 |

| | |
|---|---|
| ??1QNetworkAccessManager@@UAE@XZ | 3 |
| ??1QNetworkRequest@@QAE@XZ | 3 |
| ?currentPath@QDir@@SA?AVQString@@X: | 3 |
| ?SetString@CTXStringW@@QAEXPB_W@Z | 3 |
| ?CombineName@CFileSystem@NetDisk@@@ | 3 |
| ?RenameFile@CFileSystem@NetDisk@@QA | 3 |
| ?MoveFileW@CFileSystem@NetDisk@@QA | 3 |
| ?IsUpdateNeeded@CFileSystem@NetDisk@@ | 3 |
| ?AllocFileObj@CFileSystem@NetDisk@@QA | 3 |
| ?AddChild@DEntry@NetDisk@@YAPAU_DE | 3 |
| ?FreeFileObj@CFileSystem@NetDisk@@QA | 3 |
| ?UpdateFolder@CFileSystem@NetDisk@@@C | 3 |
| ?SaveFile@CFileSystem@NetDisk@@@QAEXF | 3 |
| ?AddState@DEntry@NetDisk@@YAXPAU_D | 3 |
| ?ClearState@DEntry@NetDisk@@YAXPAU_ | 3 |
| ?GetRootDir@CFileSystem@NetDisk@@QA | 3 |
| ?DeleteFileW@CFileSystem@NetDisk@@QA | 3 |
| ??0CTempFile@NetDisk@@QAE@AAVCFil | 3 |
| ?Create@CTempFile@NetDisk@@QAEPAU_ | 3 |
| ?GetParent@DEntry@NetDisk@@YAPAU_D | 3 |
| ?CopyInfo@DEntry@NetDisk@@YAPAU_DE | 3 |
| ?SetName@DEntry@NetDisk@@YAHPAU_E | 3 |
| ?Apply@CTempFile@NetDisk@@QAEHHPB | 3 |
| ??0CFileLock@NetDisk@@QAE@AAVCFil | 3 |
| ?IsAccessLock@CFileLock@NetDisk@@QAEI | 3 |
| ?AccessLock@CFileLock@NetDisk@@QAEXI | 3 |
| ??1CFileLock@NetDisk@@QAE@XZ | 3 |
| ??1CTempFile@NetDisk@@QAE@XZ | 3 |
| ?GetFullName@CFileSystem@NetDisk@@@C | 3 |
| ?IsFolder@DEntry@NetDisk@@YAHPAU_D | 3 |
| ?CombineName@DEntry@NetDisk@@YAXA | 3 |
| ??0CFolderOpen@NetDisk@@QAE@AAVCF | 3 |
| ?FindChildFirst@CFileSystem@NetDisk@@@C | 3 |
| ?GetName@CFileSystem@NetDisk@@QAE | 3 |
| ?IsFolder@CFileSystem@NetDisk@@QAEHF | 3 |
| ?Mount@CFileSystem@NetDisk@@QAEHXZ | 3 |
| ??1CFileSystem@NetDisk@@UAE@XZ | 3 |
| ??0CFileSystem@NetDisk@@QAE@ABVCTX | 3 |
| ??1CFileFind@NetDisk@@QAE@XZ | 3 |
| ??1CFolderOpen@NetDisk@@QAE@XZ | 3 |
| ??0CFileFind@NetDisk@@QAE@AAVCFil | 3 |
| ?FindChildNext@CFileSystem@NetDisk@@@I | 3 |
| ??0CRetryTask@NetDisk@@QAE@V?\$share | 3 |
| ?Delete@CTaskDataMgr@NetDisk@@QAEH | 3 |
| ?Update@CTaskDataMgr@NetDisk@@QAEI | 3 |
| ?Add@CTaskDataMgr@NetDisk@@QAEHPA | 3 |
| ?ScheduleExecute@CDiskExecutable@NetDi | 3 |

| | |
|--|---|
| ?StringToByte@DiskUtil@NetDisk@@YAHAI | 3 |
| ?ByteToString@DiskUtil@NetDisk@@YAHPE | 3 |
| ?Execute@CDiskExecutable@NetDisk@@U/ | 3 |
| ?MByteToWChar@DiskUtil@NetDisk@@YA\ | 3 |
| ?FileTimeToUtc@DiskUtil@NetDisk@@YA_J | 3 |
| ?UtcToFileTime@DiskUtil@NetDisk@@YA/? | 3 |
| ?Set2ndPsw@CConfigCenter@NetDisk@@C | 3 |
| ??1CRetryTask@NetDisk@@UAE@XZ | 3 |
| ?Run@CRetryTask@NetDisk@@UAEXXZ | 3 |
| ?Cancel@CCancelableCommand@NetDisk@ | 3 |
| ??1CPauseableAtomic@NetDisk@@QAE@X | 3 |
| ?Cancel@CCancelableAtomic@NetDisk@@I | 3 |
| ?Pause@CPauseableAtomic@NetDisk@@U, | 3 |
| ??_7CCancelableAtomic@NetDisk@@6B@ | 3 |
| ??0CPauseableAtomic@NetDisk@@QAE@X | 3 |
| ??0Time@NetDisk@@QAE@_J@Z | 3 |
| ??GTime@NetDisk@@QBEHABV01@@Z | 3 |
| ??4Time@NetDisk@@QAEAAV01@ABV01@ | 3 |
| ?Resume@CPauseableCommand@NetDisk@ | 3 |
| ?Pause@CPauseableCommand@NetDisk@() | 3 |
| ?ResumeInternal@CPauseableCommand@N | 3 |
| ?PauseInternal@CPauseableCommand@Ne | 3 |
| ?GetElapsed Time@CPauseableCommand@I | 3 |
| ??0CPauseableCommand@NetDisk@@QAE | 3 |
| ??1CPauseableCommand@NetDisk@@UAE | 3 |
| ?SubscribeOnProgress@CCommand@NetDi | 3 |
| ?SubscribeOnEnd@CDiskExecutable@NetD | 3 |
| ?SubscribeOnPaused@CPauseableAtomic@ | 3 |
| ??1CConfigCenter@NetDisk@@QAE@XZ | 3 |
| ?Reset@CNetDiskDb@NetDisk@@QAEXXZ | 3 |
| ?Run@CThreadUI@NetDisk@@MAEIXZ | 3 |
| ??1CBTreeException@NetDisk@@QAE@XZ | 3 |
| ??0CBTreeException@NetDisk@@QAE@AB' | 3 |
| ?SetID@CConfigCenter@NetDisk@@QAEXK | 3 |
| ??0CConfigCenter@NetDisk@@QAE@XZ | 3 |
| ??1CThreadUI@NetDisk@@UAE@XZ | 3 |
| ??_7CThreadUI@NetDisk@@6B@ | 3 |
| ?Initialize@CConfigCenter@NetDisk@@QAE | 3 |
| ?Open@CNetDiskDb@NetDisk@@QAEHK@ | 3 |
| ??0CNetDiskDb@NetDisk@@QAE@XZ | 3 |
| ??1CNetDiskDb@NetDisk@@UAE@XZ | 3 |
| ?Retry@CDiskExecutable@NetDisk@@IAEH | 3 |
| ?Remote@Db@NetDisk@@3QB_WB | 3 |
| ?FileData@Db@NetDisk@@3QB_WB | 3 |
| ?FileTimeToMilliseconds@DiskUtil@NetDisk | 3 |
| ??1CTaskDataMgr@NetDisk@@QAE@XZ | 3 |
| ??0CTaskDataMgr@NetDisk@@QAE@XZ | 3 |

| | |
|---|---|
| ?Flush@CTaskDataMgr@NetDisk@@QAEHX | 3 |
| ?Clear@CTaskDataMgr@NetDisk@@QAEHX | 3 |
| ?GetSingletonPtr@CTaskDataMgr@NetDisk@ | 3 |
| ?GetTaskNext@CTaskDataMgr@NetDisk@@ | 3 |
| ?GetTaskFirst@CTaskDataMgr@NetDisk@@ | 3 |
| ?Initialize@CTaskDataMgr@NetDisk@@QAI | 3 |
| ?ms_cmdIndex@CDiskExecutable@NetDisk(| 3 |
| ??1CThreadDefault@NetDisk@@UAE@XZ | 3 |
| ??_7CThreadDefault@NetDisk@@6B@ | 3 |
| ?Run@CThreadDefault@NetDisk@@MAEIX: | 3 |
| ?OnComplete@CCommand@NetDisk@@IA | 3 |
| ?PushBack@CCommand@NetDisk@@IAEX\ | 3 |
| ??1CCommand@NetDisk@@UAE@XZ | 3 |
| ??0CCommand@NetDisk@@QAE@ABVCTX! | 3 |
| ?Execute@CCommand@NetDisk@@UAEXX: | 3 |
| ?GetElapsedTime@CDiskExecutable@NetDis | 3 |
| ?OnUserAction@CCommand@NetDisk@@L | 3 |
| ?SetOwner@CCommand@NetDisk@@UAE> | 3 |
| ?UndoStrategy@CCommand@NetDisk@@N | 3 |
| ?GetNextAtomic@CCommand@NetDisk@@ | 3 |
| ?HasWork@CCommand@NetDisk@@IAEHX | 3 |
| ?OnProgress@CCommand@NetDisk@@IAE | 3 |
| ?SubscribeOnBegin@CDiskExecutable@Net[| 3 |
| ?PushFront@CCommand@NetDisk@@IAEX' | 3 |
| ?OnCancelComplete@CCancelableCommand | 3 |
| ??1CCancelableCommand@NetDisk@@UAE | 3 |
| ??0CCancelableCommand@NetDisk@@QAE | 3 |
| ?CancelInternal@CCancelableCommand@N | 3 |
| ?DoStrategy@CCommand@NetDisk@@MAI | 3 |
| ??1CDiskExecutable@NetDisk@@UAE@XZ | 3 |
| ??0CDiskExecutable@NetDisk@@QAE@AB\ | 3 |
| ?OnComplete@CDiskExecutable@NetDisk@ | 3 |
| ?shared_from_this@?\$enable_shared_from | 3 |
| ?OnPauseComplete@CPauseableCommand(| 3 |
| ?ToFileTime@Time@NetDisk@@QBE?AU_F | 3 |
| ??0UserInfo@State@CUserCommand@IPC(| 3 |
| ??0State@CApplyCommand@IPC@NetDisk(| 3 |
| ?Serialize@State@CApplyCommand@IPC@ | 3 |
| ?Serialize@State@CApplyCommand@IPC@ | 3 |
| ?BuildFileInfo@State@CCopyCommand@IP | 3 |
| ??0State@CCopyCommand@IPC@NetDisk@ | 3 |
| ?Serialize@State@CCopyCommand@IPC@N | 3 |
| ?Serialize@State@CCopyCommand@IPC@N | 3 |
| ??1State@CCopyCommand@IPC@NetDisk@ | 3 |
| ?BuildFileInfo@State@CCreateCommand@I | 3 |
| ??0State@CCreateCommand@IPC@NetDisk | 3 |
| ?Serialize@State@CCreateCommand@IPC@ | 3 |

| | |
|--|---|
| ?Serialize@State@CCreateCommand@IPC@ | 3 |
| ??1State@CCreateCommand@IPC@NetDisk | 3 |
| ??0State@CDeleteCommand@IPC@NetDisk | 3 |
| ?Serialize@State@CDeleteCommand@IPC@ | 3 |
| ?Serialize@State@CDeleteCommand@IPC@ | 3 |
| ?BuildFileInfo@State@CMoveCommand@IF | 3 |
| ??0State@CMoveCommand@IPC@NetDisk(| 3 |
| ?Serialize@State@CMoveCommand@IPC@I | 3 |
| ?Serialize@State@CMoveCommand@IPC@I | 3 |
| ??1State@CMoveCommand@IPC@NetDisk(| 3 |
| ?BuildFileInfo@State@COpenCommand@IP | 3 |
| ??0State@COpenCommand@IPC@NetDisk(| 3 |
| ?Serialize@State@COpenCommand@IPC@I | 3 |
| ?Serialize@State@COpenCommand@IPC@I | 3 |
| ??1State@COpenCommand@IPC@NetDisk(| 3 |
| ??0State@CRenameCommand@IPC@NetDi | 3 |
| ?Serialize@State@CRenameCommand@IPC | 3 |
| ?Serialize@State@CRenameCommand@IPC | 3 |
| ??1State@CRenameCommand@IPC@NetDi | 3 |
| ??0State@CUserCommand@IPC@NetDisk@ | 3 |
| ?Serialize@State@CUserCommand@IPC@N | 3 |
| ?Serialize@State@CUserCommand@IPC@N | 3 |
| ?GetCopyList@CCopyCommand@IPC@NetE | 3 |
| ?Count@CCopyCommand@IPC@NetDisk@(| 3 |
| ?GetDeleteList@CDeleteCommand@IPC@N | 3 |
| ?Count@CDeleteCommand@IPC@NetDisk@ | 3 |
| ?GetMoveList@CMoveCommand@IPC@Ne | 3 |
| ?Count@CMoveCommand@IPC@NetDisk@ | 3 |
| ?Startup@CIPCSERVER@IPC@NetDisk@@QA | 3 |
| ??0CIPCSERVER@IPC@NetDisk@@QAE@XZ | 3 |
| ?OnMessageReceived@CIPCSERVER@IPC@N | 3 |
| ?OnChannelConnected@CIPCSERVER@IPC@I | 3 |
| ?OnChannelError@CIPCSERVER@IPC@NetD | 3 |
| ??1CIPCSERVER@IPC@NetDisk@@UAE@XZ | 3 |
| ??0CIMInfoCommand@IPC@NetDisk@@QA | 3 |
| ??0CShowCommand@IPC@NetDisk@@QAF | 3 |
| ?Send@CIPCSERVER@IPC@NetDisk@@QAEF | 3 |
| ?GetSingletonPtr@CIPCSERVER@IPC@NetD | 3 |
| ?Serialize@CShowCommand@IPC@NetDisk | 3 |
| ?Serialize@CShowCommand@IPC@NetDisk | 3 |
| ?Serialize@CIMInfoCommand@IPC@NetDis | 3 |
| ?Serialize@CIMInfoCommand@IPC@NetDis | 3 |
| ??1CIMInfoCommand@IPC@NetDisk@@UA | 3 |
| ??1ServerListener@CIPCSERVER@IPC@NetD | 3 |
| ??_7ServerListener@CIPCSERVER@IPC@Net[| 3 |
| ?Shutdown@CIPCSERVER@IPC@NetDisk@@ | 3 |
| ?SubscribeOnComplete@CNotifyCommand(| 3 |

| | |
|---|---|
| ??0CNotifyCommand@IPC@NetDisk@@QA | 3 |
| ?OnNotifyComplete@CNotifyCommand@IP | 3 |
| ?_7CDiskStatusCommand@IPC@NetDisk@ | 3 |
| ??0DiskStatus@CDiskStatusCommand@IPC@ | 3 |
| ?Serialize@CDiskStatusCommand@IPC@Ne | 3 |
| ?Serialize@CDiskStatusCommand@IPC@Ne | 3 |
| ??0CTaskListCommand@IPC@NetDisk@@Q | 3 |
| ?GetTaskList@CTaskCommand@IPC@NetDi | 3 |
| ?Count@CTaskCommand@IPC@NetDisk@C | 3 |
| ?AllocTransferDetail@IPC@NetDisk@@YAP | 3 |
| ??0State@CTaskCommand@IPC@NetDisk@ | 3 |
| ?Serialize@State@CTaskCommand@IPC@N | 3 |
| ?Serialize@State@CTaskCommand@IPC@N | 3 |
| ??1State@CTaskCommand@IPC@NetDisk@ | 3 |
| ?AllocTask@IPC@NetDisk@@YAPAUTagDisk | 3 |
| ??0CTransferNotify@IPC@NetDisk@@QAE@ | 3 |
| ?Serialize@CTransferNotify@IPC@NetDisk@ | 3 |
| ?Serialize@CTransferNotify@IPC@NetDisk@ | 3 |
| ??1CTransferNotify@IPC@NetDisk@@UAE@ | 3 |
| ??0CTaskDetail@IPC@NetDisk@@QAE @_KI | 3 |
| ?SetFileInfo@CTransferNotify@IPC@NetDis | 3 |
| ??0CNotifyCommand@IPC@NetDisk@@QA | 3 |
| ?Serialize@State@CVerifyPswCommand@IF | 3 |
| ?Serialize@State@CVerifyPswCommand@IF | 3 |
| ??0State@CVerifyPswCommand@IPC@NetI | 3 |
| ?BuildFileInfo@State@CRenameCommand@ | 3 |
| ?Get2ndSignature@CProtocol@QQDiskNet@ | 3 |
| ?GetProType@CProtocol@QQDiskNet@@Q | 3 |
| ?Initialize@CQQDiskNetMgr@QQDiskNet@i | 3 |
| ?SetUserQQ@CQQDiskNetMgr@QQDiskNet | 3 |
| ??0CQQDiskNetMgr@QQDiskNet@@QAE@ | 3 |
| ?Send@CQQDiskNetMgr@QQDiskNet@@Q | 3 |
| ?Set2ndSignature@CProtocol@QQDiskNet@ | 3 |
| ?SubscribeOnComplete@CProtocol@QQDisl | 3 |
| ?SetReqValue@CProtocol@QQDiskNet@@C | 3 |
| ?DecodeUtf8@CMbcsconv@QQDiskNet@@ | 3 |
| ??\$GetRespValue@VCTXStringW@@@CPro | 3 |
| ??\$SetReqValue@VCTXStringW@@@CProt | 3 |
| ?GetRespValue@CProtocol@QQDiskNet@@ | 3 |
| ?EncodeUtf8@CMbcsconv@QQDiskNet@@ | 3 |
| ??\$GetRespValue@VCResultSet@fund@@C | 3 |
| ?SetRetry@CQQDiskNetMgr@QQDiskNet@i | 3 |
| ?SetUserClientKey@CQQDiskNetMgr@QQD | 3 |
| ?GetSingletonPtr@CQQDiskNetMgr@QQDis | 3 |
| ?SetHost@CProtocol@QQDiskNet@@QAEX | 3 |
| ?CreateProtocol@CQQDiskNetMgr@QQDisk | 3 |
| ?GetErrMsg@CProtocol@QQDiskNet@@QA | 3 |

| | |
|---|---|
| ?GetRespStatus@CProtocol@QQDiskNet@0 | 3 |
| ??1CQQDiskNetMgr@QQDiskNet@@QAE@ | 3 |
| ?SubscribeOnComplete@CDownTaskSig@Di | 3 |
| ?SubscribeOnFileSize@CDownTaskSig@Disk | 3 |
| ??0CDownTaskSig@DiskTransfer@@QAE@> | 3 |
| ?StartDownload@CDiskTransferMgr@DiskTr | 3 |
| ??1CFtnScanFileSig@DiskTransfer@@QAE@ | 3 |
| ??1CFtnUploadFileSig@DiskTransfer@@QAI | 3 |
| ?StopUpload@CDiskTransferMgr@DiskTrans | 3 |
| ?StopScanFile@CDiskTransferMgr@DiskTrar | 3 |
| ?SubscribeOnUploadProgress@CFtnUploadF | 3 |
| ?SubscribeOnUploadComplete@CFtnUpload | 3 |
| ??0CFtnUploadFileSig@DiskTransfer@@QAI | 3 |
| ?Upload@CDiskTransferMgr@DiskTransfer@ | 3 |
| ?SubscribeOnScanComplete@CFtnScanFileSi | 3 |
| ??0CFtnScanFileSig@DiskTransfer@@QAE@ | 3 |
| ?ScanFile@CDiskTransferMgr@DiskTransfer | 3 |
| ?GetSingletonPtr@CDiskTransferMgr@DiskT | 3 |
| ?Init@CDiskTransferMgr@DiskTransfer@@C | 3 |
| ??0CDiskTransferMgr@DiskTransfer@@QAE | 3 |
| ?SubscribeOnProgress@CDownTaskSig@Dis | 3 |
| ??1CDownTaskSig@DiskTransfer@@QAE@> | 3 |
| ?CancelDownload@CDiskTransferMgr@Disk | 3 |
| ??1CDiskTransferMgr@DiskTransfer@@QAE | 3 |
| ?SetSpinCount@CReaderWriterLock@@QAE | 3 |
| ?SetBucketLockSpinCount@CLKRLinearHash | 3 |
| ??1CFakeLock@@QAE@XZ | 3 |
| osl_setFileSize | 3 |
| xmlNewComment | 3 |
| xmlNodeSetContentLen | 3 |
| xmlGetNsProp | 3 |
| xmlCharStrdup | 3 |
| xmlXPathRegisterNs | 3 |
| xmlSetNsProp | 3 |
| NtReleaseKeyedEvent | 3 |
| SQLErrorW | 3 |
| CrackName | 3 |
| ??0exception@@QEAA@AEBV0@@Z | 3 |
| ??1exception@@UEAA@XZ | 3 |
| ?what@exception@@UEBAPEBDXZ | 3 |
| ??0exception@@QEAA@AEBQEVDH@Z | 3 |
| ?GetSpinCount@CReaderWriterLock2@@QI | 3 |
| ApplyPatchToFileByHandles | 3 |
| FsRtlRegisterFileSystemFilterCallbacks | 3 |
| MmGetVirtualForPhysical | 3 |
| ?DeleteFolders@CCollection@@AAEXPAPA | 3 |
| ?setTitle@QGroupBox@@QAEXABVQString | 3 |

| | |
|---|---|
| ?appendPlainText@QPlainTextEdit@@QAEY | 3 |
| ??0QPlainTextEdit@@QAE@PAVQWidget@ | 3 |
| ?metaObject@QPlainTextEdit@@UBEPBUQ | 3 |
| ?qt_metacast@QPlainTextEdit@@UAEPAXP | 3 |
| ?qt_metacall@QPlainTextEdit@@UAEHW4C | 3 |
| ?event@QPlainTextEdit@@MAE_NPAVQEve | 3 |
| ?timerEvent@QPlainTextEdit@@MAEXPAVC | 3 |
| ?mousePressEvent@QPlainTextEdit@@MAE | 3 |
| ?mouseReleaseEvent@QPlainTextEdit@@M | 3 |
| ?mouseDoubleClickEvent@QPlainTextEdit@ | 3 |
| ?mouseMoveEvent@QPlainTextEdit@@MAE | 3 |
| ?wheelEvent@QPlainTextEdit@@MAEXPAP | 3 |
| ?keyPressEvent@QPlainTextEdit@@MAEXP. | 3 |
| ?keyReleaseEvent@QPlainTextEdit@@MAE | 3 |
| ?focusInEvent@QPlainTextEdit@@MAEXPAP | 3 |
| ?focusOutEvent@QPlainTextEdit@@MAEXP | 3 |
| ?paintEvent@QPlainTextEdit@@MAEXPVC | 3 |
| ?resizeEvent@QPlainTextEdit@@MAEXPAPV | 3 |
| ?contextMenuEvent@QPlainTextEdit@@MA | 3 |
| ?dragEnterEvent@QPlainTextEdit@@MAEXI | 3 |
| ?dragMoveEvent@QPlainTextEdit@@MAEX | 3 |
| ?dragLeaveEvent@QPlainTextEdit@@MAEX | 3 |
| ?dropEvent@QPlainTextEdit@@MAEXPAPQ | 3 |
| ?showEvent@QPlainTextEdit@@MAEXPVC | 3 |
| ?changeEvent@QPlainTextEdit@@MAEXPAP | 3 |
| ?inputMethodEvent@QPlainTextEdit@@MA | 3 |
| ?inputMethodQuery@QPlainTextEdit@@MI | 3 |
| ?focusNextPrevChild@QPlainTextEdit@@M | 3 |
| ?scrollContentsBy@QPlainTextEdit@@MAE) | 3 |
| ?loadResource@QPlainTextEdit@@UAE?AV | 3 |
| ?createMimeTypeFromSelection@QPlainText | 3 |
| ?canInsertFromMimeType@QPlainTextEdit@ | 3 |
| ?insertFromMimeType@QPlainTextEdit@@I | 3 |
| ??1QPlainTextEdit@@UAE@XZ | 3 |
| ?question@QMessageBox@@SAHPAVQWidget@ | 3 |
| ?setIconText@QAction@@QAEXABVQString | 3 |
| ?setMenuBar@QMainWindow@@QAEXPAPV | 3 |
| ??0QMenuBar@@QAE@PAVQWidget@@@A | 3 |
| ?setAutoRaise@QToolButton@@QAEX_N@ | 3 |
| ??0QAction@@QAE@PAVQObject@@@Z | 3 |
| ?metaObject@QMenuBar@@UBEPBUQMet | 3 |
| ?qt_metacast@QMenuBar@@UAEPAXPBD(| 3 |
| ?qt_metacall@QMenuBar@@UAEHW4Call(| 3 |
| ?event@QMenuBar@@MAE_NPAVQEve(| 3 |
| ?eventFilter@QMenuBar@@MAE_NPAVQO | 3 |
| ?timerEvent@QMenuBar@@MAEXPAPQTin | 3 |
| ?setVisible@QMenuBar@@UAEX_N@Z | 3 |

| | |
|---|---|
| ?sizeHint@QMenuBar@@UBE?AVQSize@@ | 3 |
| ?minimumSizeHint@QMenuBar@@UBE?AV | 3 |
| ?heightForWidth@QMenuBar@@UBEHH@ | 3 |
| ?mousePressEvent@QMenuBar@@MAEXP/ | 3 |
| ?mouseReleaseEvent@QMenuBar@@MAE\ | 3 |
| ?mouseMoveEvent@QMenuBar@@MAEXP/ | 3 |
| ?keyPressEvent@QMenuBar@@MAEXP AVC | 3 |
| ?focusInEvent@QMenuBar@@MAEXP AVQF | 3 |
| ?focusOutEvent@QMenuBar@@MAEXP AVC | 3 |
| ?leaveEvent@QMenuBar@@MAEXP AVQE\ | 3 |
| ?paintEvent@QMenuBar@@MAEXP AVQPai | 3 |
| ?resizeEvent@QMenuBar@@MAEXP AVQRe | 3 |
| ?actionEvent@QMenuBar@@MAEXP AVQAc | 3 |
| ?changeEvent@QMenuBar@@MAEXP AVQE | 3 |
| ??1QMenuBar@@UAE@XZ | 3 |
| ?fromUnicode@QTextCodec@@QBE?AVQB\ | 3 |
| ?isDigit@QChar@@QBE_NXZ | 3 |
| ?GetFirstChildFolder@CFolder@@QAEPAV1 | 3 |
| StripCRLF | 3 |
| SsdpStartup | 3 |
| ?_WksHeapDestroy@@YAPAXPAX@Z | 3 |
| ?_WksHeapCreate@@YAPAXKKK@Z | 3 |
| ?_WksHeapAlloc@@YAPAXPAXKK@Z | 3 |
| ??2@YAPAXIPAXK@Z | 3 |
| ?OperatorDelete@@YAXPAX@Z | 3 |
| ??\$getline@DU?\$char_traits@D@std@@@V? | 3 |
| ?QuerySystemDirectory@SYSTEM@@SGPA\ | 3 |
| ?QueryPhysicalSectorSize@DP_DRIVE@@QI | 3 |
| ?GenerateLabelNotification@SUPERAREA@I | 3 |
| uno_getMappingByName | 3 |
| uno_type_isAssignableFromData | 3 |
| ?disposing@OComponentHelper@cppu@@ | 3 |
| InbvIsBootDriverInstalled | 3 |
| ?_FindOrAddAnchor@CDbSortNode@@AAE | 3 |
| ?AppendListElement@CDbProjectListAnchor | 3 |
| GetFinalPathNameByHandleW | 3 |
| CtfImmIsCiceroEnabled | 3 |
| CtfImmEnterColInitCountSkipMode | 3 |
| rtcNPer | 3 |
| @Dateutils@EndOfTheWeek\$qqrx16System | 3 |
| @Dateutils@StartOfTheWeek\$qqrx16Syste | 3 |
| @Dateutils@EndOfTheMonth\$qqrx16Systen | 3 |
| @Dateutils@StartOfTheMonth\$qqrx16Syste | 3 |
| @Db@TDataLink@SetDataSource\$qqrp14D\ | 3 |
| @Checklst@TCheckListBox@SetChecked\$qc | 3 |
| ??0NTFS_FRS_STRUCTURE@@QAE@XZ | 3 |
| ?IsDosName@NTFS_SA@@SGEPBU_FILE_N\ | 3 |

| | |
|--|---|
| ??OSimpleResMgr@@QAE@PBDABULocale(| 3 |
| ?_Getcvt @_Locinfo@std@@QBE?AU_Cvtve | 3 |
| ?_Init@?\$money_get@GV?\$istreambuf_iter | 3 |
| NSGetComponentRegistrar | 3 |
| ?setContent@QDomDocument@@QAE_NP, | 3 |
| ?toElement@QDomNode@@QBE?AVQDom | 3 |
| ?staticMetaObject@QAbstractButton@@2U | 3 |
| ??0QHBoxLayout@@QAE@PAVQWidget@C | 3 |
| ?boundingRect@QFontMetrics@@QBE?AVC | 3 |
| ??0QRegion@@QAE@ABVQRect@@W4Reg | 3 |
| ?setOpacity@QPainter@@QAEXN@Z | 3 |
| ?opacity@QPainter@@QBENXZ | 3 |
| ??0QBrush@@QAE@ABVQGradient@@@Z | 3 |
| ?setColorAt@QGradient@@QAEXNABVQCo | 3 |
| ?staticMetaObject@QProgressBar@@2UQN | 3 |
| ?setFixedHeight@QWidget@@QAEXH@Z | 3 |
| ?document@QTextEdit@@QBEPAVQTextDc | 3 |
| ?window@QWidget@@QBEPAV1@XZ | 3 |
| ?primaryScreen@QDesktopWidget@@QBEI | 3 |
| ??0QKeySequence@@QAE@HHHH@Z | 3 |
| ??1QNetworkProxy@@QAE@XZ | 3 |
| ?contains@QRect@@QBE_NABV1 @_N@Z | 3 |
| ?setApplicationName@QCoreApplication@() | 3 |
| ?setOrganizationDomain@QCoreApplication | 3 |
| ??0?\$basic_ios@GU?\$char_traits@G@std@ | 3 |
| lineConfigDialogEditA | 3 |
| lineGetTranslateCapsA | 3 |
| ?RawCreateGFEElementByXtml@GF@Util@C | 3 |
| NotifyUILanguageChange | 3 |
| RtlInitializeSListHead | 3 |
| ?_Getcat@?\$codecvt@DDH@std@@SAIXZ | 3 |
| ??0?\$basic_stringbuf@GU?\$char_traits@G@ | 3 |
| ?_Fmt@?\$num_put@DV?\$ostreambuf_iter | 3 |
| NdrVaryingArrayMemorySize | 3 |
| ??_8?\$basic stringstream@DU?\$char_traits | 3 |
| ??_8?\$basic stringstream@DU?\$char_traits | 3 |
| ??_8?\$basic fstream@GU?\$char_traits@G@ | 3 |
| ??Z?\$_Complex_base@M@std@@QAEAAV | 3 |
| ??9std@@YA_NABMABV?\$complex@M@0@ | 3 |
| ?in_avail@?\$basic streambuf@GU?\$char_t | 3 |
| ??9locale@std@@QBE_NABV01 @_Z | 3 |
| ??Pstd@@YA_NPBDAV?\$basic_string@DU | 3 |
| ??0?\$_Complex_base@N@std@@QAE@AB | 3 |
| ?compare@?\$collate@D@std@@QBEHPBD | 3 |
| SaveADMItem | 3 |
| BuildPalette | 3 |
| @Dxtl@TCustomdxTreeListControl@GetCol | 3 |

| | |
|--|---|
| @Dxtl@TCustomdxTreeListControl@Create(| 3 |
| @Dxtl@TdxTreeListColumn@SetAlignment\$ | 3 |
| @Dxtl@TdxTreeNode@SetValue\$qqrirx1 | 3 |
| @Dxtlclms@TdxTreeListCurrencyColumn@S | 3 |
| @Dxtlclms@TdxTreeListCurrencyColumn@ | 3 |
| DES_ecb_encrypt | 3 |
| DES_set_key | 3 |
| DES_set_odd_parity | 3 |
| MD4_Final | 3 |
| MD4_Init | 3 |
| MD4_Update | 3 |
| index | 3 |
| wait3 | 3 |
| SSL_CIPHER_get_name | 3 |
| SSL_CTX_ctrl | 3 |
| SSL_CTX_set_default_verify_paths | 3 |
| SSL_CTX_set_tmp_rsa_callback | 3 |
| SSL_CTX_set_verify | 3 |
| SSL_get_current_cipher | 3 |
| SSLv23_method | 3 |
| CalcCompressFile | 3 |
| ReleasePackBuf | 3 |
| DecompressFile | 3 |
| @Cxtl@initialization\$qqrv | 3 |
| @Cxtlstrs@initialization\$qqrv | 3 |
| @Cxtlintf@initialization\$qqrv | 3 |
| @Dxskininfo@initialization\$qqrv | 3 |
| @Wwutils@initialization\$qqrv | 3 |
| @Wwproperty@initialization\$qqrv | 3 |
| @Wwdatacontrols@initialization\$qqrv | 3 |
| @U_glbdata@initialization\$qqrv | 3 |
| @U_msnpopup@initialization\$qqrv | 3 |
| @Wwres@initialization\$qqrv | 3 |
| @Wwbillcustom@initialization\$qqrv | 3 |
| @Cxexteditrepositoryitems@initialization\$qqrv | 3 |
| @Cxtldata@initialization\$qqrv | 3 |
| @Wwbillcustomedit@initialization\$qqrv | 3 |
| @Wwcompshare@initialization\$qqrv | 3 |
| @Wwproduct@initialization\$qqrv | 3 |
| @U_reverseform@initialization\$qqrv | 3 |
| @U_colorset@initialization\$qqrv | 3 |
| @U_imageform@initialization\$qqrv | 3 |
| @U_shortcutset@initialization\$qqrv | 3 |
| @U_producttools@initialization\$qqrv | 3 |
| @Wwthumbplay@initialization\$qqrv | 3 |
| @Wwthumbview@initialization\$qqrv | 3 |
| @U_filereplace@initialization\$qqrv | 3 |

| | |
|---|---|
| @Wwrename@initialization\$qqrv | 3 |
| @Wwthumbviewinfo@initialization\$qqrv | 3 |
| @Wweditfile@initialization\$qqrv | 3 |
| @Wwfilessummary@initialization\$qqrv | 3 |
| @Wwboxdetail@initialization\$qqrv | 3 |
| @Wwbox@initialization\$qqrv | 3 |
| @Wwpropertyfields@initialization\$qqrv | 3 |
| @U_fieldedit@initialization\$qqrv | 3 |
| @Wwshipment@initialization\$qqrv | 3 |
| @Wwbill@initialization\$qqrv | 3 |
| @Dxskinsform@initialization\$qqrv | 3 |
| @Cxshellcommon@initialization\$qqrv | 3 |
| @Cxshellcontrols@initialization\$qqrv | 3 |
| @Cxshelllistview@initialization\$qqrv | 3 |
| Y | 3 |
| ?Flush@CPropStoreManager@@QAEXXZ | 3 |
| ?IsValid@CRestriction@@QBEHXZ | 3 |
| ??1CPointerList@@QAE@XZ | 3 |
| @Db@TField@SetDisplayLabel\$qr17Syster | 3 |
| PsGetThreadTeb | 3 |
| TowerExplode | 3 |
| ?Serialize@RecurrenceData@@MAEXAAVC/ | 3 |
| ??0CContacts@@QAE@H@Z | 3 |
| ??0CCalendars@@QAE@H@Z | 3 |
| ??0CConSettings@@QAE@H@Z | 3 |
| ?Find@CConSettings@@QBEHPBVCCConSett | 3 |
| ?Delete@CConSettings@@QAEXH@Z | 3 |
| ?GetAt@CConSettings@@QBEPBVCCConSett | 3 |
| ?GetAt@CConSettings@@QAEPAVCCConSett | 3 |
| ??0CMessages@@QAE@H@Z | 3 |
| ?SetOperation@CContainerBase@@QAEXHI | 3 |
| T120_GetNodeVersion | 3 |
| T120_AppletStatus | 3 |
| T120_GetNodeName | 3 |
| input_item_GetMeta | 3 |
| ?_Getcat@?\$num_put@DV?\$ostreambuf_it | 3 |
| ImageView_FullscreenA | 3 |
| ImageView_PrintToW | 3 |
| ImageView_PrintToA | 3 |
| imageview_fullscreenW | 3 |
| CcFastReadNotPossible | 3 |
| NdrServerMarshall | 3 |
| I_RpcNegotiateTransferSyntax | 3 |
| _tcschr | 3 |
| ??_F?\$messages@D@std@@QAEXXZ | 3 |
| ?setp@?\$basic_streambuf@GU?\$char_trait: | 3 |
| ?pubsync@?\$basic_streambuf@DU?\$char_t | 3 |

| | |
|---|---|
| ?round_error@?\$numeric_limits@O@std@ | 3 |
| tEndOfFile | 3 |
| tion | 3 |
| tCurrentThreadId | 3 |
| tFileAttributesA | 3 |
| itForSingleObject | 3 |
| tCapture | 3 |
| tScrollPos | 3 |
| InRect | 3 |
| tWindowLongA | 3 |
| tWindowPos | 3 |
| tBkMode | 3 |
| extColor | 3 |
| tViewportOrgEx | 3 |
| M | 3 |
| olor | 3 |
| gOpenKeyExA | 3 |
| O | 3 |
| ?setg@?\$basic_streambuf@GU?\$char_traits@_ | 3 |
| ?pos_format@?\$_Mpunct@D@std@@QBE | 3 |
| DriverDialogProc | 3 |
| IEIsProtectedModeProcess | 3 |
| PyObject_IsTrue | 3 |
| _Py_ZeroStruct | 3 |
| PyDict_GetItem | 3 |
| PyDict_Size | 3 |
| PyInt_Type | 3 |
| PyObject_RichCompare | 3 |
| PyObject_Size | 3 |
| Pylter_Next | 3 |
| PyEval_CallObjectWithKeywords | 3 |
| PyCFunction_NewEx | 3 |
| PyExc_ImportError | 3 |
| PyClass_Type | 3 |
| PyDict_SetItem | 3 |
| PyErr_SetObject | 3 |
| PyList_Type | 3 |
| KelInitializeInterrupt | 3 |
| ?GetUtentePwd@CGestUtente@@QAEHAA` | 3 |
| ?CheckCodiceAttivazione@@YAHXZ | 3 |
| ??1CGestUtente@@QAE@XZ | 3 |
| ??0CGestUtente@@QAE@XZ | 3 |
| @JvdIg@initialization\$qqrv | 3 |
| PsGetThreadId | 3 |
| IoInitializeWorkItem | 3 |
| IoSizeofWorkItem | 3 |
| IoUninitializeWorkItem | 3 |

| | |
|--|---|
| NetDfsManagerSendSiteInfo | 3 |
| HwndFrame | 3 |
| RemoveMouseHook | 3 |
| ShowProcess | 3 |
| @Ibdatabase@initialization\$qqrv | 3 |
| @Ibdatabase@Finalization\$qqrv | 3 |
| @Ibintf@initialization\$qqrv | 3 |
| @Ibintf@Finalization\$qqrv | 3 |
| @Ibutils@initialization\$qqrv | 3 |
| @Ibutils@Finalization\$qqrv | 3 |
| @Ib@initialization\$qqrv | 3 |
| @Ib@Finalization\$qqrv | 3 |
| @Ibsqlmonitor@initialization\$qqrv | 3 |
| @Ibsqlmonitor@Finalization\$qqrv | 3 |
| @Ibservices@initialization\$qqrv | 3 |
| @Ibservices@Finalization\$qqrv | 3 |
| @Ibcustomdataset@initialization\$qqrv | 3 |
| @Ibcustomdataset@Finalization\$qqrv | 3 |
| _ctime32 | 3 |
| WINEXEC | 3 |
| SETCURRENTDIRECTORYA | 3 |
| PsGetThreadSessionId | 3 |
| video_format_Setup | 3 |
| RtlIpv6StringToAddressExA | 3 |
| ?infinity@?\$numeric_limits@F@std@@SAF | 3 |
| ?_Ifmt@?\$num_put@GV?\$ostreambuf_iter: | 3 |
| ?get@?\$basic_istream@GU?\$char_traits@C | 3 |
| __var_Destroy | 3 |
| SHHandleUpdateImage | 3 |
| ?replace@?\$basic_string @_WU?\$char_trait | 3 |
| ??4QDomNode@@QAEAAV0@ABV0@@Z | 3 |
| _AccessCheckAndAuditAlarm_@44 | 3 |
| _SetWindowsHook_@8 | 3 |
| PszScanToCharA | 3 |
| HrStreamSeekBegin | 3 |
| DavGetDiskSpaceUsage | 3 |
| ?DeleteRecord@CLKRLinearHashTable@@Q | 3 |
| ?IsReadLocked@CReaderWriterLock2@@QE | 3 |
| ?Strlwr@WSTRING@@QAEPAV1@KK@Z | 3 |
| ?QuerySTR@BSTRING@@QBEPADKKPADKE | 3 |
| GetMem1 | 3 |
| DUserGetAlphaPRID | 3 |
| _ttoi | 3 |
| InstallIDsExtension | 3 |
| SetImageAlphaChannel | 3 |
| IoCsqlInsertIrp | 3 |
| IoCsqRemoveNextIrp | 3 |

| | |
|--|---|
| rtcMIRR | 3 |
| ?GetWString@CMemDeSerStream@@UAEP | 3 |
| ?prepareOpStack | 3 |
| ReplicationScheduleDialog | 3 |
| ?rdbuf@?\$basic_stringstream@DU?\$char_t | 3 |
| ??5?\$basic_istream@DU?\$char_traits@D@: | 3 |
| hj_load | 3 |
| hj_scanfile | 3 |
| hj_cvdverify | 3 |
| hj_cvdfree | 3 |
| hj_cvdhead | 3 |
| hj_build | 3 |
| hj_free | 3 |
| __vlc_mutex_init | 3 |
| __vlc_thread_ready | 3 |
| TraceSQLFetchScroll | 3 |
| TraceSQLNativeSql | 3 |
| CloseFindContext | 3 |
| RasPortStoreUserData | 3 |
| _localtime32_s | 3 |
| rtcWeekdayName | 3 |
| ?TreeCount@CRestriction@@QBEKXZ | 3 |
| vlc_meta_Merge | 3 |
| gtk_widget_show_all | 3 |
| ?noArray@cv@@YAABV_OutputArray@1@` | 3 |
| config | 3 |
| uninstalation | 3 |
| ?GetDrive@SECRUN@@QAEPAVIO_DP_DRI | 3 |
| ?SendSonyMSRequestSenseCmd@DP_DRIVI | 3 |
| JetEnableMultiInstance | 3 |
| ?MakeUpper@CString@@QAEXXZ | 3 |
| ParseGeometry | 3 |
| TraceSQLColumnsW | 3 |
| ?Init@CFileMapView@@QAEXXZ | 3 |
| I_NetAccountSync | 3 |
| ??1HardWareDependGuid@WinGenerics@(` | 3 |
| ?guid@HardWareDependGuid@WinGeneric | 3 |
| ?generate@HardWareDependGuid@WinGe | 3 |
| ??0HardWareDependGuid@WinGenerics@(` | 3 |
| _PrintDlg_@4 | 3 |
| @Forms@TCustomForm@GetCanvas\$qqrv | 3 |
| rtcLenCharVar | 3 |
| ?replace@?\$basic_string@GU?\$char_traits@ | 3 |
| ?pow@std@@YA?AV?\$complex@O@1@AE | 3 |
| ?quiet_NaN@?\$numeric_limits@F@std@@ | 3 |
| ?rfind@?\$basic_string@GU?\$char_traits@G | 3 |
| ??Hstd@@YA?AV?\$complex@N@0@ABV1C | 3 |

| | |
|--|---|
| rtcInStr | 3 |
| VarCyAbs | 3 |
| MprAdminUpgradeUsers | 3 |
| lineBlindTransfer | 3 |
| lineGetAgentActivityListA | 3 |
| lineGetIconW | 3 |
| ?InitGoogleTest@testing@@YAXPAHPAPAD | 3 |
| ?GetInstance@UnitTest@testing@@SAPAV: | 3 |
| ?Run@UnitTest@testing@@QAEHXZ | 3 |
| HlinkCreateShortcutFromMoniker | 3 |
| HlinkResolveShortcutToString | 3 |
| SdbIsStandardDatabase | 3 |
| @System@@FileSize\$qqrv | 3 |
| @System@@VarRDiv\$qqrv | 3 |
| @Db@TDefCollection@IndexOf\$qqrx17Syst | 3 |
| ?SQLUIUpdateRegistryFromResource@@YA. | 3 |
| cldap_openA | 3 |
| ?GetPropTypeName@CEmptyPropertyList@ | 3 |
| ?Marshall@CDbCmdTreeNode@@QBEXAA\ | 3 |
| ResUtilGetResourceDependencyByName | 3 |
| ?OnClose@CMyMainFrame@@IAEXXZ | 3 |
| ?OnBarsSt@CMyMainFrame@@IAEXXZ | 3 |
| ?OnBarsTo@CMyMainFrame@@IAEXXZ | 3 |
| ?OnUpdateNavigator@CMyMainFrame@@I | 3 |
| ?OnNavigator@CMyMainFrame@@IAEXXZ | 3 |
| ?OnSize@CMyMainFrame@@IAEXIHH@Z | 3 |
| ?OnSetCursor@CMyMainFrame@@IAEHPA' | 3 |
| ?InitViews@CMyMainFrame@@UAEXXZ | 3 |
| ?InitializeButtons@CMyMainFrame@@UAE | 3 |
| ?ChangeMenuMode@CMyMainFrame@@U | 3 |
| ?MGZSec@CMyApplication@@UAEHXZ | 3 |
| ?OnEscBtn@CMyMainFrame@@IAEXXZ | 3 |
| ?OverrideAccess@CMyMainFrame@@UAE\ | 3 |
| ?OnUpdateFrameTitle@CMyMainFrame@@ | 3 |
| ?GetMessageString@CMyMainFrame@@M | 3 |
| ??0CMyMainFrame@@QAE@XZ | 3 |
| ??1CMyMainFrame@@UAE@XZ | 3 |
| ?OnTimer@CMyMainFrame@@IAEXI@Z | 3 |
| ?PreCreateWindow@CMyMainFrame@@U/ | 3 |
| ?MyInitialize@CMyMainFrame@@MAEXP@ | 3 |
| ?RunSingleView@CMyApplication@@UAE\ | 3 |
| ?SetFreezeMode@CMyApplication@@UAE\ | 3 |
| ?messageMap@CMyMainFrame@@1UAFX_ | 3 |
| ?classCMyMainFrame@CMyMainFrame@@ | 3 |
| ?ExitInstance@CMyApplication@@UAEHXZ | 3 |
| ??1CPrxDocTemplate@@UAE@XZ | 3 |
| ?InitInstance@CMyApplication@@UAEHXZ | 3 |

| | |
|--|---|
| ?LoadMainFrame@CMyMainFrame@@QAE | 3 |
| ?LoadAndShow@CMyMainFrame@@QAEXI | 3 |
| ?LoadChildFrame@CMyMainFrame@@QAE | 3 |
| ??0CPrxDocTemplate@@QAE@IPAUCRuntir | 3 |
| ?ContinueInitialization@CMyApplication@@ | 3 |
| ??0CMyApplication@@QAE@XZ | 3 |
| ?OnSetToolButtons@CMyMainFrame@@IAI | 3 |
| ?OnCreate@CMyMainFrame@@IAEHPAUta | 3 |
| ?OnPopBtn@CMyMainFrame@@IAEXXZ | 3 |
| ??1CMyApplication@@UAE@XZ | 3 |
| ?PreTranslateMessage@CMyApplication@@ | 3 |
| ?OnIdle@CMyApplication@@UAEHJ@Z | 3 |
| ?DoMessageBox@CMyApplication@@UAEH | 3 |
| ?OverrideMenuText@CMyMainFrame@@U | 3 |
| ?SpecialLogin@CMyApplication@@UAE?AV | 3 |
| ?NoChildsLeft@CMyMainFrame@@UAEXXZ | 3 |
| ?messageMap@CMyApplication@@1UAFX_ | 3 |
| ?classCReportDoc@CReportDoc@@2UCRun | 3 |
| ?classCReportView@CReportView@@2UCR | 3 |
| ??1?\$num_get@GV?\$istreambuf_iterator@ | 3 |
| libintl_printf | 3 |
| ??0CHPRBWinOS@@QAE@XZ | 3 |
| ?IsWindows@CHPRBWinOS@@QBEHK@Z | 3 |
| ??1CHPRBWinOS@@UAE@XZ | 3 |
| ?GetDwordValue@CHPRBReg@@QAEJPBDF | 3 |
| Dns_WriteRecordStructureToPacketEx | 3 |
| rtl_ustr_toFloat | 3 |
| rtl_ustr_valueOfBoolean | 3 |
| _tcsnicmp | 3 |
| ?IsCIEnabled@CMachineAdmin@@QAEHXZ | 3 |
| @\$xp\$18Stdctrls@TCheckBox | 3 |
| PR_DestroyMonitor | 3 |
| PR_NewMonitor | 3 |
| PR_Write | 3 |
| PR_htonl | 3 |
| ??5SequenceAsHashMap@comphelper@@(| 3 |
| ??0SfxPoolItem@@IAE@ABV0@@Z | 3 |
| ?Store@SfxPoolItem@@UBEAAVSvStream@ | 3 |
| ?Create@SfxPoolItem@@UBEPAV1@AAVSv | 3 |
| ?GetVersion@SfxPoolItem@@UBEGG@Z | 3 |
| ?Compare@SfxPoolItem@@UBEHABV1@@ | 3 |
| ?Compare@SfxPoolItem@@UBEHABV1@AE | 3 |
| ??0SfxPoolItem@@IAE@G@Z | 3 |
| ??1SfxPoolItem@@UAE@XZ | 3 |
| ?SetItemState@ToolBox@@QAEXGW4TriSt: | 3 |
| ?EnableItem@ToolBox@@QAEXGE@Z | 3 |
| ?CalcWindowSizePixel@ToolBox@@QBE?AI | 3 |

| | |
|--|---|
| ??0Edit@@QAE@PAVWindow@@_J@Z | 3 |
| ?SetPosSizePixel@DockingWindow@@UAE | 3 |
| ?SetPosSizePixel@DockingWindow@@UAE) | 3 |
| ?GetPosPixel@DockingWindow@@UBE?AV | 3 |
| ?GetSizePixel@DockingWindow@@UBE?AV | 3 |
| ?SetOutputSizePixel@DockingWindow@@U | 3 |
| ?TitleButtonClick@DockingWindow@@UAE | 3 |
| ?Pin@DockingWindow@@UAEXXZ | 3 |
| ?Roll@DockingWindow@@UAEXXZ | 3 |
| ?PopupModeEnd@DockingWindow@@UAE | 3 |
| ?GetOutputSizePixel@DockingWindow@@C | 3 |
| ??0BitmapEx@@QAE@ABVResId@@@Z | 3 |
| ??1SystemChildWindow@@UAE@XZ | 3 |
| ??0SystemChildWindow@@QAE@PAVWind | 3 |
| ?IsEmpty@BitmapEx@@QBEEHZ | 3 |
| ?SetItemWindow@ToolBox@@QAEXGPVV | 3 |
| ??1ToolBox@@UAE@XZ | 3 |
| phoneGetID | 3 |
| lineParkA | 3 |
| RasDeleteSubEntryA | 3 |
| ?GPPB@CIniA@@QBEHPBD0H@Z | 3 |
| ?DRAWGetAppInterface@@YAPAUUIDrawAp | 3 |
| ??5?\$basic_istream@_WU?\$char_traits@_V | 3 |
| WdsValidBlackboard | 3 |
| WdsInitialize | 3 |
| WdsCreateBlackboard | 3 |
| WdsFreeData | 3 |
| WdsSetBlackboardValue | 3 |
| WdsInitializeDataStringW | 3 |
| WdsGetBlackboardValue | 3 |
| WdsInitializeDataUInt32 | 3 |
| WdsDeleteBlackboardValue | 3 |
| WdsAbortBlackboardItemEnum | 3 |
| WdsEnumFirstBlackboardItem | 3 |
| WdsDestroyBlackboard | 3 |
| @Sysutils@EOutOfMemory@ | 3 |
| @Forms@TMonitor@GetWidth\$qqrv | 3 |
| @Actnlist@TCustomAction@SetCaption\$qq | 3 |
| @Actnlist@TCustomAction@ | 3 |
| @Controls@TWinControl@WMNCHitTest\$q | 3 |
| @Controls@TWinControl@EnableAlign\$qqr | 3 |
| @Controls@TWinControl@DisableAlign\$qqi | 3 |
| @Menus@TMenuItem@Clear\$qqrv | 3 |
| @Menus@TMenuItem@GetMenuItemIndex\$qqi | 3 |
| @Toolintf@initialization\$qqrv | 3 |
| @Toolintf@Finalization\$qqrv | 3 |
| @Fileintf@initialization\$qqrv | 3 |

| | |
|--|---|
| @Fileintf@Finalization\$qqrv | 3 |
| @Virtintf@initialization\$qqrv | 3 |
| @Virtintf@Finalization\$qqrv | 3 |
| @Editintf@initialization\$qqrv | 3 |
| @Editintf@Finalization\$qqrv | 3 |
| @Exptintf@initialization\$qqrv | 3 |
| @Exptintf@Finalization\$qqrv | 3 |
| ZwCreateProcessEx | 3 |
| ?AppendASCIItoUTF16@@YAXPBDAAVnsAS | 3 |
| ?HashString@@YAIABVnsAString_internal@ | 3 |
| ?AssignASCII@nsSubstring@@QAEXPBDI@Z | 3 |
| ?NS_NewAtom@@YAPAVnsIAtom@@ABVn | 3 |
| ?Init@nsPromiseFlatString@@AAEXABVnsA | 3 |
| ?Assign@nsAString_internal@@QAEXPBG@ | 3 |
| ?assign_from_gs_cid@nsCOMPtr_base@@@C | 3 |
| ?smprintf@nsTextFormatter@@SAPAGPBG; | 3 |
| ?LossyAppendUTF16toASCII@@YAXABVnsA | 3 |
| ?Rebind@nsDependentSubstring@@QAEXA | 3 |
| ?Append@nsAString_internal@@QAEXG@Z | 3 |
| ?GetReadableBuffer@nsAString_internal@C | 3 |
| ?SetLength@nsAString_internal@@QAEXI@ | 3 |
| TpAllocTimer | 3 |
| TpSetTimer | 3 |
| TpPostWork | 3 |
| TpWaitForTimer | 3 |
| TpReleaseTimer | 3 |
| TpWaitForWork | 3 |
| TpReleaseWork | 3 |
| RpcServerUnsubscribeForNotification | 3 |
| RpcServerSubscribeForNotification | 3 |
| LsQueryCpPpointSubline | 3 |
| LssbGetDurTrailWithPensInSubline | 3 |
| PL_strstr | 3 |
| phoneGetStatusMessages | 3 |
| lineMonitorTones | 3 |
| sigismember | 3 |
| ??1?\$basic_stringstream@DU?\$char_traits@ | 3 |
| TraceSQLCloseCursor | 3 |
| TraceSQLGetConnectOptionW | 3 |
| _RegisterClipboardFormat_@4 | 3 |
| ?__ExceptionPtrCopy@@YAXPAXPBX@Z | 3 |
| aout_VolumeNoneInit | 3 |
| aout_VolumeSoftInit | 3 |
| GetResourceNameDependency | 3 |
| CreateBatMeter | 3 |
| BatMeterCapabilities | 3 |
| UpdateBatMeter | 3 |

| | |
|--|---|
| ?SetDefaults@CProfileMgr@@QAEAAUINT | 3 |
| ??0CProfileMgr@@QAE@XZ | 3 |
| ?Open@CProfileMgr@@QAEJK@Z | 3 |
| ?Close@CProfileMgr@@QAEJXZ | 3 |
| ??1CProfileMgr@@QAE@XZ | 3 |
| GetAdapterList | 3 |
| GetDwordSetting | 3 |
| ApplyProfile | 3 |
| GetBoolSetting | 3 |
| ?CloseKey@CRegApi@@QAEJXZ | 3 |
| ??0CRegistryEx@@QAE@XZ | 3 |
| ?OpenOnly@CRegistryEx@@QAEHPAUHKEY | 3 |
| ??1CRegistryEx@@UAE@XZ | 3 |
| ?QueryValue@CRegApi@@QAEJPBDAKPAI | 3 |
| ??0CRegApi@@QAE@XZ | 3 |
| ??1CRegApi@@UAE@XZ | 3 |
| ?OpenKey@CRegApi@@QAEJPAUHKEY__@ | 3 |
| UnRegisterEvTrace | 3 |
| EvTraceString | 3 |
| ??1CIntelSettings@@QAE@XZ | 3 |
| ??0CIntelSettings@@QAE@W4IT_SETTING_ | 3 |
| ?seekpos@?\$basic_stringbuf@GU?\$char_tr: | 3 |
| ??9std@@YA_NABV?\$complex@M@0@0@ | 3 |
| ??Kstd@@YA?AV?\$complex@M@0@ABMA | 3 |
| ?signaling_NaN@?\$numeric_limits @_N@st | 3 |
| ?round_error@?\$numeric_limits@I@std@C | 3 |
| ?seekpos@?\$basic_filebuf@GU?\$char_trait: | 3 |
| ?quit@QCoreApplication@@SAXXZ | 3 |
| ?timerEvent@QListView@@MAEXP_AVQTIm | 3 |
| ?mousePressEvent@QAbstractItemView@@ | 3 |
| ?mouseReleaseEvent@QListView@@MAEXI | 3 |
| ?mouseDoubleClickEvent@QAbstractItemVi | 3 |
| ?mouseMoveEvent@QListView@@MAEXP_A | 3 |
| ?keyPressEvent@QAbstractItemView@@M/ | 3 |
| ?paintEvent@QListView@@MAEXP_AVQPain | 3 |
| ?resizeEvent@QListView@@MAEXP_AVQRes | 3 |
| ?dragMoveEvent@QListView@@MAEXP_AV(| 3 |
| ?dragLeaveEvent@QListView@@MAEXP_AV(| 3 |
| ?viewportEvent@QAbstractItemView@@M/ | 3 |
| ?scrollContentsBy@QListView@@MAEXHH(| 3 |
| ?setSelectionModel@QAbstractItemView@() | 3 |
| ?keyboardSearch@QAbstractItemView@@L | 3 |
| ?visualRect@QListView@@UBE?AVQRect@ | 3 |
| ?scrollTo@QListView@@UAEXABVQModelI | 3 |
| ?indexAt@QListView@@UBE?AVQModelInc | 3 |
| ?sizeHintForColumn@QAbstractItemView@ | 3 |
| ?reset@QListView@@UAEXXZ | 3 |

| | |
|---|---|
| ?setRootIndex@QListView@@UAEXABVQM | 3 |
| ?doItemsLayout@QListView@@UAEXXZ | 3 |
| ?selectAll@QAbstractItemView@@UAEXXZ | 3 |
| ?dataChanged@QListView@@MAEXABVQN | 3 |
| ?rowsInserted@QListView@@MAEXABVQN | 3 |
| ?rowsAboutToBeRemoved@QListView@@N | 3 |
| ?selectionChanged@QListView@@MAEXAB | 3 |
| ?currentChanged@QListView@@MAEXABV | 3 |
| ?updateGeometries@QListView@@MAEXXZ | 3 |
| ?horizontalScrollbarAction@QAbstractItemV | 3 |
| ?moveCursor@QListView@@MAE?AVQMoc | 3 |
| ?horizontalOffset@QListView@@MBEHXZ | 3 |
| ?verticalOffset@QListView@@MBEHXZ | 3 |
| ?isIndexHidden@QListView@@MBE_NAVC | 3 |
| ?setSelection@QListView@@MAEXABVQRe | 3 |
| ?visualRegionForSelection@QListView@@N | 3 |
| ?selectedIndexes@QListView@@MBE?AV?\$ | 3 |
| ?startDrag@QListView@@MAEXV?\$QFlags(| 3 |
| ?viewOptions@QListView@@MBE?AVQStyl | 3 |
| ?setFixedWidth@QWidget@@QAEXH@Z | 3 |
| ?clear@QComboBox@@QAEXXZ | 3 |
| ?currentText@QComboBox@@QBE?AVQStr | 3 |
| ?x@QWidget@@QBEHXZ | 3 |
| ?setWindowModality@QWidget@@QAEXW | 3 |
| ?setBold@QFont@@QAEX_N@Z | 3 |
| ?setFlat@QPushButton@@QAEX_N@Z | 3 |
| ?setEchoMode@QLineEdit@@QAEXW4Echc | 3 |
| ?setOpenExternalLinks@ QLabel@@QAEX_N | 3 |
| ?fromWinHICON@QPixmap@@SA?AV1@P/ | 3 |
| PlaySoundServerInitialize | 3 |
| B_UNK | 3 |
| m_UNK | 3 |
| _FileExists@4 | 3 |
| adCursorA | 3 |
| @Jclunicode@initialization\$qqrv | 3 |
| ??4?\$_Ctr@N@std@@QAEAAV01@ABV01@ | 3 |
| rtl_createTextToUnicodeContext | 3 |
| rtl_createTextToUnicodeConverter | 3 |
| rtl_convertTextToUnicode | 3 |
| lua_rawseti | 3 |
| luaL_checknumber | 3 |
| ?ValidSignature@CLKRLinearHashTable@@(| 3 |
| @Winxp@initialization\$qqrv | 3 |
| ?_WriteLockSpin@CReaderWriterLock2@@, | 3 |
| ?SetDefaultSpinCount@CCritSec@@SGXG@ | 3 |
| ?sm_wDefaultSpinCount@CReaderWriterLo | 3 |
| ?xputn@\$basic_streambuf@GU?\$char_tr: | 3 |

| | |
|--|---|
| g_thread_init | 3 |
| ?setExtension@INetURLObject@@QAE_NAE | 3 |
| ?AllocBuffer@String@@QAEPAZ | 3 |
| SymGet | 3 |
| DbRepair | 3 |
| MemAllocUnion | 3 |
| MemFreeUnion | 3 |
| LevFind | 3 |
| LogStr | 3 |
| DbGet | 3 |
| CompFind | 3 |
| CompGet | 3 |
| ThruGet | 3 |
| NameCreate | 3 |
| DllInit | 3 |
| LangInit | 3 |
| SwFindFile | 3 |
| OutMode | 3 |
| DebugEnabled | 3 |
| IstrCopy | 3 |
| IstrCat | 3 |
| ?IsWriteLocked@CCritSec@@QBE_NXZ | 3 |
| TraceSQLPrimaryKeysW | 3 |
| InstallKeyboardHook | 3 |
| SxsQueryManifestInformation | 3 |
| SxsUninstallW | 3 |
| SxsEndAssemblyInstall | 3 |
| SxsRunDllInstallAssembly | 3 |
| SxsGenerateActivationContext | 3 |
| SxsOleAut32RedirectTypeLibrary | 3 |
| SxsRunDllInstallAssemblyW | 3 |
| SxsBeginAssemblyInstall | 3 |
| SxspGenerateManifestPathOnAssemblyIden | 3 |
| Lo | 3 |
| _ZN7QString7replaceERKS_S1_N2Qt15CaseS | 3 |
| _ZN8QVariantaSERKS_ | 3 |
| _ZN9QListData7detach3Ev | 3 |
| ?msleep@QThread@@KAXK@Z | 3 |
| DtcGetTransactionManagerExA | 3 |
| g_slice_alloc0 | 3 |
| g_slice_free1 | 3 |
| g_param_spec_pointer | 3 |
| g_value_get_pointer | 3 |
| g_value_set_pointer | 3 |
| SetupPrepareQueueForRestoreA | 3 |
| NdrServerInitializePartial | 3 |
| NdrComplexStructMemorySize | 3 |

| | |
|--|---|
| NdrEncapsulatedUnionMemorySize | 3 |
| lineGenerateTone | 3 |
| rtcOctBstrFromVar | 3 |
| __vbaVarTextLike | 3 |
| SDL_GetVideoInfo | 3 |
| ?GetInst@IGLB_UILanguage@@SAAV1@X: | 3 |
| ?AddPage@WCmnUI_PropertySheet@@QA | 3 |
| ?GetThisMessageMap@WCmnUI_PropertyS | 3 |
| ?GetThisClass@WCmnUI_PropertySheet@@ | 3 |
| ?BuildPropPageArray@WCmnUI_PropertyS | 3 |
| ?OnInitDialog@WCmnUI_PropertySheet@@ | 3 |
| ??1WCmnUI_PropertySheet@@UAE@XZ | 3 |
| ??0WCmnUI_PropertySheet@@QAE@IPAV(| 3 |
| MediaInfo_Inform | 3 |
| MediaInfo_Close | 3 |
| MediaInfo_Open | 3 |
| MediaInfo_New | 3 |
| ?Marshall@CContentRestriction@@QBEXA/ | 3 |
| ?SetUI2@CStorageVariant@@QAEXGI@Z | 3 |
| HrGetStyleSheet | 3 |
| MmUnmapViewInSystemSpace | 3 |
| KeSetProfileIrql | 3 |
| principal | 3 |
| xmlParseMemory | 3 |
| RasSrvInitializeService | 3 |
| RasSrvHangupConnection | 3 |
| RasSrvIsConnectionConnected | 3 |
| RasAutodialQueryDlgA | 3 |
| LsQueryTextCellDetails | 3 |
| ?GetDiscussName@Group@Util@@YA?AVC | 3 |
| ?CodeEnd@CDRStrCodecBase@@IAEXXZ | 3 |
| ?CodeByte@CDRStrCodecBase@@IAEXEPB_ | 3 |
| ?CodeBuf@CDRStrCodecBase@@IAEXEPB_\ | 3 |
| ?CodeDWord@CDRStrCodecBase@@IAEXEF | 3 |
| ?CodeStr@CDRStrCodecBase@@IAEXEPB_V | 3 |
| GetNamedPipeServerProcessId | 3 |
| CcSetDirtyPageThreshold | 3 |
| ?insert@?\$basic_string@DU?\$char_traits@I | 3 |
| ?InitBugReport@TXBugReport@@YAXPB_W | 3 |
| ?CheckVistaAndStartSelfMediumLevel@Sys(| 3 |
| VideoPortStartTimer | 3 |
| VideoPortReleaseCommonBuffer | 3 |
| VideoPortSignalDmaComplete | 3 |
| NdisCloseFile | 3 |
| NdrMesProcEncodeDecode | 3 |
| Py_GetPath | 3 |
| ??4?\$basic_string@_WU?\$char_traits@_W(| 3 |

| | |
|---|---|
| ?GetURLPath@INetURLObject@@QBE?AVO | 3 |
| ?openStream@Content@ucbhelper@@QAE | 3 |
| ?writeStream@Content@ucbhelper@@QAF | 3 |
| ?insertNewContent@Content@ucbhelper@ | 3 |
| CancelNtmsLibraryRequest | 3 |
| CancelNtmsOperatorRequest | 3 |
| SatisfyNtmsOperatorRequest | 3 |
| IoDisconnectInterruptEx | 3 |
| IoConnectInterruptEx | 3 |
| LdapUnicodeToUTF8 | 3 |
| I_RpcRequestMutex | 3 |
| UmInitModem | 3 |
| ??0?\$num_put@GV?\$ostreambuf_iterator@ | 3 |
| c32ShowMb | 3 |
| W32Init | 3 |
| @Dialogs@TOpenDialog@SetFileName\$qqr | 3 |
| @Etcctrls@TivReport@SetDataToVariable\$q | 3 |
| @\$xp\$25Etcctrls@TivReportDataSet | 3 |
| @Etcctrls@TivReportDataSet@ | 3 |
| @\$xp\$18Etcctrls@TivReport | 3 |
| @Etcctrls@TivReport@ | 3 |
| @Fr_class@TfrReport@ShowReport\$qqrv | 3 |
| @\$xp\$34Gigrclms@TdxDBGridDrawOptionC | 3 |
| @Gigrclms@TdxDBGridDrawOptionColumn(| 3 |
| kisCreateKSLangInstance | 3 |
| ??5?\$basic_istream@_WU?\$char_traits @_V | 3 |
| ExGetCurrentProcessorCpuUsage | 3 |
| _rand | 3 |
| net_Close | 3 |
| playlist_ItemAddOption | 3 |
| RpcNsGroupMbrInqNextA | 3 |
| RpcNsProfileDeleteW | 3 |
| PORT_Alloc_Util | 3 |
| SECITEM_ZfreeItem_Util | 3 |
| SECITEM_FreeItem_Util | 3 |
| SECITEM_CopyItem_Util | 3 |
| SECITEM_CompareItem_Util | 3 |
| SECITEM_AllocItem_Util | 3 |
| PORT_FreeArena_Util | 3 |
| PORT_ArenaZAlloc_Util | 3 |
| PORT_NewArena_Util | 3 |
| PORT_GetError_Util | 3 |
| PORT_SetError_Util | 3 |
| PORT_ZAlloc_Util | 3 |
| PORT_Free_Util | 3 |
| PL_strncasecmp | 3 |
| PR_FindSymbol | 3 |

| | |
|---|---|
| PR_UnloadLibrary | 3 |
| PR_NewLogModule | 3 |
| ?_Getcat@?\$ctype@G@std@@SAIPAPBVfa | 3 |
| Cla\$DPushULong | 3 |
| Cla\$Locale | 3 |
| Cla\$StackHeap | 3 |
| THR\$GetInstance | 3 |
| _calloc | 3 |
| _longjmp | 3 |
| _memcmp | 3 |
| __sysstart | 3 |
| TOPSPEED | 3 |
| ?signaling_NaN@?\$numeric_limits@F@std(| 3 |
| Tcl_DeleteHashEntry | 3 |
| Tcl_DeleteHashTable | 3 |
| Tcl_FirstHashEntry | 3 |
| Tcl_InitHashTable | 3 |
| Tcl_NextHashEntry | 3 |
| NdrpVarVtOfTypeDesc | 3 |
| ?toupper@?\$ctype@D@std@@QBEPBDPA[| 3 |
| ?_Getyes @_Locinfo@std@@QBEPBDXZ | 3 |
| ??0CMetaDataMgr@@QAE@HW4CiVRootT\ | 3 |
| ??ONTFs_MFT_INFO@@QAE@XZ | 3 |
| ??1NTFS_ATTRIBUTE_DEFINITION_TABLE@() | 3 |
| ??1NTFS_REFLECTED_MASTER_FILE_TABLE@ | 3 |
| ?CompareFileName@NTFS_MFT_INFO@@S | 3 |
| osl_getHomeDir | 3 |
| osl_getConfigDir | 3 |
| osl_getCommandArgCount | 3 |
| osl_getCommandArg | 3 |
| @Cxpropertiesstore@initialization\$qqrv | 3 |
| ??1?\$_Mpunct@G@std@@UAE@XZ | 3 |
| ??6std@@YAAV?\$basic_ostream@DU?\$ch | 3 |
| ??_8?\$basic_iostream@DU?\$char_traits@D | 3 |
| aout_ChannelReorder | 3 |
| ??6?\$basic_ostream@_WU?\$char_traits@_` | 3 |
| TiffCreate | 3 |
| TiffStartPage | 3 |
| TiffWriteRaw | 3 |
| TiffEndPage | 3 |
| @Dxpsdxmlnk@initialization\$qqrv | 3 |
| @Dxmasterviewcolumns@initialization\$qqrv | 3 |
| @Dxpsmd@initialization\$qqrv | 3 |
| SPDApiBufferFree | 3 |
| EnumMMAAuthMethods | 3 |
| GetMMPolicyByID | 3 |
| SetMMPolicy | 3 |

| | |
|---|---|
| SetTransportFilter | 3 |
| SetTunnelFilter | 3 |
| MatchMMFilter | 3 |
| OpenMMFilterHandle | 3 |
| DeleteMMAuthMethods | 3 |
| ?showMinimized@QWidget@@QAEXXZ | 3 |
| ??6QTextStream@@QAEAAV0@H@Z | 3 |
| ?arg@QString@@QBE?AV1@IHHABVQChar | 3 |
| ?endl@@YAAAVQTextStream@@AAV1@@ | 3 |
| ?matchedLength@QRegExp@@QBEHXZ | 3 |
| ?qt_assert_x@@YAXPBD00H@Z | 3 |
| ?remove@QString@@QAEAAV1@ABV1@W | 3 |
| ?toTime_t@QDateTime@@QBEIXZ | 3 |
| ??0QRegion@@QAE@ABVQPolygon@@W4 | 3 |
| ??1?\$QVector@VQPoint@@@@@QAE@XZ | 3 |
| ?addPixmap@QIcon@@QAEXABVQPixmap@ | 3 |
| ?append@?\$QVector@VQPoint@@@@@QAI | 3 |
| ?bits@QImage@@QAEPAEXZ | 3 |
| ?convertToFormat@QImage@@QBE?AV1@ | 3 |
| SDL_EnableUNICODE | 3 |
| CalculatePopupWindowPosition | 3 |
| DriverPackageUninstallW | 3 |
| ScsiPortValidateRange | 3 |
| ssageBoxA | 3 |
| tricmp | 3 |
| disp32ShowData | 3 |
| disp32ShowEnd | 3 |
| buf32Line | 3 |
| u32MoveWindow | 3 |
| c32ResetDLLErrInfo | 3 |
| u32GetOsVersion | 3 |
| ?__stl_throw_length_error@stlp_std@@YA | 3 |
| ??1NTFS_ATTRIBUTE_LIST@@UAE@XZ | 3 |
| ??1NTFS_CLUSTER_RUN@@UAE@XZ | 3 |
| ?Crop@CxImage@@QAE_NJJJPBV1@@Z | 3 |
| ??1CMarkup@@UAE@XZ | 3 |
| ?GetName@INetURLObject@@QBE?AVOUS | 3 |
| ??0ByteString@@QAE@ABVOString@rtl@C | 3 |
| ?WeakAggImplHelper_queryAgg@cppu@@` | 3 |
| ??1OWeakAggObject@cppu@@MAE@XZ | 3 |
| ?queryAggregation@OWeakAggObject@cpp | 3 |
| rtl_string_getToken | 3 |
| rtl_string_newTrim | 3 |
| GenRelease | 3 |
| NDRSContextUnmarshall | 3 |
| InitializeAnonymousUserCompareList | 3 |
| ?date_order@?\$time_get@DV?\$istreambuf | 3 |

| | |
|---|---|
| ?LoadFile@TiXmlDocument@@QAE_NPB_V | 3 |
| ??0TiXmlDocument@@QAE@XZ | 3 |
| ??1TiXmlDocument@@UAE@XZ | 3 |
| @Cxgridcustomtableview@TcxCustomGridT | 3 |
| @Cxgridtableview@TcxGridTableController | 3 |
| @Strtools@BuyukHarf\$qr17System@AnsIS | 3 |
| SetupGetInfSections | 3 |
| glsHeaderGLRCI | 3 |
| __glsString_appendChar | 3 |
| __glsString_init | 3 |
| ?AllocAndCopyWString@CDBCmdTreeNode | 3 |
| ?GetI8@CAallocStorageVariant@@QBE?AT_L | 3 |
| ?length@?\$codecvt@DDH@std@@QBEHA@ | 3 |
| ReplyPrinterChangeNotification | 3 |
| ReplyClosePrinter | 3 |
| GetNetworkId | 3 |
| ?GetProductBaseName@@YA?AV?\$CString@ | 3 |
| IsACADApp | 3 |
| ?GetCurrentPlotStylePolicy@@YAKXZ | 3 |
| ??0HT_Style_Sheet_Configuration_Imp@@@ | 3 |
| ?sty_to_pm3@HT_Plot_Config_Manager@C | 3 |
| ?load_cfg@HT_Plot_Config_Manager@@QF | 3 |
| ?save_sty@HT_Plot_Config_Manager@@QF | 3 |
| ?update_sty_cfg@HT_Plot_Config_Manager | 3 |
| ??0HT_Plot_Style_Imp@@QAE@PB_W@Z | 3 |
| ?open@?\$basic_ifstream@_WU?\$char_traits@ | 3 |
| ??1?\$basic_ifstream@_WU?\$char_traits@_ | 3 |
| ?_Tidy@?\$basic_stringbuf@GU?\$char_traits@ | 3 |
| ??0_Locinfo@std@@QAE@ABV01@@Z | 3 |
| ??Mstd@@YA_NABV?\$basic_string@GU?\$c | 3 |
| VarUI2FromDisp | 3 |
| glsBeginObj | 3 |
| phoneGetIDA | 3 |
| MMCConfigProvider | 3 |
| lineSetTollListA | 3 |
| internalNewLocationW | 3 |
| ?_Xbad@tr1@std@@YAXW4error_type@re | 3 |
| ?id@?\$collate@_W@std@@2V0locale@2@ | 3 |
| ?tolower@?\$ctype@_W@std@@QBEPB_W | 3 |
| ?_Xmem@tr1@std@@YAXXZ | 3 |
| ?_Getcat@?\$collate@_W@std@@SAIPAPB' | 3 |
| ?transform@?\$collate@_W@std@@QBE?A | 3 |
| ?readDirectKey@ConfigurationHelper@com | 3 |
| ?Yield@Application@@SAX_N@Z | 3 |
| 4A958BEA | 3 |
| ?GetGlobalPropListFile@@YGPAVCPropListF | 3 |
| ??1NTFS_UPCASE_TABLE@@UAE@XZ | 3 |

| | |
|---|---|
| ?Initialize@NTFS_UPCASE_FILE@@QAEPAV | 3 |
| ?WriteRemainingBootCode@NTFS_SA@@Q | 3 |
| I_BrowserResetNetlogonState | 3 |
| SelectIndexDlgProc | 3 |
| AERT_Allocate | 3 |
| AERT_Free | 3 |
| libintl_nggettext | 3 |
| ?frac_digits@?\$_Mpunct@G@std@@QBEH | 3 |
| ?DOLOG@@YAXPB_WZZ | 3 |
| _UTLStandardHelp@20 | 3 |
| _CRLUTLInitModule@0 | 3 |
| ?GetCurSel@WCellComboBox@@QBEHXZ | 3 |
| ?Register@WCellComboBox@@SGXXZ | 3 |
| ?SetCellHeight@WCellComboBox@@QAEXI | 3 |
| ?SetCellWidth@WCellComboBox@@QAEXH | 3 |
| ?SetDroppedHeight@WCellComboBox@@C | 3 |
| ?SetDroppedWidth@WCellComboBox@@Q | 3 |
| ?_PLGINBaseClassWindowProc@WCellCom | 3 |
| ?HitTest@WCellComboBox@@UAEHVCPoint | 3 |
| ?InstantiateGridPicker@WCellComboBox@() | 3 |
| ?OnCCBNCellDeleted@WCellComboBox@@@ | 3 |
| ?OnCCBNKillFocus@WCellComboBox@@UA | 3 |
| ?OnCCBNSetFocus@WCellComboBox@@UA | 3 |
| ?OnCCBNCellUnderCursor@WCellComboBox | 3 |
| ?OnCCBNDropDown@WCellComboBox@@I | 3 |
| ?OnCCBNCloseUp@WCellComboBox@@UA | 3 |
| ?OnCCBNSelEndCancel@WCellComboBox@ | 3 |
| ?OnCCBNSelChange@WCellComboBox@@I | 3 |
| ?PaintFixedCell@WCellComboBox@@UAEX | 3 |
| ?PaintAmbiguousState@WCellComboBox@I | 3 |
| ?PaintNoSelection@WCellComboBox@@UA | 3 |
| ?PaintCellBorder@WCellComboBox@@UAE | 3 |
| ?WindowProc@WCellComboBox@@MAEJII. | 3 |
| ?GetRuntimeClass@WCellComboBox@@UB | 3 |
| ??0WCellComboBox@@QAE@XZ | 3 |
| ??1WCellComboBox@@UAE@XZ | 3 |
| ?SetCurSel@WCellComboBox@@QAEHH@Z | 3 |
| GdipGetCellAscent | 3 |
| ?min@?\$numeric_limits@M@std@@SAMX | 3 |
| ??0?\$allocator@G@std@@@QAE@ABV01@C | 3 |
| ?max_size@?\$allocator@G@std@@@QBEIXZ | 3 |
| ??0?\$allocator@G@std@@@QAE@XZ | 3 |
| Get_And_Set | 3 |
| ldap_rename_ext_sA | 3 |
| CalculateElapsedTime | 3 |
| NetworkDeviceEnumerate | 3 |
| AsyncDeviceEnumerate | 3 |

| | |
|---|---|
| HaveAnonymousUsersChanged | 3 |
| ?WPPI@CIniA@@QAEXPBD0K@Z | 3 |
| lineCompleteTransfer | 3 |
| ??YCTXStringA@@QAEAAV0@ABV0@@Z | 3 |
| ?Left@CTXStringA@@QBE?AV1@H@Z | 3 |
| SppFreeExternalGroupPropArray | 3 |
| ?Initialize@NTFS_CLUSTER_RUN@@QAEEP/ | 3 |
| ?AddSecurityDescriptor@NTFS_FILE_RECORI | 3 |
| AuthzAddSidsToContext | 3 |
| gimp_parasite_new | 3 |
| ?fill@?\$basic_ios@GU?\$char_traits@G@stc | 3 |
| TraceSQLBrowseConnect | 3 |
| ??0QPixmap@@QAE@QBQBD@Z | 3 |
| ?value@QSpinBox@@QBEHXZ | 3 |
| ?displayText@QLineEdit@@QBE?AVQString | 3 |
| ?repaint@QWidget@@QAEHHHH@Z | 3 |
| ??0QGroupBox@@QAE@ABVQString@@PA | 3 |
| ??1QProgressBar@@UAE@XZ | 3 |
| ??0QPainterPath@@QAE@ABV0@@Z | 3 |
| ?closeSubpath@QPainterPath@@QAEXXXZ | 3 |
| ?lineTo@QPainterPath@@QAEXABVQPointl | 3 |
| ?moveTo@QPainterPath@@QAEXABVQPoint | 3 |
| ?setPen@QPainter@@QAEXABVQColor@@ | 3 |
| ?drawPath@QPainter@@QAEXABVQPainte | 3 |
| ??4QBrush@@QAEAAV0@ABV0@@Z | 3 |
| ?timerEvent@QAbstractSpinBox@@MAEXP. | 3 |
| ?minimumSizeHint@QAbstractSpinBox@@l | 3 |
| ?mouseReleaseEvent@QAbstractSpinBox@() | 3 |
| ?mouseMoveEvent@QAbstractSpinBox@@I | 3 |
| ?keyReleaseEvent@QAbstractSpinBox@@M | 3 |
| ?focusOutEvent@QAbstractSpinBox@@MAI | 3 |
| ?resizeEvent@QAbstractSpinBox@@MAEXP | 3 |
| ?closeEvent@QAbstractSpinBox@@MAEXP/ | 3 |
| ?contextMenuEvent@QAbstractSpinBox@@ | 3 |
| ?showEvent@QAbstractSpinBox@@MAEXP/ | 3 |
| ?hideEvent@QAbstractSpinBox@@MAEXP@ | 3 |
| ?changeEvent@QAbstractSpinBox@@MAEX | 3 |
| ?fillPath@QPainter@@QAEXABVQPainterP@ | 3 |
| ?setUnderline@QFont@@QAEX_N@Z | 3 |
| ?drawText@QPainter@@QAEXABVQPointF | 3 |
| rtl_math_approxValue | 3 |
| rtl_math_doubleToUString | 3 |
| PvkPrivateKeyLoadA | 3 |
| CheckFullscreen | 3 |
| AddMRUStringW | 3 |
| MSNAAuthString | 3 |
| ?Load@CNbuuStaticBitmapSkin@@UAEXXZ | 3 |

| | |
|--|---|
| ?Unload@CNbuuStaticBitmapSkin@@UAEX | 3 |
| ?IsValid@?\$CNbuuBaseSkinImpl@VCNbuuSi | 3 |
| ?Draw@CNbuuStaticBitmapSkin@@UAEXP | 3 |
| ?GetNumberOfPhoneManufacturers@CPCSI | 3 |
| ?SetSkinDef@?\$CNbuuBaseSkinImpl@VCNb | 3 |
| ?Validate@CNbuuStaticBitmapSkin@@UAE) | 3 |
| GetCatalogCRM Clerk | 3 |
| lineGetCountryA | 3 |
| ReleaseLyrics | 3 |
| SetMatched | 3 |
| SetLrcInfo | 3 |
| SetMediaInfo | 3 |
| ShowLyrics | 3 |
| ShowMiniMode | 3 |
| SetTimedLevel | 3 |
| SetPlayState | 3 |
| ShowListener | 3 |
| @System@@UStrFromPChar\$qqrr20System | 3 |
| @System@SetMemoryManager\$qqrrx23Sys | 3 |
| @Excutils@initialization\$qqrv | 3 |
| @Excutils@Finalization\$qqrv | 3 |
| @Classes@TBinaryWriter@\$bcdtr\$qqrv | 3 |
| @Classes@TBinaryWriter@\$bcctr\$qqrv | 3 |
| @Comobj@TComServerObject@\$bcctr\$qqr | 3 |
| @Comobj@TComServerObject@\$bcdtr\$qqr | 3 |
| @Dateutils@TTimeZone@\$bcdtr\$qqrv | 3 |
| @Dateutils@TTimeZone@\$bcctr\$qqrv | 3 |
| @Rzcommon@initialization\$qqrv | 3 |
| @Rzcmbobx@initialization\$qqrv | 3 |
| @Rzbutton@initialization\$qqrv | 3 |
| ??0QPen@@QAE@XZ | 3 |
| ??4QColor@@QAEAAV0@ABV0@@Z | 3 |
| ?font@QPainter@@QBEABVQFont@@XZ | 3 |
| ?setPixelSize@QFont@@QAEXH@Z | 3 |
| ?pen@QPainter@@QBEABVQPen@@XZ | 3 |
| ??0QPen@@QAE@ABV0@@Z | 3 |
| ?codecForName@ QTextCodec@@SAPAV1@ | 3 |
| ??6QTextStream@@QAEAAV0@D@Z | 3 |
| ??0QVariant@@QAE@ABVQSize@@@Z | 3 |
| ?atEnd@QXmlStreamReader@@QBE_NXZ | 3 |
| ?readNext@QXmlStreamReader@@QAE?AI | 3 |
| ?attributes@QXmlStreamReader@@QBE?A' | 3 |
| ?name@QXmlStreamReader@@QBE?AVQS | 3 |
| ?qWarning@@YA?AVQDebug@@XZ | 3 |
| ??1QXmlStreamAttributes@@QAE@XZ | 3 |
| ??1QXmlStreamReader@@QAE@XZ | 3 |
| ?toString@QStringRef@@QBE?AVQString@ | 3 |

| | |
|---------------------------------------|---|
| CompareLinkInfoVolumes | 3 |
| CompareLinkInfoReferents | 3 |
| ResolveLinkInfoW | 3 |
| CreateLinkInfoW | 3 |
| DisconnectLinkInfo | 3 |
| GetCanonicalPathInfoW | 3 |
| ??1RWCString@@QAE@XZ | 3 |
| AddDeviceWasChosen | 3 |
| AddDeviceWasChosenA | 3 |
| AddDeviceWasChosenW | 3 |
| ErrSetBounds | 3 |
| ?BucketIndex@CLKRHashTableStats@@SGJJ | 3 |
| ?_Apply@CLKRLinearHashTable@@AAEKP6 | 3 |
| ClearAutoLogon | 3 |
| ?GetSortedNext@TLINK@@QAEPAXPAX@Z | 3 |
| @Vedatasearch@TFloatSearchField@ | 3 |
| ?ReadOrWriteLock@CSpinLock@@QAE_NXZ | 3 |
| ?GetProductRegistryRootKey@@YGIPA_WK | 3 |
| 1F790AE8 | 3 |
| 766DB045 | 3 |
| A0D5C94D | 3 |
| FA97024C | 3 |
| E673E235 | 3 |
| osl_loadModuleRelative | 3 |
| ??1SfxMedium@@UAE@XZ | 3 |
| ?GetInStream@SfxMedium@@QAEPAVSvSt | 3 |
| ?UseInteractionHandler@SfxMedium@@QAF | 3 |
| ??0SfxMedium@@QAE@ABVString@@GEP | 3 |
| ?ClearItem@SfxItemSet@@UAEGG@Z | 3 |
| ?InvalidateItem@SfxItemSet@@UAEXG@Z | 3 |
| ?Get@SfxItemSet@@UBEABVSfxPoolItem@ | 3 |
| ??0SfxAllItemSet@@QAE@AAVSfxItemPool | 3 |
| ?ClearInvalidItems@SfxItemSet@@UAEXE@ | 3 |
| ?Set@SfxItemSet@@UAEHABV1@E@Z | 3 |
| ?Intersect@SfxItemSet@@UAEXABV1@@Z | 3 |
| ?MergeValues@SfxItemSet@@UAEXABV1@ | 3 |
| ?Differentiate@SfxItemSet@@UAEXABV1@ | 3 |
| ?MergeValue@SfxItemSet@@UAEXABVSfxP | 3 |
| ?Load@SfxItemSet@@UAEAAVSvStream@() | 3 |
| ?Store@SfxItemSet@@UBEAAVSvStream@() | 3 |
| ??8SfxItemSet@@UBEHABV0@@Z | 3 |
| ??1SfxVoidItem@@UAE@XZ | 3 |
| ?Changed@SfxItemSet@@MAEXABVSfxPoo | 3 |
| ?DisableItem@SfxItemSet@@UAEXG@Z | 3 |
| ?IsEof@SvStream@@QBEEHZ | 3 |
| ?GetBuffer@ByteString@@QBEPBDXZ | 3 |
| ?fgMemoryManager@XMLPlatformUtils@xe | 3 |

| | |
|--|---|
| ??2XMemory@xercesc_2_7@@@SAPAXI@Z | 3 |
| ??3XMemory@xercesc_2_7@@@SAXPAX@Z | 3 |
| ?fgXercescDefaultLocale@XMLUni@xercesc_2_7 | 3 |
| ?Initialize@XMLPlatformUtils@xercesc_2_7 | 3 |
| ??_7ErrorHandler@xercesc_2_7@@@6B@ | 3 |
| ?getSingleton@?\$Singleton@VLog@Trouble | 3 |
| ?_log@Log@Troubleshooter@@QAEXW4Log@loc | 3 |
| access | 3 |
| PC | 3 |
| @System@@@BoundErr\$qqrv | 3 |
| @Classes@TStream@Seek\$qqrius | 3 |
| @Registry@TRegistry@KeyExists\$qqrx20Sys | 3 |
| @Extctrls@TCustomPanel@AdjustClientRect | 3 |
| rtl_getBestWindowsCharsetFromTextEncoding | 3 |
| ?SetMasterCHM@CCollection@@QAEXPBG@ | 3 |
| NDRSContextUnmarshall2 | 3 |
| I_RpcNsBindingSetNameA | 3 |
| NdrNonEncapsulatedUnionBufferSize | 3 |
| RpcNetworkInqProtseqsW | 3 |
| ?_Init@?\$_Mpunct@D@std@@IAEXABV_Locale@ | 3 |
| ?round_error@?\$numeric_limits@N@std@ | 3 |
| ?_Tidy@locale@std@@CAXXZ | 3 |
| ?tempPath@QDir@@SA?AVQString@@XZ | 3 |
| GetProcAddressA | 3 |
| CacheSync | 3 |
| DeleteOfficeData | 3 |
| GetOfficeData | 3 |
| InstallHinfSection | 3 |
| ?Alloc@MEM_BLOCK_MGR@@QAEPAXXZ | 3 |
| ??0REGISTRY_VALUE_ENTRY@@QAE@XZ | 3 |
| ??0REGISTRY@@QAE@XZ | 3 |
| ?EnableRootNotification@REGISTRY@@QAE@ | 3 |
| ?Initialize@REGISTRY@@QAEPBVWSTRING@ | 3 |
| ?UpdateKeyInfo@REGISTRY@@QAEEW4_PFILE@ | 3 |
| ?CreateKey@REGISTRY@@QAEEW4_PREDE@ | 3 |
| ?IsAccessAllowed@REGISTRY@@QAEEW4_I@ | 3 |
| ?DoesValueExist@REGISTRY@@QAEEW4_PI@ | 3 |
| ?Initialize@REGISTRY_KEY_INFO@@QAEPE@ | 3 |
| ?QueryKeyInfo@REGISTRY@@QAEEW4_PR@ | 3 |
| ?SaveKeyToFile@REGISTRY@@QAEEW4_PR@ | 3 |
| ?DoesKeyExist@REGISTRY@@QAEEW4_PRE@ | 3 |
| ?QueryValues@REGISTRY@@QAEEW4_PRE@ | 3 |
| ?UnLoadHive@REGISTRY@@QAEEW4_PRE@ | 3 |
| ??1REGISTRY@@UAE@XZ | 3 |
| ?SetKeySecurity@REGISTRY@@QAEEW4_PF@ | 3 |
| ?LoadHive@REGISTRY@@QAEEW4_PREDEF@ | 3 |

| | |
|---|---|
| ??ONTFS_BOOT_FILE@@QAE@XZ | 3 |
| ?Read@NTFS_MFT_FILE@@UAEEXZ | 3 |
| strtohex | 3 |
| PSCreateMemoryPropertyStore | 3 |
| ?NewWordBreaker@CCiOle@@SGPAUIWor | 3 |
| ?GetPrimaryFile@CIniW@@QBEPBGXZ | 3 |
| SHValidateUNC | 3 |
| ?getFallback@Locale@comphelper@@SAPE | 3 |
| ClassGetDescriptor | 3 |
| ??0?\$basic_ostream@_WU?\$char_traits@_` | 3 |
| ??1?\$basic_ostream@_WU?\$char_traits@_` | 3 |
| ??_7?\$basic_ostream@_WU?\$char_traits@_` | 3 |
| ?Environment_initWithEnterable@purpenv@ | 3 |
| ?createMapping@purpenv@helper@cppu@ | 3 |
| MprAdminServerSetCredentials | 3 |
| lineGetQueueListA | 3 |
| readlink | 3 |
| MsiRemovePatchesA | 3 |
| ??0QVariant@@QAE@ABV?\$QList@VQVari | 3 |
| ??0QFileInfo@@QAE@XZ | 3 |
| ??8@YA_NABVQString@@ABVQStringRef@ | 3 |
| ?Stop@CCatalogAdmin@@QAEHXZ | 3 |
| ZwWaitForDebugEvent | 3 |
| ?LogMsg@MESSAGE@@QAAEKPBDDZ | 3 |
| glIsGLRC | 3 |
| glIsUCS2toUTF8z | 3 |
| ?quiet_NaN@?\$numeric_limits@K@std@@@ | 3 |
| ?_Getcat@?\$moneypunct@D\$0A@@std@() | 3 |
| ?do_falsename@?\$numpunct@G@std@@@N | 3 |
| ?signaling_NaN@?\$numeric_limits@G@std | 3 |
| ?setstate@ios_base@std@@QAEHX_N@Z | 3 |
| ?infinity@?\$numeric_limits@D@std@@SAI | 3 |
| FltEnumerateVolumes | 3 |
| FltGetBottomInstance | 3 |
| FltGetVolumeFromName | 3 |
| FltGetDeviceObject | 3 |
| FltGetVolumeName | 3 |
| FltCreateFile | 3 |
| FltClose | 3 |
| FltGetVolumeFromDeviceObject | 3 |
| FltAttachVolume | 3 |
| FltObjectDereference | 3 |
| FltCancelFileOpen | 3 |
| FltCloseCommunicationPort | 3 |
| @TStreamableBase@\$bdtr\$qv | 3 |
| @v_WPARAM_Dispatch\$qr7GENERICM7GEI | 3 |
| @v_Dispatch\$qr7GENERICM7GENERICqv\$\v | 3 |

| | |
|---|---|
| @TWindow@TransferData\$qp18TTransferDir | 3 |
| @TWindow@Transfer\$qpv18TTransferDirec | 3 |
| @TWindow@SetParent\$qp7TWindow | 3 |
| @TWindow@RemoveChild\$qp7TWindow | 3 |
| @TWindow@Register\$qv | 3 |
| @TWindow@PerformCreate\$qi | 3 |
| @TWindow@IdleAction\$ql | 3 |
| @TWindow@HoldFocusHWnd\$qp6HWND_ | 3 |
| @TWindow@EvCommandEnable\$qr15TCon | 3 |
| @TWindow@EvCommand\$quip6HWND__u | 3 |
| @TWindow@DefWindowProcA\$quiuil | 3 |
| @TWindow@SetDocTitle\$qpfc1 | 3 |
| @TWindow@CleanupWindow\$qv | 3 |
| @TWindow@CanClose\$qv | 3 |
| @TWindow@\$bdtr\$qv | 3 |
| @TWindow@WindowProc\$quiuil | 3 |
| @TWindow@\$bctr\$qv | 3 |
| @TModule@\$bdtr\$qv | 3 |
| @TModule@\$bctr\$qpfc11HINSTANCE__ | 3 |
| @TDialog@SetupWindow\$qv | 3 |
| @TDialog@PreProcessMsg\$qr6tagMSG | 3 |
| @TDialog@GetWindowClass\$qr12tagWNDC | 3 |
| @TDialog@GetClassNameA\$qv | 3 |
| @TDialog@Execute\$qv | 3 |
| @TDialog@EvInitDialog\$qp6HWND_ | 3 |
| @TDialog@DoExecute\$qv | 3 |
| @TDialog@DoCreate\$qv | 3 |
| @TDialog@DialogFunction\$quiuil | 3 |
| @TDialog@Destroy\$qi | 3 |
| @TDialog@Create\$qv | 3 |
| @TDialog@CloseWindow\$qi | 3 |
| @TDialog@\$bdtr\$qv | 3 |
| @TDialog@\$bctr\$qp7TWindow6TResIdp7TN | 3 |
| ??0OWizardPage@svt@@@QAE@PAVWindow | 3 |
| ?updateDialogTravelUI@OWizardPage@svt(| 3 |
| ?canAdvance@OWizardPage@svt@@@UBE_I | 3 |
| ?commitPage@OWizardPage@svt@@@UAEE | 3 |
| ?initializePage@OWizardPage@svt@@@UAE | 3 |
| ?ActivatePage@OWizardPage@svt@@@MAE | 3 |
| ??1OWizardPage@svt@@@UAE@XZ | 3 |
| ??1RoadmapWizard@svt@@@UAE@XZ | 3 |
| ?determineNextState@RoadmapWizard@sv | 3 |
| ?updateTravelUI@RoadmapWizard@svt@@ | 3 |
| ?canAdvance@RoadmapWizard@svt@@@UB | 3 |
| ?DeactivatePage@OWizardMachine@svt@() | 3 |
| ?StateChanged@RoadmapWizard@svt@@@L | 3 |
| ?Resize@RoadmapWizard@svt@@@UAEXXZ | 3 |

| | |
|--|---|
| ??0RoadmapWizard@svt@@QAE@PAVWin | 3 |
| ?defaultButton@OWizardMachine@svt@@I | 3 |
| ?enableButtons@OWizardMachine@svt@@A | 3 |
| ?ActivatePage@OWizardMachine@svt@@N | 3 |
| ?enableState@RoadmapWizard@svt@@IAE | 3 |
| ?activatePath@RoadmapWizard@svt@@IAI | 3 |
| ?prepareLeaveCurrentState@OWizardMachi | 3 |
| ?enterState@RoadmapWizard@svt@@MAE | 3 |
| ?GetDefaultExtension@SfxFilter@@QBE?AV | 3 |
| ?openNode@OConfigurationNode@utl@@(| 3 |
| ?setnodeValue@OConfigurationNode@utl@C | 3 |
| ?commit@OConfigurationTreeRoot@utl@@ | 3 |
| ?getNodeNames@OConfigurationNode@utl | 3 |
| ympoold | 3 |
| ?thousands_sep@?\$_Mpunct@D@std@@@C | 3 |
| ??0?\$basic_ofstream@GU?\$char_traits@G@ | 3 |
| SE_DllLoaded | 3 |
| SE_InstallBeforeInit | 3 |
| ?SetTransparent@Font@@QAEXE@Z | 3 |
| ?SetSize@Font@@QAEABVSize@@@Z | 3 |
| ?SetOrientation@Font@@QAEXF@Z | 3 |
| ?Append@ByteString@@QAEAAV1@D@Z | 3 |
| ?Erase@ByteString@@QAEAAV1@GG@Z | 3 |
| ??0Polygon@@QAE@G@Z | 3 |
| DirectPlayLobbyCreateA | 3 |
| DirectPlayLobbyCreateW | 3 |
| DirectPlayEnumerateW | 3 |
| DirectPlayEnumerate | 3 |
| DirectPlayEnumerateA | 3 |
| SRSetRestorePoint | 3 |
| SfpVerifyFile | 3 |
| input_Read | 3 |
| ?getBuildIdData@Bootstrap@utl@@SA?AV(| 3 |
| ?SetSampleLocation@CCollection@@QAEXF | 3 |
| DllBidEntryPoint | 3 |
| ?ConvertSharedToExclusive@CCritSec@@Q_ | 3 |
| ??_8?\$basic_ostringstream@GU?\$char_trail | 3 |
| ?replace@?\$basic_string@GU?\$char_traits@ | 3 |
| ?write@?\$basic_ostream@GU?\$char_traits@ | 3 |
| _fflush | 3 |
| _GetDriveType_@4 | 3 |
| rtl_str_shortenedCompareIgnoreAsciiCase_\ | 3 |
| UmAnswerModem | 3 |
| UmDialModem | 3 |
| UmMonitorModem | 3 |
| IoStartNextPacketByKey | 3 |
| rtl2FromErrVar | 3 |

| | |
|---|---|
| __vbaVarImp | 3 |
| ?Fatal@CNeroError@@UBEHXZ | 3 |
| ?GetTime@CNeroError@@UBEJXZ | 3 |
| ??0CErrorClone@@QAE@ABV0@@Z | 3 |
| ?ERRAdd@@YAABVINeroError@@ABV1@@ | 3 |
| ?SetFatal@CNeroError@@UAEH@Z | 3 |
| ?GetError@CNeroError@@UBEHXZ | 3 |
| ?GetLine@CNeroError@@UBEHXZ | 3 |
| ?EnableMessageTranslation@CNeroError@() | 3 |
| ?IsMessageTranslationEnabled@CNeroError | 3 |
| ??1CErrorClone@@UAE@XZ | 3 |
| ??1CNeroErrorList@@UAE@XZ | 3 |
| ??1CNeroError@@UAE@XZ | 3 |
| ?GetErrorIcon@CNeroError@@UBE?AW4N@ | 3 |
| ??4?\$complex@O@std@@QAEAAV01@AB\ | 3 |
| glsGetCaptureFlags | 3 |
| glsGetCommandAlignment | 3 |
| ??0?\$complex@O@std@@QAE@ABV?\$con | 3 |
| ?_Sync@ios_base@std@@0_NA | 3 |
| vlc_object_find | 3 |
| SwitchDesktopWithFade | 3 |
| RtlRemovePrivileges | 3 |
| RtlAddMandatoryAce | 3 |
| ?EnableDocking@CXTPCmdBars@@Q | 3 |
| ?SetSite@CXTPCmdBars@@QAEXPAV | 3 |
| ?SetTheme@CXTPPaintManager@@SAXW4 | 3 |
| ?s_pInstance@CXTPPaintManager@@1PAV | 3 |
| ?SetCustomTheme@CXTPPaintManager@@ | 3 |
| ?PreTranslateFrameMessage@CXTPComm | 3 |
| ?OnFrameWndMsg@CXTPCmdBars@() | 3 |
| ?GetCommandBarFont@CXTPPaintManager | 3 |
| ?BaseTheme@CXTPDefaultTheme@XTPPain | 3 |
| ?DrawTearOffGripper@CXTPDefaultTheme@ | 3 |
| ?GetCommandBarBorders@CXTPDefaultThe | 3 |
| ?DrawSpecialControl@CXTPDefaultTheme@ | 3 |
| ?IsOfficeLikeShadow@CXTPPaintManager@ | 3 |
| ?RefreshMetrics@CXTPPaintManager@@U | 3 |
| ?DrawControlEntry@CXTPPaintManager@@ | 3 |
| ?DrawControlEdit@CXTPDefaultTheme@XTI | 3 |
| ?DrawControlComboBox@CXTPDefaultThen | 3 |
| ?DrawSplitButtonFrame@CXTPDefaultThem | 3 |
| ?DrawControlToolBarParent@CXTPPaintMa | 3 |
| ?DrawControlPopupParent@CXTPDefaultTh | 3 |
| ??0CXTPDefaultTheme@XTPPaintThemes@ | 3 |
| ??1CXTPPaintManager@@MAE@XZ | 3 |
| DnsAllocateRecord | 3 |
| png_set_filler | 3 |

| | |
|---|---|
| ExtractSystemDir | 3 |
| @Scktcomp@TServerWinSocket@GetConne | 3 |
| MmSetBankedSection | 3 |
| TrFilterDprIndicateReceive | 3 |
| NdisMCompleteBufferPhysicalMapping | 3 |
| _emalloc | 3 |
| _erealloc | 3 |
| _estrndup | 3 |
| _zend_hash_add_or_update | 3 |
| _zend_hash_init | 3 |
| zend_hash_destroy | 3 |
| zend_hash_find | 3 |
| zend_hash_get_current_data_ex | 3 |
| zend_hash_get_current_key_ex | 3 |
| zend_hash_internal_pointer_reset_ex | 3 |
| zend_hash_move_forward_ex | 3 |
| pcre_exec | 3 |
| ?GetCurObject@Container@@QBEPAZXXZ | 3 |
| ?ReadByteString@SvStream@@QAEAAV1@ | 3 |
| ??5@YAAAVSvStream@@AAV0@AAVRectai | 3 |
| ??6@YAAAVSvStream@@AAV0@ABVRectai | 3 |
| ?Last@Container@@QEPAXXZ | 3 |
| ?Append@ByteString@@QAEAAV1@ABV1@ | 3 |
| ??0Container@@QAE@ABV0@@Z | 3 |
| ??4Container@@QAEAAV0@ABV0@@Z | 3 |
| ?Assign@ByteString@@QAEAAV1@ABV1@ | 3 |
| ??0ByteString@@QAE@PBDG@Z | 3 |
| ?EqualsIgnoreCaseAscii@String@@QBEEPBI | 3 |
| ??0WildCard@@QAE@ABVString@@D@Z | 3 |
| ??0SvCacheStream@@QAE@K@Z | 3 |
| ?Append@ByteString@@QAEAAV1@PBD@ | 3 |
| ?GetAppData@@YAPAPAXG@Z | 3 |
| ?Insert@Container@@QAEXPAX@Z | 3 |
| ??8SvGlobalName@@QBEEABV0@@Z | 3 |
| ??0SvGlobalName@@QAE@XZ | 3 |
| ?CompareTo@String@@QBE?AW4StringCor | 3 |
| ??6SvStream@@QAEAAV0@F@Z | 3 |
| ??6SvStream@@QAEAAV0@AAV0@@Z | 3 |
| ??1SvCacheStream@@UAE@XZ | 3 |
| ?locateUserInstallation@Bootstrap@utl@@ | 3 |
| ??0SvtUserOptions@@QAE@XZ | 3 |
| ?GetFirstName@SvtUserOptions@@QBE?A\ | 3 |
| ?GetLastName@SvtUserOptions@@QBE?A\ | 3 |
| ??1SvtUserOptions@@UAE@XZ | 3 |
| ?SetModified@ConfigItem@utl@@IAEXXZ | 3 |
| _tcsupr | 3 |
| WriteBlobString | 3 |

| | |
|---|---|
| @Dbtables@TDBDataSet@SetDatabaseNam | 3 |
| ?_DeleteKey@CLKRLinearHashTable@@AAE | 3 |
| ?_ExtractKey@CLKRHashTable@@ABE?BKPI | 3 |
| ??1COMM_DEVICE@@UAE@XZ | 3 |
| GetLang_1 | 3 |
| GetLang_2B | 3 |
| GetLang_2T | 3 |
| sout_MuxGetStream | 3 |
| ?osfx@?\$basic_ostream@DU?\$char_traits@ | 3 |
| ??5std@@YAAV?\$basic_istream@GU?\$ch: | 3 |
| ?signaling_NaN@?\$numeric_limits@D@std | 3 |
| SHSetInstanceExplorer | 3 |
| ?SetUnit@MetricFormatter@@QAEXW4Fiel | 3 |
| ?LogicToPixel@OutputDevice@@QBE?AVSiz | 3 |
| ?GetMask@BitmapEx@@QBE?AVBitmap@(| 3 |
| ?GetTextHeight@OutputDevice@@QBEJXZ | 3 |
| ??0MetricField@@QAE@PAVWindow@@A | 3 |
| ??1MetricField@@UAE@XZ | 3 |
| ?GetConfigManager@ConfigManager@utl@ | 3 |
| ?Equals@ByteString@@QBEEPBD@Z | 3 |
| ?_Psum@?\$basic_string@DU?\$char_traits@ | 3 |
| ??Y?\$_Complex_base@O@std@@QAEAAV(| 3 |
| READFILE | 3 |
| READ_REGISTER_BUFFER_UCHAR | 3 |
| SetupDiGetClassDevPropertySheetsA | 3 |
| ?Count@ResStringArray@@QBEKZ | 3 |
| ?GetString@ResStringArray@@QBEABVStrir | 3 |
| ??0ResStringArray@@QAE@ABVResId@@@C | 3 |
| ??1ResStringArray@@QAE@XZ | 3 |
| ?getSystemPathFromFileURL@ucbhelper@C | 3 |
| ?CheckSeekableCanWrap@OSeekableInput\ | 3 |
| Dns_CreateSocket | 3 |
| Dns_CleanupWinsock | 3 |
| ExDesktopObjectType | 3 |
| rtl_str_shortenedCompare_WithLength | 3 |
| rtl_str_compareIgnoreAsciiCase | 3 |
| ??1SimpleReferenceObject@salhelper@@NV | 3 |
| ZwRemoveProcessDebug | 3 |
| mysql_get_server_info | 3 |
| Cla\$FILE_RECORDSf | 3 |
| Cla\$GETINI | 3 |
| DeleteExtractedFiles | 3 |
| RasGetDeviceNameW | 3 |
| DwRasGetHostByName | 3 |
| RasRefreshKerbCreds | 3 |
| UploadPrinterDriverPackageW | 3 |
| ?tellp@?\$basic_ostream@_WU?\$char_trait: | 3 |

| | |
|---|---|
| osl_copyFile | 3 |
| ??0SvtMiscOptions@@QAE@XZ | 3 |
| ??1SvtMiscOptions@@UAE@XZ | 3 |
| ?EqualsIgnoreCaseAscii@ByteString@@QBE | 3 |
| ?GetOptimalSize@Edit@@UBE?AVSize@@V | 3 |
| ?FillLayoutData@Edit@@MBEXXZ | 3 |
| ?create@OThread@vos@@QAAEXZ | 3 |
| ?getClassInfo@OThread@vos@@UBAABUO | 3 |
| ?schedule@OThread@vos@@MAAEXZ | 3 |
| ?kill@OThread@vos@@UAAXXZ | 3 |
| ?terminate@OThread@vos@@UAAXXZ | 3 |
| ??0OThread@vos@@QAE@XZ | 3 |
| ??1OThread@vos@@UAE@XZ | 3 |
| @Variants@@VarArrayPut\$qr8TVarDatarx8` | 3 |
| @Strutils@ifThen\$qqrox17System@AnsiStri | 3 |
| @Ccpromst@TfrmReport@AddSubtotal\$qqrx | 3 |
| @Ccpromst@TfrmReport@AddSelectionField | 3 |
| @Ccpromst@TfrmReport@AddSelectionField | 3 |
| @Hreport@THITReport@StartDetail\$qqrv | 3 |
| @Hreport@THITReport@EndDetail\$qqrv | 3 |
| @Ccdatefn@initialization\$qqrv | 3 |
| @Ccdatefn@Finalization\$qqrv | 3 |
| @Sysutils@RemoveDir\$qqrx17System@Ans | 3 |
| ?pubseekpos@?\$basic_streambuf@GU?\$ch | 3 |
| _vbaVarSetUnkAddref | 3 |
| @Contnrs@TOrderedList@\$bctr\$qqrv | 3 |
| @Graphics@TCanvas@SetHandle\$qqrui | 3 |
| @Forms@IsAccel\$qqrusx17System@AnsiStr | 3 |
| @Controls@TGraphicControl@\$bctr\$qqrp1{ | 3 |
| @Controls@TWinControl@CMEnabledChan | 3 |
| @Controls@TWinControl@Realign\$qqrv | 3 |
| @Controls@TControl@CMMouseEnter\$qqri | 3 |
| @Controls@TControl@WMLButtonDblClk\$c | 3 |
| @\$xp\$24Controls@TGraphicControl | 3 |
| @Controls@TGraphicControl@ | 3 |
| @Frfftexp@initialization\$qqrv | 3 |
| @Frexpimg@initialization\$qqrv | 3 |
| @Fr_e_htm@initialization\$qqrv | 3 |
| @Dxdockcontrolnetview@Finalization\$qqrv | 3 |
| @Dxdockcontrolxpview@Finalization\$qqrv | 3 |
| @Dxdockcontrolofficeview@Finalization\$qq | 3 |
| ?Initialize@MEM_BLOCK_MGR@@QAEEKK(| 3 |
| ??0OBJECT@@QAE@ABV0@@Z | 3 |
| ?Find@CTXStringA@@QBEHPBDH@Z | 3 |
| GetLOD | 3 |
| ?AddBuf@CTXCommPack@@QAEHABVCTXI | 3 |
| ?GetPluginNameList@CoreCenter@Util@@' | 3 |

| | |
|---|---|
| ?IsMobileClient@Contact@Util@@YAHK@Z | 3 |
| ?OpenUrlWithTT@URL@Util@@YAHABVCT | 3 |
| ?GetAutoRelyContent@Self@Contact@Util@ | 3 |
| ?FlashWindowInTaskbar@Misc@Util@@YAH | 3 |
| ?QueryTXChatSession@AFChatSession@Util | 3 |
| ?MessageBoxW@Misc@Util@@YAHPAUIGF | 3 |
| ?ParseYellowBarInCF@AFChatSession@Util | 3 |
| ?ChatFrameEvent@AFChatSession@Util@@A | 3 |
| ?WriteMsgInChatSession@AFChatSession@I | 3 |
| ??0CBasicInfo@Group@Util@@QAE@K@Z | 3 |
| ?IsPaiPaiMCS@PaiPai@Misc@Util@@YAHK | 3 |
| ?SoSoPicUtil@ChatSession@Util@@YAHKHI | 3 |
| ?SetRegMainKeyBoolField@API@Registry@ | 3 |
| ?GetRegMainKeyBoolField@API@Registry@ | 3 |
| _naimcomm_GetLogLevelFromRegistry@0 | 3 |
| _naimcomm_SetSystem@4 | 3 |
| _naimcomm_InitTracer@0 | 3 |
| _naimcomm_SetLogToStdout@4 | 3 |
| _naimcomm_StartFileLogging@4 | 3 |
| _naimcomm_EndFileLogging@0 | 3 |
| ?IsNull@Node@AdvXMLParser@@QBE_NX: | 3 |
| ??0Parser@AdvXMLParser@@QAE@XZ | 3 |
| ??1ParsingException@AdvXMLParser@@UA | 3 |
| ??1Parser@AdvXMLParser@@UAE@XZ | 3 |
| ?cmnlib_MonitorRegistryLogLevel@@YAXXZ | 3 |
| ?cmnlib_StartActivityLogging@@YAXXZ | 3 |
| ?IsWinNT@@YAHXZ | 3 |
| ?cmnlib_ContinueActivityLogging@@YAXXZ | 3 |
| ?cmnlib_SetActivityMaxMessageCount@@Y | 3 |
| ?install@CSEException@@SAXXZ | 3 |
| ?cmnlib_NormalExit@@YAXXZ | 3 |
| LoadResourceDLLW | 3 |
| GetResString | 3 |
| ?cmnlib_StopMonitoringRegistryLogLevel@ | 3 |
| ?cmnlib_StopActivityLogging@@YAXXZ | 3 |
| ?cmnlib_PauseActivityLogging@@YAXXZ | 3 |
| ??1AnSd@@QAE@XZ | 3 |
| ??1ASid@@QAE@XZ | 3 |
| ??0ARegKey@@QAE@XZ | 3 |
| ?initializeThreadTraceStacks@@YAXXZ | 3 |
| ??0AnAcl@@QAE@XZ | 3 |
| ?setByAuthorities@ASid@@QAE_NPAU_SID | 3 |
| ?add@AnAcl@@QAE_NPAX_NKK@Z | 3 |
| ?setToProcessUser@ASid@@QAE_NXZ | 3 |
| ?authority@?1??getNtAuthority@ASid@@S | 3 |
| ?create@AnSd@@QAE_NPAU_ACL@@PAX | 3 |
| ??1ARegKey@@QAE@XZ | 3 |

| | |
|---|---|
| ??1AnAcl@@QAE@XZ | 3 |
| WRITE_PO | 3 |
| __cxa_rethrow | 3 |
| _Z9qt_assertPKcs0_i | 3 |
| _ZN10QBoxLayout9addLayoutEP7QLayouti | 3 |
| _ZN11QHBoxLayoutC1Ev | 3 |
| _ZN11QVBoxLayoutC1EP7QWidget | 3 |
| _ZN12QRadioButtonC1EP7QWidget | 3 |
| _ZN7QLayout18setContentsMarginsEiiii | 3 |
| _ZNK15QAbstractButton9isCheckedEv | 3 |
| GetDefaultPartitionForSid | 3 |
| ?IsWriteUnlocked@CLKRLinearHashTable@() | 3 |
| ?_LockSpin@CSmallSpinLock@@AAEXXZ | 3 |
| @Sysutils@WideUpperCase\$qqrx17System(| 3 |
| ?intl@?\$moneypunct@G\$00@std@@@2_NB | 3 |
| ??_7?\$Mpunct@D@std@@@6B@ | 3 |
| ?getloc@?\$basic_streambuf@DU?\$char_tra | 3 |
| ??0?\$basic_stringstream@DU?\$char_traits@ | 3 |
| Network | 3 |
| ??4?\$basic_ostream@DU?\$char_traits@D@ | 3 |
| File | 3 |
| astError | 3 |
| ??_7overflow_error@std@@@6B@ | 3 |
| ??6std@@YAAV?\$basic_ostream@DU?\$ch | 3 |
| NdrConformantVaryingStructBufferSize | 3 |
| NdisImmediateReadSharedMemory | 3 |
| VarI2FromI8 | 3 |
| ?release@?\$WeakImplHelper2@VXInputStr | 3 |
| ?acquire@?\$WeakImplHelper2@VXInputStr | 3 |
| ?GetMainThreadIdentifier@Application@@! | 3 |
| PR_GetLibraryFilePathname | 3 |
| ?GetpApp@@YAPAVApplication@@XZ | 3 |
| ??0OMutex@vos@@QAE@XZ | 3 |
| ??1OMutex@vos@@UAE@XZ | 3 |
| ??0?\$basic_istream@GU?\$char_traits@G@: | 3 |
| ?pointSize@QFont@@QBEHXZ | 3 |
| ?width@QFontMetrics@@QBEHAVQString | 3 |
| ?setHorizontalScrollBarPolicy@QAbstractScr | 3 |
| ?setVerticalScrollBarPolicy@QAbstractScroll | 3 |
| @Psock@initialization\$qqrv | 3 |
| @Psock@Finalization\$qqrv | 3 |
| gimp_drawable_preview_get_type | 3 |
| gimp_message | 3 |
| _FPUInst3 | 3 |
| _FPUInst4 | 3 |
| _JRTL_monitorEnter | 3 |
| _JRTL_monitorExit | 3 |

| | |
|--|---|
| _float2int32pop | 3 |
| java_lang_Object_getClass | 3 |
| java_lang_Object_hashCode | 3 |
| java_lang_Object_clone | 3 |
| java_lang_Object_notify | 3 |
| java_lang_Object_notifyAll | 3 |
| java_lang_Object_wait | 3 |
| _StartExecutable | 3 |
| _JRTL_allocateClass | 3 |
| _JRTL_lockExceptionHandler | 3 |
| _JRTL_FindClass | 3 |
| _JRTL_allocateArray | 3 |
| java_lang_System_currentTimeMillis | 3 |
| _JRTL_rttiInstanceOf | 3 |
| _JRTL_rttiVerifyConvert | 3 |
| _ExceptionHandler | 3 |
| java_lang_System_arraycopy | 3 |
| _EndHandler | 3 |
| java_lang_Class_forName | 3 |
| _JRTL_rttiConvertToInterface | 3 |
| _JRTL_rttiConvertToMostDerived | 3 |
| _JRTL_throw | 3 |
| java_lang_Thread_currentThread | 3 |
| java_lang_StringBuffer_toString | 3 |
| java_lang_Thread_sleep | 3 |
| java_lang_Thread_yield | 3 |
| _Local_unwind | 3 |
| dpLine | 3 |
| AccProvIsObjectAccessible | 3 |
| AccProvSetAccessRights | 3 |
| AccRewriteGetHandleRights | 3 |
| AccLookupAccountName | 3 |
| ?infinity@?\$_numeric_limits@J@std@@SAJ | 3 |
| ??0?\$collate@G@std@@QAE@ABV_Locinf | 3 |
| ??1?\$time_put@DV?\$ostreambuf_iterator@ | 3 |
| ?sm_wDefaultSpinCount@CReaderWriterLo | 3 |
| ?_ReadLockSpin@CReaderWriterLock@@@A | 3 |
| ExSemaphoreObjectType | 3 |
| RpcServerInqCallAttributesA | 3 |
| I_CryptCreateLruEntry | 3 |
| RegisterScmCallback | 3 |
| PNP_SetActiveService | 3 |
| PNP_GetDeviceRegProp | 3 |
| PNP_GetDeviceListSize | 3 |
| PNP_GetDeviceList | 3 |
| PNP_HwProfFlags | 3 |
| RegisterServiceNotification | 3 |

| | |
|--|---|
| DeleteServicePlugPlayRegKeys | 3 |
| ??\$?5_WU?\$char_traits@_W@std@@@std | 3 |
| ?Initialize@BSTRING@@QAEEXZ | 3 |
| ?fromStdWString@QString@@SA?AV1@AB' | 3 |
| ?setBrush@QPalette@@QAEXW4ColorGrou | 3 |
| ?addStretch@QBoxLayout@@QAEXH@Z | 3 |
| putenv | 3 |
| @Wwdbnavigator@initialization\$qqrv | 3 |
| ?Append@GCStackStrBase@@QAEX_W@Z | 3 |
| ?FindOneOf@raw_GCStr@@SG_NPB_WOA | 3 |
| ?First@raw_GCStr@@SG?AVGCStrRetVal@(| 3 |
| ?AllocateHashTable@@YGPAXK@Z | 3 |
| ?ToPowerOf2@@YGKK@Z | 3 |
| ?Compare@GCStr@@QBEJPB_W@Z | 3 |
| ?Hash@@YGKPBEKK@Z | 3 |
| ?DeallocateHashTable@@YGXPAXK@Z | 3 |
| ?LongToString@raw_GCStr@@SGXJPAVGCS | 3 |
| ?Equals@GCStr@@QBE_NPB_W@Z | 3 |
| ?Last@raw_GCStr@@SGXPB_WKPAVGCS@ | 3 |
| ?Length@raw_GCStr@@SGKABVGCStackStr | 3 |
| ?SetFromResource@GCStr@@QAEXKQAUH | 3 |
| ?GetWorkAreaRect@GCWindowHelpers@@ | 3 |
| ?FindLastChar@raw_GCStr@@SG_NPB_W_ | 3 |
| ?GetBrandedApplicationName@GCMso@@ | 3 |
| ??0GCError@@QAE@XZ | 3 |
| ?Set@GCError@@QAEXJPAUIUnknown@@ | 3 |
| ?Trace ShutDown@GCCSM@@SGXXZ | 3 |
| ?Append@GCStr@@QAEXPB_W@Z | 3 |
| gimp_procedural_db_get_data_size | 3 |
| NdrDcomAsyncClientCall | 3 |
| ZwSetInformationJobObject | 3 |
| ??1CFwEventItem@@QAE@XZ | 3 |
| @Rxdbctrl@initialization\$qqrv | 3 |
| @Synedithighlighter@initialization\$qqrv | 3 |
| @Synedittypes@initialization\$qqrv | 3 |
| @Syneditmiscolasses@initialization\$qqrv | 3 |
| @Syneditkeyconst@initialization\$qqrv | 3 |
| @Syneditmiscprocs@initialization\$qqrv | 3 |
| @Synhighlighterpas@initialization\$qqrv | 3 |
| @Syneditstrconst@initialization\$qqrv | 3 |
| @Synedit@initialization\$qqrv | 3 |
| @Synedittextbuffer@initialization\$qqrv | 3 |
| @Syneditkeycmds@initialization\$qqrv | 3 |
| @Syneditsearch@initialization\$qqrv | 3 |
| @Syneditkbdhandler@initialization\$qqrv | 3 |
| @Syntextdrawer@initialization\$qqrv | 3 |
| @Synmemo@initialization\$qqrv | 3 |

| | |
|---|---|
| DhcpEnableDhcp | 3 |
| InitializeIpForwardEntry | 3 |
| InitializeUnicastIpAddressEntry | 3 |
| InternalCreateUnicastIpAddressEntry | 3 |
| InternalCreateIpForwardEntry2 | 3 |
| ?ExceptionFatalError@CTStream@@SAXXZ | 3 |
| ??1CTString@@QAE@XZ | 3 |
| ?Remove@CListNode@@QAEXXZ | 3 |
| ?IsLinked@CListNode@@QBEHXZ | 3 |
| ??0CTString@@QAA@JPBDZZ | 3 |
| ?_pNetwork@@3PAVCNetworkLibrary@@A | 3 |
| ?ScanF@CTString@@QAAJPBDZZ | 3 |
| ?SE_InitEngine@@YAXVCTString@@@Z | 3 |
| ?DisableStreamHandling@CTStream@@SAX | 3 |
| ?StringDuplicate@@YAPADPBD@Z | 3 |
| ?ExceptionFilter@CTStream@@SAHKPAU_E | 3 |
| ?EnableStreamHandling@CTStream@@SAX | 3 |
| ?RemovePrefix@CTString@@QAEHABV1@() | 3 |
| LogReInitA | 3 |
| cvCopy | 3 |
| ?AcqPath@CQueryScanner@@QEPAGXZ | 3 |
| ?SetDefaultSpinAdjustmentFactor@CReader | 3 |
| ?Hide@CNbuuSplashScreen@@QAEHI@Z | 3 |
| ?SetAboutBoxParams@CCommonAboutDlg@ | 3 |
| ??1CNbuuSplashScreen@@UAE@XZ | 3 |
| ?Show@CNbuuSplashScreen@@QAEHI@Z | 3 |
| ??0CNbuuSplashScreen@@QAE@PAUHINS1 | 3 |
| rtualAlloc | 3 |
| tFilePointer | 3 |
| adFile | 3 |
| ject | 3 |
| nHelpA | 3 |
| mer | 3 |
| php_handle_auth_data | 3 |
| php_execute_script | 3 |
| core_globals_id | 3 |
| ?GetThisClass@WCmnUI_PropertyPage@@ | 3 |
| _ZN9QHashData11shared_nullE | 3 |
| _ZN9QHashData12allocateNodeEi | 3 |
| _ZN9QHashData14detach_helper2EPFvPNS_ | 3 |
| _ZN9QHashData6rehashEi | 3 |
| _ZN8QPainterC1EP12QPaintDevice | 3 |
| _ZN8QPainterD1Ev | 3 |
| ?CloseDriveHandle@DP_DRIVE@@QAEXXZ | 3 |
| ?GetCannedSecurityDescriptor@CANNED_SI | 3 |
| _ZN11QGridLayout9addWidgetEP7QWidget | 3 |
| _ZN11QGridLayout9addWidgetEP7QWidgeti | 3 |

| | |
|--|-----|
| _ZN11QGridLayoutC1EP7QWidget | 3 |
| _ZN11QMessageBoxD1Ev | 3 |
| _ZN12QFontMetricsC1ERK5QFont | 3 |
| _ZN12QFontMetricsD1Ev | 3 |
| _ZN5QIconC1ERK7QString | 3 |
| _ZN6QBrushC1ERK6QColorN2Qt10BrushStyl | 3 |
| _ZN6QLabel9setPixmapERK7QPixmap | 3 |
| _ZN7QWidget14activateWindowEv | 3 |
| xmlFreeURI | 3 |
| xmlParseURI | 3 |
| FsRtlNotifyReportChange | 3 |
| ??_7?\$messages@D@std@@@6B@ | 3 |
| ?IsWriteUnlocked@CFakeLock@@QBE_NXZ | 3 |
| ?Push@CLockedSingleList@@QAEXQAVCSin | 3 |
| Register | 3 |
| IsValidEnhMetaRecordOffExt | 3 |
| RasActivateRoute | 3 |
| ?append@?\$basic_string @_WU?\$char_trait | 3 |
| ?SetSize@Rectangle@@QAEXABVSize@@@@ | 3 |
| ?SetPos@Rectangle@@QAEXABVPoint@@@(| 3 |
| ??0Rectangle@@QAE@XZ | 3 |
| RtlCreateUserSecurityObject | 3 |
| ZwReplyWaitReceivePortEx | 3 |
| @Jclrtti@Finalization\$qqrv | 3 |
| ?IsWriteLocked@CReaderWriterLock2@@Q | 3 |
| BASS_ChannelGetInfo | 3 |
| @Dateutils@DayOfTheWeek\$qqrx16System | 3 |
| @Cxpc@TcxPageControl@SetActivePage\$qc | 3 |
| ??5std@@@YAAA?\$\$basic_istream@GU?\$ch | 3 |
| GenQueryBounds | 3 |
| ?do_pos_format@?\$_Mpunct@D@std@@@N | 3 |
| ?find_last_of@?\$basic_string@DU?\$char_tr | 3 |
| ?Idexp@?\$_Ctr@O@std@@SAOOH@Z | 3 |
| ?_fabs@std@@@YANABV?\$complex@N@1@ | 3 |
| ?TunePerformance@CMachineAdmin@@Q | 3 |
| KeFlushEntireTb | 3 |
| NdisGetSystemUpTime | 3 |
| CallBackCalls | 3 |
| KeyHook | 3 |
| MouseHook | 3 |
| ProcessMouse | 3 |
| ProcessKeyPress | 3 |
| | 281 |
| B7 | 3 |
| G_AD1A3A702A1 | 3 |
| L_2E914CF1083 | 3 |
| C_9DB32CBD7A1 | 3 |

| | |
|---|---|
| G_FBF14000A7E3 | 3 |
| ?IsWinNT@CMdVersionInfo@@SAH@Z | 3 |
| ?WriteLock@CReaderWriterLock2@@QAEX@Z | 3 |
| ?_Addcats @_Locinfo@std@@QAEAAV12@I | 3 |
| ?setStyleSheet@QApplication@@QAEXABV1 | 3 |
| ??1QProcess@@UAE@XZ | 3 |
| ??0QProcess@@QAE@PAVQObject@@@Z | 3 |
| _ZN14QWaitConditionC1Ev | 3 |
| _ZN14QWaitConditionD1Ev | 3 |
| _ZN6QMutexD1Ev | 3 |
| _ZN7QThread4waitEm | 3 |
| ?RemoveEventListener@Application@@SAX@Z | 3 |
| ?AddEventListener@Application@@SAXABV1 | 3 |
| TerminateDocClients | 3 |
| FindItemWnd | 3 |
| TerminateClients | 3 |
| ItemCallBack | 3 |
| DeleteClientInfo | 3 |
| ItemWndProc | 3 |
| ?namecmp@@YGH_PBG0@Z | 3 |
| ??1nsSupportsWeakReference@@IAE@XZ | 3 |
| ?_TryWriteLock2@CReaderWriterLock3@@@Z | 3 |
| lineBlindTransferW | 3 |
| phoneGetIDW | 3 |
| oggpack_write | 3 |
| lineGetCallInfo | 3 |
| NdrVaryingArrayMarshall | 3 |
| VarI8FromUI2 | 3 |
| ??1?\$messages@D@std@@UAE@XZ | 3 |
| OleRevertServerDoc | 3 |
| ?GetLCIDAsString@NLS@@YA?AVCTXString` | 3 |
| ??0OTypeCollection@cppu@@QAE@ABVTy | 3 |
| ?appendSegment@INetURLObject@@AAE_ | 3 |
| ??0Content@ucbhelper@@QAE@ABV01@() | 3 |
| ?openStream@Content@ucbhelper@@QAE | 3 |
| ?IsDocument@UCBContentHelper@utl@@@S | 3 |
| ?MakeFolder@UCBContentHelper@utl@@@S | 3 |
| __vbaVarLike | 3 |
| uVideoGetFormatIndex | 3 |
| uVideoGetFormatInfo | 3 |
| J | 3 |
| DiUninstallDevice | 3 |
| ??4CWString@@QAEABV0@PBG@Z | 3 |
| ?CopyPropsInError@CUtilProps2@@QAEXP@Z | 3 |
| ?GetPropsInErrorPtr@CUtilProps2@@QAEP@Z | 3 |
| ?SetPropertyInError@CUtilProps2@@QAEXK | 3 |
| ?ClearPropertyInError@CUtilProps2@@QAEC | 3 |

| | |
|--|---|
| ?CompareDBIDs@@YAJPBUTagDBID@@0@ | 3 |
| ?IsEmpty@CWString@@QBEHXZ | 3 |
| ??1CWString@@QAE@XZ | 3 |
| ??0CWString@@QAE@XZ | 3 |
| ??0CUtilPropInfo@@QAE@XZ | 3 |
| ?FInit@CUtilPropInfo@@QAEJXZ | 3 |
| ??1CUtilPropInfo@@UAE@XZ | 3 |
| ?GetPropertyInfo@CUtilPropInfo@@QAEJKC | 3 |
| ?GetValLong@CUtilProps2@@QBEJKK@Z | 3 |
| ?IsEmpty@CUtilProps2@@QAEHKK@Z | 3 |
| ?InsertIntoExtBuffer@CExtBuffer@@QAGJP | 3 |
| ??1CExtBuffer@@QAE@XZ | 3 |
| ?FInit@CExtBuffer@@QAEHKPAXKK@Z | 3 |
| ??0CExtBuffer@@QAE@XZ | 3 |
| ?W95LoadString@@YAH PaxIPAGH@Z | 3 |
| ?GetItemOfExtBuffer@CExtBuffer@@QAGX | 3 |
| ?GetLastItemHandle@CExtBuffer@@QAGX/ | 3 |
| ?LockServer@CClassFactory@@UAGJH@Z | 3 |
| ?Release@CClassFactory@@UAGKXZ | 3 |
| ?AddRef@CClassFactory@@UAGKXZ | 3 |
| ?QueryInterface@CClassFactory@@UAGJAE | 3 |
| ??0CClassFactory@@QAE@PAJ0@Z | 3 |
| ?RegisterServer@@YAJQAX0KQBUTagREGEN | 3 |
| ?UnRegisterServer@@YAJQAXKQBUTagREGI | 3 |
| ??1CClassFactory@@QAE@XZ | 3 |
| ?LoadResourceDLL@@YAJPAG0PAXPAPAX@ | 3 |
| ?FoundError@CWString@@QBEHXZ | 3 |
| ?GetDWORDOfExtBuffer@CExtBuffer@@QA | 3 |
| ??0CBitArray@@QAE@XZ | 3 |
| ??1CBitArray@@QAE@XZ | 3 |
| ?SetSlot@CBitArray@@QAGJK@Z | 3 |
| ?IsSlotSet@CBitArray@@QAGJK@Z | 3 |
| ?ResetAllSlots@CBitArray@@QAGXXZ | 3 |
| ?DeleteFromExtBuffer@CExtBuffer@@QAG | 3 |
| ?FInit@CBitArray@@QAGJK@Z | 3 |
| ?OLEDBGetCharTypeW@@YAHKG PAG@Z | 3 |
| ?VLFree@CVLHeap@@QAGXPAX@Z | 3 |
| ??1CVLHeap@@QAE@XZ | 3 |
| ?Empty@CWString@@QAEXXZ | 3 |
| ?SLSlotCapacity@CSlotListShort@@UAGKXZ | 3 |
| ?CountOfBusySlots@CSlotListShort@@UAGI | 3 |
| ?NextBusySlot@CSlotListShort@@UAGJPAK | 3 |
| ?ResetBusySlotIteration@CSlotListShort@@ | 3 |
| ?RecordInternalUse@CSlotListShort@@UAC | 3 |
| ?IsValidSlot@CSlotListShort@@UAGJK@Z | 3 |
| ?GetRowBuff@CSlotListShort@@UAIPA Uta | 3 |
| ?NoBusySlots@CSlotListShort@@UAGJXZ | 3 |

| | |
|--|---|
| ?ReleaseSlots@CSlotListShort@@UAGKKK@ | 3 |
| ?GetNextSlots@CSlotListShort@@UAGJKKP@ | 3 |
| ?FInit@CSlotListShort@@UAEHKPAPAVISlot | 3 |
| ?FInit@CVLHeap@@QAEHK@Z | 3 |
| ??0CVLHeap@@QAE@XZ | 3 |
| ??0CSlotListShort@@QAE@XZ | 3 |
| ??1CSlotListShort@@UAE@XZ | 3 |
| ?VLAlloc@CVLHeap@@QAGPAXK@Z | 3 |
| ??0CWString@@QAE@PBG@Z | 3 |
| ??4CWString@@QAEABV0@ABV0@@Z | 3 |
| ?GetBuffer@CWString@@QAEPAZH@Z | 3 |
| ?FIIsValidColl@CUtilProps2@@UAEHPAUta@ | 3 |
| ?GetIndexofPropSet@CUtilProps2@@UAEJP | 3 |
| ?FInit@CUtilProps2@@UAEJPAV1@@Z | 3 |
| ?GetValBool@CUtilProps2@@QBEEFKK@Z | 3 |
| ??1CUtilProps2@@UAE@XZ | 3 |
| ?GetPropOption@CUtilProps2@@QAEKKK@ | 3 |
| ?ConflictsWithCurrent@CUtilProps2@@UAE | 3 |
| ?SetCombinedPassThrough@CUtilProps2@{@ | 3 |
| ?SetUPropSetCount@CUtilProps2@@QAEVK@ | 3 |
| ?FillDefaultValues@CUtilProps2@@QAEJK@ | 3 |
| ?GetUPropSetCount@CUtilProps2@@QAEK@ | 3 |
| ?GetValShort@CUtilProps2@@QBEEFKK@Z | 3 |
| ??YCWString@@QAEABV0@ABV0@@Z | 3 |
| ?GetValString@CUtilProps2@@QAEPBGKK@ | 3 |
| ??YCWString@@QAEABV0@PBG@Z | 3 |
| ?SetValString@CUtilProps2@@QAEJPPBG@ | 3 |
| ?SetPassThrough@CUtilProps2@@UAEJPBU@ | 3 |
| ?SetStatus@CUtilProps2@@QAEKKK@Z | 3 |
| ??YCWString@@QAEABV0@G@Z | 3 |
| ?SetPropValue@CUtilProps2@@QAEJPBU_G | 3 |
| ?GetLength@CWString@@QBEHXZ | 3 |
| ??BCWString@@QBEPBGXZ | 3 |
| ?SetPropertiesArgChk@CUtilProps2@@SAJK | 3 |
| ?SetProperties@CUtilProps2@@QAEJKQBUT | 3 |
| ?GetPropertiesArgChk@CUtilProps2@@QAE | 3 |
| ?GetProperties@CUtilProps2@@QAEJKQBUI | 3 |
| ?OnUnicodeSystem@@YAHXZ | 3 |
| RegOpenKeyExU | 3 |
| ??4?\$complex@O@std@@QAEAAV01@AB@ | 3 |
| @Types@Point\$qqrii | 3 |
| DrawGadgetTree | 3 |
| ?IsUserAdministrator@@YGJPAZ@Z | 3 |
| ??1WString@@QAE@XZ | 3 |
| ?Enter@CCritSec@@QAEXXZ | 3 |
| ?Compress@CFlexArray@@QAEXXZ | 3 |
| ??ACFlexArray@@QEAAPAXH@Z | 3 |

| | |
|--|---|
| ?GetChar@ByteString@@QBEDG@Z | 3 |
| ?Len@ByteString@@QBEGXZ | 3 |
| ?FreeResource@Resource@@IAEXXZ | 3 |
| ??BBitmapColor@@QBEEZX | 3 |
| ?willGrow@QHashData@@QAE_NXZ | 3 |
| ??0QVariant@@QAE@HPBXI@Z | 3 |
| ?previousNode@QHashData@@SAPAUNod | 3 |
| ??5@YAAAVQDataStream@@AAV0@AAVQ | 3 |
| ??6QDataStream@@QAEAAV0@H@Z | 3 |
| ?atEnd@QDataStream@@QBE_NXZ | 3 |
| ?resetStatus@QDataStream@@QAEXXZ | 3 |
| ?status@QDataStream@@QBE?AW4Status(| 3 |
| ?qUncompress@@YA?AVQByteArray@@PB | 3 |
| NtIsUILanguageComitted | 3 |
| InitializeWinlo | 3 |
| VideoPortCreateSecondaryDisplay | 3 |
| TrFilterDprIndicateReceiveComplete | 3 |
| NdisMwanIndicateReceiveComplete | 3 |
| ?GetPaletteEntryCount@BitmapReadAccess | 3 |
| g_dir_read_name_utf8 | 3 |
| g_dir_open_utf8 | 3 |
| g_main_loop_run | 3 |
| g_threads_got_initialized | 3 |
| g_main_loop_new | 3 |
| g_main_loop_unref | 3 |
| g_str_has_prefix | 3 |
| g_main_loop_quit | 3 |
| g_thread_functions_for_glib_use | 3 |
| g_signal_new | 3 |
| g_value_peek_pointer | 3 |
| SqmCreateNewId | 3 |
| SqmSetMachineId | 3 |
| SqmSet | 3 |
| SqmIsWindowsOptedIn | 3 |
| SqmEndSession | 3 |
| SqmReadSharedMachineId | 3 |
| SqmSetString | 3 |
| SqmSetAppId | 3 |
| SqmSetEnabled | 3 |
| SqmAddToStreamV | 3 |
| SqmWriteSharedMachineId | 3 |
| @System@@WStrEqual\$qqrv | 3 |
| _SetICMPProfile_@8 | 3 |
| ?Strcmps@WSTRING@@SGHPAG0@Z | 3 |
| ?ReadMbLine@STREAM@@QAEPADKPAKE | 3 |
| ?Strcmps@MBSTR@@SGHPAD0@Z | 3 |
| FindDeviceByNameAndClass | 3 |

| | |
|--|---|
| GetDisplayDevice | 3 |
| GetCUIDriverFromClassDevice | 3 |
| GetAttachedMonitorDevice | 3 |
| vout_Close | 3 |
| vout_Create | 3 |
| _daylight_dll | 3 |
| ?transform@?\$collate@G@std@@QBE?AV | 3 |
| ?CloseFile@CmLogFile@@AAEJXZ | 3 |
| PyErr_NoMemory | 3 |
| PyExc_IndexError | 3 |
| PyExc_OverflowError | 3 |
| PyFile_AsFile | 3 |
| PyLong_FromUnsignedLong | 3 |
| _PyErr_BadInternalCall | 3 |
| NtOpenProcessTokenEx | 3 |
| @System@@InitializeArray\$qqrv | 3 |
| @Forms@DeallocateHWnd\$qqrui | 3 |
| @Forms@AllocateHWnd\$qqrynpqqrr17Mes | 3 |
| CopyRecord | 3 |
| LdrHotPatchRoutine | 3 |
| SHAllocShared | 3 |
| CommonPropertySheetUIA | 3 |
| GetCPSUIUserData | 3 |
| SetCPSUIUserData | 3 |
| tCursor | 3 |
| le | 3 |
| tWinMetaFileBits | 3 |
| ?ValidSignature@CLKRHashTable@@QBE_N | 3 |
| @Jvtrayicon@initialization\$qqrv | 3 |
| @Mconnect@initialization\$qqrv | 3 |
| @Mconnect@Finalization\$qqrv | 3 |
| @Wwpaintoptions@initialization\$qqrv | 3 |
| @Wwbitmap@initialization\$qqrv | 3 |
| @Wwchangelink@initialization\$qqrv | 3 |
| @Wwexport@initialization\$qqrv | 3 |
| @Wwhistorylist@initialization\$qqrv | 3 |
| @Wwradiobutton@initialization\$qqrv | 3 |
| @Wwradiogroup@initialization\$qqrv | 3 |
| @Wwclearbuttongroup@initialization\$qqrv | 3 |
| @Wwrichobjinfo@initialization\$qqrv | 3 |
| 1CCFAE09 | 3 |
| _remove | 3 |
| ?Initialize@MEM_ALLOCATOR@@QAEE_KK | 3 |
| ?DisplayMsg@MESSAGE@@QAEEKW4MESS | 3 |
| ?Construct@OBJECT@@IAEXXZ | 3 |
| ?Strupr@WSTRING@@QAEPAV1@XZ | 3 |
| ?isVisible@QWidget@@QBE_NXZ | 3 |

| | |
|---|---|
| @Sysutils@DayOfWeek\$qqr16System@TDa | 3 |
| @Graphics@TCanvas@Polygon\$qqrp14Wi | 3 |
| @Graphics@TFont@SetPitch\$qqr19Graphic | 3 |
| @Stdctrls@TScrollBar@SetMax\$qqri | 3 |
| @Stdctrls@TScrollBar@SetMin\$qqri | 3 |
| @Stdctrls@TScrollBar@SetPosition\$qqri | 3 |
| @Stdctrls@TScrollBar@SetKind\$qqr20Form: | 3 |
| @Stdctrls@TScrollBar@\$bctr\$qqrp18Classe | 3 |
| @Stdctrls@TCustomEdit@SetModified\$qqr2 | 3 |
| @Stdctrls@TScrollBar@ | 3 |
| @Forms@TControlScrollBar@SetVisible\$qqi | 3 |
| @Controls@TWinControl@RemoveControl\$ | 3 |
| @Extctrls@TCustomRadioGroup@\$bdtr\$qqi | 3 |
| @Extctrls@TCustomRadioGroup@\$bctr\$qqr | 3 |
| @Extctrls@THeader@\$bctr\$qqrp18Classes@ | 3 |
| @Extctrls@TCustomPanel@AdjustClientRect | 3 |
| @Extctrls@TPaintBox@\$bctr\$qqrp18Classes | 3 |
| @Extctrls@THeader@ | 3 |
| @Buttons@TBitBtn@SetNumGlyphs\$qqrzC | 3 |
| @Comctrls@TCustomTreeView@FullExpand | 3 |
| @Comctrls@TStatusBar@SetSizeGrip\$qqr4k | 3 |
| @Comctrls@TStatusBar@\$bctr\$qqrp18Class | 3 |
| @Comctrls@TStatusPanels@Add\$qqrv | 3 |
| @Comctrls@TStatusPanel@SetAlignment\$q | 3 |
| @Comctrls@TTabSheet@GetTabIndex\$qqrv | 3 |
| @Comctrls@TTabSheet@\$bdtr\$qqrv | 3 |
| @Grids@TCustomGrid@SetTopRow\$qqri | 3 |
| @Grids@TCustomGrid@SetFixedRows\$qqri | 3 |
| @Grids@TCustomGrid@\$bctr\$qqrp18Classe | 3 |
| @Grids@TDrawGrid@ | 3 |
| @TSplit@\$bctr\$qqrp18Classes@TCompone | 3 |
| @TSplit@\$bdtr\$qqrv | 3 |
| @TSplit@SetStyle\$qqr11TSplitStyle | 3 |
| @TSplit@ | 3 |
| @TDataField@SetMaxLength\$qqrui | 3 |
| @TIntDF@\$bctr\$qqrp18Classes@TCompone | 3 |
| @Stdctrls@TEdit@\$bctr\$qqrp18Classes@TC | 3 |
| @Stdctrls@TListBox@\$bctr\$qqrp18Classes@ | 3 |
| @Stdctrls@TLabel@\$bctr\$qqrp18Classes@T | 3 |
| @Stdctrls@TCheckBox@\$bctr\$qqrp18Classe | 3 |
| @Stdctrls@TGroupBox@\$bctr\$qqrp18Classe | 3 |
| @Stdctrls@TMemo@\$bctr\$qqrp18Classes@ | 3 |
| @Sysutils@EConvertError@\$bdtr\$qqrv | 3 |
| @Stdctrls@TEdit@\$bdtr\$qqrv | 3 |
| @Stdctrls@TListBox@\$bdtr\$qqrv | 3 |
| @Stdctrls@TLabel@\$bdtr\$qqrv | 3 |
| @Stdctrls@TCheckBox@\$bdtr\$qqrv | 3 |

| | |
|---|---|
| @StdCtrls@TGroupBox@\$bdtr\$qqrv | 3 |
| @StdCtrls@TMemo@\$bdtr\$qqrv | 3 |
| @StdCtrls@TCustomLabel@\$bdtr\$qqrv | 3 |
| @StdCtrls@TCustomCheckBox@\$bdtr\$qqrv | 3 |
| @StdCtrls@TCustomGroupBox@\$bdtr\$qqrv | 3 |
| @StdCtrls@TButtonControl@\$bdtr\$qqrv | 3 |
| @TPrinterTree@\$bctr\$qqrp18Classes@TCor | 3 |
| @TPrinterTree@SetAutoPopulate\$qqr4bool | 3 |
| @SQLStreamError@\$bctr\$qpct13SQLConnect | 3 |
| @CenterStr\$qpct1i | 3 |
| @FormatCurrency\$qpct1d | 3 |
| @CreateMailParams\$qp9SQLStreamipct3 | 3 |
| @DestroyMailParams\$qp11TMailParams | 3 |
| @GetDefaultPrinter\$qpct1 | 3 |
| @REPORT@PrintFromBuffer\$qpct1 | 3 |
| @REPORT@SetMinPage\$qi | 3 |
| @REPORT@SetMaxPage\$qi | 3 |
| @CreateReport\$qpct1i | 3 |
| ??4?\$numeric_limits@C@std@@QAEAAV0: | 3 |
| decoder_DeleteSubpicture | 3 |
| RasCustomHangUp | 3 |
| RasCustomDialDlg | 3 |
| AccGetExplicitEntries | 3 |
| AccProvHandleGetAllRights | 3 |
| AccProvIsAccessAudited | 3 |
| AccLookupAccountSid | 3 |
| AccRewriteGetNamedRights | 3 |
| AccProvHandleIsAccessAudited | 3 |
| AccTreeResetNamedSecurityInfo | 3 |
| ??0BitmapColor@@QAE@ABVColor@@@Z | 3 |
| ??0Region@@QAE@XZ | 3 |
| ??4Region@@QAEAAV0@ABV0@@Z | 3 |
| _vbaLateldNamedStAd | 3 |
| input_item_SetURI | 3 |
| SetAccessPriv | 3 |
| sqlite3_prepare16_v2 | 3 |
| ?sync@?\$basic_filebuf@GU?\$char_traits@C | 3 |
| ??0?\$basic_fstream@DU?\$char_traits@D@ | 3 |
| ??4?\$basic_filebuf@GU?\$char_traits@G@st | 3 |
| ?sqrt@std@@YA?AV?\$complex@O@1@AB | 3 |
| USBPORT_GetHciMn | 3 |
| ??0AcDbFullSubentPath@@QAE@VAcDbOb | 3 |
| ??1AcDbFullSubentPath@@QAE@XZ | 3 |
| acutReIRb | 3 |
| ?desc@AcDbTextStyleTableRecord@@SAPA | 3 |
| ?acdbOpenAcDbObject@@YA?AW4ErrorSta | 3 |
| ?close@AcDbObject@@QAE?AW4ErrorStatu | 3 |

| | |
|--|---|
| s_pServices | 3 |
| ?OnNotifyControlChange@CAdUiBaseDialog | 3 |
| ?OnNotifyGeneric@CAdUiBaseDialog@@M | 3 |
| ?DoDialogHelp@CAdUiDialog@@UAEHXZ | 3 |
| ?OnInitDialogFinish@CAdUiDialog@@MAEX | 3 |
| ?OnInitDialogBegin@CAdUiDialog@@MAEX | 3 |
| ?PostNcDestroy@CAdUiBaseDialog@@MAE | 3 |
| ?DoModal@CAdUiBaseDialog@@UAEHXZ | 3 |
| ?ExchangeData@CAdUiBaseDialog@@UAEI | 3 |
| ?Create@CAdUiBaseDialog@@UAEHIPAVC\ | 3 |
| ?OnNotifyUpdateTip@CAdUiBaseDialog@@ | 3 |
| ?OnNotifyControlValid@CAdUiBaseDialog@ | 3 |
| ?DoAdUiMessage@CAdUiBaseDialog@@M\ | 3 |
| ?SetWorkingDirectory@@YGXXZ | 3 |
| SetupDiGetHwProfileListExW | 3 |
| ?sputbackc@?\$basic_streambuf@DU?\$char | 3 |
| ??0CharClass@@QAE@ABULocale@lang@s | 3 |
| osl_removeDirectory | 3 |
| osl_getProcessWorkingDir | 3 |
| ?QueryIterator@SORTED_LIST@@UBEPAVIT | 3 |
| ?Lock@IO_DP_DRIVE@@QAEEXZ | 3 |
| tScrollRange | 3 |
| eeLibrary | 3 |
| tEnhMetaFileBits | 3 |
| RDPAPI.CreateInstance | 3 |
| ?IsWriteLocked@CReaderWriterLock@@QB | 3 |
| @Controls@TControl@IsCaptionStored\$qqrv | 3 |
| @Controls@TControl@Click\$qqrv | 3 |
| @Sysutils@RenameFile\$qqrx17System@An: | 3 |
| typelib_typedescriptionreference_isAssigna | 3 |
| CollectOSObjectData | 3 |
| OpenOSObject | 3 |
| ??1CWorkQueue@@QAE@XZ | 3 |
| get_crc_table | 3 |
| WRITEFILE | 3 |
| ?isNull@QPixmap@@QBE_NXZ | 3 |
| ?end@QPainter@@QAE_NXZ | 3 |
| ??1QStyleOption@@QAE@XZ | 3 |
| AccProvHandleGetAccessInfoPerObjectType | 3 |
| SCardDlgExtendedError | 3 |
| @Nmconst@initialization\$qqrv | 3 |
| @Nmconst@Finalization\$qqrv | 3 |
| @Scktcomp@TAbstractSocket@SetActive\$q | 3 |
| Delyakala | 3 |
| Setyakala | 3 |
| strptime | 3 |
| gnutls_bye | 3 |

| | |
|---|---|
| gnutls_certificate_allocate_credentials | 3 |
| gnutls_credentials_set | 3 |
| gnutls_deinit | 3 |
| gnutls_global_init | 3 |
| gnutls_handshake | 3 |
| gnutls_init | 3 |
| gnutls_record_recv | 3 |
| gnutls_record_send | 3 |
| gnutls_transport_set_ptr | 3 |
| rb_cFalseClass | 3 |
| rb_cFixnum | 3 |
| rb_cNilClass | 3 |
| rb_cObject | 3 |
| rb_cSymbol | 3 |
| rb_cTrueClass | 3 |
| rb_funcall | 3 |
| rb_intern | 3 |
| ruby_errinfo | 3 |
| @Db@TDataSet@ControlsDisabled\$qqrv | 3 |
| @Ccmisc@AbortUserError\$qqrx17System@ | 3 |
| __var_AddCallback | 3 |
| __var_DelCallback | 3 |
| __swbuf | 3 |
| ?quiet_NaN@?\$numeric_limits@D@std@@ | 3 |
| RmShutdown | 3 |
| RmEndSession | 3 |
| RmStartSession | 3 |
| RmRegisterResources | 3 |
| VerQueryValueIndexW | 3 |
| ??0SvGlobalName@@QAE@KGGEeeeeee@ | 3 |
| ??4SvGlobalName@@QAEAAV0@ABV0@@ | 3 |
| ?LogicToPixel@OutputDevice@@QBE?AVPo | 3 |
| ??0SequenceAsHashMap@comhelper@@@ | 3 |
| MmCreateSection | 3 |
| VideoPortZeroDeviceMemory | 3 |
| VideoPortGetAccessRanges | 3 |
| ??0?\$basic_string@EU?\$char_traits@E@std | 3 |
| ??0?\$basic_string@EU?\$char_traits@E@std | 3 |
| ??0?\$basic_string@GU?\$char_traits@G@st | 3 |
| ?Allocate@SmallBlockAllocator@utility@dvc | 3 |
| ?substr@?\$basic_string@GU?\$char_traits@ | 3 |
| ?GetCurrentThreadID@threads@dvc@() | 3 |
| ?Dispose@SmallBlockAllocator@utility@dvc | 3 |
| ??0Exception@ASL@@QAE@XZ | 3 |
| ??1Exception@ASL@@UAE@XZ | 3 |
| ?OpenSotStream@SotStorage@@QAEPAVS | 3 |
| vlc_fourcc_GetYUVFallback | 3 |

| | |
|---|---|
| VulanUnHookDll | 3 |
| gst_object_unref | 3 |
| gst_element_get_type | 3 |
| __gst_debug_min | 3 |
| gst_value_get_mini_object | 3 |
| gst_debug_log | 3 |
| gst_mini_object_unref | 3 |
| g_memdup | 3 |
| ?ReInitializeIISScopes@CImpersonationToke | 3 |
| @Hdatecnv@HDateToStr\$qqrr16System@TD | 3 |
| @Cxlabel@TcxLabel@ | 3 |
| Kel386Call16BitCStyleFunction | 3 |
| NdisSendPackets | 3 |
| NdisMDRegisterDmaChannel | 3 |
| PlaTimeInfoToMilliSeconds | 3 |
| PdhPlaSetInfoW | 3 |
| PdhPlaEnumCollectionsW | 3 |
| PdhPlaCreateW | 3 |
| PdhPlaDeleteW | 3 |
| PdhPlaStopW | 3 |
| PdhPlaStartW | 3 |
| PdhPlaScheduleW | 3 |
| PdhPlaGetScheduleW | 3 |
| ?replace@?\$basic_string@_WU?\$char_trait | 3 |
| iipSend | 3 |
| desinstalador | 3 |
| mini_unzip_dll | 3 |
| @Stdctrls@TCustomEdit@CMEnter\$qqrr20\ | 3 |
| @Controls@TWinControl@CMExit\$qqrr20\ | 3 |
| @\$xp\$18Forms@TBorderStyle | 3 |
| decode_URI_duplicate | 3 |
| CreateXmlWriter | 3 |
| PyObject_CallMethod | 3 |
| PyArg_ParseTuple | 3 |
| ?ChangeCurrentDepth@CCatState@@QAEX | 3 |
| ?Equals@nsSubstring@@QBEHABV1@Z | 3 |
| ?Compact@nsVoidArray@@UAEXXZ | 3 |
| ?Clear@nsVoidArray@@UAEXXZ | 3 |
| ?RemoveElement@nsVoidArray@@QAEHPA | 3 |
| ?Trim@nsString@@QAEXPBDHHH@Z | 3 |
| ?Mid@nsString@@QBEIAAV1@II@Z | 3 |
| ?Find@nsString@@QBEHPBDHHH@Z | 3 |
| ?AppendUTF8toUTF16@@YAXPBDAAVnsAS | 3 |
| ?CopyUTF8toUTF16@@YAXABVnsACString_ | 3 |
| ?Assign@nsSubstring@@QAEXABVnsSubstr | 3 |
| ?IndexOf@nsVoidArray@@QBEHPAX@Z | 3 |
| ?Length@nsAString_internal@@QBEIXZ | 3 |

| | |
|---|---|
| DeleteTunnelFilter | 3 |
| EnumQMSAs | 3 |
| OpenTunnelFilterHandle | 3 |
| EnumQMPolices | 3 |
| WdiCreateInstance | 3 |
| WdiDiagnose | 3 |
| WdiCloseInstance | 3 |
| WdiGetParameterDataLength | 3 |
| WdiResolve | 3 |
| WdiGetResult | 3 |
| ?AddChildFolder@CFolder@@QAEKPAV1@1 | 3 |
| ?EncodeUrl@Encode@Util@@YA?AVCTXStr | 3 |
| _ZN6QTimer4stopEv | 3 |
| _ZNK9QIODevice6isOpenEv | 3 |
| _ZN7QPixmapC1ERK7QStringPKc6QFlagsIN2 | 3 |
| ??0messages_base@std@@QAE@I@Z | 3 |
| GetWindowLongPtr | 3 |
| GetWindowLongI | 3 |
| DeleteFileI | 3 |
| SetFileSecurityI | 3 |
| GetFileSecurityI | 3 |
| _OnUnicodeSystem@0 | 3 |
| GetFullPathNameI | 3 |
| GetTempFileNameI | 3 |
| UnregisterClassI | 3 |
| ?IsReadUnlocked@CLKRHashTable@@QBE_ | 3 |
| PL_DHashClearEntryStub | 3 |
| ?Clear@nsCOMArray_base@@IAEXXZ | 3 |
| ?RemoveObjectAt@nsCOMArray_base@@@I | 3 |
| ?NS_RegisterStaticAtoms@@YAIPBUnsStatic | 3 |
| ?RFindChar@nsString@@QBEHGHH@Z | 3 |
| ?getExistingDirectory@QFileDialog@@SA?A | 3 |
| _mbstok_s | 3 |
| JS_GetStringChars | 3 |
| JS_ValueToString | 3 |
| ?header@QTreeView@@QBEPVQHeaderV | 3 |
| ?layoutDirection@QWidget@@QBE?AW4La | 3 |
| ?init@QStyleOption@@QAEXPBVQWidget@ | 3 |
| ?text@QLabel@@QBE?AVQString@@XZ | 3 |
| ?isEnabled@QWidget@@QBE_NXZ | 3 |
| ?setCursorPosition@QLineEdit@@QAEXH@ | 3 |
| ?staticMetaObject@QPushButton@@2UQM | 3 |
| ??1QModelIndex@@QAE@XZ | 3 |
| ?TrimRight@CTXStringW@@QAEAAV1@XZ | 3 |
| ?GetDataDWord@DataReport@Util@@YAJI | 3 |
| _SetVolumeLabel_@8 | 3 |
| ?CreateNewInstance@Provider@@IAEPAVC | 3 |

| | |
|--|---|
| ?SetCHString@CInstance@@QAE_NPBG0@: | 3 |
| ?GetBSTR@WBEMTime@@QBEPAGXZ | 3 |
| ?Commit@CInstance@@QAEJXZ | 3 |
| ??1Provider@@UAE@XZ | 3 |
| ??0Provider@@QAE@PBG0@Z | 3 |
| ?OnFinalRelease@CThreadBase@@MAEXXZ | 3 |
| ?GetObject@Provider@@MAEJPAVCInstanc | 3 |
| ?Flush@Provider@@MAEXXZ | 3 |
| ?GetDWORD@CInstance@@QBE_NPBGAAK | 3 |
| ?SetDWORD@CInstance@@QAE_NPBGK@Z | 3 |
| ?GetWCHAR@CInstance@@QBE_NPBGPAP. | 3 |
| ?Getbool@CInstance@@QBE_NPBGAA_N@ | 3 |
| ?Release@CInstance@@QAEJXZ | 3 |
| ?FrameworkLoginDLL@CWbemProviderGlue | 3 |
| ?FrameworkLogoffDLL@CWbemProviderGlu | 3 |
| ?ValidatePutInstanceFlags@Provider@@MA | 3 |
| ?ValidateDeletionFlags@Provider@@MAEJJ | 3 |
| ?ValidateQueryFlags@Provider@@MAEJJ@ | 3 |
| ?ValidateMethodFlags@Provider@@MAEJJ(| 3 |
| ?ValidateGetObjFlags@Provider@@MAEJJ@ | 3 |
| ?ValidateEnumerationFlags@Provider@@M | 3 |
| RegDeleteKeyTransactedW | 3 |
| RegCreateKeyTransactedW | 3 |
| RegOpenKeyTransactedW | 3 |
| GetNLSVersion | 3 |
| ResolveLocaleName | 3 |
| ??0CSearchServiceObj@@QAE@XZ | 3 |
| ?Cleanup@CSearchServiceObj@@SGHXZ | 3 |
| ??1CSearchServiceObj@@QAE@XZ | 3 |
| ?setMenu@QPushButton@@QAEXP_AVMe | 3 |
| ?lockptr@ios@@IAEPAU_RTL_CRITICAL_SEC | 3 |
| 2975BFF3 | 3 |
| ?activeWindow@QApplication@@SAPAVQV | 3 |
| ?setSizePolicy@QWidget@@QAEXW4Policy | 3 |
| modmCallback | 3 |
| ?setTextFormat@ QLabel@@QAEXW4TextFc | 3 |
| ?startDrag@QAbstractItemView@@MAEXV | 3 |
| ?dragLeaveEvent@QAbstractItemView@@N | 3 |
| ?resizeEvent@QAbstractItemView@@MAE> | 3 |
| tThreadLocale | 3 |
| PL_InitEvent | 3 |
| ?RequiresElevation@BuiVolume@@QAE_N) | 3 |
| ??1BuiVolume@@QAE@XZ | 3 |
| ?Init@BuiVolume@@QAEJPAG@Z | 3 |
| ?SetDotsOnly@MESSAGE@@UAEEE@Z | 3 |
| ??0CNbuuStepBarCtrl@@QAE@XZ | 3 |
| ??1CNbuuStepBarCtrl@@UAE@XZ | 3 |

| | |
|---|---|
| ?scanLine@QImage@@QAEPAEH@Z | 3 |
| Mf3216DIIInitialize | 3 |
| libvlc_exception_clear | 2 |
| libvlc_exception_init | 2 |
| libvlc_exception_raised | 2 |
| ldap_simple_bindW | 2 |
| cldap_openW | 2 |
| FreeMemory | 2 |
| AllocMemory | 2 |
| _ZN11QMainWindow10addToolBarEN2Qt11 | 2 |
| _ZN12QApplication7desktopEv | 2 |
| _ZN8QToolBar10setMovableEb | 2 |
| _ZN8QToolBar12setFloatableEb | 2 |
| _ZNK7QWidget10sizePolicyEv | 2 |
| _ZNK7QWidget3posEv | 2 |
| _ZN21QNetworkAccessManagerC1EP7QObj | 2 |
| _ZN8QWebPage23setLinkDelegationPolicyEl | 2 |
| _ZN8QWebView6setUrlERK4QUrl | 2 |
| ?LoadBarState@CXTFrameWnd@@UAEXPB | 2 |
| ?SwitchSDIView@CXTFrameWnd@@UAEXP | 2 |
| ?DockControlBarLeftOf@CXTFrameWnd@@@ | 2 |
| ?GetMenu@CXTFrameWnd@@UBEPAVCM@ | 2 |
| ?HideMenuItem@CXTFrameWnd@@UAEHF | 2 |
| ?PreTranslateMessage@CXTFrameWnd@@@ | 2 |
| ?SaveBarState@CXTFrameWnd@@UBEXPBI | 2 |
| ?HideMenuItems@CXTFrameWnd@@UAEH | 2 |
| ?SetDockState@CXTFrameWnd@@MAEXAE | 2 |
| ?GetDockState@CXTFrameWnd@@MBEXA/ | 2 |
| ?PreCreateWindow@CXTFrameWnd@@UA | 2 |
| ??1CXTStatusBar@@UAE@XZ | 2 |
| ??1CXTToolBar@@UAE@XZ | 2 |
| ??0CXTSortClass@@QAE@PAVListCtrl@@ | 2 |
| ??1CXTSortClass@@UAE@XZ | 2 |
| ?SetMinSize@CXTHeaderCtrl@@QAEHX@Z | 2 |
| ??1CXTSplitterWndEx@@UAE@XZ | 2 |
| ??1CXTFrameWnd@@UAE@XZ | 2 |
| ??0CXTToolBar@@QAE@XZ | 2 |
| ??0CXTStatusBar@@QAE@XZ | 2 |
| ??0CXTSplitterWndEx@@QAE@XZ | 2 |
| ??0CXTFrameWnd@@QAE@XZ | 2 |
| ?LoadMenuBar@CXTMenuBar@@QAEHI@Z | 2 |
| ?PreCreateWindow@CXTFrameWnd@@UA | 2 |
| ??0CXTCaption@@QAE@XZ | 2 |
| ?HideMenuItem@CXTFrameWnd@@UAEHI | 2 |
| ?HideMenuItems@CXTFrameWnd@@UAEH | 2 |
| CollabDisplayPrivacyWebpage | 2 |
| @\$xp\$13System@Double | 2 |

| | |
|--|---|
| @Jvtypes@JVCLException@ | 2 |
| @Jvdatetimepicker@initialization\$qqrv | 2 |
| @Basegrid@initialization\$qqrv | 2 |
| @Advutil@initialization\$qqrv | 2 |
| @Asgspin@initialization\$qqrv | 2 |
| @Asgedit@initialization\$qqrv | 2 |
| @Advobj@initialization\$qqrv | 2 |
| @Asgcombo@initialization\$qqrv | 2 |
| @Asgcheck@initialization\$qqrv | 2 |
| @Asghtmle@initialization\$qqrv | 2 |
| @Asguni@initialization\$qqrv | 2 |
| lineNegotiateExtVersion | 2 |
| HeadlessDispatch | 2 |
| FsRtlNotifyFilterReportChange | 2 |
| VideoPortReadRegisterBufferUshort | 2 |
| NdisInitAnsiString | 2 |
| NdisInterlockedPushEntryList | 2 |
| NdisRegisterTdiCallBack | 2 |
| ??1?\$collate@D@std@@UAE@XZ | 2 |
| ?real@\$_Complex_base@O@std@@QBEC | 2 |
| ldap_parse_referenceA | 2 |
| WerSetFlags | 2 |
| FuckWorld | 2 |
| ??6?\$basic_ostream@DU?\$char_traits@D@ | 2 |
| ??6std@@YAAEAV?\$basic_ostream@DU?\$c | 2 |
| ??1?\$basic_string@DU?\$char_traits@D@st | 2 |
| ??6?\$basic_ostream@DU?\$char_traits@D@ | 2 |
| ?endl@std@@YAAEAV?\$basic_ostream@DI | 2 |
| ??6?\$basic_ostream@DU?\$char_traits@D@ | 2 |
| ??1_Winit@std@@QEAA@XZ | 2 |
| ??1Init@ios_base@std@@QEAA@XZ | 2 |
| ??0_Winit@std@@QEAA@XZ | 2 |
| ??0Init@ios_base@std@@QEAA@XZ | 2 |
| ResolveIpNetEntry2 | 2 |
| ??4?\$numeric_limits@M@std@@QAEAAV0 | 2 |
| GdipCreateTextureI1 | 2 |
| GdipSetTextureWrapMode | 2 |
| @Cxgridcustomtableview@TcxCustomGridR | 2 |
| @Cxgridcustomtableview@TcxGridExpandB | 2 |
| @Cxteditedit@TcxCustomTextEditProperties | 2 |
| @Cxcustomdata@TcxDataSummary@SetFor | 2 |
| @Cxgridcustomview@TcxCustomGridView@ | 2 |
| @Cxgridlevel@TcxGridLevel@SetActive\$qq | 2 |
| @Cxgridtableview@TcxGridPreview@SetVis | 2 |
| @Cxgridtableview@TcxGridPreview@SetCol | 2 |
| @Cxgridtableview@TcxGridTableOptionsVie | 2 |
| @Cxgridtableview@TcxGridTableController(| 2 |

| | |
|--|---|
| @Dxinspectordbvecurr@TdxInspectorVeCur | 2 |
| @Dxinrwex@Finalization\$qqrv | 2 |
| @Dxmasterview@Finalization\$qqrv | 2 |
| @Dxmasterviewstrs@Finalization\$qqrv | 2 |
| WindowFromPhysicalPoint | 2 |
| ?SetActive@Element@DirectUI@@QAEJH@ | 2 |
| MagInitialize | 2 |
| @Diagvars@initialization\$qqrv | 2 |
| @Diagvars@Finalization\$qqrv | 2 |
| @Brtnset@initialization\$qqrv | 2 |
| @Brtnset@Finalization\$qqrv | 2 |
| @Lindata@initialization\$qqrv | 2 |
| @Lindata@Finalization\$qqrv | 2 |
| @Ldetail@initialization\$qqrv | 2 |
| @Ldetail@Finalization\$qqrv | 2 |
| @Taxconst@initialization\$qqrv | 2 |
| @Taxconst@Finalization\$qqrv | 2 |
| @Blowfish@initialization\$qqrv | 2 |
| @Blowfish@Finalization\$qqrv | 2 |
| @Objlook@initialization\$qqrv | 2 |
| @Objlook@Finalization\$qqrv | 2 |
| @Intlookup@initialization\$qqrv | 2 |
| @Intlookup@Finalization\$qqrv | 2 |
| @Numlist@initialization\$qqrv | 2 |
| @Numlist@Finalization\$qqrv | 2 |
| @Objlist@initialization\$qqrv | 2 |
| @Objlist@Finalization\$qqrv | 2 |
| @Statedef@initialization\$qqrv | 2 |
| @Statedef@Finalization\$qqrv | 2 |
| @Procmisc@initialization\$qqrv | 2 |
| @Procmisc@Finalization\$qqrv | 2 |
| @Pclfonts@initialization\$qqrv | 2 |
| @Pclfonts@Finalization\$qqrv | 2 |
| @Lscstr@initialization\$qqrv | 2 |
| @Lscstr@Finalization\$qqrv | 2 |
| @Lscnum@initialization\$qqrv | 2 |
| @Lscnum@Finalization\$qqrv | 2 |
| @Lookup@initialization\$qqrv | 2 |
| @Lookup@Finalization\$qqrv | 2 |
| @Loutdta@initialization\$qqrv | 2 |
| @Loutdta@Finalization\$qqrv | 2 |
| @Ltbase@initialization\$qqrv | 2 |
| @Ltbase@Finalization\$qqrv | 2 |
| @Libstate@initialization\$qqrv | 2 |
| @Libstate@Finalization\$qqrv | 2 |
| @Lerror@initialization\$qqrv | 2 |
| @Lerror@Finalization\$qqrv | 2 |

| | |
|---------------------------------------|---|
| @Bnxtclc@initialization\$qqrv | 2 |
| @Bnxtclc@Finalization\$qqrv | 2 |
| @Calcshareif@initialization\$qqrv | 2 |
| @Calcshareif@Finalization\$qqrv | 2 |
| @Bclcset@initialization\$qqrv | 2 |
| @Bclcset@Finalization\$qqrv | 2 |
| @Lettrig@initialization\$qqrv | 2 |
| @Lettrig@Finalization\$qqrv | 2 |
| @Ldate@initialization\$qqrv | 2 |
| @Ldate@Finalization\$qqrv | 2 |
| @Ldlparm@initialization\$qqrv | 2 |
| @Ldlparm@Finalization\$qqrv | 2 |
| @Comutils@initialization\$qqrv | 2 |
| @Comutils@Finalization\$qqrv | 2 |
| @Engglobalsintf@initialization\$qqrv | 2 |
| @Engglobalsintf@Finalization\$qqrv | 2 |
| @Engineerrorintf@initialization\$qqrv | 2 |
| @Engineerrorintf@Finalization\$qqrv | 2 |
| @Dllmanagerintf@initialization\$qqrv | 2 |
| @Dllmanagerintf@Finalization\$qqrv | 2 |
| @Diagengintf@initialization\$qqrv | 2 |
| @Diagengintf@Finalization\$qqrv | 2 |
| @Engintf@initialization\$qqrv | 2 |
| @Engintf@Finalization\$qqrv | 2 |
| @Binvprnintf@initialization\$qqrv | 2 |
| @Binvprnintf@Finalization\$qqrv | 2 |
| @Diagmsg@initialization\$qqrv | 2 |
| @Diagmsg@Finalization\$qqrv | 2 |
| @Fldconst@initialization\$qqrv | 2 |
| @Fldconst@Finalization\$qqrv | 2 |
| @Lpdr@initialization\$qqrv | 2 |
| @Lpdr@Finalization\$qqrv | 2 |
| @Lscmisc@initialization\$qqrv | 2 |
| @Lscmisc@Finalization\$qqrv | 2 |
| @Netinifile@initialization\$qqrv | 2 |
| @Netinifile@Finalization\$qqrv | 2 |
| @Halatypes@initialization\$qqrv | 2 |
| @Halatypes@Finalization\$qqrv | 2 |
| @Calcdiagproc@initialization\$qqrv | 2 |
| @Calcdiagproc@Finalization\$qqrv | 2 |
| @Efengchk@initialization\$qqrv | 2 |
| @Efengchk@Finalization\$qqrv | 2 |
| @Emisc@initialization\$qqrv | 2 |
| @Emisc@Finalization\$qqrv | 2 |
| @Econst@initialization\$qqrv | 2 |
| @Econst@Finalization\$qqrv | 2 |
| @Lwarnrec@initialization\$qqrv | 2 |

| | |
|--|---|
| @Lwarnrec@Finalization\$qqrv | 2 |
| @Diagconst@initialization\$qqrv | 2 |
| @Diagconst@Finalization\$qqrv | 2 |
| @Lwdgfile@initialization\$qqrv | 2 |
| @Lwdgfile@Finalization\$qqrv | 2 |
| @Binvclc@initialization\$qqrv | 2 |
| @Binvclc@Finalization\$qqrv | 2 |
| @Lcodes@initialization\$qqrv | 2 |
| @Lcodes@Finalization\$qqrv | 2 |
| @Lsort@initialization\$qqrv | 2 |
| @Lsort@Finalization\$qqrv | 2 |
| @Xopdata@initialization\$qqrv | 2 |
| @Xopdata@Finalization\$qqrv | 2 |
| @Mdatfile@initialization\$qqrv | 2 |
| @Mdatfile@Finalization\$qqrv | 2 |
| @Fdatfile@initialization\$qqrv | 2 |
| @Fdatfile@Finalization\$qqrv | 2 |
| @Filesystem@initialization\$qqrv | 2 |
| @Filesystem@Finalization\$qqrv | 2 |
| ?quiet_NaN@?\$numeric_limits@N@std@@ | 2 |
| NdrRpcSmClientAllocate | 2 |
| InstallDII | 2 |
| ??4?\$numeric_limits@J@std@@@QAEAAV01 | 2 |
| ?_Getname @_Locinfo@std@@QBE?AV?\$ba | 2 |
| ?pow@std@@YA?AV?\$complex@O@1@AE | 2 |
| ?_Getcat@facet@locale@std@@SAIXZ | 2 |
| ?log@std@@YA?AV?\$complex@M@1@AB` | 2 |
| ?Init@CRegChangeEvent@@QAEXXZ | 2 |
| AddSIDToBoundaryDescriptor | 2 |
| CreateMutexExW | 2 |
| ?DBCToSBC@Convert@Util@@YA_NAAVCT | 2 |
| ??OCTXBSTR@@QBE_NABV0@@Z | 2 |
| ??OCTXBSTR@@QAE@HPB_W@Z | 2 |
| ?Colorize@GF@Util@@YA?ATtagARGB@@ | 2 |
| ?TransMd2GFEElement@Metadata@Util@@ | 2 |
| ?GetRegSubKeyDataBoolField@API@Registr | 2 |
| ?SetRegSubKeyDataBoolField@API@Registr | 2 |
| ?getDocument@AbstractDOMParser@xerces | 2 |
| ?getMessage@OutOfMemoryException@xe | 2 |
| ?setErrorHandler@XercesDOMParser@xerces | 2 |
| ??1XercesDOMParser@xerces_2_6@@UAE | 2 |
| ?Terminate@XMLPlatformUtils@xerces_2_ | 2 |
| ?handlePartialElementPSVI@AbstractDOMP | 2 |
| ?handleElementPSVI@AbstractDOMParser@ | 2 |
| ?TextDecl@AbstractDOMParser@xerces_2_ | 2 |
| ?startExtSubset@AbstractDOMParser@xerces | 2 |
| ?startIntSubset@AbstractDOMParser@xerces | 2 |

| | |
|---|---|
| ?startAttList@AbstractDOMParser@xercesc_ | 2 |
| ?notationDecl@AbstractDOMParser@xerces | 2 |
| ?resetDocType@AbstractDOMParser@xerce | 2 |
| ?entityDecl@AbstractDOMParser@xercesc_ | 2 |
| ?endExtSubset@AbstractDOMParser@xerce | 2 |
| ?endIntSubset@AbstractDOMParser@xerce: | 2 |
| ?endAttList@AbstractDOMParser@xercesc_ | 2 |
| ?elementDecl@AbstractDOMParser@xerces | 2 |
| ?doctypeWhitespace@AbstractDOMParser@x | 2 |
| ?handleAttributesPSVI@AbstractDOMParser | 2 |
| ?doctypeDecl@AbstractDOMParser@xerces | 2 |
| ?doctypeComment@AbstractDOMParser@x | 2 |
| ?attDef@AbstractDOMParser@xercesc_2_6@ | 2 |
| ?startInputSource@XercesDOMParser@xerc | 2 |
| ?resolveEntity@XercesDOMParser@xercesc_ | 2 |
| ?resolveEntity@XercesDOMParser@xercesc_ | 2 |
| ?resetEntities@XercesDOMParser@xercesc_ | 2 |
| ?expandSystemId@XercesDOMParser@xerc | 2 |
| ?endInputSource@XercesDOMParser@xerc | 2 |
| ?resetErrors@XercesDOMParser@xercesc_2 | 2 |
| ?error@XercesDOMParser@xercesc_2_6@() | 2 |
| ?createElementNSNode@AbstractDOMParse | 2 |
| ?setPSVHandler@AbstractDOMParser@xeri | 2 |
| ?elementTypeInfo@AbstractDOMParser@xe | 2 |
| ?XMLDecl@AbstractDOMParser@xercesc_2_ | 2 |
| ?startEntityReference@AbstractDOMParser | 2 |
| ?startElement@AbstractDOMParser@xerces | 2 |
| ?startDocument@AbstractDOMParser@xerc | 2 |
| ?resetDocument@AbstractDOMParser@xer | 2 |
| ?ignorableWhitespace@AbstractDOMParser | 2 |
| ?endEntityReference@AbstractDOMParser@ | 2 |
| ?endElement@AbstractDOMParser@xerces | 2 |
| ?endDocument@AbstractDOMParser@xerc | 2 |
| ?docPI@AbstractDOMParser@xercesc_2_6@() | 2 |
| ?docComment@AbstractDOMParser@xerce | 2 |
| ?docCharacters@AbstractDOMParser@xerc | 2 |
| ?fgXercescDefaultLocale@XMLUni@xercesc_ | 2 |
| ?Initialize@XMLPlatformUtils@xercesc_2_6@() | 2 |
| ??2XMemory@xercesc_2_6@@SGPAXI@Z | 2 |
| ?fgMemoryManager@XMLPlatformUtils@xe | 2 |
| ??0XercesDOMParser@xercesc_2_6@@QAF | 2 |
| ??3XMemory@xercesc_2_6@@SGXPAX@Z | 2 |
| ??1HandlerBase@xercesc_2_6@@UAE@XZ | 2 |
| ?resetErrors@HandlerBase@xercesc_2_6@() | 2 |
| ?doctypePI@AbstractDOMParser@xercesc_ | 2 |
| ?startDocument@HandlerBase@xercesc_2_ | 2 |
| ?setDocumentLocator@HandlerBase@xerce | 2 |

| | |
|---|---|
| ?processingInstruction@HandlerBase@xercesc_2_6@ | 2 |
| ?endElement@HandlerBase@xercesc_2_6@ | 2 |
| ?endDocument@HandlerBase@xercesc_2_6@ | 2 |
| ?resetDocType@HandlerBase@xercesc_2_6@ | 2 |
| ?unparsedEntityDecl@HandlerBase@xercesc_2_6@ | 2 |
| ?notationDecl@HandlerBase@xercesc_2_6@ | 2 |
| ?resolveEntity@HandlerBase@xercesc_2_6@ | 2 |
| ??_7EntityResolver@xercesc_2_6@@@6B@ | 2 |
| ??_7DTDHandler@xercesc_2_6@@@6B@ | 2 |
| ??_7DocumentHandler@xercesc_2_6@@@6B@ | 2 |
| ?_Myptr@?\$basic_string@GU?\$char_traits@ | 2 |
| ?rbegin@?\$basic_string@GU?\$char_traits@ | 2 |
| RasPortGetStatistics | 2 |
| ASocketA | 2 |
| Aloctl | 2 |
| DsGetIcon | 2 |
| SHSetUnreadMailCountW | 2 |
| ?SetNumberOfColumns@CCatState@@QAE | 2 |
| ??0CDbNatLangRestriction@@QAE@PBGAB | 2 |
| ?DecodeString@CCmdCodecBase@@IAEXP{ | 2 |
| ?CodeStringLenHead@CCmdCodecBase@@ | 2 |
| ?CodeArrayNumber@CCmdCodecBase@@I, | 2 |
| ?Insert@CTXStringW@@QAEHHPB_W@Z | 2 |
| ?XmlContentPrefix@Convert@Util@@YAHP | 2 |
| ??0CGFAnchor@@QAE@XZ | 2 |
| ?AddAnchor@CGFAnchor@@QAEEXEVCRec | 2 |
| ?StopLightInLightOut@GF@Util@@YAJPAUI | 2 |
| ?GetAnchorResult@CGFAnchor@@QAE?AV | 2 |
| ?CheckUinValid@Misc@Util@@YAHPA_W@ | 2 |
| FaxSetConfigurationA | 2 |
| @Cxvggrid@initialization\$qqrv | 2 |
| @Cxvggridutils@initialization\$qqrv | 2 |
| @Cxvggridconsts@initialization\$qqrv | 2 |
| @Cxvggridviewinfo@initialization\$qqrv | 2 |
| @Cxvggridnewcategory@initialization\$qqrv | 2 |
| @Cxdvggrid@initialization\$qqrv | 2 |
| AddUsersToEncryptedFileEx | 2 |
| FlushEfsCache | 2 |
| BCryptGenerateSymmetricKey | 2 |
| BCryptEncrypt | 2 |
| BCryptDestroyKey | 2 |
| EfsUtilCreateSelfSignedCertificate | 2 |
| EfsUtilGetSmartcardProviderName | 2 |
| EfsUtilGetCurrentUserInformation | 2 |
| ??YACE_Time_Value@@QAEAAV0@ABV0@ | 2 |
| ?msec@ACE_Time_Value@QBEKXZ | 2 |
| ??1ACE_Configuration_Section_Key@@QAE | 2 |

| | |
|---|---|
| ??0ACE_Time_Value@@QAE@XZ | 2 |
| ??0ACE_Main_Base@@QAE@XZ | 2 |
| ??1?\$ACE_String_Base@D@@QAE@XZ | 2 |
| ?thr_keyfree@ACE_OS@@YAHK@Z | 2 |
| ?c_str@?\$ACE_String_Base@D@@QBEPBD | 2 |
| ?NULL_key@ACE_OS@@3KA | 2 |
| ?getspecific@ACE_Thread@@SAHKPAPAX@ | 2 |
| ?get_singleton_lock@ACE_Object_Manager | 2 |
| ?root_section@ACE_Configuration@@UBEAF | 2 |
| ??0ACE_Configuration_Section_Key@@QAE | 2 |
| ?instance@ACE_Thread_Manager@@SAPA | 2 |
| ?addr_to_string@ACE_INET_Addr@@UBEH | 2 |
| ??0ACE_INET_Addr@@QAE@ABV0@@Z | 2 |
| ??1ACE_Addr@@UAE@XZ | 2 |
| ??1Environment@CORBA@@QAE@XZ | 2 |
| ??0Environment@CORBA@@QAE@XZ | 2 |
| ?_Tidy@?\$basic_string@GU?\$char_traits@C | 2 |
| consoleGetRemoteComputerList | 2 |
| consoleCloseHandle | 2 |
| consoleConnectRemoteComputer | 2 |
| consoleCreateFolder | 2 |
| consoleDelete | 2 |
| consoleCancelTask | 2 |
| consoleDownloadFile | 2 |
| consoleEndCMD | 2 |
| consoleGetResult_ExpandFolder | 2 |
| consoleExpandFolder | 2 |
| consoleGetResult_GetDriveInfo | 2 |
| consoleGetDriveInfo | 2 |
| consolePaste | 2 |
| consoleGetResult_ReceiveEchoCMD | 2 |
| consoleRename | 2 |
| consoleSendCommandCMD | 2 |
| consoleGetResult_ShowFileList | 2 |
| consoleShowFileList | 2 |
| consoleStartCMD | 2 |
| consoleUninstall | 2 |
| consoleUploadFile | 2 |
| consoleInitInstance | 2 |
| consoleExitInstance | 2 |
| consoleSetSupportMode | 2 |
| consoleSetLocalAddress | 2 |
| consoleInstallCallback | 2 |
| consoleLoginCentralServer | 2 |
| consoleReleaseMemory | 2 |
| ?Lock@CThreadMutex@@QBEXXZ | 2 |
| PsGetThreadHardErrorsAreDisabled | 2 |

| | |
|--|---|
| KeReadStateMutant | 2 |
| IoForwardAndCatchIrp | 2 |
| VideoPortQueueDpc | 2 |
| VideoPortReadRegisterUchar | 2 |
| VideoPortDeleteEvent | 2 |
| NdisGetPacketCancelId | 2 |
| NdisMSendComplete | 2 |
| NdisMAllocateSharedMemoryAsync | 2 |
| NdisMCancelTimer | 2 |
| NdisMRegisterDmaChannel | 2 |
| NdisCIAddParty | 2 |
| ?_Getcat@?\$money_get@DV?\$istreambuf_ | 2 |
| ?cos@?\$_Ctr@M@std@@SAMM@Z | 2 |
| glsGetCaptureDispatchTable | 2 |
| glsNumiv | 2 |
| SHReplaceFromPropSheetExtArray | 2 |
| SHPropStgCreate | 2 |
| NtDebugContinue | 2 |
| ZwSetTimerResolution | 2 |
| ??1CNclModeSwitch@@QAE@XZ | 2 |
| ??0CNclModeSwitch@@QAE@XZ | 2 |
| PyEval_EvalCode | 2 |
| PyFloat_Type | 2 |
| PyMarshal_ReadObjectFromString | 2 |
| Py_OptimizeFlag | 2 |
| @Sysutils@SetCurrentDir\$qqrx17System@A | 2 |
| @TEditGrid@GetColAttributes\$qqrv | 2 |
| @TEditGrid@RefreshToolBar\$qqrv | 2 |
| @TEditGrid@SetValue\$qqrii4boolpc | 2 |
| @TEditGrid@XGetValue\$qqrir | 2 |
| @TEGColAttributes@GetItem\$qqri | 2 |
| @\$brsh\$qr9SQLStreamr5SDate | 2 |
| @\$blor\$qr9SQLStreamr4SInt | 2 |
| @SInt@Assign\$q6TDFInt | 2 |
| @\$bneq\$qr5SDatet1 | 2 |
| @SBase@\$bctr\$qv | 2 |
| @SBase@NullOn\$qv | 2 |
| @SBase@NullOff\$qv | 2 |
| @SBase@IsNull\$qv | 2 |
| @SBase@Reset\$qv | 2 |
| @EfesMsgDialog\$qpvp9SQLStreampcit3e | 2 |
| @StringToDate\$qp5SDateipc | 2 |
| @TranslateCopyWord\$qpct1t1 | 2 |
| ZwCreateJobSet | 2 |
| ??1CatalogAdmin@@QAE@XZ | 2 |
| ?ChangeCurrentMachine@CCatState@@QA | 2 |
| ?find_last_of@?\$basic_string@GU?\$char_tr | 2 |

| | |
|--|---|
| ?do_grouping@?\$_Mpunct@D@std@@MB | 2 |
| ?cos@std@@YA?AV?\$complex@M@1@AB` | 2 |
| ?is@?\$_ctype@G@std@@QBEPBGPB0PAF(| 2 |
| ??Zstd@@YAAV?\$complex@O@0@AAV1C | 2 |
| ??Gstd@@YA?AV?\$complex@M@0@ABV1(| 2 |
| ?epsilon@?\$_numeric_limits@N@std@@SAI | 2 |
| ??4?\$numeric_limits@I@std@@QAEAAV01 | 2 |
| ??4?\$char_traits@G@std@@QAEAAU01@A | 2 |
| cairo_arc | 2 |
| g_module_close | 2 |
| pango_win32_font_logfont | 2 |
| akk | 2 |
| vlc_scandir | 2 |
| glGetStreamSize | 2 |
| ldap_modify_ext_sA | 2 |
| ??_F?\$_ctype@D@std@@QAEXXZ | 2 |
| ??_D?\$basic_istringstream@GU?\$char_trait | 2 |
| ?sqrt@std@@YA?AV?\$complex@M@1@AE | 2 |
| ??4logic_error@std@@QAEAAV01@ABV01 | 2 |
| ??0?\$_Mpunct@G@std@@QAE@ABV_Loci | 2 |
| ??4?\$basic_stringstream@DU?\$char_traits@ | 2 |
| ?QueryContainingRange@NUMBER_SET@@ | 2 |
| RasRpcDisconnectServer | 2 |
| NdrEncapsulatedUnionBufferSize | 2 |
| NdrTypeMarshall | 2 |
| NdrNonEncapsulatedUnionMemorySize | 2 |
| VmbusPipeServerOfferChannel | 2 |
| VmbusPipeServerResume | 2 |
| VmbusPipeClientOpenChannel | 2 |
| VmbusPipeServerConnectPipe | 2 |
| VmbusPipeServerPause | 2 |
| VmbusPipeClientEnumeratePipes | 2 |
| phoneGetIconW | 2 |
| ?find@?\$_basic_string@DV?\$char_traits@D@ | 2 |
| ?erase@?\$_basic_string@DV?\$char_traits@L | 2 |
| ?append@?\$_basic_string@DV?\$char_traits@ | 2 |
| ??0?\$_basic_string@GV?\$char_traits@G @_S | 2 |
| ??0?\$_basic_string@GV?\$char_traits@G @_S | 2 |
| ??4?\$_basic_string@GV?\$char_traits@G @_S | 2 |
| ??1?\$_STLP_alloc_proxy@PADDV?\$allocator@ | 2 |
| ?deallocate@?\$_allocator@D @_STL@@QBE | 2 |
| ?allocate@?\$_allocator@D @_STL@@QBEPAI | 2 |
| ?what@__Named_exception @_STL@@UBE | 2 |
| ??0__Named_exception @_STL@@QAE@AB | 2 |
| ??4?\$_basic_string@GV?\$char_traits@G @_S | 2 |
| ??0?\$_basic_string@GV?\$char_traits@G @_S | 2 |
| ??1?\$_basic_string@GV?\$char_traits@G @_S | 2 |

| | |
|---|---|
| ??_F?\$money_get@DV?\$istreambuf_iteratc | 2 |
| ?XspLogEvent@@YAJKPAGZZ | 2 |
| ??0init_t@omni_thread@@QAE@XZ | 2 |
| DriverPackageGetPathA | 2 |
| ??0?\$basic_istream@DU?\$char_traits@D@: | 2 |
| ??_D?\$basic_ostream@DU?\$char_traits@D@: | 2 |
| ??6?\$basic_ostream@DU?\$char_traits@D@: | 2 |
| ??\$?6_WU?\$char_traits@_W@std@@@@std | 2 |
| raptor_free_namespace | 2 |
| raptor_xml_writer_cdata | 2 |
| raptor_xml_writer_cdata_counted | 2 |
| raptor_new_qname | 2 |
| raptor_xml_writer_raw | 2 |
| raptor_xml_writer_end_element | 2 |
| raptor_free_xml_element | 2 |
| raptor_xml_writer_empty_element | 2 |
| raptor_xml_element_set_attributes | 2 |
| raptor_new_qname_from_namespace_local | 2 |
| raptor_alloc_memory | 2 |
| raptor_xml_writer_raw_counted | 2 |
| raptor_xml_writer_start_element | 2 |
| raptor_new_xml_element_from_namespace | 2 |
| raptor_new_namespace | 2 |
| raptor_new_xml_writer | 2 |
| raptor_xml_element_get_language | 2 |
| raptor_qname_get_value | 2 |
| raptor_qname_get_counted_value | 2 |
| raptor_xml_element_get_attributes | 2 |
| raptor_free_xml_writer | 2 |
| raptor_qname_get_local_name | 2 |
| raptor_xml_element_get_name | 2 |
| raptor_sax2_parse_start | 2 |
| raptor_free_sax2 | 2 |
| raptor_sax2_parse_chunk | 2 |
| raptor_iostream_read_bytes | 2 |
| raptor_iostream_read_eof | 2 |
| raptor_sax2_set_end_element_handler | 2 |
| raptor_sax2_set_characters_handler | 2 |
| raptor_sax2_set_start_element_handler | 2 |
| raptor_new_sax2 | 2 |
| raptor_error_handlers_init | 2 |
| raptor_xmlschema_datatypes_namespace_l | 2 |
| raptor_xml_name_check | 2 |
| raptor_new_uri_relative_to_base | 2 |
| raptor.owl_namespace_uri | 2 |
| raptor.rdf_schema_namespace_uri | 2 |
| raptor_sequence_print_uri | 2 |

| | |
|---|---|
| raptor_sequence_shift | 2 |
| raptor_namespaces_find_namespace | 2 |
| raptor_new_parser | 2 |
| raptor_set_statement_handler | 2 |
| raptor_set_error_handler | 2 |
| raptor_set_generate_id_handler | 2 |
| raptor_parse_uri | 2 |
| raptor_free_parser | 2 |
| raptor_format_locator | 2 |
| raptor_xml_literal_datatype_uri_string | 2 |
| raptor_rdf_namespace_uri_len | 2 |
| raptor_uri_filename_to_uri_string | 2 |
| raptor_new_iostream_to_string | 2 |
| raptor_free_iostream | 2 |
| raptor_new_uri_for_rdf_concept | 2 |
| raptor_uri_get_handler | 2 |
| raptor_new_namespaces | 2 |
| raptor_new_namespace_from_uri | 2 |
| raptor_namespaces_start_namespace | 2 |
| raptor_iostream_write_uri | 2 |
| raptor_iostream_write_bytes | 2 |
| raptor_iostream_write_decimal | 2 |
| raptor_namespaces_qname_from_uri | 2 |
| raptor_qname_get_namespace | 2 |
| raptor_namespace_get_prefix | 2 |
| raptor_iostream_write_qname | 2 |
| raptor_free_qname | 2 |
| raptor_uri_to_relative_counted_uri_string | 2 |
| raptor_uri_as_counted_string | 2 |
| raptor_iostream_write_string_ntriples | 2 |
| raptor_free_memory | 2 |
| raptor_iostream_write_counted_string | 2 |
| raptor_iostream_write_byte | 2 |
| raptor_iostream_write_string | 2 |
| raptor_namespaces_end_for_depth | 2 |
| raptor_namespaces_start_namespace_full | 2 |
| raptor_free_namespaces | 2 |
| raptor_qname_string_to_uri | 2 |
| raptor_uri_compare | 2 |
| raptor_uri_equals | 2 |
| raptor_print_ntriples_string | 2 |
| raptor_init | 2 |
| raptor_rdf_namespace_uri | 2 |
| raptor_finish | 2 |
| raptor_utf8_to_unicode_char | 2 |
| raptor_unicode_char_to_utf8 | 2 |
| raptor_vsnprintf | 2 |

| | |
|---|---|
| raptor_print_locator | 2 |
| raptor_new_uri | 2 |
| raptor_uri_print | 2 |
| raptor_new_uri_from_uri_local_name | 2 |
| raptor_sequence_print | 2 |
| raptor_uri_as_string | 2 |
| raptor_free_uri | 2 |
| raptor_uri_copy | 2 |
| raptor_sequence_unshift | 2 |
| raptor_sequence_join | 2 |
| raptor_free_sequence | 2 |
| raptor_sequence_set_at | 2 |
| raptor_sequence_sort | 2 |
| raptor_sequence_pop | 2 |
| raptor_new_sequence | 2 |
| raptor_sequence_push | 2 |
| raptor_sequence_size | 2 |
| raptor_xml_element_get_attributes_count | 2 |
| raptor_sequence_get_at | 2 |
| mkfifo | 2 |
| TrySubmitThreadpoolCallback | 2 |
| _localtime | 2 |
| CDRegisterCheckSum | 2 |
| CDLocateRng | 2 |
| CDBuildVect | 2 |
| CDRegisterCSystem | 2 |
| CDFindCommonCSystem | 2 |
| CDRegisterRng | 2 |
| _Close_JPEG_Compressor@0 | 2 |
| _End_JPEG_Compress@0 | 2 |
| _Compress_One_Line@8 | 2 |
| _Start_JPEG_Compress@16 | 2 |
| _Init_JPEG_Compressor@4 | 2 |
| _Close_JPEG_Decompressor@0 | 2 |
| _End_JPEG_Decompress@0 | 2 |
| _Decompress_One_Line@4 | 2 |
| _Start_JPEG_Decompress@16 | 2 |
| _Init_JPEG_Decompressor@4 | 2 |
| _Start_JPEG_Compress_Mem@16 | 2 |
| ReplaceImageInList | 2 |
| BlobToImage | 2 |
| CopyMagickMemory | 2 |
| ReadBlobLSBLong | 2 |
| ReadBlobLSBShort | 2 |
| ImageToBlob | 2 |
| SetImageStorageClass | 2 |
| cCheckPE | 2 |

| | |
|---|---|
| ?IsVolumeDirty@IFS_SYSTEM@@SGEPAVW: | 2 |
| ??1CHPRBIniHandler@@UAE@XZ | 2 |
| ??0CHPRBIniHandler@@QAE@XZ | 2 |
| ?GetIntegerValue@CHPRBIniHandler@@QA | 2 |
| @Forms@TScreen@GetWorkAreaRect\$qqrv | 2 |
| @Forms@TCustomForm@SetAlphaBlendVa | 2 |
| @Forms@TCustomForm@GetTop\$qqrv | 2 |
| Func | 2 |
| @Nativexml@initialization\$qqrv | 2 |
| ?GetTelephoneCount@CContact@@QBEHX: | 2 |
| ?GetTelephone@CContact@@QAEPAVCTele | 2 |
| ?GetURLCount@CContact@@QBEHXZ | 2 |
| ?GetURL@CContact@@QAEPAVCURL@@H | 2 |
| ?GetEmailCount@CContact@@QBEHXZ | 2 |
| ?GetEmail@CContact@@QAEPAVCEmail@@C | 2 |
| GetCurrent | 2 |
| sqlite3_mprintf | 2 |
| @System@TObject@CleanupInstance\$qqrv | 2 |
| @Sysutils@Supports\$qqrp14System@TObj | 2 |
| @Sysutils@WideSameText\$qqrx17System@ | 2 |
| @Classes@TInterfaceList@Delete\$qqri | 2 |
| @Classes@TInterfaceList@\$bctr\$qqrv | 2 |
| @Classes@TInterfaceList@ | 2 |
| GdipCloneBitmapArea | 2 |
| GdipGetPropertyIdList | 2 |
| GdipGetPropertyCount | 2 |
| GdipGetEncoderParameterList | 2 |
| GdipGetEncoderParameterListSize | 2 |
| GdipSaveAdd | 2 |
| ?quiet_NaN@?\$numeric_limits@G@std@@ | 2 |
| ?pow@std@@YA?AV?\$complex@N@1@AE | 2 |
| ??1?\$basic_fstream@GU?\$char_traits@G@ | 2 |
| ?sin@?\$_Ctr@O@std@@SAOO@Z | 2 |
| DirectPlay8LobbyCreate | 2 |
| GetMonitorKeyBoard | 2 |
| GetMonitorMouseMoveMsg | 2 |
| _swprintf_p | 2 |
| ??0CXTDrawHelpers@@QAE@XZ | 2 |
| ??1CXTDrawHelpers@@UAE@XZ | 2 |
| ?GradientFill@CXTDrawHelpers@@QAEXP | 2 |
| ?CreateThemeFactory@CXTThemeManager! | 2 |
| ??0CXTMemDC@@QAE@PAVCDC@@ABVC | 2 |
| ??0CXTPaintManagerColorGradient@@QA | 2 |
| ?Instance@CXTColorManager@@CAAAC1 | 2 |
| ?GetColor@CXTColorManager@@QBEKH@ | 2 |
| ?InitializeHeader@CXTHeaderCtrl@@UAEXI | 2 |
| ?GetThisClass@CXTHeaderCtrl@@SGPAUCF | 2 |

| | |
|--|---|
| ?SetMenuID@CXTHeaderCtrl@@UAEXIH@Z | 2 |
| ?SetFontBold@CXTHeaderCtrl@@UAEXH@` | 2 |
| ?ShowSortArrow@CXTHeaderCtrl@@UAEXI@` | 2 |
| ?SetAlingment@CXTHeaderCtrl@@UAEEHH@` | 2 |
| ?GetThisMessageMap@CXTHeaderCtrl@@@K | 2 |
| ?DetermineRTL@CXTHeaderCtrl@@@MAE_N | 2 |
| ?ApplyFieldWidths@CXTHeaderCtrl@@@MAE | 2 |
| ?FitFieldWidths@CXTHeaderCtrl@@@MAEXH | 2 |
| ?GetFrozenColWidth@CXTHeaderCtrl@@@M | 2 |
| ?OnThemeChanged@CXTHeaderCtrl@@@UA | 2 |
| ?SetFontColor@CXTPFontDC@@@QAEXPAC | 2 |
| ?GetSortedCol@CXTHeaderCtrl@@@QAEHPA | 2 |
| ?HasSortArrow@CXTHeaderCtrl@@@QAEHXZ | 2 |
| ??0CXTHeaderCtrl@@@QAE@XZ | 2 |
| ?OnWndMsg@CXTHeaderCtrl@@@MAEHIIJP, | 2 |
| ??1CXTHeaderCtrl@@@UAE@XZ | 2 |
| ?ItemPressed@CXTHeaderCtrl@@@UAEHH@` | 2 |
| ?GetStoredWidth@CXTListBase@@@UAEHH@` | 2 |
| ?SetStoredWidth@CXTListBase@@@UAEHX@` | 2 |
| ?LoadColumnWidths@CXTListBase@@@UAE | 2 |
| ?SaveColumnWidths@CXTListBase@@@UAE | 2 |
| ?AutoSizeColumn@CXTListBase@@@UAEHX@` | 2 |
| ?AutoSaveColumns@CXTListBase@@@UAEXP | 2 |
| ?SetExtendedStyle@CXTListBase@@@UAEK(| 2 |
| ?GetExtendedStyle@CXTListBase@@@UAEKX | 2 |
| ?GetListTextColor@CXTListBase@@@QBEKXZ | 2 |
| ?DisableColumnSizing@CXTListBase@@@UAE | 2 |
| ?HitTestEx@CXTListBase@@@UBEHAAVCPOir | 2 |
| ??0CXTListBase@@@QAE@XZ | 2 |
| ?AddColumn@CXTListBase@@@UAEHPB_WF | 2 |
| ??1CXTListBase@@@UAE@XZ | 2 |
| ?BuildColumns@CXTListBase@@@UAE_NHPA | 2 |
| ?BuildColumns@CXTListBase@@@UAE_NHPA | 2 |
| ?GetColumnCount@CXTListBase@@@UAEHX: | 2 |
| ?CopyRow@CXTListBase@@@UAEHHH@Z | 2 |
| ?MoveRow@CXTListBase@@@UAE_NHH@Z | 2 |
| ?_xtGetHeaderCtrl@CXTListBase@@@QBEPA` | 2 |
| ?Lookup@CXTListBase@@@UAEPAUROWCOL | 2 |
| ?ModifyExtendedStyle@CXTListBase@@@UAI | 2 |
| ?Init@CXTListBase@@@MAE_NXZ | 2 |
| ?OnNotify@CXTListBase@@@MAEHIIJPAJ@Z | 2 |
| ?SetSortImage@CXTListBase@@@UAEHHH@` | 2 |
| ?GetListBackColor@CXTListBase@@@QBEKXZ | 2 |
| ?OnCustomDraw@CXTListBase@@@IAEXPAC | 2 |
| ?OnSettingChange@CXTListBase@@@IAEXIPE | 2 |
| ?OnDestroy@CXTListBase@@@IAEXXZ | 2 |
| ?OnEraseBkgnd@CXTListBase@@@IAEHPAVC | 2 |

| | |
|---|---|
| NPSLOG | 2 |
| ?TrackPopupMenu@CNPSTransMenu@@Q | 2 |
| ??0CNPSTransMenu@@QAE@XZ | 2 |
| ??1CNPSTransMenu@@UAE@XZ | 2 |
| ?GetModulePath@NPSGdiPlusUtil@@YA?A' | 2 |
| ?NPSSkinEnableRTL@@YAXH@Z | 2 |
| ?SetToolTipText@CNPSButton@@QAEXPB_ | 2 |
| ??0CNPSButton@@QAE@XZ | 2 |
| ??1CNPSButton@@UAE@XZ | 2 |
| ?ShowTransferStatus@CNPSTransferWnd@ | 2 |
| ??0CNPSAboutDlg@@QAE@PAVCWnd@@A | 2 |
| ??1CNPSAboutDlg@@UAE@XZ | 2 |
| ??0CNPSTransferWnd@@QAE@XZ | 2 |
| ??1CNPSTransferWnd@@UAE@XZ | 2 |
| ?GetRuntimeClass@CNPSTransferWnd@@L | 2 |
| ?GetMessageMap@CNPSTransferWnd@@N | 2 |
| ?PreCreateWindow@CNPSTransferWnd@@@ | 2 |
| ?PreTranslateMessage@CNPSTransferWnd@ | 2 |
| ?_Exp@?\$_Ctr@N@std@@SAFPANNF@Z | 2 |
| ??4?\$basic_stringbuf@GU?\$char_traits@G@ | 2 |
| ?arg@std@@YAOABV?\$complex@O@1@A | 2 |
| ?_Getcat@?\$_num_get@DV?\$istreambuf_it@ | 2 |
| ?NewAuthPublicKeyBlock1@WON_AuthFact | 2 |
| ?NewAuthCertificate1@WON_AuthFactory@ | 2 |
| ?GetIssueTime@WON_AuthFamilyBuffer@() | 2 |
| ?GetFirstKey@WON_AuthPublicKeyBlock1@ | 2 |
| ?IsValid@WON_AuthFamilyBuffer@@QBEH | 2 |
| ?GetNumKeys@WON_AuthPublicKeyBlock1 | 2 |
| ?GetNextKey@WON_AuthPublicKeyBlock1@ | 2 |
| ?GetPubKey@WON_AuthCertificate1@@QE | 2 |
| ?GetRaw@WON_AuthFamilyBuffer@@QBEI | 2 |
| ?GetRawLen@WON_AuthFamilyBuffer@@@C | 2 |
| ?GetUserId@WON_AuthCertificate1@@QBI | 2 |
| ?DeleteAuthPublicKeyBlock1@WON_AuthFa | 2 |
| ?GetExpireTime@WON_AuthFamilyBuffer@ | 2 |
| ?GetBlockId@WON_AuthPublicKeyBlock1@ | 2 |
| ?GetPubKeyLen@WON_AuthCertificate1@() | 2 |
| ?GetCommunityId@WON_AuthCertificate1@ | 2 |
| ?Verify@WON_AuthFamilyBuffer@@QBEHF | 2 |
| ?DeleteAuthCertificate1@WON_AuthFactor | 2 |
| ?GetKey@WON_CryptKeyBase@@QBEPBEX | 2 |
| ?GetKeyLen@WON_CryptKeyBase@@QBEG | 2 |
| ?DeleteEGPublicKey@WON_CryptFactory@! | 2 |
| ?NewEGPublicKey@WON_CryptFactory@@. | 2 |
| ?NewEGPrivateKey@WON_CryptFactory@@ | 2 |
| ?DeleteEGPrivateKey@WON_CryptFactory@ | 2 |
| ??1CryptReturn@WON_CryptKeyBase@@Q | 2 |

| | |
|---|---|
| ??4CryptReturn@WON_CryptKeyBase@@Q | 2 |
| ?Encrypt@WON_BFSymmetricKey@@QAE? | 2 |
| ??0CryptReturn@WON_CryptKeyBase@@Q | 2 |
| ?Decrypt@WON_BFSymmetricKey@@QAE? | 2 |
| ?Decrypt@WON_EGPrivateKey@@QAE?AV(| 2 |
| ?NewBFSymmetricKey@WON_CryptFactory | 2 |
| ?Encrypt@WON_EGPublicKey@@QAE?AVC | 2 |
| ?DeleteBFSymmetricKey@WON_CryptFacto | 2 |
| ?setMouseFocus@App@vgui@@EAEXPAPV | 2 |
| ?init@App@vgui@@EAEXXZ | 2 |
| ?internalKeyReleased@App@vgui@@UAEX | 2 |
| ?internalKeyTyped@App@vgui@@UAEXW4 | 2 |
| ?internalKeyPressed@App@vgui@@UAEXW | 2 |
| ?internalMouseWheeled@App@vgui@@UA | 2 |
| ?internalMouseReleased@App@vgui@@UA | 2 |
| ?internalMouseDoublePressed@App@vgui(| 2 |
| ?internalMousePressed@App@vgui@@UAE | 2 |
| ?internalCursorMoved@App@vgui@@UAE) | 2 |
| ?run@App@vgui@@UAEXXZ | 2 |
| ?setMinimumTickMillisInterval@App@vgui(| 2 |
| ?getCursorOveride@App@vgui@@UAEPAV | 2 |
| ?setCursorOveride@App@vgui@@UAEXPAT | 2 |
| ?getRegistryInteger@App@vgui@@UAE_NF | 2 |
| ?setRegistryInteger@App@vgui@@UAE_NF | 2 |
| ?surfaceBaseCreated@App@vgui@@MAEXI | 2 |
| ?updateMouseFocus@App@vgui@@EAEXH | 2 |
| ?internalSetMouseArena@App@vgui@@UA | 2 |
| ?reset@App@vgui@@UAEXXZ | 2 |
| ?getClipboardText@App@vgui@@UAEHHP | 2 |
| ?setClipboardText@App@vgui@@UAEXPBC | 2 |
| ?getClipboardTextCount@App@vgui@@UA | 2 |
| ?getKeyCodeText@App@vgui@@UAEXW4K | 2 |
| ?getKeyCodeChar@App@vgui@@UAEDW4I | 2 |
| ?getDefaultCursor@Cursor@vgui@@UAE?A | 2 |
| ?enableBuildMode@App@vgui@@UAEXXZ | 2 |
| ?getScheme@App@vgui@@UAEPAVSchem | 2 |
| ?setScheme@App@vgui@@UAEXPAVISch | 2 |
| ?repaintAll@App@vgui@@UAEXXZ | 2 |
| ?getFocus@App@vgui@@UAEPAVPanel@2 | 2 |
| ?requestFocus@App@vgui@@UAEXPAPar | 2 |
| ?setMouseArena@App@vgui@@UAEXHHH | 2 |
| ?setMouseArena@App@vgui@@UAEXPAPVF | 2 |
| ?setMouseCapture@App@vgui@@UAEXPAT | 2 |
| ?internalTick@App@vgui@@MAEXXZ | 2 |
| ?surfaceBaseDeleted@App@vgui@@MAEXI | 2 |
| ?platTick@App@vgui@@MAEXXZ | 2 |
| ?getBitmap@Cursor@vgui@@UAEPAVBitm | 2 |

| | |
|---|---|
| ?getHotspot@Cursor@vgui@@UAEXAAH0@ | 2 |
| ?privateInit@Cursor@vgui@@EAEXPABitn | 2 |
| ?getRegistryString@App@vgui@@UAE_NPE | 2 |
| ?setRegistryString@App@vgui@@UAE_NPE | 2 |
| ?getTimeMillis@App@vgui@@UAEJXZ | 2 |
| ?getCursorPos@App@vgui@@UAEXAAH0@ | 2 |
| ?setCursorPos@App@vgui@@UAEXHH@Z | 2 |
| ?addTickSignal@App@vgui@@UAEXPAVTic | 2 |
| ?wasKeyReleased@App@vgui@@UAE_NW4 | 2 |
| ?wasKeyTyped@App@vgui@@UAE_NW4Ke | 2 |
| ?isKeyDown@App@vgui@@UAE_NW4KeyC | 2 |
| ?wasKeyPressed@App@vgui@@UAE_NW4I | 2 |
| ?wasMouseReleased@App@vgui@@UAE_NI | 2 |
| ?isMouseDown@App@vgui@@UAE_NW4N | 2 |
| ?wasMouseDoublePressed@App@vgui@@I | 2 |
| ?wasMousePressed@App@vgui@@UAE_NI | 2 |
| ?externalTick@App@vgui@@UAEXXZ | 2 |
| ?stop@App@vgui@@UAEXXZ | 2 |
| ?start@App@vgui@@UAEXXZ | 2 |
| ??0App@vgui@@QAE @_N@Z | 2 |
| ?OPP_ServerEventAuthorization@CWBTAPI@ | 2 |
| ?FTP_ServerEventAuthorization@CWBTAPI@ | 2 |
| ?SetOnSyncConflictEventCallback@CWBTAPI | 2 |
| ?SetOnSync0VcfEventCallback@CWBTAPI@() | 2 |
| ?OppExchange@CWBTAPI@@QAE?AW4WB | 2 |
| ?SetOnBTPINCodeRequest@CWBTAPI@@Q/ | 2 |
| ?SetOnBTAuthorizeRequest@CWBTAPI@@C | 2 |
| ?OppPull@CWBTAPI@@QAE?AW4WBtRc@i | 2 |
| ?SetOnOppPushCallback@CWBTAPI@@QAE | 2 |
| ?SetOnOppPullCallback@CWBTAPI@@QAE? | 2 |
| ?SetOnOppExchangeCallback@CWBTAPI@@ | 2 |
| ?SetOnOppProgressCallback@CWBTAPI@@I | 2 |
| ?SetOnOPPServerEventCallback@CWBTAPI@ | 2 |
| ?SetOnFTPServerEventCallback@CWBTAPI@ | 2 |
| ?SetOnOAPPAuthentiateCallback@CWBTAF | 2 |
| ?SetOnSyncServerEventCallback@CWBTAPI@ | 2 |
| ?SyncAuthorize0Vcf@CWBTAPI@@QAE?AW | 2 |
| ?OppPush@CWBTAPI@@QAE?AW4WBtRc@ | 2 |
| ?Parse@CBTvCard@@QAEHPAG@Z | 2 |
| ?TranslateDialog@@YAXPAUWND__@@@C | 2 |
| ?TLoadString@@YAHPAUHINSTANCE__@@@ | 2 |
| ?TString@@YAPADPBPDADH@Z | 2 |
| ?LoadBaseDir@@YGHPAD@Z | 2 |
| OleRegisterServer | 2 |
| @\$xp\$21Controls@TMouseButton | 2 |
| @Ansistringlist@TAnsiStringList@\$bctr\$qqr | 2 |
| @Ansistringlist@TAnsiStringList@ | 2 |

| | |
|--|---|
| @Dxtl@TCustomdxTreeList@CellRect\$qqrp2 | 2 |
| @\$xp\$23Ivaccount@TivPassWDEdit | 2 |
| @Ivaccount@TivPassWDEdit@ | 2 |
| @System@ReportMemoryLeaksOnShutdown | 2 |
| @Types@RectHeight\$qqrrx11Types@TRect | 2 |
| @Types@RectWidth\$qqrrx11Types@TRect | 2 |
| @Classes@EListError@ | 2 |
| @Sysutils@StrLComp\$qqrp1ui | 2 |
| @Sysutils@SetCurrentDir\$qqrx20System@L | 2 |
| @Character@ToLower\$qqrx20System@Uni | 2 |
| @Strutils@IfThen\$qqrox20System@Unicode | 2 |
| @Strutils@ReplaceText\$qqrx20System@Uni | 2 |
| @Actnlist@TCustomAction@SetCaption\$qq | 2 |
| @Graphics@CopyPalette\$qqrp10HPalette_ | 2 |
| @Registry@TRegistry@OpenKeyReadOnly\$qc | 2 |
| @Controls@TMargins@SetMargin\$qqrii | 2 |
| @Comctrls@TCustomListView@GetColumnI | 2 |
| @Comctrls@TCustomListView@SetOwnerD | 2 |
| @Comctrls@TCustomListView@UpdateItem | 2 |
| @Comctrls@TListColumn@SetMinWidth\$qc | 2 |
| @Comctrls@TListColumn@SetAlignment\$qc | 2 |
| @Clipbrd@TClipboard@SetTextBuf\$qqrb | 2 |
| @Dateutils@DaysBetween\$qqrx16System@ | 2 |
| @Dateutils@DateOf\$qqrx16System@TDate | 2 |
| @Axform20@TAXForm20@GetFormPosition | 2 |
| @Axform20@TAXForm20@SetFormPosition | 2 |
| @Axform20@TAXForm20@WndProc\$qqrr1: | 2 |
| @Axform20@TAXForm20@RestoreMainFor | 2 |
| @Axform20@TAXForm20@CloseQuery\$qqr | 2 |
| @Axform20@TAXForm20@CanResize\$qqrii | 2 |
| @Axform20@TAXForm20@Loaded\$qqrv | 2 |
| @Axform20@TAXForm20@DoCreate\$qqrv | 2 |
| @Axform20@TAXForm20@CreateWindowH | 2 |
| @Axform20@TAXForm20@ReadState\$qqrp: | 2 |
| @\$xp\$18Axform20@TAXForm20 | 2 |
| @Axform20@TAXForm20@ | 2 |
| @Axwinversionhelper@initialization\$qqrv | 2 |
| @Axwinversionhelper@Finalization\$qqrv | 2 |
| @Axnullhelpviewer@initialization\$qqrv | 2 |
| @Axnullhelpviewer@Finalization\$qqrv | 2 |
| @Axmessages@initialization\$qqrv | 2 |
| @Axmessages@Finalization\$qqrv | 2 |
| @Axstyles20@initialization\$qqrv | 2 |
| @Axstyles20@Finalization\$qqrv | 2 |
| @Axstyles20@TAXStyles20@GetColorRedM | 2 |
| @Axstyles20@TAXStyles20@GetColorGreen | 2 |
| @Axstyles20@TAXStyles20@GetInstance\$qc | 2 |

| | |
|--|---|
| @Axstyles20@TAXStyles20@ | 2 |
| @Axpngimage20@initialization\$qqrv | 2 |
| @Axpngimage20@Finalization\$qqrv | 2 |
| @Axpagehost20@TAXCustomPageHost20@' | 2 |
| @Axpagehost20@TAXPageClient20@ | 2 |
| @Axpagehost20@TAXPageHost20@ | 2 |
| @Axsearchstatusbar20@TAXCustomSearchS | 2 |
| @Axsearchstatusbar20@TAXCustomSearchS | 2 |
| @Axsearchstatusbar20@TAXCustomSearchS | 2 |
| @Axsearchstatusbar20@TAXStatusPanels@I | 2 |
| @Axsearchstatusbar20@TAXStatusPanels@C | 2 |
| @Axsearchstatusbar20@TAXStatusPanel@S | 2 |
| @Axsearchstatusbar20@TAXStatusPanel@S | 2 |
| @Axsearchstatusbar20@TAXStatusPanel@S | 2 |
| @Axsearchstatusbar20@TAXSearchStatusBa | 2 |
| @Axprogressbar20@TAXCustomProgressBar | 2 |
| @Axprogressbar20@TAXCustomProgressBar | 2 |
| @Axprogressbar20@TAXCustomProgressBar | 2 |
| @Axprogressbar20@TAXProgressBar20@ | 2 |
| @Axfooter20@TAXCustomFooter20@Adjust | 2 |
| @Axfooter20@TAXFooter20@ | 2 |
| @Axdropdownbutton20@TAXDropDownBut | 2 |
| @Generics_collections@InCircularRange\$qc | 2 |
| @Generics_collections@_sGenericDuplicate | 2 |
| @Generics_collections@_sGenericItemNotF | 2 |
| @Generics_collections@_sArgumentOutOfR | 2 |
| @Axtitle20@TAXTitle20@ | 2 |
| @Axlabel20@TAXLabel20@ | 2 |
| @Axlabel20_parser@initialization\$qqrv | 2 |
| @Axlabel20_parser@Finalization\$qqrv | 2 |
| @Axpanel20@TAXPanel20@ | 2 |
| @Axballoonhint20@TAXBalloonHint20@Shc | 2 |
| @Axballoonhint20@TAXBalloonHint20@Hid | 2 |
| @Axballoonhint20@TAXBalloonHint20@\$bc | 2 |
| @Axballoonhint20@TAXBalloonHint20@ | 2 |
| @Axcheckboxtreeview20@initialization\$qqrv | 2 |
| @Axcheckboxtreeview20@Finalization\$qqrv | 2 |
| @Axcheckboxtreeview20@TAXCustomCheck | 2 |
| @Axcheckboxtreeview20@TAXTreeNodes@ | 2 |

| | |
|---|---|
| @Axresultstable20@TAXResultsTableItems@ | 2 |
| @Axresultstable20@TAXResultsTableItem@ | 2 |
| @Axresultstable20@TAXResultsTable20@ | 2 |
| @Axresultstable20@TAXResultsTableItem@ | 2 |
| @Axitbar20@initialization\$qqrv | 2 |
| @Axitbar20@Finalization\$qqrv | 2 |
| @Axitbar20@TAXCustomHintBar20@Show | 2 |
| @Axitbar20@TAXHintBar20@ | 2 |
| @Masks@TMask@Matches\$qqrx20System@ | 2 |
| @Masks@TMask@\$bctr\$qqrx20System@Ui | 2 |
| @Masks@TMask@ | 2 |
| @Axwatermark20@TAXWatermark20@ | 2 |
| @Axtoolbar20@initialization\$qqrv | 2 |
| @Axtoolbar20@Finalization\$qqrv | 2 |
| @Axtoolbar20@TAXButtonCollection@GetIt | 2 |
| @Axtoolbar20@TAXToolBar20@SetCapti | 2 |
| @Axtoolbar20@TAXToolBar20@ | 2 |
| osl_createThread | 2 |
| @Dialogs@TColorDialog@ | 2 |
| @Cmtwnform@TMtWnForm@DoAfterShow | 2 |
| @Cmtwnform@TMtWnForm@FormShow\$c | 2 |
| @Cmtwnform@TMtWnForm@FormCreate\$c | 2 |
| @Mtforms@FreeForm\$qqrpv | 2 |
| @Dxbar@TdxBarCustomPopupMenu@GetIt | 2 |
| @Dxbar@TdxBarSeparator@ | 2 |
| @Dxgdiplusapi@CheckGdiPlus\$qqrv | 2 |
| @Mtresbuttons@TMtResBitBtn@ | 2 |
| @Mtpanel@TMtPanel@ | 2 |
| @Ibodataset@TIBODataset@ParamByName | 2 |
| @Mtdialogs@DlgYesNoDef\$qqr17System@/ | 2 |
| @Uwnwaitperform@TWnWaitPerform@Eni | 2 |
| @Uwnwaitperform@StartPerforming\$qqr17 | 2 |
| @Mtinvregistry@TMtInvParams@SetStringF | 2 |
| @Mtinvregistry@TMtInvParams@Invoke\$qq | 2 |
| @Mtinvregistry@TMtInvParams@\$bctr\$qqr | 2 |
| @Mtinvregistry@TMtInvParams@ | 2 |
| @Mtsettingsdf@GetUserID\$qqrv | 2 |
| @Mtappinterface@TesoreriaExists\$qqrv | 2 |
| @Udmparametrinodo@DmParametriNodo | 2 |
| @Mtbo@initialization\$qqrv | 2 |
| @Mtbo@Finalization\$qqrv | 2 |
| @Mtbusinessobject@initialization\$qqrv | 2 |
| @Mtbusinessobject@Finalization\$qqrv | 2 |
| @Cmtwndfform@initialization\$qqrv | 2 |

| | |
|--|---|
| @Cmtwndfform@Finalization\$qqrv | 2 |
| @Utydfsecurity@initialization\$qqrv | 2 |
| @Utydfsecurity@Finalization\$qqrv | 2 |
| @Idsmtp@TIdSMTP@ | 2 |
| @Idmessage@TIdMessage@ | 2 |
| @Idmessageclient@Finalization\$qqrv | 2 |
| @Idiohandlerstream@Finalization\$qqrv | 2 |
| @Idcoderquotedprintable@Finalization\$qqrv | 2 |
| @Controls@TWinControl@ScaleBy\$qqrii | 2 |
| @Shdocvw@Finalization\$qqrv | 2 |
| @Mshtml@Finalization\$qqrv | 2 |
| @Ddeman@TDdeClientConv@ | 2 |
| CreatedirectoryW | 2 |
| @System@TObject@InheritsFrom\$qqrp17S | 2 |
| @Sysutils@AnsiCompareStr\$qqrx17System@ | 2 |
| @Sysutils@ShortDateFormat | 2 |
| @Classes@TWriter@WriteString\$qqrx17Sys | 2 |
| @Classes@TReader@ReadString\$qqrv | 2 |
| @Classes@TReader@ReadListBegin\$qqrv | 2 |
| @Classes@TReader@EndOfList\$qqrv | 2 |
| @Classes@TStrings@GetCommaText\$qqrv | 2 |
| @Classes@RegisterClasses\$qqrp17Syste | 2 |
| @Forms@TScrollingWinControl@SetAutoSc | 2 |
| RegEnumValueI | 2 |
| GetSystemDirectoryI | 2 |
| CallWindowProcl | 2 |
| PeekMessageI | 2 |
| DispatchMessageI | 2 |
| CreateDCI | 2 |
| LoadCursorI | 2 |
| GetClassInfoExI | 2 |
| SetWindowLongPtrI | 2 |
| ?CTFreeUnusedLibraries@@YGXXZ | 2 |
| ?CTCreateInstance@@YG?AW4tagCTINTRFC | 2 |
| ?EqualInterface@Data@Util@@YAHPAUITX | 2 |
| ?IsThreadRunning@CTXThreadModel@@IAI | 2 |
| ?AddBuf@CTXCommPack@@QAEHPBEI@Z | 2 |
| ?JumpBuf@CTXCommPack@@QAEHH@Z | 2 |
| ?EqualBool@Data@Util@@YAHPAUITXData | 2 |
| ?MessageBoxW@GF@Util@@YAJPAUIGFFr: | 2 |
| ?AddRef@CDRStrCodecBaseHttp2Cs@@MA | 2 |
| ?CodeByte@CDRStrCodecBaseHttp2Cs@@I | 2 |
| ?CodeDWord@CDRStrCodecBaseHttp2Cs@() | 2 |
| ?CodeStr@CDRStrCodecBaseHttp2Cs@@IAE | 2 |
| ?CodeWord@CDRStrCodecBaseHttp2Cs@@ | 2 |
| ??0CDRStrCodecBaseHttp2Cs@@QAE@XZ | 2 |
| ?QueryInterface@CDRStrCodecBaseHttp2Cs | 2 |

| | |
|--|---|
| ?Release@CDRStrCodecBaseHttp2Cs@@MA | 2 |
| ?DRCodecStr@CDRStrCodecBaseHttp2Cs@@C | 2 |
| ??1CDRStrCodecBaseHttp2Cs@@@UAE@XZ | 2 |
| ?CodeEnd@CDRStrCodecBaseHttp2Cs@@@IA | 2 |
| ?DeleteTipInContactChatSession@ChatSessi | 2 |
| FVTEngine_GetFVTSDKVersion | 2 |
| FVTEngine_CheckFVTCameraExist | 2 |
| FVTEngine_CamGetEncoderGOP | 2 |
| FVTEngine_GetFVTDeviceFirmwareVersion | 2 |
| FVTEngine_CamSetEncoderGOP | 2 |
| FVTEngine_SetCameraEventCallBack | 2 |
| FVTEngine_RegisterVideoInfoCallback | 2 |
| FVTEngine_UnRegCameraEventCallBack | 2 |
| FVTEngine_GetFVTDeviceSerialNumber | 2 |
| FVTEngine_RegErrMsgBoxCallback | 2 |
| FVTEngine_GetMicVolume | 2 |
| FVTEngine_GetSpeakerVolume | 2 |
| FVTEngine_SetSpeakerVolume | 2 |
| FVTEngine_SetMicVolume | 2 |
| FVTEngine_AdjustRemoteRenderWindowEx | 2 |
| FVTEngine_AdjustLocalRenderWindowEx | 2 |
| FVTEngine_SetVideoEngineTransport | 2 |
| FVTEngine_StartCamera | 2 |
| FVTEngine_GetCameraRemoteDataFormat | 2 |
| FVTEngine_TranferCameraData | 2 |
| FVTEngine_SetRemoteRendererResolution | 2 |
| FVTEngine_ReceiveVideoData | 2 |
| FVTEngine_ReceiveVideoControl | 2 |
| FVTEngine_ReceiveVoiceData | 2 |
| FVTEngine_ReceiveVoiceControl | 2 |
| FVTEngine_GetInputMute | 2 |
| FVTEngine_SetInputMute | 2 |
| FVTEngine_StopVoiceEngine | 2 |
| FVTEngine_SetVoiceEngineTransport | 2 |
| FVTEngine_RegisterVoiceDataCallback | 2 |
| FVTEngine_RegisterVoiceControlCallback | 2 |
| FVTEngine_StartVoiceEngine | 2 |
| FVTEngine_StopCamera | 2 |
| FVTEngine_RegRemoteDeliverFrameCallBacl | 2 |
| FVTEngine_RegisterVideoDataCallback | 2 |
| FVTEngine_RegisterVideoControlCallback | 2 |
| FVTEngine_RegisterCameraPreviewDataCalll | 2 |
| FVTEngine_RegisterCameraRemoteDataCalll | 2 |
| FVTEngine_StopVideoEngine | 2 |
| FVTEngine_StartVideoEngine | 2 |
| FVTEngine_TerminateVoiceEngine | 2 |
| FVTEngine_TerminateVideoEngine | 2 |

| | |
|--|---|
| FVTEngine_TerminateCamera | 2 |
| FVTEngine_Terminate | 2 |
| FVTEngine_Initialize | 2 |
| FVTEngine_InitializeCamera | 2 |
| FVTEngine_InitializeVoiceEngine | 2 |
| FVTEngine_InitializeVideoEngine | 2 |
| FVTEngine_GetSoundDeviceStatus | 2 |
| FVTEngine_InitializePreviewRenderer | 2 |
| FVTEngine_InitializeRemoteRenderer | 2 |
| FVTEngine_SetCameraDeviceIndex | 2 |
| FVTEngine_GetCameraDeviceIndex | 2 |
| FVTEngine_GetVideoRTCPStatistics | 2 |
| FVTEngine_GetRemoteSnapshot | 2 |
| FVTEngine_GetLocalSnapshot | 2 |
| FVTEngine_SetSoundDeviceIndex | 2 |
| FVTEngine_SetAGCStatus | 2 |
| FVTEngine_GetCameraDeviceCount | 2 |
| FVTEngine_SetCameraFrameRate | 2 |
| FVTEngine_SetCameraBitRate | 2 |
| FVTEngine_SetVideoEngineBitrate | 2 |
| FVTEngine_SetCameraResolution | 2 |
| FVTEngine_SetCameraPreviewResolution | 2 |
| FVTEngine_GetCameraPreviewDataFormat | 2 |
| FVTEngine_SetPreviewRendererResolutionE: | 2 |
| FVTEngine_SetVideoEngineResolution | 2 |
| FVTEngine_GetECStatus | 2 |
| FVTEngine_SetECStatus | 2 |
| FVTEngine_GetAGCStatus | 2 |
| FVTEngine_GetSpeechInputLevelFullRange | 2 |
| FVTEngine_PreviewRenderer | 2 |
| FVTEngine_GetSpeechOutputLevelFullRange | 2 |
| ??0OTypeCollection@cppu@@QAE@ABVTy | 2 |
| ??0ResultSetMetaData@ucbhelper@@QAE(| 2 |
| ?queryInterface@ResultSetMetaData@ucbh | 2 |
| ?acquire@ResultSetMetaData@ucbhelper@ | 2 |
| ?release@ResultSetMetaData@ucbhelper@ | 2 |
| ??1ResultSetMetaData@ucbhelper@@UAE(| 2 |
| ?appendVoid@PropertyValueSet@ucbhelpe | 2 |
| UnInstallHook | 2 |
| ??1String@@QAE@XZ | 2 |
| ??OSString@@QAE@XZ | 2 |
| ??4String@@QAEABV0@PBG@Z | 2 |
| GetIndependentFrontMic | 2 |
| SetIndependentFrontMic | 2 |
| SetRearSpeakerMute | 2 |
| GetRearSpeakerMute | 2 |
| BASIC_DISPINTERFACE_GetTICount | 2 |

| | |
|---|---|
| BASIC_CLASS_Invoke | 2 |
| vlc_epg_AddEvent | 2 |
| vlc_epg_Delete | 2 |
| vlc_epg_New | 2 |
| vlc_epg_SetCurrent | 2 |
| StopAll | 2 |
| StartWatching | 2 |
| @\$xp\$18System@ShortString | 2 |
| @Sysutils@TimeStampToMSecs\$qqrrx19Sys | 2 |
| @Sysutils@DateTimeToTimeStamp\$qqr16Sy | 2 |
| @Classes@RegisterComponents\$qqrx17Syst | 2 |
| @Db@TDataSet@PSUpdateRecord\$qqr14Dl | 2 |
| @Db@TDataSet@PSStartTransaction\$qqrv | 2 |
| @Db@TDataSet@PSSetParams\$qqrp10Db@ | 2 |
| @Db@TDataSet@PSSetCommandText\$qqrx | 2 |
| @Db@TDataSet@PSReset\$qqrv | 2 |
| @Db@TDataSet@PSIsSQLSupported\$qqrv | 2 |
| @Db@TDataSet@PSIsSQLBased\$qqrv | 2 |
| @Db@TDataSet@PSInTransaction\$qqrv | 2 |
| @Db@TDataSet@PSGetUpdateException\$qqi | 2 |
| @Db@TDataSet@PSGetTableName\$qqrv | 2 |
| @Db@TDataSet@PSGetQuoteChar\$qqrv | 2 |
| @Db@TDataSet@PSGetParams\$qqrv | 2 |
| @Db@TDataSet@PSGetKeyFields\$qqrv | 2 |
| @Db@TDataSet@PSGetDefaultOrder\$qqrv | 2 |
| @Db@TDataSet@PSGetAttributes\$qqrp13C | 2 |
| @Db@TDataSet@PSEExecuteStatement\$qqr> | 2 |
| @Db@TDataSet@PSEExecute\$qqrv | 2 |
| @Db@TDataSet@PSEndTransaction\$qqro | 2 |
| @Db@TDataSet@DoOnCalcFields\$qqrv | 2 |
| @Db@TDataSet@DoBeforeScroll\$qqrv | 2 |
| @Db@TDataSet@DoBeforeRefresh\$qqrv | 2 |
| @Db@TDataSet@DoBeforePost\$qqrv | 2 |
| @Db@TDataSet@DoBeforeOpen\$qqrv | 2 |
| @Db@TDataSet@DoBeforeEdit\$qqrv | 2 |
| @Db@TDataSet@DoBeforeDelete\$qqrv | 2 |
| @Db@TDataSet@DoBeforeCancel\$qqrv | 2 |
| @Db@TDataSet@DoAfterScroll\$qqrv | 2 |
| @Db@TDataSet@DoAfterRefresh\$qqrv | 2 |
| @Db@TDataSet@DoAfterInsert\$qqrv | 2 |
| @Db@TDataSet@DoAfterEdit\$qqrv | 2 |
| @Db@TDataSet@DoAfterClose\$qqrv | 2 |
| @Db@TDataSet@DoAfterCancel\$qqrv | 2 |
| @Db@TDataSet@GetAggRecordCount\$qqr1 | 2 |
| @Db@TDataSet@SetBookmarkStr\$qqrx17S | 2 |
| @Db@TDataSet@GetBookmarkStr\$qqrv | 2 |
| @Db@TDataSet@FreeBookmark\$qqrv | 2 |

| | |
|--|---|
| @Db@TDataSet@GetBookmark\$qqrv | 2 |
| @Db@TDataSet@Translate\$qqrpct1o | 2 |
| @Db@TDataSet@SetBlockReadSize\$qqri | 2 |
| @Db@TDataSet@BlockReadNext\$qqrv | 2 |
| @Db@TDataSet@CalculateFields\$qqrpc | 2 |
| @Db@TDataSet@GetCalcFields\$qqrpc | 2 |
| @Db@TDataSet@GetPriorRecords\$qqrv | 2 |
| @Db@TDataSet@GetNextRecords\$qqrv | 2 |
| @Db@TDataSet@ActivateBuffers\$qqrv | 2 |
| @Db@TDataSet@ClearBuffers\$qqrv | 2 |
| @Db@TDataSet@GetPriorRecord\$qqrv | 2 |
| @Db@TDataSet@GetNextRecord\$qqrv | 2 |
| @Db@TDataSet@SetCurrentRecord\$qqri | 2 |
| @Db@TDataSet@SetBufListSize\$qqri | 2 |
| @Db@TDataSet@SetStateFieldValue\$qqr16 | 2 |
| @Db@TDataSet@SetFieldData\$qqrp9Db@T | 2 |
| @Db@TDataSet@GetFieldData\$qqrp9Db@1 | 2 |
| @Db@TDataSet@FreeFieldBuffers\$qqrv | 2 |
| @Db@TDataSet@CheckFieldCompatibility\$qqrv | 2 |
| @Db@TDataSet@DestroyFields\$qqrv | 2 |
| @Db@TDataSet@CreateFields\$qqrv | 2 |
| @Db@TDataSet@GetFieldFullName\$qqrp9E | 2 |
| @Db@TDataSet@InitFieldDefs\$qqrv | 2 |
| @Db@TDataSet@GetDetailLinkFields\$qqrp1 | 2 |
| @Db@TDataSet@GetDetailDataSets\$qqrp1: | 2 |
| @Db@TDataSet@SetActive\$qqro | 2 |
| @Db@TDataSet@CheckActive\$qqrv | 2 |
| @Db@TDataSet@CheckInactive\$qqrv | 2 |
| @Db@TDataSet@CreateNestedDataSet\$qqr | 2 |
| @Db@TDataSet@SetName\$qqrx17System@ | 2 |
| @Designintf@RegisterPropertyEditor\$qqrp1 | 2 |
| @Designeditors@TPropertyEditor@SetProp | 2 |
| @Designeditors@TPropertyEditor@Initialize | 2 |
| @Designeditors@TPropertyEditor@GetProp | 2 |
| @Designeditors@TPropertyEditor@GetNam | 2 |
| @Designeditors@TPropertyEditor@GetCom | 2 |
| @Designeditors@TPropertyEditor@AutoFill! | 2 |
| @Designeditors@TPropertyEditor@Edit\$qqi | 2 |
| @Designeditors@TPropertyEditor@Activate | 2 |
| @Designeditors@TPropertyEditor@\$bdtr\$q | 2 |
| @Comobj@TComObjectFactory@ValidateU | 2 |
| @Comobj@TComObjectFactory@HasMachin | 2 |
| @Comobj@TComObjectFactory@GetLicense | 2 |
| @Comobj@TComObjectFactory@UpdateRe | 2 |
| @Comobj@TComObjectFactory@GetProgID | 2 |
| @Comobj@TComObjectFactory@\$bdtr\$qqr | 2 |
| @System@TObject@InitInstance\$qqrv | 2 |

| | |
|---|---|
| @System@TObject@InstanceSize\$qqrv | 2 |
| @Classes@RegisterClasses\$qqrp17System | 2 |
| @Sysutils@DiskFree\$qqruc | 2 |
| @Sysutils@GetDiskFreeSpaceEx | 2 |
| @Sysutils@TimeSeparator | 2 |
| @Graphics@TIcon@SetHandle\$qqrp7HICON | 2 |
| @Graphics@TBitmap@SetHandle\$qqrp9HBI | 2 |
| @\$xp\$28Controls@TAlignPositionEvent | 2 |
| @\$xp\$32Controls@TAlignInsertBeforeEvent | 2 |
| @\$xp\$28Controls@TMouseActivateEvent | 2 |
| @Comctrls@TCustomListView@GetSelectec | 2 |
| @Stdctrls@TCustomLabel@SetAutoSize\$qqqi | 2 |
| @Stdctrls@TCustomLabel@Loaded\$qqrv | 2 |
| @Extctrls@TNotebook@GetActivePage\$qqqr | 2 |
| @Progressdialog@Finalization\$qqrv | 2 |
| @Unitformprogress@Finalization\$qqrv | 2 |
| @Cxgridcustomview@TcxCustomGridView@ | 2 |
| @Cxgrid@TcxCustomGrid@EndUpdate\$qqrn | 2 |
| @Cxgrid@TcxCustomGrid@BeginUpdate\$qqc | 2 |
| @Cxgridlevel@TcxGridLevel@GetIndex\$qqr | 2 |
| @Betteradodataset@TBetterADODataSet@() | 2 |
| CredUnprotectW | 2 |
| CredIsProtectedW | 2 |
| | 7 |
| ??3CMyObject@@SGXPAX@Z | 2 |
| ?GetRuntimeClass@CTreeNode@@UBEPAUC | 2 |
| ?InsertNode@CTreeNodeList@@QAEHPAVCI | 2 |
| ?SetNodeNum@CTreeNode@@QAEXK@Z | 2 |
| ?SetSectors@CTreeNode@@QAEXK@Z | 2 |
| ?SetLBA@CTreeNode@@QAEXK@Z | 2 |
| ?SetPriority@CTreeNode@@QAEXE@Z | 2 |
| ?SetFileAttributesA@CTreeNode@@QAEXK@C | 2 |
| ?SetLastWriteTime@CTreeNode@@QAEXU_ | 2 |
| ?SetLastAccessTime@CTreeNode@@QAEXU_ | 2 |
| ?SetCreationTime@CTreeNode@@QAEXU_F | 2 |
| ?SetFileSize@CTreeNode@@QAEX_K@Z | 2 |
| ?SetShortFileName@CTreeNode@@QAEXVC | 2 |
| ??0CMyString@@QAE@PBD@Z | 2 |
| ?SetFileName@CTreeNode@@QAEXPAD@Z | 2 |
| ?SetParent@CTreeNode@@QAEXPBV1@@Z | 2 |
| ??0CTreeNode@@QAE@XZ | 2 |
| ??1CTreeNode@@UAE@XZ | 2 |
| ??0CMyFile@@QAE@XZ | 2 |
| ??0CTreeNode@@QAE@PAU_WIN32_FIND_ | 2 |
| ??1CMyStringList@@UAE@XZ | 2 |
| ?AddTail@CMyStringList@@QAEPAU__POS | 2 |
| ??0CMyStringList@@QAE@H@Z | 2 |

| | |
|--|---|
| @Sysutils@FindCmdLineSwitch\$qqrx20Syste | 2 |
| @Sysutils@IncludeTrailingBackslash\$qqrx20 | 2 |
| @Sysutils@AnsiLowerCase\$qqrx20System@ | 2 |
| @Math@Max\$qqrxjxj | 2 |
| @Forms@TApplication@MessageBox\$qqrp | 2 |
| @Comctrls@TAnimate@SetActive\$qqro | 2 |
| @Comctrls@TAnimate@ | 2 |
| @Specialunit@ForceWindowToForeground\$ | 2 |
| @Decfmt@TFormat_HEXL@ | 2 |
| @Dehash@THash_MD5@ | 2 |
| @Stringhelper@ParamX\$qqrx20System@Ur | 2 |
| @Turegistry@DoReboot\$qqrv | 2 |
| @Turegistry@TerminateApplIfNonAdmin\$qc | 2 |
| @Turegistry@SetProductRegDWORDValue\$ | 2 |
| @Turegistry@GetProductRegDateTimeValue | 2 |
| @Tuhelper@ShellExecuteWrapper\$qqr20Sy | 2 |
| @Privileg@initialization\$qqrv | 2 |
| @Tugraphics@SetupIL\$qqrp19Controls@Tl | 2 |
| @Tugraphics@FileNameByID\$qqrxix30Tugr | 2 |
| @Tugraphics@AddGraphicToIL\$qqrxip19Cor | 2 |
| @Bigcheckbox@TBigCheckListBox@ | 2 |
| @Virtualtrees@initialization\$qqrv | 2 |
| @Virtualtrees@TBaseVirtualTree@GetNode | 2 |
| @Virtualtrees@TVirtualTreeColumns@GetIt | 2 |
| @Vtaccessibilityfactory@initialization\$qqrv | 2 |
| @Vtaccessibilityfactory@Finalization\$qqrv | 2 |
| @Tugroupedvirtualstringtree@initializat | 2 |
| @Tugroupedvirtualstringtree@Finalizatio | 2 |
| @Tugroupedvirtualstringtree@TTUGrouped | 2 |
| @Tugroupedvirtualstringtree@TTUGrouped | 2 |
| @Mainsettingsform@initialization\$qqrv | 2 |
| @Mainsettingsform@Finalization\$qqrv | 2 |
| @Shortcutlink@initialization\$qqrv | 2 |
| @Shortcutlink@Finalization\$qqrv | 2 |
| g_pMemAllocSteam | 2 |
| AssertMsgImplementation | 2 |
| V_FixDoubleSlashes | 2 |
| Q_UncodeToUTF8 | 2 |
| Q_UTF8ToUnicode | 2 |
| Q_StripTrailingSlash | 2 |
| Q_StripLastDir | 2 |
| Q_FixSlashes | 2 |
| Q_MakeAbsolutePath | 2 |
| I_NetlogonGetTrustRid | 2 |
| NS_QuickSort | 2 |
| ?NS_CreateServicesFromCategory@@YAIPB | 2 |
| ?Assign@nsACString_internal@@QAEXABVt | 2 |

| | |
|--|---|
| PL_DHashStringKey | 2 |
| NS_NewNativeLocalFile_P | 2 |
| ?InsertCStringAt@nsCStringArray@@QAEHA | 2 |
| ?FindCharInReadable@@YAHDAAV\$nsRea | 2 |
| ?EmptyCString@@YAABVnsCString@@XZ | 2 |
| ?AssignASCII@nsSubstring@@QAEXPBD@Z | 2 |
| ?ReplaceElementAt@nsVoidArray@@QAEH | 2 |
| ?Clone@nsMemory@@SAPAXPBXI@Z | 2 |
| stream_vaControl | 2 |
| __AddMachineCertToLicenseStore | 2 |
| WasDTCInstalledBySQL | 2 |
| @System@ExitCode | 2 |
| @Forms@TScreen@SetCursors\$qqriui | 2 |
| @Classes@TWriter@WriteFloat\$qqrxg | 2 |
| @Classes@TReader@ReadFloat\$qqrv | 2 |
| @Math@SinCos\$qqrxgrgt2 | 2 |
| @Graphics@TPen@SetMode\$qqr17Graphic | 2 |
| DoOrganizeFavDlgW | 2 |
| BASS_SampleFree | 2 |
| BASS_GetConfig | 2 |
| BASS_GetInfo | 2 |
| BASS_ChannelPause | 2 |
| BASS_SampleStop | 2 |
| BASS_GetVersion | 2 |
| ??0FSTRING@@QAE@ABV0@@Z | 2 |
| ??0WSTRING@@QAE@ABV0@@Z | 2 |
| ?WaitForUserSignal@MESSAGE@@UAEEXZ | 2 |
| D3DXCreateTextureFromFileA | 2 |
| D3DXAssembleShader | 2 |
| DefineComboOptionsArray | 2 |
| ??0WSpinCtrl@@QAE@XZ | 2 |
| ??1WSpinCtrl@@UAE@XZ | 2 |
| RtlConvertVariantToProperty | 2 |
| ?ModifyEntry@UserAgentManager@@AAE_ | 2 |
| CM_Is_Version_Available | 2 |
| cairo_clip | 2 |
| gdk_cairo_create | 2 |
| gdk_cursor_unref | 2 |
| gdk_pixbuf_new_from_inline | 2 |
| g_ascii_strcasecmp | 2 |
| g_ascii_strncasecmp | 2 |
| g_ascii strtod | 2 |
| g_list_find | 2 |
| g_list_free_full | 2 |
| g_list_remove | 2 |
| g_path_get_basename | 2 |
| g_timeout_add | 2 |

| | |
|--|---|
| g_signal_handlers_disconnect_matched | 2 |
| gtk_action_group_add_actions | 2 |
| gtk_action_group_new | 2 |
| gtk_action_group_set_translation_domain | 2 |
| gtk_adjustment_get_upper | 2 |
| gtk_adjustment_get_value | 2 |
| gtk_adjustment_new | 2 |
| gtk_arrow_new | 2 |
| gtk_cell_renderer_pixbuf_new | 2 |
| gtk_dialog_add_button | 2 |
| gtk_dialog_set_response_sensitive | 2 |
| gtk_drag_dest_set | 2 |
| gtk_drag_finish | 2 |
| gtk_file_chooser_dialog_new | 2 |
| gtk_file_chooser_get_filename_utf8 | 2 |
| gtk_file_chooser_get_type | 2 |
| gtk_icon_factory_add | 2 |
| gtk_icon_factory_add_default | 2 |
| gtk_icon_factory_new | 2 |
| gtk_icon_set_unref | 2 |
| gtk_label_new_with_mnemonic | 2 |
| gtk_label_set_mnemonic_widget | 2 |
| gtk_menu_get_type | 2 |
| gtk_menu_popup | 2 |
| gtk_message_dialog_format_secondary_text | 2 |
| gtk_notebook_append_page | 2 |
| gtk_notebook_get_type | 2 |
| gtk_notebook_new | 2 |
| gtk_radio_button_get_type | 2 |
| gtk_radio_button_new_with_mnemonic | 2 |
| gtk_radio_button_new_with_mnemonic_frc | 2 |
| gtk_spin_button_new | 2 |
| gtk_table_attach_defaults | 2 |
| gtk_tree_model_iter_next | 2 |
| gtk_tree_model_iter_nth_child | 2 |
| gtk_tree_selection_set_mode | 2 |
| gtk_tree_view_column_set_resizable | 2 |
| gtk_ui_manager_add_ui_from_string | 2 |
| gtk_ui_manager_get_accel_group | 2 |
| gtk_ui_manager_get_widget | 2 |
| gtk_ui_manager_insert_action_group | 2 |
| gtk_ui_manager_new | 2 |
| gtk_widget_get_toplevel | 2 |
| gtk_widget_hide | 2 |
| gtk_window_add_accel_group | 2 |
| gtk_window_new | 2 |
| gtk_window_set_position | 2 |

| | |
|--|---|
| gtk_window_set_title | 2 |
| libintl_vfprintf | 2 |
| TdhGetProperty | 2 |
| net_SetCSCov | 2 |
| SENDTO_SelectDeviceDialog | 2 |
| GdipSetEmpty | 2 |
| ?InstallHooks@@YG_NPAUHWND__@@@Z | 2 |
| ?LockShare@@YG_NXZ | 2 |
| ?share@@3PAUHooksShareData@@A | 2 |
| ?UninstallHooks@@YG_NXZ | 2 |
| ?UnlockShare@@YGXXZ | 2 |
| ??0ComponentContext@comphelper@@QA | 2 |
| ?get@NamedValueCollection@comphelper(| 2 |
| ??0NamedValueCollection@comphelper@@ | 2 |
| ?composeTableName@dbtools@@YA?AVOI | 2 |
| ?composeTableNameForSelect@dbtools@@ | 2 |
| NdrMesTypeAlignSize | 2 |
| ?GetClientCertBlob@CAcWlanSettingDetails | 2 |
| ??6@YAAAVCACByteStream@@AAV0@AAV | 2 |
| ??6@YAAAVCACByteStream@@AAV0@AAV | 2 |
| ?ConvertToByteStream@CAcLanSettings@@ | 2 |
| ?SetStaticIp@CAcLanSettings@@QAEXV?\$v | 2 |
| ?SetGatewayIp@CAcLanSettings@@QAEXV1 | 2 |
| ?RecoverFromByteStream@CAcWlanSetting | 2 |
| ??6CACByteStream@@QAEAAV0@AAI@Z | 2 |
| ??5CACByteStream@@QAEAAV0@AAI@Z | 2 |
| ??6CACByteStream@@QAEAAV0@AAV?\$ve | 2 |
| ?RecoverFromByteStream@CAcLanSettings(| 2 |
| ?GetActiveAdptPnpId@CAcLocation@@QAE | 2 |
| ?SetActiveAdptPnpId@CAcLocation@@QAE | 2 |
| ??4CACWlanSettingDetails@@QAEAAV0@A | 2 |
| ??0CACWlanSettingDetails@@QAE@ABV0@ | 2 |
| ??1CACWlanSettingDetails@@UAE@XZ | 2 |
| ?GetWlanSettingDetails@CAcWlanSettings@ | 2 |
| ??0CACWlanSettingDetails@@QAE@XZ | 2 |
| ?GetLocationName@CAcLocation@@QAE?A | 2 |
| ?GetSsid@CAcWlanSettingDetails@@QAE?A | 2 |
| ??1CACWlanSettings@@UAE@XZ | 2 |
| ?SetWlanSettingDetails@CAcWlanSettings@ | 2 |
| ?SetDefPrinter@CAcAdptSettings@@QAEX\ | 2 |
| ??1CACBrowserPxySettings@@UAE@XZ | 2 |
| ??4CACBrowserPxySettings@@QAEAAV0@A | 2 |
| ??0CACBrowserPxySettings@@QAE@ABV0@ | 2 |
| ??0CACBrowserPxySettings@@QAE@XZ | 2 |
| ??0CACWlanSettings@@QAE@XZ | 2 |
| ?IsRadioDisabledByHWSwitch@@YAHPAVA\ | 2 |
| ?IsRadioDisabledByBIOS@@YAHPAVAcAdap | 2 |

| | |
|---|---|
| ?GetManualRadioOffFlag@AcWanAdapter@ | 2 |
| ?GetManualRadioOffFlag@AcWlanAdapter@ | 2 |
| ?g_bWanUtilityLaunched@@3HA | 2 |
| ?SetManualRadioOffFlag@AcWanAdapter@ | 2 |
| ?ReleaseDHCP@AcTcpIpServices@@QAEKV | 2 |
| ?SetManualRadioOffFlag@AcWlanAdapter@ | 2 |
| ?GetDeviceStatus@AcAdapter@@QAEKAAC | 2 |
| ?IsCableConnected@AcOidHlpr@@QAEHV? | 2 |
| ?GetAdapterType@AcAdapter@@QAEHAAK | 2 |
| ??0AcRASHelper@@QAE@XZ | 2 |
| ?DialDlgXP@AcRASHelper@@QAGKPAG00P | 2 |
| ??1AcRASHelper@@QAE@XZ | 2 |
| ?SetTcpIpSettings@AcTcpIpServices@@QAE | 2 |
| AConInitDll | 2 |
| AConUnInitDll | 2 |
| ?OpenHWInterface@@YAPAXXZ | 2 |
| ?CloseHWInterface@@YAXPAX@Z | 2 |
| ??0AcConfigManager@@QAE@XZ | 2 |
| ??1AcConfigManager@@UAE@XZ | 2 |
| ?GetSSID@AcOidHlpr@@QAEKV?\$basic_str | 2 |
| ?IsWZCFGFeatureEnabled@AcWlanAdapter@ | 2 |
| ?StartStopZeroCfgService@AcWlanAdapter@ | 2 |
| ?ResetPriorityList2@AcWlanAdapter@@QA | 2 |
| ?SetRequiredZeroCfgMode@AcWlanAdapte | 2 |
| ??0AcTcpIpServices@@QAE@XZ | 2 |
| ??0AcPrinterServices@@QAE@XZ | 2 |
| ??0AcSecurityServices@@QAE@XZ | 2 |
| ?GetTcpIpSettings@AcTcpIpServices@@QAF | 2 |
| ?GetBrowserSettings@AcBrowserServices@ | 2 |
| ?mdwDevChangeSleepValue@AcAdapter@() | 2 |
| ?GetPnpID@AcAdapter@@QAEAAV?\$bas | 2 |
| ?FindCertificate@CACertHlpr@@SAHKQA | 2 |
| ?GetScannedApList@AcWlanAdapter@@QA | 2 |
| ?GetLanAndWlanAdapterList@AcConfigMar | 2 |
| ??1AcPPPOE@@UAE@XZ | 2 |
| ??0AcPPPOE@@QAE@XZ | 2 |
| ?GetIPAddrInfo@AcPPPOE@@QAEKPAGAAI | 2 |
| ?GetAdapterClassName@AcAdapter@@QA | 2 |
| ?GetWANAdapterMode@AcWanAdapter@() | 2 |
| ?GetDescriptionFromPnPId@AcAdapter@@ | 2 |
| ?GetRasIpInfo@AcModem@@QAEKPAGHP/ | 2 |
| ?GetMacAddress@AcAdapter@@UAEKQAE | 2 |
| ?IsTabletMode@AcSMBIOSHlpr@@QAEHXZ | 2 |
| ?IsDali2Machine@AcSMBIOSHlpr@@QAEH> | 2 |
| ?IsCoronodo2Machine@AcSMBIOSHlpr@@(| 2 |
| ?IsPopupAntennaAvailable@AcSMBIOSHlpr(| 2 |
| ?IsUltraConnect2AntennaAvailable@AcSMB | 2 |

| | |
|--|---|
| ?GetSMBIOSHlprInstance@AcSMBIOSHlpr@ | 2 |
| ?IsUltraConnect1AntennaAvailable@AcSMB | 2 |
| ?GetInternalWanSettingsByBIOS@@YAKXZ | 2 |
| ?GetPrinterNames@AcPrinterServices@@Q | 2 |
| ?GetAdapterMedia@AcOidHlpr@@QAEHV? | 2 |
| ?IsPCMCIDevice@AcAdapter@@QAEHXZ | 2 |
| ?GetDefaultModeForAdhocConnection@Ac\ | 2 |
| ?DecrementUsageCount@AcAdapter@@Q | 2 |
| ??1AcOidHlpr@@UAE@XZ | 2 |
| ?GetPnpID@AcAdapter@@QAE?AV?\$basic_ | 2 |
| ??0AcOidHlpr@@QAE@XZ | 2 |
| ??1AcTcpIpServices@@UAE@XZ | 2 |
| ??1AcPrinterServices@@UAE@XZ | 2 |
| ??1AcSecurityServices@@UAE@XZ | 2 |
| ?GetSecurityData@AcSecurityServices@@Q | 2 |
| ?EnableDevice@AcAdapter@@QAE?AW4eA | 2 |
| ??0CAcTimerHlpr@@QAE@PAUHWND__@ | 2 |
| ?AutoRadioCtrlTurnRadioON@AcAutoRadio\ | 2 |
| ? GetUserCredentialsFromSharedMemory@(| 2 |
| ?CheckForAutoManulSSOProfile@CPrfApply | 2 |
| ?IsAbortRequested@CPrfApplyHlpr@@SAH\ | 2 |
| ?ConnectDisconnectProfile@CPrfApplyHlpr(| 2 |
| ?HandleAdapterPriority@CACMultiAdpt@@ | 2 |
| ?LaunchVPN@AcProfileStatusMonitor@@SA | 2 |
| ?ApplyPrfMiscSettings@CPrfApplyHlpr@@C | 2 |
| ?IsAcControllingTheAdpt@AcSvcAdptHelper | 2 |
| ?StartANC@CACAnc@@QAEXXZ | 2 |
| ?StopANCManger@CACAnc@@QAEHXZ | 2 |
| ?ReleaseStatPortifWanPrfNotConnected@A | 2 |
| ?IsLastActiveWanProfileUsingSierraModem[| 2 |
| ?GetIpAddress@ClpNotify@@SAHAAVCAcL: | 2 |
| ?IsValidIp@ClpNotify@@SAHK@Z | 2 |
| ?ApplyPrfSecuritySettings@CPrfApplyHlpr@ | 2 |
| ?IsAncStarted@CACAnc@@SAHXZ | 2 |
| ?GetAnInstnace@CACAnc@@SAPAV1@XZ | 2 |
| ?ANCDiagnoseTargetHostByARP@CACAnc@ | 2 |
| ?ANCDiagnoseTargetHostByICMP@CACAnc@ | 2 |
| ?ANCDiagnoseTargetHostByDNSQuery@CAC | 2 |
| ?ANCBeginAdhocMode@CACAnc@@QAEIK(| 2 |
| ?ANCEndAdhocMode@CACAnc@@QAEIK@; | 2 |
| ?ANCGetTargetMACAddr@CACAnc@@QAEI | 2 |
| ?SetWanApiBlockStatus@AcSvcAdptHelper(| 2 |
| ?GetAdapterControlAppId@AcSvcAdptHelp | 2 |
| ?SetAdapterControl@AcSvcAdptHelper@@S | 2 |
| ?ShowWarningMsgIfRadioOffByBIOSOrHWS | 2 |
| ?KillAutoRadioOffTimer@AcAutoRadioCtrl@ | 2 |
| ?StartAutoRadioOffTimer@AcAutoRadioCtrl | 2 |

| | |
|--|---|
| ?IsWanApiBlocked@AcSvcAdptHelper@@S/ | 2 |
| ?GetProfileStatusForClientApps@AcProfileS/ | 2 |
| ?GetAdptConnectionStatus@AcSvcAdptHelp | 2 |
| ?SetBtPowerOnStart@AcSvcHelper@@SAX | 2 |
| ?BuildAdapterList@AcSvcAdptHelper@@SA | 2 |
| ?CheckExclusiveUsageOfWanWlanRadio@Ac | 2 |
| ??0ClpNotify@@QAE@PAVCACSVCCALLBACKS | 2 |
| ?SetBlockRoamingFlagForManualApply@Clp | 2 |
| ?IsThirdPartyAppControllingTheWIAdptInSy | 2 |
| ?NotifyWinlogonEventToAdapters@AcSvcAc | 2 |
| ?SetBlockRoamingFlagForSuspendResume@ | 2 |
| ?GetMultiAdptInstance@CACMULTIADPT@@? | 2 |
| ?GetAdapterObjectFromPnpID@AcSvcAdptI | 2 |
| ??0CPRFAPPLYHIPR@@QAE@PAVCACSVCCALLE | 2 |
| ?AcHandleProfileSwitch@CPrfApplyHlpr@@ | 2 |
| ?NotifyActivePrfChange@ClpNotify@@SAX) | 2 |
| ??1CPrfApplyHlpr@@UAE@XZ | 2 |
| ?GetProfileStatus@AcProfileStatus@@SAKP | 2 |
| ?GetManualDisconnectFlagForLastActivePro | 2 |
| ??5@YAAAVCACBYTESTREAM@@AAV0@AAU | 2 |
| ?NotifyClients@CACSVCCALLBACKS@@QAEHK | 2 |
| ?GetAcSvcCallBacksObject@CACSVCCALLBK | 2 |
| ?DeleteAcSvcCallBacksObject@CACSVCCALLB | 2 |
| ?RegisterCallback@CACSVCCALLBACKS@@QAE | 2 |
| ?UnRegisterCallBack@CACSVCCALLBACKS@@C | 2 |
| ??6@YAAAVCACBYTESTREAM@@AAV0@AAU | 2 |
| ?ConvertToByteStream@CACEvent@@QAEY | 2 |
| ??6@YAAAVCACBYTESTREAM@@AAV0@AAU | 2 |
| ??6@YAAAVCACBYTESTREAM@@AAV0@AAV | 2 |
| ??6@YAAAVCACBYTESTREAM@@AAV0@AAV | 2 |
| ??6@YAAAVCACBYTESTREAM@@AAV0@AAV | 2 |
| ??5@YAAAVCACBYTESTREAM@@AAV0@AAV | 2 |
| ??5@YAAAVCACBYTESTREAM@@AAV0@AAV | 2 |
| ??0CACEvent@@QAE@KKPAG@Z | 2 |
| ??6@YAAAVCACBYTESTREAM@@AAV0@AAV | 2 |
| ?CopyDataFromEventObject@CACEvent@@ | 2 |
| ACHlprSetRegDWord | 2 |
| ACHlprSetRegString | 2 |
| ?IsSSIDBlank@AcHelper@@QAEHV?\$basic_ | 2 |
| ?ACHelperIdentifySystem@@YAKXZ | 2 |
| ?FreeSecurityAttribute@AcHelper@@SAXP/ | 2 |
| ACHlprGetRegBinData | 2 |
| ?IsDeviceBelongToSpecialCategory@AcAdap | 2 |

| | |
|--|---|
| ?GetSelectedAdapterPnpldList@AcAdapters | 2 |
| ?MigrateOldWANProfilesToNewProfiles@Ac | 2 |
| ?GetWANAdapterType@AcAdaptersInfo@@ | 2 |
| ?GetWLAdapterType@AcAdaptersInfo@@Q | 2 |
| SQLDriversW | 2 |
| ?replace@?\$basic_string@DU?\$char_traits@ | 2 |
| ?insert@?\$basic_string@DU?\$char_traits@I | 2 |
| ?replace@?\$basic_string@_WU?\$char_trait | 2 |
| ?rbegin@?\$basic_string@DU?\$char_traits@ | 2 |
| ?InsertTail@CRtlList@@QAEHAAVCRtlEntry@ | 2 |
| ModemCplDlgProc | 2 |
| UnimodemDevConfigDialog | 2 |
| UnimodemGetExtendedCaps | 2 |
| UnimodemGetDefaultCommConfig | 2 |
| QueryModemForCountrySettings | 2 |
| CountryRunOnce | 2 |
| RemoveSignedDataMsg | 2 |
| CreateIndirectData | 2 |
| PutSignedDataMsg | 2 |
| VerifyIndirectData | 2 |
| GetSignedDataMsg | 2 |
| IsFileSupportedName | 2 |
| I_NetLogonGetDomainInfo | 2 |
| GetAddress | 2 |
| hUnstall | 2 |
| hInstall | 2 |
| @TEditGrid@GetRelativeText\$qqrpci | 2 |
| @TEfesBufferArray@GetRowCount\$qv | 2 |
| @TGeneralParams@GetIntValue\$qi | 2 |
| @TGeneralParams@AddParam\$qpct1t1t1 | 2 |
| _fabs | 2 |
| ??_F?\$collate@D@std@@QAEXXZ | 2 |
| ??0?\$num_get@DV?\$istreambuf_iterator@ | 2 |
| ??8std@@YA_NABV?\$complex@N@0@ABV | 2 |
| RasAcctProviderInterimAccounting | 2 |
| DDMAdminConnectionEnum | 2 |
| DDMAdminInterfaceConnect | 2 |
| DDMAdminPortDisconnect | 2 |
| ?CiGetPassword@@YGHPBG0PAG@Z | 2 |
| php_res_stream_open | 2 |
| _php_stream_copy_to_mem | 2 |
| php addslashes | 2 |
| PHP_MD5Init | 2 |
| _php_stream_read | 2 |
| PHP_MD5Update | 2 |
| PHP_MD5Final | 2 |
| make_digest_ex | 2 |

| | |
|--|---|
| ??1CnbuuBarStaticSkin@@UAE@XZ | 2 |
| ?IsRTL@CRTLHelper@@QAEHXZ | 2 |
| ??1CnbuuBarStaticCtrl@@UAE@XZ | 2 |
| ?FlipDialog@CRTLHelper@@SAPAUDLGTEM | 2 |
| ?Resize@CNBitmapUtil@@QAEHW4Bitmap` | 2 |
| ??0CnbuuBitmap@@QAE@XZ | 2 |
| ??1CnbuuBitmap@@UAE@XZ | 2 |
| ??0CnbuuGraphics@@QAE@PAUHDC__@C | 2 |
| ??1CnbuuGraphics@@UAE@XZ | 2 |
| ?UnloadBitmap@CnbuuResourceManager@ | 2 |
| ?PcsLoadColor@@YAKPAUHINSTANCE__@C | 2 |
| ??0CnbuuBarStaticCtrl@@QAE@XZ | 2 |
| ?SetDefaultSkinDef@CnbuuBarStaticSkin@C | 2 |
| ??0CnbuuBarStaticSkin@@QAE@XZ | 2 |
| ?Mirror@CnbuuBitmap@@QAEXXZ | 2 |
| ?capacity@?\$basic_string@DU?\$char_traits | 2 |
| ?pubseekoff@?\$basic_streambuf@GU?\$cha | 2 |
| ??4Init@ios_base@std@@QEAAV012@AB | 2 |
| ResUtilSetUnknownProperties | 2 |
| ResUtilSetBinaryValue | 2 |
| GetMac | 2 |
| str_format | 2 |
| @Dxskininfo@TdxSkinInfo@\$bctr\$qqrp19D | 2 |
| @System@Int\$qqrxg | 2 |
| @Variants@@VarCmpGE\$qqrrx8TVarData1 | 2 |
| @Variants@@VarCmpGT\$qqrrx8TVarData1 | 2 |
| @Variants@@VarCmpLE\$qqrrx8TVarData1 | 2 |
| @Variants@@VarCmpLT\$qqrrx8TVarData1 | 2 |
| @Variants@@VarRDiv\$qqrr8TVarDatarx8TV | 2 |
| @Variants@@VarMul\$qqrr8TVarDatarx8TV; | 2 |
| @Comctrls@TCommonCalendar@SetDate\$C | 2 |
| @Comctrls@TCommonCalendar@GetDate\$C | 2 |
| @Comctrls@TCustomUpDown@SetPosition | 2 |
| @Comctrls@TCustomUpDown@GetPosition | 2 |
| @Comctrls@TDateTimePicker@ | 2 |
| @Comctrls@THeaderControl@ | 2 |
| @Dateutils@DecodeDateMonthWeek\$qqrx: | 2 |
| @Adodb@TADOTable@ | 2 |
| @Qrctrls@TQRCustomLabel@SetCaption\$qq | 2 |
| @Qrctrls@TQRCustomLabel@GetCaption\$qq | 2 |
| @Qrctrls@TQRShape@ | 2 |
| @Qrctrls@TQRDBText@ | 2 |
| @Qrctrls@TQRLabel@ | 2 |
| @Quickrpt@TCustomQuickRep@Preview\$qq | 2 |
| @Quickrpt@TQuickRep@ | 2 |
| @Quickrpt@TQRBand@ | 2 |
| @Qrwebfilt@TQRHTMLFilter@ | 2 |

| | |
|--|---|
| @Qrpdffilt@TQRPDFFilter@ | 2 |
| @Qrexport@TQRRTFFilter@ | 2 |
| rtcLeftTrimBstr | 2 |
| pcap_createsrcstr | 2 |
| ASCII | 2 |
| ?_Getcat@?\$messages@G@std@@SAIXZ | 2 |
| ?copyfmt@?\$basic_ios@GU?\$char_traits@(| 2 |
| ??0?\$time_get@DV?\$istreambuf_iterator@ | 2 |
| ?epsilon@?\$numeric_limits@E@std@@SAE | 2 |
| PhoneBookGetCurrentCountryId | 2 |
| PhoneBookHasPhoneType | 2 |
| SQLWriteDSNTolni | 2 |
| ?messageMap@CCUEWinApp@@1UAFX_M | 2 |
| ?messageMap@CFliteDialog@@1UAFX_MS | 2 |
| ??0CFliteDialog@@QAE@PAUDIHPCTxCTxD | 2 |
| ??1CFliteDialog@@UAE@XZ | 2 |
| ?SetBitmapPalette@CFliteDialog@@MAEXIF | 2 |
| ?SetTAPASHelpLink@CFliteDialog@@MAEXI | 2 |
| ?SetContextHelpLinkMap@CFliteDialog@@I | 2 |
| ?RepositionRelatedControls@CFliteDialog@ | 2 |
| _TapasHandleHelpButton@12 | 2 |
| GetLogicalProcessorInformationEx | 2 |
| @Vcl@Forms@Application | 2 |
| @Designintf@RegisterComponentEditor\$qq | 2 |
| @\$xp\$20Designintf@IDesigner | 2 |
| @Fs_iinirtti@Finalization\$qqrv | 2 |
| ?ctor2@Description@Image@DD@@AAEXP | 2 |
| ?zeros@Mat@cv@@SA?AVMatExpr@2@V? | 2 |
| ?Clone@CNodeRestriction@@QBEPAV1@X: | 2 |
| @Rzlistvw@initialization\$qqrv | 2 |
| 3B3E5EDB | 2 |
| A855D817 | 2 |
| E7EA3F99 | 2 |
| 6D62D95A | 2 |
| A6F5785F | 2 |
| 5D6886D7 | 2 |
| FE3FCA16 | 2 |
| 8BD5A97F | 2 |
| 157FEFE0 | 2 |
| ED6B72E8 | 2 |
| 2C1EF6D7 | 2 |
| F83E36E6 | 2 |
| 2AE01A33 | 2 |
| 709EF3DA | 2 |
| 49D2E7E8 | 2 |
| D6A44563 | 2 |
| 525E9DBE | 2 |

| | |
|--|---|
| 66CB26B4 | 2 |
| ECA53765 | 2 |
| 5AB76CA0 | 2 |
| 31C344CF | 2 |
| 934933B7 | 2 |
| FMEExtensionProcW | 2 |
| ??_8?\$basic_istringstream@GU?\$char_traits@U@std@@YA?AV?\$complex@N@0@ABV1C@std@@QAE@I@Z | 2 |
| ??Gstd@@YA?AV?\$complex@N@0@ABV1C@std@@QAE@I@Z | 2 |
| ?setbuf@?\$basic_streambuf@GU?\$char_traits@U@std@@YA?AV?\$basic_streambuf@GU?\$char_traits@U@std@@QAE@I@Z | 2 |
| ??1?\$moneypunct@G\$0A@@std@@UAE@I@Z | 2 |
| ??0?\$codecvt@GDH@std@@QAE@I@Z | 2 |
| ?sin@std@@YA?AV?\$complex@O@1@ABV1C@std@@QAE@I@Z | 2 |
| ?get@?\$basic_istream@DU?\$char_traits@U@std@@YA?AV?\$basic_istream@DU?\$char_traits@U@std@@QAE@I@Z | 2 |
| RtlReleaseMemoryStream | 2 |
| RtlCommitMemoryStream | 2 |
| RtlAddRefMemoryStream | 2 |
| I_RpcClearMutex | 2 |
| NdrMapCommAndFaultStatus | 2 |
| NdrOutInit | 2 |
| ?SetUI4@CStorageVariant@@QAEXKI@Z | 2 |
| ZwCreateDebugObject | 2 |
| SetGadgetFillF | 2 |
| SetGadgetScale | 2 |
| SMapLS_IP_EBP_8 | 2 |
| SUnMapLS_IP_EBP_8 | 2 |
| SMapLS_IP_EBP_24 | 2 |
| SUnMapLS_IP_EBP_24 | 2 |
| CFDataCreate | 2 |
| CFRelease | 2 |
| Cla\$HookOle | 2 |
| Cla\$ADDqueuekey | 2 |
| Cla\$AssignLong2RefUfo | 2 |
| Cla\$CHANGE | 2 |
| Cla\$CHOICE | 2 |
| Cla\$COMMIT | 2 |
| Cla\$DAY | 2 |
| Cla\$DecCompareN | 2 |
| Cla\$DecSubR | 2 |
| Cla\$DESTROY | 2 |
| Cla\$DInt | 2 |
| Cla\$Dlongpower | 2 |
| Cla\$DoProp | 2 |
| Cla\$DPushConstant | 2 |
| Cla\$DRound | 2 |
| Cla\$ERRCODE | 2 |
| Cla\$Evaluate | 2 |
| Cla\$FILE_POSITIONk | 2 |

| | |
|--|---|
| Cla\$FILE\$_REGETK | 2 |
| Cla\$FREEqueuea | 2 |
| Cla\$GETqueuekey | 2 |
| Cla\$INT | 2 |
| Cla\$LOGOUT | 2 |
| Cla\$MOUSEX | 2 |
| Cla\$MOUSEY | 2 |
| Cla\$pmopen | 2 |
| Cla\$PushBind2 | 2 |
| Cla\$PushPictDec | 2 |
| Cla\$ROLLBACK | 2 |
| Cla\$SETPATH | 2 |
| Cla\$SetPropF | 2 |
| Cla\$SHORTPATH | 2 |
| Cla\$StackFORMAT2 | 2 |
| Cla\$StackINLIST | 2 |
| Cla\$Ufo2Real | 2 |
| Cla\$UPDATE | 2 |
| Cla\$VIEW_SETvl | 2 |
| VIEWDRIVER | 2 |
| __a_sub_sp | 2 |
| __system | 2 |
| INIT@F10ERRORCLASS | 2 |
| INIT@F8INICLASSsb | 2 |
| KILL@F10ERRORCLASS | 2 |
| @Forms@TApplication@SetShowHint\$qqro | 2 |
| @Forms@HintWindowClass | 2 |
| @Sysutils@FileCreate\$qqrx17System@Ansif | 2 |
| @Sysutils@LoadStr\$qqri | 2 |
| @Sysutils@WideSameStr\$qqrx17System@V | 2 |
| @Math@Min\$qqrxjxj | 2 |
| @Controls@THintWindow@ShouldHideHint | 2 |
| @Controls@THintWindow@IsHintMsg\$qqrr | 2 |
| @Controls@THintWindow@Paint\$qqrv | 2 |
| @Controls@THintWindow@CreateParams\$ | 2 |
| @\$xp\$20Controls@THintWindow | 2 |
| @Controls@THintWindow@ | 2 |
| @Zipmstr@Finalization\$qqrv | 2 |
| @Comctrls@TCustomListView@SetSmallIma | 2 |
| @Comctrls@TCustomListView@AlphaSort\$c | 2 |
| @Tntsysutils@initialization\$qqrv | 2 |
| @Tntsysutils@Finalization\$qqrv | 2 |
| @Tntclasses@initialization\$qqrv | 2 |
| @Tntclasses@Finalization\$qqrv | 2 |
| @Themesrv@Finalization\$qqrv | 2 |
| @Ellipsislabel@TEllipsisLabel@ | 2 |
| @Ehewhatsthis@TWhatsThis@ | 2 |

| | |
|---|---|
| @Topbottomgraphic@TTopBottomGraphic@ | 2 |
| PL_Base64Encode | 2 |
| PL_strcpy | 2 |
| DAYCOUNT | 2 |
| EbResetProject | 2 |
| EbGetHandleOfExecutingProject | 2 |
| _vbaI2ForNextCheck | 2 |
| ??1QStringList@@QAE@XZ | 2 |
| ?null@QString@@2V1@A | 2 |
| ??8@YA_NABVQString@@0@Z | 2 |
| ?lower@QString@@QBE?AV1@XZ | 2 |
| ?qApp@@3PAVQApplication@@A | 2 |
| ?HanAuthRefresh@@YGHPAD@Z | 2 |
| ?HanAuthGetId@@YGHPAD0H@Z | 2 |
| ?HanAuthForClient@@YGHPAD@Z | 2 |
| ?HanAuthInit@@YGHPAD@Z | 2 |
| ?UpdateGameString@@YGHPAD0H@Z | 2 |
| text_style_Delete | 2 |
| text_style_New | 2 |
| buf32CellUnlock | 2 |
| buf32GetMemWithBC | 2 |
| buf32CellLock | 2 |
| spyBuf32FreeRel | 2 |
| cvt32BufType | 2 |
| _ZSt3cin | 2 |
| AvSetMmThreadCharacteristicsA | 2 |
| VarIdToStr | 2 |
| MMCGetLineInfo | 2 |
| @Jvplugin@Finalization\$qqrv | 2 |
| @Classes@TThread@SetSuspended\$qqro | 2 |
| @Registry@TRegistry@CreateKey\$qqrx17Sy | 2 |
| @Svcmgr@initialization\$qqrv | 2 |
| _AIL_set_named_sample_file@20 | 2 |
| _AIL_set_preference@8 | 2 |
| Btsdk_Done | 2 |
| Btsdk_Init | 2 |
| StripString | 2 |
| DestroyExceptionInfo | 2 |
| AcquireExceptionInfo | 2 |
| I_RpcTransConnectionAllocatePacket | 2 |
| ??0ctype_base@std@@QAE@I@Z | 2 |
| ?_Getcat@?\$_Mpunct@D@std@@SAIXZ | 2 |
| ?max@?\$numeric_limits@O@std@@SAOX: | 2 |
| ??1?\$num_put@DV?\$ostreambuf_iterator@ | 2 |
| rtcGetValue | 2 |
| BtGetConnectedDeviceList2 | 2 |
| ?Initialize@FLAG_ARGUMENT@@QEAAEPE | 2 |

| | |
|---|---|
| ?Initialize@STRING_ARGUMENT@@QEAAE | 2 |
| ?PrepareToParse@ARGUMENT_LEXEMIZER(| 2 |
| ?SetCaseSensitive@ARGUMENT_LEXEMIZER | 2 |
| ?PutSwitches@ARGUMENT_LEXEMIZER@@ | 2 |
| ?Initialize@ARGUMENT_LEXEMIZER@@QE | 2 |
| ?Initialize@ARRAY@@QEAAEK@Z | 2 |
| ?Initialize@STREAM_MESSAGE@@QEAAEP | 2 |
| ?Get_Standard_Input_Stream@@YAPEAVST | 2 |
| ??1ARGUMENT_LEXEMIZER@@UEAA@XZ | 2 |
| ??1ARRAY@@UEAA@XZ | 2 |
| ??1STRING_ARGUMENT@@UEAA@XZ | 2 |
| ?Get_Standard_Output_Stream@@YAPEAV! | 2 |
| ??OPATH@@QEAA@XZ | 2 |
| ??OSTRING_ARGUMENT@@QEAA@XZ | 2 |
| ??OARRAY@@QEAA@XZ | 2 |
| ?Initialize@PATH_ARGUMENT@@QEAAEPE | 2 |
| ??1PROGRAM@@UEAA@XZ | 2 |
| ??1PATH_ARGUMENT@@UEAA@XZ | 2 |
| ??1STREAM_MESSAGE@@UEAA@XZ | 2 |
| ?ValidateVersion@PROGRAM@@UEBAXKK(| 2 |
| ?Usage@PROGRAM@@UEBAXXZ | 2 |
| ?GetStandardError@PROGRAM@@UEAAPE. | 2 |
| ?GetStandardOutput@PROGRAM@@UEAAF | 2 |
| ?GetStandardInput@PROGRAM@@UEAAPE | 2 |
| ?Fatal@PROGRAM@@UEBAXXZ | 2 |
| ?Fatal@PROGRAM@@UEBAXXKPEADZZ | 2 |
| ?DisplayMessage@PROGRAM@@UEBAEKW | 2 |
| ?DisplayMessage@PROGRAM@@UEBAEKW | 2 |
| ?Compare@OBJECT@@UEBAJPEBV1@@Z | 2 |
| ??OSTREAM_MESSAGE@@QEAA@XZ | 2 |
| ??OPATH_ARGUMENT@@QEAA@XZ | 2 |
| ??OFLAG_ARGUMENT@@QEAA@XZ | 2 |
| ??OPROGRAM@@IEAA@XZ | 2 |
| ?Initialize@CLASS_DESCRIPTOR@@QEAAEX | 2 |
| ??OCLASS_DESCRIPTOR@@QEAA@XZ | 2 |
| ?Put@ARRAY@@UEAAEPEAVOBJECT@@@: | 2 |
| ?DoParsing@ARGUMENT_LEXEMIZER@@QF | 2 |
| ?IsValueSet@ARGUMENT@@QEAAEXZ | 2 |
| ?Initialize@PATH@@QEAAEPEBGE@Z | 2 |
| ??1DSTRING@@UEAA@XZ | 2 |
| ??1OBJECT@@UEAA@XZ | 2 |
| ?Display@MESSAGE@@QEAAEPEBDZZ | 2 |
| ?Initialize@WSTRING@@QEAAEPEBDK@Z | 2 |
| ??OARGUMENT_LEXEMIZER@@QEAA@XZ | 2 |
| ?lockptr@streambuf@@IAEPAU_RTL_CRITICAL | 2 |
| eimg_LayerStackClose | 2 |
| eimg_LayerStackOpen | 2 |

| | |
|--|---|
| emet_MeterInfoPrint | 2 |
| eimg_LayerGetNames | 2 |
| etxt_Text_strcmp | 2 |
| emet_MeterInfoChangeTaskName | 2 |
| eprj_ProjectionFree | 2 |
| eimg_MapInfoRead | 2 |
| exfr_XFormCopy | 2 |
| exfr_XFormFree | 2 |
| emet_MeterInfoCreate | 2 |
| efio_FileNameParse | 2 |
| estr_Sprintf | 2 |
| esmg_JobInit | 2 |
| earg_DoArgs | 2 |
| esmg_JobEnd | 2 |
| ogg_stream_packetpeek | 2 |
| ogg_stream_reset_serialno | 2 |
| vorbis_synthesis_idheader | 2 |
| vorbis_packet_blocksize | 2 |
| vorbis_synthesis_halfrate | 2 |
| vorbis_synthesis_halfrate_p | 2 |
| vorbis_synthesis_restart | 2 |
| vorbis_synthesis_trackonly | 2 |
| vorbis_info_blocksize | 2 |
| vorbis_synthesis_lapout | 2 |
| vorbis_window | 2 |
| ?InitBugReport@TXBugReport@@YAXPB_W | 2 |
| ??GCSDateTime@@QBE?AV0@ABV0@@Z | 2 |
| ??8CSDateTime@@QBEHABV0@@Z | 2 |
| ??0CSDateTime@@QAE@PBUtagDATE_STR | 2 |
| ?UpdatePropertyPage@CSPropertyPage@@ | 2 |
| ?EndDialog@CSPropertyPage@@MAEXH@Z | 2 |
| ?PropertyPageActivated@CSPropertyPage@ | 2 |
| ??4CSDateTime@@QAEABV0@ABV0@@Z | 2 |
| ?PropertyPageLoaded@CSPropertyPage@@ | 2 |
| ?OnCancel@CSPropertyPage@@MAEXXZ | 2 |
| ?SetFlags@CSPropertyPage@@UAEXI@Z | 2 |
| ?SetTitle@CSPropertyPage@@UAEXI@Z | 2 |
| ?SetTitle@CSPropertyPage@@UAEXPBD@Z | 2 |
| ?DefWindowProcA@CSPropertyPage@@M | 2 |
| ?PreTranslateMessage@CSPropertyPage@C | 2 |
| ?GetSuperWndProcAddr@CSPropertyPage@ | 2 |
| ?GetRuntimeClass@CSPropertyPage@@UBI | 2 |
| ?PropertyPageUnloaded@CSPropertyPage@ | 2 |
| ??NCSDateTime@@QBEHABV0@@Z | 2 |
| ?GetSelectedItemCount@CSListView@@QA | 2 |
| ?GetItemCount@CSListView@@QAEKXZ | 2 |
| ?GetNextSelectedItem@CSListView@@QAE | 2 |

| | |
|---|---|
| ?GetFirstSelectedItem@CSListView@@QAEI | 2 |
| ?GetRuntimeClass@CSPropertySheet@@UE | 2 |
| ?OnCommand@CSPropertySheet@@MAEH | 2 |
| ?GetSuperWndProcAddr@CSPropertySheet(| 2 |
| ?DefWindowProcA@CSPropertySheet@@U | 2 |
| ?PropertyPageLoaded@CSPropertySheet@@C | 2 |
| ?PropertyPageUnloaded@CSPropertySheet(| 2 |
| ?PropertyPageActivated@CSPropertySheet@@ | 2 |
| ?PropertyPageDeactivated@CSPropertyShee | 2 |
| ?SetPageFocus@CSPropertySheet@@MAEX | 2 |
| ?DoModal@CSPropertySheet@@UAEHPAV(| 2 |
| ?DoModeless@CSPropertySheet@@UAEHP | 2 |
| ?EndDialog@CSPropertySheet@@UAEXH@I | 2 |
| ?AddPropertyPage@CSPropertySheet@@U | 2 |
| ?SetActivePropertyPage@CSPropertySheet@@C | 2 |
| ?GetActivePropertyPage@CSPropertySheet@@ | 2 |
| ?GetPropertyPage@CSPropertySheet@@UA | 2 |
| ?SetFlags@CSPropertySheet@@UAEXI@Z | 2 |
| ?SetPagePosCtrlID@CSPropertySheet@@UA | 2 |
| ?Update@CSPropertySheet@@UAEHH@Z | 2 |
| ?UpdatePropertyPages@CSPropertySheet@ | 2 |
| ?PreTranslateMessage@CSPropertySheet@() | 2 |
| ?OnOK@CSPropertySheet@@UAEXXZ | 2 |
| ??OCSDateTime@@QBEHABV0@@@Z | 2 |
| ?IsBlank@CSDateTime@@QAEHXZ | 2 |
| ?PropertyPageDeactivated@CSPropertyPage | 2 |
| ?ThePayrollUIContext@Interface@UI@Appl | 2 |
| ??0CEmployeeDetailsSet@@QAE@PAVCSD@ | 2 |
| ?AddNew@CSRecordset@@UAEXXZ | 2 |
| ?Update@CSRecordset@@UAEHXZ | 2 |
| ??1CEmployeeDetailsSet@@UAE@XZ | 2 |
| ?GetInstance@CHolidayHandler@@SAPAV1 | 2 |
| ?Refresh@CCompanyHandler@@QAEHXZ | 2 |
| ?MsgBox@CApUtil@@SAHIGHHHH@Z | 2 |
| ?GetCompanyData@CApUtil@@SAPAXXZ | 2 |
| ?GetEndOfTaxYear@CPayUtil@@SA?AVCSD | 2 |
| ?GetProcessDate@CApUtil@@SA?AVCSDa | 2 |
| ?GetApplicationData@CApUtil@@SAPAVC | 2 |
| ?GetAppPath@CApUtil@@SAHAAV?\$CStri | 2 |
| ?GetPayrollUser@CApUtil@@SAPAVCUser | 2 |
| ldap_control_free | 2 |
| ?put@?\$basic_ostream@_WU?\$char_traits< | 2 |
| ?write@?\$basic_ostream@_WU?\$char_trait< | 2 |
| ?do_length@?\$codecvt@_WDH@std@@M | 2 |
| _Z5ki18nPKc | 2 |
| _ZN12KCmdLineArgs10parsedArgsERK10QB\ | 2 |
| _ZN12KCmdLineArgs17addCmdLineOptionsF | 2 |

| | |
|--|---|
| _ZN12KCmdLineArgs5usageERK10QByteArr | 2 |
| _ZN15KCmdLineOptions3addERK10QByteAr | 2 |
| _ZN15KCmdLineOptionsC1Ev | 2 |
| _ZN15KCmdLineOptionsD1Ev | 2 |
| _ZN16KLocalizedStringC1Ev | 2 |
| _ZN16KLocalizedStringD1Ev | 2 |
| _ZNK12KCmdLineArgs9getOptionERK10QByt | 2 |
| ?Notify@ConfigItem@utl@@UAEXABV?\$Se | 2 |
| ?Commit@ConfigItem@utl@@UAEXXZ | 2 |
| TraceAsnpnetApp | 2 |
| AppStart | 2 |
| block_FifoNew | 2 |
| block_FifoPut | 2 |
| block_FifoRelease | 2 |
| vlc_mrand48 | 2 |
| ?GetSetItemDataIndirect@CSTreeView@@C | 2 |
| ?GetRuntimeClass@CSDialog@@UBEPAUCF | 2 |
| ??GCSDateTime@@QBE?AV0@N@Z | 2 |
| ??1CSRecordset@@UAE@XZ | 2 |
| ?GetDepartmentByRef@CCompanyHandler(| 2 |
| ??1CUupdateStatusSet@@UAE@XZ | 2 |
| ??0CUupdateStatusSet@@QAE@PAVCSData | 2 |
| ?MsgBox@CApUtil@@SAHPBDGHHHPAU | 2 |
| Palette | 2 |
| ileA | 2 |
| BT_SetSupportEMail | 2 |
| ComPs_NdrStubForwardingFunction | 2 |
| ComPs_NdrStubCall2 | 2 |
| ComPs_NdrClientCall2_va | 2 |
| ?CreateexFile@GIF@Util@@YAXPAPAVCxFile | 2 |
| ?GetPixelColor@CxImage@@QAE?AUTagRG | 2 |
| ?CopyToHandle@CxImage@@QAEPAAXXZ | 2 |
| ?GetTransColor@CxImage@@QAE?AUTagR(| 2 |
| ?GetTransIndex@CxImage@@QBEJXZ | 2 |
| ?GetPaletteSize@CxImage@@QAEKXZ | 2 |
| ?GetNumColors@CxImage@@QBEKXZ | 2 |
| ?GetPalette@CxImage@@QBEPAUTagRGBQ | 2 |
| ?GetNumFrames@CxImage@@QBEJXZ | 2 |
| ?Crop@CxImage@@QAE_NABUTagRECT@C | 2 |
| ?SetFrameDelay@CxImage@@QAEXK@Z | 2 |
| ?SetTransColor@CxImage@@QAEXUTagRGE | 2 |
| ?SetTransIndex@CxImage@@QAEXJ@Z | 2 |
| ?SetPalette@CxImage@@QAEXPAUTagRGB(| 2 |
| ?SetComment@CxImageGIF@@QAEXPBD@ | 2 |
| ?SetLoops@CxImageGIF@@QAEXH@Z | 2 |
| ?SetDisposalMethod@CxImageGIF@@QAEX | 2 |
| ?Encode@CxImageGIF@@QAE_NPAVCxFile | 2 |

| | |
|---|---|
| ?Copy@CxImage@@QAEABV1 @_N11@Z | 2 |
| GetTextureFilter | 2 |
| TranslateTexture | 2 |
| ?GetFileDialogW@CTXFileDialog@@QAE?AVC | 2 |
| ?GetFileName@CTXFileDialog@@QAE?AVC | 2 |
| ?DeleteDirectory@FS@@YAHPB_W@Z | 2 |
| ??7CTXStringW@@QBE_NXZ | 2 |
| ?GetInterface@Metadata@Util@@YAJPAUI | 2 |
| ?ChooseColorEx@SysDialog@Util@@YAHFA | 2 |
| ??0CSysDialog@@QAE@PAVVSysDlgCallb | 2 |
| ?OptColor@CSysDialog@@QAEHPAUHWND | 2 |
| ??1CSysDialog@@UAE@XZ | 2 |
| ?GetVipLevel@Self@Contact@Util@@YAHF | 2 |
| ??4?\$_Complex_base@O@std@@QAEAAV | 2 |
| ?_Makpat@?\$_Mpunct@D@std@@AAEXA | 2 |
| ?_Index@ios_base@std@@0HA | 2 |
| SnmpExtensionTrap | 2 |
| SnmpExtensionInitEx | 2 |
| PacketSetBpf | 2 |
| RpcNsGroupDeleteW | 2 |
| RpcNsBindingLookupNext | 2 |
| RpcNsGroupMbrInqBeginW | 2 |
| ??Gstd@@YA?AV?\$complex@N@0@ABV1C | 2 |
| ?do_date_order@?\$time_get@DV?\$istream | 2 |
| DhcpSetOptionValues | 2 |
| ?setFeature@QXmlSimpleReader@@UAEXA | 2 |
| PHYSFS_eof | 2 |
| ?setMode@Channel@FMOD@@QAG?AW4I | 2 |
| ??1QGLFormat@@QAE@XZ | 2 |
| ?request@QHttp@@QAEHAVQHttpReque | 2 |
| @Rxfif@Finalization\$qqrv | 2 |
| @Rxgraph@Finalization\$qqrv | 2 |
| @Anifile@Finalization\$qqrv | 2 |
| @Iclist@Finalization\$qqrv | 2 |
| @Clipicon@Finalization\$qqrv | 2 |
| @Rxfconst@Finalization\$qqrv | 2 |
| ?Initialize@CWndShadow@@SA_NPAUHIN | 2 |
| filter_chain_AppendFilter | 2 |
| filter_chain_AppendFromString | 2 |
| filter_chain_Delete | 2 |
| filter_chain_GetFmtOut | 2 |
| filter_chain_New | 2 |
| filter_chain_Reset | 2 |
| filter_chain_VideoFilter | 2 |
| ?round_error@?\$numeric_limits@J@std@() | 2 |
| ??5std@@YAAAV?\$basic_istream@DU?\$ch | 2 |
| ?GetDWORDStr@Registry@@QAEHPBGPAK | 2 |

| | |
|---|---|
| ??0Registry@@QAE@PBGK@Z | 2 |
| ap_server_argv0 | 2 |
| ap_server_pre_read_config | 2 |
| ap_server_post_read_config | 2 |
| ap_server_configDefines | 2 |
| _ap_setup_prelinked_modules@4 | 2 |
| _ap_run_rewrite_args@4 | 2 |
| ap_default_loglevel | 2 |
| ap_server_root | 2 |
| _ap_replace_stderr_log@8 | 2 |
| ap_conftree | 2 |
| _ap_read_config@16 | 2 |
| _ap_show_modules@0 | 2 |
| _ap_show_directives@0 | 2 |
| _ap_run_pre_config@12 | 2 |
| _ap_process_config_tree@16 | 2 |
| _ap_fixup_virtual_hosts@8 | 2 |
| _ap_fini_vhost_config@8 | 2 |
| _ap_run_open_logs@16 | 2 |
| _ap_run_post_config@16 | 2 |
| ap_prelinked_modules | 2 |
| _ap_register_hooks@8 | 2 |
| _ap_run_optional_fn_retrieve@0 | 2 |
| _ap_mpm_run@12 | 2 |
| _ap_open_stderr_log@4 | 2 |
| _ap_get_server_built@0 | 2 |
| _apr_hook_sort_all@0 | 2 |
| _apr_dynamic_fn_retrieve@4 | 2 |
| _apr_hook_deregister_all@0 | 2 |
| _apr_pool_create_ex@16 | 2 |
| _apr_app_initialize@12 | 2 |
| _apr_pool_clear@4 | 2 |
| _apr_getopt@16 | 2 |
| _apr_getopt_init@16 | 2 |
| _apr_pool_tag@8 | 2 |
| _apr_pool_destroy@4 | 2 |
| apr_terminate | 2 |
| EnumSystemLocalesEx | 2 |
| SHRemoveLocalizedName | 2 |
| SHGetLocalizedName | 2 |
| ?round_error@?\$numeric_limits@_N@std@ | 2 |
| ??0?\$basic_filebuf@GU?\$char_traits@G@s@std@ | 2 |
| ??5?\$basic_istream@GU?\$char_traits@G@std@ | 2 |
| ??4domain_error@std@@QAEAAV01@ABVosl@ | 2 |
| osl_closePipe | 2 |
| osl_readPipe | 2 |
| osl_acquirePipe | 2 |

| | |
|--|---|
| osl_writePipe | 2 |
| BASS_StreamPlay | 2 |
| Ctl3dSubclassDlg | 2 |
| Ctl3dUnsubclassCtl | 2 |
| Ctl3dSubclassCtlEx | 2 |
| Ctl3dWinIniChange | 2 |
| Ctl3dAutoSubclassEx | 2 |
| Ctl3dDlgProc | 2 |
| ZwQueryLicenseValue | 2 |
| EtwProviderEnabled | 2 |
| ??0CAsyncGetHostByName@@QAE@PAUH` | 2 |
| ??0CTimerEvent@@QAE@XZ | 2 |
| ?GetLocalIP@@YA?AVCString@@PAKH@Z | 2 |
| ?SetEnabled@CTimerEvent@@QAEKH@Z | 2 |
| ?CreateQQDataArray@@YAXPAPAUIQQDat | 2 |
| ?OnConnected@CHttpDownloadUIInterface | 2 |
| ?OnConnecting@CHttpDownloadUIInterface | 2 |
| ?CancelDownload@CHttpDownload@@QAF | 2 |
| ?Download@CHttpDownload@@QAEIPBDO | 2 |
| ??1CCsSendSinkHelper@@UAE@XZ | 2 |
| ??0CCsSendSinkHelper@@QAE@XZ | 2 |
| ?NextQQDataArrayStr@@YAJPAUIQQDataA | 2 |
| ?BIG2GB@@YAXAAVCString@@@Z | 2 |
| ?GB2BIG@@YAXAAVCString@@@Z | 2 |
| ?BIG_GB@@YAHPAEH@Z | 2 |
| ?SetInterval@CTimerEvent@@QAEXI@Z | 2 |
| ?Base64Encode@@YA?AVCString@@PBDH(| 2 |
| ?IsMySelfInLan@@YAHK@Z | 2 |
| ?BasicLoadStr@@YAXAAVCString@@I@Z | 2 |
| ??1CTimerEvent@@UAE@XZ | 2 |
| ?NextQQDataArrayBuf@@YAJPAUIQQDataA | 2 |
| ?BUFFER2String@@YA?AVCString@@PBDH | 2 |
| DESEncode | 2 |
| ?tellp@\$basic_ostream@GU?\$char_traits@ | 2 |
| ?_Getcat@\$time_put@GV?\$ostreambuf_it | 2 |
| @System@@BlockWrite\$qqrv | 2 |
| CACreateAutoEnrollmentObjectEx | 2 |
| asn_init | 2 |
| asn_info | 2 |
| asn_exit | 2 |
| _GetAtomObject@16 | 2 |
| GetCurrentModule | 2 |
| GetSpriteObjectByTag | 2 |
| DelayCommand | 2 |
| _UnlockEvent@8 | 2 |
| SetModuleState | 2 |
| _FindAtomID@8 | 2 |

| | |
|--|---|
| _SpriteSetFrame@8 | 2 |
| _SetShadedReelBklImage@8 | 2 |
| _SpriteBlink@20 | 2 |
| _SpriteFade@16 | 2 |
| _SpritePlayToFrame@12 | 2 |
| DelayCommandEx | 2 |
| Msv1_0ExportSubAuthenticationRoutine | 2 |
| LsaApCallPackage | 2 |
| LsaApCallPackageUntrusted | 2 |
| LsaApLogonTerminated | 2 |
| MsvSamLogoff | 2 |
| LsaApInitializePackage | 2 |
| Msv1_0SubAuthenticationPresent | 2 |
| MsvGetLogonAttemptCount | 2 |
| ?rend@?\$basic_string@GU?\$char_traits@G@ | 2 |
| ?rbegin@?\$basic_string@GU?\$char_traits@G@ | 2 |
| ?erase@?\$basic_string@GU?\$char_traits@G@ | 2 |
| ??0?\$basic_ifstream@GU?\$char_traits@G@ | 2 |
| ?\$\$?6GU?\$char_traits@G@std@@@std@@ | 2 |
| ?\$\$?9GU?\$char_traits@G@std@@@V?\$alloc | 2 |
| xdr_void | 2 |
| AppendELog | 2 |
| Dr_fGetFileEntry | 2 |
| Dr_fScanFile2 | 2 |
| Dr_fSelfScan | 2 |
| Dr_fCallVahnDSetMonitor | 2 |
| Dr_fFreeVirusRecord | 2 |
| Dr_fFreeEngine | 2 |
| Dr_fLoadEngine | 2 |
| Dr_fInitVirusRecordEx | 2 |
| OpenTapiPerformanceData | 2 |
| CloseTapiPerformanceData | 2 |
| CollectTapiPerformanceData | 2 |
| @Variants@VarIsEmpty\$qqrrx14System@V;1etStdHandle | 2 |
| D3DXMatrixShadow | 2 |
| D3DXMatrixRotationQuaternion | 2 |
| D3DXMatrixRotationX | 2 |
| D3DXMatrixRotationZ | 2 |
| D3DXGetImageInfoFromFileInMemory | 2 |
| D3DXMatrixTranslation | 2 |
| D3DXVec3Normalize | 2 |
| CredUIPromptForCredentialsA | 2 |
| PowerReadDCValue | 2 |
| GetBatteryStatusText | 2 |
| BatMeterOnDeviceChange | 2 |
| CreateBatteryData | 2 |

| | |
|---------------------------------------|---|
| SubscribeBatteryUpdateNotification | 2 |
| CleanupBatteryData | 2 |
| UnsubscribeBatteryUpdateNotification | 2 |
| QueryBatteryData | 2 |
| SetBatteryLevel | 2 |
| UpdateBatteryDataAsync | 2 |
| WlanCloseHandle | 2 |
| WlanRegisterNotification | 2 |
| WlanGetInterfaceCapability | 2 |
| WlanQueryInterface | 2 |
| WlanEnumInterfaces | 2 |
| WlanSetInterface | 2 |
| WlanFreeMemory | 2 |
| ??0CNcsString@@QAE@PB_W@Z | 2 |
| EtwActivityIdControl | 2 |
| ObGetObjectType | 2 |
| RtlIntegerToUnicode | 2 |
| FsRtlAllocateExtraCreateParameterList | 2 |
| FsRtlAllocateExtraCreateParameter | 2 |
| FsRtlFreeExtraCreateParameterList | 2 |
| FsRtlInsertExtraCreateParameter | 2 |
| FsRtlFindExtraCreateParameter | 2 |
| SeCaptureSubjectContextEx | 2 |
| NetioInitializeWorkQueue | 2 |
| NetioInsertWorkQueue | 2 |
| NetioShutdownWorkQueue | 2 |
| NmrProviderDetachClientComplete | 2 |
| NmrClientAttachProvider | 2 |
| NmrClientDetachProviderComplete | 2 |
| NmrRegisterClient | 2 |
| NmrDeregisterClient | 2 |
| NmrWaitForClientDeregisterComplete | 2 |
| NsiRegisterChangeNotification | 2 |
| NsiDeregisterChangeNotification | 2 |
| RtlInitializeTimerWheel | 2 |
| RtlUpdateCurrentTimerWheelTick | 2 |
| RtlGetNextExpiredTimerWheelEntry | 2 |
| RtlReturnTimerWheelEntry | 2 |
| RtlIndicateTimerWheelEntryTimerStart | 2 |
| RtlCleanupTimerWheelEntry | 2 |
| RtlInitializeTimerWheelEntry | 2 |
| RtlSuspendTimerWheel | 2 |
| RtlCleanupTimerWheel | 2 |
| RtlCopyMdlToMdl | 2 |
| RtlCopyMdlToBuffer | 2 |
| CREATEPROCESSA | 2 |
| SETFILEATTRIBUTESA | 2 |

| | |
|---------------------------------------|---|
| ?GetDate@NLS@@YAHAATXStringW@@ | 2 |
| ?GetBufferSetLength@CTXStringW@@QAEF | 2 |
| ??9@YA_NPB_WABVCTXStringW@@@Z | 2 |
| CreateCanvasFromDC | 2 |
| BlendCanvas | 2 |
| ?SetJpegQuality@CxImage@@QAEQE@Z | 2 |
| ?GetEntryText@SvTabListBox@@QBE?AVStr | 2 |
| ?GetURL@SvtURLBox@@QAE?AVString@@ | 2 |
| ?GetText@Edit@@UBE?AVString@@XZ | 2 |
| ?UpdateData@Edit@@UAEXXZ | 2 |
| ?SetModifyFlag@Edit@@UAEXXZ | 2 |
| ?ClearModifyFlag@Edit@@UAEXXZ | 2 |
| ?IsModified@Edit@@UBEEXZ | 2 |
| ?EnableUpdateData@Edit@@UAEXK@Z | 2 |
| ?DisableUpdateData@Edit@@UAEXXZ | 2 |
| ?IsUpdateDataEnabled@Edit@@UBEKXZ | 2 |
| ?SetReadOnly@Edit@@UAEXE@Z | 2 |
| ?SetMaxTextLen@Edit@@UAEXG@Z | 2 |
| ?GetMaxTextLen@Edit@@UBEGXZ | 2 |
| ?SetSelection@Edit@@UAEXABVSelection@ | 2 |
| ?GetSelection@Edit@@UBEABVSelection@ | 2 |
| ?ReplaceSelected@Edit@@UAEXABVString@ | 2 |
| ?DeleteSelected@Edit@@UAEXXZ | 2 |
| ?GetSelected@Edit@@UBE?AVString@@XZ | 2 |
| ?Cut@Edit@@UAEXXZ | 2 |
| ?Copy@Edit@@UAEXXZ | 2 |
| ?Paste@Edit@@UAEXXZ | 2 |
| ?SetModifyHdl@Edit@@UAEXABVLink@@@C | 2 |
| ?GetModifyHdl@Edit@@UBEABVLink@@XZ | 2 |
| ?SetUpdateDataHdl@Edit@@UAEXABVLink@ | 2 |
| ?GetUpdateDataHdl@Edit@@UBEABVLink@ | 2 |
| ??1ImageButton@@UAE@XZ | 2 |
| ??0PopupMenu@@QAE@XZ | 2 |
| ?Clear@Menu@@QAEXXZ | 2 |
| ??0ImageButton@@QAE@PAVWindow@@ | 2 |
| ?GetFocus@Edit@@UAEXXZ | 2 |
| ??1FixedBitmap@@UAE@XZ | 2 |
| ??5@YAAAVSvStream@@AAV0@AAVBitma | 2 |
| ?SetModelImage@Button@@QAEEABVImag | 2 |
| ?GetDefDialogParent@Application@@SAPA | 2 |
| ?GetResult@Dialog@@QBEJXZ | 2 |
| ?RemoveUserEvent@Application@@SAXK@ | 2 |
| ?IsReadOnly@Edit@@UBEEXZ | 2 |
| ?Exists@UCBContentHelper@utl@@SAEAB\ | 2 |
| ?ConvertURLToSystemPath@LocalFileHelp | 2 |
| ?CompareIgnoreCaseToAscii@String@@QBI | 2 |
| ?ToLowerAscii@String@@QAEAAV1@XZ | 2 |

| | |
|--|---|
| ?GetBufferAccess@String@@QAEPAGXZ | 2 |
| ?EqualsIgnoreCaseAscii@String@@QBEEAB` | 2 |
| ??1CommandEnvironment@ucbhelper@@L | 2 |
| ?release@CommandEnvironment@ucbhelp | 2 |
| ?acquire@CommandEnvironment@ucbhelp | 2 |
| ?queryInterface@CommandEnvironment@L | 2 |
| ??0CommandEnvironment@ucbhelper@@C | 2 |
| ?queryCreatableContentsInfo@Content@uc | 2 |
| ??1OPropertyContainer@comphelper@@U | 2 |
| ??0OPropertyContainer@comphelper@@IA | 2 |
| W32N_MakeNdisRequest | 2 |
| W32N_IsWindows95 | 2 |
| W32N_GetFirstAdapterRegistryInfo | 2 |
| W32N_GetNextAdapterRegistryInfo | 2 |
| W32N_CloseAdapter | 2 |
| W32N_GetLastError | 2 |
| W32N_SetBPFProgram | 2 |
| W32N_IsWindowsNT | 2 |
| W32N_PacketReadEx | 2 |
| W32N_OpenAdapterA | 2 |
| iso_nametocode3 | 2 |
| iso_code3tocode3 | 2 |
| RtlStatMemoryStream | 2 |
| EngAllocUserMem | 2 |
| EngFreeUserMem | 2 |
| EngDeleteFile | 2 |
| PlayFlashCenter | 2 |
| ?SetPageSize@CSkinDialog@@QAEXPBDH@ | 2 |
| ?SetPos@CSkinDialog@@QAEXPBDH@Z | 2 |
| ?SetRange@CSkinDialog@@QAEXPBDHH@Z | 2 |
| ?GetPos@CSkinDialog@@QAEHPBD@Z | 2 |
| mysql_num_rows | 2 |
| ScsiPortReadRegisterBufferUchar | 2 |
| CmCompareStringA | 2 |
| _DSGetDrawingSurface@8 | 2 |
| _DSFreeDrawingSurface@4 | 2 |
| _DSLockAWT@4 | 2 |
| _DSUnlockAWT@4 | 2 |
| _DSGetComponent@8 | 2 |
| gimp_export_dialog_get_content_area | 2 |
| gimp_export_dialog_new | 2 |
| gimp_export_image | 2 |
| g_ascii_table | 2 |
| g_open | 2 |
| gimp_image_delete | 2 |
| gimp_tile_height | 2 |
| av_destruct_packet | 2 |

| | |
|--|---|
| avcodec_find_encoder | 2 |
| avcodec_get_pix_fmt_name | 2 |
| avpicture_alloc | 2 |
| av_malloc | 2 |
| av_mallocz | 2 |
| av_strdup | 2 |
| __libm_sse2_sin | 2 |
| RegisterSpecialCase | 2 |
| FromCharset | 2 |
| config_PutPsz | 2 |
| dialog_ProgressCancelled | 2 |
| dialog_ProgressCreate | 2 |
| dialog_ProgressDestroy | 2 |
| input_item_GetName | 2 |
| input_item_GetTitleFbName | 2 |
| input_item_IsPreparsed | 2 |
| input_item_node_Delete | 2 |
| playlist_ChildSearchName | 2 |
| resolve_xml_special_chars | 2 |
| services_discovery_RemoveItem | 2 |
| vlc_object_hold | 2 |
| vlc_readdir | 2 |
| vlm_Delete | 2 |
| vlm_ExecuteCommand | 2 |
| vlm_New | 2 |
| ZWUnmapViewOfSection | 2 |
| CFW_MessageBox | 2 |
| CFW_GetRefreshProfileFlag | 2 |
| CFW_SetRefreshProfileFlag | 2 |
| CFW_CheckLink | 2 |
| iasConnectConnectionEntry | 2 |
| iasDisconnectConnectionEntry | 2 |
| iasEnumRasModemDevices | 2 |
| iasGetConnectionEntries | 2 |
| yprlog | 2 |
| NdrFixedArrayMarshall | 2 |
| wiasWritePropStr | 2 |
| wiasFormatArgs | 2 |
| wiasWriteBufToFile | 2 |
| wiasQueueEvent | 2 |
| @Dateutils@HoursBetween\$qqrx16System(| 2 |
| unzOpen2_64 | 2 |
| fill_win32_filefunc64 | 2 |
| Q_UNK | 2 |
| SetHotKey | 2 |
| MainWndChanged | 2 |
| UnInstallGear | 2 |

| | |
|--|---|
| InstallGear | 2 |
| SetSpeed | 2 |
| ?eq@?\$char_traits@G@std@@SA_NABG0@ | 2 |
| Direct3DCreate9Ex | 2 |
| BCP_columns | 2 |
| BCP_getcolfmt | 2 |
| ??0?\$basic_streambuf@DU?\$char_traits@D | 2 |
| ?toULongLong@QString@@QBE_KPA_NH@ | 2 |
| ?setApplicationVersion@QCoreApplication@ | 2 |
| ??0QCoreApplication@@QAE@AAHPAPAD@ | 2 |
| ?arg@QString@@QBE?AV1 @_JHHABVQCh@ | 2 |
| ??1QCoreApplication@@UAE@XZ | 2 |
| ?path@QDir@@QBE?AVQString@@XZ | 2 |
| ?metaObject@QThread@@UBEPBUQMetaC | 2 |
| ?restart@QTime@@QAEHXZ | 2 |
| ??0QVariant@@QAE@N@Z | 2 |
| ?absoluteDir@QFileInfo@@QBE?AVQDir@() | 2 |
| ?rename@QFile@@QAE_NABVQString@@(| 2 |
| ?append2@QListData@@QAEPAKABU1@ | 2 |
| ?fromNativeSeparators@QDir@@SA?AVQString | 2 |
| ?fileInfo@QDirIterator@@QBE?AVQFileInfo | 2 |
| ?fromStdString@QString@@SA?AV1@ABV? | 2 |
| ?transaction@ QSqlDatabase@@QAE_NXZ | 2 |
| ?commit@ QSqlDatabase@@QAE_NXZ | 2 |
| ?rollback@ QSqlDatabase@@QAE_NXZ | 2 |
| ?removeDatabase@ QSqlDatabase@@SAXAI | 2 |
| ?lastInsertId@ QSqlQuery@@QBE?AVQVariant | 2 |
| ?numRowsAffected@ QSqlQuery@@QBEHX; | 2 |
| ??1 QSqlRecord@@QAE@XZ | 2 |
| ?record@ QSqlQuery@@QBE?AV QSqlRecord | 2 |
| ?setForwardOnly@ QSqlQuery@@QAEX_N@ | 2 |
| ?value@ QSqlRecord@@QBE?AVQVariant@ | 2 |
| ?tables@ QSqlDatabase@@QBE?AVQStringL | 2 |
| ?_Xsgetn_s@?\$basic_streambuf@DU?\$char | 2 |
| gpg_err_code_from_syserror | 2 |
| gpg_strerror | 2 |
| usb_find_busses | 2 |
| CredUIConfirmCredentialsW | 2 |
| Cla\$EndEventLoops | 2 |
| Cla\$loadbtdate | 2 |
| Cla\$loadbttime | 2 |
| Cla\$StackDEFORMAT | 2 |
| _divdi3 | 2 |
| _moddi3 | 2 |
| _fseeko64 | 2 |
| g_file_dup | 2 |
| g_file_info_get_name | 2 |

| | |
|----------------------------|---|
| g_file_new_for_path | 2 |
| g_file_replace | 2 |
| g_input_stream_close | 2 |
| g_output_stream_close | 2 |
| g_output_stream_write | 2 |
| g_seekable_can_seek | 2 |
| g_seekable_get_type | 2 |
| g_seekable_seek | 2 |
| g_access | 2 |
| g_ascii_formatd | 2 |
| g_ascii_tolower | 2 |
| g_base64_decode_step | 2 |
| g_convert_with_fallback | 2 |
| g_convert_with_icconv | 2 |
| g_dir_open | 2 |
| g_dir_read_name | 2 |
| g_direct_equal | 2 |
| g_direct_hash | 2 |
| g_error_copy | 2 |
| g_error_new | 2 |
| g_error_new_literal | 2 |
| g_file_read_link | 2 |
| g_file_test | 2 |
| g_filename_display_name | 2 |
| g_filename_to_utf8 | 2 |
| g_getenv | 2 |
| g_hash_table_replace | 2 |
| g_hash_table_size | 2 |
| g_hash_table_steal | 2 |
| g_icconv_close | 2 |
| g_icconv_open | 2 |
| g_io_channel_read_to_end | 2 |
| g_io_channel_seek_position | 2 |
| g_io_channel_shutdown | 2 |
| g_list_insert_sorted | 2 |
| g_list_reverse | 2 |
| g_mkstemp | 2 |
| g_parse_debug_string | 2 |
| g_path_is_absolute | 2 |
| g_ptr_array_sized_new | 2 |
| g_realloc_n | 2 |
| g_slist_nth_data | 2 |
| g_string_append_unichar | 2 |
| g_string_prepend | 2 |
| g_string_prepend_c | 2 |
| g strtod | 2 |
| g_try_malloc_n | 2 |

| | |
|---|---|
| g_unichar_isspace | 2 |
| g_unichar_toupper | 2 |
| g_unlink | 2 |
| g_utf16_to_utf8 | 2 |
| g_utf8_get_char_validated | 2 |
| g_utf8_prev_char | 2 |
| g_utf8_strchr | 2 |
| g_utf8_to_utf16 | 2 |
| g_vsnprintf | 2 |
| g_enum_get_value | 2 |
| g_enum_get_value_by_name | 2 |
| g_enum_get_value_by_nick | 2 |
| g_flags_get_value_by_name | 2 |
| g_flags_get_value_by_nick | 2 |
| g_object_class_find_property | 2 |
| g_object_newv | 2 |
| g_param_spec_int64 | 2 |
| g_type_check_value | 2 |
| g_type_fundamental | 2 |
| g_value_get_char | 2 |
| g_value_get_float | 2 |
| g_value_get_int64 | 2 |
| g_value_get_long | 2 |
| g_value_get_uchar | 2 |
| g_value_get_ulong | 2 |
| g_value_register_transform_func | 2 |
| g_value_set_char | 2 |
| g_value_set_float | 2 |
| g_value_set_int64 | 2 |
| g_value_set_long | 2 |
| g_value_set_static_string | 2 |
| g_value_set_uchar | 2 |
| g_value_set_ulong | 2 |
| libintl_setlocale | 2 |
| xmlCreateIOParserCtxt | 2 |
| xmlGetPredefinedEntity | 2 |
| xmlNanoHTTPContentLength | 2 |
| xmlNanoHTTPOpen | 2 |
| xmlParseCharEncoding | 2 |
| xmlSaveFormatFileTo | 2 |
| RpcNsBindingImportDone | 2 |
| RpcNsMgmtEntryDeleteW | 2 |
| CreateInstance | 2 |
| RtlIpv4StringToAddressExW | 2 |
| RtlIpv4StringToAddressExA | 2 |
| ??_F?\$basic_ostringstream@GU?\$char_traits@_S@std@ | 2 |
| ?GetRegionColorStructPtr@CTaskData@@Q | 2 |

| | |
|--|---|
| ?QueryCatalogAdmin@CMachineAdmin@@ | 2 |
| ?GetCategory@CCatState@@QBEPBGI@Z | 2 |
| ?BreakOnDbgAndRenterLoop@@YGKXZ | 2 |
| ?SetPreferredLanguages@CMUILocale@@S | 2 |
| slfnp | 2 |
| slgfn | 2 |
| sqlclu | 2 |
| sqlprc | 2 |
| sqlald | 2 |
| ?ConvertSharedToExclusive@CSmallSpinLoc | 2 |
| regfree | 2 |
| ??4WSTRING@@QAEAAV0@ABV0@@@Z | 2 |
| ZwPrivilegeCheck | 2 |
| @System@@WStrSetLength\$qqrr17System@ | 2 |
| @System@@WStrFromPWCharLen\$qqrr17S | 2 |
| @System@TObject@ClassNameIs\$qqrp17S\ | 2 |
| @System@@Delete\$qqrv | 2 |
| @Sysutils@StrFmt\$qqrpct1px14System@TV | 2 |
| @Sysutils@AnsiLowerCase\$qqrx17System@ | 2 |
| @Variants@VarType\$qqrrx14System@Varia | 2 |
| @Typinfo@GetVariantProp\$qqrp14System@C | 2 |
| @Typinfo@GetFloatProp\$qqrp14System@T | 2 |
| @Typinfo@GetTypeData\$qqrp17Typinfo@T | 2 |
| @Classes@TWriter@Write\$qqrpvxi | 2 |
| @Classes@TReader@ReadSignature\$qqrv | 2 |
| @Classes@TReader@Read\$qqrpvi | 2 |
| @Classes@TFiler@\$bctr\$qqrp15Classes@TS | 2 |
| @Classes@TMemoryStream@LoadFromFile | 2 |
| @Classes@TCustomMemoryStream@SaveT | 2 |
| @Classes@TThreadList@Add\$qqrpv | 2 |
| @Classes@TWriter@ | 2 |
| @Classes@TReader@ | 2 |
| @Classes@EReadError@ | 2 |
| @Forms@TApplication@UnhookMainWindow | 2 |
| @Forms@TApplication@HookMainWindow | 2 |
| @Fibdatabase@initialization\$qqrv | 2 |
| @Fibdatabase@Finalization\$qqrv | 2 |
| @Fibdblogindlg@initialization\$qqrv | 2 |
| @Fibdblogindlg@Finalization\$qqrv | 2 |
| @Fibconsts@initialization\$qqrv | 2 |
| @Fibconsts@Finalization\$qqrv | 2 |
| @Fib@initialization\$qqrv | 2 |
| @Fib@Finalization\$qqrv | 2 |
| @Ib_exernals@initialization\$qqrv | 2 |
| @Ib_exernals@Finalization\$qqrv | 2 |
| @Stdfuncs@initialization\$qqrv | 2 |
| @Stdfuncs@Finalization\$qqrv | 2 |

| | |
|--|---|
| @Strutil@initialization\$qqrv | 2 |
| @Strutil@Finalization\$qqrv | 2 |
| @Lb_intf@initialization\$qqrv | 2 |
| @Lb_intf@Finalization\$qqrv | 2 |
| @Lb_installheader@initialization\$qqrv | 2 |
| @Lb_installheader@Finalization\$qqrv | 2 |
| @Lbase@initialization\$qqrv | 2 |
| @Lbase@Finalization\$qqrv | 2 |
| @Pfiberrorhandler@initialization\$qqrv | 2 |
| @Pfiberrorhandler@Finalization\$qqrv | 2 |
| @Fibquery@initialization\$qqrv | 2 |
| @Fibquery@Finalization\$qqrv | 2 |
| @Pfibarray@initialization\$qqrv | 2 |
| @Pfibarray@Finalization\$qqrv | 2 |
| @Pfibeventlists@initialization\$qqrv | 2 |
| @Pfibeventlists@Finalization\$qqrv | 2 |
| @Lbblobfilter@initialization\$qqrv | 2 |
| @Lbblobfilter@Finalization\$qqrv | 2 |
| @Pfibprops@initialization\$qqrv | 2 |
| @Pfibprops@Finalization\$qqrv | 2 |
| @Pfibcachequeries@initialization\$qqrv | 2 |
| @Pfibcachequeries@Finalization\$qqrv | 2 |
| @Pfibquery@initialization\$qqrv | 2 |
| @Pfibquery@Finalization\$qqrv | 2 |
| @Fibdataset@initialization\$qqrv | 2 |
| @Fibdataset@Finalization\$qqrv | 2 |
| @Fibmiscellaneous@initialization\$qqrv | 2 |
| @Fibmiscellaneous@Finalization\$qqrv | 2 |
| @Lb_errorcodes@initialization\$qqrv | 2 |
| @Lb_errorcodes@Finalization\$qqrv | 2 |
| @Variantrtn@initialization\$qqrv | 2 |
| @Variantrtn@Finalization\$qqrv | 2 |
| @Sqltxtrtns@initialization\$qqrv | 2 |
| @Sqltxtrtns@Finalization\$qqrv | 2 |
| @Fibsqlmonitor@initialization\$qqrv | 2 |
| @Fibsqlmonitor@Finalization\$qqrv | 2 |
| @Lb_services@initialization\$qqrv | 2 |
| @Lb_services@Finalization\$qqrv | 2 |
| @Dbparsers@initialization\$qqrv | 2 |
| @Dbparsers@Finalization\$qqrv | 2 |
| @Fibcachemanage@initialization\$qqrv | 2 |
| @Fibcachemanage@Finalization\$qqrv | 2 |
| @Pfiblists@initialization\$qqrv | 2 |
| @Pfiblists@Finalization\$qqrv | 2 |
| @Pfibfieldsdescr@initialization\$qqrv | 2 |
| @Pfibfieldsdescr@Finalization\$qqrv | 2 |
| @Pfibdatainfo@initialization\$qqrv | 2 |

| | |
|------------------------------------|---|
| @Pfibdatainfo@Finalization\$qqrv | 2 |
| @Pfibdatabase@initialization\$qqrv | 2 |
| @Pfibdatabase@Finalization\$qqrv | 2 |
| @Pfibdatabase@TpFIBDatabase@ | 2 |
| @Pfibdataset@initialization\$qqrv | 2 |
| @Pfibdataset@Finalization\$qqrv | 2 |
| @Dscontainer@initialization\$qqrv | 2 |
| @Dscontainer@Finalization\$qqrv | 2 |
| @Commonib@initialization\$qqrv | 2 |
| @Commonib@Finalization\$qqrv | 2 |
| @Regutils@initialization\$qqrv | 2 |
| @Regutils@Finalization\$qqrv | 2 |
| @Pappstatinfo@initialization\$qqrv | 2 |
| @Pappstatinfo@Finalization\$qqrv | 2 |
| I_NetLogonUasLogon | 2 |
| QScheduleConvertTimeToString | 2 |
| QScheduleConvertDateToString | 2 |
| QScheduleTimeModify | 2 |
| SHMemCleanUp | 2 |
| SHMemFreeFromHeapWithInfo | 2 |
| SHMemReAllocFromHeapWithInfo | 2 |
| SHMemAllocFromHeapWithInfo | 2 |
| SHMemInit | 2 |
| QNetPing | 2 |
| QScheduleCalcNextOccurrence | 2 |
| QScheduleConvertValToTimeStruct | 2 |
| QScheduleConvertValToDateStruct | 2 |
| QSQLRowsAffected | 2 |
| QSQLRowType | 2 |
| QSQLSetProperty | 2 |
| QSQLExecDirectAsync | 2 |
| QSQLNextRowAsync | 2 |
| QSQLGetProperty | 2 |
| QSQLMoreResultsAsync | 2 |
| QSQLCancelQuery | 2 |
| SHRecMemBSInsert | 2 |
| QScheduleSecToHourFormat | 2 |
| QSQLGetUserData | 2 |
| QSQLSetUserData | 2 |
| QSQLPurgeExec | 2 |
| SQLSCMControl | 2 |
| SQLSCMGetServiceState | 2 |
| QScheduleGetCurDateTime | 2 |
| QScheduleConvertTimeStructToVal | 2 |
| QScheduleGetTimeDelta | 2 |
| SHRecMemBSLocate | 2 |
| SFMapi1ResolveName | 2 |

| | |
|--|------|
| SFMapi1GetNumProfiles | 2 |
| SFMapi1GetProfiles | 2 |
| SFMapi0GetProfiles | 2 |
| SFMapi1TestProfile | 2 |
| SFMapi0TestProfile | 2 |
| SFMapi1SendMail | 2 |
| SFMapi1GetMapiVerInfo | 2 |
| SFMapi1CanUseMAPI | 2 |
| SFMapi1Initialize | 2 |
| SFMapi1Logon | 2 |
| SFMapi1GetLastError | 2 |
| SFMapi1DeInitialize | 2 |
| SFMapi1Version | 2 |
| SFMapi1Logoff | 2 |
| _AdrOpenSampleSource@8 | 2 |
| | 1234 |
| ??_Ostd@@YAAAV?\$complex@M@0@AAV | 2 |
| ??_Fcodecvt_base@std@@QAEXXZ | 2 |
| ?endIntSubset@AbstractDOMParser@xerces | 2 |
| ?endExtSubset@AbstractDOMParser@xerces | 2 |
| ?entityDecl@AbstractDOMParser@xercesc_ | 2 |
| ?resetDocType@AbstractDOMParser@xerces | 2 |
| ?notationDecl@AbstractDOMParser@xerces | 2 |
| ?startAttList@AbstractDOMParser@xercesc_ | 2 |
| ?startIntSubset@AbstractDOMParser@xerces | 2 |
| ?startExtSubset@AbstractDOMParser@xerces | 2 |
| ?TextDecl@AbstractDOMParser@xercesc_2_ | 2 |
| ?handleElementPSVI@AbstractDOMParser@ | 2 |
| ?handlePartialElementPSVI@AbstractDOMP | 2 |
| ?handleAttributesPSVI@AbstractDOMParser | 2 |
| ??1XercesDOMParser@xercesc_2_8@@UAE | 2 |
| ?endAttList@AbstractDOMParser@xercesc_ | 2 |
| ?elementDecl@AbstractDOMParser@xerces | 2 |
| ?doctypeWhitespace@AbstractDOMParser@ | 2 |
| ?doctypePI@AbstractDOMParser@xercesc_ | 2 |
| ?doctypeDecl@AbstractDOMParser@xerces | 2 |
| ?doctypeComment@AbstractDOMParser@x | 2 |
| ?attDef@AbstractDOMParser@xercesc_2_8 | 2 |
| ?startInputSource@XercesDOMParser@xer | 2 |
| ?resolveEntity@XercesDOMParser@xercesc | 2 |
| ?resolveEntity@XercesDOMParser@xercesc | 2 |
| ?resetEntities@XercesDOMParser@xercesc | 2 |
| ?expandSystemId@XercesDOMParser@xerc | 2 |
| ?endInputSource@XercesDOMParser@xerc | 2 |
| ?resetErrors@XercesDOMParser@xercesc_2 | 2 |
| ?error@XercesDOMParser@xercesc_2_8@() | 2 |
| ?createElementNSNode@AbstractDOMParse | 2 |

| | |
|--|---|
| ?setPSVIHandler@AbstractDOMParser@xerces_2_8@ | 2 |
| ?elementTypeInfo@AbstractDOMParser@xerces_2_8@ | 2 |
| ?XMLDecl@AbstractDOMParser@xercesc_2_8@ | 2 |
| ?startEntityReference@AbstractDOMParser@xerces_2_8@ | 2 |
| ?startElement@AbstractDOMParser@xercesc_2_8@ | 2 |
| ?startDocument@AbstractDOMParser@xercesc_2_8@ | 2 |
| ?resetDocument@AbstractDOMParser@xercesc_2_8@ | 2 |
| ?ignorableWhitespace@AbstractDOMParser@xercesc_2_8@ | 2 |
| ?endEntityReference@AbstractDOMParser@xercesc_2_8@ | 2 |
| ?endElement@AbstractDOMParser@xercesc_2_8@ | 2 |
| ?endDocument@AbstractDOMParser@xercesc_2_8@ | 2 |
| ?docPI@AbstractDOMParser@xercesc_2_8@ | 2 |
| ?docComment@AbstractDOMParser@xercesc_2_8@ | 2 |
| ?docCharacters@AbstractDOMParser@xercesc_2_8@ | 2 |
| ??0XercesDOMParser@xercesc_2_8@@QAE | 2 |
| ??0MemBufInputSource@xercesc_2_8@@C | 2 |
| ?setLoadExternalDTD@AbstractDOMParser@xercesc_2_8@ | 2 |
| ?setErrorHandler@XercesDOMParser@xercesc_2_8@ | 2 |
| ?parse@AbstractDOMParser@xercesc_2_8@ | 2 |
| ?adoptDocument@AbstractDOMParser@xercesc_2_8@ | 2 |
| ??1MemBufInputSource@xercesc_2_8@@L | 2 |
| ?getColumnName@SAXParseException@xercesc_2_8@ | 2 |
| ?getLineNumber@SAXParseException@xercesc_2_8@ | 2 |
| ??1MemBufFormatTarget@xercesc_2_8@@ | 2 |
| ?flush@XMLFormatTarget@xercesc_2_8@ | 2 |
| ?writeChars@MemBufFormatTarget@xercesc_2_8@ | 2 |
| ?getDOMImplementation@DOMImplementation@xercesc_2_8@ | 2 |
| ?fgMemoryManager@XMLPlatformUtils@xercesc_2_8@ | 2 |
| ?fgDOMWRTSplitCdataSections@XMLUni@xercesc_2_8@ | 2 |
| ?fgDOMWRTDiscardDefaultContent@XMLUni@xercesc_2_8@ | 2 |
| ?fgDOMWRTFormatPrettyPrint@XMLUni@xercesc_2_8@ | 2 |
| ?fgDOMWRTBOM@XMLUni@xercesc_2_8@ | 2 |
| ??2XMemory@xercesc_2_8@@@SAPAXI@Z | 2 |
| ??0MemBufFormatTarget@xercesc_2_8@@ | 2 |
| ?getRawBuffer@MemBufFormatTarget@xercesc_2_8@ | 2 |
| ??3XMemory@xercesc_2_8@@@SAXPAX@Z | 2 |
| ??_7ErrorHandler@xercesc_2_8@@@6B@ | 2 |
| ?getSrcFile@XMLException@xercesc_2_8@ | 2 |
| ?Terminate@XMLPlatformUtils@xercesc_2_8@ | 2 |
| ?fgXercescDefaultLocale@XMLUni@xercesc_2_8@ | 2 |
| ?Initialize@XMLPlatformUtils@xercesc_2_8@ | 2 |
| ?insert@?\$basic_string@_WU?\$char_traits@_WU@ | 2 |
| @Jvctrls@initialization\$qqrv | 2 |
| _libiconv_version | 2 |
| iconv_canonicalize | 2 |
| libiconvctl | 2 |
| libiconvlist | 2 |

| | |
|--|----------|
| 7D6C4735 | 2 |
| 6A39427C | 2 |
| 084890D1 | 2 |
| AE80941A | 2 |
| 1B980E57 | 2 |
| 5A2D76D8 | 2 |
| 340939DB | 2 |
| 05B72097 | 2 |
| 1938AF9E | 2 |
| D0AACB16 | 2 |
| | 71820056 |
| FE17E0BE | 2 |
| 88C12520 | 2 |
| 963CA77A | 2 |
| 60AEA827 | 2 |
| 9F602C17 | 2 |
| 6B816C25 | 2 |
| 9D225172 | 2 |
| 8191AADD | 2 |
| E3E0291A | 2 |
| 4575083D | 2 |
| 2B3C5A72 | 2 |
| A18E9C56 | 2 |
| BC141E28 | 2 |
| 36CC3BF5 | 2 |
| 49E77BA2 | 2 |
| C5A0D3FD | 2 |
| D90D5DF3 | 2 |
| 5FE86DA4 | 2 |
| CDF9A2DF | 2 |
| CF387AFD | 2 |
| A4057B0E | 2 |
| 068C69F6 | 2 |
| 7978331C | 2 |
| 93FBDA55 | 2 |
| 73D0B584 | 2 |
| 8D2374DB | 2 |
| 648736EE | 2 |
| ??1?\$time_get@DV?\$istreambuf_iterator@ | 2 |
| ??_F?\$moneypunct@D\$0A@@std@@QAEX | 2 |
| ?do_frac_digits@?\$_Mpunct@G@std@@M | 2 |
| ?insert@?\$basic_string@GU?\$char_traits@I | 2 |
| ?_Init_cnt@_Winit@std@@OHA | 2 |
| ?_Init@?\$money_put@GV?\$ostreambuf_it | 2 |
| ?round_error@?\$numeric_limits@D@std@ | 2 |
| GetActionTimeslice | 2 |
| ??0?\$basic_istream@DU?\$char_traits@D@: | 2 |

| | |
|---|---|
| UnregisterApplicationRecoveryCallback | 2 |
| UnregisterApplicationRestart | 2 |
| SetGestureConfig | 2 |
| WinSqmSetIfMaxDWORD | 2 |
| SetCurrentProcessExplicitAppUserModelID | 2 |
| DwmInvalidateIconicBitmaps | 2 |
| DwmSetIconicLivePreviewBitmap | 2 |
| ?Register@HWNDHost@DirectUI@@SGJXZ | 2 |
| ?GetClassInfoPtr@HWNDHost@DirectUI@@@ | 2 |
| ?SetAbsorbsShortcut@Element@DirectUI@i | 2 |
| ?Initialize@HWNDHost@DirectUI@@QAEJII | 2 |
| ?CreateElement@DUIXmlParser@DirectUI@ | 2 |
| ?SetAccValue@Element@DirectUI@@QAEJI | 2 |
| ??0WNDHost@DirectUI@@QAE@XZ | 2 |
| ?OnInput@HWNDHost@DirectUI@@UAEXP | 2 |
| ?EraseBkgnd@HWNDHost@DirectUI@@MA | 2 |
| ?SetWindowDirection@HWNDHost@Directl | 2 |
| ?OnAdjustWindowSize@HWNDHost@Direct | 2 |
| ?OnWindowSizeChanged@HWNDHost@Diric | 2 |
| ?OnCtrlThemeChanged@HWNDHost@Direc | 2 |
| ?OnSinkThemeChanged@HWNDHost@Direc | 2 |
| ?OnSysChar@HWNDHost@DirectUI@@UAE | 2 |
| ?GetHWND@HWNDHost@DirectUI@@UAE | 2 |
| ?GetAccessibleImpl@HWNDHost@DirectUI(| 2 |
| ?GetKeyFocused@HWNDHost@DirectUI@i | 2 |
| ?OnUnHosted@HWNDHost@DirectUI@@M | 2 |
| ?OnHosted@HWNDHost@DirectUI@@MAE | 2 |
| ?MessageCallback@HWNDHost@DirectUI@ | 2 |
| ?SetKeyFocus@HWNDHost@DirectUI@@U/ | 2 |
| ?Paint@HWNDHost@DirectUI@@UAEXPAN | 2 |
| ?OnDestroy@HWNDHost@DirectUI@@UAE | 2 |
| ??1WNDHost@DirectUI@@UAE@XZ | 2 |
| ?SetDirection@Element@DirectUI@@QAEJI | 2 |
| ?EnabledProp@Element@DirectUI@@SGPB | 2 |
| ?OnPropertyChanged@HWNDHost@Directl | 2 |
| ?OnEvent@HWNDHost@DirectUI@@UAEXF | 2 |
| ?BackgroundProp@Element@DirectUI@@S | 2 |
| ?GetFill@Value@DirectUI@@QAEPUFill@: | 2 |
| ?UpdateSheets@DUIXmlParser@DirectUI@i | 2 |
| ?WindowActiveProp@Element@DirectUI@() | 2 |
| ?GetSheet@DUIXmlParser@DirectUI@@QA | 2 |
| ?SheetProp@Element@DirectUI@@SGPBUI | 2 |
| ?GetWindowActive@Element@DirectUI@@ | 2 |
| ?MouseWithinProp@Element@DirectUI@@ | 2 |
| ?GetBool@Value@DirectUI@@QAE_NXZ | 2 |
| ?SetWindowActive@Element@DirectUI@@ | 2 |
| GdipDrawImagePoints | 2 |

| | |
|--|---|
| SetProcessAffinityUpdateMode | 2 |
| RegDisablePredefinedCacheEx | 2 |
| @System@Classes@TComponent@QueryIn | 2 |
| @System@Classes@TComponent@UpdateF | 2 |
| @System@Classes@TComponent@SafeCall | 2 |
| @System@Classes@TComponent@CanObse | 2 |
| @System@Classes@TComponent@UpdateA | 2 |
| @System@Classes@TComponent@GetObse | 2 |
| @System@Classes@TComponent@SetName | 2 |
| @System@Classes@TComponent@Validate | 2 |
| @System@Classes@TComponent@WriteSt | 2 |
| @System@Classes@TComponent@Loaded\$ | 2 |
| @System@Classes@TComponent@Notifica | 2 |
| @System@Classes@TPersistent@AssignTo\$ | 2 |
| @System@Classes@TPersistent@Assign\$qc | 2 |
| @Vcl@Axctrls@initialization\$qqrv | 2 |
| @Vcl@Axctrls@Finalization\$qqrv | 2 |
| @Vcl@Grids@TDrawGrid@\$bcctr\$qqrv | 2 |
| @Vcl@Grids@TStringGrid@\$bcctr\$qqrv | 2 |
| @Vcl@Grids@TCustomDrawGrid@\$bcctr\$q | 2 |
| @Vcl@Grids@TCustomGrid@\$bcctr\$qqrv | 2 |
| @Vcl@Grids@TStringGrid@\$bcdtr\$qqrv | 2 |
| @Vcl@Grids@TDrawGrid@\$bcdtr\$qqrv | 2 |
| @Vcl@Grids@TCustomDrawGrid@\$bcdtr\$q | 2 |
| @Vcl@Grids@TCustomGrid@\$bcdtr\$qqrv | 2 |
| @Envvariableframe@initialization\$qqrv | 2 |
| @Envvariableframe@Finalization\$qqrv | 2 |
| @Splash@initialization\$qqrv | 2 |
| @Splash@Finalization\$qqrv | 2 |
| @Appconfig@initialization\$qqrv | 2 |
| @Appconfig@Finalization\$qqrv | 2 |
| @Debugapi@initialization\$qqrv | 2 |
| @Debugapi@Finalization\$qqrv | 2 |
| @Perfmon@initialization\$qqrv | 2 |
| @Perfmon@Finalization\$qqrv | 2 |
| @Idetimerservices@initialization\$qqrv | 2 |
| @Idetimerservices@Finalization\$qqrv | 2 |
| @Baseoptionsfrm@initialization\$qqrv | 2 |
| @Baseoptionsfrm@Finalization\$qqrv | 2 |
| @Vcl@Xpstyleactnctrls@initialization\$qqrv | 2 |
| @Vcl@Xpstyleactnctrls@Finalization\$qqrv | 2 |
| @Vcl@Appevnts@initialization\$qqrv | 2 |
| @Vcl@Appevnts@Finalization\$qqrv | 2 |
| @Treeintf@initialization\$qqrv | 2 |
| @Treeintf@Finalization\$qqrv | 2 |
| @Toplevels@initialization\$qqrv | 2 |
| @Toplevels@Finalization\$qqrv | 2 |

| | |
|---|---|
| @Idehelp@initialization\$qqrv | 2 |
| @Idehelp@Finalization\$qqrv | 2 |
| @Componentdesigner@initialization\$qqrv | 2 |
| @Componentdesigner@Finalization\$qqrv | 2 |
| @Editorviewsupport@initialization\$qqrv | 2 |
| @Editorviewsupport@Finalization\$qqrv | 2 |
| @Idevtaccessibilityfactory@initialization\$qq | 2 |
| @Idevtaccessibilityfactory@Finalization\$qqr | 2 |
| @Idevirtualtrees@initialization\$qqrv | 2 |
| @Idevirtualtrees@Finalization\$qqrv | 2 |
| @Processutil@initialization\$qqrv | 2 |
| @Processutil@Finalization\$qqrv | 2 |
| @Containerintf@initialization\$qqrv | 2 |
| @Containerintf@Finalization\$qqrv | 2 |
| @Projectitemsort@initialization\$qqrv | 2 |
| @Projectitemsort@Finalization\$qqrv | 2 |
| @Buildeventintf@initialization\$qqrv | 2 |
| @Buildeventintf@Finalization\$qqrv | 2 |
| @Containermgr@initialization\$qqrv | 2 |
| @Containermgr@Finalization\$qqrv | 2 |
| @Filters@initialization\$qqrv | 2 |
| @Filters@Finalization\$qqrv | 2 |
| @System@Rtti@initialization\$qqrv | 2 |
| @System@Rtti@Finalization\$qqrv | 2 |
| @Vcl@Olectrls@initialization\$qqrv | 2 |
| @Vcl@Olectrls@Finalization\$qqrv | 2 |
| @Vcl@Oleserver@initialization\$qqrv | 2 |
| @Vcl@Oleserver@Finalization\$qqrv | 2 |
| @System@Win@Comobjwrapper@initializa | 2 |
| @System@Win@Comobjwrapper@Finalizat | 2 |
| @Webbrowserex@initialization\$qqrv | 2 |
| @Webbrowserex@Finalization\$qqrv | 2 |
| @Ideasyncprotocol@initialization\$qqrv | 2 |
| @Ideasyncprotocol@Finalization\$qqrv | 2 |
| @Helpinsight@initialization\$qqrv | 2 |
| @Helpinsight@Finalization\$qqrv | 2 |
| @Xml@Xmlsruptags@initialization\$qqrv | 2 |
| @Xml@Xmlsruptags@Finalization\$qqrv | 2 |
| @Xml@Xmlsruptags@initialization\$qqrv | 2 |
| @Xml@Xmlsruptags@Finalization\$qqrv | 2 |
| @Xml@Xmldoc@initialization\$qqrv | 2 |
| @Xml@Xmldoc@Finalization\$qqrv | 2 |
| @Galtemplatelibs@initialization\$qqrv | 2 |
| @Galtemplatelibs@Finalization\$qqrv | 2 |
| @Objectrepos@initialization\$qqrv | 2 |
| @Objectrepos@Finalization\$qqrv | 2 |
| @Expertfilter@initialization\$qqrv | 2 |

| | |
|--|---|
| @Expertfilter@Finalization\$qqrv | 2 |
| @Transactions@initialization\$qqrv | 2 |
| @Transactions@Finalization\$qqrv | 2 |
| @Licenseintf@initialization\$qqrv | 2 |
| @Licenseintf@Finalization\$qqrv | 2 |
| @Moduledirectoryservices@initialization\$qqrv | 2 |
| @Moduledirectoryservices@Finalization\$qqrv | 2 |
| @Node@initialization\$qqrv | 2 |
| @Node@Finalization\$qqrv | 2 |
| @Saxreader@initialization\$qqrv | 2 |
| @Saxreader@Finalization\$qqrv | 2 |
| @Projectreadwrite@TXmlReader@\$bcdtr\$qqrv | 2 |
| @Projectreadwrite@TXmlReader@\$bcctr\$qqrv | 2 |
| @Msbnodes@initialization\$qqrv | 2 |
| @Msbnodes@Finalization\$qqrv | 2 |
| @Msbprojectwrapper@initialization\$qqrv | 2 |
| @Msbprojectwrapper@Finalization\$qqrv | 2 |
| @Buildhost@initialization\$qqrv | 2 |
| @Buildhost@Finalization\$qqrv | 2 |
| @Msbuild@initialization\$qqrv | 2 |
| @Msbuild@Finalization\$qqrv | 2 |
| @Projectgroupbuilder@initialization\$qqrv | 2 |
| @Projectgroupbuilder@Finalization\$qqrv | 2 |
| @Buildgroups@initialization\$qqrv | 2 |
| @Buildgroups@Finalization\$qqrv | 2 |
| @Projectgroup@initialization\$qqrv | 2 |
| @Projectgroup@Finalization\$qqrv | 2 |
| @Macrouils@initialization\$qqrv | 2 |
| @Macrouils@Finalization\$qqrv | 2 |
| @Msbpropertygroup@initialization\$qqrv | 2 |
| @Msbpropertygroup@Finalization\$qqrv | 2 |
| @Optioninfo@initialization\$qqrv | 2 |
| @Optioninfo@Finalization\$qqrv | 2 |
| @Configurationimages@initialization\$qqrv | 2 |
| @Configurationimages@Finalization\$qqrv | 2 |
| @Vcleditors@initialization\$qqrv | 2 |
| @Vcleditors@Finalization\$qqrv | 2 |
| @Vcleditors@TActionResourceCache@\$bcdtr\$qqrv | 2 |
| @Vcleditors@TActionResourceCache@\$bcctr\$qqrv | 2 |
| @Propertycategories@initialization\$qqrv | 2 |
| @Propertycategories@Finalization\$qqrv | 2 |
| @Optioneditors@initialization\$qqrv | 2 |
| @Optioneditors@Finalization\$qqrv | 2 |
| @Platformawarepropertysheet@initialization\$qqrv | 2 |
| @Platformawarepropertysheet@Finalization\$qqrv | 2 |
| @Taskoptionspage@initialization\$qqrv | 2 |
| @Taskoptionspage@Finalization\$qqrv | 2 |

| | |
|--|---|
| @Platformcmds@initialization\$qqrv | 2 |
| @Platformcmds@Finalization\$qqrv | 2 |
| @Namedoptionset@initialization\$qqrv | 2 |
| @Namedoptionset@Finalization\$qqrv | 2 |
| @Msbuildconfigmanager@initialization\$qqrv | 2 |
| @Msbuildconfigmanager@Finalization\$qqrv | 2 |
| @System@Regularexpressions@initializatio | 2 |
| @System@Regularexpressions@Finalization | 2 |
| @Buildevents@initialization\$qqrv | 2 |
| @Buildevents@Finalization\$qqrv | 2 |
| @Projectupgrade@initialization\$qqrv | 2 |
| @Projectupgrade@Finalization\$qqrv | 2 |
| @Projectupgradeenvoptions@initialization\$ | 2 |
| @Projectupgradeenvoptions@Finalization\$c | 2 |
| @Projectmodule@initialization\$qqrv | 2 |
| @Projectmodule@Finalization\$qqrv | 2 |
| @Projectfileutils@initialization\$qqrv | 2 |
| @Projectfileutils@Finalization\$qqrv | 2 |
| @Versioncontrol@initialization\$qqrv | 2 |
| @Versioncontrol@Finalization\$qqrv | 2 |
| @Idevirtualsystemimagelists@initialization\$ | 2 |
| @Idevirtualsystemimagelists@Finalization\$c | 2 |
| @Sourcetemplate@initialization\$qqrv | 2 |
| @Sourcetemplate@Finalization\$qqrv | 2 |
| @Ideinsightcmds@initialization\$qqrv | 2 |
| @Ideinsightcmds@Finalization\$qqrv | 2 |
| @Coreviewcmds@initialization\$qqrv | 2 |
| @Coreviewcmds@Finalization\$qqrv | 2 |
| @Winapi@Gdipobj@initialization\$qqrv | 2 |
| @Winapi@Gdipobj@Finalization\$qqrv | 2 |
| @Vcl@Categorybuttons@initialization\$qqrv | 2 |
| @Vcl@Categorybuttons@Finalization\$qqrv | 2 |
| @Vcl@Categorybuttons@TCategoryButtons | 2 |
| @Vcl@Categorybuttons@TCategoryButtons | 2 |
| @Vcl@Buttongroup@TButtonGroup@\$bcc | 2 |
| @Vcl@Buttongroup@TButtonGroup@\$bcd | 2 |
| @Idemuistringsupport@initialization\$qqrv | 2 |
| @Idemuistringsupport@Finalization\$qqrv | 2 |
| @Idecustomcursors@initialization\$qqrv | 2 |
| @Idecustomcursors@Finalization\$qqrv | 2 |
| @Projnewmenu@initialization\$qqrv | 2 |
| @Projnewmenu@Finalization\$qqrv | 2 |
| @Projectmanagermenus@initialization\$qqrv | 2 |
| @Projectmanagermenus@Finalization\$qqrv | 2 |
| @Configurationcontainer@initialization\$qqrv | 2 |
| @Configurationcontainer@Finalization\$qqrv | 2 |
| @Appinit@initialization\$qqrv | 2 |

| | |
|--|---|
| @Appinit@Finalization\$qqrv | 2 |
| @Frameworkapi@initialization\$qqrv | 2 |
| @Frameworkapi@Finalization\$qqrv | 2 |
| @Syncedit@initialization\$qqrv | 2 |
| @Syncedit@Finalization\$qqrv | 2 |
| @Otaeditview@initialization\$qqrv | 2 |
| @Otaeditview@Finalization\$qqrv | 2 |
| @Searchhighlighter@initialization\$qqrv | 2 |
| @Searchhighlighter@Finalization\$qqrv | 2 |
| @Editorform@initialization\$qqrv | 2 |
| @Editorform@Finalization\$qqrv | 2 |
| @Loadprocessdlg@initialization\$qqrv | 2 |
| @Loadprocessdlg@Finalization\$qqrv | 2 |
| @Codcmpltide@initialization\$qqrv | 2 |
| @Codcmpltide@Finalization\$qqrv | 2 |
| @Envoptions@TEnvironmentOptions@ | 2 |
| @Platforms@initialization\$qqrv | 2 |
| @Platforms@Finalization\$qqrv | 2 |
| @Tasksintf@initialization\$qqrv | 2 |
| @Tasksintf@Finalization\$qqrv | 2 |
| @Configuration intf@initialization\$qqrv | 2 |
| @Configuration intf@Finalization\$qqrv | 2 |
| @Codemgr@TOrdinalStringComparer@\$bcc | 2 |
| @Codemgr@TOrdinalStringComparer@\$bcc | 2 |
| @Aboutboxservices@initialization\$qqrv | 2 |
| @Aboutboxservices@Finalization\$qqrv | 2 |
| @Expertreg@initialization\$qqrv | 2 |
| @Expertreg@Finalization\$qqrv | 2 |
| @Otadockableform@initialization\$qqrv | 2 |
| @Otadockableform@Finalization\$qqrv | 2 |
| @Idevirtualresources@initialization\$qqrv | 2 |
| @Idevirtualresources@Finalization\$qqrv | 2 |
| @Idevirtualunicodedefines@initialization\$qq | 2 |
| @Idevirtualunicodedefines@Finalization\$qq | 2 |
| @Idevirtualwidestrings@initialization\$qqrv | 2 |
| @Idevirtualwidestrings@Finalization\$qqrv | 2 |
| @Idevirtualdataobject@initialization\$qqrv | 2 |
| @Idevirtualdataobject@Finalization\$qqrv | 2 |
| @Idevirtualshellnotifier@initialization\$qqrv | 2 |
| @Idevirtualshellnotifier@Finalization\$qqrv | 2 |
| @Idevirtualnamespace@initialization\$qqrv | 2 |
| @Idevirtualnamespace@Finalization\$qqrv | 2 |
| @Idevirtualpidltools@initialization\$qqrv | 2 |
| @Idevirtualpidltools@Finalization\$qqrv | 2 |
| @Idevirtualshellutilities@initialization\$qqrv | 2 |
| @Idevirtualshellutilities@Finalization\$qqrv | 2 |
| @Idevirtualconthread@initialization\$qqrv | 2 |

| | |
|--|---|
| @Idevirtualiconthread@Finalization\$qqrv | 2 |
| @Idevirtualunicodecontrols@initialization\$qqrv | 2 |
| @Idevirtualunicodecontrols@Finalization\$qqrv | 2 |
| @Idevirtualexplorertree@initialization\$qqrv | 2 |
| @Idevirtualexplorertree@Finalization\$qqrv | 2 |
| @Otaaddinoptions@initialization\$qqrv | 2 |
| @Otaaddinoptions@Finalization\$qqrv | 2 |
| @Otaaddinoptionsideinsightitems@initialization\$qqrv | 2 |
| @Otaaddinoptionsideinsightitems@Finalization\$qqrv | 2 |
| @Diffviewermanager@initialization\$qqrv | 2 |
| @Diffviewermanager@Finalization\$qqrv | 2 |
| @Expandableevaltree@initialization\$qqrv | 2 |
| @Expandableevaltree@Finalization\$qqrv | 2 |
| @Editorcontrol@initialization\$qqrv | 2 |
| @Editorcontrol@Finalization\$qqrv | 2 |
| @Editorbuffer@initialization\$qqrv | 2 |
| @Editorbuffer@Finalization\$qqrv | 2 |
| @Sourcemodeule@initialization\$qqrv | 2 |
| @Sourcemodeule@Finalization\$qqrv | 2 |
| @Createupdaters@initialization\$qqrv | 2 |
| @Createupdaters@Finalization\$qqrv | 2 |
| @Delphigalleryitems@initialization\$qqrv | 2 |
| @Delphigalleryitems@Finalization\$qqrv | 2 |
| @Wizardapi@initialization\$qqrv | 2 |
| @Wizardapi@Finalization\$qqrv | 2 |
| @Existingpackagewizard@initialization\$qqrv | 2 |
| @Existingpackagewizard@Finalization\$qqrv | 2 |
| @Idechecklst@initialization\$qqrv | 2 |
| @Idechecklst@Finalization\$qqrv | 2 |
| @Modexplorerpage@initialization\$qqrv | 2 |
| @Modexplorerpage@Finalization\$qqrv | 2 |
| @Modexploreroptions@initialization\$qqrv | 2 |
| @Modexploreroptions@Finalization\$qqrv | 2 |
| @Pascodcmplt@initialization\$qqrv | 2 |
| @Pascodcmplt@Finalization\$qqrv | 2 |
| @Pascfilehandler@initialization\$qqrv | 2 |
| @Pascfilehandler@Finalization\$qqrv | 2 |
| @Embeddeddesignerform@initialization\$qqrv | 2 |
| @Embeddeddesignerform@Finalization\$qqrv | 2 |
| @Metasupport@initialization\$qqrv | 2 |
| @Metasupport@Finalization\$qqrv | 2 |
| @Objecttreeview@initialization\$qqrv | 2 |
| @Objecttreeview@Finalization\$qqrv | 2 |
| @Envinitialize@initialization\$qqrv | 2 |
| @Envinitialize@Finalization\$qqrv | 2 |
| @Commonpasreg@initialization\$qqrv | 2 |
| @Commonpasreg@Finalization\$qqrv | 2 |

| | |
|---|---|
| @Basepasprojopts@initialization\$qqrv | 2 |
| @Basepasprojopts@Finalization\$qqrv | 2 |
| @Appoutputoptionspage@initialization\$qqrv | 2 |
| @Appoutputoptionspage@Finalization\$qqrv | 2 |
| @Basedelphiproject@initialization\$qqrv | 2 |
| @Basedelphiproject@Finalization\$qqrv | 2 |
| @Resourceitemcontainer@initialization\$qqrv | 2 |
| @Resourceitemcontainer@Finalization\$qqrv | 2 |
| @Delphimodule@initialization\$qqrv | 2 |
| @Delphimodule@Finalization\$qqrv | 2 |
| @Delphimodule@TPascalCodeMgrModHandle\$qqrv | 2 |
| @Delphimodule@TPascalCodeMgrModHandle\$qqrv | 2 |
| @Comppalmgr@initialization\$qqrv | 2 |
| @Comppalmgr@Finalization\$qqrv | 2 |
| @Palettenewitems@initialization\$qqrv | 2 |
| @Palettenewitems@Finalization\$qqrv | 2 |
| @Pascpppakmgr@initialization\$qqrv | 2 |
| @Pascppakmgr@Finalization\$qqrv | 2 |
| @Pascppcominout@initialization\$qqrv | 2 |
| @Pascppcominout@Finalization\$qqrv | 2 |
| @Basepascomintf@initialization\$qqrv | 2 |
| @Basepascomintf@Finalization\$qqrv | 2 |
| @Pascppcompopts@initialization\$qqrv | 2 |
| @Pascppcompopts@Finalization\$qqrv | 2 |
| @Boeoptsintf@initialization\$qqrv | 2 |
| @Boeoptsintf@Finalization\$qqrv | 2 |
| @Cppmoduleexplorer@initialization\$qqrv | 2 |
| @Cppmoduleexplorer@Finalization\$qqrv | 2 |
| @Cppmodule@initialization\$qqrv | 2 |
| @Cppmodule@Finalization\$qqrv | 2 |
| @Idlmodul@initialization\$qqrv | 2 |
| @Idlmodul@Finalization\$qqrv | 2 |
| @Cppoptintf@initialization\$qqrv | 2 |
| @Cppoptintf@Finalization\$qqrv | 2 |
| @Cppcrtrs@initialization\$qqrv | 2 |
| @Cppcrtrs@Finalization\$qqrv | 2 |
| @Cpliboptions@initialization\$qqrv | 2 |
| @Cpliboptions@Finalization\$qqrv | 2 |
| @Cppaddinoptions@initialization\$qqrv | 2 |
| @Cppaddinoptions@Finalization\$qqrv | 2 |
| @Cppaddinprojopts@initialization\$qqrv | 2 |
| @Cppaddinprojopts@Finalization\$qqrv | 2 |
| @Msbprojopts@initialization\$qqrv | 2 |
| @Msbprojopts@Finalization\$qqrv | 2 |
| @Cppproject@initialization\$qqrv | 2 |
| @Cppproject@Finalization\$qqrv | 2 |
| @Cppsym@initialization\$qqrv | 2 |

| | |
|---|---|
| @Cppsym@Finalization\$qqrv | 2 |
| @Bdstomsbconverter@initialization\$qqrv | 2 |
| @Bdstomsbconverter@Finalization\$qqrv | 2 |
| @Cppprojectimport@initialization\$qqrv | 2 |
| @Cppprojectimport@Finalization\$qqrv | 2 |
| @Propinspmanage@initialization\$qqrv | 2 |
| @Propinspmanage@Finalization\$qqrv | 2 |
| @Compinstallconsts@initialization\$qqrv | 2 |
| @Compinstallconsts@Finalization\$qqrv | 2 |
| @Compinstallwizarddlg@initialization\$qqrv | 2 |
| @Compinstallwizarddlg@Finalization\$qqrv | 2 |
| @Compinstallwizard@initialization\$qqrv | 2 |
| @Compinstallwizard@Finalization\$qqrv | 2 |
| @Pascppcmds@initialization\$qqrv | 2 |
| @Pascppcmds@Finalization\$qqrv | 2 |
| @Newgenericapp@initialization\$qqrv | 2 |
| @Newgenericapp@Finalization\$qqrv | 2 |
| @Cppcodcmplt@initialization\$qqrv | 2 |
| @Cppcodcmplt@Finalization\$qqrv | 2 |
| @Localeliboptions@initialization\$qqrv | 2 |
| @Localeliboptions@Finalization\$qqrv | 2 |
| @Delphioptions@initialization\$qqrv | 2 |
| @Delphioptions@Finalization\$qqrv | 2 |
| @Pascppoptions@initialization\$qqrv | 2 |
| @Pascppoptions@Finalization\$qqrv | 2 |
| @Vcl@Styles@initialization\$qqrv | 2 |
| @Vcl@Styles@Finalization\$qqrv | 2 |
| @Vcl@Styles@TStyleEngine@\$bcdtr\$qqrv | 2 |
| @Vcl@Styles@TStyleEngine@\$bcctr\$qqrv | 2 |
| @Cppatoptionpage@initialization\$qqrv | 2 |
| @Cppatoptionpage@Finalization\$qqrv | 2 |
| @Pascppdebuggerlanguageexceptions@initi | 2 |
| @Pascppdebuggerlanguageexceptions@Fin: | 2 |
| @Dotnetwincontrol@initialization\$qqrv | 2 |
| @Dotnetwincontrol@Finalization\$qqrv | 2 |
| @Idetoolbarform@initialization\$qqrv | 2 |
| @Idetoolbarform@Finalization\$qqrv | 2 |
| @Toolfrm@initialization\$qqrv | 2 |
| @Toolfrm@Finalization\$qqrv | 2 |
| @Designerdotnetwinctrl@initialization\$qqrv | 2 |
| @Designerdotnetwinctrl@Finalization\$qqrv | 2 |
| @Toolsapiwrapper@initialization\$qqrv | 2 |
| @Toolsapiwrapper@Finalization\$qqrv | 2 |
| @Dotnetassemblycompiler@initialization\$qc | 2 |
| @Dotnetassemblycompiler@Finalization\$qc | 2 |
| @Dotnetproject@initialization\$qqrv | 2 |
| @Dotnetproject@Finalization\$qqrv | 2 |

| | |
|--|---|
| @Dotnetmodule@initialization\$qqrv | 2 |
| @Dotnetmodule@Finalization\$qqrv | 2 |
| @Interopmenu@initialization\$qqrv | 2 |
| @Interopmenu@Finalization\$qqrv | 2 |
| @Msbuildinterop@initialization\$qqrv | 2 |
| @Msbuildinterop@Finalization\$qqrv | 2 |
| @Interopapp@initialization\$qqrv | 2 |
| @Interopapp@Finalization\$qqrv | 2 |
| @Cppblockcompletion@initialization\$qqrv | 2 |
| @Cppblockcompletion@Finalization\$qqrv | 2 |
| @Cppmethodnavigate@initialization\$qqrv | 2 |
| @Cppmethodnavigate@Finalization\$qqrv | 2 |
| @Cpptemplatescript@initialization\$qqrv | 2 |
| @Cpptemplatescript@Finalization\$qqrv | 2 |
| @Runtimepackagespage@initialization\$qqrv | 2 |
| @Runtimepackagespage@Finalization\$qqrv | 2 |
| @Cppreg@initialization\$qqrv | 2 |
| @Cppreg@Finalization\$qqrv | 2 |
| @Tabview@initialization\$qqrv | 2 |
| @Tabview@Finalization\$qqrv | 2 |
| @Bccbrowapi@initialization\$qqrv | 2 |
| @Bccbrowapi@Finalization\$qqrv | 2 |
| @Bccbrowaddinoptions@initialization\$qqrv | 2 |
| @Bccbrowaddinoptions@Finalization\$qqrv | 2 |
| @Bccbrowmgr@initialization\$qqrv | 2 |
| @Bccbrowmgr@Finalization\$qqrv | 2 |
| @Bccbaseapi@initialization\$qqrv | 2 |
| @Bccbaseapi@Finalization\$qqrv | 2 |
| @Bccbasemgr@initialization\$qqrv | 2 |
| @Bccbasemgr@Finalization\$qqrv | 2 |
| @Bccbrowgvmmodel@initialization\$qqrv | 2 |
| @Bccbrowgvmmodel@Finalization\$qqrv | 2 |
| @Bccbrowdotview@initialization\$qqrv | 2 |
| @Bccbrowdotview@Finalization\$qqrv | 2 |
| @Bccbrowframeui@initialization\$qqrv | 2 |
| @Bccbrowframeui@Finalization\$qqrv | 2 |
| @Cppcompilercontainer@initialization\$qqrv | 2 |
| @Cppcompilercontainer@Finalization\$qqrv | 2 |
| @Cppfoldercontainers@initialization\$qqrv | 2 |
| @Cppfoldercontainers@Finalization\$qqrv | 2 |
| @Cppbuildorderpage@initialization\$qqrv | 2 |
| @Cppbuildorderpage@Finalization\$qqrv | 2 |
| @Cppcontainers@initialization\$qqrv | 2 |
| @Cppcontainers@Finalization\$qqrv | 2 |
| @Cpprccontainer@initialization\$qqrv | 2 |
| @Cpprccontainer@Finalization\$qqrv | 2 |
| @Cppmgr@initialization\$qqrv | 2 |

| | |
|---|---|
| @Cppmgr@Finalization\$qqrv | 2 |
| @Cppcomintf@initialization\$qqrv | 2 |
| @Cppcomintf@Finalization\$qqrv | 2 |
| VideoPortInterlockedDecrement | 2 |
| VideoPortSetRegistryParameters | 2 |
| VideoPortGetAgpServices | 2 |
| VideoPortWaitForSingleObject | 2 |
| NdisCICDropParty | 2 |
| NdisMCreateLog | 2 |
| NdisCoAssignInstanceName | 2 |
| NdisMCoIndicateStatus | 2 |
| NdisMSetTimer | 2 |
| SeQuerySessionIdToken | 2 |
| IoDeviceHandlerObjectType | 2 |
| ExEnumHandleTable | 2 |
| FsRtlAcquireFileExclusive | 2 |
| IoEnqueueIrp | 2 |
| QHTM_RenderHTMLRect | 2 |
| GetOLEThunkData | 2 |
| ?GetCore@CoreCenter@Util@@YAHPA_WF | 2 |
| wcsncpy | 2 |
| wcsncat | 2 |
| ?TrimRight@CTXStringW@@QAEAAV1 @_W | 2 |
| ??H@YA?AVCTXStringW@@_WABV0@@Z | 2 |
| ?Append@CTXBSTR@@QAEJPB_W@Z | 2 |
| SetTextureMode | 2 |
| PR_GetOSError | 2 |
| GetResourceHandle | 2 |
| RtlFinalReleaseOutOfProcessMemoryStream | 2 |
| rtBoolFromErrVar | 2 |
| rtcInStrChar | 2 |
| glsGetStreamAttrib | 2 |
| glsUCS4toUTF8z | 2 |
| glsGetHeaderf | 2 |
| glsGetCurrentContext | 2 |
| ?IsSameDrive@CDriveInfo@@QAEHPBG@Z | 2 |
| ?VT_VARIANT_LE@@YGHABUtagPROPVARI | 2 |
| OleCreateLinkFromFile | 2 |
| ?MessageBoxW@Window@@QBAHHPAVM | 2 |
| ?ReplaceSibling@Window@@UAE_NAAV1@ | 2 |
| ?GetSectionKey@Module@@UBE?AVRegist | 2 |
| ?CallDefault@Window@@IAEJIJAUMsgPr | 2 |
| ??0Window@@QAE@PAUHWND__@@@Z | 2 |
| ?IsTargetActive@CommandTargetWindow@ | 2 |
| ?CanUpdate@CommandTargetWindow@@ | 2 |
| ?DisableToolTips@Window@@UAEXXZ | 2 |
| ?EnableToolTips@Window@@UAEXIIPAVTc | 2 |

| | |
|---|---|
| ?NeedsUIUpdate@Window@@UAE_NPAUT | 2 |
| ?CWOEnumClipAreas@Window@@UBEXPA | 2 |
| GetDocTypeInfo | 2 |
| MMToolsObjectFactory | 2 |
| ?FromSystemMultibyte@String@@SA?AV1@ | 2 |
| ??BMemoryBlock@@QAEPADXZ | 2 |
| ??1MemoryBlock@@QAE@XZ | 2 |
| ?Register@ObjectFactory@@QAE_NPAVICl@ | 2 |
| ?GetProcessInformation@ModuleBase@@S | 2 |
| ?FromNum@String@@SA?AV1@HH@Z | 2 |
| ??1TryCatchEnabler@SEHException@@QAE | 2 |
| ?GetMsg@SEHException@@QBE?AVString@ | 2 |
| ??0TryCatchEnabler@SEHException@@QAE | 2 |
| ?GetNextFilePath@File@@SA?AVString@@ | 2 |
| ?IsDirectory@File@@SA_NABVString@@@: | 2 |
| ??0CommandLine@@QAE@XZ | 2 |
| ??0Point@@QAE@HH@Z | 2 |
| ??1Font@@UAE@XZ | 2 |
| ??6String@@QAEAAV0@PBG@Z | 2 |
| ??6String@@QAEAAV0@ABV0@@Z | 2 |
| ??_DGDIBitmap@@QAEXXZ | 2 |
| ?AddLine@GLogFile@@QAGXABVString@I | 2 |
| ?GetDisplayName@ModuleBase@@QBE?A\ | 2 |
| ?MessageBoxW@ModuleBase@@SAHPAUH | 2 |
| ?Multibyte@String@@QBE?AV?\$basic_strin | 2 |
| ?FromMultibyte@String@@SA?AV1@IPBDI | 2 |
| ??1CommandLine@@UAE@XZ | 2 |
| ??1RegistryKey@@UAE@XZ | 2 |
| ?CreateSubkey@RegistryKey@@QAE?AV1@ | 2 |
| ?IsValid@RegistryKey@@QBE_NXZ | 2 |
| ??0RegistryKey@@QAE@PAUHKEY__@@@ | 2 |
| PL_ArenaRelease | 2 |
| PR_FindSymbolAndLibrary | 2 |
| PR_dtoa | 2 |
| EndHook | 2 |
| DiskMount | 2 |
| xmlAddNextSibling | 2 |
| xmlGetLastChild | 2 |
| @Sysutils@AnsiStrIComp\$qqrpct1 | 2 |
| _ZN10QTabWidget10setTabTextEiRK7QString | 2 |
| ?isFeatureEnabled@CCLCFControl@@QAE_ | 2 |
| ?String2Password@CCLib@@SA?AV?\$CStrir | 2 |
| ?Password2String@CCLib@@SA?AV?\$CStrir | 2 |
| ??1CCLCFControl@@QAE@XZ | 2 |
| ?LoadIconW@CCLCResString@@SAPAUHIC | 2 |
| ?LoadImageW@CCLCResString@@SAPAXPB | 2 |
| ?getFileInfo@CCLib@@SA_NPBGPAUCLIB_ | 2 |

| | |
|--|---|
| ?getMRCHandle@CCLCResString@@QAEPA | 2 |
| ?LoadColor@CCLCResString@@QAEKPBG@ | 2 |
| ??0CCLCResString@@QAE@PAUHINSTANCE | 2 |
| ?LoadFileName@CCLCResString@@QAEPA@ | 2 |
| ?LoadResourceDII@CCLCResString@@QAE_ | 2 |
| ?LoadStringW@CCLCResString@@QAEPA@F | 2 |
| ??1CCLCResString@@QAE@XZ | 2 |
| ?performSelfTest@CCLib@@SA_NPBGOH@: | 2 |
| ?getFCNHandle@CCLCFControl@@QAEPA@: | 2 |
| ?LoadMasterRegKey@CCLCResString@@QA | 2 |
| ?LoadStringW@CCLCResString@@QAA?AV? | 2 |
| ??0CCLCFControl@@QAE@XZ | 2 |
| reg_bin | 2 |
| send_f | 2 |
| FormatImageProperty | 2 |
| TTF_Quit | 2 |
| ?InitInstance@CBaseApp@@UAEHXZ | 2 |
| ??0CBaseApp@@QAE@XZ | 2 |
| ??1CBaseApp@@UAE@XZ | 2 |
| ?ExitInstance@CBaseApp@@UAEHXZ | 2 |
| ?DXOverArrayMMX@@YGXPADXPMSAMP | 2 |
| ExRaiseHardError | 2 |
| MmProbeAndLockSelectedPages | 2 |
| _ap_get_server_version@0 | 2 |
| rtcAppleScript | 2 |
| rtcFileVersion | 2 |
| ?parseBool@StringConverter@Ogre@@SA_ | 2 |
| ??3?\$AllocatedObject@V?\$CategorisedAlloc | 2 |
| ??_7Plugin@Ogre@@6B@ | 2 |
| ?getSingleton@Root@Ogre@@SAAV12@> | 2 |
| ?ZERO@Vector3@Ogre@@2V12@B | 2 |
| ?installPlugin@Root@Ogre@@QAEPAVPlu | 2 |
| ?uninstallPlugin@Root@Ogre@@QAEPAVI | 2 |
| ?crossProduct@Vector3@Ogre@@QBE?AV1 | 2 |
| ?Sqrt@Math@Ogre@@SAMM@Z | 2 |
| ?length@Vector3@Ogre@@QBEMXZ | 2 |
| ?UNIT_Y@Vector3@Ogre@@2V12@B | 2 |
| ?load@Image@Ogre@@QAEAAV12@ABV?< | 2 |
| ?getWidth@Image@Ogre@@QBEIXZ | 2 |
| ??4Image@Ogre@@QAEAAV01@ABV01@C | 2 |
| ??0Image@Ogre@@QAE@XZ | 2 |
| ??0Image@Ogre@@QAE@ABV01@@Z | 2 |
| ??1Image@Ogre@@UAE@XZ | 2 |
| ??0Exception@Ogre@@QAE@ABV01@@Z | 2 |
| ??0InvalidParametersException@Ogre@@Q | 2 |
| ??1InvalidParametersException@Ogre@@U | 2 |
| ?getFormat@Image@Ogre@@QBE?AW4Pix | 2 |

| | |
|---|---|
| ?allocBytes@NedPoolingImpl@Ogre@@@SAF | 2 |
| ??0InvalidParametersException@Ogre@@@Q | 2 |
| ?deallocBytes@NedPoolingImpl@Ogre@@@S | 2 |
| cvCvtColor | 2 |
| cvExtractSURF | 2 |
| cvSURFParams | 2 |
| cvWriteReal | 2 |
| cvAvg | 2 |
| cvGetTickCount | 2 |
| cvEndWriteStruct | 2 |
| cvStartWriteStruct | 2 |
| cvGetTickFrequency | 2 |
| cvOpenFileStorage | 2 |
| cvWriteString | 2 |
| cvReleaseFileStorage | 2 |
| ?s_pDispatcher@CConsoleEventDispatcherP | 2 |
| ?GetULong@CMemDeSerStream@@UAEKX | 2 |
| ApphelpCheckShellObject | 2 |
| @Stdctrls@TCustomComboBox@Clear\$qqrv | 2 |
| @Stdctrls@TCustomEdit@SetCharCase\$qqrv | 2 |
| @\$xp\$22Stdctrls@TEditCharCase | 2 |
| @Forms@TApplication@MessageBox\$qqrp | 2 |
| @Forms@TCustomForm@Deactivate\$qqrv | 2 |
| @Forms@TCustomForm@SetActiveControl\$ | 2 |
| @\$xp\$22Forms@TFormBorderStyle | 2 |
| @Menus@TPopupMenu@\$bctr\$qqrp18Clas | 2 |
| @Controls@TWinControl@SetCtl3D\$qqr4bc | 2 |
| @Controls@TWinControl@RecreateWnd\$qqc | 2 |
| @Controls@TControl@SetParentShowHint\$ | 2 |
| @Controls@TControl@SetBoundsRect\$qqrr | 2 |
| @\$xp\$17Controls@TImeMode | 2 |
| @\$xp\$20Controls@TAnchorKind | 2 |
| @Extctrls@TNotebook@SetPageIndex\$qqri | 2 |
| @Extctrls@TCustomPanel@SetBorderWidth | 2 |
| @Extctrls@Frame3D\$qqrp16Graphics@TCar | 2 |
| @Buttons@TSpeedButton@SetLayout\$qqr2 | 2 |
| @Mask@TCustomMaskEdit@Validate\$qqrx: | 2 |
| @Mask@TCustomMaskEdit@ValidateError\$ | 2 |
| @Mask@TCustomMaskEdit@ValidateEdit\$q | 2 |
| @Mask@TCustomMaskEdit@Reset\$qqrv | 2 |
| @Grids@TCustomGrid@SetRow\$qqri | 2 |
| @Grids@TCustomGrid@SetCol\$qqri | 2 |
| @Grids@TCustomGrid@GetColWidths\$qqri | 2 |
| __chartype | 2 |
| blit | 2 |
| file_exists | 2 |
| font | 2 |

| | |
|--|---|
| install_mouse | 2 |
| install_timer | 2 |
| png_get_PLTE | 2 |
| png_get_gAMA | 2 |
| png_get_sRGB | 2 |
| png_set_PLTE | 2 |
| png_sig_cmp | 2 |
| CTEBlockWithTracker | 2 |
| CTERemoveBlockTracker | 2 |
| CTEInsertBlockTracker | 2 |
| TdiCopyBufferToMdlWithReservedMapping/ | 2 |
| pSetupWriteLogEntry | 2 |
| ??0QApplication@@QAE@AAHPAPAD@Z | 2 |
| GetLanguage | 2 |
| xmlNanoHTTPScanProxy | 2 |
| xmlNanoHTTPMethod | 2 |
| xmlNanoHTTPReturnCode | 2 |
| xmlSetGenericErrorFunc | 2 |
| xmlSAX2EndDocument | 2 |
| xmlSAX2StartDocument | 2 |
| xmlSAX2UnparsedEntityDecl | 2 |
| xmlSAX2EntityDecl | 2 |
| xmlSAX2GetParameterEntity | 2 |
| xmlSAX2GetEntity | 2 |
| xmlSAX2ResolveEntity | 2 |
| xmlSAX2HasExternalSubset | 2 |
| xmlSAX2HasInternalSubset | 2 |
| xmlSAX2IsStandalone | 2 |
| xmlSAX2ExternalSubset | 2 |
| xmlSAX2InternalSubset | 2 |
| @Kbmmemtable@TkbmCustomMemTable@ | 2 |
| @Jclsynch@initialization\$qqrv | 2 |
| @Jclsynch@Finalization\$qqrv | 2 |
| @Invokeregistry@initialization\$qqrv | 2 |
| @Invokeregistry@Finalization\$qqrv | 2 |
| @Intfinfo@initialization\$qqrv | 2 |
| @Intfinfo@Finalization\$qqrv | 2 |
| @Soapconst@initialization\$qqrv | 2 |
| @Soapconst@Finalization\$qqrv | 2 |
| @Invrules@initialization\$qqrv | 2 |
| @Invrules@Finalization\$qqrv | 2 |
| @Httpapp@initialization\$qqrv | 2 |
| @Httpapp@Finalization\$qqrv | 2 |
| @Brkrconst@initialization\$qqrv | 2 |
| @Brkrconst@Finalization\$qqrv | 2 |
| @Webconst@initialization\$qqrv | 2 |
| @Webconst@Finalization\$qqrv | 2 |

| | |
|--|---|
| @Encddecdec@Finalization\$qqrv | 2 |
| @Idftplist@initialization\$qqrv | 2 |
| @Idftplist@Finalization\$qqrv | 2 |
| @Idftpcommon@initialization\$qqrv | 2 |
| @Idftpcommon@Finalization\$qqrv | 2 |
| ?StaticType@SvxHeaderField@@SAP6APAX: | 2 |
| ?StaticType@SvxFooterField@@SAP6APAXX | 2 |
| ?StaticType@SvxDateTimeField@@SAP6AP/ | 2 |
| ?CreateRomanString@SvxNumberFormat@() | 2 |
| ?GetObjGraphic@sdrExchangeView@@SA?, | 2 |
| ?GetSdrObjectFromXShape@@YAPAVSdrOb | 2 |
| ?GetDrawOutliner@sdrModel@@QBEAAVS | 2 |
| ?getImplementation@svxDrawPage@@SAP | 2 |
| ?getName@sxmlExport@@UA?AVOUStr | 2 |
| ?initialize@sxmlExport@@UAAXABV?\$Se | 2 |
| ?setSourceDocument@sxmlExport@@UA | 2 |
| ?getSupportedServiceNames@sxmlExport | 2 |
| ?supportsService@sxmlExport@@UAAEAI | 2 |
| ?getImplementationName@sxmlExport@ | 2 |
| ?cancel@sxmlExport@@UAAXXZ | 2 |
| ?filter@sxmlExport@@UAAEABV?\$Seque | 2 |
| ?getImplementationId@?\$WeakImplHelper | 2 |
| ?getTypes@?\$WeakImplHelper6@VXFilter@ | 2 |
| ?DisposingModel@sxmlExport@@UAEXXZ | 2 |
| ?exportAnnotationMeta@sxmlExport@@I | 2 |
| ?getDataStyleName@sxmlExport@@UBE: | 2 |
| ?exportAutoDataStyles@sxmlExport@@U | 2 |
| ?exportDataStyles@sxmlExport@@UAEXX | 2 |
| ?addDataStyle@sxmlExport@@UAEXJE@I | 2 |
| ?GetDocumentSpecificSettings@sxmlExpo | 2 |
| ?GetConfigurationSettings@sxmlExport@ | 2 |
| ?GetViewSettings@sxmlExport@@MAEXA | 2 |
| ?CreateFormExport@sxmlExport@@MAEI | 2 |
| ?CreateFontAutoStylePool@sxmlExport@ | 2 |
| ?CreatePageExport@sxmlExport@@MAEF | 2 |
| ?CreateChartExport@sxmlExport@@MAE | 2 |
| ?CreateAutoStylePool@sxmlExport@@MA | 2 |
| ?CreateShapeExport@sxmlExport@@MAE | 2 |
| ?CreateTextParagraphExport@sxmlExport | 2 |
| ?_ExportFontDecls@sxmlExport@@MAEX | 2 |
| ?_ExportScripts@sxmlExport@@MAEXXZ | 2 |
| ?SetBodyAttributes@sxmlExport@@EAEX | 2 |
| ?release@?\$WeakImplHelper6@VXFilter@c | 2 |
| ?acquire@?\$WeakImplHelper6@VXFilter@c | 2 |
| ?queryInterface@?\$WeakImplHelper6@VXF | 2 |
| ??0SxmlExport@@QAE@ABV?\$Reference | 2 |
| ??1SxmlExport@@UAE@XZ | 2 |

| | |
|--|---|
| ??1SvXMLElementExport@@QAE@XZ | 2 |
| ?getSomething@SvXMLExport@@UAA_JAB' | 2 |
| ??0SvXMLElementExport@@QAE@AAVSvXI | 2 |
| ?AddAttribute@SvXMLExport@@QAEXGPBI | 2 |
| ??0SvXMLElementExport@@QAE@AAVSvXI | 2 |
| ?setName@SvXMLExport@@UAAXABVOUS | 2 |
| ??0GraphicObject@@QAE@ABVGraphic@@ | 2 |
| ?GetUniqueId@GraphicObject@@QBE?AVB | 2 |
| ??1GraphicObject@@UAE@XZ | 2 |
| ??0LineInfo@@QAE@ABV0@@Z | 2 |
| ?SetDotLen@LineInfo@@QAEXJ@Z | 2 |
| ?SetDotCount@LineInfo@@QAEXG@Z | 2 |
| ?GetUnderline@Font@@QBE?AW4FontUnd | 2 |
| ?GetStrikeout@Font@@QBE?AW4FontStrik | 2 |
| ??1FontMetric@@QAE@XZ | 2 |
| ?GetTextOutline@OutputDevice@@QBEEA/ | 2 |
| ?GetTextBoundRect@OutputDevice@@QBE | 2 |
| ?Import@GraphicConverter@@SAKAAVSvSt | 2 |
| ?Read@GDIMetaFile@@QAEAAVSvStream@ | 2 |
| ??1MetaBmpExScaleAction@@MAE@XZ | 2 |
| ?Read@MetaBmpExScaleAction@@UAEXAA | 2 |
| ?Write@MetaBmpExScaleAction@@UAEXA. | 2 |
| ?Scale@MetaBmpExScaleAction@@UAEXNI | 2 |
| ?Move@MetaBmpExScaleAction@@UAEXJJ | 2 |
| ?Clone@MetaBmpExScaleAction@@UAEP@ | 2 |
| ?Execute@MetaBmpExScaleAction@@UAEX | 2 |
| ?Compare@MetaBmpExScaleAction@@EBE | 2 |
| ??0MetaBmpExScaleAction@@QAE@ABVPc | 2 |
| ??8GDIMetaFile@@QBEEABV0@@Z | 2 |
| ?SetDashLen@LineInfo@@QAEXJ@Z | 2 |
| ?SetDashCount@LineInfo@@QAEXG@Z | 2 |
| ?SetDistance@LineInfo@@QAEXJ@Z | 2 |
| ?SetStyle@LineInfo@@QAEXW4LineStyle@ | 2 |
| ?SetWidth@LineInfo@@QAEXJ@Z | 2 |
| ?HasFlags@Polygon@@QBEEZX | 2 |
| ??0Polygon@@QAE@GPBVPoint@@PBE@Z | 2 |
| ?Move@PolyPolygon@@QAEXJJ@Z | 2 |
| ??0ByteString@@QAE@PBGGK@Z | 2 |
| ?Scale@PolyPolygon@@QAEXNN@Z | 2 |
| @Dimensionlabel@initialization\$qqrv | 2 |
| @Jarrowbtn@initialization\$qqrv | 2 |
| GetProperty | 2 |
| es_format_IsSimilar | 2 |
| SeMarkLogonSessionForTerminationNotifica | 2 |
| SeTokenImpersonationLevel | 2 |
| VideoPortGetRegistryParameters | 2 |
| VideoPortVerifyAccessRanges | 2 |

| | |
|---|---|
| VideoPortUnlockBuffer | 2 |
| NdisCIOpenAddressFamily | 2 |
| NdisMAllocateSharedMemory | 2 |
| NdisCoRequestComplete | 2 |
| NdisDprFreePacketNonInterlocked | 2 |
| NdisMQueryAdapterResources | 2 |
| NdisImmediateWritePortUchar | 2 |
| NdisReadEisaSlotInformationEx | 2 |
| NdisSetupDmaTransfer | 2 |
| NdrComplexArrayBufferSize | 2 |
| RemoveControlByName | 2 |
| RemoveControlByHandle | 2 |
| HTMLLayoutUpdateElementEx | 2 |
| ??0uCallStackTracker@@QAE@PBD@Z | 2 |
| ??1uCallStackTracker@@QAE@XZ | 2 |
| SetKBHook | 2 |
| Mag0Inter | 2 |
| Mag0SetGValue | 2 |
| Mag0EventKind | 2 |
| Mag0EndUseEvent | 2 |
| EzDibGetSize | 2 |
| InvertPeriod | 2 |
| DITTA | 2 |
| ANNOEXT | 2 |
| fd12 | 2 |
| SaveOption2 | 2 |
| SetPrintPageParms3 | 2 |
| iSopError | 2 |
| ReadOption3 | 2 |
| GetDBStruct5 | 2 |
| Next | 2 |
| Search | 2 |
| fd11 | 2 |
| EUROTruncDecimal | 2 |
| ZDECEURO | 2 |
| ZEXEURO | 2 |
| TruncDecimal | 2 |
| BCXGetEnv | 2 |
| pszTmpPtr | 2 |
| ZINIDEC | 2 |
| DefinePrintJob3 | 2 |
| SetLabelHide | 2 |
| GetDblTestDynValue | 2 |
| pszErrorMessage | 2 |
| ?priWzCtrlTitle@PropertySpace_JotMain@J | 2 |
| ??0Time@Jot@@QAE@XZ | 2 |
| ?priSectionName@PropertySpace_Jot11@Jc | 2 |

| | |
|---|---|
| ?priSpellingSuggestions@PropertySpace_Jot | 2 |
| ?SetWzFromPattern@Strings@MsoCF@@YC | 2 |
| ?AreEqual_ComplexType@CPropertyData@ | 2 |
| ?Convert_DifferentTypes@CPropertyValue@ | 2 |
| ?HasProperty@IPropertySet@MsoCF@@QA | 2 |
| ?SetWtzFromResource@Strings@MsoCF@@@ | 2 |
| ?SetWzFromColor@Strings@MsoCF@@YGX | 2 |
| ?Zero@Memory@MsoCF@@YGXPAXH@Z | 2 |
| ?priDefaultFocusElementName@PropertySp | 2 |
| ?priSelectTextRange@PropertySpace_JotMa | 2 |
| ?SetPropertyIfDifferent@IPropertySet@Msc | 2 |
| ?GetProperty@IPropertySet@MsoCF@@QA | 2 |
| ?priFriendlyText@PropertySpace_JotMain@ | 2 |
| ?priWzLink@PropertySpace_JotMain@Jot@ | 2 |
| ?priClipboardLinkId@PropertySpace_JotMai | 2 |
| ?priCpLim@PropertySpace_JotMain@Jot@C | 2 |
| ?priCpFirst@PropertySpace_JotMain@Jot@ | 2 |
| ?priURL@PropertySpace_JotMain@Jot@@@3 | 2 |
| ?IsWzPrefixOfWz@Strings@MsoCF@@YG_N | 2 |
| ?SetFromCurrentTimeLocal@Time@Jot@@@I | 2 |
| ?GetTime32@Time@Jot@@QBGIXZ | 2 |
| ?GetFormatted@Time@Jot@@SGXABU12@ | 2 |
| ?priOutlookItemFilter@PropertySpace_JotM | 2 |
| ?AdvanceDays@Time@Jot@@SG?AU12@A | 2 |
| ?priStationeryName@PropertySpace_Jot11@ | 2 |
| ??0Time@Jot@@QAE@I@Z | 2 |
| ?GetLocalTime32@Time@Jot@@SGIXZ | 2 |
| ?TheErrorHandler@MsoCF@@YGPAUAErroi | 2 |
| ?FixLcidUI@CLangConfig@MsoCF@@QAGXI | 2 |
| ?Init@CLangConfig@Msocf@@QAGXXZ | 2 |
| ?Instance@CLangConfig@MsoCF@@SGPAV | 2 |
| ?IsSafeToShutdown@ExeServer@Jot@@YG_ | 2 |
| ?Create@CWindow@MsoCF@@QAGXPB_W | 2 |
| ?IsTabletPC@System@Jot@@YG_NXZ | 2 |
| ?Release_Core@IAtom@MsoCF@@AAGXXZ | 2 |
| ?Set@CPropertyValueArray@MsoCF@@QA | 2 |
| ?priCtrlTbbs@PropertySpace_JotMain@Jot@ | 2 |
| ?g_AtomicBufferAllocator@MsoCF@@3VCA | 2 |
| ??1CWindow@MsoCF@@UAE@XZ | 2 |
| ?WndProc@CWindow@MsoCF@@UAGJIIJ@ | 2 |
| ?OnFinalMessage@CWindow@MsoCF@@U | 2 |
| ?Copy@Memory@MsoCF@@YGXPBXPAHX(| 2 |
| ?DisplayErrorDialog@Jot@@YG?AW4Displa | 2 |
| ?IsFileNextToTOC@Jot@@YG_NPAUIFilePro | 2 |
| ?GetInternetCacheFolder@Jot@@YGXPAPA | 2 |
| ?GetFileProxyFromPath_Exported@Jot@@Y | 2 |
| ??0CWindow@MsoCF@@QAE@XZ | 2 |

| | |
|--|---|
| ?prilsSectionReadOnly@PropertySpace_JotN | 2 |
| ?Suspend@Automation@Jot@@YGXXZ | 2 |
| ?ResetScalingCache@MsoCF@@YGXXZ | 2 |
| ?TheFontCache@Jot@@YGPAUAFontCache | 2 |
| ?FileStreamCreate@MsoCF@@YGJPB_WKP, | 2 |
| ?Resume@Automation@Jot@@YGXXZ | 2 |
| ?IsSuspended@Automation@Jot@@YG_NX | 2 |
| ?ImportFile@Automation@Jot@@YGXPB_V | 2 |
| ?FIImportFile@ObjectModel@OneNote12@(| 2 |
| ?priWzRecordingProfilePath@PropertySpac | 2 |
| ?priWzAudioCaptureDeviceCLSID@Property | 2 |
| ?priWzVideoCaptureDeviceCLSID@Property! | 2 |
| ?Mark@PerfMetrics@MsoCF@@YGXH@Z | 2 |
| ?Start@ExeServer@Jot@@YGXXZ | 2 |
| ?CreateMainApp@Jot@@YGPAUAMainApp | 2 |
| ?Init@ExeServer@Jot@@YGXPACVCCComMoc | 2 |
| ?FGetMyDocumentsFolder@Jot@@YG_NPA | 2 |
| ?Activate@PerfMetrics@MsoCF@@YGXXZ | 2 |
| ?Start@PerfMetrics@MsoCF@@YGXH@Z | 2 |
| ?RegisterErrorHandler@MsoCF@@YGPAU | 2 |
| ?SetProgressWindowPositionStorageKey@N | 2 |
| ?JotMain_SetMainThreadID@Jot@@YGXXZ | 2 |
| ?JotMain_Finish@Jot@@YGXXZ | 2 |
| ?Finish@PerfMetrics@MsoCF@@YGXXZ | 2 |
| ?Finish@CLangConfig@MsoCF@@SGXXZ | 2 |
| ?Uninit@ExeServer@Jot@@YGXXZ | 2 |
| ?Stop@ExeServer@Jot@@YGXXZ | 2 |
| ?GetScaledValue@MsoCF@@YGHHI@Z | 2 |
| ?priFindRootScope@PropertySpace_JotMair | 2 |
| ?CopyWtzToWz@Strings@MsoCF@@YGXPE | 2 |
| ?DirectionOfWz@MsoCF@@YG?AW4TextDi | 2 |
| ?DisplayErrorDialog_Exported@Jot@@YG?A | 2 |
| ?AlphaCompositeColors@ColorUtils@Jot@C | 2 |
| ?HSVtoRGB@ColorUtils@Jot@@YGKNNN@ | 2 |
| ?RGBtoHSV@ColorUtils@Jot@@YGXKAANO | 2 |
| ?ComputeShiftedColor@Jot@@YG?AVColor | 2 |
| ?ConvertToLocal@Time@Jot@@QAGXXZ | 2 |
| ?CreateBitmap@Jot@@YGPAVBitmap@Gdi | 2 |
| ?IsValidFilename@Jot@@YG_NPB_W_N1PA | 2 |
| ?FMAPIInstalled@Jot@@YG_NXZ | 2 |
| ?priNotebookColor@PropertySpace_Jot11@ | 2 |
| ?priFCtrlEnabled@PropertySpace_JotMain@ | 2 |
| ?priNoteTagSearchList@PropertySpace_JotN | 2 |
| ?priNoteTagSearchState@PropertySpace_Jo | 2 |
| ?priNoteTagLabelList@PropertySpace_JotM | 2 |
| ?WriteToLog@ObjectModel@OneNote12@(| 2 |
| ?JotRegQueryValueExW_ForStrings@System | 2 |

| | |
|---|---|
| ?GetActivePage@ObjectModel@OneNote12 | 2 |
| ?IsLongAgo@Time@Jot@@SG_NABU12@@ | 2 |
| ?IsLastWeek@Time@Jot@@SG_NABU12@() | 2 |
| ?IsThisWeek@Time@Jot@@SG_NABU12@() | 2 |
| ?IsYesterday@Time@Jot@@SG_NABU12@() | 2 |
| ?IsToday@Time@Jot@@SG_NABU12@@Z | 2 |
| ??0Time@Jot@@QAE@_K@Z | 2 |
| ?SetWzFromArrayOfCharacters@Strings@M | 2 |
| ?FIIsThaiToneChar@MsoCF@@YG_N_W@Z | 2 |
| ?priFindQueryString@PropertySpace_JotMa | 2 |
| ?priFindSearchString@PropertySpace_JotMa | 2 |
| ?priFindQueryRequest@PropertySpace_JotN | 2 |
| ?CreateProgressDialog@MsoCF@@YGXPAU | 2 |
| ?priSpellingRepeatWord@PropertySpace_Jo | 2 |
| ?priMisspelledWord@PropertySpace_JotMa | 2 |
| ?MapErrorToString_Exported@Jot@@YGXP, | 2 |
| ?c_jt64Jan1_1980@Time@Jot@@2_KB | 2 |
| ?c_jt64Day@Time@Jot@@2_KB | 2 |
| ?GetLocalTime64@Time@Jot@@SG_KXZ | 2 |
| ?GetTime64@Time@Jot@@QBG_KXZ | 2 |
| ?prilsStationeryPane@PropertySpace_JotMa | 2 |
| ?priStationerySectionLcid@PropertySpace_J | 2 |
| ?priTemplateLcids@PropertySpace_JotMain | 2 |
| ?priTemplateGuids@PropertySpace_JotMair | 2 |
| ?priTemplateName@PropertySpace_JotMa | 2 |
| ?priTemplateNotebookLcids@PropertySpace | 2 |
| ?priTemplateNotebookGuids@PropertySpace | 2 |
| ?priTemplateNotebookNames@PropertySpace | 2 |
| ?SetTestWizardHostInfo@PerfMetrics@Mso | 2 |
| ?LcidEnabled@CLangConfig@MsoCF@@QA | 2 |
| ?Copy_MakeDeep_ComplexType@CPropert | 2 |
| ?EnumerateCapture Pins@CaptureDeviceQu | 2 |
| ?CreateAudioCodecQuery@Jot@@YGXPAPA | 2 |
| ?GetLocalCacheRoot@Jot@@YGXPAPAUInfo | 2 |
| ?FScrollBarsOnLeftDefault@CJotSurfaceWnc | 2 |
| ?FAutoKeyboardDefault@KeyboardUtil@Jot | 2 |
| ?GetUuDefault@UserUnitsUtil@Jot@@YG?, | 2 |
| ?FSetLocalCacheRoot@Jot@@YG_NPAUIFol | 2 |
| ?UserNameChanged@System@Jot@@YGX | 2 |
| ?SetScrollBarOnLeftCurrent@CJotSurfaceWr | 2 |
| ?SetAutoKeyboard@KeyboardUtil@Jot@@Y | 2 |
| ?priUserEnableAudioSearch@PropertySpace | 2 |
| ?CreateVideoCodecQuery@Jot@@YGXPAPA | 2 |
| ?EnumerateVideoCaptureDevices@CaptureI | 2 |
| ?EnumerateAudioCaptureDevices@CaptureI | 2 |
| ?priStationerySectionGuid@PropertySpace_ | 2 |
| ?priStationeryPageGuid@PropertySpace_Jot | 2 |

| | |
|--|---|
| ?priFontColor@PropertySpace_Jot11@Jot@ | 2 |
| ?priFont@PropertySpace_Jot11@Jot@@3UI | 2 |
| ?priFontSize@PropertySpace_Jot11@Jot@@ | 2 |
| ?priBold@PropertySpace_Jot11@Jot@@3UI | 2 |
| ?prItalic@PropertySpace_Jot11@Jot@@3U | 2 |
| ?priLanguageID@PropertySpace_Jot11@Jot@ | 2 |
| ?SetWzFromNumber@Strings@MsoCF@@Y | 2 |
| ?CopyWzToWtz@Strings@MsoCF@@YGXPE | 2 |
| ?TheEmptyAtom@MsoCF@@YGPAPIAtom@C | 2 |
| ?TheZeroAtom@MsoCF@@YGPAPIAtom@1 | 2 |
| ?GetColor@ThemeColors@Jot@@YGKW4Tl | 2 |
| ?Allocate@Allocator@Memory@MsoCF@@ | 2 |
| ?priItemList@PropertySpace_JotMain@Jot@ | 2 |
| ?priListFormatListProperties@PropertySpace | 2 |
| ?priResearchText@PropertySpace_JotMain@C | 2 |
| ?priFResearchFireQuery@PropertySpace_Jo | 2 |
| ?GetBackupRootFolderPath@Jot@@YGXAA' | 2 |
| ?priNotebookEntityPath@PropertySpace_Jo | 2 |
| ?priNotebookPathListIndex@PropertySpace_ | 2 |
| ?CreateNotebookEntityList@Jot@@YGXPAP | 2 |
| ?priFilepath@PropertySpace_JotMain@Jot@ | 2 |
| ?GetFolderProxyFromPath_Exported@Jot@ | 2 |
| ?FGetMyDocumentsFolder@Jot@@YG_NAA | 2 |
| ?priFiletype@PropertySpace_JotMain@Jot@ | 2 |
| ?priPageInfoTitle@PropertySpace_JotMain@C | 2 |
| ?priFilepathList@PropertySpace_JotMain@J | 2 |
| ?SetProperty@IPropertySet@MsoCF@@QA | 2 |
| ?IncrementCallbackCount_EHSafe@MsoCF@ | 2 |
| ?IncrementCallbackCount_EHUnsafe@MsoC | 2 |
| ?DecrementCallbackCount_EHUnsafe@MsoC | 2 |
| ?DecrementCallbackCount_EHSafe@MsoCF@ | 2 |
| ??1CallbackCount_EHSafe@MsoCF@@QAE | 2 |
| ?RemoveInvalidFilenameCharacters@Jot@C | 2 |
| ?RemoveCharactersFromString@Jot@@YGX | 2 |
| ?CopyWzToWz@Strings@MsoCF@@YGXPB_ | 2 |
| ?g_HeapBufferAllocator@MsoCF@@3VCHe | 2 |
| ?IsWzPrefixOfWz_IgnoreCase@Strings@Ms | 2 |
| ?SetWzEmpty@Strings@MsoCF@@YGXAA' | 2 |
| ?AppendArrayOfCharactersToWt@Strings@ | 2 |
| ?c_Zeros@MsoCF@@3QBEB | 2 |
| ?RemoveLeadingAndTrailingCharacters@Str | 2 |
| ?FindCharacterInWz@Strings@MsoCF@@Y(| 2 |
| ?CompareCharacters@MsoCF@@YGHPB_W | 2 |
| ?SetWtEmpty@Strings@MsoCF@@YGXAAV | 2 |
| ?SetWzFromRegistry@Strings@MsoCF@@Y | 2 |
| ?AppendPathToPath@Strings@MsoCF@@Y | 2 |
| ?CreatePropertySet@MsoCF@@YGXPAPAU | 2 |

| | |
|--|---|
| ?priOutlookItemList@PropertySpace_JotMai | 2 |
| ?date@QDate Time @@QBE?AVQDate@@XZ | 2 |
| ??0QDate@@QAE@HHH@Z | 2 |
| ?to Date Time@QLocale@@QBE?AVQDateTir | 2 |
| ?fetchAndAddRelaxed@QBasicAtomicInt@C | 2 |
| ??BQCharRef@@QBE?AVQChar@@XZ | 2 |
| ?isValid@Q Date Time@@QBE_NXZ | 2 |
| ?toUpper@QCharRef@@QBE?AVQChar@@ | 2 |
| ?resize@QString@@QAEXH@Z | 2 |
| ?toLatin1@QChar@@QBE?BDXZ | 2 |
| ?capturedTexts@QReg Exp @@QAE?AVQStri | 2 |
| ?endsWith@QByteArray@@QBE_NPBD@Z | 2 |
| ?readLine@Q I DDevice@@QAE?AVQByteArr | 2 |
| ??YQString@@QAEAAV0@ABVQLatin1String | 2 |
| ??4QCharRef@@QAEAAV0@H@Z | 2 |
| ?digitValue@QCharRef@@QBEHXZ | 2 |
| ?invokeMethod@Q M etaObject@@SA_NPA' | 2 |
| ??0QGenericArgument@@QAE@PBDPBX@: | 2 |
| ?disconnect@Q O bject@@QAE_NPBDPBV1C | 2 |
| ?toLatin1@QCharRef@@QBE?BDXZ | 2 |
| ?isDigit@QCharRef@@QBE_NXZ | 2 |
| ?blockSignals@Q O bject@@QAE_N_N@Z | 2 |
| ?isSpace@QCharRef@@QBE_NXZ | 2 |
| ?fromEncoded@Q U rl@@SA?AV1@ABVQBy | 2 |
| ?setHost@Q U rl@@QAEABVQString@@@Z | 2 |
| ?setScheme@Q U rl@@QAEABVQString@@ | 2 |
| ??YQByteArray@@QAEAAV0@PBD@Z | 2 |
| ??8Q U rl@@QBE_NABV0@@Z | 2 |
| ??BQByteArrayRef@@QBE?BDXZ | 2 |
| ??9QByteArrayRef@@QBE_ND@Z | 2 |
| ??AQByteArray@@QAE?AVQByteRef@@H@C | 2 |
| ??1QByteArrayMatcher@@QAE@XZ | 2 |
| ?count@QByteArray@@QBEHXZ | 2 |
| ?indexIn@QByteArrayMatcher@@QBEHAB\ | 2 |
| ??0QByteArrayMatcher@@QAE@ABVQByte | 2 |
| ?toLong@QString@@QBEJPA_NH@Z | 2 |
| ?truncate@QByteArray@@QAEHX@Z | 2 |
| ?length@QByteArray@@QBEHXZ | 2 |
| ??0QByteArray@@QAE@HD@Z | 2 |
| ??YQByteArray@@QAEAAV0@D@Z | 2 |
| ?staticMetaObject@Q I DDevice@@2UQMet | 2 |
| ??0QSharedData@@QAE@XZ | 2 |
| ?hasQuery@Q U rl@@QBE_NXZ | 2 |
| ??0QSharedData@@QAE@ABV0@@Z | 2 |
| ?at@QByteArray@@QBE?BDH@Z | 2 |
| ?trimmed@QByteArray@@QBE?AV1@XZ | 2 |
| ?number@QByteArray@@SA?AV1@_JH@Z | 2 |

| | |
|---------------------------------------|---|
| ?contains@QByteArray@@QBE?AVQBool@ | 2 |
| ?toAce@QUrl@@SA?AVQByteArray@@ABV | 2 |
| ?toULongLong@QByteArray@@QBE_KPA_N | 2 |
| ?setUserInfo@QUrl@@QAEXABVQString@@ | 2 |
| ?userInfo@QUrl@@QBE?AVQString@@XZ | 2 |
| ?size@QBuffer@@UBE_JXZ | 2 |
| ?setFragment@QUrl@@QAEXABVQString@ | 2 |
| ?setUserName@QUrl@@QAEXABVQString@ | 2 |
| ?setData@QBuffer@@QAEXABVQByteArray | 2 |
| ?metaObject@QBuffer@@UBEPBUQMetaO | 2 |
| ?qt_metacast@QBuffer@@UAEPAXPBD@Z | 2 |
| ?qt_metacall@QBuffer@@UAEHW4Call@Q | 2 |
| ?isSequential@QIODevice@@UBE_NXZ | 2 |
| ?pos@QBuffer@@UBE_JXZ | 2 |
| ?seek@QBuffer@@UAE_N_J@Z | 2 |
| ?atEnd@QBuffer@@UBE_NXZ | 2 |
| ?canReadLine@QBuffer@@UBE_NXZ | 2 |
| ?readData@QBuffer@@MAE_JPAD_J@Z | 2 |
| ?writeData@QBuffer@@MAE_JPBD_J@Z | 2 |
| ??9QUrl@@QBE_NABV0@@Z | 2 |
| ?setPassword@QUrl@@QAEXABVQString@ | 2 |
| ?qHash@@YAIABVQByteArray@@@Z | 2 |
| ?prepend@QByteArray@@QAEAAV1@PBDI | 2 |
| ?indexOf@QByteArray@@QBEHDH@Z | 2 |
| ?fromPercentEncoding@QByteArray@@SA? | 2 |
| ??0QVariant@@QAE@ABVQLatin1String@@ | 2 |
| ?reserve@QByteArray@@QAEXH@Z | 2 |
| ?authority@QUrl@@QBE?AVQString@@XZ | 2 |
| ?setPath@QUrl@@QAEXABVQString@@@Z | 2 |
| ?readyRead@QIODevice@@IAEXXZ | 2 |
| ?qCritical@@YAXPBDZZ | 2 |
| ?metaObject@QIODevice@@UBEPBUQMet | 2 |
| ?close@QIODevice@@UAEXXZ | 2 |
| ?port@QUrl@@QBEHH@Z | 2 |
| ?prepend@QString@@QAEAAV1@ABVQLat | 2 |
| ??8QVariant@@QBE_NABV0@@Z | 2 |
| ?readChannelFinished@QIODevice@@IAEXX | 2 |
| ?setOpenMode@QIODevice@@IAEXV?\$QFI | 2 |
| ?isValid@QUrl@@QBE_NXZ | 2 |
| ?toString@QLocale@@QBE?AVQString@@@ | 2 |
| ?toUTC@QDateTime@@QBE?AV1@XZ | 2 |
| ?replace@QByteArray@@QAEAAV1@DPBD | 2 |
| ?contains@QByteArray@@QBE?AVQBool@ | 2 |
| ??6QDebug@@QAEAAV0@ABVQByteArray | 2 |
| ?isNull@QByteArray@@QBE_NXZ | 2 |
| ?fromPercentEncoding@QUrl@@SA?AVQSt | 2 |
| ?toInt@QByteArray@@QBEHPA_NH@Z | 2 |

| | |
|---------------------------------------|---|
| ?fromAce@QUrl@@SA?AVQString@@ABVC | 2 |
| ?startsWith@QByteArray@@QBE_ND@Z | 2 |
| ?split@QByteArray@@QBE_AV?\$QList@VQ | 2 |
| ?fromEncoded@QUrl@@SA?AV1@ABVQBy | 2 |
| ?toLongLong@QByteArray@@QBE_JPA_NH | 2 |
| ?typeName@QVariant@@QBEPDXZ | 2 |
| ??0QIODevice@@IAE@AAVQIODevicePrivate | 2 |
| ?indexOfMethod@QMetaObject@@QBEHPI | 2 |
| ?setErrorString@QIODevice@@IAEXABVQSt | 2 |
| ??1QIODevicePrivate@@UAE@XZ | 2 |
| ??0QIODevicePrivate@@QAE@XZ | 2 |
| ?putCharHelper@QIODevicePrivate@@UAE | 2 |
| ?reset@QCryptographicHash@@QAEXXZ | 2 |
| ?addData@QCryptographicHash@@QAEXAI | 2 |
| ?writeRawData@QDataStream@@QAEHPBI | 2 |
| ??6QDataStream@@QAEAAV0@G@Z | 2 |
| ??6QDataStream@@QAEAAV0@I@Z | 2 |
| ??5QDataStream@@QAEAAV0@AAI@Z | 2 |
| ??5QDataStream@@QAEAAV0@AAG@Z | 2 |
| ?fill@QByteArray@@QAEAAV1@DH@Z | 2 |
| ?qstrncpy@@YAPADPDPBDI@Z | 2 |
| ?setByteOrder@QDataStream@@QAEXW4E | 2 |
| ??0QDataStream@@QAE@PAVQByteArray(| 2 |
| ??0QString@@QAE@PBVQChar@@H@Z | 2 |
| ?data@QByteArray@@QBEPDXZ | 2 |
| ??0QAtomicInt@@QAE@H@Z | 2 |
| ??0QAtomicInt@@QAE@ABV0@@Z | 2 |
| ?prepend@QByteArray@@QAEAAV1@D@Z | 2 |
| ??4QAtomicInt@@QAEAAV0@H@Z | 2 |
| ??9QString@@QBE_NABVQLatin1String@@ | 2 |
| ?contains@QString@@QBE_AVQBool@@V(| 2 |
| ??6QDataStream@@QAEAAV0@E@Z | 2 |
| ??6QDataStream@@QAEAAV0@C@Z | 2 |
| ??5QDataStream@@QAEAAV0@AAE@Z | 2 |
| ?wakeOne@QWaitCondition@@QAEXXZ | 2 |
| ?mainThread@QCoreApplicationPrivate@@ | 2 |
| ?qAddPostRoutine@@YAXP6AXXZ@Z | 2 |
| ?instance@QAbstractEventDispatcher@@S | 2 |
| ?currentThread@QThread@@SAPAV1@XZ | 2 |
| ??0QString@@QBE_NABV0@@Z | 2 |
| ?globalInstanceGet@QMutexPool@@SAPAV | 2 |
| ?qDeleteInEventHandler@@YAXPAVQObjec | 2 |
| ?setEnabled@QSocketNotifier@@QAEX_N@ | 2 |
| ??0QSocketNotifier@@QAE@HW4Type@0(| 2 |
| ?metaObject@QSocketNotifier@@UBEPBU(| 2 |
| ?qt_metacast@QSocketNotifier@@UAEPAX | 2 |
| ?qt_metacall@QSocketNotifier@@UAEHW4 | 2 |

| | |
|---------------------------------------|---|
| ??1QSocketNotifier@@UAE@XZ | 2 |
| ?event@QSocketNotifier@@MAE_NPAVQE\ | 2 |
| ?qMemcpy@@YAPAXPAXPBXI@Z | 2 |
| ?ungetChar@QIODevice@@QAEXD@Z | 2 |
| ?timerId@QTimerEvent@@QBEHXZ | 2 |
| ?bytesWritten@QIODevice@@IAEX_J@Z | 2 |
| ?write@QWindowsPipeWriter@@QAE_JPBI | 2 |
| ??0QWindowsPipeWriter@@QAE@PAXPAV | 2 |
| ?metaObject@QWindowsPipeWriter@@UB | 2 |
| ?qt_metacast@QWindowsPipeWriter@@UA | 2 |
| ?qt_metacall@QWindowsPipeWriter@@UA | 2 |
| ?run@QWindowsPipeWriter@@MAEXXZ | 2 |
| ??1QWindowsPipeWriter@@UAE@XZ | 2 |
| ?bytesToWrite@QWindowsPipeWriter@@C | 2 |
| ?waitForWrite@QWindowsPipeWriter@@Q | 2 |
| ??0QDate@QDate@@QAE@ABVQDate@@AB\ | 2 |
| ??0QTime@@QAE@HHHH@Z | 2 |
| ?setYMD@QDate@@QAE_NHHH@Z | 2 |
| ? setDate@QDate@QAE@ABVQDate@ | 2 |
| ?unicode@QChar@@QAEAAGXZ | 2 |
| ??0CXmlParser@@QAE@XZ | 2 |
| __pl_Release | 2 |
| __pl_Yield | 2 |
| __vlc_object_kill | 2 |
| __vlc_object_lock | 2 |
| __vlc_object_unlock | 2 |
| @\$xp\$12Types@TPoint | 2 |
| @Userinfoex@TUserInfoEx@GetAccountNan | 2 |
| @Dcchoice@TDCCustomDateEdit@SetDate\$ | 2 |
| @Dcchoice@TDCCustomDateEdit@GetDate\$ | 2 |
| @\$xp\$15Etcctrls@TivWeb | 2 |
| @Etcctrls@TivWeb@ | 2 |
| @Eimagepanel@THDBusyScreenPanel@\$bc | 2 |
| @\$xp\$30Eimagepanel@THDBusyScreenPan | 2 |
| @Eimagepanel@THDBusyScreenPanel@ | 2 |
| @Hdncinfo@THDNCPaintInfo@SetFormSkin | 2 |
| @Embeddedwb@TWEB@Go\$qr20System@ | 2 |
| @Codeview@TivCodeEdit@ | 2 |
| @Ivaccount@TivAccountBox@OrderDisplay | 2 |
| @\$xp\$24Radiogroup@TivRadioGroup | 2 |
| @Radiogroup@TivRadioGroup@ | 2 |
| @Etcctrlsii@TlvNumEdit@SetValue\$qqrg | 2 |
| @Hdimagebutton@initialization\$qqrv | 2 |
| @Hdimagebutton@Finalization\$qqrv | 2 |
| @\$xp\$28Hdimagebutton@THDImageButton | 2 |
| @Hdimagebutton@THDImageButton@ | 2 |
| @Hdorderdialog@initialization\$qqrv | 2 |

| | |
|---|---|
| @Hdorderdialog@Finalization\$qqrv | 2 |
| @Hdorderdialog@THDOrderInfoItems@Get | 2 |
| @Hdorderdialog@THDOrderInfoItems@Get | 2 |
| @Hdorderdialog@THDOrderInfoDialog@Ge | 2 |
| @Hdorderdialog@THDOrderInfoDialog@Exe | 2 |
| @Hdorderdialog@THDOrderInfoDialog@Cle | 2 |
| @\$xp\$32Hdorderdialog@THDOrderInfoDial | 2 |
| @Hdorderdialog@THDOrderInfoDialog@ | 2 |
| @Hdflatspinedit@THDFlatSpin@SetAutoInci | 2 |
| @Hdflatspinedit@THDFlatSpin@SetIncreme | 2 |
| @\$xp\$26Hdflatspinedit@THDFlatSpin | 2 |
| @Hdflatspinedit@THDFlatSpin@ | 2 |
| @\$xp\$17Flatctrls@THDJBtn | 2 |
| @Flatctrls@THDJBtn@ | 2 |
| @\$xp\$25Flatctrls@THDFlatDateEdit | 2 |
| @Flatctrls@THDFlatDateEdit@ | 2 |
| uno_getEnvironment | 2 |
| SetImageInfo | 2 |
| Exit | 2 |
| GetImageInfo | 2 |
| @System@@Write0String\$qqrv | 2 |
| @System@@PStrCmp\$qqrv | 2 |
| @Adsdata@TAdsDataSet@EmptyTable\$qqrv | 2 |
| @Adsfunc@TAdsExtendedTable@AdsReinde | 2 |
| _ExtractIconEx_@20 | 2 |
| _OpenService_@12 | 2 |
| ??Pstd@@YA_NPBGABV?\$basic_string@GU | 2 |
| sout_MethodRelease | 2 |
| sout_SAPMethod | 2 |
| GetDynamicTimeZoneInformation | 2 |
| GdipSetPenMode | 2 |
| GdipSetPenMiterLimit | 2 |
| GdipDeleteCustomLineCap | 2 |
| GdipAddPathRectangleI | 2 |
| GdipGetPenWidth | 2 |
| SHCreateItemWithParent | 2 |
| DBFILEINFO | 2 |
| BCGetFileSize | 2 |
| ZDBSORGENTE | 2 |
| WS | 2 |
| DefineTVString | 2 |
| DrawShadowText | 2 |
| gdk_flush | 2 |
| g_filename_to_uri_utf8 | 2 |
| gtk_drawing_area_new | 2 |
| gtk_menu_item_new_with_label | 2 |
| gtk_menu_new | 2 |

| | |
|---|---|
| gtk_menu_shell_append | 2 |
| gtk_widget_add_events | 2 |
| gimp_plugin_domain_register | 2 |
| _psParseFreeHeapObject@28 | 2 |
| Loa | 2 |
| StrongNameFreeBuffer | 2 |
| StrongNameErrorInfo | 2 |
| GetCORSystemDirectory | 2 |
| StrongNameTokenFromPublicKey | 2 |
| _access_s | 2 |
| NetDfsSetSecurity | 2 |
| ??0CProxy@@QAE@H@Z | 2 |
| ?LoadCtl3d@CLoad3d@@QAEHPAUHINSTA | 2 |
| ?FilterHelpMessages@CHelpHook@@SAHH | 2 |
| ?UnloadCtl3d@CLoad3d@@QAEXXZ | 2 |
| SSDoAboutBox | 2 |
| SSGuiGetHelpFileFromClient | 2 |
| SSGuiGetHelpFileFromServer | 2 |
| SSGuiGetHelpFile | 2 |
| ??1CLoad3d@@QAE@XZ | 2 |
| ??0CLoad3d@@QAE@XZ | 2 |
| ?_Getcat@?\$time_put@DV?\$ostreambuf_it | 2 |
| ??0LFile@@QAE@XZ | 2 |
| ??1LFile@@UAE@XZ | 2 |
| _nc_tail | 2 |
| ExitH | 2 |
| Get | 2 |
| S | 2 |
| _qwe@8 | 2 |
| ?getline@?\$basic_istream@GU?\$char_traits@ | 2 |
| ??Hstd@@YA?AV?\$complex@M@0@ABMA | 2 |
| ldap_delete_ext | 2 |
| ?opfx@?\$basic_ostream@DU?\$char_traits@ | 2 |
| ?readsome@?\$basic_istream@DU?\$char_tr | 2 |
| ?imag@std@@YAOABV?\$complex@O@1@ | 2 |
| WdiSetResolution | 2 |
| WdiGetDiagnosticModuleId | 2 |
| WdiSetProblemDetectionResult | 2 |
| WdiGetEvent | 2 |
| _ZN9QListData6insertEi | 2 |
| _ZNK7QString5splitERKS_N13SplitBehavio | 2 |
| _ZNK7QThread10metaObjectEv | 2 |
| _ZN11QPushButton14setAutoDefaultEb | 2 |
| _ZN12QTextBrowser20setOpenExternalLinks | 2 |
| _ZN15QAbstractButton12setCheckableEb | 2 |
| _ZN16QDialogButtonBox18setStandardButt | 2 |
| _ZN16QDialogButtonBoxC1EP7QWidget | 2 |

| | |
|--|---|
| _ZN5QFont9setWeightEi | 2 |
| _ZN5QMenuC1EP7QWidget | 2 |
| _ZN6QLabel20setOpenExternalLinksEb | 2 |
| _ZN7QAction10setEnabledEb | 2 |
| _ZN7QAction7setTextERK7QString | 2 |
| _ZN7QActionC1ERK7QStringP7QObject | 2 |
| _ZN7QWidget18setLayoutDirectionEN2Qt15 | 2 |
| _ZN8QSpinBox8setValueEi | 2 |
| _ZN9QCheckBoxC1EP7QWidget | 2 |
| _ZN9QComboBox11insertItemsEiRK11QStrir | 2 |
| _ZNK7QWidget11mapToGlobalERK6QPoint | 2 |
| _ZNK9QCheckBox10checkStateEv | 2 |
| _ZNK9QComboBox12currentIndexEv | 2 |
| _ZN8QWebView4loadERK4QUrl | 2 |
| PeerGraphOpen | 2 |
| uno_revokeMapping | 2 |
| uno_registerMapping | 2 |
| uno_type_any_constructAndConvert | 2 |
| uno_any_constructAndConvert | 2 |
| MMCAddProvider | 2 |
| lineSetupTransferA | 2 |
| lineRedirectW | 2 |
| lineCreateAgentSessionA | 2 |
| aswcmnbsDlIMain | 2 |
| svcServiceStart | 2 |
| _basInitLibraryExt@4 | 2 |
| ?DisplayAVIBox@@YGHPAUHWND__@@PE | 2 |
| ?DisplayUserMessage@@YGHPAUHWND__ | 2 |
| ?NumRows@VaeDataSet@@QBEIXZ | 2 |
| ?DoVoidSQLAction@CoMazSes@@QAEFPB[| 2 |
| ?AddItem@VaeParamSet@@QAEJABVVaxn! | 2 |
| ??0VaeParamSet@@QAE@XZ | 2 |
| ?DoDataSQLAction@CoMazSes@@QAEFPB[| 2 |
| ?GetItem@VaeDataSet@@QBEPBDII@Z | 2 |
| ??1VaeParamSet@@UAE@XZ | 2 |
| ?messageMap@VaxaDBApp@@1UAFX_MS(| 2 |
| ?ResourceDLL@VaxaDBApp@@UAEPAUHIN | 2 |
| ??1VaxaDBApp@@UAE@XZ | 2 |
| ??0VaxaDBApp@@QAE@XZ | 2 |
| ?InitInstance@VaxaDBApp@@UAEHABVCSt | 2 |
| ??0VaxnString@@QAE@ABVCString@@@Z | 2 |
| ??4VaxnString@@QAEABV0@ABV0@@Z | 2 |
| ??BVaxnString@@QBEPBDXZ | 2 |
| ??1VaxnString@@UAE@XZ | 2 |
| ??H@YA?AVVaxnString@@ABV0@0@Z | 2 |
| ??0VaxnString@@QAE@XZ | 2 |
| ?LoadMessage@VaxnString@@QAEHIPBDH | 2 |

| | |
|--------------------------------------|---|
| ??4VaxnString@@QAEABV0@ABVCString@ | 2 |
| ??0VaxnString@@QAE@PBD@Z | 2 |
| ??0VaxnString@@QAE@ABV0@@Z | 2 |
| ??4VaxnString@@QAEABV0@PBD@Z | 2 |
| ?OraAssertFailedLine@@YAH_PBDH@Z | 2 |
| ?OraTrace@@YAX_PBDZ | 2 |
| WaitForThreadpoolWorkCallbacks | 2 |
| DisplayConfigGetDeviceInfo | 2 |
| DevObjGetDeviceProperty | 2 |
| DevObjOpenDeviceInfo | 2 |
| DevObjCreateDeviceInfoList | 2 |
| DevObjDestroyDeviceInfoList | 2 |
| PSPropertyKeyFromString | 2 |
| DMrcQueryModelId | 2 |
| DMrcGetProperties | 2 |
| DMrcQueryClose | 2 |
| DMrcInit | 2 |
| DMrcExit | 2 |
| DMrcQueryHardwareId | 2 |
| TraceSQLAllocHandleStd | 2 |
| GetIEUrlText | 2 |
| ??1IntlWrapper@@QAE@XZ | 2 |
| ?compareString@CollatorWrapper@@QBEJ | 2 |
| ?ImplNewCollator@IntlWrapper@@ABEXE@ | 2 |
| ?SetTabs@SvTabListBox@@QAEXP AJW4Ma | 2 |
| ?InsertItem@HeaderBar@@QAEXGABVStrir | 2 |
| ?CalcWindowSizePixel@HeaderBar@@QBEI | 2 |
| ??1HeaderBar@@UAE@XZ | 2 |
| ?SetWindowBits@SvTreeListBox@@QAEX_J | 2 |
| ?Resort@SvTreeList@@QAEXXZ | 2 |
| ?ToTop@Window@@QAEXG@Z | 2 |
| EzDumpJpgFile | 2 |
| PStoDIB | 2 |
| glewInit | 2 |
| iluErrorString | 2 |
| QdSMF | 2 |
| QdSMFop | 2 |
| QdOpenProgress | 2 |
| QdScheduleJob | 2 |
| QdCloseProgress | 2 |
| QdProgress | 2 |
| QdQueueSMF | 2 |
| QdAddJob | 2 |
| QdFindStatusWindow | 2 |
| SDDMDeviceCapabilities | 2 |
| SDDMExtDeviceMode | 2 |
| SDDMGetGDIInfo | 2 |

| | |
|--|---|
| SDDMAdvancedSetupDialog | 2 |
| SDDMDevInstall | 2 |
| ZSP_StructCopy | 2 |
| ZSP_GetMonitor | 2 |
| ZSP_InitializeMonitor | 2 |
| I_RpcTransIoCancelled | 2 |
| ??0QSettings@@QAE@PAVQObject@@@Z | 2 |
| ?setDown@QAbstractButton@@QAEX_N@: | 2 |
| ?setMargin@QLayout@@QAEXH@Z | 2 |
| ?update@QLayout@@QAEXXZ | 2 |
| ??0QWidgetItem@@QAE@PAVQWidget@C | 2 |
| ?geometry@QWidgetItem@@UBE?AVQRec | 2 |
| ??1QSplitter@@UAE@XZ | 2 |
| ?event@QSplitter@@MAE_NPAVQEEvent@C | 2 |
| ?childEvent@QSplitter@@MAEXP_AVQChildI | 2 |
| ?sizeHint@QSplitter@@UBE?AVQSize@@X: | 2 |
| ?minimumSizeHint@QSplitter@@UBE?AVQ | 2 |
| ?changeEvent@QSplitter@@MAEXP_AVQEve | 2 |
| ?staticMetaObject@QStackedWidget@@2U | 2 |
| ?setSizes@QSplitter@@QAEXABV?\$QList@I | 2 |
| ?resizeEvent@QSplitter@@MAEXP_AVQResi | 2 |
| ??0QIcon@@QAE@ABV0@@@Z | 2 |
| ?setAcceptDrops@QWidget@@QAEX_N@Z | 2 |
| ?size@QWidget@@QBE?AVQSize@@XZ | 2 |
| ?qt_metacast@QSplitter@@UAEPAXPBD@Z | 2 |
| ?qt_metacall@QSplitter@@UAEHW4Call@C | 2 |
| ?setUpdatesEnabled@QWidget@@QAEX_N | 2 |
| ?isCheckable@QAbstractButton@@QBE_NX | 2 |
| ?setCheckable@QAbstractButton@@QAEX_ | 2 |
| _NRM_OSApiInit@4 | 2 |
| _basErrorMessage@24 | 2 |
| _basInitThreadLocale@0 | 2 |
| _basProductInfo@0 | 2 |
| _basisOtherAVInstalled@4 | 2 |
| _basisCurrCodePageRTL@0 | 2 |
| _basLogEvent@24 | 2 |
| DSA_FileVerify | 2 |
| msg_Subscribe | 2 |
| msg_Unsubscribe | 2 |
| JgaDecodeBlock | 2 |
| JgaSpeechHeaderUnpack | 2 |
| JgaDecodeCreate | 2 |
| JgaDecodeDestroy | 2 |
| JgaDecodeWorkSpaceNeeded | 2 |
| JgaDBlockQuery | 2 |
| JgaDecodeHook | 2 |
| JgaDecodeUnhook | 2 |

| | |
|---|---|
| @System@@VarCmpLT\$qqrrx14System@V; | 2 |
| ZwRemovelCompletion | 2 |
| xsltRegisterAll | 2 |
| xsltApplyStylesheetUser | 2 |
| xsltCleanupGlobals | 2 |
| xsltDebugDumpExtensions | 2 |
| xsltFreeSecurityPrefs | 2 |
| xsltFreeTransformContext | 2 |
| xsltLoadStylesheetPI | 2 |
| xsltNewSecurityPrefs | 2 |
| xsltNewTransformContext | 2 |
| xsltParseStylesheetDoc | 2 |
| xsltRegisterTestModule | 2 |
| xsltRunStylesheetUser | 2 |
| xsltSaveResultToFile | 2 |
| xsltSecurityForbid | 2 |
| xsltSetCtxtParseOptions | 2 |
| xsltSetDefaultSecurityPrefs | 2 |
| xsltSetGenericDebugFunc | 2 |
| xsltSetSecurityPrefs | 2 |
| xsltSetXIncludeDefault | 2 |
| xmlCanonicPath | 2 |
| xmlInitMemory | 2 |
| xmlParserMaxDepth | 2 |
| ?QueryClassId@OBJECT@@QBEKXZ | 2 |
| ?ReplaceWithChars@BSTRING@@QAEEKKD | 2 |
| ??4OBJECT@@QAEAAV0@ABV0@@Z | 2 |
| PsGetThreadWin32Thread | 2 |
| Tcl_SetDoubleObj | 2 |
| Tcl_SetStringObj | 2 |
| Tcl_NewObj | 2 |
| Tcl_SetObjResult | 2 |
| Tcl_SetLongObj | 2 |
| Tcl_SetIntObj | 2 |
| Tcl_ListObjAppendElement | 2 |
| Tcl_SetWideIntObj | 2 |
| ASN1ztcharstring_cmp | 2 |
| @Cxgridtableview@TcxGridViewData@GetF | 2 |
| @Dxlayoutcxeditadapters@Finalization\$qqr | 2 |
| ScsiPortReadPortBufferUchar | 2 |
| ScsiPortWritePortBufferUchar | 2 |
| HH_By_Soft2CN | 2 |
| _uBugCheck@0 | 2 |
| ?SetCY@CStorageVariant@@QAEXTtagCY@ | 2 |
| SetupInstallFileW | 2 |
| _PuInitiateDebug@0 | 2 |
| _PuUninitiateDebug@0 | 2 |

| | |
|--|---|
| ?seekoff@?\$basic_streambuf@DU?\$char_tr | 2 |
| glutSolidCube | 2 |
| SHFreeShared | 2 |
| OcultarProcesso | 2 |
| ?cos@?\$_Ctr@N@std@@SANN@Z | 2 |
| StartKeyWord | 2 |
| @\$xp\$22Classes@TIdentMapEntry | 2 |
| @Variants@VarArrayDimCount\$qqrrx14Syst | 2 |
| @Variants@VarArrayCreate\$qqrpixius | 2 |
| @Variants@VarToStr\$qqrrx14System@Vari | 2 |
| @Printers@Printer\$qqrv | 2 |
| @Db@TDateTimeField@SetDisplayFormat\$(` | 2 |
| @Olectrls@TOleControl@SetOleVariantPro | 2 |
| @Strtools@StrToFloatDef\$qqr17System@Ar | 2 |
| @Placemnt@TFormPlacement@RestoreFori | 2 |
| @Placemnt@TFormPlacement@SaveFormP | 2 |
| @Dxeditor@TdxInplaceMaskEdit@SetText\$(` | 2 |
| @Dxexedtr@TdxInplacePickEdit@SetItemIn | 2 |
| @Dxexedtr@TdxInplaceCheckEdit@SetChec | 2 |
| @Dxedlib@TdxButtonEdit@ | 2 |
| @Kbmmemtable@TkbmCustomMemTable@ | 2 |
| @Qr3const@Finalization\$qqrv | 2 |
| @Jvstrutils@StrToOem\$qqrx17System@Ans | 2 |
| @Kbmmemcsvstreamformat@TkbmCSVStre | 2 |
| @Cxradiogroup@TcxRadioButton@ | 2 |
| @Dxstatusbar@TdxStatusBarPanel@SetText | 2 |
| @Dxdbgridvecurrcolumn@Finalization\$qqrv | 2 |
| @Dxdbgridvecurrcolumn@TdxDBGridVeCur | 2 |
| @Curredit@Finalization\$qqrv | 2 |
| @Curredit@TCustomNumEdit@SetValue\$qr | 2 |
| @Curredit@TCurrencyEdit@ | 2 |
| @Rxcalc@Finalization\$qqrv | 2 |
| @Cxcheckcombobox@TcxCustomCheckCom | 2 |
| @Cxcheckcombobox@TcxCustomCheckCom | 2 |
| ??Xstd@@YAAV?\$complex@M@0@AAV1` | 2 |
| ?widen@?\$ctype@D@std@@QBEDD@Z | 2 |
| I_CryptGetLruEntryData | 2 |
| DefVidWaitMsg3 | 2 |
| ??0CRandom@@QAE@I@Z | 2 |
| StreamSubStringMatch | 2 |
| _MSG | 2 |
| CreateInfoWindow | 2 |
| LoadMappedToolbarBitmap | 2 |
| StrTokEx | 2 |
| IsHttpUrlA | 2 |
| SetWindowLongPtrAthW | 2 |
| PszDupLenA | 2 |

| | |
|--|----------|
| DoHotMailWizard | 2 |
| SetIntlFont | 2 |
| ValidEmailAddress | 2 |
| RichMimeEdit_CreateInstance | 2 |
| ?Initialize@CImpersonationTokenCache@@ | 2 |
| ?CreateSubdirs@CMachineAdmin@@QAEXI | 2 |
| 898A17E9 | 2 |
| | 76571230 |
| | 14666085 |
| 27B6DE0A | 2 |
| 664B468C | 2 |
| D5C2525C | 2 |
| ECC2DF4D | 2 |
| 4027098F | 2 |
| ECD09C74 | 2 |
| EB7BBAE0 | 2 |
| 11D5F04A | 2 |
| 7C2DC76A | 2 |
| 25567F52 | 2 |
| DCC88CCA | 2 |
| 7DA0D009 | 2 |
| 0A36B072 | 2 |
| 94DFF5D3 | 2 |
| A25A772E | 2 |
| 6CCC78DB | 2 |
| AB7EFCCA | 2 |
| 779F3CD9 | 2 |
| A9402126 | 2 |
| 8DAF7A91 | 2 |
| EFFEF9CD | 2 |
| 5193D8F0 | 2 |
| 375A2A26 | 2 |
| ADAC6C0A | 2 |
| C832EEDB | 2 |
| 42EA0BA9 | 2 |
| 55054C56 | 2 |
| D1BEA3B1 | 2 |
| E52B2DA7 | 2 |
| 6B063E58 | 2 |
| D9177393 | 2 |
| DB564AB1 | 2 |
| B0234BC2 | 2 |
| 12AA39AA | 2 |
| 859603D0 | 2 |
| ?DecodeUrl@Encode@Util@@YA?AVCTXStr | 2 |
| ?OpenChatSession@ChatSession@Util@@Y. | 2 |
| ?CancelChatFrameLink@ChatSession@Util@ | 2 |

| | |
|--|---|
| ?GetAsyncMainBtnStateByLogicalJudge@Mi | 2 |
| ?rend@?\$basic_string@GU?\$char_traits@G | 2 |
| ?rbegin@?\$basic_string@GU?\$char_traits@ | 2 |
| PuDeleteDebugPrintsObject | 2 |
| slibGetSoundVolume | 2 |
| slibSetSoundVolume | 2 |
| slibStartRecording | 2 |
| ??0CxImage@@QAE@PB_WK@Z | 2 |
| ?GetHostName@HostResolve@Util@@Y/ | 2 |
| ?EncodeHash@Encode@Util@@YA?AVCTXS | 2 |
| ?GetBufferHash@Encode@Util@@YA?AVCT | 2 |
| ?GetParentFolder@FS@Util@@YA?AVCTXS1 | 2 |
| ??0CTXTIME@@QAE@XZ | 2 |
| ?SafeLoadLibrary@Sys@Util@@YAPAUHINS | 2 |
| ?AnsiToUnicode@Convert@Util@@YA_NAA | 2 |
| ?Remove@CTXStringW@@QAEH_W@Z | 2 |
| ??0CTXTIME@@QAE@ABV0@@Z | 2 |
| ?GetTime@CTXTime@@QBE_JXZ | 2 |
| ??PCTXTIME@@QBE_NV0@@Z | 2 |
| ?GetTickCount@CTXTime@@SA?AV1@XZ | 2 |
| ?Get@Metadata@Util@@YAJPAUITXData@ | 2 |
| SetCanvasWindow | 2 |
| SetWindowOrg | 2 |
| ?GetCombineName@Contact@Util@@YA/? | 2 |
| ?IsStatusLegal@Misc@Util@@YAHG@Z | 2 |
| ?IsValidAccount@Misc@Util@@YAHVCTXSt | 2 |
| ?GetHeadFile100@Misc@Util@@YA?AVCTX | 2 |
| jgDeleteStub | 2 |
| jgCreateStub | 2 |
| ?replace@?\$basic_string@DU?\$char_traits@ | 2 |
| HlinkResolveStringForData | 2 |
| I_RpcLogEvent | 2 |
| I_RpcTransGetThreadEvent | 2 |
| BtNotifyCOMM | 2 |
| BtGetCOMMCreatorName2 | 2 |
| BtNotifyEvent | 2 |
| BtRemoveServiceRecord | 2 |
| BtGetConnectionHandle | 2 |
| BtRoleDiscovery | 2 |
| BtSwitchRole | 2 |
| BtDestroyCOMM | 2 |
| SetupDlInstallClassA | 2 |
| KsCreatePin | 2 |
| KsSynchronousIoControlDevice | 2 |
| I_RpcCertProcessAndProvision | 2 |
| SspiPromptForCredentialsW | 2 |
| RpcDiagnoseError | 2 |

| | |
|--|---|
| SspiEncodeStringsAsAuthIdentity | 2 |
| SspiEncodeAuthIdentityAsStrings | 2 |
| _ZN4Foam10SLLListBase10removeHeadEv | 2 |
| _ZN4Foam10dictionary4nullE | 2 |
| _ZN4Foam8Iostream10precision_E | 2 |
| _ZNK4Foam7argList14additionalArgsEv | 2 |
| _ZNK4Foam8polyMesh6pointsEv | 2 |
| _ZTVN4Foam5entryE | 2 |
| _ZN4Foam16DimensionedFieldINS_6Vectorl | 2 |
| _ZNSs6appendEPKcj | 2 |
| _ZNSs6appendERKSs | 2 |
| _ZNSs6appendEjc | 2 |
| _ZNSsC1ERKSs | 2 |
| _ZTVSt8bad_cast | 2 |
| IASAttributeUnicodeAlloc | 2 |
| _ftime64_s | 2 |
| NdisMUnmapIoSpace | 2 |
| NdisMCmDeleteVc | 2 |
| RutlGetOsVersion | 2 |
| RutlAssignmentFromTokens | 2 |
| RutlGetTagToken | 2 |
| RutlStrDup | 2 |
| RutlCloseDumpFile | 2 |
| RutlCreateDumpFile | 2 |
| RutlAlloc | 2 |
| RutlIsHelpToken | 2 |
| RutlAssignmentFromTokenAndDword | 2 |
| RutlParse | 2 |
| curl_share_setopt | 2 |
| curl_share_init | 2 |
| curl_share_cleanup | 2 |
| jgGetXmlAttributeSubTagCount | 2 |
| jgGetXmlAttributeAttr | 2 |
| jgGetXmlAttributeName | 2 |
| jgGetXmlAttributeSubTag | 2 |
| ?Clear@CLKRLinearHashTable@@QAEXXZ | 2 |
| ?_ReadOrWriteUnlock@CLKRLinearHashTab | 2 |
| TraceSQLParamData | 2 |
| TraceSQLGetTypeInfo | 2 |
| ?clear@?\$basic_ios@GU?\$char_traits@G@? | 2 |
| ?sinh@std@@YA?AV?\$complex@N@1@AB | 2 |
| ?StatusCallBack@LBase@@MAEH@Z | 2 |
| ??0LBitmapBase@@QAE@XZ | 2 |
| ?ColorRes@LBitmapBase@@UAEHHKPAUta | 2 |
| ?SetYResolution@LBitmapBase@@QAEXH@ | 2 |
| ?SetXResolution@LBitmapBase@@QAEXH@ | 2 |
| ?GetYResolution@LBitmapBase@@QAEHXZ | 2 |

| | |
|---|---|
| ?GetXResolution@LBitmapBase@@QAEHXZ | 2 |
| ??1LBitmap@@UAE@XZ | 2 |
| ??0LBitmap@@QAE@XZ | 2 |
| ?IsInFullScreen@WinScreenStatus@Util@@ | 2 |
| ?InitDefaultCharFormat@AFChatSession@U | 2 |
| ?CreateMsgTipPack@AFChatSession@Util@ | 2 |
| ?ResetBuffer@CQueryScanner@@QAEXPBC | 2 |
| LocateCatalogs | 2 |
| ?EnableCI@CMachineAdmin@@QAEHXZ | 2 |
| rtR4FromErrVar | 2 |
| BASIC_CLASS_QueryInterface | 2 |
| ?_CmpExch@CReaderWriterLock2@@AAE_! | 2 |
| ?IsReadUnlocked@CSmallSpinLock@@QBE_ | 2 |
| lineUnhold | 2 |
| RegRenameKey | 2 |
| @Cxdbextlookupcombobox@initialization\$ | 2 |
| @Cxprogressbar@Finalization\$qqrv | 2 |
| @Cxfontnamecombobox@Finalization\$qqrv | 2 |
| @Cxhint@initialization\$qqrv | 2 |
| @Cxhint@Finalization\$qqrv | 2 |
| @Cxheader@initialization\$qqrv | 2 |
| @Frxbdecomponents@initialization\$qqrv | 2 |
| @Frxbdecomponents@Finalization\$qqrv | 2 |
| @Frxbdeeditor@initialization\$qqrv | 2 |
| @Frxbdeeditor@Finalization\$qqrv | 2 |
| @Frxbdertti@initialization\$qqrv | 2 |
| @Frxbdertti@Finalization\$qqrv | 2 |
| @Fs_ibdertti@initialization\$qqrv | 2 |
| @Fs_ibdertti@Finalization\$qqrv | 2 |
| AES_encrypt | 2 |
| AES_set_encrypt_key | 2 |
| BN_bin2bn | 2 |
| BN_bn2bin | 2 |
| BN_bn2dec | 2 |
| BN_clear_free | 2 |
| BN_cmp | 2 |
| BN_copy | 2 |
| BN_dec2bn | 2 |
| BN_dup | 2 |
| BN_hex2bn | 2 |
| BN_new | 2 |
| BN_num_bits | 2 |
| BN_rand | 2 |
| BN_sub | 2 |
| BN_value_one | 2 |
| CRYPTO_free | 2 |
| DSA_SIG_free | 2 |

| | |
|-------------------------------|---|
| DSA_SIG_new | 2 |
| DSA_do_sign | 2 |
| DSA_do_verify | 2 |
| DSA_free | 2 |
| DSA_generate_key | 2 |
| DSA_generate_parameters | 2 |
| DSA_new | 2 |
| EVP_CIPHER_CTX_cleanup | 2 |
| EVP_CIPHER_CTX_get_app_data | 2 |
| EVP_CIPHER_CTX_init | 2 |
| EVP_CIPHER_CTX_iv_length | 2 |
| EVP_CIPHER_CTX_key_length | 2 |
| EVP_CIPHER_CTX_set_app_data | 2 |
| EVP_CIPHER_CTX_set_key_length | 2 |
| EVP_Cipher | 2 |
| EVP_CipherInit | 2 |
| EVP_DigestFinal | 2 |
| EVP_DigestInit | 2 |
| EVP_DigestUpdate | 2 |
| EVP_MD_size | 2 |
| EVP_aes_128_cbc | 2 |
| EVP_aes_192_cbc | 2 |
| EVP_aes_256_cbc | 2 |
| EVP_cast5_cbc | 2 |
| EVP_des_cbc | 2 |
| EVP_des_ed3_cbc | 2 |
| EVP_enc_null | 2 |
| EVP_get_digestbyname | 2 |
| EVP_md5 | 2 |
| EVP_rc4 | 2 |
| EVP_sha1 | 2 |
| HMAC_CTX_cleanup | 2 |
| HMAC_Final | 2 |
| HMAC_Init | 2 |
| HMAC_Update | 2 |
| OBJ_nid2sn | 2 |
| RAND_bytes | 2 |
| RAND_status | 2 |
| RC4 | 2 |
| RC4_set_key | 2 |
| RSA_free | 2 |
| RSA_new | 2 |
| RSA_public_decrypt | 2 |
| RSA_sign | 2 |
| RSA_size | 2 |
| SSLeay | 2 |
| cygwin_conv_to_posix_path | 2 |

| | |
|--|---|
| readv | 2 |
| sysconf | 2 |
| clRetainProgram | 2 |
| clearok | 2 |
| doupdate | 2 |
| refresh | 2 |
| wnoutrefresh | 2 |
| ??0CCtrlFactory@@QAE@PAVCWnd@@PAI | 2 |
| ??1CCtrlFactory@@QAE@XZ | 2 |
| ?DestroyCtrl@CCtrlFactory@@QAEJXZ | 2 |
| ?GetCount@CGComboBox@@QAEHXZ | 2 |
| ?CreateCtrl@CCtrlFactory@@QAEJPAUtagL | 2 |
| ?MoveCtrl@CCtrlFactory@@QAEJVCRect@(| 2 |
| ?ShowHanderCursor@CGStatic@@QAEHX@ | 2 |
| ?SetFont@CGComboBox@@QAEPAVCFont | 2 |
| ?SetTextColor@CGComboBox@@QAEK | 2 |
| ?SetSelTextColor@CGComboBox@@QAE | 2 |
| ?SetShineTextColor@CGComboBox@@C | 2 |
| ?AddString@CGComboBox@@QAEHV?\$CSt | 2 |
| ?SetItemData@CGComboBox@@QAEHH@Q | 2 |
| ?SetCurSel@CGComboBox@@QAEHH@Z | 2 |
| ?SetCheck@CButton@@QAEHX@Z | 2 |
| ?GetItemData@CGComboBox@@QAEKH@Z | 2 |
| ?GetCurSel@CGComboBox@@QAEHXZ | 2 |
| ?SetTextColor@CGStatic@@QAEKKKK@Z | 2 |
| ?SetTooltip@CButton@@QAEPBGH@Z | 2 |
| ?SetTextColor@CButton@@QAEUTEXT_C | 2 |
| ?SetFont@CButton@@QAEPAVCFont@Q | 2 |
| ?SetTextColor@CEdit@@QAEK@Z | 2 |
| ?GetViewTag@CUILayoutMgr@@QAEPAUV | 2 |
| ??0CUILayoutMgr@@QAE@PAG0PAUView1 | 2 |
| ?LoadImageTag@CUILayoutMgr@@QAEJPB | 2 |
| ?SDPaintView@CUILayoutMgr@@QAEJPAV | 2 |
| ?GetViewRect@CUILayoutMgr@@QAEJAAV | 2 |
| ?GetRectTag@CUILayoutMgr@@QAEJPBGA | 2 |
| ?UpdateCtrlPos@CUILayoutMgr@@QAEJPB | 2 |
| ?RefreshLayout@CUILayoutMgr@@QAEJPA | 2 |
| ??1CUILayoutMgr@@QAE@XZ | 2 |
| _ZN14KPluginFactory17setupTranslationsEv | 2 |
| _ZN14KPluginFactory6createEPKcP7QWidge | 2 |
| _Z6qFatalPKcz | 2 |
| _ZN9QHashData8nextNodeEPNS_4NodeE | 2 |
| _ZN9QtPrivate20QStringList_containsEPK11 | 2 |
| _ZNK11QMetaObject4castEP7QObject | 2 |
| _ZNK9QFileInfo8fileNameEv | 2 |
| ?swprintf@@YAHPEGIPBGZZ | 2 |
| DSA_DeleteAllItems | 2 |

| | |
|---|---|
| _ZN16QCoreApplication4execEv | 2 |
| _ZN4QDir8homePathEv | 2 |
| _ZN5QFile14setPermissionsERK7QString6QF | 2 |
| _ZN5QFile4copyERK7QStringS2_ | 2 |
| _ZN5QTimeC1Eiii | 2 |
| _ZN7QString7replaceE5QCharRKS_N2Qt15C | 2 |
| _ZN7QString7replaceE5QCharS0_N2Qt15Ca | 2 |
| _ZN8QProcess7executeERK7QString | 2 |
| _ZN8QVariantC1Ej | 2 |
| _ZN8QVariantC1Ex | 2 |
| _ZN9QDateTime10fromStringERK7QStringS2 | 2 |
| _ZN9QIODevice5writeEPKc | 2 |
| _ZN9QSettings10beginGroupERK7QString | 2 |
| _ZN9QSettings8endGroupEv | 2 |
| _ZN9QSettings8setValueERK7QStringRK8QV | 2 |
| _ZN9QSettingsD1Ev | 2 |
| _ZNK10QTextCodec9toUnicodeEPKc | 2 |
| _ZNK4QDir9entryListE6QFlagsINS_6FilterEES | 2 |
| _ZNK5QTime6secsToERKS_ | 2 |
| _ZNK7QString6toUtf8Ev | 2 |
| _ZNK7QString8endsWithERK5QCharN2Qt15I | 2 |
| _ZNK8QVariant6toUIntEPb | 2 |
| _ZNK9QDateTime8toTime_tEv | 2 |
| _ZNK9QFileInfo5isDirEv | 2 |
| _ZNK9QFileInfo6existsEv | 2 |
| _ZN12QLocalServer6listenERK7QString | 2 |
| _ZN12QLocalServerC1EP7QObject | 2 |
| ?_DeleteRecord@CLKRLinearHashTable@@. | 2 |
| ?ConvertExclusiveToShared@CLKRLinearHas | 2 |
| ??0CUncensoredRestriction@@QAE@XZ | 2 |
| glsGetContextListubz | 2 |
| glsReadPrefix | 2 |
| ??0CTStr@@QAE@H@Z | 2 |
| SetEnvironmentStringsA | 2 |
| _ZN16QCoreApplication4exitEi | 2 |
| _ZN19QXmlStreamAttributeD1Ev | 2 |
| _ZN5QFile6removeEv | 2 |
| _ZN5QTime5startEv | 2 |
| _ZN9QIODevice8readLineEx | 2 |
| _ZNK10QStringRef8toStringEv | 2 |
| _ZNK16QXmlStreamReader10attributesEv | 2 |
| _ZNK20QXmlStreamAttributes5valueERK7QF | 2 |
| _ZNK4QDir6existsERK7QString | 2 |
| _ZNK5QTime7elapsedEv | 2 |
| _ZNK9QFileInfo12absolutePathEv | 2 |
| _ZeqRK13QLatin1StringRK10QStringRef | 2 |
| _ZeqRK7QStringRK10QStringRef | 2 |

| | |
|--|---|
| _ZN12QProgressBar8setValueEi | 2 |
| _ZN12QProgressBarC1EP7QWidget | 2 |
| _ZN6QBrushC1EN2Qt11GlobalColorENS0_1C | 2 |
| vtgxlcb | 2 |
| vzstdel | 2 |
| vzstmov | 2 |
| ypslog | 2 |
| ykread | 2 |
| ypmstr | 2 |
| yffile | 2 |
| yvgete | 2 |
| yvgetd | 2 |
| yvgeti | 2 |
| yvsele | 2 |
| yoinfo | 2 |
| yyvget | 2 |
| ybyrwnd | 2 |
| ybynext | 2 |
| yybyget | 2 |
| yofprc | 2 |
| yvname | 2 |
| @Dblookup@initialization\$qqrv | 2 |
| ObIsKernelHandle | 2 |
| ExRegisterAttributeInformationCallback | 2 |
| ExUnregisterAttributeInformationCallback | 2 |
| ExfTryToWakePushLock | 2 |
| ExfAcquirePushLockShared | 2 |
| ExfReleasePushLockShared | 2 |
| RtlCreateHashTable | 2 |
| RtlDeleteHashTable | 2 |
| RtlEndEnumerationHashTable | 2 |
| RtlEnumerateEntryHashTable | 2 |
| RtlInitEnumerationHashTable | 2 |
| RtlGetNextEntryHashTable | 2 |
| RtlLookupEntryHashTable | 2 |
| RtlRemoveEntryHashTable | 2 |
| RtlInsertEntryHashTable | 2 |
| ZwLoadKeyEx | 2 |
| AppHashComputeFileAttributes | 2 |
| ?_Init@?\$_time_put@GV?\$ostreambuf_iterator@Z | 2 |
| ZBCMSG | 2 |
| LoadControlStruct | 2 |
| _strncmp | 2 |
| RtlQueryProcessHeapInformation | 2 |
| ?Mid@AString@@QBE?AV1@HH@Z | 2 |
| ?ReverseFind@AString@@QBEHD@Z | 2 |
| ??YAString@@QAEABV0@ABV0@@Z | 2 |

| | |
|--|---|
| ??4AString@@QAEABV0@PBD@Z | 2 |
| ??0AString@@QAE@PBD@Z | 2 |
| ?GetData@AString@@IBEPAUStringData@ | 2 |
| ?Format@AString@@QAAAV1@PBDZZ | 2 |
| ??4AString@@QAEABV0@ABV0@@Z | 2 |
| IoReadTransferCount | 2 |
| Exi386InterlockedIncrementLong | 2 |
| ?id@?\$numpunct@_W@std@@2V0locale@ | 2 |
| ?_Getcat@?\$numpunct@_W@std@@SAIP@ | 2 |
| ?grouping@?\$numpunct@_W@std@@QBE | 2 |
| ?thousands_sep@?\$numpunct@_W@std@ | 2 |
| ??5?\$basic_istream @_WU?\$char_traits @_V | 2 |
| _vme_wwrite@8 | 2 |
| _vme_wread@4 | 2 |
| ZTagUpdateBlock | 2 |
| ZTagGetElementPtr | 2 |
| ZTagCreateBlock | 2 |
| ZTagGetElement | 2 |
| ZTagCloseBlock | 2 |
| ClbWndProc | 2 |
| ?PART_ask_filename_of_part@@YAPADI@Z | 2 |
| ?SM_free@@YAXPAX@Z | 2 |
| ?CFI_is_file@@YA_NPBD@Z | 2 |
| ?CFI_merge_filespec@@YAHPBD0HPAPAD@ | 2 |
| ?SM_string_copy@@YAPADPBD@Z | 2 |
| ?SM_string_copy_persistent@@YAPADPBD@ | 2 |
| ?CFI_ask_file_exist@@YAHPBD@Z | 2 |
| ?CFI_create_unique_filename@@YAHPAPA@ | 2 |
| AddPassword | 2 |
| NT | 2 |
| png_set_filter | 2 |
| png_create_read_struct_2 | 2 |
| png_get_bKGD | 2 |
| png_set_pHYs | 2 |
| png_set_bKGD | 2 |
| png_set_sBIT | 2 |
| png_get_error_ptr | 2 |
| ParseMetaGeometry | 2 |
| SetImageOpacity | 2 |
| ResetImagePropertyIterator | 2 |
| GetNextImageProperty | 2 |
| CloneStringInfo | 2 |
| CropImage | 2 |
| GetPreviousImageInList | 2 |
| AcquireUniqueFilename | 2 |
| InheritException | 2 |
| AcquireMagickMemory | 2 |

| | |
|---|---|
| main | 2 |
| CloseSPXPerformanceData | 2 |
| CollectNbfPerformanceData | 2 |
| CloseDhcpPerformanceData | 2 |
| CloseIPXPerformanceData | 2 |
| CollectNWNBPerformanceData | 2 |
| CollectIPXPerformanceData | 2 |
| ?_GetItem@@YAPADPBDHPADD0_N@Z | 2 |
| ?r_string@IReader@@QAEXPADI@Z | 2 |
| ?r_open@CLocatorAPI@@QAEPAVIReader@ | 2 |
| ??1CMemoryWriter@@UAE@XZ | 2 |
| ??0CMemoryWriter@@QAE@XZ | 2 |
| ?r_close@CLocatorAPI@@QAEAAPAVIRea | 2 |
| ?fail@xrDebug@@QAEXPBD00H0AA_N@Z | 2 |
| ?Debug@@3VxrDebug@@A | 2 |
| ?fail@xrDebug@@QAEXPBD000H0AA_N@Z | 2 |
| ?dock@str_container@@QAEPAUstr_value(| 2 |
| ?g_pStringContainer@@3PAVstr_container(| 2 |
| ?xr_FS@@3PAVCLocatorAPI@@A | 2 |
| ?mem_free@xrMemory@@QAEXPAX@Z | 2 |
| ?Memory@@3VxrMemory@@A | 2 |
| ?mem_alloc@xrMemory@@QAEPAXI@Z | 2 |
| ?w_stringZ@IWriter@@QAEXPBD@Z | 2 |
| ?strconcat@@YAPADHPADPBD1@Z | 2 |
| lua_setmetatable | 2 |
| lua_getmetatable | 2 |
| D3DXGetFVFVertexSize | 2 |
| D3DXGetDeclLength | 2 |
| D3DXCompileShader | 2 |
| ?uflow@?\$basic_filebuf@GU?\$char_traits@ | 2 |
| ??0?\$num_get@DV?\$istreambuf_iterator@ | 2 |
| I_RpcTransConnectionFreePacket | 2 |
| ??0QProgressDialog@@QAE@PAVQWidget@ | 2 |
| ??0QLineEdit@@QAE@ABVQString@@PAV | 2 |
| ?qt_metacast@QProgressDialog@@UAEP@ | 2 |
| ?qt_metacall@QProgressDialog@@UAEHW | 2 |
| ?sizeHint@QProgressDialog@@UBE?AVQSize@ | 2 |
| ?resizeEvent@QProgressDialog@@MAEXP@ | 2 |
| ?showEvent@QProgressDialog@@MAEXP@ | 2 |
| ?changeEvent@QProgressDialog@@MAEXP@ | 2 |
| ??1QProgressDialog@@UAE@XZ | 2 |
| ?setLabelText@QProgressDialog@@QAEXAI | 2 |
| ?adjustSize@QWidget@@QAEXXZ | 2 |
| ?setMaximum@QProgressDialog@@QAEXH | 2 |
| ?attribute@QNetworkReply@@QBE?AVQValue@ | 2 |
| ?error@QNetworkReply@@QBE?AW4Netw | 2 |
| ??0QNetworkAccessManager@@QAE@PAV | 2 |

| | |
|--------------------------------------|---|
| ??0QNetworkRequest@@QAE@ABVQString@@ | 2 |
| ?get@QNetworkAccessManager@@QAEPAV | 2 |
| ?resize@QFile@@QAE_N_J@Z | 2 |
| ??4QUrl@@QAEAAV0@ABVQString@@@Z | 2 |
| ??0CSpinLock@@QAE@XZ | 2 |
| ?GetSpinCount@CFakeLock@@QBEGXZ | 2 |
| ?Lock@CLockedSingleList@@QAEXXZ | 2 |
| ?bootstrap_expandUri@cppu@@YA?AVOUS | 2 |
| osl_searchFileURL | 2 |
| osl_getModuleURLFromFunctionAddress | 2 |
| xmlNewDocComment | 2 |
| BringSheetToForeground | 2 |
| IsSheetAlreadyUp | 2 |
| DSPROP__GetGCSearchOnDomain | 2 |
| TestApplyPatchToFileW | 2 |
| ApplyPatchToFileExW | 2 |
| TestApplyPatchToFileByHandles | 2 |
| ApplyPatchToFileW | 2 |
| GetFilePatchSignatureA | 2 |
| TestApplyPatchToFileA | 2 |
| ApplyPatchToFileExA | 2 |
| ApplyPatchToFileByHandlesEx | 2 |
| GetFilePatchSignatureByHandle | 2 |
| GetFilePatchSignatureW | 2 |
| PsRevertThreadToSelf | 2 |
| g2ax_comm_customer_winmain | 2 |
| ??0QApplication@@QAE@AAHPAPADW4Ty | 2 |
| _isspace | 2 |
| HrCopyStreamCPEndOnCRLF | 2 |
| RegisterService | 2 |
| GetFirstService | 2 |
| FindServices | 2 |
| DeregisterService | 2 |
| DHSetICSIInterfaces | 2 |
| DeregisterNotification | 2 |
| SsdpCleanup | 2 |
| RegisterNotification | 2 |
| FindServicesClose | 2 |
| GetNextService | 2 |
| FindServicesCancel | 2 |
| DHSetICSOFF | 2 |
| FreeSsdpMessage | 2 |
| FindServicesCallback | 2 |
| CleanupCache | 2 |
| @Mrulist@initialization\$qqrv | 2 |
| ?FailureMemory@CWbIMessages@@QAEXI | 2 |
| ?Init@CWbIMessages@@QAEXPAAUHINSTAI | 2 |

| | |
|---|---|
| ??OCWblMessages@@QAE@XZ | 2 |
| ?_WbIMemoryUninit@@YAXXZ | 2 |
| ?DryOff@@YAXXZ | 2 |
| ?WksSetUnhandledExceptionFilter@@YAXX: | 2 |
| ?HrInitWksGen@@YAJK@Z | 2 |
| ?WksBFirstRunEula@@YA_NXZ | 2 |
| ?CleanUpWksGen@@YAXXZ | 2 |
| ?kPM_SPARKCOMMAND@@3IA | 2 |
| GdipSetPenWidth | 2 |
| GdipGetFontHeightGivenDPI | 2 |
| ?GetLayoutEngine@yui@@YAPAVILayoutEn | 2 |
| RtlExpandEnvironmentStrings | 2 |
| uno_any_assign | 2 |
| ?throwException@cppu@@YAXABVAny@ur | 2 |
| KiCoprocessorError | 2 |
| KeUpdateSystemTime | 2 |
| KdRestore | 2 |
| Kill_Task | 2 |
| curl_multi_remove_handle | 2 |
| ?Refresh@CDefColumnRegEntry@@QAEXH | 2 |
| CommitTransaction | 2 |
| RollbackTransaction | 2 |
| ?Next@CPointerList@@QAEPAUListItem@() | 2 |
| ZwDebugContinue | 2 |
| RIB_request_interface | 2 |
| _RIB_find_files_provider@20 | 2 |
| RIB_unregister_interface | 2 |
| GetKeyboardLayoutCP | 2 |
| pSetupAppendStringToMultiSz | 2 |
| pSetupSetNoDriverPrompts | 2 |
| pSetupDiGetDeviceInfoContext | 2 |
| pSetupInflsFromOemLocation | 2 |
| pSetupDiSetDeviceInfoContext | 2 |
| pSetupInfCacheBuild | 2 |
| pSetupInstallStopEx | 2 |
| pSetupSetSystemSourcePath | 2 |
| pSetupVerifyFile | 2 |
| pSetupFreeStringArray | 2 |
| pSetupAcquireSCMLock | 2 |
| SfcGetFiles | 2 |
| @Variants@VarArrayHighBound\$qqrrx14Sy: | 2 |
| @Dateutils@EndOfAMonth\$qqrxusxus | 2 |
| @Dateutils@StartOfAMonth\$qqrxusxus | 2 |
| @Dateutils@EndOfTheYear\$qqrx16System@ | 2 |
| @Dxededtr@TdxInplacePickEdit@GetItemIn | 2 |
| @Dbctrls@TFieldDataLink@SetFieldName\$ | 2 |
| @Dbctrls@TFieldDataLink@\$bctr\$qqrv | 2 |

| | |
|--|---|
| @Dbctrls@TFieldDataLink@ | 2 |
| @Dxdbgrid@TCustomdxDBGrid@GetOption | 2 |
| @Dxdbgridvedatecolumn@Finalization\$qqrv | 2 |
| @Untdefaultvaluescomponenteditdefaultva | 2 |
| @Vedefaultvalues@initialization\$qqrv | 2 |
| _tcsninc | 2 |
| ??4?\$basic_ios@DU?\$char_traits@D@std@ | 2 |
| ??1?\$_Mpunct@D@std@@UAE@XZ | 2 |
| input_Stop | 2 |
| ?text@COViOverlappingLabel@@QBE?AVQS | 2 |
| ?bottomWidget@COViDialog@@QAEPAVQV | 2 |
| ?centralWidget@COViDialog@@QAEPAVQV | 2 |
| ?titleBar@COViDialog@@QAEPAVCoviDialo | 2 |
| ??0COViCheckBox@@QAE@PAVQWidgetItem@ | 2 |
| ??0COViTextBrowser@@QAE@PAVQWidgetItem | 2 |
| ??0COViAnimationWidget@@QAE@PAVQW | 2 |
| ??0COViProgressBar@@QAE@PAVQWidgetItem | 2 |
| ??0COViOverlappingLabel@@QAE@PAVQW | 2 |
| ??0COViDialogTitleBar@@QAE@PAVQWidg | 2 |
| ?metaObject@COViDialogTitleBar@@UBEPE | 2 |
| ?qt_metacast@COViDialogTitleBar@@UAEP | 2 |
| ?qt_metacall@COViDialogTitleBar@@UAEH' | 2 |
| ?event@COViDraggableTitleBar@@MAE_NF | 2 |
| ?mousePressEvent@COViDraggableTitleBar@@ | 2 |
| ?mouseReleaseEvent@COViDraggableTitleB | 2 |
| ?mouseMoveEvent@COViDraggableTitleBar | 2 |
| ?staticMetaObject@COViDialog@@2UQMet | 2 |
| ?setText@COViOverlappingLabel@@QAEAX | 2 |
| ?qt_metacast@COViDialog@@UAEPAXBDC | 2 |
| ??0COViDialog@@QAE@PAVQWidgetItem@@@ | 2 |
| ?setAutoResize@COViTextBrowser@@QAEAX | 2 |
| ?winEvent@COViDialog@@MAE_NPAUtagN | 2 |
| ?showEvent@COViDialog@@MAEXPAPVQSh | 2 |
| ?resizeEvent@COViDialog@@MAEXPAPVQRe | 2 |
| ?paintEvent@COViDialog@@MAEXPAPVQPai | 2 |
| ?childEvent@COViDialog@@MAEXPAPVQChil | 2 |
| ??1COViDialog@@UAE@XZ | 2 |
| ??1COViGradientButton@@UAE@XZ | 2 |
| ?keyPressEvent@COViGradientButton@@M | 2 |
| ?minimumSizeHint@COViGradientButton@() | 2 |
| ?sizeHint@COViGradientButton@@UBE?AVI | 2 |
| ?event@COViGradientButton@@MAE_NPAV | 2 |
| ?qt_metacall@COViGradientButton@@UAE | 2 |
| ?qt_metacast@COViGradientButton@@UAE | 2 |
| ?metaObject@COViGradientButton@@UBEI | 2 |
| ??0COViGradientButton@@QAE@PAVQWid | 2 |
| ?setButtonType@COViGradientButton@@Q | 2 |

| | |
|--|---|
| ??1COviCheckBox@@UAE@XZ | 2 |
| ??1COviTextBrowser@@UAE@XZ | 2 |
| ??1COviAnimationWidget@@UAE@XZ | 2 |
| ??1COviProgressBar@@UAE@XZ | 2 |
| ??1COviOverlappingLabel@@UAE@XZ | 2 |
| ??1COviDialogTitleBar@@UAE@XZ | 2 |
| ?indicatorType@COviCheckBox@@MBE?AV | 2 |
| ?indicatorIconSpacing@COviCheckBox@@U | 2 |
| ?indicatorSize@COviCheckBox@@UBE?AVQ | 2 |
| ?indicatorAndIconWidth@COviCheckBox@C | 2 |
| ?initOviStyleOptions@COviCheckBox@@ME | 2 |
| ?setText@COviAbstractWrapButton@@UAE | 2 |
| ?paintEvent@COviAbstractWrapButton@@I | 2 |
| ?heightForWidth@COviAbstractWrapButton | 2 |
| ?minimumSizeHint@COviAbstractWrapButt | 2 |
| ?sizeHint@COviAbstractWrapButton@@UBI | 2 |
| ?eventFilter@COviAbstractWrapButton@@I | 2 |
| ?event@COviCheckBox@@MAE_NPAVQEve | 2 |
| ?qt_metacall@COviCheckBox@@UAEHW4C | 2 |
| ?qt_metacast@COviCheckBox@@UAEPAXP | 2 |
| ?metaObject@COviCheckBox@@UBEPBUQI | 2 |
| ?qt_metacall@COviTextBrowser@@UAEHW | 2 |
| ?qt_metacast@COviTextBrowser@@UAEPAP | 2 |
| ?metaObject@COviTextBrowser@@UBEPBL | 2 |
| ?paintEvent@COviAnimationWidget@@MA | 2 |
| ?minimumSizeHint@COviAnimationWidget(| 2 |
| ?sizeHint@COviAnimationWidget@@UBE?A | 2 |
| ?event@COviAnimationWidget@@MAE_NP | 2 |
| ?qt_metacall@COviAnimationWidget@@U/ | 2 |
| ?qt_metacast@COviAnimationWidget@@U. | 2 |
| ?qt_metacall@COviDialog@@UAEHW4Call(| 2 |
| ?metaObject@COviAnimationWidget@@UE | 2 |
| ?themeRole@COviProgressBar@@UBE?AVC | 2 |
| ?paintEvent@COviProgressBar@@MAEXPAP | 2 |
| ?qt_metacall@COviProgressBar@@UAEHW | 2 |
| ?qt_metacast@COviProgressBar@@UAEPAP) | 2 |
| ?metaObject@COviProgressBar@@UBEPBU | 2 |
| ?paintEvent@COviOverlappingLabel@@MA | 2 |
| ?heightForWidth@COviOverlappingLabel@C | 2 |
| ?minimumSizeHint@COviOverlappingLabel(| 2 |
| ?sizeHint@COviOverlappingLabel@@UBE?A | 2 |
| ?qt_metacall@COviOverlappingLabel@@UA | 2 |
| ?qt_metacast@COviOverlappingLabel@@U/ | 2 |
| ?metaObject@COviOverlappingLabel@@UB | 2 |
| ?themeRole@COviDialogTitleBar@@UBE?A | 2 |
| ?changeEvent@COviDialogTitleBar@@MAE | 2 |
| ?paintEvent@COviDraggableTitleBar@@MA | 2 |

| | |
|---|---|
| ?deviceUpdateType@DeviceUpdateInfo@Sc | 2 |
| ??0AccessChannel@@QAE@ABV0@@Z | 2 |
| ??1AccessChannel@@QAE@XZ | 2 |
| ??1Nsu3uiOptionsDialog@@UAE@XZ | 2 |
| ??0Nsu3uiOptionsDialog@@QAE@PAVQWi | 2 |
| ?translateLibStrings@@YAXXZ | 2 |
| ??0QDomDocument@@QAE@ABVQString@ | 2 |
| ?event@QTextBrowser@@MAE_NPAVQEve | 2 |
| ?mousePressEvent@QTextBrowser@@MAE | 2 |
| ?mouseReleaseEvent@QTextBrowser@@M | 2 |
| ?mouseMoveEvent@QTextBrowser@@MAE | 2 |
| ?keyPressEvent@QTextBrowser@@MAEXP/ | 2 |
| ?focusOutEvent@QTextBrowser@@MAEXP/ | 2 |
| ?paintEvent@QTextBrowser@@MAEXP@AV | 2 |
| ?focusNextPrevChild@QTextBrowser@@MA | 2 |
| ?loadResource@QTextBrowser@@UAE?AVC | 2 |
| ?setSource@QTextBrowser@@UAEXABVQU | 2 |
| ?backward@QTextBrowser@@UAEXXZ | 2 |
| ?forward@QTextBrowser@@UAEXXZ | 2 |
| ?home@QTextBrowser@@UAEXXZ | 2 |
| ?reload@QTextBrowser@@UAEXXZ | 2 |
| ?setTextInteractionFlags@QTextEdit@@QAI | 2 |
| ?setEnabled@QLayout@@QAEX_N@Z | 2 |
| ?transformed@QPixmap@@QBE?AV1@ABV | 2 |
| ?setMatrix@QMatrix@@QAEXNNNNNN@Z | 2 |
| ?maximum@QProgressBar@@QBEHXZ | 2 |
| ?minimum@QProgressBar@@QBEHXZ | 2 |
| ?layoutDirection@QApplication@@SA?AW4 | 2 |
| ?setRenderHints@QPainter@@QAEXV?\$QF | 2 |
| ?drawPixmap@QPainter@@QAEXABVQRec | 2 |
| ?renderHints@QPainter@@QBE?AV?\$QFlag | 2 |
| ?drawTiledPixmap@QPainter@@QAEXABV | 2 |
| ?intersect@QRegion@@QBE?AV1@ABV1@ | 2 |
| ??HQRegion@@QBE?BV0@ABV0@@Z | 2 |
| ?setClipRect@QPainter@@QAEXABVQRect(| 2 |
| ?clipRegion@QPainter@@QBE?AVQRegion(| 2 |
| ?drawPixmap@QPainter@@QAEXABVQRec | 2 |
| ?rect@QPixmap@@QBE?AVQRect@@XZ | 2 |
| ??1QLinearGradient@@QAE@XZ | 2 |
| ?fillRect@QPainter@@QAEXABVQRect@@A | 2 |
| ??0QLinearGradient@@QAE@ABVQPointF(| 2 |
| ?load@QPixmap@@QAE_NABVQString@@ | 2 |
| ?setOpenExternalLinks@QTextBrowser@@C | 2 |
| ?toPlainText@QTextDocument@@QBE?AVC | 2 |
| ?ensurePolished@QWidget@@QBEXXZ | 2 |
| ?isVirtualDesktop@QDesktopWidget@@QB | 2 |
| ?testAttribute_helper@QWidget@@ABE_N' | 2 |

| | |
|--|---|
| ??1QActionGroup@@UAE@XZ | 2 |
| ?qt_metacall@QActionGroup@@UAEHW4C | 2 |
| ?qt_metacast@QActionGroup@@UAEPAXP | 2 |
| ?metaObject@QActionGroup@@UBEPBUQI | 2 |
| ??0QActionGroup@@QAE@PAVQObject@C | 2 |
| ?setEnabled@QAction@@QAEX_N@Z | 2 |
| ?isChecked@QAction@@QBE_NXZ | 2 |
| ?addAction@QMenu@@QAEPAVQAction@ | 2 |
| ?setContextMenu@QSystemTrayIcon@@QF | 2 |
| ?setQuitOnLastWindowClosed@QApplicatio | 2 |
| ?setStyle@QApplication@@SAPAVQStyle@I | 2 |
| ??0QNetworkProxy@@QAE@XZ | 2 |
| ?type@QNetworkProxy@@QBE?AW4Proxy` | 2 |
| ?setType@QNetworkProxy@@QAEXW4Pro | 2 |
| ?setHostName@QNetworkProxy@@QAEXA | 2 |
| ?setPort@QNetworkProxy@@QAEXG@Z | 2 |
| ?setUser@QNetworkProxy@@QAEXABVQS1 | 2 |
| ?setPassword@QNetworkProxy@@QAEXAB | 2 |
| ??0QHostAddress@@QAE@W4SpecialAddr | 2 |
| ??1QHostAddress@@QAE@XZ | 2 |
| ?isWidgetType@QObject@@QBE_NXZ | 2 |
| ??0QRect@@QAE@ABVQPoint@@0@Z | 2 |
| ?setMapping@QSignalMapper@@QAEXP@V | 2 |
| ?moveCenter@QRect@@QAEXABVQPoint@ | 2 |
| ?minute@QTime@@QBEHXZ | 2 |
| ?hour@QTime@@QBEHXZ | 2 |
| ?registerTypedef@QMetaType@@SAHPBDf | 2 |
| ?remove@QSettings@@QAEXABVQString@ | 2 |
| ?toString@QDateTime@@QBE?AVQString@ | 2 |
| ?beginReadArray@QSettings@@QAEHABVC | 2 |
| ?setArrayIndex@QSettings@@QAEXH@Z | 2 |
| ?endArray@QSettings@@QAEXXXZ | 2 |
| ?beginWriteArray@QSettings@@QAEXABV(| 2 |
| ??1QSignalMapper@@UAE@XZ | 2 |
| ?qt_metacall@QSignalMapper@@UAEHW4 | 2 |
| ?qt_metacast@QSignalMapper@@UAEPAXI | 2 |
| ?metaObject@QSignalMapper@@UBEPBUC | 2 |
| ??0QSignalMapper@@QAE@PAVQObject@ | 2 |
| ldap_controls_freeW | 2 |
| RtlpVerifyAndCommitUILanguageSettings | 2 |
| ?WriteLock@CCritSec@@QAEXXZ | 2 |
| ?do_grouping@?\$_Mpunct@G@std@@MB | 2 |
| ?_Gndec@?\$basic_streambuf@GU?\$char_t@I | 2 |
| IsPathShared | 2 |
| GetLocalPathFromNetResource | 2 |
| GetLocalPathFromNetResourceW | 2 |
| GetNetResourceFromLocalPath | 2 |

| | |
|--|---|
| OleSetTargetDevice | 2 |
| ??_7?\$messages@G@std@@@6B@ | 2 |
| ?_Getcat@?\$_Mpunct@G@std@@@SAIXZ | 2 |
| ??1?\$basic_ostringstream@GU?\$char_traits | 2 |
| ?do_length@?\$_codecvt@GDH@std@@@MBE | 2 |
| ??4_Num_float_base@std@@@QAEAAU01@ | 2 |
| ?epsilon@?\$_numeric_limits@_N@std@@@S@ | 2 |
| ?pow@std@@@YA?AV?\$complex@M@1@AI | 2 |
| ?negative_sign@?\$_Mpunct@D@std@@@QE | 2 |
| ??6std@@@YAAV?\$basic_ostream@GU?\$ch | 2 |
| CheckForDupKeys | 2 |
| __ctype_ptr__ | 2 |
| ?signaling_NaN@?\$_numeric_limits@H@std | 2 |
| @U_csidbopwd@initialization\$qqrv | 2 |
| @U_popupmsnx@initialization\$qqrv | 2 |
| @U_boxdetail@initialization\$qqrv | 2 |
| @U_boxselect@initialization\$qqrv | 2 |
| @U_boxoption@initialization\$qqrv | 2 |
| @Cxbaredititem@initialization\$qqrv | 2 |
| o | 2 |
| KerbIsInitialized | 2 |
| @Db@TIntegerField@\$bctr\$qqrp18Classes@ | 2 |
| @Db@TStringField@\$bctr\$qqrp18Classes@` | 2 |
| @Db@TField@SetVisible\$qqro | 2 |
| @Db@TField@SetFieldName\$qqrx17System | 2 |
| ATMSelectEncoding | 2 |
| ?CurrentPhone@@YAAVCCurrentPhone@` | 2 |
| aout_filter_RequestVout | 2 |
| vlc_object_attach | 2 |
| ImageView_Fullscreen | 2 |
| ImageView_FullscreenW | 2 |
| ImageView_PrintTo | 2 |
| _setregid32 | 2 |
| _setreuid32 | 2 |
| strtoll | 2 |
| vasprintf | 2 |
| __res_init | 2 |
| NdrTypeUnmarshall | 2 |
| I_RpcBindingHandleToAsyncHandle | 2 |
| I_RpcAsyncSetHandle | 2 |
| ?intl@?\$_moneypunct@D\$0A@@std@@@2_` | 2 |
| ?epsilon@?\$_numeric_limits@C@std@@@SAC | 2 |
| ??0_Locinfo@std@@@QAE@HPBD@Z | 2 |
| ader | 2 |
| Header | 2 |
| tSystemTime | 2 |
| tartupInfoA | 2 |

| | |
|-----------------------|---|
| tErrorMode | 2 |
| Value | 2 |
| icateHandle | 2 |
| ment | 2 |
| oryA | 2 |
| ryA | 2 |
| eFile | 2 |
| teFileA | 2 |
| itProcess | 2 |
| alSection | 2 |
| tA | 2 |
| entA | 2 |
| obalAlloc | 2 |
| cAddress | 2 |
| tEnvironmentVariableA | 2 |
| riableA | 2 |
| rtualFree | 2 |
| MessageA | 2 |
| ctiveWindow | 2 |
| tSystemMenu | 2 |
| eatePopupMenu | 2 |
| FrameControl | 2 |
| kEx | 2 |
| leaseCapture | 2 |
| tersectRect | 2 |
| royIcon | 2 |
| tCursorPos | 2 |
| llRect | 2 |
| eDC | 2 |
| ackPopupMenu | 2 |
| dow | 2 |
| indowRect | 2 |
| lientRect | 2 |
| ocus | 2 |
| indowTextA | 2 |
| ginPaint | 2 |
| dPaint | 2 |
| stroyWindow | 2 |
| m | 2 |
| nt | 2 |
| ssageA | 2 |
| ropA | 2 |
| lassLongA | 2 |
| geA | 2 |
| eckMenuItem | 2 |
| Mode | 2 |
| Visible | 2 |

| | |
|---|---|
| Entries | 2 |
| tStretchBltMode | 2 |
| irect | 2 |
| To | 2 |
| nIndirect | 2 |
| cludeClipRect | 2 |
| gEx | 2 |
| DC | 2 |
| It | 2 |
| age | 2 |
| eateRectRgn | 2 |
| bjectA | 2 |
| lectObject | 2 |
| eatePalette | 2 |
| board | 2 |
| ScsiPortWriteRegisterUshort | 2 |
| ScsiPortReadRegisterUshort | 2 |
| ?find_last_not_of@?\$basic_string@GU?\$ch | 2 |
| ??Hstd@@YA?AV?\$basic_string@GU?\$char | 2 |
| ?id@?\$time_put@GV?\$ostreambuf_iterator | 2 |
| ?seekg@?\$basic_istream@GU?\$char_traits@ | 2 |
| ?FlushLog@TXLog@@YAXXZ | 2 |
| IoGetIoPriorityHint | 2 |
| IoSetIoPriorityHint | 2 |
| ?erase@?\$basic_string@_WU?\$char_traits@ | 2 |
| PyMethod_New | 2 |
| PyType_Ready | 2 |
| PyCFunction_Type | 2 |
| PyString_FromFormat | 2 |
| PyObject_SetAttr | 2 |
| PyNumber_Multiply | 2 |
| PyObject_GC_UnTrack | 2 |
| PyObject_GetIter | 2 |
| PyNumber_Subtract | 2 |
| PyNumber_Or | 2 |
| PyObject_SetItem | 2 |
| PyObject_GC_Del | 2 |
| _PyObject_GC_New | 2 |
| PyObject_GC_Track | 2 |
| PyDict_Next | 2 |
| PyObject_DelItem | 2 |
| PyInt_FromSsize_t | 2 |
| PyObject_GetItem | 2 |
| MmLockPagableImageSection | 2 |
| RtlClearBit | 2 |
| RtlInsertElementGenericTableFullAvl | 2 |
| _local_unwind | 2 |

| | |
|---|---|
| @lbdatabase@TIBTransaction@StartTransac | 2 |
| @lbdatabase@TIBTransaction@Rollback\$qq | 2 |
| @lbdatabase@TIBTransaction@Commit\$qq | 2 |
| @lbdatabase@TIBTransaction@ | 2 |
| @lbdatabase@TIBDatabase@ | 2 |
| @lbquery@TIBQuery@ExecSQL\$qqrw | 2 |
| @lbquery@TIBQuery@ | 2 |
| ?isEqualTo@OdRxObject@@UBE_NPBV1@() | 2 |
| ?comparedTo@OdRxObject@@UBE?AW4O | 2 |
| ?copyFrom@OdRxObject@@UAEXPBV1@@ | 2 |
| ?clone@OdRxObject@@UBE?AVOdRxObjec | 2 |
| ?numRefs@OdRxObject@@UBEJXZ | 2 |
| ?x@OdRxObject@@UBEPBV1@PBVOdRxClas | 2 |
| ??0OdError@@QAE@ABV0@@Z | 2 |
| ??0OdError_NotThatKindOfClass@@QAE@F | 2 |
| ?desc@OdRxObject@@SAPAVOdRxClass@C | 2 |
| ?g_empty_array_buffer@OdArrayBuffer@@ | 2 |
| ??1OdError@@QAE@XZ | 2 |
| ??0OdError@@QAE@W4OdResult@@@Z | 2 |
| ??1OdString@@QAE@XZ | 2 |
| ?isA@OdRxObject@@UBEPBVodRxClass@C | 2 |
| ?queryX@OdRxObject@@UBEPBV1@PBVO | 2 |
| ??1OdRxObject@@UAE@XZ | 2 |
| odrxFree | 2 |
| CREATETHREAD | 2 |
| DELETEFILEA | 2 |
| ObCheckCreateObjectAccess | 2 |
| mataprocesso | 2 |
| LpAcquireInstallationMutex | 2 |
| LpReleaseInstallationMutex | 2 |
| DoMsCtfMonitor | 2 |
| ??0CAVLog@@QAE@PBDOPAUHKEY__@@(| 2 |
| I_RpcServerUseProtseq2A | 2 |
| BdgStkLvlDec | 2 |
| BdgTrceMk | 2 |
| BdgInt | 2 |
| BdgProgSw | 2 |
| BdgStkLvlInc | 2 |
| BdgCurrentAreaGet | 2 |
| BdgSnp | 2 |
| BdgCurrentGet | 2 |
| BdgMainSw | 2 |
| BmTerm | 2 |
| Bfterm | 2 |
| BdgFrmTrm | 2 |
| BdgFrmIni | 2 |
| Bfinit | 2 |

| | |
|--|---|
| BmInit | 2 |
| ?do_max_length@?\$codecvt@GDH@std@(@ | 2 |
| SetupEnumInfSectionsW | 2 |
| GdipSetPageScale | 2 |
| ??4QDomElement@@QAEAAV0@ABV0@@@ | 2 |
| ??4CIniW@@QAEAAV0@ABV0@@@Z | 2 |
| UmOpenModem | 2 |
| DavFreeUsedDiskSpace | 2 |
| ?Strcmp@WSTRING@@QBEJPBV1@KKK@ | 2 |
| ?QueryTimeOut@COMM_DEVICE@@QBEE@ | 2 |
| ?close@ACE_SOCK_Stream@@QAEHXZ | 2 |
| ??1ACE_SOCK_Acceptor@@QAE@XZ | 2 |
| ??0ACE_SOCK_Acceptor@@QAE@XZ | 2 |
| ??0ACE_Cleanup@@QAE@XZ | 2 |
| ??0ACE_INET_Addr@@QAE@XZ | 2 |
| ?get_remote_addr@ACE_SOCK@@QBEHAA | 2 |
| ?get_host_addr@ACE_INET_Addr@@QBEPE | 2 |
| ??1ACE_SOCK_Stream@@QAE@XZ | 2 |
| ?wr_ptr@ACE_Message_Block@@QBEPAD@ | 2 |
| ?length@ACE_Message_Block@@QBEIXZ | 2 |
| ??0ACE_Null_Mutex@@QAE@PBD@Z | 2 |
| ??1ACE_Null_Mutex@@QAE@XZ | 2 |
| ?recv@ACE_SOCK_IO@@QBEHPAXIPBVACE | 2 |
| ?rd_ptr@ACE_Message_Block@@QBEPADX | 2 |
| ?next@ACE_Message_Block@@QBEPAV1@ | 2 |
| ?instance@ACE_Allocator@@SAPAV1@XZ | 2 |
| ??0ACE_Message_Block@@QAE@IHPAV0@ | 2 |
| ?zero@ACE_Time_Value@@2V1@B | 2 |
| ?wr_ptr@ACE_Message_Block@@QAEXI@Z | 2 |
| ??0ACE_Message_Queue_Base@@QAE@XZ | 2 |
| ?next@ACE_Message_Block@@QAEXPBV1@ | 2 |
| ?prev@ACE_Message_Block@@QAEXPBV1@ | 2 |
| ?prev@ACE_Message_Block@@QBEPAV1@ | 2 |
| ?msg_priority@ACE_Message_Block@@QB | 2 |
| ?open@ACE_SOCK_Acceptor@@QAEHABV/ | 2 |
| ??1?\$ACE_Guard@VACE_Null_Mutex@@@ | 2 |
| ?tryacquire@ACE_Thread_Mutex@@QAEH) | 2 |
| weQueryRunStatus | 2 |
| _XL_EnableReportAutoRestartApp@8 | 2 |
| _XL_SetAlwaysSendReport@4 | 2 |
| _XL_InitBugHandler@20 | 2 |
| _XL_SetBugReportRootDir@4 | 2 |
| _XL_SetReportShowMode@4 | 2 |
| ?assign@?\$basic_string@_WU?\$char_traits@ | 2 |
| ?insert@?\$basic_string@GU?\$char_traits@I | 2 |
| rtcFormatPercent | 2 |
| PRINTOUT | 2 |

| | |
|--|---|
| ?do_curr_symbol@?\$_Mpunct@D@std@@ | 2 |
| ?Add@CDbSortSet@@QAEHABVCDbColld@ | 2 |
| ?StopLog@@YAXXZ | 2 |
| ?StartLog@@YAKPBDHHH@Z | 2 |
| LogonScheduleDialogEx | 2 |
| ReplicationScheduleDialogEx | 2 |
| ConnectionScheduleDialog | 2 |
| ConnectionScheduleDialogEx | 2 |
| TraceSQLColAttributes | 2 |
| TraceSQLColAttributeW | 2 |
| SHCreateShellItemFromArrayDataObject | 2 |
| RasAddNotification | 2 |
| ?open@FileStream@Library@@UAEABVSt | 2 |
| ?close@FileStream@Library@@UAEEXZ | 2 |
| ??0String@Library@@QAE@XZ | 2 |
| ?getLength@String@Library@@QBEKXZ | 2 |
| ??0String@Library@@QAE@PBD@Z | 2 |
| ?caseCompare@String@Library@@QBEJAB` | 2 |
| ??0String@Library@@QAE@ABV01@@Z | 2 |
| ??1String@Library@@UAE@XZ | 2 |
| ?writeString@Stream@Library@@UAEPAF | 2 |
| ?find@String@Library@@QBEKABVCharacter | 2 |
| ?empty@String@Library@@QAEXXZ | 2 |
| ?find@String@Library@@QBEKABV12@K@ | 2 |
| ?makeAll@Directory@@SAEABVPathName@ | 2 |
| ?newCStream@@YAPAU_CStream@@ABVS | 2 |
| ??0Character@String@Library@@QAE@D@ | 2 |
| ?sep@Directory@@2VCharacter@String@Li | 2 |
| ?replace@PathName@@QAEXABVCharacter | 2 |
| ??1Character@String@Library@@QAE@XZ | 2 |
| ?shrink@PathName@@QAEXJ@Z | 2 |
| ?deleteCStream@@YAXPAU_CStream@@@C | 2 |
| ??9String@Library@@QBEEABV01@@Z | 2 |
| ?decodeUTF8@StringConversions@Library@ | 2 |
| ?CStreamTell@@YAJPAU_CStream@@@Z | 2 |
| ?CStreamWrite@@YAJPAU_CStream@@PA | 2 |
| ?CStreamRead@@YAJPAU_CStream@@PA) | 2 |
| ?CStreamSeek@@YAJPAU_CStream@@JK@ | 2 |
| getBitsPerPixel | 2 |
| getImageFormat | 2 |
| ?deserialize@String@Library@@QAEKPAX@ | 2 |
| ?substring@String@Library@@QBE?AV12@ | 2 |
| ?emptyString@String@Library@@2V12@B | 2 |
| ??8String@Library@@QBEEABV01@@Z | 2 |
| ??0FileStream@Library@@QAE@XZ | 2 |
| ??1FileStream@Library@@UAE@XZ | 2 |
| ?convert@StringConversions@Library@@Y/ | 2 |

| | |
|---|---|
| ?getBuffer@String@Library@@QAEPAHK@` | 2 |
| ?releaseBuffer@String@Library@@QAEXXZ | 2 |
| ?sprintf@String@Library@@QAAJPBGZZ | 2 |
| ??1PathName@@QAE@XZ | 2 |
| ??0PathName@@QAE@XZ | 2 |
| ??0String@Library@@QAE@PBG@Z | 2 |
| ?set@PathName@@QAEABVString@Library@` | 2 |
| ?concat@PathName@@QAEABVString@Li | 2 |
| ??YString@Library@@QAEABV01@ABV01@` | 2 |
| ?compare@String@Library@@QBEJABV12@` | 2 |
| ?replace@String@Library@@QAEXABV12@` | 2 |
| ?isEmpty@String@Library@@QBEEHZ | 2 |
| ?sprintf@String@Library@@QAAJPBDZZ | 2 |
| ?caseCompare@String@Library@@QBEJJJA | 2 |
| ??BString@Library@@QBEPBGXZ | 2 |
| ?encodeUTF8@StringConversions@Library@` | 2 |
| ??4String@Library@@QAEABV01@ABV01@` | 2 |
| ??0CGetDbProps@@QAE@XZ | 2 |
| rtcSgnVar | 2 |
| SLClose | 2 |
| SLOpen | 2 |
| FCIFlushFolder | 2 |
| gimp_pixel_rgn_get_pixel | 2 |
| ?line@cv@@YAXAAVMat@1@V?\$Point_@I | 2 |
| ?copyTo@Mat@cv@@QBEXABV_OutputArr | 2 |
| ?clear @_OutputArray@cv@@UBEXXZ | 2 |
| ?release @_OutputArray@cv@@UBEXXZ | 2 |
| ?create @_OutputArray@cv@@UBEXV?\$Size | 2 |
| ?create @_OutputArray@cv@@UBEXHHHH_ | 2 |
| ?create @_OutputArray@cv@@UBEXHPBH_ | 2 |
| ?getMatRef @_OutputArray@cv@@UBEAAV | 2 |
| ?needed @_OutputArray@cv@@UBE_NXZ | 2 |
| ?fixedType @_OutputArray@cv@@UBE_NXZ | 2 |
| ?fixedSize @_OutputArray@cv@@UBE_NXZ | 2 |
| JetBeginTransaction2 | 2 |
| Shader_TRShader_Fog | 2 |
| _AIL_set_stream_user_data@12 | 2 |
| _AIL_stream_playback_rate@4 | 2 |
| _AIL_set_stream_volume@8 | 2 |
| _AIL_set_sample_volume@8 | 2 |
| DefaultResolution | 2 |
| ?WideCharToXArrayMultiByte@@YGKPBGK@` | 2 |
| TraceSQLDisconnect | 2 |
| TraceSQLFreeStmt | 2 |
| ??1CChannelDialog@@UAE@XZ | 2 |
| ?GetChannelInfo@CChannelDialog@@QAEF | 2 |
| ?AddDbgClient@CChannelDialog@@QAEXP | 2 |

| | |
|--|---|
| ??0CChannelDialog@@QAE@PAVCWnd@@ | 2 |
| CLOSESOCKET | 2 |
| GETHOSTBYNAME | 2 |
| WSASTARTUP | 2 |
| HTONS | 2 |
| RECV | 2 |
| SEND | 2 |
| SOCKET | 2 |
| WSACLEANUP | 2 |
| WksExtUIShowRebar | 2 |
| WksExtUICmdSetOleMenu | 2 |
| ?EAINSTALL_isThisProgramRunning@@YA_! | 2 |
| ?SetBlackOnlySupportModel@IOEventManager | 2 |
| ?StopPolling@IOEventManager@@QAEXXZ | 2 |
| ?DeleteAll@IOEventManager@@QAEXXZ | 2 |
| ??1IOEventManager@@UAE@XZ | 2 |
| ?SuspendPolling@IOEventManager@@QAE | 2 |
| ?SetBuyNowSupportModel@IOEventManager | 2 |
| ?SetForceToCheckJobID@IOEventManager@ | 2 |
| ?SetXMLSupportModel@IOEventManager@ | 2 |
| ?IsPrintJobRunning@IOEventManager@@Q | 2 |
| ?SetPrintJob@IOEventManager@@QAEHPA | 2 |
| ?RemoveUserPort@IOEventManager@@QA | 2 |
| ?isEmpty@IOEventManager@@QAEHXZ | 2 |
| ?ResumePolling@IOEventManager@@QAE | 2 |
| CreatePanel | 2 |
| SetFontCharSet | 2 |
| ShowPanel | 2 |
| SetPanelButton | 2 |
| SetBalloonButton | 2 |
| SetPanelUIInfo | 2 |
| ClearBalloonButton | 2 |
| SetBar | 2 |
| ClearBar | 2 |
| DestroyPanel | 2 |
| HidePanel | 2 |
| SetForegroundPanel | 2 |
| @Adsdata@TAdsDataSet@CreateTable\$qqr | 2 |
| @Adsdata@TAdsDataSet@DeleteTable\$qqr | 2 |
| @Sysutils@AnsiCompareText\$qqrx20System | 2 |
| @Sysutils@AnsiUpperCase\$qqrx20System@ | 2 |
| @Stdctrls@TCustomButton@SetDefault\$qqi | 2 |
| @Specialunit@SHGetFileInfoWrapper\$qqr2\ | 2 |
| @Tustylerepository@DPIScale\$qqri | 2 |
| @Tuappinstancepools@TAIPPool@EnforceS | 2 |
| @Tuappinstancepools@TTUAppInstancePoc | 2 |
| @Tuappinstancepools@TTUAppInstancePoc | 2 |

| | |
|--|---|
| @Dxbar@TdxBarManager@ | 2 |
| @Dxbarextitems@Finalization\$qqrv | 2 |
| ToLocaleDup | 2 |
| __vlc_gc_decref | 2 |
| playlist_ItemSetName | 2 |
| Zombie_GetIDsOfNames | 2 |
| rtcFormatCurrency | 2 |
| rtcSetCurrentCalendar | 2 |
| TipUnloadInstance | 2 |
| close_key | 2 |
| ??0?\$basic_string@GU?\$char_traits@G@st | 2 |
| ?clear@?\$basic_ios@DU?\$char_traits@D@: | 2 |
| ??4?\$basic_ofstream@GU?\$char_traits@G@ | 2 |
| PutMem1 | 2 |
| ?zeros@Mat@cv@@@SA?AVMatExpr@2@HF | 2 |
| ?fastMalloc@cv@@@YAPAXI@Z | 2 |
| ?resize@cv@@@YAXABV_InputArray@1@AB' | 2 |
| ?g_linked_ptr_mutex@internal@testing@@ | 2 |
| ??1GTestLog@internal@testing@@@QAE@X; | 2 |
| ?GetStream@GTestLog@internal@testing@ | 2 |
| ??0GTestLog@internal@testing@@@QAE@W | 2 |
| ?IsTrue@internal@testing@@YA_N_N@Z | 2 |
| ??0Message@testing@@@QAE@XZ | 2 |
| ?parameterized_test_registry@UnitTest@te | 2 |
| ?SetUp@TestBase@perf@@@MAEXXZ | 2 |
| ??0AssertHelper@internal@testing@@@QAE | 2 |
| ?RunPerfTestBody@TestBase@perf@@@IAEX | 2 |
| ??4AssertHelper@internal@testing@@@QBE | 2 |
| ??1AssertHelper@internal@testing@@@QAE | 2 |
| ??1Message@testing@@@QAE@XZ | 2 |
| ?in@_declareHelper@TestBase@perf@@Q | 2 |
| ?getDataPath@TestBase@perf@@@SA?AV?\$ | 2 |
| ?iterations@_declareHelper@TestBase@pe | 2 |
| ?next@TestBase@perf@@@IAE_NXZ | 2 |
| ?startTimer@TestBase@perf@@@IAEXXZ | 2 |
| ?stopTimer@TestBase@perf@@@IAEXXZ | 2 |
| ?Init@TestBase@perf@@@SAXHQBQBD@Z | 2 |
| ?TearDown@TestBase@perf@@@MAEXXZ | 2 |
| ?Setup@Test@testing@@@EAEP@AUSetup_sh | 2 |
| ??0TestBase@perf@@@QAE@XZ | 2 |
| ??1Test@testing@@@UAE@XZ | 2 |
| ?ReportInvalidTestCaseType@internal@test | 2 |
| ??1String@internal@testing@@@QAE@XZ | 2 |
| ?MakeAndRegisterTestInfo@internal@testir | 2 |
| ?c_str@String@internal@testing@@@QBEPB | 2 |
| ?GetString@Message@testing@@@QBE?AVS | 2 |
| ?setUpTestCase@Test@testing@@@SAXXZ | 2 |

| | |
|--|---|
| ?TearDownTestCase@Test@testing@@SAX: | 2 |
| ?PrintStringTo@internal@testing@@YAXAB | 2 |
| ?Init@Regression@perf@@SAXABV?\$basic_ | 2 |
| HlinkCreateFromMoniker | 2 |
| ?Resize@HMEM@@QAEEKK@Z | 2 |
| @Adsdata@TAdsDataSet@SetIndexFieldNar | 2 |
| ?GetDrive@CDriveInfo@@SGXPBGPAG@Z | 2 |
| sqlite3_errmsg16 | 2 |
| sqlite3_value_text16 | 2 |
| sqlite3_create_function16 | 2 |
| PreprocessCommand | 2 |
| ?handleAssert@FTL_UserInteractionHandler | 2 |
| KeTerminateThread | 2 |
| MafxGetLicMgrPath | 2 |
| ??_F?\$num_get@GV?\$istreambuf_iterator@ | 2 |
| ??Ostd@@YA_NPBGABV?\$basic_string@GL | 2 |
| HrGetMsgParam | 2 |
| FIsSpaceW | 2 |
| HrCopyLockBytesToStream | 2 |
| NetpSetFileSecurity | 2 |
| NetpGetConfigTStrArray | 2 |
| @Teeshape@initialization\$qqrv | 2 |
| @Arrowcha@initialization\$qqrv | 2 |
| @Bubblech@initialization\$qqrv | 2 |
| @Dialogs@ShowMessage\$qqrx20System@l | 2 |
| @Olectrls@TOleControl@GetOleObject\$qqr | 2 |
| PR_CreateThread | 2 |
| PR_Notify | 2 |
| PR_Wait | 2 |
| PR_StringToNetAddr | 2 |
| PR_GetHostByName | 2 |
| PR_EnumerateHostEnt | 2 |
| PR_GMTParameters | 2 |
| PR_IntervalNow | 2 |
| PR_IntervalToMicroseconds | 2 |
| PR_IntervalToMilliseconds | 2 |
| PR_IntervalToSeconds | 2 |
| PR_MillisecondsToInterval | 2 |
| PR_SecondsToInterval | 2 |
| PR_InitializeNetAddr | 2 |
| PR_Listen | 2 |
| PR_Send | 2 |
| PR_Recv | 2 |
| PR_Bind | 2 |
| PR_Connect | 2 |
| PR_NetAddrToString | 2 |
| PR_ntohl | 2 |

| | |
|--|---|
| PR_Accept | 2 |
| PR_Shutdown | 2 |
| PR_NewTCPSocket | 2 |
| PR_Poll | 2 |
| PR_htons | 2 |
| lineSetAgentState | 2 |
| CleanupGlobalTempFiles | 2 |
| ZwSetLowWaitHighEventPair | 2 |
| ?IsValidZipEntryFileName@OStorageHelper(| 2 |
| ?openStream@Content@ucbhelper@@QAE | 2 |
| cpuu_unsatisfied_iset_msg | 2 |
| ?doubleClick@sfxToolBoxControl@@MAAX: | 2 |
| ?createPopupWindow@sfxToolBoxControl@ | 2 |
| ?createItemWindow@sfxToolBoxControl@C | 2 |
| ?dispose@sfxToolBoxControl@@MAAXXZ | 2 |
| ?GetToolBox@sfxToolBoxControl@@QBEAA | 2 |
| ?GetId@sfxToolBoxControl@@QBEGXZ | 2 |
| ?RegisterToolBoxControl@sfxToolBoxContrc | 2 |
| ?Dispatch@sfxToolBoxControl@@QAEXABV | 2 |
| ??1FileDialogHelper@sfx2@@@UAE@XZ | 2 |
| ?GetPath@FileDialogHelper@sfx2@@@QBE? | 2 |
| ?Execute@FileDialogHelper@sfx2@@@QAEK | 2 |
| ?AddFilter@FileDialogHelper@sfx2@@@QAE | 2 |
| ?SetTitle@FileDialogHelper@sfx2@@@QAEXA | 2 |
| ??0FileDialogHelper@sfx2@@@QAE@F_JPAV | 2 |
| ?endDocking@sfxToolBoxControl@@MAAX | 2 |
| ?prepareToggleFloatingMode@sfxToolBoxC | 2 |
| ?toggleFloatingMode@sfxToolBoxControl@ | 2 |
| ?closed@sfxToolBoxControl@@MAAXABUE | 2 |
| ?endPopupMenu@sfxToolBoxControl@@M | 2 |
| ?Select@sfxToolBoxControl@@MAEXG@Z | 2 |
| ?Select@sfxToolBoxControl@@MAEXE@Z | 2 |
| ?DoubleClick@sfxToolBoxControl@@MAEX: | 2 |
| ?Click@sfxToolBoxControl@@MAEXXZ | 2 |
| ?GetPopupWindowType@sfxToolBoxContro | 2 |
| ?CreatePopupWindow@sfxToolBoxControl@ | 2 |
| ?CreatePopupWindowCascading@sfxToolBc | 2 |
| ?opensSubToolbar@sfxToolBoxControl@@I | 2 |
| ?getSubToolbarName@sfxToolBoxControl@ | 2 |
| ?click@sfxToolBoxControl@@MAAXXZ | 2 |
| ?functionSelected@sfxToolBoxControl@@N | 2 |
| ??1SfxChildWindow@@UAE@XZ | 2 |
| ?QueryClose@sfxChildWindow@@UAEEXZ | 2 |
| ?GetFrame@sfxChildWindow@@UAE?AV?\$ | 2 |
| ?GetChildWindow@sfxViewFrame@@QAEF | 2 |
| ?Current@sfxViewFrame@@SAPAV1@XZ | 2 |
| ??1SfxDockingWindow@@UAE@XZ | 2 |

| | |
|---|---|
| ?Paint@SfxDockingWindow@@MAEXABVR | 2 |
| ?Move@SfxDockingWindow@@MAEXXZ | 2 |
| ?StateChanged@SfxDockingWindow@@UAI | 2 |
| ?Notify@SfxDockingWindow@@UAEJAAVN | 2 |
| ?StartDocking@SfxDockingWindow@@MAE | 2 |
| ?Docking@SfxDockingWindow@@MAEEABV | 2 |
| ?EndDocking@SfxDockingWindow@@MAEY | 2 |
| ?PrepareToggleFloatingMode@SfxDockingW | 2 |
| ?Resizing@SfxDockingWindow@@MAEXAA' | 2 |
| ?Close@SfxDockingWindow@@MAEEXZ | 2 |
| ?CalcDockingSize@SfxDockingWindow@@N | 2 |
| ?CheckAlignment@SfxDockingWindow@@N | 2 |
| ?FillInfo@SfxDockingWindow@@UBEXAAUS | 2 |
| ?FadeIn@SfxDockingWindow@@UAEXE@Z | 2 |
| ?Resize@SfxDockingWindow@@MAEXXZ | 2 |
| ?ToggleFloatingMode@SfxDockingWindow@C | 2 |
| ?GetInfo@SfxChildWindow@@UBE?AUSfxC | 2 |
| ?SetMinOutputSizePixel@SfxDockingWindow | 2 |
| ?OSfxDockingWindow@@QAE@PAVSfxBin | 2 |
| ?Execute@SfxDispatcher@@QAAPPVSfxPoc | 2 |
| ?Initialize@SfxDockingWindow@@QAEXPAl | 2 |
| ?OSfxChildWindow@@IAE@PAVWindow@ | 2 |
| ?RegisterChildWindow@SfxChildWindow@() | 2 |
| ?OSfxToolBoxControl@@UAE@XZ | 2 |
| ?OSfxToolBoxControl@@QAE@GGAAVTool | 2 |
| ?updateImage@SfxToolBoxControl@@MAA | 2 |
| ?queryInterface@SfxToolBoxControl@@MA | 2 |
| ?acquire@SfxToolBoxControl@@MAAXXZ | 2 |
| ?release@SfxToolBoxControl@@MAAXXZ | 2 |
| ?disposing@SfxToolBoxControl@@MAAXAB | 2 |
| ?startDocking@SfxToolBoxControl@@MAA) | 2 |
| ?execute@SfxToolBoxControl@@MAAXF@Z | 2 |
| ?statusChanged@SfxToolBoxControl@@MA | 2 |
| ?docking@SfxToolBoxControl@@MAA?AUD | 2 |
| ?OSfxStringItem@@6B@ | 2 |
| ?OSfxStringItem@@UAE@XZ | 2 |
| ?IsOf@SfxPoolItem@@SAEP6APAXXZ@Z | 2 |
| ?OSfxStringItem@@6B@ | 2 |
| ?addEventListener@ToolboxController@svt | 2 |
| ?initialize@ToolboxController@svt@@UAA) | 2 |
| ?update@ToolboxController@svt@@UAAX) | 2 |
| ?updateStatus@ToolboxController@svt@@@ | 2 |
| ?DropTargetHelper@@UAE@XZ | 2 |
| ?DragSourceHelper@@UAE@XZ | 2 |
| ?DragSourceHelper@@QAE@PAVWindow | 2 |
| ?DropTargetHelper@@QAE@PAVWindow | 2 |
| ?removeEventListener@ToolboxController@ | 2 |

| | |
|--------------------------------------|---|
| ?getDuration@LocaleDataWrapper@@QBEI | 2 |
| ?IsInDropDown@ListBox@@QBEEZX | 2 |
| ?GetItemState@ToolBox@@QBE?AW4TriSt: | 2 |
| ?SetThumbPos@Slider@@QAEXJ@Z | 2 |
| ?InsertItem@ToolBox@@QAEXGABVString@ | 2 |
| ?SetControlBackground@Window@@QAEX | 2 |
| ?SetRange@Slider@@QAEXABVRange@@C | 2 |
| ?InsertSeparator@ToolBox@@QAEXGG@Z | 2 |
| ?InsertItem@ToolBox@@QAEXGABVImage@ | 2 |
| ?SetParentClipMode@Window@@QAEXG@ | 2 |
| ?SetPaintTransparent@Window@@QAEXE@ | 2 |
| ??0Slider@@QAE@PAVWindow@@_J@Z | 2 |
| ??0ToolBox@@QAE@PAVWindow@@_J@Z | 2 |
| ??0Control@@QAE@PAVWindow@@_J@Z | 2 |
| ?Tracking@DockingWindow@@UAEXABVTr | 2 |
| ?DataChanged@DockingWindow@@UAEXA | 2 |
| ?RemoveMouseAndKeyEvents@Application | 2 |
| ??1SolarMutexGuard@@QAE@XZ | 2 |
| ?PostKeyEvent@Application@@SAKKPAVW | 2 |
| ??0SolarMutexGuard@@QAE@XZ | 2 |
| ?PostMouseEvent@Application@@SAKKPAV | 2 |
| ?GetXGraphic@Graphic@@QBE?AV?\$Refer | 2 |
| ?Type@Graphic@@UBEP6APAXXZXZ | 2 |
| ?IsA@Graphic@@UBEEP6APAXXZ@Z | 2 |
| ?Load@Graphic@@UAEXAAVSvStream@@(| 2 |
| ?Save@Graphic@@UAEXAAVSvStream@@(| 2 |
| ?Assign@Graphic@@UAEXABVSvDataCopyS | 2 |
| ?ScreenToOutputPixel@Window@@QBE?A | 2 |
| ?DrawBitmapEx@OutputDevice@@QAEXAB | 2 |
| ?StateChanged@Control@@UAEXG@Z | 2 |
| ?GetItemWindow@ToolBox@@QBEPAVWir | 2 |
| lineGetAgentGroupListW | 2 |
| phoneGetDevCaps | 2 |
| lineBlindTransferA | 2 |
| lineGetProviderList | 2 |
| internalCreateDefLocation | 2 |
| MMCGetLineStatus | 2 |
| lineHandoff | 2 |
| phoneSetStatusMessages | 2 |
| SHSetTemporaryPropertyForItem | 2 |
| RtlGetThreadErrorMode | 2 |
| GetProviderMgmtInterfaceInternal | 2 |
| SceGetAnalysisAreaSummary | 2 |
| SceDcPromoteSecurity | 2 |
| ?WPPS@CIniA@@QAEXPBD00@Z | 2 |
| ?max@?\$numeric_limits@_J@std@@SA_JX | 2 |
| ?min@?\$numeric_limits@_J@std@@SA_JX | 2 |

| | |
|--|---|
| ?MallocBuffer@CMemPool@NetDisk@@SA | 2 |
| ?FreeBuffer@CMemPool@NetDisk@@SAXP | 2 |
| ?InitializeListHead@ListEntry@NetDisk@@Y | 2 |
| ?IsListEmpty@ListEntry@NetDisk@@YAHPA | 2 |
| ?str@?\$basic_istream@_WU?\$char_tr | 2 |
| Perl_Gdo_undump_ptr | 2 |
| Perl_IDir_ptr | 2 |
| Perl_ILIO_ptr | 2 |
| Perl_IMem_ptr | 2 |
| Perl_IProc_ptr | 2 |
| Perl_Icompcv_ptr | 2 |
| Perl_ilexit_flags_ptr | 2 |
| Perl_Iperl_destruct_level_ptr | 2 |
| Perl_av_fetch | 2 |
| Perl_av_shift | 2 |
| Perl_croak_nocontext | 2 |
| Perl_get_context | 2 |
| Perl_gv_fetchpv | 2 |
| Perl_mg_set | 2 |
| Perl_newXS | 2 |
| Perl_safesysmalloc | 2 |
| Perl_sv_setpv | 2 |
| boot_DynaLoader | 2 |
| perl_alloc | 2 |
| perl_construct | 2 |
| perl_destruct | 2 |
| perl_free | 2 |
| perl_parse | 2 |
| perl_run | 2 |
| @System@VarArrayCreate\$qqrpixii | 2 |
| @System@@VarFromBool\$qqrv | 2 |
| @System@@VarToBool\$qqrv | 2 |
| @System@@FinalizeRecord\$qqrv | 2 |
| @System@@InitializeRecord\$qqrv | 2 |
| @System@@AsClass\$qqrv | 2 |
| @Sysutils@ExceptAddr\$qqrv | 2 |
| @Sysutils@StrCopy\$qqrpcpxc | 2 |
| @Forms@TApplication@BringToFront\$qqrv | 2 |
| @Forms@TMonitor@GetTop\$qqrv | 2 |
| @Forms@TMonitor@GetHeight\$qqrv | 2 |
| @Forms@TMonitor@GetLeft\$qqrv | 2 |
| @Forms@TCustomForm@GetMonitor\$qqrv | 2 |
| @Controls@TWinControl@CMSysColorChar | 2 |
| @Controls@TControl@ScreenToClient\$qqrr | 2 |
| @Controls@FindControl\$qqrui | 2 |
| @Menus@StripHotkey\$qqrx17System@Ans | 2 |
| @Menus@TMenuItem@SetAction\$qqrp20C | 2 |

| | |
|---|---|
| @Menus@TMenuItem@Remove\$qqrp15M | 2 |
| @Menus@TMenuItem@Insert\$qqrip15Men | 2 |
| @Menus@TMenuItem@SetDefault\$qqro | 2 |
| @Menus@TMenuItem@GetAction\$qqrv | 2 |
| @StdCtrls@TCustomListBox@GetSelected\$q | 2 |
| @Events@TEvent@Add\$qqrynpqqrp14Syste | 2 |
| @Toolwin@TToolDockObject@\$bctr\$qqrp1: | 2 |
| @Toolwin@TToolDockForm@ | 2 |
| @Toolwin@TToolDockObject@ | 2 |
| @Zlibconst@Finalization\$qqrv | 2 |
| ?GetContentString@Element@DirectUI@@@I | 2 |
| ?GetSelected@Element@DirectUI@@@QAE_I | 2 |
| ?SetSelected@Element@DirectUI@@@QAEJ_ | 2 |
| ?SetClass@Element@DirectUI@@@QAEJPBG(| 2 |
| ?Insert@Element@DirectUI@@@QAEJPAV12(| 2 |
| NotifyLogonUser | 2 |
| NotifyLogoffUser | 2 |
| LCEControlServer | 2 |
| MakeEscapedURL | 2 |
| LaunchURL | 2 |
| CreateDRMRightsManager | 2 |
| ?AssignWithConversion@nsString@@@QAEXI | 2 |
| ?CallCreateInstance@@YAIABUnsID@@PAV | 2 |
| ?AssignASCII@nsAString_internal@@@QAEXF | 2 |
| ?StringBeginsWith@@@YAHABVnsACString_ir | 2 |
| ?strup@nsCRT@@@SAPAGPBG@Z | 2 |
| ?CountChar@nsSubstring@@@QBEIG@Z | 2 |
| ?EqualsASCII@nsCSubstring@@@QBEHPBDI@ | 2 |
| ??OnsDeque@@@QAE@PAVnsDequeFunctor(| 2 |
| ?Push@nsDeque@@@QAEAAV1@PAX@Z | 2 |
| ??1nsDeque@@@QAE@XZ | 2 |
| NS_Realloc_P | 2 |
| ?strup@nsCRT@@@SAPADPBD@Z | 2 |
| ?strlen@nsCRT@@@SAIPBG@Z | 2 |
| ?ToNewCString@@@YAPADABVnsAString_int | 2 |
| ?EqualsASCII@nsAString_internal@@@QBEHF | 2 |
| ?Equals@nsSubstring@@@QBEHABV1@ABVn | 2 |
| ?FindCharInSet@nsString@@@QBEHPBDH@Z | 2 |
| ?LossyCopyUTF16toASCII@@@YAXABVnsASt | 2 |
| ?AssignWithConversion@nsCString@@@QAE | 2 |
| PR_CExitMonitor | 2 |
| PR_CEnterMonitor | 2 |
| PR_ParseTimeString | 2 |
| PL_strncpyz | 2 |
| pcap_dispatch | 2 |
| TpReleasePool | 2 |
| TpAllocPool | 2 |

| | |
|---|---|
| TpSetPoolMaxThreads | 2 |
| TpSetPoolMinThreads | 2 |
| TpAllocAlpcCompletion | 2 |
| TpAllocloCompletion | 2 |
| TpStartAsyncloOperation | 2 |
| TpCallbackMayRunLong | 2 |
| TpWaitForAlpcCompletion | 2 |
| TpReleaseAlpcCompletion | 2 |
| TpWaitForIoCompletion | 2 |
| TpReleaseloCompletion | 2 |
| RpcServerInqBindingHandle | 2 |
| ClassForwardIrpSynchronous | 2 |
| PL_strcasestr | 2 |
| lineSetCallPrivilege | 2 |
| lineReleaseUserUserInfo | 2 |
| lineGatherDigitsA | 2 |
| Plat_FloatTime | 2 |
| ShouldUseNewAssertDialog | 2 |
| g_pVCR | 2 |
| @Dxelib@initialization\$qqrv | 2 |
| TraceSQLSetDescFieldW | 2 |
| SeUnregisterLogonSessionTerminatedRoutin | 2 |
| RtlCompressChunks | 2 |
| InjectLibrary | 2 |
| ProcessPSCHEDPolicy | 2 |
| DsDeregisterDnsHostRecordsA | 2 |
| BASS_FXGetParameters | 2 |
| BASS_CD_StreamCreateFile | 2 |
| SetResourceServiceEnvironment | 2 |
| GetBinaryProperty | 2 |
| GetMultiSzProperty | 2 |
| SetUnknownProperties | 2 |
| HTUI_ColorAdjustmentA | 2 |
| ?sin@std@@YA?AV?\$complex@M@1@AB\ | 2 |
| ?_Pdif@?\$basic_string@DU?\$char_traits@L | 2 |
| ?_O?\$Complex_base@M@std@@QAEAA` | 2 |
| ?denorm_min@?\$numeric_limits@N@std@ | 2 |
| ?readsome@?\$basic_istream@GU?\$char_tr | 2 |
| ?transform@?\$collate@D@std@@QBE?AVI | 2 |
| ?_7?\$basic_ostringstream@GU?\$char_trait | 2 |
| ??0CPreferredProfile@@QAE@XZ | 2 |
| ?GetFirstPreferredProfile@CProfileMgr@@@ | 2 |
| ?OpMode@CPreferredProfile@@QAE?AW4 | 2 |
| ?Name@CPreferredProfile@@QAEPADXZ | 2 |
| ?GetProfileToApply@CProfileMgr@@QAEJP | 2 |
| ?GetNextPreferredProfile@CProfileMgr@@@ | 2 |
| ??1CPreferredProfile@@QAE@XZ | 2 |

| | |
|--|---|
| GetCurrentProfile | 2 |
| Disassociate | 2 |
| GetConnectionPreference | 2 |
| GetAssociationStatus | 2 |
| GetAssociationInfo | 2 |
| GetTcpipConfigInfo | 2 |
| GetSzSetting | 2 |
| GetTcipv6ConfigInfo | 2 |
| ?SetValue@CRegApi@@QAEJPBDJ@Z | 2 |
| ?GetDWord@CRegistryEx@@QAEJPBDJ@Z | 2 |
| ?Close@CRegistryEx@@UAEXXZ | 2 |
| ?SetValue@CRegApi@@QAEJPBDK0@Z | 2 |
| ?QueryValue@CRegApi@@QAEJPBDAJ@Z | 2 |
| ?CreateKey@CRegApi@@QAEJPAUHKEY__C | 2 |
| ?QueryValue@CRegApi@@QAEJPBDPADAA | 2 |
| EvTraceStart | 2 |
| ??_7?\$moneypunct@G\$0A@@std@@6B@ | 2 |
| ?id@?\$moneypunct@D\$0A@@std@@2V0l | 2 |
| ??0?\$time_put@GV?\$ostreambuf_iterator@ | 2 |
| CreateSemaphore | 2 |
| CreateMutex | 2 |
| RegisterEventSource | 2 |
| ReportEvent | 2 |
| ??0QSize@@QAE@HH@Z | 2 |
| ??0QSize@@QAE@XZ | 2 |
| ?metaObject@QListWidget@@UBEPBUQM@ | 2 |
| ?qt_metacast@QListWidget@@UAEPAXPBC | 2 |
| ?qt_metacall@QListWidget@@UAEHW4Cal | 2 |
| ?event@QListWidget@@MAE_NPAVQEvent | 2 |
| ?dropEvent@QListWidget@@UAEXPAVQDr | 2 |
| ?setModel@QListWidget@@EAEXPBVQAbs | 2 |
| ?mimeTypes@QListWidget@@MBE?AVQString | 2 |
| ?aData@QListWidget@@MBEPBVQMir | 2 |
| ?dropMimeType@QListWidget@@MAE_NH | 2 |
| ?supportedDropActions@QListWidget@@NV | 2 |
| ??1QListWidget@@UAE@XZ | 2 |
| ?height@QWidget@@QBEHXZ | 2 |
| ?width@QWidget@@QBEHXZ | 2 |
| ?move@QWidget@@QAEHH@Z | 2 |
| ?repaint@QWidget@@QAEXXZ | 2 |
| ?clear@QListWidget@@QAEXXZ | 2 |
| ?count@QListWidget@@QBEHXZ | 2 |
| ?text@QListWidgetItem@@QBE?AVQString | 2 |
| ?currentItem@QListWidget@@QBEPBVQLis | 2 |
| ?setWindowOpacity@QWidget@@QAEZN@ | 2 |
| ??0QListWidget@@QAE@PAVQWidget@@ | 2 |
| ?setItalic@ QFont@@QAEX_N@Z | 2 |

| | |
|--|---|
| ??0QSizePolicy@@QAE@W4Policy@0@0@ | 2 |
| ?setHorizontalStretch@QSizePolicy@@QAE | 2 |
| ?setVerticalStretch@QSizePolicy@@QAE | 2 |
| ?hasHeightForWidth@QSizePolicy@@QBE_ | 2 |
| ?setHeightForWidth@QSizePolicy@@QAE_ | 2 |
| ?_7?\$_Mpunct@G@std@@6B@ | 2 |
| ??0?\$moneypunct@D\$0A@@std@@QAE@ | 2 |
| SetMigrationLcid | 2 |
| AddFileSizeToSavingsVar | 2 |
| DoErrOOMDlg | 2 |
| FExecuteCleanupActions | 2 |
| FEarlyAppDetection | 2 |
| Memcpy | 2 |
| FIsWord97ReallyWord98 | 2 |
| FCheckIfTargetIsRemove | 2 |
| OPCGetShellFolder | 2 |
| DoErrWriteDlg | 2 |
| FInitOPCDataFileBuf | 2 |
| FIsOtherListEmpty | 2 |
| FNoDarwinRemoval | 2 |
| FSetTarget | 2 |
| GetFileBufRead | 2 |
| UintDetectAndMigrate | 2 |
| InitDetection | 2 |
| SetSourceDir | 2 |
| HfOpenOpc | 2 |
| FDoneWithPszFiles | 2 |
| FDetectTargetStates | 2 |
| FDetermineCleanupActions | 2 |
| FreeAllBuffers | 2 |
| g_UNK | 2 |
| _gfortran_concat_string | 2 |
| _gfortran_set_args | 2 |
| _gfortran_set_options | 2 |
| _gfortran_st_read | 2 |
| _gfortran_st_read_done | 2 |
| _gfortran_st_write | 2 |
| _gfortran_st_write_done | 2 |
| _gfortran_transfer_character_write | 2 |
| _gfortran_transfer_integer | 2 |
| _gfortran_transfer_integer_write | 2 |
| _gfortran_transfer_real | 2 |
| _gfortran_transfer_real_write | 2 |
| ?Instance@IInstallDataMgr@@SAAV1@XZ | 2 |
| _AWRegGetValue@16 | 2 |
| ?FindView@CPCAMainFrame@@QAEPAVCF | 2 |
| ?SetView@CPCAMainFrame@@QAEXHH@2 | 2 |

| | |
|---|---|
| ov_comment | 2 |
| AppendImageFormat | 2 |
| IExecuteA | 2 |
| loc | 2 |
| @Frmshape@initialization\$qqrv | 2 |
| rtl_destroyUnicodeToTextConverter | 2 |
| rtl_destroyTextToUnicodeContext | 2 |
| rtl_destroyUnicodeToTextContext | 2 |
| WSAttemptAutodialAddr | 2 |
| AcsHIpNbConnection | 2 |
| IoWMISetNotificationCallback | 2 |
| XL_GetUserProfilesPath | 2 |
| ?_CalcKeyHash@CLKRLinearHashTable@@A | 2 |
| ?_Getcat@?\$numpunct@G@std@@SAIXZ | 2 |
| gzopen | 2 |
| ?Assign@String@@QAEAAV1@G@Z | 2 |
| ?ReleaseBufferAccess@String@@QAEVG@Z | 2 |
| ?EraseAllChars@String@@QAEAAV1@G@Z | 2 |
| ?GetLocaleDataPtr@SvtSysLocale@@QBEPB | 2 |
| ?getLocale@LocaleDataWrapper@@QBEAB | 2 |
| ?isDigit@CharClass@@QBEEABVString@@C | 2 |
| ??0CharClass@@QAE@ABV?\$Reference@V | 2 |
| ?queryInterface@OCollection@sdbcx@conn | 2 |
| ?acquire@OCollection@sdbcx@connectivity | 2 |
| ?release@OCollection@sdbcx@connectivity | 2 |
| ?getTypes@OCollection@sdbcx@connectivi | 2 |
| ?getImplementationId@?\$ImplHelper10@V | 2 |
| ?getNameForObject@OCollection@sdbcx@i | 2 |
| ?disposing@OCollection@sdbcx@connectiv | 2 |
| ?getElementType@OCollection@sdbcx@cor | 2 |
| ?hasElements@OCollection@sdbcx@conne | 2 |
| ?getByName@OCollection@sdbcx@connect | 2 |
| ?getElementNames@OCollection@sdbcx@c | 2 |
| ?hasByName@OCollection@sdbcx@connecti | 2 |
| ?getCount@OCollection@sdbcx@connectiv | 2 |
| ?getByIndex@OCollection@sdbcx@connecti | 2 |
| ?createEnumeration@OCollection@sdbcx@ | 2 |
| ?addContainerListener@OCollection@sdbcx | 2 |
| ?removeContainerListener@OCollection@sc | 2 |
| ?findColumn@OCollection@sdbcx@connect | 2 |
| ?refresh@OCollection@sdbcx@connectivity | 2 |
| ?addRefreshListener@OCollection@sdbcx@ | 2 |
| ?removeRefreshListener@OCollection@sdb | 2 |
| ?createDataDescriptor@OCollection@sdbcx | 2 |
| ?appendByDescriptor@OCollection@sdbcx@ | 2 |
| ?dropByName@OCollection@sdbcx@conne | 2 |
| ?dropByIndex@OCollection@sdbcx@conne | 2 |

| | |
|---|---|
| ?getImplementationName@OCollection@s | 2 |
| ?supportsService@OCollection@sdbcx@con | 2 |
| ?getSupportedServiceNames@OCollection@ | 2 |
| ??1OCollection@sdbcx@connectivity@@UA | 2 |
| ?queryInterface@OTable@sdbcx@connectiv | 2 |
| ?getImplementationId@?\$ImplHelper4@VX | 2 |
| ?createDataDescriptor@OTable@sdbcx@co | 2 |
| ?getIndexes@OTable@sdbcx@connectivity(| 2 |
| ?dispose@?\$WeakComponentImplHelper4@C | 2 |
| ?addEventListen@?\$WeakComponentImpl | 2 |
| ?removeEventListen@?\$WeakComponent | 2 |
| ?getImplementationId@?\$WeakComponent | 2 |
| ?getColumns@OTable@sdbcx@connectivity | 2 |
| ?getKeys@OTable@sdbcx@connectivity@@ | 2 |
| ?setName@OTable@sdbcx@connectivity@() | 2 |
| ?getImplementationName@OTable@sdbcx@ | 2 |
| ?supportsService@OTable@sdbcx@connect | 2 |
| ?getSupportedServiceNames@OTable@sdbc | 2 |
| ?getPropertySetInfo@OTable@sdbcx@conn | 2 |
| ?setNew@ODescriptor@sdbcx@connectivit | 2 |
| ?reFill@OCollection@sdbcx@connectivity@ | 2 |
| ?getTypes@OTable@sdbcx@connectivity@() | 2 |
| ?disposing@OColumn@sdbcx@connectivity | 2 |
| ?createArrayHelper@OColumn@sdbcx@cor | 2 |
| ?getPropertySetInfo@OColumn@sdbcx@co | 2 |
| ?getInfoHelper@OColumn@sdbcx@connect | 2 |
| ?construct@OColumn@sdbcx@connectivity | 2 |
| ??_EOColumn@sdbcx@connectivity@@MA | 2 |
| ?queryInterface@OColumn@sdbcx@connec | 2 |
| ?acquire@OColumn@sdbcx@connectivity@ | 2 |
| ?release@OColumn@sdbcx@connectivity@ | 2 |
| ?getTypes@OColumn@sdbcx@connectivity(| 2 |
| ??1OColumn@sdbcx@connectivity@@MAE | 2 |
| ?acquire@OCatalog@sdbcx@connectivity@ | 2 |
| ?release@OCatalog@sdbcx@connectivity@ | 2 |
| ?dispose@?\$WeakComponentImplHelper5@C | 2 |
| ?addEventListen@?\$WeakComponentImpl | 2 |
| ?removeEventListen@?\$WeakComponent | 2 |
| ?getImplementationId@?\$WeakComponent | 2 |
| ?getTables@OCatalog@sdbcx@connectivity | 2 |
| ?getViews@OCatalog@sdbcx@connectivity(| 2 |
| ?getUsers@OCatalog@sdbcx@connectivity(| 2 |
| ?getGroups@OCatalog@sdbcx@connectivity | 2 |
| ?getImplementationName@OCatalog@sdbc | 2 |
| ?supportsService@OCatalog@sdbcx@conne | 2 |
| ?getSupportedServiceNames@OCatalog@sc | 2 |
| ??1OCatalog@sdbcx@connectivity@@UAE(| 2 |

| | |
|---|---|
| ?isCaseSensitive@OCollection@sdbcx@conn | 2 |
| ThruGetPtr | 2 |
| ConnGet | 2 |
| DbLoadExtended | 2 |
| DbSave | 2 |
| DbClose | 2 |
| ConnPut | 2 |
| ThruPut | 2 |
| OutStr | 2 |
| LangCache | 2 |
| LangStr | 2 |
| CompPut | 2 |
| DebugMode | 2 |
| ObsGet | 2 |
| ObsPut | 2 |
| ObsCreate | 2 |
| NetGet | 2 |
| DbCalcMinMax | 2 |
| ComErrInt | 2 |
| ?ApplyIf@CLKRHashTable@@QAEKP6G?AW | 2 |
| ?IsWinNT4@CMdVersionInfo@@SAHZ | 2 |
| CertAutoRemove | 2 |
| SearchString | 2 |
| FormatDate | 2 |
| CountDynamicStruct | 2 |
| BlobToString2 | 2 |
| BlobCmpString | 2 |
| UnInstallKeyboardHook | 2 |
| SxsProbeAssemblyInstallation | 2 |
| SxsOleAut32MapReferenceClidToConfigure | 2 |
| _ZN14QReadWriteLock12lockForWriteEv | 2 |
| _ZN14QReadWriteLock6unlockEv | 2 |
| _ZN14QReadWriteLockC1Ev | 2 |
| _ZN14QReadWriteLockD1Ev | 2 |
| _ZNK7QString6toUIntEPbi | 2 |
| ?fixup@QValidator@@UBEXAAVQString@@ | 2 |
| ??0QDomNode@@QAE@XZ | 2 |
| ?replace@QString@@QAEAAV1@ABVQReg | 2 |
| ?attribute@QDomElement@@QBE?AVQStri | 2 |
| _wdupenv_s | 2 |
| AzCloseHandle | 2 |
| net_ConnectDgram | 2 |
| PipeLineLoadBitmap | 2 |
| tracer_close | 2 |
| tracer_closeFile | 2 |
| tracer_openFile | 2 |
| tracer_init | 2 |

| | |
|-------------------------------------|---|
| _Mob_WWriteEefullBlock | 2 |
| _Mob_WDeleteEefullDataBlock | 2 |
| _Mob_WGiveEefullMaxBlockId | 2 |
| _Mob_WGiveEefullBlockVersionAndSize | 2 |
| _Mob_WReadEefullBlock | 2 |
| _Mob_WWriteEeliteBlock | 2 |
| _Mob_WDeleteEeliteDataBlock | 2 |
| _Mob_WGiveEeliteMaxBlockId | 2 |
| _Mob_WGiveEeliteBlockVersionAndSize | 2 |
| _Mob_WReadEeliteBlock | 2 |
| _Mob_close | 2 |
| _Mob_WComClose | 2 |
| _Mob_WMobileOff | 2 |
| _Mob_WGetMobileInformation | 2 |
| _Mob_WGetHardwareIdentification | 2 |
| _Mob_WPingMobile | 2 |
| _Mob_WInitServiceMode | 2 |
| _Mob_WComOpen | 2 |
| _Mob_WConfigLibrary | 2 |
| _Mob_WLibraryCompileTime | 2 |
| _Mob_WLibraryCompileDate | 2 |
| _Mob_WLibraryCopyright | 2 |
| _Mob_WLibraryVersion | 2 |
| _Mob_init | 2 |
| ?AdjustSQL@FunGen@@SAXAAVCString@C | 2 |
| MsgError | 2 |
| SimpleTypeBufferSize | 2 |
| NdrGetDcomProtocolVersion | 2 |
| ?AddToStream@Sqm@@YGXKK@Z | 2 |
| cryptGetAttributeString | 2 |
| D3DXMatrixScaling | 2 |
| CeRapiInvoke | 2 |
| CeCloseHandle | 2 |
| CeCreateFile | 2 |
| CeGetFileAttributes | 2 |
| CeWriteFile | 2 |
| RegWdCreateA | 2 |
| default_palette | 2 |
| load_font | 2 |
| KeRaiseUserException | 2 |
| ZwCompactKeys | 2 |
| Mix_OpenAudio | 2 |
| Mix_LoadWAV_RW | 2 |
| Mix_PlayChannelTimed | 2 |
| SDL_GL_GetProcAddress | 2 |
| SDL_GL_LoadLibrary | 2 |
| SDL_GL_SetAttribute | 2 |

| | |
|---|---|
| SDL_GL_SwapBuffers | 2 |
| SDL_InitSubSystem | 2 |
| _CorGetCharSet@0 | 2 |
| CloakCDR_SendCommand | 2 |
| ElbyCDIO_InitScsi | 2 |
| ElbyCDIO_GetOSVersion | 2 |
| NdisUpcaseUnicodeString | 2 |
| NdisIMSwitchToMiniport | 2 |
| libvlc_set_user_agent | 2 |
| gzread | 2 |
| gzclose | 2 |
| _chsize_s | 2 |
| _sopen_s | 2 |
| ?erase@?\$basic_string@DU?\$char_traits@L | 2 |
| ?MakeBitmap@CxImage@@QAEPAUHBITM | 2 |
| ?GenerateEx@CComputerIDGenerator@@C | 2 |
| ?CombinePath@FS@Util@@YA?AVCTXStrin | 2 |
| ?Empty@CTXStringA@@QAEXXZ | 2 |
| ??ACTXStringA@@QBEDH@Z | 2 |
| ?GetCombineName@Contact@Util@@YA?A | 2 |
| ??0CGroupObj@Group@Util@@QAE@K@Z | 2 |
| ?GetInterface@CGroupObj@Group@Util@C | 2 |
| ?GetPngFile@Status@Contact@Util@@YAH | 2 |
| ?IsAllowPlaySound@Misc@Util@@YAHXZ | 2 |
| ??1CGroupObj@Group@Util@@UAE@XZ | 2 |
| GETFILEATTRIBUTESA | 2 |
| picture_New | 2 |
| ??6std@@YAAV?\$basic_ostream@DU?\$ch | 2 |
| DnsMapRcodeToStatus | 2 |
| SetKeyboardPriorityHook | 2 |
| SetMousePriorityHook | 2 |
| SetKeyboardPriorityLLHook | 2 |
| SetMousePriorityLLHook | 2 |
| ClassMarkChildrenMissing | 2 |
| ConvertIpv4MaskToLength | 2 |
| NsiGetParameter | 2 |
| ?TranslateColor@LBitmapBase@@UAEKAAV | 2 |
| GetNumaNodeProcessorMaskEx | 2 |
| GetThreadGroupAffinity | 2 |
| ?name@locale@std@@QBE?AV?\$basic_stri | 2 |
| ?Stop@TXBugMonitor@@YAHXZ | 2 |
| ?SetPerfReportDataForBool@PerfDataRepor | 2 |
| ?SetEnablePreload@Misc@Util@@YAXH@Z | 2 |
| ?_.GetService@ObjectServices@@CAJABU_C | 2 |
| ??0NMCPreviewChannelContainer@@QAE@C | 2 |
| ??1NMCPreviewChannelContainer@@UAE@C | 2 |
| NdisInterlockedIncrement | 2 |

| | |
|--|---|
| NdisIMInitializeDeviceInstance | 2 |
| NdrNonConformantStringMemorySize | 2 |
| NdrTypeFlags | 2 |
| ??1IPropertyArrayHelper@cppu@@@UAE@X | 2 |
| ?GetScriptTypeOfLanguage@SvtLanguageOp | 2 |
| ?EnableNotification@ConfigItem@utl@@IA | 2 |
| ??0ConfigItem@utl@@QAE@ABV01@@Z | 2 |
| ?GetLanguage@AllSettings@@QBEGXZ | 2 |
| ?insertNewContent@Content@ucbhelper@ | 2 |
| SetSecurityAccessMask | 2 |
| ??_U@YAPAXIHPBDH@Z | 2 |
| PoUnregisterPowerSettingCallback | 2 |
| RtlFindClosestEncodableLength | 2 |
| RtlIoEncodeMemIoResource | 2 |
| KelpiGenericCall | 2 |
| PoSetSystemWake | 2 |
| PoGetSystemWake | 2 |
| WheaAddErrorSource | 2 |
| EmProviderRegister | 2 |
| EmProviderDeregister | 2 |
| EmClientRuleEvaluate | 2 |
| IoRequestDeviceEjectEx | 2 |
| NtQuerySystemInformationEx | 2 |
| WRITE_REGISTER_BUFFER ULONG | 2 |
| WheaReportHwError | 2 |
| WheaGetErrorSource | 2 |
| IoSetDevicePropertyData | 2 |
| RtlCmEncodeMemIoResource | 2 |
| EmClientQueryRuleState | 2 |
| HalGetMessageRoutingInfo | 2 |
| HalGetInterruptTargetInformation | 2 |
| PshedGetErrorSourceInfo | 2 |
| PshedRetrieveErrorInfo | 2 |
| KeAcquireSpinLockRaiseToDpc | 2 |
| decoder_GetInputAttachments | 2 |
| image_Mime2Fourcc | 2 |
| text_style_Copy | 2 |
| ?isValidNCName@sfx2@@YA_NABVOUStrir | 2 |
| rtl_ustr_ascii_shortenedCompareIgnoreAscii | 2 |
| ldap_cleanup | 2 |
| sqlite3_column_name16 | 2 |
| Game3DEffectCreate | 2 |
| @Table@TIVTable@SaveAsXLS\$qqrx20Syste | 2 |
| @Dxdbgrid@TCustomdxDBTreeListControl@ | 2 |
| ?str@?\$basic_stringstream@_WU?\$char_tr | 2 |
| kisCommonQueryInfo | 2 |
| rtl_random_createPool | 2 |

| | |
|--|---|
| rtl_random_addBytes | 2 |
| rtl_random_getBytes | 2 |
| rtl_random_destroyPool | 2 |
| typelib_typedescription_newMIInterface | 2 |
| typelib_typedescription_newInterfaceMethod | 2 |
| typelib_typedescription_newStruct | 2 |
| FaxSetPortExW | 2 |
| FaxSetExtensionDataW | 2 |
| FaxEnumPortsExW | 2 |
| SLEEP | 2 |
| __playlist_ItemNew | 2 |
| playlist_NodeAddItem | 2 |
| RpcNsMgmtEntryInqIfIdsW | 2 |
| SECITEM_HashCompare | 2 |
| SECITEM_DupItem_Util | 2 |
| SECITEM_ItemsAreEqual_Util | 2 |
| SECOID_GetAlgorithmTag_Util | 2 |
| NSS_Get_SEC_ObjectIDTemplate_Util | 2 |
| NSS_Get_SEC_BitStringTemplate_Util | 2 |
| NSS_Get_SEC_OctetStringTemplate_Util | 2 |
| NSS_Get_SECOID_AlgorithmIDTemplate_Uti | 2 |
| DER_SetUInteger | 2 |
| NSS_Get_SEC_AnyTemplate_Util | 2 |
| NSSBase64_EncodeItem_Util | 2 |
| SEC_ASN1EncodeInteger_Util | 2 |
| SEC_ASN1EncodeItem_Util | 2 |
| SEC_QuickDERDecodeItem_Util | 2 |
| DER_DecodeTimeChoice_Util | 2 |
| SECOID_SetAlgorithmID_Util | 2 |
| SECOID_FindOIDByTag_Util | 2 |
| SECOID_FindOIDTag_Util | 2 |
| PORT_ArenaStrdup_Util | 2 |
| PORT_ArenaUnmark_Util | 2 |
| PORT_ArenaRelease_Util | 2 |
| PORT_ArenaMark_Util | 2 |
| PORT_ArenaAlloc_Util | 2 |
| PORT_ZFree_Util | 2 |
| PORT_Realloc_Util | 2 |
| SECOID_Init | 2 |
| SECOID_Shutdown | 2 |
| PORT_Strdup_Util | 2 |
| PL_HashString | 2 |
| PL_CompareStrings | 2 |
| PR_FindFunctionSymbol | 2 |
| PR_Sleep | 2 |
| PR_LoadLibrary | 2 |
| PR_LogPrint | 2 |

| | |
|----------------------------------|---|
| g2mcomm_winmain | 2 |
| Cla\$BEEP | 2 |
| Cla\$clearerror | 2 |
| Cla\$CLEARqueue | 2 |
| Cla\$DISPOSEqueue | 2 |
| Cla\$DPopUlong | 2 |
| Cla\$ERRORCODE | 2 |
| Cla\$FILEERRORCODE | 2 |
| Cla\$FILE_BUILDf | 2 |
| CLA\$FILE_DESTROY | 2 |
| Cla\$FILE_SEND | 2 |
| Cla\$NewMemT | 2 |
| Cla\$NewMemZ | 2 |
| Cla\$NEWqueue | 2 |
| Cla\$seterror | 2 |
| _fnsplit | 2 |
| _realloc | 2 |
| pcap_setbuff | 2 |
| ??Xstd@@YAAV?\$complex@O@0@AAV1C | 2 |
| _alloca | 2 |
| execl | 2 |
| Detoured | 2 |
| OCIAttrGet | 2 |
| OCIDescriptorFree | 2 |
| OCISqlGetPieceInfo | 2 |
| OCISqlSetPieceInfo | 2 |
| OCISqlFetch | 2 |
| OCIDefineByPos | 2 |
| OCIDescriptorAlloc | 2 |
| OCILobGetLength | 2 |
| OCILobRead | 2 |
| OCIResultSetToSql | 2 |
| OCIBindByName | 2 |
| OCIParamGet | 2 |
| OCIDescribeAny | 2 |
| OCISqlExecute | 2 |
| OCISqlPrepare | 2 |
| OCISessionEnd | 2 |
| OCILobFree | 2 |
| OCIServerDetach | 2 |
| OCILobAlloc | 2 |
| OCIServerAttach | 2 |
| OCIAttrSet | 2 |
| OCISessionBegin | 2 |
| OCIErrorGet | 2 |
| NDRSContextUnmarshallEx | 2 |
| ?_Getcat@?\$_ctype@G@std@@SAIXZ | 2 |

| | |
|-----------------------------------|---|
| ShowMessageValist | 2 |
| CoDisableDynamicVolumes | 2 |
| LowGetPartitionInfo | 2 |
| DisplayError | 2 |
| FTraceValist | 2 |
| SzwDupSzw | 2 |
| FTrace | 2 |
| SzwFromSza | 2 |
| WOWGlobalUnlockFree16 | 2 |
| CopyDropFilesFrom16 | 2 |
| WOWGlobalLockSize16 | 2 |
| WOWGlobalAllocLock16 | 2 |
| WOWGlobalUnlock16 | 2 |
| W32HungAppNotifyThread | 2 |
| @Abconst@initialization\$qqrv | 2 |
| @Abconst@Finalization\$qqrv | 2 |
| @Abdfhufd@initialization\$qqrv | 2 |
| @Abdfhufd@Finalization\$qqrv | 2 |
| @Abdfxlat@initialization\$qqrv | 2 |
| @Abdfxlat@Finalization\$qqrv | 2 |
| U_P | 2 |
| VRipOutput | 2 |
| SetEndOffile | 2 |
| osl_getDottedInetAddrOfSocketAddr | 2 |
| osl_createEmptySocketAddr | 2 |
| osl_getLocalAddrOfSocket | 2 |
| osl_getPeerAddrOfSocket | 2 |
| osl_bindAddrToSocket | 2 |
| osl_isReceiveReady | 2 |
| osl_isSendReady | 2 |
| osl_isExceptionPending | 2 |
| osl_getSocketOption | 2 |
| osl_setSocketOption | 2 |
| osl_enableNonBlockingMode | 2 |
| osl_isNonBlockingMode | 2 |
| osl_getSocketType | 2 |
| osl_getLastSocketErrorDescription | 2 |
| osl_getLastSocketError | 2 |
| osl_closeSocket | 2 |
| osl_listenOnSocket | 2 |
| osl_receiveSocket | 2 |
| osl_sendSocket | 2 |
| osl_shutdownSocket | 2 |
| osl_receiveFromSocket | 2 |
| osl_sendToSocket | 2 |
| osl_acceptConnectionOnSocket | 2 |
| osl_tryToAcquireMutex | 2 |

| | |
|--------------------------------------|---|
| osl_setThreadPriority | 2 |
| osl_getThreadPriority | 2 |
| osl_getSymbol | 2 |
| osl_loginUser | 2 |
| osl_loginUserOnFileServer | 2 |
| osl_getUserIdent | 2 |
| osl_isAdministrator | 2 |
| osl_addSignalHandler | 2 |
| osl_removeSignalHandler | 2 |
| osl_raiseSignal | 2 |
| osl_getNetPortOfSocketAddr | 2 |
| osl_getServicePort | 2 |
| osl_isEqualSocketAddr | 2 |
| osl_getHostnameOfSocketAddr | 2 |
| osl_getFamilyOfSocketAddr | 2 |
| osl_copySocketAddr | 2 |
| osl_acceptPipe | 2 |
| osl_getLastPipeError | 2 |
| osl_sendPipe | 2 |
| osl_receivePipe | 2 |
| osl_joinProcess | 2 |
| osl_terminateProcess | 2 |
| osl_executeProcess | 2 |
| osl_getProcess | 2 |
| osl_freeProcessHandle | 2 |
| osl_readLine | 2 |
| @Dxoi@initialization\$qqrv | 2 |
| @Mplayer@initialization\$qqrv | 2 |
| @Dxoistringosed@initialization\$qqrv | 2 |
| @Dxoipictureeed@initialization\$qqrv | 2 |
| ??0codecvt_base@std@@QAE@I@Z | 2 |
| XDBOPEN | 2 |
| XDBCLOSE | 2 |
| XDBSKIPDELETED | 2 |
| XDBOPENINDEX | 2 |
| XDBREINDEXALL | 2 |
| XDBSEEK | 2 |
| XDBRESETERROR | 2 |
| XDBERROR | 2 |
| NdrMesSimpleTypeDecode | 2 |
| xvid_encore | 2 |
| glsDeleteStream | 2 |
| glsUTF8toUCSz | 2 |
| QueryIPSecStatistics | 2 |
| GetTransportFilter | 2 |
| GetMMFilter | 2 |
| AddMMPolicy | 2 |

| | |
|--------------------------------------|---|
| EnumMMPolicies | 2 |
| SPDApiBufferAllocate | 2 |
| SetQMPolicy | 2 |
| PowerWriteDCValueIndex | 2 |
| PowerEnumerate | 2 |
| PowerReadACValueIndex | 2 |
| PowerReadDCValueIndex | 2 |
| ?update@System@FMOD@@QAG?AW4FM | 2 |
| ??0QSettings@@QAE@W4Scope@0@ABVC | 2 |
| ??1QBitArray@@QAE@XZ | 2 |
| ??6QTextStream@@QAEAAV0@ABVQByteA | 2 |
| ??6QTextStream@@QAEAAV0@I@Z | 2 |
| ?append@QByteArray@@QAEAAV1@ABVC | 2 |
| ?canFetchMore@QAbstractItemModel@@L | 2 |
| ?homePath@QDir@@SA?AVQString@@XZ | 2 |
| ?insert@QString@@QAEAAV1@HPBVQChai | 2 |
| ?remove@QDir@@QAE_NABVQString@@C | 2 |
| ?setCurrent@QDir@@SA_NABVQString@@@ | 2 |
| ?setDevice@QTextStream@@QAEXPQIO | 2 |
| ?toFloat@QString@@QBEMPA_N@Z | 2 |
| ??0QImage@@QAE@ABVQString@@PBD@ | 2 |
| ?bytesPerLine@QImage@@QBEHXZ | 2 |
| ?currentImageNumber@QImageIOHandler@ | 2 |
| ?cursor@QWidget@@QBE?AVQCursor@@) | 2 |
| ?devType@QImage@@UBEHXZ | 2 |
| ?fill@QImage@@QAEXI@Z | 2 |
| ?isActiveWindow@QWidget@@QBE_NXZ | 2 |
| ?metric@QImage@@MBEHW4PaintDevice@ | 2 |
| ?paintEngine@QImage@@UBEPAVQPaintEr | 2 |
| ?setWindowIcon@QApplication@@SAXABV | 2 |
| ??0QHttp@@QAE@PAVQObject@@@Z | 2 |
| ??1QHttp@@UAE@XZ | 2 |
| ?setHost@QHttp@@QAEHABVQString@@C | 2 |
| ??1QGLWidget@@UAE@XZ | 2 |
| SDL_CreateRGBSurface | 2 |
| SDL_LockSurface | 2 |
| SDL_SetColorKey | 2 |
| SDL_UnlockSurface | 2 |
| ?getline@std@@YAAA@\$basic_istream@D | 2 |
| LoadLibraryExI | 2 |
| FindResourceI | 2 |
| RegDeleteValueI | 2 |
| IstrcpynI | 2 |
| RegQueryInfoKeyI | 2 |
| DriverPackagePreinstallW | 2 |
| ?Verify@CEcdsa@@QAE_NABUCPublicKey@ | 2 |
| ScsiPortWritePortUshort | 2 |

| | |
|---|---|
| st | 2 |
| u32FileGetOpenFileName | 2 |
| buf32FillOneColor | 2 |
| cvt32BufToDDB | 2 |
| c32GetDLLErrorInfo | 2 |
| ufdAddSlash | 2 |
| u32MyWinHelp | 2 |
| c32GetString | 2 |
| ufdIsDir | 2 |
| WmiTraceMessageVa | 2 |
| FsRtlLookupPerStreamContextInternal | 2 |
| ??1?\$basic_string@DV?\$char_traits@D@stl | 2 |
| ??1?\$allocator@D@stlp_std@@QAE@XZ | 2 |
| ??0?\$basic_string@DV?\$char_traits@D@stl | 2 |
| ?InitCQQUserData@@YAXJPAUIQQData@@ | 2 |
| ?GetFriendQQData@@YAHPAUIQQCore@@ | 2 |
| ?IsQQServiceEnable@@YAH!@Z | 2 |
| ?ShowMessageBox@@YAHPAUHWND__@() | 2 |
| ?GetFriendName@@YAHPAUIQQCore@@K | 2 |
| ?GetCAApplicationOP@@YAHPAUIQQCore@ | 2 |
| ??1CSkinButtonEx@@UAE@XZ | 2 |
| ??0CSkinButtonEx@@QAE@XZ | 2 |
| ?SaveGroupUser@@YAXPAUIQQCore@@@ | 2 |
| ?x_SetPos@CMarkup@@IAEXHHH@Z | 2 |
| ?Draw2@CxImage@@QAEJPAUHDC__@@J | 2 |
| ?Stretch@CxImage@@QAEJPAUHDC__@@. | 2 |
| ?Draw@CxImage@@QAEJPAUHDC__@@JJ. | 2 |
| ?FindElem@CMarkup@@QAE_NPBD@Z | 2 |
| ?GetAttrib@CMarkup@@QBE?AVCString@() | 2 |
| ?GetWindow@VCLUnoHelper@@SAPAVWi | 2 |
| ?HasFocus@Window@@QBEEHZ | 2 |
| ?Close@SvFileStream@@QAEXXZ | 2 |
| ??1DirEntry@@QAE@XZ | 2 |
| ??0DirEntry@@QAE@ABVString@@W4FSys | 2 |
| ?SetSmartURL@INetURLObject@@QAE_NA | 2 |
| ?PathToFileNames@INetURLObject@@QBE? | 2 |
| I_RpcServerInqLocalConnAddress | 2 |
| NdrVaryingArrayBufferSize | 2 |
| NdrpGetTypeFormatString | 2 |
| ??0?\$num_put@DV?\$ostreambuf_iterator@ | 2 |
| rindex | 2 |
| ?RootElement@TiXmlDocument@@QAEPA\ | 2 |
| IoFastQueryNetworkAttributes | 2 |
| Kel386ReleaseLid | 2 |
| glsHeaderiv | 2 |
| glsUnreadFunc | 2 |
| EzDibNew | 2 |

| | |
|--|---|
| GetKeyArrayW | 2 |
| StopKeyboardHook | 2 |
| StartKeyboardHook | 2 |
| StopStealthHook | 2 |
| StartStealthHook | 2 |
| IoOpenDeviceInterfaceRegistryKey | 2 |
| ?NumberOfColumns@CCatState@@QBEIXZ | 2 |
| RouterFreeBidiMem | 2 |
| RouterFindNextPrinterChangeNotification | 2 |
| PartialReplyPrinterChangeNotification | 2 |
| bSetDevModePerUser | 2 |
| AlignKMPtr | 2 |
| AlignRpcPtr | 2 |
| ProvidorFindFirstPrinterChangeNotification | 2 |
| png_read_image | 2 |
| ??0?\$basic_ifstream@GU?\$char_traits@G@ | 2 |
| ??4?\$char_traits@D@std@@QAEAAU01@A | 2 |
| _tcslwr | 2 |
| ??5?\$basic_istream@GU?\$char_traits@G@: | 2 |
| NetrJobGetInfo | 2 |
| phoneInitializeExW | 2 |
| phoneGetGain | 2 |
| phoneGetButtonInfoA | 2 |
| lineSetTollListW | 2 |
| lineGetAppPriorityA | 2 |
| lineGetAddressIDW | 2 |
| internalPerformance | 2 |
| ?insert@?\$basic_string@_WU?\$char_traits(| 2 |
| _wfindfirst64i32 | 2 |
| _wfindnext64i32 | 2 |
| rtcInputCharCount | 2 |
| GdipCreateTextureIA | 2 |
| GdipIsStyleAvailable | 2 |
| ??0SequenceAsHashMap@comphelper@@@ | 2 |
| xmlCreateIntSubset | 2 |
| xmlLoadExternalEntity | 2 |
| xmlGetDocEntity | 2 |
| xmlNewCDataBlock | 2 |
| ResizeQuantumMemory | 2 |
| QueryColorDatabase | 2 |
| CloneString | 2 |
| ParseMagickOption | 2 |
| GetPageGeometry | 2 |
| NewImageList | 2 |
| KiEnableTimerWatchdog | 2 |
| 86110C21 | 2 |
| 73DE0668 | 2 |

| | |
|--------------------------------------|----------|
| 11ED54BD | 2 |
| B7255906 | 2 |
| 243DD342 | 2 |
| 63D23AC4 | 2 |
| 3DAEFDC6 | 2 |
| 0E5CE582 | 2 |
| 22DD738A | 2 |
| D94F8102 | 2 |
| 7A27C541 | 2 |
| 07BDA4AA | 2 |
| 9166EA0B | 2 |
| 9FE16B66 | 2 |
| 69536D13 | 2 |
| A805F102 | 2 |
| | 74263111 |
| A6C7155E | 2 |
| 8A366FC9 | 2 |
| EC85EE05 | 2 |
| 4E1ACD28 | 2 |
| 34E11E5E | 2 |
| AA336142 | 2 |
| C5B9E213 | 2 |
| 3F7100E1 | 2 |
| 528C408E | 2 |
| CE4598E9 | 2 |
| E2B221DF | 2 |
| 688D3290 | 2 |
| D69E67CB | 2 |
| D8DD3EE9 | 2 |
| ADAA3FFA | 2 |
| 0F312EE2 | 2 |
| 821DF807 | 2 |
| 9CA09F41 | 2 |
| 7C757A70 | 2 |
| 96C838C7 | 2 |
| 6D2CFBD9 | 2 |
| ??0CImpersonationTokenCache@@QAE@PI | 2 |
| MsInstallMissingFileA | 2 |
| WinStationGetAllSessionsW | 2 |
| WinStationOpenServerExW | 2 |
| XMPP_Do | 2 |
| ??0NTFS_REFLECTED_MASTER_FILE_TABLE@ | 2 |
| ?QueryNumberOfExtents@NTFS_EXTENT_LI | 2 |
| ?Initialize@NTFS_ATTRIBUTE_RECORD@@C | 2 |
| GetProcessFlags | 2 |
| MapSLFix | 2 |
| UnMapSLFixArray | 2 |

| | |
|--|---|
| UnMapLS | 2 |
| MapLS | 2 |
| MapHInstLS | 2 |
| ReinitializeCriticalSection | 2 |
| MapSL | 2 |
| deflateReset | 2 |
| compress | 2 |
| compress2 | 2 |
| ?InsertEndChild@TiXmlNode@@QAEPAV1@ | 2 |
| ?SaveFile@TiXmlDocument@@QBE_NPB_W | 2 |
| _byteswap_ushort | 2 |
| _byteswap_uint64 | 2 |
| ?VdsSeTranslator@CVdsStructuredException | 2 |
| _sys_nerr_dll | 2 |
| ?GetExeFolder@@YA?AV?\$CStringT@_WV? | 2 |
| GetIconInfoExW | 2 |
| Shell_NotifyIconGetRect | 2 |
| DrawThemeParentBackgroundEx | 2 |
| rtcFilter | 2 |
| RIPSetDevRectFromImage | 2 |
| RIPDisplayImageRect | 2 |
| RIPDuplicateImage | 2 |
| RIPCreateRS | 2 |
| RIPCreateFillMode | 2 |
| RIPGetFillMode | 2 |
| RIPDestroyFillMode | 2 |
| RIPSetFillMode | 2 |
| RIPGetImageType | 2 |
| RIPGetAlpha | 2 |
| RIPCreateImageEx2 | 2 |
| RIPFlipImage | 2 |
| RIPConvertImageToImage | 2 |
| RIPSetAlpha | 2 |
| RIPStretchBlitInContext | 2 |
| RIPDestroyRS | 2 |
| RIPGetPlanes | 2 |
| RIPGetBitsPerPlane | 2 |
| RIPGetVRes | 2 |
| RIPGetHRes | 2 |
| RIPGetHeight | 2 |
| RIPGetWidth | 2 |
| RIPCreateImageEx | 2 |
| RIPDestroyImage | 2 |
| _UTLCorrectPathNameLength@8 | 2 |
| ?UTLStandardOnContextMenu@@YGHPAUFI | 2 |
| _INIGetProgramsDir@8 | 2 |
| ?CreateControl@WCtrlColumnTextEdit@@@L | 2 |

| | |
|---|---|
| ??1WCtrlColumnTextEdit@@UAE@XZ | 2 |
| ?GetThisClass@WCtrlContainerList@@SGPA | 2 |
| ?GetThisMessageMap@WCtrlContainerList@ | 2 |
| ?SubclassContainer@WCtrlContainerList@@ | 2 |
| ?AddColumn@WCtrlContainerList@@QAEH | 2 |
| ?AppendRows@WCtrlContainerList@@QAE | 2 |
| ?Register@WCtrlContainerList@@SGXXZ | 2 |
| ?GetColRowData@WCtrlContainerList@@Q | 2 |
| ?SetColRowData@WCtrlContainerList@@Q/ | 2 |
| ??1WCtrlContainerList@@UAE@XZ | 2 |
| ?BeginEditRow@WCtrlColumnTextEdit@@L | 2 |
| ?OnLButtonUp@WCtrlContainerList@@IAE> | 2 |
| ??0WCtrlColumnTextEdit@@QAE@XZ | 2 |
| ?SetOtherButtonStyle@WCellComboBox@C | 2 |
| ?SetCellCount@WCellComboBox@@QAEHF | 2 |
| ?OnCtrlColSetCursor@WCtrlColumn@@UAf | 2 |
| ?OnCtrlColContextMenu@WCtrlColumn@@ | 2 |
| ?OnCtrlColRButtonUp@WCtrlColumn@@U/ | 2 |
| ?OnCtrlColRButtonDown@WCtrlColumn@@@ | 2 |
| ?OnCtrlColLButtonDblClk@WCtrlColumn@C | 2 |
| ?OnCtrlColLButtonUp@WCtrlColumn@@UA | 2 |
| ?OnCtrlColLButtonDown@WCtrlColumn@@@ | 2 |
| ?CanEndEdit@WCtrlColumn@@UAEHXZ | 2 |
| ?SetMinWidth@WCtrlColumn@@UAEXH@Z | 2 |
| ?SetWidth@WCtrlColumn@@UAEXH@Z | 2 |
| ?SetRowState@WCtrlColumn@@UAEEHG@ | 2 |
| ?SetRowHeight@WCtrlColumn@@UAEXH@ | 2 |
| ?SelectionChanged@WCtrlColumn@@UAEX | 2 |
| ?NotifyEndEdit@WCtrlColumn@@UAEXXZ | 2 |
| ?IsRowVisible@WCtrlColumn@@UAEEHH@Z | 2 |
| ?IsRowSelected@WCtrlColumn@@UBEHH@C | 2 |
| ?IsInEdit@WCtrlColumn@@UAEHXZ | 2 |
| ?GetWidth@WCtrlColumn@@UAEHXZ | 2 |
| ?GetRowState@WCtrlColumn@@UBEGH@Z | 2 |
| ?GetRowHeight@WCtrlColumn@@UAEHXZ | 2 |
| ?GetItemRectWithMargins@WCtrlColumn@ | 2 |
| ?GetItemRect@WCtrlColumn@@UAEXVCPC | 2 |
| ?GetMinWidth@WCtrlColumn@@UAEHXZ | 2 |
| ?GetEnabledRows@WCtrlColumn@@UBEH@ | 2 |
| ?GetControlPtr@WCtrlColumn@@UAEPAVC | 2 |
| ?GetControlData@WCtrlColumn@@UAEHX: | 2 |
| ?GetColumnStyle@WCtrlColumn@@UBEGX | 2 |
| ?EndEdit@WCtrlColumn@@UAEXXZ | 2 |
| ?DrawItemFocus@WCtrlColumn@@UAEXP@ | 2 |
| ?DisableEndRows@WCtrlColumn@@UAEXF | 2 |
| ?DestroyControl@WCtrlColumn@@UAEXXZ | 2 |
| ?CreateControl@WCtrlColumn@@UAEXXZ | 2 |

| | |
|---|---|
| ?IsRowEnabled@WCtrlColumn@@UAEEH@ | 2 |
| ?AppendRows@WCtrlColumnTextEdit@@U | 2 |
| ?GetCellTipText@WCellComboBox@@UAEX | 2 |
| ?PaintDisabledState@WCellComboBox@@L | 2 |
| ?GetMessageMap@WCellComboBox@@ME | 2 |
| ?_PLGINBaseClassWindowProc@WCtrlCont | 2 |
| ?Scroll@WDragDropTarget@@UAEEH@Z | 2 |
| ?OnDrop@WDragDropTarget@@UAEHPAV(| 2 |
| ?OnDragLeave@WDragDropTarget@@UAEE> | 2 |
| ?IsDataAcceptable@WDragDropTarget@@L | 2 |
| ?DropHitTest@WDragDropTarget@@UAEK\ | 2 |
| ?LayoutCols@WCtrlContainerList@@UAEXG | 2 |
| ?NotifyParent@WCtrlContainerList@@UAEI | 2 |
| ?NotifyParent@WCtrlContainerList@@UAEI | 2 |
| ?HeaderChanged@WCtrlContainerList@@N | 2 |
| ?DrawDragSelectionOutline@WCtrlContaine | 2 |
| ?DrawVertGrid@WCtrlContainerList@@MBI | 2 |
| ?DrawHorzGrid@WCtrlContainerList@@MB | 2 |
| ?WindowProc@WCtrlContainerList@@MAE | 2 |
| ?OnNotify@WCtrlContainerList@@MAEHIJF | 2 |
| ?OnCommand@WCtrlContainerList@@MAE | 2 |
| ??0WCtrlContainerList@@QAE@PAUCRunti | 2 |
| ?SysColorChange@WCtrlColumn@@UAEXX. | 2 |
| ?SetRowData@WCtrlColumnTextEdit@@UA | 2 |
| ?ResetContents@WCtrlColumnTextEdit@@I | 2 |
| ?RemoveRow@WCtrlColumnTextEdit@@U/ | 2 |
| ?MeasureItemMinWidth@WCtrlColumnTex | 2 |
| ?MeasureItemHeight@WCtrlColumnTextEdi | 2 |
| ?InsertRow@WCtrlColumnTextEdit@@UAEI | 2 |
| ?Initialize@WCtrlColumnTextEdit@@UAEXP | 2 |
| ?GetRowData@WCtrlColumnTextEdit@@U/ | 2 |
| ?GetRowCount@WCtrlColumnTextEdit@@L | 2 |
| ?DrawRow@WCtrlColumnTextEdit@@UAEX | 2 |
| GdipGetWorldTransform | 2 |
| GdipGetTextRenderingHint | 2 |
| GetUserFromSid | 2 |
| StrProcessState | 2 |
| GetSystemMessageA | 2 |
| Cached GetUserFromSid | 2 |
| ?quiet_NaN@?\$numeric_limits@H@std@@ | 2 |
| _JAWT_GetAWT@8 | 2 |
| ??0CTXStringA@@QAE@UtagEN@@PB_WF | 2 |
| ??YCTXStringA@@QAEAAV0@PBD@Z | 2 |
| ?SetAt@CTXStringW@@QAEXH_W@Z | 2 |
| VarBstrFromI8 | 2 |
| ??0domain_error@std@@QAE@ABV?\$bas | 2 |
| TraceSQLSetEnvAttr | 2 |

| | |
|---|---|
| kisGetPath | 2 |
| _InstallTecladoHook | 2 |
| _RemoveMouseHook | 2 |
| _InstallMouseHook | 2 |
| ?timerEvent@QWindowsStyle@@MAEXPABVQEvent@Z | 2 |
| ?eventFilter@QWindowsStyle@@MAE_NPAVQWidget@@@Z | 2 |
| ??0QSpinBox@@QAE@PAVQWidget@@@Z | 2 |
| ??1QSpinBox@@UAE@XZ | 2 |
| ?setValue@QSpinBox@@QAEXH@Z | 2 |
| ?setAlignment@QAbstractSpinBox@@QAEXI@Z | 2 |
| ??0QCheckBox@@QAE@ABVQString@@PAVQEvent@Z | 2 |
| ??1QCheckBox@@UAE@XZ | 2 |
| ?arcTo@QPainterPath@@QAEXABVQRectF@Z | 2 |
| ??1QPolygon@@QAE@XZ | 2 |
| ?setClipping@QPainter@@QAEX_N@Z | 2 |
| ?setClipPath@QPainter@@QAEXABVQPaintDevice@Z | 2 |
| ?metaObject@QDialog@@UBEPBUQMetaObject@Z | 2 |
| ?metaObject@QSpinBox@@UBEPBUQMetaObject@Z | 2 |
| ?qt_metacast@QSpinBox@@UAEPAXPBD@Z | 2 |
| ?qt_metacall@QSpinBox@@UAEHW4Call@Z | 2 |
| ?event@QSpinBox@@MAE_NPAVQEvent@Z | 2 |
| ?sizeHint@QAbstractSpinBox@@UBE?AVQSize@Z | 2 |
| ?mousePressEvent@QAbstractSpinBox@@MAE_NPAVQEvent@Z | 2 |
| ?wheelEvent@QAbstractSpinBox@@MAEXF@Z | 2 |
| ?keyPressEvent@QAbstractSpinBox@@MAE_NPAVQEvent@Z | 2 |
| ?focusInEvent@QAbstractSpinBox@@MAEXI@Z | 2 |
| ?paintEvent@QAbstractSpinBox@@MAEXP@Z | 2 |
| ?validate@QSpinBox@@MBE?AW4State@C@Z | 2 |
| ?fixup@QSpinBox@@MBEAAVQString@@Z | 2 |
| ?stepBy@QAbstractSpinBox@@UAEXH@Z | 2 |
| ?clear@QAbstractSpinBox@@UAEXXXZ | 2 |
| ?stepEnabled@QAbstractSpinBox@@MBE?AVQEvent@Z | 2 |
| ?valueFromText@QSpinBox@@MBE?AVQEvent@Z | 2 |
| ?textFromValue@QSpinBox@@MBE?AVQString@Z | 2 |
| ??0QColor@@QAE@I@Z | 2 |
| ??0QPen@@QAE@ABVQColor@@@Z | 2 |
| ?detach_helper@?\$QVector@VQPoint@@@QAEAAVQVector@Z | 2 |
| ??A?\$QVector@VQPoint@@@QAEAAVQVector@Z | 2 |
| ?readLine@QTextStream@@QAE?AVQString@Z | 2 |
| TraceSQLTablePrivileges | 2 |
| ?SetLayout@CNbuuLib@@SAKK@Z | 2 |
| ?SetResourceInstance@CNbuuLib@@SAXP@Z | 2 |
| gimp_plugin_icon_register | 2 |
| lineTranslateDialogA | 2 |
| lineHandoffA | 2 |
| @System@@VallInt64\$qqrx17System@Ans!@Z | 2 |
| mexErrMsgTxt | 2 |

| | |
|--|---|
| mexWarnMsgTxt | 2 |
| mxCalloc | 2 |
| mxGetM | 2 |
| mxGetPr | 2 |
| CreateThreadpoolCleanupGroup | 2 |
| CloseThreadpoolCleanupGroupMembers | 2 |
| ?GetDeviceLocation@@YGKPAXPAU_VDS_D | 2 |
| ?GetMediaGeometry@@YGKPAXPAU_VDS_ | 2 |
| SDL_CreateThread | 2 |
| _ZN4Foam10SLListBase8endIter_E | 2 |
| _ZNK4Foam13primitiveMesh11faceCentresE | 2 |
| _ZNK4Foam13primitiveMesh5cellsEv | 2 |
| _ZNK4Foam13primitiveMesh5edgesEv | 2 |
| _ZNK4Foam13primitiveMesh9cellEdgesEv | 2 |
| _ZN4Foam7cellSetC1ERKNS_8polyMeshERKI | 2 |
| _ZN4Foam7cellSetD1Ev | 2 |
| @System@TObject@InheritsFrom\$qqrp17S | 2 |
| @System@Reset8087CW\$qqrv | 2 |
| @System@SetRaiseList\$qqrpv | 2 |
| @System@pfnDliFailureHook | 2 |
| @System@pfnDliNotifyHook | 2 |
| @System@DelayLoadHelper | 2 |
| @System@UnloadDelayLoadedDLLPtr | 2 |
| @System@DefaultSystemCodePage | 2 |
| @System@ExceptionAcquired | 2 |
| @System@RaiseExceptObjProc | 2 |
| @Character@initialization\$qqrv | 2 |
| @Character@Finalization\$qqrv | 2 |
| @Timespan@initialization\$qqrv | 2 |
| @Timespan@Finalization\$qqrv | 2 |
| @Diagnostics@initialization\$qqrv | 2 |
| @Diagnostics@Finalization\$qqrv | 2 |
| @Generics_defaults@initialization\$qqrv | 2 |
| @Generics_defaults@Finalization\$qqrv | 2 |
| @Generics_collections@initialization\$qqrv | 2 |
| @Generics_collections@Finalization\$qqrv | 2 |
| @Registry@TRegistry@WriteString\$qqrx20S | 2 |
| @Varhlpr@initialization\$qqrv | 2 |
| @Varhlpr@Finalization\$qqrv | 2 |
| @Wincodec@initialization\$qqrv | 2 |
| @Wincodec@Finalization\$qqrv | 2 |
| @Forms@TCustomForm@ClientWndProc\$q | 2 |
| @Ibexternals@initialization\$qqrv | 2 |
| @Ibexternals@Finalization\$qqrv | 2 |
| @Ibinstallheader@initialization\$qqrv | 2 |
| @Ibinstallheader@Finalization\$qqrv | 2 |
| @Iberrorcodes@Finalization\$qqrv | 2 |

| | |
|--|---|
| @Iberrorcodes@initialization\$qqrv | 2 |
| @Ibdatabaseinfo@initialization\$qqrv | 2 |
| @Ibdatabaseinfo@Finalization\$qqrv | 2 |
| @Ibblob@initialization\$qqrv | 2 |
| @Ibblob@Finalization\$qqrv | 2 |
| @Ibcustomdataset@TIBCustomDataSet@Ge | 2 |
| @Ibsql@initialization\$qqrv | 2 |
| @Ibsql@Finalization\$qqrv | 2 |
| @Ixxmlheader@initialization\$qqrv | 2 |
| @Ixxmlheader@Finalization\$qqrv | 2 |
| @Ibheader@initialization\$qqrv | 2 |
| @Ibheader@Finalization\$qqrv | 2 |
| @Ixconst@initialization\$qqrv | 2 |
| @Ixconst@Finalization\$qqrv | 2 |
| @Rzgrafx@Finalization\$qqrv | 2 |
| @Rzcommon@Finalization\$qqrv | 2 |
| @Rzborder@initialization\$qqrv | 2 |
| @Rzedit@initialization\$qqrv | 2 |
| @Rzedit@Finalization\$qqrv | 2 |
| @Rzpopups@initialization\$qqrv | 2 |
| @Rzlabel@initialization\$qqrv | 2 |
| @Rzlabel@Finalization\$qqrv | 2 |
| @Rzcmbobx@Finalization\$qqrv | 2 |
| @Rzpanel@initialization\$qqrv | 2 |
| @Rzpanel@Finalization\$qqrv | 2 |
| @Rzbutton@Finalization\$qqrv | 2 |
| @Rzshellintf@initialization\$qqrv | 2 |
| @Rzshellutils@initialization\$qqrv | 2 |
| @__exceptionAcquired | 2 |
| @setExceptionFuncAddr\$qpqp17_EXCEPTIO | 2 |
| @setRaiseListFuncAddr\$qpvt1 | 2 |
| __FUnloadDelayLoadedDLL | 2 |
| __CRTL_VCL_FPU_Hook | 2 |
| __VCL_add_EH | 2 |
| __VCL_clear_EH | 2 |
| __VCL_init_delayload | 2 |
| __VCL_init_except | 2 |
| __VCL_init_fpu | 2 |
| __getExceptionObject | 2 |
| __pfndliFailureHook | 2 |
| __pfndliNotifyHook | 2 |
| __wexitargv | 2 |
| __wsetargv | 2 |
| __wstartup | 2 |
| ?Equals@jfString@@QBEHPBD@Z | 2 |
| ?Substring@jfString@@QBE?AV1@III@Z | 2 |
| ??4jfString@@QAEABV0@PBD@Z | 2 |

| | |
|---------------------------------------|---|
| ??YjfString@@QAEABV0@ABV0@@Z | 2 |
| ??YjfString@@QAEABV0@D@Z | 2 |
| ??H@YA?AVjfString@@ABV0@0@Z | 2 |
| ?EmptyString@jfString@@SAABV1@XZ | 2 |
| ??BjfString@@QBEPBDXZ | 2 |
| ?Number@jfString@@QAEHI@Z | 2 |
| ??0jfVersionChecker@@QAE@PBD0@Z | 2 |
| ??0jfLiteral@@QAE@PBD@Z | 2 |
| ??1jfPeer@@QAE@XZ | 2 |
| ??4jfPeer@@QAEAAV0@ABV0@@Z | 2 |
| ??0jfString@@QAE@ABV0@@Z | 2 |
| ??4jfString@@QAEABV0@ABV0@@Z | 2 |
| ??1jfString@@QAE@XZ | 2 |
| ?ReleaseData@jfString@@AAEXXZ | 2 |
| ??0jfString@@QAE@PBD@Z | 2 |
| ??0XFAObject@@QAE@ABV0@@Z | 2 |
| ?getAttribute@XFANode@@QBE?AVXFAAtt | 2 |
| ??1XFALnt@@QAE@XZ | 2 |
| ??1XFANode@@QAE@XZ | 2 |
| ??4XFAAttribute@@QAEAAV0@ABV0@@Z | 2 |
| ??1XFAEnum@@QAE@XZ | 2 |
| ??1XFAAttribute@@QAE@XZ | 2 |
| ?getString@XFANamespace@@SAABVjfStrir | 2 |
| ?setParentItem@QGraphicsItem@@QAEXP, | 2 |
| ?advance@QGraphicsItem@@UAEXH@Z | 2 |
| ?contains@QGraphicsItem@@UBE_NABVQI | 2 |
| ?collidesWithItem@QGraphicsItem@@UBE_ | 2 |
| ?collidesWithPath@QGraphicsItem@@UBE_ | 2 |
| ?isObscuredBy@QGraphicsItem@@UBE_NP | 2 |
| ?opaqueArea@QGraphicsItem@@UBE?AVC | 2 |
| ?sceneEventFilter@QGraphicsItem@@MAE_ | 2 |
| ?hoverEnterEvent@QGraphicsItem@@MAE | 2 |
| ?supportsExtension@QGraphicsItem@@MB | 2 |
| ?setExtension@QGraphicsItem@@MAEXW< | 2 |
| ?extension@QGraphicsItem@@MBE?AVQV | 2 |
| ?toImage@QPixmap@@QBE?AVQImage@C | 2 |
| ?setColor@QPen@@QAExABVQColor@@@ | 2 |
| ??4QFont@@QAEAAV0@ABV0@@Z | 2 |
| ?family@QFont@@QBE?AVQString@@XZ | 2 |
| ?rotate@QMatrix@@QAEAAV1@N@Z | 2 |
| ?format@QImage@@QBE?AW4Format@1@ | 2 |
| ?invalidate@QColor@@AAEXXZ | 2 |
| ?setStyle@QPen@@QAEW4PenStyle@Qt@ | 2 |
| ?setStyle@QFont@@QAEW4Style@1@@Z | 2 |
| ?setFont@QTextCharFormat@@QAExABVQ | 2 |
| ?setProperty@QTextFormat@@QAEHABV1 | 2 |
| ?boundingRect@QPolygonF@@QBE?AVQR< | 2 |

| | |
|--|---|
| ??1QPolygonF@@QAE@XZ | 2 |
| ??1QTextFormat@@QAE@XZ | 2 |
| ??0QTextCharFormat@@QAE@XZ | 2 |
| ?drawRoundedRect@QPainter@@QAEXAB\ | 2 |
| ??0QPen@@QAE@W4PenStyle@Qt@@@Z | 2 |
| ?isWritable@QIODevice@@QBE_NXZ | 2 |
| ?toRect@QRectF@@QBE?AVQRect@@XZ | 2 |
| ?errorString@QXmlStreamReader@@QBE?/ | 2 |
| ??0QXmlStreamReader@@QAE@PAVQIOD\ | 2 |
| ?free@?\$QVector@VQXmlStreamAttribute@ | 2 |
| ?text@QXmlStreamReader@@QBE?AVQStri | 2 |
| ??1?\$QVector@VQXmlStreamAttribute@@(| 2 |
| ??A?\$QVector@VQPointF@///@QAEAAVC | 2 |
| InstallWindowsUpdateDriver | 2 |
| ?polar@std@@YA?AV?\$complex@O@1@A | 2 |
| GdipAddPathPolygon | 2 |
| LeSetUpdateOptions | 2 |
| ?is_open@?\$basic_filebuf@DU?\$char_traits | 2 |
| ??1?\$codecvt@GDH@std@@UAE@XZ | 2 |
| crollInfo | 2 |
| arent | 2 |
| indow | 2 |
| eyNameTextA | 2 |
| esktopWindow | 2 |
| ursor | 2 |
| lipboardData | 2 |
| aint | 2 |
| teMenu | 2 |
| NextHookEx | 2 |
| vateKeyboardLayout | 2 |
| NetPlacesWizardDoModal | 2 |
| SHDisconnectNetDrives | 2 |
| NetAccessWizard | 2 |
| ?strcmp@WSTRING@@QBEJPBV1@@Z | 2 |
| SetIPSecPtr | 2 |
| LookupRoute | 2 |
| IPFreeBuff | 2 |
| _ZN9prog_opts13help_ver_textE | 2 |
| _ZTV11e_distances | 2 |
| _ZTV11f_distances | 2 |
| _ZTV11v_distances | 2 |
| _ZTV12ie_distances | 2 |
| MongateConnect | 2 |
| MongateDisconnect | 2 |
| MongateTestConn | 2 |
| 3B4743DD | 2 |
| DB5A1E4B | 2 |

| | |
|--|---|
| B0492DDB | 2 |
| 8E4E0EEC | 2 |
| 83C45FC7 | 2 |
| C179E5B8 | 2 |
| AAFC0D7C | 2 |
| A517007C | 2 |
| 5E89EC99 | 2 |
| FB97FD0F | 2 |
| D7E37A86 | 2 |
| 044932D3 | 2 |
| DD9A1C2D | 2 |
| B4E6648B | 2 |
| __vbaVargUnkAddref | 2 |
| ?GetFilter4FilterName@SfxFilterMatcher@C | 2 |
| ??1SfxFilterMatcher@@QAE@XZ | 2 |
| ??0NotifyBrokenPackage@@QAE@VOUString | 2 |
| ?isApproved@RequestPackageReparation@ | 2 |
| ??0RequestPackageReparation@@QAE@VC | 2 |
| ?GetURLObject@SfxMedium@@QBEABVINet | 2 |
| ?GetTypeFromStorage@SfxFilter@SA?AVC | 2 |
| ?GetError@SfxMedium@@QBEKXZ | 2 |
| ?SetError@SfxMedium@@QAEXKABVOUString | 2 |
| ?GetLastStorageCreationState@SfxMedium@ | 2 |
| ?GetStorage@SfxMedium@@QAE?AV?\$Ref | 2 |
| ?IsReadOnly@SfxMedium@@QAEECXZ | 2 |
| ?GetContent@SfxMedium@@QBE?AV?\$Ref | 2 |
| ?GetInputStream@SfxMedium@@QAE?AV? | 2 |
| ?GetErrorCode@SfxMedium@@QBEKXZ | 2 |
| ?IsStorage@SfxMedium@@QAEECXZ | 2 |
| ?GetFilter4EA@SfxFilterMatcher@@QBEPB\ | 2 |
| ??0SfxFilterMatcher@@QAE@ABVString@C | 2 |
| ?GetItem@SfxRequest@@SAPBVSfxPoolIter | 2 |
| ?TransformParameters@@YAXGABV?\$Sequ | 2 |
| ?IsHTMLFormat@HTMLParser@@SAHPBDE | 2 |
| ?GetValue@CntBoolItem@@QBEECXZ | 2 |
| ?StaticType@SfxBoolItem@@SAP6APAXXZX | 2 |
| ?Put@SfxAllItemSet@@UAEHABVSfxItemSe | 2 |
| ?Put@SfxAllItemSet@@UAEPBVSfxPoolIter | 2 |
| ?Clone@SfxAllItemSet@@UBEPAVSfxItemSe | 2 |
| ??5SvStream@@QAEAAV0@AAD@Z | 2 |
| ??YString@@QAEAAV0@ABV0@@Z | 2 |
| ??4String@@QAEAAV0@ABVOUString@rtl(C | 2 |
| ?to_lower@StringManip@WinGenerics@@' | 2 |
| ??0FileLogger@Logging@WinGenerics@@C | 2 |
| InstallPerfDIIW | 2 |
| ?startExtSubset@AbstractDOMParser@xerces | 2 |
| ?startIntSubset@AbstractDOMParser@xerces | 2 |

| | |
|--|---|
| ?startAttList@AbstractDOMParser@xercesc_ | 2 |
| ?notationDecl@AbstractDOMParser@xerces | 2 |
| ?resetDocType@AbstractDOMParser@xerces | 2 |
| ?entityDecl@AbstractDOMParser@xercesc_ | 2 |
| ?endExtSubset@AbstractDOMParser@xerces | 2 |
| ?endIntSubset@AbstractDOMParser@xerces: | 2 |
| ?endAttList@AbstractDOMParser@xercesc_ | 2 |
| ?elementDecl@AbstractDOMParser@xerces | 2 |
| ?doctypeWhitespace@AbstractDOMParser@x | 2 |
| ?doctypePI@AbstractDOMParser@xercesc_: | 2 |
| ?doctypeDecl@AbstractDOMParser@xerces | 2 |
| ?doctypeComment@AbstractDOMParser@x | 2 |
| ?attDef@AbstractDOMParser@xercesc_2_7: | 2 |
| ?startInputSource@XercesDOMParser@xerc | 2 |
| ?resolveEntity@XercesDOMParser@xercesc_ | 2 |
| ?resolveEntity@XercesDOMParser@xercesc_ | 2 |
| ?resetEntities@XercesDOMParser@xercesc_ | 2 |
| ?expandSystemId@XercesDOMParser@xerc | 2 |
| ?endInputSource@XercesDOMParser@xerc | 2 |
| ?resetErrors@XercesDOMParser@xercesc_2 | 2 |
| ?error@XercesDOMParser@xercesc_2_7@() | 2 |
| ?createElementNSNode@AbstractDOMParser@ | 2 |
| ?setPSVIHandler@AbstractDOMParser@xeri | 2 |
| ?elementTypeInfo@AbstractDOMParser@xe | 2 |
| ?XMLDecl@AbstractDOMParser@xercesc_2_ | 2 |
| ?startEntityReference@AbstractDOMParser@ | 2 |
| ?startElement@AbstractDOMParser@xerces | 2 |
| ?startDocument@AbstractDOMParser@xerc | 2 |
| ?TextDecl@AbstractDOMParser@xercesc_2_ | 2 |
| ?ignorableWhitespace@AbstractDOMParser | 2 |
| ?endEntityReference@AbstractDOMParser@ | 2 |
| ?handleElementPSVI@AbstractDOMParser@ | 2 |
| ?handlePartialElementPSVI@AbstractDOMP | 2 |
| ?endElement@AbstractDOMParser@xerces | 2 |
| ?endDocument@AbstractDOMParser@xerc | 2 |
| ?docPI@AbstractDOMParser@xercesc_2_7@() | 2 |
| ?docComment@AbstractDOMParser@xerce | 2 |
| ?docCharacters@AbstractDOMParser@xerc | 2 |
| ??0XercesDOMParser@xercesc_2_7@@@QAE | 2 |
| ??0MemBuflnputSource@xercesc_2_7@@@C | 2 |
| ?setLoadExternalDTD@AbstractDOMParser@ | 2 |
| ?setError Handler@XercesDOMParser@xer | 2 |
| ?parse@AbstractDOMParser@xercesc_2_7@() | 2 |
| ?adoptDocument@AbstractDOMParser@xer | 2 |
| ??1MemBuflnputSource@xercesc_2_7@@@L | 2 |
| ?getColumnName@SAXParseException@> | 2 |
| ?getLineNumber@SAXParseException@xerc | 2 |

| | |
|--|---|
| ??1MemBufFormatTarget@xercesc_2_7@@ | 2 |
| ?flush@XMLFormatTarget@xercesc_2_7@@ | 2 |
| ?writeChars@MemBufFormatTarget@xercesc_2_7@@ | 2 |
| ?getDOMImplementation@DOMImplementation@ | 2 |
| ?fgDOMWRTSplitCdataSections@XMLUni@> | 2 |
| ?fgDOMWRTDiscardDefaultContent@XMLUni@> | 2 |
| ?fgDOMWRTFormatPrettyPrint@XMLUni@x | 2 |
| ?fgDOMWRTBOM@XMLUni@xercesc_2_7@ | 2 |
| ??0MemBufFormatTarget@xercesc_2_7@@ | 2 |
| ?getRawBuffer@MemBufFormatTarget@xercesc_2_7@@ | 2 |
| ?Terminate@XMLPlatformUtils@xercesc_2_7@@ | 2 |
| ?handleAttributesPSVI@AbstractDOMParser@ | 2 |
| ??1XercesDOMParser@xercesc_2_7@@@UAE | 2 |
| ?resetDocument@AbstractDOMParser@xercesc_2_7@@ | 2 |
| endpwent | 2 |
| BC | 2 |
| ospeed | 2 |
| gimp_destroy_params | 2 |
| gimp_run_procedure | 2 |
| g_locale_to_utf8 | 2 |
| gtk_tree_view_column_set_sort_column_id | 2 |
| gtk_tree_view_scroll_to_cell | 2 |
| @\$xp\$5Int64 | 2 |
| @Types@IsRectEmpty\$qqrrx11Types@TRec | 2 |
| @Classes@TStrings@GetValue\$qqrx20Syste | 2 |
| @Sysutils@TEncoding@GetUTF8\$qqrv | 2 |
| @Sysutils@StrToInt64Def\$qqrx20System@L | 2 |
| @Sysutils@TrimRight\$qqrx20System@Unicod | 2 |
| @Registry@TRegistry@DeleteValue\$qqrx20 | 2 |
| @Controls@TWinControl@PaintWindow\$qqrv | 2 |
| @Extctrls@TCustomPanel@SetParentBackground | 2 |
| @Dxskinoffice2007blue@initialization\$qqrv | 2 |
| @Dxskinoffice2007blue@Finalization\$qqrv | 2 |
| @Dxskslookandfeelpainter@Finalization\$qqrv | 2 |
| @Dxsksstrs@Finalization\$qqrv | 2 |
| @Cxlookandfeelpainters@GetExtendedStyle | 2 |
| @Cxgraphics@TcxBitmap@GetClientRect\$qqrv | 2 |
| @Cxlookandfeels@TcxLookAndFeelControl@ | 2 |
| @Dxskinscore@Finalization\$qqrv | 2 |
| @Dxsksdefaultpainters@Finalization\$qqrv | 2 |
| @Dxdockpanel@TdxDockPanel@ | 2 |
| @Dxdockcontrol@TdxDockingManager@ | 2 |
| @Dxdockcontrol@TdxDockSite@ | 2 |
| @Dxdockcontrol@TdxLayoutDockSite@ | 2 |
| @Dxskinsform@Finalization\$qqrv | 2 |
| @Dxskinsform@TdxSkinController@ | 2 |
| HookAPI | 2 |

| | |
|--|---|
| ?AddTail@CFIFOString@@QAEKPAD@Z | 2 |
| Log | 2 |
| ?infinity@?\$numeric_limits@E@std@@SAE | 2 |
| ?language@QLocale@@QBE?AW4Language | 2 |
| DelNodeW | 2 |
| Run | 2 |
| Mag0RegisterClass | 2 |
| Mag0UnregisterClass | 2 |
| Mag0GetObjDataC | 2 |
| NdrFullPointerFree | 2 |
| nlstdgg | 2 |
| nlstdstp | 2 |
| nsgblini | 2 |
| upicpr | 2 |
| Ixlinit | 2 |
| Ixmopen | 2 |
| Ixinitc | 2 |
| Imsatrm | 2 |
| Imsagbf | 2 |
| Ixhlinfo | 2 |
| Imsacin | 2 |
| Imsacbn | 2 |
| Ixscop | 2 |
| Istup | 2 |
| Ipminit | 2 |
| slzgetevar | 2 |
| ??4CLocation@@QAEAAV0@ABV0@@Z | 2 |
| ??0REGISTRY_KEY_INFO@@QAE@XZ | 2 |
| ?DeleteKey@REGISTRY@@QAEW4_PREDE | 2 |
| ?DeleteValueEntry@REGISTRY@@QAEW4_ | 2 |
| ?QueryKeySecurity@REGISTRY@@QAEW4_ | 2 |
| ?Flush@NTFS_MFT_FILE@@QAEEXZ | 2 |
| ?QueryAttributeListAttribute@NTFS_FILE_RI | 2 |
| SHDestroyPropSheetExtArray | 2 |
| MsgHookOff | 2 |
| MsgHookOn | 2 |
| ??Gstd@@YA?AV?\$complex@O@0@ABOAI | 2 |
| ?_Init@?\$time_put@DV?\$ostreambuf_iterator@ | 2 |
| ??8std@@YA_NABV?\$complex@O@0@ABC | 2 |
| ?allocate@?\$allocator @_W@std@@QAEPA | 2 |
| ??_7?\$basic_ios @_WU?\$char_traits @_W@ | 2 |
| ?init@?\$basic_ios @_WU?\$char_traits @_W@ | 2 |
| ?rename@QFile@@SA_NABVQString@@0C | 2 |
| ??0QVariant@@QAE@I@Z | 2 |
| ?section@QString@@QBE?AV1@VQChar@I | 2 |
| ?toUInt@QVariant@@QBEIPA_N@Z | 2 |
| ?isEmpty@QUrl@@QBE_NXZ | 2 |

| | |
|---|---|
| ?value@QXmlStreamAttributes@@QBE?AVI | 2 |
| ??0QUrl@@QAE@ABVQString@@W4Parse | 2 |
| ?isActive@ QSqlQuery@@QBE_NXZ | 2 |
| ?value@ QSqlQuery@@QBE?AVQVariant@C | 2 |
| ?!IsInAutoChk@MESSAGE@@UAEEHZ | 2 |
| glsGenContext | 2 |
| glsGLRCLayer | 2 |
| ?sin@?\$_Ctr@M@std@@SAMM@Z | 2 |
| ?get@?\$messages@G@std@@QBE?AV?\$b@ | 2 |
| ??0QeSort@@QAE@G@Z | 2 |
| ??0QeTmpFile@@QAE@GI@Z | 2 |
| ??0QeSemaphore@@QAE@PAPAV0@PAVO | 2 |
| ??0QeErrorList@@QAE@PAXI@Z | 2 |
| ?ramFree@@YAXPBX@Z | 2 |
| ?compare@QeObject@@UBEFPBV1@@Z | 2 |
| ?ramAllocZ@@YAPAXK@Z | 2 |
| BUTSTCPY | 2 |
| PcNewPort | 2 |
| PcRegisterSubdevice | 2 |
| PcInitializeAdapterDriver | 2 |
| PcAddAdapterDevice | 2 |
| DestroyBatMeter | 2 |
| _pow | 2 |
| @TEventHandler@Dispatch\$qr24TEventHan | 2 |
| ?GetExtension@INetURLObject@@QBE?AVI | 2 |
| ?GetRemainSize@ResMgr@@QAEKXZ | 2 |
| ?Increment@ResMgr@@QAEPAHK@Z | 2 |
| ?declarePath@RoadmapWizard@svt@@IAF | 2 |
| ??0OFileURLControl@svt@@QAE@PAVWin | 2 |
| ?travelNext@OWizardMachine@svt@@IAE | 2 |
| ?getWizardPage@OWizardMachine@svt@C | 2 |
| ?leaveState@OWizardMachine@svt@@MA | 2 |
| ?ShowButtonFixedLine@WizardDialog@@Q | 2 |
| ?GetPage@WizardDialog@@QBEPAVTabPa | 2 |
| ?onFinish@OWizardMachine@svt@@MAEE | 2 |
| ?removeNode@OConfigurationNode@utl@ | 2 |
| ??0DisposableComponent@utl@@QAE@AE | 2 |
| ?isValid@OConfigurationNode@utl@@QBE | 2 |
| ?hasByName@OConfigurationNode@utl@C | 2 |
| ?createNode@OConfigurationNode@utl@A | 2 |
| ??1DisposableComponent@utl@@QAE@XZ | 2 |
| ??1DatabaseLocationInputController@svx@ | 2 |
| ??0DatabaseLocationInputController@svx@ | 2 |
| ?setURL@DatabaseLocationInputController | 2 |
| ?prepareCommit@DatabaseLocationInputCo | 2 |
| ?getURL@DatabaseLocationInputController | 2 |
| ?GetEnvironmentVar@TrainerPlugManager | 2 |

| | |
|---|---|
| ?PlugManager@@3VTrainerPlugManagerCl | 2 |
| ??0CRegisteryManager@@QAE@XZ | 2 |
| ?DispatchFrameMsg@GF@Util@@YAJPAUI | 2 |
| ?PrintFrame@GF@Util@@YAPAUHGTEXTUI | 2 |
| vzstpos | 2 |
| vzstjls | 2 |
| XInputSetState | 2 |
| _tcspbrk | 2 |
| ??0?\$basic_istream@GU?\$char_traits@G@: | 2 |
| ?id@?\$messages@G@std@@2V0locale@2(| 2 |
| HNetGetFirewallSettingsPage | 2 |
| ?DrawPolyLine@OutputDevice@@QEXAB\ | 2 |
| ??0LineInfo@@QAE@W4LineStyle@@J@Z | 2 |
| ?DrawLine@OutputDevice@@QEXABVPoir | 2 |
| ?DrawLine@OutputDevice@@QEXABVPoir | 2 |
| ?SetFamily@Font@@QEXW4FontFamily@ | 2 |
| ?GetNumTests@TestManager@Detection@ | 2 |
| CreateApplication | 2 |
| ?SetIniPath@@YAXV?\$basic_string@GU?\$cl | 2 |
| ReleaseApplication | 2 |
| ?GetDisplayString@Information@@QAE?AV | 2 |
| ?GetDescriptionString@Information@@QAE | 2 |
| ?GetTestResult@Information@@QAE?AW4I | 2 |
| ??_7IPParameterObserver@@6B@ | 2 |
| ??_7ParameterValidator@@6B@ | 2 |
| ?AllowParameterChange@ParameterValidat | 2 |
| ?NotifyParameterChanged@ParameterValid | 2 |
| ?GetNumTestCompleted@TestManager@De | 2 |
| ?NotifyParameterTranslate@ParameterVali | 2 |
| ?GetTagName@Information@@QAE?AV?\$b | 2 |
| ?GetBenchMarkScore@RequirementCPU@() | 2 |
| ?GetLocalizedString@@YA?AV?\$basic_string | 2 |
| ZwAllocateUuids | 2 |
| ??1CRegistryKey@@QAE@XZ | 2 |
| SQLInstallDriverExW | 2 |
| HinstFrame | 2 |
| _getptd | 2 |
| helpme | 2 |
| SetRecordType | 2 |
| SetRecordFile | 2 |
| DisableHook | 2 |
| EnableHook | 2 |
| ??0Mat@cv@@QAE@ABV01@ABV?\$Rect_(| 2 |
| ??0_InputArray@cv@@QAE@ABN@Z | 2 |
| DSA_Destroy | 2 |
| @Cmtwnanagrafica@initialization\$qqrv | 2 |
| @Cmtwnanagrafica@Finalization\$qqrv | 2 |

| | |
|--|---|
| @Cmtwnanagrafica@TMtWnAnagrafica@Fc | 2 |
| @Cmtwnanagrafica@TMtWnAnagrafica@Se | 2 |
| @Dbgrids@TCustomDBGrid@SetDataSource | 2 |
| @Mttransnav@TMtTransNav@SetDataSource | 2 |
| @Mtfields@TMtIntegerField@ | 2 |
| @Mtfields@TMtStringField@ | 2 |
| @Mtedits@TMtDBEdit@ | 2 |
| @Mtsblookup@TMtSbLookup@ | 2 |
| @Cmtdmbase@TMtDmBase@DataModuleC | 2 |
| @Cmtdmbase@TMtDmBase@GetRefCount | 2 |
| @\$xp\$19Cmtdmbase@TMtDmBase | 2 |
| @Cmtdmbase@TMtDmBase@ | 2 |
| @Udmpdcuse@Initialization\$qqrv | 2 |
| @Udmpdcuse@Finalization\$qqrv | 2 |
| @Udmpsaldacontosmartuse@Initialization\$ | 2 |
| @Udmpsaldacontosmartuse@Finalization\$q | 2 |
| @Mtpdc@Initialization\$qqrv | 2 |
| @Mtpdc@Finalization\$qqrv | 2 |
| @Mtobject@Initialization\$qqrv | 2 |
| @Mtobject@Finalization\$qqrv | 2 |
| @Udmopbaseuse@Initialization\$qqrv | 2 |
| @Udmopbaseuse@Finalization\$qqrv | 2 |
| @Uopbase@Initialization\$qqrv | 2 |
| @Uopbase@Finalization\$qqrv | 2 |
| @Mtop@Initialization\$qqrv | 2 |
| @Mtop@Finalization\$qqrv | 2 |
| @Uwnwaitprogress@Initialization\$qqrv | 2 |
| @Uwnwaitprogress@Finalization\$qqrv | 2 |
| @Uwnwaitprogresssmall@Initialization\$qqr | 2 |
| @Uwnwaitprogresssmall@Finalization\$qqrv | 2 |
| @Uwncomparedescconfig@Initialization\$qq | 2 |
| @Uwncomparedescconfig@Finalization\$qqr | 2 |
| @Cmtwncompareconfig@Initialization\$qqrv | 2 |
| @Cmtwncompareconfig@Finalization\$qqrv | 2 |
| @Cmtwndialog@Initialization\$qqrv | 2 |
| @Cmtwndialog@Finalization\$qqrv | 2 |
| @Udmabicabuse@Initialization\$qqrv | 2 |
| @Udmabicabuse@Finalization\$qqrv | 2 |
| @Mtclientdatasetexposer@Initialization\$qq | 2 |
| @Mtclientdatasetexposer@Finalization\$qqr | 2 |
| @Utyabicab@Initialization\$qqrv | 2 |
| @Utyabicab@Finalization\$qqrv | 2 |
| @Utybanche@Initialization\$qqrv | 2 |
| @Utybanche@Finalization\$qqrv | 2 |
| @Ulookups@Initialization\$qqrv | 2 |
| @Ulookups@Finalization\$qqrv | 2 |
| @Ulookups@LookupDitta\$qqrp14System@` | 2 |

| | |
|---|---|
| @Uwnlookup@initialization\$qqrv | 2 |
| @Uwnlookup@Finalization\$qqrv | 2 |
| @Utydivise@initialization\$qqrv | 2 |
| @Utydivise@Finalization\$qqrv | 2 |
| osl_readSocket | 2 |
| osl_writeSocket | 2 |
| ?SetNextFolder@CFolder@@QAEXPBV1@@ | 2 |
| ?__LogFunc@@YAXIPB_W0ZZ | 2 |
| ?GetLastModifyTime@CTXHttpDownload@() | 2 |
| CeGetVersionEx | 2 |
| CeGetSystemInfo | 2 |
| ?Last@CDoubleList@@QBEQAVCListEntry@ | 2 |
| ?Size@CDbQueryResults@@QAEKXZ | 2 |
| ??4?\$numeric_limits@K@std@@QAEAAV0: | 2 |
| ?-_Fctype_base@std@@QAEXXZ | 2 |
| ?overflow@?\$basic_streambuf@GU?\$char_ | 2 |
| SkinH_Attach | 2 |
| MsiEnumPatchesExA | 2 |
| MsiSourceListAddSourceExW | 2 |
| KeSERVICEDescriptorTable | 2 |
| uno_getCurrentContext | 2 |
| ?getVirtualMachine@UnoVirtualMachine@j | 2 |
| UmWaveAction | 2 |
| UmSetPassthroughMode | 2 |
| UmDuplicateDeviceHandle | 2 |
| UmDeinitializeModemDriver | 2 |
| UmGenerateDigit | 2 |
| UmSetSpeakerPhoneState | 2 |
| UmHangupModem | 2 |
| UmAbortCurrentModemCommand | 2 |
| UmLogStringA | 2 |
| UmInitializeModemDriver | 2 |
| UmGetDiagnostics | 2 |
| UmCloseModem | 2 |
| UmlIssueCommand | 2 |
| wiasReadMultiple | 2 |
| wiasReadPropLong | 2 |
| wiasGetImageInformation | 2 |
| wiasWritePageBufToFile | 2 |
| ?CopyErrorsTo@CNeroErrorList@@QBEXAA | 2 |
| ?GetNeroErrorList@@YAAAVCNeroErrorList | 2 |
| ?ERRMyList@@YAAAVCNeroErrorList@@XZ | 2 |
| ?CreateNeroSemaphore@@YAPAVCAbstrac | 2 |
| ?GetNext@CNeroErrorList@@QBE?AVErrorI | 2 |
| ?GetError@CNeroErrorList@@QBEHAAVCEr | 2 |
| ??0CErrorClone@@QAE@XZ | 2 |
| ?GetFirst@CNeroErrorList@@QBE?AVErrorI | 2 |

| | |
|---------------------------------------|---|
| ??0CNeroErrorList@@QAE@XZ | 2 |
| ?MyNeroThread@@YAAVCAbstractThread | 2 |
| ?CreateNeroThread@@YAPAVCAbstractThre | 2 |
| glIsContextPointer | 2 |
| ??1CSerialPort@@QAE@XZ | 2 |
| ?Read@CSerialPort@@QAEKPAXKKA@Z | 2 |
| ?Open@CSerialPort@@QAE_NPB_W_N@Z | 2 |
| ?Write@CSerialPort@@QAEKPBXKKA@Z | 2 |
| ?Close@CSerialPort@@QAEXXZ | 2 |
| ??0CSerialPort@@QAE@XZ | 2 |
| ?IsOpen@CSerialPort@@QBE_NXZ | 2 |
| ?Wait@CEvent@NSThread@QAEKK@Z | 2 |
| ??0CEvent@NSThread@QAE@XZ | 2 |
| ??1CEvent@NSThread@QAE@XZ | 2 |
| ??0CMutex@NSThread@QAE@XZ | 2 |
| ?ResetEvent@CEvent@NSThread@QAI | 2 |
| ?Lock@CMutex@NSThread@QAE_NXZ | 2 |
| ?Unlock@CMutex@NSThread@QAEXX | 2 |
| ?WaitForComplete@CThread@NSThread | 2 |
| ??0CThread@NSThread@QAE@AAUTI | 2 |
| ?IsRunning@CThread@NSThread@QBI | 2 |
| ?Start@CThread@NSThread@QAE_NX | 2 |
| ??1CThread@NSThread@QAE@XZ | 2 |
| ?ThreadID@CThread@NSThread@QBE | 2 |
| ?WaitAny@CEvent@NSThread@SAKQ/ | 2 |
| ?SetEvent@CEvent@NSThread@QAEXX | 2 |
| ??1CMutex@NSThread@QAE@XZ | 2 |
| ?GetOSVersion@COSVersion@SA?AW4EC | 2 |
| ?cvtColor@cv@@YAXABV_InputArray@1@/ | 2 |
| LsDisplayLine | 2 |
| ??1Sdi@@QAE@XZ | 2 |
| ??0Sdi@@QAE @_N@Z | 2 |
| ?getTable@Sdi@@QAE?AW4_Error@1@W4 | 2 |
| ?getHandles@Sdi@@QAE?AW4_Error@1@ | 2 |
| ?getCount@Sdi@@QAEKKPAXKK@Z | 2 |
| ?Initialize@REGISTRY_VALUE_ENTRY@@QA | 2 |
| ?QuerySubKeysInfo@REGISTRY@@QAEW4 | 2 |
| IgmpObjectEx | 2 |
| IgmpClassEx | 2 |
| __VBaExceptHandler | 2 |
| EventWriteEndScenario | 2 |
| EventWriteStartScenario | 2 |
| NotifyServiceStatusChangeW | 2 |
| ?EnableDocking@CXTPToolBar@@QAEXK@ | 2 |
| ?SetMenu@CXTPCommandBars@@QAEPA\ | 2 |
| ?classCXTPCommandBars@CXTPCommandB | 2 |
| ??1CXTFlatEdit@@UAE@XZ | 2 |

| | |
|--|---|
| ??1CXTButton@@UAE@XZ | 2 |
| ?classCXTPEdit@CXTPEdit@@2UCRuntimeC | 2 |
| ?OnSetPreviewMode@CXTPToolBar@@QAE | 2 |
| ?GetAt@CXTPCommandBars@@QAEPAVCX | 2 |
| ??0CXTFlatEdit@@QAE@XZ | 2 |
| ??0CXTButton@@QAE@XZ | 2 |
| ?SetTextHiliteColor@CXTButtonThemeOffice | 2 |
| ?SetTextPushedColor@CXTButtonThemeOffi | 2 |
| ?SetBackHiliteColor@CXTButtonThemeOffic | 2 |
| ?SetBackPushedColor@CXTButtonThemeOffi | 2 |
| ?UseWordTheme@CXTButtonThemeOfficeX | 2 |
| ?DrawFocusRect@CXTButtonThemeOfficeXF | 2 |
| ?DrawButtonThemeBackground@CXTButtonT | 2 |
| ?DrawWinThemeBackground@CXTButtonTh | 2 |
| ?DrawItem@CXTButtonTheme@@MAEXPAL | 2 |
| ?DrawButtonIcon@CXTButtonThemeOffice2 | 2 |
| ?CalculateImagePosition@CXTButtonTheme | 2 |
| ?DrawButtonText@CXTButtonTheme@@MAE | 2 |
| ?GetTextColor@CXTButtonThemeOfficeXP@ | 2 |
| ?GetTextPosition@CXTButtonTheme@@MA | 2 |
| ?OffsetPoint@CXTButtonTheme@@MAEXA | 2 |
| ?SetColorText@CXTButtonTheme@@UAEXI | 2 |
| ?SetColorShadow@CXTButtonTheme@@UA | 2 |
| ?SetColorHilite@CXTButtonTheme@@UAEX | 2 |
| ?GetColorFace@CXTButtonTheme@@UAEK | 2 |
| ?SetColorFace@CXTButtonTheme@@UAEXI | 2 |
| ?SetAlternateColors@CXTButtonTheme@@ | 2 |
| ?SetThemeFont@CXTButtonTheme@@UAE | 2 |
| ?GetThemeFont@CXTButtonTheme@@UBE | 2 |
| ?ShowIcon@CXTButtonTheme@@UAEXH@ | 2 |
| ?IsIconVisible@CXTButtonTheme@@UBEHX | 2 |
| ?UseWinXPThemes@CXTButtonTheme@@I | 2 |
| ?CanHilite@CXTButtonThemeOfficeXP@@U | 2 |
| ?RefreshMetrics@CXTButtonThemeOffice20 | 2 |
| ?SetDefaultTheme@CXTButton@@SAXPAV(| 2 |
| ??0CXTButtonThemeOffice2003@@QAE@H | 2 |
| ?SetTheme@CXTThemeManager@@QAEXV | 2 |
| ?XTThemeManager@@YAPAVCXTThemeMa | 2 |
| ??1CXTButtonThemeOffice2003@@UAE@X | 2 |
| ??0CXTPBufferDC@@QAE@PAUHDC__@@' | 2 |
| ?DrawTextA@CXTPDefaultTheme@XTPPaint | 2 |
| ?DrawControlComboBoxButton@CXTPDefau | 2 |
| ?DrawControlEditFrame@CXTPDefaultThem | 2 |
| ?DrawStatusBarPaneBorder@CXTPPaintMar | 2 |
| ?AnimateExpanding@CXTPPaintManager@() | 2 |
| ?Animate@CXTPPaintManager@@UAEXPAL | 2 |
| ?DrawDialogBarGripper@CXTPDefaultThem | 2 |

| | |
|--|---|
| ?DrawImage@CXTPDefaultTheme@XTPPaintManager@@UAE | 2 |
| ?FillStatusBar@CXTPPaintManager@@UAE | 2 |
| ?DrawStatusBarPane@CXTPPaintManager@ | 2 |
| ?AdjustExcludeRect@CXTPDefaultTheme@X | 2 |
| ?DrawControlEntry@CXTPDefaultTheme@X | 2 |
| ?DrawListBoxControl@CXTPDefaultTheme@ | 2 |
| ?Line@CXTPPaintManager@@QAEXPACD@ | 2 |
| ?Draw3dRect@CXTPPaintManager@@QAEX | 2 |
| ?Color@CXTPPenDC@@QAEXK@Z | 2 |
| ?GetTitle@CXTPCommandBar@@QAE?AVC | 2 |
| ?GetXtremeColor@CXTPPaintManager@@C | 2 |
| ?GetIconsInfo@CXTPPaintManager@@QAEI | 2 |
| ?s_managerInstance@CXTPIimageManager@ | 2 |
| ??0SC@mmcrror@@QAE@ABV01@@Z | 2 |
| ??1SC@mmcrror@@QAE@XZ | 2 |
| ?SetFunctionName@SC@mmcrror@@QAE | 2 |
| ?InterfaceMethodException@BookKeeping@ | 2 |
| ?GetSnapinName@BookKeeping@@SGPBG@ | 2 |
| ?MMCNullInterface@BookKeeping@@SGXF | 2 |
| ?InvalidInterface@BookKeeping@@SGXHPE | 2 |
| ?ReleaseSnapinInterface@BookKeeping@@ | 2 |
| ?AddSnapinInterface@BookKeeping@@SG_ | 2 |
| ?MMCInterfaceError@BookKeeping@@SGX | 2 |
| ?SetDoc@CMarkup@@QAE_NPB_W@Z | 2 |
| SkinH_AdjustHSV | 2 |
| @Mdbcreater@initialization\$qqrv | 2 |
| png_set_longjmp_fn | 2 |
| ??0IMyMessage@@QAE@PBXHH@Z | 2 |
| AuthorizeProxyCreate | 2 |
| MyDatabaseCreate | 2 |
| _vcomp_for_static_simple_init | 2 |
| _vcomp_fork | 2 |
| _vcomp_for_static_end | 2 |
| auxDIBImageLoadA | 2 |
| date_Change | 2 |
| ?Initialize@LBitmapBase@@UAEEHHHH@Z | 2 |
| ?UnlockSupport@LSettings@@SAXIPAD@Z | 2 |
| ?Trim@LBitmapBase@@UAEEHHII@Z | 2 |
| ?GetLoadedLibraries@LBase@@SAKZ | 2 |
| SGInetClose | 2 |
| SGInetInit | 2 |
| WmiGetClock | 2 |
| NdisReleaseReadWriteLock | 2 |
| NdisCIGetProtocolVcContextFromTapiCallId | 2 |
| _array_init | 2 |
| _zval_copy_ctor_func | 2 |
| _zval_dtor_func | 2 |

| | |
|---|---|
| add_assoc_string_ex | 2 |
| add_next_index_string | 2 |
| php_error_docref0 | 2 |
| php_info_print_table_end | 2 |
| php_info_print_table_row | 2 |
| php_info_print_table_start | 2 |
| zend_hash_copy | 2 |
| zend_hash_num_elements | 2 |
| zend_parse_parameters | 2 |
| zend_strndup | 2 |
| ?getRealLanguage@MsLangId@@SAGG@Z | 2 |
| rtl_math_pow10Exp | 2 |
| rtl_digest_SHA1 | 2 |
| ?GetFormatName@SotExchange@@SA?AVS | 2 |
| ?RegisterFormatName@SotExchange@@SA | 2 |
| ??5@YAAAVSvStream@@AAV0@AAVPair@ | 2 |
| ??6@YAAAVSvStream@@AAV0@ABVPair@ | 2 |
| ?Replace@Container@@QAEPAXPAXK@Z | 2 |
| ?ConvertLineEnd@String@@QAEAAV1@XZ | 2 |
| ?ConvertLineEnd@String@@QAEAAV1@W4 | 2 |
| ?GetSOLoadTextEncoding@@YAGGG@Z | 2 |
| ?Copy@ByteString@@QBE?AV1@GG@Z | 2 |
| ?Insert@String@@QAEAAV1@GG@Z | 2 |
| ?GetSOSStoreTextEncoding@@YAGGG@Z | 2 |
| ?GetData@SvCacheStream@@EAEKPAXK@; | 2 |
| ?HasPort@INetURLObject@@QBE_NXZ | 2 |
| ??0String@@QAE@PBGG@Z | 2 |
| ?EraseLeadingAndTrailingChars@String@@(| 2 |
| ?GetStream@SvLockBytes@@UBEPBVSVStr | 2 |
| ?IsSynchronousMode@SvLockBytes@@UBEEXZ | 2 |
| ?LockRegion@SvLockBytes@@UAEKKKW4Lc | 2 |
| ?UnlockRegion@SvLockBytes@@UAEKKKW4 | 2 |
| ??0SvStream@@QAE@XZ | 2 |
| ?GetData@SvMemoryStream@@MAEKPAIX | 2 |
| ?PutData@SvMemoryStream@@MAEKPBXH | 2 |
| ?SeekPos@SvMemoryStream@@MAEKK@Z | 2 |
| ?FlushData@SvMemoryStream@@MAEXXZ | 2 |
| ?SetSize@SvMemoryStream@@MAEXK@Z | 2 |
| ?ResetError@SvMemoryStream@@UAEXXZ | 2 |
| ?IsA@SvMemoryStream@@UBEGXZ | 2 |
| ?AllocateMemory@SvMemoryStream@@M | 2 |
| ?ReAllocateMemory@SvMemoryStream@@@ | 2 |
| ?FreeMemory@SvMemoryStream@@MAEX | 2 |
| ?Equals@String@@QBEEABV1@GG@Z | 2 |
| ??5SvStream@@QAEAAV0@AAN@Z | 2 |
| ??0Color@@QAE@XZ | 2 |
| ??0SvStream@@QAE@PAVSvLockBytes@@ | 2 |

| | |
|---|---|
| ??5SvStream@@QAEAAV0@AAV0@@Z | 2 |
| ??1SvStream@@UAE@XZ | 2 |
| ??XBigInt@@QAEAAV0@ABV0@@Z | 2 |
| ??YBigInt@@QAEAAV0@ABV0@@Z | 2 |
| ??_OBigInt@@QAEAAV0@ABV0@@Z | 2 |
| ?MakeFromMemory@SvGlobalName@@QF | 2 |
| ?ReadByteString@SvStream@@QAEAAV1@ | 2 |
| ?CreateFromInt64@String@@SA?AV1@_JF(| 2 |
| ?IsA@SvStream@@UBEGXZ | 2 |
| ?ResetError@SvStream@@UAEXXZ | 2 |
| ?FlushData@SvCacheStream@@EAEXXZ | 2 |
| ?SetSize@SvCacheStream@@EAEXK@Z | 2 |
| ?SeekPos@SvCacheStream@@EAEKK@Z | 2 |
| ?PutData@SvCacheStream@@EAEPBXK@Z | 2 |
| ?getOneLocaleItem@LocaleDataWrapper@() | 2 |
| ?isEqual@TransliterationWrapper@utl@@C | 2 |
| ?toUpper@CharClass@@QBE?AVString@@. | 2 |
| ?IsModified@ConfigItem@utl@@QBEEHZ | 2 |
| ?PutProperties@ConfigItem@utl@@IAEEAB | 2 |
| ?ClearNodeSet@ConfigItem@utl@@IAEEAB | 2 |
| ?GetNodeNames@ConfigItem@utl@@IAE?, | 2 |
| @Calendar@Finalization\$qqrv | 2 |
| @Ubackup@initialization\$qqrv | 2 |
| @Ubackup@Finalization\$qqrv | 2 |
| @Urestore@initialization\$qqrv | 2 |
| @Urestore@Finalization\$qqrv | 2 |
| ?CheckTable@CLKRHashTable@@QBEHXZ | 2 |
| ?_IsLocked@CSpinLock@@ABE_NXZ | 2 |
| ??_BSTRING@@6B@ | 2 |
| ?IsYesResponse@STREAM_MESSAGE@@UA | 2 |
| strlwr | 2 |
| sout_AccessOutRead | 2 |
| ?id@\$money_put@DV?\$ostreambuf_iterator@ | 2 |
| ?_GetIconv @_Locinfo@std@@QBEPUlconv@ | 2 |
| ?id@\$messages@D@std@@2V0locale@2(| 2 |
| ??0\$basic_ios@GU?\$char_traits@G@std@ | 2 |
| @strchr\$qpci | 2 |
| @fstreambase@\$bdtr\$qv | 2 |
| @TStringRef@\$bdtr\$qv | 2 |
| @string@\$bdtr\$qv | 2 |
| @ostream@outstr\$qpxct1 | 2 |
| @endl\$qr7ostream | 2 |
| @ifstream@\$bctr\$qpxcii | 2 |
| @string@compare\$xqrx6string | 2 |
| @strstreambuf@\$bdtr\$qv | 2 |
| @xmsg@\$bdtr\$qv | 2 |
| @filebuf@openprot | 2 |

| | |
|---|---|
| @ostream@\$blsh\$qd | 2 |
| @string@\$bctr\$qpxc | 2 |
| @string@\$bctr\$qrx6string | 2 |
| @ostrstream@\$bctr\$qpcii | 2 |
| @ifstream@\$bdtr\$qv | 2 |
| @ends\$qr7ostream | 2 |
| @string@substr\$xquiui | 2 |
| @string@assign\$qrx6stringuiui | 2 |
| @istream@\$bdtr\$qv | 2 |
| @string@substr\$xqui | 2 |
| @strstreambase@\$bdtr\$qv | 2 |
| @\$badd\$qpxcrx6string | 2 |
| @__DynamicCast\$qpvt1t1t1i | 2 |
| @istream@getline\$qpcic | 2 |
| @streambuf@\$bdtr\$qv | 2 |
| @string@\$bcall\$qui | 2 |
| @string@append\$qpxcuiui | 2 |
| @string@\$bctr\$qv | 2 |
| @ostrstream@\$bdtr\$qv | 2 |
| @ostream@\$bdtr\$qv | 2 |
| @ios@\$bdtr\$qv | 2 |
| @fstreambase@close\$qv | 2 |
| @filebuf@\$bdtr\$qv | 2 |
| @TStringRef@\$bctr\$qpxcuit1uiui | 2 |
| @string@append\$qrx6stringuiui | 2 |
| @ostream@\$blsh\$ql | 2 |
| @string@to_upper\$qv | 2 |
| @TStringArray@\$bctr\$qlii | 2 |
| @TScreenDC@\$bctr\$qv | 2 |
| @TApplication@InitHInstance | 2 |
| @TPen@\$bctr\$qrx6TColorii | 2 |
| @TOpenSaveDialog@TData@\$bdtr\$qv | 2 |
| @TOpenSaveDialog@TData@\$bctr\$qulpct2i | 2 |
| @TMessageBar@SetText\$qpxc | 2 |
| @TMessageBar@\$bdtr\$qv | 2 |
| @TDecoratedFrame@SetupWindow\$qv | 2 |
| @TMenuDescr@\$bdtr\$qv | 2 |
| @TDecoratedFrame@SetClientWindow\$qp7 | 2 |
| @TApplication@InitCmdShow | 2 |
| @TDecoratedFrame@RemoveChild\$qp7TWi | 2 |
| @TMenu@\$bdtr\$qv | 2 |
| @TDecoratedFrame@PreProcessMsg\$qr6ta | 2 |
| @TDecoratedFrame@Insert\$qr7TWindow2E | 2 |
| @TLayoutWindow@SetChildLayoutMetrics\$ | 2 |
| @TDecoratedFrame@GetHintText\$xquipci9 | 2 |
| @TApplication@GetInitCmdLine\$qv | 2 |
| @TLayoutWindow@Layout\$qv | 2 |

| | |
|--|---|
| @TApplication@\$bdtr\$qv | 2 |
| @TLayoutWindow@\$bdtr\$qv | 2 |
| @TLayoutMetrics@\$bctr\$qv | 2 |
| @TDecoratedFrame@EvCommandEnable\$q | 2 |
| @TDecoratedFrame@EvCommand\$quip6H\ | 2 |
| @TGdiObject@\$bdtr\$qv | 2 |
| @TDecoratedFrame@\$bctr\$qp7TWindowpx | 2 |
| @TGadgetWindow@\$bdtr\$qv | 2 |
| @v_U_U_W_Dispatch\$qr7GENERICM7GENE | 2 |
| @TFrameWindow@SetupWindow\$qv | 2 |
| @I32_WPARAM_LPARAM_Dispatch\$qr7GEN | 2 |
| @v_U_POINT_Dispatch\$qr7GENERICM7GEN | 2 |
| @v_POINTER_Dispatch\$qr7GENERICM7GEN | 2 |
| @TFrameWindow@SetMenu\$qp7HMENU_ | 2 |
| @v_MdiActivate_Dispatch\$qr7GENERICM7C | 2 |
| @TFrameWindow@SetDocTitle\$qpxci | 2 |
| @B_LPARAM_Dispatch\$qr7GENERICM7GEN | 2 |
| @TFrameWindow@SetClientWindow\$qp7T | 2 |
| @TPopupMenu@\$bctr\$q11TAutoDelete | 2 |
| @TWindowDC@\$bdtr\$qv | 2 |
| @TFrameWindow@RemoveChild\$qp7TWin | 2 |
| @TFrameWindow@PreProcessMsg\$qr6tagN | 2 |
| @TFrameWindow@IdleAction\$ql | 2 |
| @TDC@\$bdtr\$qv | 2 |
| @TWindow@ShowWindow\$qi | 2 |
| @TWindow@SetupWindow\$qv | 2 |
| @TFrameWindow@HoldFocusHWnd\$qp6H\ | 2 |
| @TFrameWindow@GetCommandTarget\$qv | 2 |
| @TWindow@SendMessageA\$quiui | 2 |
| @TFrameWindow@GetClientWindow\$qv | 2 |
| @TWindow@PreProcessMsg\$qr6tagMSG | 2 |
| @TFrameWindow@CleanupWindow\$qv | 2 |
| @TWindow@Paint\$qr3TDC4boolr5TRect | 2 |
| @TFrameWindow@AssignMenu\$q6TResId | 2 |
| @TFrameWindow@\$bdtr\$qv | 2 |
| @TWindow@GetWindowRect\$xqr5TRect | 2 |
| @TWindow@GetWindowClass\$qr12tagWNI | 2 |
| @TFrameWindow@\$bctr\$qp7TWindowpxct | 2 |
| @TControl@\$bdtr\$qv | 2 |
| @TWindow@GetClientRect\$xqr5TRect | 2 |
| @TWindow@GetClassNameA\$qv | 2 |
| @TWindow@Execute\$qv | 2 |
| @TWindow@EvSize\$quir5TSize | 2 |
| @TCommonDialog@\$bdtr\$qv | 2 |
| @TWindow@EvNotify\$quir7TNotify | 2 |
| @TEdit@\$bdtr\$qv | 2 |
| @TEdit@\$bctr\$qp7TWindowiuip7TModule | 2 |

| | |
|--|---|
| @TWindow@DoExecute\$qv | 2 |
| @TWindow@Destroy\$qi | 2 |
| @TWindow@DefaultProcessing\$qv | 2 |
| @TClientDC@\$bctr\$qp6HWND__ | 2 |
| @HandleGlobalException\$qr4xmsgpct2 | 2 |
| @TWindow@Create\$qv | 2 |
| @TWindow@CloseWindow\$qi | 2 |
| @TDialog@IdleAction\$ql | 2 |
| @TDC@SelectObject\$qr4TPen | 2 |
| @TWindow@\$bctr\$qp7TWindowpxcp7TMo | 2 |
| @TStringArray@GetItemsInContainer\$xqv | 2 |
| @TStringArray@\$bsub\$qi | 2 |
| @TApplication@InitHPrevInstance | 2 |
| @GetWindowPtr\$qp6HWND __px12TApplic | 2 |
| @TXBase@\$bdtr\$qv | 2 |
| ?replace@?\$basic_string @_WU?\$char_trait | 2 |
| SetupDuplicateDiskSpaceListA | 2 |
| ?ExportGraphic@GraphicFilter@@QAEGAB\ | 2 |
| ??1GraphicFilter@@QAE@XZ | 2 |
| ?GetExportFormatNumberForShortName@C | 2 |
| ??0GraphicFilter@@QAE@E@Z | 2 |
| ?SetDrawMode@OutputDevice@@QAEXK@ | 2 |
| ?WindStart@GDIMetaFile@@QAEXXZ | 2 |
| ??4GDIMetaFile@@QAEAAV0@ABV0@@Z | 2 |
| ??0Region@@QAE@ABVRectangle@@@Z | 2 |
| ??0FixedText@@QAE@PAVWindow@@_J@ | 2 |
| ?GetStandardImage@WarningBox@@SA?A\ | 2 |
| ?SetMin@MetricFormatter@@QAEX_JW4Fi | 2 |
| ?SetMax@MetricFormatter@@QAEX_JW4Fi | 2 |
| ??0NumericField@@QAE@PAVWindow@@@ | 2 |
| ??0SvtGraphicStroke@@QAE@XZ | 2 |
| ?getPath@SvtGraphicStroke@@QBEXAAVPc | 2 |
| ??5@YAAAVSvStream@@AAV0@AAVSvtGr | 2 |
| ?getStrokeWidth@SvtGraphicStroke@@QBEl | 2 |
| ?getJoinType@SvtGraphicStroke@@QBE?AI | 2 |
| ?getStartArrow@SvtGraphicStroke@@QBEX | 2 |
| ?getEndArrow@SvtGraphicStroke@@QBEXF | 2 |
| ?getDashArray@SvtGraphicStroke@@QBEX, | 2 |
| ?getMiterLimit@SvtGraphicStroke@@QBEN | 2 |
| ?getCapType@SvtGraphicStroke@@QBE?AI | 2 |
| ??1SvtGraphicStroke@@QAE@XZ | 2 |
| ??5@YAAAVSvStream@@AAV0@AAVSvtGr | 2 |
| ?getFillType@SvtGraphicFill@@QBE?AW4Fi | 2 |
| ?getPath@SvtGraphicFill@@QBEXAAVPolyP | 2 |
| ?IsTransparent@BitmapEx@@QBEEHZ | 2 |
| ??0SvtGraphicFill@@QAE@XZ | 2 |
| ??1SvtGraphicFill@@QAE@XZ | 2 |

| | |
|---|---|
| ?SetItalic@Font@@QAEXW4FontItalic@@@ | 2 |
| ??1NumericField@@UAE@XZ | 2 |
| ??0ComboBox@@QAE@PAVWindow@@AE | 2 |
| ?RemoveEventListener@Window@@QAEXA | 2 |
| ?AddEventListener@Window@@QAEXABVL | 2 |
| ?Play@GDI MetaFile@@QAEXP AVOutputDe | 2 |
| ?ActivatePage@SfxTabPage@@UAEXABVSf | 2 |
| ?DeactivatePage@SfxTabPage@@UAEHPAV | 2 |
| ?FillUserData@SfxTabPage@@UAEXXXZ | 2 |
| ?IsReadOnly@SfxTabPage@@UBEEEXZ | 2 |
| ?PageCreated@SfxTabPage@@UAEXVSfxAll | 2 |
| ??1SfxTabDialog@@UAE@XZ | 2 |
| ?RemoveTabPage@SfxTabDialog@@QAEXG | 2 |
| ?Notify@SfxTabDialog@@MAEJAAVNotifyE | 2 |
| ?Execute@SfxTabDialog@@UAEFXZ | 2 |
| ?StartExecuteModal@SfxTabDialog@@UAE | 2 |
| ?CreateInputItemSet@SfxTabDialog@@MAI | 2 |
| ?GetRefreshedSet@SfxTabDialog@@MAEPE | 2 |
| ??0SfxTabPage@@IAE@PAVWindow@@AB | 2 |
| ?AddTabPage@SfxTabDialog@@QAEXGP6A | 2 |
| ??0SfxTabDialog@@QAE@PAVWindow@@. | 2 |
| ?FillItemSet@SfxTabPage@@UAEEAAVSfxIt | 2 |
| ?Reset@SfxTabPage@@UAEXABVSfxItemSe | 2 |
| ??1SfxTabPage@@UAE@XZ | 2 |
| ??6std@@YAAV?\$basic_ostream@DU?\$ch | 2 |
| FINDCLOSE | 2 |
| GETMODULEFILENAMEA | 2 |
| RasPortGetInfo | 2 |
| vlc_fastmem_register | 2 |
| ??1Resource@@QAE@XZ | 2 |
| rtl_uString_internConvert | 2 |
| rtl_digest_PBKDF2 | 2 |
| ??0OTypeCollection@cppu@@QAE@ABVTy | 2 |
| rtl_strToInt64 | 2 |
| osl_getTimeValueFromDateTime | 2 |
| ?getEnvironment@ResultSet@ucbhelper@C | 2 |
| ?rowCountFinal@ResultSet@ucbhelper@@I | 2 |
| ?getProperties@ResultSet@ucbhelper@@Q | 2 |
| ??0ContentIdentifier@ucbhelper@@QAE@, | 2 |
| ??0SimpleCertificateValidationRequest@uck | 2 |
| ?getProxy@InternetProxyDecider@ucbhelp | 2 |
| ??1ResultSet@ucbhelper@@UAE@XZ | 2 |
| ?release@ResultSet@ucbhelper@@UAAXXZ | 2 |
| ?acquire@ResultSet@ucbhelper@@UAAXX; | 2 |
| ?queryInterface@ResultSet@ucbhelper@@ | 2 |
| ??0ResultSet@ucbhelper@@QAE@ABV?\$R | 2 |
| ??0SimpleAuthenticationRequest@ucbhelp | 2 |

| | |
|--|---|
| ?removeAdditionalPropertySet@ContentImplHelper@ContentProviderImpl@ContentImpl | 2 |
| ?queryInterface@ContentImplHelper@ucbh | 2 |
| ?getAdditionalPropertySet@ContentImplHelper@ContentProviderImpl@ContentImpl | 2 |
| ?notifyPropertySetInfoChange@ContentImplHelper@ContentProviderImpl@ContentImpl | 2 |
| ?setParent@ContentImplHelper@ucbhelper | 2 |
| ?getParent@ContentImplHelper@ucbhelper | 2 |
| ?supportsService@ContentImplHelper@ucbhelper | 2 |
| ?getResponse@SimpleInteractionRequest@ContentProviderImpl@ContentImpl | 2 |
| ?queryExistingContents@ContentProviderImpl@ContentImpl | 2 |
| ?getAdditionalPropertySet@ContentProviderImpl@ContentImpl | 2 |
| ?appendPropertySetValue@PropertyValueSet@ContentProviderImpl@ContentImpl | 2 |
| ?appendPropertySet@PropertyValueSet@ContentProviderImpl@ContentImpl | 2 |
| ?release@ContentImplHelper@ucbhelper@ContentProviderImpl@ContentImpl | 2 |
| ?acquire@ContentImplHelper@ucbhelper@ContentProviderImpl@ContentImpl | 2 |
| ne_buffer_concat | 2 |
| ne_add_response_body_reader | 2 |
| ne_accept_2xx | 2 |
| ne_session_destroy | 2 |
| ne_ssl_cert_signedby | 2 |
| ne_ssl_cert_export | 2 |
| ne_ssl_readable_dname | 2 |
| ne_ssl_cert_subject | 2 |
| ne_add_proxy_auth | 2 |
| ne_add_server_auth | 2 |
| ne_session_proxy | 2 |
| ne_hook_pre_send | 2 |
| ne_ssl_set_verify | 2 |
| ne_session_create | 2 |
| ne_sock_init | 2 |
| ne_snprintf | 2 |
| ne_response_header_iterate | 2 |
| ne_has_support | 2 |
| ne_redirect_location | 2 |
| ne_get_error | 2 |
| ne_options | 2 |
| ne_proppatch | 2 |
| ne_mkcol | 2 |
| ne_copy | 2 |
| ne_move | 2 |
| ne_delete | 2 |
| ne_propset_iterate | 2 |
| ne_simple_propfind | 2 |
| ne_propnames | 2 |
| ne_strcasecmp | 2 |
| ne_request_create | 2 |
| ne_lock_using_resource | 2 |
| ne_lock_using_parent | 2 |

| | |
|--|---|
| ne_set_request_body_buffer | 2 |
| ne_request_dispatch | 2 |
| ne_get_status | 2 |
| ne_request_destroy | 2 |
| ne_xml_create | 2 |
| ne_xml_push_handler | 2 |
| ne_xml_parse | 2 |
| ne_xml_failed | 2 |
| ne_xml_destroy | 2 |
| ne_uri_unparse | 2 |
| ne_uri_free | 2 |
| ne_redirect_register | 2 |
| ne_uri_parse | 2 |
| Cla\$ALIAS | 2 |
| Cla\$Long2Ufo | 2 |
| Cla\$LONGPATH | 2 |
| Cla\$longtostr | 2 |
| Cla\$NOTIFICATION | 2 |
| Cla\$PRESSKEY | 2 |
| Cla\$PUTINI | 2 |
| Cla\$SETCLIPBOARD | 2 |
| Cla\$START | 2 |
| Cla\$START2 | 2 |
| Cla\$THREAD | 2 |
| porta | 2 |
| baixa | 2 |
| ?close@?\$basic_ifstream@_WU?\$char_traits@_WU@ | 2 |
| ?find_last_not_of@?\$basic_string@_WU?\$char_traits@_WU@ | 2 |
| ?\$_D?\$basic_ifstream@_WU?\$char_traits@_WU@ | 2 |
| ?close@?\$basic_ofstream@_WU?\$char_traits@_WU@ | 2 |
| ?\$_D?\$basic_ofstream@_WU?\$char_traits@_WU@ | 2 |
| ??0?\$basic_ofstream@_WU?\$char_traits@_WU@ | 2 |
| ?wcerr@std@@3V?\$basic_ostream@_WU@ | 2 |
| ?PROP_DOCUMENTSERVICE@MediaDescriptor | 2 |
| ?syncRepositories@dp_misc@@YAXABV?\$REF@VSyncRepository@1@ | 2 |
| ?getPlatformSystemLanguage@MsLangId@() | 2 |
| rtl_bootstrap_expandMacros | 2 |
| rtl_bootstrap_args_close | 2 |
| osl_createDirectory | 2 |
| ??1SfxSingleTabDialog@@UAE@XZ | 2 |
| ??1SfxListener@@UAE@XZ | 2 |
| ?EndListeningAll@SfxListener@@QAEXXZ | 2 |
| ?Type@SfxListener@@UBEP6APAXXZXZ@Z | 2 |
| ?IsA@SfxListener@@UBEEP6APAXXZ@Z | 2 |
| ?StartListening@SfxListener@@QAEEAAVSf | 2 |
| ??0SfxListener@@QAE@XZ | 2 |
| ?GetTextView@MultiLineEdit@@IBEPAVExt | 2 |

| | |
|--|---|
| ?StaticType@TextHint@@SAP6APAXXZXZ | 2 |
| ?SetLeftMargin@MultiLineEdit@@QAEXG@ | 2 |
| ?Cut@MultiLineEdit@@UAEXXZ | 2 |
| ?GetSelected@MultiLineEdit@@UBE?AVStri | 2 |
| ?DeleteSelected@MultiLineEdit@@UAEXXZ | 2 |
| ?ReplaceSelected@MultiLineEdit@@UAEXA | 2 |
| ?GetSelection@MultiLineEdit@@UBEABVSe | 2 |
| ?SetSelection@MultiLineEdit@@UAEXABVS | 2 |
| ?GetMaxTextLen@MultiLineEdit@@UBEGXZ | 2 |
| ?SetMaxTextLen@MultiLineEdit@@UAEXG(| 2 |
| ?IsReadOnly@MultiLineEdit@@UBEEZXZ | 2 |
| ?SetReadOnly@MultiLineEdit@@UAEXE@Z | 2 |
| ?IsUpdateDataEnabled@MultiLineEdit@@U | 2 |
| ?DisableUpdateData@MultiLineEdit@@UAE | 2 |
| ?EnableUpdateData@MultiLineEdit@@UAE: | 2 |
| ?IsModified@MultiLineEdit@@UBEEZXZ | 2 |
| ?ClearModifyFlag@MultiLineEdit@@UAEXX | 2 |
| ?SetModifyFlag@MultiLineEdit@@UAEXXZ | 2 |
| ?GetTextEngine@MultiLineEdit@@IBEPAVE | 2 |
| ?Modify@MultiLineEdit@@UAEXXZ | 2 |
| ?GetComponentInterface@MultiLineEdit@C | 2 |
| ?GetText@MultiLineEdit@@UBE?AVString@ | 2 |
| ?SetText@MultiLineEdit@@UAEXABVString@ | 2 |
| ?Notify@MultiLineEdit@@MAEJAAVNotifyE | 2 |
| ?PreNotify@MultiLineEdit@@MAEJAAVNoti | 2 |
| ?DataChanged@MultiLineEdit@@MAEXABV | 2 |
| ?StateChanged@MultiLineEdit@@MAEXG@ | 2 |
| ?GetFocus@MultiLineEdit@@UAEXXZ | 2 |
| ?Resize@MultiLineEdit@@UAEXXZ | 2 |
| ?Draw@MultiLineEdit@@UAEXPAPOutputD | 2 |
| ?UseSystemFileDialog@SvtMiscOptions@@I | 2 |
| ?GetTextHeight@TextEngine@@QBEKXZ | 2 |
| ?GetWindow@Text View@@QBEPAVWindow | 2 |
| ?GetDocPos@Text View@@QBE?AVPoint@() | 2 |
| ?GetVScrollBar@MultiLineEdit@@IBEPAVSc | 2 |
| ?GetSelected@MultiLineEdit@@UBE?AVStri | 2 |
| ?CalcMinimumSize@MultiLineEdit@@UBE?. | 2 |
| ?GetUpdateDataHdl@MultiLineEdit@@UBE | 2 |
| ?SetUpdateDataHdl@MultiLineEdit@@UAE | 2 |
| ?GetModifyHdl@MultiLineEdit@@UBEABVL | 2 |
| ?SetModifyHdl@MultiLineEdit@@UAEXABV | 2 |
| ?UpdateData@MultiLineEdit@@UAEXXZ | 2 |
| ?SetText@MultiLineEdit@@UAEXABVString@ | 2 |
| ?Paste@MultiLineEdit@@UAEXXZ | 2 |
| ?Copy@MultiLineEdit@@UAEXXZ | 2 |
| ?Flush@Config@@QAEXXZ | 2 |
| ?WriteKey@Config@@QAEXABVByteString(| 2 |

| | |
|--|---|
| ?SearchAndReplaceAllAscii@String@@QAE | 2 |
| ?GetUTCOffset@Time@@SA?AV1@XZ | 2 |
| ?getProcessWorkingDir@tools@@YA_NPAV | 2 |
| ??1Config@@QAE@XZ | 2 |
| ?ReadKey@Config@@QBE?AVByteString@() | 2 |
| ?SetGroup@Config@@QAEXABVByteString(| 2 |
| ??0Config@@QAE@ABVString@@@Z | 2 |
| ?SearchAndReplaceAll@String@@QAEXABV | 2 |
| ?extendApplicationEnvironment@tools@@` | 2 |
| ?initialize@ContentBroker@ucbhelper@@S | 2 |
| ??0SvtModuleOptions@@QAE@XZ | 2 |
| ??1SvtModuleOptions@@UAE@XZ | 2 |
| ?DoScrollAction@ScrollBar@@QAEJW4Scrol | 2 |
| ?CalcMinimumSize@FixedText@@QBE?AVS | 2 |
| ?EraseAllMnemonicChars@MnemonicGener | 2 |
| ?Reschedule@Application@@SAX_N@Z | 2 |
| ??1InfoBox@@UAE@XZ | 2 |
| ?sleep@OThread@vos@@QAA?AW4TThrea | 2 |
| ?join@OThread@vos@@QAAXXZ | 2 |
| ?onTerminated@OThread@vos@@MAAXXZ | 2 |
| @Ccpfmst@TfrmReport@GetSubtotalItem\$ | 2 |
| @Ccpfmst@TfrmReport@AddGrandTotal\$q | 2 |
| @Cxgroupbox@TcxGroupBox@ | 2 |
| @Cxradiogroup@TcxCustomRadioGroup@G | 2 |
| @Cxradiogroup@TcxRadioGroup@ | 2 |
| @Hreport@THITReport@PrintLine\$qqrxixi | 2 |
| @Ccpfmst@initialization\$qqrv | 2 |
| @Ccpfmst@Finalization\$qqrv | 2 |
| @Ardmcus@dtmCustomer | 2 |
| @Ardmcus@TdtmCustomer@ | 2 |
| ?YL_Log@@YAXABV?\$basic_string@DU?\$ch | 2 |
| Cla\$COMMAND | 2 |
| _checkversion | 2 |
| @Cxgridtableview@TcxGridTableController(| 2 |
| SB_getListOfFilesAndXMLCode | 2 |
| SB_sortListBySequenceNum | 2 |
| SB_getFilegivenSeq | 2 |
| ??0?\$basic_ostream@DU?\$char_traits@D@ | 2 |
| rtcLenVar | 2 |
| getprogrname | 2 |
| opterr | 2 |
| optopt | 2 |
| pause | 2 |
| ??1NTFS_BOOT_FILE@@UAE@XZ | 2 |
| ?QueryExtent@NTFS_EXTENT_LIST@@QBEE | 2 |
| ?CreateDataAttribute@NTFS_LOG_FILE@@(| 2 |
| @\$xp\$17Classes@TShortCut | 2 |

| | |
|---|---|
| @Contnrs@TOrderedList@Count\$qqrv | 2 |
| @Contnrs@TOrderedList@Push\$qqrpv | 2 |
| @Contnrs@TOrderedList@Pop\$qqrv | 2 |
| @Contnrs@TStack@ | 2 |
| @Imglist@TCustomImageList@GetHandle\$qqrv | 2 |
| @Graphics@AllocPatternBitmap\$qqr15Grap | 2 |
| @Graphics@TCanvas@GetClipRect\$qqrv | 2 |
| @Graphics@TCanvas@Unlock\$qqrv | 2 |
| @Graphics@TCanvas@Lock\$qqrv | 2 |
| @Graphics@TBrush@GetStyle\$qqrv | 2 |
| @Graphics@TBrush@GetHandle\$qqrv | 2 |
| @Graphics@TBrush@SetBitmap\$qqrp16Gra | 2 |
| @Forms@TScreen@MonitorFromRect\$qqrr: | 2 |
| @Forms@KeyboardStateToShiftState\$qqrv | 2 |
| @Forms@TCustomForm@ | 2 |
| @Controls@TCustomListControl@MoveSele | 2 |
| @Controls@TWinControl@HandleNeeded\$qq | 2 |
| @Controls@TWinControl@CMVisibleChang | 2 |
| @Controls@TWinControl@WMKeyDown\$qqrv | 2 |
| @Controls@TWinControl@PaintTo\$qqruiii | 2 |
| @Controls@TWinControl@Broadcast\$qqrpv | 2 |
| @Controls@TControl@CMEabledChanged! | 2 |
| @Controls@TControl@ManualDock\$qqrp2C | 2 |
| @Controls@TControl@DragDrop\$qqrp14Sy: | 2 |
| @Controls@TControl@BeginDrag\$qqroi | 2 |
| @Controls@TControl@SetBoundsRect\$qqrr: | 2 |
| @Controls@TControlCanvas@SetControl\$qq | 2 |
| @Controls@CancelDrag\$qqrv | 2 |
| @Controls@TControlCanvas@ | 2 |
| @Menus@ShortCutToText\$qqrus | 2 |
| @\$xp\$21Buttons@TButtonLayout | 2 |
| @Frfunction@initialization\$qqrv | 2 |
| @Frfunction@initialization\$qqrv | 2 |
| @Frfuncsql@initialization\$qqrv | 2 |
| @Frfuncdate@initialization\$qqrv | 2 |
| @Frfuncstr@initialization\$qqrv | 2 |
| @Frfuncnum@initialization\$qqrv | 2 |
| @Dxdockzones@Finalization\$qqrv | 2 |
| @Tabs@Finalization\$qqrv | 2 |
| @Jvcomctrls@Finalization\$qqrv | 2 |
| ?sin@?\$_Ctr@N@std@@SANN@Z | 2 |
| MagickOptionToMnemonic | 2 |
| ?ChangeScreenSize@SCREEN@@QAEEGGPA | 2 |
| ?SetOemConversions@WSTRING@@SGXXZ | 2 |
| ?SetXon@COMM_DEVICE@@QAEEE@Z | 2 |
| ??1NTFS_ATTRIBUTE@@UAE@XZ | 2 |
| ?TrimRight@CTXStringA@@QAEAAV1@XZ | 2 |

| | |
|---|---|
| ?TrimLeft@CTXStringA@@QAEAAV1@XZ | 2 |
| D3DTextureUpdate | 2 |
| GetPriority | 2 |
| SetPriority | 2 |
| D3DBreakVBLock | 2 |
| DestroyTexture | 2 |
| SetLOD | 2 |
| ?Replace@CTXStringA@@QAEHPBD0@Z | 2 |
| ??H@YA?AVCTXStringA@@ABV0@PBD@Z | 2 |
| ??H@YA?AVCTXStringA@@PBDABV0@@Z | 2 |
| ?GetConfigData@ModuleConfig@@YAJPB_` | 2 |
| ?AppendBSTR@CTXBSTR@@QAEJPA_W@Z | 2 |
| ?CreateExtensionSort@Extension@Util@@Y | 2 |
| ?OnElementExtEvent@GF@Util@@YAJPAUI | 2 |
| ?StopSlideFrame@GF@Util@@YAJPAUIGFF | 2 |
| ?IsDiscussExit@Group@Util@@YAHK@Z | 2 |
| ?GetDiscussMemStatus@Group@Util@@YA | 2 |
| ?GetDiscussMemCombineName@Group@U | 2 |
| ?ConvertGenderIndexToStr@Misc@Util@@ | 2 |
| ?GetGroupMemStatus@Group@Util@@YA | 2 |
| ?GetGroupMemCombineName@Group@Ut | 2 |
| ?GetGroupMemHeadFile@Group@Util@@Y | 2 |
| ?IsGroupExit@Group@Util@@YAHK@Z | 2 |
| ?GetGroupName@Group@Util@@YA?AVC1 | 2 |
| ?Show@MsgBox@Util@@YAHPAUIGFFrame | 2 |
| ?GetXmlContent@CXmlLinkAnalyzer@@QA | 2 |
| ?GetName@CBasicInfo@Group@Util@@SA | 2 |
| ?GetUinByCode@Group@Util@@YAKK@Z | 2 |
| ??0CXmlLinkAnalyzer@@QAE@XZ | 2 |
| ?Init@CXmlLinkAnalyzer@@QAEHPA_W@Z | 2 |
| ?GetContent@CXmlLinkAnalyzer@@QAE?A` | 2 |
| ?UnInit@CXmlLinkAnalyzer@@QAEXXZ | 2 |
| ??1CXmlLinkAnalyzer@@QAE@XZ | 2 |
| ?SaveImageFile@SysDialog@Util@@YAHPA | 2 |
| ?GetSysFacePathByIndex@Misc@Util@@YA | 2 |
| ?AddResendLinkElem@AFChatSession@Util | 2 |
| ?SendQQMail@Misc@Util@@YAXKKVCTXSt | 2 |
| ?GetLevelFlags@CBasicInfo@Group@Util@ | 2 |
| ?GetGradeType@CGroupGrade@Group@Ut | 2 |
| ?SetPerfReportDataForByte@PerfDataRepor | 2 |
| ?IsQQImeExist@@YAHXZ | 2 |
| ?DeleteTipInChatSession@ChatSession@Uti | 2 |
| ?WriteInputMsgInChatSession@ChatSession | 2 |
| ?CreateChatFrameType@ChatSession@Util(| 2 |
| ?QueryChatSession@ChatSession@Util@@Y | 2 |
| ?PopupTipDlg@ChatSession@Util@@YAXVC | 2 |
| ?IsPaiPaiTempSession@ChatSession@Util@ | 2 |

| | |
|--|---|
| ?LoadCharFormatConfig@ChatSession@Util | 2 |
| ?InitDefaultCharFormat@ChatSession@Util | 2 |
| ?IsQInterLiveUser@QInterLive@Misc@Util@ | 2 |
| ?InputMsgInChatSession@ChatSession@Util | 2 |
| ?SetRegSubKeyBoolField@API@Registry@@@ | 2 |
| ?GetRegSubKeyBoolField@API@Registry@@@C | 2 |
| ?GetBuffer@Misc@Util@@YAXPAPAUITXBu | 2 |
| ?GetAttribute@Element@AdvXMLParser@C | 2 |
| ?Parse@Parser@AdvXMLParser@@QAEPAV | 2 |
| ?cmnlib_ValidateProductSuite@@YAHPBG@C | 2 |
| ?cmnlib_SetActivityLogName@@YAXPBG@Z | 2 |
| ?open@ARegKey@@AAE_N_NPAUHKEY__6 | 2 |
| ??0AnInfoTrace@@QAE@PBG0@Z | 2 |
| ?remove@ARegKey@@QAE_NPBG@Z | 2 |
| ?set@ARegKey@@QAE_NPBGPAVABuffer@ | 2 |
| ?get@ARegKey@@AAE_N_NPBGPAK@Z | 2 |
| ?set@ARegKey@@QAE_NPBG0@Z | 2 |
| ?TCSockCleanup@@YAXXZ | 2 |
| ?TCInstallDVDProX2@@YAHXZ | 2 |
| ?TCVGetStartupFile@@YA?AVCString@@XZ | 2 |
| ?tcnvsc_SetSpecialID@@YAXK@Z | 2 |
| ?Encode@CxImageJPG@@QAE_NPAVCxFile | 2 |
| ??OTCVChooseSignal@@QAE@PAVCWnd@I | 2 |
| _ZN7QString6numberEdci | 2 |
| _ZN5QFont9setFontFamilyERK7QString | 2 |
| _ZN6QLabel8setBuddyEP7QWidget | 2 |
| _ZN9QGroupBox8setTitleERK7QString | 2 |
| _ZN9QGroupBoxC1EP7QWidget | 2 |
| GdipGetStringFormatFlags | 2 |
| GdipCloneFont | 2 |
| GetDefaultPartitionForCurrentUser | 2 |
| ??1?\$codecvt@DDH@std@@UAE@XZ | 2 |
| NdrFixedArrayMemorySize | 2 |
| ?GetSpinCount@CReaderWriterLock3@@QI | 2 |
| @Dateutils@MinutesBetween\$qqrx16Syste | 2 |
| ?_Fabs@std@@YAOABV?\$complex@O@1@C | 2 |
| ?_Fbad_exception@std@@QAEXXZ | 2 |
| ??4_Lockit@std@@QAEAAV01@ABV01@@ | 2 |
| ??0CSortSet@@QAE@I@Z | 2 |
| ??4?\$basic_streambuf@DU?\$char_traits@D | 2 |
| rtcDeleteSetting | 2 |
| ?GetSetting@CIintelSettings@@QAEJW4INT | 2 |
| ChainWlxLogoffEvent | 2 |
| ??5std@@YAAAV?\$basic_istream@GU?\$ch: | 2 |
| ?_LockSpin@CReaderWriterLock@@AAEX_I | 2 |
| eFileNameA | 2 |
| SLS_GenerateLicenceKey | 2 |

| | |
|--|---|
| ?flags@ios_base@std@@QAEHH@Z | 2 |
| ?id@?\$num_get@DV?\$istreambuf_iterator(| 2 |
| ??8std@@YA_NABNABV?\$complex@N@0@ | 2 |
| ??5?\$basic_istream@GU?\$char_traits@G@: | 2 |
| NdrpMemoryIncrement | 2 |
| NdisMapFile | 2 |
| _NET_SockaddrEqualsInetAddress@12 | 2 |
| _NET_GetPortFromSockaddr@4 | 2 |
| _NET_SockaddrToInternetAddress@12 | 2 |
| KeyProc | 2 |
| ConfigureDialogProc | 2 |
| ??1CMGICriticalSection@@UAE@XZ | 2 |
| ??0CMGICriticalSection@@QAE@XZ | 2 |
| ?QueryScreenSize@SCREEN@@QBEXPAG00 | 2 |
| @Cxdredit@TcxDBTimeEdit@ | 2 |
| @Cxdredit@TcxDBMaskEdit@ | 2 |
| sqlite3_create_collation | 2 |
| _DiskVCacheInvalidate@4 | 2 |
| _WIN_FileClose@4 | 2 |
| _FileCreate@8 | 2 |
| _WIN_FileSeek@12 | 2 |
| _WIN_FileWrite@12 | 2 |
| _ConvertEncodedDateToNormal@16 | 2 |
| _NameWildcardMatch@12 | 2 |
| _DOSGetDate@12 | 2 |
| _FileFindFirst@8 | 2 |
| _FileOpen@8 | 2 |
| _WIN_FileRead@12 | 2 |
| _DiskResetDOS@4 | 2 |
| _DBCSInstalled@0 | 2 |
| _MemReAlloc@12 | 2 |
| _NameToUnpacked@8 | 2 |
| _NameAppendFile@8 | 2 |
| _DiskIsDoubleSpace@4 | 2 |
| _DiskIsDriveSpace@4 | 2 |
| _NameToPacked@8 | 2 |
| _DirGet@8 | 2 |
| _FileSetAttr@8 | 2 |
| _FileDelete@4 | 2 |
| _DiskReset@0 | 2 |
| _NameGetType@4 | 2 |
| _ConvertClusterToSector@8 | 2 |
| _DiskBlockDevice@8 | 2 |
| _ConvertSizeToCluster@8 | 2 |
| _DiskVCacheFlush@4 | 2 |
| _MemAlloc@8 | 2 |
| _MemFree@4 | 2 |

| | |
|---|---|
| _DiskPollWrites@4 | 2 |
| _SYMKRNLCheckVersion@8 | 2 |
| _DiskUnlockLogicalVolume@4 | 2 |
| _DiskGetInfo@8 | 2 |
| _DiskLockLogicalVolume@12 | 2 |
| InstallSelectedDriver | 2 |
| InstallNewDevice | 2 |
| ?load@OModule@vos@@QAAEABVOUStrir | 2 |
| ?getSymbol@OModule@vos@@QAAPAXAB | 2 |
| ??1OModule@vos@@UAE@XZ | 2 |
| ??0OModule@vos@@QAE@XZ | 2 |
| ??1SequenceInputStream@comphelper@@ | 2 |
| ??0SequenceInputStream@comphelper@@ | 2 |
| PR_LoadLibraryWithFlags | 2 |
| XmlPrologStateInitExternalEntity | 2 |
| XmlPrologStateInit | 2 |
| XmlParseXmlDeclNS | 2 |
| XmlParseXmlDecl | 2 |
| XmlInitEncodingNS | 2 |
| XmlInitEncoding | 2 |
| XmlSizeOfUnknownEncoding | 2 |
| XmlInitUnknownEncodingNS | 2 |
| XmlInitUnknownEncoding | 2 |
| CoEEShutdownCOM | 2 |
| ? GetUserAppDataPath@@YA?AV?\$CStringT | 2 |
| ??0?\$numpunct@D@std@@QAE@I@Z | 2 |
| ?is@?\$ctype@D@std@@QBEPBDPBDOPAF(| 2 |
| rtcFileSeek | 2 |
| ?open@?\$basic_ifstream@DU?\$char_traits< | 2 |
| ?open@?\$basic_ofstream@DU?\$char_traits< | 2 |
| ?sourceChanged@QGraphicsEffect@@MAE | 2 |
| ?sizeHint@QGraphicsView@@UBE?AVQSize | 2 |
| ?qt_metacall@QGraphicsView@@UAEHW4 | 2 |
| ?qt_metacast@QGraphicsView@@UAEPAXI | 2 |
| ?drawItems@QGraphicsView@@MAEXPBV | 2 |
| ?drawForeground@QGraphicsView@@MAE | 2 |
| ?drawBackground@QGraphicsView@@MAE | 2 |
| ?scrollContentsBy@QGraphicsView@@MAE | 2 |
| ?viewportEvent@QGraphicsView@@MAE_N | 2 |
| ?focusNextPrevChild@QGraphicsView@@N | 2 |
| ?inputMethodQuery@QGraphicsView@@U | 2 |
| ?inputMethodEvent@QGraphicsView@@M | 2 |
| ?showEvent@QGraphicsView@@MAEXPBV | 2 |
| ?dropEvent@QGraphicsView@@MAEXPBV | 2 |
| ?dragLeaveEvent@QGraphicsView@@MAE | 2 |
| ?dragMoveEvent@QGraphicsView@@MAE | 2 |
| ?dragEnterEvent@QGraphicsView@@MAEX | 2 |

| | |
|---|---|
| ?contextMenuEvent@QGraphicsView@@@M | 2 |
| ?resizeEvent@QGraphicsView@@@MAEXP@V | 2 |
| ?paintEvent@QGraphicsView@@@MAEXP@V | 2 |
| ?focusOutEvent@QGraphicsView@@@MAEXF | 2 |
| ?focusInEvent@QGraphicsView@@@MAEXP@ | 2 |
| ?event@QGraphicsView@@@MAE_NPAVQE@ | 2 |
| ??0QGraphicsView@@@QAE@PAVQWidget@ | 2 |
| ??0QGraphicsScene@@@QAE@PAVQOObject@ | 2 |
| ?setScene@QGraphicsView@@@QAEXP@VQC | 2 |
| ?keyReleaseEvent@QGraphicsView@@@MAE | 2 |
| ?keyPressEvent@QGraphicsView@@@MAEXF | 2 |
| ?wheelEvent@QGraphicsView@@@MAEXP@A\ | 2 |
| ?mouseMoveEvent@QGraphicsView@@@MA | 2 |
| ?mouseDoubleClickEvent@QGraphicsView@ | 2 |
| ?mouseReleaseEvent@QGraphicsView@@@N | 2 |
| ?mousePressEvent@QGraphicsView@@@MA | 2 |
| ??1QGraphicsScene@@@UAE@XZ | 2 |
| ??1QGraphicsView@@@UAE@XZ | 2 |
| @Stdctrls@TCustomCheckBox@GetCheckec | 2 |
| @Comctrls@TStatusBar@SetSimpleText\$qq | 2 |
| @Nmhue@initialization\$qqrv | 2 |
| @Nmhue@Finalization\$qqrv | 2 |
| @Nmextstr@initialization\$qqrv | 2 |
| @Nmextstr@Finalization\$qqrv | 2 |
| @Nmsmt@initialization\$qqrv | 2 |
| @Nmsmt@Finalization\$qqrv | 2 |
| @Nmsmt@TNMSMTP@SendMail\$qqrv | 2 |
| @Nmsmt@TNMSMTP@ | 2 |
| @BorIndmm@SysFreeMem\$qqrpv | 2 |
| @BorIndmm@SysReallocMem\$qqrpvi | 2 |
| gimp_drawable_preview_get drawable | 2 |
| gimp_cpu_accel_get_support | 2 |
| @@Ccalendr@Finalize | 2 |
| @@Ccalendr@Initialize | 2 |
| @@Cgauges@Finalize | 2 |
| @@Cgauges@Initialize | 2 |
| ?GetStringModule@@@YGPAUHINSTANCE__I | 2 |
| ?GetIntCadlink@@@YGH@PBD0H@Z | 2 |
| _BinkPause@8 | 2 |
| PrivateSetRipFlags | 2 |
| SHCreateShellFolderViewEx | 2 |
| ??_U@YAPEAX_K@Z | 2 |
| ??_V@YAXPEAX@Z | 2 |
| _DBToolsFini@4 | 2 |
| _DBToolsInit@4 | 2 |
| ?Append@String@@@QAEAAV1@PBG@Z | 2 |
| ??1SvtLinguConfigDictionaryEntry@@@QAE@ | 2 |

| | |
|--|---|
| ??OSvtLinguConfigDictionaryEntry@@QAE@ | 2 |
| ?GetActiveDictionariesByFormat@SvtLinguC | 2 |
| ?GetSupportedDictionaryFormatsFor@SvtLir | 2 |
| rtl_getTextEncodingFromUnixCharset | 2 |
| ?RemoveAsPropListener@PropertyChgHelper@ | 2 |
| ?GetLinguProperties@linguistic@@YA?AV?\$ | 2 |
| ?AddAsPropListener@PropertyChgHelper@I | 2 |
| ?LocaleToLanguage@linguistic@@YAGABUL | 2 |
| ?GetLinguMutex@linguistic@@YAAAVMute | 2 |
| AccProvHandleGrantAccessRights | 2 |
| SetupOobeInitDebugLog | 2 |
| pSetupDebugPrint | 2 |
| ?addGroup@CTaskPanelSheet@@QAEPAVC | 2 |
| ??0CTaskPanelSheet@@QAE@XZ | 2 |
| ??1CTaskPanelSheet@@UAE@XZ | 2 |
| ?GetActivePage@CTaskPanelSheet@@QAEF | 2 |
| ?SetActivePage@CTaskPanelSheet@@QAEH | 2 |
| ?GetRuntimeClass@CTaskPanelSheet@@UE | 2 |
| ?GetMessageMap@CTaskPanelSheet@@@M | 2 |
| ?useDC@CTaskPanelSheet@@QAEPAUHD | 2 |
| ?addItem@CTaskPanelSheet@@QAEPAVCT | 2 |
| ?OnInitDialog@CTaskPanelSheet@@MAEH | 2 |
| ??0?\$basic_ifstream@DU?\$char_traits@D@ | 2 |
| ??4?\$basic_ofstream@DU?\$char_traits@D@ | 2 |
| rtcGetCurrentCalendar | 2 |
| ?signaling_NaN@?\$numeric_limits@M@std | 2 |
| FsRtlLookupMcbEntry | 2 |
| ObCheckObjectAccess | 2 |
| PSRegisterPropertySchema | 2 |
| PSUnregisterPropertySchema | 2 |
| ?HasMetrics@SfxPoolItem@@UBEHXZ | 2 |
| ?ScaleMetrics@SfxPoolItem@@UAEHJJ@Z | 2 |
| ?Resize@BDSTRING@@UAEEK@Z | 2 |
| BASS_CD_GetID | 2 |
| WcsEnumColorProfiles | 2 |
| WcsEnumColorProfilesSize | 2 |
| WcsAssociateColorProfileWithDevice | 2 |
| InstallPrinterDriverFromPackageW | 2 |
| GetCorePrinterDriversW | 2 |
| GetPrinterDriverPackagePathW | 2 |
| ?SetMouseMove@EventThread@@IAEHVCF | 2 |
| ?DoClickType@EventThread@@IAEHPAUHV | 2 |
| ?Log@EventThread@@IAAXPBDZZ | 2 |
| ?GetHwndFromNumber@EventThread@@I | 2 |
| ??0EventThread@@QAE@XZ | 2 |
| ??1EventThread@@UAE@XZ | 2 |
| ?ItIsMyPlaybackEvent@EventThread@@MA | 2 |

| | |
|---|---|
| ?Run@EventThread@@MAEHXZ | 2 |
| ?DoReadyForAbort@EventThread@@MAEX | 2 |
| ?ExitInstance@EventThread@@UAEHXZ | 2 |
| ?HandleMessage@EventThread@@UAEHA/ | 2 |
| ?InitInstance@EventThread@@UAEHXZ | 2 |
| ??1CEventsPlugSingleThreadClass@@UAE@ | 2 |
| ??0CEventsPlugSingleThreadClass@@QAE@ | 2 |
| ?CalcHitPos@EventThread@@IAEHPAUPOS | 2 |
| ?DoDefaultAllowOperationForRect@EventTl | 2 |
| ?CalcPlaybackHwnd@EventThread@@IAEHI | 2 |
| ?GetInt@EventThread@@IAEHH@Z | 2 |
| FillErrorDescription | 2 |
| ?UnPlug@PlugClass@@UAEXXZ | 2 |
| ?Plug@PlugClass@@UAEHVCString@@OPA | 2 |
| ?GetSharedData@InfoFromControlClass@@ | 2 |
| ??1InfoFromControlClass@@QAE@XZ | 2 |
| ??0InfoFromControlClass@@QAE@XZ | 2 |
| ?SendMessageToControl@InfoFromControlC | 2 |
| ??_Glostream_init@@QAEPAXI@Z | 2 |
| DnsIsStringCountValidForTextType | 2 |
| ?setCheckState@QCheckBox@@QAEXW4CI | 2 |
| ?setStyleStrategy@QFont@@QAEXW4Style | 2 |
| ?setFixedSize@QWidget@@QAEXABVQSize | 2 |
| _ZN9QtPrivate16QStringList_joinEPK11QString | 2 |
| settimeofday | 2 |
| unsetenv | 2 |
| rtcIRR | 2 |
| rtcCVErrFromVar | 2 |
| GetExtensionVersion | 2 |
| TerminateExtension | 2 |
| ?MinimizeMemory@@YAXXZ | 2 |
| ?CreateAllDirectory@@YAHPB_W@Z | 2 |
| @Dbgrideh@initialization\$qqrv | 2 |
| @Propfilereh@initialization\$qqrv | 2 |
| @Convutils@initialization\$qqrv | 2 |
| @Toolctrlseh@initialization\$qqrv | 2 |
| @Dbctrlseh@initialization\$qqrv | 2 |
| @Dbutilseh@initialization\$qqrv | 2 |
| @Dbgridehfinddlgs@initialization\$qqrv | 2 |
| @Dbgridehimpexp@initialization\$qqrv | 2 |
| ??0?\$num_put@DV?\$ostreambuf_iterator@ | 2 |
| ?Add@CLogProc@@QAAXPADZZ | 2 |
| ?_Lock@CSpinLock@@AAEXXZ | 2 |
| IoWMIAlocateInstanceIds | 2 |
| g_set_error_literal | 2 |
| WMCreateSyncReader | 2 |
| ?BTAuthorizeRequestCallback@CWbtAPI@C | 2 |

| | |
|--|---|
| ?HAG_ConnectHeadsetUuid@CWBtAPI@@@ | 2 |
| ?BTPINCodeRequestCallback@CWBtAPI@@@ | 2 |
| ?GapBond_64@CWBtAPI@@@QAE?AW4WBt | 2 |
| ?SyncDeleteConfirmation@CWBtAPI@@@QA | 2 |
| ?GapGetServiceState@CWBtAPI@@@QAE?A\ | 2 |
| ?getEmailAddress@CBTvCard@@@QAEHPAD | 2 |
| ?getTitle@CBTvCard@@@QAEHPADH@Z | 2 |
| ?getMiddleName@CBTvCard@@@QAEHPAD\ | 2 |
| ?getFirstName@CBTvCard@@@QAEHPADH@ | 2 |
| ?getName@CBTvCard@@@QAEHPADH@Z | 2 |
| ?LoadFromVCard@CBTvCard@@@QAEXABU\ | 2 |
| ?getHomeAddress@CBTvCard@@@QAEHPAC | 2 |
| ?getWorkAddress@CBTvCard@@@QAEHPAD | 2 |
| ?getHomePhone@CBTvCard@@@QAEHPADH | 2 |
| ?getMobilePhone@CBTvCard@@@QAEHPAD | 2 |
| ?getWorkFax@CBTvCard@@@QAEHPADH@Z | 2 |
| ?getLastname@CBTvCard@@@QAEHPADH@ | 2 |
| ?getDepartment@CBTvCard@@@QAEHPADH | 2 |
| ?getCompany@CBTvCard@@@QAEHPADH@: | 2 |
| ?getSuffix@CBTvCard@@@QAEHPADH@Z | 2 |
| ?getID@CBTvCard@@@QAEHPADH@Z | 2 |
| OSIF_ObjectsConflict | 2 |
| OSIF_GetObjectCount | 2 |
| ?getWorkPhone@CBTvCard@@@QAEHPADH | 2 |
| ?getJobTitle@CBTvCard@@@QAEHPADH@Z | 2 |
| ?WaitNoInstallEvents@CBtHidExtRoot@@@Q | 2 |
| ?readSettings@CBtHidExtRoot@@@SAXPAHP | 2 |
| ?getStack@@@YAPAVCBtHidExtRoot@@@XZ | 2 |
| ?getBatteryStatus@CBtHidExtRoot@@@QAE\ | 2 |
| GetRvCore | 2 |
| gimp_selection_is_empty | 2 |
| @System@@@EofText\$qqrr15System@TText | 2 |
| ?MessagePump@@@YAXUTagMSG@@@Z | 2 |
| ?RAGuiInit@@@YAHXZ | 2 |
| ?RAGuiCleanup@@@YAXXZ | 2 |
| @Dcscrip@Finalization\$qqrv | 2 |
| @Dcaxscrip@Finalization\$qqrv | 2 |
| @Dcapp@Finalization\$qqrv | 2 |
| @Dccdes@Finalization\$qqrv | 2 |
| @Dcparser@Finalization\$qqrv | 2 |
| @Jvstatusbar@initialization\$qqrv | 2 |
| @Jvstatusbar@Finalization\$qqrv | 2 |
| @Series@TPieSeries@ | 2 |
| @Jvmenus@initialization\$qqrv | 2 |
| NdrConformantVaryingArrayFree | 2 |
| ?setHtml@QTextEdit@@@QAEXABVQString@ | 2 |
| ??4QDir@@@QAEAAV0@ABV0@@@Z | 2 |

| | |
|--------------------------------------|---|
| ?current@QDir@@SA?AV1@XZ | 2 |
| ??4QString@@QAEAAV0@ABVQByteArray@ | 2 |
| ?ThreadInit@@YAH@Z | 2 |
| ?SetDebugLevel@@YAXW4PRINT_MODULE@ | 2 |
| ?GetOSVersion@ACStaticNicInfo@@SA?AW | 2 |
| ?m_eOsver@ACStaticNicInfo@@2W4_OSVE | 2 |
| ?FreeMemory@@YAXPAX@Z | 2 |
| IsmGetPropertyData | 2 |
| IsmRegisterCompareCallback | 2 |
| IsmSetOperationOnObjectId | 2 |
| IsmFilterObject | 2 |
| IsmGetPropertyFromObject | 2 |
| IsmRegisterOperationApplyCallback | 2 |
| IsmRegisterOperationFilterCallback | 2 |
| IsmRegisterGlobalFilterCallback | 2 |
| IsmParsedPatternMatch | 2 |
| IsmRegisterRestoreCallback | 2 |
| IsmGetOsVersionInfo | 2 |
| IsmRegisterPhysicalAcquireHook | 2 |
| IsmAddToPhysicalEnum | 2 |
| IsmProhibitPhysicalEnum | 2 |
| IsmGetTempDirectory | 2 |
| IsmRecordOperation | 2 |
| IsmRecordDelayedOperation | 2 |
| IsmRegisterObjectType | 2 |
| IsmIsAttributeSetOnObjectId | 2 |
| IsmSetAttributeOnObjectId | 2 |
| IsmMakePersistentObject | 2 |
| IsmSetOperationOnObject | 2 |
| IsmMakeApplyObject | 2 |
| TrackedIsmGetLongName | 2 |
| IsmGetObjectIDFromName | 2 |
| IsmSetAttributeOnObject | 2 |
| IsmIsObjectHandleNodeOnly | 2 |
| IsmAbandonObjectOnCollision | 2 |
| IsmRegisterOperation | 2 |
| IsmRegisterProperty | 2 |
| IsmGetEnvironmentValue | 2 |
| IsmHookEnumeration | 2 |
| IsmGetEnvironmentString | 2 |
| TrackedIsmCreateObjectPattern | 2 |
| IsmQueueEnumeration | 2 |
| IsmRegisterAttribute | 2 |
| cvGet2D | 2 |
| ?MpHeapCompact@@YAKPAX@Z | 2 |
| ?AlphaBlendBitmaps@CNBitmapUtil@@QA | 2 |
| ?DeleteBitmap@CNBitmapUtil@@QAEPAUI | 2 |

| | |
|--------------------------------------|---|
| ?NLoadBitmap@CNBitmapUtil@@QAEPAUf | 2 |
| ?GetBitmapHeight@CNBitmapUtil@@QAEH | 2 |
| ?GetBitmapWidth@CNBitmapUtil@@QAEH | 2 |
| ?GetBitmapHandle@CNBitmapUtil@@QAEF | 2 |
| ection | 2 |
| rement | 2 |
| deCharToMultiByte | 2 |
| ale | 2 |
| brary | 2 |
| iseException | 2 |
| eExA | 2 |
| ckResource | 2 |
| Resource | 2 |
| obalDeleteAtom | 2 |
| terlockedIncrement | 2 |
| rmatMessageA | 2 |
| ndResourceA | 2 |
| leTimeToLocalFileTime | 2 |
| EventA | 2 |
| mpareStringA | 2 |
| able | 2 |
| ctVisible | 2 |
| ectA | 2 |
| eateCompatibleBitmap | 2 |
| eateBrushIndirect | 2 |
| Message | 2 |
| ateMDISysAccel | 2 |
| Menu | 2 |
| rametersInfoA | 2 |
| owScrollBar | 2 |
| Cursor | 2 |
| ulItemInfoA | 2 |
| adBitmapA | 2 |
| php_body_write | 2 |
| compiler_globals_id | 2 |
| get_zend_version | 2 |
| php_printf | 2 |
| php_fopen_primary_script | 2 |
| php_lint_script | 2 |
| open_file_for_scanning | 2 |
| php_end_ob_buffers | 2 |
| php_get_highlight_struct | 2 |
| zend_highlight | 2 |
| sapi_module | 2 |
| php_register_variable_safe | 2 |
| php_header_write | 2 |
| ?quiet_NaN@?\$numeric_limits@M@std@C | 2 |

| | |
|--|---|
| NdrpGetProcFormatString | 2 |
| GetPrinterDriverExW | 2 |
| SplShutDownRouter | 2 |
| AppendPrinterNotifyInfoData | 2 |
| AdjustPointers | 2 |
| _Z11qt_assert_xPKcS0_SO_i | 2 |
| _ZN6QImageD1Ev | 2 |
| ?glbf_GetDataManager@@YAPAVCDataMar | 2 |
| ?glbf_GetMainFrame@@YAPAVCFrameWnc | 2 |
| ?glbf_LoadLocalResHandle@@YAPAUHINST. | 2 |
| ?glbf_GetSysVersion@@YAXAAUtagVersion | 2 |
| ?DistFrom@point_2d@@QBEMABV1@@Z | 2 |
| ??4point_2d@@QAEAAV0@ABV0@@Z | 2 |
| ??0CSectBezier@@QAE@XZ | 2 |
| ?Copy@CSectBezier@@QAEXPBVpoint_2d@ | 2 |
| ?AddSectToTail@CSectionList@@QAEXPVC | 2 |
| ?Copy@CSectLine2D@@QAEXPBVpoint_2d(| 2 |
| ??0CSectLine2D@@QAE@XZ | 2 |
| ?SetCloseFlag@CSectionList@@QAEXH@Z | 2 |
| ?UpdateBox@CEntity@@QAEXH@Z | 2 |
| ??0CEntGroup@@QAE@XZ | 2 |
| ??0CEntPLine@@QAE@XZ | 2 |
| ?InsertToChildTail@CEntity@@QAEXPVC1@ | 2 |
| ??1CHyperLink@@UAE@XZ | 2 |
| ??0CHyperLink@@QAE@XZ | 2 |
| ?QueryCompressedInteger@BIG_INT@@QE | 2 |
| _ZN11QVectorData11shared_nullE | 2 |
| _ZN11QVectorData4growEiiib | 2 |
| _ZN7QObject9killTimerEi | 2 |
| _ZN7QString17fromLatin1_helperEPKci | 2 |
| _ZN7QString7reallocEv | 2 |
| _ZN8QVariant7handlerE | 2 |
| _ZN8QVariantC1ERK5QRect | 2 |
| _ZNK5QChar7toUpperEv | 2 |
| _ZNK8QVariant8UserTypeEv | 2 |
| _ZNK8QVariant9constDataEv | 2 |
| _ZN11QMessageBoxC1ENS_4IconERK7QString | 2 |
| _ZN11QTextOptionD1Ev | 2 |
| _ZN15QAbstractButton7setIconERK5QIcon | 2 |
| _ZN6QColor13setNamedColorERK7QString | 2 |
| _ZN6QLabel11setWordWrapEb | 2 |
| _ZN7QWidget12grabKeyboardEv | 2 |
| _ZN7QWidget15releaseKeyboardEv | 2 |
| _ZN7QWidget6updateEv | 2 |
| _ZN8QPainter10drawPixmapERK6QRectFRK6QRect | 2 |
| _ZN8QPainter6setPenERK6QColor | 2 |
| _ZN8QPaletteC1Ev | 2 |

| | |
|---------------------------------------|---|
| _ZNK6QLabel4textEv | 2 |
| _ZNK7QPixmap5widthEv | 2 |
| _ZNK7QWidget5winIdEv | 2 |
| _ZNK8QPalette5brushENS_10ColorGroupEN | 2 |
| _ZNK9QKeyEvent9modifiersEv | 2 |
| ?createInstance@ARoot@@UBEPAV1@XZ | 2 |
| ?getDisplayIconID@ARoot@@UBEIXZ | 2 |
| ?getDisplayNameID@ARoot@@UBEIXZ | 2 |
| ?getClassName@ARoot@@UBEABVString(| 2 |
| ?AssertValid@ARoot@@UBEXXZ | 2 |
| ?getVersion@ARoot@@UBEHXZ | 2 |
| ??4AFilePath@@QAEAAV0@ABV0@@@Z | 2 |
| ?exists@AFilePath@@QBEHXZ | 2 |
| ??0AFilePath@@QAE@PBD@Z | 2 |
| ??1AObList@@UAE@XZ | 2 |
| ??0AObList@@QAE@HH@Z | 2 |
| ?deepCopy@ARoot@@UAEHABV1@@Z | 2 |
| ?convertToOutline@ARoot@@UAEPAV1@X | 2 |
| ?shouldConvertToOutline@ARoot@@UBEHI | 2 |
| ??1AFilePath@@QAE@XZ | 2 |
| ??1AMJob@@UAE@XZ | 2 |
| ?flexiSerialize@AMJob@@UAEHAAVAArchiv | 2 |
| ?GetImage@AMJob@@QAEPAVAlImage@@ | 2 |
| ?Flush@AMJob@@QAEXXZ | 2 |
| ?GetFileName@AMJob@@SA?AVAFilePath(| 2 |
| ??0AMJob@@QAE@H@Z | 2 |
| ?Load@AMJob@@QAEHPBD@Z | 2 |
| ?OpenData@AMJob@@QAEXW4EOpenMoc | 2 |
| xmlACatalogAdd | 2 |
| xmlACatalogDump | 2 |
| xmlACatalogRemove | 2 |
| xmlCatalogAdd | 2 |
| xmlCatalogConvert | 2 |
| xmlCatalogDump | 2 |
| xmlCatalogIsEmpty | 2 |
| xmlCatalogRemove | 2 |
| xmlCatalogResolve | 2 |
| xmlCatalogResolvePublic | 2 |
| xmlCatalogResolveSystem | 2 |
| xmlCatalogResolveURI | 2 |
| xmlCatalogSetDebug | 2 |
| xmlLoadCatalog | 2 |
| xmlLoadSGMLSuperCatalog | 2 |
| xmlNewCatalog | 2 |
| KeQueryTickCount | 2 |
| zend_alter_ini_entry | 2 |
| ?IsWriteLocked@CSmallSpinLock@@QBE_N | 2 |

| | |
|--|---|
| ??1ContextManager@DFHack@@QAE@XZ | 2 |
| ??0ContextManager@DFHack@@QAE@V?\$ | 2 |
| ?getSingleContext@ContextManager@DFH@ | 2 |
| ?Attach@Context@DFHack@@QAE_NXZ | 2 |
| __net_Gets | 2 |
| __net_Read | 2 |
| __net_Write | 2 |
| BASS_Encode_Stop | 2 |
| QuerySupportedMedia | 2 |
| QueryLatestFileSystemVersion | 2 |
| FormatEx2 | 2 |
| ComputeFmMediaType | 2 |
| QueryFileSystemName | 2 |
| QueryDeviceInformation | 2 |
| EnableVolumeCompression | 2 |
| QueryDeviceInformationByHandle | 2 |
| SetLabel | 2 |
| BtGetLocalInfo | 2 |
| ?AppendUTF16toUTF8@@YAXPBGAAVnsAC | 2 |
| ??0ns.GetServiceByContractID@@QAE@PBD | 2 |
| ?NS_NewGenericModule2@@YAIPAUUnsMo | 2 |
| ??1nsACString@@QAE@XZ | 2 |
| ?CaptureMouse@Window@@QAEXXZ | 2 |
| ?PixelToLogic@OutputDevice@@QBE?AVPo | 2 |
| ?ShowTracking@Window@@QAEABVRect | 2 |
| ?SetLineColor@OutputDevice@@QAEXXZ | 2 |
| ?SetAccessibleRole@Window@@QAEYG@Z | 2 |
| ?ReleaseMouse@Window@@QAEXXZ | 2 |
| ?HideTracking@Window@@QAEXXZ | 2 |
| ?GetLayoutRTL@AllSettings@@QBEEHZ | 2 |
| ?IsInside@Rectangle@@QBEEABVPoint@@ | 2 |
| ?Justify@Rectangle@@QAEZZ | 2 |
| MonitorNetworks | 2 |
| ?GetValue@ResStringArray@@QBEJK@Z | 2 |
| UnmapViewOfFile | 2 |
| GetSystemDirecto | 2 |
| gimp_drawable_is_indexed | 2 |
| gimp_rgn_iterate1 | 2 |
| CM_InitConMgr | 2 |
| CM_Unlock | 2 |
| CM_DeInitConMgr | 2 |
| @System@StringOfChar\$qqrci | 2 |
| @Graphics@TCanvas@TextRect\$qqrrx11Tyr | 2 |
| @Jvexmask@initialization\$qqrv | 2 |
| @Jvexmask@Finalization\$qqrv | 2 |
| @Jvthemes@initialization\$qqrv | 2 |
| @Jvthemes@Finalization\$qqrv | 2 |

| | |
|--|---|
| @Jvexcontrols@initialization\$qqrv | 2 |
| @Jvexcontrols@Finalization\$qqrv | 2 |
| @Jvtooledit@Finalization\$qqrv | 2 |
| @Jvspeedbutton@initialization\$qqrv | 2 |
| @Jvspeedbutton@Finalization\$qqrv | 2 |
| @Jvexforms@initialization\$qqrv | 2 |
| @Jvexforms@Finalization\$qqrv | 2 |
| @Jvexstdctrls@initialization\$qqrv | 2 |
| @Jvexstdctrls@Finalization\$qqrv | 2 |
| @Jvjvclutils@initialization\$qqrv | 2 |
| @Jvjvclutils@Finalization\$qqrv | 2 |
| @Jvappstorage@initialization\$qqrv | 2 |
| @Jvappstorage@Finalization\$qqrv | 2 |
| @Jclrtti@initialization\$qqrv | 2 |
| @Jvpropertystore@initialization\$qqrv | 2 |
| @Jvpropertystore@Finalization\$qqrv | 2 |
| @Jvprogressutils@initialization\$qqrv | 2 |
| @Jvprogressutils@Finalization\$qqrv | 2 |
| @Jvpickdate@Finalization\$qqrv | 2 |
| @Jvexgrids@initialization\$qqrv | 2 |
| @Jvexgrids@Finalization\$qqrv | 2 |
| @Jvxpcoreutils@Finalization\$qqrv | 2 |
| @Jvexcomctrls@initialization\$qqrv | 2 |
| @Jvexcomctrls@Finalization\$qqrv | 2 |
| @Jclunicode@Finalization\$qqrv | 2 |
| ldap_bind_sW | 2 |
| ?_LockSpin@CSpinLock@@AAEXXZ | 2 |
| BASS_ChannelPlay | 2 |
| BASS_MusicFree | 2 |
| @Db@TIntegerField@Set.MaxValue\$qqri | 2 |
| @Db@TField@Set.Display.Width\$qqri | 2 |
| @Cxspinedit@TcxSpinEdit@ | 2 |
| @Cxcalendar@TcxCustomDateEdit@Set.Date | 2 |
| @Cxcalendar@TcxCustomDateEdit@Get.Date | 2 |
| @Cxcalendar@TcxDateEdit@ | 2 |
| @Kbmmemtable@TkbmCustomMemTable@ | 2 |
| ??0money_base@std@@QAE@I@Z | 2 |
| ?decimal_point@?\$_Mpunct@G@std@@Q | 2 |
| ??0domain_error@std@@QAE@ABV01@@A | 2 |
| ?assign@?\$char_traits@G@std@@SAPAGP | 2 |
| ?_Move_s@?\$char_traits@G@std@@SAPA | 2 |
| ?_Copy_s@?\$char_traits@G@std@@SAPAC | 2 |
| ?allocate@?\$allocator@G@std@@QAE | 2 |
| PacketGetStats | 2 |
| RegisterISAPIEx | 2 |
| RegisterISAPI | 2 |
| ListAspnetInstalledVersions | 2 |

| | |
|--------------------------------|-------|
| ListAspnetInstalledIISKeys | 2 |
| ValidateIISPath | 2 |
| RemoveAspnetFromIISKey | 2 |
| RemoveClientScriptFiles | 2 |
| CopyClientScriptFiles | 2 |
| GetExistingVersion | 2 |
| UnregisterISAPI | 2 |
| IoWMIOpenBlock | 2 |
| NdisInterlockedInsertTailList | 2 |
| SHTestTokenMembership | 2 |
| NdrEncapsulatedUnionUnmarshall | 2 |
| NdrRpcSsEnableAllocate | 2 |
| NdrTypeFree | 2 |
| __6EB3EB3A16 | 2 |
| __6CFFFFD72C1 | 2 |
| __EDDB995E5 | 2 |
| __97608B9F1E1 | 2 |
| __1628DB99D52 | 2 |
| F91 | 2 |
| __BD16489FF91 | 2 |
| | 4666 |
| DB3 | 2 |
| __ED9B978FDB3 | 2 |
| __899BD348722 | 2 |
| ?__60C720A506 | 2 |
| D5 | 2 |
| 2A1 | 2 |
| EB3 | 2 |
| __2A74C54E7 | 2 |
| 2C1 | 2 |
| 9D3 | 2 |
| 28B91 | 2 |
| 2C3 | 2 |
| B5 | 2 |
| 46AB3 | 2 |
| F5622 | 2 |
| 0A912 | 2 |
| E32 | 2 |
| 64A52 | 2 |
| | 581 |
| 228D1 | 2 |
| E97C3 | 2 |
| | 46262 |
| 8B1 | 2 |
| | 62 |
| DFBD1 | 2 |
| D72 | 2 |

| | |
|---------------|----|
| B3891 | 2 |
| 7A1 | 2 |
| __E1850E9BFF3 | 2 |
| ?_02C5602A3A3 | 2 |
| 5C1 | 2 |
| D52 | 2 |
| | 66 |
| 468B3 | 2 |
| __F7C7AFB7CB1 | 2 |
| O_46A7A16604 | 2 |
| C_3266689FB91 | 2 |
| M_0AF3C99B7A1 | 2 |
| U_0A544A97683 | 2 |
| F_0E1EDF5C54 | 2 |
| C_60C9BB9F583 | 2 |
| W_A7224E9DF3 | 2 |
| T_30622E5C122 | 2 |
| C_F95CFB5CFD1 | 2 |
| G_9991A3606C3 | 2 |
| G_BB52E3EBF5 | 2 |
| F_502A9FFF183 | 2 |
| L_0AFB5008DD1 | 2 |
| S_DB720C97C7 | 2 |
| L_C7044832662 | 2 |
| M_6870ED38D12 | 2 |
| W_DD74AD5836 | 2 |
| G_7083EBF5442 | 2 |
| D_460A9993ED | 2 |
| E_3CD34A1A9B1 | 2 |
| G_91CD38FB581 | 2 |
| G_566481E304 | 2 |
| G_1264EB5AF12 | 2 |
| A_7E91EB5C7 | 2 |
| 1_18D930E916 | 2 |
| G_F1AD93E3E91 | 2 |
| C_6CD12C93EF3 | 2 |
| w_8FD34CD9B5 | 2 |
| O_66CDD381C72 | 2 |
| R_60A10A936E3 | 2 |
| R_06E3ADD5 | 2 |
| E_B7C18F56E7 | 2 |
| O_7E5EFDD744 | 2 |
| A_068D18702E3 | 2 |
| O_AD7CF3E16 | 2 |
| L_D32040EB54 | 2 |
| R_10895C1EF91 | 2 |
| S_246624CD142 | 2 |

| | |
|--------------------------------------|---|
| R_44068976EB3 | 2 |
| S_C5C1660A322 | 2 |
| S_B3CDDF74A12 | 2 |
| R_A9BFFD566A | 2 |
| C_A1CB12A70E3 | 2 |
| D_54A9DD126A3 | 2 |
| O_D56810E99F1 | 2 |
| C_2CF120E364 | 2 |
| C_0408342CF12 | 2 |
| C_F93662ED991 | 2 |
| R_7C1E95A9B52 | 2 |
| G_CD52E324642 | 2 |
| R_C5428B16E7 | 2 |
| 1_000A54C7062 | 2 |
| R_28F34C3CF1 | 2 |
| S_7ED5E70442 | 2 |
| W_DF930AB76E3 | 2 |
| W_89546C9D1A1 | 2 |
| G_18B7AF768D3 | 2 |
| E_D74ADF5A14 | 2 |
| E_3C7E5CD7AF3 | 2 |
| @\$xp\$6Double | 2 |
| FaxGetConfigurationA | 2 |
| ?OnKeyUp@WWindow@@UAEXIJ@Z | 2 |
| ?OnPaint@WWindow@@UAEXXZ | 2 |
| ?OnCreate@WWindow@@UAEXXZ | 2 |
| ?OnDrawItem@WWindow@@UAEXPATag | 2 |
| ?OnMeasureItem@WWindow@@UAEXPATU | 2 |
| ?OnEnterIdle@WWindow@@UAEXXZ | 2 |
| ?OnMouseEnter@WWindow@@UAEXXZ | 2 |
| ?OnMouseLeave@WWindow@@UAEXXZ | 2 |
| ?OnMouseHover@WWindow@@UAEXXZ | 2 |
| ?OnTimer@WWindow@@UAEXXZ | 2 |
| ?OnReleaseCapture@WWindow@@UAEXXZ | 2 |
| ?OnMdiActivate@WWindow@@UAEXH@Z | 2 |
| ?OnMouseMove@WWindow@@UAEXKUFF | 2 |
| ?OnLeftButtonDown@WWindow@@UAEXX | 2 |
| ?OnLeftButtonDoubleClick@WWindow@@@l | 2 |
| ?OnMiddleButtonDoubleClick@WWindow@ | 2 |
| ?OnRightButtonDoubleClick@WWindow@@ | 2 |
| ?OnRightButtonDown@WWindow@@UAEX | 2 |
| ?OnInitDialog@WWizardDialog@@UAEXXZ | 2 |
| ?OnRightButtonUp@WWindow@@UAEXXZ | 2 |
| ?OnFinishSplitterDrag@WWindow@@UAEX | 2 |
| ?OnSetCursor@WWindow@@UAEHXZ | 2 |
| ?OnClose@WWizardDialog@@UAEHXZ | 2 |
| ?OnDestroy@WWizardDialog@@UAEXXZ | 2 |

| | |
|---------------------------------------|---|
| ?MyDrawEdge@WWindow@@UAEXPBGA | 2 |
| ?DoModal@WDialog@@UAEHPAUHINSTAN | 2 |
| ?LocalizeText@WDialog@@UAEXPBG0@Z | 2 |
| ?Advance@WWizardDialog@@UAEXPBV\ | 2 |
| ?RefreshPage@WWizardDialog@@UAEXXZ | 2 |
| ?OnBack@WWizardDialog@@UAEXXZ | 2 |
| ?OnNext@WWizardDialog@@UAEXXZ | 2 |
| ?OnFinish@WWizardDialog@@UAEXXZ | 2 |
| ?OnCancel@WWizardDialog@@UAEXXZ | 2 |
| ??0FWindowsBitmap@@QAE@H@Z | 2 |
| ?LoadFile@FWindowsBitmap@@QAEHPBG(| 2 |
| ?OnCancel@WWizardPage@@UAEXXZ | 2 |
| ?GetShow@WWizardPage@@UAEHXZ | 2 |
| ?GetCancelText@WWizardPage@@UAEPBC | 2 |
| ?GetFinishText@WWizardPage@@UAEPBG\ | 2 |
| ?GetBitmapHandle@FWindowsBitmap@@C | 2 |
| ??1FWindowsBitmap@@QAE@XZ | 2 |
| ?GetBackText@WWizardPage@@UAEPBGX: | 2 |
| ?OnCurrent@WWizardPage@@UAEXXZ | 2 |
| ?OnDestroy@WWindow@@UAEXXZ | 2 |
| ?OnHScroll@WWindow@@UAEXIJ@Z | 2 |
| ??1WButton@@UAE@XZ | 2 |
| ??1WWizardPage@@UAE@XZ | 2 |
| ??0WButton@@QAE@PAVWWindow@@H\ | 2 |
| ??0FDelegate@@QAE@PAVCommandTarg | 2 |
| ??0WWizardPage@@QAE@PBGHPAVWWiz | 2 |
| ?OnInitDialog@WDialog@@UAEXXZ | 2 |
| ?EndDialog@WDialog@@QAEXH@Z | 2 |
| ??1WCrashBoxDialog@@UAE@XZ | 2 |
| ?hInstanceWindow@@3PAUHINSTANCE__C | 2 |
| ??0WCrashBoxDialog@@QAE@PBG0@Z | 2 |
| ?GetNext@WWizardPage@@UAEPBV1@XZ | 2 |
| ??1WCoolButton@@UAE@XZ | 2 |
| ??0WCoolButton@@QAE@PAVWWindow@ | 2 |
| ?GetRoot@WConfigProperties@@UAEPVF | 2 |
| ?GetWindowClassName@WConfigPropertie | 2 |
| ?GetPackageName@WConfigProperties@@ | 2 |
| ?Show@WWindow@@UAEXH@Z | 2 |
| ?ExpandAll@WProperties@@UAEXXZ | 2 |
| ?SetValue@WProperties@@UAEXPBG@Z | 2 |
| ?BeginSplitterDrag@WProperties@@UAEXX | 2 |
| ?ForceRefresh@WProperties@@UAEXXZ | 2 |
| ?SetItemFocus@WProperties@@UAEXH@Z | 2 |
| ?ResizeList@WProperties@@UAEXXZ | 2 |
| ?GetDividerWidth@WProperties@@UAEHX | 2 |
| ?GetRoot@WObjectProperties@@UAEPVF | 2 |
| ?OnDestroy@WProperties@@UAEXXZ | 2 |

| | |
|---------------------------------------|---|
| ?OnSetCursor@WProperties@@UAEHXZ | 2 |
| ?OnFinishSplitterDrag@WProperties@@UA | 2 |
| ?OnInitDialog@WWindow@@UAEXXZ | 2 |
| ?OnPaint@WProperties@@UAEXXZ | 2 |
| ?OnActivate@WProperties@@UAEXH@Z | 2 |
| ?OnSize@WProperties@@UAEXKHH@Z | 2 |
| ?CallDefaultProc@WWindow@@UAEHIIJ@Z | 2 |
| ?GetWindowClassName@WObjectPropertie | 2 |
| ?DoDestroy@WProperties@@UAEXXZ | 2 |
| ?GetPackageName@WObjectProperties@@ | 2 |
| ?Serialize@WProperties@@UAEXAAVFArch | 2 |
| ?Show@WObjectProperties@@UAEXH@Z | 2 |
| ?SetNotifyHook@WWindow@@QAEXPAPF | 2 |
| ??0WConfigProperties@@QAE@VFName@ | 2 |
| ?OpenWindow@WProperties@@QAEXPAPU | 2 |
| ??0WObjectProperties@@QAE@VFName@ | 2 |
| ?ScrollCaret@WEdit@@QAEXXZ | 2 |
| ?GLogWindow@@3PAVWLog@@A | 2 |
| ?OnVScroll@WWindow@@UAEXIJ@Z | 2 |
| ?OnEraseBkgnd@WWindow@@UAEHXZ | 2 |
| ?OnUndo@WWindow@@UAEXXZ | 2 |
| ?OnShowWindow@WWindow@@UAEXH@ | 2 |
| ?OnPaste@WWindow@@UAEXXZ | 2 |
| ?OnCopy@WWindow@@UAEXXZ | 2 |
| ?OnCut@WWindow@@UAEXXZ | 2 |
| ?OnKeyDown@WWindow@@UAEXG@Z | 2 |
| ?OnChar@WWindow@@UAEXG@Z | 2 |
| ?OnActivate@WWindow@@UAEXH@Z | 2 |
| ?OnSysCommand@WWindow@@UAEH@ | 2 |
| ?OnCommand@WWindow@@UAEXH@Z | 2 |
| ?OnMove@WWindow@@UAEXH@Z | 2 |
| ?OnWindowPosChanging@WWindow@@U | 2 |
| ?OnSize@WWindow@@UAEXKHH@Z | 2 |
| ?OnKillFocus@WWindow@@UAEXPAPUHW | 2 |
| ?OnSetFocus@WWindow@@UAEXPAPUHW | 2 |
| ?OnCopyData@WWindow@@UAEXPAPUHW | 2 |
| ?GetLength@WWindow@@UAEHXZ | 2 |
| ?SetText@WWindow@@UAEXPBG@Z | 2 |
| ?GetText@WWindow@@UAE?AVFString@C | 2 |
| ?InterceptControlCommand@WWindow@C | 2 |
| ?CallDefaultProc@WDialog@@UAEHIIJ@Z | 2 |
| ?WndProc@WWindow@@UAEJIIJ@Z | 2 |
| ?DoDestroy@WWindow@@UAEXXZ | 2 |
| ?Serialize@WWindow@@UAEXAAVFArchiv | 2 |
| ?Show@WDialog@@UAEXH@Z | 2 |
| ?Unused@FCommandTarget@@UAEXXZ | 2 |
| ??1WWizardDialog@@UAE@XZ | 2 |

| | |
|--------------------------------------|---|
| ??1WLabel@@UAE@XZ | 2 |
| ??0WLabel@@QAE@PAVWindow@@HP{ | 2 |
| ?MaybeDestroy@WWindow@@QAEXXZ | 2 |
| ??0WWizardDialog@@QAE@XZ | 2 |
| ?OnClose@WWindow@@UAEHXZ | 2 |
| ??BWindow@@QBEPAUHWND__@@XZ | 2 |
| ??1WObjectProperties@@UAE@XZ | 2 |
| ??1WConfigProperties@@UAE@XZ | 2 |
| ?SetExec@WTerminal@@QAEXPVFExec@I | 2 |
| ?Paste@WTerminal@@UAEXXZ | 2 |
| ?TypeChar@WTerminal@@UAEXG@Z | 2 |
| ?OnDestroy@WLog@@UAEXXZ | 2 |
| ?OnClose@WLog@@UAEHXZ | 2 |
| ?OnCreate@WLog@@UAEXXZ | 2 |
| ?OnShowWindow@WLog@@UAEXH@Z | 2 |
| ?OnCommand@WLog@@UAEXH@Z | 2 |
| ?OnSize@WTerminal@@UAEXKHH@Z | 2 |
| ?OnSetFont@WTerminal@@UAEXPFAUHW | 2 |
| ?OnCopyData@WLog@@UAEXPFAUHWND_ | 2 |
| ?SetText@WLog@@UAEXPBG@Z | 2 |
| ?WndProc@WLog@@UAEJIIJ@Z | 2 |
| ?GetWindowClassName@WLog@@UAEXP@ | 2 |
| ?GetPackageName@WLog@@UAEPBGXZ | 2 |
| ?OpenWindow@WLog@@QAEXHH@Z | 2 |
| ??0WLog@@QAE@PBGAAPAVFArchive@@ | 2 |
| ?InitWindowing@@YAXXZ | 2 |
| ??1WLog@@UAE@XZ | 2 |
| ?OnLeftButtonUp@WWindow@@UAEXXZ | 2 |
| ?IsChildOf@UStruct@@QBEHPBV1@@Z | 2 |
| ?GLogHook@@3PAVFOutputDevice@@A | 2 |
| ??0FOutputDevice@@QAE@XZ | 2 |
| ?GPageSize@@3KA | 2 |
| ??0FAlloc@@QAE@XZ | 2 |
| ?GIIsRunning@@3HA | 2 |
| ?GIIsRequestingExit@@3HA | 2 |
| ?OFExec@@QAE@XZ | 2 |
| ?OFNotifyHook@@QAE@XZ | 2 |
| ?NotifyPreChange@FNotifyHook@@UAEXP_ | 2 |
| ?NotifyPostChange@FNotifyHook@@UAEXF | 2 |
| ?NotifyExec@FNotifyHook@@UAEXPAXPBG | 2 |
| ?GMalloc@@3PAVFMalloc@@A | 2 |
| ?GCRCTable@@3PAKA | 2 |
| ??YFString@@QAEAAV0@PBG@Z | 2 |
| ?appInit@@YAXPBG0PAVFMalloc@@PAVFC | 2 |
| ?GIIsServer@@3HA | 2 |
| ?GIIsScriptable@@3HA | 2 |
| ?GLazyLoad@@3HA | 2 |

| | |
|--|---|
| ?appPreExit@@YAXXZ | 2 |
| ?appExit@@YAXXZ | 2 |
| ?Log@FOutputDevice@@QAEXW4EName@ | 2 |
| ?GIni@@3PAGA | 2 |
| ??HFString@@QAE?AV0@ABV0@@Z | 2 |
| ?appStrcmp@@YAHPBG0@Z | 2 |
| ?appStrstr@@YAPAGPBG0@Z | 2 |
| ??8FString@@QBEHABV0@@Z | 2 |
| ??8FString@@QBEHPBG@Z | 2 |
| ?Log@FOutputDevice@@QAEXPBG@Z | 2 |
| ?appAtof@@YAMPBG@Z | 2 |
| ?appStaticString1024@@YAPAGXZ | 2 |
| ??OFArray@@IAE@HH@Z | 2 |
| ?winGetSizeUNICODE@@YAHPB@Z | 2 |
| ?winToUNICODE@@YAPAGPAGPBDH@Z | 2 |
| ?Empty@FArray@@QAEXHH@Z | 2 |
| ??DFString@@QBE?AV0@PBG@Z | 2 |
| ??DFString@@QBE?AV0@ABV0@@Z | 2 |
| ?GetPathName@UObject@@QBEPBGP@V1(| 2 |
| ?LeftChop@FString@@QBE?AV1@H@Z | 2 |
| ?appSystemTime@@YAXAAH0000000@Z | 2 |
| ?GMachineVideo@@3PAGA | 2 |
| ?GMachineCPU@@3PAGA | 2 |
| ?GMachineOS@@3PAGA | 2 |
| ?GBuildLabel@@3PAGA | 2 |
| ??OFString@@QAE@ABV0@@Z | 2 |
| ??YFString@@QAEAAV0@ABV0@@Z | 2 |
| ?Parse@@YAHPBG0AAM@Z | 2 |
| ?appRand@@YAHXZ | 2 |
| ?appLoadFileToString@@YAHAAVFString@() | 2 |
| ?GWindowManager@@3PAVUSubsystem@ | 2 |
| ?appSleep@@YAXM@Z | 2 |
| ?GScriptCycles@@3HA | 2 |
| ?Parse@@YAHPBG0AAH@Z | 2 |
| ?GIIsBenchmarking@@3HA | 2 |
| ?appRandInit@@YAXH@Z | 2 |
| ?GetOuter@UObject@@QBEP@V1@XZ | 2 |
| ?appMsgf@@YA?BHPBGZZ | 2 |
| ?GExec@@3PAVFExec@@A | 2 |
| ?appAtoi@@YAHPBG@Z | 2 |
| ?Printf@FString@@SA?AV1@PBGZZ | 2 |
| ?Parse@@YAHPBG0AAVFString@@@Z | 2 |
| ??OFName@@QAE@W4EName@@@Z | 2 |
| ?appStrfind@@YAPBGPBG0@Z | 2 |
| ?appSqrt@@YANN@Z | 2 |
| ?ParseCommand@@YAHPAPBGPBG@Z | 2 |
| ?StaticClass@UClass@@SAPAV1@XZ | 2 |

| | |
|---------------------------------------|---|
| ?ParseObject@@YAHPBG0PAVUClass@@@A | 2 |
| ?GetDefaultActor@UClass@@QAEPAVAAAct | 2 |
| ??0FName@@QAE@PBGW4EFindName@@ | 2 |
| ?StaticLoadObject@UObject@@SAPAV1@P | 2 |
| ?ExportToOutputDevice@UExporter@@SAX | 2 |
| ?appClipboardCopy@@YAXPBG@Z | 2 |
| ?GetDefaultObject@UClass@@QAEPAVUOlk | 2 |
| ??0FName@@QAE@XZ | 2 |
| ?Parse@@YAHPBG0AAVFName@@@Z | 2 |
| ?GetName@UObject@@QBEPBGXZ | 2 |
| ??DFName@@QBEPBGXZ | 2 |
| ?LocalizeGeneral@@YAPBGPBDPBG1@Z | 2 |
| ??1FArray@@QAE@XZ | 2 |
| ?StaticClass@UPackage@@SAPAVUClass@() | 2 |
| ?Remove@FArray@@QAEXHHH@Z | 2 |
| ?GUserIni@@3PAGA | 2 |
| ?TotalSize@FArchive@@UAEHXZ | 2 |
| ?Precache@FArchive@@UAEXH@Z | 2 |
| ??0FArchive@@QAE@XZ | 2 |
| ??1FArchive@@UAE@XZ | 2 |
| ?SerializeBits@FArchive@@UAEXPAXH@Z | 2 |
| ?SerializeInt@FArchive@@UAEXAAKK@Z | 2 |
| ?Preload@FArchive@@UAEXPAVUObject@ | 2 |
| ?CountBytes@FArchive@@UAEXKK@Z | 2 |
| ??6FArchive@@UAEAAV0@AAPAVUObject@ | 2 |
| ??6FArchive@@UAEAAV0@AAVFName@@ | 2 |
| ?MapName@FArchive@@UAEHPAVFName@ | 2 |
| ?MapObject@FArchive@@UAEHPAVUObjec | 2 |
| ?AtEnd@FArchive@@UAEHXZ | 2 |
| ?AtStopper@FArchive@@UAEHXZ | 2 |
| ?SetStopper@FArchive@@UAEXH@Z | 2 |
| ?AttachLazyLoader@FArchive@@UAEXPAVF | 2 |
| ?DetachLazyLoader@FArchive@@UAEXPAV | 2 |
| ?Flush@FArchive@@UAEXXZ | 2 |
| ?GetError@FArchive@@UAEHXZ | 2 |
| ?appStrchr@@YAPAGPBGH@Z | 2 |
| ??4FString@@QAEAAV0@ABV0@@@Z | 2 |
| ?IsError@FArchive@@QAEHXZ | 2 |
| ?IsA@UObject@@QBEHPAVUClass@@@Z | 2 |
| ??4FString@@QAEAAV0@PBG@Z | 2 |
| ?ParseParam@@YAHPBG0@Z | 2 |
| GIsSSE | 2 |
| ?Logf@FOutputDevice@@QAAXPBGZZ | 2 |
| ?appPackage@@YAPBGXZ | 2 |
| ?GetTransientPackage@UObject@@SAPAVI | 2 |
| ?GError@@3PAVFOoutputDeviceError@@A | 2 |
| ?StaticConstructObject@UObject@@SAPAV | 2 |

| | |
|---------------------------------------|---|
| ?StaticLoadClass@UObject@@SAPAVUClass | 2 |
| ??0FArray@@QAE@XZ | 2 |
| ?Add@FArray@@QAEHHH@Z | 2 |
| ??0FileManager@@QAE@XZ | 2 |
| ?Init@FFileManager@@UAEXH@Z | 2 |
| ?CalcHomeDir@FFileManager@@UAEPBGX | 2 |
| ?GObjObjects@UObject@@0V?\$TArray@P | 2 |
| ?GIslsSlowTask@@3HA | 2 |
| ?appGetVarArgs@@YAHPPAGHAAAPBG@Z | 2 |
| ??0FFeedbackContext@@QAE@XZ | 2 |
| ?GIlsClient@@3HA | 2 |
| ?GIlsEditor@@3HA | 2 |
| ?GIlsStarted@@3HA | 2 |
| ?GConfig@@3PAVFConfigCache@@A | 2 |
| ?LocalizeError@@YAPBGPBG00@Z | 2 |
| ?GLog@@3PAVFOOutputDevice@@A | 2 |
| ?appGetSystemErrorMessage@@YAPBGH@ | 2 |
| ?StaticShutdownAfterError@UObject@@SA | 2 |
| ?GErrorHist@@3PAGA | 2 |
| ?appStrncpy@@YAPAGPAGPBGH@Z | 2 |
| ?appStrncat@@YAPAGPAGPBGH@Z | 2 |
| ?GIlsGuarded@@3HA | 2 |
| ?LocalizeError@@YAPBGPBDPBG1@Z | 2 |
| ?appRequestExit@@YAXH@Z | 2 |
| ??0FOOutputDeviceError@@QAE@XZ | 2 |
| ?Flush@FOOutputDevice@@UAEXXZ | 2 |
| ?GIlsCriticalError@@3HA | 2 |
| ?SafeSuppressed@FName@@SAHW4ENam | 2 |
| ?appCmdLine@@YAPBGXZ | 2 |
| ?Parse@@YAHPBG0PAGH@Z | 2 |
| ?appStrcat@@YAPAGPAGPBG@Z | 2 |
| ?GNull@@3PAVFOOutputDevice@@A | 2 |
| ?appTimestamp@@YAPBGXZ | 2 |
| ?Logf@FOOutputDevice@@QAAXW4ENam@ | 2 |
| ?SafeString@FName@@SAPBGW4ENam@ | 2 |
| ?appUnwindf@@YAXPBGZZ | 2 |
| ?GUnicodeOS@@3HA | 2 |
| ?appFailAssert@@YAXPBDOH@Z | 2 |
| ?appStricmp@@YAHPBG0@Z | 2 |
| ?appStrlen@@YAHPBG@Z | 2 |
| ?appFromAnsi@@YAPBGPBDPAG@Z | 2 |
| ?appStrncpy@@YAPAGPAGPBG@Z | 2 |
| ??1FString@@QAE@XZ | 2 |
| ??0FString@@QAE@XZ | 2 |
| ??DFString@@QBEPBGXZ | 2 |
| ?GSecondsPerCycle@@3NA | 2 |
| ?LocalizeGeneral@@YAPBGPBG00@Z | 2 |

| | |
|--|---|
| ?winToANSI@@YAPADPADPBGH@Z | 2 |
| ?winGetSizeANSI@@YAHPBG@Z | 2 |
| ?appBaseDir@@YAPBGXZ | 2 |
| ?GFileManager@@3PAVFileManager@@A | 2 |
| ??HFString@@QAE?AV0@PBG@Z | 2 |
| ??OFString@@QAE@PBG@Z | 2 |
| ?appSprintf@@YAHPAGPBGZZ | 2 |
| ?StaticClass@AActor@@SAPAVUClass@@X | 2 |
| ?GetLevel@AActor@@QBEPAVULevel@@X | 2 |
| ?StaticClass@UGameEngine@@SAPAVUClass | 2 |
| ?StaticClass@UEngine@@SAPAVUClass@@ | 2 |
| ?GEngineStats@@3VFEngineStats@@A | 2 |
| ?Clear@FStats@@QAEXXZ | 2 |
| ?GStats@@3VFStats@@A | 2 |
| ?StaticClass@URenderDevice@@SAPAVUCl | 2 |
| ?UpdateString@FStats@@QAEXAAVFString(| 2 |
| ?First@CDoubleList@@QBEQAVCListEntry@ | 2 |
| ??9std@@YA_NABV?\$complex@O@0@0@0@ | 2 |
| EapHostPeerFreeMemory | 2 |
| EapHostPeerInvokeInteractiveUI | 2 |
| EapHostPeerGetMethods | 2 |
| EapHostPeerFreeErrorMemory | 2 |
| EapHostPeerGetSendPacket | 2 |
| EapHostPeerGetUIContext | 2 |
| EapHostPeerProcessReceivedPacket | 2 |
| EapHostPeerBeginSession | 2 |
| EapHostPeerSetResponseAttributes | 2 |
| EapHostPeerGetResult | 2 |
| EapHostPeerSetUIContext | 2 |
| EapHostPeerFreeEapError | 2 |
| EapHostPeerInitialize | 2 |
| EapHostPeerClearConnection | 2 |
| EapHostPeerGetAuthStatus | 2 |
| EapHostPeerEndSession | 2 |
| EapHostPeerUninitialize | 2 |
| EapHostPeerGetResponseAttributes | 2 |
| DDCS_Init@12 | 2 |
| DDCS_Uninit@4 | 2 |
| DDCS_Leave@4 | 2 |
| DDCS_Enter@4 | 2 |
| HrCallGetLastError@20 | 2 |
| HrRunFnOnThreadAsync@16 | 2 |
| rtcFormatNumber | 2 |
| ?QueryVirtualScopeList@CiStorage@@QAEF | 2 |
| ??1QMovie@@UAE@XZ | 2 |
| ?qt_metacall@QMovie@@UAEHW4Call@Q | 2 |
| ?qt_metacast@QMovie@@UAEPAXPBD@Z | 2 |

| | |
|--|---|
| ?metaObject@QMovie@@UBEPBUQMetaO | 2 |
| ??0QMovie@@QAE@ABVQString@@ABVQ | 2 |
| ?setMovie@QLabel@@QAEXP_AVQMovie@1 | 2 |
| ?start@QMovie@@QAEXXZ | 2 |
| ?setInterval@ QTimer @@ QAEXH@Z | 2 |
| ?start@ QTimer @@ QAEXXZ | 2 |
| ?setupChildProcess@ QProcess @@ MAEXXZ | 2 |
| ?writeData@ QProcess @@ MAE_JPBD_J@Z | 2 |
| ?readData@ QProcess @@ MAE_JPAD_J@Z | 2 |
| ?waitForBytesWritten@ QProcess @@ UAE_N | 2 |
| ?waitForReadyRead@ QProcess @@ UAE_NH | 2 |
| ?canReadLine@ QProcess @@ UBE_NXZ | 2 |
| ?bytesToWrite@ QProcess @@ UBE_JXZ | 2 |
| ?bytesAvailable@ QProcess @@ UBE_JXZ | 2 |
| ?atEnd@ QProcess @@ UBE_NXZ | 2 |
| ?close@ QProcess @@ UAEXXZ | 2 |
| ?isSequential@ QProcess @@ UBE_NXZ | 2 |
| ?qt_metacall@ QProcess @@ UAEHW4Call@1 | 2 |
| ?qt_metacast@ QProcess @@ UAEPAXPBD@: | 2 |
| ?metaObject@ QProcess @@ UBEPBUQMeta | 2 |
| WriteBlobMSBLong | 2 |
| _ZN14QWaitCondition4waitEP6QMutexm | 2 |
| _ZN14QWaitCondition7wakeAllEv | 2 |
| _ZN7QThread6msleepEm | 2 |
| ??_7?\$collate@G@std@@@6B@ | 2 |
| ?GetSystemWindow@ Window @@ QBEPAVS | 2 |
| HttpGetCounters | 2 |
| ?GetDescriptionLine@ CNeroError @@ UBEHI | 2 |
| ?GetDescriptionLine@ CNeroError @@ UBEHI | 2 |
| ?GetThreadName@ CNeroError @@ UBEPBD) | 2 |
| ??0C NeroError@ @IAE@ PBDHH@Z | 2 |
| ?GetDescriptionLine@ CNeroError @@ UBEHI | 2 |
| ?GetErrorFile@ CNeroError @@ UBEPBDXZ | 2 |
| ldap_dn2ufn | 2 |
| SendRenameMsg | 2 |
| rtl_ustr_hashCode | 2 |
| rtl_uString_getLength | 2 |
| rtl_registerModuleForUnloading | 2 |
| gimp_rgb_to_hsv | 2 |
| JS_BeginRequest | 2 |
| JS_InitStandardClasses | 2 |
| JS_SetErrorReporter | 2 |
| JS_EvaluateScript | 2 |
| JS_NewContext | 2 |
| JS_MaybeGC | 2 |
| JS_FinalizeStub | 2 |
| JS_EndRequest | 2 |

| | |
|---|---|
| JS_DestroyContext | 2 |
| JS_NewObject | 2 |
| ?CopyUTF16toUTF8@@YAXABVnsAString_ir | 2 |
| ?RFindChar@nsCString@@QBEHGHH@Z | 2 |
| ?FindChar@nsCSubstring@@QBEHDI@Z | 2 |
| ??1CLKRLinearHashTable@@QAE@XZ | 2 |
| ?TryWriteLock@CFakeLock@@QAE_NXZ | 2 |
| ?GetDefaultSpinCount@CReaderWriterLock | 2 |
| phoneSetVolume | 2 |
| LocWizardDlgProc | 2 |
| lineSetCallParams | 2 |
| lineConfigProvider | 2 |
| sqlite3_bind_parameter_index | 2 |
| sqlite3_column_decltype | 2 |
| ?DWordToStringW@Convert@Util@@YA?A | 2 |
| ?EnableShareRatePolicy@CP2PDownload@(| 2 |
| ?StringToDWordW@Convert@Util@@YA_N | 2 |
| ?GetAbsURL@INetURLObject@@SA?AVOUS | 2 |
| ?create@Content@ucbhelper@@SAEABVOI | 2 |
| ?IsFolder@UCBContentHelper@utl@@SAEA | 2 |
| ??0OStreamWrapper@utl@@QAE@AAVSvS | 2 |
| ?acquire@?\$ImplInheritanceHelper3@VOSe | 2 |
| ?release@?\$ImplInheritanceHelper3@VOSe | 2 |
| ??1?\$ImplInheritanceHelper1@VOInputStre | 2 |
| ??1OSeekableInputStreamWrapper@utl@@ | 2 |
| ??1?\$ImplInheritanceHelper3@VOSeekableI | 2 |
| ?queryInterface@?\$ImplInheritanceHelper3 | 2 |
| I_RpcNsGetBuffer | 2 |
| ulcCheckLegality | 2 |
| ulcErrMessage | 2 |
| GetModuleInfo | 2 |
| ulcGenerate | 2 |
| ulDocfnInitTitleMgr | 2 |
| ??0CHerDoc@@QAE@PAUIUnknown@@@ | 2 |
| ?fnUrlInit@CHerDoc@@SAHXZ | 2 |
| ?GetRuntimeClass@CHerDoc@@UBEPAUCF | 2 |
| ?Serialize@CHerDoc@@UAEXAAVCArchive(| 2 |
| ?GetMessageMap@CHerDoc@@MBEPBUAf | 2 |
| ?SetPathName@CHerDoc@@UAEXPBDH@Z | 2 |
| ?IsModified@CHerDoc@@UAEHXZ | 2 |
| ulDocfnInitFilterMgr | 2 |
| ?DeleteContents@CHerDoc@@UAEXXZ | 2 |
| ?OnNewDocument@CHerDoc@@UAEHXZ | 2 |
| ?OnOpenDocument@CHerDoc@@UAEPBFI | 2 |
| ?OnSaveDocument@CHerDoc@@UAEPBDF | 2 |
| ?OnIdle@CHerDoc@@UAEXXZ | 2 |
| ?ReportSaveLoadException@CHerDoc@@U | 2 |

| | |
|--|---|
| ??1CHerDoc@@UAE@XZ | 2 |
| ulDocfnUnInitFilterMgr | 2 |
| ?SetModifiedFlag@CHerDoc@@UAEXH@Z | 2 |
| ulDocfnUnInitTitleMgr | 2 |
| ?fnUrUninit@CHerDoc@@SAHXZ | 2 |
| uVideoExit | 2 |
| uVideoInit2 | 2 |
| gfnInitDrawingTool | 2 |
| gfnUninitDrawingTool | 2 |
| R1 | 2 |
| S1 | 2 |
| T1 | 2 |
| X | 2 |
| L | 2 |
| H | 2 |
| F | 2 |
| D | 2 |
| B | 2 |
| K | 2 |
| Q1 | 2 |
| InitUFCCOLOR | 2 |
| ExitUFCCOLOR | 2 |
| ?tmtgInit@@YAHXZ | 2 |
| ?herGetRCInstance@@YAPAUHINSTANCE__ | 2 |
| UdiManagerInit | 2 |
| UdiManagerUninit | 2 |
| DiGenUninit | 2 |
| DiGenInit | 2 |
| uppUninit | 2 |
| uppInit | 2 |
| fn_Authoring_ExportAPI_UnInit | 2 |
| fn_Authoring_ExportAPI_Init | 2 |
| ?GetPrintHeaderText@CCrystalTextView@@ | 2 |
| GetIScsiVersionInformation | 2 |
| GetIScsiInitiatorNodeNameW | 2 |
| ReportISNSServerListW | 2 |
| RefreshISNSServerW | 2 |
| RemoveISNSServerW | 2 |
| AddISNSServerW | 2 |
| AddIScsiStaticTargetW | 2 |
| RemoveIScsiStaticTargetW | 2 |
| AddIScsiSendTargetPortalW | 2 |
| RemoveIScsiSendTargetPortalW | 2 |
| ReportIScsiSendTargetPortalsExW | 2 |
| RefreshIScsiSendTargetPortalW | 2 |
| ReportIScsiTargetsW | 2 |
| ReportActiveIScsiTargetMappingsW | 2 |

| | |
|---|---|
| GetIScsiTargetInformationW | 2 |
| RemoveIScsiConnection | 2 |
| AddIScsiConnectionW | 2 |
| ReportIScsiPersistentLoginsW | 2 |
| RemoveIScsiPersistentTargetW | 2 |
| LoginIScsiTargetW | 2 |
| SendScsiInquiry | 2 |
| SendScsiReadCapacity | 2 |
| SendScsiReportLuns | 2 |
| SetIScsiIKEInfoW | 2 |
| GetIScsiIKEInfoW | 2 |
| GetIScsiSessionListW | 2 |
| GetDevicesForIScsiSessionW | 2 |
| SetIScsiInitiatorNodeNameW | 2 |
| ReportPersistentIScsiDevicesW | 2 |
| RemovePersistentIScsiDeviceW | 2 |
| SetIScsiTunnelModeOuterAddressW | 2 |
| SetIScsiGroupPresharedKey | 2 |
| SetIScsiInitiatorCHAPSharedSecret | 2 |
| ReportIScsilInitiatorListW | 2 |
| LogoutIScsiTarget | 2 |
| ClearPersistentIScsiDevices | 2 |
| SetupPersistentIScsiVolumes | 2 |
| AddPersistentIScsiDeviceW | 2 |
| DiscpTextAddrToBinary | 2 |
| DiscpFreeMemory | 2 |
| DiscpAllocMemory | 2 |
| DiscpExecuteMethod | 2 |
| DiscpFreeDeviceInterfaceList | 2 |
| DiscpEnumerateDeviceInterfaces | 2 |
| ??1CEXAutoBackupFile@@QAE@XZ | 2 |
| ??0CEXAutoBackupFile@@QAE@XZ | 2 |
| ?RestoreFile@CEXAutoBackupFile@@QAEJX | 2 |
| ?fHaveBackup@CEXAutoBackupFile@@QAE | 2 |
| ?UndoBackup@CEXAutoBackupFile@@QAE. | 2 |
| ?BackupFile@CEXAutoBackupFile@@QAEJP | 2 |
| ?ConvertRowsetIIDtoDBPROPSET@CUtilProp | 2 |
| ?AddInternalFlags@CUtilProps2@@@QAEXKKI | 2 |
| ?SetValBool@CUtilProps2@@@QAEXKKF@Z | 2 |
| ?SetPropOption@CUtilProps2@@@QAEXKKK@ | 2 |
| ?IsRequiredTrue@CUtilProps2@@@QAEHKK@ | 2 |
| ?IsSetIfCan@CUtilProps2@@@QAEHKK@Z | 2 |
| ?GetBaseObjectType@CBaseObj@@@QAE?AI | 2 |
| ?FIInit@CBaseObj@@@IAEJXZ | 2 |
| ?SetBoko@CBaseObjZombie@@QAEXPACI | 2 |
| ??1CBaseObjZombie@@UAE@XZ | 2 |
| ??0CBaseObjZombie@@QAE@W4EBaseObj | 2 |

| | |
|--|---|
| ??1CBaseObj@@UAE@XZ | 2 |
| ??0CBaseObj@@IAE@W4EBaseObjectType(| 2 |
| ?DeleteWithCompactFromExtBuffer@CExtB | 2 |
| ?GetPtrOfExtBuffer@CExtBuffer@@QAGPA | 2 |
| ?LoadStringW@CWString@@QAEHPAXI@Z | 2 |
| ?DoRcNotify@CRowsetConnectionPointCont | 2 |
| ?DoRscNotify@CRowsetConnectionPointCor | 2 |
| ?DoFcNotify@CRowsetConnectionPointCont | 2 |
| ??1CRowsetConnectionPointContainer@@C | 2 |
| ?fReasonNeeded@CRowsetConnectionPoint | 2 |
| ?Init@CRowsetConnectionPointContainer@ | 2 |
| ??0CRowsetConnectionPointContainer@@C | 2 |
| ?InsertFindBmk@CHashTbl@@UAGJHKKPAI | 2 |
| ?FInit@CHashTbl@@QAEHGPACSlotListSh | 2 |
| ??0CHashTbl@@QAE@XZ | 2 |
| ??1CHashTbl@@UAE@XZ | 2 |
| ?VLGrow@CVLHeap@@QAGPAXPAXK@Z | 2 |
| ?CompactExtBuffer@CExtBuffer@@QAGXXZ | 2 |
| ?MakeZombies@CBaseObjBoko@@QAEXXZ | 2 |
| ??0CBaseObjBoko@@QAE@W4EBaseObject | 2 |
| ??1CBaseObjBoko@@UAE@XZ | 2 |
| ??1IBitmapObj@@UAE@XZ | 2 |
| ?ReleaseBuffer@CWString@@QAEKH@Z | 2 |
| ?SetError@CWString@@QAEXXZ | 2 |
| ?FInit@CUtilPropsFastLookup2@@UAEJPAV: | 2 |
| ?GetIndexofPropIdinPropSet@CUtilPropsFas | 2 |
| ??0CUtilPropsFastLookup2@@QAE@K@Z | 2 |
| ?IsRequiredFalse@CUtilProps2@@QAEHKK@ | 2 |
| ?SetVariant@CUtilProps2@@QAEKKPAUtag | 2 |
| ?GetVariant@CUtilProps2@@QAEPAUtagVA | 2 |
| ?GetInternalFlags@CUtilProps2@@QAEKKK@ | 2 |
| ?ElementAt@CWString@@QBE?AV1@QAGI | 2 |
| ?NumElements@CWString@@QBEKQAG@Z | 2 |
| ?W95CreateFile@@YAPAXPBGKKPAU_SECU | 2 |
| ?W95FullPath@@YAPAGPAGPBGK@Z | 2 |
| ?GetPropValue@CUtilProps2@@QAEJPBU_C | 2 |
| ?RemoveInternalFlags@CUtilProps2@@QAE | 2 |
| ?SetValLong@CUtilProps2@@QAEKKJ@Z | 2 |
| ?SetValEmpty@CUtilProps2@@QAEKK@Z | 2 |
| ?W95GetPrivateProfileString@@YAKPBG00I | 2 |
| ?W95WritePrivateProfileString@@YAHPBG@ | 2 |
| ?GetExpectedVarType@CUtilProps2@@QAE | 2 |
| ?IsZombie@CBaseObjZombie@@QAEHXZ | 2 |
| ?ZombieMustUnprepare@CBaseObjZombie@ | 2 |
| ?GetBokoTimestamp@CBaseObjZombie@@ | 2 |
| ?GetOuterUnknown@CBaseObj@@QAEPAL | 2 |
| ?GetCriticalSection@CBaseObj@@QAEPPA | 2 |

| | |
|---|---|
| ?DeleteBmk@CHashTbl@@UAGJK@Z | 2 |
| ?GetUPropValIndex@CUtilPropsFastLookup2 | 2 |
| vlc_fourcc_GetCodec | 2 |
| @\$xp\$13System@TClass | 2 |
| @\$xp\$13Classes@TList | 2 |
| @Dxhooks@initialization\$qqrv | 2 |
| @Dxhooks@Finalization\$qqrv | 2 |
| ??0RWCString@@QAE@ABV0@@Z | 2 |
| ??0RWCString@@QAE@XZ | 2 |
| DSEditSecurity | 2 |
| _InitGAPI@4 | 2 |
| _TMPGetTmpPathName@12 | 2 |
| _TMPShutdownTmpFileMan@0 | 2 |
| _UTLPreciseTranslateMatrix@20 | 2 |
| ?FMDisplayExportDialogCB@@YGHPAVFLTC | 2 |
| ?FMImportClipCB@@YGHPAVFLTCLIPDATA(| 2 |
| ?FMEExportClipCB@@YGHPAVFLTCLIPDATA(| 2 |
| ?FMReadHeaderCB@@YGHPAVFLTCLIPDAT | 2 |
| ?FMEEndImportCB@@YGHPAVFLTCLIPDATA(| 2 |
| ?FMDisplayRasterizeDialogCB@@YGHPAVFI | 2 |
| ?FMDisplayFilterExportDialogCB@@YGHPA\ | 2 |
| ?FMCreateNewFltClipData@@YGPFLTCLI | 2 |
| ?SetInitCalls@WFilterManager@@CAXP6AX | 2 |
| ?FMEEndExportCB@@YGHPAVFLTCLIPDATA(| 2 |
| ?UTLCenterWindowOnParent@@YGXPAUH\ | 2 |
| ?GetRuntimeClass@WCorelWinApp@@UBE | 2 |
| ?PreTranslateMessage@WCorelWinApp@@@ | 2 |
| ?WinHelpW@WCorelWinApp@@UAEXKI@Z | 2 |
| ?GetInst@IGLB_UILanguageW@@SAAV1@ | 2 |
| _UTLStandardContextMenu@20 | 2 |
| ? GetUserProfileCustomDir@@YAHPA_W@Z | 2 |
| ?SetPrinting@CGXGridCore@@UAEXHH@Z | 2 |
| ?SetModifiedFlag@CGXGridCore@@UAEXH | 2 |
| ?OnGridPrepareDC@CGXGridCore@@UAEX | 2 |
| ?UpdateAllViews@CGXGridCore@@UAEXP/ | 2 |
| ?OnGridInitialUpdate@CGXGridCore@@MA | 2 |
| ?OnActivateGrid@CGXGridCore@@MAEHH | 2 |
| ?OnGridUpdate@CGXGridCore@@MAEXP/ | 2 |
| ?SetStyleRange@CGXGridCore@@UAEHAB\ | 2 |
| ?SetStyleRange@CGXGridCore@@UAEHAB\ | 2 |
| ?GetStyleRowCol@CGXGridCore@@UAEHK\ | 2 |
| ?GetStyleArray@CGXGridCore@@UAEPAVC | 2 |
| ?LookupStyleRowCol@CGXGridCore@@UAF | 2 |
| ?ComposeStyleRowCol@CGXGridCore@@U | 2 |
| ?UpdateStyleRange@CGXGridCore@@UAE\ | 2 |
| ?CreateStyle@CGXGridCore@@UAEPAVCG\ | 2 |
| ?RecycleStyle@CGXGridCore@@UAEPAVC | 2 |

| | |
|--------------------------------------|---|
| ?ChangeStylesMap@CGXGridCore@@UAEH | 2 |
| ?UpdateStylesMap@CGXGridCore@@UAEX | 2 |
| ?ChangeProperties@CGXGridCore@@UAEH | 2 |
| ?UpdateProperties@CGXGridCore@@UAEX | 2 |
| ?ChangeBaseStyle@CGXGridCore@@UAEH(| 2 |
| ?UpdateBaseStyle@CGXGridCore@@UAEXC | 2 |
| ?SetRowCount@CGXGridCore@@UAEHKI@ | 2 |
| ?SetColCount@CGXGridCore@@UAEHKI@Z | 2 |
| ?GetRowCount@CGXGridCore@@UAEKXZ | 2 |
| ?GetColCount@CGXGridCore@@UAEKXZ | 2 |
| ?StoreRowCount@CGXGridCore@@MAEHK | 2 |
| ?StoreColCount@CGXGridCore@@MAEHK@ | 2 |
| ?UpdateChangedRowCount@CGXGridCore@ | 2 |
| ?UpdateChangedColCount@CGXGridCore@ | 2 |
| ?RemoveRows@CGXGridCore@@UAEHKKI\ | 2 |
| ?RemoveCols@CGXGridCore@@UAEHKKIW | 2 |
| ?MoveRows@CGXGridCore@@UAEHKKIW | 2 |
| ?MoveCols@CGXGridCore@@UAEHKKIW4 | 2 |
| ?InsertRows@CGXGridCore@@UAEHKPAH | 2 |
| ?InsertCols@CGXGridCore@@UAEHKPAHF | 2 |
| ?StoreInsertRows@CGXGridCore@@MAEHI | 2 |
| ?StoreInsertCols@CGXGridCore@@MAEHKI | 2 |
| ?StoreRemoveRows@CGXGridCore@@MAE | 2 |
| ?StoreRemoveCols@CGXGridCore@@MAE\ | 2 |
| ?StoreMoveRows@CGXGridCore@@MAEHI | 2 |
| ?StoreMoveCols@CGXGridCore@@MAEHKI | 2 |
| ?UpdateInsertRows@CGXGridCore@@MAE | 2 |
| ?UpdateInsertCols@CGXGridCore@@MAEX | 2 |
| ?UpdateRemoveRows@CGXGridCore@@MI | 2 |
| ?UpdateRemoveCols@CGXGridCore@@MA | 2 |
| ?UpdateMoveRows@CGXGridCore@@MAE\ | 2 |
| ?UpdateMoveCols@CGXGridCore@@MAEX | 2 |
| ?SetFrozenRows@CGXGridCore@@UAEHKK | 2 |
| ?SetFrozenCols@CGXGridCore@@UAEHKKI' | 2 |
| ?GetFrozenRows@CGXGridCore@@UAEKXZ | 2 |
| ?GetFrozenCols@CGXGridCore@@UAEKXZ | 2 |
| ?GetHeaderRows@CGXGridCore@@UAEKX: | 2 |
| ?GetHeaderCols@CGXGridCore@@UAEKXZ | 2 |
| ?StoreFrozenRows@CGXGridCore@@MAEH | 2 |
| ?StoreFrozenCols@CGXGridCore@@MAEHK | 2 |
| ?UpdateFrozenRows@CGXGridCore@@MAI | 2 |
| ?UpdateFrozenCols@CGXGridCore@@MAE\ | 2 |
| ?SortRows@CGXGridCore@@UAEXVCGRai | 2 |
| ?MoveDataRows@CGXGridCore@@UAEHAI | 2 |
| ?StoreMoveDataRows@CGXGridCore@@U/ | 2 |
| ?UpdateMoveDataRows@CGXGridCore@@I | 2 |
| ?OnGetSortRowsKey@CGXGridCore@@UAE | 2 |

| | |
|--|---|
| ?SortCols@CGXGridCore@@UAEXVCGXRan | 2 |
| ?MoveDataCols@CGXGridCore@@UAEHAB' | 2 |
| ?StoreMoveDataCols@CGXGridCore@@UAI | 2 |
| ?UpdateMoveDataCols@CGXGridCore@@U | 2 |
| ?OnGetSortColsKey@CGXGridCore@@UAE | 2 |
| ?SortKeys@CGXGridCore@@UAEXABVCGXS | 2 |
| ?GetSortKey@CGXGridCore@@UAEXPACCE | 2 |
| ?SetScrollLockedFromCell@CGXGridCore@C | 2 |
| ?IsScrollLockedFromCell@CGXGridCore@@I | 2 |
| ?SetTopRow@CGXGridCore@@UAEXKIHZ | 2 |
| ?SetLeftCol@CGXGridCore@@UAEXKIHZ | 2 |
| ?OnSelDragStart@CGXGridCore@@MAEHKI | 2 |
| ?OnSelDragMove@CGXGridCore@@MAEHK | 2 |
| ?OnSelDragDrop@CGXGridCore@@MAEHKI | 2 |
| ?OnSelDragCancel@CGXGridCore@@MAEX: | 2 |
| ?OnSelDragRowsStart@CGXGridCore@@M/ | 2 |
| ?OnSelDragColsStart@CGXGridCore@@MAI | 2 |
| ?OnSelDragRowsMove@CGXGridCore@@M\ | 2 |
| ?OnSelDragColsMove@CGXGridCore@@MA\ | 2 |
| ?OnSelDragRowsDrop@CGXGridCore@@M/ | 2 |
| ?OnSelDragColsDrop@CGXGridCore@@MA\ | 2 |
| ?SetRowHeight@CGXGridCore@@UAEHKKF | 2 |
| ?SetColWidth@CGXGridCore@@UAEHKKHP | 2 |
| ?SetDefaultRowHeight@CGXGridCore@@U | 2 |
| ?SetDefaultColWidth@CGXGridCore@@UAI | 2 |
| ?GetRowHeight@CGXGridCore@@UAEHK@ | 2 |
| ?GetColWidth@CGXGridCore@@UAEHK@Z | 2 |
| ?OnPrint@CGXGridWnd@@UAEXPACDC@ | 2 |
| ?GetDefaultColWidth@CGXGridCore@@UA | 2 |
| ?HideRows@CGXGridCore@@UAEHKKHPA\ | 2 |
| ?HideCols@CGXGridCore@@UAEHKKHPAHI | 2 |
| ?IsRowHidden@CGXGridCore@@UAEHK@Z | 2 |
| ?IsColHidden@CGXGridCore@@UAEHK@Z | 2 |
| ?ResizeRowHeightsToFit@CGXGridCore@@ | 2 |
| ?ResizeColWidthsToFit@CGXGridCore@@U | 2 |
| ?StoreHideRow@CGXGridCore@@MAEHKH | 2 |
| ?StoreHideCol@CGXGridCore@@MAEHKH(C | 2 |
| ?StoreDefaultRowHeight@CGXGridCore@@ | 2 |
| ?StoreDefaultColWidth@CGXGridCore@@N | 2 |
| ?StoreColWidth@CGXGridCore@@MAEHKH | 2 |
| ?StoreRowHeight@CGXGridCore@@MAEHK | 2 |
| ?UpdateChangedColWidths@CGXGridCore@ | 2 |
| ?UpdateChangedRowHeights@CGXGridCore | 2 |
| ?GetFontHeight@CGXGridCore@@UAEHXZ | 2 |
| ?GetFontWidth@CGXGridCore@@UAEHXZ | 2 |
| ?HitTest@CGXGridCore@@UAEHAAVCPoin | 2 |
| ?OnExtHitTest@CGXGridCore@@UAEHKKA/ | 2 |

| | |
|--|---|
| ?CalcRectFromRowCol@CGXGridCore@@U | 2 |
| ?OnStartTracking@CGXGridCore@@MAEHK | 2 |
| ?OnMoveTracking@CGXGridCore@@MAEXI | 2 |
| ?OnEndTracking@CGXGridCore@@MAEXKK | 2 |
| ?OnCancelTracking@CGXGridCore@@MAE | 2 |
| ?OnTrackColWidth@CGXGridCore@@MAE | 2 |
| ?OnTrackColWidthStart@CGXGridCore@@N | 2 |
| ?OnTrackColWidthMove@CGXGridCore@@ | 2 |
| ?OnTrackColWidthEnd@CGXGridCore@@M | 2 |
| ?OnTrackRowHeight@CGXGridCore@@MAE | 2 |
| ?OnTrackRowHeightStart@CGXGridCore@@ | 2 |
| ?OnTrackRowHeightMove@CGXGridCore@@(| 2 |
| ?OnTrackRowHeightEnd@CGXGridCore@@I | 2 |
| ?SetZoom@CGXGridCore@@UAEXHI@Z | 2 |
| ?SetReadOnly@CGXGridCore@@UAEXH@Z | 2 |
| ?GetZoom@CGXGridCore@@UAEHXZ | 2 |
| ?IsReadOnly@CGXGridCore@@UAEHXZ | 2 |
| ?StoreZoom@CGXGridCore@@MAEHHH@Z | 2 |
| ?StoreReadOnly@CGXGridCore@@MAEHH(| 2 |
| ?UpdateZoom@CGXGridCore@@MAEXHIH(| 2 |
| ?UpdateReadOnly@CGXGridCore@@MAEXI | 2 |
| ?OnInfoWndMoveRecord@CGXGridCore@@C | 2 |
| ?CanActivateGrid@CGXGridCore@@UAEEHH | 2 |
| ?CanChangeTab@CGXGridCore@@UAEHXZ | 2 |
| ?OnTabChanged@CGXGridCore@@UAEXH(C | 2 |
| ?UpdateRecordInfoWnd@CGXGridCore@@I | 2 |
| ?GetSelectedRows@CGXGridCore@@UAEK | 2 |
| ?OnEndPrinting@CGXGridWnd@@UAEXPAL | 2 |
| ?SetSelection@CGXGridCore@@UAEXPAL_ | 2 |
| ?CopyRangeList@CGXGridCore@@UAEHAA | 2 |
| ?GetInvertStateRowCol@CGXGridCore@@L | 2 |
| ?SelectRange@CGXGridCore@@UAEXABVC | 2 |
| ?DrawSelectionFrame@CGXGridCore@@UA | 2 |
| ?ToggleSelectionFrameMarker@CGXGridCo | 2 |
| ?DrawSelectionRangeFrame@CGXGridCore(@ | 2 |
| ?DrawInvertFrame@CGXGridCore@@MAEX | 2 |
| ?StoreSelectRange@CGXGridCore@@MAEH | 2 |
| ?UpdateSelectRange@CGXGridCore@@MAI | 2 |
| ?PrepareChangeSelection@CGXGridCore@@C | 2 |
| ?PrepareClearSelection@CGXGridCore@@N | 2 |
| ?CanChangeSelection@CGXGridCore@@MA | 2 |
| ?OnChangedSelection@CGXGridCore@@M/ | 2 |
| ?OnStartSelection@CGXGridCore@@MAEHI | 2 |
| ?PreChangeSelection@CGXGridCore@@MA | 2 |
| ?OnStartAutoFillSelection@CGXGridCore@@C | 2 |
| ?CanChangeAutoFillSelection@CGXGridCore | 2 |
| ?DoAutoFill@CGXGridCore@@MAEXAAVCG | 2 |

| | |
|--|---|
| ?OnAutoFillDone@CGXGridCore@@MAEXA | 2 |
| ?SetCoveredCellsRowCol@CGXGridCore@@ | 2 |
| ?GetCoveredCellsRowCol@CGXGridCore@@ | 2 |
| ?StoreCoveredCellsRowCol@CGXGridCore@ | 2 |
| ?UpdateCoveredCellsRowCol@CGXGridCore | 2 |
| ?MergeCoveredCells@CGXGridCore@@MAE | 2 |
| ?CanFloatCell@CGXGridCore@@UAEHPAVC | 2 |
| ?CanMergeCell@CGXGridCore@@UAEHPA\ | 2 |
| ?CanMergeCells@CGXGridCore@@UAEHAB | 2 |
| ?GetCellRangeRowCol@CGXGridCore@@UA | 2 |
| ?EvalVisibleFloatMergeCells@CGXGridCore@ | 2 |
| ?OnFindNext@CGXGridCore@@UAEXPBDHI | 2 |
| ?OnReplaceSel@CGXGridCore@@UAEXPBD | 2 |
| ?OnReplaceAll@CGXGridCore@@UAEXPBDI | 2 |
| ?OnTextNotFound@CGXGridCore@@UAEXF | 2 |
| ?OnShowFindReplaceDialog@CGXGridCore@ | 2 |
| ?OnFindReplace@CGXGridCore@@MAEXPAP | 2 |
| ?Undo@CGXGridCore@@UAEHXZ | 2 |
| ?Redo@CGXGridCore@@UAEHXZ | 2 |
| ?CanUndo@CGXGridCore@@UAEHPAVCCn | 2 |
| ?CanRedo@CGXGridCore@@UAEHPAVCCm | 2 |
| ?BeginTrans@CGXGridCore@@UAEXPBD@Z | 2 |
| ?CommitTrans@CGXGridCore@@UAEXXZ | 2 |
| ?Rollback@CGXGridCore@@UAEXXZ | 2 |
| ?AddCommand@CGXGridCore@@UAEXPAP\ | 2 |
| ?RemoveCommand@CGXGridCore@@UAE\ | 2 |
| ?OnCellUndone@CGXGridCore@@UAEXKK\ | 2 |
| ?SetAdvancedUndo@CGXGridCore@@UAE\ | 2 |
| ?GetAdvancedUndoInfo@CGXGridCore@@I | 2 |
| ?UndoAdvanced@CGXGridCore@@UAEPAP | 2 |
| ?CleanAdvancedUndo@CGXGridCore@@UA | 2 |
| ?ExecuteCommand@CGXGridCore@@UAEP | 2 |
| ?ScrollCellInView@CGXGridCore@@UAEHK | 2 |
| ?DoScroll@CGXGridCore@@UAEEHK@Z | 2 |
| ?UpdateScrollbars@CGXGridCore@@UAEXF | 2 |
| ?SetScrollBarMode@CGXGridCore@@UAEX | 2 |
| ?OnAutoScroll@CGXGridCore@@UAEEHK@ | 2 |
| ?OnLeftColChange@CGXGridCore@@MAEH | 2 |
| ?OnTopRowChange@CGXGridCore@@MAE | 2 |
| ?OnLeftColChanged@CGXGridCore@@MAE | 2 |
| ?OnTopRowChanged@CGXGridCore@@MA | 2 |
| ?SetScrollPos@CGXGridCore@@MAEKHKH(| 2 |
| ?SetScrollRange@CGXGridCore@@MAEXHK | 2 |
| ?GetScrollPos@CGXGridCore@@MBEKH@Z | 2 |
| ?GetScrollRange@CGXGridCore@@MBEXHF | 2 |
| ?TransferCurrentCell@CGXGridCore@@UAE | 2 |
| ?FindNextCell@CGXGridCore@@UAEEHAAI | 2 |

| | |
|---------------------------------------|---|
| ?ProcessKeys@CGXGridCore@@UAEHPAVC | 2 |
| ?MoveCurrentCell@CGXGridCore@@UAEHI | 2 |
| ?ResetCurrentCell@CGXGridCore@@UAEXF | 2 |
| ?HideCurrentCell@CGXGridCore@@UAEXXZ | 2 |
| ?SetWarningText@CGXGridCore@@UAEXP{ | 2 |
| ?DisplayWarningText@CGXGridCore@@UAI | 2 |
| ?StoreCurrentCell@CGXGridCore@@MAEXF | 2 |
| ?MoveCurrentCellEx@CGXGridCore@@MAI | 2 |
| ?OnValidateCell@CGXGridCore@@MAEHKK | 2 |
| ?OnModifyCell@CGXGridCore@@MAEXKK@ | 2 |
| ?OnCancelEditing@CGXGridCore@@MAEHFI | 2 |
| ?OnCanceledEditing@CGXGridCore@@MAE | 2 |
| ?OnEndEditing@CGXGridCore@@MAEHKK@ | 2 |
| ?OnLeftCell@CGXGridCore@@MAEHKKKK@ | 2 |
| ?onDeleteCell@CGXGridCore@@MAEHKK@ | 2 |
| ?OnInitCurrentCell@CGXGridCore@@MAEX | 2 |
| ?OnMovedCurrentCell@CGXGridCore@@M | 2 |
| ?CanSelectCurrentCell@CGXGridCore@@M | 2 |
| ?OnScrollBecauseOfEdit@CGXGridCore@@I | 2 |
| ?OnLButtonClickedRowCol@CGXGridCore@ | 2 |
| ?OnMButtonClickedRowCol@CGXGridCore@ | 2 |
| ?OnRButtonClickedRowCol@CGXGridCore@ | 2 |
| ?OnLButtonDblClkRowCol@CGXGridCore@() | 2 |
| ?OnMButtonDblClkRowCol@CGXGridCore@ | 2 |
| ?OnRButtonDblClkRowCol@CGXGridCore@() | 2 |
| ?OnMouseMoveOver@CGXGridCore@@MA | 2 |
| ?OnClickedButtonRowCol@CGXGridCore@() | 2 |
| ?OnLButtonHitRowCol@CGXGridCore@@M | 2 |
| ?OnMButtonHitRowCol@CGXGridCore@@N | 2 |
| ?OnRButtonHitRowCol@CGXGridCore@@M | 2 |
| ?GetControl@CGXGridCore@@UAEPAVCGX | 2 |
| ?GetRegisteredControl@CGXGridCore@@U | 2 |
| ?SetRangeName@CGXGridCore@@UAEHPE | 2 |
| ?GetRangeName@CGXGridCore@@UAEHP{ | 2 |
| ?DeleteRangeName@CGXGridCore@@UAEI | 2 |
| ?CopyRange@CGXGridCore@@UAEHABVCC | 2 |
| ?CopyRange@CGXGridCore@@UAEHABVCC | 2 |
| ?CopyTextToFile@CGXGridCore@@UAEHAA{ | 2 |
| ?CopyCellsToArchive@CGXGridCore@@UAE | 2 |
| ?GetClipboardStyleRowCol@CGXGridCore@ | 2 |
| ?GetCopyTextRowCol@CGXGridCore@@UA | 2 |
| ?CutRange@CGXGridCore@@UAEHABVCGX | 2 |
| ?ClearCells@CGXGridCore@@UAEHABVCG> | 2 |
| ?ClearCellsAlternate@CGXGridCore@@UAE | 2 |
| ?PasteCellsFromArchive@CGXGridCore@@I | 2 |
| ?PasteTextFromBuffer@CGXGridCore@@U/ | 2 |
| ?CalcBufferDimension@CGXGridCore@@U/ | 2 |

| | |
|---------------------------------------|---|
| ?SetControlTextRowCol@CGXGridCore@@@L | 2 |
| ?PasteTextRowCol@CGXGridCore@@@UAEH@ | 2 |
| ?OnPasteDirect@CGXGridCore@@@UAEHAB\ | 2 |
| ?OnPasteFromClipboard@CGXGridCore@@@ | 2 |
| ?OnCheckClipboardFormat@CGXGridCore@ | 2 |
| ?StoreCopyCells@CGXGridCore@@@UAEHVC | 2 |
| ?StoreMoveCells@CGXGridCore@@@UAEHV\ | 2 |
| ?CopyCells@CGXGridCore@@@UAEHVCGRa | 2 |
| ?MoveCells@CGXGridCore@@@UAEHVCGRX; | 2 |
| ?OnPasteDiffRange@CGXGridCore@@@UAEF | 2 |
| ?DndStartDragDrop@CGXGridCore@@@UAEF | 2 |
| ?OnDndCacheGlobalData@CGXGridCore@@@ | 2 |
| ?OnDndCalculateFocusRect@CGXGridCore@ | 2 |
| ?OnDndQueryAcceptData@CGXGridCore@() | 2 |
| ?OnDndDropData@CGXGridCore@@@UAEHP | 2 |
| ?OnGridDragEnter@CGXGridCore@@@UAEKF | 2 |
| ?OnGridDragOver@CGXGridCore@@@UAEKP | 2 |
| ?OnGridDragLeave@CGXGridCore@@@UAEX: | 2 |
| ?OnGridDrop@CGXGridCore@@@UAEHPAVC | 2 |
| ?OnGridDropEx@CGXGridCore@@@UAEKPA\ | 2 |
| ?OnGridDragScroll@CGXGridCore@@@UAEKI | 2 |
| ?DndDrawMoveRect@CGXGridCore@@@UAE | 2 |
| ?GetUpdateFlag@CGXGridCore@@@UAEHKK | 2 |
| ?SetUpdateFlag@CGXGridCore@@@UAEXKK\ | 2 |
| ?AddRecalcRange@CGXGridCore@@@UAEXA | 2 |
| ?RefreshViews@CGXGridCore@@@UAEHHPA | 2 |
| ?Recalc@CGXGridCore@@@UAEXH@Z | 2 |
| ?ResetError@CGXGridCore@@@UAEXXZ | 2 |
| ?GetError@CGXGridCore@@@UAEHAAV?\$CS | 2 |
| ?Copy@CGXGridCore@@@UAEHXZ | 2 |
| ?Cut@CGXGridCore@@@UAEHXZ | 2 |
| ?Clear@CGXGridCore@@@UAEHH@Z | 2 |
| ?CanCopy@CGXGridCore@@@UAEHXZ | 2 |
| ?CanCut@CGXGridCore@@@UAEHXZ | 2 |
| ?CanPaste@CGXGridCore@@@UAEHXZ | 2 |
| ?CanClear@CGXGridCore@@@UAEHXZ | 2 |
| ?FreezeCols@CGXGridCore@@@UAEXXZ | 2 |
| ?CanFreezeCols@CGXGridCore@@@UAEHXZ | 2 |
| ?UnfreezeCols@CGXGridCore@@@UAEXXZ | 2 |
| ?CanUnfreezeCols@CGXGridCore@@@UAEH) | 2 |
| ?FreezeRows@CGXGridCore@@@UAEXXZ | 2 |
| ?CanFreezeRows@CGXGridCore@@@UAEHXZ | 2 |
| ?UnfreezeRows@CGXGridCore@@@UAEXXZ | 2 |
| ?CanUnfreezeRows@CGXGridCore@@@UAEF | 2 |
| ?RedrawRowCol@CGXGridCore@@@UAEK | 2 |
| ?Redraw@CGXGridCore@@@UAEXIH@Z | 2 |
| ?SubtractBorders@CGXGridCore@@@UAE?A\ | 2 |

| | |
|---------------------------------------|---|
| ?AddBorders@CGXGridCore@@UAE?AVCSI: | 2 |
| ?OnAdjustPrintRectangle@CGXGridCore@@ | 2 |
| ?OnPrintHeaderAndFooter@CGXGridCore@ | 2 |
| ?OnGridBeginPrinting@CGXGridCore@@UA | 2 |
| ?OnGridEndPrinting@CGXGridCore@@UAE | 2 |
| ?OnGridPrint@CGXGridCore@@UAEXPACI | 2 |
| ?OnTestGridDimension@CGXGridCore@@U | 2 |
| ?OnGridDraw@CGXGridCore@@MAEXPAC | 2 |
| ?PrepareDCAttribs@CGXGridCore@@MAEX | 2 |
| ?OnDrawItem@CGXGridCore@@MAEXPACI | 2 |
| ?MarkEdit@CGXGridCore@@MAEXKKII@Z | 2 |
| ?OnDrawTopLeftBottomRight@CGXGridCore | 2 |
| ?OnDrawTLBR_LoadCell@CGXGridCore@@I | 2 |
| ?OnDrawTLBR_InvertCells@CGXGridCore@ | 2 |
| ?DrawInvertCell@CGXGridCore@@MAEXPAC | 2 |
| ?DrawGridLine@CGXGridCore@@MAEXPACI | 2 |
| ?LoadFont@CGXGridCore@@UAEPAVCFon | 2 |
| ?FreeObjectCache@CGXGridCore@@MAEX | 2 |
| ?GetFontMetrics@CGXGridCore@@MAEXPAC | 2 |
| ?ShowContextCursor@CGXGridCore@@UAI | 2 |
| ?ShowContextCursor@CGXGridCore@@UAI | 2 |
| ?SetGridCursor@CGXGridCore@@UAEXI@Z | 2 |
| ?DoSetCursor@CGXGridCore@@MAEHPAVC | 2 |
| ?DoVScroll@CGXGridCore@@MAEHIIIPAVCS | 2 |
| ?DoHScroll@CGXGridCore@@MAEHIIIPAVCS | 2 |
| ?DoSize@CGXGridCore@@MAEHIHH@Z | 2 |
| ?DoMouseMove@CGXGridCore@@MAEHIV | 2 |
| ?DoShowWindow@CGXGridCore@@MAEHIV | 2 |
| ?DoLButtonDblClk@CGXGridCore@@MAEH | 2 |
| ?DoLButtonDown@CGXGridCore@@MAEHIV | 2 |
| ?DoLButtonUp@CGXGridCore@@MAEHIVC | 2 |
| ?DoMButtonDblClk@CGXGridCore@@MAEH | 2 |
| ?DoMButtonDown@CGXGridCore@@MAEHIV | 2 |
| ?DoMButtonUp@CGXGridCore@@MAEHIVC | 2 |
| ?DoRButtonDblClk@CGXGridCore@@MAEH | 2 |
| ?DoRButtonDown@CGXGridCore@@MAEHIV | 2 |
| ?DoRButtonUp@CGXGridCore@@MAEHIVC | 2 |
| ?DoCtlColor@CGXGridCore@@MAEPAUHBF | 2 |
| ?DoNotifyDestroy@CGXGridCore@@MAEHIV | 2 |
| ?DoCancelMode@CGXGridCore@@MAEHIVC | 2 |
| ?DoMouseActivate@CGXGridCore@@MAEF | 2 |
| ?DoCommand@CGXGridCore@@MAEHIJ@Z | 2 |
| ?OnGridWinIniChange@CGXGridCore@@M | 2 |
| ?OnGridSysColorChange@CGXGridCore@@ | 2 |
| ?DoGetDlgCode@CGXGridCore@@MAEII@Z | 2 |
| ?DoGetScrollBarCtrl@CGXGridCore@@MBE | 2 |
| ?OnGridKillFocus@CGXGridCore@@MAEXPAC | 2 |

| | |
|--|---|
| ?OnGridSetFocus@CGXGridCore@@MAEXP. | 2 |
| ?OnGridPreTranslateMessage@CGXGridCore@@MAEXP. | 2 |
| ?OnGridWindowProc@CGXGridCore@@MAEXP. | 2 |
| ?OnGridTimer@CGXGridCore@@MAEXI@Z | 2 |
| ?OnGridKeyUp@CGXGridCore@@MAEHIII@Z | 2 |
| ?OnGridChar@CGXGridCore@@MAEHIII@Z | 2 |
| ?OnGridDoubleByteChar@CGXGridCore@@MAEHIII@Z | 2 |
| ?OnGridDeadChar@CGXGridCore@@MAEHIII@Z | 2 |
| ?OnGridSysKeyDown@CGXGridCore@@MAEHIII@Z | 2 |
| ?OnGridSysKeyUp@CGXGridCore@@MAEHIII@Z | 2 |
| ?OnGridSysChar@CGXGridCore@@MAEHIII@Z | 2 |
| ?OnGridSysDeadChar@CGXGridCore@@MAEHIII@Z | 2 |
| ?ShowScrollBar@CGXGridWnd@@UAEXIH@Z | 2 |
| ??1CGXGridCore@@UAE@XZ | 2 |
| ?StoreStyleRowCol@CGXGridCore@@UAEH | 2 |
| ?GetValue@CGXStyle@@QBEABV?\$CString` | 2 |
| ?OnGridKeyDown@CGXGridCore@@MAEHIJ@Z | 2 |
| ?SetCurrentCell@CGXGridCore@@UAEHKKI@Z | 2 |
| ??0CGXRange@@QAE@XZ | 2 |
| ?SetValueRange@CGXGridCore@@QAEHAB | 2 |
| ??1CGXStyle@@UAE@XZ | 2 |
| ?SetCols@CGXRange@@QAEAAV1@K@Z | 2 |
| ?SetHorizontalAlignment@CGXStyle@@QAI@Z | 2 |
| ?SetControl@CGXStyle@@QAEAAV1@G@Z | 2 |
| ??0CGXStyle@@QAE@XZ | 2 |
| ?SetActivateCellFlags@CGXGridParam@@QAF | 2 |
| ?EnableMoveRows@CGXGridParam@@QAEF | 2 |
| ?EnableMoveCols@CGXGridParam@@QAEF | 2 |
| ?EnableUndo@CGXGridParam@@QAEXH@Z | 2 |
| ?GetParam@CGXGridCore@@QAEPAVCGX@Z | 2 |
| ?OnInitialUpdate@CGXGridWnd@@MAEXX@Z | 2 |
| ?Initialize@CGXGridWnd@@QAEXXZ | 2 |
| ?OnBeginPrinting@CGXGridWnd@@UAEXP. | 2 |
| ?PostNcDestroy@CGXGridWnd@@MAEXXZ | 2 |
| ?WindowProc@CGXGridWnd@@MAEJIJ@Z | 2 |
| ?PreTranslateMessage@CGXGridWnd@@M@Z | 2 |
| ?OnCommand@CGXGridWnd@@MAEHIIJ@Z | 2 |
| ?GetScrollBarCtrl@CGXGridWnd@@UBEPAV | 2 |
| ?GetRuntimeClass@CGXGridWnd@@UBEPAV | 2 |
| ??0CGXGridWnd@@QAE@XZ | 2 |
| ?GetThisMessageMap@CGXGridWnd@@KC@Z | 2 |
| ?GetSelectedRows@CGXGridCore@@UAEH | 2 |
| ?GetDefaultRowHeight@CGXGridCore@@UAEH | 2 |
| LocalizeString | 2 |
| LocalizeSetLangID | 2 |
| ?IsChecked@RadioButton@@QBEEHZ | 2 |
| ?SetClickHdl@Button@@QAEXABVLink@@1 | 2 |

| | |
|--|---|
| ?Width@BitmapReadAccess@@QBEJXZ | 2 |
| ?Height@BitmapReadAccess@@QBEJXZ | 2 |
| ?indexOf@QString@@QBEHABVQLatin1Stri | 2 |
| ?append@QByteArray@@QAEAAV1@PBDH | 2 |
| ?firstNode@QHashData@@QAEPAUNode@ | 2 |
| ??6@YAAAVQDataStream@@AAV0@ABVQI | 2 |
| ??5@YAAAVQDataStream@@AAV0@AAVQ` | 2 |
| ??6@YAAAVQDataStream@@AAV0@ABVQI | 2 |
| ??5@YAAAVQDataStream@@AAV0@AAVQ | 2 |
| ?qCompress@@YA?AVQByteArray@@PBED | 2 |
| ??BQFlag@@QBEHXZ | 2 |
| ??0QFlag@@QAE@H@Z | 2 |
| SetWindowSubclass | 2 |
| ?_Copy_s@?\$basic_string@_WU?\$char_trai | 2 |
| ?insert@?\$basic_string@_WU?\$char_traits(| 2 |
| ?compare@?\$basic_string@_WU?\$char_tra | 2 |
| ?compare@?\$basic_string@_WU?\$char_tra | 2 |
| VideoPortCompleteDma | 2 |
| NdisUnmapFile | 2 |
| NdisMWriteLogData | 2 |
| NdisGetRoutineAddress | 2 |
| NdisCIMakeCall | 2 |
| NdisIMRevertBack | 2 |
| ??\$?5_WU?\$char_traits@_W@std@@@V?\$a | 2 |
| ?GetBitCount@Bitmap@@QBEGXZ | 2 |
| g_ptr_array_remove_index | 2 |
| g_idle_add_full | 2 |
| g_thread_create_full | 2 |
| g_queue_new | 2 |
| g_option_context_free | 2 |
| g_option_context_parse | 2 |
| g_option_context_add_main_entries | 2 |
| g_option_context_new | 2 |
| g_main_context_default | 2 |
| g_main_context_unref | 2 |
| g_key_file_new | 2 |
| g_key_file_free | 2 |
| g_ptr_array_sort | 2 |
| g_queue_free | 2 |
| g_idle_add | 2 |
| g_source_set_callback | 2 |
| g_source_attach | 2 |
| g_source_unref | 2 |
| g_signal_emit_by_name | 2 |
| SqmSetBits | 2 |
| @Forms@TApplication@GetMainFormHand | 2 |
| @Math@IsZero\$qqrxff | 2 |

| | |
|--|---|
| @Aimp_core@initialization\$qqrv | 2 |
| @Aimp_core@Finalization\$qqrv | 2 |
| @Aimp_coreclasses@initialization\$qqrv | 2 |
| @Aimp_coreclasses@Finalization\$qqrv | 2 |
| @Aimp_coreclasses@WideJumpToFile\$qqr1 | 2 |
| @Aimpmultilangs@initialization\$qqrv | 2 |
| @Aimpmultilangs@Finalization\$qqrv | 2 |
| @Aimpmultilangs@LoadObj\$qqrx17System(| 2 |
| @Aimpmultilangs@LoadObjEx\$qqrx17Syste | 2 |
| @Aimpmultilangs@GetMsg\$qqri | 2 |
| @Myskinengine@initialization\$qqrv | 2 |
| @Myskinengine@Finalization\$qqrv | 2 |
| @Myskinctrls@initialization\$qqrv | 2 |
| @Myskinctrls@Finalization\$qqrv | 2 |
| @Myskinctrls@TMySkinCustom@SetCaption | 2 |
| @Myskinctrls@TMySkinImage@ | 2 |
| @Myskinctrls@TMySkinImageList@ | 2 |
| @Myskinctrls@TMySkinLabel@ | 2 |
| @Mydialogs@TMyFileDialog@SetInitialDir\$ | 2 |
| @Mydialogs@TMyFileDialog@ | 2 |
| @Myskineditors@initialization\$qqrv | 2 |
| @Myskineditors@Finalization\$qqrv | 2 |
| @Myskineditors@TMySkinButtonEdit@ | 2 |
| @Myskineditors@TMySkinMemo@ | 2 |
| @Myskineditors@TMySkinEdit@ | 2 |
| @Myskinshell@initialization\$qqrv | 2 |
| @Myskinshell@Finalization\$qqrv | 2 |
| @Myskinshell@MyShellRecursiveBox | 2 |
| @Myskinshell@MyShellNewFolder | 2 |
| @Myskinshell@MyShellCancelButton | 2 |
| _GetClassInfoEx_@12 | 2 |
| ADsPropCheckIfWritable | 2 |
| SDLNet_Init | 2 |
| LdrAlternateResourcesEnabled | 2 |
| ?availableGeometry@QDesktopWidget@@@ | 2 |
| ? pixmap@QIcon@@QBE?AVQPixmap@@H | 2 |
| ? clipboard@QApplication@@SAPAVQClipbc | 2 |
| ?setText@QClipboard@@QAEXABVQString() | 2 |
| GdipCreateRegionRect | 2 |
| GdipDrawEllipse | 2 |
| ??1CCatalogEnum@@QAE@XZ | 2 |
| ??4?\$basic_istream@DU?\$char_traits@D@: | 2 |
| ASFGetStreamPropertiesObject | 2 |
| ASFFindStreamPropertiesObject | 2 |
| ASFGetRootObject | 2 |
| ASFGetHeaderObject | 2 |
| ASFFindRootObject | 2 |

| | |
|---------------------------------|---|
| ASFGUIDFromCodecID | 2 |
| ASFGUIDToCodecID | 2 |
| ASFCreateIOMonitor | 2 |
| ASFWriteHeaderToFile | 2 |
| ASFCreateIndexMakerFileSink | 2 |
| ASFCreateIndexMaker | 2 |
| ASFCreateStreamSelector | 2 |
| ASFFindHeaderObject | 2 |
| ASFCreateLibrary | 2 |
| ASFReadHeaderFromFile | 2 |
| ?pcount@strstreambuf@std@@QBEHZ | 2 |
| _x_p_nop_check | 2 |
| _x_p_init | 2 |
| _x_p_r_1b | 2 |
| _x_p_r_1b_c | 2 |
| _x_p_r_1b_2 | 2 |
| _x_p_r_2b | 2 |
| _x_p_r_2b_c | 2 |
| _x_p_r_2b_2 | 2 |
| _x_p_r_4b | 2 |
| _x_p_r_4b_c | 2 |
| _x_p_r_4b_2 | 2 |
| _x_p_r_8b | 2 |
| _x_p_r_10b | 2 |
| _x_p_w_1b | 2 |
| _x_p_w_1b_c | 2 |
| _x_p_w_2b | 2 |
| _x_p_w_2b_c | 2 |
| _x_p_w_4b | 2 |
| _x_p_w_4b_c | 2 |
| _x_p_w_8b | 2 |
| _x_p_w_10b | 2 |
| _x_p_r_string | 2 |
| _x_p_w_string | 2 |
| _x_p_c_string | 2 |
| _x_p_r_cmps | 2 |
| _x_p_cmps | 2 |
| _x_p_scas | 2 |
| _x_p_trace_string | 2 |
| _x_p_before_call | 2 |
| _x_p_before_call_and_color | 2 |
| _x_p_after_call | 2 |
| _x_p_module_entry | 2 |
| _x_p_purewraptramp | 2 |
| _x_p_purewraptramp_s | 2 |
| _x_p_wrap_seh | 2 |
| _x_p_wrap_seh8 | 2 |

| | |
|---|---|
| _x_p_wrap_seh_nested | 2 |
| _x_p_rtpatch | 2 |
| _x_p_rtpatchenter | 2 |
| _x_p_rtpatchexit | 2 |
| _x_p_trampsehxx | 2 |
| _x_p_sp_alloca | 2 |
| _x_p_sp_sub_green | 2 |
| _x_p_sp_add | 2 |
| _x_p_sp_sub | 2 |
| _x_p_sp_change | 2 |
| _x_p_sp_enter | 2 |
| _x_p_sp_before | 2 |
| _x_p_sp_after | 2 |
| _x_p_fn_entry | 2 |
| _x_p_find_acc | 2 |
| _x_p_bb_entry | 2 |
| _x_p_bb_entry_unwind | 2 |
| _x_p_slow_bb_entry | 2 |
| _x_p_fn_reentry | 2 |
| _x_p_wrap_seh_prolog | 2 |
| ?find@?\$basic_string@DV?\$char_traits@D@ | 2 |
| ?substr@?\$basic_string@DV?\$char_traits@ | 2 |
| ??4?\$basic_string@DV?\$char_traits@D@_S | 2 |
| ?c_str@?\$basic_string@DV?\$char_traits@D | 2 |
| ??0\$allocator@D@_STL@@QAE@XZ | 2 |
| ?size@?\$basic_string@DV?\$char_traits@D@ | 2 |
| ?fromLocalFile@QUrl@@SA?AV1@ABVQStr | 2 |
| MQSec_GetWorldSid | 2 |
| MQSec_MakeSelfRelative | 2 |
| MQSec_GetDefaultSecDescriptor | 2 |
| _ZN4Foam11openLibraryERKNS_8fileNameE | 2 |
| DeviceManager_ExecuteW | 2 |
| DeviceCreateHardwarePage | 2 |
| DeviceManager_ExecuteA | 2 |
| DeviceProblenWizard_RunDLLA | 2 |
| DeviceProperties_RunDLLA | 2 |
| DevicePropertiesExA | 2 |
| ?max_length@codecvt_base@std@@QBEH | 2 |
| _FSOUND_SetFrequency@8 | 2 |
| @Sysutils@StrToCurr\$qqrx17System@AnsI | 2 |
| Update | 2 |
| Open | 2 |
| ??0CMaJDialog@@QAE@IPAVCWnd@@@Z | 2 |
| ?AddWindowText@CMaJDialog@@MAEXPE | 2 |
| ?messageMap@CMaJDialog@@1UAFX_MS@ | 2 |
| ??1CMaJButton@@UAE@XZ | 2 |
| ?InitDialogCtrl@CMaJDialog@@MAEXH@Z | 2 |

| | |
|--|---|
| ??0CMaJButton@@QAE@XZ | 2 |
| ??1CMaJDialog@@UAE@XZ | 2 |
| ?DestroyWindow@CMaJDialog@@UAEHXZ | 2 |
| ?SetInstance@CMaJUtility@@SAXPAUHINS` | 2 |
| ?LoadStringA@CMaJUtility@@SA?AVCString | 2 |
| ?OnPostDownload@CMAFileUpdateBase@@C | 2 |
| ??0CMAFileUpdate@@QAE@XZ | 2 |
| ?BeginUpdate@CMAFileUpdate@@QAEXZ | 2 |
| ?IsNotCompleted@CMAFileUpdateBase@@@ | 2 |
| ?UpdateCancel@CMAFileUpdateBase@@Q | 2 |
| ?IsPatchComplete@CMAFileUpdateBase@@@ | 2 |
| ?IsUpdateCancel@CMAFileUpdateBase@@@ | 2 |
| ??1CMAFileUpdate@@UAE@XZ | 2 |
| ogg_sync_pageout | 2 |
| __vbaVarDateVar | 2 |
| ?_Psum@?\$basic_string@GU?\$char_traits@ | 2 |
| DllIsRunning | 2 |
| InjectDll2Exe | 2 |
| SetParam | 2 |
| PropVariantCompareEx | 2 |
| PSGetPropertyKeyFromName | 2 |
| StgDeserializePropVariant | 2 |
| PropVariantToStringAlloc | 2 |
| PSGetPropertyDescriptionListFromString | 2 |
| PSGetPropertyDescriptionByName | 2 |
| PropVariantToGUID | 2 |
| ?Find@CPropertyList@@UAEPBVCPropEntry | 2 |
| _basFreeLibrary@0 | 2 |
| _basGetErrorString@12 | 2 |
| _basInitLibrary@4 | 2 |
| ?DrawTracker@CXTSplitterWnd@@MAEXA | 2 |
| ?EnableFlatLook@CXTSplitterWnd@@UAEX | 2 |
| ?GetSplitterStyle@CXTSplitterWnd@@UAEK | 2 |
| ?SetSplitterStyle@CXTSplitterWnd@@UAEX | 2 |
| ?ReplaceView@CXTSplitterWnd@@UAEPAV | 2 |
| ?ReplaceView@CXTSplitterWnd@@UAEPAV | 2 |
| ?SwitchView@CXTSplitterWnd@@UAEEHHI | 2 |
| ?HideRow@CXTSplitterWnd@@UAEXH@Z | 2 |
| ?ShowRow@CXTSplitterWnd@@UAEXXZ | 2 |
| ?HideColumn@CXTSplitterWnd@@UAEXH@C | 2 |
| ?ShowColumn@CXTSplitterWnd@@UAEXXZ | 2 |
| ?StopTracking@CXTSplitterWnd@@MAEXH | 2 |
| ?StartTracking@CXTSplitterWnd@@MAEXH | 2 |
| ?SetSplitCursor@CXTSplitterWnd@@MAEXI | 2 |
| ?OnInvertTracker@CXTSplitterWnd@@MAE | 2 |
| ?GetThisMessageMap@CXTSplitterWnd@@ | 2 |
| ??1CXTWindowPos@@UAE@XZ | 2 |

| | |
|--------------------------------------|---|
| ??OCXTWindowPos@@QAE@XZ | 2 |
| PyErr_WarnEx | 2 |
| PyExc_SystemError | 2 |
| PyExc_ValueError | 2 |
| PyList_GetItem | 2 |
| PyList_Size | 2 |
| PyLong_AsUnsignedLong | 2 |
| PyLong_FromVoidPtr | 2 |
| PyObject_ClearWeakRefs | 2 |
| PyObject_GenericGetAttr | 2 |
| PyType_GenericAlloc | 2 |
| PyUnicodeUCS2_FromUnicode | 2 |
| _Py_NotImplementedStruct | 2 |
| ?_Getptr@_Timevec@std@@QBEPAXXZ | 2 |
| _BinkOpenDirectSound@4 | 2 |
| _BinkDoFrame@4 | 2 |
| _BinkGetRects@8 | 2 |
| _BinkNextFrame@4 | 2 |
| _BinkClose@4 | 2 |
| _BinkSetSoundSystem@8 | 2 |
| _BinkOpen@8 | 2 |
| _BinkSetSoundOnOff@8 | 2 |
| @Mask@TCustomMaskEdit@SetEditMask\$c | 2 |
| InternetGetSecurityInfoByURLW | 2 |
| EnableHotKeyHook | 2 |
| DoAutoPilotWithTracefile | 2 |
| DoAutoPilotWizard | 2 |
| ??1CSharedMemory@@UAE@XZ | 2 |
| ?MeFirst@CSharedMemory@@QAEHXZ | 2 |
| ??0CSharedMemory@@QAE@IPBG@Z | 2 |
| ?Lock@CSharedMemory@@QAEHXZ | 2 |
| ?Unlock@CSharedMemory@@QAEHXZ | 2 |
| sItIn | 2 |
| ?NPSCBT_Open@@YAJPAEW4BTSERVICETYI | 2 |
| ?NPSCBT_Init@@YAJXZ | 2 |
| ?NPSCBT_GetStackType@@YA?AW4BTSTAC | 2 |
| ?NPSCBT_Search_Stop@@YAJXZ | 2 |
| ?NPSCBT_Deinit@@YAJXZ | 2 |
| _UTLShowHelp@20 | 2 |
| _UNITConvToUnitAndString@24 | 2 |
| _UNITGetUnitArray@4 | 2 |
| _UNITGetUnitAsString@8 | 2 |
| _UNITConvertBaseToUnit@20 | 2 |
| _UNITConvertUnitToBase@20 | 2 |
| _UTLIsPlatformNT4@0 | 2 |
| ?PaintOtherCell@WCellComboBox@@UAE | 2 |
| ?UI_Init@@YGHXZ | 2 |

| | |
|---|---|
| ?UI_Shutdown@@YGXXZ | 2 |
| InbvEnableBootDriver | 2 |
| Exi386InterlockedDecrementLong | 2 |
| rA | 2 |
| RectEmpty | 2 |
| Child | 2 |
| tTopWindow | 2 |
| tlconInfo | 2 |
| tClientRect | 2 |
| nfoA | 2 |
| llWindowProcA | 2 |
| extA | 2 |
| arLowerBuffA | 2 |
| justWindowRectEx | 2 |
| rgEx | 2 |
| I | 2 |
| ToEx | 2 |
| riantCopy | 2 |
| riptionA | 2 |
| ct | 2 |
| dll | 2 |
| GetBufferedPaintBits | 2 |
| BufferedPaintClear | 2 |
| DUserFlushDeferredMessages | 2 |
| SetGadgetFocusEx | 2 |
| DUserFlushMessages | 2 |
| @System@@PackageUnload\$qqrp\$23System@ | 2 |
| @System@@PackageLoad\$qqrp\$23System@ | 2 |
| @Dbtables@TTable@SetTableName\$qqrx17 | 2 |
| @Dbtables@TTable@\$bctr\$qqrp18Classes@ | 2 |
| @Dbtables@TQuery@ | 2 |
| @Dbcgrids@initialization\$qqrv | 2 |
| _config_ChainParse | 2 |
| pcap_freecode | 2 |
| EngAcquireSemaphor | 2 |
| AddMD5 | 2 |
| EndMD5 | 2 |
| InitMD5 | 2 |
| config_GetConfDir | 2 |
| ?_Init@?\$_ctype@G@std@@IAEXABV_Locin | 2 |
| TraceSQLDriverConnect | 2 |
| TraceSQLParamOptions | 2 |
| TraceSQLAllocHandleStdW | 2 |
| @Wwpaintoptions@Finalization\$qqrv | 2 |
| @Wwbitmap@Finalization\$qqrv | 2 |
| @Wwchangelink@Finalization\$qqrv | 2 |
| @Wwexport@Finalization\$qqrv | 2 |

| | |
|---------------------------------------|----------|
| @Wwhistorylist@Finalization\$qqrv | 2 |
| @Wwcheckbox@Finalization\$qqrv | 2 |
| @Wwradiobutton@Finalization\$qqrv | 2 |
| @Wwradiogroup@Finalization\$qqrv | 2 |
| @Wwclearbutongroup@Finalization\$qqrv | 2 |
| @Wwrichobjinfo@Finalization\$qqrv | 2 |
| g_filename_from_utf8_utf8 | 2 |
| g_filename_to_utf8_utf8 | 2 |
| 584B2F40 | 2 |
| 45182A87 | 2 |
| E32678DC | 2 |
| F676F661 | 2 |
| 350C5EE3 | 2 |
| BB83F7A4 | 2 |
| 0FE820E6 | 2 |
| E09508A2 | 2 |
| E58719CB | 2 |
| F41697A9 | 2 |
| AB89A421 | 2 |
| 4C61E860 | 2 |
| D9F6C7C9 | 2 |
| 3B8D9032 | 2 |
| 7A3F1422 | 2 |
| | 46605430 |
| BEBF1125 | 2 |
| 97F30533 | 2 |
| B4EC44FE | 2 |
| 3AC755AF | 2 |
| A8D88AEA | 2 |
| AA176208 | 2 |
| 7FE46219 | 2 |
| E16A5101 | 2 |
| 6B3FDC99 | 2 |
| 54571B27 | 2 |
| _strstr | 2 |
| _getdate | 2 |
| _MyDebug | 2 |
| readGenericRecord | 2 |
| GetDlgItemDate | 2 |
| mystrtok | 2 |
| SetDlgItemDate | 2 |
| MyGetTempFileName | 2 |
| addGenericRecord | 2 |
| FileLength | 2 |
| _mysprintf | 2 |
| IshCtl32Init | 2 |
| FreeDBC | 2 |

| | |
|---|---|
| GetDBC | 2 |
| ?IsFMR@MACHINE@@QAEEXZ | 2 |
| ?InsertString@WSTRING@@QAEKPBV1@K | 2 |
| ?Stricmp@WSTRING@@QBEJPBV1@KKK@ | 2 |
| Str_SetPtrW | 2 |
| ?setWidget@QScrollArea@@QAEXPQW@ | 2 |
| ??0QRadioButton@@QAE@ABVQString@@ | 2 |
| ??0QScrollArea@@QAE@PAVQWidget@@(| 2 |
| ??1QScrollArea@@UAE@XZ | 2 |
| ??1QRadioButton@@UAE@XZ | 2 |
| ?metaObject@QScrollArea@@UBEPBUQM@ | 2 |
| ?qt_metacast@QScrollArea@@UAEPAXPBD | 2 |
| ?qt_metacall@QScrollArea@@UAEHW4Call | 2 |
| ?event@QScrollArea@@MAE_NPAVQEvent | 2 |
| ?eventFilter@QScrollArea@@MAE_NPAVQ@ | 2 |
| ?sizeHint@QScrollArea@@UBE?AVQSize@() | 2 |
| ?mousePressEvent@QAbstractScrollArea@() | 2 |
| ?mouseReleaseEvent@QAbstractScrollArea@() | 2 |
| ?mouseDoubleClickEvent@QAbstractScrollArea@() | 2 |
| ?mouseMoveEvent@QAbstractScrollArea@() | 2 |
| ?keyPressEvent@QAbstractScrollArea@@MAE@ | 2 |
| ?paintEvent@QAbstractScrollArea@@MAEX | 2 |
| ?resizeEvent@QScrollArea@@MAEXPQVR | 2 |
| ?dragEnterEvent@QAbstractScrollArea@@N | 2 |
| ?dragMoveEvent@QAbstractScrollArea@@I | 2 |
| ?dragLeaveEvent@QAbstractScrollArea@@I | 2 |
| ?dropEvent@QAbstractScrollArea@@MAEX | 2 |
| ?focusNextPrevChild@QScrollArea@@UAE_ | 2 |
| ?scrollContentsBy@QScrollArea@@MAEXHI | 2 |
| @Sysutils@StrToTime\$qqrx17System@Ans!@ | 2 |
| @Extctrls@TSplitter@\$bctr\$qqrp18Classes@ | 2 |
| @Grids@TDrawGrid@MouseToCell\$qqririt: | 2 |
| @Grids@TCustomGrid@SetScrollBars\$qqr2: | 2 |
| @Grids@TCustomGrid@SetFixedCols\$qqri | 2 |
| @Grids@TCustomGrid@SetDefaultRowHeig | 2 |
| @Grids@TCustomGrid@SetDefaultColWidth@ | 2 |
| @Grids@TCustomGrid@CreateEditor\$qqrv | 2 |
| @Grids@TCustomGrid@SelectCell\$qqrii | 2 |
| @\$xp\$17Grids@TCustomGrid | 2 |
| @Grids@TCustomGrid@ | 2 |
| @Grids@TDrawGrid@\$bctr\$qqrp18Classes@ | 2 |
| @CreateConnection\$qipct2t2 | 2 |
| @DestroyConnection\$qp13SQLConnection | 2 |
| @DestroyStream\$qp9SQLStream | 2 |
| @IsValidDate\$qpcip5SDate | 2 |
| @TGeneralParams@GetCharValue\$qi | 2 |
| ?_Getno@_Locinfo@std@@QBEPEBDXZ | 2 |

| | |
|--|---|
| RCVR_CountBlocks32@16 | 2 |
| RCVR_Repair32@8 | 2 |
| RCVR_Scan32@32 | 2 |
| RCVR_Deinitialize32@0 | 2 |
| RCVR_SetProgressCallbacks32@8 | 2 |
| RCVR_Initialize32@8 | 2 |
| RCVR_Initialize64@8 | 2 |
| RCVR_SetProgressCallbacks64@8 | 2 |
| RCVR_Deinitialize64@0 | 2 |
| RCVR_Scan64@32 | 2 |
| RCVR_Repair64@8 | 2 |
| RCVR_CountBlocks64@16 | 2 |
| ??Y?\$_Complex_base@N@std@@QAEAAV(| 2 |
| ?IsDirectoryWritable@@YGHPBG@Z | 2 |
| AccRewriteSetHandleRights | 2 |
| AccProvGetOperationResults | 2 |
| AccProvRevokeAuditRights | 2 |
| c_initconsole | 2 |
| _ZNK5QFile5atEndEv | 2 |
| @Idhttpserver@initialization\$qqrv | 2 |
| @Idcustomhttpserver@initialization\$qqrv | 2 |
| NsiSetAllParametersEx | 2 |
| NsiEnumerateObjectsAllParametersEx | 2 |
| NsiRegisterChangeNotificationEx | 2 |
| NsiSetParameterEx | 2 |
| NsiGetParameterEx | 2 |
| NsiGetAllParametersEx | 2 |
| ??OPolyPolygon@@QAE@ABV0@@@Z | 2 |
| ?SetPoint@Polygon@@QAEXABVPoint@@C | 2 |
| ?Rotate@Polygon@@QAEXABVPoint@@G@ | 2 |
| ??BFraction@@QBENXZ | 2 |
| ??OColor@@QAE@K@Z | 2 |
| ?Move@Rectangle@@QAEXJJ@Z | 2 |
| ?Disable@Window@@QAEX_N@Z | 2 |
| ?GetSize@Font@@QBEABVSize@@XZ | 2 |
| ?GetPitch@Font@@QBE?AW4FontPitch@@ | 2 |
| ?GetCharSet@Font@@QBEGXZ | 2 |
| ?GetFamily@Font@@QBE?AW4FontFamily(| 2 |
| ?GetBitmap@Graphic@@QBE?AVBitmap@(| 2 |
| ?GetBestMatchingColor@BitmapReadAccess: | 2 |
| ??OBitmap@@QAE@ABV0@@Z | 2 |
| ?Crop@Bitmap@@QAEEABVRectangle@@(| 2 |
| ?GetPaletteColor@BitmapReadAccess@@Q | 2 |
| ?GetRed@BitmapColor@@QBEEHZ | 2 |
| ?GetGreen@BitmapColor@@QBEEHZ | 2 |
| ?GetBlue@BitmapColor@@QBEEHZ | 2 |
| ?GetMapMode@OutputDevice@@QBEABVI | 2 |

| | |
|--|---|
| RunFile | 2 |
| DownAFile | 2 |
| DownAPage | 2 |
| decoder_DeletePicture | 2 |
| BT_SetReportFormat | 2 |
| BT_CallCppFilter | 2 |
| BT_SetDumpType | 2 |
| pcre_compile | 2 |
| pcre_free | 2 |
| USBPORT_RegisterUSBPortDriver | 2 |
| GetUserNameI | 2 |
| GetPrivateProfileStringI | 2 |
| ?open@?\$basic_filebuf@GU?\$char_traits@ | 2 |
| ??4bad_alloc@std@@QAEAAV01@ABV01@ | 2 |
| glGetHeaderubz | 2 |
| acdbIsModelerStarted | 2 |
| acdbModelerEnd | 2 |
| acdbCleanUp | 2 |
| ?missingCryptoProviderMsg@AcDbHostApp | 2 |
| ?usedPasswordFromCacheMsg@AcDbHostA | 2 |
| ?signingComplete@AcDbHostApplicationSer | 2 |
| ?Left@AdString@@UBE?AV1@H@Z | 2 |
| ?setPlotCfgName@AcDbImpPlotSettings@@ | 2 |
| ?setCurrentStyleSheet@AcDbImpPlotSetting | 2 |
| ?Mid@AdString@@UBE?AV1@HH@Z | 2 |
| ?Right@AdString@@UBE?AV1@H@Z | 2 |
| ?Format@AdString@@UAAXPB_WZZ | 2 |
| ?ReverseFind@AdString@@UBEHABV1@H@C | 2 |
| ?Find@AdString@@UBEHABV1@H@Z | 2 |
| ?find@AdString@@UBEHABV1@H@Z | 2 |
| ?getDictionaryVariable@@YAHPAVAcDbDat | 2 |
| ?setWorkingDatabase@AcDbHostApplication | 2 |
| ?allocRawMem@AcHeapOperators@@CGP, | 2 |
| ?freeRawMem@AcHeapOperators@@CGXP | 2 |
| ??0AcDbDatabase@@QAE @_N0@Z | 2 |
| ?readDwgFile@AcDbDatabase@@QAE?AW | 2 |
| ?acrxBuildClassHierarchy@@YAXXZ | 2 |
| ?updateIndexes@AcDbIndexFilterManager@ | 2 |
| ?saveAs@AcDbDatabase@@QAE?AW4Error | 2 |
| ?lastSavedAsVersion@AcDbDatabase@@QE | 2 |
| ?originalFileVersion@AcDbDatabase@@QBI | 2 |
| ?setRetainOriginalThumbnailBitmap@AcDb[| 2 |
| ?setSaveproxygraphics@AcDbDatabase@@I | 2 |
| ??0AcDbXrecordIterator@@QAE@PBVAcDb | 2 |
| ??1AcDbXrecordIterator@@UAE@XZ | 2 |
| ?start@AcDbXrecordIterator@@QAEXXZ | 2 |
| ?done@AcDbXrecordIterator@@QBE_NXZ | 2 |

| | |
|--|---|
| ?next@AcDbXrecordIterator@@QAE?AW4E | 2 |
| ?getCurResbuf@AcDbXrecordIterator@@QE | 2 |
| ?desc@AcDbXrecord@@SAPAVAcRxClass@ | 2 |
| ?rbChain@AcDbXrecord@@QBE?AW4Error@ | 2 |
| ?setFromRbChain@AcDbXrecord@@QAE?A | 2 |
| ?getNamedObjectsDictionary@AcDbDatabase | 2 |
| ?getRecord@AcDbTextStyleTableIterator@C | 2 |
| ?isShapeFile@AcDbTextStyleTableRecord@() | 2 |
| ?fileName@AcDbTextStyleTableRecord@@C | 2 |
| ?setFileName@AcDbTextStyleTableRecord@ | 2 |
| ?bigFontFileName@AcDbTextStyleTableRec | 2 |
| ?setBigFontFileName@AcDbTextStyleTableR | 2 |
| ?font@AcDbTextStyleTableRecord@@QBE?, | 2 |
| ?newIterator@AcDbTextStyleTable@@QBE? | 2 |
| ?getSymbolTable@AcDbDatabase@@QAE?A | 2 |
| ?desc@AcDbLayout@@SAPAVAcRxClass@C | 2 |
| ?desc@AcDbPlotSettings@@SAPAVAcRxCla | 2 |
| ?getPlotCfgName@AcDbPlotSettings@@QB | 2 |
| ?getCurrentStyleSheet@AcDbPlotSettings@ | 2 |
| ?acdbGetReservedString@@YAPB_WW4res | 2 |
| ?layoutDictionaryId@AcDbDatabase@@QAI | 2 |
| ?plotSettingsDictionaryId@AcDbDatabase@ | 2 |
| ?setSourceFileName@AcDbUnderlayDefiniti | 2 |
| ?getSourceFileName@AcDbUnderlayDefiniti | 2 |
| ?load@AcDbUnderlayDefinition@@QAE?AV | 2 |
| ?acdbSetHostApplicationServices@@YA?AW | 2 |
| ?dictionaryKey@AcDbUnderlayDefinition@() | 2 |
| ?getAt@AcDbDictionary@@QBE?AW4Error@ | 2 |
| ?desc@AcDbDgnDefinition@@SAPAVAcRx C | 2 |
| ??1AcString@@QAE@XZ | 2 |
| ?kwszPtr@AcString@@QBEPB_WXZ | 2 |
| ?namedObjectsDictionaryId@AcDbDatabase | 2 |
| ?desc@AcDbDwfDefinition@@SAPAVAcRx C | 2 |
| ?start@AcDbSymbolTableIterator@@QAEX_ | 2 |
| ?done@AcDbSymbolTableIterator@@QBE_I | 2 |
| ?step@AcDbSymbolTableIterator@@QAEX_ | 2 |
| ?desc@AcDbBlockTableRecord@@SAPAVAc | 2 |
| ?pathName@AcDbBlockTableRecord@@QB | 2 |
| ?setPathName@AcDbBlockTableRecord@@@ | 2 |
| ?isExternalReference@AcDbBlockTable | 2 |
| ?isOverlayReference@AcDbBlockTable@ | 2 |
| ?getBlockReferencelds@AcDbBlockTableRec | 2 |
| ?getRecord@AcDbBlockTableIterator@@QE | 2 |
| ?getName@AcDbSymbolTableRecord@@QE | 2 |
| ?newIterator@AcDbBlockTable@@QBE?AW | 2 |
| ?getSymbolTable@AcDbDatabase@@QAE?A | 2 |
| ?newIterator@AcDbDictionary@@QBEPAV@ | 2 |

| | |
|--|---|
| ?ownerId@AcDbObject@@QBE?AVAcDbOb | 2 |
| ?desc@AcDbDictionary@@SAPAVAcRxClass | 2 |
| ?nameAt@AcDbDictionary@@QBE?AW4Err | 2 |
| ?acdbOpenAcDbObject@@YG?AW4ErrorSta | 2 |
| acrx_abort | 2 |
| ?newAcRxClass@@YAPAVAcRxClass@@PB_ | 2 |
| ?getAcDbObjectId@AcDbDatabase@@QAE? | 2 |
| ?objectId@AcDbObject@@QBE?AVAcDbObj | 2 |
| ?getAcDbHandle@AcDbObject@@QBEXAA\ | 2 |
| ?getDefaultValue@AcDbObject@@QAE?AVAcDbObj | 2 |
| ?loadApp@AcDbHostApplicationServices@C | 2 |
| ?layoutManager@AcDbHostApplicationServ | 2 |
| ?plotSettingsValidator@AcDbHostApplicatio | 2 |
| ?auditPrintReport@AcDbHostApplicationSer | 2 |
| ?alert@AcDbHostApplicationServices@@UBE | 2 |
| acdbValidateSetup | 2 |
| ?isA@AcDbHostApplicationServices@@UBE | 2 |
| ?getSubstituteFont@AcDbHostApplicationSe | 2 |
| ?_entToWorldTransform@AcDbHostApplica | 2 |
| ?serializeOleItem@AcDbHostApplicationSer | 2 |
| ?getNewOleClientItem@AcDbHostApplicatio | 2 |
| ?drawOleOwnerDrawItem@AcDbHostApplic | 2 |
| ?launchBrowserDialog@AcDbHostApplicatio | 2 |
| ?putRemoteFile@AcDbHostApplicationServi | 2 |
| ?getRemoteFile@AcDbHostApplicationServ | 2 |
| ?isRemoteFile@AcDbHostApplicationService | 2 |
| ?isURL@AcDbHostApplicationServices@@U | 2 |
| ?acadInternalServices@AcDbHostApplication | 2 |
| ?versionString@AcDbHostApplicationService | 2 |
| ?releaseMinorVersion@AcDbHostApplication | 2 |
| ?releaseMajorVersion@AcDbHostApplication | 2 |
| ?releaseMajorMinorString@AcDbHostApplic | 2 |
| ?prodcode@AcDbHostApplicationServices@ | 2 |
| ?companyName@AcDbHostApplicationServ | 2 |
| ?isLoaded@AcDbUnderlayDefinition@@QBI | 2 |
| ??BAdString@@QBEPB_WXZ | 2 |
| ?IsEmpty@AdString@@UBE_NXZ | 2 |
| ?MakeLower@AdString@@UAEXXZ | 2 |
| ?Empty@AdString@@UAEXXZ | 2 |
| ?GetLength@AdString@@UBEHXZ | 2 |
| ?rightTrim@AdString@@UAE?AV1@V1@@ | 2 |
| ?leftTrim@AdString@@UAE?AV1@V1@@Z | 2 |
| ?_PeekMessageW@20 | 2 |
| ??0AdString@@QAE@ABV?\$basic_string@_ | 2 |
| ??4AdString@@QAEABV0@PB_W@Z | 2 |
| ?CollateNoCase@AdString@@UBEHABV1@ | 2 |
| ??4AdString@@QAEABV0@ABV0@@Z | 2 |

| | |
|--|---|
| ?CompareNoCase@AdString@@UBEHABV1 | 2 |
| ?product@AcDbHostApplicationServices@@ | 2 |
| ?program@AcDbHostApplicationServices@() | 2 |
| ?createWorkingGlobals@AcDbHostApplicati | 2 |
| ?newClipBoundaryArray@AcDbHostApplicati | 2 |
| ?newClipBoundaryPolygonal@AcDbHostApplic | 2 |
| ?newClipBoundaryRectangular@AcDbHostApplic | 2 |
| ?newProgressMeter@AcDbHostApplicationS | 2 |
| ?getEnv@AcDbHostApplicationServices@@I | 2 |
| ?getTempPath@AcDbHostApplicationService | 2 |
| ?doFullCRCCheck@AcDbHostApplicationSer | 2 |
| ?enableMessageDisplay@AcDbHostApplicati | 2 |
| ?readyToDisplayMessages@AcDbHostApplicati | 2 |
| ?displayString@AcDbHostApplicationService | 2 |
| ?displayChar@AcDbHostApplicationServices | 2 |
| ?userBreak@AcDbHostApplicationServices@ | 2 |
| ?fatalError@AcDbHostApplicationServices@ | 2 |
| ??1AdString@@UAE@XZ | 2 |
| ??0AdString@@QAE@PB_W@Z | 2 |
| ??0AdString@@QAE@ABV0@@Z | 2 |
| ??0AdString@@QAE@XZ | 2 |
| ??0AcDbHostApplicationServices@@QAE@I | 2 |
| ??1AcDbHostApplicationServices@@UAE@> | 2 |
| ??0CAdUiComboBox@@QAE@XZ | 2 |
| ??0CAdUiEdit@@QAE@XZ | 2 |
| ??1CAdUiEdit@@UAE@XZ | 2 |
| ??1CAdUiComboBox@@UAE@XZ | 2 |
| ??0CAdUiListCtrl@@QAE@XZ | 2 |
| ??1CAdUiListCtrl@@UAE@XZ | 2 |
| ?PreTranslateMessage@CAdUiBaseDialog@ | 2 |
| ?OnInitDialog@CAdUiBaseDialog@@MAEH | 2 |
| ?GetRuntimeClass@CAdUiDialog@@UBEPA | 2 |
| ?GetColumnSizes@CAdUiDialog@@QAEHPA | 2 |
| ?SaveColumnSizes@CAdUiDialog@@QAEHF | 2 |
| ?SetControlProperty@CAdUiDialog@@QAEI | 2 |
| ?DoDataExchange@CAdUiDialog@@MAEXP | 2 |
| ?OnDialogHelp@CAdUiDialog@@UAEXXZ | 2 |
| ?OnOK@CAdUiDialog@@MAEXXZ | 2 |
| ?GetThisMessageMap@CAdUiDialog@@KG | 2 |
| ??0CAdUiRegistryAccess@@QAE@PAUHKEY | 2 |
| ??1CAdUiRegistryAccess@@UAE@XZ | 2 |
| ?IsOpen@CAdUiRegistryAccess@@QAEHXZ | 2 |
| ?EnumValueNames@CAdUiRegistryAccess@ | 2 |
| ??0CAdUiDialog@@QAE@IPAVCWnd@@P | 2 |
| ?GetString@CAdUiRegistryAccess@@QAE?A | 2 |
| ??0CAdUiPathname@@QAE@XZ | 2 |
| ??1CAdUiPathname@@QAE@XZ | 2 |

| | |
|---|---|
| ?Parse@CAdUiPathname@@UAE?AW4Path | 2 |
| ?Exists@CAdUiPathname@@QAEHXZ | 2 |
| ?GetRuntimeClass@CAdUiListCtrl@@UBEP_A | 2 |
| ?GetContentExtent@CAdUiListCtrl@@UAEX | 2 |
| ?DoAdUiMessage@CAdUiListCtrl@@MAE?A | 2 |
| ?OnDrawTipText@CAdUiListCtrl@@MAEHA. | 2 |
| ?OnGetTipSupport@CAdUiListCtrl@@MAE? | 2 |
| ?OnGetTipRect@CAdUiListCtrl@@MAEHAA' | 2 |
| ?OnGetTipText@CAdUiListCtrl@@MAEHAA' | 2 |
| ?SetRootKey@CAdUiDialog@@QAEXPB_W() | 2 |
| ?SetDialogName@CAdUiDialog@@QAEXPB_ | 2 |
| ?PreCreateWindow@CAdUiBaseDialog@@I | 2 |
| ?EnableMultiDocumentActivation@CAdUiBa | 2 |
| ?IsMultiDocumentActivationEnabled@CAdU | 2 |
| ?EnableFloatingWindows@CAdUiBaseDialog | 2 |
| ?Create@CAdUiBaseDialog@@UAEHPB_WF | 2 |
| ?SetAppRootKey@CAdUiBaseDialog@@QAE | 2 |
| ?AppRootKey@CAdUiBaseDialog@@UAEPB | 2 |
| ?AppResourceInstance@CAdUiBaseDialog@ | 2 |
| ?AppMainWindow@CAdUiBaseDialog@@U | 2 |
| ?FindContextHelpFullPath@CAdUiBaseDialo | 2 |
| ?GetThisMessageMap@CAdUiListCtrl@@KG | 2 |
| ?PreSubclassWindow@CAdUiListCtrl@@MA | 2 |
| ?OnHitTipRect@CAdUiListCtrl@@MAEHAAV | 2 |
| ?OnDrawTip@CAdUiListCtrl@@MAEXAAVCI | 2 |
| ?OnDialogHelp@CNavDialog@@UAEXPB_W | 2 |
| ?GetDownloadActionCodes@CNavDialog@() | 2 |
| ?BeginDownloadFiles@CNavDialog@@UAEI | 2 |
| ?GetProductName@CNavDialog@@UAEHA | 2 |
| ?LocateFile@CNavDialog@@UAEXXZ | 2 |
| ?GetAllDialogsData@CNavDialog@@UAEHA | 2 |
| ?GetAllDialogsData@CNavDialog@@UAEHA | 2 |
| ?SetAllDialogsData@CNavDialog@@UAEHA | 2 |
| ?SetAllDialogsData@CNavDialog@@UAEHA | 2 |
| ??1CNavDialog@@UAE@XZ | 2 |
| ??0CNavDialog@@QAE@AAVCNavDataArra | 2 |
| ?GetThisClass@CNavDialog@@SGPAUCRun | 2 |
| ??0CNavListCtrl@@QAE@XZ | 2 |
| ??1CNavListCtrl@@UAE@XZ | 2 |
| ?NavSetHostApplication@@YAHPAVCNavHc | 2 |
| ??1CNavFilterArray@@UAE@XZ | 2 |
| ??0CNavFilterArray@@QAE@XZ | 2 |
| ?GetText@CNavData@@QAEPB_WXZ | 2 |
| ?GetCurrentFolderForPersistence@CNavDia | 2 |
| ?SetFolderListCtrl@CNavDialog@@QAEXPB' | 2 |
| ?PrepareToolsMenu@CNavDialog@@MAEX | 2 |
| ?PrepareOkMenu@CNavDialog@@MAEXPB | 2 |

| | |
|--|---|
| ?DoDataExchange@CNavDialog@@MAEXP@ | 2 |
| ?SetNoFTP@CNavDialog@@QAEXH@Z | 2 |
| ?SetCreatingFile@CNavDialog@@QAEXH@Z | 2 |
| ?SetReadOnlyHidden@CNavDialog@@QAE@ | 2 |
| ?SetReadOnlyAllowed@CNavDialog@@QAE | 2 |
| ?SetNoURLsAllowed@CNavDialog@@QAEXI | 2 |
| ?SetNoURLFileTransfer@CNavDialog@@QA | 2 |
| ?SetConfirmReplace@CNavDialog@@QAEXI | 2 |
| ?SetUseRegExtensionFlags@CNavDialog@@ | 2 |
| ?SetInitialFileName@CNavDialog@@QAEXP | 2 |
| ?SetForceInitialFolder@CNavDialog@@QAE | 2 |
| ?SetForceFilterIndex@CNavDialog@@QAEX | 2 |
| ?SetDefaultFileExtension@CNavDialog@@Q | 2 |
| ?SetDialogCaption@CNavDialog@@QAEXP@E | 2 |
| ?AddData@?\$CNavArray@VCNavFilter@@@() | 2 |
| ??1CNavDataArray@@UAE@XZ | 2 |
| ??0CNavDataArray@@QAE@XZ | 2 |
| ?SetDescription@CNavFilter@@QAEXPB_W | 2 |
| ??A?\$CTypedPtrArray@VCObArray@@PAVC | 2 |
| ?GetCount@?\$CNavArray@VCNavData@@@() | 2 |
| ?SetFoldersOnly@CNavDialog@@QAEXH@Z | 2 |
| ?SetMultiSelectAllowed@CNavDialog@@QF | 2 |
| ?SetFilterIndex@CNavDialog@@QAEXH@Z | 2 |
| ?GetThisMessageMap@CNavDialog@@KGP | 2 |
| ?OnCmdMsg@CNavDialog@@MAEHIHPAXF | 2 |
| ?OnNotifyGeneric@CNavDialog@@MAE?AV | 2 |
| ?OnNotifyControlChange@CNavDialog@@N | 2 |
| ?UpdateUIState@CNavDialog@@MAEXXZ | 2 |
| ?OnFolderChange@CNavDialog@@MAEXXZ | 2 |
| ?OnFolderItemChange@CNavDialog@@MA | 2 |
| ?OnFilterChange@CNavDialog@@MAEXXZ | 2 |
| ?OnFileNameSelectionChange@CNavDialog | 2 |
| ?OnFileNameChange@CNavDialog@@MAE@ | 2 |
| ?Refresh@CNavDialog@@MAEXXZ | 2 |
| ?OnDoAddToFavorites@CNavDialog@@MA | 2 |
| ?OnDoFind@CNavDialog@@MAEXXZ | 2 |
| ?OnDoLocate@CNavDialog@@MAEXXZ | 2 |
| ?OnURLDownloadSuccess@CNavDialog@@I | 2 |
| ?LaunchBrowserDialog@CNavDialog@@MA | 2 |
| ?GetDefaultBrowserStartURL@CNavDialog@ | 2 |
| ?DisplaySearchError@CNavDialog@@MAEX | 2 |
| ?FindInSearchPath@CNavDialog@@MAEHP | 2 |
| ?ReportURLTransferStatus@CNavDialog@@ | 2 |
| ?OnUrlOK@CNavDialog@@MAEHXZ | 2 |
| ?VerifyURLSave@CNavDialog@@MAEHXZ | 2 |
| ?OnFileNameOK@CNavDialog@@MAEHXZ | 2 |
| ?UpdateFileExtension@CNavDialog@@MAE | 2 |

| | |
|--|---|
| ?CombineDataTextWithFolderName@CNavI | 2 |
| ?PreprocessData@CNavDialog@@MAE?AW | 2 |
| ?OnOK@CNavDialog@@MAEXXZ | 2 |
| ?OnCancel@CNavDialog@@MAEXXZ | 2 |
| ?PrepareViewsMenu@CNavDialog@@MAE) | 2 |
| ?GetDefaultFileExtension@CNavDialog@@C | 2 |
| ?OnInitDialog@CNavDialog@@MAEHXZ | 2 |
| ?PreTranslateMessage@CNavDialog@@MA | 2 |
| ?desc@AcDbRasterImageDef@@SAPAVAcR: | 2 |
| ?imageDictionary@AcDbRasterImageDef@C | 2 |
| ?CreateTable@LuaState@LuaPlus@@QAE?/_ | 2 |
| _NetworkProjectionThreadMain@12 | 2 |
| osl_moveFile | 2 |
| ?_M_put_nowiden@?\$basic_ostream@DV? | 2 |
| ??6?\$basic_ostream@DV?\$char_traits@D@ | 2 |
| ??1SORTED_LIST@@UAE@XZ | 2 |
| ?Put@SORTED_LIST@@UAEEPAVOBJECT@C | 2 |
| ??OSORTED_LIST@@QAE@XZ | 2 |
| ?QueryMemberCount@SORTED_LIST@@UB | 2 |
| ?Initialize@MESSAGE@@QAEEXZ | 2 |
| ?Initialize@TIMEINFO@@QAEEPAU_FILETIN | 2 |
| ?QuerySTR@WSTRING@@QBEPADKKPADKE | 2 |
| ?Initialize@VOL_LIODPDRV@@IAE?AW4FOF | 2 |
| ?WriteEntireDrive@VOL_LIODPDRV@@UAE | 2 |
| ?FormatScaleTotalFreeClusters@IFS_SYSTEM | 2 |
| ?SetFileSystemName@VOL_LIODPDRV@@C | 2 |
| ?DismountAndLock@IO_DP_DRIVE@@QAEF | 2 |
| ?QueryWriteBlockSize@DP_DRIVE@@UBEK | 2 |
| ?QueryUdfMediaType@DP_DRIVE@@QAEK | 2 |
| ?QueryDriveType@DP_DRIVE@@QBE?AW4 | 2 |
| ?QueryUdfMediaNeedsLowLevelFormat@Df | 2 |
| ?FirstChildElement@TiXmlNode@@QAEPAV | 2 |
| ?SetBugReportUin@TXBugReport@@YAXKP | 2 |
| @Cxlistbox@TcxListBox@SetItemIndex\$qqri | 2 |
| @Cxlistbox@TcxListBox@GetItems\$qqrv | 2 |
| @Cxlistbox@TcxListBox@GetItemIndex\$qqr | 2 |
| @Cxlistbox@TcxListBox@ | 2 |
| @System@@LGetDir\$qqrucr17System@Ans | 2 |
| @Spin@TSpinEdit@ | 2 |
| EVENT_SINK_QueryIn | 2 |
| eateHalftonePalette | 2 |
| eateDIBSection | 2 |
| gisterClassA | 2 |
| rollWindow | 2 |
| stMessageA | 2 |
| WindowEnabled | 2 |
| tCPIInfo | 2 |

| | |
|---|---|
| leTimeToDosDateTime | 2 |
| retchBlt | 2 |
| tDeviceCaps | 2 |
| _strupr_s | 2 |
| GetRegValue | 2 |
| EbGetVBAObject | 2 |
| ?Pop@CLockedSingleList@@QAEQAVCSingl | 2 |
| FsRtlInsertPerStreamContext | 2 |
| FsRtlRemovePerStreamContext | 2 |
| @Sysutils@FormatDateTime\$qqrx20System | 2 |
| ?_ftFile@CGlobalPropFileRefresher@@OU_I | 2 |
| ??0BitmapColor@@QAE@EEE@Z | 2 |
| ??0BitmapColor@@QAE@E@Z | 2 |
| NdrServerContextUnmarshall | 2 |
| @System@@Seek\$qqrv | 2 |
| @Controls@TWinControl@WMKillFocus\$qq | 2 |
| @Controls@TWinControl@WMSetFocus\$qq | 2 |
| ??1GemObservable@@UAE@XZ | 2 |
| ?addObserver@GemObservable@@UAEXP/ | 2 |
| ?removeObserver@GemObservable@@UAE | 2 |
| ?removeObservers@GemObservable@@UA | 2 |
| ?notifyObservers@GemObservable@@UAE | 2 |
| ?notifyObservers@GemObservable@@UAE | 2 |
| ?hasChanged@GemObservable@@UBE_NX | 2 |
| ?countObservers@GemObservable@@UBEI | 2 |
| ?destroyObservers@GemObservable@@UB | 2 |
| ?hasObserver@GemObservable@@UBE_NP | 2 |
| ?setChanged@GemObservable@@MAEXXZ | 2 |
| ?clearChanged@GemObservable@@MAEXX | 2 |
| ??0GemObservable@@QAE@XZ | 2 |
| ControlServiceExW | 2 |
| FtpConnect | 2 |
| ??0CTxEngine@@QAE@PAUDSAIK32PCB@() | 2 |
| ?Resize@CTxEngine@@QAEHPAXHPAPAXH | 2 |
| @Sysutils@FileSeek\$qqrii | 2 |
| @Graphics@TIcon@SetHandle\$qqrui | 2 |
| EndKeybrdHook | 2 |
| uno_type_constructData | 2 |
| uno_type_copyData | 2 |
| CredUIReadSSOCredA | 2 |
| AUTGetObjectID | 2 |
| AUTGetObjectType | 2 |
| AUTRegisterApp | 2 |
| AUTUnregisterApp | 2 |
| AUTSetLongAttribute | 2 |
| AUTCloseObjectSet | 2 |
| AUTOOpenObjectSet | 2 |

| | |
|---|---|
| AUTGetObject | 2 |
| AUTGetName | 2 |
| AUTSetCurrentObjectSet | 2 |
| AUTDeleteObject | 2 |
| AUTSaveObjectSet | 2 |
| ??BCBstr@@QBEPAAGXZ | 2 |
| ??1CBstr@@QAE@XZ | 2 |
| ??0CBstr@@QAE@XZ | 2 |
| ??0CMGIShellNameSplitter@@QAE@PBGK(| 2 |
| ?GetExtension@CMGIShellNameSplitter@@ | 2 |
| ??1CMGIShellNameSplitter@@UAE@XZ | 2 |
| ??3CDbContent@@SGXPAX@Z | 2 |
| ldap_next_attribute | 2 |
| InternalGetTcpTableWithOwnerModule | 2 |
| InternalGetTcp6Table2 | 2 |
| InternalGetUdpTableWithOwnerModule | 2 |
| InternalGetTcp6TableWithOwnerModule | 2 |
| InternalGetTcpTable2 | 2 |
| InternalGetUdp6TableWithOwnerModule | 2 |
| ?do_always_noconv@?\$_codecvt@GDH@std | 2 |
| ?QueryScopeList@CiStorage@@QAEPAVPRc | 2 |
| g_cancellable_cancel | 2 |
| g_cancellable_new | 2 |
| g_slice_alloc | 2 |
| _strftime_s | 2 |
| @Jvcheckbox@initialization\$qqrv | 2 |
| ?scaled@QPixmap@@QBE?AV1@ABVQSize | 2 |
| ??0QImage@@QAE@ABVQSize@@W4Forn | 2 |
| ??0QStyleOption@@QAE@HH@Z | 2 |
| ZwExtendSection | 2 |
| phoneGetVolume | 2 |
| FsRtAddMcbEntry | 2 |
| _FSOUND_IsPlaying@4 | 2 |
| AccProvHandleRevokeAuditRights | 2 |
| SCardUIDlgSelectCardA | 2 |
| SCardUIDlgSelectCardW | 2 |
| GetOpenCardNameA | 2 |
| SHShellFolderView_Message | 2 |
| gimp_image_base_type | 2 |
| @Scktcomp@TCustomWinSocket@GetRem | 2 |
| @Filectrl@DirectoryExists\$qqrx17System@/ | 2 |
| yukles | 2 |
| __assert_func | 2 |
| _dll_crt0@0 | 2 |
| gnutls_certificate_free_credentials | 2 |
| gnutls_certificate_type_get | 2 |
| gnutls_cipher_set_priority | 2 |

| | |
|---|---|
| gnutls_compression_set_priority | 2 |
| gnutls_kx_set_priority | 2 |
| gnutls_mac_set_priority | 2 |
| gnutls_protocol_set_priority | 2 |
| gnutls_strerror | 2 |
| gnutls_x509_crt_deinit | 2 |
| gnutls_x509_crt_import | 2 |
| gnutls_x509_crt_init | 2 |
| rb_class_new_instance | 2 |
| rb_class_path | 2 |
| rb_data_object_alloc | 2 |
| rb_define_class | 2 |
| rb_define_global_function | 2 |
| rb_define_method | 2 |
| rb_define_singleton_method | 2 |
| rb_define_variable | 2 |
| rb_eval_string_protect | 2 |
| rb_funcall2 | 2 |
| rb_gc_register_address | 2 |
| rb_gv_get | 2 |
| rb_int2inum | 2 |
| rb_ll2inum | 2 |
| rb_obj_as_string | 2 |
| rb_obj_call_init | 2 |
| rb_protect | 2 |
| rb_respond_to | 2 |
| rb_str_new | 2 |
| rb_str_new2 | 2 |
| rb_string_value_ptr | 2 |
| rb_uint2inum | 2 |
| ruby_cleanup | 2 |
| ruby_finalize | 2 |
| ruby_init | 2 |
| ruby_init_loadpath | 2 |
| ruby_script | 2 |
| ruby_show_version | 2 |
| @Dbclient@TCustomClientDataSet@SetIndex | 2 |
| @Dbclient@TCustomClientDataSet@GetCh@ | 2 |
| @Hcxgrid@THITcxGrid@ | 2 |
| @Hcxgrid@THITcxGridDBTableView@ | 2 |
| @Ccdex@AddAGridColumn\$qqrp29Hcxgr | 2 |
| rtl_string_newToAsciiUpperCase | 2 |
| MsgBox | 2 |
| CheckADSError | 2 |
| ErrMsg | 2 |
| ReportError | 2 |
| NoExecuteRemoveFileOptOutList | 2 |

| | |
|--|---|
| __srget | 2 |
| WerRegisterFile | 2 |
| RmRestart | 2 |
| RmCancelCurrentTask | 2 |
| RmAddFilter | 2 |
| ?_Init@?\$ctype@D@std@@IAEXABV_Locin | 2 |
| CreateLinkInfo | 2 |
| GetCanonicalPathInfo | 2 |
| ResolveLinkInfo | 2 |
| @Db@TDataSet@MoveBy\$qqri | 2 |
| @Db@TParam@SetAsDateTime\$qqrx16Syst | 2 |
| @Db@TPParam@SetAsInteger\$qqri | 2 |
| @Wwrcdpnl@initialization\$qqrv | 2 |
| @Wwcombobutton@initialization\$qqrv | 2 |
| @Wwdbigrd@TwwCustomDBGrid@GetSele | 2 |
| @Wwdbigrd@TwwCustomDBGrid@GetFiel | 2 |
| @Wwdbcomb@TwwDBComboBox@ | 2 |
| @Wwdbgrid@TwwDBGrid@GetDataSource | 2 |
| @Wwdbgrid@TwwDBGrid@\$bctr\$qqrp18Cl | 2 |
| @Wwdbgrid@TwwDBGrid@ | 2 |
| @Wwrtfconverter@initialization\$qqrv | 2 |
| @Wwrcdv@initialization\$qqrv | 2 |
| @Wwclearpanel@initialization\$qqrv | 2 |
| @Wwcollection@initialization\$qqrv | 2 |
| @Wwspeedbutton@initialization\$qqrv | 2 |
| @Wwidlg@initialization\$qqrv | 2 |
| @Wwkeycb@initialization\$qqrv | 2 |
| @Wwdbdlg@initialization\$qqrv | 2 |
| @Wwfldlg@initialization\$qqrv | 2 |
| @Wwfldum@initialization\$qqrv | 2 |
| @Wwfltvw@initialization\$qqrv | 2 |
| @Dbclient@TCustomClientDataSet@EmptyI | 2 |
| gimp_parasite_free | 2 |
| ?ReleaseRef@SvRefBase@@QAEKXZ | 2 |
| ??0SvGlobalName@@QAE@ABU_GUID@@ | 2 |
| ??0WarningBox@@QAE@PAVWindow@@_ | 2 |
| ?GetHost@INetURLObject@@QBE?AVOUSti | 2 |
| ??G@YAJABVDate@@0@Z | 2 |
| ?ConvertSharedToExclusive@CLKRHashTable | 2 |
| I_RpcNsInterfaceExported | 2 |
| WmiAddObjectProp | 2 |
| WmilsObjectActive | 2 |
| _cos | 2 |
| _sin | 2 |
| ?seekpos@?\$basic_stringbuf@DU?\$char_tr | 2 |
| VideoPortAllocateContiguousMemory | 2 |
| VideoPortReadRegisterBufferUchar | 2 |

| | |
|--|---|
| NdisMQueryInformationComplete | 2 |
| NdisInitializeString | 2 |
| NdisMMMaploSpace | 2 |
| | 2 |
| ??_DoUTF16StringStream@dvacore@@QAE | 2 |
| ?str@?\$basic_ostringstream@GU?\$char_tr'a | 2 |
| ??oUTF16StringStream@dvacore@@QAE@C | 2 |
| ?UTF16to8@utility@dvacore@@YA?AV?\$ba | 2 |
| ??4?\$basic_string@EU?\$char_traits@E@std | 2 |
| ?FoldCase@utility@dvacore@@YA?AV?\$ba: | 2 |
| ?compare@?\$basic_string@GU?\$char_traits | 2 |
| ?reserve@?\$basic_string@GU?\$char_traits@ | 2 |
| ??Y?\$basic_string@GU?\$char_traits@G@st | 2 |
| ?UTF8to16@utility@dvacore@@YA?AV?\$ba | 2 |
| ??4?\$basic_string@GU?\$char_traits@G@st | 2 |
| ?npos@?\$basic_string@GU?\$char_traits@G | 2 |
| ?AsciiToUTF16@utility@dvacore@@YA?AV? | 2 |
| ?TraceChangeCount@debug@dvacore@@Y | 2 |
| ?BreakAfterContractDialog@debug@dvacor | 2 |
| ?TraceEnabled@debug@dvacore@@YA_NP | 2 |
| ?Trace@debug@dvacore@@YAXPBE@Z | 2 |
| ??0?\$basic_string@GU?\$char_traits@G@st | 2 |
| ?append@?\$basic_string@GU?\$char_traits@ | 2 |
| ??0ReplacementValue@config@dvacore@@C | 2 |
| ?ThrowError@config@dvacore@@YAXW4Ei | 2 |
| ??1ReplacementValue@config@dvacore@@C | 2 |
| ?Allocate@Allocator@ASL@@SAPAXI@Z | 2 |
| ?Dispose@Allocator@ASL@@SAXPAXI@Z | 2 |
| ?what@Exception@ASL@@UBEPBDXZ | 2 |
| ?AddTrailingSlash@PathUtils@ASL@@YA?A | 2 |
| _FMUSIC_SetPaused@8 | 2 |
| _FMUSIC_PlaySong@4 | 2 |
| _FMUSIC_LoadSong@4 | 2 |
| _FMUSIC_StopSong@4 | 2 |
| HidRegisterMinidriver | 2 |
| ?SetMapUnit@MapMode@@QAEXW4MapI | 2 |
| ?LogicToLogic@OutputDevice@@QBE?AVSi | 2 |
| ?GetSystemData@Window@@QBEPBUSyst | 2 |
| ?IsStorageFile@SotStorage@@SAEABVStrin | 2 |
| ??0SotObject@@QAE@XZ | 2 |
| ?CreateAggObj@SotObject@@UAE?AVSotO | 2 |
| ?FuzzyLock@SotObject@@UAEGEEE@Z | 2 |
| ?PutSuperClass@SotFactory@@QAEXPBV1@ | 2 |
| ?DoClose@SotObject@@QAEEXZ | 2 |
| ??1SotObject@@MAE@XZ | 2 |
| ??1TwoStringCreateInfo@@UAE@XZ | 2 |
| ?IsA@StringCreateInfo@@UBEEP6APAXXZ@2 | 2 |

| | |
|---|---|
| ?Type@StringErrorInfo@@UBEP6APAXXZXZ | 2 |
| ?IsA@TwoStringErrorInfo@@UBEEP6APAXX | 2 |
| ?Type@TwoStringErrorInfo@@UBEP6APAX) | 2 |
| ??0DynamicErrorInfo@@QAE@KG@Z | 2 |
| ??_7TwoStringErrorInfo@@6B@ | 2 |
| ??BDynamicErrorInfo@@QBEKXZ | 2 |
| ??0StringErrorInfo@@QAE@KABVString@@ | 2 |
| ??1DynamicErrorInfo@@UAE@XZ | 2 |
| ?GetMaybeFileHdl@binfilter@@YA?AVLink(| 2 |
| ?SmartRel2Abs@binfilter@@YA?AVString@ | 2 |
| strtok_r | 2 |
| ?getPropertyAsStringEx@CConfig@@@QAE?A | 2 |
| ?createConfig@CConfigManager@@QAEAA | 2 |
| ?getConfig@CConfigManager@@QAEAAVC | 2 |
| ?getDefaultConfig@CConfigManager@@QA | 2 |
| ?configExists@CConfigManager@@QAE_NV | 2 |
| ?destroyConfig@CConfigManager@@QAEX' | 2 |
| ?getName@CConfig@@QAE?BV?\$basic_stri | 2 |
| ?getConfigManager@CConfigManager@@S | 2 |
| ?MessageBoxInitError@@YAXH@Z | 2 |
| ??1CErrIllegalArgumentException@@UAE@ | 2 |
| ??0CErrIllegalArgumentException@@QAE@ | 2 |
| ??0CErrRuntimeException@@QAE@ABV0@ | 2 |
| ??0CErrException@@QAE@ABV0@@Z | 2 |
| ?SplitString@@YAHABV?\$basic_string@GU | 2 |
| ??0CErrIllegalArgumentException@@QAE@ | 2 |
| disp32ShowInit | 2 |
| u32ChooseColorEx | 2 |
| NdisCIModifyCallQoS | 2 |
| vlc_fourcc_IsYUV | 2 |
| GETFILESIZE | 2 |
| SETFILEPOINTER | 2 |
| REGOPENKEYEXA | 2 |
| REGSETVALUEEXA | 2 |
| PR_GetDirectorySeparator | 2 |
| _JVM_GetStackAccessControlContext@8 | 2 |
| _JVM_GetInheritedAccessControlContext@{ | 2 |
| _JVM_GetArrayLength@8 | 2 |
| _JVM_GetArrayElement@12 | 2 |
| _JVM_Open@12 | 2 |
| _JVM_Close@4 | 2 |
| _JVM_GetThreadInterruptEvent@0 | 2 |
| _JVM_CX8Field@28 | 2 |
| _JVM_SupportsCX8@0 | 2 |
| _JVM_GetClassAccessFlags@8 | 2 |
| _JVM_NewInstanceFromConstructor@12 | 2 |
| _JVM_InvokeMethod@16 | 2 |

| | |
|--|---|
| _JVM_MaxObjectInspectionAge@0 | 2 |
| _JVM_ConstantPoolGetUTF8At@16 | 2 |
| _JVM_ConstantPoolGetStringAt@16 | 2 |
| _JVM_ConstantPoolGetDoubleAt@16 | 2 |
| _JVM_ConstantPoolGetFloatAt@16 | 2 |
| _JVM_ConstantPoolGetLongAt@16 | 2 |
| _JVM_ConstantPoolGetIntAt@16 | 2 |
| _JVM_ConstantPoolGetMemberRefInfoAt@ | 2 |
| _JVM_ConstantPoolGetFieldAtIfLoaded@16 | 2 |
| _JVM_ConstantPoolGetFieldAt@16 | 2 |
| _JVM_ConstantPoolGetMethodAtIfLoaded@ | 2 |
| _JVM_ConstantPoolGetMethodAt@16 | 2 |
| _JVM_ConstantPoolGetClassAtIfLoaded@16 | 2 |
| _JVM_ConstantPoolGetClassAt@16 | 2 |
| _JVM_ConstantPoolGetSize@12 | 2 |
| _JVM_GetCallerClass@8 | 2 |
| _JVM_GetInterfaceVersion@0 | 2 |
| jio_vfprintf | 2 |
| _JVM_RaiseSignal@4 | 2 |
| _JVM_RegisterSignal@8 | 2 |
| _JVM_FindSignal@4 | 2 |
| _JVM_GetStackTraceElement@12 | 2 |
| _JVM_GetStackTraceDepth@8 | 2 |
| _JVM_FillInStackTrace@8 | 2 |
| _JVM_StartThread@8 | 2 |
| _JVM_StopThread@12 | 2 |
| _JVM_IsThreadAlive@8 | 2 |
| _JVM_SuspendThread@8 | 2 |
| _JVM_ResumeThread@8 | 2 |
| _JVM_SetThreadPriority@12 | 2 |
| _JVM_Yield@8 | 2 |
| _JVM_Sleep@16 | 2 |
| _JVM_CurrentThread@8 | 2 |
| _JVM_CountStackFrames@8 | 2 |
| _JVM_Interrupt@8 | 2 |
| _JVM_IsInterrupted@12 | 2 |
| _JVM_HoldsLock@12 | 2 |
| _JVM_DumpThreads@12 | 2 |
| _JVM_InitProperties@8 | 2 |
| _JVM_NanoTime@8 | 2 |
| _JVM_ArrayCopy@28 | 2 |
| _JVM_Halt@4 | 2 |
| _JVM_ClassLoaderDepth@4 | 2 |
| _JVM_ClassDepth@8 | 2 |
| _JVM_CurrentClassLoader@4 | 2 |
| _JVM_CurrentLoadedClass@4 | 2 |
| _JVM_DoPrivileged@20 | 2 |

| | |
|--------------------------------------|---|
| _JVM_TraceMethodCalls@4 | 2 |
| _JVM_TraceInstructions@4 | 2 |
| _JVM_GC@0 | 2 |
| _JVM_MaxMemory@0 | 2 |
| _JVM_TotalMemory@0 | 2 |
| _JVM_FreeMemory@0 | 2 |
| _JVM_GetClassContext@4 | 2 |
| _JVM_GetSystemPackages@4 | 2 |
| _JVM_GetSystemPackage@8 | 2 |
| _JVM_IsNaN@8 | 2 |
| _JVM_IHashCode@8 | 2 |
| _JVM_MonitorWait@16 | 2 |
| _JVM_MonitorNotify@8 | 2 |
| _JVM_MonitorNotifyAll@8 | 2 |
| _JVM_Clone@8 | 2 |
| _JVM_CompileClass@12 | 2 |
| _JVM_CompileClasses@12 | 2 |
| _JVM_CompilerCommand@12 | 2 |
| _JVM_EnableCompiler@8 | 2 |
| _JVM_DisableCompiler@8 | 2 |
| _JVM_LoadLibrary@4 | 2 |
| _JVM_FindLibraryEntry@8 | 2 |
| _JVM_IsSupportedJVNIVersion@4 | 2 |
| _JVM_UnloadLibrary@4 | 2 |
| _JVM_FindLoadedClass@12 | 2 |
| _JVM_ResolveClass@8 | 2 |
| _JVM_AssertionStatusDirectives@8 | 2 |
| _JVM_FindPrimitiveClass@8 | 2 |
| _JVM_FindClassFromClassLoader@20 | 2 |
| _JVM_GetClassName@8 | 2 |
| _JVM_GetClassInterfaces@8 | 2 |
| _JVM_GetClassLoader@8 | 2 |
| _JVM_GetClassSigners@8 | 2 |
| _JVM_SetClassSigners@12 | 2 |
| _JVM_IsArrayClass@8 | 2 |
| _JVM_IsPrimitiveClass@8 | 2 |
| _JVM_GetComponentType@8 | 2 |
| _JVM_GetClassModifiers@8 | 2 |
| _JVM_GetClassDeclaredFields@12 | 2 |
| _JVM_GetClassDeclaredMethods@12 | 2 |
| _JVM_GetClassDeclaredConstructors@12 | 2 |
| _JVM_GetProtectionDomain@8 | 2 |
| _JVM_SetProtectionDomain@12 | 2 |
| _JVM_GetDeclaredClasses@8 | 2 |
| _JVM_GetDeclaringClass@8 | 2 |
| _JVM_GetClassSignature@8 | 2 |
| _JVM_GetClassAnnotations@8 | 2 |

| | |
|------------------------------------|---|
| _JVM_GetClassConstantPool@8 | 2 |
| _JVM_DesiredAssertionStatus@12 | 2 |
| _JVM_GetEnclosingMethodInfo@8 | 2 |
| _JVM_InternString@8 | 2 |
| _JVM_NewMultiArray@12 | 2 |
| _JVM_NewArray@12 | 2 |
| _JVM_SetPrimitiveArrayElement@24 | 2 |
| _JVM_SetArrayElement@16 | 2 |
| _JVM_GetPrimitiveArrayElement@16 | 2 |
| VerifyFixClassname | 2 |
| VerifyClass | 2 |
| VerifyClassForMajorVersion | 2 |
| VerifyClassname | 2 |
| _gst_element_error_printf | 2 |
| gst_pad_get_type | 2 |
| gst_object_get_type | 2 |
| gst_mini_object_ref | 2 |
| gst_pad_new_from_template | 2 |
| gst_element_class_get_pad_template | 2 |
| gst_caps_set_simple | 2 |
| gst_fraction_get_type | 2 |
| gst_util_uint64_scale_int | 2 |
| gst_pad_template_new | 2 |
| gst_event_new_eos | 2 |
| gst_structure_has_name | 2 |
| gst_element_message_full | 2 |
| gst_tag_list_free | 2 |
| gst_pad_event_default | 2 |
| gst_object_get_parent | 2 |
| gst_object_ref | 2 |
| gst_stream_error_quark | 2 |
| gst_flow_get_name | 2 |
| _gst_debug_register_funcptr | 2 |
| gst_element_class_set_details | 2 |
| gst_pad_push | 2 |
| gst_buffer_create_sub | 2 |
| gst_caps_get_structure | 2 |
| gst_buffer_set_caps | 2 |
| _gst_debug_category_new | 2 |
| gst_caps_new_simple | 2 |
| gst_pad_set_event_function | 2 |
| gst_element_class_add_pad_template | 2 |
| gst_element_add_pad | 2 |
| gst_element_register | 2 |
| gst_pad_set_chain_function | 2 |
| gst_pad_set_setcaps_function | 2 |
| gst_caps_unref | 2 |

| | |
|---------------------------------------|---|
| gst_buffer_get_type | 2 |
| gst_pad_set_caps | 2 |
| gst_structure_get_value | 2 |
| g_once_init_leave | 2 |
| g_once_init_enter_impl | 2 |
| g_array_insert_vals | 2 |
| g_type_add_interface_static | 2 |
| g_type_register_static_simple | 2 |
| GetDwordValue | 2 |
| GetBinaryValue | 2 |
| FreeEnvironment | 2 |
| ?MessageBoxExByHwnd@Misc@Util@@YAI | 2 |
| VMProtectBegin | 2 |
| VMProtectEnd | 2 |
| _SetMenuItemInfo_@16 | 2 |
| ??_7money_base@std@@@6B@ | 2 |
| SHAddFromPropSheetExtArray | 2 |
| @Ccmisc@CCSysteDate\$qqrv | 2 |
| @Hdateed@THITcxDateEdit@ | 2 |
| @Prdmemp@dtmPREmployee | 2 |
| @Prdmemp@TdtmPREmployee@ | 2 |
| PsGetCurrentProcessSessionId | 2 |
| VideoPortEnableInterrupt | 2 |
| NdisUnicodeStringToAnsiString | 2 |
| NdisCmCloseCallComplete | 2 |
| NdisCopyFromPacketToPacketSafe | 2 |
| g_array_remove_index | 2 |
| g_compute_checksum_for_data | 2 |
| g_file_get_contents_utf8 | 2 |
| g_get_current_time | 2 |
| g_string_append_printf | 2 |
| g_cclosure_marshal_VOID__VOID | 2 |
| g_signal_emit | 2 |
| gimp_drawable_offsets | 2 |
| cmsCloseProfile | 2 |
| cmsDoTransform | 2 |
| cmsOpenProfileFromFile | 2 |
| cmsTakeMediaWhitePoint | 2 |
| cmsXYZ2xyY | 2 |
| ?staticMetaObject@QMenu@@2UQMetaO | 2 |
| ?isNull@QIcon@@QBE_NXZ | 2 |
| ?addAction@QMenu@@QAEPAVQAction@ | 2 |
| ?setAlignment@QProgressBar@@QAEXV?\$I | 2 |
| ?pos@QCursor@@SA?AVQPoint@@XZ | 2 |
| ?write@QIODevice@@QAE_JPBD@Z | 2 |
| ?processEvents@QCoreApplication@@SAX\ | 2 |
| ??0?\$moneypunct@D\$00@std@@QAE@AE | 2 |

| | |
|--|---|
| ??3@YAXPAX0K@Z | 2 |
| ?CwchLoadWz@MWbIntl@@SAHPAUHINS` | 2 |
| @Forms@TScrollingWinControl@Resizing\$` | 2 |
| @Classes@DeallocateHWnd\$qqrp6HWND_ | 2 |
| @Sysutils@GetEnvironmentVariable\$qqrx2C | 2 |
| @Variants@VarAsType\$qqrrx14System@Va | 2 |
| @Controls@TWinControl@SetBevelCut\$qqr | 2 |
| @Controls@TControl@DoGesture\$qqrrx26C | 2 |
| @Controls@TControl@GetDragMode\$qqrv | 2 |
| @\$xp\$19Controls@TDragState | 2 |
| @Menus@TMenuItem@SetRadioItem\$qqrc | 2 |
| @\$xp\$14Stdctrls@TMemo | 2 |
| @\$xp\$18Stdctrls@TGroupBox | 2 |
| @\$xp\$15Extctrls@TTimer | 2 |
| @Clipbrd@TClipboard@GetAsText\$qqrv | 2 |
| @\$xp\$11TAutoObject | 2 |
| @\$xp\$23Comobj@TComServerObject | 2 |
| @Cxpc@TcxPageControl@SetActivePageInd | 2 |
| @Rtti@initialization\$qqrv | 2 |
| @Rtti@Finalization\$qqrv | 2 |
| _tcsrchr | 2 |
| SisFreeAllocatedMemory | 2 |
| SisRestoredLink | 2 |
| SisCSFilesToBackupForLink | 2 |
| SisCreateBackupStructure | 2 |
| SisFreeBackupStructure | 2 |
| ??0CAallocStorageVariant@@QAE@PBDAVI | 2 |
| ?min@?\$numeric_limits@O@std@@SAOXZ | 2 |
| EVENT_SIMK_AddRef | 2 |
| GetEngine3 | 2 |
| RPC_InitializeServer | 2 |
| GetLogger | 2 |
| ?GetRoot@Document@AdvXMLParser@@C | 2 |
| ?GetErrorCode@ReadWriteException@Adv> | 2 |
| ??1ReadWriteException@AdvXMLParser@@` | 2 |
| ?GetColumn@ParsingException@AdvXMLPa | 2 |
| ?GetLine@ParsingException@AdvXMLParse | 2 |
| ?Begin@NodeContainer@AdvXMLParser@` | 2 |
| ?End@NodeContainer@AdvXMLParser@@` | 2 |
| ?cmnlib_SetLogLevel@@YAXW4_naimcomm | 2 |
| ??1ATrace@@UAE@XZ | 2 |
| ??1AnInfoTrace@@UAE@XZ | 2 |
| ??0AnSd@@QAE@XZ | 2 |
| ??BASid@@QAEPAZZ | 2 |
| ??0ASid@@QAE@XZ | 2 |
| edlm_InitList | 2 |
| eint_GetInit | 2 |

| | |
|---|---|
| edlm_FreeList | 2 |
| efio_FileUnlink | 2 |
| efio_Open | 2 |
| efio_Close | 2 |
| efio_FileExists | 2 |
| @System@@SIN\$qqrv | 2 |
| @System@@COS\$qqrv | 2 |
| @Graphics@TBitmap@SaveToClipboardForr | 2 |
| @Graphics@TBitmap@SaveToStream\$qqrp: | 2 |
| @Graphics@TBitmap@WriteData\$qqrp15Cl | 2 |
| @Graphics@TBitmap@SetWidth\$qqri | 2 |
| @Graphics@TBitmap@SetPalette\$qqrui | 2 |
| @Graphics@TBitmap@SetHeight\$qqri | 2 |
| @Graphics@TBitmap@SetHandleType\$qqr2 | 2 |
| @Graphics@TBitmap@ReadData\$qqrp15Cl< | 2 |
| @Graphics@TBitmap@LoadFromStream\$qc | 2 |
| @Graphics@TBitmap@LoadFromClipboardF | 2 |
| @Graphics@TBitmap@GetWidth\$qqrv | 2 |
| @Graphics@TBitmap@GetPalette\$qqrv | 2 |
| @Graphics@TBitmap@GetMaskHandle\$qqr | 2 |
| @Graphics@TBitmap@GetHeight\$qqrv | 2 |
| @Graphics@TBitmap@GetHandle\$qqrv | 2 |
| @Graphics@TBitmap@GetEmpty\$qqrv | 2 |
| @Graphics@TBitmap@Draw\$qqrp16Graphi | 2 |
| @Graphics@TBitmap@Changed\$qqrp14Sys | 2 |
| @Graphics@TBitmap@Assign\$qqrp19Classe | 2 |
| @Graphics@ColorToString\$qqr15Graphics@ | 2 |
| @Extctrls@TImage@GetCanvas\$qqrv | 2 |
| @Menus@TMenuItem@Delete\$qqri | 2 |
| @Controls@TControl@GetMouseCapture\$q | 2 |
| @\$xp\$18Controls@TBevelCut | 2 |
| @\$xp\$21Controls@TBorderWidth | 2 |
| @Buttons@TSpeedButton@SetNumGlyphs\$ | 2 |
| @Buttons@TSpeedButton@GetGlyph\$qqrv | 2 |
| @Buttons@TSpeedButton@Loaded\$qqrv | 2 |
| @Buttons@TSpeedButton@Paint\$qqrv | 2 |
| @\$xp\$20Buttons@TSpeedButton | 2 |
| @Comctrls@TListItems@Delete\$qqri | 2 |
| PostADsPropSheet | 2 |
| ?isLoaded@QLibrary@@QBE_NXZ | 2 |
| ?Get@CWin32RegAccess@@QAEHPBGPAGI | 2 |
| block_heap_Alloc | 2 |
| vlc_openat | 2 |
| @\$xp\$31Controls@TMouseWheelUpDownE | 2 |
| @\$xp\$25Controls@TMouseWheelEvent | 2 |
| @\$xp\$21Stdctrls@TScrollStyle | 2 |
| NetpAssertFailed | 2 |

| | |
|---|---|
| weSetAutoClose | 2 |
| PyMethod_Type | 2 |
| PyExc_StopIteration | 2 |
| PyModule_Type | 2 |
| PyErr_Restore | 2 |
| PySys_SetObject | 2 |
| PyEval_SaveThread | 2 |
| PyEval_RestoreThread | 2 |
| PyExc_MemoryError | 2 |
| PyTuple_SetItem | 2 |
| osd_ButtonFind | 2 |
| osd_ButtonSelect | 2 |
| osd_MenuCreate | 2 |
| osd_MenuDelete | 2 |
| subpicture_region_ChainDelete | 2 |
| ?SetCharAt@nsString@@QAEHGI@Z | 2 |
| ?Append@nsAString_internal@@QAEXABV: | 2 |
| ?Equals@nsAString_internal@@QBEHAV1 | 2 |
| ?ToLowerCase@@YAXAAVnsCSubstring@@ | 2 |
| ?IsAsciiDigit@nsCRT@@SAHG@Z | 2 |
| ?IsAsciiAlpha@nsCRT@@SAHG@Z | 2 |
| ?Length@nsACString_internal@@QBEIXZ | 2 |
| ?FindCharInReadable@@YAHGAAV?\$nsRea | 2 |
| ?free@nsCRT@@SAXPAD@Z | 2 |
| ?AppendUTF16toUTF8@@YAXPBGAAVnsAC | 2 |
| ?GetFirstTitle@CCollection@@QAEPAVCTitl | 2 |
| @Comctrls@TListColumns@Add\$qqrv | 2 |
| @Comctrls@TListColumn@SetCaption\$qqrx | 2 |
| SetProcessPreferredUILanguages | 2 |
| NtGetMUIRegistryInfo | 2 |
| SHBindToFolderIDListParent | 2 |
| SLGetWindowsInformation | 2 |
| PathMatchSpecExW | 2 |
| _XLUE_PushBitmap@8 | 2 |
| _XLUE_PushColor2@8 | 2 |
| _XLUE_InitLoader@4 | 2 |
| _XLUE_GC@4 | 2 |
| _XLUE_GetHostWndWindowHandle@4 | 2 |
| _XLUE_AddXARSearchPath@4 | 2 |
| _XLUE_GetHostWndByID@4 | 2 |
| _XLUE_Stat@4 | 2 |
| _XLUE_LoadXAR@4 | 2 |
| _XL_GetBitmapBuffer@12 | 2 |
| _XL_ReleaseBitmap@4 | 2 |
| _XL_Brush@20 | 2 |
| _XL_DefaultGraphicHint@0 | 2 |
| _XL_SetMaskBmpStretch@8 | 2 |

| | |
|---------------------------------|---|
| _XL_BindMaskSource@20 | 2 |
| _XL_ReleaseTexture@4 | 2 |
| _XL_SetTextureBitmap@12 | 2 |
| _XL_PaintBitmap@16 | 2 |
| _XL_SetMaskSize@16 | 2 |
| _XL_BuildMaskCache@20 | 2 |
| _XL_ClipSubBindBitmap@8 | 2 |
| _XL_GetBitmapInfo@8 | 2 |
| _XL_StretchBitmap@12 | 2 |
| _XL_LoadBitmapFromMemory@12 | 2 |
| _XL_GetColorVariance@8 | 2 |
| _XL_RGB2HSV@4 | 2 |
| _XL_HSV2RGB@8 | 2 |
| _XL_ReleaseMask@4 | 2 |
| _XL_AddRefMask@4 | 2 |
| _XL_GetBitmapMainColor@12 | 2 |
| _XL_SetTextureOrigin@12 | 2 |
| _XL>AddTextureBlock@24 | 2 |
| _XL_CreateTexture@4 | 2 |
| _XL_NewMask@0 | 2 |
| _XL_AddRefBitmap@4 | 2 |
| _XL_PrepareGraphicParam@4 | 2 |
| _XL_InitGraphicLib@4 | 2 |
| _XL_SetFreeTypeEnabled@4 | 2 |
| _XL_StatObject@4 | 2 |
| _XL_CreateBitmap@12 | 2 |
| _XL_CloneBitmap@4 | 2 |
| _XLLRT_ReleaseRunTime@4 | 2 |
| _XLLRT_ReleaseEnv@4 | 2 |
| lua_gc | 2 |
| luaL_checkudata | 2 |
| luaL_checkinteger | 2 |
| lua_isuserdata | 2 |
| _XLLRT_RegisterClass@20 | 2 |
| luaL_checktype | 2 |
| _XLLRT_RegisterGlobalObj@28 | 2 |
| _XLLRT_GetLuaState@4 | 2 |
| _XLLRT_GetRuntime@8 | 2 |
| _XLLRT_GetEnv@4 | 2 |
| _XLLRT_ReleaseChunk@4 | 2 |
| _XLLRT_LuaCall@16 | 2 |
| _XLLRT_PrepareChunk@8 | 2 |
| _XLLRT_CreateChunkFromModule@16 | 2 |
| _XLLRT_RunChunk@8 | 2 |
| _XLLRT_CreateChunkFromFile@12 | 2 |
| _XLLRT_ErrorHandle@4 | 2 |
| _XLLRT_PushXLObject@12 | 2 |

| | |
|--|---|
| XL_DKLH_RegisterToEnv | 2 |
| XL_DKLH_GetDownloadKernel | 2 |
| unzGoToFirstFile | 2 |
| unzOpen | 2 |
| unzOpen2 | 2 |
| unzGoToNextFile | 2 |
| ?at@?\$basic_string@_WU?\$char_traits@_V | 2 |
| ?swprintf@@YAHPA_WIPB_WZZ | 2 |
| ?IsTopWindow@Window@@QBEEHZ | 2 |
| dpRect | 2 |
| dpEllipse | 2 |
| ?SwapSize@CMamaZip@@QAEXPBD@Z | 2 |
| ??0CZip@@QAE@PBD@Z | 2 |
| | 5 |
| mapViewOfFile | 2 |
| ?SetValue@CShell@@QAEXABVCTString@C | 2 |
| ?GetValue@CShell@@QAE?AVCTString@@. | 2 |
| ?TranslateConst@@YAPBDPBDJ@Z | 2 |
| ?TrimSpacesRight@CTString@@QAEJXZ | 2 |
| ?GetLine_t@CTStream@@QAEXAAVCTStrin | 2 |
| ?PutText@CDrawPort@@QBEXABVCTString | 2 |
| ?ResetDisplayMode@CGfxLibrary@@QAEH\ | 2 |
| ?CreateWindowCanvas@CGfxLibrary@@QA | 2 |
| ?FileName@CTFileName@@QBE?AV1@XZ | 2 |
| ?IFeel_StopEffect@@YAXPAD@Z | 2 |
| ??0CSoundObject@@QAE@XZ | 2 |
| ?UpdateSounds@CSoundLibrary@@QAEXXZ | 2 |
| ??1CSoundObject@@QAE@XZ | 2 |
| ?MakeWideScreen@CDrawPort@@QAEXP@ | 2 |
| ??1CDrawPort@@QAE@XZ | 2 |
| ?LerpColor@@YAKKKM@Z | 2 |
| ??1CTextureObject@@QAE@XZ | 2 |
| ??0CTextureObject@@QAE@XZ | 2 |
| ?GameInactive@CNetworkLibrary@@QAEX: | 2 |
| ?Fill@CDrawPort@@QBEXK@Z | 2 |
| ?GetRealTimeTick@CTimer@@QBEMXZ | 2 |
| ?IsDualHead@CDrawPort@@QAEHXZ | 2 |
| ??0CDisplayMode@@QAE@XZ | 2 |
| ?DepthString@CDisplayMode@@QBE?AVC1 | 2 |
| ?DeleteChar@CTString@@QAEXJ@Z | 2 |
| ?Split@CTString@@QAEXJAAV1@0@Z | 2 |
| ??YCTString@@QAEAAV0@ABV0@@Z | 2 |
| ?Translate@@YAPADPADJ@Z | 2 |
| ??8CTString@@QBEHPBD@Z | 2 |
| ?TrimSpacesLeft@CTString@@QAEJXZ | 2 |
| ?_fnmCDPath@@3VCTFileName@@A | 2 |
| ?_fnmMod@@3VCTFileName@@A | 2 |

| | |
|--|---|
| ??HCTString@@QBE?AV0@ABV0@@Z | 2 |
| ??H@YA?AVCTString@@PBDABV0@@Z | 2 |
| ??9CTString@@QBEHPBD@Z | 2 |
| ?Clear@CListHead@@QAEXXZ | 2 |
| ?Matches@CTString@@QBEHABV1@@Z | 2 |
| ??1CListNode@@QAE@XZ | 2 |
| ??1CTFileName@@QAE@XZ | 2 |
| ??1CTFileStream@@UAE@XZ | 2 |
| ?DeclareSymbol@CShell@@QAEXABVCTStri | 2 |
| ?_pShell@@3PAVCShell@@A | 2 |
| ?WarningMessage@@YAXPBDZZ | 2 |
| ?AtEOF@CTStream@@QAEHXZ | 2 |
| ?AddTail@CListHead@@QAEXAAVCLis | 2 |
| ?GetLine_t@CTStream@@QAEXPADJD@Z | 2 |
| ?Open_t@CTFileStream@@QAEXABVCTFile | 2 |
| ??0CTFileStream@@QAE@XZ | 2 |
| ?Execute@CShell@@QAEXABVCTString@@ | 2 |
| ?PrintF@CTString@@QAAJPBDZZ | 2 |
| ??8CTString@@QBEHABV0@@Z | 2 |
| ?_pGfx@@3PAVCGfxLibrary@@A | 2 |
| ?CPrintF@@YAXPBDZZ | 2 |
| ?FatalError@@YAXPBDZZ | 2 |
| ?TrimRight@CTString@@QAEJJ@Z | 2 |
| ??0CTFileName@@QAE@XZ | 2 |
| ?GetHighPrecisionTimer@CTimer@@QAE?A | 2 |
| ?_pTimer@@3PAVCTimer@@A | 2 |
| ?_fnmApplicationPath@@3VCTFileName@() | 2 |
| ?Force@CTextureData@@QAEXK@Z | 2 |
| ?SetData_t@CTextureObject@@QAEXABVC | 2 |
| ?ThrowF_t@@YAXPADZZ | 2 |
| ?GetWindowsError@@YA?BVCTString@@K | 2 |
| ?ExpandFilePath@@YAJKABVCTFileName@ | 2 |
| ?_strModExt@@3VCTString@@A | 2 |
| ??0CTString@@QAE@XZ | 2 |
| ?_pSound@@3PAVCSoundLibrary@@A | 2 |
| ?snd_iFormat@@3JA | 2 |
| ?FinishTranslationTable@@YAXXZ | 2 |
| ?AddTranslationTablesDir_t@@YAXABVCTFi | 2 |
| ?InitTranslation@@YAXXZ | 2 |
| ?SE_LoadDefaultFonts@@YAXXZ | 2 |
| ??4CTString@@QAEAAV0@ABV0@@Z | 2 |
| ?Benchmark@CGfxLibrary@@QAEXPACVVi | 2 |
| ?SE_EndEngine@@YAXXZ | 2 |
| ?DestroyWindowCanvas@CGfxLibrary@@Q | 2 |
| ?_pdfConsoleFont@@3PAVCFontData@@A | 2 |
| ?_pdfDisplayFont@@3PAVCFontData@@A | 2 |
| ?IsDualHead@CDisplayMode@@QAEHXZ | 2 |

| | |
|--|---|
| ?SetFont@CDrawPort@@QAEXPACFontDa | 2 |
| ?IsWideScreen@CDisplayMode@@QAEHXZ | 2 |
| AddMMAuthMethods | 2 |
| MatchTransportFilter | 2 |
| GetTunnelFilter | 2 |
| EnumMMFilters | 2 |
| SetMMAuthMethods | 2 |
| OpenTransportFilterHandle | 2 |
| AddTransportFilter | 2 |
| EnumIPSecInterfaces | 2 |
| EnumTunnelFilters | 2 |
| AccProvGrantAccessRights | 2 |
| AccProvGetAccessInfoPerObjectType | 2 |
| BASS_ChannelBytes2Seconds | 2 |
| BASS_ChannelGetLength | 2 |
| BASS_CD_GetInfo | 2 |
| ExDisableResourceBoostLite | 2 |
| IoCheckQuerySetFileInformation | 2 |
| ADSPrint | 2 |
| ReadServerSupportsIsADAMControl | 2 |
| MacIoctl | 2 |
| MacOpen | 2 |
| MacFindFirstMatchEx | 2 |
| MacFreeNames | 2 |
| MacGetNamesEx | 2 |
| MacClose | 2 |
| _ZN16QCoreApplication13processEventsE6C | 2 |
| _ZN16QCoreApplication18setApplicationNar | 2 |
| _ZN8QVariantC1Eb | 2 |
| _ZN9QMetaType12registerTypeEPKcPFvPvEl | 2 |
| _ZNK5QDate4yearEv | 2 |
| _PPXmI2BinDlIInitForCmdLine@4 | 2 |
| _PPXmI2BinCreateConverterObject@4 | 2 |
| _PPXmI2BinDlIInit@4 | 2 |
| _PPXmI2BinDlIFini@0 | 2 |
| ?GetCustomData@CTXHttpDownload@@Q/ | 2 |
| ?SetCustomData@CTXHttpDownload@@QA | 2 |
| ?IsTencentTrusted@Misc@Util@@YAHPB_V | 2 |
| ?HaveRightModifyCard@Group@Util@@YA | 2 |
| ?CodeWord@CDRStrCodecBase@@IAEXEPB | 2 |
| ?IsContactChatSessionOpen@ChatSession@ | 2 |
| RegGetMachinePolicyNew | 2 |
| ScsiPortReadPortBufferUlong | 2 |
| ScsiPortWritePortBufferUlong | 2 |
| ?IsSuppressedMessage@MESSAGE@@UAEF | 2 |
| _getgrgid32 | 2 |
| ??1CxImage@@UAE@XZ | 2 |

| | |
|---|---|
| _ZN10QByteArrayaSERKS_ | 2 |
| _ZNK7QObject6senderEv | 2 |
| _ZN11QHBoxLayoutC1EP7QWidget | 2 |
| _ZN7QAction10setCheckedEb | 2 |
| _ZN7QAction12setCheckableEb | 2 |
| _ZN7QAction7setIconERK5QIcon | 2 |
| _ZN9QTextEdit5clearEv | 2 |
| _ZNK13QTextDocument11toPlainTextEv | 2 |
| _ZNK15QAbstractButton4textEv | 2 |
| _ZNK9QComboBox11currentTextEv | 2 |
| _ZNK9QTextEdit8documentEv | 2 |
| ??0?\$moneypunct@G\$00@std@@QAE@AE | 2 |
| __conArrayGet | 2 |
| __conSizeA | 2 |
| __conPutL | 2 |
| __conPutND | 2 |
| __conSizeC | 2 |
| __conGetCL | 2 |
| __conGetND | 2 |
| __conGetDS | 2 |
| __storc | 2 |
| __stornd | 2 |
| __retnd | 2 |
| __parclen | 2 |
| __pards | 2 |
| __conGetNL | 2 |
| __conEvalB | 2 |
| __conGetL | 2 |
| ?clear@ios_base@std@@QAEXF@Z | 2 |
| ??5?\$basic_istream@DU?\$char_traits@D@! | 2 |
| ??0overflow_error@std@@QAE@ABV?\$bas | 2 |
| ?open@?\$basic_filebuf@DU?\$char_traits@ | 2 |
| input_item_SetName | 2 |
| ?GetCD@CCatState@@QAEPBGXZ | 2 |
| ?IsMillnm@CMdVersionInfo@@SAHXZ | 2 |
| ?WriteUnlock@CReaderWriterLock@@QAE | 2 |
| ?GetFilter4FilterName@SfxFilterContainer@ | 2 |
| ?EqualsAscii@String@@QBEEPBDGG@Z | 2 |
| ?AddNextRef@SvRefBase@@QAEKXZ | 2 |
| TreeSetNamedSecurityInfoW | 2 |
| SHSetKnownFolderPath | 2 |
| SqmAddToStringString | 2 |
| RegSetSrcAcceptConnections | 2 |
| LLTDCreateEnumerator | 2 |
| PowerReadACValue | 2 |
| GetBestRoute2 | 2 |
| GdipGetLineSpacing | 2 |

| | |
|---|---|
| ?open@?\$basic_fstream@DU?\$char_traits@ | 2 |
| RemoveShiftCapsHook | 2 |
| ?TranslateProviderError@CVssFunctionTracer@ | 2 |
| ?AddOperation@CVssFunctionTracer@@QA | 2 |
| ?AddContext@CVssFunctionTracer@@QAE | 2 |
| ?TraceBuffer@CVssFunctionTracer@@QAE | 2 |
| ?TranslateInternalLovelaceError@CVssFunct | 2 |
| ?TranslateInternalProviderError@CVssFunct | 2 |
| ?Exit@CVssFunctionTracer@@QAE_N_N@Z | 2 |
| ??0CVssDebugInfo@@QAE@PBGPBDKKK@Z | 2 |
| ??0CVssDebugInfo@@QAE@ABU0@@Z | 2 |
| ?TranslateWin32Error@CVssFunctionTracer@ | 2 |
| ?ComDisableSEH@CVssFunctionTracer@@C | 2 |
| ?ms_bInitialized@CVssSKU@@0HA | 2 |
| ?Initialize@CVssSKU@@CGXXZ | 2 |
| ?ms_eSKU@CVssSKU@@0W4EVssSKUType@ | 2 |
| ?CoCreateInstanceWithLog@CVssFunctionTi | 2 |
| ?CheckForError@CVssFunctionTracer@@QAE | 2 |
| ?LogGenericWarning@CVssFunctionTracer@ | 2 |
| ??6CVssDebugInfo@@QAE?AU0@H@Z | 2 |
| ?ThrowIf@CVssFunctionTracer@@QAAKHU | 2 |
| ??6CVssDebugInfo@@QAE?AU0@J@Z | 2 |
| ?.LogError@CVssFunctionTracer@@QAAKU | 2 |
| ??1CVssDebugInfo@@QAE@XZ | 2 |
| ?TranslateGenericError@CVssFunctionTrace | 2 |
| ??0CVssFunctionTracer@@QAE@UCVssDeb | 2 |
| ?Throw@CVssFunctionTracer@@QAAUCV@ | 2 |
| ?GetHr@CVssFunctionTracer@@QAEJXZ | 2 |
| ?HrSucceeded@CVssFunctionTracer@@QAF | 2 |
| ?SetHr@CVssFunctionTracer@@QAEJJ@Z | 2 |
| ?HrFailed@CVssFunctionTracer@@QAE_NX | 2 |
| ?ms_bTransportableShadowsAllowed@CVss | 2 |
| ?CheckForErrorInternal@CVssFunctionTrace | 2 |
| ??6CVssDebugInfo@@QAE?AU0@PBG@Z | 2 |
| ?AddContextEx@CVssFunctionTracer@@QA | 2 |
| ?ThrowOutOfMemory@CVssFunctionTracer@ | 2 |
| ?TranslateError@CVssFunctionTracer@@QA | 2 |
| ?InterpretWaitForMultipleObjects@CVssFun | 2 |
| ?ExitCachedMode@CBsDbgTrace@@QAEXX | 2 |
| ?EnterCachedMode@CBsDbgTrace@@QAE | 2 |
| ?GetTraceFileVolume@CBsDbgTrace@@QA | 2 |
| ?g_cDbgTrace@@3VCBsDbgTrace@@A | 2 |
| ??6CVssDebugInfo@@QAE?AU0@K@Z | 2 |
| ?TranslateWriterReturnCode@CVssFunction | 2 |
| ??6CVssDebugInfo@@QAE?AU0@U_GUID@ | 2 |
| ?LogSecurityAudit@CVssFunctionTracer@@ | 2 |
| ?AddOperation@CVssFunctionTracer@@QA | 2 |

| | |
|---|---|
| ?ReThrow@CVssFunctionTracer@@QAEXXZ | 2 |
| ?AddGenericErrorHandler@CVssFunctionTra | 2 |
| ?LogGenericInfo@CVssFunctionTracer@@Q | 2 |
| ??6CVssDebugInfo@@QAE?AU0@PAD@Z | 2 |
| ?Trace@CVssFunctionTracer@@QAAXUCVs | 2 |
| ??1CVssFunctionTracer@@QAE@XZ | 2 |
| ?Exit@CVssFunctionTracer@@QAEPAGPAG(| 2 |
| @Math@Min\$qqrxgxg | 2 |
| @Dbclient@TCustomClientDataSet@SetDat | 2 |
| @Dbclient@TCustomClientDataSet@GetDat | 2 |
| ?Refresh@CCiRegParams@@QAEXPACiAc | 2 |
| ?InitHpoMfcDII@@YGXPAAUHINSTANCE__@ | 2 |
| ??1nsPrintfCString@@QAE@XZ | 2 |
| ?StringBeginsWith@@YAHABVnsAString_int | 2 |
| ?CopyASCIItToUTF16@@YAXABVnsACString_ | 2 |
| ?HashCode@nsCRT@@SAIPBGPAI@Z | 2 |
| PL_DHashTableRawRemove | 2 |
| ?Init@nsFixedSizeAllocator@@QAEIPBDPBII | 2 |
| ?Free@nsFixedSizeAllocator@@QAEXPAXI@ | 2 |
| ?Alloc@nsFixedSizeAllocator@@QAEPAXI@ | 2 |
| ?RemoveObject@nsCOMArray_base@@IAE | 2 |
| ?NS_NewAtom@@YAPAVnsIAtom@@ABVn | 2 |
| ?NS_NewAtom@@YAPAVnsIAtom@@PBD@ | 2 |
| ??0nsPrintfCString@@QAA@IPBDZZ | 2 |
| USNG | 2 |
| _acl32 | 2 |
| _ftruncate64 | 2 |
| _mknod32 | 2 |
| utimes | 2 |
| RegDel | 2 |
| ?GlobalToChinese@Date@Util@@YAHGEEP | 2 |
| ?lang_type@@YA?AW4HPLJ_LANG_TYPE@() | 2 |
| gcry_control | 2 |
| cvResetImageROI | 2 |
| cvSetImageROI | 2 |
| cvGetSeqElem | 2 |
| ?pubsetbuf@\$basic_streambuf@DU?\$char | 2 |
| ??1CxMemFile@@UAE@XZ | 2 |
| ??0CxMemFile@@QAE@PAEK@Z | 2 |
| ?Close@CxMemFile@@UAE_NXZ | 2 |
| JS_AddRoot | 2 |
| JS_RemoveRoot | 2 |
| JS_ValueToObject | 2 |
| JS_GetPrivate | 2 |
| JS_NewUCStringCopyZ | 2 |
| ?CalculateLayout@CImWidget@@UAEHXZ | 2 |
| ?LoadScript@CImWidget@@UAEHXZ | 2 |

| | |
|---|---|
| ?LoadSkin@CImWidget@@UAEHXZ | 2 |
| ?setScriptObject@CImWidget@@UAEXP@U. | 2 |
| ?getScriptObject@CImWidget@@UAEP@UJS | 2 |
| ?CreateChildControl@CImWidget@@UAEH@ | 2 |
| ?getBackDC@CImWidget@@UAEP@XXZ | 2 |
| ?LoadSkin@CImWidget@@UAEH_N0@Z | 2 |
| ?g_Setting@@3PAVCImSetting@@A | 2 |
| ?getRootWindow@CImWidget@@UAEP@V1 | 2 |
| ?getContainWindow@CImWidget@@UAEP@/ | 2 |
| ??1CImWidget@@MAE@XZ | 2 |
| ??0CImWidget@@IAE@XZ | 2 |
| ?getInvalidateRgn@CImWidget@@UAEP@X. | 2 |
| ?Get@CImWidget@@QAEPB_WPA_W_N@: | 2 |
| ?RefreshLanguage@CImWidget@@UAEHXZ | 2 |
| ?CreateControl@CImWidget@@UAEHXZ | 2 |
| ?preCreateControl@CImWidget@@UAEHXZ | 2 |
| ?AddObjectW@CJavaScript@@QAEP@UJSOI | 2 |
| ?SetPrivate@CJavaScript@@QAE_NPAUJSO | 2 |
| ?CallFunctionW@CJavaScript@@QAA_NPB_ | 2 |
| ?AddClass@CJavaScript@@QAEP@UJSObjec | 2 |
| ?NewObject@CJavaScript@@QAEP@UJSObj | 2 |
| ?GetPrivate@CJavaScript@@QAEP@XPAUJS | 2 |
| ?GetJsContext@CJavaScript@@QAEP@UJSCT | 2 |
| ?GetJavaScript@@YAPAVCJavaScript@@XZ | 2 |
| ?verticalScrollBar@QAbstractScrollView@@I | 2 |
| ?staticMetaObject@QListView@@2UQMetaO | 2 |
| ?verticalHeader@QTableView@@QBEP@AVQ | 2 |
| ?horizontalHeader@QTableView@@QBEP@AVQ | 2 |
| ?setCurrentIndex@QAbstractItemView@@C | 2 |
| ?textCursor@QTextEdit@@QBE?AVQTextCu | 2 |
| ?movePosition@QTextCursor@@QAE_NW4 | 2 |
| ?insertText@QTextCursor@@QAEXABVQStr | 2 |
| ?setPosition@QTextCursor@@QAEXHW4M@ | 2 |
| ??1QTextCursor@@QAE@XZ | 2 |
| ?y@QWidget@@QBEHXZ | 2 |
| ??1QTextCharFormat@@QAE@XZ | 2 |
| ?averageCharWidth@QFontMetrics@@QBE | 2 |
| ?isEnabled@QAction@@QBE_NXZ | 2 |
| ? setActiveAction@QMenu@@QAEXP@AVQAc | 2 |
| ?isRowHidden@QListView@@QBE_NH@Z | 2 |
| ?horizontalScrollBar@QAbstractScrollView@ | 2 |
| ?staticMetaObject@QComboBox@@2UQM@ | 2 |
| ?model@QAbstractItemView@@QBEP@AVQ@/ | 2 |
| ?currentIndex@QAbstractItemView@@QBE | 2 |
| ?indexWidget@QAbstractItemView@@QBE | 2 |
| ?text@QAbstractSpinBox@@QBE?AVQStrin | 2 |
| ?setValue@QAbstractSlider@@QAEXH@Z | 2 |

| | |
|--|---|
| ?staticMetaObject@QScrollBar@@2UQMet: | 2 |
| ?value@QProgressBar@@QBEHXZ | 2 |
| ?checkState@QCheckBox@@QBE?AW4Che | 2 |
| ?setSelection@QLineEdit@@QAEXHH@Z | 2 |
| ?menu@QPushButton@@QBEPAVQMenu@ | 2 |
| ?staticMetaObject@QAbstractItemView@@ | 2 |
| ??1QPersistentModelIndex@@QAE@XZ | 2 |
| ?translated@QRect@@QBE?AV1@ABVQPoi | 2 |
| ??BQPersistentModelIndex@@QBEABVQM | 2 |
| ?row@QPersistentModelIndex@@QBEHXZ | 2 |
| ?isValid@QPersistentModelIndex@@QBE_N | 2 |
| ?moveTopLeft@QRect@@QAEXABVQPoint(| 2 |
| PerUserInit | 2 |
| ?IsAllowSendCCCmd@Contact@Util@@YAF | 2 |
| cygwin32_bind | 2 |
| cygwin32_inet_ntoa | 2 |
| cygwin32_sendto | 2 |
| _rename | 2 |
| _tcsncnt | 2 |
| ?_TryReadLock@CReaderWriterLock2@@A | 2 |
| ?find@QWidget@@SAPAV1@PAUHWND__ | 2 |
| ?str@?\$basic_stringstream@GU?\$char_trait | 2 |
| IoIsValidNameGraftingBuffer | 2 |
| SvcEntry_Seclogon | 2 |
| SfcWLEventLogoff | 2 |
| ?id@?\$time_get@DV?\$istreambuf_iterator(| 2 |
| ??1CResizeButton@@UAE@XZ | 2 |
| ??0CResizeButton@@QAE@XZ | 2 |
| ?SetCurFace@CResizeButton@@QAEXPVC | 2 |
| ??1CXPMenu@@UAE@XZ | 2 |
| ??0CXPMenu@@QAE@XZ | 2 |
| ?LoadBitmapA@CResizeButton@@QAEHPBI | 2 |
| ?loadbmpS@@YAHPBDAAVCBitmap@@@Z | 2 |
| ??1CCressXML@@UAE@XZ | 2 |
| ??1CPicture2@@UAE@XZ | 2 |
| ?Show@CPicture2@@@QAEHPAVCDC@@VC | 2 |
| ?Show@CPicture2@@@QAEHPAVCDC@@HH | 2 |
| ?GetSize@CPicture2@@@QBE?AVCSIZE@@X; | 2 |
| ?Load@CPicture2@@@QAEHVCString@@@Z | 2 |
| ??0CPicture2@@@QAE@XZ | 2 |
| ?GetValueByName@CCressXML@@QAE?AV | 2 |
| ?QueryNode@CCressXML@@QAE?AV?\$_co | 2 |
| ?SelectNodeToList@CCressXML@@QAEHPB | 2 |
| ?LoadFile@CCressXML@@QAEHPBD@Z | 2 |
| ??0CCressXML@@QAE@XZ | 2 |
| ?FindNext@CHash@@QAEPAXXZ | 2 |
| ?FindFirst@CHash@@QAEXH@Z | 2 |

| | |
|---|---|
| ?Create@CGifWnd@@QAEHABUtagRECT@I | 2 |
| ?DrawItem@CResizeButton@@UAEXPAAUta | 2 |
| ?PreTranslateMessage@CResizeButton@@I | 2 |
| ?PreSubclassWindow@CResizeButton@@M | 2 |
| ?GetMessageMap@CResizeButton@@MBE | 2 |
| DMOStrToGuidA | 2 |
| DMOguidToStrA | 2 |
| DMOStrToGuidW | 2 |
| DMOguidToStrW | 2 |
| getpass | 2 |
| ?id@?\$moneypunct@G\$0A@@std@@2V0l | 2 |
| ?absolutePath@QFileInfo@@QBE?AVQString | 2 |
| ?qt_qFindChildren_helper@@YAXPBVQObj | 2 |
| ?qt_qFindChild_helper@@YAPAVQObject@ | 2 |
| ?fontMetrics@QWidget@@QBE?AVQFontN | 2 |
| ?elidedText@QFontMetrics@@QBE?AVQString | 2 |
| ?setAlignment@QLayoutItem@@QAEXV?\$C | 2 |
| ?addWidget@QSplitter@@QAEXPAVQWidg | 2 |
| DriverPackageGetPathW | 2 |
| g_main_context_iteration | 2 |
| xmlIsBlankNode | 2 |
| ?Free@MEM_BLOCK_MGR@@QAEEPAX@Z | 2 |
| oggpack_adv | 2 |
| oggpack_bytes | 2 |
| oggpack_get_buffer | 2 |
| oggpack_look | 2 |
| oggpack_read | 2 |
| oggpack_readinit | 2 |
| oggpack_reset | 2 |
| oggpack_writeclear | 2 |
| oggpack_writeinit | 2 |
| oggpack_writetrunc | 2 |
| ?Shutdown@CWorkQueue@@QAEXXZ | 2 |
| ?GetOffset@CKeyDeComp@@QAEXAAUBit | 2 |
| ?setprecision@std@@YA?AU?\$_Smanip@_ | 2 |
| ?ReadOrWriteUnlock@CCritSec@@QAEX_N | 2 |
| @Ivform@TivForm@WMSkinInfoRefresh\$qr | 2 |
| ?Resample@CxImage@@QAE_NJJHPAV1@I | 2 |
| rtcFileReset | 2 |
| rtcPPMT | 2 |
| IsXpZeroConfigEnabled | 2 |
| EnableXpZeroConfig | 2 |
| ClassWmiFireEvent | 2 |
| ClassInternalIoControl | 2 |
| @System@@EXP\$qqrv | 2 |
| @Sysutils@StrScan\$qqrpcc | 2 |
| @\$xp\$20Classes@TBasicAction | 2 |

| | |
|--|----------|
| @Controls@TGraphicControl@Paint\$qqrv | 2 |
| @Menus@TMenuItem@SetImageIndex\$qqi | 2 |
| @StdCtrls@TCustomListBox@MeasureItem\$ | 2 |
| @StdCtrls@TCustomListBox@WndProc\$qqri | 2 |
| @StdCtrls@TCustomListBox@DestroyWnd\$c | 2 |
| @StdCtrls@TCustomListBox@CreateWnd\$qr | 2 |
| @StdCtrls@TCustomListBox@CreateParams! | 2 |
| @\$xp\$23StdCtrls@TCustomListBox | 2 |
| @StdCtrls@TCustomListBox@ | 2 |
| ??0nsGetInterface@@QAE@PAVnsISupport | 2 |
| 65F13F2A | 2 |
| 52BE3A71 | 2 |
| F0CC88C6 | 2 |
| 031D074C | 2 |
| | 44074280 |
| 42B26ECD | 2 |
| B1297B9D | 2 |
| FBBF8FEF | 2 |
| C829088F | 2 |
| 1C8E31D0 | 2 |
| C837C5B5 | 2 |
| C7E2E221 | 2 |
| ED3B198C | 2 |
| 42F5B9DC | 2 |
| 01BDA793 | 2 |
| 4EDB1BF0 | 2 |
| B82FB50B | 2 |
| 5907F94A | 2 |
| E69CD8B3 | 2 |
| | 7.05E+19 |
| 4833A11C | 2 |
| 87E5240C | 2 |
| 5306651A | 2 |
| 85A74967 | 2 |
| 6916A3D2 | 2 |
| CB65220F | 2 |
| 2DFA0032 | 2 |
| 13C15267 | 2 |
| 8913954B | 2 |
| A499161D | 2 |
| 1E5134EA | 2 |
| 316C7497 | 2 |
| AD25CCF2 | 2 |
| C19255E8 | 2 |
| 476D6699 | 2 |
| B57E9BD4 | 2 |
| B7BD72F2 | 2 |

| | |
|--|---|
| 8C8A7303 | 2 |
| EE1062EB | 2 |
| 61FD2B11 | 2 |
| ?Create@SfxAbstractDialogFactory@@SAPA | 2 |
| e_UNK | 2 |
| TraceSQLDescribeColW | 2 |
| ?qt_metacast@QWebPage@@UAEPAXPBD(| 2 |
| ??1QWebPage@@UAE@XZ | 2 |
| ?userAgentForUrl@QWebPage@@MBE?AV | 2 |
| ?javaScriptConsoleMessage@QWebPage@C | 2 |
| ?javaScriptPrompt@QWebPage@@MAE_NF | 2 |
| ?javaScriptAlert@QWebPage@@MAEXPAN(| 2 |
| ?chooseFile@QWebPage@@MAE?AVQString | 2 |
| ?acceptNavigationRequest@QWebPage@@@ | 2 |
| ?createPlugin@QWebPage@@MAEPAVQO& | 2 |
| ?supportsExtension@QWebPage@@UBE_N | 2 |
| ?extension@QWebPage@@UAE_NW4Exter | 2 |
| ?triggerAction@QWebPage@@UAEXW4We | 2 |
| ?event@QWebPage@@UAE_NPAVQEvent@C | 2 |
| ??0QWebPage@@QAE@PAVQObject@@@@ | 2 |
| ?qt_metacall@QWebPage@@UAEHW4Call(| 2 |
| ?mainFrame@QWebPage@@QBEPAVQWeb | 2 |
| ?staticMetaObject@QWebPage@@2UQMet | 2 |
| ?setStyle@QBrush@@QAEXW4BrushStyle@ | 2 |
| ??0QPixmap@@QAE@ABVQSize@@@@Z | 2 |
| ?render@QWidget@@QAEXPANQPaintDevi | 2 |
| ?height@QRect@@QBEHXZ | 2 |
| ?width@QRect@@QBEHXZ | 2 |
| ?bottom@QRect@@QBEHXZ | 2 |
| ?right@QRect@@QBEHXZ | 2 |
| ?top@QRect@@QBEHXZ | 2 |
| ?left@QRect@@QBEHXZ | 2 |
| ??0QPoint@@QAE@HH@Z | 2 |
| ??0QPoint@@QAE@XZ | 2 |
| ??0QEventLoop@@QAE@PAVQObject@@@C | 2 |
| ?exec@QEventLoop@@QAEHV?\$QFlags@V | 2 |
| ??1QEventLoop@@UAE@XZ | 2 |
| ?qFlagLocation@@YAPBDPBD@Z | 2 |
| ??1?\$basic_stringstream@GU?\$char_traits@ | 2 |
| ??_F?\$numpunct@D@std@@QAEXXZ | 2 |
| ??4WBEMTime@@QAEABV0@ABU_FILETIME | 2 |
| ??0CWbemGlueFactory@@QAE@XZ | 2 |
| ??1CWbemGlueFactory@@QAE@XZ | 2 |
| @Math@Power\$qqrgg | 2 |
| NameStr | 2 |
| TextGet | 2 |
| ??0Color@@QAE@EEE@Z | 2 |

| | |
|--|---|
| ?glNumusv | 2 |
| ?glGetStreamReadName | 2 |
| ??1QSpacerItem@@UAE@XZ | 2 |
| ??_F?\$complex@N@std@@QAEXXZ | 2 |
| ?keyPressEvent@QWebView@@MAEXPAC | 2 |
| ?setColor@QPalette@@QAEXW4ColorRole(| 2 |
| ??0QPalette@@QAE@ABV0@@Z | 2 |
| ?palette@QWidget@@QBEABVQPalette@C | 2 |
| ??0QAction@@QAE@ABVQString@@PAVQ | 2 |
| ?exec@QMenu@@QAEPAVQAction@@ABV | 2 |
| ?qt_metacast@QStackedWidget@@UAEP@ | 2 |
| ?qt_metacall@QStackedWidget@@UAEHW | 2 |
| ?qt_metacast@QTreeWidget@@UAEPAXPB | 2 |
| ?qt_metacall@QTreeWidget@@UAEHW4C@ | 2 |
| ?staticMetaObject@QTreeWidget@@2UQN | 2 |
| ??0QCheckBox@@QAE@PAVQWidget@@C | 2 |
| ?fillRect@QPainter@@QAEXABVQRect@@I | 2 |
| ??0QColor@@QAE@HHHH@Z | 2 |
| ?setSizeHint@QTreeWidgetItem@@QAEXH. | 2 |
| ??BQPixmap@@QBE?AVQVariant@@XZ | 2 |
| ?addTopLevelItem@QTreeWidget@@QAEXI | 2 |
| ?topLevelItemCount@QTreeWidget@@QBE | 2 |
| ?topLevelItem@QTreeWidget@@QBEPAVQ | 2 |
| ?mousePressEvent@QTreeView@@MAEXP@ | 2 |
| ?supportedDropActions@QTreeWidget@@I | 2 |
| ?dropMimeData@QTreeWidget@@MAE_NI | 2 |
| ?mimeData@QTreeWidget@@MBEPAVQMI | 2 |
| ?mimeTypes@QTreeWidget@@MBE?AVQS | 2 |
| ?drawBranches@QTreeView@@MBEXPAC | 2 |
| ?drawRow@QTreeView@@MBEXPAVQPain | 2 |
| ?viewOptions@QAbstractItemView@@MBE | 2 |
| ?selectedIndexes@QTreeView@@MBE?AV? | 2 |
| ?visualRegionForSelection@QTreeView@@I | 2 |
| ?setSelection@QTreeView@@MAEXABVQR | 2 |
| ?isIndexHidden@QTreeView@@MBE_NABV | 2 |
| ?verticalOffset@QTreeView@@MBEHXZ | 2 |
| ?horizontalOffset@QTreeView@@MBEHXZ | 2 |
| ?moveCursor@QTreeView@@MAE?AVQMc | 2 |
| ?horizontalScrollbarAction@QTreeView@@ | 2 |
| ?updateGeometries@QTreeView@@MAEX@ | 2 |
| ?currentChanged@QTreeView@@MAEXABV | 2 |
| ?selectionChanged@QTreeView@@MAEXA | 2 |
| ?rowsAboutToBeRemoved@QTreeView@@ | 2 |
| ?rowsInserted@QTreeView@@MAEXABVQI | 2 |
| ?dataChanged@QTreeView@@UAEXABVQI | 2 |
| ?selectAll@QTreeView@@UAEXXZ | 2 |
| ?doItemsLayout@QTreeView@@UAEXXZ | 2 |

| | |
|---------------------------------------|---|
| ?setRootIndex@QTreeView@@UAEXABVQI | 2 |
| ?reset@QTreeView@@UAEXXZ | 2 |
| ?sizeHintForColumn@QTreeView@@MBEH | 2 |
| ?indexAt@QTreeView@@UBE?AVQModellr | 2 |
| ?scrollTo@QTreeView@@UAEXABVQModel | 2 |
| ?visualRect@QTreeView@@UBE?AVQRect@ | 2 |
| ?keyboardSearch@QTreeView@@UAEXABV | 2 |
| ?setSelectionModel@QTreeWidget@@UAE | 2 |
| ?setModel@QTreeWidget@@EAEXPAAQAb | 2 |
| ?scrollContentsBy@QTreeView@@MAEXHH | 2 |
| ?viewportEvent@QTreeView@@MAE_NPA\ | 2 |
| ?dropEvent@QTreeWidget@@MAEXPAAVQC | 2 |
| ?dragMoveEvent@QTreeView@@MAEXPAAV | 2 |
| ?paintEvent@QTreeView@@MAEXPAAVQPai | 2 |
| ?keyPressEvent@QTreeView@@MAEXPAAVC | 2 |
| ?mouseMoveEvent@QTreeView@@MAEXPAAV | 2 |
| ?mouseDoubleClickEvent@QTreeView@@N | 2 |
| ?mouseReleaseEvent@QTreeView@@MAE\ | 2 |
| ?timerEvent@QTreeView@@MAEXPAAVQTir | 2 |
| ?event@QTreeWidget@@MAE_NPAVQE\ | 2 |
| ??0QTreeWidget@@QAE@PAVQWidget@C | 2 |
| ??1QTreeWidget@@UAE@XZ | 2 |
| ?setHeaderLabels@QTreeWidget@@QAEXA | 2 |
| ?setItemDelegate@QAbstractItemView@@I | 2 |
| ?resizeSection@QHeaderView@@QAEXHH(C | 2 |
| ?setResizeMode@QHeaderView@@QAEXW | 2 |
| ?setMovable@QHeaderView@@QAEX_N@: | 2 |
| ??1QTreeWidgetItem@@UAE@XZ | 2 |
| ?write@QTreeWidgetItem@@UBEXAAVQD: | 2 |
| ?read@QTreeWidgetItem@@UAEXAAVQDa | 2 |
| ??MQTreeWidgetItem@@UBE_NABV0@@Z | 2 |
| ?setData@QTreeWidgetItem@@UAEXHHAE | 2 |
| ?data@QTreeWidgetItem@@UBE?AVQVari | 2 |
| ?clone@QTreeWidgetItem@@UBEPAV1@X | 2 |
| ??0QTreeWidgetItem@@QAE@H@Z | 2 |
| ?setText@QTreeWidgetItem@@QAEXHABV | 2 |
| ?setSelectionMode@QAbstractItemView@C | 2 |
| ?setRootIsDecorated@QTreeView@@QAEX | 2 |
| ?setColumnCount@QTreeWidget@@QAEXI | 2 |
| ?loadFromData@QPixmap@@QAE_NABVQI | 2 |
| ??0QStackedWidget@@QAE@PAVQWidget | 2 |
| ?addWidget@QStackedWidget@@QAEHPA\ | 2 |
| ?currentIndex@QStackedWidget@@QBEHX | 2 |
| ?setCurrentIndex@QStackedWidget@@QAF | 2 |
| ?event@QStackedWidget@@MAE_NPAVQE | 2 |
| ??1QStackedWidget@@UAE@XZ | 2 |
| ?canConvert@QVariant@@QBE_NW4Type@ | 2 |

| | |
|--|---|
| ?data@QModelIndex@@QBE?AVQVariant@ | 2 |
| ?width@QSize@@QBEHXZ | 2 |
| ?height@QSize@@QBEHXZ | 2 |
| ReadBlobDouble | 2 |
| ReadBlobLongLong | 2 |
| ReadBlobShort | 2 |
| ConcatenateString | 2 |
| GetMagickVersion | 2 |
| PeerGroupDelete | 2 |
| PeerGroupShutdown | 2 |
| PeerGroupStartup | 2 |
| ??_D?\$basic_iostream@GU?\$char_traits@C | 2 |
| sout_StreamDelete | 2 |
| sout_StreamNew | 2 |
| lleteCriticalSection | 2 |
| aveCriticalSection | 2 |
| terCriticalSection | 2 |
| itializeCriticalSection | 2 |
| calAlloc | 2 |
| rtualQuery | 2 |
| ltiByteToWideChar | 2 |
| tProcAddress | 2 |
| tModuleFileNameA | 2 |
| tLocaleInfoA | 2 |
| tLastError | 2 |
| ndClose | 2 |
| iteFile | 2 |
| eateFileA | 2 |
| oseHandle | 2 |
| adStringA | 2 |
| arNextA | 2 |
| gQueryValueExA | 2 |
| gCloseKey | 2 |
| tWindowOrgEx | 2 |
| tPixel | 2 |
| tMapMode | 2 |
| tDIBColorTable | 2 |
| tBrushOrgEx | 2 |
| tBlt | 2 |
| tWindowRgn | 2 |
| tWindowTextA | 2 |
| tWindowPlacement | 2 |
| tScrollInfo | 2 |
| tMenuItemInfoA | 2 |
| tMenu | 2 |
| tForegroundWindow | 2 |
| tClipboardData | 2 |

| | |
|--|---|
| tActiveWindow | 2 |
| @Advedit@initialization\$qqrv | 2 |
| @Adveddd@initialization\$qqrv | 2 |
| @Advedbtn@initialization\$qqrv | 2 |
| @Aebxpvs@initialization\$qqrv | 2 |
| @Advcombo@initialization\$qqrv | 2 |
| @Acxpvs@initialization\$qqrv | 2 |
| JS_GetProperty | 2 |
| JS_GetOptions | 2 |
| JS_GetGlobalObject | 2 |
| JS_LookupProperty | 2 |
| JS_GetContextPrivate | 2 |
| JS_DefineProperty | 2 |
| internalRemoveLocation | 2 |
| _Z5qHashRK7QString | 2 |
| _ZN16QXmlStreamReader15readElementTe | 2 |
| _ZN16QXmlStreamReader9setDeviceEP9QIC | 2 |
| _ZN7QString6removeEii | 2 |
| _ZN9QDateTimeaSERKS_ | 2 |
| _ZNK16QXmlStreamReader5errorEv | 2 |
| _ZNK7QString10startsWithERKS_N2Qt15Cas | 2 |
| _ZNK7QString7toFloatEPb | 2 |
| _ZNK7QString7toLowerEv | 2 |
| _ZNK7QString7toUpperEv | 2 |
| _ZNK7QString8toDoubleEPb | 2 |
| _ZN10QBoxLayout10addStretchEi | 2 |
| _ZN10QBoxLayout12insertWidgetEiP7QWidget | 2 |
| _ZN11QLayoutItem12setAlignmentE6QFlags | 2 |
| _ZN11QMessageBox7setTextERK7QString | 2 |
| _ZN11QMessageBox9 addButtonERK7QString | 2 |
| _ZN6QColor10invalidateEv | 2 |
| _ZN6QColor6setRgbEiiii | 2 |
| _ZN6QColoraSERKS_ | 2 |
| _ZN6QFrame11changeEventEP6QEvent | 2 |
| _ZN6QLabelC1ERK7QStringP7QWidget6QFla | 2 |
| _ZN7QLayout10removeItemEP11QLayoutIt | 2 |
| _ZN7QWidget12setFixedSizeERK5QSize | 2 |
| _ZN7QWidget15setMaximumWidthEi | 2 |
| _ZN7QWidget16setMaximumHeightEi | 2 |
| _ZN7QWidget16setMinimumHeightEi | 2 |
| _ZN7QWidget9setLayoutEP7QLayout | 2 |
| _ZN7QWidget9setParentEPS_ | 2 |
| _ZNK19QAbstractScrollArea15minimumSizel | 2 |
| ?closeForced@BrowserInterface@Troubles | 2 |
| ?_exitApplication@Root@Troubleshooter@ | 2 |
| ?_destroyBrowserInterface@Root@Trouble | 2 |
| ?getSingleton@?\$Singleton@VStateManager | 2 |

| | |
|---|---|
| ?_setCommandLine@Root@Troubleshooter() | 2 |
| ?_launchApplication@Root@Troubleshooter() | 2 |
| ?_createBrowserInterface@Root@Troubleshooter() | 2 |
| ?_onSizing@BrowserInterface@Troubleshooter() | 2 |
| ?getTemplatePath@Root@Troubleshooter() | 2 |
| ??0Exception@Troubleshooter@@QAE@AB | 2 |
| ?getSingleton@?\$Singleton@VRoot@Troubleshooter() | 2 |
| ??1Root@Troubleshooter@@QAE@XZ | 2 |
| ?getIntVariable@ConfigurationFile@Troubleshooter() | 2 |
| ?getCommandLine@Root@Troubleshooter() | 2 |
| ?loadConfiguration@ConfigurationFile@Troubleshooter() | 2 |
| ??1ConfigurationFile@Troubleshooter@@QAE@A | 2 |
| ?getDataPath@Root@Troubleshooter@@QAE@A | 2 |
| ??0ConfigurationFile@Troubleshooter@@QAE@A | 2 |
| ??1Exception@Troubleshooter@@UAE@XZ | 2 |
| ?GetCloseSCOnExit@Root@Troubleshooter() | 2 |
| ?getVariable@ConfigurationFile@Troubleshooter() | 2 |
| ?getSessionPath@Root@Troubleshooter@@QAE@A | 2 |
| ?getUserConfig@Root@Troubleshooter@@QAE@A | 2 |
| ?getBoolVariable@ConfigurationFile@Troubleshooter() | 2 |
| ?getConfig@Root@Troubleshooter@@QBE@A | 2 |
| ?getLanguage@Root@Troubleshooter@@QAE@A | 2 |
| ?getTag@Language@Troubleshooter@@QB | 2 |
| ?_cleanup@StateManager@Troubleshooter() | 2 |
| ??0Exception@Troubleshooter@@QAE@AB | 2 |
| ??0Root@Troubleshooter@@QAE@ABV?\$C | 2 |
| ?_Doraise@bad_exception@std@@MBEXXZ | 2 |
| ?QueryStringInput@MESSAGE@@UAEEPAV | 2 |
| ?SelectResponse@MESSAGE@@UAACKZZ | 2 |
| ?Strupr@WSTRING@@QAEPAV1@KK@Z | 2 |
| ??0COMM_DEVICE@@QAE@XZ | 2 |
| ?LogMsg@MESSAGE@@QAEK@Z | 2 |
| ?IsYesResponse@MESSAGE@@UAEEE@Z | 2 |
| ?_PSComFlushFactoryCache@0 | 2 |
| ?SetCapacity@nsSubstring@@QAEXI@Z | 2 |
| ??0nsCOMArray_base@@IAE@XZ | 2 |
| PL_DestroyEvent | 2 |
| ?CompressWhitespace@nsString@@QAEXH | 2 |
| ??1nsStringArray@@UAE@XZ | 2 |
| @Db@ExtractFieldName\$qqrx17System@A | 2 |
| @Fastmm4@initialization\$qqrv | 2 |
| EventWriteString | 2 |
| PathMatchSpecExA | 2 |
| ?SetAnsiConversions@WSTRING@@SGXXZ | 2 |
| EbCreateContext | 2 |
| AN | 2 |
| IN | 2 |

| | |
|---|---|
| EA | 2 |
| reg_openRegistry | 2 |
| reg_openRootKey | 2 |
| reg_closeKey | 2 |
| reg_closeRegistry | 2 |
| ??0SvtPathOptions@binfilter@@QAE@XZ | 2 |
| ??1SvtPathOptions@binfilter@@UAE@XZ | 2 |
| ?PROP_FILTERNAME@MediaDescriptor@co | 2 |
| ?getAsConstPropertyValueList@SequenceAs | 2 |
| ?addInputStream@MediaDescriptor@compl | 2 |
| _streams | 2 |
| XML_ParserReset | 2 |
| valuePush | 2 |
| xmlDocCopyNode | 2 |
| xmlFreeNodeList | 2 |
| xmlGetID | 2 |
| xmlNodeAddContent | 2 |
| xmlNodeDumpOutput | 2 |
| xmlOutputBufferClose | 2 |
| xmlOutputBufferWriteString | 2 |
| xmlParserGetDirectory | 2 |
| xmlRealloc | 2 |
| xmlSearchNs | 2 |
| xmlStrPrintf | 2 |
| xmlXPathErr | 2 |
| xmlXPathFreeNodeSet | 2 |
| xmlXPathNewNodeSet | 2 |
| xmlXPathNodeSetAdd | 2 |
| xmlXPathNodeSetCreate | 2 |
| xmlXPathNsLookup | 2 |
| xmlXPathRegisterFunc | 2 |
| xmlXPtrEval | 2 |
| xmlXPtrNewContext | 2 |
| MatchTunnelFilter | 2 |
| lineGetAgentStatusA | 2 |
| ?Terminate@CCSDWrapper@@QAEXXZ | 2 |
| ?RemoveListener@CCSDWrapper@@QAEXF | 2 |
| ?SelectDevice@CCSDWrapper@@QAEJKH@ | 2 |
| ?GetSupportedDeviceCount@CCSDWrapper | 2 |
| ?font@QApplication@@SA?AVQFont@@XZ | 2 |
| ?setClickable@QHeaderView@@QAEX_N@ | 2 |
| ?setMaximumHeight@QWidget@@QAEXH@ | 2 |
| ?setAlternatingRowColors@QAbstractItemV | 2 |
| ?addWidget@QGridLayout@@QAEXPAVQW | 2 |
| ?clear@QTextEdit@@QAEXXZ | 2 |
| ?setTextVisible@QProgressBar@@QAEX_N(| 2 |
| ?addSpacing@QBoxLayout@@QAEXH@Z | 2 |

| | |
|--|---|
| NdrSimpleStructMemorySize | 2 |
| vlc_cond_timedwait | 2 |
| ApphelpQueryModuleData | 2 |
| PyString_Size | 2 |
| PyUnicode_Type | 2 |
| PyUnicodeUCS2_AsWideChar | 2 |
| PyErr_NewException | 2 |
| PyMem_Malloc | 2 |
| PyExc_AttributeError | 2 |
| PyLong_Type | 2 |
| @System@@Append\$qqrv | 2 |
| @System@@Write0LString\$qqrv | 2 |
| @Forms@MakeObjectInstance\$qqrynpqqrr` | 2 |
| LoadBmp | 2 |
| GetMaxBmpID | 2 |
| ??1QImageIOPlugin@@UAE@XZ | 2 |
| ?qt_metacall@QImageIOPlugin@@UAEHW` | 2 |
| ?qt_metacast@QImageIOPlugin@@UAEPA` | 2 |
| ?metaObject@QImageIOPlugin@@UBEPBU` | 2 |
| ??0QImageIOPlugin@@QAE@PAVQObject@ | 2 |
| ?setDevice@QImageIOHandler@@QAEXP@` | 2 |
| ?setFormat@QImageIOHandler@@QAEXAB` | 2 |
| ?setFormat@QImageIOHandler@@QBEXAB` | 2 |
| ??1QImageIOHandler@@UAE@XZ | 2 |
| ?currentImageRect@QImageIOHandler@@I | 2 |
| ?jumpToImage@QImageIOHandler@@UAE_ | 2 |
| ?jumpToNextImage@QImageIOHandler@@ | 2 |
| ??0QImageIOHandler@@QAE@XZ | 2 |
| ?device@QImageIOHandler@@QBEPAVQIO` | 2 |
| ?isReadable@QIODevice@@QBE_NXZ | 2 |
| _ZTVN4Foam4TimeE | 2 |
| _ZN4Foam14geomCellLooper8snapTol_E | 2 |
| EcDeleteSubscription | 2 |
| EcQuickConfig | 2 |
| EcSaveSubscription | 2 |
| EcInsertObjectArrayElement | 2 |
| EcRemoveObjectArrayElement | 2 |
| EcSetObjectArrayProperty | 2 |
| EcSetSubscriptionProperty | 2 |
| EcRetrySubscription | 2 |
| EcOpenSubscription | 2 |
| EcGetObjectArraySize | 2 |
| EcOpenSubscriptionEnum | 2 |
| EcClose | 2 |
| EcEnumNextSubscription | 2 |
| EcGetSubscriptionRunTimeStatus | 2 |
| EcGetObjectArrayProperty | 2 |

| | |
|--|---|
| EcGetSubscriptionProperty | 2 |
| __config_GetInt | 2 |
| SetDisplayConfig | 2 |
| dLLFunctionCall | 2 |
| EnumSystemFirmwareTables | 2 |
| gIsLong | 2 |
| ?clear@QLineEdit@@QAEXXZ | 2 |
| BtGetRemoteDeviceList2 | 2 |
| BtConnectSDP | 2 |
| BtDisconnectSDP | 2 |
| BtServiceSearchAttribute2 | 2 |
| BtAnalyzeProtocolParameter2 | 2 |
| BtAnalyzeServiceAttributeLists2 | 2 |
| BtMakeAttributeIDList2 | 2 |
| BtMakeServiceSearchPattern2 | 2 |
| BtCancelDiscoverRemoteDevice | 2 |
| BtSetAutoConnectCOMMInfo | 2 |
| BtSetAutoConnectCOMMState | 2 |
| G_C9187027 | 2 |
| W_DE9A6133 | 2 |
| ?BuisCreateProxyObject@@YGJPAPAUIDisp | 2 |
| ?BuisCreateElevatedProxyObject@@YGJPAL | 2 |
| ?ImplicitPauseConversion@BuiVolume@@C | 2 |
| ?ResumeConversion@BuiVolume@@QAEJX | 2 |
| ?RefreshStatus@BuiVolume@@QAEJ_N@Z | 2 |
| ?GetConvertedPercent@BuiVolume@@QAE | 2 |
| ??0BuiVolume@@QAE@_N@Z | 2 |
| ?BuisIsHardwareReadyForConversion@@YG | 2 |
| ?SuspendStatusRefreshing@BuiVolume@@@I | 2 |
| ?ResumeStatusRefreshing@BuiVolume@@@C | 2 |
| ?ResetStatusRefreshing@BuiVolume@@QA | 2 |
| ?DeleteVolumeList@BuiVolume@@SGXPAP | 2 |
| ?GetAllVolumes@BuiVolume@@SGJPAPAU | 2 |
| ?SetProxyObject@BuiVolume@@QAEXPUI | 2 |
| ?EroSetLabel@ErrorObject@@QAEXPBD0@ | 1 |
| ?EroClearEvent@ErrorObject@@QAE_NXZ | 1 |
| ?EroGetEventDescriptor@ErrorObject@@Q | 1 |
| ?EroLogMessage@ErrorObject@@QAEXPBD | 1 |
| ?EroSetEvent@ErrorObject@@QAE_NPBUE | 1 |
| ?EroAdoptEvent@ErrorObject@@QAE_NPA | 1 |
| ?EroSetEvent@ErrorObject@@QAE_NW4Vd | 1 |
| ??0ErrorObject@@QAE@PBD@Z | 1 |
| ??1ErrorObject@@UAE@XZ | 1 |
| GetDefaultDSN | 1 |
| DBIGetStorageClass | 1 |
| GetConnectionOptions | 1 |
| DBIOpen | 1 |

| | |
|---|---|
| DBIClose | 1 |
| PDecode | 1 |
| ProfileGetTextBufTrimDefault | 1 |
| ProfileOpenSession | 1 |
| ProfileCloseSession | 1 |
| ?ToLocalCopy@ArchiveConvert@@QAEXPAI | 1 |
| ??0ArchiveConverterFactory@@QAE@W4Plat | 1 |
| MSIFreeLibrary | 1 |
| MSTCharNext | 1 |
| MSILoadLibrary | 1 |
| ??0Mutex@mth@@QAE@XZ | 1 |
| ??1Mutex@mth@@QAE@XZ | 1 |
| ?lock@Mutex_Win@mth@@QAE@XZ | 1 |
| ?unlock@Mutex_Win@mth@@QAE@XZ | 1 |
| ??0CriticalSection@mth@@QAE@XZ | 1 |
| ??1CriticalSection@mth@@QAE@XZ | 1 |
| ?unlock@CriticalSection_Win@mth@@QAE@XZ | 1 |
| ?lock@CriticalSection_Win@mth@@QAE@XZ | 1 |
| I0lzO1z2IV0lO120l2zlvOl0lzO1z2IV0 | 1 |
| IO120l2zlvOl0lzO1z2IV0lO120l2zlvO | 1 |
| _ZN11QMainWindow18insertToolBarBreakE | 1 |
| _ZN7QWidget16setWindowOpacityEd | 1 |
| _ZN8QToolBar10childEventEP11QChildEvent | 1 |
| _ZN8QToolBar10paintEventEP11QPaintEvent | 1 |
| _ZN8QToolBar11actionEventEP12QActionEvent | 1 |
| _ZN8QToolBar11changeEventEP6QEvent | 1 |
| _ZN8QToolBar11qt_metacallEN11QMetaObjectE | 1 |
| _ZN8QToolBar11qt_metacastEPKc | 1 |
| _ZN8QToolBar11resizeEventEP12QResizeEvent | 1 |
| _ZN8QToolBar16staticMetaObjectE | 1 |
| _ZN8QToolBar5eventEP6QEvent | 1 |
| _ZN8QToolBarC2EP7QWidget | 1 |
| _ZN8QToolBarD2Ev | 1 |
| _ZNK8QToolBar8actionAtERK6QPoint | 1 |
| _ZN8QWebView6reloadEv | 1 |
| ?MIR_STDERR@@3VMIRXmlLog@@A | 1 |
| ?exists@MIRFile@@QBE_NXZ | 1 |
| ??0MIRFile@@QAE@ABVMIRString@@@Z | 1 |
| ??1MIRVector@@UAE@XZ | 1 |
| ??_7_MIRContainer@@6B@ | 1 |
| ??1MIRStringHashtable@@UAE@XZ | 1 |
| ??_DMIRSimpleStringHashtable@@QAE@XZ | 1 |
| ??0MIRSimpleStringHashtable@@QAE@_N | 1 |
| ??1MIRSimpleHashtable@@UAE@XZ | 1 |
| ?mid@MIRString@@QBE?AV1@II@Z | 1 |
| ??0MIRMessageLiteral@@QAE@ABVMIRStr | 1 |
| ?createParametrizedText@MIRParameterize | 1 |

| | |
|---|---|
| ?setParameterValue@MIRParameterizedTe | 1 |
| ?prapareForParameters@MIRParameterizec | 1 |
| ??1MIRLogEvent@@QAE@XZ | 1 |
| ??0MIRLogEvent@@QAE@ABVMIRString@(| 1 |
| ?getEmptyString@MIRString@@SAAV1@X | 1 |
| ?init@MIRTextLiteralsCollection@@QAEXXZ | 1 |
| ??1MIRException@@UAE@XZ | 1 |
| ??0MIRException@@QAE@ABV0@@Z | 1 |
| ??0MIRException@@QAE@HABVMIRString(| 1 |
| ??4MIRString@@QAEXABV0@@Z | 1 |
| ?add@MIRSimpleStringHashtable@@QAE_I | 1 |
| ??1MIRFile@@QAE@XZ | 1 |
| ??H@YA?AVMIRString@@ABV0@0@Z | 1 |
| ?findFirst@MIRSimpleHashtable@@UBEPA) | 1 |
| ??0MIRString@@QAE@ABV0@@Z | 1 |
| ??0MIRStringHashtable@@QAE@H@Z | 1 |
| ?_DMIRVector@@QAEXXZ | 1 |
| ??0MIRStringHashtable@@QAE@ABV0@@: | 1 |
| ??0MIRVector@@QAE@ABV0@@Z | 1 |
| ??4MIRHashtable@@UAEAAV0@ABV0@@Z | 1 |
| ??1MIRMessageLiteral@@UAE@XZ | 1 |
| ??0MIRMessageLiteral@@QAE@ABV0@@Z | 1 |
| ?_DMIRStringHashtable@@QAEXXZ | 1 |
| ?update@MIRParameterizedTextLiteral@@I | 1 |
| ??4MIRMessageLiteral@@QAEAAV0@ABV0 | 1 |
| ??0MIRTextLiteralsCollection@@QAE@XZ | 1 |
| ??1MIRString@@QAE@XZ | 1 |
| ??0MIRVector@@QAE@XZ | 1 |
| ??0MIRString@@QAE@XZ | 1 |
| ?getMIRFunctionMappingPath@@YA?AVMI | 1 |
| ?init@MIRString@@AAEXPBDH@Z | 1 |
| ??0MIRDOM@@QAE@PAVMIRLog@@@Z | 1 |
| ?parseFile@MIRDOM@@QAEPAVMIRDOM@ | 1 |
| ?getElementCount@MIRDOMEElement@@Q | 1 |
| ?getElement@MIRDOMEElement@@QBEPA\ | 1 |
| ?getAttribute@MIRDOMEElement@@QBEAB | 1 |
| ??1MIRDOM@@QAE@XZ | 1 |
| ?GetStatsUrlForPeriod@@YAJW4REPRESEN | 1 |
| ?Authorize@@YAJPAW4AUTH_RESULT@@@ | 1 |
| ?InitReport@@YAJPA_W000@Z | 1 |
| ?put_State@@YAJPA_W@Z | 1 |
| ?put_Country@@YAJPA_W@Z | 1 |
| ??0CAVLog@@QAE@PBD00PAUHKEY__@@ | 1 |
| ?SaveColumnWidths@CXTListCtrlBase@@U | 1 |
| ?messageMap@CXTFrameWnd@@1UAFX_I | 1 |
| ?classCXTFrameWnd@CXTFrameWnd@@2L | 1 |
| ?LoadColumnWidths@CXTListCtrlBase@@U | 1 |

| | |
|--|---|
| ?classCXTListView@CXTListView@@2UCRur | 1 |
| ?Sort@CXTSortClass@@UAEX_NW4XT_DAT | 1 |
| ??0CXTMemDC@@QAE@PAVCDC@@ABVC | 1 |
| ?OnCreate@CXTListView@@IAEHPAUtagCR | 1 |
| ?classCXTFlatHeaderCtrl@CXTFlatHeaderCtr | 1 |
| ?messageMap@CXTListView@@1UAFX_MS | 1 |
| ??1CXTListView@@UAE@XZ | 1 |
| ??0CXTListView@@QAE@XZ | 1 |
| ?OnNotify@CXTListView@@MAEHIPAJ@Z | 1 |
| ?OnInitialUpdate@CXTListView@@UAEXXZ | 1 |
| ?SetSortImage@CXTListCtrlBase@@UAHHI | 1 |
| ?InstallCoolMenus@CXTFrameWnd@@QAE | 1 |
| ?DockControlBar@CXTFrameWnd@@QAEXI | 1 |
| ?EnableDockingEx@CXTFrameWnd@@QAE) | 1 |
| ?EnableDockingEx@CXTToolBar@@QAEXKK | 1 |
| ?LoadToolBar@CXTToolBar@@QAEHPBD@; | 1 |
| ?GetStoredWidth@CXTListCtrlBase@@UAEI | 1 |
| ?PreSubclassWindowImpl_Post@CXTListCtrl | 1 |
| ?SetStoredWidth@CXTListCtrlBase@@UAEX | 1 |
| ?AutoSizeColumn@CXTListCtrlBase@@UAE | 1 |
| ?AutoSaveColumns@CXTListCtrlBase@@UA | 1 |
| ?SubclassHeader@CXTListCtrlBase@@UAE_ | 1 |
| ?SetExtendedStyle@CXTListView@@UAEXK | 1 |
| ?GetExtendedStyle@CXTListView@@UAEKX | 1 |
| ?DisableColumnSizing@CXTListCtrlBase@@I | 1 |
| ?HitTestEx@CXTListCtrlBase@@UBEHAAVCI | 1 |
| ?AddColumn@CXTListCtrlBase@@UAEPBC | 1 |
| ?BuildColumns@CXTListCtrlBase@@UAE_NI | 1 |
| ?BuildColumns@CXTListCtrlBase@@UAE_NI | 1 |
| ?SetRowColors@CXTListCtrlBase@@UAEXKI | 1 |
| ?GetColumnCount@CXTListCtrlBase@@UAE | 1 |
| ?CopyRow@CXTListCtrlBase@@UAEHHH@Z | 1 |
| ?MoveRow@CXTListCtrlBase@@UAE_NHH@ | 1 |
| ?OnNotifyImpl@CXTListCtrlBase@@MAEHIJ | 1 |
| RemoveHook2 | 1 |
| InstallHook2 | 1 |
| GetIEUrlMonitorMsg2 | 1 |
| SQUALL_Channel_Stop | 1 |
| SQUALL_Channel_Status | 1 |
| SQUALL_Channel_Pause | 1 |
| SQUALL_Init | 1 |
| SQUALL_SetFileCallbacks | 1 |
| SQUALL_Listener_EAX_SetPreset | 1 |
| SQUALL_Stop | 1 |
| SQUALL_Free | 1 |
| SQUALL_Sample_LoadFile | 1 |
| SQUALL_ChannelGroup_SetVolume | 1 |

| | |
|---|---|
| SQUALL_Channel_Start | 1 |
| SQUALL_Channel_SetVolume | 1 |
| SQUALL_Sample_Unload | 1 |
| SQUALL_Pause | 1 |
| SQUALL_Sample_PlayEx | 1 |
| SQUALL_Sample_GetFileFrequency | 1 |
| ?freeData@@YAXAAPAK@Z | 1 |
| ?readMNG@@YAXPBXAAK1AAPAK@Z | 1 |
| @System@@RandExt\$qqrv | 1 |
| @Jclcompression@initialization\$qqrv | 1 |
| @Jclcompression@Finalization\$qqrv | 1 |
| @Jclcompression@TJclZLibDecompressStrea | 1 |
| @Jclcompression@TJclZLibCompressStream | 1 |
| @Jclcompression@TJclZLibDecompressStrea | 1 |
| @Jclcompression@TJclZLibCompressStream | 1 |
| @Zlibh@initialization\$qqrv | 1 |
| @Zlibh@Finalization\$qqrv | 1 |
| @\$xp\$2&Jvcomponentbase@TJvComponent | 1 |
| @Jvcomponentbase@TJvComponent@ | 1 |
| @Jvresources @_RsENoTest | 1 |
| @Jvresources @_RsEErrorSetupDll | 1 |
| @Jvresources @_RsError | 1 |
| ICQAPICall_UnRegisterNotify | 1 |
| ICQAPICall_GetWindowHandle | 1 |
| ICQAPICall_GetOnlineListHandle | 1 |
| ICQAPICall_GetFullOwnerData | 1 |
| @Tb2extitems@initialization\$qqrv | 1 |
| @Jvthread@initialization\$qqrv | 1 |
| @Dbadvgrd@initialization\$qqrv | 1 |
| ?getResHandle@CCWCResString@@QAEPA | 1 |
| ??0CCWCResString@@QAE@XZ | 1 |
| ?loadResourceDll@CCWCResString@@QAE | 1 |
| ?loadResourceDll@CCWCResString@@QAE | 1 |
| ?writeData@CCWConfig@@UAEXXZ | 1 |
| ?performSelfTest@CCWkrLib@@SA_NV?SC | 1 |
| ?loadFileName@CCWCResString@@QAE?A' | 1 |
| ??0CCWCResString@@QAE@PAUHINSTANC | 1 |
| ?getInstallDir@CCWConfig@@QAE?AV?\$C | 1 |
| ??1CCWCResString@@QAE@XZ | 1 |
| ?LOG_IsDebugEnabled@@YA_NW4ELogLev | 1 |
| ?LOG_DebugMessageF@@YAXW4ELogType | 1 |
| ??0CCWConfig@@QAE@PB_W@Z | 1 |
| ??1CCWConfig@@UAE@XZ | 1 |
| ?setTempSubDirMask@CCWConfig@@QA | 1 |
| ?readData@CCWConfig@@UAEXP@AUHINS | 1 |
| ObSetHandleAttributes | 1 |
| PoRequestShutdownEvent | 1 |

| | |
|--|---|
| VideoPortGetRomImage | 1 |
| NdisWriteErrorLogEntry | 1 |
| NdisCompleteDmaTransfer | 1 |
| NdisCmAddPartyComplete | 1 |
| NdisMSetMiniportSecondary | 1 |
| ??0locale@std@@QAE@W4_Uninitialized@ | 1 |
| ??_7underflow_error@std@@6B@ | 1 |
| ldap_controls_freeA | 1 |
| D3DKMTSetProcessSchedulingPriorityClass | 1 |
| RegisterGhostWindow | 1 |
| InternalGetWindowIcon | 1 |
| RegisterFrostWindow | 1 |
| OpenThreadDesktop | 1 |
| UnregisterSessionPort | 1 |
| RegisterSessionPort | 1 |
| CheckDesktopByThreadId | 1 |
| DwmStopRedirection | 1 |
| DwmStartRedirection | 1 |
| DwmRedirectionManagerLockMemoryAllocat | 1 |
| DwmRedirectionManagerEnableMMCSS | 1 |
| DwmRedirectionManagerPlayingVideo | 1 |
| DwmInitializeTransport | 1 |
| DwmShutdownTransport | 1 |
| DwmRedirectionManagerShutdown | 1 |
| DwmRedirectionManagerShouldRemainOnH | 1 |
| DwmRedirectionManagerDispatchMessage | 1 |
| DwmRedirectionManagerFailMessage | 1 |
| DwmRedirectionManagerWaitForMultipleO | 1 |
| DwmVersionCheck | 1 |
| MilChannel_CommitChannel | 1 |
| MilComposition_WaitForNextMessage | 1 |
| MilCompositionEngine_UpdateSchedulerSet | 1 |
| MilResource_SendCommand | 1 |
| MilChannel_GetMarshalType | 1 |
| MilConnection_CreateChannel | 1 |
| MilConnection_HandleSfmEventOnPartition | 1 |
| MilConnection_ClearSfmEventOnPartition | 1 |
| MilConnection_DestroyChannel | 1 |
| MilComposition_PeekNextMessage | 1 |
| ??0?\$basic_stringstream@DU?\$char_traits@ | 1 |
| ??0?\$basic_fstream@DU?\$char_traits@D@ | 1 |
| ?str@?\$basic_stringstream@DU?\$char_trait | 1 |
| ?c_str@?\$basic_string@DU?\$char_traits@D | 1 |
| ?is_open@?\$basic_fstream@DU?\$char_trai | 1 |
| ?_D?\$basic_stringstream@DU?\$char_traits@ | 1 |
| ?read@?\$basic_istream@DU?\$char_traits@ | 1 |
| ?close@?\$basic_fstream@DU?\$char_traits@ | 1 |

| | |
|--|---|
| ??_D?\$basic_fstream@DU?\$char_traits@D@ | 1 |
| ?open@?\$basic_fstream@DU?\$char_traits@C@ | 1 |
| GetIfTable2Ex | 1 |
| GetUnicastIpAddressTable | 1 |
| GetIpForwardTable2 | 1 |
| GetIpNetTable2 | 1 |
| FreeMibTable | 1 |
| ?exp@std@@YA?AV?\$complex@N@1@AB` | 1 |
| ?NclRegister@@YAJKAAUNCL_MODULE_INF | 1 |
| ?NclUnregister@@YAJKU_GUID@@@Z | 1 |
| ?NclGetCustomDataItems@@YAJU_GUID@I | 1 |
| ?NclAddCustomDataItem@@YAJU_GUID@() | 1 |
| ?NclDeleteCustomDataItem@@YAJU_GUID(| 1 |
| ?NclGetRegistryPath@@YA?AVCComBSTR@ | 1 |
| ?GetString@NclRegistry@@QAEJPA_WPAP/ | 1 |
| ?EnumerateKeys@NclRegistry@@QAEJPAKF | 1 |
| ?Open@NclRegistry@@QAEJPAUHKEY__@() | 1 |
| ??1NclRegistry@@QAE@XZ | 1 |
| ??0NclRegistry@@QAE@XZ | 1 |
| DEBUG | 1 |
| DEBUG_DLLRelease | 1 |
| DEBUG_DLLInit | 1 |
| IW_FileExists | 1 |
| ShowSystemCursor | 1 |
| GetPhysicalCursorPos | 1 |
| SetMagnificationDesktopColorEffect | 1 |
| SetMagnificationDesktopMagnification | 1 |
| GdipDrawPolygon1 | 1 |
| ?GetExtent@Element@DirectUI@@QAEPBL | 1 |
| MagSetWindowTransform | 1 |
| MagSetWindowSource | 1 |
| MagUninitialize | 1 |
| MFGetSupportedSchemes | 1 |
| @Diagvars@TRegisteredDiagManager@Reg | 1 |
| @Diagvars@TRegisteredDiagManager@Reg | 1 |
| @Lindata@TIndataSet@HighProp\$qqri | 1 |
| @Loutdta@TOutDataSet@OutHighProp\$qqri | 1 |
| @Eng2optc@initialization\$qqrv | 1 |
| @Eng2optc@Finalization\$qqrv | 1 |
| @Jumptoinpintf@initialization\$qqrv | 1 |
| @Jumptoinpintf@Finalization\$qqrv | 1 |
| @Cnoteapp@initialization\$qqrv | 1 |
| @Cnoteapp@Finalization\$qqrv | 1 |
| @Osiconst@initialization\$qqrv | 1 |
| @Osiconst@Finalization\$qqrv | 1 |
| KillHook | 1 |
| RtlRevertMemoryStream | 1 |

| | |
|--|---|
| SETSTATEREFERENCE | 1 |
| ?SetLanguage@CFolder@@QAEXG@Z | 1 |
| ?stossc@?\$basic_streambuf@DU?\$char_tr | 1 |
| ?pow@?\$_Ctr@O@std@@SAOOO@Z | 1 |
| ??Ostd@@YA_NABV?\$basic_string@GU?\$cl | 1 |
| ??1CRangeKeyRepository@@UAE@XZ | 1 |
| CorMarkThreadInThreadPool | 1 |
| CreateBoundaryDescriptorW | 1 |
| CreatePrivateNamespaceW | 1 |
| DeleteBoundaryDescriptor | 1 |
| MsiApplyMultiplePatchesW | 1 |
| MsiSourceListAddSourceExA | 1 |
| SetMainHandle | 1 |
| ?setDoSchema@AbstractDOMParser@xerces | 1 |
| ?setValidationSchemaFullChecking@Abstrac | 1 |
| ?setDoNamespaces@AbstractDOMParser@ | 1 |
| ?setValidationScheme@AbstractDOMParser | 1 |
| ?cacheGrammarFromParse@XercesDOMPar | 1 |
| ?useCachedGrammarInParse@XercesDOMP | 1 |
| ?parse@AbstractDOMParser@xercesc_2_6@ | 1 |
| ??1MemBufInputSource@xercesc_2_6@@L | 1 |
| ??0MemBufInputSource@xercesc_2_6@@C | 1 |
| ClientConfigureAddEdit | 1 |
| OnInitDialogMain | 1 |
| IID_ISecurityInformation | 1 |
| WLMsgHookOff | 1 |
| WLMsgHookOn | 1 |
| ?CodeArrayTXDataString@CCmdCodecBase(| 1 |
| ?CodeString@CCmdCodecBase@@IAEXPB_` | 1 |
| ?DecodeArrayTXDataString@CCmdCodecBa | 1 |
| ?MakeSpellCode@Py@Util@@YA?AVCTXStr | 1 |
| ?GetLangFmt@URL@Util@@YAXAAVCFmtS | 1 |
| ?PreTranslateMsgImage@Msg@Util@@YAF | 1 |
| ?TransformMsg@Msg@Util@@YAXPAUITXI | 1 |
| ?IsBindMobile@Contact@Util@@YAHK@Z | 1 |
| ?GetPublicGender@Contact@Util@@YAEK@ | 1 |
| ?ReadODDPower@CRegistry@@QAEHPAU_ | 1 |
| ?WriteODDPower@CRegistry@@QAEHPAU_ | 1 |
| ?OpenDII@CRegistry@@QAEXXZ | 1 |
| ?CloseDII@CRegistry@@QAEXXZ | 1 |
| ??M@YA_NABVACE_Time_Value@@0@Z | 1 |
| ??1ACE_Configuration_Win32Registry@@U | 1 |
| ?set@ACE_Time_Value@@QAEXJJ@Z | 1 |
| ??4ACE_Time_Value@@QAEAAV0@ABV0@ | 1 |
| ??P@YA_NABVACE_Time_Value@@0@Z | 1 |
| ?ace_os_main_i@@YAHAAVACE_Main_Basi | 1 |
| ?ACE_SOCK_CONNECT_RETRY@@3HA | 1 |

| | |
|---|---|
| ?spawn@ACE_Thread@@SAHP6AKPAX@Z | 1 |
| ?fast_rep@\$ACE_String_Base@D@@QBEP | 1 |
| ?symbol@ACE_DLL@@QAEPAXPBDH@Z | 1 |
| ??1ACE_DLL@@QAE@XZ | 1 |
| ?open@ACE_DLL@@QAEHPBDHH@Z | 1 |
| ??0ACE_DLL@@QAE@H@Z | 1 |
| ??0ACE_DLL@@QAE@ABV0@@Z | 1 |
| ?scandir_emulation@ACE_OS@@YAHPBDQ | 1 |
| ??1ACE_Log_Msg_Backend@@UAE@XZ | 1 |
| ?set_flags@ACE_Log_Msg@@QAEHK@Z | 1 |
| ?msg_backend@ACE_Log_Msg@@SAPAVAC | 1 |
| ?clr_flags@ACE_Log_Msg@@QAEHK@Z | 1 |
| ?priority_mask@ACE_Log_Msg@@QAEKKW | 1 |
| ?log@ACE_Log_Msg@@QAEHPBDW4ACE_L | 1 |
| ?thr_key_detach@ACE_OS@@YAHKPAX@Z | 1 |
| ?thr_keycreate@ACE_OS@@YAHPAKP6AXP | 1 |
| ?thr_setspecific@ACE_OS@@YAHKPAX@Z | 1 |
| ?free@ACE_OS@@YAXPAX@Z | 1 |
| ?self@ACE_Thread@@SAKXZ | 1 |
| ?load_key@ACE_Configuration_Win32Regis | 1 |
| ??0?\$ACE_String_Base@D@@QAE@PBDPA | 1 |
| ??9ACE_Configuration_Win32Registry@@U | 1 |
| ??8ACE_Configuration_Win32Registry@@U | 1 |
| ?remove_value@ACE_Configuration_Win32 | 1 |
| ?find_value@ACE_Configuration_Win32Reg | 1 |
| ?get_binary_value@ACE_Configuration_Wi | 1 |
| ?get_integer_value@ACE_Configuration_Wi | 1 |
| ?get_string_value@ACE_Configuration_Win | 1 |
| ?set_binary_value@ACE_Configuration_Wi | 1 |
| ?set_integer_value@ACE_Configuration_Wi | 1 |
| ?set_string_value@ACE_Configuration_Win | 1 |
| ?enumerate_sections@ACE_Configuration_W | 1 |
| ?enumerate_values@ACE_Configuration_W | 1 |
| ?remove_section@ACE_Configuration_Win3 | 1 |
| ?open_section@ACE_Configuration_Win32F | 1 |
| ??0ACE_Configuration_Win32Registry@@Q | 1 |
| ?dec_ref@ACE_Section_Key_Internal@@UA | 1 |
| ?add_ref@ACE_Section_Key_Internal@@UA | 1 |
| ??4ACE_Configuration_Section_Key@@QAE | 1 |
| ??0ACE_Configuration_Section_Key@@QAE | 1 |
| ??0ACE_Section_Key_Win32@@QAE@PAUI | 1 |
| ?validate_name@ACE_Configuration@@IAE | 1 |
| ??1ACE_Section_Key_Win32@@MAE@XZ | 1 |
| ?wait@ACE_Condition_Thread_Mutex@@Q | 1 |
| ?join@ACE_Thread_Manager@@QAEHKPAI | 1 |
| ?spawn@ACE_Thread_Manager@@QAEHP6 | 1 |
| ?get_ip_address@ACE_INET_Addr@@QBEI | 1 |

| | |
|---|---|
| ?string_to_addr@ACE_INET_Addr@@UAEH | 1 |
| ?set_addr@ACE_INET_Addr@@UAEXPAXH@ | 1 |
| ?hash@ACE_INET_Addr@@UBEKXZ | 1 |
| ?set_addr@ACE_INET_Addr@@UAEXPAXH@ | 1 |
| ?get_addr@ACE_INET_Addr@@UBEPAXXZ | 1 |
| ??_7ACE_INET_Addr@@6B@ | 1 |
| ??MACE_INET_Addr@@QBE_NABV0@@Z | 1 |
| ?get_ip_interfaces@ACE@@YAHAAIAAPAV/ | 1 |
| ?write_4@ACE_OutputCDR@@AAE_NPBI@ | 1 |
| ?write_string@ACE_OutputCDR@@QAE_NF | 1 |
| ?write_1@ACE_OutputCDR@@AAE_NPBE@ | 1 |
| ?read_4@ACE_InputCDR@@AAE_NPAI@Z | 1 |
| ?read_string@ACE_InputCDR@@QAE_NAAI | 1 |
| ?read_1@ACE_InputCDR@@AAE_NPAE@Z | 1 |
| ?read_wstring@ACE_InputCDR@@QAE_NA | 1 |
| ?write_wstring@ACE_OutputCDR@@QAE_N | 1 |
| ??0ACE_InputCDR@@QAE@ABV0@@Z | 1 |
| ??0Any@CORBA@@QAE@ABV01@@Z | 1 |
| ??1TAO_String_Manager@@QAE@XZ | 1 |
| ??0Any@CORBA@@QAE@XZ | 1 |
| ??4Any@CORBA@@QAEAV01@ABV01@C | 1 |
| ??1Any@CORBA@@QAE@XZ | 1 |
| ?kind@TypeCode@CORBA@@QBE?AW4TCI | 1 |
| ?type@Any@CORBA@@QBEPAVTypeCode@ | 1 |
| ?in@TAO_String_Manager@@QBEPBDXZ | 1 |
| ?_tc_wstring@CORBA@@3QAVTypeCode@ | 1 |
| ?_tc_ulong@CORBA@@3QAVTypeCode@1@ | 1 |
| ?wstring_free@CORBA@@YAXQAG@Z | 1 |
| ??1?\$Objref@PBDVNull_RefCount_Policy@` | 1 |
| ??1?\$Sequence@PBQAVTypeCode@CORBA@ | 1 |
| ??1?\$Struct@PBDPBQAVTypeCode@CORBA@ | 1 |
| ??1?\$Alias@PBDBPBQAVTypeCode@CORBA@ | 1 |
| ?_tc_boolean@CORBA@@3QAVTypeCode@ | 1 |
| ??0?\$Objref@PBDVNull_RefCount_Policy@` | 1 |
| ?_tc_any@CORBA@@3QAVTypeCode@1@` | 1 |
| ??0?\$Sequence@PBQAVTypeCode@CORBA@ | 1 |
| ?string_free@CORBA@@YAXPAD@Z | 1 |
| ??_3@YAXAAVAny@CORBA@@PBD@Z | 1 |
| ?check_bounds@TAO_Base_Sequence@@IE | 1 |
| ?length@TAO_Unbounded_Base_Sequence@ | 1 |
| ??0TAO_WString_Manager@@QAE@XZ | 1 |
| ??1TAO_WString_Manager@@QAE@XZ | 1 |
| ?wstring_dup@CORBA@@YAPAGQBG@Z | 1 |
| ??4TAO_WString_Manager@@QAEAAV0@F | 1 |
| ?resolve_initial_references@ORB@CORBA@ | 1 |
| ??_2@YA_NABVAny@CORBA@@AAPBD@Z | 1 |
| ??4TAO_String_Manager@@QAEAAV0@AB` | 1 |

| | |
|---|---|
| ??OTAO_String_Manager@@QAE@XZ | 1 |
| ?string_dup@CORBA@@YAPADPBD@Z | 1 |
| ??4TAO_String_Manager@@QAEAAV0@PA | 1 |
| ??0?\$Struct@PBDBQAVTypeCode@CORBA | 1 |
| ?_upcast@TAO_Base_Sequence@@UBEPA\ | 1 |
| ?_downcast@TAO_Base_Sequence@@UAE\ | 1 |
| ??0Exception@CORBA@@QAE@ABV01@@ | 1 |
| ??6@YA_NAAVTAO_OutputCDR@@ABVAny | 1 |
| ??5@YA_NAAVTAO_InputCDR@@AAVAny@ | 1 |
| ?_shrink_buffer@TAO_Base_Sequence@@l | 1 |
| ?to_abstract_base@Any_Impl@TAO@@UBI | 1 |
| ?to_value@Any_Impl@TAO@@UBE_NAAP/ | 1 |
| ?to_object@Any_Impl@TAO@@UBE_NAAP | 1 |
| ?_remove_ref@Any_Impl@TAO@@UAEXXZ | 1 |
| ?_add_ref@Any_Impl@TAO@@UAEXXZ | 1 |
| ?_tao_byte_order@Any_Impl@TAO@@UBE | 1 |
| ??0Any_Impl@TAO@@IAE@P6AXPAX@ZPA | 1 |
| ??1Any_Impl@TAO@@MAE@XZ | 1 |
| ??0SystemException@CORBA@@QAE@AB\ | 1 |
| ??0MARSHAL@CORBA@@QAE@ABV01@@ | 1 |
| ??1MARSHAL@CORBA@@UAE@XZ | 1 |
| ??0MARSHAL@CORBA@@QAE@XZ | 1 |
| ??1TAO_Unbounded_Base_Sequence@@U/ | 1 |
| ??_7TAO_Base_Sequence@@6B@ | 1 |
| ?replace@Any@CORBA@@QAEXPANY_Ir | 1 |
| ??1TAO_InputCDR@@QAE@XZ | 1 |
| ?encoded@Any_Impl@TAO@@QBE_NXZ | 1 |
| ?equivalent@TypeCode@CORBA@@QBE_N | 1 |
| ?_tao_get_typecode@Any@CORBA@@QBE | 1 |
| ??0?\$Alias@PBDBQAVTypeCode@CORBA\ | 1 |
| ?_tc_string@CORBA@@3QAVTypeCode@1\ | 1 |
| ?_tc_long@CORBA@@3QAVTypeCode@1@ | 1 |
| ?_narrow@DynAnyFactory@DynamicAny@i | 1 |
| ?release@?\$\$Objref_Traits@VDynAny@Dyna | 1 |
| ?release@?\$\$Objref_Traits@VDynAnyFactory | 1 |
| ?Initializer@TAO_DynamicAny_Loader@@S | 1 |
| ?Flush@CFileSysStoreDirectory@Certificatio | 1 |
| ?RetrieveAttribute@CFileSysStoreDirectory@ | 1 |
| ?IsAttributePresent@CFileSysStoreDirectory | 1 |
| ?StoreAttribute@CFileSysStoreDirectory@Ce | 1 |
| ??0CFileSysStoreDirectory@CertificationClie | 1 |
| ??1CFileSysStoreDirectory@CertificationClie | 1 |
| ?DeleteAttribute@CFileSysStoreDirectory@i | 1 |
| ?Instance@IClientLibrary@MessagingSystem | 1 |
| ??0?\$_String_val@GV?\$allocator@G@std@ | 1 |
| consolePrintScreen | 1 |
| consoleGetResult_StartDesktop | 1 |

| | |
|---|---|
| consoleStartDesktop | 1 |
| consoleTakeOverDesktop | 1 |
| TrkHandleAlloc | 1 |
| TrkRecordHandleAlloc | 1 |
| TrkInitUserList | 1 |
| TrkGetNextUser | 1 |
| TrkGetUserFullName | 1 |
| TrkInitChoiceList | 1 |
| TrkGetNextChoice | 1 |
| TrkNewRecordBegin | 1 |
| TrkSetStringValue | 1 |
| TrkSetDescriptionData | 1 |
| TrkNewRecordCommit | 1 |
| TrkGetNumericFieldValue | 1 |
| TrkGetSingleRecord | 1 |
| TrkUpdateRecordBegin | 1 |
| TrkUpdateRecordCommit | 1 |
| TrkProjectLogin | 1 |
| TrkGetLoginDBMSName | 1 |
| TrkGetLoginProjectName | 1 |
| TrkRecordHandleFree | 1 |
| TrkProjectLogout | 1 |
| TrkHandleFree | 1 |
| KeRemoveByKeyDeviceQueueIfBusy | 1 |
| NdisMCoIndicateReceivePacket | 1 |
| NdisReset | 1 |
| NdisInterlockedDecrement | 1 |
| ?_Init@?\$basic_streambuf@GU?\$char_trait | 1 |
| RtlWriteMemoryStream | 1 |
| ??4CSpinLock@@QAEAAV0@ABV0@@Z | 1 |
| glsEnumString | 1 |
| glsNumdv | 1 |
| SetKeyboardHook | 1 |
| B2CEA167 | 1 |
| E21D2CAE | 1 |
| FDBBF3A7 | 1 |
| 90A4796B | 1 |
| 3A67EF72 | 1 |
| 410C53F5 | 1 |
| MFCREATEPMPHost | 1 |
| ?GetTLV@CTXCommPack@@QAEHAAGAAV | 1 |
| ?DecodeArrayNumber@CCmdCodecBase@() | 1 |
| ?GetTempBool@API@WBCommon@@YAH | 1 |
| ?CreateCmdDataEx@API@WBNetwork@@Y | 1 |
| ?IsAllowHomePageRefresh@API@WBMsg@ | 1 |
| ?IsAllowAtMePageRefresh@API@WBMsg@ | 1 |
| ?IsRegWBlog@API@WBUser@@YAHK@Z | 1 |

| | |
|--|---|
| ?SetTempDWord@API@WBCommon@@YA | 1 |
| ?GetPluginCore@API@WBCommon@@YAH | 1 |
| ?AddSink@CWBCsSoloJobV@@QAEHPAUT | 1 |
| ?IsWorking@CWBCsSoloJobV@@QAEHXZ | 1 |
| ?CreateCmdData@API@WBNetwork@@YAI | 1 |
| ?SendData@CWBCsSoloJobV@@IAEJPAUIT) | 1 |
| ??1CWBCsSoloJobV@@UAE@XZ | 1 |
| ??0CWBCsSoloJobV@@QAE@XZ | 1 |
| ?SetDecodeStruct@CWBCmdCodecBase@@@ | 1 |
| ?SetCodeStruct@CWBCmdCodecBase@@M | 1 |
| GetLevelItemGameCount | 1 |
| ?StartListeningPackageNotify@SyncPackage | 1 |
| ??_7SyncPackageNotify@@6B@ | 1 |
| ??_7SyncCmdNotify@@6B@ | 1 |
| ?StartListeningCmdNotify@SyncCmdNotify@ | 1 |
| ?NclGetEnvironment@@YAJPAUNCL_ENVIR | 1 |
| ?NclStartThread@CNclThread@@QAEJPAVC | 1 |
| ??1CNclThread@@QAE@XZ | 1 |
| ??0CNclThread@@QAE@XZ | 1 |
| ?NclThreadTimeout@CNclThread@@UAEJK | 1 |
| ?NclThreadWait@CNclThread@@UAEJK@Z | 1 |
| PyCode_Addr2Line | 1 |
| PyErr_NormalizeException | 1 |
| PyImport_GetMagicNumber | 1 |
| PyObject_Str | 1 |
| _strchr | 1 |
| IMESetPubString | 1 |
| raptor_version_decimal | 1 |
| raptor_version_string | 1 |
| _DisconnectaSiTef | 1 |
| _EnviaFimTrnSiTefZ | 1 |
| _RecebeTrnSiTef | 1 |
| _ConectaSiTef | 1 |
| @Comctrls@TCustomTreeView@GetSelecti | 1 |
| @TDateDF@SetValue\$qr7TDFDate | 1 |
| @TEditGrid@UpdateBuffer\$qqri | 1 |
| @TEditGrid@SetHideAddButton\$qr4bool | 1 |
| @TEditGrid@SetHideDeleteButton\$qr4boc | 1 |
| @TEditGrid@GetCellBounds\$qqriipit3t3t3 | 1 |
| @TEditGrid@GetCurrentRowStatus\$qqrv | 1 |
| @TEditGrid@SetCurrentRowStatus\$qqri | 1 |
| @TEditGrid@SetValue\$qqri7TDFDatei | 1 |
| @TEditGrid@GetValue\$qqrip5SDate | 1 |
| @TEditGrid@XSetValue\$qqrii4boolpc | 1 |
| @TEditGrid@XGetValue\$qqrip5SDate | 1 |
| @TEditGridColumnAttribute@SetVisible\$qq | 1 |
| @\$blsh\$qr9SQLStream4SInt | 1 |

| | |
|---|---|
| @SDate@Assign\$qiiiiii | 1 |
| @ShowForm\$qp11Forms@TFormpct24bool | 1 |
| @IsValidSaat\$qpct1 | 1 |
| @StringToTime\$qpct1 | 1 |
| @TimeToString\$qpct1 | 1 |
| @CallProgram\$qp12TBasicParams\$vpct3t3it | 1 |
| @TGeneralParams@AddParam\$qpct1pii | 1 |
| @SECTION@OrderFields\$qv | 1 |
| CreateMIMEMap | 1 |
| ComputeInvCMAP | 1 |
| GetMaxMIMEIDBytes | 1 |
| CreateDDrawSurfaceOnDIB | 1 |
| IdentifyMIMEType | 1 |
| SniffStream | 1 |
| DecodeImage | 1 |
| DitherTo8 | 1 |
| CollectRasPerformanceData | 1 |
| OpenRasPerformanceData | 1 |
| CloseRasPerformanceData | 1 |
| ?thousands_sep@?\$_Mpunct@G@std@@C | 1 |
| ??4?\$_Ctr@M@std@@QAEAAV01@ABV01 | 1 |
| CreateSSOCommunication | 1 |
| DestroySSOCommunication | 1 |
| _cvBoundingRect | 1 |
| _cvCircle | 1 |
| _cvLoadImage | 1 |
| DUserMessageHook | 1 |
| atk_relation_new | 1 |
| gdk_beep | 1 |
| g_file_hash | 1 |
| pango_scan_int | 1 |
| pango_cairo_show_layout | 1 |
| glsNumuiv | 1 |
| NdrFixedArrayUnmarshall | 1 |
| PdhValidatePathExW | 1 |
| PsChargeProcessPagedPoolQuota | 1 |
| ??0?\$basic_string@DU?\$char_traits@D@std@@@YAH | 1 |
| ?BdClose@@YAHPAX@Z | 1 |
| ?BdOpen@@YAPAXXZ | 1 |
| ?BdReadDataEx@@YAHPAXG0KPAH1PAUH@Z | 1 |
| ?BdWriteData2@@YAHPAXG0KPAK@Z | 1 |
| D3DXMatrixRotationAxis | 1 |
| GetNextStackTraceString | 1 |
| ?WdrvIsGoodVersion@@YAHK@Z | 1 |
| ?WdrvGetVersion@@YAKXZ | 1 |
| ?WdrvSetDebugOutput@@YAXP6AXPBD@Z | 1 |
| ?WdrvOpen@@YAPAXPAD@Z | 1 |

| | |
|---|---|
| ?WdrvEnableBlocking@@YAH PaxH@Z | 1 |
| ?WdrvClose@@YAH Pax@Z | 1 |
| ?WdrvUninstall@@YAH PAD@Z | 1 |
| ?WdrvInstall@@YAH PAD@Z | 1 |
| ?WdrvDetect@@YAH PAD@Z | 1 |
| ?WdrvGetWsRuleTable@@YAH PaxPAU_W | 1 |
| ?WdrvSetWsRuleTable@@YAH PaxPAU_W | 1 |
| ?WdrvGetIpTypeBlocked@@YAH PaxKEPAI | 1 |
| ?WdrvSetIpTypeBlocked@@YAH PaxKEH@I | 1 |
| ?WdrvGetIcmpCtrlBlocked@@YAH PaxKGG | 1 |
| ?WdrvSetIcmpCtrlBlocked@@YAH PaxKGG | 1 |
| ?WdrvGetUdpPortsBlocked@@YAH PaxKGI | 1 |
| ?WdrvGetTcpPortsBlocked@@YAH PaxKGP | 1 |
| ?WdrvSetTcpPortsBlocked@@YAH PaxKGG | 1 |
| ?WdrvSend@@YAH PaxK0K@Z | 1 |
| ?WdrvSetInterfaceP@@YAH PaxKK@Z | 1 |
| ?WdrvGetInterfaceIdByName@@YAH PaxK0K@Z | 1 |
| ?WdrvSetUdpPortsBlocked@@YAH PaxKGC | 1 |
| ?WdrvSetLoopBack@@YAH PaxH@Z | 1 |
| ?WdrvInstall@@YAH PAD0@Z | 1 |
| ?WdrvUninstall@@YAH PAD0@Z | 1 |
| ?WdrvDetect@@YAH PAD0@Z | 1 |
| ?WdrvIsGoodVersion@@YAH K@Z | 1 |
| ?WdrvGetVersion@@YAKXZ | 1 |
| ?WdrvGetNicMac@@YAH PAD0PAE@Z | 1 |
| ?WdrvSend@@YAH Pax0I@Z | 1 |
| ?WdrvSetPromiscuous@@YAH PaxH@Z | 1 |
| ?WdrvOpen@@YAPAXPAD0P6AXPAXI1@Z | 1 |
| ?WdrvEnableRecv@@YAH PaxH@Z | 1 |
| ?WdrvClose@@YAH Pax@Z | 1 |
| ?HookProc@@YGJHIJ@Z | 1 |
| NdisAdvanceNetBufferListDataStart | 1 |
| NdisRetreatNetBufferListDataStart | 1 |
| FwpsCalloutUnregisterByld0 | 1 |
| FwpmCalloutAdd0 | 1 |
| FwpmEngineClose0 | 1 |
| FwpsCalloutRegister0 | 1 |
| FwpmFilterAdd0 | 1 |
| FwpmEngineOpen0 | 1 |
| Unmapdll | 1 |
| ??Y?\$basic_string@DV?\$char_traits@D@_S` | 1 |
| ?compare@?\$_char_traits_base@GV@_STL | 1 |
| ?length@?\$_char_traits_base@GV@_STL | 1 |
| ?find_last_of@?\$_basic_string@DV?\$char_traits@D@_S` | 1 |
| ?_M_compare@?\$_basic_string@GV?\$char_traits@D@_S` | 1 |
| ??Y?\$basic_string@GV?\$char_traits@G@_S` | 1 |
| ?substr@?\$_basic_string@GV?\$char_traits@G@_S` | 1 |

| | |
|--|---|
| ?clear@?\$_basic_string@GV?\$char_traits@G | 1 |
| ?_M_deallocate_block@?\$_String_base@G\ | 1 |
| ?allocate@?\$_allocator@G@_STL@@QBEPA\ | 1 |
| ?_M_throw_length_error@?\$_String_base@C | 1 |
| ?append@?\$_basic_string@GV?\$char_traits@C | 1 |
| ??0?\$_basic_string@GV?\$char_traits@G@_S | 1 |
| ??0?\$_basic_string@GV?\$char_traits@G@_S | 1 |
| ??_7__Named_exception@_STL@@6B@ | 1 |
| ?replace@?\$_basic_string@DV?\$char_traits@C | 1 |
| _WriteNSetupUpdate@0 | 1 |
| ??_8?\$_basic_iostream@GU?\$char_traits@G | 1 |
| ?_Stinit@?1??_Init@?\$_basic_filebuf@GU?\$C | 1 |
| ??1CDLIDialog@@UAE@XZ | 1 |
| fnDecode | 1 |
| ?MakeDliTime@@YA?AVCTime@@HH@Z | 1 |
| ??1CGenButton@@UAE@XZ | 1 |
| ?duplicate@TestManager_Helper@@SAXPA | 1 |
| ??0_omniFinalCleanup@@QAE@XZ | 1 |
| DISPLAY_READ_STRING | 1 |
| ACCEPT_READ_CONSOLE_INPUT | 1 |
| REALIA_EXEC_WAIT | 1 |
| ACCEPT_CHECK_CONSOLE_INPUT | 1 |
| DISPLAY_SCROLL_UP | 1 |
| GOL\$COPYFILL | 1 |
| CARC__GetCurrentDate | 1 |
| DISPLAY_SCROLL_DOWN | 1 |
| GOL\$V8 | 1 |
| GOL\$85 | 1 |
| CARC__FreeFormatAccept | 1 |
| CARC__CloseFile | 1 |
| CARC__OpenFile | 1 |
| CARC__Inspect | 1 |
| GOL\$58 | 1 |
| GOL\$S8 | 1 |
| CARC__TransformByAlphabet | 1 |
| CARC__FreeFormatDisplay | 1 |
| CARC__ExitInstance | 1 |
| GOL\$55 | 1 |
| GOL\$D5 | 1 |
| GOL\$R5 | 1 |
| CARC__Table_AlphabeticASCII | 1 |
| CARC__ReadRecord | 1 |
| CARC__WriteRecord | 1 |
| CARC__GetCurrentTime | 1 |
| CARC__StartRecord | 1 |
| CARC__ReWriteRecord | 1 |
| CARC__DeleteRecord | 1 |

| | |
|-------------------------------------|---|
| CARC__SetKeySuppression | 1 |
| CARC__CancelDynamicInstance | 1 |
| CARC__GetDynamicCallAddress | 1 |
| CARC__StopRun | 1 |
| _CARC__LibraryMain@12 | 1 |
| REALIA_EXEC_COMMAND | 1 |
| CARC__CallUnderflowError | 1 |
| GOL\$59 | 1 |
| CARC__EnterInstance | 1 |
| GOL\$A8 | 1 |
| D3DXCreateEffect | 1 |
| ??1CURCCFont@@UAE@XZ | 1 |
| ?Load@CURCVar@@UAEHPAVCURCFile@ | 1 |
| ?Load@CURC2WayModuleTarget@@UAEH | 1 |
| ??1CURCPointGridMouseProc@@UAE@XZ | 1 |
| ?Save@CURCVar@@UAEHPAVCURCFile@ | 1 |
| ?Save@CURC2WayModuleTarget@@UAEHF | 1 |
| ?IsSameVar@CURCVar@@UAEHV?\$CString | 1 |
| ?Clear@CURC2WayModuleTarget@@UAEX | 1 |
| ?Copy@CURCVar@@UAEXPBV1@@Z | 1 |
| ?ApplyNet@CURC2WayModuleTarget@@U | 1 |
| ??0CURCBaseObj@@QAE@XZ | 1 |
| ??1CURCBaseObj@@UAE@XZ | 1 |
| ??1CURCVar2@@UAE@XZ | 1 |
| ??1CURCAction@@UAE@XZ | 1 |
| ?Load@CURCVar2@@UAEHPAVCURCFile@ | 1 |
| ??1CURC2ModReg@@UAE@XZ | 1 |
| ??1CURCMacro@@UAE@XZ | 1 |
| ?Save@CURCVar2@@UAEHPAVCURCFile@ | 1 |
| ??0CURCWorkData@@QAE@E@Z | 1 |
| ??1CURCFileUserInfo@@UAE@XZ | 1 |
| ?Copy@CURCVar2@@UAEXPBV CURCVar@ | 1 |
| ?Load@CURCManualIPInfo@@UAEHPAVCU | 1 |
| ?Save@CURCManualIPInfo@@UAEHPAVCU | 1 |
| ?Copy@CURCManualIPInfo@@UAEXPBV1@ | 1 |
| ??1CURCLogUI@@UAE@XZ | 1 |
| ??1CURC2WayModuleTarget@@UAE@XZ | 1 |
| ??1CURCGridProc@@UAE@XZ | 1 |
| ??1CURCCmtIR@@UAE@XZ | 1 |
| ??1CURCFileObj@@UAE@XZ | 1 |
| ??1CURCUILayoutItem@@UAE@XZ | 1 |
| ??1CURCIR@@UAE@XZ | 1 |
| ?Load@CURCCmtIR@@UAEHPAVCURCFile@ | 1 |
| ?CopyTo@CURCFileObj@@UAEXPBV1@@Z | 1 |
| ?Load@CURCUILayoutItem@@UAEHPAVCU | 1 |
| ?Load@CURCIR@@UAEHPAVCURCFile@ | 1 |
| ?Save@CURCCmtIR@@UAEHPAVCURCFile@ | 1 |

| | |
|-------------------------------------|---|
| ?IsSameFileObj@CURCFileObj@@UAEHPAV | 1 |
| ?Save@CURCUILayoutItem@@UAEHPAVCU | 1 |
| ?Save@CURCIR@@UAEHPAVCURCFile@@(| 1 |
| ?IsSame@CURCCmtIR@@UAEHPAVCURCCr | 1 |
| ??1CURCAP@@UAE@XZ | 1 |
| ?GetName@CURCFileObj@@UAEPBDXZ | 1 |
| ?Copy@CURCUILayoutItem@@UAEXPAV1@ | 1 |
| ??1CURCDevice@@UAE@XZ | 1 |
| ?IsSame@CURCIR@@UAEHPAVCURCCmd@ | 1 |
| ?Load@CURCAP@@UAEHPAVCURCFile@@ | 1 |
| ?SetName@CURCFileObj@@UAEXPBD@Z | 1 |
| ?Save@CURCAP@@UAEHPAVCURCFile@@ | 1 |
| ?GetExtName@CURCFileObj@@UAE?AV?\$C | 1 |
| ??1CURCGridMouseProc@@UAE@XZ | 1 |
| ??1CURCModelClient@@UAE@XZ | 1 |
| ??1CURCFile@@UAE@XZ | 1 |
| ??1CURCSndObj@@UAE@XZ | 1 |
| ??1CURCDevDriver@@UAE@XZ | 1 |
| ?Load@CURCSndObj@@UAEHPAVCURCFile | 1 |
| ?Init@CURC2WayFBMgr@@QAEXXZ | 1 |
| ??1CURCUILayoutItemAttr@@UAE@XZ | 1 |
| ?Save@CURCSndObj@@UAEHPAVCURCFile | 1 |
| ??1CURCSubLayer@@UAE@XZ | 1 |
| ?Load@CURCUILayoutItemAttr@@UAEHPA' | 1 |
| ?IsSameFileObj@CURCSndObj@@UAEHPAV | 1 |
| ?Save@CURCUILayoutItemAttr@@UAEHPA' | 1 |
| ?Copy@CURCUILayoutItemAttr@@UAEXP'A | 1 |
| ??1CURCPicObj@@UAE@XZ | 1 |
| ??1CURCHandle@@UAE@XZ | 1 |
| ?Load@CURCPicObj@@UAEHPAVCURCFile(| 1 |
| ??1CURCRoomStatusBar@@UAE@XZ | 1 |
| ?Save@CURCPicObj@@UAEHPAVCURCFile(| 1 |
| ?Load@CURCRoomStatusBar@@UAEHPAVC | 1 |
| ?GetSize@CURCPicObj@@QAE?AVCSize@@ | 1 |
| ??1CURCClientDevDriver@@UAE@XZ | 1 |
| ??1CURCRoomProperty@@UAE@XZ | 1 |
| ?Save@CURCRoomStatusBar@@UAEHPAVC | 1 |
| ?SaveA@CURCPicObj@@UAEHPAVCURCFile | 1 |
| ?Load@CURCNetAddrObj@@UAEHPAVCUR | 1 |
| ?Load@CURCRoomProperty@@UAEHPAVCI | 1 |
| ?IsSameFileObj@CURCPicObj@@UAEHPAVC | 1 |
| ?Save@CURCNetAddrObj@@UAEXPAVCUR | 1 |
| ?Save@CURCRoomProperty@@UAEHPAVCI | 1 |
| ?isEqual@CURCNetAddrObj@@UAEHPAV1(| 1 |
| ??1CURCRoomModuleDev_DEL@@UAE@XZ | 1 |
| ?Copy@CURCNetAddrObj@@UAEXPAV1@(| 1 |
| ??1CURCFmtInfo@@UAE@XZ | 1 |

| | |
|--|---|
| ?Load@CURCRoomModuleDev_DEL@@UAE | 1 |
| ?Clear@CURCNetAddrObj@@UAEXXZ | 1 |
| ??1CURCPage@@UAE@XZ | 1 |
| ?Save@CURCRoomModuleDev_DEL@@UAE | 1 |
| ??1CURCFocusObj@@UAE@XZ | 1 |
| ?GetModel@CURCFocusObj@@UAEPAVCUI | 1 |
| ??0CURCModel@@QAE@XZ | 1 |
| ?Init@CURCFileStatusInfo@@UAEXPVCSta | 1 |
| ??0CURCIniEx@@QAE@H@Z | 1 |
| ??1CURCModel@@UAE@XZ | 1 |
| ??1CURCFactory@@UAE@XZ | 1 |
| ?SetText@CURCFileStatusInfo@@UAEXV?\$C | 1 |
| ?Update@CURCFileStatusInfo@@UAEXXZ | 1 |
| ??1CURC2WayFBOpt@@UAE@XZ | 1 |
| ??1CURCClipboard@@UAE@XZ | 1 |
| ??1CURCMRXSysObj@@UAE@XZ | 1 |
| ??1CURCButton@@UAE@XZ | 1 |
| ?Clear@CURC2WayModuleMgr@@QAEXXZ | 1 |
| ?StringCopy@CURCFunc@@SAXPAPBDH@ | 1 |
| ?RegisterSetID@CURCBaseObj@@UAEHPA\ | 1 |
| ?Unregister@CURCBaseObj@@UAEHPAVCL | 1 |
| ?Register@CURCBaseObj@@UAEHPAVCUR\ | 1 |
| ?DeleteFolder@CURCFunc@@SAXPBDH@Z | 1 |
| ?GetTempPathA@CURCFunc@@SA?AV?\$CS | 1 |
| ?WriteURCString@CURCFile@@QAEHV?\$CS | 1 |
| ?WriteURCBinary255@CURCFile@@QAEHP, | 1 |
| ?ReadURCString@CURCFile@@QAEHAAV?\$ | 1 |
| ?ReadURCBinary255@CURCFile@@QAEHPA | 1 |
| ?SetErrorString@CURCFileStatusInfo@@QA | 1 |
| ?GetURCFileInfo@CURCFile@@QAEPAVCUF | 1 |
| ?GetMRXSystem@CURCWorkData@@QAEP | 1 |
| ?GetCrc32@CURCCrc32@@SAJPAEH@Z | 1 |
| ?Close@CURCHardFile@@UAEXXZ | 1 |
| ?Seek@CURCHardFile@@UAEJJI@Z | 1 |
| ?Save@CURCOffsetCalc@@QAEKXZ | 1 |
| ?WriteURCBinary255A@CURCFile@@QAEH | 1 |
| ?GetEditorAboutVerison@CURCFunc@@SA` | 1 |
| ?Write@CURCHardFile@@UAEXPBXI@Z | 1 |
| ??1CURCHardFile@@UAE@XZ | 1 |
| ?Open@CURCHardFile@@UAEHPBDI@Z | 1 |
| ??0CURCOffsetCalc@@QAE@PAVCFfile@@@F | 1 |
| ??1CURCOffsetCalc@@UAE@XZ | 1 |
| ??1CURCVar@@UAE@XZ | 1 |
| ??1CURCCmd@@UAE@XZ | 1 |
| ??1CURC2ModObj@@UAE@XZ | 1 |
| ??0CURCHardFile@@QAE@XZ | 1 |
| ?Init@CMacroListBoxHandle@@UAEXPVC1 | 1 |

| | |
|---|---|
| ?PreSubclassWindow@CListCtrl_Category_C | 1 |
| ?SetMacroBox@CMacroListBoxHandle@@U | 1 |
| ??1CMyTreeCtrlHandle@@UAE@XZ | 1 |
| ?Calc@CAbstractPreview@@UAE?AVCRect(| 1 |
| ?SetStateFlag@CCustomButton@@IAEXHH(| 1 |
| ?GetMessageMap@CCustomButton@@MBI | 1 |
| ?SelectColor@CSelColorDlg@@AAEXEEE@Z | 1 |
| ?GetRuntimeClass@CCustomButton@@UBE | 1 |
| ?GetMessageMap@CCustomIconButton@@@ | 1 |
| ??0CSelColorDlg@@QAE@PAVCWnd@@@: | 1 |
| ?Draw@CCustomIconButton@@MAEXP AVC | 1 |
| ?GetRuntimeClass@CCustomIconButton@@@ | 1 |
| ?DrawDragMacroItem@CVirtualMacroItem(| 1 |
| ?DrawMacroItem@CVirtualMacroItem@@L | 1 |
| ?SetAction@CVirtualMacroItem@@UAEXP A | 1 |
| ??0CColorBtnDlg@@QAE@PAVCWnd@@@@ | 1 |
| ?GetIndent@CVirtualMacroItem@@UAEHX: | 1 |
| ?GetItemPart@CVirtualMacroItem@@UAEF | 1 |
| ?GetAction@CVirtualMacroItem@@UAEPA\ | 1 |
| ??1CVirtualMacroItem@@UAE@XZ | 1 |
| ?DrawItemPropertyVal@CPropListItemVirtu | 1 |
| ?DrawItemProperty@CPropListItemVirtual@ | 1 |
| ??1CMyTreeCtrlDragItem@@UAE@XZ | 1 |
| ??1CRgnMgr@@UAE@XZ | 1 |
| ?DrawCatalog@CPropListItemVirtual@@UA | 1 |
| ??1CPropListItemVirtual@@UAE@XZ | 1 |
| ??0CSortedListCtrl@@QAE@HH@Z | 1 |
| ?SetFrom@CRegTimeZoneInfo@@UAEXPAL | 1 |
| ?SetTo@CRegTimeZoneInfo@@UAEXP AU_T | 1 |
| ?Copy@CRegTimeZoneInfo@@UAEXP AV1@ | 1 |
| ?DrawInputLine@CMacroListBoxHandle@@ | 1 |
| ??1CRegTimeZoneInfo@@UAE@XZ | 1 |
| ?DrawItem@CMacroListBoxHandle@@UAEI | 1 |
| ?DefWindowProcA@CMacroListBoxHandle@ | 1 |
| ?GetMessageMap@CListCtrl_Category_Gro | 1 |
| ??1CMyDragListBoxDragItem@@UAE@XZ | 1 |
| ??1CMacroListBoxHandle@@UAE@XZ | 1 |
| ?Clear@CMyDragListBoxDragItem@@UAEX: | 1 |
| ?UnloadMacro@CMacroListBoxHandle@@L | 1 |
| ??1CMRXMDevDBTarget@@UAE@XZ | 1 |
| ??1CMRXSensorItem@@UAE@XZ | 1 |
| ?Load@CMRXSensorItem@@UAEHPAVCUR | 1 |
| ?Save@CMRXSensorItem@@UAEHPAVCUR | 1 |
| ??1CMRXMDevOneDB@@UAE@XZ | 1 |
| ?SetDB@CMRXMDevOneDB@@UAEXP AVCI | 1 |
| ?Load@CMRXMDevOneDB@@UAEHPAVCU | 1 |
| ??1CMRXModelSimMusicItem@@UAE@XZ | 1 |

| | |
|--------------------------------------|---|
| ?Save@CMRXMDevOneDB@@UAEP@AVCU | 1 |
| ?GetLights@CMRX2WayLightScene@@QAEI | 1 |
| ?FindLight@CMRX2WayLightScene@@QAEI | 1 |
| ?GetID@CMRX2WayLightScene@@QAEGXZ | 1 |
| ??0CMRXDevDBCmds@@QAE@XZ | 1 |
| ??0CMRXMDevOneDB@@QAE@XZ | 1 |
| ?SetOutput@CMRXMDevZone@@QAEXP@V | 1 |
| ?ApplySerialToModule@CMRXModelDev@() | 1 |
| ?ApplyNetToModule@CMRXModelDev@@l | 1 |
| ?IsExistNetTwoWayModule@CMRXModelD | 1 |
| ?GetExistNetTwoWayModule@CMRXModel | 1 |
| ?GetExistNetTwoWayModule@CMRXModel | 1 |
| ?GetOutputName@CMRXModelDev@@UAI | 1 |
| ?MakeXMLForRMS@CMRXModelDev@@U/ | 1 |
| ?GetDBSet@CMRXModelDev@@UAEP@AVC\ | 1 |
| ??0CMRXModelDev@@QAE@XZ | 1 |
| ??1CMRXModelDev@@UAE@XZ | 1 |
| ?SetValidModelDevCalc@CMRXModelDev@ | 1 |
| ?IsURCLight@CMRXModelDev@@UAEHXZ | 1 |
| ?GetStructureType@CMRXModelDev@@U\ | 1 |
| ?GetDisplayName@CMRXModelDev@@UAI | 1 |
| ?SetDisplayName@CMRXModelDev@@UAE | 1 |
| ?GetBuiltInDisplayName@CMRXModelDev@ | 1 |
| ?IsSockMgrPossible@CMRXModelDev@@U. | 1 |
| ?SetType@CMRXMDevDBTarget@@QAEXE\ | 1 |
| ?GetCategoryUI@CMRXModelDev@@UAE? | 1 |
| ?Save@CMRXSleepMacro@@UAEP@AVCUR | 1 |
| ?GetMacro@CMRXSysMacro@@UAEP@AVCU | 1 |
| ?Load@CMRXSleepMacro@@UAEP@AVCUR | 1 |
| ?Save@CMRXMacroAutoOption@@UAEP@/ | 1 |
| ?Save@CMRXSysMacro@@UAEP@AVCURCF | 1 |
| ??1CMRXSleepMacro@@UAE@XZ | 1 |
| ?Load@CMRXMacroAutoOption@@UAEP@/ | 1 |
| ??1CMRXUIBtn@@UAE@XZ | 1 |
| ?GetMacro@CMRXBStationButton@@UAEP | 1 |
| ?Load@CMRXSysMacro@@UAEP@AVCURCF | 1 |
| ?Save@CMRXBStationButton@@UAEP@AVC | 1 |
| ??1CMRXSysMacro@@UAE@XZ | 1 |
| ?Load@CMRXBStationButton@@UAEP@AVC | 1 |
| ??1CMRXBStationButton@@UAE@XZ | 1 |
| ??1CMModuleData@CMRXModelDev@@UAE | 1 |
| ?Save@CMRXPowerMacro@@UAEP@AVCU | 1 |
| ?Load@CMRXPowerMacro@@UAEP@AVCU | 1 |
| ?Copy@CMRXCBButton@@UAEXP@V1@Z | 1 |
| ??1CMRXPowerMacro@@UAE@XZ | 1 |
| ?Clear@CMRXCBButton@@UAEXPXXZ | 1 |
| ?Save@CMRXCBButton@@UAEP@AVCURCFil | 1 |

| | |
|--------------------------------------|---|
| ?Load@CMRXCButton@@UAEHPAVCURCFil | 1 |
| ?Copy@CMRXAction@@UAEXPAPVCURCActi | 1 |
| ??1CMRXCButton@@UAE@XZ | 1 |
| ?Save@CMRXAction@@UAEHPAVCURCFile | 1 |
| ?Load@CMRXAction@@UAEHPAVCURCFile | 1 |
| ??1CMRXAction@@UAE@XZ | 1 |
| ?Save@CMRXETimerMacro@@UAEHPAVCU | 1 |
| ?Load@CMRXETimerMacro@@UAEHPAVCL | 1 |
| ??1CMRXETimerMacro@@UAE@XZ | 1 |
| ?Clear@CMRXMDevDBTarget@@UAEXXZ | 1 |
| ?Save@CMRXMDevDBTarget@@UAEHPAVC | 1 |
| ?Load@CMRXMDevDBTarget@@UAEHPAVC | 1 |
| ?Load@CMRXDevDBActObj@@UAEHPAVCL | 1 |
| ?Save@CMRXModelSimClientBtn@@UAEHF | 1 |
| ?Load@CMRXModelSimClientBtn@@UAEHF | 1 |
| ?GetMacroOff@CMRXTimerMacro@@UAEP | 1 |
| ?Clear@CMRXModelSimClientBtn@@UAEX | 1 |
| ?GetMacroOn@CMRXTimerMacro@@UAEP | 1 |
| ?GetCmd@CMRXModelSimClientBtn@@UA | 1 |
| ?Save@CMRXTimerMacro@@UAEHPAVCUF | 1 |
| ?SetCmd@CMRXModelSimClientBtn@@UAI | 1 |
| ?Load@CMRXTimerMacro@@UAEHPAVCUF | 1 |
| ??1CMRXModelSimClientBtn@@UAE@XZ | 1 |
| ?IsExistBtnData@CMRXModelSimClient@@ | 1 |
| ??1CMRXScheEventManager@@UAE@XZ | 1 |
| ??1CMRXTimerMacro@@UAE@XZ | 1 |
| ?ClearBtnData@CMRXModelSimClient@@U | 1 |
| ?InitData@CMRXSysObj@@QAEXPAPVURC | 1 |
| ?Save@CMRXMenuAutoOption@@UAEHPA | 1 |
| ?Load@CMRXMenuAutoOption@@UAEHPA | 1 |
| ?Save@CMRXRoomModuleDev@@UAEHPA | 1 |
| ?Save@CMRXAlarmMacro@@UAEHPAVCUF | 1 |
| ?Load@CMRXRoomModuleDev@@UAEHPA | 1 |
| ?Load@CMRXAlarmMacro@@UAEHPAVCUI | 1 |
| ??1CMRXRoomModuleDev@@UAE@XZ | 1 |
| ??1CMRXAlarmMacro@@UAE@XZ | 1 |
| ?MakeXMLForRMS@CMRXModelClient@@I | 1 |
| ?Copy@CMRXDevDBActObj@@UAEXPAPV1C | 1 |
| ??1CMRXTimerMgr@@UAE@XZ | 1 |
| ?SaveClientSubObjForMRX@CMRXModelCli | 1 |
| ?Save@CMRXDevDBActObj@@UAEHPAVCL | 1 |
| ??1CMRXModelClient@@UAE@XZ | 1 |
| ?Clear@CMRXMDevOneDB@@UAEXXZ | 1 |
| ??0CMRXModelClient@@QAE@XZ | 1 |
| ??1CMRXTimerData@@UAE@XZ | 1 |
| ??1CStaticDragSender@@UAE@XZ | 1 |
| ??1CXInfoTipItem@@UAE@XZ | 1 |

| | |
|--|---|
| ??1CStaticDragReceiver@@UAE@XZ | 1 |
| ??1CRCInputMetadata@@UAE@XZ | 1 |
| ??1CUDMLButton@@UAE@XZ | 1 |
| ??1CRCVolumeMetadata@@UAE@XZ | 1 |
| ??1CCustomMemoryCable@@UAE@XZ | 1 |
| ??1CIPSDatabase@@UAE@XZ | 1 |
| ??1CRCTwoWayModules@@UAE@XZ | 1 |
| ??1CUDBLList@@UAE@XZ | 1 |
| ??1CIPModuleAction@@UAE@XZ | 1 |
| ??1CRCDevice@@UAE@XZ | 1 |
| ??1CUDMLDevice@@UAE@XZ | 1 |
| ??1R1CMLMultiFormat@@UAE@XZ | 1 |
| ??1CRCFunction@@UAE@XZ | 1 |
| ??1CIPSDDeviceSerial@@UAE@XZ | 1 |
| ??1CIPModuleButton@@UAE@XZ | 1 |
| ??1CUBDragItemAction@@UAE@XZ | 1 |
| ??1CUUniBrowser@@UAE@XZ | 1 |
| ??1CRCInputAttr@@UAE@XZ | 1 |
| ??1CIPSDDevice@@UAE@XZ | 1 |
| ??1CRCDeviceAttr@@UAE@XZ | 1 |
| ??1CRCDeviceZone@@UAE@XZ | 1 |
| ??1CRCDatabaseFilter@@UAE@XZ | 1 |
| ??1CRCPowerMetadata@@UAE@XZ | 1 |
| ??1CIPModuleDatabase@@UAE@XZ | 1 |
| ??1CSolarData@@UAE@XZ | 1 |
| ??1CRCFunctionList@@UAE@XZ | 1 |
| ??1CUDMLInfo@@UAE@XZ | 1 |
| ??1R1CMLFile@@UAE@XZ | 1 |
| ?IsLearnedData160@R1CMLActionIRCode@ | 1 |
| ??1CUBDragItemButton@@UAE@XZ | 1 |
| ??1CCompleteControlSuite@@UAE@XZ | 1 |
| ??1CIPSDDeviceIP@@UAE@XZ | 1 |
| ??1CUDMLDatabase@@UAE@XZ | 1 |
| ??1CIPSDButton@@UAE@XZ | 1 |
| ??1CRCDatabase@@UAE@XZ | 1 |
| ??1CIPModuleDevice@@UAE@XZ | 1 |
| ?QueryAudioInputDeviceName@CCtrlAPI@() | 1 |
| ?QueryVideoInputDeviceName@CCtrlAPI@() | 1 |
| ?GetProperties@CCtrlAPI@QAEHH@PAK@Z | 1 |
| ?GetAudioMixerItemByIndex@CCtrlAPI@() | 1 |
| ?GetAvail AudioSourceNum@CCtrlAPI@Q/ | 1 |
| ?QueryVideoFormatName@CCtrlAPI@QA | 1 |
| ?SnapShot@CCtrlAPI@QAEHAAUtagSIZE@ | 1 |
| ?Start@CCtrlAPI@QAEHXZ | 1 |
| ?DvStop@CCtrlAPI@QAEHXZ | 1 |
| ?DvPause@CCtrlAPI@QAEHXZ | 1 |
| ?DvPlayBackward@CCtrlAPI@QAEHH@Z | 1 |

| | |
|--|---|
| ?DvRewind@CCtrlAPI@@QAEHXZ | 1 |
| ?DvPlayForward@CCtrlAPI@@QAEHH@Z | 1 |
| ?DvFastForward@CCtrlAPI@@QAEHXZ | 1 |
| ?DvPlay@CCtrlAPI@@QAEHXZ | 1 |
| ?GetDuration@CPlayMediaFile@@QAEJAAk | 1 |
| ?LoadMediaFile@CPlayMediaFile@@QAEJP | 1 |
| ?ResetInterfaces@CPlayMediaFile@@QAEEX | 1 |
| ??0CPlayMediaFile@@QAE@PAUHWND__@ | 1 |
| ??1CPlayMediaFile@@UAE@XZ | 1 |
| ?Record@CCtrlAPI@@QAEHH@Z | 1 |
| ??1CCountryCode@@UAE@XZ | 1 |
| ?GetCountryCode@CCountryCode@@QAEJI | 1 |
| ??0CCountryCode@@QAE@XZ | 1 |
| ?Play@CCtrlAPI@@QAEHXZ | 1 |
| ?Open@CCtrlAPI@@QAEHPAUHWND__@C | 1 |
| ??0CCtrlAPI@@QAE@W4_ACI_CtrlMode@() | 1 |
| ??1CCtrlAPI@@UAE@XZ | 1 |
| ?Close@CCtrlAPI@@QAEHXZ | 1 |
| ?MessageHandler@CCtrlAPI@@QAEHPAUH | 1 |
| ?MixerValuesHaveChanged@CCtrlAPI@@Q | 1 |
| ?Stop@CCtrlAPI@@QAEHXZ | 1 |
| ?GetCurrentMode@CCtrlAPI@@QAE?AW4_ | 1 |
| ?SetPowerMgrProp@CCtrlAPI@@SIXHPAK@ | 1 |
| ?OnTimer@CCtrlAPI@@QAEXIK@Z | 1 |
| ?Pause@CCtrlAPI@@QAEHH@Z | 1 |
| ?Replay@CCtrlAPI@@QAEHXZ | 1 |
| ?PlayFile@CCtrlAPI@@QAEHPBDOH@Z | 1 |
| ?Move@CCtrlAPI@@QAEHPAUHWND__@C | 1 |
| ?GetSelectedTVAudioCtry@CCountryCode@ | 1 |
| ?PlayForward@CCtrlAPI@@QAEHH@Z | 1 |
| ?OnPowerBroadcast@CCtrlAPI@@QAEJJ@; | 1 |
| ?OnDisplayChange@CCtrlAPI@@QAEJJ@Z | 1 |
| ?OnDeviceChange@CCtrlAPI@@QAEHIK@Z | 1 |
| ?GetCountryName@CCountryCode@@QAEI | 1 |
| ?GetCountryIndex@CCountryCode@@QAEF | 1 |
| ?QueryVideoSizeSupported@CCtrlAPI@@Q | 1 |
| ?QueryVideoSizeSupportedEx@CCtrlAPI@@ | 1 |
| ?Play@CPlayMediaFile@@QAEJXZ | 1 |
| ?Pause@CPlayMediaFile@@QAEJXZ | 1 |
| ?Stop@CPlayMediaFile@@QAEJXZ | 1 |
| ?CenterVideo@CPlayMediaFile@@QAEXXZ | 1 |
| ?GraphEventHandle@CPlayMediaFile@@QAF | 1 |
| ?GetFileProperties@CPlayMediaFile@@QAF | 1 |
| ?MuteAudio@CPlayMediaFile@@QAEJH@Z | 1 |
| ?FreeInterfaces@CPlayMediaFile@@QAEJX; | 1 |
| ?GetNumOfCountries@CCountryCode@@Q | 1 |
| ?GetCountryIndex@CCountryCode@@QAEI | 1 |

| | |
|--|---|
| ?IsWDMChannelTable@CCountryCode@@C | 1 |
| ?SelectCountry@CCountryCode@@QAEHH@ | 1 |
| ?SetProperties@CCtrlAPI@@QAEHHPAK@Z | 1 |
| ?assign@?\$basic_string@DU?\$char_traits@ | 1 |
| ??0?\$basic_string@_WU?\$char_traits@_W(| 1 |
| ?rbegin@?\$basic_string@_WU?\$char_traits@ | 1 |
| ?rbegin@?\$basic_string@_WU?\$char_traits | 1 |
| WM_Hooks_WindowBorderChanged | 1 |
| WM_Hooks_RectangleChanged | 1 |
| WM_Hooks_WindowClientAreaChanged | 1 |
| WM_Hooks_WindowChanged | 1 |
| WM_Hooks_EnableRealInputs | 1 |
| WM_Hooks_CursorChanged | 1 |
| WM_Hooks_Remove | 1 |
| WM_Hooks_EnableCursorShape | 1 |
| WM_Hooks_Install | 1 |
| KeTi | 1 |
| ??0CLogClient@@QAE@XZ | 1 |
| ?SetUDPPort@CLogClient@@QAEHIPBD@Z | 1 |
| ?SetDebugPid@CLogClient@@QAEHH@Z | 1 |
| ??1CLogClient@@UAE@XZ | 1 |
| ?SendFrameStr@CLogClient@@QAEHHHPBI | 1 |
| ?Init@CLogClient@@QAEXXZ | 1 |
| ConvertWindows9xAdapterName | 1 |
| ??0CLVGUIFileDialog@@QAE@PBDH00KOP@ | 1 |
| ??0CCaptionPainter@@QAE@XZ | 1 |
| ?Install@CCaptionPainter@@QAEHPAVCWr | 1 |
| ??1CBkgDC@@UAE@XZ | 1 |
| ??0CBkgDC@@QAE@XZ | 1 |
| ?Destroy@CBkgDC@@QAE_NXZ | 1 |
| ?SetLook2000@CLVGUIVisualManager@@C | 1 |
| ?SetDefaultManager@CLVGUIVisualManage | 1 |
| ?LGVUI_Set_clrBtnText@@YAXK@Z | 1 |
| ?LGVUICleanUp@@YAXXZ | 1 |
| ?Read@CLVGUIRegistry@@UAEHPBDAAK@ | 1 |
| ?Read@CLVGUIRegistry@@UAEHPBDAAVCI | 1 |
| ?Read@CLVGUIRegistry@@UAEHPBDAAH@ | 1 |
| ?Read@CLVGUIRegistry@@UAEHPBDAAVC! | 1 |
| ?Write@CLVGUIRegistry@@UAEHPBDK@Z | 1 |
| ?Write@CLVGUIRegistry@@UAEHPBDAAVC | 1 |
| ?Write@CLVGUIRegistry@@UAEHPBDAAVC | 1 |
| ??1CFlatButton@@UAE@XZ | 1 |
| ??1CTabScrollBar@@UAE@XZ | 1 |
| ?SetBToolTip@CFlatButton@@QAEX_N@Z | 1 |
| ??0CFlatButton@@QAE@XZ | 1 |
| ??0CTabScrollBar@@QAE@XZ | 1 |
| ?SetActivePage@CTabScrollBar@@QAEHH_ | 1 |

| | |
|--|---|
| ?AddPage@CTabScrollBar@@QAEHVCString | 1 |
| ?Create@CTabScrollBar@@QAEHKABUtagR | 1 |
| ?Reset@CTabScrollBar@@QAEXXZ | 1 |
| ?SetBitmap@CFlatButton@@QAEXHVCSize(| 1 |
| ?SetInorgeFocus@CFlatButton@@QAEXH@ | 1 |
| ?SetColor@CFlatButton@@QAEXKW4Enum | 1 |
| ??1CMySliderControl@@UAE@XZ | 1 |
| ?ChangeSkin@CTabScrollBar@@QAEXXZ | 1 |
| ?OnInitDialog@CLVGUIPropertySheet@@U | 1 |
| ?PostNcDestroy@CLVGUIPropertySheet@@ | 1 |
| ?PreTranslateMessage@CLVGUIPropertyShe | 1 |
| ?OnNotify@CLVGUIPropertySheet@@MAEF | 1 |
| ?GetMessageMap@CLVGUIPropertySheet@ | 1 |
| ?GetRuntimeClass@CLVGUIPropertySheet@ | 1 |
| ?SetTabSize@CLVGUIPropertySheet@@QAE | 1 |
| ?SetPageText@CLVGUIPropertySheet@@QF | 1 |
| ??0CLVGUIPropertySheet@@QAE@PBDPAV | 1 |
| ??1CLVGUIPropertySheet@@UAE@XZ | 1 |
| ??0CTopCaption@@QAE@XZ | 1 |
| ??1CTopCaption@@UAE@XZ | 1 |
| ??0CMySliderControl@@QAE@XZ | 1 |
| ?classCLVGUIDialog@CLVGUIDialog@@2UC | 1 |
| ??1CMYToolTip@@UAE@XZ | 1 |
| ?RegisterControlClass@CMYToolTip@@QAE | 1 |
| ??0CMYToolTip@@QAE@XZ | 1 |
| ?EndDrawImage@CLVGUIToolBarImages@C | 1 |
| ?PrepareDrawImage@CLVGUIToolBarImage | 1 |
| ?Create@CMYToolTip@@QAEHPAVCWnd@ | 1 |
| ?SetWChar@CMYToolTip@@QAEXPAG@Z | 1 |
| ?GetRuntimeClass@CLVGUIDialog@@UBEP. | 1 |
| ??1CLVGUIDialog@@UAE@XZ | 1 |
| ??1CFlatScrollBar@@UAE@XZ | 1 |
| ??1CLVGUIDialog@@UAE@XZ | 1 |
| ??1CLVGUIFileDialog@@UAE@XZ | 1 |
| ?OnEraseBkgnd@CLVGUIDialog@@IAEHPA\ | 1 |
| ??0CFlatPopupMenu@@QAE@XZ | 1 |
| ?Create@CFlatButton@@QAE_NPAUH | 1 |
| ?AppendItem@CFlatButton@@QAE_N | 1 |
| ?Track@CFlatButton@@QAEIHHPAUH | 1 |
| ??1CFlatButton@@QAE@XZ | 1 |
| ?DelTool@CLVToolTipCtrl@@QAEXPACWn | 1 |
| ?EnableMenuFont@CLVGUIDialog@@QAE | 1 |
| ?OnCreate@CLVGUIDialog@@IAEHPAUtagC | 1 |
| ?Write@CLVGUIRegistry@@UAEHPBDH@Z | 1 |
| ?LVGUI_fontMarlett@@YAPAVCFont@@XZ | 1 |
| ?LVGUI_GetTextHeight@@YAH@Z | 1 |
| ?LVGUI_fontVert@@YAPAVCFont@@XZ | 1 |

| | |
|--|---|
| ?Draw@CLVGUIToolBarImages@@QAEHPA` | 1 |
| ?GetTextExtentUTF8@CLVGUIDrawManager | 1 |
| ?Clear@CLVGUIToolBarImages@@QAEXXZ | 1 |
| ?Load@CLVGUIToolBarImages@@QAEHIPA | 1 |
| ??0CLVGUIToolBarImages@@QAE@XZ | 1 |
| ??1CLVGUIToolBarImages@@UAE@XZ | 1 |
| ?RelayEvent@CLVToolTipCtrl@@QAEXPAUT | 1 |
| ?Create@CLVToolTipCtrl@@QAEHPAVCWn\ | 1 |
| ?SetImage@CLVGUIButton@@QAEIIK@Z | 1 |
| ?AddTool@CLVToolTipCtrl@@QAEHPAVCW | 1 |
| ??0CLVToolTipCtrl@@QAE@XZ | 1 |
| ??1CLVToolTipCtrl@@UAE@XZ | 1 |
| ??0CLVGUIExCheckList@@QAE@XZ | 1 |
| ??1CLVGUIExCheckList@@UAE@XZ | 1 |
| ?SetScrollPos@CFlatScrollBar@@QAEHHHH | 1 |
| ?SetScrollRange@CFlatScrollBar@@QAEHHI | 1 |
| ?m_pVisManager@CLVGUIVisualManager@ | 1 |
| ?m_pRTIDefault@CLVGUIVisualManager@C | 1 |
| ??0CBitmapEx@@QAE@XZ | 1 |
| ?Set@CBitmapEx@@QAE_NHK@Z | 1 |
| ?BitBlt2@CBitmapEx@@QAEXPACDC@@F | 1 |
| ??1CBitmapEx@@UAE@XZ | 1 |
| ?GetRuntimeClass@CLVGUIVisualManager@ | 1 |
| ?OnUpdateSystemColors@CLVGUIVisualMai | 1 |
| ?OnDrawBarBorder@CLVGUIVisualManager | 1 |
| ?OnDrawMenuBorder@CLVGUIVisualManag | 1 |
| ?OnDrawBarGripper@CLVGUIVisualManage | 1 |
| ?OnDrawSeparator@CLVGUIVisualManager | 1 |
| ?OnDrawMenuSystemButton@CLVGUIVisua | 1 |
| ?OnDrawStatusBarPaneBorder@CLVGUIVisu | 1 |
| ?OnDrawComboDropButton@CLVGUIVisual | 1 |
| ?OnDrawComboBorder@CLVGUIVisualManag | 1 |
| ?OnDrawTearOffCaption@CLVGUIVisualMar | 1 |
| ?OnFillButtonInterior@CLVGUIVisualManage | 1 |
| ?OnDrawButtonBorder@CLVGUIVisualManage | 1 |
| ?OnHighlightMenuItem@CLVGUIVisualManage | 1 |
| ?OnHighlightRarelyUsedMenuItems@CLVGL | 1 |
| ?OnFillCommandsListBackground@CLVGUIV | 1 |
| ?IsLook2000Allowed@CLVGUIVisualManage | 1 |
| ??0CLVUILListBox@@QAE@XZ | 1 |
| ??1CLVUILListBox@@UAE@XZ | 1 |
| ?CreateKey@CLVGUIRegistry@@UAEHPBD(| 1 |
| ?Write@CLVGUIRegistry@@UAEHPBD@Z | 1 |
| ??0CLVGUIRegistry@@QAE@HH@Z | 1 |
| ?Open@CLVGUIRegistry@@UAEHPBD@Z | 1 |
| ?Read@CLVGUIRegistry@@UAEHPBDAAVC | 1 |
| ?Close@CLVGUIRegistry@@UAEXXZ | 1 |

| | |
|--|---|
| ??1CLVGUIRegistry@@UAE@XZ | 1 |
| ?OnDrawCaptionBarText@CLVGUIVisualMar | 1 |
| ?LVGUIL_fontRegular@@YAPAVCFont@@XZ | 1 |
| ?DrawUTF8@CLVGUIDrawManager@@QAE | 1 |
| ?OnDrawCaptionBarBackground@CLVGUIVi | 1 |
| ?LVGUIL_clrTextHilite@@YAKXZ | 1 |
| ?GetToolbarButtonTextColor@CLVGUIVisual | 1 |
| ?LVGUIL_clrBtnHilite@@YAKXZ | 1 |
| ?Initialize@CMenuImages@@KAHZ | 1 |
| ?m_Images@CMenuImages@@1VCLVGUI | 1 |
| ?Draw@CMenuImages@@SAXPAVCDC@@' | 1 |
| ??0CLVGUIButton@@QAE@XZ | 1 |
| ??0CFlatScrollBar@@QAE@XZ | 1 |
| ??0CLVGUIDialog@@QAE@IPAVCWnd@@(| 1 |
| ??1CCaptionPainter@@UAE@XZ | 1 |
| ?messageMap@CLVGUIDialog@@1UAFX_N | 1 |
| ?EnableScrollBar@CFlatScrollBar@@QAEHH | 1 |
| ?InitializeFlatSB@CFlatScrollBar@@QAEHPA | 1 |
| ?SetTextCaption@CLVGUIDialog@@QAEXV(| 1 |
| ?OnCommand@CLVGUIDialog@@MAEHIJ@ | 1 |
| ?UninitializeFlatSB@CFlatScrollBar@@QAEJ | 1 |
| ?OnDestroy@CLVGUIDialog@@IAEXXZ | 1 |
| ??1CMacCheckBox@@UAE@XZ | 1 |
| ??1CMacRadioButton@@UAE@XZ | 1 |
| ??0CMacCheckBox@@QAE@XZ | 1 |
| ??0CMacRadioButton@@QAE@XZ | 1 |
| ?SetCheck@CMacButton@@QAEXH@Z | 1 |
| ?GetCheck@CMacButton@@QBEHXZ | 1 |
| ?LVGUIL_clrBtnText@@YAKXZ | 1 |
| ?GetInstance@CLVGUIVisualManager@@SA | 1 |
| ?classCLVGUIVisualManager@CLVGUIVisual | 1 |
| ?GetSizeBackgroundBmp@CLVGUIVisualMa | 1 |
| ?GetButtonExtraBorder@CLVGUIVisualMa | 1 |
| ?OnDrawButtonSystemBar@CLVGUIVisualM | 1 |
| ??1CLVGUIVisualManager@@UAE@XZ | 1 |
| ??0CLVGUIVisualManager@@QAE@XZ | 1 |
| ?LVGUIL_clrBtnShadow@@YAKXZ | 1 |
| ?LVGUIL_clrHilite@@YAKXZ | 1 |
| ?PixelAlpha@CLVGUIDrawManager@@SAKI | 1 |
| ?PixelAlpha@CLVGUIDrawManager@@SAKI | 1 |
| ?LVGUIL_clrBtnFace@@YAKXZ | 1 |
| ?LVGUIL_m_nBitsPerPixel@@YAHXZ | 1 |
| ?OnGetColorState@CLVGUIVisualManager@ | 1 |
| ?LVGUIL_clrBtnDkShadow@@YAKXZ | 1 |
| ?OnFillBarBackground@CLVGUIVisualManag | 1 |
| ??1CLVGUIDrawManager@@UAE@XZ | 1 |
| ?DrawShadow@CLVGUIDrawManager@@Q | 1 |

| | |
|--|---|
| ??0CLVGUIDrawManager@@QAE@AAVCDC | 1 |
| ?Lvgui_clrGrayedText@@YAKXZ | 1 |
| ?HighlightRect@CLVGUIDrawManager@@C | 1 |
| ?PreTranslateMessage@CLVGUIDialog@@U | 1 |
| ?OnDrawCaptionButton@CLVGUIDVisualMan | 1 |
| ?RTF2Text@@YAHPADOPAK@Z | 1 |
| _GetTinPntFromLayNum | 1 |
| ?FindTinPntInDEM@CGeoPriTinApp@@QAE | 1 |
| ?GetFullBaseStratOrder@CGeoPriTinApp@C | 1 |
| ?GetDEMTinAI@CGeoPriTinApp@@QBEPAV | 1 |
| ?Save@CATT_STRU@@UAEJHJ@Z | 1 |
| ?Save@CATT_STRU@@UAEJPADIJ@Z | 1 |
| ?Save@CATT_STRU@@UAEJPAVCMapGisFil | 1 |
| ?Load@CATT_STRU@@UAEFHJ@Z | 1 |
| ?Load@CATT_STRU@@UAEFPVCFile@@J(| 1 |
| ?Load@CATT_STRU@@UAEJPADIJ@Z | 1 |
| ?Load@CATT_STRU@@UAEFPVCMapGisFi | 1 |
| ??1CATT_STRU@@UAE@XZ | 1 |
| ??0CFIELD_HEAD@@QAE@PAV0@@Z | 1 |
| ??0CATT_STRU@@QAE@PAV0@@Z | 1 |
| ?DelFld@CATT_STRU@@QAEFPAD@Z | 1 |
| ?AppendFld@CATT_STRU@@QAEFFPAVCFII | 1 |
| ??1CFIELD_HEAD@@UAE@XZ | 1 |
| ?CalSize@CATT_STRU@@UAEJXZ | 1 |
| ?Save@CATT_STRU@@UAEJPAVCFile@@J(| 1 |
| ?_geoMdl3DPub_CalFitEdgeLen@@YANPAL | 1 |
| lua_yield | 1 |
| ??1FarinaButton2@@UAE@XZ | 1 |
| ??1FarinaTreeCtrl@@UAE@XZ | 1 |
| ??1FarinaDialog2@@UAE@XZ | 1 |
| ??0FarinaButton2@@QAE@XZ | 1 |
| ??0FarinaTreeCtrl@@QAE@XZ | 1 |
| ??0FarinaDialog2@@QAE@IPAVCWnd@@C | 1 |
| ?Farina@FarinaTreeCtrl@@QAEXXZ | 1 |
| ?GetThisMessageMap@FarinaDialog2@@K(| 1 |
| ?OnCtlColor@FarinaDialog@@IAEPAUHBRU | 1 |
| ?GetRuntimeClass@FarinaDialog2@@UBEP, | 1 |
| ??1FarinaSliderCtrl@@UAE@XZ | 1 |
| ??0FarinaGroupBox@@QAE@XZ | 1 |
| ??0FarinaSliderCtrl@@QAE@XZ | 1 |
| ??1FarinaStatic@@UAE@XZ | 1 |
| ??0FarinaStatic@@QAE@XZ | 1 |
| ??1FarinaComboBox@@UAE@XZ | 1 |
| ??0FarinaComboBox@@QAE@XZ | 1 |
| ?OnSize@FarinaDialog2@@QAEXIHH@Z | 1 |
| ?OnCreate@AbstractDialog@@IAEHPAUtag | 1 |
| ?DoDataExchange@FarinaDialog2@@MAEX | 1 |

| | |
|--|---|
| ?Farina@FarinaEdit@@QAEXXZ | 1 |
| ??0FarinaEdit@@QAE@XZ | 1 |
| ??0FarinaCheckBox@@QAE@XZ | 1 |
| ?OnInitDialog@AbstractDialog@@MAEHXZ | 1 |
| ?GetThisMessageMap@FarinaDialog@@KG | 1 |
| ?FarinaMessageBox@@YAHABV?\$CStringT@ | 1 |
| ??1FarinaEdit@@UAE@XZ | 1 |
| ?DoDataExchange@FarinaDialog@@MAEXP | 1 |
| ??0FarinaDialog@@QAE@IPAVCWnd@@@@ | 1 |
| ??0FarinaButton@@QAE@XZ | 1 |
| ?WindowProc@AbstractDialog@@MAEJIIJ@ | 1 |
| ?EnableLuna@FarinaAPI@@SA_N_N@Z | 1 |
| ??1FarinaButton@@UAE@XZ | 1 |
| ??1FarinaCheckBox@@UAE@XZ | 1 |
| ??1FarinaDialog@@UAE@XZ | 1 |
| ??1FarinaGroupBox@@UAE@XZ | 1 |
| ?FarinaMessageBox@@YAHIABV?\$CStringT@ | 1 |
| _ctime | 1 |
| ReferenceBlob | 1 |
| WriteBlobLSBLong | 1 |
| WriteBlobLSBShort | 1 |
| ttynname | 1 |
| ?GetStringValue@CHPRBIniHandler@@QAE | 1 |
| @Unit_kl3000_common@initialization\$qqrv | 1 |
| ??1CCalendars@@UAE@XZ | 1 |
| ?GetAt@CMsgEmails@@QAEPAVCMsgEmail | 1 |
| ?GetAt@CMsgEmails@@QBEPBVCMsgEmail | 1 |
| ?Delete@CMsgEmails@@QAEXH@Z | 1 |
| ?Find@CMsgEmails@@QBEHPBVCMsgEmail | 1 |
| ??1COutlookLogs@@UAE@XZ | 1 |
| ??0CContacts@@QAE@XZ | 1 |
| ?OpenFromDB@CContacts@@QAEJHH@Z | 1 |
| ?AddNew@CContacts@@QAEPAVCCContact | 1 |
| ?WriteOutlookContactLog@CContacts@@Q | 1 |
| ?SaveToDB@CContacts@@QAEJHH_N@Z | 1 |
| ?SetOutlookId@CContacts@@QAEXHV?\$CS | 1 |
| ?OpenFromDBWithLastSync@CContacts@@ | 1 |
| ??0COutlookLogs@@QAE@H@Z | 1 |
| ?OpenFromDB@COutlookLogs@@QAEJV?\$C | 1 |
| ?GetAt@COutlookLogs@@QAEPAVCOutlook | 1 |
| ?TrashFromDB@CContacts@@QAEHAACSI | 1 |
| ?Local2Utc@@YA?AVCOleDateTime@ATL@ | 1 |
| ?Find@COutlookLogs@@QAEPAVCOutlookL | 1 |
| ?GetById@CContacts@@QAEPAVCCContact@ | 1 |
| ?MakeModifyQuery@CContacts@@QAE?A\ | 1 |
| ?SaveToDB_Number@CContacts@@QAEHJI | 1 |
| ?SaveToDB_Email@CContacts@@QAEHJPA\ | 1 |

| | |
|---------------------------------------|---|
| ?SaveToDB_Url@CContacts@@QAEHJPAVC | 1 |
| ?SaveToDB_Address@CContacts@@QAEHJF | 1 |
| ?SaveToDB_Nickname@CContacts@@QAEH | 1 |
| ?SaveToDB_Messenger@CContacts@@QAE | 1 |
| ?SaveToDB_Organization@CContacts@@QA | 1 |
| ?SaveToDB_ContactEvent@CContacts@@Q | 1 |
| ?SaveToDB_Comment@CContacts@@QAEH | 1 |
| ?SetDefaultNumber@CContacts@@QAEXHF | 1 |
| ??0CCalendars@@QAE@XZ | 1 |
| ?OpenFromDB@CCalendars@@QAEJHKHN(| 1 |
| ?AddNew@CCalendars@@QAEPAVCCalend | 1 |
| ?WriteOutlookCalendarLog@CCalendars@@ | 1 |
| ?SaveToDB@CCalendars@@QAEJH_N@Z | 1 |
| ?WriteOutlookTodoLog@CCalendars@@QA | 1 |
| ?SetOutlookId@CCalendars@@QAEXHV?\$C | 1 |
| ?TrashFromDB@CCalendars@@QAEHEAAV(| 1 |
| ?GetById@CCalendars@@QAEPAVCCalenda | 1 |
| ?DeleteFromDB_Alarm@CCalendars@@QA | 1 |
| ?DeleteFromDB_Recurrence@CCalendars@ | 1 |
| ?DeleteFromDB_Category@CCalendars@@(| 1 |
| ?DeleteFromDB_ExceptionDate@CCalend | 1 |
| ??0CCalendar@@QAE@XZ | 1 |
| ?MakeModifyQuery_Calendar@CCalendars(| 1 |
| ?SaveToDB_Alarm@CCalendars@@QAEHJP | 1 |
| ?SaveToDB_Recurrence@CCalendars@@QA | 1 |
| ?SaveToDB_Category@CCalendars@@QAEH | 1 |
| ?SaveToDB_ExceptionDate@CCalendars@@ | 1 |
| ?GetExceptionDate@CCalendar@@QBEPBV | 1 |
| ?MakeModifyQuery_Todo@CCalendars@@ | 1 |
| ?WriteOutlookMemoLog@CCalendars@@Q | 1 |
| ?MakeModifyQuery_Memo@CCalendars@@(| 1 |
| ?DeleteAllEmail@CContact@@QAEXXZ | 1 |
| ?DeleteAllTelephone@CContact@@QAEXXZ | 1 |
| ?DeleteAllURL@CContact@@QAEXXZ | 1 |
| ?DeleteAllComment@CContact@@QAEXXZ | 1 |
| ?DeleteAllContactEvent@CContact@@QA | 1 |
| ?DeleteAllMessenger@CContact@@QAEXX; | 1 |
| ?DeleteAllNickname@CContact@@QAEXXZ | 1 |
| ?DeleteAllOrganization@CContact@@QAEX | 1 |
| ?GetNicknameCount@CContact@@QBEHXZ | 1 |
| ?GetNickname@CContact@@QAE?AV?\$CSt | 1 |
| ?NewNickname@CContact@@QAEXPB_W@ | 1 |
| ?GetBirthDate@CContact@@QAE_NAAHAA | 1 |
| ?SetContactEvent@CContact@@QAEXHVCC | 1 |
| ?NewContactEvent@CContact@@QAEPAVC | 1 |
| ?GetAnniversary@CContact@@QAE_NAAH/ | 1 |
| ?GetValidPhoneNumber@@YA?AV?\$CString | 1 |

| | |
|---|---|
| ?NewTelephone@CContact@@QAEPAVCTe | 1 |
| ?NewAddress@CContact@@QAEPAVCPosta | 1 |
| ?NewURL@CContact@@QAEPAVCURL@@F | 1 |
| ?GetOrganizationCount@CContact@@QBEF | 1 |
| ?GetOrganization@CContact@@QAEPAVCO | 1 |
| ?NewOrganization@CContact@@QAEPAVCI | 1 |
| ?GetCallerIdPath@@YA?AV?\$CStringT@_W | 1 |
| ?NewComment@CContact@@QAEXPB_W@ | 1 |
| ?NewEmail@CContact@@QAEPAVCEmail@ | 1 |
| ?NewMessenger@CContact@@QAEPAVCM | 1 |
| ?IsValidEmailString@@YA_NV?\$CStringT@_ | 1 |
| ?GetMessengerCount@CContact@@QBEHX | 1 |
| ?GetMessenger@CContact@@QAEPAVCMe | 1 |
| ?AddExceptionDate@CCalendar@@QAEXPX | 1 |
| ?SetDaily@CRecurrence@@QAEHHPBVCO | 1 |
| ?SetWeekly@CRecurrence@@QAEHHPBV(| 1 |
| ?SetMonthlyByDay@CRecurrence@@QAEXI | 1 |
| ?ConvertRecurrenceWeek_Outlook2Calenda | 1 |
| ?SetMonthlyByPos@CRecurrence@@QAEXI | 1 |
| ?SetYearlyByMonth@CRecurrence@@QAEX | 1 |
| ?SetYearlyByDay_Outlook@CRecurrence@C | 1 |
| ?SetAlarmRunTime@CCalendar@@QAE_NF | 1 |
| ?SetAlarmOff@CCalendar@@QAE_NXZ | 1 |
| ?Utc2Local@@YA?AVCOleDateTime@ATL@ | 1 |
| ?GetRecurrenceData@CRecurrence@@QBE | 1 |
| ?ConvertRecurrenceWeek_Calendar2Outloo | 1 |
| ?GetAlarmType@CCalendar@@QBE?AW4AI | 1 |
| ?GetAlarmRuntime@CCalendar@@QBE_NA | 1 |
| ?SetAlarmDateTime@CCalendar@@QAE_N' | 1 |
| ?GetAlarmDateTime@CCalendar@@QBE_N | 1 |
| ?GetCommentCount@CContact@@QBEHXZ | 1 |
| ?GetComment@CContact@@QAE?AV?\$CSt | 1 |
| ?GetAddressCount@CContact@@QBEHXZ | 1 |
| ?GetAddress@CContact@@QAEPAVCPostal | 1 |
| ?Find@CContactGroups@@QBEHPBVCCont | 1 |
| ?Delete@CContactGroups@@QAEXH@Z | 1 |
| ?GetAt@CContactGroups@@QBEPBVCCont | 1 |
| ?GetAt@CContactGroups@@QAEPAVCCCont | 1 |
| ??1CContacts@@UAE@XZ | 1 |
| ?DeleteAllAddress@CContact@@QAEXXZ | 1 |
| ?Instance@CDBManager@@SAPAV1@W4e | 1 |
| ?ExecuteQuery@CDBManager@@QAEJPB_1 | 1 |
| ?SendQuery@CDBManager@@QAEJPB_WA | 1 |
| ?GetInstance@CLGSyncResult@@SAPAV1@ | 1 |
| ?Save@CLGSyncResult@@QAEXH@Z | 1 |
| ?IncOutlookRepl@CLGSyncResult@@QAEXV | 1 |
| ?IncPCRepl@CLGSyncResult@@QAEXW4tag | 1 |

| | |
|---|---|
| ?IncPCDel@CLGSyncResult@@QAEXW4tagS | 1 |
| ?IncOutlookDel@CLGSyncResult@@QAEXW | 1 |
| ?IncOutlookAdd@CLGSyncResult@@QAEXV | 1 |
| ?IncPCAdd@CLGSyncResult@@QAEXW4tag | 1 |
| RtlReadOutOfProcessMemoryStream | 1 |
| setxina | 1 |
| @System@@LStrOfChar\$qqrv | 1 |
| @System@TObject@InitInstance\$qqrp17Sy | 1 |
| @System@TObject@InstanceSize\$qqrp17Sy | 1 |
| @Activex@Failed\$qqrl | 1 |
| @Activex@GUID_NULL | 1 |
| @Sysutils@AnsiStrRScan\$qqrpcc | 1 |
| @Sysutils@StrToDateDef\$qqrx17Syster | 1 |
| @Sysutils@StrToFloatDef\$qqrx17System@A | 1 |
| @Sysutils@StringToGUID\$qqrx17System@A | 1 |
| @Sysutils@CreateGUID\$qqsr5_GUID | 1 |
| @Sysutils@EmptyWideStr | 1 |
| @Comobj@EOleSysError@\$bctr\$qqrx17Syst | 1 |
| @Variants@VarIsEmptyParam\$qqrrx14Syste | 1 |
| @Classes@TInterfaceList@Unlock\$qqrv | 1 |
| @Classes@TInterfaceList@Lock\$qqrv | 1 |
| @Classes@TInterfaceList@Exchange\$qqrii | 1 |
| @Classes@TInterfaceList@SetCount\$qqri | 1 |
| @Classes@TInterfaceList@SetCapacity\$qqri | 1 |
| @Classes@TInterfaceList@Last\$qqrv | 1 |
| @Classes@TInterfaceList@GetCapacity\$qqri | 1 |
| @Classes@TInterfaceList@First\$qqrv | 1 |
| @Classes@TInterfaceList@Clear\$qqrv | 1 |
| @Classes@TInterfaceList@\$bdtr\$qqrv | 1 |
| @\$xp\$22Classes@IInterfaceList | 1 |
| @Classes@EClassNotFound@ | 1 |
| @Math@EnsureRange\$qqrxixi | 1 |
| @Math@ifThen\$qqroxjxj | 1 |
| GdipCreateBitmapFromDirectDrawSurface | 1 |
| ?_Init@?\$money_get@DV?\$istreambuf_iter | 1 |
| ?AddEvent@CXTPCalendarData@@UAEHPA | 1 |
| ?_GetRecurrencePattern_raw@CXTPCalend | 1 |
| ?SaveToXML@CXTPCalendarCustomPropert | 1 |
| ?ms_dwNextFreeTempID@CXTPCalendarDa | 1 |
| ?AddEvents@CXTPCalendarData@@UAEHP | 1 |
| ?_GetEvent_raw@CXTPCalendarData@@M | 1 |
| ?OnActivateView@CXTPCalendarView@@N | 1 |
| ?GetDraggingMode@CXTPCalendarView@@ | 1 |
| ?FormatEventTime@CXTPCalendarView@@ | 1 |
| ?OnTimer@CXTPCalendarView@@MAEHI@ | 1 |
| ?SetDayHeaderFormatShortest@CXTPCalen | 1 |
| ?GetRuntimeClass@CXTPCalendarView@@I | 1 |

| | |
|--|---|
| ?GetPaintManager@CXTPCalendarView@@ | 1 |
| ?GetDayHeaderFormat@CXTPCalendarView | 1 |
| ?IsTodayVisible@CXTPCalendarView@@UAI | 1 |
| ?OnEndDragging@CXTPCalendarView@@U/ | 1 |
| ?OnFinalRelease@CXTPCalendarWMHandle | 1 |
| ?GetTheme@CXTPCalendarView@@UAEPA` | 1 |
| ?GetItemTextEventTimeMax@CXTPCalendar | 1 |
| ?ScrollV@CXTPCalendarView@@UAEXHH@ | 1 |
| ?OnLButtonUp@CXTPCalendarView@@UAE | 1 |
| ?SetTime_235959@CXTPCalendarUtils@@S. | 1 |
| ?SetDayHeaderFormat@CXTPCalendarView(| 1 |
| ?GetCalendarControl@CXTPCalendarView@ | 1 |
| ?CalculateHeaderFormat@CXTPCalendarVie | 1 |
| ?AdjustLayout@CXTPCalendarView@@UAE: | 1 |
| ?OnLButtonDown@CXTPCalendarView@@L | 1 |
| ?FindEventToEditByTAB@CXTPCalendarView | 1 |
| ?CanCut@CXTPCalendarView@@UAEHXZ | 1 |
| ?ScrollH@CXTPCalendarView@@UAEXHH@ | 1 |
| ?GetResources@CXTPCalendarView@@UAE | 1 |
| ?SetTimer@CXTPCalendarView@@MAEII@: | 1 |
| ?GetNextTimeEditByTAB@CXTPCalendarVie | 1 |
| ?CanCopy@CXTPCalendarView@@UAEHXZ | 1 |
| ?SetResources@CXTPCalendarView@@UAE | 1 |
| ?KillTimer@CXTPCalendarView@@MAEXI@ | 1 |
| ?GetScrollBarInfoV@CXTPCalendarView@@ | 1 |
| ?CanPaste@CXTPCalendarView@@UAEHXZ | 1 |
| ?UnselectAllEvents@CXTPCalendarView@@ | 1 |
| ?SendNotification@CXTPCalendarView@@N | 1 |
| ?GetScrollBarInfoH@CXTPCalendarView@@ | 1 |
| ?SelectEvent@CXTPCalendarView@@UAEXI | 1 |
| ?Copy@CXTPCalendarView@@UAEHXZ | 1 |
| ?_CalculateEventTimeFormat@CXTPCalend | 1 |
| ?SelectDay@CXTPCalendarView@@UAEXVC | 1 |
| ?Paste@CXTPCalendarView@@UAEHXZ | 1 |
| ?_GetMaxWidthFormat@CXTPCalendarView | 1 |
| ?Draw@CXTPCalendarView@@UAEXPACD | 1 |
| ?SelectDay@CXTPCalendarView@@UAEXPAP | 1 |
| ?GetDraggingEventOrig@CXTPCalendarView | 1 |
| ?_GetMaxWidth@CXTPCalendarView@@M. | 1 |
| ?Draw2@CXTPCalendarView@@UAEXPAVC | 1 |
| ?GetSelectedViewEvents@CXTPCalendarVie | 1 |
| ?GetDraggingEventNew@CXTPCalendarView | 1 |
| ?_RemoveYearPart@CXTPCalendarView@@ | 1 |
| ?OnKeyUp@CXTPCalendarWMHandler@@L | 1 |
| ?GetSelection@CXTPCalendarView@@UAEI | 1 |
| ?UpdateDate@CXTPCalendarUtils@@SA?BV | 1 |
| ?GetSelectedEvents@CXTPCalendarView@C | 1 |

| | |
|---|---|
| ?_ReadDefaultHeaderFormats@CXTPCalend | 1 |
| ?CommitDraggingEvent@CXTPCalendarView | 1 |
| ?UpdateNextTimeEditByTAB@CXTPCalendar | 1 |
| ?IsZeroTime@CXTPCalendarUtils@@SAHAB | 1 |
| ?HasSelectedViewEvent@CXTPCalendarViev | 1 |
| ?_GetDayHeaderFormat@CXTPCalendarView | 1 |
| ?CancelDraggingEvent@CXTPCalendarView(| 1 |
| ?ProcessDaySelection@CXTPCalendarView@ | 1 |
| ?_CanSubjectEditor@CXTPCalendarView@@ | 1 |
| ?AdjustLayout2@CXTPCalendarView@@UAI | 1 |
| ?GetRowHeight@CXTPCalendarView@@UB | 1 |
| ?StartEditSubject@CXTPCalendarView@@U | 1 |
| ?GetEventDurationMin@CXTPCalendarView | 1 |
| ?_GetSubjectEditorWnd@CXTPCalendarView | 1 |
| ?GetFirstDayOfWeek@CXTPCalendarControl | 1 |
| ?RetrieveDayEvents@CXTPCalendarView@() | 1 |
| ?EndEditSubject@CXTPCalendarView@@UA | 1 |
| ?_GetDataProviderByConnStr@CXTPCalende | 1 |
| ?_CopySelectedEvents@CXTPCalendarView(| 1 |
| ?OnDraw@CXTPCalendarView@@UAEXPVA | 1 |
| ?GetStartEditSubjectTimeOut@CXTPCalenda | 1 |
| ?_ReadEventsFromClipboard@CXTPCalenda | 1 |
| ?IsEditingSubject@CXTPCalendarView@@U | 1 |
| ?StartEditNewEventInplace@CXTPCalendar | 1 |
| ?_Undo@CXTPCalendarView@@MAEHPAV(| 1 |
| ?GetSubjectEditorRect@CXTPCalendarView(| 1 |
| ?FindViewEvent@CXTPCalendarView@@UA | 1 |
| ?OnEventChanged_InDataProvider@CXTPCa | 1 |
| ?GetThisClass@CXTPCalendarView@@SGPA | 1 |
| ??0CXTPBitmapDC@@QAE@PAVCDC@@PA | 1 |
| ?GetTooltipRect@CXTPCalendarView@@UA | 1 |
| ?SelectDays@CXTPCalendarView@@UAEXV | 1 |
| ?_GetDataProviderBySelection@CXTPCalenc | 1 |
| ??1CXTPBitmapDC@@UAE@XZ | 1 |
| ?ShowToolTip@CXTPCalendarView@@UAE | 1 |
| ?ProcessEventSelection@CXTPCalendarView | 1 |
| ?_IsScheduleVisible@CXTPCalendarView@() | 1 |
| ?GetChildHandlersCount@CXTPCalendarVie | 1 |
| ?GetShowToolTipTimeOut@CXTPCalendarVi | 1 |
| ?EnableVScroll@CXTPCalendarView@@UAE | 1 |
| ?GetLayout_@CXTPCalendarView@@MAEA | 1 |
| ?GetChildHandlerAt@CXTPCalendarView@() | 1 |
| ?SystemTimeToTzSpecificLocalTime@CXTPC | 1 |
| ?OnUpdateEditingSubject@CXTPCalendarVie | 1 |
| ?OnLButtonDblClk@CXTPCalendarView@@I | 1 |
| ?EnableHScroll@CXTPCalendarView@@UAE | 1 |
| ?CanUndo@CXTPCalendarView@@UAEHXZ | 1 |

| | |
|---|---|
| ?OnChar@CXTPCalendarView@@UAEXIII@Z | 1 |
| ?CanRedo@CXTPCalendarView@@UAEHXZ | 1 |
| ?IsHScrollEnabled@CXTPCalendarView@@L | 1 |
| ?IsUseCellAlignedDraggingInTimeArea@CXT | 1 |
| ?OnSysKeyDown@CXTPCalendarView@@U@ | 1 |
| ?GetTickCount@CXTPCalendarUtils@@SA?A | 1 |
| ?Undo@CXTPCalendarView@@UAEHXZ | 1 |
| ?OnPostAdjustLayout@CXTPCalendarWMH@ | 1 |
| ?IsVScrollEnabled@CXTPCalendarView@@L | 1 |
| ?IsEqual@CXTPCalendarUtils@@SAHABVCC | 1 |
| ?Redo@CXTPCalendarView@@UAEHXZ | 1 |
| ?GetWorkDayStartTime@CXTPCalendarCon | 1 |
| ?RedrawControl@CXTPCalendarView@@UA | 1 |
| ?SetDayHeaderFormatLong@CXTPCalendar\ | 1 |
| ?OnBeforeDestroy@CXTPCalendarView@@ | 1 |
| ?KeyToLayout@CXTPDrawHelpers@@SAXP/ | 1 |
| ?OnScrollEnd@CXTPCalendarView@@UAEX | 1 |
| ?SetDayHeaderFormatMiddle@CXTPCalend | 1 |
| ?GetWorkWeekMask@CXTPCalendarContro | 1 |
| ?_GetViewDay@CXTPCalendarView@@UAE | 1 |
| ?EmptyUndoBuffer@CXTPCalendarView@@ | 1 |
| ?SetDayHeaderFormatShort@CXTPCalendar | 1 |
| ?OnLButtonDown@CXTPCalendarWMHandl | 1 |
| ?UserAction_OnExpandDay@CXTPCalendar\ | 1 |
| ?GetCount@CXTPCalendarEvents@@QBEH> | 1 |
| ?OnPrePopulateDay@CXTPCalendarViewDa | 1 |
| ?GetChildHandlersCount@CXTPCalendarVie | 1 |
| ?GetAt@CXTPCalendarEvents@@QBEPAVC) | 1 |
| ?GetLayout_@CXTPCalendarViewDay@@M. | 1 |
| ?RemoveAt@CXTPCalendarEvents@@QAEX | 1 |
| ?GetChildHandlerAt@CXTPCalendarViewDay | 1 |
| ?Find@CXTPCalendarEvents@@QBEHPAVC) | 1 |
| ?OnLButtonUp@CXTPCalendarWMHandler@ | 1 |
| ?GetThisClass@CXTPCalendarViewDay@@S | 1 |
| ?InsertAt@CXTPCalendarEvents@@QAEXHF | 1 |
| ?OnLButtonDbIClk@CXTPCalendarWMHand | 1 |
| ?GetChildHandlersCount@CXTPCalendarVie | 1 |
| ?OnChar@CXTPCalendarWMHandler@@UA | 1 |
| ?GetThisClass@CXTPCalendarViewGroup@() | 1 |
| ??0CXTPCalendarViewDay@@QAE@PAVCX` | 1 |
| ?GetChildHandlerAt@CXTPCalendarViewGrc | 1 |
| ?OnKeyDown@CXTPCalendarWMHandler@ | 1 |
| ??1CXTPCalendarViewDay@@UAE@XZ | 1 |
| ?GetResources@CXTPCalendarViewGroup@ | 1 |
| ?OnSysKeyDown@CXTPCalendarWMHandle | 1 |
| ?GetRuntimeClass@CXTPCalendarViewGrou | 1 |
| ?GetDataProvider@CXTPCalendarViewGrou | 1 |

| | |
|---|---|
| ?OnBeforeDestroy@CXTPCalendarWMHand | 1 |
| ?GetWorkDayStartTime@CXTPCalendarCon | 1 |
| ?_NoAllEventsAreVisible@CXTPCalendarVie | 1 |
| ?OnTimer@CXTPCalendarWMHandler@@U | 1 |
| ?AddResource@CXTPCalendarViewGroup@ | 1 |
| ?AdjustLayout@CXTPCalendarViewGroup@i | 1 |
| ?AdjustLayout@CXTPCalendarViewDay@@l | 1 |
| ?GetCalendarControl@CXTPCalendarViewD | 1 |
| ?SetResources@CXTPCalendarViewGroup@ | 1 |
| ?AdjustLayout2@CXTPCalendarViewGroup@ | 1 |
| ?GetWorkDayEndTime@CXTPCalendarContr | 1 |
| ?GetResources@CXTPCalendarViewDay@@ | 1 |
| ?GetScheduleID@CXTPCalendarViewGroup@ | 1 |
| ?Draw@CXTPCalendarViewGroup@@UAEXI | 1 |
| ?SetResources@CXTPCalendarViewDay@@I | 1 |
| ?GetRect@CXTPCalendarViewGroup@@UAI | 1 |
| ?GetViewEventsCount@CXTPCalendarViewE | 1 |
| ?GetViewEvent_@CXTPCalendarViewDay@(| 1 |
| ?GetHeaderRect@CXTPCalendarViewGroup@ | 1 |
| ?GetTooltipRect@CXTPCalendarViewGroup@ | 1 |
| ?GetDayDate@CXTPCalendarViewDay@@U | 1 |
| ?GetGroupIndex@CXTPCalendarViewGroup@ | 1 |
| ?SetDayDate@CXTPCalendarViewDay@@U/I | 1 |
| ?GetCaption@CXTPCalendarViewGroup@@ | 1 |
| ?GetRuntimeClass@CXTPCalendarViewDay@ | 1 |
| ?IsSelected@CXTPCalendarViewDay@@UBE | 1 |
| ?GetViewEventByEvent_@CXTPCalendarVie | 1 |
| ?SetSelected@CXTPCalendarViewDay@@U/I | 1 |
| ?GetViewEventByPlace_@CXTPCalendarVie | 1 |
| ?Draw@CXTPCalendarViewDay@@UAEXP@' | 1 |
| ?GetDayRect@CXTPCalendarViewDay@@U/I | 1 |
| ?GetCalendarControl@CXTPCalendarViewG | 1 |
| ?ExchangeEventPlace@CXTPCalendarViewG | 1 |
| ?OnMouseMove@CXTPCalendarWMHandle | 1 |
| ?SetTimer@CXTPCalendarViewGroup@@M. | 1 |
| ??0CXTPCalendarViewGroup@@QAE@XZ | 1 |
| ?KillTimer@CXTPCalendarViewGroup@@M, | 1 |
| ??1CXTPCalendarViewGroup@@UAE@XZ | 1 |
| ?SetDayRect@CXTPCalendarViewDay@@U/I | 1 |
| ?SelectionContains@CXTPCalendarView@@ | 1 |
| ?OnPrePopulate@CXTPCalendarViewGroup@ | 1 |
| ?IsExpanded@CXTPCalendarViewDay@@U/I | 1 |
| ?GetLayout_@CXTPCalendarViewGroup@@ | 1 |
| ?GetExpandSignRect@CXTPCalendarViewDa | 1 |
| ?Append@CXTPCalendarEvents@@QAEXP@ | 1 |
| ?SetTimer@CXTPCalendarViewDay@@UAEI | 1 |
| ?Sort@CXTPCalendarEvents@@QAEXP6AHF | 1 |

| | |
|--|---|
| ?KillTimer@CXTPCalendarViewDay@@UAE | 1 |
| ?CompareEvents_ForView@CXTPCalendarE | 1 |
| ?GetDayIndex@CXTPCalendarViewDay@@L | 1 |
| ?GetTextExtent@CXTPCalendarViewPart@@ | 1 |
| ?GetMarkupText@CXTPCalendarViewEvent(| 1 |
| ?GetStartTimeRect@CXTPCalendarViewEver | 1 |
| ?GetMarkupUIElement@CXTPCalendarView | 1 |
| ?AdjustMultidayEvent@CXTPCalendarViewE | 1 |
| ?GetEndTimeRect@CXTPCalendarViewEvent | 1 |
| ?GetToolText@CXTPCalendarViewEvent@@ | 1 |
| ?GetViewEventRect@CXTPCalendarViewEve | 1 |
| ?CalcIconsRect@CXTPCalendarViewEvent@(| 1 |
| ?SetTimer@CXTPCalendarViewEvent@@MA | 1 |
| ?GetChildHandlersCount@CXTPCalendarW | 1 |
| ?GetViewEventRectMax@CXTPCalendarViev | 1 |
| ?KillTimer@CXTPCalendarViewEvent@@MA | 1 |
| ?GetChildHandlerAt@CXTPCalendarWMHan | 1 |
| ?GetReminderGlyphRect@CXTPCalendarVie | 1 |
| ?OnPostAdjustLayout@CXTPCalendarViewE | 1 |
| ?GetShowToolTipTimeOut@CXTPCalendarVi | 1 |
| ?ChangeEventPlace@CXTPCalendarViewEve | 1 |
| ?GetRecurrenceGlyphRect@CXTPCalendarVi | 1 |
| ?_ChangeEventPlace@CXTPCalendarViewEv | 1 |
| ?OnMouseMove@CXTPCalendarViewEvent(@ | 1 |
| ?GetMeetingGlyphRect@CXTPCalendarView | 1 |
| ?GetRuntimeClass@CXTPCalendarViewEven | 1 |
| ?GetPrivateGlyphRect@CXTPCalendarViewE | 1 |
| ?OnTimer@CXTPCalendarViewEvent@@MA | 1 |
| ?IsMultidayEvent@CXTPCalendarViewEvent | 1 |
| ?IsMultyDayTextAlign@CXTPCalendarViewE | 1 |
| ?AdjustSubjectEditor@CXTPCalendarViewEv | 1 |
| ?GetEvent@CXTPCalendarViewEvent@@UA | 1 |
| ?StartEditSubject@CXTPCalendarViewEvent | 1 |
| ?GetCalendarControl@CXTPCalendarViewEv | 1 |
| ?GetMultiDayEventFlags@CXTPCalendarVie | 1 |
| ?GetSubjectEditorFont@CXTPCalendarViewE | 1 |
| ?GetSubjectEditorStyles@CXTPCalendarViev | 1 |
| ?IsSelected@CXTPCalendarViewEvent@@U | 1 |
| ?SetMultiDayEvent_MasterSlave@CXTPCale | 1 |
| ?GetThisClass@CXTPCalendarViewEvent@@ | 1 |
| ??0CXTPCalendarViewEvent@@QAE@PAVC | 1 |
| ?SetSelected@CXTPCalendarViewEvent@@I | 1 |
| ?AddMultiDayEvent_Slave@CXTPCalendarVi | 1 |
| ??1CXTPCalendarViewEvent@@UAE@XZ | 1 |
| ?GetEditingSubjectFromEditor@CXTPCalend | 1 |
| ?SetTextOutOfBorders@CXTPCalendarViewE | 1 |
| ?EndEditSubject@CXTPCalendarViewEvent@ | 1 |

| | |
|--|---|
| ?ShowToolTip@CXTPCalendarViewEvent@C | 1 |
| ?IsTextOutOfBorders@CXTPCalendarViewEv | 1 |
| ?OnBeforeDestroy@CXTPCalendarViewEven | 1 |
| ?HideToolTip@CXTPCalendarViewEvent@@ | 1 |
| ?GetEventPlaceNumber@CXTPCalendarView | 1 |
| ?IsEditingSubject@CXTPCalendarViewEvent(| 1 |
| ?GetEventTimelinePlaceNumber@CXTPCale | 1 |
| ?AdjustLayout@CXTPCalendarViewEvent@C | 1 |
| ?GetSubjectEditorRect@CXTPCalendarViewE | 1 |
| ?GetItemTextSubject@CXTPCalendarViewEv | 1 |
| ?GetSubjectEditor@CXTPCalendarViewEven | 1 |
| ?GetItemTextLocation@CXTPCalendarViewE | 1 |
| ?IsShowingToolTip@CXTPCalendarViewEver | 1 |
| ?FormatEventTime@CXTPCalendarViewEver | 1 |
| ?GetItemTextBody@CXTPCalendarViewEver | 1 |
| ?GetFirstClockRect@CXTPCalendarViewEver | 1 |
| ?GetItemTextStartTime@CXTPCalendarView | 1 |
| ?GetCacheMode@CXTPCalendarData@@@UE | 1 |
| ?GetLastClockRect@CXTPCalendarViewEven | 1 |
| ?GetItemTextEndTime@CXTPCalendarViewE | 1 |
| ?GetItemText@CXTPCalendarViewEvent@@@ | 1 |
| ?GetTextRect@CXTPCalendarViewEvent@@@ | 1 |
| ?GetLocaleLong@CXTPCalendarUtils@@@SAF | 1 |
| ?GetLocaleString@CXTPCalendarUtils@@@SA | 1 |
| ?Minutes2Span@CXTPCalendarUtils@@@SA? | 1 |
| ?GetImportance@CXTPCalendarEvent@@@U | 1 |
| ?IsAllDayEvent@CXTPCalendarEvent@@@UBI | 1 |
| ?GetCategories@CXTPCalendarEvent@@@UA | 1 |
| ?SetImportance@CXTPCalendarEvent@@@U/ | 1 |
| ?DoPropExchange@CXTPCalendarEvent@@@ | 1 |
| ?SetAllDayEvent@CXTPCalendarEvent@@@U. | 1 |
| ?GetCreationTime@CXTPCalendarEvent@@@ | 1 |
| ?GetRException_StartTimeOrig@CXTPCalen | 1 |
| ?GetStartTime@CXTPCalendarEvent@@@UBE | 1 |
| ?SetCreationTime@CXTPCalendarEvent@@@I | 1 |
| ?SetStartTime@CXTPCalendarEvent@@@UAE | 1 |
| ?SetRException_StartTimeOrig@CXTPCalenc | 1 |
| ?GetLastModificationTime@CXTPCalendarEv | 1 |
| ?GetThisClass@CXTPCalendarEvent@@@SGP/ | 1 |
| ?GetEndTime@CXTPCalendarEvent@@@UBE! | 1 |
| ?GetRException_EndTimeOrig@CXTPCalend | 1 |
| ?SetEndTime@CXTPCalendarEvent@@@UAE\ | 1 |
| ?SetLastModificationTime@CXTPCalendarEv | 1 |
| ?SetRException_EndTimeOrig@CXTPCalend: | 1 |
| ??0CXTPCalendarEvent@@@QAE@PAVCXTPC | 1 |
| ?GetDurationMinutes@CXTPCalendarEvent(| 1 |
| ?GetRecurrenceState@CXTPCalendarEvent@ | 1 |

| | |
|---|---|
| ?SetRecurrencePatternID@CXTPCalendarEvent@@UAE@XZ | 1 |
| ?GetDuration@CXTPCalendarEvent@@UBE@XZ | 1 |
| ?MakeEventAsRecurrence@CXTPCalendarEvent@@UAE@XZ | 1 |
| ?SetDuration@CXTPCalendarEvent@@UAE@XZ | 1 |
| ?GetDataProvider@CXTPCalendarEvent@@UAE@XZ | 1 |
| ?UpdateRecurrence@CXTPCalendarEvent@@UAE@XZ | 1 |
| ?MoveEvent@CXTPCalendarEvent@@UAEX | 1 |
| ?Clear@CXTPCalendarEvent@@MAEXXZ | 1 |
| ?RemoveRecurrence@CXTPCalendarEvent@@UAE@XZ | 1 |
| ?GetEventPeriodDays@CXTPCalendarEvent@@UAE@XZ | 1 |
| ?CalcStartEndDatesFromPattern@CXTPCaler | 1 |
| ?GetRecurrencePatternID@CXTPCalendarEv | 1 |
| ?UpdateStartEndDatesFromPatternExceptio | 1 |
| ?IsReminder@CXTPCalendarEvent@@UBEH | 1 |
| ?GetRecurrencePattern@CXTPCalendarEven | 1 |
| ?SetRecurrenceState_Master@CXTPCalenda | 1 |
| ?SetReminder@CXTPCalendarEvent@@UAE@XZ | 1 |
| ?SetRecurrenceState_ExceptionOccurrence@ | 1 |
| ?MakeAsRException@CXTPCalendarEvent@ | 1 |
| ?GetCustomProperties@CXTPCalendarData(| 1 |
| ?GetEventID@CXTPCalendarEvent@@UBEK | 1 |
| ?IsRExceptionDeleted@CXTPCalendarEvent@ | 1 |
| ?ClearIntermediateData@CXTPCalendarEve | 1 |
| ?SetEventID@CXTPCalendarEvent@@UAEXI | 1 |
| ?IsSound@CXTPCalendarEvent@@UBEHZ | 1 |
| ?GetRPatternRef@CXTPCalendarEvent@@N | 1 |
| ?SetRExceptionDeleted@CXTPCalendarEven | 1 |
| ?GetScheduleID@CXTPCalendarEvent@@UI | 1 |
| ?GetReminderMinutesBeforeStart@CXTPCal | 1 |
| ?Update@CXTPCalendarEvent@@UAEHPAV | 1 |
| ?CloneEvent@CXTPCalendarEvent@@UAE? | 1 |
| ?CloneEventTo@CXTPCalendarEvent@@UA | 1 |
| ?SetScheduleID@CXTPCalendarEvent@@UA | 1 |
| ?SetReminderMinutesBeforeStart@CXTPCal | 1 |
| ?CloneForOccurrence@CXTPCalendarEvent@ | 1 |
| ?GetSubject@CXTPCalendarEvent@@UBE?A | 1 |
| ?GetReminderSoundFile@CXTPCalendarEve | 1 |
| ?IsEqualIDs@CXTPCalendarEvent@@UBEHP | 1 |
| ?IsEqualStartEnd@CXTPCalendarEvent@@U | 1 |
| ?SetSubject@CXTPCalendarEvent@@UAEXP | 1 |
| ?SetReminderSoundFile@CXTPCalendarEver | 1 |
| ?_PostProcessRecurrenceIfNeed@CXTPCale | 1 |
| ?GetLocation@CXTPCalendarEvent@@UBE? | 1 |
| ?GetBody@CXTPCalendarEvent@@UBE?AV | 1 |
| ?IsMeeting@CXTPCalendarEvent@@UAEHX | 1 |
| ?SetLocation@CXTPCalendarEvent@@UAEX | 1 |

| | |
|--|---|
| ?SetBody@CXTPCalendarEvent@@UAEXPB_ | 1 |
| ?GetLabel@CXTPCalendarEvent@@UBEPAV | 1 |
| ?SetPrivate@CXTPCalendarEvent@@UAEXH | 1 |
| ?GetBusyStatus@CXTPCalendarEvent@@UE | 1 |
| ?GetLabelID@CXTPCalendarEvent@@UBEH | 1 |
| ?IsPrivate@CXTPCalendarEvent@@UAEHXZ | 1 |
| ?SetBusyStatus@CXTPCalendarEvent@@UA | 1 |
| ?SetLabelID@CXTPCalendarEvent@@UAEXF | 1 |
| ?GetCustomIcons@CXTPCalendarEvent@@I | 1 |
| ?_FilterDayEventsInstancesByEndTime@CXT | 1 |
| ?MonthView_IsShowEndDate@CXTPCalend | 1 |
| ?MonthView_IsShowTimeAsClocks@CXTPCa | 1 |
| ?GetLastSelectedDate@CXTPCalendarView@ | 1 |
| ?MonthView_IsCompressWeekendDays@C | 1 |
| ?RetriveEventEndDate@CXTPCalendarUtils@ | 1 |
| ?SetDayViewAllDayEventsPart@CXTPCalend | 1 |
| ?DrawHorizontalLine@CXTPCalendarPaintM | 1 |
| ?DrawVerticalLine@CXTPCalendarPaintMan | 1 |
| ?SetDayViewEventPart@CXTPCalendarPaint | 1 |
| ?DrawClock@CXTPCalendarPaintManager@ | 1 |
| ?DrawBitmap@CXTPCalendarPaintManager@ | 1 |
| ?SetStandardValue@CXTPCalendarViewPart | 1 |
| ?DrawBitmap@CXTPCalendarPaintManager@ | 1 |
| ?DrawIconChar@CXTPCalendarPaintManage | 1 |
| ?SetDayViewHeaderPart@CXTPCalendarPair | 1 |
| ?GetBitmapSize@CXTPCalendarPaintManag | 1 |
| ??0CXTPPaintManagerColorGradient@@QA | 1 |
| ?GetExpandSignSize@CXTPCalendarPaintMa | 1 |
| ?SetStandardValue@CXTPPaintManagerColc | 1 |
| ?GetClockSize@CXTPCalendarPaintManager | 1 |
| ?SetControl@CXTPCalendarPaintManager@ | 1 |
| ??0CXTPCalendarViewPart@@QAE@PAV0@ | 1 |
| ?DrawShadow@CXTPCalendarPaintManager | 1 |
| ??1CXTPCalendarViewPart@@UAE@XZ | 1 |
| ?DrawIcons@CXTPCalendarPaintManager@ | 1 |
| ?DrawHeader@CXTPCalendarPaintManager | 1 |
| ?DrawHeader@CXTPCalendarPaintManager | 1 |
| ?DrawBusyStatus@CXTPCalendarPaintMana | 1 |
| ??BCXTPCalendarViewPartFontValue@@QA | 1 |
| ?DrawBusyStatus@CXTPCalendarPaintMana | 1 |
| ??0CXTPCalendarViewPartFontValue@@QA | 1 |
| ??0CXTPCalendarPaintManager@@QAE@XZ | 1 |
| ?InitBusyStatusDefaultColors@CXTPCalenda | 1 |
| ??1CXTPCalendarPaintManager@@UAE@XZ | 1 |
| ?RefreshMetrics@CXTPCalendarViewPart@() | 1 |
| ?SetDayViewTimeScaleHeaderPart@CXTPCa | 1 |
| ??0CXTPPaintManagerColor@@QAE@K@Z | 1 |

| | |
|--|---|
| ?GetBackgroundColor@CXTPCalendarViewP | 1 |
| ??0CXTPFontDC@@QAE@PAVCDC@@PAVC | 1 |
| ?GetTextColor@CXTPCalendarViewPart@@I | 1 |
| ?SetDayViewTimeScaleCellPart@CXTPCalen | 1 |
| ?DrawLine_CenterLR@CXTPCalendarViewPa | 1 |
| ?DrawTextW@CXTPCalendarViewPart@@Q | 1 |
| ?GetTextFont@CXTPCalendarViewPart@@L | 1 |
| ?SetMonthViewGridPart@CXTPCalendarPair | 1 |
| ?_Init@CXTPCalendarViewPart@@MAEXXZ | 1 |
| ?SetMonthViewHeaderPart@CXTPCalendarF | 1 |
| ?SetMonthViewEventPart@CXTPCalendarPa | 1 |
| ??1CXTPCalendarViewPartFontValue@@QA | 1 |
| ?SetDayViewCellPart@CXTPCalendarPaintM | 1 |
| ?GetPaintTheme@CXTPCalendarPaintManag | 1 |
| ??0CXTPPaintManagerColor@@QAE@XZ | 1 |
| ?SetDayViewWorkCellPart@CXTPCalendarP; | 1 |
| ?SetPaintTheme@CXTPCalendarPaintManag | 1 |
| ?RefreshMetrics@CXTPCalendarPaintManag | 1 |
| ?SetDayViewGroupHeaderPart@CXTPCalend | 1 |
| ?DrawLine@CXTPCalendarPaintManager@C | 1 |
| ??1CXTPCalendarRecurrencePattern@@UAF | 1 |
| ?GetEndAfterOccurrences@CXTPCalendarRe | 1 |
| ?SetEndAfterOccurrences@CXTPCalendarRe | 1 |
| ?ClonePattern@CXTPCalendarRecurrencePa | 1 |
| ?Update@CXTPCalendarRecurrencePattern(| 1 |
| ?IsNoEndDate@CXTPCalendarRecurrencePa | 1 |
| ?SetNoEndDate@CXTPCalendarRecurrenceP | 1 |
| ?GetUseEndMethod@CXTPCalendarRecurre | 1 |
| ?ShiftDateToWeekBegin@CXTPCalendarUtil | 1 |
| ?GetPatternEnd@CXTPCalendarRecurrenceF | 1 |
| ?SetPatternEnd@CXTPCalendarRecurrenceP | 1 |
| ?GetRuntimeClass@CXTPCalendarRecurrenc | 1 |
| ?GetOccurrences@CXTPCalendarRecurrence | 1 |
| ?GetMasterEventID@CXTPCalendarRecurrer | 1 |
| ?GetPatternID@CXTPCalendarRecurrencePa | 1 |
| ?SetMasterEventID@CXTPCalendarRecurren | 1 |
| ?GetStartTime@CXTPCalendarRecurrencePa | 1 |
| ?GetMasterEvent@CXTPCalendarRecurrence | 1 |
| ?UpdateMonthDay@CXTPCalendarUtils@@ | 1 |
| ?SetStartTime@CXTPCalendarRecurrencePa | 1 |
| ?SetException@CXTPCalendarRecurrencePa | 1 |
| ?ShiftDate_Month@CXTPCalendarUtils@@S | 1 |
| ?RemoveException@CXTPCalendarRecurren | 1 |
| ?GetDurationMinutes@CXTPCalendarRecurr | 1 |
| ?RemoveAllExceptions@CXTPCalendarRecur | 1 |
| ?SetDurationMinutes@CXTPCalendarRecurr | 1 |
| ?GetExceptions@CXTPCalendarRecurrenceP | 1 |

| | |
|--|---|
| ?DoPropExchange@CXTPCalendarRecurrence@() | 1 |
| ?GetDuration@CXTPCalendarRecurrencePattern@() | 1 |
| ?FindExceptionIndex@CXTPCalendarRecurrence@() | 1 |
| ?CalcDayOfMonth@CXTPCalendarUtils@@S | 1 |
| ?GetStartOccurrenceTime@CXTPCalendarRecur | 1 |
| ?FindException@CXTPCalendarRecurrencePattern@() | 1 |
| ?ShiftDate_Month@CXTPCalendarUtils@@SAE | 1 |
| ?GetEndOccurrenceTime@CXTPCalendarRecurrence@() | 1 |
| ?FindExceptions@CXTPCalendarRecurrenceF | 1 |
| ?ShiftDate_Year@CXTPCalendarUtils@@SAE | 1 |
| ?GetRecurrenceType@CXTPCalendarRecurrence@() | 1 |
| ?GetRecurrenceOptions@CXTPCalendarRecurrence@() | 1 |
| ?ShiftDate_Year@CXTPCalendarUtils@@SAE | 1 |
| ?SetRecurrenceOptions@CXTPCalendarRecurrence@() | 1 |
| ?GetPatternStartDate@CXTPCalendarRecurrence@() | 1 |
| ?SetPatternStartDate@CXTPCalendarRecurrence@() | 1 |
| ?GetPatternEndDate@CXTPCalendarRecurrence@() | 1 |
| ?SetPatternEndDate@CXTPCalendarRecurrence@() | 1 |
| ??0CXTPCalendarRecurrencePattern@@IAE@ | 1 |
| ??1CXTPCalendarView@@UAE@XZ | 1 |
| ?Set@CUndoBuffer@CXTPCalendarView@() | 1 |
| ?GetLastSelectedViewEvent@CXTPCalendarView@() | 1 |
| ?OnBeforeEditOperationNotify@CXTPCalendarView@() | 1 |
| ?_ReSelectSelectEvents@CXTPCalendarView@() | 1 |
| ?IsEditOperationDisabledNotify@CXTPCalendarView@() | 1 |
| ??0CXTPCalendarView@@QAE@PAVCXTPCView@() | 1 |
| ??0CXTPCalendarControlView@@IAE@XZ | 1 |
| ??1CXTPCalendarControlView@@MAE@XZ | 1 |
| ?GetDataProvider@CXTPCalendarControlView@() | 1 |
| ?SetDataProvider@CXTPCalendarControlView@() | 1 |
| ?GetScrollBarCtrl@CXTPCalendarControlView@() | 1 |
| ?GetCalendarCaptionBarCtrl@CXTPCalendarControlView@() | 1 |
| ?GetThisClass@CXTPCalendarControlView@() | 1 |
| ?IsShowCaptionBar@CXTPCalendarControlView@() | 1 |
| ?ShowCaptionBar@CXTPCalendarControlView@() | 1 |
| ?SetDataProvider@CXTPCalendarControlView@() | 1 |
| ?_ResizeControls@CXTPCalendarControlView@() | 1 |
| ?DrawDateHeader@CXTPCalendarControlView@() | 1 |
| ?_DrawDateHeaderCalendar@CXTPCalendarControlView@() | 1 |
| ?_GetDateHeaderMonths@CXTPCalendarControlView@() | 1 |
| ?AdjustCalendarForPrint@CXTPCalendarControlView@() | 1 |
| ?SetCalendarCtrl@CXTPCalendarControlView@() | 1 |
| ?_OnPrint2@CXTPCalendarControlView@() | 1 |
| ?GetCalendarCtrl@CXTPCalendarControlView@() | 1 |
| ?OnEvent_CalendarThemeChanged@CXTPCalendarControlView@() | 1 |
| ?OnCreate@CXTPCalendarControlView@() | 1 |
| ?SetPaintManager@CXTPCalendarControlView@() | 1 |

| | |
|--|---|
| ?MonthView_SetCompressWeekendDays@() | 1 |
| ??0CXTPNotifySink@@QAE@XZ | 1 |
| ??1CXTPNotifySink@@UAE@XZ | 1 |
| ?SetWorkWeekMask@CXTPCalendarControl | 1 |
| ?MonthView_SetShowEndDate@CXTPCalen | 1 |
| ?UnadviseAll@CXTPNotifySink@@QAEXXZ | 1 |
| ?MonthView_SetShowTimeAsClocks@CXTP(| 1 |
| ?Advise@CXTPNotifySink@@IAEKPAVCXTPN | 1 |
| ?OnSize@CXTPCalendarControlView@@IAE | 1 |
| ?GetThisMessageMap@CXTPCalendarContr | 1 |
| ?SetSortImage@CXTHeaderCtrl@@QAEHHF | 1 |
| ?SetColor@CXTPFontDC@@QAEXK@Z | 1 |
| ?RemoveAll@CXTPCalendarEvents@@QAE | 1 |
| ?FindEvent@CXTPCalendarEvents@@QBEP/ | 1 |
| ?GetThisClass@CXTPCalendarRecurrencePat | 1 |
| ?GetMaxMonthDay@CXTPCalendarUtils@@ | 1 |
| ?GetDataSource@CXTPCalendarData@@UA | 1 |
| ?Add@CXTPCalendarEvents@@QAEXPACX | 1 |
| ?GetConnectionString@CXTPCalendarData@ | 1 |
| ?SetConnectionString@CXTPCalendarData@ | 1 |
| ?GetSchedules@CXTPCalendarData@@UBE | 1 |
| ?SetLabelList@CXTPCalendarData@@UAEXI | 1 |
| ?GetEventCategories@CXTPCalendarData@ | 1 |
| ?GetConnection@CXTPCalendarData@@UA | 1 |
| ?GetRuntimeClass@CXTPCalendarEvents@C | 1 |
| ?ChangeEvent@CXTPCalendarData@@UAEI | 1 |
| ?SetPatternID@CXTPCalendarRecurrencePa | 1 |
| ?DeleteEvent@CXTPCalendarData@@UAEH | 1 |
| ??1CXTPCalendarEvents@@UAE@XZ | 1 |
| ?RemoveAllEvents@CXTPCalendarData@@I | 1 |
| ??0CXTPCalendarEvents@@QAE@XZ | 1 |
| ?EnableSendNotifications@CXTPCalendarCo | 1 |
| ??1CXTPCalendarControl@@UAE@XZ | 1 |
| ?SendNotificationAlways@CXTPCalendarCor | 1 |
| ??0CXTPCalendarControl@@QAE@XZ | 1 |
| ?SendNotification@CXTPCalendarControl@() | 1 |
| ?GetConnection@CXTPCalendarControl@@ | 1 |
| ?_SetDataProvider@CXTPCalendarControl@ | 1 |
| ?AdjustScrollBarEx@CXTPCalendarControl@ | 1 |
| ?SetTimer@CXTPCalendarControl@@MAEII | 1 |
| ?GetAskItemTextFlags@CXTPCalendarContro | 1 |
| ?SetActiveView@CXTPCalendarControl@@N | 1 |
| ?IsToolTipVisible@CXTPCalendarControl@@ | 1 |
| ?EnableToolTips@CXTPCalendarControl@@ | 1 |
| ?OnDraw@CXTPCalendarControl@@MAEXF | 1 |
| ?HideToolTip@CXTPCalendarControl@@UA | 1 |
| ?RegisterWindowClass@CXTPCalendarContr | 1 |

| | |
|--|---|
| ?ShowToolTip@CXTPCalendarControl@@U/ | 1 |
| ?QueueDayViewSwitch@CXTPCalendarCont | 1 |
| ?_AdviseToReminders_StartMonitoring@CX | 1 |
| ?AdjustScrollBar@CXTPCalendarControl@@ | 1 |
| ?AdviseToDataProvider@CXTPCalendarCont | 1 |
| ?ResetTime@CXTPCalendarUtils@@SA?BVC | 1 |
| ?AdjustLayout@CXTPCalendarControl@@U/ | 1 |
| ?OnOptionsChanged@CXTPCalendarControl | 1 |
| ?AdjustLayout@CXTPCalendarControl@@U/ | 1 |
| ??1CUpdateContext@CXTPCalendarControl(| 1 |
| ?_InitCalendarView@CXTPCalendarControl(| 1 |
| ?RedrawControl@CXTPCalendarControl@@ | 1 |
| ?OnEvent_Reminders@CXTPCalendarContrc | 1 |
| ?GetTimeLineView@CXTPCalendarControl@ | 1 |
| ?OnEvent_FromDataProvider@CXTPCalenda | 1 |
| ?SetFirstDayOfWeek@CXTPCalendarControl | 1 |
| ?GetWeekView@CXTPCalendarControl@@I | 1 |
| ?OnBeforeDestroy@CXTPCalendarControl@ | 1 |
| ?GetCalendarOptions@CXTPCalendarContro | 1 |
| ?GetActiveView@CXTPCalendarControl@@I | 1 |
| ?GetEvent@CXTPCalendarData@@UAE?AV | 1 |
| ?_PostProcessRecurrenceIfNeed@CXTPCale | 1 |
| ?RetrieveDayEvents@CXTPCalendarData@{@ | 1 |
| ?Close@CXTPCalendarData@@UAEXXZ | 1 |
| ??0CXTPCalendarEventLabel@@QAE@HKPE | 1 |
| ?_PostProcessOccurrencesFromMaster2@C | 1 |
| ?GetType@CXTPCalendarData@@UAE?AW | 1 |
| ?DoDeleteSelectedEvents@CXTPCalendarCo | 1 |
| ??0CUpdateContext@CXTPCalendarControl(| 1 |
| ?SetPaintTheme@CXTPCalendarControl@@ | 1 |
| ?DoDeleteEvent@CXTPCalendarControl@@ | 1 |
| ?GetPaintTheme@CXTPCalendarControl@@ | 1 |
| ?XTPResourceManager@@YAPAVCXTPReso | 1 |
| ?OnWndMsg_Children@CXTPCalendarContr | 1 |
| ?OnUpdatePaste@CXTPCalendarControl@{@ | 1 |
| ?GetScrollBarCtrl@CXTPCalendarControl@{@ | 1 |
| ?GetDiscreteSelectionValue@CXTPCalendar | 1 |
| ?OnUpdateCopy@CXTPCalendarControl@@ | 1 |
| ?Create@CXTPCalendarControl@@EAEHPB_ | 1 |
| ?OnUpdateCut@CXTPCalendarControl@@U | 1 |
| ?PreSubclassWindow@CXTPCalendarContro | 1 |
| ?OnUpdateUndo@CXTPCalendarControl@@ | 1 |
| ?GetThisMessageMap@CXTPCalendarContr | 1 |
| ?OnFinalRelease@CXTPCalendarControl@@ | 1 |
| ?OnUpdateCmdUI@CXTPCalendarControl@ | 1 |
| ?GetDiscreteSelectionCount@CXTPCalendar | 1 |
| ?OnCopy@CXTPCalendarControl@@UAEXX: | 1 |

| | |
|---|---|
| ?GetThisClass@CXTPCalendarWeekView@ | 1 |
| ?OnCut@CXTPCalendarControl@@UAEXXZ | 1 |
| ?OnUndo@CXTPCalendarControl@@UAEXX | 1 |
| ?ResetDate@CXTPCalendarUtils@@SA?BVC | 1 |
| ?OnEditCommand@CXTPCalendarControl@ | 1 |
| ?UpdateTime@CXTPCalendarUtils@@SA?B\ | 1 |
| ?GetRemindersManager@CXTPCalendarCon | 1 |
| ?SetSelection@CXTPCalendarView@@QAEX | 1 |
| ?LoadCommandBars@?\$CXTPCommandBar: | 1 |
| ?ResetSelection@CXTPCalendarView@@QA | 1 |
| ?SaveCommandBars@?\$CXTPCommandBars | 1 |
| ?InitCommandBars@?\$CXTPCommandBarsS | 1 |
| ?_PostProcessOccurrencesFromMaster@CX | 1 |
| ?GetLabelList@CXTPCalendarData@@UBEP, | 1 |
| ?IsOpen@CXTPCalendarData@@UAEHZ | 1 |
| ?_ChangeRExceptionOccurrence_nf@CXTPC | 1 |
| ?SetCacheMode@CXTPCalendarData@@UA | 1 |
| ?_ChangeRPatternWithExceptions@CXTPCal | 1 |
| ?SendEvent@CXTPNotifyConnection@@QAI | 1 |
| ?_RemoveRPatternWithExceptions@CXTPCa | 1 |
| ?_AddRPatternWithExceptions@CXTPCalenc | 1 |
| ?OnTimeZoneChanged@CXTPCalendarData(| 1 |
| ?LoadFromXML@CXTPCalendarCustomProp | 1 |
| ??1CXTPCalendarEventLabel@@UAE@XZ | 1 |
| ?SendNotification@CXTPCalendarData@@N | 1 |
| ??1CXTPCalendarData@@UAE@XZ | 1 |
| ?GetAllEvents_raw@CXTPCalendarData@@ | 1 |
| ??0CXTPCalendarData@@QAE@XZ | 1 |
| ?GetUpcomingEvents@CXTPCalendarData@ | 1 |
| ?Find@CXTPCalendarEventLabels@@QBEPA | 1 |
| ?GetRuntimeClass@CXTPCalendarEventLabe | 1 |
| ?GetRecurrencePattern@CXTPCalendarData | 1 |
| ?ClearCache@CXTPCalendarData@@UAEXX | 1 |
| ?SetMeeting@CXTPCalendarEvent@@UAEX | 1 |
| ?GetThisClass@CXTPCalendarData@@SGPA | 1 |
| ?SetRecurrenceState_NotRecurring@CXTPC | 1 |
| ?ExecuteQuery@CNPSDBProxy@@QAEHPB_ | 1 |
| ?Open@CNPSDBProxy@@QAEHPB_W0H@? | 1 |
| ??1CNPSDBProxy@@QAE@XZ | 1 |
| ?GetTableInfo@CNPSDBProxy@@QAEPAVC | 1 |
| ?Close@CNPSDBProxy@@QAEHXZ | 1 |
| ?ExecuteQuery@CNPSDBProxy@@QAEHPB_ | 1 |
| ??0CNPSDBProxy@@QAE@XZ | 1 |
| ?LoadMenuW@CNPSTransMenu@@QAEHI(| 1 |
| ??1CNPSToolTipContext@@UAE@XZ | 1 |
| ?CreateToolTip@CNPSToolTipContext@@M | 1 |
| ?initialNPSToolTip@CNPSToolTipContext@C | 1 |

| | |
|---|---|
| ?SetFixedPosition@CNPSToolTipContext@@ | 1 |
| ?FilterToolTipMessage@CNPSToolTipContex | 1 |
| ??0NPSSystemDateTime@@QAE@XZ | 1 |
| ??1NPSSystemDateTime@@QAE@XZ | 1 |
| ?Ole2SysTime@NPSSystemDateTime@@QA | 1 |
| ?Ole2SysDate@NPSSystemDateTime@@QA | 1 |
| ?FillInToolInfo@CNPSToolTipContext@@SA | 1 |
| ??0CNPSToolTipContext@@QAE@XZ | 1 |
| ??0CNPSDragDropText@@QAE@XZ | 1 |
| ??1CNPSDragDropText@@QAE@XZ | 1 |
| ?CheckDragText@CNPSDragDropText@@QF | 1 |
| ?CheckHeader@CNPSDragDropText@@QAE | 1 |
| ?ReceiveStringData@CNPSDragDropText@C | 1 |
| ?GetHeaderInfo@CNPSDragDropText@@QF | 1 |
| ?GetItemCount@CNPSDragDropText@@QA | 1 |
| ?GetDragDataToSchedule@CNPSDragDropTi | 1 |
| ?SetExportFileName@CNPSDragDropText@I | 1 |
| ?SendStringData@CNPSDragDropText@@Q | 1 |
| ?ClearClipboard@CNPSDragDropText@@QF | 1 |
| ?SetToolTipText@CNPSWButton@@QAEXP{ | 1 |
| ?Initialize@CNPSWButton@@QAEXHKKH@; | 1 |
| ??0CNPSWButton@@QAE@XZ | 1 |
| ??1CNPSWButton@@UAE@XZ | 1 |
| ??0CNPSCalandarComboBox@@QAE@XZ | 1 |
| ??1CNPSCalandarComboBox@@UAE@XZ | 1 |
| ?Init@CNPSCalandarComboBox@@QAEXXZ | 1 |
| ?GetSysTimeFormat@NPSSystemDateTime@C | 1 |
| ?GetTimeString@CNPSCalandarComboBox@ | 1 |
| ?SetTime@CNPSCalandarComboBox@@QA | 1 |
| ?GetTime@CNPSCalandarComboBox@@QA | 1 |
| ?SetTabSize@CNPSTabCtrl@@QAEXXZ | 1 |
| ?CalendarGetMinValueDate@CMetaDataAn | 1 |
| ?CreateA@CNPSFrameTopBar_SyncBt@@Q | 1 |
| ?SetBottomBarButtonEnable@CNPSFrame2@ | 1 |
| ?CalendarGetMaxValueDate@CMetaDataAn | 1 |
| ?CalendarGetMaxSize@CMetaDataAnalyzer | 1 |
| ?InitTabBtn@CNPSFrameTopBar_SyncBt@@ | 1 |
| ?CalendarGetValType@CMetaDataAnalyzer@ | 1 |
| ??0CNPSCategoryDlg@@QAE@PAVCWnd@ | 1 |
| ?SetHandle@CNPSFrame2@@QAEXPAUHW | 1 |
| ?SetSelectedTab@CNPSFrameTopBar_SyncB | 1 |
| ??1CNPSCategoryDlg@@UAE@XZ | 1 |
| ?InitCategories@CNPSCategoryDlg@@QAE | 1 |
| ??0CLabelEditLimited@@QAE@XZ | 1 |
| ??1CLabelEditLimited@@UAE@XZ | 1 |
| ?GetCategories@CNPSCategoryDlg@@QAE | 1 |
| ??0CNPSFieldTypeBar@@QAE@XZ | 1 |

| | |
|--|---|
| ??1CNPSFieldTypeBar@@UAE@XZ | 1 |
| ?CreateA@CNPSFieldTypeBar@@QAEHPAV | 1 |
| ?GetMetaDataAnalyzer@CNPSFieldTypeBar | 1 |
| ?GetLeapMonth@CNPSRCPatternDlg@@QA | 1 |
| ?ParseRCString@CNPSRCPatternDlg@@SA? | 1 |
| ?MoveWindow@CNPSComboSwapSpin@@I | 1 |
| ?CalendarGetCDValEnum@CMetaDataAnaly | 1 |
| ??0CNPSComboSwapSpin@@QAE@XZ | 1 |
| ?CalendarGetCDValRange@CMetaDataAnaly | 1 |
| ??1CNPSComboSwapSpin@@QAE@XZ | 1 |
| ?GetData@CNPSComboSwapSpin@@QAEJX | 1 |
| ?EnableWindow@CNPSComboSwapSpin@@ | 1 |
| ?SetComboStyle@CNPSComboSwapSpin@@ | 1 |
| ?CalendarGetDefaultAlarmValue@CMetaDa | 1 |
| ?ResetContent@CNPSComboSwapSpin@@C | 1 |
| ?CalendarGetCDValType@CMetaDataAnalyz | 1 |
| ??0CNPSRCPatternDlg@@QAE@PAVCWnd(| 1 |
| ??1CNPSRCPatternDlg@@UAE@XZ | 1 |
| ?SetFieldDisable@CNPSRCPatternDlg@@QA | 1 |
| ?AddItem@CNPSComboSwapSpin@@QAEX` | 1 |
| ?DoModalIRCPattern@CNPSRCPatternDlg@() | 1 |
| ?setData@CNPSComboSwapSpin@@QAEXJ | 1 |
| ?GetStartDate@CNPSRCPatternDlg@@QAEI | 1 |
| ?SetEditStyle@CNPSComboSwapSpin@@QA | 1 |
| ?GetRecurrenceType@CNPSRCPatternDlg@ | 1 |
| ?GetRecurrenceEvery@CNPSRCPatternDlg@ | 1 |
| ?GetRecurrenceFlag@CNPSRCPatternDlg@() | 1 |
| ?GetRecurrenceExpireType@CNPSRCPatter | 1 |
| ?GetRecurrenceExpireValue@CNPSRCPatter | 1 |
| ?GetRecurrenceExpireDate@CNPSRCPattern | 1 |
| ?GetLunar@CNPSRCPatternDlg@@QAEHXZ | 1 |
| ?SetImage@CNPSButton@@QAEXIKH@Z | 1 |
| ?GetMenuRect@CNPSFrame2@@IAE?AVCR | 1 |
| ?GetThisClass@CNPSFrame2@@SGPAUCRu | 1 |
| ?GetThisMessageMap@CNPSFrame2@@KG | 1 |
| ?InitSyncBtn@CNPSFrameTopBar_SyncBt@() | 1 |
| ?GetSysButtonRect@CNPSFrame2@@IAE?A | 1 |
| ?initFrameToolTipText@CNPSFrame2@@QF | 1 |
| ??0CNPSFrame2@@IAE@XZ | 1 |
| ?IsRTL@CNPSFrame2@@IAEHXZ | 1 |
| ??1CNPSFrame2@@MAE@XZ | 1 |
| ?setApplIcon@CNPSFrame2@@QAEXI@Z | 1 |
| ?OnCreate@CNPSFrame2@@IAEHPAUtagCI | 1 |
| ?OnClose@CNPSFrame2@@IAEXXZ | 1 |
| ?SetText@CNPSTransferWnd@@QAEXV?\$C | 1 |
| ?setPopupMenu@CNPSFrame2@@QAEXIV? | 1 |
| ?DoDataExchange@CNPSFrame2@@MAEXF | 1 |

| | |
|---|---|
| ??0CNPSFrameTopBar_SyncBt@@QAE@XZ | 1 |
| ??1CNPSFrameTopBar_SyncBt@@UAE@XZ | 1 |
| ?PreTranslateMessage@CNPSFrame2@@M. | 1 |
| ?initFrame@CNPSFrame2@@QAEXIIIIHIIII\ | 1 |
| ?SelChangeDeviceCombo@CNPSFrame2@@@ | 1 |
| ?SetText@CNPSFrame2@@QAEXV?\$C | 1 |
| ?OnBnClickedBtnFunc@CNPSFrame2@@M/ | 1 |
| ?SolarToLunar@CNPSLunarManager@@SAF | 1 |
| ?EnddayOfLunarMonth@CNPSLunarManage | 1 |
| ?LunarToSolar@CNPSLunarManager@@SAF | 1 |
| ?IsLunarYunMonth@CNPSLunarManager@@C | 1 |
| ?DoModal@CNPSDialog@@UAEHXZ | 1 |
| ??0CNPSPrintDlg@@QAE@HKPAVCWnd@C | 1 |
| ?GetRuntimeClass@CNPSPrintDlg@@UBEP/ | 1 |
| ??1CNPSPrintDlg@@UAE@XZ | 1 |
| ?GetMessageMap@CNPSPrintDlg@@MBEPI | 1 |
| ?OnCommand@CNPSPrintDlg@@MAEHIJ@ | 1 |
| ?OnNotify@CNPSPrintDlg@@MAEHIJPAJ@Z | 1 |
| ?OnInitDialog@CNPSPrintDlg@@UAEHXZ | 1 |
| ?SetCounter@CNPSTransferWnd@@QAEXH | 1 |
| ?SetBtnText@CNPSTransferWnd@@QAEXV | 1 |
| ?SetCounterIncrement@CNPSTransferWnd@ | 1 |
| ??0CWin32Registry@@QAE@H@Z | 1 |
| ??1CWin32Registry@@UAE@XZ | 1 |
| ?CalendarExistProperty@CMetaDataAnalyze | 1 |
| ?getKeyValue@CWin32Registry@@QAEHV? | 1 |
| ?SetLabel@CLabelEdit@@QAEXV?\$CStringT | 1 |
| ?CalendarGetCDValCompare@CMetaDataAr | 1 |
| ?CalendarExistValEnum@CMetaDataAnalyze | 1 |
| ?SetRTL@CLabelEdit@@QAEX_N@Z | 1 |
| ?SetLabelLimitText@CLabelEditLimited@@C | 1 |
| ?Validate@CNPSLunarManager@@SAHHHH | 1 |
| ?PreCreateWindow@CNPSFrame2@@@MAEI | 1 |
| @Adsfunc@TAdsExtendedDataSet@AdsClea | 1 |
| @Adsfunc@TAdsExtendedDataSet@AdsReg | 1 |
| @Adsdictionary@TAdsDictionary@ | 1 |
| ?EraseScreen@SCREEN@@QAEEXZ | 1 |
| ?Strchr@BSTRING@@QBEKDK@Z | 1 |
| ?DeleteChAt@BSTRING@@QAEXKK@Z | 1 |
| ?GetLastError@WON_CryptKeyBase@@QBF | 1 |
| ?GetLen@CryptReturn@WON_CryptKeyBas | 1 |
| ?GetData@CryptReturn@WON_CryptKeyBa | 1 |
| ?BTAuthorizeRequestCallback@CWBTAPI@@C | 1 |
| ?HAG_ConnectHeadset@CWBTAPI@@QAE? | 1 |
| ?BTPINCodeRequestCallback@CWBTAPI@@ | 1 |
| ?getSuffix@CBTvCard@@QAEABVCString@ | 1 |
| ?getTitle@CBTvCard@@QAEABVCString@@ | 1 |

| | |
|--|---|
| ?getMiddleName@CBTvCard@@QAEABVCS | 1 |
| ?getLastName@CBTvCard@@QAEABVCStrir | 1 |
| ?getFirstName@CBTvCard@@QAEABVCStri | 1 |
| ?LoadFromVCard@CBTvCard@@QAEAAUT | 1 |
| ?getHomeAddress@CBTvCard@@QAE?BVC | 1 |
| ?getWorkAddress@CBTvCard@@QAE?BVCS | 1 |
| ?getHomePhone@CBTvCard@@QAEABVCSi | 1 |
| ?getMobilePhone@CBTvCard@@QAEABVCS | 1 |
| ?getWorkFax@CBTvCard@@QAEABVCString | 1 |
| ?getWorkPhone@CBTvCard@@QAEABVCSt | 1 |
| ?getDepartment@CBTvCard@@QAEABVCSt | 1 |
| ?getCompany@CBTvCard@@QAEABVCString | 1 |
| ?getID@CBTvCard@@QAEABVCString@@X | 1 |
| ?getEmailAddress@CBTvCard@@QAEABVC! | 1 |
| ?getName@CBTvCard@@QAEPADPAD@Z | 1 |
| ?getJobTitle@CBTvCard@@QAEABVCString | 1 |
| ?TranslateMenu@@YAXPAUHMENU__@@(| 1 |
| ?GetStringRegistry@@YGHPBD0PADH@Z | 1 |
| LTAPIRemoveTasks | 1 |
| LTAPIAddTaskEx | 1 |
| LTAPIClearVolatileTasks | 1 |
| LTAPICompleteTask | 1 |
| LTAPIMonitorIPAddresses | 1 |
| LTAPISetIPAddressFilter | 1 |
| LTAPISetVolatileFilter | 1 |
| @\$xp\$30Ansistringlist@TAnsiStringList | 1 |
| @Dxtl@TCustomdxTreeList@GetHitInfo\$qqi | 1 |
| @Dxtl@TdxTreeListNode@SetString\$qqrix2(| 1 |
| @\$xp\$16Etcctrls@TivEdit | 1 |
| @Etcctrls@TivEdit@ | 1 |
| @lvform@TLoadFormCtrls@GetItem\$qqri | 1 |
| @Tabctrls@TiCustomTabControl@SetTabIn | 1 |
| @Tabctrls@TiCustomTabControl@GetTabIn | 1 |
| @\$xp\$19Dbsheet@THDTreeList | 1 |
| @Dbsheet@THDTreeList@ | 1 |
| @\$xp\$23Ivaccount@TivAccountBox | 1 |
| @Ivaccount@TivAccountBox@ | 1 |
| CmstpExtensionProc2 | 1 |
| ?Draw@CGLBitmap@@QAEHPAVCDC@@P | 1 |
| ?WriteString@CGLStringFile@@QAEHPBD0C | 1 |
| ??1CGLMenu@@UAE@XZ | 1 |
| ?SetBKColor@CGLMenu@@QAEXK@Z | 1 |
| ??0CGLMenu@@QAE@XZ | 1 |
| ??1CFlatComboBox@@UAE@XZ | 1 |
| ??0CFlatComboBox@@QAE@XZ | 1 |
| ?OnEraseBkgnd@CGLRegionWnd@@QAEHF | 1 |
| ?SetButtonColor@CFlatComboBox@@QAEX | 1 |

| | |
|--|---|
| ?SetBorderColor@CFlatComboBox@@QAEX | 1 |
| ?GetBitmapDimension@@YAHPAUHBITMAF | 1 |
| ??1CColorComboBox@@UAE@XZ | 1 |
| ?SetBkColor@CHtmlCtrl@@QAEXK@Z | 1 |
| ?SetNavigateFlag@CHtmlCtrl@@QAEXH@Z | 1 |
| ?AddHtmlLine@CHtmlCtrl@@QAEXPBDH@: | 1 |
| ?AddLine@CHtmlCtrl@@QAEXPBDH@Z | 1 |
| ??0CTransStatic@@QAE@XZ | 1 |
| ?SetWindowTextA@CTransStatic@@QAEXP | 1 |
| ??0CColorComboBox@@QAE@XZ | 1 |
| ??1CGLRegionWnd@@UAE@XZ | 1 |
| ??0CGLRegionWnd@@QAE@XZ | 1 |
| ?SetLightColor@CFlatHeaderCtrl@@QAEXK\ | 1 |
| ?SetShadowColor@CFlatHeaderCtrl@@QAE | 1 |
| ?SetTextColor@CFlatHeaderCtrl@@QAEXK\ | 1 |
| ?SetSortColumn@CFlatHeaderCtrl@@QAEX | 1 |
| ??1CFlatHeaderCtrl@@UAE@XZ | 1 |
| ??0CFlatHeaderCtrl@@QAE@XZ | 1 |
| ?DrawBk@CGLBorderInfo@@QAEXPVCWr | 1 |
| ?DrawFrame@CGLBorderInfo@@QAEXPV(| 1 |
| ?DrawSysBtn@CGLBorderInfo@@QAEXHHP | 1 |
| ?OnSize@CGLBorderInfo@@QAEXIHHPAVC' | 1 |
| ?PopSysMenu@CGLBorderInfo@@QAEXPAl | 1 |
| ?PtInSysBtn@CGLBorderInfo@@QAEHVCPo | 1 |
| ?GetCloseBtnRect@CGLBorderInfo@@QAEH | 1 |
| ?GetMinBtnRect@CGLBorderInfo@@QAEHV | 1 |
| ?GetMaxBtnRect@CGLBorderInfo@@QAEHV | 1 |
| ?OnNcHitTest@CGLBorderInfo@@QAEIVCP | 1 |
| ?IsVaild@CGLBorderInfo@@QAEHXZ | 1 |
| ?DrawEx@CGLBitmap@@QAEHPAVCDC@@ | 1 |
| ?Draw@CGLBitmap@@QAEHPAVCDC@@H | 1 |
| ?SetButtonBkBmp@CHoverButton@@QAEH | 1 |
| ?_LoadImage@@YAPAUHBITMAP__@@PAI | 1 |
| ?CreateItemBar@CEduAvt@@QAEJJJJJ@Z | 1 |
| ?SetButtonBkBmp@CHoverButton@@QAEH | 1 |
| ?CreateItemBar2@CEduAvt@@QAEJJJJJ@Z | 1 |
| ??0CHoverButton@@QAE@XZ | 1 |
| ?DrawTransparent@CGLBitmap@@QAEHPA | 1 |
| ?LoadFileBitmap@CGLBitmap@@QAEHPBD | 1 |
| ?CreateCtrl@CHtmlCtrl@@QAEHIPAVCWnd | 1 |
| ?OnCreate@CGLRegionWnd@@QAEHPAUt; | 1 |
| ?ShowBitmap@CGLBitmap@@QAEHPAVCD | 1 |
| ?SetScrollBarColor@CHtmlCtrl@@QAEXKKK | 1 |
| ??1CHtmlCtrl@@UAE@XZ | 1 |
| ??0CGLBitmap@@QAE@XZ | 1 |
| ??0CHtmlCtrl@@QAE@XZ | 1 |
| ?GetIniString@CGLINIFile@@QAEKPBD00PA | 1 |

| | |
|--|---|
| ?WriteHtmlText@CHtmlCtrl@@QAEXPBD@ | 1 |
| ?SaveFileBitmap@CGLBitmap@@QAEHPBD | 1 |
| ?PreTranslateMessage@CGUISplitter@@QA | 1 |
| ?OnSize@CGUISplitter@@QAEXVCRect@@I | 1 |
| ?CreateView@CGLSplitterWnd@@SAPAVCV | 1 |
| ?CreateView@CGLSplitterWnd@@SAPAVCV | 1 |
| ??0CGUISplitter@@QAE@XZ | 1 |
| ?SetSplitterWnd@CGUISplitter@@QAEXP@I | 1 |
| ??1CGUISplitter@@UAE@XZ | 1 |
| ?OnMouseMove@CGUISplitter@@MAEXIV@ | 1 |
| ??1CTitleTip@@UAE@XZ | 1 |
| ??0CCoolScrollBar@@QAE@XZ | 1 |
| ??0CTitleTip@@QAE@XZ | 1 |
| ??1CCoolScrollBar@@UAE@XZ | 1 |
| ?SetColor@CCoolScrollBar@@QAEXKK@Z | 1 |
| ?Install@CCoolScrollBar@@QAEHPAVCWnd | 1 |
| ?GetTimeStringFromSeconds@@YA?AVCStr@ | 1 |
| ?Hide@CTitleTip@@QAEXXZ | 1 |
| ?CopyStringToClipboard@@YAHPBD@Z | 1 |
| ?Show@CTitleTip@@QAEXVCRect@@PBDF@ | 1 |
| ?GetItemInfo@CEduAvt@@QAEJJ@Z | 1 |
| ?SetFaceColor@CFlatHeaderCtrl@@QAEXK@ | 1 |
| ?OnLButtonDown@CGUISplitter@@MAEXIV@ | 1 |
| ?OnLButtonUp@CGUISplitter@@MAEXIVCP | 1 |
| ?OnDrawBar@CGUISplitter@@MAEXP@AVCD@ | 1 |
| ?GetRuntimeClass@CEduAvt@@UBEP@UACR | 1 |
| ?MsgBox@@YAHPBDIIKK@Z | 1 |
| ?Destroy@CGLStringFile@@QAEXXZ | 1 |
| ?ReadString@CGLStringFile@@QAE?AVCStr@ | 1 |
| ?GetFilePath@@YAHPAD@Z | 1 |
| ?Init@CGLStringFile@@QAEHPBD@Z | 1 |
| ?GetInlnt@CGLINIFile@@QAEHPBD@Z | 1 |
| ?FileExist@@YAHPBD@Z | 1 |
| ?LoadFromFile@CGLBorderInfo@@QAEHPB@ | 1 |
| ??0CGLStringFile@@QAE@XZ | 1 |
| ??0CGLBorderInfo@@QAE@XZ | 1 |
| ??1CGLBorderInfo@@UAE@XZ | 1 |
| ??1CHoverButton@@UAE@XZ | 1 |
| ??1CURLStatic@@UAE@XZ | 1 |
| ??1CTransStatic@@UAE@XZ | 1 |
| ??1CGLBitmap@@UAE@XZ | 1 |
| ?GetBitmapSize@CGLBitmap@@QAEHPAUT | 1 |
| ??1CGLStringFile@@UAE@XZ | 1 |
| ??1CGLINIFile@@UAE@XZ | 1 |
| DBGetDisplayStr | 1 |
| DBSetDisplayStr | 1 |
| DBSetDesc | 1 |

| | |
|-----------------------------|---|
| DBGetDesc | 1 |
| DBSetSerialNum | 1 |
| DBGetAddress | 1 |
| DBSetStatus | 1 |
| PALEnumPeripheralsEx | 1 |
| DBIsSNMPSupported | 1 |
| PALSetObject | 1 |
| DBIsDirectModeSupported | 1 |
| PALOpenChannel | 1 |
| DBGetStatus | 1 |
| DBIsConfiguredEx | 1 |
| PALGetPeripheralByAddress | 1 |
| PALGetPeripheralByNameEx | 1 |
| DBGetConnectionsConfigured | 1 |
| PALModifyAccess | 1 |
| PALFlushCache | 1 |
| PALEnumPeripherals | 1 |
| DBGetNameEx | 1 |
| DBSetNameEx | 1 |
| PALDisplayUIEx | 1 |
| PALRegisterAppEx | 1 |
| PALSetDefaultProtocol | 1 |
| PALUnregisterAppEx | 1 |
| DBGetConnectionTypeEx | 1 |
| PALGetDefaultProtocol | 1 |
| DBSetAssetNum | 1 |
| DBGetAssetNum | 1 |
| DBSetAddress | 1 |
| DBGetSerialNum | 1 |
| DBGetLocalPort | 1 |
| AMGetObject | 1 |
| DBAgeAllNow | 1 |
| DBAgeNow | 1 |
| PALGetAppletVersions | 1 |
| DBGetCount | 1 |
| DBGetRegistryStrEx | 1 |
| DBGetPortNumber | 1 |
| PALWriteChannel | 1 |
| PALCloseChannel | 1 |
| TALOpenChannel | 1 |
| TALCloseChannel | 1 |
| PALGetObject | 1 |
| DIINWCallsInit | 1 |
| DIINWReadPropertyValue | 1 |
| DIINWGetDefaultConnectionID | 1 |
| DIINWGetInetAddr | 1 |
| DIINWDestroyQueue | 1 |

| | |
|---------------------------------|---|
| DIINWDSCreateContext | 1 |
| DIINWFreeUnicodeTables | 1 |
| DIINWDGetContext | 1 |
| DIINWDSSetContext | 1 |
| DIINWDSMapIDToName | 1 |
| DIINWDSFreeContext | 1 |
| DIINWCreateQueue | 1 |
| DIINWChangeObjectPassword | 1 |
| DIINWLLongSwap | 1 |
| DIINWAddTrusteeToDirectory | 1 |
| DIINWGetVolumeName | 1 |
| DIINWDeleteProperty | 1 |
| DIINWPSCoAttachToPrintServer | 1 |
| DIINWPSCoLoginToPrintServer | 1 |
| DIINWGetObjectConnectionNumbers | 1 |
| DIINWPSCoGetQueuesServiced | 1 |
| DIINWPSCoGetNotifyObject | 1 |
| DIINWPSCoDetachFromPrintServer | 1 |
| DIINWDeleteObject | 1 |
| DIINWIsObjectInSet | 1 |
| DIINWDeleteObjectFromSet | 1 |
| DIINWGetConnectionNumber | 1 |
| DIINWGetConnectionInformation | 1 |
| DIINWLlocaleconv | 1 |
| DIINWInitUnicodeTables | 1 |
| DIINWGetBinderyAccessLevel | 1 |
| DIINWSetQueueCurrentStatus2 | 1 |
| DIINWChangeQueueJobEntry2 | 1 |
| DIINWRemoveJobFromQueue2 | 1 |
| DIINWGetQueueJobFileSize2 | 1 |
| DIINWGetQueueJobList2 | 1 |
| DIINWReadQueueJobEntry2 | 1 |
| DIINWGetObjectNames | 1 |
| DIINWWordSwap | 1 |
| DIISSendJob | 1 |
| DIINWReadQueueCurrentStatus2 | 1 |
| DIINWWWritePropertyValue | 1 |
| DIINWScanObject | 1 |
| HPNWShimNetWarePresent | 1 |
| DIINWGetConnectionID | 1 |
| DIINWCreateObject | 1 |
| DIINWCreateProperty | 1 |
| DIINWAddObjectToSet | 1 |
| DIINWGetObjectID | 1 |
| DIINWGetConnectionList | 1 |
| DIINWGetFileServerName | 1 |
| DIINWPSCoGetNextRemotePrinter | 1 |

| | |
|--|---|
| DIINWPSCoGetPrinterStatus | 1 |
| AlertsSetUpdateInterval | 1 |
| AlertsReinitialize | 1 |
| AlertsInit | 1 |
| AlertsExit | 1 |
| AlertsGetUpdateInterval | 1 |
| AlertsGetEnabled | 1 |
| AlertsSetNotification | 1 |
| AlertsGetLoggingName | 1 |
| AlertsGetNotification | 1 |
| AlertsAddPeripheral | 1 |
| AlertsRemoveAllPeripherals | 1 |
| AlertsSetEnabled | 1 |
| TraySetPrinters | 1 |
| TrayGetPrinterHandleByRegEntry | 1 |
| AlertsGetPrinters | 1 |
| AlertsRenamePrinter | 1 |
| TrayGetPrinters | 1 |
| @Dialogs@TColorDialog@\$bctr\$qqrp18Clas | 1 |
| @Cmtwnform@TMtWnForm@SetDefaultRil | 1 |
| @Cmtwnform@TMtWnForm@SetDefaultdx | 1 |
| @Cmtwnform@TMtWnForm@GetStrippedS | 1 |
| @Cmtwnform@TMtWnForm@FormActivate | 1 |
| @\$xp\$19Cmtwnform@TMtWnForm | 1 |
| @Cmtwnform@TMtWnForm@ | 1 |
| @Mtutils@MacroExpansionManager\$qqrv | 1 |
| @Mtutils@TMtMacroExpansionManager@E | 1 |
| @Mtutils@lif\$qqro17System@AnsiStringt2 | 1 |
| @Mtcustompers@PersManager\$qqrv | 1 |
| @Dxbar@TdxBarItemLink@SetVisible\$qqro | 1 |
| @Dxribbon@TdxRibbon@ | 1 |
| @Dxribbon@TdxRibbonPopupMenu@ | 1 |
| @Dxribbon@TdxRibbonTab@ | 1 |
| @Mtresbuttons@TMtResSpeedButton@ | 1 |
| @Mtablistbox@TMtTabListBox@ | 1 |
| @Mtsnapshot@Initialization\$qqrv | 1 |
| @Mtsnapshot@Finalization\$qqrv | 1 |
| @Mtsnapshot@TSnapshot@EnumRegisters | 1 |
| @Mtsnapshot@WriteSnapshotToFile\$qqrp1 | 1 |
| @Mtsnapshot@TSnapshot@ | 1 |
| @Ibodataset@TIBODataset@ExecSQL\$qqrv | 1 |
| @Mtiboquery@TMtIBOQuery@GetUserID\$qqrv | 1 |
| @Crc32dll@Initialization\$qqrv | 1 |
| @Crc32dll@Finalization\$qqrv | 1 |
| @Mtinvregistry@TMtInvRegistry@Unregister | 1 |
| @Mtinvregistry@TMtInvRegistry@RegisterN | 1 |
| @Mtinvregistry@TMtInvRegistry@Invoke\$qq | 1 |

| | |
|--|---|
| @Mtinvregistry@TMtInvParams@SetInteger | 1 |
| @Mtinvregistry@TMtInvParams@SetBoolean | 1 |
| @Mtinvregistry@TMtInvParams@GetInteger | 1 |
| @Mtinvregistry@TMtInvParams@GetBoolean | 1 |
| @Mturi@TMtURIHandlerManager@Handle | 1 |
| @Mturi@URIHandlerManager\$qqrv | 1 |
| @Mtsettingsdf@Settings\$qqrv | 1 |
| @Mtappinterface@CbiExists\$qqrv | 1 |
| @Mtsettings@TMtSettings@SetIntegerValue | 1 |
| @Mtsettings@TMtSettings@GetIntegerValue | 1 |
| @Udmparametrinodo@TDmParametriNodo | 1 |
| @Mtcachemanager@TMtCacheManager@F | 1 |
| @Mtcachemanager@CacheManager\$qqrv | 1 |
| @Mtdxbarmanager@initialization\$qqrv | 1 |
| @Mtdxbarmanager@Finalization\$qqrv | 1 |
| @Mtdxbarmanager@TMtdxBarPopupMenu | 1 |
| @Mtdxbarmanager@TMtdxBarManager@ | 1 |
| @Mtmediamanager@initialization\$qqrv | 1 |
| @Mtmediamanager@Finalization\$qqrv | 1 |
| @Utytoolsswitch@initialization\$qqrv | 1 |
| @Utytoolsswitch@Finalization\$qqrv | 1 |
| @Utytoolsswitch@TMtPIDs@StartProcess\$c | 1 |
| @Utytoolsswitch@RunningApplication\$qqrv | 1 |
| @Utytoolsswitch@_ToolWindowNameCalc | 1 |
| @Mtmediemain@initialization\$qqrv | 1 |
| @Mtmediemain@Finalization\$qqrv | 1 |
| @Mtmediemain@LoadMtMediaMainImage | 1 |
| @Uwninfo@initialization\$qqrv | 1 |
| @Uwninfo@Finalization\$qqrv | 1 |
| @Uwninfo@WnInfoShowModal\$qqrv | 1 |
| @Cmtwninfo@initialization\$qqrv | 1 |
| @Cmtwninfo@Finalization\$qqrv | 1 |
| @Uwninfodetails@initialization\$qqrv | 1 |
| @Uwninfodetails@Finalization\$qqrv | 1 |
| @Mtmoduleinfo@initialization\$qqrv | 1 |
| @Mtmoduleinfo@Finalization\$qqrv | 1 |
| @Utyfiletransfer@initialization\$qqrv | 1 |
| @Utyfiletransfer@Finalization\$qqrv | 1 |
| @Mttextfilereader@initialization\$qqrv | 1 |
| @Mttextfilereader@Finalization\$qqrv | 1 |
| @Mttextfieldwriter@initialization\$qqrv | 1 |
| @Mttextfieldwriter@Finalization\$qqrv | 1 |
| @Uwnlicense@initialization\$qqrv | 1 |
| @Uwnlicense@Finalization\$qqrv | 1 |
| @Uwnlicense@WnLicenseShow\$qqrv | 1 |
| @Cmtwndfform@LoadCustomColorsInMem | 1 |
| @Idssmtp@Finalization\$qqrv | 1 |

| | |
|---|---|
| @Idsmtp@TIdSMTP@SetAuthenticationType | 1 |
| @Idemailaddress@TIdEMailAddressList@Set | 1 |
| @Idemailaddress@TIdEMailAddressList@Ac | 1 |
| @Shdocvw@CoShellWindows@Create\$qqqr | 1 |
| @Shdocvw@CoShellWindows@ | 1 |
| @Mshtml@initialization\$qqrv | 1 |
| @Ddeman@TDdeClientConv@SetLink\$qqrx | 1 |
| @Ddeman@TDdeClientConv@requestData! | 1 |
| @Ddeman@TDdeClientConv@CloseLink\$qq | 1 |
| @Ddeman@TDdeClientConv@\$bctr\$qqrp1E | 1 |
| LockDownEnableLockDown | 1 |
| LockDownDisableLockDown | 1 |
| LockDownGetWatchableKey | 1 |
| GetBackedUpDetections | 1 |
| OMP_ARRAY_RemoveAt | 1 |
| LoadSchedTaskData | 1 |
| SaveSchedTaskDataEx | 1 |
| SaveSchedTaskData | 1 |
| REG_SetValueEx | 1 |
| OMP_ARRAY_GetCount | 1 |
| OMP_ARRAY_GetAt | 1 |
| RemoveSchedTaskFromCMA | 1 |
| OMP_ARRAY_Add | 1 |
| OMP_ARRAY_Create | 1 |
| REG_OpenEx | 1 |
| Sh_AddToRolledbackDATList | 1 |
| REG_Open | 1 |
| REG_Close | 1 |
| REG_GetKey | 1 |
| REG_SetOpt | 1 |
| REG_GetOpt | 1 |
| GetComponentPath | 1 |
| REG_DeleteKey | 1 |
| REG_QueryValueEx | 1 |
| IsWOW64 | 1 |
| GetInstalledPatches | 1 |
| REG_EnumTasks | 1 |
| REG_DeleteValue | 1 |
| OMP_ARRAY_Destroy | 1 |
| NaiConsoleServerCreate1 | 1 |
| GetWindowsdirectoryW | 1 |
| GetSystemdirectoryW | 1 |
| GetDateFormatW | 1 |
| deleteFileW | 1 |
| GetdesktopWindow | 1 |
| GetClipboarddata | 1 |
| dispatchMessageA | 1 |

| | |
|--|---|
| defWindowProcA | 1 |
| SHdeleteKeyW | 1 |
| SHGetPathFromIdListW | 1 |
| ownloadToFileW | 1 |
| URLdownloadToFileW | 1 |
| deleteUrlCacheEntryW | 1 |
| FtpSetCurrentdirectoryW | 1 |
| CreateWBObject | 1 |
| CMS_GetStatus | 1 |
| @Sysutils@LongDayNames | 1 |
| @Sysutils@LongTimeFormat | 1 |
| @Classes@GroupDescendentsWith\$qqrp17! | 1 |
| @Math@Floor\$qqrxg | 1 |
| @Consts @_SDdeNoConnect | 1 |
| @Consts @_SDdeMemErr | 1 |
| @Consts @_SDdeConvErr | 1 |
| @Consts @_SDdeErr | 1 |
| ?CTConvertCLSIDToString@@YG?AW4tagCT | 1 |
| ?GetTopicCount@IHtmlFrame@@QAEKXZ | 1 |
| ?GetTopic@IHtmlFrame@@QAEHPADH@Z | 1 |
| ??0IHtmlFrame@@QAE@XZ | 1 |
| ??1IHtmlFrame@@UAE@XZ | 1 |
| ?Initialize@IHtmlFrame@@QAEHPBDHHHH | 1 |
| ?ShowTopic@IHtmlFrame@@QAEHH@Z | 1 |
| ?SetDialogCaption@IHtmlFrame@@QAEHPI | 1 |
| IsValidAc | 1 |
| GRF_GetFileCount | 1 |
| GRF_CheckVersion | 1 |
| GRF_Repack | 1 |
| GRF_Fusion | 1 |
| ??0SimpleAuthenticationRequest@ucbhelp | 1 |
| ?appendString@PropertyValueSet@ucbhelp | 1 |
| ?appendBoolean@PropertyValueSet@ucbhe | 1 |
| ?appendLong@PropertyValueSet@ucbhelpe | 1 |
| ?appendTimestamp@PropertyValueSet@uc | 1 |
| ?shouldUseProxy@InternetProxyDecider@u | 1 |
| FsRtAllocatePoolWithQuota | 1 |
| _vbaFre | 1 |
| ShowBurnImageDialog | 1 |
| SelectImageCatalogFolder | 1 |
| EditBox | 1 |
| ShowDeviceParameters | 1 |
| ShowDeviceInfo | 1 |
| Sqlgui_GetPutDEditColors | 1 |
| ?Update@CDataCtl@@QAEXH@Z | 1 |
| ?SetColumnStyle@CDataCtl@@QAEHK@Z | 1 |
| ?SetColumnWidthInDLUs@CDataCtl@@QAF | 1 |

| | |
|--|---|
| ?SetColumnFilter@CDataCtl@@QAEHHIPBC | 1 |
| ?InsertContentsColumn@CDataCtl@@QAEI | 1 |
| Sqlgui_SetDEditFont | 1 |
| ?InsertHeaderColumn@CDataCtl@@QAEHH | 1 |
| ?SetHostSupport@CDataCtl@@QAEXF@Z | 1 |
| ?InitStgRecMgr@CDataCtl@@QAEXKI@Z | 1 |
| ?SetStyle@CDataCtl@@QAEXK@Z | 1 |
| ?SetFakeEnable@CDataCtl@@QAEXH@Z | 1 |
| ?DisplayInPlaceEditor@CDataCtl@@QAEXHI | 1 |
| ?GetCurColSel@CDataCtl@@QBEJXZ | 1 |
| ?GetCurSel@CDataCtl@@QBEJXZ | 1 |
| ?AddTool@CToolTips@@QAEHPAUHWND_ | 1 |
| SubClsMsgGrabberFree | 1 |
| ?GetRowRec@CDataCtl@@QAEPAXH@Z | 1 |
| ?SetCurCell@CDataCtl@@QAEXHH@Z | 1 |
| ?AddRowRec@CDataCtl@@QAEPAX@Z | 1 |
| Sqlgui_SetCurrentLine | 1 |
| Sqlgui_SetInactiveLine | 1 |
| Sqlgui_SetMarks | 1 |
| Sqlgui_ToggleMark | 1 |
| Sqlgui_RemoveAllMarks | 1 |
| Sqlgui_SetTextAppend | 1 |
| SubClsMsgSetNotifyWnd | 1 |
| Sqlgui_InitComboEx2 | 1 |
| Sqlgui_RegisterComboEx | 1 |
| ?SetAddToolFlags@CToolTips@@QAEXI@Z | 1 |
| Sqlgui_ReplaceTemplateParam | 1 |
| ?DoColumnOptimalSetting@CDataCtl@@Q/ | 1 |
| Sqlgui_GetTemplateParam | 1 |
| ??0CToolTips@@QAE@XZ | 1 |
| ??1CToolTips@@UAE@XZ | 1 |
| Sqlgui_ChoosePath | 1 |
| SQLUIGetStdFontInfoSpecial | 1 |
| Sqlgui_RegDeleteKeyNT | 1 |
| Sqlgui_GetLongPathName | 1 |
| DEditGetInsertMode | 1 |
| SQLGUISetMenuIconEx | 1 |
| DoSysColorChange | 1 |
| Sqlgui_LoadAndRecolorBitmap | 1 |
| SQLGUISetMenuBitmaps | 1 |
| Sqlgui_GetDefaultSpecialPath | 1 |
| SQLGUISetMenuOwnDraw | 1 |
| GetTextExtentFont | 1 |
| SQLUIGetStdFontInfo | 1 |
| SQLGUIMeasureMenuItem | 1 |
| SQLGUIHandleWM_MENUCHAR | 1 |
| VerifySQLLogin | 1 |

| | |
|-----------------------------------|---|
| QSQLConnect | 1 |
| SQLUIDialogBoxParam | 1 |
| SQLGUICreateMenuItem | 1 |
| SQLGUICreateMenuItems | 1 |
| CenterDlg | 1 |
| SQLGUIDrawOS | 1 |
| SubClsMsgGrabberSet | 1 |
| BltColorableBitmap | 1 |
| ?DeleteRowRec@CDataCtl@@QAEHH@Z | 1 |
| Sqlgui_ComboboxInsertString | 1 |
| ?GetNumRows@CDataCtl@@QAEJXZ | 1 |
| SQLGUIDrawMenuItem | 1 |
| QSQLServerName | 1 |
| TaskApplicationWindow | 1 |
| QSQLColumnData | 1 |
| SetTaskName | 1 |
| QSQLBeginAutoRollback | 1 |
| QSQLPrepare | 1 |
| QSQLExec | 1 |
| QSQLPrefix | 1 |
| QSQLRegisterProc | 1 |
| QSQLEndAutoRollback | 1 |
| QSQLCopyConnStruct | 1 |
| QSQLUseDB | 1 |
| SetTaskApplicationWindow | 1 |
| EditIndex | 1 |
| QueryValidateClosure | 1 |
| QW_GetQueryEdit | 1 |
| QW_IsShowplanable | 1 |
| QW_Connect | 1 |
| QW_GetFileNameCodePage | 1 |
| CreateGridHostWnd | 1 |
| QW_GetServerFlags | 1 |
| QW_GetConnectionPropertiesOptions | 1 |
| QW_GetConnectionsOptions | 1 |
| QW_GetResultsOptions | 1 |
| QW_GetEditorOptions | 1 |
| QW_GetGeneralOptions | 1 |
| QW_SetResultsOptions | 1 |
| GetLoginTOValue | 1 |
| QW_CanSearchObject | 1 |
| QW_CanTraceServer | 1 |
| OTU_IsTableUpdatable | 1 |
| QW_QuerySetMenulcons | 1 |
| QW_SetConnectionPropertiesOptions | 1 |
| QW_SetConnectionsOptions | 1 |
| QW_ExecuteQuery | 1 |

| | |
|--|---|
| QW_GetSelectedText | 1 |
| QW_NumParams | 1 |
| QW_SetEditorOptions | 1 |
| QW_SetGeneralOptions | 1 |
| ?EnableButton@SToolBarCtrl@@QAEHHH@ | 1 |
| ??OSString@@QAE@PBG@Z | 1 |
| ??BSString@@QBEPBGXZ | 1 |
| ?AddButtons@SToolBarCtrl@@QAEHHPAU_ | 1 |
| ??0ToolBarCtrl@@QAE@XZ | 1 |
| ??1ToolBarCtrl@@UAE@XZ | 1 |
| ?SetBandInfo@sReBarCtrl@@QAEHIPAUTAG | 1 |
| ?DestroyWindow@SWnd@@QAEHXZ | 1 |
| ??0SReBarCtrl@@QAE@XZ | 1 |
| ?CreateEx@sReBarCtrl@@QAEHKKABUTAGR | 1 |
| ?InsertBand@sReBarCtrl@@QAEHIPAUTAGR | 1 |
| ?CheckButton@SToolBarCtrl@@QAEHHH@: | 1 |
| ??OSRect@@QAE@HHHH@Z | 1 |
| ??OSRect@@QAE@XZ | 1 |
| ?GetRect@SStatusBarCtrl@@QBEHHPAUTAG | 1 |
| ?Create@SStatusBarCtrl@@QAEHKKABUTAGR | 1 |
| ?SetParts@SStatusBarCtrl@@QAEHHPAH@: | 1 |
| ??1SStatusBarCtrl@@UAE@XZ | 1 |
| ??0SStatusBarCtrl@@QAE@XZ | 1 |
| ?DrawItem@SStatusBarCtrl@@UAEXPAUTAG | 1 |
| ?OnChildNotify@SStatusBarCtrl@@MAEHIIJ | 1 |
| ??OSRect@@QAE@ABUTAGRECT@@@Z | 1 |
| ?InflateRect@SRect@@QAEXHH@Z | 1 |
| ??OSListBox@@QAE@XZ | 1 |
| ?Width@sRect@@QBEHXZ | 1 |
| ?Init@SWnd@@QAEXPAPUHWND__@@@Z | 1 |
| ?OnCommandHelp@SWnd@@UAEHPAUTAG | 1 |
| ?OnContextMenu@SWnd@@UAEXPAPUHWI | 1 |
| ?SetButtonStructSize@SToolBarCtrl@@QAE | 1 |
| ?GetDlgItem@SWnd@@QAEPAV1@I@Z | 1 |
| ??YSString@@QAEABV0@PBG@Z | 1 |
| ??YSString@@QAEABV0@D@Z | 1 |
| ??OSString@@QAE@ABV0@@Z | 1 |
| ?LoadString@SString@@QAEHPAUHINSTAN | 1 |
| ?GetButton@SToolBarCtrl@@QBEHHPAU_T | 1 |
| ?CommandToIndex@SToolBarCtrl@@QBEII | 1 |
| ?DeRef@SRecMem@@QBEPAXJ@Z | 1 |
| ?GetParent@SWnd@@QAEPAV1@XZ | 1 |
| ??OCDataCtrl@@QAE@XZ | 1 |
| ?SFCDDX_Control@@YGXPASDataExchang | 1 |
| ?Update@CDataCtrl@@QAEXH@Z | 1 |
| ?SetNumRows@CDataCtrl@@QAEHI@Z | 1 |
| ?SetColumnWidths@CDataCtrl@@QAEXPBC | 1 |

| | |
|---------------------------------------|---|
| ?SetColumnFilter@CDataCtrl@@QAEHHIPB | 1 |
| ?InsertContentsColumn@CDataCtrl@@QAE | 1 |
| ?SetResInst@CDataCtrl@@QAEXPAAUINSTA | 1 |
| ?SetRowReadOnly@CDataCtrl@@QAEXHH@C | 1 |
| ?GetRowRec@CDataCtrl@@QAEPAXH@Z | 1 |
| ??OSComboBox@@QAE@XZ | 1 |
| ?AddBitmap@SToolBarCtrl@@QAEHPAUHII | 1 |
| ??BSRect@@QAEPAUTagRECT@@XZ | 1 |
| ??OSString@@QAE@PBD@Z | 1 |
| ?SelectObject@SDC@@QAEPAVSBrush@@I | 1 |
| ??1SDC@@QAE@XZ | 1 |
| ??0SDC@@QAE@PAUHDC__@@@Z | 1 |
| ?GetPathName@SFileDialog@@QAE?AVSSt | 1 |
| ?DoModal@SFileDialog@@UAEHXZ | 1 |
| ??OSFileDialog@@QAE@HPBGOKOPAVSWnc | 1 |
| ?GetCurTab@CPropertySheet@@QAEHXZ | 1 |
| ??CTreeCtrl@@QAE@XZ | 1 |
| ??1CTreeCtrl@@UAE@XZ | 1 |
| ?Expand@CTreeCtrl@@QAEHPAU_TREEITE | 1 |
| ?SetItemImage@CTreeCtrl@@QAEHPAU_TF | 1 |
| ?SetItemState@CTreeCtrl@@QAEHPAU_TRI | 1 |
| ?InsertItem@CTreeCtrl@@QAEPAU_TREEIT | 1 |
| ?GetNextSiblingItem@CTreeCtrl@@QAEPAI | 1 |
| ?GetItemData@CTreeCtrl@@QAEKPAU_TRE | 1 |
| ?GetChildItem@CTreeCtrl@@QAEPAU_TRE | 1 |
| ?SetItemData@CTreeCtrl@@QAEHPAU_TRE | 1 |
| ?GetParentItem@CTreeCtrl@@QAEPAU_TR | 1 |
| ?HitTest@CTreeCtrl@@QAEPAU_TREEITEM | 1 |
| ?SetImageList@CTreeCtrl@@QAEPAU_IMA | 1 |
| ?GetFont@SWnd@@QAEPAVSFont@@XZ | 1 |
| ?IsEmpty@SString@@QBEHXZ | 1 |
| ?SCreateWindow@SWnd@@QAEPAUHWNI | 1 |
| ?GetText@SListBox@@QBEXHAAVSString@ | 1 |
| ?GetWindowText@SWnd@@QBEXAAVSStri | 1 |
| ?GetLength@SString@@QBEHXZ | 1 |
| ??4SString@@QAEABV0@ABV0@@Z | 1 |
| ?Proc@SDialog@@MAEJIJ@Z | 1 |
| ?OnCancel@SDialog@@UAEXXZ | 1 |
| ??0SDialog@@QAE@PAUHINSTANCE__@@ | 1 |
| ?CenterWindow@SWnd@@QAEXPAV1@@: | 1 |
| ?OnInitDialog@SDialog@@UAEHXZ | 1 |
| ?SetColumnStyle@CDataCtrl@@QAEHHK@: | 1 |
| ?SetColumnWidthInDLUs@CDataCtrl@@QA | 1 |
| ?Proc@SToolBarCtrl@@MAEJIJ@Z | 1 |
| ?OnChildNotify@SToolBarCtrl@@MAEHIIJP | 1 |
| ?AddBitmap@SToolBarCtrl@@QAEHHPAVSI | 1 |
| ?Create@SToolBarCtrl@@QAEHKABUtagRE | 1 |

| | |
|--------------------------------------|---|
| ?GetBufferSetLength@SString@@QAEPAHG | 1 |
| ?Empty@SString@@QAEXXZ | 1 |
| ?RestoreState@SToolBarCtrl@@QAEPAUH | 1 |
| ?GetButtonCount@SToolBarCtrl@@QBEHXZ | 1 |
| ?SaveState@SToolBarCtrl@@QAEPAUHKE` | 1 |
| ?Customize@SToolBarCtrl@@QAEXXZ | 1 |
| ?DeleteButton@SToolBarCtrl@@QAEHH@Z | 1 |
| ?SetCurCell@CDataCtrl@@QAEHH@Z | 1 |
| ??YSString@@QAEABV0@ABV0@@Z | 1 |
| ??4SString@@QAEABV0@D@Z | 1 |
| ??YSString@@QAEABV0@G@Z | 1 |
| ?Format@SString@@QAXPBGZZ | 1 |
| ??4SString@@QAEABV0@PBD@Z | 1 |
| ?InitStgRecMgr@CDataCtrl@@QAEK@Z | 1 |
| ?InsertHeaderColumn@CDataCtrl@@QAEH@ | 1 |
| ?SetStyle@CDataCtrl@@QAEK@Z | 1 |
| ?Height@SRect@@QBEHXZ | 1 |
| ?SfcWinHelp@SDialog@@UAEXPBGIK@Z | 1 |
| ??0CPropertySheet@@QAE@PAUHINSTANC | 1 |
| ??1CPropertySheet@@UAE@XZ | 1 |
| ?DoModal@CPropertySheet@@UAEHXZ | 1 |
| ?AddPage@CPropertySheet@@QAEPAVCF | 1 |
| ?OnWizardFinish@CPropertyPage@@UAEH | 1 |
| ?EndDialog@CPropertyPage@@UAEXH@Z | 1 |
| ?OnKillActive@CPropertyPage@@UAEHXZ | 1 |
| ?OnInitDialog@CPropertyPage@@UAEHXZ | 1 |
| ?OnOK@SDialog@@UAEXXZ | 1 |
| ?OnCancel@CPropertyPage@@UAEXXZ | 1 |
| ?OnIntlInterrogate@SDialog@@UAEJIJ@Z | 1 |
| ?Proc@SWnd@@MAEJIJ@Z | 1 |
| ?PreTranslateMessage@SDialog@@UAEHP/ | 1 |
| ?OnPageCreated@CPropertySheet@@MAE | 1 |
| ?OnInterrogate@SDialog@@UAEHHJJPAE(| 1 |
| ?Proc@CPropertyPage@@MAEJIJ@Z | 1 |
| ?OnNTCtlColor@SWnd@@EAEJIJ@Z | 1 |
| ?OnContextMenu@SDialog@@UAEXPBHV | 1 |
| ?OnNotify@CPropertyPage@@UAEHIJPAJ@ | 1 |
| ?OnCommand@SDialog@@UAEHIJ@Z | 1 |
| ??0CPropertyPage@@QAE@PAVCPropertyS | 1 |
| ??1CPropertyPage@@UAE@XZ | 1 |
| ?EnableApply@CPropertyPage@@QAEXH@ | 1 |
| ?OnSetActive@CPropertyPage@@UAEHXZ | 1 |
| ?IsWizard@CPropertySheet@@QAEHXZ | 1 |
| ??1SWnd@@QAE@XZ | 1 |
| ?DoModal@SDialog@@QAEHXZ | 1 |
| ?CompareDiskNames@@YGHJJ@Z | 1 |
| RegCreateKeyI | 1 |

| | |
|--|---|
| RegOpenKeyI | 1 |
| MLInit | 1 |
| ConfigGetInt | 1 |
| WSLog | 1 |
| EVCreate | 1 |
| SDVideoCreate | 1 |
| SDAudioCreate | 1 |
| @Db@TDataSet@DoOnNewRecord\$qqrv | 1 |
| @Db@TDataSet@DoBeforeInsert\$qqrv | 1 |
| @Db@TDataSet@DoBeforeClose\$qqrv | 1 |
| @Db@TDataSet@DoAfterPost\$qqrv | 1 |
| @Db@TDataSet@DoAfterOpen\$qqrv | 1 |
| @Db@TDataSet@DoAfterDelete\$qqrv | 1 |
| @Db@TDataSet@SetOnFilterRecord\$qqrxyr | 1 |
| @Db@TDataSet@InternalInsert\$qqrv | 1 |
| @Db@TDataSet@InternalCancel\$qqrv | 1 |
| @Db@TDataSet@Cancel\$qqrv | 1 |
| @Db@TDataSet@Post\$qqrv | 1 |
| @Db@TDataSet@RefreshInternalCalcFields\$ | 1 |
| @Db@TDataSet@ClearCalcFields\$qqrpc | 1 |
| @Db@TDataSet@InitRecord\$qqrpc | 1 |
| @Db@TDataSet@GetCurrentRecord\$qqrpc | 1 |
| @Db@TDataSet@GetDataSource\$qqrv | 1 |
| @Db@TDataSet@GetIsIndexField\$qqrp9Db@ | 1 |
| @Db@TDataSet@DataConvert\$qqrp9Db@T | 1 |
| @Db@TDataSet@GetStateFieldValue\$qqr1€ | 1 |
| @Db@TDataSet@GetFieldData\$qqripv | 1 |
| @Db@TDataSet@DefChanged\$qqrp14Syste | 1 |
| @Db@TDataSet@CloseCursor\$qqrv | 1 |
| @Db@TDataSet@OpenCursor\$qqro | 1 |
| @Db@TDataSet@SetDataSetField\$qqrx16[| 1 |
| @Db@DatabaseError\$qqrx17System@AnsI\$ | 1 |
| @\$xp\$10Db@TParams | 1 |
| @Math@MaxIntValue\$qqrpixi | 1 |
| @Zextra@initialization\$qqrv | 1 |
| @Zextra@Finalization\$qqrv | 1 |
| @Zextra@Min\$qqrii | 1 |
| @Zextra@StrCaseCmp\$qqr17System@AnsI\$ | 1 |
| @Zextra@DateTimeToSqlDate\$qqr16Systen | 1 |
| @Zextra@FormatSqlTime\$qqr16System@T[| 1 |
| @Zextra@FormatSqlDate\$qqr16System@T[| 1 |
| @Zextra@MemPas\$qqrpci | 1 |
| @Ztoken@initialization\$qqrv | 1 |
| @Ztoken@Finalization\$qqrv | 1 |
| @Zlist@initialization\$qqrv | 1 |
| @Zlist@Finalization\$qqrv | 1 |
| @Zlist@TZItemList@FilterItem\$qqri | 1 |

| | |
|--|---|
| @Zconvert@initialization\$qqrv | 1 |
| @Zconvert@Finalization\$qqrv | 1 |
| @\$xp\$22Zconvert@TEncodingType | 1 |
| @Zscanner@initialization\$qqrv | 1 |
| @Zscanner@Finalization\$qqrv | 1 |
| @Zparser@initialization\$qqrv | 1 |
| @Zparser@Finalization\$qqrv | 1 |
| @Zmatch@initialization\$qqrv | 1 |
| @Zmatch@Finalization\$qqrv | 1 |
| @Zcommonconst@initialization\$qqrv | 1 |
| @Zcommonconst@Finalization\$qqrv | 1 |
| @Designeditors@TPropertyEditor@GetIsDe | 1 |
| @Designeditors@TPropertyEditor@GetEditl | 1 |
| @Designeditors@TPropertyEditor@AllEqual | 1 |
| @Zsqltypes@initialization\$qqrv | 1 |
| @Zsqltypes@Finalization\$qqrv | 1 |
| @Zsqlextra@initialization\$qqrv | 1 |
| @Zsqlextra@Finalization\$qqrv | 1 |
| @Zsqlextra@ClearSpaces\$qqr17System@Ar | 1 |
| @Zdbaseconst@initialization\$qqrv | 1 |
| @Zdbaseconst@Finalization\$qqrv | 1 |
| @Zdbaseconst @_STransactNotDefined | 1 |
| @Zdbaseconst @_SUnknownType | 1 |
| @Zdbaseconst @_SConnectNotDefined | 1 |
| @Zdbaseconst @_SConnectTransactError | 1 |
| @Zdbaseconst @_SConnectError | 1 |
| @Zdbaseconst @_SLibraryNotFound | 1 |
| @Zdirsql@initialization\$qqrv | 1 |
| @Zdirsql@Finalization\$qqrv | 1 |
| @Zdirsql@TDirBlob@GetValue\$qqrv | 1 |
| @Zdirsql@TDirBlob@Seek\$qqrii | 1 |
| @Zdirsql@TDirBlob@DropBlob\$qqrv | 1 |
| @Zdirsql@TDirBlob@SetStatus\$qqr22Zdirsq | 1 |
| @Zdirsql@TDirBlob@SetActive\$qqro | 1 |
| @Zdirsql@TDirBlob@\$bdtr\$qqrv | 1 |
| @Zdirsql@TDirBlob@\$bctr\$qqrp19Zdirsql@ | 1 |
| @Zdirsql@TDirQuery@StringToSql\$qqr17Sy | 1 |
| @Zdirsql@TDirQuery@FieldReadOnly\$qqri | 1 |
| @Zdirsql@TDirQuery@FieldPrecision\$qqri | 1 |
| @Zdirsql@TDirQuery@FieldAlias\$qqri | 1 |
| @Zdirsql@TDirQuery@Close\$qqrv | 1 |
| @Zdirsql@TDirQuery@Open\$qqrv | 1 |
| @Zdirsql@TDirQuery@Execute\$qqrv | 1 |
| @Zdirsql@TDirQuery@SetStatus\$qqr23Zdir | 1 |
| @Zdirsql@TDirQuery@SetRecNo\$qqri | 1 |
| @Zdirsql@TDirQuery@SetEof\$qqro | 1 |
| @Zdirsql@TDirQuery@GetEof\$qqrv | 1 |

| | |
|---|---|
| @Zdirsql@TDirQuery@SetBof\$qqro | 1 |
| @Zdirsql@TDirQuery@GetBof\$qqrv | 1 |
| @Zdirsql@TDirQuery@SetAffectedRows\$qq | 1 |
| @Zdirsql@TDirQuery@SetActive\$qqro | 1 |
| @Zdirsql@TDirQuery@\$bdtr\$qqrv | 1 |
| @Zdirsql@TDirQuery@\$bctr\$qqrv | 1 |
| @Zdirsql@TDirTransact@Open\$qqrv | 1 |
| @Zdirsql@TDirTransact@SetStatus\$qqr18Zc | 1 |
| @Zdirsql@TDirTransact@GetStatus\$qqrv | 1 |
| @Zdirsql@TDirTransact@SetActive\$qqro | 1 |
| @Zdirsql@TDirTransact@\$bdtr\$qqrv | 1 |
| @Zdirsql@TDirTransact@\$bctr\$qqrv | 1 |
| @Zdirsql@TDirConnect@DropDatabase\$qqr | 1 |
| @Zdirsql@TDirConnect@CreateDatabase\$qq | 1 |
| @Zdirsql@TDirConnect@Connect\$qqrv | 1 |
| @Zdirsql@TDirConnect@GetErrorMsg\$qqrv | 1 |
| @Zdirsql@TDirConnect@SetStatus\$qqr18Zd | 1 |
| @Zdirsql@TDirConnect@SetActive\$qqro | 1 |
| @Zdirsql@TDirConnect@\$bdtr\$qqrv | 1 |
| @Zdirsql@TDirConnect@\$bctr\$qqrv | 1 |
| @\$xp\$16Zdirsql@TDirBlob | 1 |
| @Zdirsql@TDirBlob@ | 1 |
| @\$xp\$17Zdirsql@TDirQuery | 1 |
| @Zdirsql@TDirQuery@ | 1 |
| @\$xp\$20Zdirsql@TDirTransact | 1 |
| @Zdirsql@TDirTransact@ | 1 |
| @\$xp\$19Zdirsql@TDirConnect | 1 |
| @Zdirsql@TDirConnect@ | 1 |
| @Ztransact@Initialization\$qqrv | 1 |
| @Ztransact@Finalization\$qqrv | 1 |
| @Ztransact@TZMonitorList@InvokeEvent\$qq | 1 |
| @Ztransact@TZMonitorList@DeleteMonitor | 1 |
| @Ztransact@TZMonitorList@AddMonitor\$qq | 1 |
| @Ztransact@TZTransact@Loaded\$qqrv | 1 |
| @Ztransact@TZTransact@Recovery\$qqro | 1 |
| @Ztransact@TZTransact@Rollback\$qqrv | 1 |
| @Ztransact@TZTransact@Commit\$qqrv | 1 |
| @Ztransact@TZTransact@ExecFunc\$qqr17S | 1 |
| @Ztransact@TZTransact@ExecSqlParams\$qq | 1 |
| @Ztransact@TZTransact@ExecSql\$qqr17Sys | 1 |
| @Ztransact@TZTransact@Disconnect\$qqrv | 1 |
| @Ztransact@TZTransact@Connect\$qqrv | 1 |
| @Ztransact@TZTransact@Notification\$qqrp | 1 |
| @Ztransact@TZTransact@SetTransactSafe\$qq | 1 |
| @Ztransact@TZTransact@GetTransactSafe\$qq | 1 |
| @Ztransact@TZTransact@SetDatabase\$qqrl | 1 |
| @Ztransact@TZTransact@\$bdtr\$qqrv | 1 |

| | |
|--|---|
| @Ztransact@TZTransact@\$bctr\$qqrp18Clas | 1 |
| @Ztransact@TZMonitorList@ | 1 |
| @\$xp\$20Ztransact@TZTransact | 1 |
| @Ztransact@TZTransact@ | 1 |
| @Zsqlscanner@initialization\$qqrv | 1 |
| @Zsqlscanner@Finalization\$qqrv | 1 |
| @Zconnect@initialization\$qqrv | 1 |
| @Zconnect@Finalization\$qqrv | 1 |
| @Zconnect@TZDatabase@Loaded\$qqrv | 1 |
| @Zconnect@TZDatabase@GetFieldNames\$ | 1 |
| @Zconnect@TZDatabase@GetTableNames\$ | 1 |
| @Zconnect@TZDatabase@DropDatabase\$q | 1 |
| @Zconnect@TZDatabase@CreateDatabase\$ | 1 |
| @Zconnect@TZDatabase@Disconnect\$qqrv | 1 |
| @Zconnect@TZDatabase@Connect\$qqrv | 1 |
| @Zconnect@TZDatabase@DoBeforeDrop\$q | 1 |
| @Zconnect@TZDatabase@DoBeforeCreate\$ | 1 |
| @Zconnect@TZDatabase@DoAfterDrop\$qqi | 1 |
| @Zconnect@TZDatabase@DoAfterCreate\$q | 1 |
| @Zconnect@TZDatabase@DoAfterDisconne | 1 |
| @Zconnect@TZDatabase@DoBeforeDisconn | 1 |
| @Zconnect@TZDatabase@DoAfterConnect\$ | 1 |
| @Zconnect@TZDatabase@DoBeforeConnec | 1 |
| @Zconnect@TZDatabase@SetConnected\$qr | 1 |
| @Zconnect@TZDatabase@\$bdtr\$qqrv | 1 |
| @Zconnect@TZDatabase@\$bctr\$qqrp18Cla | 1 |
| @\$xp\$19Zconnect@TZDatabase | 1 |
| @Zconnect@TZDatabase@ | 1 |
| @Zsqlscript@initialization\$qqrv | 1 |
| @Zsqlscript@Finalization\$qqrv | 1 |
| @Zquery@initialization\$qqrv | 1 |
| @Zquery@Finalization\$qqrv | 1 |
| @Zquery@TZDataset@CheckTableExistence | 1 |
| @Zquery@TZDataset@ValueToRowId\$qqr1: | 1 |
| @Zquery@TZDataset@RowIdToValue\$qqrp: | 1 |
| @Zquery@TZDataset@ConvertFromSqlEnc\$ | 1 |
| @Zquery@TZDataset@FieldValueToSql\$qqr | 1 |
| @Zquery@TZDataset@CreateBlobStream\$q | 1 |
| @Zquery@TZDataset@FreeRecord\$qqrp212 | 1 |
| @Zquery@TZDataset@CopyRecord\$qqrp21: | 1 |
| @Zquery@TZDataset@CloseBlob\$qqrp9Db(| 1 |
| @Zquery@TZDataset@FormSqlQuery\$qqrp: | 1 |
| @Zquery@TZDataset@ProcessIdent\$qqr17S | 1 |
| @Zquery@TZDataset@UpdateStatus\$qqrv | 1 |
| @Zquery@TZDataset@UpdateAfterPost\$qq | 1 |
| @Zquery@TZDataset@FlushBuffer\$qqrv | 1 |
| @Zquery@TZDataset@SetDataLinkSource\$c | 1 |

| | |
|---|---|
| @Zquery@TZDataset@GetDataLinkSource\$() | 1 |
| @Zquery@TZDataset@FormKeyValues\$qqrr | 1 |
| @Zquery@TZDataset@Lookup\$qqrx17Syste | 1 |
| @Zquery@TZDataset@Notification\$qqrp18() | 1 |
| @Zquery@TZDataset@IsSequenced\$qqrv | 1 |
| @Zquery@TZDataset@SetFilterText\$qqrx17 | 1 |
| @Zquery@TZDataset@SetFiltered\$qqro | 1 |
| @Zquery@TZDataset@FindRecord\$qqroo | 1 |
| @Zquery@TZDataset@GetAggregateValue\$ | 1 |
| @Zquery@TZDataset@ResetAggField\$qqrp5 | 1 |
| @Zquery@TZDataset@InternalRefresh\$qqrv | 1 |
| @Zquery@TZDataset@InternalDelete\$qqrv | 1 |
| @Zquery@TZDataset@InternalPost\$qqrv | 1 |
| @Zquery@TZDataset@ChangeAddBuffer\$qqc | 1 |
| @Zquery@TZDataset@InternalAddRecord\$qqc | 1 |
| @Zquery@TZDataset@InternalEdit\$qqrv | 1 |
| @Zquery@TZDataset@EvaluateDef\$qqr17Sys | 1 |
| @Zquery@TZDataset@InternalInitRecord\$qqi | 1 |
| @Zquery@TZDataset@UpdateAfterInit\$qqri | 1 |
| @Zquery@TZDataset@BookmarkValid\$qqrp5 | 1 |
| @Zquery@TZDataset@CompareBookmarks\$qqi | 1 |
| @Zquery@TZDataset@SetBookmarkData\$qqi | 1 |
| @Zquery@TZDataset@GetBookmarkData\$qqi | 1 |
| @Zquery@TZDataset@SetBookmarkFlag\$qqc | 1 |
| @Zquery@TZDataset@GetBookmarkFlag\$qqc | 1 |
| @Zquery@TZDataset@InternalSetToRecord: | 1 |
| @Zquery@TZDataset@InternalGotoBookma | 1 |
| @Zquery@TZDataset@GetCanModify\$qqrv | 1 |
| @Zquery@TZDataset@SetRecNo\$qqri | 1 |
| @Zquery@TZDataset@GetRecNo\$qqrv | 1 |
| @Zquery@TZDataset@GetRecordCount\$qqi | 1 |
| @Zquery@TZDataset@InternalHandleExcep | 1 |
| @Zquery@TZDataset@InternalLast\$qqrv | 1 |
| @Zquery@TZDataset@InternalFirst\$qqrv | 1 |
| @Zquery@TZDataset@InternalClose\$qqrv | 1 |
| @Zquery@TZDataset@InternalOpen\$qqrv | 1 |
| @Zquery@TZDataset@UpdateIndexDefs\$qc | 1 |
| @Zquery@TZDataset@InternalInitFieldDefs: | 1 |
| @Zquery@TZDataset@UpdateFieldDef\$qqri | 1 |
| @Zquery@TZDataset@Loaded\$qqrv | 1 |
| @Zquery@TZDataset@ExecSql\$qqrv | 1 |
| @Zquery@TZDataset@FreeRecordBuffer\$qqc | 1 |
| @Zquery@TZDataset@AllocRecordBuffer\$qq | 1 |
| @Zquery@TZDataset@GetRecordSize\$qqrv | 1 |
| @Zquery@TZDataset@IsCursorOpen\$qqrv | 1 |
| @Zquery@TZDataset@GetFieldClass\$qqr13 | 1 |
| @Zquery@TZDataset@SetFieldData\$qqrp9L | 1 |

| | |
|--|---|
| @Zquery@TZDataset@GetFieldData\$qqrp9I | 1 |
| @Zquery@TZDataset@GetRecord\$qqrpc11I | 1 |
| @Zquery@TZDataset@DataEvent\$qqqr13Db(| 1 |
| @Zquery@TZDataset@DefineProperties\$qq | 1 |
| @Zquery@TZDataset@SetMacros\$qqrp10Dl | 1 |
| @Zquery@TZDataset@SetMacroChar\$qqrc | 1 |
| @Zquery@TZDataset@SetParamsList\$qqrp1 | 1 |
| @Zquery@TZDataset@SetReadOnly\$qqro | 1 |
| @Zquery@TZDataset@GetReadOnly\$qqrv | 1 |
| @Zquery@TZDataset@SetSql\$qqrp16Classe | 1 |
| @Zquery@TZDataset@GetSql\$qqrv | 1 |
| @Zquery@TZDataset@SetTableName\$qqr1 | 1 |
| @Zquery@TZDataset@SetTransact\$qqrp20Z | 1 |
| @Zquery@TZDataset@SetDatabase\$qqrp19 | 1 |
| @Zquery@TZDataset@\$bdtr\$qqrv | 1 |
| @Zquery@TZDataset@\$bctr\$qqrp18Classes | 1 |
| @\$xp\$16Zquery@TZDataset | 1 |
| @Zquery@TZDataset@ | 1 |
| @Zsqlitems@initialization\$qqrv | 1 |
| @Zsqlitems@Finalization\$qqrv | 1 |
| @Zsqlitems@TSqlIndices@AddIndex\$qqr17 | 1 |
| @Zsqlitems@TSqlFields@Add\$qqr17System | 1 |
| @Zsqlitems@TSqlFields@GetItem\$qqri | 1 |
| @Zsqlbuffer@initialization\$qqrv | 1 |
| @Zsqlbuffer@Finalization\$qqrv | 1 |
| @Zsqlbuffer@TSqlBuffer@GetFieldNull\$qqr | 1 |
| @Zsqlbuffer@TSqlBuffer@SetField\$qqrp20Z | 1 |
| @Zsqlbuffer@TSqlBuffer@SetFieldDataLen\$ | 1 |
| @Zsqlbuffer@TSqlBuffer@SetFieldData\$qqr | 1 |
| @Zsqlbuffer@TSqlBuffer@Add\$qqrv | 1 |
| @Zsqlparser@initialization\$qqrv | 1 |
| @Zsqlparser@Finalization\$qqrv | 1 |
| @Zupdatesql@initialization\$qqrv | 1 |
| @Zupdatesql@Finalization\$qqrv | 1 |
| @Zblobstream@initialization\$qqrv | 1 |
| @Zblobstream@Finalization\$qqrv | 1 |
| @Zproperty@initialization\$qqrv | 1 |
| @Zproperty@Finalization\$qqrv | 1 |
| @Zproperty@TDbPropertyEditor@GetValue | 1 |
| @Zproperty@TDbPropertyEditor@SetValue' | 1 |
| @Zproperty@TDbPropertyEditor@GetValue | 1 |
| @Zproperty@TDbPropertyEditor@GetAttrib | 1 |
| @\$xp\$27Zproperty@TDbPropertyEditor | 1 |
| @Zproperty@TDbPropertyEditor@ | 1 |
| @System@@DynArrayCopyRange\$qqrpvt1i | 1 |
| @\$xp\$16IConnectionPoint | 1 |
| @Sysutils@ShortMonthNames | 1 |

| | |
|--|---|
| @Classes@FreeObjectInstance\$qqrpv | 1 |
| @Classes@MakeObjectInstance\$qqrynpqqri | 1 |
| @Classes@CheckSynchronize\$qqri | 1 |
| @Classes@WakeMainThread | 1 |
| @Registry@TRegistry@GetKeyInfo\$qqrr20R | 1 |
| @Classes@UnRegisterClasses\$qqrpp17Syste | 1 |
| @Sysutils@StrToDateTIme\$qqrx20System@ | 1 |
| @Math@CompareValue\$qqrxddd | 1 |
| @Imglist@TCustomImageList@AddIcon\$qqri | 1 |
| @Graphics@TGraphic@SetPalette\$qqrp10H | 1 |
| @Graphics@TGraphic@GetSupportsPartialT | 1 |
| @Graphics@TGraphic@GetPalette\$qqrv | 1 |
| @Graphics@TCanvas@TextHeight\$qqrx20S\ | 1 |
| @Graphics@TCanvas@FrameRect\$qqrrx11T | 1 |
| @Controls@TGraphicControl@WMPaint\$qqc | 1 |
| @Comctrls@TListItem@DisplayRect\$qqr21C | 1 |
| @Comctrls@TListItem@Update\$qqrv | 1 |
| @Extctrls@TNotebook@SetActivePage\$qqr | 1 |
| @Filectrl@ForceDirectories\$qqrx20System@C | 1 |
| @Filectrl@DirectoryExists\$qqrx20System@l | 1 |
| UndeleteFile | 1 |
| UndeleteStop | 1 |
| ScanStop | 1 |
| InitializeDII | 1 |
| OpenServ | 1 |
| CreateDI | 1 |
| DisplayAdobeHelpClientPage | 1 |
| InitializeAdobeHelpClient | 1 |
| ?GetDiscStatus@CDrive@@@QAEKPAGPAH@ | 1 |
| ?gCDWriterArray@@@3PAPAXA | 1 |
| ?gNumberOfCDWriters@@@3HA | 1 |
| ?GetDiscSessionTrackInfo@CDrive@@@QAEK | 1 |
| ?Read@CDrive@@@QAEKKPADGGPAX1@Z | 1 |
| ?SetBlockSize@CDrive@@@QAEKGE@Z | 1 |
| ?GetDriveInfo@CDrive@@@QAEXPAUDRIVE_ | 1 |
| ?CreateCD@CDriveEx@@@QAEKEEEEKEEP6AI | 1 |
| ??1CDriveCache@@@UAE@XZ | 1 |
| ?CloseSession@CDriveEx@@@QAEKXZ | 1 |
| ?CloseTrack@CDriveEx@@@QAEKXZ | 1 |
| ?WriteCD@CDriveEx@@@QAEKPADGG@Z | 1 |
| ?WriteCDEmptySectors@CDriveEx@@@QAEK | 1 |
| ?CreateTrack@CDriveEx@@@QAEKEEGEEEKG | 1 |
| ?CreateSession@CDriveEx@@@QAEKEEGEEEI | 1 |
| ?CloseCD@CDriveEx@@@QAEKXZ | 1 |
| ?.GetFileName@CTreeNode@@@QAE?AVCMY! | 1 |
| ?SetWrittenInCD@CTreeNode@@@QAEH@Z | 1 |
| ?GetLBA@CTreeNode@@@QAEKXZ | 1 |

| | |
|--|---|
| ?Unicode2StrStrcpy@@YAPADPADIOI@Z | 1 |
| ?AddTail@CMyObList@@QAEPAU__POSITION@Z | 1 |
| ?SetDirNum@CTreeNode@@QAEHG@Z | 1 |
| ?GetLSB@@YAGPAG@Z | 1 |
| ?GetLSB@@YAKPAK@Z | 1 |
| ?ReplaceEndChars@@YAXPADHHH@Z | 1 |
| ?GetFileSize@CTreeNode@@QAE_KXZ | 1 |
| ?GetFileAttributesA@CTreeNode@@QAEKXZ | 1 |
| ?ToDosFileDate@@YAGGGG@Z | 1 |
| ?ToDosFileTime@@YAGGGG@Z | 1 |
| ?GetLastWriteTime@CTreeNode@@QAE?AU | 1 |
| ?IsRootDirNode@CTreeNode@@QAEHXZ | 1 |
| ?IsWrittenInCD@CTreeNode@@QAEHXZ | 1 |
| ?FindNode@CTreeNodeList@@QAEPAVCFile | 1 |
| ?ReleaseBuffer@CMyString@@QAEHX@Z | 1 |
| ?GetBuffer@CMyString@@QAEPADH@Z | 1 |
| ??4CMyString@@QAEABV0@ABV0@@Z | 1 |
| ?Format@CTime@@QBE?AVCMyString@@ | 1 |
| ?CurrentTime@CTime@@SG?AV1@XZ | 1 |
| ?InitSVD@CData32@@QAEPAU_CDVolume | 1 |
| ?InitPVD@CData32@@QAEPAU_CDVolume | 1 |
| ??1CMyString@@QAE@XZ | 1 |
| ??0CMyString@@QAE@XZ | 1 |
| ?RemoveAll@CMyStringList@@QAEXXZ | 1 |
| ?Empty@CMyString@@QAEXXZ | 1 |
| ?Remove@CMyFile@@SGXPBD@Z | 1 |
| ?RemoveAll@CMyObList@@QAEXXZ | 1 |
| ?GetRuntimeClass@CTreeNodeList@@UBEP, | 1 |
| ?PrepareDataInUdfFormat@CData32@@QA | 1 |
| ?PrepareDataInIsoFormat@CData32@@QAI | 1 |
| ??0CTreeNodeList@@QAE@XZ | 1 |
| ??4CMyString@@QAEABV0@PBD@Z | 1 |
| ??1CTreeNodeList@@UAE@XZ | 1 |
| ?DeleteNode@CTreeNode@@QAEXXZ | 1 |
| ??1CMyFile@@UAE@XZ | 1 |
| ?GetRuntimeClass@CMyObject@@UBEPAU | 1 |
| ??1CData32@@UAE@XZ | 1 |
| ??0CData32@@QAE@XZ | 1 |
| ?InitVars@CData32@@QAEXXZ | 1 |
| ?UdfWriteLastAnchor@CData32@@QAEXP@ | 1 |
| ?Close@CMyFile@@UAEXXZ | 1 |
| ?ConvertDataMode2Form1@@YAXPADG0G | 1 |
| ?Read@CMyFile@@UAEIPAXI@Z | 1 |
| ?GetLength@CMyFile@@UBEKXZ | 1 |
| ?Open@CMyFile@@UAEHPBDI@Z | 1 |
| ?GetSourceFileName@CTreeNode@@QAE?A | 1 |
| ?GetTempFile@CTreeNode@@QAE?AVCMyS | 1 |

| | |
|--|---|
| ?GetTempFileNum@CFileDialog@@QAEIXZ | 1 |
| ?Write@CMyFile@@UAEXPBXI@Z | 1 |
| ?ReplaceContent@CFileDialog@@QAEXPBV1 | 1 |
| ?IsDirNode@CFileDialog@@QAEHXZ | 1 |
| ?GetSectors@CFileDialog@@QAEKXZ | 1 |
| ?AddChild@CFileDialog@@QAEHPBV1@PAP | 1 |
| ?GetLevelNumber@CFileDialog@@QAEGXZ | 1 |
| ?RemoveHead@CMyStringList@@QAE?AVC | 1 |
| ?SetFileName@CFileDialog@@QAEXVCMySt | 1 |
| ??YCMYString@@QAEABV0@PBD@Z | 1 |
| ?GetFullPathNameA@CFileDialog@@QAEXP, | 1 |
| ?SetParent@CFileDialogList@@QAEXPACFIl | 1 |
| ?AddTail@CMyObList@@QAEXPBV1@@Z | 1 |
| ?GetChildListPtr@CFileDialog@@QAEPACF | 1 |
| ?RemoveFreeAll@CFileDialogList@@QAEXXZ | 1 |
| @Classes@TStrings@SetDelimiter\$qqrxb | 1 |
| @Classes@TStrings@SetDelimitedText\$qqr | 1 |
| @Classes@TStrings@GetDelimitedText\$qqr | 1 |
| @Sysutils@FindCmdLineSwitch\$qqrx20Syste | 1 |
| @Sysutils@AnsiCompareFileName\$qqrx20S | 1 |
| @Sysutils@StrToDate\$qqrx20System@Unic | 1 |
| @Sysutils@StrFmt\$qqrpbt1px14System@TV | 1 |
| @Sysutils@StrToInt64\$qqrx20System@Unic | 1 |
| @Strutils@StartsText\$qqrx20System@Unic | 1 |
| @Contnrs@TObjectList@Last\$qqrv | 1 |
| @Contnrs@TObjectList@\$bctr\$qqro | 1 |
| @Comctrls@TAnimate@SetFileName\$qqr20 | 1 |
| @Specialunit@ParseConditionalString\$qqr20 | 1 |
| @Encodeddecode@UrlEncode\$qqrx20System | 1 |
| @Decutil@TDECObject@\$bctr\$qqrv | 1 |
| @Stringhelper@Base64Decode\$qqr20Syste | 1 |
| @Stringhelper@GetRestX\$qqr17System@W | 1 |
| @Stringhelper@ParamXCount\$qqr17System | 1 |
| @Turegistry@GetTempDir\$qqrv | 1 |
| @Turegistry@DeleteDirectory\$qqrx20Syste | 1 |
| @Turegistry@WritePPString\$qqr20System@ | 1 |
| @Turegistry@DeletePPString\$qqr20System(| 1 |
| @Turegistry@GetPPString\$qqr20System@U | 1 |
| @Turegistry@GetProductRegDWORDValue\$ | 1 |
| @Turegistry@GetProductRegStringValueDef | 1 |
| @Turegistry@SetProductRegStringValue\$qq | 1 |
| @Turegistry@DirExists\$qqrx20System@Uni | 1 |
| @Turegistry@DirExistsEx\$qqrx20System@U | 1 |
| @Turegistry@AppNameLong | 1 |
| @Turegistry@CurConfigFilePath | 1 |
| @Turegistry@CurAppLanguage | 1 |
| @Turegistry@CurAppDir | 1 |

| | |
|--|---|
| @Tuneupprogrammanager@CLASS_TUProg | 1 |
| @Zipforge@TZipForge@\$bctr\$qqrp18Classe | 1 |
| @Zipforge@TZFBBaseArchiver@ExtractFiles\$ | 1 |
| @Zipforge@TZFBBaseArchiver@CloseArchive | 1 |
| @Zipforge@TZFBBaseArchiver@OpenArchive | 1 |
| @Zipforge@TZipForge@ | 1 |
| @Aeszipstring@TAESZipString@Unzip\$qqrv | 1 |
| @Aeszipstring@TAESZipString@Zip\$qqrv | 1 |
| @Aeszipstring@TAESZipString@ | 1 |
| @Tuhelper@IsPromoLinkExpired\$qqr20Syst | 1 |
| @Tuhelper@PrependQueryParam\$qqr20Sys | 1 |
| @Tuhelper@RemoveQueryParam\$qqr20Sys | 1 |
| @Tuhelper@GetQueryParam\$qqr20Systemi | 1 |
| @Tuhelper@GetPKHistory\$qqrv | 1 |
| @Tuhelper@GetAffiliateId\$qqrv | 1 |
| @Tuhelper@OpenWebsite\$qqr20System@l | 1 |
| @Tuhelper@ShellExecuteProcess\$qqr20Syst | 1 |
| @Tuhelper@ShellExecuteWait\$qqr20System | 1 |
| @Tuhelper@FormatSize\$qqrj20Tuhelper@T | 1 |
| @Tuhelper@FormatRate\$qqrxj20Tuhelper@ | 1 |
| @Htmlview@THTMLViewer@LoadFromFile | 1 |
| @Tuxsourceurl@TXSourceBuilder@Append/ | 1 |
| @Tuxsourceurl@TUUXSourceBuilder | 1 |
| @Libxmlparser@TCustomXmlScanner@Exec | 1 |
| @Libxmlparser@TCustomXmlScanner@Loac | 1 |
| @Libxmlparser@TCustomXmlScanner@Loac | 1 |
| @Libxmlparser@TCustomXmlScanner@\$bct | 1 |
| @Libxmlparser@TNvpList@Value\$qqr20Sys | 1 |
| @Libxmlcomps@TEasyXmlScanner@ | 1 |
| @Tutranslationhelpers@TUTranslateCurren | 1 |
| @Tuappinit@IsFirstStartOfTUU\$qqrv | 1 |
| @Tucommandlink@TTuCommandLink@Sel | 1 |
| @Tucommandlink@TTuCommandLink @_Se | 1 |
| @Tucommandlink@TTuCommandLink@ | 1 |
| @Tusysutils@Button_SetElevationRequired\$ | 1 |
| @Accessibility@TUBlackList@TriggerProduc | 1 |
| @Accessibility@TUBlackList@\$bctr\$qqrv | 1 |
| @Accessibility@TURegistration@GetMaxDa | 1 |
| @Accessibility@TURegistration@GetUsedD | 1 |
| @Accessibility@TURegistration@IsExpired\$ | 1 |
| @Accessibility@TURegistration@\$bctr\$qqrv | 1 |
| @Accessibility@TUBlackList@ | 1 |
| @Accessibility@TURegistration@ | 1 |
| @Bigcheckbox@TBigCheckListBox@GetIt | 1 |
| @Bigcheckbox@TBigCheckListBox@SetIt | 1 |
| @Rasdialer@TRasDialer@DialEntry\$qqr20S | 1 |
| @Rasdialer@TRasDialer@EnumRasConnecti | 1 |

| | |
|--|---|
| @Rasdialer@TRasDialer@EnumRasEntries\$() | 1 |
| @Rasdialer@TRasDialer@ | 1 |
| @Ras@initialization\$qqrv | 1 |
| @Ras@Finalization\$qqrv | 1 |
| @Tuprocessmanager@TTUProcessManager() | 1 |
| @Tuprocessmanager@TTUProcessManager() | 1 |
| @Tuprocessmanager@TPMProcesses@Get\$() | 1 |
| @Tuprocessmanager@TPMProcess@Termir() | 1 |
| @Tuprocessmanager@TTUProcessManager() | 1 |
| @Mitec_native@initialization\$qqrv | 1 |
| @Mitec_native@Finalization\$qqrv | 1 |
| @Tufileidentification@initialization\$qqrv | 1 |
| @Tufileidentification@Finalization\$qqrv | 1 |
| @Driveparser@initialization\$qqrv | 1 |
| @Driveparser@Finalization\$qqrv | 1 |
| @Madkernel@initialization\$qqrv | 1 |
| @Madkernel@Finalization\$qqrv | 1 |
| @Mitec_psapi@initialization\$qqrv | 1 |
| @Mitec_psapi@Finalization\$qqrv | 1 |
| @Msi_cpu@initialization\$qqrv | 1 |
| @Msi_cpu@Finalization\$qqrv | 1 |
| @Mitec_routines@initialization\$qqrv | 1 |
| @Mitec_routines@Finalization\$qqrv | 1 |
| @Mitec_strutils@initialization\$qqrv | 1 |
| @Mitec_strutils@Finalization\$qqrv | 1 |
| @Mitec_datetime@initialization\$qqrv | 1 |
| @Mitec_datetime@Finalization\$qqrv | 1 |
| @Mitec_netapi32@initialization\$qqrv | 1 |
| @Mitec_netapi32@Finalization\$qqrv | 1 |
| @Mitec_wtsapi32@initialization\$qqrv | 1 |
| @Mitec_wtsapi32@Finalization\$qqrv | 1 |
| @Mitec_sysutils@initialization\$qqrv | 1 |
| @Mitec_sysutils@Finalization\$qqrv | 1 |
| @Downloadmanager@TDownloadManager() | 1 |
| @Overbyteicurl@initialization\$qqrv | 1 |
| @Overbyteicurl@Finalization\$qqrv | 1 |
| @Overbyteicsftpccli@initialization\$qqrv | 1 |
| @Overbyteicsftpccli@Finalization\$qqrv | 1 |
| @Overbyteicftp srvt@initialization\$qqrv | 1 |
| @Overbyteicftp srvt@Finalization\$qqrv | 1 |
| @Overbyteicstypes@initialization\$qqrv | 1 |
| @Overbyteicstypes@Finalization\$qqrv | 1 |

| | |
|---|---|
| @Overbyteicswndcontrol@initialization\$qqrv | 1 |
| @Overbyteicswndcontrol@Finalization\$qqrv | 1 |
| @Overbyteicslibrary@initialization\$qqrv | 1 |
| @Overbyteicslibrary@Finalization\$qqrv | 1 |
| @Overbyteicswsocket@initialization\$qqrv | 1 |
| @Overbyteicswsocket@Finalization\$qqrv | 1 |
| @Overbyteicswsockbuf@initialization\$qqrv | 1 |
| @Overbyteicswsockbuf@Finalization\$qqrv | 1 |
| @Overbyteicslogger@initialization\$qqrv | 1 |
| @Overbyteicslogger@Finalization\$qqrv | 1 |
| @Overbyteicsonetimepw@initialization\$qqrv | 1 |
| @Overbyteicsonetimepw@Finalization\$qqrv | 1 |
| @Overbyteicssha1@initialization\$qqrv | 1 |
| @Overbyteicssha1@Finalization\$qqrv | 1 |
| @Overbyteicssmd4@initialization\$qqrv | 1 |
| @Overbyteicssmd4@Finalization\$qqrv | 1 |
| @Overbyteicssmd5@initialization\$qqrv | 1 |
| @Overbyteicssmd5@Finalization\$qqrv | 1 |
| @Overbyteicszlibobj@initialization\$qqrv | 1 |
| @Overbyteicszlibobj@Finalization\$qqrv | 1 |
| @Overbyteicshttpprot@initialization\$qqrv | 1 |
| @Overbyteicshttpprot@Finalization\$qqrv | 1 |
| @Overbyteicshttpcontcod@initialization\$qq | 1 |
| @Overbyteicshttpcontcod@Finalization\$qq | 1 |
| @Overbyteicsntlmmmsgs@initialization\$qqrv | 1 |
| @Overbyteicsntlmmmsgs@Finalization\$qqrv | 1 |
| @Overbyteicsmimeutils@initialization\$qqrv | 1 |
| @Overbyteicsmimeutils@Finalization\$qqrv | 1 |
| @Overbyteicsdes@initialization\$qqrv | 1 |
| @Overbyteicsdes@Finalization\$qqrv | 1 |
| @Httppost@THTTPPost@SetFormData\$qqrv | 1 |
| @Httppost@THTTPPost@ResetContents\$qq | 1 |
| @Httppost@THTTPPost@\$bctr\$qqrp18Class | 1 |
| @Httppost@THTTPPost@ | 1 |
| @Virtualtrees@TBaseVirtualTree@GetNext\$ | 1 |
| @Virtualtrees@TBaseVirtualTree@GetFirst\$ | 1 |
| @Virtualtrees@TBaseVirtualTree@SetDefau | 1 |
| @Virtualtrees@TVirtualTreeColumn@GetLe | 1 |
| @Tugroupedvirtualstringtree@TTUGrouped | 1 |
| @Tugroupedvirtualstringtree@TTUGrouped | 1 |
| @Tugroupedvirtualstringtree@TTUGrouped | 1 |
| @Tulinklabel@TTULinkLabel@ | 1 |
| @Tuchcheckbox@TTUCheckBox@ | 1 |
| @Mainsettingsform@ShowMainSettingsFor | 1 |
| @Bootscreenrestore@ShowBootScreenRest | 1 |
| ?Push@CValidator@@QAEXPBDPAX0@Z | 1 |
| ?ClaimArrayMemory@CValidator@@QAEXF | 1 |

| | |
|---|---|
| ?Pop@CValidator@@QAEXXZ | 1 |
| g_dwDllEntryThreadId | 1 |
| Plat_IsInDebugSession | 1 |
| WriteMiniDump | 1 |
| Plat_ExitProcess | 1 |
| ?ReplaceObjectAt@nsCOMArray_base@@IAE@H@Z | 1 |
| ?Sort@nsVoidArray@@QAEXP6AHPBXOPAX | 1 |
| ?Compare@@YAHABVnsACString_internal@ | 1 |
| ?StringEndsWith@@YAHABVnsACString_int | 1 |
| ??0nsCOMArray_base@@IAE@H@Z | 1 |
| PL_DHashGetKeyStub | 1 |
| ?RemoveCStringAt@nsCStringArray@@QAE | 1 |
| ?CStringAt@nsCStringArray@@QBEXHAAVn | 1 |
| CreateDirector | 1 |
| @Graphics@TBitmap@SetTransparentMode | 1 |
| @Graphics@TPicture@GetHeight\$qqrv | 1 |
| @Graphics@TCanvas@PolyBezier\$qqrpX12T | 1 |
| @Graphics@TCanvas@Polygon\$qqrpX12Typ | 1 |
| BASS_ChannelResume | 1 |
| BASS_SampleGetInfo | 1 |
| BASS_SampleSetInfo | 1 |
| DLLGetDocumentation | 1 |
| ??0BDSTRING@@QAE@ABV0@@Z | 1 |
| ?SetDtrControl@COMM_DEVICE@@QAEHW | 1 |
| ?SetOutputCodePage@SCREEN@@QAEKK@ | 1 |
| ?_UseAnsiConversionsPrev@WSTRING@@C | 1 |
| ?IsKeyAvailable@KEYBOARD@@QBEEPAE@ | 1 |
| ?MakeFile@SYSTEM@@SGPAVFSN_FILE@@ | 1 |
| UnknownFunction | 1 |
| ThunderEx | 1 |
| ??0CBrowseFilter@@QAE@H@Z | 1 |
| ?NumberofOnes@@YGIH@Z | 1 |
| ?GetRASLogging@@YGJPAPAUISdo@@PAU | 1 |
| ?SelectFileFromSearch@@YGHAAPAXAAU_` | 1 |
| ?GetLine@CParseLogFile@@QAEJPAPAG@Z | 1 |
| ?GetExchangeLogging@@YGJPAPAUIADs@() | 1 |
| ?GetFaxLogging@@YGJPAPAUIFaxActivityLo | 1 |
| ?NextFile@CParseLogFile@@QAEJPAG_N@ | 1 |
| ?ReadLine@CParseLogFile@@QAEJXZ | 1 |
| ?ClearBuffer@CParseLogFile@@QAEXXZ | 1 |
| ?GetColumn@CParseLogFile@@QAEJHPAGI | 1 |
| ?Init@CParseLogFile@@QAEJXZ | 1 |
| ??0CParseLogFile@@QAE@PAGQAGH1@Z | 1 |
| ??1CParseLogFile@@UAE@XZ | 1 |
| ?SetEmailAddress@CReportConfiguration@ | 1 |
| ?SetReplyTo@CReportConfiguration@@QAI | 1 |
| ?SetReportType@CReportConfiguration@@ | 1 |

| | |
|--|---|
| ?SetName@CReportConfiguration@@QAEX | 1 |
| ?SetDescription@CReportConfiguration@@ | 1 |
| ?AddConfiguration@@YGJPAVCReportConfi | 1 |
| ?IsConfigurationNameUnique@@YG_NPAGI | 1 |
| ?FixString@@YGPAGPAGG0@Z | 1 |
| ?UpdateInstances@@YGJXZ | 1 |
| ?GetLastSentTime@CReportConfiguration@ | 1 |
| ?ModifySystemTimeStructure@@YGKPAU_S | 1 |
| ?GetReportType@CReportConfiguration@@ | 1 |
| ?GetDefaultFrom@@YGJPAGH@Z | 1 |
| ?GetEmailAddress@CReportConfiguration@ | 1 |
| ?GetReplyTo@CReportConfiguration@@QA | 1 |
| ?SetLastSentTime@CReportConfiguration@ | 1 |
| ?UpdateConfiguration@@YGJPAGPAVCRepc | 1 |
| ?GetAttachmentStatusFile@@YGJPAGH@Z | 1 |
| ?GetName@CReportConfiguration@@QAEF | 1 |
| ?GetDescription@CReportConfiguration@@ | 1 |
| ?GetConfigurations@@YGJPAV?\$map@PAC | 1 |
| ?RemoveConfiguration@@YGJPAG@Z | 1 |
| ?GetRegValue@@YGJPAUHKEY__@@PAG1: | 1 |
| ?CalculateLimit@@YGHXZ | 1 |
| ??0CEventLog@@QAE@XZ | 1 |
| ?RegisterSource@CEventLog@@QAEJPBG0(| 1 |
| ?Report@CEventLog@@QAEJGKJ@Z | 1 |
| ??1CEventLog@@UAE@XZ | 1 |
| ??0CReportConfiguration@@QAE@XZ | 1 |
| ?GetConfiguration@@YGJPAGPAVCReportC | 1 |
| ??1CReportConfiguration@@QAE@XZ | 1 |
| ?PrintTime@@YGJAAU_SYSTEMTIME@@PA | 1 |
| ?DisplayMessageBox@@YGHHHI@Z | 1 |
| ?LocalTimeToUTCTime@@YGJPAU_SYSTEM | 1 |
| ?PrintTime@@YGJAAU_SYSTEMTIME@@PA | 1 |
| ?UpdateTimeInDB@@YGJPAGU_SYSTEMTIN | 1 |
| ?GetRegValue@@YGJPAUHKEY__@@PAG1I | 1 |
| ?PrintTime@@YGJPAGH@Z | 1 |
| ?GetSBSMonitoringInstallDir@@YGJPAGH@ | 1 |
| ?GetTimeInDB@@YGJPAGKAAU_SYSTEMTIN | 1 |
| ?GetRow@CSBSDatabaseAccess@@QAEJHC | 1 |
| ?Execute@CSBSDatabaseAccess@@QAEJPA | 1 |
| ??0CSBSDatabaseAccess@@QAE@XZ | 1 |
| ?Init@CSBSDatabaseAccess@@QAEJXZ | 1 |
| ?EscapeQuote@@YGPAGPBG@Z | 1 |
| ?Query@CSBSDatabaseAccess@@QAEJPAG | 1 |
| ?GetCount@CSBSDatabaseAccess@@QAEJP | 1 |
| ?Uninit@CSBSDatabaseAccess@@QAEJXZ | 1 |
| ??1CSBSDatabaseAccess@@QAE@XZ | 1 |
| ?DisplayMessageBox@@YGHPAUHWND__C | 1 |

| | |
|--------------------------------------|---|
| ?AllTrim@@YGPAGPAG@Z | 1 |
| ?AddFilter@CBrowseFilter@@QAEJPAG0@Z | 1 |
| ?GetFilter@CBrowseFilter@@QAEPAJGXZ | 1 |
| ??1CBrowseFilter@@QAE@XZ | 1 |
| ?Report@CEventLog@@QAEJGK@Z | 1 |
| ?WriteUnicodeHeader@@YGJPAX@Z | 1 |
| ?GetIISLogging@@YGJPAPAUIADs@@PAUt: | 1 |
| ?CreateTempFilename@@YGJPAGH@Z | 1 |
| ?GetAcctName@@YGJKPAGH_N@Z | 1 |
| D3DXGetImageInfoFromFileA | 1 |
| SetGroupBoxEnable | 1 |
| GetWindowInput | 1 |
| ?OnCommandHelp@WPlugInHelp@@UAEX | 1 |
| ?PLGINCanHandleMessage@WWndPlugIn@ | 1 |
| ?PLGINHandlePostTrapMessage@WWndPlu | 1 |
| ?OnHelpButton@WPlugInHelp@@UAEXXZ | 1 |
| ?PreUnPlug@WWndPlugIn@@UAEHXZ | 1 |
| ?OnHelpHitTest@WPlugInHelp@@UAEHIJA. | 1 |
| ?PLGINHandlePreTrapMessage@WPlugInHe | 1 |
| ??0WPlugInHelp@@QAE@H@Z | 1 |
| ??1WPlugInHelp@@UAE@XZ | 1 |
| ??1WWndPlugInClient@@QAE@XZ | 1 |
| ??0WPLGINData@@QAE@XZ | 1 |
| ?OnContextMenu@WPlugInHelp@@UAEXP | 1 |
| ?GetHelpFile@WPlugInHelp@@UAEHAAVC! | 1 |
| ?PLGINWndProcHelper@WWndPlugInClient | 1 |
| ?AutoLoad@WBitmapButton@@QAEHIPAV | 1 |
| ??0ButtonsBitmap@@QAE@XZ | 1 |
| ??0WBitmapButton@@QAE@XZ | 1 |
| ??1WButtonsBitmap@@UAE@XZ | 1 |
| ??1WBitmapButton@@UAE@XZ | 1 |
| ??0WWndPlugInClient@@QAE@XZ | 1 |
| ?PrePlug@WWndPlugIn@@UAEHXZ | 1 |
| ?PLGINGetMsgMap@WPlugInHelp@@MBEI | 1 |
| GetProcAddress | 1 |
| RtlConvertPropertyToVariant | 1 |
| GdipGetPenFillType | 1 |
| cairo_close_path | 1 |
| cairo_destroy | 1 |
| cairo_fill | 1 |
| cairo_line_to | 1 |
| cairo_move_to | 1 |
| cairo_rectangle | 1 |
| cairo_restore | 1 |
| cairo_save | 1 |
| cairo_set_dash | 1 |
| cairo_set_line_width | 1 |

| | |
|---|---|
| cairo_set_source_rgb | 1 |
| cairo_stroke | 1 |
| gdk_cairo_region | 1 |
| gdk_cairo_set_source_color | 1 |
| gdk_colormap_alloc_color | 1 |
| gdk_cursor_new_for_display | 1 |
| gdk_drawable_get_colormap | 1 |
| gdk_window_set_cursor | 1 |
| g_filename_display_basename | 1 |
| g_get_real_name_utf8 | 1 |
| g_get_user_name_utf8 | 1 |
| g_list_find_custom | 1 |
| g_list_first | 1 |
| g_list_index | 1 |
| g_list_insert | 1 |
| g_list_insert_before | 1 |
| g_list_last | 1 |
| g_list_nth | 1 |
| g_list_remove_link | 1 |
| g_markup_escape_text | 1 |
| g_signal_stop_emission_by_name | 1 |
| gtk_about_dialog_get_type | 1 |
| gtk_accel_group_new | 1 |
| gtk_action_group_add_radio_actions | 1 |
| gtk_action_group_add_toggle_actions | 1 |
| gtk_adjustment_get_page_size | 1 |
| gtk_box_pack_end | 1 |
| gtk_button_new | 1 |
| gtk_button_new_with_mnemonic | 1 |
| gtk_editable_get_type | 1 |
| gtk_editable_set_editable | 1 |
| gtk_file_chooser_set_current_name | 1 |
| gtk_file_chooser_set_do_overwrite_confirm | 1 |
| gtk_handle_box_new | 1 |
| gtk_icon_set_add_source | 1 |
| gtk_icon_set_new | 1 |
| gtk_icon_source_free | 1 |
| gtk_icon_source_new | 1 |
| gtk_icon_source_set_pixbuf | 1 |
| gtk_icon_source_set_size | 1 |
| gtk_icon_source_set_size_wildcarded | 1 |
| gtk_image_menu_item_new_with_mnemor | 1 |
| gtk_list_store_insert | 1 |
| gtk_list_store_remove | 1 |
| gtk_menu_shell_insert | 1 |
| gtk_message_dialog_new_with_markup | 1 |
| gtk_notebook_set_current_page | 1 |

| | |
|---|---|
| gtk_orientable_get_type | 1 |
| gtk_orientable_set_orientation | 1 |
| gtk_radio_action_get_current_value | 1 |
| gtk_radio_button_get_group | 1 |
| gtk_scrolled_window_add_with_viewport | 1 |
| gtk_scrolled_window_get_hadjustment | 1 |
| gtk_scrolled_window_get_vadjustment | 1 |
| gtk_selection_data_get_data | 1 |
| gtk_selection_data_get_format | 1 |
| gtk_selection_data_get_length | 1 |
| gtk_spin_button_get_type | 1 |
| gtk_spin_button_get_value_as_int | 1 |
| gtk_spin_button_set_numeric | 1 |
| gtk_spin_button_set_value | 1 |
| gtk_statusbar_get_context_id | 1 |
| gtk_statusbar_get_type | 1 |
| gtk_statusbar_new | 1 |
| gtk_statusbar_push | 1 |
| gtk_statusbar_remove | 1 |
| gtk_stock_add_static | 1 |
| gtk_text_buffer_get_bounds | 1 |
| gtk_text_buffer_get_end_iter | 1 |
| gtk_text_buffer_get_text | 1 |
| gtk_text_buffer_insert | 1 |
| gtk_text_buffer_new | 1 |
| gtk_text_buffer_set_text | 1 |
| gtk_text_view_get_type | 1 |
| gtk_text_view_new_with_buffer | 1 |
| gtk_text_view_set_editable | 1 |
| gtk_toggle_action_get_type | 1 |
| gtk_toggle_action_set_active | 1 |
| gtk_toolbar_get_type | 1 |
| gtk_toolbar_set_style | 1 |
| gtk_tree_model_iter_n_children | 1 |
| gtk_tree_model_row_changed | 1 |
| gtk_tree_selection_get_selected_rows | 1 |
| gtk_tree_selection_unselect_iter | 1 |
| gtk_tree_view_column_new | 1 |
| gtk_tree_view_column_pack_start | 1 |
| gtk_tree_view_column_set_alignment | 1 |
| gtk_tree_view_column_set_cell_data_func | 1 |
| gtk_tree_view_column_set_min_width | 1 |
| gtk_tree_view_column_set_sizing | 1 |
| gtk_tree_view_column_set_title | 1 |
| gtk_tree_view_get_path_at_pos | 1 |
| gtk_tree_view_set_rules_hint | 1 |
| gtk_ui_manager_get_action | 1 |

| | |
|----------------------------------|---|
| gtk_widget_add_accelerator | 1 |
| gtk_widget_destroyed | 1 |
| gtk_widget_get_display | 1 |
| gtk_widget_get_state | 1 |
| gtk_widget_get_window | 1 |
| gtk_widget_grab_focus | 1 |
| gtk_widget_queue_draw | 1 |
| gtk_widget_queue_resize | 1 |
| gtk_widget_set_can_focus | 1 |
| gtk_widget_set_events | 1 |
| gtk_widget_set_visible | 1 |
| gtk_window_present | 1 |
| gtk_window_set_resizable | 1 |
| libintl_vsprintf | 1 |
| gimp_drawable_height | 1 |
| gimp_drawable_width | 1 |
| gimp_image_find_next_guide | 1 |
| gimp_image_get_guide_orientation | 1 |
| gimp_image_get_guide_position | 1 |
| gimp_image_get_name | 1 |
| gimp_item_get_image | 1 |
| gimp_personal_rc_file | 1 |
| gimp_rgb_multiply | 1 |
| gimp_rgb_set | 1 |
| gdk_event_triggers_context_menu | 1 |
| gimp_chain_button_get_active | 1 |
| gimp_chain_button_get_type | 1 |
| gimp_chain_button_new | 1 |
| gimp_color_button_get_color | 1 |
| gimp_color_button_get_type | 1 |
| gimp_color_button_new | 1 |
| gimp_color_button_set_color | 1 |
| gimp_color_button_set_update | 1 |
| gimp_help_connect | 1 |
| gimp_hint_box_new | 1 |
| gimp_preview_area_draw | 1 |
| gimp_preview_area_get_type | 1 |
| gimp_preview_area_new | 1 |
| gimp_ruler_new | 1 |
| gimp_ruler_set_range | 1 |
| gtk_scrollbar_new | 1 |
| EvtGetPublisherMetadataProperty | 1 |
| EvtGetObjectArrayProperty | 1 |
| EvtGetObjectArraySize | 1 |
| ConvertInterfaceGuidToLuid | 1 |
| NdfDiagnoseIncident | 1 |
| NdfGetTraceFile | 1 |

| | |
|--|---|
| TdhGetEventInformation | 1 |
| TdhGetEventMapInformation | 1 |
| TdhFormatProperty | 1 |
| HNAdapter_SyncSend | 1 |
| HNAdapter_Get_MaxThreadCount | 1 |
| HNAdapter_Set_ThreadCount | 1 |
| HNAdapter_Set_OnPacketRecv | 1 |
| HNPSManager_Initialize | 1 |
| HNPSManager_Get_NextAdapterCfg | 1 |
| HNAdapterConfig_Get_AdapterType | 1 |
| HNAdapterConfig_Get_AdapterDescription | 1 |
| HNAdapterConfig_Get_MACAddress | 1 |
| HNAdapter_Set_Config | 1 |
| HNAdapter_OpenAdapter | 1 |
| HNUserFilter_Create | 1 |
| HNAdapter_Create | 1 |
| HNPSManager_Create | 1 |
| HNAdapter_CloseAdapter | 1 |
| HNAdapter_IsOpened | 1 |
| HNPSManager_Destroy | 1 |
| HNAdapter_Destroy | 1 |
| HNUserFilter_Destroy | 1 |
| HNAdapter_Set_MacFilter | 1 |
| HNAdapter_Get_LinkSpeed | 1 |
| HNAdapter_Get_ConnectStatus | 1 |
| ?AddRef@CMpegObject@@UAEXXZ | 1 |
| ?Release@CMpegObject@@UAEXXZ | 1 |
| ?GetFullPathNameA@CMpegObject@@UAE | 1 |
| ?GetFullPathNameW@CMpegObject@@UA | 1 |
| ?GetMediaType@CMpegObject@@UAE?AW | 1 |
| ?GetBitrate@CMpegObject@@UAEKXZ | 1 |
| ?GetDuration@CMpegObject@@UAEKXZ | 1 |
| ?GetNumVideoStream@CMpegObject@@U | 1 |
| ?GetNumAudioStream@CMpegObject@@U | 1 |
| ?GetVideoStream@CMpegObject@@UAEPA | 1 |
| ?GetAudioStream@CMpegObject@@UAEPA | 1 |
| ?GetAspectDen@CMpegObject@@UAEKXZ | 1 |
| ?GetAspectNum@CMpegObject@@UAEKXZ | 1 |
| ?GetFramerate@CMpegObject@@UAEKXZ | 1 |
| ?GetFramerateBase@CMpegObject@@UAE | 1 |
| ?GetFrameNum@CMpegObject@@UAE_JXZ | 1 |
| ?GetVideoFormat@CMpegObject@@UAE?A | 1 |
| ?GetWidthSize@CMpegObject@@UAEKXZ | 1 |
| ?GetHeightSize@CMpegObject@@UAEKXZ | 1 |
| ?GetVideoBitrate@CMpegObject@@UAEKX | 1 |
| ?HasClosedCaption@CMpegObject@@UAE_ | 1 |
| ?GetPictureByFrame@CMpegObject@@UAI | 1 |

| | |
|---|---|
| ?GetPictureByTime@CMpegObject@@UAEI | 1 |
| ?IsSupportSimpleDecode@CMpegObject@@C | 1 |
| ?GetDecodeColorCapsNum@CMpegObject@C | 1 |
| ?GetDecodeColorFormat@CMpegObject@@@ | 1 |
| ?SetDecodeVideoParam@CMpegObject@@@ | 1 |
| ?SetDecodeAudioParam@CMpegObject@@@ | 1 |
| ?GetDecodeVideoParam@CMpegObject@@@ | 1 |
| ?GetDecodeAudioParam@CMpegObject@@@ | 1 |
| ?StartSceneChangeAnalyze@CMpegObject@C | 1 |
| ?CancelSceneChangeAnalyze@CMpegObject@C | 1 |
| ?IsSceneChangeAnalyze@CMpegObject@@@ | 1 |
| ?GetSceneChangeInfo@CMpegObject@@@U | 1 |
| ?StartAudioModeAnalyze@CMpegObject@@C | 1 |
| ?CancelAudioModeAnalyze@CMpegObject@C | 1 |
| ?IsAudioModeAnalyze@CMpegObject@@@U | 1 |
| ?GetChangeAudioModePoints@CMpegObjje | 1 |
| ?GetChannels@CMpegObject@@@UAEKXZ | 1 |
| ?GetSamplingRate@CMpegObject@@@UAEK | 1 |
| ?GetBitsPerSample@CMpegObject@@@UAEI | 1 |
| ?GetAudioBitrate@CMpegObject@@@UAEKX | 1 |
| ?GetSampleNum@CMpegObject@@@UAE_JX | 1 |
| ?GetChannelMask@CMpegObject@@@UAEK: | 1 |
| ?GetAudio@CMpegObject@@@UAEK_JKPAEF | 1 |
| ?SetDecoderState@CMpegObject@@@UAEKI | 1 |
| ?OpenFile@CMpegObject@@@UAEKXZ | 1 |
| ?CloseFile@CMpegObject@@@UAEXXZ | 1 |
| ?GetSystemType@CMpegObject@@@UAE?AI | 1 |
| ?GetSystemSubType@CMpegObject@@@UAEI | 1 |
| ?GetRecTime@CMpegObject@@@UAEPUtr | 1 |
| ?GetFramerateExInfo@CMpegObject@@@UA | 1 |
| ?GetTsInfo@CMpegObject@@@UAE_NPAUDI | 1 |
| ?GetBitrateType@CMpegObject@@@UAE?AV | 1 |
| ?GetProfileAndLevel@CMpegObject@@@UAI | 1 |
| ?GetVideoCodec@CMpegObject@@@UAE?AI | 1 |
| ?GetAVCProfileAndLevel@CMpegObject@@@ | 1 |
| ?GetAVCSRIndicator@CMpegObject@@@UAE | 1 |
| ?GetMpeg4ProfileAndLevel@CMpegObject@C | 1 |
| ?GetAudioMode@CMpegObject@@@UAE?AV | 1 |
| ?GetAudioStreamType@CMpegObject@@@U | 1 |
| ?IsErrorProtection@CMpegObject@@@UAE_I | 1 |
| ?IsOriginalCopy@CMpegObject@@@UAE_NX | 1 |
| ?HasCopyright@CMpegObject@@@UAE_NXZ | 1 |
| ?GetEmphasisType@CMpegObject@@@UAE? | 1 |
| ?GetAuxAspectDen@CMpegObject@@@UAEI | 1 |
| ?GetAuxAspectNum@CMpegObject@@@UAE | 1 |
| ?IsVideoCapsule@CMpegObject@@@UAE_N) | 1 |
| ?GetVideoCapsuleInfoInterface@CMpegObj | 1 |

| | |
|---|---|
| ?SetOptimumAddress@CMpegObject@@U | 1 |
| ?SetOptimumAddress@CMpegObject@@U | 1 |
| ?GetOptimumAddressInfoNum@CMpegObj | 1 |
| ?GetOptimumAddressInfo@CMpegObject@ | 1 |
| ??1CMpegObject@@UAE@XZ | 1 |
| ?CheckChannelMask@DrpAudioConverter@ | 1 |
| ?Set@DrpMemory@@SAPAXPAXHI@Z | 1 |
| ?GetPictureSize@DrpImageConvertWrapper | 1 |
| ?Copy@DrpMemory@@SAPAXPAXIPBXI@Z | 1 |
| ?SetMainHelpCollection@SHelp@@QAEXPB | 1 |
| ?FreeLib@SHelp@@QAEXXXZ | 1 |
| ?SGetWindowsPlatform@@YAIXZ | 1 |
| ?GetApp@SApplication@@SAPAV1@XZ | 1 |
| ?SetMainHelpFile@SHelp@@QAEXPBG0@Z | 1 |
| SENDTO_TransferProgressDialog | 1 |
| SENDTO_DeleteUselessLinks | 1 |
| SENDTO_BipTransferProgressDialog | 1 |
| ?GetTiffSizeFromBuffer@@YAHPADAAH1K@ | 1 |
| ?write_png_dll@@YAHPBDHPADHHH@Z | 1 |
| ?LoadPngFromBuffer@@YAHPADAAH0HH@ | 1 |
| ?GetPngSizeFromBuffer@@YAHPADAAH1@ | 1 |
| ?LoadTiffFromBuffer@@YAHPADAAH0HHK@ | 1 |
| ?AvgKernel32_UnhandledExceptionFilter@C | 1 |
| ?GetFullPath@AvgBasPath@@YGHAAU_AV | 1 |
| ?GetTempDirPath@AvgBasPath@@YGHAAU | 1 |
| ?GetDirectoryPathFromFilenamePath@AvgE | 1 |
| ?GetRandomName@AvgBasPath@@YGHAA | 1 |
| ?GetPathRoot@AvgBasPath@@YGHAAU_A\ | 1 |
| ?GetRandomNameSize@AvgBasPath@@YG | 1 |
| ?IsPathRooted@AvgBasPath@@YG_NPB_W | 1 |
| ?AvgNtdll_ZwOpenProcessToken@@YGJPA | 1 |
| ?AvgNtdll_ZwOpenKeyTransacted@@YGJPA | 1 |
| ?AvgNtdll_RtlDosPathNameToNtPathName_ | 1 |
| ?AvgNtdll_ZwCreateKeyTransacted@@YGJP | 1 |
| ?AvgUpperString@@YGHW4AvgCodePage@ | 1 |
| ?GetOsInfoData@AvgEnvironment@@YGAE | 1 |
| ?AvgCreateErrorCodeFromWin32@@YGHK@ | 1 |
| ?AvgCompareStringNoCase@@YGHW4AvgC | 1 |
| ??1AvgSpinLockLocker@@QAE@XZ | 1 |
| ??0AvgSpinLockLocker@@QAE@PAUAvgSpi | 1 |
| ?AvgDestroySysMini@@YGXXZ | 1 |
| ?AvgInitializeSysMini@@YGHXZ | 1 |
| ?GetInternal@AvgUtf16CharHeapBuffer@@ | 1 |
| ?GetValue@AvgUtf16CharHeapBuffer@@Q | 1 |
| ?GetSize@AvgUtf16CharHeapBuffer@@QB | 1 |
| ?ReserveElements@AvgUtf16CharHeapBuff | 1 |
| ??1AvgUtf16CharHeapBuffer@@QAE@XZ | 1 |

| | |
|---|---|
| ??0AvgUtf16CharHeapBuffer@@QAE@XZ | 1 |
| ?IsWindowsVistaOrHigher@OsInfo@AvgEnv | 1 |
| ?GetEnvironmentVar@AvgEnvironment@@ | 1 |
| ?AvgGetNtdllModuleHandle@@YGPAXXZ | 1 |
| ?AvgFindSubStringFromRight@@YGPB_WPE | 1 |
| ?AvgCopyString@@YGHPA_WIPB_WI@Z | 1 |
| ?GetModuleDirectory@AvgModule@@YGH | 1 |
| ?AvgFormatStringV@@YGHW4AvgCodePage | 1 |
| ??1AvgBasCriticalSection@@QAE@XZ | 1 |
| ?AvgConvertNumber2String@@YGHPA_WIK | 1 |
| ?AvgConvertString2Number@@YGHAAKPB_ | 1 |
| ?AvgGetUtf16MbStringSize@@YGHAAIPB_ | 1 |
| ?AvgConvertAvgTimeToStruct@@YGHAAUA | 1 |
| ??0AvgTimeDifferenceStruct@@QAE@XZ | 1 |
| ??0AvgTimeStruct@@QAE@XZ | 1 |
| ?Release@AvgBasCriticalSection@@QAGHX | 1 |
| ?Acquire@AvgBasCriticalSection@@QAGHX | 1 |
| ?AvgWinIsProcessBeingDebugged@@YG_N | 1 |
| ?IsInitialized@AvgBasCriticalSection@@QBC | 1 |
| ??0AvgBasCriticalSection@@QAE@XZ | 1 |
| ?AvgConvertAvgTimeDifferenceToStruct@@ | 1 |
| ?AvgConvertUtf16MbString@@YGHPADIPF | 1 |
| ?Lock@AvgBasCriticalSectionHolder@@QAC | 1 |
| ??1AvgBasCriticalSectionHolder@@QAE@X: | 1 |
| ??0AvgBasCriticalSectionHolder@@QAE@P, | 1 |
| ?Release@AvgBasCriticalSectionHolder@@(| 1 |
| ?Initialize@AvgWinSecurityIdentifier@@QA | 1 |
| ?Assign@AvgWinSecurityDescriptor@@QAC | 1 |
| ?AddDaclAce@AvgWinSecurityDescriptor@@(| 1 |
| ?Initialize@AvgWinMandatoryLabel@@QAC | 1 |
| ?AvgMemXor@@YGXPAEPBEI@Z | 1 |
| ?Destroy@AvgBasCriticalSection@@QAGHX | 1 |
| ?AvgGenerateRandomBuffer@@YGXPAEI@; | 1 |
| ?AvgFormatStringV@@YGHW4AvgCodePage | 1 |
| ?AvgConvertSYSTEMTIMEToAvgTime@@YGI | 1 |
| ?AvgKernel32ForceInitialize@@YGXXZ | 1 |
| ?AvgWinZwOpenFile@@YGHPB_WPAPAXKF | 1 |
| ?AvgGetUtf16TStringSize@@YGHAAIPB_W | 1 |
| ?Assign@AvgUtf16CharHeapBuffer@@QAG | 1 |
| ?Append@AvgUtf16CharHeapBuffer@@QAG | 1 |
| ?Erase@AvgUtf16CharHeapBuffer@@QAGF | 1 |
| ?AvgConvertUtf16TString@@YGHAAU_AV | 1 |
| ?AvgConvertT2Utf16String@@YGHPA_WIPE | 1 |
| ?Resize@AvgUtf16CharHeapBuffer@@QAG | 1 |
| ?GetBuffer@AvgUtf16CharHeapBuffer@@C | 1 |
| ?Swap@AvgUtf16CharHeapBuffer@@QAGX | 1 |
| ?GetCurrentModuleHandle@AvgProcess@C | 1 |

| | |
|--|---|
| ?AvgConvertNumber2String@@YGHPADIHF | 1 |
| ?AvgLowerASCIIString@@YGXPADI@Z | 1 |
| ?AvgKernel32_SetUnhandledExceptionFilter | 1 |
| ?AvgKernel32IsFnLoaded_UnhandledExcepti | 1 |
| ?AvgCompareString@@YGHPB_W0II@Z | 1 |
| ?AvgGetSystemTime@@YGHAA_K@Z | 1 |
| ?DirectoryExists@AvgBasFs@@YGHPB_W@ | 1 |
| ?GetMaxPathLength@AvgEnvironment@@Y | 1 |
| ??0AvgBasSharedLibraryLoader@@QAE@PE | 1 |
| ??1AvgBasSharedLibraryLoader@@UAE@XZ | 1 |
| ?Load@AvgBasSharedLibraryLoader@@QAC | 1 |
| ?Unload@AvgBasSharedLibraryLoader@@U | 1 |
| ?AttachTo@AvgBasSharedLibraryLoader@@ | 1 |
| ??0AvgWinSecurityDescriptor@@QAE@XZ | 1 |
| ?AvgNtdll_RtlExitUserThread@@YGJJ@Z | 1 |
| ?IsWindowsServer2k3@OsInfo@AvgEnviron | 1 |
| ?IsWindowsXP@OsInfo@AvgEnvironment@ | 1 |
| ?GetCurrentProcessId@AvgProcess@@YGK) | 1 |
| ?GetCurrentProcessSubsystem@AvgProcess | 1 |
| ?GetSecurityDescriptor@AvgWinSecurityDes | 1 |
| ?AvgNtdllIsFnLoaded_RtlExitUserThread@@ | 1 |
| ?AvgIsWOW64Process@@YG_NXZ | 1 |
| ?AvgGetTimestamp@@YGKXZ | 1 |
| ?AvgNtdll_ZwCreateMutant@@YGJPAPAXKI | 1 |
| ?AvgCreateErrorCodeFromWin32@@YGHW | 1 |
| ?Initialize@AvgWinSecurityIdentifier@@QA | 1 |
| ?GetSDDLFormString@AvgWinSecurityIdent | 1 |
| ?AvgBufferXor@@YGXPAEPBEI1I_J@Z | 1 |
| ?Create@AvgBasCriticalSection@@QAGHXZ | 1 |
| ?AddDaclAce@AvgWinSecurityDescriptor@() | 1 |
| ?AvgConvertMb2Utf16String@@YGHPA_WI | 1 |
| ?AvgGenerateRandomDWord@@YGKXZ | 1 |
| ?AvgGetMb2Utf16StringSize@@YGHAAIPBC | 1 |
| ?AvgGetStringSizeInElements@@YGIPB_W@C | 1 |
| ?AvgGetStringSizeInElements@@YGIPBD@Z | 1 |
| _wcftime_I | 1 |
| ??0OComponentResourceModule@utl@@C | 1 |
| ?onFirstClient@OComponentResourceModu | 1 |
| ?onLastClient@OComponentResourceModu | 1 |
| ??0ModuleRes@utl@@QAE@GAAVOCompo | 1 |
| ??1OComponentResourceModule@utl@@U | 1 |
| ??0ComponentContext@comphelper@@QA | 1 |
| ?getComponentFactory@OModule@comph | 1 |
| ?writeComponentInfos@OModule@comph | 1 |
| ??0OModuleClient@comphelper@@QAE@I | 1 |
| ?registerImplementation@OModule@comp | 1 |
| ??1OModuleClient@comphelper@@QAE@) | 1 |

| | |
|--|---|
| ??1SQLExceptionInfo@dbtools@@QAE@XZ | 1 |
| ?doThrow@SQLExceptionInfo@dbtools@@@I | 1 |
| ?isValid@SQLExceptionInfo@dbtools@@QB | 1 |
| ?getFieldsByCommandDescriptor@dbtools@C | 1 |
| ??0SQLExceptionInfo@dbtools@@QAE@XZ | 1 |
| ??1StatementComposer@dbtools@@QAE@ | 1 |
| ?getComposer@StatementComposer@dbto | 1 |
| ?setDisposeComposer@StatementCompose | 1 |
| ??0StatementComposer@dbtools@@QAE@ | 1 |
| ?convertName2SQLName@dbtools@@YA?A | 1 |
| ?isValidSQLName@dbtools@@YAEABVOUSI | 1 |
| ??1DatabaseMetaData@dbtools@@QAE@X | 1 |
| ?restrictIdentifiersToSQL92@DatabaseMeta | 1 |
| ??0DatabaseMetaData@dbtools@@QAE@A | 1 |
| ??1SQLError@connectivity@@QAE@XZ | 1 |
| ?supportsSubqueriesInFrom@DatabaseMet | 1 |
| ?getSQLException@SQLError@connectivity@C | 1 |
| ??0SQLError@connectivity@@QAE@ABVCo | 1 |
| ?raiseException@SQLError@connectivity@C | 1 |
| SHLIMITInputEdit | 1 |
| MsiMessageBoxExA | 1 |
| MsiSourceListGetInfoW | 1 |
| NdrFullPointerQueryPointer | 1 |
| InstallHook1 | 1 |
| gimp_rgb_to_l_int | 1 |
| ?ESAEXSetProgramName@@YAHPAD@Z | 1 |
| ModemPropPagesProvider | 1 |
| InvokeControlPanel | 1 |
| WdfRegisterLibrary | 1 |
| WdfLdrDiagnosticsValueByNameAsULONG | 1 |
| Rockey | 1 |
| ?shutdown@VSAFilter@@QAEJXZ | 1 |
| ?radiusToIAS@VSAFilter@@QBEJPAUIAttrib | 1 |
| ?radiusFromIAS@VSAFilter@@QBEJPAUIAtt | 1 |
| ?initialize@VSAFilter@@QAEJXZ | 1 |
| IASAttributeAnsiAlloc | 1 |
| DisableKH | 1 |
| EnableKH | 1 |
| @Comctrls@TTabSheet@SetTabVisible\$qqrv | 1 |
| @TDoubleDF@GetValue\$qqrv | 1 |
| @TDoubleDF@SetValue\$qqr9TDFDouble | 1 |
| @TDoubleDF@ | 1 |
| @TEditGrid@Iterate\$qqrii | 1 |
| @TEditGrid@SetValue\$qqripC | 1 |
| @TEditGrid@SetValue\$qqrid4boolpc | 1 |
| @TEditGrid@SetValue\$qqrip5SDatei | 1 |
| @\$blor\$qr9SQLStreamr7SDouble | 1 |

| | |
|--|---|
| @SDouble@Assign\$qp9TDFDouble | 1 |
| @YeniFisno\$qpvp13SQLConnectionp9SQLSti | 1 |
| @InsertFLog\$qp13SQLConnectionp9SQLStre | 1 |
| @FisInsertN\$qp13SQLConnectionp9SQLStre | 1 |
| @GetDovizKur\$qp9SQLStreampc7TDFDatep1 | 1 |
| @FisDelete\$qpvp13SQLConnectionp9SQLStr | 1 |
| @MizanIslem\$qp13SQLConnectionp9SQLStr | 1 |
| @DonemKontrol\$qp9SQLStreami7TDFDatep | 1 |
| @valid_ekpass\$qpct1 | 1 |
| @CallProgram\$qp13SQLConnectionpvpc3t3 | 1 |
| @CompareDouble\$qddi | 1 |
| @DvzAnlzDoldur\$qp9SQLStreamipcp18Stdct | 1 |
| @DecryptTahakkuk\$qp13SQLConnectionp9SQL | 1 |
| @DecryptKesinti\$qp13SQLConnectionp9SQL | 1 |
| @CryptTahakkuk\$qp13SQLConnectionp9SQL | 1 |
| @CryptKesinti\$qp13SQLConnectionp9SQLSt | 1 |
| ?_Getmonths @_Locinfo@std@@QBEPBDXZ | 1 |
| ?intl@?\$moneypunct@D\$00@std@@2_NB | 1 |
| BASIC_DISPINTERFACE_GetTypeInfo | 1 |
| Upload | 1 |
| ??1CPCSLInfoReader@@UAE@XZ | 1 |
| ??1CnbuuButtonSkin@@UAE@XZ | 1 |
| ??1CnbuuStaticGradientSkin@@UAE@XZ | 1 |
| ?GetPCSL@CPCSLInfoReader@@QAEPBGXZ | 1 |
| ??0CPCSLInfoReader@@QAE@XZ | 1 |
| ??1CnbuuButtonCtrl@@UAE@XZ | 1 |
| ?SetAboutBoxParams@CCommonAboutDlg(| 1 |
| ?GetPathName@CNFileDialog@@QBEPBGX | 1 |
| ?SaveBitmap@CNBitmapUtil@@QAEHPBGV | 1 |
| ??1CNFileDialog@@UAE@XZ | 1 |
| ?DownloadFile@CNFileDialog@@SAJPBGPA | 1 |
| ?GetFolderType@CNFileDialog@@SA?AW4(| 1 |
| ?DoModal@CNFileDialog@@UAEHXZ | 1 |
| ?EnablePhoneFolders@CNFileDialog@@QA | 1 |
| ??0CNFileDialog@@QAE@HPBG0KOPAUHW | 1 |
| ?Show@CnbuuMessageBox@@SAHPAUHW | 1 |
| ?PCSCM_Finalize@@YAXXZ | 1 |
| ?SetTextColor@CnbuuMessageBox@@SAXI | 1 |
| ?SetBackgroundSkin@CnbuuMessageBox@I | 1 |
| ?SetButtonSkin@CnbuuMessageBox@@SA) | 1 |
| ?PCSCM_LoadString@@YAHIPAGH@Z | 1 |
| ?WindowProc@CnbuuButtonCtrl@@SGJPAI | 1 |
| ?Draw@\$CnbuuWindowImpl@VCnbuuBut | 1 |
| ?GetHWND@?\$CnbuuWindowImpl@VCnbu1 | 1 |
| ?OnSize@CnbuuButtonCtrl@@MAEJPAUHV | 1 |
| ?OnTimer@CnbuuButtonCtrl@@MAEJPAUF | 1 |
| ?OnGetCheck@CnbuuButtonCtrl@@MAEJP | 1 |

| | |
|---------------------------------------|---|
| ?OnSetCheck@CNbuuButtonCtrl@@MAEJP/ | 1 |
| ?OnRadioInfo@CNbuuButtonCtrl@@MAEJP | 1 |
| ?OnLButtonUp@CNbuuButtonCtrl@@MAEJI | 1 |
| ?OnLButtonDblClick@CNbuuButtonCtrl@@I | 1 |
| ?OnKillFocus@CNbuuButtonCtrl@@MAEJPA | 1 |
| ?OnSetFocus@CNbuuButtonCtrl@@MAEJPA | 1 |
| ?OnMouseLeave@CNbuuButtonCtrl@@MAI | 1 |
| ?OnMouseMove@CNbuuButtonCtrl@@MAI | 1 |
| ?OnDrawItem@CNbuuButtonCtrl@@MAEJP | 1 |
| ?OnEraseBkgnd@CNbuuButtonCtrl@@MAE. | 1 |
| ?OnDestroy@CNbuuButtonCtrl@@MAEJPAI | 1 |
| ?OnCreate@CNbuuButtonCtrl@@MAEJPAU | 1 |
| ?SizeToContent@CNbuuButtonCtrl@@UAE> | 1 |
| ?Create@CNbuuButtonCtrl@@UAEPAUHWI | 1 |
| ?SetToolTipText@CNbuuButtonCtrl@@UAE: | 1 |
| ?OnPaint@?\$CNbuuWindowImpl@VCNbuuI | 1 |
| ?UnsubclassWindow@?\$CNbuuWindowImpl | 1 |
| ?SubclassWindow@CNbuuButtonCtrl@@UA | 1 |
| ?SkinIsValid@?\$CNbuuWindowImpl@VCNbi | 1 |
| ?SetSkin@?\$CNbuuWindowImpl@VCNbuuB | 1 |
| ?Create@CNbuuButtonCtrl@@MAEPAUHW | 1 |
| ??_7CCSDWrapperListener@@6B@ | 1 |
| ?NLoadBitmap@CNBitmapUtil@@QAEPAUI | 1 |
| ?Attach@CNbuuBitmap@@QAEXPAAUHBITN | 1 |
| ?DrawImage@CNbuuGraphics@@QAEXPAAV | 1 |
| ?LoadBitmapW@CNbuuResourceManager@ | 1 |
| ??0CNbuuButtonCtrl@@QAE@XZ | 1 |
| ?GetDeviceCount@CCSDWrapper@@QAEH | 1 |
| ??0CNbuuStaticGradientSkin@@QAE@XZ | 1 |
| ?SetDefaultSkinDef@CNbuuButtonSkin@@S | 1 |
| ??0CNbuuButtonSkin@@QAE@XZ | 1 |
| ?SetButtonCaptions@CNbuuMessageBox@C | 1 |
| ?StopListening@CCONADeviceNotify@@QA | 1 |
| ?StartListening@CCONADeviceNotify@@QA | 1 |
| ?GetPixelLink@CNPConfigMgr@@UAE_NPA | 1 |
| ?GetPixelPostTimeOut@CNPConfigMgr@@I | 1 |
| ?Init@CNPConfigMgr@@UAEXXZ | 1 |
| ?GetPixelAffidEnable@CNPConfigMgr@@U | 1 |
| NtMapViewOfVlmSection | 1 |
| NtUnmapViewOfVlmSection | 1 |
| NtProtectVirtualMemory64 | 1 |
| NtQueryVirtualMemory64 | 1 |
| RtlThreadPoolCleanup | 1 |
| path_sanitize | 1 |
| GetClassLongPtrA | 1 |
| ?GetName@CWFMarker@@QAEPBDXZ | 1 |
| ?Init@CWFMarker@@QAEXPAAULogModule | 1 |

| | |
|---|---|
| ?SetID@CWFMarker@@QAEXJ@Z | 1 |
| ?RecDiagCreateModule@@YAXH@Z | 1 |
| ?g_RecLogModules@@3PAPAUILogModule@ | 1 |
| ??0CWFMarker@@QAE@XZ | 1 |
| ?RecDiagInit@@YAHPBD@Z | 1 |
| ?RecDiagRelease@@YAHXZ | 1 |
| ??1CWFMarker@@QAE@XZ | 1 |
| ?FromMenu@CSSWebUpdate@@QAEXXZ | 1 |
| ??0CSSWebUpdate@@QAE@PBD0@Z | 1 |
| ?CheckWebUpdateOnInit@CSSWebUpdate@ | 1 |
| ?AppStarted@CSSWebUpdate@@QAEXXZ | 1 |
| ??1CMainInfoHelpList@@UAE@XZ | 1 |
| ?Read@CSpyRecover@@QAEXAAVCStringA | 1 |
| ??0CMainInfoHelpList@@QAE@V?\$CString@ | 1 |
| ?Read@CMainInfoHelpList@@QAEXXZ | 1 |
| ?OpenDeleteDBFile@CSpyRecover@@QAE_ | 1 |
| ?Recover@CSpyRecover@@QAEXV?\$CString@ | 1 |
| ?Stop@CSpyScanner@@QAEXXZ | 1 |
| ?CloseDeleteDBFile@CSpyRecover@@QAE_ | 1 |
| ?FixRegistry@CSpyScanner@@QAE_NV?\$CString@ | 1 |
| ?_FixScan@CSpyScanner@@QAEXXZ | 1 |
| ??0CSpyScanner@@QAE@XZ | 1 |
| ?Fire_Done_Loading@CSpyScanner@@QAE | 1 |
| ??1CSpyScanner@@UAE@XZ | 1 |
| ?SendKLMessageToUI@CSpyScanner@@QA | 1 |
| ?UnloadExcludeDB@CSpyScanner@@QAEX@ | 1 |
| ?LoadExcludeDB@CSpyScanner@@QAEXXZ | 1 |
| ?ReRegisterWhiteDII@CSpyScanner@@QAE | 1 |
| ?Remove@CSpyScanner@@QAE_NV?\$CString@ | 1 |
| ?CloseRemoveDBFile@CSpyScanner@@QAE | 1 |
| ?OpenRemoveDBFile@CSpyScanner@@QAE | 1 |
| ?SystemShutDown@CSpyScanner@@QAE_@ | 1 |
| ?Scan@CSpyScanner@@QAEX_NV?\$CString@ | 1 |
| ??0CSpyRecover@@QAE@XZ | 1 |
| ??1CSpyRecover@@QAE@XZ | 1 |
| ?FoundRegistryToFix@CSpyScanner@@UAE | 1 |
| ?UpdateRemoveDB@CSpyRecover@@QAE_ | 1 |
| ?FoundWorm@CSpyScanner@@UAEXPAC | 1 |
| BufpktCreate | 1 |
| BufpktGetAirStationData | 1 |
| BufpktGetAirStationList | 1 |
| BufpktClose | 1 |
| BufpktSearch | 1 |
| ?get@?\$basic_istream@GU?\$char_traits@C | 1 |
| pfnMarshallRoutines | 1 |
| I_RpcEnableWmiTrace | 1 |
| _memCreateSharedArea@16 | 1 |

| | |
|--|---|
| _memReAllocBlock@12 | 1 |
| _memUnlockBlock@8 | 1 |
| _memLockBlock@8 | 1 |
| _memAllocBlock@8 | 1 |
| ??1CBetterListCtrl@@UAE@XZ | 1 |
| ??1CEditLimitSize@@UAE@XZ | 1 |
| ??0CEditLimitSize@@QAE@XZ | 1 |
| ??0CBetterListCtrl@@QAE@XZ | 1 |
| ?GetItemTextColor@CBetterListCtrl@@MAE | 1 |
| ?AddBitmapWnd@CBitmapPaletteWnd@@' | 1 |
| ?classCFileDialog@CFileDialog@@2UCRun | 1 |
| ??0CAiOCommandLineInfo@@QAE@XZ | 1 |
| ??1CAiOCommandLineInfo@@UAE@XZ | 1 |
| ?GetCursorIndex@CBetterListCtrl@@MAEFI | 1 |
| ?DeleteEntry@CBetterListCtrl@@UAEHH@Z | 1 |
| ?GetItemBkColor@CBetterListCtrl@@MAEK | 1 |
| ?SendParentNotify@CBetterListCtrl@@MAE | 1 |
| ?OnChildNotify@CBetterListCtrl@@UAEHIIJ | 1 |
| ?DrawItem@CBetterListCtrl@@MAEXPAPUta | 1 |
| ?InitializeColumns@CBetterListCtrl@@UAEF | 1 |
| ?AddEntry@CBetterListCtrl@@UAEHJH@Z | 1 |
| ?FindEntry@CBetterListCtrl@@UAEHJ@Z | 1 |
| ?GetEntryData@CBetterListCtrl@@UBEJH@ | 1 |
| ?GetSelItems@CBetterListCtrl@@UBEHHPA | 1 |
| ?SetSel@CBetterListCtrl@@UAEHHH@Z | 1 |
| ?SortView@CBetterListCtrl@@UAEXJ@Z | 1 |
| ?SetIniInfo@CBetterListCtrl@@UAEXVCStrir | 1 |
| ?SaveDlgSettings@CBetterListCtrl@@UAEX) | 1 |
| ?SaveDlgSettings@CBetterListCtrl@@UAEX\ | 1 |
| GetActiveProcessorCount | 1 |
| TdhGetPropertySize | 1 |
| ICQ_Poll | 1 |
| @System@Classes@RegisterComponents\$q | 1 |
| @System@Classes@GroupDescendentsWith | 1 |
| @System@Math@initialization\$qqrv | 1 |
| @System@Math@Finalization\$qqrv | 1 |
| @Vcl@Forms@TCustomForm@\$bctr\$qqrp2 | 1 |
| @Vcl@Controls@TControl@BringToFront\$q | 1 |
| @Vcl@Controls@TControl@ | 1 |
| @Toolsapi@SplashScreenServices | 1 |
| @Frxres@frxResources\$qqrv | 1 |
| @Frxres@TfrxResources@Get\$qqrx20Syster | 1 |
| @Frxctrls@TfrxComboEdit@ | 1 |
| @Frxctrls@TfrxFontComboBox@ | 1 |
| @Frxctrls@TfrxComboBox@ | 1 |
| @Frxdock@TfrxDockSite@ | 1 |
| @Frxdock@TfrxTBarPanel@ | 1 |

| | |
|--|---|
| @Frxpreview@TfrxPreview@ | 1 |
| @Frxclass@TfrxCustomDBDataSet@ | 1 |
| @Frxclass@TfrxUserDataSet@ | 1 |
| @Frxdesgnctrls@TfrxScrollBox@ | 1 |
| @Frxdesgnctrls@TfrxRuler@ | 1 |
| @Vcl@Olectnrs@initialization\$qqrv | 1 |
| @Vcl@Olectnrs@Finalization\$qqrv | 1 |
| @Frxeditaliases@TfrxAliasesEditorForm@ | 1 |
| @Frxcrypt@TfrxCrypt@ | 1 |
| GetDefaultProfileScan | 1 |
| ?to_float@Writer@Image@DD@@IAEXHPA | 1 |
| ?inputnget@Write@Image@DD@@QAEXHI | 1 |
| ?aborted@Op@Image@DD@@QBE_NXZ | 1 |
| ??1Row@Image@DD@@QAE@XZ | 1 |
| ??0Row@Image@DD@@QAE@HH@Z | 1 |
| ?request@lop@Image@DD@@QAEXHHHH | 1 |
| ?input@Op@Image@DD@@QBEPAV123@I | 1 |
| ?createFileHash@Writer@Image@DD@@IA | 1 |
| ?depth@Write@Image@DD@@QBEHXZ | 1 |
| ?error@Op@Image@DD@@QAAXPBDZZ | 1 |
| ?_next@ChannelSet@Image@DD@@ABE?A | 1 |
| ?SetFlags@Image@DD@@YAXAAVKnob_Clk | 1 |
| ?SetRange@Image@DD@@YAXAAVKnob_C | 1 |
| ?Tooltip@Image@DD@@YAXAAVKnob_Clo | 1 |
| ?knob@Op@Image@DD@@QBEPAVKnob@ | 1 |
| ?add@Description@Writer@Image@DD@C | 1 |
| ?getLut@LUT@Image@DD@@SAPAV123@' | 1 |
| ?abi6_0_1@Writer@Image@DD@@EAEXHZ | 1 |
| ?split_input@Writer@Image@DD@@MBEH | 1 |
| ?inputContext@Writer@Image@DD@@MB | 1 |
| ?progressFraction@Op@Image@DD@@QA | 1 |
| ??1Writer@Image@DD@@UAE@XZ | 1 |
| ??0Writer@Image@DD@@QAE@PAVWrite | 1 |
| ?renameFromHash@Writer@Image@DD@() | 1 |
| ??0_Mutex@std@@QAE@XZ | 1 |
| ??1_Mutex@std@@QAE@XZ | 1 |
| ?_Locinfo_ctor@_Locinfo@std@@SAXPAV1 | 1 |
| ?_Locinfo_dtor@_Locinfo@std@@SAXPAV1 | 1 |
| RegQueryValueEx | 1 |
| ?randn@cv@@YAXABV_OutputArray@1@A | 1 |
| ?reshape@Mat@cv@@QBE?AV12@HH@Z | 1 |
| ??0Mat@cv@@QAE@ABV01@ABVRange@ | 1 |
| ??1CvEM@@UAE@XZ | 1 |
| ?predict@CvEM@@UBEMABVMat@cv@@F | 1 |
| ?train@CvEM@@UAE_NABVMat@cv@@0L | 1 |
| ??0CvEMParams@@QAE@XZ | 1 |
| ??0CvEM@@QAE@XZ | 1 |

| | |
|-----------------------------------|---------|
| @Lxabcfile@initialization\$qqrv | 1 |
| @Winskyndata@initialization\$qqrv | 1 |
| @Adras@initialization\$qqrv | 1 |
| @Magrasent@initialization\$qqrv | 1 |
| @Cxssheet@initialization\$qqrv | 1 |
| 0A2A11F6 | 1 |
| F7F60B3D | 1 |
| 95055A92 | 1 |
| E93F134C | 1 |
| C1C6029C | 1 |
| E72D8BA8 | 1 |
| 6A7218F7 | 1 |
| CCA96E42 | 1 |
| 8B761AA9 | 1 |
| F313EDBB | 1 |
| 23FA703B | 1 |
| 8D385E21 | 1 |
| D232D2FD | 1 |
| B8F92333 | 1 |
| 8D67B9B2 | 1 |
| 2E4C6617 | 1 |
| 71088A48 | 1 |
| C38905B6 | 1 |
| 847AEFEA | 1 |
| 864965FD | 1 |
| 5CF643BE | 1 |
| 1D1EBE4F | 1 |
| 970A7B0D | 1 |
| 97A41F37 | 1 |
| 46ACEEDF | 1 |
| F7F3175D | 1 |
| 9B007CFE | 1 |
| F6ABDF62 | 1 |
| C28B91E4 | 1 |
| 8CDF625D | 1 |
| 7CE90857 | 1 |
| A30363EE | 1 |
| 9274EA57 | 1 |
| 804224D1 | 1 |
| 922806EC | 1 |
| 60DF7523 | 1 |
| 17077D46 | 1 |
| | 3901539 |
| A99931ED | 1 |
| 8D80A5B6 | 1 |
| 2100BE57 | 1 |
| 8DF009A1 | 1 |

| | |
|--------------------------------------|---|
| EB05CC4D | 1 |
| 1CBBFD0D | 1 |
| A8BE91ED | 1 |
| 9F5E8101 | 1 |
| A2379383 | 1 |
| 7A646A3E | 1 |
| 9A75C133 | 1 |
| 415CBE2B | 1 |
| 591F0136 | 1 |
| A24682E5 | 1 |
| D8B30A4C | 1 |
| F90EE781 | 1 |
| 36D656D2 | 1 |
| FA00C5B4 | 1 |
| CBE26731 | 1 |
| 29B4A59F | 1 |
| 0E4F749E | 1 |
| 6ED48A0D | 1 |
| 74215CB6 | 1 |
| B16CB6E7 | 1 |
| CADA25C2 | 1 |
| 0BFF578F | 1 |
| F724A40F | 1 |
| 24B5E2E9 | 1 |
| 0097D013 | 1 |
| A25AFE8F | 1 |
| D6307F3F | 1 |
| DD619ED4 | 1 |
| 0636FDDC | 1 |
| 426D6A83 | 1 |
| BB1A586C | 1 |
| 31E5C67A | 1 |
| 39BC2D2F | 1 |
| 02B574D4 | 1 |
| 276DE851 | 1 |
| B036D294 | 1 |
| B875C337 | 1 |
| 7B2492E7 | 1 |
| 5331211D | 1 |
| 3D18807E | 1 |
| SedSystemAclEditor | 1 |
| EditAuditInfo | 1 |
| SedTakeOwnership | 1 |
| SedDiscretionaryAclEditor | 1 |
| EditPermissionInfo | 1 |
| EditOwnerInfo | 1 |
| ?_Init@?\$_codecvt@DDH@std@@IAEXABV_ | 1 |

| | |
|--|---|
| ?table_size@?\$_ctype@D@std@@2IB | 1 |
| ?do_date_order@?\$_time_get@GV?\$istream | 1 |
| ?positive_sign@?\$_Mpunct@D@std@@QB | 1 |
| ??0?\$num_get@GV?\$istreambuf_iterator@ | 1 |
| CcFastReadWait | 1 |
| gimp_context_get_gradient | 1 |
| gimp_context_get_palette | 1 |
| gimp_gradient_get_uniform_samples | 1 |
| gimp_palette_entry_get_color | 1 |
| gimp_palette_get_info | 1 |
| gimp_rgb_luminance_uchar | 1 |
| _ChecknCleanASBit@4 | 1 |
| _GetPrivilege@8 | 1 |
| _GetCurUser@8 | 1 |
| _PGPclCheckForUpdatesAndNotify@12 | 1 |
| _PGPclWebBrowse@4 | 1 |
| _PGPclHtmlHelp@24 | 1 |
| _PGPclPreferences@16 | 1 |
| _PGPclDirtyClientLibXMLPrefRef@0 | 1 |
| PGPSetXMLPrefKeyRawByteValue | 1 |
| PGPGetXMLPrefKeyRawByteValue | 1 |
| PGPGetAdminPrefBoolean | 1 |
| PGPSetXMLPrefKeyBooleanValue | 1 |
| PGPGetXMLPrefKeyBooleanValue | 1 |
| PGPDesktopFeatureEnabled | 1 |
| _PGPclSetX509ImportWizardParent@4 | 1 |
| _PGPclGetXMLPrefStringAllocU@12 | 1 |
| _PGPclDisplayLicense@8 | 1 |
| PGPGetRootXMLPrefNode | 1 |
| PGPGetXMLPrefChildKeyFromDict | 1 |
| PGPGetXMLPrefSiblingKeyByName | 1 |
| PGPGetXMLPrefKeyIntegerValue | 1 |
| PGPSetXMLPrefKeyIntegerValue | 1 |
| _PGPclReleaseClientLibXMLPrefRef@8 | 1 |
| _PGPclInitLibrary@8 | 1 |
| _PGPclCloseLibrary@0 | 1 |
| _PGPclErrorBox@8 | 1 |
| _PGPclIsConfiguredInstall@0 | 1 |
| _PGPclMessageBox@16 | 1 |
| PGPclGetPath | 1 |
| _PGPclHelpAbout@20 | 1 |
| _PGPclGetWindowsVersion@12 | 1 |
| _PGPclLockClientLibXMLPrefRef@4 | 1 |
| _PGPclExecute@8 | 1 |
| _PGPclEnsureWindowIsOnMonitor@8 | 1 |
| PGPGetXMLPrefKeyStringValue | 1 |
| PGPResetHash | 1 |

| | |
|---------------------------------------|---|
| PGPFreeContext | 1 |
| PGPCountTokens | 1 |
| PGPGetTime | 1 |
| PGP.PeekContextMemoryMgr | 1 |
| PGP.NewSymmetricCipherContext | 1 |
| PGP.FreeSymmetricCipherContext | 1 |
| PGP.InitSymmetricCipher | 1 |
| PGP.SymmetricCipherDecrypt | 1 |
| PGP.NewHashContext | 1 |
| PGP.ContinueHash | 1 |
| PGP.FinalizeHash | 1 |
| PGP.FreeHashContext | 1 |
| PGP.GetStdTimeFromPGPTime | 1 |
| PGP.ReallocData | 1 |
| PGP.FreeMemoryMgr | 1 |
| PGP.NewMemoryMgr | 1 |
| PGP.ValidateMemoryMgr | 1 |
| PGP.NewData | 1 |
| PGP.SetNotificationCallback | 1 |
| PGP.SetPKCS11DrvFileU16 | 1 |
| PGP.FreeData | 1 |
| PGP.NewContext | 1 |
| PGP.SyncTokenKeys | 1 |
| PGPsc.FreeFileList | 1 |
| PGPsc.CmdLineToFileList | 1 |
| Cla\$BindV | 1 |
| Cla\$DecDivideR | 1 |
| Cla\$DPopDec | 1 |
| Cla\$DPushDec | 1 |
| Cla\$ERRORFILE | 1 |
| Cla\$FILE_NULL | 1 |
| Cla\$Loaddec | 1 |
| Cla\$POSITIONqueue | 1 |
| Cla\$RUN | 1 |
| Cla\$StackCONTENTS | 1 |
| Cla\$storedec | 1 |
| Cla\$UnbindV | 1 |
| EDCREATETABLE@F1I0Uc | 1 |
| EDDISPLAYREPORT@F | 1 |
| EDGOTOENDOFREPORT@F | 1 |
| EDINSERTLETTERHEAD@FOsbOsbOI | 1 |
| EDINSERTTABLEROW@FI | 1 |
| EDINSERTTEXT@FsbOI0I0I0I0I0I0UcOUcOsb | 1 |
| EDOPENREPORT@FI0sbUcOUc | 1 |
| EDSAVEREPORT@FOsb | 1 |
| EDSETCELLSHADING@F | 1 |
| EDSETTABLECOLUMNWIDTH@FII | 1 |

| | |
|-----------------------------------|---|
| ADDXMLMESSAGE@FIOI | 1 |
| GETCANCATTERSTATESTRING@FI | 1 |
| GETUSERMATTERSTATECAN@Fsb | 1 |
| SELECTFNBMESSAGE@Fsb | 1 |
| \$ABSAFEES | 1 |
| \$ABSAPAYMENT | 1 |
| \$AG_MESSAGE | 1 |
| \$ATTORNEYCLASSIFICATION | 1 |
| \$BANKCODE | 1 |
| \$BONDAREA | 1 |
| \$BONDCANC | 1 |
| \$BONDCESSION | 1 |
| \$BONDCESSIONTYPE | 1 |
| \$BOND COST | 1 |
| \$BONDDATA | 1 |
| \$BONDGUAR | 1 |
| \$BONDPROP | 1 |
| \$BONDSURE | 1 |
| \$CANC_MATTERMESSAGE | 1 |
| \$CONSENTTYPE | 1 |
| \$DEF_CONFIG | 1 |
| \$EMPLOYEE | 1 |
| \$LANGUAGE | 1 |
| \$MATPARTY | 1 |
| \$MATTER | 1 |
| \$PARSIGN | 1 |
| \$PDSCHEDC | 1 |
| \$POPCALQ | 1 |
| \$ROWCOUNTER | 1 |
| \$TARIFF | 1 |
| \$TARIFFHEAD | 1 |
| \$TESTFILE | 1 |
| ADDDROPID@F10PDSCROLLCTsb | 1 |
| ADDFIELD@F11BROWSECLASSRIRI | 1 |
| ADDFIELD@F11BROWSECLASSRsbRsb | 1 |
| ADDFIELD@F11BROWSECLASSRuRu | 1 |
| ADDFIELD@F13FILEDROPCLASSRuRu | 1 |
| ADDHISTORYFIELD@F13WINDOWMANAGEF | 1 |
| ADDHISTORYFILE@F13WINDOWMANAGERR | 1 |
| ADDITEM@F10POPUPCLASSsbsb | 1 |
| ADDITEM@F13WINDOWMANAGER15WIND | 1 |
| ADDITEM@F13WINDOWMANAGER17WIND | 1 |
| ADDITEM@F13WINDOWMANAGER18TOOLE | 1 |
| ADDITEM@F13WINDOWMANAGERIUc | 1 |
| ADDITEMMIMIC@F10POPUPCLASSsbsOsb | 1 |
| ADDLOCATOR@F11BROWSECLASS12LOCATC | 1 |
| ADDMASK@F15SELECTFILECLASSsbsb | 1 |

| | | | |
|-----------------------------------|-------------|------------------|---|
| ADDRANGE@F11VIEWMANAGER | Ru | 15RELAT | 1 |
| ADDRANGE@F11VIEWMANAGER | Ru | Ru | 1 |
| ADDRECORD@F13FILEDROPCLASS | | | 1 |
| ADDSORTORDER@F11BROWSECLASS | 9STEPC | | 1 |
| ADDSORTORDER@F11VIEWMANAGER | Bk | | 1 |
| ADDTABICON@F7TABTREE | I | sbOsb | 1 |
| ADDTOOLBARTARGET@F11BROWSECLASS | 12 | | 1 |
| ADDUPDATEFIELD@F13FILEDROPCLASS | RuRt | | 1 |
| ADDUPDATEFILE@F13WINDOWMANAGER | 1 | | 1 |
| APPENDORDER@F11VIEWMANAGER | sb | | 1 |
| APPLYFILTER@F11VIEWMANAGER | | | 1 |
| APPLYORDER@F11VIEWMANAGER | | | 1 |
| APPLYRANGE@F11BROWSECLASS | | | 1 |
| APPLYRANGE@F11VIEWMANAGER | | | 1 |
| ASK@F11BROWSECLASS | Uc | | 1 |
| ASK@F15SELECTFILECLASS | Uc | | 1 |
| ASKRECORD@F11BROWSECLASS | Uc | | 1 |
| BUFFERMATCHES@F13FILEDROPCLASS | | | 1 |
| BUILDQUEUE@F7TABTREE | | | 1 |
| CLOSE@F11VIEWMANAGER | | | 1 |
| CONSTRUCT@F7TABTREE | | | 1 |
| CREATEBTN@F13PDPOPCALBTNCT | | | 1 |
| DESTRUCT@F7TABTREE | | | 1 |
| FETCH@F11BROWSECLASS | Uc | | 1 |
| GetBaseName@F7TABTREEI | | | 1 |
| GetDescription@F7TABTREEI | | | 1 |
| GETFREEELEMENTNAME@F11VIEWMANAGE | R | R | 1 |
| GETFREEELEMENTPOSITION@F11VIEWMAN | R | R | 1 |
| GETKEYARRAY@F10PDSCROLLCTR | A | 1 | 1 |
| GETPARENTCONTROL@F17WINDOWRESIZE | (|) | 1 |
| GETROOT@Fsb | | | 1 |
| INIT@F10PDSCROLLCTR | u9PDSCHEDCT | IIIIUc | 1 |
| INIT@F11BROWSECLASS | I | RsBbIBq15RELATIO | 1 |
| INIT@F12LOCATORCLASS | I | RuUc11BROWSECI | 1 |
| INIT@F13FILEDROPCLASS | I | RsBbIBq15RELATIC | 1 |
| INIT@F13PDPOPCALBTNCT | I | Ru10PDPOPCALC | 1 |
| INIT@F15SELECTFILECLASS | | | 1 |
| INIT@F17ENTRYLOCATORCLASS | I | RuUc11BRO | 1 |
| INIT@F17WINDOWRESIZECLASS | Uc | UcUc | 1 |
| INITSORT@F11BROWSECLASS | Uc | | 1 |
| JUMPTO@F10PDSCROLLCT | | | 1 |
| KILL@F10PDSCROLLCT | | | 1 |
| KILL@F11BROWSECLASS | | | 1 |
| KILL@F13FILEDROPCLASS | | | 1 |
| KILL@F13PDPOPCALBTNCT | | | 1 |
| KILL @_WINDOWCOMPONENT @_BROWS | | | 1 |
| KILL @_WINDOWCOMPONENT @_FILEDRC | | | 1 |

| | |
|------------------------------------|---|
| NEXT@F11BROWSECLASS | 1 |
| NEXT@F11VIEWMANAGER | 1 |
| NEXT@F7TABTREEI | 1 |
| NOTIFYUPDATEERROR@F11BROWSECLASS | 1 |
| OPEN@F11VIEWMANAGER | 1 |
| PDDT_POPCAL@F | 1 |
| POPUP@F10PDSCROLLCT | 1 |
| POSTNEWSELECTION@F11BROWSECLASS | 1 |
| PREVIOUS@F11BROWSECLASS | 1 |
| PREVIOUS@F11VIEWMANAGER | 1 |
| PREVIOUS@F7TABTREEI | 1 |
| PRIMERECORD@F11VIEWMANAGERUc | 1 |
| PROPSQL@FsbOsb | 1 |
| PROPSQLNEXT@FsbOsb | 1 |
| REPLACE@Fsbsbsb | 1 |
| RESET@F11VIEWMANAGER | 1 |
| RESET@F11VIEWMANAGERUc | 1 |
| RESET@F17WINDOWRESIZECLASS | 1 |
| RESETFROMMASK@F11BROWSECLASSRUcRUc | 1 |
| RESETFROMBUFFER@F11BROWSECLASS | 1 |
| RESETFROMFILE@F11BROWSECLASS | 1 |
| RESETFROMVIEW@F11BROWSECLASS | 1 |
| RESETQUEUE@F11BROWSECLASSUc | 1 |
| RESETQUEUE@F13FILEDROPCLASSUc | 1 |
| RESETREQUIRED @_WINDOWCOMPONENT | 1 |
| RESETREQUIRED @_WINDOWCOMPONENT | 1 |
| RESETSORT@F11BROWSECLASSUc | 1 |
| RESET @_WINDOWCOMPONENT @_BROW | 1 |
| RESET @_WINDOWCOMPONENT @_FILEDI | 1 |
| RESIZE@F17WINDOWRESIZECLASS | 1 |
| RESIZE@F17WINDOWRESIZECLASSI | 1 |
| RESTOREWINDOW@F17WINDOWRESIZECLA | 1 |
| SCROLLEND@F11BROWSECLASSI | 1 |
| SCROLLONE@F11BROWSECLASSI | 1 |
| SCROLLPAGE@F11BROWSECLASSI | 1 |
| SELECT@F7TABTREEI | 1 |
| SETALERT@F10PDSCROLLCTUcl | 1 |
| SETALERTS@F10PDSCROLLCT | 1 |
| SETALERTS@F11BROWSECLASS | 1 |
| SETALERTS @_WINDOWCOMPONENT @_B | 1 |
| SETALERTS @_WINDOWCOMPONENT @_F | 1 |
| SETCONFIG@F13PDPOPCALBTNCT | 1 |
| SETFILTER@F11VIEWMANAGERsb | 1 |
| SETFILTER@F11VIEWMANAGERsbsb | 1 |
| SETKEYARRAY@F10PDSCROLLCTRAl | 1 |
| SETLIST@F7TABTREEI | 1 |
| SETMASK@F15SELECTFILECLASSsbsb | 1 |

| | |
|-------------------------------------|---|
| SETOFFSET@F13PDPOPCALBTNCTIII | 1 |
| SETORDER@F11VIEWMANAGERsb | 1 |
| SETPARENTDEFAULTS@F17WINDOWRESIZE | 1 |
| SETPOSITION@F17WINDOWRESIZECLASSI13 | 1 |
| SETQUEUERECORD@F11BROWSECLASS | 1 |
| SETQUEUERECORD@F13FILEDROPCLASS | 1 |
| SETRANGE@F10PDSCROLLCTOuOu | 1 |
| SETRANGE@F13PDPOPCALBTNCTOuOu | 1 |
| SETSORT@F11BROWSECLASSuCUC | 1 |
| SETSORT@F11VIEWMANAGERUC | 1 |
| SETTARGET@F12TOOLBARCLASSI | 1 |
| SETTIP@F10PDSCROLLCTI | 1 |
| TAKEACCEPTED@F13FILEDROPCLASS | 1 |
| TAKEACCEPTEDLOCATOR@F11BROWSECLAS | 1 |
| TAKEDROPEVENT@F10PDSCROLLCT | 1 |
| TAKEEVENT@F10PDSCROLLCT | 1 |
| TAKEEVENT@F11BROWSECLASS | 1 |
| TAKEEVENT@F13FILEDROPCLASS | 1 |
| TAKEEVENT@F13PDPOPCALBTNCT | 1 |
| TAKEEVENT@F7TABTREE | 1 |
| TAKEEVENT_ @_WINDOWCOMPONENT_ @_ | 1 |
| TAKEEVENT_ @_WINDOWCOMPONENT_ @_ | 1 |
| TAKEFIELDVENT@F10PDSCROLLCT | 1 |
| TAKEFIELDVENT@F13PDPOPCALBTNCT | 1 |
| TAKEKEY@F11BROWSECLASS | 1 |
| TAKELOCATE@F11BROWSECLASS | 1 |
| TAKENEWSELECTION@F11BROWSECLASS | 1 |
| TAKENEWSELECTION@F13FILEDROPCLASS | 1 |
| TAKENEWSELECTION@F13FILEDROPCLASSI | 1 |
| TAKESCROLL@F11BROWSECLASSI | 1 |
| TAKEVCRSCROLL@F11BROWSECLASSI | 1 |
| TAKEWINDOWEVENT@F10PDSCROLLCT | 1 |
| TCB\$POPCALQ | 1 |
| TRANSLATESTRING@F10PDSCROLLCTsb | 1 |
| TYPE\$ENTRYLOCATORCLASS | 1 |
| TYPE\$SELECTFILECLASS | 1 |
| TYPE\$STEPLOCATORCLASS | 1 |
| TYPE\$TOOLBARUPDATECLASS | 1 |
| UPDATEBUFFER@F11BROWSECLASS | 1 |
| UPDATEVIEWRECORD@F11BROWSECLASS | 1 |
| UPDATEWINDOW@F11BROWSECLASS | 1 |
| UPDATEWINDOW_ @_WINDOWCOMPONEN | 1 |
| UPDATEWINDOW_ @_WINDOWCOMPONEN | 1 |
| UPDATE_ @_WINDOWCOMPONENT_ @_BRC | 1 |
| UPDATE_ @_WINDOWCOMPONENT_ @_FILE | 1 |
| USEFILE@F11FILEMANAGERUC | 1 |
| VALIDATERECORD@F11VIEWMANAGER | 1 |

| | |
|------------------------------------|---|
| VALIDATERECORD@F13FILEDROPCLASS | 1 |
| VMT\$ASCIIFILECLASS | 1 |
| VMT\$BROWSECLASS | 1 |
| VMT\$ENTRYLOCATORCLASS | 1 |
| VMT\$FILEDROPCLASS | 1 |
| VMT\$SELECTFILECLASS | 1 |
| VMT\$STEPLOCATORCLASS | 1 |
| VMT\$TOOLBARUPDATECLASS | 1 |
| _ADDCONTROL@F7TABTREEIII | 1 |
| _ADDTOTREE@F7TABTREElsbII | 1 |
| _ANYNODES@F7TABTREEI | 1 |
| _GETLEGAL@F7TABTREEI | 1 |
| _Look@F7TabTree | 1 |
| _REMOVEHOTKEY@F7TABTREEsb | 1 |
| _SETICON@F7TABTREEI | 1 |
| _TAKENEWSELECTION@F7TABTREE | 1 |
| _TAKEPREALERT@F7TABTREE | 1 |
| ADDMATDEFPARTIES@FII | 1 |
| BROWSEATTORNEYCLASSIFICATION@F | 1 |
| BROWSEBONDDEBIT@F | 1 |
| BROWSECLAUSE@F | 1 |
| BROWSEERRORQUEUE@FOsb | 1 |
| BROWSELANGUAGES@F | 1 |
| BROWSELOOKUP@FOsOsOsOs | 1 |
| BROWSEMATPARTY@FOsb | 1 |
| BROWSEPARTY@F | 1 |
| BROWSESECPROC@FsbUc | 1 |
| CALCULATECONVEYANCINGTARIFF@FdlsbI | 1 |
| CHECKIFDOTNETINSTALLED@F | 1 |
| CHECKLAWDEEDBONDDATA@F | 1 |
| CHECKMATTERCONDITIONS@FsbOUc | 1 |
| COUNTAREAS@FI | 1 |
| COUNTTHEGUARANTEES@F | 1 |
| COUNTTHEPROPERTIES@F | 1 |
| DISPLAYDOCLOGDOCUMENT@FI | 1 |
| GETBASORTER@FII | 1 |
| GETBPSORTER@FII | 1 |
| GETCONTROLFILE@FOI | 1 |
| GETDESCRIPTION@FsbsbOsb | 1 |
| GETSORTER@Fsb | 1 |
| GETUSERINPUT@Fsbsbsb | 1 |
| GETUSERPASSWORD@FOIOI | 1 |
| GETVATAMOUNT@FdOdOsbOsb | 1 |
| INSERTEXTRADEBITS@F | 1 |
| OPENRTFWINDOW@FIosbOsbUc | 1 |
| REPLACETEXTBOXFIELDS@FsbIOIOIOI | 1 |
| SELECTBRANCH@F | 1 |

| | |
|--|---|
| SELECTDOCUMENTSNEW@FOI | 1 |
| SENDEMAILMESSAGE@FllsbsbsbOsb | 1 |
| SETROOT@FsbOUc | 1 |
| STRIPCHARACTERS@Fsb | 1 |
| STRIPNUMBERS@Fsb | 1 |
| UPDATEBONDAREA@F | 1 |
| UPDATEMATTERCHECKSHEET@FI | 1 |
| UPDATEPARSIGN@F | 1 |
| PRINTXMLADDDATA@F | 1 |
| PRINTXMLADDFIELD@FsbsbOUcOUcOUcOsł | 1 |
| PRINTXMLINIT@FOsbOUcOsb | 1 |
| PRINTXMLRUN@F | 1 |
| @System@Flush\$qqrrpv | 1 |
| @Forms@TApplicationHelper@SetMainForm | 1 |
| @Sysutils@ExcludeTrailingPathDelimiter\$qq | 1 |
| @Math@Log2\$qqrxg | 1 |
| @Controls@THintWindow@NCPaint\$qqrui | 1 |
| @Controls@THintWindow@CalcHintRect\$qq | 1 |
| @Controls@THintWindow@ActivateHintDał | 1 |
| @Controls@THintWindow@ActivateHint\$qq | 1 |
| @Specialunit@SHGetFileInfoWrapper\$qqr1: | 1 |
| @Turegistry@SetOneIfTrue\$qqrorui | 1 |
| @Turegistry@IsIllegalFilename\$qqr17Syster | 1 |
| @Turegistry@GetProductRegSetting\$qqr17\$ | 1 |
| @Turegistry@SetProductRegDWORDValue\$ | 1 |
| @Turegistry@DirExists\$qqrx17System@Ans | 1 |
| @Stringhelper@Replace\$qqr17System@Ans | 1 |
| @Stringhelper@StringMatch\$qqr17System@C | 1 |
| @Stringhelper@MatchWildCard\$qqrx17Syst | 1 |
| @Smallsysutils@initialization\$qqrv | 1 |
| @Smallsysutils@Finalization\$qqrv | 1 |
| @Comctrls@TAnimate@SetFileName\$qqr17 | 1 |
| @Comctrls@TCustomListView@GetHitTestI | 1 |
| @Comctrls@TListItem@SetSubItemImage\$ç | 1 |
| @Comctrls@TListItem@Delete\$qqrv | 1 |
| @Comctrls@TCustomListView@ | 1 |
| @Tntsystem@initialization\$qqrv | 1 |
| @Tntsystem@Finalization\$qqrv | 1 |
| @Tntwindows@initialization\$qqrv | 1 |
| @Tntwindows@Finalization\$qqrv | 1 |
| @Hash@initialization\$qqrv | 1 |
| @Hash@Finalization\$qqrv | 1 |
| @Nt_vs_95@initialization\$qqrv | 1 |
| @Nt_vs_95@Finalization\$qqrv | 1 |
| @Security@initialization\$qqrv | 1 |
| @Security@Finalization\$qqrv | 1 |
| @Tuhelper@FormatSize\$qqrxj20Tuhelper@ | 1 |

| | |
|--|---|
| @Tuverinfo@FileVersionInfo\$qqrx17System | 1 |
| @\$xp\$26Tuverinfo@TFileVersionInfo | 1 |
| @Ufrmagscreen@initialization\$qqrv | 1 |
| @Ufrmagscreen@Finalization\$qqrv | 1 |
| @Mimeutil@initialization\$qqrv | 1 |
| @Mimeutil@Finalization\$qqrv | 1 |
| @Dateutils@EncodeDateTime\$qqrxusxusxu: | 1 |
| @Madcodehook@initialization\$qqrv | 1 |
| @Madcodehook@Finalization\$qqrv | 1 |
| @Turegcodevalidation_allinone@initializati | 1 |
| @Turegcodevalidation_allinone@Finalizatio | 1 |
| @Thememgr@initialization\$qqrv | 1 |
| @Thememgr@Finalization\$qqrv | 1 |
| @Thememgr@TThemeManager@ | 1 |
| @Themesrv@initialization\$qqrv | 1 |
| @Tmuxtheme@initialization\$qqrv | 1 |
| @Tmuxtheme@Finalization\$qqrv | 1 |
| @Browsedr@TdfsBrowseDirectoryDlg@ | 1 |
| @Ehshelprouter@THelpRouter@DisplayTop | 1 |
| @Ehshhapi@initialization\$qqrv | 1 |
| @Ehshhapi@Finalization\$qqrv | 1 |
| @Welcomeform@ShowWelcomeForm\$qqr1 | 1 |
| @Tuwindowslogoutils@ApplicationExceptio | 1 |
| @Auxprocs@initialization\$qqrv | 1 |
| @Auxprocs@Finalization\$qqrv | 1 |
| @Ocmtask@initialization\$qqrv | 1 |
| @Ocmtask@Finalization\$qqrv | 1 |
| HidP_TranslateUsageAndPagesTo18042Scan | 1 |
| HidP_UsageAndPageListDifference | 1 |
| NS_NewNativeLocalFile | 1 |
| PL_strncpy | 1 |
| OVERRIDESTR | 1 |
| MINIMUMDATE | 1 |
| FME_createSession | 1 |
| FME_destroySession | 1 |
| xeDrawText | 1 |
| CF_LoadFile | 1 |
| KPIC_LoadPictureResource | 1 |
| eTTSTFirstVoice | 1 |
| CleanupHookDII | 1 |
| Statistics_Online | 1 |
| ?push_back@?\$QValueList@VQString@@@ | 1 |
| ?stripWhiteSpace@QString@@QBE?AV1@X | 1 |
| ??0?\$QValueList@VQString@@@QAE@X | 1 |
| ?deleteData@QGArray@@MAEXP@Uarray_ | 1 |
| ?newData@QGArray@@MAEP@Uarray_dat | 1 |
| ??1QGArray@@MAE@XZ | 1 |

| | |
|--|---|
| GetIpNetEntry2 | 1 |
| @Load\$qqspul | 1 |
| disp32PalSize | 1 |
| u32BufferResampleEx | 1 |
| buf32GetMemSpace | 1 |
| IsSupportMMX | 1 |
| GetCPUName | 1 |
| cvt32GetDefOptions | 1 |
| _ZNKSt6lengthEv | 1 |
| _ZNSsC1Ev | 1 |
| _ZNSsixEj | 1 |
| _ZSt7getlineIcSt11char_traitsIcESalcEERSt13basic_ostreamIcESalcE | 1 |
| _ZStlsIcSt11char_traitsIcESalcEERSt13basic_ostreamIcESalcE | 1 |
| nsutil_stats_RMS_F32 | 1 |
| uenum_next_4_0 | 1 |
| uloc_getCountry_4_0 | 1 |
| uloc_getScript_4_0 | 1 |
| uloc_getLanguage_4_0 | 1 |
| uloc_openKeywords_4_0 | 1 |
| uloc_getVariant_4_0 | 1 |
| uloc_setKeywordValue_4_0 | 1 |
| uloc_canonicalize_4_0 | 1 |
| uset_getItemCount_4_0 | 1 |
| uloc_getAvailable_4_0 | 1 |
| uloc_getKeywordValue_4_0 | 1 |
| uset_close_4_0 | 1 |
| uloc_getDisplayVariant_4_0 | 1 |
| uloc_getDisplayScript_4_0 | 1 |
| uloc_getISOLanguages_4_0 | 1 |
| u_charsToUChars_4_0 | 1 |
| uloc_getDisplayKeyValue_4_0 | 1 |
| uloc_getISOCountries_4_0 | 1 |
| uset_clear_4_0 | 1 |
| uenum_unext_4_0 | 1 |
| uset_getItem_4_0 | 1 |
| uloc_getDisplayCountry_4_0 | 1 |
| uloc_getDisplayLanguage_4_0 | 1 |
| uloc_getDisplayName_4_0 | 1 |
| uenum_close_4_0 | 1 |
| uloc_countAvailable_4_0 | 1 |
| ucal_getTimeZoneDisplayName_4_0 | 1 |
| unum_open_4_0 | 1 |
| unum_getDoubleAttribute_4_0 | 1 |
| unum_parseInt64_4_0 | 1 |
| unum_setTextAttribute_4_0 | 1 |
| unum_setAttribute_4_0 | 1 |
| unum_formatDouble_4_0 | 1 |

| | |
|------------------------------------|---|
| unum_getAttribute_4_0 | 1 |
| unum_getSymbol_4_0 | 1 |
| unum_parseDouble_4_0 | 1 |
| ucurr_getDefaultFractionDigits_4_0 | 1 |
| unum_getTextAttribute_4_0 | 1 |
| unum_close_4_0 | 1 |
| ucurr_getRoundingIncrement_4_0 | 1 |
| unum_formatInt64_4_0 | 1 |
| unum_setSymbol_4_0 | 1 |
| unum_applyPattern_4_0 | 1 |
| unum_toPattern_4_0 | 1 |
| unum_setDoubleAttribute_4_0 | 1 |
| u_formatMessage_4_0 | 1 |
| ulocdata_getMeasurementSystem_4_0 | 1 |
| ucurr_getName_4_0 | 1 |
| ucurr_openISOCurrencies_4_0 | 1 |
| ulocdata_getExemplarSet_4_0 | 1 |
| ulocdata_close_4_0 | 1 |
| ulocdata_open_4_0 | 1 |
| ucaL_setTimeZone_4_0 | 1 |
| udat_parseCalendar_4_0 | 1 |
| udat_parse_4_0 | 1 |
| udat_clone_4_0 | 1 |
| udat_getSymbols_4_0 | 1 |
| udat_format_4_0 | 1 |
| udat_close_4_0 | 1 |
| udat_setCalendar_4_0 | 1 |
| udat_setSymbols_4_0 | 1 |
| udat_applyPattern_4_0 | 1 |
| udat_toPattern_4_0 | 1 |
| udat_countSymbols_4_0 | 1 |
| udat_getCalendar_4_0 | 1 |
| udat_set2DigitYearStart_4_0 | 1 |
| udat_isLenient_4_0 | 1 |
| udat_open_4_0 | 1 |
| udat_get2DigitYearStart_4_0 | 1 |
| ucaL_set_4_0 | 1 |
| ucaL_getLimit_4_0 | 1 |
| ucaL_close_4_0 | 1 |
| ucaL_getGregorianChange_4_0 | 1 |
| ucaL_roll_4_0 | 1 |
| ucaL_setAttribute_4_0 | 1 |
| ucaL_getAttribute_4_0 | 1 |
| ucaL_add_4_0 | 1 |
| ucaL_open_4_0 | 1 |
| ucaL_clear_4_0 | 1 |
| ucaL_getMillis_4_0 | 1 |

| | |
|--|---|
| ucal_setGregorianChange_4_0 | 1 |
| ucal_setMillis_4_0 | 1 |
| ucal_get_4_0 | 1 |
| udat_setLenient_4_0 | 1 |
| _strnicmp_l | 1 |
| ??0gcParasolidChecksDisabler@@QAE@H@ | 1 |
| ?gc_StopEngine@@YAXXZ | 1 |
| ??1swUtilsAssmHiddenLineProcess_c@@@UA | 1 |
| ?run@swUtilsAssmHiddenLineProcess_c@@@ | 1 |
| ??0swUtilsAssmHiddenLineProcess_c@@@QA | 1 |
| ??1swUtilsCThreadProcess_c@@@UAE@XZ | 1 |
| ?run@swUtilsCThreadProcess_c@@@UAEHXZ | 1 |
| ??0swUtilsCThreadProcess_c@@@QAE@HV?! | 1 |
| ?gc_StartEngine@@YAXHHH@Z | 1 |
| ?get@gcEnvironment_c@@@SAPAV1@XZ | 1 |
| ??1suPtrArray@@@UAE@XZ | 1 |
| ??_7suPtrArray@@@6B@ | 1 |
| ?gTheExecutablePath@@3V?\$CStringT@_W | 1 |
| ??4mgXform_c@@@QAEABV0@ABV0@@Z | 1 |
| ??1mgBBox_c@@@QAE@XZ | 1 |
| ??1mgXform_c@@@QAE@XZ | 1 |
| ??0mgXform_c@@@QAE@ABV0@@Z | 1 |
| ??4mgBBox_c@@@QAEAAV0@ABV0@@Z | 1 |
| ?Append@su_CPtrArray@@QAEHABV1@@ | 1 |
| ??1su_CPtrArray@@@UAE@XZ | 1 |
| ??0su_CPtrArray@@@QAE@XZ | 1 |
| @Vclconsts@initialization\$qqrv | 1 |
| @Vclconsts@Finalization\$qqrv | 1 |
| @Vclconsts @_SFatalError | 1 |
| @Vclconsts @_SError | 1 |
| @Vclconsts @_SWarning | 1 |
| @Plgbase@initialization\$qqrv | 1 |
| @Plgbase@Finalization\$qqrv | 1 |
| @Plgbase@Tbaseplugin@GetProjectMgr\$qc | 1 |
| @\$xp\$19Plgbase@Tbaseplugin | 1 |
| @Plgbase@Tbaseplugin@ | 1 |
| @Hbtypes@initialization\$qqrv | 1 |
| @Hbtypes@Finalization\$qqrv | 1 |
| @\$xp\$23Hbtypes@TFileAttributes | 1 |
| @\$xp\$16Hbtypes@TMsgIcon | 1 |
| @\$xp\$19Hbtypes@TMsgButtons | 1 |
| @\$xp\$24Hbtypes@TRegistryStartup | 1 |
| @\$xp\$19Hbtypes@TExecMethod | 1 |
| @\$xp\$21Hbtypes@TRemoteFolder | 1 |
| @Hbclasses@initialization\$qqrv | 1 |
| @Hbclasses@Finalization\$qqrv | 1 |
| @Hbclasses@ThbPersistent@SaveToStream | 1 |

| | |
|---|---|
| @\$xp\$23Hbclasses@ThbPersistent | 1 |
| @Hbclasses@ThbPersistent@ | 1 |
| @Hclintf@initialization\$qqrv | 1 |
| @Hclintf@Finalization\$qqrv | 1 |
| @Rtlinfo@initialization\$qqrv | 1 |
| @Rtlinfo@Finalization\$qqrv | 1 |
| @Hbsystem@initialization\$qqrv | 1 |
| @Hbsystem@Finalization\$qqrv | 1 |
| @Hbsystem@ThbComponent@GetVerbCou | 1 |
| @Hbsystem@ThbComponent@GetVerb\$qq | 1 |
| @Hbsystem@ThbComponent@ExecuteVerb | 1 |
| @Hbsystem@ThbComponent@PostMessage | 1 |
| @Hbsystem@ThbComponent@PostMsg\$qq | 1 |
| @Hbsystem@ThbComponent@\$bdtr\$qqrv | 1 |
| @Hbsystem@ThbComponent@\$bctr\$qqrp1 | 1 |
| @Jvplugin@initialization\$qqrv | 1 |
| @Jvplugin@TJvPlugIn@TriggerConfigureEven | 1 |
| @Jvplugin@TJvPlugIn@TriggerInitializeEven | 1 |
| @Jvplugin@TJvPlugIn@TriggerPluginMessage | 1 |
| @Jvplugin@TJvPlugIn@Configure\$qqsv | 1 |
| @Jvplugin@TJvPlugIn@Initialize\$qqsp18Class | 1 |
| @Jvplugin@TJvPlugIn@SetCommands\$qqrp | 1 |
| @Jvplugin@TJvPlugIn@\$bdtr\$qqrv | 1 |
| @Jvplugin@TJvPlugIn@\$bctr\$qqrp18Classess | 1 |
| @Classes@UnRegisterClasses\$qqrp\$px17Sy: | 1 |
| @System@@Seek\$qqrr15System@TFileRec | 1 |
| @System@@BlockRead\$qqrr15System@TFI | 1 |
| @System@ FileMode | 1 |
| @Forms@TApplication@HandleMessage\$qq | 1 |
| @Registry@TRegistry@ReadBinaryData\$qqr | 1 |
| @Svcmgr@Finalization\$qqrv | 1 |
| @Svcmgr@TService@DoCustomControl\$qqi | 1 |
| @Svcmgr@TService@DoShutdown\$qqrv | 1 |
| @Svcmgr@TService@DoInterrogate\$qqrv | 1 |
| @Svcmgr@TService@DoContinue\$qqrv | 1 |
| @Svcmgr@TService@DoPause\$qqrv | 1 |
| @Svcmgr@TService@DoStop\$qqrv | 1 |
| @Svcmgr@TService@DoStart\$qqrv | 1 |
| @Svcmgr@TService@Controller\$qqrui | 1 |
| @Svcmgr@TService@SetOnStop\$qqrynpqqr | 1 |
| @Svcmgr@TService@SetInteractive\$qqro | 1 |
| @Svcmgr@TService@\$bdtr\$qqrv | 1 |
| @Svcmgr@TService@\$bctr\$qqrp18Classes@ | 1 |
| @Svcmgr@Application | 1 |
| @\$xp\$15Svcmgr@TService | 1 |
| @Svcmgr@TService@ | 1 |
| DestroyXMLTree | 1 |

GetXMLTreeSibling
AddValueToSplayTree
GetXMLTreeContent
GetXMLTreeTag
GetXMLTreeChild
NewSplayTree
CompareSplayTreeString
NewXMLTree
FileToString
InvokeDelegate
__vbaObjSe
??_F?\$basic_istringstream@GU?\$char_traits@_T@std@@@std@@QAE@
vlc_global_mutex
?removeChild@igGroup@Sg@Gap@@@QAE@
?_instantiateRefFromPool@igTransform@Sg@Gap@@@SA
?arkRegister@igIntersectTraversal@Sg@Gap@@@
?arkRegister@igSwitch@Sg@Gap@@@SAXXZ
?getClassTypeLazy@igSwitch@Sg@Gap@@@
?arkRegister@igNonRefCountedTransformLi
?arkRegister@igCommonTraversal@Sg@Gap@@@
?arkRegister@igNode@Sg@Gap@@@SAXXZ
?arkRegister@igAttrSet@Sg@Gap@@@SAXXZ
?setViewMatrix@igCommonTraversal@Sg@Gap@@@
?reset@igIntersectTraversal@Sg@Gap@@@C
?_instantiateRefFromPool@igProbe@Sg@Gap@@@G
?appendRay@igProbe@Sg@Gap@@@QAEXP
?setProbe@igIntersectTraversal@Sg@Gap@@@
?_instantiateRefFromPool@igGraphPath@Sg@Gap@@@
?arkRegister@igTransform@Sg@Gap@@@SA
?getClassMeta@igGroup@Sg@Gap@@@SAP
?arkRegisterInternal@igGroup@Sg@Gap@@@
?_instantiateFromPool@igGraphPath@Sg@Gap@@@
?setAttrCount@igAttrSet@Sg@Gap@@@QAE
?getAttrs@igAttrSet@Sg@Gap@@@QAEPAVi
?configure@igGraphPath@Sg@Gap@@@QAE
?userResetFields@igNode@Sg@Gap@@@UA
?setBound@igNode@Sg@Gap@@@QAEXP
?configure@igGraphPath@Sg@Gap@@@QAE
?getTransformMatrixInclusive@igGraphPath@Sg@Gap@@@
?getChildCount@igGroup@Sg@Gap@@@QBFI
?removeChild@igGroup@Sg@Gap@@@QAE@
?appendChild@igGroup@Sg@Gap@@@QAE@
?getClassTypeLazy@igNonRefCountedTransf
?arkRegister@igGeometry@Sg@Gap@@@SA
?getClassTypeLazy@igIntersectTraversal@Sg@Gap@@@
?getClassTypeLazy@igGraphPath@Sg@Gap@@@

| | |
|---|---|
| ?_instantiateFromPool@igProbe@Sg@Gap@ | 1 |
| ?_instantiateFromPool@igTransform@Sg@ | 1 |
| ?getBound@igNode@Sg@Gap@@@QAEPAVi | 1 |
| ?getDepth@igGraphPath@Sg@Gap@@@QBE | 1 |
| ?getNode@igGraphPath@Sg@Gap@@@QBEf | 1 |
| ?getClassTypeLazy@igGeometry@Sg@Gap@C | 1 |
| ?getClassTypeLazy@igTransform@Sg@Gap@C | 1 |
| ?getClassTypeLazy@igAttrSet@Sg@Gap@@@ | 1 |
| ?getClassTypeLazy@igNode@Sg@Gap@@@S. | 1 |
| ?getClassTypeLazy@igCommonTraversal@S | 1 |
| ??0igGroup@Sg@Gap@@@QAE@ABV012@C | 1 |
| ??1igGroup@Sg@Gap@@@QAE@XZ | 1 |
| ?isChildrenOrdered@igGroup@Sg@Gap@@@ | 1 |
| ?insertChild@igGroup@Sg@Gap@@@UAE_N | 1 |
| ?removeParent@igNode@Sg@Gap@@@UAE_ | 1 |
| ?addParent@igNode@Sg@Gap@@@UAE_NP | 1 |
| ?insertGroupAbove@igNode@Sg@Gap@@@I | 1 |
| ?reset@igNode@Sg@Gap@@@UAEXXZ | 1 |
| ?getInherantFlags@igNode@Sg@Gap@@@U, | 1 |
| ?setFlags@igNode@Sg@Gap@@@UAEXH_N() | 1 |
| ?setFlags@igNode@Sg@Gap@@@UAEXH@Z | 1 |
| ?transform@igGroup@Sg@Gap@@@UAEXAE | 1 |
| ?isTransformable@igGroup@Sg@Gap@@@U | 1 |
| ?hasChildren@igGroup@Sg@Gap@@@UAE_I | 1 |
| ?getParent@igNode@Sg@Gap@@@UBEPAV1 | 1 |
| ?getParentCount@igNode@Sg@Gap@@@UB | 1 |
| ?postFileRead@igGroup@Sg@Gap@@@UAE> | 1 |
| ?userRelease@igGroup@Sg@Gap@@@MAEX | 1 |
| ?userInstantiate@igNode@Sg@Gap@@@UAI | 1 |
| ??0igGroup@Sg@Gap@@@QAE@XZ | 1 |
| ?arkRegister@igTextureBindAttr@Attrs@Ga | 1 |
| ?arkRegister@igDisplayListAttr@Attrs@Gap | 1 |
| ?_Meta@igAttrList@Attrs@Gap@@@1PAVigI | 1 |
| ?_instantiateRefFromPool@igTextureWrapA | 1 |
| ?arkRegister@igGeometryAttr2@Attrs@Gaç | 1 |
| ?arkRegister@igVertexPipelineModeAttr@A | 1 |
| ?arkRegister@igVertexShaderAttr@Attrs@G | 1 |
| ?arkRegister@igVertexShaderBindAttr@Attr | 1 |
| ?arkRegister@igPixelPipelineModeAttr@Att | 1 |
| ?arkRegister@igPixelShaderAttr@Attrs@Ga | 1 |
| ?arkRegister@igPixelShaderBindAttr@Attrs(| 1 |
| ?_instantiateRefFromPool@igTextureBindAt | 1 |
| ?getImage@igTextureAttr@Attrs@Gap@@@C | 1 |
| ?getVertexArray@igGeometryAttr2@Attrs@ | 1 |
| ?_instantiateRefFromPool@igBlendStateAtt | 1 |
| ?_instantiateRefFromPool@igTextureStateA | 1 |
| ?arkRegister@igAttrList@Attrs@Gap@@@SA` | 1 |

| | |
|--|---|
| ?getTexture@igTextureBindAttr@Attrs@Gaj | 1 |
| ?_instantiateFromPool@igTextureBindAttr@ | 1 |
| ?_instantiateFromPool@igTextureWrapAttr@ | 1 |
| ?_instantiateFromPool@igTextureStateAttr@ | 1 |
| ?_instantiateFromPool@igBlendStateAttr@/ | 1 |
| ?getClassTypeLazy@igTextureBindAttr@Attr | 1 |
| ?getClassTypeLazy@igDisplayListAttr@Attrs@ | 1 |
| ?getClassTypeLazy@igAttrList@Attrs@Gap@C | 1 |
| ?getClassTypeLazy@igGeometryAttr2@Attrs@ | 1 |
| ?removeAllEventProducers@igInterfaceMan | 1 |
| ??0igInterfaceManager@Display@Gap@@C | 1 |
| ?handleEvents@igInterfaceManager@Display@ | 1 |
| ?addEventProducer@igInterfaceManager@I | 1 |
| ??1igInterfaceManager@Display@Gap@@C | 1 |
| ??0igInterfaceManager@Display@Gap@@C | 1 |
| ?getBUTTONSMetaEnum@igController@Disp | 1 |
| ?getKEY_VALUESMetaEnum@igKey@Display@ | 1 |
| ?getNormalizedX@igMouse@Display@Gap@C | 1 |
| ?getNormalizedY@igMouse@Display@Gap@C | 1 |
| ?getControllerList@igControllerManager@D | 1 |
| ?parkRegisterInternal@igInterfaceManager@ | 1 |
| ?getClassMeta@igInterfaceManager@Disp | 1 |
| ?parkRegister@igControllerManager@Disp | 1 |
| ?getClassTypeLazy@igControllerManager@I | 1 |
| ?getClassTypeLazy@igVisualContext@Gfx@I | 1 |
| ?findVertexData@igVertexArray2@Gfx@Gaj | 1 |
| ?_instantiateFromPool@igVertexArray2@Gf | 1 |
| ?_instantiateFromPool@igVertexData@Gfx@ | 1 |
| ?getObjectList@igVertexArray2@Gfx@Gap@C | 1 |
| ?setData@igVertexData@Gfx@Gap@@QAE | 1 |
| ?_instantiateRefFromPool@igVertexData@C | 1 |
| ?_instantiateRefFromPool@igVertexArray2@ | 1 |
| ?parkRegister@igVisualContext@Gfx@Gap@C | 1 |
| ?getData@igVertexData@Gfx@Gap@@QAE | 1 |
| ?copyMatrix@igMatrix44f@Math@Gap@@ | 1 |
| ?makeIdentity@igMatrix44f@Math@Gap@C | 1 |
| ??0igVec4f@Math@Gap@@QAE@ABV012@C | 1 |
| ??0igVec4f@Math@Gap@@QAE@XZ | 1 |
| ?_instantiateFromPool@igVec2fList@Math@ | 1 |
| ?_instantiateFromPool@igVec3fList@Math@C | 1 |
| ?_instantiateFromPool@igAABox@Math@G | 1 |
| ?ZeroVector@igVec4f@Math@Gap@@2V1@C | 1 |
| ?set@igVec2f@Math@Gap@@QAEABV12@C | 1 |
| ?_Meta@igVec3fList@Math@Gap@@1PAV1@C | 1 |
| ?setDefault@igVec2fMetaField@Math@Gap@C | 1 |
| ?set@igVec3f@Math@Gap@@QAEAXMM@C | 1 |
| ??4igVec3f@Math@Gap@@QAEAAV012@F | 1 |

| | |
|--|---|
| ??4igVec2f@Math@Gap@@QAEAAV012@A | 1 |
| ?set@\$igTDataNoOperatorList@VigVec2f@ | 1 |
| ?_instantiateFromPool@igVec2fMetaField@ | 1 |
| ?_instantiateFromPool@igVec4fArrayMetaF | 1 |
| ?_instantiateFromPool@igVec4fMetaField@ | 1 |
| ?setDefault@igVec4fMetaField@Math@Gap@ | 1 |
| ?_instantiateFromPool@igVec3fMetaField@ | 1 |
| ?setDefault@igVec3fMetaField@Math@Gap@ | 1 |
| ?_instantiateFromPool@igMatrix44fMetaFie | 1 |
| ?getClassTypeLazy@igRay@Math@Gap@@@ | 1 |
| ?set@igVec3f@Math@Gap@@QAXABV12 | 1 |
| ?getTranslation@igMatrix44f@Math@Gap@C | 1 |
| ?add@igVec3f@Math@Gap@@QAXABV12 | 1 |
| ?setTranslation@igMatrix44f@Math@Gap@ | 1 |
| ?ZeroVector@igVec3f@Math@Gap@@@2V1: | 1 |
| ?extendBy@igVolume@Math@Gap@@QAE | 1 |
| ?_instantiateRefFromPool@igAABox@Math | 1 |
| ?packColor@igVec4f@Math@Gap@@QBEI | 1 |
| ?subtract@igVec3f@Math@Gap@@QAXA | 1 |
| ?ZeroVector@igVec2f@Math@Gap@@@2V1: | 1 |
| ?_instantiateRefFromPool@igVec2fList@Ma | 1 |
| ?_instantiateRefFromPool@igVec3fList@Ma | 1 |
| ?multiply@igVec3f@Math@Gap@@QAXA | 1 |
| ?divide@igVec3f@Math@Gap@@QAXABV | 1 |
| ?makeScale@igMatrix44f@Math@Gap@@(| 1 |
| ?makeMax@igVec3f@Math@Gap@@QAX | 1 |
| ?makeOrthographicProjection@igMatrix44f | 1 |
| ?transform@igRay@Math@Gap@@QAXAI | 1 |
| ?make@igRay@Math@Gap@@QAXABVig' | 1 |
| ?invert@igMatrix44f@Math@Gap@@QAEH | 1 |
| ?transformPoint@igVec3f@Math@Gap@@I | 1 |
| ?makeMin@igVec3f@Math@Gap@@QAX | 1 |
| ?parkRegister@igRay@Math@Gap@@SAXXZ | 1 |
| ?_Meta@igVec2fList@Math@Gap@@@1PAV | 1 |
| ?setMemoryFile@igMemoryFile@Core@Ga | 1 |
| ?parkRegister@igMemoryPoolContext@Core | 1 |
| ?parkRegisterInternal@igNamedObject@Core | 1 |
| ?getClassMeta@igNamedObject@Core@Ga | 1 |
| ?validateAndSetMetaField@igMetaObject@ | 1 |
| ?find@__internalNonRefCountedObjectList@ | 1 |
| ?getMetaField@igMetaObject@Core@Gap@ | 1 |
| ?igMemoryPoolStatic_function@Core@Gap | 1 |
| ?getInstanceCount@igMetaObject@Core@C | 1 |
| ?remove4@igDataList@Core@Gap@@IAEX | 1 |
| ?setFromField@igMetaField@Core@Gap@() | 1 |
| ?_Meta@igStringMetaField@Core@Gap@@ | 1 |
| ?_Meta@igObjectList@Core@Gap@@1PAV | 1 |

| | |
|---|---|
| ?_Meta@igObjectRefMetaField@Core@Gap | 1 |
| ?findByMeta@igObjectList@Core@Gap@@ | 1 |
| ?findType@igMetaObject@Core@Gap@@S | 1 |
| ?getInfoList@igDirectory@Core@Gap@@Q | 1 |
| ?arkRegisterInternal@igDataList@Core@Ga | 1 |
| ?arkRegister@igObject@Core@Gap@@SAX | 1 |
| ?arkRegister@igMetaField@Core@Gap@@' | 1 |
| ?registerClassDestructor@igMetaObject@C | 1 |
| ?insert@?\$igTDataList@PAVigObject@Core@ | 1 |
| ?refObjects@igObjectList@Core@Gap@@A | 1 |
| ?_instantiateRefFromPool@igLibrary@Core@ | 1 |
| ?getClassMeta@igDataList@Core@Gap@@. | 1 |
| ?_Meta@igFile@Core@Gap@@1PAVigMet | 1 |
| ?getClassMeta@igMemoryFile@Core@Gap(| 1 |
| ?igIGBResource_function@Core@Gap@@Y | 1 |
| ?load@igResource@Core@Gap@@QAEPAV | 1 |
| ?unload@igResource@Core@Gap@@QAEX | 1 |
| ?removeMemoryFile@igMemoryFile@Core@ | 1 |
| ??4igStringRef@Core@Gap@@QAEABV012 | 1 |
| ?popMemoryPoolContext@igMemoryPoolC | 1 |
| ?pushMemoryPoolContext@igMemoryPoolC | 1 |
| ?_instantiateRefFromPool@igUnsignedIntLis | 1 |
| ?_Meta@igUnsignedIntList@Core@Gap@@ | 1 |
| ?getCount@igDependencyOrderedList@Cor | 1 |
| ?removeDependency@igDependencyOrdere | 1 |
| ?appendDependency@igDependencyOrdere | 1 |
| ?removeAll@igObjectList@Core@Gap@@Q | 1 |
| ?getMemoryPool@igObject@Core@Gap@@C | 1 |
| ?getClassMeta@igCompoundMetaField@Cc | 1 |
| ?arkRegisterInternal@igCompoundMetaFiel | 1 |
| ?getClassMeta@igDependencyOrderedList@ | 1 |
| ?arkRegisterInternal@igDependencyOrdere | 1 |
| ?getClassTypeLazy@igMetaField@Core@Ga | 1 |
| ?getClassMeta@igObject@Core@Gap@@S, | 1 |
| ?arkRegisterInternal@igObject@Core@Gap(| 1 |
| ?setDefault@igFloatMetaField@Core@Gap(| 1 |
| ?setDefault@igBoolMetaField@Core@Gap(C | 1 |
| ?_instantiateFromPool@igStringMetaField@ | 1 |
| ?setDefault@igStringMetaField@Core@Gap | 1 |
| ?getClassMeta@igNonRefCountedObjectList | 1 |
| ?arkRegisterInternal@igNonRefCountedObj | 1 |
| ?getClassMeta@igObjectList@Core@Gap@() | 1 |
| ?arkRegisterInternal@igObjectList@Core@C | 1 |
| ?igArkRegister@Core@Gap@@YAPAV__int | 1 |
| ??0igStringRef@Core@Gap@@QAE@ABV01 | 1 |
| ??1igStringRef@Core@Gap@@QAE@XZ | 1 |
| ??0igNamedObject@Core@Gap@@QAE@A | 1 |

| | |
|--|---|
| ??1igNamedObject@Core@Gap@@QAE@X | 1 |
| ??0igNamedObject@Core@Gap@@QAE@X | 1 |
| ?_instantiateFromPool@igUnsignedIntList@ | 1 |
| ?_instantiateFromPool@igLibrary@Core@G | 1 |
| ?search@igDependencyOrderedList@Core@ | 1 |
| ?remove@igDependencyOrderedList@Core@ | 1 |
| ?internalAppend@igDependencyOrderedList@ | 1 |
| ?find@igDependencyOrderedList@Core@Gap@@ | 1 |
| ?get@igDependencyOrderedList@Core@Gap@@ | 1 |
| ?binaryInsert@igDataList@Core@Gap@@IE | 1 |
| ?bubbleSort@igDataList@Core@Gap@@IAE | 1 |
| ?findFirstUnsorted@igDataList@Core@Gap@@ | 1 |
| ?sortedFind@igDataList@Core@Gap@@IBE | 1 |
| ?find@igDataList@Core@Gap@@IBEPBEP | 1 |
| ?remove@igDataList@Core@Gap@@IAEXH | 1 |
| ?remove@igDataList@Core@Gap@@IAEXH | 1 |
| ?append@igDataList@Core@Gap@@IAEXH | 1 |
| ?insert@igDataList@Core@Gap@@IAEXHH | 1 |
| ?setCapacity@igDataList@Core@Gap@@Q | 1 |
| ?resizeAndSetCount@igDataList@Core@Ga | 1 |
| ?_instantiateFromPool@igDataList@Core@ | 1 |
| ?sortedRemoveAllByValue@?\$igTDataList@ | 1 |
| ?sortedRemoveAllByValue@?\$igTDataList@ | 1 |
| ?sortedRemoveByValue@?\$igTDataList@PA | 1 |
| ?sortedRemoveByValue@?\$igTDataList@PA | 1 |
| ?sortedAddUnique@?\$igTDataList@PAVigO | 1 |
| ?sortedAddUnique@?\$igTDataList@PAVigO | 1 |
| ?search@igNonRefCountedObjectList@Core | 1 |
| ?prependUnique@?\$igTDataList@PAVigObj | 1 |
| ?appendUnique@?\$igTDataList@PAVigObj | 1 |
| ?igGetMemoryPool@Core@Gap@@YAPAVi | 1 |
| ?isOfType@igObject@Core@Gap@@QBE_N | 1 |
| ??0igObject@Core@Gap@@IAE@XZ | 1 |
| ?__bootstrapDestruct@igObject@Core@Ga | 1 |
| ?userAllocateFields@igObject@Core@Gap@ | 1 |
| ?userDeallocateFields@igObject@Core@Ga | 1 |
| ?userCopyDeep@igObject@Core@Gap@@I | 1 |

| | |
|--|---|
| ?userCopyShallow@igObject@Core@Gap@ | 1 |
| ?userIsAlikeDeep@igObject@Core@Gap@C | 1 |
| ?userIsAlikeShallow@igObject@Core@Gap@C | 1 |
| ?userInstantiate@igObject@Core@Gap@@@ | 1 |
| ?userRelease@igObject@Core@Gap@@@UA | 1 |
| ?userConstruct@igObject@Core@Gap@@@U | 1 |
| ?userDestruct@igObject@Core@Gap@@@UA | 1 |
| ?userResetFields@igObject@Core@Gap@@@ | 1 |
| ?preWrite@igObject@Core@Gap@@@UAEX) | 1 |
| ?preFileWrite@igObject@Core@Gap@@@UA | 1 |
| ?postRead@igObject@Core@Gap@@@UAEX: | 1 |
| ?postFileRead@igObject@Core@Gap@@@UA | 1 |
| ?clean@igObject@Core@Gap@@@UAEXXZ | 1 |
| ?makeAbstract@igObject@Core@Gap@@@U | 1 |
| ?makeConcrete@igObject@Core@Gap@@@I | 1 |
| ?createCopy@igObject@Core@Gap@@@UBE | 1 |
| ??0igObject@Core@Gap@@@IAE@ABV012@ | 1 |
| ??0igObjectList@Core@Gap@@@QAE@ABV0 | 1 |
| ?userAllocateFields@igObjectList@Core@G | 1 |
| ?userResetFields@igObjectList@Core@Gap(| 1 |
| ?preWrite@igObjectList@Core@Gap@@@UA | 1 |
| ?clean@?\$sigTDataList@PAVigObject@Core@ | 1 |
| ?getMeta@igObjectList@Core@Gap@@@UBI | 1 |
| ?getElementSize@?\$sigTDataList@PAVigObj | 1 |
| ?getElementCount@igDataList@Core@Gap(| 1 |
| ??0igNonRefCountedObjectList@Core@Gap | 1 |
| ?preWrite@igNonRefCountedObjectList@Cc | 1 |
| ?getMeta@igNonRefCountedObjectList@Co | 1 |
| ??0igCompoundMetaField@Core@Gap@@@I | 1 |
| ?__bootstrapDestruct@igMetaField@Core@ | 1 |
| ?postRead@igMetaField@Core@Gap@@@UA | 1 |
| ?setFromMemory@igMetaField@Core@Gap@ | 1 |
| ?computeTypeSize@igCompoundMetaField(| 1 |
| ?computeTypeCount@igMetaField@Core@I | 1 |
| ?computeRequiredAlignment@igCompound | 1 |
| ?resetByValue@igCompoundMetaField@Co | 1 |
| ?resetByNoReset@igMetaField@Core@Gap | 1 |
| ?resetByReference@igCompoundMetaField | 1 |
| ?construct@igCompoundMetaField@Core@ | 1 |
| ?destruct@igCompoundMetaField@Core@C | 1 |
| ?commission@igCompoundMetaField@Core | 1 |
| ?decommission@igCompoundMetaField@C | 1 |
| ?setDefaultMemory@igMetaField@Core@C | 1 |
| ?copyByValue@igCompoundMetaField@Co | 1 |
| ?copyByReference@igCompoundMetaField(| 1 |
| ?copyByValueShallow@igMetaField@Core@ | 1 |
| ?copyByReset@igCompoundMetaField@Cor | 1 |

| | |
|--|---|
| ?copyByNoCopy@igCompoundMetaField@C | 1 |
| ?print@igCompoundMetaField@Core@Gap | 1 |
| ?traverse@igCompoundMetaField@Core@C | 1 |
| ?addToDirectory@igCompoundMetaField@I | 1 |
| ?compare@igCompoundMetaField@Core@ | 1 |
| ?isAlikeCompareExactly@igCompoundMeta | 1 |
| ?isAlikeCompareDeep@igCompoundMetaFi | 1 |
| ?isAlikeCompareShallow@igCompoundMet | 1 |
| ?isAlikeCompareNoCompare@igCompoundM | 1 |
| ?getIoSize@igCompoundMetaField@Core@ | 1 |
| ?readFromMemory@igCompoundMetaField | 1 |
| ?writeToMemory@igCompoundMetaField@ | 1 |
| ?writeRawFieldMemory@igCompoundMeta | 1 |
| ?readRawFieldMemory@igCompoundMetaF | 1 |
| ?endiannessSwapMemory@igCompoundMetaF | 1 |
| ?endiannessSwap@igCompoundMetaField@C | 1 |
| ?setByString@igMetaField@Core@Gap@@I | 1 |
| ?getByString@igMetaField@Core@Gap@@@ | 1 |
| ?setMemoryByString@igCompoundMetaFie | 1 |
| ?getStringFromMemory@igCompoundMeta | 1 |
| ?convertMemoryToString@igMetaField@Co | 1 |
| ?convertStringToMemory@igMetaField@Co | 1 |
| ?constructPerformsReset@igMetaField@Co | 1 |
| ??1igCompoundMetaField@Core@Gap@@I | 1 |
| ??0igCompoundMetaField@Core@Gap@@I | 1 |
| ??4igCompoundMetaField@Core@Gap@@I | 1 |
| ?igMalloc@igMemory@Core@Gap@@SAXPA | 1 |
| ?igMallocAligned@igMemory@Core@Gap@ | 1 |
| ?igMallocFromPool@igMemory@Core@Gap | 1 |
| ?igMallocAlignedFromPool@igMemory@Co | 1 |
| ?igMallocTracked@igMemory@Core@Gap@C | 1 |
| ?igMallocFromPoolTracked@igMemory@Co | 1 |
| ?igMallocAlignedTracked@igMemory@Core | 1 |
| ?igMallocAlignedFromPoolTracked@igMem | 1 |
| ?igFree@igMemory@Core@Gap@@SAXPA | 1 |
| ?igFreeToPoolNonTracked@igMemory@Cor | 1 |
| ?igFreeNonTracked@igMemory@Core@Gap | 1 |
| ?igFreeTracked@igMemory@Core@Gap@@C | 1 |
| ?igFreeToPoolTracked@igMemory@Core@C | 1 |
| ??_7igDataList@Core@Gap@@6B@ | 1 |
| ?getMeta@igDataList@Core@Gap@@UBEP | 1 |
| ??0igDependencyOrderedList@Core@Gap@ | 1 |
| ?getMeta@igDependencyOrderedList@Core | 1 |
| ??0igDependencyOrderedList@Core@Gap@ | 1 |
| ??1igDependencyOrderedList@Core@Gap@ | 1 |
| ?createMetaEnum@igMetaEnum@Core@G | 1 |
| ?_instantiateFromPool@igMetaObject@Cor | 1 |

| | |
|--|---|
| ?igMemoryPoolMetaDataTable@Core@ | 1 |
| ?igArkRegister@Core@Gap@@YAXP6APAV_ | 1 |
| ?ArkCore_function@Core@Gap@@YAPAViE | 1 |
| ?setMetaFieldBasicPropertiesAndValidateAll | 1 |
| ?setDefault@igIntMetaField@Core@Gap@() | 1 |
| ?getIndexedMetaField@igMetaObject@Core | 1 |
| ?instantiateAndAppendFields@igMetaObjec | 1 |
| ?getMetaFieldCount@igMetaObject@Core@C | 1 |
| ?_instantiateFromPool@igIntMetaField@Co | 1 |
| ?_instantiateFromPool@igObjectRefMetaFie | 1 |
| ?getClassTypeLazy@igMemoryPoolContext@ | 1 |
| ?_instantiateFromPool@igUnsignedIntMeta | 1 |
| ?_Meta@igObject@Core@Gap@@1PAVigM | 1 |
| ?_instantiateFromPool@igStructMetaField@ | 1 |
| ?_instantiateFromPool@igBoolMetaField@C | 1 |
| ?_instantiateFromPool@igFloatMetaField@I | 1 |
| ?setDefault@igEnumMetaField@Core@Gap | 1 |
| ?_instantiateFromPool@igEnumMetaField@ | 1 |
| ?validate@igMetaField@Core@Gap@@QAI | 1 |
| ?decrementRefCount@igObject@Core@Gap | 1 |
| ?append@__internalObjectList@Core@Gap | 1 |
| ?getMetaFieldTypes@igMetaField@Core@C | 1 |
| ?createInstance@igMetaObject@Core@Gap | 1 |
| ?append@igObjectList@Core@Gap@@QAE | 1 |
| ?setFieldName@igMetaField@Core@Gap@ | 1 |
| ??0igStringRef@Core@Gap@@QAE@PBD@ | 1 |
| ?_instantiateFromPool@igUnsignedShortMe | 1 |
| ?_instantiateFromPool@igRawRefMetaField | 1 |
| ?_instantiateFromPool@igObjectList@Core@ | 1 |
| ?igInstantiateRefDeprecated@Core@Gap@ | 1 |
| ?set@igObjectList@Core@Gap@@QAEXHP | 1 |
| ?setAll@igObjectList@Core@Gap@@QAEXF | 1 |
| ?insert@igObjectList@Core@Gap@@QAEXI | 1 |
| ?append@igObjectList@Core@Gap@@QAE | 1 |
| ?concatenate@igObjectList@Core@Gap@@ | 1 |
| ?removeByValue@igObjectList@Core@Gap@ | 1 |
| ?removeByValue@igObjectList@Core@Gap@ | 1 |
| ?removeAllByValue@igObjectList@Core@G | 1 |
| ?removeAllByValue@igObjectList@Core@G | 1 |
| ?find4@igDataList@Core@Gap@@IBEPBE | 1 |
| ?appendUnique@igObjectList@Core@Gap@ | 1 |
| ?prependUnique@igObjectList@Core@Gap@ | 1 |
| ?appendUnique@igObjectList@Core@Gap@ | 1 |
| ?prependUnique@igObjectList@Core@Gap@ | 1 |
| ?search@igObjectList@Core@Gap@@QBEP | 1 |
| ?search@igObjectList@Core@Gap@@QBEP | 1 |
| ?search@igObjectList@Core@Gap@@QBEP | 1 |

| | |
|--|---|
| ?search@igObjectList@Core@Gap@@QBEP | 1 |
| ?search@igObjectList@Core@Gap@@QBEP | 1 |
| ?search@igObjectList@Core@Gap@@QBEP | 1 |
| ?sortedFind@?\$sigTDataList@PAVigObject@ | 1 |
| ?sortedFind4@igDataList@Core@Gap@@IB | 1 |
| ?sortedAdd@?\$sigTDataList@PAVigObject@I | 1 |
| ?incrementRefCount@igObject@Core@Gap | 1 |
| ?sortedAdd@?\$sigTDataList@PAVigObject@I | 1 |
| ?sortedAddUnique@igObjectList@Core@Ga | 1 |
| ?sortedAddUnique@igObjectList@Core@Ga | 1 |
| ?remove@igObjectList@Core@Gap@@QAE | 1 |
| ?sortedRemoveByValue@igObjectList@Core | 1 |
| ?sortedRemoveAllByValue@igObjectList@C | 1 |
| ?sortedRemoveAllByValue@igObjectList@C | 1 |
| ?_instantiateFromPool@igNonRefCountedO | 1 |
| ?insert4@igDataList@Core@Gap@@IAEXH | 1 |
| ?append@?\$sigTDataList@PAVigObject@Cor | 1 |
| ?append4@igDataList@Core@Gap@@IAEXI | 1 |
| ?concatenate@?\$sigTDataList@PAVigObject | 1 |
| ?removeByValue@?\$sigTDataList@PAVigObj | 1 |
| ?removeAllByValue@?\$sigTDataList@PAVigC | 1 |
| ?removeAllByValue@?\$sigTDataList@PAVigC | 1 |
| ?appendUnique@?\$sigTDataList@PAVigObje | 1 |
| ?prependUnique@?\$sigTDataList@PAVigObj | 1 |
| ??0?\$basic_streambuf@DU?\$char_traits@D | 1 |
| ??4?\$complex@M@std@@QAEAAV01@AB | 1 |
| EccGetConnectInfoDetail | 1 |
| EccFreePECCCONNECTINFODETAIL | 1 |
| BtGetRemoteName | 1 |
| BtGetPSMList | 1 |
| HsSetNotifyEvent | 1 |
| HsCancelDisconnect | 1 |
| HsCancelRing | 1 |
| HfTerminalCall | 1 |
| HfCancelSCONotify | 1 |
| HfCancelSCOListen | 1 |
| HfDisconnect | 1 |
| HfCanHFPAGSupport | 1 |
| HfReceiveCall | 1 |
| HfOpenAPI | 1 |
| HfAnswerIncomingCall | 1 |
| HfConnectSCO | 1 |
| HfDisConnectSCO | 1 |
| HfIncomingcall | 1 |
| HfConnect | 1 |
| HfServiceRecord | 1 |
| HfTerminalCall2 | 1 |

| | |
|-------------------------------------|---|
| HfSendResponce | 1 |
| HfSetSoundType | 1 |
| HfGetConnectedDeviceList | 1 |
| HfNotify | 1 |
| HfCancelNotify | 1 |
| HfSetVolume | 1 |
| HfSetConnectAdmit | 1 |
| HfClearConnectAdmit | 1 |
| HfScoNotify | 1 |
| HfScoListen | 1 |
| HfNotifyResponse | 1 |
| HfCloseAPI | 1 |
| SNDPLG_UnPlug2 | 1 |
| SNDPLG_Plugin2 | 1 |
| SNDPLG_JackIn | 1 |
| SNDPLG_IsPlugin | 1 |
| SNDPLG_Open | 1 |
| SNDPLG_IsPlugin2 | 1 |
| SNDPLG_Close | 1 |
| aout_DateGet | 1 |
| aout_DateIncrement | 1 |
| aout_DateInit | 1 |
| aout_DateSet | 1 |
| HFgGetDefaults | 1 |
| HNewImagePtr | 1 |
| HAccessSysComInfo | 1 |
| HNewImage | 1 |
| HXFree | 1 |
| HSysInfo | 1 |
| IOSpyProcCall | 1 |
| HXAlloc | 1 |
| HProcessErr | 1 |
| ?PutSeparators@ARGUMENT_LEXEMIZER@ | 1 |
| ?Initialize@WSTRING@@QEAAEPEBGK@Z | 1 |
| ??1PATH@@UEAA@XZ | 1 |
| ??0DSTRING@@QEAA@XZ | 1 |
| ?Initialize@PATH@@QEAAEPEBVWSTRING@ | 1 |
| ??1FSN_FILTER@@UEAA@XZ | 1 |
| ??0FSN_FILTER@@QEAA@XZ | 1 |
| ?QueryFsnodeArray@FSN_DIRECTORY@@Q | 1 |
| ?IsDrive@PATH@@QEBAEXZ | 1 |
| ?Initialize@WSTRING@@QEAAEPEBV1@KK | 1 |
| ?Strcat@WSTRING@@QEAAEPEBV1@@Z | 1 |
| ?Initialize@PATH@@QEAAEPEBV1@E@Z | 1 |
| ?QueryDirectory@SYSTEM@@SAPEAVFSN_I | 1 |
| ?Initialize@FSN_FILTER@@QEAAEXZ | 1 |
| ?SetFileName@FSN_FILTER@@QEAAEPEBD | 1 |

| | |
|--------------------------------------|---|
| ?SetAttributes@FSN_FILTER@@QEAAEKKK@ | 1 |
| ?SetFileName@FSN_FILTER@@QEAAEPEBV@ | 1 |
| ?DeleteAllMembers@ARRAY@@UEAAEXZ | 1 |
| ?QueryString@WSTRING@@QEBAPEAV1@I | 1 |
| ?QueryFileType@SYSTEM@@SG?AW4FILE_` | 1 |
| ?ResetLoggingIterator@MESSAGE@@QAEX@ | 1 |
| ??_7BDSTRING@@6B@ | 1 |
| ?QueryNextLoggedMessage@MESSAGE@@@ | 1 |
| ?QueryRoot@PATH@@QAEPAVWSTRING@ | 1 |
| ??1BDSTRING@@UAE@XZ | 1 |
| ?QueryChCount@BSTRING@@QBEKXZ | 1 |
| JetErrIDARawMessage | 1 |
| JetErrIDAForError | 1 |
| JetErrRawMessage | 1 |
| JetErrFormattedMessage | 1 |
| eimg_PixelRectCreate | 1 |
| eimg_LayerStackCreate | 1 |
| eimg_PixelRectStackCreate | 1 |
| emet_MeterInfoSet | 1 |
| eimg_LayerRead | 1 |
| eimg_LayerStackWrite | 1 |
| efga_BasePolynomialCreate | 1 |
| exfr_XFormCreateFromAffinePoly | 1 |
| eimg_LayerMapProjectionRead | 1 |
| eimg_LayerMapProjectionWrite | 1 |
| eimg_MapInfoWrite | 1 |
| eprj_MapInfoFree | 1 |
| eimg_LayerMapInformationRead | 1 |
| exfr_XFormCompose | 1 |
| eimg_LayerMapInformationWrite | 1 |
| eimg_PixelRectDelete | 1 |
| eimg_PixelRectStackDelete | 1 |
| glfwGetMousePos | 1 |
| glfwSetMousePos | 1 |
| glfwGetWindowParam | 1 |
| glfwGetKey | 1 |
| glfwOpenWindowHint | 1 |
| glfwSetWindowSize | 1 |
| glfwSetTitle | 1 |
| glfwTerminate | 1 |
| glfwSetWindowCloseCallback | 1 |
| glfwSwapBuffers | 1 |
| glfwGetVideoModes | 1 |
| glfwSetWindowPos | 1 |
| __glfwSetOpenWindowAlignPos@4 | 1 |
| glfwOpenWindow | 1 |
| glfwCloseWindow | 1 |

| | |
|---------------------------------------|---|
| glfwSwapInterval | 1 |
| glfwInit | 1 |
| glfwGetMouseButton | 1 |
| alutUnloadWAV | 1 |
| alutInit | 1 |
| alutLoadWAVFile | 1 |
| alSource3f | 1 |
| alBufferData | 1 |
| alDeleteSources | 1 |
| alListener3f | 1 |
| alDeleteBuffers | 1 |
| alGenSources | 1 |
| alSourcef | 1 |
| alSourcePlay | 1 |
| alSourcei | 1 |
| alGenBuffers | 1 |
| alSourceStop | 1 |
| hqxt_edge | 1 |
| hqxInit | 1 |
| hq2xt_32 | 1 |
| ?SetStopCreateCompoent@GF@Util@@YA | 1 |
| ?GetDay@CSDateTime@@QBEHXZ | 1 |
| ?GetYear@CSDateTime@@QBEHXZ | 1 |
| ?SetDateStruct@CSDateTime@@QAEXPBUT | 1 |
| ??4CSDateTime@@QAEABV0@ABUtagDATE | 1 |
| ?GetMonth@CSDateTime@@QBEHXZ | 1 |
| ??0CSDateTime@@QAE@N@Z | 1 |
| ??1CSPropertyPage@@UAE@XZ | 1 |
| ?OnOK@CSPropertyPage@@MAEXXZ | 1 |
| ??YCSDateTime@@QAEABV0@N@Z | 1 |
| ?GetSQLDateFilterString@CSDateTime@@Q | 1 |
| ??ZCSDateTime@@QAEABV0@N@Z | 1 |
| ??MCSDateTime@@QBEHABV0@@Z | 1 |
| ?SetOldStyleSelect@CSListView@@QAEHH@ | 1 |
| ??1CSPropertySheet@@UAE@XZ | 1 |
| ??0CSPropertyPage@@QAE@II@Z | 1 |
| ?GetThisMessageMap@CSPropertyPage@@ | 1 |
| ??0CSPropertySheet@@QAE@IPAVCWnd@ | 1 |
| ?OnCancel@CSPropertySheet@@UAEXXZ | 1 |
| ?GetThisMessageMap@CSPropertySheet@(_ | 1 |
| _SCLoadResourceBitmapAndPalette@16 | 1 |
| ?SetTitle@CDL_Employee@@QAEHV?\$CStr | 1 |
| ?SetInitials@CDL_Employee@@QAEHV?\$CS | 1 |
| ?SetSurname@CDL_Employee@@QAEHV?\$ | 1 |
| ?SetPreviousSurname@CDL_Employee@@C | 1 |
| ?SetForename@CDL_Employee@@QAEHV? | 1 |
| ?SetAddress@CDL_Employee@@QAEHAAV@ | 1 |

| | |
|--|---|
| ?SetEmploymentEndDate@CDL_Employee@ | 1 |
| ?SetGender@CDL_Employee@@QAEHW4G | 1 |
| ?SetMaritalStatus@CDL_Employee@@QAEF | 1 |
| ?SetDateOfBirth@CDL_Employee@@QAEHV | 1 |
| ?SetIsDisabledFlag@CDL_Employee@@QAE | 1 |
| ?SetNationality@CDL_Employee@@QAEHV | 1 |
| ?SetEthnicOrigin@CDL_Employee@@QAEHV | 1 |
| ?SetNINumber@CDL_Employee@@QAEHV? | 1 |
| ?GetDateJoinedScheme@CDL_EmployeePer | 1 |
| ?GetSchemeReference@CDL_EmployeePens | 1 |
| ?GetReference@CDL_PensionScheme@@Q | 1 |
| ?GetDescription@CDL_PensionScheme@@C | 1 |
| ?SetDescription@CDL_PensionScheme@@C | 1 |
| ?GetInstanceReference@CDL_CostCentre@i | 1 |
| ?GetReference@CDL_CostCentre@@QAE?A | 1 |
| ?GetName@CDL_CostCentre@@QAE?AV?\$ | 1 |
| ?SetName@CDL_CostCentre@@QAEHV?\$C | 1 |
| ?SetReference@CDL_CostCentre@@QAEHV | 1 |
| ?SetInstanceReference@CDL_CostCentre@i | 1 |
| ?GetLast@CDL_DynamicCollection@@QAEF | 1 |
| ?GetInstanceReference@CDL_Department@ | 1 |
| ?GetFirst@CDL_DynamicCollection@@QAEF | 1 |
| ?GetReference@CDL_Department@@QAE?. | 1 |
| ?GetName@CDL_Department@@QAE?AV?! | 1 |
| ?GetNext@CDL_DynamicCollection@@QAEF | 1 |
| ?SetName@CDL_Department@@QAEHV?\$C | 1 |
| ?SetReference@CDL_Department@@QAEHV | 1 |
| ?SetInstanceReference@CDL_Department@ | 1 |
| ?GetEmployeeReference@CDL_Employee@ | 1 |
| ?SetTaxCode@CDL_Employee@@QAEHV?\$I | 1 |
| ?AddLegislationHandler@CDL_Connection@ | 1 |
| ?GetEmergencyTaxCode@CDL_Legislation@ | 1 |
| ?SetEmergencyContactName@CDL_Employe | 1 |
| ??0CDL_Address@@QAE@XZ | 1 |
| ?SetAddress@CDL_Address@@QAEHV?\$CS | 1 |
| ?SetPostcode@CDL_Address@@QAEHV?\$C | 1 |
| ?SetEmergencyContactAddress@CDL_Emplc | 1 |
| ??0CDL_Contact@@QAE@XZ | 1 |
| ?SetTelephoneNumber@CDL_Contact@@Q | 1 |
| ?SetMobileNumber@CDL_Contact@@QAEF | 1 |
| ??1CDL_BankAccount@@UAE@XZ | 1 |
| ?SetEmergencyContactDetails@CDL_Employ | 1 |
| ?SetEmergencyContactRelationship@CDL_E | 1 |
| ??1CDL_Contact@@UAE@XZ | 1 |
| ??1CDL_Address@@UAE@XZ | 1 |
| ?Login@CDL_Connection@@QAEHPBD@Z | 1 |
| ?SetEmploymentStartDate@CDL_Employee(| 1 |

| | |
|---------------------------------------|---|
| ?SetPaymentFrequency@CDL_Employee@€ | 1 |
| ?SetPaymentMethod@CDL_Employee@@Q | 1 |
| ?SetWorksNumber@CDL_Employee@@QA€ | 1 |
| ?SetPrimarySchemeFlag@CDL_EmployeePer | 1 |
| ?SetDateLeftScheme@CDL_EmployeePensio | 1 |
| ?SetDateJoinedScheme@CDL_EmployeePen | 1 |
| ?SetSchemeReference@CDL_EmployeePens | 1 |
| ?SaveEmployee@CDL_Employee@@QAEHH | 1 |
| ?SetComment@CDL_EmployeeAbsence@@ | 1 |
| ?SetAbsenceCode@CDL_EmployeeAbsence(| 1 |
| ?SetEndDate@CDL_EmployeeAbsence@@Q | 1 |
| ?Add@CDL_EmployeeAbsence@@QAEHVC§ | 1 |
| ?DeleteAt@CDL_DynamicCollection@@QAE | 1 |
| ?GetByIndex@CDL_DynamicCollection@@C | 1 |
| ?GetHalfDayType@CDL_EmployeeAbsence€ | 1 |
| ?GetAbsenceCode@CDL_EmployeeAbsence(| 1 |
| ?GetStartDate@CDL_EmployeeAbsence@@ | 1 |
| ?GetEndDate@CDL_EmployeeAbsence@@C | 1 |
| ?GetIndex@CDL_DynamicCollection@@QA€ | 1 |
| ?GetCount@CDL_DynamicCollection@@QA | 1 |
| ?GetPreviousSurname@CDL_Employee@@(| 1 |
| ?GetNINumber@CDL_Employee@@QAE?AV | 1 |
| ?GetSurname@CDL_Employee@@QAE?AV? | 1 |
| ?LoadEmployee@CDL_Employee@@QAEHJ | 1 |
| ?GetEmployeeList@CDL_Employee@@QAEI | 1 |
| ?AddCompanyHandler@CDL_Connection@() | 1 |
| ?AddEmployeeHandler@CDL_Connection@() | 1 |
| ??0CDL_ConnectionInfo@@QAE@XZ | 1 |
| ??1CDL_ConnectionInfo@@UAE@XZ | 1 |
| ?CreateEmployee@CDL_Employee@@QAEH | 1 |
| ?CloseConnection@CDL_Connection@@QA | 1 |
| ?ExecuteSQL@CDL_Connection@@AAEHPB | 1 |
| ?GetDatabase@CDL_Connection@@AAEPA` | 1 |
| ??4CDL_ConnectionInfo@@QAEABV0@ABV | 1 |
| ?OpenConnection@CDL_Connection@@AAI | 1 |
| ??0CDL_Connection@@AAE@XZ | 1 |
| ??1CDL_Connection@@EAE@XZ | 1 |
| ??0CDL_ConnectionInfo@@QAE@ABV0@@ | 1 |
| ?AllocateHstmt@CDL_Connection@@AAEFF | 1 |
| ?SetBankAccount@CDL_Employee@@QAEH | 1 |
| ?SetSortCode@CDL_BankAccount@@QAEH' | 1 |
| ?SetAccountNumber@CDL_BankAccount@() | 1 |
| ?SetAccountName@CDL_BankAccount@@C | 1 |
| ?SetBldSocNumber@CDL_BankAccount@@I | 1 |
| ?SetAccountType@CDL_BankAccount@@QF | 1 |
| ?SetContact@CDL_BankAccount@@QAEHA | 1 |
| ?SetFaxNumber@CDL_Contact@@QAEHV?§ | 1 |

| | |
|--|---|
| ?SetAddress@CDL_BankAccount@@QAEHA | 1 |
| ?SetBankName@CDL_BankAccount@@QAE | 1 |
| ??0CDL_BankAccount@@QAE@XZ | 1 |
| ?SetCostCentreInstanceReference@CDL_Em | 1 |
| ?SetDepartmentReference@CDL_Employee(| 1 |
| ?SetContractedHoursFrequency@CDL_Empl | 1 |
| ?SetContractedHours@CDL_Employee@@Q | 1 |
| ?SetBasicSalaryAmount@CDL_Employee@@Q | 1 |
| ?SetEmailAddress@CDL_Contact@@QAEHV | 1 |
| ?SetPayStatus@CDL_Employee@@QAEHWZ | 1 |
| ?SetContactDetails@CDL_Employee@@QAE | 1 |
| ??0CEmployeePerCarSet@@QAE@PAVCSD@ | 1 |
| ??1CEmployeePerCarSet@@UAE@XZ | 1 |
| ??0CEmployeeCumulativeSet@@QAE@PAV | 1 |
| ??0CEmployeeSalaryHelper@@QAE@XZ | 1 |
| ?CheckEmployeeSalaryElementIntegrity@CE | 1 |
| ?Update@CEmployeeDetailsSet@@UAEHXZ | 1 |
| ??1CEmployeeSalaryHelper@@UAE@XZ | 1 |
| ??1CEmployeeCumulativeSet@@UAE@XZ | 1 |
| ?GetTotalQualifyingDays@CHolidayHandler(| 1 |
| ?OpenRecordset@CPayCommon@@SAHPA` | 1 |
| ?GetProgramType@CAppUtil@@SAHXZ | 1 |
| ?GetDefaultStatementOfEmployment@CApi | 1 |
| ?IsNINumberValid@CAppUtil@@SAHV?\$CS | 1 |
| ?ValidateTaxCode@CPayUtil@@SAHPAD@Z | 1 |
| ?GetDataPath@CAppUtil@@SAXPAV?\$CStri | 1 |
| GetCommandLineA | 1 |
| ?StartFiltering@CCrashManager@@QAE_N) | 1 |
| ?SetSitecode@CCrashManager@@QAEXH@ | 1 |
| ?SetUserId@CCrashManager@@QAEXV?\$C | 1 |
| ?GetInstance@CCrashManager@@SAPAV10 | 1 |
| ?SetVersion@CCrashManager@@QAEXV?\$C | 1 |
| ?messageMap@CFccAppButton@@1UAFX_ | 1 |
| ?DropFiles@CFccAppButton@@MAEHABVC | 1 |
| ?InsertItem@CFccAppDock@@UAEXHPAVC | 1 |
| ?AddItem@CFccAppDock@@UAEXPACDoc | 1 |
| ??0CFccAppButton@@QAE@PBD00@Z | 1 |
| ??0CFccAppDock@@QAE@PAVCFcc@@@Z | 1 |
| ?messageMap@CFccAppDock@@1UAFX_M | 1 |
| ??1CFcc@@UAE@XZ | 1 |
| ??1CFixedAppDock@@UAE@XZ | 1 |
| ??0CFcc@@QAE@PAVCWnd@@@Z | 1 |
| ??0CFixedAppDock@@QAE@PAVCFcc@@@C | 1 |
| ??1CFccAppButton@@UAE@XZ | 1 |
| ?Refresh@CFccAppButton@@UAEXXZ | 1 |
| ?GetSelectedFiles@CFccAppButton@@MAE | 1 |
| ?Execute@CFccAppButton@@UAEXPBD0@; | 1 |

| | |
|--|---|
| ?do_always_noconv@?\$_codecvt @_WDH@s | 1 |
| ?do_unshift@?\$_codecvt @_WDH@std@@M | 1 |
| ??6?\$basic_ostream@_WU?\$char_traits@_` | 1 |
| RegClosek3y | 1 |
| _ZN12QDBusMessageD1Ev | 1 |
| _ZN14QDBusInterfaceC1ERK7QStringS2_S2_ | 1 |
| _ZN14QDBusInterfaceD1Ev | 1 |
| _ZN15QDBusConnection10sessionBusEv | 1 |
| _ZN15QDBusConnectionD1Ev | 1 |
| _ZN22QDBusAbstractInterface4callERK7QStr | 1 |
| _ZNK10QDBusError4nameEv | 1 |
| _ZNK10QDBusError4typeEv | 1 |
| _ZNK10QDBusError7messageEv | 1 |
| _ZNK22QDBusAbstractInterface7isValidEv | 1 |
| _ZNK22QDBusAbstractInterface9lastErrorEv | 1 |
| _ZN10KAboutData9addAuthorERK16KLocaliz | 1 |
| _ZN10KAboutDataC1ERK10QByteArrayS2_RI | 1 |
| _ZN10KAboutDataD1Ev | 1 |
| _ZN12KCmdLineArgs4initEiPPcPK10KAboutD | 1 |
| _ZNK12KCmdLineArgs3argEi | 1 |
| _ZNK12KCmdLineArgs5countEv | 1 |
| _ZNK12KCmdLineArgs5isSetERK10QByteArray | 1 |
| _ZNK16KLocalizedString4subsERK7QStringiR | 1 |
| _ZNK16KLocalizedString8toStringEv | 1 |
| GetProcAddressx | 1 |
| _strcm | 1 |
| CloseDLL | 1 |
| httpd_ClientIP | 1 |
| httpd_HostNew | 1 |
| httpd_MsgAdd | 1 |
| httpd_MsgGet | 1 |
| httpd_ServerIP | 1 |
| httpd_UrlCatch | 1 |
| httpd_UrlDelete | 1 |
| httpd_UrlNewUnique | 1 |
| sdp_AddAttribute | 1 |
| sdp_AddMedia | 1 |
| vlc_b64_encode_binary | 1 |
| ??\$getline@_WU?\$char_traits@_W@std@(_ | 1 |
| _SHSetHelp@8 | 1 |
| ?SetColumnCaption@CSListView@@QAEXH | 1 |
| ?SaveState@CSListView@@QAEXPADPA | 1 |
| ?IsValid@CSDateTime@@QAEHXZ | 1 |
| ?FormatDate@CSDateTime@@QBEXPADPA | 1 |
| ?SetColumnColorInfo@CSListView@@QAEH | 1 |
| ?SetAlternateColorInfo@CSListView@@QAE | 1 |
| ??1CSFormView@@MAE@XZ | 1 |

| | |
|--|---|
| ??0CSFormView@@IAE@I@Z | 1 |
| ?DateFromText@CSDateTime@@QAEXPBDI | 1 |
| ?Create@CSFormView@@UAEPBD0KABU1 | 1 |
| ?GetThisMessageMap@CSFormView@@KG | 1 |
| ?GetColumnCount@CSListView@@QAEKXZ | 1 |
| ?GetBranchParentItem@CSTreeView@@QA | 1 |
| ?ShowPane@CSSplitter@@QAEHHHH@Z | 1 |
| ?GetItemCount@CSTreeView@@QAEKPAXC | 1 |
| ?AddItemIndirect@CSTreeView@@QAEKHP | 1 |
| ??0CSSplitter@@QAE@XZ | 1 |
| ??1CSSplitter@@UAE@XZ | 1 |
| ?GetPane@CSSplitter@@QAEPAVCWnd@@ | 1 |
| ?ActivateNextPane@CSSplitter@@QAEXH@ | 1 |
| ?SetPaneWidth@CSSplitter@@QAEHHHH@ | 1 |
| ?CreateView@CSSplitter@@QAEHHHUTagSI | 1 |
| ?Create@CSSplitter@@QAEHPAVCWnd@@ | 1 |
| ?SetIconID@CSDialog@@QAEXPAAUHINSTAN | 1 |
| ?GetThisMessageMap@CSDialog@@KGFBUI | 1 |
| ??ZCSDateTime@@QAEABV0@ABV0@@@Z | 1 |
| ??HCSDateTime@@QBE?AV0@N@Z | 1 |
| ?ExpandItem@CSTreeView@@QAEHPAUta@ | 1 |
| ?GetColumnSort@CSListView@@QAEHH@Z | 1 |
| ?GetCaptionClick@CSListView@@QAEKXZ | 1 |
| ?SetColumnSort@CSListView@@QAEHH@ | 1 |
| ?RestoreState@CSListView@@QAEHPAUtag | 1 |
| ?GetThisClass@CSFormView@@SGPACRui | 1 |
| ??1CSDialog@@UAE@XZ | 1 |
| ?SelectItem@CSListView@@QAEKH@Z | 1 |
| ?GetPreviousSelectedItem@CSListView@@I | 1 |
| ?GetLastSelectedItem@CSListView@@QAEK | 1 |
| ?GetThisClass@CSDialog@@SGPACRuntim | 1 |
| ??0CSDialog@@QAE@IPAVCWnd@@@Z | 1 |
| ?GetItemState@CSListView@@QAEHK@Z | 1 |
| ?GetCurrentSelectedItem@CSListView@@Q | 1 |
| ?ColumnIndexToID@CSListView@@QAEHH(| 1 |
| ?IncrementDate@CPE_Base@@SAXHHVCSE | 1 |
| _SLSetBitmap@12 | 1 |
| ?ShowToolBar@CSThemedFrameWnd@@U | 1 |
| ?EnableToolBar@CSThemedToolBarContain | 1 |
| ?GetThisClass@CSThemedFrameWnd@@SC | 1 |
| ??1CSThemedFrameWnd@@MAE@XZ | 1 |
| ?EnableOption@CSThemedToolBarContain | 1 |
| ?ShowOption@CSThemedFrameWnd@@U^ | 1 |
| ?ShowToolBarButtonText@CSThemedFrame | 1 |
| ?GetThisMessageMap@CSThemedFrameWr | 1 |
| ??0CSThemedFrameWnd@@IAE@XZ | 1 |
| ?AddToolbarButton@CSThemedToolBarCon | 1 |

| | |
|---|---|
| ?OnCreate@CSThemedFrameWnd@@IAEHI | 1 |
| ?Instance@CAuditContext@@SAPAV1@XZ | 1 |
| ?RevertOverrideAuditing@CAuditContext@i | 1 |
| ?OverrideAuditing@CAuditContext@@QAE) | 1 |
| ??0CEmployeeGroupMembershipSet@@QA | 1 |
| ??1CEmployeeGroupSet@@UAE@XZ | 1 |
| ??0CEmployeeGroupSet@@QAE@PAVCSDa | 1 |
| ?GetDirectorStatus@CEmployeeHandler@@ | 1 |
| ?GetAnalysis3@CEmployeeHandler@@QAE | 1 |
| ?GetAnalysis2@CEmployeeHandler@@QAE | 1 |
| ?GetAnalysis1@CEmployeeHandler@@QAE | 1 |
| ?GetLastCalculatedDate@CEmployeeHandle | 1 |
| ?GetMaritalStatus@CEmployeeHandler@@I | 1 |
| ?GetGender@CEmployeeHandler@@QAE?A | 1 |
| ?GetWorkReturnedDate@CEmployeeHandle | 1 |
| ?GetPayStatus@CEmployeeHandler@@QAE | 1 |
| ?GetWorkEndDate@CEmployeeHandler@@ | 1 |
| ?GetPaymentMethod@CEmployeeHandler@ | 1 |
| ?GetLastProcessedDate@CEmployeeHandle | 1 |
| ?GetNICategory@CEmployeeHandler@@QA | 1 |
| ?GetPaymentPeriod@CEmployeeHandler@() | 1 |
| ?GetWk1BasisFlag@CEmployeeHandler@@ | 1 |
| ?GetTaxCode@CEmployeeHandler@@QAE? | 1 |
| ?GetDepartmentReference@CEmployeeHan | 1 |
| ?GetNINumber@CEmployeeHandler@@QA | 1 |
| ?GetInitials@CEmployeeHandler@@QAE?A' | 1 |
| ?GetForename@CEmployeeHandler@@QAE | 1 |
| ?GetSurname@CEmployeeHandler@@QAE?I | 1 |
| ?GetWorksNumber@CEmployeeHandler@@C | 1 |
| ?GetCurrentReference@CEmployeeHandler | 1 |
| ?HasAccessRight@CUser@@QAEHVCAccess | 1 |
| ??1CCompanyDetailsSet@@UAE@XZ | 1 |
| ??0CCompanyDetailsSet@@QAE@PAVCSDa | 1 |
| ??0CEmployeeUnionSet@@QAE@PAVCSDa | 1 |
| ?GetRuntimeClass@CEmployeeUnionSet@C | 1 |
| ?Delete@CSRecordset@@UAEXXZ | 1 |
| ?GetDefaultConnect@CSRecordset@@UAE? | 1 |
| ?GetDefaultSQL@CEmployeeUnionSet@@N | 1 |
| ?DoFieldExchange@CEmployeeUnionSet@C | 1 |
| ?MoveFirst@CSRecordset@@UAEXXZ | 1 |
| ?InitialiseFieldInfo@CSRecordset@@MAEXX | 1 |
| ?ClearFieldInfo@CSRecordset@@MAEXXZ | 1 |
| ?GetDefaultQuery@CEmployeeUnionSet@C | 1 |
| ?GetFieldText@CEmployeeUnionSet@@UAI | 1 |
| ?GetSQLTable@CEmployeeUnionSet@@MA | 1 |
| ??1CEmployeeUnionSet@@UAE@XZ | 1 |
| ??0CCostCentreSet@@QAE@PAVCSDatabase | 1 |

| | |
|--|---|
| ??0CDepartmentSet@@QAE@PAVCSDatabase | 1 |
| ?GetRuntimeClass@CDepartmentSet@@UB | 1 |
| ?GetDefaultSQL@CDepartmentSet@@MAE | 1 |
| ?DoFieldExchange@CDepartmentSet@@MA | 1 |
| ?InitialiseFieldInfo@CDepartmentSet@@UA | 1 |
| ?GetRuntimeClass@CCostCentreSet@@UBE | 1 |
| ?GetDefaultSQL@CCostCentreSet@@UAE?A | 1 |
| ?DoFieldExchange@CCostCentreSet@@MAI | 1 |
| ?InitialiseFieldInfo@CCostCentreSet@@UAE | 1 |
| ??1CDepartmentSet@@UAE@XZ | 1 |
| ??1CCostCentreSet@@UAE@XZ | 1 |
| ?GetLockInfo@CSDatabase@@QAEHPAUtag | 1 |
| ?LockEmployee@CSDatabase@@QAEHJH@ | 1 |
| ?CountRecords@CSDatabase@@QAEJPBD0 | 1 |
| ?UnlockAllEmployees@CSDatabase@@QAE | 1 |
| ??1CEmployeeGroupMembershipSet@@UA | 1 |
| ?WriteIniLongSetting@CAppUtil@@SAXPBD | 1 |
| ?IsProcessPeriodOK@CPayUtil@@SAHVCSD | 1 |
| ?WriteIniStringSetting@CAppUtil@@SAXIPE | 1 |
| ?IsFeatureAccessible@CAppUtil@@SAHW4I | 1 |
| ?GetPaymentPeriod@CPayUtil@@SAHPAV? | 1 |
| ?ExecuteSQL@CAppUtil@@SAHV?\$CStringT | 1 |
| ?CalcStartEndPeriod@CPayUtil@@SAXVCSD | 1 |
| ?GetReportTableFilter@CReportUtil@@SA? | 1 |
| ?CommitTransaction@CAppUtil@@SAHXZ | 1 |
| ?InsertDBReportSelection@CReportUtil@@! | 1 |
| ?BeginTransaction@CAppUtil@@SAHXZ | 1 |
| ?DeletePreviousDBReportSelections@CRep | 1 |
| ?ReadIniLongSetting@CAppUtil@@SAJPBDJ | 1 |
| ?ReadIniStringSetting@CAppUtil@@SAXIPA | 1 |
| ?SynchroniseListStyleSelection@CAppUtil@ | 1 |
| ?GetStartOfTaxYear@CAppUtil@@SAXPAVC | 1 |
| ?ReadIniBoolSetting@CAppUtil@@SAHIH@ | 1 |
| ?WriteIniIntSetting@CAppUtil@@SAXIH@Z | 1 |
| ?ReadIniIntSetting@CAppUtil@@SAHIH@Z | 1 |
| ?TraceLog@CAppUtil@@SAXV?\$CStringT@I | 1 |
| ?TraceLog@CAppUtil@@SAXV?\$CStringT@I | 1 |
| ?ProcessQueue@CPayUtil@@SAXXZ | 1 |
| ?GetInitialsFromName@CPayUtil@@SAXPA | 1 |
| ?TaxWeekAndMonth@CPayUtil@@SAHVCS | 1 |
| Service | 1 |
| Metrics | 1 |
| xecuteA | 1 |
| lose | 1 |
| rtok | 1 |
| der | 1 |
| ueA | 1 |

| | |
|---------------------------------------|---|
| ?GetStrLine@CHelperClass@@QAE?AVCStri | 1 |
| ??1CIVHInfo@@UAE@XZ | 1 |
| ?SeparationContent@CHelperClass@@QAE` | 1 |
| ??1CHelperClass@@UAE@XZ | 1 |
| ??0CIVHInfo@@QAE@XZ | 1 |
| ?GetPath@CIVHInfo@@QAE?AVCString@@ | 1 |
| ??0CQuery@@QAE@XZ | 1 |
| ?MysqlPass@CIVHInfo@@QAE?AVCString@ | 1 |
| ?MysqlID@CIVHInfo@@QAE?AVCString@ | 1 |
| ?SelectInfo@CQuery@@QAE?AVCString@ | 1 |
| ?GetComName@CHelperClass@@QAE?AVC | 1 |
| ?ChangeData@CQuery@@QAE?AVCString@ | 1 |
| ??1CQuery@@UAE@XZ | 1 |
| ?CreateProcessF@CHelperClass@@QAE?AVC | 1 |
| ??0CHelperClass@@QAE@XZ | 1 |
| ??1CBatang@@UAE@XZ | 1 |
| ??1CvHinfo@@UAE@XZ | 1 |
| ??1CiHinfo@@UAE@XZ | 1 |
| ?OpenInfo@CiHinfo@@QAEHVCString@@F | 1 |
| ?OpenInfo@CvHinfo@@QAE?AVCString@ | 1 |
| ?OpenInfo@CBatang@@QAEHVCString@@ | 1 |
| ??0CBatang@@QAE@XZ | 1 |
| ??0CvHinfo@@QAE@XZ | 1 |
| ??0CiHinfo@@QAE@XZ | 1 |
| ?CopyToTxt@CvHinfo@@QAE?AVCString@ | 1 |
| ?Abstraction_content@CvHinfo@@QAE?AVC | 1 |
| ?GetPgsNum@CvHinfo@@QAEHVCString@ | 1 |
| ?OpenInfo_txt@CvHinfo@@QAE?AVCString@ | 1 |
| tMessageW | 1 |
| rocessToken | 1 |
| INTEGER | 1 |
| LENGTH | 1 |
| LOGICAL | 1 |
| RAW | 1 |
| REAL | 1 |
| R_CHAR | 1 |
| R_ClassSymbol | 1 |
| R_ClearExternalPtr | 1 |
| R_ExternalPtrAddr | 1 |
| R_MakeExternalPtr | 1 |
| R_NaInt | 1 |
| R_NamesSymbol | 1 |
| R.NilValue | 1 |
| R_SetExternalPtrAddr | 1 |
| R_alloc | 1 |
| R_chk_calloc | 1 |
| R_chk_free | 1 |

| | |
|---------------------------------------|---|
| ??0CXTPFrameWnd@@QAE@XZ | 1 |
| ?PreTranslateMessage@?\$CXTPCommandB@ | 1 |
| ??0CXTPOffice2007FrameHook@@QAE@XZ | 1 |
| ??1CXTPOffice2007FrameHook@@UAE@XZ | 1 |
| ??1CTvPWDDLG@@UAE@XZ | 1 |
| ??0_Timevec@std@@QAE@ABV01@@Z | 1 |
| ap_document_root_check | 1 |
| _ap_run_test_config@8 | 1 |
| ap_real_exit_code | 1 |
| _ap_get_server_description@0 | 1 |
| _ap_show_mpm@0 | 1 |
| _ap_mpm_query@8 | 1 |
| _apu_version_string@0 | 1 |
| _apr_time_now@0 | 1 |
| _apr_filepath_name_get@4 | 1 |
| _apr_sleep@8 | 1 |
| _apr_version_string@0 | 1 |
| _apr_ctime@12 | 1 |
| GetNewSock | 1 |
| BASS_MusicPlayEx | 1 |
| BASS_MusicSetAmplify | 1 |
| BASS_SetGlobalVolumes | 1 |
| CBaseChart_makeChart3 | 1 |
| CBaseChart_destroy | 1 |
| CDrawArea_destroy | 1 |
| CImageMapHandler_getValue2 | 1 |
| CImageMapHandler_getKey | 1 |
| CXYChart_setPlotArea | 1 |
| CXYChart_swapXY | 1 |
| CLayer_set3D | 1 |
| CAxis_setLabels | 1 |
| CAxisSetTitle | 1 |
| CAxis_setLabelStyle | 1 |
| CBaseChart_linearGradientColor | 1 |
| CBaseChart_addLegend | 1 |
| LegendBox2TextBox | 1 |
| TextBox2Box | 1 |
| CBox_setBackground | 1 |
| Box2DrawObj | 1 |
| CChart_setLicenseCode | 1 |
| CViewPortManager_startDrag | 1 |
| CViewPortManager_zoomTo | 1 |
| CViewPortManager_zoomAt | 1 |
| CViewPortManager_canZoomOut | 1 |
| CViewPortManager_canZoomIn | 1 |
| BarLayer2Layer | 1 |
| CViewPortManager_inPlotArea | 1 |

| | |
|---------------------------------------|---|
| CViewPortManager_setChartMetrics | 1 |
| CBaseChart_makeChart2 | 1 |
| CBaseChart_getChartMetrics | 1 |
| CImageMapHandler_create | 1 |
| CImageMapHandler_destroy | 1 |
| CImageMapHandler_getHotSpot | 1 |
| CImageMapHandler_getValue | 1 |
| CViewPortManager_create | 1 |
| CViewPortManager_destroy | 1 |
| CViewPortManager_validateViewPort | 1 |
| CXYChart_addAreaLayer | 1 |
| CXYChart_addLineLayer | 1 |
| CXYChart_addBarLayer | 1 |
| CXYChart_xAxis | 1 |
| CXYChart_yAxis | 1 |
| LineLayer2Layer | 1 |
| AreaLayer2Layer | 1 |
| XYChart2BaseChart | 1 |
| CXYChart_create | 1 |
| ?DiscAtOnceRawModeStart@CCdrMmc@@@` | 1 |
| ?DiscAtOnceMP6200Write@CCdrMmc@@@C | 1 |
| ?DiscAtOnceRawModeWrite@CCdrMmc@@@ | 1 |
| ?DiscAtOnceMP6200Finish@CCdrMmc@@@C | 1 |
| ?DiscAtOnceRawModeFinish@CCdrMmc@@@ | 1 |
| ?CloseSession@CCdrMmc@@@QAEKPAUSRB | 1 |
| ?SessionInfoGetNextWritableLBA@CCdrMm | 1 |
| ?SessionInfoSetNextWritableLBA@CCdrMm | 1 |
| ?SessionInfoReserveBlocks@CCdrMmc@@@C | 1 |
| ?DiscAtOnceMP6200Start@CCdrMmc@@@Q/ | 1 |
| ?GetASPI32SupportInfo@CCdrMmc@@@SAK | 1 |
| ?LoadAspiDII@@@YAXPAD@Z | 1 |
| ??0CCdrMmc@@@QAE@XZ | 1 |
| ??1CCdrMmc@@@QAE@XZ | 1 |
| ?GetConfig@CCdrMmc@@@QAEKPAUSRB_E | 1 |
| ?GetDiscTocInfo@CCdrMmc@@@QAEKPAUSI | 1 |
| ?ModeSense@CCdrMmc@@@QAEKPAUSRB_ | 1 |
| ?Inquiry@CCdrMmc@@@QAEKPAUSRB_Exec | 1 |
| ?GetDiscSessionTrackInfo@CCdrMmc@@@Q/ | 1 |
| ?GetDiscID@CCdrMmc@@@QAEKPAUSRB_Ex | 1 |
| ?GetDiscInfo@CCdrMmc@@@QAEKPAUSRB_ | 1 |
| ?ReadTrackInfo@CCdrMmc@@@QAEKPAUSR | 1 |
| ?OpenTray@CCdrMmc@@@QAEKPAUSRB_Ex | 1 |
| ?Unlock@CCdrMmc@@@QAEKPAUSRB_Exec | 1 |
| ?Lock@CCdrMmc@@@QAEKPAUSRB_ExecSC! | 1 |
| ?CloseTray@CCdrMmc@@@QAEKPAUSRB_Ex | 1 |
| ?Read@CCdrMmc@@@QAEKPAUSRB_ExecSC | 1 |
| ?ReadCDDA@CCdrMmc@@@QAEKPAUSRB_E | 1 |

| | |
|---------------------------------------|---|
| ?Seek@CCdrMmc@@QAEKPAUSR_B_ExecSC | 1 |
| ?GetCLVRecSpeed@CCdrMmc@@QAEKPAU | 1 |
| ?TestUnitReady@CCdrMmc@@QAEKPAUSR | 1 |
| ?PlayAudio12@CCdrMmc@@QAEKPAUSR_B | 1 |
| ?PauseResume@CCdrMmc@@QAEKPAUSR_I | 1 |
| ?StopPlay@CCdrMmc@@QAEKPAUSR_B_Exe | 1 |
| ?ModeSelectBlockSize@CCdrMmc@@QAEK | 1 |
| ?GetBufferCapacity@CCdrMmc@@QAEKPA | 1 |
| ?GetReadSpeed@CCdrMmc@@QAEKPAUSF | 1 |
| ?SetReadSpeed@CCdrMmc@@QAEKPAUSR | 1 |
| ?SetWriteSpeed@CCdrMmc@@QAEKPAUSF | 1 |
| ?GetWriteSpeed@CCdrMmc@@QAEKPAUS | 1 |
| ?GetHostAdapterInterfaceType@CCdrMmc@ | 1 |
| ?OpenDevice@CCdrMmc@@QAEKPAUSR_B | 1 |
| ?CloseDevice@CCdrMmc@@QAEKPAUSR_B | 1 |
| ?AbortASPI32Command@CCdrMmc@@QAE | 1 |
| ?ResetASPI32Device@CCdrMmc@@QAEKEE | 1 |
| ?ReadCDTextInfo@CCdrMmc@@QAEKPAUS | 1 |
| ?RequestSense@CCdrMmc@@QAEKPAUSRI | 1 |
| ?StopFormatting@CCdrMmc@@QAEKPAUS | 1 |
| ?GetEventStatusNotif@CCdrMmc@@QAEKF | 1 |
| ?ReadFormatCapacity@CCdrMmc@@QAEKI | 1 |
| ?ReadDvdStructure@CCdrMmc@@QAEKPA | 1 |
| ?FileCDPacketInit@CCdrMmc@@QAEKPAU | 1 |
| ?FileCDPacketDeinit@CCdrMmc@@QAEKPA | 1 |
| ?FileCDCacheReset@CCdrMmc@@QAEZZ | 1 |
| ?FileCDPacketOpen@CCdrMmc@@QAEKPA | 1 |
| ?FileCDPacketClose@CCdrMmc@@QAEKPA | 1 |
| ?FileCDPacketWrite@CCdrMmc@@QAEKPA | 1 |
| ?FileCDPacketFlush@CCdrMmc@@QAEKPA | 1 |
| ?FileCDPacketRead@CCdrMmc@@QAEKPAI | 1 |
| ?IsBurnProofSupported@CCdrMmc@@QAE | 1 |
| ?IsJustLinkSupported@CCdrMmc@@QAEHF | 1 |
| ?IsJustLinkTestModeSupported@CCdrMmc@ | 1 |
| ?IsJustSpeedSupported@CCdrMmc@@QAEI | 1 |
| ?IsSeamlessLinkSupported@CCdrMmc@@Q | 1 |
| ?EnableJustSpeed@CCdrMmc@@QAEKPAU | 1 |
| ?SessionOpen@CCdrMmc@@QAEKPAUSR_B | 1 |
| ?SessionClose@CCdrMmc@@QAEKPAUSR_B | 1 |
| ?TrackOpen@CCdrMmc@@QAEKPAUSR_B_E | 1 |
| ?TrackClose@CCdrMmc@@QAEKPAUSR_B_E | 1 |
| ?TrackWrite@CCdrMmc@@QAEKPAUSR_B_E | 1 |
| ?PacketOpen@CCdrMmc@@QAEKPAUSR_B | 1 |
| ?PacketClose@CCdrMmc@@QAEKPAUSR_B | 1 |
| ?PacketWrite@CCdrMmc@@QAEKPAUSR_B | 1 |
| ?ReserveTrack@CCdrMmc@@QAEKPAUSR_E | 1 |
| ?GetNextWritableLBA@CCdrMmc@@QAEKI | 1 |

| | |
|--|---|
| ?Blank@CCdrMmc@@QAEKPAUSRB_ExecS(| 1 |
| ?FormatUnit@CCdrMmc@@QAEKPAUSRB_ | 1 |
| ?ModeSelectWriteModePage@CCdrMmc@(| 1 |
| ?ModeSelectTestMode@CCdrMmc@@QAEI | 1 |
| ?SessionAtOnceStart@CCdrMmc@@QAEKP, | 1 |
| ?SessionAtOnceWrite@CCdrMmc@@QAEKF | 1 |
| ?SessionAtOnceFinish@CCdrMmc@@QAEKI | 1 |
| ?GetQQStorePath@@YAAAVCString@@AA\ | 1 |
| ?GetQQStorePath@@YAAAVCString@@AA\ | 1 |
| ?GetQQStorePath@@YAAAVCString@@AA\ | 1 |
| ?InitBugReport@@YAHVCString@@0000HH | 1 |
| ?OnProgressEx@CHttpDownloadUIInterface | 1 |
| ?SetAutoResume@CHttpDownload@@QAE | 1 |
| ?SetUseIEProxy@CHttpDownload@@QAEXI | 1 |
| ?ConvertGBKToUtf8@@YAXAAVCString@@ | 1 |
| ?ConvertUtf8ToGBK@@YAXAAVCString@@ | 1 |
| ?PSWEncrypt@@YA?AVCString@@PAEH@Z | 1 |
| ?PSWDecrypt@@YA?AVCString@@V1@@Z | 1 |
| ?GetQQFileCacheFolder@@YA?AVCString@ | 1 |
| ?GetQQGlobalDb@@YA?AVCString@@XZ | 1 |
| ?AsynGetHostByName@CAsyncGetHostByN | 1 |
| ??0CAsyncGetHostByName@@QAE@XZ | 1 |
| ?GetEnabled@CTimerEvent@@QAEHXZ | 1 |
| ?\$_F?\$moneypunct@G\$0A@@std@@QAE | 1 |
| @System@@RewritFile\$qqrv | 1 |
| @Sysutils@StrPas\$qqrpc | 1 |
| @Registry@TRegistry@WriteString\$qqrx17S | 1 |
| @Registry@TRegistry@OpenKey\$qqrx17Sys | 1 |
| ?precision@ios_base@std@@QAE_J_J@Z | 1 |
| asn_makePrivateEx | 1 |
| wmemchr | 1 |
| wmemcpy | 1 |
| _SetSpeechBubbleData@12 | 1 |
| _ShadedReelDropSymbols@8 | 1 |
| _SetShadedReelDropSymbols@28 | 1 |
| _EnableShadedReelSlowdown@12 | 1 |
| _SpriteGetPosition@8 | 1 |
| _TextSetFont@8 | 1 |
| _TextSetTextStringW@8 | 1 |
| _SpriteSlashBlink@4 | 1 |
| _RemoveSpriteFromCollection@8 | 1 |
| _AddSpriteToCollection@8 | 1 |
| _SetShadedReelCrashShakeStartEvent@8 | 1 |
| _SoundSetChannelPan@8 | 1 |
| _SoundSetChannelPanOverTime@20 | 1 |
| _SoundSetChannelVolume@8 | 1 |
| _SoundSetChannelVolumeOverTime@20 | 1 |

| | |
|---|---|
| _GenerateRandom@8 | 1 |
| ??0?\$basic_filebuf@DU?\$char_traits@D@st | 1 |
| ?_Mode@?\$basic_stringbuf@GU?\$char_tra | 1 |
| ??0?\$basic_ofstream@GU?\$char_traits@G@ | 1 |
| passwd_crypt | 1 |
| passwd_verify | 1 |
| x encrypt | 1 |
| passwd_saltgen | 1 |
| decrypt_secret_key | 1 |
| rpcCreateAuthDES | 1 |
| xdr_uint32_t | 1 |
| xdr_rpc_netobj | 1 |
| rpcCreateReplyHeader | 1 |
| ReplyRPC | 1 |
| xdr_array | 1 |
| xdr_pointer | 1 |
| rpcAcceptIncoming | 1 |
| xdrutil_malloc | 1 |
| rpcInitServerOperation | 1 |
| xdr_u_char | 1 |
| xdr_string | 1 |
| xdr_bool | 1 |
| xdr_u_int | 1 |
| mbufGetString | 1 |
| rpcCreateAuthUnix | 1 |
| rpcPrepareRPCHeader | 1 |
| InitDataBuffer | 1 |
| mbufAddString | 1 |
| mbufAddLong | 1 |
| CallRPC | 1 |
| GetProgramPort | 1 |
| rpcInitOperation | 1 |
| rpcCloseOperation | 1 |
| xdr_int | 1 |
| xdr_bytes | 1 |
| rpcCreateAuthNull | 1 |
| xdrutil_free | 1 |
| xdrutil_strdup | 1 |
| SvrSearchCreate | 1 |
| SvrSearchDestroy | 1 |
| SvrSearchWait | 1 |
| SvrSearchStart | 1 |
| PlatformRegCloseKey | 1 |
| PlatformRegOpenKeyExA | 1 |
| ??0CLogListCtrl@@QAE@XZ | 1 |
| ?GetItemData@CListCtrlSort@@QAEKH@Z | 1 |
| ?IsDup@CLogListCtrl@@QAEHPBD00@Z | 1 |

| | |
|---------------------------------------|---|
| ?AddLogItem@CLogListCtrl@@QAEHU_SYS1 | 1 |
| ?SaveItem@CLogListCtrl@@QAEHH@Z | 1 |
| ?UpdateItem@CLogListCtrl@@QAEHX@Z | 1 |
| ??1CLogListCtrl@@UAE@XZ | 1 |
| ?Create@CLogListCtrl@@QAEHABUttagRECT | 1 |
| V3SR_GetStatusString | 1 |
| Dr_fGetArcType | 1 |
| Dr_fCheckDefaultExtensions | 1 |
| Dr_fCheckDiskSpace | 1 |
| Dr_fCheckArchive | 1 |
| Dr_fDeleteDirAndFiles | 1 |
| Dr_fCheckSafetyZone | 1 |
| ?IncludeSubFolder@cV3ScanData@@QAEH | 1 |
| ?GetFile@cV3ScanData@@QAEPBDXZ | 1 |
| ?GetType@cV3ScanData@@QAEKXZ | 1 |
| ?Reset@cV3ScanData@@QAEHXZ | 1 |
| ?Add@cV3ScanData@@QAEHPBDKH@Z | 1 |
| ?ReadRegistry@cV3ScanData@@QAEHPAUI | 1 |
| ?WriteRegistry@cV3ScanData@@QAEHPAU | 1 |
| Dr_fCleanFile | 1 |
| Dr_fDeleteTempFiles | 1 |
| Dr_fSetExtensions | 1 |
| ??1cV3ScanData@@UAE@XZ | 1 |
| Dr_fExploreMemory2 | 1 |
| ?Next@cV3ScanData@@QAEHXZ | 1 |
| ?Remove@cV3ScanData@@QAEHPBD@Z | 1 |
| Dr_fGetLastError | 1 |
| ??0cV3ScanData@@QAE@XZ | 1 |
| Dr_fGetVirusName | 1 |
| Dr_fCleanBoot | 1 |
| Dr_fExploreBoot2 | 1 |
| Dr_fBootInformation | 1 |
| Dr_fIsFunctionValid | 1 |
| ??0cArray@@QAE@ABV0@@Z | 1 |
| ?V3CC_EnumProcs@@YAHP6GHKKGPADJ@ | 1 |
| ??0cString@@QAE@XZ | 1 |
| ?FormatMessageA@cString@@QAAXIPAUH | 1 |
| ?Add@cArray@@QAEHPAXI@Z | 1 |
| ?FindNoCase@cString@@QBEHPBDH@Z | 1 |
| ?Right@cString@@QBE?AV1@H@Z | 1 |
| ??YcString@@QAEABV0@PBD@Z | 1 |
| ??YcString@@QAEABV0@ABV0@@Z | 1 |
| ?GetLength@cString@@QBEHXZ | 1 |
| ?Find@cString@@QBEHDH@Z | 1 |
| ?GetAt@cString@@QAEDH@Z | 1 |
| ?Left@cString@@QBE?AV1@H@Z | 1 |
| ?GetAt@cArray@@QAEPAXI@Z | 1 |

| | |
|--|---|
| ?V3CC_RegSetBinary2@@@YAJPAUHKEY__@ | 1 |
| ?V3CC_RegSetString2@@@YAJPAUHKEY__@() | 1 |
| ?V3CC_RegGetString2@@@YA?AVcString@@ | 1 |
| ?V3CC_RegGetDWord2@@@YAKPAUHKEY__(| 1 |
| ??0cArray@@QAE@XZ | 1 |
| ??0cString@@QAE@PBDH@Z | 1 |
| ??_6cString@@QAEABV0@PBD@Z | 1 |
| ?GetCount@cArray@@QAEIXZ | 1 |
| ??4cString@@QAEABV0@PBD@Z | 1 |
| ??BcString@@QBEPBDXZ | 1 |
| ??1cString@@QAE@XZ | 1 |
| ??0cString@@QAE@ABV0@@Z | 1 |
| ??1cArray@@UAE@XZ | 1 |
| ??4cString@@QAEABV0@ABV0@@Z | 1 |
| ??4cArray@@QAEAAV0@ABV0@@Z | 1 |
| ??0cString@@QAE@IPAUHINSTANCE__@@ | 1 |
| V3Cfg_GetSecretInt | 1 |
| ??0INJAVA_Array@@QAE@PAV_jarray@@I | 1 |
| ??1INJAVA_Array@@UAE@XZ | 1 |
| ??0INJAVA_Class@@QAE@V?\$basic_string(| 1 |
| ?ComponentType@INJAVA_Array@@QBE?A | 1 |
| ?IsInstanceOf@INJAVA_Object@@QBE_NAF | 1 |
| ?IsPrimitive@INJAVA_Class@@QBE_NXZ | 1 |
| ?GetJVM@INJAVA_JVM@@SAAAV1@XZ | 1 |
| ?GetJNIEnv@INJAVA_JVM@@QBEPAUJNIEr | 1 |
| ?Get@INJAVA_Array@@QBEPAV_jarray@@ | 1 |
| ?ComparableTo@INJAVA_Class@@QBE?AV | 1 |
| ?ComparableTo@INJAVA_Object@@QBE?A | 1 |
| ?Get@INJAVA_Object@@QBEPAV_jobject@ | 1 |
| ??0INJAVA_Class@@QAE@PAV_jclass@@P | 1 |
| ??1INJAVA_Class@@UAE@XZ | 1 |
| ??0INJAVA_Object@@QAE@PAUJNIEv_@(| 1 |
| ?IsNull@INJAVA_Object@@QBE_NXZ | 1 |
| ?GetEnv@INJAVA_Object@@QBEPAUJNIEv | 1 |
| ?Get@INJAVA_Class@@QBEPAV_jclass@@ | 1 |
| ??0INJAVA_Exception@@QAE@PAV_jthrow | 1 |
| ?Description@INJAVA_Exception@@QBE?A | 1 |
| ?ToString@INJAVA_Object@@QBE?AV?\$ba | 1 |
| ??0INJAVA_Exception@@QAE@ABV?\$basic | 1 |
| ??0INJAVA_Exception@@QAE@ABV0@@Z | 1 |
| ??1INJAVA_Exception@@UAE@XZ | 1 |
| ??0INJAVA_Object@@QAE@PAV_jobject@() | 1 |
| ??4INJAVA_Object@@QAEAAV0@ABV0@@ | 1 |
| ??0INJAVA_Object@@QAE@ABV0@@Z | 1 |
| ??1INJAVA_Object@@UAE@XZ | 1 |
| 1reatePipe | 1 |
| 1IsGetValue | 1 |

| | |
|---|----|
| 1etThreadLocale | 1 |
| 1lobalFindAtomA | 1 |
| 1etProcessHeap | 1 |
| 1etEvent | 1 |
| 1etOEMCP | 1 |
| 1eleaseMutex | 1 |
| 1reateMutexA | 1 |
| 1etExitCodeThread | 1 |
| 1sDBCSLeadByte | 1 |
| ?InitDriverName@@YAXPBD@Z | 1 |
| ?PrintWindowsError@@YAXHPAD@Z | 1 |
| ?PrintError@@YAXPAD@Z | 1 |
| ?PrintWindowsError@@YAXPAD@Z | 1 |
| PsCreateSystemProcess | 1 |
| D3DXSaveTextureToFileA | 1 |
| D3DXCreateEffectFromFileA | 1 |
| D3DXVec3TransformNormal | 1 |
| CoRevokeInitializeSpy | 1 |
| GetPrimaryInterface | 1 |
| GetHashInterface | 1 |
| prem | 1 |
| | 32 |
| SENDTO_CheckIfPimChanged | 1 |
| SENDTO_OPPTTransferDialog | 1 |
| ??ALNDatabaseArray@@QAE?AVLNDatabase | 1 |
| ??4LNDatabase@@QAEAAV0@ABV0@@Z | 1 |
| ?GetAddressBooks@LNNNotesSession@@QA | 1 |
| ?Open@LNDatabase@@QAEKXZ | 1 |
| ?GetAgent@LNDatabase@@QAEKABVLNStr | 1 |
| ?Open@LNAgent@@UAEKK@Z | 1 |
| ?GetLotusScript@LNAgent@@QBEKPAVLNL | 1 |
| ?Close@LNNote@@UAEKXZ | 1 |
| ?AgentExists@LNDatabase@@QBEHABVLNS | 1 |
| ?CreateAgent@LNDatabase@@QAEKABVLN | 1 |
| ?SetLotusScript@LNAgent@@QAEKABVLNL | 1 |
| ?Save@LNAgent@@UAEKG@Z | 1 |
| ?Close@LNDatabase@@QAEKXZ | 1 |
| ?Term@LNNNotesSession@@QAEKH@Z | 1 |
| ?IsNull@LNString@@UBEHXZ | 1 |
| ??1LNString@@QAE@XZ | 1 |
| ?GetDatabase@LNNNotesSession@@QAEKA | 1 |
| ?Setup@LNString@@AAEXPBD@Z | 1 |
| ?SetThrowAllErrors@LNNNotesSession@@QAF | 1 |
| ?Initialize@LNNNotesSession@@AAEKKHQAF | 1 |
| ??1LNNotesSession@@UAE@XZ | 1 |
| ?DeleteBody@LNSmartPtr@@UAEHXZ | 1 |
| ??1LNAgent@@QAE@XZ | 1 |

| | |
|---|---|
| ??1LNLotusScript@@QAE@XZ | 1 |
| ??0LNLotusScript@@QAE@XZ | 1 |
| ??0LNAgent@@QAE@XZ | 1 |
| ??0LNNotesSession@@QAE@XZ | 1 |
| ?LNGetClassName@@YAPBDW4LNCLASSID(| 1 |
| ?LNGetErrorMessageText@@YAKKPADKH@ | 1 |
| ?DeleteAgent@LNDatabase@@QAEKABVLN | 1 |
| ?GetMailDatabase@LNNotesSession@@QA | 1 |
| InitHooksDll | 1 |
| InstallFilter | 1 |
| GETSYSTEMMETRICS | 1 |
| GETDC | 1 |
| SETPIXEL | 1 |
| ?SetConfigByTXData@TXI18N@@YAHPB_W | 1 |
| ?GetTime@NLS@@YAHAAVCTXStringW@@ | 1 |
| ?IsGrayScale@CxImage@@QAE_NXZ | 1 |
| ?SetFrame@CxImage@@QAEXJ@Z | 1 |
| ?Save@CxImage@@QAE_NPB_WK@Z | 1 |
| ??0CXTBrowseDialog@@QAE@PAVCWnd@ | 1 |
| beChangexitAnaliz | 1 |
| ?ID3_RemoveComments@@YAIPAVID3_Tag | 1 |
| ?setPosition@Channel@FMOD@@QAG?AW | 1 |
| ?PreNotify@SvtURLBox@@MAEJAAVNotifyI | 1 |
| ??0SvtURLBox@@QAE@PAVWindow@@W | 1 |
| ?SetUrlFilter@SvtURLBox@@QAEXPBVIUrlF | 1 |
| ?SetOnlyDirectories@SvtURLBox@@QAEXE | 1 |
| ?SetNoURLSelection@SvtURLBox@@QAEXE | 1 |
| ??0SvtFileView@@QAE@PAVWindow@@A | 1 |
| ?SetUrlFilter@SvtFileView@@QAEXPBVIUrlI | 1 |
| ?EnableAutoResize@SvtFileView@@QAEXX: | 1 |
| ?SetDoubleClickHdl@SvtFileView@@QAEXA | 1 |
| ?SetOpenDoneHdl@SvtFileView@@QAEXAF | 1 |
| ?GetCurrentURL@SvtFileView@@QBE?AVSt | 1 |
| ?ParseSmart@SvtURLBox@@SA?AVString@ | 1 |
| ?GetConfigString@SvtFileView@@QBE?AVS | 1 |
| ?SetSelectHdl@SvtFileView@@QAEXABVLin | 1 |
| ?CreateNewFolder@SvtFileView@@QAEEAI | 1 |
| ?Notify@SvtURLBox@@MAEJAAVNotifyEve | 1 |
| ?NextSelected@SvtFileView@@QBEPAVSvL | 1 |
| ?SetConfigString@SvtFileView@@QAEXABV | 1 |
| ?SetBaseURL@SvtURLBox@@QAEXABVStrir | 1 |
| ?GetSelectionCount@SvtFileView@@QBEKX | 1 |
| ?FirstSelected@SvtFileView@@QBEPAVSvL | 1 |
| ?GetURL@SvtFileView@@QBE?AVString@C | 1 |
| ?GetHelpId@SvtFileView@@QBEKXZ | 1 |
| ?SetHelpId@SvtFileView@@QAEXK@Z | 1 |
| ?ExecuteFilter@SvtFileView@@QAE?AW4Fi | 1 |

| | |
|---|---|
| ?Initialize@SvtFileDialogView@@QAE?AW4FileDialogView | 1 |
| ?PreviousLevel@SvtFileDialogView@@QAE?AW4FileDialogView | 1 |
| ?SetNoSelection@SvtFileDialogView@@QAEXXZ | 1 |
| ?GetViewURL@SvtFileDialogView@@QBEABVString | 1 |
| ?Modify@SvtURLBox@@MAEXXZ | 1 |
| ?Select@SvtURLBox@@MAEXXZ | 1 |
| ?GetFocus@SvtFileDialogView@@MAEXXZ | 1 |
| ?StateChanged@SvtFileDialogView@@MAEXG@Z | 1 |
| ?SetPosSizePixel@SvtFileDialogView@@UAEXABV | 1 |
| ?SetSizePixel@SvtFileDialogView@@UAEXABVSize | 1 |
| ??1SvtFileDialogView@@UAE@XZ | 1 |
| ?GetImage@SvFileInformationManager@@ | 1 |
| ?GetFolderImage@SvFileInformationManager | 1 |
| ?EndInplaceEditing@SvtFileDialogView@@QAEX_I | 1 |
| ?CancelRunningAsyncAction@SvtFileDialogView@ | 1 |
| ?GetDisplayBackground@ComboBox@@UB | 1 |
| ?GetOptimalSize@ComboBox@@UBE?AVSiz | 1 |
| ?FillLayoutData@ComboBox@@MBEXXZ | 1 |
| ?GetCanonicalFont@PushButton@@MBEAB | 1 |
| ?SetText@ComboBox@@UAEXABVString@() | 1 |
| ?CalcMinimumSize@ComboBox@@UBE?AV | 1 |
| ?UserDraw@ComboBox@@UAEXABVUserD | 1 |
| ?DoubleClick@ComboBox@@UAEXXZ | 1 |
| ?SetText@ComboBox@@UAEXABVString@() | 1 |
| ?Click@CancelButton@@UAEXXZ | 1 |
| ?Click@HelpButton@@UAEXXZ | 1 |
| ?Resize@Control@@UAEXXZ | 1 |
| ??0ImageList@@QAE@GG@Z | 1 |
| ??1MenuButton@@UAE@XZ | 1 |
| ?SetDropDown@PushButton@@QAEXG@Z | 1 |
| ?SetMenuMode@MenuButton@@QAEXG@ | 1 |
| ??0MenuButton@@QAE@PAVWindow@() | 1 |
| ?MouseButtonDown@MenuButton@@UAE | 1 |
| ?KeyInput@MenuButton@@UAEXABVKeyE | 1 |
| ?Select@MenuButton@@UAEXXZ | 1 |
| ?Activate@Menu@@UAEXXZ | 1 |
| ?Deactivate@Menu@@UAEXXZ | 1 |
| ?Highlight@Menu@@UAEXXZ | 1 |
| ?Select@Menu@@UAEXXZ | 1 |
| ?RequestHelp@Menu@@UAEXABVHelpEve | 1 |
| ?SetPopupMenu@MenuButton@@QAEXP | 1 |
| ?InsertItem@Menu@@QAEXGABVString@() | 1 |
| ?SetItemText@Menu@@QAEXGABVString@() | 1 |
| ?GetOptimalSize@PushButton@@UBE?AVSiz | 1 |
| ?PreNotify@PushButton@@UAEJAAVNotify | 1 |
| ?DataChanged@PushButton@@UAEXABVD | 1 |
| ?StateChanged@PushButton@@UAEXG@Z | 1 |

| | |
|---------------------------------------|---|
| ?Tracking@PushButton@@UAEXABVTrackir | 1 |
| ?LoseFocus@PushButton@@UAEXXZ | 1 |
| ?GetFocus@PushButton@@UAEXXZ | 1 |
| ?Resize@PushButton@@UAEXXZ | 1 |
| ?Draw@PushButton@@UAEXPAPVOutputDe | 1 |
| ?Paint@PushButton@@UAEXABVRectangle | 1 |
| ?KeyUp@PushButton@@UAEXABVKeyEven | 1 |
| ?SetPosSizePixel@ComboBox@@UAEXJJJG | 1 |
| ?SetPosSizePixel@ComboBox@@UAEXABVF | 1 |
| ?DataChanged@ComboBox@@UAEXABVDa | 1 |
| ?StateChanged@ComboBox@@UAEXG@Z | 1 |
| ?Resize@ComboBox@@UAEXXZ | 1 |
| ?Draw@ComboBox@@UAEXPAPVOutputDev | 1 |
| ?GetCanonicalTextColor@PushButton@@M | 1 |
| ?GetCanonicalTextColor@FixedText@@MBE | 1 |
| ?GetCanonicalFont@FixedText@@MBEABVI | 1 |
| ?FillLayoutData@FixedText@@MBEXXZ | 1 |
| ?GetOptimalSize@FixedText@@UBE?AVSize | 1 |
| ?DataChanged@FixedText@@UAEXABVDat | 1 |
| ?StateChanged@FixedText@@UAEXG@Z | 1 |
| ?Resize@FixedText@@UAEXXZ | 1 |
| ?Draw@FixedText@@UAEXPAPVOutputDevic | 1 |
| ?Paint@FixedText@@UAEXABVRectangle@ | 1 |
| ?GetQuickHelpText@Window@@QBEABVSt | 1 |
| ?SetAccessibleName@Window@@QAEXAB' | 1 |
| ?IsTravelSelect@ComboBox@@QBEEZX | 1 |
| ?GetWindowState@SystemWindow@@QBE | 1 |
| ?SetBitmap@FixedBitmap@@QAEXABVBitn | 1 |
| ?FillLayoutData@PushButton@@MBEXXZ | 1 |
| ?KeyInput@PushButton@@UAEXABVKeyEvi | 1 |
| ?MouseButtonDown@PushButton@@UAEX | 1 |
| ?DataChanged@FixedBitmap@@UAEXABV | 1 |
| ?StateChanged@FixedBitmap@@UAEXG@Z | 1 |
| ?Resize@FixedBitmap@@UAEXXZ | 1 |
| ?Draw@FixedBitmap@@UAEXPAPVOutputDe | 1 |
| ?Paint@FixedBitmap@@UAEXABVRectangle | 1 |
| ?Toggle@CheckBox@@UAEXXZ | 1 |
| ?ImplDrawCheckBoxState@CheckBox@@M | 1 |
| ?Click@Button@@UAEXXZ | 1 |
| ?GetCanonicalTextColor@CheckBox@@MBI | 1 |
| ?GetCanonicalFont@CheckBox@@MBEABVI | 1 |
| ?FillLayoutData@CheckBox@@MBEXXZ | 1 |
| ?GetOptimalSize@CheckBox@@UBE?AVSize | 1 |
| ?PreNotify@CheckBox@@UAEJAAVNotifyEv | 1 |
| ?DataChanged@CheckBox@@UAEXABVDat | 1 |
| ?StateChanged@CheckBox@@UAEXG@Z | 1 |
| ?Tracking@CheckBox@@UAEXABVTrackingI | 1 |

| | |
|--|---|
| ?LoseFocus@CheckBox@@UAEXXZ | 1 |
| ?GetFocus@CheckBox@@UAEXXZ | 1 |
| ?Resize@CheckBox@@UAEXXZ | 1 |
| ?Draw@CheckBox@@UAEXPAPVOutputDevic | 1 |
| ?Paint@CheckBox@@UAEXABVRectangle@ | 1 |
| ?KeyUp@CheckBox@@UAEXABVKeyEvent@ | 1 |
| ?KeyInput@CheckBox@@UAEXABVKeyEven | 1 |
| ?MouseButtonDown@CheckBox@@UAEXAI | 1 |
| ??0CheckBox@@QAE@PAVWindow@@_J@ | 1 |
| ??0FixedBitmap@@QAE@PAVWindow@@_ | 1 |
| ??0PushButton@@QAE@PAVWindow@@_ | 1 |
| ??4ImageList@@QAEAAV0@ABV0@@Z | 1 |
| ?GetType@Window@@QBEGXZ | 1 |
| ?GetBitCount@OutputDevice@@QBEGXZ | 1 |
| ?SetZOrder@Window@@QAEXPV1@G@Z | 1 |
| ?GetResizeOutputSizePixel@SystemWindow | 1 |
| ?SetMinOutputSizePixel@SystemWindow@ | 1 |
| ?SetWindowState@SystemWindow@@QAE | 1 |
| ?EnableDDAutoWidth@ListBox@@QAEXE@ | 1 |
| ?GetHelpId@Window@@QBEKXZ | 1 |
| ?Toggle@PushButton@@UAEXXZ | 1 |
| ?UserDraw@PushButton@@UAEXABVUserI | 1 |
| ??1SvStringsDtor@@QAE@XZ | 1 |
| ??0SvStringsDtor@@QAE@GE@Z | 1 |
| ??1RestrictedPaths@svt@@UAE@XZ | 1 |
| ?isUrlAllowed@RestrictedPaths@svt@@QB | 1 |
| ?hasFilter@RestrictedPaths@svt@@QBE_N: | 1 |
| ??4RestrictedPaths@svt@@QAEAAV01@AB | 1 |
| ??0RestrictedPaths@svt@@QAE@XZ | 1 |
| ?SetWindowState@SvtViewOptions@@QAE | 1 |
| ?SetUserItem@SvtViewOptions@@QAEXAB | 1 |
| ??0SvtViewOptions@@QAE@W4EViewType | 1 |
| ?Exists@SvtViewOptions@@QBEEZX | 1 |
| ?GetWindowState@SvtViewOptions@@QBE | 1 |
| ?GetUserItem@SvtViewOptions@@QBE?AV | 1 |
| ??1SvtViewOptions@@UAE@XZ | 1 |
| ?Reverse@String@@QAEAAV1@XZ | 1 |
| ?Search@String@@QBEGPBGG@Z | 1 |
| ?GetScheme@INetURLObject@@SA?AVOUS | 1 |
| ?hasFinalSlash@INetURLObject@@QBE_NX: | 1 |
| ?getSegmentCount@INetURLObject@@QBE | 1 |
| ?SearchBackward@String@@QBEGGG@Z | 1 |
| ?CutLastName@INetURLObject@@QAE_NX | 1 |
| ?release@?\$WeakComponentImplHelper1@ | 1 |
| ??1OWeakEventListenerAdapter@comphelp | 1 |
| ?addContinuation@OInteractionRequest@C | 1 |
| ?acquire@?\$WeakComponentImplHelper1@C | 1 |

| | |
|--|---|
| ?queryInterface@?\$WeakComponentImplH@ | 1 |
| ??0WeakEventListenerAdapter@comhelp | 1 |
| ?disposing@OWeakEventListenerAdapter@i | 1 |
| leavetable | 1 |
| ??1Stream@Encoder@FLAC@@UAE@XZ | 1 |
| ?init@Stream@Encoder@FLAC@@QAE?AV! | 1 |
| ?process_interleaved@Stream@Encoder@F | 1 |
| ?set_channels@Stream@Encoder@FLAC@C | 1 |
| ?set_sample_rate@Stream@Encoder@FLAC | 1 |
| ?set_bits_per_sample@Stream@Encoder@I | 1 |
| ?finish@Stream@Encoder@FLAC@@QAEXX | 1 |
| ??0Stream@Encoder@FLAC@@QAE@XZ | 1 |
| ?packetSize@OggPacket@@QBEKXZ | 1 |
| ?packetData@OggPacket@@QAEPAXZ | 1 |
| ??1OggPacket@@UAE@XZ | 1 |
| ?clone@OggPacket@@UAEPAV1@XZ | 1 |
| ?merge@OggPacket@@UAEXPBV1@@Z | 1 |
| ??0OggPacket@@QAE@PAEK_N1@Z | 1 |
| Sv_Replay_CaptureImage | 1 |
| Sv_Replay_GetLastError | 1 |
| Sv_Replay_GetPictureSize | 1 |
| Sv_Replay_SetDisplayRegion | 1 |
| Sv_Replay_ThrowBFrame | 1 |
| Sv_Replay_SetPictureQuality | 1 |
| Sv_Replay_StopSound | 1 |
| Sv_Replay_OpenSound | 1 |
| Sv_Replay_SetPlayedTimeEx | 1 |
| Sv_Replay_SetPlayedPos | 1 |
| Sv_Replay_GetPlayedTimeEx | 1 |
| Sv_Replay_GetCurrFrameNum | 1 |
| Sv_Replay_GetPlayedPos | 1 |
| Sv_Replay_GetFileTotalFrames | 1 |
| Sv_Replay_GetFileTotalMSec | 1 |
| Sv_Replay_RefreshPlay | 1 |
| Sv_Replay_OneByOneBack | 1 |
| Sv_Replay_OneByOneForward | 1 |
| Sv_Replay_SetPlaySpeed | 1 |
| Sv_Replay_Pause | 1 |
| Sv_Replay_Stop | 1 |
| Sv_Replay_Play | 1 |
| Sv_Replay_SetFileEndMsg | 1 |
| Sv_Replay_SetFileRefCallBack | 1 |
| Sv_Replay_CloseFile | 1 |
| Sv_Replay_OpenFile | 1 |
| Sv_Replay_InitPlayerByFile | 1 |
| moteThread | 1 |
| nMAGetSNMPPrtStatus | 1 |

| | |
|---------------------------------------|---|
| ?SetButtonToolTip@CSkinDialog@@QAEHPI | 1 |
| ?OnMouseMove@CSkinDialog@@IAEXIVCP | 1 |
| ?OnLButtonDown@CSkinDialog@@IAEXIVCI | 1 |
| ?OnSize@CSkinDialog@@IAEXIHH@Z | 1 |
| DDLogHelper | 1 |
| XdbFree | 1 |
| XdbDIIILoad | 1 |
| XdbMutexCreate | 1 |
| XdbProcAddrGet | 1 |
| XdbMalloc | 1 |
| XdbMutexRequest | 1 |
| XdbMutexClear | 1 |
| capGetDriverPHOTOSHOPKMA | 1 |
| audio_resample | 1 |
| audio_resample_close | 1 |
| av_audio_convert | 1 |
| av_audio_convert_alloc | 1 |
| av_audio_convert_free | 1 |
| av_audio_resample_init | 1 |
| av_bitstream_filter_next | 1 |
| av_codec_next | 1 |
| av_fast_malloc | 1 |
| av_find_opt | 1 |
| av_get_bits_per_sample | 1 |
| av_get_bits_per_sample_format | 1 |
| av_get_int | 1 |
| av_get_pict_type_char | 1 |
| av_get_string | 1 |
| av_init_packet | 1 |
| av_opt_show | 1 |
| av_parse_video_frame_rate | 1 |
| av_parse_video_frame_size | 1 |
| av_parser_change | 1 |
| av_picture_crop | 1 |
| av_picture_pad | 1 |
| av_resample_compensate | 1 |
| av_set_string3 | 1 |
| avcodec_alloc_context | 1 |
| avcodec_alloc_context2 | 1 |
| avcodec_channel_layout_num_channels | 1 |
| avcodec_configuration | 1 |
| avcodec_decode_audio3 | 1 |
| avcodec_decode_subtitle2 | 1 |
| avcodec_decode_video2 | 1 |
| avcodec_encode_audio | 1 |
| avcodec_encode_subtitle | 1 |
| avcodec_encode_video | 1 |

| | |
|-------------------------------|---|
| avcodec_find_decoder_by_name | 1 |
| avcodec_find_encoder_by_name | 1 |
| avcodec_get_context_defaults2 | 1 |
| avcodec_get_frame_defaults | 1 |
| avcodec_get_sample_fmt | 1 |
| avcodec_get_sample_fmt_name | 1 |
| avcodec_register_all | 1 |
| avcodec_sample_fmt_string | 1 |
| avcodec_thread_init | 1 |
| avcodec_version | 1 |
| avpicture_deinterlace | 1 |
| avpicture_fill | 1 |
| avpicture_get_size | 1 |
| avdevice_configuration | 1 |
| avdevice_register_all | 1 |
| avdevice_version | 1 |
| av_filter_next | 1 |
| avfilter_configuration | 1 |
| avfilter_version | 1 |
| av_close_input_file | 1 |
| av_codec_get_id | 1 |
| av_codec_get_tag | 1 |
| av_filename_number_test | 1 |
| av_guess_codec | 1 |
| av_guess_format | 1 |
| av_iformat_next | 1 |
| av_metadata_conv | 1 |
| av_metadata_free | 1 |
| av_metadata_get | 1 |
| av_metadata_set | 1 |
| av_oformat_next | 1 |
| av_pkt_dump_log | 1 |
| av_protocol_next | 1 |
| avf_sdp_create | 1 |
| avformat_configuration | 1 |
| avformat_version | 1 |
| parse_date | 1 |
| url_exist | 1 |
| url_fsize | 1 |
| url_ftell | 1 |
| url_set_interrupt_cb | 1 |
| av_compare_ts | 1 |
| av_d2q | 1 |
| av_fifo_alloc | 1 |
| av_fifo_free | 1 |
| av_fifo_generic_read | 1 |
| av_fifo_generic_write | 1 |

| | |
|-------------------------------------|---|
| av_fifo_realloc2 | 1 |
| av_fifo_size | 1 |
| av_find_nearest_q_idx | 1 |
| av_get_bits_per_pixel | 1 |
| av_get_pix_fmt | 1 |
| av_log_set_callback | 1 |
| av_log_set_level | 1 |
| av_realloc | 1 |
| av_rescale | 1 |
| av_strlcat | 1 |
| av_strlcpy | 1 |
| av_strstart | 1 |
| avutil_configuration | 1 |
| avutil_version | 1 |
| postproc_configuration | 1 |
| postproc_version | 1 |
| sws_freeContext | 1 |
| sws_getContext | 1 |
| sws_isSupportedInput | 1 |
| sws_isSupportedOutput | 1 |
| sws_scale | 1 |
| swscale_configuration | 1 |
| swscale_version | 1 |
| FilterSendMessage | 1 |
| FilterConnectCommunicationPort | 1 |
| K32GetMappedFileNameA | 1 |
| GetQueuedCompletionStatusEx | 1 |
| RemoveDIIIDirectory | 1 |
| CreateHardLinkTransactedW | 1 |
| FindFirstFileNameTransactedW | 1 |
| NtGetTickCount | 1 |
| NtReplacePartitionUnit | 1 |
| mdlStringList_size | 1 |
| mdlStringList_getMember | 1 |
| mdlStringList_create | 1 |
| mdlStringList_insertMember | 1 |
| mdlStringList_setMember | 1 |
| mdlSystem_userAbortEnable | 1 |
| mdlDialog_cmdNumberQueue | 1 |
| mdlSystem_callFunctionByCmdName | 1 |
| mdlModelRef_getActive | 1 |
| mdlView_getInfoFromWindow | 1 |
| mdlIRMatrix_getIdentity | 1 |
| ?GetRootModel@Viewport@Ustn@Bentley | 1 |
| mdlModelRef_getUorPerMaster | 1 |
| mdlCEXpression_getValue | 1 |
| mdlModelRef_getGlobalOrigin | 1 |

| | |
|--|---|
| mdlSystem_findMdlDesc | 1 |
| mdlRMatrix_getInverse | 1 |
| __libm_sse2_atan2 | 1 |
| BrandICW | 1 |
| get_phase_simulation | 1 |
| Set_Jacobian_flag | 1 |
| Get_Jacobian_parameter | 1 |
| set_block_error | 1 |
| _vbaFpI4 | 1 |
| IoWMIQuerySingleInstanceMultiple | 1 |
| ?Connect@CWtTcpProtoClient@@QAEHKF@ | 1 |
| ??1CWtTcpProtoClient@@QAE@XZ | 1 |
| ??0CWtTcpProtoClient@@QAE@XZ | 1 |
| ??1CMyCommminuteList@@QAE@XZ | 1 |
| ?FenLawSuccess_clse@CMyUdpSend@@QA | 1 |
| ?GetCommminute@CMyClientCommminute@C | 1 |
| ??1CMyStruct@@QAE@XZ | 1 |
| ??1CWtMemLib@@QAE@XZ | 1 |
| ??0CWtMemLib@@QAE@XZ | 1 |
| ?InitParam@CWtMemLib@@QAEHPAVCMy | 1 |
| ?MoveToldleList@CWtMemLib@@QAEHPA` | 1 |
| ?DecreaseObject@CWtMemLib@@QAEHPA | 1 |
| ?DellItem@CWtMemLib@@QAEHPAVCMyV | 1 |
| ??1CWtObject@@QAE@XZ | 1 |
| ?AddItem@CWtMemLib@@QAEHPAVCWtC | 1 |
| ?GetIdleItem@CWtMemLib@@QAEPAVCW | 1 |
| ?FindRecordObject@CWtMemLib@@QAEPA | 1 |
| ?EncodeLogBuffer@CMyStringEncode@S/ | 1 |
| ?GetBeginObject@CWtMemLib@@QAEPAV | 1 |
| ?GetCount@CWtMemLib@@QAEHXZ | 1 |
| ?FileIsExist@CMyFile@@SAHPAD@Z | 1 |
| ??0CMyLibFilter@@QAE@XZ | 1 |
| ??1CMyLibFilter@@QAE@XZ | 1 |
| ??0CMyDebugTradeClient@@QAE@XZ | 1 |
| ??1CMyDebugTradeClient@@QAE@XZ | 1 |
| ??1CMyCenterLawCheck@@QAE@XZ | 1 |
| ??1CMyFindString@@QAE@XZ | 1 |
| ??0CMyFindString@@QAE@XZ | 1 |
| ??0CMyCenterLawCheck@@QAE@XZ | 1 |
| ?GetFileFromServer@CWtTcpProtoClient@C | 1 |
| ?DecodeBuffer@CMyStringEncode@@SAHP | 1 |
| ?IsAddItem@CMyDebugTradeClient@@QAE | 1 |
| ?AddItemBuffer@CMyDebugTradeClient@C | 1 |
| ?ModRecord@CWtSocketLib@@QAEHPADP | 1 |
| ?GetLibLen@CWtSocketLib@@QAEHPAD@Z | 1 |
| ?GetFirstRecord@CWtSocketLib@@QAEHPA | 1 |
| ?GetNextRecord@CWtSocketLib@@QAEHP, | 1 |

| | |
|--|---|
| ?TransStrToMac@CMyCharType@@SAXVCS | 1 |
| ?DelRecord@CWtSocketLib@@QAEHPADPA | 1 |
| ?AddRecord@CWtSocketLib@@QAEHPAD0I | 1 |
| ?CheckSum@CMyComOpertion@@SAGPAG | 1 |
| ?CopyRightHdtsoft@CMyCharType@@SAHF | 1 |
| ?GetPacket@CWtCapturePacket@@QAEHX: | 1 |
| ?GetPacketLoop@CWtCapturePacket@@QA | 1 |
| ?WriteErrorLog@CKernelGloab@@QAEXPAL | 1 |
| ?GetTempFilename@CMyFile@@SAHPAD@ | 1 |
| ??0CMyStringEncode@@QAE@XZ | 1 |
| ?DecodeCurFileToBuffer@CMyStringEncode | 1 |
| ??1CMyStringEncode@@QAE@XZ | 1 |
| ?AnalyzerPackHeader@CMyPacketHeaderO | 1 |
| ?EncodeBuffer@CMyStringEncode@@SAHP | 1 |
| ??0CMyTcpConfig@@QAE@XZ | 1 |
| ?LoadIpConfig@CMyTcpConfig@@QAEXXZ | 1 |
| ?GetIpNums@CMyTcpConfig@@QAEHXZ | 1 |
| ?GetIpConfig@CMyTcpConfig@@QAEXPAL | 1 |
| ?GetCount@CWtSocketLib@@QAEHPAD@Z | 1 |
| ??1CMyTcpConfig@@QAE@XZ | 1 |
| ?TransEncodeLine@CMailCoder@@SAXPAD | 1 |
| ?quoted_decode@CMailCoder@@SAHPADI | 1 |
| ?MyStriStr@CMyCharType@@SAPADPADO | 1 |
| ?FindStrStr@CMyFindString@@QAE PADPA | 1 |
| ?base64_decode@CMailCoder@@SAHPADI | 1 |
| ?SendProxyAuthorization@CWtCapturePack | 1 |
| ?SetVal@CMyValue@@QAEHPAXD@Z | 1 |
| ?FindRecord@CWtSocketLib@@QAEHPAD0 | 1 |
| ?GetFirstLine@CMyCharType@@SAHPADPA | 1 |
| ?GetNextLine@CMyCharType@@SAHPADP/ | 1 |
| ?GetFirstNode@CMyCharType@@SAHPADC | 1 |
| ?GetNextNode@CMyCharType@@SAHPAD(| 1 |
| ?IsValidUtf8@CChineseCodeLib@@SAHPAD | 1 |
| ?UTF_8ToGB2312@CChineseCodeLib@@SA | 1 |
| ?DecodeGzipStr@CMailCoder@@SAHPADH | 1 |
| ?TransTTTToSqlTime@CWtTime@@SAXPADH | 1 |
| ?FindKeybuffer@CMyCenterKeyTypeCheck@ | 1 |
| ?FindKeybuffer@CMyLawCheck@@QAEPA | 1 |
| ?SendBlockPacketHeaderIpv46_Direct@CW | 1 |
| ?MyScanf@CMyCharType@@SAXPAD0H@Z | 1 |
| ?EncodePass@CMyStringEncode@@SAHPAI | 1 |
| ?SplitBuffer@CMyCharType@@SAXPADPAV | 1 |
| ?GetOnlyNameStr@CMyCharType@@SAHP | 1 |
| ?TransIntToWttime@CWtTime@@SAXHPAL | 1 |
| ??0CMyValue@@QAE@XZ | 1 |
| ??1CMyValue@@QAE@XZ | 1 |
| ?InitObject@CMyDebugTradeClient@@QAE | 1 |

| | |
|---------------------------------------|---|
| ?GetAdapterInfo@CMyComOpertion@@SAI | 1 |
| ?MyRemoveDir@CMyFile@@SAHPAD@Z | 1 |
| ?AddKeyItem@CMyFindString@@QAEHPAC | 1 |
| ?SetMainConnect@CWtTcpProtoClient@@C | 1 |
| ?CheckUserPasswdShare@CWtTcpProtoClie | 1 |
| ?LoadLibFile@CKernelGloab@@QAEXXZ | 1 |
| ?OpenDatabase@CWtTcpProtoClient@@QA | 1 |
| ?GetGloabPtr_UdpSend@CMyGloabPtr@@! | 1 |
| ?GetGloabPtr_ClientCom@CMyGloabPtr@C | 1 |
| ?InitParamSocket@CKernelGloab@@QAEXX | 1 |
| ?GetGloabPtr_Kernel@CMyGloabPtr@@SAI | 1 |
| ?AddItem@CMyLibFilter@@QAEHPAULIBITI | 1 |
| ?MD5String@CWtMd5Encrypt@@SAXPBDP. | 1 |
| ?LoadLib@CMyLibFilter@@QAEHPAD@Z | 1 |
| ?LoadKeytypeFromFile@CMyCenterKeyType | 1 |
| ?LoadLawFromFile@CMyLawCheck@@QAE | 1 |
| ?SendInfo_clse@CMyUdpSend@@QAEXPAL | 1 |
| ?GetConnect@CWtConnectInfo@@QAEHPA | 1 |
| ?LoadBlackHtml@CWtCapturePacket@@QA | 1 |
| ?ClearTailChar@CMyCharType@@SAXPADC | 1 |
| ?MyStrStr@CMyCharType@@SAPADPADOH | 1 |
| ??1CWtCapturePacket@@QAE@XZ | 1 |
| ??0CWtCapturePacket@@QAE@XZ | 1 |
| ?OpenAdapter@CWtCapturePacket@@QAE | 1 |
| ?LoadDII32@CWtCapturePacket@@QAEHXZ | 1 |
| ?MessageShowError@CMyMessage@@SAX | 1 |
| ?LoadDII@CWtCapturePacket@@QAEHXZ | 1 |
| ??1CMyFile@@QAE@XZ | 1 |
| ?zipOneFile@CMyFile@@SAHPADH0H@Z | 1 |
| ?CopyFileNode@CMyFile@@SAHPAD0HH@ | 1 |
| ?ToPrevDay@CWtTime@@SAXPAUWTTIME | 1 |
| ?TransMacToStr@CMyCharType@@SAXPAC | 1 |
| ??1CMyLawItem@@QAE@XZ | 1 |
| ?FindKeyFromBuf@CMyIndexItem@@QAEP | 1 |
| ??1CMyIndexItem@@QAE@XZ | 1 |
| ??0CMyIndexItem@@QAE@XZ | 1 |
| ?AddNewIndex@CMyIndexItem@@QAEHPA | 1 |
| ?GetFileLen@CMyFile@@SAHPAD@Z | 1 |
| ?SendBlockPacketHeaderIpv46@CWtCaptur | 1 |
| ?WriteNormalLog@CKernelGloab@@QAEXF | 1 |
| ??1NatInterface@@QAE@XZ | 1 |
| ??0NatInterface@@QAE@XZ | 1 |
| ?SendmyPacket@NatInterface@@QAEHPA[| 1 |
| ?GetPacketBufferHigh@NatInterface@@QA | 1 |
| ?OpenAdapter@NatInterface@@QAEHPAU(| 1 |
| ?SetCaptureUdp@NatInterface@@QAEXPAL | 1 |
| ?SetCurStartMode@NatInterface@@QAEHF | 1 |

| | |
|--|---|
| ?InitIpSpeedList@NatInterface@@QAEHPA1 | 1 |
| ?SetIpRang@NatInterface@@QAEXPABLO | 1 |
| ?OpenDeivce@NatInterface@@QAEHZ | 1 |
| ?AnalyzerTelnet@CMyControlAnalyzer@@C | 1 |
| ?AnalyzerUc@CMyControlAnalyzer@@QAEI | 1 |
| ?AnalyzerSkype@CMyControlAnalyzer@@Q | 1 |
| ?AnalyzerUdpPort@CMyControlAnalyzer@@C | 1 |
| ?AnalyzerYahoo@CMyControlAnalyzer@@C | 1 |
| ?AnalyzerPp@CMyControlAnalyzer@@QAEI | 1 |
| ?AnalyzerIcq@CMyControlAnalyzer@@QAE | 1 |
| ?InitControlAction@CWtInitControlAction@ | 1 |
| ?InitObject@CMyControlAnalyzer@@QAEY | 1 |
| ??1CWtInitControlAction@@QAE@XZ | 1 |
| ??0CWtInitControlAction@@QAE@XZ | 1 |
| ??0CMyControlAnalyzer@@QAE@XZ | 1 |
| ??1CMyControlAnalyzer@@QAE@XZ | 1 |
| ?GetCenterMainControl@CMyControlAnaly | 1 |
| ?LoadGtConParam@CMyControlAnalyzer@() | 1 |
| ?SetAvail@CMyControlAnalyzer@@QAEH(| 1 |
| ?GetGloabControllItem@CMyControlAnalyz | 1 |
| ?AnalyzerSsmtp@CMyControlAnalyzer@@Q | 1 |
| ?AnalyzerOicqFile@CMyControlAnalyzer@@ | 1 |
| ?AnalyzerOicq@CMyControlAnalyzer@@QA | 1 |
| ?AnalyzerPop3@CMyControlAnalyzer@@Q | 1 |
| ?AnalyzerMsnFile@CMyControlAnalyzer@@ | 1 |
| ?AnalyzerMsn@CMyControlAnalyzer@@QA | 1 |
| ?AnalyzerHttp_Web@CMyControlAnalyzer@ | 1 |
| ?AnalyzerHttp_Webpost@CMyControlAnaly | 1 |
| ?AnalyzerHttp_Mail@CMyControlAnalyzer@ | 1 |
| ?AnalyzerHttp_Up@CMyControlAnalyzer@() | 1 |
| ?AnalyzerHttp_Down@CMyControlAnalyzer | 1 |
| ?AnalyzerContentFilter@CMyControlAnalyz | 1 |
| ?GetContentProto@CMyControlAnalyzer@() | 1 |
| ?AnalyzerFtpdata@CMyControlAnalyzer@@ | 1 |
| ?AnalyzerTcpPort@CMyControlAnalyzer@@ | 1 |
| ?AnalyzerProtoName@CMyControlAnalyzer | 1 |
| ??0CWtLog32@@QAE@XZ | 1 |
| ??0CWtRawLog@@QAE@XZ | 1 |
| ??0CWtUpDownLog@@QAE@XZ | 1 |
| ??0CWtAlterLog@@QAE@XZ | 1 |
| ??0CWtLanAlterLog@@QAE@XZ | 1 |
| ??0CMyTmpLogList@@QAE@XZ | 1 |
| ??0CMyTmpLogList32@@QAE@XZ | 1 |
| ??0CWtLockLog@@QAE@XZ | 1 |
| ??0CWtVActiveLog@@QAE@XZ | 1 |
| ??0CWtVNameRegLog@@QAE@XZ | 1 |
| ??0CWtStatsLog@@QAE@XZ | 1 |

| | |
|--|---|
| ??1CwtStatsLog@@QAE@XZ | 1 |
| ??1CwtVNameRegLog@@QAE@XZ | 1 |
| ??1CwtVActiveLog@@QAE@XZ | 1 |
| ??1CwtLockLog@@QAE@XZ | 1 |
| ??1CMYTmpLogList32@@QAE@XZ | 1 |
| ??1CMYTmpLogList@@QAE@XZ | 1 |
| ??1CwtLanAlterLog@@QAE@XZ | 1 |
| ??1CwtAlterLog@@QAE@XZ | 1 |
| ??1CwtUpDownLog@@QAE@XZ | 1 |
| ??1CwtRawLog@@QAE@XZ | 1 |
| ??1CwtLog32@@QAE@XZ | 1 |
| ??1CwtLog@@QAE@XZ | 1 |
| ??1CwtMailLog@@QAE@XZ | 1 |
| ?GetLog@CMYTmpLogList32@@QAEHPAUV | 1 |
| ?AddLog@CwtVActiveLog@@QAEXPAPUVE | 1 |
| ?AddLog@CwtVNameRegLog@@QAEXPAPU' | 1 |
| ?AddLog@CwtLockLog@@QAEXPAPUALTER_ | 1 |
| ?AddAlterLog@CwtAlterLog@@QAEXPAPUA | 1 |
| ?AddLog@CwtLog32@@QAEXPAPUWTLOG3 | 1 |
| ??0CwtMailLog@@QAE@XZ | 1 |
| ??0CwtInitWriteLog@@QAE@XZ | 1 |
| ??1CwtInitWriteLog@@QAE@XZ | 1 |
| ?InitWriteLog@CwtInitWriteLog@@QAEXP, | 1 |
| ?SetServercode@CwtLog32@@SAXPAD@Z | 1 |
| ?WriteLog@CwtLog32@@QAEHXZ | 1 |
| ?WriteLog@CwtVNameRegLog@@QAEHXZ | 1 |
| ?WriteLog@CwtVActiveLog@@QAEHXZ | 1 |
| ?WriteLog@CwtLockLog@@QAEHXZ | 1 |
| ?WriteAlterLog@CwtAlterLog@@QAEHXZ | 1 |
| ?WriteStatsLog@CwtStatsLog@@QAEHXZ | 1 |
| ??0CwtLog@@QAE@XZ | 1 |
| ?AddFilterItem@CContentFilterAnalyzer@@ | 1 |
| ??1CContentFilterAnalyzer@@QAE@XZ | 1 |
| ?ReleaseObject@CContentFilterAnalyzer@C | 1 |
| ??0CContentFilterAnalyzer@@QAE@XZ | 1 |
| ??0CMYFindMacDII@@QAE@XZ | 1 |
| ??1CMYFindMacDII@@QAE@XZ | 1 |
| ?InitParam@CMYFindMacDII@@QAEXXZ | 1 |
| ?WantToFindMac@CMYFindMacDII@@QAE | 1 |
| ?LoadRegInfo@CMYRegInfo@@QAEXXZ | 1 |
| ?InitRegPacklist@CwtInitRegPacketlist@@C | 1 |
| ??1CwtInitRegPacketlist@@QAE@XZ | 1 |
| ??0CMYPacketList@@QAE@XZ | 1 |
| ?ClearObject@CMYPacketList@@QAEXXZ | 1 |
| ??0CwtInitRegPacketlist@@QAE@XZ | 1 |
| ??0CMYRegInfo@@QAE@XZ | 1 |
| ??1CMYRegInfo@@QAE@XZ | 1 |

| | |
|--|---|
| ??0CMyPacketBuffer@@QAE@XZ | 1 |
| ?GetPacketBufferAnalyzer@CMyPacketList@ | 1 |
| ?RemovePacketBuffer@CMyPacketList@@C | 1 |
| ?DeletePacketBuffer@CMyPacketList@@QA | 1 |
| ??1CMyPacketList@@QAE@XZ | 1 |
| ?AddPacketBuffer@CMyPacketList@@QAE@X | 1 |
| ??1CMyMacAnalyzer@@QAE@XZ | 1 |
| ?AnalyFlow@CMyMacAnalyzer@@QAEHHH | 1 |
| ??0CMyMacAnalyzer@@QAE@XZ | 1 |
| ?AnalyzerBtUdpInfo@CMyMacAnalyzer@@ | 1 |
| ?AnalyzerAppPortAlter@CMyMacAnalyzer@ | 1 |
| ?AnalyzerAlterConnect@CMyMacAnalyzer@ | 1 |
| ?AnalyzerBtTcpInfo@CMyMacAnalyzer@@C | 1 |
| ?SetComControlHeader@CMyMacAnalyzer@ | 1 |
| ?AnalyzerBlockAlter@CMyMacAnalyzer@@ | 1 |
| ?UpdateFlowSpeed@CMyMacAnalyzer@@C | 1 |
| ?IsValidate@CMyMacAnalyzer@@QAEHXZ | 1 |
| ?WriteActiveDownLog@CMyMacAnalyzer@ | 1 |
| ?AnalyzerAppProto@CMyMacAnalyzer@@C | 1 |
| ??1VObject@@QAE@XZ | 1 |
| ?FindVObjectFromHost@CMyVisulObject@() | 1 |
| ?IsCanRegLog@CMyMacAnalyzer@@QAEHF | 1 |
| ??0VObject@@QAE@XZ | 1 |
| ?SetServerPoint@CMyVisulObject@@QAEH | 1 |
| ?IsValidate@CMyUserAnalyzer@@QAEHPAI | 1 |
| ?AddConnect@CMyStatsInfo@@QAEXF@Z | 1 |
| ?GetParamVal@CParamOp@@QAEHPAD0@ | 1 |
| ?InitObject@CMyMacAnalyzer@@QAEHPA@ | 1 |
| ?SetParamVal@CParamOp@@QAEHPAD0@ | 1 |
| ??1CParamOp@@QAE@XZ | 1 |
| ??0CParamOp@@QAE@XZ | 1 |
| ??0CWtInitControlObject@@QAE@XZ | 1 |
| ??1CWtInitControlObject@@QAE@XZ | 1 |
| ?InitControlObject@CWtInitControlObject@ | 1 |
| ?AddByteFlow@CMyStatsInfo@@QAEFF@ | 1 |
| ?GetYahooPort@CParamOp@@QAEHXZ | 1 |
| ?GetStartMode@CParamOp@@QAEHXZ | 1 |
| ?BlockCurrentType@CMyMacAnalyzer@@C | 1 |
| ?AnalyzerAddBuf@CMyBodybuffer@@QAE@ | 1 |
| ?InitControlObject@CWtInitPackConent@@ | 1 |
| ??1CWtInitPackConent@@QAE@XZ | 1 |
| ??0CWtInitPackConent@@QAE@XZ | 1 |
| ??1CMyContentAnalyzer@@QAE@XZ | 1 |
| ?ReleaseObject@CMyContentAnalyzer@@C | 1 |
| ?WriteToFile@CMyContentAnalyzer@@QAE@ | 1 |
| ?TryToEnd@CMyContentAnalyzer@@QAEH@ | 1 |
| ?BeginAddBuf@CMyBodybuffer@@QAEXP@ | 1 |

| | |
|---|---|
| ?EndAddBuff@CMyBodybuffer@@QAEHZ | 1 |
| ?ReleaseObject@CMyBodybuffer@@QAEXX | 1 |
| ?FindMarikSubjectEncode@CMyContentAna | 1 |
| ??1CMyBodybuffer@@QAE@XZ | 1 |
| ?AddPacketBuffer@CMyContentAnalyzer@() | 1 |
| ??0CMyContentAnalyzer@@QAE@XZ | 1 |
| ??0CMyBodybuffer@@QAE@XZ | 1 |
| ?GetUpdateLawStatus@CMyWtMaints@@C | 1 |
| ?SetLogPath@CMyDII>MainInterface@@QAE | 1 |
| ?SetCurrentSerno@CMyWtMaints@@QAEX | 1 |
| ?GetMaintsPtr@CMyDII>MainInterface@@Q | 1 |
| ?ProcessStart@CMyDII>MainInterface@@QA | 1 |
| ??0CMyDII>MainInterface@@QAE@XZ | 1 |
| ??1CMyDII>MainInterface@@QAE@XZ | 1 |
| ?GetExitKernelCaptureCode@CMyDII>MainIn | 1 |
| ?SetAlterNums@CMyDII>MainInterface@@Q | 1 |
| ?GetCurSernoPtr@CMyDII>MainInterface@@ | 1 |
| ?GetServercode@CMyWtMaints@@QAEHP | 1 |
| ?SetUpdateLawStatus@CMyWtMaints@@Q | 1 |
| ACL_AddNet | 1 |
| ACL_Check | 1 |
| ACL_Create | 1 |
| ACL_Destroy | 1 |
| ACL_Duplicate | 1 |
| ACL_LoadFile | 1 |
| aout_EnableFilter | 1 |
| config_GetDataDir | 1 |
| config_GetFloat | 1 |
| config_GetPsz | 1 |
| config_GetType | 1 |
| config_PutFloat | 1 |
| config_PutInt | 1 |
| config_StringEscape | 1 |
| dialog_ExtensionUpdate | 1 |
| httpd_FileDelete | 1 |
| httpd_FileNew | 1 |
| httpd_HandlerDelete | 1 |
| httpd_HandlerNew | 1 |
| httpd_RedirectDelete | 1 |
| httpd_RedirectNew | 1 |
| playlist_DeleteFromInput | 1 |
| playlist_IsServicesDiscoveryLoaded | 1 |
| playlist_ItemGetById | 1 |
| playlist_LiveSearchUpdate | 1 |
| playlist_ServicesDiscoveryAdd | 1 |
| playlist_ServicesDiscoveryRemove | 1 |
| stream_FilterNew | 1 |

| | |
|---|---|
| vlc_http_HostNew | 1 |
| vlc_meta_CopyExtraNames | 1 |
| vlc_meta_GetExtra | 1 |
| vlc_sd_GetNames | 1 |
| vlc_timer_getoverrun | 1 |
| vlc_vaLog | 1 |
| vlm_MessageDelete | 1 |
| vout_FlushSubpictureChannel | 1 |
| vout_OSDIcon | 1 |
| vout_OSDSlider | 1 |
| vout OSDText | 1 |
| vout_RegisterSubpictureChannel | 1 |
| xml_ReaderCreate | 1 |
| xml_ReaderDelete | 1 |
| ypmout | 1 |
| yhlinfo | 1 |
| yddel | 1 |
| ydname | 1 |
| zipClose | 1 |
| zipOpen | 1 |
| zipCloseFileInZip | 1 |
| zipWriteInFileInZip | 1 |
| zipOpenNewFileInZip | 1 |
| @System@RandSeed | 1 |
| @Shdocvw@TWebBrowser@ | 1 |
| SetDefaultInfo | 1 |
| EbGetErrorInfo | 1 |
| EbLibraryLoad | 1 |
| ?setEventFilter@QCoreApplication@@QAEFF | 1 |
| ?compressEvent@QCoreApplication@@MA | 1 |
| ?notify@QCoreApplication@@UAE_NPAVQ | 1 |
| ?event@QCoreApplication@@MAE_NPAVQ | 1 |
| ?qt_metacall@QCoreApplication@@UAEHV | 1 |
| ?qt_metacast@QCoreApplication@@UAEPA | 1 |
| ?metaObject@QCoreApplication@@UBEPI | 1 |
| ?libraryPaths@QCoreApplication@@SA?AVI | 1 |
| ?addLibraryPath@QCoreApplication@@SAX | 1 |
| ?tryAcquire@QSemaphore@@QAE_NHH@Z | 1 |
| ?available@QSemaphore@@QBEHZ | 1 |
| ?release@QSemaphore@@QAEXH@Z | 1 |
| ?postEvent@QCoreApplication@@SAXPAVC | 1 |
| ?isRelative@QFileInfo@@QBE_NXZ | 1 |
| ??0QSemaphore@@QAE@H@Z | 1 |
| ??1QSemaphore@@QAE@XZ | 1 |
| ?createUuid@QUuid@@SA?AU1@XZ | 1 |
| ?replace@QString@@QAEAAV1@VQChar@ | 1 |
| ?childGroups@QSettings@@QBE?AVQString | 1 |

| | |
|--|---|
| ?toDouble@QVariant@@QBENPA_N@Z | 1 |
| ?cmp@QVariant@@IBE_NABV1@@Z | 1 |
| ?readAll@QTextStream@@QAE?AVQString(| 1 |
| ?unlock@QReadWriteLock@@QAEXXZ | 1 |
| ?lockForWrite@QReadWriteLock@@QAEXX | 1 |
| ?wakeAll@QWaitCondition@@QAEXXZ | 1 |
| ?lockForRead@QReadWriteLock@@QAEXXZ | 1 |
| ??1QReadWriteLock@@QAE@XZ | 1 |
| ??0QReadWriteLock@@QAE@XZ | 1 |
| ?setPermissions@QFile@@SA_NABVQString(| 1 |
| ?relativeFilePath@QDir@@QBE?AVQString(| 1 |
| ?canonicalPath@QFileInfo@@QBE?AVQString(| 1 |
| ??BQUuid@@QBE?AVQString@@XZ | 1 |
| ?fileName@QDirIterator@@QBE?AVQString(| 1 |
| ?isHidden@QFileInfo@@QBE_NXZ | 1 |
| ?exec@QCoreApplication@@SAHZ | 1 |
| ?staticMetaObject@QHttp@@2UQMetaObj | 1 |
| ?record@ QSqlDatabase@@QBE?AV QSqlRecord | 1 |
| ?database@ QSqlDatabase@@SA?AV1@AB\ | 1 |
| ?isValid@ QSqlDatabase@@QBE_NXZ | 1 |
| ?size@ QSqlQuery@@QBEHXZ | 1 |
| ?value@ QSqlField@@QBE?AV QVariant@@` | 1 |
| ?field@ QSqlRecord@@QBE?AV QSqlField@@` | 1 |
| ?fieldName@ QSqlRecord@@QBE?AV QString(| 1 |
| ??1 QSqlField@@QAE@XZ | 1 |
| ?count@ QSqlRecord@@QBEHXZ | 1 |
| ?isEmpty@ QSqlRecord@@QBE_NXZ | 1 |
| ?number@ QSqlError@@QBEHXZ | 1 |
| ?at@ QSqlQuery@@QBEHXZ | 1 |
| ?seek@ QSqlQuery@@QAE_NH_N@Z | 1 |
| ?cloneDatabase@ QSqlDatabase@@SA?AV1 | 1 |
| ?erase@?\$archive_serializer_map@Vtext_o | 1 |
| ??1basic_pointer_oserializer@detail@archiv | 1 |
| ?erase@?\$archive_serializer_map@Vtext_i@ | 1 |
| ??1basic_pointer_iserializer@detail@archiv | 1 |
| ?load_override@?\$basic_xml_iarchive@Vxn | 1 |
| ??1basic_oserializer@detail@archive@boos | 1 |
| ??1basic_iserializer@detail@archive@boost | 1 |
| ?load_override@?\$xml_iarchive_impl@Vxm | 1 |
| ?end_preamble@basic_oarchive@detail@ar | 1 |
| ?erase@?\$archive_serializer_map@Vxml_ia | 1 |
| ?save_override@?\$basic_xml_oarchive@Vx | 1 |
| ?save_override@?\$basic_xml_oarchive@Vx | 1 |
| ?save_override@?\$basic_xml_oarchive@Vx | 1 |

| | |
|--|---|
| ?save_override@\$basic_xml_oarchive@Vx | 1 |
| ?save_override@\$basic_xml_oarchive@Vx | 1 |
| ?save_override@\$basic_xml_oarchive@Vx | 1 |
| ??1?\$basic_xml_oarchive@Vxml_oarchive@ | 1 |
| ??1?\$basic_text_oprimitive@V?\$basic_ostream@ | 1 |
| ??1shared_ptr_helper@detail@archive@bo | 1 |
| ??0?\$xml_iarchiveImpl@Vxml_iarchive@ai | 1 |
| ??0shared_ptr_helper@detail@archive@bo | 1 |
| ??1?\$xml_iarchiveImpl@Vxml_iarchive@ai | 1 |
| ?erase@\$archive_serializer_map@Vxml_oar | 1 |
| ??1archive_exception@archive@boost@@@l | 1 |
| ?save_override@\$basic_xml_oarchive@Vx | 1 |
| ?save@?\$text_oarchiveImpl@Vtext_oarchi | 1 |
| ?recursive_unregister@void_caster@void_c | 1 |
| ?save@\$xml_oarchiveImpl@Vxml_oarchiv | 1 |
| ?end_preamble@\$basic_xml_oarchive@Vx | 1 |
| ?load@\$xml_iarchiveImpl@Vxml_iarchive | 1 |
| ?load@\$text_iarchiveImpl@Vtext_iarchiv | 1 |
| ?find@\$archive_serializer_map@Vxml_iarc | 1 |
| ?get_extended_type_info@extended_type_ | 1 |
| ?what@archive_exception@archive@boost@ | 1 |
| ??0?\$xml_oarchiveImpl@Vxml_oarchive@ | 1 |
| ??1extended_type_info_typeid_0@typeid_s | 1 |
| ?type_unregister@extended_type_info_type | 1 |
| ?key_unregister@extended_type_info@seri | 1 |
| ?is_less_than@extended_type_info_typeid_ | 1 |
| ?is_equal@extended_type_info_typeid_0@ | 1 |
| ?key_register@extended_type_info@seriali | 1 |
| ?type_register@extended_type_info_typeid | 1 |
| ??0extended_type_info_typeid_0@typeid_s | 1 |
| ??0archive_exception@archive@boost@@@C | 1 |
| ??0basic_erializer@detail@archive@boos | 1 |
| ??0basic_iserializer@detail@archive@boost | 1 |
| ?save_pointer@basic_oarchive@detail@arc | 1 |
| ?find@\$archive_serializer_map@Vxml_oar | 1 |
| ?void_downcast@serialization@boost@@Y | 1 |
| ??8extended_type_info@serialization@boo | 1 |
| ?void_upcast@serialization@boost@@YAPE | 1 |
| ?save_end@\$basic_xml_oarchive@Vxml_c | 1 |
| ?save_start@\$basic_xml_oarchive@Vxml_c | 1 |
| ?recursive_register@void_caster@void_cast | 1 |
| ?load_end@\$basic_xml_iarchive@Vxml_iar | 1 |
| ?load_start@\$basic_xml_iarchive@Vxml_iar | 1 |
| ?append@shared_ptr_helper@detail@archi | 1 |
| ?get_od@shared_ptr_helper@detail@archi | 1 |
| ?load_pointer@basic_iarchive@detail@arch | 1 |
| ?save_object@basic_oarchive@detail@arch | 1 |

| | |
|--|---|
| ?load_object@basic_iarchive@detail@archi | 1 |
| ?insert@?\$archive_serializer_map@Vxml_o | 1 |
| ??0basic_pointer_ostream@detail@archiv | 1 |
| ?insert@?\$archive_serializer_map@Vxml_i@ | 1 |
| ??0basic_pointer_iserializer@detail@archiv | 1 |
| ?insert@?\$archive_serializer_map@Vtext_i@ | 1 |
| ?insert@?\$archive_serializer_map@Vtext_c@ | 1 |
| ?register_basic_serializer@basic_oarchive@ | 1 |
| ?register_basic_serializer@basic_iarchive@() | 1 |
| ?next_object_pointer@basic_iarchive@data | 1 |
| ?get_library_version@basic_oarchive@data | 1 |
| ?reset_object_address@basic_iarchive@det | 1 |
| ?append@shared_ptr_helper@detail@archi | 1 |
| ?get_library_version@basic_iarchive@data | 1 |
| ?save_override@?\$basic_xml_oarchive@Vx | 1 |
| ?error@Logger@Poco@@QAEXABV?\$basic_ | 1 |
| ??0TemporaryFile@Poco@@QAE@XZ | 1 |
| ??0Stopwatch@Poco@@QAE@XZ | 1 |
| ?update@Timestamp@Poco@@QAEXXZ | 1 |
| ?error@LogStream@Poco@@QAEAAV12@I | 1 |
| ??1Stopwatch@Poco@@QAE@XZ | 1 |
| ??1TemporaryFile@Poco@@UAE@XZ | 1 |
| ??0File@Poco@@QAE@PBD@Z | 1 |
| ??0FileInputStream@Poco@@QAE@XZ | 1 |
| ?elapsed@Stopwatch@Poco@@QBE_JXZ | 1 |
| ?exists@File@Poco@@QBE_NXZ | 1 |
| ??0Runnable@Poco@@QAE@XZ | 1 |
| ??0FastMutex@Poco@@QAE@XZ | 1 |
| ??0Thread@Poco@@QAE@XZ | 1 |
| ??1Runnable@Poco@@UAE@XZ | 1 |
| ??1FastMutex@Poco@@QAE@XZ | 1 |
| ??1Thread@Poco@@QAE@XZ | 1 |
| ?trace@LogStream@Poco@@QAEAAV12@) | 1 |
| ?open@FileIOS@Poco@@QAEXABV?\$basic_ | 1 |
| ?format@NumberFormatter@Poco@@SA?I | 1 |
| ?clear@LoggingRegistry@Poco@@QAEXXZ | 1 |
| ?shutdown@Logger@Poco@@SAXXZ | 1 |
| ??0TaskManager@Poco@@QAE@XZ | 1 |
| ??1TaskManager@Poco@@QAE@XZ | 1 |
| ??1FormattingChannel@Poco@@MAE@XZ | 1 |
| ??1PatternFormatter@Poco@@UAE@XZ | 1 |
| ??1AsyncChannel@Poco@@MAE@XZ | 1 |
| ??1FileChannel@Poco@@MAE@XZ | 1 |
| ??1WindowsConsoleChannel@Poco@@MAE@XZ | 1 |
| ??1SplitterChannel@Poco@@MAE@XZ | 1 |
| ?log@FormattingChannel@Poco@@UAEXA | 1 |
| ?close@FormattingChannel@Poco@@UAEX | 1 |

| | |
|--|---|
| ?open@FormattingChannel@Poco@@UAEX | 1 |
| ?setProperty@FormattingChannel@Poco@() | 1 |
| ?format@PatternFormatter@Poco@@UAEX | 1 |
| ?getProperty@PatternFormatter@Poco@@@ | 1 |
| ?setProperty@PatternFormatter@Poco@@@ | 1 |
| ?run@AsyncChannel@Poco@@@MAEXXZ | 1 |
| ?lock@FastMutex@Poco@@@QAEXXZ | 1 |
| ?close@AsyncChannel@Poco@@@UAEXXZ | 1 |
| ?open@AsyncChannel@Poco@@@UAEXXZ | 1 |
| ?setProperty@AsyncChannel@Poco@@@UAE | 1 |
| ?log@FileChannel@Poco@@@UAEXABVMess | 1 |
| ?close@FileChannel@Poco@@@UAEXXZ | 1 |
| ?open@FileChannel@Poco@@@UAEXXZ | 1 |
| ?getProperty@FileChannel@Poco@@@UBE?/ | 1 |
| ?setProperty@FileChannel@Poco@@@UAEXI | 1 |
| ?log@WindowsConsoleChannel@Poco@@@L | 1 |
| ?close@Channel@Poco@@@UAEXXZ | 1 |
| ?setProperty@Channel@Poco@@@UAEXABV | 1 |
| ?log@SplitterChannel@Poco@@@UAEXABVN | 1 |
| ?close@SplitterChannel@Poco@@@UAEXXZ | 1 |
| ?open@Channel@Poco@@@UAEXXZ | 1 |
| ?getProperty@Channel@Poco@@@UBE?AV? | 1 |
| ?setProperty@SplitterChannel@Poco@@@U/ | 1 |
| ?defaultRegistry@LoggingRegistry@Poco@() | 1 |
| ??OSplitterChannel@Poco@@@QAE@XZ | 1 |
| ?registerChannel@LoggingRegistry@Poco@ | 1 |
| ??OWindowsConsoleChannel@Poco@@@QAE | 1 |
| ??OFileChannel@Poco@@@QAE@ABV?\$basic | 1 |
| ?addChannel@SplitterChannel@Poco@@@Q/ | 1 |
| ??OAsyncChannel@Poco@@@QAE@PAVChar | 1 |
| ??OPatternFormatter@Poco@@@QAE@ABV? | 1 |
| ?registerFormatter@LoggingRegistry@Poco | 1 |
| ??OFormattingChannel@Poco@@@QAE@PA\ | 1 |
| ?create@Logger@Poco@@@SAAAV12@ABV? | 1 |
| ??OException@Poco@@@QAE@ABV01@@Z | 1 |
| ??OLogicException@Poco@@@QAE@ABV01@ | 1 |
| ??ONullPointerException@Poco@@@QAE@A/ | 1 |
| ??1NullPointerException@Poco@@@UAE@X; | 1 |
| ??ONullPointerException@Poco@@@QAE@H | 1 |
| ?release@RefCountedObject@Poco@@@QBE | 1 |
| ??4URI@Poco@@@QAEAAV01@ABV01@@Z | 1 |
| ?getPort@URI@Poco@@@QBEGXZ | 1 |
| ?start@Thread@Poco@@@QAEXAAVRunnabl | 1 |
| ?isRunningImpl@ThreadImpl@Poco@@@QBF | 1 |
| ?warning@Logger@Poco@@@QAEXABV?\$ba | 1 |
| ?join@Thread@Poco@@@QAEXXZ | 1 |
| ?kill@Process@Poco@@@SAXI@Z | 1 |

| | |
|---------------------------------------|---|
| ??1StringTokenizer@Poco@@QAE@XZ | 1 |
| ??AStringTokenizer@Poco@@QBEABV?\$ba | 1 |
| ?count@StringTokenizer@Poco@@QBEIXZ | 1 |
| ??0StringTokenizer@Poco@@QAE@ABV?\$k | 1 |
| ??_DPipeInputStream@Poco@@QAEXXZ | 1 |
| ??_DPipeOutputStream@Poco@@QAEXXZ | 1 |
| ??1Pipe@Poco@@QAE@XZ | 1 |
| ??1ProcessHandle@Poco@@QAE@XZ | 1 |
| ??1PipeOutputStream@Poco@@UAE@XZ | 1 |
| ??1PipeInputStream@Poco@@UAE@XZ | 1 |
| ?wait@ProcessHandle@Poco@@QBEHXZ | 1 |
| ??0PipeInputStream@Poco@@QAE@ABVPi | 1 |
| ??0PipeOutputStream@Poco@@QAE@ABV | 1 |
| ?id@ProcessHandle@Poco@@QBEIXZ | 1 |
| ?launch@Process@Poco@@SA?AVProcessH | 1 |
| ??0Pipe@Poco@@QAE@XZ | 1 |
| ?remove@File@Poco@@QAEX_N@Z | 1 |
| ?setWriteable@File@Poco@@QAEX_N@Z | 1 |
| ??1Task@Poco@@MAE@XZ | 1 |
| ??0Task@Poco@@QAE@ABV?\$basic_string | 1 |
| ?run@Task@Poco@@UAEXXZ | 1 |
| ?postNotification@Task@Poco@@MAEXPAT | 1 |
| ?start@TaskManager@Poco@@QAEXPAT@ | 1 |
| ?cancel@Task@Poco@@QAEXXZ | 1 |
| ?taskList@TaskManager@Poco@@QBE?AV@ | 1 |
| ?end@StringTokenizer@Poco@@QBE?AV?\$ | 1 |
| ?begin@StringTokenizer@Poco@@QBE?AV@ | 1 |
| ??1Timespan@Poco@@QAE@XZ | 1 |
| ??0Timespan@Poco@@QAE @_J@Z | 1 |
| ?path@FileChannel@Poco@@QBEABV?\$ba | 1 |
| ?channelForName@LoggingRegistry@Poco@ | 1 |
| ??0AtomicCounter@Poco@@QAE@H@Z | 1 |
| ??1AtomicCounter@Poco@@QAE@XZ | 1 |
| ?decode@URI@Poco@@SAXABV?\$basic_st | 1 |
| ?encode@URI@Poco@@SAXABV?\$basic_st | 1 |
| ?toString@URI@Poco@@QBE?AV?\$basic_si | 1 |
| ??0URI@Poco@@QAE@XZ | 1 |
| ??8URI@Poco@@QBE_NABV01@@Z | 1 |
| ??0File@Poco@@QAE@ABV?\$basic_string@ | 1 |
| ?getLastModified@File@Poco@@QBE?AVTi | 1 |
| ?getSize@File@Poco@@QBE_KXZ | 1 |
| ??0FileInputStream@Poco@@QAE@ABV?\$I | 1 |
| ?HTTP_FORMAT@DateTimeFormat@Poco@ | 1 |
| ?format@DateTimeFormatter@Poco@@SA | 1 |
| ??1FileInputStream@Poco@@UAE@XZ | 1 |
| ??1Timestamp@Poco@@QAE@XZ | 1 |
| ??1File@Poco@@UAE@XZ | 1 |

| | |
|--|---|
| ??_DFileInputStream@Poco@@QAEAXZ | 1 |
| ?tryParse64@NumberParser@Poco@@SA_I | 1 |
| ?information@LogStream@Poco@@QAEAA | 1 |
| ??4UUID@Poco@@QAEAV01@ABV01@@ | 1 |
| ?defaultGenerator@UUIDGenerator@Poco@ | 1 |
| ?createOne@UUIDGenerator@Poco@@QAI | 1 |
| ?toString@UUID@Poco@@QBE?AV?\$basic_ | 1 |
| ??1UUID@Poco@@QAE@XZ | 1 |
| ?debug@LogStream@Poco@@QAEAV12@ | 1 |
| ?log@AsyncChannel@Poco@@UAEXABVM@ | 1 |
| ?error@LogStream@Poco@@QAEAV12@) | 1 |
| ?format@NumberFormatter@Poco@@SA?I | 1 |
| ?parseUnsigned64@NumberParser@Poco@ | 1 |
| ?ROOT@Logger@Poco@@2V?\$basic_string | 1 |
| ?setLevel@Logger@Poco@@SAXABV?\$basic_ | 1 |
| ?getPathSegments@URI@Poco@@QAEXAA | 1 |
| ??0URI@Poco@@QAE@ABV?\$basic_string@ | 1 |
| ??1URI@Poco@@QAE@XZ | 1 |
| ?get@Logger@Poco@@SAAV12@ABV?\$b | 1 |
| ??0LogStream@Poco@@QAE@AAVLogger@ | 1 |
| ?warning@LogStream@Poco@@QAEAV12 | 1 |
| ?displayText@Exception@Poco@@QBE?AV | 1 |
| ??1LogStream@Poco@@UAE@XZ | 1 |
| ??_DLogStream@Poco@@QAEXXZ | 1 |
| ?nullPointer@Bugcheck@Poco@@SAXPBDC | 1 |
| ??0URI@Poco@@QAE@ABV01@@Z | 1 |
| ??0NameValuePairCollection@Net@Poco@@Q | 1 |
| ??0NameValuePairCollection@Net@Poco@@Q | 1 |
| ??1HTMLForm@Net@Poco@@UAE@XZ | 1 |
| ??1NullPartHandler@Net@Poco@@UAE@X | 1 |
| ?read@HTMLForm@Net@Poco@@QAEXAA | 1 |
| ??0NullPartHandler@Net@Poco@@QAE@X | 1 |
| ?request@AbstractHTTPRequestHandler@N | 1 |
| ??0HTMLForm@Net@Poco@@QAE@XZ | 1 |
| ?response@AbstractHTTPRequestHandler@ | 1 |
| ?get@NameValuePairCollection@Net@Poco@() | 1 |
| ??4NameValuePairCollection@Net@Poco@@Q | 1 |
| ?sendErrorResponse@AbstractHTTPRequest | 1 |
| ?setContentType@HTTPMessage@Net@Poc | 1 |
| ?setContentLength@HTTPMessage@Net@P | 1 |
| ??1HTTPServer@Net@Poco@@UAE@XZ | 1 |
| ??1HTTPServerParams@Net@Poco@@MAE | 1 |
| ??1ServerSocket@Net@Poco@@UAE@XZ | 1 |
| ?run@TCPServer@Net@Poco@@MAEXXZ | 1 |
| ?acceptConnection@ServerSocket@Net@Pc | 1 |
| ?acceptConnection@ServerSocket@Net@Pc | 1 |
| ?listen@ServerSocket@Net@Poco@@UAEX | 1 |

| | |
|--|---|
| ?bind@ServerSocket@Net@Poco@@UAEXF | 1 |
| ?bind@ServerSocket@Net@Poco@@UAEXC | 1 |
| ??0IPAddress@Net@Poco@@QAE@ABV?\$I | 1 |
| ??0IPAddress@Net@Poco@@QAE@XZ | 1 |
| ??4IPAddress@Net@Poco@@QAEAAV012@ | 1 |
| ??1IPAddress@Net@Poco@@QAE@XZ | 1 |
| ??0SocketAddress@Net@Poco@@QAE@AB | 1 |
| ??0ServerSocket@Net@Poco@@QAE@ABV | 1 |
| ??0HTTPServerParams@Net@Poco@@QAE | 1 |
| ?setMaxQueued@TCPServerParams@Net@ | 1 |
| ?setMaxThreads@TCPServerParams@Net@ | 1 |
| ??0HTTPServer@Net@Poco@@QAE@V?\$SI | 1 |
| ?stop@TCPServer@Net@Poco@@QAEXXZ | 1 |
| ?start@TCPServer@Net@Poco@@QAEXXZ | 1 |
| ??1HTTPRequestHandlerFactory@Net@Poc | 1 |
| ??0HTTPRequestHandlerFactory@Net@Poc | 1 |
| ??0SocketAddress@Net@Poco@@QAE@AE | 1 |
| ??0StreamSocket@Net@Poco@@QAE@XZ | 1 |
| ?connect@StreamSocket@Net@Poco@@Q, | 1 |
| ??1StreamSocket@Net@Poco@@UAE@XZ | 1 |
| ?form@AbstractHTTPRequestHandler@Net(| 1 |
| ?get@NameValuePairCollection@Net@Poco@() | 1 |
| ?begin@NameValuePairCollection@Net@Poco(| 1 |
| ?end@NameValuePairCollection@Net@Poco@) | 1 |
| ?has@NameValuePairCollection@Net@Poco@() | 1 |
| ?CONTENT_LENGTH@HTTPMessage@Net@ | 1 |
| ??0SocketAddress@Net@Poco@@QAE@AE | 1 |
| ?toString@SocketAddress@Net@Poco@@C | 1 |
| ??1SocketAddress@Net@Poco@@QAE@XZ | 1 |
| ?authenticate@AbstractHTTPRequestHandle | 1 |
| ?handleRequest@AbstractHTTPRequestHan | 1 |
| ??0AbstractHTTPRequestHandler@Net@Poc | 1 |
| ??1AbstractHTTPRequestHandler@Net@Poc | 1 |
| ??0HTTPClientSession@Net@Poco@@QAE(| 1 |
| ?HTTP_GET@HTTPRequest@Net@Poco@@ | 1 |
| ??0HTTPRequest@Net@Poco@@QAE@ABV | 1 |
| ?sendRequest@HTTPClientSession@Net@P | 1 |
| ??0HTTPResponse@Net@Poco@@QAE@XZ | 1 |
| ?receiveResponse@HTTPClientSession@Net | 1 |
| ?getCookies@HTTPResponse@Net@Poco@ | 1 |
| ??1HTTPResponse@Net@Poco@@UAE@XZ | 1 |
| ??1HTTPRequest@Net@Poco@@UAE@XZ | 1 |
| ??1HTTPClientSession@Net@Poco@@UAE(| 1 |
| ??1HTTPCookie@Net@Poco@@QAE@XZ | 1 |
| ?hasCredentials@HTTPRequest@Net@Poco | 1 |
| ??0HTTPBasicCredentials@Net@Poco@@Q | 1 |
| ??1HTTPBasicCredentials@Net@Poco@@Q | 1 |

| | |
|--|---|
| ?add@NameValuePairCollection@Net@Poco@(| 1 |
| ?setKeepAlive@HTTPMessage@Net@Poco@() | 1 |
| ?setChunkedTransferEncoding@HTTPMessage@ | 1 |
| ?set@NameValuePairCollection@Net@Poco@() | 1 |
| ?HTTP_1_1@HTTPMessage@Net@Poco@@@ | 1 |
| ?setVersion@HTTPMessage@Net@Poco@() | 1 |
| ?setStatus@HTTPResponse@Net@Poco@@@ | 1 |
| ??1NameValuePairCollection@Net@Poco@@U. | 1 |
| ??0PrivateKeyPassphraseHandler@Net@Poc | 1 |
| ??0SecureServerSocket@Net@Poco@@QAE | 1 |
| ?initializeServer@SSLManager@Net@Poco@ | 1 |
| ?instance@SSLManager@Net@Poco@@SA | 1 |
| ??0Context@Net@Poco@@QAE@W4Usage | 1 |
| ??0AcceptCertificateHandler@Net@Poco@() | 1 |
| ?onInvalidCertificate@AcceptCertificateHan | 1 |
| ?acceptConnection@SecureServerSocket@N | 1 |
| ?acceptConnection@SecureServerSocket@N | 1 |
| ??1AcceptCertificateHandler@Net@Poco@() | 1 |
| ??1Context@Net@Poco@@UAE@XZ | 1 |
| ??1SecureServerSocket@Net@Poco@@UAE | 1 |
| ??1PrivateKeyPassphraseHandler@Net@Poc | 1 |
| ?setStartup@WinService@Util@Poco@@Q | 1 |
| ?setInt@AbstractConfiguration@Util@Poco | 1 |
| ?hasProperty@AbstractConfiguration@Util@ | 1 |
| ?getString@AbstractConfiguration@Util@Pc | 1 |
| ?getInt@AbstractConfiguration@Util@Poco | 1 |
| ?getBool@AbstractConfiguration@Util@Poc | 1 |
| ??1XMLConfiguration@Util@Poco@@MAE@ | 1 |
| ?enumerate@XMLConfiguration@Util@Poco | 1 |
| ?getRaw@XMLConfiguration@Util@Poco@() | 1 |
| ??0XMLConfiguration@Util@Poco@@QAE@C | 1 |
| ?setString@AbstractConfiguration@Util@Pc | 1 |
| ?getString@AbstractConfiguration@Util@Pc | 1 |
| ?setRaw@XMLConfiguration@Util@Poco@() | 1 |
| ?load@XMLConfiguration@Util@Poco@@C | 1 |
| ?loadEmpty@XMLConfiguration@Util@Poco | 1 |
| ?save@XMLConfiguration@Util@Poco@@C | 1 |
| ?registerService@WinService@Util@Poco@ | 1 |
| ??1WinService@Util@Poco@@QAE@XZ | 1 |
| ?isRegistered@WinService@Util@Poco@@I | 1 |
| ??0WinService@Util@Poco@@QAE@ABV?` | 1 |
| ?unregisterService@WinService@Util@Poco | 1 |
| ?copyNode@Document@XML@Poco@@MI | 1 |
| ?innerText@AbstractNode@XML@Poco@@@ | 1 |
| ?hasAttributes@AbstractContainerNode@XI | 1 |
| ?localName@AbstractNode@XML@Poco@() | 1 |
| ?prefix@AbstractNode@XML@Poco@@UBI | 1 |

| | |
|--|---|
| ?namespaceURI@AbstractNode@XML@Poc | 1 |
| ?isSupported@AbstractNode@XML@Poco@ | 1 |
| ?normalize@AbstractNode@XML@Poco@ @ | 1 |
| ?cloneNode@AbstractNode@XML@Poco@(| 1 |
| ?hasChildNodes@AbstractContainerNode@' | 1 |
| ?appendChild@AbstractContainerNode@XN | 1 |
| ?removeChild@AbstractContainerNode@XN | 1 |
| ?replaceChild@AbstractContainerNode@XN | 1 |
| ?insertBefore@AbstractContainerNode@XN | 1 |
| ?ownerDocument@AbstractNode@XML@P | 1 |
| ?attributes@AbstractNode@XML@Poco@@ | 1 |
| ?nextSibling@AbstractNode@XML@Poco@) | 1 |
| ?previousSibling@AbstractNode@XML@Poc | 1 |
| ?events@Document@XML@Poco@@UBE_I | 1 |
| ?firstChild@AbstractContainerNode@XML@ | 1 |
| ?childNodes@AbstractNode@XML@Poco@ | 1 |
| ?parentNode@AbstractNode@XML@Poco@ | 1 |
| ?nodeType@Document@XML@Poco@@UBE | 1 |
| ?setnodeValue@AbstractNode@XML@Pocc | 1 |
| ?getNodeValue@AbstractNode@XML@Pocc | 1 |
| ?dispatchEvent@Document@XML@Poco@(| 1 |
| ?removeEventListener@AbstractNode@XMI | 1 |
| ?addEventListener@AbstractNode@XML@P | 1 |
| ?autoRelease@AbstractNode@XML@Poco@ | 1 |
| ??0Document@XML@Poco@@QAE@PAVN | 1 |
| ?createElement@Document@XML@Poco@ | 1 |
| ?createTextNode@Document@XML@Poco@ | 1 |
| ??0DOMWriter@XML@Poco@@QAE@XZ | 1 |
| ?setNewLine@DOMWriter@XML@Poco@@ | 1 |
| ?setOptions@DOMWriter@XML@Poco@@I | 1 |
| ?writeNode@DOMWriter@XML@Poco@@(| 1 |
| ??1DOMWriter@XML@Poco@@QAE@XZ | 1 |
| ?release@DOMObject@XML@Poco@@QBE | 1 |
| ?eventsSuspended@Document@XML@Pocc | 1 |
| ?dispatchNodeRemovedFromDocument@A | 1 |
| ?dispatchNodeInsertedIntoDocument@Abst | 1 |
| ?createEvent@Document@XML@Poco@@@I | 1 |
| ??1Document@XML@Poco@@MAE@XZ | 1 |
| ??1InputSource@XML@Poco@@QAE@XZ | 1 |
| ??1DOMParser@XML@Poco@@QAE@XZ | 1 |
| ?getChildElement@Element@XML@Poco@ | 1 |
| ?getElementsByTagName@Document@XML@ | 1 |
| ?parse@DOMParser@XML@Poco@@QAEP, | 1 |
| ??0DOMParser@XML@Poco@@QAE@PAVI | 1 |
| ??0InputSource@XML@Poco@@QAE@ABV | 1 |
| ?getElementsByTagName@Element@XML@ | 1 |
| ?documentElement@Document@XML@Poc | 1 |

| | |
|--|---|
| ??0InputSource@XML@Poco@@QAE@AAV | 1 |
| ??1ContentHandler@XML@Poco@@MAE@ | 1 |
| ??1SAXParser@XML@Poco@@UAE@XZ | 1 |
| ?parse@SAXParser@XML@Poco@@UAEXP, | 1 |
| ?setContentHandler@SAXParser@XML@Po | 1 |
| ??0SAXParser@XML@Poco@@QAE@XZ | 1 |
| ?lastChild@AbstractContainerNode@XML@ | 1 |
| ?nodeName@Document@XML@Poco@@U | 1 |
| ShowForm | 1 |
| usb_strerror | 1 |
| usb_control_msg | 1 |
| usb_bulk_read | 1 |
| usb_get_busses | 1 |
| usb_find_devices | 1 |
| usb_close | 1 |
| usb_claim_interface | 1 |
| usb_set_configuration | 1 |
| usb_open | 1 |
| usb_release_interface | 1 |
| usb_init | 1 |
| usb_set_altinterface | 1 |
| @Dxpsutl@ReplaceSubStr\$qqrx17System@/ | 1 |
| CredUIConfirmCredentialsA | 1 |
| sym10011000 | 1 |
| sym10011004 | 1 |
| sym10011008 | 1 |
| sym10011024 | 1 |
| sym10011044 | 1 |
| sym1001104C | 1 |
| sym10011050 | 1 |
| sym10011180 | 1 |
| sym10011198 | 1 |
| sym1001119C | 1 |
| sym100111A4 | 1 |
| sym100111BC | 1 |
| sym100111D8 | 1 |
| sym100111E4 | 1 |
| sym100111F0 | 1 |
| sym100111F4 | 1 |
| sym1001120C | 1 |
| sym100240CC | 1 |
| sym100240D4 | 1 |
| sym100240E4 | 1 |
| sym100240F4 | 1 |
| Cla\$modulus | 1 |
| Cla\$MONTH | 1 |
| Cla\$SETCLOCK | 1 |

| | |
|---|---|
| Cla\$SETTODAY | 1 |
| Cla\$YEAR | 1 |
| CONSTRUCT@F10FUZZYCLASS | 1 |
| INIT@F10FUZZYCLASS | 1 |
| KILL@F10FUZZYCLASS | 1 |
| SETOPTION@F10FUZZYCLASSUcUc | 1 |
| VMT\$FUZZYCLASS | 1 |
| DWriteCreateFactory | 1 |
| QMDX_FreeWave | 1 |
| QMDX_FlushChannel | 1 |
| QMDX_PauseChannel | 1 |
| QMDX_InitEx | 1 |
| QMDX_SetPolarPosition | 1 |
| QMDX_ConfigureChannel | 1 |
| QMDX_OpenChannel | 1 |
| QMDX_EnableChannel | 1 |
| QMDX_SetVolume | 1 |
| QMDX_RestartChannel | 1 |
| QMDX_GetPlayPosition | 1 |
| QMDX_SetFrequency | 1 |
| QMDX_OpenWaveEx | 1 |
| QMDX_CloseChannel | 1 |
| QMDX_CloseSession | 1 |
| QMDX_Activate | 1 |
| QMDX_GetVolume | 1 |
| QMDX_GetChannelStatus | 1 |
| QMDX_IsChannelDone | 1 |
| QMDX_PlayEx | 1 |
| ?GetString@nCEException@@QAEXPAPA_WI | 1 |
| ?GetErrcode@nCEException@@QBEXAAW4t; | 1 |
| ??1nCEException@@QAE@XZ | 1 |
| ?GetString@nCEException@@QBEXAAV?\$ba: | 1 |
| ??0nCLog@@QAE@XZ | 1 |
| ?LogTrace@nCLog@@QAA_NPB_WJ0ZZ | 1 |
| ?LogError@nCLog@@QAA_NJPB_WJ0ZZ | 1 |
| ?Flush@nCLog@@QAEHXZ | 1 |
| ??1nCLog@@QAE@XZ | 1 |
| ?Initialize@nCLog@@QAEXIIPB_W0@Z | 1 |
| ?SPGetValue@nCSpecialCase@@QAGXPAP/ | 1 |
| ??OnCSpecialCase@@QAE@PAVnCNMI@@. | 1 |
| ?SPSetValue@nCSpecialCase@@QAG?AW4I | 1 |
| ?signaling_NaN@?\$numeric_limits@I@std@ | 1 |
| ??Ystd@@YAAAV?\$complex@O@0@AAV1C | 1 |
| ShortGun_00 | 1 |
| __conWLockC | 1 |
| __conUnlockC | 1 |
| __conLastError | 1 |

| | |
|---|---|
| __conRLockC | 1 |
| __paratype | 1 |
| __conPut | 1 |
| __retclen | 1 |
| __storclen | 1 |
| ?Command@CContextMenu@@QAEJPAUII | 1 |
| ?EnumVolumes@CTaskData@@QAEXAAKP@ | 1 |
| ?GetDiskInfo@CDMNodeObj@@QAEHAAUc | 1 |
| ?RecalculateSpace@CDMNodeObj@@QAEIX | 1 |
| ?IsRevertable@CDMNodeObj@@QAEHXZ | 1 |
| ?GetDiskCookiesForSig@CTaskData@@QAE | 1 |
| ?RefreshFileSys@CContextMenu@@QAEIJ@ | 1 |
| ?EnhancedIsUpgradeable@CDMNodeObj@() | 1 |
| ?IsMember@CDMNodeObj@@QAEHPAV1@ | 1 |
| ?HasExtendedPartition@CDMNodeObj@@C | 1 |
| ?IsUnknownPartition@CDMNodeObj@@QA | 1 |
| ?HasNTFSwithDriveLetter@CDataCache@@ | 1 |
| ?IsDiskEmpty@CDMNodeObj@@QAEHXZ | 1 |
| ?GetUIState@CTaskData@@QAEKXZ | 1 |
| ?GetIconId@CDMNodeObj@@QAEIH@Z | 1 |
| ?IsMbrEEPartition@CDMNodeObj@@QAEH | 1 |
| ?GetStatus@CDMNodeObj@@QAEHXZ | 1 |
| ?GetDriveLetter@CDMNodeObj@@QAEXA@ | 1 |
| ?GetDMDataObjPtrFromId@CTaskData@@C | 1 |
| ?ContainsBootIniPartition@CDMNodeObj@ | 1 |
| ?GetColorRef@CDMNodeObj@@QAEKXZ | 1 |
| ?GetDiskCookies@CTaskData@@QAEXAAKF | 1 |
| ?GetRegionInfo@CDMNodeObj@@QAEHAA | 1 |
| ?GetDiskSpec@CDMNodeObj@@QAEHAAU | 1 |
| ?GetDiskStatus@CDMNodeObj@@QAEHAA | 1 |
| ?IsOemPartition@CDMNodeObj@@QAEHXZ | 1 |
| ?ContainsBootIniPartitionForWolfpack@CD | 1 |
| ?GetName@CDMNodeObj@@QAEXAAVCSt | 1 |
| ?FindDriveLetter@CTaskData@@QAEX_JAA | 1 |
| ?GetAssignedDriveLetter@CTaskData@@QF | 1 |
| ?GetDriveLetters@CTaskData@@QAEXAAFF | 1 |
| ?GetParentDiskPtr@CDMNodeObj@@QAEPP | 1 |
| ?GetDiskCookiesToEncap@CTaskData@@QF | 1 |
| ?IsECCoveredGPTDisk@CDMNodeObj@@QF | 1 |
| ?GetLayoutType@CDMNodeObj@@QAE?AV | 1 |
| ?GetPort@CDMNodeObj@@QAEHXZ | 1 |
| ?IsHiddenRegion@CDMNodeObj@@QAEHX | 1 |
| ?ConvertMBToBytes@@YG_J_J@Z | 1 |
| ?GetFileSystemLabel@CDMNodeObj@@QA | 1 |
| ?GetLogicalDriveCount@CDMNodeObj@@C | 1 |
| rxicep | 1 |
| rxmiss | 1 |

| | |
|------------|---|
| relgtan | 1 |
| roulgs | 1 |
| rxiefm | 1 |
| relgtmn | 1 |
| rrofnshd | 1 |
| rroahp | 1 |
| rxnnname | 1 |
| rrodap | 1 |
| rx ierr | 1 |
| rstmst | 1 |
| rxslrunprd | 1 |
| rxglermcc | 1 |
| ruereset | 1 |
| rxmbtc | 1 |
| rrrpensr | 1 |
| ruereget | 1 |
| ruerformat | 1 |
| rxbcod | 1 |
| rxinit | 1 |
| rfxfmin | 1 |
| rxfini | 1 |
| rwbxsr | 1 |
| rxmcofcp | 1 |
| srufrn | 1 |
| ropintcp | 1 |
| rimal | 1 |
| rrdlba | 1 |
| rxglerclm | 1 |
| rimfr | 1 |
| relgtsn | 1 |
| ropsdf | 1 |
| rrrpensd | 1 |
| ropintcbs | 1 |
| rstmrut | 1 |
| rrdps2put | 1 |
| ropubput | 1 |
| rrdps1get | 1 |
| ropubget | 1 |
| sqloer | 1 |
| sqlu2s | 1 |
| sqlcps | 1 |
| sqliap | 1 |
| sqgrct | 1 |
| sqgctx | 1 |
| sqlexp | 1 |
| sqloew | 1 |
| sqltex | 1 |

| | |
|---|---|
| sqlret | 1 |
| sqls2u | 1 |
| SQLRCXGet | 1 |
| sqlcln | 1 |
| sqlofftb | 1 |
| rwoSk2nocomm | 1 |
| ?Construct@DSTRING@@AAEXXZ | 1 |
| ??0BDSTRING@@QAE@XZ | 1 |
| oduleHandle | 1 |
| @System@UTF8Encode\$qqrx17System@Wi | 1 |
| @System@WideCharLenToString\$qqrpbi | 1 |
| @System@@WriteLString\$qqrr15System@1 | 1 |
| @System@@Write0Long\$qqrr15System@T | 1 |
| @System@@SetTextBuf\$qqrr15System@TT | 1 |
| @System@@Flush\$qqrr15System@TTextRe | 1 |
| @System@LibModuleList | 1 |
| @Sysutils@DateToString\$qqrr17System | 1 |
| @Sysutils@StrLIComp\$qqrpct1ui | 1 |
| @Sysutils@TryStrToInt\$qqrx17System@Ans | 1 |
| @Sysutils@WideCompareStr\$qqrx17System | 1 |
| @Sysutils@Win32CSDVersion | 1 |
| @Rtlconsts @_SPropertyException | 1 |
| @Typinfo@GetInt64Prop\$qqrp14System@T | 1 |
| @Typinfo@SetWideStrProp\$qqrp14System@ | 1 |
| @Typinfo@GetWideStrProp\$qqrp14System@ | 1 |
| @Typinfo@GetEnumName\$qqrp17Typinfo@C | 1 |
| @Classes@TWriter@WriteValue\$qqr18Clas | 1 |
| @Classes@TWriter@WriteWideString\$qqrx | 1 |
| @Classes@TWriter@WriteStr\$qqrx17Syste | 1 |
| @Classes@TWriter@WriteInteger\$qqrj | 1 |
| @Classes@TWriter@WritelnIdent\$qqrx17Syst | 1 |
| @Classes@TWriter@WriteCurrency\$qqrx15 | 1 |
| @Classes@TWriter@WriteSingle\$qqrf | 1 |
| @Classes@TWriter@WriteData\$qqrp18Clas | 1 |
| @Classes@TWriter@SetRoot\$qqrp18Classe | 1 |
| @Classes@TWriter@FlushBuffer\$qqrv | 1 |
| @Classes@TWriter@DefineBinaryProperty\$ | 1 |
| @Classes@TWriter@DefineProperty\$qqrx17 | 1 |
| @Classes@TWriter@\$bdtr\$qqrv | 1 |
| @Classes@TReader@SetPosition\$qqri | 1 |
| @Classes@TReader@ReadValue\$qqrv | 1 |
| @Classes@TReader@ReadWideString\$qqrv | 1 |
| @Classes@TReader@ReadStr\$qqrv | 1 |
| @Classes@TReader@ReadInt64\$qqrv | 1 |
| @Classes@TReader@ReadIdent\$qqrv | 1 |
| @Classes@TReader@ReadDate\$qqrv | 1 |
| @Classes@TReader@ReadCurrency\$qqrv | 1 |

| | |
|--|---|
| @Classes@TReader@ReadSingle\$qqrv | 1 |
| @Classes@TReader@NextValue\$qqrv | 1 |
| @Classes@TReader@GetPosition\$qqrv | 1 |
| @Classes@TReader@CheckValue\$qqr18Cla | 1 |
| @Classes@TCollectionItem@GetNamePath\$ | 1 |
| @Classes@TThreadList@Remove\$qqrpv | 1 |
| @Graphics@CharsetTIdent\$qqrir17System | 1 |
| @Graphics@TGraphicsObject@HandleAlloc | 1 |
| @Syncobjs@TEvent@\$bctr\$qqrp20_SECURI | 1 |
| @Forms@TScreen@GetCursors\$qqri | 1 |
| @Forms@TScreen@GetDataModuleCount\$ | 1 |
| @Forms@TScreen@GetDataModule\$qqri | 1 |
| @Forms@TScreen@GetCustomFormCount\$ | 1 |
| @Forms@TScreen@GetCustomForms\$qqri | 1 |
| @Forms@TCustomForm@GetPixelsPerInch\$ | 1 |
| @Forms@TCustomFrame@ | 1 |
| @Controls@GetShortHint\$qqrx17System@/ | 1 |
| @Fmtbcd@NormalizeBcd\$qqrrx11Fmtbcd@ | 1 |
| @Fmtbcd@BcdToInteger\$qqrrx11Fmtbcd@ | 1 |
| @Fmtbcd@IntegerToBcd\$qqrx1 | 1 |
| @Fibdatabase@TFIBDatabase@QueryValue: | 1 |
| @Fibdatabase@TFIBDatabase@QueryValue: | 1 |
| @Fibdatabase@TFIBDatabase@QueryValue: | 1 |
| @Fibdatabase@TFIBDatabase@SetDatabase | 1 |
| @Fibdatabase@TFIBDatabase@SetConnecte | 1 |
| @Fibdatabase@TFIBDatabase@GetServerTi | 1 |
| @Fibdatabase@TFIBDatabase@GetConnect | 1 |
| @Fib@EFIBInterBaseError@ | 1 |
| @Fibsqlmonitor@EnableMonitoring\$qqrv | 1 |
| lineDialW | 1 |
| vfwprintf_s | 1 |
| ZIsSoundOn | 1 |
| ZPAGetUserID | 1 |
| ZIsLayoutRTL | 1 |
| ZWindowNew | 1 |
| ZCRoomGetPlayerInfo | 1 |
| ZTimerInit | 1 |
| ZTimerNew | 1 |
| ZShellZoneShell | 1 |
| ZWindowInvalidate | 1 |
| ZWindowInit | 1 |
| ZCRoomSendZPANudgeMessage | 1 |
| ZSetGameGlobalPointer | 1 |
| ZGetGameGlobalPointer | 1 |
| ZShellGameShell | 1 |
| ZShellResourceManager | 1 |
| ZCRoomExit | 1 |

| | |
|------------------------------------|---|
| ZShellLobbyDataStore | 1 |
| ZCRoomSendZPAMessage | 1 |
| ZWindowGetHWND | 1 |
| ZWindowDelete | 1 |
| ZGetPreferAppearanceRamdonChecked | 1 |
| ZRandom | 1 |
| ZGetPreferAppearanceIndex | 1 |
| ZSetPreferAppearanceIndex | 1 |
| ZShellDataStoreUI | 1 |
| ZShellCreateGraphicalAccessibility | 1 |
| ZTimerSetTimeout | 1 |
| ZWindowHide | 1 |
| ZTimerDelete | 1 |
| ZWindowShow | 1 |
| ZSetWindowUserData | 1 |
| ZWindowSetAllowMessageGameRender | 1 |
| sessQueryTranslateHdl | 1 |
| sfPutSessionItem | 1 |
| sessQuerySysFileHdl | 1 |
| sfGetSessionItem | 1 |
| hgeCreate | 1 |
| RegWdQueryA | 1 |
| 5C82498B | 1 |
| E0B2CCC0 | 1 |
| DF5DEA2C | 1 |
| 5A70C1E7 | 1 |
| 700FF7B6 | 1 |
| 0AA931C0 | 1 |
| DDB44E36 | 1 |
| 3FECA481 | 1 |
| FEB850E8 | 1 |
| 665623FB | 1 |
| B44FDE14 | 1 |
| B2EDEFCD | 1 |
| 007B9460 | 1 |
| 00AAEFF1 | 1 |
| E44AC087 | 1 |
| B58F621F | 1 |
| F7BC252A | 1 |
| F98B9B3C | 1 |
| 9060F48E | 1 |
| 0A4DB14C | 1 |
| 13997F72 | 1 |
| 0AE75576 | 1 |
| B9EE241F | 1 |
| B2BE2972 | 1 |
| 257BF5D1 | 1 |

| | |
|----------|----------|
| 6A364E9C | 1 |
| 4A88DB56 | 1 |
| 42812FFF | 1 |
| BC4C8256 | 1 |
| 20E3894C | 1 |
| 0E43B23D | 1 |
| 09C6DD99 | 1 |
| 69EE15A2 | 1 |
| E6900647 | 1 |
| 334AC827 | 1 |
| 64A5B6A6 | 1 |
| 9D7406A8 | 1 |
| A070245B | 1 |
| 286A44FB | 1 |
| FF21999C | 1 |
| EF2B3F96 | 1 |
| 1646992D | 1 |
| 16113C69 | 1 |
| E48E58AA | 1 |
| 00FA465D | 1 |
| 5E4A81F8 | 1 |
| 0237B70A | 1 |
| F3845A10 | 1 |
| 859AE7AA | 1 |
| 35E2B0EC | 1 |
| A956C9A3 | 1 |
| ACA1CDD7 | 1 |
| D321AC62 | 1 |
| 38603C19 | 1 |
| D603DBD0 | 1 |
| 8A49B385 | 1 |
| 811D716C | 1 |
| BF902581 | 1 |
| | 13390845 |
| 1CDC672C | 1 |
| BF494D85 | 1 |
| A27BE02B | 1 |
| 9442F496 | 1 |
| | 3.34E+03 |
| 5E48028D | 1 |
| CF838508 | 1 |
| 74D7F304 | 1 |
| 3FA1EABD | 1 |
| 99F3608D | 1 |
| 2CCF0AF7 | 1 |
| 6EA9ABB0 | 1 |
| 25B7A7FB | 1 |

| | |
|----------|---|
| 8CD95027 | 1 |
| 02FFFCCC | 1 |
| F8592DFB | 1 |
| 8FFD334D | 1 |
| 1B01C82C | 1 |
| E0A40F9A | 1 |
| C9A482A8 | 1 |
| D73B3F87 | 1 |
| 9244DFB1 | 1 |
| 12A1B740 | 1 |
| C73880C3 | 1 |
| 2B34F1D3 | 1 |
| 157AC9C2 | 1 |
| 93EFDB05 | 1 |
| F1C7F468 | 1 |
| EDA6A07D | 1 |
| D31B19A7 | 1 |
| CEDE0A6A | 1 |
| 21F2E543 | 1 |
| 0DB8F772 | 1 |
| 1C4E5688 | 1 |
| 87E82667 | 1 |
| B49EF46A | 1 |
| 75A5C61D | 1 |
| C74FC407 | 1 |
| CC613775 | 1 |
| 1589B824 | 1 |
| 8C087B50 | 1 |
| 33A7A7E4 | 1 |
| D28BD95B | 1 |
| 4BF6408B | 1 |
| 19B467C2 | 1 |
| 6C511DC1 | 1 |
| A9188D11 | 1 |
| 3E259E70 | 1 |
| 9CF6DBDE | 1 |
| D41B99F0 | 1 |
| E76392F5 | 1 |
| 9FFD55EF | 1 |
| 24AFEC26 | 1 |
| CAD75A87 | 1 |
| 7E418ECE | 1 |
| 6A67DA4E | 1 |
| 97F71829 | 1 |
| CA5C9CE9 | 1 |
| 8BB58E64 | 1 |
| 9EF2DOC3 | 1 |

| | |
|----------|----------|
| 0DF97239 | 1 |
| 798D6093 | 1 |
| F9B7637E | 1 |
| 963966C4 | 1 |
| A228C245 | 1 |
| 8380D500 | 1 |
| B38628DD | 1 |
| 3CE42CBD | 1 |
| 0D3188B7 | 1 |
| 5C86AFA6 | 1 |
| | 1.97E+09 |
| 569095AC | 1 |
| 4A39460B | 1 |
| B6935CE1 | 1 |
| | 78744331 |
| 5CD85DCD | 1 |
| 0B03291C | 1 |
| 5EC14E66 | 1 |
| 613DBCF5 | 1 |
| AC8BB095 | 1 |
| 1393BD5D | 1 |
| EFFE1940 | 1 |
| D6BFB311 | 1 |
| BB9E8518 | 1 |
| 1A31B0A9 | 1 |
| 1C686DE0 | 1 |
| 87146CBO | 1 |
| 80DD3421 | 1 |
| 10106CD3 | 1 |
| DFDA4B8C | 1 |
| BD4AE6B7 | 1 |
| 8D22AEE2 | 1 |
| 044F57C4 | 1 |
| FB22BA83 | 1 |
| 90DF5ED6 | 1 |
| 904673D1 | 1 |
| 6FC04814 | 1 |
| 465D2898 | 1 |
| 461E428A | 1 |
| 7939F936 | 1 |
| F65E92A5 | 1 |
| B3C9976A | 1 |
| B3C7E17B | 1 |
| 5478B0E8 | 1 |
| 98C2107B | 1 |
| 39048BA4 | 1 |
| 2039BBF2 | 1 |

| | |
|----------|---------|
| DEB58D09 | 1 |
| 1B073971 | 1 |
| AF2E8CA8 | 1 |
| BB2D6509 | 1 |
| DC6D5F3B | 1 |
| 3513F202 | 1 |
| 105EBEDF | 1 |
| F316D5C5 | 1 |
| F7D903C0 | 1 |
| 1C481A0C | 1 |
| 2062B229 | 1 |
| E6D5B9B6 | 1 |
| 31A4B250 | 1 |
| C5F54CA5 | 1 |
| 85B288BD | 1 |
| 709F6796 | 1 |
| A9630035 | 1 |
| E46A54BB | 1 |
| EE8B5ADE | 1 |
| 531D20EC | 1 |
| C68D571F | 1 |
| 78F7836A | 1 |
| DEF2D185 | 1 |
| DEB365CB | 1 |
| 34979F15 | 1 |
| 018D7EA9 | 1 |
| E5581AAB | 1 |
| 61BEA352 | 1 |
| E2580EFD | 1 |
| 36CB58F1 | 1 |
| 4C02DD98 | 1 |
| EE263D97 | 1 |
| 19BA8EB1 | 1 |
| F96E4852 | 1 |
| B8794BD7 | 1 |
| | 8487622 |
| 600AA8D3 | 1 |
| DAF8C74B | 1 |
| AB8CC5E7 | 1 |
| 86FD5762 | 1 |
| 95E75860 | 1 |
| 58A4B3D5 | 1 |
| E241DB3A | 1 |
| B9AF3CB1 | 1 |
| AF42340F | 1 |
| D4488A74 | 1 |
| A07A94F4 | 1 |

| | |
|----------|----------|
| FA1FD6DF | 1 |
| 5649BFD3 | 1 |
| B2882CAC | 1 |
| 2F2E1E7D | 1 |
| BB4F3C9F | 1 |
| 8CD9A8A3 | 1 |
| 2D50EE26 | 1 |
| 7CEDD39D | 1 |
| 28F6F8CB | 1 |
| C37B0EFC | 1 |
| E120F8E8 | 1 |
| AFBA955B | 1 |
| 6734CE2B | 1 |
| A005370C | 1 |
| 0167F5C5 | 1 |
| 32735D0C | 1 |
| 9E99B672 | 1 |
| E8EE8BD1 | 1 |
| 8D94165E | 1 |
| 72A5925C | 1 |
| CCCFD783 | 1 |
| C72B7308 | 1 |
| 4EOF954D | 1 |
| 9B6A8E01 | 1 |
| 8BBFCD57 | 1 |
| B28E5F98 | 1 |
| 9DF1D00C | 1 |
| 4B82785D | 1 |
| 4F3F4941 | 1 |
| E71B4CA3 | 1 |
| A877B594 | 1 |
| 6EC03C70 | 1 |
| 2110DFF9 | 1 |
| 8C828E50 | 1 |
| 3C2F4123 | 1 |
| 2868BA78 | 1 |
| 620D5996 | 1 |
| 79EA1639 | 1 |
| 4697DF0E | 1 |
| 221C3B01 | 1 |
| 111EDBA7 | 1 |
| | 2.41E+90 |
| AA59FBF4 | 1 |
| 5CA75931 | 1 |
| 765EA0D9 | 1 |
| FD8E1673 | 1 |
| 7975ED69 | 1 |

| | |
|----------|----------|
| 207CE628 | 1 |
| DA86CD5B | 1 |
| 58E7D1C8 | 1 |
| BD0B2F46 | 1 |
| DA093115 | 1 |
| 2BE420F2 | 1 |
| 627FADFO | 1 |
| 4F68DACE | 1 |
| 593A10A6 | 1 |
| 5733D963 | 1 |
| 73D90653 | 1 |
| 0331F40D | 1 |
| 00F96F8D | 1 |
| BBB99144 | 1 |
| 934C4AB7 | 1 |
| | 18154769 |
| 9C600E4A | 1 |
| 0AA64DE8 | 1 |
| 2E6F77A4 | 1 |
| A0089D2E | 1 |
| 159D34CF | 1 |
| 8AFF0003 | 1 |
| 00F70FC0 | 1 |
| | 98502641 |
| 9B683A5D | 1 |
| 19DD619D | 1 |
| AF911802 | 1 |
| CFFBDCE8 | 1 |
| 0CF23722 | 1 |
| F2B1F220 | 1 |
| B8586AEE | 1 |
| | 50969178 |
| 2BE1BC44 | 1 |
| D6E4E664 | 1 |
| F863BAAA | 1 |
| C935A5B7 | 1 |
| E28E6298 | 1 |
| A37D124B | 1 |
| A3B97155 | 1 |
| D7F2A0D6 | 1 |
| 6D7908FD | 1 |
| 185C0C6B | 1 |
| 3021BD2D | 1 |
| FF7A6BDC | 1 |
| D4C513E1 | 1 |
| FAF96DC5 | 1 |
| 41CAF364 | 1 |

| | |
|----------|----------|
| 56A36DA8 | 1 |
| 4516AA0E | 1 |
| CC96EACE | 1 |
| 1BAA7DED | 1 |
| 45C4AC52 | 1 |
| DCEA9A90 | 1 |
| 452E9BFC | 1 |
| EBBF6A69 | 1 |
| F480884B | 1 |
| C7CC0A66 | 1 |
| BA84A4BD | 1 |
| 0891F023 | 1 |
| 17BB25AF | 1 |
| 910E13F2 | 1 |
| 480A5AE8 | 1 |
| 76F6FA2C | 1 |
| 50A5A3F0 | 1 |
| E91B691C | 1 |
| 1FB1E4EE | 1 |
| 14B17716 | 1 |
| 1E4B499E | 1 |
| D65DDA96 | 1 |
| E13FEDD4 | 1 |
| 7BAB374F | 1 |
| 055C57CC | 1 |
| EF43184E | 1 |
| F3A1DDB9 | 1 |
| A6251880 | 1 |
| F3613665 | 1 |
| 24B6CA0D | 1 |
| ECC25B25 | 1 |
| 3D1D02E7 | 1 |
| F590C398 | 1 |
| | 87660060 |
| FDD8DDD3 | 1 |
| B3743C03 | 1 |
| | 81749716 |
| B451B4E0 | 1 |
| 2AD2141F | 1 |
| 4973B57E | 1 |
| D50CF45F | 1 |
| 315C4C17 | 1 |
| A35B668A | 1 |
| D3AD1E62 | 1 |
| B386ADCA | 1 |
| 2B1DC2B4 | 1 |
| DA4B9990 | 1 |

| | |
|----------|----------|
| AEE365C6 | 1 |
| D37E656D | 1 |
| E2B4DB5F | 1 |
| 37FA6F5E | 1 |
| A3C83959 | 1 |
| 456EDDDB | 1 |
| F5EC77CD | 1 |
| F376E437 | 1 |
| 3CE6CC41 | 1 |
| | 30110085 |
| D48A4EE0 | 1 |
| 920F98D1 | 1 |
| 391CD75D | 1 |
| 570D146F | 1 |
| B5C37142 | 1 |
| 81DB53AF | 1 |
| DF9A138E | 1 |
| 02B5D68F | 1 |
| BF940FB6 | 1 |
| 9D540BB6 | 1 |
| 12B24BED | 1 |
| 3C87ECC8 | 1 |
| 8C3F2CC0 | 1 |
| FA1FEFA9 | 1 |
| FF6DCF0F | 1 |
| F9C0C4CC | 1 |
| A5FF5C4A | 1 |
| 69FD8115 | 1 |
| D8BEDCDC | 1 |
| 599FBC38 | 1 |
| C62301BA | 1 |
| B190A54E | 1 |
| 0E335727 | 1 |
| F5A75932 | 1 |
| B5AFA0C2 | 1 |
| 2E5D8EAB | 1 |
| A427FDB9 | 1 |
| ACFE636E | 1 |
| D502FA9C | 1 |
| 9AAF1E91 | 1 |
| 237908D4 | 1 |
| 9507690E | 1 |
| 2BB8F976 | 1 |
| EE66C826 | 1 |
| C673575C | 1 |
| B05AB6BD | 1 |
| AFE81834 | 1 |

| | |
|---------------------------------------|----------|
| B0542A1E | 1 |
| ACE6F5BF | 1 |
| 15E93E30 | 1 |
| 573F5B7A | 1 |
| E7833977 | 1 |
| FC832672 | 1 |
| E014C7BB | 1 |
| | 43215343 |
| 461CB46D | 1 |
| 50494B9D | 1 |
| 44AFFDAD | 1 |
| 7ABAABF87 | 1 |
| 70597B78 | 1 |
| F52921A6 | 1 |
| 652F6173 | 1 |
| 8CF32553 | 1 |
| D5D1913A | 1 |
| D78F1FBD | 1 |
| 9EC5B3F4 | 1 |
| | 91753399 |
| 02C7B57F | 1 |
| 7EDD18A7 | 1 |
| 9FCF1E71 | 1 |
| CEF2640F | 1 |
| FF157822 | 1 |
| 1E0E48BD | 1 |
| 4F3349A0 | 1 |
| B9A10448 | 1 |
| 67F15410 | 1 |
| 48EA6D15 | 1 |
| 059CBBA6 | 1 |
| F08310C2 | 1 |
| 486207F3 | 1 |
| 247E0D94 | 1 |
| | 5786100 |
| EB1E7B1B | 1 |
| 4F257C7A | 1 |
| 83F02EED | 1 |
| FEDC7EF3 | 1 |
| EAE5AC98 | 1 |
| BB7D716B | 1 |
| RtlSetUnicodeCallouts | 1 |
| ?FreeComLibrary@Com@Util@@YGJPB_W() | 1 |
| ?SendDataToDirServer@Network@Util@@Y | 1 |
| ?RealTimeStartReport@Report@Util@@YAI | 1 |
| ?RealTimeIncValue@Report@Util@@YAXKF | 1 |
| _SetHook@4 | 1 |

| | |
|---|---|
| ??_7range_error@std@@@6B@ | 1 |
| ?quiet_NaN@?\$numeric_limits@_N@std@ | 1 |
| ?clog@std@@@3V?\$basic_ostream@DU?\$ch | 1 |
| pfnUnmarshallRoutines | 1 |
| AttachWndProcA | 1 |
| DllFunctionCala | 1 |
| CTS | 1 |
| RARSetCallback | 1 |
| RARReadHeaderEx | 1 |
| ??0CDlgOnlineBuyForm@@QAE@HPBD000I | 1 |
| ??0CDlgCaveUserMemberInfo@@QAE@PAV | 1 |
| ?DoModal@CDlgOnlineBuyForm@@UAEHX | 1 |
| ?SetUserRegInfo@CDlgProductBugTab@@C | 1 |
| ??0CDlgProductBugTab@@QAE@PBD0PAV | 1 |
| ?DoModal@CDlgCaveUserMemberInfo@@I | 1 |
| ?DoModal@CDlgProductBugTab@@UAEHX | 1 |
| ??1CDlgInfoAgent@@UAE@XZ | 1 |
| ?DoModal@CDlgInfoAgent@@UAEHXZ | 1 |
| ??0CDlgInfoAgent@@QAE@PBD000HPAVC\ | 1 |
| @System@Classes@TDataModule@ReadSt | 1 |
| @System@Classes@TDataModule@DefineF | 1 |
| @System@Classes@TDataModule@DoDest | 1 |
| @System@Classes@TDataModule@DoCrea | 1 |
| @System@Classes@TDataModule@\$bdtr\$ | 1 |
| @System@Classes@TDataModule@BeforeE | 1 |
| @System@Classes@TDataModule@\$bctr\$q | 1 |
| @System@Classes@TDataModule@AfterCo | 1 |
| @System@Classes@TDataModule@\$bctr\$q | 1 |
| @Idepropsheet@TPropertySheets@FindPro | 1 |
| @Idepropsheet@TPropertySheets@Add\$qq | 1 |
| @Idepropsheet@TPropertySheetItem@SetP | 1 |
| @\$xp\$28Idepropsheet@TPropertySheets | 1 |
| @\$xp\$40Baseenvirondialog@TBaseEnviror | 1 |
| @Addinenvoptions@TAddInOptions@SaveC | 1 |
| @Envoptions@TEnvironmentOptions@Unre | 1 |
| @Envoptions@TEnvironmentOptions@Regis | 1 |
| @Platforms@TPlatformManager@Unregister | 1 |
| @Platforms@TPlatformManager@Unregister | 1 |
| @Platforms@TPlatformManager@RegisterE | 1 |
| @Platforms@TPlatformManager@GetPlatfc | 1 |
| @Platforms@PlatformManager\$qqrv | 1 |
| @Cppliboptions@TCppLibraryOptions@ | 1 |
| @Cppaddinoptions@TCppAddInEnvironmen | 1 |
| @Cppaddinoptions@TCppAddInEnvironmen | 1 |
| @Cppaddinoptions@TCppAddInEnvironmen | 1 |
| @\$xp\$43Cppaddinoptions@TCppAddInEnvir | 1 |

| | |
|--|---|
| @Cppaddinoptions@TCppAddInEnvironmen | 1 |
| @Cppcomintf@BCCIInstance | 1 |
| KeDeregisterBugCheckReasonCallback | 1 |
| NdisImmediateReadPciSlotInformation | 1 |
| NdisCmRegisterAddressFamily | 1 |
| NdisCoSendPackets | 1 |
| NdisGetFirstBufferFromPacketSafe | 1 |
| __objc_class_name_Object | 1 |
| __objc_exec_class | 1 |
| objc_get_class | 1 |
| objc_msg_lookup | 1 |
| VerifyFileEx | 1 |
| GetD32Date | 1 |
| smlLibMemset | 1 |
| smlLibMemcpy | 1 |
| smlLibFree | 1 |
| smlLibMallocDbg | 1 |
| smlString2Pcdata | 1 |
| ?Insert@CTXStringW@@QAEHH_W@Z | 1 |
| ?GetAllocLength@CTXStringW@@QBEHXZ | 1 |
| ?TrimRight@CTXStringW@@QAEAAV1@PB_ | 1 |
| ?SubscribeOnConnect@CDiskCore@NetDisk | 1 |
| ?GetSingletonPtr@CDiskCore@NetDisk@@@` | 1 |
| ?OnUICommand@CDiskCore@NetDisk@@@C | 1 |
| ?SubscribeOnDiskNotify@CDiskCore@NetDi | 1 |
| ??_7CTask@NetDisk@@@6B@ | 1 |
| ?Add@CCopyCommand@IPC@NetDisk@@@I | 1 |
| ??0CCopyCommand@IPC@NetDisk@@QAE | 1 |
| ??0CMoveCommand@IPC@NetDisk@@QAI | 1 |
| ?Serialize@CMoveCommand@IPC@NetDisk | 1 |
| ?Serialize@CMoveCommand@IPC@NetDisk | 1 |
| ?CheckValid@CMoveCommand@IPC@NetD | 1 |
| ??1CMoveCommand@IPC@NetDisk@@UAI | 1 |
| ?Add@CMoveCommand@IPC@NetDisk@@@ | 1 |
| ??0CMoveCommand@IPC@NetDisk@@QAI | 1 |
| ??0CDeleteCommand@IPC@NetDisk@@QA | 1 |
| ?Serialize@CDeleteCommand@IPC@NetDis | 1 |
| ?CheckValid@CCreateCommand@IPC@Netl | 1 |
| ?CheckValid@CDeleteCommand@IPC@Netl | 1 |
| ??1CDeleteCommand@IPC@NetDisk@@UA | 1 |
| ?Add@CDeleteCommand@IPC@NetDisk@@@C | 1 |
| ??0CDeleteCommand@IPC@NetDisk@@QA | 1 |
| ??0COpenCommand@IPC@NetDisk@@QAF | 1 |
| ?Serialize@COpenCommand@IPC@NetDisk | 1 |
| ?Serialize@COpenCommand@IPC@NetDisk | 1 |
| ??0CRenameCommand@IPC@NetDisk@@@C | 1 |
| ?Serialize@CRenameCommand@IPC@NetD | 1 |

| | |
|---------------------------------------|---|
| ?Serialize@CRenameCommand@IPC@NetD | 1 |
| ?CheckValid@CRenameCommand@IPC@Ne | 1 |
| ??1CRenameCommand@IPC@NetDisk@@L | 1 |
| ?SetPsw@CVerifyPswCommand@IPC@NetE | 1 |
| ??0CVerifyPswCommand@IPC@NetDisk@@ | 1 |
| ?Serialize@CVerifyPswCommand@IPC@Net | 1 |
| ?Serialize@CVerifyPswCommand@IPC@Net | 1 |
| ??0CCancelCommand@IPC@NetDisk@@QA | 1 |
| ?Serialize@CCancelCommand@IPC@NetDis | 1 |
| ?Serialize@CCancelCommand@IPC@NetDis | 1 |
| ??1CCopyCommand@IPC@NetDisk@@UAE | 1 |
| ?Serialize@CConfigCommand@IPC@NetDis | 1 |
| ?Serialize@CConfigCommand@IPC@NetDis | 1 |
| ??0CNotifyCommand@IPC@NetDisk@@QA | 1 |
| ?CreateUpload@CTaskCreateCommand@IP | 1 |
| ??0CTaskCreateCommand@IPC@NetDisk@I | 1 |
| ?Serialize@CTaskCommand@IPC@NetDisk@ | 1 |
| ?Serialize@CTaskCommand@IPC@NetDisk@ | 1 |
| ?CheckValid@CTaskCommand@IPC@NetDis | 1 |
| ??1CTaskCreateCommand@IPC@NetDisk@I | 1 |
| ?CreateDownload@CTaskCreateCommand@ | 1 |
| ?Pause@CTaskOpCommand@IPC@NetDisk@ | 1 |
| ??0CTaskOpCommand@IPC@NetDisk@@Q_ | 1 |
| ??1CTaskOpCommand@IPC@NetDisk@@U_ | 1 |
| ?Resume@CTaskOpCommand@IPC@NetDis | 1 |
| ?Delete@CTaskOpCommand@IPC@NetDisk | 1 |
| ??0CTaskDetail@IPC@NetDisk@@QAE@_K | 1 |
| ??0CTaskListCommand@IPC@NetDisk@@Q | 1 |
| ?IsCompleted@State@CCopyCommand@IP | 1 |
| ?IsCompleted@State@CMoveCommand@IF | 1 |
| ?IsCompleted@State@CDeleteCommand@I | 1 |
| ?GetNextTask@IPC@NetDisk@@YAPAUtagI | 1 |
| ?GetNextTransferDetail@IPC@NetDisk@@Y | 1 |
| ?IsFolder@IPC@NetDisk@@YAHPAUtagFile | 1 |
| ?GetNextFileInfo@IPC@NetDisk@@YAPAUt | 1 |
| ?IsTransferring@IPC@NetDisk@@YAHPAUta | 1 |
| ??0ConfigData@IPC@NetDisk@@QAE@XZ | 1 |
| ?CheckValid@CCopyCommand@IPC@NetDi | 1 |
| ?Serialize@CCopyCommand@IPC@NetDisk@ | 1 |
| ?Serialize@CCopyCommand@IPC@NetDisk@ | 1 |
| ?Serialize@CCreateCommand@IPC@NetDis | 1 |
| ??0CCopyCommand@IPC@NetDisk@@QAE | 1 |
| ?Serialize@CCreateCommand@IPC@NetDis | 1 |
| ??0CCreateCommand@IPC@NetDisk@@QA | 1 |
| ?Serialize@CUserCommand@IPC@NetDisk@ | 1 |
| ?Serialize@CDeleteCommand@IPC@NetDis | 1 |
| ?Serialize@CUserCommand@IPC@NetDisk@ | 1 |

| | |
|--|---|
| ??0UserCommand@IPC@NetDisk@@QAE | 1 |
| ?Serialize@CReportCommand@IPC@NetDis | 1 |
| ?Serialize@CReportCommand@IPC@NetDis | 1 |
| ??0CReportCommand@IPC@NetDisk@@QA | 1 |
| ??0CConfigCommand@IPC@NetDisk@@QA | 1 |
| GetTextureMode | 1 |
| ??5?\$basic_istream@_WU?\$char_traits@_V | 1 |
| PR_GetSpecialFD | 1 |
| PR_ErrorToName | 1 |
| PR_fprintf | 1 |
| glsCaptureFlags | 1 |
| glsCommandFunc | 1 |
| ExecuteUpdate | 1 |
| SkinRemove | 1 |
| SkinStart | 1 |
| ?WriteDiscContentToDisk@@YA?AW4HDCC | 1 |
| ?AttachChild@Window@@QAE_NHAAV1@ | 1 |
| ?g_DefaultDialogFont@Dialog@@0VFont@I | 1 |
| ?Run@Application@@AAEHPAUHINSTANCE | 1 |
| ?EnableWindow@Window@@QAE_N_N0@ | 1 |
| ?DestroyWindow@Window@@QAE_NXZ | 1 |
| ?GetWindow@Window@@SAPAV1@PAUH` | 1 |
| ?GetFrameWindow@Module@@SAPAVWin | 1 |
| ??0WaitCursor@@QAE@XZ | 1 |
| ??1WaitCursor@@QAE@XZ | 1 |
| ?MessageBoxW@Window@@QBEHAVStri | 1 |
| ??0PropertyPage@@QAE@IIIIPAVModuleB@ | 1 |
| ??0EnhListViewCtrl@@QAE@XZ | 1 |
| ??0GCPopupMenu@@QAE@XZ | 1 |
| ??1EnhListViewCtrl@@UAE@XZ | 1 |
| ?SetItemSize@EnhListViewCtrl@@QAEXVSiz | 1 |
| ?SetItemSpacing@EnhListViewCtrl@@QAEX | 1 |
| ?SetSelectionBorders@EnhListViewCtrl@@C | 1 |
| ?SetViewMode@EnhListViewCtrl@@QAEXW | 1 |
| ?EnableAutoSort@EnhListViewCtrl@@QAEX | 1 |
| ?GetItemRect@ListViewCtrl@@QBE_NHAAI | 1 |
| ?TrackPopupMenu@Menu@@QAE_NIHHPA | 1 |
| ?DestroyMenu@Menu@@QAE_NXZ | 1 |
| ?CreatePopupMenu@Menu@@QAE_NXZ | 1 |
| ?InsertMenuW@OwnerDrawMenu@@QAE | 1 |
| ?AttachBitmap@OwnerDrawMenu@@QAE | 1 |
| ??0ListViewItem@@QAE@AAVEnhListView | 1 |
| ?SetImage@ListViewItem@@QAEXPBVIBitn | 1 |
| ??1ListViewItem@@UAE@XZ | 1 |
| ?Compare@ListViewItem@@UBEHABV1@C | 1 |
| ?ComputeDrawParams@ListViewItem@@U | 1 |
| ?Draw@ListViewItem@@UBEXPAPAUHDC__@ | 1 |

| | |
|---|---|
| ?DrawImage@ListViewItem@@UBEXAAVDC | 1 |
| ?DrawTextW@ListViewItem@@UBEXAAVD | 1 |
| ?InsertItem@EnhListViewCtrl@@QAEHHIPA | 1 |
| ??1OwnerDrawMenu@@UAE@XZ | 1 |
| ??1ListViewCtrl@@UAE@XZ | 1 |
| ?SetItemState@ListViewCtrl@@QAE_NHII@ | 1 |
| ?ModifyExtendedStyle@Window@@QAEXII | 1 |
| ?GetItemData@ListViewCtrl@@QBEJH@Z | 1 |
| ?SelectItem@ListViewCtrl@@QAE_NH_N00 | 1 |
| ??0ListViewCtrl@@QAE@XZ | 1 |
| ?InsertItem@ListViewCtrl@@QAEHHIPBGHI | 1 |
| ?GetColumnCount@ListViewCtrl@@QBEHX | 1 |
| ?InsertColumn@ListViewCtrl@@QAEHHIAB | 1 |
| ?SubclassChild@Window@@QAE_NHAAV1(| 1 |
| ?FindItemData@ComboBox@@QBEHJH@Z | 1 |
| ?SetCurSel@ComboBox@@QAEHH_N@Z | 1 |
| ??0ComboBox@@QAE@XZ | 1 |
| ?InsertItem@ComboBox@@QAEHHIPBGHH | 1 |
| ?OnNotifyApply@PropertyPage@@MAEJPA | 1 |
| ?Create@RichEditCtrl@@QAE_NIIABUttagRE | 1 |
| ?InitPropertyPage@PropertyPage@@MAE_ | 1 |
| ?SetDefaultFont@RichEditCtrl@@QAE_NAB | 1 |
| ?NotifyProc@PropertyPage@@MAEJIJAAUI | 1 |
| ??0Button@@QAE@XZ | 1 |
| ?CanUpdate@PropertyPage@@MBE_NXZ | 1 |
| ?OnOK@PropertyPage@@MAE_NXZ | 1 |
| ?OnCancel@PropertyPage@@MAEXXZ | 1 |
| ?OnNotifyQueryCancel@PropertyPage@@N | 1 |
| ?OnNotifySetActive@PropertyPage@@MAE | 1 |
| ?OnNotifyKillActive@PropertyPage@@MAE | 1 |
| ?GetText@RichEditCtrl@@QBEHAAVString@ | 1 |
| ??0SelectFolderDialog@@QAE@XZ | 1 |
| ?DoModal@SelectFolderDialog@@QAE?AV! | 1 |
| ??1SelectFolderDialog@@UAE@XZ | 1 |
| ?SetText@RichEditCtrl@@QAEHABVString@ | 1 |
| ??1PropertyPage@@UAE@XZ | 1 |
| ??0GCPROPERTYSheet@@QAE@IPAVWindow | 1 |
| ??1GCPROPERTYSheet@@UAE@XZ | 1 |
| ?Subclass@GCPROPERTYSheet@@UAEX_N@; | 1 |
| ?GetToolTipText@Window@@UBE?AVString@ | 1 |
| ?WndProc@GCPROPERTYSheet@@MAEJIJAA | 1 |
| ?RunModeless@GCPROPERTYSheet@@UAE_I | 1 |
| ?GlobalEnableToolTips@Window@@SAXI_N | 1 |
| ?OnPreCreate@GCPROPERTYSheet@@UAEXX | 1 |
| ?OnRecalc@GCPROPERTYSheet@@MAEJIJ@Z | 1 |
| ?InitializePageArray@GCPROPERTYSheet@@I | 1 |
| ?AddPage@GCPROPERTYSheet@@QAEXAAVI | 1 |

| | |
|---|---|
| ?DoModal@GCPROPERTYSheet@@UAEHZ | 1 |
| ?CenterWindow@Window@@QAEPAV1@ | 1 |
| ?OnInitialized@GCPROPERTYSheet@@UAEXX | 1 |
| ??1ProgressCtrl@@UAE@XZ | 1 |
| ?SetTimer@Window@@QAEIII_N@Z | 1 |
| ??0ProgressCtrl@@QAE@XZ | 1 |
| ?OnOK@Dialog@@MAE_NXZ | 1 |
| ?OnInitDialog@Dialog@@MAE_NPAUHWNI | 1 |
| ?WndProc@Dialog@@MAEJIIJAUMsgProc | 1 |
| ?GetToolTipText@Dialog@@MBE?AVString(| 1 |
| ?ReplaceSibling@Dialog@@UAE_NAAVWin | 1 |
| ?Subclass@Dialog@@UAEX_N@Z | 1 |
| ?OnCancel@Dialog@@MAEXXZ | 1 |
| ??0Dialog@@QAE@IPAVVWindow@@PAVM | 1 |
| ?CommandProc@Dialog@@MAEJIIJAUMs{ | 1 |
| ?Create@Dialog@@UAE_NIPAVVWindow@C | 1 |
| ?DoModal@Dialog@@UAEHZ | 1 |
| ?ShowModeless@Dialog@@UAE_NXZ | 1 |
| ?UpdateDialogControls@Dialog@@MAE_N) | 1 |
| ?SaveDialogData@Dialog@@MAE_NXZ | 1 |
| ??0Application@@QAE@III@Z | 1 |
| GetAssetGroupManager | 1 |
| ??0AMCDocHeader@@QAE@W4AMCDocT, | 1 |
| ?AddRef@AssetRefProxy@@QAEXXZ | 1 |
| ?Release@AssetRefProxy@@QAEXXZ | 1 |
| ?WriteHeader@AMCDocHeader@@QBEXA/ | 1 |
| ??1AMCDocHeader@@UAE@XZ | 1 |
| ?ReadHeader@AMCDocHeader@@QAEXAA | 1 |
| ??0AMCDocHeader@@QAE@XZ | 1 |
| ApplyLicenseToDocBase | 1 |
| UninitializeDocBase | 1 |
| ??0MemoryBlock@@QAE@H@Z | 1 |
| ?GetApplicationDataDirectory@File@@SA?/ | 1 |
| ?IsValid@FileFinder@@QBE_NXZ | 1 |
| ?GetFilePath@FileFinder@@QBE?AVString(| 1 |
| ?Next@FileFinder@@QAE_NXZ | 1 |
| ?Read@BasicFileStream@@QAEKAAV?\$bas | 1 |
| ??0BasicFileStream@@QAE@XZ | 1 |
| ?Write@BasicFileStream@@QAEKABV?\$bas | 1 |
| ?Extension2FileFormat@XPDib@@SA?AW4I | 1 |
| ?Split@String@@QBE?AV?\$list@VString@C | 1 |
| ?ReadObject@RegistryKey@@QBEJABVStrir | 1 |
| ??4GCUnknown@@QAEAAV0@ABV0@@Z | 1 |
| ?WriteObject@RegistryKey@@QAEJABVStri | 1 |
| ?FormatMessageW@String@@QAAXPAVM(| 1 |
| ?GetShortPath@File@@SA?AVString@@AB | 1 |
| ?GetString@RegistryKey@@QBEJABVString(| 1 |

| | |
|--|---|
| ??6OutputStream@@QAEAAV0@H@Z | 1 |
| ??6OutputStream@@QAEAAV0@I@Z | 1 |
| ?FileFormat2Extension@XPDib@@SA?AVStr | 1 |
| ??0CRCInputStream@@QAE@AAVInputStre | 1 |
| ??0CryptingInputStream@@QAE@AAVInpu | 1 |
| ??0FileInputStream@@QAE@ABVString@@ | 1 |
| ?Read@FileInputStream@@UAEXPADH@Z | 1 |
| ?Open@BasicFileStream@@UAEXABVString | 1 |
| ?Close@BasicFileStream@@UAEXXZ | 1 |
| ?SetPosition@BasicFileStream@@UAE_J_JV | 1 |
| ?Read@BufferedFileStream@@UAEKPAHK@ | 1 |
| ?Write@BufferedFileStream@@UAEKPBXK@ | 1 |
| ?Flush@BufferedFileStream@@UAEXXZ | 1 |
| ?GetFileExtension@File@@SA?AVString@@ | 1 |
| ?Right@String@@QBE?AV1@I@Z | 1 |
| ?GetCanonicalPath@File@@SA?AVString@() | 1 |
| ??0FileOutputStream@@QAE@ABVString@ | 1 |
| ??0CRCOutputStream@@QAE@AAVOutput | 1 |
| ??0CryptingOutputStream@@QAE@AAVOu | 1 |
| ??1OutputStream@@UAE@XZ | 1 |
| ??6OutputStream@@QAEAAV0@ABV?\$bas | 1 |
| ??1FileOutputStream@@UAE@XZ | 1 |
| ??1CryptingOutputStream@@UAE@XZ | 1 |
| ??1BufferedFileStream@@MAE@XZ | 1 |
| ??1StreamBase@@UAE@XZ | 1 |
| ?IsRegistering@CommandLine@@UBE_NXZ | 1 |
| ?IsUnregistering@CommandLine@@UBE_N | 1 |
| ?BeginParse@CommandLine@@UAEXXZ | 1 |
| ?EndParse@CommandLine@@UAEXXZ | 1 |
| ?ParseNonOption@CommandLine@@MAEX | 1 |
| ?LowerCase@String@@QBE?AV1@XZ | 1 |
| ??6OutputStream@@QAEAAV0 @_N@Z | 1 |
| ??0String@@QAE@PBG@Z | 1 |
| ?ParseOption@CommandLine@@MAEXABV | 1 |
| ??4CommandLine@@QAEAAV0@ABV0@@` | 1 |
| ??0GDIBitmap@@QAE@XZ | 1 |
| ?CreateBitmap@GDIBitmap@@UAE_NABVS | 1 |
| ?ExtClearSurface@GDIBitmap@@QAE_NK@ | 1 |
| ?GetInteger@RegistryKey@@QBEJABVStrin | 1 |
| ?Height@Rect@@QBEHXZ | 1 |
| ?SetInteger@RegistryKey@@QAEJABVString | 1 |
| ?DeleteValue@RegistryKey@@QAEJABVStri | 1 |
| ??0Point@@QAE@XZ | 1 |
| ??BPoint@@QAEPAUtagPOINT@@XZ | 1 |
| ?LoadBitmapW@ModuleBase@@QBE?AVGI | 1 |
| ??0DC@@QAE@PAUHDC__@@PAUICmpl | 1 |
| ?GetHandle@GDIBitmap@@QAEPAUHBITV | 1 |

| | |
|---------------------------------------|---|
| ?SelectObject@DC@@QAEPAUHBITMAP__(| 1 |
| ??0Rect@@QAE@ABUtagPOINT@@ABUtag | 1 |
| ??BDC@@QBEPAPUHDC__@@XZ | 1 |
| ?Draw@GDIBitmap@@UBE_NPAUHDC__@ | 1 |
| ??1DC@@UAE@XZ | 1 |
| ??4GDIBitmap@@QAEABV0@ABV0@@Z | 1 |
| ?GetSupportedFileFormats@XPDib@@SAXA | 1 |
| ??BRect@@QAEPAUtagRECT@@XZ | 1 |
| ?Width@Rect@@QBEHXZ | 1 |
| ?IsPathAbsolute@File@@SA_NABVString@I | 1 |
| ?Left@String@@QBE?AV1@I@Z | 1 |
| ??0FileFinder@@QAE@ABVString@@_N@Z | 1 |
| ?IsDriveRoot@File@@SA_NABVString@@@ | 1 |
| ?IsDirectory@FileData@@QBE_NXZ | 1 |
| ??1FileFinder@@QAE@XZ | 1 |
| ??0Rect@@QAE@XZ | 1 |
| ??0Font@@QAE@PAUHFONT__@@@Z | 1 |
| ?GetLogFont@Font@@QBEHAAUtagLOGFO | 1 |
| ?Detach@Font@@QAEXXZ | 1 |
| ?CreateFontIndirectW@Font@@QAE_NAAL | 1 |
| ?RegisterObject@ModuleBase@@SAJPAUIL | 1 |
| ?GetLanguage@ModuleBase@@SAGXZ | 1 |
| ?RevokeObject@ModuleBase@@SAJABVStr | 1 |
| ?GetSystem@SysInfo@@YA?AW4System@1 | 1 |
| ?LoadStringW@ModuleBase@@QBE?AVStri | 1 |
| ?ParseCommandLine@ApplicationBase@@I | 1 |
| ?GetDocPath@CommandLine@@QBEABVSt | 1 |
| ??0XPDib@@QAE@XZ | 1 |
| ?CreateBitmap@XPDib@@UAE_NABVSize@ | 1 |
| ?-_DXPDib@@QAEXXZ | 1 |
| ?LoadPicture@ModuleBase@@QBE?AVXPD | 1 |
| ?LoadPictureAsBmp@ModuleBase@@QBE? | 1 |
| ??0BasicFileStream@@QAE@ABVString@@ | 1 |
| ??1BasicFileStream@@UAE@XZ | 1 |
| ?GetTempFilePath@File@@SA?AVString@C | 1 |
| ?SetFilename@GCLogFile@@QAE_NPBG@Z | 1 |
| ?DeleteFileW@File@@SAXABVString@@@: | 1 |
| ?GetSystemInfo@SysInfo@@YAXAAU_SYSTI | 1 |
| ?GetOSName@SysInfo@@YA?AVString@@` | 1 |
| ?GetModuleVersion@ModuleBase@@SAXA | 1 |
| ?GetEnvironmentVariableW@SysInfo@@YA | 1 |
| ?GetDirectXVersion@SysInfo@@YAKXZ | 1 |
| ?DeleteSubkey@RegistryKey@@QAEIABVSt | 1 |
| ?GetSubkeyNames@RegistryKey@@QBEJA/ | 1 |
| ?OpenSubkey@RegistryKey@@QAE?AV1@I | 1 |
| ?DeleteAllValues@RegistryKey@@QAEXXZ | 1 |
| ?GetDirectory@ModuleBase@@QBE?AVStri | 1 |

| | |
|--|---|
| ?SetString@RegistryKey@@QAEJABVString(| 1 |
| ?FromFormatMessage@String@@SA?AV1@ | 1 |
| ??4RegistryKey@@QAEABV0@ABV0@@Z | 1 |
| ?FromFormat@String@@SA?AV1@PBGZZ | 1 |
| ?SetSubkey@RegistryKey@@QAEJABVString | 1 |
| ?GetBasename@File@@SA?AVString@@AE | 1 |
| ?Format@String@@QAAA AV1@PBGZZ | 1 |
| ?SetLanguage@ModuleBase@@SAXGPAVIL | 1 |
| ?LoadStringW@String@@QAEXIHPAVMod | 1 |
| ??4Font@@QAEABV0@ABV0@@Z | 1 |
| ??5InputStream@@QAEAAV0@AAV?\$basic_ | 1 |
| ?CreateDirectoryW@File@@SA_NABVString | 1 |
| ?GetTempDirectory@File@@SA?AVString@ | 1 |
| ?Replace@String@@QAEAAV1@ABV?\$basic_ | 1 |
| ?ReadObjectInternal@RegistryKey@@IBEPA | 1 |
| ?DeleteMultipleValues@RegistryKey@@QA | 1 |
| ?SetBoolean@RegistryKey@@QAEJABVStrir | 1 |
| ?GetBoolean@RegistryKey@@QBEJABVStrir | 1 |
| ?GetInteger@RegistryKey@@QBEJABVStrin | 1 |
| ?Run@ConsoleApplication@@AAEHPAUHIN | 1 |
| ?CompareNoCase@String@@QBEHABV?\$b: | 1 |
| ??1CRCOutputStream@@UAE@XZ | 1 |
| ?GetDimension@GDIBitmap@@UBE?AVSize | 1 |
| ?SetGlobalDisplayName@ModuleBase@@S. | 1 |
| ?MakePath@File@@SA?AVString@@ABV2(| 1 |
| ?FromLatin1@String@@SA?AV1@PBDI@Z | 1 |
| ?GetFileNameW@File@@SA?AVString@@@AB | 1 |
| ?GetDirname@File@@SA?AVString@@ABV | 1 |
| ?FileExists@File@@SA_NABVString@@@Z | 1 |
| ?CutExtension@File@@SA?AVString@@ABV | 1 |
| ?GetPath@ModuleBase@@QBE?AVString@ | 1 |
| ?SwitchExtension@File@@SA?AVString@@ | 1 |
| ?ApplyLicense@AMCLicenseInfo@@QAEAXA | 1 |
| ?InitAVInfoValidity@AMCLicenseInfo@@SA | 1 |
| ?CanRecordDocType@DocTypeRecordingInf | 1 |
| ?GetUnsupportedCapabilities@DocTypeRec | 1 |
| ?GetAllowedMediaTypes@DocTypeRecordir | 1 |
| ?GetLimitationGlobal@AMCLicenseInfo@@I | 1 |
| ?GetLimitation@AMCLicenseInfo@@QBEHV | 1 |
| ?Write@AMCLicenseInfo@@UBEXAAVSerial | 1 |
| ?Read@AMCLicenseInfo@@UAEXAAVSerial | 1 |
| ?SetRecordingParamDefaults@DocTypeRecc | 1 |
| ?GetAllDocTypes@DocTypeRecordingInfo@ | 1 |
| ?Version@AMCLicenseInfo@@UBEFXZ | 1 |
| ?g_AMCDOM@@3PBVIAMCDOM@@B | 1 |
| ?AMCDOM_Initialize@@YAX_NPBVString@ | 1 |
| ?DoModal@NeroFileDialog@@QAEHXZ | 1 |

| | |
|--|---|
| ??0NeroSaveFileDialog@@QAE@IPAVWindow@@ | 1 |
| ?OnCancel@NeroFileDialog@@MAGJPAUINode@@ | 1 |
| ??1MessageDlg@@UAE@XZ | 1 |
| ?g_LastViewMode@NeroFileDialog@@0IA | 1 |
| ??0AMCRichEditCtrl@@QAE@XZ | 1 |
| ??1AMCRichEditCtrl@@UAE@XZ | 1 |
| ?NotifyAllowBlack-thumbnails@AssetWindow@@ | 1 |
| GetUIBaseModule | 1 |
| ??0NeroOpenFileDialog@@QAE@IPAVWindow@@ | 1 |
| ?DoModal@MessageDlg@@UAEHXZ | 1 |
| ??0MessageDlg@@QAE@PAVWindow@@F | 1 |
| ?ValidateAssets@FileAssetValidator@@QAE@ | 1 |
| ??0MessageDlg@@QAE@PAVWindow@@F | 1 |
| ?OnOK@NeroFileDialog@@MAGJPAUINFDF | 1 |
| ??0\$_String_val@GV?\$allocator@G@std@ | 1 |
| ??0\$basic_string@GU?\$char_traits@G@st | 1 |
| MpScanOpen | 1 |
| MpRegisterEventNotification | 1 |
| MpScanCancel | 1 |
| MpScan | 1 |
| MpScanThreatEnum | 1 |
| MpScanThreatOpen | 1 |
| MpScanHistoryEnum | 1 |
| MpScanHistoryOpen | 1 |
| MpConfigUnregisterNotifications | 1 |
| MpConfigRegisterForNotifications | 1 |
| MpElevationHandleClose | 1 |
| MpElevationHandleAttach | 1 |
| MpCleanThreats | 1 |
| MpCleanSetAction | 1 |
| MpCleanPreCheck | 1 |
| MpFormatVErrorMessage | 1 |
| MpClose | 1 |
| MpOpen | 1 |
| MpAllocMemory | 1 |
| MpConfigSetValue | 1 |
| MpUnregisterEventNotification | 1 |
| MpScanClose | 1 |
| MpScanThreatClose | 1 |
| MpScanHistoryClose | 1 |
| MpCleanClose | 1 |
| MpQuarantineClose | 1 |
| MpQuarantineQuery | 1 |
| MpQuarantineEnum | 1 |
| MpQuarantineOpen | 1 |
| MpGetThreatLocalizedInfo | 1 |
| MpGetThreatStaticInfo | 1 |

| | |
|--|---|
| MpSignaturesUpdateClose | 1 |
| MpSignaturesUpdateCancel | 1 |
| MpDownloadAndUpdateSignaturesEx | 1 |
| MpScanCreateReport | 1 |
| GetMsMpResModuleHandle | 1 |
| MpGetRealtimeManager | 1 |
| MpShutdownRealtimeMonitoring | 1 |
| MpInitializeRealtimeMonitoring | 1 |
| MpConstructCDetections | 1 |
| MpConstructOnDemandDetection | 1 |
| LsalWriteAuditEvent | 1 |
| osl_getProcessLocale | 1 |
| osl_getTextEncodingFromLocale | 1 |
| xmlSecMSCryptoAppliedKeysMngrPubKeyLo | 1 |
| xmlSecMSCryptoAppInit | 1 |
| xmlSecMSCryptoAppliedKeysMngrAdoptUnt | 1 |
| xmlSecMSCryptoAppliedKeysMngrAdoptTru | 1 |
| xmlSecMSCryptoAppliedKeysMngrAdoptKey | 1 |
| xmlSecMSCryptoAppliedKeysMngrPriKeyLoa | 1 |
| xmlSecMSCryptoAppliedKeysMngrSymKeyLc | 1 |
| xmlSecMSCryptoAppliedKeysMngrCreate | 1 |
| xmlSecMSCryptoShutdown | 1 |
| xmlSecMSCryptoInit | 1 |
| xmlSecMSCryptoAppShutdown | 1 |
| xmlSecKeysMngrDestroy | 1 |
| xmlSecBnSetData | 1 |
| xmlSecBnToDecString | 1 |
| xmlSecBase64Decode | 1 |
| xmlSecBnFromDecString | 1 |
| xmlSecBnFinalize | 1 |
| xmlSecBnGetSize | 1 |
| xmlSecBnGetData | 1 |
| xmlSecShutdown | 1 |
| xmlSecInit | 1 |
| xmlSecEncCtxDestroy | 1 |
| xmlSecEncCtxXmlEncrypt | 1 |
| xmlSecEncCtxCreate | 1 |
| xmlSecDSigCtxVerify | 1 |
| xmlSecDSigCtxCreate | 1 |
| xmlSecDSigCtxSign | 1 |
| xmlSecDSigCtxDestroy | 1 |
| xmlSecBnInitialize | 1 |
| xmlSecErrorsSetCallback | 1 |
| xmlSecIOCleanupCallbacks | 1 |
| xmlSecIORegisterCallbacks | 1 |
| xmlSecIORegisterDefaultCallbacks | 1 |
| xmlSecEncCtxDecrypt | 1 |

| | |
|---|---|
| xmlNewInputStream | 1 |
| xmlSAXVersion | 1 |
| xmlHasProp | 1 |
| xmlRemoveID | 1 |
| @Sysutils@GetEnvironmentVariable\$qqrx17 | 1 |
| picture_pool_Get | 1 |
| vout_AreDisplayPicturesInvalid | 1 |
| vout_DeleteDisplay | 1 |
| vout_FilterDisplay | 1 |
| vout_IsDisplayFiltered | 1 |
| vout_ManageDisplay | 1 |
| vout_NewDisplay | 1 |
| vout_SetDisplayAspect | 1 |
| vout_SetDisplayCrop | 1 |
| vout_SetDisplayFilled | 1 |
| vout_SetDisplayFullscreen | 1 |
| vout_SetDisplayZoom | 1 |
| vout_SetWindowState | 1 |
| CheckPerUserCrossProcessThrottle | 1 |
| UpdatePerUserLastCrossProcessCollectionTi | 1 |
| _ZN10QTcpSocketC1EP7QObject | 1 |
| ?tcnvc_Renovate@@@YAHJ@Z | 1 |
| ?g_strXmlConfigFileFullPath@@@3VCString@ | 1 |
| _tcvdec_Init_HW@0 | 1 |
| ??1TCXmlBuffer@@@QAE@XZ | 1 |
| ?TCTranslImgCtrlDragEnd@TCFrameGuiDlg@ | 1 |
| ?Routine@TCFTPC_GET@@EAEIXZ | 1 |
| ?TCClearHostFI@@YAXAAV?\$CArray@PAUT | 1 |
| ?tcnvsoc_RegisterMsgLoop@@YAHIP6GXAA | 1 |
| ??0TCVPBBackupHandle@@QAE@PAVCWn | 1 |
| ?TCSetProgressBarPos@@YAXHH@Z | 1 |
| GetDIIChildForm | 1 |
| FreeDLL | 1 |
| InitDLL | 1 |
| WriteBlobFloat | 1 |
| WriteBlobLong | 1 |
| ??0CMsg@@@QAE@XZ | 1 |
| StartSer | 1 |
| SetDlg | 1 |
| VF | 1 |
| CredUIPromptForWindowsCredentialsW | 1 |
| _invalid_parameter_noinfo_noreturn | 1 |
| ?ReadSmsInfo@CBaseApp@@QAE_NV?\$CS | 1 |
| ?GetCount@CMessages@@QBEHZ | 1 |
| ?ReadSmsFromDB@CBaseApp@@QAEXPVA | 1 |
| ?SetRead@CBaseApp@@QAEXAAVCSmsIt ei | 1 |
| ??1CSmsItem@@QAE@XZ | 1 |

| | |
|--|---|
| ??OCsmsItem@@QAE@XZ | 1 |
| ?DXOverArray@@YGXPAXPMSAMPLE@C | 1 |
| ?DXLinearInterpolateArray@@YGXPBVDXBA | 1 |
| ?DXConstUnderArray@@YGXPAXPMSAM | 1 |
| ?DXConstOverArray@@YGXPAXPMSAMP | 1 |
| ?destroyPathData@PathLibRoot@PathLib@ | 1 |
| RSS_GotoURL | 1 |
| ??0tSoundSystem@@QAE@XZ | 1 |
| ?GetCState@LuaObject@LuaPlus@@QBEPA | 1 |
| IoValidateDeviceControlAccess | 1 |
| PsGetContextThread | 1 |
| FsRtlIsPagingFile | 1 |
| _apr_filename_of_pathname@4 | 1 |
| real_exit_code | 1 |
| Mix_LoadMUS | 1 |
| procCallEngine | 1 |
| NdrVaryingArrayFree | 1 |
| AutoexecCheck | 1 |
| RegStringCheck | 1 |
| Diagnostic | 1 |
| NotifyNewProcess | 1 |
| killPID | 1 |
| killFile | 1 |
| canEnumProcess | 1 |
| _DTX_DBFindErr@4 | 1 |
| LoadInfoViewLib | 1 |
| ??0BitcoinMiner@Coin@@QAE@XZ | 1 |
| ?endsWith@StringUtil@Ogre@@SA_NABV? | 1 |
| ?startsWith@StringUtil@Ogre@@SA_NABV | 1 |
| ?trim@StringUtil@Ogre@@SAXAAV?\$basic_ | 1 |
| ??1ItemIdentityException@Ogre@@UAE@Y | 1 |
| ??0ItemIdentityException@Ogre@@QAE@Y | 1 |
| ??1?\$AllocatedObject@V?\$CategorisedAlloc | 1 |
| ??1AxisAlignedBox@Ogre@@QAE@XZ | 1 |
| ??1MovableObject@Ogre@@UAE@XZ | 1 |
| ??1Renderable@Ogre@@UAE@XZ | 1 |
| ??0AxisAlignedBox@Ogre@@QAE@ABV01@ | 1 |
| ??0MovableObject@Ogre@@QAE@ABV01@ | 1 |
| ??0Renderable@Ogre@@QAE@ABV01@@; | 1 |
| ?getCastShadows@MovableObject@Ogre@ | 1 |
| ?getEdgeList@MovableObject@Ogre@@UA | 1 |
| ?hasEdgeList@MovableObject@Ogre@@UA | 1 |
| ?getWorldBoundingBox@MovableObject@C | 1 |
| ?getLightCapBounds@MovableObject@Ogre | 1 |
| ?getDarkCapBounds@MovableObject@Ogre | 1 |
| ?getShadowVolumeRenderableIterator@Mc | 1 |
| ?getPointExtrusionDistance@MovableObjec | 1 |

| | |
|---|---|
| ?updateEdgeListLightFacing@ShadowCaster | 1 |
| ?generateShadowVolume@ShadowCaster@ | 1 |
| ?extrudeBounds@ShadowCaster@Ogre@@ | 1 |
| ?_notifyCreator@MovableObject@Ogre@@ | 1 |
| ?_getCreator@MovableObject@Ogre@@UE | 1 |
| ?_notifyManager@MovableObject@Ogre@I | 1 |
| ?_getManager@MovableObject@Ogre@@@L | 1 |
| ?getName@MovableObject@Ogre@@UBE@ | 1 |
| ?getParentNode@MovableObject@Ogre@C | 1 |
| ?getParentSceneNode@MovableObject@Og | 1 |
| ?isParentTagPoint@MovableObject@Ogre@ | 1 |
| ?_notifyAttached@MovableObject@Ogre@I | 1 |
| ?isAttached@MovableObject@Ogre@@UBE | 1 |
| ?detachFromParent@MovableObject@Ogre | 1 |
| ?isInScene@MovableObject@Ogre@@UBE_ | 1 |
| ?_notifyMoved@MovableObject@Ogre@@@ | 1 |
| ?getWorldBoundingSphere@MovableObject | 1 |
| ?setVisible@MovableObject@Ogre@@UAE | 1 |
| ?getVisible@MovableObject@Ogre@@UBE | 1 |
| ?isVisible@MovableObject@Ogre@@UBE_I | 1 |
| ?setRenderingDistance@MovableObject@O | 1 |
| ?getRenderingDistance@MovableObject@O | 1 |
| ?setUserAny@MovableObject@Ogre@@UA | 1 |
| ?getUserAny@MovableObject@Ogre@@UE | 1 |
| ?setRenderQueueGroup@MovableObject@I | 1 |
| ?setRenderQueueGroupAndPriority@Mova | 1 |
| ?getRenderQueueGroup@MovableObject@ | 1 |
| ?_getparentNodeFullTransform@MovableO | 1 |
| ?setQueryFlags@MovableObject@Ogre@@ | 1 |
| ?addQueryFlags@MovableObject@Ogre@@@ | 1 |
| ?removeQueryFlags@MovableObject@Ogre | 1 |
| ?getQueryFlags@MovableObject@Ogre@@@ | 1 |
| ?setVisibilityFlags@MovableObject@Ogre@ | 1 |
| ?addVisibilityFlags@MovableObject@Ogre@ | 1 |
| ?removeVisibilityFlags@MovableObject@Og | 1 |
| ?getVisibilityFlags@MovableObject@Ogre@ | 1 |
| ?setListener@MovableObject@Ogre@@UA | 1 |
| ?getListener@MovableObject@Ogre@@UB | 1 |
| ?queryLights@MovableObject@Ogre@@@UB | 1 |
| ?getLightMask@MovableObject@Ogre@@@L | 1 |
| ?setLightMask@MovableObject@Ogre@@@L | 1 |
| ?_getLightList@MovableObject@Ogre@@@U | 1 |
| ?setDebugDisplayEnabled@MovableObject@ | 1 |
| ?isDebugDisplayEnabled@MovableObject@I | 1 |
| ?getTechnique@Renderable@Ogre@@UBE@ | 1 |
| ?preRender@Renderable@Ogre@@@UAE_NI | 1 |
| ?postRender@Renderable@Ogre@@@UAEXF | 1 |

| | |
|---|---|
| ?getNumWorldTransforms@Renderable@O | 1 |
| ?getCastShadows@Renderable@Ogre@@l | 1 |
| ?setPolygonModeOverrideable@Renderable | 1 |
| ?getPolygonModeOverrideable@Renderable | 1 |
| ?setUserAny@Renderable@Ogre@@UAEXA | 1 |
| ?getUserAny@Renderable@Ogre@@UBEAE | 1 |
| ?getRenderSystemData@Renderable@Ogre | 1 |
| ?setRenderSystemData@Renderable@Ogre | 1 |
| ?getAnimableDictionaryName@AnimableObj | 1 |
| ?initialiseAnimableDictionary@AnimableObj | 1 |
| ?createAnimableValue@AnimableObject@C | 1 |
| ??1SceneManager@Ogre@@UAE@XZ | 1 |
| ??0SceneManager@Ogre@@QAE@ABV01@ | 1 |
| ?initRenderQueue@SceneManager@Ogre@ | 1 |
| ?deriveShadowCasterPass@SceneManager@ | 1 |
| ?deriveShadowReceiverPass@SceneManager | 1 |
| ?validatePassForRendering@SceneManager | 1 |
| ?validateRenderableForRendering@SceneM | 1 |
| ?createSkyboxPlane@SceneManager@Ogre | 1 |
| ?createSkydomePlane@SceneManager@Og | 1 |
| ?useRenderableViewProjMode@SceneManag | 1 |
| ?resetViewProjMode@SceneManager@Ogr | 1 |
| ?firePreRenderQueues@SceneManager@Og | 1 |
| ?firePostRenderQueues@SceneManager@C | 1 |
| ?fireRenderQueueStarted@SceneManager@ | 1 |
| ?fireRenderQueueEnded@SceneManager@I | 1 |
| ?fireRenderSingleObject@SceneManager@C | 1 |
| ?fireShadowTexturesUpdated@SceneManag | 1 |
| ?fireShadowTexturesPreCaster@SceneMana | 1 |
| ?fireShadowTexturesPreReceiver@SceneMa | 1 |
| ?firePreFindVisibleObjects@SceneManager@ | 1 |
| ?firePostFindVisibleObjects@SceneManager | 1 |
| ?fireSceneManagerDestroyed@SceneManag | 1 |
| ?setViewport@SceneManager@Ogre@@M | 1 |
| ?renderVisibleObjectsDefaultSequence@Sce | 1 |
| ?renderVisibleObjectsCustomSequence@Sce | 1 |
| ?prepareRenderQueue@SceneManager@Og | 1 |
| ?renderSingleObject@SceneManager@Ogre | 1 |
| ?createAutoParamDataSource@SceneManag | 1 |
| ?findLightsAffectingFrustum@SceneManage | 1 |
| ?initShadowVolumeMaterials@SceneManag | 1 |
| ?ensureShadowTexturesCreated@SceneMar | 1 |
| ?destroyShadowTextures@SceneManager@ | 1 |
| ?prepareShadowTextures@SceneManager@ | 1 |
| ?_pauseRendering@SceneManager@Ogre@ | 1 |
| ?_resumeRendering@SceneManager@Ogre | 1 |
| ?renderShadowVolumesToStencil@SceneM | 1 |

| | |
|---|---|
| ?setShadowVolumeStencilState@SceneMan | 1 |
| ?findShadowCastersForLight@SceneManage | 1 |
| ?renderBasicQueueGroupObjects@SceneM@ | 1 |
| ?renderAdditiveStencilShadowedQueueGro | 1 |
| ?renderModulativeStencilShadowedQueueG | 1 |
| ?renderTextureShadowCasterQueueGroupO | 1 |
| ?renderTextureShadowReceiverQueueGroup | 1 |
| ?renderModulativeTextureShadowedQueueG | 1 |
| ?renderAdditiveTextureShadowedQueueGrc | 1 |
| ?renderObjects@SceneManager@Ogre@@@I | 1 |
| ?renderTransparentShadowCasterObjects@! | 1 |
| ?updateRenderQueueSplitOptions@SceneM | 1 |
| ?updateRenderQueueGroupSplitOptions@Sc | 1 |
| ?buildAndSetScissor@SceneManager@Ogre | 1 |
| ?buildScissor@SceneManager@Ogre@@@M/ | 1 |
| ?resetScissor@SceneManager@Ogre@@@M/ | 1 |
| ?buildAndSetLightClip@SceneManager@Og | 1 |
| ?buildLightClip@SceneManager@Ogre@@@N | 1 |
| ?resetLightClip@SceneManager@Ogre@@@N | 1 |
| ?checkCachedLightClippingInfo@SceneMan | 1 |
| ?useLights@SceneManager@Ogre@@@MAE) | 1 |
| ?setViewMatrix@SceneManager@Ogre@@@ | 1 |
| ?useLightsGpuProgram@SceneManager@O | 1 |
| ?bindGpuProgram@SceneManager@Ogre@ | 1 |
| ?updateGpuProgramParameters@SceneMa | 1 |
| ?getCamera@SceneManager@Ogre@@@UBE | 1 |
| ?hasCamera@SceneManager@Ogre@@@UBI | 1 |
| ?destroyCamera@SceneManager@Ogre@@@ | 1 |
| ?destroyCamera@SceneManager@Ogre@@@ | 1 |
| ?destroyAllCameras@SceneManager@Ogre | 1 |
| ?createLight@SceneManager@Ogre@@@UAI | 1 |
| ?createLight@SceneManager@Ogre@@@UAI | 1 |
| ?getLight@SceneManager@Ogre@@@UBEPA | 1 |
| ?hasLight@SceneManager@Ogre@@@UBE_N | 1 |
| ?getLightClippingPlanes@SceneManager@C | 1 |
| ?getLightScissorRect@SceneManager@Ogre | 1 |
| ?destroyLight@SceneManager@Ogre@@@U/ | 1 |
| ?destroyLight@SceneManager@Ogre@@@U/ | 1 |
| ?destroyAllLights@SceneManager@Ogre@@(| 1 |
| ?_notifyLightsDirty@SceneManager@Ogre@ | 1 |
| ?_getLightsAffectingFrustum@SceneManage | 1 |
| ?_populateLightList@SceneManager@Ogre(| 1 |
| ?_populateLightList@SceneManager@Ogre(| 1 |
| ?createSceneNode@SceneManager@Ogre@ | 1 |
| ?createSceneNode@SceneManager@Ogre@ | 1 |
| ?destroySceneNode@SceneManager@Ogre | 1 |
| ?getRootSceneNode@SceneManager@Ogre | 1 |

| | |
|--|---|
| ?getSceneNode@SceneManager@Ogre@@ | 1 |
| ?hasSceneNode@SceneManager@Ogre@@ | 1 |
| ?createEntity@SceneManager@Ogre@@UA | 1 |
| ?getEntity@SceneManager@Ogre@@UBEP, | 1 |
| ?hasEntity@SceneManager@Ogre@@UBE_ | 1 |
| ?destroyEntity@SceneManager@Ogre@@U | 1 |
| ?destroyEntity@SceneManager@Ogre@@U | 1 |
| ?destroyAllEntities@SceneManager@Ogre@ | 1 |
| ?createManualObject@SceneManager@Ogr | 1 |
| ?createManualObject@SceneManager@Ogr | 1 |
| ?getManualObject@SceneManager@Ogre@ | 1 |
| ?hasManualObject@SceneManager@Ogre@ | 1 |
| ?destroyManualObject@SceneManager@Og | 1 |
| ?destroyManualObject@SceneManager@Og | 1 |
| ?destroyAllManualObjects@SceneManager@ | 1 |
| ?createBillboardChain@SceneManager@Og | 1 |
| ?createBillboardChain@SceneManager@Og | 1 |
| ?getBillboardChain@SceneManager@Ogre@ | 1 |
| ?hasBillboardChain@SceneManager@Ogre@ | 1 |
| ?destroyBillboardChain@SceneManager@O | 1 |
| ?destroyBillboardChain@SceneManager@O | 1 |
| ?destroyAllBillboardChains@SceneManager@ | 1 |
| ?createRibbonTrail@SceneManager@Ogre@ | 1 |
| ?createRibbonTrail@SceneManager@Ogre@ | 1 |
| ?getRibbonTrail@SceneManager@Ogre@@ | 1 |
| ?hasRibbonTrail@SceneManager@Ogre@@ | 1 |
| ?destroyRibbonTrail@SceneManager@Ogre | 1 |
| ?destroyRibbonTrail@SceneManager@Ogre | 1 |
| ?destroyAllRibbonTrails@SceneManager@C | 1 |
| ?createParticleSystem@SceneManager@Og | 1 |
| ?createParticleSystem@SceneManager@Og | 1 |
| ?createParticleSystem@SceneManager@Og | 1 |
| ?getParticleSystem@SceneManager@Ogre@ | 1 |
| ?hasParticleSystem@SceneManager@Ogre@ | 1 |
| ?destroyParticleSystem@SceneManager@O | 1 |
| ?destroyParticleSystem@SceneManager@O | 1 |
| ?destroyAllParticleSystems@SceneManager@ | 1 |
| ?prepareWorldGeometry@SceneManager@ | 1 |
| ?prepareWorldGeometry@SceneManager@ | 1 |
| ?setWorldGeometry@SceneManager@Ogre | 1 |
| ?setWorldGeometry@SceneManager@Ogre | 1 |
| ?estimateWorldGeometry@SceneManager@ | 1 |
| ?estimateWorldGeometry@SceneManager@ | 1 |
| ?getSuggestedViewpoint@SceneManager@ | 1 |

| | |
|---|---|
| ?hasOption@SceneManager@Ogre@@UBE | 1 |
| ?_applySceneAnimations@SceneManager@ | 1 |
| ?_renderVisibleObjects@SceneManager@O | 1 |
| ?_renderScene@SceneManager@Ogre@@@l | 1 |
| ?_queueSkiesForRendering@SceneManager | 1 |
| ?_setDestinationRenderSystem@SceneManager | 1 |
| ?setSkyPlane@SceneManager@Ogre@@@UA | 1 |
| ?_setSkyPlane@SceneManager@Ogre@@@U | 1 |
| ?isSkyPlaneEnabled@SceneManager@Ogre@ | 1 |
| ?getSkyPlaneNode@SceneManager@Ogre@ | 1 |
| ?getSkyPlaneGenParameters@SceneManager | 1 |
| ?setSkyBox@SceneManager@Ogre@@@UAE | 1 |
| ?_setSkyBox@SceneManager@Ogre@@@UAI | 1 |
| ?isSkyBoxEnabled@SceneManager@Ogre@ | 1 |
| ?getSkyBoxNode@SceneManager@Ogre@@C | 1 |
| ?getSkyBoxGenParameters@SceneManager | 1 |
| ?setSkyDome@SceneManager@Ogre@@@U/ | 1 |
| ?_setSkyDome@SceneManager@Ogre@@@L | 1 |
| ?isSkyDomeEnabled@SceneManager@Ogre | 1 |
| ?getSkyDomeNode@SceneManager@Ogre@C | 1 |
| ?getSkyDomeGenParameters@SceneManag | 1 |
| ?getFogMode@SceneManager@Ogre@@@UI | 1 |
| ?getFogColour@SceneManager@Ogre@@@U | 1 |
| ?getFogStart@SceneManager@Ogre@@@UB | 1 |
| ?getFogEnd@SceneManager@Ogre@@@UBE | 1 |
| ?getFogDensity@SceneManager@Ogre@@@I | 1 |
| ?createBillboardSet@SceneManager@Ogre | 1 |
| ?createBillboardSet@SceneManager@Ogre | 1 |
| ?getBillboardSet@SceneManager@Ogre@@@ | 1 |
| ?hasBillboardSet@SceneManager@Ogre@C | 1 |
| ?destroyBillboardSet@SceneManager@Ogre | 1 |
| ?destroyBillboardSet@SceneManager@Ogre | 1 |
| ?destroyAllBillboardSets@SceneManager@C | 1 |
| ?setDisplaySceneNodes@SceneManager@O | 1 |
| ?getDisplaySceneNodes@SceneManager@C | 1 |
| ?createAnimation@SceneManager@Ogre@ | 1 |
| ?getAnimation@SceneManager@Ogre@@@L | 1 |
| ?hasAnimation@SceneManager@Ogre@@@l | 1 |
| ?destroyAnimation@SceneManager@Ogre@C | 1 |
| ?destroyAllAnimations@SceneManager@Og | 1 |
| ?createAnimationState@SceneManager@Og | 1 |
| ?getAnimationState@SceneManager@Ogre | 1 |
| ?hasAnimationState@SceneManager@Ogre | 1 |
| ?destroyAnimationState@SceneManager@C | 1 |
| ?destroyAllAnimationStates@SceneManager | 1 |
| ?manualRender@SceneManager@Ogre@@@ | 1 |
| ?manualRender@SceneManager@Ogre@@@ | 1 |

| | |
|---|---|
| ?getRenderQueue@SceneManager@Ogre@ | 1 |
| ?addRenderQueueListener@SceneManager@ | 1 |
| ?removeRenderQueueListener@SceneManager@ | 1 |
| ?addRenderObjectListener@SceneManager@ | 1 |
| ?removeRenderObjectListener@SceneManager@ | 1 |
| ?addSpecialCaseRenderQueue@SceneManager@ | 1 |
| ?removeSpecialCaseRenderQueue@SceneManager@ | 1 |
| ?clearSpecialCaseRenderQueues@SceneManager@ | 1 |
| ?setSpecialCaseRenderQueueMode@SceneManager@ | 1 |
| ?getSpecialCaseRenderQueueMode@SceneManager@ | 1 |
| ?isRenderQueueToBeProcessed@SceneManager@ | 1 |
| ?setWorldGeometryRenderQueue@SceneManager@ | 1 |
| ?getWorldGeometryRenderQueue@SceneManager@ | 1 |
| ?showBoundingBoxes@SceneManager@Ogre@ | 1 |
| ?getShowBoundingBoxes@SceneManager@ | 1 |
| ?_notifyAutotrackingSceneNode@SceneManager@ | 1 |
| ?destroyQuery@SceneManager@Ogre@@@LightingSystem@ | 1 |
| ?setShadowTechnique@SceneManager@Ogre@ | 1 |
| ?getShadowTechnique@SceneManager@Ogre@ | 1 |
| ?setShowDebugShadows@SceneManager@ | 1 |
| ?getShowDebugShadows@SceneManager@ | 1 |
| ?setShadowColour@SceneManager@Ogre@ | 1 |
| ?getShadowColour@SceneManager@Ogre@ | 1 |
| ?setShadowDirectionalLightExtrusionDistance@SceneManager@ | 1 |
| ?getShadowDirectionalLightExtrusionDistance@SceneManager@ | 1 |
| ?setShadowFarDistance@SceneManager@CullingSystem@ | 1 |
| ?getShadowFarDistance@SceneManager@CullingSystem@ | 1 |
| ?getShadowFarDistanceSquared@SceneManager@ | 1 |
| ?setShadowIndexBufferSize@SceneManager@ | 1 |
| ?getShadowIndexBufferSize@SceneManager@ | 1 |
| ?setShadowTextureSize@SceneManager@Ogre@ | 1 |
| ?setShadowTextureConfig@SceneManager@ | 1 |
| ?setShadowTextureConfig@SceneManager@ | 1 |
| ?setShadowTexturePixelFormat@SceneManager@ | 1 |
| ?setShadowTextureCount@SceneManager@ | 1 |
| ?setShadowTextureSettings@SceneManager@ | 1 |
| ?getShadowTexture@SceneManager@Ogre@ | 1 |
| ?setShadowDirLightTextureOffset@SceneManager@ | 1 |
| ?getShadowDirLightTextureOffset@SceneManager@ | 1 |
| ?setShadowTextureFadeStart@SceneManager@ | 1 |
| ?setShadowTextureFadeEnd@SceneManager@ | 1 |
| ?setShadowTextureSelfShadow@SceneManager@ | 1 |
| ?getShadowTextureSelfShadow@SceneManager@ | 1 |
| ?setShadowTextureCasterMaterial@SceneManager@ | 1 |
| ?setShadowTextureReceiverMaterial@SceneManager@ | 1 |
| ?setShadowCasterRenderBackFaces@SceneNode@ | 1 |
| ?getShadowCasterRenderBackFaces@SceneNode@ | 1 |

| | |
|--|---|
| ?setShadowCameraSetup@SceneManager@ | 1 |
| ?getShadowCameraSetup@SceneManager@ | 1 |
| ?setShadowUseInfiniteFarPlane@SceneMan | 1 |
| ?isShadowTechniqueStencilBased@SceneM: | 1 |
| ?isShadowTechniqueTextureBased@SceneM: | 1 |
| ?isShadowTechniqueModulative@SceneMa | 1 |
| ?isShadowTechniqueAdditive@SceneManag | 1 |
| ?isShadowTechniqueIntegrated@SceneMan | 1 |
| ?isShadowTechniqueInUse@SceneManager(| 1 |
| ?setShadowUseLightClipPlanes@SceneMana | 1 |
| ?getShadowUseLightClipPlanes@SceneMan: | 1 |
| ?_ setActiveCompositorChain@SceneManager | 1 |
| ?setLateMaterialResolving@SceneManager(| 1 |
| ?isLateMaterialResolving@SceneManager@ | 1 |
| ?_getActiveCompositorChain@SceneManager | 1 |
| ?addListener@SceneManager@Ogre@@UA | 1 |
| ?removeListener@SceneManager@Ogre@@C | 1 |
| ?createStaticGeometry@SceneManager@Og | 1 |
| ?getStaticGeometry@SceneManager@Ogre | 1 |
| ?hasStaticGeometry@SceneManager@Ogre | 1 |
| ?destroyStaticGeometry@SceneManager@C | 1 |
| ?destroyStaticGeometry@SceneManager@C | 1 |
| ?destroyAllStaticGeometry@SceneManager | 1 |
| ?createInstancedGeometry@SceneManager | 1 |
| ?getInstancedGeometry@SceneManager@C | 1 |
| ?destroyInstancedGeometry@SceneManage | 1 |
| ?destroyInstancedGeometry@SceneManage | 1 |
| ?destroyAllInstancedGeometry@SceneManage | 1 |
| ?createMovableObject@SceneManager@Og | 1 |
| ?createMovableObject@SceneManager@Og | 1 |
| ?destroyMovableObject@SceneManager@C | 1 |
| ?destroyMovableObject@SceneManager@C | 1 |
| ?destroyAllMovableObjectsByType@SceneN | 1 |
| ?destroyAllMovableObjects@SceneManager | 1 |
| ?getMovableObject@SceneManager@Ogre(| 1 |
| ?hasMovableObject@SceneManager@Ogre(| 1 |
| ?getMovableObjectIterator@SceneManager | 1 |
| ?injectMovableObject@SceneManager@Ogi | 1 |
| ?extractMovableObject@SceneManager@O | 1 |
| ?extractMovableObject@SceneManager@O | 1 |
| ?extractAllMovableObjectsByType@SceneM | 1 |
| ?setVisibilityMask@SceneManager@Ogre@ | 1 |
| ?getVisibilityMask@SceneManager@Ogre@ | 1 |
| ?setFindVisibleObjects@SceneManager@Og | 1 |
| ?getFindVisibleObjects@SceneManager@Og | 1 |
| ?setNormaliseNormalsOnScale@SceneMana | 1 |
| ?getNormaliseNormalsOnScale@SceneMana | 1 |

| | |
|--|---|
| ?setFlipCullingOnNegativeScale@SceneMan | 1 |
| ?getFlipCullingOnNegativeScale@SceneMan | 1 |
| ?_injectRenderWithPass@SceneManager@C | 1 |
| ?_suppressRenderStateChanges@SceneManager | 1 |
| ?_areRenderStateChangesSuppressed@Scen | 1 |
| ?_setPass@SceneManager@Ogre@@@UAEP! | 1 |
| ?_suppressShadows@SceneManager@Ogre | 1 |
| ?_areShadowsSuppressed@SceneManager@ | 1 |
| ?_renderQueueGroupObjects@SceneManager | 1 |
| ?getSingleton@LogManager@Ogre@@@SAA/ | 1 |
| ?getCameraRelativeRendering@SceneManager | 1 |
| ??4AxisAlignedBox@Ogre@@@QAEAAV01@A | 1 |
| ??4MovableObject@Ogre@@@QAEAAV01@A | 1 |
| ??4Renderable@Ogre@@@QAEAAV01@ABV\ | 1 |
| ??4SceneManager@Ogre@@@QAEAAV01@A | 1 |
| ??1?\$AllocatedObject@V?\$CategorisedAlloc | 1 |
| ??1SceneNode@Ogre@@@UAE@XZ | 1 |
| ??0SceneNode@Ogre@@@QAE@ABV01@A@Z | 1 |
| ?setParent@SceneNode@Ogre@@@MAEXPA | 1 |
| ?_updateFromParent@Node@Ogre@@@MBI | 1 |
| ?updateFromParentImpl@SceneNode@Ogre | 1 |
| ?createChildImpl@SceneNode@Ogre@@@M. | 1 |
| ?createChildImpl@SceneNode@Ogre@@@M. | 1 |
| ?getParent@Node@Ogre@@@UBEPAV12@X | 1 |
| ?getOrientation@Node@Ogre@@@UBEABVC | 1 |
| ?setOrientation@Node@Ogre@@@UAEXMM | 1 |
| ?setOrientation@Node@Ogre@@@UAEXABV | 1 |
| ?resetOrientation@Node@Ogre@@@UAEXXZ | 1 |
| ?setPosition@Node@Ogre@@@UAEXMMM@C | 1 |
| ?setPosition@Node@Ogre@@@UAEXABVVec | 1 |
| ?getPosition@Node@Ogre@@@UBEABVVect | 1 |
| ?setScale@Node@Ogre@@@UAEXMM@Z | 1 |
| ?setScale@Node@Ogre@@@UAEXABVVector | 1 |
| ?getScale@Node@Ogre@@@UBEABVVector3 | 1 |
| ?setInheritOrientation@Node@Ogre@@@UA | 1 |
| ?getInheritOrientation@Node@Ogre@@@UB | 1 |
| ?setInheritScale@Node@Ogre@@@UAEX_N(C | 1 |
| ?getInheritScale@Node@Ogre@@@UBE_NXZ | 1 |
| ?scale@Node@Ogre@@@UAEXMMM@Z | 1 |
| ?scale@Node@Ogre@@@UAEXABVVector3@ | 1 |
| ?translate@Node@Ogre@@@UAEXABVMatri | 1 |
| ?translate@Node@Ogre@@@UAEXABVMatri | 1 |
| ?translate@Node@Ogre@@@UAEXMMMW4 | 1 |
| ?translate@Node@Ogre@@@UAEXABVVector | 1 |
| ?roll@Node@Ogre@@@UAEXABVRadian@2(| 1 |
| ?pitch@Node@Ogre@@@UAEXABVRadian@: | 1 |
| ?yaw@SceneNode@Ogre@@@UAEXABVRadi | 1 |

| | |
|---|---|
| ?rotate@Node@Ogre@@UAEXABVQuatern | 1 |
| ?rotate@Node@Ogre@@UAEXABVVector3i | 1 |
| ?getLocalAxes@Node@Ogre@@UBE?AVMa | 1 |
| ?createChild@Node@Ogre@@UAEPAV12@ | 1 |
| ?createChild@Node@Ogre@@UAEPAV12@ | 1 |
| ?addChild@Node@Ogre@@UAEXPBV12@C | 1 |
| ?numChildren@Node@Ogre@@UBEGXZ | 1 |
| ?getChild@Node@Ogre@@UBEPAV12@AB | 1 |
| ?getChild@Node@Ogre@@UBEPAV12@G@ | 1 |
| ?get ChildIterator@Node@Ogre@@UBE?AV | 1 |
| ?get ChildIterator@Node@Ogre@@UAE?AV | 1 |
| ?_setDerivedPosition@Node@Ogre@@UAE | 1 |
| ?_setDerivedOrientation@Node@Ogre@@I | 1 |
| ?_getDerivedOrientation@Node@Ogre@@I | 1 |
| ?_getDerivedPosition@Node@Ogre@@UBE | 1 |
| ?_getDerivedScale@Node@Ogre@@UBEAB | 1 |
| ?_getFullTransform@Node@Ogre@@UBEAB | 1 |
| ?_update@SceneNode@Ogre@@UAEX_NO | 1 |
| ?setListener@Node@Ogre@@UAEXPBVList | 1 |
| ?getListener@Node@Ogre@@UBEPAVListe | 1 |
| ?setInitialState@Node@Ogre@@UAEXXXZ | 1 |
| ?resetToInitialState@Node@Ogre@@UAEX | 1 |
| ?getInitialPosition@Node@Ogre@@UBEAB' | 1 |
| ?convertWorldToLocalPosition@Node@Ogr | 1 |
| ?convertLocalToWorldPosition@Node@Ogr | 1 |
| ?convertWorldToLocalOrientation@Node@() | 1 |
| ?convertLocalToWorldOrientation@Node@() | 1 |
| ?getInitialOrientation@Node@Ogre@@UBE | 1 |
| ?getInitialScale@Node@Ogre@@UBEABVV | 1 |
| ?getSquaredViewDepth@Node@Ogre@@U | 1 |
| ?needUpdate@Node@Ogre@@UAEX_N@Z | 1 |
| ?requestUpdate@Node@Ogre@@UAEXPBV | 1 |
| ?cancelUpdate@Node@Ogre@@UAEXPBV1 | 1 |
| ?getDebugRenderable@Node@Ogre@@UA | 1 |
| ?setUserAny@Node@Ogre@@UAEXPBVAn | 1 |
| ?getUserAny@Node@Ogre@@UBEABVAny | 1 |
| ?setInSceneGraph@SceneNode@Ogre@@N | 1 |
| ?attachObject@SceneNode@Ogre@@UAEX | 1 |
| ?numAttachedObjects@SceneNode@Ogre@ | 1 |
| ?getAttachedObject@SceneNode@Ogre@@ | 1 |
| ?getAttachedObject@SceneNode@Ogre@@ | 1 |
| ?detachObject@SceneNode@Ogre@@UAEF | 1 |
| ?detachAllObjects@SceneNode@Ogre@@U | 1 |
| ?isInSceneGraph@SceneNode@Ogre@@UB | 1 |
| ?_notifyRootNode@SceneNode@Ogre@@L | 1 |

| | |
|--|---|
| ?_findVisibleObjects@SceneNode@Ogre@@C | 1 |
| ?_getWorldAABB@SceneNode@Ogre@@UI | 1 |
| ?getAttachedObjectIterator@SceneNode@C | 1 |
| ?getAttachedObjectIterator@SceneNode@C | 1 |
| ?removeAndDestroyChild@SceneNode@Og | 1 |
| ?removeAndDestroyChild@SceneNode@Og | 1 |
| ?removeAndDestroyAllChildren@SceneNod | 1 |
| ?showBoundingBox@SceneNode@Ogre@@@ | 1 |
| ?hideBoundingBox@SceneNode@Ogre@@@l | 1 |
| ?_addBoundingBoxToQueue@SceneNode@ | 1 |
| ?getShowBoundingBox@SceneNode@Ogre(| 1 |
| ?createChildSceneNode@SceneNode@Ogre | 1 |
| ?createChildSceneNode@SceneNode@Ogre | 1 |
| ?findLights@SceneNode@Ogre@@UBEXAA' | 1 |
| ?setFixedYawAxis@SceneNode@Ogre@@@U. | 1 |
| ?setDirection@SceneNode@Ogre@@@UAEXI | 1 |
| ?setDirection@SceneNode@Ogre@@@UAEXI | 1 |
| ?lookAt@SceneNode@Ogre@@@UAEXABVV | 1 |
| ?setAutoTracking@SceneNode@Ogre@@@U, | 1 |
| ?getAutoTrackTarget@SceneNode@Ogre@() | 1 |
| ?getAutoTrackOffset@SceneNode@Ogre@() | 1 |
| ?getAutoTrackLocalDirection@SceneNode@ | 1 |
| ?setVisible@SceneNode@Ogre@@@UAEX_N! | 1 |
| ?flipVisibility@SceneNode@Ogre@@@UAEX_ | 1 |
| ?setDebugDisplayEnabled@SceneNode@Og | 1 |
| ?getDebugRenderable@SceneNode@Ogre@ | 1 |
| ??4SceneNode@Ogre@@@QAEAAV01@ABVC | 1 |
| ?getSize@AxisAlignedBox@Ogre@@@QBE?A' | 1 |
| ?getHalfSize@AxisAlignedBox@Ogre@@@QB | 1 |
| ?midPoint@Vector3@Ogre@@@QBE?AV12@ | 1 |
| ?setupBoundingBox@WireBoundingBox@O | 1 |
| ??0WireBoundingBox@Ogre@@@QAE@XZ | 1 |
| ?getMovableType@SimpleRenderable@Ogr | 1 |
| ?_notifyCurrentCamera@SimpleRenderable | 1 |
| ?getBoundingBox@SimpleRenderable@Ogr | 1 |
| ?getBoundingRadius@WireBoundingBox@C | 1 |
| ?_updateRenderQueue@SimpleRenderable | 1 |
| ?getTypeFlags@MovableObject@Ogre@@@L | 1 |
| ?visitRenderables@SimpleRenderable@Ogr | 1 |
| ?setRenderOperation@SimpleRenderable@ | 1 |
| ?getMaterial@SimpleRenderable@Ogre@@ | 1 |
| ?getRenderOperation@SimpleRenderable@ | 1 |
| ?getWorldTransforms@WireBoundingBox@ | 1 |
| ?getSquaredViewDepth@WireBoundingBox | 1 |
| ?getLights@SimpleRenderable@Ogre@@@UE | 1 |
| ?_updateCustomGpuParameter@Renderabl | 1 |
| ??1WireBoundingBox@Ogre@@@UAE@XZ | 1 |

| | |
|--|---|
| ??1?\$AllocatedObject@V?\$CategorisedAlloc | 1 |
| ??0AxisAlignedBox@Ogre@@QAE@XZ | 1 |
| ??0Camera@Ogre@@QAE@ABV?\$basic_str | 1 |
| ?getName@Camera@Ogre@@UBEABV?\$ba | 1 |
| ?getMovableType@Camera@Ogre@@UBEA | 1 |
| ?_notifyCurrentCamera@Frustum@Ogre@() | 1 |
| ?getBoundingBox@Frustum@Ogre@@UBEA | 1 |
| ?getBoundingRadius@Camera@Ogre@@UE | 1 |
| ?_updateRenderQueue@Frustum@Ogre@() | 1 |
| ?getTypeFlags@Frustum@Ogre@@UBEIXZ | 1 |
| ?visitRenderables@Frustum@Ogre@@UAE) | 1 |
| ?calcProjectionParameters@Frustum@Ogre | 1 |
| ?updateFrustum@Frustum@Ogre@@MBEX | 1 |
| ?updateView@Frustum@Ogre@@MBEXXZ | 1 |
| ?updateFrustumImpl@Frustum@Ogre@@N | 1 |
| ?updateViewImpl@Frustum@Ogre@@MBE | 1 |
| ?updateFrustumPlanes@Frustum@Ogre@@ | 1 |
| ?updateFrustumPlanesImpl@Frustum@Ogr | 1 |
| ?updateWorldSpaceCorners@Frustum@Ogr | 1 |
| ?updateWorldSpaceCornersImpl@Frustum@ | 1 |
| ?updateVertexData@Frustum@Ogre@@ME | 1 |
| ?isViewOutOfDate@Camera@Ogre@@MBE | 1 |
| ?isFrustumOutOfDate@Frustum@Ogre@@I | 1 |
| ?invalidateFrustum@Camera@Ogre@@MB | 1 |
| ?invalidateView@Camera@Ogre@@MBEXX | 1 |
| ?setFOVy@Frustum@Ogre@@UAEXABVRac | 1 |
| ?getFOVy@Frustum@Ogre@@UBEABVRadi | 1 |
| ?setNearClipDistance@Frustum@Ogre@@L | 1 |
| ?getNearClipDistance@Camera@Ogre@@U | 1 |
| ?setFarClipDistance@Frustum@Ogre@@UA | 1 |
| ?getFarClipDistance@Camera@Ogre@@UB | 1 |
| ?setAspectRatio@Frustum@Ogre@@UAEXI | 1 |
| ?getAspectRatio@Frustum@Ogre@@UBEM | 1 |
| ?setFrustumOffset@Frustum@Ogre@@UAE | 1 |
| ?setFrustumOffset@Frustum@Ogre@@UAE | 1 |
| ?getFrustumOffset@Frustum@Ogre@@UBE | 1 |
| ?setFocalLength@Frustum@Ogre@@UAEXI | 1 |
| ?getFocalLength@Frustum@Ogre@@UBEM | 1 |
| ?setFrustumExtents@Frustum@Ogre@@UA | 1 |
| ?resetFrustumExtents@Frustum@Ogre@@I | 1 |
| ?getFrustumExtents@Frustum@Ogre@@UE | 1 |
| ?getProjectionMatrixRS@Frustum@Ogre@() | 1 |
| ?getProjectionMatrixWithRSDepth@Frustu | 1 |
| ?getProjectionMatrix@Frustum@Ogre@@U | 1 |
| ?getViewMatrix@Camera@Ogre@@UBEAB | 1 |
| ?calcViewMatrixRelative@Frustum@Ogre@ | 1 |
| ?setCustomViewMatrix@Frustum@Ogre@() | 1 |

| | |
|--|---|
| ?isCustomViewMatrixEnabled@Frustum@O | 1 |
| ?setCustomProjectionMatrix@Frustum@Og | 1 |
| ?isCustomProjectionMatrixEnabled@Frustum | 1 |
| ?getFrustumPlanes@Frustum@Ogre@@UBE | 1 |
| ?getFrustumPlane@Camera@Ogre@@UBE@ | 1 |
| ?isVisible@Camera@Ogre@@UBE_NABVVe | 1 |
| ?isVisible@Camera@Ogre@@UBE_NABVSp | 1 |
| ?isVisible@Camera@Ogre@@UBE_NABVAx | 1 |
| ?getWorldSpaceCorners@Camera@Ogre@@C | 1 |
| ?setProjectionType@Frustum@Ogre@@UA | 1 |
| ?getProjectionType@Frustum@Ogre@@UB | 1 |
| ?setOrthoWindow@Frustum@Ogre@@UAE | 1 |
| ?setOrthoWindowHeight@Frustum@Ogre@ | 1 |
| ?setOrthoWindowWidth@Frustum@Ogre@ | 1 |
| ?getOrthoWindowHeight@Frustum@Ogre@ | 1 |
| ?getOrthoWindowWidth@Frustum@Ogre@ | 1 |
| ?enableReflection@Frustum@Ogre@@UAE | 1 |
| ?enableReflection@Frustum@Ogre@@UAE | 1 |
| ?disableReflection@Frustum@Ogre@@UAE | 1 |
| ?isReflected@Frustum@Ogre@@UBE_NXZ | 1 |
| ?getReflectionMatrix@Frustum@Ogre@@U | 1 |
| ?getReflectionPlane@Frustum@Ogre@@UE | 1 |
| ?projectSphere@Camera@Ogre@@UBE_N/ | 1 |
| ?enableCustomNearClipPlane@Frustum@O | 1 |
| ?enableCustomNearClipPlane@Frustum@O | 1 |
| ?disableCustomNearClipPlane@Frustum@O | 1 |
| ?isCustomNearClipPlaneEnabled@Frustum@ | 1 |
| ?getPositionForViewUpdate@Camera@Ogr | 1 |
| ?getOrientationForViewUpdate@Camera@C | 1 |
| ?setWindowImpl@Camera@Ogre@@MBEX | 1 |
| ?getRayForwardIntersect@Camera@Ogre@ | 1 |
| ?addListener@Camera@Ogre@@UAEXPAPI | 1 |
| ?removeListener@Camera@Ogre@@UAEXFI | 1 |
| ?setLodCamera@Camera@Ogre@@UAEXPFI | 1 |
| ?getLodCamera@Camera@Ogre@@UBEPAV | 1 |
| ?setWindow@Camera@Ogre@@UAEXMMI | 1 |
| ?resetWindow@Camera@Ogre@@UAEXXXZ | 1 |
| ?isWindowSet@Camera@Ogre@@UBE_NX: | 1 |
| ?forwardIntersect@Camera@Ogre@@UBE> | 1 |
| ?setUseRenderingDistance@Camera@Ogre | 1 |
| ?getUseRenderingDistance@Camera@Ogre | 1 |
| ?synchroniseBaseSettingsWith@Camera@O | 1 |
| ?getMaterial@Frustum@Ogre@@UBEABVN | 1 |
| ?getRenderOperation@Frustum@Ogre@@I | 1 |
| ?getWorldTransforms@Frustum@Ogre@@I | 1 |
| ?getSquaredViewDepth@Frustum@Ogre@C | 1 |
| ?getLights@Frustum@Ogre@@UBEABV?SH | 1 |

| | |
|--|---|
| ??1Camera@Ogre@@UAE@XZ | 1 |
| ?getSide@Plane@Ogre@@QBE?AW4Side@ | 1 |
| ?getCenter@AxisAlignedBox@Ogre@@QBE | 1 |
| ??0SceneNode@Ogre@@QAE@PAVSceneN | 1 |
| ??0SceneNode@Ogre@@QAE@PAVSceneN | 1 |
| ?removeChild@Node@Ogre@@UAEPAV12(| 1 |
| ?removeChild@Node@Ogre@@UAEPAV12(| 1 |
| ?removeChild@Node@Ogre@@UAEPAV12(| 1 |
| ?merge@AxisAlignedBox@Ogre@@QAEXAE | 1 |
| ?processVisibleObject@RenderQueue@Ogr | 1 |
| ??0SceneManagerFactory@Ogre@@QAE@) | 1 |
| ?getMetaData@SceneManagerFactory@Ogr | 1 |
| ??1SceneManagerFactory@Ogre@@UAE@) | 1 |
| ?addSceneManagerFactory@Root@Ogre@() | 1 |
| ?removeSceneManagerFactory@Root@Ogr | 1 |
| ??3?\$AllocatedObject@V?\$CategorisedAlloc | 1 |
| ??0UnimplementedException@Ogre@@QA | 1 |
| ?_updateSceneGraph@SceneManager@Ogr | 1 |
| ??1UnimplementedException@Ogre@@UA | 1 |
| ??0UnimplementedException@Ogre@@QA | 1 |
| ?setBox@AxisAlignedBoxSceneQuery@Ogre | 1 |
| ?setSphere@SphereSceneQuery@Ogre@@(| 1 |
| ?setVolumes@PlaneBoundedVolumeListSce | 1 |
| ??0DefaultIntersectionSceneQuery@Ogre@ | 1 |
| ?execute@DefaultIntersectionSceneQuery@ | 1 |
| ??1DefaultIntersectionSceneQuery@Ogre@ | 1 |
| ??1VisibleObjectsBoundsInfo@Ogre@@QAE | 1 |
| ??0VisibleObjectsBoundsInfo@Ogre@@QAE | 1 |
| ?destroySceneNode@SceneManager@Ogre | 1 |
| ?clearScene@SceneManager@Ogre@@UAE | 1 |
| ?addRenderable@RenderQueue@Ogre@@I | 1 |
| ?UNIT_SCALE@Vector3@Ogre@@2V12@B | 1 |
| ??0SceneManager@Ogre@@QAE@ABV?\$b | 1 |
| ?clear@RenderQueue@Ogre@@QAEX_N@ | 1 |
| ??0VisibleObjectsBoundsInfo@Ogre@@QAE | 1 |
| ??4VisibleObjectsBoundsInfo@Ogre@@QAE | 1 |
| ??0DefaultAxisAlignedBoxSceneQuery@Ogr | 1 |
| ??1DefaultAxisAlignedBoxSceneQuery@Ogr | 1 |
| ??0DefaultRaySceneQuery@Ogre@@QAE@ | 1 |
| ??1DefaultRaySceneQuery@Ogre@@UAE@ | 1 |
| ??0DefaultSphereSceneQuery@Ogre@@QA | 1 |
| ??1DefaultSphereSceneQuery@Ogre@@UA | 1 |
| ??0DefaultPlaneBoundedVolumeListSceneQ | 1 |
| ??1DefaultPlaneBoundedVolumeListSceneQ | 1 |
| ?getAttachedObjectIterator@Entity@Ogre@ | 1 |
| ?intersects@AxisAlignedBox@Ogre@@QBE | 1 |
| ?intersects@Math@Ogre@@SA?AU?\$pair@ | 1 |

| | |
|--|---|
| ?intersects@Math@Ogre@@SA_NABVSphe | 1 |
| ?intersects@PlaneBoundedVolume@Ogre@ | 1 |
| ?getMovableObjectFactoryIterator@Root@(` | 1 |
| ??3?\$AllocatedObject@V?\$CategorisedAlloc | 1 |
| ?IDENTITY@Quaternion@Ogre@@2V12@B | 1 |
| ?getParentSceneNode@SceneNode@Ogre@ | 1 |
| ??1VertexData@Ogre@@QAE@XZ | 1 |
| ?WORLD_GEOMETRY_TYPE_MASK@SceneN | 1 |
| ?addRenderable@RenderQueue@Ogre@@@I | 1 |
| ?normalise@Vector3@Ogre@@QAEMXZ | 1 |
| ?getDerivedPosition@Camera@Ogre@@@QB | 1 |
| ?lock@HardwareBuffer@Ogre@@QAEPAJV | 1 |
| ?getTypeSize@VertexElement@Ogre@@SA | 1 |
| ?getSingleton@HardwareBufferManager@C | 1 |
| ?_writeRawConstant@GpuProgramParamet | 1 |
| ?convertColourValue@Root@Ogre@@QAE | 1 |
| ?_notifyCurrentCamera@MovableObject@C | 1 |
| ?redefine@Plane@Ogre@@QAEXABVVecto | 1 |
| ??0Plane@Ogre@@QAE@XZ | 1 |
| ??0HardwareVertexBufferSharedPtr@Ogre@` | 1 |
| ??0MaterialPtr@Ogre@@QAE@XZ | 1 |
| ??0MovableObject@Ogre@@QAE@ABV?\$b | 1 |
| ??0Renderable@Ogre@@QAE@XZ | 1 |
| ?getRenderSystem@Root@Ogre@@QAEPA` | 1 |
| ?getActualHeight@Viewport@Ogre@@QBE | 1 |
| ??0VertexData@Ogre@@QAE@PAVHardwa | 1 |
| ??1HardwareIndexBufferSharedPtr@Ogre@ | 1 |
| ??4HardwareIndexBufferSharedPtr@Ogre@ | 1 |
| ??0IndexData@Ogre@@QAE@XZ | 1 |
| ?setNull@?\$SharedPtr@VMaterial@Ogre@` | 1 |
| ?NEGATIVE_UNIT_Y@Vector3@Ogre@@2V | 1 |
| ??1GpuProgramParameters@Ogre@@QAE(` | 1 |
| ?BLANK@StringUtil@Ogre@@2V?\$basic_sti | 1 |
| ??0FileStreamDataStream@Ogre@@QAE@` | 1 |
| ?read@FileStreamDataStream@Ogre@@UA | 1 |
| ?write@FileStreamDataStream@Ogre@@U | 1 |
| ?readLine@FileStreamDataStream@Ogre@(` | 1 |
| ?skipLine@DataStream@Ogre@@UAEIABV` | 1 |
| ?skip@FileStreamDataStream@Ogre@@UA | 1 |
| ?seek@FileStreamDataStream@Ogre@@UA | 1 |
| ?tell@FileStreamDataStream@Ogre@@UBE | 1 |
| ?eof@FileStreamDataStream@Ogre@@UBE | 1 |
| ?close@FileStreamDataStream@Ogre@@U, | 1 |
| ??1FileStreamDataStream@Ogre@@UAE@`) | 1 |
| ?setNamedAutoConstant@GpuProgramPara | 1 |
| ?getAutoConstantIterator@GpuProgramPar | 1 |
| ?getNumPasses@Technique@Ogre@@QBE` | 1 |

| | |
|---|---|
| ?getBestTechnique@Material@Ogre@@QA | 1 |
| ?setTextureCoordSet@TextureUnitState@O | 1 |
| ?getTextureUnitState@Pass@Ogre@@QAEF | 1 |
| ?getShadowReceiverVertexProgramParamet | 1 |
| ?setShadowReceiverVertexProgram@Pass@ | 1 |
| ??1GpuProgramPtr@Ogre@@UAE@XZ | 1 |
| ??4GpuProgramPtr@Ogre@@QAEAV01@, | 1 |
| ?setFog@Pass@Ogre@@QAEX_NW4FogMo | 1 |
| ?setConstant@GpuProgramParameters@Og | 1 |
| ?setAutoConstant@GpuProgramParameters | 1 |
| ?getVertexProgramParameters@Pass@Ogre | 1 |
| ?setVertexProgram@Pass@Ogre@@QAEXA | 1 |
| ?getByName@GpuProgramManager@Ogre(| 1 |
| ?getSingleton@GpuProgramManager@Ogre | 1 |
| ?setLightingEnabled@Material@Ogre@@Q | 1 |
| ?createTextureUnitState@Pass@Ogre@@Q | 1 |
| ?removeAllTextureUnitStates@Pass@Ogre | 1 |
| ?getPass@Technique@Ogre@@QAEPAVPas | 1 |
| ?getTechnique@Material@Ogre@@QAEPA` | 1 |
| ??4MaterialPtr@Ogre@@QAEAV01@ABV | 1 |
| ?AUTODETECT_RESOURCE_GROUP_NAME@ | 1 |
| ?getSingleton@MaterialManager@Ogre@@ | 1 |
| ??1ConfigFile@Ogre@@UAE@XZ | 1 |
| ?getSettingsIterator@ConfigFile@Ogre@@C | 1 |
| ?getSetting@ConfigFile@Ogre@@QBE?AV? | 1 |
| ?load@ConfigFile@Ogre@@QAEXABV?\$Sha | 1 |
| ??0ConfigFile@Ogre@@QAE@XZ | 1 |
| ?clearResourceGroup@ResourceGroupMan | 1 |
| ?DEFAULT_RESOURCE_GROUP_NAME@Res | 1 |
| ?logMessage@LogManager@Ogre@@QAEX | 1 |
| ??1MemoryDataStream@Ogre@@UAE@XZ | 1 |
| ?close@MemoryDataStream@Ogre@@UAE | 1 |
| ?eof@MemoryDataStream@Ogre@@UBE_I | 1 |
| ?tell@MemoryDataStream@Ogre@@UBEIX | 1 |
| ?seek@MemoryDataStream@Ogre@@UAE | 1 |
| ?skip@MemoryDataStream@Ogre@@UAE | 1 |
| ?skipLine@MemoryDataStream@Ogre@@L | 1 |
| ?getAsString@DataStream@Ogre@@UAE?A | 1 |
| ?getLine@DataStream@Ogre@@UAE?AV?\$ | 1 |
| ?readLine@MemoryDataStream@Ogre@@I | 1 |
| ?write@MemoryDataStream@Ogre@@UAE | 1 |
| ?read@MemoryDataStream@Ogre@@UAEI | 1 |
| ?isWritable@DataStream@Ogre@@UBE_N | 1 |
| ?isReadable@DataStream@Ogre@@UBE_N | 1 |
| ?getSingleton@ResourceGroupManager@O | 1 |
| ?openResource@ResourceGroupManager@ | 1 |
| ??0MemoryDataStream@Ogre@@QAE@AB | 1 |

| | |
|---|---|
| ?toString@StringConverter@Ogre@@SA?A\ | 1 |
| ?getHeight@Image@Ogre@@QBEIXZ | 1 |
| ?toString@StringConverter@Ogre@@SA?A\ | 1 |
| ??3?\$AllocatedObject@V?\$CategorisedAlloc | 1 |
| ?getData@Image@Ogre@@QAEPAXZ | 1 |
| ??1HardwareVertexBufferSharedPtr@Ogre@C | 1 |
| ?swap@?\$SharedPtr@VHardwareVertexBuffer | 1 |
| ?destroy@?\$SharedPtr@VHardwareVertexBuffer | 1 |
| ??0HardwareVertexBufferSharedPtr@Ogre@C | 1 |
| ??4HardwareVertexBufferSharedPtr@Ogre@C | 1 |
| ??1MaterialPtr@Ogre@@UAE@XZ | 1 |
| ??0MaterialPtr@Ogre@@QAE@ABV01@@Z | 1 |
| ??1?\$AllocatedObject@V?\$CategorisedAlloc | 1 |
| ??4MaterialPtr@Ogre@@QAEAV01@ABV(| 1 |
| ??4DefaultAxisAlignedBoxSceneQuery@Ogre@ | 1 |
| ??0DefaultAxisAlignedBoxSceneQuery@Ogre@ | 1 |
| ??4DefaultPlaneBoundedVolumeListSceneQ | 1 |
| ??0DefaultPlaneBoundedVolumeListSceneQ | 1 |
| ??4DefaultSphereSceneQuery@Ogre@@QA | 1 |
| ?queryResult@RegionSceneQuery@Ogre@() | 1 |
| ?queryResult@RegionSceneQuery@Ogre@() | 1 |
| ?clearResults@RegionSceneQuery@Ogre@() | 1 |
| ?getLastResults@RegionSceneQuery@Ogre(| 1 |
| ?execute@RegionSceneQuery@Ogre@@UA | 1 |
| ??0DefaultSphereSceneQuery@Ogre@@QA | 1 |
| ??4DefaultRaySceneQuery@Ogre@@QAEA/ | 1 |
| ?queryResult@RaySceneQuery@Ogre@@U | 1 |
| ?queryResult@RaySceneQuery@Ogre@@U | 1 |
| ?clearResults@RaySceneQuery@Ogre@@U | 1 |
| ?getLastResults@RaySceneQuery@Ogre@@ | 1 |
| ?execute@RaySceneQuery@Ogre@@UAEA | 1 |
| ?getMaxResults@RaySceneQuery@Ogre@C | 1 |
| ?getSortByDistance@RaySceneQuery@Ogre | 1 |
| ?setSortByDistance@RaySceneQuery@Ogre | 1 |
| ?getRay@RaySceneQuery@Ogre@@UBEAB | 1 |
| ?setRay@RaySceneQuery@Ogre@@UAEXAI | 1 |
| ??0DefaultRaySceneQuery@Ogre@@QAE@ | 1 |
| ??4DefaultIntersectionSceneQuery@Ogre@ | 1 |
| ?queryResult@IntersectionSceneQuery@Og | 1 |
| ?clearResults@IntersectionSceneQuery@Og | 1 |
| ?queryResult@IntersectionSceneQuery@Og | 1 |
| ?getLastResults@IntersectionSceneQuery@I | 1 |
| ?execute@IntersectionSceneQuery@Ogre@ | 1 |
| ?getSupportedWorldFragmentTypes@Scene | 1 |
| ?getWorldFragmentType@SceneQuery@Og | 1 |
| ?setWorldFragmentType@SceneQuery@Ogi | 1 |
| ?getQueryTypeMask@SceneQuery@Ogre@ | 1 |

| | |
|---|---|
| ?setQueryTypeMask@SceneQuery@Ogre@I | 1 |
| ?getQueryMask@SceneQuery@Ogre@@@UB | 1 |
| ?setQueryMask@SceneQuery@Ogre@@@UA | 1 |
| ??0DefaultIntersectionSceneQuery@Ogre@ | 1 |
| ??1IndexData@Ogre@@QAE@XZ | 1 |
| ??0ItemIdentityException@Ogre@@QAE@I | 1 |
| ?setCameraRelativeRendering@SceneManag | 1 |
| ?FeiStopLog@@YAXK@Z | 1 |
| ?FeiStartLog@@YAXPBD0H@Z | 1 |
| ?FeiGetPrivateProfileStringA@@YAKPBD00F | 1 |
| ?FeiVarInitWin32Message@@YAXKKPBDID@ | 1 |
| ?FeiVarWriteWin32Message@@YAXPBDZZ | 1 |
| ?FeiWriteLogSetEnv@@YAXKPBDID@Z | 1 |
| ?FeiWriteLogEnv@@YAXPBDZZ | 1 |
| ?FeiWriteWin32Message@@YAXPBDKKODI@ | 1 |
| FeiSetProgress | 1 |
| ??0CFeiWizardAccountPage@@QAE@PBD0I | 1 |
| ??0CFeiWizardAccountPage@@QAE@PBD@ | 1 |
| ?AddFile@CFeiWizardShellPage@@QAEXPB | 1 |
| ?IncProgress@CFeiWizard@@QAEXXZ | 1 |
| ?ShowProgress@CFeiWizard@@QAEXHI@Z | 1 |
| ?GetWizard@CFeiWizardPage@@QAEPAVC | 1 |
| ??1CFeiWizardShellPage@@UAE@XZ | 1 |
| ??0CFeiWizardShellPage@@QAE@W4Colun | 1 |
| ?EnableBrowseForFile@CFeiWizardOptionsF | 1 |
| FeiOpenProgress | 1 |
| ??1CFeiWizardAccountPage@@UAE@XZ | 1 |
| ??1CFeiWizardInstallationSourcePage@@U/ | 1 |
| ??0CFeiWizardInstallationSourcePage@@Q/ | 1 |
| ??1CFeiRollbackCache@@QAE@XZ | 1 |
| FeiEnableCancel | 1 |
| ?UndoAll@CFeiRollbackCache@@QAEHXZ | 1 |
| FeiLockedModuleDialogW | 1 |
| ?Add@CFeiRollbackCache@@QAEHPBG@Z | 1 |
| FeiSetText | 1 |
| ??0CFeiRollbackCache@@QAE@XZ | 1 |
| FeiCloseProgress | 1 |
| ??0CFeiWizardOptionsPage@@QAE@PBD@ | 1 |
| ?EnableBrowseForFolder@CFeiWizardOption | 1 |
| ?SetOption@CFeiWizardOptionsPage@@QAE@ | 1 |
| ??1CFeiWizardOptionsPage@@UAE@XZ | 1 |
| ?SetDefault@CFeiWizardOptionsPage@@QAE@ | 1 |
| ?GetSelectedIndex@CFeiWizardOptionsPage | 1 |
| ?FeiSubclassStaticControl@@YAHPAUHWNI | 1 |
| ??1CFeiWizard@@UAE@XZ | 1 |
| ??1CFeiWizardInfoPage@@UAE@XZ | 1 |
| ?Show@CFeiWizard@@QAEIH@Z | 1 |

| | |
|---|---|
| ?AddPage@CFeiWizard@@QAEHPAVCFeiW | 1 |
| ??0CFeiWizardInfoPage@@QAE@PBD0HPA | 1 |
| ??0CFeiWizard@@QAE@PBD000IIPAUHWN | 1 |
| ?FeiOpenURL@@YAXPBDH@Z | 1 |
| ?Fei_IsFontAvailable@@YAHPBD@Z | 1 |
| ?FeiHtmlDialog@@YAJPBDAUHWND__@C | 1 |
| ?WMR_ONHYPERLINK@@3IA | 1 |
| ?GetSelected@CFeiWizardOptionsPage@@(| 1 |
| ??0CFeiConfigMgr@@QAE@XZ | 1 |
| ?close@CFeiRegKey@@QAE_NXZ | 1 |
| ?GetCfgString@CFeiConfigMgr@@QAE_NPE | 1 |
| ?SetCfgString@CFeiConfigMgr@@QAE_NPB | 1 |
| ??1CFeiConfigMgr@@QAE@XZ | 1 |
| ?remove@CFeiRegKey@@QAE_NXZ | 1 |
| ??0CFeiRegKey@@QAE@PBD00K@Z | 1 |
| ?GetServerShare@CFeiInstServer@@SAPBD | 1 |
| ?GetServerHost@CFeiInstServer@@SAPBDX | 1 |
| ?GetWkstaPlatformID@CFeiRemoteWksta@ | 1 |
| ?open@CFeiRegKey@@QAE_NPBDK@Z | 1 |
| ??1CFeiRegKey@@QAE@XZ | 1 |
| ?FeiGetSapWkstaPath@@YAPBDPBD0@Z | 1 |
| ?Create@CFeiObjectSecurity@@QAEHPAV1 | 1 |
| ??BCFeiRegValue@@QAEPBDXZ | 1 |
| ?exist@CFeiRegValue@@QAE_NXZ | 1 |
| ??ACFeiRegKey@@QAE?AVCFeiRegValue@I | 1 |
| ?IsAvailable@CFeiInstServer@@SAHPBD@Z | 1 |
| ?GetServerRightsProvider@CFeiObjectRight: | 1 |
| ?RegisterDocumentType@CFeiTools@@SA_ | 1 |
| ?DoesExist@CFeiFile@@SAHPBD@Z | 1 |
| ?SaveFileCrcToRepository@CFeiCrc32@@K/ | 1 |
| ?SetSessionServerPath@CFeiInstServer@@S | 1 |
| ?SetSessionRegPersistence@CFeiInstServer(| 1 |
| ??1CFeiMultiSzRegValue@@QAE@XZ | 1 |
| ?GetPath@CFeiInstServer@@SAXIPAD@Z | 1 |
| ?GetCount@CFeiInstServer@@SAIXZ | 1 |
| ?Attach@CFeiMultiSzRegValue@@QAEHPAI | 1 |
| ??0CFeiMultiSzRegValue@@QAE@PAUHKE` | 1 |
| ?create@CFeiRegKey@@QAE_NPBDKKPAU_ | 1 |
| ??1CFeiRegValue@@QAE@XZ | 1 |
| ??BCFeiObjectSecurity@@QAEPBDXZ | 1 |
| ??BCFeiRegValue@@QAEKXZ | 1 |
| ?CheckIE@CFeiSystem@@SAJW4enumChe | 1 |
| ?CheckOS@CFeiSystem@@SAJW4enumChe | 1 |
| ?CallDistributionService@@YA_NPBDPADA/ | 1 |
| ??1CFeiAce@@QAE@XZ | 1 |
| ??1CFeiSecurityDescriptor@@QAE@XZ | 1 |
| ??1CFeiAcl@@QAE@XZ | 1 |

| | |
|---|---|
| ??1CFeiSid@@QAE@XZ | 1 |
| ??1CFeiInstallService@@QAE@XZ | 1 |
| ?GetWinDir@CFeiSystem@@SAPBDXZ | 1 |
| ??1CFeiRemoteShare@@UAE@XZ | 1 |
| ??1CNTServiceControlManager@@QAE@XZ | 1 |
| ??1CNTScmService@@QAE@XZ | 1 |
| ?StartServiceA@CFeiInstallService@@QAEJF | 1 |
| ?Clear@CFeiSid@@IAEXXZ | 1 |
| ?Clear@CFeiAcl@@IAEXXZ | 1 |
| ?IsDirty@CFeiObjectSecurity@@QBEHXZ | 1 |
| ?Edit@CFeiObjectSecurity@@QAEHPBDPAU | 1 |
| ?SetRegKeyDacl@CFeiSecurityDescriptor@C | 1 |
| ?SetOwner@CFeiSecurityDescriptor@@QAE | 1 |
| ?SetDacl@CFeiSecurityDescriptor@@QAEH | 1 |
| ?Clear@CFeiAce@@IAEXXZ | 1 |
| ??0CFeiSecurityDescriptor@@QAE@QAX@Z | 1 |
| ??0CFeiAcl@@QAE@QUA_ACL@@@Z | 1 |
| ??0CFeiAce@@QAE@PAXKH@Z | 1 |
| ?AddAce@CFeiAcl@@QAEHQAX@Z | 1 |
| ??4CFeiSid@@QAEAAV0@W4WellKnownSi | 1 |
| ??0CFeiSid@@QAE@QAX@Z | 1 |
| ?SaveServiceUserCredentials@@YA_NPBD0 | 1 |
| ??4CFeiRegValue@@QAEAAV0@ABV0@@@Z | 1 |
| ?AddPath@CFeiInstServer@@SAXPBD@Z | 1 |
| ?remove@CFeiRegValue@@QAE_NXZ | 1 |
| ?Initialize@CFeiConfigMgr@@QAE_NXZ | 1 |
| ??0CFeiRegValue@@QAE@PBD00K@Z | 1 |
| ?InstallService@CFeiInstallService@@QAEJF | 1 |
| ?MakeUptodate@CFeiInstallService@@QAE | 1 |
| ??0CFeiInstallService@@QAE@QBD0000@Z | 1 |
| ??1CFeiDecryptData@@QAE@XZ | 1 |
| ?GetDecryptedData@CFeiDecryptData@@C | 1 |
| ??0CFeiDecryptData@@QAE@PAXK@Z | 1 |
| ??1CFeiPrivilege@@QAE@XZ | 1 |
| ??0CFeiPrivilege@@QAE@PBDH@Z | 1 |
| ?PathIsEqual@CFeiPath@@SAHPBD0@Z | 1 |
| ?GetTempDir@CFeiSystem@@SAPBDXZ | 1 |
| ?SetCfgDword@CFeiConfigMgr@@QAE_NP | 1 |
| ?SetServerPolicy@CFeiInstServer@@SAHPB | 1 |
| ?RegFind@CRegExp@@QAEHPBD@Z | 1 |
| ?RegComp@CRegExp@@QAEPAV1@PBD@` | 1 |
| ??0CRegExp@@QAE@XZ | 1 |
| ??1CRegExp@@QAE@XZ | 1 |
| ??1iterator@CFeiRegKey@@QAE@XZ | 1 |
| ??1iteratorValues@CFeiRegKey@@QAE@XZ | 1 |
| ??1CFeiRemoteWksta@@QAE@XZ | 1 |
| ?next@iteratorValues@CFeiRegKey@@IAE | 1 |

| | |
|--|---|
| ??DIteratorValues@CFeiRegKey@@QAE?AV | 1 |
| ??8iterator@CFeiRegKey@@QAE_NABV01@ | 1 |
| ?end@CFeiRegKey@@QAE?AViterator@1@ | 1 |
| ?beginValues@CFeiRegKey@@QAE?AVitera | 1 |
| ?MoveFileAfterReboot@CFeiRemoteWksta@ | 1 |
| ??0CFeiRemoteWksta@@QAE@XZ | 1 |
| ?GetWkstaLocalPath@CFeiRemoteWksta@() | 1 |
| ??4CFeiSid@@QAEAAV0@PBD@Z | 1 |
| ?FromProcessUser@CFeiSid@@SA?AV1@P/ | 1 |
| ?.CreateDirectoryRecursive@CFeiTools@@S/ | 1 |
| ??0CFeiObjectSecurity@@QAE@PAUIFeiObj | 1 |
| ?GetServerPolicy@CFeiInstServer@@SAIPBI | 1 |
| ??4CFeiObjectSecurity@@QAEAAV0@PBD@ | 1 |
| ?AccessCheck@CFeiObjectSecurity@@QAEH | 1 |
| ??1CFeiObjectSecurity@@QAE@XZ | 1 |
| ?GetPath@CFeiInstServer@@SAXPADH@Z | 1 |
| ?IsNT@CFeiSystem@@SAJXZ | 1 |
| ?PathIsUNCA@CFeiPath@@SAHPBD@Z | 1 |
| ?NetGetUniversalName@CFeiPath@@SAKP | 1 |
| ?GetComputerNameA@CFeiSystem@@SAP | 1 |
| ?Clear@CFeiSecurityDescriptor@@IAEXXZ | 1 |
| ?SetRegKeyOwner@CFeiSecurityDescriptor@ | 1 |
| ??4CFeiRegValue@@QAEAAV0@PBD@Z | 1 |
| ??4CFeiRegValue@@QAEAAV0@K@Z | 1 |
| ?GetItemAt@CFeiMultiSzRegValue@@QBEF | 1 |
| ?GetCount@CFeiMultiSzRegValue@@QBEJX | 1 |
| ?RegisterNoOpenWithApplication@CFeiTool | 1 |
| ?open@CFeiRegKey@@QAE_NPBD0K@Z | 1 |
| ?connectTo@CFeiRegKey@@QAE_NPBD@Z | 1 |
| @System@@VarClear\$qqrr14System@Vari | 1 |
| @Sysutils@AnsiPos\$qqrx17System@AnsiStr | 1 |
| @Sysutils@DecodeTime\$qqrx16System@TDz | 1 |
| @Sysutils@LastDelimiter\$qqrx17System@A | 1 |
| @Sysutils@AnsiCompareText\$qqrx17Syste | 1 |
| @Sysutils@AnsiCompareStr\$qqrx17System@ | 1 |
| @Comobj@EOleException@\$bctr\$qqrx17Sy | 1 |
| @Graphics@TBitmap@SetHandle\$qqri | 1 |
| @Graphics@TPicture@\$bdtr\$qqrv | 1 |
| @Graphics@TFont@GetCharset\$qqrv | 1 |
| @Graphics@TFont@GetPitch\$qqrv | 1 |
| @Graphics@TFont@\$bdtr\$qqrv | 1 |
| @Stdctrls@TCustomEdit@SetReadOnly\$qqr | 1 |
| @Stdctrls@TCustomEdit@SetOEMConvert\$ | 1 |
| @Stdctrls@TCustomEdit@SetHideSelection\$ | 1 |
| @Stdctrls@TCustomEdit@SetAutoSize\$qqr4 | 1 |
| @Stdctrls@TCustomLabel@SetWordWrap\$ | 1 |
| @Stdctrls@TCustomLabel@SetTransparent\$ | 1 |

| | |
|--|---|
| @Stdctrls@TCustomLabel@SetAutoSize\$qqi | 1 |
| @Forms@TCustomForm@Activate\$qqrv | 1 |
| @Menus@TPopupMenu@\$bdtr\$qqrv | 1 |
| @Menus@TMenu@\$bdtr\$qqrv | 1 |
| @Menus@TMenu@\$bctr\$qqrp18Classes@1 | 1 |
| @Menus@TMenuItem@SetVisible\$qqr4boc | 1 |
| @Menus@TMenuItem@SetEnabled\$qqr4bc | 1 |
| @Menus@TMenuItem@SetChecked\$qqr4b | 1 |
| @Menus@TMenuItem@\$bdtr\$qqrv | 1 |
| @Controls@TWinControl@IsHelpContextSt | 1 |
| @Controls@TWinControl@SetParentCtl3D\$ | 1 |
| @Controls@TWinControl@DoExit\$qqrv | 1 |
| @Controls@TWinControl@\$bctr\$qqri | 1 |
| @Controls@TControl@UpdateLastResize\$qr | 1 |
| @Controls@TControl@GetDeviceContext\$q | 1 |
| @Controls@TControl@SetAutoSize\$qqr4bo | 1 |
| @Buttons@TSpeedButton@SetSpacing\$qqri | 1 |
| @Comctrls@TToolBar@SetImages\$qqrp24Ir | 1 |
| @Comctrls@TToolBar@SetWrapable\$qqr4b | 1 |
| @Comctrls@TToolBar@SetShowCaptions\$q | 1 |
| @Comctrls@TCustomTreeView@SetRootSty | 1 |
| @Comctrls@TCustomTreeView@SetLineStyle | 1 |
| @Comctrls@TCustomTreeView@SetBorderS | 1 |
| @Comctrls@TStatusPanel@SetWidth\$qqri | 1 |
| @Grids@TStringGrid@GetRows\$qqri | 1 |
| @Grids@TStringGrid@GetCols\$qqri | 1 |
| @Grids@TStringGrid@ColumnMoved\$qqrii | 1 |
| @Grids@TStringGrid@\$bdtr\$qqrv | 1 |
| @Grids@TStringGrid@\$bctr\$qqrp18Classes | 1 |
| @Grids@TDrawGrid@SelectCell\$qqrii | 1 |
| @Grids@TDrawGrid@CellRect\$qqrii | 1 |
| @Grids@TCustomGrid@ColWidthsChanged: | 1 |
| @Grids@TCustomGrid@SetSelection\$qqrrx: | 1 |
| @Grids@TCustomGrid@SetRowHeights\$qqi | 1 |
| @Grids@TCustomGrid@SetEditorMode\$qqi | 1 |
| @Grids@TCustomGrid@SetFixedColor\$qqr1 | 1 |
| @Grids@TCustomGrid@GetRowHeights\$qq | 1 |
| @Grids@TCustomGrid@KeyPress\$qqrrc | 1 |
| @Grids@TCustomGrid@MouseCoord\$qqrii | 1 |
| @Grids@TCustomGrid@HideEditor\$qqrv | 1 |
| @Grids@TCustomGrid@DoExit\$qqrv | 1 |
| @Grids@TInplaceEdit@UpdateContents\$qq | 1 |
| @Grids@TInplaceEdit@WndProc\$qqrr17Me | 1 |
| @Grids@TInplaceEdit@KeyPress\$qqrrc | 1 |
| @Grids@TInplaceEdit@EditCanModify\$qqrv | 1 |
| @Grids@TInplaceEdit@CreateParams\$qqrrz | 1 |
| @Grids@TInplaceEdit@\$bctr\$qqrp18Classe | 1 |

| | |
|---|---|
| @\$xp\$17Grids@TStringGrid | 1 |
| @\$xp\$18Grids@TInplaceEdit | 1 |
| @Grids@TInplaceEdit@ | 1 |
| @Inifiles@TMemIniFile@WriteString\$qqrx1 | 1 |
| @Inifiles@TMemIniFile@UpdateFile\$qqrv | 1 |
| @Inifiles@TMemIniFile@ReadString\$qqrx17 | 1 |
| @Inifiles@TMemIniFile@ReadSectionValues | 1 |
| @Inifiles@TMemIniFile@ReadSections\$qqrv | 1 |
| @Inifiles@TMemIniFile@ReadSection\$qqrx: | 1 |
| @Inifiles@TMemIniFile@EraseSection\$qqrx | 1 |
| @Inifiles@TMemIniFile@DeleteKey\$qqrx17 | 1 |
| @Inifiles@TMemIniFile@\$bdtr\$qqrv | 1 |
| @Inifiles@TMemIniFile@\$bctr\$qqrx17Syste | 1 |
| @Inifiles@TCustomIniFile@WriteBool\$qqrx: | 1 |
| @Inifiles@TCustomIniFile@WriteTime\$qqrx | 1 |
| @Inifiles@TCustomIniFile@WriteFloat\$qqrx | 1 |
| @Inifiles@TCustomIniFile@WriteDateTime\$ | 1 |
| @Inifiles@TCustomIniFile@WriteDate\$qqrx | 1 |
| @Inifiles@TCustomIniFile@ReadTime\$qqrx: | 1 |
| @Inifiles@TCustomIniFile@ReadFloat\$qqrx: | 1 |
| @Inifiles@TCustomIniFile@ReadDateTime\$ | 1 |
| @Inifiles@TCustomIniFile@ReadDate\$qqrx1 | 1 |
| @Inifiles@TCustomIniFile@ReadBool\$qqrx1 | 1 |
| @Inifiles@TCustomIniFile@WriteInteger\$qc | 1 |
| @Inifiles@TCustomIniFile@ReadInteger\$qq | 1 |
| @\$xp\$20Inifiles@TMemIniFile | 1 |
| @Inifiles@TMemIniFile@ | 1 |
| @Checklst@TCheckListBox@SetChecked\$qq | 1 |
| @Dbgrids@TCustomDBGrid@SetTitleFont\$C | 1 |
| @TFontPMenu@SetFont\$qqrp14Graphics@ | 1 |
| @Graphics@TGraphicsObject@\$bdtr\$qqrv | 1 |
| @Graphics@TGraphic@\$bdtr\$qqrv | 1 |
| @@Fontpmenu@Initialize | 1 |
| @@Fontpmenu@Finalize | 1 |
| @TFontPMenu@ | 1 |
| @@Dropdownunit@Initialize | 1 |
| @@Dropdownunit@Finalize | 1 |
| @Classes@TStrings@\$bctr\$qqrv | 1 |
| @Classes@TPersistent@\$bctr\$qqrv | 1 |
| @Grids@TInplaceEdit@\$bdtr\$qqrv | 1 |
| @Mask@TCustomMaskEdit@\$bdtr\$qqrv | 1 |
| @@Etaegrid@Initialize | 1 |
| @@Etaegrid@Finalize | 1 |
| @@Superstringgridunit@Initialize | 1 |
| @@Superstringgridunit@Finalize | 1 |
| @TSuperStringGrid@ | 1 |
| @Shdocvw_tlb@TWebBrowser_V1@InitCor | 1 |

| | |
|--|---|
| @Shdocvw_tlb@TWebBrowser@InitControl | 1 |
| @\$xp\$23Shdocvw_tlb@TWebBrowser | 1 |
| @Shdocvw_tlb@TWebBrowser@\$bctr\$qqqr | 1 |
| @Shdocvw_tlb@TWebBrowser@\$bctr\$qqqr | 1 |
| @\$xp\$26Shdocvw_tlb@TWebBrowser_V1 | 1 |
| @Shdocvw_tlb@TWebBrowser_V1@\$bctr\$qq | 1 |
| @Shdocvw_tlb@TWebBrowser_V1@\$bctr\$qq | 1 |
| @Shdocvw_tlb@TWebBrowser@GetWordB | 1 |
| @Shdocvw_tlb@TWebBrowser@SetWordB | 1 |
| @Olectrls@TOleControl@\$bctr\$qqrpv | 1 |
| @@Shdocvw_ocx@Initialize | 1 |
| @@Shdocvw_ocx@Finalize | 1 |
| @Shdocvw_tlb@TWebBrowser@ | 1 |
| @Shdocvw_tlb@TWebBrowser_V1@ | 1 |
| @_rwstd@__rw_stdexcept_BadAllocExcep | 1 |
| @_rwstd@__rw_stdexcept_NoNamedExce | 1 |
| @std@bad_alloc@\$bdtr\$qv | 1 |
| @std@exception@\$bdtr\$qv | 1 |
| _strtod | 1 |
| _color_load_depth | 1 |
| _cos_tbl | 1 |
| _fixup_loaded_bitmap | 1 |
| _rgb_a_shift_32 | 1 |
| _rgb_b_shift_15 | 1 |
| _rgb_b_shift_16 | 1 |
| _rgb_b_shift_24 | 1 |
| _rgb_b_shift_32 | 1 |
| _rgb_g_shift_15 | 1 |
| _rgb_g_shift_16 | 1 |
| _rgb_g_shift_24 | 1 |
| _rgb_g_shift_32 | 1 |
| _rgb_r_shift_15 | 1 |
| _rgb_r_shift_16 | 1 |
| _rgb_r_shift_24 | 1 |
| _rgb_r_shift_32 | 1 |
| _rgb_scale_5 | 1 |
| _rgb_scale_6 | 1 |
| adjust_sample | 1 |
| alert | 1 |
| allegro_errno | 1 |
| allegro_message | 1 |
| canonicalize_filename | 1 |
| clear_bitmap | 1 |
| clear_keybuf | 1 |
| create_bitmap_ex | 1 |
| create_sample | 1 |
| create_sub_bitmap | 1 |

| | |
|---------------------------|---|
| delete_file | 1 |
| desktop_palette | 1 |
| destroy_midi | 1 |
| drawing_mode | 1 |
| exists | 1 |
| file_select_ex | 1 |
| file_size_ex | 1 |
| for_each_file_ex | 1 |
| free_audio_stream_buffer | 1 |
| generate_332_palette | 1 |
| get_audio_stream_buffer | 1 |
| get_color_conversion | 1 |
| get_config_string | 1 |
| get_executable_name | 1 |
| get_extension | 1 |
| get_filename | 1 |
| get_palette | 1 |
| gfx_driver | 1 |
| gui_bg_color | 1 |
| gui_fg_color | 1 |
| install_int | 1 |
| install_joystick | 1 |
| install_param_int | 1 |
| joy | 1 |
| keypressed | 1 |
| load_datafile | 1 |
| load_datafile_callback | 1 |
| load_midi | 1 |
| load_wav | 1 |
| makecol_depth | 1 |
| pack_fclose | 1 |
| pack_fopen | 1 |
| pack_fread | 1 |
| pack_fwrite | 1 |
| packfile_password | 1 |
| play_audio_stream | 1 |
| play_midi | 1 |
| poll_joystick | 1 |
| readkey | 1 |
| register_bitmap_file_type | 1 |
| register_datafile_object | 1 |
| remove_mouse | 1 |
| remove_param_int | 1 |
| replace_extension | 1 |
| replace_filename | 1 |
| rest | 1 |
| save_bitmap | 1 |

| | |
|--------------------------------------|---|
| select_palette | 1 |
| set_clip_rect | 1 |
| set_color_conversion | 1 |
| set_config_file | 1 |
| set_display_switch_callback | 1 |
| set_display_switch_mode | 1 |
| set_palette | 1 |
| set_trans_blender | 1 |
| simulate_keypress | 1 |
| solid_mode | 1 |
| stop_audio_stream | 1 |
| stop_midi | 1 |
| stop_sample | 1 |
| stretch.blit | 1 |
| stretch_sprite | 1 |
| system_driver | 1 |
| text_height | 1 |
| text_length | 1 |
| textout_centre_ex | 1 |
| textout_ex | 1 |
| textout_right_ex | 1 |
| textprintf_centre_ex | 1 |
| textprintf_right_ex | 1 |
| unload_datafile | 1 |
| voice_get_position | 1 |
| voice_stop | 1 |
| vsync | 1 |
| png_set_gamma | 1 |
| ??1CScheduler@@UAE@XZ | 1 |
| ?metaObject@CScheduler@@UBEPBUQMeI | 1 |
| ?qt_metacast@CScheduler@@UAEPAXPBD(| 1 |
| ?qt_metacall@CScheduler@@UAEHW4Call(| 1 |
| ??0CScheduler@@QAE@PAVQWidget@@P | 1 |
| ?runUpdater@CScheduler@@QAEXXZ | 1 |
| GetCountry | 1 |
| GetOptInRegistryValue | 1 |
| GetInstallOptInRegistryValue | 1 |
| GetLastInstallTime | 1 |
| ?Instance@CCustomizationManager@@SAP | 1 |
| LocateFile | 1 |
| SetOptInRegistryValue | 1 |
| @Hcstrutils@initialization\$qqrv | 1 |
| @Hcstrutils@Finalization\$qqrv | 1 |
| @Hctypesunit@initialization\$qqrv | 1 |
| @Hctypesunit@Finalization\$qqrv | 1 |
| @Hcdateutils@initialization\$qqrv | 1 |
| @Hcdateutils@Finalization\$qqrv | 1 |

| | |
|---|---|
| @Bizonylat@initialization\$qqrv | 1 |
| @Bizonylat@Finalization\$qqrv | 1 |
| @Bizonylat@TBizonylatKeszletTetel@SetMe | 1 |
| @Bizonylat@TBizonylatKeszletTetel@SetCik | 1 |
| @Bizonylat@TBizonylatKeszletTetelHandler | 1 |
| @Bizonylat@TBizonylat@SetDbConnection\$ | 1 |
| @Bizonylat@TBizonylat@SetMozgasnemId\$ | 1 |
| @Bizonylat@TBizonylat@SetKeszletTipusId\$ | 1 |
| @Bizonylat@TBizonylat@\$bctr\$qqrv | 1 |
| @Bizonylat@TBizonylat@ | 1 |
| @Tartozaslistacache@initialization\$qqrv | 1 |
| @Tartozaslistacache@Finalization\$qqrv | 1 |
| @Hcidbconnection@initialization\$qqrv | 1 |
| @Hcidbconnection@Finalization\$qqrv | 1 |
| @Hcidbconnection@THclDbConnection@Sq | 1 |
| @Hcidbconnection@THclDbConnection@Ex | 1 |
| @Hcidbconnection@THclDbConnection@Or | 1 |
| @Hcidbconnection@THclDbConnection@Re | 1 |
| @Hcidbconnection@THclDbConnection@Fr | 1 |
| @Hcidbconnection@THclDbConnection@All | 1 |
| @Hcprogressindicator@initialization\$qqrv | 1 |
| @Hcprogressindicator@Finalization\$qqrv | 1 |
| @Hcidatabases@initialization\$qqrv | 1 |
| @Hcidatabases@Finalization\$qqrv | 1 |
| @Xdom_3_1@initialization\$qqrv | 1 |
| @Xdom_3_1@Finalization\$qqrv | 1 |
| @Cunicodecodecs@initialization\$qqrv | 1 |
| @Cunicodecodecs@Finalization\$qqrv | 1 |
| @Parserutils@initialization\$qqrv | 1 |
| @Parserutils@Finalization\$qqrv | 1 |
| @Unicodeutils@initialization\$qqrv | 1 |
| @Unicodeutils@Finalization\$qqrv | 1 |
| @Treeutils@initialization\$qqrv | 1 |
| @Treeutils@Finalization\$qqrv | 1 |
| @Widestrutils2@initialization\$qqrv | 1 |
| @Widestrutils2@Finalization\$qqrv | 1 |
| @Miscutils@initialization\$qqrv | 1 |
| @Miscutils@Finalization\$qqrv | 1 |
| @Langutils@initialization\$qqrv | 1 |
| @Langutils@Finalization\$qqrv | 1 |
| @Abnutils@initialization\$qqrv | 1 |
| @Abnutils@Finalization\$qqrv | 1 |
| @Uriutils@initialization\$qqrv | 1 |
| @Uriutils@Finalization\$qqrv | 1 |
| @Xmlrulesutils@initialization\$qqrv | 1 |
| @Xmlrulesutils@Finalization\$qqrv | 1 |
| @Hcnode@initialization\$qqrv | 1 |

| | |
|--|---|
| @Hcnode@Finalization\$qqrv | 1 |
| @Hxmlconst@initialization\$qqrv | 1 |
| @Hxmlconst@Finalization\$qqrv | 1 |
| @Hxmldoc@initialization\$qqrv | 1 |
| @Hxmldoc@Finalization\$qqrv | 1 |
| @Hcicommontypes@initialization\$qqrv | 1 |
| @Hcicommontypes@Finalization\$qqrv | 1 |
| @Hcidbdescription@initialization\$qqrv | 1 |
| @Hcidbdescription@Finalization\$qqrv | 1 |
| @Hcidbtypes@initialization\$qqrv | 1 |
| @Hcidbtypes@Finalization\$qqrv | 1 |
| @Hclog@initialization\$qqrv | 1 |
| @Hclog@Finalization\$qqrv | 1 |
| @Jclcontainerintf@initialization\$qqrv | 1 |
| @Jclcontainerintf@Finalization\$qqrv | 1 |
| @Jclhashmaps@initialization\$qqrv | 1 |
| @Jclhashmaps@Finalization\$qqrv | 1 |
| @Jclabstractcontainers@initialization\$qqrv | 1 |
| @Jclabstractcontainers@Finalization\$qqrv | 1 |
| @Jclarraysets@initialization\$qqrv | 1 |
| @Jclarraysets@Finalization\$qqrv | 1 |
| @Jclaraylists@initialization\$qqrv | 1 |
| @Jclaraylists@Finalization\$qqrv | 1 |
| @Jclstrhashmap@initialization\$qqrv | 1 |
| @Jclstrhashmap@Finalization\$qqrv | 1 |
| @Hcparams@initialization\$qqrv | 1 |
| @Hcparams@Finalization\$qqrv | 1 |
| @Hcparams@THCParams@Add\$qqrv17Syste | 1 |
| @Hcidatabaseprop@initialization\$qqrv | 1 |
| @Hcidatabaseprop@Finalization\$qqrv | 1 |
| @Hcidbconnectionpool@initialization\$qqrv | 1 |
| @Hcidbconnectionpool@Finalization\$qqrv | 1 |
| @Hcidbdescriptor@initialization\$qqrv | 1 |
| @Hcidbdescriptor@Finalization\$qqrv | 1 |
| @Hciapplicationserverconfig@initialization\$ | 1 |
| @Hciapplicationserverconfig@Finalization\$ | 1 |
| @Hciaaaconfig@initialization\$qqrv | 1 |
| @Hciaaaconfig@Finalization\$qqrv | 1 |
| @Hcfileutils@initialization\$qqrv | 1 |
| @Hcfileutils@Finalization\$qqrv | 1 |
| @Hciapplicationserver@initialization\$qqrv | 1 |
| @Hciapplicationserver@Finalization\$qqrv | 1 |
| @Hciappsrv@initialization\$qqrv | 1 |
| @Hciappsrv@Finalization\$qqrv | 1 |
| @Hcireqbroker@initialization\$qqrv | 1 |
| @Hcireqbroker@Finalization\$qqrv | 1 |
| @Hcicommunicator@initialization\$qqrv | 1 |

| | |
|--|---|
| @Hcicommu | 1 |
| @Zlibex@initialization\$qqrv | 1 |
| @Zlibex@Finalization\$qqrv | 1 |
| @Iserializable@initialization\$qqrv | 1 |
| @Iserializable@Finalization\$qqrv | 1 |
| @Iformater@initialization\$qqrv | 1 |
| @Iformater@Finalization\$qqrv | 1 |
| @Hcmemorystream@initialization\$qqrv | 1 |
| @Hcmemorystream@Finalization\$qqrv | 1 |
| @Hcicommu | 1 |
| @Hcicommu | 1 |
| @Hcicustomsrvobj@initialization\$qqrv | 1 |
| @Hcicustomsrvobj@Finalization\$qqrv | 1 |
| @Hcexception@initialization\$qqrv | 1 |
| @Hcexception@Finalization\$qqrv | 1 |
| @Hcicustomobj@initialization\$qqrv | 1 |
| @Hcicustomobj@Finalization\$qqrv | 1 |
| @Hcisrvprogression@initialization\$qqrv | 1 |
| @Hcisrvprogression@Finalization\$qqrv | 1 |
| @Errormsg@initialization\$qqrv | 1 |
| @Errormsg@Finalization\$qqrv | 1 |
| @Hciapplicationserverstartstopaction@initi | 1 |
| @Hciapplicationserverstartstopaction@Fina | 1 |
| @Hciapplicationserverprofiler@initializat | 1 |
| @Hciapplicationserverprofiler@Finalizat | 1 |
| @Hciscrvlogins@initialization\$qqrv | 1 |
| @Hciscrvlogins@Finalization\$qqrv | 1 |
| @Hciquerypool@initialization\$qqrv | 1 |
| @Hciquerypool@Finalization\$qqrv | 1 |
| @Hczmemtable@initialization\$qqrv | 1 |
| @Hczmemtable@Finalization\$qqrv | 1 |
| @Hcmethodlist@initialization\$qqrv | 1 |
| @Hcmethodlist@Finalization\$qqrv | 1 |
| @Hcvarutils@initialization\$qqrv | 1 |
| @Hcvarutils@Finalization\$qqrv | 1 |
| @Hcstringcompare@initialization\$qqrv | 1 |
| @Hcstringcompare@Finalization\$qqrv | 1 |
| @Hcinstancecounter@initialization\$qqrv | 1 |
| @Hcinstancecounter@Finalization\$qqrv | 1 |
| @Hciclassbroker@initialization\$qqrv | 1 |
| @Hciclassbroker@Finalization\$qqrv | 1 |
| @Hciaaa@initialization\$qqrv | 1 |
| @Hciaaa@Finalization\$qqrv | 1 |
| @Hcsortedlists@initialization\$qqrv | 1 |
| @Hcsortedlists@Finalization\$qqrv | 1 |
| @Hciscrvfunctions@initialization\$qqrv | 1 |
| @Hciscrvfunctions@Finalization\$qqrv | 1 |

| | |
|---|---|
| @Md5@initialization\$qqrv | 1 |
| @Md5@Finalization\$qqrv | 1 |
| @Hcisrvthread@initialization\$qqrv | 1 |
| @Hcisrvthread@Finalization\$qqrv | 1 |
| @Hcisrvtimer@initialization\$qqrv | 1 |
| @Hcisrvtimer@Finalization\$qqrv | 1 |
| @Hciobject@initialization\$qqrv | 1 |
| @Hciobject@Finalization\$qqrv | 1 |
| @Hcilog@initialization\$qqrv | 1 |
| @Hcilog@Finalization\$qqrv | 1 |
| @Hciloggerconfigurator@initialization\$qqrv | 1 |
| @Hciloggerconfigurator@Finalization\$qqrv | 1 |
| @Hxmlutils@initialization\$qqrv | 1 |
| @Hxmlutils@Finalization\$qqrv | 1 |
| @Hxmlformatter@initialization\$qqrv | 1 |
| @Hxmlformatter@Finalization\$qqrv | 1 |
| @Hicontext@initialization\$qqrv | 1 |
| @Hicontext@Finalization\$qqrv | 1 |
| @Jcldebug@Finalization\$qqrv | 1 |
| @Jcltd32@initialization\$qqrv | 1 |
| @Jcltd32@Finalization\$qqrv | 1 |
| @Jclpeimage@initialization\$qqrv | 1 |
| @Jclpeimage@Finalization\$qqrv | 1 |
| @Jclhookexcept@Finalization\$qqrv | 1 |
| @Hciutils@initialization\$qqrv | 1 |
| @Hciutils@Finalization\$qqrv | 1 |
| @Patikatypesunit@initialization\$qqrv | 1 |
| @Patikatypesunit@Finalization\$qqrv | 1 |
| @Hcobject@initialization\$qqrv | 1 |
| @Hcobject@Finalization\$qqrv | 1 |
| @Hcintegerlist@initialization\$qqrv | 1 |
| @Hcintegerlist@Finalization\$qqrv | 1 |
| @Hcthreadutils@initialization\$qqrv | 1 |
| @Hcthreadutils@Finalization\$qqrv | 1 |
| @Mozgasnem@initialization\$qqrv | 1 |
| @Mozgasnem@Finalization\$qqrv | 1 |
| @Hclayeredxmldocument@initialization\$qq | 1 |
| @Hclayeredxmldocument@Finalization\$qqr | 1 |
| @Mozgasnemsection@initialization\$qqrv | 1 |
| @Mozgasnemsection@Finalization\$qqrv | 1 |
| @Mozgasnemcontrols@initialization\$qqrv | 1 |
| @Mozgasnemcontrols@Finalization\$qqrv | 1 |
| @Mozgasnemconvertables@initialization\$q | 1 |
| @Mozgasnemconvertables@Finalization\$qc | 1 |
| @Mozgasnemgroups@initialization\$qqrv | 1 |
| @Mozgasnemgroups@Finalization\$qqrv | 1 |
| @Mozgasnemmanager@initialization\$qqrv | 1 |

| | |
|--|---|
| @Mozgasnemmanager@Finalization\$qqrv | 1 |
| @Paramwrapper@initialization\$qqrv | 1 |
| @Paramwrapper@Finalization\$qqrv | 1 |
| @Paramwrapper@TParamWrapperBase@G | 1 |
| @Paramwrapper@ParamW | 1 |
| @Parammgr@initialization\$qqrv | 1 |
| @Parammgr@Finalization\$qqrv | 1 |
| @Fixedinifile@initialization\$qqrv | 1 |
| @Fixedinifile@Finalization\$qqrv | 1 |
| @Paramdatareader@initialization\$qqrv | 1 |
| @Paramdatareader@Finalization\$qqrv | 1 |
| @Safefstream@initialization\$qqrv | 1 |
| @Safefstream@Finalization\$qqrv | 1 |
| @Hcparamsmgr@initialization\$qqrv | 1 |
| @Hcparamsmgr@Finalization\$qqrv | 1 |
| @Hcisrvobj@initialization\$qqrv | 1 |
| @Hcisrvobj@Finalization\$qqrv | 1 |
| @Hcisrvrecbuffer@initialization\$qqrv | 1 |
| @Hcisrvrecbuffer@Finalization\$qqrv | 1 |
| @Hcicustomfielditem@initialization\$qqrv | 1 |
| @Hcicustomfielditem@Finalization\$qqrv | 1 |
| @Hcicustomrecbuffer@initialization\$qqrv | 1 |
| @Hcicustomrecbuffer@Finalization\$qqrv | 1 |
| @Hcicustommemtable@initialization\$qqrv | 1 |
| @Hcicustommemtable@Finalization\$qqrv | 1 |
| @Streamtovariantutil@initialization\$qqrv | 1 |
| @Streamtovariantutil@Finalization\$qqrv | 1 |
| @Mozgasnemutils@initialization\$qqrv | 1 |
| @Mozgasnemutils@Finalization\$qqrv | 1 |
| @Oepforgalmijel@initialization\$qqrv | 1 |
| @Oepforgalmijel@Finalization\$qqrv | 1 |
| @Custombizonylat@initialization\$qqrv | 1 |
| @Custombizonylat@Finalization\$qqrv | 1 |
| @Custombizonylat@TCustomBizonylatTetel | 1 |
| @Custombizonylat@TBizonylatBase@New\$ | 1 |
| @Bizonylatsnapshot@initialization\$qqrv | 1 |
| @Bizonylatsnapshot@Finalization\$qqrv | 1 |
| @Srvbizonylatsnapshot@initialization\$qqrv | 1 |
| @Srvbizonylatsnapshot@Finalization\$qqrv | 1 |
| @Bizonylattriggerparser@initialization\$qqrv | 1 |
| @Bizonylattriggerparser@Finalization\$qqrv | 1 |
| @Cikkcacheunit@initialization\$qqrv | 1 |
| @Cikkcacheunit@Finalization\$qqrv | 1 |
| @Hcarresunit@initialization\$qqrv | 1 |
| @Hcarresunit@Finalization\$qqrv | 1 |
| @Hcfloatutils@initialization\$qqrv | 1 |
| @Hcfloatutils@Finalization\$qqrv | 1 |

| | |
|---|---|
| @H hashmap@initialization\$qqrv | 1 |
| @H hashmap@Finalization\$qqrv | 1 |
| @Hccache@initialization\$qqrv | 1 |
| @Hccache@Finalization\$qqrv | 1 |
| @Hcserializeddbchanges@initialization\$qqrv | 1 |
| @Hcserializeddbchanges@Finalization\$qqrv | 1 |
| @Megyscacheunit@initialization\$qqrv | 1 |
| @Megyscacheunit@Finalization\$qqrv | 1 |
| @Hccacheregistry@initialization\$qqrv | 1 |
| @Hccacheregistry@Finalization\$qqrv | 1 |
| @Nagykercikkcacheunit@initialization\$qqrv | 1 |
| @Nagykercikkcacheunit@Finalization\$qqrv | 1 |
| @Sc_afaclasses@initialization\$qqrv | 1 |
| @Sc_afaclasses@Finalization\$qqrv | 1 |
| @Afacacheunit@initialization\$qqrv | 1 |
| @Afacacheunit@Finalization\$qqrv | 1 |
| @Thcsrvdatatoolunit@initialization\$qqrv | 1 |
| @Thcsrvdatatoolunit@Finalization\$qqrv | 1 |
| @Rendelinfo@initialization\$qqrv | 1 |
| @Rendelinfo@Finalization\$qqrv | 1 |
| @Cikkfutures@initialization\$qqrv | 1 |
| @Cikkfutures@Finalization\$qqrv | 1 |
| @Medivusscheduler@initialization\$qqrv | 1 |
| @Medivusscheduler@Finalization\$qqrv | 1 |
| @Arcacheunit@initialization\$qqrv | 1 |
| @Arcacheunit@Finalization\$qqrv | 1 |
| @Hcdatetime@initialization\$qqrv | 1 |
| @Hcdatetime@Finalization\$qqrv | 1 |
| @Cikk@initialization\$qqrv | 1 |
| @Cikk@Finalization\$qqrv | 1 |
| @Persistence@initialization\$qqrv | 1 |
| @Persistence@Finalization\$qqrv | 1 |
| @Memdbclasses@initialization\$qqrv | 1 |
| @Memdbclasses@Finalization\$qqrv | 1 |
| @Memdbcontainer@initialization\$qqrv | 1 |
| @Memdbcontainer@Finalization\$qqrv | 1 |
| @Vitalitasdbclasses@initialization\$qqrv | 1 |
| @Vitalitasdbclasses@Finalization\$qqrv | 1 |
| @Vitalitastools@initialization\$qqrv | 1 |
| @Vitalitastools@Finalization\$qqrv | 1 |
| @Medirisconfigprovider@initialization\$qqrv | 1 |
| @Medirisconfigprovider@Finalization\$qqrv | 1 |
| @Lookuptables@initialization\$qqrv | 1 |
| @Lookuptables@Finalization\$qqrv | 1 |
| @Memo@initialization\$qqrv | 1 |
| @Memo@Finalization\$qqrv | 1 |
| @Linktables@initialization\$qqrv | 1 |

| | |
|---|---|
| @Linktables@Finalization\$qqrv | 1 |
| @Cikkcsoportcacheunit@initialization\$qqrv | 1 |
| @Cikkcsoportcacheunit@Finalization\$qqrv | 1 |
| @Torzsvevokedvezmenycacheunit@initializat | 1 |
| @Torzsvevokedvezmenycacheunit@Finalizat | 1 |
| @Degrессzivsavcacheunit@initialization\$qq | 1 |
| @Degrессzivsavcacheunit@Finalization\$qq | 1 |
| @Sc_jogcim_classes@initialization\$qqrv | 1 |
| @Sc_jogcim_classes@Finalization\$qqrv | 1 |
| @Keszletcache2unit@initialization\$qqrv | 1 |
| @Keszletcache2unit@Finalization\$qqrv | 1 |
| @Hcdebugutils@initialization\$qqrv | 1 |
| @Hcdebugutils@Finalization\$qqrv | 1 |
| @Keszlettipuscacheunit@initialization\$qqrv | 1 |
| @Keszlettipuscacheunit@Finalization\$qqrv | 1 |
| @Eladhatosagcacheunit@initialization\$qqrv | 1 |
| @Eladhatosagcacheunit@Finalization\$qqrv | 1 |
| @Tamogatascacheunit@initialization\$qqrv | 1 |
| @Tamogatascacheunit@Finalization\$qqrv | 1 |
| @Jogcimcacheunit@initialization\$qqrv | 1 |
| @Jogcimcacheunit@Finalization\$qqrv | 1 |
| @Tbtamcalculator@initialization\$qqrv | 1 |
| @Tbtamcalculator@Finalization\$qqrv | 1 |
| @Sc_ar_classes@initialization\$qqrv | 1 |
| @Sc_ar_classes@Finalization\$qqrv | 1 |
| @Partnerutils@initialization\$qqrv | 1 |
| @Partnerutils@Finalization\$qqrv | 1 |
| @Partnercacheunit@initialization\$qqrv | 1 |
| @Partnercacheunit@Finalization\$qqrv | 1 |
| @Nagykercommunicator@initialization\$qq | 1 |
| @Nagykercommunicator@Finalization\$qqrv | 1 |
| @Hcfilepack2@initialization\$qqrv | 1 |
| @Hcfilepack2@Finalization\$qqrv | 1 |
| @Nagykercommunicatorfactory@initializati | 1 |
| @Nagykercommunicatorfactory@Finalizatio | 1 |
| @Engedmenyszamolo@initialization\$qqrv | 1 |
| @Engedmenyszamolo@Finalization\$qqrv | 1 |
| @Afutils@initialization\$qqrv | 1 |
| @Afutils@Finalization\$qqrv | 1 |
| @Cikkspecifications@initialization\$qqrv | 1 |
| @Cikkspecifications@Finalization\$qqrv | 1 |
| @Idoszakosengedmeny@initialization\$qqrv | 1 |
| @Idoszakosengedmeny@Finalization\$qqrv | 1 |
| @Barcodecacheunit@initialization\$qqrv | 1 |
| @Barcodecacheunit@Finalization\$qqrv | 1 |
| @Referenciaarsav@initialization\$qqrv | 1 |
| @Referenciaarsav@Finalization\$qqrv | 1 |

| | |
|---|---|
| @Activatecikk@initialization\$qqrv | 1 |
| @Activatecikk@Finalization\$qqrv | 1 |
| @Medivussystemutils@initialization\$qqrv | 1 |
| @Medivussystemutils@Finalization\$qqrv | 1 |
| @Hxpath@initialization\$qqrv | 1 |
| @Hxpath@Finalization\$qqrv | 1 |
| @Datasetcontainersrvunit@initialization\$qq | 1 |
| @Datasetcontainersrvunit@Finalization\$qqr | 1 |
| @Eptorzs@initialization\$qqrv | 1 |
| @Eptorzs@Finalization\$qqrv | 1 |
| @Serverupdroadcastunit@initialization\$qq | 1 |
| @Serverupdroadcastunit@Finalization\$qqr | 1 |
| @Serverupdroadcastunit@TUpdSender@U | 1 |
| @Serverupdroadcastunit@UpdSender | 1 |
| @Idudpbase@initialization\$qqrv | 1 |
| @Idudpbase@Finalization\$qqrv | 1 |
| @Idudpclient@initialization\$qqrv | 1 |
| @Idudpclient@Finalization\$qqrv | 1 |
| @Cikkinfo@initialization\$qqrv | 1 |
| @Cikkinfo@Finalization\$qqrv | 1 |
| @Artipuscacheunit@initialization\$qqrv | 1 |
| @Artipuscacheunit@Finalization\$qqrv | 1 |
| @Cikkakciocheckerunit@initialization\$qqrv | 1 |
| @Cikkakciocheckerunit@Finalization\$qqrv | 1 |
| @Partnerprofile@initialization\$qqrv | 1 |
| @Partnerprofile@Finalization\$qqrv | 1 |
| @Ojote@initialization\$qqrv | 1 |
| @Ojote@Finalization\$qqrv | 1 |
| @Ojotegatewayservice@initialization\$qqrv | 1 |
| @Ojotegatewayservice@Finalization\$qqrv | 1 |
| @Xsbuiltins@initialization\$qqrv | 1 |
| @Xsbuiltins@Finalization\$qqrv | 1 |
| @Optosoapdomconv@initialization\$qqrv | 1 |
| @Optosoapdomconv@Finalization\$qqrv | 1 |
| @Opconvert@initialization\$qqrv | 1 |
| @Opconvert@Finalization\$qqrv | 1 |
| @Soapattachintf@initialization\$qqrv | 1 |
| @Soapattachintf@Finalization\$qqrv | 1 |
| @Soapattach@initialization\$qqrv | 1 |
| @Soapattach@Finalization\$qqrv | 1 |
| @Wsdlintf@initialization\$qqrv | 1 |
| @Wsdlintf@Finalization\$qqrv | 1 |
| @Wsdlnode@initialization\$qqrv | 1 |
| @Wsdlnode@Finalization\$qqrv | 1 |
| @Webnode@initialization\$qqrv | 1 |
| @Webnode@Finalization\$qqrv | 1 |
| @Wsdlitems@initialization\$qqrv | 1 |

| | |
|---|---|
| @Wsdlitems@Finalization\$qqrv | 1 |
| @Wsdlbind@initialization\$qqrv | 1 |
| @Wsdlbind@Finalization\$qqrv | 1 |
| @Httputil@initialization\$qqrv | 1 |
| @Httputil@Finalization\$qqrv | 1 |
| @Soaphttptrans@initialization\$qqrv | 1 |
| @Soaphttptrans@Finalization\$qqrv | 1 |
| @Uddihelper@initialization\$qqrv | 1 |
| @Uddihelper@Finalization\$qqrv | 1 |
| @Soaphttpclient@initialization\$qqrv | 1 |
| @Soaphttpclient@Finalization\$qqrv | 1 |
| @Rio@initialization\$qqrv | 1 |
| @Rio@Finalization\$qqrv | 1 |
| @Websevexp@initialization\$qqrv | 1 |
| @Websevexp@Finalization\$qqrv | 1 |
| @Privateheap@initialization\$qqrv | 1 |
| @Privateheap@Finalization\$qqrv | 1 |
| @Soapenv@initialization\$qqrv | 1 |
| @Soapenv@Finalization\$qqrv | 1 |
| @Soapdomconv@initialization\$qqrv | 1 |
| @Soapdomconv@Finalization\$qqrv | 1 |
| @Typetrans@initialization\$qqrv | 1 |
| @Typetrans@Finalization\$qqrv | 1 |
| @Optosoapdomcustom@initialization\$qqrv | 1 |
| @Optosoapdomcustom@Finalization\$qqrv | 1 |
| @Inquire_v1@initialization\$qqrv | 1 |
| @Inquire_v1@Finalization\$qqrv | 1 |
| @Interakciocheck@initialization\$qqrv | 1 |
| @Interakciocheck@Finalization\$qqrv | 1 |
| @Azonoshatoanyagcheck@initialization\$qqi | 1 |
| @Azonoshatoanyagcheck@Finalization\$qqr | 1 |
| @Virepunit@initialization\$qqrv | 1 |
| @Virepunit@Finalization\$qqrv | 1 |
| @Virep@initialization\$qqrv | 1 |
| @Virep@Finalization\$qqrv | 1 |
| @Cport@initialization\$qqrv | 1 |
| @Cport@Finalization\$qqrv | 1 |
| @Cportsetup@initialization\$qqrv | 1 |
| @Cportsetup@Finalization\$qqrv | 1 |
| @Cportctl@initialization\$qqrv | 1 |
| @Cportctl@Finalization\$qqrv | 1 |
| @Cportesc@initialization\$qqrv | 1 |
| @Cportesc@Finalization\$qqrv | 1 |
| @Cporttrmset@initialization\$qqrv | 1 |
| @Cporttrmset@Finalization\$qqrv | 1 |
| @Virepcache@initialization\$qqrv | 1 |
| @Virepcache@Finalization\$qqrv | 1 |

| | |
|--|---|
| @Venyjelentes@initialization\$qqrv | 1 |
| @Venyjelentes@Finalization\$qqrv | 1 |
| @Venyutils@initialization\$qqrv | 1 |
| @Venyutils@Finalization\$qqrv | 1 |
| @Hceanutils@initialization\$qqrv | 1 |
| @Hceanutils@Finalization\$qqrv | 1 |
| @Hcfilelistbuilder@initialization\$qqrv | 1 |
| @Hcfilelistbuilder@Finalization\$qqrv | 1 |
| @Vireutils@initialization\$qqrv | 1 |
| @Vireutils@Finalization\$qqrv | 1 |
| @Szakmaicheck@initialization\$qqrv | 1 |
| @Szakmaicheck@Finalization\$qqrv | 1 |
| @Torzsvevokartya@initialization\$qqrv | 1 |
| @Torzsvevokartya@Finalization\$qqrv | 1 |
| @Torzsvevokartyadto@initialization\$qqrv | 1 |
| @Torzsvevokartyadto@Finalization\$qqrv | 1 |
| @Abstractdto@initialization\$qqrv | 1 |
| @Abstractdto@Finalization\$qqrv | 1 |
| @Torzsvevopontszammanager@initialization\$qqrv | 1 |
| @Torzsvevopontszammanager@Finalization\$qqrv | 1 |
| @Partnerset@initialization\$qqrv | 1 |
| @Partnerset@Finalization\$qqrv | 1 |
| @Paticard@initialization\$qqrv | 1 |
| @Paticard@Finalization\$qqrv | 1 |
| @Paticardmessage@initialization\$qqrv | 1 |
| @Paticardmessage@Finalization\$qqrv | 1 |
| @Paticardws@initialization\$qqrv | 1 |
| @Paticardws@Finalization\$qqrv | 1 |
| @Bereskuponakcio@initialization\$qqrv | 1 |
| @Bereskuponakcio@Finalization\$qqrv | 1 |
| @Idlogevent@initialization\$qqrv | 1 |
| @Idlogevent@Finalization\$qqrv | 1 |
| @Idlogbase@initialization\$qqrv | 1 |
| @Idlogbase@Finalization\$qqrv | 1 |
| @Szolgaltatasws@initialization\$qqrv | 1 |
| @Szolgaltatasws@Finalization\$qqrv | 1 |
| @Teendok@initialization\$qqrv | 1 |
| @Teendok@Finalization\$qqrv | 1 |
| @Sc_veny_classes@initialization\$qqrv | 1 |
| @Sc_veny_classes@Finalization\$qqrv | 1 |
| @Tajcheck@initialization\$qqrv | 1 |
| @Tajcheck@Finalization\$qqrv | 1 |
| @Venycheck@initialization\$qqrv | 1 |
| @Venycheck@Finalization\$qqrv | 1 |
| @Orvospesctset@initialization\$qqrv | 1 |
| @Orvospesctset@Finalization\$qqrv | 1 |
| @Clonecikk@initialization\$qqrv | 1 |

| | |
|--|---|
| @Clonecikk@Finalization\$qqrv | 1 |
| @Cikkrecepturatetelinfo@initialization\$qqrv | 1 |
| @Cikkrecepturatetelinfo@Finalization\$qqrv | 1 |
| @Venyszamkorrekciochecker@initialization! | 1 |
| @Venyszamkorrekciochecker@Finalization\$ | 1 |
| @Bizonlatmanager@initialization\$qqrv | 1 |
| @Bizonlatmanager@Finalization\$qqrv | 1 |
| @Bizonlatpersistence@initialization\$qqrv | 1 |
| @Bizonlatpersistence@Finalization\$qqrv | 1 |
| @Bizonlatconverter@initialization\$qqrv | 1 |
| @Bizonlatconverter@Finalization\$qqrv | 1 |
| @Hcipooledobject@initialization\$qqrv | 1 |
| @Hcipooledobject@Finalization\$qqrv | 1 |
| @Hcipooledobjectdbmd@initialization\$qqrv | 1 |
| @Hcipooledobjectdbmd@Finalization\$qqrv | 1 |
| @Hcipooledobjectdb@initialization\$qqrv | 1 |
| @Hcipooledobjectdb@Finalization\$qqrv | 1 |
| @Cslist@initialization\$qqrv | 1 |
| @Cslist@Finalization\$qqrv | 1 |
| @Hcsyncobjs@initialization\$qqrv | 1 |
| @Hcsyncobjs@Finalization\$qqrv | 1 |
| @Bizonlatkeszletetellist@initialization\$qq | 1 |
| @Bizonlatkeszletetellist@Finalization\$qqr | 1 |
| @Receptura@initialization\$qqrv | 1 |
| @Receptura@Finalization\$qqrv | 1 |
| @Arrescacheunit@initialization\$qqrv | 1 |
| @Arrescacheunit@Finalization\$qqrv | 1 |
| @Minibever@initialization\$qqrv | 1 |
| @Minibever@Finalization\$qqrv | 1 |
| @Bnovalidator@initialization\$qqrv | 1 |
| @Bnovalidator@Finalization\$qqrv | 1 |
| @Venyszamutolsoeloforudulas@initializatio | 1 |
| @Venyszamutolsoeloforudulas@Finalizatior | 1 |
| @Bizonlatfizertekcalculator@initialization\$ | 1 |
| @Bizonlatfizertekcalculator@Finalization\$ | 1 |
| @Paymentrounder@initialization\$qqrv | 1 |
| @Paymentrounder@Finalization\$qqrv | 1 |
| @Recepturaextractor@initialization\$qqrv | 1 |
| @Recepturaextractor@Finalization\$qqrv | 1 |
| @Partnerszamlainfoprovider@initialization\$ | 1 |
| @Partnerszamlainfoprovider@Finalization\$ | 1 |
| @Pontszamcacheunit@initialization\$qqrv | 1 |
| @Pontszamcacheunit@Finalization\$qqrv | 1 |
| @Bizonlatsnapshotvalidator@initialization\$ | 1 |
| @Bizonlatsnapshotvalidator@Finalization\$ | 1 |
| @Maxfogyarfilter@initialization\$qqrv | 1 |
| @Maxfogyarfilter@Finalization\$qqrv | 1 |

| | |
|---|---|
| @Gyogyfurdolimitchecker@initialization\$qq | 1 |
| @Gyogyfurdolimitchecker@Finalization\$qqrv | 1 |
| @Dekad@initialization\$qqrv | 1 |
| @Dekad@Finalization\$qqrv | 1 |
| @Cikkgyogyfurdolimit@initialization\$qqrv | 1 |
| @Cikkgyogyfurdolimit@Finalization\$qqrv | 1 |
| @Penzugyicikkcache@initialization\$qqrv | 1 |
| @Penzugyicikkcache@Finalization\$qqrv | 1 |
| @Medivusvenyutils@initialization\$qqrv | 1 |
| @Medivusvenyutils@Finalization\$qqrv | 1 |
| @Bizonylatspecifications@initialization\$qqrv | 1 |
| @Bizonylatspecifications@Finalization\$qqrv | 1 |
| @Torzsvevopontszamosztasstrategy@initialization\$qqrv | 1 |
| @Torzsvevopontszamosztasstrategy@Finalization\$qqrv | 1 |
| @Bizonylatpontszamcache@initialization\$qqrv | 1 |
| @Bizonylatpontszamcache@Finalization\$qqrv | 1 |
| @Venypontszamcache@initialization\$qqrv | 1 |
| @Venypontszamcache@Finalization\$qqrv | 1 |
| @Lejaratqueue@initialization\$qqrv | 1 |
| @Lejaratqueue@Finalization\$qqrv | 1 |
| @Paticardpointcatalog@initialization\$qqrv | 1 |
| @Paticardpointcatalog@Finalization\$qqrv | 1 |
| @Paticardpointcatalogws@initialization\$qqrv | 1 |
| @Paticardpointcatalogws@Finalization\$qqrv | 1 |
| @Szakorvosijogusultsag@initialization\$qqrv | 1 |
| @Szakorvosijogusultsag@Finalization\$qqrv | 1 |
| @Paticard2@initialization\$qqrv | 1 |
| @Paticard2@Finalization\$qqrv | 1 |
| @Paticard2ws@initialization\$qqrv | 1 |
| @Paticard2ws@Finalization\$qqrv | 1 |
| @Paticard4@initialization\$qqrv | 1 |
| @Paticard4@Finalization\$qqrv | 1 |
| @Paticard4ws@initialization\$qqrv | 1 |
| @Paticard4ws@Finalization\$qqrv | 1 |
| @Kartyakozpont@initialization\$qqrv | 1 |
| @Kartyakozpont@Finalization\$qqrv | 1 |
| @Kartyakozpontws@initialization\$qqrv | 1 |
| @Kartyakozpontws@Finalization\$qqrv | 1 |
| @Bizonylatmotor@initialization\$qqrv | 1 |
| @Bizonylatmotor@Finalization\$qqrv | 1 |
| @Bizonylatmotor@TBizonylatMotor@Execution\$qqrv | 1 |
| @Bizonylatmotor@TBizonylatMotor@\$bctr\$qqrv | 1 |
| @Bizonylatmotor@TBizonylatMotor@Initial\$qqrv | 1 |
| @Bizonylatmotorplugins@initialization\$qqrv | 1 |
| @Bizonylatmotorplugins@Finalization\$qqrv | 1 |
| @Hcisession@initialization\$qqrv | 1 |
| @Hcisession@Finalization\$qqrv | 1 |

| | |
|---|---|
| @Bizonylatmotorplugin@initialization\$qqrv | 1 |
| @Bizonylatmotorplugin@Finalization\$qqrv | 1 |
| @Penztar@initialization\$qqrv | 1 |
| @Penztar@Finalization\$qqrv | 1 |
| @Fifounit@initialization\$qqrv | 1 |
| @Fifounit@Finalization\$qqrv | 1 |
| @Bizonylatszamcacheunit@initialization\$qq | 1 |
| @Bizonylatszamcacheunit@Finalization\$qqr | 1 |
| @Toggleretaxaflag@initialization\$qqrv | 1 |
| @Toggleretaxaflag@Finalization\$qqrv | 1 |
| @Venyszaminfo@initialization\$qqrv | 1 |
| @Venyszaminfo@Finalization\$qqrv | 1 |
| @Partnerinfo@initialization\$qqrv | 1 |
| @Partnerinfo@Finalization\$qqrv | 1 |
| @Bizonylatminivenyjelentes@initialization\$ | 1 |
| @Bizonylatminivenyjelentes@Finalization\$q | 1 |
| @Armanager@initialization\$qqrv | 1 |
| @Armanager@Finalization\$qqrv | 1 |
| @Cikkrecepturainfo@initialization\$qqrv | 1 |
| @Cikkrecepturainfo@Finalization\$qqrv | 1 |
| @Bizonylatmotortriggerexecutor@initializat | 1 |
| @Bizonylatmotortriggerexecutor@Finalizati | 1 |
| @Torzskarbunit@initialization\$qqrv | 1 |
| @Torzskarbunit@Finalization\$qqrv | 1 |
| @Idoszakosarkepzes@initialization\$qqrv | 1 |
| @Idoszakosarkepzes@Finalization\$qqrv | 1 |
| @Validationdto@initialization\$qqrv | 1 |
| @Validationdto@Finalization\$qqrv | 1 |
| @Idoszakosarkepzesidoszaklistdto@initializ | 1 |
| @Idoszakosarkepzesidoszaklistdto@Finaliza | 1 |
| @Idoszakosarkepzescikklistdto@initializatio | 1 |
| @Idoszakosarkepzescikklistdto@Finalizatio | 1 |
| @Idoszakosarkepzescikkdto@initialization\$ | 1 |
| @Idoszakosarkepzescikkdto@Finalization\$q | 1 |
| @Idoszakosarvaltozasidoszakdto@initializat | 1 |
| @Idoszakosarvaltozasidoszakdto@Finalizatio | 1 |
| @Idoszakosarkepzesservice@initialization\$c | 1 |
| @Idoszakosarkepzesservice@Finalization\$qr | 1 |
| @Bizonylatqueue@initialization\$qqrv | 1 |
| @Bizonylatqueue@Finalization\$qqrv | 1 |
| @Bizonylatutils@initialization\$qqrv | 1 |
| @Bizonylatutils@Finalization\$qqrv | 1 |
| @Medivusmessenger@initialization\$qqrv | 1 |
| @Medivusmessenger@Finalization\$qqrv | 1 |
| @Anyafiolbizonylat@initialization\$qqrv | 1 |
| @Anyafiolbizonylat@Finalization\$qqrv | 1 |
| @Anyafiolcikk@initialization\$qqrv | 1 |

| | |
|---|---|
| @Anyafiolcikk@Finalization\$qqrv | 1 |
| @Armodosito@Initialization\$qqrv | 1 |
| @Armodosito@Finalization\$qqrv | 1 |
| @Fiokforgalommosszesito@Initialization\$qqrv | 1 |
| @Fiokforgalommosszesito@Finalization\$qqrv | 1 |
| @Bizonylatstorno@Initialization\$qqrv | 1 |
| @Bizonylatstorno@Finalization\$qqrv | 1 |
| @Oepelszamolastable@Initialization\$qqrv | 1 |
| @Oepelszamolastable@Finalization\$qqrv | 1 |
| @Veoitartozasmanager@Initialization\$qqrv | 1 |
| @Veoitartozasmanager@Finalization\$qqrv | 1 |
| @Aktivrendelescacherefreshunit@Initialization\$qqrv | 1 |
| @Aktivrendelescacherefreshunit@Finalization\$qqrv | 1 |
| @Hianycikkupdateunit@Initialization\$qqrv | 1 |
| @Hianycikkupdateunit@Finalization\$qqrv | 1 |
| @Miqueue@Initialization\$qqrv | 1 |
| @Miqueue@Finalization\$qqrv | 1 |
| @Miq@Initialization\$qqrv | 1 |
| @Miq@Finalization\$qqrv | 1 |
| @Zffolderdialog@Initialization\$qqrv | 1 |
| @Zffolderdialog@Finalization\$qqrv | 1 |
| @Zfzlib@Initialization\$qqrv | 1 |
| @Zfzlib@Finalization\$qqrv | 1 |
| @Zfmasks@Initialization\$qqrv | 1 |
| @Zfmasks@Finalization\$qqrv | 1 |
| @Zfexcept@Initialization\$qqrv | 1 |
| @Zfexcept@Finalization\$qqrv | 1 |
| @Cikkareladhatosaghistry@Initialization\$qqrv | 1 |
| @Cikkareladhatosaghistry@Finalization\$qqrv | 1 |
| @Medivusservice@Initialization\$qqrv | 1 |
| @Medivusservice@Finalization\$qqrv | 1 |
| ?GetDateStruct@CSDateTime@@QBEXPAU1 | 1 |
| ?OnInitDialog@CSThemedDialog@@MAEH | 1 |
| ?GetStatusBarPanes@CSThemedDialog@@IAE | 1 |
| ?ShowToolBar@CSThemedDialog@@UAEXF | 1 |
| ?EnableOption@CSThemedDialog@@UAEXI | 1 |
| ?ShowOption@CSThemedDialog@@UAEXIH | 1 |
| ?DoModal@CSThemedDialog@@UAEHXZ | 1 |
| ?ShowToolBarButtonText@CSThemedDialog | 1 |
| ?TheApplicationContext@Interface@Applic | 1 |
| ?GetFeatureSet@CApplicationData@@QAEJ | 1 |
| ??1CReportsParentBase@@UAE@XZ | 1 |
| ??0CReportsParentBase@@QAE@PAVCRep | 1 |
| ?DoDataExchange@CReportsParentBase@@A | 1 |
| ?OnCancel@CReportsParentBase@@EAEXX | 1 |
| ?GetMenu@CReportsParentBase@@EBEPA' | 1 |
| ?AddSelectedReportItemsToDB@CReportsP | 1 |

| | |
|---|---|
| ?GetThisMessageMap@CReportsParentBase | 1 |
| ?GetThisClass@CReportsParentBase@@SGF | 1 |
| ?PostNcDestroy@CReportsParentBase@@U | 1 |
| ?GetTreeView@CReportsParentBase@@IBE | 1 |
| ??0CReportsSheetBase@@QAE@PAVCWnd | 1 |
| ?DoDataExchange@CReportsSheetBase@@I | 1 |
| ?OnInitDialog@CReportsSheetBase@@MAE | 1 |
| ?OnCancel@CReportsSheetBase@@MAEXX: | 1 |
| ?GetThisMessageMap@CReportsSheetBase(| 1 |
| ??0CReportsPageBase@@QAE@XZ | 1 |
| ?DoDataExchange@CReportsPageBase@@N | 1 |
| ?OnInitDialog@CReportsPageBase@@MAEI | 1 |
| ?OnOK@CReportsPageBase@@MAEXXZ | 1 |
| ?Create@CReportsParentBase@@QAEHPA\ | 1 |
| ?BuildReportTree@CReportsPageBase@@N | 1 |
| ?PostItemSelChange@CReportsPageBase@(| 1 |
| ?SetSelectedReportFolder@CReportsPageBa | 1 |
| ??1CReportsPageBase@@UAE@XZ | 1 |
| ?GetThisMessageMap@CReportsPageBase@ | 1 |
| ??1CReportsSheetBase@@UAE@XZ | 1 |
| ?GetThisMessageMap@CSDialogWithHelp@ | 1 |
| ?PreTranslateMessage@CSDialogWithHelp@ | 1 |
| ??0CSDialogWithHelp@@QAE@IPAVCWnd(| 1 |
| ??1CSDialogWithHelp@@UAE@XZ | 1 |
| ?GetPaneDlgID@CSModelessParent@@MAI | 1 |
| ?ShowPicture@CSModelessParent@@UAEX | 1 |
| ?OnActivate@CSModelessParent@@UAEXIF | 1 |
| ?Create@CSModelessParent@@UAEHIPAVC | 1 |
| ?PreTranslateMessage@CSModelessParent(| 1 |
| ?GetSuperWndProcAddr@CSModelessParer | 1 |
| ?SetPropertySheet@CSModelessParent@@I | 1 |
| ?OnOK@CSModelessParent@@MAEXXZ | 1 |
| ?SetConnection@CPostingListBuilder@@QA | 1 |
| ?SetNominalLinkSettings@CPostingListBuild | 1 |
| ?Load@CNominalLinkSettingsList@@QAEH\ | 1 |
| ?SetHistorical@CPostingListBuilder@@QAE) | 1 |
| ?SetPostingDate@CPostingListBuilder@@Q | 1 |
| ?SetConnection@CNominalLinkSettingsList@ | 1 |
| ??0CPostingListBuilder@@QAE@XZ | 1 |
| ??0CNominalLinkSettingsList@@QAE@XZ | 1 |
| ?SetGrouping@CPostingListBuilder@@QAE) | 1 |
| ?GetList@CPostingListBuilder@@QAEPAVCF | 1 |
| ?Save@CPostingList@@QAEHW4SaveOptio | 1 |
| ??1CPostingListBuilder@@UAE@XZ | 1 |
| ??1CNominalLinkSettingsList@@UAE@XZ | 1 |
| ??1CNominalTransaction@@UAE@XZ | 1 |
| ??1CNominalLinkSetting@@UAE@XZ | 1 |

| | |
|---|---|
| ?ProcessEmployees@CPostingListBuilder@() | 1 |
| ?SetSelectedPaymentPeriod@CPostingListB | 1 |
| ?SetSelectedDate@CPostingListBuilder@@C | 1 |
| ?SetPostingReference@CPostingListBuilder@ | 1 |
| ?ProcessBankTransfer@CPostingListBuilder@ | 1 |
| ?LogicToLogic@OutputDevice@@QBEPAJPA | 1 |
| ?GetConstFlagAry@Polygon@@QBEPBEXZ | 1 |
| ?GetConstPointAry@Polygon@@QBEPBVPO | 1 |
| decoder_GetDisplayDate | 1 |
| control_message_send | 1 |
| control_win32_params_to_message | 1 |
| player_new | 1 |
| player_delete | 1 |
| xaudio_get_api_version | 1 |
| CoRegisterInitializeSpy | 1 |
| Bh SetLastError | 1 |
| ReallocMemory | 1 |
| MemorySize | 1 |
| BhGetLastError | 1 |
| DestroyObjectHeap | 1 |
| CreateObjectHeap | 1 |
| AddGroup | 1 |
| GetFrameCaptureHandle | 1 |
| GetCaptureTimeStamp | 1 |
| AdjustSystemTime | 1 |
| GetFrameMacType | 1 |
| GetFrameSourceAddress | 1 |
| GetFrameDestAddress | 1 |
| GetPropertyText | 1 |
| LoadExpertConfiguration | 1 |
| PopupExpertConfigurationUI | 1 |
| SaveExpertConfiguration | 1 |
| GetGroupName | 1 |
| DestroyCapture | 1 |
| DisableProtocol | 1 |
| GetEnabledProtocols | 1 |
| LoadCaptureW | 1 |
| CreateCapture | 1 |
| SaveCaptureW | 1 |
| GetCaptureTotalFrames | 1 |
| GetAddressInfo | 1 |
| BHGetLastError | 1 |
| MacTypeToAddressType | 1 |
| GetProtocolInfo | 1 |
| GetProtocolFromProperty | 1 |
| UnlockFrame | 1 |
| LockFrame | 1 |

| | |
|--------------------------------|---|
| UnlockFrameText | 1 |
| LockFrameText | 1 |
| EnumExpertInfos | 1 |
| UnlockFramePropertyTable | 1 |
| LockFramePropertyTable | 1 |
| AbortExpert | 1 |
| DestroyFilter | 1 |
| GetFrameNumber | 1 |
| FilterFindPropertyInstance | 1 |
| GetCaptureAddressDB | 1 |
| SetCurrentFilter | 1 |
| FilterFlushBits | 1 |
| GetProtocolDLLName | 1 |
| EnableProtocol | 1 |
| FilterFrame | 1 |
| GetFrameFromFrameHandle | 1 |
| bInsert | 1 |
| GetProtocolStartOffsetHandle | 1 |
| FindAddressInfoByAddress | 1 |
| EnumProtocols | 1 |
| FilterDuplicate | 1 |
| GetProtocolFromName | 1 |
| CreateFilter | 1 |
| FilterAddObject | 1 |
| DecodeSNMPObjectIdentifier | 1 |
| CompareAddresses | 1 |
| GetPropertyInfo | 1 |
| DeleteAddress | 1 |
| AddAddress | 1 |
| EmptyAddressDatabase | 1 |
| DestroyAddressDatabase | 1 |
| CreateAddressDatabase | 1 |
| DeleteFrame | 1 |
| GetFrameLength | 1 |
| CreateFrame | 1 |
| InsertFrame | 1 |
| DeleteGroup | 1 |
| NmapInitialize | 1 |
| SetAddressDatabaseInstanceData | 1 |
| SetGroupName | 1 |
| DeleteExpertFromGroup | 1 |
| AddExpertToGroup | 1 |
| GetAddressDatabaseInstanceData | 1 |
| GetFrameTimeStamp | 1 |
| ModifyFrame | 1 |
| GetFrameStoredLength | 1 |
| GetCaptureInstanceData | 1 |

| | |
|-----------------------------|---|
| EnumAddresses | 1 |
| GetExpertStatus | 1 |
| SetCaptureInstanceData | 1 |
| SetCaptureAddressDB | 1 |
| GetFrame | 1 |
| FrameRecognize | 1 |
| ReleaseFrame | 1 |
| FilterFindFrame | 1 |
| IsRemoteNPP | 1 |
| SetBoolInBlob | 1 |
| GetDwordFromBlob | 1 |
| GetNetworkInfoFromBlob | 1 |
| RegOpenBlobKey | 1 |
| GetMacAddressFromBlob | 1 |
| GetNPPMacTypeAsNumber | 1 |
| RegCreateBlobKey | 1 |
| GetBoolFromBlob | 1 |
| RemoveFromBlob | 1 |
| SetNPPEtypeSapFilter | 1 |
| SetNPPAddressFilterInBlob | 1 |
| SetNPPPATTERNFilterInBlob | 1 |
| SetNPPTriggerInBlob | 1 |
| VarLenSmallIntToDword | 1 |
| Imp | 1 |
| SamIAmIGC | 1 |
| NdisImmediateReadPortUshort | 1 |
| NdisCompareAnsiString | 1 |
| NdisMCmRequest | 1 |
| NdisCmDropPartyComplete | 1 |
| NdisMAllocateMapRegisters | 1 |
| strcmp_utf8_max | 1 |
| uAddStringLower | 1 |
| u.CreateDirectory | 1 |
| uMoveFile | 1 |
| uDeleteFile | 1 |
| uRemoveDirectory | 1 |
| uCreateFile | 1 |
| uGetTempFileName | 1 |
| uGetTempPath | 1 |
| uCharUpper | 1 |
| uModifyMenu | 1 |
| uGetMenuItemString | 1 |
| uGetMenuItemType | 1 |
| uDragQueryFileCount | 1 |
| uCharLower | 1 |
| uSortStringCreate | 1 |
| uSortStringCompare | 1 |

| | |
|---------------------------|---|
| uSortStringFree | 1 |
| uSendDlgItemMessage | 1 |
| uSendMessage | 1 |
| uMessageBox | 1 |
| uSendMessageText | 1 |
| uGetModuleFileName | 1 |
| strcmp_utf8 | 1 |
| uFindFirstFile | 1 |
| uLoadLibrary | 1 |
| uOutputDebugString | 1 |
| uCreateDialog | 1 |
| uDragQueryFile | 1 |
| uGetOpenFileNameMulti | 1 |
| uBrowseForFolder | 1 |
| uGetOpenFileName | 1 |
| strcmp_utf8_stringtoblock | 1 |
| uLoadCursor | 1 |
| uUnregisterClass | 1 |
| uDdeQueryString | 1 |
| uDdeAccessData_Text | 1 |
| uDefWindowProc | 1 |
| uGetModuleHandle | 1 |
| uRegisterClass | 1 |
| uCreateWindowEx | 1 |
| uDdeInitialize | 1 |
| uDdeCreateStringHandle | 1 |
| uGetClassName | 1 |
| uLoadImage | 1 |
| uLoadIcon | 1 |
| uPeekMessage | 1 |
| uGetMessage | 1 |
| uIsDialogMessage | 1 |
| uDispatchMessage | 1 |
| UTF8API_GetVersion | 1 |
| uPrintCrashInfo_Init | 1 |
| uGetCommandLine | 1 |
| uGetLongPathName | 1 |
| uGetFullPathName | 1 |
| uGetEnvironmentVariable | 1 |
| uCreateMutex | 1 |
| uRegisterClipboardFormat | 1 |
| uGetCurrentDirectory | 1 |
| uSetCurrentDirectory | 1 |
| uGetKeyNameText | 1 |
| uStringCompare | 1 |
| uSetDlgItemText | 1 |
| uAddStringUpper | 1 |

| | |
|--------------------------------------|---|
| uGetFileAttributes | 1 |
| uSetClipboardString | 1 |
| strcmp_utf8_partial | 1 |
| uPostMessage | 1 |
| uCallWindowProc | 1 |
| uCreateFontIndirect | 1 |
| uChooseColor | 1 |
| IsUnicode | 1 |
| uChooseFont | 1 |
| uGetDefaultFont | 1 |
| uPrintfV | 1 |
| uTreeView_InsertItem | 1 |
| uSetWindowLong | 1 |
| uSetWindowText | 1 |
| uGetWindowLong | 1 |
| uShellExecute | 1 |
| uGetWindowText | 1 |
| uReplaceCharAdd | 1 |
| uDialogBox | 1 |
| uGetDlgItemText | 1 |
| uAppendMenu | 1 |
| StopKBHook | 1 |
| Mag0InitCore | 1 |
| Mag0Release | 1 |
| Mag0Retain | 1 |
| Mag0LoadModuleDIIW | 1 |
| Mag0CreateObj | 1 |
| Mag0UninitCore | 1 |
| Mag0FreeModuleDll | 1 |
| Mag0UninitEngine | 1 |
| Mag0GetGValue | 1 |
| Mag0InitEngine | 1 |
| Mag0ConfigEngine | 1 |
| Mag0UninitImage | 1 |
| Mag0InitImage | 1 |
| Mag0InitInter | 1 |
| ?DetachSurface@CSurfaceManage@@QAEX | 1 |
| Mag0DispatchEvent | 1 |
| Mag0UninitInter | 1 |
| ?GetSurfaceManage@CSurfaceManage@@@` | 1 |
| ?CreateSurfaceW@CSurfaceManage@@QAI | 1 |
| ?GetEnvironment@CSurfaceManage@@QA | 1 |
| ToolsCtrlUninit | 1 |
| ToolsCtrlInit | 1 |
| EzLoadPsdFileAsImage | 1 |
| EzImageDelete | 1 |
| EzLoadBmpFileThumbnail | 1 |

| | |
|---------------------------------------|---|
| ?DestroyInstance@CAudioPlayer@@SAXPA' | 1 |
| ?InitInstance@CAudioPlayer@@SAPAV1@A | 1 |
| MICreateMediaObject | 1 |
| MIGetDurations | 1 |
| MIReleaseMediaObject | 1 |
| MIUnInitialize | 1 |
| MIIInitialize | 1 |
| MISetAudioState | 1 |
| fd2 | 1 |
| ZEXGRUP | 1 |
| ZEXNUM | 1 |
| WSP | 1 |
| PHT | 1 |
| CVLire | 1 |
| CVEuro | 1 |
| EXPWriteExportFile | 1 |
| ZNOMEEXE | 1 |
| ZSILENTE | 1 |
| ZPROFIS_INSTAL | 1 |
| WgsDrawScreenFrame | 1 |
| WgsDefineWindow | 1 |
| RunWindow5 | 1 |
| WgsSetValidateInput | 1 |
| WgsDrawScreen | 1 |
| WgsGetVideoInput | 1 |
| WgsCheckInputData | 1 |
| pszWindowHeader | 1 |
| Tcl_Concat | 1 |
| Tcl_UtfToExternalDString | 1 |
| ?IsPathValid@@YAHAAVCString@@@Z | 1 |
| ?SizeToContent@CGifTimerStatic@@QAEXX | 1 |
| ?LoadGif@CGifTimerStatic@@QAEHPBD0@ | 1 |
| ?SetBkColor@CGifTimerStatic@@QAEKK@Z | 1 |
| ??0CGifTimerStatic@@QAE@XZ | 1 |
| ??1CGifTimerStatic@@UAE@XZ | 1 |
| ?OnInitDialog@CGifShowDlg@@MAEHXZ | 1 |
| ?GetMessageMap@CGifTimerStatic@@MBE | 1 |
| ?PreTranslateMessage@CGifShowDlg@@U/ | 1 |
| ?DoDataExchange@CGifShowDlg@@MAEXF | 1 |
| ?AdjustPos@CGifShowDlg@@QAEHX@Z | 1 |
| ?ShowWindow@CGifShowDlg@@QAEHH@ | 1 |
| ??0CGifShowDlg@@QAE@PAVCWnd@@@ | 1 |
| ?LoadPicture@CGifShowDlg@@QAEHABVC | 1 |
| ?GetMessageMap@CGifShowDlg@@MBEPE | 1 |
| ??1CGifShowDlg@@UAE@XZ | 1 |
| registraSyS | 1 |
| Marina | 1 |

| | |
|---------------------------------------|---|
| ?free@QRingBuffer@@QAEXH@Z | 1 |
| ?readPointer@QRingBuffer@@QBEPBDXZ | 1 |
| ?nextDataBlockSize@QRingBuffer@@QBEH | 1 |
| ?reserve@QRingBuffer@@QAEPADH@Z | 1 |
| ??1QRingBuffer@@QAE@XZ | 1 |
| ??0QRingBuffer@@QAE@H@Z | 1 |
| ??BQByteArray@@QBEPBXXZ | 1 |
| ?activate@QMetaObject@@SAXPAVQObjec | 1 |
| ??_QObject@@6B@ | 1 |
| ?peek@QRingBuffer@@QBE?AVQByteArray | 1 |
| ??0QIODevice@@QAE@PAVQObject@@@ | 1 |
| ?space@QDebug@@QAEAAV1@XZ | 1 |
| ?append@QListData@@QAEPAQAXABU1@I | 1 |
| ?skip@QRingBuffer@@QAEHH@Z | 1 |
| ?read@QRingBuffer@@QAEHPADH@Z | 1 |
| ?getChar@QRingBuffer@@QAEHXZ | 1 |
| ?chop@QRingBuffer@@QAEXH@Z | 1 |
| ?maybeSpace@QDebug@@QAEAAV1@XZ | 1 |
| ?canReadLine@QRingBuffer@@QBE_NXZ | 1 |
| ?clear@QRingBuffer@@QAEXXZ | 1 |
| ?indexOf@QRingBuffer@@QBEHD@Z | 1 |
| ??4QAtomicInt@@QAEAAV0@ABV0@@@Z | 1 |
| ?pos@QRegExp@@QAEHH@Z | 1 |
| ??6@YA?AVQDebug@@V0@ABVQDateTim | 1 |
| ?indexOf@QByteArray@@QBEHPBDH@Z | 1 |
| ?indexOf@QString@@QBEHABVQRegExp@ | 1 |
| ?prepend@QByteArray@@QAEAAV1@ABV | 1 |
| ?insert@QByteArray@@QAEAAV1@HD@Z | 1 |
| ?indexOf@QByteArray@@QBEHABV1@H@ | 1 |
| ?currentThreadId@QThread@@SAPAXXZ | 1 |
| ?setPattern@QRegExp@@QAEXABVQString | 1 |
| ?metaObject@QLibrary@@UBEPBUQMetaC | 1 |
| ?qt_metacast@QLibrary@@UAEPAXPBD@Z | 1 |
| ?qt_metacall@QLibrary@@UAEHW4Call@C | 1 |
| _ZN7KGGZRaw10setNetworkEi | 1 |
| _ZN7KGGZRawC1Ev | 1 |
| _ZN7KGGZRawIsE7QString | 1 |
| _ZN7KGGZRawIsEa | 1 |
| _ZN7KGGZRawIsEi | 1 |
| _ZN7KGGZRawrsER7QString | 1 |
| _ZN7KGGZRawrsERi | 1 |
| _Z7qgetenvPKc | 1 |
| _ZN15SocketNotifierC1EiNS_4TypeEP7QO& | 1 |
| _ZN6QDebug13hasNullOutputE9QtMsgTypeI | 1 |
| amd_printf | 1 |
| amd_l_postorder | 1 |
| amd_free | 1 |

| | |
|---------------------------------------|---|
| amd_malloc | 1 |
| amd_realloc | 1 |
| amd_l1 | 1 |
| amd_l_aat | 1 |
| amd_l_defaults | 1 |
| amd_l_valid | 1 |
| dgemm | 1 |
| dtrsm | 1 |
| dgemv | 1 |
| dtrsv | 1 |
| zgemm | 1 |
| ztrsm | 1 |
| zgemv | 1 |
| ztrsv | 1 |
| ??1CRegistry@@@UAE@XZ | 1 |
| ?Load_XML_Document@CXmlParser@@QA | 1 |
| ?Remove@CXmlParser@@QAE_NXZ | 1 |
| ??1CXmlParser@@UAE@XZ | 1 |
| ?Parse_XML_Document@CXmlParser@@U/ | 1 |
| ?GetGUID@CTools@@QAE?AVCString@@X | 1 |
| ??0CScreen@@QAE@XZ | 1 |
| ?Compute@CScreen@@QAEXXZ | 1 |
| ??1CScreen@@UAE@XZ | 1 |
| ?LoadDIIComm@CRegisterComm@@QAEPA | 1 |
| ?FreeDIIComm@CRegisterComm@@QAEPA | 1 |
| ??0CVersionOS@@QAE@XZ | 1 |
| ?IsXP@CVersionOS@@QAEHXZ | 1 |
| ??1CVersionOS@@UAE@XZ | 1 |
| ?ContactWnd@CRegisterComm@@QAEHPA | 1 |
| ??0CTools@@QAE@XZ | 1 |
| ??0CSecureNetwork@@QAE@XZ | 1 |
| ?GetAppDataDir@CTools@@QAE?AVCString | 1 |
| ??0CRegisterComm@@QAE@XZ | 1 |
| ? GetUserConf@CRegisterComm@@QAEPAI | 1 |
| ?GetUserId@CConfUser@@QAE?AVCString | 1 |
| ?GetHostConf@CRegisterComm@@QAEPAI | 1 |
| ?GetFile@CSecureNetwork@@QAEJPBD00F | 1 |
| ??1CRegisterComm@@UAE@XZ | 1 |
| ??1CSecureNetwork@@UAE@XZ | 1 |
| ??1CTools@@UAE@XZ | 1 |
| ?SetStringKey@CRegistry@@QAEKPAUHKEY | 1 |
| ??0CRegistry@@QAE@XZ | 1 |
| ?ReadStringKey@CRegistry@@QAE?AVCStri | 1 |
| ?ReadPCB@CDataStorage@@QAEJPBDH@Z | 1 |
| ?GetFileName@CDataStorage@@QAE?AVC | 1 |
| ?ExtractImgFromPCB@CManageImg@@QAI | 1 |
| ??0CDataStorage@@QAE@XZ | 1 |

| | |
|--|---|
| ??1CDataStorage@@UAE@XZ | 1 |
| ?ExtractPCB@CDataStorage@@QAEJPBD@Z | 1 |
| ?ReloadScript@CEoReaderScript@@QAEHX: | 1 |
| ?ChangeState@CDlgSkin@@MAEXPBD@Z | 1 |
| ?OnTimer@CDlgSkin@@IAEXI@Z | 1 |
| ??1CDlgEoJetAboutThread@@UAE@XZ | 1 |
| ??0CDlgEoJetAboutThread@@QAE@PBD@Z | 1 |
| ??3CDlgEoJetAboutThread@@SAXPAX@Z | 1 |
| ?GetRuntimeClass@CDlgEoJetAboutThread@ | 1 |
| ?GetMessageMap@CDlgEoJetAboutThread@ | 1 |
| ?InitInstance@CDlgEoJetAboutThread@@U | 1 |
| ?ExitInstance@CDlgEoJetAboutThread@@U | 1 |
| ?EoSetForegroundWindow@CDlgSkin@@IA | 1 |
| ?ChangeAttribute@CDlgSkin@@IAEXPBD0@ | 1 |
| ?OnCommand@CDlgSkin@@MAEHIJ@Z | 1 |
| ?DefWindowProcA@CDlgSkin@@MAEJIJ@: | 1 |
| ?OnInitDialog@CDlgSkin@@MAEHXZ | 1 |
| ?ReDraw@CDlgSkin@@IAEXXZ | 1 |
| ?messageMap@CDlgSkin@@1UAFX_MSGM | 1 |
| ??1CEoReaderScript@@UAE@XZ | 1 |
| ??0CDlgSkin@@QAE@PAVCWnd@@@Z | 1 |
| ??1CDlgSkin@@UAE@XZ | 1 |
| ?PostNcDestroy@CDlgSkin@@MAEXXZ | 1 |
| ??1CManageImg@@UAE@XZ | 1 |
| ?WriteText@CManageImg@@QAEPAUFIBIT | 1 |
| ??0CManageImg@@QAE@XZ | 1 |
| ?LoadResource@CManageImg@@QAEPAUF | 1 |
| ?FreeImg@CManageImg@@QAEPAUFIBIT | 1 |
| ??1CDlgAlphaLayer@@UAE@XZ | 1 |
| ?KeyPad@CDlgSkin@@MAEXH@Z | 1 |
| ?HideOrShow@CDlgSkin@@MAEXH@Z | 1 |
| ?SwapNlImage@CDlgSkin@@MAEXVCString | 1 |
| ?AutoVerifCell@CDlgSkin@@MAEXXZ | 1 |
| ?CloseGame@CDlgSkin@@MAEXXZ | 1 |
| ?NewGame@CDlgSkin@@MAEXXZ | 1 |
| ?NotSureOfCell@CDlgSkin@@MAEXXZ | 1 |
| ?SaveGame@CDlgSkin@@MAEXXZ | 1 |
| ?toWallPaper@CDlgSkin@@MAEXXZ | 1 |
| ?MovementPauseOrStart@CDlgSkin@@MA | 1 |
| ?MovementBack@CDlgSkin@@MAEXXZ | 1 |
| ?MovementNext@CDlgSkin@@MAEXXZ | 1 |
| ?ShowOptions@CDlgSkin@@MAEXXZ | 1 |
| ?ChangeLumination@CDlgSkin@@MAEXXZ | 1 |
| ?ChangeAutoVerif@CDlgSkin@@MAEXH@Z | 1 |
| ?Illuminate@CDlgSkin@@MAEXHH@Z | 1 |
| ?ChangeValue@CDlgSkin@@MAEXHH@Z | 1 |
| ?OnClose@CDlgSkin@@MAEXXZ | 1 |

| | |
|--|---|
| ?GetRuntimeClass@CDlgSkin@@UBEPAUCF | 1 |
| _FreeImage_GetInfo@4 | 1 |
| _FreeImage_GetBits@4 | 1 |
| _FreeImage_GetInfoHeader@4 | 1 |
| ?UpdateDialog@CMngLanguage@@QAEHP | 1 |
| ??0CMngLanguage@@QAE@XZ | 1 |
| ??1CMngLanguage@@UAE@XZ | 1 |
| ?GetTraductionByLabel@CMngLanguage@C | 1 |
| ?UpdateCombobox@CMngLanguage@@QA | 1 |
| ?GetComboBoxSelectedLabel@CMngLangua | 1 |
| ?GetTraduction@CMngLanguage@@QAEHV | 1 |
| Online_Initialize | 1 |
| Ini_GetString | 1 |
| Online_Execute | 1 |
| Label | 1 |
| Ini_GetBool | 1 |
| Ini_Initialize | 1 |
| String_Initialize | 1 |
| SetInstance | 1 |
| __vlc_object_signal_unlocked | 1 |
| SdEnable | 1 |
| SdExtTextOut | 1 |
| SdFlushScanlines | 1 |
| SdOutput | 1 |
| SdBitBlt | 1 |
| SdRealizeObject | 1 |
| SdStretchBlt | 1 |
| SdStretchDIB | 1 |
| SdDisable | 1 |
| SdControl | 1 |
| lineGetAddressStatus | 1 |
| lineGetIcon | 1 |
| ??0_Runtime_object@details@Concurrency | 1 |
| ??0invalid_operation@Concurrency@@QAE | 1 |
| ??0bad_target@Concurrency@@QAE@XZ | 1 |
| ??0message_not_found@Concurrency@@C | 1 |
| ??0invalid_link_target@Concurrency@@QA | 1 |
| ??1critical_section@Concurrency@@QAE@ | 1 |
| ?Yield@Context@Concurrency@@SAXXZ | 1 |
| ?Get@CurrentScheduler@Concurrency@@S | 1 |
| ?ScheduleTask@CurrentScheduler@Concurr | 1 |
| ?Alloc@Concurrency@@YAPAXI@Z | 1 |
| ?Free@Concurrency@@YAXPAX@Z | 1 |
| ??1_Scoped_lock @_ReentrantPPLock@det | 1 |
| ??0_Scoped_lock @_ReentrantPPLock@det | 1 |
| ??0_ReentrantPPLock@details@Concurrent | 1 |
| ?_Stop @_Timer@details@Concurrency@@ | 1 |

| | |
|---|---|
| ?_Start @_Timer@details@Concurrency@@ | 1 |
| ??1_Timer@details@Concurrency@@IAE@` | 1 |
| ??0_Scoped_lock@_NonReentrantPPLock@ | 1 |
| ??0_NonReentrantPPLock@details@Concu | 1 |
| ?_UnderlyingYield@details@Concurrency@ | 1 |
| ?_SpinOnce@?\$_SpinWait@\$00@details@C | 1 |
| ??0_Timer@details@Concurrency@@IAE@` | 1 |
| ??1_Scoped_lock@_NonReentrantPPLock@ | 1 |
| @Basedef@TivLinkData@SetLinkDataItems\$ | 1 |
| @\$xp\$27Eimagepanel@TelImageCheckBox | 1 |
| @Eimagepanel@TelImageCheckBox@ | 1 |
| @Ivaccount@TivAccountBox@AccountForm | 1 |
| @Etcctrlsii@TlvNumEdit@SetAsInteger\$qqri | 1 |
| @Etcctrlsii@TlvNumEdit@GetAsFloat\$qqrv | 1 |
| @Hdorderdialog@THDOrderInfoItem@SetV | 1 |
| @\$xp\$30Hdflatspinedit@THDFlatSpinEdit | 1 |
| @Hdflatspinedit@THDFlatSpinEdit@ | 1 |
| @Flatctrls@THDFlatAccountBox2@SetIsLoar | 1 |
| @Flatctrls@THDFlatAccountBox2@SetIsCrec | 1 |
| @Flatctrls@THDFlatAccountBox2@SetIsCrec | 1 |
| @Flatctrls@THDFlatAccountBox2@AgreeCh | 1 |
| @Umistake@initialization\$qqrv | 1 |
| @Umistake@Finalization\$qqrv | 1 |
| @Umistake@GetWarningFlag\$qqr21Umista | 1 |
| @Umistake@ShowWarning\$qqr21Umistake | 1 |
| remote_createContext | 1 |
| DescribelImage | 1 |
| MapImages | 1 |
| DestroyImages | 1 |
| AverageImages | 1 |
| MogrifyImages | 1 |
| IsGeometry | 1 |
| PostscriptGeometry | 1 |
| Latin1Compare | 1 |
| MagickError | 1 |
| ExpandFilenames | 1 |
| SetClientName | 1 |
| @Filectrl@TFileListBox@SetMask\$qqrx17Sy: | 1 |
| _SDTGetDateTimeToday@4 | 1 |
| _SDTDateFromTimeStamp@8 | 1 |
| ??0CSGString@@QAE@PBD@Z | 1 |
| _CleanUp@4 | 1 |
| _FillUp@8 | 1 |
| _GetSystemDate@0 | 1 |
| _StringChar@12 | 1 |
| CloseGestureInfoHandle | 1 |
| GdipCreateTexture2 | 1 |

| | |
|--------------------------------------|---|
| GdipSetTextureTransform | 1 |
| GdipSetPathGradientSigmaBlend | 1 |
| GdipSetPathGradientLinearBlend | 1 |
| GdipSetPathGradientGammaCorrection | 1 |
| GdipSetLineLinearBlend | 1 |
| GdipSetLineSigmaBlend | 1 |
| GdipMultiplyLineTransform | 1 |
| GdipSetPenCustomStartCap | 1 |
| GdipSetCustomLineCapStrokeCaps | 1 |
| GdipCreateCustomLineCap | 1 |
| GdipClonePen | 1 |
| GdipSetPenCompoundArray | 1 |
| GdipSetPenDashCap197819 | 1 |
| GdipGetPenColor | 1 |
| GdipGetPathTypes | 1 |
| GdipGetPointCount | 1 |
| GdipGetCompositingMode | 1 |
| GdipRecordMetafile | 1 |
| GdipGetPenMode | 1 |
| GdipClonePath | 1 |
| GdipGetPathPoints | 1 |
| SetWindowThemeAttribute | 1 |
| CdaSysGetLastError | 1 |
| CdaSysInstallForProductEx | 1 |
| IDS8START | 1 |
| CheckDemo2 | 1 |
| CheckAGG | 1 |
| TmpLogFile | 1 |
| DBCheckDBData4 | 1 |
| iProtMat | 1 |
| iProtMat1 | 1 |
| GetRightChar | 1 |
| SetUpdateMode | 1 |
| UpdateDB5 | 1 |
| SetImageHide | 1 |
| SetFuncKeyHide | 1 |
| DefineResource | 1 |
| ExitWindow | 1 |
| DefinelImage6 | 1 |
| ?GetMiniDrv@CDrivers@@QAEJAAVCString | 1 |
| ?GetMiniportDrv@CDrivers@@QAEJAAVCS1 | 1 |
| ??0CDrivers@@QAE@XZ | 1 |
| ??1CDrivers@@UAE@XZ | 1 |
| ?GetAccName@CController@@QAEJAAVCS | 1 |
| ?GetAdapterName@CController@@QAEJAA | 1 |
| ?GetVideoBIOSVer@CController@@QAEJAA | 1 |
| ?IsRHB@CController@@QAEHXZ | 1 |

| | |
|---------------------------------------|---|
| ??1CMonitor@@UAE@XZ | 1 |
| ?GetMaxImageSize@CMonitor@@QAEJPAG | 1 |
| ?GetDDCCaps@CMonitor@@QAEJPAG@Z | 1 |
| ?GetDPMSSupport@CMonitor@@QAEJPAE(| 1 |
| ?GetDate@CDrivers@@QAEJVCString@@A | 1 |
| ?GetVersion@CDrivers@@QAEJVCString@@C | 1 |
| ?GetMfg@CDrivers@@QAEJVCString@@AA | 1 |
| ?GetDesc@CDrivers@@QAEJVCString@@A\ | 1 |
| ?GetDisplayDrvs@CDrivers@@QAEJAAVCSt | 1 |
| ?GetCurrDate@CDrivers@@QAEJAAVCStrin | 1 |
| ?GetCurrMfg@CDrivers@@QAEJAAVCString | 1 |
| ??0CMonitor@@QAE@XZ | 1 |
| ?GetSerialNum@CMonitor@@QAEJPAK@Z | 1 |
| ?Close@CRegKey@@QAEJXZ | 1 |
| ??1CRegKey@@QAE@XZ | 1 |
| ?GetSignalType@CMonitor@@QAEJPAG@Z | 1 |
| ?GetColorType@CMonitor@@QAEJPAG@Z | 1 |
| ?GetGamma@CMonitor@@QAEJPAM@Z | 1 |
| ?GetCurrVideoMode@CController@@QAEJI | 1 |
| ?GetVideoModes@CController@@QAEJPAL | 1 |
| ?GetVidMemType@CController@@QAEJPA\ | 1 |
| ?GetTotalLocalVidMem@CController@@QA | 1 |
| ?GetPCIConfig@CController@@QAEJPAUta\ | 1 |
| ??0CController@@QAE@XZ | 1 |
| ??1CController@@UAE@XZ | 1 |
| ?GetMonitorName@CMonitor@@QAEJAAV | 1 |
| ?GetMonitorMfg@CMonitor@@QAEJAAVC\ | 1 |
| gdk_draw_arc | 1 |
| gdk_draw_line | 1 |
| gtk_check_button_new | 1 |
| gtk_events_pending | 1 |
| gtk_hscale_new | 1 |
| gtk_hscrollbar_new | 1 |
| gtk_main_iteration_do | 1 |
| gtk_option_menu_get_type | 1 |
| gtk_option_menu_new | 1 |
| gtk_option_menu_set_history | 1 |
| gtk_option_menu_set_menu | 1 |
| gtk_preview_draw_row | 1 |
| gtk_preview_get_type | 1 |
| gtk_preview_new | 1 |
| gtk_preview_size | 1 |
| gtk_progress_bar_get_type | 1 |
| gtk_progress_bar_new | 1 |
| gtk_progress_bar_update | 1 |
| gtk_range_get_type | 1 |
| gtk_range_set_update_policy | 1 |

| | |
|---------------------------------|---|
| gtk_scale_get_type | 1 |
| gtk_scale_set_digits | 1 |
| gtk_scale_set_draw_value | 1 |
| gtk_signal_compat_matched | 1 |
| gtk_signal_connect_full | 1 |
| gtk_vscrollbar_new | 1 |
| gtk_widget_draw | 1 |
| gtk_widget_set_usize | 1 |
| gimp_plugin_help_register | 1 |
| SystemInventory | 1 |
| _psParseGetPropHeapObject@24 | 1 |
| _psParseHeapObject@32 | 1 |
| FuncRelatorio | 1 |
| SHGetRealIDL | 1 |
| KeDelayExecutionThRead | 1 |
| wzAudioStop | 1 |
| WOSHttpRequestHasAllData | 1 |
| WOSGetDefaultDirectoryInfo | 1 |
| WOSAddResponseForUriEx | 1 |
| WOSSettingsAddOrUpdateBoolean | 1 |
| WOSContinuePut | 1 |
| WOSCanPut | 1 |
| WOSStartPut | 1 |
| WOSURLDecodeUTF8 | 1 |
| WOSHttpSelfGrowBufferAppendWStr | 1 |
| WOSUrlEncodeUnicode | 1 |
| WOSSyncedPropFind1Ex | 1 |
| WOSCanMove | 1 |
| WOSXMLGetNodeByPath | 1 |
| WOSXMLGetNodeSig | 1 |
| WOSHttpGetUri | 1 |
| WOSHttpGetMethod | 1 |
| WOSHttpGetDepth | 1 |
| WOSHttpGetContentLength | 1 |
| WOSSysInfoIsServer | 1 |
| WOSTraceCounterIncrement | 1 |
| WOSHttpParsingrequestData | 1 |
| WOSTraceCounterDecrement | 1 |
| WOSGetJunctionPointUri | 1 |
| WOSSysInfoGetSystemStartTime | 1 |
| WOSGetMimeType | 1 |
| WOSHttpAddResponseHdr | 1 |
| WOSSettingsGetBoolean | 1 |
| WOSSettingsGetDWORD | 1 |
| WOSUnicodeToUTF8 | 1 |
| WOSSetTask | 1 |
| WOSGetTaskRecord | 1 |

| | |
|---|---|
| WOSOpenTaskTracker | 1 |
| WOSDelTask | 1 |
| WOSHGetValue | 1 |
| WOSHGetBody | 1 |
| WOSUTF8ToUnicode | 1 |
| SysLogPrintf | 1 |
| WOTraceCounterGet | 1 |
| WOSSettingsGetString | 1 |
| WOSHCreateSelfGrowBuffer | 1 |
| WOSHSelfGrowBufferAppendStr | 1 |
| WOSXmlEncode | 1 |
| WOSHSelfGrowBufferGetBuffer | 1 |
| WOSNameSpaceHttpExecRequest | 1 |
| WOSHDestroySelfGrowBuffer | 1 |
| WOSCanDelete | 1 |
| WPAllocate | 1 |
| WOSMsgBox | 1 |
| WOSShellNotify | 1 |
| WPFree | 1 |
| TracePrintf | 1 |
| WOSSysInfoGetDeviceInterface | 1 |
| WOSAddResponseForUri | 1 |
| WOSIsFolderEmpty | 1 |
| WOSCanMkCol | 1 |
| WOSGetVDirStatus | 1 |
| WOSSettingsAddOrUpdateString | 1 |
| WOSBRSTRW2 | 1 |
| aInStr | 1 |
| orOverflow | 1 |
| Move | 1 |
| WerpShowNXNotification | 1 |
| SSGetpRefreshInfo | 1 |
| SSGuiAllocateParent | 1 |
| SSGuiFreeParent | 1 |
| SSMessageFilter | 1 |
| SSGuiDocInit | 1 |
| SSSendRefresh | 1 |
| USBPhone_ClearScreen | 1 |
| ?classCCachedDataPathProperty@CCachedC | 1 |
| ?classCDataPathProperty@CDataPathProper | 1 |
| ?Size@LBitmapBase@@UAEHHI@Z | 1 |
| ?LoadLibraries@LBase@@SAIII@Z | 1 |
| ?SetFileName@LFile@@QAEXPA_W@Z | 1 |
| ?GetInfo@LFile@@UAEHPAU_FILEINFO@@ | 1 |
| ?ReadComment@LFile@@UAEHIPAVLBuffe | 1 |
| ??0LBuffer@@QAE@K@Z | 1 |
| ??1LBuffer@@UAE@XZ | 1 |

| | |
|---|---|
| ?Lock@LBuffer@@QAEPAZ | 1 |
| ?Unlock@LBuffer@@QAEZZ | 1 |
| ??0LBitmapBase@@QAE@PAUtagBITMAPIN | 1 |
| ?IsAllocated@LBitmapBase@@QAEHZ | 1 |
| ?ColorRes@LBitmapBase@@UAEEHIPAUTaq | 1 |
| ?Save@LBitmapBase@@UAEHPA_WHWHHI | 1 |
| ?delMapVal@typeProperty@OESIS@@UAI_OESIS_SetLicense | 1 |
| _nc_align_termttype | 1 |
| _nc_boolcodes | 1 |
| _nc_boolfnames | 1 |
| _nc_boolnames | 1 |
| _nc_capcmp | 1 |
| _nc_doalloc | 1 |
| _nc_entry_match | 1 |
| _nc_err_abort | 1 |
| _nc_find_entry | 1 |
| _nc_first_name | 1 |
| _nc_get_hash_table | 1 |
| _nc_infotocap | 1 |
| _nc_numcodes | 1 |
| _nc_numfnames | 1 |
| _nc_numnames | 1 |
| _nc_read_entry | 1 |
| _nc_read_entry_source | 1 |
| _nc_read_file_entry | 1 |
| _nc_resolve_uses2 | 1 |
| _nc_set_source | 1 |
| _nc_strcodes | 1 |
| _nc_strfnames | 1 |
| _nc_strnames | 1 |
| _nc_tic_expand | 1 |
| _nc_trim_sgr0 | 1 |
| _nc_warning | 1 |
| curses_version | 1 |
| use_extended_names | 1 |
| UninstallMyHook | 1 |
| InstallMyHook | 1 |
| ANGCurrentDirectoryA | 1 |
| SNGCurrentDirectoryA | 1 |
| HeapRytck | 1 |
| 00IeTimeToLocal00IeTime | 1 |
| SetEndOf0000 | 1 |
| FlushFileBufferTR | 1 |
| Writ00000 | 1 |
| ANGCurrentH | 1 |
| Heaptck | 1 |

| | |
|--|---|
| ANGDrvDTypeA | 1 |
| 00ndFirstFileA | 1 |
| 00ndNextFileA | 1 |
| 00ndClose | 1 |
| ANGite | 1 |
| Set00leTime | 1 |
| Local00leTimeTo00leTime | 1 |
| GetCCID | 1 |
| Virtualtck | 1 |
| Dispatch | 1 |
| Translate | 1 |
| LoadLurs7tA | 1 |
| RegisterClaDWA | 1 |
| GetWindowTexTA | 1 |
| R | 1 |
| PostQuit | 1 |
| DialogLONParamA | 1 |
| SetWindowPosI | 1 |
| SetWindowTexTA | 1 |
| Send | 1 |
| Peek | 1 |
| 00ndExecutable | 1 |
| K32GetModuleFileNameExA | 1 |
| _tcscmp | 1 |
| ProCCallEngine | 1 |
| dunzip | 1 |
| ??4id@locale@std@@QAEAAV012@ABV01 | 1 |
| _tcsstr | 1 |
| _ZN7QThread4exitEi | 1 |
| _ZNK7QString7compareERKS_N2Qt15CaseS_ | 1 |
| _ZN10QTabWidget11setTabShapeENS_8Tab | 1 |
| _ZN10QTabWidget12setElideModeEN2Qt13 | 1 |
| _ZN10QTabWidget14setTabPositionENS_11 | 1 |
| _ZN10QTabWidget15setCurrentIndexEi | 1 |
| _ZN10QTabWidget20setUsesScrollButtonsEi | 1 |
| _ZN10QTabWidget6addTabEP7QWidgetRK7 | 1 |
| _ZN10QTabWidget9removeTabEi | 1 |
| _ZN10QTabWidgetC1EP7QWidget | 1 |
| _ZN11QListWidget10insertItemEiRK7QString | 1 |
| _ZN11QListWidget15setItemSelectedEPK15C | 1 |
| _ZN11QListWidget5clearEv | 1 |
| _ZN11QListWidget8takeItemEi | 1 |
| _ZN11QListWidgetC1EP7QWidget | 1 |
| _ZN11QPushButton7setFlatEb | 1 |
| _ZN12 QApplication8setStyleEP6QStyle | 1 |
| _ZN15QPlastiqueStyleC1Ev | 1 |
| _ZN16QAbstractSpinBox12setAlignmentE6Q | 1 |

| | |
|--|---|
| _ZN16QAbstractSpinBox14setAcceleratedEb | 1 |
| _ZN16QAbstractSpinBox16setButtonSymbol | 1 |
| _ZN16QAbstractSpinBox19setSpecialValueTe | 1 |
| _ZN5QFont12setUnderlineEb | 1 |
| _ZN5QMenu4execERK6QPointP7QAction | 1 |
| _ZN6QLabel13setTextFormatEN2Qt10TextFc | 1 |
| _ZN6QSound4playEv | 1 |
| _ZN6QSoundC1ERK7QStringP7QObject | 1 |
| _ZN7QWidget19setInputMethodHintsE6QFl | 1 |
| _ZN7QWidget21setAutoFillBackgroundEb | 1 |
| _ZN8QSpinBox13setSingleStepEi | 1 |
| _ZN8QSpinBox8setRangeEii | 1 |
| _ZN8QSpinBox9setPrefixERK7QString | 1 |
| _ZN8QSpinBox9setSuffixERK7QString | 1 |
| _ZN9QCheckBox11setTristateEb | 1 |
| _ZNK10QTabWidget12currentIndexEv | 1 |
| _ZNK10QTabWidget7indexOfEP7QWidget | 1 |
| _ZNK11QListWidget10currentRowEv | 1 |
| _ZNK11QListWidget11currentItemEv | 1 |
| _ZNK11QListWidget4itemEi | 1 |
| _ZNK11QListWidget5countEv | 1 |
| _ZNK15QAbstractButton11isCheckableEv | 1 |
| _ZNK16QAbstractSpinBox4textEv | 1 |
| _ZNK17QAbstractItemView12currentIndexE | 1 |
| _ZNK6QSound10isFinishedEv | 1 |
| _ZNK8QWebPage9mainFrameEv | 1 |
| _ZNK9QWebFrame6toHtmlEv | 1 |
| uprv_realloc_4_0 | 1 |
| ??_UUMemory@icu_4_0@@@SAPAXI@Z | 1 |
| ??2UMemory@icu_4_0@@@SAPAXI@Z | 1 |
| uprv_malloc_4_0 | 1 |
| uprv_free_4_0 | 1 |
| ??_VUMemory@icu_4_0@@@SAXPAX@Z | 1 |
| ??3UMemory@icu_4_0@@@SAXPAX@Z | 1 |
| ??_7UObject@icu_4_0@@@6B@ | 1 |
| ??1UObject@icu_4_0@@@UAE@XZ | 1 |
| GetNetModuleInterface | 1 |
| _sprintf_s_l | 1 |
| 23412334yTyp33 | 1 |
| L23333333333A | 1 |
| GetPro131dress | 1 |
| Op333333phoreA | 1 |
| uno_Environment_invoke | 1 |
| uno_EnvDcp_getTypeName | 1 |
| uno_copyData | 1 |
| rtl_arena_create | 1 |
| rtl_arena_destroy | 1 |

| | |
|---|---|
| rtl_arena_free | 1 |
| rtl_arena_alloc | 1 |
| ??A?\$vector@PAXV?\$allocator@PAX@_STL | 1 |
| ?size@?\$vector@PAXV?\$allocator@PAX@_I | 1 |
| ?insert@?\$vector@PAXV?\$allocator@PAX@_I | 1 |
| ?end@?\$vector@PAXV?\$allocator@PAX@_I | 1 |
| ??A?\$vector@PAXV?\$allocator@PAX@_STL | 1 |
| lineGetAgentStatusW | 1 |
| ?GetVersion@CoMazSes@@QAE?AW4VaeD | 1 |
| ?SetItem@VaeDataSet@@QAEHIIABVVaxnS | 1 |
| ?VaoTypeToString@VaoObject@@SA?AVVa | 1 |
| ?GetType@VaoObject@@QBE?AW4VaoTyp | 1 |
| ?OnDragOver@VaoSessObject@@SAKPAVC | 1 |
| ??0VaocProfile@@QAE@XZ | 1 |
| ??0VaocRole@@QAE@XZ | 1 |
| ??0VaocObjPrivilege@@QAE@ABV0@@Z | 1 |
| ??0VaocObjectTree@@QAE@XZ | 1 |
| ??0VaocObjPrivilege@@QAE@XZ | 1 |
| ??0VaocPrivilege@@QAE@XZ | 1 |
| ??0VaocUser@@QAE@XZ | 1 |
| ??0VaocPrivilege@@QAE@ABV0@@Z | 1 |
| ??0VaocProfile@@QAE@ABV0@@Z | 1 |
| ??0VaocRole@@QAE@ABV0@@Z | 1 |
| ??0VaocUser@@QAE@ABV0@@Z | 1 |
| ?OnDragOver@VaocGrantee@@SAKPAVCO | 1 |
| ?OnDragOver@VaocProfile@@SAKPAVCOle | 1 |
| ??1VaxaDBFrame@@UAE@XZ | 1 |
| ?OnUpdateVaxaCreate@VaxaDBFrame@@I | 1 |
| ?PreCreateWindow@VaxaDBFrame@@UAE | 1 |
| ?GetRuntimeClass@VaxaDialog@@UBEPAU | 1 |
| ??1VaxaDialog@@UAE@XZ | 1 |
| ?GetAboutBoxVersion@VaxaDBApp@@SA? | 1 |
| ?DoDataExchange@VaxaDialog@@MAEXPA | 1 |
| ?messageMap@VaxaDialog@@1UAFX_MSC | 1 |
| ??0VaxaDialog@@QAE@IPAVCWnd@@@Z | 1 |
| ?DoModal@VaxaDialog@@UAEHPAVVaxAik | 1 |
| ?GetDocument@VaxAikoView@@QAEPAVV | 1 |
| ?GetView@VaxaDialog@@QAEPAVVaxAiko | 1 |
| ?OnUpdate@VaxaDialog@@UAEXJPAVCOBJ | 1 |
| ?classVaxaDBDoc@VaxaDBDoc@@2UCRunt | 1 |
| ?messageMap@VaxaDBDoc@@1UAFX_MSC | 1 |
| ?OnUpdateVmdbStop@VaxaDBDoc@@UAE | 1 |
| ?OnUpdateVmdbPauseResume@VaxaDBDoc | 1 |
| ?OnUpdateVmdbRecord@VaxaDBDoc@@U | 1 |
| ?OnStop@VaxaDBDoc@@UAEXXZ | 1 |
| ?OnPauseResume@VaxaDBDoc@@UAEXXZ | 1 |
| ?OnRecording@VaxaDBDoc@@UAEXXZ | 1 |

| | |
|---|---|
| ?Refresh@VaxaDBDoc@@UAEXXZ | 1 |
| ?CanHandleObjectType@VaxaDoc@@MBE\ | 1 |
| ?TranslateServiceName@VaxaDoc@@MAE? | 1 |
| ?OnSerializeSession@VaxaDoc@@MAEXAB\ | 1 |
| ?OnNewSession@VaxaDoc@@MAEXABVVa: | 1 |
| ?SetFocusedObj@VaxaDoc@@UAEHW4Vao | 1 |
| ?GetSessObject@VaxaDoc@@UAEPAVVaoS | 1 |
| ?OnFinishEmbeddedLaunch@VaxaDBDoc@() | 1 |
| ?RunChangeReConnectDialog@VaxaDoc@@@ | 1 |
| ?RunChangeConnectDialog@VaxaDoc@@@U, | 1 |
| ?RunConnectDialog@VaxaDoc@@UAEHZ | 1 |
| ?ReleaseSession@VaxaDoc@@UAEXAAPAV\ | 1 |
| ?LaunchLoginDialog@VaxaDoc@@UAEHPA\ | 1 |
| ?GetRepositorySession@VaxaDoc@@UAEP\ | 1 |
| ?GetBaseSession@VaxaDoc@@UAEPAVCoN | 1 |
| ?GetEnableRoleSession@VaxaDoc@@UAEP, | 1 |
| ?OnCloseDocument@VaxaDBDoc@@UAEXX | 1 |
| ?GetDispatchMap@VaxaDBDoc@@MBEPBL | 1 |
| ??1VaxaDBDoc@@UAE@XZ | 1 |
| ??0VaxaDBDoc@@IAE@XZ | 1 |
| ?OnNewDocument@VaxaDBDoc@@UAEHX: | 1 |
| ?Serialize@VaxaDBDoc@@UAEXAAVCArchiv | 1 |
| ?TableValidation@VaxaDBDoc@@QAEHXZ | 1 |
| ?GetFocusedObjType@VaxaDoc@@QAE?AV | 1 |
| ?GetFocusedObjName@VaxaDoc@@QAE?A | 1 |
| ?GetNextSelection@VaxaDBDoc@@QBEPA\ | 1 |
| ?GetFirstSelectionPos@VaxaDBDoc@@QBEI | 1 |
| ?IsTreeFocused@VaxaDBDoc@@QBEHXZ | 1 |
| ?GetSession@VaxaDoc@@UAEPAVCoMazSe | 1 |
| ?GetSession@VaxaDoc@@UAEPAVCoMazSe | 1 |
| ?classVaxaDBDetailView@VaxaDBDetailView | 1 |
| ?messageMap@VaxaDBDetailView@@1UAI | 1 |
| ?OnAddToMCWRightMenu@VaxaDBDetailView | 1 |
| ?OnDatabaseDown@VaxaDBDetailView@@ | 1 |
| ?RefreshMCWFromRepository@VaxaDBDet: | 1 |
| ?OnRowDbClick@VaxaDBDetailView@@UA | 1 |
| ?GetRowObjectType@VaxaDBDetailView@() | 1 |
| ?CreatePropertySheet@VaxaDBDetailView@ | 1 |
| ?MultipleSelected@VaxaDBDetailView@@L | 1 |
| ?MixedTypesSelected@VaxaDBDetailView@ | 1 |
| ?GetScrollParameters@VaxaDBDetailView@ | 1 |
| ?CreateFloatingView@VaxAikoView@@UAE | 1 |
| ?DisplaySplitView@VaxAikoView@@UAEXP. | 1 |
| ?NavQuickEdit@VaxAikoView@@UAEXXZ | 1 |
| ?VaxaCreateObject@VaxAikoView@@UAEX | 1 |
| ?CreateLikeObject@VaxAikoView@@UAEXX | 1 |
| ?NavAlter@VaxAikoView@@UAEXXZ | 1 |

| | |
|--------------------------------------|---|
| ?NavDrop@VaxAikoView@@UAEXXZ | 1 |
| ?SetFilter@VaxAikoView@@UAEXXZ | 1 |
| ?GetTree@VaxAikoView@@UAEPAVVaxcRt | 1 |
| ?OnDraw@VaxaDBDetailView@@UAEXPAV | 1 |
| ??0VaxaDBDetailView@@IAE@XZ | 1 |
| ??1VaxaDBDetailView@@UAE@XZ | 1 |
| ?OnInitialUpdate@VaxaDBDetailView@@U | 1 |
| ?RefreshDetail@VaxaDBDetailView@@QAE | 1 |
| ?OnUpdate@VaxaDBDetailView@@UAEXP | 1 |
| ?OnSize@VaxaDBDetailView@@QAEXIHH@ | 1 |
| ?GetDBVersion@VaxaDoc@@QBE?AW4Vae | 1 |
| ?SetMCW@VaxaDBDetailView@@QAEXPAN | 1 |
| ?RefreshMCW@VaxaDBDetailView@@UAE) | 1 |
| ?OnItemDelete@VaxaDBTreeView@@MAE) | 1 |
| ?OnSize@VaxaDBTreeView@@QAEXIHH@Z | 1 |
| ?OnUpdate@VaxaDBTreeView@@UAEXPAN | 1 |
| ?GetDetailView@VaxaDBDoc@@QBEPVVa | 1 |
| ?OnInitialUpdate@VaxaDBTreeView@@UAI | 1 |
| ??1VaxaDBTreeView@@UAE@XZ | 1 |
| ??0VaxaDBTreeView@@IAE@XZ | 1 |
| ?OnDraw@VaxAikoView@@MAEXPVCDC(| 1 |
| ?GetTree@VaxaDBTreeView@@UAEPAVVa) | 1 |
| ?SetFilter@VaxaDBTreeView@@UAEXXZ | 1 |
| ?GetScrollParameters@VaxAikoView@@MA | 1 |
| ?RefreshTree@VaxaDBTreeView@@UAEXW | 1 |
| ?GetRootNodeLabel@VaxaDBTreeView@@I | 1 |
| ?OnItemInsert@VaxaDBTreeView@@MAEX | 1 |
| ?messageMap@VaxaDBTreeView@@1UAF} | 1 |
| ?classVaxaDBTreeView@VaxaDBTreeView@ | 1 |
| ?NumSelected@VaxaDBDoc@@QBEIXZ | 1 |
| ?IsRHSFocused@VaxaDBDoc@@QBEHXZ | 1 |
| ?NumMCWSelected@VaxaDBDoc@@QBEIX | 1 |
| ?IsContainerFocused@VaxaDBDoc@@QBEH | 1 |
| ?GetTreeView@VaxaDBDoc@@QBEPVVax | 1 |
| ?OnObjectCreate@VaxaDBFrame@@QAEXV | 1 |
| ?OnObjectCreatelike@VaxaDBFrame@@QA | 1 |
| ?OnMCWObjectAlter@VaxaDBFrame@@QA | 1 |
| ?OnObjectDrop@VaxaDBFrame@@QAEXXZ | 1 |
| ?OnCommand@VaxaDBFrame@@UAEHIJ@ | 1 |
| ?DismissAllDialogs@VaxaMainframe@@UA | 1 |
| ?SetAppToolbarItems@VaxaDBFrame@@Q | 1 |
| ?OnAddCommonMenus@VaxaDBFrame@@ | 1 |
| ?OnAddCommonToolbarItems@VaxaDBFrar | 1 |
| ??0VaxaDBFrame@@IAE@XZ | 1 |
| ?GetLHSInfo@VaxaDBFrame@@UAEXAAHO | 1 |
| ?GetHeightInfo@VaxaDBFrame@@UAEXAA | 1 |
| ?OnCreateClient@VaxaDBFrame@@UAEHP. | 1 |

| | |
|---|---|
| ?LaunchObjectDialog@VaxaMainframe@@l | 1 |
| ?LaunchSessDialog@VaxaMainframe@@UA | 1 |
| ?DismissObjectDialog@VaxaMainframe@@l | 1 |
| ?DismissSessDialog@VaxaMainframe@@UA | 1 |
| ?OnHelpContents@VaxaMainframe@@UAE | 1 |
| ?TreeIsVisible@VaxaMainframe@@MAEHX: | 1 |
| ?GetTreeViewClass@VaxaDBFrame@@UBEI | 1 |
| ?PreCreateObject@VaxaDBFrame@@UAEXI | 1 |
| ?Create@VaxaDialog@@UAEHPAVVaxAiko\ | 1 |
| ?OnUpdateVaxaCreateLike@VaxaDBFrame@ | 1 |
| ?OnUpdateVaxaDrop@VaxaDBFrame@@UA | 1 |
| ?OnChangeDatabase@VaxaDBFrame@@UA | 1 |
| ?OnChangeDatabaseReConnect@VaxaDBFr | 1 |
| ?ContainerSelected@VaxaDBDetailView@@ | 1 |
| ?GetMCW@VaxaDBDetailView@@QAEPAV\ | 1 |
| ?GetRHSInfo@VaxaDBFrame@@UAEXAAHO | 1 |
| ?GetLoggingMenuPosFromRight@VaxaDBFr | 1 |
| ?QueryEndApp@VaxaDBFrame@@UAEHXZ | 1 |
| ?UpdateMenus@VaxaDBFrame@@UAEXXZ | 1 |
| ?LaunchCreateDialog@VaxaDBFrame@@M\ | 1 |
| ?OnUpdateAlwaysAvailable@VaxaDBFrame\ | 1 |
| ?messageMap@VaxaDBFrame@@1UAFX_N | 1 |
| ?classVaxaDBFrame@VaxaDBFrame@@2UC | 1 |
| ?GetActionMCW@VaxaDBDetailView@@Q\ | 1 |
| ?CleanUp@VaxaDBDetailView@@QAEHXZ | 1 |
| ?DestroyObject@VaxaDoc@@QAEHPAVVao | 1 |
| ?VaoObjectSelected@VaxaDBDetailView@C | 1 |
| ?CreateMCW@VaxaDBDetailView@@QAEX. | 1 |
| ?SetBitmap@VaxaDBDetailView@@QAEHV\ | 1 |
| ?AppendMenuItem@VaxcRightMenu@@Q\ | 1 |
| ?RM_ADD_TO_MENU@VaxcRightMenu@@ | 1 |
| ?AppendSeparator@VaxcRightMenu@@QA | 1 |
| ?OnCancel@VaxcModableDialog@@MAEXX | 1 |
| ?DoModal@VaxcModableDialog@@UAEHX: | 1 |
| ?PostNcDestroy@VaxcModableDialog@@M | 1 |
| ?OnOK@VaxcModableDialog@@MAEXXZ | 1 |
| ?SelectRoot@VaxcRtreeCtrl@@QAEXXZ | 1 |
| ?Create@VaxcRtreeCtrl@@QAEHKABUtagR | 1 |
| ?SetSession@VaxcRtreeCtrl@@QAEHPAVCo | 1 |
| ?GetName@VaxcRtreeCtrlINode@@QBEAB\ | 1 |
| ?GetVisibleParentNode@VaxcRtreeCtrlNode | 1 |
| ?GetVaoType@VaxcRtreeCtrlINode@@QAE? | 1 |
| ?IsCont@VaxcRtreeCtrlINode@@QBEHXZ | 1 |
| ?GetSelectionList@VaxcRtreeCtrl@@QAEHF | 1 |
| ?InsertRow@VaxcListWidget@@QAEHPAVV | 1 |
| ?SizeToFitAllRows@VaxcListWidget@@QAE | 1 |
| ?Sort@VaxcListWidget@@QAEXH@Z | 1 |

| | |
|---|---|
| ?InsertColumn@VaxcListWidget@@QAEHAI | 1 |
| ?Create@VaxcListWidget@@QAEHPAVCWN | 1 |
| ??0VaxcListWidget@@QAE@XZ | 1 |
| ?GetListId@VaxcRtreeCtrlINode@@QBEABV | 1 |
| ?DeleteColumn@VaxcListWidget@@QAEHH | 1 |
| ?GetNodeType@VaxcRtreeCtrlINode@@QBE | 1 |
| ?SetImageList@VaxcListWidget@@QAEHIHI | 1 |
| ?ToggleIconOnSelchange@VaxcListWidget@ | 1 |
| ?GetText@VaxcRowItemBase@@QBE?AVV@ | 1 |
| ?GetVaoType@VaxctTok@@QAE?AW4VaoT | 1 |
| ?GetFirstAncestorInstToken@VaxctStr@@Q | 1 |
| ?ParseContextStr@VaxctStr@@QAEVVaxn! | 1 |
| ?GetContext@VaxcRtreeCtrlINode@@QBEAI | 1 |
| ??1VaxctStr@@UAE@XZ | 1 |
| ??0VaxctStr@@QAE@XZ | 1 |
| ?SetRow@VaxcRowItemBase@@UBEHPAUT | 1 |
| ?CompareTo@VaxcRowItemBase@@UBEHA | 1 |
| ?GetTextLen@VaxcRowItemBase@@UBEIH | 1 |
| ?OnDblClk@VaxcRowItemBase@@UAEXXZ | 1 |
| ?GetStateMask@VaxcRowItem@@UBEHXZ | 1 |
| ?SetIconIndex@VaxcRowItem@@UAEXH@Z | 1 |
| ?GetIconIndex@VaxcRowItem@@UBEHXZ | 1 |
| ?SetText@VaxcRowItemBase@@UAEXHABV | 1 |
| ?GetText@VaxcRowItemBase@@UBEHHPAI | 1 |
| ?GetRuntimeClass@VaxcRowItem@@UBEP, | 1 |
| ??1VaxcRowItem@@UAE@XZ | 1 |
| ??0VaxcRowItem@@QAE@HH@Z | 1 |
| ?DEFAULT_STATE@VaxcRowItem@@2HB | 1 |
| ?BuildRightMenu@VaxcRtreeProxy@@UAEI | 1 |
| ?BuildMenuArraysForRelTools@VaxcRtreePI | 1 |
| ?OnDrop@VaxcRtreeProxyCont@@UAEHPA | 1 |
| ?DragOver@VaxcRtreeProxyCont@@UAEKP | 1 |
| ?CreateSession@VaxcRtreeProxyCont@@U/ | 1 |
| ??0VaxcRtreeProxyCont@@IAE@XZ | 1 |
| ??1VaxcRtreeProxyCont@@UAE@XZ | 1 |
| ?GetSession@VaxcRtreeCtrlINode@@QAEPA | 1 |
| ?HasFilterEnabled@VaxcRtreeCtrlINode@@(| 1 |
| ?GetNameFilter@VaxcRtreeCtrlINode@@QB | 1 |
| ?OnItemExpanding@VaxcRtreeCtrl@@MAE | 1 |
| ?ProcessFetchError@VaxcRtreeCtrl@@MAE | 1 |
| ?CreateImageList@VaxcRtreeCtrl@@MAEHII | 1 |
| ?GetCustomGroupList@VaxcRtreeCtrl@@M | 1 |
| ?SetNodeVtp@VaxcRtreeCtrl@@MAEXPAVI | 1 |
| ?NodeStateCheck@VaxcRtreeCtrl@@MAEXI | 1 |
| ?PropogateSessions@VaxcRtreeCtrl@@UAE | 1 |
| ?GetMessageMap@VaxcRtreeCtrl@@MBEP | 1 |
| ??0VaxcRtreeCtrl@@QAE@XZ | 1 |

| | |
|--|---|
| ??1VaxcRtreeCtrl@@UAE@XZ | 1 |
| ?SetSortNoninstChildren@VaxcRtreeCtrl@@ | 1 |
| ?AddChild@VaxcRtreeCtrlNode@@QAEXPA | 1 |
| ?InitializeNodelist@VaxcRtreeCtrl@@QAEXI | 1 |
| ?Initialize@VaxcRtreeCtrlNode@@QAEXXZ | 1 |
| ??0VaxcRtreeCtrlINode@@QAE@VVaxnStrin | 1 |
| ??0VaxcRtreeProxyGroup@@QAE@XZ | 1 |
| ??BVaxnString@@QAEAVCString@@XZ | 1 |
| ??H@YA?AVVaxnString@@ABV0@PBD@Z | 1 |
| ??0VaxnMsgDlg@@QAA@VVaxnString@@Z | 1 |
| ?DoModal@VaxnMsgDlg@@QAEII@Z | 1 |
| ??9@YAHABVVaxnString@@PBD@Z | 1 |
| ??8@YAHABVVaxnString@@PBD@Z | 1 |
| ??0VaxnMsgDlg@@QAA@KPADHZ | 1 |
| ?Mid@VaxnString@@QBEXHAAV1@@Z | 1 |
| ?Left@VaxnString@@QBEXHAAV1@@Z | 1 |
| ?Find@VaxnString@@QBEHPBD@Z | 1 |
| ??YVaxnString@@QAEABV0@ABV0@@Z | 1 |
| ??H@YA?AVVaxnString@@PBDABV0@@Z | 1 |
| ?CompareNoCase@VaxnString@@QBEHPB[| 1 |
| ?GetActivePane@VaxsPanedWnd@@UAEP/ | 1 |
| ??0VapPropertySheet@@QAE@PAVCoMazS | 1 |
| ?Dismiss@VapPropertySheet@@QAEXXZ | 1 |
| RtlFreeUserThreadStack | 1 |
| ?addParamTextureFloat@VRayParameterLis | 1 |
| ?addParamBool@VRayParameterListDesc@' | 1 |
| ?addParamPlugin@VRayParameterListDesc(| 1 |
| ??1VRayParameterListDesc@VUtils@@QAE | 1 |
| ?cacheParams@VRayParameterList@VUtils(| 1 |
| ?deleteParameterList@VRayParameterListD | 1 |
| ?newParameterList@VRayParameterListDes | 1 |
| ??0VRayParameterListDesc@VUtils@@QAE | 1 |
| ?setParamCache@VRayParameterList@Vuti | 1 |
| ??1VRayPluginList@VUtils@@QAE@XZ | 1 |
| ?registerParameters@VRayParameterListDe | 1 |
| ?setParameter@VRayParameterList@VUtils | 1 |
| ?getParam@VRayParameterList@VUtils@@ | 1 |
| ?traceBSDFForward@BSDFSampler@VUtils(| 1 |
| ?frameBegin@VRayPluginInterface@VUtils(| 1 |
| ??0VRayPluginList@VUtils@@QAE@XZ | 1 |
| ?addParamTexture@VRayParameterListDes | 1 |
| LoadAlertLib | 1 |
| ?RequestForInitialInfo@SfwPerfMonitorCli | 1 |
| ?constructionError@SfwCommClient@@QA | 1 |

| | |
|--|---|
| ??0SfwCommClient@@QAE@W4COMM_TY | 1 |
| ??1SfwCommClient@@UAE@XZ | 1 |
| ?createControlMsg@SfwCommClient@@QA | 1 |
| ?sendRequestMsg@SfwCommClient@@QAI | 1 |
| ?setServAddr@SfwCommClient@@QAEHPB | 1 |
| ??0SfwPerfMonitorClient@@QAE@PBDHKC | 1 |
| ??1SfwPerfMonitorClient@@UAE@XZ | 1 |
| ?RequestForThreadTermination@IMFunctio | 1 |
| ?RequestForUpdate@SfwPerfMonitorClient | 1 |
| ?reconfig@@YA?AW4RcfgRet@@HHPAD@I | 1 |
| ??1CDib@@UAE@XZ | 1 |
| ?Display@CDib@@QAEPAUHDC__@@HHI | 1 |
| ??0CDib@@QAE@PAUHINSTANCE__@@H(C | 1 |
| ?getDbString@transMsg@@QAEPADPBD@Z | 1 |
| ?freeMsg@transMsg@@QAEEXPAD@Z | 1 |
| ??0transMsg@@QAE@XZ | 1 |
| ?GetProperty@SvtLinguConfig@@QBE?AVA | 1 |
| ??0IntlWrapper@@QAE@ABV?\$Reference@ | 1 |
| ?SetProperty@SvtLinguConfig@@QAEABV | 1 |
| ?CreateAccessibleRowHeader@SvHeaderTal | 1 |
| ?RemoveParentKeepChilds@SvTreeListBox@ | 1 |
| ?GetItemBits@HeaderBar@@QBEGG@Z | 1 |
| ?SetItemBits@HeaderBar@@QAEQGG@Z | 1 |
| ?GetEntryOnPos@SvTabListBox@@IBEPAVS | 1 |
| ?InitHeaderBar@SvHeaderTabListBox@@Q/ | 1 |
| ??0HeaderBar@@QAE@PAVWindow@@_J | 1 |
| ?MouseMove@HeaderBar@@UAEXABVMo | 1 |
| ?MouseButtonDown@HeaderBar@@UAEXA | 1 |
| ?Paint@HeaderBar@@UAEXABVRectangle@ | 1 |
| ?Draw@HeaderBar@@UAEXPAPAVOutputDev | 1 |
| ?Resize@HeaderBar@@UAEXXZ | 1 |
| ?RequestHelp@HeaderBar@@UAEXABVHel | 1 |
| ?Command@HeaderBar@@UAEXABVComm | 1 |
| ?Tracking@HeaderBar@@UAEXABVTracking | 1 |
| ?StateChanged@HeaderBar@@UAEXG@Z | 1 |
| ?DataChanged@HeaderBar@@UAEXABVDa | 1 |
| ?CreateAccessible@HeaderBar@@UAE?AV? | 1 |
| ?UserDraw@HeaderBar@@UAEXABVUserD | 1 |
| ?StartDrag@HeaderBar@@UAEXXZ | 1 |
| ?Drag@HeaderBar@@UAEXXZ | 1 |
| ?EndDrag@HeaderBar@@UAEXXZ | 1 |
| ?Select@HeaderBar@@UAEXXZ | 1 |
| ?DoubleClick@HeaderBar@@UAEXXZ | 1 |
| ?GetOutputSizePixel@SvTreeListBox@@QBI | 1 |
| ?Resize@SvTabListBox@@UAEXXZ | 1 |
| ?GetEntryPos@SvTabListBox@@QBEKPBVSV | 1 |
| ?GetText@SvLBoxString@@QBE?AVString@ | 1 |

| | |
|--|---|
| ?SetHighlightRange@SvTreeListBox@@QAE | 1 |
| ??1SvHeaderTabListBox@@UAE@XZ | 1 |
| ??0SvHeaderTabListBox@@QAE@PAVWind | 1 |
| ?MouseMove@SvTreeListBox@@UAEXABVI | 1 |
| ?MouseButtonDown@SvTreeListBox@@UA | 1 |
| ?MouseButtonUp@SvTreeListBox@@UAEXA | 1 |
| ?KeyInput@SvTreeListBox@@UAEXABVKeyI | 1 |
| ?Paint@SvHeaderTabListBox@@UAEXABVR | 1 |
| ?GetFocus@SvTreeListBox@@UAEXXZ | 1 |
| ?LoseFocus@SvTreeListBox@@UAEXXZ | 1 |
| ?RequestHelp@SvTreeListBox@@MAEXABV | 1 |
| ?Command@SvTreeListBox@@MAEXABVCc | 1 |
| ?StateChanged@SvTreeListBox@@MAEXG@ | 1 |
| ?DataChanged@SvTreeListBox@@MAEXAB\ | 1 |
| ?Invalidate@SvTreeListBox@@UAEXABVRec | 1 |
| ?Invalidate@SvTreeListBox@@UAEXG@Z | 1 |
| ?CreateAccessible@SvHeaderTabListBox@@ | 1 |
| ?GetDropTarget@SvTreeListBox@@UAEPA\ | 1 |
| ?WriteDragServerInfo@SvLBox@@MAEXAB | 1 |
| ?ReadDragServerInfo@SvLBox@@MAEXAB\ | 1 |
| ?Insert@SvHeaderTabListBox@@UAEKPAVS | 1 |
| ?Insert@SvHeaderTabListBox@@UAEKPAVS | 1 |
| ?EditingRequest@SvTreeListBox@@MAEXP\ | 1 |
| ?EditedText@SvTreeListBox@@MAEXABVSt | 1 |
| ?ViewDataInitialized@SvLBox@@MAEXPBV | 1 |
| ?GetEntry@SvTreeListBox@@UBEPAVSvLBo | 1 |
| ?IsA@SvTreeListBox@@UAEGXZ | 1 |
| ?SetDragDropMode@SvTreeListBox@@UAE | 1 |
| ?SetSelectionMode@SvTreeListBox@@UAE\ | 1 |
| ?GetEntryText@SvTabListBox@@UBE?AVStr | 1 |
| ?MakeVisible@SvTreeListBox@@UAEXPAVIS | 1 |
| ?Expand@SvTreeListBox@@UAEEPAVSvLBo | 1 |
| ?Collapse@SvTreeListBox@@UAEEPAVSvLB | 1 |
| ?Select@SvTreeListBox@@UAEEPAVSvLBox\ | 1 |
| ?SelectChilds@SvTreeListBox@@UAEKPAVS | 1 |
| ?SetCurEntry@SvTreeListBox@@UAEXPAVIS | 1 |
| ?GetCurEntry@SvTreeListBox@@UBEPAVSv | 1 |
| ?ExpandedHdl@SvLBox@@UAEXXZ | 1 |
| ?ExpandingHdl@SvLBox@@UAEJXZ | 1 |
| ?SelectHdl@SvLBox@@UAEXXZ | 1 |
| ?DeselectHdl@SvLBox@@UAEXXZ | 1 |
| ?DoubleClickHdl@SvLBox@@UAEEEXZ | 1 |
| ?RequestingChilds@SvTreeListBox@@UAEX | 1 |
| ?NotifyStartDrag@SvLBox@@UAEGAATrar | 1 |
| ?DragFinished@SvLBox@@UAEXC@Z | 1 |
| ?NotifyAcceptDrop@SvLBox@@UAEEPAVSv | 1 |
| ?NotifyRemoving@SvLBox@@UAEXPAVISvL | 1 |

| | |
|--|---|
| ?ShowTargetEmphasis@SvTreeListBox@@U | 1 |
| ?CloneEntry@SvTreeListBox@@UAEPAVSvL | 1 |
| ?CreateEntry@SvLBox@@UBEPAVSvLBoxEn | 1 |
| ?NotifyMoving@SvLBox@@UAEEPAVSvLBo | 1 |
| ?NotifyCopying@SvLBox@@UAEEPAVSvLBo | 1 |
| ?FillAccessibleStateSet@SvTreeListBox@@U | 1 |
| ?GetBoundingRect@SvTreeListBox@@UAE? | 1 |
| ?SetTabs@SvTabListBox@@MAEXXZ | 1 |
| ?InitEntry@SvTabListBox@@MAEXPAPSVLB | 1 |
| ?NotifyBeginScroll@SvTreeListBox@@MAEX | 1 |
| ?NotifyEndScroll@SvTreeListBox@@MAEXX | 1 |
| ?NotifyScrolling@SvTreeListBox@@MAEXJ@ | 1 |
| ?NotifyScrolled@SvTreeListBox@@MAEXXZ | 1 |
| ?NotifyInvalidate@SvTreeListBox@@MAE: | 1 |
| ?GetAsciInsertionPos@SvTreeListBox@@MA | 1 |
| ?GetDescriptInsertionPos@SvTreeListBox@@M | 1 |
| ?CursorMoved@SvTreeListBox@@MAEXPAP | 1 |
| ?PreparePaint@SvTreeListBox@@MAEXPAPV | 1 |
| ?InsertEntry@SvTabListBox@@UAEPAVSvLB | 1 |
| ?InsertEntry@SvTabListBox@@UAEPAVSvLB | 1 |
| ?CheckButtonHdl@SvTreeListBox@@UAEXX | 1 |
| ?EditingEntry@SvTreeListBox@@UAEEPAVS | 1 |
| ?EditedEntry@SvTreeListBox@@UAEEPAVS\ | 1 |
| ?GetFocusRect@SvTreeListBox@@UAE?AVF | 1 |
| ?GetTabPos@SvTreeListBox@@UAEPAVSvL | 1 |
| ?GetDragRegion@SvTreeListBox@@UBE?AV | 1 |
| ?CreateContextMenu@SvTreeListBox@@UA | 1 |
| ?ExecuteContextMenuAction@SvTreeListB | 1 |
| ?FillAccessibleEntryStateSet@SvTreeListBox | 1 |
| ?InsertEntryToColumn@SvHeaderTabListBo | 1 |
| ?InsertEntryToColumn@SvHeaderTabListBo | 1 |
| ?SetModel@SvListView@@UAEXPAPSVTree | 1 |
| ?ModelNotification@SvTreeListBox@@UAE | 1 |
| ?SelectAll@SvHeaderTabListBox@@UAEXEE | 1 |
| ?CreateViewData@SvLBox@@MAEPAVSvVi | 1 |
| ?InitViewData@SvLBox@@MAEXPAPSVView | 1 |
| ?ModelHasCleared@SvTreeListBox@@UAE\ | 1 |
| ?ModelHasInserted@SvTreeListBox@@UAE | 1 |
| ?ModelHasInsertedTree@SvTreeListBox@@ | 1 |
| ?ModelIsMoving@SvTreeListBox@@UAEXP, | 1 |
| ?ModelHasMoved@SvTreeListBox@@UAEX | 1 |
| ?ModelIsRemoving@SvTreeListBox@@UAE\ | 1 |
| ?ModelHasRemoved@SvTreeListBox@@UA | 1 |
| ?ModelHasEntryInvalidated@SvTreeListBox | 1 |
| ?AcceptDrop@SvLBox@@UAECABUAcceptD | 1 |
| ?ExecuteDrop@SvLBox@@UAECABUExecut | 1 |
| ?StartDrag@SvLBox@@UAEXCABVPoint@@ | 1 |

| | |
|---|---|
| ?FirstSearchEntry@SvLBox@@MAEPBXAAV! | 1 |
| ?NextSearchEntry@SvLBox@@MAEPBXPBX/ | 1 |
| ?SelectSearchEntry@SvLBox@@MAEXPBX@ | 1 |
| ?ExecuteSearchEntry@SvLBox@@MAEXPBX | 1 |
| ?GetRowCount@SvHeaderTabListBox@@UE | 1 |
| ?GetColumnCount@SvHeaderTabListBox@C | 1 |
| ?GetCurrRow@SvHeaderTabListBox@@UBE | 1 |
| ?GetCurrColumn@SvHeaderTabListBox@I | 1 |
| ?GetRowDescription@SvHeaderTabListBox@C | 1 |
| ?GetColumnDescription@SvHeaderTabListB | 1 |
| ?HasRowHeader@SvHeaderTabListBox@@L | 1 |
| ?IsCellFocusable@SvHeaderTabListBox@@L | 1 |
| ?GoToCell@SvHeaderTabListBox@@UAEEJC | 1 |
| ?SetNoSelection@SvHeaderTabListBox@@L | 1 |
| ?SelectAll@SvHeaderTabListBox@@UAEXZ | 1 |
| ?SelectRow@SvHeaderTabListBox@@UAEXJ | 1 |
| ?SelectColumn@SvHeaderTabListBox@@UA | 1 |
| ?GetSelectedRowCount@SvHeaderTabListB | 1 |
| ?GetSelectedColumnCount@SvHeaderTabLi | 1 |
| ?IsRowSelected@SvHeaderTabListBox@@U | 1 |
| ?IsColumnSelected@SvHeaderTabListBox@() | 1 |
| ?GetAllSelectedRows@SvHeaderTabListBox(| 1 |
| ?GetAllSelectedColumns@SvHeaderTabListE | 1 |
| ?IsCellVisible@SvHeaderTabListBox@@UBE | 1 |
| ?GetAccessibleCellText@SvHeaderTabListBo | 1 |
| ?calcHeaderRect@SvHeaderTabListBox@@L | 1 |
| ?calcTableRect@SvHeaderTabListBox@@UA | 1 |
| ?GetFieldRectPixelAbs@SvHeaderTabListBo | 1 |
| ?CreateAccessibleCell@SvHeaderTabListBo | 1 |
| ?InsertEntryToColumn@SvHeaderTabListBo | 1 |
| ?CreateAccessibleColumnHeader@SvHeade | 1 |
| ?GetAccessibleControlCount@SvHeaderTabl | 1 |
| ?CreateAccessibleControl@SvHeaderTabList | 1 |
| ?ConvertPointToControlIndex@SvHeaderTal | 1 |
| ?ConvertPointToCellAddress@SvHeaderTabl | 1 |
| ?ConvertPointToRowHeader@SvHeaderTabl | 1 |
| ?ConvertPointToColumnHeader@SvHeaderTl | 1 |
| ?GetAccessibleObjectName@SvHeaderTabLi | 1 |
| ?GetAccessibleObjectDescription@SvHeade | 1 |
| ?FillAccessibleStateSet@SvHeaderTabListBo | 1 |
| ?FillAccessibleStateSetForCell@SvHeaderTa | 1 |
| ?GrabTableFocus@SvHeaderTabListBox@@I | 1 |
| ?GetGlyphBoundRects@SvHeaderTabListBo | 1 |
| ?GetWindowExtentsRelative@SvHeaderTabl | 1 |
| ?GrabFocus@SvHeaderTabListBox@@UAEX: | 1 |
| ?GetAccessible@SvHeaderTabListBox@@UA | 1 |
| ?GetAccessibleParentWindow@SvHeaderTa | 1 |

| | |
|--|---|
| ?GetWindowInstance@SvHeaderTabListBox | 1 |
| ?GetFieldCharacterBounds@SvHeaderTabList | 1 |
| ?GetFieldIndexAtPoint@SvHeaderTabListBo | 1 |
| ??OSvHeaderTabListBox@@QAE@PAVWind | 1 |
| ?GrabFocusToFirstControl@Dialog@@QAEX | 1 |
| ?IsReallyVisible@Window@@QBEEHZ | 1 |
| ?GetLocale@AllSettings@@QBEABULocale@ | 1 |
| ?SetBorderStyle@Window@@QAEXG@Z | 1 |
| ?GetNonMnemonicString@OutputDevice@() | 1 |
| ?ReleasePyramid@@YAJPAUStitchPyramid@ | 1 |
| ?BuildPyramid@@YAJPAXPAUStitchPyramid | 1 |
| ?Align@@YAJPAUStitchMatrix@@PAUStitch | 1 |
| ?VerifyMatrixLayout@@YAHPAUStitchMatri | 1 |
| ?Blend@@YAJPAUStitchMatrix@@PAUStitch | 1 |
| ?SetProgressState@@YAXH@Z | 1 |
| ?Locate@@YAJPAUStitchMatrix@@PAUStitch | 1 |
| ImgGetCompressMode | 1 |
| ImgSaveDib | 1 |
| ImgSaveFile | 1 |
| ImgGetJpgQuality | 1 |
| ImgSetJpgQuality | 1 |
| ImgSetCompressMode | 1 |
| EzLoadPcdFile | 1 |
| ImgReadFile | 1 |
| ImgReadDib | 1 |
| EzDumpTifFile | 1 |
| NIsUpdateLocale | 1 |
| RtlpSetInstallLanguage | 1 |
| NDRSContextMarshall2 | 1 |
| RpcMgmtEpUnregister | 1 |
| ?toString@QUuid@@QBE?AVQString@@XZ | 1 |
| ??0QMimeData@@QAE@XZ | 1 |
| ?metaObject@QMimeData@@UBEPBUQM@ | 1 |
| ?qt_metacast@QMimeData@@UAEPXPBC | 1 |
| ?qt_metacall@QMimeData@@UAEHW4Cal | 1 |
| ?hasFormat@QMimeData@@UBE_NABVQS | 1 |
| ?retrieveData@QMimeData@@MBE?AVQV | 1 |
| ??1QMimeData@@UAE@XZ | 1 |
| ??8QUuid@@QBE_NABU0@@Z | 1 |
| ?removeEventFilter@QObject@@QAEXPBV | 1 |
| ??MQUuid@@QBE_NABU0@@Z | 1 |
| ??0QUuid@@QAE@PBD@Z | 1 |
| ?move@QListData@@QAEXHH@Z | 1 |
| ??0QUuid@@QAE@ABVQString@@@Z | 1 |
| ?manhattanLength@QPoint@@QBEHXZ | 1 |
| ?formats@QMimeData@@UBE?AVQStringL | 1 |
| ?startDragDistance@QApplication@@SAHX | 1 |

| | |
|---------------------------------------|---|
| ??1QLayout@@UAE@XZ | 1 |
| ?setSpacing@QLayout@@QAEXH@Z | 1 |
| ??0QLayout@@QAE@PAVQWidget@@@Z | 1 |
| ?metaObject@QLayout@@UBEPBUQMetaC | 1 |
| ?qt_metacast@QLayout@@UAEPAXPBD@Z | 1 |
| ?qt_metacall@QLayout@@UAEHW4Call@C | 1 |
| ?invalidate@QLayout@@UAEXXZ | 1 |
| ?setParent@QWidget@@QAEXPV1@@Z | 1 |
| ?parentWidget@QLayout@@QBEPAVQWid | 1 |
| ?sizeHint@QWidgetItem@@UBE?AVQSize@ | 1 |
| ?minimumSize@QWidgetItem@@UBE?AVC | 1 |
| ?maximumSize@QWidgetItem@@UBE?AVC | 1 |
| ?expandingDirections@QWidgetItem@@UE | 1 |
| ?setGeometry@QWidgetItem@@UAEXABV | 1 |
| ?isEmpty@QWidgetItem@@UBE_NXZ | 1 |
| ?hasHeightForWidth@QWidgetItem@@UBE | 1 |
| ?heightForWidth@QWidgetItem@@UBEHH | 1 |
| ?widget@QWidgetItem@@UAEPAVQWidge | 1 |
| ?getContentsMargins@QLayout@@QBEXP | 1 |
| ?setGeometry@QLayout@@UAEXABVQRec | 1 |
| ??0QSplitter@@QAE@W4Orientation@Qt@ | 1 |
| ?setOpaqueResize@QSplitter@@QAEX_N@ | 1 |
| ?orientation@QSplitter@@QBE?AW4Orient | 1 |
| ?staticMetaObject@QScrollArea@@2UQMe | 1 |
| ?widget@QScrollArea@@QBEPAVQWidget(| 1 |
| ?widget@QSplitter@@QBEPAVQWidget@C | 1 |
| ??0QSplitterHandle@@QAE@W4Orientation | 1 |
| ?event@QSplitterHandle@@MAE_NPAVQE | 1 |
| ?sizeHint@QSplitterHandle@@UBE?AVQSi | 1 |
| ?paintEvent@QSplitterHandle@@MAEXP | 1 |
| ?splitter@QSplitterHandle@@QBEPAVQSpl | 1 |
| ?setDropAction@QDropEvent@@QAEXW4C | 1 |
| ?exec@QDrag@@QAE?AW4DropAction@Q | 1 |
| ?setMimeType@QDrag@@QAEXPVQMime | 1 |
| ?setHotSpot@QDrag@@QAEXABVQPoint@ | 1 |
| ?setPixmap@QDrag@@QAEXABVQPixmap@ | 1 |
| ??0QDrag@@QAE@PAVQWidget@@@Z | 1 |
| ?contentsRect@QLayout@@QBE?AVQRect@ | 1 |
| ?metaObject@QDrag@@UBEPBUQMetaObj | 1 |
| ?qt_metacast@QDrag@@UAEPAXPBD@Z | 1 |
| ?qt_metacall@QDrag@@UAEHW4Call@QN | 1 |
| ??1QDrag@@UAE@XZ | 1 |
| ?getContentsMargins@QWidget@@QBEXP | 1 |
| ?qt_metacast@QSplitterHandle@@UAEPAX | 1 |
| ?qt_metacall@QSplitterHandle@@UAEHW | 1 |
| ?staticMetaObject@QSplitterHandle@@2U | 1 |
| ?toolTip@QWidget@@QBE?AVQString@@) | 1 |

| | |
|--|---|
| ?source@QDropEvent@@QBEPAVQWidget(| 1 |
| ??0QStyleOptionButton@@QAE@XZ | 1 |
| ?initStyleOption@QPushButton@@IBEXPAV | 1 |
| ??1QStyleOptionButton@@QAE@XZ | 1 |
| ?autoExclusive@QAbstractButton@@QBE_` | 1 |
| ?setAutoExclusive@QAbstractButton@@QA | 1 |
| ?grabWidget@QPixmap@@SA?AV1@PAVQ | 1 |
| ?grabWidget@QPixmap@@SA?AV1@PAVQ | 1 |
| ?copy@QPixmap@@QBE?AV1@ABVQRect(| 1 |
| ?scaledToHeight@QPixmap@@QBE?AV1@I | 1 |
| ?enum_output_devices@AudioDevice@@S | 1 |
| CreateResampler | 1 |
| ?InstallHookAudio@@YA_NPBG@Z | 1 |
| ?RemoveHookAudio@@YAXXZ | 1 |
| __msg_Subscribe | 1 |
| __msg_Unsubscribe | 1 |
| _PARAM_Init@4 | 1 |
| _NRM_InitBDTable@8 | 1 |
| _PARAM_InitClient@4 | 1 |
| @Soapdm@initialization\$qqrv | 1 |
| @Soapdm@Finalization\$qqrv | 1 |
| @Soapmidas@initialization\$qqrv | 1 |
| @Soapmidas@Finalization\$qqrv | 1 |
| @CreaComponente\$qp18Classes@TCompo | 1 |
| @DestruyeComponente\$qrp12TAspelBase5(| 1 |
| ?GetCurrentProfile@CTBSettings@@SAPAV | 1 |
| ?GetInstance@CTBSettings@@SAPAV1@XZ | 1 |
| GetTrialDays | 1 |
| dep_memCloseSharedMemory | 1 |
| dep_memCreateSharedMemory | 1 |
| dep_osGetID | 1 |
| dep_osIsBasedOnNT | 1 |
| _basExecuteAndWait@8 | 1 |
| _basGetLanguage@0 | 1 |
| _basPlaySound@4 | 1 |
| _licValidateKey@12 | 1 |
| _basEmptyAvastTempFolder@8 | 1 |
| _basGetNetUser@0 | 1 |
| _basWriteProfileStringA@12 | 1 |
| _basCreatePath@16 | 1 |
| fsGetAvastDataPath | 1 |
| _tskLaunchSyncer@16 | 1 |
| MyAavmGuiProviderChange | 1 |
| AavmGetVpsInfo | 1 |
| AavmInfoMessageCreate | 1 |
| AavmProviderCallGui | 1 |
| AavmShowMessage | 1 |

| | |
|--------------------------------------|---|
| AavmDecreaseDispInitCount | 1 |
| AavmIncreaseDispInitCount | 1 |
| AavmStart | 1 |
| InitAavmGui | 1 |
| AavmSetDataRefreshRate | 1 |
| DeinitAavmGui | 1 |
| AavmStop | 1 |
| utf8_fprintf | 1 |
| Q_strcasecmp | 1 |
| httpd_StreamDelete | 1 |
| httpd_StreamHeader | 1 |
| httpd_StreamNew | 1 |
| httpd_StreamSend | 1 |
| httpd_TLSHostNew | 1 |
| ??1FileReader@Image@DD@@UAE@XZ | 1 |
| ?set_info@Reader@Image@DD@@IAEXHH | 1 |
| ?flip@Reader@Image@DD@@SAXPAII@Z | 1 |
| ??0FileReader@Image@DD@@QAE@PAVR | 1 |
| ?read@FileReader@Image@DD@@QAEHP/ | 1 |
| ?from_byte@Reader@Image@DD@@IAEXV | 1 |
| ?writable@Row@Image@DD@@QAEPAMV | 1 |
| ?add@Description@Reader@Image@DD@(| 1 |
| ??NWSTRING@@QBEEABV0@@Z | 1 |
| Tcl_GetLongFromObj | 1 |
| picture_pool_NewFromFormat | 1 |
| ??0CValueNormalizer@@QAE@AAVPKeyRe | 1 |
| ?_FindOrAddAnchor@CDbProjectNode@@@F | 1 |
| _vbaCo | 1 |
| DoFunction | 1 |
| OpenPr | 1 |
| DSA_InsertItem | 1 |
| GdipDrawLines | 1 |
| _uGetTempFileName@16 | 1 |
| _uGetTempPath@4 | 1 |
| _uShellNotifyIcon@24 | 1 |
| _uShellNotifyIconEx@32 | 1 |
| _uLoadImage@24 | 1 |
| _uSendMessageText@16 | 1 |
| _uAppendMenu@16 | 1 |
| _uFixAmpersandChars@8 | 1 |
| _uGetCallStackPath@0 | 1 |
| _uGetTextExtentPoint32@16 | 1 |
| _uSetDlgItemText@12 | 1 |
| _uGetDlgItemText@12 | 1 |
| _uGetModuleFileName@8 | 1 |
| _PokeWindow@4 | 1 |
| _uShellExecute@24 | 1 |

| | |
|---------------------------------------|---|
| _uDragQueryFile@12 | 1 |
| _uDragQueryFileCount@4 | 1 |
| ?calculate_peak@audio_math@@YGMPBM | 1 |
| _uStringCompare@8 | 1 |
| _uCharLower@4 | 1 |
| _ModalDialog_Switch@4 | 1 |
| _uGetWindowText@8 | 1 |
| _strcmp_utf8_ex@16 | 1 |
| _uGetOpenFileName@32 | 1 |
| _uFormatSystemErrorMessage@8 | 1 |
| _uMessageBox@16 | 1 |
| _uChooseColor@12 | 1 |
| ?popup_dialog@t_font_description@@QAC | 1 |
| _ModalDialog_PokeExisting@0 | 1 |
| _ModalDialog_CanCreateNew@0 | 1 |
| ?create@t_font_description@@QBGAUHF | 1 |
| ?g_from_system@t_font_description@@SG | 1 |
| _uExceptFilterProc@4 | 1 |
| _FindOwningPopup@4 | 1 |
| _uSetWindowText@8 | 1 |
| _strcmp_utf8@8 | 1 |
| _GetInfiniteWaitEvent@0 | 1 |
| _uGetMenuItemType@8 | 1 |
| _uGetMenuString@16 | 1 |
| _uModifyMenu@20 | 1 |
| ?scale@audio_math@@YGXPBMIPAMM@Z | 1 |
| _uFixAmpersandChars_v2@8 | 1 |
| _uGetFontHeight@4 | 1 |
| ??0MemImgReadOnlyObject@@QAE@XZ | 1 |
| ?Release@MemImgReadOnlyObject@@QAI | 1 |
| ?Sort@MemImgObject@@QAEJKK@Z | 1 |
| ?Cleanup@MemImgObject@@QAEXXZ | 1 |
| DeInitializeMemImage | 1 |
| InitializeMemImage | 1 |
| ??1MemImgObject@@QAE@XZ | 1 |
| ?InitReadWrite@MemImgObject@@QAEJP/ | 1 |
| ??0MemImgObject@@QAE@XZ | 1 |
| GetSchemaHeap | 1 |
| ?LinearizeToMem@MemImgObject@@QAE | 1 |
| ?Release@MemImgObject@@QAEKXZ | 1 |
| ??1MemImgReadOnlyObject@@QAE@XZ | 1 |
| ?InitRead@MemImgReadOnlyObject@@QA | 1 |
| ?GetData@MemImgReadOnlyObject@@QA | 1 |
| ?GetCount@MemImgReadOnlyObject@@Q | 1 |
| ?GetMiObject@MemImgReadOnlyObject@() | 1 |
| ?Remove@MemImgObject@@QAEJKK@Z | 1 |
| ?GetCount@MemImgObject@@QAEKK@Z | 1 |

| | |
|--|---|
| ?GetData@MemImgObject@@QAEJKPAPAX | 1 |
| ?Init@MemImgObject@@QAEJPAVMiSchen | 1 |
| ?SetData@MemImgObject@@QAEJKPAXK@ | 1 |
| ?Add@MemImgObject@@QAEJKPAXKK@Z | 1 |
| ?GetMiObject@MemImgObject@@QAEJKKI | 1 |
| GetRegistryPtr | 1 |
| ?ObeyRobotsDotText@CBasicClientConnecti | 1 |
| ??1ClientHttpDelivery@@QAE@XZ | 1 |
| ?Send@ClientHttpDelivery@@QAEJPAEKPA | 1 |
| ?Receive@ClientHttpDelivery@@QAEJPAXP | 1 |
| ?Init@ClientHttpDelivery@@QAEJXZ | 1 |
| ??0ClientHttpDelivery@@QAE@K@Z | 1 |
| ?Release@CBasicClientConnection@@QAEK | 1 |
| ?SumStatistics@CCommunicationThreadPoc | 1 |
| ?QueryStatistics@CCommunicationThreadPc | 1 |
| ?ResetStatistics@CCommunicationThreadPo | 1 |
| ?QueryStatistics@CBasicClientConnection@ | 1 |
| ?SMGetLastError@CBasicClientConnection@ | 1 |
| ?RedirectionHelper@CClientConnection@@ | 1 |
| ?QueryLastAuthenticationLeg@CClientConn | 1 |
| ?QueryConnectionClosing@CClientConnecti | 1 |
| ?GetHeaderData@CMassiveHttpRequestSim | 1 |
| ??0ClientConnection@@QAE@XZ | 1 |
| ??0CMassiveHttpRequestSimple@@QAE@X | 1 |
| ??1ClientConnection@@UAE@XZ | 1 |
| ??1CMassiveHttpRequestSimple@@UAE@X | 1 |
| ?UseAbortiveTcpClose@CCommunicationTh | 1 |
| ?PerformCheckForRobotsDotText@CCommu | 1 |
| ?ConfigProxy@CCommunicationThreadPool | 1 |
| ?ShutDown@CCommunicationThreadPool@ | 1 |
| ??1CCommunicationThreadPoolProxy@@U | 1 |
| ??0CCommunicationThreadPoolProxy@@Q | 1 |
| ?Initialize@CCommunicationThreadPool@@ | 1 |
| ?ChangeStateTo@CBasicClientConnection@ | 1 |
| ?ResetStatistics@CBasicClientConnection@() | 1 |
| ?Register@CBasicClientConnection@@QAEJ | 1 |
| ?GetProxyHelper@CCommunicationThreadF | 1 |
| ?SetProxyInfo@CMassiveHttpRequestSimple | 1 |
| ?ChangeStateToEx@CBasicClientConnection | 1 |
| ?SetAuthNames@CMassiveHttpRequestSim | 1 |
| ?SetServerName@CMassiveHttpRequestSim | 1 |
| ?SetRequestInfo@CMassiveHttpRequestSim | 1 |
| ?SetRequest@CBasicClientConnection@@Q | 1 |
| ?Initialize@CBasicClientConnection@@QAE. | 1 |
| ?SetRequestStartTime@CBasicClientConnec | 1 |
| ?EventCallbackInternal@CClientConnection(| 1 |
| ?GetCurrentState@CBasicClientConnection(| 1 |

| | |
|---|---|
| ?ExternalAbort@CBasicClientConnection@C | 1 |
| ?Unescape@STR@@QAEHXZ | 1 |
| ?CloseIterator@CLKRHashTable@@QAE?AV | 1 |
| ?IncrementIterator@CLKRHashTable@@QA | 1 |
| ?InitializeIterator@CLKRHashTable@@QAE? | 1 |
| ?inet_addrW@@YGKPAG@Z | 1 |
| g_dwTimeGetTime49Offset | 1 |
| ??0CLKRHashTable@@QAE@PBDP6G?BKPB | 1 |
| ?InsertRecord@CLKRHashTable@@QAE?AW | 1 |
| PuDbgPrintW | 1 |
| ?AppendCh@STR@@QAEHE@Z | 1 |
| ?AuxAppend@STR@@AAEHPBEIH@Z | 1 |
| ?IsValid@RBUFFER@@IBEHXZ | 1 |
| ?QuerySize@RBUFFER@@QBEIXZ | 1 |
| ?AuxInit@STR@@AAEXPBE@Z | 1 |
| ??ORBUFFER@@QAE@PAEI@Z | 1 |
| ?QueryPtr@RBUFFER@@QBEPAXXZ | 1 |
| ?AuxAppend@STRAU@@AAEHQAGIH@Z | 1 |
| ?AuxAppend@STRAU@@AAEHQADIH@Z | 1 |
| ?QueryStr@STRAU@@QAEPADH@Z | 1 |
| ?AuxInit@STRAU@@AAEXQAG@Z | 1 |
| ?AuxInit@STRAU@@AAEXQAD@Z | 1 |
| ??ORBUFFER@@QAE@I@Z | 1 |
| ??1RBUFFER@@QAE@XZ | 1 |
| ConfigureOneRouter | 1 |
| ActLogEventMsg | 1 |
| glutSolidTeapot | 1 |
| glutPassiveMotionFunc | 1 |
| glutBitmapCharacter | 1 |
| glutBitmapWidth | 1 |
| dll_MessageDialog | 1 |
| ?GetThisMessageMap@CCovDialog@@KGP | 1 |
| ?GetThisClass@CCovDialog@@SGPAUCRun | 1 |
| ?DoDataExchange@CCovDialog@@MAEXP | 1 |
| ??1CCovResizeInfo@@QAE@XZ | 1 |
| ?SaveParameters@CCovDialog@@UAEHPBI | 1 |
| ?ReadParameters@CCovDialog@@UAEHPB | 1 |
| ??1CCovIconButton@@UAE@XZ | 1 |
| ??0CCovIconButton@@QAE@PBD@Z | 1 |
| ?GetRuntimeClass@CCovIconButton@@UBI | 1 |
| ?GetMessageMap@CCovIconButton@@MB | 1 |
| ?PreTranslateMessage@CCovIconButton@C | 1 |
| ?AutoLoad@CCovIconButton@@UAEHPAU | 1 |
| ?SetUseTooltip@CCovIconButton@@UAEHF | 1 |
| ??0CCovSubDlg@@QAE@IPAVCWnd@@PA | 1 |
| ?OnOK@CCovSubDlg@@MAEXXZ | 1 |
| ?OnCancel@CCovSubDlg@@MAEXXZ | 1 |

| | |
|--|---|
| ?UpdateDialog@CCovDialog@@UAEHH@Z | 1 |
| ?DoDataExchange@CCovSubDlg@@MAEXP | 1 |
| ?GetThisClass@CCovSubDlg@@SGPAUCRur | 1 |
| ?GetThisMessageMap@CCovSubDlg@@KGFF | 1 |
| ?OnClose@CCovDialog@@IAEXXZ | 1 |
| ?OnInitDialog@CCovDialog@@MAEHXZ | 1 |
| ?OnOK@CCovDialog@@MAEXXZ | 1 |
| ??0CCovDialog@@QAE@IPAVCWnd@@PAI | 1 |
| ?OnToolHitTest@CCovDialog@@UBEHVCPo | 1 |
| ZwDeleteBootEntry | 1 |
| @System@@VarNeg\$qqrr14System@Variab | 1 |
| @System@@VarToDynArray\$qqrrpvrx14Sys | 1 |
| @Classes@TComponent@FreeOnRelease\$q | 1 |
| @\$xp\$16Activex@TOleEnum | 1 |
| @Sysutils@StrToBool\$qqrx17System@AnsiS | 1 |
| @Printers@TPrinter@GetPrinters\$qqrv | 1 |
| @Adodb@TADOConnection@GetConnectio | 1 |
| @Olectrls@TOleControl@SetSmallintProp\$c | 1 |
| @Olectrls@TOleControl@SetTOleEnumProp | 1 |
| @Olectrls@TOleControl@GetSmallintProp\$c | 1 |
| @Olectrls@TOleControl@GetTOleEnumProp | 1 |
| @Fileutil@MoveFile\$qqrx17System@AnsiSt | 1 |
| @Fileutil@CopyFile\$qqrx17System@AnsiStr | 1 |
| @Fileutil@ForceDirectories\$qr17System@. | 1 |
| @Dxdbedtr@TdxInplaceLookupEdit@SetLoc | 1 |
| @Dxlayoutcontrol@TdxCustomLayoutContr | 1 |
| @Dxlayoutcontrol@TdxCustomLayoutItem@ | 1 |
| @Dxdbelib@TdxLookupEdit@ | 1 |
| @Jvinterpreterfm@Finalization\$qqrv | 1 |
| @Jvinterpreterfm@RegisterJvInterpreterAd | 1 |
| @Jvinterpreter@Finalization\$qqrv | 1 |
| @Jvinterpreter@TJvInterpreterArgs@Open/ | 1 |
| @Jvinterpreter@O2V\$qqrp14System@TObj | 1 |
| @Jvinterpreter@V2O\$qqrx14System@Variab | 1 |
| @Jvinterpreter@GlobalJvInterpreterAdapte | 1 |
| @Jvinterpreterparser@Finalization\$qqrv | 1 |
| @Jvinterpreterconst@Finalization\$qqrv | 1 |
| @Jvutils@Finalization\$qqrv | 1 |
| @Jvinterpreter_all@Finalization\$qqrv | 1 |
| @Jvinterpreter_system@Finalization\$qqrv | 1 |
| @Jvinterpreter_system@RegisterJvInterpre | 1 |
| @Jvinterpreter_sysutils@Finalization\$qqrv | 1 |
| @Jvinterpreter_sysutils@RegisterJvInterpre | 1 |
| @Jvinterpreter_classes@Finalization\$qqrv | 1 |
| @Jvinterpreter_classes@RegisterJvInterpre | 1 |
| @Jvinterpreter_graphics@Finalization\$qqrv | 1 |
| @Jvinterpreter_graphics@RegisterJvInterpre | 1 |

| | |
|---|---|
| @Jvinterpreter_windows@Finalization\$qqrv | 1 |
| @Jvinterpreter_windows@RegisterJvInterpr | 1 |
| @Jvinterpreter_controls@Finalization\$qqrv | 1 |
| @Jvinterpreter_controls@RegisterJvInterpre | 1 |
| @Jvinterpreter_dialogs@Finalization\$qqrv | 1 |
| @Jvinterpreter_dialogs@RegisterJvInterpre | 1 |
| @Jvinterpreter_jvregauto@Finalization\$qqrv | 1 |
| @Jvinterpreter_jvregauto@RegisterJvInterp | 1 |
| @Jvregauto@Finalization\$qqrv | 1 |
| @Jvdsgnintf@Finalization\$qqrv | 1 |
| @Jvinterpreter_stdctrls@Finalization\$qqrv | 1 |
| @Jvinterpreter_stdctrls@RegisterJvInterpre | 1 |
| @Jvinterpreter_comctrls@Finalization\$qqrv | 1 |
| @Jvinterpreter_comctrls@RegisterJvInterpr | 1 |
| @Jvinterpreter_extctrls@Finalization\$qqrv | 1 |
| @Jvinterpreter_extctrls@RegisterJvInterpre | 1 |
| @Jvinterpreter_forms@Finalization\$qqrv | 1 |
| @Jvinterpreter_forms@RegisterJvInterprete | 1 |
| @Jvinterpreter_menus@Finalization\$qqrv | 1 |
| @Jvinterpreter_menus@RegisterJvInterpret | 1 |
| @Jvinterpreter_grids@Finalization\$qqrv | 1 |
| @Jvinterpreter_grids@RegisterJvInterpreter | 1 |
| @Jvinterpreter_db@Finalization\$qqrv | 1 |
| @Jvinterpreter_db@RegisterJvInterpreterA | 1 |
| @Jvinterpreter_dbtables@Finalization\$qqrv | 1 |
| @Jvinterpreter_dbtables@RegisterJvInterpr | 1 |
| @Jvinterpreter_dbctrls@Finalization\$qqrv | 1 |
| @Jvinterpreter_dbctrls@RegisterJvInterpret | 1 |
| @Jvinterpreter_dbgrids@Finalization\$qqrv | 1 |
| @Jvinterpreter_dbgrids@RegisterJvInterpre | 1 |
| @Jvinterpreter_quickrpt@Finalization\$qqrv | 1 |
| @Jvinterpreter_quickrpt@RegisterJvInterpre | 1 |
| @Jvinterpreter_jveditor@Finalization\$qqrv | 1 |
| @Jvinterpreter_jveditor@RegisterJvInterpre | 1 |
| @Jvstrutils@AddCharR\$qqrcx17System@An | 1 |
| @Kbmmemcsvstreamformat@TkbmCustom | 1 |
| @Cxdredit@TcxDBCheckBox@ | 1 |
| @Cxgridtableview@TcxGridTableOptionsCu | 1 |
| @Cxgridtableview@TcxGridTableOptionsCu | 1 |
| @Dxpagecontrol@TdxCustomPageControl@ | 1 |
| @Tb2item@TTBCustomItem@SetEnabled\$q | 1 |
| @Zipdll@Finalization\$qqrv | 1 |
| @Zcallbck@Finalization\$qqrv | 1 |
| @Unzdll@Finalization\$qqrv | 1 |
| @Zipmsg@Finalization\$qqrv | 1 |
| @Zipstructs@Finalization\$qqrv | 1 |
| @Jvstrhlder@Finalization\$qqrv | 1 |

| | |
|--|---|
| @Curredit@TCustomNumEdit@SetText\$qqr | 1 |
| @Curredit@TCustomNumEdit@GetText\$qq | 1 |
| @Curredit@TCustomNumEdit@GetValue\$q | 1 |
| @Jvbrowsefolder@TJvBrowseForFolderDial | 1 |
| He | 1 |
| ?xalloc@ios_base@std@@SAH ^{XZ} | 1 |
| ?VnConvErrMsg@@YAPBDH@Z | 1 |
| o2 | 1 |
| @\$?Pw | 1 |
| GetDirFileInfo2 | 1 |
| DelDir2 | 1 |
| Kill | 1 |
| PHP | 1 |
| ZDIR_FFILE | 1 |
| GetXMLData3 | 1 |
| DefineXMLElement3 | 1 |
| DefineXMLAttr3 | 1 |
| Down | 1 |
| ?getDY@PPTextButton@@UAEHXZ | 1 |
| ??1PPToolBar@@QAE@XZ | 1 |
| ?getBallTextW@BalloonManager@@QAEXF | 1 |
| ?getBallText@BalloonManager@@QAEXFP@ | 1 |
| ?setText@PPToolBar@@QAEXFPBD@Z | 1 |
| ?setBallText@BalloonManager@@QAEXFPB | 1 |
| ?setBallTextW@BalloonManager@@QAEXF | 1 |
| ?setTextW@PPToolBar@@QAEXFPBG@Z | 1 |
| ??1PPTextButton@@UAE@XZ | 1 |
| ??OPPToolBar@@QAE@PAUWND__@@KI | 1 |
| ??OPPTextButton@@QAE@FPADHHPAUHIN | 1 |
| ?appendElement@PPToolBar@@QAEXP ^A V/ | 1 |
| ?showIt@PPToolBar@@QAEXXZ | 1 |
| ?getDX@PPTextButton@@UAEHXZ | 1 |
| ?moveTo@AbstractButton@@UAEXHH@Z | 1 |
| ?paint@PPTextButton@@UAEXP ^A UHDC__@ | 1 |
| ?setPressState@PPTextButton@@UAEXF@Z | 1 |
| ?getPressState@PPTextButton@@UAEFXZ | 1 |
| ?enableButton@PPTextButton@@UAEXH@ | 1 |
| ?isEnable@PPTextButton@@UAEHXZ | 1 |
| ?isStatic@PPTextButton@@UAEHXZ | 1 |
| ?getControlID@PPTextButton@@UAEFXZ | 1 |
| ?setBitmap@AbstractButton@@UAEXP ^A UH | 1 |
| ?getText@PPTextButton@@UAEXPADF@Z | 1 |
| ?setText@PPTextButton@@UAEXPBD@Z | 1 |
| ?getTextW@PPTextButton@@UAEXPAGF@ | 1 |
| ?setTextW@PPTextButton@@UAEXPBG@Z | 1 |
| ?attachBalloonManager@PPTextButton@@ | 1 |
| BA9E64CE | 1 |

| | |
|----------|----------|
| 68A0193F | 1 |
| 1F5967AE | 1 |
| 668E919B | 1 |
| 16C70174 | 1 |
| E9D21EEA | 1 |
| 4B0A7535 | 1 |
| 0AD7209C | 1 |
| 7274F3AE | 1 |
| C06DAEC8 | 1 |
| BE0BC081 | 1 |
| 0C996414 | 1 |
| 0CC8BFA5 | 1 |
| F068903B | 1 |
| 03DBF5DD | 1 |
| 05AA6BF0 | 1 |
| 9C7EC442 | 1 |
| 166B8100 | 1 |
| 1FB74F26 | 1 |
| 1605262A | 1 |
| C50CF5D2 | 1 |
| | 7.65E+54 |
| 56A6AB0A | 1 |
| 4E9FFF2B | 1 |
| C86A520A | 1 |
| 2C015A00 | 1 |
| 1A6182F1 | 1 |
| 15E4AD4D | 1 |
| 750CE655 | 1 |
| 65AB19DC | 1 |
| F2AED6FA | 1 |
| 3F6898DB | 1 |
| 9A516617 | 1 |
| 9AD27D32 | 1 |
| EA4F2851 | 1 |
| B32144C8 | 1 |
| AC8EF40E | 1 |
| 348814AF | 1 |
| 6DEBF727 | 1 |
| | 2.26E+06 |
| 6A6851AC | 1 |
| FFA22AC4 | 1 |
| 410081A0 | 1 |
| DF3F7C16 | 1 |
| 447E0CCD | 1 |
| E221AB84 | 1 |
| 0DBB1F03 | 1 |
| | 96678339 |

| | |
|----------|----------|
| 8D3B4120 | 1 |
| 28FA37E0 | 1 |
| CB671D39 | 1 |
| A060C44A | 1 |
| 0C511094 | 1 |
| 6A66D240 | 1 |
| DBA155BC | 1 |
| 80F5C3B8 | 1 |
| A5113141 | 1 |
| 38EDDAAA | 1 |
| 7AC77B64 | 1 |
| 31D577AF | 1 |
| 98F720DB | 1 |
| 0E1DCD80 | 1 |
| 0478FDAE | 1 |
| 9B1B0401 | 1 |
| F89A0A23 | 1 |
| 271F98E0 | 1 |
| 2CBD7B52 | 1 |
| 1EBF87F4 | 1 |
| E5CB99E3 | 1 |
| D3565077 | 1 |
| 3752C187 | 1 |
| | 21989976 |
| E22D38D9 | 1 |
| 4120DCE8 | 1 |
| FDE5C41C | 1 |
| D72B5723 | 1 |
| F9C47031 | 1 |
| DF39E95A | 1 |
| E57B9830 | 1 |
| 2D10B6F7 | 1 |
| 19D6C726 | 1 |
| 286C263C | 1 |
| 9306F71A | 1 |
| C0BCC41E | 1 |
| 81C396D1 | 1 |
| D87F0729 | 1 |
| 21A788D8 | 1 |
| 98264B04 | 1 |
| 3FC57798 | 1 |
| DEA9A90F | 1 |
| 5714113F | 1 |
| 25D23776 | 1 |
| 786FED74 | 1 |
| B5365DC5 | 1 |
| 4A436E24 | 1 |

| | |
|----------|-----------|
| A814AC92 | 1 |
| E03969A4 | 1 |
| F38162A9 | 1 |
| 30CDBCDA | 1 |
| D6F52A3B | 1 |
| 8A5F5E82 | 1 |
| 7685AA02 | 1 |
| A315E9DC | 1 |
| DC66F1BA | 1 |
| DE056CCB | 1 |
| 9A82FA5E | 1 |
| 97D35E18 | 1 |
| AA10A177 | 1 |
| 191743ED | 1 |
| 05D63332 | 1 |
| A2573678 | 1 |
| AE4692F9 | 1 |
| 8F9EA5B4 | 1 |
| BFA4F890 | 1 |
| 194F586B | 1 |
| 68A47F5A | 1 |
| | 25924598 |
| 62AE6560 | 1 |
| 565716BF | 1 |
| C2B12C95 | 1 |
| | 8.49E+10 |
| 68F62D81 | 1 |
| 6ADF1E1A | 1 |
| 6D5B8CA9 | 1 |
| 1FB18D11 | 1 |
| FB1CEAF3 | 1 |
| E2DD83C5 | 1 |
| C7BC55CC | 1 |
| 264F805D | 1 |
| 28863D94 | 1 |
| 8CFB04D5 | 1 |
| EBF81B40 | 1 |
| C968B66B | 1 |
| | 9.94E+100 |
| 106D2778 | 1 |
| 07418A37 | 1 |
| 9CFD2E8A | 1 |
| 523C123E | 1 |
| 8557C9EA | 1 |
| 027D6259 | 1 |
| BFE7671E | 1 |
| BFE5B12F | 1 |

| | |
|----------|----------|
| 6096809C | 1 |
| A4E0E02E | 1 |
| 45225B58 | 1 |
| | 27250925 |
| BB4C5C5C | 1 |
| E88B2FEF | 1 |
| 4131C2B6 | 1 |
| 1C7C8E93 | 1 |
| FF34A579 | 1 |
| 03F8D373 | 1 |
| 2866EABF | 1 |
| 2C8082DD | 1 |
| F2F3896A | 1 |
| 3DC28204 | 1 |
| D1131D59 | 1 |
| 91D05871 | 1 |
| 7CBD374A | 1 |
| F088246F | 1 |
| B243E833 | 1 |
| D2AB27D3 | 1 |
| 8415541E | 1 |
| EA10A239 | 1 |
| EAD1357F | 1 |
| 40B56FC9 | 1 |
| 0DAB4E5D | 1 |
| F176EA5E | 1 |
| 6DDC7306 | 1 |
| EE76DEB0 | 1 |
| 42E928A5 | 1 |
| 5820AD4C | 1 |
| FA440D4B | 1 |
| 25D85E65 | 1 |
| 058D1806 | 1 |
| C4971B8B | 1 |
| 5B75FFB9 | 1 |
| 146646D6 | 1 |
| 6C287887 | 1 |
| E61698FF | 1 |
| B7AA959B | 1 |
| 921B2816 | 1 |
| A1052914 | 1 |
| 64C28389 | 1 |
| EE5FABEE | 1 |
| C5CD0C65 | 1 |
| FD9F2BA7 | 1 |
| BB6004C3 | 1 |
| E0665A28 | 1 |

| | |
|----------|---|
| AC9864A8 | 1 |
| 063EA693 | 1 |
| BEA6FC5F | 1 |
| C76D0C53 | 1 |
| 98F77857 | 1 |
| 396EBEDA | 1 |
| 880BA451 | 1 |
| 3414C97F | 1 |
| CF99DEAF | 1 |
| ED3EC89C | 1 |
| BBD8650F | 1 |
| 73529EDF | 1 |
| AC2307C0 | 1 |
| 0D85C579 | 1 |
| 3E912DC0 | 1 |
| AAB78626 | 1 |
| F40C5C85 | 1 |
| 99B2E611 | 1 |
| D8EDA737 | 1 |
| D34943BC | 1 |
| 5A2D6501 | 1 |
| 97DD9D0B | 1 |
| BEAC2F4C | 1 |
| A90FA1C0 | 1 |
| F3391C57 | 1 |
| B4958548 | 1 |
| 7ADE0C24 | 1 |
| 2D2EAFAD | 1 |
| 98A05E04 | 1 |
| 484D11D7 | 1 |
| 34868A2C | 1 |
| 6E2B294A | 1 |
| 8508E7EC | 1 |
| 52B5AFC2 | 1 |
| 2E3A0BB5 | 1 |
| 1D3CAB5B | 1 |
| 30244E3A | 1 |
| B677CBA8 | 1 |
| 68C529E5 | 1 |
| 09ADE626 | 1 |
| 8593BD1D | 1 |
| 2C9AB6DC | 1 |
| E6A49D0F | 1 |
| 6405A27C | 1 |
| C929FFF9 | 1 |
| E62701C9 | 1 |
| 3702F1A5 | 1 |

| | |
|----------|----------|
| 6E9D7DA4 | 1 |
| 5B86AA82 | 1 |
| | 6.56E+62 |
| 6351A917 | 1 |
| 7FF7D606 | 1 |
| 0F4FC4C1 | 1 |
| D734776C | 1 |
| 0C174041 | 1 |
| C7D761F8 | 1 |
| 9F6A1A6B | 1 |
| 2433171D | 1 |
| A87EDEFD | 1 |
| 16C41D9C | 1 |
| 3A8D4758 | 1 |
| AC266DE2 | 1 |
| 961DD1B6 | 1 |
| 0C15E073 | 1 |
| A46EF6F4 | 1 |
| A7860A11 | 1 |
| 25FB3151 | 1 |
| BBAFE8B5 | 1 |
| DB19AD9C | 1 |
| 181008D6 | 1 |
| FECFC2D4 | 1 |
| C4763AA2 | 1 |
| 5CB4612C | 1 |
| 37FF8CF8 | 1 |
| E202B718 | 1 |
| 04828A5E | 1 |
| D553756B | 1 |
| EEAC324C | 1 |
| AF9BE2FE | 1 |
| AFD74109 | 1 |
| E310718A | 1 |
| 7997D8B0 | 1 |
| 3C3F8DE1 | 1 |
| 0B993B90 | 1 |
| E0E3E394 | 1 |
| | 6.18E+82 |
| 4DE8C318 | 1 |
| 62C13D5C | 1 |
| 51347AC2 | 1 |
| D8B4BA82 | 1 |
| 51E27C06 | 1 |
| E8086B44 | 1 |
| 514C6BB0 | 1 |
| F7DD3A1D | 1 |

| | |
|-----------|----------|
| 009F58FF | 1 |
| D3EADA19 | 1 |
| C6A27471 | 1 |
| 23D9F562 | 1 |
| 9D2CE3A5 | 1 |
| 54282A9C | 1 |
| 8214CBE0 | 1 |
| 5CC373A4 | 1 |
| F53939D0 | 1 |
| 2BCFB4A2 | 1 |
| 20CF47CA | 1 |
| 2A691952 | 1 |
| E27BAA4A | 1 |
| ED5DBD88 | 1 |
| 87C90703 | 1 |
| 117A2780 | 1 |
| FB61E801 | 1 |
| FFBFAD6D | 1 |
| FF7F0619 | 1 |
| 30D49AC1 | 1 |
| F8E02BD9 | 1 |
| 01AF934C | 1 |
| 9384D013 | 1 |
| 09F7AD87 | 1 |
| BF920CB7 | 1 |
| 8D9267CA | 1 |
| 36F0E4D2 | 1 |
| | 55918532 |
| 5CC2A4C7 | 1 |
| E12AC413 | 1 |
| 3D7A1CCB | 1 |
| AF79363E | 1 |
| 373B9268 | 1 |
| E6696944 | 1 |
| DF9C3521 | 1 |
| 71714D80 | 1 |
| AFAE6090D | 1 |
| 518CAD8F | 1 |
| 010B4881 | 1 |
| AAEB1738 | 1 |
| FF94B4EB | 1 |
| 48049DF5 | 1 |
| 3C2FD038 | 1 |
| E0A81E94 | 1 |
| 9E2D6885 | 1 |
| 453AA711 | 1 |
| 632BE422 | 1 |

| | |
|--|---|
| C1E141F6 | 1 |
| 8DF92363 | 1 |
| EBB8E341 | 1 |
| 0ED3A643 | 1 |
| CBB2DF69 | 1 |
| A972DB69 | 1 |
| 1ED01BA1 | 1 |
| 48A5BC7C | 1 |
| 985DFC73 | 1 |
| 063EBF5D | 1 |
| 0B8C9FC3 | 1 |
| 05DF9480 | 1 |
| B11D2DFE | 1 |
| 751B52C9 | 1 |
| E4DCAC90 | 1 |
| 65BD8CEC | 1 |
| 68059A40 | 1 |
| 8F3042AC | 1 |
| ??1CTXHttpUploadBuffer@@UAE@XZ | 1 |
| ??0CTXHttpUploadBuffer@@QAE@XZ | 1 |
| ?UploadFile@CTXHttpUploadBuffer@@QAE | 1 |
| ?SetInputFocusInChatFrame@ChatSession@ | 1 |
| ?ConvertMsgPacktToTextFormat@Misc@Ut | 1 |
| gimp_float_adjustment_update | 1 |
| gimp_int_combo_box_connect | 1 |
| gimp_int_combo_box_get_active | 1 |
| gimp_int_combo_box_get_type | 1 |
| gimp_int_combo_box_new | 1 |
| ADJMONTH | 1 |
| set_p2p_download_speed_max | 1 |
| get_p2p_global_info | 1 |
| p2p_add_share | 1 |
| p2p_uninitialize | 1 |
| p2p_initialize | 1 |
| set_p2p_auto_download | 1 |
| p2p_get_runtime_stat | 1 |
| start_p2p_task | 1 |
| p2p_set_finish | 1 |
| delete_p2p_task | 1 |
| create_p2p_task | 1 |
| set_p2p_auto_upload | 1 |
| p2p_get_verify | 1 |
| get_p2p_id | 1 |
| delete_p2p_peer | 1 |
| search_peer | 1 |
| p2p_get_task_stat | 1 |
| set_p2p_upload_speed_max | 1 |

| | |
|--|---|
| ?StatAdd@CP2PStatReport@@QAEX_K0@Z | 1 |
| ?StatAdd@CP2PStatReport@@QAEX_KQAE(| 1 |
| ?StatAdd@CP2PStatReport@@QAEX_KPAEI | 1 |
| ?SendReport@CP2PStatReport@@QAEHZ | 1 |
| ??1CP2PStatReport@@QAE@XZ | 1 |
| ??0CP2PStatReport@@QAE@PBD000@Z | 1 |
| ?Delete@CP2SAPI@@SAHK@Z | 1 |
| ?DeletePeer@CP2SAPI@@SAHK_K@Z | 1 |
| ?StopPeer@CP2SAPI@@SAHK_K@Z | 1 |
| ?SetRange@CP2SAPI@@SAHKAAUP2SRang | 1 |
| ?Start@CP2SAPI@@SAHK@Z | 1 |
| ?Create@CP2SAPI@@SAHAAKAAUP2S_TAS | 1 |
| ?Quit@CP2SAPI@@SAHXZ | 1 |
| ?Init@CP2SAPI@@SAHXZ | 1 |
| CollectNetSvcsObjectData | 1 |
| OpenNetSvcsObject | 1 |
| CloseNetSvcsObject | 1 |
| ?GetPrimaryFile@CIniA@@QBEPBDXZ | 1 |
| ?CreateFromHANDLE@CxImage@@QAE_NF | 1 |
| ?GetBSTRPtr@CTXStringW@@QAEPPAPA_W | 1 |
| ?GetItem@TXLocation2@@YAHHPB_W00A/ | 1 |
| ?GetSpecialFolderPath@Sys@Util@@YAHH, | 1 |
| ?IsAnotherSameProcessRunning@Sys@Util(| 1 |
| ?EraseIdleCallback@TXTimer@@YAHPAUIT) | 1 |
| ?CollateNoCase@CTXStringW@@QBEHPB_` | 1 |
| ?ApplyProxyInfoToHttp@Network@Util@@ | 1 |
| ?GetDays@CTXTTimeSpan@@QBE_JXZ | 1 |
| ??GCTXTTime@@QBE?AVCTXTTimeSpan@@V | 1 |
| ??0CTXTTime@@QAE@HHHHHHHH@Z | 1 |
| ?GetAsSystemTime@CTXTTime@@QBE_NAA | 1 |
| ?GetStringHash@Encode@Util@@YA?AVCT | 1 |
| ?AppendBytes@CTXBSTR@@QAEJPBDH@Z | 1 |
| ?ByteLength@CTXBSTR@@QBEIXZ | 1 |
| ?Get@Metadata@Util@@YAJPAUITXData@ | 1 |
| ?IsValidGFEElement@GF@Util@@YAHPAUIG | 1 |
| ?TransMd2GFEElement@Metadata@Util@@ | 1 |
| GetTextureSize | 1 |
| ?IsWebQQUser@Contact@Util@@YAHK@Z | 1 |
| ?SetBit@LoginDataReport@Misc@Util@@Y | 1 |
| ?GetHeadFile@Misc@Util@@YA?AVCTXStri | 1 |
| ?SetBit@OnlineStatusDataReport@Misc@U | 1 |
| ?GetGroupBasicInfo@Group@Util@@YAXKI | 1 |
| ?GetGroupClassName@Group@Util@@YA? | 1 |
| ?SessionManagerInitSession@@YA_NPAXOF | 1 |
| ?SessionSetSendFailHandler@@YAXPAXP6A | 1 |
| ?SessionPostPacket@@YA_NPAXPBUtagSha | 1 |
| ?SessionSetUserData@@YAXPAX0@Z | 1 |

| | |
|---------------------------------------|---|
| ?SessionSetRecvPacketHandler@@YAXPAXF | 1 |
| ?SessionCreate@@YAPAXXZ | 1 |
| ?ShareMemoryCreate@@YAPAXXZ | 1 |
| ?ShareMemoryConnect@@YA_NPAXPBD@Z | 1 |
| ?ShareMemoryGetBuffer@@YAPAEPAZ@Z | 1 |
| ?ShareMemoryDestroy@@YAXPAX@Z | 1 |
| ?SessionManagerCheckDestActive@@YA_N | 1 |
| ?SessionManagerStop@@YA_NPAX@Z | 1 |
| ?SessionManagerWaitForEnd@@YAH Pax@` | 1 |
| ?SessionManagerDestroy@@YAXPAX@Z | 1 |
| ?ShareMemoryGetLength@@YAKPAX@Z | 1 |
| ?SessionManagerCreate@@YAPAXXZ | 1 |
| ?SessionManagerStart@@YA_NPAXPBD@Z | 1 |
| StartIPCSERVICE | 1 |
| jgReadImageInfo | 1 |
| jgDestroyDecoder | 1 |
| jgCreateDecoder | 1 |
| _atoi64_I | 1 |
| _LCCreateCOM3@36 | 1 |
| Bt.GetServiceRecordHandleList2 | 1 |
| RfSndOpen | 1 |
| RfSndStopStream | 1 |
| RfSndStartStream | 1 |
| RfSndStopCodec | 1 |
| RfSndStartCodec | 1 |
| RfSndClose | 1 |
| ?SNDPLG_StartSndModuleUsing@@YAHW4 | 1 |
| ?SNDPLG_GetSndModuleUsingInfo@@YA?A | 1 |
| ?SNDPLG_IsPlugIn@@YAHXZ | 1 |
| ?SNDPLG_StopSndModuleUsing@@YAHW4! | 1 |
| ?SNDPLG_Open@@YAHXZ | 1 |
| ?SNDPLG_Close@@YAXXZ | 1 |
| ?SNDPLG_UnPlug@@YAHH@Z | 1 |
| ?SNDPLG_ResetState@@YAXXZ | 1 |
| ?SNDPLG_Plugin@@YAHHK@Z | 1 |
| ?NeedToCheckCert@CDownloadJob@dlmgr | 1 |
| MAIN_LISTA | 1 |
| SCRPRINT | 1 |
| SCRPRINTLF | 1 |
| FUSING | 1 |
| ACTIVA_COR | 1 |
| APAGA_ECRAN | 1 |
| COR_JAN | 1 |
| POSICIONA | 1 |
| FIM_JAN | 1 |
| IMP_JAN | 1 |
| APITO | 1 |

| | |
|---------------------------------------|---|
| REVISAOOK | 1 |
| SAGEINKEY | 1 |
| PUSH_PROCESSO | 1 |
| CARREGA_CAB_FICHEIRO | 1 |
| CARREGA_CHAVEP_FICHEIRO | 1 |
| ARREDEUR | 1 |
| EUROGETCONFIG | 1 |
| JANELA_PROC | 1 |
| JANELA_SIMPLES | 1 |
| IMPRIMETITULO | 1 |
| IMPRIMEINPUT | 1 |
| LEITURACAMPO | 1 |
| IMPRIMEOPCOES | 1 |
| LEITURAOPCOES | 1 |
| CONSTROIFORMATO | 1 |
| TPDADSTRTODATA | 1 |
| CVMS | 1 |
| MKMS | 1 |
| CVMD | 1 |
| MKMD | 1 |
| CRAM | 1 |
| UNCRAM | 1 |
| COD_BCD | 1 |
| DEC_BCD | 1 |
| ABRE_FICHEIRO | 1 |
| ABRE_FICHEIRO_PARAM | 1 |
| CLOSE_UNLOCK | 1 |
| CLOSE_PARAM | 1 |
| LIBERTA_REGISTO | 1 |
| LERREGISTO1 | 1 |
| ESCREVEREGISTO1 | 1 |
| APAGAFICHEIRO | 1 |
| FICHLEN | 1 |
| CLOSE_ALLDAT | 1 |
| LOCKFICHEIRO | 1 |
| UNLOCKFICHEIRO | 1 |
| IINTREE | 1 |
| IOPNFILE | 1 |
| IEQLKEY | 1 |
| IGTEKEY | 1 |
| INXTKEY | 1 |
| ICLOSE_ALLIDX | 1 |
| DLGMSGBOX | 1 |
| _ZN4Foam10dictionary3addEPNS_5entryEb | 1 |
| _ZN4Foam10dictionary3addERKNS_7keyTyp | 1 |
| _ZN4Foam10dictionary3addERKNS_7keyTyp | 1 |
| _ZN4Foam10dictionaryC1Ev | 1 |

| | |
|--|---|
| _ZN4Foam10dictionaryD1Ev | 1 |
| _ZN4Foam11regIOobject14readIfModifiedEv | 1 |
| _ZN4Foam11regIOobject4readEv | 1 |
| _ZN4Foam11regIOobject6renameERKNS_4w | 1 |
| _ZN4Foam11regIOobject8readDataERNS_7ls | 1 |
| _ZN4Foam11regIOobjectC2ERKNS_8IOobjec | 1 |
| _ZN4Foam11regIOobjectD2Ev | 1 |
| _ZN4Foam12IOdictionaryC1ERKNS_8IOobjec | 1 |
| _ZN4Foam12IOdictionaryD1Ev | 1 |
| _ZN4Foam14primitiveEntry9readEntryERKN! | 1 |
| _ZN4Foam5entryC2ERKNS_7keyTypeE | 1 |
| _ZN4Foam5errorclERKNS_6stringEPKci | 1 |
| _ZN4Foam5token21transferCompoundToke | 1 |
| _ZN4Foam5token8compound10isCompoun | 1 |
| _ZN4Foam5tokenC1ERNS_7IstreamE | 1 |
| _ZN4Foam6Random8vector01Ev | 1 |
| _ZN4Foam6RandomC1ERKi | 1 |
| _ZN4Foam6isFileERKNS_8fileNameEb | 1 |
| _ZN4Foam6string7replaceERKS0_S2_j | 1 |
| _ZN4Foam7IOerror4exitEi | 1 |
| _ZN4Foam7IOerrorclEPKcs2_iRKNS_8Iostream | 1 |
| _ZN4Foam7Istream11readEndListEPKc | 1 |
| _ZN4Foam7Istream13readBeginListEPKc | 1 |
| _ZN4Foam7Istream7putBackERKNS_5tokenE | 1 |
| _ZN4Foam7Ostream12writeKeywordERKNS_ | 1 |
| _ZN4Foam8IOobjectC1ERKNS_4wordERKNS_ | 1 |
| _ZN4Foam8IPstreamD1Ev | 1 |
| _ZN4Foam8OPstreamC1ENS_7Pstream10coi | 1 |
| _ZN4Foam8boundBoxC1ERKNS_5FieldINS_6 | 1 |
| _ZN4FoamIsERNS_7OstreamERKNS_12dime | 1 |
| _ZN4FoamIsINS_5tokenEEERNS_7OstreamE | 1 |
| _ZN4FoamrsERNS_7IstreamERNS_5tokenE | 1 |
| _ZNK4Foam11regIOobject11writeObjectENS | 1 |
| _ZNK4Foam11regIOobject8modifiedEv | 1 |
| _ZNK4Foam12IOdictionary4nameEv | 1 |
| _ZNK4Foam8IOobject2dbEv | 1 |
| _ZNK4Foam8IOobject4pathEv | 1 |
| _ZNK4Foam8IOobject4timeEv | 1 |
| _ZNK4Foam8IOobject8filePathEv | 1 |
| _ZNK4Foam8Ostream10fatalCheckEPKc | 1 |
| _ZN4Foam12treeBoundBoxC1ERKNS_5UList | 1 |
| _ZN4Foam25distributedTriSurfaceMesh10di | 1 |
| _ZN4Foam25distributedTriSurfaceMeshC1EF | 1 |
| _ZN4Foam25distributedTriSurfaceMeshD1E | 1 |
| _ZN4FoamIsERNS_7OstreamERKNS_12treeB | 1 |
| _ZN4FoamneERKNS_12treeBoundBoxES2_ | 1 |
| _ZN4FoamrsERNS_7IstreamERNS_12treeBo | 1 |

| | |
|---|---|
| _ZN4Foam8IPstream4readENS_7Pstream10 | 1 |
| _ZN4Foam8IPstreamC1ENS_7Pstream10cor | 1 |
| _ZN4Foam8OPstream5writeENS_7Pstream1 | 1 |
| _ZN4Foam8OPstreamD1Ev | 1 |
| _ZNSs4_Rep9_S_createEjjRKSalcE | 1 |
| _ZNSs7reserveEj | 1 |
| _ZNSt8bad_castD1Ev | 1 |
| _ZSt19__throw_logic_errorPKc | 1 |
| __cxa_get_exception_ptr | 1 |
| _rfw_md5 | 1 |
| cOffsetToRva | 1 |
| cRvaToOffset | 1 |
| _GetDelayedString@8 | 1 |
| _GetVPNString@8 | 1 |
| FaxSendWizard | 1 |
| FaxFreeSendWizardData | 1 |
| ?Odd@@YAH@Z | 1 |
| ?LeerUnEnter@YAXPADAAH1@Z | 1 |
| ?LeerUnTexto@YAXPADAAH0@Z | 1 |
| ?LeerLineaDeCfg@YAXPAU_ibuf@@PAD | 1 |
| ?LeerUnReal@YAXPADAAHAAN@Z | 1 |
| ?Trunc@YAHN@Z | 1 |
| ?InsertarRegistro@YAHPADAXOPAX1H@Z | 1 |
| ?Round@YAHN@Z | 1 |
| ?LiberarLista@YAXPAPAX0@Z | 1 |
| ?LiberarRegistro@YAXPAPAX00@Z | 1 |
| ?CambiarDirectorioDeApp@YAXXZ | 1 |
| ?InstruccionDeCizallado@YAHPAUTRegM | 1 |
| ?DamePropGeneralesDePunzon@YAHPAI | 1 |
| ?DamePropDeUsuarioDePunzon@YAHPAI | 1 |
| ?DameDatosDeUnPunzon@YAHPAUTRegF | 1 |
| ?FormatValue@YAXNHHHHPAD@Z | 1 |
| ?GetTurretStationData@YAHPAUTRegPst@ | 1 |
| ?InsertLineCnc@YAXPADHPAUTRegPst@() | 1 |
| ?TransformarAnguloSegunFormaDePunzon@ | 1 |
| ?DamePuntoDeEstructuraLineal@YAXNN | 1 |
| ?DamePuntoDeEstructuraCircular@YAXNN | 1 |
| ?DamePuntoDeEstructuraRejilla@YAXNN | 1 |
| ?EstacionUtilizada@YAHPAUTRegPst@() | 1 |
| ?DameNumeroDePunzonesUtilizados@YA | 1 |
| ?DameDatosPiezaIndividualPorIndice@YA | 1 |
| ?DameDatosPiezaPorIndice@YAHPAUTRe | 1 |
| ?DameDatosDeNibblingFinalDeVaciadoCircu | 1 |
| ?DameDatosDeNibblingsIntermediosDeVaci | 1 |
| ?DameNibblingsIntermediosDeVaciadoCircu | 1 |
| ?FiniPostCut@YAXAAPAUTRegPst@HHI | 1 |
| ?ScanMecCut@YAXPAUTRegPst@AAH1 | 1 |

| | |
|---|---|
| ?InitPostCut@@YAXPAD000AAPAUTRegPst(| 1 |
| ?EraseListPostFiles@@YAXAAPAUTRegFileP(| 1 |
| ?CreateListPostFiles@@YAXHPADAAPAUTRe | 1 |
| ?PunzonUtilizado@@YAHPAUTRegPst@@P, | 1 |
| pthread_mutex_trylock | 1 |
| __SortPak | 1 |
| _ctime64_s | 1 |
| tmpnam_s | 1 |
| _mbscopy_s | 1 |
| rtl4FromErrVar | 1 |
| SetGlobalFlag | 1 |
| GetPassword | 1 |
| @Jvcommstatus@initialization\$qqrv | 1 |
| GetCanvasClip | 1 |
| DrawModulation | 1 |
| ShuffleTexture | 1 |
| ?FileName@CTcStatsLog@@SAXPBD@Z | 1 |
| ?FileName@CTcLogFile@@SAXPBD@Z | 1 |
| ?TcDoIExist@@YA_NPBD_N@Z | 1 |
| ?LogIt@CTcLogFile@@SAXPBDW4eMsgType | 1 |
| ?FunctionName@CTcException@@QAEPAD | 1 |
| ?Reason@CTcException@@QAEPADXZ | 1 |
| ?LastError@CTcException@@QAEKXZ | 1 |
| ?IncrementValue@CTcStatsLog@@SAXPBDf | 1 |
| ?WriteValue@CTcStatsLog@@SAXPBD00@Z | 1 |
| ?IncrementValue@CTcStatsLog@@SAXPBDc | 1 |
| ?FileSection@CTcStatsLog@@SAXPBD@Z | 1 |
| ?SetFlags@CTcReg@@QAEXK@Z | 1 |
| ??0CTcReg@@QAE@XZ | 1 |
| ?Set@CTcReg@@QAEXPBK@Z | 1 |
| ?Set@CTcReg@@QAEXKPBD@Z | 1 |
| ?Set@CTcReg@@QAEXPBD0@Z | 1 |
| ?Set@CTcReg@@QAEXABVCStringArray@@ | 1 |
| ?Query@CTcReg@@QAEXAAVCStringArray(| 1 |
| ?Create@CTcReg@@QAEXPBUHKEY__@@F | 1 |
| ??1CTcSizableDialog@@UAE@XZ | 1 |
| ?SetDialogItem@CTcSizableDialog@@UAEX | 1 |
| ?MoveDialogItems@CTcSizableDialog@@U/ | 1 |
| ?Shorten@CTcSizableDialog@@UAEXH@Z | 1 |
| ??0CTcSizableDialog@@QAE@IPAVCWnd@ | 1 |
| ?DoDataExchange@CTcSizableDialog@@MA | 1 |
| ?messageMap@CTcSizableDialog@@1UAFX | 1 |
| ?OnInitDialog@CTcSizableDialog@@MAEHX | 1 |
| ?HideItems@CTcSizableDialog@@QAEXH_N | 1 |
| ?ResizeDialogItem@CTcSizableDialog@@QA | 1 |
| ?Query@CTcReg@@QAEXAAVCString@@PI | 1 |
| ?Query@CTcReg@@QAEXAAHPBD@Z | 1 |

| | |
|---|---|
| ?Query@CTcReg@@QAEXP@EKPBD@Z | 1 |
| ??1CTcReg@@UAE@XZ | 1 |
| ?_7CTcControlItem@@6B@ | 1 |
| ??1CTcControlItem@@UAE@XZ | 1 |
| ??0CTcControlItem@@QAE@XZ | 1 |
| ??0CTcReg@@QAE@PAUHKEY__@@PBD_N | 1 |
| ?EnableCallBack@LBase@@QAEII@Z | 1 |
| ??1LTwain@@UAE@XZ | 1 |
| ?SetWindow@LScanner@@UAEXP@AUHWNI | 1 |
| ??0LTwain@@QAE@XZ | 1 |
| ?IsAllocated@LBitmapBase@@QAEIXZ | 1 |
| ?FileConvert@LFile@@SAHPAD0HHHHHPAI | 1 |
| ?GetInfo@LFile@@UAEHPAUstruct_file_info | 1 |
| ?SetFileName@LFile@@QAEXPAD@Z | 1 |
| ?SetBitmap@LFile@@QAEXP@AVLBitmapBas | 1 |
| ??1LBitmapList@@UAE@XZ | 1 |
| ?GetItem@LBitmapList@@UAEHIPAVLBitmap | 1 |
| ??0LBitmapBase@@QAE@PAUstruct_LEAD_ | 1 |
| ?GetItemCount@LBitmapList@@UAEIXZ | 1 |
| ?Load@LBitmapList@@UAEHPADHHHPAU_LC | 1 |
| ??0LBitmapList@@QAE@XZ | 1 |
| ?Save@LBitmapList@@UAEHPADHHHPAU_LC | 1 |
| ?InsertItem@LBitmapList@@UAEHPAVLBitn | 1 |
| ?CloseSession@LTwain@@UAEHXZ | 1 |
| ?GetProperties@LTwain@@UAEHPAUtagTV | 1 |
| ?SetProperties@LTwain@@UAEHPAUtagTW | 1 |
| ?Select@LTwain@@UAEHXZ | 1 |
| ?EnumSources@LTwain@@UAEHXZ | 1 |
| ?IsAvailable@LTwain@@UAEIXZ | 1 |
| ?Acquire@LTwain@@UAEHI@Z | 1 |
| ?SetBitmap@LScanner@@UAEXP@AVLBitmap | 1 |
| ?fnhppssoapfax@@YAHPAD0000@Z | 1 |
| SDI_getNumDiscoveredDevices | 1 |
| SDI_discoverMAC | 1 |
| SDI_FirewallIsEnabled | 1 |
| SDI_startup | 1 |
| SDI_getIPv6Addresses | 1 |
| SDI_getIPAddress | 1 |
| ??0?\$basic_string@GU?\$char_traits@G@std::_tcspn | 1 |
| ?CommitChange@FS@@YAHPB_W@Z | 1 |
| ?RenameFile@FS@@YAHPB_W0@Z | 1 |
| ?CodeArrayStringLenHead@CCmdCodecBas | 1 |
| ?ConvertCharFormatRichEditToMsgPack@M | 1 |
| ?GetIMProductEx@Contact@Util@@YAEK@ | 1 |
| ?ShowFrameInEdit@ChatSession@Util@@Y | 1 |
| ?FlashContactChatFrameWnd@ChatSession | 1 |

| | |
|--|---|
| ?GetContactChatSessionMainHWnd@ChatSession | 1 |
| ?GetChatSessionViewFrame@ChatSession@ | 1 |
| ?IsWebQQUser@WebQQ@Contact@Util@() | 1 |
| ?GetDefaultSpinAdjustmentFactor@CReader | 1 |
| ?get_IIOP_port@Configuration@@QAEJXZ | 1 |
| ?glob_Config@@3PAVConfiguration@@A | 1 |
| ?_throwit@OBJ_ADAPTER@CORBA@@UAE | 1 |
| ?strstr@IONA@@SAPBDBD0@Z | 1 |
| ?lookup@hashTable@@QAEPAXPBDK@Z | 1 |
| ?unsetServerEnvs@Configuration@@QAEX | 1 |
| ?copy@OBJ_ADAPTER@CORBA@@UBEPAV | 1 |
| ??4String_mgr@CORBA@@QAEAAV01@PA | 1 |
| ?length @_IDL_SEQUENCE_IT_daemon_serv | 1 |
| ?copy@BAD_OPERATION@CORBA@@UBEP | 1 |
| ?_throwit@BAD_OPERATION@CORBA@@U | 1 |
| ?get_default_classpath_MT_UNSAFE@Confi | 1 |
| ?get_java_interpreter_MT_UNSAFE@Config | 1 |
| ?registerIOCallback@ORB@CORBA@@QAEI | 1 |
| ?Orbix@CORBA@@2VBOA@1@A | 1 |
| ??A_IDL_SEQUENCE_IT_daemon_serverDet | 1 |
| ?timeStamp@Configuration@@QAEXAAVO | 1 |
| ?getUserName@IT_HAL_UserInfo@@SAPAI | 1 |
| ?set_server_code@Configuration@@QAEXF | 1 |
| ?set_server_comms@Configuration@@QAE | 1 |
| ?glob_SecurityPolicy@@3PAVSecurityPolicy | 1 |
| ?set_server_port@Configuration@@QAEIJ | 1 |
| ?get_daemon_port@Configuration@@QAEJ | 1 |
| ?set_server_name@Configuration@@QAE | 1 |
| ??BEnvironment@CORBA@@QBEHXZ | 1 |
| ??BPrincipal_ptr@CORBA@@QBEPADXZ | 1 |
| ?get_principal@BOA@CORBA@@QAE?AVPI | 1 |
| ?get_def_code@Configuration@@QAEPAD | 1 |
| ?get_def_comms@Configuration@@QAEPA | 1 |
| ??4Environment@CORBA@@QAEAAV01@P | 1 |
| ?descriptor@Request@CORBA@@QBEHXZ | 1 |
| ?request@Environment@CORBA@@QAEPA | 1 |
| ?copy@NO_PERMISSION@CORBA@@UBEP | 1 |
| ?get_diagnostics@Configuration@@QAEJXZ | 1 |
| ?_throwit@NO_PERMISSION@CORBA@@U | 1 |
| ??A_IDL_SEQUENCE_string@@QBE?BVStrin | 1 |
| ??BString_SeqElem@CORBA@@QBEPBDXZ | 1 |
| ?length @_IDL_SEQUENCE_string@@QBEKX | 1 |
| ??BString_var@CORBA@@QAEAAPADXZ | 1 |
| ??0String_var@CORBA@@QAE@PAD@Z | 1 |
| ??1_IDL_SEQUENCE_string@@QAE@XZ | 1 |
| ??0_IDL_SEQUENCE_string@@QAE@K@Z | 1 |
| ??0_IDL_SEQUENCE_string@@QAE@XZ | 1 |

| | |
|--|---|
| ??A_IDL_SEQUENCE_string@@QAE?AVStrin | 1 |
| ??4String_SeqElem@CORBA@@QAEAAV01(| 1 |
| ?length@_IDL_SEQUENCE_string@@QAEXK | 1 |
| ?IT_compareHosts@IT_HAL_HostInfo@@SA | 1 |
| ?myHost@ORB@CORBA@@QBEPBDAAVEn' | 1 |
| ?IT_chooseDefaultEnv@CORBA@@SGAAVEI | 1 |
| ??1_IDL_SEQUENCE_octet_var@@QAE@XZ | 1 |
| ??1IOR@@QAE@XZ | 1 |
| ?to_string@IOR@@QAEPADXZ | 1 |
| ??0IOR@@QAE@PBD0GPBV_IDL_SEQUENC | 1 |
| ??B_IDL_SEQUENCE_octet_var@@QAEAAP/ | 1 |
| ?get_IIOP_version@Configuration@@QAEJ | 1 |
| ??0_IDL_SEQUENCE_octet_var@@QAE@PA | 1 |
| ??0_IDL_SEQUENCE_octet@@QAE@KKPAEF | 1 |
| ??0_IDL_SEQUENCE_IT_daemon_serverData | 1 |
| ?default_environment@CORBA@@2VEnvirc | 1 |
| ?fileChanged@ASCII_file@@UAEEXZ | 1 |
| ?restoreFile@ASCII_file@@UAEEPBDAAVEn | 1 |
| ?backupFile@ASCII_file@@UAEEPBDAAVEn | 1 |
| ?deleteFile@ASCII_file@@UAEEAAVEnviron | 1 |
| ?moveFile@ASCII_file@@UAEEPBDAAVEnvi | 1 |
| ?moveFile@ASCII_file@@UAEEPBDOAAVEn | 1 |
| ?copyFile@ASCII_file@@UAEEPBDAAVEnvir | 1 |
| ?closeFile@ASCII_file@@UAEHAAVEnvironr | 1 |
| ?createFile@ASCII_file@@UAEPAU_iobuf@ | 1 |
| ?openFile@ASCII_file@@UAEPAU_iobuf@C | 1 |
| ??1String_var@CORBA@@QAE@XZ | 1 |
| ?lastUpdate@ASCII_file@@UAEAAJXZ | 1 |
| ?isMissing@ASCII_file@@UAEAAEXZ | 1 |
| ?pathname@ASCII_file@@UBEPADXZ | 1 |
| ?filename@ASCII_file@@UBEPADXZ | 1 |
| ?changeFullName@ASCII_file@@UAEXPBD(| 1 |
| ??1ASCII_file@@UAE@XZ | 1 |
| ??0ASCII_file@@QAE@PBDH@Z | 1 |
| ?IT_HAL_fprintf@IT_HAL_File@@SAHPAU_i | 1 |
| ?IT_HAL_stat@IT_HAL_File@@SAHPBDPAU | 1 |
| ?inReplyFailure@Filter@CORBA@@UAEXAA | 1 |
| ?outReplyFailure@Filter@CORBA@@UAEXA | 1 |
| ?inReplyPostMarshal@Filter@CORBA@@U/ | 1 |
| ?inReplyPreMarshal@Filter@CORBA@@UA | 1 |
| ?outReplyPostMarshal@Filter@CORBA@@l | 1 |
| ?outReplyPreMarshal@Filter@CORBA@@U | 1 |
| ?inRequestPostMarshal@Filter@CORBA@@ | 1 |
| ?outRequestPostMarshal@Filter@CORBA@@ | 1 |
| ?outRequestPreMarshal@Filter@CORBA@@C | 1 |
| ?inRequestPreAuth@Filter@CORBA@@UAE | 1 |
| ??1Filter@CORBA@@MAE@XZ | 1 |

| | |
|---|---|
| ??0Filter@CORBA@@IAE@XZ | 1 |
| ?getTimeAsString@IONA@@SAXPAD@Z | 1 |
| ?closeChannel@ORB@CORBA@@QAEEHAA | 1 |
| ?getOperation@Request@CORBA@@QBEPI | 1 |
| ?get_it_daemon_connection_limit@Configu | 1 |
| ?get_it_daemon_connection_reap_number(| 1 |
| ?get_it_daemon_server_connection_close@ | 1 |
| ??1IT_PtrBase@IT_RefCounted@@IAE@XZ | 1 |
| ?principal@Request@CORBA@@QAEXPBD(| 1 |
| ??5Request@CORBA@@QAEAAV01@AAPA | 1 |
| ?getChannel@IT_RequestImpl@@QAE?AV? | 1 |
| ??1OrbixORImpl@@UAE@XZ | 1 |
| ?convertToForwardReply@RequestS@@QA | 1 |
| ??BString_var@CORBA@@QBEPBDXZ | 1 |
| ?request@Environment@CORBA@@QAEXP | 1 |
| ?expandHostName@Configuration@@QAEF | 1 |
| ?extractException@IT_EnvironmentImpl@@ | 1 |
| ?glob_Daemon@@3PAVSSL_enabled_Daem | 1 |
| ?getImplementation@OrbixORImpl@@UAE | 1 |
| ??0String_var@CORBA@@QAE@XZ | 1 |
| ?object_to_string@OrbixORImpl@@UAEPAI | 1 |
| ??0OrbixORImpl@@QAE@PBD@Z | 1 |
| ?create@ObjectReferenceFactory@@SAPAV | 1 |
| ??0Environment@CORBA@@QAE@AAVRec | 1 |
| ?getHisProtocol@IT_Channel@@QBEKXZ | 1 |
| ?_narrow@SystemException@CORBA@@SC | 1 |
| ?exception@Environment@CORBA@@QBEI | 1 |
| ?principal@Request@CORBA@@QBEPBDXZ | 1 |
| ?here@locator_impl@@QAEPAIDI@Z | 1 |
| ??1locator_impl@@QAE@XZ | 1 |
| ?databaseChanged@locator_impl@@QAEH | 1 |
| ??0locator_impl@@QAE@HHAADVEnvironm | 1 |
| ?copy@INITIALIZE@CORBA@@UBEPAVExce | 1 |
| ?_throwit@INITIALIZE@CORBA@@UAEXXZ | 1 |
| ??BString_SeqElem@CORBA@@QAEPAADXZ | 1 |
| ?lookUp@locator_impl@@QAEFPDAAV_IC | 1 |
| ?copy@LOCATOR@CORBA@@UBEPAVExce | 1 |
| ?_throwit@LOCATOR@CORBA@@UAEXXZ | 1 |
| ?closeGroups@locator_impl@@QAEHXZ | 1 |
| ?closeHosts@locator_impl@@QAEHXZ | 1 |
| ?makeRuntimeException2@Request@CORB | 1 |
| ??5Request@CORBA@@QAEAAV01@AAE@ | 1 |
| ??6Request@CORBA@@QAEAAV01@ABK@ | 1 |
| ??5Request@CORBA@@QAEAAV01@AAJ@ | 1 |
| ??1_IDL_SEQUENCE_IT_daemon_serverData | 1 |
| ?encodeOp@_IDL_SEQUENCE_IT_daemon_s | 1 |
| ?decodeOp@_IDL_SEQUENCE_string@@QA | 1 |

| | |
|---|---|
| ??6Request@CORBA@@QAEAAV01@ABE@ | 1 |
| ?encodeOp@_IDL_SEQUENCE_string@@QB | 1 |
| ?wasMissing@ASCII_file@@UAEEAEXZ | 1 |
| ?remove@hashTable@@QAEPAXPBDK@Z | 1 |
| ??5Request@CORBA@@QAEAAV01@AAK@ | 1 |
| ?encodeStringOp@Request@CORBA@@QA | 1 |
| ?targetProtocol@Request@CORBA@@QAEI | 1 |
| ?string_free@CORBA@@SGXPAD@Z | 1 |
| ?propagate@Environment@CORBA@@QAE | 1 |
| ?propagate@Environment@CORBA@@QAE | 1 |
| ?inRequestPostM@Filter@CORBA@@QAE. | 1 |
| ?isException@Request@CORBA@@QBEEAA | 1 |
| ?decodeStringOp@Request@CORBA@@QA | 1 |
| ?tcAssert@Request@CORBA@@QAEEPBD@ | 1 |
| ?getFilter@BOA@CORBA@@QAEPAVFilter@ | 1 |
| ?hash@hashMatrix@@SGGPAPBDGPBD@Z | 1 |
| ?getObj@PPTR@CORBA@@QBEPAAXZ | 1 |
| ?tcPreAssert@Request@CORBA@@QAEXPE | 1 |
| ?release@CORBA@@SGXPAVObject@1@A\ | 1 |
| ?record@IT_implTableClass@CORBA@@QA | 1 |
| ?IT_implTable@CORBA@@2VIT_implTableC | 1 |
| ?_release@Object@CORBA@@UAEXAAVE | 1 |
| ?_IT_PING@Object@CORBA@@UAEEAAVE | 1 |
| ?_isRemote@Object@CORBA@@UBEEAAVE | 1 |
| ?_save@Object@CORBA@@UAEXAAVEnvir | 1 |
| ?_loader@Object@CORBA@@UBEPAVLoad | 1 |
| ?_deref@Object@CORBA@@UAEPAXXZ | 1 |
| ??1Object@CORBA@@UAE@XZ | 1 |
| ?_set_pptr@Object@CORBA@@QAEXPAPV | 1 |
| ??0PPTR@CORBA@@IAE@PBDPAXPAVObj\ | 1 |
| ??0Object@CORBA@@QAE@E@Z | 1 |
| ??0PPTR@CORBA@@IAE@PBVObjectRefer\ | 1 |
| ??1EnvExcRaiser@CORBA@@QAE@XZ | 1 |
| ?registerEnv@EnvExcRaiser@CORBA@@QA | 1 |
| ??0EnvExcRaiser@CORBA@@QAE@XZ | 1 |
| ?New@FactoryTable@CORBA@@QAEPAXP\ | 1 |
| ?Factory@CORBA@@2VFactoryTable@1@A | 1 |
| ??1Context@CORBA@@QAE@XZ | 1 |
| ??0Context@CORBA@@QAE@PAV01@@Z | 1 |
| ?IT_castUp@ObjectFactoryClass@CORBA@() | 1 |
| ?_interfaceCmp@CORBA@@SGHPBD0AAVE | 1 |
| ?_pptr@Object@CORBA@@QBEPAVPPTR@ | 1 |
| ?baseInterfaces@ObjectFactoryClass@CORE | 1 |
| ?add@ProxyFactory@CORBA@@IAEXAAV_I | 1 |
| ?bind@ProxyFactory@CORBA@@UAEPAXPI | 1 |
| ??1ProxyFactory@CORBA@@MAE@XZ | 1 |
| ??0ObjectFactoryClass@CORBA@@QAE@E\ | 1 |

| | |
|--|---|
| ??0ProxyFactory@CORBA@@IAE@PBDE@Z | 1 |
| ??1Request@CORBA@@UAE@XZ | 1 |
| ?exceptionKind@Request@CORBA@@QBE? | 1 |
| ?checkEnv@Request@CORBA@@QAEXAAV | 1 |
| ?reset@Request@CORBA@@QAEXPAAObj | 1 |
| ?target@Request@CORBA@@QBEPAVObj | 1 |
| ?operation@Request@CORBA@@QBEPBDA | 1 |
| ?invoke@Request@CORBA@@QAEKABVFla | 1 |
| ??0Request@CORBA@@QAE@PAVObject@ | 1 |
| ?_get_isNull@Object@CORBA@@QBEEZX | 1 |
| ?insertOctet@Request@CORBA@@QAEAA\ | 1 |
| ?decodeOp @_IDL_SEQUENCE_IT_daemon_s | 1 |
| ??0_IDL_SEQUENCE_IT_daemon_serverDeta | 1 |
| ??6Request@CORBA@@QAEAAV01@ABJ@ | 1 |
| ??0PPTR@CORBA@@IAE@PAXPAVObject@ | 1 |
| ??1PPTR@CORBA@@UAE@XZ | 1 |
| ??6Request@CORBA@@QAEAAV01@ABF@ | 1 |
| ??5Request@CORBA@@QAEAAV01@AAF@ | 1 |
| ??0IT_InitOrbix@@QAE@XZ | 1 |
| ?copy@BAD_PARAM@CORBA@@UBEPAVE | 1 |
| ?_throwit@BAD_PARAM@CORBA@@UAEX | 1 |
| ?string_alloc@CORBA@@SGPADK@Z | 1 |
| ??4String_var@CORBA@@QAEAAV01@PAC | 1 |
| ?string_dupl@CORBA@@SGPADPBD@Z | 1 |
| ?get_errors_file@Configuration@@QAEPA\ | 1 |
| ?get_imp_rep_path@Configuration@@QAE | 1 |
| ?getTempFilename@IONA@@SAEPAD@Z | 1 |
| ?IT_HAL_fscanf@IT_HAL_File@@SAHPAU_i | 1 |
| reinitialiseopt | 1 |
| ?processEvents@BOA@CORBA@@QAEKKA\ | 1 |
| ?get_daemon_port_range@Configuration@ | 1 |
| ?get_daemon_port_base@Configuration@C | 1 |
| ?close@WinSockInterface@@QAEHI@Z | 1 |
| ?bind@WinSockInterface@@QAEHIPBUsocl | 1 |
| ?socket@WinSockInterface@@QAEIHHH@Z | 1 |
| ?glob_WSI@@3PAVWinSockInterface@@A | 1 |
| ?copy@IMP_LIMIT@CORBA@@UBEPAVExc | 1 |
| ?_throwit@IMP_LIMIT@CORBA@@UAEXXZ | 1 |
| ?copy@NO_IMPLEMENT@CORBA@@UBEP/ | 1 |
| ?_throwit@NO_IMPLEMENT@CORBA@@U/ | 1 |
| ??1IT_Object_var@CORBA@@QAE@XZ | 1 |
| ?send@Request@CORBA@@QAEKABVFlags | 1 |
| ??BIT_Object_var@CORBA@@QAEAAPAVO | 1 |
| ??0IT_Object_var@CORBA@@QAE@PAVOb | 1 |
| ?string_to_object@ORB@CORBA@@QAEPA | 1 |
| ?glob_IRimplName@@3PBDB | 1 |
| ?getPid@IT_Channel@@QBEKXZ | 1 |

| | |
|---|---|
| ?glob_ChannelTable@@3PAVChannelTable(| 1 |
| ?getHostName@Configuration@@QAEPB | 1 |
| ??4IT_PtrBase@IT_RefCounted@@IAEAAV0 | 1 |
| ?printVerInfo@IT_ORBImpl@@QAEXPBD@Z | 1 |
| ?get_default_classpath@Configuration@@C | 1 |
| ?get_java_interpreter@Configuration@@Q/ | 1 |
| ?get_locator_file@Configuration@@QAEPA | 1 |
| ?get_local_domain@Configuration@@QAEF | 1 |
| ?get_IR_file@Configuration@@QAEPADXZ | 1 |
| ?processNextEvent@BOA@CORBA@@QAEI | 1 |
| ?glob_ContextS@@3PAVContextClassS@@A | 1 |
| ?_object_to_string@Object@CORBA@@QA | 1 |
| ?impl_is_ready@BOA@CORBA@@QAEVIn | 1 |
| ??0ImplementationDef_ptr@CORBA@@QA | 1 |
| ?_marker@Object@CORBA@@QAEPBDA | 1 |
| ?registerIOCallbackObject@ORB@CORBA@I | 1 |
| ?OrbixIO@CORBA@@2EB | 1 |
| ?exit@IONA@@SAXH@Z | 1 |
| ?setServerName@ORB@CORBA@@QAEPE | 1 |
| ?eagerListeners@ORB@CORBA@@QBEEAA' | 1 |
| ?connectionTimeout@ORB@CORBA@@QAI | 1 |
| ?propagateTIEdelete@BOA@CORBA@@QA | 1 |
| ?useHostNameInIOR@ORB@CORBA@@SG> | 1 |
| ?setDiagnostics@ORB@CORBA@@QAEFFA/ | 1 |
| ?glob_MsgDispatcher@@3PAVIT_MessageE | 1 |
| ?glob_StdOutHandler@@3PAVIT_StdOutMs | 1 |
| ?filterBadConnectAttempts@BOA@CORBA@C | 1 |
| ?SetConfigValue@ORB@CORBA@@SGEPBD | 1 |
| ?_okToDeleteImpl@Object@CORBA@@QBF | 1 |
| ?copy@LICENCING@CORBA@@UBEPAVExc | 1 |
| ?_throwit@LICENCING@CORBA@@UAEXXZ | 1 |
| ?toString@Environment@CORBA@@QBEPB | 1 |
| ?architectureProductCode@Configuration@ | 1 |
| ?resetBucket@hashTableIterator@@QAEXX | 1 |
| ?match@@YAHBD0@Z | 1 |
| ??1SystemException@CORBA@@UAE@XZ | 1 |
| ?insertYourself@SystemException@CORBA@ | 1 |
| ?enter@hashTable@@QAEKPBDPAXK_N@Z | 1 |
| ??0SystemException@CORBA@@IAE@PBDI | 1 |
| ?copy@INTERNAL@CORBA@@UBEPAVExce | 1 |
| ?_throwit@INTERNAL@CORBA@@UAEXXZ | 1 |
| ?_toString@SystemException@CORBA@@U | 1 |
| ??1hashTable@@UAE@XZ | 1 |
| ??0hashTableIterator@@QAE@PAVhashTak | 1 |
| ??RhashTableIterator@@QAEPAVhashEntry | 1 |
| ??1IT_InitOrbix@@QAE@XZ | 1 |
| ??0hashTable@@QAE@K@Z | 1 |

| | |
|---------------------------------------|---|
| ?insert@hashTable@@MAE_NPBDPAXAAK@ | 1 |
| ?makeRuntimeException6@Request@CORB | 1 |
| ?extractOctet@Request@CORBA@@QAEAA | 1 |
| ??1ObjectFactoryClass@CORBA@@UAE@XZ | 1 |
| ?m_endl@OrbixStream@@2VManip@1@B | 1 |
| ??6OrbixStream@@QAEAAV0@H@Z | 1 |
| ??6OrbixStream@@QAEAAV0@K@Z | 1 |
| ?IT_out@@3PAVOrbixStream@@A | 1 |
| ?Output@IT_StdOutMsgHandler@@UAEXAI | 1 |
| ?Process@IT_MessageHandler@@MAEXPAB | 1 |
| ??6OrbixStream@@QAEAAV0@J@Z | 1 |
| ??6OrbixStream@@QAEAAV0@ABVManip@C | 1 |
| ??0IT_StdOutMsgHandler@@QAE@PAVIT_I | 1 |
| ??6OrbixStream@@QAEAAV0@PBD@Z | 1 |
| ??1IT_StdOutMsgHandler@@UAE@XZ | 1 |
| ??4ITString@Orbix33@@QAEAAV01@ABV0 | 1 |
| ??0ITString@Orbix33@@QAE@PBD@Z | 1 |
| ?OwnString@ITString@Orbix33@@SA?AV1@ | 1 |
| ?Access@ITString@Orbix33@@QBEPBDXZ | 1 |
| ?Narrow@RDCHandler@@UBEPAXH@Z | 1 |
| ?Append@ITString@Orbix33@@QAEXPBDI@ | 1 |
| ?Append@ITString@Orbix33@@QAEXPBD@ | 1 |
| ??1ITString@Orbix33@@UAE@XZ | 1 |
| ??BITString@Orbix33@@QBEPBDXZ | 1 |
| ?Access@ITString@Orbix33@@QBEPAD_N@ | 1 |
| ??0ITString@Orbix33@@QAE@I@Z | 1 |
| ??0ITString@Orbix33@@QAE@ABV01@@Z | 1 |
| ?Append@ITString@Orbix33@@QAEXABV1 | 1 |
| Create | 1 |
| @Adodb@TADOConnection@GetInTransact | 1 |
| @Adodb@TADOConnection@RollbackTrans | 1 |
| @Adodb@TADOConnection@CommitTrans\$ | 1 |
| @Adodb@TADOConnection@BeginTrans\$qr | 1 |
| @Untwaxconst@initialization\$qqrv | 1 |
| @Untwaxconst@Finalization\$qqrv | 1 |
| @Untwaxpublic@initialization\$qqrv | 1 |
| @Untwaxpublic@Finalization\$qqrv | 1 |
| @Untwaxpublic@GetConnection\$qqrv | 1 |
| @Untwaxpublic@SystemError\$qqr17Syste | 1 |
| @Untwax3ties@initialization\$qqrv | 1 |
| @Untwax3ties@Finalization\$qqrv | 1 |
| @Untwax3ties@TWaxClientDataSet@ | 1 |
| @Untprintgrid@initialization\$qqrv | 1 |
| @Untprintgrid@Finalization\$qqrv | 1 |
| @Untreportsetup@initialization\$qqrv | 1 |
| @Untreportsetup@Finalization\$qqrv | 1 |
| @Untgridtoreport@initialization\$qqrv | 1 |

| | |
|---|---|
| @Untgridtoreport@Finalization\$qqrv | 1 |
| @Untsetdisplayfields@initialization\$qqrv | 1 |
| @Untsetdisplayfields@Finalization\$qqrv | 1 |
| @Unprintdialog@initialization\$qqrv | 1 |
| @Unprintdialog@Finalization\$qqrv | 1 |
| @Untwaxgrid@initialization\$qqrv | 1 |
| @Untwaxgrid@Finalization\$qqrv | 1 |
| @Untwaxlabeledcontrols@initialization\$qqrv | 1 |
| @Untwaxlabeledcontrols@Finalization\$qqrv | 1 |
| @Untfind@initialization\$qqrv | 1 |
| @Untfind@Finalization\$qqrv | 1 |
| @Untwaxdblabeledcontrols@initialization\$qqrv | 1 |
| @Untwaxdblabeledcontrols@Finalization\$qqrv | 1 |
| @Cxdbextlookupcombobox@Finalization\$qqrv | 1 |
| @Cxdbfiltercontrol@initialization\$qqrv | 1 |
| @Cxdbfiltercontrol@Finalization\$qqrv | 1 |
| @Cxdbnavigator@initialization\$qqrv | 1 |
| @Cxdbnavigator@Finalization\$qqrv | 1 |
| @Cxdbcolorcombobox@initialization\$qqrv | 1 |
| @Cxdbcolorcombobox@Finalization\$qqrv | 1 |
| @Cxdblabel@initialization\$qqrv | 1 |
| @Cxdblabel@Finalization\$qqrv | 1 |
| @Cxdbprogressbar@initialization\$qqrv | 1 |
| @Cxdbprogressbar@Finalization\$qqrv | 1 |
| @Cxspinbutton@Finalization\$qqrv | 1 |
| @Cxdbtrackbar@initialization\$qqrv | 1 |
| @Cxdbtrackbar@Finalization\$qqrv | 1 |
| @Cxheader@Finalization\$qqrv | 1 |
| @Cxmclistbox@initialization\$qqrv | 1 |
| @Cxmclistbox@Finalization\$qqrv | 1 |
| @Cxlistview@Finalization\$qqrv | 1 |
| @Cxdbcheckboxlistbox@initialization\$qqrv | 1 |
| @Cxdbcheckboxlistbox@Finalization\$qqrv | 1 |
| @Cxdbcheckcombobox@initialization\$qqrv | 1 |
| @Cxdbcheckcombobox@Finalization\$qqrv | 1 |
| @Cxdbfontnamecombobox@initialization\$qqrv | 1 |
| @Cxdbfontnamecombobox@Finalization\$qqrv | 1 |
| @Cttcontrols@initialization\$qqrv | 1 |
| @Cttcontrols@Finalization\$qqrv | 1 |
| @Cttcontrols@TCttSplitter@ | 1 |
| @Cttcontrols@TCttCheckBox@ | 1 |
| @Cttcontrols@TCttButtonEdit@ | 1 |
| @Cttgrids@initialization\$qqrv | 1 |
| @Cttgrids@Finalization\$qqrv | 1 |
| @Cttgrids@TCttGridDBTableView@ | 1 |
| @Cttgrids@TCttGrid@ | 1 |
| @Cttbutton@initialization\$qqrv | 1 |

| | |
|---|---|
| @Cttbutton@Finalization\$qqrv | 1 |
| @Cttbutton@TCttMButton@ | 1 |
| @Cttbutton@TCttBluePanel@ | 1 |
| @Cttmovebar@initialization\$qqrv | 1 |
| @Cttmovebar@Finalization\$qqrv | 1 |
| @Untcttpagetabsux@initialization\$qqrv | 1 |
| @Untcttpagetabsux@Finalization\$qqrv | 1 |
| @Untcttpagetabsthv@initialization\$qqrv | 1 |
| @Untcttpagetabsthv@Finalization\$qqrv | 1 |
| @Untcttpagetabs@initialization\$qqrv | 1 |
| @Untcttpagetabs@Finalization\$qqrv | 1 |
| @Untcttpagetabs@TCttPanel@ | 1 |
| @Cttsearchbaseform@initialization\$qqrv | 1 |
| @Cttsearchbaseform@Finalization\$qqrv | 1 |
| @Cttmlookups@initialization\$qqrv | 1 |
| @Cttmlookups@Finalization\$qqrv | 1 |
| @Idwinsock@initialization\$qqrv | 1 |
| @Idwinsock@Finalization\$qqrv | 1 |
| @Idstackwinsock@initialization\$qqrv | 1 |
| @Idstackwinsock@Finalization\$qqrv | 1 |
| @Cttasynupdate@initialization\$qqrv | 1 |
| @Cttasynupdate@Finalization\$qqrv | 1 |
| @Untbaseformext@initialization\$qqrv | 1 |
| @Untbaseformext@Finalization\$qqrv | 1 |
| @Untbaseformext@TBaseFormExt@CreateF | 1 |
| @Untbaseformext@TBaseFormExt@Change | 1 |
| @Untbaseformext@TBaseFormExt@\$bctr\$c | 1 |
| @\$xp\$27Untbaseformext@TBaseFormExt | 1 |
| @Untbaseformext@TBaseFormExt@ | 1 |
| @Untauthoritycontrol@initialization\$qqrv | 1 |
| @Untauthoritycontrol@Finalization\$qqrv | 1 |
| @Untwaxfunctions@initialization\$qqrv | 1 |
| @Untwaxfunctions@Finalization\$qqrv | 1 |
| @Untgridini@initialization\$qqrv | 1 |
| @Untgridini@Finalization\$qqrv | 1 |
| @Untgridconfig@initialization\$qqrv | 1 |
| @Untgridconfig@Finalization\$qqrv | 1 |
| @Cttlookup@initialization\$qqrv | 1 |
| @Cttlookup@Finalization\$qqrv | 1 |
| @Cttdblookup@initialization\$qqrv | 1 |
| @Cttdblookup@Finalization\$qqrv | 1 |
| @Reportcontrolunt@initialization\$qqrv | 1 |
| @Reportcontrolunt@Finalization\$qqrv | 1 |
| @Reportcommonunt@initialization\$qqrv | 1 |
| @Reportcommonunt@Finalization\$qqrv | 1 |
| @Reportformatfrm@initialization\$qqrv | 1 |
| @Reportformatfrm@Finalization\$qqrv | 1 |

| | |
|---|---|
| @Reportmanagerfrm@initialization\$qqrv | 1 |
| @Reportmanagerfrm@Finalization\$qqrv | 1 |
| @Untfmclasspublic@initialization\$qqrv | 1 |
| @Untfmclasspublic@Finalization\$qqrv | 1 |
| @Untfmclasspublic@DoCloneDataSet\$qqrp: | 1 |
| @Untfmclasspublic@DoBatchSelectInGrid\$c | 1 |
| @Untfmclasspublic@RefreshQuery\$qqrp15/ | 1 |
| @Untfmclasspublic@RefreshClientDataSet\$ | 1 |
| @Untfmclasspublic@RefreshClientDataSet\$ | 1 |
| @Untfmbscclass@initialization\$qqrv | 1 |
| @Untfmbscclass@Finalization\$qqrv | 1 |
| @Untfmconsts@initialization\$qqrv | 1 |
| @Untfmconsts@Finalization\$qqrv | 1 |
| @Untfmfunctionpublic@initialization\$qqrv | 1 |
| @Untfmfunctionpublic@Finalization\$qqrv | 1 |
| @Untchoicereport@initialization\$qqrv | 1 |
| @Untchoicereport@Finalization\$qqrv | 1 |
| @Pnglang@initialization\$qqrv | 1 |
| @Pnglang@Finalization\$qqrv | 1 |
| @Zlibpas@initialization\$qqrv | 1 |
| @Zlibpas@Finalization\$qqrv | 1 |
| @Untshowimage@initialization\$qqrv | 1 |
| @Untshowimage@Finalization\$qqrv | 1 |
| @Untfmftptransfers@initialization\$qqrv | 1 |
| @Untfmftptransfers@Finalization\$qqrv | 1 |
| @Untbillcomments@initialization\$qqrv | 1 |
| @Untbillcomments@Finalization\$qqrv | 1 |
| @Untquerydyndtl@initialization\$qqrv | 1 |
| @Untquerydyndtl@Finalization\$qqrv | 1 |
| @Untproductnoquery@initialization\$qqrv | 1 |
| @Untproductnoquery@Finalization\$qqrv | 1 |
| @Untproductnoquery@TfrmProductNoQuei | 1 |
| @Untquerybase@initialization\$qqrv | 1 |
| @Untquerybase@Finalization\$qqrv | 1 |
| @Untfmbillclass@initialization\$qqrv | 1 |
| @Untfmbillclass@Finalization\$qqrv | 1 |
| @Untbilllog@initialization\$qqrv | 1 |
| @Untbilllog@Finalization\$qqrv | 1 |
| @Untfmini@initialization\$qqrv | 1 |
| @Untfmini@Finalization\$qqrv | 1 |
| @Untfmforminit@initialization\$qqrv | 1 |
| @Untfmforminit@Finalization\$qqrv | 1 |
| @Untfmxgrid@initialization\$qqrv | 1 |
| @Untfmxgrid@Finalization\$qqrv | 1 |
| @Untmaterialquery@initialization\$qqrv | 1 |
| @Untmaterialquery@Finalization\$qqrv | 1 |
| BN_is_bit_set | 1 |

| | |
|--|---|
| DH_compute_key | 1 |
| DH_free | 1 |
| DH_generate_key | 1 |
| DH_new | 1 |
| DH_size | 1 |
| EVP_ripemd160 | 1 |
| EVP_sha256 | 1 |
| getgid | 1 |
| AvSetMmThreadCharacteristicsW | 1 |
| _ZN14KComponentDataC1ERKS_ | 1 |
| _ZN14KComponentDataC1Ev | 1 |
| _ZN14KComponentDataD1Ev | 1 |
| _ZN14KComponentDataaSERKS_ | 1 |
| _ZN14KPluginFactory11qt_metacallEN11QM | 1 |
| _ZN14KPluginFactory11qt_metacastEPKc | 1 |
| _ZN14KPluginFactory12createObjectEP7QOlk | 1 |
| _ZN14KPluginFactory14registerPluginERK7Q | 1 |
| _ZN14KPluginFactory16createPartObjectEP7 | 1 |
| _ZN14KPluginFactory16setComponentDataE | 1 |
| _ZN14KPluginFactoryC2EPKcS1_P7QObject | 1 |
| _ZN14KPluginFactoryC2ERK10KAboutDataP7 | 1 |
| _ZN14KPluginFactoryD2Ev | 1 |
| _ZN7KGlobal4dirsEv | 1 |
| _ZN9KMimeType10findByPathERK7QStringtl | 1 |
| _ZNK12KSycocaEntry4nameEv | 1 |
| _ZNK13KStandardDirs12findResourceEPKcRk | 1 |
| _ZNK13KStandardDirs12saveLocationEPKcRk | 1 |
| _ZNK14KComponentData7isValidEv | 1 |
| _ZNK14KPluginFactory10metaObjectEv | 1 |
| _ZNK14KPluginFactory13componentDataEv | 1 |
| _ZN18KEmoticonsProvider11addEmoticonEF | 1 |
| _ZN18KEmoticonsProvider11qt_metacallEN1 | 1 |
| _ZN18KEmoticonsProvider11qt_metacastEP1 | 1 |
| _ZN18KEmoticonsProvider15addEmoticonsN | 1 |
| _ZN18KEmoticonsProvider16addEmoticonIn | 1 |
| _ZN18KEmoticonsProvider16staticMetaObje | 1 |
| _ZN18KEmoticonsProvider17clearEmoticons | 1 |
| _ZN18KEmoticonsProvider18removeEmoticc | 1 |
| _ZN18KEmoticonsProvider19removeEmoticc | 1 |
| _ZN18KEmoticonsProvider9loadThemeERK7 | 1 |
| _ZN18KEmoticonsProviderC2EP7QObject | 1 |
| _ZN18KEmoticonsProviderD2Ev | 1 |
| _ZNK18KEmoticonsProvider12emoticonsMa | 1 |
| _ZNK18KEmoticonsProvider8fileNameEv | 1 |
| _ZNK18KEmoticonsProvider9themeNameEv | 1 |
| _ZNK18KEmoticonsProvider9themePathEv | 1 |
| _ZN11QTextStream8setCodecEPKc | 1 |

| | |
|---|---|
| _ZN11QDomElement12setAttributeERK7QSt | 1 |
| _ZN12QDomDocument10setContentEP9QIO | 1 |
| _ZN12QDomDocument13createElementERK | 1 |
| _ZN12QDomDocument14createTextNodeER | 1 |
| _ZN12QDomDocument27createProcessingIn | 1 |
| _ZN12QDomDocumentC1Ev | 1 |
| _ZN12QDomDocumentD1Ev | 1 |
| _ZN12QDomNodeListD1Ev | 1 |
| _ZN8QDomNode11appendChildERKS_ | 1 |
| _ZN8QDomNode11removeChildERKS_ | 1 |
| _ZN8QDomNodeD1Ev | 1 |
| _ZN8QDomNodeD2Ev | 1 |
| _ZNK11QDomElement4textEv | 1 |
| _ZNK11QDomElement7tagNameEv | 1 |
| _ZNK11QDomElement9attributeERK7QString | 1 |
| _ZNK12QDomDocument8toStringEi | 1 |
| _ZNK12QDomNodeList4itemEi | 1 |
| _ZNK12QDomNodeList6lengthEv | 1 |
| _ZNK8QDomNode10childNodesEv | 1 |
| _ZNK8QDomNode17firstElementERK7C | 1 |
| _ZNK8QDomNode6isNullEv | 1 |
| _ZNK8QDomNode9toElementEv | 1 |
| gtk_button_set_label | 1 |
| gtk_label_get_layout | 1 |
| gtk_label_set_text_with_mnemonic | 1 |
| pango_layout_get_pixel_size | 1 |
| gimp_hsl_to_rgb | 1 |
| gimp_rgb_set_uchar | 1 |
| gimp_rgb_to_hsl | 1 |
| gimp_preview_get_type | 1 |
| gimp_scale_entry_set_sensitive | 1 |
| _ZN4QDir7setPathERK7QString | 1 |
| _ZxCommandSetPower@4 | 1 |
| _ZoomTextTwoColorFiltering@12 | 1 |
| _ZxCommandApi@8 | 1 |
| _ZoomTextVersionRunning@0 | 1 |
| _ZoomTextIsMagnifying@0 | 1 |
| _ZoomTextExit@0 | 1 |
| _ZoomTextStart@4 | 1 |
| CoRegisterMessage | 1 |
| ?find_last_not_of@?\$basic_string@_WU?\$C | 1 |
| _malloc_or_die | 1 |
| assign_drivers | 1 |
| assign_msg_catategory | 1 |
| audit_images | 1 |
| audit_samples | 1 |
| audit_summary | 1 |

| | |
|-------------------------------------|---|
| begin_resource_tracking | 1 |
| build_version | 1 |
| code_init | 1 |
| cpuintrf_init | 1 |
| cputype_get_info_string | 1 |
| cputype_shortname | 1 |
| determine_bios_rom | 1 |
| driver_get_clone | 1 |
| drivers | 1 |
| end_resource_tracking | 1 |
| exit_resource_tracking | 1 |
| expand_machine_driver | 1 |
| hash_data_has_info | 1 |
| init_resource_tracking | 1 |
| input_port_allocate | 1 |
| lang_find_codepage | 1 |
| lang_find_langname | 1 |
| lang_message | 1 |
| load_driver_drivinfo | 1 |
| load_driver_history | 1 |
| load_driver_mameinfo | 1 |
| load_driver_story | 1 |
| logerror | 1 |
| mame_fclose | 1 |
| mame_fopen | 1 |
| mame_fputs | 1 |
| mame_fread | 1 |
| mame_fseek | 1 |
| mame_fsize | 1 |
| mame_strdup | 1 |
| mame_stricmp | 1 |
| mame_strtrim | 1 |
| options | 1 |
| options_add_entries | 1 |
| options_clear_output_mark | 1 |
| options_free_entries | 1 |
| options_get_bool | 1 |
| options_get_datalist | 1 |
| options_get_float | 1 |
| options_get_int | 1 |
| options_get_string | 1 |
| options_init | 1 |
| options_output_command_line_marked | 1 |
| options_output_ini_mame_file | 1 |
| options_output_ini_mame_file_marked | 1 |
| options_parse_ini_file | 1 |
| options_set_bool | 1 |

| | |
|--|---|
| options_set_datalist | 1 |
| options_set_float | 1 |
| options_set_int | 1 |
| options_set_string | 1 |
| png_expand_buffer_8bit | 1 |
| png_read_file | 1 |
| rom_first_file | 1 |
| rom_first_region | 1 |
| rom_next_file | 1 |
| rom_next_region | 1 |
| scale_desc | 1 |
| scale_name | 1 |
| seq_copy | 1 |
| set_langcode | 1 |
| sndintrf_init | 1 |
| sndtype_get_info_string | 1 |
| sndtype_shortname | 1 |
| state_save_check_file | 1 |
| string_to_seq | 1 |
| ui_lang_info | 1 |
| win_key_trans_table | 1 |
| windows_opts | 1 |
| zip_file_cache_clear | 1 |
| zip_file_close | 1 |
| zip_file_decompress | 1 |
| zip_file_first_file | 1 |
| zip_file_next_file | 1 |
| zip_file_open | 1 |
| _ZN10QByteArray6appendEPKc | 1 |
| _ZN11QTextStream7readAllEv | 1 |
| _ZN16QCoreApplication19applicationFilePath | 1 |
| _ZN16QCoreApplication4selfE | 1 |
| _ZN16QXmlStreamReader7addDataERK10QI | 1 |
| _ZN4QUrlC1ERKS_ | 1 |
| _ZN7QString6numberExi | 1 |
| _ZN7QThread4execEv | 1 |
| _ZN8QProcess14setReadChannelENS_14Pro | 1 |
| _ZN8QProcess15waitForFinishedEi | 1 |
| _ZN8QProcess18setReadChannelModeENS_ | 1 |
| _ZN8QProcess5startERK7QString6QFlagsIN9 | 1 |
| _ZN8QProcessC1EP7QObject | 1 |
| _ZN8QProcessD1Ev | 1 |
| _ZN9QIODevice4readEx | 1 |
| _ZN9QSettings11setIniCodecEPKc | 1 |
| _ZNK10QByteArray7indexOfEPKci | 1 |
| _ZNK4QUrl4hostEv | 1 |
| _ZNK4QUrl4pathEv | 1 |

| | |
|---|---|
| _ZNK9QFileInfo4sizeEv | 1 |
| _ZN12QApplication13setStyleSheetERK7QSt | 1 |
| _ZN12QProgressBar10setMaximumEi | 1 |
| _ZN12QProgressBar14setTextVisibleEb | 1 |
| _ZN14QDesktopWidgetC1Ev | 1 |
| _ZN14QDesktopWidgetD1Ev | 1 |
| _ZN6QLabel5clearEv | 1 |
| _ZNK14QDesktopWidget17availableGeomet | 1 |
| _ZN15QNetworkRequest12setRawHeaderER | 1 |
| _ZN15QNetworkRequestC1ERK4QUrl | 1 |
| _ZN15QNetworkRequestD1Ev | 1 |
| _ZN21QNetworkAccessManager11qt_metac | 1 |
| _ZN21QNetworkAccessManager11qt_metac | 1 |
| _ZN21QNetworkAccessManager13createRe | 1 |
| _ZN21QNetworkAccessManager16staticMet | 1 |
| _ZN21QNetworkAccessManager3getERK15C | 1 |
| _ZN21QNetworkAccessManager4postERK15C | 1 |
| _ZN21QNetworkAccessManagerC2EP7QObj | 1 |
| _ZN21QNetworkAccessManagerD1Ev | 1 |
| _ZN21QNetworkAccessManagerD2Ev | 1 |
| _ZN9QSslErrorC1ERKS_ | 1 |
| _ZN9QSslErrorD1Ev | 1 |
| _ZNK13QNetworkReply5errorEv | 1 |
| _ZNK13QNetworkReply9attributeEN15QNet | 1 |
| _ZNK9QSslError11errorStringEv | 1 |
| vzbfol | 1 |
| vzstjus | 1 |
| vzrftrc | 1 |
| vzcftrc | 1 |
| zname | 1 |
| yebug | 1 |
| ymemmsg | 1 |
| ymsize | 1 |
| ymemdef | 1 |
| yoreopn | 1 |
| yvpute | 1 |
| yvnamei | 1 |
| yvputd | 1 |
| yvputi | 1 |
| yvfind | 1 |
| yvdflst | 1 |
| yvget1c | 1 |
| yvget1f | 1 |
| yyvput | 1 |
| yvget1v | 1 |
| ycclose | 1 |
| ycread | 1 |

UnInitReg
GetLocalAppDataDir
FtwMfcSetMainWnd
InitReg
?erase@?\$basic_string@_WU?\$char_traits@_WU@std@@SAIPAP
?c_str@CMYStringW@Buffer@Common@@QAE
??0CMYStringW@Buffer@Common@@QAE
??1CLocationInfo@Exception@Common@@QAE
??0CLocationInfo@Exception@Common@@QAE
??1CRuntimeException@Exception@Common@@QAE
??0CRuntimeException@Exception@Common@@QAE
??0CRuntimeException@Exception@Common@@QAE
?MakeSureDirectoryPathExists@Path@Common@@QAE
?GetAppFolder@Path@Common@@YA?BH
??1CMYStringW@Buffer@Common@@QAE
?FSLoadFile@@YA_NV?\$basic_string@_WU
?FSRemoveFile@@YA_NV?\$basic_string@_WU
?FSInit@@YA_NV?\$basic_string@_WU?\$char_traits@_WU@std@@SAIPAP
?FSSaveFile@@YA_NV?\$basic_string@_WU
?FSDelInit@@YAXXZ
?FSDefragment@@YAXXZ
?FSInit@@YAX_N@Z
?UnzipFile@@YAHPB_W0@Z
_vme_lread@4
_vme_dread@4
_vme_lwrite@8
_vme_sread@12
regerror
cdtAnimate
NetRemoveAlternateComputerName
?ASSY_add_part_to_assembly@@YAHIPBD
?EREF_ask_erefs_of_edge@@YAXHPAPAPA
?EREF_ask_ug_eid_of_eref@@YAXPAUEDGI
?ES_layer_move_entity@@YAXIH@Z
?DSS_REGEN_regen_object@@YAXI@Z
?UNDO_UG_delete_mark@@YAHHPBD@Z
?UNDO_PS_cre_partition@@YAXPAH@Z
?UNDO_UG_undo_to_mark@@YAHHPBD@Z
?KI_apptr@YAHHH@Z
?KI_delent@@YAH@Z
?UNDO_UG_set_mark@@YAHW4UNDO_UC
?OCC_is_occurrence@@YA_NI@Z
?ES_cycle_entities_by_type@@YAXIHPAI@Z
?PART_export_part@@YAHBDHHPAIPAUPA
?ES_write_color@@YAHIH@Z
?ES_change_color_font_width@@YAXIPAU

| | |
|---|---|
| ?ES_ask_entity_color@@YAH!@Z | 1 |
| ?UPDATE_do_update@@YAXXZ | 1 |
| ?PART_save@@YAH!PAUPART_save_failure | 1 |
| ?JA_PART_new_display@@YAH!BDW4JA_P | 1 |
| ?BASE_open_part@@YAH!BDPAIPAUFF_P! | 1 |
| ?PART_ask_part_of_filename@@YAH!PBD@Z | 1 |
| ?PART_is_part_loaded@@YA_NPBD@Z | 1 |
| ?RM_ask_entity_type_and_subtype@@YAX | 1 |
| ?MODL_ask_distance_tol@@YANXZ | 1 |
| ?es7008@@YAH!PAIPAH@Z | 1 |
| ?pxtccu@@YAH!PAHPANOPAIO@Z | 1 |
| ?UICO_ask_closest_color@@YAH!HPANH@Z | 1 |
| ?vkierr@@3UVKIERRTYP@@A | 1 |
| ?at020@@YAXPAI@Z | 1 |
| ?pxlook@@YAH!PBH!PAI@Z | 1 |
| ?UICO_ask_color@@YAH!HHPAPADQAN@Z | 1 |
| ?PX_transform_of_occurrence@@YAH!_NP/ | 1 |
| ?es7010_occ@@YAH!PBIPAH@Z | 1 |
| RDEBUG_ask_flag | 1 |
| ?ERROR_lprintf@@YAH!BDZZ | 1 |
| ?DEBUG_indentation@@3HA | 1 |
| ?MACH_checking_level@@3HA | 1 |
| ?reThrow@Exception@Error@UGS@@QBE | 1 |
| ?SM_calloc_persistent@@YAPAXII@Z | 1 |
| ?ERROR_assertion_failed@@YAH!BDH!OZZ | 1 |
| ?LDR_find_symbol@@YAH!6AXXZPAULDR_in | 1 |
| ?LDR_load_image@@YAPPAULDR_image_s@ | 1 |
| ?ERROR_raise@@YAH!BDH!HOZZ | 1 |
| ?ENV_translate_variable@@YAPBDPBD@Z | 1 |
| ?SM_sprintf@@YAPADPBDZZ | 1 |
| ?SM_length@@YAH!PBX@Z | 1 |
| ?OM_set_user_object_name@@YAH!PAXPB | 1 |
| ?TAG_ask_pointer_of_tag@@YAPAXI@Z | 1 |
| ?OM_ask_user_object_name@@YAPADPAX | 1 |
| ?SM_sprintf_persistent@@YAPADPBDZZ | 1 |
| ?SM_string_append@@YAPADPAPBD@Z | 1 |
| ?SM_validate_all@@YAH!XZ | 1 |
| ?SM_ask_statistics@@YAH!PAUSM_statistics | 1 |
| ?SM_calloc@@YAPAXII@Z | 1 |
| ?DEBUG_routine@@YA?AW4DEBUG_state_LICEN\$E_leave_module | 1 |
| LICEN\$E_enter_module | 1 |
| ?EQ_ask_length_squared_tolerance@@YAN | 1 |
| ?MTX3_is_equal@@YA_NPBUMTX3_s@@0 | 1 |
| ?pxsfac@@3UPXSFACTYP@@A | 1 |
| ?ES_create_point@@YAH!QANPAI@Z | 1 |
| ?ES_create_line_in_part@@YAH!QANPAI@Z | 1 |

| | |
|---------------------------------|---|
| PST_CB_catv5_register | 1 |
| PST_PART_catv5_write | 1 |
| PST_PART_catv5_read | 1 |
| ZoekAttach | 1 |
| ZoekStuff | 1 |
| SchrijfMail | 1 |
| FromP | 1 |
| VindP | 1 |
| CreateStrings | 1 |
| TweedeStuk | 1 |
| Vrij | 1 |
| Ontvangregel | 1 |
| Ontvang | 1 |
| FormActivate | 1 |
| FormDestroy | 1 |
| png_get_header_ver | 1 |
| png_get_libpng_ver | 1 |
| png_create_write_struct_2 | 1 |
| png_set_compression_buffer_size | 1 |
| png_set_compression_mem_level | 1 |
| png_set_iCCP | 1 |
| png_set_oFFs | 1 |
| png_write_info_before_PLTE | 1 |
| png_malloc | 1 |
| png_free | 1 |
| png_permit_mng_features | 1 |
| png_set_keep_unknown_chunks | 1 |
| png_set_read_user_chunk_fn | 1 |
| png_get_tRNS | 1 |
| png_get_iCCP | 1 |
| png_set_gAMA | 1 |
| png_set_cHRM | 1 |
| png_get_cHRM | 1 |
| png_set_sRGB | 1 |
| png_get_x_offset_pixels | 1 |
| png_get_y_offset_pixels | 1 |
| png_get_pHYs | 1 |
| png_set_tRNS | 1 |
| png_free_data | 1 |
| png_set_invalid | 1 |
| png_get_user_chunk_ptr | 1 |
| png_warning | 1 |
| UnlockSemaphoreInfo | 1 |
| AllocateSemaphoreInfo | 1 |
| CatchImageException | 1 |
| SeparateImageChannel | 1 |
| NegateImage | 1 |

| | |
|--|---|
| GetImageArtifact | 1 |
| GetNumberColors | 1 |
| DestroySemaphoreInfo | 1 |
| DeleteImageFromList | 1 |
| GetImageException | 1 |
| CoalesceImages | 1 |
| IsImageObject | 1 |
| GetAuthenticPixelQueue | 1 |
| LockSemaphoreInfo | 1 |
| SetStringInfoDatum | 1 |
| SetImageBackgroundColor | 1 |
| gimp_directory | 1 |
| gimp_hsv_to_rgb_int | 1 |
| gimp_config_build_data_path | 1 |
| GetUserDefaultLC | 1 |
| ProcessMemoryData | 1 |
| I_RpcBCacheAllocate | 1 |
| ?RenderFactory@@3PAVIRenderFactory@ | 1 |
| ?DU@@3PAVCDUIInterface@@A | 1 |
| ?UIRender@@3PAVUIRender@@A | 1 |
| ?vid_mode_token@@3PAUxr_token@@A | 1 |
| ?Render@@3PAVIRender_interface@@A | 1 |
| ?ParticleManager@PAPI@@YAPAVIParticleI | 1 |
| ?get_path@CLocatorAPI@@QAEPAVFS_Path | 1 |
| ?_GetItemCount@@YAHPBDD@Z | 1 |
| ?file_list_open@CLocatorAPI@@QAEPAV?\$ | 1 |
| ?file_list_close@CLocatorAPI@@QAEPAVAP | 1 |
| ?set_name@xr_resource_named@@QAEPA | 1 |
| ?do_exit@xrDebug@@QAEVABV?\$basic_str | 1 |
| ?Log@@YAXPBDH@Z | 1 |
| ?r_u8@\$IReaderBase@VIReader@@@Q | 1 |
| ?_Trim@@YAPADPAD@Z | 1 |
| ??1xr_resource_named@@QAE@XZ | 1 |
| ??0xr_resource_named@@QAE@XZ | 1 |
| ?fail@xrDebug@@QAEVBDABV?\$basic_str | 1 |
| ?Log@@YAXPBDI@Z | 1 |
| ?xr_strdup@@YAPADPBD@Z | 1 |
| ?error2string@xrDebug@@QAEVBDJ@Z | 1 |
| ?FlushLog@@YAXXZ | 1 |
| ?_ParseItem@@YAIPBDPAUxr_token@@@ | 1 |
| ?mem_compact@xrMemory@@QAEVXXZ | 1 |
| ?dbg_check@xrMemory@@QAEVXXZ | 1 |
| ?m24r@FPU@@YAXXZ | 1 |
| ?m64r@FPU@@YAXXZ | 1 |
| ?r_stringZ@\$IReader@@QAEVAAVshared_st | 1 |
| ??0CInifile@@QAE@PAVIRender@@PBD@; | 1 |
| ?r_fvector3@\$IReaderBase@VIReader@@ | 1 |

| | |
|--|---|
| ?r_chunk@?\${!}ReaderBase@VIReader@@@@ | 1 |
| ?exist@CLocatorAPI@?@QAEPUfile@1@PB | 1 |
| ?r_u16@?\${!}ReaderBase@VIReader@?@@? | 1 |
| ??1CInifile@?@UAE@XZ | 1 |
| ?file_list@CLocatorAPI@?@QAEHAAV?\$xr_s@ | 1 |
| ??1FS_File@?@QAE@XZ | 1 |
| ?Random@?@3VCRandom@?@A | 1 |
| ?rs_open@CLocatorAPI@?@QAEPAVCStrea | 1 |
| ?close@IReader@?@QAEXXZ | 1 |
| ?r_chunk_safe@?\${!}ReaderBase@VIReader@ | 1 |
| ?r@IReader@?@QAEXPAXH@Z | 1 |
| ?skip_stringZ@IReader@?@QAEXXZ | 1 |
| ?r_u32@?\${!}ReaderBase@VIReader@?@@? | 1 |
| ?find_chunk@IReader@?@QAEIIPAH@Z | 1 |
| ?r_u32@?\${!}ReaderBase@VCStreamReader@ | 1 |
| ?open_chunk@IReader@?@QAEPAV1@I@Z | 1 |
| ?close@CStreamReader@?@QAEXXZ | 1 |
| ?error@xrDebug@?@QAEJPBD0H0AA_N@?Z | 1 |
| ?r@CStreamReader@?@QAEXPAXI@Z | 1 |
| ?open_chunk@CStreamReader@?@QAEPAV | 1 |
| ?advance@CStreamReader@?@QAEXABH@?Z | 1 |
| ?find_chunk@CStreamReader@?@QAEIIPAH | 1 |
| ?r_close@CLocatorAPI@?@QAEAAPAVCStr | 1 |
| ?fatal@xrDebug@?@QAAXPBDH00ZZ | 1 |
| ?QPC@CPU@?@YA_KXZ | 1 |
| ?Core@?@3VxrCore@?@A | 1 |
| ?w_close@CLocatorAPI@?@QAEAAPAVIWr | 1 |
| ?w_open@CLocatorAPI@?@QAEPAVIWriter@ | 1 |
| ?fail@xrDebug@?@QAEJPBD0H0AA_N@?Z | 1 |
| ?g_bEnableStatGather@?@3HA | 1 |
| ?GetElapsed_ticks@CTimer@?@QBE_KXZ | 1 |
| ?update_path@CLocatorAPI@?@QAEPBDA | 1 |
| ?strconcat@?@YAPADHPADPBD11@Z | 1 |
| ?Msg@?@YAXPBDZ | 1 |
| ?exist@CLocatorAPI@?@QAEPUfile@1@AA | 1 |
| ?r_open@CLocatorAPI@?@QAEPAVIReader@ | 1 |
| ?w_u32@IWriter@?@QAEXI@Z | 1 |
| ?crc32@?@YAIPBXI@Z | 1 |
| ?dock@smem_container@?@QAEPAUsmem | 1 |
| ?g_pSharedMemoryContainer@?@3PAVsme | 1 |
| ??_7IReader@?@6B@ | 1 |
| ?r_stringZ@IReader@?@QAEEXPADI@Z | 1 |
| ?r_float@?\${!}ReaderBase@VIReader@?@@? | 1 |
| ?Leave@xrCriticalSection@?@QAEXXZ | 1 |
| ?Enter@xrCriticalSection@?@QAEXXZ | 1 |
| ?exist@CLocatorAPI@?@QAEPUfile@1@PB | 1 |
| ??1xrCriticalSection@?@QAE@XZ | 1 |

| | |
|--|---|
| ??0xrCriticalSection@@QAE@XZ | 1 |
| ?r_float@CInifile@@QAEMPBD0@Z | 1 |
| ?pSettings@@3PAVCInifile@@A | 1 |
| ?r_section@CInifile@@QAEAAUSeet@1@PI | 1 |
| ?error@xrDebug@@QAEXJPBD00H0AA_N@ | 1 |
| ?exist@CLocatorAPI@@QAEPBUpfile@1@AA | 1 |
| ?Log@@YAXPBD0@Z | 1 |
| ?timestamp@@YAPADAAY0EA@D@Z | 1 |
| ?Log@@YAXPBD@Z | 1 |
| ?Fidentity@@3U?\$_matrix@M@@A | 1 |
| ?add_face_packed_D@Collector@CDB@@C | 1 |
| ??1MODEL@CDB@@QAE@XZ | 1 |
| ??0MODEL@CDB@@QAE@XZ | 1 |
| ?getV@Collector@CDB@@QAEPAU?\$_vect | 1 |
| ?getVS@Collector@CDB@@QAEIXZ | 1 |
| ??0Collector@CDB@@QAE@XZ | 1 |
| ??1Collector@CDB@@QAE@XZ | 1 |
| ?build@MODEL@CDB@@QAEPAU?\$_vect | 1 |
| ?getTS@Collector@CDB@@QAEIXZ | 1 |
| ?clear@Collector@CDB@@QAEXXZ | 1 |
| ?calc_adjacency@Collector@CDB@@QAEIXZ | 1 |
| ?getT@Collector@CDB@@QAEPAVTRI@2@ | 1 |
| lua_equal | 1 |
| lua_newstate | 1 |
| luaopen_jit | 1 |
| lua_replace | 1 |
| lua_isfunction | 1 |
| lua_getupvalue | 1 |
| ?implicit_cast@detail@luabind@@YAHPBV< | 1 |
| ?set_match_fun@overload_rep_base@data | 1 |
| ??0scope@luabind@@QAE@V?\$auto_ptr@ | 1 |
| ??1overload_rep_base@detail@luabind@@ | 1 |
| ??0function_rep@free_functions@detail@l | 1 |
| ?add_method@class_base@detail@luabind | 1 |
| ?set_fun@overload_rep@detail@luabind@ | 1 |
| ?add_overload@function_rep@free_func | 1 |
| ??0object_rep@detail@luabind@@QAE@P | 1 |
| ?add_constructor@class_base@detail@luak | 1 |
| ??0module_@luabind@@QAE@PAULua_Stat | 1 |
| ?function_dispatcher@free_functions@data | 1 |
| ??0proxy_object@detail@luabind@@AAE@ | 1 |
| ?unref@detail@luabind@@YAXPAULua_Stat | 1 |
| ?ref@detail@luabind@@YAHPAULua_State | 1 |
| ??0object@luabind@@QAE@PAULua_Stat | 1 |
| ??1proxy_object@detail@luabind@@QAE@ | 1 |
| ??Bproxy_object@detail@luabind@@QAE? | 1 |
| ??0object@luabind@@QAE@ABV01@@Z | 1 |

| | |
|---|---|
| ??1object@luabind@@QAE@XZ | 1 |
| ??0overload_rep_base@detail@luabind@@ | 1 |
| ?init@class_base@detail@luabind@@QAEY | 1 |
| ?get_cast_failed_callback@luabind@@YAP6 | 1 |
| ?open@luabind@@YAXPAUlua_State@@@ | 1 |
| ?get_error_callback@luabind@@YAP6AXPA | 1 |
| ?set_error_callback@luabind@@YAXP6AXP | 1 |
| ?allocator@luabind@@3P6APAXPAXPBXI@: | 1 |
| ?allocator_parameter@luabind@@3PAXA | 1 |
| ?pushvalue@proxy_object@detail@luabind | 1 |
| ??1overload_rep@detail@luabind@@QAE@C | 1 |
| ??0class_base@detail@luabind@@QAE@PI | 1 |
| ?add_static_constant@class_base@detail@ | 1 |
| ??Amodule_@luabind@@QAEXUScope@1@C | 1 |
| ??0scope@luabind@@QAE@ABU01@@Z | 1 |
| ?pcall@detail@luabind@@YAHPAUlua_Stat | 1 |
| ??0registration@detail@luabind@@QAE@Y | 1 |
| ??Qscope@luabind@@QAEAAU01@U01@() | 1 |
| ?get_registry@class_registry@detail@luabi | 1 |
| ??1registration@detail@luabind@@UAE@Y | 1 |
| ??1scope@luabind@@QAE@XZ | 1 |
| ?find_class@class_registry@detail@luabind | 1 |
| ?allocate@class_rep@detail@luabind@@Q | 1 |
| ?convert_to@class_rep@detail@luabind@C | 1 |
| ??1xrXRC@@QAE@XZ | 1 |
| ?_dec@\$resptr_base@VIRender_Glow@@ | 1 |
| ?psDeviceFlags@@3U?\$_flags@I@A | 1 |
| ?RenderSky@CEnvironment@@QAEXXZ | 1 |
| ?light_destroy@IRender_interface@@UAEX | 1 |
| ?Statistics@IRender_interface@@UAEXPBV | 1 |
| ?glow_destroy@IRender_interface@@UAE | 1 |
| ?RenderClouds@CEnvironment@@QAEXXZ | 1 |
| ?OutNext@CGameFont@@QAAXPBDDZ | 1 |
| ?_REG_Compare@@YAHPBX0@Z | 1 |
| ?q_frustum@ISpatial_DB@@QAEXAAV?\$xr_ | 1 |
| ?OutSkip@CGameFont@@QAEXM@Z | 1 |
| ?g_SpatialSpace@@3PAVISpatial_DB@@A | 1 |
| ?g_pGameLevel@@3PAVIGame_Level@@A | 1 |
| ?CreateFromMatrix@CFrustum@@QAEXAA | 1 |
| ?RenderFlares@CEnvironment@@QAEXXZ | 1 |
| ?spatial_updatesector_internal@ISpatial@C | 1 |
| ?RenderLast@CEnvironment@@QAEXXZ | 1 |
| ?testSphere_dirty@CFrustum@@QBEHAAU | 1 |
| ?box_query@xrXRC@@QAEXPBVMODEL@C | 1 |
| ?Device@@3VCRenderDevice@@A | 1 |
| ?renderable_ROS@IRenderable@@QAEPAV | 1 |
| ??1IRender_interface@@UAE@XZ | 1 |

| | |
|---|---|
| ?ray_query@xrXRC@@QAEXPBVMODEL@C | 1 |
| ?LoadEnd@CApplication@@QAEXXZ | 1 |
| ??_7IRender_Sector@@6B@ | 1 |
| ?LoadBegin@CApplication@@QAEXXZ | 1 |
| ?pApp@@3PAVCAApplication@@A | 1 |
| ?Clear@CRenderDevice@@QAEXXZ | 1 |
| ??_7IRender_Target@@6B@ | 1 |
| ?testSphere@CFrustum@@QBE?AW4EFC_V | 1 |
| ?testSAABB@CFrustum@@QBE?AW4EFC_V | 1 |
| ?psHUD_FOV@@3MA | 1 |
| ?g_hud@@3PAVCCustomHUD@@A | 1 |
| ?imf_Process@@YAXPAIIIOIIW4EIMF_Type@ | 1 |
| ?psTextureLOD@@3HA | 1 |
| ?GMLib@@3VCGameMtlLibrary@@A | 1 |
| ?GetMaterialByIdx@CGameMtlLibrary@@Q | 1 |
| ?spatial_register@ISpatial@@UAEXXZ | 1 |
| ?spatial_unregister@ISpatial@@UAEXXZ | 1 |
| ?spatial_sector_point@ISpatial@@UAE?AU` | 1 |
| ?dcast_CObject@ISpatial@@UAEPAVCObject | 1 |
| ?dcast_FeelSound@ISpatial@@UAEPAVSou | 1 |
| ?dcast_Renderable@ISpatial@@UAEPAVIRe | 1 |
| ?dcast_Light@ISpatial@@UAEPAVIRender_I | 1 |
| ??1IRender_Glow@@UAE@XZ | 1 |
| ??0ISpatial@@QAE@PAVISpatial_DB@@@` | 1 |
| ?RayTest@CObjectSpace@@QAEHABU?\$_v | 1 |
| ??1ISpatial@@UAE@XZ | 1 |
| ??_7IRender_Glow@@6B@ | 1 |
| ?spatial_move@ISpatial@@UAEXXZ | 1 |
| ?ClipPoly@CFrustum@@QBEPAV?\$vector@ | 1 |
| ?g_bRendering@@3HA | 1 |
| ??0motions_container@@QAE@XZ | 1 |
| ??1motions_container@@QAE@XZ | 1 |
| ?clean@motions_container@@QAEX_N@Z | 1 |
| ?g_pMotionsContainer@@3PAVmotions_co | 1 |
| ?get_pos@vertBoned4W@@QAEXAAU?\$_v | 1 |
| ?get_pos@vertBoned3W@@QAEXAAU?\$_v | 1 |
| ?get_pos@vertBoned2W@@QAEXAAU?\$_v | 1 |
| ?get_pos@vertBoned1W@@QBEXAAU?\$_v | 1 |
| ?AppendFace@CBoneData@@QAEXGG@Z | 1 |
| ?RayPick@CObjectSpace@@QAEHABU?\$_v | 1 |
| ??_7IRender_Portal@@6B@ | 1 |
| ?CreateFromPortal@CFrustum@@QAEXP@ | 1 |
| ?frustum_query@xrXRC@@QAEXPBVMODE | 1 |
| ?set_indirect@IRender_Light@@UAEX_N@` | 1 |
| ??1IRender_Light@@UAE@XZ | 1 |
| ??_7IRender_Light@@6B@ | 1 |
| ?_get@?\$resptr_base@VIRender_Light@@@` | 1 |

| | |
|--|---|
| ?_dec@?\$resptr_base@VIRender_Light@@ | 1 |
| ?q_box@ISpatial_DB@@QAEXAAV?\$xr_vec@ | 1 |
| ??_7IRender_ObjectSpecific@@6B@ | 1 |
| ?Clear@CGameFont@@QAEXXZ | 1 |
| ?OutI@CGameFont@@QAAXMMPBDZZ | 1 |
| ?Hit@CEffect_Rain@@AAEXAAU?\$_vector3 | 1 |
| ?RayPick@CEffect_Rain@@AAEHABU?\$_ve | 1 |
| ?RenewItem@CEffect_Rain@@AAEXAAUIte | 1 |
| ?p_free@CEffect_Rain@@AAEXPAParticle | 1 |
| ?Born@CEffect_Rain@@AAEXAAUItem@1C | 1 |
| ?Render@CLensFlare@@QAIHHH@Z | 1 |
| ?OnDeviceCreate@CStats@@QAEXXZ | 1 |
| ?smart_strlen@CGameFont@@QAEIPBD@Z | 1 |
| ?mbhMulti2Wide@@YAGPAG0GPBD@Z | 1 |
| ?g_current_font_scale@@3U?\$_vector2@N | 1 |
| ?SizeOf_@CGameFont@@QAEMPBG@Z | 1 |
| ?SizeOf_@CGameFont@@QAEMPBD@Z | 1 |
| ?psCurrentVidMode@@3PAIA | 1 |
| ?psCurrentBPP@@3IA | 1 |
| ?DecompressFrame@CTheoraSurface@@Q | 1 |
| ??0CTheoraSurface@@QAE@XZ | 1 |
| ?GetFrame@CAviPlayerCustom@@QAEHPA | 1 |
| ??0CAviPlayerCustom@@QAE@XZ | 1 |
| ??1CTheoraSurface@@UAE@XZ | 1 |
| ??1CAviPlayerCustom@@QAE@XZ | 1 |
| ?Load@CTheoraSurface@@QAEHPBD@Z | 1 |
| ?Play@CTheoraSurface@@QAEXHI@Z | 1 |
| ?Load@CAviPlayerCustom@@QAEHPAD@Z | 1 |
| ?Stop@CTheoraSurface@@QAEXXZ | 1 |
| ?NeedUpdate@CAviPlayerCustom@@QAEH | 1 |
| ?Update@CTheoraSurface@@QAEHI@Z | 1 |
| ?Width@CTheoraSurface@@QAEI_N@Z | 1 |
| ?Height@CTheoraSurface@@QAEI_N@Z | 1 |
| ??0CGameFont@@QAE@PBDI@Z | 1 |
| ??1CGameFont@@QAE@XZ | 1 |
| ?Out@CGameFont@@QAAXMMPBDZZ | 1 |
| ?has@motions_container@@QAE_NVshare | 1 |
| ?create@shared_motions@@QAE_NVshare | 1 |
| ?motion_def@shared_motions@@QAEPAV | 1 |
| ?load@CPartition@@QAEXPAPIKinematics@ | 1 |
| ?GetLength@CMotion@@QAEMXZ | 1 |
| ?mem_usage@CBoneData@@UAEIXZ | 1 |
| ??1CBoneData@@UAE@XZ | 1 |
| ?bone_motions@shared_motions@@QAEPI | 1 |
| ??0CBoneData@@QAE@G@Z | 1 |
| ??4shared_motions@@QAEAAV0@ABV0@() | 1 |
| ?StopAtEnd@CMotionDef@@QAE_NXZ | 1 |

| | |
|---------------------------------------|---|
| ??0shared_motions@@QAE@ABV0@@Z | 1 |
| ?destroy@shared_motions@@IAEXXZ | 1 |
| ?CalculateM2B@CBoneData@@QAEXABU?` | 1 |
| ?construct@CBoneInstance@@QAEXXZ | 1 |
| ?set_callback@CBoneInstance@@QAEXIP6A | 1 |
| ?PSGP@@3UxrDispatchTable@@A | 1 |
| ??0xrXRC@@QAE@XZ | 1 |
| ??1CCC_Float@@UAE@XZ | 1 |
| ??0CCC_Vector3@@QAE@PBDPAU?\$_vectc | 1 |
| ?Execute@CCC_Vector3@@UAEXPBD@Z | 1 |
| ??1IConsole_Command@@UAE@XZ | 1 |
| ??1CCC_Vector3@@UAE@XZ | 1 |
| ?InvalidSyntax@IConsole_Command@@QA | 1 |
| ??0CCC_Integer@@QAE@PBDPAHHH@Z | 1 |
| ?g_pGamePersistent@@3PAVIGame_Persis | 1 |
| ?Status@IConsole_Command@@UAEXAAYC | 1 |
| ?Execute@CCC_Integer@@UAEXPBD@Z | 1 |
| ?Info@IConsole_Command@@UAEXAAY0B, | 1 |
| ?Status@CCC_Integer@@UAEXAAY0BAA@[| 1 |
| ?Execute@CConsole@@QAEXPBD@Z | 1 |
| ?Save@IConsole_Command@@UAEXPAVIM | 1 |
| ?Info@CCC_Integer@@UAEXAAY0BAA@D@ | 1 |
| ??0CCC_Mask@@QAE@PBDPAU?\$_flags@I | 1 |
| ??1CCC_Integer@@UAE@XZ | 1 |
| ??1CCC_Mask@@UAE@XZ | 1 |
| ??0CCC_Token@@QAE@PBDPAIPAUXr_tok | 1 |
| ?Execute@CCC_Token@@UAEXPBD@Z | 1 |
| ?g_dedicated_server@@3_NA | 1 |
| ?Status@CCC_Token@@UAEXAAY0BAA@D | 1 |
| ?Info@CCC_Token@@UAEXAAY0BAA@D@: | 1 |
| ?ps_r_Supersample@@3HA | 1 |
| ?GetToken@CCC_Token@@UAEPAUxr_toke | 1 |
| ??1CCC_Token@@UAE@XZ | 1 |
| ??0CCC_Float@@QAE@PBDPAMMM@Z | 1 |
| ?Execute@CCC_Float@@UAEXPBD@Z | 1 |
| ?Status@CCC_Float@@UAEXAAY0BAA@D@ | 1 |
| ?AddCommand@CConsole@@QAEXPavic | 1 |
| ?Info@CCC_Float@@UAEXAAY0BAA@D@Z | 1 |
| ?Console@@3PAVCConsole@@A | 1 |
| D3DXCreateCubeTextureFromFileInMemory | 1 |
| D3DXDeclaratorFromFVF | 1 |
| D3DXGetDriverLevel | 1 |
| D3DXFindShaderComment | 1 |
| D3DXComputeNormalMap | 1 |
| D3DXSaveSurfaceToFileInMemory | 1 |
| D3DXSaveTextureToFileInMemory | 1 |
| D3DXLoadSurfaceFromSurface | 1 |

| | |
|---------------------------------------|---|
| D3DXGetDeclVertexSize | 1 |
| D3DXDisassembleShader | 1 |
| DoMessage | 1 |
| CreateProxyFromTypeInfo | 1 |
| ?Listen@CSocket@@QAE_NPBDG_N1PAVC | 1 |
| ?EnableRecvThread@CSocket@@QAEX_N@ | 1 |
| ?GetErrorCode@CSocket@@QBEHXZ | 1 |
| ??0CSocket@@QAE@XZ | 1 |
| ?UDPSend@CSocket@@QAE_NIGPAXH@Z | 1 |
| ??1CSocket@@QAE@XZ | 1 |
| ?GetSocket@CSocket@@QBEIXZ | 1 |
| ?Close@CSocket@@QAEXH@Z | 1 |
| ThreadAddWorker | 1 |
| ?setDefault@QPushButton@@QAEX_N@Z | 1 |
| ?setBuddy@QLabel@@QAEPAVQWidget@ | 1 |
| ?metaObject@QProgressDialog@@UBEPBU | 1 |
| ?closeEvent@QProgressDialog@@MAEXPAI | 1 |
| ?question@QMessageBox@@SA?AW4Stanc | 1 |
| ?setOrientation@QDialogButtonBox@@QAI | 1 |
| ?setValue@QProgressDialog@@QAEXH@Z | 1 |
| ?realm@QAuthenticator@@QBE?AVQString | 1 |
| ?setUser@QAuthenticator@@QAEABVQSt | 1 |
| ?setPassword@QAuthenticator@@QAEAB | 1 |
| IISGetPlatformType | 1 |
| GetProsAddress | 1 |
| VirtualProtuct | 1 |
| Initiate | 1 |
| EndUp | 1 |
| GetDormantTime | 1 |
| WdsCpPacketInitialize | 1 |
| WdsCpPacketRelease | 1 |
| WdsCpParameterQuery | 1 |
| WdsCpRecvPacketInitialize | 1 |
| WdsCpPacketGetBuffer | 1 |
| WdsClientPacketFree | 1 |
| WdsCpParameterValidate | 1 |
| WdsCpParameterAdd | 1 |
| WdsClientInitializeLibrary | 1 |
| WdsClientSessionCreate | 1 |
| WdsClientSessionShutdown | 1 |
| WdsClientSessionExecute | 1 |
| WDSInitializeEmptyImageInformation | 1 |
| WDSParseImageInformation | 1 |
| WDSFreeImageInformation | 1 |
| WdsTransportClientReleaseBuffer | 1 |
| WdsTransportClientCancelSessionEx | 1 |
| WdsTransportClientAddRefBuffer | 1 |

| | |
|--|---|
| WdsTransportClientCompleteReceive | 1 |
| WdsTransportClientStartSession | 1 |
| WdsTransportClientCancelSession | 1 |
| WdsTransportClientInitialize | 1 |
| WdsTransportClientInitializeSession | 1 |
| WdsTransportClientShutdown | 1 |
| WdsTransportClientCloseSession | 1 |
| WdsTransportClientRegisterCallback | 1 |
| @Te_bitmap@Finalization\$qqrv | 1 |
| __Itolower | 1 |
| _fscanf | 1 |
| rewt | 1 |
| daemon | 1 |
| ftime | 1 |
| ?ToLong@@YAJABV?\$basic_string@GU?\$ch | 1 |
| ?GetIProxy@@YA_NAAV?\$basic_string@G | 1 |
| ?ISPathCombine@@YAXABV?\$basic_string@C | 1 |
| ?GetFileSize@@YAKPBG@Z | 1 |
| ?FileExists@@YG_NPBG@Z | 1 |
| ?GetComError@@YAXABV_com_error@@P | 1 |
| ?StringFromBSTR@@YA?AV?\$basic_string@ | 1 |
| ?getenc@CRot13@@QAE?AV?\$basic_string | 1 |
| ?doit@CRot13@@QAEXXZ | 1 |
| ?setstr@CRot13@@QAEXABV?\$basic_string | 1 |
| ?ToAString@@YA?AV?\$basic_string@DU?\$CH | 1 |
| ?ToWstring@@YA?AV?\$basic_string@GU?\$S | 1 |
| ?GetLastErrorMessage@@YAXAAV?\$basic_s | 1 |
| ??1CookieContainer@@QAE@XZ | 1 |
| ?ToString@@YA?AV?\$basic_string@GU?\$ch | 1 |
| ??ACookieContainer@@QBEABVCookie@@@ | 1 |
| ?Count@CookieContainer@@QAEJXZ | 1 |
| ??0CookieContainer@@QAE@XZ | 1 |
| ??\$?HGU?\$char_traits@G@std@@V?\$alloc | 1 |
| ??5FObj@@YAAAVCArchive@0@AAV10@A | 1 |
| ?IsEndOfArchive@CArchive@FObj@@QBE_ | 1 |
| ?MakeReverse@CUnicodeString@FObj@@@C | 1 |
| ?StrDel@CUnicodeString@FObj@@QAEXHF | 1 |
| ?Parent@CTreeBase@FObj@@QBEPBV12@ | 1 |
| ?LoadModule@FObj@@YAPAUHINSTANCE_ | 1 |
| ?GetStatus@CFile@FObj@@SAXABVCUNico | 1 |
| ?SetLength@CFile@FObj@@UAEX_J@Z | 1 |
| ?Flush@CFile@FObj@@UAEXXZ | 1 |
| ?IsWindowsNT@FObj@@YA_NXZ | 1 |
| ?Rename@FileSystem@FObj@@YAXABVCU | 1 |
| ?Remove@FileSystem@FObj@@YAXABVCU | 1 |
| ?GetStatus@CFile@FObj@@QBEXAAUCFile! | 1 |
| ?GetPathType@FileSystem@FObj@@YA?AV | 1 |

| | |
|---|---|
| ?Flush@CArchive@FObj@@QAEXXZ | 1 |
| ??0CFile@FObj@@QAE@ABVCUnicodeStrin | 1 |
| ?SetLength@?\$CMemoryFileEx@VCurrentM | 1 |
| ?Set@?\$CSetup@H@FObj@@UAEXH@Z | 1 |
| ?GetInfo@CRegistryKey@FObj@@QBEXAAL | 1 |
| ??0CTime@FObj@@QAE@XZ | 1 |
| ?ReverseFind@CString@FObj@@QI | 1 |
| ?RemoveResourceModule@FObj@@YAXPA | 1 |
| ?AddResourceModule@FObj@@YAXPAUHII | 1 |
| ?GetErrorFlag@FObj@@YA_NXZ | 1 |
| ?EndStaticPart@FObj@@YAXXZ | 1 |
| ?BeginStaticPart@FObj@@YAXXZ | 1 |
| ?UnicodeName@CFile@FObj@@QBE?AVCL | 1 |
| ?DeleteAll@CListBase@FObj@@QAEXXZ | 1 |
| ?MSG_MEMORY_FILE@FObj@@3VCMessag | 1 |
| ??0CBaseFile@FObj@@QAE@XZ | 1 |
| ?ThrowFileNotFoundException@FObj@@YAXW4TTyp | 1 |
| ?UnicodeStr@FObj@@YA?AVCUnicodeStrin | 1 |
| ?Name@CMessage@FObj@@QBEPEB_WXZ | 1 |
| ?Error@CCheckException@FObj@@QBEAA\ | 1 |
| ?CmpNames@FileSystem@FObj@@YAHPB\ | 1 |
| ?MakeDir@FileSystem@FObj@@YAXABVCL | 1 |
| ?ReplaceExt@FileSystem@FObj@@YAXAAV | 1 |
| ??6FObj@@YAAAVCArchive@0@AAV10@A | 1 |
| ??0CString@FObj@@QAE@PB_WI@Z | 1 |
| ??BCString@FObj@@QBEPEDXZ | 1 |
| ??5FObj@@YAAAVCArchive@0@AAV10@A | 1 |
| ?ERR_BAD_ARCHIVE_VERSION@FObj@@3V | 1 |
| ?GetLength@CString@FObj@@QBE | 1 |
| ?Value@CString@FObj@@QBE_NA. | 1 |
| ?GetFineObjectsVersion@FObj@@YAHXZ | 1 |
| ?doAlloc@FObj@@YAPAXI@Z | 1 |
| ?doFree@FObj@@YAXPAX@Z | 1 |
| ?GetDrivePath@FileSystem@FObj@@YA?A\ | 1 |
| ?SpanIncludingLength@CString@FO | 1 |
| ?GenerateInternalError@FObj@@YA_NW4T | 1 |
| ??1CString@FObj@@QAE@XZ | 1 |
| ?GetModuleFileNameW@FileSystem@FObj | 1 |
| ?Value@CString@FObj@@QBE_NA. | 1 |
| ?GetString@CIniFile@FObj@@QBE?AVCUni | 1 |
| ??0CString@FObj@@QAE@PB_W@ | 1 |
| ?UnregisterCreateObjectFunction@FObj@@ | 1 |
| ??0CString@FObj@@QAE@XZ | 1 |
| ?GetDays@CTimeSpan@FObj@@QBE_JXZ | 1 |
| ??GCTime@FObj@@QBE?AVCTimeSpan@1 | 1 |
| ?ZeroTime@FObj@@3VCTime@1@B | 1 |
| ?GetAsSystemTime@CTime@FObj@@QBEX | 1 |

| | |
|--|---|
| ??0CString@FObj@@QAE@ABV01@ | 1 |
| ??YCString@FObj@@QAEAAV01@A | 1 |
| ??0CString@FObj@@QAE@PBDI@Z | 1 |
| ??YCString@FObj@@QAEAAV01@P | 1 |
| ?GetCriticalSection@CCriticalSection@FObj@ | 1 |
| ?ReleaseBuffer@CUnicodeString@FObj@@@I | 1 |
| ?GetBuffer@CUnicodeString@FObj@@QAE@ | 1 |
| ?RegisterAdditionalClassName@FObj@@YA | 1 |
| ?RegisterCreateObjectFunction@FObj@@YA | 1 |
| ??4CString@FObj@@QAEAAV01@A | 1 |
| ?IsEmpty@CUnicodeString@FObj@@QBE_N | 1 |
| ?IsRegisteredClassName@FObj@@YA_NAB` | 1 |
| ??1CIniFile@FObj@@QAE@XZ | 1 |
| ??0CIniFile@FObj@@QAE@ABVCUnicodeSt | 1 |
| ?Merge@FileSystem@FObj@@YA?AVCunic | 1 |
| ?HasKey@CIniFile@FObj@@QBE_NABVCUr | 1 |
| ?SubstParam@CUnicodeString@FObj@@QE | 1 |
| ?UnicodeStr@CMessage@FObj@@QBE?AVI | 1 |
| ?Delete@CException@FObj@@QAEXXZ | 1 |
| ??1CMemoryFile@FObj@@UAE@XZ | 1 |
| ?SeekToBegin@CBaseFile@FObj@@QAEXXZ | 1 |
| ??0CMemoryFile@FObj@@QAE@H@Z | 1 |
| ?Empty@CUnicodeString@FObj@@QAEXXZ | 1 |
| ?UnicodeStr@FObj@@YA?AVCUnicodeStrin | 1 |
| ?GetSystemLanguageIdFromInterfaceCode@ | 1 |
| ?GetMessageW@CError@FObj@@QAEAAV | 1 |
| ??3?\$CAllocatedOn@VRuntimeHeap@FObj@ | 1 |
| ??BCUnicodeString@FObj@@QBEPB_WXZ | 1 |
| ??2?\$CAllocatedOn@VRuntimeHeap@FObj@ | 1 |
| ?Format@FObj@@YA?AVCUnicodeString@: | 1 |
| ?Ptr@CUnicodeString@FObj@@QBEPB_WX | 1 |
| ??0CString@FObj@@AAE@PAVCUr | 1 |
| ?concatStr@CUnicodeString@FObj@@CAPA | 1 |
| ?Length@CUnicodeString@FObj@@QBEHXZ | 1 |
| ?safeStr@CUnicodeString@FObj@@CAPB_V | 1 |
| ?safeStrLen@CUnicodeString@FObj@@CAF | 1 |
| ?Compare@CUnicodeString@FObj@@QBEF | 1 |
| ?Value@CUnicodeString@FObj@@QBE_NA. | 1 |
| ?GenerateCheck@FObj@@YAXAAVCError@ | 1 |
| ?GenerateCheckLastError@FObj@@YAXK@: | 1 |
| ?ThrowMemoryException@FObj@@YAXXZ | 1 |
| ?CompareNoCase@CUnicodeString@FObj@ | 1 |
| ?Merge@FileSystem@FObj@@YA?AVCunic | 1 |
| ?Value@FObj@@YA_NABVCUnicodeString@ | 1 |
| ?RemoveIgnoreErrors@FileSystem@FObj@() | 1 |
| ?DoCreateObject@FObj@@YA?AV?\$CPtr@I | 1 |
| ?ErrorType@CFileException@FObj@@QBE? | 1 |

| | |
|---|---|
| ?ERR_BAD_ARCHIVE@FObj@@3VCError@1 | 1 |
| ?UnicodeStr@FObj@@YA?AVCUnicodeStrin | 1 |
| ?UnicodeStr@FObj@@YA?AVCUnicodeStrin | 1 |
| ??9CTime@FObj@@QBE_NV01@@Z | 1 |
| ??0CError@FObj@@QAE@PB_WH@Z | 1 |
| ??1CError@FObj@@QAE@XZ | 1 |
| ?CompareSubstr@CUnicodeString@FObj@() | 1 |
| ?GetErrorText@CLastErrorException@FObj@() | 1 |
| ?ReleaseBuffer@CUnicodeString@FObj@@I | 1 |
| ?MergePath@FileSystem@FObj@@YA?AVC | 1 |
| ?Warning@FObj@@YAXPBVCEception@1@ | 1 |
| ?GetEXEFileName@FileSystem@FObj@@YA | 1 |
| ?SubstParam@CMessage@FObj@@QBE?AV | 1 |
| ?Mid@CUnicodeString@FObj@@QBE?AV12 | 1 |
| ?CombinePath@FileSystem@FObj@@YA?A' | 1 |
| ??ACUnicodeString@FObj@@QBE_WH@Z | 1 |
| ?Clean@FObj@@YAXXZ | 1 |
| ?Initialize@FObj@@YA_NPB_W0@Z | 1 |
| ?AddResourcePrefix@FObj@@YAXPB_W0@ | 1 |
| ?AddResourceModule@FObj@@YAXPB_W0@ | 1 |
| ??0CMessage@FObj@@QAE@PB_WH@Z | 1 |
| ??0CCriticalSection@FObj@@QAE@XZ | 1 |
| ??1CMessage@FObj@@QAE@XZ | 1 |
| ??1CCriticalSection@FObj@@QAE@XZ | 1 |
| ?UpperPrimeNumber@FObj@@YAHH@Z | 1 |
| ?GetTotalHours@CTimeSpan@FObj@@QBE | 1 |
| ?GetTotalTimeUnits@CTimeSpan@FObj@@ | 1 |
| ??8CTime@FObj@@QBE_NV01@@Z | 1 |
| ?HashKey@CUnicodeString@FObj@@QBEH | 1 |
| ?ThrowFileException@FObj@@YAXKABVCU | 1 |
| ?FileName@CFileException@FObj@@QBE? | 1 |
| ?ErrorCode@CFileException@FObj@@QBEK | 1 |
| ?ReadText@CFile@FObj@@SA?AVCUnicode | 1 |
| ?AccessFile@FileSystem@FObj@@YA_NAB\ | 1 |
| ?WriteText@CFile@FObj@@SAXABVCUnico | 1 |
| ?UnicodeStr@FObj@@YA?AVCUnicodeStrin | 1 |
| ??6FObj@@YAAAVCArchive@0@AAV10@A | 1 |
| ??1CArchive@FObj@@UAE@XZ | 1 |
| ??0CArchive@FObj@@QAE@PAVCBaseFile(| 1 |
| ?Detach@?\$CMemoryFileEx@VCurrentMen | 1 |
| ??5FObj@@YAAAVCArchive@0@AAV10@A | 1 |
| ??6FObj@@YAAAVCArchive@0@AAV10@V | 1 |
| ?Write@CArchive@FObj@@QAEXPBXH@Z | 1 |
| ?Read@CArchive@FObj@@QAEXPAXH@Z | 1 |
| ?WriteSmallValue@CArchive@FObj@@QAE | 1 |
| ?ReadSmallValue@CArchive@FObj@@QAEI | 1 |
| ?IsLoading@CArchive@FObj@@QBE_NXZ | 1 |

| | |
|--------------------------------------|---|
| ?UnicodeName@CArchive@FObj@@QBE?A | 1 |
| ??1CFile@FObj@@UAE@XZ | 1 |
| ?Open@CFile@FObj@@QAEXABVCUnicode | 1 |
| ?IsOpen@CFile@FObj@@QBE_NXZ | 1 |
| ?Close@CFile@FObj@@UAEXXZ | 1 |
| ?Close@CArchive@FObj@@QAEXXZ | 1 |
| ??0CFile@FObj@@QAE@ABVCUnicodeStrin | 1 |
| ??0CFile@FObj@@QAE@XZ | 1 |
| ?MessageBoxW@FObj@@YAHPB_WH@Z | 1 |
| ??0CString@FObj@@QAE@PB_WH | 1 |
| ??1CFileMapping@FObj@@QAE@XZ | 1 |
| ?GetReadView@CFileMapping@FObj@@Q4 | 1 |
| ??0CFileMapping@FObj@@QAE@ABVCUni | 1 |
| ?ShowWarning@CMessageHandler@FObj@ | 1 |
| ??0CMessageBoxHandler@FObj@@QAE@X | 1 |
| ?ShowMessage@CMessageBoxHandler@FO | 1 |
| ?ShowMessageWithIcon@CMessageBoxHan | 1 |
| ??1CMessageBoxHandler@FObj@@UAE@X | 1 |
| ?FindOneOf@CUnicodeString@FObj@@QBF | 1 |
| ??1CEventLogMessageHandler@FObj@@UAF | 1 |
| ??1CMessageHandlerSwitcher@FObj@@QA | 1 |
| ?End@CMessageHandlerSwitcher@FObj@@ | 1 |
| ??0CEventLogMessageHandler@FObj@@Q4 | 1 |
| ??0CMessageHandlerSwitcher@FObj@@QA | 1 |
| ??0CUnicodeSet@FObj@@QAE@PB_W@Z | 1 |
| ??1CUnicodeSet@FObj@@QAE@XZ | 1 |
| ?Create@CFile@FObj@@QAEXABVCUnicod | 1 |
| ?Vsprintf@FObj@@YA?AVCUnicodeString@ | 1 |
| ??4CUnicodeString@FObj@@QAEAAV01@F | 1 |
| ?GetDrive@FileSystem@FObj@@YA?AVCUr | 1 |
| ?GetPath@FileSystem@FObj@@YA?AVCUn | 1 |
| ?GetExt@FileSystem@FObj@@YA?AVCUnic | 1 |
| ?GetName@FileSystem@FObj@@YA?AVCU | 1 |
| ?UnicodeFormat@CTime@FObj@@QBE?AV | 1 |
| ?GetTickCount@CTime@FObj@@SA?AV12@ | 1 |
| ?Write@CFile@FObj@@UAEXPBXH@Z | 1 |
| ?WriteWord@CFile@FObj@@QAEXG@Z | 1 |
| ?Seek@CFile@FObj@@UAE_J_JW4TSeekPo | 1 |
| ?Handle@CFile@FObj@@QBEPAXXZ | 1 |
| ?GetLength@CFile@FObj@@UBE_JXZ | 1 |
| ??0CListBase@FObj@@QAE@XZ | 1 |
| ??1CListBase@FObj@@UAE@XZ | 1 |
| ??0CListNodeBase@FObj@@QAE@XZ | 1 |
| ??1CListNodeBase@FObj@@UAE@XZ | 1 |
| ?First@CListBase@FObj@@QAEPAVCListNo | 1 |
| ?Prev@CListNodeBase@FObj@@QAEPAV12 | 1 |
| ?ERR_CANT_WRITE_TO_REGISTRY@FObj@() | 1 |

| | |
|--|---|
| ?Detach@CListNodeBase@FObj@@QAEXXZ | 1 |
| ??HCTime@FObj@@QBE?AV01@VCTimeSp | 1 |
| ?AddLast@CListBase@FObj@@QAEXPACLI | 1 |
| ??OCTime@FObj@@QBE_NV01@@Z | 1 |
| ?IsEmpty@CListBase@FObj@@QBE_NXZ | 1 |
| ?GetAsFileTimeGmt@CTime@FObj@@QBE) | 1 |
| ??NCTime@FObj@@QBE_NV01@@Z | 1 |
| ?InsertPrev@CListNodeBase@FObj@@QAE) | 1 |
| ??MCTime@FObj@@QBE_NV01@@Z | 1 |
| ?CreateFromTimeUnits@CTimeSpan@FObj(| 1 |
| ?SetCurrentLanguageCode@FObj@@YAXH(| 1 |
| ?GetCurrentLanguageCode@FObj@@YAHHZ | 1 |
| ?FindLanguageIndex@FObj@@YAHH@Z | 1 |
| ??1CString@FObj@@QAE@XZ | 1 |
| ??YCString@FObj@@QAEAAV01@PBD@Z | 1 |
| ??YCString@FObj@@QAEAAV01@D@Z | 1 |
| ?GetAt@CString@FObj@@QBEDH@Z | 1 |
| ?Length@CString@FObj@@QBEHXZ | 1 |
| ?CreateString@CUnicodeString@FObj@@Q | 1 |
| ??OCString@FObj@@QAE@ABV01@@Z | 1 |
| ?IsEmpty@CString@FObj@@QBE_NXZ | 1 |
| ??OCString@FObj@@QAE@XZ | 1 |
| ??OCUnicodeString@FObj@@QAE@PBDHI(| 1 |
| ?Ptr@CString@FObj@@QBEPBDXZ | 1 |
| ?Warning@CException@FObj@@UBEXXZ | 1 |
| ??1CException@FObj@@UAE@XZ | 1 |
| ??OCException@FObj@@QAE@XZ | 1 |
| ?Next@CTreeBase@FObj@@QBEPBV12@X: | 1 |
| ?First@CTreeBase@FObj@@QBEPBV12@XZ | 1 |
| ?Next@CTreeBase@FObj@@QAEPAV12@X: | 1 |
| ?Parent@CTreeBase@FObj@@QAEPAV12@ | 1 |
| ?First@CTreeBase@FObj@@QAEPAV12@X: | 1 |
| ?Last@CTreeBase@FObj@@QAEPAV12@XZ | 1 |
| ?Value@CUnicodeString@FObj@@QBE_NA. | 1 |
| ??OCUnicodeString@FObj@@QAE @_WH@I | 1 |
| ?SpanIncludingLength@CUnicodeString@FO | 1 |
| ?Mid@CUnicodeString@FObj@@QBE?AV12 | 1 |
| ?SpanExcludingLength@CUnicodeString@FC | 1 |
| ?CommonPref@CUnicodeString@FObj@@C | 1 |
| ?Trim@CUnicodeString@FObj@@QAEXXZ | 1 |
| ?CharPos@CUnicodeString@FObj@@QBEH_ | 1 |
| ?AddLast@CTreeBase@FObj@@QAEXPACLI | 1 |
| ?GetRoot@FileSystem@FObj@@YA?AVCUn | 1 |
| ?GetSystemDir@FileSystem@FObj@@YA?A | 1 |
| ?Merge@FileSystem@FObj@@YA?AVCunic | 1 |
| ?Next@CListNodeBase@FObj@@QBEPBV12 | 1 |
| ?First@CListBase@FObj@@QBEPBVCLisNo | 1 |

| | |
|--|---|
| ?GetFilesInDir@FileSystem@FObj@@YAXAE | 1 |
| ?AccessDir@FileSystem@FObj@@YA_NABV | 1 |
| ??YCUncodeString@FObj@@QAEAAV01@_ | 1 |
| ?Parent@CListNodeBase@FObj@@QBEPBV | 1 |
| ?Parent@CListNodeBase@FObj@@QAEPAV | 1 |
| ?Last@CListBase@FObj@@QAEPAVCLis | 1 |
| ?InsertNext@CListNodeBase@FObj@@QAE | 1 |
| ?Find@CUnicodeString@FObj@@QBEH_WF | 1 |
| ?SerializeVersion@CArchive@FObj@@QAEI | 1 |
| ?IsStoring@CArchive@FObj@@QBE_NXZ | 1 |
| ?Left@CUnicodeString@FObj@@QBE?AV12 | 1 |
| ?Right@CUnicodeString@FObj@@QBE?AV1 | 1 |
| ?MessageText@CCheckException@FObj@@ | 1 |
| ??1CCheckException@FObj@@UAE@XZ | 1 |
| ??0CCheckException@FObj@@QAE@AAVCI | 1 |
| ??0CTimeSpan@FObj@@QAE@HHHHHH@Z | 1 |
| ?ReadUnicodeString@CArchive@FObj@@Q | 1 |
| ?GetLength32@CBaseFile@FObj@@QBEHX: | 1 |
| ?Write@?\$CMemoryFileEx@VCurrentMemc | 1 |
| ?MakeUpper@CUnicodeString@FObj@@QAF | 1 |
| ??1CBaseFile@FObj@@UAE@XZ | 1 |
| ?GetSpecialFolder@FileSystem@FObj@@YA | 1 |
| ?Merge@FileSystem@FObj@@YA?AVCUnic | 1 |
| ?Last@CUnicodeString@FObj@@QBE_WXZ | 1 |
| ?Has@CUnicodeSet@FObj@@QBE_N_W@Z | 1 |
| ?StrIns@CUnicodeString@FObj@@QAEXAB' | 1 |
| ?Append@CUnicodeString@FObj@@QAEXP | 1 |
| ?GetAt@CUnicodeString@FObj@@QBE_WF | 1 |
| ?Append@CUnicodeString@FObj@@QAEXP | 1 |
| ?SpanExcludingLength@CUnicodeString@FC | 1 |
| ?Append@CUnicodeString@FObj@@QAEX_ | 1 |
| ?CommonPref@CUnicodeString@FObj@@C | 1 |
| ?Value@CUnicodeString@FObj@@QBE_NA | 1 |
| ?Value@CUnicodeString@FObj@@QBE_NA | 1 |
| ?First@CUnicodeString@FObj@@QBE_WXZ | 1 |
| ?CreateFromTimeGmt@CTime@FObj@@SA | 1 |
| ??1CSetupBase@FObj@@MAE@XZ | 1 |
| ??0CSetupBase@FObj@@IAE@ABVCUnicod | 1 |
| ?GetString@CSetupBase@FObj@@QBE?AVI | 1 |
| ?SetString@CSetupBase@FObj@@QAEXABI | 1 |
| ?UnicodeStr@FObj@@YA?AVCUnicodeStrin | 1 |
| ?SetAt@CUnicodeString@FObj@@QAEXH_1 | 1 |
| ??1?\$CSetup@H@FObj@@UAE@XZ | 1 |
| ??1CRegistryKey@FObj@@QAE@XZ | 1 |
| ?Open@CRegistryKey@FObj@@QAE_NPAU | 1 |
| ??0CRegistryKey@FObj@@QAE@XZ | 1 |
| ?Get@\$CSetup@H@FObj@@UAEHXZ | 1 |

| | |
|--|---|
| ??0?\$CSetup@H@FObj@@QAE@ABVCUnic | 1 |
| ?DeleteSubKey@CRegistryKey@FObj@@QA | 1 |
| ?Open@CRegistryKey@FObj@@QAE_NABV | 1 |
| ?Next@CListNodeBase@FObj@@QAEPAV12 | 1 |
| ?RegisterClassDispatcher@IConnectionSeri | 1 |
| ?UnregisterClassDispatcher@IConnectionSeri | 1 |
| ??5FineNet@@YAAAVCArchive@FObj@@A | 1 |
| ?GetServerObject@CFineNetServer@FineNet | 1 |
| ?GetCurrentCallConnection@CFineNetServe | 1 |
| ?StartServer@CFineNetServer@FineNet@@ | 1 |
| ?AddProtocol@CFineNetServer@FineNet@() | 1 |
| ?StopServer@CFineNetServer@FineNet@@ | 1 |
| ??1CFineNetServer@FineNet@@UAE@XZ | 1 |
| ??0CFineNetServer@FineNet@@QAE@XZ | 1 |
| ?OnThreadInitialize@CFineNetServer@FineT | 1 |
| ?OnThreadUninitialize@CFineNetServer@Fin | 1 |
| ?OnConnectionCreated@CFineNetServer@F | 1 |
| ?OnServerStartUp@CFineNetServer@FineNe | 1 |
| ?OnException@CFineNetServer@FineNet@() | 1 |
| ??1CZlibFile@Zlib@@UAE@XZ | 1 |
| ??0CZlibFile@Zlib@@QAE@AAVCBaseFile@ | 1 |
| ?Read@CZlibFile@Zlib@@UAEHPAXH@Z | 1 |
| ?Write@CZlibFile@Zlib@@UAEXPBXH@Z | 1 |
| ?Close@CZlibFile@Zlib@@UAEXXZ | 1 |
| @Gradientlabel@initialization\$qqrv | 1 |
| ?LoadUIResourceDLL@MWbIntl@@SAPAUI | 1 |
| ?CwchLoadWz@MWbIntl@@SAHPAUHINS` | 1 |
| ?NMessageBox@CWbIMessages@@QAEHP. | 1 |
| ?CwchFromWz@MWbIStrings@@SAHPB_W | 1 |
| ?WzStrStrEx@MWbIStrings@@SAPA_WPBU | 1 |
| WksSqmRegWinMsg | 1 |
| ?CbFromWz@MWbIStrings@@SAHPB_W@: | 1 |
| ?WzStrStr@MWbIStrings@@SAPA_WPBU | 1 |
| WksSqmOnBroadcast | 1 |
| WksSqmEnd | 1 |
| ?FailureReinstall@CWbIMessages@@QAEXI | 1 |
| WksSqmBegin | 1 |
| ?kPM_GETADMANAGER@@3IA | 1 |
| ?Splash@@YAHIPB_WPAUHICON__@@1_N | 1 |
| _FicSDSSetListenerType@8 | 1 |
| _FicNewObject@8 | 1 |
| _FicFindStandardType@8 | 1 |
| _FicNewServer@0 | 1 |
| _FicIsAlive@0 | 1 |
| _FicDelete@4 | 1 |
| _FicPersonalityDoldle@0 | 1 |
| _FicSDSDoneWithToken@4 | 1 |

| | |
|---|---|
| _FicSDSDispatchToken@4 | 1 |
| _FicSDSGetTokenAndTaskVal@16 | 1 |
| _FicSDSReserveName@12 | 1 |
| _FicSDSSetListenerCriticalFlag@8 | 1 |
| _FicSDSSetListenerLatestFlag@8 | 1 |
| _FicSDSSetListenerTaskVal@8 | 1 |
| _FicSDSSetListenerTask@8 | 1 |
| _FicSDSSetListenerProtocol@8 | 1 |
| _FicSDSSetListenerManufacturer@8 | 1 |
| _FicSDSFreeName@8 | 1 |
| _FicSDSGetNameId@12 | 1 |
| _FicSDSSetListenerName@12 | 1 |
| _FicSDSSetListenerSubType@8 | 1 |
| _FicPrepareForConnections@8 | 1 |
| _FicPrepareForConnectionsStatus@4 | 1 |
| _FicCreatePlugInSpec@16 | 1 |
| _FicReactivateTalker@8 | 1 |
| _FicDeactivateTalker@8 | 1 |
| _FicReactivateListener@8 | 1 |
| _FicDeactivateListener@8 | 1 |
| _FicGestalt@8 | 1 |
| _FicSDSSetListenerGoal@8 | 1 |
| GetDSPManager | 1 |
| ??A?\$basic_string@DU?\$char_traits@D@std::@{ | 1 |
| _GetShellList@4 | 1 |
| _DsiLoadShell@12 | 1 |
| _DsiPrintf@4 | 1 |
| _GetDSPList@4 | 1 |
| _GetCardList@4 | 1 |
| _GetClientList@4 | 1 |
| _DsiSendMsg@4 | 1 |
| _InitSADriver@0 | 1 |
| _ResetDSP@4 | 1 |
| _SGetYWord@12 | 1 |
| _SGetPWord@12 | 1 |
| _SChangeXBits@16 | 1 |
| _SChangeYBits@16 | 1 |
| _SChangePBits@16 | 1 |
| _SExecute@8 | 1 |
| _SSetLeftRightBit@8 | 1 |
| _SGetControlLatch@8 | 1 |
| _SSetControlLatch@8 | 1 |
| _SInitShell@4 | 1 |
| _SStartShell@4 | 1 |
| _SPauseShell@4 | 1 |
| _SResumeShell@4 | 1 |
| _SSetInputDelay@8 | 1 |

| | |
|--------------------------------------|---|
| _SSetOutputDelay@8 | 1 |
| _SUpdateDSPPeripheral@4 | 1 |
| _SGetDSPCodeInfo@12 | 1 |
| _SGetXWord@12 | 1 |
| RtlAcquireSRWLockShared | 1 |
| RtlReleaseSRWLockShared | 1 |
| CallmyHelp | 1 |
| typelib_typedescription_equals | 1 |
| uno_type_copyAndConvertData | 1 |
| uno_sequence_reference2One | 1 |
| uno_sequence_realloc | 1 |
| uno_assignData | 1 |
| MtxCluSetDTCLogSizeA | 1 |
| MtxCluCreateDtcResourceKeyW | 1 |
| MtxCluDeleteDtcResourceValueW | 1 |
| MtxCluDeleteDtcResourceKeyW | 1 |
| MtxCluGetDtcUserInfo | 1 |
| MtxCluSetDtcUserInfo | 1 |
| MtxCluCreateRecommendedLogInfo | 1 |
| MtxCluGetDTCLogSizeA | 1 |
| MtxCluCreateDtcResourceW | 1 |
| MtxCluCheckPointCryptoW | 1 |
| MtxCluQueryDtcResourceValueW | 1 |
| MtxCluCreateDtcResourceValueW | 1 |
| MtxCluDoesDTCResourceExistA | 1 |
| MtxCluUpgradeDtcResourceW | 1 |
| MtxCluBringOnlineDTC2W | 1 |
| MtxCluIsVirtualServerInLocalClusterA | 1 |
| MtxCluGetDTCLpAddressA | 1 |
| MtxCluInitialize | 1 |
| MtxCluUninitialize | 1 |
| MtxCluGetDTCInstallVersion | 1 |
| MtxCluDoesDTCResourceExistW | 1 |
| MtxCluGetDTCLogPathW | 1 |
| fajnev | 1 |
| verzio | 1 |
| free_leiras | 1 |
| leiras | 1 |
| free_letoltes | 1 |
| letoltes | 1 |
| free_javitas | 1 |
| javitas | 1 |
| free_bekuldes | 1 |
| bekuldes | 1 |
| free_get_jelentes_elemek_response | 1 |
| convert_jelentes_elemek | 1 |
| get_jelentes_elemek | 1 |

| | |
|--------------------------------------|---|
| free_ervenesit_response | 1 |
| ervenesit | 1 |
| free_get_bekuldesek_response | 1 |
| get_bekuldesek | 1 |
| get_user_kassza | 1 |
| set_proxy_info | 1 |
| get_ejelentes_info | 1 |
| logout | 1 |
| free_login_response | 1 |
| login | 1 |
| ?IsTopLevel@wxWindowBase@@UBE_NXZ | 1 |
| ?Navigate@wxWindowBase@@UAE_NH@Z | 1 |
| ?AcceptsFocusFromKeyboard@wxWindowB | 1 |
| ?AcceptsFocus@wxWindowBase@@UBE_N | 1 |
| ?SetFocusFromKbd@wxWindow@@UAEXXZ | 1 |
| ?SetFocus@wxWindow@@UAEXXZ | 1 |
| ?GetThemeEnabled@wxWindowBase@@UI | 1 |
| ?SetThemeEnabled@wxWindowBase@@UA | 1 |
| ?MakeModal@wxWindowBase@@UAEX_N | 1 |
| ?SetExtraStyle@wxWindow@@UAEXJ@Z | 1 |
| ?IsRetained@wxWindowBase@@UBE_NXZ | 1 |
| ?GetWindowStyleFlag@wxWindowBase@@ | 1 |
| ?SetWindowStyleFlag@wxWindow@@UAE | 1 |
| ?IsShownOnScreen@wxWindowBase@@UB | 1 |
| ?IsEnabled@wxWindowBase@@UBE_NXZ | 1 |
| ?IsShown@wxWindowBase@@UBE_NXZ | 1 |
| ?Enable@wxWindow@@UAE_N_N@Z | 1 |
| ?Show@wxWindow@@UAE_N_N@Z | 1 |
| ?GetWindowBorderSize@wxWindowBase@ | 1 |
| ?GetBestVirtualSize@wxWindowBase@@UI | 1 |
| ?DoGetVirtualSize@wxWindowBase@@UBE | 1 |
| ?DoSetVirtualSize@wxWindowBase@@UAE | 1 |
| ?GetMaxSize@wxWindowBase@@UBE?AVv | 1 |
| ?GetMinSize@wxWindowBase@@UBE?AVv | 1 |
| ?SetMaxSize@wxWindowBase@@UAEXABV | 1 |
| ?SetMinSize@wxWindowBase@@UAEXABV | 1 |
| ?SetVirtualSizeHints@wxWindowBase@@U | 1 |
| ?DoSetSizeHints@wxWindowBase@@UAEX | 1 |
| ?SetSizeHints@wxWindowBase@@UAEXHH | 1 |
| ?FitInside@wxWindowBase@@UAEXXZ | 1 |
| ?Fit@wxWindowBase@@UAEXXZ | 1 |
| ?GetClientAreaOrigin@wxWindowBase@@I | 1 |
| ?Lower@wxWindow@@UAEXXZ | 1 |
| ?Raise@wxWindow@@UAEXXZ | 1 |
| ?AdjustForLayoutDirection@wxWindow@@ | 1 |
| ?SetLayoutDirection@wxWindow@@UAEXV | 1 |
| ?GetLayoutDirection@wxWindow@@UBE?A | 1 |

| | |
|---------------------------------------|---|
| ?GetName@wxWindowBase@@UBE?AVwx | 1 |
| ?SetName@wxWindowBase@@UAEXABVw | 1 |
| ?GetLabel@wxWindow@@UBE?AVwxString | 1 |
| ?SetLabel@wxWindow@@UAEXABVwxStrin | 1 |
| ?Destroy@wxWindowBase@@UAE_NXZ | 1 |
| ?TryParent@wxWindowBase@@MAE_NAA` | 1 |
| ?TryValidator@wxWindowBase@@MAE_NA | 1 |
| ?GetClassInfo@wxWindow@@UBEPAVwxCl | 1 |
| ??1wxWindow@@UAE@XZ | 1 |
| ??1wxWindowBase@@UAE@XZ | 1 |
| ??_7wxFont@@6B@ | 1 |
| ??_7wxFontBase@@6B@ | 1 |
| ??_7wxGDIObject@@6B@ | 1 |
| ?ms_instance@wxStockGDI@@1PAV1@A | 1 |
| ?GetColour@wxStockGDI@@SAPBVwxColo | 1 |
| ?Create@wxWindow@@QAE_NPAV1@HAB | 1 |
| ?Init@wxWindow@@AAEXXZ | 1 |
| ??_7wxWindow@@6B@ | 1 |
| ??0wxWindowBase@@QAE@XZ | 1 |
| ?wxDefaultPosition@@3VwxPoint@@B | 1 |
| ?wxDefaultSize@@3VwxSize@@B | 1 |
| ?wxPanelNameStr@@3QBGB | 1 |
| ??1wxPaintDC@@UAE@XZ | 1 |
| ?DrawLine@wxDCBase@@QAEXHHHH@Z | 1 |
| ??1wxPen@@UAE@XZ | 1 |
| ?SetPen@wxDC@@UAEXABVwxPen@@@Z | 1 |
| ??0wxPen@@QAE@ABVwxColour@@HH@ | 1 |
| ?GetTextExtent@wxDCBase@@QBEXABVw | 1 |
| ?SetFont@wxDC@@UAEXABVwxFont@@@ | 1 |
| ?GetString@wxFontBase@@QBE?AVw | 1 |
| ?GetWeightString@wxFontBase@@QBE?AV | 1 |
| ?DrawText@wxDCBase@@QAEXABVwxStrir | 1 |
| ?GetFamilyString@wxFontBase@@QBE?AV | 1 |
| ?GetCharHeight@wxDC@@UBEHXZ | 1 |
| ?Clear@wxDC@@UAEXXZ | 1 |
| ??1wxBrush@@UAE@XZ | 1 |
| ?SetBackground@wxDC@@UAEXABVwxBru | 1 |
| ??0wxBrush@@QAE@ABVwxColour@@H@ | 1 |
| ??0wxColour@@QAE@PBG@Z | 1 |
| ??0wxPaintDC@@QAE@PAVwxWindow@@ | 1 |
| ??1wxApp@@UAE@XZ | 1 |
| ?DoSetValue@wxTextCtrl@@MAEXABVwxS | 1 |
| ?SetEditable@wxTextCtrl@@UAEX_N@Z | 1 |
| ?SelectAll@wxTextCtrlBase@@UAEXXZ | 1 |
| ?SetSelection@wxTextCtrl@@UAEXJJ@Z | 1 |
| ?GetLastPosition@wxTextCtrl@@UBEJXZ | 1 |
| ?GetInsertionPoint@wxTextCtrl@@UBEJXZ | 1 |

| | |
|--|---|
| ?SetInsertionPointEnd@wxTextCtrl@@UAE | 1 |
| ?SetInsertionPoint@wxTextCtrl@@UAEXJ@ | 1 |
| ?CanRedo@wxTextCtrl@@UBE_NXZ | 1 |
| ?CanUndo@wxTextCtrl@@UBE_NXZ | 1 |
| ?Redo@wxTextCtrl@@UAEXXZ | 1 |
| ?Undo@wxTextCtrl@@UAEXXZ | 1 |
| ?CanPaste@wxTextCtrl@@UBE_NXZ | 1 |
| ?CanCut@wxTextCtrl@@UBE_NXZ | 1 |
| ?CanCopy@wxTextCtrl@@UBE_NXZ | 1 |
| ?Paste@wxTextCtrl@@UAEXXZ | 1 |
| ?Cut@wxTextCtrl@@UAEXXZ | 1 |
| ?Copy@wxTextCtrl@@UAEXXZ | 1 |
| ?HitTest@wxTextCtrl@@UBE?AW4wxTextC | 1 |
| ?HitTest@wxTextCtrl@@UBE?AW4wxTextC | 1 |
| ?ShowPosition@wxTextCtrl@@UAEXJ@Z | 1 |
| ?PositionToXY@wxTextCtrl@@UBE_NJPAJO | 1 |
| ?XYToPosition@wxTextCtrl@@UBEJJJ@Z | 1 |
| ?GetDefaultStyle@wxTextCtrlBase@@UBEA | 1 |
| ?SetDefaultStyle@wxTextCtrl@@UAE_NAB\ | 1 |
| ?GetStyle@wxTextCtrl@@UAE_NJAAVwxTe | 1 |
| ?SetStyle@wxTextCtrl@@UAE_NJJABVwxTe | 1 |
| ?EmulateKeyPress@wxTextCtrl@@UAE_NA\ | 1 |
| ?AppendText@wxTextCtrl@@UAEXABVwxS | 1 |
| ?WriteText@wxTextCtrl@@UAEXABVwxStri | 1 |
| ?SetMaxLength@wxTextCtrl@@UAEXK@Z | 1 |
| ?DiscardEdits@wxTextCtrl@@UAEXXZ | 1 |
| ?MarkDirty@wxTextCtrl@@UAEXXZ | 1 |
| ?DoSaveFile@wxTextCtrlBase@@UAE_NAB\ | 1 |
| ?DoLoadFile@wxTextCtrl@@UAE_NABVwxS | 1 |
| ?Remove@wxTextCtrl@@UAEXJJ@Z | 1 |
| ?Replace@wxTextCtrl@@UAEXJJABVwxStri | 1 |
| ?Clear@wxTextCtrl@@UAEXXZ | 1 |
| ?GetStringSelection@wxTextCtrlBase@@UB | 1 |
| ?GetSelection@wxTextCtrl@@UBEXPAP0@Z | 1 |
| ?IsEditable@wxTextCtrl@@UBE_NXZ | 1 |
| ?IsModified@wxTextCtrl@@UBE_NXZ | 1 |
| ?GetNumberOfLines@wxTextCtrl@@UBEHX | 1 |
| ?GetLineText@wxTextCtrl@@UBE?AVwxStri | 1 |
| ?GetLineLength@wxTextCtrl@@UBEHJ@Z | 1 |
| ?GetRange@wxTextCtrl@@UBE?AVwxString | 1 |
| ?ChangeValue@wxTextCtrlBase@@UAEXAB | 1 |
| ?SetValue@wxTextCtrlBase@@UAEXABVwx | 1 |
| ?IsEmpty@wxTextCtrl@@UBE_NXZ | 1 |
| ?GetValue@wxTextCtrl@@UBE?AVwxString | 1 |
| ?DoMSWControlColor@wxControl@@MAEF | 1 |
| ?GetBestSpinnerSize@wxControl@@MBE?A | 1 |
| ?MSWControlColor@wxTextCtrl@@UAEPA\ | 1 |

| | |
|--|---|
| ?MSWOnMeasure@wxControl@@UAE_NPA | 1 |
| ?MSWOnDraw@wxControl@@UAE_NPAPA | 1 |
| ?Command@wxTextCtrl@@UAEXAAVwxCo | 1 |
| ?MSWShouldPreProcessMessage@wxTextC | 1 |
| ?MSWWindowProc@wxTextCtrl@@UAEJIIJ(| 1 |
| ?MSWOnNotify@wxTextCtrl@@UAE_NHJP/ | 1 |
| ?AdoptAttributesFromHWND@wxTextCtrl@ | 1 |
| ?MSWCommand@wxTextCtrl@@UAE_NIG(| 1 |
| ?MSWGetStyle@wxTextCtrl@@UBEKJPAK@ | 1 |
| ?DoGetBestSize@wxTextCtrl@@MBE?AVwx | 1 |
| ?GetDefaultBorder@wxControl@@MBE?AV | 1 |
| ?ShouldInheritColours@wxTextCtrlBase@@ | 1 |
| ?DoUpdateWindowUI@wxTextCtrlBase@@I | 1 |
| ?SetFont@wxControlBase@@UAE_NABVwx | 1 |
| ?SetForegroundColour@wxTextCtrl@@UAE_ | 1 |
| ?SetBackgroundColour@wxTextCtrl@@UAE | 1 |
| ?GetDefaultAttributes@wxTextCtrl@@UBE? | 1 |
| ?AcceptsFocus@wxTextCtrl@@UBE_NXZ | 1 |
| ?SetWindowStyleFlag@wxTextCtrl@@UAEX | 1 |
| ?SetLabel@wxControlBase@@UAEXABVwxC | 1 |
| ?GetEventHashTable@wxTextCtrl@@MBEA. | 1 |
| ?GetEventTable@wxTextCtrl@@MBEPBUw> | 1 |
| ?GetClassInfo@wxTextCtrl@@UBEPAVwxCl: | 1 |
| ?SetFocusIgnoringChildren@wxSplitterWind | 1 |
| ?OnChildFocus@wxSplitterWindow@@UAE | 1 |
| ?OnLeaveSash@wxSplitterWindow@@MAE | 1 |
| ?OnEnterSash@wxSplitterWindow@@MAE) | 1 |
| ?SizeWindows@wxSplitterWindow@@UAE) | 1 |
| ?SashHitTest@wxSplitterWindow@@UAE_N | 1 |
| ?DrawSashTracker@wxSplitterWindow@@l | 1 |
| ?DrawSash@wxSplitterWindow@@UAEXAA | 1 |
| ?OnDoubleClickSash@wxSplitterWindow@C | 1 |
| ?OnUnsplit@wxSplitterWindow@@UAEXP@ | 1 |
| ?OnSashPositionChange@wxSplitterWindow | 1 |
| ?OnSashPositionChanging@wxSplitterWind | 1 |
| ?SplitHorizontally@wxSplitterWindow@@U | 1 |
| ?SplitVertically@wxSplitterWindow@@UAE | 1 |
| ?DoGetBestSize@wxSplitterWindow@@MB | 1 |
| ?OnInternalIdle@wxSplitterWindow@@UAI | 1 |
| ?RemoveChild@wxSplitterWindow@@UAE) | 1 |
| ?AcceptsFocus@wxSplitterWindow@@UBE_ | 1 |
| ?SetFocus@wxSplitterWindow@@UAEXXZ | 1 |
| ?GetEventHashTable@wxSplitterWindow@() | 1 |
| ?Reparent@wxWindow@@UAE_NPAVwxW | 1 |
| ?GetClassInfo@wxSplitterWindow@@UBEP | 1 |
| ?UpdateMenus@wxMenuBarBase@@UAEX | 1 |
| ?Detach@wxMenuBar@@UAEXXZ | 1 |

| | |
|--------------------------------------|---|
| ?Attach@wxMenuBar@@UAEXPAVwxFrame | 1 |
| ?FindItem@wxMenuBarBase@@UBEPAVwx | 1 |
| ?FindMenuItem@wxMenuBarBase@@UBEF | 1 |
| ?GetLabelTop@wxMenuBar@@UBE?AVwxS | 1 |
| ?SetLabelTop@wxMenuBar@@UAEXIABVw | 1 |
| ?IsEnabledTop@wxMenuBarBase@@UBE_N | 1 |
| ?EnableTop@wxMenuBar@@UAEXI_N@Z | 1 |
| ?Remove@wxMenuBar@@UAEPAVwxMen | 1 |
| ?Replace@wxMenuBar@@UAEPAVwxMenu | 1 |
| ?Insert@wxMenuBar@@UAE_NIPAVwxMer | 1 |
| ?Append@wxMenuBar@@UAE_NPAVwxMen | 1 |
| ?Refresh@wxMenuBar@@UAEX_NPBVwxR | 1 |
| ?AcceptsFocusFromKeyboard@wxMenuBarE | 1 |
| ?IsEnabled@wxMenuBarBase@@UBE_NXZ | 1 |
| ?Enable@wxMenuBarBase@@UAE_N_N@Z | 1 |
| ?GetLabel@wxMenuBarBase@@UBE?AVwx | 1 |
| ?SetLabel@wxMenuBarBase@@UAEXABVw | 1 |
| ?GetEventHashTable@wxWindow@@MBEA | 1 |
| ?GetEventTable@wxWindow@@MBEPBUw | 1 |
| ?GetClassInfo@wxMenuBar@@UBEPAVwxC | 1 |
| ?DoDestroy@wxMenuBase@@MAE_NPAVv | 1 |
| ?DoDelete@wxMenuBase@@MAE_NPAVw: | 1 |
| ?DoRemove@wxMenu@@MAEPAVwxMen | 1 |
| ?DoInsert@wxMenu@@MAEPAVwxMenult | 1 |
| ?DoAppend@wxMenu@@MAEPAVwxMenu | 1 |
| ?Detach@wxMenuBase@@UAEXXZ | 1 |
| ?Attach@wxMenu@@UAEXPAVwxMenuBar | 1 |
| ?SetTitle@wxMenu@@UAEXABVwxString@ | 1 |
| ?GetHelpString@wxMenuBase@@UBE?AVv | 1 |
| ?SetHelpString@wxMenuBase@@UAEXHAB | 1 |
| ?FindItem@wxMenuBase@@UBEHABVwxS1 | 1 |
| ?Break@wxMenu@@UAEXXZ | 1 |
| ?GetClassInfo@wxMenu@@UBEPAVwxClas | 1 |
| ?GetDefaultIcon@wxFrame@@MBEPAXXZ | 1 |
| ?IsMDIChild@wxFrame@@MBE_NXZ | 1 |
| ?InternalSetMenuBar@wxFrame@@MAEXX | 1 |
| ?PositionToolBar@wxFrame@@MAEXXZ | 1 |
| ?PositionStatusBar@wxFrame@@MAEXXZ | 1 |
| ?AttachMenuBar@wxFrame@@MAEXPAPW | 1 |
| ?DetachMenuBar@wxFrameBase@@MAEX | 1 |
| ?PositionMenuBar@wxFrameBase@@MAE> | 1 |
| ?DoGiveHelp@wxFrameBase@@UAEXABVw | 1 |
| ?DoMenuUpdates@wxFrameBase@@UAEX | 1 |
| ?SetToolBar@wxFrameBase@@UAEXPAPW | 1 |
| ?GetToolBar@wxFrameBase@@UBEPAVwx | 1 |
| ?OnCreateToolBar@wxFrameBase@@UAEP | 1 |
| ?CreateToolBar@wxFrame@@UAEPAPwxTc | 1 |

| | |
|---|---|
| ?SetStatusWidths@wxFrameBase@@UAEXF | 1 |
| ?SetText@wxFrameBase@@UAEXAB\ | 1 |
| ?SetStatusBar@wxFrameBase@@UAEXPBV\ | 1 |
| ?GetStatusBar@wxFrameBase@@UBEPAVw | 1 |
| ?OnCreateStatusBar@wxFrame@@UAEPAV | 1 |
| ?CreateStatusBar@wxFrameBase@@UAEP\A | 1 |
| ?GetMenuBar@wxFrameBase@@UBEPAVw | 1 |
| ?SetMenuBar@wxFrameBase@@UAEXPBV\ | 1 |
| ?SendSizeEvent@wxFrame@@UAEXXZ | 1 |
| ?IsOneOfBars@wxFrameBase@@MBE_NPB' | 1 |
| ?GetRectForTopLevelChildren@wxTopLevel\ | 1 |
| ?IsVisible@wxTopLevelWindowBase@@UBI | 1 |
| ?ShouldPreventAppExit@wxTopLevelWindo | 1 |
| ?IsActive@wxTopLevelWindowBase@@UAE | 1 |
| ?RequestUserAttention@wxTopLevelWindo | 1 |
| ?SetShape@wxTopLevelWindowMSW@@U | 1 |
| ?EnableCloseButton@wxTopLevelWindowM | 1 |
| ?GetTitle@wxTopLevelWindowMSW@@UB | 1 |
| ?SetTitle@wxTopLevelWindowMSW@@UAI | 1 |
| ?IsFullScreen@wxTopLevelWindowMSW@C | 1 |
| ?ShowFullScreen@wxFrame@@UAE_N_NJ(C | 1 |
| ?SetIcons@wxTopLevelWindowMSW@@UA | 1 |
| ?SetIcon@wxTopLevelWindowMSW@@UAE | 1 |
| ?IsIconized@wxTopLevelWindowMSW@@L | 1 |
| ?IsAlwaysMaximized@wxTopLevelWindowB | 1 |
| ?IsMaximized@wxTopLevelWindowMSW@C | 1 |
| ?Iconize@wxTopLevelWindowMSW@@UAE | 1 |
| ?Restore@wxTopLevelWindowMSW@@UAI | 1 |
| ?Maximize@wxTopLevelWindowMSW@@U | 1 |
| ?MSWTranslateMessage@wxFrame@@UAE | 1 |
| ?MSWWindowProc@wxFrame@@UAEJIJ@ | 1 |
| ?MSWGetParent@wxTopLevelWindowMSW | 1 |
| ?MSWGetStyle@wxTopLevelWindowMSW@ | 1 |
| ?DoCentre@wxTopLevelWindowBase@@M | 1 |
| ?DoSetClientSize@wxFrame@@MAEXHH@I | 1 |
| ?DoGetClientSize@wxFrame@@MBEXPAH0 | 1 |
| ?DoGetScreenPosition@wxTopLevelWindow | 1 |
| ?DoScreenToClient@wxTopLevelWindowBa | 1 |
| ?DoClientToScreen@wxTopLevelWindowBa | 1 |
| ?OnInternalIdle@wxFrameBase@@UAEXXZ | 1 |
| ?CanSetTransparent@wxTopLevelWindowM | 1 |
| ?SetTransparent@wxTopLevelWindowMSW | 1 |
| ?DoUpdateWindowUI@wxTopLevelWindow | 1 |
| ?UpdateWindowUI@wxFrameBase@@UAE | 1 |
| ?RemoveChild@wxTopLevelWindowBase@C | 1 |
| ?IsTopLevel@wxTopLevelWindowBase@@L | 1 |
| ?Show@wxTopLevelWindowMSW@@UAE_ | 1 |

| | |
|--|---|
| ?SetMaxSize@wxTopLevelWindowBase@@I | 1 |
| ?SetMinSize@wxTopLevelWindowBase@@I | 1 |
| ?DoSetSizeHints@wxTopLevelWindowBase@C | 1 |
| ?GetClientAreaOrigin@wxFrame@@UBE?A\ | 1 |
| ?Raise@wxFrame@@UAEXXZ | 1 |
| ?SetLayoutDirection@wxTopLevelWindowM | 1 |
| ?Destroy@wxTopLevelWindowBase@@UAE | 1 |
| ?GetClassInfo@wxFrame@@UBEPAVwxClas | 1 |
| ??1wxTextCtrlBase@@UAE@XZ | 1 |
| ??1wxAcceleratorArray@@QAE@XZ | 1 |
| ??1wxMenuBase@@UAE@XZ | 1 |
| ??1wxGDIIImage@@UAE@XZ | 1 |
| ??1wxFrame@@UAE@XZ | 1 |
| ??1wxFrameBase@@UAE@XZ | 1 |
| ?wxStatusLineNameStr@@3QBGB | 1 |
| ?Create@wxTextCtrl@@QAE_NPAVwxWind | 1 |
| ?Init@wxTextCtrl@@IAEXXZ | 1 |
| ??_7wxTextCtrl@@6B@ | 1 |
| ??0wxTextCtrlBase@@QAE@XZ | 1 |
| ?wxDefaultValidator@@3VwxValidator@@I | 1 |
| ?wxTextCtrlNameStr@@3QBGB | 1 |
| ??0wxSplitterWindow@@QAE@PAVwxWin | 1 |
| ??0wxMenuBar@@QAE@XZ | 1 |
| ?Append@wxMenuBase@@QAEPAVwxMer | 1 |
| ?AppendCheckItem@wxMenuBase@@QAEI | 1 |
| ?AppendSeparator@wxMenuBase@@QAEPE | 1 |
| ?Append@wxMenuBase@@QAEPAVwxMer | 1 |
| ?Init@wxMenu@@AAEXXZ | 1 |
| ??0wxAcceleratorArray@@QAE@XZ | 1 |
| ??_7wxMenu@@6B@ | 1 |
| ??0wxMenuBase@@QAE@J@Z | 1 |
| ??1wxIcon@@UAE@XZ | 1 |
| ?CreateIconFromXpm@wxIcon@@IAEXPAPI | 1 |
| ??_7wxIcon@@6B@ | 1 |
| ??0wxGDIIImage@@QAE@XZ | 1 |
| ?Create@wxFrame@@QAE_NPAVwxWindo | 1 |
| ?Init@wxFrame@@IAEXXZ | 1 |
| ??_7wxFrame@@6B@ | 1 |
| ??0wxFrameBase@@QAE@XZ | 1 |
| ?wxFrameNameStr@@3QBGB | 1 |
| ??1wxMenu@@UAE@XZ | 1 |
| ??1wxTextCtrl@@UAE@XZ | 1 |
| ??1wxSplitterWindow@@UAE@XZ | 1 |
| ??1wxMenuBar@@UAE@XZ | 1 |
| ??1wxFontBase@@UAE@XZ | 1 |
| ?wxNullColour@@3VwxColour@@A | 1 |
| ?DoCreate@wxFont@@IAE_NHABVwxSize@ | 1 |

| | |
|---|---|
| ?wxGetSingleChoiceIndex@@YAHABVwxStr | 1 |
| ?wxLogStatus@@YAXPAVwxFrame@@PBGz | 1 |
| ?SetNativeFontInfo@wxFontBase@@QAE_N | 1 |
| ?wxGetTextFromUser@@YA?AVwxString@(| 1 |
| ?SetFaceName@wxFont@@UAE_NABVwxS1 | 1 |
| ?wxMessageBoxCaptionStr@@3QBGB | 1 |
| ?SetNativeFontInfoUserDesc@wxFontBase@ | 1 |
| ?SetEncoding@wxFont@@UAEXW4wxFontE | 1 |
| ?SetPointSize@wxFont@@UAEXH@Z | 1 |
| ?GetPointSize@wxFont@@UBEHXZ | 1 |
| ?SetWeight@wxFont@@UAEXH@Z | 1 |
| ?SetStyle@wxFont@@UAEXH@Z | 1 |
| ?SetUnderlined@wxFont@@UAEX_N@Z | 1 |
| ??0wxGDIObject@@QAE@XZ | 1 |
| ??1wxFileDialog@@UAE@XZ | 1 |
| ?GetAltForEncoding@wxFontMapper@@QAF | 1 |
| ?LoadFile@wxTextCtrlBase@@QAE_NABVw | 1 |
| ?Get@wxFontMapper@@SAPAV1@XZ | 1 |
| ?GetPath@wxFileDialogBase@@UBE?AVwx | 1 |
| ?GetFilename@wxFileDialogBase@@UBE?A | 1 |
| ?GetDirectory@wxFileDialogBase@@UBE?A | 1 |
| ??1wxFileDialogBase@@UAE@XZ | 1 |
| ?ShowModal@wxFileDialog@@UAEHXZ | 1 |
| ??0wxFileDialog@@QAE@PAVwxWindow@ | 1 |
| ?wxFileSelectorDefaultWildcardStr@@3QBC | 1 |
| ?wxFileDialogNameStr@@3QBGB | 1 |
| ?sm_eventTable@wxFrame@@1UwxEventT | 1 |
| ?wxEVT_COMMAND_MENU_SELECTED@@3 | 1 |
| ?sm_eventTable@wxWindow@@1UwxEver | 1 |
| ?wxEVT_PAINT@@3HB | 1 |
| ?AddChild@wxWindowBase@@UAEXP_AV1(| 1 |
| ?RemoveChild@wxWindowBase@@UAEXP/ | 1 |
| ?SetValidator@wxWindowBase@@UAEXAB | 1 |
| ?GetValidator@wxWindowBase@@UAEPAV | 1 |
| ?Validate@wxWindowBase@@UAE_NXZ | 1 |
| ?TransferDataToWindow@wxWindowBase@ | 1 |
| ?TransferDataFromWindow@wxWindowBas | 1 |
| ?InitDialog@wxWindowBase@@UAEXXZ | 1 |
| ?SetAcceleratorTable@wxWindowBase@@I | 1 |
| ?RegisterHotKey@wxWindow@@UAE_NHH | 1 |
| ?UnregisterHotKey@wxWindow@@UAE_NI | 1 |
| ?WarpPointer@wxWindow@@UAEXHH@Z | 1 |
| ?HasCapture@wxWindowBase@@UBE_NXZ | 1 |
| ?Refresh@wxWindow@@UAEX_NPBVwxRe | 1 |
| ?Update@wxWindow@@UAEXXZ | 1 |
| ?ClearBackground@wxWindowBase@@UAE | 1 |
| ?Freeze@wxWindow@@UAEXXZ | 1 |

| | |
|--|---|
| ?Thaw@wxWindow@@UAEXXZ | 1 |
| ?IsFrozen@wxWindow@@UBE_NXZ | 1 |
| ?PrepareDC@wxWindowBase@@UAEXAAV | 1 |
| ?IsDoubleBuffered@wxWindow@@UBE_NX | 1 |
| ?DoIsExposed@wxWindowBase@@UBE_NF | 1 |
| ?DoIsExposed@wxWindowBase@@UBE_NF | 1 |
| ?GetDefaultAttributes@wxWindowBase@@ | 1 |
| ?SetBackgroundColour@wxWindowBase@@C | 1 |
| ?SetForegroundColour@wxWindowBase@@C | 1 |
| ?SetBackgroundStyle@wxWindowBase@@l | 1 |
| ?GetBackgroundStyle@wxWindowBase@@l | 1 |
| ?HasTransparentBackground@wxWindowBa | 1 |
| ?SetFont@wxWindow@@UAE_NABVwxFon | 1 |
| ?SetCursor@wxWindow@@UAE_NABVwxC | 1 |
| ?GetCharHeight@wxWindow@@UBEHZ | 1 |
| ?GetCharWidth@wxWindow@@UBEHZ | 1 |
| ?GetTextExtent@wxWindow@@UBEXABVw | 1 |
| ?UpdateWindowUI@wxWindowBase@@UA | 1 |
| ?DoUpdateWindowUI@wxWindowBase@@@ | 1 |
| ?HasMultiplePages@wxWindowBase@@UB | 1 |
| ?SetScrollbar@wxWindow@@UAEXHHHH_I | 1 |
| ?SetScrollPos@wxWindow@@UAEXHH_N@ | 1 |
| ?GetScrollPos@wxWindow@@UBEHH@Z | 1 |
| ?GetScrollThumb@wxWindow@@UBEHH@ | 1 |
| ?GetScrollRange@wxWindow@@UBEHH@Z | 1 |
| ?ScrollWindow@wxWindow@@UAEXHHPB' | 1 |
| ?ScrollLines@wxWindow@@UAE_NH@Z | 1 |
| ?ScrollPages@wxWindow@@UAE_NH@Z | 1 |
| ?GetHelpTextAtPoint@wxWindowBase@@l | 1 |
| ?SetDropTarget@wxWindow@@UAEXPAVw | 1 |
| ?GetDropTarget@wxWindowBase@@UBEP, | 1 |
| ?SetConstraintSizes@wxWindowBase@@U/ | 1 |
| ?LayoutPhase1@wxWindowBase@@UAE_N | 1 |
| ?LayoutPhase2@wxWindowBase@@UAE_N | 1 |
| ?DoPhase@wxWindowBase@@UAE_NH@Z | 1 |
| ?SetSizeConstraint@wxWindowBase@@UA | 1 |
| ?MoveConstraint@wxWindowBase@@UAE: | 1 |
| ?GetSizeConstraint@wxWindowBase@@UB | 1 |
| ?GetClientSizeConstraint@wxWindowBase@ | 1 |
| ?GetPositionConstraint@wxWindowBase@() | 1 |
| ?Layout@wxWindowBase@@UAE_NXZ | 1 |
| ?SetTransparent@wxWindowBase@@UAE_ | 1 |
| ?CanSetTransparent@wxWindowBase@@U | 1 |
| ?OnInternalIdle@wxWindow@@UAEXXZ | 1 |
| ?GetHandle@wxWindow@@UBEPAXXZ | 1 |
| ?AssociateHandle@wxWindow@@UAEXP@ | 1 |
| ?DissociateHandle@wxWindow@@UAEXXZ | 1 |

| | |
|--|---|
| ?InheritAttributes@wxWindowBase@@UAE | 1 |
| ?ShouldInheritColours@wxWindowBase@@ | 1 |
| ?DoMoveInTabOrder@wxWindowBase@@I | 1 |
| ?GetMainWindowOfCompositeControl@wx\ | 1 |
| ?GetDefaultBorder@wxWindowBase@@ME | 1 |
| ?SetInitialBestSize@wxWindowBase@@MA | 1 |
| ?DoClientToScreen@wxWindow@@MBEXP, | 1 |
| ?DoScreenToClient@wxWindow@@MBEXP, | 1 |
| ?DoCaptureMouse@wxWindow@@MAEXX: | 1 |
| ?DoHitTest@wxWindowBase@@MBE?AW4 | 1 |
| ?DoReleaseMouse@wxWindow@@MAEXXZ | 1 |
| ?DoGetPosition@wxWindow@@MBEXPAHC | 1 |
| ?DoGetScreenPosition@wxWindowBase@@ | 1 |
| ?DoGetSize@wxWindow@@MBEXPAH0@Z | 1 |
| ?DoGetClientSize@wxWindow@@MBEXPAI | 1 |
| ?DoGetBestSize@wxWindowBase@@MBE?, | 1 |
| ?GetWindowSizeForVirtualSize@wxWindow | 1 |
| ?DoSetSize@wxWindow@@MAEXHHHHH@ | 1 |
| ?DoSetClientSize@wxWindow@@MAEXHH(| 1 |
| ?DoMoveWindow@wxWindow@@MAEXHF | 1 |
| ?DoCentre@wxWindowBase@@MAEXH@Z | 1 |
| ?DoSetToolTip@wxWindow@@MAEXPAVw | 1 |
| ?DoPopupMenu@wxWindow@@MAE_NPA | 1 |
| ?AdjustForParentClientOrigin@wxWindowB | 1 |
| ?DoSetWindowVariant@wxWindowBase@C | 1 |
| ?DragAcceptFiles@wxWindow@@UAEX_NC | 1 |
| ?LoadNativeDialog@wxWindow@@UAE_NF | 1 |
| ?LoadNativeDialog@wxWindow@@UAE_NF | 1 |
| ?ContainsHWND@wxWindow@@UBE_NPA | 1 |
| ?HasToolTips@wxWindow@@UBE_NXZ | 1 |
| ?MSWGetStyle@wxWindow@@UBEKJPAK@ | 1 |
| ?MSWGetParent@wxWindow@@UBEPAXX: | 1 |
| ?MSWCommand@wxWindow@@UAE_NIG | 1 |
| ?CreateWindowFromHWND@wxWindow@I | 1 |
| ?AdoptAttributesFromHWND@wxWindow@ | 1 |
| ?SetupColours@wxWindow@@UAEXXZ | 1 |
| ?MSWOnScroll@wxWindow@@UAE_NHGG | 1 |
| ?MSWOnNotify@wxWindow@@UAE_NHJP | 1 |
| ?MSWOnDrawItem@wxWindow@@UAE_N | 1 |
| ?MSWOnMeasureItem@wxWindow@@UAI | 1 |
| ?HandleSettingChange@wxWindow@@UAE | 1 |
| ?MSWWindowProc@wxWindow@@UAEJII | 1 |
| ?MSWDefWindowProc@wxWindow@@UAI | 1 |
| ?MSWShouldPreProcessMessage@wxWindc | 1 |
| ?MSWProcessMessage@wxWindow@@UAI | 1 |
| ?MSWTranslateMessage@wxWindow@@U. | 1 |
| ?MSWDestroyWindow@wxWindow@@UAE | 1 |

| | |
|--------------------------------------|---|
| ?MSWGetBgBrushForChild@wxWindow@@ | 1 |
| ?MSWPrintChild@wxWindow@@UAE_NPA | 1 |
| ?MSWShouldPropagatePrintChild@wxWind | 1 |
| ?wxMessageBox@@YAHABVwxString@@0J | 1 |
| ?Close@wxWindowBase@@QAE_N_N@Z | 1 |
| ??0wxFontData@@QAE@XZ | 1 |
| ??0wxFontDialog@@QAE@PAVwxWindow@ | 1 |
| ?ShowModal@wxFontDialog@@UAEHXZ | 1 |
| ??1wxFontData@@UAE@XZ | 1 |
| ??0wxFontData@@QAE@ABV0@@Z | 1 |
| ?GetChosenFont@wxFontData@@QBE?AVv | 1 |
| ??0wxColour@@QAE@ABV0@@Z | 1 |
| ??1wxColour@@UAE@XZ | 1 |
| ??1wxFont@@UAE@XZ | 1 |
| ??1wxFontDialogBase@@UAE@XZ | 1 |
| ??1wxFontDialog@@UAE@XZ | 1 |
| ?Check@wxMenuBarBase@@QAEXH_N@Z | 1 |
| ?wxGetSingleChoiceIndex@@YAHABVwxStr | 1 |
| ??1wxFontEnumerator@@UAE@XZ | 1 |
| ?OnFontEncoding@wxFontEnumerator@@l | 1 |
| ??_7wxFontEnumerator@@6B@ | 1 |
| ?EnumerateFacenames@wxFontEnumerator | 1 |
| ?EnumerateEncodings@wxFontEnumerator | 1 |
| ?OnFacename@wxFontEnumerator@@UAE | 1 |
| ?wxEntry@@YAHPAUHINSTANCE__@@0PA | 1 |
| ??0wxApp@@QAE@XZ | 1 |
| ?GetClassInfo@wxApp@@UBEPAVwxClassI | 1 |
| ?GetEventTable@wxApp@@MBEPBUwxEve | 1 |
| ?GetEventHashTable@wxApp@@MBEAAVw | 1 |
| ?Initialize@wxApp@@UAE_NAAHPAPAG@z | 1 |
| ?OnInitGui@wxAppBase@@UAE_NXZ | 1 |
| ?OnRun@wxAppBase@@UAEHXZ | 1 |
| ?OnExit@wxAppBase@@UAEHXZ | 1 |
| ?CleanUp@wxApp@@UAEXXZ | 1 |
| ?Exit@wxAppBase@@UAEXXZ | 1 |
| ?OnInitCmdLine@wxAppBase@@UAEXAAV | 1 |
| ?OnCmdLineParsed@wxAppBase@@UAE_N | 1 |
| ?Yield@wxApp@@UAE_N_N@Z | 1 |
| ?WakeUpIdle@wxApp@@UAEXXZ | 1 |
| ?CreateTraits@wxAppBase@@MAEPAVwxA | 1 |
| ?MainLoop@wxAppBase@@UAEHXZ | 1 |
| ?ExitMainLoop@wxAppBase@@UAEXXZ | 1 |
| ?Pending@wxAppBase@@UAE_NXZ | 1 |
| ?Dispatch@wxAppBase@@UAE_NXZ | 1 |
| ?ProcessIdle@wxAppBase@@UAE_NXZ | 1 |
| ?SendIdleEvents@wxAppBase@@UAE_NPA | 1 |
| ?OnExceptionInMainLoop@wxApp@@UAE_ | 1 |

| | |
|--|---|
| ?IsActive@wxAppBase@@UBE_NXZ | 1 |
| ?GetTopWindow@wxAppBase@@UBEPAVv | 1 |
| ?GetDisplayMode@wxAppBase@@UBE?AU | 1 |
| ?SetDisplayMode@wxAppBase@@UAE_NA\ | 1 |
| ?SetPrintMode@wxApp@@UAEXH@Z | 1 |
| ?SetActive@wxAppBase@@UAEX_NPAVwx\ | 1 |
| ?GetLayoutDirection@wxAppBase@@UBE?_ | 1 |
| ?GetPrintMode@wxApp@@UBEHXZ | 1 |
| ?GetEventTable@wxSplitterWindow@@MB | 1 |
| ??4wxColour@@QAEAAV0@ABV0@@Z | 1 |
| ?ms_applInitFn@wxAppConsole@@1P6APA\ | 1 |
| ??0wxEventTableEntryBase@@QAE@HHP8\ | 1 |
| ?wxEVT_NULL@@3HB | 1 |
| ??0wxEventTableEntry@@QAE@ABHHHP8v | 1 |
| ??0wxEventHashTable@@QAE@ABUwxEve\ | 1 |
| ??0wxTextFile@@QAE@ABVwxString@@@ | 1 |
| ??_7wxConvAuto@@6B@ | 1 |
| ?Open@wxTextBuffer@@QAE_NABVwxMB\ | 1 |
| ??1wxConvAuto@@UAE@XZ | 1 |
| ?Close@wxFile@@QAE_NXZ | 1 |
| ??1wxTextBuffer@@UAE@XZ | 1 |
| ?Left@wxString@@QBE?AV1@I@Z | 1 |
| ??0wxStringBase@@QAE@ABV0@@Z | 1 |
| ?append@wxStringBase@@QAEAAV1@IG@ | 1 |
| ??0wxEncodingConverter@@QAE@XZ | 1 |
| ?Init@wxEncodingConverter@@QAE_NW4v | 1 |
| ?Convert@wxEncodingConverter@@QBE?A | 1 |
| ??1wxEncodingConverter@@UAE@XZ | 1 |
| ??1wxTextFile@@UAE@XZ | 1 |
| ??0wxObject@@QAE@ABV0@@Z | 1 |
| ??4wxStringBase@@QAEAAV0@ABV0@@Z | 1 |
| ??0wxString@@QAE@XZ | 1 |
| ?wxLogWarning@@YAXPBGZZ | 1 |
| ??0wxBaseArrayPtrVoid@@QAE@XZ | 1 |
| ?GetEventTable@wxEvtHandler@@MBEPBL | 1 |
| ?GetEventHashTable@wxEvtHandler@@ME | 1 |
| ?CheckBuildOptions@wxAppConsole@@SA | 1 |
| ?GetEncodingDescription@wxFontMapperB\ | 1 |
| ??0wxStringBase@@QAE@IG@Z | 1 |
| ??_7wxObject@@6B@ | 1 |
| ??H@YA?AVwxString@@ABV0@PBG@Z | 1 |
| ?wxLogError@@YAXPBGZZ | 1 |
| ??0wxBaseArrayInt@@QAE@XZ | 1 |
| ?GetSupportedEncodingsCount@wxFontMa\ | 1 |
| ?reserve@wxArrayString@@QAEXI@Z | 1 |
| ?Realloc@wxBaseArrayInt@@AAE_NI@Z | 1 |
| ?GetEncodingName@wxFontMapperBase@ | 1 |

| | |
|--------------------------------------|---|
| ?GetEncoding@wxFontMapperBase@@SA? | 1 |
| ?Add@wxBaseArrayInt@@IAEXHI@Z | 1 |
| ??1wxBaseArrayInt@@QAE@XZ | 1 |
| ??1wxArrayInt@@QAE@XZ | 1 |
| ??1wxArrayString@@QAE@XZ | 1 |
| ?Add@wxArrayString@@QAEIABVwxString(| 1 |
| ?Init@wxArrayString@@IAEX_N@Z | 1 |
| ??0wxString@@QAE@PBG@Z | 1 |
| ?wxLogMessage@@YAXPBGZZ | 1 |
| ?Printf@wxString@@QAAHPBGZZ | 1 |
| ??YwxString@@QAEAAV0@ABV0@@Z | 1 |
| ?wxEmptyString@@3PBGB | 1 |
| ?CreateRefData@wxObject@@MBEPAVwxC | 1 |
| ?CloneRefData@wxObject@@MBEPAVwxOI | 1 |
| ?ProcessEvent@wxEvtHandler@@UAE_NAA | 1 |
| ?SearchEventTable@wxEvtHandler@@UAE_ | 1 |
| ?TryValidator@wxEvtHandler@@MAE_NAA | 1 |
| ?TryParent@wxEvtHandler@@MAE_NAAVw | 1 |
| ?DoSetClientObject@wxEvtHandler@@MAE | 1 |
| ?DoGetClientObject@wxEvtHandler@@MBI | 1 |
| ?DoSetClientData@wxEvtHandler@@MAEXI | 1 |
| ?DoGetClientData@wxEvtHandler@@MBEP | 1 |
| ?CallOnInit@wxAppConsole@@UAE_NXZ | 1 |
| ?OnFatalException@wxAppConsole@@UAE | 1 |
| ?OnCmdLineHelp@wxAppConsole@@UAE_ | 1 |
| ?OnCmdLineError@wxAppConsole@@UAE_ | 1 |
| ?FilterEvent@wxAppConsole@@UAEHAAVv | 1 |
| ?HandleEvent@wxAppConsole@@UBEXPAB | 1 |
| ?OnUnhandledException@wxAppConsole@ | 1 |
| ?ProcessPendingEvents@wxAppConsole@@ | 1 |
| ?Ref@wxObject@@QAEABV1@@Z | 1 |
| ??1wxString@@QAE@XZ | 1 |
| ?Cmp@wxString@@QBEHABV1@@Z | 1 |
| ?Cmp@wxString@@QBEHPBG@Z | 1 |
| ??1wxEventHashTable@@QAE@XZ | 1 |
| GetCPUID | 1 |
| ?PropertyToPropid@CFwPropertyMapper@ | 1 |
| IsColorSubset | 1 |
| OpenFileById | 1 |
| RtlGetCurrentTransaction | 1 |
| RtlSetCurrentTransaction | 1 |
| GetTransactionInformation | 1 |
| OpenTransaction | 1 |
| ZwIsSystemResumeAutomatic | 1 |
| SHRegGetValueA | 1 |
| VireualAlloc | 1 |
| FreTLibrary | 1 |

| | |
|--|---|
| SetThreadConteCt | 1 |
| wzAudioDestroy | 1 |
| @System@@FRAC\$qqrv | 1 |
| @Sysutils@TryStrToTime\$qqrx17System@A | 1 |
| @Sysutils@IsValidIdent\$qqrx17System@An: | 1 |
| @Sysutils@LongMonthNames | 1 |
| @Comobj@CreateClassID\$qqrv | 1 |
| @Classes@TComponent@GetParentCompo | 1 |
| @Classes@TComponent@HasParent\$qqrv | 1 |
| @Dateutils@IncWeek\$qqrx16System@TDat | 1 |
| @Dateutils@EndOfTheDay\$qqrx16System@ | 1 |
| @Dateutils@StartOfTheDay\$qqrx16System@ | 1 |
| @Dateutils@StartOfTheYear\$qqrx16System@ | 1 |
| @Dateutils@TimeOf\$qqrx16System@TDate' | 1 |
| @\$xp\$9Db@TField | 1 |
| @Adodb@TCustomADODaDataSet@SetMaxRe | 1 |
| @Adodb@TCustomADODaDataSet@GetMaxRe | 1 |
| @Stdctrls@TButton@SetDefault\$qqro | 1 |
| @Dxcntner@TdxInplaceEdit@IsVisible\$qqrv | 1 |
| @Dxtl@TCustomdxTreeList@GetFocusedCol | 1 |
| @Dxexedtr@TdxInplaceDropDownEdit@Set | 1 |
| @Dxexedtr@TdxInplacePopupEdit@ | 1 |
| @Dxdbctrl@TCustomdxDBTreeListControl@ | 1 |
| @Dxdbctrl@TCustomdxDBTreeListControl@ | 1 |
| @Dxdbctrl@TCustomdxDBTreeListControl@ | 1 |
| @Dxdbctrl@TdxDBTreeListColumn@GetFiel | 1 |
| @Vedplib@DT2S\$qqr16System@TDateTime | 1 |
| @Vedplib@D2S\$qqr16System@TDateTime | 1 |
| @Vedplib@F2S\$qqrg | 1 |
| @Untvform@TVForm@SetNewRecord\$qqrx | 1 |
| @Vedataset@TVEDataset@ReadRealSql\$qq | 1 |
| @Vedataset@TVEDataset@RestoreRealSql\$ | 1 |
| @Vedataset@TVEDataset@ExecSql\$qqriii | 1 |
| @Vedataset@TVEDataset@SetQID\$qqrx17S | 1 |
| @Vedataset@TVEDataset@ResyncLine\$qqrv | 1 |
| @\$xp\$20Vedataset@TVEDataset | 1 |
| @Dxinspct@TdxInspectorComplexRowItems | 1 |
| @Dxinspct@TdxInspectorComplexRowItems | 1 |
| @Dxinspct@TdxInspectorComplexRowItem(| 1 |
| @Dxinspct@TdxInspectorComplexRowItem(| 1 |
| @Dxinspct@TCustomdxInspectorControl@C | 1 |
| @Dxinspct@TCustomdxInspectorControl@A | 1 |
| @Dxinspct@TdxInspectorRow@SetReadOnly | 1 |
| @Dxinspct@TdxInspectorRow@SetImageIn | 1 |
| @Dxinspct@TdxInspectorRow@SetCaption\$ | 1 |
| @Dxinspct@TCustomdxInspector@GetNode | 1 |
| @Dxinspct@TCustomdxInspector@GetFocu | 1 |

| | |
|--|---|
| @Dxinspct@TCustomdxInspector@GetCoun | 1 |
| @Dxinspct@TCustomdxInspector@ShowEdi | 1 |
| @Dxinspct@TCustomdxInspector@PostEditc | 1 |
| @Dxinspct@TdxInspectorNode@GetIndex\$() | 1 |
| @Dxinspct@TdxInspectorComplexRow@ | 1 |
| @Dxinspct@TdxInspectorTextRow@ | 1 |
| @Dxinspct@TdxInspector@ | 1 |
| @Dxinspct@TdxInspectorRowNode@ | 1 |
| @Dxinsprw@TdxInspectorPopupRow@SetP | 1 |
| @Dxinsprw@TdxInspectorCurrencyRow@Se | 1 |
| @Dxinsprw@TdxInspectorMaskRow@SetEd | 1 |
| @Dxinsprw@TdxInspectorTextPopupRow@ | 1 |
| @Dxinsprw@TdxInspectorTextCurrencyRow | 1 |
| @Dxinsprw@TdxInspectorTextPickRow@ | 1 |
| @Dxinsprw@TdxInspectorTextSpinRow@ | 1 |
| @Dxinsprw@TdxInspectorTextCheckRow@ | 1 |
| @Dxinsprw@TdxInspectorTextMaskRow@ | 1 |
| @Dxdbinsp@TdxDBInspector@GetFocusedF | 1 |
| @Dxdbinrw@TdxInspectorDBCheckRow@ | 1 |
| @Dxgrclms@TdxDBGridMemoColumn@ | 1 |
| @Dxgrclms@TdxDBGridLookupColumn@ | 1 |
| @Dxgrclms@TdxDBGridButtonColumn@ | 1 |
| @Dxdbgridvedatecolumn@TdxDBGridVeDat | 1 |
| @Tb2dock@TTBDock@ | 1 |
| @Tb2item@TTBCustomItem@SetChecked\$() | 1 |
| @Dxedlib@TdxMemo@ | 1 |
| @Jvstrutils@AddChar\$qqrcx17System@Ans | 1 |
| @Jvstrutils@DelChars\$qqrx17System@Ansi! | 1 |
| @Checklst@TCheckListBox@\$bctr\$qqrp18C | 1 |
| @Jvdsadialogs@DSARegStore\$qqrv | 1 |
| @Jvdsadialogs@GetDSACheckMarkText\$qqri | 1 |
| @Jvdsadialogs@RegisterDSACheckMarkText | 1 |
| @Jvdsadialogs@RegisterDSA\$qqrxix17Syste | 1 |
| @Jvdsadialogs@DSAShowMessage\$qqrxix17 | 1 |
| @Jvdsadialogs@ShowMessage\$qqrx17Syste | 1 |
| @Dxpagecontrol@TdxCustomPageControl@ | 1 |
| @Dxpagecontrol@TdxCustomPageControl@ | 1 |
| @Dxpagecontrol@TdxTabSheet@SetTabVisi | 1 |
| @Jvplacemnt@TJvFormStorage@SeTJvStore | 1 |
| @Jvplacemnt@TJvFormStorage@GeTJvStor | 1 |
| @Jveditor@TJvCustomEditor@GetLines\$qqri | 1 |
| @Jvhleditor@TJvHLEditor@ | 1 |
| @Untdefaultvaluescomponenteditdefaultva | 1 |
| @Vedefaultvalues@Finalization\$qqrv | 1 |
| @Vedefaultvalues@TVeDefaultValues@SetF | 1 |
| @Vedefaultvalues@TVeDefaultValues@Exe | 1 |
| @Vedefaultvalues@TVeDefaultValues@Assi | 1 |

| | |
|---|---|
| @Vedefaultvalues@TVeDefaultValues@ | 1 |
| @Frxclass@TfrxReport@ShowPreparedRepc | 1 |
| @Dxgrclex@Finalization\$qqrv | 1 |
| jpeg_read_scanlines | 1 |
| QuitOGGSoundSystem | 1 |
| IcfFreeProfile | 1 |
| ??4?\$basic_filebuf@DU?\$char_traits@D@st | 1 |
| MediaInfoA_New | 1 |
| config_SaveConfigFile | 1 |
| input_CreateAndStart | 1 |
| ?staticMetaObject@COviMenu@@2UQMet: | 1 |
| ?qt_metacall@COviMenu@@UAEHW4Call@ | 1 |
| ?qt_metacast@COviMenu@@UAEPAXPBD@ | 1 |
| ??1COviMenu@@UAE@XZ | 1 |
| ??0COviMenu@@QAE@PAVQWidget@@_I | 1 |
| ?updateAvailable@DeviceUpdateCheckerDe | 1 |
| ?devices@DeviceUpdateChecker@Software | 1 |
| ?checkForUpdates@DeviceUpdateChecker@ | 1 |
| ?setInterval@DeviceUpdateChecker@Softw | 1 |
| ?salesName@DeviceUpdateCheckerDevice@ | 1 |
| ?initialize@DeviceUpdateChecker@Software | 1 |
| ??0DeviceUpdateChecker@SoftwareUpdate | 1 |
| ?productCode@DeviceUpdateCheckerDevice | 1 |
| ?uninitialize@DeviceUpdateChecker@Softw | 1 |
| ??1DeviceUpdateChecker@SoftwareUpdate | 1 |
| ?setNetworkProxy@DeviceUpdateChecker@ | 1 |
| ??1DeviceUpdateCheckerDevice@Softwareel | 1 |
| ?isAutomaticSwCheckEnabled@@YA_NXZ | 1 |
| ?staticMetaObject@QSystemTrayIcon@@2L | 1 |
| ?setExclusive@ QActionGroup@@QAEX_N@ | 1 |
| ?addAction@ QActionGroup@@QAEPAVQA@ | 1 |
| ?setCheckable@ QAction@@QAEX_N@Z | 1 |
| ?setChecked@ QAction@@QAEX_N@Z | 1 |
| ?setData@ QAction@@QAEXABVQVariant@ | 1 |
| ?actions@ QActionGroup@@QBE?AV?\$QLis@ | 1 |
| ?addActions@ QWidget@@QAEXV?\$QList@ | 1 |
| ?showMessage@ QSystemTrayIcon@@QAE | 1 |
| ?setEnabled@ QActionGroup@@QAEX_N@Z | 1 |
| ?data@ QAction@@QBE?AVQVariant@@XZ | 1 |
| ?isSystemTrayAvailable@ QSystemTrayIcon@ | 1 |
| ??0QTcpServer@@QAE@PAVQObject@@@ | 1 |
| ?listen@ QTcpServer@@QAE_NABVQHostA@ | 1 |
| ??1QTcpServer@@UAE@XZ | 1 |
| ?addDays@ QDateTime@@QBE?AV1@H@Z | 1 |
| ?addMonths@ QDateTime@@QBE?AV1@H(| 1 |
| ?setMapping@ QSignalMapper@@QAEXP@ | 1 |
| ?startDetached@ QProcess@@SA_NABVQSt | 1 |

| | |
|--|---|
| ?setOrganizationName@QCoreApplication@ | 1 |
| ExtEnd | 1 |
| ?TransferExperienceToWeb@BiciWrapper@ | 1 |
| ?AddStringToPoint@BiciWrapper@@YC | 1 |
| ?DrawSizingBorder@CGDialog@@MAEHH@ | 1 |
| ?_GetDraw@CGDialog@@UAEPUIGContrc | 1 |
| ?WindowProc@CGDialog@@MAEJII@Z | 1 |
| ??1CGDialog@@UAE@XZ | 1 |
| ??0CGDialog@@QAE@IPAVCWnd@@@Z | 1 |
| ?DoDataExchange@CGDialog@@MAEXPV@ | 1 |
| ?OnDestroy@CGDialog@@IAEXXZ | 1 |
| ?UnsubclassControl@CRsGuiLibMgr@@SAH | 1 |
| ?AdjustDialogSize@CGDialog@@QAEHH@Z | 1 |
| ?ChangeControlCustomDraw@CRsGuiLibMg | 1 |
| ?SubclassControl@CRsGuiLibMgr@@SAHPA | 1 |
| ?OnInitDialog@CGDialog@@MAEHXZ | 1 |
| ?GetThisMessageMap@CGDialog@@KGPBL | 1 |
| ??1CGStatic@@UAE@XZ | 1 |
| ??1CGButton@@UAE@XZ | 1 |
| ??0CGStatic@@QAE@XZ | 1 |
| ??0CGButton@@QAE@XZ | 1 |
| ?ChangeControlLayout@CRsGuiLibMgr@@S | 1 |
| ?ChangeControlSize@CRsGuiLibMgr@@SAF | 1 |
| ?RemoveCtrl@CGScrollBarMgr@@SAXPAUI | 1 |
| ??0CGLListCtrl@@QAE@XZ | 1 |
| ??1CGLListCtrl@@UAE@XZ | 1 |
| ??1CGComboBox@@UAE@XZ | 1 |
| ??1CGEdit@@UAE@XZ | 1 |
| ??0CGComboBox@@QAE@XZ | 1 |
| ??0CGEdit@@QAE@XZ | 1 |
| ?ChangeCustomDraw@CRsGuiLibMgr@@SA | 1 |
| ?ChangeCustomDraw@CRsGuiLibMgr@@SAF | 1 |
| ??1CGProgress@@UAE@XZ | 1 |
| ??0CGProgress@@QAE@XZ | 1 |
| ?OnChanged@CGDialog@@UAEJHI@Z | 1 |
| ?do_out@?\$codecvt@GDH@std@@MBEHA | 1 |
| ?denorm_min@?\$numeric_limits@J@std@ | 1 |
| ?ListPatientAppointments@@YGXPAUHWNI | 1 |
| ?intToSOEWORLD@@YAGH@Z | 1 |
| ?snprintf@@YAHPADIPBDZZ | 1 |
| ?strcpysz@@YAXPADHPBD@Z | 1 |
| ?strcatm@@YGXPADPBD@Z | 1 |
| ?strlenm@@YGIPBD@Z | 1 |
| ?ALEDataCXYCheckProc@@YGHPAUHWND_ | 1 |
| ?RCOErase@@YGHPAURCO@@PAX@Z | 1 |
| ?InstallIndex@@YGHPAURCO@@HIIIHPAD | 1 |
| ?CreateAutoRCO@@YGPAURCO@@P6GXP/ | 1 |

| | |
|--------------------------------------|---|
| ?FindAndActivateChildByNameHWND@@YG | 1 |
| ?WriteLogAssert@@YAXPBD0I@Z | 1 |
| ?ProClose@@YAXXZ | 1 |
| ?ProCompletePos@@YAHXZ | 1 |
| ?ProDeltaPos@@YAHJ@Z | 1 |
| ?ProOpenGraph@@YAPAUHWNDA_@@PAI | 1 |
| ?ReadCache@@YAHHPAXP6GH00@Z@Z | 1 |
| ?AddD@@YANNNN@Z | 1 |
| ?DivD@@YANNNN@Z | 1 |
| ?PlusGST@@YGNNAZ | 1 |
| ?AddOKCancel@@YGHPAUHWNDA_@@PAI | 1 |
| ?DateRangeWidth@@YAHXZ | 1 |
| ?DateRangeHeight@@YAHXZ | 1 |
| ?CreateDateRangeControl@@YGPAUHWNDA | 1 |
| ?FAdd@@YGHPAUHWNDA_@@PAXHHHHF | 1 |
| ?KillCache@@YAXH@Z | 1 |
| ?GaugeProcessEvents@@YAXXZ | 1 |
| ?InitCache@@YAXHHH@Z | 1 |
| ?DForm@@YAHPAUHWNDA_@@P6GX0PA | 1 |
| ?SetDateRangeToToday@@YAXPAUDATERA | 1 |
| ?GetFormBrush@@YAPAUHBRUSH_@@I@C | 1 |
| ?WLMConfirmIsSame@@YAXPAUHWNDA | 1 |
| ?_SOEGetWindowLongRaw@@YAJPAUHWNI | 1 |
| ?WLMAAddOrUpdate@@YAXPAUHWNDA | 1 |
| ?_SOESetWindowLongRaw@@YAJPAUHWNI | 1 |
| ?sox_ffree1@@YGXPAXPADI@Z | 1 |
| ?sox_fmalloc1@@YGPAXK@Z | 1 |
| ?FAddLabel@@YGHPAUHWNDA_@@PAXHI | 1 |
| ?AddClose@@YGHPAUHWNDA_@@PAXP6I | 1 |
| ?SetAutoRobotLabeling@@YAXPAUHWNDA | 1 |
| ?AssignStreams@@YAXPAUHWNDA_@@HF | 1 |
| ?AddToLine@@YAXPAUHWNDA_@@HH_J@C | 1 |
| ?FlagsOn@@YGH_J@Z | 1 |
| ?GetUConfig@@YAPAUUser_config_t@XZ | 1 |
| ?GetLogonSecurity@@YAXPAUSECURE_T@() | 1 |
| ?IsAdmin@@YAHXZ | 1 |
| ?IsFeatureOn@@YAHHI@Z | 1 |
| ?SetUserConfigInt@@YAHPBDH@Z | 1 |
| ? GetUserConfigInt@@YAHPBDH@Z | 1 |
| ?GetSConfig@@YAPAUstic_config_t@XZ | 1 |
| ?SetConfigInt@@YAHPBDH@Z | 1 |
| ?SetConfigString@@YAHPBD0@Z | 1 |
| ?CreateWizard@@YAHPAUHWNDA_@@PAI | 1 |
| ?CreateWizard2@@YAHPAUHWNDA_@@PI | 1 |
| ?CreateWizard3@@YAHPAUHWNDA_@@PI | 1 |
| ?EnableWizard@@YAXPAUHWNDA_@@HH | 1 |
| ?ChangeWizard@@YAXPAUHWNDA_@@H@C | 1 |

| | |
|--|---|
| ?ChangeWizardPage@@YAXPAUHWND__@ | 1 |
| ?InputGlobalLogon@@YAHPAUlogon_t@@@ | 1 |
| ?GetControlHandle@@YGHPAUHWND__@() | 1 |
| ?IsEnabled@@YGHPAUHWND__@@I@Z | 1 |
| ?GetWindowVersion@@YAHXZ | 1 |
| ?uintToInt@@YAHI@Z | 1 |
| ?SetElementText@@YGHPAUHWND__@@@I | 1 |
| ?ToolTipParentWndProc@@YGHPAUHWND | 1 |
| ?GetWheelScrollLines@@YAIXZ | 1 |
| ?ToolTipUp@@YGHXZ | 1 |
| ?AddToRecentLoadedFile@@YAHPAUHWNDI | 1 |
| ?GetChildWindowHandle@@YAPAUHWND_ | 1 |
| ?DrawHasLinkedInstalment@@YGXPAUHDC | 1 |
| ?DrawNoteInApptBook@@YGXPAUHDC__@ | 1 |
| ?MStrHasText@@YAHPAUMSTR@@@Z | 1 |
| ?DrawHashedRect@@YAXPAUHDC__@@@Hf | 1 |
| ?GetSmallScaledFont@@YAHH@Z | 1 |
| ?AddSplitter@@YAXPAUHWND__@@@W4Sp | 1 |
| ?AutoCreateViewList@@YAPAUHWND__@() | 1 |
| ?EditRCORecordNoOutput@@YGHPAUHWN | 1 |
| ?MoveElement@@YGXPAUHWND__@@@HH | 1 |
| ?InvalidateControl@@YAXPAUHWND__@@@ | 1 |
| ?AddOutputId@@YGHPAUHWND__@@@II@ | 1 |
| ?ExtendedCopyNextDelimitedString@@YGH | 1 |
| ?ConvertTDateToDate@@YAXPAUPDATE_TYPE(| 1 |
| ?InDateRange@@YAHUPDATE_TYPE@@00@ | 1 |
| ?RestartBox@@YGXPAUHWND__@@PAULI | 1 |
| ?RelistBox@@YGXPAUHWND__@@PAULIS | 1 |
| ?CreateDrawList@@YGHPAPAX@Z | 1 |
| ?CreateMList@@YGPAUHWND__@@PAU1 | 1 |
| ?AddListDataTableM@@YGXPAXPAUDATA_ | 1 |
| ?ALEM@@YGHPAHHHHJI_JPADH@Z | 1 |
| ?DestroyDrawList@@YGXPAUHWND__@@@I | 1 |
| ?GetIDOfCurrentTab@@YAHPAUHWND__@ | 1 |
| ?SetTabFromID@@YAHPAUHWND__@@@H@ | 1 |
| ?GaugeCancelPushed@@YAHXZ | 1 |
| ?GetDayStrLong@@YAXPADHH@Z | 1 |
| ?InstallLink@@YGXPAURCO@@IHHH@Z | 1 |
| ?InstallAEData@@YGXPAURCO@@HP6GX0I | 1 |
| ?stristr@@YAPBDPBD0@Z | 1 |
| ?RCONext@@YGHPAURCO@@PAX@Z | 1 |
| ?RCOConfirmErase@@YAHPAUHWND__@@C | 1 |
| ?GetControlsRCO@@YAHPAUHWND__@@@I | 1 |
| ?IsFutureDate@@YAHPAUPDATE_TYPE@@@ | 1 |
| ?CreateAutoFieldRCO@@YAPAURCO@@HF | 1 |
| ?RCOConfirmCode@@YGHPAURCO@@PAU | 1 |
| ?InstallIndexEx@@YGHPAURCO@@HIIIIHP/ | 1 |

| | |
|--------------------------------------|---|
| ?InstallFilter@@YGHPAURCO@@HIIHJJ@Z | 1 |
| ?ALEDataCXYCheckProcBmpEx@@YGHPAUFI | 1 |
| ?ALEDataCXYBmpEx@@YGHPAUWND__@ | 1 |
| ?LoadAndPaintPhoto@@YAXPAUWND__@ | 1 |
| ?InstallLinkedRecord@@YGXPAURCO@@HF | 1 |
| ?GetSelectedListItem@@YAPAXPAUWND_ | 1 |
| ?GetLogonProvider@@YAHPAUPROVIDER@ | 1 |
| ?GetLoginDate@@YAPAUUPDATE_TYPE@@PA | 1 |
| ?RCODefault@@YGXPAURCO@@PAX@Z | 1 |
| ?RCOFirst@@YGHPAURCO@@PAX@Z | 1 |
| ?InstallSort@@YGHPAURCO@@HIIHJJ@Z | 1 |
| ?InstallEmptyValue2@@YGHPAURCO@@HI | 1 |
| ?CloseToolTip@@YGXXZ | 1 |
| ?EditRCORecord@@YGHPAUWND__@@P | 1 |
| ?CopyCommentUID@@YGHPAURID@@U1(| 1 |
| ?RCOIsRecordset@@YGHPAURCO@@@Z | 1 |
| ?RepPrintBegin@@YGPAUpnreport@@PAI | 1 |
| ?PrintEnd@@YGHPAUWND__@@PAUpn | 1 |
| ?AddOK@@YGHPAUWND__@@PAXP6GH | 1 |
| ?AddRationalRobotLabel@@YAXPADHHHPA | 1 |
| ?FCreateMDI@@YAPAUWND__@@PAU1(| 1 |
| ?GetTabHeight@@YAHXZ | 1 |
| ?XVir2Pix@@YGH@Z | 1 |
| ?DrawBmpMskWidthHeight@@YAXPAUHD(| 1 |
| ?GetDate@@YAPAUUPDATE_TYPE@@@Z | 1 |
| ?strcatszSpace@@YAXPADHPBDH@Z | 1 |
| ?ConvertStringToVariable@@YAHQAXQBDH | 1 |
| ?SubD@@YANNN@Z | 1 |
| ?InstallSortType@@YGHPAURCO@@HIIHJ@ | 1 |
| ?InstallDragSourceSubClass@@YGHPAUHW | 1 |
| ?KillRCOandControlData@@YGHPAURCO@() | 1 |
| ?ALEDataCX@@YGHPAUWND__@@IHI_JF | 1 |
| ?uintToUnChar@@YAEI@Z | 1 |
| ?CreateDForm@@YAHPAUWND__@@HH | 1 |
| ?CompareTDates@@YAPAUUPDATE_TYPE@() | 1 |
| ?DrawTBFad@@YAKPAUHDC__@@HHHHKI | 1 |
| ?GetLineSpacing@@YAHPAUWND__@@H | 1 |
| ?SetGroundZero@@YAXPAUWND__@@G | 1 |
| ?GetUnScaledSize@@YAH@Z | 1 |
| ?CreateNameAndDateOfBirthControl@@YG | 1 |
| ?GetLine@@YAHPAUWND__@@H@Z | 1 |
| ?MaxStreams@@YAXPAUWND__@@HHH | 1 |
| ?CreatePatientPhotoCtl@@YGPAUWND__ | 1 |
| ?PostMessageToControl@@YGJPAUWND_ | 1 |
| ?InstallToolTips@@YGXPAUWND__@@P6 | 1 |
| ?SetLine@@YAXPAUWND__@@HH@Z | 1 |
| ?SetLineSpacing@@YAHPAUWND__@@H | 1 |

| | |
|---|---|
| ?RCOIndex@@YAXPAUHWND__@@P6GPA\ | 1 |
| ?SetActionData@@YAXPAUHWND__@@HP | 1 |
| ?SetFocusToControl@@YAXPAUHWND__@I | 1 |
| ?SendLinkMessage@@YGHPAUHWND__@C | 1 |
| ?ClosePopUpNotesForWindow@@YAXPAUF | 1 |
| ?OpenPopUpNotesForPatient@@YAXPAUH\ | 1 |
| ?SaveNoteMStr@@YGHUMSTR@@PAURID(| 1 |
| ?MStrCmp@@YAHPAUMSTR@@0@Z | 1 |
| ?ALEDataCXIndex@@YGHPAUHWND__@@@ | 1 |
| ?strcpym@@YAXPADPBD@Z | 1 |
| ?CopyNextDelimitedString@@YGHPBDPAHF | 1 |
| ?strcmpm@@YAHPBDO@Z | 1 |
| ?strclr@@YAXPADI@Z | 1 |
| ?SetFileWindowDefaultIndex@@YAXPADH@ | 1 |
| ?GetFileWindowDefaultIndex@@YAHPBD@ | 1 |
| ?MStrCopy@@YAHPAUMSTR@@U1@@@Z | 1 |
| ?IsFormAdd@@YAHPAUHWND__@@@Z | 1 |
| ?GetComputerConfigInt@@YAHPBDH@Z | 1 |
| ?ResetForm@@YAXPAUHWND__@@@Z | 1 |
| ?WeekDay@@YAHPBUPDATE_TYPE@@@Z | 1 |
| ?WeekDayStrLong@@YAXPADHPBUPDATE_T | 1 |
| ?RemoveLeadingSpacesM@@YAXPAD@Z | 1 |
| ?MStrClear@@YAXPAUMSTR@@@Z | 1 |
| ?LoadNoteMStr@@YGHPAUMSTR@@URID(| 1 |
| ?EnableControl@@YAXPAUHWND__@IH(| 1 |
| ?EnableElement@@YAXPAUHWND__@IH | 1 |
| ?ResetComboContent@@YAXPAUHWND__@ | 1 |
| ?SetFieldColour@@YGXPAUHWND__@HI | 1 |
| ?SetIndexConfigInt@@YAHPBDGH@Z | 1 |
| ?CopyMLists@@YAXPAULIST_T@@0H@Z | 1 |
| ?OpenDataLogFile@@YAPAXW4LOGGING_II | 1 |
| ?InstallTimerCallBackFixedTime@@YGJP6G\ | 1 |
| ?GetNoDays@@YAHHH@Z | 1 |
| ?DumpCache@@YAXH@Z | 1 |
| ?ReInitList@@YAXPAULIST_T@@H@Z | 1 |
| ?LogDateTime@@YAXPAX@Z | 1 |
| ?WriteLogEntry@@YAXPAXPBD@Z | 1 |
| ?WriteTimedLogEntry@@YAXPAXPAD@Z | 1 |
| ?ZeroDate@@YAHPAUDATE_TYPE@@@Z | 1 |
| ?CloseLog@@YAXPAX@Z | 1 |
| ?MStrKill@@YAXPAUMSTR@@@Z | 1 |
| ?ClearDate@@YAXPAUDATE_TYPE@@@Z | 1 |
| ?ReadCacheRID@@YAHHPAXURID@@@Z | 1 |
| ?GetPersonSendingEmailAddress@@YAHPB | 1 |
| ?MaxDate@@YAXPAUDATE_TYPE@@@Z | 1 |
| ?DateAndTimeCmp@@YAHUPDATE_TYPE@C | 1 |
| ?GetTime@@YAIHZ | 1 |

| | |
|--------------------------------------|---|
| ?GetLogonCode@@YAPADPAD@Z | 1 |
| ?IsTimeInRange@@YAHGGG@Z | 1 |
| ?SetDateBlank@@YAXPAUPDATE_TYPE@@@C | 1 |
| ?SortList@@YGXPAULIST_T@@P6AHPBX1@ | 1 |
| ?MakeName@@YAXPADPBD11@Z | 1 |
| ?InitialsName@@YAXPAD00@Z | 1 |
| ?MakeReverseName@@YAXPADH0000@Z | 1 |
| ?MStrInit@@YAXPAUMSTR@@@Z | 1 |
| ?GetLogonLocationCode@@YAPADPAD@Z | 1 |
| ?trimstrm@@YAXPAD@Z | 1 |
| ?strcmp@YAHPBD0@Z | 1 |
| ?PaintBackGndColours@@YGXPAUHWND_ | 1 |
| ?strcatsz@@YAXPADHPBD@Z | 1 |
| ?GetFormColour@@YAKI@Z | 1 |
| ?intToSOEINT@@YAFH@Z | 1 |
| ?PrintNewPage@CPrintLine@@YGHPAUpn | 1 |
| ?PrintCheckLastLine@@YGHPAUpnreport@ | 1 |
| ?Round@@YANNI@Z | 1 |
| ?MulD@@YANNN@Z | 1 |
| ?uintToSOEINT@@YAFI@Z | 1 |
| ?MMultiInit@@YGXXZ | 1 |
| ?MMultiClear@@YGXPAUMultiData@@@Z | 1 |
| ?IsMultiSelected@@YGHPAUMultiData@@I | 1 |
| ?AgeInYears@@YAHPAUPDATE_TYPE@@@0@ | 1 |
| ?MMultiAddFields@@YGXPAUHWND_@@@ | 1 |
| ?MMultilsHilite@@YGHPAUMultiData@@P | 1 |
| ?CreateChooseList@@YAPAUHWND_@@@F | 1 |
| ?FAddBmp@@YGHPAUHWND_@@@PAXHF | 1 |
| ?AddListDataTable@@YGHPAUHWND_@@@C | 1 |
| ?ALE@@YGHPAUHWND_@@@IHHHHJI_JPA | 1 |
| ?ALEDataCXYProcIndexBmpEx@@YGHPAUH | 1 |
| ?GetBldFont@@YGPauhFont_@@@XZ | 1 |
| ?GetStdFont@@YGPauhFont_@@@XZ | 1 |
| ?DrawData@@YAHPAUHDC_@@@PBXHHH_ | 1 |
| ?uintToSOEWORLD@@YAGI@Z | 1 |
| ?GetLogonDate@@YAPAUUPDATE_TYPE@@P, | 1 |
| ?GetListLineHeight@@YAHXZ | 1 |
| ?GetScaledSize@@YAH@Z | 1 |
| ?GetAppointFormBrush@@YAPAUHBRUSH_ | 1 |
| ?CreateRCO@@YGPAURCO@@P6GHPAU1@ | 1 |
| ?PatchRCODiskCalls@@YGXPAURCO@@P6C | 1 |
| ?KillRCO@@YGHPAURCO@@@Z | 1 |
| ?MoveDays@@YGXPAUPDATE_TYPE@@H@Z | 1 |
| ?WeekDayStr@@YAXPADHPAUDATE_TYPE@ | 1 |
| ?Wait@@YGXPAUHWND_@@@Z | 1 |
| ?FreeWait@@YGXXZ | 1 |
| ?SetActionDataAll@@YAXPAUHWND_@@@ | 1 |

| | |
|--|---|
| ?EnableControlWindow@@YGXPAUHWND_ | 1 |
| ?IsDateBlank@@YAHPBUDATE_TYPE@@@Z | 1 |
| ?ConvertVariableToStringM@@YAXPBXPAD | 1 |
| ?ConvertVariableToString@@YGXPBXPADH_ | 1 |
| ?PersonHasSendingEmailAddress@@YAHPB | 1 |
| ?DLoopRawExcludeDeletedGauge@@YAHPI | 1 |
| ?DOoutputLogon@@YAHPAUlogon_t@@@Z | 1 |
| ?IsFeatureOnForUser@@YAHHIPAUlogon_t | 1 |
| ?strcatmComma@@YAXPADPBDH@Z | 1 |
| ?strcatmSpace@@YGXPADPBDH@Z | 1 |
| ?DestroyElement@@YGXPAUHWND__@@I | 1 |
| ?GetTabCount@@YAHPAUHWND__@@@Z | 1 |
| ?RemoveTabEntry@@YAXPAUHWND__@@@ | 1 |
| ?InstallTimerCallBack@@YGJP6GXPAUHWN | 1 |
| ?GetLogon@@YAXPAUlogon_t@@@Z | 1 |
| ?TranslateString@@YAXPADH@Z | 1 |
| ?RemoveTimerCallBack@@YGXJ@Z | 1 |
| ?IsTab@@YGHPAUHWND__@@H@Z | 1 |
| ?RCOHasRecords@@YGHP6GPAURCO@@P | 1 |
| ?RCOREcordsHaveChanged@@YGHPAUHWI | 1 |
| ?CreateFormChild@@YGPAUHWND__@@P | 1 |
| ?InstallContextSensitiveHelp@@YAXPAUHW | 1 |
| ?CreateRCOEmailInbox@@YGPAURCO@@P | 1 |
| ?DFormOptions@@YAHPAUHWND__@@HI | 1 |
| ?MPIsProviderSelected@@YAHPAUMULTD(| 1 |
| ?strcpysize@@YAHPADHPBD@Z | 1 |
| ?strcatsize@@YAHPADHPBD@Z | 1 |
| ?GetWindowSizeFromDatabase@@YAXPAU | 1 |
| ?IsMDIAAlreadyMaximised@@YGHPAUHWNI | 1 |
| ?IsFirstMDI@@YGHPAUHWND__@@@Z | 1 |
| ?CreateForm2@@YGHPAUHWND__@@0@ | 1 |
| ?AddDataTable@@YGHPAUHWND__@@PA | 1 |
| ?AFELabel@@YGHPAUHWND__@@HHHHJI | 1 |
| ?FormWndProc@@YGJPAUHWND__@@IIJF | 1 |
| ?SetWindowSizeToDatabase@@YAXPBDPAL | 1 |
| ?WindowDeactivated@@YGXPAUHWND__() | 1 |
| ?SetCurrentMDIActive@@YGXPAUHWND__ | 1 |
| ?SOEmemcpy@@YAHPAXPBXI@Z | 1 |
| ?GetControlWindow@@YGPAUHWND__@@(| 1 |
| ?SetTDateFromStr@@YAXPADPAUPDATE_TYI | 1 |
| ?_InitList@@YAXPAULIST_T@@HPADH@Z | 1 |
| ?DaysBetween@@YAHPAUDATE_TYPE@@C | 1 |
| ?PrintSetRange@@YAXJ@Z | 1 |
| ?datecmp@@YAHQBUDATE_TYPE@@0@Z | 1 |
| ?PrintCancelled@@YGHXZ | 1 |
| ?PrintDeltaPos@@YAXJ@Z | 1 |
| ?GetCount@@YAHPAULIST_T@@@Z | 1 |

| | |
|--|---|
| ?PrintLine@CPrintLine@@YGHPAUpnrepor | 1 |
| ?MoveDate@@YAXPAUPDATE_TYPE@@HH@C | 1 |
| ?MPGetNext@@YGHPAUMULTD@@PAUPR | 1 |
| ?MCIsClinicSelected@@YAHPAUMULTD@@ | 1 |
| ?intToChar@@YACH@Z | 1 |
| ?GetConfigStringM@@YAHPBDPADIO@Z | 1 |
| ?GetConfigInt@@YAHPBDH@Z | 1 |
| ?GetIndexConfigInt@@YAHBDGPAH@Z | 1 |
| ?SearchAndReplaceAllInPlace@@YAXPADHF | 1 |
| ?ctyGetExemptionDetailsForDebtor@@YGXI | 1 |
| ?ToolBarAddAppointmentBook@@YAXPADI | 1 |
| ?ToolBarClearAppointmentBooks@@YAXXZ | 1 |
| ?GetClienthWnd@@YGPAUHWND__@@XZ | 1 |
| ?IsGstIncluded@@YAHPAUSERVICE@@@Z | 1 |
| ?LoadPrivateFee@@YAHPAUSFEE@@PAD1 | 1 |
| ?CreateRCOS3Service@@YGPAURCO@@PA | 1 |
| ?ResetAppointmentMenu@@YGXXZ | 1 |
| ?OpenMaximised@@YGHXZ | 1 |
| ?CreateRCOWaitListforApptBook@@YGPAU | 1 |
| ?UsingWaitlist@@YGHXZ | 1 |
| ?CreateRCOFundingAuthority@@YGPAURC(| 1 |
| ?IsCorrectionType@@YAHPAUtrnsj_t@@K@C | 1 |
| ?GetDentistNameOrCodeNoTitle@@YAXPAI | 1 |
| ?ResetPPlanNextDueInstalment@@YAXURI[| 1 |
| ?SetWaitListStatusRID@@YAXURID@@G@Z | 1 |
| ?PrintTransportLetter@@YGHPAUHWND__ | 1 |
| ?PrintAdvocateLetter@@YGHPAUHWND__ | 1 |
| ?GetEPIData@@YGHPAUHWND__@@PAUE | 1 |
| ?GetOHPData@@YGHPAUHWND__@@PAL | 1 |
| ?GetScreeningData@@YGHPAUHWND__@() | 1 |
| ?DeleteScreeningSession@@YGHPAURID@() | 1 |
| ?HoldScreeningSession@@YGHPAURID@@ | 1 |
| ?CreateProviderRCO@@YGPAURCO@@PAX | 1 |
| ?CheckForAllWaitlistEntries@@YAHPAUHW | 1 |
| ?GetBasehWnd@@YGPAUHWND__@@XZ | 1 |
| ?PrintPRX@@YGXPAUHWND__@@@HPAXH(| 1 |
| ?PopupFamilyPayment@@YAXPAUHWND_ | 1 |
| ?CreateRCODentist@@YGPAURCO@@PAXF | 1 |
| ?PopupPayment@@YGHPAUHWND__@@@P | 1 |
| ?GetProviderTypeStringFromType@@YAXFF | 1 |
| ?ScreeneeSessionHasScreeenees@@YGHPAU | 1 |
| ?DoPatientQueryPopupNoteFromAppointme | 1 |
| ?DeleteOHPSession@@YGHPAURID@@@Z | 1 |
| ?MakeContactLetter@@YA_NPAUHWND__ | 1 |
| ?CreateRCOCategoryAppointment@@YGPA | 1 |
| ?CreateRCONotHygienist@@YGPAURCO@C | 1 |
| ?CreateRCOHygienist@@YGPAURCO@@PA | 1 |

| | |
|---------------------------------------|---|
| ?CreateRCOActiveProvider@@YGPAURCO@ | 1 |
| ?CreateRCOLogon@@YGPAURCO@@PAXH(| 1 |
| ?DoPatientQueryPopupNote@@YAXPAUHW | 1 |
| ?EditRecallConfiguration@@YAHPAUHWND | 1 |
| ?GetDefaultHygRecallCode@@YAXPADH@Z | 1 |
| ?bAreBookableWaitlists@@YAHURID@@@. | 1 |
| ?AddBookedWaitlistEntryAppt@@YAHPAUF | 1 |
| ?GetPatientToolbarFadeColours@@YAXPAU | 1 |
| ?HoldEPISession@@YGHPAURID@@@Z | 1 |
| ?DeleteEPISession@@YGHPAURID@@@Z | 1 |
| ?HoldOHPSSession@@YGHPAURID@@@Z | 1 |
| ?MakeContactLabel@@YA_NPAUHWND_@C | 1 |
| ?DOutputEx@@YAHPAURECHEAD_T@@HP | 1 |
| ?DLoopEndEx@@YAXPAPAXPADH@Z | 1 |
| ?GetRIDRecNum@@YGKPAURID@@@Z | 1 |
| ?DatabaseAccessEnabled@@YAHXZ | 1 |
| ?EnableDatabaseAccess@@YAXXZ | 1 |
| ?DisableDatabaseAccess@@YAXXZ | 1 |
| ?GetRIDFileNum@@YGHPAURID@@@Z | 1 |
| ?DPrevEx@@YAHPAURECHEAD_T@@HHPA | 1 |
| ?RSSetInMem@@YAXJ@Z | 1 |
| ?DLoop1OrderDescEx@@YAHPAPAXPAURE(| 1 |
| ?CmpRecord@@YGHPAZO@Z | 1 |
| ?IsRecordCurrent@@YAHPAURECHEAD_T@ | 1 |
| ?GetRecordNumber@@YG?AURID@@PAXC | 1 |
| ?DiskNextEx@@YAXPAXHHHP6G?AW4diskt | 1 |
| ?DiskInputEx@@YAXPAXHHHP6G?AW4diskt | 1 |
| ?DiskFirstEx@@YAXPAXHHHP6G?AW4diskt | 1 |
| ?SetUIDBlank@@YGXPURID@@@Z | 1 |
| ?DLoop4REx@@YAHPAPAXPAURECHEAD_T(| 1 |
| ?DInput3Ex@@YAHPAURECHEAD_T@@HHF | 1 |
| ?RSBeginWhereInGroup@@YAXJ@Z | 1 |
| ?RSEndWhereInGroup@@YAXJ@Z | 1 |
| ?DLoop4RNoInput@@YAHPAPAXPAURECHE | 1 |
| ?DInput2Ex@@YAHPAURECHEAD_T@@HHF | 1 |
| ?DNewUID@@YAHPAURID@@H@Z | 1 |
| ?DNextEx@@YAHPAURECHEAD_T@@HHPA | 1 |
| ?CmpRecordRID@@YGHPAURECHEAD_T@C | 1 |
| ?IsUIDBlank@@YGHPBURID@@@Z | 1 |
| ?DAddEx@@YAHPAURECHEAD_T@@HPAIP | 1 |
| ?GetDefaultDSNum@@YAHXZ | 1 |
| ?DataSourcesSQL@@YAHJ@Z | 1 |
| ?RSCreate@@YAJH@Z | 1 |
| ?RSAAddWhere@@YAXJPAD0HPAX@Z | 1 |
| ?RSAAddWhereBetween@@YAXJPADHHPAX: | 1 |
| ?RSAAppendValueList@@YAHJPADIHPAX@Z | 1 |
| ?RSAAddWhereIn@@YAXJPAD0H@Z | 1 |

| | |
|--|---|
| ?RSSetSuperFast@@YAXJ@Z | 1 |
| ?RSLoop@@YAHJPAURECHEAD_T@@@Z | 1 |
| ?RSKill@@YAHJ@Z | 1 |
| ?RSInputRID@@YAHPAURECHEAD_T@@HP | 1 |
| ?CompareRID@@YGHPAURID@@0@Z | 1 |
| ?SetRIDBlank@@YGXPAURID@@@Z | 1 |
| ?IsRIDEqual@@YGHPAURID@@0@Z | 1 |
| ?DiskOutputEx@@YAXPAXHHHP6G?AW4dis | 1 |
| ?bFileError@@YAHXZ | 1 |
| ?DiskAddEx@@YAXPAXHHHP6G?AW4diskte | 1 |
| ?DEraseEx@@YAHPAURECHEAD_T@@HPAI | 1 |
| ?DLoop3REx@@YAHPAPAXPAURECHEAD_T@ | 1 |
| ?GetRIDPtr@@YGPAURID@@PAURECHEAD | 1 |
| ?CmpRID@@YGHPAURID@@0@Z | 1 |
| ?ReIndexFileIfNecessary@@YAHPAUHWND | 1 |
| ?DFirstEx@@YAHPAURECHEAD_T@@HHPA | 1 |
| ?GetRecordRID@@YGXPAURECHEAD_T@@ | 1 |
| ?DLoop4Ex@@YAHPAPAXPAURECHEAD_T@ | 1 |
| ?DLoop3Ex@@YAHPAPAXPAURECHEAD_T@ | 1 |
| ?DLoop2Ex@@YAHPAPAXPAURECHEAD_T@ | 1 |
| ?DOoutputConfigEx@@YAHPAURECHEAD_TC | 1 |
| ?IsRecordBlank@@YGHPBURECHEAD_T@@ | 1 |
| ?DInputEx@@YAHPAURECHEAD_T@@HHP | 1 |
| ?RecordDefaultHeader@@YGXPAURECHEA[| 1 |
| ??0CSoeRecordset@@QAE@HJ@Z | 1 |
| ?DLoop5PathEx@@YAHPAPAXPAURECHEAC | 1 |
| ?DLoop4PathEx@@YAHPAPAXPAURECHEAC | 1 |
| ?DLoop3PathEx@@YAHPAPAXPAURECHEAC | 1 |
| ?DLoop2PathEx@@YAHPAPAXPAURECHEAC | 1 |
| ?DLoop1PathEx@@YAHPAPAXPAURECHEAC | 1 |
| ?DLoop0PathEx@@YAHPAPAXPAURECHEAC | 1 |
| ?RecordDefault@CSoeRecordset@@QAEXP | 1 |
| ?InputRID@CSoeRecordset@@QAEHPAURE | 1 |
| ?Erase@CSoeRecordset@@QAEHPAURECHE | 1 |
| ?Append@CSoeRecordset@@QAEHPAUREC | 1 |
| ?Add@CSoeRecordset@@QAEHPAURECHEA | 1 |
| ?Output@CSoeRecordset@@QAEHPAURECI | 1 |
| ?Input@CSoeRecordset@@QAEHPAURECHE | 1 |
| ?MovePrev@CSoeRecordset@@QAEHPAUR | 1 |
| ?MoveNext@CSoeRecordset@@QAEHPAUR | 1 |
| ?MoveLast@CSoeRecordset@@QAEHPAURI | 1 |
| ?MoveFirst@CSoeRecordset@@QAEHPAUR | 1 |
| ?IsValidCursorType@@YAHW4COMMAND_ | 1 |
| ?SetRefreshDelay@CFileDialogCache@@QAE | 1 |
| ?NeedsRefresh@CFileDialogCache@@QAEHF | 1 |
| ?IncFuncCount@@YGXHHJJ@Z | 1 |
| ?Get@CFileDialogCache@@QAEJH@Z | 1 |

| | |
|---------------------------------------|---|
| ?Inc@CFileTimeCache@@QAEXH@Z | 1 |
| ?FSstrcpy@@YAXPADPBDH@Z | 1 |
| ?DLoop2REx@@YAHPAPAXPAURECHEAD_T@ | 1 |
| ?IsRIDBlank@@YGHPBURID@@@Z | 1 |
| ?DInputRIDEx@@YAHPAURECHEAD_T@@H | 1 |
| ?DLoop1Ex@@YAHPAPAXPAURECHEAD_T@ | 1 |
| ?CompareUID@@YAHPBURID@@0@Z | 1 |
| ?DExistsN@@YAHHHHPAIHJJJPADH@Z | 1 |
| ?RecordDefault@@YAXPAXH@Z | 1 |
| ?NumberOfRecords@@YAJH@Z | 1 |
| ?DiskGetRecTime@@YAJH@Z | 1 |
| ?DInput1Ex@@YAHPAURECHEAD_T@@HHI | 1 |
| ?DLoop0Ex@@YAHPAPAXPAURECHEAD_T@ | 1 |
| ?PTMakeName@@YAXPADPAUdebtor_info_ | 1 |
| ?cmpHeadOfFamilyStatus@@YAHPAUdebto | 1 |
| ?GetSchoolCategory@@YAHGPADH@Z | 1 |
| ?PTMakeNameRID@@YAXPADURID@@@Z | 1 |
| ?CreateRCOApptContactList@@YGPAURCO(| 1 |
| ?CreateRCOApptRecallList@@YGPAURCO@ | 1 |
| ?CreateRCOApprovedCOTs@@YGPAURCO@ | 1 |
| ?RecallManagementApptConfigWizard@@Y | 1 |
| ?SendEmailOrSmsWithoutEditing@@YAHPB | 1 |
| ?GetPresetMedicalRecord@@YAHPAUMEDI | 1 |
| ?GetPatientEditMedAlert@@YGHPAUdebto | 1 |
| ?PatientIsExempt@@YAHPAUdebtor_info_t | 1 |
| ?CheckContactAndRecallLists@@YAXPAUHV | 1 |
| ?FillPatStructRID@@YGHPAUPAT@@PAURI | 1 |
| ?AddPatientPhoneContact@@YAHPAUHWN | 1 |
| ?DoesPatientHaveBadDebt@@YAHPAURID@ | 1 |
| ?ViewDebtorTransactions@@YAXPAUHWNI | 1 |
| ?ToothTextParts@@YGXPAUstic_config_t@ | 1 |
| ?PatientAllowedToBeBooked@@YAHPAUHV | 1 |
| ?EditAppointmentExemptions@@YAXPAUH | 1 |
| ?AddNoteToPatient@@YAHPAUWND__@ | 1 |
| ?GetPatientToolbarTipText@@YGHPADPAU | 1 |
| ?FillPatStruct@@YGHPAUPAT@@@Z | 1 |
| ?CreateRCOSchool@@YGPAURCO@@PAXH | 1 |
| ?CreateRCOPatient@@YGPAURCO@@PAXF | 1 |
| ?CreateRCOPlannedChartingMList@@YGPA | 1 |
| ?CreateRCOLocations@@YGPAURCO@@PA | 1 |
| ?SendPatientEmailOrSms@@YAXPAUHWNC | 1 |
| ?CalculateAppointmentWaitingTime@@YAF | 1 |
| ?EditPatientRID@@YAHPAUWND__@@P/ | 1 |
| ?LoadChartingMList@@YAXPAULIST_T@@L | 1 |
| ?AddNewPatientToFamily@@YAHPAUHWN | 1 |
| ?GetMostSeniorFamilyMember@@YAXPAU | 1 |
| ?WhichRecallsForSelection@@YAHPAUHW | 1 |

| | |
|--|---|
| ?CheckPatientRecallSettingsUpdateAppt@@ | 1 |
| ?CreateRCOPayor@@YGPAURCO@@PAXH@ | 1 |
| ?IsCDSPayor@@YAHPAD@Z | 1 |
| ?TransferPatients@@YGXPAUHWND__@@@ | 1 |
| PsWrapApcWow64Thread | 1 |
| Iols32bitProcess | 1 |
| @Dxtl@TCustomdxTreeListControl@SaveTo | 1 |
| @Dxtl@TCustomdxTreeListControl@LoadFr | 1 |
| 0@ | 1 |
| CloseCurUpdatePack | 1 |
| NeedCleanUpPackFile | 1 |
| CleanUpPackFile | 1 |
| UseLocalUpdatePack | 1 |
| RemoveFileFromPack | 1 |
| GetPackVersion | 1 |
| PackInitialize | 1 |
| IsFileInPack | 1 |
| GetFileFromPack | 1 |
| GetLocalUpdateFile | 1 |
| AddFileToPack | 1 |
| FillPackVersion | 1 |
| PackFinalize | 1 |
| ??0SysInfo@@QAE@XZ | 1 |
| ??1SysInfo@@UAE@XZ | 1 |
| argz_count | 1 |
| argz_next | 1 |
| argz_stringify | 1 |
| pthread_mutexattr_destroy | 1 |
| pthread_mutexattr_init | 1 |
| pthread_mutexattr_settype | 1 |
| stpcpy | 1 |
| tsearch | 1 |
| libiconv_set_relocation_prefix | 1 |
| @U_glbints@initialization\$qqrv | 1 |
| @Cxbaredititemvalueeditor@initialization\$ | 1 |
| @Joinfquerys@initialization\$qqrv | 1 |
| @U_querypublic@initialization\$qqrv | 1 |
| @U_inputstring@initialization\$qqrv | 1 |
| @U_queryres@initialization\$qqrv | 1 |
| @U_schemeform@initialization\$qqrv | 1 |
| @U_queryform@initialization\$qqrv | 1 |
| @Ipfunctions@initialization\$qqrv | 1 |
| @Cxshellcombobox@initialization\$qqrv | 1 |
| @Cxshelltreeview@initialization\$qqrv | 1 |
| @U_propertyfieldmap@initialization\$qqrv | 1 |
| @U_propmapdesign@initialization\$qqrv | 1 |
| @Cltcpclient@initialization\$qqrv | 1 |

| | |
|---|---|
| @Clfirewallutils@initialization\$qqrv | 1 |
| @Clsspi@initialization\$qqrv | 1 |
| @Clcert@initialization\$qqrv | 1 |
| @Clutils@initialization\$qqrv | 1 |
| @Clcryptapi@initialization\$qqrv | 1 |
| @Clencoder@initialization\$qqrv | 1 |
| @Clsocket@initialization\$qqrv | 1 |
| @Clwinsock2@initialization\$qqrv | 1 |
| @Clsspiutils@initialization\$qqrv | 1 |
| @Cltlsocket@initialization\$qqrv | 1 |
| @Clsocks@initialization\$qqrv | 1 |
| @Clhttp@initialization\$qqrv | 1 |
| @Clhttpauth@initialization\$qqrv | 1 |
| @Clsspiauth@initialization\$qqrv | 1 |
| @Cluriutils@initialization\$qqrv | 1 |
| @Clwininet@initialization\$qqrv | 1 |
| @Clcryptutils@initialization\$qqrv | 1 |
| @Clhttprequest@initialization\$qqrv | 1 |
| @Clhttpheader@initialization\$qqrv | 1 |
| @Clstreams@initialization\$qqrv | 1 |
| @Clhtmlparser@initialization\$qqrv | 1 |
| @Clcdc@initialization\$qqrv | 1 |
| @Clsyncutils@initialization\$qqrv | 1 |
| @Clhttputils@initialization\$qqrv | 1 |
| @Clftputils@initialization\$qqrv | 1 |
| @Cldcutils@initialization\$qqrv | 1 |
| @Clconnection@initialization\$qqrv | 1 |
| @Clcookies@initialization\$qqrv | 1 |
| @Clmailmessage@initialization\$qqrv | 1 |
| @U_charsetconv@initialization\$qqrv | 1 |
| @Cltranslator@initialization\$qqrv | 1 |
| @Clzlibstreams@initialization\$qqrv | 1 |
| @Cxgriddbdatadefinitions@TcxGridDBDataC | 1 |
| @Dbolectl@initialization\$qqrv | 1 |
| @Dbolectl@Finalization\$qqrv | 1 |
| LoadMessage | 1 |
| ??0CStrLength@@QAE@W4StrType@@K@. | 1 |
| ?RegisterChangeNotify@CCurrentPhone@@ | 1 |
| ?RegisterCallbackWindow@CDeviceMonitor | 1 |
| ??0CRecordCalendar@report@@QAE@PAV | 1 |
| ??0CRecordContact@report@@QAE@PAVC | 1 |
| ??0CProcessDialog@@QAE@PAVCWnd@@ | 1 |
| ?GetRuntimeClass@CSkinDateTimeCtrl@@I | 1 |
| ?GetMessageMap@CSkinDateTimeCtrl@@I | 1 |
| ??1CEditEx@@UAE@XZ | 1 |
| ??0CEditEx@@QAE@XZ | 1 |
| ?GetRuntimeClass@CKataHalfEdit@@UBEP, | 1 |

| | |
|--|---|
| ?GetMessageMap@CEditEx@@MBEPBUAF | 1 |
| ?PreSubclassWindow@CEditEx@@MAEXXZ | 1 |
| ??0CCalcEncodedString@@QAE@IPB_WI@Z | 1 |
| ?IsAppendable@CCalcEncodedString@@QB | 1 |
| ??0CRecord@report@@QAE@XZ | 1 |
| ?GetItemMetrics@CRecord@report@@UAE | 1 |
| ?GetID@CRecord@report@@UBE?AVPCSuit | 1 |
| ?GetType@CRecord@report@@UBE?AW4P | 1 |
| ?GetIndex@CRecord@report@@UBEGXZ | 1 |
| ?SetType@CRecord@report@@UAEXW4PC | 1 |
| ?SetIndex@CRecord@report@@UAEXG@Z | 1 |
| ??1CRecord@report@@UAE@XZ | 1 |
| ?GetContactPtr@CRecordContact@report@ | 1 |
| ??0CTimeZoneDlg@@QAE@PAVCWnd@@(| 1 |
| ?GetCalendarPtr@CRecordCalendar@report | 1 |
| ??0CSkinDateCtrl@@QAE@XZ | 1 |
| ??1CSkinDateCtrl@@UAE@XZ | 1 |
| ??0CRecordMessage@report@@QAE@PAV | 1 |
| ?GetMessageMap@CRecordSms@report@() | 1 |
| ?SetID@CRecordSms@report@@UAEXVPCS | 1 |
| ?Clone@CRecordSms@report@@UAEPAV1: | 1 |
| ??4CRecordSms@report@@UAEEAV01@A | 1 |
| ?GetFrom@CRecordSms@report@@UAE?A | 1 |
| ?GetTo@CRecordSms@report@@UAE?AV?: | 1 |
| ?GetSendTime@CRecordSms@report@@U/ | 1 |
| ?GetRecvTime@CRecordSms@report@@U/ | 1 |
| ?GetMessageW@CRecordSms@report@@L | 1 |
| ?SetFrom@CRecordSms@report@@UAEXPI | 1 |
| ?SetTo@CRecordSms@report@@UAEXPB_\ | 1 |
| ?SetSendTime@CRecordSms@report@@UA | 1 |
| ?SetRecvTime@CRecordSms@report@@UA | 1 |
| ?SetMessage@CRecordSms@report@@UAF | 1 |
| ?GetRuntimeClass@CRecordSms@report@() | 1 |
| ??0CNoCaretEdit@@QAE@_N@Z | 1 |
| ?IsEms@CRecordSms@report@@UBE_NXZ | 1 |
| ?IsLocked@CRecordSms@report@@UBE_N | 1 |
| ?IsDReport@CRecordSms@report@@UBE_I | 1 |
| ?IsSos@CRecordSms@report@@UBE_NXZ | 1 |
| ?SetRead@CRecordSms@report@@UAEX_I | 1 |
| ?SetSent@CRecordSms@report@@UAEX_N | 1 |
| ?SetEms@CRecordSms@report@@UAEX_N | 1 |
| ?SetDReport@CRecordSms@report@@UAE | 1 |
| ?GetRuntimeClass@CGroupItem@@UBEPAI | 1 |
| ??0CShortcutItemSmsPc@@QAE@PAVCWn | 1 |
| ??0CShortcutItemSmsPh@@QAE@PAVCWn | 1 |
| ??0CShortcutItemOrgPc@@QAE@PAVCWn | 1 |
| ??0CShortcutItemOrgPh@@QAE@PAVCWn | 1 |

| | |
|--------------------------------------|---|
| ?GetRuntimeClass@CStaticPane@@UBEPAI | 1 |
| ?GetMessageMap@CStaticPane@@MBEPBI | 1 |
| ?ReportPboPC@@YAAAVCReportControl@() | 1 |
| ?ReportPboPH@@YAAAVCReportControl@() | 1 |
| ?ReportOrgPC@@YAAAVCReportControl@() | 1 |
| ?ReportOrgPH@@YAAAVCReportControl@() | 1 |
| ?IsSent@CRecordSms@report@@UBE_NXZ | 1 |
| ?IsRead@CRecordSms@report@@UBE_NXZ | 1 |
| ??1CXTPShortcutBar@@UAE@XZ | 1 |
| ??1CXTPReportRecordItemDateTime@@UA | 1 |
| ??1CXTPReportRecordItemText@@UAE@XZ | 1 |
| ?IsFiltered@CXTPReportRecord@@UAEHXZ | 1 |
| ??1CXTWndHook@@UAE@XZ | 1 |
| ?GetRecords@CXTPReportControl@@QAEP | 1 |
| ?GetCount@CXTPReportRecords@@QAEHX | 1 |
| ?GetAt@CXTPReportRecords@@QAEPAVCX | 1 |
| ??1CXTPReportRecordItem@@UAE@XZ | 1 |
| ?SetVisible@CXTPReportRecord@@QAEHH | 1 |
| GetCommandL | 1 |
| BN_CTX_free | 1 |
| BN_CTX_new | 1 |
| BN_add | 1 |
| BN_add_word | 1 |
| BN_bn2hex | 1 |
| BN_div | 1 |
| BN_free | 1 |
| BN_is_prime | 1 |
| BN_lshift | 1 |
| BN_mod_word | 1 |
| BN_print_fp | 1 |
| BN_rshift | 1 |
| BN_set_bit | 1 |
| BN_set_word | 1 |
| EVP_PKEY_free | 1 |
| EVP_PKEY_get1_DSA | 1 |
| EVP_PKEY_get1_RSA | 1 |
| OPENSSL_add_all_algorithms_noconf | 1 |
| PEM_read_PrivateKey | 1 |
| PEM_write_DSAPrivateKey | 1 |
| PEM_write_RSAPrivateKey | 1 |
| RSA_blinding_on | 1 |
| RSA_private_decrypt | 1 |
| RSA_public_encrypt | 1 |
| _initgroups32 | 1 |
| _setegid32 | 1 |
| _seteuid32 | 1 |
| execlp | 1 |

| | |
|-----------------------|---|
| __dn_expand | 1 |
| __res_query | 1 |
| __res_state | 1 |
| ty | 1 |
| veOutGetNumDevs | 1 |
| Y | 1 |
| yte | 1 |
| rminateProcess | 1 |
| mation | 1 |
| har | 1 |
| ledExceptionFilter | 1 |
| CP | 1 |
| Thread | 1 |
| EMCP | 1 |
| tCurrentThread | 1 |
| tFileTime | 1 |
| calReAlloc | 1 |
| alHandle | 1 |
| sAlloc | 1 |
| IAlloc | 1 |
| ckFile | 1 |
| ileTime | 1 |
| Time | 1 |
| tSystemDirectoryA | 1 |
| ersion | 1 |
| inateThread | 1 |
| rofileStringA | 1 |
| bjects | 1 |
| itForMultipleObjects | 1 |
| Id | 1 |
| obalSize | 1 |
| ction | 1 |
| ializeCriticalSection | 1 |
| xec | 1 |
| alReAlloc | 1 |
| apFree | 1 |
| rocessHeap | 1 |
| tFullPathNameA | 1 |
| LibraryA | 1 |
| nge | 1 |
| ileStringA | 1 |
| FirstFileA | 1 |
| sA | 1 |
| tionA | 1 |
| onFilter | 1 |
| tringsA | 1 |
| tringsW | 1 |

| | |
|----------------------|---|
| rings | 1 |
| ringsW | 1 |
| apCreate | 1 |
| ptionFilter | 1 |
| onic | 1 |
| orTable | 1 |
| ointEx | 1 |
| dowProcA | 1 |
| QuitMessage | 1 |
| ableA | 1 |
| anslateAcceleratorA | 1 |
| atorA | 1 |
| dWindowFromPointEx | 1 |
| pyRect | 1 |
| BitmapA | 1 |
| elpA | 1 |
| tem | 1 |
| rTableA | 1 |
| difyMenuA | 1 |
| pendMenuA | 1 |
| eateIconFromResource | 1 |
| source | 1 |
| sourceEx | 1 |
| dFormatA | 1 |
| slateMessage | 1 |
| indowsHookExA | 1 |
| Timer | 1 |
| adImageA | 1 |
| HelpId | 1 |
| indowContextHelpId | 1 |
| Dimensions | 1 |
| CursorA | 1 |
| ctEmpty | 1 |
| ndow | 1 |
| ssageBeep | 1 |
| eClipboard | 1 |
| umDisplaySettingsA | 1 |
| ngsA | 1 |
| gthA | 1 |
| tSysColorBrush | 1 |
| ndWindowExA | 1 |
| tNextDlgGroupItem | 1 |
| tDlgCtrlID | 1 |
| InfoA | 1 |
| edTextOutA | 1 |
| rectParamA | 1 |
| extDlgTabItem | 1 |

| | |
|------------------------------------|---|
| up | 1 |
| ps | 1 |
| cape | 1 |
| extOutA | 1 |
| xtOutA | 1 |
| nt32A | 1 |
| ath | 1 |
| indowOrgEx | 1 |
| izePalette | 1 |
| teRectRgnIndirect | 1 |
| tFileTitleA | 1 |
| urrentObject | 1 |
| gle | 1 |
| pse | 1 |
| CompatibleDC | 1 |
| tDocA | 1 |
| teDC | 1 |
| oc | 1 |
| FontIndirectA | 1 |
| ctA | 1 |
| Pen | 1 |
| olyFillMode | 1 |
| teCompatibleBitmap | 1 |
| Bitmap | 1 |
| gn | 1 |
| esA | 1 |
| erPathA | 1 |
| OnILockBytes | 1 |
| OnHGlobal | 1 |
| aries | 1 |
| eFilter | 1 |
| ILockBytes | 1 |
| _tcsnbcnt | 1 |
| ??0CTXOPChannel@@QAE@XZ | 1 |
| ?AddSink@CTXOPChannel@@QAEXPUIITX(| 1 |
| ??1CTXOPChannel@@UAE@XZ | 1 |
| ?GetConnectCount@CTXOPChannel@@QAE | 1 |
| ?SendReply@CTXOPChannel@@QAEHKPB | 1 |
| ?Listen@CTXOPChannel@@QAEHXZ | 1 |
| ?Start@CTXOPChannel@@QAEHPB_W@Z | 1 |
| ?Run@CTXOPChannel@@EAEIXZ | 1 |
| ExfReleasePushLock | 1 |
| IoQueueWorkItemEx | 1 |
| KeSetActualBasePriorityThread | 1 |
| SystemPrng | 1 |
| lineSetTerminal | 1 |
| PyTraceBack_Here | 1 |

| | |
|---|---|
| PyFrame_New | 1 |
| _PyThreadState_Current | 1 |
| PyUnicodeUCS2_DecodeUTF8 | 1 |
| PyObject_Call | 1 |
| _PyString_Eq | 1 |
| PyExc_NameError | 1 |
| PyObject_CallFunctionObjArgs | 1 |
| PySequence_DelItem | 1 |
| PyNumber_Negative | 1 |
| ?blt_ex@_mimage@IXHandler@@QAEXPAB | 1 |
| ?text@_mimage@IXHandler@@QAEXABH0 | 1 |
| ?set_logfont@_mimage@IXHandler@@QAEB | 1 |
| ?get_logfont@_mimage@IXHandler@@QAI | 1 |
| ??1_mimage@IXHandler@@QAE@XZ | 1 |
| ?scale_fast@_mimage@IXHandler@@QAEX | 1 |
| ??0_mimage@IXHandler@@QAE@XZ | 1 |
| ?create_mimage@_mimage@IXHandler@@ | 1 |
| ?create_mimage@_mimage@IXHandler@@ | 1 |
| ?Blt24@IDisplay@IXHandler@@SAXPAEABK | 1 |
| ?save_mimage@_mimage@IXHandler@@C | 1 |
| ?have_alpha@_mimage@IXHandler@@QAI | 1 |
| ?gray_scale@_mimage@IXHandler@@QAE | 1 |
| ?blt @_mimage@IXHandler@@QAEXPAV12 | 1 |
| ?bitblt @_mimage@IXHandler@@QAEXHHF | 1 |
| ?InitializeEx2@IDisplay@IXHandler@@SAJA | 1 |
| ?BltImage@IDisplay@IXHandler@@SAXPAE | 1 |
| ?IsLost@IDisplay@IXHandler@@SA_NXZ | 1 |
| ?Flip@IDisplay@IXHandler@@SAJPAUtagRE | 1 |
| ?Release@IDisplay@IXHandler@@SAXXZ | 1 |
| ?release @_mimage@IXHandler@@QAEXXZ | 1 |
| SetUtf8Flag | 1 |
| ExReInitializeRundownProtectionCacheAware | 1 |
| ExWaitForRundownProtectionReleaseCache | 1 |
| ExReleaseRundownProtectionCacheAware | 1 |
| ExAcquireRundownProtectionCacheAware | 1 |
| FsRtlGetVirtualDiskNestingLevel | 1 |
| ExInitializeRundownProtectionCacheAware | 1 |
| ExSizeOfRundownProtectionCacheAware | 1 |
| PsSetThreadHardErrorsAreDisabled | 1 |
| RtlLookupElementGenericTableFullAvl | 1 |
| my_free | 1 |
| SkinH_AttachEx | 1 |
| FLongFileNamesSuppressed | 1 |
| CreateIniKeyValue | 1 |
| InitLongFileNames | 1 |
| SetAcmeInst | 1 |
| WriteLogDivider | 1 |

| | |
|---------------------------|---|
| FWriteToFile | 1 |
| SetErrorParamConst | 1 |
| PrependToPath | 1 |
| AddShareToAutoexec | 1 |
| RenameFile | 1 |
| GetEnvVariableValue | 1 |
| StampResource | 1 |
| FReadResource | 1 |
| CompareFileVersions | 1 |
| SetErrorParamInt | 1 |
| ErcOpenFile | 1 |
| LfaSeekFile | 1 |
| CbReadFile | 1 |
| FCloseFile | 1 |
| CbStrCopyToBuffer | 1 |
| FLanguageMismatchInf | 1 |
| FChmodFile | 1 |
| AddLineToRestartFile | 1 |
| GetSectionKeyFilename | 1 |
| FGetKeyInfo | 1 |
| GetVersionNthField | 1 |
| TermIME | 1 |
| FRemoveOurDir | 1 |
| HmodUIHookDll | 1 |
| DoesInSectionKeyExist | 1 |
| EnsurePathExists | 1 |
| SetErrorParamCopy | 1 |
| CreateProgmanItem | 1 |
| ShowProgmanGroup | 1 |
| DeleteProgmanItem | 1 |
| MakeListFromProgmanGroups | 1 |
| IsFileInUseBySystem | 1 |
| ReactivateSetupScript | 1 |
| FSetSymbolValue | 1 |
| HdlgShowHelp | 1 |
| ProcessMessageId | 1 |
| DoesIniKeyExist | 1 |
| UIPop | 1 |
| ForceNewDialog | 1 |
| GetScreenHeight | 1 |
| UIStartExeDlg | 1 |
| GetWindowsMode | 1 |
| SzLastChar | 1 |
| IsCtl3dEnabled | 1 |
| RemoveSymbol | 1 |
| GetListItem | 1 |
| GetListLength | 1 |

| | |
|-----------------------|---|
| UIStartExeDlgWinHelp | 1 |
| GetSymbolValue | 1 |
| SetPassInfo | 1 |
| CopyFilesInCopyList | 1 |
| LogMessageId | 1 |
| Validate | 1 |
| GetCopyListCost | 1 |
| ClearCopyList | 1 |
| SetRestartDir | 1 |
| HandleOOM | 1 |
| PbAlloc | 1 |
| DoesFileExist | 1 |
| ReadInfFile | 1 |
| AddListItem | 1 |
| ClearBillboardList | 1 |
| SetCopyGaugePosition | 1 |
| ReplaceListItem | 1 |
| GetFreeSpaceForDrive | 1 |
| DriveNumToRootPath | 1 |
| SetErrorParam | 1 |
| FValidFilePath | 1 |
| IsDriveNetwork | 1 |
| CrcStringComparel | 1 |
| CbGetListItem | 1 |
| GetNetworkDrivesList | 1 |
| SetSymbolValue | 1 |
| DoesDirExist | 1 |
| GetWindowsSysDir | 1 |
| IsWindowsShared | 1 |
| ShowWaitCursor | 1 |
| RestoreCursor | 1 |
| FRegCloseKey | 1 |
| SetRegKeyValue32Ex | 1 |
| GetRegKeyValue32Ex | 1 |
| FRegCreateKey32 | 1 |
| DeleteRegKeyValue32 | 1 |
| ForceRestartOn | 1 |
| EnableIME | 1 |
| InitIME | 1 |
| InitSetupToolkit | 1 |
| SetFEFontProc | 1 |
| GetSectionKeyVersion | 1 |
| DoesInfSectionExist | 1 |
| GetRegKeyValue32 | 1 |
| GetScreenWidth | 1 |
| DoMsgBox | 1 |
| SuppressLongFileNames | 1 |

| | |
|--------------------------------|---|
| SetAdminMode | 1 |
| SetSilentMode | 1 |
| SetTitle | 1 |
| SetBitmap | 1 |
| SetSizeCheckMode | 1 |
| SetAbout | 1 |
| EndSetupToolkit | 1 |
| FCloseLogFile | 1 |
| FFree | 1 |
| ExitExecRestart | 1 |
| RestartListEmpty | 1 |
| GetDOSMajorVersion | 1 |
| IsDirWritable | 1 |
| GetWindowsDirPath | 1 |
| SetRegKeyValue32 | 1 |
| RemoveIniKey | 1 |
| RemoveDir | 1 |
| CrcStringCompare | 1 |
| GetIniKeyString | 1 |
| FOpenLogFile | 1 |
| SzGetLastSetupErrMsg | 1 |
| FindFileInTree | 1 |
| CbGetSymbolValue | 1 |
| IsWindows | 1 |
| OpenIME | 1 |
| RemoveFile | 1 |
| FCloseSrcFile | 1 |
| EercReadSrcFile | 1 |
| EercOpenSrcFileEx | 1 |
| EercWriteSrcFile | 1 |
| EercOpenSrcFile | 1 |
| IsDriveRemovable | 1 |
| EercFindHddiFloppy | 1 |
| SetErrorParamChar | 1 |
| GetVersionOfFile | 1 |
| IsDriveLocalHard | 1 |
| IsFileWritable | 1 |
| AddSectionKeyFileToCopyList | 1 |
| FindTargetOnEnvVar | 1 |
| GetNthFieldFromIniString | 1 |
| FindFileUsingFileOpen | 1 |
| AddToBillboardList | 1 |
| GetSectionKeySize | 1 |
| RemoveSectionKeyFileToCopyList | 1 |
| RemoveSpecialFileToCopyList | 1 |
| AddSpecialFileToCopyList | 1 |
| LogValidate | 1 |

| | |
|--|---|
| MakeListFromSectionSize | 1 |
| RemoveSectionFilesToCopyList | 1 |
| AddSectionFilesToCopyList | 1 |
| CreateDir | 1 |
| D3DRMVectorNormalize | 1 |
| D3DRMVectorCrossProduct | 1 |
| D3DRMVectorScale | 1 |
| D3DRMVectorRotate | 1 |
| D3DRMVectorSubtract | 1 |
| _AIL_quick_load@4 | 1 |
| _AIL_quick_shutdown@0 | 1 |
| @Fs_iinterpreter@fsRTTIModules\$qqrv | 1 |
| @Fs_iinterpreter@TfsRTTIModule@\$bctr\$q | 1 |
| @Fs_iinterpreter@TfsClassVariable@AddPr | 1 |
| @Fs_iinterpreter@TfsClassVariable@AddMe | 1 |
| @Fs_iinterpreter@TfsRTTIModule@ | 1 |
| @lbcustomdataset@TIBCustomDataSet@Fe | 1 |
| @lbcustomdataset@TIBCustomDataSet@ | 1 |
| @lbtable@TIBTable@ | 1 |
| @lbstoredproc@TIBStoredProc@ExecProc\$ | 1 |
| @lbstoredproc@TIBStoredProc@ | 1 |
| ?createObject@OdSiSpatialIndex@@SA?AV | 1 |
| ?kOverallSpace@OdSiShape@@2ABU1@B | 1 |
| ?kNoSpace@OdSiShape@@2ABU1@B | 1 |
| ?desc@OdGiSelectProc@@SAPAVOdRxClass | 1 |
| ?setEyeToOutputTransform@OdGiBaseVect | 1 |
| ?eyeToOutputTransform@OdGiBaseVectoriz | 1 |
| ?odgiInitialize@@YAXXZ | 1 |
| ?odgiUninitialize@@YAXXZ | 1 |
| ??0OdGiLayerTraitsData@@QAE@XZ | 1 |
| ?set@OdGiLayerTraitsData@@QAEPAVOD | 1 |
| ??4OdGiLayerTraitsData@@QAEXABV0@A | 1 |
| ?kVoid@OdGiEmptyGeometry@@2AAVODC | 1 |
| ?beginViewVectorization@OdGiBaseVectori | 1 |
| ??0OdGiBaseVectorizer@@QAE@XZ | 1 |
| ??0OdGiConveyorEntryPoint@@QAE@XZ | 1 |
| ??0OdGiConveyorConnector@@QAE@XZ | 1 |
| ?output@OdGiBaseVectorizer@@UAEAAVO | 1 |
| ??1OdGiBaseVectorizer@@UAE@XZ | 1 |
| ?queryX@OdGiBaseVectorizer@@UBEPAVC | 1 |
| ?isA@OdGiBaseVectorizer@@UBEPAVODRx | 1 |
| ?subEntityTraits@OdGiBaseVectorizer@@U | 1 |
| ?rawGeometry@OdGiBaseVectorizer@@UB | 1 |
| ?isDragging@OdGiBaseVectorizer@@UBE_N | 1 |
| ?numberOflsolines@OdGiBaseVectorizer@C | 1 |
| ?geometry@OdGiWorldDraw_@@UBEAAC | 1 |
| ?getModelToWorldTransform@OdGiBaseVe | 1 |

| | |
|---|---|
| ?getWorldToModelTransform@OdGiBaseVe | 1 |
| ?circle@OdGiBaseVectorizer@@UAEXABVO | 1 |
| ?circle@OdGiBaseVectorizer@@UAEXABVO | 1 |
| ?circularArc@OdGiBaseVectorizer@@UAEX/ | 1 |
| ?circularArc@OdGiBaseVectorizer@@UAEX/ | 1 |
| ?polyline@OdGiBaseVectorizer@@UAEXJPB | 1 |
| ?polygon@OdGiBaseVectorizer@@UAEXJPE | 1 |
| ?pline@OdGiBaseVectorizer@@UAEXABVO(| 1 |
| ?mesh@OdGiBaseVectorizer@@UAEXJPBV | 1 |
| ?shell@OdGiBaseVectorizer@@UAEXJPBV | 1 |
| ?text@OdGiBaseVectorizer@@UAEXABVOd | 1 |
| ?text@OdGiBaseVectorizer@@UAEXABVOd | 1 |
| ?nurbs@OdGiBaseVectorizer@@UAEXABVC | 1 |
| ?ellipArc@OdGiBaseVectorizer@@UAEXAB\ | 1 |
| ?draw@OdGiBaseVectorizer@@UAEXPBVO(| 1 |
| ?pushClipBoundary@OdGiBaseVectorizer@() | 1 |
| ?popClipBoundary@OdGiBaseVectorizer@() | 1 |
| ?worldLine@OdGiBaseVectorizer@@UAEXC | 1 |
| ?currentGiPath@OdGiBaseVectorizer@@UE | 1 |
| ?setColor@OdGiBaseVectorizer@@UAEXG(| 1 |
| ?setTrueColor@OdGiBaseVectorizer@@UAE | 1 |
| ?setLayer@OdGiBaseVectorizer@@UAEXP | 1 |
| ?setLineType@OdGiBaseVectorizer@@UAE) | 1 |
| ?setSelectionMarker@OdGiBaseVectorizer@ | 1 |
| ?setLineWidth@OdGiBaseVectorizer@@U/ | 1 |
| ?setLineTypeScale@OdGiBaseVectorizer@@ | 1 |
| ?setThickness@OdGiBaseVectorizer@@UAE | 1 |
| ?setPlotStyleName@OdGiBaseVectorizer@() | 1 |
| ?setMaterial@OdGiBaseVectorizer@@UAEX | 1 |
| ?color@OdGiWorldDrawImpl@@UBEGXZ | 1 |
| ?trueColor@OdGiWorldDrawImpl@@UBE?A | 1 |
| ?desc@OdGiExtAccum@@SAPAVOdRxClass | 1 |
| ?layer@OdGiWorldDrawImpl@@UBEPAVOc | 1 |
| ?lineType@OdGiWorldDrawImpl@@UBEPA` | 1 |
| ?fillType@OdGiWorldDrawImpl@@UBE?AW | 1 |
| ?lineWeight@OdGiWorldDrawImpl@@UBE?1 | 1 |
| ?lineTypeScale@OdGiWorldDrawImpl@@UI | 1 |
| ?thickness@OdGiWorldDrawImpl@@UBEN) | 1 |
| ?plotStyleNameType@OdGiWorldDrawImpl | 1 |
| ?plotStyleNameId@OdGiWorldDrawImpl@() | 1 |
| ?material@OdGiWorldDrawImpl@@UBEPA` | 1 |
| ?geometry@OdGiViewportDraw_@_@UBEAF | 1 |
| ?polylineEye@OdGiBaseVectorizer@@UAEX | 1 |
| ?polygonEye@OdGiBaseVectorizer@@UAEX | 1 |
| ?polylineDc@OdGiBaseVectorizer@@UAEXI | 1 |
| ?polygonDc@OdGiBaseVectorizer@@UAEXI | 1 |
| ?rasterImageDc@OdGiBaseVectorizer@@U, | 1 |

| | |
|---|---|
| ?metafileDc@OdGiBaseVectorizer@@UAEX | 1 |
| ?giContext@OdGiBaseVectorizer@@MBEAA | 1 |
| ?effectiveTraits@OdGiBaseVectorizer@@M | 1 |
| ?currentDrawableDesc@OdGiBaseVectorize | 1 |
| ?currentDrawable@OdGiBaseVectorizer@@ | 1 |
| ?affectTraits@OdGiBaseVectorizer@@MBE> | 1 |
| ?endViewVectorization@OdGiBaseVectorize | 1 |
| ?desc@OdGiOrthoClipper@@SAPAVOdRxCl | 1 |
| ?desc@OdGiLinetyper@@SAPAVOdRxClass(| 1 |
| ?desc@OdGiXform@@SAPAVOdRxClass@@ | 1 |
| ?desc@OdGiConveyorEmbranchment@@SA | 1 |
| ?regenAbort@OdGiBaseVectorizer@@UBE_ | 1 |
| ?setFillType@OdGiBaseVectorizer@@UAEX` | 1 |
| ?doDraw@OdGiBaseVectorizer@@UAE_NKI | 1 |
| ?setAttributes@OdGiBaseVectorizer@@UAI | 1 |
| ?effectiveLayerTraits@OdGiBaseVectorizer@ | 1 |
| ?switchLayer@OdGiBaseVectorizer@@MBE | 1 |
| ?setContext@OdGiWorldDrawImpl@@UAE) | 1 |
| ?context@OdGiBaseVectorizer@@UBEPAVC | 1 |
| ?kIdentity@OdGeMatrix3d@@2V1@B | 1 |
| ?transformBy@OdGeVector3d@@QAEAAV1 | 1 |
| ?invert@OdGeMatrix3d@@QAEAAV1@XZ | 1 |
| ?intersectWith@OdGeInterval@@QBE_NAB | 1 |
| ?getMinMaxPoints@OdGeBoundBlock3d@() | 1 |
| ?normalize@OdGeVector3d@@QAEAAV1@ | 1 |
| ?rotateBy@OdGeVector3d@@QAEAAV1@N | 1 |
| ?normal@OdGeVector3d@@QBE?AV1@AB' | 1 |
| ?crossProduct@OdGeVector3d@@QBE?AV1 | 1 |
| ?kXAxis@OdGeVector2d@@2V1@B | 1 |
| ??0OdGeLineSeg2d@@QAE@ABVOdGePoin | 1 |
| ?set@OdGeBoundBlock3d@@QAEAAV1@A | 1 |
| ?minPoint@OdGeBoundBlock3d@@QBE?AV1 | 1 |
| ?maxPoint@OdGeBoundBlock3d@@QBE?AV1 | 1 |
| ??4OdGeBoundBlock3d@@QAEAAV0@ABV | 1 |
| ?isParallelTo@OdGeVector3d@@QBE_NAB\ | 1 |
| ?planeToWorld@OdGeMatrix3d@@SA?AV1 | 1 |
| ?setToProduct@OdGeMatrix3d@@QAEAAV | 1 |
| ??XOdGeMatrix3d@@QAEAAV0@ABV0@@ | 1 |
| ?inverse@OdGeMatrix3d@@QBE?AV1@XZ | 1 |
| ?kOrigin@OdGePoint2d@@2V1@B | 1 |
| ??0OdGeBoundBlock3d@@QAE@ABVOdGe | 1 |
| ??0OdGeBoundBlock3d@@QAE@ABVOdGe | 1 |
| ?isDisjoint@OdGeBoundBlock3d@@QBE_N | 1 |
| ?contains@OdGeBoundBlock3d@@QBE_NA | 1 |
| ??0OdGeBoundBlock3d@@QAE@XZ | 1 |
| ?isKindOf@OdGeBoundBlock3d@@UBE_NV | 1 |
| ?type@OdGeBoundBlock3d@@UBE?AW4Er | 1 |

| | |
|--------------------------------------|---|
| ?transformBy@OdGeBoundBlock3d@@UAE | 1 |
| ?translateBy@OdGeBoundBlock3d@@UAE\ | 1 |
| ?rotateBy@OdGeBoundBlock3d@@UAEAA\ | 1 |
| ?mirror@OdGeBoundBlock3d@@UAEAAVO | 1 |
| ?isKindOf@OdGeRay2d@@UBE_NW4Entity | 1 |
| ?type@OdGeRay2d@@UBE?AW4EntityId@I | 1 |
| ?getInterval@OdGeRay2d@@UBEXAAV0dG | 1 |
| ?isClosed@OdGeRay2d@@UBE_NABVOdGe | 1 |
| ?hasStartPoint@OdGeRay2d@@UBE_NAAV | 1 |
| ?hasEndPoint@OdGeRay2d@@UBE_NAAVC | 1 |
| ?intersectWith@OdGeRay2d@@UBE_NABV | 1 |
| ?extend@OdGeBoundBlock3d@@QAEAAV1 | 1 |
| ?DOdGeMatrix3d@@QBE?AV0@ABV0@@ | 1 |
| ?length@OdGeVector3d@@QBENXZ | 1 |
| ?gZeroTol@OdGeContext@@2V0dGeTol@(| 1 |
| ?kOrigin@OdGePoint3d@@2V1@B | 1 |
| ?D@YA?AV0dGePoint3d@@ABVOdGeMat | 1 |
| ?kXAxis@OdGeVector3d@@2V1@B | 1 |
| ?D@YA?AV0dGeVector3d@@ABVOdGeM@ | 1 |
| ?kYAxis@OdGeVector3d@@2V1@B | 1 |
| ?kZAxis@OdGeVector3d@@2V1@B | 1 |
| ?isKindOf@OdGeEntity3d@@UBE_NW4Enti | 1 |
| ?type@OdGeEntity3d@@UBE?AW4EntityId | 1 |
| ?copy@OdGeEntity3d@@UBEPAV1@XZ | 1 |
| ?transformBy@OdGeEntity3d@@UAEAAV1(| 1 |
| ?translateBy@OdGeEntity3d@@UAEAAV1@ | 1 |
| ?rotateBy@OdGeEntity3d@@UAEAAV1@N/ | 1 |
| ?mirror@OdGeEntity3d@@UAEAAV1@ABV | 1 |
| ?scaleBy@OdGeEntity3d@@UAEAAV1@NA | 1 |
| ?isOn@OdGeEntity3d@@UBE_NABVOdGeP | 1 |
| ?transformBy@OdGeLinearEnt2d@@UAEAA | 1 |
| ?isOn@OdGeLinearEnt2d@@UBE_NABVOd | 1 |
| ?reverseParam@OdGeLinearEnt2d@@UAE\ | 1 |
| ?paramOf@OdGeLinearEnt2d@@UBENABV | 1 |
| ?evalPoint@OdGeLinearEnt2d@@UBE?AVO | 1 |
| ?appendSamplePoints@OdGeLinearEnt2d@ | 1 |
| ?appendSamplePoints@OdGeLinearEnt2d@ | 1 |
| ?checkInterval@OdGeLinearEnt2d@@EBE_ | 1 |
| ?setInterval@OdGeCurve2d@@UAE_NABV(| 1 |
| ?evalPoint@OdGeCurve2d@@UBE?AV0dGe | 1 |
| ?isKindOf@OdGeEntity2d@@UBE_NW4Enti | 1 |
| ?copy@OdGeEntity2d@@UBEPAV1@XZ | 1 |
| ?transformBy@OdGeEntity2d@@UAEAAV1(| 1 |
| ?translateBy@OdGeEntity2d@@UAEAAV1@ | 1 |
| ?rotateBy@OdGeEntity2d@@UAEAAV1@N/ | 1 |
| ?scaleBy@OdGeEntity2d@@UAEAAV1@NA | 1 |
| ?isOn@OdGeEntity2d@@UBE_NABVOdGeP | 1 |

| | |
|---|---|
| ?transformBy@OdGePoint3d@@QAEAAV1@ | 1 |
| ??0OdGeMatrix3d@@QAE@XZ | 1 |
| ??9OdGeVector3d@@QBE_NABV0@@Z | 1 |
| ?isEqualTo@OdGeMatrix3d@@QBE_NABV1 | 1 |
| ?isEqualTo@OdGePoint2d@@QBE_NABV1@ | 1 |
| ?gTol@OdGeContext@@2VOdGeTol@@A | 1 |
| ?isEqualTo@OdGePoint3d@@QBE_NABV1@ | 1 |
| ?scaleBy@OdGeBoundBlock3d@@UAEAAV(| 1 |
| ?viewportClipRegion@OdGsView@@UBEXA | 1 |
| ?setViewportClipRegion@OdGsView@@UA | 1 |
| ?getViewport@OdGsView@@UBEXAAVOdG | 1 |
| ?setViewport@OdGsView@@UAEXABVOdG | 1 |
| ?queryX@OdGsView@@UBEPAVOdRxObjec | 1 |
| ?addLight@OdGiSubEntityTraits@@UAEXPB | 1 |
| ?visualStyle@OdGiSubEntityTraits@@UBEP | 1 |
| ?mapper@OdGiSubEntityTraits@@UBEPBV(| 1 |
| ?fillPlane@OdGiSubEntityTraits@@UAE_NA | 1 |
| ?setVisualStyle@OdGiSubEntityTraits@@UA | 1 |
| ?setMapper@OdGiSubEntityTraits@@UAEX | 1 |
| ?setLineTypeScaleToFit@OdGiSubEntityTrait | 1 |
| ?isA@OdGiSubEntityTraits@@UBEPAVOdRx | 1 |
| ?queryX@OdGiSubEntityTraits@@UBEPAVC | 1 |
| ?setColorMethod@OdCmEntityColor@@SA | 1 |
| ??0OdError_InvalidIndex@@QAE@XZ | 1 |
| ?isA@OdGsModel@@UBEPAVOdRxClass@() | 1 |
| ?queryX@OdGsModel@@UBEPAVOdRxObjec | 1 |
| ?colorIndex@OdCmEntityColor@@SAFPBK(| 1 |
| ?newOdRxClass@@YAPAVOdRxClass@@AB | 1 |
| ?desc@OdGsModule@@SAPAVOdRxClass@ | 1 |
| ?kEmpty@OdString@@2V1@B | 1 |
| ??0OdString@@QAE@PBG@Z | 1 |
| ?deleteOdRxClass@@YAXPAVOdRxClass@() | 1 |
| ?desc@OdGsDevice@@SAPAVOdRxClass@() | 1 |
| ?queryX@OdGsDevice@@UBEPAVOdRxObj | 1 |
| ?isA@OdGiViewport@@UBEPAVOdRxClass@ | 1 |
| ?queryX@OdGiViewport@@UBEPAVOdRxO | 1 |
| ?desc@OdRxClass@@SAPAV1@XZ | 1 |
| ?desc@OdGsView@@SAPAVOdRxClass@() | 1 |
| ?desc@OdGsModel@@SAPAVOdRxClass@() | 1 |
| ?queryX@OdGsModule@@UBEPAVOdRxOb | 1 |
| ?ownerDrawDc@OdGiViewportGeometry@ | 1 |
| ?odrxClassDictionary@@YA?AV?\$OdSmartP | 1 |
| ?isA@OdGiWorldDraw@@UBEPAVOdRxCla | 1 |
| ?queryX@OdGiWorldDraw@@UBEPAVOdR | 1 |
| ?isA@OdGiWorldGeometry@@UBEPAVOdR | 1 |
| ?queryX@OdGiWorldGeometry@@UBEPAV | 1 |
| ?odrxLoadModuleInternal@@YAPAVOdRxM | 1 |

| | |
|--|---|
| ?odrxDynamicLinker@@YAPAVOdRxDynam | 1 |
| ?isA@OdRxModule@@UBEPAVOdRxClass@ | 1 |
| ?queryX@OdRxModule@@UBEPAVOdRxOb | 1 |
| ?queryX@OdGiPointLightTraits@@UBEPAV(| 1 |
| ?queryX@OdGiSpotLightTraits@@UBEPAVC | 1 |
| ?queryX@OdGiDistantLightTraits@@UBEPA` | 1 |
| ?isA@OdGiPointLightTraits@@UBEPAVOdR | 1 |
| ?isA@OdGiSpotLightTraits@@UBEPAVOdRx | 1 |
| ?isA@OdGiDistantLightTraits@@UBEPAVOD | 1 |
| ?desc@OdGiPointLightTraits@@SAPAVOdR | 1 |
| ?desc@OdGiSpotLightTraits@@SAPAVOdRx | 1 |
| ?desc@OdGiDistantLightTraits@@SAPAVOd | 1 |
| odrxRealloc | 1 |
| odrxAlloc | 1 |
| pthread_key_delete | 1 |
| pthread_cond_broadcast | 1 |
| pthread_win32_process_attach_np | 1 |
| pthread_win32_process_detach_np | 1 |
| _mktemp_s | 1 |
| _LCLOSE | 1 |
| _LCREAT | 1 |
| _LLSEEK | 1 |
| _LOPEN | 1 |
| _LREAD | 1 |
| _LWRITE | 1 |
| TRANSLATEMESSAGE | 1 |
| GETMESSAGEA | 1 |
| DISPATCHMESSAGEA | 1 |
| _GetMessageDII@0 | 1 |
| CreateCompilerFactory | 1 |
| GetCORVersion | 1 |
| ?DeleteObject@CCoreManip@@SA_NABV?: | 1 |
| BmReallocArea | 1 |
| Bfcls | 1 |
| Bfglin | 1 |
| BmAllocArea | 1 |
| Bfdel | 1 |
| Bfhost | 1 |
| Bfopn | 1 |
| Bfseek | 1 |
| Bfstat | 1 |
| Bfwrt | 1 |
| BmFreeArea | 1 |
| WMCreateWriterPushSink | 1 |
| __image_HandlerCreate | 1 |
| __sout_CfgParse | 1 |
| __vout_AllocatePicture | 1 |

| | |
|--|---|
| __vout_CopyPicture | 1 |
| ?nextSiblingElement@QDomNode@@QBE? | 1 |
| ?humanReadableName@QNetworkInterface | 1 |
| ?decryptCTRBase64@BlowFish@PadSystem | 1 |
| RtlGetIntegerAtom | 1 |
| RtlRetrieveNtUserPfn | 1 |
| RtlInitializeNtUserPfn | 1 |
| RtlGetThreadLangIdByIndex | 1 |
| GdiLoadType1Fonts | 1 |
| WerNotifyLoadStringResource | 1 |
| WerNotifyUseStringResource | 1 |
| EnumResourceNamesExW | 1 |
| LoadStringBaseExW | 1 |
| QueryActCtxSettingsW | 1 |
| LoadAppInitDlls | 1 |
| ?toWCharArray@QString@@QBEHPAG@Z | 1 |
| ??6QDebug@@QAEAAV0@N@Z | 1 |
| ??6QDebug@@QAEAAV0@K@Z | 1 |
| ??6QDebug@@QAEAAV0@PBX@Z | 1 |
| IMMCU_Free | 1 |
| ??0ParameterElement@@QAE@QAX@Z | 1 |
| ??0ParameterElement@@QAE@PBG@Z | 1 |
| ??0ParameterElement@@QAE@J@Z | 1 |
| ??1ParameterElement@@UAE@XZ | 1 |
| IMMCU_Create | 1 |
| ?setContent@QDomDocument@@QAE_NP, | 1 |
| ?isElement@QDomNode@@QBE_NXZ | 1 |
| ?isNull@QDomNode@@QBE_NXZ | 1 |
| ?firstChildElement@QDomNode@@QBE?A\ | 1 |
| RegExport | 1 |
| RtlGetSystemPreferredUILanguages | 1 |
| ?getGlyphs@LayoutEngine@icu_44@@QBE | 1 |
| ?getGlyphPositions@LayoutEngine@icu_44(| 1 |
| ?layoutEngineFactory@LayoutEngine@icu_4 | 1 |
| ?getCharIndices@LayoutEngine@icu_44@@ | 1 |
| ?setIndex32@UCharCharacterIterator@icu_ | 1 |
| ?current@UCharCharacterIterator@icu_44@ | 1 |
| ?current32@UCharCharacterIterator@icu_4 | 1 |
| ?next@UCharCharacterIterator@icu_44@@ | 1 |
| ?next32@UCharCharacterIterator@icu_44@ | 1 |
| ?previous@UCharCharacterIterator@icu_44 | 1 |
| ?setIndex@UCharCharacterIterator@icu_44 | 1 |
| ?hasPrevious@UCharCharacterIterator@icu_ | 1 |
| ?move@UCharCharacterIterator@icu_44@() | 1 |
| ?move32@UCharCharacterIterator@icu_44(| 1 |
| ?getText@UCharCharacterIterator@icu_44(| 1 |
| ??1UCharCharacterIterator@icu_44@@UAE | 1 |

| | |
|---|---|
| ubidi_getVisualRun_44 | 1 |
| ubidi_setLine_44 | 1 |
| uprv_realloc_44 | 1 |
| ?createFromName@Locale@icu_44@@SA? | 1 |
| ?getDynamicClassID@Locale@icu_44@@UE | 1 |
| ?last32@UCharCharacterIterator@icu_44@I | 1 |
| ?last@UCharCharacterIterator@icu_44@@I | 1 |
| ?first32PostInc@UCharCharacterIterator@ic | 1 |
| ?first32@UCharCharacterIterator@icu_44@ | 1 |
| ?firstPostInc@UCharCharacterIterator@icu_ | 1 |
| ?first@UCharCharacterIterator@icu_44@@ | 1 |
| ?clone@UCharCharacterIterator@icu_44@() | 1 |
| ?hasNext@UCharCharacterIterator@icu_44@ | 1 |
| ?next32PostInc@UCharCharacterIterator@ic | 1 |
| ?nextPostInc@UCharCharacterIterator@icu_ | 1 |
| ?hashCode@UCharCharacterIterator@icu_4 | 1 |
| ??8UCharCharacterIterator@icu_44@@UBE | 1 |
| ?getDynamicClassID@UCharCharacterIterat | 1 |
| u_isWhitespace_44 | 1 |
| u_iscntrl_44 | 1 |
| ??0Locale@icu_44@@QAE@PBD000@Z | 1 |
| ??0UCharCharacterIterator@icu_44@@QAE | 1 |
| ?createLineInstance@BreakIterator@icu_44 | 1 |
| ??1Locale@icu_44@@UAE@XZ | 1 |
| ?getISO3Language@Locale@icu_44@@QBE | 1 |
| ?getISO3Country@Locale@icu_44@@QBEP | 1 |
| ?getDefault@Locale@icu_44@@SAABV12@ | 1 |
| ubidi_openSized_44 | 1 |
| ubidi_setPara_44 | 1 |
| ubidi_countRuns_44 | 1 |
| ??2UMemory@icu_44@@SAPAXI@Z | 1 |
| ubidi_getLogicalRun_44 | 1 |
| uscript_openRun_44 | 1 |
| uscript_nextRun_44 | 1 |
| uscript_closeRun_44 | 1 |
| ubidi_close_44 | 1 |
| ??1UObject@icu_44@@UAE@XZ | 1 |
| uprv_malloc_44 | 1 |
| uprv_free_44 | 1 |
| ubidi_getDirection_44 | 1 |
| ubidi_getParaLevel_44 | 1 |
| ??0UObject@icu_44@@QAE@XZ | 1 |
| ??_VUMemory@icu_44@@SAXPAX@Z | 1 |
| ??3UMemory@icu_44@@SAXPAX@Z | 1 |
| ?previous32@UCharCharacterIterator@icu_ | 1 |
| ??RACE_Get_Opt@@QAEHXZ | 1 |
| ??0ACE_Get_Opt@@QAE@HPAPADPBDHHI | 1 |

| | |
|---------------------------------------|---|
| ?start_tracing@ACE_Trace@@SAXXZ | 1 |
| ?error@ACE_Filecache_Handle@@QBEHXZ | 1 |
| ?close@ACE_Thread_Manager@@QAEHXZ | 1 |
| ?wait@ACE_Event@@QAEHPBVACE_Time_` | 1 |
| ?gettimeofday@ACE_OS@@SA?AVACE_Tim | 1 |
| ?spawn_n@ACE_Thread@@SAHQAKIP6APA | 1 |
| ??1ACE_SOCK_Connector@@QAE@XZ | 1 |
| ?closesocket@ACE_OS@@SAHPAX@Z | 1 |
| ?join@ACE_Thread@@SAHPAXPAPAX@Z | 1 |
| ?sleep@ACE_OS@@SAHABVACE_Time_Val | 1 |
| ?send@ACE@@SAHPAXPBXIPBVACE_Time_ | 1 |
| ?connect@ACE_SOCK_Connector@@QAEH/ | 1 |
| ?set@ACE_INET_Addr@@QAEHGQBDHH@` | 1 |
| ?signal@ACE_Event@@QAEHXZ | 1 |
| ??1ACE_Trace@@QAE@XZ | 1 |
| ??0ACE_Trace@@QAE@PBDH0@Z | 1 |
| ?crunch@ACE_Message_Block@@QAEXXZ | 1 |
| ?resume_all@ACE_Thread_Manager@@QA | 1 |
| ?size@ACE_Message_Block@@QBEIXZ | 1 |
| ?base@ACE_Message_Block@@QBEPADXZ | 1 |
| ?setsockopt@ACE_OS@@SAHPAXHHPBDH@` | 1 |
| ?addr@ACE_Mem_Map@@QBEPAXXZ | 1 |
| ?send_n_i@ACE@@CAHPAXPBXIPAI@Z | 1 |
| ??1ACE_Filecache_Handle@@QAE@XZ | 1 |
| ?address@ACE_Filecache_Handle@@QBEP/ | 1 |
| ??0ACE_Filecache_Handle@@QAE@PBDHW | 1 |
| ?remove@ACE_Event@@QAEHXZ | 1 |
| ??0ACE_Event@@QAE@HHHPBDPAX@Z | 1 |
| ?at_exit@ACE_Object_Manager@@SAHPA\ | 1 |
| ?reset@ACE_Event@@QAEHXZ | 1 |
| ??1ACE_Event@@QAE@XZ | 1 |
| ??1ACE_Sig_Action@@QAE@XZ | 1 |
| ??1ACE_Get_Opt@@QAE@XZ | 1 |
| ?stop_tracing@ACE_Trace@@SAXXZ | 1 |
| ?getsockname@ACE_OS@@SAHPAXPAUsoc | 1 |
| ?inet_ntoa@ACE_OS@@SAPADUin_addr@(` | 1 |
| ?gmtime@ACE_OS@@SAPAUtm@@PBJ@Z | 1 |
| ?strftime@ACE_OS@@SAIPADIPBDBUtm@` | 1 |
| ?capacity@ACE_Message_Block@@QBEIXZ | 1 |
| ??R?\$ACE_Hash@PBD@@QBEKPBD@Z | 1 |
| ??R?\$ACE_Equal_To@PBD@@QBEHPBD0@` | 1 |
| ??0?\$ACE_Read_Guard@VACE_Null_Mutex | 1 |
| ??1?\$ACE_Read_Guard@VACE_Null_Mutex | 1 |
| ??1?\$ACE_Write_Guard@VACE_Null_Mutex | 1 |
| ?strncpy@ACE_OS_String@@SAPADPADPE | 1 |
| ?strcmp@ACE_OS_String@@SAHPBD0I@Z | 1 |
| ?mkdir@ACE_OS@@SAHPBDG@Z | 1 |

| | |
|--|---|
| ?strcasecmp@ACE_OS_String@@SAHPBD0@ | 1 |
| ?remove@ACE_Recursive_Thread_Mutex@ | 1 |
| ?truncate@ACE_FILE@@QAEHJ@Z | 1 |
| ?send@ACE_FILE_IO@@QBEHPBXI@Z | 1 |
| ??1ACE_FILE@@QAE@XZ | 1 |
| ?time@ACE_OS@@SAJPAJ@Z | 1 |
| ??0ACE_INET_Addr@@QAE@GI@Z | 1 |
| ?recv_n_i@ACE@@CAHPAX0IPAI@Z | 1 |
| ?recv_n@ACE_SOCK_Stream@@QBEHPAXII | 1 |
| ?recv_n_i@ACE@@CAHPAX0IPBVACE_Time | 1 |
| ?getsockopt@ACE_OS@@SAHPAXHHPADPA | 1 |
| ??1ACE_Asynch_Read_Stream@@UAE@XZ | 1 |
| ?read@ACE_Asynch_Read_Stream@@QAEF | 1 |
| ?open@ACE_Asynch_Read_Stream@@QAE | 1 |
| ??0ACE_Asynch_Read_Stream@@QAE@XZ | 1 |
| ??0ACE_Message_Block@@QAE@PBDIK@Z | 1 |
| ?sleep@ACE_OS@@SAHI@Z | 1 |
| ?get_size@ACE_Addr@@QBEHXZ | 1 |
| ?sendto@ACE_OS@@SAHPAXPBDHHPBUs | 1 |
| ?recv@ACE_SOCK_Dgram@@QBEHPAXIAA\ | 1 |
| ?stristr@ACE_OS_String@@SAPBDPBD0@Z | 1 |
| ?strchr@ACE_OS_String@@SAPADPADH@Z | 1 |
| ?rd_ptr@ACE_Message_Block@@QAEXPAD | 1 |
| ?strncasecmp@ACE_OS_String@@SAHPBDC | 1 |
| ?printf@ACE_OS@@SAHPBDZZ | 1 |
| ?exit@ACE_OS@@SAXH@Z | 1 |
| ?wait@ACE_Event@@QAEHXZ | 1 |
| ?spawn@ACE_Thread@@SAHP6APAXPAX@ | 1 |
| ??1ACE_SOCK_Dgram@@QAE@XZ | 1 |
| ??0ACE_SOCK_Dgram@@QAE@ABVACE_Ac | 1 |
| ?close@ACE_SOCK@@QAEHXZ | 1 |
| ?wait@ACE_Thread_Manager@@QAEHPBV | 1 |
| ??0ACE_Sig_Action@@QAE@P6AXH@ZHPA | 1 |
| ?fini@ACE_Init_ACE@@SAHXZ | 1 |
| ??0ACE_SOCK@@IAE@XZ | 1 |
| ?header_and_trailer@Result@ACE_Asynch_ | 1 |
| ?trailer@Header_And_Trailer@ACE_Asynch | 1 |
| ?memcpy@ACE_OS_String@@SAPAXPAXPB | 1 |
| ?header@Header_And_Trailer@ACE_Asyncl | 1 |
| ?init@ACE_Init_ACE@@SAHXZ | 1 |
| ?seek@ACE_FILE@@QAEJJH@Z | 1 |
| ?read_n@ACE_OS@@SAHPAX0IPAI@Z | 1 |
| ?strrchr@ACE_OS_String@@SAPADPADH@ | 1 |
| ?sprintf@ACE_OS@@SAHPADPBDZZ | 1 |
| ?unlink@ACE_OS@@SAHPBD@Z | 1 |
| ?rename@ACE_OS@@SAHPBD0H@Z | 1 |
| ?get_info@ACE_FILE@@QAEHAAVACE_FILE | 1 |

| | |
|--|---|
| ?atoi@ACE_OS@@@SAHPBD@Z | 1 |
| ?itoa@ACE_OS_String@@@SAPADHPADH@Z | 1 |
| ?acquire@ACE_Mutex@@@QAEHXZ | 1 |
| ?release@ACE_Mutex@@@QAEHXZ | 1 |
| ?remove@ACE_Mutex@@@QAEHXZ | 1 |
| ??1ACE_Mutex@@@QAE@XZ | 1 |
| ??0ACE_Mutex@@@QAE@HPBDPAUACE_mu | 1 |
| ?remove@ACE_FILE@@@QAEHXZ | 1 |
| ?write@ACE_OS@@@SAHPAXPBXI@Z | 1 |
| ?stat@ACE_OS@@@SAHPBDPAU_stat@@@@Z | 1 |
| ?strchr@ACE_OS_String@@@SAPBDPBDH@Z | 1 |
| ?strcpy@ACE_OS_String@@@SAPADPADPBDI | 1 |
| ?strstr@ACE_OS_String@@@SAPADPADPBD@C | 1 |
| ?strncpy@ACE_OS_String@@@SAPADPADPBI | 1 |
| ?strcmp@ACE_OS_String@@@SAHPBD0@Z | 1 |
| ??0ACE_FILE_IO@@@QAE@XZ | 1 |
| ??0ACE_FILE_Connector@@@QAE@XZ | 1 |
| ??0ACE_FILE_Addr@@@QAE@PBD@Z | 1 |
| ?sap_any@ACE_Addr@@@2V1@B | 1 |
| ?connect@ACE_FILE_Connector@@@QAEHA@ | 1 |
| ?read@ACE_OS@@@SAHPAXOI@Z | 1 |
| ?close@ACE_FILE@@@QAEHXZ | 1 |
| ?memset@ACE_OS_String@@@SAPAXPAXHI(| 1 |
| ??1ACE_IO_SAP@@@QAE@XZ | 1 |
| ?free@ACE_OS_Memory@@@SAXPAX@Z | 1 |
| ?strdup@ACE_OS_String@@@SAPADPBD@Z | 1 |
| ?hash_pjw@ACE@@@SAKPBD@Z | 1 |
| ??0ACE_Mem_Map@@@QAE@XZ | 1 |
| ?map@ACE_Mem_Map@@@QAEHPAXHHHO. | 1 |
| ??1ACE_FILE_IO@@@QAE@XZ | 1 |
| ??1ACE_FILE_Addr@@@UAE@XZ | 1 |
| ?recv@ACE@@@SAHPAXOIPBVACE_Time_Val | 1 |
| ??1ACE_Asynch_Transmit_File@@@UAE@XZ | 1 |
| ?transmit_file@ACE_Asynch_Transmit_File@ | 1 |
| ?open@ACE_Asynch_Transmit_File@@@QAE | 1 |
| ??0ACE_Asynch_Transmit_File@@@QAE@XZ | 1 |
| ?Header_And_Trailer@ACE_Asynch_Tran: | 1 |
| ?duplicate@ACE_Message_Block@@@QBEPA | 1 |
| ??1Header_And_Trailer@ACE_Asynch_Tran: | 1 |
| ??1ACE_Asynch_Write_Stream@@@UAE@XZ | 1 |
| ?write@ACE_Asynch_Write_Stream@@@QAF | 1 |
| ?open@ACE_Asynch_Write_Stream@@@QAE | 1 |
| ??0ACE_Asynch_Write_Stream@@@QAE@XZ | 1 |
| ??0ACE_RW_Thread_Mutex@@@QAE@PBDP | 1 |
| ??1ACE_RW_Thread_Mutex@@@QAE@XZ | 1 |
| ?acquire_read@ACE_RW_Mutex@@@QAEHX | 1 |
| ?acquire_write@ACE_RW_Mutex@@@QAEH! | 1 |

| | |
|--|---|
| ?release@ACE_RW_Mutex@@QAEHXZ | 1 |
| ?addresses@ACE_Service_Handler@@UAE | 1 |
| ?handle@ACE_Handler@@UBEPAXXZ | 1 |
| ?handle@ACE_Handler@@UAEXPAX@Z | 1 |
| ?handle_wakeup@ACE_Handler@@UAEXXZ | 1 |
| ?handle_time_out@ACE_Handler@@UAEXX | 1 |
| ?handle_write_file@ACE_Handler@@UAEX | 1 |
| ?handle_read_file@ACE_Handler@@UAEXA | 1 |
| ?handle_read_dgram@ACE_Handler@@UA | 1 |
| ?handle_write_dgram@ACE_Handler@@U | 1 |
| ??1ACE_Service_Handler@@UAE@XZ | 1 |
| ?proactor@ACE_Handler@@QAEXPAAVACE_ | 1 |
| ?instance@ACE_Proactor@@SAPAV1@I@Z | 1 |
| ??0ACE_Service_Handler@@QAE@XZ | 1 |
| ?copy@ACE_Message_Block@@QAEHPBDI(| 1 |
| ?open@ACE_Service_Handler@@UAEXPAX\ | 1 |
| ?thr_self@ACE_OS@@SAKXZ | 1 |
| ?bytes_transferred@ACE_Asynch_Result@C | 1 |
| ?message_block@Result@ACE_Asynch_Rea | 1 |
| ?success@ACE_Asynch_Result@@QBEHXZ | 1 |
| ?act@ACE_Asynch_Result@@QBEPBXXZ | 1 |
| ?message_block@Result@ACE_Asynch_Wri | 1 |
| ?signal@ACE_OS@@SAP6AXH@ZHP6AXH@ | 1 |
| ?strlen@ACE_OS_String@@SAIPBD@Z | 1 |
| ??1ACE_Mem_Map@@QAE@XZ | 1 |
| ?accept_handle@Result@ACE_Asynch_Acce | 1 |
| ?spawn_i@ACE_Thread_Manager@@MAEH | 1 |
| ?tryacquire_write_upgrade@ACE_Thread_N | 1 |
| ??0ACE_Thread_Manager@@QAE@IIII@Z | 1 |
| ??1ACE_Thread_Manager@@UAE@XZ | 1 |
| ?resume@ACE_Thread_Manager@@QAEH\ | 1 |
| ?accept@ACE_Asynch_Accept@@QAEHAAV | 1 |
| ?remove@ACE_Thread_Mutex@@QAEHXZ | 1 |
| ?handle_transmit_file@ACE_Handler@@UA | 1 |
| ?handle_write_stream@ACE_Handler@@U\ | 1 |
| ?handle_read_stream@ACE_Handler@@UA | 1 |
| ??1ACE_Handler@@UAE@XZ | 1 |
| ??0ACE_Asynch_Accept@@QAE@XZ | 1 |
| ??0ACE_Handler@@QAE@XZ | 1 |
| ?accept@ACE_SOCK_Acceptor@@QBEHAA\ | 1 |
| ?listen@ACE_OS@@SAHPAXH@Z | 1 |
| ?bind@ACE_OS@@SAHPAXPAUsockaddr@(| 1 |
| ?bind_port@ACE_Sock_Connect@@SAHPA) | 1 |
| ??8ACE_INET_Addr@@QBEHABV0@@Z | 1 |
| ?open@ACE_Asynch_Accept@@QAEHAAVA | 1 |
| ?proactor@ACE_Handler@@QAEPAVACE_P | 1 |
| ?socket@ACE_OS@@SAPAXHHH@Z | 1 |

| | |
|---|---|
| ?get_type@ACE_Addr@@QBEHXZ | 1 |
| ??0ACE_Lock@@QAE@XZ | 1 |
| ?cancel@ACE_Asynch_Operation@@QAEH> | 1 |
| ?message_block@Result@ACE_Asynch_Acc | 1 |
| ??1ACE_Asynch_Accept@@UAE@XZ | 1 |
| ??1ACE_Null_Condition@@QAE@XZ | 1 |
| ??0ACE_Null_Condition@@QAE@ABVACE_I | 1 |
| ?dump@ACE_Null_Condition@@QBEXXZ | 1 |
| ?broadcast@ACE_Null_Condition@@QAEH> | 1 |
| ?wait@ACE_Null_Condition@@QAEHPAVA(| 1 |
| ?signal@ACE_Null_Condition@@QAEHXZ | 1 |
| ?close@ACE_Mem_Map@@QAEHXZ | 1 |
| ?dup@ACE_OS@@SAPAXPAX@Z | 1 |
| ?thr_mgr@ACE_Task_Base@@QBEPAVACE_ | 1 |
| ??1ACE_Lock@@UAE@XZ | 1 |
| ?acquire_read@ACE_Thread_Mutex@@QAI | 1 |
| ?acquire_write@ACE_Thread_Mutex@@QA | 1 |
| ?tryacquire_read@ACE_Thread_Mutex@@C | 1 |
| ?tryacquire_write@ACE_Thread_Mutex@@@ | 1 |
| ?Initialize@XMLPlatformUtils@@SAXXZ | 1 |
| ?setSystemId@InputSource@@QAEXQBG@ | 1 |
| ??1InputSource@@UAE@XZ | 1 |
| ?initialize@XalanTransformer@@SAXXZ | 1 |
| ?transform@XalanTransformer@@QAEHAB | 1 |
| ?getLastErrort@XalanTransformer@@QBEPE | 1 |
| ??1XalanTransformer@@UAE@XZ | 1 |
| ??0XalanTransformer@@QAE@XZ | 1 |
| ??1XSLTResultTarget@@QAE@XZ | 1 |
| ??1XSLTInputSource@@UAE@XZ | 1 |
| ??0XSLTResultTarget@@QAE@PAV?\$basic_ | 1 |
| ??0XSLTInputSource@@QAE@PBD@Z | 1 |
| ??0XSLTInputSource@@QAE@PAV?\$basic_i | 1 |
| ??1XalanDOMString@@QAE@XZ | 1 |
| ?s_empty@XalanDOMString@@0GB | 1 |
| ??0XalanDOMString@@QAE@PBDI@Z | 1 |
| ?c_str@XalanDOMString@@QBEPBGXZ | 1 |
| GetCountyNumberFromNameA | 1 |
| _swe_set_ephe_path@4 | 1 |
| asctime_s | 1 |
| xjjyHookOff | 1 |
| xjjyHookOn | 1 |
| ?GetCheckSearchHttpURL@CSSDConfigMgr(| 1 |
| ?ResetCheckedSearchCountIp@CSSDConfigM | 1 |
| ?GetNextSearchCountServerUrl@CSSDConfig | 1 |
| ?CreateQuerySearchSection@CSSDConfigMg | 1 |
| ?EndQuerySearchSection@CSSDConfigMgr@ | 1 |
| ?GetSearchURL@CSSDConfigMgr@@UAE_N | 1 |

| | |
|---|---|
| ??1CSSDConfigMgr@@@UAE@XZ | 1 |
| ??0CSSDConfigMgr@@QAE@XZ | 1 |
| ?IsExcludedURL@CSSDConfigMgr@@@UAE_N | 1 |
| ?GetCheckRedirectHttpURL@CSSDConfigMg | 1 |
| ?ReportSuccess@CSSDConfigMgr@@@UAE_N | 1 |
| ?UpdateConfigData@CSSDConfigMgr@@@UA | 1 |
| ?GetAdsURL@CSSDConfigMgr@@@UAE_NKH | 1 |
| ?UpdateConfigFile@CSSDConfigMgr@@@UAE | 1 |
| ?g_404RecMgrSelf@CSSDConfigMgr@@@2PA | 1 |
| ?g_SearchRecMgrSelf@CSSDConfigMgr@@@1 | 1 |
| ?RescueConfigFile@CSSDConfigMgr@@@UAE | 1 |
| ?ReloadConfig@CSSDConfigMgr@@@UAE_N) | 1 |
| ?UpdateRescueFile@CSSDConfigMgr@@@UA | 1 |
| ?ResetCheckedRedirectCountIp@CSSDConfig | 1 |
| ?ResetCheckedRescueIp@CSSDConfigMgr@ | 1 |
| ?GetAttrInt@CSSDConfigMgr@@@UAEHH@Z | 1 |
| ?GetVersion@CSSDConfigMgr@@@UAE_NPA | 1 |
| ?GetNextRescueServerUrl@CSSDConfigMgr | 1 |
| ?GetNextRedirectCountServerUrl@CSSDCon | 1 |
| ?GetUpdateServerUrl@CSSDConfigMgr@@@I | 1 |
| ?CreateQueryAdsSection@CSSDConfigMgr@ | 1 |
| ?EndQueryAdsSection@CSSDConfigMgr@@@ | 1 |
| ?ReloadRescueFile@CSSDConfigMgr@@@UAI | 1 |
| FireGadgetMessages | 1 |
| ?PROP_HIDDEN@MediaDescriptor@comph | 1 |
| ?PROP_PREVIEW@MediaDescriptor@compl | 1 |
| ?getDocumentTitle@DocumentInfo@comph | 1 |
| rtl_ustr_indexOfAscii_WithLength | 1 |
| GetPseudoRandomValue | 1 |
| PlasmaImage | 1 |
| DestroyRandomInfo | 1 |
| AcquireRandomInfo | 1 |
| SetImageInfoBlob | 1 |
| GETMONTHS | 1 |
| GETREPORTOPTIONS | 1 |
| TXTTORTF | 1 |
| rtcGetErl | 1 |
| CloseRegister | 1 |
| RegisterDictionaryA | 1 |
| OpenRegisterA | 1 |
| VSCROLLBARSIZE | 1 |
| RBA_COL | 1 |
| haspinit | 1 |
| hasp | 1 |
| __vbaRecAnsIT | 1 |
| @\$xp\$18Madshell@IShellObj | 1 |
| @Fmprogress@frmProgress | 1 |

| | |
|--------------------------------------|---|
| @Updownedit@TUpDownEdit@ | 1 |
| TraceSQLGetDescField | 1 |
| TraceSQLStatistics | 1 |
| CloseBriefcase | 1 |
| OpenBriefcase | 1 |
| DestroyFolderTwinList | 1 |
| CreateFolderTwinList | 1 |
| DestroyRecList | 1 |
| DestroyTwinList | 1 |
| CreateTwinList | 1 |
| IsFolderTwin | 1 |
| AddFolderTwin | 1 |
| DeleteTwin | 1 |
| GetFolderTwinStatus | 1 |
| GetVolumeDescription | 1 |
| CreateRecList | 1 |
| AddAllTwinsToTwinList | 1 |
| ReleaseTwinHandle | 1 |
| GetObjectTwinHandle | 1 |
| AddTwinToTwinList | 1 |
| CountSourceFolderTwins | 1 |
| EndReconciliation | 1 |
| ReconcileItem | 1 |
| BeginReconciliation | 1 |
| AnyTwins | 1 |
| ClearBriefcaseCache | 1 |
| FindBriefcaseClose | 1 |
| AddObjectTwin | 1 |
| FindFirstBriefcase | 1 |
| FindNextBriefcase | 1 |
| SaveBriefcase | 1 |
| ?IsAlpha@CTaskData@@QAEHXZ | 1 |
| GetLoaderStatus | 1 |
| UnloadImportDS | 1 |
| FindImportDSByDeviceName | 1 |
| FindNextImportDS | 1 |
| FindFirstImportDS | 1 |
| LoadImportDS | 1 |
| ?readString@Stream@Library@@UAEPAGP. | 1 |
| ?tell@FileStream@Library@@UAEJXZ | 1 |
| ?seek@FileStream@Library@@UAEJJW4Se | 1 |
| ?write@FileStream@Library@@UAEJPAXJ@ | 1 |
| ?read@FileStream@Library@@UAEJPAXJ@ | 1 |
| ?serialize@String@Library@@QBEKPAX@Z | 1 |
| ?getSize@String@Library@@QBEKXZ | 1 |
| ?getEnd@PathName@@QBE?AVString@Lib | 1 |
| ?Init@CAppStub@@UAEXPAUHINSTANCE_ | 1 |

| | |
|--|---|
| ??1StrTableMgr@Library@@QAE@XZ | 1 |
| ?readString@Stream@Library@@UAEPADP. | 1 |
| ??1KeywordSubstitutor@Library@@QAE@X | 1 |
| ?Run@CAppStub@@UAHZ | 1 |
| ?GameLoop@CAppStub@@MAEXZ | 1 |
| ?setFontCharSet@SystemFont@@SAXE@Z | 1 |
| ??0ResourceManager@Library@@QAE@AB | 1 |
| ??0StrTableMgr@Library@@QAE@PAVKey\ | 1 |
| ?readCharacter@Stream@Library@@UAED | 1 |
| ?writeString@Stream@Library@@UAEPAGF | 1 |
| ?writeCharacter@Stream@Library@@UAEC | 1 |
| ?writeCharacter@Stream@Library@@UAED | 1 |
| ?newCScreen@@YAPAU_CScreen@@PAUH | 1 |
| ??1BlockedDataBuffer@Library@@QAE@XZ | 1 |
| ?remove@BlockedDataBuffer@Library@@C | 1 |
| ?get@BlockedDataBuffer@Library@@QAE | 1 |
| ??0BlockedDataBuffer@Library@@QAE@K\ | 1 |
| ?add@BlockedDataBuffer@Library@@QAEF | 1 |
| ??BCharacter@String@Library@@QBEGXZ | 1 |
| ??0PathName@@QAE@ABVString@Library | 1 |
| ?toLower@String@Library@@QAEXZ | 1 |
| ?WinProc@CAppStub@@MAEJPAUHWND_ | 1 |
| ??1CAppStub@@UAE@XZ | 1 |
| ??1ResourceManager@Library@@QAE@XZ | 1 |
| ??0CAppStub@@QAE@XZ | 1 |
| ?gResourceManager@@3PAVResourceMan | 1 |
| ?SetCurrentLanguageCode@LocaleFormatte | 1 |
| ?freeSpace@FileSystem@Library@@SAEPB\ | 1 |
| ?suspend@Thread@Library@@QAEEXZ | 1 |
| ?remove@Directory@@SAEABVPathName@ | 1 |
| ?moveContents@Directory@@SAEABVPath | 1 |
| ?kill@Thread@Library@@QAEEXZ | 1 |
| ?deleteCScreen@@YAPAU_CScreen@@@: | 1 |
| ?CScreenFlipPagesDC@@YAPAU_CScreen@ | 1 |
| ?endsWith@PathName@@QBEEABVCharac | 1 |
| ?readCharacter16@Stream@Library@@UAf | 1 |
| ?CStreamAccess@@YAJABVString@Library@ | 1 |
| ?isDirectory@Directory@@SAEABVPathNan | 1 |
| ?setFontName@SystemFont@@SAXABVStri | 1 |
| ?windowProc@Thread@Library@@MAEJPA | 1 |
| ?stop@Thread@Library@@QAEEXZ | 1 |
| ??0Thread@Library@@QAE@PAUHINSTAN\ | 1 |
| ?resume@Thread@Library@@QAEEXZ | 1 |
| ??1Thread@Library@@UAE@XZ | 1 |
| ?CStreamDelFile@@YAEABVString@Library\ | 1 |
| ?fontName@SystemFont@@SAABVString@ | 1 |
| ?toUInt32@String@Library@@QBEKJ@Z | 1 |

| | |
|--|---|
| ?caseCompare@String@Library@@QBEJJPI | 1 |
| TimerGetTime | 1 |
| ??HString@Library@@QBE?BV01@ABV01@ | 1 |
| ?removeAll@Directory@@SAEABVPathNam | 1 |
| ?CStreamGetMaxFilePath@@YAJXZ | 1 |
| ?CStreamCreateDir@@YAEABVString@Libra | 1 |
| ?caseCompare@String@Library@@QBEJPB(| 1 |
| ?dialogProc@Dialog@@MAEHPAUHWND__ | 1 |
| ?topDialogProc@Dialog@@KGHPAUHWND_ | 1 |
| ??0Dialog@@QAE@PAUHWND__@@PAUH | 1 |
| ?makeEmpty@PathName@@QAEXXZ | 1 |
| ?removeEnd@PathName@@QAEXXZ | 1 |
| ?make@Directory@@SAEABVPathName@C | 1 |
| ?close@ResourceManager@Library@@QAE | 1 |
| ?open@ResourceManager@Library@@QAE | 1 |
| ?GetCurrentLanguageCode@LocaleFormatte | 1 |
| ?toUpper@String@Library@@QAEXXZ | 1 |
| ?trim@String@Library@@QAEXXZ | 1 |
| ??0LocaleFormatter@Library@@QAE@XZ | 1 |
| ?gLocaleFormatter@@3PAVLocaleFormatter | 1 |
| ??0KeywordSubstitutor@Library@@QAE@F | 1 |
| ?gKeywordSubstitutor@@3PAVKeywordSub | 1 |
| ?AddStringValue@KeywordSubstitutor@Lib | 1 |
| ?AddCurrencyValue@KeywordSubstitutor@ | 1 |
| ?ClearTable@StrTableMgr@Library@@QAE | 1 |
| ?ReleaseTable@StrTableMgr@Library@@Q | 1 |
| ?CreateTable@StrTableMgr@Library@@QA | 1 |
| ?LoadTableFromResource@StrTableMgr@Li | 1 |
| ?gStrTableMgr@@3PAVStrTableMgr@Libra | 1 |
| ?GetString@StrTableMgr@Library@@QAEA | 1 |
| ??1LocaleFormatter@Library@@QAE@XZ | 1 |
| _wfindfirst32 | 1 |
| _HackLib_HookAllApps@8 | 1 |
| f4str | 1 |
| f4assign | 1 |
| d4unlock | 1 |
| d4top | 1 |
| d4tagSelectP | 1 |
| d4tag | 1 |
| d4skip | 1 |
| d4reindex | 1 |
| d4recNoLow | 1 |
| d4open | 1 |
| d4lockInternal | 1 |
| d4field | 1 |
| d4eof | 1 |
| d4close | 1 |

| | |
|--|---|
| code4initP | 1 |
| @Flctrlex@initialization\$qqrv | 1 |
| @Cabfiles@initialization\$qqrv | 1 |
| @Shellctrls@initialization\$qqrv | 1 |
| @Shellconsts@initialization\$qqrv | 1 |
| SLUXActivationWizard | 1 |
| BrandingLoadString | 1 |
| SLRegisterWindowsEvent | 1 |
| SLUnregisterWindowsEvent | 1 |
| DigiDriverSupportDLL_ScanForHardwareCha | 1 |
| DigiDriverSupportDLL_UnInstallNetDrivers | 1 |
| DigiDriverSupportDLL_InstallNetDrivers | 1 |
| DigiDriverSupportDLL_fwd_INSTALLFLAG_FC | 1 |
| DigiDriverSupportDLL_fwd_UpdateDriverFor | 1 |
| g_object_bind_property | 1 |
| ?points@RotatedRect@cv@@QBEXQAV?\$P | 1 |
| ?ellipse@cv@@YAXAAVMat@1@V?\$Point_ | 1 |
| ?ellipse@cv@@YAXAAVMat@1@ABVRotate | 1 |
| ?convertTo@Mat@cv@@QBEXABV_Output | 1 |
| ??Pcv@@YA?AVMatExpr@0@ABVMat@0@ | 1 |
| ?findContours@cv@@YAXABV_OutputArray | 1 |
| ?fitEllipse@cv@@YA?AVRotatedRect@1@A | 1 |
| ?drawContours@cv@@YAXABV_OutputArra | 1 |
| ?createTrackbar@cv@@YA?AVABV?\$basic_str | 1 |
| ?namedWindow@cv@@YAXABV?\$basic_str | 1 |
| AMFProp_GetNumber | 1 |
| AMFProp_GetString | 1 |
| AMF_Decode | 1 |
| AMF_DecodeInt24 | 1 |
| AMF_DecodeInt32 | 1 |
| AMF_Dump | 1 |
| AMF_GetProp | 1 |
| RTMPPlugin_OptUsage | 1 |
| RTMPProtocolStringsLower | 1 |
| RTMP_Close | 1 |
| RTMP_Connect | 1 |
| RTMP_ConnectStream | 1 |
| RTMP_DefaultFlashVer | 1 |
| RTMP_FindFirstMatchingProperty | 1 |
| RTMP_GetDuration | 1 |
| RTMP_GetTime | 1 |
| RTMP_GlobalInit | 1 |
| RTMP_HashSWF | 1 |
| RTMP_Init | 1 |
| RTMP_IsConnected | 1 |
| RTMP_IsTimedout | 1 |
| RTMP_Log | 1 |

| | |
|---|---|
| RTMP_LogPrintf | 1 |
| RTMP_LogStatus | 1 |
| RTMP_Read | 1 |
| RTMP_ReconnectStream | 1 |
| RTMP_SetBufferMS | 1 |
| RTMP_SetOpt | 1 |
| RTMP_SetupStream | 1 |
| RTMP_SetupURL | 1 |
| RTMP_ToggleStream | 1 |
| RTMP_UpdateBufferMS | 1 |
| RTMP_ctrlC | 1 |
| RTMP_debuglevel | 1 |
| ?get_full.pathname@HT_Plot_Config_Manager | 1 |
| _DoHTMLHelp | 1 |
| ?GetLogFileDirectory@@YA?AV?\$CStringT@ | 1 |
| SetAppKey | 1 |
| EndStyleDialog | 1 |
| _AIL_close_XMIDI_driver@4 | 1 |
| _AIL_DLS_close@8 | 1 |
| _AIL_sample_ms_position@12 | 1 |
| _AIL_sequence_ms_position@12 | 1 |
| _AIL_init_sequence@12 | 1 |
| _AIL_MIDI_to_XMI@20 | 1 |
| _AIL_set_3D_distance_factor@8 | 1 |
| _AIL_set_XMIDI_master_volume@8 | 1 |
| _AIL_set_3D_room_type@8 | 1 |
| _AIL_set_3D_provider_preference@12 | 1 |
| _AIL_set_3D_speaker_type@8 | 1 |
| _AIL_digital_CPU_percent@4 | 1 |
| _AIL_DLS_unload@8 | 1 |
| _AIL_DLS_open@28 | 1 |
| _AIL_open_XMIDI_driver@4 | 1 |
| _AIL_mem_use_free@4 | 1 |
| _AIL_mem_use_malloc@4 | 1 |
| _AIL_set_3D_sample_preference@12 | 1 |
| _AIL_3D_sample_attribute@12 | 1 |
| _AIL_set_3D_sample_distances@12 | 1 |
| _AIL_set_3D_sample_cone@16 | 1 |
| _AIL_extract_DLS@28 | 1 |
| _AIL_register_sequence_callback@8 | 1 |
| _AIL_set_sequence_user_data@12 | 1 |
| _AIL_register_stream_callback@8 | 1 |
| _AIL_register_EOS_callback@8 | 1 |
| _AIL_set_sample_user_data@12 | 1 |
| _AIL_register_3D_EOS_callback@8 | 1 |
| _AIL_set_3D_user_data@12 | 1 |
| _AIL_sample_position@4 | 1 |

| | |
|-------------------------------------|---|
| _AIL_3D_sample_offset@4 | 1 |
| _AIL_stream_position@4 | 1 |
| _AIL_stream_ms_position@12 | 1 |
| _AIL_3D_sample_length@4 | 1 |
| _AIL_set_sample_ms_position@8 | 1 |
| _AIL_set_stream_ms_position@8 | 1 |
| _AIL_set_sample_playback_rate@8 | 1 |
| _AIL_sample_playback_rate@4 | 1 |
| _AIL_set_3D_sample_playback_rate@8 | 1 |
| _AIL_3D_sample_playback_rate@4 | 1 |
| _AIL_set_stream_playback_rate@8 | 1 |
| _AIL_set_3D_sample_obstruction@8 | 1 |
| _AIL_3D_user_data@8 | 1 |
| _AIL_set_sequence_loop_count@8 | 1 |
| _AIL_stop_sequence@4 | 1 |
| _AIL_set_3D_sample_info@8 | 1 |
| _AIL_release_sequence_handle@4 | 1 |
| _AIL_allocate_sequence_handle@4 | 1 |
| _AIL_end_sequence@4 | 1 |
| _AIL_set_3D_sample_occlusion@8 | 1 |
| _AIL_set_stream_pan@8 | 1 |
| _AIL_set_sample_pan@8 | 1 |
| _AIL_DLS_load_memory@12 | 1 |
| _AIL_DLS_compact@4 | 1 |
| _AIL_sample_user_data@8 | 1 |
| _AIL_set_sequence_volume@12 | 1 |
| _AIL_sequence_user_data@8 | 1 |
| _AIL_stream_user_data@8 | 1 |
| _AIL_sequence_status@4 | 1 |
| _AIL_start_sequence@4 | 1 |
| _AIL_set_3D_sample_effects_level@8 | 1 |
| _AIL_resume_sequence@4 | 1 |
| _AIL_find_DLS@24 | 1 |
| _GetGameDataPtr | 1 |
| _GetScript | 1 |
| _GetSysData | 1 |
| NONAME03 | 1 |
| ConsolidateCMYKImages | 1 |
| SystemCommand | 1 |
| GetDelegateCommands | 1 |
| GetDelegateInfo | 1 |
| PSPageGeometry | 1 |
| FormatLocaleString | 1 |
| PSDensityGeometry | 1 |
| AcquireUniqueSymbolicLink | 1 |
| addZIP | 1 |
| ?AllowMSOIdleProcessing@GCMso@@SGX_ | 1 |

| | |
|---|---|
| ?DestroySplashWindow@GCMso@@SGXXZ | 1 |
| ?CreateSplashWindow@GCMso@@SGXXZ | 1 |
| ?PrintGlobalTimeStamp@GCTimingCheck@() | 1 |
| ?SetValue@GCRegistryKey@@QAEJKB_W() | 1 |
| ?DisableSqmThisSession@GCMso@@SGXXZ | 1 |
| ?GrooveHandleShipAssert@@YGXPBDK0K@ | 1 |
| ?GetInstallDirectory@GCSafeScriptingSuppo | 1 |
| ?ms_RunningProcessChecked@GCSafeScript | 1 |
| ?ms_RunningInGrooveProcess@GCSafeScript | 1 |
| ?int_IsRunningInGrooveProcess@GCSafeScr | 1 |
| ?CanReportBug@GCSubmitBugHelper@@S | 1 |
| ?Set@GCVariant@@QAEXPB_W@Z | 1 |
| ?SetRegistryOverrides@GCRegistryKey@@S | 1 |
| ?RemoveCompatibilityMode@GCPackageC | 1 |
| ?IsCompatibilityModeEnabled@GCPackageC | 1 |
| ?GetApplicationName@GCMso@@SGPB_W | 1 |
| ?StopGlobalTimer@GCTimingCheck@@SGX | 1 |
| ?StartGlobalTimer@GCTimingCheck@@SGX | 1 |
| ?SetThreadName@@YGXPB_WK@Z | 1 |
| ?_Release@GCVariant@@AAEXXZ | 1 |
| ?FindInterface@GCIPtrBase@@IAE_NABU_ | 1 |
| ?CreateInstanceNoRelease@GCIPtrBase@@ | 1 |
| ?GetExecutableDirectory@GCSafeScriptingS | 1 |
| SetFileCompletionNotificationModes | 1 |
| vout_GetPicture | 1 |
| vout_PutPicture | 1 |
| Istlo | 1 |
| Istcap | 1 |
| ICSeqCompressFrameE80 | 1 |
| FaxGetPersonalCoverPagesOption | 1 |
| FaxGetReceiptsOptions | 1 |
| End | 1 |
| ?Log@CDiagnostic@@SAXPBD0@Z | 1 |
| ?Initialize@CDiagnostic@@SAXPBDH00@Z | 1 |
| ?DelayDiagsUntilInit@CDiagnostic@@SAXH | 1 |
| ?Logf@CDiagnostic@@SAXPBD0ZZ | 1 |
| ??1CBaseRpcServerProvider@@UAE@XZ | 1 |
| ??0CBaseRpcServerProvider@@QAE@XZ | 1 |
| ?GetBaseServer@CBaseRpcServerProvider@ | 1 |
| ?TrackMemoryToFree@CRpcMemoryHelper | 1 |
| ?ReleaseServer@CBaseRpcServerProvider@ | 1 |
| ?DeleteObject@CSharedHandle@@AAEXXZ | 1 |
| ?Release@CCClientContext@@QAEXXZ | 1 |
| ?GetDestroyEvent@CCClientContext@@QAEI | 1 |
| ?SetRundownMode@CCClientContext@@QA | 1 |
| ?RemoveContext@CContextRpcServer@@C | 1 |
| ?ReleaseRef@CBaseRpcServer@@QAEJXZ | 1 |

| | |
|---|---|
| ?GetContext@CContextRpcServer@@QAEKI | 1 |
| ?AddContext@CContextRpcServer@@QAEK | 1 |
| ?GetContextHandleCount@CContextRpcServ | 1 |
| ?FreeObject@CRpcMemoryHelper@@SAXP. | 1 |
| ?ClearTrackedMemory@CRpcMemoryHelp | 1 |
| ?AllocateObject@CRpcMemoryHelper@@S/ | 1 |
| ??0CContextRpcServer@@QAE@PAXP6GJ0C | 1 |
| ?Initialize@CBaseRpcServerProvider@@QAI | 1 |
| ?SetLogFlags@CBaseRpcServer@@QAEKK@ | 1 |
| ?CheckTokenAccess@CBaseRpcServer@@U. | 1 |
| ?StopRpcServer@CContextRpcServer@@UA | 1 |
| ?StartRpcServer@CContextRpcServer@@UA | 1 |
| ?DoManualWin2kContextHandleRundown@ | 1 |
| ??1CContextRpcServer@@UAE@XZ | 1 |
| ?Logf@CClientContext@@QAAXKPBDZZ | 1 |
| ?OnPreDelete@CClientContext@@UAEXXZ | 1 |
| ?QueryClientPID@CBaseRpcServer@@QAEK | 1 |
| ?Initialize@CClientContext@@UAEKXZ | 1 |
| ?AddEndpointInfo@CBaseRpcServer@@QAI | 1 |
| ?OnClose@CClientContext@@UAEXXZ | 1 |
| ?OnInitialize@CClientContext@@UAEKXZ | 1 |
| ?OnPostSetRundownMode@CClientContext | 1 |
| ?OnPreSetRundownMode@CClientContext | 1 |
| ?OnOpenComplete@CClientContext@@UAI | 1 |
| ??0CClientContext@@QAE@PAVCBaseRpcS | 1 |
| ?SetLogFlags@CClientContext@@QAEKK@Z | 1 |
| ??1CClientContext@@UAE@XZ | 1 |
| ?LocalQueryRpcClientToken@CBaseRpcServ | 1 |
| ?UnInitialize@CBaseRpcServerProvider@@(| 1 |
| ?Logf@CBaseRpcServer@@QAAXKPBDZZ | 1 |
| _adj_fdiv_ | 1 |
| fdb_SQLCommand | 1 |
| fdb_TableFilter | 1 |
| fdb_Restructure | 1 |
| fdb_DefineField | 1 |
| fdb_Next | 1 |
| fdb_IndexField | 1 |
| fdb_RecordNo | 1 |
| fdb_RecordCount | 1 |
| fdb_Locate | 1 |
| fdb_Delete | 1 |
| fdb_Edit | 1 |
| fdb_Update | 1 |
| fdb_AddNew | 1 |
| fdb_WriteBool | 1 |
| fdb_WriteFloat | 1 |
| fdb_WriteDate | 1 |

| | |
|---------------------------------------|---|
| fdb_WriteInt | 1 |
| fdb_WriteChar | 1 |
| fdb_ReadBool | 1 |
| fdb_ReadDate | 1 |
| fdb_ReadInt | 1 |
| fdb_ReadChar | 1 |
| fdb_EOF | 1 |
| fdb_MoveTo | 1 |
| fdb_CloseTable | 1 |
| fdb_OpenTable | 1 |
| fdb_CloseMDB | 1 |
| fdb_OpenMDB | 1 |
| fdb_Shutdown | 1 |
| fdb_Start | 1 |
| UnattendFreeResults | 1 |
| UnattendFindFileFromCmdLine | 1 |
| UnattendFindAnswerFileWithResults | 1 |
| UnattendFreeNode | 1 |
| UnattendAddResults | 1 |
| UnattendCtxDeserialize | 1 |
| UnattendCtxSerialize | 1 |
| UnattendMarkPassUsedInCtx | 1 |
| UnattendCtxBeginModify | 1 |
| UnattendCtxReplaceMatchedNodesWithTex | 1 |
| UnattendCtxCommitModify | 1 |
| UnattendCtxGetFlagByNode | 1 |
| UnattendCtxGetEnumValueByNode | 1 |
| UnattendCtxOpenNode | 1 |
| UnattendCtxDeserializeWithResults | 1 |
| UnattendCtxCancelModify | 1 |
| UnattendCtxCleanup | 1 |
| ??1CMsg@@@QAE@XZ | 1 |
| WSAGETLASTERROR | 1 |
| GETHOSTNAME | 1 |
| CONNECT | 1 |
| INET_ADDR | 1 |
| FTK_UDPE_Open | 1 |
| FTK_UDPE_GetPeerInfo | 1 |
| FTK_UDPE_Close | 1 |
| ReleaseHook | 1 |
| @Cxgridcustomtableview@TcxCustomGridT | 1 |
| ??_7CModeler@@@6B@ | 1 |
| ?lose@PLANE@@@UAEXXZ | 1 |
| ?SPArasnor@@3NA | 1 |
| GetProcAddvess | 1 |
| __bAnaDebugActive | 1 |
| FreeExecEnv | 1 |

| | |
|--|---|
| ResetExecEnvGlobals | 1 |
| DestroyParams | 1 |
| AnaDilGo | 1 |
| AddAnaDilValueParam | 1 |
| DuplicateExecEnv | 1 |
| AnaDilKillAll | 1 |
| GetNextAnaDilFunctionName | 1 |
| GetFirstAnaDilFunctionName | 1 |
| InitExecEnv | 1 |
| CreateAnaDilParams | 1 |
| NdisSelectDevice | 1 |
| NdisOnPowerbroadcast | 1 |
| NdisDestroyInstance | 1 |
| NdisGetDeviceName | 1 |
| NdisGetDeviceCount | 1 |
| NdisGetConnState | 1 |
| NdisConnectionNotification | 1 |
| NdisDisconnect | 1 |
| NdisCancelConnect | 1 |
| NdisConnect | 1 |
| FaxAbort | 1 |
| ??0CEARegistry@@QAE@XZ | 1 |
| ??0CEASystem@@QAE@XZ | 1 |
| ??0CEACopyFile@@QAE@XZ | 1 |
| ?openKey@CEARegistry@@QAEHPAUHKEY_ | 1 |
| ?getValue@CEARegistry@@QAEHPBDPADP_ | 1 |
| ?extractPath@CEACopyFile@@QAEHPADPB | 1 |
| ?closeKey@CEARegistry@@QAEXXZ | 1 |
| ?fileExists@CEASystem@@QAE_NPBD@Z | 1 |
| ?asyncExec@CEASystem@@QAE_NPBD00@ | 1 |
| ??1CEACopyFile@@QAE@XZ | 1 |
| ??1CEASystem@@QAE@XZ | 1 |
| ??1CEARegistry@@QAE@XZ | 1 |
| ?SetExtendedJobTable@IOEventManager@() | 1 |
| ?SetDetectPrintJobbyManager@IOEventManager | 1 |
| ?SetMainWindowHandle@IOEventManager | 1 |
| ?SetUSBPrintingBit@IOEventManager@@QAE | 1 |
| ?SetJobAccount@IOEventManager@@QAE | 1 |
| ?SetRegistryPath@IOEventManager@@QAE | 1 |
| ?SetNetworkDeviceID@IOEventManager@C | 1 |
| ?SetDellProduct@IOEventManager@@QAE) | 1 |
| ?SetImprovedSM@IOEventManager@@QAE | 1 |
| ??0EventManager@@QAE@XZ | 1 |
| sout_StreamChainDelete | 1 |
| sout_StreamChainNew | 1 |
| vlc_unlink | 1 |
| @Classes@TThread@Synchronize\$qqrp15CI | 1 |

| | |
|--|---|
| @Classes@TList@GetEnumerator\$qqrv | 1 |
| @Classes@TListEnumerator@MoveNext\$qq | 1 |
| @Classes@TListEnumerator@GetCurrent\$qq | 1 |
| @\$xp\$7IStream | 1 |
| @\$xp\$13IClassFactory | 1 |
| @Sysutils@ExcludeTrailingBackslash\$qqrx2C | 1 |
| @Sysutils@RemoveDir\$qqrx20System@Uni | 1 |
| @Sysutils@FileOpen\$qqrx20System@Unico | 1 |
| @Sysutils@AnsiSameText\$qqrx20System@l | 1 |
| @Sysutils@AnsiCompareStr\$qqrx20System@C | 1 |
| @Strutils@AnsiReplaceText\$qqrx20System@C | 1 |
| @Strutils@AnsiStartsText\$qqrx20System@L | 1 |
| @Comobj@TComObjectFactory@\$bctr\$qqrj | 1 |
| @Imglist@TCustomImageList@AddImage\$qq | 1 |
| @Turegistry@GetFolderLocStr\$qqrui | 1 |
| @Turegistry@IsPowerUser\$qqrv | 1 |
| @Turegistry@FileIsOnFixedDrive\$qqrx20Sys | 1 |
| @Turegistry@GetLongPathName\$qqrx20Sys | 1 |
| @Turegistry@FindFileAndVerifyArguments\$qq | 1 |
| @Turegistry@IsDirectoryEmpty\$qqrx20Syste | 1 |
| @Turegistry@FileOrDirExists\$qqrx20System | 1 |
| @Turegistry@RemoveQuotationMarks\$qqr2 | 1 |
| @Turegistry@TUFileExists\$qqrx20System@I | 1 |
| @Turegistry@BackupEnd\$qqro | 1 |
| @Turegistry@BackupStart\$qqr37Tujournalir | 1 |
| @Turegistry@GetRescueStatusByApp\$qqr2C | 1 |
| @Turegistry@BackupFile\$qqrx20System@U | 1 |
| @Turegistry@GetRegMainKeyString\$qqrp6t | 1 |
| @Turegistry@GetMainKeyFromString\$qqr2C | 1 |
| @Turegistry@REGKEY_PRODUCT_GLOBAL | 1 |
| @Turegistry@MAINKEY_PRODUCT_GLOBAL | 1 |
| @Stringhelper@Replace\$qqr20System@Uni | 1 |
| @Stringhelper@RemoveAccelChar\$qqrx17S | 1 |
| @Stringhelper@GetResourceString\$qqr20Sy | 1 |
| @Stringhelper@ExtractResFileAndIDFromSti | 1 |
| @Tufileutils@GetFileSize64\$qqrx20System@C | 1 |
| @Hashlist@THashList@Next\$qqrv | 1 |
| @Hashlist@THashList@First\$qqrv | 1 |
| @Hashlist@THashList@Put\$qqrx20System@C | 1 |
| @Hashlist@THashList@Add\$qqrx20System@C | 1 |
| @Hashlist@THashList@Get\$qqrx20System@C | 1 |
| @Hashlist@THashList@Clear\$qqro | 1 |
| @Hashlist@THashList@\$bctr\$qqrv | 1 |
| @Hashlist@THashList@ | 1 |
| @\$xp\$22Hashlist@THashListItem | 1 |
| @Encodeddecode@EncodeQuotedPrintable\$qq | 1 |
| @Encodeddecode@DecodeQuotedPrintable\$qq | 1 |

| | |
|--|---|
| @Encodeddecode@UrlDecode\$qqrx20Syste | 1 |
| @Pngimage@TPngImage@\$bctr\$qqrv | 1 |
| @Pngimage@TPngImage@ | 1 |
| @Tgraphics@LoadGraphic\$qqrxip18Pngim | 1 |
| @Tstatistics@TTUStatic_ShortCutCleaner@ | 1 |
| @Tstatistics@Statistics | 1 |
| @Tproductkeylegacy@initialization\$qqrv | 1 |
| @Tproductkeylegacy@Finalization\$qqrv | 1 |
| @Treport@TTUReportShortcutCleaner@Se | 1 |
| @Treport@TTUReportShortcutCleaner@Se | 1 |
| @Shelllink@initialization\$qqrv | 1 |
| @Shelllink@Finalization\$qqrv | 1 |
| @Shelllink@GetShellLinkTarget\$qqrx20Syste | 1 |
| @Tuinstallertools@Initialization\$qqrv | 1 |
| @Tuinstallertools@Finalization\$qqrv | 1 |
| @Tuinstallertools@ReadUserReg\$qqrxynpq | 1 |
| @Ttracecleaner@TTUMRU@\$bctr\$qqrp18 | 1 |
| @Ttracecleaner@TTUMRU@ | 1 |
| @Tcp_tonline@initialization\$qqrv | 1 |
| @Tcp_tonline@Finalization\$qqrv | 1 |
| @Smallcachehelper@initialization\$qqrv | 1 |
| @Smallcachehelper@Finalization\$qqrv | 1 |
| @Tc_baseplugin@initialization\$qqrv | 1 |
| @Tc_baseplugin@Finalization\$qqrv | 1 |
| @Tc_baseplugin@TPluginList@Get\$qqri | 1 |
| @Tc_baseplugin@TTCPlugin@GetTraceLoca | 1 |
| @Tc_baseplugin@TTCPlugin@GetTraceLoca | 1 |
| @Tc_baseplugin@Plugins | 1 |
| @\$xp\$30Tc_baseplugin@TTraceSourceData | 1 |
| @Tcp_netscape8@initialization\$qqrv | 1 |
| @Tcp_netscape8@Finalization\$qqrv | 1 |
| @Tcp_opera@initialization\$qqrv | 1 |
| @Tcp_opera@Finalization\$qqrv | 1 |
| @Tcp_netscape7@initialization\$qqrv | 1 |
| @Tcp_netscape7@Finalization\$qqrv | 1 |
| @Tcp_tools@initialization\$qqrv | 1 |
| @Tcp_tools@Finalization\$qqrv | 1 |
| @Tcp_tools @_rsTCPApp_Nero | 1 |
| @Tcp_messenger@initialization\$qqrv | 1 |
| @Tcp_messenger@Finalization\$qqrv | 1 |
| @Tcp_toolbars@initialization\$qqrv | 1 |
| @Tcp_toolbars@Finalization\$qqrv | 1 |
| @Tcp_filesharing@initialization\$qqrv | 1 |

| | |
|--|---|
| @Tcp_filesharing@Finalization\$qqrv | 1 |
| @Tcp_player@initialization\$qqrv | 1 |
| @Tcp_player@Finalization\$qqrv | 1 |
| @Tcp_player @_rsTCPApp_WMPlayer | 1 |
| @Tcp_archiver@initialization\$qqrv | 1 |
| @Tcp_archiver@Finalization\$qqrv | 1 |
| @Tcp_firefox@initialization\$qqrv | 1 |
| @Tcp_firefox@Finalization\$qqrv | 1 |
| @Tcp_internetexplorer@initialization\$qqrv | 1 |
| @Tcp_internetexplorer@Finalization\$qqrv | 1 |
| @Tcp_windowstools@initialization\$qqrv | 1 |
| @Tcp_windowstools@Finalization\$qqrv | 1 |
| @Tcp_windowsexplorer@initialization\$qqrv | 1 |
| @Tcp_windowsexplorer@Finalization\$qqrv | 1 |
| @Tcp_windows@initialization\$qqrv | 1 |
| @Tcp_windows@Finalization\$qqrv | 1 |
| @Tcp_openoffice@initialization\$qqrv | 1 |
| @Tcp_openoffice@Finalization\$qqrv | 1 |
| @Tcp_openoffice @_rsTCPApp_OpenOffice | 1 |
| @Tcp_msoffice@initialization\$qqrv | 1 |
| @Tcp_msoffice@Finalization\$qqrv | 1 |
| @Tcp_msoffice @_rsTCPApp_Outlook | 1 |
| @Tcp_msoffice @_rsTCPApp_Word | 1 |
| @Tcp_msoffice @_rsTCPApp_PowerPoint | 1 |
| @Tcp_msoffice @_rsTCPApp_Excel | 1 |
| @Tcp_msoffice @_rsTCPApp_Access | 1 |
| @Tcp_msoffice @_rsTCPApp_MSOffice | 1 |
| @Controlplacement@SaveFormSettings\$qq | 1 |
| @Controlplacement@LoadFormSettings\$qq | 1 |
| @Axctrls@TOleStream@ | 1 |
| @Shdocvw_ewb@initialization\$qqrv | 1 |
| @Shdocvw_ewb@Finalization\$qqrv | 1 |
| @Ewbacc@initialization\$qqrv | 1 |
| @Ewbacc@Finalization\$qqrv | 1 |
| @Ewbcare@initialization\$qqrv | 1 |
| @Ewbcare@Finalization\$qqrv | 1 |
| @Ewbapplicationhook@initialization\$qqrv | 1 |
| @Ewbapplicationhook@Finalization\$qqrv | 1 |
| @Ewbtools@initialization\$qqrv | 1 |
| @Ewbtools@Finalization\$qqrv | 1 |
| @Securitymanager@TSecurityManager@ | 1 |
| @Virtualtrees@TBaseVirtualTree@ToggleNc | 1 |
| @Virtualtrees@TBaseVirtualTree@SetSelect | 1 |
| @Virtualtrees@TBaseVirtualTree@SetRootN | 1 |
| @Virtualtrees@TBaseVirtualTree@SetImage | 1 |
| @Virtualtrees@TVirtualTreeColumn@SetWi | 1 |
| @Virtualtrees@TVirtualTreeColumn@SetTe | 1 |

| | |
|---|---|
| @Virtualtrees@TVirtualTreeColumn@SetMi | 1 |
| @Tugroupedvirtualstringtree@TTUGrouped | 1 |
| @Virtualtreehelper@LoadVirtualTreeSetting | 1 |
| @Filectrl@MinimizeName\$qqrx20System@ | 1 |
| @Tutuningindex@initialization\$qqrv | 1 |
| @Tutuningindex@Finalization\$qqrv | 1 |
| @Tutuningindex@TTUTuningIndex@SetOCN | 1 |
| @Tutuningindex@TTUTuningIndex@\$bctr\$c | 1 |
| @Tutuningindex@TTUTuningIndex@ | 1 |
| playlist_BothAddInput | 1 |
| playlist_ItemGetByInput | 1 |
| playlist_ItemToNode | 1 |
| utf8_open | 1 |
| __vbaLatelIdNamedCallLd | 1 |
| LogMessage | 1 |
| SetRootKey | 1 |
| LogFileVersion | 1 |
| U_Read | 1 |
| P_Read | 1 |
| SCINIT | 1 |
| ?seekoff@?\$basic_streambuf@GU?\$char_tr | 1 |
| TipUnloadProject | 1 |
| mvwin | 1 |
| touchwin | 1 |
| ISDIIGetVersion | 1 |
| CG_SetDefaultsEx | 1 |
| serv_got_im | 1 |
| ActivateWindow | 1 |
| ActivateWindowByProcessId | 1 |
| Reg_GetProfileNumber | 1 |
| Reg_GetProfileString | 1 |
| Reg_InitProfile | 1 |
| GetHIDUsageCode | 1 |
| GetHIDFuncDesc | 1 |
| GetFuncDescNameFromFuncName | 1 |
| CallPredefinedButtonFunction | 1 |
| Reg_GetProfileBinary | 1 |
| Mixer_GetVolume | 1 |
| Reg_GetProfileBool | 1 |
| LaunchProgram | 1 |
| Mixer_GetMuteState | 1 |
| GetLinkInfo | 1 |
| FindWindowByPath | 1 |
| SendAppCommand | 1 |
| OpenWWWHomePage | 1 |
| GetHIDFuncName | 1 |
| Mixer_Init | 1 |

| | |
|--|---|
| CallHIDButtonFunction | 1 |
| Reg_GetValueBool | 1 |
| AudioCD_OpenCDAudio | 1 |
| FindProgramPath | 1 |
| OSD_ShowMutelcon | 1 |
| OSD_ShowVolume | 1 |
| OSD_ShowString | 1 |
| OSD_Destroy | 1 |
| OSD_KeepShowing | 1 |
| OSD_Init | 1 |
| EnableScreenPowerHook | 1 |
| EnableUserInputHook | 1 |
| phoneInitialize | 1 |
| lineForward | 1 |
| lineUnpark | 1 |
| DoDTSWizard | 1 |
| ?SetApp@SApplication@@QAEXPV1@@Z | 1 |
| CloseToolhelp32Snapshot | 1 |
| FreeProws | 1 |
| SmsOpen | 1 |
| SmsSendMessage | 1 |
| SmsClose | 1 |
| ??0_InputArray@cv@@@QAE@ABV?\$vector@ | 1 |
| ?remap@cv@@YAXABV_InputArray@1@AE | 1 |
| ?stitch@Stitcher@cv@@QAE?AW4Status@` | 1 |
| ?createDefault@Stitcher@cv@@SA?AV12@ | 1 |
| ??0BestOf2NearestMatcher@detail@cv@@@ | 1 |
| ??0SurfFeaturesFinder@detail@cv@@QAE@ | 1 |
| ??0OrbFeaturesFinder@detail@cv@@QAE@ | 1 |
| ??0MatchesInfo@detail@cv@@QAE@XZ | 1 |
| ??RFeaturesFinder@detail@cv@@QAE@XZ | 1 |
| ?detectResultRoi@SphericalWarper@detail@ | 1 |
| ?setCameraParams@ProjectorBase@detail@ | 1 |
| ?time@_declareHelper@TestBase@perf@@ | 1 |
| HlinkCreateShortcutFromString | 1 |
| ?setName@ParticleEmitter@Ogre@@UAEX | 1 |
| ?setEmittedEmitter@ParticleEmitter@Ogre@ | 1 |
| ?isEmitted@ParticleEmitter@Ogre@@UBE_ | 1 |
| ?setEmitted@ParticleEmitter@Ogre@@UAE@ | 1 |
| ??1ParticleEmitter@Ogre@@UAE@XZ | 1 |
| ??0ParticleEmitter@Ogre@@QAE@ABV01@ | 1 |
| ??4ParticleEmitter@Ogre@@QAEAAV01@A | 1 |
| ?_7ParamCommand@Ogre@@6B@ | 1 |
| ?toString@StringConverter@Ogre@@SA?A\ | 1 |
| ?setDirection@ParticleEmitter@Ogre@@UAE@ | 1 |
| ?parseReal@StringConverter@Ogre@@SAN | 1 |
| ??1ParameterDef@Ogre@@QAE@XZ | 1 |

| | |
|---|---|
| ?addParameter@ParamDictionary@Ogre@() | 1 |
| ??0ParameterDef@Ogre@@QAE@ABV?\$ba | 1 |
| ?addBaseParameters@ParticleEmitter@Ogr | 1 |
| ?createParamDictionary@StringInterface@C | 1 |
| ?UNIT_Z@Vector3@Ogre@@2V12@B | 1 |
| ?SymmetricRandom@Math@Ogre@@SAM | 1 |
| ?resetDimensions@Particle@Ogre@@QAEX | 1 |
| ??1ParticleAffector@Ogre@@UAE@XZ | 1 |
| ??0ParticleAffector@Ogre@@QAE@ABV01(| 1 |
| ?_initParticle@ParticleAffector@Ogre@@U. | 1 |
| ??4ParticleAffector@Ogre@@QAEAAV01@/ | 1 |
| ??0ParticleAffector@Ogre@@QAE@PAVPar | 1 |
| ?getNext@ParticleIterator@Ogre@@QAEPA | 1 |
| ?end@ParticleIterator@Ogre@@QAE_NXZ | 1 |
| ?_getIterator@ParticleSystem@Ogre@@QA | 1 |
| ?isAccessible@PixelUtil@Ogre@@SA_NW4f | 1 |
| ?getColourAt@Image@Ogre@@QBE?AVCol | 1 |
| ?getMaxRepeatDelay@ParticleEmitter@Ogr | 1 |
| ?toString@StringConverter@Ogre@@SA?A\ | 1 |
| ?parseColourValue@StringConverter@Ogre | 1 |
| ??_FColourValue@Ogre@@QAEXXZ | 1 |
| ?toString@StringConverter@Ogre@@SA?A\ | 1 |
| ?parseVector3@StringConverter@Ogre@@!` | 1 |
| ?RangeRandom@Math@Ogre@@SAMMM(| 1 |
| ?isZeroLength@Vector3@Ogre@@QBE_NXZ | 1 |
| ?UnitRandom@Math@Ogre@@SAMXZ | 1 |
| ?toString@StringConverter@Ogre@@SA?A\ | 1 |
| ?Cos@Math@Ogre@@SAMABVRadian@2@ | 1 |
| ?Sin@Math@Ogre@@SAMABVRadian@2@ | 1 |
| ?PI@Math@Ogre@@2MB | 1 |
| ?TWO_PI@Math@Ogre@@2MB | 1 |
| ??0ParticleEmitterFactory@Ogre@@QAE@) | 1 |
| ?destroyEmitter@ParticleEmitterFactory@O | 1 |
| ??1ParticleEmitterFactory@Ogre@@UAE@) | 1 |
| ??0ParticleEmitterFactory@Ogre@@QAE@/ | 1 |
| ??4ParticleEmitterFactory@Ogre@@QAEAA | 1 |
| ??0ParticleAffectorFactory@Ogre@@QAE@ | 1 |
| ?destroyAffector@ParticleAffectorFactory@ | 1 |
| ??1ParticleAffectorFactory@Ogre@@UAE@ | 1 |
| ??0ParticleAffectorFactory@Ogre@@QAE@ | 1 |
| ??4ParticleAffectorFactory@Ogre@@QAEAA/ | 1 |
| ??1Plugin@Ogre@@UAE@XZ | 1 |
| ?addAffectorFactory@ParticleSystemManag | 1 |
| ?addEmitterFactory@ParticleSystemManage | 1 |
| ?getSingleton@ParticleSystemManager@Og | 1 |
| ?setRotation@Particle@Ogre@@QAEXABVF | 1 |
| ?toString@StringConverter@Ogre@@SA?A\ | 1 |

| | |
|--|---|
| ?parseAngle@StringConverter@Ogre@@SA | 1 |
| ?setDimensions@Particle@Ogre@@QAEXM | 1 |
| ?getMinRepeatDelay@ParticleEmitter@Ogre@ | 1 |
| ?setMaxRepeatDelay@ParticleEmitter@Ogre@ | 1 |
| ?setMinRepeatDelay@ParticleEmitter@Ogre@ | 1 |
| ?getRepeatDelay@ParticleEmitter@Ogre@() | 1 |
| ?setRepeatDelay@ParticleEmitter@Ogre@() | 1 |
| ?setRepeatDelay@ParticleEmitter@Ogre@() | 1 |
| ?getMaxDuration@ParticleEmitter@Ogre@() | 1 |
| ?getMinDuration@ParticleEmitter@Ogre@() | 1 |
| ?setMaxDuration@ParticleEmitter@Ogre@() | 1 |
| ?setMinDuration@ParticleEmitter@Ogre@() | 1 |
| ?getDuration@ParticleEmitter@Ogre@@UE | 1 |
| ?setDuration@ParticleEmitter@Ogre@@UA | 1 |
| ?setDuration@ParticleEmitter@Ogre@@UA | 1 |
| ?getStartTime@ParticleEmitter@Ogre@@U | 1 |
| ?setStartTime@ParticleEmitter@Ogre@@U. | 1 |
| ?getEnabled@ParticleEmitter@Ogre@@UBI | 1 |
| ?setEnabled@ParticleEmitter@Ogre@@UAI | 1 |
| ?_initParticle@ParticleEmitter@Ogre@@UA | 1 |
| ?getColourRangeEnd@ParticleEmitter@Ogre@ | 1 |
| ?getColourRangeStart@ParticleEmitter@Ogr | 1 |
| ?getColour@ParticleEmitter@Ogre@@UBE@ | 1 |
| ?setColourRangeEnd@ParticleEmitter@Ogre@ | 1 |
| ?setColourRangeStart@ParticleEmitter@Ogr | 1 |
| ?setColour@ParticleEmitter@Ogre@@UAE@ | 1 |
| ?setColour@ParticleEmitter@Ogre@@UAE@ | 1 |
| ?getMaxTimeToLive@ParticleEmitter@Ogre@ | 1 |
| ?getMinTimeToLive@ParticleEmitter@Ogre@ | 1 |
| ?getTimeToLive@ParticleEmitter@Ogre@@ | 1 |
| ?setMaxTimeToLive@ParticleEmitter@Ogre@ | 1 |
| ?setMinTimeToLive@ParticleEmitter@Ogre@ | 1 |
| ?setTimeToLive@ParticleEmitter@Ogre@@ | 1 |
| ?setTimeToLive@ParticleEmitter@Ogre@@ | 1 |
| ?getEmissionRate@ParticleEmitter@Ogre@ | 1 |
| ?setEmissionRate@ParticleEmitter@Ogre@ | 1 |
| ?getMaxParticleVelocity@ParticleEmitter@C | 1 |
| ?getMinParticleVelocity@ParticleEmitter@C | 1 |
| ?getParticleVelocity@ParticleEmitter@Ogre@ | 1 |
| ?setMaxParticleVelocity@ParticleEmitter@C | 1 |
| ?setMinParticleVelocity@ParticleEmitter@C | 1 |
| ?setParticleVelocity@ParticleEmitter@Ogre@ | 1 |
| ?getAngle@ParticleEmitter@Ogre@@UBE@A | 1 |
| ?setParticleVelocity@ParticleEmitter@Ogre@ | 1 |
| ?setAngle@ParticleEmitter@Ogre@@UAEX@ | 1 |
| ?getDirection@ParticleEmitter@Ogre@@UE | 1 |
| ?getPosition@ParticleEmitter@Ogre@@UBI | 1 |

| | |
|---|---|
| ?setPosition@ParticleEmitter@Ogre@@UAI | 1 |
| ?genConstantEmissionCount@ParticleEmitter@Ogre@@UAI | 1 |
| ?genEmissionColour@ParticleEmitter@Ogre@@UAI | 1 |
| ?genEmissionTTL@ParticleEmitter@Ogre@@UAI | 1 |
| ?genEmissionVelocity@ParticleEmitter@Ogre@@UAI | 1 |
| ?genEmissionDirection@ParticleEmitter@Ogre@@UAI | 1 |
| ?copyParametersTo@StringInterface@Ogre@@UAI | 1 |
| ?getParameter@StringInterface@Ogre@@UAI | 1 |
| ?setParameterList@StringInterface@Ogre@@UAI | 1 |
| ?setParameter@StringInterface@Ogre@@UAI | 1 |
| ??0ParticleEmitter@Ogre@@QAE@PAVPart | 1 |
| CompareFiles | 1 |
| WinSqmIsOptedInEx | 1 |
| ?UploadSqmFromFile@SQMEXPORT@@SGE | 1 |
| @Adstable@TAdsTable@GetExists\$qqrv | 1 |
| @Adsfunc@TAdsExtendedDataSet@AdsCopy | 1 |
| @Adsdata@TAdsDataSet@SetAdsConnectio | 1 |
| @Adsdata@TAdsDataSet@SetIndexName\$qqrv | 1 |
| RM_Initialize | 1 |
| RM_CloseLCF | 1 |
| RM_WriteLicenseA | 1 |
| RM_SetLCFExpiration | 1 |
| RM_LCFLoginA | 1 |
| RM_GetLCFHeader | 1 |
| RM_Terminate | 1 |
| RM_OpenLCFA | 1 |
| ?ActivateMenu@IStdToolbar2@@UAG_NPA | 1 |
| ?OnLButtonUp@IStdToolbar2@@UAGXGHH | 1 |
| ?GetByHotKey@IStdToolbar@@UAGJ_WPA | 1 |
| ?OnTimer@IStdToolbar@@UAGXI@Z | 1 |
| ?OnCommand@IStdToolbar@@UAGJIPAUH | 1 |
| ?DrawItems@I2DWnd@@UAGJABUXRECT@Z | 1 |
| ?AddItem@I2DWnd@@UAGJPAVIControl2E | 1 |
| ?RemoveItem@I2DWnd@@UAGJPAVIControl2E | 1 |
| ?IsVerticalToolbar@I2DWnd@@UAG_NXZ | 1 |
| ?GetTextOffset@I2DWnd@@UAGHXZ | 1 |
| ?ShowBtnShadow@IStdToolbar@@UAGPAV | 1 |
| ?GetNext@IStdToolbar@@UAGPAVivBtn@C | 1 |
| ?GetPrev@IStdToolbar@@UAGPAVivBtn@C | 1 |
| ?Select@IStdToolbar@@UAGPAVIPopupWn | 1 |
| ?SetHotImp@IStdToolbar@@UAGXPAVivBt | 1 |
| ?GetPopupPos@IStdToolbar2@@UAGXPAVi | 1 |
| ?Search@ivBtn@@QAGJPAVivCmd@@PAP | 1 |
| ?Is_ex2@@YIXAAVivString@@PBDAVivLoc | 1 |
| ?Create@ITextParser@@SGJPAPAV1@A | 1 |
| ?OnLButtonDown@IStdToolbar2@@UAGXG | 1 |
| ?SetHot@IStdToolbar@@QAGJPAVivBtn@C | 1 |

| | |
|---------------------------------------|---|
| ?OnMouseMove_captured@IStdToolbar2@ | 1 |
| ?SendCommad@IStdToolbar2@@UAGXPAV | 1 |
| ?PaintButton@IStdToolbar2@@UAGJPAVivE | 1 |
| ?ivDrawThemeTextEx@@YGPAXPAXPAUHD | 1 |
| ?GetHint@IStdToolbar2@@UAGJHHAAUHIN | 1 |
| ??1IStdToolbar@@UAE@XZ | 1 |
| ??0IStdToolbar2@@QAE@H@Z | 1 |
| ?UpdateControl@IStdToolbar@@UAGXPBVI | 1 |
| ?Draw@ivCmdImg@@QBGJPAVIDC@@PAV | 1 |
| ?CommonFDlgHookProc@@YGIPAUHWND_ | 1 |
| ?SnapToBorder@@YGXPAUHWND__@@HII | 1 |
| ?GetDlgItemFloat_imp@@YG_NPAUHWND_ | 1 |
| ?FixExtension@@YGXPAUHWND__@@_NP. | 1 |
| ?Create@IPSPDLg@@SGPAV1@XZ | 1 |
| ?GetHint@IControl2D@@UAGJAAVivString(| 1 |
| ?PaintHGradient2@@YGXPAVIDC@@ABUXI | 1 |
| ??1Control2D@@IAE@XZ | 1 |
| ??0Control2D@@IAE@XZ | 1 |
| ?T@CMDINFO@@QAG_NPB_WH@Z | 1 |
| ?ivInitXpThemes@@YG_NXZ | 1 |
| ?Create@IButtonPopup@@SGPAV1@XZ | 1 |
| ?Create@ivWnd@@SGPAV1@KABUpE_GUI | 1 |
| ?IsWndInChain@IWndChain@@QBG_NPAV | 1 |
| ?IsFocusInEditLine@@YG_NXZ | 1 |
| ?Create@IHintWindow@@SGPAV1@PAViv\ | 1 |
| ?Create@ISplitWindow@@SGPAV1@PAViv\ | 1 |
| ?Create@IDockFrame@@SGPAV1@PAVivW | 1 |
| ?InitFonts@ivWnd@@SGXXZ | 1 |
| ?DoneFonts@ivWnd@@SGXXZ | 1 |
| ?Create@ivCommands@@SGPAV1@XZ | 1 |
| ?AddSpinnerI@IDlg@@QAG_NIHH@Z | 1 |
| ??0pePen@@QAE@PAUHDC__@@K@Z | 1 |
| ?pe_TranslateDialog@@YGJPAUHWND__@ | 1 |
| ?global_MenuFontV90@@3PAUHFONT__@ | 1 |
| ??1pePen@@QAE@XZ | 1 |
| ??0pePen@@QAE@PAUHDC__@@IIK@Z | 1 |
| ?LoadAPMImage@@YGJAAPAVivImage2d@ | 1 |
| ?mg_bAppActive@ivWnd@@2IA | 1 |
| ?HideHint@IHintWindow@@SG_NXZ | 1 |
| ?ShowHint@IHintWindow@@SG_NHHPAU\ | 1 |
| ??1HINTDATA@@QAE@XZ | 1 |
| ??0HINTDATA@@QAE@XZ | 1 |
| ?mm_to_unit_str@@YGXNPA_WHI@Z | 1 |
| ?pe_LeaveDialog@@YGXXZ | 1 |
| ?pe_EnterDialog@@YGXXZ | 1 |
| ?mm_to_units@@YGNNI@Z | 1 |
| ?Create@IToolbar@@SGPAV1@PAVivWnd(| 1 |

| | |
|---------------------------------------|---|
| ?PaintHGradient@@YGXPAVIDC@@ABUXR | 1 |
| ??0CMDINFO@@QAE@PAVivCmd@@W4CI | 1 |
| ?TR1@CMDINFO@@QAGHPBD@Z | 1 |
| ?GetWindow@ivWnd@@SIPAV1@PAUHW | 1 |
| ?ivDrawThemeBackground@@YGJPAXPAUH | 1 |
| ?ivDrawThemeParentBackground@@YGJPA | 1 |
| ?ivOpenThemeData@@YGPAXPAUHWND_ | 1 |
| ?ivCloseThemeData@@YGJPAX@Z | 1 |
| ?Create@IButtonTB@@SGPAV1@XZ | 1 |
| ?GetSize@ivBtn@@UAG?AUTagSIZE@@PA\ | 1 |
| ?GetSize@IButtonPopup@@UAG?AUTagSIZI | 1 |
| ?Draw@IButtonPopup@@UAGJPVIDC@@ | 1 |
| ?Create@ivCmd@@SGPAV1@XZ | 1 |
| ??1IButtonTB@@IAE@XZ | 1 |
| ??0IButtonTB@@IAE@XZ | 1 |
| ?cfgUnInitialize@@YI_NXZ | 1 |
| ?ivDoneXpThemes@@YG_NXZ | 1 |
| ?Register@ILinkWnd@@SG_NXZ | 1 |
| ?Register@IToolbar@@SG_NXZ | 1 |
| ?Register@ISplitWindow@@SG_NXZ | 1 |
| ?cfgDeleteKey@@YIXPBD@Z | 1 |
| ?Register@IHintWindow@@SG_NXZ | 1 |
| ?Create@ITheme@@SGPAV1@XZ | 1 |
| ?g_theme@@3PAVITheme@@A | 1 |
| ?cfgInitialize@@YI_NIPBD@Z | 1 |
| ?pe_InitStringsEx@@YGJPAVivStream@@PI | 1 |
| ?pe_DoneStrings@@YGJXZ | 1 |
| ?g_unitName@@3PA_WA | 1 |
| ?g_units@@3NA | 1 |
| ?cfgGetValueBin@@YIHPBD0PAXH@Z | 1 |
| ?cfgGetValueBinSize@@YIHPBD0@Z | 1 |
| ?cfgSetValueBin@@YI_NPBD0PBXH@Z | 1 |
| ?TR2@CMDINFO@@QAGHPBD@Z | 1 |
| ?TR3@CMDINFO@@QAGHPBD@Z | 1 |
| ?global_DlgFont@@3PAUHFONT__@@A | 1 |
| ?IsDialog@ivWnd@@UAG_NXZ | 1 |
| ?OnNotify@ivWnd@@UAGJHPAUtagNMHD | 1 |
| ?OnCommand@ivWnd@@UAGJIPAUEWNC | 1 |
| ?DefaultWindowProc@ivWnd@@UAGJIIJ@: | 1 |
| ?IsTypeOf@ivWnd@@UAG_NABUpE_GUID | 1 |
| ?QueryInterface@ivWnd@@UAGJABUpE_G | 1 |
| ?Register@CRegWnd@@QAGJP6GJABUpE_ | 1 |
| ??0CRegWnd@@QAE@ABUpE_GUID@@@ | 1 |
| ?Create@ivWnd@@SGPAV1@KABUpE_GUI | 1 |
| ??1CWait@@QAE@XZ | 1 |
| ??0CWait@@QAE@XZ | 1 |
| ?T@CMDINFO@@QAG_NPBD@Z | 1 |

| | |
|---------------------------------------|---|
| ??0CMDINFO@@QAE@PAVivWnd@@PAVi | 1 |
| ??1peBrush@@QAE@XZ | 1 |
| ??0peBrush@@QAE@PAUHDC__@@K@Z | 1 |
| ?global_MenuFont@@3PAUHFONT__@@A | 1 |
| ?WndProc@ivWnd@@UAGJIIJ@Z | 1 |
| ?g_ColorsMng@@3PAVColorManager@@A | 1 |
| ??1ivWnd@@MAE@XZ | 1 |
| ??0ivWnd@@IAE@H@Z | 1 |
| ?GetUDInfo@IDlg@@IAGPAUUpDownInfo@ | 1 |
| ?ivBeep@@YGXH@Z | 1 |
| ?ivIsThemeActive@@YG_NXZ | 1 |
| ?RestoreStdImage@ivBtn@@QAGJXZ | 1 |
| ?SetCutsomImage@ivBtn@@QAGJPAVIIImgI | 1 |
| ?Create@IImgLib@@SGPAV1@XZ | 1 |
| ?cfgSetValue@@YI_NPBD0ABVivString@@@C | 1 |
| ?FileDialog@@YG_NPAUHWND__@@ABViv | 1 |
| ??0FILEDLGINFO@@QAE@XZ | 1 |
| ?g_strings@@3PAVivLocale@@A | 1 |
| ?OnHelp@IDlg@@UAG_NXZ | 1 |
| ?OnCancel@IDlg@@UAG_NXZ | 1 |
| ?OnApply@IDlg@@UAG_NXZ | 1 |
| ?Destroy@ivWnd@@UAGXXZ | 1 |
| ?SnapToControl@@YGXPAUHWND__@@HI | 1 |
| ?cfgGetValueType@@YI?AW4VALUETYPE@I | 1 |
| ?Is@@YGPB_WPB_W@Z | 1 |
| ?cfgGetValue@@YIIPBD0@Z | 1 |
| ?cfgGetValueF@@YINPBD0@Z | 1 |
| ?cfgGetValue@@YI_NPBD0AAVpoint2d@@ | 1 |
| ?cfgDeleteValue@@YI_NPBD0@Z | 1 |
| ?cfgSetValueF@@YI_NPBD0@Z | 1 |
| ?cfgSetValue@@YI_NPBD0ABVpoint2d@@(| 1 |
| ?Draw_Text@IButtonPopup@@UAGXPAVID | 1 |
| ??1IButtonPopup@@IAE@XZ | 1 |
| ??0IButtonPopup@@IAE@XZ | 1 |
| ?Snap@IDlg@@UAGXHIH@Z | 1 |
| ?Snap@IDlg@@UAGXPAUHWND__@@IH@ | 1 |
| ?GetCaps@IDlg@@UAGIXZ | 1 |
| ?Translate@IDlg@@UAGJPAVivLocale@@@C | 1 |
| ?SendDlgItemMessageW@IDlg@@UAGJHIIJ | 1 |
| ?Changed@IDlg@@UAGJXZ | 1 |
| ?IsChecked@IDlg@@UAGII@Z | 1 |
| ?GetSliderValue@IDlg@@UAGHI@Z | 1 |
| ?SetSliderRange@IDlg@@UAG_NIHH@Z | 1 |
| ?SetSliderValue@IDlg@@UAG_NIH@Z | 1 |
| ?GetItemInt@IDlg@@UAG_NIAAH@Z | 1 |
| ?GetItemInt@IDlg@@UAG_NIAAI@Z | 1 |
| ?GetItemInt@IDlg@@UAG_NIAHHHIPAI@ | 1 |

| | |
|---|---|
| ?SetItemInt@IDlg@@UAG_NIH@Z | 1 |
| ?GetItemText@IDlg@@UAG_NIPA_WH@Z | 1 |
| ?GetItemText@IDlg@@UAG_NIAAVivString@() | 1 |
| ?SetText@IDlg@@UAG_NIPB_W@Z | 1 |
| ?DoModeless@IDlg@@UAG_NPAUHINSTAN | 1 |
| ?DoModal@IDlg@@UAGHPAUHINSTANCE_ | 1 |
| ?EndDialog@IDlg@@UAGJH@Z | 1 |
| ?OnDataChanged@IDlg@@UAGJXZ | 1 |
| ?QueryInitialFocus@IDlg@@UAGXAAI@Z | 1 |
| ?IsCursorInWindow@ivWnd@@UAG_NXZ | 1 |
| ?CheckFocus@ivWnd@@UAGXXZ | 1 |
| ?MSGBOX@ivWnd@@UAGIPB_W0I@Z | 1 |
| ?OnLocalColorsChanged@ivWnd@@UAGXX | 1 |
| ?OnSysColorsChanged@ivWnd@@UAGXXZ | 1 |
| ?GetColor@ivWnd@@UAGKHI@Z | 1 |
| ?TrackMouseLeave@ivWnd@@UAGXXZ | 1 |
| ?PaintBackgroundEx@ivWnd@@UAGPAEPA | 1 |
| ?PaintBackground@ivWnd@@UAGXPAUHD | 1 |
| ?GetHint@ivWnd@@UAGJHAAUHINTDAT. | 1 |
| ?cfgSetValue@@YI_NPBD0PB_W@Z | 1 |
| ?OnMouseActivate@ivWnd@@UAGJPAUHV | 1 |
| ?OnIdle@ivWnd@@UAGJH@Z | 1 |
| ?KillTimer@ivWnd@@UAG_NI@Z | 1 |
| ?SetTimer@ivWnd@@UAG_NII@Z | 1 |
| ?SetFocus@ivWnd@@UAG_NXZ | 1 |
| ?SetPos@ivWnd@@UAG_NPAUHWND__@ | 1 |
| ?Move@ivWnd@@UAG_NHH@Z | 1 |
| ?SetSize@ivWnd@@UAG_NHH@Z | 1 |
| ?SetCursor@ivWnd@@UAG_NPAUHINSTAN | 1 |
| ?Invalidate@ivWnd@@UAGXXZ | 1 |
| ?GetText@ivWnd@@UAG_NAAVivString@() | 1 |
| ?SetText@ivWnd@@UAG_NABVivString@() | 1 |
| ?OnKeyUp@ivWnd@@UAG_NGGPBUIWnd@ | 1 |
| ?OnKeyDown@ivWnd@@UAG_NGGPBUIW | 1 |
| ?OnCaptureChanged@ivWnd@@UAGXPAU | 1 |
| ?SizeRecalc@ivWnd@@UAGXXZ | 1 |
| ?IsZoomed@ivWnd@@UAG_NXZ | 1 |
| ?IsCanClose@ivWnd@@UAG_NXZ | 1 |
| ?OnNotify@IDlg@@UAGJHPAUtagNMHDR@ | 1 |
| ?OnDestroy@ivWnd@@UAGXXZ | 1 |
| ?OnCreate@ivWnd@@UAGXPAUtagCREATE | 1 |
| ?OnSetCursor@ivWnd@@UAG_NPAUHWNI | 1 |
| ?IsCommandEnabled@ivWnd@@UAG_NPA | 1 |
| ?UpdateCommands@ivWnd@@UAG_NXZ | 1 |
| ?OnCommand@ivWnd@@UAG_NAAUCMD | 1 |
| ?cfgGetValue@@YI_NPBD0PA_WH@Z | 1 |
| ?GetPrefIconSize@ivBtn@@UAGHXZ | 1 |

| | |
|--------------------------------------|---|
| ?GetForPopupRect@ivBtn@@UAGXAAUXRE | 1 |
| ?SetImgIndex@ivBtn@@UAGJPAVivCmdImg | 1 |
| ?GetImage@ivBtn@@UAGPBVivCmdImg@() | 1 |
| ?IsDropArrow@ivBtn@@UAG_NHH@Z | 1 |
| ?RemoveSubItems@ivBtn@@UAGXXZ | 1 |
| ?GetHotKey@ivBtn@@UAG_WXZ | 1 |
| ?OnThemeChanged@ivBtn@@UAGXXZ | 1 |
| ?OnWindowSize@ivBtn@@UAGXXZ | 1 |
| ?OnCommand@ivBtn@@UAGJIPAUHWND_ | 1 |
| ?GetTextColor@ivBtn@@UAGIXZ | 1 |
| ?Search@ivBtn@@UAGJPB_WPAPAV1@@Z | 1 |
| ?Search@ivBtn@@UAGJPBDPAPAV1@@Z | 1 |
| ?Remove@ivBtn@@UAGJPAV1@@Z | 1 |
| ?Remove@ivBtn@@UAGJPB_W@Z | 1 |
| ?Remove@ivBtn@@UAGJPBD@Z | 1 |
| ?SetText@ivBtn@@UAGJABVivString@@@: | 1 |
| ?CorrectRect@ivBtn@@UAGXXZ | 1 |
| ?PaintBk@ivBtn@@UAG_NPAVIDC@@PAVI | 1 |
| ?IsPopup@ivBtn@@UAG_NXZ | 1 |
| ?HitTest@ivBtn@@UAGPAV1@HH@Z | 1 |
| ?Track@ivBtn@@UAGPAV1@PAVivWnd@C | 1 |
| ?HandleEvent@ivBtn@@UAGIPAVI2DWnd@C | 1 |
| ?OnClick@ivBtn@@UAGIHHI@Z | 1 |
| ?MakeSubItems@ivBtn@@UAGJPAVStdToc | 1 |
| ?ClearHot@ivBtn@@UAGJ_N@Z | 1 |
| ?SetState@ivBtn@@UAGJII@Z | 1 |
| ?Insert@ivBtn@@UAGJPAVivCmd@@PAPA | 1 |
| ?Insert@ivBtn@@UAGJPAV1@@Z | 1 |
| ?Arrange@ivBtn@@UAGJPAVIDC@@AAUtc | 1 |
| ?GetHint@ivBtn@@UAGJAAVivString@@@ | 1 |
| ?QueryInterface@ivBtn@@UAGJABUpE_GU | 1 |
| ??1ivBtn@@IAE@XZ | 1 |
| ??0ivBtn@@IAE@XZ | 1 |
| ?global_BoldFont@@3PAUHFONT__@@A | 1 |
| ?Is@@YGPB_WHPB_W@Z | 1 |
| ?g_unicode@ivWnd@@2HA | 1 |
| ?cfgGetValue@@YI_NPBD0AAVivString@@@ | 1 |
| ?cfgGetValue_AU@@YI_NPBD0PADH@Z | 1 |
| ?cfgSetValue@@YI_NPBD00@Z | 1 |
| ?cfgSetValue_AU@@YI_NPBD00@Z | 1 |
| ?OnTimer@ivWnd@@UAGXI@Z | 1 |
| ?OnMouseLeave@ivWnd@@UAGXXZ | 1 |
| ?OnMouseHWheel@ivWnd@@UAGXGHHH | 1 |
| ?OnMouseWheel@ivWnd@@UAGXGHHH@ | 1 |
| ?OnMouseMove@ivWnd@@UAGXGHH@Z | 1 |
| ?OnMButtonUp@ivWnd@@UAGXGHH@Z | 1 |
| ?OnMButtonDown@ivWnd@@UAGXGHH@ | 1 |

| | |
|--------------------------------------|---|
| ?OnRButtonUp@ivWnd@@UAGXGHH@Z | 1 |
| ?OnRButtonDown@ivWnd@@UAGXGHH@Z | 1 |
| ?OnRButtonDblClk@ivWnd@@UAGXGHH@Z | 1 |
| ?OnLButtonUp@ivWnd@@UAGXGHH@Z | 1 |
| ?OnLButtonDown@ivWnd@@UAGXGHH@Z | 1 |
| ?OnLButtonDblClk@ivWnd@@UAGXGHH@Z | 1 |
| ?OnPaint@ivWnd@@UAGXPAUHDC__@@A | 1 |
| ?DefaultWindowProc@IDlg@@UAGJIIJ@Z | 1 |
| ?IsTypeOf@IDlg@@UAG_NABUpE_GUID@() | 1 |
| ?QueryInterface@IDlg@@UAGJABUpE_GUI | 1 |
| ?WndProc@IDlg@@UAGJIIJ@Z | 1 |
| ?OnSize@ivWnd@@UAGXGHH@Z | 1 |
| ?OnCommand@IDlg@@UAGJIPAUHWND__ | 1 |
| ?GetItemFloat@IDlg@@UAG_NIAANNNIPAI | 1 |
| ?Check@IDlg@@UAG_NII@Z | 1 |
| ?SetItemFloat@IDlg@@UAG_NINI@Z | 1 |
| ?ShowItem@IDlg@@UAG_NI_N@Z | 1 |
| ?AddSpinnerF@IDlg@@QAG_NINNNI@Z | 1 |
| ?EnableItem@IDlg@@UAG_NI_N@Z | 1 |
| ?GetDefSpinUnit@@YGNXZ | 1 |
| ?GetItemRect@IDlg@@UAG_NIAUXRECT@ | 1 |
| ?GetDlgItem@IDlg@@UAGPAUHWND__@() | 1 |
| ?OnInitDialog@IDlg@@UAG_NXZ | 1 |
| ??1IDlg@@UAE@XZ | 1 |
| ??0IDlg@@QAE@XZ | 1 |
| ?cfgSetValue@@YI_NPBDOI@Z | 1 |
| ?cfgGetValue@@YI_NPBDOPADH@Z | 1 |
| ?Register@IDockFrame@@SG_NXZ | 1 |
| ?IsDialog@IDlg@@UAG_NXZ | 1 |
| ?Get@pe_value@@QBGPAXI@Z | 1 |
| ?Rotate@matrix2d@@QAGXN@Z | 1 |
| ?Get@pe_value@@QBGPNAAG@Z | 1 |
| ?GetI@pe_value@@QBGPAVivUnknown@() | 1 |
| ?Init@pe_value@@QAGXG@Z | 1 |
| ?Init@pe_value@@QAGXPAXIVUnknown@() | 1 |
| ?Get@pe_value@@QBGPNAAVpoint2d@() | 1 |
| ?Init@pe_value@@QAGXABVpoint2d@_I | 1 |
| ?AtDelete@ivString@@QAG_NII@Z | 1 |
| ?Find@ivString@@QBGPB_W@Z | 1 |
| ?Done@pe_value@@QAGXXZ | 1 |
| ?GetDataPtr@pe_value@@QBGPAPAX@Z | 1 |
| ?Init@pe_value@@QAGXPBXI_N@Z | 1 |
| ?wtoa@@YGXPB_WPADI@Z | 1 |
| ?IsInRect@XRECT@@QAG_NABUtagPOINT@ | 1 |
| ?Cut@ivString@@QAG_NII@Z | 1 |
| ?Find@ivString@@QBGPBD@Z | 1 |
| ?CreateTemp@ivFileStream@@SGJPAPAViv | 1 |

| | |
|--------------------------------------|---|
| ??0ivString@@QAE@PAUWND__@@@Z | 1 |
| ?Add@XRECT@@QAGXABU1@@Z | 1 |
| ?GetDirLen@@YGIPB_W@Z | 1 |
| ?strncmp@pe@@YGHBD0I@Z | 1 |
| ?AtInsert@ivString@@QAG_NIPB_W@Z | 1 |
| ?FileShortName@ivString@@QBGA?AV1@XZ | 1 |
| ?Terminate@ivString@@QAGXI@Z | 1 |
| ??0ivListEx@@QAE@XZ | 1 |
| ??1ivListEx@@QAE@XZ | 1 |
| ?Init@pe_value@@QAGXE@Z | 1 |
| ?Get@pe_value@@QBGNAAE@Z | 1 |
| ?Compare@pe_value@@QBGNABV1@@Z | 1 |
| ?Init@pe_value@@QAGXN@Z | 1 |
| ?GetAt@ivString@@QBGW@Z | 1 |
| ?MakeUpper@ivString@@QAGXXZ | 1 |
| ?Init@pe_value@@QAGXM@Z | 1 |
| ?RFind@ivString@@QBGPB_W@Z | 1 |
| ??0XRECT@@QAE@PBVpoint2d@@@Z | 1 |
| ?ivstrcat@@YGIPA_WIPB_W@Z | 1 |
| ?Scale@matrix2d@@QAGXABVpoint2d@@ | 1 |
| ?OffsetTo@matrix2d@@QAGXABVpoint2d@C | 1 |
| ?Get@pe_value@@QBGNAA_N@Z | 1 |
| ?GetFullName@pe_FileFind@@QAG?AVivSt | 1 |
| ?Left@ivString@@QBGA?AV1@I@Z | 1 |
| ?GetNext@pe_FileFind@@QAG_NXZ | 1 |
| ??1pe_FileFind@@QAE@XZ | 1 |
| ??0pe_FileFind@@QAE@ABVivString@@0I\ | 1 |
| ??0ivString@@QAE@_W@Z | 1 |
| ?GetInt@ivString@@QAGHXZ | 1 |
| ?PointTransform@matrix2d@@QBGA?AVpoi | 1 |
| ?Transform@matrix2d@@QAGXABU1@@Z | 1 |
| ?RectTransform@matrix2d@@QBGA?AU_RE | 1 |
| ?PointTransform@matrix2d@@QBGA?AUTag | 1 |
| ?CopyStream@@YGJPAVivStream@@0HH@C | 1 |
| ??1ivLocker@@QAE@XZ | 1 |
| ??0ivLocker@@QAE@AAVivLock@@@Z | 1 |
| ??0ivString@@QAE@PB_WI@Z | 1 |
| ?_Add@rect2d@@QAGXABVpoint2d@@@Z | 1 |
| ??4rect2d@@QAGAAV0@AAU_RECTL@@@Z | 1 |
| ?Get@pe_value@@QBGPB_WI@Z | 1 |
| ?Init@pe_value@@QAGXPB_WI@Z | 1 |
| ?Compare@matrix2d@@QBGNABU1@N@ | 1 |
| ?GetPixelSize@@YGHW4IMG_FORMAT@@. | 1 |
| ?WriteStringAsUTF8@ivStream@@UAGJPB_ | 1 |
| ?Read@ivStream@@UAGJAAVivString@@@C | 1 |
| ?pelsFolder@@YG_NABVivString@@@Z | 1 |
| ?toString@pe_GUID@@QBGXPA_W@Z | 1 |

| | |
|--------------------------------------|---|
| ?Create@pe_Core@@SGPAV1@XZ | 1 |
| ?FilePath@ivString@@QBG?AV1@XZ | 1 |
| ?purecall@pe@@YGHXZ | 1 |
| ?ivFree@@YGXPAX@Z | 1 |
| ?ivAlloc@@YGPAXI@Z | 1 |
| ?MakeLower@ivString@@QAGXXZ | 1 |
| ?atow@@YGXPBDPA_WI@Z | 1 |
| ?pe_DetectFileType@@YGJPAVivStream@@ | 1 |
| ?Get@pe_value@@QBG_NAAI@Z | 1 |
| ?Create@pe_ValueSet@@SGPAV1@XZ | 1 |
| ?Create@IAlloc@@SGPAV1@H@Z | 1 |
| ?PrepareForRedo@pe_UndoItem@@UAGJX | 1 |
| ?GetSize@pe_UndoItem@@UAGHXZ | 1 |
| ?GetName@pe_UndoItem@@UAGPB_WXZ | 1 |
| ?QueryInterface@pe_UndoItem@@UAGJAE | 1 |
| ??1pe_UndoItem@@UAE@XZ | 1 |
| ??0pe_UndoItem@@QAE@XZ | 1 |
| ?WideToUTF8String@@YGIPB_WPADH@Z | 1 |
| ?UTF8ToWideString@@YGIPBDPA_WH@Z | 1 |
| ?Get@pe_value@@QBG_NAAH@Z | 1 |
| ?Create@ivMemStream@@SGJPAPAVivStre | 1 |
| ?Invert@matrix2d@@QAGXXZ | 1 |
| ?PointTransform@matrix2d@@QBGXPAVpc | 1 |
| ?SetRotate@matrix2d@@QAGXN@Z | 1 |
| ?VectorTransform@matrix2d@@QBG?AVpc | 1 |
| ?EndRead@ivRWLock@@QAGXXZ | 1 |
| ?EndWrite@ivRWLock@@QAGXXZ | 1 |
| ?StartRead@ivRWLock@@QAGXXZ | 1 |
| ?StartWrite@ivRWLock@@QAGXXZ | 1 |
| ??1ivRWLock@@QAE@XZ | 1 |
| ??0ivRWLock@@QAE@XZ | 1 |
| ?Intersect@rect2d@@QBG_NABV1@@Z | 1 |
| ?Contains@rect2d@@QBG_NABV1@@Z | 1 |
| ?Get@rect2d@@QBGXAAU_RECTL@@@Z | 1 |
| ?Clip@rect2d@@QBG_NAAV1@@Z | 1 |
| ??0matrix2d@@QAE@ABU0@@Z | 1 |
| ?Get@pe_value@@QAG_NAAVivString@@ | 1 |
| ?Get@pe_value@@QBG_NAAN@Z | 1 |
| ?Init@pe_value@@QAGXABVivString@@_I | 1 |
| ?Init@pe_value@@QAGXI@Z | 1 |
| ?NormalizeRect@@YGXAAVpoint2d@@0@: | 1 |
| ?pelsFileExist@@YG_NABVivString@@@Z | 1 |
| ?Normalize@XRECT@@QAGXXZ | 1 |
| ?Clip@XRECT@@QBG_NAAU1@@Z | 1 |
| ?Offset@matrix2d@@QAGXABVpoint2d@@ | 1 |
| ?SetScale@matrix2d@@QAGXABVpoint2d@ | 1 |
| ?SetIdentity@matrix2d@@QAGXXZ | 1 |

| | |
|--|---|
| ?AllTrim@@YGXPA_W@Z | 1 |
| ?IsInRect@@XRECT@@QAG_NHH@Z | 1 |
| ?Get@ivString@@QBGXPA_WI@Z | 1 |
| ?printf_add@ivString@@QAAXPB_WZZ | 1 |
| ??8ivString@@QBG_NPB_W@Z | 1 |
| ?Compare@ivString@@QBGHABV1@@Z | 1 |
| ??YivString@@QAGABV0@ABV0@@Z | 1 |
| ?Find@ivString@@QBGI_W@Z | 1 |
| ?LoadImageFromFile@@YGPAVivImage2d@ | 1 |
| ?GetCore@pe_Core@@SGPAV1@XZ | 1 |
| ?printf@ivString@@QAAXPB_WZZ | 1 |
| ?CreateInterface@@YGJABUp_e_GUID@@P/ | 1 |
| ?Create@ivMemStream@@SGJPAUHINSTAI | 1 |
| ??8ivString@@QBG_NPBD@Z | 1 |
| ?Get@ivString@@QBGPXPADI@Z | 1 |
| ?peMakeFolderEx@@YGJABVivString@@@: | 1 |
| ?peprintf@@YAHPA_WIPB_WZZ | 1 |
| ??YivString@@QAGABV0@PB_W@Z | 1 |
| ?Load@pe_Streamable@@UAGJPAVpe_Loa | 1 |
| ?Save@pe_Streamable@@UAGJPAVpe_Sav | 1 |
| ?Init@pe_value@@QAGXH@Z | 1 |
| ?Init@pe_value@@QAGXN@Z | 1 |
| ?Get@pe_value@@QBG_NAAM@Z | 1 |
| ??1pe_value@@QAE@XZ | 1 |
| ?Create@IDC@@SGPAV1@XZ | 1 |
| ?Create@ivImage2d@@SGPAV1@XZ | 1 |
| ?CreateEx@ivList@@SGPAV1@P6GXPAX@Z | 1 |
| ??9ivString@@QBG_NABV0@@Z | 1 |
| ?Create@pe_Save@@SGPAV1@XZ | 1 |
| ?Create@pe_Load@@SGPAV1@XZ | 1 |
| ?ivCreateBufferedStream@@YGJPAVivStrea | 1 |
| ?Create@ivFileStream@@SGJABVivString@ | 1 |
| ?Load@ivString@@QAG_NPAVpe_Load@@ | 1 |
| ??YivString@@QAGABV0@PBD@Z | 1 |
| ?TerminatePath@ivString@@QAGXXZ | 1 |
| ?Create@ivSortedList@@SGPAV1@P6GHPB | 1 |
| ?CompareNoCase@ivString@@QBGHABV1(| 1 |
| ?Save@ivString@@QBGPXPAVpe_Save@@H | 1 |
| ?Create@ivList@@SGPAV1@XZ | 1 |
| ?GetBuffer@ivString@@QAGPA_WXZ | 1 |
| ?Realloc@ivString@@QAG_NI@Z | 1 |
| ?_Add@rect2d@@QAGXABV1@@Z | 1 |
| ?Empty@rect2d@@QAGXXZ | 1 |
| ??0ivString@@QAE@PB_W@Z | 1 |
| ?GetBuffer@ivString@@QBGPB_WXZ | 1 |
| ??4ivString@@QAGABV0@PB_W@Z | 1 |
| ??0ivString@@QAE@ABV0@@Z | 1 |

| | |
|---|---|
| ??8ivString@@QBG_NABV0@@Z | 1 |
| ?Create@ivListEx@@SGPAV1@XZ | 1 |
| ?Empty@ivString@@QAGXXZ | 1 |
| ?SetValue@ivUnknown@@UAGJIAAVpe_va | 1 |
| ?GetValue@ivUnknown@@UAGJIAAVpe_v@ | 1 |
| ?RegisterInterface@@YGJPAVpe_CLASSINFO | 1 |
| ?Offset@XRECT@@QAGXHH@Z | 1 |
| ?BlendColor@@YGIIIM@Z | 1 |
| ?Inflate@XRECT@@QAGXHH@Z | 1 |
| ?AddRef@ivUnknown@@UAGIXZ | 1 |
| ?QueryInterface@ivUnknown@@UAGJABU | 1 |
| ??1pe_CLASSINFO@@QAE@XZ | 1 |
| ??0pe_CLASSINFO@@QAE@XZ | 1 |
| ?Leave@ivLock@@QAGXXZ | 1 |
| ?Enter@ivLock@@QAGXXZ | 1 |
| ?IsTypeOf@ivUnknown@@UAG_NABUp_e_C | 1 |
| ?Release@ivUnknown@@UAGIXZ | 1 |
| ??1ivLock@@QAE@XZ | 1 |
| ??0ivLock@@QAE@XZ | 1 |
| ??0ivUnknown@@QAE@XZ | 1 |
| ?peprintf@@YAHPADIPBDZZ | 1 |
| ?Trim@ivString@@QAGXXZ | 1 |
| ?GetCStr@ivString@@QBGPB_WXZ | 1 |
| ??1ivString@@QAE@XZ | 1 |
| ??0ivString@@QAE@PBD@Z | 1 |
| ??4ivString@@QAGABV0@ABV0@@Z | 1 |
| ?AllTrim@@YGXPAD@Z | 1 |
| sqlite3_registerCaseFoldingCollations | 1 |
| sqlite3_result_int64 | 1 |
| sqlite3_value_double | 1 |
| sqlite3_value_int64 | 1 |
| ?erase@?\$basic_string@GU?\$char_traits@(| 1 |
| RASGetServerIP | 1 |
| RASIIsOnline | 1 |
| ?InitAppTranslation@CPrxLangSet@@QAEH | 1 |
| ?classCDemMekanView@CDemMekanView@ | 1 |
| ?classCDemMekanDoc@CDemMekanDoc@() | 1 |
| ?classCDemParamsDoc@CDemParamsDoc@ | 1 |
| ?classCDemParamsView@CDemParamsView | 1 |
| ?classCDemDegArtOranView@CDemDegArt@ | 1 |
| ?classCDemDegArtOranDoc@CDemDegArtO | 1 |
| ?classCDemGrupTnmDoc@CDemGrupTnmD | 1 |
| ?classCDemGrupTnmView@CDemGrupTnm' | 1 |
| ?classCDemTnmDoc@CDemTnmDoc@@2U | 1 |
| ?classCDemTnmView@CDemTnmView@@2 | 1 |
| ?classCDemDetayDoc@CDemDetayDoc@@1 | 1 |
| ?classCDemDetayView@CDemDetayView@1 | 1 |

| | |
|--|---|
| ?classCDemSatisDoc@CDemSatisDoc@@2U | 1 |
| ?classCDemSatisView@CDemSatisView@@1 | 1 |
| IpmmontrGetIfIndexFromFriendlyName | 1 |
| IpmmontrDeleteProtocol | 1 |
| IpmmontrGetIfNameFromFriendlyName | 1 |
| IpmmontrGetInterfaceType | 1 |
| IpmmontrDeleteInfoBlockFromInterfaceInfo | 1 |
| IpmmontrGetFriendlyNameFromIfIndex | 1 |
| IpmmontrInterfaceEnum | 1 |
| IpmmontrGetInfoBlockFromInterfaceInfo | 1 |
| IpmmontrSetInfoBlockInInterfaceInfo | 1 |
| IpmmontrGetInfoBlockFromGlobalInfo | 1 |
| IpmmontrSetInfoBlockInGlobalInfo | 1 |
| IpmmontrGetFriendlyNameFromIfName | 1 |
| FreeQuotedString | 1 |
| MakeQuotedString | 1 |
| InitializeConsole | 1 |
| MakeString | 1 |
| DisplayMessageToConsole | 1 |
| FreeString | 1 |
| RefreshConsole | 1 |
| ?atan2@?\$_Ctr@M@std@@SAMMM@Z | 1 |
| ??Rlocale@std@@QBE_NABV?\$basic_string | 1 |
| TCM2DestroyEncoder | 1 |
| TCM2DecreaseSeqNumber | 1 |
| TCM2ProcessLastFrame | 1 |
| TCM2GetDummyFrameLen | 1 |
| TCM2EncodeFrame | 1 |
| TCM2GetTextHeader | 1 |
| TCM2FinishText | 1 |
| TCM2AddText | 1 |
| TCM2RefreshText | 1 |
| TCM2GetHeader | 1 |
| TCM2GetHeaderLen | 1 |
| TCM2InitEncoder | 1 |
| TCM2CreateEncoder | 1 |
| TCM2CreateDecoder2 | 1 |
| TCM2DestroyDecoder2 | 1 |
| TCM2DecodeVideoFrame2 | 1 |
| TCM2SetFormat2 | 1 |
| TCM2CreateDecoder8 | 1 |
| TCM2DestroyDecoder8 | 1 |
| TCM2DecodeVideoFrame8 | 1 |
| TCM2SetFormat8 | 1 |
| TCM2SetVersion8 | 1 |
| TCM2SetFormat12 | 1 |
| TCM2SetVersion12 | 1 |

| | |
|---|---|
| TCM2CreateDecoder12 | 1 |
| TCM2DestroyDecoder12 | 1 |
| TCM2DecodeVideoFrame12 | 1 |
| TCM2DestroyDecoder16 | 1 |
| TCM2CreateDecoder16 | 1 |
| TCM2SetVersion16 | 1 |
| TCM2SetFormat16 | 1 |
| TCM2DecodeVideoFrame16 | 1 |
| TCM2CreateDecoder24 | 1 |
| TCM2DestroyDecoder24 | 1 |
| TCM2DecodeVideoFrame24 | 1 |
| TCM2SetFormat24 | 1 |
| ?PCM2GSMFR@@YAXVCString@@0@Z | 1 |
| ?getConf@FTL_Conf@@UBEPBV1@ABV?\$b | 1 |
| ?flush@FTL_Conf@@UAEXXZ | 1 |
| ?getConf@FTL_Conf@@UAEPAV1@ABV?\$b | 1 |
| ?setBool@FTL_Conf@@UAEXABV?\$basic_st | 1 |
| ?getBool@FTL_Conf@@UBE_NABV?\$basic_ | 1 |
| ??0FTL_Conf@@IAE@PAV0@@Z | 1 |
| ?getBool@FTL_Conf@@UBE_NABV?\$basic_ | 1 |
| ?getPath@FTL_Conf@@QBE?AV?\$basic_stri | 1 |
| ?log@FTL_LOGGER@@SAXW4LogLevel@FTL_ | 1 |
| ?getPath@FTL_Conf@@QBE?AV?\$basic_stri | 1 |
| ??0FTL_DelimitedString@@QAE@ABV?\$bas | 1 |
| ?getSize@FTL_DelimitedString@@QBEHZ | 1 |
| ??AFTL_DelimitedString@@QAEAAV?\$basic | 1 |
| ??1FTL_DelimitedString@@QAE@XZ | 1 |
| ?getParentConf@FTL_Conf@@IBEPAV1@XZ | 1 |
| ??1FTL_Conf@@UAE@XZ | 1 |
| ??0FTL_Conf@@IAE @_N@Z | 1 |
| ?contains@FTL_Conf@@UBE_NABV?\$basic_ | 1 |
| ?remove@FTL_Conf@@UAEXABV?\$basic_st | 1 |
| ?getString@FTL_Conf@@UBE?AV?\$basic_st | 1 |
| ?getString@FTL_Conf@@UBE?AV?\$basic_st | 1 |
| ?setString@FTL_Conf@@UAE_NABV?\$basic | 1 |
| ?getInt@FTL_Conf@@UBEHABV?\$basic_stri | 1 |
| ?getInt@FTL_Conf@@UBEHABV?\$basic_stri | 1 |
| ?setInt@FTL_Conf@@UAEXABV?\$basic_stri | 1 |
| ?getUInt@FTL_Conf@@UBEIABV?\$basic_stri | 1 |
| ?getUInt@FTL_Conf@@UBEIABV?\$basic_stri | 1 |
| ?setUInt@FTL_Conf@@UAEXABV?\$basic_st | 1 |
| ?getLong@FTL_Conf@@UBEJABV?\$basic_st | 1 |
| ?getLong@FTL_Conf@@UBEJABV?\$basic_st | 1 |
| ?setLong@FTL_Conf@@UAEXABV?\$basic_st | 1 |
| ?getDword@FTL_Conf@@UBEKABV?\$basic_ | 1 |
| ?setDword@FTL_Conf@@UAEXABV?\$basic_ | 1 |
| ?getULong@FTL_Conf@@UBEKABV?\$basic_ | 1 |

| | |
|--|---|
| ?getULong@FTL_Conf@@UBEKABV?\$basic_ | 1 |
| ?setULong@FTL_Conf@@UAEXABV?\$basic_ | 1 |
| ?getDouble@FTL_Conf@@UBENABV?\$basic | 1 |
| ?getDouble@FTL_Conf@@UBENABV?\$basic | 1 |
| ?setDouble@FTL_Conf@@UAEXABV?\$basic | 1 |
| ?internalSetup@FUT_UnitTestBase@@MAE | 1 |
| ?errorsTolgnore@FUT_UnitTestBase@@UBI | 1 |
| ?keepTrying@FUT_UnitTestBase@@UAEXX; | 1 |
| ?hasFailed@FUT_UnitTestBase@@UBE_NXZ | 1 |
| ?internalTearDown@FUT_UnitTestBase@@ | 1 |
| ?setup@FUT_UnitTestBase@@UAEXXZ | 1 |
| ??0FUT_UnitTestBase@@QAE@ABV?\$basic | 1 |
| ??1FUT_UnitTestBase@@UAE@XZ | 1 |
| ?reportFailure@FUT_UnitTestBase@@SAXA | 1 |
| ?internalChecking@FUT_UnitTestBase@@N | 1 |
| ?tearDown@FUT_UnitTestBase@@UAEXXZ | 1 |
| Proc | 1 |
| ?fnMediaSyncInitLyric@@YAXPAEPAK@Z | 1 |
| ?fnMediaSyncCheckLyric@@YAEPAEK@Z | 1 |
| ?fnMediaSyncFindLyric@@YAXPAEK0@Z | 1 |
| ?g_bMediaHasLyric@@3DA | 1 |
| ?fnMediaSyncFinalCheck@@YAEPAE@Z | 1 |
| ?g_bIsLyric@@3EA | 1 |
| ?g_dwLyricSize@@3KA | 1 |
| ?g_bCheckInit@@3EA | 1 |
| BaseThreadStartThunk | 1 |
| ??_7messages_base@std@@6B@ | 1 |
| rtl_byte_sequence_realloc | 1 |
| mktemp | 1 |
| ?Sign@WON_EGPrivateKey@@QAE?AVCry | 1 |
| ?Clear@SvXMLAttributeList@@QAEXXZ | 1 |
| @Userinfoex@gUserLoginTime | 1 |
| @Shdocvw_@TWebBrowser@Navigate2\$qc | 1 |
| @Shdocvw_@TWebBrowser@GoForward\$q | 1 |
| @Shdocvw_@TWebBrowser@GoBack\$qqrv | 1 |
| @Ivform@TivForm@CMSShowingChanged\$q | 1 |
| @Embeddedwb@StringToVarArray\$qqrx20\$ | 1 |
| GetHookHelper | 1 |
| PR_SetThreadPriority | 1 |
| PR_Interrupt | 1 |
| PR_ClearInterrupt | 1 |
| PR_BlockInterrupt | 1 |
| PR_UnblockInterrupt | 1 |
| PR_JoinThread | 1 |
| PR_NotifyAll | 1 |
| PR_PopIOLayer | 1 |
| PR_GetHostByAddr | 1 |

| | |
|---|---|
| PR_CreateIOLayerStub | 1 |
| PR_PushIOLayer | 1 |
| PR_MicrosecondsToInterval | 1 |
| PR_GetRandomNoise | 1 |
| PR_GetUniqueIdentity | 1 |
| PR_SendTo | 1 |
| PR_RecvFrom | 1 |
| PR_ntohs | 1 |
| PR_GetPeerName | 1 |
| PR_GetSockName | 1 |
| PR_GetConnectStatus | 1 |
| PR_NewUDPSocket | 1 |
| PR_GetSocketOption | 1 |
| PR_SetSocketOption | 1 |
| PR_GetSystemInfo | 1 |
| LL_Zero | 1 |
| ylog_map_thread | 1 |
| ylog_status | 1 |
| ylog_error | 1 |
| CreateImdMain | 1 |
| CreateSupplicantMain | 1 |
| pcap_get_airpcap_handle | 1 |
| AirpcapSetLinkType | 1 |
| AirpcapSetFcsPresence | 1 |
| AirpcapSetFcsValidation | 1 |
| AirpcapSetDeviceChannel | 1 |
| AirpcapGetLastError | 1 |
| AirpcapGetDeviceList | 1 |
| AirpcapFreeDeviceList | 1 |
| icudt34_dat | 1 |
| lineUncompleteCall | 1 |
| MsiSourceListClearMediaDiskA | 1 |
| MsiExtractPatchXMLDataA | 1 |
| ?createProcessComponent@comphelper@@@ | 1 |
| sal_detail_log | 1 |
| ?GetFilePicker@FileDialogHelper@sfx2@@@() | 1 |
| ??0SfxChildWindow@@QAE@ABV0@@Z | 1 |
| ?Hide@SfxChildWindow@@UAEXXZ | 1 |
| ?Show@SfxChildWindow@@UAEXG@Z | 1 |
| ??4SfxChildWindow@@QAEAAV0@ABV0@I | 1 |
| ??1CntUnencodedStringItem@@UAE@XZ | 1 |
| ?HasMetrics@SfxPoolItem@@UBE_NXZ | 1 |
| ?ScaleMetrics@SfxPoolItem@@UAE_NJJ@Z | 1 |
| ?getPropertySetInfo@ToolboxController@sv | 1 |
| ?getInfoHelper@ToolboxController@svt@@ | 1 |
| ?convertFastPropertyValue@ToolboxContro | 1 |
| ?setFastPropertyValue_NoBroadcast@Toolb | 1 |

| | |
|--|---|
| ?createArrayHelper@ToolboxController@sv | 1 |
| ?getProperties@Window@@UBE?AV?\$SeqI | 1 |
| ?setProperties@Window@@UAEXABV?\$SeqI | 1 |
| ?SetHelpId@Window@@QAEXABVOString@ | 1 |
| ?SetHelpId@ToolBox@@QAEXGABVOString@ | 1 |
| ??1Slider@@UAE@XZ | 1 |
| ?PostPaint@Window@@UAEXXXZ | 1 |
| tapiRequestMakeCallA | 1 |
| lineSetupConferenceW | 1 |
| tapiRequestMakeCallW | 1 |
| SceSetupSystemByInfName | 1 |
| ?IsAppClass@WUTLAplInfo@@SAHW4AppI | 1 |
| ?CreateDisplay@@YAPAUHMEM__@@PAV | 1 |
| ?OBALockObject@@YAPAUOBJECT@@PAV | 1 |
| ?GetAux@WNodeHandle@@QBEPAV1@XZ | 1 |
| ?OBJBackupObject@@YAPAVWNodeHandle | 1 |
| ?OBAUnlockObject@@YAHPAVWNodeHandle | 1 |
| ?GetObjectProp@@YAPAXPAUOBJECT@@I | 1 |
| ?TRMNodeSelected@@YAHPAVWNodeHandle | 1 |
| ?UpdateCommonPropFlags@@YGHPAVWPr | 1 |
| ?LogObjectReplace@@YGHPAUIDrawDocCo | 1 |
| ?GetCommonProp@@YGXPAVWNodeHandle | 1 |
| ??0file_location@badger@@QAE@ABV?\$ba | 1 |
| ??1file_location@badger@@QAE@XZ | 1 |
| ?locate@package_source@badger@@SA?A | 1 |
| ??0XML_parser@@QAE@PAVXML_handler@ | 1 |
| ?find_attribute@@YA?AV?\$basic_string@_L | 1 |
| ?read_and_parse_stream@XML_parser@@ | 1 |
| ??1XML_parser@@QAE@XZ | 1 |
| ?replace@?\$basic_string@DU?\$char_traits@ | 1 |
| ?\$\$?PDU?\$char_traits@D@std@@@V?\$alloc@ | 1 |
| ?get@?\$basic_istream@DU?\$char_traits@L | 1 |
| ??0CThreadIO@NetDisk@@QAE@ABV01@ | 1 |
| ??4CThreadBase@NetDisk@@QAEAAV01@ | 1 |
| ??_7CThreadIO@NetDisk@@@6B@ | 1 |
| ?GetLogonSessionOnlyDACL@DiskUtil@NetI | 1 |
| ?WaitForIOCompletion@CMessageLoopIO@ | 1 |
| ?RegisterIOHandler@CMessageLoopIO@Ne | 1 |
| ??1CMemBuffer@NetDisk@@QAE@XZ | 1 |
| ?SeekToBegin@CMemBuffer@NetDisk@@@C | 1 |
| ??0CMemBuffer@NetDisk@@QAE@XZ | 1 |
| ??0CMemBuffer@NetDisk@@QAE@PBEH@ | 1 |
| ?Resize@CMemBuffer@NetDisk@@IAEXH@ | 1 |
| ??\$_GetBytes@VCTXStringW@@@CMemBuf | 1 |
| ??\$_SetBytes@VCTXStringW@@@CMemBuf | 1 |
| ?DecryptString@NetDisk@@YAHAAVCTXStr | 1 |
| ?GetBytes@CMemBuffer@NetDisk@@QAE | 1 |

| | |
|--|---|
| ??1CThreadIO@NetDisk@@UAE@XZ | 1 |
| ?EncryptString@NetDisk@@YAXAAVCTXStr | 1 |
| ?RemoveTailList@ListEntry@NetDisk@@YAI | 1 |
| ?Grow@CMemBuffer@NetDisk@@IAEXH@ | 1 |
| ??0CMemBuffer@NetDisk@@QAE@ABV01(| 1 |
| ??4CMemBuffer@NetDisk@@QAEAAV01@, | 1 |
| ?Current@CMessageLoopIO@NetDisk@@S/ | 1 |
| ?SetBytes@CMemBuffer@NetDisk@@QAE | 1 |
| ?FindChildFirst@DEntry@NetDisk@@YAPAI | 1 |
| ?FindChildNext@DEntry@NetDisk@@YAPAI | 1 |
| PL_memory_wrap | 1 |
| Perl_Icurstackinfo_ptr | 1 |
| Perl_ilevel_root_ptr | 1 |
| Perl_lin_eval_ptr | 1 |
| Perl_lop_ptr | 1 |
| Perl_iparser_ptr | 1 |
| Perl_lstatbuf_ptr | 1 |
| Perl_ltainted_ptr | 1 |
| Perl_ltop_env_ptr | 1 |
| Perl_dounwind | 1 |
| Perl_newSVpv | 1 |
| Perl_newXS_flags | 1 |
| Perl_save_destructor_x | 1 |
| Perl_sv_2pv_flags | 1 |
| Perl_sys_init3 | 1 |
| Perl_sys_term | 1 |
| boot_Win32CORE | 1 |
| @System@@VarNot\$qqrv | 1 |
| @System@@VarOr\$qqrv | 1 |
| @System@@VarAnd\$qqrv | 1 |
| @System@_CToPasStr\$qqrv | 1 |
| GetAllocMemSize | 1 |
| GetHeapStatus | 1 |
| @Sharemem@initialization\$qqrv | 1 |
| @Sharemem@Finalization\$qqrv | 1 |
| @Sysutils@Win32Check\$qqri | 1 |
| @Sysutils@IsDelimiter\$qqrx17System@Ans | 1 |
| @Sysutils@ExceptionErrorMessage\$qqrp14` | 1 |
| @Sysutils@AnsiLastChar\$qqrx17System@Ar | 1 |
| @Sysutils@HexDisplayPrefix | 1 |
| @Sysutils@TwoDigitYearCenturyWindow | 1 |
| @Forms@TApplication@HelpJump\$qqrx17S | 1 |
| @Forms@TApplication@RestoreTopMosts\$ | 1 |
| @Forms@TApplication@NormalizeTopMost | 1 |
| @Forms@TCustomForm@WMGetMinMaxlr | 1 |
| @Forms@TCustomForm@WMDestroy\$qqrr | 1 |
| @Forms@TCustomForm@SetMenu\$qqrp15 | 1 |

| | |
|---|---|
| @Forms@TScrollingWinControl@WMSize\$ | 1 |
| @Forms@TCustomDockForm@ | 1 |
| @Classes@TWriter@WriteSignature\$qqrv | 1 |
| @Classes@TWriter@WriteComponent\$qqrp | 1 |
| @Classes@TWriter@WriteBoolean\$qqro | 1 |
| @Classes@TReader@ReadComponents\$qqrp | 1 |
| @Classes@TReader@ReadBoolean\$qqrv | 1 |
| @Classes@RegisterClasses\$qqrp\$xp17System | 1 |
| @Consts @_SInvalidImage | 1 |
| @Consts @_SOpenFileTitle | 1 |
| @Controls@TWinControl@CMSysFontChanger | 1 |
| @Controls@TControl@ManualFloat\$qqrrx1 | 1 |
| @Menus@NewLine\$qqrv | 1 |
| @Menus@NewItem\$qqrx17System@AnsiString | 1 |
| @Menus@TMenuItem@NewBottomLine\$qqrv | 1 |
| @Menus@TMenuItem@SetBreak\$qqr16Me | 1 |
| @\$xp\$15Menus@TMainMenu | 1 |
| @Stdctrls@TCustomComboBox@SetSelLength | 1 |
| @Stdctrls@TCustomComboBox@SetSelStart | 1 |
| @Stdctrls@TCustomComboBox@GetDropEffect | 1 |
| @Stdctrls@TCustomComboBox@SelectAll\$qqrv | 1 |
| @Stdctrls@TCustomComboBox@ | 1 |
| @Math@Max\$qqrii | 1 |
| @Jpeg@TJPEGImage@SetPixelFormat\$qqrv | 1 |
| @Extctrls@TCustomControlBar@SetRowSize | 1 |
| @Extctrls@TControlBar@ | 1 |
| @Appconst@ProjectCompileAllMenuCaption | 1 |
| @Appconst @_sOldComCtl | 1 |
| @Appconst @_sNoDesktop | 1 |
| @Appconst @_SAllCommandsFormat | 1 |
| @Appconst @_SCannotHideMenuBar | 1 |
| @Appconst @_SViewAsText | 1 |
| @Appconst @_SViewAsForm | 1 |
| @Appconst @_sCannotProcessDDE | 1 |
| @Appconst @_sProgramsWebPage | 1 |
| @Appconst @_sBorlandWebPage | 1 |
| @Appconst @_sNoProjectLoaded | 1 |
| @Appconst @_sProjectInformationItem | 1 |
| @Appconst @_sProjectBuildItem | 1 |
| @Appconst @_sModuleAddModuleDlgCaption | 1 |
| @Appconst @_sLogViewException | 1 |
| @Appconst @_sLIDECaption | 1 |
| @Appconst @_sCouldNotLocateDependentLibrary | 1 |
| @Appconst @_sInvalidTemplateComponent | 1 |
| @Appconst @_sCancelFindInFiles | 1 |
| @Appconst @_sStartFindInFiles | 1 |
| @Appconst @_sCompTemplate | 1 |

| | |
|--|---|
| @Appconst @_sErrorExecCom | 1 |
| @Appconst @_sStoppingState | 1 |
| @Appconst @_sStoppedState | 1 |
| @Appconst @_sRunningState | 1 |
| @Appconst @_sCompiledState | 1 |
| @Appconst @_sLoadedState | 1 |
| @Appconst @_sUnregisteredComServer | 1 |
| @Appconst @_sRegisteredComServer | 1 |
| @Appconst @_sNoProcessCaption | 1 |
| @Appconst @_sUndeleteText | 1 |
| @Appconst @_sUndoText | 1 |
| @Appconst @_sViewForm | 1 |
| @Appconst @_sViewModule | 1 |
| @Appconst @_sDoubleStopMessage | 1 |
| @Appconst @_sNoHostApplication | 1 |
| @Appconst @_sCantRunUnitDLL | 1 |
| @Appconst @_sInvalidExePathFile | 1 |
| @Appconst @_sSourcePositionUnavailable | 1 |
| @Appconst @_sViewCPUCaption | 1 |
| @Appconst @_sDanger | 1 |
| @Appconst @_sStackOverflowException | 1 |
| @Appconst @_sExceptionRaised | 1 |
| @Appconst @_sCantCompileWhileDebuggin | 1 |
| @Appconst @_sTerminateDebugging | 1 |
| @Appconst @_sSourceModified | 1 |
| @Uiutils@ShowWebPage\$qqrx17System@/ | 1 |
| @Uiutils@IDEVersionInfo\$qqrv | 1 |
| @Uiutils@ExpandRootMacro\$qqrx17System | 1 |
| @Uiutils@FileSearchExt\$qqrx17System@An | 1 |
| @Uiutils@ExtractExtList\$qqrx17System@An | 1 |
| @Uiutils@MakeBackupFileName\$qqrx17Sys | 1 |
| @Verinf@initialization\$qqrv | 1 |
| @Verinf@Finalization\$qqrv | 1 |
| @Optintf@CreateDefaultProject | 1 |
| @\$xp\$23Optintf@IProjectOptions | 1 |
| @Idehistorymanager@initialization\$qqrv | 1 |
| @Idehistorymanager@Finalization\$qqrv | 1 |
| @Idehistorymanager@THistoryManager@S: | 1 |
| @Idereginipropset@initialization\$qqrv | 1 |
| @Idereginipropset@Finalization\$qqrv | 1 |
| @Idepropset@TPropSet@SavePropValues\$` | 1 |
| @Idepropset@TPropField@SetValue\$qqrrx1 | 1 |
| @Idepropset@TPropField@GetValue\$qqrv | 1 |
| @Idepropset@TPropField@GetEditText\$qqrv | 1 |
| @Ideconst@initialization\$qqrv | 1 |
| @Ideconst@Finalization\$qqrv | 1 |
| @Packagelist@initialization\$qqrv | 1 |

| | |
|---|---|
| @Packagelist@Finalization\$qqrv | 1 |
| @\$xp\$22Comtypes@TFrameContext | 1 |
| @Dbkhelper@initialization\$qqrv | 1 |
| @Dbkhelper@Finalization\$qqrv | 1 |
| @Dbk_tlb@initialization\$qqrv | 1 |
| @Dbk_tlb@Finalization\$qqrv | 1 |
| @Resutils@initialization\$qqrv | 1 |
| @Resutils@Finalization\$qqrv | 1 |
| @Events@initialization\$qqrv | 1 |
| @Events@Finalization\$qqrv | 1 |
| @Events@TEvent@Send\$qqrp14System@T | 1 |
| @Comctrls@TPageScroller@SetPosition\$qq | 1 |
| @Comctrls@TPageScroller@SetAutoScroll\$qq | 1 |
| @Comctrls@TToolBar@GetButtonCount\$qq | 1 |
| @Comctrls@TToolBar@GetButton\$qqri | 1 |
| @Comctrls@TToolButton@SetStyle\$qqr25C | 1 |
| @Comctrls@TToolButton@SetMenuItem\$qi | 1 |
| @Comctrls@TToolButton@SetGrouped\$qq | 1 |
| @Comctrls@TToolButton@SetAutoSize\$qqr | 1 |
| @Comctrls@TToolButton@\$bctr\$qqrp18Cla | 1 |
| @Comctrls@TCustomTabControl@ScrollTab | 1 |
| @Comctrls@TCustomTabControl@SetTabPc | 1 |
| @Comctrls@TCustomTabControl@SetTabIn | 1 |
| @Comctrls@TCustomTabControl@SetTabHe | 1 |
| @Comctrls@TCustomTabControl@GetTabIn | 1 |
| @Comctrls@TCustomTabControl@GetDispl: | 1 |
| @Comctrls@GetComCtlVersion\$qqrv | 1 |
| @Comctrls@TPageScroller@ | 1 |
| @Dialogs@ForceCurrentDirectory | 1 |
| @Dialogs@TPrinterSetupDialog@ | 1 |
| @Appstrs@fnBaseExePath\$qqrv | 1 |
| @Appstrs@fnBaseExeName\$qqrv | 1 |
| @Appstrs@StartupDir | 1 |
| @Appstrs@ProductBaseName | 1 |
| @Appstrs@ProjectExt | 1 |
| @Appstrs@rkBaseRegKey | 1 |
| @Appstrs@sHelpCPPRTLReferenceFilename | 1 |
| @Appstrs@sHelpVCLReferenceFilename | 1 |
| @Appstrs@sHelpProgrammersGuideFilena | 1 |
| @Appstrs@sHelpObjectComponentReferenc | 1 |
| @Appstrs@fnAppHelpFile | 1 |
| @Appstrs@ApplIniFile | 1 |
| @Registryex@initialization\$qqrv | 1 |
| @Registryex@Finalization\$qqrv | 1 |
| @Registryex@TRegistryIniFileEx@WriteBina | 1 |
| @Registryex@TRegistryIniFileEx@ReadBina | 1 |
| @Pasabout@initialization\$qqrv | 1 |

| | |
|---------------------------------------|---|
| @Pasabout@Finalization\$qqrv | 1 |
| @Listscrl@initialization\$qqrv | 1 |
| @Listscrl@Finalization\$qqrv | 1 |
| @Swfrm@initialization\$qqrv | 1 |
| @Swfrm@Finalization\$qqrv | 1 |
| @Opengl@initialization\$qqrv | 1 |
| @Opengl@Finalization\$qqrv | 1 |
| @Pasabout16@initialization\$qqrv | 1 |
| @Pasabout16@Finalization\$qqrv | 1 |
| @Pasabouthicolor@initialization\$qqrv | 1 |
| @Pasabouthicolor@Finalization\$qqrv | 1 |
| @Addctdlg@initialization\$qqrv | 1 |
| @Addctdlg@Finalization\$qqrv | 1 |
| @Adrbpadd@initialization\$qqrv | 1 |
| @Adrbpadd@Finalization\$qqrv | 1 |
| @Adrbpadd@TAddAdrBP@ | 1 |
| @Idepropctrls@initialization\$qqrv | 1 |
| @Idepropctrls@Finalization\$qqrv | 1 |
| @Debug@initialization\$qqrv | 1 |
| @Debug@Finalization\$qqrv | 1 |
| @Debug@InitDebug\$qqrv | 1 |
| @Debug@DoneDebug\$qqrv | 1 |
| @Debug@TDebugger@ShowEvaluator\$qqrv | 1 |
| @Debug@TDebugger@ShowFault\$qqrv | 1 |
| @Debug@TDebugger@Stop\$qqro | 1 |
| @Debug@TDebugger@FindExceptionAddre | 1 |
| @Debug@TDebugger@ResetAll\$qqro | 1 |
| @Debug@TDebugger@Reset\$qqroo | 1 |
| @Debug@TDebugger@AttachProcess\$qqrx1 | 1 |
| @Debug@TDebugger@CreateProcess\$qqrx: | 1 |
| @Debug@TDebugger@AddLogStrPID\$qqrx1 | 1 |
| @Debug@TDebugger@GetSourcePos\$qqrv | 1 |
| @Debug@TDebugger@GetExceptionMessa  | 1 |
| @Debug@TDebugger@GetExceptionName\$ | 1 |
| @Debug@TDebugger@GetFilename\$qqrv | 1 |
| @Debug@TDebugger@SetProcessState\$qqr | 1 |
| @Debug@TDebugger@SetProcess\$qqrp14C | 1 |
| @Debug@TDebugger@GetDebuggedProces | 1 |
| @Debug@TDebugger@GetProcessState\$qq | 1 |
| @Debug@TDebugger@GetProcesses\$qqri | 1 |
| @Debug@TDebugger@GetProcessCount\$qr | 1 |
| @Debug@TDebugger@GetEvent\$qqri | 1 |
| @Debug@TDebugger@GetEvaluating\$qqrv | 1 |
| @Debug@TDebugger@GetInstrStepping\$qc | 1 |
| @Debug@TDebugger@GetStepping\$qqrv | 1 |
| @Debug@TDebugger@GetResetting\$qqrv | 1 |
| @Debug@TDebugger@GetStoppedOnAddrE | 1 |

| | |
|--|---|
| @Debug@TDebugger@GetLineNo\$qqrv | 1 |
| @Debug@TDebugger@FileNameFromIndex | 1 |
| @Debug@TProcess@GetExeName\$qqrv | 1 |
| @Debug@TThread@GetExceptionContext\$qqrv | 1 |
| @Debug@TThread@GetCurAddr\$qqrv | 1 |
| @Debug@TDbkApiEvent@EventPending\$qqrv | 1 |
| @Debug@TBkptAddressList@Add\$qqrx17Sy | 1 |
| @Debug@TBkptAddressList@Add\$qqrpviui | 1 |
| @Debug@TBreakpointList@Clear\$qqrv | 1 |
| @Debug@TBreakpointList@Add\$qqrp17Del | 1 |
| @Debug@TBreakpointList@GetCount\$qqrv | 1 |
| @Debug@TBreakpoint@\$bctr\$qqrx17Systei | 1 |
| @Debug@TBaseBreakpoint@SetDisableGro | 1 |
| @Debug@TBaseBreakpoint@SetEnableGro | 1 |
| @Debug@TBaseBreakpoint@SetEvalExpress | 1 |
| @Debug@TBaseBreakpoint@SetLogResult\$qq | 1 |
| @Debug@TBaseBreakpoint@SetLogMessag | 1 |
| @Debug@TBaseBreakpoint@SetDoHandleE | 1 |
| @Debug@TBaseBreakpoint@SetDoIgnoreEx | 1 |
| @Debug@TBaseBreakpoint@SetDoBreak\$qq | 1 |
| @Debug@TBaseBreakpoint@SetGroupName\$qq | 1 |
| @Debug@TBaseBreakpoint@SetPassCount\$qq | 1 |
| @Debug@TBaseBreakpoint@SetExpression\$qq | 1 |
| @Debug@Debugger | 1 |
| @Debug@TProcess@ | 1 |
| @Debug@TBreakpoint@ | 1 |
| @Ideservices@GetFileSystem\$qqrx17Systen | 1 |
| @Ideservices@DoneIDEservices\$qqrv | 1 |
| @Ideservices@InitIDEServices\$qqrv | 1 |
| @Idemodel@initialization\$qqrv | 1 |
| @Idemodel@Finalization\$qqrv | 1 |
| @Ideeevent@initialization\$qqrv | 1 |
| @Ideeevent@Finalization\$qqrv | 1 |
| @Ideutil@initialization\$qqrv | 1 |
| @Ideutil@Finalization\$qqrv | 1 |
| @Dsgnintf@FontNamePropertyDisplayFontI | 1 |
| @Pakload@initialization\$qqrv | 1 |
| @Pakload@Finalization\$qqrv | 1 |
| @Ek@initialization\$qqrv | 1 |
| @Ek@Finalization\$qqrv | 1 |
| @Edkrnl@initialization\$qqrv | 1 |
| @Edkrnl@Finalization\$qqrv | 1 |
| @Idekbd@initialization\$qqrv | 1 |
| @Idekbd@Finalization\$qqrv | 1 |
| @Kbclient@initialization\$qqrv | 1 |
| @Kbclient@Finalization\$qqrv | 1 |
| @Kbclient@TIDEKBDFrameAPI@UnRegister | 1 |

| | |
|--|---|
| @Kbclient@TIDEKBDFrameAPI@RegisterMe | 1 |
| @Kbclient@MainKBD | 1 |
| @Msglines@TLineBuffer@ClearLineClass\$qr | 1 |
| @Msglines@TLineBuffer@Clear\$qqrv | 1 |
| @Msglines@NextMessage\$qqro | 1 |
| @Msglines@LineBuffer | 1 |
| @Msglines@TCompilerMsgLine@ | 1 |
| @Deskform@TDesktopForm@Repaint\$qqrv | 1 |
| @Deskform@TDesktopForm@ZoomWindow | 1 |
| @Deskform@TDesktopForm@SaveDockClie | 1 |
| @Deskform@TDesktopForm@LoadDockClie | 1 |
| @Deskform@TDesktopForm@SaveDockStre | 1 |
| @Deskform@TDesktopForm@LoadDockStre | 1 |
| @Deskform@TDesktopForm@FormDestroy! | 1 |
| @Deskform@TDesktopForm@FormCreate\$qr | 1 |
| @Deskform@TDesktopForm@LoadWindow! | 1 |
| @Deskform@TDesktopForm@SaveWindow! | 1 |
| @Deskform@TDesktopForm@EditAction\$qr | 1 |
| @Deskform@TDesktopForm@\$bctr\$qqrp18 | 1 |
| @Deskform@EndDesktopUpdate\$qqrv | 1 |
| @Deskform@BeginDesktopUpdate\$qqrv | 1 |
| @Deskform@TDesktopForm@ | 1 |
| @Deskstrs@initialization\$qqrv | 1 |
| @Deskstrs@Finalization\$qqrv | 1 |
| @Msgview@initialization\$qqrv | 1 |
| @Msgview@Finalization\$qqrv | 1 |
| @Msgview@TTreeMessageView@SaveMsg | 1 |
| @Editors@initialization\$qqrv | 1 |
| @Editors@Finalization\$qqrv | 1 |
| @Editors@GetTopFilePos\$qqrr17System@A | 1 |
| @Editors@MoveEditorCPU\$qqrx17System@ | 1 |
| @Editors@OpenNewEditWindow\$qqrp19Ed | 1 |
| @Editors@InitEditors\$qqrv | 1 |
| @Editors@FindEditWindow\$qqrp19Editors@ | 1 |
| @Editors@DoneEditors\$qqrv | 1 |
| @Editors@TEditWindow@SearchGotoLineC | 1 |
| @Editors@TEditWindow@SearchIncrement: | 1 |
| @Editors@TEditWindow@SearchAgainClick | 1 |
| @Editors@TEditWindow@SearchReplaceCli | 1 |
| @Editors@TEditWindow@SearchFindClick\$ | 1 |
| @Editors@DefaultEditorOptionsDialog | 1 |
| @Editors@EditWindowList | 1 |
| @Editors@TCustomEditControl@ | 1 |
| @Idedockpanel@initialization\$qqrv | 1 |
| @Idedockpanel@Finalization\$qqrv | 1 |
| @Idedockpanel@TDockPanel@ | 1 |
| @Dockform@TDockableForm@\$bctr\$qqrp1 | 1 |

| | |
|--|---|
| @Deskutil@RegisterDesktopFormClass\$qqrv | 1 |
| @Deskutil@FocusWindow\$qqrp11Forms@T | 1 |
| @Idedockctrls@initialization\$qqrv | 1 |
| @Idedockctrls@Finalization\$qqrv | 1 |
| @Joindock@initialization\$qqrv | 1 |
| @Joindock@Finalization\$qqrv | 1 |
| @Idetabcontrol@initialization\$qqrv | 1 |
| @Idetabcontrol@Finalization\$qqrv | 1 |
| @Idetabcontrol@TComponentPaletteTabCo | 1 |
| @Baseenvirondialog@initialization\$qqrv | 1 |
| @Baseenvirondialog@Finalization\$qqrv | 1 |
| @Idepsheet@initialization\$qqrv | 1 |
| @Idepsheet@Finalization\$qqrv | 1 |
| @Basemodeexplorerform@initialization\$qqrv | 1 |
| @Basemodeexplorerform@Finalization\$qqrv | 1 |
| @Envoptions@TEnvironmentOptions@Send | 1 |
| @Envoptions@TEnvironmentOptions@GetD | 1 |
| @Envoptions@TEnvironmentOptions@Edit\$ | 1 |
| @Envoptions@FindFixedPitchFonts\$qqrv | 1 |
| @Envoptions@DefaultEnvironmentOptions[| 1 |
| @Envoptions@EnvironmentOptions | 1 |
| @Addinenvoptions@initialization\$qqrv | 1 |
| @Addinenvoptions@Finalization\$qqrv | 1 |
| @Treesearch@initialization\$qqrv | 1 |
| @Treesearch@Finalization\$qqrv | 1 |
| @Ideuievent@initialization\$qqrv | 1 |
| @Ideuievent@Finalization\$qqrv | 1 |
| @Idfixups@initialization\$qqrv | 1 |
| @Idfixups@Finalization\$qqrv | 1 |
| @Idesubfocus@initialization\$qqrv | 1 |
| @Idesubfocus@Finalization\$qqrv | 1 |
| @Idecontrol@initialization\$qqrv | 1 |
| @Idecontrol@Finalization\$qqrv | 1 |
| @Ideselection@initialization\$qqrv | 1 |
| @Ideselection@Finalization\$qqrv | 1 |
| @Ideviewmanager@initialization\$qqrv | 1 |
| @Ideviewmanager@Finalization\$qqrv | 1 |
| @Iditem@initialization\$qqrv | 1 |
| @Iditem@Finalization\$qqrv | 1 |
| @Idpeer@initialization\$qqrv | 1 |
| @Idpeer@Finalization\$qqrv | 1 |
| @Idemulticast@initialization\$qqrv | 1 |
| @Idemulticast@Finalization\$qqrv | 1 |
| @Ideviewimpl@initialization\$qqrv | 1 |
| @Ideviewimpl@Finalization\$qqrv | 1 |
| @Ideutil2@initialization\$qqrv | 1 |
| @Ideutil2@Finalization\$qqrv | 1 |

| | |
|--|---|
| @Idemodeevent@initialization\$qqrv | 1 |
| @Idemodeevent@Finalization\$qqrv | 1 |
| @Idevview@initialization\$qqrv | 1 |
| @Idevview@Finalization\$qqrv | 1 |
| @Ideitemeditors@initialization\$qqrv | 1 |
| @Ideitemeditors@Finalization\$qqrv | 1 |
| @Ideitempainters@initialization\$qqrv | 1 |
| @Ideitempainters@Finalization\$qqrv | 1 |
| @Idegraphimpl@initialization\$qqrv | 1 |
| @Idegraphimpl@Finalization\$qqrv | 1 |
| @Idejgl@initialization\$qqrv | 1 |
| @Idejgl@Finalization\$qqrv | 1 |
| @Ideselectionimpl@initialization\$qqrv | 1 |
| @Ideselectionimpl@Finalization\$qqrv | 1 |
| @Idesubfocusimpl@initialization\$qqrv | 1 |
| @Idesubfocusimpl@Finalization\$qqrv | 1 |
| @Idemodelimpl@initialization\$qqrv | 1 |
| @Idemodelimpl@Finalization\$qqrv | 1 |
| @Idevectorimpl@initialization\$qqrv | 1 |
| @Idevectorimpl@Finalization\$qqrv | 1 |
| @Idesingletonimpl@initialization\$qqrv | 1 |
| @Idesingletonimpl@Finalization\$qqrv | 1 |
| @Ideviewmanagerimpl@initialization\$qqrv | 1 |
| @Ideviewmanagerimpl@Finalization\$qqrv | 1 |
| @Projectintf@ProjectManager | 1 |
| @Compintf@CreateCompiler\$qqrv | 1 |
| @\$xp\$18Compintf@ICompiler | 1 |
| @Pakmgr@TDesignPackages@Clear\$qqrv | 1 |
| @Pakmgr@Packages | 1 |
| @Ideintf@MainFormShown | 1 |
| @Ideintf@MainFormCreated | 1 |
| @Ideintf@BorlandIDE | 1 |
| @Exprdlg@initialization\$qqrv | 1 |
| @Exprdlg@Finalization\$qqrv | 1 |
| @Debugopts@initialization\$qqrv | 1 |
| @Debugopts@Finalization\$qqrv | 1 |
| @Debugopts@TDebugOptions@SaveOption | 1 |
| @Docktoolform@initialization\$qqrv | 1 |
| @Docktoolform@Finalization\$qqrv | 1 |
| @Idecommandbutton@initialization\$qqrv | 1 |
| @Idecommandbutton@Finalization\$qqrv | 1 |
| @Idecommandbutton@TCommandButton@ | 1 |
| @Idemenuaction@initialization\$qqrv | 1 |
| @Idemenuaction@Finalization\$qqrv | 1 |

| | |
|--|---|
| @Idemenuaction@TPopupAction@ | 1 |
| @Idemenuaction@TCustomPopupAction@ | 1 |
| @Debugfindfile@initialization\$qqrv | 1 |
| @Debugfindfile@Finalization\$qqrv | 1 |
| @Docmodul@CallDefaultOpenProc\$qqrx17\$ | 1 |
| @Docmodul@GetOpenFilterList\$qqro | 1 |
| @Docmodul@TFilterList@OpenFile\$qqrix17 | 1 |
| @Docmodul@TFilterList@SetFileFilters\$qqri | 1 |
| @Docmodul@UpdateModuleDisplayProc | 1 |
| @Docmodul@ResetSourceModifiedProc | 1 |
| @Docmodul@SourceModifiedProc | 1 |
| @Docmodul@ModuleList | 1 |
| @Libintf@initialization\$qqrv | 1 |
| @Libintf@Finalization\$qqrv | 1 |
| @Libintf@CompLib | 1 |
| @Libintf@DelphilDE | 1 |
| @Virtfile@initialization\$qqrv | 1 |
| @Virtfile@Finalization\$qqrv | 1 |
| @Istreams@initialization\$qqrv | 1 |
| @Istreams@Finalization\$qqrv | 1 |
| @Toolmain@initialization\$qqrv | 1 |
| @Toolmain@Finalization\$qqrv | 1 |
| @Toolmain@TToolServices@FileNotification | 1 |
| @Creators@initialization\$qqrv | 1 |
| @Creators@Finalization\$qqrv | 1 |
| @Gallery@RepositoryDialog\$qqrv | 1 |
| @Gallery@FileDialog\$qqro | 1 |
| @Gallery@CreateNewDataModule\$qqrv | 1 |
| @Gallery@CreateNewUnit\$qqrx17\$System@ | 1 |
| @Gallery@CreateNewPackageProject\$qqrx17\$ | 1 |
| @Gallery@CreateNewProject\$qqrv | 1 |
| @Gallery@CreateNewForm\$qqrox17\$System | 1 |
| @Gallery@CreateNewModule\$qqr16\$Gallery | 1 |
| @Modules@initialization\$qqrv | 1 |
| @Modules@Finalization\$qqrv | 1 |
| @Modules@ProjectOpenDialog\$qqrv | 1 |
| @Modules@OpenFile\$qqrx17\$System@Ansi! | 1 |
| @Modules@GetProjectModuleList\$qqrv | 1 |
| @Modules@AnyModuleModified\$qqrv | 1 |
| @Modules@SaveModifiedModules\$qqrv | 1 |
| @Modules@FreeModules\$qqrv | 1 |
| @Modules@CloseMiscProjects\$qqrv | 1 |
| @Modules@CanCloseMiscProjects\$qqrv | 1 |
| @Modules@SaveModules\$qqrv | 1 |
| @Modules@FindUnitModule\$qqrx17\$System | 1 |
| @Modules@FindModule\$qqrx17\$System@A | 1 |
| @Modules@CheckFileDates\$qqrv | 1 |

| | |
|---|---|
| @Modules@ActiveModule\$qqrv | 1 |
| @Modules@DoneModules\$qqrv | 1 |
| @Modules@InitModules\$qqrv | 1 |
| @Modules@TWorkspace@GetProjectItemC | 1 |
| @Modules@TWorkspace@SetProjectCreate | 1 |
| @Modules@TWorkspace@FindProjectFrom | 1 |
| @Modules@TWorkspace@ActiveCustomPrc | 1 |
| @Modules@TWorkspace@ActiveProject\$qc | 1 |
| @Modules@TWorkspace@ActivateCustomF | 1 |
| @Modules@TWorkspace@DestroyProject\$co | 1 |
| @Modules@TWorkspace@CompileAll\$qqr2 | 1 |
| @Modules@TWorkspace@CompileActive\$qc | 1 |
| @Modules@TWorkspace@\$bctr\$qqrv | 1 |
| @Modules@TWorkspace@\$bctr\$qqrx17Sys | 1 |
| @Modules@TProject@GetTypeLibModule\$co | 1 |
| @Modules@TProject@IsActiveLibrary\$qqrv | 1 |
| @Modules@TProject@PromptForSave\$qqrv | 1 |
| @Modules@TProject@GetModuleTarget\$qc | 1 |
| @Modules@TProject@GetUnitFileName\$qc | 1 |
| @Modules@TProject@GetFormList\$qqrp16 | 1 |
| @Modules@TProject@SourceIsValid\$qqrv | 1 |
| @Modules@TProject@OpenModule\$qqrx17 | 1 |
| @Modules@TProject@NewModule\$qqr23N | 1 |
| @Modules@TCustomProject@HideOrClose\$ | 1 |
| @Modules@TUnitModule@ValidateFormEd | 1 |
| @Modules@TModule@SourceIsValid\$qqrv | 1 |
| @Modules@TModule@Validate\$qqrv | 1 |
| @Modules@DefProject | 1 |
| @Modules@Workspace | 1 |
| @Modules@TProject@ | 1 |
| @Modules@TWorkspace@ | 1 |
| @Modules@TCustomProject@ | 1 |
| @Modules@TUnitModule@ | 1 |
| @Modules@TModule@ | 1 |
| @Explorer_intf@Initialization\$qqrv | 1 |
| @Explorer_intf@Finalization\$qqrv | 1 |
| @Updaters@Initialization\$qqrv | 1 |
| @Updaters@Finalization\$qqrv | 1 |
| @Symbols@Initialization\$qqrv | 1 |
| @Symbols@Finalization\$qqrv | 1 |
| @Context@Initialization\$qqrv | 1 |
| @Context@Finalization\$qqrv | 1 |
| @Commgr@Initialization\$qqrv | 1 |
| @Commgr@Finalization\$qqrv | 1 |
| @Typelib@Initialization\$qqrv | 1 |
| @Typelib@Finalization\$qqrv | 1 |
| @Tlbhash@Initialization\$qqrv | 1 |

| | |
|---|---|
| @Tlbhash@Finalization\$qqrv | 1 |
| @Tlbutils@initialization\$qqrv | 1 |
| @Tlbutils@Finalization\$qqrv | 1 |
| @Dtlwrite@initialization\$qqrv | 1 |
| @Dtlwrite@Finalization\$qqrv | 1 |
| @Tlbwrite@initialization\$qqrv | 1 |
| @Tlbwrite@Finalization\$qqrv | 1 |
| @Tlbconst@initialization\$qqrv | 1 |
| @Tlbconst@Finalization\$qqrv | 1 |
| @Cmdconst@initialization\$qqrv | 1 |
| @Cmdconst@Finalization\$qqrv | 1 |
| @Edtrackr@initialization\$qqrv | 1 |
| @Edtrackr@Finalization\$qqrv | 1 |
| @Edtoken@initialization\$qqrv | 1 |
| @Edtoken@Finalization\$qqrv | 1 |
| @Winlist@TWindowListDlg@GetSelected\$q | 1 |
| @Winlist@TWindowListDlg@SetData\$qqruui | 1 |
| @Winlist@NextWindow\$qqruio | 1 |
| @Winlist@ActivateIDEWindow\$qqruui | 1 |
| @Winlist@GetIDEWindowList\$qqruip16Clas | 1 |
| @Winlist@TWindowListDlg@ | 1 |
| @Barfrm@initialization\$qqrv | 1 |
| @Barfrm@Finalization\$qqrv | 1 |
| @Bottombarfrm@initialization\$qqrv | 1 |
| @Bottombarfrm@Finalization\$qqrv | 1 |
| @Rightbarfrm@initialization\$qqrv | 1 |
| @Rightbarfrm@Finalization\$qqrv | 1 |
| @Leftbarfrm@initialization\$qqrv | 1 |
| @Leftbarfrm@Finalization\$qqrv | 1 |
| @Mainworkfrm@initialization\$qqrv | 1 |
| @Mainworkfrm@Finalization\$qqrv | 1 |
| @Mainworkfrm@TMainWorkForm@Loadex | 1 |
| @Mainworkfrm@TMainWorkForm@WMSe | 1 |
| @\$xp\$25Mainworkfrm@TMainWorkForm | 1 |
| @Mainworkfrm@TMainWorkForm@ | 1 |
| @Workfrm@initialization\$qqrv | 1 |
| @Workfrm@Finalization\$qqrv | 1 |
| @Workfrm@TWorkForm@CreateWnd\$qqrv | 1 |
| @Workfrm@TWorkForm@\$bctr\$qqrp18Cla | 1 |
| @Printsel@initialization\$qqrv | 1 |
| @Printsel@Finalization\$qqrv | 1 |
| @Verify@initialization\$qqrv | 1 |
| @Verify@Finalization\$qqrv | 1 |
| @Comdebug@initialization\$qqrv | 1 |
| @Comdebug@Finalization\$qqrv | 1 |
| @Comdebug@InitEvaluate\$qqrv | 1 |
| @Comdebug@GetCallPos\$qqdio | 1 |

| | |
|---|---|
| @Comdebug@GetCallCount\$qqso | 1 |
| @Comdebug@GetFileName\$qqrii | 1 |
| @COMINOUT@GETCURTIME\$QV | 1 |
| @Cominout@ShowKibbitzErrors | 1 |
| @Agecache@TFileAgeCache@Clear\$qqrv | 1 |
| @Agecache@DebugAgeCache | 1 |
| @Agecache@FileAgeCache | 1 |
| @Agecache@AgeCacheControl | 1 |
| @Statintf@initialization\$qqrv | 1 |
| @Statintf@Finalization\$qqrv | 1 |
| @Statintf@BuildStats | 1 |
| @Comprgrs@initialization\$qqrv | 1 |
| @Comprgrs@Finalization\$qqrv | 1 |
| @Comphelp@initialization\$qqrv | 1 |
| @Comphelp@Finalization\$qqrv | 1 |
| @Comphelp@CallWinHelp\$qqrx17System@ | 1 |
| @Comphelp@ShowEditorHelp\$qqr17Systen | 1 |
| @Comphelp@ShowClassHelp\$qqrx17Systen | 1 |
| @Msgwnds@initialization\$qqrv | 1 |
| @Msgwnds@Finalization\$qqrv | 1 |
| @Msgwnds@MessageWindow | 1 |
| @Filefind@TerminateFindInFiles\$qqrv | 1 |
| @Filefind@PerformFindInFiles\$qqrv | 1 |
| @Filefind@SearchingInFiles | 1 |
| @Desktop@TDesktopState@Save\$qqrv | 1 |
| @Desktop@TDesktopState@GetNoPrefix\$qi | 1 |
| @Desktop@TDesktopStates@ProcessTermir | 1 |
| @Desktop@TDesktopStates@ProcessCreate | 1 |
| @Desktop@TDesktopStates@LoadDesktop\$ | 1 |
| @Desktop@TDesktopStates@SetSelected\$q | 1 |
| @Desktop@TDesktopStates@FindItem\$qqrv | 1 |
| @Desktop@TDesktopStates@GetItem\$qqri | 1 |
| @Desktop@TDesktopStates@\$bctr\$qqrp17` | 1 |
| @Desktop@TDesktopStates@Add\$qqrx17Sy | 1 |
| @Desktop@SaveWorkspaceDesktop\$qqrp18 | 1 |
| @Desktop@LoadWorkspaceDesktop\$qqrp18 | 1 |
| @Desktop@SaveProjectDesktop\$qqrp16Mo | 1 |
| @Desktop@LoadDesktop\$qqrv | 1 |
| @Desktop@SaveDesktop\$qqrv | 1 |
| @Desktop@DesktopProjectName | 1 |
| @Desktop@DesktopStates | 1 |
| @Desktop@TDesktopStates@ | 1 |
| @Desktop@TDesktopState@ | 1 |
| @Exptmain@initialization\$qqrv | 1 |
| @Exptmain@Finalization\$qqrv | 1 |
| @Exptmain@DoneExpertInterface\$qqrv | 1 |
| @Exptmain@InitExpertInterface\$qqrv | 1 |

| | |
|---|---|
| @Exptmain@TExpertServices@LoadWizards | 1 |
| @Exptmain@TExpertServices@RemoveWizs | 1 |
| @Exptmain@TExpertServices@UpdateMenu | 1 |
| @Exptmain@TExpertServices@RebuildMen | 1 |
| @Exptmain@TExpertServices@RemoveExpe | 1 |
| @Exptmain@TExpertServices@AddExpert\$ | 1 |
| @Exptmain@TExpertServices@LoadExperts' | 1 |
| @Exptmain@ExpertServices | 1 |
| @Filehist@StoreClosedHistory\$qqrp23Inifile | 1 |
| @Filehist@LoadClosedHistory\$qqrp23Inifile | 1 |
| @Filehist@ClosedProjectList | 1 |
| @Filehist@ClosedFileList | 1 |
| @Reposcfg@initialization\$qqrv | 1 |
| @Reposcfg@Finalization\$qqrv | 1 |
| @Edittpl@initialization\$qqrv | 1 |
| @Edittpl@Finalization\$qqrv | 1 |
| @Template@SaveProjectTemplate\$qqrv | 1 |
| @Template@SaveFormTemplate\$qqrv | 1 |
| @Prjtpl@initialization\$qqrv | 1 |
| @Prjtpl@Finalization\$qqrv | 1 |
| @Formtpl@initialization\$qqrv | 1 |
| @Formtpl@Finalization\$qqrv | 1 |
| @Paledit@initialization\$qqrv | 1 |
| @Paledit@Finalization\$qqrv | 1 |
| @Srchprgs@initialization\$qqrv | 1 |
| @Srchprgs@Finalization\$qqrv | 1 |
| @Srchdlg@initialization\$qqrv | 1 |
| @Srchdlg@Finalization\$qqrv | 1 |
| @Compiler@initialization\$qqrv | 1 |
| @Compiler@Finalization\$qqrv | 1 |
| @Compiler@CancelPendingCompiles\$qqrv | 1 |
| @Palmgr@TPaletteManager@SysColorChan | 1 |
| @Palmgr@TPaletteManager@SaveCompon | 1 |
| @Palmgr@TPaletteManager@Update\$qqrv | 1 |
| @Palmgr@TPaletteManager@BeginUpdate' | 1 |
| @Palmgr@TPaletteManager@SetTabContro | 1 |
| @Palmgr@TPaletteManager@TabsChanged | 1 |
| @Palmgr@TPaletteManager@PlaceFramesl | 1 |
| @Palmgr@TPaletteManager@AddCompone | 1 |
| @Palmgr@TPaletteLayout@Save\$qqrv | 1 |
| @Palmgr@TPaletteLayout@Load\$qqrv | 1 |
| @Palmgr@TPaletteLayout@FindItemByNam | 1 |
| @Palmgr@TPaletteLayout@FindItem\$qqrp1 | 1 |
| @Palmgr@TPalettelItem@\$bctr\$qqrv | 1 |
| @Palmgr@GetItemBitmap\$qqrx17System@ | 1 |
| @Palmgr@PaletteManager | 1 |
| @Palmgr@TUnknownPalettelItem@ | 1 |

| | |
|---|---|
| @Viewdlg@initialization\$qqrv | 1 |
| @Viewdlg@Finalization\$qqrv | 1 |
| @Viewdlg@TViewDialog@Execute\$qqrv | 1 |
| @Viewdlg@TViewDialog@ | 1 |
| @Palettes@initialization\$qqrv | 1 |
| @Palettes@Finalization\$qqrv | 1 |
| @Palettes@TPalette@SetSelector\$qqrp20B | 1 |
| @Palettes@TPalette@ProcessHints\$qqrr17S | 1 |
| @Palettes@TPalette@GetSelectedTool\$qqr | 1 |
| @Palettes@TPalette@SetSelected\$qqri | 1 |
| @Palettes@TPalette@\$bctr\$qqrp18Classes | 1 |
| @Palettes@TPalette@ | 1 |
| @Editmain@initialization\$qqrv | 1 |
| @Editmain@Finalization\$qqrv | 1 |
| @Vcsmain@initialization\$qqrv | 1 |
| @Vcsmain@Finalization\$qqrv | 1 |
| @Vcsmain@InitVCSInterface\$qqrp23Infiles | 1 |
| @Vcsmain@DoneVCSInterface\$qqrv | 1 |
| @Vcsmain@TVCSInterface@AddMenuItems | 1 |
| @Vcsmain@VCSInterface | 1 |
| @Vcsintf@initialization\$qqrv | 1 |
| @Vcsintf@Finalization\$qqrv | 1 |
| @Newfile@initialization\$qqrv | 1 |
| @Newfile@Finalization\$qqrv | 1 |
| @Edscript@initialization\$qqrv | 1 |
| @Edscript@Finalization\$qqrv | 1 |
| @Gotoline@initialization\$qqrv | 1 |
| @Gotoline@Finalization\$qqrv | 1 |
| @Projectfrm@TProjectManagerForm@ | 1 |
| @Pkgprojects@initialization\$qqrv | 1 |
| @Pkgprojects@Finalization\$qqrv | 1 |
| @Pkgprojects@SetPackageCreateMode\$qqr | 1 |
| @Addrequires@initialization\$qqrv | 1 |
| @Addrequires@Finalization\$qqrv | 1 |
| @Addcontainsrequiresbase@initialization\$qq | 1 |
| @Addcontainsrequiresbase@Finalization\$qqc | 1 |
| @Addcontains@initialization\$qqrv | 1 |
| @Addcontains@Finalization\$qqrv | 1 |
| @Addcontainsrequires@initialization\$qqrv | 1 |
| @Addcontainsrequires@Finalization\$qqrv | 1 |
| @Pakanaly@initialization\$qqrv | 1 |
| @Pakanaly@Finalization\$qqrv | 1 |
| @Projectitem@initialization\$qqrv | 1 |
| @Projectitem@Finalization\$qqrv | 1 |
| @Bpmodify@initialization\$qqrv | 1 |
| @Bpmodify@Finalization\$qqrv | 1 |
| @Bpadd@initialization\$qqrv | 1 |

| | |
|---------------------------------------|---|
| @Bpadd@Finalization\$qqrv | 1 |
| @Bpadd@TAddBP@GetData\$qqrr17System | 1 |
| @Bpadd@TAddBP@SetData\$qqrx17System | 1 |
| @Bpadd@TAddBP@ | 1 |
| @Printses@initialization\$qqrv | 1 |
| @Printses@Finalization\$qqrv | 1 |
| @Printsts@initialization\$qqrv | 1 |
| @Printsts@Finalization\$qqrv | 1 |
| @Optstr@initialization\$qqrv | 1 |
| @Optstr@Finalization\$qqrv | 1 |
| @Rplcdlg@initialization\$qqrv | 1 |
| @Rplcdlg@Finalization\$qqrv | 1 |
| @Filemain@initialization\$qqrv | 1 |
| @Filemain@Finalization\$qqrv | 1 |
| @Databpmodify@initialization\$qqrv | 1 |
| @Databpmodify@Finalization\$qqrv | 1 |
| @Databpadd@initialization\$qqrv | 1 |
| @Databpadd@Finalization\$qqrv | 1 |
| @Adrbpmodify@initialization\$qqrv | 1 |
| @Adrbpmodify@Finalization\$qqrv | 1 |
| @Getaddr@initialization\$qqrv | 1 |
| @Getaddr@Finalization\$qqrv | 1 |
| @Getaddr@GotoAddress\$qqrp14System@T | 1 |
| @Disview@initialization\$qqrv | 1 |
| @Disview@Finalization\$qqrv | 1 |
| @Disview@UpdateDisassemblyView\$qqro | 1 |
| @Disview@ShowDisassemblyView\$qqri | 1 |
| @Disview@TDisassemblyView@RunToCursor | 1 |
| @Disview@TDisassemblyView@UpdateDisa | 1 |
| @Disview@TDisassemblyView@GetSourceP | 1 |
| @Disview@TDisassemblyView@RunStepOv | 1 |
| @Disview@TDisassemblyView@RunTraceIn | 1 |
| @Disview@CPUSourcePosToSourcePos\$qqr | 1 |
| @Disview@DisassemblyView | 1 |
| @Disview@TDisassemblyView@ | 1 |
| @Discomp@initialization\$qqrv | 1 |
| @Discomp@Finalization\$qqrv | 1 |
| @Selectth@initialization\$qqrv | 1 |
| @Selectth@Finalization\$qqrv | 1 |
| @Winmsg@initialization\$qqrv | 1 |
| @Winmsg@Finalization\$qqrv | 1 |
| @Complist@initialization\$qqrv | 1 |
| @Complist@Finalization\$qqrv | 1 |
| @Complist@TCompListForm@ | 1 |
| @Pakwarn@initialization\$qqrv | 1 |
| @Pakwarn@Finalization\$qqrv | 1 |
| @Workspacecrtrs@initialization\$qqrv | 1 |

| | |
|---|---|
| @Workspacecrtrs@Finalization\$qqrv | 1 |
| @Aligndlg@initialization\$qqrv | 1 |
| @Aligndlg@Finalization\$qqrv | 1 |
| @Aligndlg@AlignDialog\$qqrv | 1 |
| @Alignpal@initialization\$qqrv | 1 |
| @Alignpal@Finalization\$qqrv | 1 |
| @Alignpal@TAlignPalette@ | 1 |
| @Propinsp@TPropertyInspector@ModalEdi | 1 |
| @Propinsp@TPropertyInspector@RenameC | 1 |
| @Propinsp@TPropertyInspector@DoUpdate | 1 |
| @Propinsp@TPropertyInspector@SelectItem | 1 |
| @Propinsp@TPropertyInspector@Selection | 1 |
| @Propinsp@TPropertyInspector@ | 1 |
| @Idelistbtns@initialization\$qqrv | 1 |
| @Idelistbtns@Finalization\$qqrv | 1 |
| @Idedockbar@initialization\$qqrv | 1 |
| @Idedockbar@Finalization\$qqrv | 1 |
| @Idedockbar@TDockToolBar@ | 1 |
| @Idedockform@TXToolDockForm@ | 1 |
| @Idexedit@initialization\$qqrv | 1 |
| @Idexedit@Finalization\$qqrv | 1 |
| @Libmain@initialization\$qqrv | 1 |
| @Libmain@Finalization\$qqrv | 1 |
| @Libmain@SetAlwaysEnableMiddleEast\$qq | 1 |
| @Vclwrap@initialization\$qqrv | 1 |
| @Vclwrap@Finalization\$qqrv | 1 |
| @Dsgnwnds@initialization\$qqrv | 1 |
| @Dsgnwnds@Finalization\$qqrv | 1 |
| @Update@initialization\$qqrv | 1 |
| @Update@Finalization\$qqrv | 1 |
| @Libconst@initialization\$qqrv | 1 |
| @Libconst@Finalization\$qqrv | 1 |
| @Colnedit@initialization\$qqrv | 1 |
| @Colnedit@Finalization\$qqrv | 1 |
| @Toolwnds@initialization\$qqrv | 1 |
| @Toolwnds@Finalization\$qqrv | 1 |
| @Frmprint@initialization\$qqrv | 1 |
| @Frmprint@Finalization\$qqrv | 1 |
| @Firecov@initialization\$qqrv | 1 |
| @Firecov@Finalization\$qqrv | 1 |
| @Ocxreg@initialization\$qqrv | 1 |
| @Ocxreg@Finalization\$qqrv | 1 |
| @Stredit@initialization\$qqrv | 1 |
| @Stredit@Finalization\$qqrv | 1 |
| @Libhelp@initialization\$qqrv | 1 |
| @Libhelp@Finalization\$qqrv | 1 |
| @Linkredr@initialization\$qqrv | 1 |

| | |
|--|---|
| @Linkredr@Finalization\$qqrv | 1 |
| @Wctlform@initialization\$qqrv | 1 |
| @Wctlform@Finalization\$qqrv | 1 |
| @Formread@initialization\$qqrv | 1 |
| @Formread@Finalization\$qqrv | 1 |
| @Dmform@initialization\$qqrv | 1 |
| @Dmform@Finalization\$qqrv | 1 |
| @Picedit@initialization\$qqrv | 1 |
| @Picedit@Finalization\$qqrv | 1 |
| @Watchwin@initialization\$qqrv | 1 |
| @Watchwin@Finalization\$qqrv | 1 |
| @Watchwin@TWatchWindow@ClearList\$qqrv | 1 |
| @Watchwin@TWatchWindow@AddWatch\$qqrv | 1 |
| @Watchwin@TWatchWindow@ | 1 |
| @Watched@initialization\$qqrv | 1 |
| @Watched@Finalization\$qqrv | 1 |
| @Bplist@initialization\$qqrv | 1 |
| @Bplist@Finalization\$qqrv | 1 |
| @Bplist@TBPWindow@ | 1 |
| @Callstac@initialization\$qqrv | 1 |
| @Callstac@Finalization\$qqrv | 1 |
| @Callstac@TCallStackWindow@DebugUpda | 1 |
| @Callstac@TCallStackWindow@ | 1 |
| @Thrdstat@initialization\$qqrv | 1 |
| @Thrdstat@Finalization\$qqrv | 1 |
| @Thrdstat@TThreadStatus@ | 1 |
| @Debugprocessoptdlg@initialization\$qqrv | 1 |
| @Debugprocessoptdlg@Finalization\$qqrv | 1 |
| @Modview@initialization\$qqrv | 1 |
| @Modview@Finalization\$qqrv | 1 |
| @Modview@TModulesView@ClearList\$qqrv | 1 |
| @Modview@TModulesView@ModuleListCh | 1 |
| @Modview@TModulesView@ | 1 |
| @Modviewadd@initialization\$qqrv | 1 |
| @Modviewadd@Finalization\$qqrv | 1 |
| @Modviewadd@TAddModuleForm@\$bctr\$qqrv | 1 |
| @Modviewadd@TAddModuleForm@ | 1 |
| @Mnubuild@initialization\$qqrv | 1 |
| @Mnubuild@Finalization\$qqrv | 1 |
| @Mnubuild@InitMenuBuilder\$qqrv | 1 |
| @Menutmpl@initialization\$qqrv | 1 |
| @Menutmpl@Finalization\$qqrv | 1 |
| @Mnuconst@initialization\$qqrv | 1 |
| @Mnuconst@Finalization\$qqrv | 1 |
| @Mnufile@initialization\$qqrv | 1 |
| @Mnufile@Finalization\$qqrv | 1 |
| @Mtmisc@initialization\$qqrv | 1 |

| | |
|--|---|
| @Mtmisc@Finalization\$qqrv | 1 |
| @Mtsvdlg@initialization\$qqrv | 1 |
| @Mtsvdlg@Finalization\$qqrv | 1 |
| @Mtindlg@initialization\$qqrv | 1 |
| @Mtindlg@Finalization\$qqrv | 1 |
| @Mtdedlg@initialization\$qqrv | 1 |
| @Mtdedlg@Finalization\$qqrv | 1 |
| @Mnuselct@initialization\$qqrv | 1 |
| @Mnuselct@Finalization\$qqrv | 1 |
| @Idxcontrolbar@initialization\$qqrv | 1 |
| @Idxcontrolbar@Finalization\$qqrv | 1 |
| @Idedesktopcombobox@initialization\$qqrv | 1 |
| @Idedesktopcombobox@Finalization\$qqrv | 1 |
| @Idedesktopcombobox@TDesktopComboB | 1 |
| @Appevnts@TCustomApplicationEvents@A | 1 |
| @Sizedlg@initialization\$qqrv | 1 |
| @Sizedlg@Finalization\$qqrv | 1 |
| @Sizedlg@SizeDialog\$qqrv | 1 |
| @Runparam@initialization\$qqrv | 1 |
| @Runparam@Finalization\$qqrv | 1 |
| @Runparam@TRunParamsDlg@SetHistoryN | 1 |
| @Runparam@TRunParamsDlg@ | 1 |
| @Transfer@initialization\$qqrv | 1 |
| @Transfer@Finalization\$qqrv | 1 |
| @Transfer@LoadTransfer\$qqrp15Menus@T | 1 |
| @Transfer@ExecuteTransferItem\$qqrp15Mi | 1 |
| @Transfer@EditTransferItems\$qqrp15Men | 1 |
| @Transdlg@initialization\$qqrv | 1 |
| @Transdlg@Finalization\$qqrv | 1 |
| @Tranutil@initialization\$qqrv | 1 |
| @Tranutil@Finalization\$qqrv | 1 |
| @Finderr@initialization\$qqrv | 1 |
| @Finderr@Finalization\$qqrv | 1 |
| @Scaledlg@initialization\$qqrv | 1 |
| @Scaledlg@Finalization\$qqrv | 1 |
| @Scaledlg@ScaleDialog\$qqrv | 1 |
| @Tabedit@initialization\$qqrv | 1 |
| @Tabedit@Finalization\$qqrv | 1 |
| @Tabedit@EditTabDialog\$qqrv | 1 |
| @Creaedit@initialization\$qqrv | 1 |
| @Creaedit@Finalization\$qqrv | 1 |
| @Creaedit@EditCreationDialog\$qqrv | 1 |
| @Compinfo@initialization\$qqrv | 1 |
| @Compinfo@Finalization\$qqrv | 1 |
| @Compinfo@TComplInfoDlg@ | 1 |
| @Newthrd@initialization\$qqrv | 1 |
| @Newthrd@Finalization\$qqrv | 1 |

| | |
|---|---|
| @Compname@initialization\$qqrv | 1 |
| @Compname@Finalization\$qqrv | 1 |
| @Compname@TComponentNameDlg@GetI | 1 |
| @Compname@TComponentNameDlg@Exe | 1 |
| @Compname@TComponentNameDlg@ | 1 |
| @Deploy@initialization\$qqrv | 1 |
| @Deploy@Finalization\$qqrv | 1 |
| @Depfiles@initialization\$qqrv | 1 |
| @Depfiles@Finalization\$qqrv | 1 |
| @Depprog@initialization\$qqrv | 1 |
| @Depprog@Finalization\$qqrv | 1 |
| @Importolecontrol@initialization\$qqrv | 1 |
| @Importolecontrol@Finalization\$qqrv | 1 |
| @Importolecontrol@DoImportActiveXContr | 1 |
| @Basepackageinstall@initialization\$qqrv | 1 |
| @Basepackageinstall@Finalization\$qqrv | 1 |
| @Importactivexcontrol@initialization\$qqrv | 1 |
| @Importactivexcontrol@Finalization\$qqrv | 1 |
| @Pakolecontrolinst@initialization\$qqrv | 1 |
| @Pakolecontrolinst@Finalization\$qqrv | 1 |
| @Ocxgen@initialization\$qqrv | 1 |
| @Ocxgen@Finalization\$qqrv | 1 |
| @Ocxgen@UnregisterOleControl\$qqrx17Sys | 1 |
| @Ocxgen@RegisterOleControl\$qqrx17Syste | 1 |
| @Orderedlisteditdialog@initialization\$qqrv | 1 |
| @Orderedlisteditdialog@Finalization\$qqrv | 1 |
| @Packageinstalldlg@initialization\$qqrv | 1 |
| @Packageinstalldlg@Finalization\$qqrv | 1 |
| @Pakremru@initialization\$qqrv | 1 |
| @Pakremru@Finalization\$qqrv | 1 |
| @Instcoll@initialization\$qqrv | 1 |
| @Instcoll@Finalization\$qqrv | 1 |
| @Archiver@initialization\$qqrv | 1 |
| @Archiver@Finalization\$qqrv | 1 |
| @Pceglob@initialization\$qqrv | 1 |
| @Pceglob@Finalization\$qqrv | 1 |
| @Pakcust@initialization\$qqrv | 1 |
| @Pakcust@Finalization\$qqrv | 1 |
| @Pkgdir@initialization\$qqrv | 1 |
| @Pkgdir@Finalization\$qqrv | 1 |
| @Pakcomp@initialization\$qqrv | 1 |
| @Pakcomp@Finalization\$qqrv | 1 |
| @Componentexpert@initialization\$qqrv | 1 |
| @Componentexpert@Finalization\$qqrv | 1 |
| @Componentexpert@CreateNewComponer | 1 |
| @Packagecompexpert@initialization\$qqrv | 1 |
| @Packagecompexpert@Finalization\$qqrv | 1 |

| | |
|--|---|
| @Installcomponent@initialization\$qqrv | 1 |
| @Installcomponent@Finalization\$qqrv | 1 |
| @Installcomponent@AddUnitToPackage\$qc | 1 |
| @Importtypelibrary@initialization\$qqrv | 1 |
| @Importtypelibrary@Finalization\$qqrv | 1 |
| @Importtypelibrary@DoImportTypeLibrary\$ | 1 |
| @Importtypelib@initialization\$qqrv | 1 |
| @Importtypelib@Finalization\$qqrv | 1 |
| @Projectmgr@InitProjectManager\$qqrv | 1 |
| @Prefoptdlg@initialization\$qqrv | 1 |
| @Prefoptdlg@Finalization\$qqrv | 1 |
| @Palettespropdlg@initialization\$qqrv | 1 |
| @Palettespropdlg@Finalization\$qqrv | 1 |
| @Palettespropdlg@TPalettePropertyDialog@ | 1 |
| @Debugoptdlg@initialization\$qqrv | 1 |
| @Debugoptdlg@Finalization\$qqrv | 1 |
| @Debugoptdlg@TDebuggerOptDialog@ | 1 |
| @Idecustdlg@initialization\$qqrv | 1 |
| @Idecustdlg@Finalization\$qqrv | 1 |
| @Idecustdlg@CloseCustomize\$qqrv | 1 |
| @Idecustdlg@Customize\$qqrp20Actnlist@TActionListppx20Controls@TWinControlxiynpqqrp14System@TObj | |
| @Idecustdlg@TCustomizeDlg@ | 1 |
| @Desktopsave@initialization\$qqrv | 1 |
| @Desktopsave@Finalization\$qqrv | 1 |
| @Desktopsave@TSaveDesktopForm@ | 1 |
| @Desktopsavebase@initialization\$qqrv | 1 |
| @Desktopsavebase@Finalization\$qqrv | 1 |
| @Desktoppruntimesave@initialization\$qqrv | 1 |
| @Desktoppruntimesave@Finalization\$qqrv | 1 |
| @Desktoppruntimesave@TDesktopRuntimeF | 1 |
| @Desktopdelete@initialization\$qqrv | 1 |
| @Desktopdelete@Finalization\$qqrv | 1 |
| @Desktopdelete@TDesktopDeleteForm@ | 1 |
| @Applopts@initialization\$qqrv | 1 |
| @Applopts@Finalization\$qqrv | 1 |
| @Tokenwin@initialization\$qqrv | 1 |
| @Tokenwin@Finalization\$qqrv | 1 |
| @Codetemp@initialization\$qqrv | 1 |
| @Codetemp@Finalization\$qqrv | 1 |
| @Pascomintf@initialization\$qqrv | 1 |
| @Pascomintf@Finalization\$qqrv | 1 |
| @Compadd@initialization\$qqrv | 1 |
| @Compadd@Finalization\$qqrv | 1 |
| @Pasprojopts@initialization\$qqrv | 1 |
| @Pasprojopts@Finalization\$qqrv | 1 |
| @Projoptdlg@initialization\$qqrv | 1 |
| @Projoptdlg@Finalization\$qqrv | 1 |

| | |
|--|---|
| @Toolform@initialization\$qqrv | 1 |
| @Toolform@Finalization\$qqrv | 1 |
| @Removmod@initialization\$qqrv | 1 |
| @Removmod@Finalization\$qqrv | 1 |
| @Sympgrs@initialization\$qqrv | 1 |
| @Sympgrs@Finalization\$qqrv | 1 |
| @Pakaddp@initialization\$qqrv | 1 |
| @Pakaddp@Finalization\$qqrv | 1 |
| @Idetodointf@initialization\$qqrv | 1 |
| @Idetodointf@Finalization\$qqrv | 1 |
| @Pasreg@initialization\$qqrv | 1 |
| @Pasreg@Finalization\$qqrv | 1 |
| @Pasupdaters@initialization\$qqrv | 1 |
| @Pasupdaters@Finalization\$qqrv | 1 |
| @Workspacemgr@initialization\$qqrv | 1 |
| @Workspacemgr@Finalization\$qqrv | 1 |
| @Pasdtlwr@initialization\$qqrv | 1 |
| @Pasdtlwr@Finalization\$qqrv | 1 |
| @Paseditorpropdlg@initialization\$qqrv | 1 |
| @Paseditorpropdlg@Finalization\$qqrv | 1 |
| @Pasenvirondialog@initialization\$qqrv | 1 |
| @Pasenvirondialog@Finalization\$qqrv | 1 |
| @Delphicmds@initialization\$qqrv | 1 |
| @Delphicmds@Finalization\$qqrv | 1 |
| @Editoractions@EditorActionLists | 1 |
| @Editoractions@TEditorActionLists@ | 1 |
| @Batchtarget@initialization\$qqrv | 1 |
| @Batchtarget@Finalization\$qqrv | 1 |
| @Batchoptions@initialization\$qqrv | 1 |
| @Batchoptions@Finalization\$qqrv | 1 |
| @Pascompileroptionpage@initialization\$qq | 1 |
| @Pascompileroptionpage@Finalization\$qq | 1 |
| @Paslinkeroptions@initialization\$qqrv | 1 |
| @Paslinkeroptions@Finalization\$qqrv | 1 |
| @Directoriesconditionals@initialization\$qq | 1 |
| @Directoriesconditionals@Finalization\$qqrv | 1 |
| @Pkgdirectoriesconditionals@initialization\$ | 1 |
| @Pkgdirectoriesconditionals@Finalization\$qq | 1 |
| @Idlwrite@initialization\$qqrv | 1 |
| @Idlwrite@Finalization\$qqrv | 1 |
| @Tlblang@initialization\$qqrv | 1 |
| @Tlblang@Finalization\$qqrv | 1 |
| @Tlbparse@initialization\$qqrv | 1 |
| @Tlbparse@Finalization\$qqrv | 1 |
| @Uiwrite@initialization\$qqrv | 1 |
| @Uiwrite@Finalization\$qqrv | 1 |
| @Idlparse@initialization\$qqrv | 1 |

| | |
|---|---|
| @Idlparse@Finalization\$qqrv | 1 |
| @Parsernodes@initialization\$qqrv | 1 |
| @Parsernodes@Finalization\$qqrv | 1 |
| @Completers@initialization\$qqrv | 1 |
| @Completers@Finalization\$qqrv | 1 |
| @Editoptionpage@initialization\$qqrv | 1 |
| @Editoptionpage@Finalization\$qqrv | 1 |
| @Editdisplaypage@initialization\$qqrv | 1 |
| @Editdisplaypage@Finalization\$qqrv | 1 |
| @Codeinsight@initialization\$qqrv | 1 |
| @Codeinsight@Finalization\$qqrv | 1 |
| @Debuggeroptions@initialization\$qqrv | 1 |
| @Debuggeroptions@Finalization\$qqrv | 1 |
| @Paletteconfig@initialization\$qqrv | 1 |
| @Paletteconfig@Finalization\$qqrv | 1 |
| @Envoptionspage@initialization\$qqrv | 1 |
| @Envoptionspage@Finalization\$qqrv | 1 |
| @Pasenvoptionspage@initialization\$qqrv | 1 |
| @Pasenvoptionspage@Finalization\$qqrv | 1 |
| @Addexceptdialog@initialization\$qqrv | 1 |
| @Addexceptdialog@Finalization\$qqrv | 1 |
| @Debuggerexceptoptions@initialization\$qq | 1 |
| @Debuggerexceptoptions@Finalization\$qqr | 1 |
| @Debuggerlanguageexceptoptions@initializ | 1 |
| @Debuggerlanguageexceptoptions@Finaliza | 1 |
| @Tlbidl@initialization\$qqrv | 1 |
| @Tlbidl@Finalization\$qqrv | 1 |
| @Tlpas@initialization\$qqrv | 1 |
| @Tlpas@Finalization\$qqrv | 1 |
| @Paspase@initialization\$qqrv | 1 |
| @Paspase@Finalization\$qqrv | 1 |
| @Paswrite@initialization\$qqrv | 1 |
| @Paswrite@Finalization\$qqrv | 1 |
| @Itemcontainers@initialization\$qqrv | 1 |
| @Itemcontainers@Finalization\$qqrv | 1 |
| @Editorbindings@initialization\$qqrv | 1 |
| @Editorbindings@Finalization\$qqrv | 1 |
| ?GetEnabled@Element@DirectUI@@QAE_` | 1 |
| ?Create@Element@DirectUI@@SGJIPAV12(| 1 |
| ?RemoveListener@Element@DirectUI@@Q | 1 |
| rtclnputCount | 1 |
| Pr | 1 |
| ??0CLiveSearch@@QAE@XZ | 1 |
| ?Search@CLiveSearch@@QAE?AW4HVS_RE | 1 |
| ??1CLiveSearch@@QAE@XZ | 1 |
| ?SetSearchCHMSet@CCHMSearch@@QAE_ | 1 |
| ?GetCHMTitle@CCHMSearch@@QAEXAAU | 1 |

| | |
|---|---|
| ?Search@CCHMSearch@@QAE_NUSEARCH | 1 |
| ??1CCHMSearch@@QAE@XZ | 1 |
| ??0CCHMSearch@@QAE@XZ | 1 |
| ?strtok@nsCRT@@SAPADPADPBDPAPAD@: | 1 |
| ?AppendASCII@nsAString_internal@@QAE | 1 |
| ?AssignASCII@nsAString_internal@@QAEXF | 1 |
| ?Cut@nsACString_internal@@QAEXII@Z | 1 |
| ?ReplaceSubstring@nsCString@@QAEXPBDI | 1 |
| ??0nsCStringKey@@QAE@PBDHW4Owners | 1 |
| ?Get@nsHashtable@@QAEPAXPAVnsHashK | 1 |
| ??1nsCStringKey@@UAE@XZ | 1 |
| ??1nsHashtable@@UAE@XZ | 1 |
| ??0nsHashtable@@QAE@IH@Z | 1 |
| ?NS_NewArray@@YAIPAPAVnsIMutableArr | 1 |
| ?NS_NewArrayEnumerator@@YAIPAPAVnsI | 1 |
| ?Remove@nsHashtable@@QAEPAXPBVnsH | 1 |
| ?Put@nsHashtable@@QAEPAXPBVnsHashK | 1 |
| ?Reset@nsHashtable@@QAEXXZ | 1 |
| ?Equals@nsCSubstring@@QBEHABV1@ABV | 1 |
| ?ParseString@nsCStringArray@@QAEXPBDI | 1 |
| ?CStringAt@nsCStringArray@@QBEPBVnsC! | 1 |
| ?LossyAppendUTF16toASCII@@YAXPBGAA\ | 1 |
| ?StringAt@nsStringArray@@QBEPBVnsStrin | 1 |
| ?RFind@nsString@@QBEHPBDHHH@Z | 1 |
| PL_FreeArenaPool | 1 |
| sethotkey | 1 |
| ?_Myptr@?\$basic_string@GU?\$char_traits< | 1 |
| ??5?\$basic_istream@DU?\$char_traits@D@: | 1 |
| ?ResetBit@BITVECTOR@@QAEXKK@Z | 1 |
| VarR8FromUI2 | 1 |
| cmpack_ccd_destroy | 1 |
| cmpack_ccd_open | 1 |
| cmpack_cleanup | 1 |
| cmpack_con_destroy | 1 |
| cmpack_con_init | 1 |
| cmpack_con_set_level | 1 |
| cmpack_formaterror | 1 |
| cmpack_free | 1 |
| cmpack_init | 1 |
| cmpack_mdark_close | 1 |
| cmpack_mdark_destroy | 1 |
| cmpack_mdark_init | 1 |
| cmpack_mdark_open | 1 |
| cmpack_mdark_read | 1 |
| cmpack_mdark_set_bitpix | 1 |
| cmpack_mdark_set_console | 1 |
| cmpack_mdark_set_scalable | 1 |

| | |
|--------------------------------------|---|
| cmpack_strdup | 1 |
| ClassIoCompleteAssociated | 1 |
| ClassCleanupMediaChangeDetection | 1 |
| BE_GetBatteryLifePercentEx | 1 |
| WmiRunService | 1 |
| WmiInitializeService | 1 |
| WmiDeinitializeService | 1 |
| phoneGetStatusW | 1 |
| NonAsyncEventThread | 1 |
| lineCreateAgentW | 1 |
| tapiRequestMediaCallW | 1 |
| lineGetConfRelatedCalls | 1 |
| linePark | 1 |
| internalConfig | 1 |
| _f | 1 |
| SteamFindFirst | 1 |
| SteamFindClose | 1 |
| ??0CThread@@@QAE@XZ | 1 |
| ?Start@CThread@@@UAE_NI@Z | 1 |
| ?Init@CThread@@@MAE_NXZ | 1 |
| ?OnExit@CThread@@@MAEXXZ | 1 |
| ?WaitForCreateComplete@CThread@@@MAI | 1 |
| ?GetThreadProc@CThread@@@MAEP6GIPAX | 1 |
| ?GetPriority@CThread@@@QBEHXZ | 1 |
| ThreadGetPriority | 1 |
| ?SetPriority@CThread@@@QAE_NH@Z | 1 |
| _SpewInfo | 1 |
| _SpewMessage | 1 |
| DoNewAssertDialog | 1 |
| _ExitOnFatalAssert | 1 |
| ?Sleep@CThread@@@SAXI@Z | 1 |
| ??1CThread@@@UAE@XZ | 1 |
| ThreadInterlockedExchange | 1 |
| ?Set@CThreadLocalBase@@@QAEXPAX@Z | 1 |
| ?Get@CThreadLocalBase@@@QBEPAXXZ | 1 |
| ??0CThreadLocalBase@@@QAE@XZ | 1 |
| ThreadInterlockedExchangeAdd | 1 |
| ThreadInMainThread | 1 |
| ??1CThreadLocalBase@@@QAE@XZ | 1 |
| ?Lock@CThreadFastMutex@@@QCExI@Z | 1 |
| ?ExitScope@CVProfile@@@QAEXXZ | 1 |
| ?EnterScope@CVProfile@@@QAEXPBDH0_NI | 1 |
| ThreadInterlockedDecrement | 1 |
| ThreadInterlockedIncrement | 1 |
| g_ClockSpeedMillisecondsMultiplier | 1 |
| ?Join@CThread@@@QAE_NI@Z | 1 |
| ?CallWorker@CWorkerThread@@@QAEHII_N | 1 |

| | |
|--------------------------------------|---|
| ThreadSleep | 1 |
| ?GetCurrentCThread@@CThread@@SAPAV1C | 1 |
| ?Reply@CWorkerThread@@QAEXI@Z | 1 |
| ?GetCallParam@CWorkerThread@@QBEIXZ | 1 |
| ?GetCallHandle@CWorkerThread@@QAEPV | 1 |
| ?TryLock@CThreadMutex@@QAE_NXZ | 1 |
| ?Wait@CThreadSyncObject@@QAE_NI@Z | 1 |
| ?Release@CThreadSemaphore@@QAE_NJP | 1 |
| ?Resume@CThread@@QAEIXZ | 1 |
| ?Suspend@CThread@@QAEIXZ | 1 |
| ?BoostPriority@CWorkerThread@@QAEHX; | 1 |
| ??1CThreadEvent@@QAE@XZ | 1 |
| ??1CWorkerThread@@UAE@XZ | 1 |
| ??0CThreadSemaphore@@QAE@JJ@Z | 1 |
| ??0CThreadEvent@@QAE @_N@Z | 1 |
| ??0CWorkerThread@@QAE@XZ | 1 |
| ??1CThreadSyncObject@@QAE@XZ | 1 |
| ?Set@CThreadEvent@@QAE_NXZ | 1 |
| ?Reset@CThreadEvent@@QAE_NXZ | 1 |
| RandomInt | 1 |
| hemfLoadMetafile | 1 |
| CloseFile32 | 1 |
| ReadFile32 | 1 |
| OpenFile32 | 1 |
| WriteFile32 | 1 |
| IsPalettelImage | 1 |
| MessageBox2 | 1 |
| StrNCpyW | 1 |
| _JgDecompressDone@4 | 1 |
| _JgGetDecompressInfo@8 | 1 |
| _JgGetMask@8 | 1 |
| _JgInitDecompress@8 | 1 |
| _JgDecompressImageBlock@16 | 1 |
| _JgGetImageInfo@12 | 1 |
| _JgGetImage@8 | 1 |
| JgADeviceInputPCM | 1 |
| JgADeviceGetReport | 1 |
| JgADeviceStartPlay | 1 |
| JgADeviceStopPlay | 1 |
| JgADeviceGetCaps | 1 |
| JgAAuxClose | 1 |
| JgAPCMDecode | 1 |
| JgAAuxOpen | 1 |
| JgAAuxDecode | 1 |
| JgAPCMOpen | 1 |
| JgADeviceClose | 1 |
| JgADevicePausePlay | 1 |

| | |
|--|---|
| JgADeviceResumePlay | 1 |
| JgADeviceOpen | 1 |
| JgAPCMClose | 1 |
| JgMDRawDecode | 1 |
| JgMDDeviceInput | 1 |
| JgMDDeviceOpen | 1 |
| JgMDDeviceGetCaps | 1 |
| JgMDRawOpen | 1 |
| JgMDRawClose | 1 |
| JgMDDeviceGetReport | 1 |
| JgMDAuxDecode | 1 |
| JgMDDeviceStartPlay | 1 |
| JgMDDeviceStopPlay | 1 |
| JgMDAuxOpen | 1 |
| JgMDAuxClose | 1 |
| JgMDDeviceClose | 1 |
| vseExec | 1 |
| vseSet | 1 |
| vseRelease | 1 |
| vseGlobalRelease | 1 |
| vseGet | 1 |
| vseInit | 1 |
| vseGlobalInit | 1 |
| SecMakeSPN | 1 |
| SecMakeSPNEx | 1 |
| MapSecurityError | 1 |
| RxNameCacheCheckEntry | 1 |
| RxNameCacheExpireEntry | 1 |
| RxNameCacheFetchEntry | 1 |
| RxNameCacheCreateEntry | 1 |
| RxNameCacheActivateEntry | 1 |
| RxNameCacheScavengeNameCaches | 1 |
| RxNewMapUserBuffer | 1 |
| RxpAcquirePrefixTableLockExclusive | 1 |
| RxCeQueryTransportInformation | 1 |
| RxCeQueryAdapterStatus | 1 |
| RxFinalizeConnection | 1 |
| RxpReleasePrefixTableLock | 1 |
| RxIndicateChangeOfBufferingStateForSrvOp | 1 |
| RxCeInitiateVCDDisconnect | 1 |
| RxCeBuildConnection | 1 |
| RxCeBuildConnectionOverMultipleTransport | 1 |
| RxCeTearDownVC | 1 |
| RxCeTearDownConnection | 1 |
| RxCeQueryInformation | 1 |
| RxCeSend | 1 |
| RxPurgeAllFobxs | 1 |

| | |
|---|---|
| RxScavengeAllFobxs | 1 |
| RxCeBuildTransport | 1 |
| RxCeBuildAddress | 1 |
| RxCeTearDownAddress | 1 |
| RxCeTearDownTransport | 1 |
| RxLogEventWithAnnotation | 1 |
| RxDereferenceAndDeleteRxContext_Real | 1 |
| RxFinalizeNetRoot | 1 |
| RxSetMinirdrCancelRoutine | 1 |
| RxNameCacheInitialize | 1 |
| RxNameCacheInitializeEx | 1 |
| RxGetRDBSSProcess | 1 |
| RxNameCacheFinalize | 1 |
| RxNameCacheFinalizeEx | 1 |
| RxSetSrvCallDomainName | 1 |
| RxCancelTimerRequest | 1 |
| RxPostOneShotTimerRequest | 1 |
| RxLowIoGetBufferAddress | 1 |
| RxAcquireSharedFcbResourceInMRx | 1 |
| RxInferFileType | 1 |
| RxIndicateChangeOfBufferingState | 1 |
| RxFinishFcblInitialization | 1 |
| RxCreateNetFobx | 1 |
| RxPostToWorkerThread | 1 |
| RxCeSendDatagram | 1 |
| RxReleaseFcbResourceForThreadInMRx | 1 |
| RxAcquireSharedFcbResourceInMRxEx | 1 |
| RxRegisterMinirdr | 1 |
| RxSpinDownMRxDispatcher | 1 |
| RxLogEventDirect | 1 |
| RxLogEventWithBufferDirect | 1 |
| RxFsdDispatch | 1 |
| RxpUnregisterMinirdr | 1 |
| RxLowIoCompletion | 1 |
| __RxSynchronizeBlockingOperationsMaybeC | 1 |
| RxResumeBlockedOperations_Serially | 1 |
| RxInitializeContext | 1 |
| RxGetFileSizeWithLock | 1 |
| RxReleaseFcbResourceInMRx | 1 |
| RxAcquireExclusiveFcbResourceInMRx | 1 |
| RxDispatchToWorkerThread | 1 |
| RxStopMinirdr | 1 |
| RxStartMinirdr | 1 |
| _RxFreePool | 1 |
| _RxAllocatePoolWithTag | 1 |
| RxSetDomainForMailslotBroadcast | 1 |
| RxLockEnumerator | 1 |

| | |
|---------------------------------|---|
| RxForceFinalizeAllVNetRoots | 1 |
| RxScavengeFobxsForNetRoot | 1 |
| RxCompleteRequest_Real | 1 |
| RxpDereferenceAndFinalizeNetFcb | 1 |
| RxPurgeRelatedFobxs | 1 |
| RxpDereferenceNetFcb | 1 |
| RxpTrackDereference | 1 |
| RxpReferenceNetFcb | 1 |
| RxpTrackReference | 1 |
| ?isAlpha@unicode@@SAEG@Z | 1 |
| ?isControl@unicode@@SAEG@Z | 1 |
| ?isDigit@unicode@@SAEG@Z | 1 |
| ?isLower@unicode@@SAEG@Z | 1 |
| ?isPrint@unicode@@SAEG@Z | 1 |
| ?isSpace@unicode@@SAEG@Z | 1 |
| ?isUpper@unicode@@SAEG@Z | 1 |
| ?isAlphaDigit@unicode@@SAEG@Z | 1 |
| TIFFClientOpen | 1 |
| TIFFClientdata | 1 |
| TIFFClose | 1 |
| TIFFError | 1 |
| TIFFFileName | 1 |
| TIFFGetField | 1 |
| TIFFGetFieldDefaulted | 1 |
| TIFFGetReadProc | 1 |
| TIFFGetSeekProc | 1 |
| TIFFGetVersion | 1 |
| TIFFGetWriteProc | 1 |
| TIFFIsCODECConfigured | 1 |
| TIFFIsTiled | 1 |
| TIFFNumberOfDirectories | 1 |
| TIFFNumberOfStrips | 1 |
| TIFFNumberOfTiles | 1 |
| TIFFOpen | 1 |
| TIFFReadEncodedStrip | 1 |
| TIFFReadEncodedTile | 1 |
| TIFFReadRGBAIImageOriented | 1 |
| TIFFReadRawStrip | 1 |
| TIFFReadRawTile | 1 |
| TIFFReverseBits | 1 |
| TIFFScanlineSize | 1 |
| TIFFSetDirectory | 1 |
| TIFFSetField | 1 |
| TIFFStripSize | 1 |
| TIFFTilerowSize | 1 |
| TIFFTileSize | 1 |
| TIFFWarning | 1 |

| | |
|--------------------------------------|---|
| TIFFWriteDirectory | 1 |
| TIFFWriteEncodedStrip | 1 |
| _TIFFfree | 1 |
| _TIFFmalloc | 1 |
| _TIFFmemcpy | 1 |
| _TIFFmemset | 1 |
| _TIFFrealloc | 1 |
| BASS_FX_BPM_DecodeGet | 1 |
| BASS_Mixer_StreamAddChannel | 1 |
| EnumResourcesEx | 1 |
| FreeParameterBlock | 1 |
| GetResourceDependentIPAddressProps | 1 |
| GetPropertySize | 1 |
| ResourcesEqual | 1 |
| GetPropertyFormats | 1 |
| AddUnknownProperties | 1 |
| StopResourceService | 1 |
| SetPrivatePropertyList | 1 |
| GetCoreClusterResources | 1 |
| FindDependentDiskResourceDriveLetter | 1 |
| BatMeterDeviceChanged | 1 |
| HTMLLayoutSelectElementsW | 1 |
| ?RequestNextImageEx@CNetSDK@@QAEHI | 1 |
| ?StopChannel@CNetSDK@@QAEXHH@Z | 1 |
| ?StartChannel@CNetSDK@@QAEHPBD0H(| 1 |
| ?GetCameraName@CNetSDK@@QAEPBDH(| 1 |
| ?SetSoundMode@CNetSDK@@QAEHHHII@ | 1 |
| ?CheckSetupLogin@CNetSDK@@QAEHIPBD | 1 |
| ?RequestConnectIpFromServer@CNetSDK@ | 1 |
| ?GetMainNetworkVersion@CNetSDK@@QA | 1 |
| ?RequestChangeFastOnOffCamera@CNetSD | 1 |
| ?StopNotify@CNetSDK@@QAEXXZ | 1 |
| ?Uninitialize@CNetSDK@@QAEXXZ | 1 |
| ?Initialize@CNetSDK@@QAEXPACWnD@C | 1 |
| ?SetGeneralProcEx2@CNetSDK@@QAEXP6C | 1 |
| ?SetToolsProc@CNetSDK@@QAEXP6GXPA | 1 |
| ??1CNetSDK@@UAE@XZ | 1 |
| ?SetSoundProc@CNetSDK@@QAEXP6GXPA | 1 |
| ? GetUserAuthority@CNetSDK@@QAEHII@Z | 1 |
| ?GetBoardType@CNetSDK@@QAEHI@Z | 1 |
| ?RequestPtzCommand@CNetSDK@@QAEHI | 1 |
| ?RequestImageInfo@CNetSDK@@QAEHHPA | 1 |
| ?RequestRelayInfo@CNetSDK@@QAEHHHH | 1 |
| ?StartNotify@CNetSDK@@QAEHXZ | 1 |
| ?SetRegisterServer@CNetSDK@@QAEHPBD | 1 |
| ?SetTextOverlayMode@CNetSDK@@QAEXF | 1 |
| ?SetChannelInfo@CNetSDK@@QAEHIIH@Z | 1 |

| | |
|---|---|
| ?SetLiveTimeOut@CNetSDK@@QAEHIIHH@ | 1 |
| ?AddSiteInfoEx@CNetSDK@@QAEHPBD000 | 1 |
| ?SetSecurity@CNetSDK@@QAEHH@Z | 1 |
| ?SetSetupProc@CNetSDK@@QAEXP6GXPA> | 1 |
| ??0CNetSDK@@QAE@XZ | 1 |
| ?SetEventProc3@CNetSDK@@QAEXP6GXPA | 1 |
| ?SetEventProc2@CNetSDK@@QAEXP6GXPA | 1 |
| ?SaveImage@CAVISaveDB@@QAEHPAUtag | 1 |
| ??0CAVISaveDB@@QAE@XZ | 1 |
| ?OpenAVIFile@CAVISaveDB@@QAEHPAD@ | 1 |
| ?CloseAVIFile@CAVISaveDB@@QAEXXZ | 1 |
| ??1CAVISaveDB@@UAE@XZ | 1 |
| GetRegisterString | 1 |
| GetFaultReason | 1 |
| MegaSMI_WriteShareMemory | 1 |
| MegaSMI_MakeProgramCaption | 1 |
| ?ItAdminToolImportDb@CITProfileDbContrc | 1 |
| ??1CITProfileDbController@@UAE@XZ | 1 |
| ?ItAdminToolExportDb@CITProfileDbContro | 1 |
| ??0CITProfileDbController@@QAE@PAVCE\ | 1 |
| ?RestoreProfileDataBase@CProfileMgr@@C | 1 |
| ?BackUpProfileDataBase@CProfileMgr@@C | 1 |
| ?ImportItProfileDb@CProfileMgr@@QAEJPI | 1 |
| ?AutoImport@CProfileMgr@@QAEJPBDHH@ | 1 |
| GetAdapterType | 1 |
| SetRoamingAggressiveness | 1 |
| SetIBSSQoSStyle | 1 |
| SetAtimWindow | 1 |
| SetSupportedDataRates | 1 |
| SetPreamble | 1 |
| SetRadioMeasurementState | 1 |
| SetMixedModeProtection | 1 |
| SetThroughputEnhancement | 1 |
| SetIbssPreferences | 1 |
| GetIbssPreferences | 1 |
| SetIbssTxPower | 1 |
| SetPspMode | 1 |
| SetProtocolPreference | 1 |
| GetAdapterConfiguration | 1 |
| GetVersionInfo | 1 |
| GetSignalParameters | 1 |
| GetAssocStatistics | 1 |
| GetTxRxData | 1 |
| ??0CEvTraceAlerter@@QAE@PAVCEvDataQ | 1 |
| ?ServiceAlerts@CEvTraceAlerter@@QAEJKP | 1 |
| ?StopAlerts@CEvTraceAlerter@@QAEJXZ | 1 |
| EvtInitialize | 1 |

| | |
|---|---|
| ?WriteEventsToFile@CEvDataQueue@@QA | 1 |
| ?DeleteAllEvents@CEvDataQueue@@QAEJ | 1 |
| ?MakeTraceProperties@CEvTrace@@SAPAI | 1 |
| ?MakeTraceProperties1@CEvTrace@@SAPA | 1 |
| EvtUnInitialize | 1 |
| ??0CEvDataQueue@@QAE@XZ | 1 |
| ?SetSetting@CIntSettings@@QAEJW4INTE | 1 |
| ?SetSetting@CIntSettings@@QAEJW4INTE | 1 |
| ?GetSetting@CIntSettings@@QAEJW4INT | 1 |
| ?SetLanguage@CMultiLang@@SAHPBD@Z | 1 |
| ?GetString@CMultiLang@@SAPADPBDIPAU | 1 |
| ??1XStatic@@UAE@XZ | 1 |
| ??1CMsgBox@@UAE@XZ | 1 |
| ??0CMsgBox@@QAE@VCString@@HHHPA' | 1 |
| ?SetFont@XStatic@@QAEXHHHPAD@Z | 1 |
| ??0XStatic@@QAE@XZ | 1 |
| __printf__ | 1 |
| ?setAccessibleName@QWidget@@QAEXAB | 1 |
| ?insertItem@QListWidget@@QAEXHABVQS | 1 |
| ?insertItems@QComboBox@@QAEXHABVQ | 1 |
| ?currentRow@QListWidget@@QBEHXZ | 1 |
| ?setCurrentRow@QListWidget@@QAEXH@ | 1 |
| ?insertItem@QComboBox@@QAEXHABVQS | 1 |
| ?setToolButtonStyle@QMainWindow@@QF | 1 |
| ?setStyle@QApplication@@SAXPAVQStyle@ | 1 |
| ??0QPlastiqueStyle@@QAE@XZ | 1 |
| ?metaObject@QPlastiqueStyle@@UBEPBUC | 1 |
| ?qt_metacast@QPlastiqueStyle@@UAEPAX | 1 |
| ?qt_metacall@QPlastiqueStyle@@UAEHW4 | 1 |
| ?eventFilter@QPlastiqueStyle@@MAE_NPA | 1 |
| ?timerEvent@QPlastiqueStyle@@MAEXPAN | 1 |
| ?polish@QPlastiqueStyle@@UAEXAAVQPAl | 1 |
| ?polish@QPlastiqueStyle@@UAEXPANQApç | 1 |
| ?polish@QPlastiqueStyle@@UAEXPANQWic | 1 |
| ?unpolish@QPlastiqueStyle@@UAEXPANQA | 1 |
| ?unpolish@QPlastiqueStyle@@UAEXPANQV | 1 |
| ?standardPalette@QPlastiqueStyle@@UBE? | 1 |
| ?drawPrimitive@QPlastiqueStyle@@UBEXW | 1 |
| ?drawControl@QPlastiqueStyle@@UBEXWZ | 1 |
| ?subElementRect@QPlastiqueStyle@@UBEI | 1 |
| ?drawComplexControl@QPlastiqueStyle@@ | 1 |
| ?hitTestComplexControl@QPlastiqueStyle@ | 1 |
| ?subControlRect@QPlastiqueStyle@@UBE?, | 1 |
| ?styleSheet@QWidget@@QBE?AVQString@ | 1 |
| ??1QPlastiqueStyle@@UAE@XZ | 1 |
| ?standardPixmap@QPlastiqueStyle@@UBEI | 1 |
| ?styleHint@QPlastiqueStyle@@UBEHW4Sty | 1 |

| | |
|--|---|
| ?sizeFromContents@QPlastiqueStyle@@UB | 1 |
| ?pixelMetric@QPlastiqueStyle@@UBEHW4I | 1 |
| ?GenerateHardwareFingerprint@@YAIXZ | 1 |
| ?SetInjectionHWND@@YAXPAUWND__@1 | 1 |
| ?SetInjectionProcessID@@YAXK@Z | 1 |
| ?SetVerificationHash@@YAXPAD@Z | 1 |
| ?ProcessHasXenoLibrary@@YA_NK@Z | 1 |
| ?GetCurrentName@@YAPADK@Z | 1 |
| ?GetLoadFileFunctionAddress@@YAKK@Z | 1 |
| ?GetLoadFileBufferAddress@@YAKK@Z | 1 |
| ?Initialize@CJJSEngine@@QAEHK@Z | 1 |
| ?compare@?\$basic_string@GU?\$char_traits@U@std@@QAE@ABV01 | 1 |
| ??0__non_rtti_object@std@@QAE@ABV01 | 1 |
| ??0EString@@QAE@ABV0@H@Z | 1 |
| ??BEString@@QBEPB_WXZ | 1 |
| ??1EString@@QAE@XZ | 1 |
| ?GetViewerDir@LocalUtils@@SA?AVEString | 1 |
| k_UNK | 1 |
| r_UNK | 1 |
| h_UNK | 1 |
| b_UNK | 1 |
| ??0CGetPassHook@@QAE@XZ | 1 |
| ?StartHook@CGetPassHook@@QAEHXZ | 1 |
| ??1CGetPassHook@@UAE@XZ | 1 |
| SendMailShowModal | 1 |
| SetHookShowModal | 1 |
| ConnectFormShowModal | 1 |
| ??0CHook@@QAE@XZ | 1 |
| ?HookUninstaller@CHook@@QAEHXZ | 1 |
| ??1CHook@@UAE@XZ | 1 |
| ?HookInstaller@CHook@@QAEPAUHOOK_ | 1 |
| _PcaHostMessageBox@16 | 1 |
| ?SetGlobalAction@CAWSession@@QAEHPA | 1 |
| ??1CAction@@UAE@XZ | 1 |
| ??0CRemoteSvcMgr@@QAE@PAUWND__ | 1 |
| ?PushFlowAction@CAWSession@@QAEHW | 1 |
| ?UserData@CAWSession@@QAEKW4ePRO | 1 |
| ?Session@CRemoteSvcMgr@@QBEPACAW | 1 |
| ?SetBuf@CAction@@QAEHPAEH@Z | 1 |
| ?GetGlobalAction@CAWSession@@QAEPAV | 1 |
| ?CheckConnectStatus@CAWSession@@QAF | 1 |
| _AWTimerInit@0 | 1 |
| _AWTimerExit@0 | 1 |
| ?SetAutoRename@CCallHostObjectMgr@@ | 1 |
| ?AutoRename@CCallHostObjectMgr@@UBI | 1 |
| ?SetErrMsgPrompt@CCallHostObjectMgr@0 | 1 |
| ?ErrMsgPrompt@CCallHostObjectMgr@@U | 1 |

| | |
|---|---|
| ?SetSecPrompt@CCallHostObjectMgr@@U | 1 |
| ?SecPrompt@CCallHostObjectMgr@@UBEH | 1 |
| ?CurrentDirectory@CCallHostObjectMgr@@ | 1 |
| ?MaxObjectNameLength@CAbsSerializedOb | 1 |
| ?ModelObjectName@CCallHostObjectMgr@ | 1 |
| ?FindFirstEntry@CCallHostObjectMgr@@UA | 1 |
| ?FindNextEntry@CCallHostObjectMgr@@U | 1 |
| ?CloneObjectStore@CCallHostObjectMgr@C | 1 |
| ?CopyObjectStore@CCallHostObjectMgr@@C | 1 |
| ?RenameObjectStore@CCallHostObjectMgr(| 1 |
| ?DeleteObjectStore@CCallHostObjectMgr@ | 1 |
| ?FindFirst@CAbsSerializedObjectMgr@@UA | 1 |
| ?FindNext@CAbsSerializedObjectMgr@@UA | 1 |
| ?RetrieveObject@CAbsSerializedObjectMgr(| 1 |
| ?RetrieveModelObject@CAbsSerializedObj | 1 |
| ?DetachObject@CAbsSerializedObjectMgr@ | 1 |
| ?OnLFNSystem@CCallHostObjectMgr@@MI | 1 |
| ?OnLFNSystem@CAbsSerializedObjectMgr@ | 1 |
| ?LastError@CCallHostObjectMgr@@UBEKXZ | 1 |
| ?ReadObject@CAbsSerializedObjectMgr@@ | 1 |
| ?LoadObject@CAbsSerializedObjectMgr@@ | 1 |
| ?WriteSecurityInfo@CCallHostObjectMgr@C | 1 |
| ?ReadSecurityInfo@CCallHostObjectMgr@@ | 1 |
| ?ReleaseSerializedObject@CAbsSerialized | 1 |
| ?ReleaseAllSerializedObjects@CAbsSerializ | 1 |
| ?OpenObjectStorage@CCallHostObjectMgr@C | 1 |
| ?CloseObjectStorage@CCallHostObjectMgr@C | 1 |
| ?GetObjectDirInfo@CCallHostObjectMgr@@ | 1 |
| ?CreateObjectStorage@CCallHostObjectMgr | 1 |
| ?WriteObjectData@CCallHostObjectMgr@@ | 1 |
| ?ReadObjectData@CCallHostObjectMgr@@ | 1 |
| ?LoadObjectData@CCallHostObjectMgr@@I | 1 |
| ?GetPromptParentWnd@CCallHostObjectM | 1 |
| ?SetPromptParentWnd@CCallHostObjectM | 1 |
| ?DisconnectFromIOEngine@CCallHostObject | 1 |
| ?ConnectToIOEngine@CCallHostObjectMgr@C | 1 |
| ??0CCallHostObjectMgr@@QAE@XZ | 1 |
| ?FreeSerializedObject@CCallHostObjectMgr | 1 |
| ?InstantiateNewObject@CCallHostObjectMg | 1 |
| ??1CCallHostObjectMgr@@UAE@XZ | 1 |
| ?WriteObject@CAbsSerializedObjectMgr@C | 1 |
| ?ChangeDirectory@CCallHostObjectMgr@@ | 1 |
| ?CreateObject@CAbsSerializedObjectMgr@I | 1 |
| _DspErr@20 | 1 |
| ?GetThisClass@CSessionManagerFrame@@ | 1 |
| ?AttachToSessionController@CSessionMana | 1 |
| D3DXMatrixTranspose | 1 |

| | |
|---|---|
| ??Y?\$basic_string@DU?\$char_traits@D@std:: | 1 |
| SetImageVirtualPixelMethod | 1 |
| DiscardBlobBytes | 1 |
| lobalLock | 1 |
| ntProcess | 1 |
| iveWindow | 1 |
| ceCounter | 1 |
| gOpenKeyA | 1 |
| ionA | 1 |
| etMapMode | 1 |
| ndowTextA | 1 |
| obalFlags | 1 |
| ssageTime | 1 |
| ndowProcA | 1 |
| ontrolsEx | 1 |
| topWindow | 1 |
| ouseEvent | 1 |
| oint | 1 |
| @Wodataobj@initialization\$qqrv | 1 |
| @Wotypes@initialization\$qqrv | 1 |
| @Wodatas_tlb@initialization\$qqrv | 1 |
| @Wooledb_h@initialization\$qqrv | 1 |
| @Wotransact_h@initialization\$qqrv | 1 |
| @Womsdasc_h@initialization\$qqrv | 1 |
| @Wooledberr_h@initialization\$qqrv | 1 |
| @Worsrc@initialization\$qqrv | 1 |
| @Wolists@initialization\$qqrv | 1 |
| @Woparser@initialization\$qqrv | 1 |
| @Wofuncs@initialization\$qqrv | 1 |
| @Worichredits@initialization\$qqrv | 1 |
| @Worichole@initialization\$qqrv | 1 |
| @Wolangs@initialization\$qqrv | 1 |
| @Wortfeditor@initialization\$qqrv | 1 |
| abot | 1 |
| texit | 1 |
| ree | 1 |
| alloc | 1 |
| emcpy | 1 |
| ignal | 1 |
| essageBoxA | 1 |
| rtl_createUnicodeToTextContext | 1 |
| rtl_createUnicodeToTextConverter | 1 |
| rtl_convertUnicodeToText | 1 |
| lua_pushfstring | 1 |
| lua_setfenv | 1 |
| luaL_newmetatable | 1 |
| luaL_argerror | 1 |

| | |
|--|---|
| json_object_new_int | 1 |
| json_object_new_array | 1 |
| json_object_to_json_string | 1 |
| json_object_put | 1 |
| json_tokener_parse | 1 |
| json_object_array_add | 1 |
| json_object_get_object | 1 |
| json_object_get_type | 1 |
| json_object_get_double | 1 |
| json_object_new_boolean | 1 |
| json_object_new_string | 1 |
| json_object_object_add | 1 |
| json_object_get_boolean | 1 |
| json_object_new_double | 1 |
| json_object_get_int | 1 |
| json_object_get_string | 1 |
| json_object_new_object | 1 |
| json_object_array_get_idx | 1 |
| json_object_array_length | 1 |
| arkArkToSyspath | 1 |
| jgAddXtmlTagSubTag | 1 |
| jgSetXtmlTagValue | 1 |
| jgGetXtmlTagAttrCount | 1 |
| jgCreateXtmlTag | 1 |
| jgDeleteXtmlParser | 1 |
| jgParserXtmlBuffer | 1 |
| jgCreateXtmlParser | 1 |
| jgGetParserXtml | 1 |
| jgDeleteXtmlTag | 1 |
| jgGetXtmlTagAttrName | 1 |
| jgGetXtmlTagAttrValue | 1 |
| jgGetXtmlTagValue | 1 |
| vlc_fourcc_GetCodecAudio | 1 |
| set_spy | 1 |
| gdk_gc_new | 1 |
| pango_layout_new | 1 |
| ?ReadByteStringLine@SvStream@@QAEAAF | 1 |
| ?createDescriptor@OCollection@sdbcx@co | 1 |
| ?appendObject@OCollection@sdbcx@conn | 1 |
| ?dropObject@OCollection@sdbcx@connect | 1 |
| ?toDouble@DBTypeConversion@dbtools@C | 1 |
| ?toDate@DBTypeConversion@dbtools@@S | 1 |
| ?toDouble@DBTypeConversion@dbtools@C | 1 |
| ?toDateTime@DBTypeConversion@dbtools@C | 1 |
| ?getStandardDate@DBTypeConversion@dbt | 1 |
| ??0ORowSetValue@connectivity@@QAE@A | 1 |
| ?toDouble@DBTypeConversion@dbtools@C | 1 |

| | |
|--|---|
| ?toTime@DBTypeConversion@dbtools@@S | 1 |
| ?setNull@ORowSetValueDecorator@connec | 1 |
| ??4ORowSetValueDecorator@connectivity@ | 1 |
| ??0ORowSetValue@connectivity@@QAE@I | 1 |
| ?getMetaData@OTable@sdbcx@connectivit | 1 |
| ?rename@OTable@sdbcx@connectivity@@ | 1 |
| ?alterColumnByName@OTable@sdbcx@cor | 1 |
| ?alterColumnByIndex@OTable@sdbcx@con | 1 |
| ?createArrayHelper@OTable@sdbcx@connec | 1 |
| ?getInfoHelper@OTable@sdbcx@connectivi | 1 |
| ??0Column@sdbcx@connectivity@@QAE(| 1 |
| ?find@connectivity@@YAPBV?\$Reference@ | 1 |
| ?getProcedures@ODatabaseMetaDataBase@ | 1 |
| ?getProcedureColumns@ODatabaseMetaDa | 1 |
| ?getSchemas@ODatabaseMetaDataBase@C | 1 |
| ?getCatalogs@ODatabaseMetaDataBase@C | 1 |
| ?getColumnPrivileges@ODatabaseMetaDat | 1 |
| ?getBestRowIdentifier@ODatabaseMetaDat | 1 |
| ?getVersionColumns@ODatabaseMetaDataF | 1 |
| ?getPrimaryKeys@ODatabaseMetaDataBase | 1 |
| ?getImportedKeys@ODatabaseMetaDataBase | 1 |
| ?getExportedKeys@ODatabaseMetaDataBase | 1 |
| ?getCrossReference@ODatabaseMetaDataBase | 1 |
| ?getIndexInfo@ODatabaseMetaDataBase@(| 1 |
| ?getBasicValue@ODatabaseMetaDataSet | 1 |
| ?get0Value@ODatabaseMetaDataSet(| 1 |
| ?get1Value@ODatabaseMetaDataSet(| 1 |
| ?getQuoteValue@ODatabaseMetaDataSet | 1 |
| ?match@connectivity@@YAEPBG0G@Z | 1 |
| ?getMajorVersion@OFileDriver@file@conn | 1 |
| ?getMinorVersion@OFileDriver@file@conn | 1 |
| ?supportsService@OFileDriver@file@conne | 1 |
| ?getSupportedServiceNames@OFileDriver@ | 1 |
| ?getDataDefinitionByConnection@OFileDriv | 1 |
| ?getDataDefinitionByUrl@OFileDriver@file | 1 |
| ?getPropertyInfo@OFileDriver@file@conne | 1 |
| ?getImplementationId@?\$\$WeakComponent | 1 |
| ?acquire@OResultSet@file@connectivity@(| 1 |
| ?release@OResultSet@file@connectivity@(| 1 |
| ?Move@OResultSet@file@connectivity@@ | 1 |
| ??1OResultSet@file@connectivity@@MAE@ | 1 |
| ??0OResultSet@file@connectivity@@QAE@ | 1 |
| ?move@OResultSet@file@connectivity@@I | 1 |
| ?getDriverPos@OResultSet@file@connectiv | 1 |
| ?deletedVisible@OResultSet@file@connecti | 1 |
| ?isRowDeleted@OResultSet@file@connecti | 1 |
| ?fillIndexValues@OResultSet@file@connect | 1 |

| | |
|---|---|
| ?OpenImpl@OResultSet@file@connectivity@ | 1 |
| ?doTableSpecials@OResultSet@file@conne | 1 |
| ?disposing@OResultSet@file@connectivity@ | 1 |
| ?dispose@?\$_WeakComponentImplHelper12 | 1 |
| ?addEventListener@?\$_WeakComponentImp | 1 |
| ?removeEventListener@?\$_WeakComponent | 1 |
| ?getImplementationId@?\$_WeakComponent | 1 |
| ?next@OResultSet@file@connectivity@@U | 1 |
| ?isBeforeFirst@OResultSet@file@connectivi | 1 |
| ?isAfterLast@OResultSet@file@connectivity | 1 |
| ?isFirst@OResultSet@file@connectivity@@ | 1 |
| ?isLast@OResultSet@file@connectivity@@I | 1 |
| ?beforeFirst@OResultSet@file@connectivity | 1 |
| ?afterLast@OResultSet@file@connectivity@ | 1 |
| ?first@OResultSet@file@connectivity@@U, | 1 |
| ?last@OResultSet@file@connectivity@@UA | 1 |
| ?getRow@OResultSet@file@connectivity@(| 1 |
| ?absolute@OResultSet@file@connectivity@ | 1 |
| ?relative@OResultSet@file@connectivity@(| 1 |
| ?previous@OResultSet@file@connectivity@ | 1 |
| ?refreshRow@OResultSet@file@connectivit | 1 |
| ?rowUpdated@OResultSet@file@connectivi | 1 |
| ?rowInserted@OResultSet@file@connectivi | 1 |
| ?rowDeleted@OResultSet@file@connectivit | 1 |
| ?getStatement@OResultSet@file@connectiv | 1 |
| ?wasNull@OResultSet@file@connectivity@ | 1 |
| ?getString@OResultSet@file@connectivity@ | 1 |
| ?getBoolean@OResultSet@file@connectivit | 1 |
| ?getByte@OResultSet@file@connectivity@i | 1 |
| ?getShort@OResultSet@file@connectivity@ | 1 |
| ?getInt@OResultSet@file@connectivity@@ | 1 |
| ?getLong@OResultSet@file@connectivity@ | 1 |
| ?getFloat@OResultSet@file@connectivity@ | 1 |
| ?getDouble@OResultSet@file@connectivity | 1 |
| ?getBytes@OResultSet@file@connectivity@ | 1 |
| ?getDate@OResultSet@file@connectivity@ | 1 |
| ?getTime@OResultSet@file@connectivity@ | 1 |
| ?getTimestamp@OResultSet@file@connect | 1 |
| ?getBinaryStream@OResultSet@file@conne | 1 |
| ?getCharacterStream@OResultSet@file@co | 1 |
| ?getObject@OResultSet@file@connectivity(| 1 |
| ?getRef@OResultSet@file@connectivity@@ | 1 |
| ?getBlob@OResultSet@file@connectivity@i | 1 |
| ?getClob@OResultSet@file@connectivity@i | 1 |
| ?getArray@OResultSet@file@connectivity@ | 1 |
| ?getMetaData@OResultSet@file@connectiv | 1 |
| ?cancel@OResultSet@file@connectivity@@ | 1 |

| | |
|--|---|
| ?getWarnings@OResultSet@file@connectiv | 1 |
| ?clearWarnings@OResultSet@file@connect | 1 |
| ?insertRow@OResultSet@file@connectivity | 1 |
| ?updateRow@OResultSet@file@connectivit | 1 |
| ?deleteRow@OResultSet@file@connectivity | 1 |
| ?cancelRowUpdates@OResultSet@file@con | 1 |
| ?moveToInsertRow@OResultSet@file@conr | 1 |
| ?moveToCurrentRow@OResultSet@file@co | 1 |
| ?updateNull@OResultSet@file@connectivit | 1 |
| ?updateBoolean@OResultSet@file@connec | 1 |
| ?updateByte@OResultSet@file@connectivit | 1 |
| ?updateShort@OResultSet@file@connectivi | 1 |
| ?updateInt@OResultSet@file@connectivity(| 1 |
| ?updateLong@OResultSet@file@connectivit | 1 |
| ?updateFloat@OResultSet@file@connectivi | 1 |
| ?updateDouble@OResultSet@file@connecti | 1 |
| ?updateString@OResultSet@file@connectiv | 1 |
| ?updateBytes@OResultSet@file@connectivi | 1 |
| ?updateDate@OResultSet@file@connectivit | 1 |
| ?updateTime@OResultSet@file@connectivi | 1 |
| ?updateTimestamp@OResultSet@file@connr | 1 |
| ?updateBinaryStream@OResultSet@file@cc | 1 |
| ?updateCharacterStream@OResultSet@file(| 1 |
| ?updateObject@OResultSet@file@connectiv | 1 |
| ?updateNumericObject@OResultSet@file@i | 1 |
| ?close@OResultSet@file@connectivity@@l | 1 |
| ?findColumn@OResultSet@file@connectivit | 1 |
| ?disposing@OResultSet@file@connectivity(| 1 |
| ?getSomething@OResultSet@file@connecti | 1 |
| ?queryInterface@OResultSet@file@connect | 1 |
| ?getTypes@OResultSet@file@connectivity@ | 1 |
| ??1OColumns@file@connectivity@@UAE@ | 1 |
| ??0OColumns@file@connectivity@@QAE@ | 1 |
| ?impl_refresh@OColumns@file@connectivi | 1 |
| ??1QuotedTokenizedString@connectivity@() | 1 |
| ?disposing@OFileTable@file@connectivity@ | 1 |
| ?GetTokenSpecial@QuotedTokenizedString(| 1 |
| ?getSomething@OFileTable@file@connectiv | 1 |
| ??1OFileTable@file@connectivity@@MAE@ | 1 |
| ??0OFileTable@file@connectivity@@QAE@ | 1 |
| ?acquire@OFileTable@file@connectivity@() | 1 |
| ?release@OFileTable@file@connectivity@() | 1 |
| ?refreshKeys@OFileTable@file@connectivit | 1 |
| ?refreshIndexes@OFileTable@file@connect | 1 |
| ?FileClose@OFileTable@file@connectivity@ | 1 |
| ?getCurrentLastPos@OFileTable@file@conr | 1 |
| ?InsertRow@OFileTable@file@connectivity(| 1 |

| | |
|--|---|
| ?DeleteRow@OFileTable@file@connectivity | 1 |
| ?UpdateRow@OFileTable@file@connectivity | 1 |
| ?addColumn@OFileTable@file@connectivity | 1 |
| ?dropColumn@OFileTable@file@connectivity | 1 |
| ?getName@OFileTable@file@connectivity@ | 1 |
| ?matchesExtension@OConnection@file@co | 1 |
| ?getDir@OConnection@file@connectivity@ | 1 |
| ?getFactory@OFileDriver@file@connectivity | 1 |
| ?GetTokenCount@QuotedTokenizedString@ | 1 |
| ?createStream_simpleError@OFileTable@fil | 1 |
| ??1ODatabaseMetaData@file@connectivity | 1 |
| ??0ODatabaseMetaData@file@connectivity | 1 |
| ?impl_getIdentifierQuoteString_throw@ODat | 1 |
| ?impl_isCatalogAtStart_throw@ODatabaseN | 1 |
| ?impl_getCatalogSeparator_throw@ODataba | 1 |
| ?impl_supportsCatalogsInTableDefinitions_t | 1 |
| ?impl_supportsSchemasInTableDefinitions_t | 1 |
| ?impl_supportsCatalogsInDataManipulation_ | 1 |
| ?impl_supportsSchemasInDataManipulation | 1 |
| ?impl_supportsMixedCaseQuotedIdentifiers | 1 |
| ?impl_supportsAlterTableWithAddColumn_t | 1 |
| ?impl_supportsAlterTableWithDropColumn_ | 1 |
| ?impl_getMaxStatements_throw@ODataba | 1 |
| ?impl_getMaxTablesInSelect_throw@OData | 1 |
| ?impl_storesMixedCaseQuotedIdentifiers_th | 1 |
| ?allProceduresAreCallable@ODatabaseMeta | 1 |
| ?allTablesAreSelectable@ODatabaseMetaDa | 1 |
| ?getUserName@ODatabaseMetaData@file@co | 1 |
| ?isReadOnly@ODatabaseMetaData@file@co | 1 |
| ?nullsAreSortedHigh@ODatabaseMetaData(| 1 |
| ?nullsAreSortedLow@ODatabaseMetaData@ | 1 |
| ?nullsAreSortedAtStart@ODatabaseMetaD | 1 |
| ?nullsAreSortedAtEnd@ODatabaseMetaDat | 1 |
| ?getDatabaseProductName@ODatabaseMe | 1 |
| ?getDatabaseProductVersion@ODatabaseM | 1 |
| ?getDriverName@ODatabaseMetaData@file | 1 |
| ?getDriverVersion@ODatabaseMetaData@f | 1 |
| ?getDriverMajorVersion@ODatabaseMetaD | 1 |
| ?getDriverMinorVersion@ODatabaseMetaD | 1 |
| ?usesLocalFiles@ODatabaseMetaData@file(| 1 |
| ?usesLocalFilePerTable@ODatabaseMetaD | 1 |
| ?supportsMixedCaseIdentifiers@ODatabase | 1 |
| ?storesUpperCaselIdentifiers@ODatabaseMe | 1 |
| ?storesLowerCaselIdentifiers@ODatabaseMe | 1 |
| ?storesMixedCaselIdentifiers@ODatabaseMe | 1 |
| ?storesUpperCaseQuotedIdentifiers@ODat | 1 |
| ?storesLowerCaseQuotedIdentifiers@ODat | 1 |

| | |
|---|---|
| ?getSQLKeywords@ODatabaseMetaData@fi | 1 |
| ?getNumericFunctions@ODatabaseMetaDat | 1 |
| ?getStringFunctions@ODatabaseMetaData@ | 1 |
| ?getSystemFunctions@ODatabaseMetaData | 1 |
| ?getTimeDateFunctions@ODatabaseMetaDa | 1 |
| ?getSearchStringEscape@ODatabaseMetaDa | 1 |
| ?getExtraNameCharacters@ODatabaseMeta | 1 |
| ?supportsColumnAliasing@ODatabaseMeta | 1 |
| ?nullPlusNonNullIsNull@ODatabaseMetaDa | 1 |
| ?supportsTypeConversion@ODatabaseMeta | 1 |
| ?supportsConvert@ODatabaseMetaData@fi | 1 |
| ?supportsTableCorrelationNames@ODataba | 1 |
| ?supportsDifferentTableCorrelationNames@ | 1 |
| ?supportsExpressionsInOrderBy@ODatabase | 1 |
| ?supportsOrderByUnrelated@ODatabaseMe | 1 |
| ?supportsGroupBy@ODatabaseMetaData@1 | 1 |
| ?supportsGroupByUnrelated@ODatabaseMe | 1 |
| ?supportsGroupByBeyondSelect@ODatabase | 1 |
| ?supportsLikeEscapeClause@ODatabaseMet | 1 |
| ?supportsMultipleResultSets@ODatabaseMe | 1 |
| ?supportsMultipleTransactions@ODatabase | 1 |
| ?supportsNonNullableColumns@ODatabase | 1 |
| ?supportsMinimumSQLGrammar@ODatabase | 1 |
| ?supportsCoreSQLGrammar@ODatabaseMe | 1 |
| ?supportsExtendedSQLGrammar@ODatabase | 1 |
| ?supportsANSI92EntryLevelSQL@ODatabase | 1 |
| ?supportsANSI92IntermediateSQL@ODataba | 1 |
| ?supportsANSI92FullSQL@ODatabaseMetaD | 1 |
| ?supportsIntegrityEnhancementFacility@OD | 1 |
| ?supportsOuterJoins@ODatabaseMetaData(| 1 |
| ?supportsFullOuterJoins@ODatabaseMetaD | 1 |
| ?supportsLimitedOuterJoins@ODatabaseMe | 1 |
| ?getSchemaTerm@ODatabaseMetaData@fil | 1 |
| ?getProcedureTerm@ODatabaseMetaData@C | 1 |
| ?getCatalogTerm@ODatabaseMetaData@fil | 1 |
| ?supportsSchemasInProcedureCalls@OData | 1 |
| ?supportsSchemasInIndexDefinitions@ODat | 1 |
| ?supportsSchemasInPrivilegeDefinitions@O | 1 |
| ?supportsCatalogsInProcedureCalls@OData | 1 |
| ?supportsCatalogsInIndexDefinitions@ODat | 1 |
| ?supportsCatalogsInPrivilegeDefinitions@O | 1 |
| ?supportsPositionedDelete@ODatabaseMet | 1 |
| ?supportsPositionedUpdate@ODatabaseMe | 1 |
| ?supportsSelectForUpdate@ODatabaseMet; | 1 |
| ?supportsStoredProcedures@ODatabaseMe | 1 |
| ?supportsSubqueriesInComparisons@OData | 1 |
| ?supportsSubqueriesInExists@ODatabaseMe | 1 |

| | |
|--|---|
| ?supportsSubqueriesInIns@ODatabaseMeta | 1 |
| ?supportsSubqueriesInQuantifieds@ODatab | 1 |
| ?supportsCorrelatedSubqueries@ODatabase | 1 |
| ?supportsUnion@ODatabaseMetaData@file | 1 |
| ?supportsUnionAll@ODatabaseMetaData@f | 1 |
| ?supportsOpenCursorsAcrossCommit@ODat | 1 |
| ?supportsOpenCursorsAcrossRollback@ODa | 1 |
| ?supportsOpenStatementsAcrossCommit@C | 1 |
| ?supportsOpenStatementsAcrossRollback@() | 1 |
| ?getMaxBinaryLiteralLength@ODatabaseMe | 1 |
| ?getMaxCharLiteralLength@ODatabaseMet | 1 |
| ?getMaxColumnNameLength@ODatabaseM | 1 |
| ?getMaxColumnsInGroupBy@ODatabaseMe | 1 |
| ?getMaxColumnsInIndex@ODatabaseMetaC | 1 |
| ?getMaxColumnsInOrderBy@ODatabaseMe | 1 |
| ?getMaxColumnsInSelect@ODatabaseMetaI | 1 |
| ?getMaxColumnsInTable@ODatabaseMetaD | 1 |
| ?getMaxConnections@ODatabaseMetaData | 1 |
| ?getMaxCursorNameLength@ODatabaseMe | 1 |
| ?getMaxIndexLength@ODatabaseMetaData | 1 |
| ?getMaxSchemaNameLength@ODatabaseM | 1 |
| ?getMaxProcedureNameLength@ODatabase | 1 |
| ?getMaxCatalogNameLength@ODatabaseM | 1 |
| ?getMaxRowSize@ODatabaseMetaData@fil | 1 |
| ?doesMaxRowSizeIncludeBlobs@ODatabase | 1 |
| ?getMaxStatementLength@ODatabaseMeta | 1 |
| ?getMaxTableNameLength@ODatabaseMet | 1 |
| ?getMaxUserNameLength@ODatabaseMeta | 1 |
| ?getDefaultTransactionIsolation@ODatabas | 1 |
| ?supportsTransactions@ODatabaseMetaDat | 1 |
| ?supportsTransactionIsolationLevel@ODat | 1 |
| ?supportsDataDefinitionAndDataManipulati | 1 |
| ?supportsDataManipulationTransactionsOnl | 1 |
| ?dataDefinitionCausesTransactionCommit@ | 1 |
| ?dataDefinitionIgnoredInTransactions@ODa | 1 |
| ?getTables@ODatabaseMetaData@file@cor | 1 |
| ?getTableTypes@ODatabaseMetaData@file@ | 1 |
| ?getTablePrivileges@ODatabaseMetaData@ | 1 |
| ?supportsResultSetType@ODatabaseMetaD | 1 |
| ?supportsResultSetConcurrency@ODatabase | 1 |
| ?ownUpdatesAreVisible@ODatabaseMetaD | 1 |
| ?ownDeletesAreVisible@ODatabaseMetaDa | 1 |
| ?ownInsertsAreVisible@ODatabaseMetaDat | 1 |
| ?othersUpdatesAreVisible@ODatabaseMeta | 1 |
| ?othersDeletesAreVisible@ODatabaseMeta[| 1 |
| ?othersInsertsAreVisible@ODatabaseMetaD | 1 |
| ?updatesAreDetected@ODatabaseMetaDat | 1 |

| | |
|--|---|
| ?deletesAreDetected@ODatabaseMetaData | 1 |
| ?insertsAreDetected@ODatabaseMetaData(| 1 |
| ?supportsBatchUpdates@ODatabaseMetaD | 1 |
| ?getUDTs@ODatabaseMetaData@file@conr | 1 |
| ??1OTables@file@connectivity@@UAE@XZ | 1 |
| ??0OTables@file@connectivity@@QAE@AE | 1 |
| ?queryInterface@OTables@file@connectivit | 1 |
| ?impl_refresh@OTables@file@connectivity(| 1 |
| ?disposing@OTables@file@connectivity@@ | 1 |
| ??1OFileCatalog@file@connectivity@@UAE | 1 |
| ??0OFileCatalog@file@connectivity@@QAE | 1 |
| ?queryInterface@OFileCatalog@file@conne | 1 |
| ?disposing@OFileCatalog@file@connectivit | 1 |
| ?buildName@OFileCatalog@file@connectiv | 1 |
| ?refreshViews@OFileCatalog@file@connect | 1 |
| ?getTypes@OFileCatalog@file@connectivity | 1 |
| ?refreshGroups@OFileCatalog@file@conne | 1 |
| ?refreshUsers@OFileCatalog@file@connect | 1 |
| ?getTableColumns@OFileTable@file@conn | 1 |
| ??1OPreparedStatement@file@connectivity | 1 |
| ??0OPreparedStatement@file@connectivity | 1 |
| ?queryInterface@OPreparedStatement@file | 1 |
| ?acquire@OPreparedStatement@file@conn | 1 |
| ?release@OPreparedStatement@file@conn | 1 |
| ?disposing@OPreparedStatement@file@coi | 1 |
| ?initializeResultSet@OPreparedStatement@ | 1 |
| ?createAnalyzer@OStatement_Base@file@() | 1 |
| ?parseParamterElem@OPreparedStatement | 1 |
| ?construct@OPreparedStatement@file@cor | 1 |
| ?dispose@?\$WeakComponentImplHelper3@ | 1 |
| ?addEventListener@?\$WeakComponentImp | 1 |
| ?removeEventListener@?\$WeakComponent | 1 |
| ?getTypes@OPreparedStatement@file@cor | 1 |
| ?getImplementationId@?\$WeakComponent | 1 |
| ?getWarnings@OStatement_Base@file@coi | 1 |
| ?clearWarnings@OStatement_Base@file@c | 1 |
| ?cancel@OStatement_Base@file@connectiv | 1 |
| ?close@OPreparedStatement@file@connec | 1 |
| ?getPropertySetInfo@OStatement_Base@fil | 1 |
| ? getInfoHelper@OStatement_Base@file@cc | 1 |
| ?createArrayHelper@OStatement_Base@file | 1 |
| ?executeQuery@OPreparedStatement@file(| 1 |
| ?executeUpdate@OPreparedStatement@file | 1 |
| ?execute@OPreparedStatement@file@connr | 1 |
| ?getConnection@OPreparedStatement@file | 1 |
| ?setNull@OPreparedStatement@file@conn | 1 |
| ?setObjectNull@OPreparedStatement@file(| 1 |

| | |
|---|---|
| ?setBoolean@OPreparedStatement@file@c | 1 |
| ?setByte@OPreparedStatement@file@conn | 1 |
| ?setShort@OPreparedStatement@file@conne | 1 |
| ?setInt@OPreparedStatement@file@connec | 1 |
| ?setLong@OPreparedStatement@file@connr | 1 |
| ?setFloat@OPreparedStatement@file@conr | 1 |
| ?setDouble@OPreparedStatement@file@co | 1 |
| ?setString@OPreparedStatement@file@con | 1 |
| ?setBytes@OPreparedStatement@file@con | 1 |
| ?setDate@OPreparedStatement@file@connr | 1 |
| ?setTime@OPreparedStatement@file@connr | 1 |
| ?setTimestamp@OPreparedStatement@file | 1 |
| ?setBinaryStream@OPreparedStatement@fi | 1 |
| ?setCharacterStream@OPreparedStatement | 1 |
| ?setObject@OPreparedStatement@file@coi | 1 |
| ?setObjectWithInfo@OPreparedStatement@ | 1 |
| ?setRef@OPreparedStatement@file@conne | 1 |
| ?setBlob@OPreparedStatement@file@conn | 1 |
| ?setClob@OPreparedStatement@file@conn | 1 |
| ?setArray@OPreparedStatement@file@con | 1 |
| ?clearParameters@OPreparedStatement@fi | 1 |
| ?getMetaData@OPreparedStatement@file@c | 1 |
| ??1OStatement@file@connectivity@@UAE(| 1 |
| ??0OStatement@file@connectivity@@QAE(| 1 |
| ?queryInterface@OStatement@file@conne | 1 |
| ?acquire@OStatement@file@connectivity@ | 1 |
| ?release@OStatement@file@connectivity@ | 1 |
| ?disposing@OStatement_BASE2@file@conn | 1 |
| ?initializeResultSet@OStatement_Base@file | 1 |
| ?parseParamterElem@OStatement_Base@f | 1 |
| ?construct@OStatement_Base@file@conne | 1 |
| ?getTypes@OStatement_Base@file@conne | 1 |
| ?close@OStatement_Base@file@connectivi | 1 |
| ?getTypes@?\$ImplHelper2@VXStatement@ | 1 |
| ?getImplementationId@?\$ImplHelper2@VX | 1 |
| ?executeQuery@OStatement@file@connect | 1 |
| ?executeUpdate@OStatement@file@conne | 1 |
| ?execute@OStatement@file@connectivity@ | 1 |
| ?getConnection@OStatement@file@conne | 1 |
| ??1OConnection@file@connectivity@@MA | 1 |
| ??0OConnection@file@connectivity@@QA | 1 |
| ?release@OConnection@file@connectivity@ | 1 |
| ?disposing@OConnection@file@connectivit | 1 |
| ?close@OConnection@file@connectivity@() | 1 |
| ?nativeSQL@OConnection@file@connectivi | 1 |
| ?setAutoCommit@OConnection@file@conn | 1 |
| ?getAutoCommit@OConnection@file@connr | 1 |

| | |
|---|---|
| ?commit@OConnection@file@connectivity(| 1 |
| ?rollback@OConnection@file@connectivity(| 1 |
| ?isClosed@OConnection@file@connectivity | 1 |
| ?setReadOnly@OConnection@file@connectiv | 1 |
| ?isReadOnly@OConnection@file@connectiv | 1 |
| ?setCatalog@OConnection@file@connectivi | 1 |
| ?getCatalog@OConnection@file@connectiv | 1 |
| ?setTransactionIsolation@OConnection@fil | 1 |
| ?getTransactionIsolation@OConnection@fil | 1 |
| ?getTypeMap@OConnection@file@connectiv | 1 |
| ?setTypeMap@OConnection@file@connectiv | 1 |
| ?getWarnings@OConnection@file@connectiv | 1 |
| ?clearWarnings@OConnection@file@conne | 1 |
| ?getSomething@OConnection@file@conne | 1 |
| ?construct@OConnection@file@connectivit | 1 |
| ?getSupportedServiceNames_Static@OFileD | 1 |
| ??1OFileDriver@file@connectivity@@@UAE@ | 1 |
| ??0OFileDriver@file@connectivity@@@QAE@ | 1 |
| ?queryInterface@?\$WeakComponentImplH@ | 1 |
| ?acquire@?\$WeakComponentImplHelper3@ | 1 |
| ?release@?\$WeakComponentImplHelper3@ | 1 |
| ?disposing@OFileDriver@file@connectivity(| 1 |
| ?dispose@?\$WeakComponentImplHelper3@ | 1 |
| ?addEventListerner@?\$WeakComponentImpl | 1 |
| ?removeEventListerner@?\$WeakComponent | 1 |
| ?getTypes@?\$WeakComponentImplHelper3@ | 1 |
| ?getNumberFormatType@comphelper@@Y | 1 |
| SymFindPad | 1 |
| ConnReverse | 1 |
| ConnCreate | 1 |
| NetFind | 1 |
| DbCalcAngle | 1 |
| ConnDelete | 1 |
| AltLoad | 1 |
| LevGet | 1 |
| LangTest | 1 |
| MirrorComp | 1 |
| AltStore | 1 |
| AltPut | 1 |
| AltGet | 1 |
| ConnCpy | 1 |
| PackGet | 1 |
| LevGetPtr | 1 |
| FrViaConvertNetConnToFree | 1 |
| SymGetPadFromAlt | 1 |
| ThruFind | 1 |
| _v | 1 |

| | |
|-----------------------------|---|
| WICConvertBitmapSource | 1 |
| CertAutoEnrollment | 1 |
| KeyboardHookProc | 1 |
| CheckTable5 | 1 |
| ZDBORIGINE | 1 |
| GetLeftChar | 1 |
| EDFormatWithFRMT | 1 |
| ZMIGL | 1 |
| DBCheckDBParms2 | 1 |
| StrToUpper | 1 |
| SetConnString2 | 1 |
| PHDB | 1 |
| GetSysTime2 | 1 |
| GetSysDate2 | 1 |
| FindDBStruct5 | 1 |
| MakeDirectory | 1 |
| DelDB4 | 1 |
| DBCloseConnection | 1 |
| ZDBAUT | 1 |
| ZDBUSER | 1 |
| ZDBPWD | 1 |
| ZSIR | 1 |
| PRP | 1 |
| ZDBSERVER | 1 |
| ZDBTBLPROD | 1 |
| ZNSEL | 1 |
| DefineGrid27 | 1 |
| SynchronizeWindow5 | 1 |
| ZGRIGHE_TOT | 1 |
| DefineAdvGridEnd | 1 |
| DefineAdvGridCallConditions | 1 |
| DefineCellGrid15 | 1 |
| INSCOLGRID_NASCOSTA | 1 |
| INSCOLGRID_LARGDINAMICA | 1 |
| INSCOLGRID_End | 1 |
| INSCOLGRID_LARG | 1 |
| INSCOLGRID_TIT | 1 |
| INSCOLGRID_Init | 1 |
| DefineAdvGrid15 | 1 |
| GettingRowGrid2 | 1 |
| InsertRowGrid9 | 1 |
| DelDynamicStruct | 1 |
| ABCPRB | 1 |
| ZGRIGA | 1 |
| InsertColGrid9 | 1 |
| SetRadioHide | 1 |
| SetButtonEnable | 1 |

| | |
|---|---|
| SetAdvColGridConditions | 1 |
| GetStrTestDynValue | 1 |
| StringToMultiple | 1 |
| WgsRestoreWindow | 1 |
| ZCURVIDCOMP | 1 |
| SetPageEnable | 1 |
| BlobMid | 1 |
| ZVIDCOMP | 1 |
| DefineMultiPage6 | 1 |
| ZVIDCOMPEXIT | 1 |
| DefineRadioButton | 1 |
| DefineRadioOptions3 | 1 |
| ZNOHELP | 1 |
| WgsSetShowShortcutKeys | 1 |
| DefineComposite3 | 1 |
| ??0SPAIOptions@@QAE@XZ | 1 |
| ??1SPAIFile@@UAE@XZ | 1 |
| ??1SPAIAcisDocument@@UAE@XZ | 1 |
| interrupt_acis | 1 |
| _ZN10QTTextCodec17setCodecForLocaleEPS_ | 1 |
| _ZN14QReadWriteLock11lockForReadEv | 1 |
| _ZN5QFile11permissionsERK7QString | 1 |
| _ZN5QFile4linkERK7QStringS2_ | 1 |
| _ZN8QVariantC1EiPKvj | 1 |
| _ZN9QFileInfo7setFileERK7QString | 1 |
| _ZN9QFileInfoC1ERKS_ | 1 |
| _ZN9QFileInfoC1Ev | 1 |
| _ZN9QFileInfoaSERKS_ | 1 |
| _ZNK4QDir13entryInfoListE6QFlagsINS_6Filt | 1 |
| _ZNK8QVariant6isNullEv | 1 |
| _ZNK9QFileInfo8readLinkEv | 1 |
| _ZNK9QFileInfo9isSymLinkEv | 1 |
| ??1QValidator@@UAE@XZ | 1 |
| ??0QValidator@@QAE@PAVQObject@@PB | 1 |
| ??8@YA_NABVQString@@PBD@Z | 1 |
| ?compareItems@QGLList@@MAEHPAX0@Z | 1 |
| ?write@QGLList@@MBEAAVQDataStream@ | 1 |
| ?read@QGLList@@MAEAAVQDataStream@() | 1 |
| ?newItem@QPtrCollection@@MAEPAXPAX | 1 |
| ??0QGLList@@IAE@ABV0@@Z | 1 |
| ??4QGLList@@IAEAAV0@ABV0@@Z | 1 |
| ?append@QGLList@@IAEXPAX@Z | 1 |
| ?clear@QGLList@@MAEXXZ | 1 |
| ??0QGLListIterator@@IAE@ABVQGLList@@@ | 1 |
| ??1QGLListIterator@@IAE@XZ | 1 |
| ??EQGLListIterator@@IAEPAXXZ | 1 |
| ?remove@QString@@QAEAAV1@II@Z | 1 |

| | |
|---|---|
| ?find@QString@@QBEHPBDH@Z | 1 |
| ??4QCharRef@@QAE?AV0@D@Z | 1 |
| ?event@ QTimer@@MAE_NPAVQEvent@@ | 1 |
| ?qt_property@ QTimer@@UAE_NHHPAVQV | 1 |
| ?qt_emit@ QTimer@@UAE_NHPAUQUObject | 1 |
| ?qt_invoke@ QTimer@@UAE_NHPAUQUObject | 1 |
| ?qt_cast@ QTimer@@UAEPAXPBD@Z | 1 |
| ?className@ QTimer@@UBEPBDXZ | 1 |
| ?metaObject@ QTimer@@UBEPAVQMetaObject | 1 |
| ?start@ QTimer@@QAEHH_N@Z | 1 |
| ?connect@QObject@@SA_NPBV1@PBD01@Z | 1 |
| ??0QTimer@@QAE@PAVQObject@@PBD@Z | 1 |
| ?qWinVersion@@YAHXZ | 1 |
| ??4QStringList@@QAEAAV0@ABV0@@Z | 1 |
| ?split@QStringList@@SA?AV1@ABVQChar@Z | 1 |
| ?toUShort@QString@@QBEGPA_NH@Z | 1 |
| ?latin1@QCharRef@@QBEDXZ | 1 |
| ??1QSettings@@QAE@XZ | 1 |
| ?readBoolEntry@QSettings@@QAE_NABVQ | 1 |
| ??0QSettings@@QAE@XZ | 1 |
| ??H@YA?BVQString@@ABV0@0@Z | 1 |
| ??H@YA?BVQString@@ABV0@D@Z | 1 |
| ?replace@QString@@QAEAAV1@ABV1@0@Z | 1 |
| ??H@YA?BVQString@@ABV0@PBD@Z | 1 |
| ?find@QString@@QBEHVQChar@@H_N@Z | 1 |
| ?section@QString@@QBE?AV1@PBDHHH@Z | 1 |
| ?section@QString@@QBE?AV1@DHHH@Z | 1 |
| ??9@YA_NABVQString@@PBD@Z | 1 |
| ?detachInternal@?\$QValueList@VQString@ | 1 |
| ?truncate@QString@@QAEXI@Z | 1 |
| ?erase@?\$QValueList@VQString@@@@QAF | 1 |
| ?arg@QString@@QBE?AV1@ABV1@H@Z | 1 |
| ?split@QStringList@@SA?AV1@ABVQString | 1 |
| ??1QGLList@@MAE@XZ | 1 |
| ?upper@QString@@QBE?AV1@XZ | 1 |
| ?find@QString@@QBEHABVQRegExp@@H@Z | 1 |
| ??0QRegExp@@QAE@ABVQString@@_N1@Z | 1 |
| ??4QObject@@QAEAAV0@ABV0@@Z | 1 |
| ??0QStringList@@QAE@ABV0@@Z | 1 |
| ?removeChild@QObject@@UAEXPAV1@@Z | 1 |
| ?ungetch@ QFile@@UAEHH@Z | 1 |
| ?putch@ QFile@@UAEHH@Z | 1 |
| ?getch@ QFile@@UAEHXZ | 1 |
| ?readAll@QIODevice@@UAE?AV?\$QMemA | 1 |
| ?readLine@ QFile@@UAEJPADK@Z | 1 |
| ?writeBlock@ QFile@@UAEJPBDK@Z | 1 |
| ?readBlock@ QFile@@UAEJPADK@Z | 1 |

| | |
|--|---|
| ?at@QFile@@UBEKXZ | 1 |
| ??0QObject@@QAE@PAV0@PBD@Z | 1 |
| ?size@QFile@@UBEKXZ | 1 |
| ?flush@QFile@@UAEXXZ | 1 |
| ?open@QFile@@UAE_NH@Z | 1 |
| ?arg@QString@@QBE?AV1@HHH@Z | 1 |
| ?toString@QDate@@QBE?AVQString@@AE | 1 |
| ?toString@QTime@@QBE?AVQString@@AF | 1 |
| ?readEntry@QSettings@@QAE?AVQString@ | 1 |
| ?readNumEntry@QSettings@@QAEHABVQS | 1 |
| ?toULong@QString@@QBEKPA_NH@Z | 1 |
| ?elementsByTagName@QDomElement@@I | 1 |
| ??1QDomElement@@UAE@XZ | 1 |
| ?toElement@QDomNode@@QAE?AVQDom | 1 |
| ??1QDomNode@@UAE@XZ | 1 |
| ?item@QDomNodeList@@UBE?AVQDomNc | 1 |
| ??0QDomElement@@QAE@XZ | 1 |
| ??1QDomDocument@@UAE@XZ | 1 |
| ??1QDomNodeList@@UAE@XZ | 1 |
| ?count@QDomNodeList@@QBEIXZ | 1 |
| ?elementsByTagName@QDomDocument@(| 1 |
| ?setContent@QDomDocument@@QAE_NA | 1 |
| ??0QGList@@IAE@XZ | 1 |
| ?remove@QGList@@IAE_NPAX@Z | 1 |
| ?insertHelper@QString@@AAEAAV1@IPBD | 1 |
| ?qInstallMsgHandler@@YAP6AXW4QtMsgT | 1 |
| ??4QDomNodeList@@QAEAAV0@ABV0@@ | 1 |
| ??0QMutex@@QAE @_N@Z | 1 |
| ??0QThread@@QAE@XZ | 1 |
| ??1QMutex@@UAE@XZ | 1 |
| ??1QWaitCondition@@UAE@XZ | 1 |
| ?wait@QWaitCondition@@QAE_NK@Z | 1 |
| ?finished@QThread@@QBE_NXZ | 1 |
| ?arg@QString@@QBE?AV1@IHH@Z | 1 |
| ?latin1@QString@@QBEPBDXZ | 1 |
| ?at@QString@@QBE?AVQChar@@I@Z | 1 |
| ?exit@QThread@@SAXXZ | 1 |
| ?start@QThread@@QAEXXZ | 1 |
| ?translate@QApplication@@QBE?AVQString | 1 |
| ?setMetaObject@QMetaObjectCleanUp@@ | 1 |
| ?new_metaobject@QMetaObject@@SAPA\ | 1 |
| ?staticMetaObject@QValidator@@SAPAVQ\ | 1 |
| ?qt_cast@QValidator@@UAEPAXPBD@Z | 1 |
| ?qt_invoke@QValidator@@UAE_NHPAUQU | 1 |
| ?qt_emit@QValidator@@UAE_NHPAUQUO | 1 |
| ?qt_property@QValidator@@UAE_NHHPA\ | 1 |
| ?staticMetaObject@QObject@@SAPAVQM\ | 1 |

| | |
|--|---|
| ?qt_cast@QObject@@UAEPAXPBD@Z | 1 |
| ?qt_invoke@QObject@@UAE_NHPAUQUOlk | 1 |
| ?qt_emit@QObject@@UAE_NHPAUQUObjc | 1 |
| ?qt_property@QObject@@UAE_NHHPAVQ` | 1 |
| ??0QMetaObjectCleanUp@@QAE@PBDP6A | 1 |
| ??1QMetaObjectCleanUp@@QAE@XZ | 1 |
| ??0QStringList@@QAE@XZ | 1 |
| ?setName@QObject@@UAEXPBD@Z | 1 |
| ?at@QFile@@UAE_NK@Z | 1 |
| ?insertChild@QObject@@UAEXPBV1@@Z | 1 |
| ?setProperty@QObject@@UAE_NPBDABVC | 1 |
| ?property@QObject@@UBE?AVQVariant@I | 1 |
| ?customEvent@QObject@@MAEXPBVQCus | 1 |
| ?checkConnectArgs@QObject@@MAE_NPB | 1 |
| ?shared_null@QString@@0PAUQStringData | 1 |
| ?makeSharedNull@QString@@CAPAUQString | 1 |
| ??H@YA?BVQString@@PBDABV0@@Z | 1 |
| ?deleteSelf@QStringData@@QAEXXZ | 1 |
| ?contains@QString@@QBEHPBD_N@Z | 1 |
| ?contains@QString@@QBEHVQChar@@_N | 1 |
| ?null@QChar@@2V1@A | 1 |
| ??0QObject@@QAE@ABV0@@Z | 1 |
| ?GetString@CTranslator@@SA?AVQString@ | 1 |
| ?SetLanguage@CTranslator@@SAKABVQStr | 1 |
| ?SetGlobal@CTranslator@@SAKABVQString | 1 |
| ?GetReverseString@CTranslator@@SA?AVC | 1 |
| ?DisableEntry@CTranslator@@SAXABVQStr | 1 |
| ?SetErrorHandlerAPI@PDB@@SAHP6APAUI | 1 |
| ?CloseAllTimeoutPDB@PDB@@SAHZ | 1 |
| ?OpenValidate4@PDB@@SAHPBGPBDPBU_ | 1 |
| ?OpenEx2W@PDB@@SAHPBGPBDJPAJPAGI | 1 |
| ?FOpen@MREngine@@SGHPAPAU1@PAUF | 1 |
| ?FOpen@MREngine@@SGHPAPAU1@PAUN | 1 |
| ?FOpenW@MREngine@@SGHPAPAU1@PB | 1 |
| ?open@NameMap@@SAHPAUPDB@@HPA | 1 |
| ?ShutDownTimeoutManager@PDB@@SAH | 1 |
| ?SetPDBCloseTimeout@PDB@@SAH_K@Z | 1 |
| DbgPri | 1 |
| IoDelete | 1 |
| gegl_buffer_get | 1 |
| gegl_operation_get_type | 1 |
| gegl_operation_sink_get_type | 1 |
| gegl_operation_source_get_bounding_box | 1 |
| babl_format | 1 |
| babl_format_has_alpha | 1 |
| gdk_pixbuf_new_from_data | 1 |
| g_type_module_register_type | 1 |

| | |
|---|---|
| BASSMOD_Init | 1 |
| BASSMOD_MusicLoad | 1 |
| BASSMOD_MusicFree | 1 |
| BASSMOD_MusicPlay | 1 |
| BASSMOD_MusicIsActive | 1 |
| BASSMOD_Free | 1 |
| WmiGetNextEvent | 1 |
| ??0CGestSoc@@@QAE@XZ | 1 |
| ?GetCampo@CGestSoc@@@QAA?AVCString@ | 1 |
| ??1CGestSoc@@@QAE@XZ | 1 |
| ?GetCampo@CGestUtente@@@QAA?AVCStri | 1 |
| ?IsEmpty@FunGen@@@SAHVCString@@H@ | 1 |
| TRAE_SetLogFunc | 1 |
| TRAE_DestroyEngine | 1 |
| TRAE_CreateEngine | 1 |
| ??0CWndShadow@@@QAE@XZ | 1 |
| ??1CWndShadow@@@UAE@XZ | 1 |
| ?Create@CWndShadow@@@QAEXP@UHWNI | 1 |
| ?InitShadow@CWndShadow@@@QAEXXZ | 1 |
| ??0CNPSFrame@@@IAE@XZ | 1 |
| ?PreTranslateMessage@CNPSFrame@@MA | 1 |
| ??1CNPSFrame@@@MAE@XZ | 1 |
| ?OnClose@CNPSFrame@@@IAEXXZ | 1 |
| ?initFrameToolTipText@CNPSFrame@@QAI | 1 |
| ?EnableCloseSysBtn@CNPSFrame@@@QAEXI | 1 |
| ?setAppIcon@CNPSFrame@@@QAEXI@Z | 1 |
| ?setPopupMenu@CNPSFrame@@@QAEXIV?\$ | 1 |
| ?initFrame@CNPSFrame@@@QAEXIIIIIIIIIV | 1 |
| ?OnCreate@CNPSFrame@@@IAEHPAUtagCRI | 1 |
| ?GetThisClass@CNPSFrame@@@SGPAUCRun | 1 |
| ?PreCreateWindow@CNPSFrame@@@MAEH. | 1 |
| ?Popup_SysMenu@CNPSFrame@@@UAEXXZ | 1 |
| ?Popup_SysMenu@CNPSFrame@@@UAEXVC | 1 |
| ?GetThisMessageMap@CNPSFrame@@@KGP | 1 |
| ?DoDataExchange@CNPSFrame@@@MAEXP/ | 1 |
| ?SetImage@CNPSButton@@@QAEXIK@Z | 1 |
| ?Sort@CXTSortClass@@@UAEX_NW4XTSortT | 1 |
| ?ImplAttach@CXTListBase@@@IAEXP@AVCList | 1 |
| ?FreezeColumn@CXTHeaderCtrl@@@QAEXH | 1 |
| ?ThawAllColumns@CXTHeaderCtrl@@@QAEX | 1 |
| MLWmDevClearLists | 1 |
| MLWmDevCheckMemory | 1 |
| MLWmDevInstallTerminate | 1 |
| MLWmDevGetBattstat | 1 |
| MLWmDevGetCabFilePathOnPC | 1 |
| MLWmDevAppUnInstall | 1 |
| MLWmDevAppGetListAll | 1 |

| | |
|---------------------------------------|---|
| MLWmDevInstallInit | 1 |
| MLWmDevAppInstall | 1 |
| MLSymDevClearLists | 1 |
| MLSymDevCheckMemory | 1 |
| MLSymDevTerminate | 1 |
| MLSymDevAppGetList | 1 |
| MLSymDevInit | 1 |
| MLSymDevAppUnInstall | 1 |
| MLSymDevAppInstall | 1 |
| GetProcAddr | 1 |
| ??1CModifiedTag@@UAE@XZ | 1 |
| ??1CSysMessage@@UAE@XZ | 1 |
| ??1CTimeZone@@UAE@XZ | 1 |
| ??1CDBModObject@@UAE@XZ | 1 |
| ?GetRuntimeClass@CManualDriver@@UBE | 1 |
| ??1CInSQLTable@@UAE@XZ | 1 |
| ??1CManualDriver@@UAE@XZ | 1 |
| ?gcConfig@@3VCCConfig@@A | 1 |
| ?LogInSQLError@CConfig@@QAAXPBGHHH | 1 |
| ?GetModulesIDFromName@CConfig@@QA | 1 |
| ?GetEventHandle@CConfig@@QAEPAXI@Z | 1 |
| ??1CInSQLTrace@@UAE@XZ | 1 |
| ?GetTimeZoneInfo@CConfig@@QAEHVCStr | 1 |
| ??0CManualDriver@@QAE@XZ | 1 |
| ?GetRuntimeClass@CTimeZone@@UBEPAU | 1 |
| ?Serialize@CManualDriver@@UAEXAAVCAr | 1 |
| ??0CTimeZone@@QAE@XZ | 1 |
| ?GetRuntimeClass@CSysMessage@@UBEP/ | 1 |
| ?Serialize@CTimeZone@@UAEXAAVCArchiv | 1 |
| ??0CSysMessage@@QAE@XZ | 1 |
| ?GetRuntimeClass@CModifiedTag@@UBEP. | 1 |
| ?Serialize@CSysMessage@@UAEXAAVCArcl | 1 |
| ??0CModifiedTag@@QAE@XZ | 1 |
| ?GetRuntimeClass@CDBModObject@@UBE | 1 |
| ?Serialize@CModifiedTag@@UAEXAAVCArc | 1 |
| ??0CDBModObject@@QAE@XZ | 1 |
| ?GetRuntimeClass@CInSQLTable@@UBEPA | 1 |
| ?Serialize@CDBModObject@@UAEXAAVCAi | 1 |
| ??0CInSQLTable@@QAE@XZ | 1 |
| ?GetRuntimeClass@CInSQLTrace@@UBEPA | 1 |
| ?Serialize@CInSQLTable@@UAEXAAVCAArch | 1 |
| ??0CInSQLTrace@@QAE@XZ | 1 |
| ?GetTagInfoFromName@CConfig@@QAEH\ | 1 |
| ?ImpersonateInSQLUser@CConfig@@QAEP. | 1 |
| ?InitializeClient@CConfig@@QAEHXZ | 1 |
| ?Serialize@CInSQLTrace@@UAEXAAVCAArch | 1 |
| ?NextMultValueWide@CDynData@@QAEH, | 1 |

| | |
|-------------------------------------|---|
| ?CurrentMultValue@CDynData@@QAEHAA | 1 |
| ?NextMultValueDelta@CDynData@@QAEH, | 1 |
| ?NextMultValueCyclic@CDynData@@QAEH | 1 |
| ?StartMultScanLive@CDynData@@QAEHAA | 1 |
| ?StartMultScan@CDynData@@QAEHAAVCP | 1 |
| ??0CDynData@@QAE@XZ | 1 |
| ??1CDynData@@QAE@XZ | 1 |
| IsAadWritePtr | 1 |
| GetAkMode | 1 |
| GetClipAox | 1 |
| GetLangStr | 1 |
| RpcSsContextLockShared | 1 |
| NdrUserMarshalMemorySize | 1 |
| WinHttpTimeToSystemTime | 1 |
| SyncGetDBRecordCount | 1 |
| SyncChangeCategory | 1 |
| SyncPurgeAllRecsInCategory | 1 |
| SyncReadSystemInfo | 1 |
| SyncReadPositionXMap | 1 |
| SyncReadDBSortInfoBlock | 1 |
| SyncReadNextRecInCategory | 1 |
| SyncDeleteResourceRec | 1 |
| SyncYieldCycles | 1 |
| ??0TVec2@PG50@@QAE@XZ | 1 |
| ?Scale@TMat3@PG50@@QAEAAV12@M@ | 1 |
| ??0TMat3@PG50@@QAE@XZ | 1 |
| ?GetTopModalWindow@TWindowManager | 1 |
| ??HPG50@@YA?AVTVec2@0@ABV10@0@: | 1 |
| ??4TVec3@PG50@@QAEAAV01@ABV01@C | 1 |
| ??0TVec3@PG50@@QAE@ABVTVec2@1@I | 1 |
| ?_IsKindOf@TWindow@PG50@@MBE_NH@ | 1 |
| ?FindParentModal@TWindow@PG50@@Q/ | 1 |
| ?SetScroll@TText@PG50@@UAEXMM@Z | 1 |
| ?OnMouseLeave@TText@PG50@@UAE_NX | 1 |
| ?OnMouseMove@TText@PG50@@UAE_NA | 1 |
| ?OnMouseDown@TText@PG50@@UAE_NA | 1 |
| ?OnMouseUp@TText@PG50@@UAE_NABV | 1 |
| ??1TAssetMap@PG50@@UAE@XZ | 1 |
| ??0TAssetMap@PG50@@QAE@XZ | 1 |
| ?OnTaskAnimate@TTextEdit@PG50@@UAE | 1 |
| ?Draw@TTextEdit@PG50@@UAEXXZ | 1 |
| ?SetText@TTextEdit@PG50@@UAEXVstr@1 | 1 |
| ?GetText@TTextEdit@PG50@@UAE?AVstr@ | 1 |
| ?OnLoseFocus@TTextEdit@PG50@@UAEXP | 1 |
| ?OnSetFocus@TTextEdit@PG50@@UAEXP@ | 1 |
| ?OnChar@TTextEdit@PG50@@UAE_NVstr@ | 1 |
| ?Init@TTextEdit@PG50@@UAEXAAVTWind | 1 |

| | |
|---------------------------------------|---|
| ?OnKeyDown@TTextEdit@PG50@@@UAE_N | 1 |
| ?OnNewParent@TTextEdit@PG50@@@UAE_ | 1 |
| ?KeyHit@TTextEdit@PG50@@@UAE_NW4eK | 1 |
| ??1TTextEdit@PG50@@@UAE@XZ | 1 |
| ??0TTextEdit@PG50@@@QAE@XZ | 1 |
| ?kBackspace@TEvent@PG50@@@2HA | 1 |
| ??0TRandom@PG50@@@QAE@XZ | 1 |
| ?GetBool@TWindowStyle@PG50@@@QBE_N | 1 |
| ?IsKindOf@TTextEdit@PG50@@@UBE_NH@Z | 1 |
| ?RemoveFlags@TWindow@PG50@@@QAEXI | 1 |
| ?AddFlags@TWindow@PG50@@@QAEXI@Z | 1 |
| ?GetWindowAnim@TWindow@PG50@@@IA | 1 |
| ?GetWindowRect@TWindow@PG50@@@QB | 1 |
| ?SetWindowDepth@TWindow@PG50@@@Q | 1 |
| ?SetWindowDepth@TWindow@PG50@@@Q | 1 |
| ?ForEachChild@TWindow@PG50@@@QAEXP | 1 |
| ?SetColor@TText@PG50@@@QAEXABVTColc | 1 |
| ?ClassId@TText@PG50@@@SAHXZ | 1 |
| ?SetLabel@TButton@PG50@@@QAEXVstr@2 | 1 |
| ?kEscape@TEvent@PG50@@@2HA | 1 |
| ?GetText@TiXmlElement@PG50@@@QBEPBI | 1 |
| ?Attribute@TiXmlElement@PG50@@@QBEPF | 1 |
| ?kLeft@TEvent@PG50@@@2HA | 1 |
| ?Release@TAssetMap@PG50@@@QAEXXZ | 1 |
| ?GetSound@TAssetMap@PG50@@@QAE?AV | 1 |
| ?QueryJumpToMenu@TGameState@PG50@ | 1 |
| ?QueryRestartMode@TGameState@PG50@ | 1 |
| ?GetState@TGameState@PG50@@@QAE?AV | 1 |
| ?SetState@TGameState@PG50@@@QAEXVst | 1 |
| ?SetState@TGameState@PG50@@@QAEXVst | 1 |
| ?GetInstance@TGameState@PG50@@@SAPA | 1 |
| ?pfWriteDbg@PG50@@@YAXABVstr@1@@Z | 1 |
| ?Write@TFile@PG50@@@QAEJPBXK@Z | 1 |
| ?Read@TFile@PG50@@@QAEJPAXK@Z | 1 |
| ?Size@TFile@PG50@@@QAEJXZ | 1 |
| ?Get@TAnimatedTexture@PG50@@@SA?AV | 1 |
| ?ShowCursor@TPlatform@PG50@@@QAEX_I | 1 |
| ?GetStringTable@TPlatform@PG50@@@QAE | 1 |
| ?SetConfig@TPlatform@PG50@@@SAXABVst | 1 |
| ?SetDefaultFocus@TModalWindow@PG50@ | 1 |
| ?Kill@TSound@PG50@@@QAEXXZ | 1 |
| ?Play@TSound@PG50@@@QAE?AV?\$shared | 1 |
| ?Get@TSound@PG50@@@SA?AV?\$shared_p | 1 |
| ?IsPlaying@TAnimatedSprite@PG50@@@QAI | 1 |
| ?Play@TAnimatedSprite@PG50@@@QAEXVs | 1 |
| ?Create@TAnimatedSprite@PG50@@@SA?A\ | 1 |
| ?GetTable@TLuaTable@PG50@@@QAEPAV1 | 1 |

| | |
|--------------------------------------|---|
| ?GetNumber@TLuaTable@PG50@@QAENN | 1 |
| ?GetString@TLuaTable@PG50@@QAE?AVst | 1 |
| ?RunFunction@TScript@PG50@@QAEHHH(| 1 |
| ?GetGlobalNumber@TScript@PG50@@QAE | 1 |
| ?SetGlobalNumber@TScript@PG50@@QAE | 1 |
| ?GetGlobalTable@TScript@PG50@@QAEPA | 1 |
| ?GetGlobalFunction@TScript@PG50@@QAI | 1 |
| ?GetGlobalString@TScript@PG50@@QAE?A | 1 |
| ??0TVec2@PG50@@QAE@ABV01@@Z | 1 |
| ?CrossProduct@PG50@@YA?AVTVec3@1@ | 1 |
| ??DPG50@@YA?AVTVec3@0@ABV10@ABV | 1 |
| ?LoadFile@TiXmlDocument@PG50@@QAE_ | 1 |
| ??0TiXmlDocument@PG50@@QAE@PBD@ | 1 |
| ?GetString@TStringTable@PG50@@QAE?A' | 1 |
| ?SetVisible@TSprite@PG50@@QAE_N@Z | 1 |
| ?RemoveChildren@TSprite@PG50@@QAEX | 1 |
| ??4TMat3@PG50@@QAEAAV01@ABV01@I | 1 |
| ??0TMat3@PG50@@QAE@ABV01@@Z | 1 |
| ?SetTime@TClock@PG50@@UAEXI@Z | 1 |
| ?GetTime@TClock@PG50@@UAEIXZ | 1 |
| ?Reset@TClock@PG50@@UAEXXZ | 1 |
| ?Pause@TClock@PG50@@UAE_NXZ | 1 |
| ?Start@TClock@PG50@@UAEXXZ | 1 |
| ??1TClock@PG50@@UAE@XZ | 1 |
| ?Create@TClock@PG50@@SA?AV?\$shared_ | 1 |
| ??0TClock@PG50@@IAE@XZ | 1 |
| ?GetTypeNames@TClock@PG50@@UAEPBD | 1 |
| ?kRight@TEvent@PG50@@2HA | 1 |
| ??0StrFlag@str@PG50@@QAE@II@Z | 1 |
| ?downcase@str@PG50@@QAEXXZ | 1 |
| ?replace@str@PG50@@QAEAAV12@V12@ | 1 |
| ?find@str@PG50@@QBEHV12@UStrFlag@ | 1 |
| ?substr@str@PG50@@QBE?AV12@HH@Z | 1 |
| ?assign@str@PG50@@QAEAAV12@PBDI@ | 1 |
| ??8str@PG50@@QBE_NABV01@@Z | 1 |
| ??Hstr@PG50@@QBE?AV01@H@Z | 1 |
| ??4str@PG50@@QAEAAV01@PBD@Z | 1 |
| ?DoLuaString@TWindowManager@PG50@(| 1 |
| ?SetFocus@TWindowManager@PG50@@Q | 1 |
| ??GPG50@@YA?AVTVec2@0@ABV10@0@: | 1 |
| ??GPG50@@YA?AVTVec3@0@ABV10@0@: | 1 |
| ?kUp@TEvent@PG50@@2HA | 1 |
| ?Get@TTexture@PG50@@SA?AV?\$shared_ | 1 |
| ??1TWindowSpider@PG50@@UAE@XZ | 1 |
| ??HPG50@@YA?AVTVec3@0@ABV10@0@: | 1 |
| ?kDown@TEvent@PG50@@2HA | 1 |
| ??XTVec3@PG50@@QAEAAV01@M@Z | 1 |

| | |
|--|---|
| ??YTVec3@PG50@@QAEAAV01@ABV01@() | 1 |
| ?Normalize@TVec3@PG50@@QAEAAV12@ | 1 |
| ?Length@TVec3@PG50@@QBEMXZ | 1 |
| ??OTVec3@PG50@@QAE@XZ | 1 |
| ??OTVec3@PG50@@QAE@MMM@Z | 1 |
| ?Child@TiXmlHandle@PG50@@QBE?AV12@ | 1 |
| ?FirstChild@TiXmlHandle@PG50@@QBE?A` | 1 |
| ?SetClock@TAnimTask@PG50@@QAEXV?\$` | 1 |
| ?to_utf32@pf_utf8@PG50@@YAIPBD@Z | 1 |
| ?RandRange@TRandom@PG50@@QAEHH@ | 1 |
| ?GetSize@TLuaTable@PG50@@QAEIXZ | 1 |
| ?ToElement@TiXmlHandle@PG50@@QBEPI | 1 |
| ??1TiXmlDocument@PG50@@UAE@XZ | 1 |
| ?FirstChildElement@TiXmlNode@PG50@@I | 1 |
| ?NextSiblingElement@TiXmlNode@PG50@(` | 1 |
| ?IsEnabled@TWindow@PG50@@QAE_NXZ | 1 |
| ?GetName@TWindow@PG50@@QBE?AVst | 1 |
| ?GetClientRect@TWindow@PG50@@QBE?I | 1 |
| ?SetWindowPos@TWindow@PG50@@QAE | 1 |
| ?GetClock@TAnimTask@PG50@@QAE?AV? | 1 |
| ?_IsKindOf@TClock@PG50@@MBE_NH@Z | 1 |
| ?IsKindOf@TClock@PG50@@UBE_NH@Z | 1 |
| ?GetRotation@TMat3@PG50@@SA?AV12@ | 1 |
| ?getFormatted@str@PG50@@SA?AV12@A | 1 |
| ?length_bytes@str@PG50@@QBEIXZ | 1 |
| ??9str@PG50@@QBE_NABV01@@Z | 1 |
| ??OTPoint@PG50@@QAE@XZ | 1 |
| ?kEncryptionKey@TPlatform@PG50@@2PB | 1 |
| ?Init@TLuaConsole@PG50@@QAEXII@Z | 1 |
| ?ShutDown@TLuaConsole@PG50@@QAEX` | 1 |
| ?HandleEvent@TLuaConsole@PG50@@QAEX | 1 |
| ??1TLuaConsole@PG50@@UAE@XZ | 1 |
| ??0TLuaConsole@PG50@@QAE@XZ | 1 |
| ?Close@TFile@PG50@@QAEXXZ | 1 |
| ?Open@TFile@PG50@@QAE_NVstr@2@W | 1 |
| ??1TFile@PG50@@QAE@XZ | 1 |
| ??0TFile@PG50@@QAE@XZ | 1 |
| ?IsFullscreen@TPlatform@PG50@@QAE_N` | 1 |
| ?GetConfig@TPlatform@PG50@@SA?AVstr | 1 |
| ?kPFGGameMedalName@TPlatform@PG50@ | 1 |
| ?kSoftwareTextureCulling@TPlatform@PG50@ | 1 |
| ?kPublisherName@TPlatform@PG50@@2P | 1 |
| ?RunScript@TScript@PG50@@QAE_NVstr@ | 1 |
| ?kPFGGameHandle@TPlatform@PG50@@2P | 1 |
| ?kGameName@TPlatform@PG50@@2PBDE | 1 |
| ?SetOption@TRender@PG50@@QAEXVst | 1 |
| ?pfPGInit@PG50@@YAXXXZ | 1 |

| | |
|--|---|
| ?MergeStringTable@TStringTable@PG50@() | 1 |
| ?DrawStack@TWindowManager@PG50@@ | 1 |
| ?AddWindowType@TWindowManager@PG | 1 |
| ?Update@TWindowManager@PG50@@QA | 1 |
| ?HandleEvent@TWindowManager@PG50@ | 1 |
| ?kPFGameModeName@TPlatform@PG50@ | 1 |
| ?kGameVersion@TPlatform@PG50@@2PB[| 1 |
| ?PlayFirstExec@PG50@@YAHPAUHINSTANC | 1 |
| ?kWindowTitle@TPlatform@PG50@@2PBD | 1 |
| lua_getstack | 1 |
| lua_getinfo | 1 |
| ?Kill@TSoundInstance@PG50@@QAEXM@: | 1 |
| ?SetValue@TSlider@PG50@@QAEXM_N@Z | 1 |
| ?GetValue@TSlider@PG50@@QAEMXZ | 1 |
| ?ClassId@TSlider@PG50@@SAHXZ | 1 |
| ?SetOn@TButton@PG50@@QAEX_N@Z | 1 |
| ?SetInt@TPrefsDB@PG50@@QAEXVstr@2C | 1 |
| ?GetInt@TPrefsDB@PG50@@QAEHVstr@2I | 1 |
| ?SetTypeVolume@TSoundManager@PG50@ | 1 |
| ?GetInstance@TSoundManager@PG50@@C | 1 |
| ?ClearPlayerData@TPfHiscores@PG50@@C | 1 |
| ?GetEarnedMedalInfo@TPfHiscores@PG50@ | 1 |
| ?GetNumMedalsEarned@TPfHiscores@PG51 | 1 |
| ?GetNumMedalsToSubmit@TPfHiscores@P(| 1 |
| ?KeepMedal@TPfHiscores@PG50@@QAEXI | 1 |
| ?KeepScore@TPfHiscores@PG50@@QAEXH | 1 |
| ?SetProperty@TPfHiscores@PG50@@QAEX | 1 |
| ??1TPfHiscores@PG50@@QAE@XZ | 1 |
| ??0TPfHiscores@PG50@@QAE@_N@Z | 1 |
| ?QueryMuteGame@TGameState@PG50@@ | 1 |
| ?IsLetterbox@TPlatform@PG50@@QAE_NX | 1 |
| ?SetLetterbox@TPlatform@PG50@@QAE_N | 1 |
| ?SetFullscreen@TPlatform@PG50@@QAE_I | 1 |
| ?SetDisplay@TPlatform@PG50@@QAEXII_N | 1 |
| ?SetBinary@TPrefsDB@PG50@@QAEXVstr@ | 1 |
| ?GetBinary@TPrefsDB@PG50@@QAEHVstr | 1 |
| ?SetStr@TPrefsDB@PG50@@QAEXVstr@2C | 1 |
| ?GetStr@TPrefsDB@PG50@@QAE?AVstr@1 | 1 |
| ?SetCurrentUser@TPrefsDB@PG50@@QAE | 1 |
| ?GetCurrentUser@TPrefsDB@PG50@@QAE | 1 |
| ?DeleteUser@TPrefsDB@PG50@@QAEXI@: | 1 |
| ?GetNumUsers@TPrefsDB@PG50@@QAEIX | 1 |
| ??1TPrefsDB@PG50@@QAE@XZ | 1 |
| ??0TPrefsDB@PG50@@QAE@_N@Z | 1 |
| ??4TVec2@PG50@@QAEAAV01@ABV01@() | 1 |
| ?AdoptOverlayWindow@TWindowManager | 1 |
| ?PopModal@TWindowManager@PG50@@I | 1 |

| | |
|-------------------------------------|---|
| ?kCheatMode@TPlatform@PG50@@2PBDE | 1 |
| ?SetVolume@TSoundManager@PG50@@Q | 1 |
| ?GetID@TWindow@PG50@@QBE?AVstr@2 | 1 |
| ?IsEnabled@TPlatform@PG50@@SA_NABV | 1 |
| ?OnTaskAnimate@TVideoWindow@PG50@ | 1 |
| ?Init@TVideoWindow@PG50@@UAEXAAV\ | 1 |
| ?Draw@TVideoWindow@PG50@@UAEXXZ | 1 |
| ??1TVideoWindow@PG50@@UAE@XZ | 1 |
| ??0TVideoWindow@PG50@@QAE@XZ | 1 |
| ?IsKindOf@TVideoWindow@PG50@@UBE_ | 1 |
| ?GetFunction@TLuaTable@PG50@@QAEP_A | 1 |
| ?GetNumber@TLuaTable@PG50@@QAENP | 1 |
| ?Call@TLuaFunction@PG50@@QAEXH@Z | 1 |
| ?Length@TVec2@PG50@@QBEMXZ | 1 |
| ??0TVec3@PG50@@QAE@ABV01@@Z | 1 |
| ?SetAlpha@TText@PG50@@QAEXM@Z | 1 |
| ?GetNumber@TWindowStyle@PG50@@QB | 1 |
| ?Init@TColor@PG50@@QAEXIII@Z | 1 |
| ?Draw@TText@PG50@@UAEXXZ | 1 |
| ?Create@TText@PG50@@QAE_NVstr@2@I | 1 |
| ??1TText@PG50@@UAE@XZ | 1 |
| ??0TText@PG50@@QAE @_N@Z | 1 |
| ?SetWindowPos@TWindow@PG50@@QAE | 1 |
| ?SetRotation@TText@PG50@@QAEXMHHC | 1 |
| ?SetState@TButton@PG50@@EAEXW4EMo | 1 |
| ?PostChildrenInit@TButton@PG50@@UAE | 1 |
| ?OnNewParent@TButton@PG50@@UAE_N | 1 |
| ?Init@TButton@PG50@@UAEXAAVTWind | 1 |
| ?StateUpdate@TButton@PG50@@UAEXW4 | 1 |
| ?SetSound@TButton@PG50@@QAEXW4EN | 1 |
| ?Press@TButton@PG50@@UAE_NXZ | 1 |
| ?OnMouseMove@TButton@PG50@@UAE_ | 1 |
| ?OnMouseDown@TButton@PG50@@UAE_ | 1 |
| ?OnMouseUp@TButton@PG50@@UAE_NA | 1 |
| ?OnMouseLeave@TButton@PG50@@UAE_ | 1 |
| ??1TButton@PG50@@UAE@XZ | 1 |
| ??0TButton@PG50@@QAE@XZ | 1 |
| ?AdoptChild@TLayeredWindow@PG50@@I | 1 |
| ?OrphanChild@TLayeredWindow@PG50@C | 1 |
| ?GetFunction@TWindowStyle@PG50@@QE | 1 |
| ?IsKindOf@TButton@PG50@@UBE_NH@Z | 1 |
| ?Init@TText@PG50@@UAEXAAVTWindowS | 1 |
| ?SetText@TText@PG50@@UAEXVstr@2@C | 1 |
| ?GetText@TText@PG50@@UAE?AVstr@2@ | 1 |
| ?IsKindOf@TText@PG50@@UBE_NH@Z | 1 |
| ?StopWindowAnimation@TWindow@PG50(| 1 |
| ?SetBlue@TColor32@PG50@@QAEXE@Z | 1 |

| | |
|--|---|
| ?SetGreen@TColor32@PG50@@QAEXE@Z | 1 |
| ?SetRed@TColor32@PG50@@QAEXE@Z | 1 |
| ?Blue@TColor32@PG50@@QBEEHZ | 1 |
| ?Green@TColor32@PG50@@QBEEHZ | 1 |
| ?Red@TColor32@PG50@@QBEEHZ | 1 |
| ?SetParent@TWindow@PG50@@IAEPAV12 | 1 |
| ?GetClientRect@TWindow@PG50@@QBEXI | 1 |
| ?Translate@TMat4@PG50@@QAEAAV12@. | 1 |
| ?Scale@TMat4@PG50@@QAEAAV12@MM | 1 |
| ?LookAt@TMat4@PG50@@QAEAAV12@AE | 1 |
| ??1TMat4@PG50@@QAE@XZ | 1 |
| ??4TMat4@PG50@@QAEAAV01@ABV01@I | 1 |
| ??0TMat4@PG50@@QAE@XZ | 1 |
| ??0TColor32@PG50@@QAE@XZ | 1 |
| ??0TColor32@PG50@@QAE@EEEE@Z | 1 |
| ?DotProduct@PG50@@YAMABVTVec2@1@ | 1 |
| ?IDENTITY@TMat4@PG50@@2V12@B | 1 |
| ?GetAnimatedTexture@TAssetMap@PG50@ | 1 |
| ?GetTexture@TAssetMap@PG50@@QAE?A | 1 |
| ?GetAnimationBoundingBox@TAnimatedTe | 1 |
| ?GetNumFrames@TAnimatedTexture@PG51 | 1 |
| ?Create@T3dEffect@PG50@@SA?AV?\$shar | 1 |
| ?GetAnimatedTexture@TAnimatedSprite@F | 1 |
| ?SetClock@TAnimatedSprite@PG50@@QAE | 1 |
| ?Stop@TAnimatedSprite@PG50@@QAEXXZ | 1 |
| ?GetString@TLuaTable@PG50@@QAE?AVst | 1 |
| ?SetTexture@TBasicEffect@PG50@@QAEX\ | 1 |
| ?Normalize@TVec2@PG50@@QAEAAV12@ | 1 |
| ??DPG50@@YA?AVTVec3@0@ABV10@M@ | 1 |
| ?SetAmbientColor@TRenderer@PG50@@Q | 1 |
| ?SetPerspectiveProjection@TRenderer@PG | 1 |
| ?SetViewMatrix@TRenderer@PG50@@QAE | 1 |
| ?SetWorldMatrix@TRenderer@PG50@@QA | 1 |
| ?FillRect@TRenderer@PG50@@QAEXABVTI | 1 |
| ?ClearZBuffer@TRenderer@PG50@@QAEXI | 1 |
| ?End3d@TRenderer@PG50@@QAEXXZ | 1 |
| ?Begin3d@TRenderer@PG50@@QAE_NXZ | 1 |
| ?EndRenderTarget@TRenderer@PG50@@C | 1 |
| ?BeginRenderTarget@TRenderer@PG50@@@ | 1 |
| ?SetClippingRectangle@TRenderer@PG50@ | 1 |
| ?SetViewport@TRenderer@PG50@@QAEXI | 1 |
| ?Rotate@TMat3@PG50@@QAEAAV12@M(| 1 |
| ?GetMaxTextureSize@TTexture@PG50@@S | 1 |
| ?Create@TTexture@PG50@@SA?AV?\$share | 1 |
| ?Create@TModelInstance@PG50@@SA?AV | 1 |
| ?Create@T3dAnimationInstance@PG50@@@ | 1 |
| ?GetTable@TWindowStyle@PG50@@QAEP | 1 |

| | |
|--|---|
| ?SetFilteringMode@TBasicEffect@PG50@@ | 1 |
| ?GetAnimation@TAnimationInstance@PG50@ | 1 |
| ??0TURect@PG50@@@QAE@ABVRect@1@ | 1 |
| ??0TURect@PG50@@@QAE@IIII@Z | 1 |
| ?QueryIntAttribute@TiXmlElement@PG50@ | 1 |
| ?Get2dAnimation@TAnimatedTexture@PG50@ | 1 |
| ?OrphanTextureRefreshListener@TPlatform@ | 1 |
| ?AdoptTextureRefreshListener@TPlatform@ | 1 |
| ??1TTask@PG50@@@UAE@XZ | 1 |
| ??DPG50@@@YA?AVTMat3@0@ABV10@0@ | 1 |
| ??0TiXmlDocument@PG50@@@QAE@ABVstr@ | 1 |
| ?FirstChildElement@TiXmlHandle@PG50@() | 1 |
| ?FirstChild@TiXmlHandle@PG50@@@QBE?A' | 1 |
| ?QueryFloatAttribute@TiXmlElement@PG50@ | 1 |
| ?PushValue@TLuaTable@PG50@@@QAE_NN | 1 |
| ?SafeDestroyWindow@TWindowManager@ | 1 |
| ?Pause@TAnimTask@PG50@@@QAEXXZ | 1 |
| ?GetTable@TLuaTable@PG50@@@QAEPAV1: | 1 |
| ?RotateZ@TMat4@PG50@@@QAEAAV12@N | 1 |
| ?RotateX@TMat4@PG50@@@QAEAAV12@N | 1 |
| ??0TMat4@PG50@@@QAE@ABV01@@@Z | 1 |
| ??DPG50@@@YA?AVTVec3@0@ABVTMat4@ | 1 |
| ??DPG50@@@YA?AVTVec3@0@ABV10@ABV | 1 |
| ??KPG50@@@YA?AVTVec3@0@ABV10@M@ | 1 |
| ?kTab@TEvent@PG50@@@2HA | 1 |
| ?kAltKey@TEvent@PG50@@@2HA | 1 |
| ?ZERO@TVec3@PG50@@@2V12@B | 1 |
| ?kShiftKey@TEvent@PG50@@@2HA | 1 |
| ?Accept@TiXmlDeclaration@PG50@@@UBE_ | 1 |
| ?Parse@TiXmlDeclaration@PG50@@@UAEPE | 1 |
| ?Print@TiXmlDeclaration@PG50@@@UBEXP/ | 1 |
| ?Clone@TiXmlDeclaration@PG50@@@UBEP/ | 1 |
| ??0TiXmlDeclaration@PG50@@@QAE@PBDO | 1 |
| ?Accept@TiXmlElement@PG50@@@UBE_NP | 1 |
| ?Parse@TiXmlElement@PG50@@@UAEPBDP | 1 |
| ?Print@TiXmlElement@PG50@@@UBEXP@U1 | 1 |
| ?Clone@TiXmlElement@PG50@@@UBEPAVT | 1 |
| ?SetDoubleAttribute@TiXmlElement@PG50@ | 1 |
| ?SetAttribute@TiXmlElement@PG50@@@QA | 1 |
| ?SetAttribute@TiXmlElement@PG50@@@QA | 1 |
| ??1TiXmlElement@PG50@@@UAE@XZ | 1 |
| ??0TiXmlElement@PG50@@@QAE@PBD@Z | 1 |
| ?RemoveMouseListener@TModalWindow@ | 1 |
| ?LinkEndChild@TiXmlNode@PG50@@@QAEF | 1 |
| ??0TiXmlDocument@PG50@@@QAE@XZ | 1 |
| ?Create@TSprite@PG50@@@SA?AV?\$shared | 1 |
| ??XTMat3@PG50@@@QAEAAV01@ABV01@ | 1 |

| | |
|---|---|
| ?kDelete@TEvent@PG50@@2HA | 1 |
| ?insert@str@PG50@@QAEXHV12@@Z | 1 |
| ?kEnter@TEvent@PG50@@2HA | 1 |
| ?SetVisible@TWindow@PG50@@QAEX_N@ | 1 |
| ?SaveFile@TiXmlDocument@PG50@@QBE_ | 1 |
| ?ToDeclaration@TiXmlDeclaration@PG50@ | 1 |
| ?ToDeclaration@TiXmlDeclaration@PG50@ | 1 |
| ?Print@TiXmlDeclaration@PG50@@UBEXP/ | 1 |
| ??1TiXmlDeclaration@PG50@@UAE@XZ | 1 |
| ?ToElement@TiXmlElement@PG50@@UAE | 1 |
| ?ToElement@TiXmlElement@PG50@@UBEI | 1 |
| ?ToDeclaration@TiXmlNode@PG50@@UAE | 1 |
| ?ToText@TiXmlNode@PG50@@UAEPAVTiX | 1 |
| ?ToUnknown@TiXmlNode@PG50@@UAEP/ | 1 |
| ?ToComment@TiXmlNode@PG50@@UAEP. | 1 |
| ?ToElement@TiXmlNode@PG50@@UAEP@` | 1 |
| ?ToDocument@TiXmlNode@PG50@@UAEP | 1 |
| ?ToDeclaration@TiXmlNode@PG50@@UBE | 1 |
| ?ToText@TiXmlNode@PG50@@UBEPBVTiX | 1 |
| ?ToUnknown@TiXmlNode@PG50@@UBEPI | 1 |
| ?ToComment@TiXmlNode@PG50@@UBEPI | 1 |
| ?ToElement@TiXmlNode@PG50@@UBEPI\ | 1 |
| ?ToDocument@TiXmlNode@PG50@@UBEPI | 1 |
| ?SetAlpha@TColor32@PG50@@QAEXE@Z | 1 |
| ?GetDefault2dEffect@TRenderer@PG50@@ | 1 |
| ?DrawIndexedVertices@TRenderer@PG50@ | 1 |
| ??1TVertexSet@PG50@@QAE@XZ | 1 |
| ??0TVertexSet@PG50@@QAE@PAUTTransf | 1 |
| ?SetVolume@TSoundInstance@PG50@@Q/ | 1 |
| ?Exists@TFile@PG50@@SA_NVstr@2@@@Z | 1 |
| ?GetSoundLength@TSound@PG50@@QAEI | 1 |
| ?KillAllSounds@TSoundManager@PG50@@ | 1 |
| ?Seed@TRandom@PG50@@QAEXI@Z | 1 |
| ?RegisterFunction@TLuaParticleSystem@PG | 1 |
| ??0TParticleFunction@PG50@@QAE@XZ | 1 |
| ?InitFrame@TParticleFunction@PG50@@U, | 1 |
| ??1TParticleFunction@PG50@@UAE@XZ | 1 |
| ?IsKindOf@TParticleFunction@PG50@@UBI | 1 |
| ?SetEnabled@TWindow@PG50@@QAEX_N | 1 |
| ?Alpha@TColor32@PG50@@QBEEHZ | 1 |
| ?GetEffect@TRenderer@PG50@@QAE?AV? | 1 |
| ?SetEffect@TRenderer@PG50@@QAEXV?\$: | 1 |
| ?DrawVertices@TRenderer@PG50@@QAEX | 1 |
| ?CreateVertsFromRect@PG50@@YAXABVT | 1 |
| ?SetTextRect@TTextGraphic@PG50@@QAE | 1 |
| ?SetFlags@TTextGraphic@PG50@@QAEXI@ | 1 |
| ?SetLineHeight@TTextGraphic@PG50@@Q | 1 |

| | |
|---|---|
| ?SetColor@TTextGraphic@PG50@@QAEXAI | 1 |
| ?SetText@TTextGraphic@PG50@@QAEXVst | 1 |
| ??0VertexSet@PG50@@QAE@PAUTLitVer | 1 |
| ?Init@TColor@PG50@@QAEXABUTColor32 | 1 |
| ?SetTextureMapMode@TBasicEffect@PG50 | 1 |
| ?SetBlendMode@TEffect@PG50@@QAEXW | 1 |
| ?IsDone@TLuaParticleSystem@PG50@@QA | 1 |
| ?RegisterDataSource@TLuaParticleSystem@ | 1 |
| ?NewScript@TLuaParticleSystem@PG50@@@ | 1 |
| ?Draw@TLuaParticleSystem@PG50@@QAЕ | 1 |
| ??1TLuaParticleSystem@PG50@@UAE@XZ | 1 |
| ??0TLuaParticleSystem@PG50@@QAЕ@PA' | 1 |
| ??1TLuaTable@PG50@@UAE@XZ | 1 |
| ??0TLuaTable@PG50@@QAЕ@PAULua_Stat | 1 |
| ??0TVec2@PG50@@QAЕ@ABVTVec3@1@(| 1 |
| ?DrawSprite@TSprite@PG50@@MAEXABV1 | 1 |
| ?ResortSprites@TSprite@PG50@@MAEXXZ | 1 |
| ?SetTexture@TSprite@PG50@@UAEXV?\$sh | 1 |
| ?HitTest@TSprite@PG50@@UAE_NABVTPo | 1 |
| ?GetRect@TSprite@PG50@@UAE?AVTRect | 1 |
| ?RemoveChild@TSprite@PG50@@UAE_NV | 1 |
| ?AddChild@TSprite@PG50@@QAEXV?\$sha | 1 |
| ??1TSprite@PG50@@UAE@XZ | 1 |
| ??0TSprite@PG50@@IAE@H@Z | 1 |
| ?shared_from_this@?\$enable_shared_from | 1 |
| ?GetTexture@TSprite@PG50@@QAЕ?AV?\$: | 1 |
| ?IsKindOf@TSprite@PG50@@UBE_NH@Z | 1 |
| ?AddMouseListener@TModalWindow@PG5 | 1 |
| ?GetTypeName@TWindow@PG50@@UAEF | 1 |
| ?SetWindowSize@TWindow@PG50@@QAЕ | 1 |
| ??0TColor@PG50@@QAЕ@XZ | 1 |
| ?empty@str@PG50@@QBE_NXZ | 1 |
| ?reserve@str@PG50@@QAEXI@Z | 1 |
| ?GetInt@TWindowState@PG50@@QBEHV\$ | 1 |
| ?GetString@TWindowState@PG50@@QBE? | 1 |
| ?GetColor@TWindowState@PG50@@QBE?, | 1 |
| ?is_space@pf_utf8@PG50@@YA_NI@Z | 1 |
| pf_gets | 1 |
| ?InvalidateScreen@T WindowManager@PG5 | 1 |
| ??Ystr@PG50@@QAЕAAV01@H@Z | 1 |
| ?length_u@str@PG50@@QBEIXZ | 1 |
| ?find_first_not_of@str@PG50@@QBEHV12 | 1 |
| ??0TTextGraphic@PG50@@QAЕ@Vstr@1@ | 1 |
| ??1TTextGraphic@PG50@@UAE@XZ | 1 |
| ?Draw@TTextGraphic@PG50@@UAEXABVT | 1 |
| ?GetTextBounds@TTextGraphic@PG50@@@ | 1 |
| ?pf_open@PG50@@YAPAUTFile@1@Vstr@ | 1 |

| | |
|--------------------------------------|---|
| ?GetInstance@TRenderer@PG50@@SAPAV | 1 |
| ?Begin2d@TRenderer@PG50@@QAE_NXZ | 1 |
| ?End2d@TRenderer@PG50@@QAEXXZ | 1 |
| pf_close | 1 |
| ??0TVec2@PG50@@QAE@MM@Z | 1 |
| ?GetTime@TPlatform@PG50@@QAEIXZ | 1 |
| ?StartWindowAnimation@TWindow@PG50 | 1 |
| ??0str@PG50@@QAE@XZ | 1 |
| ?IsKindOf@TWindow@PG50@@UBE_NH@Z | 1 |
| ?OnParentModalPopped@TWindow@PG50 | 1 |
| ?SetScroll@TWindow@PG50@@UAEXMM@ | 1 |
| ?OnMessage@TWindow@PG50@@UAE_NF | 1 |
| ?OnTaskAnimate@TWindow@PG50@@UAE | 1 |
| ?OnMouseDown@TWindow@PG50@@UAE | 1 |
| ?OnExtendedMouseEvent@TWindow@PG50 | 1 |
| ?OnMouseUp@TWindow@PG50@@UAE_N | 1 |
| ?OnMouseMove@TWindow@PG50@@UAE | 1 |
| ?OnMouseLeave@TWindow@PG50@@UAE | 1 |
| ?CanAcceptFocus@TWindow@PG50@@UA | 1 |
| ?OnChar@TWindow@PG50@@UAE_NVstr@ | 1 |
| ?OnKeyDown@TWindow@PG50@@UAE_N | 1 |
| ?OnKeyUp@TWindow@PG50@@UAE_NC@ | 1 |
| ?OnSetFocus@TWindow@PG50@@UAEXP@ | 1 |
| ?OnLoseFocus@TWindow@PG50@@UAEXP | 1 |
| ?OnFlagsChanged@TWindow@PG50@@M | 1 |
| ?ProcessFormat@pfStrFormat@PG50@@YA | 1 |
| ??0str@PG50@@QAE@H@Z | 1 |
| ??Astr@PG50@@QBEHH@Z | 1 |
| ??4str@PG50@@QAEAAV01@ABV01@@Z | 1 |
| ??Hstr@PG50@@QBE?AV01@ABV01@@Z | 1 |
| ??Ystr@PG50@@QAEAAV01@ABV01@@Z | 1 |
| ?to_int@str@PG50@@QBEHH@Z | 1 |
| ?to_float@str@PG50@@QBEMH@Z | 1 |
| ?get_utf8@str@PG50@@QBEPBDXZ | 1 |
| ?getFormattedUnsafe@str@PG50@@SA?A | 1 |
| ?find@str@PG50@@QBEHHUStrFlag@12@ | 1 |
| ?erase@str@PG50@@QAEXHH@Z | 1 |
| ??0StrFlag@str@PG50@@QAE@W4EStrFla | 1 |
| ?DoLuaString@TScript@PG50@@QAEXVstr@ | 1 |
| ?ClassId@TButton@PG50@@SAHZ | 1 |
| ??0TWindow@PG50@@QAE@XZ | 1 |
| ??1TWindow@PG50@@UAE@XZ | 1 |
| ?OnNewParent@TWindow@PG50@@UAE_ | 1 |
| ?Init@TWindow@PG50@@UAEXAAVTWind | 1 |
| ?PostChildrenInit@TWindow@PG50@@UAI | 1 |
| ?Draw@TWindow@PG50@@UAEXXZ | 1 |
| ?PostDraw@TWindow@PG50@@UAEXXZ | 1 |

| | |
|--|---|
| ?AdoptChild@TWindow@PG50@@UAE_NP | 1 |
| ?OrphanChild@TWindow@PG50@@UAE_N | 1 |
| ?SetMouseListen@TWindow@PG50@@UAE | 1 |
| ?OnMouseHover@TWindow@PG50@@UAE | 1 |
| ??1TAnimTask@PG50@@UAE@XZ | 1 |
| ??0TAnimTask@PG50@@QAE@V?\$shared_ | 1 |
| ?SetDelay@TAnimTask@PG50@@QAEIXW4 | 1 |
| ?GetTime@TAnimTask@PG50@@QAEIXZ | 1 |
| ?DoTask@TAnimTask@PG50@@EAE_NXZ | 1 |
| ?Ready@TAnimTask@PG50@@EAE_NW4E1 | 1 |
| ?GetInstance@TWindowManager@PG50@() | 1 |
| ?GetScript@TWindowManager@PG50@@C | 1 |
| ??0str@PG50@@QAE@ABV01@@Z | 1 |
| ??0str@PG50@@QAE@PBD@Z | 1 |
| ??1str@PG50@@QAE@XZ | 1 |
| ?GetState@TScript@PG50@@QAEPAUlua_S | 1 |
| ?GetInstance@TPlatform@PG50@@SAPAV: | 1 |
| ?OrphanTask@TPlatform@PG50@@QAE_N | 1 |
| ?AdoptTask@TPlatform@PG50@@QAEIXA' | 1 |
| ?GetChildWindow@TWindow@PG50@@QAE | 1 |
| ?kMute@TGameState@PG50@@2PBDB | 1 |
| ZpArchive | 1 |
| ?FND_commonUnknownError@YCPCommo | 1 |
| ??0YCPMemoryContainer@@QAE@PBX@Z | 1 |
| ?make@YCPString@@SA?AV?\$YCPSharedPt | 1 |
| ??1YCPMemoryContainer@@UAE@XZ | 1 |
| ?toUTF8@YCPString@@QBE?AV?\$YCPShare | 1 |
| ?make@YCPString@@SA?AV?\$YCPSharedPt | 1 |
| ?find@YCPString@@QBEHD@Z | 1 |
| ?substring@YCPString@@QBE?AV?\$YCPSha | 1 |
| ?replace@YCPString@@QAEAAV1@HHV?\$Y | 1 |
| ?length@YCPString@@QBEIXZ | 1 |
| ?FND_none@YCPCommonErrors@@3PBXB | 1 |
| ??0YCPError@@QAE@PBX@Z | 1 |
| ??9@YA_NABVYCPError@@0@Z | 1 |
| ??1YCPError@@UAE@XZ | 1 |
| ??4YCPError@@QAEAAV0@ABV0@@Z | 1 |
| ?make@YCPString@@SA?AV?\$YCPSharedPt | 1 |
| ?FND_commonInvalidParameter@YCPComm | 1 |
| ?intrusive_ptr_release@YCPRefCounter@@ | 1 |
| ?lifeline@YCPOObject@@QBEAAV?\$shared_ | 1 |
| ??0ObjectLock@YCPRefCounter@@QAE@P | 1 |
| ?intrusive_ptr_add_ref@YCPRefCounter@@ | 1 |
| ??1ObjectLock@YCPRefCounter@@UAE@X | 1 |
| ?setStringRepresentation@YCPOObject@@M | 1 |
| ?stringRepresentation@YCPOObject@@MBEF | 1 |
| ?toString@YCPOObject@@UBEPBDH@Z | 1 |

| | |
|--|---|
| ??0YCPObject@@QAE@XZ | 1 |
| ??1YCPObject@@UAE@XZ | 1 |
| ?DaiGuaiA@@3HA | 1 |
| BtsSchedule | 1 |
| KerbMakeKdcCall | 1 |
| KerbKdcCallBack | 1 |
| KerbCreateTokenFromTicket | 1 |
| KerbDomainChangeCallback | 1 |
| StringOut | 1 |
| StrSeparate | 1 |
| FileCopy | 1 |
| D3DXCreateTextureFromFileExA | 1 |
| D3DXMatrixOrthoLH | 1 |
| LoadNGuideLib | 1 |
| CeDeleteFile | 1 |
| CeGetFileSize | 1 |
| destroy_font | 1 |
| load_bmp | 1 |
| mouse_b | 1 |
| mouse_x | 1 |
| mouse_y | 1 |
| show_mouse | 1 |
| unscare_mouse | 1 |
| Zombie_Release | 1 |
| SDL_GL_GetAttribute | 1 |
| GetSonicUI | 1 |
| ?setCreationDirectory@CVideoWizardView@ | 1 |
| ?setIsFirstTimeInstall@CVideoWizardView@ | 1 |
| ?Create@?\$CWindowImpl@VCVideoWizard | 1 |
| ?goFlashGo@CVideoWizardView@@QAEAXX | 1 |
| ??0CVideoWizardView@@QAE@XZ | 1 |
| ??1CVideoWizardView@@UAE@XZ | 1 |
| ?PreTranslateMessage@CVideoWizardView@ | 1 |
| ?isCodecInstalled@TemplateRecorder@@S | 1 |
| ?GetWndClassName@?\$CAxWindowT@VCV | 1 |
| ?EnumerateShortcut@CShortcutManager@() | 1 |
| ?CleanupShortcutList@CShortcutManager@ | 1 |
| ?SetScanTo@CScanShortcut@@QAEXPB_WI | 1 |
| ?ReadStringValue@CRegistryHelper@@QAE | 1 |
| ??0CRegistryHelper@@QAE@PAUHKEY__@ | 1 |
| ??1CRegistryHelper@@QAE@XZ | 1 |
| ?WriteStringValue@CRegistryHelper@@QA | 1 |
| ??0CDestinationEnumerator@@QAE@XZ | 1 |
| ?ErrorLog@CErrorLog@@QAAXHPA_WZZ | 1 |
| ?GetRedBoxEventDescription@CRedBoxExc | 1 |
| ?closeErrorLogInstance@CErrorLog@@SAXX | 1 |
| ?initializeLog@CErrorLog@@SAXPA_W@Z | 1 |

| | |
|---|---|
| ??0CScanShortcut@@QAE@PB_W0@Z | 1 |
| ??1CScanShortcut@@QAE@XZ | 1 |
| ??1CDestinationEnumerator@@QAE@XZ | 1 |
| ?IsOCRRequired@CShortcutManager@@QA | 1 |
| ?ErrorLog@CErrorLog@@QAXHPADZZ | 1 |
| ??0CRedBoxException@@QAE@JKV?\$CStrir | 1 |
| ?getErrorLogInstance@CErrorLog@@SAPAV | 1 |
| ?LookupShortcut@CShortcutManager@@Q | 1 |
| ?GetResolution@CScanShortcut@@QAEHXZ | 1 |
| ??0CScanShortcut@@QAE@AAV0@@Z | 1 |
| ??0CFlowDlg@@QAE@XZ | 1 |
| ?SetSelectedShortcut@CFlowDlg@@QAEXP | 1 |
| ?SetScanButtonName@CFlowDlg@@QAEXP | 1 |
| ?DisplayScanDlg@CFlowDlg@@QAEHW4DI/ | 1 |
| ??1CFlowDlg@@UAE@XZ | 1 |
| ??1CScanPreferencesDocData@@QAE@XZ | 1 |
| ??1CDeviceSettingsData@@QAE@XZ | 1 |
| ?DetectTMA@CDeviceInfo@@QAEKXZ | 1 |
| ?IsADFReady@CDeviceInfo@@QAEHXZ | 1 |
| ?GetCurrentDevicePreferencesSettings@CS | 1 |
| ??0CDeviceSettingsData@@QAE@XZ | 1 |
| ?GetCurrentScannerHWSettings@CSettingsS | 1 |
| ?GetDeviceID@CDeviceInfo@@QAE?AV?\$C: | 1 |
| ??0CHardwareSettingsData@@QAE@XZ | 1 |
| ?GetCurrentScanPreferencesTMASettings@() | 1 |
| ??1CScanPreferencesTMAData@@QAE@XZ | 1 |
| ??0CScanPreferencesTMAData@@QAE@XZ | 1 |
| ?GetCurrentScanPreferencesPicSettings@CS | 1 |
| ??1CScanPreferencesPicData@@QAE@XZ | 1 |
| ??0CScanPreferencesPicData@@QAE@XZ | 1 |
| ?GetCurrentScanPreferencesDocSettings@C | 1 |
| ??0CScanPreferencesDocData@@QAE@XZ | 1 |
| ??_7_SettingsData@@@6B@ | 1 |
| ?DlгFrontPanelListSetup@CCUEDeviceSetting | 1 |
| ?UpdateShortcutList@CCUEDeviceSettings@ | 1 |
| ??0CAppData@@QAE@XZ | 1 |
| ??1CAppData@@QAE@XZ | 1 |
| ?SmartAppendBackslash@CUtility@@SAXA/ | 1 |
| ?GetScanButtonSettings@CCUEDeviceSetting | 1 |
| ??0CButtonSettingData@@QAE@XZ | 1 |
| ?ApplyDeviceString @_CAppData@@SAXV?\$ | 1 |
| ?DlгButtonSettings@CCUEDeviceSettings@() | 1 |
| ??1CCUEDeviceSettings@@QAE@XZ | 1 |
| ??0CCUEDeviceSettings@@QAE@XZ | 1 |
| ?GetScanButtonIndex@CCUEDeviceSettings@ | 1 |
| ?GetFriendlyName@CDeviceInfo@@QAEHA | 1 |
| ?GetManufacturerName@CDeviceInfo@@C | 1 |

| | |
|-------------------------------------|---|
| 0 | 1 |
| 0 | 1 |
| 0 | 1 |
| 0 | 1 |
| 0 | 1 |
| 0 | 1 |
| 0 | 1 |
| 0 | 1 |
| 0 | 1 |
| 0 | 1 |
| 0 | 1 |
| 0 | 1 |
| 0 | 1 |
| 0 | 1 |
| 0 | 1 |
| 0 | 1 |
| 0 | 1 |
| 0 | 1 |
| 0 | 1 |
| 0 | 1 |
| 0 | 1 |
| 0 | 1 |
| 0 | 1 |
| 0 | 1 |
| 0 | 1 |
| 0 | 1 |
| 0 | 1 |
| 0 | 1 |
| 0 | 1 |
| 0 | 1 |
| 0 | 1 |
| 0 | 1 |
| 0 | 1 |
| KeServiceDescriptorTabIN | 1 |
| KeLoaderBlock | 1 |
| curl_easy_escape | 1 |
| curl_free | 1 |
| gzdopen | 1 |
| gzeof | 1 |
| TLSGetMSKHND | 1 |
| TLSGetNotificationDataHND | 1 |
| TLSGetAuthErrorMsgHND | 1 |
| TLSGetFailReasonHND | 1 |
| TLSNewSessionHND | 1 |
| TLSGetVersion | 1 |
| TLSSetParametersHND | 1 |
| TLSDeleteSessionHND | 1 |
| TLSDealEAPPayloadHND | 1 |
| gzerror | 1 |
| ?IsNetConnectionOK@Network@Util@@YA | 1 |

| | |
|--|---|
| ?DecodeSkipAll@CCmdCodecBase@@IAEXX | 1 |
| ?DecodeArrayBuffer@CCmdCodecBase@@I | 1 |
| ?JumpDWord@CTXCommPack@@QAEHXZ | 1 |
| ?CRC32@Encode@Util@@YAKKPBEH@Z | 1 |
| ?CodeArrayTXDataBuffer@CCmdCodecBase | 1 |
| ?Generate@CComputerIDGenerator@@QA | 1 |
| ?GetFileSystemType@FS@@YA?AW4FILESY | 1 |
| ??H@YA?AVCTXStringA@@ABV0@0@Z | 1 |
| ?QueryExitEvent@CTXThreadModel@@IAE | 1 |
| ?GetTempFileNameW@FS@Util@@YA?AVC | 1 |
| ?GetHostListByName@HostResolve@Util@() | 1 |
| ?CreateConnectTCP@Network@Util@@YA | 1 |
| ?GenerateGUID2@CComputerIDGenerator@ | 1 |
| ?LoadImageW@GF@Util@@YAPAXPB_WIH | 1 |
| ?GetDiscussHeadFile@Group@Util@@YA?A | 1 |
| ?GetHeadFile16@Misc@Util@@YA?AVCTXS | 1 |
| ?GetMsgListInfo@Misc@Util@@YAHPA_WC | 1 |
| ?GetNameWithCode@CBasicInfo@Group@I | 1 |
| ??0CHead@Group@Util@@QAE@PAUTXG | 1 |
| ?GetHeadFile@CHead@Group@Util@@QA | 1 |
| ??1CHead@Group@Util@@UAE@XZ | 1 |
| ?GetDefaultShowText@Status@Contact@U | 1 |
| ?GetStatusMenuToopTip@Status@Contact@ | 1 |
| ?GetLogolconWithStatus@Status@Contact@ | 1 |
| ?GetSysHeadIcon16FileByIndex@CHead@Gi | 1 |
| ?GetSysHeadIndex@CHead@Group@Util@I | 1 |
| ?GetCustomHeadFile@CHead@Group@Util | 1 |
| ?IsUseCustomHead@CHead@Group@Util@ | 1 |
| ??0CHead@Group@Util@@QAE@K@Z | 1 |
| ?LoginErrorStringAndReport@ErrorCodeRep | 1 |
| ??0CBasicInfo@Group@Util@@QAE@PAU | 1 |
| ?InputString@CIM_521@@QAEHVCString@ | 1 |
| ?SendMsgs@CIM_521@@QAEHXZ | 1 |
| ??1CIM_521@@UAE@XZ | 1 |
| ??0CIM_521@@QAE@XZ | 1 |
| GetNamedPipeServerSessionId | 1 |
| CM_Install_DevNode_ExW | 1 |
| pSetupDiGetStrongNameForDriverNode | 1 |
| pSetupDiInvalidateHelperModules | 1 |
| pSetupDiBuildInfoDataFromStrongName | 1 |
| SetupDiLoadDeviceIcon | 1 |
| SetupWriteTextLogError | 1 |
| SetupWriteTextLog | 1 |
| SetupDiReportDeviceInstallError | 1 |
| SetupDiReportDriverNotFoundError | 1 |
| SetupDiReportAdditionalSoftwareRequested | 1 |
| SetupDiReportGenericDriverInstalled | 1 |

| | |
|--|---|
| SetupDiReportPnPDeviceProblem | 1 |
| SetupSetThreadLogToken | 1 |
| SetupGetThreadLogToken | 1 |
| filter_Bland | 1 |
| filter_ConfigureBlend | 1 |
| filter_DeleteBlend | 1 |
| filter_NewBlend | 1 |
| VnConvResetOptions | 1 |
| VnConvErrMsg | 1 |
| VnConvSetOptions | 1 |
| DbGetSplitRecordData | 1 |
| GetRootDerivative | 1 |
| SHRunControlPanel | 1 |
| SHChangeNotification_Unlock | 1 |
| SHCreateFileExtractIconW | 1 |
| _EPLibSetValue@8 | 1 |
| _EPLibGetValue@8 | 1 |
| _EPLibSetPrinter@4 | 1 |
| _EPLibGetQuickPrintInfo@12 | 1 |
| _EPLibSetMode@4 | 1 |
| _EPLibDoQuickPrint@4 | 1 |
| ?register_@?\$_FlagRegister@_N@@0PAV1@ | 1 |
| ?register_init_@?\$_FlagRegister@_N@@0H/ | 1 |
| ??0VectorFstClass@script@fst@@QAE@AB' | 1 |
| ?Read@FstClass@script@fst@@SAPAV123@ | 1 |
| ?PdtCompose@script@fst@@YAXABVFstCl@ | 1 |
| ?Connect@script@fst@@YAXPAVMutableF@ | 1 |
| ?SplitToVector@fst@@YAXPADPBDAV?\$ve | 1 |
| ?register_init_@?\$_FlagRegister@V?\$basic_s | 1 |
| ?FailedNewHandler@@YAXXZ | 1 |
| ?register_@?\$_FlagRegister@V?\$basic_string | 1 |
| ?SetFlags@@YAXPBDAHPAPAPAD_N@Z | 1 |
| ?ShowUsage@@YAXXZ | 1 |
| ?register_lock_@?\$_FlagRegister@V?\$basic_ | 1 |
| ?register_lock_@?\$_FlagRegister@_N@@0P, | 1 |
| ?StrToInt64@fst@@YA_JABV?\$basic_string(| 1 |
| s2GetJob | 1 |
| zlmInitializeMonitorEx | 1 |
| zlmInitializePrintMonitor | 1 |
| zlmOpenPortEx | 1 |
| SSCE_CloseSession | 1 |
| ?SetScrollTextCallBack@CSgAudio@@QAEXI | 1 |
| WinUsb_Free | 1 |
| ??Dstd@@YA?AV?\$complex@N@0@ABV1C | 1 |
| ?GetEnablePreload@Misc@Util@@YAHXZ | 1 |
| ?SetFirstStartQQ@Misc@Util@@YAXH@Z | 1 |
| ??4DateTime@@QAEAAV0@ABV0@@Z | 1 |

| | |
|---|---|
| ??0Size@@QAE@XZ | 1 |
| ?SetUTCTime@DateTime@@QAE_NGGGGG | 1 |
| ??0TimeSpan@@QAE@HHH@Z | 1 |
| ??ZDateTime@@QAEAAV0@ABVTimeSpan@ | 1 |
| ??YDateTime@@QAEAAV0@ABVTimeSpan@ | 1 |
| ??0DateTime@@QAE@ABV0@@Z | 1 |
| ??GDateTime@@QBE?AVTimeSpan@@ABV | 1 |
| ?GetAsSeconds@TimeSpan@@QBENXZ | 1 |
| ??0DateTime@@QAE@XZ | 1 |
| ?SetNow@DateTime@@QAEXXZ | 1 |
| ?FromLatin1@String@@SA?AV1@ABV?\$ba | 1 |
| GetDocBaseRegValue | 1 |
| ?UpdateCaptureDoc@VRImporter@@UAE_I | 1 |
| ?OnProgress@VRImporter@@UAEXAANAA\ | 1 |
| ?Abort@VRImporter@@UAEXXZ | 1 |
| ?GetLastError@VRImporter@@UAEXAAW4I | 1 |
| ?ImportVR@VRImporter@@UAEXPACVSour | 1 |
| ?GetChapter@SimulationEngineBase@@MA | 1 |
| ?GetNextChapter@SimulationEngineBase@I | 1 |
| ?GetPrevChapter@SimulationEngineBase@() | 1 |
| ?GetChapterNumber@SimulationEngineBas | 1 |
| ?Initialize@DummyMenuSimulationEngine@ | 1 |
| ?SwitchTo@SimulationEngineBase@@IAEXF | 1 |
| ?OnTimer@SimulationEngineBase@@UAEX | 1 |
| ?SwitchState@SimulationEngineBase@@MA | 1 |
| ?GetThumbnailFromStream@VideoDisclmpc | 1 |
| ??0VideoDisclporter@@QAE@XZ | 1 |
| ??1VideoDisclporter@@UAE@XZ | 1 |
| ?ReadDisc@VideoDisclporter@@UAEJPAL | 1 |
| ?SetPictureSaveFormat@VideoDisclporter | 1 |
| ?GetVolumeName@VideoDisclporter@@I | 1 |
| ?GetNumRecordings@VideoDisclporter@() | 1 |
| ?GetRecordingInfo@VideoDisclporter@() | 1 |
| ?Import@VideoDisclporter@@UAEJAAV?` | 1 |
| ?ImportInternal@VideoDisclporter@@MA | 1 |
| ?ImportSegment@VideoDisclporter@@M | 1 |
| ?InitImportSegments@VideoDisclporter@ | 1 |
| ?NotifyProgress@VideoDisclporter@@IBE | 1 |
| ?AddChannel@NMCPreviewChannelContain | 1 |
| ?GetChannel@NMCPreviewChannelContain | 1 |
| ?PlayNextWhenFinished@SimulationEngin | 1 |
| ??0MenuPackableItem@@QAE@PAVIAMC\ | 1 |
| ?Initialize@MenuPackableItem@@MBEXXZ | 1 |
| ?ApplyProfile@MenuPackableItem@@MBE | 1 |
| ?GetMenuAssets@MenuPackableItem@@U | 1 |
| ??1ProcessorInfo@@UAE@XZ | 1 |
| ?ResetProfiles@ProcessorInfo@@UAEXXZ | 1 |

| | |
|---|---|
| ?GetAssetInfoSummary@ProcessorInfo@@I | 1 |
| ?SetStatus@ProcessorInfo@@UAEXK_N@Z | 1 |
| ?GetStatus@ProcessorInfo@@UBEKXZ | 1 |
| ?GetAssetInfo@ProcessorInfo@@UBEABUA | 1 |
| ?GetAssetInfo@ProcessorInfo@@UBE?AUA | 1 |
| ?GetNumAssetInfos@ProcessorInfo@@UBE | 1 |
| ?SetResultAndReAdjust@ProcessorInfo@@I | 1 |
| ?AddSpaceInfo@ProcessorInfo@@UAEXK@ | 1 |
| ?AddAssetInfo@ProcessorInfo@@UAEXABU | 1 |
| ?Reset@ProcessorInfo@@UAEXXZ | 1 |
| ??0ProcessorInfo@@QAE@I@Z | 1 |
| ?GetAsset@AVPackableItem@@UBEPAPIAs | 1 |
| ?Initialize@AVPackableItem@@MBEXXZ | 1 |
| ?ApplyProfile@AVPackableItem@@MBEXA\ | 1 |
| ?SetSpace@PackableItem@@UAEXPBVI\acl | 1 |
| ?GetAsset@PackableItem@@UBEPAPIAsset | 1 |
| ?GetEncodingProfiles@PackableItem@@ME | 1 |
| ?GetEncodingQLI@PackableItem@@MBE?A | 1 |
| ?GetEstimatedSize@PackableItem@@MBE_ | 1 |
| ?GetMenuPage@SimulationEngineBase@@ | 1 |
| ?GetNumMenuPages@SimulationEngineBas | 1 |
| ?Initialize@SimulationEngineBase@@IAE_N | 1 |
| ?OnTitle@SimulationEngineBase@@UAEXX: | 1 |
| ?OnMenu@SimulationEngineBase@@UAEX | 1 |
| ??0SimulationEngineBase@@QAE@XZ | 1 |
| ?SetTargetPath@VideoDisclmporter@@UA\ | 1 |
| ?GrabThumbs@DiscThumbnailLoader@@U\ | 1 |
| ??1DiscThumbnailLoader@@UAE@XZ | 1 |
| ?run@DiscThumbnailLoader@@EAEXXZ | 1 |
| ?GetRecorderOptions@ContentProcessor@(\ | 1 |
| ?LoopTitle@SimulationEngineBase@@MAE_ | 1 |
| ?GetMenuPage@DummyMenuSimulationEn | 1 |
| ?GetNumMenuPages@DummyMenuSimulat | 1 |
| ??0DummyMenuSimulationEngine@@QAE@C | 1 |
| ??1SimulationEngineBase@@UAE@XZ | 1 |
| ?Start@SimulationEngineBase@@UAE_NXZ | 1 |
| ?LButtonDown@SimulationEngineBase@@l | 1 |
| ?MouseMove@SimulationEngineBase@@U. | 1 |
| ?StreamEnd@SimulationEngineBase@@UAI | 1 |
| ?AccessPos@SimulationEngineBase@@UAE | 1 |
| ?AccessChapter@SimulationEngineBase@@ | 1 |
| ?GetPosition@SimulationEngineBase@@UA | 1 |
| ?GetMute@SimulationEngineBase@@UAE_ | 1 |
| ?IsShowingMenu@SimulationEngineBase@(\ | 1 |
| ?OnUp@SimulationEngineBase@@UAEXXZ | 1 |
| ?OnDown@SimulationEngineBase@@UAEX | 1 |
| ?OnLeft@SimulationEngineBase@@UAEXXZ | 1 |

| | |
|--|---|
| ?LockShared@SWSyncObject@@MAE_KK@ | 1 |
| ??1SWRAIIExclusiveLock@@UAE@XZ | 1 |
| ??1SWRAIISharedLock@@UAE@XZ | 1 |
| ?AddRef@SWRefCount@@UAEJXZ | 1 |
| ?Release@SWRefCount@@UAEJXZ | 1 |
| ??0SWRefCount@@QAE@J@Z | 1 |
| ??1SWRefCount@@UAE@XZ | 1 |
| ?GetInstance@SWClientSyncInterface@@S/ | 1 |
| ?SetDataDirectory@SWUserInfo@@SAXABV | 1 |
| ?ExpandSpecial@SWUserContext@@UBE_N | 1 |
| ?SWClearThreadContext@@YA_KK@Z | 1 |
| ?SWCreateThread@@YAKP6AXPAX@Z0@Z | 1 |
| ?SWSetThreadContext@@YA_KKV?\$shared_ | 1 |
| ?SWRemoveRpcThreadContext@@YA_KXZ | 1 |
| ?GetSecurityId@SWUserInfo@@SA_KAAV?§ | 1 |
| ?SWSetRpcThreadContext@@YA_KV?\$share | 1 |
| ?GetPreference@SWClientPreferences@@C | 1 |
| ?SWTerminateThread@@YAXK_N@Z | 1 |
| ?GetPreference@SWClientPreferences@@C | 1 |
| ?Instance@SWClientPreferences@@SAAV | 1 |
| ?SWGetThreadContext@@YA?AV?\$shared_ | 1 |
| ?GetNameAndDomain@SWUserInfo@@SA> | 1 |
| ?GetPreference@SWClientPreferences@@C | 1 |
| ?SavePreference@SWClientPreferences@@ | 1 |
| ?SavePreference@SWClientPreferences@@ | 1 |
| ?Instance@UserContextManager@@SAAV | 1 |
| ?DeletePreference@SWClientPreferences@ | 1 |
| ?SavePreference@SWClientPreferences@@ | 1 |
| ?GetPreference@SWClientPreferences@@C | 1 |
| ?GetGlobalDataDirectory@SWUserInfo@@S | 1 |
| ?GetPreference@SWClientPreferences@@C | 1 |
| ?SWCloseThreadHandle@@YAXK@Z | 1 |
| ?ExpandEnvVar@SWUserContext@@UBE_N | 1 |
| ?SWWaitForThreads@@YA_KPAKHK@Z | 1 |
| ?ExpandCSIDL@SWUserContext@@UBE_NA | 1 |
| SWCreatePackage | 1 |
| ?SWGrantFileSystemAccess@@YG_KK@Z | 1 |
| ?SWRevokeFileSystemAccess@@YG_KK@Z | 1 |
| SWResetLog | 1 |
| SWIsOperationAllowed | 1 |
| SWCreateApp | 1 |
| SWLaunch | 1 |
| SWShutdown | 1 |
| SWLoad | 1 |
| SWCleanupForUser | 1 |
| SWInitForUser | 1 |
| SWInitInternals | 1 |

| | |
|-----------------------------|---|
| SWInitialize | 1 |
| SWCleanupInternals | 1 |
| SWCleanup | 1 |
| SWUnhandledExceptionCleanup | 1 |
| SWNotifyClientShutdown | 1 |
| SWCleanupForPid | 1 |
| SWGetLogParams | 1 |
| SWSetLogParams | 1 |
| SWGetConnectType | 1 |
| SWSetConnectType | 1 |
| SWGetProxy | 1 |
| SWSetProxy | 1 |
| SWLogMessage | 1 |
| SWGetVersion | 1 |
| SWGetCacheProperties | 1 |
| SWSetCacheProperties | 1 |
| SWGetAssociationList | 1 |
| SWDeleteAssociation | 1 |
| SWEPitAssociation | 1 |
| SWGetAssociation | 1 |
| SWCreateAssociation | 1 |
| SWDeleteAction | 1 |
| SWEPitAction | 1 |
| SWGetActionList | 1 |
| SWGetDefaultAction | 1 |
| SWAddAction | 1 |
| SWDeleteType | 1 |
| SWEPitType | 1 |
| SWGetType | 1 |
| SWGetTypeList | 1 |
| SWCreateType | 1 |
| SWDeleteServer | 1 |
| SWRefreshServerInternal | 1 |
| SWRefreshServer | 1 |
| SWGetServerList | 1 |
| SWGetServer | 1 |
| SWEPitServer | 1 |
| SWCreateServer | 1 |
| SWSetImportSearchPath | 1 |
| SWGetImportSearchPath | 1 |
| SWDccEventNotification | 1 |
| SWSetDisconnectSettings | 1 |
| SWGetDisconnectSettings | 1 |
| SWGetDataDirectory | 1 |
| SWSetDataDirectory | 1 |
| SWSetPermissions | 1 |
| SWGetPermissions | 1 |

| | |
|----------------------------------|---|
| SWIsOperationAllowedOnObj | 1 |
| SWRepairPackage | 1 |
| SWUnpublishPackage | 1 |
| SWPublishPackage | 1 |
| SWLockPackage | 1 |
| SWGetPackageInfo2 | 1 |
| SWGetPackageList2 | 1 |
| SWEPackage | 1 |
| SWDeletePackage | 1 |
| SWUnloadPackage | 1 |
| SWLoadPackageRange | 1 |
| SWLoadPackage | 1 |
| SWGetAppInfoList | 1 |
| SWGetAppList | 1 |
| SWPublishShortcut | 1 |
| SWImport | 1 |
| SWRegisterEventHandler | 1 |
| SWUnregisterEventHandler | 1 |
| ?SWLogMessageParams@@YG_KW4SW_TY | 1 |
| SWUnload | 1 |
| SWEPackage | 1 |
| SWIsAppPublished | 1 |
| SWGetAppInfo | 1 |
| SWGetAppStatistics | 1 |
| SWSetOnlineStatus | 1 |
| SWGetOnlineStatus | 1 |
| SWGetAppHandle | 1 |
| SWHandleDisconnect | 1 |
| SWClearSettings | 1 |
| SWDeleteApp | 1 |
| SWCloseHandle | 1 |
| ?SWCancelLoad@@YG_KABK@Z | 1 |
| SWForceDismountFilesystem | 1 |
| PerfSetCounterRefValue | 1 |
| PerfCreateInstance | 1 |
| PerfStartProvider | 1 |
| PerfSetCounterSetInfo | 1 |
| PerfStopProvider | 1 |
| lineGetCallInfoW | 1 |
| FXSTIFFInitialize | 1 |
| MemoryMapTiffFile | 1 |
| GetMsTagFileTime | 1 |
| GetMsTagDwordLong | 1 |
| TiffExtractFirstPage | 1 |
| TiffOpen | 1 |
| MmrAddBranding | 1 |
| MergeTiffFiles | 1 |

| | |
|-----------------------------------|---|
| TiffPostProcessFast | 1 |
| TiffRecoverGoodPages | 1 |
| GetMsTagString | 1 |
| WheaConfigureErrorSource | 1 |
| WhealInitializeRecordHeader | 1 |
| _PhDeleteAutoPool@4 | 1 |
| _PhFormatGuid@4 | 1 |
| _PhFinalStringBuilderString@4 | 1 |
| _PhOpenKey@20 | 1 |
| _PhInitializeAutoPool@4 | 1 |
| _PhQueryRegistryString@8 | 1 |
| _PhConcatStringRef2@8 | 1 |
| _PhAppendStringBuilderEx@12 | 1 |
| _PhCreateAlloc@8 | 1 |
| _PhConcatStrings2@8 | 1 |
| _PhReAllocate@8 | 1 |
| _PhClearList@4 | 1 |
| _PhGetSelectedListViewItemParam@4 | 1 |
| _PhReferenceEmptyString@0 | 1 |
| _PhAllocate@4 | 1 |
| _PhInitializeLayoutManager@8 | 1 |
| _PhGetWin32Message@4 | 1 |
| _PhAddItemList@8 | 1 |
| _PhaDereferenceObject@4 | 1 |
| _PhLayoutManagerLayout@4 | 1 |
| _PhGetComboBoxString@8 | 1 |
| PhFormatString | 1 |
| _PhFreeFileDialog@4 | 1 |
| _PhDereferenceObject@4 | 1 |
| _PhGetServiceConfig@4 | 1 |
| _PhReferenceServiceItem@4 | 1 |
| _PhAddLayoutItem@16 | 1 |
| _PhOpenService@8 | 1 |
| _PhCreateList@4 | 1 |
| _PhFree@4 | 1 |
| _PhCreateServiceListControl@12 | 1 |
| _PhDeleteLayoutManager@4 | 1 |
| _PhReferenceObject@4 | 1 |
| _PhIndexOfEMenuItem@8 | 1 |
| _PhAddSettings@8 | 1 |
| _PhPluginCreateEMenuItem@20 | 1 |
| _PhGetIntegerSetting@4 | 1 |
| _PhUiStartService@8 | 1 |
| _PhShowStatus@16 | 1 |
| _PhUiContinueService@8 | 1 |
| @PhfReleaseQueuedLockShared@4 | 1 |
| @PhfAcquireQueuedLockShared@4 | 1 |

| | |
|----------------------------------|---|
| _PhEscapeStringForMenuPrefix@4 | 1 |
| _PhRegisterCallback@16 | 1 |
| _PhUiStopService@8 | 1 |
| PhMainWndHandle | 1 |
| _PhCreateString@4 | 1 |
| _PhCreateOpenFileDialog@0 | 1 |
| _PhFindIntegerSiKeyValuePairs@16 | 1 |
| _PhFindStringSiKeyValuePairs@16 | 1 |
| _PhGetWindowText@4 | 1 |
| _PhSetFileDialogFilter@12 | 1 |
| _PhGetFileDialogFileName@4 | 1 |
| _PhSetFileDialogFileName@8 | 1 |
| _PhShowFileDialog@8 | 1 |
| _PhCenterWindow@8 | 1 |
| _PhGetGeneralCallback@4 | 1 |
| _PhaCreateStringEx@8 | 1 |
| _PhLookupPrivilegeDisplayName@8 | 1 |
| _PhQueryServiceVariableSize@8 | 1 |
| _PhDeleteStringBuilder@4 | 1 |
| _PhAddListViewColumn@28 | 1 |
| _PhRemoveListViewItem@8 | 1 |
| _PhaChoiceDialog@40 | 1 |
| ph_equal_string | 1 |
| _PhAppendCharStringBuilder@8 | 1 |
| _PhGetListViewItemParam@12 | 1 |
| PhShowMessage | 1 |
| _PhDereferenceObjects@8 | 1 |
| _PhInitializeStringBuilder@8 | 1 |
| _PhGetNtMessage@4 | 1 |
| _PhFindItemList@8 | 1 |
| _PhAddListViewItem@16 | 1 |
| _PhRemoveItemList@8 | 1 |
| _PhSetListViewSubItem@16 | 1 |
| _PhSetControlTheme@8 | 1 |
| _PhAppendStringBuilder@8 | 1 |
| _PhCreateStringEx@8 | 1 |
| _PhOpenLsaPolicy@12 | 1 |
| _PhSetExtendedListView@4 | 1 |
| _PhSetIntegerSetting@8 | 1 |
| _PhGetPluginCallback@8 | 1 |
| _PhFindEMenuItem@16 | 1 |
| _PhUiPauseService@8 | 1 |
| PhaFormatString | 1 |
| _PhInsertEMenuItem@12 | 1 |
| _PhDestroyEMenuItem@4 | 1 |
| _PhRegisterPlugin@12 | 1 |
| WindowsVersion | 1 |

| | |
|--|---|
| _PhaConcatStrings2@8 | 1 |
| ExInterlockedRemoveHeadList | 1 |
| ?GetVersion@ElementSkill@GNET@@SAHX | 1 |
| ?CreateFTManager@@YAPAVIFTManager@ | 1 |
| ?LoadImmEffect@AMImmWrapper@@QAE | 1 |
| ?GetBasicManager@sfxApplication@@QAEI | 1 |
| ?GetBasicContainer@sfxApplication@@QAF | 1 |
| ?GetLineRange@sMethod@@QAEXAAG0C | 1 |
| ?GetParam@sbxInfo@@QBEPBUSbxParamI | 1 |
| ??0SbxArray@@QAE@W4SbxDataType@@ | 1 |
| ??0SbxVariable@@QAE@W4SbxDataType@ | 1 |
| ?unoToSbxValue@@YAXPAVSbxVariable@C | 1 |
| ?Put@sbxArray@@QAEXPASbxVariable@() | 1 |
| ?SetParameters@sbxVariable@@QAEXPAV' | 1 |
| ??0SbxVariable@@QAE@XZ | 1 |
| ?SetGlobalUNOConstant@BasicManager@C | 1 |
| ?Count@sbxArray@@QBEGXZ | 1 |
| ?Get@sbxArray@@QAEPAVSbxVariable@@ | 1 |
| ?sbxToUnoValue@@YA?AVAny@uno@star(| 1 |
| ?GetLib@BasicManager@@QBEPAVStarBAS | 1 |
| ?GetLibId@BasicManager@@QBEGABVStrir | 1 |
| ?LoadLib@BasicManager@@QAEEG@Z | 1 |
| ?FindModule@StarBASIC@@QAEPAVSbMo | 1 |
| ?getDocumentBasicManager@BasicManage | 1 |
| ?oapiLoadMeshGlobal@@YAQAXPBD@Z | 1 |
| ??0VESSEL@@QAE@PAXH@Z | 1 |
| ?SaveDefaultState@VESSEL@@QBEXPAX@Z | 1 |
| ?SetSize@VESSEL@@QBEXN@Z | 1 |
| ?SetEmptyMass@VESSEL@@QBEXN@Z | 1 |
| ?SetMaxFuelMass@VESSEL@@QBEXN@Z | 1 |
| ?SetFuelMass@VESSEL@@QBEXN@Z | 1 |
| ?SetISP@VESSEL@@QBEXN@Z | 1 |
| ?SetMaxThrust@VESSEL@@QBEXW4ENGIN | 1 |
| ?SetPMI@VESSEL@@QBEXABVECTOR3@@ | 1 |
| ?SetCrossSections@VESSEL@@QBEXABTVE | 1 |
| ?SetCW@VESSEL@@QBEXNNNN@Z | 1 |
| ?SetRotDrag@VESSEL@@QBEXABTVECTOR3 | 1 |
| ?SetPitchMomentScale@VESSEL@@QBEXN(| 1 |
| ?SetBankMomentScale@VESSEL@@QBEXN(| 1 |
| ?SetLiftCoeffFunc@VESSEL@@QBEXP6ANN(| 1 |
| ?ClearMeshes@VESSEL@@QBEXXZ | 1 |
| ?ClearExhaustRefs@VESSEL@@QBEXXZ | 1 |
| ?ClearAttExhaustRefs@VESSEL@@QBEXXZ | 1 |
| ?SetTouchdownPoints@VESSEL@@QBEXAB | 1 |
| ?AddMesh@VESSEL@@QBEIPAXPBTVECTOF | 1 |
| ?AddExhaustRef@VESSEL@@QBEIW4EXHAL | 1 |
| ?SetCameraOffset@VESSEL@@QBEXABTVE | 1 |

| | |
|--|---|
| ?infinity@?\$numeric_limits@I@std@@SAIX | 1 |
| RNBOcplusRead | 1 |
| RNBOcplusInitialize | 1 |
| RNBOcplusFormatPacket | 1 |
| vcResample | 1 |
| ?fnAuthQryBegin@@YAHPBDPAPAXH@Z | 1 |
| ?fnAuthQryEnd@@YAXPAX@Z | 1 |
| ?fnGetMPEGPrivateData@@YAHPAD00@Z | 1 |
| ?fnSepaInit@@YAHKPAX0@Z | 1 |
| ?fnFetchMPEGInfo@@YAHPBDAUMPEGFIL | 1 |
| ?fnSepaUnInit@@YAHXZ | 1 |
| ?fnQryIFrame@@YAHPAXKHAH@Z | 1 |
| MpegViorcGetResInstance | 1 |
| KeSetTimeUpdateNotifyRoutine | 1 |
| @Ivprotocol@g_MediaCode | 1 |
| @Dxdbgrid@TCustomdxDBTreeListControl@ | 1 |
| @\$xp\$34Gigrclms@TdxDBGridNonVisibleCo | 1 |
| @Gigrclms@TdxDBGridNonVisibleColumn@ | 1 |
| setFast_JN | 1 |
| setKa_JN | 1 |
| ?readsome@?\$basic_istream@_WU?\$char_ | 1 |
| ?str@?\$basic_istringstream@DU?\$char_trai | 1 |
| rtl_uString_newFromString | 1 |
| uno_threadpool_destroy | 1 |
| uno_threadpool_enter | 1 |
| uno_threadpool_detach | 1 |
| uno_threadpool_attach | 1 |
| uno_threadpool_putJob | 1 |
| uno_getIdOfCurrentThread | 1 |
| uno_releaseIdFromCurrentThread | 1 |
| uno_threadpool_create | 1 |
| uno_threadpool_dispose | 1 |
| TcpListen | 1 |
| TcpSetLinkAttr | 1 |
| TcpConnect | 1 |
| TcpCreate | 1 |
| TcpGetLinkAddr | 1 |
| TcpInit | 1 |
| TcpUninit | 1 |
| TcpSend | 1 |
| TcpDestroy | 1 |
| ?TriggerUnmet@IConnectionEvents@CalCor | 1 |
| ?TriggerComplete@IConnectionEvents@Cal | 1 |
| ?ConnectionStatusChanged@IConnectionEv | 1 |
| ?DtcUpdated@IConnectionEvents@CalCore | 1 |
| ?SubscribedToDataPointExternal@IConnecti | 1 |
| ?UnsubscribedToDataPointExternal@IConne | 1 |

| | |
|---|---|
| ?SubscribedToDataPointInternal@IConnectionEvents@CalCore@@UAE@X | 1 |
| ?TriggerMet@IConnectionEvents@CalCore@@UAE@X | 1 |
| ?DtcsCleared@IConnectionEvents@CalCore@@UAE@X | 1 |
| ?DtcsCleared@IConnectionEvents@CalCore@@UAE@X | 1 |
| ??0AlarmInfo@Utility@CalCore@@QAE@X | 1 |
| ??1AlarmInfo@Utility@CalCore@@QAE@X | 1 |
| ?Cancel@AlarmInfo@Utility@CalCore@@QAE@X | 1 |
| ?SnapshotReady@IConnectionEvents@CalCore@@UAE@X | 1 |
| ?GetKey@DataPoint@CalCore@@QBEABV? | 1 |
| ?DataPointUpdated@IConnectionEvents@CalCore@@UAE@X | 1 |
| ??_7IGeneralProcedureEngine@CalCore@@UAE@X | 1 |
| ?UnsubscribedToDataPointInternal@IConnectionEvents@CalCore@@UAE@X | 1 |
| ?GetFormattedValue@DataPoint@CalCore@@UAE@X | 1 |
| ??1IAeaProcedureEngine@@UAE@XZ | 1 |
| ?UpdateDataPointValue@AeaDataPoint@@UAE@X | 1 |
| ??_7IAeaProcedureEngine@@6B@ | 1 |
| ?GetString@FrameworkProcedureEngine@@UAE@X | 1 |
| ?SetTestName@FrameworkProcedureEngine@@UAE@X | 1 |
| ?ChangeToStep@FrameworkProcedureEngine@@UAE@X | 1 |
| ?AddStep@FrameworkProcedureEngine@@UAE@X | 1 |
| ?End@FrameworkProcedureEngine@@UAE@X | 1 |
| ?Reset@FrameworkProcedureEngine@@UAE@X | 1 |
| ?GetConnection@StepController@@QAEAAV? | 1 |
| ?AddUpdatableElement@ElementContainer@@UAE@X | 1 |
| ?GetPage@StepController@@QAEAAVPage? | 1 |
| ?UpdateRegion@Page@@QBE_NABV?\$CStr | 1 |
| ?Reset@StepController@@UAEXXZ | 1 |
| ??0ButtonElement@@QAE@V?\$CStringT@_W | 1 |
| ??0StepController@@QAE@ABV?\$CStringT@_W | 1 |
| ?GetEngine@FrameworkProcedureEngine@@UAE@X | 1 |
| ?GetConnection@FrameworkProcedureEngine@@UAE@X | 1 |
| ?LoadStrings@FrameworkProcedureEngine@@UAE@X | 1 |
| ?Start@FrameworkProcedureEngine@@QAE@X | 1 |
| ?SendInputs@FrameworkProcedureEngine@@UAE@X | 1 |
| ?SetConnection@FrameworkProcedureEngine@@UAE@X | 1 |
| ?SetProcedureEngine@FrameworkProcedureEngine@@UAE@X | 1 |
| ??0FrameworkProcedureEngine@@QAE@X | 1 |
| ??1FrameworkProcedureEngine@@UAE@X | 1 |
| ??0ButtonsElement@@QAE@XZ | 1 |
| ?GetString@IStringPool@@QBEAV?\$CStringT@_W | 1 |
| ??0LineBreakElement@@QAE@XZ | 1 |
| ??0TextElement@@QAE@ABV?\$CStringT@_W | 1 |
| ?AddElement@ElementContainer@@QAEXF | 1 |
| ??1ElementContainer@@UAE@XZ | 1 |
| ??0ElementContainer@@QAE@XZ | 1 |
| ??1StepController@@UAE@XZ | 1 |

| | |
|--|---|
| ?ChangeToStep@StepController@@QAE_N/ | 1 |
| ??1ButtonElement@@UAE@XZ | 1 |
| ??1ButtonsElement@@UAE@XZ | 1 |
| ?Render@LineBreakElement@@UBE?AV?\$C | 1 |
| ??1LineBreakElement@@UAE@XZ | 1 |
| ??1TextElement@@UAE@XZ | 1 |
| ?Render@ButtonsElement@@UBE?AV?\$CSI | 1 |
| ?ProcedureStatus@StepController@@QAEX | 1 |
| ?RenderTitle@FrameworkProcedureEngine(| 1 |
| ?UpdateButtons@StepController@@QAE_N | 1 |
| ?Render@ButtonElement@@UBE?AV?\$CStr | 1 |
| ?GetElements@ElementContainer@@QBEA | 1 |
| ?UpdatePage@StepController@@QAE_NAB | 1 |
| ?Render@TextElement@@UBE?AV?\$CString | 1 |
| ?AddButton@ButtonsElement@@QAEXP_AV | 1 |
| ?GetFormattedString@StepController@@UI | 1 |
| _AdrGetSampleSize@4 | 1 |
| cairo_image_surface_get_data | 1 |
| pango_font_map_create_context | 1 |
| pango_cairo_update_context | 1 |
| ??O@YA_NABVCTXStringW@@0@Z | 1 |
| ?GetByteLength@CTXStringW@@QBEHXZ | 1 |
| ?CreateDomain@CBTree@NetDisk@@QAEI | 1 |
| ?GetDomain@CBTree@NetDisk@@QAEPAV | 1 |
| ?Flush@CBTree@NetDisk@@QAEHXZ | 1 |
| ?Delete@CBtreeDomain@NetDisk@@QAEI | 1 |
| ?Add@CBtreeDomain@NetDisk@@QAEH_J | 1 |
| ?GetBuffer@CBtreeDomain@NetDisk@@Q/ | 1 |
| ?Get@CBtreeDomain@NetDisk@@QAEPBE_ | 1 |
| ?Recycle@Db@NetDisk@@3QB_WB | 1 |
| ?SetKeyOperator@CBtreeDomain@NetDisk(| 1 |
| ?UpdateWithKeyChange@CBtreeDomain@N | 1 |
| ?FindFirst@CBtreeDomain@NetDisk@@QA | 1 |
| ?FindNext@CBtreeDomain@NetDisk@@QA | 1 |
| ?First@CBtreeDomain@NetDisk@@QAEPBE | 1 |
| ?GetVarint@BufferHelper@NetDisk@@YAX | 1 |
| ?SetVarint@BufferHelper@NetDisk@@YAX_ | 1 |
| ?InsertHeadList@ListEntry@NetDisk@@YAX | 1 |
| __vbaObjSetA | 1 |
| __net_OpenUDP | 1 |
| __net_Select | 1 |
| playlist_LockDelete | 1 |
| playlist_NodeCreate | 1 |
| playlist_NodeDelete | 1 |
| playlist_ViewFind | 1 |
| vlc_input_item_AddInfo | 1 |
| GetTermsrCompatFlags | 1 |

| | |
|---|---|
| RpcNsGroupMbrInqNextW | 1 |
| NSS_Get_SEC_IA5StringTemplate_Util | 1 |
| SECOID_KnownCertExtenOID | 1 |
| DER_GetUInteger | 1 |
| DER_StoreHeader | 1 |
| DER_LengthLength | 1 |
| PORT_UCS4_UTF8Conversion | 1 |
| DER_GeneralizedDayToAscii_Util | 1 |
| NSS_Get_SEC_UTF8StringTemplate_Util | 1 |
| NSS_Get_SEC_BMPStringTemplate_Util | 1 |
| NSS_Get_SEC_T61StringTemplate | 1 |
| NSS_Get_SEC_PrintableStringTemplate | 1 |
| NSS_Get_SEC_UniversalStringTemplate | 1 |
| NSS_Get_SEC_SetOfAnyTemplate_Util | 1 |
| DER_UTCDayToAscii_Util | 1 |
| DER_UTCTimeToAscii_Util | 1 |
| DER_UTCTimeToTime_Util | 1 |
| DER_AsciiToTime_Util | 1 |
| DER_TimeToUTCTime_Util | 1 |
| SECITEM_Hash | 1 |
| DER_Lenghts_Util | 1 |
| DER_Encode_Util | 1 |
| SGN_CompareDigestInfo_Util | 1 |
| SGN_CopyDigestInfo_Util | 1 |
| SGN_DestroyDigestInfo_Util | 1 |
| SGN_CreateDigestInfo_Util | 1 |
| SECITEM_ArenaDuplItem_Util | 1 |
| SECOID_AddEntry_Util | 1 |
| SECOID_FindOIDTagDescription_Util | 1 |
| SECOID_CompareAlgorithmID_Util | 1 |
| SECOID_DestroyAlgorithmID_Util | 1 |
| SECOID_CopyAlgorithmID_Util | 1 |
| PORT_RegExpValid | 1 |
| PORT_RegExpCaseSearch | 1 |
| NSS_Get_SEC_SkipTemplate | 1 |
| SEC_StringToOID | 1 |
| SECOID_FindOIDByMechanism | 1 |
| PORT_LoadLibraryFromOrigin | 1 |
| SGN_DecodeDigestInfo | 1 |
| NSS_GetAlgorithmPolicy | 1 |
| NSS_Get_SEC_SequenceOfObjectIDTemplate | 1 |
| NSS_Get_SEC_NullTemplate_Util | 1 |
| NSS_Get_SEC_PointerToAnyTemplate_Util | 1 |
| NSS_Get_SEC_SequenceOfAnyTemplate | 1 |
| NSS_Get_SEC_PointerToGeneralizedTimeTempl | 1 |
| NSS_Get_SEC_PointerToEnumeratedTemplate | 1 |
| NSS_Get_SEC_GeneralizedTimeTemplate_Ut | 1 |

| | |
|--------------------------------------|---|
| NSS_Get_SEC_EnumeratedTemplate | 1 |
| NSS_Get_SEC_IntegerTemplate_Util | 1 |
| NSSRWLock_HaveWriteLock_Util | 1 |
| NSSRWLock_UnlockWrite_Util | 1 |
| NSSRWLock_UnlockRead_Util | 1 |
| NSSRWLock_LockWrite_Util | 1 |
| NSSRWLock_LockRead_Util | 1 |
| NSSRWLock_Destroy_Util | 1 |
| NSSRWLock_New_Util | 1 |
| NSSBase64_DecodeBuffer_Util | 1 |
| NSSBase64Encoder_Destroy_Util | 1 |
| NSSBase64Decoder_Destroy_Util | 1 |
| NSSBase64Encoder_Update_Util | 1 |
| NSSBase64Decoder_Update_Util | 1 |
| NSSBase64Encoder_Create_Util | 1 |
| NSSBase64Decoder_Create_Util | 1 |
| BTOA_ConvertItemToAscii_Util | 1 |
| ATOB_ConvertAsciiToItem_Util | 1 |
| ATOB_AsciiToData_Util | 1 |
| BTOA_DataToAscii_Util | 1 |
| SEC ASN1LengthLength_Util | 1 |
| SEC ASN1DecodeInteger_Util | 1 |
| SEC ASN1EncodeUnsignedInteger_Util | 1 |
| SEC ASN1Encode_Util | 1 |
| SEC ASN1EncoderClearTakeFromBuf_Util | 1 |
| SEC ASN1EncoderSetTakeFromBuf_Util | 1 |
| SEC ASN1EncoderClearStreaming_Util | 1 |
| SEC ASN1EncoderSetStreaming_Util | 1 |
| SEC ASN1EncoderClearNotifyProc_Util | 1 |
| SEC ASN1EncoderSetNotifyProc_Util | 1 |
| SEC ASN1EncoderAbort_Util | 1 |
| SEC ASN1EncoderFinish_Util | 1 |
| SEC ASN1EncoderUpdate_Util | 1 |
| SEC ASN1EncoderStart_Util | 1 |
| SEC ASN1DecodeItem_Util | 1 |
| SEC ASN1Decode_Util | 1 |
| SEC ASN1DecoderClearNotifyProc_Util | 1 |
| SEC ASN1DecoderSetNotifyProc_Util | 1 |
| SEC ASN1DecoderClearFilterProc_Util | 1 |
| SEC ASN1DecoderSetFilterProc_Util | 1 |
| SEC ASN1DecoderAbort_Util | 1 |
| SEC ASN1DecoderFinish_Util | 1 |
| SEC ASN1DecoderUpdate_Util | 1 |
| SEC ASN1DecoderStart_Util | 1 |
| DER_EncodeTimeChoice_Util | 1 |
| CERT_GenTime2FormattedAscii_Util | 1 |
| DER_GeneralizedTimeToTime_Util | 1 |

| | |
|--|-----|
| DER_TimeToGeneralizedTimeArena_Util | 1 |
| DER_TimeToGeneralizedTime_Util | 1 |
| DER_GetInteger_Util | 1 |
| DER_TimeChoiceDayToAscii_Util | 1 |
| SECOID_FindOID_Util | 1 |
| NSS_PutEnv_Util | 1 |
| PORT_UCS2_ASCIIConversion_Util | 1 |
| PORT_UCS2_UTF8Conversion_Util | 1 |
| PORT_SetUCS2_UTF8ConversionFunction_U | 1 |
| PORT_SetUCS2_ASCIIConversionFunction_U | 1 |
| PORT_SetUCS4_UTF8ConversionFunction_U | 1 |
| PORT_ArenaGrow_Util | 1 |
| PORT_ISO88591_UTF8Conversion | 1 |
| PL_strcat | 1 |
| PL_strcat | 1 |
| PL_strnstr | 1 |
| PR_ConnectContinue | 1 |
| PR_ErrorToString | 1 |
| PR_DestroyRWLock | 1 |
| PR_sprintf_append | 1 |
| PR_AtomicSet | 1 |
| PR_ConvertIPv4AddrToIPv6 | 1 |
| PR_SetErrorText | 1 |
| PR_AtomicAdd | 1 |
| PR_CallOnceWithArg | 1 |
| PR_TicksPerSecond | 1 |
| PR_VersionCheck | 1 |
| _NewLogosClientSocket@24 | 1 |
| _NewLogosClientSocketNoBlock@24 | 1 |
| _ GetUserSpecifiedMachineName@4 | 1 |
| _ CloseMasterServerKey@4 | 1 |
| _ OpenMasterServerKey@4 | 1 |
| _ GetHostMachineName@4 | 1 |
| _ EnumerateNextMasterServer@12 | 1 |
| iak_NewLogosServiceQuery | 1 |
| 7B20AC48 | 1 |
| C60DFE88 | 1 |
| 59F6834C | 1 |
| | 37 |
| 023e | 1 |
| | 341 |
| 01cb | 1 |
| | 413 |
| 029c | 1 |
| | 206 |
| | 228 |
| 026e | 1 |

| | | |
|------|-----|---|
| 021c | | 1 |
| | 224 | 1 |
| | 221 | 1 |
| 025e | | 1 |
| 00b1 | | 1 |
| | 82 | 1 |
| 00c4 | | 1 |
| | 65 | 1 |
| | 6 | 1 |
| | 138 | 1 |
| 01a8 | | 1 |
| | 182 | 1 |
| | 183 | 1 |
| 020a | | 1 |
| 020c | | 1 |
| | 173 | 1 |
| | 174 | 1 |
| | 270 | 1 |
| | 246 | 1 |
| 02a1 | | 1 |
| 00b4 | | 1 |
| 01b6 | | 1 |
| 02ea | | 1 |
| | 472 | 1 |
| 046f | | 1 |
| | 167 | 1 |
| 028f | | 1 |
| | 424 | 1 |
| 01ec | | 1 |
| | 444 | 1 |
| 034d | | 1 |
| 035e | | 1 |
| 02fc | | 1 |
| 02b3 | | 1 |
| 01ac | | 1 |
| | 303 | 1 |
| | 227 | 1 |
| 035c | | 1 |
| 01df | | 1 |
| | 90 | 1 |
| | 96 | 1 |
| | 160 | 1 |
| 001f | | 1 |
| 002c | | 1 |
| 016e | | 1 |
| 00af | | 1 |
| 005a | | 1 |

| | | |
|------|----------|---|
| 01c4 | | 1 |
| 041b | | 1 |
| 01c0 | | 1 |
| 01bf | | 1 |
| 041c | | 1 |
| 029a | | 1 |
| 02c6 | | 1 |
| | 300 | 1 |
| | 1.00E+08 | 1 |
| | 97 | 1 |
| | 1.00E+04 | 1 |
| 010b | | 1 |
| 002d | | 1 |
| 02d9 | | 1 |
| 01f0 | | 1 |
| 001a | | 1 |
| 008e | | 1 |
| | 268 | 1 |
| 02a5 | | 1 |
| 023a | | 1 |
| | 239 | 1 |
| | 358 | 1 |
| | 94 | 1 |
| | 93 | 1 |
| 011c | | 1 |
| | 190 | 1 |
| | 146 | 1 |
| 011a | | 1 |
| | 223 | 1 |
| | 324 | 1 |
| 01be | | 1 |
| 01f6 | | 1 |
| 022b | | 1 |
| | 414 | 1 |
| | 468 | 1 |
| | 465 | 1 |
| | 466 | 1 |
| | 335 | 1 |
| | 320 | 1 |
| | 332 | 1 |
| | 331 | 1 |
| 019d | | 1 |
| | 330 | 1 |
| 032e | | 1 |
| | 328 | 1 |
| | 308 | 1 |
| | 315 | 1 |

| | | |
|------|----------|---|
| 031c | | 1 |
| | 327 | 1 |
| | 326 | 1 |
| | 251 | 1 |
| 01bd | | 1 |
| 043a | | 1 |
| 031b | | 1 |
| | 161 | 1 |
| 02de | | 1 |
| 01f5 | | 1 |
| | 241 | 1 |
| 01db | | 1 |
| 021b | | 1 |
| | 336 | 1 |
| | 333 | 1 |
| | 319 | 1 |
| 003d | | 1 |
| | 249 | 1 |
| 025b | | 1 |
| 025c | | 1 |
| | 323 | 1 |
| 01ee | | 1 |
| | 294 | 1 |
| | 429 | 1 |
| | 445 | 1 |
| 025d | | 1 |
| | 247 | 1 |
| 01f7 | | 1 |
| 01cc | | 1 |
| | 422 | 1 |
| | 210 | 1 |
| 017b | | 1 |
| | 84 | 1 |
| | 230 | 1 |
| | 280 | 1 |
| 018e | | 1 |
| | 185 | 1 |
| 019a | | 1 |
| 00ae | | 1 |
| | 57 | 1 |
| | 248 | 1 |
| | 2.00E+05 | 1 |
| | 2.00E+06 | 1 |
| 031f | | 1 |
| | 318 | 1 |
| 031a | | 1 |
| 024d | | 1 |

| | | |
|------------------------------|----------|---|
| 01de | | 1 |
| 01a2 | | 1 |
| | 209 | 1 |
| 02c8 | | 1 |
| | 352 | 1 |
| | 208 | 1 |
| | 2.00E+07 | 1 |
| 02cf | | 1 |
| | 212 | 1 |
| 015f | | 1 |
| | 1.00E+06 | 1 |
| 016b | | 1 |
| 018f | | 1 |
| 01d1 | | 1 |
| 042c | | 1 |
| 032b | | 1 |
| 01ed | | 1 |
| | 216 | 1 |
| | 197 | 1 |
| | 217 | 1 |
| | 487 | 1 |
| | 488 | 1 |
| | 38 | 1 |
| 009b | | 1 |
| 022c | | 1 |
| 000d | | 1 |
| 02cb | | 1 |
| | 86 | 1 |
| 003a | | 1 |
| | 172 | 1 |
| 009c | | 1 |
| 011b | | 1 |
| 02f5 | | 1 |
| | 50 | 1 |
| 00a9 | | 1 |
| 02b7 | | 1 |
| KatoSetLogFunction | | 1 |
| gimp_zoom_preview_get_factor | | 1 |
| gimp_bilinear_pixels_8 | | 1 |
| gimp_preview_transform | | 1 |
| HookUnload | | 1 |
| Cla\$FILEDIALOG | | 1 |
| Cla\$FILE_DO_PROPERTY | | 1 |
| Cla\$FILE_FIXFORMAT | | 1 |
| Cla\$HELP | | 1 |
| Cla\$IsfGetMsg | | 1 |
| Cla\$isftoupper | | 1 |

| | |
|-------------------------------------|---|
| Cla\$PushNull | 1 |
| Cla\$SetErrorFile | 1 |
| Cla\$setfileerror | 1 |
| Cla\$StackCompare | 1 |
| Cla\$YIELD | 1 |
| Clw\$FreeLibrary | 1 |
| _18DriverStringParser__Parse@FPCcUc | 1 |
| _6DFFile__ct__@FP10Cla_FCBBLK | 1 |
| _6DFFile__Populate@F | 1 |
| _6DynStr__cat@Fi | 1 |
| _6DynStr__cat@Fl | 1 |
| _6DynStr__cat@FPCc | 1 |
| _6DynStr__ct__@F | 1 |
| _6DynStr__dt__@F | 1 |
| _6DynStr__opPc__@F | 1 |
| _8DFOBJECT__DoProperty@FPc | 1 |
| _8DFOBJECT__GetProperty@FPc | 1 |
| _8DFOBJECT__ SetProperty@FPc | 1 |
| _8selement__dt__@F | 1 |
| _9exp_array__append@FR8selement | 1 |
| _9exp_array__ct__@F | 1 |
| _9exp_array__dt__@F | 1 |
| _9exp_array__remove@FUii | 1 |
| _9TraceFile__Message@FPCcUc | 1 |
| _9TraceFile__StartLine@F | 1 |
| _atoi | 1 |
| _clock | 1 |
| _deleteKey@FP11Cla_KEYDESC | 1 |
| _deleteMemo@FP12Cla_MEMODESC | 1 |
| _dl__@FPv | 1 |
| _fnmerge | 1 |
| _nw__@FUi | 1 |
| _striequ | 1 |
| __errno__ | 1 |
| __OsCloseFile | 1 |
| __OsCreateFile | 1 |
| __OsDeleteFile | 1 |
| __OsGetFileLen | 1 |
| __OsOpenFile | 1 |
| __OsReadFile | 1 |
| __OsRenameFile | 1 |
| __OsSeekFile | 1 |
| __OsWriteFile | 1 |
| __setjmp | 1 |
| pcap_setmintocopy | 1 |
| ?OpenUrlDB@@YAHPAD@Z | 1 |
| ?CloseUrlDB@@YAHXZ | 1 |

| | |
|---|---|
| ?CloseDB@@YAHXZ | 1 |
| ?SaveUrlData@@YAHPAUtagUrlStruct@@H | 1 |
| ?SaveData@@YAHPAUtagFlowStruct@@HC | 1 |
| ?ReadData@@YAHPAUtagFlowStruct@@H(| 1 |
| ?OpenDB@@YAHPAD@Z | 1 |
| EsAdrPtr | 1 |
| EsModuleInit | 1 |
| ?ToNumber@NeutralString@CXLib301@@S | 1 |
| ??7iterator@?\$SString_t@G\$00@CXLib301(| 1 |
| ?ToNumber@NeutralString@CXLib301@@S | 1 |
| ?makeWords@SStringHelper@CXLib301@@ | 1 |
| ?FromNumber@NeutralString@CXLib301@(| 1 |
| ??1 AnsiString@CXLib301@@QAE@XZ | 1 |
| ??B?\$SString_t@D\$0A@@CXLib301@@QBF | 1 |
| ??Y?\$SString_t@D\$0A@@CXLib301@@QAE | 1 |
| ??0 AnsiString@CXLib301@@QAE@PBD@Z | 1 |
| ?setAt@?\$SString_t@G\$00@CXLib301@@C | 1 |
| ?getNBytesForOCA@?\$SString_t@G\$00@C> | 1 |
| ?Terminate@SResManager@CXLib301@@S | 1 |
| ?GetCollection@SResManager@CXLib301@ | 1 |
| ?Initialize@SResManager@CXLib301@@SA_ | 1 |
| ?Rfc1766ToLcid@SLocale@CXLib301@@SAk | 1 |
| ?GetEnv@SEnv@CXLib301@@SA?AVSWCh@ | 1 |
| ?right@?\$SString_t@G\$00@CXLib301@@Q | 1 |
| ?compare@?\$SString_t@G\$00@CXLib301@ | 1 |
| ??0?\$SChar_t@G\$00@CXLib301@@QAE@A | 1 |
| ??0 Registry@CXLib301@@QAE@ABVSWCh@ | 1 |
| ?ReadValue@Registry@CXLib301@@QBE?A | 1 |
| ??1 Registry@CXLib301@@UAE@XZ | 1 |
| ?copyFrom@?\$SString_t@G\$00@CXLib301(| 1 |
| ?copyFrom@?\$SString_t@G\$00@CXLib301(| 1 |
| ?FromString@SWCharStringConv@CXLib301 | 1 |
| ?ToNumber@NeutralString@CXLib301@@S | 1 |
| ?ToString@SWCharStringConv@CXLib301@ | 1 |
| ??0 SDate@CXLib301@@QAE@FEE@Z | 1 |
| ?FormatDate@SLocale@CXLib301@@SA?A\ | 1 |
| ?TZ_Local@STimeZone@CXLib301@@SAAB | 1 |
| ??0 STime@CXLib301@@QAE@EEGABVSTii | 1 |
| ?FormatTime@SLocale@CXLib301@@SA?A\ | 1 |
| ?fromMBCS@?\$SString_t@G\$00@CXLib301 | 1 |
| ?toWChar@?\$SString_t@G\$00@CXLib301@ | 1 |
| ?ToString@SWCharStringConv@CXLib301@ | 1 |
| ?ToString@SWCharStringConv@CXLib301@ | 1 |
| ?ToString@SWCharStringConv@CXLib301@ | 1 |
| ??Y iterator@?\$SString_t@G\$00@CXLib301(| 1 |
| ??9?\$SChar_t@G\$00@CXLib301@@QBE_N, | 1 |
| ??1 SWCharStringCI@CXLib301@@QAE@XZ | 1 |

| | |
|--|---|
| ?getAt@?\$SString_t@G\$00@CXLib301@@C | 1 |
| ??0SWCharString@CXLib301@@QAE@PBG(| 1 |
| ??1SWCharString@CXLib301@@QAE@XZ | 1 |
| ??8?\$SString_t@G\$00@CXLib301@@QBE_N | 1 |
| ?deleteChar@?\$SString_t@G\$00@CXLib301 | 1 |
| ?GetWin32Error@CXLib301@@YA?AVSWCh | 1 |
| ?ShouldAssert@CXLib301@@YA_NPBD@Z | 1 |
| ?SAssert@CXLib301@@YAXPBDH0@Z | 1 |
| ??0SResString@CXLib301@@QAE@ABVSW(| 1 |
| ??6SResString@CXLib301@@QAEAAV01@K | 1 |
| ??BSResString@CXLib301@@QBE?AVSWCh: | 1 |
| ??1SResString@CXLib301@@QAE@XZ | 1 |
| ??6SResString@CXLib301@@QAEAAV01@A | 1 |
| ??4SWCharString@CXLib301@@QAEAAV01 | 1 |
| ??0SStrTok@CXLib301@@QAE@PBG0@Z | 1 |
| ?Next@SStrTok@CXLib301@@QAE?AVSWC | 1 |
| ?toUpper@?\$SString_t@G\$00@CXLib301@ | 1 |
| ??1SStrTok@CXLib301@@UAE@XZ | 1 |
| ?findLast@?\$SString_t@G\$00@CXLib301@() | 1 |
| ??Biterator@?\$SString_t@G\$00@CXLib301(| 1 |
| ?getNChars@?\$SString_t@G\$00@CXLib301 | 1 |
| ?getAt@?\$SString_t@G\$00@CXLib301@@C | 1 |
| ?isDigit@?\$SChar_t@G\$00@CXLib301@@Q | 1 |
| ??8?\$SString_t@G\$00@CXLib301@@QBE_N | 1 |
| ?find@?\$SString_t@G\$00@CXLib301@@QE | 1 |
| ?isAtEnd@iterator@?\$SString_t@G\$00@CX | 1 |
| ?left@?\$SString_t@G\$00@CXLib301@@QB | 1 |
| ??0SWCharString@CXLib301@@QAE@ABV(| 1 |
| ?right@?\$SString_t@G\$00@CXLib301@@Q | 1 |
| ??Y?\$SString_t@G\$00@CXLib301@@QAEAA/ | 1 |
| ??H?\$SString_t@G\$00@CXLib301@@QBE?/ | 1 |
| ?ToString@SWCharStringConv@CXLib301@ | 1 |
| ?ToString@SWCharStringConv@CXLib301@ | 1 |
| ?ToString@SWCharStringConv@CXLib301@ | 1 |
| ??0?\$SString_t@G\$00@CXLib301@@QAE@ | 1 |
| ??0SWCharStringCI@CXLib301@@QAE@PB | 1 |
| ?LanguageIdToLCID@SLocale@CXLib301@@ | 1 |
| ??0SWCharString@CXLib301@@QAE@ABV(| 1 |
| ??4SWCharString@CXLib301@@QAEAAV01 | 1 |
| ?compareNoCase@?\$SString_t@G\$00@CXL | 1 |
| ??0?\$SChar_t@G\$00@CXLib301@@QAE@C | 1 |
| ?findFirst@?\$SString_t@G\$00@CXLib301@ | 1 |
| ??0iterator@?\$SString_t@G\$00@CXLib301(| 1 |
| ?CopyString@CXLib301@@YAXPAGIPBG@Z | 1 |
| ?mid@?\$SString_t@G\$00@CXLib301@@QE | 1 |
| ??4SWCharString@CXLib301@@QAEAAV01 | 1 |
| ??1?\$SString_t@G\$00@CXLib301@@QAE@ | 1 |

| | |
|--|---|
| ??Eiterator@?\$SString_t@G\$00@CXLib301@ | 1 |
| ?mid@?\$SString_t@G\$00@CXLib301@@QE | 1 |
| ??Y?\$SString_t@G\$00@CXLib301@@QAEA/ | 1 |
| ??Y?\$SString_t@G\$00@CXLib301@@QAEA/ | 1 |
| ?isEmpty@?\$SString_t@G\$00@CXLib301@() | 1 |
| ??B?\$SString_t@G\$00@CXLib301@@QBEPE | 1 |
| ??4SWCharString@CXLib301@@QAEAAV01 | 1 |
| ?empty@?\$SString_t@G\$00@CXLib301@@ | 1 |
| ??0SWCharString@CXLib301@@QAE@XZ | 1 |
| ?ToString@SWCharStringConv@CXLib301@ | 1 |
| OCILobFileOpen | 1 |
| OCILobFileClose | 1 |
| OCIEnvNlsCreate | 1 |
| OCIServerVersion | 1 |
| OCINlsEnvironmentVariableGet | 1 |
| ?instance@SSOSessionManager@Ocalibsecu | 1 |
| ??Gstd@YA?AV?\$complex@O@0@ABV1C | 1 |
| ShowMessage | 1 |
| DmCommonNtOpenFile | 1 |
| DisplayErrorRgszw | 1 |
| LowNtAddBootEntry | 1 |
| IsPersonalSKU | 1 |
| WOWGlobalFree16 | 1 |
| @Lindata@TIndataSet@IDCode\$qqriii | 1 |
| @Crc32@initialization\$qqrv | 1 |
| @Crc32@Finalization\$qqrv | 1 |
| @Commonyearconst@initialization\$qqrv | 1 |
| @Commonyearconst@Finalization\$qqrv | 1 |
| @Procmisc@StrToFloatDef\$qqrx17System@ | 1 |
| @Jtiengintf@initialization\$qqrv | 1 |
| @Jtiengintf@Finalization\$qqrv | 1 |
| @Engoptc@initialization\$qqrv | 1 |
| @Engoptc@Finalization\$qqrv | 1 |
| @Datatransfer intf@initialization\$qqrv | 1 |
| @Datatransfer intf@Finalization\$qqrv | 1 |
| @Jumptoinput@initialization\$qqrv | 1 |
| @Jumptoinput@Finalization\$qqrv | 1 |
| @Invoicecalcinfoif@initialization\$qqrv | 1 |
| @Invoicecalcinfoif@Finalization\$qqrv | 1 |
| @Sdetailapp@initialization\$qqrv | 1 |
| @Sdetailapp@Finalization\$qqrv | 1 |
| @Printvars@initialization\$qqrv | 1 |
| @Printvars@Finalization\$qqrv | 1 |
| @Printvars@TPrintVariables@GetContainer | 1 |
| @Printvars@TPrintVariables@GetClientNote | 1 |
| @Printvars@TPrintVariables@GetCtrlTDataS | 1 |
| @Printvars@TPrintVariables@GetGridLineC | 1 |

| | |
|---|---|
| @Printvars@TPrintVariables@GetTaxFieldD | 1 |
| @Printvars@TPrintVariables@GetFedSubcli | 1 |
| @Printvars@TPrintVariables@GetClientInfo | 1 |
| @Printvars@TPrintVariables@GetDetailDes | 1 |
| @Printvars@TPrintVariables@GetDetailAmc | 1 |
| @Printvars@TPrintVariables@GetOptionDa1 | 1 |
| @Printvars@TPrintVariables@GetConfigDat | 1 |
| @Printvars@TPrintVariables@StrToBool\$qq | 1 |
| @Printvars@TPrintVariables@PropExists\$qc | 1 |
| @Printvars@TPrintVariables@GetOutDetaill | 1 |
| @Printvars@TPrintVariables@GetOutDetail, | 1 |
| @Printvars@TPrintVariables@GetOutString: | 1 |
| @Printvars@TPrintVariables@GetEFSCount: | 1 |
| @Printvars@TPrintVariables@GetOValue\$q | 1 |
| @Printvars@TPrintVariables@GetOutDataIn | 1 |
| @Container@initialization\$qqrv | 1 |
| @Container@Finalization\$qqrv | 1 |
| @K1dataengintf@initialization\$qqrv | 1 |
| @K1dataengintf@Finalization\$qqrv | 1 |
| @Coestreamobject@initialization\$qqrv | 1 |
| @Coestreamobject@Finalization\$qqrv | 1 |
| @Rttaxcontainer@initialization\$qqrv | 1 |
| @Rttaxcontainer@Finalization\$qqrv | 1 |
| @Request@initialization\$qqrv | 1 |
| @Request@Finalization\$qqrv | 1 |
| @Engglobals@initialization\$qqrv | 1 |
| @Engglobals@Finalization\$qqrv | 1 |
| @Archivemgr@initialization\$qqrv | 1 |
| @Archivemgr@Finalization\$qqrv | 1 |
| @Zip@initialization\$qqrv | 1 |
| @Zip@Finalization\$qqrv | 1 |
| @Abziptyp@initialization\$qqrv | 1 |
| @Abziptyp@Finalization\$qqrv | 1 |
| @Abarctyp@initialization\$qqrv | 1 |
| @Abarctyp@Finalization\$qqrv | 1 |
| @Abutils@initialization\$qqrv | 1 |
| @Abutils@Finalization\$qqrv | 1 |
| @Abexcept@initialization\$qqrv | 1 |
| @Abexcept@Finalization\$qqrv | 1 |
| @Abdfbase@initialization\$qqrv | 1 |
| @Abdfbase@Finalization\$qqrv | 1 |
| @Abdfdec@initialization\$qqrv | 1 |
| @Abdfdec@Finalization\$qqrv | 1 |
| @Abdfstrm@initialization\$qqrv | 1 |
| @Abdfstrm@Finalization\$qqrv | 1 |
| @Abdfinw@initialization\$qqrv | 1 |
| @Abdfinw@Finalization\$qqrv | 1 |

| | |
|---|---|
| @Abdfcrys@initialization\$qqrv | 1 |
| @Abdfcrys@Finalization\$qqrv | 1 |
| @Abdfoutw@initialization\$qqrv | 1 |
| @Abdfoutw@Finalization\$qqrv | 1 |
| @Abdfenc@initialization\$qqrv | 1 |
| @Abdfenc@Finalization\$qqrv | 1 |
| @Abdfpkmg@initialization\$qqrv | 1 |
| @Abdfpkmg@Finalization\$qqrv | 1 |
| @Abspanst@initialization\$qqrv | 1 |
| @Abspanst@Finalization\$qqrv | 1 |
| @Abvmstrm@initialization\$qqrv | 1 |
| @Abvmstrm@Finalization\$qqrv | 1 |
| @Abunzprc@initialization\$qqrv | 1 |
| @Abunzprc@Finalization\$qqrv | 1 |
| @Abzipcry@initialization\$qqrv | 1 |
| @Abzipcry@Finalization\$qqrv | 1 |
| @Abswstm@initialization\$qqrv | 1 |
| @Abswstm@Finalization\$qqrv | 1 |
| @Abbitbkt@initialization\$qqrv | 1 |
| @Abbitbkt@Finalization\$qqrv | 1 |
| @Abzipprc@initialization\$qqrv | 1 |
| @Abzipprc@Finalization\$qqrv | 1 |
| @Objectmanager@initialization\$qqrv | 1 |
| @Objectmanager@Finalization\$qqrv | 1 |
| @Parchldlookup@initialization\$qqrv | 1 |
| @Parchldlookup@Finalization\$qqrv | 1 |
| @Formrefcount@initialization\$qqrv | 1 |
| @Formrefcount@Finalization\$qqrv | 1 |
| @Lfrmload@initialization\$qqrv | 1 |
| @Lfrmload@Finalization\$qqrv | 1 |
| @Lscpack@initialization\$qqrv | 1 |
| @Lscpack@Finalization\$qqrv | 1 |
| @Flist@initialization\$qqrv | 1 |
| @Flist@Finalization\$qqrv | 1 |
| @Pack@initialization\$qqrv | 1 |
| @Pack@Finalization\$qqrv | 1 |
| @Pack_asm@initialization\$qqrv | 1 |
| @Pack_asm@Finalization\$qqrv | 1 |
| @Engineerror@initialization\$qqrv | 1 |
| @Engineerror@Finalization\$qqrv | 1 |
| @Gtiarchivemanager@initialization\$qqrv | 1 |
| @Gtiarchivemanager@Finalization\$qqrv | 1 |
| @Streamcache@initialization\$qqrv | 1 |
| @Streamcache@Finalization\$qqrv | 1 |
| @Containercache@initialization\$qqrv | 1 |
| @Containercache@Finalization\$qqrv | 1 |
| @Proformaoptionsintf@initialization\$qqrv | 1 |

| | |
|--|---|
| @Proformaoptionsintf@Finalization\$qqrv | 1 |
| @Taxappengglobalsintf@initialization\$qqrv | 1 |
| @Taxappengglobalsintf@Finalization\$qqrv | 1 |
| @Halconst@initialization\$qqrv | 1 |
| @Halconst@Finalization\$qqrv | 1 |
| @Binvprn@initialization\$qqrv | 1 |
| @Binvprn@Finalization\$qqrv | 1 |
| @Applicablelist@initialization\$qqrv | 1 |
| @Applicablelist@Finalization\$qqrv | 1 |
| @Aliasing@initialization\$qqrv | 1 |
| @Aliasing@Finalization\$qqrv | 1 |
| @Aliasmanager@initialization\$qqrv | 1 |
| @Aliasmanager@Finalization\$qqrv | 1 |
| @Multitotalstorage@initialization\$qqrv | 1 |
| @Multitotalstorage@Finalization\$qqrv | 1 |
| @Partialmenu@initialization\$qqrv | 1 |
| @Partialmenu@Finalization\$qqrv | 1 |
| @Custpartialmenu@initialization\$qqrv | 1 |
| @Custpartialmenu@Finalization\$qqrv | 1 |
| @Dadescxtractor@initialization\$qqrv | 1 |
| @Dadescxtractor@Finalization\$qqrv | 1 |
| @Rtdataaccess@initialization\$qqrv | 1 |
| @Rtdataaccess@Finalization\$qqrv | 1 |
| @Desclist@initialization\$qqrv | 1 |
| @Desclist@Finalization\$qqrv | 1 |
| @Clientset@initialization\$qqrv | 1 |
| @Clientset@Finalization\$qqrv | 1 |
| @Outputreq@initialization\$qqrv | 1 |
| @Outputreq@Finalization\$qqrv | 1 |
| @Pordermgr@initialization\$qqrv | 1 |
| @Pordermgr@Finalization\$qqrv | 1 |
| @Ordertype@initialization\$qqrv | 1 |
| @Ordertype@Finalization\$qqrv | 1 |
| @Ordertypelookup@initialization\$qqrv | 1 |
| @Ordertypelookup@Finalization\$qqrv | 1 |
| @Rtnopmgr@initialization\$qqrv | 1 |
| @Rtnopmgr@Finalization\$qqrv | 1 |
| @Efhalffile@initialization\$qqrv | 1 |
| @Efhalffile@Finalization\$qqrv | 1 |
| @Seqlist@initialization\$qqrv | 1 |
| @Seqlist@Finalization\$qqrv | 1 |
| @Efpagelist@initialization\$qqrv | 1 |
| @Efpagelist@Finalization\$qqrv | 1 |
| @Efrecordtypes@initialization\$qqrv | 1 |
| @Efrecordtypes@Finalization\$qqrv | 1 |
| @Genericxml@initialization\$qqrv | 1 |
| @Genericxml@Finalization\$qqrv | 1 |

| | |
|--|---|
| @Cleanefxml@initialization\$qqrv | 1 |
| @Cleanefxml@Finalization\$qqrv | 1 |
| @Efdatafoldinginfo@initialization\$qqrv | 1 |
| @Efdatafoldinginfo@Finalization\$qqrv | 1 |
| @Efprocessingutils@initialization\$qqrv | 1 |
| @Efprocessingutils@Finalization\$qqrv | 1 |
| @Page@initialization\$qqrv | 1 |
| @Page@Finalization\$qqrv | 1 |
| @Gtiintf@initialization\$qqrv | 1 |
| @Gtiintf@Finalization\$qqrv | 1 |
| @Lpage@initialization\$qqrv | 1 |
| @Lpage@Finalization\$qqrv | 1 |
| @Barcode@initialization\$qqrv | 1 |
| @Barcode@Finalization\$qqrv | 1 |
| @Efiledata@initialization\$qqrv | 1 |
| @Efiledata@Finalization\$qqrv | 1 |
| @Rtprefixlist@initialization\$qqrv | 1 |
| @Rtprefixlist@Finalization\$qqrv | 1 |
| @Rtdataaccesslib@initialization\$qqrv | 1 |
| @Rtdataaccesslib@Finalization\$qqrv | 1 |
| @Modlist@initialization\$qqrv | 1 |
| @Modlist@Finalization\$qqrv | 1 |
| @Exprreg@initialization\$qqrv | 1 |
| @Exprreg@Finalization\$qqrv | 1 |
| @Exprreg@RegisterExpression\$qqrusuiuipv | 1 |
| @Prefixer@initialization\$qqrv | 1 |
| @Prefixer@Finalization\$qqrv | 1 |
| @Twodbarcode@initialization\$qqrv | 1 |
| @Twodbarcode@Finalization\$qqrv | 1 |
| @Bmp2gti@initialization\$qqrv | 1 |
| @Bmp2gti@Finalization\$qqrv | 1 |
| @Taxpdf@initialization\$qqrv | 1 |
| @Taxpdf@Finalization\$qqrv | 1 |
| @Debug2dintf@initialization\$qqrv | 1 |
| @Debug2dintf@Finalization\$qqrv | 1 |
| @Rtaddcopies@initialization\$qqrv | 1 |
| @Rtaddcopies@Finalization\$qqrv | 1 |
| @Containerinit@initialization\$qqrv | 1 |
| @Containerinit@Finalization\$qqrv | 1 |
| @Haloutputdebug@initialization\$qqrv | 1 |
| @Haloutputdebug@Finalization\$qqrv | 1 |
| @Engtaxfield@initialization\$qqrv | 1 |
| @Engtaxfield@Finalization\$qqrv | 1 |
| @Jumptoinp@initialization\$qqrv | 1 |
| @Jumptoinp@Finalization\$qqrv | 1 |
| @Gridmanager@initialization\$qqrv | 1 |
| @Gridmanager@Finalization\$qqrv | 1 |

| | |
|---|---|
| @Visiblelist@initialization\$qqrv | 1 |
| @Visiblelist@Finalization\$qqrv | 1 |
| @Porderflowmgr@initialization\$qqrv | 1 |
| @Porderflowmgr@Finalization\$qqrv | 1 |
| @Gridmgrlist@initialization\$qqrv | 1 |
| @Gridmgrlist@Finalization\$qqrv | 1 |
| @Intflookup@initialization\$qqrv | 1 |
| @Intflookup@Finalization\$qqrv | 1 |
| @Enggrid@initialization\$qqrv | 1 |
| @Enggrid@Finalization\$qqrv | 1 |
| @Modreg@initialization\$qqrv | 1 |
| @Modreg@Finalization\$qqrv | 1 |
| @Modifiers@initialization\$qqrv | 1 |
| @Modifiers@Finalization\$qqrv | 1 |
| @Rtblocks@initialization\$qqrv | 1 |
| @Rtblocks@Finalization\$qqrv | 1 |
| @Taxfieldcontainer@initialization\$qqrv | 1 |
| @Taxfieldcontainer@Finalization\$qqrv | 1 |
| @Halstream@initialization\$qqrv | 1 |
| @Halstream@Finalization\$qqrv | 1 |
| @Xgridstorage@initialization\$qqrv | 1 |
| @Xgridstorage@Finalization\$qqrv | 1 |
| @Custompaster@initialization\$qqrv | 1 |
| @Custompaster@Finalization\$qqrv | 1 |
| @Rtimepageidlookup@initialization\$qqrv | 1 |
| @Rtimepageidlookup@Finalization\$qqrv | 1 |
| @Overflowinfo@initialization\$qqrv | 1 |
| @Overflowinfo@Finalization\$qqrv | 1 |
| @Rsrcgridtaxfield@initialization\$qqrv | 1 |
| @Rsrcgridtaxfield@Finalization\$qqrv | 1 |
| @Document@initialization\$qqrv | 1 |
| @Document@Finalization\$qqrv | 1 |
| @Descmenu@initialization\$qqrv | 1 |
| @Descmenu@Finalization\$qqrv | 1 |
| @Formatter@initialization\$qqrv | 1 |
| @Formatter@Finalization\$qqrv | 1 |
| @Paster@initialization\$qqrv | 1 |
| @Paster@Finalization\$qqrv | 1 |
| @Twodpaster@initialization\$qqrv | 1 |
| @Twodpaster@Finalization\$qqrv | 1 |
| @Barcodeflow@initialization\$qqrv | 1 |
| @Barcodeflow@Finalization\$qqrv | 1 |
| @Productidreader@initialization\$qqrv | 1 |
| @Productidreader@Finalization\$qqrv | 1 |
| @Softwareiddefintf@initialization\$qqrv | 1 |
| @Softwareiddefintf@Finalization\$qqrv | 1 |
| @Rtreg@initialization\$qqrv | 1 |

| | |
|--|---|
| @Rtreg@Finalization\$qqrv | 1 |
| @Efpiggyfinishprocessor@initialization\$qqrv | 1 |
| @Efpiggyfinishprocessor@Finalization\$qqrv | 1 |
| @Lcletter@initialization\$qqrv | 1 |
| @Lcletter@Finalization\$qqrv | 1 |
| @Eval@initialization\$qqrv | 1 |
| @Eval@Finalization\$qqrv | 1 |
| @Bsrcvals@initialization\$qqrv | 1 |
| @Bsrcvals@Finalization\$qqrv | 1 |
| @Cltrxmlintf@initialization\$qqrv | 1 |
| @Cltrxmlintf@Finalization\$qqrv | 1 |
| _KPBAuthDestroyPreferenceObject@4 | 1 |
| _KPBAuthSetPreferenceDWORD@12 | 1 |
| _KPBAuthSystemEvent@4 | 1 |
| _KPBAuthSetPreferenceSTR@16 | 1 |
| _KPBAuthCreatePreferenceObject@4 | 1 |
| aclogLogBin | 1 |
| aclogLog | 1 |
| aclogTrace | 1 |
| asyn_dns_cancel | 1 |
| asyn_dns_commit | 1 |
| ?empty@locale@std@@SA?AV12@XZ | 1 |
| jgRegisterFS | 1 |
| arkSyncDownload | 1 |
| arkFreeHttp | 1 |
| arkFSCreateFile | 1 |
| arkFSOpen | 1 |
| arkFSGetFilePosition | 1 |
| arkFSWriteFile | 1 |
| arkFSIsFileEof | 1 |
| arkFSSeekFile | 1 |
| arkFSReadFile | 1 |
| arkFSCloseFile | 1 |
| S3Dsp_Finalize | 1 |
| S3Dsp_Initialize | 1 |
| S3Dsp_SetDevState | 1 |
| FDP_Initialize | 1 |
| FDP_Uninitialize | 1 |
| FDPFree | 1 |
| FDP_RemoveGroundwork | 1 |
| FDP_ShadeOff | 1 |
| FDP_Sharpeness | 1 |
| FDP_AdjustImage | 1 |
| FDP_RemoveDust | 1 |
| FDP_ManualFaceSharpness | 1 |
| FDP_AutoFaceSharpness | 1 |
| FDP_AutoImageFix09NoRedEye | 1 |

| | |
|---|---|
| FDP_AutoImageFix09 | 1 |
| FDP_ManualSmartSkin | 1 |
| FDP_AutoSmartSkin | 1 |
| FDP_DetectFacePosition | 1 |
| FDP_ManualCorrectRedEyeRect | 1 |
| FDP_AutoCorrectRedEye | 1 |
| FDP_ManualCorrectBacklight | 1 |
| FDP_AutoCorrectBacklight | 1 |
| FDP_SetBitmap | 1 |
| CancelIoEx | 1 |
| SetupGetInfDriverStoreLocationW | 1 |
| AttachVirtualDisk | 1 |
| CompactVirtualDisk | 1 |
| GetVirtualDiskPhysicalPath | 1 |
| OpenVirtualDisk | 1 |
| DetachVirtualDisk | 1 |
| GetVirtualDiskOperationProgress | 1 |
| GetVirtualDiskInformation | 1 |
| ?find_first_of@?\$basic_string @_WU?\$char_ | 1 |
| XDBEOF | 1 |
| XDBMOVEFIRST | 1 |
| XDBMOVENEXT | 1 |
| XDBFIELDVALUE | 1 |
| XDBCCREATEINDEX | 1 |
| XDBCLOSEINDEX | 1 |
| ?myExportOCRData@@YAHPAVCString@@(| 1 |
| AddImage | 1 |
| xvid_plugin_single | 1 |
| xvid_plugin_2pass2 | 1 |
| xvid_plugin_2pass1 | 1 |
| xvid_plugin_lumimasking | 1 |
| xvid_plugin_dump | 1 |
| xvid_plugin_ssim | 1 |
| xvid_plugin_psnrhvsm | 1 |
| xvid_global | 1 |
| QHTM_GetHTMLHeight | 1 |
| GetProcAddress | 1 |
| KeTickCount | 1 |
| ?ExecuteSQL@CIIdntQuery@@QAEXVCString_ | 1 |
| ??0CIIdntQuery@@QAE@XZ | 1 |
| ??0CSQLVersion@@QAE@PAVCDatabase@ | 1 |
| ??0CDatasetList@@QAE@PAVCDatabase@() | 1 |
| ??0CDBExists@@QAE@PAVCDatabase@@@C | 1 |
| ??0CPicSet@@QAE@PAVCDatabase@@@Z | 1 |
| ??0CColDefSet@@QAE@PAVCDatabase@@ | 1 |
| ?GetRuntimeClass@CUpdateSet@@UBEPAL | 1 |
| ?BindParameters@CUpdateSet@@UAEXPAT | 1 |

| | |
|--|---|
| ?GetRuntimeClass@CDateQuery@@UBEPAL | 1 |
| ?OnSetOptions@CDateQuery@@UAEXPAX@ | 1 |
| ?BindParameters@CDateQuery@@UAEXPX@ | 1 |
| ?GetRuntimeClass@CDeciQuery@@UBEPAL | 1 |
| ?OnSetOptions@CDeciQuery@@UAEXPAX@ | 1 |
| ?BindParameters@CDeciQuery@@UAEXPX@ | 1 |
| ?GetRuntimeClass@CStrnQuery@@UBEPAL | 1 |
| ?OnSetOptions@CStrnQuery@@UAEXPAX@ | 1 |
| ?BindParameters@CStrnQuery@@UAEXPX@ | 1 |
| ?GetRuntimeClass@CBoolQuery@@UBEPAL | 1 |
| ?OnSetOptions@CBoolQuery@@UAEXPAX@ | 1 |
| ?BindParameters@CBoolQuery@@UAEXPX@ | 1 |
| ??0CUniSet@@QAE@PAVCDatabase@@@Z | 1 |
| ??0CUniOptsSet@@QAE@PAVCDatabase@i | 1 |
| ??0CCarHlp@@QAE@PAVCDatabase@@@Z | 1 |
| ??0CBulkList@@QAE@PAVCDatabase@@@Z | 1 |
| ?SetFindPars@CTemelView@@QAEXH@Z | 1 |
| ?AddEscMenu@CTemelView@@QAEXIVCSt | 1 |
| ?BindColumns@CEditGrid@@QAEHPAVCStr | 1 |
| ?ErrorBoxPar@CGridView@@QAEXIIVCStrin | 1 |
| ?SetCell@CGridView@@QAEXVCString@@(| 1 |
| ?SetGrdTit@CGridView@@QAEXI@Z | 1 |
| ?SetStrBox@CGridView@@QAEXHH@Z | 1 |
| ?ModBoxCritical@CGridView@@QAEXH@Z | 1 |
| ?SetColWidth@CGridView@@QAEXHHH@Z | 1 |
| ?AddMaxRows@CGridView@@QAEXXZ | 1 |
| ?CheckVersionInfo@CTemelView@@QAEHF | 1 |
| ?InitializeView@CGridView@@QAEXPAPCR | 1 |
| ?DoDataExchange@CGridView@@MAEXPAPC | 1 |
| ??1CGridView@@MAE@XZ | 1 |
| ??0CGridView@@IAE@XZ | 1 |
| ?OnCmdMsg@CGridView@@UAEHIHPAXPA | 1 |
| ?OnActivateView@CGridView@@MAEXHPA | 1 |
| ?OnDraw@CGridView@@MAEXPAPAVCDC@C | 1 |
| ?FillFilterValue@CGridView@@UAE?AVCStr | 1 |
| ?FillFilterListBox@CGridView@@UAEXHPAV | 1 |
| ?AdjustFocus@CGridView@@UAEXH@Z | 1 |
| ?AdjustView@CGridView@@UAEXVCRect@ | 1 |
| ?AdjustDlgView@CTemelView@@UAEXPAPC | 1 |
| ?DestroyPopBoxes@CGridView@@UAEXXZ | 1 |
| ?DlgDetailButton@CTemelView@@UAEXH@C | 1 |
| ?DlgTests@CGridView@@UAEHHH@Z | 1 |
| ?OnFilePrintPreview@CGridView@@IAEXXZ | 1 |
| ?OnFilePrint@CGridView@@IAEXXZ | 1 |
| ?OnUpdateFilePrintPdf@CGridView@@IAEY | 1 |
| ?OnUpdateEDIExc@CTemelView@@IAEXPAPC | 1 |
| ?OnUpdateEDIImp@CTemelView@@IAEXPAPC | 1 |

| | |
|--------------------------------------|---|
| ?OnUpdateEDI@CTemelView@@IAEXPAC(| 1 |
| ?OnEDIExpToExcl@CTemelView@@IAEXXZ | 1 |
| ?OnEDIImport@CTemelView@@IAEXXZ | 1 |
| ?OnEDIExport@CTemelView@@IAEXXZ | 1 |
| ?OnEDIFormats@CTemelView@@IAEXXZ | 1 |
| ?OnUpdatePopupMenu@CGridView@@IAI | 1 |
| ?OnUpdateEditPaste@CGridView@@IAEXP/ | 1 |
| ?OnUpdateEditCopy@CGridView@@IAEXP/ | 1 |
| ?OnUpdateChangeFont@CGridView@@IAE\ | 1 |
| ?OnUpdateButtonCmbUp@CGridView@@IA/ | 1 |
| ?OnUpdateButtonCmbDwn@CGridView@@ | 1 |
| ?OnUpdateButtonCmbPop@CGridView@@ | 1 |
| ?OnUpdateButtonUndo@CGridView@@IAE) | 1 |
| ?OnUpdateButtonCancel@CGridView@@IAI | 1 |
| ?OnUpdateButtonOK@CGridView@@IAEXP/ | 1 |
| ?OnUpdateRecordFind@CGridView@@IAEX | 1 |
| ?OnUpdateRecordIns@CGridView@@IAEXP | 1 |
| ?OnUpdateRecordLoad@CGridView@@IAE) | 1 |
| ?OnUpdateRecordLstpg@CGridView@@IAE: | 1 |
| ?OnUpdateRecordNxtpg@CGridView@@IAE | 1 |
| ?OnUpdateRecordPlusOne@CGridView@@I | 1 |
| ?OnUpdateRecordMinusOne@CGridView@() | 1 |
| ?OnUpdateRecordPrvpg@CGridView@@IAE | 1 |
| ?OnUpdateRecordFrspg@CGridView@@IAE | 1 |
| ?OnMouseWheel@CGridView@@IAEHIFVCI | 1 |
| ?OnEraseBkgnd@CTemelView@@IAEHPAV(| 1 |
| ?OnVScroll@CGridView@@IAEXIIPAVCSrol | 1 |
| ?OnHScroll@CGridView@@IAEXIIPAVCSrol | 1 |
| ?OnSize@CGridView@@IAEXIHH@Z | 1 |
| ?OnMove@CGridView@@IAEXHH@Z | 1 |
| ?OnSetFocus@CGridView@@IAEXPACWnc | 1 |
| ?OnMouseMove@CGridView@@IAEXIVCPo | 1 |
| ?OnDestroy@CGridView@@IAEXXZ | 1 |
| ?OnEditPaste@CGridView@@IAEXXZ | 1 |
| ?OnEditCopy@CGridView@@IAEXXZ | 1 |
| ?OnEditTCopy@CGridView@@IAEXXZ | 1 |
| ?OnButtonCmbUp@CGridView@@IAEXXZ | 1 |
| ?OnButtonCmbDwn@CGridView@@IAEXXZ | 1 |
| ?OnButtonCmbPop@CGridView@@IAEXXZ | 1 |
| ?OnButtonUndo@CGridView@@IAEXXZ | 1 |
| ?OnButtonCancel@CGridView@@IAEXXZ | 1 |
| ?OnButtonOK@CGridView@@IAEXXZ | 1 |
| ?OnRecordFind@CGridView@@IAEXXZ | 1 |
| ?OnRecordIns@CGridView@@IAEXXZ | 1 |
| ?OnChangeFont@CGridView@@IAEXXZ | 1 |
| ?OnRecordLoad@CGridView@@IAEXXZ | 1 |
| ?OnRecordLstpg@CGridView@@IAEXXZ | 1 |

| | |
|--------------------------------------|---|
| ?OnRecordNxtPg@CGridView@@IAEXXZ | 1 |
| ?OnRecordPlusOne@CGridView@@IAEXXZ | 1 |
| ?OnRecordMinusOne@CGridView@@IAEXX | 1 |
| ?OnRecordPrvPg@CGridView@@IAEXXZ | 1 |
| ?OnRecordFrspg@CGridView@@IAEXXZ | 1 |
| ?OnPositionCheck@CGridView@@IAEJIJ@Z | 1 |
| ?OnShowUserInfo@CGridView@@IAEJIJ@Z | 1 |
| ?OnHideUserInfo@CGridView@@IAEJIJ@Z | 1 |
| ?OnCanCloseView@CGridView@@IAEJIJ@Z | 1 |
| ?OnAdjustFocus@CGridView@@IAEJIJ@Z | 1 |
| ?OnIdleTime@CTemelView@@IAEJIJ@Z | 1 |
| ??0CGrdDialog@@QAE@PAVCWnd@@@Z | 1 |
| ??0CLsBxDlg@@QAE@PAVCWnd@@@Z | 1 |
| ??0CDatDlg@@QAE@PAVCWnd@@@Z | 1 |
| ??0CBakiyeSet@@QAE@PAVCDatabase@@ | 1 |
| ??0CCrhExport@@QAE@PAVCDatabase@@ | 1 |
| ??1CDlgGrid@@UAE@XZ | 1 |
| ??0CMiktDlg@@QAE@PAVCWnd@@@Z | 1 |
| ??0CTutrDlg@@QAE@PAVCWnd@@@Z | 1 |
| ??0CFatNamSel@@QAE@PAVCDatabase@() | 1 |
| ??0CFatNamDet@@QAE@PAVCDatabase@ | 1 |
| ??0CNameDlg@@QAE@PAVCWnd@@@Z | 1 |
| ??0CBoxDialog@@QAE@PAVCWnd@@@Z | 1 |
| ??0CMultiRecordset@@QAE@PAVCDatabase | 1 |
| ??0CEvrlentVar@@QAE@PAVCDatabase@ | 1 |
| ??0CBulkDetailset@@QAE@PAVCDatabase(| 1 |
| ??0CGridSet@@QAE@PAVCDatabase@@@ | 1 |
| ??0CKullLmtSet@@QAE@PAVCDatabase@@ | 1 |
| ??1CEdiListBox@@UAE@XZ | 1 |
| ??0CIEFMTDlg@@QAE@PAVCWnd@@@Z | 1 |
| ??1CEdiFileFormat@@UAE@XZ | 1 |
| ??1CImportExportFile@@UAE@XZ | 1 |
| ??0CEDIFrmtDlg@@QAE@PAVCWnd@@@Z | 1 |
| ??1CEdiSimpleMAPI@@QAE@XZ | 1 |
| ??1CEdiThread@@UAE@XZ | 1 |
| ??0CIERunDlg@@QAE@PAVCWnd@@@Z | 1 |
| ?FillPopupMenu@CTemelView@@QAEXPACI | 1 |
| ?OnEscMenu@CTemelView@@QAEIX@Z | 1 |
| ?FillEscMenu@CTemelView@@QAEXPACI | 1 |
| ?OnTimer@CTemelView@@IAEXI@Z | 1 |
| ?AddIdent@CGridView@@MAEXPACIImpl | 1 |
| ?ExternalEdit@CGridView@@UAEXH@Z | 1 |
| ?CanDeleteCode@CGridView@@UAEHHVC! | 1 |
| ?CanInsertLine@CGridView@@UAEHXZ | 1 |
| ?CanModifyCode@CGridView@@UAEHHVC | 1 |
| ?GetExtraInfo@CGridView@@UAE?AVCStri | 1 |
| ?GetCurIdent@CGridView@@UAEJXZ | 1 |

| | |
|--|---|
| ?GetCurrentKey@CGridView@@UAE?AVCS1 | 1 |
| ?GetFilterList@CGridView@@UAEPAUFIList | 1 |
| ?GetFindKey@CGridView@@UAEHAAVCString | 1 |
| ?EndModData@CGridView@@UAEHXZ | 1 |
| ?EndInsData@CGridView@@UAEHXZ | 1 |
| ?CustomCommand@CTemelView@@UAEXI | 1 |
| ?AdjustToolBar@CGridView@@UAEXXZ | 1 |
| ?BeSilent@CTemelView@@UAEXH@Z | 1 |
| ?ReLoadAll@CGridView@@UAEXXZ | 1 |
| ?LoadRecords@CTemelView@@UAEXH@Z | 1 |
| ?CanLoadRecords@CTemelView@@UAEHXZ | 1 |
| ?UpdatePopupMenu@CTemelView@@UAEXXZ | 1 |
| ?PopupMenuSel@CTemelView@@UAEXI@Z | 1 |
| ?CanFilter@CGridView@@UAEHXZ | 1 |
| ?BeforeUndoEdit@CTemelView@@UAEXXZ | 1 |
| ?ErrorBoxSql@CGridView@@UAEXVCString | 1 |
| ?IdleProcess@CTemelView@@UAEXXZ | 1 |
| ?IEHasCSNo@CTemelView@@UAEHXZ | 1 |
| ?IEHasMuhFis@CTemelView@@UAEHXZ | 1 |
| ?IEHasRefNo@CTemelView@@UAEHXZ | 1 |
| ?DoFilter@CGridView@@MAEXXZ | 1 |
| ?ProcessLine@CTemelView@@UAEHPAVCIt | 1 |
| ?ProcessMain@CGridView@@MAEHPAVCIt | 1 |
| ?GetFromClause@CTemelView@@UAE?AVC | 1 |
| ?EnableEDI@CGridView@@MAEH@Z | 1 |
| ?GetCalcFldStr@CTemelView@@UAE?AVCS | 1 |
| ?GetCurlEFileVers@CTemelView@@UAEHX | 1 |
| ?DoImport@CGridView@@MAEXPAClmpc | 1 |
| ?DoExport@CGridView@@MAEXPAClmpo | 1 |
| ?GetExportInfo@CTemelView@@UAEXPAVC | 1 |
| ?GetIEList@CTemelView@@UAEPAUFieldSt | 1 |
| ?InitDesign@CTemelView@@UAEXXZ | 1 |
| ?ShowPane@CTemelView@@UAEXHH@Z | 1 |
| ?ClearPane@CTemelView@@UAEXH@Z | 1 |
| ?RClickStatus@CTemelView@@UAEXVCPoint | 1 |
| ?WhosePop@CTemelView@@UAEHXZ | 1 |
| ?TextBoxSql@CTemelView@@UAEHVCString | 1 |
| ?TextBoxPar@CTemelView@@UAEHIIVCString | 1 |
| ?TextBoxPar@CTemelView@@UAEHIIVCString | 1 |
| ?TextBox@CTemelView@@UAEHIIH@Z | 1 |
| ?TestJumpFocus@CGridView@@UAEHHH@Z | 1 |
| ?ShowListBox@CGridView@@UAEXPACEd | 1 |
| ?ShowDateBox@CGridView@@UAEXPACED | 1 |
| ?ShowButton@CGridView@@UAEXPACED | 1 |
| ?SetHelpInfo@CTemelView@@UAEHHHVCS | 1 |
| ?SelChangeList@CGridView@@UAEXXZ | 1 |
| ?SelChangeIndx@CGridView@@UAEXXZ | 1 |

| | |
|---------------------------------------|---|
| ?SelChangeDate@CGridView@@UAEXXZ | 1 |
| ?RunPopDialog@CGridView@@UAEXPACCE | 1 |
| ?RunMikLotDialog@CGridView@@UAEXPAL | 1 |
| ?RestoreValues@CGridView@@UAEXXZ | 1 |
| ?PositionList@CGridView@@UAEXPACCEdit | 1 |
| ?PositionCheck@CGridView@@UAEXPACF | 1 |
| ?LightDialog@CGridView@@UAEXHH@Z | 1 |
| ?KillDialog@CGridView@@UAEXXZ | 1 |
| ?InitializePopDialog@CGridView@@UAEXH | 1 |
| ?InitAllDlgSets@CGridView@@UAEXXZ | 1 |
| ?HideListBox@CGridView@@UAEXXZ | 1 |
| ?HideDateBox@CGridView@@UAEXXZ | 1 |
| ?HideButton@CGridView@@UAEXPACCEdit | 1 |
| ?GetGridData@CGridView@@UAE?AVCStrir | 1 |
| ?FinPopDialog@CGridView@@UAEXHI@Z | 1 |
| ?FillUserListTit@CGridView@@UAEXHPAVC | 1 |
| ?FillUserListNdx@CGridView@@UAEXHPAV | 1 |
| ?FillUserList@CGridView@@UAEXHPAVCED | 1 |
| ??OCFrmFatBdnSel@@QAE@PAVCDatabase | 1 |
| ??OCCarBakiyeSet@@QAE@PAVCDatabase@ | 1 |
| ??OCFisDovizler@@QAE@PAVCDatabase@() | 1 |
| ??OCUKKdvler@@QAE@PAVCDatabase@@ | 1 |
| ??OCFrmRafSet@@QAE@PAVCDatabase@() | 1 |
| ??OCRenkMetrajSet@@QAE@PAVCDatabas | 1 |
| ??OCSthKdvler@@QAE@PAVCDatabase@@ | 1 |
| ??OCFrmFatBdnDet@@QAE@PAVCDatabase | 1 |
| ??OCSthDovizler@@QAE@PAVCDatabase@() | 1 |
| ??OCFrmFatBeden@@QAE@PAVCDatabase@ | 1 |
| ??OCEvrAkibet@@QAE@PAVCDatabase@@ | 1 |
| ??OCommonSet@@QAE@PAVCDatabase@ | 1 |
| ??1CComboCtrl@@UAE@XZ | 1 |
| ??1CMYListBox@@UAE@XZ | 1 |
| ??1CVisual@@UAE@XZ | 1 |
| ??OCOptsDlg@@QAE@PAVCWnd@@@Z | 1 |
| ?GetRuntimeClass@CMSFlexGrid@@UBEPA | 1 |
| ??OCHelper@@QAE@PAVCWnd@@@Z | 1 |
| ??1CExportToExcel@@UAE@XZ | 1 |
| ??0CPrxLangSet@@QAE@PAVCDatabase@() | 1 |
| ?GetRuntimeClass@CImvb@@UBEPAUCRur | 1 |
| ??1CTimTrc@@UAE@XZ | 1 |
| ?BindStr@@YAHPAVCString@@FV1@@Z | 1 |
| ?BindNum@@YAHPAVCString@@FJ@Z | 1 |
| ?SetBindCount@@YAXPAVCString@@F@Z | 1 |
| ?BindBit@@YAHPAVCString@@FH@Z | 1 |
| ?MapBtnPrmt@@YAXPAVCWnd@@II@Z | 1 |
| ?MapWinTitl@@YAXPAVCWnd@@I@Z | 1 |
| ??0CPrxLangList@@QAE@PAVCDatabase@ | 1 |

| | |
|------------------------------------|---|
| ?createChannelGroup@System@FMOD@@ | 1 |
| ?createSound@System@FMOD@@QAG?AV | 1 |
| ?createStream@System@FMOD@@QAG?A` | 1 |
| ?getFrequency@Channel@FMOD@@QAG?/ | 1 |
| ?getVolume@Channel@FMOD@@QAG?AW | 1 |
| ?init@System@FMOD@@QAG?AW4FMOD_ | 1 |
| ?overridePaused@ChannelGroup@FMOD@ | 1 |
| ?playSound@System@FMOD@@QAG?AW4 | 1 |
| ?release@Sound@FMOD@@QAG?AW4FMC | 1 |
| ?release@System@FMOD@@QAG?AW4FM | 1 |
| ?setChannelGroup@Channel@FMOD@@Q/ | 1 |
| ?setFileSystem@System@FMOD@@QAG?A | 1 |
| ?setFrequency@Channel@FMOD@@QAG?A | 1 |
| ?setLoopCount@Channel@FMOD@@QAG?. | 1 |
| ?setPaused@Channel@FMOD@@QAG?AW | 1 |
| ?setPriority@Channel@FMOD@@QAG?AW | 1 |
| ?setVolume@Channel@FMOD@@QAG?AW | 1 |
| ?setVolume@ChannelGroup@FMOD@@QA | 1 |
| ?stop@Channel@FMOD@@QAG?AW4FMO | 1 |
| FMOD_Memory_GetStats | 1 |
| FMOD_System_Create | 1 |
| PHYSFS_addToSearchPath | 1 |
| PHYSFS_close | 1 |
| PHYSFS_deinit | 1 |
| PHYSFS_exists | 1 |
| PHYSFS_fileLength | 1 |
| PHYSFS_getLastError | 1 |
| PHYSFS_init | 1 |
| PHYSFS_openRead | 1 |
| PHYSFS_read | 1 |
| PHYSFS_seek | 1 |
| PHYSFS_tell | 1 |
| ??0QBitArray@@QAE@ABV0@@Z | 1 |
| ??0QBitArray@@QAE@XZ | 1 |
| ??0QIODevice@@QAE@XZ | 1 |
| ??0QString@@QAE@ABUNull@0@@Z | 1 |
| ??0QTextStream@@QAE@XZ | 1 |
| ??1QChildEvent@@UAE@XZ | 1 |
| ??4QBitRef@@QAEAAV0 @_N@Z | 1 |
| ??4QString@@QAEAAV0@ABUNull@0@@Z | 1 |
| ??6QTextStream@@QAEAAV0@M@Z | 1 |
| ??AQBitArray@@QAE?AVQBitRef@@H@Z | 1 |
| ??AQString@@QBE?BVQChar@@H@Z | 1 |
| ??BQBitRef@@QBE_NXZ | 1 |
| ??IQRect@@QBE?AV0@ABV0@@Z | 1 |
| ?begin@QByteArray@@QAEPAADXZ | 1 |
| ?detach@QBitArray@@QAEXXZ | 1 |

| | |
|---|---|
| ?detach@QListData@@QAEPAUData@1@X | 1 |
| ?exit@QThread@@QAEHX@Z | 1 |
| ?fill@QString@@QAEAAV1@VQChar@@H@C | 1 |
| ?flush@QTextStream@@QAEXXZ | 1 |
| ?null@QString@@2UNull@1@B | 1 |
| ?number@QString@@SA?AV1 @_KH@Z | 1 |
| ?replace@QByteArray@@QAEAAV1@ABV1 | 1 |
| ?resize@QBitArray@@QAEXH@Z | 1 |
| ?setDefault@QLocale@@SAXABV1@@Z | 1 |
| ?setNum@QString@@QAEAAV1@NDH@Z | 1 |
| ?sync@QSettings@@QAEXXZ | 1 |
| ??0?\$ QVector @VQPoint @@@@ QAE@XZ | 1 |
| ??0QApplication@@QAE@AAHPAPADW4Ty | 1 |
| ??0QCursor@@QAE@ABVQPixmap@@HH@C | 1 |
| ??0QKeyEvent@@QAE@ABV0@@Z | 1 |
| ??0QKeyEvent@@QAE@W4Type@QEvent@C | 1 |
| ??0QMouseEvent@@QAE@W4Type@QEve | 1 |
| ??0QMouseEvent@@QAE@W4Type@QEve | 1 |
| ??1QContextMenuEvent@@UAE@XZ | 1 |
| ??1QKeyEvent@@UAE@XZ | 1 |
| ??1QStyleHintReturn@@QAE@XZ | 1 |
| ??4QRegion@@QAEAAV0@ABV0@@Z | 1 |
| ?clear@?\$ QVector @VQPoint @@@@ QAE@X | 1 |
| ?contains@QRegion@@QBE_NABVQPoint@ | 1 |
| ?critical@QMessageBox@@SAHPAVQWidge | 1 |
| ?depth@QImage@@QBEHXZ | 1 |
| ?depth@QPaintDevice@@QBEHXZ | 1 |
| ?doubleClickInterval@QApplication@@SAH | 1 |
| ?dragPrivate@QDragManager@@QBEPAVQ | 1 |
| ?drawImage@QPainter@@QAEABVQPoint | 1 |
| ?eventFilter@QDragManager@@EAE_NPAV | 1 |
| ?loadFromData@QImage@@QAE_NPBEPF | 1 |
| ?modifiers@QInputEvent@@QBE?AV?\$QFl | 1 |
| ?modifiers@QKeyEvent@@QBE?AV?\$QFlag | 1 |
| ?numBytes@QImage@@QBEHXZ | 1 |
| ?pixel@QImage@@QBEIHH@Z | 1 |
| ?rects@QRegion@@QBE?AV?\$ QVector @VC | 1 |
| ?screenNumber@QDesktopWidget@@QBEI | 1 |
| ?sessionId@QApplication@@QBE?AVQStrin | 1 |
| ?setDoubleClickInterval@QApplication@@S | 1 |
| ?showFullScreen@QWidget@@QAEXXZ | 1 |
| ?text@QKeyEvent@@QBE?AVQString@@X | 1 |
| ?translate@QRegion@@QAEXHH@Z | 1 |
| ?unite@QRegion@@QBE?AV1@ABV1@@Z | 1 |
| ??0QHttpRequestHeader@@QAE@XZ | 1 |
| ??1QHttpRequestHeader@@UAE@XZ | 1 |
| ??4QHttpRequestHeader@@QAEAAV0@AB | 1 |

| | |
|---|---|
| ?abort@QHttp@@QAEXXZ | 1 |
| ?clearPendingRequests@QHttp@@QAEXXZ | 1 |
| ?error@QHttp@@QBE?AW4Error@1@XZ | 1 |
| ?metaObject@QHttp@@UBEPBUQMetaObj | 1 |
| ?qt_metacall@QHttp@@UAEHW4Call@QM | 1 |
| ?qt_metacast@QHttp@@UAEPAXPBD@Z | 1 |
| ?readAll@QHttp@@QAE?AVQByteArray@C | 1 |
| ?setRequest@QHttpRequestHeader@@QAE | 1 |
| ?setValue@QHttpHeader@@QAEXABVQStri | 1 |
| ?statusCode@QHttpResponseHeader@@QE | 1 |
| ??0QGLFormat@@QAE@V?\$QFlags@W4Fo | 1 |
| ??0QGLWidget@@QAE@ABVQGLFormat@(` | 1 |
| ?convertToGLFormat@QGLWidget@@SA?A` | 1 |
| ?directRendering@QGLFormat@@QBE_NXZ | 1 |
| ?event@QGLWidget@@MAE_NPAVQEvent | 1 |
| ?format@QGLWidget@@QBE?AVQGLForma | 1 |
| ?glDraw@QGLWidget@@MAEXXZ | 1 |
| ?glInit@QGLWidget@@MAEXXZ | 1 |
| ?initializeGL@QGLWidget@@MAEXXZ | 1 |
| ?makeCurrent@QGLWidget@@QAEXXZ | 1 |
| ?paintEngine@QGLWidget@@UBEPAVQPaint | 1 |
| ?paintEvent@QGLWidget@@MAEXPAPAVQPa | 1 |
| ?qt_metacall@QGLWidget@@UAEHW4Call | 1 |
| ?qt_metacast@QGLWidget@@UAEPAXPBD | 1 |
| ?resizeEvent@QGLWidget@@MAEXPAPAVQR | 1 |
| ?resizeGL@QGLWidget@@MAEXHH@Z | 1 |
| ?setMouseTracking@QGLWidget@@QAEX_ | 1 |
| ?staticMetaObject@QGLWidget@@2UQMe | 1 |
| ?updateGL@QGLWidget@@UAEXXZ | 1 |
| ?updateOverlayGL@QGLWidget@@UAEXXZ | 1 |
| ??0QXmlDefaultHandler@@QAE@XZ | 1 |
| ??0QXmlInputSource@@QAE@PAVQIODevi | 1 |
| ??0QXmlSimpleReader@@QAE@XZ | 1 |
| ??1QXmlDefaultHandler@@UAE@XZ | 1 |
| ??1QXmlInputSource@@UAE@XZ | 1 |
| ??1QXmlSimpleReader@@UAE@XZ | 1 |
| ?attributeDecl@QXmlDefaultHandler@@UA | 1 |
| ?characters@QXmlDefaultHandler@@UAE_ | 1 |
| ?count@QXmlAttributeAttributes@@QBEHXZ | 1 |
| ?endCDATA@QXmlDefaultHandler@@UAE_ | 1 |
| ?EndElement@QXmlDefaultHandler@@UAE | 1 |
| ?errorString@QXmlDefaultHandler@@UBE? | 1 |
| ?index@QXmlAttributeAttributes@@QBEHABVQStrir | 1 |
| ?internalEntityDecl@QXmlDefaultHandler@ | 1 |
| ?parse@QXmlSimpleReader@@UAE_NABVt | 1 |
| ?qName@QXmlAttributeAttributes@@QBE?AVQStrir | 1 |
| ?resolveEntity@QXmlDefaultHandler@@UA | 1 |

| | |
|---|---|
| ?setContentHandler@QXmlSimpleReader@ | 1 |
| ?setDocumentLocator@QXmlDefaultHandle | 1 |
| ?startElement@QXmlDefaultHandler@@UA | 1 |
| ?value@QXmlAttribute@@QBE?AVQString | 1 |
| SDL_CreateRGBSurfaceFrom | 1 |
| SDL_DisplayFormatAlpha | 1 |
| SDL_SetError | 1 |
| AddIntegrityLabelToBoundaryDescriptor | 1 |
| AddSecureMemoryCacheCallback | 1 |
| AddVectoredContinueHandler | 1 |
| AdjustCalendarDate | 1 |
| AllocateUserPhysicalPagesNuma | 1 |
| LookupSecu | 1 |
| UrlIsO | 1 |
| ??_7?\$basic_istream@GU?\$char_traits@U@C | 1 |
| ler3 | 1 |
| 32Snapshot | 1 |
| hA | 1 |
| ??1CPEObjectBase@@UAE@XZ | 1 |
| ?AddPeer@CPEObjectBase@@UAEJABU_GI | 1 |
| ?RemovePeer@CPEObjectBase@@UAEJABL | 1 |
| ?GetPeer@CPEObjectBase@@UAEJABU_GL | 1 |
| ??0CPEObjectBase@@QAE@XZ | 1 |
| ?RegisterClassA@PEClassManager@@SAJAE | 1 |
| ?SetExeGetRuntimeClassFunction@@YAXP6 | 1 |
| ?AtlComQIPtrAssign@@YAPAUUIUnknown@ | 1 |
| ?AtlComPtrAssign@@YAPAUUIUnknown@@I | 1 |
| ?CreateInstance@PEClassManager@@SAJAI | 1 |
| ?RegisterService@PEServiceManager@@SA | 1 |
| ?LoadRuntimeClass@@YAPAUCRuntimeClas | 1 |
| ?GetGlobalObject@@YAJABU_GUID@@OPA | 1 |
| ?GetService@PEServiceManager@@SAJABL | 1 |
| ??1CChildFrame@@UAE@XZ | 1 |
| ?View_DrawAlbumBackTexture@@YAXPAV | 1 |
| ?messageMap@CChildFrame@@1UAFX_MS | 1 |
| ?OnDestroy@CPEFrame@@IAEXXZ | 1 |
| ?OnSize@CPEFrame@@IAEXIHH@Z | 1 |
| ?RecalcLayout@CPEFrame@@MAEXH@Z | 1 |
| ?OnCreate@CPEFrame@@IAEHPAUtagCRE | 1 |
| ??1CPEFrame@@UAE@XZ | 1 |
| ??0CPEFrame@@QAE@XZ | 1 |
| ?messageMap@CPEFrame@@1UAFX_MSGI | 1 |
| ?classCPEFrame@CPEFrame@@2UCRuntim | 1 |
| ?OnCreate@CChildFrame@@IAEHPAUtagCF | 1 |
| ?SetCommunicateObjectType@CListener@C | 1 |
| ?GetObjectID@CListener@@QAEHPAPAU_C | 1 |
| ??0CListener@@QAE@XZ | 1 |

| | | |
|--------------------------------------|-----------------------|---|
| ??1CL | Listener@@QAE@XZ | 1 |
| ?View_DrawBackTexture@@YAXPAUHDC_ | 1 | 1 |
| ?IsKindOf@CBaseView@@UBEHPBUCRuntir | 1 | 1 |
| ?AddListener@CL | Listener@@QAEHPAV1@P/ | 1 |
| ?PreCreateWindow@CChildFrame@@UAEH | 1 | 1 |
| ?PreTranslateMessage@CChildFrame@@M. | 1 | 1 |
| ?WindowProc@CChildFrame@@MAEJIJ@Z | 1 | 1 |
| ?Create@CChildFrame@@UAEPBDOKABU1 | 1 | 1 |
| ?LoadFrame@CChildFrame@@UAEHIKPAVC | 1 | 1 |
| ?RecalcLayout@CChildFrame@@UAEXH@Z | 1 | 1 |
| ??0CChildFrame@@QAE@XZ | 1 | 1 |
| ?ActivateFrame@CChildFrame@@UAEXH@ | 1 | 1 |
| ??1CIIL | istWindow@@UAE@XZ | 1 |
| ?IsPhotoAlbum@CUICenter@@QAEHXZ | 1 | 1 |
| ??1CModeHandler@@UAE@XZ | 1 | 1 |
| ??0CModeHandler@@QAE@XZ | 1 | 1 |
| ?classCModeHandler@CModeHandler@@2 | 1 | 1 |
| ?GetCmdMode@CUICenter@@UAE?AW4cn | 1 | 1 |
| ?SetCmdMode@CUICenter@@UAEXW4cmc | 1 | 1 |
| ?QueryInterface@CFilmList@@MAGJABU_C | 1 | 1 |
| ?AddRef@CFilmList@@MAGKXZ | 1 | 1 |
| ?Release@CFilmList@@MAGKXZ | 1 | 1 |
| ?RecalcLayout@CUICenter@@QAEHPAVCM | 1 | 1 |
| ?CreateRouteMap@CUICenter@@QAEHXZ | 1 | 1 |
| ?CreateAllBar@CUICenter@@QAEXPVCMI | 1 | 1 |
| ?Release@CUICenter@@UAGKXZ | 1 | 1 |
| ?AddRef@CUICenter@@UAGKXZ | 1 | 1 |
| ?QueryInterface@CUICenter@@UAGJABU_ | 1 | 1 |
| ?IsInEditMode@CUICenter@@QAEHXZ | 1 | 1 |
| ?GetRuntimeClass@CUICenter@@UBEPAUC | 1 | 1 |
| ?OnPostInitToolUI@CModeHandler@@UAE | 1 | 1 |
| ??_7IActiveBuffer@CFilmList@@6B@ | 1 | 1 |
| ?IsInProjectMode@CUICenter@@QAEHXZ | 1 | 1 |
| ?SwitchToPhotoMode@CUICenter@@QAEF | 1 | 1 |
| ?InitTaskBar@CUICenter@@QAEHXZ | 1 | 1 |
| ?InitCmdBar@CUICenter@@QAEHXZ | 1 | 1 |
| ?ToolUI_ID@@3U_GUID@@A | 1 | 1 |
| ?AdjustFilm@CUICenter@@QAEHXZ | 1 | 1 |
| ?GetDocFilm@CUICenter@@QAEPAVCFilmI | 1 | 1 |
| ?GetMode@CUICenter@@QAE?AW4cmdM | 1 | 1 |
| ??1CUICenter@@UAE@XZ | 1 | 1 |
| ??_7IGlobarNotifyCenter@@6B@ | 1 | 1 |
| ??0CUICenter@@QAE@XZ | 1 | 1 |
| ?AddNotify@CUICenter@@QAEXPVCente | 1 | 1 |
| ??1CDocHandler@@UAE@XZ | 1 | 1 |
| ?ActivateDoc@CDocHandler@@UAEPAVCD | 1 | 1 |
| ??0CDocHandler@@QAE@XZ | 1 | 1 |

| | |
|--------------------------------------|---|
| ?ChangeCurrentDoc@CDocHandler@@UAE | 1 |
| ?RemoveDoc@CDocHandler@@UAEHHPAV | 1 |
| ?AddDoc@CDocHandler@@UAEHHPAVCDo | 1 |
| ?QueryInterface@CDocHandler@@UAGJAB | 1 |
| ?GetOpenDocument@CDocHandler@@UAE | 1 |
| ?GetPrimaryView@CDocHandler@@UAEPA | 1 |
| ?AddRef@CDocHandler@@UAGKXZ | 1 |
| ?Release@CDocHandler@@UAGKXZ | 1 |
| ?GetCurrentDocument@CDocHandler@@U | 1 |
| ?OpenDoc@CDocHandler@@UAEPAVCDoc | 1 |
| ?HideCurrentDocument@CDocHandler@@l | 1 |
| ??_7CAlbumUIModeHandler@@6BIUnknow | 1 |
| ?LeaveUIMode@CUIModeHandler@@UAEJ | 1 |
| ?ShowDefaultView@CUIModeHandler@@U | 1 |
| ??1CUIModeHandler@@UAE@XZ | 1 |
| ??_8CAlbumUIModeHandler@@7BCBase@i | 1 |
| ??_8CPhotoUIModeHandler@@7B@ | 1 |
| ??_8CAlbumUIModeHandler@@7BCPEObje | 1 |
| ??_8CPhotoUIModeHandler@@7BCPEObjec | 1 |
| ??_7CPhotoUIModeHandler@@6BIUIModel | 1 |
| ??_8CPhotoUIModeHandler@@7BCBase@C | 1 |
| ??_7CPhotoUIModeHandler@@6BCBase@C | 1 |
| ??_7CPhotoUIModeHandler@@6BCPEObjec | 1 |
| ??_7CPhotoUIModeHandler@@6BIUnknow | 1 |
| ??_8CProjectUIModeHandler@@7BCBase@ | 1 |
| ??_8CProjectUIModeHandler@@7BCPEObj | 1 |
| ??_8CProjectUIModeHandler@@7B@ | 1 |
| ??_7CProjectUIModeHandler@@6BIUnknow | 1 |
| ??_7CProjectUIModeHandler@@6BCBase@ | 1 |
| ??_7CProjectUIModeHandler@@6BIUIMode | 1 |
| ?Release@CUIModeHandler@@UAGKXZ | 1 |
| ??_7CAlbumUIModeHandler@@6BCPEObje | 1 |
| ??_7CProjectUIModeHandler@@6BCPEObj | 1 |
| ?GetDefaultPanelType@CUIModeHandler@ | 1 |
| ?SetDefaultDocType@CUIModeHandler@@ | 1 |
| ?GetDefaultDocType@CUIModeHandler@@ | 1 |
| ??1CProjectUIModeHandler@@UAE@XZ | 1 |
| ??1CPhotoUIModeHandler@@UAE@XZ | 1 |
| ??1CAlbumUIModeHandler@@UAE@XZ | 1 |
| ??_8CAlbumUIModeHandler@@7B@ | 1 |
| ??_7CAlbumUIModeHandler@@6BCBase@i | 1 |
| ??0CUIModeHandler@@QAE@XZ | 1 |
| ??_7CAlbumUIModeHandler@@6BIUIMode | 1 |
| ?HideDefaultView@CUIModeHandler@@U/ | 1 |
| ?QueryInterface@CUIModeHandler@@UAC | 1 |
| ?SetDefaultPanelType@CUIModeHandler@ | 1 |
| ?AddRef@CUIModeHandler@@UAGKXZ | 1 |

| | |
|--|---|
| ?IsReloadBackgroundImage@@YAHVCString | 1 |
| ?SetBitmap@CBitmapTexture@@QAEHPAU | 1 |
| ??0CBitmapTexture@@QAE@XZ | 1 |
| ?SetViewBackgroundImage@@YAHPBDPAP, | 1 |
| ?Fill@CBitmapTexture@@QAEXPACDC@@ | 1 |
| ?LoadBitmapA@CBitmapTexture@@QAEHIf | 1 |
| ??1CBitmapTexture@@QAE@XZ | 1 |
| ??0CFileFilterProject@@QAE@H@Z | 1 |
| ??1CFileFilterPhotoNoCMYK@@UAE@XZ | 1 |
| ??1CFileFilterProject@@UAE@XZ | 1 |
| ??0CFileFilterSound@@QAE@H@Z | 1 |
| ??0CFileFilterPhoto@@QAE@H@Z | 1 |
| ??0CFileFilterPhotoNoCMYK@@QAE@XZ | 1 |
| ??1CFileFilterSound@@UAE@XZ | 1 |
| ??0CFileFilterVideo@@QAE@H@Z | 1 |
| ?IsRecognizable@CFileFilterPhoto@@UAEH | 1 |
| ?GetBrowseFileFilter@CFileFilterPhoto@@I | 1 |
| ?IsRecognizable@CFileFilterProject@@UAEI | 1 |
| ?GetBrowseFileFilter@CFileFilterProject@@@ | 1 |
| ?IsRecognizable@CFileFilterPhotoNoCMYK@ | 1 |
| ?GetBrowseFileFilter@CIPEAlbumFileFilterB | 1 |
| ?IsRecognizable@CFileFilterSound@@UAEH | 1 |
| ?IsRecognizable@CFileFilterVideo@@UAEH | 1 |
| ??1CFileFilterVideo@@UAE@XZ | 1 |
| ??1CFileFilterPhoto@@UAE@XZ | 1 |
| ??_7CMaskedBitmap@@6B@ | 1 |
| ??1CMaskedBitmap@@UAE@XZ | 1 |
| ??1CImageInfoDlg@@UAE@XZ | 1 |
| ?GetSelectCount@CBrowseView@@QAEHX | 1 |
| ?GetSelectIndexes@CBrowseView@@QAEEX | 1 |
| ?PackFileNames@CBrowseDoc@@QAEPAIDI | 1 |
| ufdUnregister | 1 |
| ufdRegister | 1 |
| ufdAddRemoveWindow | 1 |
| ufdEnumPals | 1 |
| fmtGetFileInfoPtr | 1 |
| ??0IUtObjHeader@@QAE@XZ | 1 |
| ?GetTextProperty@IUtObjTextData@@QAI | 1 |
| ?Open@IUtObjTextData@@QAEHPAVIUtx | 1 |
| ?GetStyle@IUtObjHeader@@QAEHPAJ@Z | 1 |
| ?Open@IUtObjHeader@@QAEHPAVIUtxO | 1 |
| ?Open@IUtObj@@QAEHPAVIUtxDoc@@U | 1 |
| ?Close@IUtObjHeader@@QAEXXZ | 1 |
| ?Close@IUtObjExtPropertySet@@UAEXXZ | 1 |
| ??0IUtObj@@QAE@XZ | 1 |
| ?GetObjGuidArray@IUtDoc@@QAEHPAHP | 1 |
| ?GetLocales@IUtDoc@@QAEHPAKH@Z | 1 |

| | |
|-------------------------------------|---|
| ?GetLocaleCount@IUtDoc@@QAEHXZ | 1 |
| ?CopyObjListByLocale@IUtDoc@@QAEHPA | 1 |
| ??0IUtDoc@@QAE@XZ | 1 |
| ??0IUtObjTextData@@QAE@XZ | 1 |
| ?Close@IUtObj@@QAEXXZ | 1 |
| ??1IUtObjExtPropertySet@@QAE@XZ | 1 |
| ??1IUtObjHeader@@QAE@XZ | 1 |
| ??1IUtObj@@QAE@XZ | 1 |
| ??1IUtObjTextData@@QAE@XZ | 1 |
| ?Close@IUtDoc@@QAEHXZ | 1 |
| ?Close@IUtDocHeader@@QAEXXZ | 1 |
| ?SetImgResolution@IUtDocHeader@@QAE | 1 |
| ?Open@IUtDocHeader@@QAEHPAVIUtD | 1 |
| ??1IUtDoc@@QAE@XZ | 1 |
| ??1IUtDocHeader@@QAE@XZ | 1 |
| ?Open@IUtDoc@@QAEHPBDW4utxAcessN | 1 |
| ??0IUtDocHeader@@QAE@XZ | 1 |
| u32ScanIsActive | 1 |
| u32ScanMessageFilter | 1 |
| ??0CShadowParam@@QAE@XZ | 1 |
| ?classCShadowEng@CShadowEng@@2UCRi | 1 |
| ?GetRuntimeClass@CShadowParam@@UBE | 1 |
| ??1CShadowParam@@UAE@XZ | 1 |
| ??4CShadowParam@@QAEAAV0@AAV0@C | 1 |
| GetDispData | 1 |
| ufFileShowDlgSaveOption | 1 |
| ufFileGetFileFmtNum | 1 |
| u32ShowPreference | 1 |
| ufFileGetFileData | 1 |
| u32FileGetFormatID | 1 |
| u32FileFreeFileData | 1 |
| ufIsFileExist | 1 |
| ufFileGetFormatInfo | 1 |
| ShadingGammaToMap | 1 |
| disp32CreateColorPalette | 1 |
| disp32ShowInitEx | 1 |
| disp32GammaColorPalette | 1 |
| d32IsInQueue | 1 |
| buf32VMData | 1 |
| disp32PalDuplicate | 1 |
| u32BufferResample | 1 |
| d32DispatchQueue | 1 |
| disp32NewScreenGamma | 1 |
| mem32DuplicateHandle | 1 |
| disp32SetDevType | 1 |
| disp32GetDeviceInfo | 1 |
| sel32EllipseMakeMaskEx | 1 |

| | |
|--|---|
| sel32MagicWandMakeMask | 1 |
| sel32CalcSelectBound | 1 |
| sel32CreateMarquee | 1 |
| sel32CombineMask | 1 |
| sel32Init | 1 |
| sel32LassoMakeMaskEx | 1 |
| sel32RectMakeMaskEx | 1 |
| sel32SoftEdgeMakeMask | 1 |
| sel32FreeMarquee | 1 |
| sel32DrawMarquee | 1 |
| u32GetUleadTempDir | 1 |
| InitIButtonDLL | 1 |
| ufdConvertLongShortPathname | 1 |
| IButtonAction | 1 |
| c32SetMbTitle | 1 |
| ufdRemoveBlanks | 1 |
| ufdCreateDir | 1 |
| u32PiGetInfo | 1 |
| u32PiAction | 1 |
| u32PiGetItems | 1 |
| u32PiLinkAPSPi | 1 |
| u32PiLinkUleadPi | 1 |
| ?InitAboutDlgInfo@@YAHPAUHINSTANCE__ | 1 |
| ?DestoryAboutDlgInfo@@YAXAAUABOUTIN | 1 |
| ?TypeEffectReadBufferFromFile@@3P6AHP. | 1 |
| ?GetRectBound@ipeTextTransform@@QAE | 1 |
| ?classestextObject@textObject@@2UCRuntim | 1 |
| ?OnMouseMove@ipeTextTransform@@QAI | 1 |
| ?OnLButtonUp@ipeTextTransform@@QAEF | 1 |
| ?QueryCursor@ipeTextTransform@@QAEHI | 1 |
| ?Draw@ipeTextTransform@@QAEHPAUHD | 1 |
| ?RotateByDegree@ipeTextTransform@@QAF | 1 |
| ?OnLButtonDown@ipeTextTransform@@QAF | 1 |
| ?VFlip@ipeTextTransform@@QAEHXZ | 1 |
| ??1textTransform@@UAE@XZ | 1 |
| ?HFlip@ipeTextTransform@@QAEHXZ | 1 |
| ??0CTextNormalHandle@@QAE@XZ | 1 |
| ?GetRuntimeClass@textTransform@@UBEP | 1 |
| ??0textTransform@@QAE@XZ | 1 |
| ?GetUndoID@textTransform@@UAEHPAVC | 1 |
| ?SetType@textFunc@@UAEXH@Z | 1 |
| ?Apply@textTransform@@UAEHPAVCToolC | 1 |
| ?Apply@textFunc@@UAEHPAVtextObject@ | 1 |
| ?Apply@textTransform@@UAEHPAVtextOb | 1 |
| ?Init@textFunc@@UAEHPAVtextObject@@ | 1 |
| ?AssociateClient@ipeTextTransform@@QAI | 1 |
| ?ChangeImageBuf@textObject@@QAEXPAX | 1 |

| | |
|---|---|
| ??0CTextSpecialHandle@@QAE@XZ | 1 |
| ?GetNormalizeWHFromHandle@ITextTransf | 1 |
| ?CloneImageBuf@textObject@@QAEPAXXZ | 1 |
| ?ChangeMaskBuf@textObject@@QAEPAIX | 1 |
| ?classtextCreate@textCreate@@2UCRuntin | 1 |
| ?classtextShape@textShape@@2UCRuntime | 1 |
| ?CloneMaskBuf@textObject@@QAEPAXXZ | 1 |
| ?classtext3DEffect@text3DEffect@@2UCRui | 1 |
| ?classtextShadow@textShadow@@2UCRun | 1 |
| ?classtextTypeEffect@textTypeEffect@@2U | 1 |
| ??0textObject@@QAE@XZ | 1 |
| ?GetRuntimeClass@textObject@@UBEPAU(| 1 |
| ?Clone@textObject@@UAEPAV1@XZ | 1 |
| ??1textObject@@UAE@XZ | 1 |
| ?OnUpdateUI@CIconList@@QAEPAVCCmc | 1 |
| ?AddRectTool@CIpeTip@@QAEHPAVCWnd | 1 |
| ?GetRuntimeClass@CIpeTip@@UBEPAUCR | 1 |
| ?SubTipControl@CIpeTip@@QAEHXZ | 1 |
| ??1CIpeTip@@UAE@XZ | 1 |
| ??1COKButton@@UAE@XZ | 1 |
| ??0COKButton@@QAE@XZ | 1 |
| ?Create@COKButton@@QAEHPAVCWnd@() | 1 |
| ??1CExString@@QAE@XZ | 1 |
| ?LoadStringA@CExString@@QAEHPAUHINS | 1 |
| ?ResetAll@CProgress@@QAEXXZ | 1 |
| ?SimplePCB@CProgress@@SGHHIJPAX@Z | 1 |
| ??0CProgress@@QAE@XZ | 1 |
| ?_IpeLoadLibrary3@@3P6APAUHINSTANCE | 1 |
| ??1CClrBoxes@@UAE@XZ | 1 |
| ?GetMessageMap@CIpeTip@@MBEPBUAF | 1 |
| ??1CProgress@@UAE@XZ | 1 |
| ?IsPrjNewDoc@CImageInfoDlg@@QAEXH@ | 1 |
| ?pIpePrefernPanelStyle@@3PAHA | 1 |
| ??0CExString@@QAE@XZ | 1 |
| ?OnActiveDocumentChange@CClrBoxes@@ | 1 |
| ?OnColorChange@CClrBoxes@@UAEXK@Z | 1 |
| ?_ButtonIpeBmpInst@@3PAUHINSTANCE_ | 1 |
| ?GetRuntimeClass@CClrBoxes@@UBEPAUC | 1 |
| ?SetColor@CClrBoxes@@QAEHK@Z | 1 |
| ?GetMessageMap@CClrBoxes@@MBEPBU/ | 1 |
| ??0CClrBoxes@@QAE@K@Z | 1 |
| ?Create@CClrBoxes@@QAEHIABUttagRECT(| 1 |
| ??1CIpeROD@@QAE@XZ | 1 |
| ?SetInstance@CIpeTip@@QAEXPAAUINSTA | 1 |
| ??0CIpeROD@@QAE@XZ | 1 |
| ??0CIpeTip@@QAE@XZ | 1 |
| ?SetBitmaps@CIconList@@QAEHPAUHINST | 1 |

| | |
|--|---|
| ?SizeToContent@COKButton@@QAEXXZ | 1 |
| ??1IconList@@UAE@XZ | 1 |
| ?NestedBegin@CProgress@@QAEHHPAN@ | 1 |
| ??0IconList@@QAE@XZ | 1 |
| ?ResizeProgress@CProgress@@QAEXAAVCI | 1 |
| ?Create@CProgress@@QAEHIABUtagRECT@ | 1 |
| ?NestedEnd@CProgress@@QAEHXZ | 1 |
| ?Exclude@CExString@@QAEHD@Z | 1 |
| ?GetMessageMap@CProgress@@MBEPBUA | 1 |
| ??0ImageInfoDlg@@QAE@PAXPAVCWnd@ | 1 |
| ?DrawTransparent@CMaskedBitmap@@QA | 1 |
| ?GetRuntimeClass@CProgress@@UBEPAUC | 1 |
| ??4CTxPoint@@QAEAAV0@AAV0@@Z | 1 |
| ?SwapWith@CTxParam@@QAEXAAV1@@Z | 1 |
| ??4CTxParam@@QAEAAV0@AAV0@@Z | 1 |
| ??0CTxParam@@QAE@XZ | 1 |
| ??0CTxPoint@@QAE@XZ | 1 |
| ?Get4Handles@CTxParam@@QAEXPATxI | 1 |
| ?SetOrWH@CTxParam@@QAEXNNH@Z | 1 |
| ?NotifyWorkspaceRepaint@IWorkspaceCen | 1 |
| ?NotifyAlbumSelectionChange@IAlbumDoc | 1 |
| ?NotifyThumbnailCountChange@IAlbumDoc | 1 |
| ?NotifyThumbnailOrderChange@IAlbumDoc | 1 |
| ??1IAlbumShelfService@@IAE@XZ | 1 |
| ??1IAlbumDocumentCenter@@QAE@XZ | 1 |
| ??0IAlbumDocumentCenter@@QAE@XZ | 1 |
| ?g_InterfaceCenter@@3PAVEExtendInterface | 1 |
| ??0IAlbumShelfService@@IAE@XZ | 1 |
| ??1IlpeFileCenter@@QAE@XZ | 1 |
| ??_7ICurrentImageDocInfoCenter@@6B@ | 1 |
| ??0IlpeFileCenter@@QAE@XZ | 1 |
| ??0IBrowseCenter@@QAE@XZ | 1 |
| ?g_InstConst@@3PAUHINSTANCE__@@A | 1 |
| ??_7ExtendInterfaceCenter@@6B@ | 1 |
| ??1IBrowseCenter@@QAE@XZ | 1 |
| ?DockCenter@IlpeDocTemplateClient@@Q | 1 |
| ?DockCenter@IlpeDocumentClient@@QAEI | 1 |
| ?szInterfaceName@IlpeDocumentClient@@ | 1 |
| ?szInterfaceName@IAlbumShelfClient@@2I | 1 |
| ?szInterfaceName@IlpeDocTemplateClient@ | 1 |
| ?DockCenter@IAlbumShelfClient@@QAEHP | 1 |
| ?DockCenter@IlpeFileClient@@QAEHPAVII | 1 |
| ?DockCenter@ICurrentImageDocInfoClient@ | 1 |
| ?szInterfaceName@ICurrentImageDocInfoCI | 1 |
| ?szInterfaceName@IAlbumDocumentClient@ | 1 |
| ?szInterfaceName@IlpeFileClient@@2PBDB | 1 |
| ?DockCenter@IAlbumDocumentClient@@Q | 1 |

| | |
|---|---|
| ?DockCenter@IBrowseClient@@QAEHPAVII | 1 |
| ?DockCenter@IWorkspaceClient@@QAEHP. | 1 |
| ?szInterfaceName@IWorkspaceClient@@2F | 1 |
| ?IsVerLite@@YAHXZ | 1 |
| ?szInterfaceName@IBrowseClient@@2PBDI | 1 |
| ?PEPlaySound@@YAXH@Z | 1 |
| ?IsVerOnlineTrial@@YAHXZ | 1 |
| ?IsVerTrial@@YAHXZ | 1 |
| ?SetRegPreference@@YAXVCString@@H@: | 1 |
| ?GetRegPreference@@YAHVCString@@@Z | 1 |
| ?ReadBufferFromIpeDoc@IipeDocumentClic | 1 |
| ?InsertFromFile@IAlbumShelfClient@@IAE@ | 1 |
| ??0IipeDocumentClient@@IAE@XZ | 1 |
| ??1IWorkspaceClient@@MAE@XZ | 1 |
| ?OnWorkspaceRepaint@IWorkspaceClient@ | 1 |
| ??0IWorkspaceClient@@IAE@XZ | 1 |
| ?OnThumbnailOrderChange@IAlbumDocum | 1 |
| ?ReadBufferFromCurrentDocuemnt@IWork | 1 |
| ?OnThumbnailNumberChange@IAlbumDocu | 1 |
| ?EndInsertFromFile@IAlbumShelfClient@@I | 1 |
| ?OnAlbumSelectionChange@IAlbumDocume | 1 |
| ?OnActiveDocumentChange@IWorkspaceCli | 1 |
| ?GetCurrentAlbumTitle@IAlbumShelfClient | 1 |
| ?BeginInsertFromFile@IAlbumShelfClient@() | 1 |
| ?GetAlbumFileName@IAlbumShelfClient@() | 1 |
| ?IsInTransition@IAlbumDocumentClient@@ | 1 |
| ?IsInEditMode@IWorkspaceClient@@IAE@ | 1 |
| ?StopTransition@IAlbumDocumentClient@() | 1 |
| ?GetAlbumFolder@IAlbumShelfClient@@IA | 1 |
| ??1IAlbumDocumentClient@@MAE@XZ | 1 |
| ??1IAlbumShelfClient@@MAE@XZ | 1 |
| ?ClearAllSelection@IAlbumDocumentClient | 1 |
| ??0IAlbumDocumentClient@@IAE@XZ | 1 |
| ??0IAlbumShelfClient@@IAE@XZ | 1 |
| ?GetValue@@YAJPBD0AAVCString@@@Z | 1 |
| ?IsAlbumReadOnly@IAlbumDocumentClient | 1 |
| ?IsOSNT@@YAHXZ | 1 |
| ?GetActStatus@ICurrentImageDocInfoClient | 1 |
| ?GUIDToString@@YA?AVCString@@U_GUID | 1 |
| ??0ICurrentImageDocInfoClient@@IAE@XZ | 1 |
| ??_7IPhotoNetUIClient@@6B@ | 1 |
| ?IsAvailable@ICurrentImageDocInfoClient@ | 1 |
| ??1IPhotoNetUIClient@@UAE@XZ | 1 |
| ?GetChildValueNumber@@YAKPBD@Z | 1 |
| ?StringToGUID@@YA?AU_GUID@@VCStrin | 1 |
| ?GetChildValue@@YAHPBDAAVCString@() | 1 |
| ?GetChildKey@@YAHPBDAAVCString@@() | 1 |

| | |
|--|---|
| ?GetChildKeyNumber@@YAKPBD@Z | 1 |
| ?GetValue@@YAJPBD0AAH@Z | 1 |
| ?NotifyActiveDocumentChange@IWorkpac | 1 |
| ??1IWorkspaceCenter@@QAE@XZ | 1 |
| ??0IWorkspaceCenter@@QAE@XZ | 1 |
| ?AttachNotify@CGlobeBar@@UAEXPAGlC | 1 |
| ?DockGlobalBar@IGlobarNotifyClient@@M | 1 |
| ?WindowProc@CGlobeBar@@MAEJIIJ@Z | 1 |
| ?GetRegShowGuideTip@@YAHXZ | 1 |
| ??1CToolUI@@UAE@XZ | 1 |
| ?AdjustTitleTipPos@@YAHXZ | 1 |
| ?Release@CToolUI@@UAGKXZ | 1 |
| ?InitResourceDllInstance@CToolUI@@QAEF | 1 |
| ?IsDone@IItemList@CFilmList@@QAEHXZ | 1 |
| ?Show@CGuideTip@@QAEXPBDH@Z | 1 |
| ?First@IItemList@CFilmList@@QAEXXZ | 1 |
| ?AssociateClient@CFilmList@@QAEXPAGlF | 1 |
| ?SetState@CDescriptDB@@QAEXW4initDB_ | 1 |
| ?IsKindOf@CToolUI@@QBEHPBUCRuntime | 1 |
| ?ChangeSelect@CFilmList@@QAEXPAGlIten | 1 |
| ?SearchItem@CFilmList@@QAEPAVIIItem@: | 1 |
| ?SetDescript@CDescriptDB@@QAEXH@Z | 1 |
| ?classCDescriptDB@CDescriptDB@@2UCRu | 1 |
| ?ScrollFitSelect@CFilmList@@QAEXXXZ | 1 |
| ?AddItem@CFilmList@@QAEXHHPAVIActive | 1 |
| ?SetSelect@CFilmList@@QAEHPAVIIItem@1 | 1 |
| ?SetSelect@CFilmList@@QAEHPAVIIItem@1 | 1 |
| ?GetSelectedItem@CFilmList@@QAEPAVIIIt | 1 |
| ?SubclassChildControl@CToolUI@@QAEHXZ | 1 |
| ?GetMessageMap@CGlobeBar@@MBEPBU | 1 |
| ?AddRef@CToolUI@@UAGKXZ | 1 |
| ?GetTemplateResourceInstance@CToolUI@ | 1 |
| ??0CGlobeBar@@QAE@XZ | 1 |
| ??1CGlobeBar@@UAE@XZ | 1 |
| ??1CGuideTip@@UAE@XZ | 1 |
| ?ShowTip@CGuideTip@@QAEXHHH@Z | 1 |
| ??0CGuideTip@@QAE@XZ | 1 |
| ?CheckFileValid@@YAHAAVCStringList@C | 1 |
| ?AttachNotify@IGlobarNotifyCenter@@MA | 1 |
| ?g_GlobarNotifyManager@@3PAVIGlobarN | 1 |
| ?GetRuntimeClass@CImageObject@@UBEP | 1 |
| ??0CImageObject@@QAE@XZ | 1 |
| ??1CImageObject@@UAE@XZ | 1 |
| ?g_GuideTipUI@@3VCGuideTipUI@@A | 1 |
| ?CurrentItem@IItemList@CFilmList@@QAE | 1 |
| ?Next@IItemList@CFilmList@@QAEXXZ | 1 |
| ??1CToolParam@@UAE@XZ | 1 |

| | |
|---|---|
| ?RemoveItem@CFilmList@@QAEHPAVIIter | 1 |
| ?GetMessageMap@CToolUI@@MBEPBUAF | 1 |
| ?OnInitialDialogItems@CToolUI@@UAEHXZ | 1 |
| ?GetRuntimeClass@CToolParam@@UBEPAI | 1 |
| ?Apply@CToolEngine@@UAEHNNPAVCToo | 1 |
| ??1CToolObject@@UAE@XZ | 1 |
| ?GetRuntimeClass@CToolObject@@UBEPAI | 1 |
| ?GetNormalizeWHFromHandle@CImageObj | 1 |
| ?DockItemList@CFilmList@@QAEHPAV1@C | 1 |
| ?SetCloneSelect@CFilmList@@QAEXPAAVIIte | 1 |
| ?OnDestroy@CToolUI@@IAEXXZ | 1 |
| ?OnEvent@CToolCat@@UAEHPAVCView@(| 1 |
| ?CreateToolUI@CToolUI@@QAEHHPAVCW1 | 1 |
| ?LinkTo@CUIManagerClient@@IAEHU_GUIL | 1 |
| ?SetParam@CToolCat@@UAEHPAVCToolPa | 1 |
| ??0CToolParam@@QAE@XZ | 1 |
| ?classCToolParam@CToolParam@@2UCRur | 1 |
| ?QueryInterface@CToolUI@@UAGJABU_GL | 1 |
| ?GetParam@CToolUI@@UAEPAVCToolPara | 1 |
| ?Release@CToolCat@@UAGKXZ | 1 |
| ?AddRef@CToolCat@@UAGKXZ | 1 |
| ?QueryInterface@CToolCat@@UAGJABU_G | 1 |
| ?OnPrepareLeaveTool@CToolCat@@UAEXX | 1 |
| ?OnCancelLeaveTool@CToolCat@@UAEXXZ | 1 |
| ?CreateToolTip@CGlobeBar@@QAEHXZ | 1 |
| ?classCToolUI@CToolUI@@2UCRuntimeCla | 1 |
| ?OnActiveChange@CToolUI@@UAEHXZ | 1 |
| ?OnInitialDialogItems@CToolUI@@UAEHPA | 1 |
| ?Create@CGuideTipUI@@QAEXPAAUtagREC | 1 |
| ?GetCurrentUIMode@CToolUI@@QAEHXZ | 1 |
| ?Open@CFilmList@@QAEHX@Z | 1 |
| ?IsShowButton@CToolUI@@QAEHH@Z | 1 |
| ?RecalcLayout@CToolUI@@UAEHXZ | 1 |
| ?CloseUI@CToolUI@@IAEHXZ | 1 |
| ??1CFilmList@@UAE@XZ | 1 |
| ??0CFilmList@@QAE@XZ | 1 |
| ?SetDefaultHelpID@CFilmList@@QAEXH@Z | 1 |
| ?GetRuntimeClass@CFilmList@@UBEPACF | 1 |
| ?GetMessageMap@CFilmList@@MBEPBUAI | 1 |
| ?WindowProc@CFilmList@@MAEJIJ@Z | 1 |
| ?PostNcDestroy@CFilmList@@UAEXXZ | 1 |
| ?messageMap@CToolUI@@1UAFX_MSGM/ | 1 |
| ??0CToolUI@@QAE@XZ | 1 |
| ?EnableToolTips@CToolUI@@UAEHH@Z | 1 |
| ?WindowProc@CToolUI@@MAEJIJ@Z | 1 |
| ?PostNcDestroy@CToolUI@@MAEXXZ | 1 |
| ?QueryToolUIInterface@CToolUI@@UAGJA | 1 |

| | |
|--|---|
| ?GetProperty@CToolUI@@UAEHH@Z | 1 |
| ?GetButtonSet@CToolUI@@UAEHPAUIFoot | 1 |
| ?ChangeGuideTipPos@@YAHHH@Z | 1 |
| ?InitEyeDropperCallBack@CToolUI@@UAEX | 1 |
| ?CanLeaveToolUI@CToolUI@@UAEHH@Z | 1 |
| ?IsSupportReEntry@CToolUI@@UAEHXZ | 1 |
| ?IsKindOf@CToolUI@@MAGHABU_GUID@() | 1 |
| ?QueryInterface@CToolUI@@MAGHABU_G | 1 |
| ?IsMultiPage@CUIPageCollection@@MAEH | 1 |
| ?Create@CToolUI@@UAEHPAVCWnd@@PI | 1 |
| ?OnCancelTerminateDialog@CToolUI@@UA | 1 |
| ?GetWindow@CToolUI@@UAEPAVCWnd@ | 1 |
| ?GetDlgItem@CToolUI@@UAEPAVCWnd@() | 1 |
| ?OnInitialDialogItemsValue@CToolUI@@UA | 1 |
| ?OnDoubleClickReplace@CToolUI@@UAEX) | 1 |
| ?OnTerminateDialog@CToolUI@@UAEHXZ | 1 |
| ?OnPreTerminateDialog@CToolUI@@UAEX: | 1 |
| ?OnActiveChange@CToolUI@@UAEHPBVCT | 1 |
| ?IsShowScrollBar@CToolUI@@MAEHXZ | 1 |
| ?GetScrollIDY@CToolUI@@MAEHXZ | 1 |
| ?GetScrollIDX@CToolUI@@MAEHXZ | 1 |
| ?ScrollToolUI@CToolUI@@MAEXHH@Z | 1 |
| ?Apply@CToolUI@@IAEHW4Action@ICente | 1 |
| uwInit | 1 |
| uwAbortCheck | 1 |
| uwFini | 1 |
| uwCheck | 1 |
| snGetPushURL | 1 |
| ?classCFolderTreeUI@CFolderTreeUI@@2U | 1 |
| ?GetImgNodeInterface@CImgNode@@UAE | 1 |
| ?GetTransSrcMask@CImgNode@@QAEPA | 1 |
| ?classCImgNode@CImgNode@@2UCRuntin | 1 |
| ?SetImage@CImgNode@@QAEXPAX0HHH@ | 1 |
| ?SetObjName@CImgDoc@@QAEXPAVCImg | 1 |
| ?GetTransSrcImg@CImgNode@@QAEPA | 1 |
| ?GetFrameNode4Handles@CImgNode@@Q | 1 |
| ?IsPrjNode@@YAHPAVCImgNode@@@Z | 1 |
| ?GetFrame@CImgNode@@QAEPAV1@XZ | 1 |
| ?GetShadow@CImgNode@@QAEPAV1@XZ | 1 |
| ?SetParentDoc@CImgNode@@QAEXPACIr | 1 |
| ?RotateHandle@CImgNode@@QAEPA | 1 |
| ?GetNormalizedDegree@CImgNode@@QAE | 1 |
| ?GetNormalizeWHFromHandle@CImgNode | 1 |
| ?CreateShadow@CImgNode@@MAEP | 1 |
| ?SwapTransData@CImgNode@@UAEXPAPA | 1 |
| ?PreserveTransSrcImg@CImgNode@@UAE | 1 |
| ?GetGroupList@CImgDoc@@QAEXPACImg | 1 |

| | |
|--------------------------------------|---|
| ??1CImgNodeList@@UAE@XZ | 1 |
| ??0CImgNodeList@@QAE@PAVCImgDoc@() | 1 |
| ?SetBaseImage@CImgDoc@@QAEHPAX@Z | 1 |
| ?GetImgSize@CImgDoc@@QAE?AVCSize@() | 1 |
| ?GetObjListBoundRect@CImgDoc@@QAEXF | 1 |
| ?GetBaseImage@CImgDoc@@QAEPAAXZ | 1 |
| ?GetObjList@CImgDoc@@QAEPAVCDocObj | 1 |
| ?RemoveAt@CImgNodeList@@UAEXPAN_ | 1 |
| ?RemoveAll@CImgNodeList@@UAEXXZ | 1 |
| ?IsVisible@CImgNode@@QAEHXZ | 1 |
| ?RemoveHead@CImgNodeList@@UAEPAVC | 1 |
| ?InsertAfter@CImgNodeList@@UAEPAU_F | 1 |
| ?RemoveTail@CImgNodeList@@UAEPAVCIR | 1 |
| ?AddTail@CImgNodeList@@UAEPAU_POS | 1 |
| ?AddTail@CImgNodeList@@UAEXPANV1@() | 1 |
| ?InsertBefore@CImgNodeList@@UAEPAU_ | 1 |
| ?AddHead@CImgNodeList@@UAEXPANV1@() | 1 |
| ?GetObjListBoundRectEx@CImgDoc@@QAE | 1 |
| ?AddHead@CImgNodeList@@UAEPAU__PC | 1 |
| ?GetDoc@CImgNode@@QAEPAVCIImgDoc@() | 1 |
| ?Init@CImgNode@@MAEXXZ | 1 |
| ?HasShadow@CImgNode@@QAEHXZ | 1 |
| ?CreateNodeCombineFrameNode@CImgNo | 1 |
| ?CombineToSingleNode@CImgNode@@UA | 1 |
| ?Move@CImgNode@@UAEXHH@Z | 1 |
| ?GetBoundRect@CImgNode@@UAEXPANVCF | 1 |
| ?MoveInRect@CImgNode@@UAEHAAVCPo | 1 |
| ?GetBoundRectEx@CImgNode@@UAEXPANV | 1 |
| ?Merge@CImgNode@@UAEPAX0HHH@Z | 1 |
| ?RegenerateShadowNode@CImgNode@@L | 1 |
| ?NodeInRect@CImgNode@@UAEHAAVCRe | 1 |
| ?IsTransformed@CImgNode@@QAEHXZ | 1 |
| ?CloneEx@CImgNode@@UAEPANV1@()@Z | 1 |
| ?PtInMask@CImgNode@@UAEHVCPPoint@() | 1 |
| ?CheckDirWriteable@@YAHPADH@Z | 1 |
| ?IsFileExist@@YAHPBD@Z | 1 |
| ?ShowMessage@@YAHHPAUWND__@@@F | 1 |
| ?ReadFileToRGBBuffer@@YAPAXPBDH@Z | 1 |
| ?GetIExplorerMajorVersion@@YAHPAH@Z | 1 |
| ?ShowImageBuf@@YAHPAUHDC__@@@PAX | 1 |
| ?IpeCursor@@3U_CAppCursor@@A | 1 |
| ?OffsetAllDlgCtrl@@YAXPAVCDialog@@HH | 1 |
| ?BitsPerPixel@@YAH@Z | 1 |
| ?SaveImageFile@@YAHBDPAXPAUHPALET | 1 |
| ?GetImageType@@YAHHPAUHPALETTE__@ | 1 |
| ?ReadFileToRGBBuffer@@YAPAXPBDPAUDS | 1 |
| ?ReadFileToRGBBuffer@@YAPAXPBDPAUDS | 1 |

| | |
|---|---|
| ?GetTpIFileFormatNumber@@YAHXZ | 1 |
| ?IsTpIFile@@YAH Pax@Z | 1 |
| ?IsTpXFile@@YAH Pax@Z | 1 |
| ?ChangePathToMyDocument@@YAH AAPA X | 1 |
| ?GetTpXFileFormatNumber@@YAH XZ | 1 |
| ?GetPTETemplateResourceInstance@@YAP A I | 1 |
| ?UF32ImgClassToUFileCap@@YAH H@Z | 1 |
| ?XShowMessage@@YAH PAUH INSTANCE __ (| 1 |
| ?GetIp eTempFolder@@YAX PAD@Z | 1 |
| ?CheckIsCMYKFile@@YAH PBDH@Z | 1 |
| ?ourGetFullPath@@YAH PADP BD@Z | 1 |
| ?GetBrowserPathFromHtm@@YAH PAD@Z | 1 |
| ?GetBrowserPathFromHttp@@YAH PAD@Z | 1 |
| ?GetIp eRegKey@@YAH IPAD@Z | 1 |
| ?IsFolderExist@@YAH PBD@Z | 1 |
| ?InitPrj@@YAH XZ | 1 |
| ?GetIp eRegValue@@YAJ PBDOPA EPAK@Z | 1 |
| ?szPEClassName@@3PADA | 1 |
| ?SetDlgItemDouble@@YAX PAUHW ND __ @ (| 1 |
| ?UnitConvert@@YANHHNNH@Z | 1 |
| ?ResoUnitConvert@@YANHN@Z | 1 |
| ?GetDlgItemDouble@@YAH PAUHW ND __ @ | 1 |
| ?SetEditCtlFocus@@YAX PAUHW ND __ @ @H | 1 |
| ?StringToDouble@@YAH PADP AN@Z | 1 |
| ?DoubleToString@@YAX NPADH@Z | 1 |
| ?FormatThousand@@YAX HPAD@Z | 1 |
| ?CopyHandle@@YAP AX PAX@Z | 1 |
| ?GetPEBitmapResourceInstance@@YAP AU F | 1 |
| ?ChangeCursor@@YAX PAUHW ND __ @ @PA | 1 |
| ?bufGetBufWithMask@@YAH PaxOPA EHHP / | 1 |
| ?ChangePathToMyDocument@@YAH PAD@ | 1 |
| ?IsCDROMPath@@YAH PAD@Z | 1 |
| ?CheckPathName@@YAH PADHHHH@Z | 1 |
| ?FreeDupFileData@@YAX AAPA X@Z | 1 |
| ?GetUpxFileFormatNumber@@YAH XZ | 1 |
| ?IsSubRect@@YAH QAUtagRECT@@0@Z | 1 |
| ?SetCurrentFolder@@YAH PBDH@Z | 1 |
| ?ReplaceEnviromentVariable@@YAX PADOH | 1 |
| ?SetIp eRegValue@@YAJ PBDOPA EKK@Z | 1 |
| ?Ip eLoadLibrary@@YAP AUH INSTANCE __ @ (| 1 |
| ?ShowMessage@@YAH PAUHW ND __ @ @HF | 1 |
| ?Ip ePrefer@@3U_Ipe_PREFER@@A | 1 |
| ?OneColorBufToNormal@@YAH PAPAXH@Z | 1 |
| ?CheckMinMemory@@YAH HJ@Z | 1 |
| ?ShowErrMessage@@YAX XZ | 1 |
| ?IsSoftMask@@YAH Pax@Z | 1 |
| ?Ip eMode@@3U_CIp eMode@@A | 1 |

| | |
|--------------------------------------|---|
| ?c32SetAPErrInfo@@YAXHHHHHPAX0@Z | 1 |
| ?IpeString@@3U_CIpeString@@A | 1 |
| ?GetFileID@@YAHPB@Z | 1 |
| ?DrawPictImage@@YAHPAUHDC__@@PAX | 1 |
| ?GetFileFormatNo@@YAHPAD@Z | 1 |
| ?IEMessageBox@@YAHPBII@Z | 1 |
| ?WriteBufferToFile@@YAHPAX0PAUHPALE1 | 1 |
| ?ImgToPixelView@CIpeView@@UAEXPAut: | 1 |
| ??0CTransformParam@@QAE@XZ | 1 |
| ?ImgToPixelView@CIpeView@@UAEXPAut: | 1 |
| ?GetNextDispRatio@CIpeView@@QAENN@ | 1 |
| ?DeleteDispQueue@CIpeView@@QAEXXZ | 1 |
| ?PixelViewToImg@CIpeView@@UAEXPAut: | 1 |
| ?ImgToPixelView@CIpeView@@UAEXPAut: | 1 |
| ?PixelViewToImg@CIpeView@@UAEXPAut: | 1 |
| ?OnDrop@CIpeView@@UAEHPAVCOleData | 1 |
| ?OnDraw@CIpeView@@UAEXPVCDC@@(| 1 |
| ?OnInitialUpdate@CIpeView@@UAEXXZ | 1 |
| ?OnDragEnter@CIpeView@@UAEKPAVCOle | 1 |
| ?OnDragLeave@CIpeView@@UAEXXZ | 1 |
| ?OnDragOver@CIpeView@@UAEKPAVCOle | 1 |
| ?AddOverLappedWnd@CIpeView@@QAEHI | 1 |
| ?OnScrollBy@CIpeView@@UAEHVCSIZE@@ | 1 |
| ?OnScroll@CIpeView@@UAEHIIH@Z | 1 |
| ?RemoveTool@CIpeViewToolList@@QAEHP | 1 |
| ??1CPlacePhotoQuery@@UAE@XZ | 1 |
| ??0CPlacePhotoQuery@@QAE@XZ | 1 |
| ?Init@CPlacePhotoParam@@QAEHW4Place | 1 |
| ?GetActiveView@@YAPAVCView@@XZ | 1 |
| ?GetListMergeBuffer@@YAHPAVCIpeDoc@ | 1 |
| ??1CPlacePhotoParam@@UAE@XZ | 1 |
| ?GetRuntimeClass@CPlacePhotoParam@@I | 1 |
| ??0CPlacePhotoParam@@QAE@XZ | 1 |
| ?m_pITpxMgr@CIpeDoc@@2PAVITpxMgr@ | 1 |
| ?OnResetBackgroundImage@CIpeView@@(| 1 |
| ?OnSetBackgroundImage@CIpeView@@QA | 1 |
| ??0CEventHandler@@IAE@XZ | 1 |
| ?m_pEvHandler@CIpeDoc@@2PAVCEventH | 1 |
| ?OnEvent@CEventHandler@@UAEHPAVCIp | 1 |
| ?OnEvent@CEventHandler@@UAEHPAVCIp | 1 |
| ??1CEventHandler@@UAE@XZ | 1 |
| ??0CEventHandlerFactory@@IAE@H@Z | 1 |
| ?ResetViewInfo@CIpeView@@UAEXXZ | 1 |
| ?OnEvent@CEventHandler@@UAEHPAVCIp | 1 |
| ?ZoomRect@CIpeView@@UAEXPAUTAGREC | 1 |
| ?TransMenuDrawItem@@YAXPAVCIpeView | 1 |
| ?TransMenuMesureItem@@YAXPAVCIpeVi | 1 |

| | |
|--------------------------------------|---|
| ?GetActGroupList@ClpeDoc@@QAEHAAVCI | 1 |
| ?GetDispRatio@ClpeView@@QAENH@Z | 1 |
| ?OnFinishCreateView@ClpeView@@QAEHX | 1 |
| ?CanScroll@ClpeView@@QAEHVCPoint@@ | 1 |
| ?PasteBufAsNewDocument@@YAHPAXHHP | 1 |
| ??1CTransformParam@@UAE@XZ | 1 |
| ?MouseMoveScroll@ClpeView@@QAEHVCI | 1 |
| ?ShowHandle@ClpeView@@UAEXH@Z | 1 |
| ?WantToShowMarquee@ClpePseudoView@ | 1 |
| ?SetOwner@CTransformParam@@QAEXPAT | 1 |
| ?ShowMarquee@ClpeView@@UAEXH@Z | 1 |
| ?m_NewDocInfo@ClpeDoc@@2UNEWDOI | 1 |
| ?OnRepaintFail@ClpeView@@MAEXPACD | 1 |
| ?SetRecalcFlag@ClpeView@@UAEXH@Z | 1 |
| ?GetMergedMem24@ClpeDoc@@QAEPAE\ | 1 |
| ?IsProjectDoc@@YAHPAVClpeDoc@@@Z | 1 |
| ?GetDispSourceCellWH@ClpeView@@MAE\ | 1 |
| ?PrepareOnDraw@ClpeView@@MAEHPAV\ | 1 |
| ?SetIpeModifiedFlag@ClpeDoc@@QAEXH@ | 1 |
| ?CmdZoomProc@ClpeView@@UAEXHPAVC | 1 |
| ?ScrollView@ClpeView@@UAEXHHH@Z | 1 |
| ?ScrollViewToPos@ClpeView@@UAEXVCPo | 1 |
| ?RecalcScrollPos@ClpeView@@UAEXVCPoi | 1 |
| ?GetOverlappedArea@ClpeView@@UAE?A\ | 1 |
| ?ChangeDispRatioTo@ClpeView@@UAEXHI | 1 |
| ?FitToView@ClpeView@@UAEXXZ | 1 |
| ?OnBgPaintBegin@ClpeView@@UAEHVCRe | 1 |
| ?OnBgPaintDoing@ClpeView@@UAEHVCRe | 1 |
| ?OnBgPaintEnd@ClpeView@@UAEHVCRect | 1 |
| ?SetEventHandler@ClpeView@@UAEHPAV\ | 1 |
| ?ShowObjButtonDlg@ClpeView@@UAEXHF | 1 |
| ?GetViewButtonSize@ClpeView@@UAEXPAT | 1 |
| ?PrepareDispMem@ClpeView@@UAEXXZ | 1 |
| ?UseMergedMem@ClpeView@@UAEXH@Z | 1 |
| ?GetFactor@ClpeView@@UAENXZ | 1 |
| ?SetFactor@ClpeView@@UAEXN@Z | 1 |
| ?OnViewMaxShow@ClpePseudoView@@U\ | 1 |
| ?SetScreenGamma@ClpeView@@UAEXH@ | 1 |
| ?Recalc@ClpeView@@UAEXXZ | 1 |
| ?GetActList@ClpeDoc@@QAEPAVClmgNod\ | 1 |
| ?GetIpeWorkView@@YAPAVClpeView@@P | 1 |
| ?GetCenterToolCat@ClpeView@@QAEPAVC | 1 |
| ?Repaint@ClpeView@@MAEXPACDC@@\ | 1 |
| ?BeforeDrawCell@ClpeView@@MAEXPACV | 1 |
| ?AfterDrawCell@ClpeView@@MAEXPACD | 1 |
| ?AfterBackRepaint@ClpeView@@MAEXPAT | 1 |
| ?NewIpeDocument@@YAPAVClpeDoc@@U | 1 |

| | |
|--|---|
| ?DrawViewBorder@CIpePseudoView@@UA | 1 |
| ?PopUpObjMenu@CIpeView@@MAEXXZ | 1 |
| ?OnDispRatioChange@CIpeView@@MAEXX | 1 |
| ?classCIpePseudoView@CIpePseudoView@() | 1 |
| ?ConvertIpeDoc48or16To24@CIpeDoc@@Q | 1 |
| ?ActObj@CIpeDoc@@QAEPAVCImgNode@I | 1 |
| ?GetFirstView@@YAPAVCIpeView@@PAVC | 1 |
| ?classCIpeView@CIpeView@@2UCRuntime | 1 |
| ?SetActiveTool@CIpeViewToolList@@QAEH | 1 |
| ?SetCenterToolCat@CIpeView@@QAEXPAP | 1 |
| ?classCIpeDoc@CIpeDoc@@2UCRuntimeCl | 1 |
| ?IsIpeView@@YAHPAVCView@@@Z | 1 |
| ?GetMergeBuffer@@YAHPAVCIpeDoc@@P | 1 |
| ?GetIpeActiveImageDocument@@YAPAVCI | 1 |
| ?GetIpeActiveView@@YAPAVCIpeView@@I | 1 |
| ?IsPhotoDoc@@YAHPAVCIpeDoc@@@Z | 1 |
| ??1CPhotoImgNode@@UAE@XZ | 1 |
| ?classCPhotoImgNode@CPhotoImgNode@C | 1 |
| ?Clone@CPhotoImgNode@@UAEPAVCImgN | 1 |
| ?GetRuntimeClass@CPhotoImgNode@@UB | 1 |
| ?GetImgNodeInterface@CPhotoImgNode@I | 1 |
| ?PreserveTransSrcImg@CPhotoImgNode@C | 1 |
| ?Clone@CPhotoImgNode@@UAEHPAVCImg | 1 |
| ?CloneEx@CPhotoImgNode@@UAEPAVCIm | 1 |
| ?SwapTransData@CPhotoImgNode@@UAE | 1 |
| ?GetOrthogonalWH@CPhotoImgNode@@U | 1 |
| ?DrawMarquee@CPhotoImgNode@@UAEX | 1 |
| ?GetTransSrcImg@CPhotoImgNode@@UAE | 1 |
| ?CreateShadow@CPhotoImgNode@@MAEF | 1 |
| ?CreateImgNode@CPhotoImgNode@@MAEF | 1 |
| ??0CPhotoImgNode@@QAE@XZ | 1 |
| ?GetTransSrcMask@CPhotoImgNode@@UA | 1 |
| ?classCPhotoView@CPhotoView@@2UCRur | 1 |
| ?classCPhotoDoc@CPhotoDoc@@2UCRunti | 1 |
| ??1CGlobalView@@UAE@XZ | 1 |
| ?CreateGlobalView@@YAHPAVCWnd@@HI | 1 |
| ?ShowG VBox@CGlobalView@@QAEXH@Z | 1 |
| ?OnLButtonUp@CGlobalView@@IAEXIVCPc | 1 |
| ?OnMouseMove@CGlobalView@@IAEXIVCI | 1 |
| ?SetMaxDispArea@CGlobalView@@QAEXH | 1 |
| ??1CIpeDialog@@UAE@XZ | 1 |
| ??0CGlobalView@@QAE@XZ | 1 |
| ?GetRuntimeClass@CGlobalView@@UBEPA | 1 |
| ?GetMessageMap@CGlobalView@@MBEPE | 1 |
| ?WindowProc@CGlobalView@@MAEJII@Z | 1 |
| ?PostNcDestroy@CGlobalView@@MAEXXZ | 1 |
| ?OnActivateView@CGlobalView@@MAEXH | 1 |

| | |
|--|---|
| ?RecalcGVBox@CGlobalView@@QAEXH@Z | 1 |
| ?OnUpdate@CGlobalView@@UAEXPACVic | 1 |
| ?DrawBackTexture@CGlobalView@@MAEH | 1 |
| ?CanUseDispCache@CGlobalView@@MAEF | 1 |
| ?Associate@CGlobalView@@UAEHPAVCIpe | 1 |
| ?SetAssociateView@CGlobalView@@QAEXF | 1 |
| ?InvokeEyeDroper@@YAHPAKPAVCWnd@() | 1 |
| ?OnInitDialog@ClpeDialog@@MAEHXZ | 1 |
| ?messageMap@ClpeDialog@@1UAFX_MSG | 1 |
| ?DoDataExchange@ClpeDialog@@MAEXPAC | 1 |
| ??0ClpeDialog@@QAE@IPAVCWnd@@@Z | 1 |
| ?GetRuntimeClass@ClpeDialog@@UBEPAU | 1 |
| ?PreTranslateMessage@ClpeDialog@@UAE | 1 |
| ?PostNcDestroy@ClpeDialog@@MAEXXZ | 1 |
| ?DoModal@ClpeDialog@@UAEHXZ | 1 |
| ?DoModal@ClpeDialog@@QAEHPAVCIpeD | 1 |
| ?AlignToParent@CGlobalView@@QAEXXZ | 1 |
| ?GetMaxDispArea@CGlobalView@@UAEXP | 1 |
| ?OnLButtonDown@CGlobalView@@IAEXIVC | 1 |
| ?GetSourceImgMask@CFrameParam@@QA | 1 |
| ??0CTplViewHandleInterface@@QAE@PAVi | 1 |
| ??0ClpeViewHandleInterface@@QAE@PAVi | 1 |
| ?CheckShadowNode@@YAHPAVCIpeView@ | 1 |
| ??1ClpeViewHandleInterface@@UAE@XZ | 1 |
| ??0ClpeViewHandleInterface@@QAE@XZ | 1 |
| ??0CTplViewHandleInterface@@QAE@XZ | 1 |
| ?GetRuntimeClass@ClpeViewHandleInterface | 1 |
| ?LogToDev@ClpeViewHandleInterface@@U | 1 |
| ??1CTplViewHandleInterface@@UAE@XZ | 1 |
| ?LeaveTool@ClpeToolCat@@UAEXXZ | 1 |
| ?GetMaxClipRect@ClpeViewHandleInterface | 1 |
| ?GetRuntimeClass@CTplViewHandleInterface | 1 |
| ?classClpeToolCat@ClpeToolCat@@2UCRur | 1 |
| ??1ClpeToolCat@@UAE@XZ | 1 |
| ?OnEvent@ClpeToolCat@@UAEHPAVCIpeD | 1 |
| ?OnChar@ClpeToolCat@@UAEHPAVCIpeVi | 1 |
| ?OnRButtonDown@ClpeToolCat@@UAEHP | 1 |
| ??0ClpeToolCat@@IAE@XZ | 1 |
| ?OnKeyDown@ClpeToolCat@@UAEHPAVCI | 1 |
| ?OnKeyUp@ClpeToolCat@@UAEHPAVCIpe\ | 1 |
| ?OnRButtonUp@ClpeToolCat@@UAEHPAVC | 1 |
| ?OnChar@ClpeToolCat@@UAEHPAVCView(| 1 |
| ?OnLButtonDownDbIClk@ClpeToolCat@@UAEHP | 1 |
| ?InitTool@ClpeToolCat@@UAEHPAVCView(| 1 |
| ?OnLButtonUp@ClpeToolCat@@UAEHPAVC | 1 |
| ?OnMouseMove@ClpeToolCat@@UAEHPA\ | 1 |
| ?OnLButtonDown@ClpeToolCat@@UAEHP/ | 1 |

| | |
|--|---|
| ?OnRButtonUp@CIpeToolCat@@UAEHPAVC | 1 |
| ?OnKeyDown@CIpeToolCat@@UAEHPAVC\ | 1 |
| ?OnRButtonDown@CIpeToolCat@@UAEHP/ | 1 |
| ?OnTimer@CIpeToolCat@@UAEHPAVCView | 1 |
| ?OnEvent@CIpeToolCat@@UAEHPAVCView | 1 |
| ?OnKeyUp@CIpeToolCat@@UAEHPAVCView | 1 |
| ?GetRuntimeClass@CIpeToolCat@@UBEPAl | 1 |
| ?IsMoveObjectHandleInDoc@@YAHPAVCIm | 1 |
| ?OnEvent@CIpeToolCat@@UAEHPAVCDocu | 1 |
| ??1CZoomToolCat@@UAE@XZ | 1 |
| ?classCZoomToolCat@CZoomToolCat@@2U | 1 |
| ?GetActiveIpeToolCat@@YAPAVCIpeToolCa | 1 |
| ?GetRuntimeClass@CZoomToolCat@@UBEF | 1 |
| ?InitTool@CZoomToolCat@@UAEHPAVCIpe | 1 |
| ?InitTool@CIpeToolCat@@UAEHPAVCIpeVi | 1 |
| ??0CZoomToolCat@@QAE@XZ | 1 |
| ?LogToDev@CTplViewHandleInterface@@U | 1 |
| ?OnLButtonDbClick@CZoomToolCat@@UAEI | 1 |
| ?OnLButtonDown@CZoomToolCat@@UAEI | 1 |
| ?OnChar@CZoomToolCat@@UAEHPAVCIpe | 1 |
| ?OnMouseMove@CZoomToolCat@@UAEHF | 1 |
| ?OnRButtonDown@CZoomToolCat@@UAEF | 1 |
| ?OnLButtonUp@CZoomToolCat@@UAEHPA | 1 |
| ?OnKeyDown@CZoomToolCat@@UAEHPAV | 1 |
| ?OnKeyUp@CZoomToolCat@@UAEHPAVCI | 1 |
| ?OnRButtonUp@CZoomToolCat@@UAEHPA | 1 |
| ?OnEvent@CZoomToolCat@@UAEHPAVCIp | 1 |
| ?OnEvent@CIpeToolCat@@UAEHPAVCIpeV | 1 |
| ?OnTimer@CZoomToolCat@@UAEHPAVCIp | 1 |
| ?classCPanningToolCat@CPanningToolCat@ | 1 |
| ??0CPanningToolCat@@QAE@XZ | 1 |
| ?LogToDev@CIpeViewHandleInterface@@U | 1 |
| ??1CPanningToolCat@@UAE@XZ | 1 |
| ?DevToLog@CTplViewHandleInterface@@U | 1 |
| ?InitTool@CPanningToolCat@@UAEHPAVCI | 1 |
| ?OnChar@CPanningToolCat@@UAEHPAVCI | 1 |
| ?GetRuntimeClass@CPanningToolCat@@UE | 1 |
| ?OnLButtonDown@CPanningToolCat@@UA | 1 |
| ?OnLButtonUp@CPanningToolCat@@UAEH | 1 |
| ?OnLButtonDbClick@CIpeToolCat@@UAEHP | 1 |
| ?OnRButtonDown@CPanningToolCat@@UA | 1 |
| ?OnRButtonUp@CPanningToolCat@@UAEH | 1 |
| ?OnMouseMove@CPanningToolCat@@UAE | 1 |
| ?OnKeyUp@CPanningToolCat@@UAEHPAV | 1 |
| ?DevToLog@CIpeViewHandleInterface@@U | 1 |
| ?DevToLog@CIpeViewHandleInterface@@U | 1 |
| ?GetAttachWindow@CIpeViewHandleInterf | 1 |

| | |
|---|---|
| ?SetAttachWindow@CIpeViewHandleInterface@ | 1 |
| ?SetAttachWindow@CTplViewHandleInterface@ | 1 |
| ?OnTimer@CIpeToolCat@@UAEHPAVCIpeV | 1 |
| ?OnKeyDown@CPanningToolCat@@UAEHP | 1 |
| ?OnEvent@CPanningToolCat@@UAEHPAVC | 1 |
| ?GetMaxClipRect@CTplViewHandleInterface@ | 1 |
| ?OnEvent@CPanningToolCat@@UAEHPAVC | 1 |
| ?ConvertToTextObject@CTextNode@@QAE | 1 |
| ?IsTextObjActive@@YAHXZ | 1 |
| ?MoveInRect@CTextNode@@UAEHAAVCPc | 1 |
| ?GetOrthogonalWH@CTextNode@@UAEXP | 1 |
| ?classCTextNode@CTextNode@@2UCRunti | 1 |
| ?GetXWeight@CTextNode@@QAENXZ | 1 |
| ?IsTextActive@@YAHPAVCipeDoc@@@Z | 1 |
| ?GetYWeight@CTextNode@@QAENXZ | 1 |
| ?GetRuntimeClass@CTextNode@@UBEPAU | 1 |
| ?Clone@CTextNode@@UAEHPAVCIImgNode@ | 1 |
| ?Clone@CTextNode@@UAEPAVCImgNode@ | 1 |
| ?GetFlipFlag@CTextNode@@QAEHXZ | 1 |
| ?MoveTo@CTextNode@@QAEXHH@Z | 1 |
| ??4CTextNode@@QAEAAV0@AAVtextObjec | 1 |
| ?CreateUrdo@CTextNode@@QAEPAV1@XZ | 1 |
| ??0CTextNode@@QAE@XZ | 1 |
| ??1CTextNode@@UAE@XZ | 1 |
| ?GetWeight@CTextNode@@QAENXZ | 1 |
| ?Urdo@CTextNode@@QAEHPAV1@@@Z | 1 |
| ?IsVertFont@CTextNode@@QAEHXZ | 1 |
| ?TranslateRender@CTextNode@@QAEHNN | 1 |
| ?Get4Handle@CTextNode@@QAEPAUtagf | 1 |
| ?SetImage@CTextNode@@QAEHPAX0HH@ | 1 |
| ??1CFontMap@@UAE@XZ | 1 |
| ?ChangeTextString@CTextNode@@QAEHPA | 1 |
| ?ChangeFontName@CTextNode@@QAEHPA | 1 |
| ??0CFontMap@@QAE@XZ | 1 |
| ?LookupFontface@CFontMap@@QAEHPBD | 1 |
| ?CloneFontName@CTextNode@@QAEPADX | 1 |
| ?CreateImgNode@CTextNode@@MAEPAVC | 1 |
| ?CloneTextString@CTextNode@@QAEPAEX | 1 |
| ?GetMarqueeBoundRect@CTextNode@@U | 1 |
| ?DrawMarquee@CTextNode@@UAEXPVC | 1 |
| ?Move@CTextNode@@UAEXHH@Z | 1 |
| ?RegenerateShadowNode@CTextNode@@@l | 1 |
| ?PtInMask@CTextNode@@UAEHVCPoint@ | 1 |
| ?CloneEx@CTextNode@@UAEPAVCImgNod | 1 |
| ?FillTextureToBuf@@YAHPAXHPAUHPALET | 1 |
| ?AddUndoEvent@CUndoMgr@@QAEHAAP/ | 1 |
| ?MergeUndoEvent@CUndoMgr@@QAEXAA | 1 |

| | |
|-------------------------------------|---|
| ?GetUndoMgr@@YAPAVCUndoMgr@@XZ | 1 |
| ??0CuObjImg@@QAE@XZ | 1 |
| ??0CuBaseImgNoResize@@QAE@XZ | 1 |
| ??0CuShadow@@QAE@XZ | 1 |
| ?IsDummyUndo@CUndoEvent@@UAEHXZ | 1 |
| ?Accumulate@CUndoEvent@@UAEHPAV1@ | 1 |
| ?SetUndo@CUndoEvent@@UAEHPAVCIpeD | 1 |
| ?SetUndo@CUndoEvent@@UAEHPAVCIpeD | 1 |
| ?SetUndo@CuConvertSelToObj@@UAEHPA | 1 |
| ?Undo@CuConvertSelToObj@@UAEHXZ | 1 |
| ?Redo@CuConvertSelToObj@@UAEHXZ | 1 |
| ?Free@CuConvertSelToObj@@UAEXXZ | 1 |
| ?Cancel@CuConvertSelToObj@@UAEXXZ | 1 |
| ?GetRedrawRect@CuConvertSelToObj@@U | 1 |
| ?GetRuntimeClass@CuShadow@@UBEPAU | 1 |
| ?SetUndo@CuShadow@@UAEHPAVCIpeDo | 1 |
| ?SetUndo@CUndoEvent@@UAEHPAVCIpeD | 1 |
| ??0CuTransObj@@QAE@H@Z | 1 |
| ?SetAccumulate@CUndoEvent@@QAEXH@ | 1 |
| ?Redo@CuShadow@@UAEHXZ | 1 |
| ??0CuConvertSelToObj@@QAE@XZ | 1 |
| ?GetRedrawRect@CuShadow@@UAEXPAUT | 1 |
| ?GetRuntimeClass@CuObjImg@@UBEPauc | 1 |
| ?SetUndo@CuObjImg@@UAEHPAVCIpeDoc | 1 |
| ?SetUndo@CuObjImg@@UAEHPAVCIpeDoc | 1 |
| ?Undo@CuObjImg@@UAEHXZ | 1 |
| ?Redo@CuObjImg@@UAEHXZ | 1 |
| ?Free@CuObjImg@@UAEXXZ | 1 |
| ?Cancel@CuObjImg@@UAEXXZ | 1 |
| ?GetRedrawRect@CuObjImg@@UAEXPAUT; | 1 |
| ?SetUndo@CuObjDel@@UAEHPAVCIpeDoc | 1 |
| ?Undo@CuObjDel@@UAEHXZ | 1 |
| ?Accumulate@CuTransObj@@UAEHPAVCU | 1 |
| ?SetUndo@CuTransObj@@UAEHPAVCIpeD | 1 |
| ?SetUndo@CuTransObj@@UAEHPAVCIpeD | 1 |
| ?Undo@CuTransObj@@UAEHXZ | 1 |
| ?Redo@CuTransObj@@UAEHXZ | 1 |
| ?Free@CuTransObj@@UAEXXZ | 1 |
| ?Cancel@CuTransObj@@UAEXXZ | 1 |
| ?GetRedrawRect@CuTransObj@@UAEXPAL | 1 |
| ?UrdoSwap@CuTransObj@@MAEXXZ | 1 |
| ?Undo@CuShadow@@UAEHXZ | 1 |
| ??1CuConvertSelToObj@@UAE@XZ | 1 |
| ?Undo@CuBaseImgNoResize@@UAEHXZ | 1 |
| ?Redo@CuBaseImgNoResize@@UAEHXZ | 1 |
| ??1CuBaseImgNoResize@@UAE@XZ | 1 |
| ?Cancel@CuBaseImgNoResize@@UAEXXZ | 1 |

| | |
|---------------------------------------|---|
| ?GetRedrawRect@CuBaseImgNoResize@@@l | 1 |
| ??1CuShadow@@@UAE@XZ | 1 |
| ??1CuTransObj@@@UAE@XZ | 1 |
| ??1CuObjImg@@@UAE@XZ | 1 |
| ?Free@CuAddObj2@@@UAEXXZ | 1 |
| ?GetRedrawRect@CuAddObj2@@@UAEXP@U | 1 |
| ?Cancel@CuAddObj2@@@UAEXXZ | 1 |
| ?SetUndo@CuAddObj2@@@UAEHPAVCIpeDc | 1 |
| ?Redo@CuAddObj2@@@UAEHXZ | 1 |
| ?Undo@CuAddObj2@@@UAEHXZ | 1 |
| ??0CuAddObj2@@@QAE@H@Z | 1 |
| ?SetUndo@CuAddObj2@@@UAEHPAVCIpeDc | 1 |
| ?GetRuntimeClass@CuAddObj2@@@UBEPAU | 1 |
| ?ResetUndoRedoDirty@CUndoMgr@@@QAE@ | 1 |
| ??1CuAddObj2@@@UAE@XZ | 1 |
| ?RemoveUndoEvent@CUndoMgr@@@QAEXF | 1 |
| ?Undo@CUndoMgr@@@QAEXP@AVCIpeDoc@ | 1 |
| ?CreateUndoMgr@@@YAH@PAVCW@nd@@@Z | 1 |
| ?Redo@CUndoMgr@@@QAEXP@AVCIpeDoc@ | 1 |
| ?GetRedrawRect@CuObjDel@@@UAEXP@Uta | 1 |
| ?HasRedoEvent@CUndoMgr@@@QAEHPAVC | 1 |
| ?HasUndoEvent@CUndoMgr@@@QAEHPAVC | 1 |
| ?Redo@CuObjDel@@@UAEHXZ | 1 |
| ?Cancel@CuObjDel@@@UAEXXZ | 1 |
| ?Free@CuObjDel@@@UAEXXZ | 1 |
| ?Free@CUndoEvent@@@UAEXXZ | 1 |
| ?Cancel@CUndoEvent@@@UAEXXZ | 1 |
| ?SetUndo@CuObjDel@@@UAEHPAVCIpeDoc | 1 |
| ?Cancel@CuChangeActImg@@@UAEXXZ | 1 |
| ?Free@CuChangeActImg@@@UAEXXZ | 1 |
| ?Redo@CuChangeActImg@@@UAEHXZ | 1 |
| ?Undo@CuChangeActImg@@@UAEHXZ | 1 |
| ?SetUndo@CuChangeActImg@@@UAEHPAVC | 1 |
| ?Accumulate@CuChangeActImg@@@UAEHP@ | 1 |
| ?GetRuntimeClass@CuChangeActImg@@@UE | 1 |
| ??0CuChangeActImg@@@QAE@XZ | 1 |
| ??1CuChangeActImg@@@UAE@XZ | 1 |
| ?GetRedrawRect@CuSelectionPos@@@UAEX | 1 |
| ?Redo@CuSelectionPos@@@UAEHXZ | 1 |
| ?Undo@CuSelectionPos@@@UAEHXZ | 1 |
| ?SetUndo@CuSelectionPos@@@UAEHPAVCIp | 1 |
| ?GetRuntimeClass@CuSelectionPos@@@UBE | 1 |
| ??0CuSelectionPos@@@QAE@XZ | 1 |
| ??1CuSelectionPos@@@UAE@XZ | 1 |
| ?GetRedrawRect@CuNewSelection@@@UAE@ | 1 |
| ?Cancel@CuNewSelection@@@UAEXXZ | 1 |
| ?Free@CuNewSelection@@@UAEXXZ | 1 |

| | |
|--|---|
| ?Redo@CuNewSelection@@UAEHXZ | 1 |
| ?Undo@CuNewSelection@@UAEHXZ | 1 |
| ?SetUndo@CuNewSelection@@UAEHPAVCI | 1 |
| ?GetRedrawRect@CuPhotoStaticBaseImg@@(| 1 |
| ?SetUndo@CuObjDel@@UAEHPAVCIpeDoc | 1 |
| ?GetRuntimeClass@CuObjDel@@UBEPACI | 1 |
| ?Redo@CuPhotoStaticBaseImg@@UAEHXZ | 1 |
| ?Cancel@CuPhotoStaticBaseImg@@UAEXXZ | 1 |
| ?Free@CuPhotoStaticBaseImg@@UAEXXZ | 1 |
| ?GetRuntimeClass@CuPhotoStaticBaseImg@ | 1 |
| ?Undo@CuPhotoStaticBaseImg@@UAEHXZ | 1 |
| ?SetUndo@CuPhotoStaticBaseImg@@UAEHX | 1 |
| ??1CuObjDel@@UAE@XZ | 1 |
| ??0CuPhotoStaticBaseImg@@QAE@XZ | 1 |
| ??0CuObjDel@@QAE@XZ | 1 |
| ?GetUndoMenuStrIDs@CUndoMgr@@QAE | 1 |
| ??1CuPhotoStaticBaseImg@@UAE@XZ | 1 |
| ?GetRedoMenuStrIDs@CUndoMgr@@QAE | 1 |
| ?UrdoSwap@CuObjImg@@MAEXXZ | 1 |
| ?GetRuntimeClass@CuTransObj@@UBEPAL | 1 |
| ?Cancel@CuObjDup@@UAEXXZ | 1 |
| ?GetRuntimeClass@CuNewSelection@@UB | 1 |
| ??0CuNewSelection@@QAE@XZ | 1 |
| ??1CuNewSelection@@UAE@XZ | 1 |
| ?classCUndoEvent@CUndoEvent@@2UCRui | 1 |
| ??1CUndoEvent@@UAE@XZ | 1 |
| ??0CUndoEvent@@QAE@XZ | 1 |
| ?GetRedrawRect@CUndoEvent@@UAEXPAL | 1 |
| ?Redo@CUndoEvent@@UAEHXZ | 1 |
| ?Undo@CUndoEvent@@UAEHXZ | 1 |
| ?Redo@CuPrjShadow@@UAEHXZ | 1 |
| ?Undo@CuPrjShadow@@UAEHXZ | 1 |
| ?GetRuntimeClass@CuPrjShadow@@UBEPAL | 1 |
| ??1CuPrjShadow@@UAE@XZ | 1 |
| ?GetTopUndoEvent@CUndoMgr@@QAEPA | 1 |
| ?GetLastUndoEvent@CUndoMgr@@QAEPA | 1 |
| ?SetUndo@CuRepoObjList1@@UAEHPAVC | 1 |
| ?GetRuntimeClass@CuRepoObjList1@@UB | 1 |
| ??1CuRepoObjList1@@UAE@XZ | 1 |
| ?IsAccumulative@CUndoEvent@@QAEHXZ | 1 |
| ?DeleteUndoMgr@@YAXXZ | 1 |
| ?GetRedrawRect@CuObjDup@@UAEXPAL | 1 |
| ?Undo@CuObjDup@@UAEHXZ | 1 |
| ?Free@CuObjDup@@UAEXXZ | 1 |
| ?Redo@CuObjDup@@UAEHXZ | 1 |
| ?SetUndo@CuObjDup@@UAEHPAVCIpeDoc | 1 |
| ?SetUndo@CuObjDup@@UAEHPAVCIpeDoc | 1 |

| | |
|---------------------------------------|---|
| ?SetUndo@CuObjDup@@UAEHPAVCIpeDoc | 1 |
| ??1CuObjDup@@UAE@XZ | 1 |
| ?GetRuntimeClass@CuObjDup@@UBEPAUC | 1 |
| ??0CuObjDup@@QAE@XZ | 1 |
| ?Undo@CuObjZOrder@@UAEHXZ | 1 |
| ?GetRedrawRect@CuObjZOrder@@UAEXP@ | 1 |
| ?Redo@CuObjZOrder@@UAEHXZ | 1 |
| ?GetRuntimeClass@CuObjZOrder@@UBEPA | 1 |
| ?SetUndo@CuObjZOrder@@UAEHPAVCIpel | 1 |
| ?Accumulate@CuObjZOrder@@UAEHPAVCI | 1 |
| ?GetRedrawRect@CuTrans@@UAEXPATag | 1 |
| ??0CuObjZOrder@@QAE@XZ | 1 |
| ??1CuObjZOrder@@UAE@XZ | 1 |
| ?SetUndo@CuTrans@@UAEHPAVCIpeDoc@ | 1 |
| ?Redo@CuTrans@@UAEHXZ | 1 |
| ?Undo@CuTrans@@UAEHXZ | 1 |
| ??1CuTrans@@UAE@XZ | 1 |
| ?GetRuntimeClass@CuTrans@@UBEPAUCR@ | 1 |
| ??0CuTrans@@QAE@XZ | 1 |
| ?Free@CuRemoveFrame@@UAEXXZ | 1 |
| ?GetRedrawRect@CuRemoveFrame@@UAE | 1 |
| ?Cancel@CuRemoveFrame@@UAEXXZ | 1 |
| ?SetUndo@CuRemoveFrame@@UAEHPAVC | 1 |
| ?Redo@CuRemoveFrame@@UAEHXZ | 1 |
| ?Undo@CuRemoveFrame@@UAEHXZ | 1 |
| ?Cancel@CuReposObjList@@UAEXXZ | 1 |
| ?GetRuntimeClass@CuRemoveFrame@@UE | 1 |
| ?GetRedrawRect@CuReposObjList@@UAEX | 1 |
| ?Undo@CuReposObjList@@UAEHXZ | 1 |
| ?Free@CuReposObjList@@UAEXXZ | 1 |
| ?Redo@CuReposObjList@@UAEHXZ | 1 |
| ?SetUndo@CuPrjMoveBaseObj@@UAEHPA | 1 |
| ?SetUndo@CuReposObjList@@UAEHPAVCI | 1 |
| ?GetRuntimeClass@CuReposObjList@@UBE | 1 |
| ?Undo@CuPrjMoveBaseObj@@UAEHXZ | 1 |
| ?GetRedrawRect@CuPrjMoveBaseObj@@U | 1 |
| ?Redo@CuPrjMoveBaseObj@@UAEHXZ | 1 |
| ?Redo@CuChangeBaseImageSize@@UAEH | 1 |
| ?GetRuntimeClass@CuPrjMoveBaseObj@@ | 1 |
| ?GetRedrawRect@CuChangeBaseImageSize | 1 |
| ?Accumulate@CuChangeBaseImageSize@@ | 1 |
| ?Undo@CuChangeBaseImageSize@@UAEH | 1 |
| ?SetUndo@CuChangeBaseImageSize@@UA | 1 |
| ??0CuChangeBaseImageSize@@QAE@H@Z | 1 |
| ?GetRuntimeClass@CuChangeBaseImageSiz | 1 |
| ??0CuReposObjList@@QAE@XZ | 1 |
| ??1CuRemoveFrame@@UAE@XZ | 1 |

| | |
|---|---|
| ??0CuPrjMoveBaseObj@@QAE@XZ | 1 |
| ??0CuRemoveFrame@@QAE@XZ | 1 |
| ??1CuReposObjList@@UAE@XZ | 1 |
| ??1CuPrjMoveBaseObj@@UAE@XZ | 1 |
| ??1CuChangeBaseImageSize@@UAE@XZ | 1 |
| ?GetRuntimeClass@CuBaseImgNoResize@C | 1 |
| ?GetRedrawRect@CuChangeActImg@@UAE | 1 |
| ?SetUndo@CuBaseImgNoResize@@UAEHP | 1 |
| ?ClearRedoStack@CUndoMgr@@QAEXPV | 1 |
| ?GetRuntimeClass@CuConvertSelToObj@@ | 1 |
| ?Free@CuBaseImgNoResize@@UAEXZ | 1 |
| ?CreatePntMgr@@YAHPAVCFrameWnd@@ | 1 |
| ?SetQuality@CPntMgr@@QAEXH@Z | 1 |
| ?GetPntMgr@@YAPAVCPntMgr@@XZ | 1 |
| ?DeletePntMgr@@YAXXZ | 1 |
| ?OnGlobeBarItemChange@CPrintGlobeBar@ | 1 |
| ??0CPrintGlobeBar@@QAE@XZ | 1 |
| ?OnGlobeBarModeChange@CPrintGlobeBar | 1 |
| ?ClosePreview@@YAXPAVCPrintPreviewVie | 1 |
| ?ClosePreview@@YAXPAVCPrintPreviewVie | 1 |
| ??1CPrintGlobeBar@@UAE@XZ | 1 |
| ?AllocPrintInfo@@YAHH@Z | 1 |
| ?pPrintInfo@@3PAUPRINTINFO@@A | 1 |
| ?classCPrintPreviewMDIChildWnd@CPrintPr | 1 |
| ?classCPrintPreviewDoc@CPrintPreviewDoc | 1 |
| ?classCPrintPreviewView@CPrintPreviewVi | 1 |
| ?FreePrintInfo@@YAXXZ | 1 |
| ?pPrinterSetup@@3PAUPRINTERSETUP@@ | 1 |
| ?IpeLoadPrintLibrary@@YAPAUHINSTANCE_ | 1 |
| ?WriteDefaultPaperName@@YAXXZ | 1 |
| ?PrintMergeImage@@YAXPAVCIpeDoc@@I | 1 |
| ?LookingForPrinter@@YAHH@Z | 1 |
| ??1CUISKinListBox@@UAE@XZ | 1 |
| ??1CBKImgIIList@@QAE@XZ | 1 |
| ??0CUISchemaDlg@@QAE@PAVCWnd@@(| 1 |
| ?IsSetBKImg@CUISchemaDlg@@QAEHXZ | 1 |
| ?GetBKImgFName@CUISchemaDlg@@QAEI | 1 |
| ??1CUISchemaDlg@@UAE@XZ | 1 |
| ?m_szPushDeviceName@CACquireUI@@2P | 1 |
| ?ExitTwain@@YAXXZ | 1 |
| ?PushModel_ProcessCopyData@@YAHPAD(| 1 |
| ?PushModel_ProcessSwitchToolUI@@YAHX | 1 |
| ?classCCameraCard@CCameraCard@@2UC | 1 |
| ?classCCameraUI@CCameraUI@@2UCRun | 1 |
| ?classCScannerUI@CScannerUI@@2UCRun | 1 |
| ?m_dwPushAction@CACquireUI@@2KA | 1 |
| ?m_dwPushDeviceType@CACquireUI@@2K | 1 |

| | |
|---|---|
| ?PushModel_OnSecondInstanceInit@@YAH | 1 |
| ?ProcessPushModelEvent@CAcquireUI@@S | 1 |
| ?classCScannerCard@CScannerCard@@2UC | 1 |
| ??1CFolderTreeCombo@@QAE@XZ | 1 |
| ?m_fnSetFocus@CFolderTreeCombo@@QA | 1 |
| ??0CFolderTreeCombo@@QAE@PAVCWnd | 1 |
| ?m_fnRegisterNotifyObject@CFolderTreeCo | 1 |
| ?m_fnSetCurrentFolder@CFolderTreeComb | 1 |
| ?m_fnTranslateToPhysicalFolder@CFolderTr | 1 |
| ?m_fnGetWindowRect@CFolderTreeCombo | 1 |
| ?m_fnGetCurrentFolder@CFolderTreeComb | 1 |
| ?m_fnGetListCtrlSize@CFolderTreeCombo@ | 1 |
| ?m_fnSetListCtrlSize@CFolderTreeCombo@ | 1 |
| ?m_fnSetWindowRect@CFolderTreeCombo@ | 1 |
| ?IsTaskTypeHelp@@YAH@Z | 1 |
| ?GetHelpFileName@@YA?AVCString@@H@C | 1 |
| ?ShowAboutBox2@@YAHPAVCWnd@@PAI | 1 |
| ?_M_increment@?\$_Rb_global@_N@priv@ | 1 |
| ?deallocate@__node_alloc@stlp_std@@SA | 1 |
| ?_M_decrement@?\$_Rb_global@_N@priv@ | 1 |
| ?_Rebalance@?\$_Rb_global@_N@priv@stl | 1 |
| ?allocate@__node_alloc@stlp_std@@SAPA | 1 |
| ?_M_compare@?\$basic_string@DV?\$char_1 | 1 |
| ?substr@?\$basic_string@DV?\$char_traits@ | 1 |
| ??4?\$basic_string@DV?\$char_traits@D@stl | 1 |
| ??4?\$basic_string@DV?\$char_traits@D@stl | 1 |
| ??Y?\$basic_string@DV?\$char_traits@D@stl | 1 |
| ??0?\$basic_string@DV?\$char_traits@D@stl | 1 |
| ?size@?\$basic_string@DV?\$char_traits@D@ | 1 |
| ??Y?\$basic_string@DV?\$char_traits@D@stl | 1 |
| ??0?\$basic_string@DV?\$char_traits@D@stl | 1 |
| ?_Rebalance_for_erase@?\$_Rb_global@_N | 1 |
| ??0CxImage@@QAE@I@Z | 1 |
| ?Save@CxImage@@QAE_NPB_WI@Z | 1 |
| ?SetGrayPalette@CxImage@@QAEXXZ | 1 |
| ?CreateFromHBITMAP@CxImage@@QAE_N | 1 |
| ?DestroyFrames@CxImage@@QAE_NXZ | 1 |
| ?Draw@CxImage@@QAEHPAUHDC__@@A | 1 |
| ?Load@CxImage@@QAE_NPB_WI@Z | 1 |
| ?InitGSubUserData@@YAXJPAUIQQData@ | 1 |
| ?InitGUserData@@YAXJPAUIQQData@@@A | 1 |
| ?CheckDiscMember@@YAHPAUIQQUserMa | 1 |
| ?QQGetData@@YAHPAUIQQData@@PBDEI | 1 |
| ?IsTOCGroup@@YAHPAUIQQUserManager@ | 1 |
| ?GetGroupOrgID@@YAKPAUIQQUserManag | 1 |
| ?GetGroupMngFlagExImageIndex@@YAHPA | 1 |
| ?LoadStr@@YAXAAVCString@@I@Z | 1 |

| | |
|--|---|
| ?GetGroupLayerXmlFilePath@@YA?AVCStr@ | 1 |
| ?GetDiscUinByMembers@@YAKKEAAVCDW | 1 |
| ?CopyQQData@ToolQQData@@YAHPAUIQ@ | 1 |
| ?GetDiscChatDlgHandle@@YAPAUHWND__ | 1 |
| ?GetCurrentLoginInfo@@YAHAAKAAVCStr@ | 1 |
| ?LoadZipModule1@@YAHXZ | 1 |
| ?QQBmpUnzip@@YAHPBD0@Z | 1 |
| ?FreeZipModule1@@YAHXZ | 1 |
| ?GetDiscMemList@@YAXPAUIQQUserMana | 1 |
| ?TraverseOrg@@YAHPAUIQQUserManager@ | 1 |
| ?ResetDiscMember@@YAHPAUIQQCore@C | 1 |
| ?GetGroupDisRootID@@YAKPAUIQQUserM | 1 |
| ?IsGroupExist@@YAHPAUIQQUserManager | 1 |
| ?IsAllowAddToInGAudioChat@@YAIKKHPAL | 1 |
| ?GetGroupMemberData@@YAHKKPAPAUIC | 1 |
| ?IsAllowAddToGAudioChat@@YAIKHPAUHV | 1 |
| ?GetDisDataFromDisUin@@YAHPAUIQQUs@ | 1 |
| ?GetGroupMemName@@YAXPAUIQQData@ | 1 |
| ??1CButtonST@@UAE@XZ | 1 |
| ?CloseWindowWhenDomodal@CQQSkinDlg | 1 |
| ?classCQQSkinDlgBase@CQQSkinDlgBase@ | 1 |
| ?SetRoundCorner@CQQGroupBox@@QAEH | 1 |
| ?SetTextColor@CQQGroupBox@@QAEKK@ | 1 |
| ?GetLastModifyTime@CHttpDownload@@C | 1 |
| ?Download@CHttpDownload@@QAEIPBDP | 1 |
| ??0CComboBoxXP@@QAE@XZ | 1 |
| ??1CComboBoxXP@@UAE@XZ | 1 |
| ?classCQQSettingPage@CQQSettingPage@ | 1 |
| ?UpdatePos@CGroupTreeDlg@@QAEXXZ | 1 |
| ?SetSelBkColor@CQQTreeCtrl@@QAEXK@Z | 1 |
| ?SetSelTextColor@CQQTreeCtrl@@QAEXK@C | 1 |
| ?SetTextIndent@CQQTreeCtrl@@QAEEHH@I | 1 |
| ?GetDefaultTitleBkDib@CQQSettingPage@C | 1 |
| ?SetTitle@CQQSettingPage@@QAEXIVCStr@ | 1 |
| ??0CQQTreeCtrl@@QAE@XZ | 1 |
| ??1CQQTreeCtrl@@UAE@XZ | 1 |
| ?DeleteItem@CQQListCtrl@@QAEHH@Z | 1 |
| ?UpdateOtherStatus@CGroupTree@@QAEXXZ | 1 |
| ?DeleteAllItems@CQQListCtrl@@QAEHXZ | 1 |
| ?InsertItem@CQQListCtrl@@QAEHIHPBDII@ | 1 |
| ?SetItemImage@CQQListCtrl@@QAEXH | 1 |
| ?SetItemData@CQQListCtrl@@QAEHHK@Z | 1 |
| ?SortItems@CQQListCtrl@@QAEHP6GHJJJ@ | 1 |
| ?Show@CGroupTreeDlg@@QAEXXZ | 1 |
| ?GetUsers@CGroupTreeDlg@@QAEHPAJH@C | 1 |
| ??1CQQSkinDlgBase@@UAE@XZ | 1 |
| ?SetWindowTitle@CQQSkinDlgBase@@MAI | 1 |

| | |
|--|---|
| ?SetColumnTextColor@CQQListCtrl@@QAE | 1 |
| ?SetSubImage@CQQListCtrl@@QAEPAVCI | 1 |
| ?SetExtendedStyle@CQQListCtrl@@QAEKK | 1 |
| ?OnEraseBkgnd@CQQSettingPage@@QAEH | 1 |
| ??0CGroupTreeDlg@@QAE@PAVCWnd@@ | 1 |
| ??0CQQListCtrl@@QAE@XZ | 1 |
| ??1CGroupTreeDlg@@UAE@XZ | 1 |
| ??1CQQListCtrl@@UAE@XZ | 1 |
| ?Create@CQQToolTip@@QAEHPAVCWnd@ | 1 |
| ?SetFrameColor@CQQToolTip@@QAEHK@Z | 1 |
| ?SetInnerFrameColor@CQQToolTip@@QAE | 1 |
| ?SetBkColor@CQQToolTip@@QAEHK@Z | 1 |
| ?Show@CQQToolTip@@QAEVCString@@I | 1 |
| ?Load@CMarkup@@QAE_NPBD@Z | 1 |
| ?ResetPos@CMarkup@@QAEXXZ | 1 |
| ?EnableWindow@CQQGroupBox@@QAEHF | 1 |
| ?Hide@CGroupTreeDlg@@QAEXXZ | 1 |
| ?OnInitDialog@CQQSettingPage@@UAEHX; | 1 |
| ?SetFaceIcon@CFaceStatic@@QAEHPAUHIC | 1 |
| ?messageMap@CQQSettingPage@@1UAFX | 1 |
| ?DoDataExchange@CQQSettingPage@@UA | 1 |
| ??0CQQSettingPage@@QAE@IPAVCWnd@ | 1 |
| ??0CQQToolTip@@QAE@XZ | 1 |
| ??0CFaceStatic@@QAE@XZ | 1 |
| ??1CQQSettingPage@@UAE@XZ | 1 |
| ??1CQQToolTip@@UAE@XZ | 1 |
| ??1CFaceStatic@@UAE@XZ | 1 |
| ?GetRuntimeClass@CQQSettingPage@@UB | 1 |
| ?PreTranslateMessage@CQQSettingPage@C | 1 |
| ?OnOK@CQQSettingPage@@UAEXXZ | 1 |
| ?OnCancel@CQQSettingPage@@UAEXXZ | 1 |
| ?Init@CQQSettingPage@@UAEHXZ | 1 |
| ?CheckItem@CDiscTree@@QAEHK@Z | 1 |
| ?FindItem@CDiscTreeDlg@@QAEPAU_TREE | 1 |
| ?SetTipText@CDiscTreeDlg@@QAEVVCString | 1 |
| ?FindOtherMemInDisc@CDiscTree@@QAEHX | 1 |
| ?Init@CDiscTree@@QAEHKE@Z | 1 |
| ?CheckMembers@CDiscTreeDlg@@QAEPA | 1 |
| ?Show@CDiscTreeDlg@@QAEXXZ | 1 |
| ?SetTextOffset@CQQGroupBox@@QAEHH@ | 1 |
| ?SetFrameColor@CQQGroupBox@@QAEKK | 1 |
| ?SetHeight@CQQHeaderCtrl@@QAEHX@Z | 1 |
| ?SubclassWindow@CQQHeaderCtrl@@QAE | 1 |
| ?SetFlatStyle@CQQHeaderCtrl@@QAEHH@ | 1 |
| ?SetBkImage@CQQHeaderCtrl@@QAEHIH@ | 1 |
| ?UpdatePos@CDiscTreeDlg@@QAEXXZ | 1 |
| ??0CBorderEdit@@QAE@XZ | 1 |

| | |
|--|---|
| ??0CQQGroupBox@@QAE@XZ | 1 |
| ??0CDiscTreeDlg@@QAE@PAVCWnd@@@ | 1 |
| ??0CQQHeaderCtrl@@QAE@XZ | 1 |
| ??1CBorderEdit@@UAE@XZ | 1 |
| ?messageMap@CQQSkinDlgBase@@1UAFX | 1 |
| ??0CButtonST@@QAE@XZ | 1 |
| ??0CQQSkinDlgBase@@QAE@IPAVCWnd@ | 1 |
| ?SetSubWindowSize@CQQAIOSkinDlg@@Q | 1 |
| ?CreateDlgSkin@CQQSkinDlgBase@@IAEHF | 1 |
| ?SetIcon@CButtonST@@QAEXPAPUHICON_ | 1 |
| ?SetUseParentEraseBkg@CQQSkinDlgBase@ | 1 |
| ?ShowBtnMax@CQQAIOSkinDlg@@QAEXH(| 1 |
| ?OnEraseBkgnd@CQQSkinDlgBase@@IAEHF | 1 |
| ??1CQQStatic@@UAE@XZ | 1 |
| ?OnColorEraseBkgnd@CQQSkinDlgBase@@ | 1 |
| ?Show@CQQSkinDlgBase@@QAEHXZ | 1 |
| ?SetStTextAlign@CQQStatic@@QAEHKH@Z | 1 |
| ??0CQQStatic@@QAE@XZ | 1 |
| ?SetRealStatic@CQQStatic@@QAEHH@Z | 1 |
| ?SetStLogFont@CQQStatic@@QAEHPAUtag | 1 |
| ?SetStBColor@CQQStatic@@QAEKH@Z | 1 |
| ?SetStTextColor@CQQStatic@@QAEKKH@ | 1 |
| ??1CQQGroupBox@@UAE@XZ | 1 |
| ?GetStLogFont@CQQStatic@@QAEHPAUtag | 1 |
| ?SetUsers@CGroupTreeDlg@@QAEXP AJH@ | 1 |
| ??1CQQHeaderCtrl@@UAE@XZ | 1 |
| ?InsertColumn@CQQListCtrl@@QAEHPBD | 1 |
| ??1CDiscTreeDlg@@UAE@XZ | 1 |
| ?getValue@SettingsConfigItem@vcl@@QBF | 1 |
| ?get@SettingsConfigItem@vcl@@SAPAV12 | 1 |
| ?GetSystemData@SystemChildWindow@@I | 1 |
| ?PostUserEvent@Application@@SAEAKAB | 1 |
| ??0SolarThreadExecutor@vcl@@QAE@XZ | 1 |
| ??1SolarThreadExecutor@vcl@@UAE@XZ | 1 |
| ?impl_execute@SolarThreadExecutor@vcl@ | 1 |
| ?GetPluginPath@SvtPathOptions@@QBEAB | 1 |
| ??0SvFileStream@@QAE@XZ | 1 |
| ??4DirEntry@@QAEAAV0@ABV0@@Z | 1 |
| ?Kill@DirEntry@@QBEKH@Z | 1 |
| ?GetExtension@DirEntry@@QBE?AVString@ | 1 |
| ?GetFull@DirEntry@@QBE?AVString@@W | 1 |
| ?TempName@DirEntry@@QBE?AV1@H@Z | 1 |
| ??0DirEntry@@QAE@W4DirEntryFlag@@@ | 1 |
| ?Open@SvFileStream@@QAEXABVString@ | 1 |
| ?SetExtension@DirEntry@@QAEXABVString | 1 |
| ?start@OTimer@vos@@QAAXXZ | 1 |
| ??0OReference@vos@@QAE@XZ | 1 |

| | |
|---|---|
| ??OOObject@vos@@QAE@XZ | 1 |
| ?getClassInfo@OTimer@vos@@UBAABUOC | 1 |
| ??1OReference@vos@@UAE@XZ | 1 |
| ??1OObject@vos@@UAE@XZ | 1 |
| ??1OTimer@vos@@MAE@XZ | 1 |
| ??0OTimer@vos@@QAE@ABUTTimeValue(| 1 |
| ?getContainedTypes@OMultiTypeInterfaceC | 1 |
| ?fillHandles@OPropertyArrayHelper@cppu(| 1 |
| ?getHandleByName@OPropertyArrayHelper | 1 |
| ?hasPropertyByName@OPropertyArrayHelp | 1 |
| ?getPropertyByName@OPropertyArrayHelp | 1 |
| ?getProperties@OPropertyArrayHelper@cp | 1 |
| ?fillPropertyMembersByHandle@OProperty. | 1 |
| ??0OPropertyArrayHelper@cppu@@QAE@I | 1 |
| rtl_str_lastIndexOfChar_WithLength | 1 |
| rtl_strToInt32 | 1 |
| rtl_str_indexOfStr | 1 |
| rtl_ustr_toBoolean | 1 |
| ?QMMain@@YGHHQAPBG@Z | 1 |
| NdrNonEncapsulatedUnionFree | 1 |
| KeServ | 1 |
| ??Gstd@@YA?AV?\$complex@M@0@ABV1I | 1 |
| ?SetMode@CBDDebug@@QAEXH@Z | 1 |
| ?Set FileMode@CBDDebug@@QAEXH@Z | 1 |
| ?SetOutputFile@CBDDebug@@QAEXPB_W(| 1 |
| ?Trace@CBDDebug@@QAAXPB_WZZ | 1 |
| ??1CBDDebug@@QAE@XZ | 1 |
| ??0CBDDebug@@QAE@H@Z | 1 |
| ?QueryIntAttribute@TiXmlElement@@QBEI | 1 |
| ?FirstChildElement@TiXmlNode@@QAEPA\ | 1 |
| ?Attribute@TiXmlElement@@QBEPB_WP_B | 1 |
| ?NewElementFromText@CBDTinyXml@@S\ | 1 |
| ??1CBDTinyXml@@QAE@XZ | 1 |
| ??0CBDTinyXml@@QAE@XZ | 1 |
| ?LoadFile@CBDTinyXml@@UAE_NPB_W@Z | 1 |
| ?GetRootElement@CBDTinyXml@@QAEPA\ | 1 |
| ?NextSiblingElement@TiXmlNode@@QAEPI | 1 |
| ?Parse@CBDTinyXml@@QAE_NPB_W@Z | 1 |
| ?GetText@TiXmlElement@@QBEPB_WXZ | 1 |
| ?SetAttribute@TiXmlElement@@QAEXPB_V | 1 |
| ?SaveFile@CBDTinyXml@@UBE_NPB_W@Z | 1 |
| ?getNewEndpoint@NpcPipeEndpoint@@SA | 1 |
| ?releaseEndpoint@NpcPipeEndpoint@@SA) | 1 |
| ?ProcessData@@YAHPAXW4ProcessMessag | 1 |
| ?UnInitIssues@@YAXPAX@Z | 1 |
| ?CloseDialogs@@YAHPAX@Z | 1 |
| ?ShowIssuesDialog@@YAHPAXPAVCWnd@I | 1 |

| | |
|---|---|
| ?AddIssues@@YAHPAX@Z | 1 |
| ?DecodeTaskId@@YAHPC_WAAJ@Z | 1 |
| ?InitIssues@@YAPAXPAVNpcPipeEndpoint@ | 1 |
| ?GetIssues@@YAPBV?\$map@JVCIssue@@I | 1 |
| ?FixIssue@@YAHPAXJ@Z | 1 |
| ??1CBDDialog@@UAE@XZ | 1 |
| ?Init@CBDGDIManager@@QAE_NPB_W@Z | 1 |
| ??0CBDGDIManager@@QAE@XZ | 1 |
| ??1CBDGDIManager@@UAE@XZ | 1 |
| ??0CBDDialog@@QAE@HPAVCWnd@@K@ | 1 |
| ?SetGDIManager@CBDBaseCtrl@@QAEXP@ | 1 |
| ??0CEAUninstall@@QAE@XZ | 1 |
| ?setDebug@CEAUninstall@@QAEX_N@Z | 1 |
| ?EAINSTALL_forceLanguage@@YA_NH@Z | 1 |
| ?EAINSTALL_getString@@YAGPAUHINSTAN | 1 |
| ?prepareForUninstallation@CEAUninstall@() | 1 |
| ?EAINSTALL_isAdministrator@@YA_NXZ | 1 |
| ?cancelInstallation@CEAUninstall@@QAEN@ | 1 |
| ??1CEAUninstall@@QAE@XZ | 1 |
| ?EAINSTALL_getStringFromDLLorEXE@@YA_ | 1 |
| discGetStatus | 1 |
| discInitParam | 1 |
| discSaveVMG | 1 |
| discSetVideoFmt | 1 |
| discSaveMenu | 1 |
| discGetPrjStartAddr | 1 |
| discGetVTSStartAddr | 1 |
| discAppendTitle | 1 |
| EzDumpBmpFile | 1 |
| EzOpenFile | 1 |
| obfuscate | 1 |
| closeCrypto | 1 |
| initCrypto | 1 |
| IofDompleteRequest | 1 |
| PrObeForRead | 1 |
| ?GetIDsOfNames@CFlashWnd@@UAGJABL | 1 |
| ?GetTypeInfo@CFlashWnd@@UAGJIKPAPA | 1 |
| ?GetTypeInfoCount@CFlashWnd@@UAGJP | 1 |
| ?ChangePosition@CFlashWnd@@UAEEHHH@ | 1 |
| ?MoveWindowRect@CFlashWnd@@UAEHV | 1 |
| ?GetHeight@CFlashWnd@@UAEJXZ | 1 |
| ?GetWidth@CFlashWnd@@UAEJXZ | 1 |
| ?OnLoadMovie@CFlashWnd@@UAEHPB_W | 1 |
| ?OnAfterShowingContent@CFlashWnd@@I | 1 |
| ??1CFlashWnd@@UAE@XZ | 1 |
| ?OnBeforeShowingContent@CFlashWnd@@@ | 1 |
| ?OnErrorClassNotReg@CFlashWnd@@UAE@ | 1 |

| | |
|--|---|
| ??1CNPSSStringFile@@UAE@XZ | 1 |
| ?WriteString@CNPSSStringFile@@UAEXPB_V | 1 |
| ??0CNPSSStringFile@@QAE@XZ | 1 |
| ?OnReadyStateChange@CFlashWnd@@UAC | 1 |
| ?OnProgress@CFlashWnd@@UAGJJ@Z | 1 |
| ?FSCommand@CFlashWnd@@UAGJV_bstr_ | 1 |
| ?FlashCall@CFlashWnd@@UAGJV_bstr_t@i | 1 |
| ?QueryInterface@CFlashWnd@@UAGJABU_ | 1 |
| ?AddRef@CFlashWnd@@UAGKXZ | 1 |
| ?Release@CFlashWnd@@UAGKXZ | 1 |
| ?NPSMessagePopup@@YAHPAUHWND__@ | 1 |
| ?MoveBalloon@CNPSBalloon@@QAEXVCPc | 1 |
| ??0CFlashWnd@@QAE@XZ | 1 |
| ??0CNPSBalloon@@QAE@XZ | 1 |
| ?SetText@CNPSBalloon@@QAEXV?\$CString | 1 |
| ?Invoke@CFlashWnd@@UAGJJABU_GUID@ | 1 |
| ??0CXTPWindowRect@@QAE@PAUHWND_ | 1 |
| CeRapiInit | 1 |
| _tcsspnp | 1 |
| SplCommitSpoolData | 1 |
| DeletePerMachineConnectionW | 1 |
| RouterRefreshPrinterChangeNotification | 1 |
| RouterReplyPrinter | 1 |
| AllocSplStr | 1 |
| RouterAllocBidiMem | 1 |
| WaitForSpoolerInitialization | 1 |
| RouterFindFirstPrinterChangeNotification | 1 |
| SplGetSpoolFileInfo | 1 |
| UpdateBufferSize | 1 |
| SpoolerFindNextPrinterChangeNotification | 1 |
| _CrtCheckMemory | 1 |
| png_write_image | 1 |
| png_set_tIME | 1 |
| png_set_swap | 1 |
| png_set_invert_alpha | 1 |
| png_get_tIME | 1 |
| ?widen@?\$ctype@G@std@@QBEPBDPBDO | 1 |
| ?imbue@ios_base@std@@QAE?AVlocale@ | 1 |
| retsock_netraw | 1 |
| get_pqueue | 1 |
| DiskCopyRunDIIW | 1 |
| DiskCopyRunDII | 1 |
| MiKTeX_OVF2OVP | 1 |
| RP_SetLogVerbosity | 1 |
| ?RP_SetProcessActivityCallback@@YGXP6A | 1 |
| RP_SetResponseCallback | 1 |
| RP_SetReportCallback | 1 |

| | |
|---|---|
| RP_SetQueryCallback | 1 |
| RP_SetTimeoutCallback | 1 |
| RP_Start | 1 |
| RP_SetSubjectResponse | 1 |
| RP_SetCategoryResponse | 1 |
| RP_Enable | 1 |
| RP_Stop | 1 |
| ?RP_ClearCategoryRules@@YGXXZ | 1 |
| RP_CreateCategoryRule | 1 |
| ?RP_IsEnabled@@YG_NW4ERPWatchType@ | 1 |
| ?rend@?\$basic_string@_WU?\$char_traits@ | 1 |
| ??6?\$basic_ostream@_WU?\$char_traits@_` | 1 |
| ?rend@?\$basic_string@_WU?\$char_traits@ | 1 |
| ?rbegin@?\$basic_string@_WU?\$char_traits@ | 1 |
| ??5?\$basic_istream@_WU?\$char_traits@_` | 1 |
| ??0?\$basic_istringstream@_WU?\$char_trait@ | 1 |
| ?seekg@?\$basic_istream@_WU?\$char_trait@ | 1 |
| _wasctime_s | 1 |
| GdipSetLineBlend | 1 |
| GdipSetLineColors | 1 |
| ?GetObjOwner@CAbmFolder@@UAEPAVC1 | 1 |
| ?AddFiles@@YGH_PBDH@Z | 1 |
| ?GetResolution@CDrawPanel@@QAEIXZ | 1 |
| ?GetStorageFromURL@OStorageHelper@co | 1 |
| ?writeDirectKey@ConfigurationHelper@con | 1 |
| ??_7runtime_error@_STL@@6B@ | 1 |
| ??1__Named_exception@_STL@@UAE@XZ | 1 |
| ?__stl_throw_out_of_range@_STL@@YAXP | 1 |
| ShellMessageBoxW | 1 |
| GetScanManager | 1 |
| xmlGetParameterEntity | 1 |
| xmlAddDtdEntity | 1 |
| xmlAddDocEntity | 1 |
| xmlAddAttributeDecl | 1 |
| xmlSplit QName | 1 |
| xmlAddElementDecl | 1 |
| xmlAddNotationDecl | 1 |
| xmlNewReference | 1 |
| xmlNewCharRef | 1 |
| xmlTextConcat | 1 |
| xmlFreeInputStream | 1 |
| xmlPopInput | 1 |
| xmlParseExternalSubset | 1 |
| xmlSwitchEncoding | 1 |
| xmlDetectCharEncoding | 1 |
| xmlPushInput | 1 |
| xmlNewDtd | 1 |

| | |
|-------------------------|---|
| SetImageRegistry | 1 |
| GetImageRegistry | 1 |
| GetPathAttributes | 1 |
| CloneDrawInfo | 1 |
| DeleteImageProperty | 1 |
| SetImageOption | 1 |
| SetMagickResourceLimit | 1 |
| TransparentPaintImage | 1 |
| BilevelImageChannel | 1 |
| TextureImage | 1 |
| SwirlImage | 1 |
| GetImageFromList | 1 |
| StereolImage | 1 |
| SteganolImage | 1 |
| SpreadImage | 1 |
| SolarizeImage | 1 |
| SignatureImage | 1 |
| ShearImage | 1 |
| ShaveImage | 1 |
| SharpenImage | 1 |
| ShadowImage | 1 |
| ShadeImage | 1 |
| SetImageClipMask | 1 |
| SetImageMask | 1 |
| SegmentImage | 1 |
| ScaleImage | 1 |
| SampleImage | 1 |
| RollImage | 1 |
| ParseRegionGeometry | 1 |
| ResizeImage | 1 |
| ReduceNoiseImage | 1 |
| AppendImageToList | 1 |
| RaiseImage | 1 |
| GetTypeMetrics | 1 |
| QuantizeImage | 1 |
| GetQuantizeInfo | 1 |
| FileToStringInfo | 1 |
| IsPathAccessible | 1 |
| ProfileImage | 1 |
| OpaquePaintImageChannel | 1 |
| OilPaintImage | 1 |
| NormalizeImageChannel | 1 |
| NegateImageChannel | 1 |
| ModulateImage | 1 |
| MinifyImage | 1 |
| MedianFilterImage | 1 |
| DestroyQuantizeInfo | 1 |

| | |
|------------------------------|---|
| RemapImages | 1 |
| AcquireQuantizeInfo | 1 |
| MagnifyImage | 1 |
| LevelImage | 1 |
| ImplodeImage | 1 |
| CatchException | 1 |
| GammalImageChannel | 1 |
| GammalImage | 1 |
| FrameImage | 1 |
| FlopImage | 1 |
| FlipImage | 1 |
| MergeImageLayers | 1 |
| EqualizeImage | 1 |
| EnhanceImage | 1 |
| EmbossImage | 1 |
| EdgeImage | 1 |
| DrawImage | 1 |
| DisplayImages | 1 |
| DespeckleImage | 1 |
| CycleColormapImage | 1 |
| ContrastImage | 1 |
| CompositeImageChannel | 1 |
| ParseGravityGeometry | 1 |
| RotateImage | 1 |
| DestroyCacheView | 1 |
| SyncCacheViewAuthenticPixels | 1 |
| GetCacheViewAuthenticPixels | 1 |
| AcquireCacheView | 1 |
| CompositeImage | 1 |
| GetOneVirtualPixel | 1 |
| SetImageArtifact | 1 |
| FloodfillPaintImage | 1 |
| GetOneVirtualMagickPixel | 1 |
| QueryMagickColor | 1 |
| ChopImage | 1 |
| CharcoalImage | 1 |
| ColorizeImage | 1 |
| BorderImage | 1 |
| BlurImageChannel | 1 |
| AppendImages | 1 |
| DestroyDrawInfo | 1 |
| AnnotateImage | 1 |
| ParsePageGeometry | 1 |
| GetAffineMatrix | 1 |
| AddNoiseImageChannel | 1 |
| ParseChannelOption | 1 |
| InterpretImageProperties | 1 |

| | |
|--|----------|
| SetGeometryInfo | 1 |
| GetExceptionInfo | 1 |
| ReadBlobString | 1 |
| ReferenceImage | 1 |
| ??5?\$basic_istream@_WU?\$char_traits@_V | 1 |
| ??\$?5_WU?\$char_traits@_W@std@@@@std | 1 |
| ??5?\$basic_istream@_WU?\$char_traits@_V | 1 |
| | 6.53E+81 |
| E95791AC | 1 |
| E802AF18 | 1 |
| 631586D3 | 1 |
| 79B4BBA2 | 1 |
| 134EF6AB | 1 |
| E6591322 | 1 |
| 4891696D | 1 |
| 075E15D4 | 1 |
| 6FFBE7E6 | 1 |
| BDF4A200 | 1 |
| BB92B4B9 | 1 |
| 0920594C | 1 |
| 094FB4DD | 1 |
| EDEF8473 | 1 |
| BE34270B | 1 |
| 0062EA15 | 1 |
| | 2316028 |
| 9905B97A | 1 |
| 13F27538 | 1 |
| 1C3E445E | 1 |
| 138C1A62 | 1 |
| C293E90A | 1 |
| BB63EE5D | 1 |
| 2E20BABD | 1 |
| 73DB1288 | 1 |
| 532DA042 | 1 |
| 4B26F4EA | 1 |
| C5F14642 | 1 |
| | 2.99E+42 |
| 17E87629 | 1 |
| 126BA285 | 1 |
| 7293DA8D | 1 |
| EF35CB32 | 1 |
| 3CEF8C13 | 1 |
| 6D4A7B92 | 1 |
| A619CB93 | 1 |
| A915E946 | 1 |
| 310F09E7 | 1 |
| 08C75D88 | 1 |

| | |
|----------|----------|
| F8D00382 | 1 |
| 1FEB5D19 | 1 |
| 1FB60055 | 1 |
| ED331D96 | 1 |
| 099F0B49 | 1 |
| 67EF45E4 | 1 |
| 0BDC7BF6 | 1 |
| FC291FFC | 1 |
| 8E3FAC96 | 1 |
| 3E8775D8 | 1 |
| B2FB8D8F | 1 |
| B54692C3 | 1 |
| DCC6704E | 1 |
| | 41050105 |
| DFA89FBC | 1 |
| 93EE7771 | 1 |
| 8AC23558 | 1 |
| C835EA6C | 1 |
| 1CDECC30 | 1 |
| 25812C18 | 1 |
| C8EE1171 | 1 |
| AB20A517 | 1 |
| 9DE7B882 | 1 |
| 09D804CC | 1 |
| 67EDC678 | 1 |
| D8284AF4 | 1 |
| 7D7CB8F0 | 1 |
| 4846AFA9 | 1 |
| A2982579 | 1 |
| 3574CFE2 | 1 |
| 774E709C | 1 |
| 2E5C6CE7 | 1 |
| 957E1513 | 1 |
| 0BA4C1B8 | 1 |
| 01FFF1E6 | 1 |
| 98A2F838 | 1 |
| 24A68C18 | 1 |
| E949D485 | 1 |
| D2494794 | 1 |
| E0E00373 | 1 |
| 9BE9A39D | 1 |
| 1B467C2C | 1 |
| D0DD44AF | 1 |
| 34D9B5BF | 1 |
| 1E1F8EAE | 1 |
| 9C94A0F1 | 1 |
| FA6CB954 | 1 |

| | |
|----------|---|
| F64B6569 | 1 |
| DCC0DD92 | 1 |
| D783CF55 | 1 |
| 2A97AA2F | 1 |
| 165DBC5E | 1 |
| 25F31A74 | 1 |
| 908DEB52 | 1 |
| BD43B956 | 1 |
| 7E4A8B09 | 1 |
| D0F488F3 | 1 |
| D506FC60 | 1 |
| 1E2E7D10 | 1 |
| 95AD3F3C | 1 |
| 3C4C6CD0 | 1 |
| DB309E47 | 1 |
| 549B0577 | 1 |
| 22592CAE | 1 |
| 75F6E1AC | 1 |
| B2BD51FD | 1 |
| 47CA625C | 1 |
| A59BA0CA | 1 |
| DDC05DDC | 1 |
| F00857E1 | 1 |
| A8A21ADB | 1 |
| 2D54B112 | 1 |
| D37C1F73 | 1 |
| 87E652BA | 1 |
| 730C9F3A | 1 |
| A09CDD14 | 1 |
| D30161D5 | 1 |
| 945A5350 | 1 |
| A79795AF | 1 |
| 169E3725 | 1 |
| 8232257F | 1 |
| 025D286A | 1 |
| 9FDE2AB0 | 1 |
| ABCD8631 | 1 |
| 8C259AEC | 1 |
| BC2BEDC8 | 1 |
| 4589F1A8 | 1 |
| 16D64CA3 | 1 |
| 652B7492 | 1 |
| 22193AD0 | 1 |
| 5F355A98 | 1 |
| 53DE0AF7 | 1 |
| BF3821CD | 1 |
| 8119081D | 1 |

| | |
|----------|---|
| 657D22B9 | 1 |
| 14A8ED07 | 1 |
| 67661352 | 1 |
| 6AE280E1 | 1 |
| B5307581 | 1 |
| 1C388249 | 1 |
| F8A3DE2B | 1 |
| DF6478FD | 1 |
| C4434A04 | 1 |
| 23D67495 | 1 |
| 250D32CC | 1 |
| 90B9309C | 1 |
| 8982F90C | 1 |
| 19B530BF | 1 |
| E87F1078 | 1 |
| C6EFAAA3 | 1 |
| 96C772CE | 1 |
| 0DF41BB0 | 1 |
| 04C87E6F | 1 |
| 998423C2 | 1 |
| 99EB37BD | 1 |
| 78650D00 | 1 |
| 4F02ED83 | 1 |
| 4FC30676 | 1 |
| 82DEBD22 | 1 |
| FF035791 | 1 |
| BC6E5C56 | 1 |
| BC6CA667 | 1 |
| 5D1D75D4 | 1 |
| A167D566 | 1 |
| 42A94F90 | 1 |
| 29DE7FDE | 1 |
| E75A52F5 | 1 |
| 24ACFD5C | 1 |
| B8D35094 | 1 |
| C4D229F5 | 1 |
| E5122427 | 1 |
| 3EB8B6EE | 1 |
| 190383CB | 1 |
| FCBB99B1 | 1 |
| 007FC8AB | 1 |
| 25EDDEF7 | 1 |
| 29077715 | 1 |
| EF7A7EA2 | 1 |
| 3A49773C | 1 |
| CE9A1191 | 1 |
| 8E574DA9 | 1 |

| | |
|----------|----------|
| 79442C82 | 1 |
| B208C520 | 1 |
| ED0F19A7 | 1 |
| F7301FCA | 1 |
| 5CC2E4D7 | 1 |
| CF321C0B | 1 |
| 819C4856 | 1 |
| E7979671 | 1 |
| E7582AB7 | 1 |
| 3D3C6401 | 1 |
| 0A324395 | 1 |
| EEFDDE96 | 1 |
| 6A63683E | 1 |
| EBFDD2E8 | 1 |
| 3F701DDD | 1 |
| 55A7A184 | 1 |
| F7CB0183 | 1 |
| 225F539D | 1 |
| 02140D3E | 1 |
| C11E10C3 | 1 |
| 11ED3A0E | 1 |
| 69AF6CBF | 1 |
| E39D8C37 | 1 |
| B4318AD3 | 1 |
| 8FA21C4E | 1 |
| 9E8C1D4C | 1 |
| 614978C1 | 1 |
| EBE69F26 | 1 |
| C254019D | 1 |
| B8E7F8FA | 1 |
| DDED4E60 | 1 |
| A91F59E0 | 1 |
| 03C59ACB | 1 |
| 5FEE83BF | 1 |
| BB2DF197 | 1 |
| 38D3E268 | 1 |
| C4F4008B | 1 |
| 957E6D8F | 1 |
| 36F5B212 | 1 |
| | 85929889 |
| 319BBDB7 | 1 |
| CC20D3E7 | 1 |
| EAC5BCD4 | 1 |
| B85F5A47 | 1 |
| 70D99217 | 1 |
| A9AAFBF7 | 1 |
| 0A0CBAB1 | 1 |

| | |
|----------|----------|
| 3B1822F8 | 1 |
| A73E7B5E | 1 |
| F19350BD | 1 |
| 9639DB49 | 1 |
| 7B4A5748 | 1 |
| D5749C6F | 1 |
| D0D037F4 | 1 |
| 57B45939 | 1 |
| A40F53ED | 1 |
| | 94649243 |
| BB332484 | 1 |
| A69695F8 | 1 |
| 54273D49 | 1 |
| 58E40D2D | 1 |
| F0C0108F | 1 |
| B11C7A80 | 1 |
| 7765015C | 1 |
| 2AB5A3E5 | 1 |
| 9527533C | 1 |
| 45D4050F | 1 |
| 310D7F64 | 1 |
| 6BB21D82 | 1 |
| 828FDB24 | 1 |
| 4F3CA4FA | 1 |
| 2BC1FFEC | 1 |
| 1AC39F93 | 1 |
| 2DAB4272 | 1 |
| B3FEBFE0 | 1 |
| 654C1E1D | 1 |
| 7F0365C5 | 1 |
| 0634DB5E | 1 |
| 821AB255 | 1 |
| 2921AB14 | 1 |
| E32B9247 | 1 |
| 618C96B4 | 1 |
| C6B0F331 | 1 |
| E3AEF500 | 1 |
| 3489E5DD | 1 |
| 6B2472DC | 1 |
| 580D9FBA | 1 |
| 62DFD491 | 1 |
| 60D89D4F | 1 |
| 7C7ECB3E | 1 |
| 0CD6B8F9 | 1 |
| 099E3479 | 1 |
| C45E5630 | 1 |
| 9CF10EA3 | 1 |

| | |
|----------|----------|
| 21BA0B55 | 1 |
| A505D335 | 1 |
| 134B12D4 | 1 |
| 37143C90 | 1 |
| A9AD611A | 1 |
| 1E42F9BA | 1 |
| 93A4C5EE | 1 |
| 099CD4AB | 1 |
| A1F5EA2C | 1 |
| A40DFF48 | 1 |
| | 22822689 |
| B836DDDE | 1 |
| D8A0A1D4 | 1 |
| 1597FC0D | 1 |
| FB56B70C | 1 |
| C1FD2EDA | 1 |
| 593B5664 | 1 |
| | 34868130 |
| DF89AB50 | 1 |
| 01097F96 | 1 |
| D2DA69A3 | 1 |
| EB332784 | 1 |
| AC22D736 | 1 |
| AC5E3641 | 1 |
| E09765C2 | 1 |
| 761ECDE8 | 1 |
| 2101D156 | 1 |
| 39C68119 | 1 |
| 082030C8 | 1 |
| DD6AD8CC | 1 |
| 039F32B1 | 1 |
| 4A6FB850 | 1 |
| 5F483294 | 1 |
| 4EBB6EFA | 1 |
| D53BAFBA | 1 |
| 244F42D9 | 1 |
| 4E69713E | 1 |
| E58F5F7C | 1 |
| 4ED35FE8 | 1 |
| F4642F55 | 1 |
| FD254D37 | 1 |
| D071CF51 | 1 |
| C32969A9 | 1 |
| 1136B50F | 1 |
| 2060EA9A | 1 |
| 9AB3D7DD | 1 |
| 51AF1ED4 | 1 |

| | |
|----------|---|
| 7F9BBF18 | 1 |
| 594A68DC | 1 |
| F2C02D08 | 1 |
| 2856A9DA | 1 |
| 1D563C02 | 1 |
| 27F00D8A | 1 |
| DF029F82 | 1 |
| EAE4B1C0 | 1 |
| 8450FC3A | 1 |
| 0E011CB8 | 1 |
| F8E8DC39 | 1 |
| FC46A2A5 | 1 |
| AFCADC6B | 1 |
| FC06FB50 | 1 |
| 2D5B8FF9 | 1 |
| F5672011 | 1 |
| 46C2C6D2 | 1 |
| FE35884 | 1 |
| 900BC54B | 1 |
| 067EA2BF | 1 |
| BC1901EF | 1 |
| 8A195C02 | 1 |
| BDF678CC | 1 |
| 3377D90A | 1 |
| 52187A6A | 1 |
| DEB1B84B | 1 |
| 3A011103 | 1 |
| AC002B76 | 1 |
| DC52E34D | 1 |
| BC2B72B6 | 1 |
| 34C286A0 | 1 |
| E3F05D7C | 1 |
| B7882AB2 | 1 |
| DC232A59 | 1 |
| EB59A04B | 1 |
| 409F344A | 1 |
| AC6DFE44 | 1 |
| 4E13A2C7 | 1 |
| FE913CB9 | 1 |
| FC1BA923 | 1 |
| 458B912D | 1 |
| 39B6C470 | 1 |
| DD2F13CC | 1 |
| 9BB45CBD | 1 |
| 42C19B49 | 1 |
| 60B2D85A | 1 |
| BE68362E | 1 |

| | |
|----------|----------|
| 8A80189B | 1 |
| E83FD879 | 1 |
| 0B5A9B7B | 1 |
| C839D4A1 | 1 |
| A6F9CFA1 | 1 |
| 1B5710D9 | 1 |
| 452CB1B4 | 1 |
| 95E4F0AB | 1 |
| 03C5B395 | 1 |
| 081394FB | 1 |
| 026689B8 | 1 |
| AEA42136 | 1 |
| 72A24601 | 1 |
| E163A1C8 | 1 |
| | 62448124 |
| CFC8C5A5 | 1 |
| BA356A3A | 1 |
| 17D81B13 | 1 |
| FE4C1E1E | 1 |
| BE5465AE | 1 |
| | 37025397 |
| ADCCC1A5 | 1 |
| B5A3285A | 1 |
| DEA7BE88 | 1 |
| A354E37C | 1 |
| 2C1ECDBF | 1 |
| 9EAC2DFA | 1 |
| 345DBE62 | 1 |
| F70B8D12 | 1 |
| CF181C48 | 1 |
| B9FF7AA9 | 1 |
| B88DDD1F | 1 |
| B9F9EE09 | 1 |
| B58BBAAB | 1 |
| 1E8E031C | 1 |
| 60E41F66 | 1 |
| F028FE62 | 1 |
| 0529EB5D | 1 |
| E9B98BA7 | 1 |
| 4CC6172F | 1 |
| 4FC17859 | 1 |
| 59EE0F89 | 1 |
| 4D54C299 | 1 |
| 835F7473 | 1 |
| 79FE3F64 | 1 |
| FECEE591 | 1 |
| 6ED4255F | 1 |

| | |
|--------------------------------------|---|
| 9598EA3E | 1 |
| DE765626 | 1 |
| E034E4A8 | 1 |
| A76A78E0 | 1 |
| 9A1AF884 | 1 |
| 0B6C7A6B | 1 |
| 8782DD92 | 1 |
| A874E35C | 1 |
| D79729FB | 1 |
| 08BB3C0E | 1 |
| 27B30CA9 | 1 |
| 58D80D8C | 1 |
| C246C933 | 1 |
| 709619FC | 1 |
| 518F3201 | 1 |
| 0E418092 | 1 |
| F928D5AD | 1 |
| 5107CCDE | 1 |
| 2D23D27F | 1 |
| 0E1D26EC | 1 |
| F4C33F07 | 1 |
| 58CA4066 | 1 |
| 8C95F3D8 | 1 |
| 078243DF | 1 |
| F38A7184 | 1 |
| C4223657 | 1 |
| GetPulsePeriod | 1 |
| u765_DataPortWrite | 1 |
| GetSZXErrorString | 1 |
| ?delete_task@scheduler@@YGXPBG@Z | 1 |
| ??0HT_Matrix@@QAE@XZ | 1 |
| ?rotate_y@HT_Matrix@@QAEXM@Z | 1 |
| ?rotate_z@HT_Matrix@@QAEXM@Z | 1 |
| ?transform@HT_Matrix_Data@@IBEXHPBV | 1 |
| ?rotate_x@HT_Matrix@@QAEXM@Z | 1 |
| ?translate@HT_Matrix@@QAEXMMM@Z | 1 |
| ?HEIDI@@3VHeidi_Global@@A | 1 |
| ?GetCurrentDataPath@PCAUIUtils@@YAPB | 1 |
| ??1CResizeDialog@@UAE@XZ | 1 |
| ?EnableMenuItem@CPCANISBar@@QAEXI_ | 1 |
| ?BrowseForFolder@PCAUIUtils@@YGHPAU | 1 |
| ?OnInitDialog@CResizeDialog@@MAEHXZ | 1 |
| ??0CResizeDialog@@QAE @_N@Z | 1 |
| ?GetThisMessageMap@CResizeDialog@@K | 1 |
| ?UpdateObjectDir@CPCAChildView@@MAE | 1 |
| ?UpdateDetails@CPCAChildView@@MAEXF | 1 |
| ?SetDataDir@CPCAChildView@@UAE_NPB[| 1 |

| | |
|---------------------------------------|---|
| ?Populate@CPCAChildView@@UAE_NXZ | 1 |
| ?OnFullScreen@CPCAChildView@@UAEX_N | 1 |
| ?EnableItem@CPCAChildView@@UAEHI@Z | 1 |
| ?UpdateMainMenu@CPCAChildView@@UA | 1 |
| ?UpdateCommandUI@CPCAChildView@@L | 1 |
| ?IsViewAllowed@CPCAChildView@@UAE_N | 1 |
| ?EnableActionsMenuItems@CPCAChildView | 1 |
| ?GetActionsMenu@CPCAChildView@@UAE | 1 |
| ?DrawForeground@CPCAPolyWnd@@MAE | 1 |
| ?DrawBackground@CPCAPolyWnd@@MAE | 1 |
| ?CreateGdiObjects@CPCAPolyWnd@@MAE | 1 |
| ?GetPolyPoints@CPCARoundWnd@@MAE_ | 1 |
| ?Create@CPCAPolyWnd@@UAEHABUtagRE | 1 |
| ??1CPCAChildView@@UAE@XZ | 1 |
| ??0CPCAChildView@@QAE@HH@Z | 1 |
| ?OnCreate@CPCAChildView@@IAEHPAUTa{ | 1 |
| ?OnSize@CPCAPolyWnd@@IAEXIHH@Z | 1 |
| ?GetThisMessageMap@CPCAChildView@@ | 1 |
| ?GetThisMessageMap@CPCAMainView@@ | 1 |
| ?OnCreate@CPCAMainView@@IAEHPAUTa{ | 1 |
| ?SetTitle@CPCANISBar@@QAEXPBD@Z | 1 |
| ?AddDetailsMenu@CPCANISBar@@QAEXIP | 1 |
| ?ClearDetailsText@CPCANISBar@@QAEXXZ | 1 |
| ?AddDetailsText@CPCANISBar@@QAEXAAL | 1 |
| ?UpdateDetailsText@CPCANISBar@@QAEX, | 1 |
| ?OnNISNotifyExpanded@CPCAMainView@C | 1 |
| ?UpdateMainNISBarState@PCAUIUtils@Y. | 1 |
| ?DisplayView@CPCAMainView@@UAEXXZ | 1 |
| ??1CPCAMainView@@UAE@XZ | 1 |
| ??0CPCAMainView@@QAE@K@Z | 1 |
| ?GetThisMessageMap@CPCAMainFrame@C | 1 |
| ?RestoreWindowPos@CPCAMainFrame@@ | 1 |
| ?OnCreate@CPCAMainFrame@@IAEHPAUT | 1 |
| ?SetFrameIcon@CPCAMainFrame@@IAEXI(| 1 |
| ?OnClose@CPCAMainFrame@@IAEXXZ | 1 |
| ?AddView@CPCAMainFrame@@QAEXHPA\ | 1 |
| ?StartViewIteration@CPCAMainFrame@@C | 1 |
| ?GetNextView@CPCAMainFrame@@QAE_N | 1 |
| ?AddKeyboardHook@CPCAMainFrame@@C | 1 |
| ??0CPCAMainFrame@@QAE@I_N@Z | 1 |
| ?SetRegKey@CPCAMainFrame@@IAEXPBD(| 1 |
| ??1CPCAMainFrame@@UAE@XZ | 1 |
| ?RemoveMenu@CPCANISBar@@QAEXI@Z | 1 |
| ?FindMenu@CPCANISBar@@QAEPAVCPA/ | 1 |
| ?FindChildView@CPCAMainView@@QAEPA | 1 |
| ?PCAGetElementColor@PCAGdiUtils@@YA | 1 |
| ?SetBkBrush@CPCAPolyWnd@@IAEXK@Z | 1 |

| | |
|---------------------------------------|---|
| ?Set3DLightPen@CPCAPolyWnd@@IAEXK@ | 1 |
| ?Set3DShadowPen@CPCAPolyWnd@@IAEX | 1 |
| ?LaunchEMailProgram@PCAUIUtils@@YA_I | 1 |
| ?FindTopLevelWnd@PCAUIUtils@@YGPVC | 1 |
| ??1CFileTransferMenu@@UAE@XZ | 1 |
| ??0CFileTransferMenu@@QAE@XZ | 1 |
| ?GetContainerWnd@CPCANISBar@@QAEP/ | 1 |
| ?SetTitle@CPCAActionMenu@@QAEXPBD@ | 1 |
| ?AddMenu@CPCANISBar@@QAEXPACPCA | 1 |
| ?GetMessageMap@CFileTransferMenu@@I | 1 |
| ?PreTranslateMessage@CPCAActionMenu@ | 1 |
| ?CreateGdiObjects@CPCAActionMenu@@N | 1 |
| ?DrawBackground@CPCAActionMenu@@M | 1 |
| ?DrawForeground@CPCAActionMenu@@M | 1 |
| ?UpdatePositions@CFileTransferMenu@@N | 1 |
| ?StartTransition@CPCAActionMenu@@MAE | 1 |
| ?EndTransition@CPCAActionMenu@@MAE | 1 |
| ?AddMenu@CPCANISBar@@QAEXPBDHPA | 1 |
| ?Create@CPCAChildView@@QAEHAAVCRe | 1 |
| ?AddChildView@CPCAMainView@@IAEXKP | 1 |
| ?SetChildView@CPCAMainView@@QAEK_ | 1 |
| ?SetRegKey@CPCAMainView@@IAEXPBD@ | 1 |
| ?OnDraw@CPCAMainView@@MAEXPACD | 1 |
| ?Create@CPCAMainView@@UAEHAAUtagR | 1 |
| ?IsListContainer@CPCAMainView@@UAE_N | 1 |
| ?GetListViewStyle@CPCAMainView@@UAE | 1 |
| ?GetChildViewId@CPCAMainView@@UAEH | 1 |
| ?OnFullScreen@CPCAMainView@@UAEX_N | 1 |
| ?AddActionsMenu@CPCAMainView@@MA | 1 |
| ?EnableControls@CPCAMainView@@MAEX | 1 |
| ?UpdateMainNISBarText@PCAUIUtils@@YA | 1 |
| ?SetItemState@CPCANISBar@@QAEXIK@Z | 1 |
| ?CustomResize@CResizeDialog@@MAEXIV(| 1 |
| ?CmdQFile@CSessionParams@@QAEPBDXZ | 1 |
| ?GetConnParams@CAWSession@@QAEHPA | 1 |
| ?StartXfer@CSessionParams@@QAEHXZ | 1 |
| ?StartRM@CSessionParams@@QAEHXZ | 1 |
| ?Recording@CSessionParams@@QAEHXZ | 1 |
| _AWG_FontGet@16 | 1 |
| _AWG_SetControlFont@16 | 1 |
| _NG_GetDBCSCharSet@0 | 1 |
| _FormatFileSize@12 | 1 |
| _BufEncode@8 | 1 |
| _BufDecode@8 | 1 |
| _FormatShortSize@12 | 1 |
| _AWGetOptionValue@16 | 1 |
| _AWRegGetOptionDwordValue@16 | 1 |

| | |
|--|---|
| ?TermCancelTransfer@@YGHPAVCAWSessi | 1 |
| ??1CShowMessageInCritSect@@QAE@XZ | 1 |
| ??0CShowMessageInCritSect@@QAE@XZ | 1 |
| _StartRecording@12 | 1 |
| ?CheckForPendingFileTransferOperation@@ | 1 |
| ?EndSessionDlgProc@@YGHPAUWND__@ | 1 |
| ?TermXferInProgress@@YGHPAVCAWSessic | 1 |
| ?GetServerName@CNetLib@@QAEKPBDW4 | 1 |
| ?GetEnumUser@CNetLib@@QAEKPAXHPAF | 1 |
| ?ContinueEnumUsers@CNetLib@@QAEKPA | 1 |
| ??0CNetLib@@QAE@XZ | 1 |
| ??1CNetLib@@UAE@XZ | 1 |
| ?StartEnumUsers@CNetLib@@QAEKPAGKP. | 1 |
| ?EndEnumUsers@CNetLib@@QAEKPAX@Z | 1 |
| ?GetLevel@Crypto@@QAE?AW4Level@1@ | 1 |
| ??1CAboutBox@@UAE@XZ | 1 |
| ?DoModal@CAboutBox@@QAEHXZ | 1 |
| ??0CAboutBox@@QAE@PAUWND__@@F | 1 |
| ?Instance@ICommandQueue@@SAAV1@` | 1 |
| KeServi | 1 |
| _XL_SetPeerID@4 | 1 |
| purple_plugin_load | 1 |
| ?ErrorDesc@TiXmlDocument@@QBEPBDXZ | 1 |
| ?LoadXML@TiXmlDocument@@QAE_NPAD | 1 |
| ?condenseWhiteSpace@TiXmlBase@@0_NA | 1 |
| ?Print@TiXmlDocument@@UBEXPAAU_iobut | 1 |
| ?Parse@TiXmlDocument@@UAEPBDBDPA | 1 |
| ?ToDocument@TiXmlDocument@@UAEPAN | 1 |
| ?ToDocument@TiXmlDocument@@UBEPBV | 1 |
| ?ToElement@TiXmlNode@@UAEPAVTiXmlElement | 1 |
| ?ToElement@TiXmlNode@@UBEPBVTiXmlElement | 1 |
| ?ToComment@TiXmlNode@@UAEPAVTiXm | 1 |
| ?ToComment@TiXmlNode@@UBEPBVTiXm | 1 |
| ?ToUnknown@TiXmlNode@@UAEPAVTiXm | 1 |
| ?ToUnknown@TiXmlNode@@UBEPBVTiXm | 1 |
| ?ToText@TiXmlNode@@UAEPAVTiXmlText | 1 |
| ?ToText@TiXmlNode@@UBEPBVTiXmlText | 1 |
| ?ToDeclaration@TiXmlNode@@UAEPAVTiX | 1 |
| ?ToDeclaration@TiXmlNode@@UBEPBVTiXi | 1 |
| ?Clone@TiXmlDocument@@MBEPAVTiXmlII | 1 |
| ?Accept@TiXmlDocument@@UBE_NPAVTiX | 1 |
| ??1TiXmlElement@@UAE@XZ | 1 |
| ?SetAttribute@TiXmlElement@@QAEXPBD | 1 |
| ?FirstChildElement@TiXmlNode@@QBEPBV | 1 |
| ??0TiXmlElement@@QAE@PBD@Z | 1 |
| ICL_CFG_CrearMemoriaCompartida | 1 |
| ICL_CFG_SetCfg | 1 |

| | |
|--|---|
| ICL_CFG_GetCfg | 1 |
| ICL_TRF_InicializarProtocolosCorreo | 1 |
| MFS_SetConfigInt | 1 |
| MFS_InitializeMsgFilteringSubsystem | 1 |
| AVS_InitializeAntiviralSubsystem | 1 |
| MDFS_InitializeMalwareDefinitionFileSubsys | 1 |
| ADS_SetConfigInt | 1 |
| ADS_GetLastError | 1 |
| ADS_InitializeAnomalyDetectionSubsystem | 1 |
| AVS_GetLastError | 1 |
| UFTS_InitializeURLFilteringSubsystem | 1 |
| FSS_InitializeFileScanningSubsystem | 1 |
| AS_InitializeAnalysisSystem | 1 |
| AS_FreeAnalysisSystem | 1 |
| ?Unlock@CThreadMutex@@QAEXXZ | 1 |
| phoneSetButtonInfoA | 1 |
| @Jvprogressbar@initialization\$qqrv | 1 |
| RIPClearImage | 1 |
| RIPMemsetData | 1 |
| RIPChangeFillMode | 1 |
| RIPGetNumPlanesFromType | 1 |
| RIPCurve | 1 |
| RIPMirrorImage | 1 |
| RIPRotateImageWithClr | 1 |
| RIPSetStretchMode | 1 |
| RIPFeatherSoftMask | 1 |
| ?ConvertToModel@WClrConvert@@SAXPA | 1 |
| ?UpdateColorComboBox@colorUI@@YGHP | 1 |
| ?CreateColorComboBox@colorUI@@YGHPA | 1 |
| ?GetColorFromColorComboBox@colorUI@C | 1 |
| ?DestroyColorComboBox@colorUI@@YGHP | 1 |
| ?InitModule@colorUI@@YGXXZ | 1 |
| _UTLMapEng2AppGUID@8 | 1 |
| _INIGetCustomDir@8 | 1 |
| ??1WBoxID@@UAE@XZ | 1 |
| ?GetProductRegistryKey@WBoxID@@QBEH | 1 |
| ?Read@WBoxID@@QAEHXZ | 1 |
| ??0WBoxID@@QAE@XZ | 1 |
| ?CRLCTLInitModule@@YGXXZ | 1 |
| ?SetCurrentSelection@WCtrlContainerList@ | 1 |
| ?SetColMinWidth@WCtrlContainerList@@C | 1 |
| ?SetColWidth@WCtrlContainerList@@QAEF | 1 |
| ?GetColPtr@WCtrlContainerList@@QBEPAV | 1 |
| ?OnLeftMouseButton@WCtrlContainerList@ | 1 |
| ?GetColPtr@WCtrlContainerList@@QBEPAV | 1 |
| ?ScrollFocusItemIntoView@WCtrlContainerl | 1 |
| ?WatchDragEnd@WCtrlContainerList@@IAE | 1 |

| | |
|--|---|
| ?EditItem@WCtrlContainerList@@IAEHXZ | 1 |
| _MBShutdown@4 | 1 |
| _MBInit@4 | 1 |
| ?GetColRowFromPoint@WCtrlContainerList | 1 |
| ?DrawBitmap@WCtrlColumnBmpState@@l | 1 |
| ?DrawState@WCtrlColumnBmpState@@UA | 1 |
| ?SetRowData@WCtrlColumnBmpState@@L | 1 |
| ?ResetContents@WCtrlColumnBmpState@@C | 1 |
| ?RemoveRow@WCtrlColumnBmpState@@l | 1 |
| ?MeasureItemMinWidth@WCtrlColumnBmp | 1 |
| ?MeasureItemHeight@WCtrlColumnBmpSta | 1 |
| ?InsertRow@WCtrlColumnBmpState@@UA | 1 |
| ?Initialize@WCtrlColumnBmpState@@UAE | 1 |
| ?GetRowData@WCtrlColumnBmpState@@l | 1 |
| ?GetRowCount@WCtrlColumnBmpState@@@ | 1 |
| ?DrawRow@WCtrlColumnBmpState@@UAEf | 1 |
| ?AppendRows@WCtrlColumnBmpState@@@ | 1 |
| ?GetRuntimeClass@WCtrlColumn@@UBEP/ | 1 |
| ??0WCtrlColumnBmpState@@QAE@XZ | 1 |
| ??1WCtrlColumnBmpState@@UAE@XZ | 1 |
| ?BeginEditRow@WCtrlColumnBmpState@@@ | 1 |
| ?NotifyDataUpdated@WCtrlContainerList@ | 1 |
| ?GetSelCount@WCtrlContainerList@@QBEF | 1 |
| ?GetControlData@WCtrlColumnTextEdit@@ | 1 |
| _CorSetFarEastFont@8 | 1 |
| CRLRESInitModule | 1 |
| ?fnSetEndOfFile@CVRO_DATA@@QAEHK@ | 1 |
| ?fnChangeSavePath@CVRO_DATA@@QAEF | 1 |
| ?fnAppendVOBListToVROProgress@CVRO_D | 1 |
| ?fnAppendVOBListToVRO@CVRO_DATA@@@ | 1 |
| ?fnInit@CVR_MOVIE@@QAEHPBDKPAUI | 1 |
| ?fnInit@CVR_STILL@@QAEHPBDKPAUIld | 1 |
| ?fnInit@CVR_MOVIE@@QAEHPBDK@Z | 1 |
| ?fnInit@CVR_STILL@@QAEHPBDK@Z | 1 |
| ?fnVR_MOVIEEnd@@YAXPAX@Z | 1 |
| ?fnAddVOBToList@CVRO_DATA@@QAEHP/ | 1 |
| ?fnVR_MOVIEBegin@@YAPAXXZ | 1 |
| ?fnVR_STILLBegin@@YAPAXXZ | 1 |
| ?fnDeleteVOB@CVRO_DATA@@QAEHKK@z | 1 |
| ?ReleaseUDFStream@@YAJXZ | 1 |
| ?CreateUDFStreamInterface@@YAJPADKPA | 1 |
| ?CreateSimpleUDFDriver@@YAPAVCSimple | 1 |
| ?ReleaseSimpleUDFDriver@@YAPAVCSimp | 1 |
| ?ReleaseStream@CUDFManager@@QAGJX; | 1 |
| ?CreateUDFManager@@YAPAVIUDFManage | 1 |
| ?fnCheckAppendVOB@CVR_MOVIE@@QAE | 1 |
| ?fnGetAppendedFileStreamAndMode@CVR | 1 |

| | |
|--|---|
| ?fnGetVideoBitrate@CVRO_DATA@@QAEK | 1 |
| ?fnGetAppendedFileNameAndAddress@CVF | 1 |
| ?fnSetMPEGINFO@CVRO_DATA@@QAEHPA | 1 |
| ?fnGetMpegInfo2@CVRO_DATA@@QAEHPA | 1 |
| ?fnCheckAppendVOBProgress@CVR_MOVIE | 1 |
| ?fnInitialDelLayer@CVRO_DATA@@QAEHPA | 1 |
| ??1CUDFInfo@@QAE@XZ | 1 |
| ?IsFileExist@CUDFInfo@@QAEJXZ | 1 |
| ??0CUDFInfo@@QAE@XZ | 1 |
| ?SetPathname@CUDFInfo@@QAEJPAD@Z | 1 |
| ?fnVR_STILLEnd@@YAXPAX@Z | 1 |
| ?GetUdfDiscInfo@CUDFInfo@@QAGJPAJ00 | 1 |
| GdipGetCellDescent | 1 |
| GdipGetEmHeight | 1 |
| GdipMultiplyWorldTransform | 1 |
| GdipGetTextContrast | 1 |
| GdipSetTextContrast | 1 |
| GdipSetPathFillMode | 1 |
| GdipGetPenDashArray | 1 |
| GdipGetPenDashCount | 1 |
| GdipGetPenMiterLimit | 1 |
| GdipGetPenLineJoin | 1 |
| GdipGetPenStartCap | 1 |
| GdipSetPenLineCap197819 | 1 |
| GdipGetMatrixElements | 1 |
| ?destroy@?\$allocator@G@std@@QAEPA | 1 |
| ?construct@?\$allocator@G@std@@QAEPA | 1 |
| tiantang | 1 |
| ?Utf8FromWSLimit@Convert@Util@@YA?A | 1 |
| ??M@YA_NABVCTXStringA@@0@Z | 1 |
| ?GetZip@CZipBuffers@@QAE_NAAV?\$basic | 1 |
| ?AddBuffer@CZipBuffers@@QAE_NPBXIPBI | 1 |
| ??1CZipBuffers@@QAE@XZ | 1 |
| ?FormatV@CTXStringA@@QAEXPBDPAD@Z | 1 |
| ??YCTXStringA@@QAEAAV0@D@Z | 1 |
| ?GetLogByFilter@TXLog@@YA?AV?\$basic_s | 1 |
| ?LoadStringW@CTXStringW@@QAEHPAUH | 1 |
| ?MakeLower@CTXStringA@@QAEAAV1@X | 1 |
| ?Preallocate@CTXStringW@@QAEZH@Z | 1 |
| ?MatchWildcard@FS@Util@@YAHPBD0@Z | 1 |
| ??0CZipBuffers@@QAE@XZ | 1 |
| ?getline@?\$basic_istream@DU?\$char_traits | 1 |
| OpenMidiDevice | 1 |
| DeferredSetUserDLSFile | 1 |
| SetUserDLSFile | 1 |
| SetGMDLSFile | 1 |
| CloseMidiDevice | 1 |

| | |
|---|---|
| IsPlaying | 1 |
| StartServiceEx | 1 |
| StopServiceEx | 1 |
| sql_realquant | 1 |
| winrint | 1 |
| sql_message | 1 |
| WinSandGlass | 1 |
| IsamKillIMsg | 1 |
| sql_signal_remove_tmpfiles | 1 |
| IsamSigInterrupt | 1 |
| IsamTmpPath | 1 |
| IsamModuleCheckOK | 1 |
| sql_intquant | 1 |
| sql_quant_one | 1 |
| TabulaMessageBox | 1 |
| HebrewFilter | 1 |
| IsamSigMark | 1 |
| OraExit | 1 |
| sql_code_date | 1 |
| sql_tmpfile | 1 |
| sql_prep | 1 |
| HrRehydratorCreateServiceObject | 1 |
| HrRehydratorInvokeServiceAction | 1 |
| JDK_LoadSystemLibrary | 1 |
| WSNoteSuccessfulHostentLookup | 1 |
| kisCFGQueryValue | 1 |
| _RemoveMouseHook2 | 1 |
| _InstallMouseHook2 | 1 |
| ?device@QTextStream@@QBEP_AVQIODevice@QTextStream@@QAE@PAU_ibuf@V | 1 |
| ??0QTextStream@@QAE@PAU_ibuf@V | 1 |
| ?get@?\$basic_istream@DV?\$char_traits@D | 1 |
| ?putback@?\$basic_istream@DV?\$char_traits@D | 1 |
| ?-_D?\$basic_istringstream@DV?\$char_traits@C | 1 |
| ??0?\$basic_istringstream@DV?\$char_traits@C | 1 |
| HidePortRemove | 1 |
| HidePortAdd | 1 |
| ?GetResourceInstance@CNbuuLib@@SAPAI | 1 |
| ?NGSCM_LoadString@@YAHIPAGH@Z | 1 |
| ?DrawImage@CNbuuGraphics@@QAEXPBV | 1 |
| ?FlipDialog@CRTLHelper@@QAEPAUDLGTE | 1 |
| ?NGSCM_GetCommonNLR@@YAPAUHINST | 1 |
| ?LoadFromRes@CNbuuBitmap@@QAEXPAL | 1 |
| ?IsLayoutRTL@CNbuuLib@@SAHXZ | 1 |
| ?GetMenuHandle@CNbuuWindowBackground | 1 |
| gdk_color_get_type | 1 |
| g_strchomp | 1 |
| g_strchug | 1 |

| | |
|---|---|
| gtk_accel_group_lock | 1 |
| gtk_cell_renderer_toggle_new | 1 |
| gtk_tree_path_new_from_string | 1 |
| gtk_tree_view_column_get_widget | 1 |
| gtk_tree_view_get_vadjustment | 1 |
| gtk_widget_get_ancestor | 1 |
| gimp_unit_get_abbreviation | 1 |
| gimp_unit_get_deletion_flag | 1 |
| gimp_unit_get_digits | 1 |
| gimp_unit_get_factor | 1 |
| gimp_unit_get_identifier | 1 |
| gimp_unit_get_number_of_built_in_units | 1 |
| gimp_unit_get_number_of_units | 1 |
| gimp_unit_get_plural | 1 |
| gimp_unit_get_singular | 1 |
| gimp_unit_get_symbol | 1 |
| gimp_unit_get_type | 1 |
| gimp_unit_new | 1 |
| gimp_unit_set_deletion_flag | 1 |
| cvDestroyAllWindows | 1 |
| octave_main | 1 |
| _dlonexit | 1 |
| ?SetValue@CRegApi@@QEAAJPEBDPEBEK@ | 1 |
| ?RestartDriver@CRegApi@@QEAAJPEBDK@ | 1 |
| ?SetValue@CRegApi@@QEAAJPEBDK0@Z | 1 |
| ?DeleteKey@CRegApi@@QEAAJPEBD@Z | 1 |
| ?OpenKey@CRegApi@@QEAAJPEAUHKEY_ | 1 |
| ?QueryValue@CRegApi@@QEAAJPEBDAEAJ | 1 |
| ??0CRegApi@@QEAA@XZ | 1 |
| ?CreateKey@CRegApi@@QEAAJPEAUHKEY_ | 1 |
| ?CloseKey@CRegApi@@QEAAJXZ | 1 |
| ??1CRegApi@@UEAA@XZ | 1 |
| ?QueryValue@CRegApi@@QEAAJPEBDAEAI | 1 |
| ?QueryValue@CRegApi@@QEAAJPEBDPEAI | 1 |
| ?SetValue@CRegApi@@QEAAJPEBDJ@Z | 1 |
| ??1CProfileMgr@@QEAA@XZ | 1 |
| ??0CProfileMgr@@QEAA@XZ | 1 |
| ?Open@CProfileMgr@@QEAAJK@Z | 1 |
| ?IsPasswordRequiredForImport@CProfileM@ | 1 |
| ?Close@CProfileMgr@@QEAAJXZ | 1 |
| ?Import@CProfileMgr@@QEAAJPEBD0AEAI | 1 |
| ?ProfileExists@CProfileMgr@@QEAAJPEBDI | 1 |
| ?IsPasswordProtected@CProfileMgr@@QE/ | 1 |
| ?Save@CProfileMgr@@QEAAJAEAUINTEL_V | 1 |
| ?Delete@CProfileMgr@@QEAAJPEBDHK@Z | 1 |
| ??0IOEventManager@@QAE@PAUHWND_ | 1 |
| lineSetAppPriorityA | 1 |

| | |
|---|---|
| @System@@Str0Int64\$qqqrj | 1 |
| @System@WideCharToString\$qqrpb | 1 |
| mxCreateDoubleMatrix | 1 |
| mxGetClassID | 1 |
| mxGetN | 1 |
| mxIsComplex | 1 |
| mxIsNumeric | 1 |
| SetThreadpoolThreadMaximum | 1 |
| CreateThreadpool | 1 |
| ?impl_refresh@OKeysHelper@connectivity@ | 1 |
| ?createObject@OKeysHelper@connectivity@ | 1 |
| ?createDescriptor@OKeysHelper@connectiv | 1 |
| ?appendObject@OKeysHelper@connectivity | 1 |
| ?dropObject@OKeysHelper@connectivity@ | 1 |
| ?doCreateArrayHelper@ODescriptor@sdbcx | 1 |
| ??0IndexesHelper@connectivity@@QAE@ | 1 |
| ?impl_refresh@OIndexesHelper@connectivi | 1 |
| ?createObject@OIndexesHelper@connectivi | 1 |
| ?createDescriptor@OIndexesHelper@conne | 1 |
| ?appendObject@OIndexesHelper@connecti | 1 |
| ?dropObject@OIndexesHelper@connectivity | 1 |
| ??_EOIndexesHelper@connectivity@@UAEF | 1 |
| ??0OKeysHelper@connectivity@@QAE@PA | 1 |
| ?getSomething@ODescriptor@sdbcx@conn | 1 |
| ?getConnection@OTableHelper@connectivi | 1 |
| ??1OTableHelper@connectivity@@MAE@X | 1 |
| ??0OTableHelper@connectivity@@QAE@P/ | 1 |
| ?acquire@OTableHelper@connectivity@@L | 1 |
| ?release@OTableHelper@connectivity@@U | 1 |
| ?refreshKeys@OTableHelper@connectivity@ | 1 |
| ?refreshIndexes@OTableHelper@connectivi | 1 |
| ?getMetaData@OTableHelper@connectivity | 1 |
| ?rename@OTableHelper@connectivity@@l | 1 |
| ?alterColumnByIndex@OTableHelper@conn | 1 |
| ?disposing@OTableHelper@connectivity@C | 1 |
| ?getName@OTableHelper@connectivity@@ | 1 |
| ?refreshColumns@OTableHelper@connectiv | 1 |
| ??0OTableHelper@connectivity@@QAE@P/ | 1 |
| ?createStandardColumnPart@dbtools@@Y/ | 1 |
| ??0OColumn@sdbcx@connectivity@@QAE(| 1 |
| ??1OKeysHelper@connectivity@@UAE@XZ | 1 |
| ??0OView@sdbcx@connectivity@@QAE@E | 1 |
| ?queryInterface@OView@sdbcx@connectiv | 1 |
| ?acquire@OView@sdbcx@connectivity@@I | 1 |
| ?release@OView@sdbcx@connectivity@@I | 1 |
| ??_EOView@sdbcx@connectivity@@UAEPA | 1 |
| ?disposing@OView@sdbcx@connectivity@() | 1 |

| | |
|--|---|
| ?createArrayHelper@OView@sdbcx@conne | 1 |
| ?getPropertySetInfo@OView@sdbcx@conne | 1 |
| ?getInfoHelper@OView@sdbcx@connectivi | 1 |
| ?construct@OView@sdbcx@connectivity@() | 1 |
| ?getTypes@OView@sdbcx@connectivity@() | 1 |
| ??1OView@sdbcx@connectivity@@UAE@X | 1 |
| ??0OView@sdbcx@connectivity@@QAE@E | 1 |
| ??0OCollection@sdbcx@connectivity@@IAE | 1 |
| ??0OCatalog@sdbcx@connectivity@@QAE@C | 1 |
| ?disposing@OCatalog@sdbcx@connectivity | 1 |
| ?buildName@OCatalog@sdbcx@connectivit | 1 |
| ?fillNames@OCatalog@sdbcx@connectivity | 1 |
| ?queryInterface@?\$WeakComponentImplH | 1 |
| ?getTypes@?\$WeakComponentImplHelper5 | 1 |
| ??1OColumnsHelper@connectivity@@UAE@C | 1 |
| ??0OColumnsHelper@connectivity@@QAE@C | 1 |
| ?impl_refresh@OColumnsHelper@connecti | 1 |
| ?createObject@OColumnsHelper@connectiv | 1 |
| ?appendObject@OColumnsHelper@connect | 1 |
| ?dropObject@OColumnsHelper@connectivi | 1 |
| ?getImplementationId@?\$ImplHelper1@VX | 1 |
| ?createDataDescriptor@OColumn@sdbcx@I | 1 |
| ?dispose@?\$WeakComponentImplHelper2@C | 1 |
| ?addEventListener@?\$WeakComponentImpl | 1 |
| ?removeEventListener@?\$WeakComponent | 1 |
| ?getImplementationId@?\$WeakComponent | 1 |
| ?getName@OColumn@sdbcx@connectivity | 1 |
| ?setName@OColumn@sdbcx@connectivity@ | 1 |
| ?getImplementationName@OColumn@sdbcx@ | 1 |
| ?supportsService@OColumn@sdbcx@conne | 1 |
| ??1OUser@sdbcx@connectivity@@UAE@X: | 1 |
| ?construct@ODescriptor@sdbcx@connectiv | 1 |
| ??0OUser@sdbcx@connectivity@@QAE@E | 1 |
| ?queryInterface@OUser@sdbcx@connectivi | 1 |
| ?acquire@OUser@sdbcx@connectivity@@l | 1 |
| ?release@OUser@sdbcx@connectivity@@L | 1 |
| ?disposing@OUser@sdbcx@connectivity@() | 1 |
| ?dispose@?\$WeakComponentImplHelper4@C | 1 |
| ?addEventListener@?\$WeakComponentImpl | 1 |
| ?removeEventListener@?\$WeakComponent | 1 |
| ?getTypes@OUser@sdbcx@connectivity@() | 1 |
| ?getImplementationId@?\$WeakComponent | 1 |
| ?getGroups@OUser@sdbcx@connectivity@ | 1 |
| ?getName@OUser@sdbcx@connectivity@() | 1 |
| ?setName@OUser@sdbcx@connectivity@() | 1 |
| ?getImplementationName@OUser@sdbcx@ | 1 |
| ?supportsService@OUser@sdbcx@connecti | 1 |

| | |
|---|---|
| ?getSupportedServiceNames@OUser@sdbc | 1 |
| ?createArrayHelper@OUser@sdbcx@conne | 1 |
| ?getPropertySetInfo@OUser@sdbcx@conne | 1 |
| ? getInfoHelper@OUser@sdbcx@connectivit | 1 |
| ??0User@sdbcx@connectivity@@QAE@A | 1 |
| ?quoteTableName@dbtools@@YA?AVOUStr | 1 |
| ?createSqlCreateTableStatement@dbtools@ | 1 |
| ?getObject@OCollection@sdbcx@connectiv | 1 |
| ?isNew@ODescriptor@sdbcx@connectivity(| 1 |
| ?insertElement@OCollection@sdbcx@conne | 1 |
| ?composeTableName@dbtools@@YA?AVOI | 1 |
| ?setURL@OMetaConnection@connectivity@ | 1 |
| ?getUnoTunnelImplementationId@OMetaC | 1 |
| ?quoteName@dbtools@@YA?AVOUStr@ | 1 |
| ?construct@OTable@sdbcx@connectivity@ | 1 |
| ?get_ensureType@NamedValueCollection@ | 1 |
| ??0NamedValueCollection@comphelper@@ | 1 |
| ?copyProperties@comphelper@@YAXABV?: | 1 |
| SDL_CloseAudio | 1 |
| SDL_EnableKeyRepeat | 1 |
| SDL_GetAppState | 1 |
| SDL_GetMouseState | 1 |
| SDL_GetVideoSurface | 1 |
| SDL_JoystickClose | 1 |
| SDL_JoystickName | 1 |
| SDL_JoystickNumAxes | 1 |
| SDL_JoystickNumBalls | 1 |
| SDL_JoystickNumButtons | 1 |
| SDL_JoystickOpen | 1 |
| SDL_JoystickOpened | 1 |
| SDL_KillThread | 1 |
| SDL_LockAudio | 1 |
| SDL_MapRGBA | 1 |
| SDL_NumJoysticks | 1 |
| SDL_OpenAudio | 1 |
| SDL_PauseAudio | 1 |
| SDL_QuitSubSystem | 1 |
| SDL_SetColors | 1 |
| SDL_UnlockAudio | 1 |
| SDL_WarpMouse | 1 |
| _ZN4Foam12timeSelector10addOptionsEbb | 1 |
| _ZN4Foam12timeSelector7select0ERNS_4Tir | 1 |
| _ZN4Foam4Time7setTimeERKNS_7instantEi | 1 |
| _ZN4Foam4nameEi | 1 |
| _ZN4Foam8OFstreamC1ERKNS_8fileNameEi | 1 |
| _ZN4Foam8OFstreamD1Ev | 1 |
| _ZN4Foam8polyMesh10readUpdateEv | 1 |

| | |
|---|---|
| _ZN4FoamrsERNS_7IstreamERNS_4wordE | 1 |
| _ZN4FoamrsERNS_7IstreamERi | 1 |
| _ZNK4Foam13primitiveMesh10pointCellsEv | 1 |
| _ZNK4Foam13primitiveMesh11cellCentresEv | 1 |
| _ZNK4Foam4face5edgesEv | 1 |
| _ZNK4Foam8polyMesh5facesEv | 1 |
| _ZNK4Foam9polyPatch11faceCentresEv | 1 |
| _ZN4Foam7faceSetC1ERKNS_8polyMeshERK | 1 |
| _ZN4Foam7faceSetD1Ev | 1 |
| _ZN4Foam9meshTools8writeOBJERNS_7Ost | 1 |
| _ZN4Foam9meshTools8writeOBJERNS_7Ost | 1 |
| _ZN4Foam9meshTools8writeOBJERNS_7Ost | 1 |
| Messa | 1 |
| @System@TObject@MethodName\$qqrv | 1 |
| @System@TObject@MethodAddress\$qqrx2 | 1 |
| @System@TObject@ClassInfo\$qqrv | 1 |
| @System@TObject@UnitName\$qqrv | 1 |
| @System@TObject@GetInterfaceTable\$qqri | 1 |
| @System@TObject@GetInterfaceEntry\$qqri | 1 |
| @System@TObject@ClassNameIs\$qqrx20Sy | 1 |
| @Dbcommontypes@initialization\$qqrv | 1 |
| @Dbcommontypes@Finalization\$qqrv | 1 |
| @Db@TBlobField@SaveToFile\$qqrx20Syste | 1 |
| @Ibcustomdataset@TIBCustomDataSet@Ge | 1 |
| @Ibcustomdataset@TIBCustomDataSet@Aç | 1 |
| @Ibcustomdataset@TIBDataSet@ | 1 |
| @Ibcustomdataset@TIBStringField@ | 1 |
| @Ibdatabase@TIBTransaction@CommitRet | 1 |
| @Ibdatabase@TIBDatabase@SetDatabaseN | 1 |
| @Rzgrafx@initialization\$qqrv | 1 |
| @Rzcommonbitmaps@Finalization\$qqrv | 1 |
| @Rzcommonbitmaps@initialization\$qqrv | 1 |
| @Rzradchk@initialization\$qqrv | 1 |
| @Rzradchk@Finalization\$qqrv | 1 |
| @Rzborder@Finalization\$qqrv | 1 |
| @Rzcommoncursors@Finalization\$qqrv | 1 |
| @Rzcommoncursors@initialization\$qqrv | 1 |
| @Rzspnedt@initialization\$qqrv | 1 |
| @Rzspnedt@Finalization\$qqrv | 1 |
| @Rzpopups@Finalization\$qqrv | 1 |
| @Rzlabel@TRzLabel@ | 1 |
| @Rzintlst@initialization\$qqrv | 1 |
| @Rzintlst@Finalization\$qqrv | 1 |
| @Rzradgrp@initialization\$qqrv | 1 |
| @Rzradgrp@Finalization\$qqrv | 1 |
| @Rzlstbox@initialization\$qqrv | 1 |
| @Rzlstbox@Finalization\$qqrv | 1 |

| | |
|---|---|
| @Rzchklst@initialization\$qqrv | 1 |
| @Rzchklst@Finalization\$qqrv | 1 |
| @Rztoolbarform@initialization\$qqrv | 1 |
| @Rztoolbarform@Finalization\$qqrv | 1 |
| @Rzshellintf@Finalization\$qqrv | 1 |
| @Rzshellutils@Finalization\$qqrv | 1 |
| @Rztreevw@initialization\$qqrv | 1 |
| @Rztreevw@Finalization\$qqrv | 1 |
| @Rzlaunch@initialization\$qqrv | 1 |
| @Rzlaunch@Finalization\$qqrv | 1 |
| @Rzlaunch@TRzLauncher@ | 1 |
| @Rzlistvw@Finalization\$qqrv | 1 |
| @Rzprgres@initialization\$qqrv | 1 |
| @Rzprgres@Finalization\$qqrv | 1 |
| @Rzprgres@TRzProgressBar@ | 1 |
| @Rzshellconsts@initialization\$qqrv | 1 |
| @Rzshellconsts@Finalization\$qqrv | 1 |
| @Rzshellctrls@initialization\$qqrv | 1 |
| @Rzshellctrls@Finalization\$qqrv | 1 |
| @Rzshellfolderform@initialization\$qqrv | 1 |
| @Rzshellfolderform@Finalization\$qqrv | 1 |
| @Rzspl@initialization\$qqrv | 1 |
| @Rzspl@Finalization\$qqrv | 1 |
| @Rzshellopenform@initialization\$qqrv | 1 |
| @Rzshellopenform@Finalization\$qqrv | 1 |
| @Rzshelldialogs@initialization\$qqrv | 1 |
| @Rzshelldialogs@Finalization\$qqrv | 1 |
| @Rzsysres@initialization\$qqrv | 1 |
| @Rzsysres@Finalization\$qqrv | 1 |
| @Rzstatus@initialization\$qqrv | 1 |
| @Rzstatus@Finalization\$qqrv | 1 |
| @Rzdbprog@initialization\$qqrv | 1 |
| @Rzdbprog@Finalization\$qqrv | 1 |
| __Local_unwind | 1 |
| TurnAutoCHMOn | 1 |
| TurnOutlookIntegrationOn | 1 |
| IsOutlookIntegrationMachineSettingsInstalle | 1 |
| IsAutoCHMOn | 1 |
| IsOutlookIntegrationOn | 1 |
| IsAutoCHMAvailable | 1 |
| IsOutlookIntegrationAvailable | 1 |
| ?writeToStream@PrintDriver@@IAEXPBDI@ | 1 |
| ?startJob@PrintDriver@@UAEXXZ | 1 |
| ?endJob@PrintDriver@@UAEXXZ | 1 |
| ?endDoc@PrintDriver@@UAEXXZ | 1 |
| ?startRecord@PrintDriver@@UAEXXZ | 1 |
| ?endRecord@PrintDriver@@UAEXXZ | 1 |

| | |
|--|---|
| ?writeToStream@PrintDriver@@IAEXABVjfS | 1 |
| ?endPage@PrintDriver@@UAEXAAVXFANo(| 1 |
| ?startSubform@PrintDriver@@UAEXAAVXF. | 1 |
| ?endSubform@PrintDriver@@UAEXAAVXF | 1 |
| ?startContentArea@PrintDriver@@UAEXAA | 1 |
| ?endContentArea@PrintDriver@@UAEXAA\ | 1 |
| ?drawField@PrintDriver@@UAEHVXFALayo | 1 |
| ?selectFont@PrintDriver@@MAEXABVjfFon | 1 |
| ?drawCheckButton@PrintDriver@@MAEHV | 1 |
| ?drawBarcode@PrintDriver@@MAEHVXFAL | 1 |
| ?drawButton@PrintDriver@@MAEHVXFALa | 1 |
| ?drawChoiceList@PrintDriver@@MAEHVXF, | 1 |
| ?drawFieldText@PrintDriver@@UAEHAAVjf | 1 |
| ?drawStaticText@PrintDriver@@UAEHAAVj | 1 |
| ??0MacroPlayDriver@@QAE@PAVPrintDriv | 1 |
| ??0PrintDriver@@QAE@AAVRenderOptions | 1 |
| ?drawBoilerPlate@PrintDriver@@UAEHVXF | 1 |
| ?enumerateColorTable@PrintDriver@@UAF | 1 |
| ?startPage@PrintDriver@@UAEXVXFAMeas | 1 |
| ?writeToStream@PrintDriver@@IAEXPBVjfA | 1 |
| ?startDoc@PrintDriver@@UAEXXZ | 1 |
| ?supportsCopy@PrintDriver@@MAEHXZ | 1 |
| ?drawDateTime@PrintDriver@@MAEHVXF/ | 1 |
| ?drawNumericEdit@PrintDriver@@MAEHV) | 1 |
| ?endProcessingCopies@PrintDriver@@MAE | 1 |
| ?startProcessingCopies@PrintDriver@@MA | 1 |
| ?proxyMissingFonts@PrintDriver@@UAEXH | 1 |
| ?drawArcFill@PrintDriver@@UAEHABVXFAI | 1 |
| ?drawRectangle@PrintDriver@@UAEHABV> | 1 |
| ?drawLine@PrintDriver@@UAEHABVXFANC | 1 |
| ?drawArc@PrintDriver@@UAEHABVXFANo(| 1 |
| ??1PrintDriver@@UAE@XZ | 1 |
| ?drawPasswordEdit@PrintDriver@@MAEH\ | 1 |
| ?drawTextEdit@PrintDriver@@MAEHVXFAL | 1 |
| ?outputMacroData@PrintDriver@@IAEXPBAI | 1 |
| ?skipMacroHeader@PrintDriver@@IAEXAAI | 1 |
| ?deleteMacro@PrintDriver@@UAEXAAVjfSt | 1 |
| ?startField@PrintDriver@@UAEXAAVXFALa\ | 1 |
| ?endField@PrintDriver@@UAEXAAVXFALay | 1 |
| ?startDraw@PrintDriver@@UAEXAAVXFALa | 1 |
| ?endDraw@PrintDriver@@UAEXAAVXFALay | 1 |
| ?startExclGroup@PrintDriver@@UAEXAAVX | 1 |
| ?endExclGroup@PrintDriver@@UAEXAAVXF | 1 |
| ?drawBorder@PrintDriver@@UAEXVXFALay | 1 |
| ?is3D@PrintDriver@@UAEHABVXFANode@ | 1 |
| ?isRenderable@PrintDriver@@UAEHAAVXF | 1 |
| ?isContentRenderable@PrintDriver@@UAEI | 1 |

| | |
|---|---|
| ?drawCaption@PrintDriver@@UAEXVXFALa | 1 |
| ?startArea@PrintDriver@@UAEXAAVXFALa\ | 1 |
| ?endArea@PrintDriver@@UAEXAAVXFALay | 1 |
| ??1XFALayoutNode@@QAE@XZ | 1 |
| ?getFormNode@XFALayoutNode@@QBE?A | 1 |
| ?getImageData@XFALImageService@@QAEPA | 1 |
| ??1XFATemplateResolver@@UAE@XZ | 1 |
| ?enumActiveColors@XFATemplateResolver(| 1 |
| ??_7XFATemplateResolver@@6B@ | 1 |
| ?addActiveColor@XFATemplateResolver@@ | 1 |
| ?getRed@XFAColor@@QAEJXZ | 1 |
| ?getGreen@XFAColor@@QAEJXZ | 1 |
| ?getBlue@XFAColor@@QAEJXZ | 1 |
| ??1XFAColor@@QAE@XZ | 1 |
| ?setBlue@XFAColor@@QAEXJ@Z | 1 |
| ?setGreen@XFAColor@@QAEXJ@Z | 1 |
| ?setRed@XFAColor@@QAEXJ@Z | 1 |
| ?getGrayRate@XFAColor@@QAENXZ | 1 |
| ?isProportional@jfFontInstance@@QBEHXZ | 1 |
| ?getSize@jfFontInstance@@QBEABVjfUnitS | 1 |
| ?getEncoding@jfFontItem@@QBE?AW4ENC | 1 |
| ?isCJKEncoding@jfFontItem@@QBEHXZ | 1 |
| ?getFontItem@jfFontInstance@@QBEPAVjfI | 1 |
| ?getNext@jfFontItemIterator@@QAEPAVjfF | 1 |
| ?getFirst@jfFontItemIterator@@QAEPAVjfF | 1 |
| ?getGlyphRank@jfFontItem@@QAEJI@Z | 1 |
| ??0jfFontItemIterator@@QAE@PBVjfFontIt\ | 1 |
| ?getFontCount@jfFontItemIterator@@QBEI | 1 |
| ?getDefaultCharWidth@jfFontItem@@QBEI | 1 |
| ?CompareNoCase@jfString@@QBEHPBDI@ | 1 |
| ?Number@jfString@@QBEHPAJH@Z | 1 |
| ?ZeroString@jfString@@SAABV1@XZ | 1 |
| ??0jfFilePosition@@QAE@JW4PositionBase | 1 |
| ?Position@jfStreamFile@@QAEXABVjfFilePc | 1 |
| ?Length@jfMemoryStreamFile@@QAEIXZ | 1 |
| ??BjfMemoryStreamFile@@QBEPBDXZ | 1 |
| ?doubleToString@jfNumeric@@SA?AVjfStri | 1 |
| ?doubleToChars@jfNumeric@@SAINHPAD@ | 1 |
| ?Base64Decode@@YAPADAAIABVjfString@ | 1 |
| ??MjfUnitSpan@@QBEHABV0@@@Z | 1 |
| ?Number@jfString@@QAEHJ@Z | 1 |
| ?Empty@jfString@@QAEXXZ | 1 |
| ?mnDefaultUnits@jfUnitSpan@@OW4UnitC | 1 |
| ??0jfString@@QAE@XZ | 1 |
| ??9jfUnitSpan@@QBEHABV0@@@Z | 1 |
| ??OjfUnitSpan@@QBEHABV0@@@Z | 1 |
| ??4jfRect@@QAEAAV0@ABV0@@@Z | 1 |

| | |
|---|---|
| ?Y@jfCoordPair@@QAEQABVjfUnitSpan@@ | 1 |
| ?X@jfCoordPair@@QAEQABVjfUnitSpan@@ | 1 |
| ?getOption@XDCModelImpl@@QAE?AVjfSt | 1 |
| ??1jfGfxColour@@UAE@XZ | 1 |
| ??1jfGfxDevObj@@UAE@XZ | 1 |
| ??_7jfGfxColour@@6B@ | 1 |
| ?getColor@jfGfxImageData@@QBE?AVjfGfx | 1 |
| ?getColorMapSize@jfGfxImageData@@QBE | 1 |
| ?hasColorMap@jfGfxImageData@@QBEHXZ | 1 |
| ?getImageDataLinePointer@jfGfxImageData | 1 |
| ?getValue@XFADouble@@QBEJXZ | 1 |
| ?getElement@XFANode@@QBE?AV1@II@Z | 1 |
| ?isSameClass@XFAObject@@QBEHABVjfStr | 1 |
| ??0XFADouble@@QAE@NI@Z | 1 |
| ?getValue@XFADouble@@QBENXZ | 1 |
| ??1XFADouble@@QAE@XZ | 1 |
| ??0XFALogMessage@@QAE@AAVjfExceptio | 1 |
| ?sendMessage@XFALogMessenger@@QAE | 1 |
| ??1XFALogMessage@@QAE@XZ | 1 |
| ??0XFANode@@QAE@ABV0@@Z | 1 |
| ?getEnum@XFANode@@QBE?AW4VALUE@ | 1 |
| ??0XFAEnum@@QAE@W4VALUE@0@I@Z | 1 |
| ??1XFALogMessenger@@QAE@XZ | 1 |
| ??8XFAEnum@@QAEHW4VALUE@0@@Z | 1 |
| ?getValueAsUnit@XFAMeasurement@@QB | 1 |
| ??1XFAMeasurement@@QAE@XZ | 1 |
| ??0XFAMeasurement@@QAE@ABVjfUnitSp | 1 |
| ?peekElement@XFANode@@QBE?AV1@IHI | 1 |
| ?convertTextSymbolSet@DeviceDriver@@I/ | 1 |
| ?applyImageTransformations@DeviceDriver | 1 |
| ?getResolution@DeviceDriver@@QAEJXZ | 1 |
| ?drawCheckButton@DeviceDriver@@MAEH | 1 |
| ?drawCircularBorder@DeviceDriver@@MAE | 1 |
| ?drawContentBorder@DeviceDriver@@MA | 1 |
| ?setImageDataAllocationRequired@DeviceD | 1 |
| ?updateFontInfo@DeviceDriver@@MAEXAE | 1 |
| ?measure.ToDouble@DeviceDriver@@IAEN\ | 1 |
| ?deleteFontStream@DeviceDriver@@IAEXX | 1 |
| ?getFontStream@DeviceDriver@@IAEPAVjf | 1 |
| ?handleADocumentFont@DeviceDriver@@I | 1 |
| ?renderAll@Renderer@@UAEXPAXFALayo | 1 |
| ?renderPage@Renderer@@UAEXPAXFALa | 1 |
| ?renderLeafLayoutNode@Renderer@@MAE | 1 |
| ?renderNode@DeviceDriver@@UAEXVXFAL | 1 |
| ?renderContainerNode@DeviceDriver@@U | 1 |
| ?draw3dRectangle@DeviceDriver@@UAEH/ | 1 |
| ?newPara@DeviceDriver@@UAEXXZ | 1 |

| | |
|--|---|
| ?setClipRect@DeviceDriver@@UAEXABVjfR | 1 |
| ?abortJob@DeviceDriver@@UAEXXZ | 1 |
| ?addComment@DeviceDriver@@UAEXABVj | 1 |
| ?getPageOffsets@DeviceDriver@@UAE?AVj | 1 |
| ?isCaptionRenderable@DeviceDriver@@UA | 1 |
| ?enumerateContent@DeviceDriver@@UAEI | 1 |
| ?enumerateCaption@DeviceDriver@@UAEI | 1 |
| ?isNonInteractiveField@DeviceDriver@@UE | 1 |
| ?setDC@DeviceDriver@@UAEXPADHDC__C | 1 |
| ?getInvalidatedRect@DeviceDriver@@UAE? | 1 |
| ?setHighlightFieldColor@DeviceDriver@@U | 1 |
| ?getHighlightFieldOrphanBorder@DeviceDri | 1 |
| ?setAccessTextColor@DeviceDriver@@UAE | 1 |
| ?linearGradientFillRect@DeviceDriver@@M | 1 |
| ?radialGradientFillRect@DeviceDriver@@M | 1 |
| ?getGradientResolution@DeviceDriver@@N | 1 |
| ?getFF99StippleColour@DeviceDriver@@M. | 1 |
| ?getXFAStippleColour@DeviceDriver@@MA | 1 |
| ?drawRoundRectangleFill@DeviceDriver@@ | 1 |
| ?drawRoundRectangleOutline@DeviceDrive | 1 |
| ?drawSoftwareRectangleFill@DeviceDriver@ | 1 |
| ?drawSoftwareArcFill@DeviceDriver@@MA | 1 |
| ?pen@QGraphicsLineItem@@QBE?AVQPen | 1 |
| ?pen@QAbstractGraphicsShapeItem@@QBI | 1 |
| ?setExtra@QGraphicsItemPrivate@@QAEXV | 1 |
| ?extra@QGraphicsItemPrivate@@QBE?AVC | 1 |
| ?qt_metacall@QGraphicsObject@@UAEHW | 1 |
| ??1QGraphicsObject@@UAE@XZ | 1 |
| ??0QGraphicsObject@@IAE@AAVQGraphic | 1 |
| ?shape@QGraphicsItem@@UBE?AVQPainte | 1 |
| ?sceneEvent@QGraphicsItem@@MAE_NPA | 1 |
| ?contextMenuEvent@QGraphicsItem@@M | 1 |
| ?dragEnterEvent@QGraphicsItem@@MAEX | 1 |
| ?dragLeaveEvent@QGraphicsItem@@MAEX | 1 |
| ?dragMoveEvent@QGraphicsItem@@MAEX | 1 |
| ?dropEvent@QGraphicsItem@@MAEXPAVC | 1 |
| ?focusInEvent@QGraphicsItem@@MAEXPAC | 1 |
| ?focusOutEvent@QGraphicsItem@@MAEXP | 1 |
| ?hoverMoveEvent@QGraphicsItem@@MAE | 1 |
| ?hoverLeaveEvent@QGraphicsItem@@MAE | 1 |
| ?keyPressEvent@QGraphicsItem@@MAEXP | 1 |
| ?keyReleaseEvent@QGraphicsItem@@MAE | 1 |
| ?mousePressEvent@QGraphicsItem@@MAI | 1 |
| ?mouseMoveEvent@QGraphicsItem@@MA | 1 |
| ?mouseReleaseEvent@QGraphicsItem@@M | 1 |
| ?mouseDoubleClickEvent@QGraphicsItem@ | 1 |
| ?wheelEvent@QGraphicsItem@@MAEXPBV | 1 |

| | |
|--|---|
| ?inputMethodEvent@QGraphicsItem@@M/ | 1 |
| ?inputMethodQuery@QGraphicsItem@@M | 1 |
| ?itemChange@QGraphicsItem@@MAE?AVC | 1 |
| ?staticMetaObject@QGraphicsObject@@2U | 1 |
| ?alphaF@QColor@@QBENXZ | 1 |
| ?coordinateMode@QGradient@@QBE?AW` | 1 |
| ??0QPaintEngine@@IAE@AAVQPaintEngine | 1 |
| ?drawRects@QPaintEngine@@UAEXPBVQR | 1 |
| ?drawRects@QPaintEngine@@UAEXPBVQR | 1 |
| ?drawLines@QPaintEngine@@UAEXPBVQLi | 1 |
| ?drawEllipse@QPaintEngine@@UAEXABVQ | 1 |
| ?drawEllipse@QPaintEngine@@UAEXABVQ | 1 |
| ?drawPoints@QPaintEngine@@UAEXPBVQf | 1 |
| ?drawPoints@QPaintEngine@@UAEXPBVQf | 1 |
| ?drawPolygon@QPaintEngine@@UAEXPBVl | 1 |
| ?drawTiledPixmap@QPaintEngine@@UAEX. | 1 |
| ?drawImage@QPaintEngine@@UAEXABVQI | 1 |
| ?getDC@QPaintEngine@@UBEPAUHDC__@ | 1 |
| ?releaseDC@QPaintEngine@@UBEXPAUHD | 1 |
| ?coordinateOffset@QPaintEngine@@UBE?A | 1 |
| ??1QPaintEngine@@UAE@XZ | 1 |
| ?weight@QFont@@QBEHXZ | 1 |
| ?pixelSize@QFont@@QBEHXZ | 1 |
| ?save@QImage@@QBE_NPAVQIODevice@ | 1 |
| ?elementAt@QPainterPath@@QBEABVElen | 1 |
| ?elementCount@QPainterPath@@QBEHXZ | 1 |
| ?pen@QPaintEngineState@@QBE?AVQPen | 1 |
| ?fillRule@QPainterPath@@QBE?AW4FillRul | 1 |
| ??0QPainterPath@@QAE@ABVQPointF@@ | 1 |
| ?escape@Qt@@YA?AVQString@@ABV2@€ | 1 |
| ?font@QTextItem@@QBE?AVQFont@@XZ | 1 |
| ??1QPaintDevice@@UAE@XZ | 1 |
| ??0QPaintDevice@@IAE@XZ | 1 |
| ?devType@QPaintDevice@@UBEHXZ | 1 |
| ?dashOffset@QPen@@QBENXZ | 1 |
| ?width@QPen@@QBEHXZ | 1 |
| ?color@QPen@@QBE?AVQColor@@XZ | 1 |
| ?fromRgba@QColor@@SA?AV1@I@Z | 1 |
| ?rgba@QColor@@QBEIXZ | 1 |
| ?interpolationMode@QGradient@@QBE?AI | 1 |
| ?start@QLinearGradient@@QBE?AVQPointl | 1 |
| ?finalStop@QLinearGradient@@QBE?AVQP | 1 |
| ?radius@QRadialGradient@@QBENXZ | 1 |
| ?center@QRadialGradient@@QBE?AVQPoi | 1 |
| ?focalPoint@QRadialGradient@@QBE?AVQ | 1 |
| ?gradient@QBrush@@QBEPBVQGradient@ | 1 |
| ?opacity@QPaintEngineState@@QBENXZ | 1 |

| | |
|--|---|
| ?font@QPaintEngineState@@QBE?AVQFont | 1 |
| ?matrix@QPaintEngineState@@QBE?AVQMatrix | 1 |
| ?brush@QPaintEngineState@@QBE?AVQBrush | 1 |
| ?state@QPaintEngineState@@QBE?AV?\$QF | 1 |
| ?color@QBrush@@QBEABVQColor@@XZ | 1 |
| ?prepareGeometryChange@QGraphicsItem | 1 |
| ?qt_metacast@QGraphicsObject@@UAEP | 1 |
| ?cacheMode@QGraphicsItem@@QBE?AW4 | 1 |
| ?setCacheMode@QGraphicsItem@@QAEXV | 1 |
| ??1QGraphicsItemPrivate@@UAE@XZ | 1 |
| ?update@QGraphicsItem@@QAEXABVQR | 1 |
| ?resetHeight@QGraphicsItemPrivate@@UA | 1 |
| ?setHeight@QGraphicsItemPrivate@@UAE | 1 |
| ?height@QGraphicsItemPrivate@@UBENXZ | 1 |
| ?resetWidth@QGraphicsItemPrivate@@UA | 1 |
| ?setWidth@QGraphicsItemPrivate@@UAEX | 1 |
| ?width@QGraphicsItemPrivate@@UBENXZ | 1 |
| ?siblingOrderChange@QGraphicsItemPrivat | 1 |
| ?focusScopeItemChange@QGraphicsItemPri | 1 |
| ?subFocusItemChange@QGraphicsItemPrivat | 1 |
| ?isProxyWidget@QGraphicsItemPrivate@@ | 1 |
| ?resolvePalette@QGraphicsItemPrivate@@ | 1 |
| ?resolveFont@QGraphicsItemPrivate@@UA | 1 |
| ?transformChanged@QGraphicsItemPrivate | 1 |
| ?setPosHelper@QGraphicsItemPrivate@@U | 1 |
| ?inputMethodQueryHelper@QGraphicsItem | 1 |
| ?updateSceneTransformFromParent@QGra | 1 |
| ??0QGraphicsItemPrivate@@QAE@XZ | 1 |
| ??1QGraphicsItem@@UAE@XZ | 1 |
| ??0QWidget@@IAE@AAVQWidgetPrivate@ | 1 |
| ??1QWidgetPrivate@@UAE@XZ | 1 |
| ?aboutToDestroy@QWidgetPrivate@@UAE | 1 |
| ??0QWidgetPrivate@@QAE@H@Z | 1 |
| ??XQTransform@@QAEAAV0@ABV0@@Z | 1 |
| ?toAffine@QTransform@@QBEABVQMatrix | 1 |
| ?device@QPainter@@QBEPAVQPaintDevice | 1 |
| ?width@QPaintDevice@@QBEHXZ | 1 |
| ?height@QPaintDevice@@QBEHXZ | 1 |
| ??4QPainterPath@@QAEAAV0@ABV0@@Z | 1 |
| ?alpha@QColor@@QBEHXZ | 1 |
| ?red@QColor@@QBEHXZ | 1 |
| ?green@QColor@@QBEHXZ | 1 |
| ?blue@QColor@@QBEHXZ | 1 |
| ?setColor@QBrush@@QAEXABVQColor@@ | 1 |
| ?translate@QTransform@@QAEAAV1@NN | 1 |
| ?scale@QTransform@@QAEAAV1@NN@Z | 1 |
| ?rotate@QTransform@@QAEAAV1@NW4A | 1 |

| | |
|---|---|
| ?shear@QTransform@@QAEAAV1@NN@Z | 1 |
| ?dashPattern@QPen@@QBE?AV?\$QVector | 1 |
| ?setDashPattern@QPen@@QAEXABV?\$QVec | 1 |
| ?capStyle@QPen@@QBE?AW4PenCapStyle | 1 |
| ?joinStyle@QPen@@QBE?AW4PenJoinStyle | 1 |
| ?miterLimit@QPen@@QBENXZ | 1 |
| ?setDashOffset@QPen@@QAEXN@Z | 1 |
| ?setCosmetic@QPen@@QAEX_N@Z | 1 |
| ?setMatrix@QBrush@@QAEXABVQMatrix@ | 1 |
| ??1QGradient@@QAE@XZ | 1 |
| ?style@QFont@@QBE?AW4Style@1@XZ | 1 |
| ?capitalization@QFont@@QBE?AW4Capital | 1 |
| ?compositionMode@QPainter@@QBE?AW4 | 1 |
| ?setCompositionMode@QPainter@@QAEXI | 1 |
| ??4QTransform@@QAEAAV0@ABV0@@Z | 1 |
| ??0QTransform@@QAE@XZ | 1 |
| ?style@QPen@@QBE?AW4PenStyle@Qt@() | 1 |
| ?brush@QPen@@QBE?AVQBrush@@XZ | 1 |
| ?isCosmetic@QPen@@QBE_NXZ | 1 |
| ??0Parser@QCss@@QAE@XZ | 1 |
| ??4QPen@@QAEAAV0@ABV0@@Z | 1 |
| ??0Parser@QCss@@QAE@ABVQString@@_ | 1 |
| ?parse@Parser@QCss@@QAE_NPAUStyleS | 1 |
| ?declarationsForNode@StyleSelector@QCss | 1 |
| ??0QRadialGradient@@QAE@NNNNN@Z | 1 |
| ??0QLinearGradient@@QAE@NNNN@Z | 1 |
| ?setInterpolationMode@QGradient@@QAE | 1 |
| ?stops@QGradient@@QBE?AV?\$QVector@ | 1 |
| ?setStops@QGradient@@QAEXABV?\$QVec | 1 |
| ?setCoordinateMode@QGradient@@QAEXI | 1 |
| ?toString@Value@QCss@@QBE?AVQString | 1 |
| ??1Value@QCss@@QAE@XZ | 1 |
| ??0QBrush@@QAE@W4BrushStyle@Qt@() | 1 |
| ?setAlphaF@QColor@@QAEXN@Z | 1 |
| ?setRgb@QColor@@QAEXI@Z | 1 |
| ?setNamedColor@QColor@@QAEXABVQString | 1 |
| ??1Parser@QCss@@QAE@XZ | 1 |
| ?init@Parser@QCss@@QAEXABVQString@_ | 1 |
| ?hasNext@Parser@QCss@@QBE_NXZ | 1 |
| ?test@Parser@QCss@@QAE_NW4TokenTy | 1 |
| ?next@Parser@QCss@@QAE?AW4TokenTy | 1 |
| ?lexem@Parser@QCss@@QBE?AVQString@ | 1 |
| ?symbol@Parser@QCss@@QBEABUSymbol | 1 |
| ?lexem@Symbol@QCss@@QBE?AVQString@ | 1 |
| ?quadTo@QPainterPath@@QAEXABVQPoin | 1 |
| ?isIdentity@QMatrix@@QBE_NXZ | 1 |
| ??0QTransform@@QAE@ABVQMatrix@@C | 1 |

| | |
|---------------------------------------|---|
| ??0QMatrix@@QAE@NNNNNN@Z | 1 |
| ??DQMatrix@@QBE?AV0@ABV0@@@Z | 1 |
| ??4QMatrix@@QAEAAV0@ABV0@@@Z | 1 |
| ?translate@QMatrix@@QAEAAV1@NN@Z | 1 |
| ?scale@QMatrix@@QAEAAV1@NN@Z | 1 |
| ?shear@QMatrix@@QAEAAV1@NN@Z | 1 |
| ??0Value@QCss@@QAE@XZ | 1 |
| ?fromData@QImage@@SA?AV1@ABVQByt | 1 |
| ?cubicTo@QPainterPath@@QAEXABVQPoir | 1 |
| ??1StyleSelector@QCss@@UAE@XZ | 1 |
| ??0StyleSelector@QCss@@QAE@XZ | 1 |
| ??0QMatrix@@QAE@ABV0@@@Z | 1 |
| ?setWidthF@QPen@@QAEXN@Z | 1 |
| ?setMiterLimit@QPen@@QAEXN@Z | 1 |
| ?setJoinStyle@QPen@@QAEXW4PenJoinSty | 1 |
| ?setCapStyle@QPen@@QAEXW4PenCapSty | 1 |
| ?setBrush@QPen@@QAEXABVQBrush@@(| 1 |
| ?setCapitalization@QFont@@QAEXW4Capit | 1 |
| ?setPointSizeF@QFont@@QAEXN@Z | 1 |
| ?pointSizeF@QFont@@QBENXZ | 1 |
| ?worldTransform@QPainter@@QBEABVQTi | 1 |
| ??0QTransform@@QAE@ABV0@@@Z | 1 |
| ?scale@QPainter@@QAEXNN@Z | 1 |
| ??BQPen@@QBE?AVQVariant@@XZ | 1 |
| ??BQBrush@@QBE?AVQVariant@@XZ | 1 |
| ?createLine@QTextLayout@@QAE?AVQTex | 1 |
| ??0QTextLayout@@QAE@ABVQString@@@C | 1 |
| ?textOption@QTextLayout@@QBE?AVQTex | 1 |
| ?setTextOption@QTextLayout@@QAEXABV | 1 |
| ?setAdditionalFormats@QTextLayout@@QF | 1 |
| ?beginLayout@QTextLayout@@QAEXXZ | 1 |
| ?setLineWidth@QTextLine@@QAEXN@Z | 1 |
| ?endLayout@QTextLayout@@QAEXXZ | 1 |
| ?lineCount@QTextLayout@@QBEHXZ | 1 |
| ?lineAt@QTextLayout@@QBE?AVQTextLine | 1 |
| ?naturalTextWidth@QTextLine@@QBENXZ | 1 |
| ?ascent@QTextLine@@QBENXZ | 1 |
| ?setPosition@QTextLine@@QAEXABVQPoir | 1 |
| ?height@QTextLine@@QBENXZ | 1 |
| ?draw@QTextLayout@@QBEXPAVQPainter | 1 |
| ??1QTextOption@@QAE@XZ | 1 |
| ??1QTextLayout@@QAE@XZ | 1 |
| ?setWorldTransform@QPainter@@QAEXAB | 1 |
| ?map@QTransform@@QBE?AVQPointF@@ | 1 |
| ?mapRect@QTransform@@QBE?AVQRectF@ | 1 |
| ?map@QTransform@@QBE?AVQPolygonF@ | 1 |
| ?addPolygon@QPainterPath@@QAEXABVQ | 1 |

| | |
|--|---|
| ?addEllipse@QPainterPath@@QAEXABVQR | 1 |
| ??0QTextFormat@@QAE@ABV0@@Z | 1 |
| ?mapRect@QTransform@@QBE?AVQRect@ | 1 |
| ?translate@QPainter@@QAEXABVQPointF@ | 1 |
| ?style@QBrush@@QBE?AW4BrushStyle@Q | 1 |
| ?drawPolyline@QPainter@@QAEXPBVQPoi | 1 |
| ?drawPolygon@QPainter@@QAEXPBVQPoi | 1 |
| ?setFillRule@QPainterPath@@QAEXW4FillR | 1 |
| ?drawLines@QPainter@@QAEXPBVQLineF@ | 1 |
| ?drawImage@QPainter@@QAEXABVQRect(| 1 |
| ??0QImage@@QAE@ABV0@@Z | 1 |
| ?brush@QPainter@@QBEABVQBrush@@XZ | 1 |
| ??0QBrush@@QAE@ABV0@@Z | 1 |
| ?setPen@QPainter@@QAEXW4PenStyle@C | 1 |
| ?drawEllipse@QPainter@@QAEXABVQRectI | 1 |
| ?widthF@QPen@@QBENXZ | 1 |
| ?setBrush@QPainter@@QAEXW4BrushStyle | 1 |
| ?setBrush@QPainter@@QAEXABVQBrush@ | 1 |
| ??0QPainterPathStroker@@QAE@XZ | 1 |
| ?setWidth@QPainterPathStroker@@QAEXN | 1 |
| ?createStroke@QPainterPathStroker@@QB | 1 |
| ?transform@QPainter@@QBEABVQTransfo | 1 |
| ?map@QTransform@@QBE?AVQPainterPat | 1 |
| ?boundingRect@QPainterPath@@QBE?AVC | 1 |
| ?drawLines@QPaintEngine@@UAEXPBVQLi | 1 |
| ??1QPainterPathStroker@@QAE@XZ | 1 |
| ?fromRawData@QString@@SA?AV1@PBVC | 1 |
| ?setCodec@QTextStream@@QAEXPAVQTe> | 1 |
| ??0QTextStream@@QAE@PAVQString@@@V | 1 |
| ??6QTextStream@@QAEAAV0@N@Z | 1 |
| ?setString@QTextStream@@QAEXPAVQStri | 1 |
| ?toSize@QVariant@@QBE?AVQSize@@XZ | 1 |
| ??9@YA_NABVQRectF@@0@Z | 1 |
| ??0QBuffer@@QAE@PAVQByteArray@@P | 1 |
| ?addMSecs@QTime@@QBE?AV1@H@Z | 1 |
| ?lineNumber@QXmlStreamReader@@QBE_ | 1 |
| ?error@QXmlStreamReader@@QBE?AW4Ei | 1 |
| ??UQRectF@@QBE?AV0@ABV0@@Z | 1 |
| ??0QLocale@@QAE@XZ | 1 |
| ??0QXmlStreamReader@@QAE@ABVQByte | 1 |
| ?setNamespaceProcessing@QXmlStreamRe | 1 |
| ?processingInstructionData@QXmlStreamRe | 1 |
| ?processingInstructionTarget@QXmlStreamI | 1 |
| ?setMinimal@QRegExp@@QAEX_N@Z | 1 |
| ??0?\$QVector@VQXmlStreamAttribute@@(| 1 |
| ?insert@QString@@QAEAAV1@HABVQLati | 1 |
| ?append@QXmlStreamAttributes@@QAEX/ | 1 |

| | |
|--|---|
| ??0?\$QVector@VQPointF@@@@@QAE@H@ | 1 |
| ??1?\$QVector@VQPointF@@@@@QAE@XZ | 1 |
| ??BQXmlStreamStringRef@@QBE?AVQStrin | 1 |
| ?at@?\$QVector@VQXmlStreamAttribute@() | 1 |
| ?qualifiedName@QXmlStreamAttribute@@ | 1 |
| ?value@QXmlStreamAttribute@@QBE?AVC | 1 |
| ??0QXmlStreamStringRef@@QAE@XZ | 1 |
| ??0QXmlStreamStringRef@@QAE@ABVQSti | 1 |
| ?unicode@QStringRef@@QBEPBVQChar@() | 1 |
| ?lastIndexOf@QString@@QBEHABVQLatin1 | 1 |
| ?at@QStringRef@@QBE?BVQChar@@H@Z | 1 |
| ?toSize@QSizeF@@QBE?AVQSize@@XZ | 1 |
| ??0QXmlStreamStringRef@@QAE@ABV0@(| 1 |
| ??1QXmlStreamStringRef@@QAE@XZ | 1 |
| ?isSpace@QChar@@QBE_NXZ | 1 |
| ?qstrtod@@YANPBDPAPBDPA_N@Z | 1 |
| ?value@QXmlStreamAttributes@@QBE?AVI | 1 |
| ?isNull@QPointF@@QBE_NXZ | 1 |
| ?free@?\$QVector@VQPointF@@@@AAEXF | 1 |
| ?detach_helper@?\$QVector@VQPointF@@ | 1 |
| NetpAccessCheckAndAudit | 1 |
| NetpDeleteSecurityObject | 1 |
| NetpCreateSecurityObject | 1 |
| NetpGetComputerName | 1 |
| NetpLocalTimeZoneOffset | 1 |
| ?instance@RWTraceManagerImp@@SA?AV | 1 |
| ?registerSet@RWTraceManager@@QAEHAI | 1 |
| ??1RWTraceManager@@UAE@XZ | 1 |
| ??4RWxmsg@@QAEAAV0@ABV0@@Z | 1 |
| ??1RWxmsg@@UAE@XZ | 1 |
| ??H@YA?AVRWCString@@ABV0@PBD@Z | 1 |
| ??H@YA?AVRWCString@@ABV0@0@Z | 1 |
| ??0RWxmsg@@QAE@ABV0@@Z | 1 |
| ??BRWCString@@QBEPBDXZ | 1 |
| ??0RWxmsg@@QAE@PBD@Z | 1 |
| doLoopBackEntryW | 1 |
| HWM_IsSubClassedWindowRectangleLocke | 1 |
| HWM_IsSubClassedWindowTransparentAllo | 1 |
| HWM_RemoveWindowSubClass | 1 |
| HWM_CreateWindowSubClass | 1 |
| HWM_SetSubClassedWindowToolBarExt | 1 |
| HWM_AllowSubClassedWindowTransparent | 1 |
| HWM_IsSubClassedWindowTransparented | 1 |
| HWM_CanSubClassedWindowTransparent | 1 |
| HWM_NotifyDisplayChanged | 1 |
| HWM_NotifyGridCountChanged | 1 |
| HWM_IsSubClassedWindowAllowRectangleI | 1 |

| | |
|--------------------------------------|---|
| HWM_SetSubClassedWindowLockRectangle | 1 |
| HWM_LockSubClassedWindowRectangle | 1 |
| HWM_StopHook | 1 |
| HWM_StartHook | 1 |
| HWM_CanSubClassedWindowAllowLockToG | 1 |
| HWM_GetSubClassedWindowLockRectangle | 1 |
| HWM_TransparentSubClassedWindow | 1 |
| HWM_AddFunctionMenuItemToSystemMenu | 1 |
| ZwRequestDeviceWakeup | 1 |
| GetSysr | 1 |
| ubMenu | 1 |
| crollRange | 1 |
| crollPos | 1 |
| enuStringA | 1 |
| enuState | 1 |
| enulItemInfoA | 1 |
| enulItemID | 1 |
| enulItemCount | 1 |
| astActivePopup | 1 |
| eyboardState | 1 |
| eyboardLayoutList | 1 |
| eyboardLayout | 1 |
| eyState | 1 |
| conInfo | 1 |
| oregroundWindow | 1 |
| CEx | 1 |
| ursorPos | 1 |
| lassInfoA | 1 |
| apture | 1 |
| WindowA | 1 |
| Rect | 1 |
| IRect | 1 |
| Windows | 1 |
| ThreadWindows | 1 |
| IeWindow | 1 |
| IeScrollBar | 1 |
| IeMenuItem | 1 |
| TextA | 1 |
| MenuBar | 1 |
| IconEx | 1 |
| Icon | 1 |
| FocusRect | 1 |
| Edge | 1 |
| atchMessageA | 1 |
| royWindow | 1 |
| royMenu | 1 |
| royCursor | 1 |

| | |
|--|---|
| indowProcA | 1 |
| DIChildProcA | 1 |
| rameProcA | 1 |
| teWindowExA | 1 |
| tePopupMenu | 1 |
| telcon | 1 |
| ntToScreen | 1 |
| kMenuItem | 1 |
| WindowProcA | 1 |
| nPaint | 1 |
| LowerBuffA | 1 |
| LowerA | 1 |
| stWindowRectEx | 1 |
| ualGUID | 1 |
| eList_SetIconSize | 1 |
| eList_GetIconSize | 1 |
| eList_Write | 1 |
| eList_Read | 1 |
| eList_GetDragImage | 1 |
| eList_DragShowNolock | 1 |
| eList_SetDragCursorImage | 1 |
| eList_DragMove | 1 |
| eList_DragLeave | 1 |
| eList_DragEnter | 1 |
| eList_EndDrag | 1 |
| eList_BeginDrag | 1 |
| eList_Remove | 1 |
| eList_DrawEx | 1 |
| eList_Draw | 1 |
| eList_GetBkColor | 1 |
| eList_SetBkColor | 1 |
| eList_ReplaceIcon | 1 |
| eList_Add | 1 |
| eList_GetImageCount | 1 |
| eList_Destroy | 1 |
| eList_Create | 1 |
| CommonControls | 1 |
| ?AddColumn@CMyListCtrl@@QAEHPBGHH | 1 |
| ?GetCurTime@@YAXAAV?\$CStringT@GV?\$! | 1 |
| ?startHook@CHOOK@@QAEHXZ | 1 |
| _Z11read_doublePKcPdPc | 1 |
| _Z20line_plane_intersect5vec3dS_S_S_Pid | 1 |
| _Z20lines_nearest_points5vec3dS_S_S_RS_S | 1 |
| _Z8centroidRKSt6vectorI5vec3dSaISO_EERKS | 1 |
| _Z9face_normRKSt6vectorI5vec3dSaISO_EER | 1 |
| _Z9make_edgeii | 1 |
| _ZN10col_geom_v12delete_edgesRKSt6ve | 1 |

| | |
|---|---|
| _ZN10col_geom_v12delete_facesERKSt6vec | 1 |
| _ZN10col_geom_v12delete_vertsERKSt6vec | 1 |
| _ZN10col_geom_v22add_missing_impl_edg | 1 |
| _ZN10col_geom_v6appendERK7geom_if | 1 |
| _ZN10col_geom_v9color_vefE7col_valS0_SC | 1 |
| _ZN12ultra_getopt11ultragetoptEiPKPcPKc | 1 |
| _ZN12ultra_getoptC2Ev | 1 |
| _ZN5vec3d5unsetEv | 1 |
| _ZN7geom_if11clear_edgesEv | 1 |
| _ZN7geom_if11clear_facesEv | 1 |
| _ZN7geom_if11clear_vertsEv | 1 |
| _ZN7geom_if11delete_vertEiPSt3mapliiSt4le | 1 |
| _ZN7geom_if12add_edge_rawERKSt6vector | 1 |
| _ZN7geom_if12delete_edgesERKSt6vectorli! | 1 |
| _ZN7geom_if12delete_facesERKSt6vectorliS | 1 |
| _ZN7geom_if12delete_vertsERKSt6vectorliS | 1 |
| _ZN7geom_if13add_edges_rawERKSt6vector | 1 |
| _ZN7geom_if13read_resourceESsPc | 1 |
| _ZN7geom_if22add_missing_impl_edgesEv | 1 |
| _ZN7geom_if4readEP6_iobufPc | 1 |
| _ZN7geom_if4readESsPc | 1 |
| _ZN7geom_if6appendERKS_ | 1 |
| _ZN7geom_if8add_edgeEST6vectorliSaliEE | 1 |
| _ZN7geom_if8add_edgeEii | 1 |
| _ZN7geom_if8add_faceERKSt6vectorliSaliEE | 1 |
| _ZN7geom_if8add_faceEiz | 1 |
| _ZN7geom_if8add_vertE5vec3d | 1 |
| _ZN7geom_if9add_edgesERKSt6vectorISO_li | 1 |
| _ZN7geom_if9add_facesERKSt6vectorISO_liS | 1 |
| _ZN7geom_if9add_vertsERKSt6vectorl5vec3 | 1 |
| _ZN7geom_if9clear_allEv | 1 |
| _ZN7polygon11add_polygonER7geom_ifd | 1 |
| _ZN7polygon11set_subtypeEiPc | 1 |
| _ZN7polygon9make_polyER7geom_if | 1 |
| _ZN7sch_symC1EiiRK5mat3dPc | 1 |
| _ZN9geom_info15find_vert_normsEb | 1 |
| _ZN9prog_opts11common_optsEcc | 1 |
| _ZN9prog_opts16handle_long_optsEiPPc | 1 |
| _ZNK7geom_if10write_crdsEP6_iobufPKci | 1 |
| _ZNK7geom_if10write_crdsESsPcPKci | 1 |
| _ZNK7geom_if19get_edge_face_pairsERSt3r | 1 |
| _ZNK7geom_if5writeEP6_iobufi | 1 |
| _ZNK7geom_if5writeESsPci | 1 |
| _ZNK9prog_opts7messageESsPKcSs | 1 |
| get_status | 1 |
| ic_exit | 1 |
| chk_4442 | 1 |

| | |
|---------------------------------|---|
| srd_4442 | 1 |
| swr_4442 | 1 |
| auto_init | 1 |
| MongateCsGetStatusReport | 1 |
| MongateCsSendSms | 1 |
| MongateCsGetSms | 1 |
| MongateVasGetSms | 1 |
| MongateChangePwd | 1 |
| MongateQueryUsed | 1 |
| MongateQueryBalance | 1 |
| fnGetRecCount | 1 |
| fnGetSndCount | 1 |
| fnReadMsgEx | 1 |
| fnGetStatus | 1 |
| fnSendMsg | 1 |
| fnInitModem | 1 |
| fnGetModemType | 1 |
| fnSetModemType | 1 |
| ?GetHelpFileName@@YGIPA_WK@Z | 1 |
| ?GetContextFileName@@YGIPA_WK@Z | 1 |
| 6C07634B | 1 |
| 09962A3F | 1 |
| A4EA2A31 | 1 |
| AC08DA76 | 1 |
| 6A39F756 | 1 |
| A628A096 | 1 |
| 1665FA10 | 1 |
| 6A56E204 | 1 |
| 7B2F4E9A | 1 |
| 7B1F4E93 | 1 |
| A041B28A | 1 |
| 7F7EA761 | 1 |
| AD9B7DDF | 1 |
| 02FA0DE6 | 1 |
| 7C3F4254 | 1 |
| 559AD03B | 1 |
| 25B0FFC2 | 1 |
| 45502B43 | 1 |
| 211E6D01 | 1 |
| BA109CA3 | 1 |
| 0B932BA1 | 1 |
| AC330603 | 1 |
| 54CAAF91 | 1 |
| F6EABA5C | 1 |
| 6181D9CF | 1 |
| 9EF9BB35 | 1 |
| 46C82363 | 1 |

| | | |
|--|----------|---|
| | 7.73E+13 | 1 |
| 7073EF36 | | 1 |
| 7ED8E273 | | 1 |
| ED56EF36 | | 1 |
| 4F0927C5 | | 1 |
| 0E58E09B | | 1 |
| 23D88774 | | 1 |
| 15E6443A | | 1 |
| 95E4443A | | 1 |
| AB95BAFC | | 1 |
| 81EB4AA8 | | 1 |
| BE9CFF9B | | 1 |
| D1B886DC | | 1 |
| 5EBBE11B | | 1 |
| | 70490708 | 1 |
| 9FFE6A8D | | 1 |
| ED7BC67A | | 1 |
| F4794FB0 | | 1 |
| C8501E3B | | 1 |
| 4AB90E0C | | 1 |
| 01170A69 | | 1 |
| F7DF4A8A | | 1 |
| | 14181690 | 1 |
| | 18582582 | 1 |
| A8A24DBC | | 1 |
| 7B0B2912 | | 1 |
| | 41494584 | 1 |
| rtcVarFromVar | | 1 |
| AddMandatoryAce | | 1 |
| lineSecureCall | | 1 |
| GetTapi16CallbackMsg | | 1 |
| lineGetAppPriority | | 1 |
| phoneInitializeExA | | 1 |
| IG_ext_call_function | | 1 |
| ?GetDefaultFilterFromFactory@SfxFilter@@ | | 1 |
| ?release@NotifyBrokenPackage@@UAAXXZ | | 1 |
| ?release@RequestPackageReparation@@U, | | 1 |
| ?acquire@NotifyBrokenPackage@@UAAXXZ | | 1 |
| ?acquire@RequestPackageReparation@@U, | | 1 |
| ?queryInterface@NotifyBrokenPackage@@I | | 1 |
| ?queryInterface@RequestPackageReparatio | | 1 |
| ??1RequestPackageReparation@@UAE@XZ | | 1 |
| ??1NotifyBrokenPackage@@UAE@XZ | | 1 |
| ??YByteString@@QAEAAV0@D@Z | | 1 |
| DLLInjectedAdd | | 1 |
| DLLRemove | | 1 |
| DeleteHook | | 1 |

| | |
|--|---|
| PsGetProcessWin32WindowStation | 1 |
| PsGetProcessInheritedFromUniqueProcessIc | 1 |
| ??1QuickMatchString@StringManip@WinG@ | 1 |
| nexit | 1 |
| etmode | 1 |
| ee | 1 |
| mcpy | 1 |
| tcflow | 1 |
| tgetent | 1 |
| tgetflag | 1 |
| tgetnum | 1 |
| tgetstr | 1 |
| tgoto | 1 |
| tputs | 1 |
| gimp_proc_view_new | 1 |
| gimp_destroy_paramdefs | 1 |
| gimp_procedural_db_proc_info | 1 |
| gimp_browser_get_type | 1 |
| gimp_browser_new | 1 |
| gimp_browser_set_widget | 1 |
| gimp_browser_show_message | 1 |
| g_signal_handlers_block_matched | 1 |
| g_signal_handlers_unblock_matched | 1 |
| gtk_tree_model_iter_children | 1 |
| gtk_tree_path_down | 1 |
| gtk_tree_path_new_first | 1 |
| gtk_tree_path_next | 1 |
| gtk_tree_path_up | 1 |
| gtk_tree_sortable_get_type | 1 |
| gtk_tree_sortable_set_sort_column_id | 1 |
| gtk_tree_store_append | 1 |
| gtk_tree_store_clear | 1 |
| gtk_tree_store_get_type | 1 |
| gtk_tree_store_new | 1 |
| gtk_tree_store_set | 1 |
| gtk_tree_view_columns_autosize | 1 |
| gtk_tree_view_expand_to_path | 1 |
| gtk_widget_get_parent | 1 |
| ?getBase@INetURLObject@@QBE?AVOUStr | 1 |
| @System@@VallInt64\$qqrx20System@Unic | 1 |
| @System@@_Ilmulo\$qqrv | 1 |
| @System@StringOfChar\$qqrbi | 1 |
| @System@SysRegisterExpectedMemoryLea | 1 |
| @Classes@TFileStream@\$bdtr\$qqrv | 1 |
| @Classes@THandleStream@SetSize\$qqrxj | 1 |
| @Classes@THandleStream@SetSize\$qqri | 1 |
| @Classes@THandleStream@Seek\$qqrxj19C | 1 |

| | |
|--|---|
| @Classes@THandleStream@Write\$qqrpvxi | 1 |
| @Classes@THandleStream@Read\$qqrpvi | 1 |
| @Classes@TStringList@CompareStrings\$qqi | 1 |
| @Classes@TStringList@Put\$qqrix20System(| 1 |
| @Classes@TStringList@InsertItem\$qqrix20S | 1 |
| @Classes@TStringList@InsertObject\$qqrix21 | 1 |
| @Classes@TStringList@Insert\$qqrix20Syste | 1 |
| @Classes@TStringList@IndexOf\$qqrx20Syst | 1 |
| @Classes@TStringList@Find\$qqrx20System(| 1 |
| @Classes@TStringList@AddObject\$qqrx20S | 1 |
| @Classes@TStringList@Add\$qqrx20System(| 1 |
| @Classes@TStrings@SetValue\$qqrx20Syste | 1 |
| @Classes@TStrings@SetTextStr\$qqrx20Syst | 1 |
| @Classes@TStrings@SetText\$qqrb | 1 |
| @Classes@TStrings@SetCommaText\$qqrx21 | 1 |
| @Classes@TStrings@SaveToStream\$qqrp15 | 1 |
| @Classes@TStrings@SaveToFile\$qqrx20Syst | 1 |
| @Classes@TStrings@SaveToFile\$qqrx20Syst | 1 |
| @Classes@TStrings@LoadFromStream\$qqqr | 1 |
| @Classes@TStrings@LoadFromFile\$qqrx20S | 1 |
| @Classes@TStrings@LoadFromFile\$qqrx20S | 1 |
| @Classes@TStrings@IndexOfName\$qqrx20C | 1 |
| @Sysutils@TEncoding@GetEncoding\$qqri | 1 |
| @Sysutils@TEncoding@GetASCII\$qqrv | 1 |
| @Sysutils@AnsiStrScan\$qqrb | 1 |
| @Sysutils@Format\$qqrx20System@Unicode | 1 |
| @Sysutils@StrScan\$qqrpbb | 1 |
| @Sysutils@IsLeadChar\$qqrb | 1 |
| @\$xp\$19Sysutils@TCharArray | 1 |
| @Registry@TRegistry@WriteExpandString\$qq | 1 |
| @Registry@TRegistry@DeleteKey\$qqrx20Sy | 1 |
| @Registry@TRegistry@CreateKey\$qqrx20Sy | 1 |
| @Syncobjs@TCriticalSection@Release\$qqrv | 1 |
| @Syncobjs@TCriticalSection@Acquire\$qqrv | 1 |
| @Syncobjs@TCriticalSection@\$bdtr\$qqrv | 1 |
| @Cxlookandfeelpainters@TcxExtendedStyle | 1 |
| @Cxgeometry@cxRectContent\$qqrrx11Type | 1 |
| @Cxgeometry@cxRectSetHeight\$qqrrx11Ty | 1 |
| @Cxgeometry@TcxRect@GetValue\$qqri | 1 |
| @Cxgeometry@cxNullPoint | 1 |
| @Cxgraphics@TcxBitmap@Rotate\$qqr27Cx | 1 |
| @Cxgraphics@TcxBitmap@\$bctr\$qqrrx11Ty | 1 |
| @Cxgraphics@TcxCanvas@SetClipRegion\$qq | 1 |
| @Cxgraphics@TcxCanvas@SaveClipRegion\$qq | 1 |
| @Cxgraphics@TcxCanvas@RestoreClipRegic | 1 |
| @Cxgraphics@TcxCanvas@\$bctr\$qqrp16Gr | 1 |
| @Cxgraphics@TcxRegion@\$bctr\$qqrrx11Ty | 1 |

| | |
|---------------------------------------|---|
| @Dxdockcontrol@TdxDockControlPainter@ | 1 |
| UTIsLeadByte | 1 |
| UTswstrcpy | 1 |
| UTGetFileAccess | 1 |
| UTSHA1 | 1 |
| UTGetGlobalOption | 1 |
| Win32VGetUseNewSBOHandler | 1 |
| RemoveNTDSProvider | 1 |
| UninjectLibraryA | 1 |
| MasterCallNext | 1 |
| KDrawText | 1 |
| LogWithTwoNumbers | 1 |
| GetNextSpecialAfsFileId | 1 |
| DebugWithTwoNumbers | 1 |
| DebugWithNumber | 1 |

| | |
|--|---|
| DebugWithThreeNumbers | 1 |
| GetSpecialAfsFileInfo | 1 |
| loadReplaceFile | 1 |
| LogWithNumberAndString | 1 |
| LogWithNumber | 1 |
| DebugWithString | 1 |
| RegisterAfsReplaceCallback | 1 |
| MasterHookFunction | 1 |
| GetPESInfo | 1 |
| RegisterKModule | 1 |
| HookFunction | 1 |
| UnhookFunction | 1 |
| MasterUnhookFunction | 1 |
| LogWithTwoStrings | 1 |
| ?stossc@?\$basic_streambuf@GU?\$char_tra | 1 |
| PADDINGPADDINGXXXPADDINGPADDINGX | 1 |
| DINGX | 1 |
| INGXXXPADDINGPADDINGX | 1 |
| XPADDINGPADDINGXXXPADDINGPADDINGX | 1 |
| dvd_image_CloseDir | 1 |
| dvd_image_Close | 1 |
| MPEG2SetVolume | 1 |
| MPEG2GetFrameData | 1 |
| MPEG2GetTime | 1 |
| fio_read_thread_uninit | 1 |
| MPEG2InitDec | 1 |
| MPEG2GetRatio | 1 |
| MPEG2GetSampleFrequency | 1 |
| ifo_info | 1 |
| dvd_image_OpenDir | 1 |
| MPEG2EndDec | 1 |
| DeCSSParseIFO | 1 |
| dvd_image_OpenFile | 1 |
| dvd_image_CloseFile | 1 |
| free_ifo_info | 1 |
| dvd_image_Seek | 1 |
| dvd_image_GetRootDir | 1 |
| dvd_image_OpenA | 1 |
| dvd_image_ReadFile | 1 |
| dvd_image_GetVolume | 1 |
| IsEncrypted | 1 |
| MPEG2Seek | 1 |
| fio_read_thread_init | 1 |
| MPEG2SetPass | 1 |
| avcodec_decode_video | 1 |
| avcodec_alloc_frame | 1 |
| av_reduce | 1 |

| | |
|----------------------------------|---|
| ?qvsnprintf@@YAHPADIPBD0@Z | 1 |
| ?Init_PhIme@@YAHXZ | 1 |
| Mag0GetType | 1 |
| Mag0IsTypeOf | 1 |
| Mag0CopyOnWrite | 1 |
| ?SetTimeOut@COMM_DEVICE@@QAEEE@? | 1 |
| snrcswntgad | 1 |
| nscall | 1 |
| nsgbltrm | 1 |
| snlpcgthstbynm | 1 |
| snlpcgthstbyad | 1 |
| vsnsta | 1 |
| vsnum | 1 |
| skgpinit | 1 |
| skgpalive | 1 |
| skgpkill | 1 |
| slghst | 1 |
| skgpspawn | 1 |
| IxoCnvNumStrToInt | 1 |
| IxhLangEnv | 1 |
| Imsaicmt | 1 |
| Ixsulen | 1 |
| IxsCmpStr | 1 |
| Ixhlmod | 1 |
| slzsetevar | 1 |
| Isttokr | 1 |
| Ificr | 1 |
| Ififpo | 1 |
| Ififno | 1 |
| Ifidel | 1 |
| Ifiwr | 1 |
| Ifilsek | 1 |
| Ifird | 1 |
| Ificls | 1 |
| ss_mem_cal | 1 |
| Ifimkpth | 1 |
| Ifimknam | 1 |
| Ififex | 1 |
| Ifilini | 1 |
| Ifiopn | 1 |
| Ififlu | 1 |
| ?GetPath@Clocation@@QAEPADXZ | 1 |
| desifrovat1 | 1 |
| keynb | 1 |
| sifrdir | 1 |
| desifrdir | 1 |
| hash | 1 |

| | |
|--------------------------------------|---|
| priznak_odebrat | 1 |
| priznak_pridat | 1 |
| sifrovat0 | 1 |
| fastdesifrovat | 1 |
| fastsifrovat | 1 |
| sifrovat | 1 |
| desifrovatelnost | 1 |
| passcheck | 1 |
| ??0CHttpForm@@QAE@XZ | 1 |
| ?AddParameter@CHttpForm@@QAEXPBDO | 1 |
| ?GetFormURL@CHttpForm@@QAEJPBDKPA | 1 |
| ??1CHttpForm@@QAE@XZ | 1 |
| ?GetDataString@CLinksAPI@@QAEJBDKK@ | 1 |
| ??1COverturePopAPI@@QAE@XZ | 1 |
| ??1CLinksAPI@@QAE@XZ | 1 |
| ?GetCount@CLinksAPI@@QAEKK@Z | 1 |
| ?TotalLinks@CLinksAPI@@QAEKXZ | 1 |
| ?UniqueDomains@CLinksAPI@@QAEKXZ | 1 |
| ?ErrorCodeOnSource@CLinksAPI@@QAEKP | 1 |
| ?RunTextOfLinks@CLinksAPI@@QAEJPBD0(| 1 |
| ?Init@CLinksAPI@@QAEJKKKK@Z | 1 |
| ??0CLinksAPI@@QAE@XZ | 1 |
| ?RunPop@COverturePopAPI@@QAEJPBDK(| 1 |
| ??0COverturePopAPI@@QAE@XZ | 1 |
| ?RunUsage@CUsageAPI@@QAEJPBDK@Z | 1 |
| ??0CUsageAPI@@QAE@XZ | 1 |
| ?RunAlexa@CAlexaAPI@@QAEJPBDK@Z | 1 |
| ??1CAlexaAPI@@QAE@XZ | 1 |
| ??0CWhoisAPI@@QAE@XZ | 1 |
| ??1CWhoisAPI@@QAE@XZ | 1 |
| ?RunWhois@CWhoisAPI@@QAEJPBDK@Z | 1 |
| ?GNemesisGetBytesReceived@@YG_JXZ | 1 |
| ?GNemesisResetBytes@@YGXXZ | 1 |
| ??0CAlexaAPI@@QAE@XZ | 1 |
| ?GetExpiration@CWhoisAPI@@QAE?AU_SY | 1 |
| ??1CUsageAPI@@QAE@XZ | 1 |
| ?GetRegistrar@CWhoisAPI@@QAEPBDXZ | 1 |
| ?GetEmail@CWhoisAPI@@QAEPBDXZ | 1 |
| bsearch_s | 1 |
| _wcsnset_s | 1 |
| CompareStringEx | 1 |
| SHCreateDefaultContextMenu | 1 |
| AssocCreateForClasses | 1 |
| SHBindToFolderIDListParentEx | 1 |
| PSFormatForDisplay | 1 |
| VariantGetElementCount | 1 |
| VariantGetStringElem | 1 |

| | |
|--|---|
| InitPropVariantFromFileTime | 1 |
| InitPropVariantFromStringVector | 1 |
| PropVariantToVariant | 1 |
| PSGetPropertyFromPropertyStorage | 1 |
| VariantToPropVariant | 1 |
| VariantCompare | 1 |
| _FSMASetMessageData@12 | 1 |
| _FSMAGetResponseDataSize@4 | 1 |
| _FSMADeleteMessage@4 | 1 |
| _FSMAGetResponseData@12 | 1 |
| _FSMASendMessage@16 | 1 |
| _FSMACreateMessage@4 | 1 |
| _FSMAUnregisterModule@4 | 1 |
| _FSMAUninitialize@0 | 1 |
| _FSMAInitialize@8 | 1 |
| _FSMARegisterModule@8 | 1 |
| DfpGetTableDimensions | 1 |
| DfpCreatePolicyTable | 1 |
| DfpGetCellInt | 1 |
| DfpGetCellStringA | 1 |
| DfpGetCellValue | 1 |
| FchUnpackPolicyGetPackage | 1 |
| DfpCreatePolicyOID | 1 |
| FchGetPackedOIDSize | 1 |
| FchGetPackedOID | 1 |
| DfpGetStringA | 1 |
| DfpCreatePolicyVar | 1 |
| DfpSetOID | 1 |
| DfpClose | 1 |
| ?FindBestMatch@vsMediaClassification@@ | 1 |
| ??1CSpiffyDialog@@UAE@XZ | 1 |
| ?OnInitDialog@CSpiffyDialog@@MAEHXZ | 1 |
| ?GetThisMessageMap@CSpiffyDialog@@KC | 1 |
| ?DefWindowProcA@CBlueTreeCtrl@@UAEJ | 1 |
| ?GetRuntimeClass@CSpiffyDialog@@UBEPF | 1 |
| ?GetRuntimeClass@CBlueTreeCtrl@@UBEP_ | 1 |
| ??0CBlueTreeCtrl@@QAE@PAVCWnd@@@ | 1 |
| ??1CBlueTreeCtrl@@UAE@XZ | 1 |
| ?DrawItem@CSpiffyBitmapButton@@UAEX | 1 |
| ?DefWindowProcA@CSpiffyBitmapButton@ | 1 |
| ?OnToolHitTest@CSpiffyDialog@@UBEHVCf | 1 |
| ?OnSetActive@CSpiffyPropertyPage@@UAE | 1 |
| ??1CSpiffyPropertyPage@@UAE@XZ | 1 |
| ??0CSpiffyPropertyPage@@QAE@II@Z | 1 |
| ?OnInitDialog@CSpiffyPropertyPage@@MA | 1 |
| ?GetThisClass@CSpiffyPropertyPage@@SGF | 1 |
| ?GetMessageMap@CBlueTreeCtrl@@MBEP | 1 |

| | |
|---|---|
| ??0CSpiffyDialog@@QAE@IPAVCWnd@@@ | 1 |
| ?GetThisMessageMap@CSpiffyPropertyPage | 1 |
| ?GetRuntimeClass@CSpiffyBitmapButton@() | 1 |
| ??0CSpiffyBitmapButton@@QAE@XZ | 1 |
| ??1CSpiffyBitmapButton@@UAE@XZ | 1 |
| ?CreateBitmapPushButton@CSpiffyBitmapB | 1 |
| ?GetThisMessageMap@CSpiffyBitmapButto | 1 |
| ?GetThisClass@CSpiffyDialog@@SGPAUCRu | 1 |
| ?GetRelativeRectEx@@YA?AVCRect@@PAV | 1 |
| ?GetSystemVersion@@YA?AW4SYSTEMVER | 1 |
| ??0CSpiffyDialogBar@@QAE@XZ | 1 |
| ??1CSpiffyDialogBar@@UAE@XZ | 1 |
| ?OnCreateClient@CSpiffySDIFrameWnd@@ | 1 |
| ?PreCreateWindow@CSpiffySDIFrameWnd@ | 1 |
| ?GetMessageMap@CSpiffySDIFrameWnd@() | 1 |
| ?GetRuntimeClass@CSpiffySDIFrameWnd@() | 1 |
| ??0CSpiffySDIFrameWnd@@QAE@XZ | 1 |
| ??1CSpiffySDIFrameWnd@@MAE@XZ | 1 |
| ?SetText@CSpiffyStatusBar@@QAEXF | 1 |
| ?ShowStatusPart@CSpiffyStatusBar@@QAE | 1 |
| ?GetNonClientRectEx@@YA?AVCRect@@PA | 1 |
| ?OnSize@CSpiffySDIFrameWnd@@IAEXIHH | 1 |
| ?MeasureItem@CSpiffyMenu@@UAEXPUI | 1 |
| ?DrawItem@CSpiffyMenu@@UAEXPATagI | 1 |
| ?GetRuntimeClass@CSpiffyMenu@@UBEPA | 1 |
| ??0CSpiffyMenu@@QAE@XZ | 1 |
| ??1CSpiffyMenu@@UAE@XZ | 1 |
| ?LoadBitmapStrip@CSpiffyBitmapButton@() | 1 |
| ?LoadBitmapStrip@CSpiffyBitmapButton@() | 1 |
| ?ReplaceMenu@CSpiffySDIFrameWnd@IA | 1 |
| ?OnShowWindow@CSpiffySDIFrameWnd@() | 1 |
| ??1CSpiffyStatusBar@@UAE@XZ | 1 |
| ?OnSysCommand@CSpiffySDIFrameWnd@() | 1 |
| ??0CSpiffyStatusBar@@QAE@XZ | 1 |
| ?setStatusBitmap@CSpiffyStatusBar@@QAI | 1 |
| ?setStatusParts@CSpiffyStatusBar@@QAEX | 1 |
| ?OnCreate@CSpiffySDIFrameWnd@@IAEHF | 1 |
| ?GetThisClass@CSpiffySDIFrameWnd@@SG | 1 |
| ?GetThisMessageMap@CSpiffySDIFrameWn | 1 |
| ?OnEraseBkgnd@CSpiffyDialog@@IAEHPAV | 1 |
| ?OnCreate@CSpiffyDialogBar@@IAEHPAUt | 1 |
| ?GetThisClass@CSpiffyDialogBar@@SGPAU | 1 |
| ?GetThisMessageMap@CSpiffyDialogBar@() | 1 |
| ?GetSpiffyColor@@YAKW4SPIFFYCOLORS@ | 1 |
| ?DoMessageBox@CSpiffyWinApp@@UAEHI | 1 |
| ?ExitInstance@CSpiffyWinApp@@UAEHXZ | 1 |
| ?InitInstance@CSpiffyWinApp@@UAEHXZ | 1 |

| | |
|---|---|
| ?GetMessageMap@CSpiffyWinApp@@MBE | 1 |
| ?GetRuntimeClass@CSpiffyWinApp@@UBEI | 1 |
| ??0CSpiffyWinApp@@IAE@XZ | 1 |
| ??1CSpiffyWinApp@@MAE@XZ | 1 |
| ??0CSpiffyPropertySheet@@QAE@IPAVCW | 1 |
| ??1CSpiffyPropertySheet@@UAE@XZ | 1 |
| ??0CSpiffyPropertySheet@@QAE@PBDPAV | 1 |
| ?OnInitDialog@CSpiffyPropertySheet@@UA | 1 |
| ?SetSpiffyIDs@CSpiffyGlobals@@QAEHIIIII | 1 |
| ?SpiffyGlobalsPtr@CSpiffyGlobals@@2PAV1 | 1 |
| ?GetThisMessageMap@CSpiffyWinApp@@I | 1 |
| ?OnFileOpen@CSpiffyWinApp@@IAEXXZ | 1 |
| ?GetThisClass@CSpiffyPropertySheet@@SG | 1 |
| ?GetMessageMap@CSpiffyDialog@@MBEPI | 1 |
| ??0CSpiffyDialog@@IAE@XZ | 1 |
| ?GetMessageMap@CSpiffyPropertySheet@() | 1 |
| ??1CCreateBragBookPicQuery@@QAE@XZ | 1 |
| ??1CGetLabelQuery@@QAE@XZ | 1 |
| ??1CStockQuery@@QAE@XZ | 1 |
| ?UpdateIt@CCreateBragBookPicQuery@@C | 1 |
| ??_7CCreateBragBookPicQuery@@6B@ | 1 |
| ?GetLabelImageID@CGetLabelQuery@@QA | 1 |
| ?SetStdQueryParams@CStockQuery@@QAE | 1 |
| ??_7CGetLabelQuery@@6B@ | 1 |
| ??0CStockQuery@@QAE@XZ | 1 |
| ?GetCamFavsTransferMode@BragBookData | 1 |
| ?SQRenameLabel@CStockQuery@@SA_NV? | 1 |
| ?SetCameraFavName@BragBookDataSource | 1 |
| ?SQAddLabel@CStockQuery@@SA_NV?\$CS | 1 |
| ?DeleteIt@CCreateBragBookPicQuery@@Q | 1 |
| ?SQRemoveLabelFromImages@CStockQuer | 1 |
| ?GetCamFavsUIOptions@BragBookDataSour | 1 |
| ??1CGetTopLabelsQuery@@QAE@XZ | 1 |
| ?SetAlbumsHeroPic@CGetTopLabelsQuery@ | 1 |
| ??0CGetTopLabelsQuery@@QAE@XZ | 1 |
| ?SQUpdatAlbumModDate@CStockQuery@@C | 1 |
| ?SQAddLabelToImage@CStockQuery@@SA_ | 1 |
| ?SQSetAlbumsHeroPic@CStockQuery@@SA | 1 |
| ?SQGetImageListForAlbumList@CStockQuer | 1 |
| ?SQAlbumHasManualSort@CStockQuery@@C | 1 |
| ?GetRequest@CGetTopLabelsQuery@@UAE | 1 |
| ?SetQueryParams@CGetTopLabelsQuery@@C | 1 |
| ?SQGetPublishAlbumInfo@CStockQuery@@ | 1 |
| ??1CGetDateComponentQuery@@QAE@XZ | 1 |
| ?GetRequest@CGetDateComponentQuery@ | 1 |
| ?SetQueryParams@CGetDateComponentQu | 1 |
| ??0CGetDateComponentQuery@@QAE@XZ | 1 |

| | |
|---|---|
| ?Create@AtlasManager@@QAE?AV?\$cmRe | 1 |
| ?Instance@AtlasManager@@SAPAV1@XZ | 1 |
| ?GetImage@wolImageCollectionWorkOrder(| 1 |
| ?create@wolImageCollectionWorkOrder@@ | 1 |
| ?GetCount@wolImageCollectionWorkOrder(| 1 |
| ??1CGetChildLabelsQuery@@QAE@XZ | 1 |
| ?GetRequest@CGetChildLabelsQuery@@U@ | 1 |
| ?SetQueryParams@CGetChildLabelsQuery@ | 1 |
| ??0CGetChildLabelsQuery@@QAE@XZ | 1 |
| ?IsImageInWorkOrder@wolImageCollection\ | 1 |
| ??1CLabelsByImageQuery@@QAE@XZ | 1 |
| ?GetRequest@CLabelsByImageQuery@@U@ | 1 |
| ?SetQueryParams@CLabelsByImageQuery@ | 1 |
| ??0CLabelsByImageQuery@@QAE@XZ | 1 |
| ?UpdateBragBookPics@CCreateBragBookPic | 1 |
| ?SQBreakDownLabel@CStockQuery@@SAX' | 1 |
| ?SetCamFavsUIOptions@BragBookDataSour | 1 |
| ?Shutdown@AtlasManager@@QAEJXZ | 1 |
| ?UsingNewDatabase@AtlasManager@@QA | 1 |
| ??1CAIITrackingQuery@@QAE@XZ | 1 |
| ?GetRequest@CAIITrackingQuery@@UAE?A | 1 |
| ??_7CAIITrackingQuery@@6B@ | 1 |
| ?BackupCatalog@AtlasManager@@QAEJXZ | 1 |
| ?GetSystemImageFromPath@AtlasManager | 1 |
| ?AddImageToGlobalCache@AtlasManager@ | 1 |
| ?RemoveFromGlobalCache@AtlasManager@ | 1 |
| ?FindImageInGlobalCache@AtlasManager@ | 1 |
| ?FindImageInGlobalCache@AtlasManager@ | 1 |
| ?FindImageInGlobalCache@AtlasManager@ | 1 |
| ?FetchImageByFQP@AtlasManager@@QAE. | 1 |
| ?RemoveAll@wolImageCollectionWorkOrde | 1 |
| ?ApplyFilter@wolImageCollectionWorkOrde | 1 |
| ?GetSelected@wolImageCollectionWorkOrde | 1 |
| ?SetQty@wolImageCollectionWorkOrder@@ | 1 |
| ?GetAtlasUser@AtlasManager@@QAE?AV? | 1 |
| ?SetDirty@BragBookDataSource@@QAEJ_N | 1 |
| ?SetCamFavsTransferMode@BragBookData | 1 |
| ?UpdatePersistantData@BragBookDataSour | 1 |
| ??1BragBookDataSource@@UAE@XZ | 1 |
| ??0BragBookDataSource@@QAE@PAVpjOb | 1 |
| ?GetCamFavsData@BragBookDataSource@@(| 1 |
| ?Add@wolImageCollectionWorkOrder@@Q | 1 |
| ?GetCamFavsMaxImageSlots@BragBookDat | 1 |
| ?On SetProperty@AtlasCategory@@MAEJKA | 1 |
| ?InitializeProperty@AtlasCategory@@MAEJ | 1 |
| ?OnInitProperties@AtlasCategory@@UAEJX | 1 |
| ?CategoryHasManualOrderSet@AtlasCatego | 1 |

| | |
|---|---|
| ?OnGetProperty@AtlasCategory@@MBEJK/ | 1 |
| ?DeleteCategory@AtlasUser@@QAEJABV?\$ | 1 |
| ?BeginTransaction@AtlasUser@@QAEJXZ | 1 |
| ?GetAsciiType@AtlasCategory@@UAE?AVci | 1 |
| ?Submit@AtlasRequest@@QAEJ_NHH@Z | 1 |
| ??0AtlasCategory@@QAE@ABV?\$cmRefPtr | 1 |
| ??1AtlasCategory@@UAE@XZ | 1 |
| ?EndTransaction@AtlasUser@@QAEJXZ | 1 |
| ?GetUserData@AtlasRequest@@QAEKXZ | 1 |
| ?CategorySetMemberOrder@AtlasUser@@I | 1 |
| ?SetUserData@AtlasRequest@@QAEXK@Z | 1 |
| ?AttachAsset@fxAssetObject@@UBEJPAVA: | 1 |
| ?OnCommit@fxAssetObject@@UAEXXZ | 1 |
| ?InitializeProperty@fxAssetObject@@MAEJ | 1 |
| ?Cancel@AtlasRequest@@QAEJXZ | 1 |
| ?OnSetProperty@fxAssetObject@@MAEJKA | 1 |
| ?OnGetProperty@fxAssetObject@@MBEJKA | 1 |
| ?AddRelation@fxAssetObject@@UAEJKABV | 1 |
| ??1pjTODO_WO@@UAE@XZ | 1 |
| ??0pjTODO_WO@@QAE@PAVpjObjectFact | 1 |
| ?IsStored@fxAssetObject@@QAEHXZ | 1 |
| ??1fxAssetObject@@UAE@XZ | 1 |
| ??0fxAssetObject@@QAE@PAVpjObjectFact | 1 |
| ?Delete@AtlasUser@@QAEJABV?\$cmRefPt | 1 |
| _pjOB_OnIntAddRelation@12 | 1 |
| _pjOB_GetPropertyNameFromID@12 | 1 |
| _pjOB_GetPotentialRelations@12 | 1 |
| _pjOB_AddRelation@12 | 1 |
| _pjOB_GetPropertyDescription@12 | 1 |
| _pjLnk_CreateLink@20 | 1 |
| _pjOB_GetPropertyList@8 | 1 |
| _pjOB_GetProperty@12 | 1 |
| _pjOD_GetObjectDatabase@4 | 1 |
| _pjOE_UnRegisterForObjectChangeEvents_p | 1 |
| _pjOE_CleanupImpl@4 | 1 |
| _pjOB_GetSingleRelation@12 | 1 |
| _pjOB_OnIntRemoveRelation@12 | 1 |
| _pjOB_SetProperty@12 | 1 |
| _pjSO_CreateFromFactoryName@8 | 1 |
| _pjOB_RemoveRelation@12 | 1 |
| _pjOB_InitializeProperty@20 | 1 |
| _pjOB_InitializeRelationship@20 | 1 |
| _pjOB_PostPropertyChange@8 | 1 |
| _pjOE_InitializeImpl@4 | 1 |
| _pjOB_ValidatePropertyChange@12 | 1 |
| _pjOB_GetPropertyDescriptionFromID@12 | 1 |
| _pjOB_OnSetProperty@12 | 1 |

| | |
|---|---|
| _pjOB_GetRelationAsciiType@12 | 1 |
| _pjOB_OnGetProperty@12 | 1 |
| _pjOB_GetRelations@12 | 1 |
| _pjOE_RegisterForObjectChangeEvents_pOb | 1 |
| _pjOB_ClearRelations@8 | 1 |
| ?CreateNewImageFromFilename@CVistalm: | 1 |
| ?StopThreads@CVistalImage@@SAXXZ | 1 |
| ?InitializeQT@CQuickTime@@SAFXZ | 1 |
| ?TerminateQT@CQuickTime@@SAXXZ | 1 |
| ??1CQuickTime@@QAE@XZ | 1 |
| ??0CQuickTime@@QAE@XZ | 1 |
| _MyLocDIIHandle | 1 |
| CreateAsynHttpClient | 1 |
| SetAutoClose | 1 |
| Finalize | 1 |
| SetlocalPath | 1 |
| MxHttpRequestByCallBack | 1 |
| SelLanIniFile | 1 |
| ?forcedLog@Logger@log4cxx@@QAEXABV | 1 |
| ?INFO@Level@log4cxx@@2V?\$ObjectPtrT< | 1 |
| ?isDebugEnabled@Logger@log4cxx@@QBE | 1 |
| ?isInfoEnabled@Logger@log4cxx@@QBE_N | 1 |
| ?getLogger@Logger@log4cxx@@SA?AV?\$O | 1 |
| ?FATAL@Level@log4cxx@@2V?\$ObjectPtrT | 1 |
| ?ERROR@Level@log4cxx@@2V?\$ObjectPtrT | 1 |
| ?isErrorEnabled@Logger@log4cxx@@QBE_ | 1 |
| ?configure@PropertyConfigurator@log4cxx | 1 |
| ?isFatalEnabled@Logger@log4cxx@@QBE_I | 1 |
| ?WARN@Level@log4cxx@@2V?\$ObjectPtrT | 1 |
| ?isWarnEnabled@Logger@log4cxx@@QBE_ | 1 |
| ?DEBUG@Level@log4cxx@@2V?\$ObjectPtrT | 1 |
| _GRFIN@4 | 1 |
| _WGRAF@8 | 1 |
| _ENDPG@8 | 1 |
| _NUMBER@24 | 1 |
| _SET@4 | 1 |
| _YAXIS@32 | 1 |
| _XAXIS@32 | 1 |
| _LIMITS@16 | 1 |
| _REGION@32 | 1 |
| _PENATR@20 | 1 |
| _BACKGRND@12 | 1 |
| _PAGE@24 | 1 |
| _SETPEN@4 | 1 |
| _SETHIRES@0 | 1 |
| _GRINIT@4 | 1 |
| _MINMAX@16 | 1 |

| | |
|--|---|
| _LINEMO@20 | 1 |
| _LINEO@12 | 1 |
| _PLOT@12 | 1 |
| NeroRegisterDriveStatusCallback | 1 |
| NeroFreeMem | 1 |
| NeroGetAvailableSpeeds | 1 |
| NeroEjectLoadCD | 1 |
| NeroEraseDisc | 1 |
| NeroWaitForDeviceReady | 1 |
| NeroBurn | 1 |
| NeroIsDeviceReady | 1 |
| NeroGetCurrentMediumType | 1 |
| NeroInitImageRecorder | 1 |
| NeroGetLocalizedWaitCDTexts | 1 |
| NeroAPIGlueDone | 1 |
| NeroDone | 1 |
| NeroClearErrors | 1 |
| NeroUnregisterDriveChangeCallback | 1 |
| NeroRegisterDriveChangeCallback | 1 |
| NeroGetAvailableDrivesEx | 1 |
| NeroUnregisterDriveStatusCallback | 1 |
| NeroCloseDevice | 1 |
| NeroOpenDevice | 1 |
| NeroSetOption | 1 |
| NeroGetCDInfo | 1 |
| NeroAPIGlueConnect | 1 |
| NeroGetAPIVersionEx | 1 |
| NeroInit | 1 |
| endmntent | 1 |
| getmntent | 1 |
| setmntent | 1 |
| sync | 1 |
| ??0DeviceSearcher@@QAE@XZ | 1 |
| ??1DeviceSearcher@@QAE@XZ | 1 |
| ?CheckDeviceConnection@DeviceSearcher@ | 1 |
| ?PolingDiscovery@DeviceSearcher@@QAEY | 1 |
| ?StopSearch@DeviceSearcher@@QAEJXZ | 1 |
| ?StartSearch@DeviceSearcher@@QAEJPAV_ | 1 |
| WinReInstall | 1 |
| WinReSetRecoveryAction | 1 |
| MsiQueryFeatureStateExW | 1 |
| MsiDeterminePatchSequenceA | 1 |
| MsiSourceListSetInfoA | 1 |
| ?setFile@QFileInfo@@QAEXABVQDir@@A | 1 |
| ??0QVariant@@QAE@_K@Z | 1 |
| ?toULongLong@QVariant@@QBE_KPA_N@ | 1 |
| ??4QSqlRecord@@QAEAAV0@ABV0@@Z | 1 |

| | |
|---|---|
| ?clear@ QSqlQuery@@QAEXXZ | 1 |
| ?setConnectOptions@ QSqlDatabase@@QAI | 1 |
| ?execBatch@ QSqlQuery@@QAE_NW4Batch | 1 |
| ?finish@ QSqlQuery@@QAEXXZ | 1 |
| ??0 QSqlQuery@@QAE@ABV0@@Z | 1 |
| ??4 DownloadInfo@DPB@@QAEAV01@AB | 1 |
| ??0 DownloadInfo@DPB@@QAE@XZ | 1 |
| ??1 DownloadInfo@DPB@@QAE@XZ | 1 |
| ??0 DownloadInfo@DPB@@QAE@ABV01@() | 1 |
| ??0 RecentFileInterface@MediaManagerInte | 1 |
| ??1 PlaylistInterface@MediaManagerInterfa | 1 |
| ??1 AcquiredFileInterface@MediaManagerIn | 1 |
| ??1 QueuedFileInterface@MediaManagerInt | 1 |
| ??1 VideoFileInterface@MediaManagerInter | 1 |
| ??0 PlaylistInterface@MediaManagerInterfa | 1 |
| ??0 VideoFileInterface@MediaManagerInter | 1 |
| ?getDesktopPath@ OSUtilities@DivXPlayerX | 1 |
| ??1 RecentFileInterface@MediaManagerInte | 1 |
| ?getDivXMoviesPathDefault@ OSUtilities@D | 1 |
| ??1 MediaManagerInterface@DivXPlayerX@ | 1 |
| ?sendMessage@ PubSubHub@DivXPlayerX@ | 1 |
| ?getApplicationDataPath@ OSUtilities@DivX | 1 |
| ??0 AcquiredFileInterface@MediaManagerIn | 1 |
| ?getComponentIdUTF8@ OSUtilities@DivXPI | 1 |
| ??0 QueuedFileInterface@MediaManagerInt | 1 |
| ?createHttpEngine@ HttpEngineFactory@htt | 1 |
| CreateRegPathThread | 1 |
| GetRegisterPaths | 1 |
| SetRegisterPaths | 1 |
| GetNotifyEventsFiltered | 1 |
| ProcessNotifyEvent | 1 |
| RemoveNotifyEvents | 1 |
| ProcessNotifyEvent2 | 1 |
| SetCommClientPath | 1 |
| SetNotifyHost | 1 |
| DestroyRegPathThread | 1 |
| ?SetIdsr@ COMM_DEVICE@@QAEEE@Z | 1 |
| ??0 WSTRING@@QBEEABV0@@Z | 1 |
| ?SetOdsr@ COMM_DEVICE@@QAEEE@Z | 1 |
| ?Construct@ WSTRING@@IAEXXZ | 1 |
| TraceVSControl | 1 |
| IcaChannelOpen | 1 |
| IcaCdCreateThread | 1 |
| IcaOpen | 1 |
| IcaloControl | 1 |
| IcaStackCallback | 1 |
| IcaStackQueryState | 1 |

| | |
|---|---|
| IcaStackConnectionWait | 1 |
| IcaSystemTrace | 1 |
| IcaStackOpen | 1 |
| IcaStackConnectionRequest | 1 |
| IcaStackIoControl | 1 |
| IcaStackDisconnect | 1 |
| IcaStackConnectionAccept | 1 |
| IcaChannelTrace | 1 |
| IcaStackReconnect | 1 |
| IcaStackTerminate | 1 |
| IcaStackTrace | 1 |
| IcaClose | 1 |
| IcaStackClose | 1 |
| IcaChannelClose | 1 |
| IcaTrace | 1 |
| IcaStackUnlock | 1 |
| IcaPushConsoleStack | 1 |
| _IcaStackIoControl | 1 |
| IcaChannelIoControl | 1 |
| IcaStackConnectionClose | 1 |
| IcaStackCreateShadowEndpoint | 1 |
| ??Gstd@@YA?AV?\$complex@O@0@ABV1C | 1 |
| ??0QeArray@@QAE@XZ | 1 |
| ?removeAtIndex@QeArray@@QAEK@Z | 1 |
| ?addAtIndex@QeArray@@QAE?AW4QeStat | 1 |
| ??1QeArrayPVoid@@UAE@XZ | 1 |
| ??1QeCriticalSection@@UAE@XZ | 1 |
| HTTPGet | 1 |
| PowerCapabilities | 1 |
| ?GetActionDesc@CArgClass@@SAPBDW4A | 1 |
| ?DoCoordClick@@YAHPAVCFixHtmlView@() | 1 |
| ?DoSearchInput@@YAHPAVCFixHtmlView@ | 1 |
| ?DoRandNavigate@@YAHPAVCHtmlView@ | 1 |
| ?GetActionType@CArgClass@@QBE?AW4A | 1 |
| ?GetWaitTime@CArgClass@@QBEHH@Z | 1 |
| ?RefererNavigate2@@YA_NPAVCHtmlView@ | 1 |
| ?DoMouseMove@@YAXPAUHWND__@@A | 1 |
| ?g_Arg@@3VCArgClass@@A | 1 |
| ?DoPointsIncrement@CArgClass@@QAEXXZ | 1 |
| ?latchThread@CBaseDev@@UAEXXZ | 1 |
| ?syncThread@CBaseDev@@UAEXXZ | 1 |
| ?PreflightConnect@CBaseDev@@UAEXP@ | 1 |
| ?PreflightDisconnect@CBaseDev@@UAEXP@ | 1 |
| ?SpecifyRequiredLicenseFeatures@CBaseDe | 1 |
| ?Implements_CBaseDev_Reserved@CBaseD | 1 |
| ?CBaseDev_Reserved0@CBaseDev@@EAEX | 1 |
| ?CBaseDev_Reserved1@CBaseDev@@EAEX | 1 |

| | |
|---|---|
| ?CBaseDev_Reserved2@CBaseDev@@EAEX | 1 |
| ?CBaseDev_Reserved3@CBaseDev@@EAEX | 1 |
| ?CBaseDev_Reserved4@CBaseDev@@EAEX | 1 |
| ?CBaseDev_Reserved5@CBaseDev@@EAEX | 1 |
| ?CBaseDev_Reserved6@CBaseDev@@EAEX | 1 |
| ?CBaseDev_Reserved7@CBaseDev@@EAEX | 1 |
| ?CBaseDev_Reserved8@CBaseDev@@EAEX | 1 |
| ?CBaseDev_Reserved9@CBaseDev@@EAEX | 1 |
| ??3CInSharedMemory@@SAXPAX@Z | 1 |
| ??0CSehException@@QAE@K@Z | 1 |
| ??1CSehException@@QAE@XZ | 1 |
| ??0CSehException@@QAE@ABV0@@Z | 1 |
| ?copyDevProps@CBaseDev@@UAEXXZ | 1 |
| ?ErrorLevel@CCrStruct@@QBEHK@Z | 1 |
| ?ErrorCode@CSehException@@QBEKXZ | 1 |
| ??2CInSharedMemory@@SAPAXI@Z | 1 |
| ?shutdown@CBaseDrv@@UAEHXZ | 1 |
| ?fillErrLefTab@CBaseDrv@@QAEXKDPADDI | 1 |
| ?RequestTimeBaseLevel1@CBaseDrv@@QA | 1 |
| ?drvCtrl@CBaseDrv@@UAEJJPAJPAD@Z | 1 |
| ?unload@CBaseDrv@@UAEHXZ | 1 |
| ?setConfig@CBaseDrv@@UAEJPAXJ@Z | 1 |
| ?setTaskSleepTime@CBaseDrv@@QAEXK@: | 1 |
| ?getConfigSize@CBaseDrv@@UAEJXZ | 1 |
| ?getConfig@CBaseDrv@@UAEJPAXJ@Z | 1 |
| ?initFromFile@CCrDriver@@UAEXPBD@Z | 1 |
| ?drvCtrlEx@CCrDriver@@UAEJJPAAXAAJAAf | 1 |
| ?getActDrvCfgSize@CCrDriver@@UAEJXZ | 1 |
| ?getActDrvCfg@CCrDriver@@UAEJPAXJ@Z | 1 |
| ?drvConnect@CBaseDrv@@UAEXJ@Z | 1 |
| ?init@CBaseDrv@@UAEHH@Z | 1 |
| ?OnUnitRenamed@CCrDriver@@UAEXPBV | 1 |
| ?latch@CBaseDrv@@UAEXXZ | 1 |
| ?sync@CBaseDrv@@UAEXXZ | 1 |
| ?finalDisconnect@CBaseDrv@@UAEXXZ | 1 |
| ?finalDisconnectReady@CBaseDrv@@UAEH | 1 |
| ?CanHandleShareablePort@CCrDriver@@U | 1 |
| ?revokePort@CCrDriver@@UAEHPAVCCrPo | 1 |
| ?RequestMSLicense@CCrDriver@@UAE_NX | 1 |
| ?CheckSingleICDriver@CBaseDrv@@UAEXX: | 1 |
| ?SpecifyRequiredLicenseFeatures@CBaseDr | 1 |
| ?Implements_CCrDriver_Reserved@CCrDriv | 1 |
| ?CCrDriver_Reserved0@CCrDriver@@EAEX) | 1 |
| ?CCrDriver_Reserved1@CCrDriver@@EAEX) | 1 |
| ?CCrDriver_Reserved2@CCrDriver@@EAEX) | 1 |
| ?CCrDriver_Reserved3@CCrDriver@@EAEX) | 1 |
| ?CCrDriver_Reserved4@CCrDriver@@EAEX) | 1 |

| | |
|---|---|
| ?CCrDriver_Reserved5@CCrDriver@@EAEX | 1 |
| ?CCrDriver_Reserved6@CCrDriver@@EAEX | 1 |
| ?CCrDriver_Reserved7@CCrDriver@@EAEX | 1 |
| ?CCrDriver_Reserved8@CCrDriver@@EAEX | 1 |
| ?CCrDriver_Reserved9@CCrDriver@@EAEX | 1 |
| ?updateUnitSet@CBaseDrv@@UAEJPAXJK@ | 1 |
| ?readConfiguration@CBaseDrv@@UAEHPAI | 1 |
| ?saveConfiguration@CBaseDrv@@UAEHPAI | 1 |
| ?cbDrvTaskLoop@CBaseDrv@@UAEXK@Z | 1 |
| ?enterSymbols@CBaseDrv@@UAEHXZ | 1 |
| ?removeSymbols@CBaseDrv@@UAEHXZ | 1 |
| ?Implements_CBaseDrv_Reserved@CBaseD | 1 |
| ?CBaseDrv_Reserved0@CBaseDrv@@EAEX | 1 |
| ?init@CBaseDev@@UAEXPAGenPropST@(| 1 |
| ?CBaseDrv_Reserved2@CBaseDrv@@EAEX | 1 |
| ?CBaseDrv_Reserved3@CBaseDrv@@EAEX | 1 |
| ?CBaseDrv_Reserved4@CBaseDrv@@EAEX | 1 |
| ?CBaseDrv_Reserved5@CBaseDrv@@EAEX | 1 |
| ?CBaseDrv_Reserved6@CBaseDrv@@EAEX | 1 |
| ?CBaseDrv_Reserved7@CBaseDrv@@EAEX | 1 |
| ?CBaseDrv_Reserved8@CBaseDrv@@EAEX | 1 |
| ?CBaseDrv_Reserved9@CBaseDrv@@EAEX | 1 |
| ??1CBaseDrv@@UAE@XZ | 1 |
| ?CCrDevice_Reserved9@CCrDevice@@EAE | 1 |
| ?CCrDevice_Reserved8@CCrDevice@@EAE | 1 |
| ?CCrDevice_Reserved7@CCrDevice@@EAE | 1 |
| ?CCrDevice_Reserved6@CCrDevice@@EAE | 1 |
| ?CCrDevice_Reserved5@CCrDevice@@EAE | 1 |
| ?CCrDevice_Reserved4@CCrDevice@@EAE | 1 |
| ?CCrDevice_Reserved3@CCrDevice@@EAE | 1 |
| ?CCrDevice_Reserved2@CCrDevice@@EAE | 1 |
| ?ProcessGenericXmlRequest@CCrDevice@C | 1 |
| ?MayStartProgram@CCrDevice@@UAE_NP, | 1 |
| ?Implements_CCDevice_Reserved@CCDevice | 1 |
| ?BatchPreflightPowerFailureProgram@CCrD | 1 |
| ?BatchPreflightEmergencyProgram@CCrDev | 1 |
| ?PreflightOwnedDeviceAction@CCrDevice@ | 1 |
| ?PropertyBuffer@CCrDevice@@UAEPAVIPri | 1 |
| ?MayTerminateProgram@CCrDevice@@UB | 1 |
| ?CCrStruct_Reserved9@CCrStruct@@EAEXX | 1 |
| ?CCrStruct_Reserved8@CCrStruct@@EAEXX | 1 |
| ?CCrStruct_Reserved7@CCrStruct@@EAEXX | 1 |
| ?CCrStruct_Reserved6@CCrStruct@@EAEXX | 1 |
| ?CCrStruct_Reserved5@CCrStruct@@EAEXX | 1 |
| ?CCrStruct_Reserved4@CCrStruct@@EAEXX | 1 |
| ?CCrStruct_Reserved3@CCrStruct@@EAEXX | 1 |
| ?CCrStruct_Reserved2@CCrStruct@@EAEXX | 1 |

| | |
|---|---|
| ?CCrStruct_Reserved1@CCrStruct@@EAEXX | 1 |
| ?CCrStruct_Reserved0@CCrStruct@@EAEXX | 1 |
| ?Implements_CCrStruct_Reserved@CCrStru | 1 |
| ?PreflightLatch@CCrStruct@@UAEXPACrCr | 1 |
| ?getErrorLevel@CBaseDev@@UBEHK@Z | 1 |
| ?getUnitIdx@CBaseDrv@@QAEHH@Z | 1 |
| ?CreateNumType@CSymbolList@@QAEPAL | 1 |
| ?AddSymbol@CSymbolList@@QAEPAUcrSyi | 1 |
| ?CreateStringType@CSymbolList@@QAEPA | 1 |
| ?AddSymbol@CSymbolList@@QAEPAUcrSyi | 1 |
| ??0CAtributeDefinition@@QAE@AAVCSym | 1 |
| ?DefineDeviceType@CGlobalSymbol@@QA | 1 |
| ?EnterDevice@CGlobalSymbol@@QAEPAUc | 1 |
| ?AttachTo@CAtributeDefinition@@QAEXP, | 1 |
| ??1CAtributeDefinition@@QAE@XZ | 1 |
| ?auditMsg@@YAXPBVCCrDevice@@PBVCS | 1 |
| ?Finish@CGlobalSymbol@@QAEXXZ | 1 |
| ?StartTime@CTimeTable@@QBEJXZ | 1 |
| ?EndTime@CTimeTable@@QBEJXZ | 1 |
| ?GetRamp@CTimeTable@@QBEXJQAHHA | 1 |
| ?NextTime@CTimeTable@@QBEJJ@Z | 1 |
| ?throwSEH@CBaseDev@@QAEXK@Z | 1 |
| ?execCmd@CBaseDev@@QAEXH@Z | 1 |
| ?PreflightTimeTable@CCrDevice@@QBEPA | 1 |
| ?Unit@CCrDevice@@QBEPAVCUnit@@XZ | 1 |
| ?PgmTime@CCrTask@@QBEJXZ | 1 |
| ?throwMsg@@YAXK@Z | 1 |
| ?demoMode@CBaseDev@@QAEDXZ | 1 |
| ?IsManual@CCrPreflight@@QBEHXZ | 1 |
| ?IsConnected@CCrDevice@@UBEHXZ | 1 |
| ?pop@CCrRunStack@@QAE?AW4dataType{ | 1 |
| ?auditMsg@@YAXPBVCCrDevice@@KPBDZ | 1 |
| ?PreflightVariables@CPreflightVariableOwn | 1 |
| ?drvAllocatePort@@YAPAVCCrPort@@PAD | 1 |
| ?throwMsg@@YAXKPBDZ | 1 |
| ?debugMode@CBaseDrv@@QAEHXZ | 1 |
| ?CmTickCount@@YGKXZ | 1 |
| ?dump@CBaseDrv@@QAAXPADZZ | 1 |
| ?finalDisconnect@CBaseDev@@UAEXXZ | 1 |
| ?CBaseDrv_Reserved1@CBaseDrv@@EAEXX | 1 |
| ?CFlwDev_Reserved9@CFlwDev@@EAEXXZ | 1 |
| ??0CProfi@@QAE@PAVCBaseDrv@@PAUp | 1 |
| ?escapeCommFunction@CProfi@@QAEHK@ | 1 |
| ??1CProfi@@QAE@XZ | 1 |
| ?pbOpen@CProfi@@QAEHHPAD@Z | 1 |
| ?pbOutDrain@CProfi@@QAEHH@Z | 1 |
| ?pbInpDrain@CProfi@@QAEHH@Z | 1 |

| | |
|--------------------------------------|---|
| ?pbGetErrStat@CProfi@@QAEHH@Z | 1 |
| ?pbClearErrStat@CProfi@@QAEHH@Z | 1 |
| ?pbRead@CProfi@@QAEHIPADPAIPATdevS | 1 |
| ?pbClose@CProfi@@QAEHH@Z | 1 |
| ??1CPortOwner@@UAE@XZ | 1 |
| ?unloadImpl@CPortOwner@@UAEPAVCC | 1 |
| ?allocatePortImpl@CPortOwner@@UAEP@ | 1 |
| ?getPortNameImpl@CPortOwner@@UAEHF | 1 |
| ?ResetPort@CPortOwner@@UAEPAVCCrP | 1 |
| ?OnFreePort@CPortOwner@@UAEPAVCC | 1 |
| ?AddPortA@CPortOwner@@UAEKPAVCCrP | 1 |
| ?CGenDrv_Reserved9@CGenDrv@@EAEXXZ | 1 |
| ?CGenDrv_Reserved8@CGenDrv@@EAEXXZ | 1 |
| ?CGenDrv_Reserved7@CGenDrv@@EAEXXZ | 1 |
| ?CGenDrv_Reserved6@CGenDrv@@EAEXXZ | 1 |
| ?CGenDrv_Reserved5@CGenDrv@@EAEXXZ | 1 |
| ?CGenDrv_Reserved4@CGenDrv@@EAEXXZ | 1 |
| ?CGenDrv_Reserved3@CGenDrv@@EAEXXZ | 1 |
| ?CGenDrv_Reserved2@CGenDrv@@EAEXXZ | 1 |
| ?CGenDrv_Reserved1@CGenDrv@@EAEXXZ | 1 |
| ?CGenDrv_Reserved0@CGenDrv@@EAEXXZ | 1 |
| ?Implements_CGenDrv_Reserved@CGenDrv | 1 |
| ??0CGenDrv@@QAE@PAUconfigST@@KKK | 1 |
| ??0CCrPumpFlowPort@@QAE@XZ | 1 |
| ??0CPortOwner@@QAE@I@Z | 1 |
| ??1CGenDrv@@UAE@XZ | 1 |
| ??1CCrPumpFlowPort@@UAE@XZ | 1 |
| ?SetFlwDevCfg@CCrPumpFlowPort@@QAE | 1 |
| ?createErrLevTab@CGenDrv@@UAEXXZ | 1 |
| ?SetFlwDev@CCrPumpFlowPort@@QAEXP@ | 1 |
| ?CFlwDev_Reserved7@CFlwDev@@EAEXXZ | 1 |
| ?CFlwDev_Reserved6@CFlwDev@@EAEXXZ | 1 |
| ?CFlwDev_Reserved5@CFlwDev@@EAEXXZ | 1 |
| ?CFlwDev_Reserved4@CFlwDev@@EAEXXZ | 1 |
| ?CFlwDev_Reserved3@CFlwDev@@EAEXXZ | 1 |
| ?CFlwDev_Reserved2@CFlwDev@@EAEXXZ | 1 |
| ?CFlwDev_Reserved1@CFlwDev@@EAEXXZ | 1 |
| ?leakDetected@CFlwDev@@EAEXXZ | 1 |
| ?Implements_CFlwDev_Reserved@CFlwDev | 1 |
| ?IsPriming@CFlwDev@@MAE_NXZ | 1 |
| ?PreflightIsMotorOn@CFlwDev@@MAE_NP | 1 |
| ?IsMotorOn@CFlwDev@@MAE_NXZ | 1 |
| ?syncRamp@CFlwDev@@MAEXXZ | 1 |
| ?DoFifoCommand@CFlwDev@@UAEXE@Z | 1 |
| ?CGenDev_Reserved9@CGenDev@@EAEXX | 1 |
| ?CGenDev_Reserved8@CGenDev@@EAEXX | 1 |
| ?CGenDev_Reserved7@CGenDev@@EAEXX | 1 |

| | |
|--|---|
| ?CGenDev_Reserved6@CGenDev@@EAEXX | 1 |
| ?CGenDev_Reserved5@CGenDev@@EAEXX | 1 |
| ?CGenDev_Reserved4@CGenDev@@EAEXX | 1 |
| ?CGenDev_Reserved3@CGenDev@@EAEXX | 1 |
| ?CGenDev_Reserved2@CGenDev@@EAEXX | 1 |
| ?CGenDev_Reserved1@CGenDev@@EAEXX | 1 |
| ?CGenDev_Reserved0@CGenDev@@EAEXX | 1 |
| ?Implements_CGenDev_Reserved@CGenDe | 1 |
| ?baseDevDisconnect@CGenDev@@EAEXXZ | 1 |
| ?baseDevConnect@CGenDev@@EAEXD@Z | 1 |
| ?sync@CFlwDev@@UAEXXZ | 1 |
| ?BatchPreflightToRun@CFlwDev@@MAEXP | 1 |
| ?BatchPreflightEnd@CFlwDev@@MAEXP AV | 1 |
| ?BatchPreflightStandAloneProgram@CFlwD | 1 |
| ?BatchPreflightSample@CFlwDev@@MAEX | 1 |
| ?BatchPreflightBegin@CFlwDev@@MAEXP A | 1 |
| ?PreflightSetRamp@CFlwDev@@MAEXHJNI | 1 |
| ?PreflightExec@CGenDev@@UAEXHPAVCCi | 1 |
| ?setRamp@CFlwDev@@UAEXHJNN@Z | 1 |
| ?PreflightSync@CFlwDev@@MAEXP AVCCrP | 1 |
| ?PreflightEnd@CFlwDev@@MAEXP AVCCrPr | 1 |
| ??0CFlwDev@@QAE@PAUCGenDrv@@PAL | 1 |
| ?init@CFlwDev@@UAEXP AUbasePropST@() | 1 |
| ?AddDeviceAttributesTo@CFlwDev@@QAE | 1 |
| ??1CFlwDev@@UAE@XZ | 1 |
| ?resetDevice@CBaseDevExtension@@UAEX | 1 |
| ?disconnect@CBaseDevExtension@@UAEX> | 1 |
| ?connect@CBaseDevExtension@@UAEXXZ | 1 |
| ?latch@CFlwDev@@UAEXXZ | 1 |
| ?setTimeTable@CFlwDev@@UAEXP AVCD e | 1 |
| ?setDevProperty@CFlwDev@@UAEHPAUflv | 1 |
| ?broadcast@CFlwDev@@UAEXW4deviceBr | 1 |
| ?execFlowRamp@CFlwDev@@UAEXPBUflo | 1 |
| ?PreflightBroadcast@CFlwDev@@MAEXW4 | 1 |
| ?Preflight SetProperty@CFlwDev@@MAEXH | 1 |
| ?execDevCmd@CFlwDev@@UAEXK@Z | 1 |
| ?PreflightToRun@CFlwDev@@UAEXP AVCCr | 1 |
| ?PreflightBegin@CFlwDev@@MAEXP AVCCr | 1 |
| ?execDev@CBaseDevExtension@@UAEHHP | 1 |
| ?makeRamp@CFlwDev@@MAEXJQBNOD@: | 1 |
| ?NewBatchPreflightVariables@CFlwDev@@ | 1 |
| ?setDevProperty@CBaseDevExtension@@U | 1 |
| ?prepareAssignment@CFlwDev@@IAEXAAL | 1 |
| ?devTaskLoop@CGenDev@@UAEXK@Z | 1 |
| ?PreflightSetTimeTable@CFlwDev@@MAEX | 1 |
| ?SetPumpFlowPort@CFlwDev@@QAE_NPA | 1 |
| ?CFlwDev_Reserved8@CFlwDev@@EAEXXZ | 1 |

| | |
|---------------------------------------|---|
| ?PhysUnitName@@YAPBDW4PhysUnitEnun | 1 |
| __rtl_open | 1 |
| __rtl_read | 1 |
| __rtl_close | 1 |
| _creatnew | 1 |
| __rtl_write | 1 |
| @TWindow@Paint\$qr3TDCir5TRect | 1 |
| @TWindow@Dispatch\$qr24TEventHandler@ | 1 |
| @TModule@GetParentObject\$qp6HWND__ | 1 |
| @TModule@ExecDialog\$qp7TDialog | 1 |
| @TDialog@CmOk\$qv | 1 |
| _jpeg_set_quality | 1 |
| _jpeg_set_defaults | 1 |
| _jpeg_read_scanlines | 1 |
| _jpeg_read_header | 1 |
| _jpeg_finish_decompress | 1 |
| _jpeg_finish_compress | 1 |
| _jpeg_destroy_decompress | 1 |
| _jpeg_destroy_compress | 1 |
| _jpeg_CreateDecompress | 1 |
| _jpeg_CreateCompress | 1 |
| _jpeg_write_scanlines | 1 |
| _jpeg_stdio_src | 1 |
| _jpeg_stdio_dest | 1 |
| _jpeg_std_error | 1 |
| _jpeg_start_decompress | 1 |
| _jpeg_start_compress | 1 |
| L_PrintBitmapFast | 1 |
| L_PrintBitmapExt | 1 |
| L_CopyBitmapRect | 1 |
| L_PaintDCEffect | 1 |
| L_PaintDCBuffer | 1 |
| L_CopyBitmapHandle | 1 |
| L_ColorResBitmap | 1 |
| L_PaintDC | 1 |
| L_CopyBitmap | 1 |
| L_InitBitmap | 1 |
| L_ChangeToDIB | 1 |
| L_ChangeFromDDB | 1 |
| L_HalfToneBitmap | 1 |
| L_ConvertToDIB | 1 |
| L_GrayScaleBitmap | 1 |
| L_AccessBitmap | 1 |
| L_GetPixelColor | 1 |
| L_ConvertToDDB | 1 |
| L_GetDisplayMode | 1 |
| L_AllocateBitmap | 1 |

| | |
|--|---|
| L_GetBitmapRowCol | 1 |
| L_StopResize | 1 |
| L_ConvertFromDIB | 1 |
| L_StartResize | 1 |
| L_SetStatusCallBack | 1 |
| L_FreeBitmap | 1 |
| L_ChangeToDDB | 1 |
| L_SetDisplayMode | 1 |
| L_RotateBitmap | 1 |
| L_FlipBitmap | 1 |
| L_ResizeBitmap | 1 |
| L_Resize | 1 |
| L_DupPalette | 1 |
| L_ConvertFromDDB | 1 |
| L_ReleaseBitmap | 1 |
| L_PutPixelColor | 1 |
| L_CreatePaintPalette | 1 |
| L_PutBitmapRowCol | 1 |
| L_PutBitmapRow | 1 |
| L_CopyFromClipboard | 1 |
| L_ConvertColorSpace | 1 |
| L_ChangeFromDIB | 1 |
| L_SharpenBitmap | 1 |
| L_InvertBitmap | 1 |
| L_GammaCorrectBitmap | 1 |
| L_SetDimension | 1 |
| L_SaveBitmap | 1 |
| L_LoadFile | 1 |
| L_LoadBitmap | 1 |
| L_FileInfo | 1 |
| L_FileConvert | 1 |
| L_TwainSelect | 1 |
| L_TwainAcquire | 1 |
| Dot3GetProfile | 1 |
| PcildexGetBusLocation | 1 |
| SetHBitmap | 1 |
| DoPlayList | 1 |
| ?SetEnvironmentVar@TrainerPlugManagerC | 1 |
| ?GetBoolFromReg@CRegistryManager@@ | 1 |
| ?SetRegKeyValue@CRegistryManager@@@C | 1 |
| ?GetRegKeyValue@CRegistryManager@@I | 1 |
| ?GetStringFromReg@CRegistryManager@() | 1 |
| ??9@YA_NPB_WABVCTXBSTR@@@Z | 1 |
| FillSolidRectEx | 1 |
| GetViewportOrg | 1 |
| GetTexture | 1 |
| vzbcomp | 1 |

| | |
|--|---|
| __fdiv02 | 1 |
| __fdivrp10 | 1 |
| __fdivp10 | 1 |
| ypc | 1 |
| ypage | 1 |
| ypfs | 1 |
| ypout | 1 |
| ypskip | 1 |
| yvalv | 1 |
| ??\$DestructElements@VCString@@@@YGX | 1 |
| ??\$HashKey@PBG@@YGIIPBG@Z | 1 |
| ??\$polar@O@std@@YA?AV?\$complex@O@C | 1 |
| ??\$KO@std@@YA?AV?\$complex@O@0@, | 1 |
| ?pow@?\$_Ctr@M@std@@SAMMM@Z | 1 |
| ??5std@@YAAAV?\$basic_istream@DU?\$ch: | 1 |
| DirectXSetupA | 1 |
| ?GB_getTitle@@YGXPAD@Z | 1 |
| ?ptmin@Point3d@@QAEQABV1@@@Z | 1 |
| ?ptmax@Point3d@@QAEQABV1@@@Z | 1 |
| ?GB_getViewMatrix@@YGHHPAVPoint3d@ | 1 |
| ?GB_vrssget@@YG?AW4UIRET@@PBDOOP@ | 1 |
| ?area@MrsSurfaceEntity@@QAENXZ | 1 |
| ?firstPoint@MrsSurfaceEntity@@QAE?AVPc | 1 |
| ?first3DFaceNormal@MrsSurfaceEntity@@C | 1 |
| ?isCoplanner@MrsSurfaceEntity@@QAEHX; | 1 |
| ?GB_ssfree@@YGXPAGbArray@@@Z | 1 |
| ?GB_IsPerspect@@YGHXZ | 1 |
| ??0GbArray@@QAE@XZ | 1 |
| ?getSubEntity@MrsAssembleEntity@@QAEI | 1 |
| ?GetSize@GbArray@@QBEHXZ | 1 |
| ??AGbArray@@QAEAAPAXH@Z | 1 |
| ?Add@GbArray@@QAEHPAX@Z | 1 |
| ?GB_printf@@YAXPBDZZ | 1 |
| ??1GbArray@@QAE@XZ | 1 |
| ?getDisplayMode@MrsSurfaceEntity@@QA | 1 |
| ?getMaterial@MrsSurfaceEntity@@QAEPA\ | 1 |
| ?getDefine@MrsMaterial@@QAEPBUMater | 1 |
| ?getGeometry@MrsSurfaceEntity@@QAEPI | 1 |
| ?GB_addCommand@@YGXPauHINSTANCE_ | 1 |
| ?GB_getData@@YGXKPAK@Z | 1 |
| ?GB_deleteCommand@@YGXPauHINSTAN | 1 |
| ?GB_progressRestore@@YGXXZ | 1 |
| ?GB_progressStep@@YGXMPBDM@Z | 1 |
| ?GB_progressInit@@YGXPBDMM@Z | 1 |
| ?set@Vector3d@@QAEAAV1@NNN@Z | 1 |
| ?angleTo@Vector3d@@QAENV1@0@Z | 1 |
| ?setToRotation@Matrix3d@@QAE?AV1@N | 1 |

| | |
|---|---|
| ?inverse@Matrix3d@@QAE?AV1@XZ | 1 |
| ?setToScaling@Matrix3d@@QAE?AV1@NN | 1 |
| ?copyFromOpenGLMatrix@Matrix3d@@QA | 1 |
| ??DMatrix3d@@QBE?AV0@V0@@Z | 1 |
| ?transformBy@Point3d@@QAE?AV1@VMa | 1 |
| ??0Matrix3d@@QAE@ABV0@@Z | 1 |
| ??4Matrix3d@@QAE?AV0@V0@@Z | 1 |
| ??4Point3d@@QAE?AV0@V0@@Z | 1 |
| ??0Point3d@@QAE@ABV0@@Z | 1 |
| ?GB_sceneEmpty@@YGHXZ | 1 |
| ??0Matrix3d@@QAE@XZ | 1 |
| ?set@Point3d@@QAE?AV1@NNN@Z | 1 |
| ??GPoint3d@@QBE?AVVector3d@@V0@@ | 1 |
| ??0Point3d@@QAE@NNN@Z | 1 |
| ??0Vector3d@@QAE@XZ | 1 |
| ??DVector3d@@QBE?AV0@N@Z | 1 |
| ??4Vector3d@@QAEAAV0@V0@@Z | 1 |
| ??DVector3d@@QBENV0@@Z | 1 |
| ??0Vector3d@@QAE@NNN@Z | 1 |
| ?normalize@Vector3d@@QAENXZ | 1 |
| ??0Vector3d@@QAE@ABV0@@Z | 1 |
| ??KVector3d@@QBE?AV0@V0@@Z | 1 |
| ?sqrLength@Vector3d@@QAENXZ | 1 |
| ??0Point3d@@QAE@XZ | 1 |
| curl_easy_strerror | 1 |
| HNetSharedAccessSettingsDlg | 1 |
| HNetSharingAndFirewallSettingsDlg | 1 |
| ?DrawPolyPolygon@OutputDevice@@QAE\` | 1 |
| ?DrawText@OutputDevice@@QAEXABVPoi | 1 |
| ?DrawPolygon@OutputDevice@@QAEXABV | 1 |
| ?DrawArc@OutputDevice@@QAEXABVRect | 1 |
| ?DrawEllipse@OutputDevice@@QAEXABVR | 1 |
| ?DrawPixel@OutputDevice@@QAEXABVPoi | 1 |
| ??4LineInfo@@QAEAAV0@ABV0@@Z | 1 |
| ??0Graphic@@QAE@ABVGDIMetaFile@@(| 1 |
| @Dxtl@TdxTreeListNode@SetSelected\$qqrc | 1 |
| @Dxtl@TdxTreeListNode@GetItem\$qqri | 1 |
| @Dxtl@TdxTreeListNode@GetCount\$qqrv | 1 |
| @Dxdbctrl@TdxDBGridSummaryGroups@Gi | 1 |
| @Dxdbctrl@TdxDBGridSummaryItems@Get | 1 |
| @Dxdbctrl@TdxDBGridSummaryItem@SetS | 1 |
| @Dxdbctrl@TdxDBGridSummaryItem@SetS | 1 |
| @Dxdbgrid@TCustomdxDBGrid@GetGroupI | 1 |
| @Dxdbgrid@TCustomdxDBGrid@GetGroup(| 1 |
| @Dxdbgrid@TCustomdxDBGrid@GetGroup(| 1 |
| @Dxdbgrid@TCustomdxDBGrid@SelectAll\$(| 1 |
| WriteLineA | 1 |

| | |
|---|---|
| GetParamsCount | 1 |
| GetParameterA | 1 |
| UninstallTerminalSettings | 1 |
| ?SetStringValue@CRegistryKey@@QBEHPBI | 1 |
| ?ShowAlert@CommonUtil@@SAXV?\$CStrin | 1 |
| ??0CClinckWebClient@@QAE@XZ | 1 |
| ??1CClinckWebClient@@UAE@XZ | 1 |
| ?CreateTerminal@CClinckWebClient@@QA | 1 |
| ?GetLastServerResponse@CClinckWebClien | 1 |
| ?IsValidClinckResponse@CClinckWebRespor | 1 |
| ?GetValue@CClinckWebResponse@@QAE?, | 1 |
| ??0ClinckDataString@@QAE@V?\$CStringT@ | 1 |
| ??1ClinckDataString@@UAE@XZ | 1 |
| ?Set@ClinckDataString@@UBEHV?\$CString` | 1 |
| ?GetCafeDetails@CClinckWebClient@@QAE | 1 |
| ?CheckIfAdminUser@CClinckProcess@@SAI | 1 |
| ??0CClinckCommandLineInfo@@QAE@XZ | 1 |
| ??1CClinckCommandLineInfo@@UAE@XZ | 1 |
| ??0CFSUtil@@QAE@XZ | 1 |
| ??1CFSUtil@@UAE@XZ | 1 |
| ?CheckDeepFreezeInstalled@CClinckSetting | 1 |
| ??0CDataTrackingManager@@QAE@PAVCV | 1 |
| ??1CDataTrackingManager@@QAE@XZ | 1 |
| ??0DeepFreezeInfo@@QAE@XZ | 1 |
| ??1DeepFreezeInfo@@QAE@XZ | 1 |
| ?GetSpecialDirectoryPath@CFSUtil@@QAE? | 1 |
| ?Get@ClinckDataString@@UAE?AV?\$CStrin | 1 |
| ?m_bFlagUnableLogging@CClinckLog@@2H | 1 |
| ?PrintTime@@YAXAAV?\$CStringT@DV?\$Str | 1 |
| ?SetValue@CRegistry@@QAE_NW4Keys@1 | 1 |
| ??0CClinckProcess@@QAE@XZ | 1 |
| ??1CClinckProcess@@UAE@XZ | 1 |
| ?GetValue@CRegistry@@QAE_NW4Keys@1 | 1 |
| ?GetValue@CRegistry@@QAE_NW4Keys@1 | 1 |
| ?InitiateAdminUser@CClinckProcess@@QAI | 1 |
| ?SetValue@CRegistry@@QAE_NW4Keys@1 | 1 |
| ?TerminateAdminUser@CClinckProcess@@ | 1 |
| ?CheckLogSize@CClinckSytem@@SAXXZ | 1 |
| ??0CLimitSingleInstance@@QAE@PBD@Z | 1 |
| ?WriteLog@CClinckSytem@@SAXV?\$CStrin | 1 |
| ?IsAnotherInstanceRunning@CLimitSingleIn: | 1 |
| ?IsAfterInstallSession@CClinckCommandLin | 1 |
| ?IsUnInstallSession@CClinckCommandLineIr | 1 |
| ?IsStartClinckOnly@CClinckCommandLineInt | 1 |
| ??1CLimitSingleInstance@@UAE@XZ | 1 |
| ?IsStartCCM@CClinckCommandLineInfo@@ | 1 |
| ?KillClinckProcess@CClinckProcess@@QAEH | 1 |

| | |
|---|---|
| ?SetIntegerValue@CRegistryKey@@QBEHPI | 1 |
| ?GetDFStatus@DeepFreezeInfo@@SAHZ | 1 |
| ?GetDFVersionNumber@DeepFreezeInfo@@(| 1 |
| ?DisplayError@CommonUtil@@SAXV?\$CStr | 1 |
| ?GetApplicationLocation@CClinckSetting@@C | 1 |
| ?CheckIfFileExists@CFSUtil@@QAEHPBD@Z | 1 |
| ??0ClinckProcess@@QAE@V?\$CStringT@L | 1 |
| ?AddParam@CClinckProcess@@QAEXV?\$CSt | 1 |
| ?StartProcessInUserMode@CClinckProcess@ | 1 |
| ?StartProcessInAdminMode@CClinckProces | 1 |
| ?LogError@CClinckErrorManager@@SAXUC | 1 |
| ??0ClinckError@@QAE@V?\$CStringT@DV?\$C | 1 |
| ?AddParam@CClinckProcess@@QAEXV?\$CSt | 1 |
| ?IsOpened@CRegistryKey@@QAEHZ | 1 |
| ?GetUpdateInformation@CClinckWebClient | 1 |
| ?bShowVerboseMessage@CommonUtil@@ | 1 |
| ?GetStringValue@CRegistryKey@@QBE?AV | 1 |
| ??0CExtractUpdate@@QAE@XZ | 1 |
| ??1CExtractUpdate@@QAE@XZ | 1 |
| ?ExtractUpdate@CExtractUpdate@@QAEHV | 1 |
| ??0CPowerSettings@@QAE@XZ | 1 |
| ??1CPowerSettings@@QAE@XZ | 1 |
| ?ApplyPowerSettings@CPowerSettings@@(| 1 |
| ?RemoveClinckToFirewallList@@YAXXZ | 1 |
| ??0CSystemAccessUtil@@QAE@XZ | 1 |
| ??0CRegistryKey@@QAE@PAUHKEY__@@I | 1 |
| ?NotifyTerminalUninstall@CClinckWebClien | 1 |
| ?SetBrowserStartupPage@CSystemAccessUt | 1 |
| ?HideQuickLaunchBar@CSystemAccessUtil@ | 1 |
| ?SendShutdownClinckMessage@CClinckPro | 1 |
| ?GetIntegerValue@CRegistryKey@@QBE_N | 1 |
| ??0ClinckDataInteger@@QAE@V?\$CStringT | 1 |
| ??1ClinckDataInteger@@UAE@XZ | 1 |
| ??0CIni@@QAE@PBD@Z | 1 |
| ??1CIni@@UAE@XZ | 1 |
| ?GetString@CIni@@QBE?AV?\$CStringT@D\ | 1 |
| ?CheckPath@CFSUtil@@QAEHV?\$CStringT@C | 1 |
| ?CanDelete@CFSUtil@@QAEHV?\$CStringT@C | 1 |
| ?Delete@CFSUtil@@QAEHV?\$CStringT@DV | 1 |
| ?FileDelete@CFSUtil@@QAEHV?\$CStringT@ | 1 |
| ?SendEWSMessage@CClinckWebClient@@(| 1 |
| ?IsSectionExist@CIni@@QBEHPBD@Z | 1 |
| ?GetKeyNames@CIni@@QBEXPBDPAVCStri | 1 |
| ?WriteString@CIni@@QBEHPBD00@Z | 1 |
| ?Set@ClinckDataInteger@@UBEHH@Z | 1 |
| ?DeleteSubKey@CRegistryKey@@QAEHPBD | 1 |
| ?GetValueForKey@CRegistryKey@@QAEHK | 1 |

| | |
|--|---|
| ??0ClinckError@@QAE@ABU0@@Z | 1 |
| ??1ClinckError@@QAE@XZ | 1 |
| ??1CRegistry@@QAE@XZ | 1 |
| ?GetOSVersion@CommonUtil@@SA?AW4O | 1 |
| ?IsActivationOnly@CClinckCommandLineInfi | 1 |
| ??1CSystemAccessUtil@@UAE@XZ | 1 |
| tTempPathA | 1 |
| EercErrorHandler | 1 |
| FHandleOOM | 1 |
| FFileExist | 1 |
| ShareAll | 1 |
| SetEncryptKey | 1 |
| SetRecordTitle | 1 |
| _aP_pack@24 | 1 |
| VLC_Compiler | 1 |
| aout_IsMuted | 1 |
| aout_SetMute | 1 |
| input_Close | 1 |
| input_Create | 1 |
| input_Start | 1 |
| input_item_WriteMeta | 1 |
| input_resource_New | 1 |
| input_resource_Release | 1 |
| input_resource_Terminate | 1 |
| libvlc_InternalAddIntf | 1 |
| libvlc_InternalCleanup | 1 |
| libvlc_InternalCreate | 1 |
| libvlc_InternalDestroy | 1 |
| libvlc_InternalInit | 1 |
| libvlc_InternalWait | 1 |
| libvlc_SetExitHandler | 1 |
| module_get_help | 1 |
| module_get_name | 1 |
| module_get_object | 1 |
| module_list_free | 1 |
| module_list_get | 1 |
| module_provides | 1 |
| playlist_AskForArtEnqueue | 1 |
| playlist_PreparseEnqueue | 1 |
| services_discovery_EventManager | 1 |
| services_discovery_GetLocalizedName | 1 |
| vlc_cond_broadcast | 1 |
| vlc_mutex_init_recursive | 1 |
| vlc_object_find_name | 1 |
| vlc_sd_Create | 1 |
| vlc_sd_Destroy | 1 |
| vlc_sd_Start | 1 |

| | |
|---|---|
| vlc_sd_Stop | 1 |
| vlc_threadvar_create | 1 |
| vlc_threadvar_delete | 1 |
| vlc_threadvar_get | 1 |
| vlc_threadvar_set | 1 |
| vlm_Control | 1 |
| vout_EnableFilter | 1 |
| ?setTo@Mat@cv@@@QAEAAV12@ABV_Input | 1 |
| ?copyTo@Mat@cv@@@QBEXABV_OutputArr | 1 |
| ?rectangle@cv@@@YAXAAVMat@1@V?\$Poi | 1 |
| ??Icv@@YA?AVMatExpr@0@ABVMat@0@, | 1 |
| ?grabCut@cv@@@YAXABV_InputArray@1@A | 1 |
| cvSetMouseCallback | 1 |
| NxCreatePhysicsSDK | 1 |
| NxGetUtilLib | 1 |
| glutKeyboardUpFunc | 1 |
| glutSetWindow | 1 |
| mp_gv | 1 |
| mp_ms | 1 |
| mp_gt | 1 |
| @Cmtwnanagrafica@TMtWnAnagrafica@Se | 1 |
| @\$xp\$31Cmtwnanagrafica@TMtWnAnagraf | 1 |
| @Cmtwnanagrafica@TMtWnAnagrafica@ | 1 |
| @Dbctrls@TDBEdit@SetDataSource\$qqrp14 | 1 |
| @Ib_components@TIB_Connection@Gen_II | 1 |
| @Mtiboquery@TMtIBOQuery@GetDatabase | 1 |
| @Mtdxdbgrid@initialization\$qqrv | 1 |
| @Mtdxdbgrid@Finalization\$qqrv | 1 |
| @Mtdxdbgrid@TMtdxDBGrid@ | 1 |
| @Mtcustomprintdata@initialization\$qqrv | 1 |
| @Mtcustomprintdata@Finalization\$qqrv | 1 |
| @Cmtdmbase@TMtDmBase@ReleaseInstar | 1 |
| @Udmpdcuse@TDmPdcUse@GetInstance\$qq | 1 |
| @Udmpdcuse@TDmPdcUse@GetDDPdc\$qq | 1 |
| @Udmpdcuse@TDmPdcUse@ | 1 |
| @Udmsecurity@TDmSecurity@CanLaunchF | 1 |
| @Uwnfindpdc@initialization\$qqrv | 1 |
| @Uwnfindpdc@Finalization\$qqrv | 1 |
| @Uwnfindpdc@LookupPDC\$qqrx17System@ | 1 |
| @Cmtwnfind@initialization\$qqrv | 1 |
| @Cmtwnfind@Finalization\$qqrv | 1 |
| @Cmtwnfindbase@initialization\$qqrv | 1 |
| @Cmtwnfindbase@Finalization\$qqrv | 1 |
| @Mtmessages@initialization\$qqrv | 1 |
| @Mtmessages@Finalization\$qqrv | 1 |
| @Mtfindcompibo@initialization\$qqrv | 1 |
| @Mtfindcompibo@Finalization\$qqrv | 1 |

| | |
|---|---|
| @Ulookups@LookupDittaRbnLCBancaHoldir | 1 |
| @Ulookups@LookupDittaRbnLC\$qqr17Syste | 1 |
| iddMsgBox | 1 |
| ?GetThisMessageMap@CCUEWinApp@@KC | 1 |
| ?QueryMachineUniqueToken@@YGKXZ | 1 |
| Dr_fCallVahnDRegisterDMZ | 1 |
| Dr_fCallVahnDRegisterOption | 1 |
| Dr_fCallVahnDAutoClean | 1 |
| Dr_fCallVahnDRegisterFileExt | 1 |
| Dr_fExploreMemory | 1 |
| Dr_fCallVahnDInit | 1 |
| Dr_fScanProcess | 1 |
| Dr_fCallVahnDGetVersion | 1 |
| Dr_fCallVahnDRegisterScanCallback | 1 |
| Dr_fSendToCleanWin | 1 |
| Dr_fCallVahnDFreeApcParamMemory | 1 |
| Dr_fExploreBoot | 1 |
| Dr_fCallVahnDUnRegisterScanCallback | 1 |
| Dr_fGetEngineDate | 1 |
| AddPDFPrinter | 1 |
| ?GetInterface@GIPSVEVQE@@SAPAV1@PA | 1 |
| ?GetInterface@GIPSVEVolumeControl@@S/ | 1 |
| ?GetInterface@GIPSVERTP_RTCP@@SAPAV | 1 |
| ?GetInterface@GIPSVENetwork@@SAPAV1 | 1 |
| ?GetInterface@GIPSVEHardware@@SAPAV | 1 |
| ?GetInterface@GIPSVEFile@@SAPAV1@PA | 1 |
| ?GetInterface@GIPSVEExternalMedia@@SA | 1 |
| ?GetInterface@GIPSVEDTMF@@SAPAV1@F | 1 |
| ?GetInterface@GIPSVECodec@@SAPAV1@F | 1 |
| ?GIPSVE_GetInterface@GIPSVEBase@@SAP | 1 |
| ?Create@GIPSVoiceEngine@@SAPAV1@XZ | 1 |
| ?Delete@GIPSVoiceEngine@@SA_NAAPAV1 | 1 |
| ?SetTraceFilter@GIPSVoiceEngine@@SAHIC | 1 |
| ?SetTraceFile@GIPSVoiceEngine@@SAHPBC | 1 |
| ??1LogEnterFunction@@UAE@XZ | 1 |
| ??0LogEnterFunction@@QAE@PB_WW4TR/ | 1 |
| Bscm_SHFree | 1 |
| BsCm_CreateVistaSend2btShc | 1 |
| Btsdk_IsServerConnected | 1 |
| KeQueryActiveProcessorCount | 1 |
| WheaRegisterErrSrcInitializer | 1 |
| ?fill@?\$basic_ios@DU?\$char_traits@D@std | 1 |
| ?width@ios_base@std@@QEAA_J_J@Z | 1 |
| ??6?\$basic_ostream@DU?\$char_traits@D@ | 1 |
| ??1?\$basic_string@GU?\$char_traits@G@std | 1 |
| ??6?\$basic_ostream@GU?\$char_traits@G@ | 1 |
| ?endl@std@@YAAEAV?\$basic_ostream@GI | 1 |

| | |
|---|---|
| ??0?\$basic_string@GU?\$char_traits@G@std@ | 1 |
| ??6?\$basic_ostream@DU?\$char_traits@D@ | 1 |
| ?setf@ios_base@std@@QEAAHHH@Z | 1 |
| ??6std@@YAAEAV?\$basic_ostream@DU?\$char_traits@D@ | 1 |
| ??8std@@YA_NAEBV?\$basic_string@DU?\$char_traits@G@ | 1 |
| ??6?\$basic_ostream@DU?\$char_traits@D@ | 1 |
| ??6?\$basic_ostream@DU?\$char_traits@D@ | 1 |
| ??6?\$basic_ostream@DU?\$char_traits@D@ | 1 |
| ?write@?\$basic_ostream@GU?\$char_traits@D@ | 1 |
| ??0?\$basic_string@DU?\$char_traits@D@std@ | 1 |
| ??6std@@YAAEAV?\$basic_ostream@GU?\$char_traits@D@ | 1 |
| ShowFreeDrawImageForm | 1 |
| ??0?\$basic_fstream@DU?\$char_traits@D@ | 1 |
| phoneNegotiateAPIVersion | 1 |
| ?MapCopyTo@NLS_STR@@QBEJPADI@Z | 1 |
| ?MapCopyFrom@NLS_STR@@QAEJPBDI@Z | 1 |
| ??4ALIAS_STR@@QAEABV0@PBG@Z | 1 |
| ??1REG_KEY@@QAE@XZ | 1 |
| ?QueryValue@REG_KEY@@QAEJPBGPBVNL | 1 |
| ??0REG_KEY@@QAE@AAV0@ABVNLS_STR | 1 |
| ?QueryLocalMachine@REG_KEY@@SGPAV1 | 1 |
| ?Set@WIN32_EVENT@@QAEJXZ | 1 |
| ?RefreshChildren@HIER_LISTBOX@@MAEXI | 1 |
| ?QueryAveCharWidth@DEVICE_CONTEXT@ | 1 |
| ?QueryFont@CONTROL_WINDOW@@QBEP | 1 |
| ?CalcColumnWidths@DISPLAY_TABLE@@SC | 1 |
| ?QueryCid@CONTROL_WINDOW@@QBEIX | 1 |
| ??0DISPLAY_MAP@@QAE@I@Z | 1 |
| ??0HIER_LISTBOX@@QAE@PAVOWNER_WI | 1 |
| ??1HIER_LISTBOX@@QAE@XZ | 1 |
| ??1DISPLAY_MAP@@QAE@XZ | 1 |
| ?QueryIndentLevel@HIER_LBI@@QAEHXZ | 1 |
| ?SetHorizontalExtent@LISTBOX@@QAEXI@ | 1 |
| ?QueryTextWidth@DISPLAY_CONTEXT@@C | 1 |
| ?SetPellIndent@HIER_LBI@@UAEXI@Z | 1 |
| ?IsDestroyable@HIER_LBI@@EAEHXZ | 1 |
| ??0HIER_LBI@@QAE@H@Z | 1 |
| ?Resume@WIN32_THREAD@@QAEJXZ | 1 |
| ?DeleteChildren@HIER_LISTBOX@@QAEXPV | 1 |
| ?ExpandItem@HIER_LISTBOX@@QAEJPAVH | 1 |
| ?CollapseItem@HIER_LISTBOX@@QAEXPBV | 1 |
| ?SetTopIndex@LIST_CONTROL@@QAEXH@ | 1 |
| ?OnDoubleClick@HIER_LISTBOX@@QAEXPV | 1 |
| ?AddSortedItems@HIER_LISTBOX@@QAEXPV | 1 |
| ?SelectString@EDIT_CONTROL@@QAEXXZ | 1 |
| ?QueryText@WINDOW@@QBEJPBVNLSS | 1 |
| ?QueryTextLength@WINDOW@@QBEHXZ | 1 |

| | |
|---|---|
| ?HasFocus@WINDOW@@QBEHXZ | 1 |
| ?IsEnabled@WINDOW@@QBEHXZ | 1 |
| ?ClearText@WINDOW@@QAEXXZ | 1 |
| ??OSLE_FONT@@QAE@PAVOWNER_WINDC | 1 |
| ?PreMain@WIN32_THREAD@@MAEJXZ | 1 |
| ??0WIN32_EVENT@@QAE@PBGHH@Z | 1 |
| ??0WIN32_THREAD@@QAE@HIPBG@Z | 1 |
| ??1WIN32_THREAD@@UAE@XZ | 1 |
| ??1WIN32_EVENT@@QAE@XZ | 1 |
| ?DeleteAndExit@WIN32_THREAD@@IAEXI(| 1 |
| ?AddItem@HIER_LISTBOX@@QAEHPAVHIEI | 1 |
| ?RegisterHelpFile@BLT@@SGJPAUHINSTAN | 1 |
| ?DeregisterHelpFile@BLT@@SGXPAUHINST | 1 |
| ??1HIER_LBI@@UAE@XZ | 1 |
| ?AddInfo@CTXHttpDownload@@QAEHABV | 1 |
| ?GetStatusCode@CTXHttpDownload@@QA | 1 |
| CeCreateProcess | 1 |
| CeRapiFreeBuffer | 1 |
| CeFindAllFiles | 1 |
| __libm_sse2_log | 1 |
| __libm_sse2_atan | 1 |
| __libm_sse2_atanf | 1 |
| __libm_sse2_log10f | 1 |
| __libm_sse2_logf | 1 |
| ?id@?\$_numpunct@G@std@@2V0locale@2 | 1 |
| ImMgETcONTeXt | 1 |
| ChartOoEMA | 1 |
| CreateAVICopierDirect | 1 |
| ?doTranslateToUrls@ClassPath@jvmaccess(| 1 |
| ??0VirtualMachine@jvmaccess@@QAE@PA | 1 |
| ??0UnoVirtualMachine@jvmaccess@@QAEI | 1 |
| jfw_freeJavaInfo | 1 |
| jfw_startVM | 1 |
| jfw_getSelectedJRE | 1 |
| jfw_existJRE | 1 |
| jfw_findAndSelectJRE | 1 |
| jfw_getEnabled | 1 |
| UmLogDiagnostics | 1 |
| DisableSR | 1 |
| SRRemoveRestorePoint | 1 |
| EnableSR | 1 |
| EnableSREx | 1 |
| ?classCUrtReceteDoc@CUrtReceteDoc@@2 | 1 |
| ?classCUrtReceteView@CUrtReceteView@C | 1 |
| ?classCUrtIslemDoc@CUrtIslemDoc@@2UC | 1 |
| ?classCUrtIslemView@CUrtIslemView@@2L | 1 |
| ?classCUrtListeView@CUrtListeView@@2UC | 1 |

| | |
|--|---|
| ?classCUltListeDoc@CUltListeDoc@@2UCR | 1 |
| ?classCUltMasrafDoc@CUltMasrafDoc@@2 | 1 |
| ?classCUltMasrafView@CUltMasrafView@@C | 1 |
| wiasGetChangedValueLong | 1 |
| wiasUpdateScanRect | 1 |
| wiasGetRootItem | 1 |
| wiasSetPropChanged | 1 |
| wiasWritePropGuid | 1 |
| wiasSetValidRangeLong | 1 |
| wiasSendEndOfPage | 1 |
| CreateProvHost | 1 |
| Az SetProperty | 1 |
| ?GetNumMembers@CDMNodeObj@@QAEI | 1 |
| ?GetOcxFrameCWndPtr@CTaskData@@QAI | 1 |
| ?GetLdmObjectId@CDMNodeObj@@QAE_J | 1 |
| ?GetServerName@CDataCache@@QAE?AVI | 1 |
| ?GetDescriptionLine@CNeroError@@UBEHI | 1 |
| ?GetDescriptionLine@CNeroError@@UBEHI | 1 |
| ??0NeroError@@IAE@PBGHH@Z | 1 |
| ??0WorkerThread@@QAE@PAX@Z | 1 |
| ?StartThread@WorkerThread@@UAEHK@Z | 1 |
| ??1WorkerThread@@UAE@XZ | 1 |
| ?DestroyErrorList@@YAXK@Z | 1 |
| ?WaitForThreadEnd@WorkerThread@@QA | 1 |
| ?SetProcessPriority@@YAHW4ePriorityClas | 1 |
| ?GetNeroPortab@@YAAVCNeroPortab@0 | 1 |
| ?IsWindows2kOrHigher@@YAHXZ | 1 |
| ?Rollback@CNeroErrorList@@QAEXABVErrc | 1 |
| ?GetLast@CNeroError@@SA?AVErrorListPo | 1 |
| ?GetLast@CNeroErrorList@@QBE?AVErrorL | 1 |
| ?MoveErrorsTo@CNeroErrorList@@QAEXA/ | 1 |
| ?UnRegisterWorkerThread@@YAXPAVWork | 1 |
| ?RegisterWorkerThread@@YAXPAVWorker | 1 |
| ?GetErrorFile@CNeroError@@UBEPBGXZ | 1 |
| ?GetThreadName@CNeroError@@UBEPBG | 1 |
| ?GetDescriptionLine@CNeroError@@UBEHI | 1 |
| CallbackMayRunLong | 1 |
| CloseThreadpoolCleanupGroup | 1 |
| PcwCreateQuery | 1 |
| PcwAddQueryItem | 1 |
| PcwCollectData | 1 |
| ?scan_not@?\$ctype@G@std@@QBEPBGFP | 1 |
| ?underflow@?\$basic_stringbuf@GU?\$char_ | 1 |
| ??0?\$moneypunct@G\$0A@@std@@QAE@ | 1 |
| BtExecBtMng | 1 |
| ComReset | 1 |
| ComPortPresent | 1 |

| | |
|--|---|
| ComValid | 1 |
| ComInit | 1 |
| ComSetState | 1 |
| ComSetBufSize | 1 |
| ComEnableFIFO | 1 |
| ComBufClear | 1 |
| ComBufCount | 1 |
| ComRead | 1 |
| ComWrite | 1 |
| ComDisableFIFO | 1 |
| ?randu@cv@@YAXABV_OutputArray@1@A | 1 |
| ?add@cv@@YAXABV_InputArray@1@0ABV | 1 |
| ?eye@Mat@cv@@SA?AVMatExpr@2@HHF | 1 |
| ?getGpuMat @_InputArray@cv@@UBE?AVC | 1 |
| ?getGITexture @_InputArray@cv@@UBE?AVI | 1 |
| ?getGIBuffer @_InputArray@cv@@UBE?AVC | 1 |
| ??0Params@SimpleBlobDetector@cv@@QAF | 1 |
| ??0SimpleBlobDetector@cv@@QAE@ABUP | 1 |
| ?solvePnP@cv@@YA_NABV_InputArray@1 | 1 |
| ?findCirclesGrid@cv@@YA_NABV_InputArr | 1 |
| ?projectPoints@cv@@YAXABV_InputArray@C | 1 |
| ??1AssertionResult@testing@@QAE@XZ | 1 |
| ?GetBoolAssertionFailureMessage@internal | 1 |
| ??BAssertionResult@testing@@QBE_NXZ | 1 |
| ??0AssertionResult@testing@@QAE @_N@I | 1 |
| ?out @_declareHelper@TestBase@perf@@@I | 1 |
| ?in @_declareHelper@TestBase@perf@@@Q | 1 |
| ?add@Regression@perf@@SAAV12@ABV | 1 |
| ?PrintTo@cv@@YAXABV?\$Size_@H@1@PA | 1 |
| ?warmup@TestBase@perf@@KAXABV_Out | 1 |
| ?getHandle@Sdi@@QAEPAXPBD@Z | 1 |
| ?rescan@Sdi@@QAEXXZ | 1 |
| ?RestoreKeyFromFile@REGISTRY@@QAEW | 1 |
| AK_Scan | 1 |
| AK_ReadVDB | 1 |
| AK_NextScan | 1 |
| AK_PointerToFirst | 1 |
| AK_LoadADB | 1 |
| __VBaAryMove | 1 |
| __VBaFreeVar | 1 |
| __VBaStrVarMove | 1 |
| __VBaLenBstr | 1 |
| __VBaFreeVarList | 1 |
| __VBaRaiseEvent | 1 |
| __VBaFreeObjList | 1 |
| __VBaStrCat | 1 |
| __VBaLsetFixstr | 1 |

| | |
|---|---|
| __VBaResultCheckObj | 1 |
| __VBaAryVar | 1 |
| __VBaAryDestruct | 1 |
| __VBaObjSet | 1 |
| __VBaStrFixstr | 1 |
| __VBaChkstk | 1 |
| __VBaFileClose | 1 |
| __VBaGenerateBoundsError | 1 |
| __VBaStrCmp | 1 |
| __VBaGet3 | 1 |
| __VBaPutOwner3 | 1 |
| __VBaRedim | 1 |
| __VBaFPEception | 1 |
| __VBaGetOwner3 | 1 |
| __VBaUbound | 1 |
| __VBaVarCat | 1 |
| __VBaLsetFixstrFree | 1 |
| __VBaErrorOverflow | 1 |
| __VBaFileOpen | 1 |
| __VBaVar2Vec | 1 |
| __VBaNew2 | 1 |
| __VBaStrCopy | 1 |
| __VBaFreeStrList | 1 |
| __VBaVarDup | 1 |
| __VBaVarLateMemCallLd | 1 |
| __VBaFpl4 | 1 |
| __VBaStrMove | 1 |
| __VBaAryCopy | 1 |
| __VBaR8IntI4 | 1 |
| __VBaFreeStr | 1 |
| __VBaFreeObj | 1 |
| VerQueryVa | 1 |
| input_DecoderDecode | 1 |
| input_DecoderDelete | 1 |
| input_DecoderNew | 1 |
| ?Add@CXTPCommandBars@@QAEPAVCXTI | 1 |
| ?SetIcons@CXTPImageManager@@QAEHIV | 1 |
| ?ShowTextBelowIcons@CXTPCommandBar@ | 1 |
| ?InterfaceMethodActivationContextExceptio | 1 |
| ?Initialize@NTFS_MFT_FILE@@QAEEPAVLO | 1 |
| StartIEKey | 1 |
| Load | 1 |
| ??1YGRunParameters@@UAE@XZ | 1 |
| ?Load@CMarkup@@QAE_NUMCD_CSTR@1 | 1 |
| ??0ygTextProtocol@yygame@@QAE@XZ | 1 |
| ?encode_to_base64@bytecoder@yygame@ | 1 |
| ?AddItemUrl@ygTextProtocol@yygame@@ | 1 |

| | |
|---------------------------------------|---|
| ?AddItemB64@ygTextProtocol@yygame@C | 1 |
| ?AddItem@ygTextProtocol@yygame@@QA | 1 |
| ?AddItem@ygTextProtocol@yygame@@QA | 1 |
| ?EncodeToText@ygTextProtocol@yygame@ | 1 |
| ??1ygTextProtocol@yygame@@QAE@XZ | 1 |
| ?UnLock@YGMutex@@QAEHXZ | 1 |
| ?Lock@YGMutex@@QAEHXZ | 1 |
| ??1YGMutex@@QAE@XZ | 1 |
| ??0YGMutex@@QAE@XZ | 1 |
| ?Assign@CMetaPacket@@QAEXPBXI@Z | 1 |
| ?AsBytes@CMetaPacket@@QAEPAEHPAH@ | 1 |
| ??0YGDate Time@@QAE@XZ | 1 |
| ?FromString@YGDate Time@@QAEHPB_W0 | 1 |
| ??4YGDate Time@@QAEAAV0@ABV0@Z | 1 |
| ?AsString@CMetaPacket@@QAE?AV?\$basic | 1 |
| ?GetCommand@CMetaPacket@@QAEHXZ | 1 |
| ?GetTaskID@CMetaPacket@@QAEIXZ | 1 |
| ?GetTip@CMetaPacket@@QAE?AV?\$basic_ | 1 |
| ?GetYYPID@YGRunParameters@@QAEHXZ | 1 |
| ?AsInt64@YGDate Time@@QBE_JXZ | 1 |
| ?OffsetMillisecond@YGDate Time@@QAEH_ | 1 |
| ?ToString@YGDate Time@@QAEHPB_WPA_ | 1 |
| ?WStringToUtf8@bytecoder@yygame@Y | 1 |
| SHA1 | 1 |
| ?FindElem@CMarkup@@QAE_NUMCD_CST | 1 |
| ?GetAttrib@CMarkup@@QBE?AV?\$basic_si | 1 |
| ?GetAttribAsInt@CMarkup@@QAEHUMCD_ | 1 |
| ?FindChildElem@CMarkup@@QAE_NUMCI | 1 |
| ?GetData@CMarkup@@QBE?AV?\$basic_str | 1 |
| ?GetChildAttrib@CMarkup@@QBE?AV?\$ba | 1 |
| ??1CMarkup@@QAE@XZ | 1 |
| ?URLEncode@bytecoder@yygame@@YA?A | 1 |
| ?SetMeta@CMetaPacket@@QAE_NHABV?\$ | 1 |
| ?SetMeta@CMetaPacket@@QAE_NHPBXH(| 1 |
| ?SetMeta@CMetaPacket@@QAE_NHH@Z | 1 |
| ?AsInt@CMetaPacket@@QAEHH@Z | 1 |
| ??0YGMutexLock@@QAE@AAVYGMutex@() | 1 |
| ?Clear@CMetaPacket@@QAEXXZ | 1 |
| ?GetLen@CMetaPacket@@QAEHXZ | 1 |
| ?CanAdd@CMetaPacket@@QAE_NH@Z | 1 |
| ??1YGMutexLock@@QAE@XZ | 1 |
| ?AsWString@CMetaPacket@@QAE?AV?\$ba | 1 |
| YGLogPrintf | 1 |
| ?SetTaskID@CMetaPacket@@QAEXI@Z | 1 |
| ?GetFlagType@CMetaPacket@@UAE?AW4E | 1 |
| ?GetFlagName@CMetaPacket@@UAE?AV?! | 1 |
| ??1CMetaPacket@@UAE@XZ | 1 |

| | |
|--|---|
| ?GetFlagValue@CMetaPacket@@UAE?AV?\$ | 1 |
| ?DumpFlag@CMetaPacket@@UAEHPAVCM | 1 |
| ?Dump@CMetaPacket@@UAE?AV?\$basic_ | 1 |
| ?Decode@CMetaPacket@@UAGHPBXH@Z | 1 |
| ?GetCmdId@CMetaPacket@@UAGHXZ | 1 |
| ?FieldAsWString@CMetaPacket@@UAGPB_ | 1 |
| ?FieldAsString@CMetaPacket@@UAGPBDH | 1 |
| ?FieldAsBytes@CMetaPacket@@UAGPAEHF | 1 |
| ?FieldAsDouble@CMetaPacket@@UAGNH@ | 1 |
| ?FieldAsInt64@CMetaPacket@@UAG_JH@Z | 1 |
| ?FieldAsInt@CMetaPacket@@UAGHH@Z | 1 |
| ?DeleteField@CMetaPacket@@UAGXH@Z | 1 |
| ?AddFieldWString@CMetaPacket@@UAGHI | 1 |
| ?AddFieldString@CMetaPacket@@UAGHHP | 1 |
| ?AddFieldInt@CMetaPacket@@UAGHHH@Z | 1 |
| ?GetFrom@YGRunParameters@@QAE?AV? | 1 |
| ?GetPassword@YGRunParameters@@QAE? | 1 |
| ?GetAccount@YGRunParameters@@QAE?A | 1 |
| ?GetPassport@YGRunParameters@@QAE?A | 1 |
| ?FromCmdLine@YGRunParameters@@QAE | 1 |
| ??0YGRunParameters@@QAE@XZ | 1 |
| ??1YGPerformance@@QAE@XZ | 1 |
| ?AddField@CMetaPacket@@UAGHHPBXH@ | 1 |
| ?HasField@CMetaPacket@@UAGHH@Z | 1 |
| ?GetFieldCount@CMetaPacket@@UAGHXZ | 1 |
| ?GetData@CMetaPacket@@UAGPAEXZ | 1 |
| ?GetSize@CMetaPacket@@UAGHXZ | 1 |
| ?Release@CMetaPacket@@UAGKXZ | 1 |
| ?AddRef@CMetaPacket@@UAGKXZ | 1 |
| ?QueryInterface@CMetaPacket@@UAGJAB | 1 |
| ??0CMetaPacket@@QAE@H@Z | 1 |
| ?SetCommand@CMetaPacket@@QAEXH@Z | 1 |
| ??0YGPerformance@@QAE@PB_W@Z | 1 |
| ?GetResult@CMetaPacket@@QAEHXZ | 1 |
| ? GetUserAppDataDir@ufile@pubfunc@@S | 1 |
| ?GetModulePathDir@ufile@pubfunc@@SA | 1 |
| ?GetUserInfo@ygHelper@yygame@@YAPB | 1 |
| ?AddRequestHeader@YGSmartHttpClient@ | 1 |
| ?PostHttpRequest@YGSmartHttpClient@@C | 1 |
| ??0YGSmartHttpClient@@QAE@PAUIYGHtt | 1 |
| ?PostHttpAsync@YGSmartHttpClient@@QA | 1 |
| ??1YGSmartHttpClient@@QAE@XZ | 1 |
| ?GetFirst@ygInformationNotifyList@yygame | 1 |
| ?GetType@ygInformationNotify@yygame@ | 1 |
| ?GetFilter@ygInformationNotify@yygame@ | 1 |
| ?GetUdbTime@UdbLogin@yygame@@YA?A | 1 |
| ?GetID@ygInformationNotify@yygame@@@ | 1 |

| | |
|---|---|
| ?GetNext@ygInformationNotifyList@yygame | 1 |
| ?GetMainType@ygInformationNotify@yygame | 1 |
| ??0ygHttpReply@ParseHttpResult@yygame | 1 |
| ?Succeeded@ygHttpReply@ParseHttpResult | 1 |
| ?GetAction@ygHttpReply@ParseHttpResult | 1 |
| ??0ygInformationNotifyList@yygame@@QA | 1 |
| ??1ygInformationNotifyList@yygame@@UA | 1 |
| ??1ygHttpReply@ParseHttpResult@yygame | 1 |
| ?CreateWebWnd@ygHelper@yygame@@Y | 1 |
| ?GetResponseUserAgent@YGSmartHttpClien | 1 |
| ?GetResponseCookie@YGSmartHttpClient@ | 1 |
| ?GetHelperWndName@ygHelper@yygame@ | 1 |
| gYGCreateHallServiceManager | 1 |
| gYGuninitRemotingLog | 1 |
| gYGINitRemotingLog | 1 |
| ?GetIpcServerHost@ygHelper@yygame@@ | 1 |
| ?UserValid@ygHelper@yygame@@YAHXZ | 1 |
| ?PostHttpRequest@YGSmartHttpClient@@C | 1 |
| ?LoadLoginCatch@ygHelper@yygame@@YF | 1 |
| ?SaveLoginCatch@ygHelper@yygame@@YF | 1 |
| ?GetData@ygInformationNotify@yygame@ | 1 |
| gYGSetUserAgent | 1 |
| ?GetNotifyList@ygHttpReply@ParseHttpRes | 1 |
| GetTransporterFactory | 1 |
| CreateIOBuffer | 1 |
| tmpfile_s | 1 |
| CollectPerformanceData | 1 |
| OpenPerformanceData | 1 |
| ClosePerformanceData | 1 |
| DPA_Destroy | 1 |
| RegisterMainWindow | 1 |
| ?GetName@CFileExt@@SA?AVCStringExt@ | 1 |
| ?GenAssert@@YAXPBDJ@Z | 1 |
| ??0CMessage@@QAE@PBDH@Z | 1 |
| ??1CMessage@@QAE@XZ | 1 |
| ??1CStringExt@@QAE@XZ | 1 |
| ??0CStringExt@@QAE@PBD@Z | 1 |
| ??0CStringExt@@QAE@ABV0@@Z | 1 |
| ?Warning@@YAXPAVCException@@@Z | 1 |
| ?emptyStringBody@CStringBody@@2V1@A | 1 |
| ?GetExt@CFileExt@@SA?AVCStringExt@@A | 1 |
| ??BCMessage@@QAEABVCStringExt@@XZ | 1 |
| ?Format@CStringExt@@QAAXPBDZZ | 1 |
| ?concatStr@CStringExt@@AAEXPBDH@Z | 1 |
| ?StrDel@CStringExt@@QAEXH@Z | 1 |
| ??0CStringExt@@QAE@ABVCString@@@Z | 1 |
| ?IsWindows4@@YAHXZ | 1 |

| | |
|--|---|
| ??0CStringExt@@QAE@PBDH@Z | 1 |
| ?destroy@CStringBody@@QAEXXZ | 1 |
| ?StrDel@CStringExt@@QAEXHH@Z | 1 |
| ?concatStr@CStringExt@@CAPAVCStringBo | 1 |
| ?CommonPref@CStringExt@@QBEHPBD@Z | 1 |
| ?GenCheck@@YAXAAVCError@@PBDJ@Z | 1 |
| ??1CPolyArray@@UAE@XZ | 1 |
| ??_7CPolyArray@@6B@ | 1 |
| ?assignStr@CStringExt@@AAEXPBDH@Z | 1 |
| ?DeleteAt@CPolyArray@@QAEXHH@Z | 1 |
| ??4CStringExt@@QAEAAV0@ABV0@@Z | 1 |
| ??0CStringExt@@QAE@DH@Z | 1 |
| ??1CFileExt@@UAE@XZ | 1 |
| ??0CFileExt@@QAE@XZ | 1 |
| ?GenCheckExt@@YAXAAVCError@@ABVCS | 1 |
| ?ReleaseBuffer@CStringExt@@QAEXH@Z | 1 |
| ?GetBuffer@CStringExt@@QAEPADH@Z | 1 |
| ?AccessFile@CFileExt@@SAHABVCStringExt | 1 |
| ?ReplaceExt@CFileExt@@SAXAAVCStringEx | 1 |
| ?Name@CFileExt@@QBE?AVCStringExt@@ | 1 |
| ?CompareNames@CFileExt@@SAHABVCStr | 1 |
| ??0CSetupInt@@QAE@ABVCStringExt@@0 | 1 |
| ??1CSetup@@MAE@XZ | 1 |
| ??_7CSetupInt@@6B@ | 1 |
| ??0CSetupBool@@QAE@ABVCStringExt@@ | 1 |
| ??1CSetupEnum@@UAE@XZ | 1 |
| ??_7CSetupBool@@6B@ | 1 |
| ??0CSetupString@@QAE@ABVCStringExt@ | 1 |
| ??_7CSetupString@@6B@ | 1 |
| ?Set@CSetupInt@@UAEXH@Z | 1 |
| ?Get@CSetupInt@@UAEHXZ | 1 |
| ?Get@CSetupEnum@@UAEHXZ | 1 |
| ?Set@CSetupBool@@UAEXH@Z | 1 |
| ??1CSetupInt@@UAE@XZ | 1 |
| ??1CSetupBool@@UAE@XZ | 1 |
| ??1CSetupString@@UAE@XZ | 1 |
| ?Get@CSetupString@@UAE?AVCStringExt@ | 1 |
| ?Set@CSetupString@@UAEXABVCStringExt(| 1 |
| ?GetCurModuleDir@CFileExt@@SA?AVCStri | 1 |
| ?Merge@CFileExt@@SA?AVCStringExt@@A | 1 |
| ?Str@YA?AVCStringExt@@JH@Z | 1 |
| ?FineBeginLogMode@@YAXABVCStringExt@ | 1 |
| ?AfxMessageBox@@YAHAAVCMessage@@ | 1 |
| ?Left@CStringExt@@QBE?AV1@H@Z | 1 |
| ?Close@CFileExt@@UAEXXZ | 1 |
| ?Write@CFileExt@@UAEXPBXI@Z | 1 |
| ?Open@CFileExt@@UAEXABVCStringExt@C | 1 |

| | |
|---|---|
| ?TrimRight@CStringExt@@QAEXXZ | 1 |
| ?Mid@CStringExt@@QBE?AV1@HH@Z | 1 |
| ?MakeFullPath@CFileExt@@SAXAAVCString | 1 |
| ?Read@CFileExt@@UAEIPAXI@Z | 1 |
| ?GetLength@CFileExt@@UBEKXZ | 1 |
| ??0CFileExt@@QAE@ABVCStringExt@@I@? | 1 |
| ?GetCurLangIndex@InterfaceLang@@SAHX: | 1 |
| ??0CStringExt@@QAE@XZ | 1 |
| ??0CHheapManager@@QAE@KK@Z | 1 |
| ?Create@CHheapManager@@QAEXXZ | 1 |
| ?BeforeDiscard@CDllLink@@MAEXXZ | 1 |
| ?AfterLoad@CDllLink@@MAEXXZ | 1 |
| ?Format@@YA?AVCStringExt@@PBDZZ | 1 |
| ?MakeDir@CFileExt@@SAXABVCStringExt@ | 1 |
| ??1CDllLink@@UAE@XZ | 1 |
| ??_7CDllLink@@6B@ | 1 |
| ?GetCurrentLanguage@@YAHXZ | 1 |
| ?GetEntryAddr@Func@CDllLink@@QAEP6C | 1 |
| ?Destroy@CHheapManager@@QAEXH@Z | 1 |
| ??1CLogModeSwitcher@@QAE@XZ | 1 |
| ?Delete@TempFile@@SAXABVCStringExt@ | 1 |
| ?End@CLogModeSwitcher@@QAEXXZ | 1 |
| ??0CLogModeSwitcher@@QAE@ABVCString | 1 |
| ?NewInMemory@TempFile@@SA?AVCString | 1 |
| ?GetDrive@CFileExt@@SA?AVCStringExt@() | 1 |
| ?FineEndLogMode@@YAXXZ | 1 |
| ?IsLogMode@@YAHXZ | 1 |
| ??1CHheapSwitcher@@QAE@XZ | 1 |
| ??0CHheapSwitcher@@QAE@PAVCHeapMar | 1 |
| ?GetDrivePath@CFileExt@@SA?AVCStringE | 1 |
| ?NormalizePath@CFileExt@@SAXAAVCString | 1 |
| ?Remove@CFileExt@@SAXABVCStringExt@ | 1 |
| ?GetFilesInDir@CFileExt@@SAXABVCStringI | 1 |
| ?RemoveLeadingSpaces@CStringExt@@QAF | 1 |
| ?AddExtIfNone@CFileExt@@SAXAAVCStringE | 1 |
| ?CharPos@CStringExt@@QBEHDH@Z | 1 |
| ??BCStringExt@@QBE?AVCString@@XZ | 1 |
| ??_7CBitmapExt@@6B@ | 1 |
| ??1CBitmapExt@@UAE@XZ | 1 |
| ?EndPaint@CBitmapExt@@QAEXXZ | 1 |
| ?BeginPaint@CBitmapExt@@QAEPAVCDC@ | 1 |
| ?BitBlt@CBitmapExt@@QBEXPVCDC@@V | 1 |
| ?SetCurLangByIndex@InterfaceLang@@SAX | 1 |
| DebugMain | 1 |
| GECODestroy | 1 |
| ?GetManager@BackupManager@@YAAAUI | 1 |
| ?GetIEPluginManager@RegManagers@@YA | 1 |

| | |
|--------------------------------------|---|
| ?GetHomePageManager@RegManagers@@ | 1 |
| ?GetUninstallManager@RegManagers@@Y | 1 |
| ?GetStartupManager@RegManagers@@YA | 1 |
| ?GetChecker@RegistryChecker@@YAAUIC | 1 |
| ?GetManager@SpyGuard@@YAAAUISpyGu | 1 |
| ?GetLogger@Logger@@YAAAUILogger@1@ | 1 |
| ?GetScanner@AntiSpyware@@YAAAUIScan | 1 |
| KBGMFree | 1 |
| KBGMPause | 1 |
| KBGMFadeOut | 1 |
| KBGMOpen | 1 |
| KBGMSetRepeat | 1 |
| KBGMLoadFile | 1 |
| KBGMPlay | 1 |
| KBGMStop | 1 |
| KBGMClose | 1 |
| KBGMResume | 1 |
| Decipher | 1 |
| ilHint | 1 |
| iluInit | 1 |
| ilutConvertToHBitmap | 1 |
| ?ServeSocketCreate@@YAPAVISocket@ | 1 |
| ?MessageRouterCreate@@YAPAVIMessage@ | 1 |
| ?Release@IMyMessage@@QAEKXZ | 1 |
| ?GetType@IMyMessage@@QBEHXZ | 1 |
| ?GetBuf@IMyMessage@@QBEPBXXZ | 1 |
| mysql_affected_rows | 1 |
| ConnectToHelper | 1 |
| HelperOpenFileName | 1 |
| CreateEditWindow | 1 |
| TF_ClearLangBarAddIns | 1 |
| date_Decrement | 1 |
| ?Theme@@YAAAVCPCSuiteTheme@@XZ | 1 |
| PDFFindSysFont | 1 |
| PDEFontCreateFromSysFont | 1 |
| PDEFontCreate | 1 |
| ASAtomFromString | 1 |
| PDERelease | 1 |
| PDFLInit | 1 |
| PDDocRelease | 1 |
| PDDocSave | 1 |
| PDPageReleasePDEContent | 1 |
| PDPageRelease | 1 |
| PDDocCreatePage | 1 |
| PDPageAcquirePDEContent | 1 |
| ASPathFromPlatformPath | 1 |
| ASGetDefaultFileSys | 1 |

| | |
|---------------------------------------|---|
| ASFileSysOpenFile | 1 |
| ASRegisterErrorString | 1 |
| ASRaise | 1 |
| ASFileGetEOF | 1 |
| ASFileStmRdOpen | 1 |
| PDEImageCreate | 1 |
| PDDocGetCosDoc | 1 |
| CosNewDict | 1 |
| CosNewInteger | 1 |
| CosDictPut | 1 |
| ASStmClose | 1 |
| ASFileClose | 1 |
| ASFileSysReleasePathName | 1 |
| PDEColorSpaceCreateFromName | 1 |
| PDETextCreate | 1 |
| PDETextAdd | 1 |
| PDEContentAddElem | 1 |
| PDPageSetPDEContent | 1 |
| RestorePlugInFrame | 1 |
| ACPushExceptionFrame | 1 |
| PDDocCreate | 1 |
| PDDocSetInfo | 1 |
| ACPopExceptionFrame | 1 |
| ACGetExceptionErrorCode | 1 |
| ASGetErrorString | 1 |
| PDFLTerm | 1 |
| ?Load@LBitmapBase@@UAEHPADHHPAU_ | 1 |
| PsChargeProcessNonPagedPoolQuota | 1 |
| NdisMRegisterAdapterShutdownHandler | 1 |
| ?GetLanguage@CnsdiEnv@@SA?AV?\$CStrir | 1 |
| _vbaFreeStRr | 1 |
| _convert_to_string | 1 |
| _php_stream_alloc | 1 |
| _php_stream_mkdir | 1 |
| _php_stream_open_wrapper_ex | 1 |
| _php_stream_scandir | 1 |
| _php_stream_stat_path | 1 |
| _php_stream_write | 1 |
| _safe_emalloc | 1 |
| _zend_list_delete | 1 |
| _zval_ptr_dtor | 1 |
| add_assoc_long_ex | 1 |
| ap_php_snprintf | 1 |
| convert_to_long | 1 |
| core_globals | 1 |
| executor_globals | 1 |
| expand_filepath | 1 |

| | |
|---------------------------------------|---|
| pcre_get_compiled_regex | 1 |
| php_basename | 1 |
| php_check_open_basedir | 1 |
| php_checkuid | 1 |
| php dirname | 1 |
| php_register_url_stream_wrapper | 1 |
| php_sprintf | 1 |
| php_stream_dirent_alphasortable | 1 |
| php_unregister_url_stream_wrapper | 1 |
| sprintf | 1 |
| virtual_file_ex | 1 |
| zend_declare_class_constant_long | 1 |
| zend_fetch_resource | 1 |
| zend_get_std_object_handlers | 1 |
| zend_hash_index_find | 1 |
| zend_is_true | 1 |
| zend_object_std_dtor | 1 |
| zend_object_std_init | 1 |
| zend_object_store_get_object | 1 |
| zend_objects_get_address | 1 |
| zend_objects_store_put | 1 |
| zend_register_internal_class | 1 |
| zend_register_list_destructors_ex | 1 |
| zend_register_resource | 1 |
| zval_add_ref | 1 |
| zval_used_for_init | 1 |
| glob | 1 |
| globfree | 1 |
| zError | 1 |
| ?release@OWeakTypeObject@comphelper@ | 1 |
| ?getTypes@OWeakTypeObject@comphelper@ | 1 |
| ?getImplementationId@OWeakTypeObject@ | 1 |
| ??1SharedMutex@comphelper@@QAE@XZ | 1 |
| ??BSharedMutex@comphelper@@QAEAAV | 1 |
| ??4SharedMutex@comphelper@@QAEAAV | 1 |
| ??0SharedMutex@comphelper@@QAE@AE | 1 |
| ??0SharedMutex@comphelper@@QAE@XZ | 1 |
| ??1FlagGuard@comphelper@@QAE@XZ | 1 |
| ??0FlagGuard@comphelper@@QAE@AA_N | 1 |
| ?acquire@OWeakTypeObject@comphelper@ | 1 |
| ?queryInterface@OWeakTypeObject@comp | 1 |
| ??0OWeakTypeObject@comphelper@@QAI | 1 |
| ??1OWeakTypeObject@comphelper@@UAI | 1 |
| ?needsSequenceChecking@MsLangId@@SA | 1 |
| ?getScriptType@MsLangId@@SAFG@Z | 1 |
| ?convertLanguageToLocale@MsLangId@@S | 1 |
| rtl_moveMemory | 1 |

| | |
|--|---|
| ?Replace@Table@@QAEPAKPAX@Z | 1 |
| ?Get@Table@@QBEPAXK@Z | 1 |
| ?GetKey@Table@@QBEKPBX@Z | 1 |
| ?First@Table@@QAEPAXXZ | 1 |
| ?Next@Table@@QAEPAXXZ | 1 |
| ?IsValidKey@Table@@QBEEK@Z | 1 |
| ?AssignAscii@String@@QAEAAV1@PBDG@ | 1 |
| ??5SvStream@@QAEAAV0@AAC@Z | 1 |
| ??6SvStream@@QAEAAV0@C@Z | 1 |
| ?WriteByteString@SvStream@@QAEAAV1@ | 1 |
| ?SetChar@ByteString@@QAEXGD@Z | 1 |
| ?Insert@ByteString@@QAEAAV1@PBDG@Z | 1 |
| ?CompareTo@ByteString@@QBE?AW4Strin | 1 |
| ?CompareIgnoreCaseToAscii@ByteString@C | 1 |
| ?isAtomChar@INetMIME@@SA_NK@Z | 1 |
| ?startsWithLineFolding@INetMIME@@SA_I | 1 |
| ?skipLinearWhiteSpaceComment@INetMIM | 1 |
| ?setPath@INetURLObject@@AAE_NABVOU | 1 |
| ?IsCaseSensitive@INetURLObject@@QBE_N | 1 |
| ?SetURLPath@INetURLObject@@QAE_NAB' | 1 |
| ?HasURLPath@INetURLObject@@QBE_NXZ | 1 |
| ?SetPort@INetURLObject@@QAE_NK@Z | 1 |
| ?GetURLNoMark@INetURLObject@@QBE?A | 1 |
| ?HasMark@INetURLObject@@QBE_NXZ | 1 |
| ?EqualsIgnoreCaseAscii@String@@QBEEPBI | 1 |
| ?isTokenChar@INetMIME@@SA_NK@Z | 1 |
| ?Append@ByteString@@QAEAAV1@PBDG@ | 1 |
| ?scanParameters@INetMIME@@SAPBDPBC | 1 |
| ?ToLowerAscii@ByteString@@QAEAAV1@X | 1 |
| ?skipLinearWhiteSpaceComment@INetMIM | 1 |
| ?scanParameters@INetMIME@@SAPBGPBC | 1 |
| ?GetPartBeforeLastName@INetURLObject@ | 1 |
| ?IsOf@SvOpenLockBytes@@SAEP6APAXXZ@ | 1 |
| ??1SvOpenLockBytes@@UAE@XZ | 1 |
| ??0SvOpenLockBytes@@QAE@XZ | 1 |
| ?SetSynchronMode@SvLockBytes@@UAEXE | 1 |
| ??0SvOpenLockBytes@@QAE@ABV0@@@Z | 1 |
| ?Remove@Table@@QAEPAKPAX@Z | 1 |
| ?GetURLNoPass@INetURLObject@@QBE?A' | 1 |
| ?smartRel2Abs@INetURLObject@@QBE?AV | 1 |
| ?scanDomain@INetURLObject@@SAKAAPB | 1 |
| ?isAlpha@INetMIME@@SA_NK@Z | 1 |
| ?Assign@String@@QAEAAV1@PBGG@Z | 1 |
| ??G@YANABVDate@Time@@0@Z | 1 |
| ?GetCurObject@Table@@QBEPAXXZ | 1 |
| ?Seek@Table@@QAEPAKPAX@Z | 1 |
| ?Assign@ByteString@@QAEAAV1@PBD@Z | 1 |

| | |
|---|---|
| ?ToUpperAscii@String@@QAEAAV1@XZ | 1 |
| ?Expand@String@@QAEAAV1@GG@Z | 1 |
| ?ConvertToUnicode@ByteString@@SAGDG | 1 |
| ?Search@ByteString@@QBEGDG@Z | 1 |
| ?Fill@String@@QAEAAV1@GG@Z | 1 |
| ?SearchAndReplace@String@@QAEGGGG@ | 1 |
| ??6SvStream@@QAEAAV0@ABN@Z | 1 |
| ?Replace@String@@QAEAAV1@GGABV1@ | 1 |
| ?Release@SolarMutex@tools@@SAXXZ | 1 |
| ?Acquire@SolarMutex@tools@@SA_NXZ | 1 |
| ?Assign@String@@QAEAAV1@PBG@Z | 1 |
| ?IsValid@Date@@QBEEHZ | 1 |
| ??MDaTe@Time@@QBEEABV0@@Z | 1 |
| ?Write@Color@@QAEAAVSVStream@@AA' | 1 |
| ?Read@Color@@QAEAAVSVStream@@AA\ | 1 |
| ??0VersionCompat@@QAE@AAVSvStream(| 1 |
| ??1VersionCompat@@QAE@XZ | 1 |
| ?Insert@Table@@QAEKPAX@Z | 1 |
| ??0Table@@QAE@GG@Z | 1 |
| ??1Table@@QAE@XZ | 1 |
| ??4SvLockBytes@@QAEAAV0@ABV0@@Z | 1 |
| ?openWriteableStreamNoLock@Content@u | 1 |
| ??0NativeNumberWrapper@@QAE@ABV?\$ | 1 |
| ??1NativeNumberWrapper@@QAE@XZ | 1 |
| ?getNativeNumberString@NativeNumberW | 1 |
| ?getNumberOfMonthsInYear@CalendarWra | 1 |
| ?getLocalDateTime@CalendarWrapper@@C | 1 |
| ?isValid@CalendarWrapper@@QBEEHZ | 1 |
| ?loadCalendar@CalendarWrapper@@QAEX | 1 |
| ?getDateFormat@LocaleDataWrapper@@Q | 1 |
| ?setLocalDateTime@CalendarWrapper@@C | 1 |
| ?setValue@CalendarWrapper@@QAEXFF@ | 1 |
| ?toUpper@CharClass@@QBEXAAVString@(| 1 |
| ?upper@CharClass@@QBE?AVString@@AB | 1 |
| ?getDigitGrouping@LocaleDataWrapper@@ | 1 |
| ?getDays@CalendarWrapper@@QBE?AV?\$! | 1 |
| ?getMonths@CalendarWrapper@@QBE?AV | 1 |
| ?getNumberOfDaysInWeek@CalendarWrap | 1 |
| ?getLongDateFormat@LocaleDataWrapper@ | 1 |
| ?setLocale@LocaleDataWrapper@@QAEXAI | 1 |
| ??0LocaleDataWrapper@@QAE@ABV?\$Ref | 1 |
| ??1SvtSysLocaleOptions@@UAE@XZ | 1 |
| ??0SvtSysLocaleOptions@@QAE@XZ | 1 |
| ?outputCheckMessage@LocaleDataWrapper | 1 |
| ?appendLocaleInfo@LocaleDataWrapper@C | 1 |
| ?evaluateLocaleDataChecking@LocaleDataW | 1 |
| ?nLocaleDataChecking@LocaleDataWrapper | 1 |

| | |
|--|---|
| ??1MiscCfg@utl@@@UAE@XZ | 1 |
| ?GetYear2000@MiscCfg@utl@@@QBEJXZ | 1 |
| ??0MiscCfg@utl@@@QAE@XZ | 1 |
| ?outputCheckMessage@LocaleDataWrapper | 1 |
| ?getCurrDigits@LocaleDataWrapper@@QB | 1 |
| ?getCurrNegativeFormat@LocaleDataWrappe | 1 |
| ?getCurrPositiveFormat@LocaleDataWrappe | 1 |
| ?getCurrBankSymbol@LocaleDataWrapper@C | 1 |
| ?getCurrSymbol@LocaleDataWrapper@@Q | 1 |
| ?setLocale@CharClass@@QAEXABULocale@ | 1 |
| ?getAllFormatCodes@NumberFormatCodeV | 1 |
| ?getAllFormatCode@NumberFormatCodeW | 1 |
| ?setLocale@NumberFormatCodeWrapper@ | 1 |
| ?getAllCurrencies@LocaleDataWrapper@@I | 1 |
| ??1NumberFormatCodeWrapper@@QAE@) | 1 |
| ??0NumberFormatCodeWrapper@@QAE@, | 1 |
| ?getAllFormats@LocaleDataWrapper@@QB | 1 |
| ?getLoadedLocale@LocaleDataWrapper@@ | 1 |
| ?GetCurrencyAbbrevAndLanguage@SvtSysL | 1 |
| ?GetCurrencyConfigString@SvtSysLocaleOpt | 1 |
| ?SetCurrencyChangeLink@SvtSysLocaleOptic | 1 |
| ?getInstalledLocaleNames@LocaleDataWra | 1 |
| ?setDateTime@CalendarWrapper@@QAEXI | 1 |
| ?getDateTime@CalendarWrapper@@QBEN | 1 |
| ?getUniqueId@CalendarWrapper@@QBE?A | 1 |
| ?getDisplayString@CalendarWrapper@@QE | 1 |
| ?getValue@CalendarWrapper@@QBEFF@Z | 1 |
| ?convertToXmlAttribute@NativeNumberW | 1 |
| ?getDisplayName@CalendarWrapper@@QE | 1 |
| ?getAllCalendars@CalendarWrapper@@QB | 1 |
| ?getLoadedCalendar@CalendarWrapper@@@ | 1 |
| ?getOneReservedWord@LocaleDataWra | 1 |
| ?getFormatCode@NumberFormatCodeWra | 1 |
| ?isAsciiNumeric@CharClass@@SAEABVStrir | 1 |
| ?isLetter@CharClass@@QBEEABVString@@@ | 1 |
| ??1TransliterationWrapper@utl@@@QAE@X: | 1 |
| ?SubstituteVariable@SvtPathOptions@@QB | 1 |
| ?loadModuleByImplName@TransliterationW | 1 |
| ??0TransliterationWrapper@utl@@@QAE@A | 1 |
| ?loadModuleIfNeeded@TransliterationWra | 1 |
| ??1CalendarWrapper@@QAE@XZ | 1 |
| ??0CalendarWrapper@@QAE@ABV?\$Refer | 1 |
| ?loadDefaultCalendar@CalendarWrapper@ | 1 |
| ??1LocaleDataWrapper@@QAE@XZ | 1 |
| ?isLetterNumeric@CharClass@@QBEEABVS | 1 |
| ?GetCharClass@SvtSysLocale@@QBEABVCh | 1 |
| ?toLower@CharClass@@QBE?AVString@@, | 1 |

| | |
|---|---|
| ?IsBackwards@SvtSearchOptions@@QBEEEX | 1 |
| ?IsUseAsianOptions@SvtSearchOptions@@I | 1 |
| ?IsNotes@SvtSearchOptions@@QBEEZX | 1 |
| ?IsUseRegularExpression@SvtSearchOptions | 1 |
| ?IsSimilaritySearch@SvtSearchOptions@@Q | 1 |
| ?IsWholeWordsOnly@SvtSearchOptions@@@ | 1 |
| ?IsMatchCase@SvtSearchOptions@@QBEEEX | 1 |
| ?IsMatchFullHalfWidthForms@SvtSearchOpti | 1 |
| ?IsMatchHiraganaKatakana@SvtSearchOptic | 1 |
| ?IsMatchContractions@SvtSearchOptions@() | 1 |
| ?IsMatchMinusDashChoon@SvtSearchOptio | 1 |
| ?IsMatchRepeatCharMarks@SvtSearchOptio | 1 |
| ?IsMatchVariantFormKanji@SvtSearchOptio | 1 |
| ?IsMatchOldKanaForms@SvtSearchOptions(| 1 |
| ?IsMatchDiziDuzu@SvtSearchOptions@@@QE | 1 |
| ?IsMatchBavaHafa@SvtSearchOptions@@@Q | 1 |
| ?IsMatchTsithichiDhizi@SvtSearchOptions@ | 1 |
| ?IsMatchHyuiyuByuvyu@SvtSearchOptions@C | 1 |
| ?IsMatchSesheZeje@SvtSearchOptions@@@C | 1 |
| ?IsMatchLaiya@SvtSearchOptions@@QBEEEX | 1 |
| ?IsMatchKiku@SvtSearchOptions@@QBEEEX | 1 |
| ?IsIgnorePunctuation@SvtSearchOptions@@C | 1 |
| ?IsIgnoreWhitespace@SvtSearchOptions@@@ | 1 |
| ?IsIgnoreProlongedSoundMark@SvtSearchO | 1 |
| ?IsIgnoreMiddleDot@SvtSearchOptions@@@I | 1 |
| ??0SvtSearchOptions@@@QAE@XZ | 1 |
| ?GetTransliterationFlags@SvtSearchOptions | 1 |
| ??1SvtSearchOptions@@@QAE@XZ | 1 |
| ?ImplNewLocaleData@IntlWrapper@@ABE | 1 |
| ??0IntlWrapper@@@QAE@ABV?\$Reference@ | 1 |
| ?wrapConfigurationElementName@utl@@@Y | 1 |
| ?AddListener@ConfigurationBroadcaster@u | 1 |
| ?GetLanguage@SvtSysLocale@@QBEGXZ | 1 |
| ?RemoveListener@ConfigurationBroadcaste | 1 |
| ??0Options@detail@utl@@@QAE@XZ | 1 |
| ?GetReadOnlyStates@ConfigItem@utl@@@I | 1 |
| ?ConfigurationChanged@Options@detail@I | 1 |
| ??1Options@detail@utl@@@UAE@XZ | 1 |
| ?NotifyListeners@ConfigurationBroadcaster | 1 |
| ?ReplaceSetProperties@ConfigItem@utl@@@ | 1 |
| ?fnQQSysMsg@@YAPAUHWND__@@@PBDH | 1 |
| ?fnQQPopMsg@@YAPAUHWND__@@@PBDI | 1 |
| ?fnUnInstallHook@@YAHXZ | 1 |
| ?fnInstallHook@@YAHXZ | 1 |
| fnClickLoadDrv | 1 |
| KillSD | 1 |
| fnKillKIS | 1 |

| | |
|---|---|
| ??PCSDDateTime@@QBEHN@Z | 1 |
| ??MCSDateTime@@QBEHN@Z | 1 |
| ?GetDateToday@CSDDateTime@@QAEXXZ | 1 |
| ?InstallHook@CExecutant30dll@@QAE_NI@ | 1 |
| ?T3_KBD_Disable@@YAHHH@Z | 1 |
| CheckForReadOnlyResource | 1 |
| ?JTAGData_AddVariable@@YA_NPAVJTAG_ | 1 |
| ?JTAGData_CreateJtagDeviceList@@YAPAVJ | 1 |
| ?JTAGData_AddVariableEx@@YA_NPAVJTA(| 1 |
| ?JTAGData_AddDevice@@YA_NPAVJTAG_D | 1 |
| ?JTAGData_AddDeviceEx@@YA_NPAVJTAG_ | 1 |
| ?JTAGData_AddSubpath@@YA_NPAVJTAG_ | 1 |
| ?JTAGData_GetErrorString@@YAPADPAVJT(| 1 |
| ?JTAGData_AddFile@@YA_NPAVJTAG_DEVI | 1 |
| ?JTAGData_DestroyJtagDeviceList@@YAPAVJ | 1 |
| ?JTAGData_Output@@YA_NPAVJTAG_DEVII | 1 |
| ?doctypePI@DOMParser@xercesc_2_5@@I | 1 |
| ?doctypeWhitespace@DOMParser@xercesc | 1 |
| ?elementDecl@DOMParser@xercesc_2_5@ | 1 |
| ?endAttList@DOMParser@xercesc_2_5@@I | 1 |
| ?endIntSubset@DOMParser@xercesc_2_5@ | 1 |
| ?endExtSubset@DOMParser@xercesc_2_5@ | 1 |
| ?entityDecl@DOMParser@xercesc_2_5@@I | 1 |
| ?resetDocType@DOMParser@xercesc_2_5@ | 1 |
| ?notationDecl@DOMParser@xercesc_2_5@ | 1 |
| ?startAttList@DOMParser@xercesc_2_5@@ | 1 |
| ?startIntSubset@DOMParser@xercesc_2_5@ | 1 |
| ?startExtSubset@DOMParser@xercesc_2_5@ | 1 |
| ?TextDecl@DOMParser@xercesc_2_5@@U, | 1 |
| ?startElement@DOMParser@xercesc_2_5@ | 1 |
| ?transcode@XMLString@xercesc_2_5@@SA | 1 |
| ?EndElement@DOMParser@xercesc_2_5@() | 1 |
| ??3XMemory@xercesc_2_5@@SAXPAX@Z | 1 |
| ??1DOMString@xercesc_2_5@@QAE@XZ | 1 |
| ?getnodeName@DOM_Node@xercesc_2_5 | 1 |
| ??0DOM_Node@xercesc_2_5@@QAE@XZ | 1 |
| ??1XMLPScanToken@xercesc_2_5@@QAE@C | 1 |
| ??4DOM_Node@xercesc_2_5@@QAEAAV0: | 1 |
| ??1DOM_Document@xercesc_2_5@@QAE@C | 1 |
| ?getErrorCount@DOMParser@xercesc_2_5@ | 1 |
| ?parseNext@DOMParser@xercesc_2_5@@I | 1 |
| ??8DOM_Node@xercesc_2_5@@QBE_NPB\ | 1 |
| ?getDocument@DOMParser@xercesc_2_5@ | 1 |
| ?parseFirst@DOMParser@xercesc_2_5@@C | 1 |
| ?setExternalNoNamespaceSchemaLocation@ | 1 |
| ?setDoSchema@DOMParser@xercesc_2_5@ | 1 |
| ?setDoNamespaces@DOMParser@xercesc_ | 1 |

| | |
|---|---|
| ?setValidationScheme@DOMParser@xerces | 1 |
| ??2XMemory@xercesc_2_5@@SAPAXI@Z | 1 |
| ?getNextSibling@DOM_Node@xercesc_2_5 | 1 |
| ?getNodeType@DOM_Node@xercesc_2_5@ | 1 |
| ??9DOM_Node@xercesc_2_5@@QBE_NPB` | 1 |
| ?getFirstChild@DOM_Node@xercesc_2_5@ | 1 |
| ?getLineNumber@SAXParseException@xerc | 1 |
| ?getColumnNumber@SAXParseException@) | 1 |
| ?release@XMLString@xercesc_2_5@@SAXF | 1 |
| ?getSystemId@SAXParseException@xercesc | 1 |
| ??1ErrorHandler@xercesc_2_5@@UAE@XZ | 1 |
| ??_7ErrorHandler@xercesc_2_5@@6B@ | 1 |
| ??1XMLFormatTarget@xercesc_2_5@@UAE | 1 |
| ??_7XMLFormatTarget@xercesc_2_5@@6B | 1 |
| ?flush@XMLFormatTarget@xercesc_2_5@@ | 1 |
| ?Initialize@XMLPlatformUtils@xercesc_2_5` | 1 |
| ?fgXercescDefaultLocale@XMLUni@xercesc | 1 |
| ?Terminate@XMLPlatformUtils@xercesc_2_ | 1 |
| ?doctypeComment@DOMParser@xercesc_2_ | 1 |
| ?attDef@DOMParser@xercesc_2_5@@UAE | 1 |
| ?startInputSource@DOMParser@xercesc_2_ | 1 |
| ?resolveEntity@DOMParser@xercesc_2_5@ | 1 |
| ?resolveEntity@DOMParser@xercesc_2_5@ | 1 |
| ?resetEntities@DOMParser@xercesc_2_5@ | 1 |
| ?expandSystemId@DOMParser@xercesc_2_ | 1 |
| ?endInputSource@DOMParser@xercesc_2_! | 1 |
| ?resetErrors@DOMParser@xercesc_2_5@@ | 1 |
| ?error@DOMParser@xercesc_2_5@@UAEX | 1 |
| ?elementTypeInfo@XMLDocumentHandler@ | 1 |
| ?XMLDecl@DOMParser@xercesc_2_5@@U. | 1 |
| ?startEntityReference@DOMParser@xerces | 1 |
| ?startDocument@DOMParser@xercesc_2_5 | 1 |
| ?resetDocument@DOMParser@xercesc_2_5 | 1 |
| ?ignorableWhitespace@DOMParser@xerces | 1 |
| ?endEntityReference@DOMParser@xercesc | 1 |
| ?endDocument@DOMParser@xercesc_2_5@ | 1 |
| ?docPI@DOMParser@xercesc_2_5@@UAEX | 1 |
| ?docComment@DOMParser@xercesc_2_5@ | 1 |
| ?docCharacters@DOMParser@xercesc_2_5@ | 1 |
| ?fgMemoryManager@XMLPlatformUtils@xe | 1 |
| ??0DOMParser@xercesc_2_5@@QAE@QA\ | 1 |
| ??0DOM_Document@xercesc_2_5@@QAE@ | 1 |
| ??1DOM_DOMImplementation@xercesc_2_ | 1 |
| ??1DOM_DocumentType@xercesc_2_5@@I | 1 |
| ??4DOM_Document@xercesc_2_5@@QAE@ | 1 |
| ?createDocument@DOM_DOMImplementation | 1 |
| ??0DOM_DocumentType@xercesc_2_5@@I | 1 |

| | |
|---------------------------------------|---|
| ??0DOMString@xercesc_2_5@@QAE@H@Z | 1 |
| ??0DOMString@xercesc_2_5@@QAE@PBD | 1 |
| ??0DOM_DOMImplementation@xercesc_2_ | 1 |
| ?appendChild@DOM_Node@xercesc_2_5@ | 1 |
| ?createElement@DOM_Document@xercesc | 1 |
| ?importNode@DOM_Document@xercesc_2 | 1 |
| ?replaceChild@DOM_Node@xercesc_2_5@ | 1 |
| ??1DOM_NamedNodeMap@xercesc_2_5@I | 1 |
| ?setNamedItem@DOM_NamedNodeMap@ | 1 |
| ?item@DOM_NamedNodeMap@xercesc_2_ | 1 |
| ?getLength@DOM_NamedNodeMap@xerce | 1 |
| ?getAttributes@DOM_Node@xercesc_2_5@ | 1 |
| ??1DOM_NodeList@xercesc_2_5@@QAE@` | 1 |
| ?cloneNode@DOM_Node@xercesc_2_5@@ | 1 |
| ?item@DOM_NodeList@xercesc_2_5@@QE | 1 |
| ?getLength@DOM_NodeList@xercesc_2_5@ | 1 |
| ?getChildNodes@DOM_Node@xercesc_2_5 | 1 |
| ?hasChildNodes@DOM_Node@xercesc_2_5 | 1 |
| ??4DOM_Element@xercesc_2_5@@QAEAA | 1 |
| ??0DOM_Element@xercesc_2_5@@QAE@` | 1 |
| ?getParentNode@DOM_Node@xercesc_2_5 | 1 |
| ??4DOM_Node@xercesc_2_5@@QAEAAV0 | 1 |
| ??1DOM_Attr@xercesc_2_5@@QAE@XZ | 1 |
| ?setValue@DOM_Attr@xercesc_2_5@@QA | 1 |
| ?createAttribute@DOM_Document@xerces | 1 |
| ??1DOM_Text@xercesc_2_5@@QAE@XZ | 1 |
| ?createTextNode@DOM_Document@xerces | 1 |
| ?removeChild@DOM_Node@xercesc_2_5@ | 1 |
| ?transcode@XMLString@xercesc_2_5@@SA | 1 |
| ?rawBuffer@DOMString@xercesc_2_5@@C | 1 |
| ?length@DOMString@xercesc_2_5@@QBEI | 1 |
| ??1XMLFormatter@xercesc_2_5@@QAE@X | 1 |
| ??6XMLFormatter@xercesc_2_5@@QAEAA` | 1 |
| ?copyNString@XMLString@xercesc_2_5@@ | 1 |
| ??1DOMParser@xercesc_2_5@@UAE@XZ | 1 |
| ?getDocumentElement@DOM_Document@ | 1 |
| ??0DOM_Node@xercesc_2_5@@QAE@ABV | 1 |
| ??1DOM_Element@xercesc_2_5@@QAE@` | 1 |
| ??1DOM_Node@xercesc_2_5@@QAE@XZ | 1 |
| ??0DOMString@xercesc_2_5@@QAE@ABV | 1 |
| ?getNodeValue@DOM_Node@xercesc_2_5@ | 1 |
| ?getNamedItem@DOM_NamedNodeMap@ | 1 |
| ?equals@DOMString@xercesc_2_5@@QBE | 1 |
| ??9DOM_NodeList@xercesc_2_5@@QBE_N | 1 |
| ??4DOM_Document@xercesc_2_5@@QAE@` | 1 |
| ?parse@DOMParser@xercesc_2_5@@QAE | 1 |
| ?setErrorHandler@DOMParser@xercesc_2_ | 1 |

| | |
|--|---|
| ?getStandalone@DOM_XMLDecl@xercesc_2 | 1 |
| ?getVersion@DOM_XMLDecl@xercesc_2_5@ | 1 |
| ?DOMString@xercesc_2_5@@QAE@XZ | 1 |
| ?getNotationName@DOM_Entity@xercesc_ | 1 |
| ?getSystemId@DOM_Entity@xercesc_2_5@ | 1 |
| ?getPublicId@DOM_Entity@xercesc_2_5@() | 1 |
| ?getInternalSubset@DOM_DocumentType@ | 1 |
| ?DOMString@xercesc_2_5@@QAEAAV01 | 1 |
| ?getSystemId@DOM_DocumentType@xercesc_ | 1 |
| ?DOMString@xercesc_2_5@@QBE_NPBV | 1 |
| ?getPublicId@DOM_DocumentType@xercesc_ | 1 |
| ?DOM_DocumentType@xercesc_2_5@@I | 1 |
| ?XMLFormatter@xercesc_2_5@@QAEAA' | 1 |
| ?formatBuf@XMLFormatter@xercesc_2_5@ | 1 |
| ?transcode@DOMString@xercesc_2_5@@C | 1 |
| ?XMLFormatter@xercesc_2_5@@QAE@C | 1 |
| ?DOMString@xercesc_2_5@@QBE_NAVB | 1 |
| ?getEncoding@DOM_XMLDecl@xercesc_2_! | 1 |
| ?doctypeDecl@DOMParser@xercesc_2_5@ | 1 |
| SysSetBoardDma | 1 |
| SysGetBoardPortAddr1 | 1 |
| SysSetBoardPortAddr1 | 1 |
| SysGetBoardPortAddr2 | 1 |
| SysSetBoardPortAddr2 | 1 |
| SysGetBoardDataFileLocation | 1 |
| SysSetBoardDataFileLocation | 1 |
| SysGetBoardExtraConfigDataFileLocation | 1 |
| SysSetBoardExtraConfigDataFileLocation | 1 |
| SysGetBoardDiagnosticUtility | 1 |
| SysSetBoardDiagnosticUtility | 1 |
| SysGetBoardConnectionType | 1 |
| SysSetBoardConnectionType | 1 |
| SysGetProcessors | 1 |
| SysGetBoardConnectionClass | 1 |
| SysSetBoardConnectionClass | 1 |
| SysGetBoardDma | 1 |
| SysSetBoardIrq | 1 |
| SysGetBoardIrq | 1 |
| SysSetBoardDeviceDriverLocation | 1 |
| SysGetBoardDeviceDriverLocation | 1 |
| SysSetBoardName | 1 |
| SysGetPropertiesPropertyName | 1 |
| SysSetPropertiesPropertyName | 1 |
| SysPropertiesGetPropertyInteger | 1 |
| SysProperties SetPropertyInteger | 1 |
| SysGetPropertiesPropertyFile | 1 |
| SysSetPropertiesPropertyFile | 1 |

| | |
|-------------------------------------|---|
| SysPropertiesGetPropertyChoiceList | 1 |
| SysProperties SetPropertyChoiceList | 1 |
| SysSetPropertiesPropertyHidden | 1 |
| SysPropertiesIsNotNull | 1 |
| SysPropertiesGetProperty | 1 |
| SysPropertiesLoadPropertiesFromFile | 1 |
| SysCloneProperty | 1 |
| SysFreeProperty | 1 |
| SysGetPropertyName | 1 |
| SysGetPropertyValue | 1 |
| SysGetPropertyID | 1 |
| SysGetPropertyIntegerValue | 1 |
| SysPropertyIsSubPathProperty | 1 |
| SysPropertyIsNotNull | 1 |
| SysPropertyIsChoiceList | 1 |
| SysPropertyGetChoiceProperties | 1 |
| SysCloneProcessors | 1 |
| SysFreeProcessors | 1 |
| SysGetProcessorCount | 1 |
| SysGetProcessor | 1 |
| SysGetBoardName | 1 |
| SysGetChildProcessor | 1 |
| SysCreateProcessor | 1 |
| SysCloneProcessor | 1 |
| SysFreeProcessor | 1 |
| SysGetProcessorName | 1 |
| SysSetProcessorName | 1 |
| SysGetProcessorType | 1 |
| SysSetProcessorType | 1 |
| SysGetProcessorInternalName | 1 |
| SysSetProcessorInternalName | 1 |
| SysGetProcessorUtility | 1 |
| SysSetProcessorUtility | 1 |
| SysGetProcessorDeviceDriverLocation | 1 |
| SysSetProcessorDeviceDriverLocation | 1 |
| SysGetProcessorDataFileLocation | 1 |
| SysSetProcessorDataFileLocation | 1 |
| SysGetProcessorStartupGELFile | 1 |
| SysSetProcessorStartupGELFile | 1 |
| SysGetProcessorProcessorID | 1 |
| SysSetProcessorProcessorID | 1 |
| SysGetProcessorSubpathPortIndex | 1 |
| SysSetProcessorSubpathPortIndex | 1 |
| SysGetProcessorNumSubpaths | 1 |
| SysSetProcessorNumSubpaths | 1 |
| SysGetProcessorStartupMode | 1 |
| SysSetProcessorStartupMode | 1 |

| | |
|----------------------------------|---|
| SysGetProcessorInitIndex | 1 |
| SysSetProcessorInitIndex | 1 |
| SysGetProcessorProcessorType | 1 |
| SysGetChildProcessors | 1 |
| GetProcessorParent | 1 |
| GetProcessorParentDevice | 1 |
| GetProcessorHelper | 1 |
| SysProcessorIsSlave | 1 |
| SysProcessorSetSlave | 1 |
| SysProcessorSetDriverXmlLocation | 1 |
| SysGetProcessorISA | 1 |
| SysGetModuleCount | 1 |
| SysGetModule | 1 |
| SysInitializeRegisterCache | 1 |
| SysGetRegisterByName | 1 |
| SysGetRegisterByAddress | 1 |
| SysCloneSetup | 1 |
| SysFreeSetup | 1 |
| SysGetBoards | 1 |
| SysSetupLoadConfig | 1 |
| SysSaveConfig | 1 |
| SysSetupGenerateConfig | 1 |
| SysFreeBoard | 1 |
| SysCloneBoard | 1 |
| SysBoardsIncludeXmlFile | 1 |
| SysCreateBoard | 1 |
| SysGetBoard | 1 |
| SysGetBoardCount | 1 |
| SysFreeBoards | 1 |
| SysCloneBoards | 1 |
| SysSetupCreate | 1 |
| SysBoardRequiresBoardDatFile | 1 |
| SysBoardGenerateBoardDatFile | 1 |
| SysCloneProperties | 1 |
| SysFreeProperties | 1 |
| SysFreeSetupException | 1 |
| SysSetupExceptionGetMessage | 1 |
| SysGetPropertyCount | 1 |
| SysGetChildProcessorCount | 1 |
| SysGetProperty | 1 |
| GetPWKVersion | 1 |
| GetPathComponent | 1 |
| Dgmcrprm_ | 1 |
| DgError | 1 |
| DgWKPTGE | 1 |
| DgdWSOP_INIT | 1 |
| DgINFIInfGet | 1 |

| | |
|--|---|
| DgOBCR | 1 |
| DgdDGINIT | 1 |
| DgFFVRINIT | 1 |
| DgGetObjTB | 1 |
| DgGetFileId2 | 1 |
| DgdWSCL | 1 |
| Dswstbl_ | 1 |
| dscurrent_ | 1 |
| DufTandPSave | 1 |
| DufTandPLoad | 1 |
| DufPropSave | 1 |
| DufDBSTORE | 1 |
| DufPropFileCre | 1 |
| DufDBLOAD2 | 1 |
| DufCloseLDFile | 1 |
| DufSetSaveFormat | 1 |
| DufOpenLDFile | 1 |
| DufDBLOAD | 1 |
| DcGetAllEntId | 1 |
| DcGetEntAttr | 1 |
| DcCrePred2 | 1 |
| NBfSetSecurity | 1 |
| NBfGetSecurity | 1 |
| NBfmove | 1 |
| NBfdel | 1 |
| NBfstat | 1 |
| NBfClearSecurity | 1 |
| DbAssPreID | 1 |
| DbTmpFID | 1 |
| AmQuery30 | 1 |
| Bfdirdel | 1 |
| Bdgerr | 1 |
| BmCAllocArea | 1 |
| BdginterHGet | 1 |
| BuCustPath | 1 |
| BdgSnpCnt | 1 |
| Cstrrchr | 1 |
| @System@@FSafeDivide\$qqrv | 1 |
| @System@@FSafeDivideR\$qqrv | 1 |
| @Classes@TStrings@Equals\$qqrp16Classes | 1 |
| @Forms@TForm@Next\$qqrv | 1 |
| @Forms@TCustomForm@GetMDIChildCour | 1 |
| @Newresizableformbd@initialization\$qqrv | 1 |
| @Newresizableformbd@Finalization\$qqrv | 1 |
| @Newresizableformbd@TFrNewResizableFc | 1 |
| @\$xp\$40Newresizableformbd@TFrNewResi | 1 |
| @Newresizableformbd@TFrNewResizableFc | 1 |

| | |
|---|---|
| @Groupbuttons@initialization\$qqrv | 1 |
| @Groupbuttons@Finalization\$qqrv | 1 |
| @Groupbuttons@TGroupButtons@ | 1 |
| @Utilstring@initialization\$qqrv | 1 |
| @Utilstring@Finalization\$qqrv | 1 |
| @Utilstring@NormalizePath\$qqr17System@ | 1 |
| @Utilstring@Comilla\$qqr17System@AnsiSt | 1 |
| @Utilstring@GetSubString\$qqr17System@A | 1 |
| @Utilnum@initialization\$qqrv | 1 |
| @Utilnum@Finalization\$qqrv | 1 |
| @Utilsql@initialization\$qqrv | 1 |
| @Utilsql@Finalization\$qqrv | 1 |
| @Utilsql@OpenQueryEx\$qqr17System@Ans | 1 |
| @Utilsql@OpenQuery\$qqr17System@AnsI | 1 |
| @Utilsql@ExecQueryEx\$qqr17System@AnsI | 1 |
| @Utilsql@ExecQuery\$qqr17System@AnsISt | 1 |
| @Db@TDataSet@FindLast\$qqrv | 1 |
| @Db@TDataSet@FindFirst\$qqrv | 1 |
| @Db@TPParam@GetAsString\$qqrv | 1 |
| @Db@TPParam@SetDataType\$qqr13Db@TF | 1 |
| @Db@TPParam@SetParamType\$qqr13Db@1 | 1 |
| @Db@TCustomConnection@Close\$qqrv | 1 |
| @Comobj@GetActiveOleObject\$qqrx17Syst | 1 |
| @Dbtables@TStoredProc@ParamByName\$qq | 1 |
| @Dbtables@TStoredProc@Prepare\$qqrv | 1 |
| @Dbtables@TStoredProc@SetProcName\$qq | 1 |
| @Dbtables@TStoredProc@ExecProc\$qqrv | 1 |
| @Dbtables@TStoredProc@\$bctr\$qqrp18Cla | 1 |
| @Dbtables@TSession@GetDatabaseCount\$qq | 1 |
| @Dbtables@TSession@GetDatabase\$qqri | 1 |
| @Dbtables@Session | 1 |
| @Dbtables@TStoredProc@ | 1 |
| @Ctable@initialization\$qqrv | 1 |
| @Ctable@Finalization\$qqrv | 1 |
| @Ctable@TCQuery@ExecScript\$qqrv | 1 |
| @Ctable@TCQuery@GetQuery\$qqrv | 1 |
| @Ctable@TCQuery@\$bctr\$qqrp18Classes@ | 1 |
| @Ctable@TCQuery@ | 1 |
| @Barprogress@initialization\$qqrv | 1 |
| @Barprogress@Finalization\$qqrv | 1 |
| @Barprogress@BARPROGRESS_End\$qqrv | 1 |
| @Barprogress@BARPROGRESS_Header\$qqr | 1 |
| @Barprogress@BARPROGRESS_Foot\$qqr17 | 1 |
| @Barprogress@BARPROGRESS_StepOne\$qc | 1 |
| @Barprogress@BARPROGRESS_Begin\$qqr17 | 1 |
| @Genericform@initialization\$qqrv | 1 |
| @Genericform@Finalization\$qqrv | 1 |

| | |
|--|---|
| @Genericform@TFrGenericForm@FormDes | 1 |
| @Genericform@TFrGenericForm@FormSho | 1 |
| @Genericform@TFrGenericForm@FormCre | 1 |
| @Genericform@TFrGenericForm@GenericN | 1 |
| @Genericform@TFrGenericForm@WndProc | 1 |
| @Genericform@TFrGenericForm@GetSelec | 1 |
| @Genericform@TFrGenericForm@EditReco | 1 |
| @Genericform@TFrGenericForm@Execute\$ | 1 |
| @Genericform@TFrGenericForm@\$bdtr\$qc | 1 |
| @Vistaaltbugfix@initialization\$qqrv | 1 |
| @Vistaaltbugfix@Finalization\$qqrv | 1 |
| @Bdctrlexception@initialization\$qqrv | 1 |
| @Bdctrlexception@Finalization\$qqrv | 1 |
| @Utilmsg@initialization\$qqrv | 1 |
| @Utilmsg@Finalization\$qqrv | 1 |
| @Utilmsg@MsgSplash\$qqr17System@AnsiS | 1 |
| @Utilmsg@MsgSplashLabel\$qqr17System@ | 1 |
| @Utilmsg@MsgYesNo\$qqr17System@AnsiS | 1 |
| @Utilmsg@MsgInformation\$qqr17System@ | 1 |
| @Utilmsg@MsgWarning\$qqr17System@An | 1 |
| @Utilmsg@MsgWarningYesNo\$qqr17Syster | 1 |
| @Umsginputbox@initialization\$qqrv | 1 |
| @Umsginputbox@Finalization\$qqrv | 1 |
| @Newcustom@initialization\$qqrv | 1 |
| @Newcustom@Finalization\$qqrv | 1 |
| @Newcustom@TBaseCollection@GetCount' | 1 |
| @Newcustom@TBaseCollection@Sort\$qqr1 | 1 |
| @Newcustom@TBaseCollection@Add\$qqrv | 1 |
| @Newcustom@TBaseCollection@\$bctr\$qqr | 1 |
| @Utildate@initialization\$qqrv | 1 |
| @Utildate@Finalization\$qqrv | 1 |
| @Utildate@XStrToDate\$qqr17System@Ansi | 1 |
| @Utildate@DateQuery\$qqr16System@TDat | 1 |
| @Globals@initialization\$qqrv | 1 |
| @Globals@Finalization\$qqrv | 1 |
| @Globals@GDataBase | 1 |
| @Globals@GFormat | 1 |
| @Globalserial@initialization\$qqrv | 1 |
| @Globalserial@Finalization\$qqrv | 1 |
| @Enumrobot@initialization\$qqrv | 1 |
| @Enumrobot@Finalization\$qqrv | 1 |
| @Globalapp@initialization\$qqrv | 1 |
| @Globalapp@Finalization\$qqrv | 1 |
| @Tipos@initialization\$qqrv | 1 |
| @Tipos@Finalization\$qqrv | 1 |
| @Debugit@initialization\$qqrv | 1 |
| @Debugit@Finalization\$qqrv | 1 |

| | |
|-------------------------------------|---|
| @Integerlist@initialization\$qqrv | 1 |
| @Integerlist@Finalization\$qqrv | 1 |
| @Mensajes@initialization\$qqrv | 1 |
| @Mensajes@Finalization\$qqrv | 1 |
| @Autoinc@initialization\$qqrv | 1 |
| @Autoinc@Finalization\$qqrv | 1 |
| @Utilregistry@initialization\$qqrv | 1 |
| @Utilregistry@Finalization\$qqrv | 1 |
| @Utilcontrol@initialization\$qqrv | 1 |
| @Utilcontrol@Finalization\$qqrv | 1 |
| @Dbcspeedctrl@initialization\$qqrv | 1 |
| @Dbcspeedctrl@Finalization\$qqrv | 1 |
| @Utildraw@initialization\$qqrv | 1 |
| @Utildraw@Finalization\$qqrv | 1 |
| @Extpage@initialization\$qqrv | 1 |
| @Extpage@Finalization\$qqrv | 1 |
| @W2kmil@initialization\$qqrv | 1 |
| @W2kmil@Finalization\$qqrv | 1 |
| @Xedit@initialization\$qqrv | 1 |
| @Xedit@Finalization\$qqrv | 1 |
| @Cedit@initialization\$qqrv | 1 |
| @Cedit@Finalization\$qqrv | 1 |
| @Cedit@TCEdit@ | 1 |
| @Code61@initialization\$qqrv | 1 |
| @Code61@Finalization\$qqrv | 1 |
| @Utillean@initialization\$qqrv | 1 |
| @Utillean@Finalization\$qqrv | 1 |
| @Res_ids@initialization\$qqrv | 1 |
| @Res_ids@Finalization\$qqrv | 1 |
| @Calen@initialization\$qqrv | 1 |
| @Calen@Finalization\$qqrv | 1 |
| @Recalen@initialization\$qqrv | 1 |
| @Recalen@Finalization\$qqrv | 1 |
| @Dbxlookup@initialization\$qqrv | 1 |
| @Dbxlookup@Finalization\$qqrv | 1 |
| @Orderdbgrid@initialization\$qqrv | 1 |
| @Orderdbgrid@Finalization\$qqrv | 1 |
| @Config sqr@initialization\$qqrv | 1 |
| @Config sqr@Finalization\$qqrv | 1 |
| @Speedquickrep@initialization\$qqrv | 1 |
| @Speedquickrep@Finalization\$qqrv | 1 |
| @Oleword@initialization\$qqrv | 1 |
| @Oleword@Finalization\$qqrv | 1 |
| @Uexportaword@initialization\$qqrv | 1 |
| @Uexportaword@Finalization\$qqrv | 1 |
| @Sgrid@initialization\$qqrv | 1 |
| @Sgrid@Finalization\$qqrv | 1 |

| | |
|--|---|
| @Sgrid@TSGrid@SetData\$qqrp25Newcusto | 1 |
| @Sgrid@TSGrid@ | 1 |
| @Orderbitmap@initialization\$qqrv | 1 |
| @Orderbitmap@Finalization\$qqrv | 1 |
| @Extgrid@initialization\$qqrv | 1 |
| @Extgrid@Finalization\$qqrv | 1 |
| @Editores@initialization\$qqrv | 1 |
| @Editores@Finalization\$qqrv | 1 |
| @Upropiedades@initialization\$qqrv | 1 |
| @Upropiedades@Finalization\$qqrv | 1 |
| @Oleexcel@initialization\$qqrv | 1 |
| @Oleexcel@Finalization\$qqrv | 1 |
| @Umessagesplash@initialization\$qqrv | 1 |
| @Umessagesplash@Finalization\$qqrv | 1 |
| @Oleoowriter@initialization\$qqrv | 1 |
| @Oleoowriter@Finalization\$qqrv | 1 |
| @Uexportaoowriter@initialization\$qqrv | 1 |
| @Uexportaoowriter@Finalization\$qqrv | 1 |
| @Newresizableform@initialization\$qqrv | 1 |
| @Newresizableform@Finalization\$qqrv | 1 |
| @Oleoocalc@initialization\$qqrv | 1 |
| @Oleoocalc@Finalization\$qqrv | 1 |
| @Uconfigurar@initialization\$qqrv | 1 |
| @Uconfigurar@Finalization\$qqrv | 1 |
| @Configuracion@initialization\$qqrv | 1 |
| @Configuracion@Finalization\$qqrv | 1 |
| @Customconfiguracion@initialization\$qqrv | 1 |
| @Customconfiguracion@Finalization\$qqrv | 1 |
| @Detconfiguracion@initialization\$qqrv | 1 |
| @Detconfiguracion@Finalization\$qqrv | 1 |
| @Customdetconfiguracion@initialization\$qq | 1 |
| @Customdetconfiguracion@Finalization\$qq | 1 |
| @Where@initialization\$qqrv | 1 |
| @Where@Finalization\$qqrv | 1 |
| @Uselfechas@initialization\$qqrv | 1 |
| @Uselfechas@Finalization\$qqrv | 1 |
| @Uselnumeros@initialization\$qqrv | 1 |
| @Uselnumeros@Finalization\$qqrv | 1 |
| @Uselhoras@initialization\$qqrv | 1 |
| @Uselhoras@Finalization\$qqrv | 1 |
| @Utilwin@initialization\$qqrv | 1 |
| @Utilwin@Finalization\$qqrv | 1 |
| @Utilwin@EnumPaquetesCargados\$qqrrp1! | 1 |
| @Utilwin@GetOSVersion\$qqrv | 1 |
| @Utilwin@GetUserName\$qqrv | 1 |
| @Paquetedinamico@initialization\$qqrv | 1 |
| @Paquetedinamico@Finalization\$qqrv | 1 |

| | |
|---|---|
| @Utilbde@initialization\$qqrv | 1 |
| @Utilbde@Finalization\$qqrv | 1 |
| @Utilbde@DisConnectDataBase\$qqr17Syste | 1 |
| @Utilbde@ConnectDataBase\$qqr17System(| 1 |
| @Ulogin@initialization\$qqrv | 1 |
| @Ulogin@Finalization\$qqrv | 1 |
| @Foldrdlg@initialization\$qqrv | 1 |
| @Foldrdlg@Finalization\$qqrv | 1 |
| @Sqltools@initialization\$qqrv | 1 |
| @Sqltools@Finalization\$qqrv | 1 |
| @Sqltools@ALIAS_MASTER\$qqrv | 1 |
| @Sqltools@IsSQLServer2005Express\$qqrv | 1 |
| @Sqltools@CheckStartSQLExecutive\$qqrv | 1 |
| @Sqltools@IsVersionRunning100_or_Higher | 1 |
| @Sqltools@IsVersionRunning100\$qqrv | 1 |
| @Sqltools@IsVersionRunning90\$qqrv | 1 |
| @Sqltools@IsVersionRunning80\$qqrv | 1 |
| @Sqltools@IsVersionRunning70\$qqrv | 1 |
| @Sqltools@IsVersionRunning65\$qqrv | 1 |
| @Sqltools@SQLServer DataBase Name Running | 1 |
| @Sqltools@SQLServer User Name Running\$qi | 1 |
| @Sqltools@SQLServer Name Running\$qqrv | 1 |
| @Sqltools@IsSQLServerRunning\$qqrv | 1 |
| @Uguardar@initialization\$qqrv | 1 |
| @Uguardar@Finalization\$qqrv | 1 |
| @Ucargar@initialization\$qqrv | 1 |
| @Ucargar@Finalization\$qqrv | 1 |
| @Cqrprev@initialization\$qqrv | 1 |
| @Cqrprev@Finalization\$qqrv | 1 |
| @Qrxmllsfilt@initialization\$qqrv | 1 |
| @Qrxmllsfilt@Finalization\$qqrv | 1 |
| @Dbspeededit@initialization\$qqrv | 1 |
| @Dbspeededit@Finalization\$qqrv | 1 |
| @Dbcedit@initialization\$qqrv | 1 |
| @Dbcedit@Finalization\$qqrv | 1 |
| @Umsginputboxnum@initialization\$qqrv | 1 |
| @Umsginputboxnum@Finalization\$qqrv | 1 |
| @Cmemo@initialization\$qqrv | 1 |
| @Cmemo@Finalization\$qqrv | 1 |
| @Ccheckbox@initialization\$qqrv | 1 |
| @Ccheckbox@Finalization\$qqrv | 1 |
| @Onnowacpi@initialization\$qqrv | 1 |
| @Onnowacpi@Finalization\$qqrv | 1 |
| @Chintwindow@initialization\$qqrv | 1 |
| @Chintwindow@Finalization\$qqrv | 1 |
| @Monitors@initialization\$qqrv | 1 |
| @Monitors@Finalization\$qqrv | 1 |

| | |
|---|---|
| @Systemparams@initialization\$qqrv | 1 |
| @Systemparams@Finalization\$qqrv | 1 |
| @Crredit@initialization\$qqrv | 1 |
| @Crredit@Finalization\$qqrv | 1 |
| @Wordmemo@initialization\$qqrv | 1 |
| @Wordmemo@Finalization\$qqrv | 1 |
| @Wordmemo@TWordMemo@ | 1 |
| @Utilinternet@initialization\$qqrv | 1 |
| @Utilinternet@Finalization\$qqrv | 1 |
| @Generalpanel@initialization\$qqrv | 1 |
| @Generalpanel@Finalization\$qqrv | 1 |
| @Generalpanel@TFrGeneralPanel@BtCerra | 1 |
| @Generalpanel@TFrGeneralPanel@\$bctr\$q | 1 |
| @\$xp\$28Generalpanel@TFrGeneralPanel | 1 |
| @Generalpanel@TFrGeneralPanel@ | 1 |
| @Item@initialization\$qqrv | 1 |
| @Item@Finalization\$qqrv | 1 |
| @Item@TxItems@GetItem\$qqri | 1 |
| @Item@TxItem@GetValorString\$qqri | 1 |
| @Item@TxItem@SetValorString\$qqri17Syst | 1 |
| @Item@TxItems@ | 1 |
| @Item@TxItem@ | 1 |
| @Btcerrar@initialization\$qqrv | 1 |
| @Btcerrar@Finalization\$qqrv | 1 |
| @Mbackup@initialization\$qqrv | 1 |
| @Mbackup@Finalization\$qqrv | 1 |
| @Mbackup@MBACKUP_Tasks\$qqrv | 1 |
| @Mbackup@MBACKUP_Backup\$qqrv | 1 |
| @Uschedule@initialization\$qqrv | 1 |
| @Uschedule@Finalization\$qqrv | 1 |
| @Uschedule@TFrSchedule@SetFreqRecurre | 1 |
| @Uschedule@TFrSchedule@GetFreqRecurr | 1 |
| @Uschedule@TFrSchedule@SetFreqSubTyp | 1 |
| @Uschedule@TFrSchedule@GetFreqSubTyp | 1 |
| @Uschedule@TFrSchedule@SetFreqInterval | 1 |
| @Uschedule@TFrSchedule@GetFreqInterv | 1 |
| @Uschedule@TFrSchedule@SetFreqSubInte | 1 |
| @Uschedule@TFrSchedule@GetFreqSubInte | 1 |
| @Uschedule@TFrSchedule@SetFreqEndTim | 1 |
| @Uschedule@TFrSchedule@GetFreqEndTim | 1 |
| @Uschedule@TFrSchedule@SetFreqStartTir | 1 |
| @Uschedule@TFrSchedule@GetFreqStartTir | 1 |
| @Uschedule@TFrSchedule@SetFreqType\$q | 1 |
| @Uschedule@TFrSchedule@GetFreqType\$c | 1 |
| @Uschedule@TFrSchedule@ | 1 |
| @Backupschedule@initialization\$qqrv | 1 |
| @Backupschedule@Finalization\$qqrv | 1 |

| | |
|--|---|
| @Utilbackup@initialization\$qqrv | 1 |
| @Utilbackup@Finalization\$qqrv | 1 |
| @Uselectdir@initialization\$qqrv | 1 |
| @Uselectdir@Finalization\$qqrv | 1 |
| @Drivelocalcombobox@initialization\$qqrv | 1 |
| @Drivelocalcombobox@Finalization\$qqrv | 1 |
| @Utasks@initialization\$qqrv | 1 |
| @Utasks@Finalization\$qqrv | 1 |
| @Utasks@TASK_VERIFICARCOPIAS\$qqrv | 1 |
| @Browserform@initialization\$qqrv | 1 |
| @Browserform@Finalization\$qqrv | 1 |
| @Utaskshistory@initialization\$qqrv | 1 |
| @Utaskshistory@Finalization\$qqrv | 1 |
| @Umemogeneral@initialization\$qqrv | 1 |
| @Umemogeneral@Finalization\$qqrv | 1 |
| @Umemogeneral@TFrMemoGeneral@Mos | 1 |
| @Umemogeneral@TFrMemoGeneral@ | 1 |
| @Sqlexpressrestore@initialization\$qqrv | 1 |
| @Sqlexpressrestore@Finalization\$qqrv | 1 |
| @Sqlexpressagent@initialization\$qqrv | 1 |
| @Sqlexpressagent@Finalization\$qqrv | 1 |
| @Sqlexpressagent@IsConsoftSqlExpressInst | 1 |
| @Sqlexpressagent@IsServidorBD\$qqrv | 1 |
| @Sqlexpressagent@CrearPlanMantenimiento | 1 |
| @Sqlexpressagent@ExistePlanMantenimiento | 1 |
| @Sqlexpressagent@EjecutarAhoraPlanMant | 1 |
| @Sqlexpressagent@VerificarCopias\$qqrv | 1 |
| @Sqlexpressagent@IniciarAgente\$qqrv | 1 |
| @Programadordeoperaciones_tlb@initializa | 1 |
| @Programadordeoperaciones_tlb@Finalizat | 1 |
| @Actionexecuter_tlb@initialization\$qqrv | 1 |
| @Actionexecuter_tlb@Finalization\$qqrv | 1 |
| @Mscorlib_tlb@initialization\$qqrv | 1 |
| @Mscorlib_tlb@Finalization\$qqrv | 1 |
| @Utilencrypta@initialization\$qqrv | 1 |
| @Utilencrypta@Finalization\$qqrv | 1 |
| @Vclzip@initialization\$qqrv | 1 |
| @Vclzip@Finalization\$qqrv | 1 |
| @Kplib@initialization\$qqrv | 1 |
| @Kplib@Finalization\$qqrv | 1 |
| @Kpsstrm@initialization\$qqrv | 1 |
| @Kpsstrm@Finalization\$qqrv | 1 |
| @Kpshuge@initialization\$qqrv | 1 |
| @Kpshuge@Finalization\$qqrv | 1 |
| @Kpzcnst@initialization\$qqrv | 1 |
| @Kpzcnst@Finalization\$qqrv | 1 |
| @Kpmatch@initialization\$qqrv | 1 |

| | |
|--|---|
| @Kpmatch@Finalization\$qqrv | 1 |
| @Kpzipobj@initialization\$qqrv | 1 |
| @Kpzipobj@Finalization\$qqrv | 1 |
| @Kpcntn@initialization\$qqrv | 1 |
| @Kpcntn@Finalization\$qqrv | 1 |
| @Vclunzip@initialization\$qqrv | 1 |
| @Vclunzip@Finalization\$qqrv | 1 |
| ?GetStringValue@CHPRBReg@@QAEJPBDP/ | 1 |
| ?SetDwordValue@CHPRBReg@@QAEJPBDK | 1 |
| ?seekp@?\$basic_ostream@DU?\$char_traits | 1 |
| AllocLSCallback | 1 |
| AllocSLCallback | 1 |
| BasepDebugDump | 1 |
| CloseSystemHandle | 1 |
| ConsoleSubst | 1 |
| ConvertToGlobalHandle | 1 |
| CreateKernelThread | 1 |
| FreeLSCallback | 1 |
| FreeSLCallback | 1 |
| GetDaylightFlag | 1 |
| GetLSCallbackTarget | 1 |
| GetLSCallbackTemplate | 1 |
| GetProductName | 1 |
| GetSLCallbackTarget | 1 |
| GetSLCallbackTemplate | 1 |
| HeapSetFlags | 1 |
| InvalidateNLSCache | 1 |
| IsLSCallback | 1 |
| IsSLCallback | 1 |
| K32Thk1632Epilog | 1 |
| K32Thk1632Prolog | 1 |
| MakeCriticalSectionGlobal | 1 |
| MapHInstLS_PN | 1 |
| MapHInstSL | 1 |
| MapHInstSL_PN | 1 |
| MapHModuleLS | 1 |
| MapHModuleSL | 1 |
| NotifyNLSCache | 1 |
| OpenVxDHandle | 1 |
| QueryNumberOfEventLogRecords | 1 |
| QueryOldestEventLogRecord | 1 |
| QueryWin31IniFilesMappedToRegis418 | 1 |
| SMapLS | 1 |
| SetDaylightFlag | 1 |
| TlsAllocInternal | 1 |
| TlsFreeInternal | 1 |
| UninitializeCriticalSection | 1 |

| | |
|--|---|
| _DebugOut | 1 |
| _DebugPrintf | 1 |
| dprintf | 1 |
| ?InitKartRes@@YG_NPBG@Z | 1 |
| ?GetString@@YGPBGPBGH@Z | 1 |
| ?Strstr@MBSTR@@SGPAPDPA0@Z | 1 |
| ?Cast@FILE_STREAM@@SGPAV1@PBVOBJE | 1 |
| SSL_CTX_free | 1 |
| SSL_shutdown | 1 |
| @string@append\$qpxc | 1 |
| _mktime | 1 |
| @string@\$bctr\$qrx10TSubString | 1 |
| @string@strip\$q16string@StripTypec | 1 |
| @string@find_first_of\$xqrx6stringui | 1 |
| _cerr | 1 |
| _strtok | 1 |
| @to_lower\$qrx6string | 1 |
| @getline\$qr7istreamr6string | 1 |
| @string@\$bctr\$qc | 1 |
| @string@to_lower\$qv | 1 |
| @string@find\$xqrx6stringui | 1 |
| @string@find_last_of\$xqrx6stringui | 1 |
| _difftime | 1 |
| @TPopupMenu@\$bctr\$qp7HMENU__11TA\ | 1 |
| @TDC@RestoreFont\$qv | 1 |
| @B_WPARAM_Dispatch\$qr7GENERICM7GEI | 1 |
| @TPaintDC@\$bdtr\$qv | 1 |
| @TPaintDC@\$bctr\$qp6HWND__ | 1 |
| @TDC@RestoreDC\$qi | 1 |
| @B_Dispatch\$qr7GENERICM7GENERICqv\$4I | 1 |
| @TModule@LoadStringA\$xqui | 1 |
| @TDC@ResetDCA\$qr12_devicemodeA | 1 |
| @TMenuDescr@Merge\$qr10TMenuDescr | 1 |
| @TDC@OffsetViewportOrg\$qrx6TPointp6TP | 1 |
| @TMenuDescr@\$bctr\$qv | 1 |
| @TMenuDescr@\$bctr\$qp7HMENU__iiiiip7\ | 1 |
| @TMenu@GetMenuItemID\$xqi | 1 |
| @TDC@GrayStringA\$qrx6TBrushpqqsp5HDC | 1 |
| @TMenu@\$bctr\$qp7HMENU__11TAutoDelete | 1 |
| @TMenu@\$bctr\$qp6HWND__11TAutoDelete | 1 |
| @TMenu@\$bctr\$q11TAutoDelete | 1 |
| @TDC@GetDeviceCaps\$xqi | 1 |
| @TLayoutWindow@GetChildLayoutMetrics\$ | 1 |
| @B_U_U_U_Dispatch\$qr7GENERICM7GENE | 1 |
| @TDecoratedFrame@EvSize\$quir5TSize | 1 |
| @TDC@GetAttributeHDC\$xqv | 1 |
| @TIntArray@Add\$qrx4TInt | 1 |

| | |
|--|---|
| @TIntArray@\$bsubs\$qi | 1 |
| @TIntArray@\$bctr\$qiii | 1 |
| @TDC@ExtTextOutA\$qiiuspx5TRectpxcipxi | 1 |
| @TDC@DrawTextA\$qpxcircx5TRectus | 1 |
| @TDC@TextOutA\$qiipxci | 1 |
| @v_B_U_Dispatch\$qr7GENERICM7GENERIC | 1 |
| @U_U_U_U_Dispatch\$qr7GENERICM7GENE | 1 |
| @TWindowDC@\$bctr\$qp6HWND__ | 1 |
| @TDC@TabbedTextOutA\$qrx6TPointpxcipx | 1 |
| @TWindow@ShutDownWindow\$qp7TWind | 1 |
| @TDC@SetWindowOrg\$qrx6TPointp6TPoint | 1 |
| @B_B_Dispatch\$qr7GENERICM7GENERICq4 | 1 |
| @TDC@SetWindowExt\$qrx5TSizep5TSize | 1 |
| @TWindow@RouteCommandEnable\$qp6H\ | 1 |
| @TDC@SetViewportOrg\$qrx6TPointp6TPoir | 1 |
| @TDC@\$bctr\$qp5HDC__ | 1 |
| @TWindow@Init\$qp7TWindowpxcp7TModi | 1 |
| @TDC@SetViewportExt\$qrx5TSizep5TSize | 1 |
| @TDC@SetTextColor\$qrx6TColor | 1 |
| @I32_Dispatch\$qr7GENERICM7GENERICqv\$ | 1 |
| @TFileOpenDialog@\$bctr\$qp7TWindowr21 | 1 |
| @TWindow@ForwardMessage\$qp6HWND_ | 1 |
| @TWindow@ForEach\$qpqp7TWindowpv\$vi | 1 |
| @TDC@SetMapMode\$qi | 1 |
| @TWindow@EvVScroll\$quiui6HWND__ | 1 |
| @TDC@SetBkColor\$qrx6TColor | 1 |
| @TWindow@EvHScroll\$quiui6HWND__ | 1 |
| @TDC@SelectStockObject\$qi | 1 |
| @TDC@SelectObject\$qrx5TFont | 1 |
| @TWindow@ChildWithId\$xqi | 1 |
| @TDC@ScaleWindowExt\$qiiiip5TSize | 1 |
| @TApplication@PostDispatchAction\$qv | 1 |
| @TUIHandle@Paint\$xqr3TDC | 1 |
| @TUIHandle@HitTest\$xqrx6TPoint | 1 |
| @TUIHandle@GetCursorId\$q16TUIHandle@ | 1 |
| @TUIHandle@\$bctr\$qr5TRectuii | 1 |
| @TDC@ScaleViewportExt\$qiiiip5TSize | 1 |
| @TStringArray@Flush\$qv | 1 |
| @TStringArray@Add\$qrx6string | 1 |
| @TDC@SaveDC\$xqv | 1 |
| @B_I2_Dispatch\$qr7GENERICM7GENERICqi: | 1 |
| LicenseGetAdapterMacIds | 1 |
| @TUIMetric@CyDoubleClk | 1 |
| @TUIMetric@CxDoubleClk | 1 |
| @TRect@Offset\$qii | 1 |
| @TDate@Year\$xqv | 1 |
| @TDate@Month\$xqv | 1 |

| | |
|--------------------------|---|
| @TDate@DayOfMonth\$xqv | 1 |
| @TDate@\$bctr\$qv | 1 |
| @TColor@Transparent | 1 |
| QCK_Generate | 1 |
| NIOC_SendPacket | 1 |
| NIOC_SetRxTimeout | 1 |
| NIOC_SetMinToCopy | 1 |
| NIOC_SetBufferSize | 1 |
| NIOC_SetNdisPacketFilter | 1 |
| NIOC_ReceivePacket | 1 |
| NIOC_MonitorStatus | 1 |
| NIOC_QueryOid | 1 |
| NIOC_SetOid | 1 |
| NIOC_OpenInstance | 1 |
| NIOC_QueryMacAddress | 1 |
| NIOC_CloseInstance | 1 |
| Group_GetFixIndex | 1 |
| Adv_SetAESCapable | 1 |
| ANSC_SetCurStatus | 1 |
| Profile_UpdateAt | 1 |
| ANSC_Filter_GetAt | 1 |
| Profile_GetAt | 1 |
| WPA_GetServerCertNameAt | 1 |
| Adv_SetKeepConnect | 1 |
| WPA2_SetCapable | 1 |
| Gen_GetBackupDescPath | 1 |
| Adv_SetIPConfig | 1 |
| Adv_GetIPConfig | 1 |
| Adv_GetRadioOFF | 1 |
| GroupCtrl_GetFixed | 1 |
| Adv_GetIdle | 1 |
| Adv_SetHoldUI | 1 |
| Group_SetFixIndex | 1 |
| GroupCtrl_SetFixed | 1 |
| Adv_SetAutoConnect | 1 |
| Adv_SetAccessMode | 1 |
| Adv_GetAutoConnect | 1 |
| Adv_GetAccessMode | 1 |
| ANSC_Filter_GetCount | 1 |
| Profile_GetAllCount | 1 |
| Profile_DeleteAt | 1 |
| Profile_GetCycleCount | 1 |
| Adv_SetIdle | 1 |
| Adv_SetRadioOFF | 1 |
| Profile_SetCycleCount | 1 |
| Profile_SetActiveIndex | 1 |
| WPA_SetCapable | 1 |

| | |
|---------------------------------------|---|
| WPA_GetAllServerCertCount | 1 |
| Adv_GetKeepConnect | 1 |
| WPA_SetServerCertNameAtEX | 1 |
| Profile_GetStartAtIndex | 1 |
| Gen_GetVender | 1 |
| ANSC_GetVendorPK | 1 |
| WPA_GetValidateServerTitle | 1 |
| WPA_GetValidateServerMsg1 | 1 |
| WPA_GetValidateServerMsg2 | 1 |
| Profile_ANSC | 1 |
| ANSC_GetCurStatus | 1 |
| apsInitialize | 1 |
| apsGetMIB | 1 |
| apsSetMIB | 1 |
| apsGetReady | 1 |
| apsRefreshMIB | 1 |
| apsApply | 1 |
| apsCloseHandle | 1 |
| apsGetInstanceName | 1 |
| apsGetInterfaceCount | 1 |
| apsSearchInterface | 1 |
| apsCreateMIB | 1 |
| ?ReadString@FilterConfigItem@@QAE?AVC | 1 |
| ?WriteBool@FilterConfigItem@@QAEXABV(| 1 |
| ??0FilterConfigItem@@QAE@ABVOUString(| 1 |
| ?ReadBool@FilterConfigItem@@QAEEABVC | 1 |
| ??0VCLXDevice@@QAE@XZ | 1 |
| ??1VCLXDevice@@UAE@XZ | 1 |
| ?release@VCLXDevice@@UAAXXZ | 1 |
| ?acquire@VCLXDevice@@UAAXXZ | 1 |
| ?queryInterface@VCLXDevice@@UAA?AVA | 1 |
| ?SetOverlineColor@PDFWriter@vcl@@QAE | 1 |
| ?SetOverlineColor@PDFWriter@vcl@@QAE | 1 |
| ?SetTextLineColor@PDFWriter@vcl@@QAE | 1 |
| ?SetTextLineColor@PDFWriter@vcl@@QAE | 1 |
| ?SetFillColor@PDFWriter@vcl@@QAEXAB | 1 |
| ?SetLineColor@PDFWriter@vcl@@QAEXAB' | 1 |
| ?MoveClipRegion@PDFWriter@vcl@@QAE) | 1 |
| ?IntersectClipRegion@PDFWriter@vcl@@Q | 1 |
| ?IntersectClipRegion@PDFWriter@vcl@@Q | 1 |
| ?SetClipRegion@PDFWriter@vcl@@QAEXAI | 1 |
| ?DrawTextLine@PDFWriter@vcl@@QAEXAI | 1 |
| ?DrawStretchText@PDFWriter@vcl@@QAE | 1 |
| ?DrawTextArray@PDFWriter@vcl@@QAEXAI | 1 |
| ?DrawText@PDFWriter@vcl@@QAEXABVR(| 1 |
| ??0BitmapEx@@QAE@ABVBitmap@@ABV(| 1 |
| ??4AlphaMask@@QAEEAV0@ABVBitmap@ | 1 |

| | |
|--|---|
| ?DrawMask@OutputDevice@@QAEABVPo | 1 |
| ?DrawGradient@OutputDevice@@QAEABV | 1 |
| ?GetBitmap@OutputDevice@@QBE?AVBitn | 1 |
| ??1PDFWriter@vcl@@QAE@XZ | 1 |
| ??0AlphaMask@@QAE@XZ | 1 |
| ?SetOutputSizePixel@VirtualDevice@@QAE | 1 |
| ?DrawTransparent@PDFWriter@vcl@@QAF | 1 |
| ?DrawHatch@PDFWriter@vcl@@QAEABVI | 1 |
| ?DrawPolyPolygon@PDFWriter@vcl@@QAI | 1 |
| ?DrawPolyLine@PDFWriter@vcl@@QAEAXAI | 1 |
| ?DrawPolyLine@PDFWriter@vcl@@QAEAXAI | 1 |
| ?DrawPolygon@PDFWriter@vcl@@QAEAXAE | 1 |
| ?DrawChord@PDFWriter@vcl@@QAEABV | 1 |
| ?DrawPie@PDFWriter@vcl@@QAEABVRec | 1 |
| ?DrawArc@PDFWriter@vcl@@QAEABVRe | 1 |
| ?DrawEllipse@PDFWriter@vcl@@QAEABV | 1 |
| ?DrawRect@PDFWriter@vcl@@QAEABVR | 1 |
| ?DrawRect@PDFWriter@vcl@@QAEABVR | 1 |
| ?DrawLine@PDFWriter@vcl@@QAEABVPc | 1 |
| ?DrawLine@PDFWriter@vcl@@QAEABVPc | 1 |
| ?DrawPixel@PDFWriter@vcl@@QAEABVP | 1 |
| ?PlaySyncPageAct@PDFExtOutDevData@vcl | 1 |
| ?EnableMapMode@OutputDevice@@QAE | 1 |
| ?RemoveTransparenciesFromMetaFile@Out | 1 |
| ?SetTextFillColor@PDFWriter@vcl@@QAE | 1 |
| ??0Region@@QAE@ABVPolyPolygon@@@ | 1 |
| ?ResetSyncData@PDFExtOutDevData@vcl@ | 1 |
| ?NewPage@PDFWriter@vcl@@QAEJJW4O | 1 |
| ?SetCurrentPageNumber@PDFExtOutDevDa | 1 |
| ?StaticType@PDFExtOutDevData@vcl@@SA | 1 |
| ?GetErrors@PDFWriter@vcl@@QAE?AV?\$s | 1 |
| ?Emit@PDFWriter@vcl@@QAE_NXZ | 1 |
| ?PlayGlobalActions@PDFExtOutDevData@v | 1 |
| ?SetDocumentLocale@PDFWriter@vcl@@Q | 1 |
| ?GetDocumentLocale@PDFExtOutDevData@ | 1 |
| ?SetIsExportNamedDestinations@PDFExtOu | 1 |
| ?SetIsReduceImageResolution@PDFExtOutD | 1 |
| ?SetIsLosslessCompression@PDFExtOutDev | 1 |
| ?SetIsExportBookmarks@PDFExtOutDevDat | 1 |
| ?SetIsExportFormFields@PDFExtOutDevDat | 1 |
| ?SetFormsFormat@PDFExtOutDevData@vcl | 1 |
| ?SetIsExportTransitionEffects@PDFExtOutD | 1 |
| ?SetIsExportTaggedPDF@PDFExtOutDevData | 1 |
| ?SetIsExportNotes@PDFExtOutDevData@vcl | 1 |
| ??0PDFExtOutDevData@vcl@@QAE@ABVO | 1 |
| ?SetDocInfo@PDFWriter@vcl@@QAEABUI | 1 |
| ?AddStream@PDFWriter@vcl@@QAEABV | 1 |

| | |
|---|---|
| ??OPDFWriter@vcl@@QAE@ABUPDFWriter | 1 |
| ?Type@PDFExtOutDevData@vcl@@UBEP6A | 1 |
| ?IsA@PDFExtOutDevData@vcl@@UBEEP6A | 1 |
| ??1PDFExtOutDevData@vcl@@UAE@XZ | 1 |
| ??0FixedImage@@QAE@PAVWindow@@_. | 1 |
| ??0OKButton@@QAE@PAVWindow@@_J@ | 1 |
| ??0Image@@QAE@ABVBitmapEx@@@Z | 1 |
| ?SetClipRegion@PDFWriter@vcl@@QAEXX; | 1 |
| ?SetTextFillColor@PDFWriter@vcl@@QAEX | 1 |
| ?SetTextAlign@PDFWriter@vcl@@QAEXW4 | 1 |
| ?SetLayoutMode@PDFWriter@vcl@@QAEX | 1 |
| ?SetDigitLanguage@PDFWriter@vcl@@QAE | 1 |
| ?DrawWallpaper@PDFWriter@vcl@@QAEX | 1 |
| ?getTransparency@SvtGraphicStroke@@QB | 1 |
| ?DrawPolyLine@PDFWriter@vcl@@QAEXAI | 1 |
| ?getFillRule@SvtGraphicFill@@QBE?AW4Fil | 1 |
| ?getTransparency@SvtGraphicFill@@QBEN) | 1 |
| ?Mirror@BitmapEx@@QAEEK@Z | 1 |
| ?Scale@BitmapEx@@QAEEABVSize@@K@Z | 1 |
| ?SetEmpty@BitmapEx@@QAEXXZ | 1 |
| ??6@YAAAVSvStream@@AAV0@ABVBitma | 1 |
| ?IsAlpha@BitmapEx@@QBEEZ | 1 |
| ?GetAlpha@BitmapEx@@QBE?AVAlphaMas | 1 |
| ?GetBitmap@AlphaMask@@QBE?AVBitma | 1 |
| ??1AlphaMask@@QAE@XZ | 1 |
| ?DrawJPGBitmap@PDFWriter@vcl@@QAEX | 1 |
| ?DrawBitmapEx@PDFWriter@vcl@@QAEXA | 1 |
| ?DrawBitmap@PDFWriter@vcl@@QAEXAB | 1 |
| ??1PDFOutputStream@vcl@@UAE@XZ | 1 |
| ?SetWidthType@Font@@QAEXW4FontWidt | 1 |
| ?GetReferenceDevice@PDFWriter@vcl@@C | 1 |
| ?Push@PDFWriter@vcl@@QAEXG@Z | 1 |
| ?SetMapMode@PDFWriter@vcl@@QAEXAF | 1 |
| ?SetFont@PDFWriter@vcl@@QAEXABVFon | 1 |
| ?SetTextColor@PDFWriter@vcl@@QAEXAB | 1 |
| ?CalcMinimumSize@RadioButton@@QBE?A | 1 |
| ?CalcMinimumSize@CheckBox@@QBE?AVS | 1 |
| ?BeginTransparencyGroup@PDFWriter@vcl | 1 |
| ?DrawText@PDFWriter@vcl@@QAEXABVPc | 1 |
| ?EndTransparencyGroup@PDFWriter@vcl@ | 1 |
| ?Pop@PDFWriter@vcl@@QAEXXZ | 1 |
| ??1SvOutputStream@@UAE@XZ | 1 |
| ??0SvOutputStream@@QAE@ABV?\$Refere | 1 |
| ?GetPassword@SfxPasswordDialog@@QBE | 1 |
| ?GetTabPage@SfxTabDialog@@IBEPAVSfxT | 1 |
| ??1SfxPasswordDialog@@UAE@XZ | 1 |
| ?Execute@SfxPasswordDialog@@UAEFXZ | 1 |

| | |
|--|---|
| ?SetMinLen@SfxPasswordDialog@@QAEXG | 1 |
| ??0SfxPasswordDialog@@QAE@PAVWindow | 1 |
| ?RemoveResetButton@SfxTabDialog@@QA | 1 |
| ??0MultiSelection@@QAE@XZ | 1 |
| ?SetTotalRange@MultiSelection@@QAEXA | 1 |
| ?Select@MultiSelection@@QAEXABVRange | 1 |
| ??0MultiSelection@@QAE@ABVString@@C | 1 |
| ??4MultiSelection@@QAEAAV0@ABV0@@ | 1 |
| ??0MultiSelection@@QAE@ABV0@@Z | 1 |
| ?FirstSelected@MultiSelection@@QAEJE@Z | 1 |
| ?NextSelected@MultiSelection@@QAEJXZ | 1 |
| ??1MultiSelection@@QAE@XZ | 1 |
| ?convertCommaSeparated@string@comph | 1 |
| ?close@?\$messages@G@std@@QBEXH@Z | 1 |
| ??0?\$basic_ostringstream@GU?\$char_traits | 1 |
| OPENFILE | 1 |
| IoStatisticsLock | 1 |
| rtl_math_erfc | 1 |
| rtl_math_erf | 1 |
| ??1AttributeList@comphelper@@UAE@XZ | 1 |
| ?release@?\$WeakImplHelper1@VXAttribute | 1 |
| ?acquire@?\$WeakImplHelper1@VXAttribute | 1 |
| ?queryInterface@?\$WeakImplHelper1@VX/ | 1 |
| ??0AttributeList@comphelper@@QAE@XZ | 1 |
| ?AddAttribute@AttributeList@comphelper@ | 1 |
| ?WriteContentSequence@OFOPXMLHelper@ | 1 |
| ?ReadContentTypeSequence@OFOPXMLHel | 1 |
| rtl_cipher_init | 1 |
| rtl_cipher_create | 1 |
| rtl_digest_destroySHA1 | 1 |
| rtl_digest_getSHA1 | 1 |
| rtl_digest_updateSHA1 | 1 |
| rtl_cipher_decode | 1 |
| rtl_digest_createSHA1 | 1 |
| rtl_cipher_encode | 1 |
| rtl_cipher_destroy | 1 |
| RNReportEvent | 1 |
| ?appendObject@PropertyValueSet@ucbhel | 1 |
| ?appendVoid@PropertyValueSet@ucbhelpe | 1 |
| ne_lock_refresh | 1 |
| ne_unlock | 1 |
| ne_fill_server_uri | 1 |
| ne_decompress_destroy | 1 |
| ne_lock_destroy | 1 |
| ne_lock | 1 |
| ne_lock_create | 1 |
| ne_lockstore_register | 1 |

| | |
|-------------------------------------|---|
| ne_lockstore_findbyuri | 1 |
| ne_lockstore_destroy | 1 |
| ne_lockstore_remove | 1 |
| ne_lockstore_create | 1 |
| ne_lockstore_add | 1 |
| ne_decompress_reader | 1 |
| ne_strdup | 1 |
| ne_free | 1 |
| ?Attach@CPNWindow@@QAEPAUHWND_ | 1 |
| ??0CPNBitmapImage@@QAE@XZ | 1 |
| ??0CPNDC@@QAE@PAUHDC__@@@Z | 1 |
| ??0CPNColor@@QAE@H@Z | 1 |
| ??1CPNColor@@UAE@XZ | 1 |
| ??1CPNDC@@UAE@XZ | 1 |
| ?DefWindowProcA@CPNWindow@@QAEJK | 1 |
| ??0CPNWindow@@QAE@XZ | 1 |
| ?Destroy@CPNWindow@@UAEXXZ | 1 |
| ??1CPNWindow@@UAE@XZ | 1 |
| ??4CPNColor@@QAEAAV0@ABV0@@Z | 1 |
| ??0XPNWizardPage@@IAE@KPBD@Z | 1 |
| ??0XPNWizardManager@@IAE@PAVCPNW | 1 |
| ??1XPNWizardManager@@MAE@XZ | 1 |
| ?HandleEvent@XPNWizardManager@@MA | 1 |
| ?OnEvent@XPNWizardManager@@MAEHA | 1 |
| ?InitDialog@XPNWizardManager@@MAEH | 1 |
| ?OnNextBtn@XPNWizardManager@@MAE | 1 |
| ?OnBackBtn@XPNWizardManager@@MAE | 1 |
| ?OnCancel@XPNWizardManager@@MAEX | 1 |
| ?SetId@CPNControl@@UAEXK@Z | 1 |
| ?OnHelpBtn@XPNWizardManager@@MAE | 1 |
| ?QueryInterface@XPNWizardManager@@U | 1 |
| ?AddRef@XPNWizardManager@@UAGKXZ | 1 |
| ?Release@XPNWizardManager@@UAGKXZ | 1 |
| ?AddPage@XPNWizardManager@@UAGHP | 1 |
| ?InsertPageAt@XPNWizardManager@@UA | 1 |
| ?RemovePage@XPNWizardManager@@UA | 1 |
| ?SetActivePage@XPNWizardManager@@U | 1 |
| ?RunWizard@XPNWizardManager@@UAGF | 1 |
| ?SetWizardButton@XPNWizardManager@@ | 1 |
| ?GetPageNumber@XPNWizardManager@@ | 1 |
| ??0CPNText@@QAE@XZ | 1 |
| ??0CPNCheckedListbox@@QAE@XZ | 1 |
| ??0CPNCheckButton@@QAE@XZ | 1 |
| ??0CPNButton@@QAE@XZ | 1 |
| ?AddObserver@CPNRouter@@QAEXPV1@ | 1 |
| ??0CPNEdit@@QAE@XZ | 1 |
| ??0CPNPopupList@@QAE@XZ | 1 |

| | |
|-------------------------------------|---|
| ?GetHWND@CPNWindow@@QBEPAUHWN | 1 |
| ??1XPNWizardPage@@MAE@XZ | 1 |
| ?NotifyObservers@CPNRouter@@UAEXAA\ | 1 |
| ?HandleEvent@CPNWindow@@UAEXAAVC | 1 |
| ?Destroy@CPNDialog@@UAEXXZ | 1 |
| ?IsValid@CPNWindow@@UBEHXZ | 1 |
| ?GetParent@CPNWindow@@UBEPAV1@XZ | 1 |
| ?GetId@CPNControl@@UBEKXZ | 1 |
| ?GetTextLength@CPNControl@@UBEJXZ | 1 |
| ?SetText@XPNCustomText@@UAEXPBD@Z | 1 |
| ?GetText@CPNControl@@UBEXPADJ@Z | 1 |
| ?OnEvent@CPNCustomText@@UAEHAAVCI | 1 |
| ??0XPNCustomText@@QAE@XZ | 1 |
| ??1XPNCustomText@@UAE@XZ | 1 |
| ?SetText@CPNControl@@UAEXPBD@Z | 1 |
| ??0CPNControl@@QAE@XZ | 1 |
| ?Create@CPNControl@@IAEHKPBDPAVCPN | 1 |
| ?SendMessageA@CPNWindow@@QBEJIIJ@ | 1 |
| ?Create@XPNCustomText@@QAEHKPAVCP | 1 |
| ??1CPNControl@@UAE@XZ | 1 |
| ?OnEvent@CPNWindow@@UAEHAAVCPNE | 1 |
| ?OnFinish@XPNWizardManager@@MAEXX: | 1 |
| ?SetParent@CPNWindow@@UAEXPAV1@C | 1 |
| ?SetZOrderPosition@CPNWindow@@UAEX | 1 |
| ?SetTitle@CPNWindow@@UAEXPBD@Z | 1 |
| ?GetTitle@CPNWindow@@UBEXPADJ@Z | 1 |
| ?GetTitleLength@CPNWindow@@UBEJXZ | 1 |
| ?SetFont@CPNWindow@@UAEXPAVCPNFo | 1 |
| ?GetFont@CPNWindow@@UBEPAVCPNFor | 1 |
| ?SetSize@CPNWindow@@UAEXABVCPNxSi | 1 |
| ?GetSize@CPNWindow@@UBEXAAVCPNxSi | 1 |
| ?GetClientRect@CPNWindow@@UBEXAAV | 1 |
| ?GetScreenRect@CPNWindow@@UBEXAA\ | 1 |
| ?Move@CPNWindow@@UAEXABVCPNxPoi | 1 |
| ?Center@CPNWindow@@UAEXXZ | 1 |
| ?ScrollWindow@CPNWindow@@UAEXJJPA' | 1 |
| ?GetPosition@CPNWindow@@UBEXAAVCP | 1 |
| ?MoveAndSize@CPNWindow@@UAEXABU_ | 1 |
| ?MoveAndSize@CPNWindow@@UAEXABU_ | 1 |
| ?ClientToScreen@CPNWindow@@UBEXAA\ | 1 |
| ?ClientToScreen@CPNWindow@@UBEXAA\ | 1 |
| ?ScreenToClient@CPNWindow@@UBEXAA\ | 1 |
| ?ScreenToClient@CPNWindow@@UBEXAA\ | 1 |
| ?PauseUpdates@CPNWindow@@UAEXXZ | 1 |
| ?HasPausedUpdates@CPNWindow@@UBEI | 1 |
| ?ResumeUpdates@CPNWindow@@UAEXXZ | 1 |
| ?RepaintRect@CPNWindow@@UAEXPBVCP | 1 |

| | |
|---------------------------------------|---|
| ?RedrawWindow@CPNWindow@@UAEXXZ | 1 |
| ?ValidateRect@CPNWindow@@UAEXPBVI | 1 |
| ?SetCapture@CPNWindow@@UAEXXZ | 1 |
| ?ReleaseCapture@CPNWindow@@UAEXXZ | 1 |
| ?HasCapture@CPNWindow@@UBEHXZ | 1 |
| ?SetFocus@CPNWindow@@UAEHXZ | 1 |
| ?HasFocus@CPNWindow@@UBEHXZ | 1 |
| ?Show@CPNWindow@@UAEHH@Z | 1 |
| ?IsShown@CPNWindow@@UBEHXZ | 1 |
| ?SetShowState@CPNWindow@@UAEXJ@Z | 1 |
| ?GetShowState@CPNWindow@@UBEJXZ | 1 |
| ?SetForegroundWindow@CPNWindow@@l | 1 |
| ?Enable@CPNWindow@@UAEH@Z | 1 |
| ?IsEnabled@CPNWindow@@UBEHXZ | 1 |
| ?GetMenu@CPNWindow@@UAEHAAVCPN | 1 |
| ?AttachWindowItem@CPNWindow@@UAE | 1 |
| ?DetachWindowItem@CPNWindow@@UAE | 1 |
| ?Attach@CPNWindow@@UAEXABU_PNxW | 1 |
| ?Attach@CPNWindow@@UAEXPAX@Z | 1 |
| ?Detach@CPNWindow@@UAEXXZ | 1 |
| ?SubclassWnd@CPNWindow@@UAEHPAU_ | 1 |
| ?GetPNxWindowID@CPNWindow@@UBEP/ | 1 |
| ??BCPNWindow@@UBE?BU_PNxWindow@ | 1 |
| ?OnEvent@XPNWizardPage@@MAEHAAVC | 1 |
| ?Create@CPNWindow@@UAEHPAV1@JJJK | 1 |
| ?MapCoordinatesTo@CPNWindow@@UBE> | 1 |
| ?MapCoordinatesTo@CPNWindow@@UBE> | 1 |
| ?SetIcon@CPNWindow@@UAEXAAVCPNIcc | 1 |
| ?IsPtInWindow@XPNWindow@@UBEHABV | 1 |
| ?AddToolTip@CPNWindow@@UAEHPBD@; | 1 |
| ?AddToolTip@CPNWindow@@UAEHAAVCP | 1 |
| ?RemoveAllToolTips@CPNWindow@@UAE) | 1 |
| ?EnableToolTips@CPNWindow@@UAEH@ | 1 |
| ?UpdateShowStateIfMinimized@CPNWindo | 1 |
| ?ShouldDrawFocus@CPNWindow@@MAEH | 1 |
| ?ParentPaintBackground@XPNWindow@@I | 1 |
| ?OnWndMsg@CPNWindow@@UAHKIJPAJ | 1 |
| ?Create@CPNDialog@@UAEHKPAVCPNWin | 1 |
| ?DoModal@CPNDialog@@UAEKXZ | 1 |
| ?DoModeless@CPNDialog@@UAEKXZ | 1 |
| ?DoModaless@CPNDialog@@UAEKXZ | 1 |
| ?InitDialog@XPNWizardPage@@MAEHXZ | 1 |
| ?EndDialog@CPNDialog@@UAEXK@Z | 1 |
| ?PreDomodal@XPNDialog@@UAEXPACPN | 1 |
| ?PostDomodal@XPNDialog@@UAEXPACPI | 1 |
| ?GetSingleInstanceId@XPNDialog@@UAEK) | 1 |
| ?GetTemplateId@XPNDialog@@UBEKXZ | 1 |

| | |
|---------------------------------------|---|
| ?SetDefaultButtonId@CPNDialog@@UAEXK | 1 |
| ?GetDefaultButtonId@CPNDialog@@UBEKX | 1 |
| ?SetSingleInstance@CPNDialog@@UAEXH@ | 1 |
| ?QueryInterface@XPNWizardPage@@UAGJ | 1 |
| ?AddRef@XPNWizardPage@@UAGKXZ | 1 |
| ?Release@XPNWizardPage@@UAGKXZ | 1 |
| ?DestroyPage@XPNWizardPage@@UAGJXZ | 1 |
| ?ShowPage@XPNWizardPage@@UAGJH@Z | 1 |
| ?SetPagePosition@XPNWizardPage@@UAG | 1 |
| ?GetTitle@XPNWizardPage@@UAGPDXZ | 1 |
| ?SetParent@XPNWizardPage@@UAGJPAX@ | 1 |
| ?IsValid@XPNWizardPage@@UAGHXZ | 1 |
| ?GetSize@XPNWizardPage@@UAGJAAU_PI | 1 |
| ?InitializePage@XPNWizardPage@@UAGJX; | 1 |
| ?CleanupPage@XPNWizardPage@@UAGJXZ | 1 |
| ?OnFinish@XPNWizardPage@@UAGHXZ | 1 |
| ?OnCancel@XPNWizardPage@@UAGHXZ | 1 |
| ?OnBack@XPNWizardPage@@UAGHXZ | 1 |
| ?OnNext@XPNWizardPage@@UAGHXZ | 1 |
| ?OverrideBitmap@XPNWizardPage@@UAG | 1 |
| ?OnGainFocus@XPNWizardPage@@UAGJXZ | 1 |
| ?OnLoseFocus@XPNWizardPage@@UAGJXZ | 1 |
| ?OnHelp@XPNWizardPage@@UAGHXZ | 1 |
| ?WriteObjToBits@XPNWizardPage@@UAGJ | 1 |
| ?ReadObjFromBits@XPNWizardPage@@UA | 1 |
| mysql_thread_id | 1 |
| mysql_stmt_init | 1 |
| mysql_stmt_prepare | 1 |
| mysql_set_character_set | 1 |
| mysql_autocommit | 1 |
| mysql_get_server_version | 1 |
| mysql_get_client_info | 1 |
| mysql_stmt_execute | 1 |
| mysql_stmt_bind_param | 1 |
| mysql_stmt_field_count | 1 |
| mysql_stmt_store_result | 1 |
| mysql_stmt_error | 1 |
| mysql_stmt_bind_result | 1 |
| mysql_stmt_num_rows | 1 |
| mysql_stmt_free_result | 1 |
| mysql_stmt_fetch | 1 |
| mysql_stmt_param_count | 1 |
| mysql_stmt_attr_set | 1 |
| mysql_stmt_close | 1 |
| mysql_thread_safe | 1 |
| mysql_next_result | 1 |
| mysql_more_results | 1 |

| | |
|--|---|
| mysql_server_end | 1 |
| mysql_server_init | 1 |
| mysql_stmt_result_metadata | 1 |
| ?remove_handler@ACE_Reactor@@QAEHP | 1 |
| ?suspend_handler@ACE_Reactor@@QAEHF | 1 |
| ?resume_handler@ACE_Reactor@@QAEHP | 1 |
| ?handle_ready@ACE@@YAH PaxPBVACE_Ti | 1 |
| ??0ACE_Method_Request@@QAE@K@Z | 1 |
| ??1ACE_Method_Request@@UAE@XZ | 1 |
| ?run@ACE_Main_Base@@QAEHHQAPAD@ | 1 |
| ??0ACE_Condition_Thread_Mutex@@QAE@C | 1 |
| ?total_size_and_length@ACE_Message_Blo | 1 |
| ??1ACE_Error_Guard@@QAE@XZ | 1 |
| ??0ACE_Error_Guard@@QAE@AAH@Z | 1 |
| ?accept@ACE_SOCK_Acceptor@@QBEHAA\ | 1 |
| ?uses_event_associations@ACE_Reactor@C | 1 |
| ?disable@ACE_IPC_SAP@@QBEHH@Z | 1 |
| ??4ACE_Error_Guard@@QAEHH@Z | 1 |
| ?debug@ACE@@YA_NXZ | 1 |
| ?strncpy@ACE_OS@@YAPADPAPBDI@Z | 1 |
| ?sprintf@ACE_OS@@YAH PADPBDZ | 1 |
| ?get_local_addr@ACE_SOCK@@QBEHAAVA | 1 |
| ??0ACE_Time_Value@@QAE@_JJ@Z | 1 |
| ?queue@ACE_Activation_Queue@@QBEPA` | 1 |
| ??0ACE_Activation_Queue@@QAE@PAV?\$ | 1 |
| ??1ACE_Activation_Queue@@UAE@XZ | 1 |
| ??1ACE_Sig_Handler@@UAE@XZ | 1 |
| ?run_reactor_event_loop@ACE_Reactor@A | 1 |
| ?register_handler@ACE_Sig_Handler@@UA | 1 |
| ??0ACE_Sig_Handler@@QAE@XZ | 1 |
| ??0ACE_INET_Addr@@QAE@GQBDH@Z | 1 |
| ?max_handles@ACE@@YAHXZ | 1 |
| ?instance@ACE_Reactor@@SAPAV1@PAV1 | 1 |
| ??0ACE_Reactor@@QAE@PAVACE_Reactor | 1 |
| ??0ACE_TP_Reactor@@QAE@PAVACE_Sig_ | 1 |
| ?open@?\$ACE_Select_Reactor_T@V?\$ACE_ | 1 |
| ?current_info@?\$ACE_Select_Reactor_T@V | 1 |
| ?set_sig_handler@?\$ACE_Select_Reactor_T | 1 |
| ?timer_queue@?\$ACE_Select_Reactor_T@V | 1 |
| ?timer_queue@?\$ACE_Select_Reactor_T@V | 1 |
| ?close@?\$ACE_Select_Reactor_T@V?\$ACE_ | 1 |
| ?work_pending@?\$ACE_Select_Reactor_T@ | 1 |
| ?handle_events@ACE_TP_Reactor@@UAEF | 1 |
| ?handle_events@ACE_TP_Reactor@@UAEF | 1 |
| ?alertable_handle_events@?\$ACE_Select_R | 1 |
| ?alertable_handle_events@?\$ACE_Select_R | 1 |
| ?deactivated@?\$ACE_Select_Reactor_T@V? | 1 |

| | |
|---|---|
| ?deactivate@?\$ACE_Select_Reactor_T@V?\$ | 1 |
| ?register_handler@?\$ACE_Select_Reactor_1 | 1 |
| ?remove_handler@?\$ACE_Select_Reactor_1 | 1 |
| ?suspend_handler@?\$ACE_Select_Reactor_1 | 1 |
| ?suspend_handler@?\$ACE_Select_Reactor_1 | 1 |
| ?suspend_handler@?\$ACE_Select_Reactor_1 | 1 |
| ?suspend_handlers@?\$ACE_Select_Reactor_1 | 1 |
| ?resume_handler@?\$ACE_Select_Reactor_1 | 1 |
| ?resume_handler@?\$ACE_Select_Reactor_1 | 1 |
| ?resume_handlers@?\$ACE_Select_Reactor_1 | 1 |
| ?resumable_handler@ACE_TP_Reactor@@I | 1 |
| ?uses_event_associations@?\$ACE_Select_Reactor_1 | 1 |
| ?schedule_timer@?\$ACE_Select_Reactor_T@V? | 1 |
| ?reset_timer_interval@?\$ACE_Select_Reactor_T@V? | 1 |
| ?cancel_timer@?\$ACE_Select_Reactor_T@V? | 1 |
| ?cancel_timer@?\$ACE_Select_Reactor_T@V? | 1 |
| ?schedule_wakeup@?\$ACE_Select_Reactor_T@V? | 1 |
| ?schedule_wakeup@?\$ACE_Select_Reactor_T@V? | 1 |
| ?cancel_wakeup@?\$ACE_Select_Reactor_T@V? | 1 |
| ?cancel_wakeup@?\$ACE_Select_Reactor_T@V? | 1 |
| ?notify@?\$ACE_Select_Reactor_T@V?\$ACE_Select_Reactor_1 | 1 |
| ?max_notify_iterations@?\$ACE_Select_Reactor_1 | 1 |
| ?max_notify_iterations@?\$ACE_Select_Reactor_1 | 1 |
| ?purge_pending_notifications@ACE_Select_Reactor_1 | 1 |
| ?find_handler@?\$ACE_Select_Reactor_T@V? | 1 |
| ?handler@?\$ACE_Select_Reactor_T@V?\$ACE_Select_Reactor_1 | 1 |
| ?handler@?\$ACE_Select_Reactor_T@V?\$ACE_Select_Reactor_1 | 1 |
| ?initialized@?\$ACE_Select_Reactor_T@V?\$ACE_Select_Reactor_1 | 1 |
| ?size@?\$ACE_Select_Reactor_T@V?\$ACE_Select_Reactor_1 | 1 |
| ?lock@?\$ACE_Select_Reactor_T@V?\$ACE_Select_Reactor_1 | 1 |
| ?wakeup_all_threads@?\$ACE_Select_Reactor_1 | 1 |
| ?owner@ACE_TP_Reactor@@UAEHPAK@Z | 1 |
| ?owner@ACE_TP_Reactor@@UAEHKPAK@Z | 1 |
| ?restart@?\$ACE_Select_Reactor_T@V?\$ACE_Select_Reactor_1 | 1 |
| ?restart@?\$ACE_Select_Reactor_T@V?\$ACE_Select_Reactor_1 | 1 |
| ?requeue_position@?\$ACE_Select_Reactor_1 | 1 |
| ?mask_ops@?\$ACE_Select_Reactor_T@V?\$ACE_Select_Reactor_1 | 1 |

| | |
|---|---|
| ?mask_ops@?\$ACE_Select_Reactor_T@V?\$. | 1 |
| ?ready_ops@?\$ACE_Select_Reactor_T@V?\$ | 1 |
| ?ready_ops@?\$ACE_Select_Reactor_T@V?\$ | 1 |
| ?dump@?\$ACE_Select_Reactor_T@V?\$ACE_ | 1 |
| ?bit_ops@ACE_Select_Reactor_Impl@@MA | 1 |
| ?renew@?\$ACE_Select_Reactor_T@V?\$ACE | 1 |
| ?is_suspended_i@?\$ACE_Select_Reactor_T(| 1 |
| ?clear_dispatch_mask@ACE_TP_Reactor@C | 1 |
| ?register_handler_i@?\$ACE_Select_Reactor | 1 |
| ?register_handler_i@?\$ACE_Select_Reactor | 1 |
| ?remove_handler_i@?\$ACE_Select_Reactor | 1 |
| ?remove_handler_i@?\$ACE_Select_Reactor | 1 |
| ?suspend_i@?\$ACE_Select_Reactor_T@V?\$ | 1 |
| ?resume_i@?\$ACE_Select_Reactor_T@V?\$A | 1 |
| ?find_handler_i@?\$ACE_Select_Reactor_T@ | 1 |
| ?handler_i@?\$ACE_Select_Reactor_T@V?\$I | 1 |
| ?handler_i@?\$ACE_Select_Reactor_T@V?\$A | 1 |
| ?any_ready@?\$ACE_Select_Reactor_T@V?\$ | 1 |
| ?any_ready_i@?\$ACE_Select_Reactor_T@V | 1 |
| ?handle_error@?\$ACE_Select_Reactor_T@V | 1 |
| ?check_handles@?\$ACE_Select_Reactor_T@ | 1 |
| ?wait_for_multiple_events@?\$ACE_Select_I | 1 |
| ?dispatch@?\$ACE_Select_Reactor_T@V?\$AI | 1 |
| ?dispatch_timer_handlers@?\$ACE_Select_R | 1 |
| ?dispatch_notification_handlers@?\$ACE_S | 1 |
| ?dispatch_io_handlers@?\$ACE_Select_Reac | 1 |
| ?dispatch_io_set@?\$ACE_Select_Reactor_T(| 1 |
| ?notify_handle@ACE_TP_Reactor@@MAEX | 1 |
| ?schedule_timer@ACE_Reactor@@UAEJPA | 1 |
| ?reset_timer_interval@ACE_Reactor@@UA | 1 |
| ?cancel_timer@ACE_Reactor@@UAEHPAVF | 1 |
| ?cancel_timer@ACE_Reactor@@UAEHJPAP | 1 |
| ??1?\$ACE_Select_Reactor_T@V?\$ACE_Reac | 1 |
| ??1ACE_Reactor@@UAE@XZ | 1 |
| ?broadcast@?\$ACE_Condition@VACE_Recu | 1 |
| ??0ACE_Condition_Recursive_Thread_Mute | 1 |
| ??1ACE_Condition_Recursive_Thread_Mute | 1 |
| ??1?\$ACE_Condition@VACE_Recursive_Thre | 1 |
| ?close@ACE_SOCKET_Acceptor@@QAEHXZ | 1 |
| ??E?\$ACE_Atomic_Op@VACE_Thread_Mute | 1 |
| ??F?\$ACE_Atomic_Op@VACE_Thread_Mute | 1 |
| ?setspecific@ACE_Thread@@SAHKPAX@Z | 1 |
| ?spawn@ACE_Thread@@SAHP6AKPAX@Z0 | 1 |
| ?thr_key_detach@ACE_OS@@YAHK@Z | 1 |
| ??0ACE_Copy_Disabled@@QAE@XZ | 1 |
| ??1ACE_Sched_Priority_Iterator@@QAE@X | 1 |
| ?next@ACE_Sched_Priority_Iterator@@QAI | 1 |

| | |
|--|---|
| ?priority_max@ACE_Sched_Params@@SAH | 1 |
| ?priority_min@ACE_Sched_Params@@SAH | 1 |
| ??0?\$ACE_String_Base@D@@QAE@PAVAC | 1 |
| ??8?\$ACE_String_Base@D@@QBE_NPBD@ | 1 |
| ??1ACE_Ini_ImpExp@@UAE@XZ | 1 |
| ?import_config@ACE_Ini_ImpExp@@UAEH@ | 1 |
| ??0ACE_Ini_ImpExp@@QAE@AAVACE_Con | 1 |
| ?open@ACE_Configuration_Heap@@QAEH@ | 1 |
| ??0ACE_Configuration_Heap@@QAE@XZ | 1 |
| ?open_section@ACE_Configuration_Heap@ | 1 |
| ?remove_section@ACE_Configuration_Hea | 1 |
| ?enumerate_values@ACE_Configuration_He | 1 |
| ?enumerate_sections@ACE_Configuration_I | 1 |
| ?set_string_value@ACE_Configuration_Hea | 1 |
| ?set_integer_value@ACE_Configuration_He | 1 |
| ?set_binary_value@ACE_Configuration_He | 1 |
| ?get_string_value@ACE_Configuration_Hea | 1 |
| ?get_integer_value@ACE_Configuration_He | 1 |
| ?get_binary_value@ACE_Configuration_He | 1 |
| ?find_value@ACE_Configuration_Heap@@l | 1 |
| ?remove_value@ACE_Configuration_Heap@C | 1 |
| ??1ACE_Configuration_Heap@@UAE@XZ | 1 |
| ?dequeue@ACE_Activation_Queue@@QAE@ | 1 |
| ?requeue_position@?\$ACE_Select_Reactor_ | 1 |
| ?enable@ACE_IPC_SAP@@QBEHH@Z | 1 |
| ??1ACE_Service_Object@@UAE@XZ | 1 |
| ??1ACE_Event_Handler@@UAE@XZ | 1 |
| ??0ACE_Event_Handler@@IAE@PAVACE_R | 1 |
| ??1ACE_Main_Base@@UAE@XZ | 1 |
| ?strerror@ACE_OS@@YAPADH@Z | 1 |
| ?instance@ACE_Reactor@@SAPAV1@XZ | 1 |
| ?value@Reference_Counting_Policy@ACE_E | 1 |
| ?space@ACE_Message_Block@@QBEIXZ | 1 |
| ?crunch@ACE_Message_Block@@QAEHXZ | 1 |
| ?close_writer@ACE_SOCK_Stream@@QAEF | 1 |
| ?cancel_wakeup@ACE_Reactor@@QAEHPA | 1 |
| ??0ACE_Data_Block@@QAE@IHPBDPAVACI | 1 |
| ??0ACE_Message_Block@@QAE@PAVACE_ | 1 |
| ?msg_queue@?\$ACE_Task@VACE_NULL_SY | 1 |
| ??1ACE_Data_Block@@UAE@XZ | 1 |
| ?schedule_wakeup@ACE_Reactor@@QAEH | 1 |
| ?send@ACE_SOCK_IO@@QBEHPBXIHPBVA@ | 1 |
| ?set_handle@ACE_IPC_SAP@@QAEXPAX@ | 1 |
| ?reference_counting_policy@ACE_Event_H | 1 |
| ?value@Reference_Counting_Policy@ACE_E | 1 |
| ?register_handler@ACE_Reactor@@QAEHP | 1 |
| ?last_error_adapter@ACE_Log_Msg@@SAH | 1 |

| | |
|---|---|
| ?activate@ACE_Task_Base@@UAEHJHHJHP | 1 |
| ?remove_reference@ACE_Event_Handler@ | 1 |
| ?add_reference@ACE_Event_Handler@@U | 1 |
| ?reactor_timer_interface@ACE_Event_Hanc | 1 |
| ??0?\$ACE_Task@VACE_NULL_SYNCH@@@ | 1 |
| ??0ACE_SOCK_Stream@@QAE@XZ | 1 |
| ?instance@ACE_Dynamic@@SAPAV1@XZ | 1 |
| ?is_dynamic@ACE_Dynamic@@QAE_NXZ | 1 |
| ?reset@ACE_Dynamic@@QAEXXZ | 1 |
| ??1?\$ACE_Task@VACE_NULL_SYNCH@@@ | 1 |
| ?rd_ptr@ACE_Message_Block@@QAEXI@Z | 1 |
| ?get_handle@ACE_IPC_SAP@@QBEPAXXZ | 1 |
| ?remove_handler@ACE_Reactor@@QAEHP | 1 |
| ?enqueue@ACE_Activation_Queue@@QAE | 1 |
| ??0?\$ACE_Atomic_Op@VACE_Thread_Mute | 1 |
| ??0ACE_Stack_Trace@@QAE@HI@Z | 1 |
| ?c_str@ACE_Stack_Trace@@QBEPBDXZ | 1 |
| ?remove_at_exit@ACE_Object_Manager@C | 1 |
| ?at_exit@ACE_Object_Manager@@SAHPA\ | 1 |
| ??0?\$ACE_Guard@VACE_Null_Mutex@@@ | 1 |
| ?locked@?\$ACE_Guard@VACE_Null_Mutex | 1 |
| ?set@ACE_Dynamic@@QAEXXZ | 1 |
| ??0ACE_Service_Object@@QAE@PAVACE_I | 1 |
| ?resume_handler@?\$ACE_Select_Reactor_1 | 1 |
| ??0instance_holder@python@boost@@QA | 1 |
| DOS | 1 |
| MEMORY | 1 |
| OcxGetParam | 1 |
| OcxRegisterEventProc | 1 |
| OcxSetParam | 1 |
| Cla\$ADDqueueptr | 1 |
| Cla\$AddressUfo | 1 |
| Cla\$ArrayOfUfo | 1 |
| Cla\$AssignReal2RefUfo | 1 |
| Cla\$AssignRefUfo | 1 |
| Cla\$AssignUfo | 1 |
| Cla\$BindG | 1 |
| Cla\$ClearType | 1 |
| Cla\$ClearUfo | 1 |
| Cla\$CloneUfo | 1 |
| Cla\$CREATE | 1 |
| Cla\$DELETEqueue | 1 |
| Cla\$DELETEREG | 1 |
| Cla\$DISPOSEref | 1 |
| Cla\$DISPOSEvref | 1 |
| Cla\$DPushReal | 1 |
| Cla\$duplicate | 1 |

| | |
|-------------------------|---|
| Cla\$FileExists | 1 |
| Cla\$FILE_ADDf | 1 |
| Cla\$FILE_BUFFER | 1 |
| CLA\$FILE_CALLBACK | 1 |
| Cla\$FILE_CEOF | 1 |
| Cla\$FILE_CLEAR | 1 |
| Cla\$FILE_CREATE | 1 |
| Cla\$FILE_DUPLICATEk | 1 |
| Cla\$FILE_FLUSH | 1 |
| CLA\$FILE_FREESTATE | 1 |
| Cla\$FILE_GETfk | 1 |
| Cla\$FILE_GETfl | 1 |
| Cla\$FILE_GETNULLS | 1 |
| CLA\$FILE_GETSTATE | 1 |
| Cla\$FILE_GET_PROPERTY | 1 |
| Cla\$FILE_NAME | 1 |
| Cla\$FILE_NOMEMO | 1 |
| Cla\$FILE_POSITIONf | 1 |
| Cla\$FILE_PREV | 1 |
| Cla\$FILE_PUTf | 1 |
| Cla\$FILE_REGETf | 1 |
| Cla\$FILE_REMOVE | 1 |
| Cla\$FILE_RESETf | 1 |
| Cla\$FILE_RESETk | 1 |
| CLA\$FILE_RESTORESTATE | 1 |
| Cla\$FILE_SETfl | 1 |
| Cla\$FILE_SETk | 1 |
| Cla\$FILE_SETNULLS | 1 |
| Cla\$FILE_WATCH | 1 |
| Cla\$GETREG | 1 |
| Cla\$Group2Ufo | 1 |
| Cla\$HALT | 1 |
| Cla\$INSTANCE | 1 |
| Cla\$IsUfoString | 1 |
| Cla\$KEYCHAR | 1 |
| Cla\$KEY_GET_PROPERTY | 1 |
| Cla\$LOCKTHREAD | 1 |
| Cla\$NewCriticalSection | 1 |
| Cla\$NewMemB | 1 |
| Cla\$Omitted | 1 |
| Cla\$OPENowned | 1 |
| Cla\$POINTERqueue | 1 |
| Cla\$POKE | 1 |
| Cla\$PopAString | 1 |
| Cla\$POPUP | 1 |
| Cla\$PushAString | 1 |
| Cla\$PushBind | 1 |

| | |
|--|---|
| Cla\$PushUfo | 1 |
| Cla\$PUTqueue | 1 |
| Cla\$PUTREG | 1 |
| Cla\$RANDOM | 1 |
| Cla\$RefAssignAny | 1 |
| Cla\$REGISTEREVENT | 1 |
| Cla\$REGULAR | 1 |
| Cla\$RemoveFile | 1 |
| Cla\$rterr | 1 |
| Cla\$SETKEYCODE | 1 |
| Cla\$SETPOSITION | 1 |
| Cla\$SETTARGET | 1 |
| Cla\$Stack2Ufo | 1 |
| Cla\$StackALL | 1 |
| Cla\$StackDEFORMAT2 | 1 |
| Cla\$StackNUMERIC | 1 |
| Cla\$storepict | 1 |
| Cla\$storepstr | 1 |
| Cla\$string2Ref | 1 |
| Cla\$THREAD_FILE | 1 |
| Cla\$UfoCompareN | 1 |
| Cla\$Ufodistinct | 1 |
| Cla\$UNLOCKTHREAD | 1 |
| Cla\$UNREGISTEREVENT | 1 |
| Cla\$VIEW_RESETvf | 1 |
| Cla\$WHAT | 1 |
| Cla\$WHOqueue | 1 |
| _10field_list__FieldName@FUi | 1 |
| _9ClassDesc__ct__@FPUCUC | 1 |
| _9ClassDesc__dt__@F | 1 |
| _9ClassDesc__Field@FUi | 1 |
| GETAPAGE@FsbRsb | 1 |
| GetDriveInfo | 1 |
| Teste | 1 |
| mataavg | 1 |
| ?seekp@?\$basic_ostream@_WU?\$char_traits@_WU@ | 1 |
| ?get@?\$basic_istream@_WU?\$char_traits@_WU@ | 1 |
| ?open@?\$basic_ifstream@_WU?\$char_traits@_WU@ | 1 |
| ?open@?\$basic_ofstream@_WU?\$char_traits@_WU@ | 1 |
| ?getProcessComponentContext@comphelper@ | 1 |
| ?dispatch@SynchronousDispatch@comphelper@ | 1 |
| comphelper_getProcessComponentContext | 1 |
| ?getSingleton@ComponentContext@comphelper@ | 1 |
| ?setProcessServiceFactory@comphelper@@ | 1 |
| uno_setCurrentContext | 1 |
| ?setConfiguredAsianFallback@MsLangId@@ | 1 |
| ?setConfiguredWesternFallback@MsLangId(| 1 |

| | |
|--|---|
| ?setConfiguredSystemLanguage@MsLangId(| 1 |
| ?setConfiguredSystemUILanguage@MsLang | 1 |
| ?setConfiguredComplexFallback@MsLangId(| 1 |
| rtl_bootstrap_get_iniName_from_handle | 1 |
| rtl_convertUStringToString | 1 |
| rtl_convertStringToUString | 1 |
| rtl_digest_destroy | 1 |
| rtl_digest_get | 1 |
| rtl_digest_update | 1 |
| rtl_digest_init | 1 |
| rtl_digest_queryLength | 1 |
| rtl_digest_create | 1 |
| osl_getTempDirURL | 1 |
| osl_setErrorReporting | 1 |
| rtl_logfile_longTrace | 1 |
| ?SetPage@SfxSingleTabDialog@@QAEXPV | 1 |
| ??OSfxSingleTabDialog@@QAE@PAVWindo | 1 |
| ??OSvtLanguageOptions@@QAE@E@Z | 1 |
| ??1SvtLanguageOptions@@UAE@XZ | 1 |
| ?m_bAllowInteraction@DocumentLockFile@ | 1 |
| ?getUnrestrictedFolders@svt@@YAXAAV?\$ | 1 |
| ?declarePath@RoadmapWizard@svt@@IAE | 1 |
| ?onFinish@OWizardMachine@svt@@MAEE | 1 |
| ?getPageController@OWizardMachine@svt@ | 1 |
| ??1JavaInteractionHandler@svt@@EAE@XZ | 1 |
| ?handle@JavaInteractionHandler@svt@@U | 1 |
| ?release@JavaInteractionHandler@svt@@L | 1 |
| ?acquire@JavaInteractionHandler@svt@@L | 1 |
| ?queryInterface@JavaInteractionHandler@s | 1 |
| ??0JavaInteractionHandler@svt@@QAE@X: | 1 |
| ??1JavaContext@svt@@UAE@XZ | 1 |
| ?getValueByName@JavaContext@svt@@U, | 1 |
| ?release@JavaContext@svt@@UAAXXZ | 1 |
| ?acquire@JavaContext@svt@@UAAXXZ | 1 |
| ?queryInterface@JavaContext@svt@@UAA | 1 |
| ?SetUseSystemFileDialog@SvtMiscOptions@ | 1 |
| ??OSvtFontSubstConfig@@QAE@XZ | 1 |
| ?Apply@SvtFontSubstConfig@@QAEXXZ | 1 |
| ??1SvtFontSubstConfig@@UAE@XZ | 1 |
| ?SetApplicationDefaults@SvtTabAppearance | 1 |
| ??OSvtAccessibilityOptions@@QAE@XZ | 1 |
| ?SetVCLSettings@SvtAccessibilityOptions@() | 1 |
| ??OJavaContext@svt@@QAE@ABV?\$Refere | 1 |
| ??1SvtAccessibilityOptions@@UAE@XZ | 1 |
| ?bInitialized@SvtTabAppearanceCfg@@OEA | 1 |
| ??OSvtTabAppearanceCfg@@QAE@XZ | 1 |
| ??OSvtMenuOptions@@QAE@XZ | 1 |

| | |
|---|---|
| ?GetMenuIconsState@SvtOptionsMenu@@ | 1 |
| ??1SvtOptionsMenu@@UAE@XZ | 1 |
| ??1SvtTabAppearanceCfg@@UAE@XZ | 1 |
| ?GetGraphicFilter@GraphicFilter@@SAPAV: | 1 |
| ?GetFilterCallback@GraphicFilter@@QBE?B | 1 |
| ?SearchCreateResMgr@ResMgr@@SAPAV1 | 1 |
| ?DeInitTestToolLib@tools@@YAXXZ | 1 |
| ?InitTestToolLib@tools@@YAXXZ | 1 |
| ?SetReadStringHook@ResMgr@@SAXP6AX/ | 1 |
| ??ZDateTime@@QAEAAV0@ABVTime@@C | 1 |
| ??ODateTime@@QBEEABV0@@Z | 1 |
| ??BByteString@@QBE?AVOString@rtl@@X: | 1 |
| ?deinitialize@ContentBroker@ucbhelper@C | 1 |
| ?locateSharedData@Bootstrap@utl@@SA?I | 1 |
| ?getAllUsersValue@Bootstrap@utl@@SA?A | 1 |
| ??OSearchParam@utl@@QAE@ABVString@ | 1 |
| ??OTextSearch@utl@@QAE@ABVSearchPar | 1 |
| ?SearchFrwrd@TextSearch@utl@@QAEHAE | 1 |
| ??1TextSearch@utl@@QAE@XZ | 1 |
| ??1SearchParam@utl@@QAE@XZ | 1 |
| ?activateReminder@RegOptions@utl@@QF | 1 |
| ?hasReminderDateCome@RegOptions@utl(| 1 |
| ?SetFirstName@SvtUserOptions@@QAEXAE | 1 |
| ?SetLastName@SvtUserOptions@@QAEXAE | 1 |
| ?SetID@SvtUserOptions@@QAEXABVOUStr | 1 |
| ?SetFathersName@SvtUserOptions@@QAE | 1 |
| ?GetID@SvtUserOptions@@QBE?AVOUStrir | 1 |
| ?GetFathersName@SvtUserOptions@@QBE | 1 |
| ?locateUserData@Bootstrap@utl@@SA?AW | 1 |
| ??OSvtStartOptions@@QAE@XZ | 1 |
| ?GetConnectionURL@SvtStartOptions@@QI | 1 |
| ??1SvtStartOptions@@UAE@XZ | 1 |
| ?GetTempPath@SvtPathOptions@@QBEAB' | 1 |
| ?GetCurrentTempURL@SvtInternalOptions@ | 1 |
| ?SetTempNameBaseDirectory@TempFile@L | 1 |
| ?SetCurrentTempURL@SvtInternalOptions@ | 1 |
| ?reloadData@Bootstrap@utl@@SAXXZ | 1 |
| ?SetWorkPath@SvtPathOptions@@QAEXAE | 1 |
| ??0RegOptions@utl@@QAE@XZ | 1 |
| ?removeReminder@RegOptions@utl@@QAE | 1 |
| ??1RegOptions@utl@@QAE@XZ | 1 |
| ??0SvtInternalOptions@@QAE@XZ | 1 |
| ?GetFactoryName@SvtModuleOptions@@C | 1 |
| ??1SvtInternalOptions@@UAE@XZ | 1 |
| ?GetFactoryEmptyDocumentURL@SvtModul | 1 |
| ?IsModuleInstalled@SvtModuleOptions@@ | 1 |
| ?StoreConfigItems@ConfigManager@utl@C | 1 |

| | |
|---|---|
| ?GetConfigurationProvider@ConfigManager | 1 |
| ?checkBootstrapStatus@Bootstrap@utl@@! | 1 |
| ?locateVersionFile@Bootstrap@utl@@SA?A | 1 |
| ?locateBootstrapFile@Bootstrap@utl@@SA | 1 |
| ?getProductKey@Bootstrap@utl@@SA?AVC | 1 |
| ?locateBaseInstallation@Bootstrap@utl@@ | 1 |
| ?getProductKey@Bootstrap@utl@@SA?AVC | 1 |
| ??1ApplicationEvent@@QAE@XZ | 1 |
| ??1ApplicationAddress@@QAE@XZ | 1 |
| ??0ApplicationAddress@@QAE@ABV0@@Z | 1 |
| ??0ApplicationAddress@@QAE@ABVString(| 1 |
| ?SVMain@@YAEXZ | 1 |
| ?SetAppName@Application@@SAXABVStrir | 1 |
| ??1AllSettings@@QAE@XZ | 1 |
| ?SetSettings@Application@@SAXABVAllSeti | 1 |
| ?SetUILocale@AllSettings@@QAEXABULoca | 1 |
| ??0AllSettings@@QAE@ABV0@@Z | 1 |
| ?IsInExecute@Application@@SAEXZ | 1 |
| ??1StyleSettings@@QAE@XZ | 1 |
| ??1MouseSettings@@QAE@XZ | 1 |
| ??4StyleSettings@@QAEABV0@ABV0@@Z | 1 |
| ?CopyData@StyleSettings@@AAEXXZ | 1 |
| ??4MouseSettings@@QAEABV0@ABV0@@@ | 1 |
| ?CopyData@AllSettings@@AAEXXZ | 1 |
| ?CopyData@MouseSettings@@AAEXXZ | 1 |
| ??0MouseSettings@@QAE@ABV0@@Z | 1 |
| ??0StyleSettings@@QAE@ABV0@@Z | 1 |
| ?ShowNativeErrorBox@Application@@SAX/ | 1 |
| ??0Application@@QAE@XZ | 1 |
| ?UserEvent@Application@@UAEXKPAX@Z | 1 |
| ?ActivateExtHelp@Application@@UAEXXZ | 1 |
| ?DeactivateExtHelp@Application@@UAEXX | 1 |
| ?ShowStatusText@Application@@UAEXABV | 1 |
| ?HideStatusText@Application@@UAEXXZ | 1 |
| ?ShowHelpStatusText@Application@@UAE) | 1 |
| ?HideHelpStatusText@Application@@UAEX | 1 |
| ?FocusChanged@Application@@UAEXXZ | 1 |
| ?DataChanged@Application@@UAEXABVD@ | 1 |
| ?Property@Application@@UAEXAAVApplic | 1 |
| ?EnableHeadlessMode@Application@@SAX | 1 |
| ?GetEnableATToolSupport@MiscSettings@() | 1 |
| ?InitAccessBridge@@YAEEAAE@Z | 1 |
| ?SetDisplayName@Application@@SAXABVS | 1 |
| ?GetExtendedStyle@Window@@QBE_JXZ | 1 |
| ?SetExtendedStyle@Window@@QAEX_J@Z | 1 |
| ?SetFilterHdl@Application@@SAXABVLink@ | 1 |
| ?Execute@Application@@SAXXZ | 1 |

| | |
|---|---|
| ?GetHelp@Application@@SAPAVHelp@@X | 1 |
| ?GetDisablePrinting@MiscSettings@@QBEE | 1 |
| ?AnyInput@Application@@SAEG@Z | 1 |
| ?GetSystemWindowMode@Application@@ | 1 |
| ?SetSystemWindowMode@Application@@` | 1 |
| ?Abort@Application@@SAXABVString@@@C | 1 |
| ?accept@OPipe@vos@@QAA?AW4TPipeEri | 1 |
| ?recv@OPipe@vos@@QAAJPAXK@Z | 1 |
| ??0OPipe@vos@@QAE@ABVOUString@rtl(| 1 |
| ?isValid@OPipe@vos@@QBAEXZ | 1 |
| ?send@OPipe@vos@@QAAJPBXK@Z | 1 |
| ?close@OPipe@vos@@UAAXXZ | 1 |
| ?create@OPipe@vos@@QAAEABVOUString | 1 |
| ?getError@OPipe@vos@@QBA?AW4TPipeE | 1 |
| ??4OStreamPipe@vos@@QAAAABV01@ABV | 1 |
| ??0OPipe@vos@@QAE@XZ | 1 |
| ??0OStreamPipe@vos@@QAE@XZ | 1 |
| ??1OPipe@vos@@UAE@XZ | 1 |
| ??1OStreamPipe@vos@@UAE@XZ | 1 |
| ??0OSecurity@vos@@QAE@XZ | 1 |
| ?getUserIdent@OSecurity@vos@@QBAEAA | 1 |
| ??1OSecurity@vos@@UAE@XZ | 1 |
| ??0OStartupInfo@vos@@QAE@XZ | 1 |
| ?getExecutableFile@OStartupInfo@vos@@@(` | 1 |
| ??1OStartupInfo@vos@@UAE@XZ | 1 |
| ?getClassInfo@OSignalHandler@vos@@UB | 1 |
| ??0OSignalHandler@vos@@QAE@XZ | 1 |
| ??1OSignalHandler@vos@@UAE@XZ | 1 |
| @Ardmcl@dtmCustomerClass | 1 |
| @Ardmcl@TdtmCustomerClass@ | 1 |
| ?LogUserActMsg@@YAXABV?\$basic_string(| 1 |
| ?LogInit@@YAXABV?\$basic_string@DU?\$ch | 1 |
| ?LogRealMsg@@YAXABV?\$basic_string@DL | 1 |
| Cla\$CHAIN | 1 |
| @Cxgridcustomtableview@TcxCustomGridT | 1 |
| @Cxgridcustomtableview@TcxGridEditingCc | 1 |
| @Cxgridtableview@TcxGridColumn@GetOp | 1 |
| @Vefileutils@VeFindFile\$qqrp16Classes@T` | 1 |
| @Jvfileutil@MoveFile\$qqrx17System@Ans!t | 1 |
| @Kbmmembinarystreamformat@TkmbBina | 1 |
| _KB_DEVICE_Open@4 | 1 |
| _KB_DEVICE_Close@0 | 1 |
| ??2CMyObject@@SGPAXI@Z | 1 |
| ?GetRuntimeClass@CMyStringList@@UBEP, | 1 |
| ?CDWriter_GetLastNodeNumFromDirTree@ | 1 |
| ?CDWriter_GetNextWritableLBA@@YAKKPA | 1 |
| PsIsProcessBeingDebugged | 1 |

| | |
|-------------------------------|---|
| GetDefaultObjectPermissions_D | 1 |
| get_edmenv_sys_D | 1 |
| get_edmenv_D | 1 |
| get_edmenv_adm_D | 1 |
| get_edmenv_data_D | 1 |
| get_edmenv_root_D | 1 |
| get_edmenv_root_Ex_D | 1 |
| get_edmenv_log_D | 1 |
| get_edm_env_var_D | 1 |
| get_edm_env_var_Ex_D | 1 |
| last_message_D | 1 |
| open_log_file_D | 1 |
| open_log_append_D | 1 |
| openfile_D | 1 |
| ResourceType_D | 1 |
| Show_Header_D | 1 |
| Show_Header_Buffer_D | 1 |
| Show_Module_Stats_D | 1 |
| tracelog_local_D | 1 |
| tracelog_D | 1 |
| CreateErrorRecord_D | 1 |
| WrapTraceLog_D | 1 |
| eventlog_D | 1 |
| Retrieve_Registry_Value_D | 1 |
| IsMBEnabled_D | 1 |
| Edm_Query_Heap_D | 1 |
| file_exists_D | 1 |
| vtab_reorg_D | 1 |
| add_var_D | 1 |
| var_put_D | 1 |
| pool_unsave_D | 1 |
| convert_object_to_UTF8_D | 1 |
| convert_object_to_localCP_D | 1 |
| trim | 1 |
| OurStrncpy | 1 |
| OurStrchr | 1 |
| OurStrnicmp | 1 |
| OurStrlen | 1 |
| OurStricmp | 1 |
| OurStrcpy | 1 |
| OurStrncat | 1 |
| OurTrim | 1 |
| OurStrrchr | 1 |
| OS_Info | 1 |
| nvd_toupper | 1 |
| VerifyVarsDLL | 1 |
| pooltab_add_D | 1 |

| | |
|--------------------------|---|
| pooltab_build_D | 1 |
| pooltab_delete_D | 1 |
| pooltab_err_D | 1 |
| pooltab_put_D | 1 |
| OpenRadiaObject_D | 1 |
| get_object_version_D | 1 |
| append_edm_to_filename_D | 1 |
| CloseObject_D | 1 |
| OurPaddedStrcpy | 1 |
| OpenObject_Ex_D | 1 |
| OpenObject_D | 1 |
| Var_Trim_Field_D | 1 |
| Edm_copyFile_D | 1 |
| Edm_Swap_Heaps_D | 1 |
| EdmErrorRecord_D | 1 |
| Edm_Set_Trace_D | 1 |
| Edm_Flast_D | 1 |
| Edm_Reorg_D | 1 |
| Rad_Var_Replace_D | 1 |
| Edm_Var_Replace_D | 1 |
| Edm_Eobj_D | 1 |
| Edm_Eval_Var_D | 1 |
| Edm_Add_Buflst_D | 1 |
| Edm_Obj_Exists_Ex_D | 1 |
| Edm_Obj_Exists_D | 1 |
| Edm_Object_Delete_D | 1 |
| Edm_Heap_Delete_D | 1 |
| Edm_Buffer_Read_D | 1 |
| Edm_Heap_Point_D | 1 |
| Edm_Heap_Set_D | 1 |
| Edm_Vars_Exit_D | 1 |
| Edm_Heap_Add_From_Ptr_D | 1 |
| Edm_Heap_Add_D | 1 |
| Edm_ObjPtr_Save_D | 1 |
| Edm_Object_Save_D | 1 |
| Edm_Find_Pool_D | 1 |
| dump_vars_D | 1 |
| dump_all_D | 1 |
| v_set_data_D | 1 |
| v_add_data_D | 1 |
| v_put_data_D | 1 |
| v_delt_D | 1 |
| v_set_D | 1 |
| v_add_D | 1 |
| v_put_D | 1 |
| v_get_data_D | 1 |
| v_set_string_D | 1 |

| | |
|--|---|
| v_set_localstring_D | 1 |
| v_get_string_D | 1 |
| v_get_localstring_D | 1 |
| v_get_D | 1 |
| VarYesNo_D | 1 |
| var_toi_D | 1 |
| var_cpy_D | 1 |
| SynchronizesObjectsFromDisk_D | 1 |
| SynchronizesObjectsToDisk_D | 1 |
| pooltab_replace_D | 1 |
| close_log_file_D | 1 |
| ZwSignalAndWaitForSingleObject | 1 |
| @Sysutils@RPR\$qqrv | 1 |
| @Classes@TBasicActionLink@Update\$qqrv | 1 |
| @Classes@TBasicActionLink@IsOnExecuteLi | 1 |
| @Classes@TBasicActionLink@SetAction\$qqi | 1 |
| @Classes@TBasicActionLink@Execute\$qqrp | 1 |
| @Classes@TBasicActionLink@Change\$qqrv | 1 |
| @Classes@TBasicActionLink@\$bdtr\$qqrv | 1 |
| @Classes@TBasicActionLink@\$bctr\$qqrp14: | 1 |
| @Classes@TComponent@RemoveFreeNotif | 1 |
| @Classes@TStream@WriteComponent\$qqrv | 1 |
| @Classes@TStream@ReadComponent\$qqrr | 1 |
| @Classes@TCollection@Insert\$qqri | 1 |
| @Classes@TCollection@FindItemID\$qqri | 1 |
| @Actnlist@TAction@\$bctr\$qqrp18Classes@ | 1 |
| @Actnlist@TCustomAction@SetHint\$qqrx17 | 1 |
| @Actnlist@TCustomAction@\$bctr\$qqrp18C | 1 |
| @Actnlist@TActionLink@SetHelpType\$qqr1 | 1 |
| @Actnlist@TActionLink@SetHelpKeyword\$qc | 1 |
| @Actnlist@TActionLink@SetHelpContext\$qq | 1 |
| @Actnlist@TActionLink@SetGroupIndex\$qq | 1 |
| @Actnlist@TActionLink@SetChecked\$qqro | 1 |
| @Actnlist@TActionLink@SetAutoCheck\$qqrv | 1 |
| @Actnlist@TActionLink@IsVisibleLinked\$qq | 1 |
| @Actnlist@TActionLink@IsShortCutLinked\$qq | 1 |
| @Actnlist@TActionLink@IsImageIndexLinke | 1 |
| @Actnlist@TActionLink@IsHintLinked\$qqrv | 1 |
| @Actnlist@TActionLink@IsHelpLinked\$qqrv | 1 |
| @Actnlist@TActionLink@IsHelpContextLinke | 1 |
| @Actnlist@TActionLink@IsGroupIndexLinke | 1 |
| @Actnlist@TActionLink@IsEnabledLinked\$qq | 1 |
| @Actnlist@TActionLink@IsCheckedLinked\$qq | 1 |
| @Actnlist@TActionLink@IsCaptionLinked\$qq | 1 |
| @Actnlist@TCustomActionList@Change\$qqi | 1 |
| @Actnlist@TCustomActionList@Notification | 1 |
| @Actnlist@TCustomActionList@SetImages\$ | 1 |

| | |
|---|---|
| @Actnlist@TCustomActionList@\$bdtr\$qqrv | 1 |
| @Actnlist@TCustomActionList@\$bctr\$qqrp: | 1 |
| @Actnlist@TContainedAction@SetActionLis: | 1 |
| @Actnlist@TContainedAction@SetCategory: | 1 |
| @Actnlist@TActionLink@ | 1 |
| @\$xp\$26Actnlist@TCustomActionList | 1 |
| @Actnlist@TCustomActionList@ | 1 |
| @\$xp\$25Actnlist@TActionListState | 1 |
| @\$xp\$21Actnlist@TActionEvent | 1 |
| @\$xp\$25Actnlist@TContainedAction | 1 |
| @Actnlist@TContainedAction@ | 1 |
| @Contnrs@TStack@PushItem\$qqrv | 1 |
| @Contnrs@TOrderedList@PopItem\$qqrv | 1 |
| @Contnrs@TOrderedList@PeekItem\$qqrv | 1 |
| @Contnrs@TOrderedList@\$bdtr\$qqrv | 1 |
| @Contnrs@TOrderedList@Peek\$qqrv | 1 |
| @Graphics@TCanvas@Rectangle\$qqrx11Ty | 1 |
| @Consts @_SRestoreDefaultSchedule | 1 |
| @Consts @_SUnableToSaveSettings | 1 |
| @Consts @_SCannotHideActionBand | 1 |
| @Consts @_SCircularReferencesNotAllowed | 1 |
| @Consts @_SResetActionToolBar | 1 |
| @Consts @_SAddRemoveButtons | 1 |
| @Consts @_SNoName | 1 |
| @Consts @_SErrorLoadingFile | 1 |
| @Consts @_SExpand | 1 |
| @Consts @_SMoreButtons | 1 |
| @Consts @_SDeleteItemWithSubItems | 1 |
| @Consts @_SAssignSubItemError | 1 |
| @Forms@TApplication@Idle\$qqrrx6tagMSC | 1 |
| @Forms@TApplication@IsKeyMsg\$qqrr6tag | 1 |
| @Forms@TCustomDockForm@Loaded\$qqrv | 1 |
| @Controls@TMouse@GetIsDragging\$qqrv | 1 |
| @Controls@TWinControl@WMContextMenu | 1 |
| @Controls@TWinControl@CMWinIniChange | 1 |
| @Controls@TWinControl@CMColorChange | 1 |
| @Controls@TWinControl@WMSysKeyDown | 1 |
| @Controls@TWinControl@GetSiteInfo\$qqrp | 1 |
| @Controls@TWinControl@ControlAtPos\$qc | 1 |
| @Controls@TWinControl@GetAlignDisablec | 1 |
| @Controls@TControl@WMContextMenu\$q | 1 |
| @Controls@TControl@DrawTextBiDiModeF | 1 |
| @Controls@TControl@CMFontChanged\$qq | 1 |
| @Controls@TControl@CMVisibleChanged\$ | 1 |
| @Controls@TControl@VisibleChanging\$qqr | 1 |
| @Controls@TControl@DesignWndProc\$qq | 1 |
| @Controls@TControl@DoStartDock\$qqrp2 | 1 |

| | |
|---|---|
| @Controls@TControl@DoEndDock\$qqrp14S | 1 |
| @Controls@TControl@DoStartDrag\$qqrrp2l | 1 |
| @Controls@TControl@DragOver\$qqrp14Sy: | 1 |
| @Controls@TControl@SetHostDockSite\$qqi | 1 |
| @Controls@TControl@Dock\$qqrp20Control | 1 |
| @Controls@TControlCanvas@UpdateTextFl: | 1 |
| @Controls@FindDragTarget\$qqrx12Types@ | 1 |
| @Controls@DragDone\$qqro | 1 |
| @Controls@TDragObjectEx@BeforeDestru: | 1 |
| @Controls@TDragObject@AfterConstructio | 1 |
| @Controls@TDragObject@ShowDragImage: | 1 |
| @Controls@TDragObject@Instance\$qqrv | 1 |
| @Controls@TDragObject@HideDragImage\$ | 1 |
| @Controls@TDragObject@GetDragCursor\$c | 1 |
| @Controls@TDragObject@GetDragImages\$ | 1 |
| @Controls@TDragObject@WndProc\$qqrr17 | 1 |
| @Controls@TDragObject@GetName\$qqrv | 1 |
| @Controls@TDragObject@Finished\$qqrp14 | 1 |
| @Controls@TDragObject@Assign\$qqrp20Cc | 1 |
| @Controls@AnimateWindowProc | 1 |
| @Controls@TDragObjectEx@ | 1 |
| @Menus@GetHotkey\$qqrx17System@Ansif | 1 |
| @Menus@ValidMenuHotkeys | 1 |
| @Stdctrls@TCustomCombo@AddItem\$qqr1 | 1 |
| @Stdctrls@TCustomCombo@GetCount\$qqr | 1 |
| @Stdctrls@TCustomCombo@DeleteSelecte | 1 |
| @Stdctrls@TCustomCombo@CopySelection | 1 |
| @Stdctrls@TCustomCombo@ClearSelection | 1 |
| @Stdctrls@TCustomCombo@SetItems\$qqrr | 1 |
| @Stdctrls@TCustomCombo@AdjustDropDo | 1 |
| @Stdctrls@TCustomCombo@Loaded\$qqrv | 1 |
| @Stdctrls@TCustomCombo@ComboWndPr | 1 |
| @Stdctrls@TCustomCombo@SetItemHeight | 1 |
| @Stdctrls@TCustomCombo@SetItemIndex\$ | 1 |
| @Stdctrls@TCustomCombo@GetItemIndex\$ | 1 |
| @Stdctrls@TCustomCombo@SelectAll\$qqrv | 1 |
| @Stdctrls@TCustomCombo@DestroyWindo | 1 |
| @Stdctrls@TCustomCombo@Clear\$qqrv | 1 |
| @Registry@TRegistry@HasSubKeys\$qqrv | 1 |
| @Comctrls@TCustomComboBoxEx@Destro | 1 |
| @Comctrls@TCustomComboBoxEx@GetIter | 1 |
| @Comctrls@TCustomComboBoxEx@SetDro | 1 |
| @Comctrls@TCustomComboBoxEx@GetIter | 1 |
| @Comctrls@TCustomComboBoxEx@GetIter | 1 |
| @Comctrls@TCustomComboBoxEx@Create' | 1 |
| @Comctrls@TCustomComboBoxEx@Notific | 1 |
| @Comctrls@TCustomComboBoxEx@WndPr | 1 |

| | |
|--|---|
| @Comctrls@TCustomComboBoxEx@Create | 1 |
| @Comctrls@TCustomComboBoxEx@\$bdtr\$ | 1 |
| @Comctrls@TCustomComboBoxEx@\$bctr\$ | 1 |
| @\$xp\$26Comctrls@TCustomComboBoxEx | 1 |
| @Comctrls@TCustomComboBoxEx@ | 1 |
| @Listactns@TStaticListAction@ | 1 |
| @Listactns@TVirtualListAction@ | 1 |
| @Toolwin@TToolDockForm@CanResize\$qq | 1 |
| @Toolwin@TToolDockForm@CreateParams | 1 |
| @Toolwin@TToolDockForm@\$bctr\$qqrp18 | 1 |
| @Toolwin@TToolWindow@WMNCCalcSize | 1 |
| @Toolwin@TToolWindow@NCPaint\$qqrui | 1 |
| @Toolwin@TToolWindow@SetEdgeOuter\$ | 1 |
| @Toolwin@TToolWindow@SetEdgeInnner\$q | 1 |
| @Toolwin@TToolWindow@\$bctr\$qqrp18Cl | 1 |
| @\$xp\$21Toolwin@TToolDockForm | 1 |
| @\$xp\$19Toolwin@TToolWindow | 1 |
| @Toolwin@TToolWindow@ | 1 |
| @Tb2item@TTBCustomItem@ | 1 |
| @Vepanel@Finalization\$qqrv | 1 |
| @Vepanel@tVepanel@ | 1 |
| @Jvstrutils@DelSpace\$qqrx17System@Ansi | 1 |
| @Fr_dctrl@TfrDialogControls@ | 1 |
| @Fr_class@TfrFunctionLibrary@OnFunction | 1 |
| @Fr_class@TfrFunctionLibrary@\$bdtr\$qqrv | 1 |
| @Fr_class@TfrFunctionLibrary@\$bctr\$qqrv | 1 |
| @Fr_class@TfrReport@\$bctr\$qqrp18Classe | 1 |
| @Fr_class@frAddFunctionDesc\$qqrp27Fr_cl | 1 |
| @Fr_class@frRegisterFunctionLibrary\$qqrp1 | 1 |
| @Fr_class@frParser | 1 |
| @Fr_class@TfrFunctionLibrary@ | 1 |
| @Fr_pars@TfrParser@Calc\$qqrx17System@ | 1 |
| @Fr_rect@TfrRoundRectObject@ | 1 |
| @Frfunction@Finalization\$qqrv | 1 |
| @Frfunction@TfrAddFunctionLibrary@ | 1 |
| @Frconst@Finalization\$qqrv | 1 |
| @Frfuncsql@Finalization\$qqrv | 1 |
| @Frfuncdate@Finalization\$qqrv | 1 |
| @Frfuncstr@Finalization\$qqrv | 1 |
| @Frfuncnum@Finalization\$qqrv | 1 |
| @Fr_barcode@TfrBarcodeObject@ | 1 |
| @Fr_shape@TfrShapeObject@ | 1 |
| @Fr_checkbox@TfrCheckBoxObject@ | 1 |
| @Fr_adodb@TfrADOComponents@ | 1 |
| @FrRtfexp@Finalization\$qqrv | 1 |
| @FrRtfexp@TfrRtfAdvExport@ | 1 |
| @Fr_rich@TfrRichObject@ | 1 |

| | |
|--|---|
| @Frexpimg@Finalization\$qqrv | 1 |
| @Frexpimg@TfrJPEGExport@ | 1 |
| @Frexpimg@TfrTIFFExport@ | 1 |
| @Frexpimg@TfrBMPExport@ | 1 |
| @Froleexl@TfrOLEExcelExport@ | 1 |
| @Fr_e_html2@TfrHTML2Export@ | 1 |
| @Fr_e_htm@Finalization\$qqrv | 1 |
| @Fr_e_htm@TfrHTMExport@ | 1 |
| @Fr_e_csv@TfrCSVExport@ | 1 |
| @Fr_desgn@TfrDesigner@ | 1 |
| @Graphutil@DrawCheck\$qqrp16Graphics@ | 1 |
| @Graphutil@DrawChevron\$qqrp16Graphics@ | 1 |
| @Graphutil@DrawArrow\$qqrp16Graphics@ | 1 |
| @Graphutil@GetShadowColor\$qqrx15Grap | 1 |
| @Graphutil@GetHighLightColor\$qqrx15Gra | 1 |
| @Graphutil@ColorAdjustLuma\$qqruiii | 1 |
| EF9271D0 | 1 |
| 0CEBAC5E | 1 |
| ??Dstd@@YA?AV?\$complex@M@0@ABV1(| 1 |
| GetMagickPixelPacket | 1 |
| LocaleLower | 1 |
| UpdateRadio | 1 |
| SendHandle | 1 |
| BackCEMode | 1 |
| IsBL | 1 |
| CheckAC | 1 |
| EnterBL | 1 |
| UpdateExtended | 1 |
| UpdateCE | 1 |
| UnInitialization | 1 |
| Initialization | 1 |
| UpdateWhatImage | 1 |
| ??4BDSTRING@@QAEAAV0@ABV0@@Z | 1 |
| ?EnableQQNetworkSettings@CTXHttpDown | 1 |
| ?GetResponseFileName@CTXHttpDownload | 1 |
| ?SafeCoLoadLibrary@Sys@Util@@YAPAUHI | 1 |
| ??9@YA_N_WABVCTXStringW@@@Z | 1 |
| ??8@YA_N_WABVCTXStringW@@@Z | 1 |
| ?TrimRight@CTXStringA@@QAEAAV1@D@ | 1 |
| ?ClosePopupWindows@GF@Util@@YAXXZ | 1 |
| ?ClearMousePointer@GF@Util@@YAJPAUI | 1 |
| ?SetALLCFSSettingBtnStatus@ChatSession@L | 1 |
| ?NeedSetSettingBtnHighlight@ChatSession@ | 1 |
| ReleaseConnect | 1 |
| SendDataBufferW | 1 |
| RecvDataBufferW | 1 |
| InitConnectW | 1 |

| | |
|---|---|
| ?GetChild@NodeContainer@AdvXMLParser | 1 |
| ?null@Attribute@AdvXMLParser@@2V12@ | 1 |
| ?null@Comment@AdvXMLParser@@2V12@ | 1 |
| ?null@Pi@AdvXMLParser@@2V12@A | 1 |
| ?null@CData@AdvXMLParser@@2V12@A | 1 |
| ?ReadBufferFromFile@AdvXMLParser@@YF | 1 |
| ?null@Element@AdvXMLParser@@2V12@, | 1 |
| ??1Exception@AdvXMLParser@@UAE@XZ | 1 |
| ?cmnlib_QueryRegValue@@YA?AV?\$basic_ | 1 |
| ?cmnlib_AppendFilePath@@YA?AV?\$basic_ | 1 |
| ?cmnlib_SetLogLevel@@YAXW4naimcomm_ | 1 |
| ?cmnlib_GetFrameworkDataDir@@YA?AV?\$ | 1 |
| ?cmnlib_CreateGlobalObjectName@@YA?A | 1 |
| ?cmnlib_CreateGlobalSecurityAttrib@@YAX | 1 |
| ?AddMessageW@CnaLogger@@SAJW4ESUI | 1 |
| ??1AnInfoTrace@@QAE@XZ | 1 |
| ??0ABuffer@@QAE@XZ | 1 |
| ??1ATrace@@QAE@XZ | 1 |
| ??1ABuffer@@QAE@XZ | 1 |
| ?TCDoFunction@TCVPlayBackDlg@@EAEXJJ | 1 |
| ?TCSetCurrentDirectory@@YAHPBD@Z | 1 |
| ?TCQueryEndSession@TCFrameDlg@@MAE | 1 |
| _ZN7QWidget11setTabOrderEPS_S0_ | 1 |
| _ZTV11QLayoutItem | 1 |
| GdipCreateTexture2I | 1 |
| GdipGetDpiX | 1 |
| GdipResetTextureTransform | 1 |
| GdipSetLineWrapMode | 1 |
| DSA_DestroyCallback | 1 |
| RtlInitMemoryStream | 1 |
| ??0CDBManager@@QAE@XZ | 1 |
| ??1CDBManager@@QAE@XZ | 1 |
| ?GetRegKey@CDBManager@@QAEJAAV?\$C | 1 |
| ?ModifyMDB@CDBManager@@QAEJQB_W | 1 |
| SimpleTypeMemorySize | 1 |
| ?SetDefaultButtonTracking@XProvider@Dir | 1 |
| ?ForceThemeChange@XProvider@DirectUI@ | 1 |
| ?GetHostedElementID@XProvider@DirectU | 1 |
| ?FindElementWithShortcutAndDoDefaultAct | 1 |
| ?CanSetFocus@XProvider@DirectUI@@UAC | 1 |
| ?GetUnset@Value@DirectUI@@SGPAV12@ | 1 |
| ?GetStringNull@Value@DirectUI@@SGPAV | 1 |
| ?Navigate@XProvider@DirectUI@@UAGJHI | 1 |
| ?SetFocus@XProvider@DirectUI@@UAGJPA | 1 |
| ?IsDescendent@XProvider@DirectUI@@UA | 1 |
| ?GetDesiredSize@XProvider@DirectUI@@U | 1 |
| ?SetParameter@XProvider@DirectUI@@UA | 1 |

| | |
|---|---|
| ??1XProvider@DirectUI@@UAE@XZ | 1 |
| ?ClickDefaultButton@XProvider@DirectUI@ | 1 |
| ?SetHandleEnterKey@XProvider@DirectUI@ | 1 |
| ?Create@XResourceProvider@DirectUI@@@{ | 1 |
| ?Initialize@XProvider@DirectUI@@@QAEJPA\ | 1 |
| ?QueryInterface@XProvider@DirectUI@@@U | 1 |
| ?Init@NavReference@DirectUI@@@QAEXPAL | 1 |
| ?SetRegisteredDefaultButton@XProvider@C | 1 |
| ?SetButtonClassAcceptsEnterKey@XProvider@ | 1 |
| ?AddRef@XProvider@DirectUI@@@UAGKXZ | 1 |
| ?GetRoot@XProvider@DirectUI@@@IAEPAVE | 1 |
| ?GetString@Value@DirectUI@@@QAEPBGXZ | 1 |
| ?GetClassInfoPtr@Element@DirectUI@@@SG | 1 |
| ?Remove@Element@DirectUI@@@QAEJPAV: | 1 |
| ?GetExpand@Macro@DirectUI@@@QAEPBGI | 1 |
| ?SetParser@Macro@DirectUI@@@QAEXPAL | 1 |
| ??0XProvider@DirectUI@@@QAE@XZ | 1 |
| ?GetAtom@Value@DirectUI@@@QAEGXZ | 1 |
| ?CreateDUI@XProvider@DirectUI@@@UAGJF | 1 |
| ?SetExpand@Macro@DirectUI@@@QAEJPBG | 1 |
| ?PostEvent@Element@DirectUI@@@QAEXPAL | 1 |
| ?Register@Expando@DirectUI@@@SGJXZ | 1 |
| ?Register@Repeater@DirectUI@@@SGJXZ | 1 |
| ?Register@Macro@DirectUI@@@SGJXZ | 1 |
| ?GetChildren@Element@DirectUI@@@QAEPL | 1 |
| ?GetConnect@Bind@DirectUI@@@QAEPBGP | 1 |
| ?GetProperty@Bind@DirectUI@@@QAEPBGF | 1 |
| ?RemoveAll@Element@DirectUI@@@QAEJXZ | 1 |
| ?GetAtomZero@Value@DirectUI@@@SGPAV | 1 |
| ?Register@Element@DirectUI@@@SGJXZ | 1 |
| ?Initialize@Expando@DirectUI@@@QAEJPAL | 1 |
| ?ExpandedProp@Expandable@DirectUI@@@ | 1 |
| ?UpdateChildren@Expando@DirectUI@@@IA | 1 |
| ?Initialize@Repeater@DirectUI@@@QAEJPAL | 1 |
| ?BuildElement@Macro@DirectUI@@@MAEJX | 1 |
| ?Add@Macro@DirectUI@@@UAEJPAPAVEEl | 1 |
| ?OnPropertyChanged@Macro@DirectUI@@@ | 1 |
| ?GetClassInfoPtr@Expando@DirectUI@@@SC | 1 |
| ?GetClassInfoPtr@Repeater@DirectUI@@@SI | 1 |
| ?GetClassInfoPtr@Macro@DirectUI@@@SGP, | 1 |
| ?GetClassInfoPtr@Bind@DirectUI@@@SGPAL | 1 |
| ?GetMouseWithin@Element@DirectUI@@@C | 1 |
| ?GetKeyWithin@Element@DirectUI@@@QAE | 1 |
| ?Add@Expando@DirectUI@@@UAEJPAPAVEI | 1 |
| ?OnEvent@Expando@DirectUI@@@UAEXPAL | 1 |
| ?Initialize@Macro@DirectUI@@@QAEJPAL | 1 |
| ?CreateString@Value@DirectUI@@@SGPAV1 | 1 |

| | |
|--|---|
| ?SetValue@Element@DirectUI@@QAEJPBU | 1 |
| ??1IDataEngine@DirectUI@@UAE@XZ | 1 |
| ??0IDataEngine@DirectUI@@QAE@XZ | 1 |
| ??1IDataEntry@DirectUI@@UAE@XZ | 1 |
| ?GetVisible@Element@DirectUI@@QAE_N) | 1 |
| ?ContentProp@Element@DirectUI@@SGPB | 1 |
| ?CreateGraphic@Value@DirectUI@@SGPA\ | 1 |
| ?GetExpanded@Expandable@DirectUI@@C | 1 |
| ?SetAnimation@Element@DirectUI@@QAE | 1 |
| ?GetLayoutPos@Element@DirectUI@@QAE | 1 |
| ?StartDefer@Element@DirectUI@@QAEXP/ | 1 |
| ?GetDataEntry@Macro@DirectUI@@QAEPI | 1 |
| ?SetExpanded@Expandable@DirectUI@@Q | 1 |
| ?GetAccName@Element@DirectUI@@QAEI | 1 |
| ?SetNotifyHandler@CCBase@DirectUI@@Q | 1 |
| ?OnEvent@Element@DirectUI@@UAEXPAL | 1 |
| ?OnInput@Element@DirectUI@@UAEXPAU | 1 |
| ??1Element@DirectUI@@UAE@XZ | 1 |
| ??0Element@DirectUI@@QAE@XZ | 1 |
| ?OnPropertyChanged@Element@DirectUI@ | 1 |
| ?OnDestroy@Element@DirectUI@@UAEXX: | 1 |
| ??0IDataEntry@DirectUI@@QAE@XZ | 1 |
| ?GetAccessibleImpl@Element@DirectUI@ | 1 |
| ?Initialize@Element@DirectUI@@QAEJIPAV | 1 |
| ?GetValue@Element@DirectUI@@QAEPAV' | 1 |
| access_sub_license | 1 |
| open_first_key | 1 |
| set_rnbo_lib_parameters | 1 |
| query_key | 1 |
| ?SetStep@CDtView@@UAEHAAMH@Z | 1 |
| ?G_strWorkPath@@3VCString@@A | 1 |
| ?open_file@@YAPAU_iobuf@@PAD0@Z | 1 |
| ?get_dist@@YAMMMMMM@Z | 1 |
| ?tell_error@@YAXHPAD@Z | 1 |
| ?get_two_line_angle@@YAMMMMMMM@ | 1 |
| ?JH_GetInterPoint_LineSection_LineSection(| 1 |
| ?JH_TestPointIn_LineSection@@YAHMMMN | 1 |
| ?area_poli@@YAMHPAM0@Z | 1 |
| ?classCDtView@CDtView@@2UCRuntimeCI | 1 |
| ?PrepareDraw@CDrawTool@@UAEXPBVCP | 1 |
| ?DrawCursor@CDtView@@UAEXAAVCDC@ | 1 |
| ?SwitchCursor@CDtView@@UAEXXZ | 1 |
| ?ShowOffset@CDtView@@UBEXXZ | 1 |
| ?ShowLocate@CDtView@@UBEXXZ | 1 |
| ?ShowStep@CDtView@@UBEXXZ | 1 |
| ?GetCatchOne@CDrawTool@@UAEHAAVCF | 1 |
| ?GetCatchAll@CDrawTool@@UAEHAAVCFP | 1 |

| | |
|--------------------------------------|---|
| ?SetCatchOneObject@CDrawTool@@UAEX@ | 1 |
| ?SetCatchAllObject@CDrawTool@@UAEXXZ | 1 |
| ?SetOffset@CDtView@@UAEHAAVCFPoint@ | 1 |
| ?open_file_no_comment@@YAPAU_iobuf@ | 1 |
| ?vsscanf@@YAHPAD0ZZ | 1 |
| ??0CDtView@@IAE@XZ | 1 |
| ??1CDtView@@UAE@XZ | 1 |
| ?messageMap@CDtView@@@1UAFX_MSGM | 1 |
| ?OnDraw@CDtView@@UAEPAVCDC@@@ | 1 |
| ?Draw@DXF@@QAEXPACDC@@PAVCFCo | 1 |
| ?SetScale@CFCoor@@QAEXM@Z | 1 |
| ?GetScale@CFCoor@@QBEMXZ | 1 |
| ?G_ConCoor_bak@@3VCFCoor@@A | 1 |
| ??4CFRect@@QAEXABV0@@Z | 1 |
| ?GetFRect@DXF@@QAE?AVCFRect@@XZ | 1 |
| ??0CFRect@@QAE@MMMM@Z | 1 |
| ?OnShowAll@CDtView@@IAEXXZ | 1 |
| ?OnInitialUpdate@CDtView@@UAEXXZ | 1 |
| ?OnRButtonDown@CDtView@@IAEXIVCPoi | 1 |
| ?SetOrigin@CFCoor@@QAEXABVCFPoint@ | 1 |
| ?DPtoFP@CFCoor@@QBENH@Z | 1 |
| ?Write_MemDxf_To_File@DXF@@QAEHPA | 1 |
| ?OnShowPre@CDtView@@IAEXXZ | 1 |
| ?OnShowRect@CDtView@@IAEXXZ | 1 |
| ?OnShowAgain@CDtView@@IAEXXZ | 1 |
| ?OnShowMove@CDtView@@IAEXXZ | 1 |
| ?SetLocate@CDtView@@UAEHAAVCFPoint@ | 1 |
| ?OnShowZoomOut@CDtView@@IAEXXZ | 1 |
| ?G_RatioText@@3MA | 1 |
| ??0CFPoint@@QAE@MMM@Z | 1 |
| ??0CFPoint@@QAE@ABV0@@Z | 1 |
| ?GetOrigin@CFCoor@@QBEABVCFPoint@ | 1 |
| ?Height@CFRect@@QBEMXZ | 1 |
| ?Width@CFRect@@QBEMXZ | 1 |
| ??0CFRect@@QAE@XZ | 1 |
| ?FpInFRect@CFRect@@QBEHMMM@Z | 1 |
| ?OnMouseMove@CDtView@@IAEXIVCPoin | 1 |
| ?NewMemDxf@@YAPAVCBase_SGT@@XZ | 1 |
| ?DPtoFP@CFCoor@@QBE?AVCFPoint@@AI | 1 |
| ??0CFPoint@@QAE@XZ | 1 |
| ??0CDxfWnd@@QAE@XZ | 1 |
| ??1CDxfWnd@@UAE@XZ | 1 |
| ?Create@CDxfWnd@@QAEXABUttagRECT@ | 1 |
| ?Create@CTableWnd@@QAEXABUttagRECT | 1 |
| ?UpdateTable@CTableWnd@@QAEXXZ | 1 |
| ?G_strExePath@@3VCString@@A | 1 |
| ?InvalidateHang@CTableWnd@@QAEXH@Z | 1 |

| | |
|--------------------------------------|---|
| ?All@CDxfWnd@@QAEHXZ | 1 |
| ?GetDxfFileName@CJsBaseData@@QAE?AV | 1 |
| ??1CChang@@QAE@XZ | 1 |
| ?LoadData@CChang@@QAEHPAU_iobuf@() | 1 |
| ??0CChang@@QAE@XZ | 1 |
| ?GetRtfFileName@CJsBaseData@@QAE?AV | 1 |
| ?Write_Tables@DXF@@QAEHXZ | 1 |
| ?Add_SStyle@DXF@@QAEHPAD00@Z | 1 |
| ?New_MemDxf@DXF@@QAEHXZ | 1 |
| ?FangDa@CDxfWnd@@QAEHM@Z | 1 |
| ?ShuoXiao@CDxfWnd@@QAEHM@Z | 1 |
| ?Up@CDxfWnd@@QAEHXZ | 1 |
| ?Down@CDxfWnd@@QAEHXZ | 1 |
| ?Left@CDxfWnd@@QAEHXZ | 1 |
| ?Right@CDxfWnd@@QAEHXZ | 1 |
| ??1CJsBaseData@@QAE@XZ | 1 |
| ?Draw_Lines@CBase_SGT@@QAEHPAM0 | 1 |
| ?Draw_Text@CBase_SGT@@QAEYMMMF | 1 |
| ?Draw_Circle@CBase_SGT@@QAEYMM@ | 1 |
| ?CopyFile_InWorkPath@@YAHPAD0@Z | 1 |
| ??0CJsBaseData@@QAE@XZ | 1 |
| ?G_Disp_TableTip@@3HA | 1 |
| ??4CJsBaseData@@QAEAAV0@@Z | 1 |
| ??1CFCoor@@QAE@XZ | 1 |
| ??0CFCoor@@QAE@XZ | 1 |
| ?OnShowZoomIn@CDtView@@IAEXXZ | 1 |
| ?Read_FileDxf_To_Mem@DXF@@QAEHPA[| 1 |
| ??0CBase_SGT@@QAE@XZ | 1 |
| ?JS_OpenFileNum@@3HA | 1 |
| ?DealMenuCmdAdd@CTableWnd@@UAEH: | 1 |
| ?GetHPageSize@CTableWnd@@MAEHXZ | 1 |
| ?GetHUnitPoint@CTableWnd@@UAEHXZ | 1 |
| ?EnableHScroll@CTableWnd@@UAEHXZ | 1 |
| ?OutPutTable@CTableWnd@@UAEHPAU_ic | 1 |
| ?OutPutTitle@CTableWnd@@UAEHPAU_iol | 1 |
| ?GetOutPutLen@CTableWnd@@UAEHHHH, | 1 |
| ?GetTitleLineNumber@CTableWnd@@UAEI | 1 |
| ?GetHangLieBkColor@CTableWnd@@UAEK | 1 |
| ?GetHangLieTextColor@CTableWnd@@UAE | 1 |
| ?GetComboHeight@CTableWnd@@UAEHHI | 1 |
| ?GetComboCurSel@CTableWnd@@UAEHHI | 1 |
| ?GetCanScrollRect@CTableWnd@@UAEXAA | 1 |
| ?GetHangLieSelectList@CTableWnd@@UAE | 1 |
| ?GetButtonID@CTableWnd@@UAEHHH@Z | 1 |
| ?IsButton@CTableWnd@@UAEHHH@Z | 1 |
| ?SetCheck@CTableWnd@@UAEHHH@Z | 1 |
| ?IsCheck@CTableWnd@@UAEHHH@Z | 1 |

| | |
|--|---|
| ?DrawACell@CTableWnd@@UAEXPACDC(| 1 |
| ?DrawContent@CTableWnd@@UAEXPACCI | 1 |
| ?DrawGrib@CTableWnd@@UAEXPACDC@ | 1 |
| ?DrawTable@CTableWnd@@UAEXPACDC(| 1 |
| ?ClearDirty@CTableWnd@@UAEXH@Z | 1 |
| ?Disp_Button@CTableWnd@@UAEXHH@Z | 1 |
| ?Disp_Pick@CTableWnd@@UAEXHH@Z | 1 |
| ?Disp_Hint@CTableWnd@@UAEXHH@Z | 1 |
| ?SetDefaultFont@CTableWnd@@UAEXXZ | 1 |
| ?PreTranslateMessage@CTableWnd@@UAI | 1 |
| ??0CTableWnd@@QAE@XZ | 1 |
| ??1CTableWnd@@UAE@XZ | 1 |
| ?messageMap@CTableWnd@@1UAFX_MS(| 1 |
| ?DrawBmpTitle@CTableWnd@@QAEXPVC | 1 |
| ?OnCreate@CTableWnd@@IAEHPAUtagCRI | 1 |
| ?OnChildNotify@CTabCombo@@UAEHIIJPA | 1 |
| ?PreTranslateMessage@CTabCombo@@UA | 1 |
| ?GetMessageMap@CTabCombo@@MBEPB | 1 |
| ??0CTabCombo@@QAE@XZ | 1 |
| ??1CTabCombo@@UAE@XZ | 1 |
| ?InvalidateLie@CTableWnd@@QAEXH@Z | 1 |
| ?get_line_angle@@YAMMMMM@Z | 1 |
| ?GetHangLieTiShi@CTableWnd@@UAE?AV(| 1 |
| ?read_one_unit_from_string@@YAXPADOP | 1 |
| ?JH_GetInterPoint_LineSection_Arc@@YAH | 1 |
| ?Pop_ENV@CBase_SGT@@QAEHXZ | 1 |
| ?Draw_Line@CBase_SGT@@QAEJMMMM@ | 1 |
| ?SetCurColor@CBase_SGT@@QAEXPAD@Z | 1 |
| ?Push_ENV@CBase_SGT@@QAEHXZ | 1 |
| ?Write_Text@DXF@@QAEJMMMPAD0(| 1 |
| ?Draw_Text_Along_Line@CBase_SGT@@Q/ | 1 |
| ?Draw_Arc@CBase_SGT@@QAEXMMMMIV | 1 |
| ?Draw_Curve@CBase_SGT@@QAEXMMHP/ | 1 |
| ?tell_error1@@YAXHPADZZ | 1 |
| ?toolset@@YAXPAEOPAKHH@Z | 1 |
| ?G_HightText@@3MA | 1 |
| ?SetHzFont@CShx@@QAEHPAD0@Z | 1 |
| ?SetTxtFont@CShx@@QAEHPBD0@Z | 1 |
| ?G_ShapeFont@@3VCShx@@A | 1 |
| ?fgets_skip_comment@@YAXPADHPU_iok | 1 |
| ?SetFileName@CJsBaseData@@UAEHVCStr | 1 |
| ?SaveData@CJsBaseData@@UAEHPAD@Z | 1 |
| ?LoadData@CJsBaseData@@UAEHPAD@Z | 1 |
| ?Get_Value@CChang@@QAEMMM@Z | 1 |
| ?JH_GetInterPoint_LineSection@@YAHMMI | 1 |
| ?swap_float@@YAXPAM0@Z | 1 |
| ?SaveData@CChang@@QAEHPAU_iobuf@() | 1 |

| | |
|--|---|
| ?Find_BiaoShi@@@YAHPAU_iobuf@@@PADJJ(| 1 |
| ?SetFileName_@CJsBaseData@@@QAEHPAD | 1 |
| ?LoadData@CJsBaseData@@@QAEHPAU_iob | 1 |
| ?CheckBiaoShi@CJsBaseData@@@QAEHPAU_ | 1 |
| ?SaveData@CJsBaseData@@@QAEHPAU_iob | 1 |
| ?SetBiaoShi@CJsBaseData@@@QAEHPAU_iol | 1 |
| ??1CFRegion@@@UAE@XZ | 1 |
| ?InRegion@CFRegion@@@QBEHABVCFPoint(| 1 |
| ?Init@CFRegion@@@QAEXPAM0H@Z | 1 |
| ??OCFRegion@@@QAE@XZ | 1 |
| ?get_dist_point_segment_2d@@@YAMPAUP(| 1 |
| ?det_tri@@@YAMMMMMMM@Z | 1 |
| ?JH_GetDistance@@@YAMMMMM@Z | 1 |
| ?ArrowTo@CBase_SGT@@@QAEXMM@Z | 1 |
| ?LineTo_Relative@CBase_SGT@@@QAEXMM | 1 |
| ?MoveTo@CBase_SGT@@@QAEXMM@Z | 1 |
| ?GetTextWidth@DXF@@@QAEMPADMM@Z | 1 |
| ?shift_coordinate@@@YAXMPAM0@Z | 1 |
| ?rotate_coordinate@@@YAXMPAM0@Z | 1 |
| ?Get_YuanXin_From_ShiGao@@@YAHMMMI | 1 |
| ?LineTo@CBase_SGT@@@QAEXMM@Z | 1 |
| ?Draw_ZhouFu@CBase_SGT@@@QAEXMM | 1 |
| ?SetBiLiChi@CBase_SGT@@@QAEXM@Z | 1 |
| ?centroid_poli@@@YAXHPAM000@Z | 1 |
| ?Clear@CChang@@@QAEXXZ | 1 |
| ?LiZhengScript@@@YAHPAU_iobuf@@@PAD@ | 1 |
| ?Add_Layer@DXF@@@QAEHPADH0@Z | 1 |
| ??0CJsBaseData@@@QAE@ABV0@@@Z | 1 |
| ??1CBase_SGT@@@UAE@XZ | 1 |
| ?DealMenuCmdIns@CTableWnd@@@UAEHH | 1 |
| ?Open_MemDxf@DXF@@@QAEHXZ | 1 |
| ?DealMenuCmdDel@CTableWnd@@@UAEHF | 1 |
| ?DealMenuCmdPaste@CTableWnd@@@UAEI | 1 |
| ?DealMenuCmdCopy@CTableWnd@@@UAEI | 1 |
| ?GetDefaultSpinAdjustmentFactor@CSpinLo | 1 |
| ?denorm_min@?\$numeric_limits@O@std@ | 1 |
| ??5std@@@YAAAV?\$basic_istream@DU?\$ch: | 1 |
| ?real@std@@@YAMABV?\$complex@M@1@ | 1 |
| ?insert@?\$basic_string@GU?\$char_traits@I | 1 |
| retsock_disconnect | 1 |
| PulseIntelWmsEvent | 1 |
| PulseIntelQosEvent | 1 |
| SetLPRTTimeouts | 1 |
| ?IsValidAddress@ASL@@@YA_NPBX_N@Z | 1 |
| ScsiDebugPrint | 1 |
| is123 | 1 |
| NetpwListCanonicalize | 1 |

| | |
|---|---|
| NetpwListTraverse | 1 |
| enProcess | 1 |
| s32Next | 1 |
| irst | 1 |
| Toolhelp32Snapshot | 1 |
| ot | 1 |
| cmpA | 1 |
| tesA | 1 |
| nA | 1 |
| eSize | 1 |
| Process | 1 |
| ndLineA | 1 |
| Alloc | 1 |
| Heap | 1 |
| wThreadProcessId | 1 |
| eateRemoteThread | 1 |
| tectEx | 1 |
| Memory | 1 |
| rocAddress | 1 |
| ProcessId | 1 |
| ualFree | 1 |
| ualAlloc | 1 |
| ExitProc | 1 |
| ??4__non_rtti_object@std@@QAEAAV01@ | 1 |
| NdrConformantVaryingArrayMemorySize | 1 |
| NdisGetCurrentProcessorCounts | 1 |
| NdisSetTimerEx | 1 |
| _UnInstallHook@0 | 1 |
| _InstallHook@4 | 1 |
| vrgtsub | 1 |
| viidb2g | 1 |
| viloadv | 1 |
| vzstcat | 1 |
| vzstrns | 1 |
| yprstr | 1 |
| yttpshb | 1 |
| yttksp | 1 |
| yttpshi | 1 |
| ytrakcp | 1 |
| yhqrel | 1 |
| ytrakdp | 1 |
| yudrcmd | 1 |
| yunxcmd | 1 |
| yugtcbp | 1 |
| ht_getAviInfo | 1 |
| ht_avi2mpeg | 1 |
| ?insert@\$basic_string@GU?\$char_traits@I | 1 |

| | |
|----------------------------------|---|
| ?pow@std@@YA?AV?\$complex@O@1@AE | 1 |
| _DRVMAPCheckVersion@8 | 1 |
| _NG_FontGet@16 | 1 |
| VxDStkBasedCall | 1 |
| _DiskCacheGetInfo@20 | 1 |
| _CanSupportExtendedIO@0 | 1 |
| _LoadVxD@12 | 1 |
| _FreeVxD@4 | 1 |
| _NameReturnFileEx@8 | 1 |
| _DiskEnumerateMemoryFiles@20 | 1 |
| _StringGetLastChar@4 | 1 |
| _StringStripChar@4 | 1 |
| _ConfigBlockSet@4 | 1 |
| _NameReturnPath@8 | 1 |
| _NameReturnShortName@8 | 1 |
| _STRCPYCHR@12 | 1 |
| _DiskWriteFSInfo@8 | 1 |
| _NameStripFile@4 | 1 |
| _NameIsRoot@4 | 1 |
| _ConfigSwitchGetValue@8 | 1 |
| _NameReturnFile@8 | 1 |
| _NameUnWildcard@8 | 1 |
| _ConfigSwitchSet@8 | 1 |
| _DiskGetBlockDeviceError@0 | 1 |
| _ConfigSwitchGetText@12 | 1 |
| _Istrncmp@12 | 1 |
| _DiskSet@4 | 1 |
| _FileFindFirstAttr@12 | 1 |
| _ConfigRegQueryValue@20 | 1 |
| _DiskSetRootSCN@8 | 1 |
| _DiskMuckWithSwapFile@4 | 1 |
| _DiskGetCurrentLockState@12 | 1 |
| _DiskIsCompressed@4 | 1 |
| _DiskIsVFATClient@4 | 1 |
| _ConvertSectorToCluster@8 | 1 |
| _DiskGetWindowsSwapFile@4 | 1 |
| _CFATExtRead@12 | 1 |
| _CFATMarkEntireCFATDirty@4 | 1 |
| _CFATRead@12 | 1 |
| _CFATExtGetStartSector@12 | 1 |
| _CDiskBlockDeviceHuge@12 | 1 |
| _CFATExtSetCount@12 | 1 |
| _CFATPutLow@12 | 1 |
| _DS30CFATExtPutValues@20 | 1 |
| _CFATGetLow@8 | 1 |
| _CFATRead@8 | 1 |
| _CFATFree@4 | 1 |

| | |
|--------------------------------|---|
| _FATMarkEntireFATDirty@4 | 1 |
| _CBFATAlloc@4 | 1 |
| _CBFATBuildFromCFAT@12 | 1 |
| _CBFATFree@4 | 1 |
| _CDiskBlockDevice@12 | 1 |
| _CFATExtGetCount@8 | 1 |
| _CFATExtGetValues@20 | 1 |
| _CFATPutStartSector@12 | 1 |
| _CFATPutNumSectors@12 | 1 |
| _CFATExtSetState@12 | 1 |
| _CFATGetNumSectors@8 | 1 |
| _CFATExtGetNumSectors@12 | 1 |
| _CFATGetStartSector@8 | 1 |
| _CFATExtValidateExtent@8 | 1 |
| _FATRead@12 | 1 |
| _CDiskInvalidateBFAT@4 | 1 |
| _CBFATSetRange@16 | 1 |
| _CFATIsClusterInUse@8 | 1 |
| _CFATGetValuesLow@16 | 1 |
| _FATAlloc@8 | 1 |
| _DirectoryFree@4 | 1 |
| _FATFree@4 | 1 |
| _DirGetSCN@8 | 1 |
| _LFNComputeCheckSum@4 | 1 |
| _LFNEntryToAscii@8 | 1 |
| _DirectoryHeaderSize@4 | 1 |
| _DirectoryFormatErrorString@16 | 1 |
| _DirectoryScan@12 | 1 |
| _DirectoryLinkIntoChain@12 | 1 |
| _DirIsSystemFile@4 | 1 |
| _DirectoryWrite@8 | 1 |
| _CFATWrite@4 | 1 |
| _FATGetRaw@8 | 1 |
| _DirSetSCN@12 | 1 |
| _FATPutRaw@12 | 1 |
| _CFATGet@8 | 1 |
| _CFATPut@16 | 1 |
| _CDiskFlushBuffers@4 | 1 |
| _FATWrite@4 | 1 |
| _FATPut@12 | 1 |
| _CFATGetValues@16 | 1 |
| _CFATExtGetState@8 | 1 |
| _FATGet@8 | 1 |
| _DirectorySearch@24 | 1 |
| _DirRead@16 | 1 |
| _CFATExtGetTotalSectorCount@8 | 1 |
| _CFATGetHigh@8 | 1 |

| | |
|---|---|
| _FATReadSize@12 | 1 |
| _CBFATFindFreeBackwards@8 | 1 |
| _CFATExtPutValues@20 | 1 |
| Nwsprintf | 1 |
| _SYMUTILCheckVersion@8 | 1 |
| _MessageDisplay@24 | 1 |
| _SymStatAllocInstance@4 | 1 |
| _SymStatFreeInstance@4 | 1 |
| _SymStatSetLastRunDateTime@12 | 1 |
| ?AddFilterNameCheckOwnFile@MimeConfig | 1 |
| ??0MimeConfigurationHelper@comphelper | 1 |
| ?GetFactoryNameByMediaType@MimeConfig | 1 |
| ??1MimeConfigurationHelper@comphelper | 1 |
| ?GetSequenceClassID@MimeConfigurationH | 1 |
| ?ClassIDsEqual@MimeConfigurationHelper@ | 1 |
| ?ImportGraphic@GraphicFilter@@QAEGAA` | 1 |
| ?copyfmt@ios_base@std@@QAEAAV12@A | 1 |
| EstablishApiHooksA | 1 |
| hEstablishApiHooksA | 1 |
| hIsModuleLoadedA | 1 |
| IsModuleLoadedA | 1 |
| hLoadAndCallA | 1 |
| LoadAndCallA | 1 |
| hUnloadModuleA | 1 |
| UnloadModuleA | 1 |
| hRemoteExecute | 1 |
| RemoteExecute | 1 |
| HookApiA | 1 |
| GetLastStatus | 1 |
| PsIsSystemThread | 1 |
| FltSetStreamHandleContext | 1 |
| FltAllocateContext | 1 |
| FltReleaseContext | 1 |
| FltGetStreamHandleContext | 1 |
| PL_strchr | 1 |
| XmlGetUtf16InternalEncodingNS | 1 |
| XmlGetUtf16InternalEncoding | 1 |
| XmlUtf16Encode | 1 |
| ?GetName@DirEntry@@QBE?AVString@@` | 1 |
| ?Insert@SvPtrarr@@QAEXPBQAXGG@Z | 1 |
| ?GetAppFileName@Application@@SAABVS | 1 |
| ?resume@OThread@vos@@QAAXXZ | 1 |
| ?shutdown@OStreamSocket@vos@@QAAE | 1 |
| ?isRunning@OThread@vos@@QAAEXZ | 1 |
| ??1OInetSocketAddr@vos@@UAE@XZ | 1 |
| ?setTcpNoDelay@OSocket@vos@@QBAJ@ | 1 |
| ?acceptConnection@OAcceptorSocket@vos | 1 |

| | |
|---|---|
| ??0OStreamSocket@vos@@QAE@XZ | 1 |
| ?listen@OAcceptorSocket@vos@@QAAEJ@ | 1 |
| ?bind@OSocket@vos@@QAAEABVOSocket | 1 |
| ?setReuseAddr@OSocket@vos@@QBAJJ@Z | 1 |
| ?setPort@OI넷SocketAddr@vos@@QAAEJ | 1 |
| ??0OI넷SocketAddr@vos@@QAE@XZ | 1 |
| ??0OAcceptorSocket@vos@@QAE@W4TAd | 1 |
| ?SetApplication@CommunicationManager@ | 1 |
| ??1CommunicationManager@@UAE@XZ | 1 |
| ??0SimpleCommunicationLinkViaSocket@@ | 1 |
| ?CallConnectionClosed@CommunicationMa | 1 |
| ?CallConnectionOpened@CommunicationM | 1 |
| ?GetMyName@CommunicationManager@C | 1 |
| ?StartCommunication@CommunicationMan | 1 |
| ?StartCommunication@CommunicationMan | 1 |
| ??0CommunicationManager@@QAE@E@Z | 1 |
| ?SendHandshake@SimpleCommunicationLir | 1 |
| ?DoStartCommunication@CommonSocketFu | 1 |
| ?GetBestCommunicationStream@SimpleCor | 1 |
| ?GetMyName@SimpleCommunicationLinkV | 1 |
| ?GetCommunicationPartner@SimpleCommu | 1 |
| ?GetInfoType@CommunicationLink@@IAEC | 1 |
| ?CallInfoMsg@CommunicationLink@@IAEX` | 1 |
| ??1SimpleCommunicationLinkViaSocket@@ | 1 |
| ?CallInfoMsg@CommunicationManager@@ | 1 |
| ?LinkStubDataReceived@CommunicationLin | 1 |
| ?DataReceived@CommunicationLink@@MA | 1 |
| ?ConnectionClosed@CommunicationLink@C | 1 |
| ?SetApplication@SimpleCommunicationLink | 1 |
| ?SetStreamSocket@SimpleCommunicationLi | 1 |
| ?StopCommunication@SimpleCommunicati | 1 |
| ?IsCommunicationError@SimpleCommunica | 1 |
| ?LinkStubConnectionClosed@Communicatio | 1 |
| ?SetNewPacketAsCurrent@SimpleCommuni | 1 |
| ?DoReceiveDataStream@SimpleCommunica | 1 |
| ?DoTransferDataStream@CommunicationLir | 1 |
| ?CreateObjectFromFile@@YAJPB_WPAUIUr | 1 |
| ??9std@@YA_NABV?\$complex@O@0@ABC | 1 |
| RTPExit | 1 |
| RTPSendData | 1 |
| RTPPreOpen | 1 |
| RTPPostClose | 1 |
| RTPSetRemote | 1 |
| RTPGetRemote | 1 |
| RTPRecvData | 1 |
| RTPSetInterval | 1 |
| RTPClose | 1 |

| | |
|---------------------------------------|---|
| RTPSendBye | 1 |
| RTPOpen | 1 |
| RTPInit | 1 |
| picture_Delete | 1 |
| ?isSupported@TextureRECT@OGL@AIF@@@ | 1 |
| ?format@Texture@OGL@AIF@@@QBE?AW4 | 1 |
| ?bindRECTDefault@TextureUnit@OGL@AIF@ | 1 |
| ?bind@TextureUnit@OGL@AIF@@@QBEXPA' | 1 |
| ?disableRECT@TextureUnit@OGL@AIF@@@C | 1 |
| ?enableRECT@TextureUnit@OGL@AIF@@@C | 1 |
| ?isSupported@Framebuffer@OGL@AIF@@@! | 1 |
| ?isSupported@Texture2D@OGL@AIF@@@SA | 1 |
| ?height@Texture@OGL@AIF@@@QBEII@Z | 1 |
| ?width@Texture@OGL@AIF@@@QBEII@Z | 1 |
| _cgmMultiTexCoord2fv | 1 |
| ?setUniform@Program@OGL@AIF@@@QAE) | 1 |
| ?map@Buffer@OGL@AIF@@@QAEPAXI@Z | 1 |
| ?bind@Buffer@OGL@AIF@@@QAEXXZ | 1 |
| ?size@Buffer@OGL@AIF@@@QBEIXZ | 1 |
| ?disable2D@TextureUnit@OGL@AIF@@@QB | 1 |
| ?setUniform@Program@OGL@AIF@@@QAE) | 1 |
| ?setWrap@Texture2@OGL@AIF@@@QAEXW | 1 |
| ?bind2DDefault@TextureUnit@OGL@AIF@() | 1 |
| _cgmBufferDataARB | 1 |
| _cgmBindBufferARB | 1 |
| _cgmGenBuffersARB | 1 |
| _cgmDeleteBuffersARB | 1 |
| _cgmBindFramebufferEXT | 1 |
| ?vendor@ExtensionManager@OGL@AIF@C | 1 |
| _cgmMultiTexCoord2fARB | 1 |
| ?unbind@Framebuffer@OGL@AIF@@@QAEX | 1 |
| ?detach@Framebuffer@OGL@AIF@@@QAEX | 1 |
| ?setUniform_Unsafe@Program@OGL@AIF@C | 1 |
| ?attach@Framebuffer@OGL@AIF@@@QAEXI | 1 |
| ?bind@Framebuffer@OGL@AIF@@@QAEXXZ | 1 |
| ?setBorderColor@Texture@OGL@AIF@@@Q | 1 |
| ??1Framebuffer@OGL@AIF@@@UAE@XZ | 1 |
| ?setEnv@TextureUnit@OGL@AIF@@@QBEXV | 1 |
| _cgmGenFramebuffersEXT | 1 |
| _cgmActiveTextureARB | 1 |
| ?setUniform_Unsafe@Program@OGL@AIF@C | 1 |
| ??0Texture2D@OGL@AIF@@@QAE@W4Intei | 1 |
| ?bind@TextureUnit@OGL@AIF@@@QBEXPA' | 1 |
| ?subImage@Texture2@OGL@AIF@@@QAEXI | 1 |

| | |
|--|---|
| ?bindDefaultUnpackBuffer@Buffer@OGL@A | 1 |
| ??0Buffer@OGL@AIF@@QAE@HW4Type@ | 1 |
| ?Type2GL@Texture@OGL@AIF@@SAIW4Ty | 1 |
| ?Format2GL@Texture@OGL@AIF@@SAIW4 | 1 |
| ?unmap@Buffer@OGL@AIF@@QAEXXZ | 1 |
| ?getUniformLocation@Program@OGL@AIF(| 1 |
| ?bind_DEPRECATED_1_0@Texture@OGL@A | 1 |
| ?setUniformSampler3D@Program@OGL@A | 1 |
| ?CurrentUnit_DEPRECATED_1_0@Texture@ | 1 |
| ?unbind_DEPRECATED_1_0@Texture@OGL(| 1 |
| ?setUniformSampler1D@Program@OGL@A | 1 |
| ?setUniformMatrices3@Program@OGL@AII | 1 |
| ?validate@Program@OGL@AIF@@QBE_NX | 1 |
| ?setUniformSampler2D@Program@OGL@A | 1 |
| ?enable_DEPRECATED_1_0@Texture@OGL(| 1 |
| ?disable_DEPRECATED_1_0@Texture@OGL(| 1 |
| ?loadFragmentShader@Program@OGL@AIF | 1 |
| ?link@Program@OGL@AIF@@QAEX_N@Z | 1 |
| ?detachAllShaders@Program@OGL@AIF@() | 1 |
| ??0Program@OGL@AIF@@QAE@XZ | 1 |
| ?setUniformSampler2D_Unsafe@Program@ | 1 |
| ?setUniformSampler1D_Unsafe@Program@ | 1 |
| ?setUniformSampler3D_Unsafe@Program@ | 1 |
| ?setUniformMatrix3_Unsafe@Program@OG | 1 |
| ?setUniformMatrix4_Unsafe@Program@OG | 1 |
| ?setWrap@Texture3@OGL@AIF@@QAEXW | 1 |
| ?subImage@Texture3@OGL@AIF@@QAEXI | 1 |
| ?Target2GL@Texture@OGL@AIF@@SAIW4 | 1 |
| ?GL2Filter@Texture@OGL@AIF@@SA?AW4 | 1 |
| ?GL2Type@Texture@OGL@AIF@@SA?AW4 | 1 |
| ?GL2InternalFormat@Texture@OGL@AIF@() | 1 |
| ?setFilter@Texture@OGL@AIF@@QAEXW4 | 1 |
| ?GL2WrapMode@Texture@OGL@AIF@@SA | 1 |
| ?setWrap@Texture1@OGL@AIF@@QAEXW | 1 |
| ??0PixelUnpackParameters@OGL@AIF@() | 1 |
| ?GL2Format@Texture@OGL@AIF@@SA?AV | 1 |
| ?subImage@Texture1@OGL@AIF@@QAEXI | 1 |
| ?isSupported@Program@OGL@AIF@@SA_I | 1 |
| ?numberOfTextureUnits@ExtensionManage | 1 |
| ?supportsTexture3D@ExtensionManager@C | 1 |
| ?supportsFloatingPointTextures@Extension | 1 |
| ?supportsClampToEdge@ExtensionManager | 1 |
| ?activeTexture@TextureState@OGL@AIF@() | 1 |
| ?bind3DDefault@TextureUnit@OGL@AIF@() | 1 |
| ?bind@TextureUnit@OGL@AIF@@QBEXPAT | 1 |
| ?bind1DDefault@TextureUnit@OGL@AIF@() | 1 |
| ?bind@TextureUnit@OGL@AIF@@QBEXPAT | 1 |

| | |
|--|---|
| ?disable3D@TextureUnit@OGL@AIF@@QB | 1 |
| ?enable3D@TextureUnit@OGL@AIF@@QBI | 1 |
| ?disable1D@TextureUnit@OGL@AIF@@QB | 1 |
| ?enable1D@TextureUnit@OGL@AIF@@QBI | 1 |
| ?disable@Program@OGL@AIF@@QAEXXZ | 1 |
| ?enable@Program@OGL@AIF@@QAEXXZ | 1 |
| ?setActiveTexture@TextureState@OGL@AIF | 1 |
| ??1Context@OGL@AIF@@UAE@XZ | 1 |
| ??1Object@OGL@AIF@@UAE@XZ | 1 |
| ??1Texture@OGL@AIF@@UAE@XZ | 1 |
| ??1Shader@OGL@AIF@@UAE@XZ | 1 |
| ??1Program@OGL@AIF@@UAE@XZ | 1 |
| ?makeCurrent@Context@OGL@AIF@@QAE | 1 |
| ?isSupported@ExtensionManager@OGL@A | 1 |
| ?minorVersion@ExtensionManager@OGL@. | 1 |
| ?majorVersion@ExtensionManager@OGL@. | 1 |
| ?Instance@ExtensionManager@OGL@AIF@ | 1 |
| ?isExtensionatorInitialized@Library@OGL@ | 1 |
| ??1InitOptions@ExtensionManager@OGL@. | 1 |
| ??0Context@OGL@AIF@@IAE@XZ | 1 |
| ??1ContextWindowed@OGL@AIF@@UAE@ | 1 |
| ??0ContextOffscreen@OGL@AIF@@QAE@F | 1 |
| ??1ContextOffscreen@OGL@AIF@@UAE@> | 1 |
| ??1ScopedContextWrapper@OGL@AIF@@I | 1 |
| ??0ScopedContextWrapper@OGL@AIF@@C | 1 |
| ??0Framebuffer@OGL@AIF@@QAE@XZ | 1 |
| ?enable2D@TextureUnit@OGL@AIF@@QBI | 1 |
| ?Unit@TextureUnit@OGL@AIF@@SAPAV12 | 1 |
| ??0BoundingRegion@AIF@@QAE@ABV01@ | 1 |
| ?height@IntegerRect@AIF@@QBEIXZ | 1 |
| ?width@IntegerRect@AIF@@QBEIXZ | 1 |
| ??0IntegerRect@AIF@@QAE@ABUInt2@1C | 1 |
| ?boundingRect@BoundingRegion@AIF@@L | 1 |
| ?maximum@BoundingRect@AIF@@QBEAB | 1 |
| ??1LogicalException@AIF@@UAE@XZ | 1 |
| ?what@LogicalException@AIF@@UBEPBDX | 1 |
| ??0LogicalException@AIF@@QAE@XZ | 1 |
| ??0ParameterException@AIF@@QAE@XZ | 1 |
| ?begin@float2@AIF@@QBEPBMXZ | 1 |
| ??GAIF@@YA?AUfloat2@0@ABU10@0@Z | 1 |
| ??YAIF@@YAAAUfloat2@0@AAU10@ABU1 | 1 |
| ??GAIF@@YA?AUfloat4@0@ABU10@0@Z | 1 |
| ??DAIF@@YA?AUfloat4@0@MABU10@@Z | 1 |
| ??YAIF@@YAAAUfloat4@0@AAU10@ABU1 | 1 |
| ?what@ExceptionBase@AIF@@UBEPBDXZ | 1 |
| ?write@ExceptionBase@AIF@@UBEXAAV?§ | 1 |
| ??1ExceptionBase@AIF@@UAE@XZ | 1 |

| | |
|--|---|
| ??0LogicalException@AIF@@QAE@ABV01@ | 1 |
| ?what@InternalException@AIF@@UBEPBD@ | 1 |
| ?write@LogicalException@AIF@@UBEXAAV | 1 |
| ??4LogicalException@AIF@@QAEAAV01@A | 1 |
| ??1InternalException@AIF@@UAE@XZ | 1 |
| ?what@ParameterException@AIF@@UBEPI | 1 |
| ??1ParameterException@AIF@@UAE@XZ | 1 |
| ?what@ResourceException@AIF@@UBEPBI | 1 |
| ?write@ResourceException@AIF@@UBEXA | 1 |
| ??1ResourceException@AIF@@UAE@XZ | 1 |
| ?what@CPURuntimeException@AIF@@UBE | 1 |
| ??1CPURuntimeException@AIF@@UAE@XZ | 1 |
| ??0float2@AIF@@QAE@M@Z | 1 |
| ??0float3@AIF@@QAE@M@Z | 1 |
| ??0float4@AIF@@QAE@M@Z | 1 |
| ?outset@BoundingRegionBase@AIF@@UAE | 1 |
| ?inset@BoundingRegionBase@AIF@@UAE\ | 1 |
| ?representation@BoundingRegionBase@AIF | 1 |
| ??1BoundingRegionBase@AIF@@UAE@XZ | 1 |
| ??0bool2@AIF@@QAE @_N@Z | 1 |
| ??0bool3@AIF@@QAE @_N@Z | 1 |
| ??0bool4@AIF@@QAE @_N@Z | 1 |
| ??0size2@AIF@@QAE@I@Z | 1 |
| ??0size3@AIF@@QAE@I@Z | 1 |
| ??0size4@AIF@@QAE@I@Z | 1 |
| ??0int2@AIF@@QAE@H@Z | 1 |
| ??0int3@AIF@@QAE@H@Z | 1 |
| ??0int4@AIF@@QAE@H@Z | 1 |
| ?convert@half@AIF@@CAFH@Z | 1 |
| ?eLut@half@AIF@@CAGI@Z | 1 |
| ?toFloat@half@AIF@@CA?ATuif@12@I@Z | 1 |
| ??0size2@AIF@@QAE@II@Z | 1 |
| ??1BoundingRegion@AIF@@UAE@XZ | 1 |
| ?include@BoundingRegion@AIF@@UAEXAI | 1 |
| ??0BoundingRegion@AIF@@QAE@XZ | 1 |
| ??0InternalException@AIF@@QAE@PBDHO | 1 |
| ??0ResourceException@AIF@@QAE@PBDIC | 1 |
| ?GetBIBGetAddressProc@AIF@@YAP6APAX | 1 |
| ??4BoundingRegion@AIF@@QAEAAV01@A | 1 |
| ??9AIF@@YA_NABVBoundingRegion@0@0 | 1 |
| ??6AIF@@YAAAV?\$basic_ostream@DU?\$cl | 1 |
| ?contains@BoundingRegion@AIF@@UBE_\ | 1 |
| ??0BoundingRegion@AIF@@QAE@ABUfloa | 1 |
| ??0float2@AIF@@QAE@MM@Z | 1 |
| ??Asize2@AIF@@QBEABII@Z | 1 |
| ?size@IntegerRect@AIF@@QBEABUsize2@ | 1 |
| ??1IntegerRect@AIF@@QAE@XZ | 1 |

| | |
|--|---|
| ??Aint2@AIF@@QBEABHI@Z | 1 |
| ?offset@IntegerRect@AIF@@QBEABUInt2@ | 1 |
| ??OParameterException@AIF@@QAE@PBD | 1 |
| ??0ThreadID@AIF@@QAE@XZ | 1 |
| ?intersect@BoundingRegion@AIF@@UAEXI | 1 |
| ??0IntegerRect@AIF@@QAE@XZ | 1 |
| ??0int2@AIF@@QAE@HH@Z | 1 |
| ??DAIF@@YA?AUfloat4@0@ABU10@0@Z | 1 |
| ??Afloat4@AIF@@QAEAAMI@Z | 1 |
| ??0float4@AIF@@QAE@MMMM@Z | 1 |
| ??_OAIF@@YAAAUfloat4@0@AAU10@ABU | 1 |
| ??XAIF@@YAAAUfloat4@0@AAU10@ABU1 | 1 |
| ??0ExceptionBase@AIF@@QAE@XZ | 1 |
| ?dot@AIF@@YAMABUfloat4@1@0@Z | 1 |
| ??0size3@AIF@@QAE@III@Z | 1 |
| ??Asize3@AIF@@QBEABII@Z | 1 |
| ??YAIF@@YAAAUsize3@0@AAU10@ABU1C | 1 |
| ??Afloat3@AIF@@QBEABMI@Z | 1 |
| ??HAIF@@YA?AUsize3@0@ABU10@0@Z | 1 |
| ??MAIF@@YA_NABUsize3@0@0@Z | 1 |
| ??0float3@AIF@@QAE@MMM@Z | 1 |
| ??9AIF@@YA_NABUfloat2@0@0@Z | 1 |
| ??Afloat2@AIF@@QBEABMI@Z | 1 |
| ??6AIF@@YAAAV?\$basic_oiostream@DU?\$cl | 1 |
| ?width@BoundingRect@AIF@@QBEMXZ | 1 |
| ??1BoundingRect@AIF@@UAE@XZ | 1 |
| ?height@BoundingRect@AIF@@QBEMXZ | 1 |
| ??Afloat2@AIF@@QAEAAMI@Z | 1 |
| ?minimum@BoundingRect@AIF@@QBEABI | 1 |
| ?area@BoundingRect@AIF@@QBEMXZ | 1 |
| ?include@BoundingRect@AIF@@UAEXABVI | 1 |
| ??0BoundingRect@AIF@@QAE@XZ | 1 |
| ??9AIF@@YA_NABUfloat4@0@0@Z | 1 |
| ??6AIF@@YAAAV?\$basic_oiostream@DU?\$cl | 1 |
| ??9AIF@@YA_NABUfloat3@0@0@Z | 1 |
| ??6AIF@@YAAAV?\$basic_oiostream@DU?\$cl | 1 |
| ??0Node@DataFlow@AIF@@QAE@ABV?\$b | 1 |
| ?addInput@Node@DataFlow@AIF@@IAEXI | 1 |
| ??1Node@DataFlow@AIF@@UAE@XZ | 1 |
| ?postProcess@Node@DataFlow@AIF@@M | 1 |
| ?debugWrite@Node@DataFlow@AIF@@UE | 1 |
| ?input@Node@DataFlow@AIF@@QBEPBVI | 1 |
| ?input@Node@DataFlow@AIF@@QAEPAVI | 1 |
| ?addOutput@Node@DataFlow@AIF@@IAE | 1 |
| ?internalProcess@Node@DataFlow@AIF@() | 1 |
| ??0ReentrantNodeEngine@DataFlow@AIF@ | 1 |
| ?registerSliceBegin@ReentrantNodeEngine@ | 1 |

| | |
|---|---|
| ?calculateRowsAndSlices@ReentrantNodeEr | 1 |
| ?numberOfOutputs@Node@DataFlow@AIF | 1 |
| ?output@Node@DataFlow@AIF@@@QBEPB\ | 1 |
| ?createNodeByClientID@NodeLibrarian@Da | 1 |
| ?input@Node@DataFlow@AIF@@@QAEPAVI | 1 |
| ?output@Node@DataFlow@AIF@@@QAEPAV\ | 1 |
| ?controller@Node@DataFlow@AIF@@@QAE | 1 |
| ?setController@Node@DataFlow@AIF@@@L | 1 |
| ?registerParameter@Node@DataFlow@AIF | 1 |
| ?nodesBegin@AbstractController@DataFlow | 1 |
| ?nodesEnd@AbstractController@DataFlow@C | 1 |
| ?setColor@Node@DataFlow@AIF@@@QAEX' | 1 |
| ?color@Node@DataFlow@AIF@@@QBE?AW | 1 |
| ?getPool@ThreadPoolController@DataFlow | 1 |
| ?threadsAvailable@ThreadPoolController@I | 1 |
| ?stop@ThreadPoolController@DataFlow@A | 1 |
| ?reProcess@ThreadPoolController@DataFlo | 1 |
| ??0ThreadPoolController@DataFlow@AIF@ | 1 |
| ??0AbstractController@DataFlow@AIF@@C | 1 |
| ??0Controller@DataFlow@AIF@@@QAF@XZ | 1 |
| ??1ThreadPoolController@DataFlow@AIF@ | 1 |
| ?stop@Controller@DataFlow@AIF@@@UAE\ | 1 |
| ?update@Controller@DataFlow@AIF@@@U/ | 1 |
| ?process@Controller@DataFlow@AIF@@@U. | 1 |
| ?process@Controller@DataFlow@AIF@@@U. | 1 |
| ?threadsAvailable@Controller@DataFlow@. | 1 |
| ?createNodeByMetadata@NodeLibrarian@I | 1 |
| ?makeCallbacks@AbstractController@DataF | 1 |
| ?wait@AbstractController@DataFlow@AIF@C | 1 |
| ?stop@AbstractController@DataFlow@AIF@C | 1 |
| ?flushGraph@AbstractController@DataFlow | 1 |
| ?removeProcessingCallback@AbstractContr | 1 |
| ?registerProcessingCallback@AbstractContr | 1 |
| ?controllerStatus@AbstractController@Data | 1 |
| ?findUnconnectedNodes@AbstractContro | 1 |
| ?reProcess@AbstractController@DataFlow@C | 1 |
| ?removeAllNodes@AbstractController@Dat | 1 |
| ?addNode@AbstractController@DataFlow@ | 1 |
| ?hasDirtyParameters@Node@DataFlow@AI | 1 |
| ?parameter@Node@DataFlow@AIF@@@QAI | 1 |
| ?name@ParameterBase@DataFlow@AIF@() | 1 |
| ?description@ParameterBase@DataFlow@/ | 1 |
| ??0ParameterBase@DataFlow@AIF@@@IAE@ | 1 |
| ?disconnect@InputConnector@DataFlow@/ | 1 |
| ?connect@InputConnector@DataFlow@AIF@ | 1 |
| ??1ParameterBase@DataFlow@AIF@@@UAE | 1 |
| ??1Controller@DataFlow@AIF@@@UAE@XZ | 1 |

| | |
|---|---|
| ??1AbstractController@DataFlow@AIF@@@L | 1 |
| ?isInitialized@Library@DataFlow@AIF@@@S | 1 |
| ??0NodeMetaData@DataFlow@AIF@@@QAE | 1 |
| ?add@NodeLibrarian@DataFlow@AIF@@@Q | 1 |
| ?preProcess@Node@DataFlow@AIF@@@MA | 1 |
| ?reProcess@Node@DataFlow@AIF@@@UAE | 1 |
| ?process@Node@DataFlow@AIF@@@UAEXX | 1 |
| ?updateDataRemoved@Node@DataFlow@/I | 1 |
| ?isReady@Node@DataFlow@AIF@@@UBE_N | 1 |
| ?flushInputs@Node@DataFlow@AIF@@@UA | 1 |
| ?flushOutputs@Node@DataFlow@AIF@@@U | 1 |
| ?disconnect@Node@DataFlow@AIF@@@UAI | 1 |
| ?flush@Node@DataFlow@AIF@@@UAEXXZ | 1 |
| ?notifyNodeDataRemoved@OutputConnect | 1 |
| ?Instance@NodeLibrarian@DataFlow@AIF@C | 1 |
| ?clearAll@NodeLibrarian@DataFlow@AIF@ | 1 |
| ??1CreateNodeFunctionNodeFactory@Data | 1 |
| ??1NodeMetaData@DataFlow@AIF@@@UAE | 1 |
| ??1MetaDataBase@DataFlow@AIF@@@UAE(| 1 |
| ?notifyNodeDataAvailable@InputConnector | 1 |
| ?canConnect@InputConnector@DataFlow@ | 1 |
| ?removeNode@AbstractController@DataFlc | 1 |
| ?create@CreateNodeFunctionNodeFactory@C | 1 |
| ??0ImageCPU@AIF@@@QAE@W4tePixelForr | 1 |
| ?pixelToWorldSpace@AIF@@@YA?AVBoundir | 1 |
| ?offset@ImageBase@AIF@@@QBE?AUint2@ | 1 |
| ??0ImageGPU@AIF@@@QAE@ABUInt2@1@ | 1 |
| ??6AIF@@@YAAAV?\$basic_ostream@DU?\$cl | 1 |
| ?disable@ImageGPU@AIF@@@QBEXI@Z | 1 |
| ?numberOfPixels@ImageBase@AIF@@@QBE | 1 |
| ?pixelFormat@ImageGPU@AIF@@@QBE?AW | 1 |
| ?setBorderColor@ImageGPU@AIF@@@QBEX | 1 |
| ??0ShaderProgramProxyOGLAutoLock@AIF(| 1 |
| ?getProgram@ShaderProgramProxyOGLAut | 1 |
| ??1ShaderProgramProxyOGLAutoLock@AIF(| 1 |
| ??0VertexShaderSourceOGL@AIF@@@QAE@ | 1 |
| ?add@ShaderProgramProxyOGL@AIF@@@Q | 1 |
| ?returnTexture2DToPool@TexturePool@AIF | 1 |
| ?getTexture2DFromPool@TexturePool@AIF | 1 |
| ??0ImageCPUReadAccessor@AIF@@@QAE@, | 1 |
| ??0ImageCPUWriteAccessor@AIF@@@QAE@ | 1 |
| ??0ImageCPU@AIF@@@QAE@W4tePixelForr | 1 |
| ??1ImageAccessorBase@AIF@@@UAE@XZ | 1 |
| ?copyImageData@ImageGPU@AIF@@@QAE> | 1 |
| ?unbind@ImageGPU@AIF@@@QBEXXZ | 1 |
| ?size@ImageBase@AIF@@@QBE?AUsize2@2 | 1 |
| ?PixelSize@ImageCPU@AIF@@@SAIW4tePixe | 1 |

| | |
|---|---|
| ?pixelSize@ImageBase@AIF@@QBE?BUfloa | 1 |
| ??0ImageGPU@AIF@@QAE@ABUInt2@1@ | 1 |
| ?copyImageData@ImageGPU@AIF@@QAE> | 1 |
| ??0ImageCPU@AIF@@QAE@ABV01@@Z | 1 |
| ?offsetX@ImageBase@AIF@@QBEHXZ | 1 |
| ?offsetY@ImageBase@AIF@@QBEHXZ | 1 |
| ?width@ImageBase@AIF@@QBEIXZ | 1 |
| ?height@ImageBase@AIF@@QBEIXZ | 1 |
| ?enable@ImageGPU@AIF@@QBEXI@Z | 1 |
| ??0ShaderProgramProxyOGL@AIF@@QAE@ | 1 |
| ??0FragmentShaderSourceOGL@AIF@@QAI | 1 |
| ?add@ShaderProgramProxyOGL@AIF@@Q | 1 |
| ?Instance@ShaderManagerOGL@AIF@@SA | 1 |
| ?RegisterShaderProgram@ShaderManagerC | 1 |
| ?bind@ImageGPU@AIF@@QBEXI@Z | 1 |
| ?setFilter@ImageGPU@AIF@@QBEXII@Z | 1 |
| ?setWrap@ImageGPU@AIF@@QBEXII@Z | 1 |
| ?returnTexture3DToPool@TexturePool@AIF | 1 |
| ?getTexture3DFromPool@TexturePool@AIF | 1 |
| ?UnlockOglProgram@ShaderProgramProxyC | 1 |
| ?LockOglProgram@ShaderProgramProxyOG | 1 |
| ?returnTexture1DToPool@TexturePool@AIF | 1 |
| ?Instance@TexturePool@AIF@@SAPAV12@ | 1 |
| ?getTexture1DFromPool@TexturePool@AIF | 1 |
| ?getCPUProgressCallback@CPUProgressCall | 1 |
| ??1CPUProgressCallback@AIF@@UAE@XZ | 1 |
| ??0ImageGPU@AIF@@QAE@ABV01@@Z | 1 |
| ??0Configuration@VideoMemory@AIF@@C | 1 |
| ??1Configuration@VideoMemory@AIF@@C | 1 |
| ??0Configuration@TexturePool@AIF@@QA | 1 |
| ?videoMemoryListener@Configuration@Vid | 1 |
| ?setVideoMemoryListener@Configuration@ | 1 |
| ?maximumTexturePoolSize@Configuration@C | 1 |
| ?setMaximumFreelistSize@Configuration@1 | 1 |
| ?setContext@Configuration@TexturePool@ | 1 |
| ?Create@TexturePool@AIF@@CAXABVCont | 1 |
| ?Create@ShaderManagerOGL@AIF@@CAX | 1 |
| ??1Configuration@TexturePool@AIF@@QA | 1 |
| ?Destroy@ShaderManagerOGL@AIF@@CA) | 1 |
| ?Destroy@TexturePool@AIF@@CAXXZ | 1 |
| ??1ShaderProgramProxyOGL@AIF@@UAE@ | 1 |
| ??1FragmentShaderSourceOGL@AIF@@UAI | 1 |
| ??1VertexShaderSourceOGL@AIF@@UAE@ | 1 |
| ??1ShaderSourceOGL@AIF@@UAE@XZ | 1 |
| ??1ImageBase@AIF@@UAE@XZ | 1 |
| ?doWrite@ImageBase@AIF@@UBEXAAV?\$ | 1 |
| ?domainOfDefinition@ImageBase@AIF@@I | 1 |

| | |
|---|---|
| ??1VideoMemoryListener@VideoMemory@ | 1 |
| ?memoryAllocated@VideoMemoryListener@ | 1 |
| ?memoryFreed@VideoMemoryListener@Vi | 1 |
| ?impendingMemoryAllcation@VideoMemor | 1 |
| g_log_default_handler | 1 |
| g_log_set_handler | 1 |
| gtk_button_new_from_stock | 1 |
| gtk_false | 1 |
| gtk_init_abi_check | 1 |
| gtk_widget_realize | 1 |
| ?metaObject@QGraphicsColorizeEffect@@I | 1 |
| ?qt_metacast@QGraphicsColorizeEffect@@@ | 1 |
| ?qt_metacall@QGraphicsColorizeEffect@@I | 1 |
| ?boundingRectFor@QGraphicsEffect@@UBI | 1 |
| ?draw@QGraphicsColorizeEffect@@MAEXP | 1 |
| ?staticMetaObject@QGraphicsView@@2UC | 1 |
| ?addRect@QGraphicsScene@@QAEPAVQGr | 1 |
| ?setPen@QAbstractGraphicsShapeItem@@I | 1 |
| ?setZValue@QGraphicsItem@@QAEXN@Z | 1 |
| ?addPixmap@QGraphicsScene@@QAEPAVC | 1 |
| ?fromHsv@QColor@@SA?AV1@HHHH@Z | 1 |
| ?setBrush@QAbstractGraphicsShapeItem@() | 1 |
| ?height@QFontMetrics@@QBEHXZ | 1 |
| ?addText@QGraphicsScene@@QAEPAVQGr | 1 |
| ?setDefaultTextColor@QGraphicsTextItem@ | 1 |
| ?setPos@QGraphicsItem@@QAEXABVQPoi | 1 |
| ??0QGraphicsColorizeEffect@@QAE@PAVQ | 1 |
| ?setColor@QGraphicsColorizeEffect@@QAE | 1 |
| ?setStrength@QGraphicsColorizeEffect@@C | 1 |
| ?setEnabled@QGraphicsEffect@@QAEX_N@ | 1 |
| ?setGraphicsEffect@QGraphicsItem@@QAE | 1 |
| ?addWidget@QGraphicsScene@@QAEPAVC | 1 |
| ?setRenderHint@QGraphicsView@@QAEXV | 1 |
| ?isVisible@QGraphicsItem@@QBE_NXZ | 1 |
| ?setVisible@QGraphicsItem@@QAEX_N@Z | 1 |
| ??1QGraphicsColorizeEffect@@UAE@XZ | 1 |
| ?fromWCharArray@QString@@SA?AV1@P | 1 |
| ?realloc@QByteArray@@AAEXH@Z | 1 |
| ?interpolated@QVariantAnimation@@MBE | 1 |
| ?updateCurrentValue@QPropertyAnimation | 1 |
| ?updateDirection@QAbstractAnimation@@ | 1 |
| ?updateState@QPropertyAnimation@@MA | 1 |
| ?updateCurrentTime@QVariantAnimation@ | 1 |
| ?duration@QVariantAnimation@@UBEHXZ | 1 |
| ?event@QPropertyAnimation@@MAE_NPA | 1 |
| ?qt_metacall@QPropertyAnimation@@UAE | 1 |
| ?qt_metacast@QPropertyAnimation@@UA | 1 |

| | |
|---|---|
| ?metaObject@QPropertyAnimation@@UBE | 1 |
| ??0QPropertyAnimation@@QAE@PAVQObj | 1 |
| ?setDuration@QVariantAnimation@@QAE | 1 |
| ??0QEasingCurve@@QAE@W4Type@0@@ | 1 |
| ?setEasingCurve@QVariantAnimation@@Q | 1 |
| ??1QEasingCurve@@QAE@XZ | 1 |
| ?setStartValue@QVariantAnimation@@QAE | 1 |
| ?setEndValue@QVariantAnimation@@QAE | 1 |
| ?setDirection@QAbstractAnimation@@QAE | 1 |
| ?start@QAbstractAnimation@@QAEXW4De | 1 |
| ??1QPropertyAnimation@@UAE@XZ | 1 |
| @Sysutils@AppendStr\$qqrr17System@Ansii | 1 |
| @Nmnnntp@initialization\$qqrv | 1 |
| @Nmnnntp@Finalization\$qqrv | 1 |
| @Nmnnntp@TNMNNTP@ | 1 |
| @Provcl@Finalization\$qqrv | 1 |
| @Provcl@initialization\$qqrv | 1 |
| @Proconst@initialization\$qqrv | 1 |
| @Proconst@Finalization\$qqrv | 1 |
| @Proctrls@TProLabel@ | 1 |
| @Proctrls@TProSpeedButton@ | 1 |
| @Proctrls@Finalization\$qqrv | 1 |
| @Proctrls@initialization\$qqrv | 1 |
| @Prourl@TProUrlLabel@ | 1 |
| @Prourl@Finalization\$qqrv | 1 |
| @Prourl@initialization\$qqrv | 1 |
| @Buttons@TBitBtn@SetGlyph\$qqrp16Grap | 1 |
| @Comctrls@TTrackBar@SetPosition\$qqri | 1 |
| @Comctrls@TTrackBar@ | 1 |
| @\$xp\$16Cspin@TCSpinEdit | 1 |
| @\$xp\$18Cspin@TCSpinButton | 1 |
| @@Cspin@Finalize | 1 |
| @@Cspin@Initialize | 1 |
| @Cspin@TCSpinButton@ | 1 |
| @Cspin@TCSpinButton@\$bctr\$qqrp18Class | 1 |
| @Cspin@TCSpinButton@\$bdtr\$qqrv | 1 |
| @Cspin@TCSpinButton@Dispatch\$qqrpv | 1 |
| @Cspin@TCSpinButton@GetDownGlyph\$qc | 1 |
| @Cspin@TCSpinButton@GetUpGlyph\$qqrv | 1 |
| @Cspin@TCSpinButton@Loaded\$qqrv | 1 |
| @Cspin@TCSpinButton@SetBounds\$qqriii | 1 |
| @Cspin@TCSpinButton@SetDownGlyph\$qq | 1 |
| @Cspin@TCSpinButton@SetUpGlyph\$qqrp1 | 1 |
| @Cspin@TCSpinButton@WMGetDlgCode\$q | 1 |
| @Cspin@TCSpinButton@WMKillFocus\$qqrr | 1 |
| @Cspin@TCSpinButton@WMSetFocus\$qqrr | 1 |
| @Cspin@TCSpinButton@WMSize\$qqrr16M | 1 |

| | |
|--|---|
| @Cspin@TCSpinEdit@ | 1 |
| @Cspin@TCSpinEdit@\$bctr\$qqrp18Classes@ | 1 |
| @Cspin@TCSpinEdit@\$bdtr\$qqrv | 1 |
| @Cspin@TCSpinEdit@CMEnter\$qqrr20Mess | 1 |
| @Cspin@TCSpinEdit@CMExit\$qqrr20Messa | 1 |
| @Cspin@TCSpinEdit@CreateParams\$qqrr22 | 1 |
| @Cspin@TCSpinEdit@CreateWnd\$qqrv | 1 |
| @Cspin@TCSpinEdit@Dispatch\$qqrpv | 1 |
| @Cspin@TCSpinEdit@DownClick\$qqrp14Sy | 1 |
| @Cspin@TCSpinEdit@GetChildren\$qqrynpq | 1 |
| @Cspin@TCSpinEdit@GetValue\$qqrv | 1 |
| @Cspin@TCSpinEdit@IsValidChar\$qqrc | 1 |
| @Cspin@TCSpinEdit@KeyPress\$qqrrc | 1 |
| @Cspin@TCSpinEdit@SetValue\$qqrl | 1 |
| @Cspin@TCSpinEdit@UpClick\$qqrp14Syste | 1 |
| @Cspin@TCSpinEdit@WMCut\$qqrr20Messag | 1 |
| @Cspin@TCSpinEdit@WMPaste\$qqrr20Mes | 1 |
| @Cspin@TCSpinEdit@WMSize\$qqrr16Mess | 1 |
| RARProcessFileW | 1 |
| crFree | 1 |
| RTPrintf | 1 |
| _j | 1 |
| _float2int64pop | 1 |
| _GetRouteData@8 | 1 |
| ??1CTRoutingData@@QAE@XZ | 1 |
| ??1CSLColor@@UAE@XZ | 1 |
| ??0CSLColor@@QAE@KW4COLORSPACE@C | 1 |
| ??4CSLColor@@QAEAAV0@ABV0@@Z | 1 |
| ??0CSLColor@@QAE@XZ | 1 |
| ?ClearDynamicTemplateCache@@YGXXZ | 1 |
| ??0Registry@@QAE@XZ | 1 |
| ?Initialize@Registry@@QAEHW4RESERVED_ | 1 |
| ?RegQueryData@Registry@@QBEHPBDAAH | 1 |
| _ToolPathMode@0 | 1 |
| ??1CValidatedEdit@@UAE@XZ | 1 |
| ??1CColorBox@@UAE@XZ | 1 |
| ??1CutTemplateData@@QAE@XZ | 1 |
| ??0CValidatedEdit@@QAE@XZ | 1 |
| ??0CValue@@QAE@NW4Unit@@@Z | 1 |
| ??1CValue@@UAE@XZ | 1 |
| ?ForceValidation@CValidatedEdit@@QAEH | 1 |
| ??0CValue@@QAE@ABV0@W4Unit@@@Z | 1 |
| ?GetValue@CValidatedEdit@@QBEABVCVal | 1 |
| ?GetValue@CValue@@QBENXZ | 1 |
| ?GetCurrentUnits@@YG?AW4Unit@@XZ | 1 |
| ?SetDecimalMode@CValidatedEdit@@QAE | 1 |
| ?SetRange@CValidatedEdit@@QAEXABVCV | 1 |

| | |
|---|---|
| ?ForceShowUnits@CValidatedEdit@@QAEX | 1 |
| ??0CValue@@QAE@HW4Unit@@@Z | 1 |
| ?SetIntegerMode@CValidatedEdit@@QAEX | 1 |
| ?SetRange@CValidatedEdit@@QAEXHH_NN | 1 |
| ?ForceDecimals@CValidatedEdit@@QAEXH | 1 |
| ?Refresh@CValidatedEdit@@QAEXXXZ | 1 |
| ??BCValue@@QBENXZ | 1 |
| ?SetMinRange@CValidatedEdit@@QAEXAB' | 1 |
| ?SetMaxRange@CValidatedEdit@@QAEXAB | 1 |
| ??0CColorBox@@QAE@XZ | 1 |
| ?SetFillColor@CColorBox@@QAEXK@Z | 1 |
| ?GetFillColor@CColorBox@@QAEKXZ | 1 |
| ??0CCColorSelectionDlg@@QAE@PAVCWnd(| 1 |
| ??1CCColorSelectionDlg@@UAE@XZ | 1 |
| ?SetColor@CCColorSelectionDlg@@QAEXK@ | 1 |
| ?DoModal@CCColorSelectionDlg@@UAEHXZ | 1 |
| ?GetColor@CCColorSelectionDlg@@QAEKXZ | 1 |
| ?SetRange@CValidatedEdit@@QAEXNN_NN | 1 |
| ?GetSettings@CValidatedEdit@@QAEXAAV: | 1 |
| ?SetInitialValue@CValidatedEdit@@QAEXAI | 1 |
| ??MCValue@@QBEHABV0@@Z | 1 |
| _GetMaxWidthofObjects@12 | 1 |
| ??OCValue@@QBEHABV0@@Z | 1 |
| ?GetMaxBound@CNumericValidator@@QB | 1 |
| ?GetValidator@CValidatedEdit@@QBEPAVC | 1 |
| ??0CValue@@QAE@ABV0@@Z | 1 |
| ??4CValue@@QAE?AV0@ABV0@@Z | 1 |
| _CTAXYZGetMoveControlDefaults@12 | 1 |
| ?StoreValue@CValidatedEdit@@QAENABVC | 1 |
| ?GetUnits@CValue@@QBE?AW4Unit@@XZ | 1 |
| ?GetDisplayValue@CValidatedEdit@@QAEN | 1 |
| ?SetValue@CValue@@QAEXNH@Z | 1 |
| _CTAXYZVerifyTool@12 | 1 |
| _CTAXYZAddTool@4 | 1 |
| _PurgeRouteDataCache@0 | 1 |
| ?CloseKey@Registry@@QAEXXZ | 1 |
| ??0CSLFullColor@@QAE@ABVCSLColor@@ | 1 |
| ?GetRGBcolor@CSLColor@@QBEKXZ | 1 |
| _CTAXYZFillPositionRuleList@12 | 1 |
| ?GetCurrentSpeedUnits@@YG?AW4Unit@() | 1 |
| ?SetSpeedEdit@CValidatedEdit@@QAEAAV | 1 |
| ?RegQueryData@Registry@@QBEHPBDAAV | 1 |
| ?RegSetData@Registry@@QBEHPBDABV?\$ | 1 |
| ?IsDoubleEqual@@YGHNNN@Z | 1 |
| DBGetObjectElement | 1 |
| _UNCloseStep@4 | 1 |
| DBGetNextMember | 1 |

| | |
|--|---|
| DBGetFirstMember | 1 |
| DBGetObject | 1 |
| DSDeleteObject | 1 |
| OPDestroyList | 1 |
| OPGetLaterMember | 1 |
| ?SetData@CToolPathOperation@@QAEXHV | 1 |
| ?GetData@CToolPathOperation@@QAEXPV | 1 |
| ??0CObjIter@@QAE@XZ | 1 |
| OPGetEarliestMember | 1 |
| _OpFilter_IsNotDeletedOfType@8 | 1 |
| OPCreateList | 1 |
| ?DBGetNextObject@@YAIPAVCObjIter@@@C | 1 |
| ?DBGetFirstObject@@YAIKP6GHIJ@ZJPVC | 1 |
| ??1CObjIter@@QAE@XZ | 1 |
| _UNOpenStep@8 | 1 |
| ?MakeBaseRegKeyString@@YAHPBDPADI@ | 1 |
| ?WriteStringDevice@@YGXPBD0PAD@Z | 1 |
| ?GetIntDevice@@YGHPBD0H@Z | 1 |
| ?WriteIntCadlink@@YGXPBD0H@Z | 1 |
| ?GetUnits@@YGHXZ | 1 |
| ?WriteStringCadlink@@YGXPBD00@Z | 1 |
| ?GetStringCadlinkNull@@YGHPBD0PADH@: | 1 |
| ?SetItemCtrlID@COX_SLTreeCtrl@@QAEXPV | 1 |
| ?SetNoEditMode@COX_SLTreeCtrl@@QAEV | 1 |
| ?RestoreColumnSizes@COX_SLTreeCtrl@@@C | 1 |
| ?SetItemHeight@COX_SLTreeCtrl@@QAEXI | 1 |
| ?SetItemComboExData@COX_SLTreeCtrl@@C | 1 |
| ?GetItemColorEx@COX_SLTreeCtrl@@QAEV | 1 |
| ?SetEditMode@COX_SLTreeCtrl@@QAEXPV | 1 |
| ?GetItemTextEx@COX_SLTreeCtrl@@QAEA | 1 |
| ?SetItemColorEx@COX_SLTreeCtrl@@QAEX | 1 |
| ?SetItemValue@COX_SLTreeCtrl@@QAEXPV | 1 |
| ?HideItem@COX_SLTreeCtrl@@QAEHPAU_ | 1 |
| ?SetItemValidatedModeEx@COX_SLTreeCtrl | 1 |
| ?SetItemValidatedMode@COX_SLTreeCtrl@ | 1 |
| ?OnNeedItemTip@COX_SLTreeCtrl@@MAE | 1 |
| ?StartEditSubItem@COX_SLTreeCtrl@@MAI | 1 |
| ?SortChildren@COX_SLTreeCtrl@@UAEHPA | 1 |
| ?Expand@COX_SLTreeCtrl@@UAEHPAU_TR | 1 |
| ?DrawItemImages@COX_SLTreeCtrl@@UAF | 1 |
| ?DrawItem@COX_SLTreeCtrl@@MAEXPAUT | 1 |
| ?PostNcDestroy@COX_SLTreeCtrl@@MAEX | 1 |
| ?DefWindowProcA@COX_SLTreeCtrl@@MA | 1 |
| ?SetItemColorMode@COX_SLTreeCtrl@@Q | 1 |
| ?ResizeColToFit@COX_SLTreeCtrl@@QAEHI | 1 |
| ?GetColumnsCount@COX_SLTreeCtrl@@QE | 1 |
| ?GetEditMode@COX_SLTreeItem@@QBEIH | 1 |

| | |
|--|---|
| ?GetTextEx@COX_SLTreelItem@@QAEAAVC | 1 |
| ?GetItemValueA@COX_SLTreCtrl@@QAE? | 1 |
| ?AddColumn@COX_SLTreCtrl@@QAEHPE | 1 |
| ?SetItemText@COX_SLTreCtrl@@QAEHPA | 1 |
| ??0COXBitmapButton@@QAE@XZ | 1 |
| ??1COXBitmapButton@@UAE@XZ | 1 |
| ?EnableWindow@COXBitmapButton@@QA | 1 |
| ?SetStateEx@COXBitmapButton@@QAEXKF | 1 |
| ?SetStyleEx@COXBitmapButton@@QAEXKH | 1 |
| ?LoadBitmapA@COXBitmapButton@@QAEF | 1 |
| ??0COX_SLTreCtrl@@QAE@XZ | 1 |
| ??1COX_SLTreCtrl@@UAE@XZ | 1 |
| ?ModifyExStyle@COX_SLTreCtrl@@QAEHK | 1 |
| ?GetSelectedItem@COX_SLTreCtrl@@QAE | 1 |
| ?GetItemData@COX_SLTreCtrl@@QBEKPA | 1 |
| ?FindItemByData@COX_SLTreCtrl@@QAEF | 1 |
| ?InsertItem@COX_SLTreCtrl@@QAEPAU_1 | 1 |
| ?SetItemData@COX_SLTreCtrl@@QAEHPA | 1 |
| ?SelectItem@COX_SLTreCtrl@@QAEHPAU | 1 |
| ?DeleteAllItems@COX_SLTreCtrl@@QAEH | 1 |
| ?GetCount@COX_SLTreCtrl@@QBEIXZ | 1 |
| ?SetItemColor@COX_SLTreCtrl@@QAEHPA | 1 |
| ?GetNextItem@COX_SLTreCtrl@@QAEPAL | 1 |
| ?GetItemText@COX_SLTreCtrl@@QBE?AV | 1 |
| ?DeleteItem@COX_SLTreCtrl@@QAEHPAL | 1 |
| ?GetNextSiblingItem@COX_SLTreCtrl@@Q | 1 |
| ?MoveItem@COX_SLTreCtrl@@QAEHPAU | 1 |
| ?GetPrevSiblingItem@COX_SLTreCtrl@@Q | 1 |
| ?GetItemFromIndex@COX_SLTreCtrl@@QI | 1 |
| ?Create@COX_SLTreCtrl@@QAEHKABUtag | 1 |
| ?ModifyStyle@COX_SLTreCtrl@@QAEHKKI | 1 |
| ?DeleteColumn@COX_SLTreCtrl@@QAEHF | 1 |
| ?InsertColumn@COX_SLTreCtrl@@QAEHH | 1 |
| ?GetRuntimeClass@COX_SLTreCtrl@@UBE | 1 |
| ?GetMessageMap@COX_SLTreCtrl@@MBI | 1 |
| ?PreSubclassWindow@COX_SLTreCtrl@@I | 1 |
| ?PreTranslateMessage@COX_SLTreCtrl@@ | 1 |
| ?Mars_HideUI@@YAIXZ | 1 |
| ?Mars_ShowUI@@YAIXZ | 1 |
| _GenericWarningDialog@24 | 1 |
| ZT8360V_Alonce | 1 |
| _SmackSoundUseMSS@4 | 1 |
| ?reset@ClmmMouse@@MAEXXZ | 1 |
| ?pubseekpos@?\$basic_streambuf@DU?\$ch | 1 |
| mxCreateDoubleScalar | 1 |
| mxGetScalar | 1 |
| CreateGPOLink | 1 |

| | |
|--|---|
| DeleteAllGPOLinks | 1 |
| ExportRSoPData | 1 |
| AddPerMachineConnectionW | 1 |
| _DBUpgrade@4 | 1 |
| ?HasDigits@linguistic@@YAEABVOUString@ | 1 |
| ??0PropertyHelper_Spell@linguistic@@QAE | 1 |
| ??0SpellAlternatives@linguistic@@QAE@XZ | 1 |
| ?SetWordLanguage@SpellAlternatives@ling | 1 |
| ?IsUpper@linguistic@@YAEABVString@@G | 1 |
| ?SetAlternatives@SpellAlternatives@linguis | 1 |
| ?SetFailureType@SpellAlternatives@linguist | 1 |
| u_tolower_4_0 | 1 |
| u_isalpha_4_0 | 1 |
| u_toupper_4_0 | 1 |
| FZIP | 1 |
| SetRuntime | 1 |
| ?DBReadLicenseFile@@YAIPBDPAUa_db_pa | 1 |
| SetParmBlock | 1 |
| SetLicense | 1 |
| _WinMainGuts@16 | 1 |
| ??_7FSTRING@@6B@ | 1 |
| ValueInit | 1 |
| LoadLi | 1 |
| ??Z\$_Complex_base@O@std@@QAEAAVC | 1 |
| ??0facet@locale@std@@IAE@I@Z | 1 |
| ?sgetn@?\$basic_streambuf@GU?\$char_trai | 1 |
| ?CTLoadMUIAwareResourceLibrary@@YGJP | 1 |
| ?CTSetPreferredUILanguages@@YGJPBG00\ | 1 |
| ?CTFreeMUIAwareResourceLibrary@@YGJU | 1 |
| ?CTGetDefaultFallbackUILanguages@@YGJP | 1 |
| ?CT GetUserDefaultUILanguageOfOperatingS | 1 |
| ?CTGetLastSelectedResourceLanguage@@YI | 1 |
| RpcBindingInqAuthInfoW | 1 |
| ?KSG_StringToMD5String@@YAHQADQBD@ | 1 |
| ?SetHelpId@ToolBox@@QAEYGK@Z | 1 |
| ?getParentWindowHandleForJava@JavaChil | 1 |
| ??0JavaChildWindow@@QAE@PAVWindow | 1 |
| ??1JavaChildWindow@@UAE@XZ | 1 |
| ?ignore@?\$basic_istream@_WU?\$char_trai | 1 |
| ?getline@?\$basic_istream@_WU?\$char_tra | 1 |
| ?wcin@std@@3V?\$basic_istream@_WU?\$c | 1 |
| ?PutString@WSTRING@@IAEXPAG@Z | 1 |
| AIMP2_GetManager | 1 |
| BASS_FX_TempoSet | 1 |
| BASS_WADSP_Stop | 1 |
| BASS_WMA_StreamCreateFile | 1 |
| ?GetString@EventThread@@IAE?AVCString | 1 |

| | |
|--|---|
| ?MoveScrollBar@EventThread@@IAEHPAU | 1 |
| ?sleep@QThread@@KAXK@Z | 1 |
| ?isFinished@QThread@@QBE_NXZ | 1 |
| ?fromRgb@QColor@@SA?AV1@I@Z | 1 |
| ?handle@QFont@@QBEPAUHFONT__@@X | 1 |
| ?metaObject@CMessageBoxEx@@UBEPBU(| 1 |
| ??0CMessageBoxEx@@QAE@PAVQWidget(| 1 |
| ?setButtonText@CMessageBoxEx@@QAEXF | 1 |
| ?leaveEvent@CCheckBoxEx@@MAEXP_AVQ{ | 1 |
| ?qt_metacast@CMessageBoxEx@@UAEPA | 1 |
| ?qt_metacall@CMessageBoxEx@@UAEHW{ | 1 |
| ?timerEvent@CMessageBoxEx@@MAEXP_A\ | 1 |
| ?sizeHint@CMessageBoxEx@@MBE?AVQSi\ | 1 |
| ?mousePressEvent@CMessageBoxEx@@M/ | 1 |
| ?mouseReleaseEvent@CMessageBoxEx@@I | 1 |
| ?mouseMoveEvent@CMessageBoxEx@@M. | 1 |
| ?paintEvent@CMessageBoxEx@@MAEXP_AV | 1 |
| ?moveEvent@CMessageBoxEx@@MAEXP_A\ | 1 |
| ??1CProgressBarEx@@UAE@XZ | 1 |
| ?paintEvent@CProgressBarEx@@MAEXP_AV | 1 |
| ?timerEvent@CProgressBarEx@@MAEXP_AV | 1 |
| ?qt_metacall@CProgressBarEx@@UAEHW4 | 1 |
| ?showEvent@CMessageBoxEx@@MAEXP_A\ | 1 |
| ?metaObject@CProgressBarEx@@UBEPBUC | 1 |
| ??0CProgressBarEx@@QAE@PAVQWidget@ | 1 |
| ??1CCheckBoxEx@@UAE@XZ | 1 |
| ?qt_metacast@CProgressBarEx@@UAEPA | 1 |
| ?enterEvent@CCheckBoxEx@@MAEXP_AVQ{ | 1 |
| ?mousePressEvent@CCheckBoxEx@@EAEXF | 1 |
| ?qt_metacall@CCheckBoxEx@@UAEHW4Ca | 1 |
| ?qt_metacast@CCheckBoxEx@@UAEPAXPB | 1 |
| ?metaObject@CCheckBoxEx@@UBEPBUQM | 1 |
| ??0CCheckBoxEx@@QAE@ABVQString@@F | 1 |
| ??1CMessageBoxEx@@UAE@XZ | 1 |
| GetTempFile | 1 |
| isNetConnected | 1 |
| ExpandMacro | 1 |
| HPAlloc | 1 |
| IsValidFileIfUrlW | 1 |
| FreeTempFileList | 1 |
| _ZNK8QVariant12toStringListEv | 1 |
| _ZNK8QVariant4typeEv | 1 |
| _ZN12KCmdLineArgs4initEiPPcRK10QByteAr | 1 |
| _ZN15KMimeTypeTrader4selfEv | 1 |
| _ZN18KServiceTypeTrader4selfEv | 1 |
| _ZNK12KSycocaEntry13propertyNamesEv | 1 |
| _ZNK12KSycocaEntry8propertyERK7QString | 1 |

| | |
|---|---|
| _ZNK15KMimeTypeTrader5queryERK7QStrir | 1 |
| _ZNK18KServiceTypeTrader5queryERK7QStri | 1 |
| _ZN12KApplicationC1Eb | 1 |
| _ZN12KApplicationD1Ev | 1 |
| ?GetChangeLogFilePathW@CConfigA@@@SA | 1 |
| ?GetLogFilePathW@CConfigA@@@SA?AV?\$C | 1 |
| EbResetProjectNormal | 1 |
| ?TransparentBlt2@@@YAXPAUHDC__@@HH | 1 |
| ?GetSkinColor@@@YAKPB_WH@Z | 1 |
| ?SetSkinVar@@@YAHPB_W0@Z | 1 |
| ?SetSkinColorScheme@@@YAXHH@Z | 1 |
| ?GetDrawMsg@CSkinBase@@SAIXZ | 1 |
| ?GetSkinColorScheme@@@YAXAAHO@Z | 1 |
| ?SetSkin@CSkinBase@@@QAEJPB_W0@Z | 1 |
| ?GetOwnerRenderMsg@CSkinBase@@SAIX | 1 |
| ?LoadSkinFromFile@@YAHPB_W00@Z | 1 |
| ?HookColorSchemeChange@@YAHPAUHWI | 1 |
| ?GetColorSchemeChangeMsg@CSkinBase@ | 1 |
| ?CreateSkinControl@@YAPAUWND__@@ | 1 |
| ?GetLockSizeMsg@CSkinBase@@SAIXZ | 1 |
| ?GetSkinFont@@YAPAUHFONT__@@PB_W | 1 |
| ?SetWndSkin@@YAHPB_WPAUHWND__@() | 1 |
| ?GetPicEx@@YAHPB_WAAPAUHBITMAP __ | 1 |
| ?RenderRichText@@YAHPB_WPAUHDC__@ | 1 |
| ?FormUrlEncode@@YAXAAV?\$CStringT@_V | 1 |
| ? GetUserAppDataPath@@YA?AV?\$CStringT | 1 |
| ?GetExeFolder@@YA?AV?\$CStringT@_WV? | 1 |
| ?NavigateURL@@YAHABV?\$CStringT@_WV | 1 |
| ?KillOtherQQLivePlayerApp@@YAHPB_W@ | 1 |
| ?RegistLocalInfo@@YAHXZ | 1 |
| ?GetModuleFolder@@YA?AV?\$CStringT@_` | 1 |
| ?IsWinXPOrLater@@YAHXZ | 1 |
| ?GetKeyValue@@YAHABV?\$CStringT@_WV | 1 |
| ?CreateProxyTCPSocket@CProxyTool@QA | 1 |
| ?MakeUdpProxySendBuf@CProxyTool@Q | 1 |
| ?CreateSocks5ProxyUDPSocket@CProxyTool | 1 |
| ??1CProxyTool@@UAE@XZ | 1 |
| ??0CProxyTool@@QAE@XZ | 1 |
| ? GetUserProxySetting@CProxyTool@@QAE | 1 |
| ?CheckDirectoryExist@@YAHPB_W@Z | 1 |
| ? GetUserAppDataPath2@@YAHAAV?\$basic | 1 |
| ? GetUserGuid@@YAXPADAAH@Z | 1 |
| ?StrToAddr@@YAHAUsockaddr_in@@PB_ | 1 |
| ?ReportThirdPart@@YAHPB_W@Z | 1 |
| ?SetExceptionCatcher@@YAXABV?\$CString\ | 1 |
| ?GetTagName@CMarkup@@QBE?AV?\$CStr | 1 |
| ?GetAttrib@CMarkup@@QBE?AV?\$CString` | 1 |

| | |
|--|---|
| ?FindElem@CMarkup@@QAE_NPB_W@Z | 1 |
| ?GetData@CMarkup@@QBE?AV?\$CStringT\ | 1 |
| ??1MSFMTformat@MSFMT@@QAE@XZ | 1 |
| ?getErrorCode@MSFMTformatException@N | 1 |
| ?formatLogicalDrive@MSFMTformat@MSF | 1 |
| ?formatPhysicalDrive@MSFMTformat@MSF | 1 |
| ?isRunning@MSFMTformat@MSFMT@@QA | 1 |
| ?getFormatStatus@MSFMTformat@MSFMT | 1 |
| ?getErrorInfo_2@MSFMTformatException@ | 1 |
| ?getPhysicalDriveInformation@MSFMTform | 1 |
| ?getLogicalDriveInformation@MSFMTforma | 1 |
| ?getPhysicalDriveCount@MSFMTformat@M | 1 |
| ?getLogicalMsDriveLetters@MSFMTformat@ | 1 |
| ?getErrorInfo_3@MSFMTformatException@ | 1 |
| ??1MSFMTformatException@MSFMT@@QA | 1 |
| ??0MSFMTformat@MSFMT@@QAE@XZ | 1 |
| ?getErrorInfo_1@MSFMTformatException@ | 1 |
| @Mysocketconnection@initialization\$qqrv | 1 |
| @Dateutils@Today\$qqrv | 1 |
| @\$xp\$9Uidm@TIDM | 1 |
| @Ufe3dbmultibase_batch@TfE3DBMultiBas | 1 |
| @Rzedit@TRzMemo@SetReadOnly\$qqro | 1 |
| @Rzpanel@TRzGroupBox@ | 1 |
| @Ufe3dbbase@TfE3DBBase@SetDBGridIniF | 1 |
| @Ehlibcds@initialization\$qqrv | 1 |
| @Ufe3base@initialization\$qqrv | 1 |
| @Rztabs@TRzTabSheet@ | 1 |
| @Rztreevw@TRzCheckTree@SetAllNodes\$qq | 1 |
| @Umydbedit@TMyDBEdit@SetMSD_Lookup | 1 |
| @Ufe3dbquerybase_md@TfE3DBQueryBase | 1 |
| SetStdHandl | 1 |
| ?IsImpersonated@CImpersonateSystem@@ | 1 |
| VectorMagnitude | 1 |
| PhoebeRotation | 1 |
| IapetusRotation | 1 |
| TitanRotation | 1 |
| RheaRotation | 1 |
| DioneRotation | 1 |
| TethysRotation | 1 |
| EnceladusRotation | 1 |
| MimasRotation | 1 |
| CharonRotation | 1 |
| TritonRotation | 1 |
| OberonRotation | 1 |
| TitaniaRotation | 1 |
| UmbrielRotation | 1 |
| ArielRotation | 1 |

| | |
|----------------------|---|
| MirandaRotation | 1 |
| CallistoRotation | 1 |
| GanymedeRotation | 1 |
| EuropaRotation | 1 |
| IoRotation | 1 |
| DotProduct | 1 |
| NeptuneRotation | 1 |
| SaturnRotation | 1 |
| JupiterRotation | 1 |
| VenusRotation | 1 |
| EarthRotation | 1 |
| ArielOrbit | 1 |
| MercuryRotation | 1 |
| MoonRotation | 1 |
| SunRotation | 1 |
| OrbitToSpherical | 1 |
| MeanMotion | 1 |
| DioneOrbit | 1 |
| RheaOrbit | 1 |
| TitanOrbit | 1 |
| HyperionOrbit | 1 |
| IapetusOrbit | 1 |
| PhoebeOrbit | 1 |
| SetPrecessionMatrix | 1 |
| CharonOrbit | 1 |
| VectorDifference | 1 |
| SetUranusMoonMatrix | 1 |
| PlutoRotation | 1 |
| MirandaOrbit | 1 |
| SetTritonMatrix | 1 |
| TritonOrbit | 1 |
| SetNereidMatrix | 1 |
| NereidOrbit | 1 |
| SetPhobosMatrix | 1 |
| PhobosOrbit | 1 |
| SetDeimosMatrix | 1 |
| SetJupiterMoonMatrix | 1 |
| DateTimeToJD | 1 |
| IoXYZ | 1 |
| EuropaXYZ | 1 |
| GanymedeXYZ | 1 |
| UmbrielOrbit | 1 |
| TitaniaOrbit | 1 |
| OberonOrbit | 1 |
| SetSaturnMoonMatrix | 1 |
| MimasOrbit | 1 |
| EnceladusOrbit | 1 |

| | |
|---|---|
| MarsRotation | 1 |
| TethysOrbit | 1 |
| CallistoXYZ | 1 |
| RotateVector | 1 |
| OrbitToXYZ | 1 |
| Obliquity | 1 |
| SetEclipticMatrix | 1 |
| DeimosOrbit | 1 |
| SetHelpImageStub | 1 |
| QADeviceGetNextEngine | 1 |
| QADrawContextNew | 1 |
| QATextureNew | 1 |
| QATextureDelete | 1 |
| QADeviceGetFirstEngine | 1 |
| QAEngineGestalt | 1 |
| QATextureDetach | 1 |
| ?pubseekoff@?\$basic_streambuf@DU?\$cha | 1 |
| ?Localization_Constant_GetString@@YAHPE | 1 |
| ?Localization_Start@@YAHPBG@Z | 1 |
| ?Localization_Language_Add@@YAHPBG@Z | 1 |
| ?Localization_Language_Remove@@YAHPB | 1 |
| ?Localization_Language_Query@@YAHPBG(| 1 |
| ?Localization_Language_Set@@YAHPBG@Z | 1 |
| ?Localization_Language_Get@@YAHPAGI@` | 1 |
| ToCharset | 1 |
| ??0MarbenStackImpl@tp4@@@QAE@HABV? | 1 |
| ??1MarbenStackImpl@tp4@@@UAE@XZ | 1 |
| SeAuditingHardLinkEvents | 1 |
| gdk_pixbuf_error_quark | 1 |
| gdk_pixbuf_get_bits_per_sample | 1 |
| gdk_pixbuf_get_has_alpha | 1 |
| gdk_pixbuf_get_height | 1 |
| gdk_pixbuf_get_pixels | 1 |
| gdk_pixbuf_get_rowstride | 1 |
| gdk_pixbuf_get_width | 1 |
| gdk_pixbuf_set_option | 1 |
| png_get_bit_depth | 1 |
| png_get_channels | 1 |
| png_get_progressive_ptr | 1 |
| png_init_io | 1 |
| png_process_data | 1 |
| png_progressive_combine_row | 1 |
| png_set_progressive_read_fn | 1 |
| png_set_shift | 1 |
| png_write_rows | 1 |
| ?SetOnHFPNotificationCallback@CWBtAPI@ | 1 |
| ?SetOnSyncDeleteEventCallback@CWBtAPI(| 1 |

| | |
|---------------------------------------|---|
| ?UIGetWindowProcessID@CWindowCompo | 1 |
| ?UIChildWindowFromPointEx@CWindowCo | 1 |
| ?UIGetIcon@CWindowComponentBase@@I | 1 |
| ?UIIsFastRender@CUIComponent@@UAGJF | 1 |
| ?OnFinalMessage@CWindowComponentBas | 1 |
| ?DrawTransparentBackground@CWindowCc | 1 |
| ?UIIsTransparent@CWindowComponentBas | 1 |
| ?UIGetSkinID@CUIComponent@@UAGJXZ | 1 |
| ?UIGetHotKey@CWindowComponentBase@ | 1 |
| ?UIUpdateComponent@CWindowCompone | 1 |
| ?OnFirstMessage@CWindowComponentBas | 1 |
| ?_Create@CWindowComponentBase@@UA | 1 |
| ?UIIsTopComponent@CUIComponent@@U. | 1 |
| ?UIUpdateRegion@CWindowComponentBa | 1 |
| ?UIGetHWND@CWindowComponentBase@ | 1 |
| ?UIBeginPaint@CWindowComponentBase@ | 1 |
| ?UIGetScrollRange@CWindowComponentB | 1 |
| ?UIRedrawWindow@CWindowComponentB | 1 |
| ?UIIsWindow@CWindowComponentBase@ | 1 |
| ?GetWindowOrigin@CWindowComponentB | 1 |
| ?UIIsVirtualComponent@CUIComponent@C | 1 |
| ?UIUpdateTips@CWindowComponentBase@C | 1 |
| ?UIInvalidateRect@CWindowComponentBa | 1 |
| ?UIBringWindowToTop@CWindowComponen | 1 |
| ?ProcessWindowMessage@CWindowCompo | 1 |
| ?GetClass@CUIComponent@@UAGJPAPA_1 | 1 |
| ?AnimateComponent@CUIComponent@@@L | 1 |
| ?UIGetBackgroundID@CUIComponent@@U | 1 |
| ?UIGetTopWindow@CWindowComponentB | 1 |
| ?UIGetScrollInfo@CWindowComponentBase | 1 |
| ?GetID@CUIComponent@@UAGJPAPA_WC | 1 |
| ?GetHWND@CWindowComponentBase@@ | 1 |
| ?UIGetBorderID@CUIComponent@@UAG?/ | 1 |
| ?UIGetWindowRect@CWindowComponentE | 1 |
| ?UISetWindowText@CWindowComponentB | 1 |
| ?UIEndPaint@CWindowComponentBase@@ | 1 |
| ?UIScrollWindow@CWindowComponentBas | 1 |
| ?GetIntegerID@CUIComponent@@UAGJPA | 1 |
| ?DrawActiveRect@CUIComponent@@UAGJ | 1 |
| ?UISetTimer@CWindowComponentBase@@ | 1 |
| ?UIIsWindowUnicode@CWindowComponen | 1 |
| ?UIIsEnableUAC@CUIComponent@@UBG_I | 1 |
| ?UIGetClientRect@CWindowComponentBas | 1 |
| ?UIValidateRect@CWindowComponentBase | 1 |
| ?UIGetWindow@CWindowComponentBase@ | 1 |
| ?InvalidateRect@CWindowComponentBase@ | 1 |
| ?CreateComponent@CUIComponent@@UA | 1 |

| | |
|---|---|
| ?OnResetSkin@CWindowComponentBase@ | 1 |
| ?CreateComponent@CWindowComponentE | 1 |
| ?UIGetUACKey@CUIComponent@@UBGAB | 1 |
| ?GetProperty@CUIComponent@@UAGJPA_ | 1 |
| ?UIScrollWindowEx@CWindowComponentB | 1 |
| ?UISetScrollInfo@CWindowComponentBase | 1 |
| ?InternalCreate@CWindowComponentBase | 1 |
| ?InternalAddRef@?\$CUIObjectImpl@VCUIC_ | 1 |
| ?DestroyComponent@CWindowComponent | 1 |
| ?SetProperty@CUIComponent@@UAGJPA_ | 1 |
| ?UIGetWindowText@CWindowComponentE | 1 |
| ?UIGetDC@CWindowComponentBase@@U | 1 |
| ?UIGetUACData@CUIComponent@@UBGAI | 1 |
| ?UIKillTimer@CWindowComponentBase@@ | 1 |
| UIColorize | 1 |
| ?IsValidComponent@CWindowComponentE | 1 |
| ?GetPropertySelectList@CUIComponent@@ | 1 |
| ?UIGetWindowPlacement@CWindowCompo | 1 |
| ?UIInvalidateRgn@CWindowComponentBas | 1 |
| ?UIGetLastActivePopup@CWindowCompon | 1 |
| ??1CUIComponentPropertyMap2@@QAE@ | 1 |
| ?UISetIcon@CWindowComponentBase@@I | 1 |
| ?ResetProperties@CUIComponent@@UAGJF | 1 |
| ?UIGetUACUITrigger@CUIComponent@@U | 1 |
| ?GetPropertyCount@CUIComponent@@UA | 1 |
| ?Add@CRuntimeUIComponentMap@@QAI | 1 |
| ?UIScrollWindowEx@CWindowComponentB | 1 |
| ?UIIsDialogMessage@CWindowComponentI | 1 |
| ?UIIsParentDialog@CWindowComponentBa | 1 |
| ?UIDefWindowProc@CWindowComponentE | 1 |
| ?GetParentComponent@CUIComponent@C | 1 |
| ?UIEventPoint@CUIComponent@@UAG?AV | 1 |
| ?GetPropertyItem@CUIComponent@@UAG | 1 |
| ?ProcessExecuteCommand@CWindowCompo | 1 |
| ?InternalRelease@?\$CUIObjectImpl@VCUIC | 1 |
| ?UIGetWindowTextLength@CWindowComp | 1 |
| ?UIGetWindowDC@CWindowComponentBa | 1 |
| ?UIIsChild@CWindowComponentBase@@U | 1 |
| ?UIDefWindowProc@CWindowComponentE | 1 |
| ?AddChildComponent@CUIComponent@@I | 1 |
| ?UIProperty@CUIComponent@@UAG?AV?` | 1 |
| ?GetProperty2@CUIComponent@@UAGJIP/ | 1 |
| ?UIIsWindowEnabled@CWindowComponen | 1 |
| ?UISetWindowPlacement@CWindowCompc | 1 |
| ?UIValidateRgn@CWindowComponentBase(| 1 |
| ?RemoveChildComponent@CUIComponent(| 1 |
| ?UIComponent@CWindowComponentBase(| 1 |

| | |
|--|---|
| ?SetProperty2@CUIComponent@@UAGJIU1 | 1 |
| ?UIGetParent@CWindowComponentBase@ | 1 |
| ?RemoveAllChildComponent@CUICompone | 1 |
| ?UIIsVisible@CWindowComponentBase@@ | 1 |
| ?GetProperty2_GlobalPropID@CUICompone | 1 |
| ?UISetScrollPos@CWindowComponentBase@ | 1 |
| ?UIShowWindowAsync@CWindowComponent | 1 |
| ?DispatchEvent@CWindowComponentBase@ | 1 |
| ?GetChildComponentCount@CUIComponen | 1 |
| ?UIIsVisible@CUIComponent@@UAGHXZ | 1 |
| ? SetProperty2_GlobalPropID@CUICompone | 1 |
| ?UIIsIconic@CWindowComponentBase@@I | 1 |
| ?UIArrangeIconicWindows@CWindowComp | 1 |
| ?UIReleaseDC@CWindowComponentBase@ | 1 |
| ?InternalSetClass@CUIComponent@@IAEJP | 1 |
| ?UIEnableWindow@CWindowComponentBa | 1 |
| ?GetChildComponent@CUIComponent@@I | 1 |
| ?UIIsEnable@CWindowComponentBase@@I | 1 |
| ?UIShowWindow@CWindowComponentBas | 1 |
| ?Add@CUIComponentPropertyMap2@@QA | 1 |
| ?UISetParent@CWindowComponentBase@() | 1 |
| ?GetChildComponentByName@CUICompon | 1 |
| ?UIIsEnable@CUIComponent@@UAGHXZ | 1 |
| ?RegisterEvent@CUIComponent@@UAGJIP | 1 |
| ?Chain@CUIComponentPropertyMap2@@C | 1 |
| ?UISetScrollRange@CWindowComponentBa | 1 |
| ?GetChildComponentIndex@CUIComponent | 1 |
| ?UIGetChildComponentCount@CUICompon | 1 |
| ?UnRegisterEvent@CUIComponent@@UAG | 1 |
| ?UIResizeClient@CWindowComponentBase | 1 |
| ?GetStaticPropertyMap2@CWindowCompon | 1 |
| ?UIIsZoomed@CWindowComponentBase@() | 1 |
| ?UIClientToScreen@CWindowComponentBa | 1 |
| ?UIUpdateWindow@CWindowComponentB | 1 |
| ??1CWindowComponentBase@@UAE@XZ | 1 |
| ?GetChildComponentEx@CUIComponent@() | 1 |
| ?UIGetParentComponent@CUIComponent@ | 1 |
| ?ClearEvent@CUIComponent@@UAGJXZ | 1 |
| ?UISetActiveWindow@CWindowComponen | 1 |
| ?GetVisible@CWindowComponentBase@@I | 1 |
| ?UIIsWindowVisible@CWindowComponentI | 1 |
| ?Execute@CUIComponent@@UAGJIPAUIXP | 1 |
| ?UIGetChildComponent@CUIComponent@() | 1 |
| ?RegisterExternalEventPoint@CUICompon | 1 |
| ?UIMoveWindow@CWindowComponentBas | 1 |
| ?UIFlashWindow@CWindowComponentBas | 1 |
| ?SetVisible@CWindowComponentBase@@I | 1 |

| | |
|---|---|
| ?InternalQueryInterface@CWindowCompon | 1 |
| ?GetComponentMode@CUIComponent@@ | 1 |
| ?UIGetChildComponentByName@CUICompi | 1 |
| ?UnRegisterExternalEventPoint@CUICompo | 1 |
| ?UIScreenToClient@CWindowComponentB  | 1 |
| ?UISetRedraw@CWindowComponentBase@ | 1 |
| ?UIShowScrollBar@CWindowComponentBa  | 1 |
| ?GetPropertyMap2@CWindowComponentB  | 1 |
| ?GetSkinID@CWindowComponentBase@@I | 1 |
| ?UIGetWindowRgn@CWindowComponentB  | 1 |
| ?UICenterWindow@CWindowComponentB  | 1 |
| ?PreCreateComponent@CWindowCompone | 1 |
| ?SetComponentMode@CUIComponent@@I | 1 |
| ?UIGetChildComponentEx@CUIComponent(| 1 |
| ?ClearExternnalEventPoint@CUIComponent | 1 |
| ?InternalCreate@CWindowComponentBase | 1 |
| ?SetSkinID@CWindowComponentBase@@I. | 1 |
| ?UISetCapture@CWindowComponentBase@  | 1 |
| ?PreCreateComponent@CWindowCompone | 1 |
| ?UISendMessage@CUIComponent@@@UAGJ | 1 |
| ?UIGetChildComponentIndex@CUICompon  | 1 |
| ?GetEventCount@CUIComponent@@@UAGJF | 1 |
| ?UIShowOwnedPopups@CWindowCompon  | 1 |
| ?IsDelayedProperty@CWindowComponentE | 1 |
| ?GetSkinManager@CUIHelper@@@QAEPAVII | 1 |
| ?UIMoveWindow@CWindowComponentBas  | 1 |
| ?UISetClipboardViewer@CWindowCompon  | 1 |
| ?OnCreateComponent@CWindowCompon  | 1 |
| ?UIPostMessage@CUIComponent@@@UAGJI | 1 |
| ?UIGetChildComponentIndex@CUICompon  | 1 |
| ?GetEventPointCount@CUIComponent@@@l | 1 |
| ?UIGetTopLevelParent@CWindowCompon  | 1 |
| ?_Create@CWindowComponentBase@@@UA | 1 |
| ??0CUIHelper@@@QAE@XZ | 1 |
| ?UIScreenToClient@CWindowComponentB  | 1 |
| ?UIGetUpdateRect@CWindowComponentB  | 1 |
| ?UIEnableScrollBar@CWindowComponentB  | 1 |
| ?OnCreateComponent@CWindowCompon  | 1 |
| ?UIGetRect@CWindowComponentBase@@@ | 1 |
| ?UIIsChild@CUIComponent@@@UAG_NV?\$\$ir | 1 |
| ?TrackMouseLeave@CUIComponent@@@UA | 1 |
| ?UISetWindowRgn@CWindowComponentB  | 1 |
| ?DrawChildComponents@CWindowCompor | 1 |
| ?UISetRect@CWindowComponentBase@@I | 1 |
| ?UIPtInComponent@CWindowComponentB  | 1 |
| ?UISetWindowPos@CWindowComponentB  | 1 |
| ?UISetFocus@CWindowComponentBase@@ | 1 |

| | |
|--|---|
| ?UIGetDCEx@CWindowComponentBase@@ | 1 |
| ?QueryInterface@CUIComponent@@UAGJF | 1 |
| ?InternalSetID@CUIComponent@@MAE_N/ | 1 |
| ?UISetRect@CWindowComponentBase@@I | 1 |
| ?UINCHitTest@CWindowComponentBase@ | 1 |
| ?UpdateLayout@CUIComponentLayout@@I | 1 |
| ?UIMapWindowPoints@CWindowCompone | 1 |
| ?UIOpenClipboard@CWindowComponentB  | 1 |
| ??0CWindowComponentBase@@QAE@XZ | 1 |
| ?UISetWindowPos@CWindowComponentB  | 1 |
| ?UIGetWindowThreadID@CWindowCompor | 1 |
| ?AdjustBinUIResource@CWindowComponen | 1 |
| ?UIGetScreenRect@CWindowComponentBa | 1 |
| ?UIGetMarginRect@CUIComponent@@UAC | 1 |
| ?UpdateLayout2@CUIComponentLayout@@ | 1 |
| ?UIGetUpdateRgn@CWindowComponentBa | 1 |
| ?UIChildWindowFromPoint@CWindowCom | 1 |
| ?HandleFixedProperties@CWindowCompon | 1 |
| ?UIIsRawWindow@CWindowComponentBa  | 1 |
| ?UIGetClass@CUIComponent@@UAG?AV_  | 1 |
| ?GetResizeCtrlBlock@CUIComponentLayout | 1 |
| ?UIGetTopLevelWindow@CWindowCompor | 1 |
| ?AddRef@CUIComponent@@UAGKXZ | 1 |
| ?UIMapWindowPoints@CWindowCompone | 1 |
| ?UIGetScrollPos@CWindowComponentBase | 1 |
| ?UISetHotKey@CWindowComponentBase@ | 1 |
| ?ResetSizeRect@CWindowComponentBase@ | 1 |
| ?UIGetIntegerID@CUIComponent@@UAGJ | 1 |
| ?UIEnableComponent@CWindowComponer | 1 |
| ?UIDrawClient@CWindowComponentBase@  | 1 |
| ??0CUIComponentPropertyMap2@@QAE@  | 1 |
| ?Release@CUIComponent@@UAGKXZ | 1 |
| ?UIInvalidate@CWindowComponentBase@  | 1 |
| ?UILockWindowUpdate@CWindowCompon  | 1 |
| ?SetResizeFlag@CUIComponentLayout@@L | 1 |
| ?UIGetID@CUIComponent@@UAG?AV_bsti | 1 |
| ?UIShowComponent@CWindowComponent | 1 |
| ?UIDrawBkGnd@CWindowComponentBase@  | 1 |
| ??0CRuntimeUIComponentMap@@QAE@  | 1 |
| ?GetCount@CRuntimeUIComponentMap@  | 1 |
| ?GetAt@CRuntimeUIComponentMap@@Q | 1 |
| ?Find@CRuntimeUIComponentMap@@QA | 1 |
| ??1CRuntimeUIComponentMap@@QAE@  | 1 |
| ?UIClientToScreen@CWindowComponentB  | 1 |
| GetUICoreInstance | 1 |
| ?IMCM_OpenSpaceUrl@@YAXV_bstr_t@@  | 1 |
| gtk_check_button_new_with_label | 1 |

| | |
|---|---|
| gimp_image_get_selection | 1 |
| gimp_image_insert_vectors | 1 |
| gimp_selection_bounds | 1 |
| gimp_vectors_bezier_stroke_cubicto | 1 |
| gimp_vectors_bezier_stroke_lineto | 1 |
| gimp_vectors_bezier_stroke_new_moveto | 1 |
| gimp_vectors_new | 1 |
| gimp_vectors_stroke_close | 1 |
| gimp_vectors_stroke_scale | 1 |
| gimp_vectors_stroke_translate | 1 |
| ??0OdError_NotThatKindOfClass@@QAE@A | 1 |
| ??1OdError_NotThatKindOfClass@@QAE@X | 1 |
| ?setColorIndex@OdCmEntityColor@@SAXP | 1 |
| ?setColor@OdCmEntityColor@@QAEXK@Z | 1 |
| ?init@OdString@@IAEXXZ | 1 |
| ?format@OdString@@QAAAQV1@PBGZZ | 1 |
| ??0OdString@@QAE@ABV0@@Z | 1 |
| ??0OdError@@QAE@PAVOdErrorContext@ | 1 |
| ?context@OdError@@QBEPBVOdErrorCont | 1 |
| ??1OdErrorContext@@UAE@XZ | 1 |
| ??1OdGeEntity3d@@QAE@XZ | 1 |
| @System@MkDir\$qqrx17System@AnsiStrin | 1 |
| @Netzunit@initialization\$qqrv | 1 |
| @Netzunit@Finalization\$qqrv | 1 |
| @Netzunit@read_only\$qqrv | 1 |
| @Netzunit@lokal\$qqrv | 1 |
| @D3unit@initialization\$qqrv | 1 |
| @D3unit@Finalization\$qqrv | 1 |
| @D3unit@Halt\$qqrv | 1 |
| @D3unit@Erase\$qqrrpv | 1 |
| @D3unit@UnpackTime\$qqrir15D3unit@dat | 1 |
| @D3unit@GetDate\$qqrrust1t1t1 | 1 |
| @D3unit@delay\$qqrus | 1 |
| @D3unit@GetFTime\$qqrrpvri | 1 |
| @D3unit@findclose\$qqrr16D3unit@SearchF | 1 |
| @D3unit@findnext\$qqrr16D3unit@SearchR | 1 |
| @D3unit@doserror | 1 |
| @\$xp\$16D3unit@SearchRec | 1 |
| @D3lager@initialization\$qqrv | 1 |
| @D3lager@Finalization\$qqrv | 1 |
| @D3screen@initialization\$qqrv | 1 |
| @D3screen@Finalization\$qqrv | 1 |
| @D3screen@wherex\$qqrv | 1 |
| @D3screen@clrsr\$qqrv | 1 |
| @Cache@initialization\$qqrv | 1 |
| @Cache@Finalization\$qqrv | 1 |
| @Bbunit1@initialization\$qqrv | 1 |

| | |
|----------------------------------|---|
| @Bbunit1@Finalization\$qqrv | 1 |
| @Bbunit1@stop\$qqrv | 1 |
| @Bbunit1@readkey\$qqrv | 1 |
| @Bbunit1@repeaton\$qqrv | 1 |
| @Bbunit1@cursoroff\$qqrv | 1 |
| @Bbunit1@pufferfrei\$qqrv | 1 |
| @Bbprint@initialization\$qqrv | 1 |
| @Bbprint@Finalization\$qqrv | 1 |
| @Bitmaps@initialization\$qqrv | 1 |
| @Bitmaps@Finalization\$qqrv | 1 |
| @Bbunit2@initialization\$qqrv | 1 |
| @Bbunit2@Finalization\$qqrv | 1 |
| @Bbunit2@color\$qqrii | 1 |
| @Bbunit2@sp\$qqruc | 1 |
| @Graphic@initialization\$qqrv | 1 |
| @Graphic@Finalization\$qqrv | 1 |
| @Fontsize@initialization\$qqrv | 1 |
| @Fontsize@Finalization\$qqrv | 1 |
| @D3bild@initialization\$qqrv | 1 |
| @D3bild@Finalization\$qqrv | 1 |
| @Beeper@initialization\$qqrv | 1 |
| @Beeper@Finalization\$qqrv | 1 |
| @Tonegen@initialization\$qqrv | 1 |
| @Tonegen@Finalization\$qqrv | 1 |
| @Grbbuni1@initialization\$qqrv | 1 |
| @Grbbuni1@Finalization\$qqrv | 1 |
| @Rahmentest@initialization\$qqrv | 1 |
| @Rahmentest@Finalization\$qqrv | 1 |
| @Bbvocwin@initialization\$qqrv | 1 |
| @Bbvocwin@Finalization\$qqrv | 1 |
| @Bbgif@initialization\$qqrv | 1 |
| @Bbgif@Finalization\$qqrv | 1 |
| @Diskprot@initialization\$qqrv | 1 |
| @Diskprot@Finalization\$qqrv | 1 |
| @Bbliz@initialization\$qqrv | 1 |
| @Bbliz@Finalization\$qqrv | 1 |
| @D3print@initialization\$qqrv | 1 |
| @D3print@Finalization\$qqrv | 1 |
| @Bbtext@initialization\$qqrv | 1 |
| @Bbtext@Finalization\$qqrv | 1 |
| @D3blink@initialization\$qqrv | 1 |
| @D3blink@Finalization\$qqrv | 1 |
| @Uhinweis@initialization\$qqrv | 1 |
| @Uhinweis@Finalization\$qqrv | 1 |
| @Timerun@initialization\$qqrv | 1 |
| @Timerun@Finalization\$qqrv | 1 |
| @Single@initialization\$qqrv | 1 |

| | |
|--|---|
| @Single@Finalization\$qqrv | 1 |
| @Sounduni@initialization\$qqrv | 1 |
| @Sounduni@Finalization\$qqrv | 1 |
| ?w_string@IWriter@@QAEXPBD@Z | 1 |
| ?SetOldBlockItem@CMSObjectReader@@U. | 1 |
| CMSInformationMessage | 1 |
| CMSErrorMessage | 1 |
| ?WriteObject@CMSObjectWriter@@UAEHA | 1 |
| ?ReadObject@CMSObjectReader@@UAEHA | 1 |
| ??6DynamicString@@QAEAAV0@PBD@Z | 1 |
| ?ResetReader@CMSObjectReader@@UAEX: | 1 |
| ??6DynamicString@@QAEAAV0@ABV0@@ | 1 |
| ?ReadLine@CMSObjectReader@@UAEPAD | 1 |
| ?Clear@DynamicString@@QAEXXZ | 1 |
| ?ReadLine@CMSObjectReader@@UAEHAA\ | 1 |
| ?InputStream@CMSObjectReader@@UAEP, | 1 |
| CMSWarningMessage | 1 |
| ?MakeDefaultPB@PushButtonBase@@QAE | 1 |
| ?IsMobile@CMSApplicationBase@@UAE_N: | 1 |
| ?GetApplicationName@CMSApplicationBase | 1 |
| ?UnsupervisedMode@CMSApplicationBase(| 1 |
| ?UnsupervisedMode@CMSApplicationBase(| 1 |
| ?UnsupervisedResponse@CMSApplicationB: | 1 |
| ?UnsupervisedResponse@CMSApplicationB: | 1 |
| ?LogConduit@CMSApplicationBase@@UAEI | 1 |
| ?ApplicationOpening@CMSApplicationBase(| 1 |
| ?CMSPreviousInstanceExists@@YA_NPAD@ | 1 |
| ?ApplicationClosing@CMSApplicationBase@ | 1 |
| ?ApplicationError@CMSApplicationBase@@ | 1 |
| ?ApplicationWarning@CMSApplicationBase(| 1 |
| ?SetApplicationContext@CMSApplicationBa: | 1 |
| ?AppContext@CMSApplicationBase@@UAE | 1 |
| ?GetKeepAliveLock@CMSApplicationBase@ | 1 |
| ??0DynamicString@@QAE@H@Z | 1 |
| ??0DynamicString@@QAE@PBDH@Z | 1 |
| ??4DynamicString@@QAEAAV0@ABV0@@ | 1 |
| ??1DynamicString@@UAE@XZ | 1 |
| ??4DynamicString@@QAEAAV0@PBD@Z | 1 |
| ?Str@DynamicString@@QBEPBDXZ | 1 |
| ?HashKeySize@CMSHashable@@UAEIXZ | 1 |
| ??0CMSMessage@@QAA@PADZZ | 1 |
| ??1CMSMessage@@QAE@XZ | 1 |
| ??0DynamicString@@QAE@AAV0@@Z | 1 |
| ?FirstEditableDataField@CMSForm@@UAEF | 1 |
| ?DefaultUpdate@CMSForm@@UAEXXZ | 1 |
| ?Timer@CMSForm@@UAEHPBD@Z | 1 |
| ?SetFormName@CMSForm@@UAEXPBD@Z | 1 |

| | |
|---------------------------------------|---|
| ?GetDragWidthAndHeight@CMSField@@U/ | 1 |
| ?Name@CMSField@@UAEXPBD@Z | 1 |
| ?ShouldDrawContentBox@CMSForm@@M/ | 1 |
| ?FocusToFirstEditField@CMSForm@@UAEP. | 1 |
| ?DefaultInsert@CMSForm@@UAEXXZ | 1 |
| ?Timer@CMSForm@@UAEXPBDH@Z | 1 |
| ?GradientEnd@CMSForm@@UAEJXZ | 1 |
| ?HandleDragMessages@CMSField@@UAEH | 1 |
| ?GetCMSFormPtr@CMSField@@UAEPAVCN | 1 |
| ?CallBack@CMSField@@UAEP6AHPAVTWin | 1 |
| ?ApplyStyleDefaults@CMSForm@@MAEXXZ | 1 |
| ?FirstEditWindow@CMSForm@@UAEPAVT\ | 1 |
| ?DefaultSelect@CMSForm@@UAEXXZ | 1 |
| ?Timer@CMSForm@@UAEHXZ | 1 |
| ?GradientEnd@CMSForm@@UAEXJ@Z | 1 |
| ?DragAction@CMSField@@UAEPBDXZ | 1 |
| ?IsFormLoading@CMSField@@UAE_NXZ | 1 |
| ?HasValue@CMSField@@UAEHXZ | 1 |
| ?BuildSmartLinkCache@CMSForm@@MAEX | 1 |
| ?DeleteMessage@CMSForm@@UAEXPBD@ | 1 |
| ?Connection@CMSForm@@UAEPAVSQLObj | 1 |
| ?Timer@CMSForm@@UAEXH@Z | 1 |
| ?FormHasValidRecord@CMSForm@@UAEH | 1 |
| ?DragAction@CMSField@@UAEXPBD@Z | 1 |
| ?Clear@CMSField@@UAEXXZ | 1 |
| ?QBEMode@CMSForm@@MAEXH@Z | 1 |
| ?MessageFont@CMSForm@@UAEXVCMSFc | 1 |
| ?CloseAction@CMSForm@@UAE?AW4CLOS | 1 |
| ?Enable@CMSForm@@UAEXPBD@Z | 1 |
| ?FormHasBeenModified@CMSForm@@UAE | 1 |
| ?HandleNotify@CMSField@@UAEHPBUtag\ | 1 |
| ?Border@CMSField@@UAE?AW4BORDERS(| 1 |
| ?DefaultProcessing@CMSForm@@MAEJXZ | 1 |
| ?UpdateMessage@CMSForm@@UAEXPBDC | 1 |
| ?CloseAction@CMSForm@@UAEXW4CLOSE | 1 |
| ?Enable@CMSForm@@UAEXXZ | 1 |
| ?ValidateFields@CMSForm@@UAEHH@Z | 1 |
| ?HandleMouseMessages@CMSField@@UAI | 1 |
| ?Font@CMSField@@UAEABVCMSFont@@X | 1 |
| ?PerformCloseAction@CMSForm@@MAEX\ | 1 |
| ?AddMessage@CMSForm@@UAEHPBD0HJ\ | 1 |
| ?Mode@CMSForm@@UAE?AW4FORM_MC | 1 |
| ?Disable@CMSForm@@UAEXPBDH@Z | 1 |
| ?ClearToDefaults@CMSForm@@UAEXXZ | 1 |
| ?MessageHandler@CMSField@@UAEHAAU\ | 1 |
| ?ForeColor@CMSField@@UAEJXZ | 1 |
| ?CheckChildWithName@CMSForm@@MAE | 1 |

| | |
|--------------------------------------|---|
| ?CreateMessageLine@CMSForm@@UAEHW | 1 |
| ?Mode@CMSForm@@UAEXW4FORM_MOI | 1 |
| ?Disable@CMSForm@@UAEXXZ | 1 |
| ?ClearAll@CMSForm@@UAEXXZ | 1 |
| ?MouseScriptMsg@CMSField@@UAEXAAU1 | 1 |
| ?CMSEditPtr@@YAPAVCMSEdit@@PAVTWi | 1 |
| ?Required@CMSField@@UAEXH@Z | 1 |
| ?CheckForDefaultButton@CMSForm@@MA | 1 |
| ?OptimizeSQLTable@CMSForm@@UAEXH@ | 1 |
| ?LastButton@CMSForm@@UAEHXZ | 1 |
| ?IsEnabled@CMSForm@@UAEPBD@Z | 1 |
| ?Prompt@CMSForm@@UAEXPBD@Z | 1 |
| ?CheckScriptMessage@CMSField@@UAEH@ | 1 |
| ?Required@CMSField@@UAHXZ | 1 |
| ?ComputeScrollRanges@CMSForm@@MAE: | 1 |
| ?UserHasModifiedForm@CMSForm@@UAE | 1 |
| ?ScrollObjectIntoView@CMSForm@@UAEXI | 1 |
| ?IsEnabled@CMSForm@@UAHXZ | 1 |
| ?WriteChildren@CMSForm@@UAEHAACN | 1 |
| ?HasScript@CMSField@@UAHXZ | 1 |
| ?DisabledByReadOnly@CMSField@@UAEH@ | 1 |
| ?AddSystemKey@CMSForm@@MAEXXZ | 1 |
| ?CreateSQLLinkTree@CMSForm@@UAEXXZ | 1 |
| ?Icon@CMSForm@@UAEXPBD@Z | 1 |
| ?Unhide@CMSForm@@UAEXPBD@Z | 1 |
| ?SetAttributeByName@CMSForm@@UAEH@ | 1 |
| ?SendParentMessage@CMSField@@UAEJH@ | 1 |
| ?ReadOnly@CMSField@@UAEXH@Z | 1 |
| ?InitFormData@CMSForm@@MAEXPBVSQ | 1 |
| ?SetUniqueObjectName@CMSForm@@UAE | 1 |
| ?HandleHotkey@CMSForm@@UAE_NH@Z | 1 |
| ?Unhide@CMSForm@@UAEXXZ | 1 |
| ?SetOptions@CMSForm@@UAEXJ@Z | 1 |
| ?DoCallBack@CMSField@@UAEHPAVTWinc | 1 |
| ?ReadOnly@CMSField@@UAHXZ | 1 |
| ?ResetCMSFormControl@CMSForm@@MAI | 1 |
| ?ProcessSingleParameter@CMSForm@@UA | 1 |
| ?HelpDisplay@CMSForm@@UAEXPATWIn | 1 |
| ?Hide@CMSForm@@UAEXPBD@Z | 1 |
| ?GetClassStyle@CMSForm@@UAEXAAG@Z | 1 |
| ?PostCallBack@CMSField@@UAEXPATWIn | 1 |
| ?ToolTipID@CMSField@@UAEPEDXZ | 1 |
| ?GetHelpFileName@CMSForm@@MAEXAA | 1 |
| ?ProcessParameterSet@CMSForm@@UAEX | 1 |
| ?GetMaxChildId@CMSForm@@UAHXZ | 1 |
| ?Hide@CMSForm@@UAEXXZ | 1 |
| ?GetWindowClass@CMSForm@@UAEXAAU | 1 |

| | |
|---------------------------------------|---|
| ?HasWindow@CMSField@@UAEHPAUHWN | 1 |
| ?HelpID@CMSField@@UAEPBDXZ | 1 |
| ?Paint@CMSForm@@MAEXAAVTDC@OWL | 1 |
| ?SetOldBlockItem@CMSForm@@UAEHPBD | 1 |
| ?CopyObject@CMSForm@@UAEPAVTWind | 1 |
| ?IsVisible@CMSForm@@UAEPBDXZ | 1 |
| ?GetClassNameA@CMSForm@@UAEPBDXZ | 1 |
| ?AllowRedraw@CMSField@@UAEXH@Z | 1 |
| ?Name@CMSField@@UAEPBDXZ | 1 |
| ?EvCommandEnable@CMSForm@@MAEXA | 1 |
| ?InitializeChildControl@CMSForm@@UAEH | 1 |
| ?MakeFormTaskModal@CMSForm@@UAEF | 1 |
| ?IsVisible@CMSForm@@UAEXHZ | 1 |
| ?CloseWindow@CMSForm@@UAEXXZ | 1 |
| ?SetFocusToWindow@CMSField@@UAEXXZ | 1 |
| ?LockName@CMSForm@@MAEPBDXZ | 1 |
| ?SubType@CMSField@@UAEXPBD@Z | 1 |
| ?OrderBy@CMSTable@@UAEXPBD@Z | 1 |
| ?EvNotify@CMSForm@@MAEJIAAVTNotify(| 1 |
| ?ReadObject@CMSForm@@UAEHAAV?\$ba: | 1 |
| ?MakeFormModal@CMSForm@@UAEXHZ | 1 |
| ?ValuePath@CMSForm@@UAEXPBD0H@Z | 1 |
| ?CanClose@CMSForm@@UAE_NXZ | 1 |
| ?SetDeltas@CMSField@@UAEXXZ | 1 |
| ??3CMSForm@@SAXPAX@Z | 1 |
| ?SubType@CMSField@@UAEPBDXZ | 1 |
| ?SearchExpr@CMSTable@@UAEXPBD0@Z | 1 |
| ?EvEraseBkgnd75@CMSForm@@MAE_NPA | 1 |
| ?ReadFormData@CMSForm@@UAEXAAV?\$ | 1 |
| ?WindowProc@CMSForm@@UAEJIIJ@Z | 1 |
| ?ValuePath@CMSForm@@UAEXPBDJH@Z | 1 |
| ?SetClientArea@CMSForm@@UAEXXZ | 1 |
| ?Size@CMSField@@UAEXHH@Z | 1 |
| ?Loaded@CMSForm@@UAE?AW4FORM_LC | 1 |
| ?HashKey@CMSField@@UAEPAXXZ | 1 |
| ?Value@CMSTable@@UAEPBDPBDW4FOR | 1 |
| ?WriteAscii@CMSForm@@MAEHAAV?\$bas | 1 |
| ?CreateChildControl@CMSForm@@UAEPAL | 1 |
| ?ProcessMsg@CMSForm@@UAE_NPAUtagl | 1 |
| ?ValuePath@CMSForm@@UAEPBDPBD@Z | 1 |
| ?TableHasChanged@CMSForm@@UAEXPAL | 1 |
| ?Move@CMSField@@UAEXHH@Z | 1 |
| ?Icon@CMSForm@@UAEPBDXZ | 1 |
| ?SetFormPtr@CMSField@@UAEXPACMSF | 1 |
| ?SetAttributeByName@CMSTable@@UAEH | 1 |
| ?Destroy@CMSForm@@MAEXH@Z | 1 |
| ?InfoLineSet@CMSForm@@UAEXXZ | 1 |

| | |
|--------------------------------------|---|
| ?PrintScreen@CMSForm@@UAEHH@Z | 1 |
| ?Value@CMSForm@@UAEXPBD0H@Z | 1 |
| ?TableObject@CMSForm@@UAEPAVCMST@ | 1 |
| ?SetId@CMSField@@UAEXH@Z | 1 |
| ?ProcessMessage@CMSForm@@UAEHPAV@ | 1 |
| ?Prev@TableNotification@@UAEPAV1@XZ | 1 |
| ?IdleTime@CMSForm@@MAEXXZ | 1 |
| ?GetNextChildId@CMSForm@@UAEHXZ | 1 |
| ?DisplayTechWindow@CMSForm@@UAEXXZ | 1 |
| ?Value@CMSForm@@UAEXPBDJH@Z | 1 |
| ?TableObject@CMSForm@@UAEXPACMST@ | 1 |
| ?Border@CMSField@@UAEXW4BORDERS@ | 1 |
| ?CallBack@CMSForm@@UAEXP6AHPAVTW@ | 1 |
| ?Next@TableNotification@@UAEPAV1@XZ | 1 |
| ?RealWindowParent@CMSForm@@UAEPAV1@ | 1 |
| ?SQLStatus@CMSForm@@UAEJXZ | 1 |
| ?Restore@CMSForm@@UAEXXZ | 1 |
| ?Value@CMSForm@@UAEPBDPBD@Z | 1 |
| ?UpdateCurrency@CMSForm@@UAEXPBDC@ | 1 |
| ?Font@CMSField@@UAEXABVCMSFont@@ | 1 |
| ?MakeRequiredFieldVisible@CMSForm@@I | 1 |
| ?NavigationParent@CMSForm@@UAEPAVT@ | 1 |
| ?SQLStatus@CMSForm@@UAEXJ@Z | 1 |
| ?Maximize@CMSForm@@UAEXXZ | 1 |
| ?CallBack@CMSForm@@UAEXPBDP6AHPA\ | 1 |
| ?Load@CMSForm@@UAE_NPBDH@Z | 1 |
| ?SolidBorderColor@CMSField@@UAEJXZ | 1 |
| ?ScreenPainter@CMSForm@@UAEHXZ | 1 |
| ?ShowWindow@CMSForm@@UAE_NH@Z | 1 |
| ?SQLDisable@CMSForm@@UAEXJ@Z | 1 |
| ?Minimize@CMSForm@@UAEXXZ | 1 |
| ?ChildWithHwnd@CMSForm@@UAEPAVTW@ | 1 |
| ?BackColor@CMSField@@UAEJXZ | 1 |
| ?Prompt@CMSForm@@UAEPBDXZ | 1 |
| ?ContainsTabControl@CMSForm@@MAE_N | 1 |
| ?SQLEnable@CMSForm@@UAEXJ@Z | 1 |
| ?DisableAll@CMSForm@@UAEXHH@Z | 1 |
| ?ChildWithPath@CMSForm@@UAEPAVTWi@ | 1 |
| ?GetClassStyle75@CMSField@@MAEXAAG@ | 1 |
| ?BackColor@CMSField@@UAEXJ@Z | 1 |
| ?FormMinorVersion@CMSForm@@UAEFXZ | 1 |
| ?NavigationTitle@CMSForm@@UAEPBDXZ | 1 |
| ?ExpandForeignKey@CMSForm@@UAEHPA@ | 1 |
| ?EnableAll@CMSForm@@UAEXH@Z | 1 |
| ?ChildWithSQLInfo@CMSForm@@UAEPAV1@ | 1 |
| ?CMSShelpOnHelp@CMSApplication@@UAE | 1 |
| ?CMSShelpIndex@CMSApplication@@UAEXI | 1 |

| | |
|--|---|
| ?CMSHelpSearch@CMSApplication@@UAE | 1 |
| ?CMSHelp@CMSApplication@@UAEXP@UH | 1 |
| ?ProductCode@CMSApplication@@UAEP@C | 1 |
| ?SpellcheckLanguage@CMSApplication@@l | 1 |
| ?DisplayCurrency@CMSApplication@@UAE | 1 |
| ?DisplayCurrency@CMSApplication@@UAE | 1 |
| ?ModulePath@CMSApplication@@UAEXP@B | 1 |
| ?ModulePath@CMSApplication@@UAEP@BD | 1 |
| ?ConnectionVersionValid@CMSApplication@ | 1 |
| ?KeyConnection@CMSApplication@@UAEX | 1 |
| ?MainForm@CMSApplication@@UAEXP@BD(| 1 |
| ?GetANewExchangeRateObject@CMSApplic | 1 |
| ?NewLogConduit@CMSApplication@@UAEI | 1 |
| ?GetGlobalStyleBase@CMSApplication@@L | 1 |
| ?CMSPushPtr@@YAPAVCMSPush@@PAVT\ | 1 |
| ?GlobalFontsList@CMSApplication@@UAEP | 1 |
| ?UnloadMessageLibrary@CMSApplication@ | 1 |
| ?Find@CMSApplication@@UAE_NAAVTEve | 1 |
| ?MessageLibrary@CMSApplication@@UAEF | 1 |
| ?GetDefaultConnectionParameters@CMSAp | 1 |
| ?MessageLibrary@CMSApplication@@UAEF | 1 |
| ?NewDefaultConnection@CMSApplication@ | 1 |
| ?GetDecimalPlaces@CMSApplication@@UA | 1 |
| ?AppName@CMSApplication@@UAEPADXZ | 1 |
| ?ChangeCurrencyDisplay@CMSApplication@ | 1 |
| ?GetSystemCurrency@CMSApplication@@L | 1 |
| ?KeyConnection@CMSApplication@@UAEP | 1 |
| ?WriteNavigationLog@CMSApplication@@l | 1 |
| ?SecurityMask@CMSApplication@@UAEKXZ | 1 |
| ?DefaultConnection@CMSApplication@@U, | 1 |
| ?LogNavigation@CMSApplication@@UAEXP | 1 |
| ?UserLanguageCode@CMSApplication@@U | 1 |
| ?DefaultConnection@CMSApplication@@U, | 1 |
| ?AppAvailable@CMSApplication@@UAEHX: | 1 |
| ?UserInfoIsUtilized@CMSApplication@@UA | 1 |
| ?Event_FormStatusBarChanged@CMSApplic | 1 |
| ?SetScriptDebugState@CMSApplication@@ | 1 |
| ?UserInfoIsValid@CMSApplication@@UAE_ | 1 |
| ?Event_FormShowStateChanged@CMSApplic | 1 |
| ?UninitializeBasicScript@CMSApplication@() | 1 |
| ?SubsystemID@CMSApplication@@UAEJXZ | 1 |
| ?Event_FormModalStateChanged@CMSApplic | 1 |
| ?InitializeBasicScript@CMSApplication@@U | 1 |
| ?ModuleID@CMSApplication@@UAEJXZ | 1 |
| ?Event_FormWaitStateChanged@CMSApplic | 1 |
| ?AllowScriptDebugging@CMSApplication@() | 1 |
| ?Event_FormCreated@CMSApplication@@l | 1 |

| | |
|--|---|
| ?Event_FormActivated@CMSApplication@@C | 1 |
| ?AllowScriptDebugging@CMSApplication@@C | 1 |
| ?BasicScriptContextPointer@CMSApplication@@C | 1 |
| ?CenterFormInWindow@CMSForm@@QAE | 1 |
| ?Event_FormFocused@CMSApplication@@I | 1 |
| ?PrintScreen@CMSApplication@@UAEHPA\ | 1 |
| ?DefaultHInstance@CMSApplication@@UAI | 1 |
| ?Event_FormClosed@CMSApplication@@U | 1 |
| ?CMSShellAbout@CMSApplication@@UAEX | 1 |
| ?Error@CMSApplication@@UAEHAAVexcept | 1 |
| ?Event_FormInitialized@CMSApplication@@C | 1 |
| ?BackColor75@CMSField@@MAEXJ@Z | 1 |
| ?ForeColor@CMSField@@UAEXJ@Z | 1 |
| ?FormMajorVersion@CMSForm@@UAEFXZ | 1 |
| ?Apply75Styles@CMSField@@UAEXXZ | 1 |
| ?ParentForm@@YAPAVCMSForm@@PAVT\ | 1 |
| ?PreProcessMsg@CMSForm@@UAE_NAAU | 1 |
| ?ExpandPrimaryKey@CMSForm@@UAEHPA | 1 |
| ?ActivateNameSubform@CMSForm@@UAE | 1 |
| ?ChildWithSQLInfo@CMSForm@@UAEPAV\ | 1 |
| ?BuildFieldPopupMenu@CMSField@@UAE\ | 1 |
| ?Unhide@CMSField@@UAEXH@Z | 1 |
| ?FormVersion@CMSForm@@UAEJXZ | 1 |
| ?GetToolDownIcon@CMSField@@UAEPAUI | 1 |
| ?WaitForClose@CMSForm@@UAEHXZ | 1 |
| ?ExpandCandidateKey@CMSForm@@UAEH | 1 |
| ?PerformTableLookupEx@CMSForm@@UAI | 1 |
| ?ChildWithName@CMSForm@@UAEPAVTW | 1 |
| ?Select@CMSSQLTable@@UAEHXZ | 1 |
| ?HandlePopupMenuMenuItem@CMSField@@UA | 1 |
| ?Hide@CMSField@@UAEXH@Z | 1 |
| ?Type@CMSForm@@UAEPBDXZ | 1 |
| ?GetToolUpIcon@CMSField@@UAEPAUHIC | 1 |
| ?DittoForm@CMSForm@@UAEXXZ | 1 |
| ?ExpandField@CMSForm@@UAEHPAVCMS' | 1 |
| ?Lookup@CMSForm@@UAEPBDXZ | 1 |
| ?NextChild@CMSForm@@UAEPAVTWindow | 1 |
| ?AddDataField@CMSSQLTable@@UAEPAVC | 1 |
| ?ShowFieldPopupMenu@CMSField@@UAE\ | 1 |
| ?ControlCanBeSaved@CMSField@@UAEHX; | 1 |
| ?MoveBoxesToBottomOfZOrder@CMSForm | 1 |
| ?DittoControl@CMSForm@@UAEHPAVCMS | 1 |
| ?GetRowSQL@CMSForm@@UAEHH@Z | 1 |
| ?Lookup@CMSForm@@UAEXPBD@Z | 1 |
| ?WriteForm@CMSForm@@UAEXPBD@Z | 1 |
| ?ReadRow@CMSSQLTable@@UAEHJ@Z | 1 |
| ?ScreenPainterSelect@CMSField@@UAEXH | 1 |

| | |
|--|---|
| ?ToolTipID@CMSField@@UAEXPBD@Z | 1 |
| ?EditAttributes@CMSField@@UAEHHW4SC | 1 |
| ?MoveWindowToBottomOfZOrder@CMSFor | 1 |
| ?EnableAllFields@CMSForm@@UAEXHPAV\ | 1 |
| ?PrimaryTable@CMSForm@@UAEXPBDHJ0 | 1 |
| ?ResetTimer@CMSForm@@UAEXPBD@Z | 1 |
| ?ReadFormFromDatabase@CMSForm@@U, | 1 |
| ??1CMSSQLTable@@UAE@XZ | 1 |
| ?DragEnd@CMSField@@UAEXXZ | 1 |
| ?HelpID@CMSField@@UAEXPBD@Z | 1 |
| ?PaintObject@CMSField@@UAEHPAUHDC_ | 1 |
| ?AdjustContentBoxRect@CMSForm@@MAE | 1 |
| ?EnableCandidates@CMSForm@@UAEXH@ | 1 |
| ?PrimaryTable@CMSForm@@UAEPBDXZ | 1 |
| ?ResetTimer@CMSForm@@UAEXXZ | 1 |
| ?FormName@CMSForm@@UAEPBDXZ | 1 |
| ??0CMSSQLTable@@QAE@PAVSQLObject@ | 1 |
| ?DragStart@CMSField@@UAEXXZ | 1 |
| ?Prompt@CMSField@@UAEPBDH@Z | 1 |
| ?ProcessLButton@CMSField@@UAEHIAAVT | 1 |
| ?NavigationTitle@CMSForm@@UAEXPBD@ | 1 |
| ?GetGLParms@CLOApplication@@UAEHXZ | 1 |
| ?Initialize@CLOApplication@@UAEXXZ | 1 |
| ?GetMainWindowRect@CLOApplication@@ | 1 |
| ?SetMainWindow@CLOApplication@@UAE | 1 |
| ?GetMainWindow@CLOApplication@@UAE | 1 |
| ?MainMenu@CLOApplication@@UAEPAVCI | 1 |
| ?InstantLaunch@CLOApplication@@UAEXX; | 1 |
| ?AddPopupMenuPopup@CLOApplication@() | 1 |
| ?AddPopupMenuItem@CLOApplication@() | 1 |
| ?AddMainMenuItemPop@CLOApplication@() | 1 |
| ?AddMainMenuItem@CLOApplication@@U | 1 |
| ?BuildDefaultAppMenu@CLOApplication@() | 1 |
| ?CreateDefaultAppMenu@CLOApplication@ | 1 |
| ?ProcessAppMsg@CLOApplication@@UAE_ | 1 |
| ?InitInstance@CLOApplication@@UAEXXZ | 1 |
| ??1CLOApplication@@UAE@XZ | 1 |
| ??0CLOApplication@@QAE@PADPBDPAX20 | 1 |
| ?NotAddingNewRecord@CLOHeaderDetailF | 1 |
| ?SelectEditedRow@CLOHeaderDetailForm@ | 1 |
| ?RestoreUserSearchValues@CLOHeaderDet | 1 |
| ?UpdateTotal@CLOHeaderDetailForm@@U | 1 |
| ?AddNewRecord@CLOHeaderDetailForm@() | 1 |
| ?ShowDetailList@CLOHeaderDetailForm@@ | 1 |
| ?SearchForRecord@CLOHeaderDetailForm@ | 1 |
| ?DetailExists@CLOHeaderDetailForm@@UA | 1 |
| ?IsCandidateFieldValid@CLOHeaderDetailFo | 1 |

| | |
|---|---|
| ?ActiveList@CLOHeaderDetailForm@@UAEI | 1 |
| ?UnCreateDetailForm@CLOHeaderDetailFor | 1 |
| ?GenerateDefaults@CLOHeaderDetailForm(| 1 |
| ?PrepareForSearch@CLOHeaderDetailForm(| 1 |
| ?CreateDetailForm@CLOHeaderDetailForm(| 1 |
| ?GetAppStartupInfo@CLOApplication@@U/ | 1 |
| ?DetailPrimaryKeyValue@CLOHeaderDetailF | 1 |
| ?RecordNotLockable@CLOHeaderDetailForn | 1 |
| ?ListRowWithPrimaryKeyValue@CLOHeader | 1 |
| ?RecordCreationNotAllowed@CLOHeaderDe | 1 |
| ?SetDetailListFilter@CLOHeaderDetailForm(| 1 |
| ?InitializeAfterFormLoaded@CLOHeaderDet | 1 |
| ?AddDetailToHeaderLink@CLOHeaderDetail | 1 |
| ??0CLOHeaderDetailForm@@QAE@HPAUH | 1 |
| ?EvCommand@CLOHeaderDetailForm@@NV | 1 |
| ??0CLOHeaderDetailForm@@QAE@PAVTW | 1 |
| ?PositionDetailForm@CLOHeaderDetailForm | 1 |
| ?DefaultDelete@CLOHeaderDetailForm@@ | 1 |
| ??1CLOHeaderDetailForm@@UAE@XZ | 1 |
| ?UpdateFormMode@CLOHeaderDetailForm | 1 |
| ?PerformTableLookup@CLOHeaderDetailFoi | 1 |
| ?SetupWindow@CLOHeaderDetailForm@@ | 1 |
| ?CLEAR_Handler@CLOHeaderDetailForm@@(| 1 |
| ?CLOSE_Handler@CLOHeaderDetailForm@@(| 1 |
| ?DELETE_Handler@CLOHeaderDetailForm@ | 1 |
| ?CANCEL_Handler@CLOHeaderDetailForm@ | 1 |
| ?OK_Handler@CLOHeaderDetailForm@@U/ | 1 |
| ?Find@CLOHeaderDetailForm@@UAE_NAA | 1 |
| ?HD MODIFY_Handler@CLOHeaderDetailFo | 1 |
| ?UpdateDetailLineNumberMessage@CLOHe | 1 |
| ?HD_DELETE_Handler@CLOHeaderDetailFor | 1 |
| ?NeedToInitializeList@CLOHeaderDetailFor | 1 |
| ?HD_ADD_Handler@CLOHeaderDetailForm(| 1 |
| ?NeedToInitializeList@CLOHeaderDetailFor | 1 |
| ?HD_RADIO_Handler@CLOHeaderDetailFor | 1 |
| ?DealWithListButtons@CLOHeaderDetailFor | 1 |
| ?HD_LIST_Handler@CLOHeaderDetailForm(| 1 |
| ?RecordHasBeenDeleted@CLOHeaderDetail | 1 |
| ?FormHandler@CLOHeaderDetailForm@@L | 1 |
| ?RecordAlreadyExists@CLOHeaderDetailFor | 1 |
| ?CanEnable@CLOHeaderDetailForm@@UAE | 1 |
| ?CustomValidation@CLOHeaderDetailForm(| 1 |
| ?AllowedMode@CLOHeaderDetailForm@@ | 1 |
| ?CancelModeNew@CLOHeaderDetailForm@ | 1 |
| ?IsDetailList@CLOHeaderDetailForm@@UAI | 1 |
| ?RecordIsSecured@CLOHeaderDetailForm@ | 1 |
| ?IsTrueDetailForm@CLOHeaderDetailForm@ | 1 |

| | |
|---------------------------------------|---|
| ?GetCMSVariable@CLOApplication@@UAEF | 1 |
| ?Rollback@SQLObject@@QAE?AW4SQL_ER | 1 |
| ?IssueCommand@SQLObject@@QAE?AW4SQL_ | 1 |
| ??0SQLSelect@@QAE@PAVSQLObject@@@C | 1 |
| ?ReadItem@SQLObject@@QAEPBDJPBD@Z | 1 |
| ??1SQLSelect@@UAE@XZ | 1 |
| ?ReadItem@SQLObject@@QAEPBDJH@Z | 1 |
| ?BeginTran@SQLObject@@QAE?AW4SQL_E | 1 |
| ?SQLError@SQLObject@@QAE?AW4SQL_ER | 1 |
| ?NextKey@SQLTable@@QAEPADH@Z | 1 |
| ?Select@SQLSelect@@QAE?AW4SQL_ERR@ | 1 |
| ??0SQLTable@@QAE@PBDAVSQLObject@ | 1 |
| ??1SQLTable@@UAE@XZ | 1 |
| ?CommitTran@SQLObject@@QAE?AW4SQL | 1 |
| ?AssignMenu@TFrameWindow@OWL@@U | 1 |
| ?ProcessMsg@TApplication@OWL@@UAE_ | 1 |
| ?IdleAction@TApplication@OWL@@UAE_N | 1 |
| ?MessageLoop@TApplication@OWL@@UAI | 1 |
| ?Dispatch@TApplication@OWL@@UAEJAA\ | 1 |
| ?Start@TApplication@OWL@@UAEHXZ | 1 |
| ?Run@TApplication@OWL@@UAEHXZ | 1 |
| ?CanClose@TApplication@OWL@@UAE_N\ | 1 |
| ?Terminate@TThread@OWL@@UAEXXZ | 1 |
| ?GetTooltip@TApplication@OWL@@UBEPA | 1 |
| ?TermInstance@TApplication@OWL@@MA | 1 |
| ?ObjectSignaled@TApplication@OWL@@U/ | 1 |
| ?InitApplication@TApplication@OWL@@M. | 1 |
| ?EnableTooltip@TApplication@OWL@@UAI | 1 |
| ?MessageBox@TApplication@OWL@@UAEI | 1 |
| ?PreProcessMenu@TApplication@OWL@@ | 1 |
| ?WaitOnObject@TApplication@OWL@@UA | 1 |
| ?SetMenu@TFrameWindow@OWL@@UAE_ | 1 |
| ??0TWindow@OWL@@IAE@XZ | 1 |
| ?MergeMenu@TFrameWindow@OWL@@L | 1 |
| ??1TWindow@OWL@@UAE@XZ | 1 |
| ??_7EventHandler@OWL@@6B@ | 1 |
| ?GetClientWindow@TFrameWindow@OWL | 1 |
| ?EnableTooltip@TWindow@OWL@@UAEX_ | 1 |
| ?SetClientWindow@TFrameWindow@OWL(| 1 |
| ?Register@TWindow@OWL@@UAE_NXZ | 1 |
| ?RemoveChild@TFrameWindow@OWL@@I | 1 |
| ?Create@TWindow@OWL@@UAE_NXZ | 1 |
| ?GetCommandTarget@TFrameWindow@O\ | 1 |
| ?PerformCreate@TWindow@OWL@@UAE\ | 1 |
| ?IdleAction@TFrameWindow@OWL@@UAI | 1 |
| ?Execute@TWindow@OWL@@UAEHXZ | 1 |
| ?HoldFocusHWnd@TFrameWindow@OWL\ | 1 |

| | |
|---------------------------------------|---|
| ?DoExecute@TWindow@OWL@@UAEHXZ | 1 |
| ?SetDocTitle@TFrameWindow@OWL@@U/ | 1 |
| ?CloseWindow@TWindow@OWL@@UAEXI | 1 |
| ?MergeBar@TFrameWindow@OWL@@UAE | 1 |
| ?CleanupWindow@TFrameWindow@OWL@ | 1 |
| ?RestoreBar@TFrameWindow@OWL@@UAE | 1 |
| ?Dispatch@TWindow@OWL@@UAEJAAVTE | 1 |
| ?SetParent@TWindow@OWL@@UAEXPBV | 1 |
| ?GetTooltip@TWindow@OWL@@UBEPAVT | 1 |
| ?DefWindowProcA@TWindow@OWL@@UAE | 1 |
| ?Transfer@TWindow@OWL@@UAEIPAXWZ | 1 |
| ?TransferData@TWindow@OWL@@UAEXW | 1 |
| ?IsWindow@TWindow@OWL@@UBE_NXZ | 1 |
| ??1TStreamableBase@OWL@@UAE@XZ | 1 |
| ?IsWindowEnabled@TWindow@OWL@@UI | 1 |
| ?Invalidate@TWindow@OWL@@UAEX_N@ | 1 |
| ?EnableWindow@TWindow@OWL@@UAE_ | 1 |
| ?InvalidateRect@TWindow@OWL@@UAEX_ | 1 |
| ?GetApplicationObject@OWL@@YAPAVTA | 1 |
| ?SetWinMainParams@TApplication@OWL@ | 1 |
| ??0TModule@OWL@@QAE@PBDPAUHINS1 | 1 |
| ??1TModule@OWL@@UAE@XZ | 1 |
| ?HandleGlobalException@OWL@@YAHAAV | 1 |
| ??_7TStreamableBase@OWL@@6B@ | 1 |
| ??4string@gstool@@QAEAAV01@PBD@Z | 1 |
| ?get@?\$TVector@Vstring@gstool@@@gst | 1 |
| ?assign@string@gstool@@QAEXPBDI@Z | 1 |
| ??0BoundException@gstool@@QAE@XZ | 1 |
| ??0string@gstool@@QAE@HH@Z | 1 |
| ??4string@gstool@@QAEAAV01@ABV01@I | 1 |
| ??8gstool@@YA_NABVstring@0@PBD@Z | 1 |
| ?getSubKeyList@regkey@gstool@@QAE_NI | 1 |
| ??Hgstool@@YA_AVstring@0@ABV10@PBI | 1 |
| ??0string@gstool@@QAE@PBDI@Z | 1 |
| ?open@regkey@gstool@@QAE_NPBD_N@I | 1 |
| ??Bstring@gstool@@QBEPBDXZ | 1 |
| ??1string@gstool@@QAE@XZ | 1 |
| ?close@regkey@gstool@@QAEXXZ | 1 |
| ?getChar@string@gstool@@QAEDHI@Z | 1 |
| ?size@string@gstool@@QBEHXZ | 1 |
| ??1?\$TVector@Vstring@gstool@@@gstool | 1 |
| ?add@?\$TVector@Vstring@gstool@@@gst | 1 |
| ??0?\$TVector@Vstring@gstool@@@gstool | 1 |
| ??0string@gstool@@QAE@XZ | 1 |
| ?getString@regkey@gstool@@QAE?AVstrin | 1 |
| ?getInt@regkey@gstool@@QAEIPBDI@Z | 1 |
| ??0regkey@gstool@@QAE@XZ | 1 |

| | |
|--|---|
| ?create@regkey@gstool@@QAE_NPBD@Z | 1 |
| ?setInt@regkey@gstool@@QAE_NPBDI@Z | 1 |
| ?setString@regkey@gstool@@QAE_NPBDO@Z | 1 |
| ??1regkey@gstool@@QAE@XZ | 1 |
| D3DKMTCloseAdapter | 1 |
| D3DKMTQueryAdapterInfo | 1 |
| D3DKMTInvalidateActiveVidPn | 1 |
| D3DKMTOpenAdapterFromHdc | 1 |
| D3DKMTEscape | 1 |
| D3DKMTPollDisplayChildren | 1 |
| PowerWriteACDefaultIndex | 1 |
| PowerWritePossibleValue | 1 |
| PowerWritePossibleFriendlyName | 1 |
| PowerCreatePossibleSetting | 1 |
| PowerWriteFriendlyName | 1 |
| PowerCreateSetting | 1 |
| PowerRemovePowerSetting | 1 |
| PowerWriteDCDefaultIndex | 1 |
| @Dateutils@MonthOfTheYear\$qqrx16System | 1 |
| @Cxbuttons@TcxButtonColors@SetColor\$qq | 1 |
| @Cxcurrencyedit@TcxCustomCurrencyEdit@C | 1 |
| @Cxcurrencyedit@TcxCustomCurrencyEdit@C | 1 |
| @Cxcurrencyedit@TcxCurrencyEdit@C | 1 |
| @Series@TBarSeries@ | 1 |
| @Cxcheckbox@TcxCustomCheckCom | 1 |
| @Cxcheckbox@TcxCheckComboBoxIt | 1 |
| @Jvmenus@Finalization\$qqrv | 1 |
| ?setValidChars@QeValueParser@@QAEXPB | 1 |
| ?concat@QeString@@QAE?AW4QeStatus@ | 1 |
| ?giveUpErrorList@QeErrorKeeper@@SAPA\ | 1 |
| ??1QeString@@UAE@XZ | 1 |
| ?bosLoadResourceDLL@@YA?AW4QeStatus | 1 |
| ?convert@@YA?AW4QeStatus@@PBEPAK@Z | 1 |
| ?ivAnsiToUnicode@@YAGPAGJPADJ@Z | 1 |
| BUTSTCAT | 1 |
| ?dehexify@@YA?AW4QeStatus@@PAEPBEI | 1 |
| ?decrypt@@YAXPAEKGPBE@Z | 1 |
| ?strFind@@YAPAEPBEE@Z | 1 |
| ?strCompareCi@@YAFPBEO@Z | 1 |
| ?ramAlloc@@YAPAXK@Z | 1 |
| ?ivUnicodeToAnsi@@YAGPADJPAGJ@Z | 1 |
| ??0QeString@@QAE@XZ | 1 |
| ?concat@QeString@@QAE?AW4QeStatus@ | 1 |
| ?resetUnused@QeValueParser@@QAE?AW4QeStatus@ | 1 |
| ?ntWriteProfileString@@YA?AW4QeStatus@ | 1 |
| ?getAttributeKey@QeValueParser@@QAEP | 1 |
| ?strCopy@@YAPAEPAEPBEK@Z | 1 |

| | |
|--|---|
| ?strFindCi@@YAPAEPB0@Z | 1 |
| ?encrypt@@YAXPAEKGPBE@Z | 1 |
| ?hexify@@YAKPAEPBEK@Z | 1 |
| ?strEqualCi@@YAGPBE0@Z | 1 |
| ?ramResizeZ@@YA?AW4QeStatus@@PAPA | 1 |
| ?convert@@YAGPAEK@Z | 1 |
| ?ntGetProfileString@@YAKPAE000K0@Z | 1 |
| ?bosFileSize@@YA?AW4QeStatus@@P | 1 |
| ?bosParseName@@YA?AW4QeStatus@@P/ | 1 |
| BUTSTCMP | 1 |
| ?initialize@QeValueParser@@QAE?AW4Qe | 1 |
| ?getAttributeValue@QeValueParser@@QAE | 1 |
| ?deleteContents@QeArray@@QAEXXZ | 1 |
| ?compare@QeSubString@@UBEFPBVQeObj | 1 |
| ?setErrorList@QeErrorKeeper@@SAXPAVQe | 1 |
| BUTSTLEN | 1 |
| ??0QeValueParser@@QAE@PBVQeSubStrin | 1 |
| ??1QeSubString@@UAE@XZ | 1 |
| ?ramAllocStr@@YAPAEPB0@Z | 1 |
| ?ramAllocStr@@YAPAEPB@Z | 1 |
| ?strCopy@@YAXPAEKPB@Z | 1 |
| ??1BaseInString@@UAE@XZ | 1 |
| ?screen@QDesktopWidget@@QAEPAVQWi | 1 |
| ?setPermissions@QFile@@QAE_NV?\$QFlag | 1 |
| ??0QDir@@QAE@ABV0@@Z | 1 |
| IsDone | 1 |
| _Exec | 1 |
| _GetOutLine | 1 |
| _OutLines | 1 |
| _Prepare | 1 |
| _AddCodeLine | 1 |
| Pinkof | 1 |
| wzAudioPlay | 1 |
| FromLocaleDup | 1 |
| LocaleFree | 1 |
| aout_ChannelsRestart | 1 |
| aout_FifoFirstDate | 1 |
| aout_OutputNextBuffer | 1 |
| Unhooker | 1 |
| Hooker | 1 |
| ?OpenKey64@ACRegKey@@QAEHPAUHKEY | 1 |
| ??1ACAdapterConfig@@QAE@XZ | 1 |
| ?WriteLastActiveAPSIndex@ACAdapterConf | 1 |
| ?ReadLastActiveAPSIndex@ACAdapterConf | 1 |
| ??1ACEnumNics@@QAE@XZ | 1 |
| ??1ACStaticNicInfo@@QAE@XZ | 1 |
| ??1ACRegKey@@UAE@XZ | 1 |

| | |
|---|---|
| ?GetKeyValue@ACAdapterConfig@@QAE?A | 1 |
| ?ReadConfig@ACAdapterConfig@@QAEHA@ | 1 |
| ??0ACAdapterConfig@@QAE@XZ | 1 |
| ?CloseKey@ACRegKey@@QAEHXZ | 1 |
| ?IsWindowsNT4@ACStaticNicInfo@@SAHZ | 1 |
| ?SignStoreHeader@ACFastPACStore@@SAF | 1 |
| ?GetFileVersionInfoW@ACStaticNicInfo@@I | 1 |
| ?GetTraceLogState@@YAXPAW4TRACELOG_ | 1 |
| ?SetTraceLogState@@YAXW4TRACELOG_ST | 1 |
| ?g_verbosityTable@@3PAUdbgTable@@A | 1 |
| ?g_moduleTable@@3PAUDbgModuleTable@ | 1 |
| ?IsWindowsNT@ACStaticNicInfo@@SAHZ | 1 |
| ??1ACStringArray@@UAE@XZ | 1 |
| ?GetDebugLevel@@YAXW4PRINT_MODULE | 1 |
| ?CreateKey@ACRegKey@@QAEHPAUHKEY_ | 1 |
| ?GetValue@ACRegKey@@QAEHPBGPAPAE@ | 1 |
| ?DecryptFromFile@ACMemFile@@QAEHPA | 1 |
| ??0ACMemFile@@QAE@XZ | 1 |
| ?EncryptToFile@ACMemFile@@QAEHPAU_ | 1 |
| ??1ACMemFile@@UAE@XZ | 1 |
| ?ACDetectLanguage@@YAGXZ | 1 |
| ?ACLoadLocaleDependentDll@@YAPAUHIN! | 1 |
| ?WriteConfig@ACAdapterConfig@@QAEHH | 1 |
| ?ACGetUserNameForMachineAuth@@YA?A | 1 |
| ??8ACPProfile@@QAEHABV0@@Z | 1 |
| ??_ACStringArray@@6B@ | 1 |
| ?GetAutoSelectOptions@ACAdapterConfig@ | 1 |
| ?AChasCap@@YA_NW4AC_BUILD_CAP@@ | 1 |
| ?GetAPSArrayAndBand@ACAdapterConfig@ | 1 |
| ?ActivateProfile@ACAdapterConfig@@QAEI | 1 |
| ?GetCurrentProfile@ACAdapterConfig@@Q | 1 |
| ??0ACPProfile@@QAE@XZ | 1 |
| ??1ACPProfile@@QAE@XZ | 1 |
| ?EnumerateValue@ACRegKey@@QAEHKAA | 1 |
| ?SetValue@ACRegKey@@QAEHPBGPAAEH@ | 1 |
| ?OpenCardCfgIdKey@ACAdapterConfig@@I | 1 |
| ?DbgPrintEx@@YAXW4PRINT_VERBOSITY@ | 1 |
| ?GetValue@ACRegKey@@QAEHPBGAAK@Z | 1 |
| ?SetValue@ACRegKey@@QAEHPBGK@Z | 1 |
| ?FlushKey@ACRegKey@@QAEHXZ | 1 |
| ?CreateGlobalEvent@@YAPAXHHPBG@Z | 1 |
| ?GetOSName@ACStaticNicInfo@@SA?AVCS | 1 |
| ?InitTraceLog@@YAXXZ | 1 |
| ?ShutdownTraceLog@@YAXXZ | 1 |
| ?ACGetBuildString@@YAPBGW4AC_BUILD_ | 1 |
| ?SetDebugOutputMode@@YAXHPBGH@Z | 1 |
| ?DbgPrintf@@YAXPBGZZ | 1 |

| | |
|---|---|
| ?GetValue@ACRegKey@@QAEHPBGAAVCSI | 1 |
| ?NicEnabled@ACEnumNics@@QAEAAVCByI | 1 |
| ?AcsSetOid@@YAHPBGKPAKPAEK@Z | 1 |
| ?AcsGetOid@@YAHPBGKPAKPAE1@Z | 1 |
| ?GetProfile@ACAdapterConfig@@QAEPAV/ | 1 |
| ?GetAutoSortArray@ACAdapterConfig@@Q | 1 |
| ??0ACEnumNics@@QAE@XZ | 1 |
| ??0ACStaticNicInfo@@QAE@XZ | 1 |
| ?GetAllAtherosAdapters@ACEnumNics@@C | 1 |
| ?NbrNics@ACEnumNics@@QAEHZ | 1 |
| ?Nics@ACEnumNics@@QAEAVCStringArra | 1 |
| ?NicSubKeys@ACEnumNics@@QAEAVCStr | 1 |
| ?GetStaticNicInfo@ACStaticNicInfo@@QAE | 1 |
| ?GetNicNicMacAddress@ACStaticNicInfo@@C | 1 |
| ?GatherMacAddr@ACStaticNicInfo@@QAEY | 1 |
| ??0ACRegKey@@QAE@XZ | 1 |
| ?OpenKey@ACRegKey@@QAEHPAUHKEY_ | 1 |
| ?ChangeSecurity@ACRegKey@@QAEXXZ | 1 |
| ??1ACLeapLoginDialog@@UAE@XZ | 1 |
| ?OnInitDialog@ACAuthStatusDialog@@MAI | 1 |
| ?DoModal@ACAuthStatusDialog@@UAEHX: | 1 |
| ?SetName@ACLeapLoginDialog@@Q | 1 |
| ?GetMessageMap@ACAuthStatusDialog@@ | 1 |
| ?Initialize@ACAuthStatusDialog@@QAEHPE | 1 |
| ??0ACAuthStatusDialog@@QAE@HPAVCWr | 1 |
| ??1ACAuthStatusDialog@@UAE@XZ | 1 |
| ?PostMessageToSelf@ACAuthStatusDialog@ | 1 |
| ?SetCardName@ACLeapLoginDialog@@QAI | 1 |
| ?DoDataExchange@ACAuthStatusDialog@@ | 1 |
| ??0ACLeapLoginDialog@@QAE@HPAVCWn | 1 |
| ??0ACTokenConfigDialog@@QAE@PAVCWr | 1 |
| ??0CPEAPGTCStaticPasswordDlg@@QAE@P | 1 |
| ??1ACTokenConfigDialog@@UAE@XZ | 1 |
| ??1CPEAPGTCStaticPasswordDlg@@UAE@X | 1 |
| ??0CServerValidateDlg@@QAE@PAVCWndl | 1 |
| ??1CServerValidateDlg@@UAE@XZ | 1 |
| ??0ACChangePassword@@QAE@PAVCWnd | 1 |
| ??1ACChangePassword@@UAE@XZ | 1 |
| GetAcapiResApi | 1 |
| ??0ACGenPasswordDlg@@QAE@XZ | 1 |
| ??1ACGenPasswordDlg@@UAE@XZ | 1 |
| ??0ACYesNoDlg@@QAE@PAVCWnd@@@Z | 1 |
| ?DoModal@ACYesNoDlg@@UAEHXZ | 1 |
| ??0ACErrorDialog@@QAE@PAVCWnd@@@C | 1 |
| ?DoModal@ACErrorDialog@@UAEHXZ | 1 |
| ??1ACYesNoDlg@@UAE@XZ | 1 |
| ??1ACErrorDialog@@UAE@XZ | 1 |

| | |
|--|---|
| ??1CNetworkProvider@@QAE@XZ | 1 |
| ?StartProvider_t@CMessageDispatcher@@@ | 1 |
| ??0CNetworkProvider@@QAE@XZ | 1 |
| ?StringToAddress@@YAKABVCTString@@@ | 1 |
| ??1CNetworkMessage@@QAE@XZ | 1 |
| ?Broadcast_Update@Communication@@Q/ | 1 |
| ?comm@@3VCommunication@@A | 1 |
| ?SendBroadcast@CMessageDispatcher@@C | 1 |
| ??6CNetworkMessage@@QAEAAV0@ABVC | 1 |
| ??0CNetworkMessage@@QAE@W4Networ | 1 |
| ??5CNetworkMessage@@QAEAAV0@AAVC | 1 |
| ?ReceiveBroadcast@CMessageDispatcher@ | 1 |
| ??0CNetworkMessage@@QAE@XZ | 1 |
| LogIfA | 1 |
| IsmEnumFirstDestinationObjectEx | 1 |
| IsmAreObjectsIdentical | 1 |
| IsmGetPropertyFromObjectId | 1 |
| IsmIsObjectAbandonedOnCollision | 1 |
| IsmIsApplyObjectId | 1 |
| IsmRegisterProgressSlice | 1 |
| IsmGetObjectsStatistics | 1 |
| IsmClearApplyOnObject | 1 |
| IsmRegisterGlobalApplyCallback | 1 |
| IsmRemovePhysicalObject | 1 |
| IsmSelectPreferredAlias | 1 |
| IsmDoesObjectExist | 1 |
| IsmDeleteEnvironmentVariable | 1 |
| IsmClearOperationOnObject | 1 |
| IsmGetCurrentSidString | 1 |
| IsmExecuteFunction | 1 |
| IsmConvertMultiSzToObject | 1 |
| IsmCreateUser | 1 |
| IsmGetMappedUserData | 1 |
| IsmMakeApplyObjectId | 1 |
| IsmSetOperationOnObjectId2 | 1 |
| IsmMakePersistentObjectId | 1 |
| IsmClearPersistenceOnObject | 1 |
| IsmClearAbandonObjectOnCollision | 1 |
| IsmRegisterOperationData | 1 |
| IsmAppendEnvironmentString | 1 |
| IsmRegisterTypePostEnumerationCallback | 1 |
| IsmAbortComponentEnum | 1 |
| IsmTickProgressBar | 1 |
| IsmIsObjectHandleLeafOnly | 1 |
| IsmGetTransportVariable | 1 |
| IsmIsEnvironmentFlagSet | 1 |
| IsmSetTransportVariable | 1 |

| | |
|--|---|
| IsmAddPropertyToObject | 1 |
| ??0CXTReportView@@IAE@XZ | 1 |
| _SCGetGDIObject@4 | 1 |
| excel_AddCell | 1 |
| excel_SetCellBold | 1 |
| excel_SetCellAlignment | 1 |
| excel_SetCellDecimals | 1 |
| excel_AddRow | 1 |
| excel_Connect | 1 |
| excel_Disconnect | 1 |
| excel_Show | 1 |
| excel_AutoFormat | 1 |
| _SGSDrawThemeText@36 | 1 |
| _SGSDrawThemeBackground@24 | 1 |
| _SGSGetThemeBackgroundContentRect@24 | 1 |
| _SGSOpenTheme@12 | 1 |
| _SGSGetActiveScheme@0 | 1 |
| _SGSGetThemeTextExtent@36 | 1 |
| _SGSCloseTheme@4 | 1 |
| SamiGetBootKeyInformation | 1 |
| ??1_Container_base@std@@QAE@XZ | 1 |
| ??0_Container_base@std@@QAE@XZ | 1 |
| ?_Orphan_all@_Container_base@std@@QI | 1 |
| ?AddPlugin@CoreCenter@Util@@YAHPA_V | 1 |
| ?InitPluginFileSystem@Boot@Util@@YAHP, | 1 |
| ?InitPluginI18NConfig@Boot@Util@@YAHP | 1 |
| ?InitPluginCoreConfig@Boot@Util@@YAHP | 1 |
| ?InitPluginGFConfig@Boot@Util@@YAHPA | 1 |
| ?InitPluginModeConfig@Boot@Util@@YAHP | 1 |
| ?EnablePlugin@CoreCenter@Util@@YAHPA | 1 |
| cvCreateHist | 1 |
| cvReleaseHist | 1 |
| cvCalcArrHist | 1 |
| cvReleaseCapture | 1 |
| cvCreateFileCapture | 1 |
| cvQueryFrame | 1 |
| cvSetCaptureProperty | 1 |
| cvGetCaptureProperty | 1 |
| cvFlip | 1 |
| cvGetReal1D | 1 |
| ??0CqHotkeyItem@@QAE@IW4TYPE@0@_ | 1 |
| _q32HSEnd@0 | 1 |
| _q32HSAddHotkey@8 | 1 |
| _q32HSInit@4 | 1 |
| PWDrawBMP32 | 1 |
| PWGet32BMP | 1 |
| StartService | 1 |

| | |
|--|---|
| StopService | 1 |
| ?CreateColorBackground@CNBitmapUtil@C | 1 |
| ?AlphaBlendBitmapsBGPos@CNBitmapUtil@C | 1 |
| ?OnEraseBkGnd@CNbuuSplashScreen@@EA | 1 |
| ?OnPaint@CNbuuSplashScreen@@EAEIJ@; | 1 |
| ?NGSCM_Finalize@@YAXXZ | 1 |
| AMR_Decode_Init | 1 |
| Photo2DVDRotateMeida | 1 |
| peRotateImage | 1 |
| veEnableVideoFrame | 1 |
| TimelineSetStartTime | 1 |
| peDVDMenuMoveToNextMenu | 1 |
| adSetMsgHandle | 1 |
| ??_Fbad_typeid@std@@QAEXXZ | 1 |
| LoadDriver | 1 |
| GetDateFormaticalSection | 1 |
| iticalSection | 1 |
| lFree | 1 |
| ount | 1 |
| Counter | 1 |
| kedIncrement | 1 |
| iByte | 1 |
| yExA | 1 |
| oA | 1 |
| LineA | 1 |
| tFileA | 1 |
| ad | 1 |
| xceptionFilter | 1 |
| boardType | 1 |
| ngA | 1 |
| ing | 1 |
| StringLen | 1 |
| llocStringLen | 1 |
| Len | 1 |
| oduleHandleA | 1 |
| lueExA | 1 |
| eyExA | 1 |
| gCreateKeyExA | 1 |
| en | 1 |
| PrivilegeValueA | 1 |
| justTokenPrivileges | 1 |
| leges | 1 |
| yA | 1 |
| ofResource | 1 |
| hreadLocale | 1 |
| rrorMode | 1 |
| aryA | 1 |

| | |
|-----------------|---|
| ck | 1 |
| alFree | 1 |
| ndAtomA | 1 |
| sion | 1 |
| nformation | 1 |
| tTempFileNameA | 1 |
| toryA | 1 |
| ingTypeExA | 1 |
| Handle | 1 |
| andleA | 1 |
| athNameA | 1 |
| tCodeThread | 1 |
| TypeA | 1 |
| iskFreeSpaceA | 1 |
| ntThreadId | 1 |
| urrentProcessId | 1 |
| ess | 1 |
| kedExchange | 1 |
| ecrement | 1 |
| eTime | 1 |
| ToDosDateTime | 1 |
| riticalSection | 1 |
| texA | 1 |
| FileA | 1 |
| ryValueA | 1 |
| InfoSizeA | 1 |
| kColor | 1 |
| ctPalette | 1 |
| ctObject | 1 |
| alette | 1 |
| lipRect | 1 |
| dowOrgEx | 1 |
| csA | 1 |
| tExtentPoint32A | 1 |
| ColorTable | 1 |
| onEx | 1 |
| pBox | 1 |
| pBits | 1 |
| dBrush | 1 |
| HalftonePalette | 1 |
| rectA | 1 |
| DIBitmap | 1 |
| DIBSection | 1 |
| ibleDC | 1 |
| leBitmap | 1 |
| ndowExA | 1 |
| omPoint | 1 |

| | |
|-------------------------------------|---|
| teWindow | 1 |
| sHookEx | 1 |
| essage | 1 |
| nedPopups | 1 |
| wsHookExA | 1 |
| nfo | 1 |
| oints | 1 |
| oardLayoutA | 1 |
| ic | 1 |
| teRect | 1 |
| eadProcessId | 1 |
| cement | 1 |
| temMetrics | 1 |
| zend_hash_del_key_or_index | 1 |
| php_getopt | 1 |
| php_strlcat | 1 |
| zend_printf | 1 |
| zend_strip | 1 |
| zend_file_handle_dtor | 1 |
| display_ini_entries | 1 |
| zend_unregister_ini_entries | 1 |
| ts_allocate_id | 1 |
| zend_register_ini_entries | 1 |
| sapi_get_request_time | 1 |
| config_zval_dtor | 1 |
| zend_hash_clean | 1 |
| tsrm_realpath | 1 |
| php_parse_user_ini_file | 1 |
| php_ini_activate_config | 1 |
| php_ini_has_per_host_config | 1 |
| zend_str_tolower | 1 |
| php_ini_activate_per_host_config | 1 |
| php_ini_has_per_dir_config | 1 |
| zend dirname | 1 |
| php_ini_activate_per_dir_config | 1 |
| zend_alter_ini_entry_ex | 1 |
| ap_php_sprintf | 1 |
| zend_llist_get_first_ex | 1 |
| zend_llist_get_next_ex | 1 |
| OnUpdateBool | 1 |
| OnUpdateString | 1 |
| _UTLStandardOnHelpInfo@16 | 1 |
| _UTLOnHelpHitTest@24 | 1 |
| ?GetRuntimeClass@WMappedSlider@@UBI | 1 |
| ??0WMappedSlider@@QAE@XZ | 1 |
| ??0WMappedValue@@QAE@XZ | 1 |
| ?SLDGetHorzEditBoxWidth@@YGHPAUHWN | 1 |

| | |
|---------------------------------------|---|
| ??1WMappedEdit@@UAE@XZ | 1 |
| ?OnKillFocus@WMappedEdit@@IAEXPACI | 1 |
| ?SetViewMode@WMappedValueView@@Q | 1 |
| ?UpdateView@WMappedSlider@@UAHK@ | 1 |
| ?GetThisMessageMap@WMappedEdit@@K | 1 |
| ?GetThisMessageMap@WMappedSlider@@ | 1 |
| ??0WMappedEdit@@QAE@XZ | 1 |
| ?GetRuntimeClass@WMappedEdit@@UBEF | 1 |
| ?WindowProc@WCorelEdit@@MAEJJ@Z | 1 |
| ?_PLGINBaseClassWindowProc@WCorelEdit | 1 |
| ?UpdateDataSrc@WLinkCtrlDataView@@U | 1 |
| ?GetSourceData@WMappedValueView@@I | 1 |
| ?SetSourceData@WMappedValueView@@I | 1 |
| ?UpdateAllViews@WLinkCtrlDataSrc@@QB | 1 |
| ??1WMappedValue@@UAE@XZ | 1 |
| ??1WMappedSlider@@UAE@XZ | 1 |
| ?SetDataSource@WLinkCtrlDataView@@QA | 1 |
| ??0WCmnUI_Guid@@QAE@ABV?\$CStringT | 1 |
| ??1WCmnUI_Guid@@QAE@XZ | 1 |
| ?DRAWLIBGetMainWnd@@YAPAVCWnd@() | 1 |
| ?DDX_SpinCtrl@@YGXPVCDataExchange@ | 1 |
| ??0DrawSpinCtrl@@QAE@W4ValidateActio | 1 |
| ??1DrawSpinCtrl@@UAE@XZ | 1 |
| ?DDV_SpinCtrl@@YGXPVCDataExchange@ | 1 |
| ?SMStartAtState@@YGXU_GUID@@IIJ@Z | 1 |
| ?OPMIsValidObject@@YGHPAVWNodeHandle@ | 1 |
| ?__ConstructItem@WDrawToolBoxButton@ | 1 |
| ?SMGetBaseStateCommandAndStateID@@` | 1 |
| ?SMSSetPreviousState@@YGXU_GUID@@@ | 1 |
| ?DRS_GetCursorId@@YGXAAUCURSOR_INF | 1 |
| ?OPMUpdateCurveObjPropertyFlags@@YG | 1 |
| ?DrawCurveState@@YGXPUIDrawViewCor | 1 |
| ??4CDoubleList@@QAEAAV0@ABV0@@Z | 1 |
| warningMessage | 1 |
| traceMessage | 1 |
| debugMessage | 1 |
| noticeMessage | 1 |
| errorMessage | 1 |
| NdrpCreateStub | 1 |
| SplPromptUIInUsersSession | 1 |
| SpoolerFreePrinterNotifyInfo | 1 |
| FormatPrinterForRegistryKey | 1 |
| InitializeRouter | 1 |
| IsNamedPipeRpcCall | 1 |
| BuildOtherNamesFromMachineName | 1 |
| PackStrings | 1 |
| RouterAllocBidiResponseContainer | 1 |

| | |
|---|---|
| SpoolerHasInitialized | 1 |
| SpoolerFindFirstPrinterChangeNotification | 1 |
| _HTML_RemoveTag@12 | 1 |
| _HTML_SetChecked@12 | 1 |
| _HTML_SetTagText@16 | 1 |
| _Profile_GetRoot@0 | 1 |
| _HTML_GetChecked@12 | 1 |
| ?PocketHTML@@YGXPAUHWND__@@@Z | 1 |
| _Profile_GetIntEx@20 | 1 |
| _Profile_SetRoot@4 | 1 |
| ?apCreateInstance@@YGPAXABU_GUID@@ | 1 |
| _InitSplitterWnd@0 | 1 |
| ?TextScroller@@YGXPAUHWND__@@_N@ | 1 |
| _Profile_GetBinary@20 | 1 |
| ??0CWaitDialog@@QAE@PAUHWND__@@ | 1 |
| _HTML_CanGoForward@4 | 1 |
| _HTML_CanGoBack@4 | 1 |
| _HTML_Refresh@4 | 1 |
| _HTML_Navigate@12 | 1 |
| _IsInternetConnected@4 | 1 |
| _HTML_Stop@4 | 1 |
| _HTML_GoBack@4 | 1 |
| ?GetKeyValue@CProfile@@QBEPBDXZ | 1 |
| ?FindKey@CProfile@@ABEPAUKey@1@PBI | 1 |
| ?GetInt@CProfile@@QBEHPBDH@Z | 1 |
| ?FindSection@CProfile@@ABEPAUSection@ | 1 |
| _HTML_SetExternal@8 | 1 |
| _HTML_CreateBrowser@20 | 1 |
| _Profile_SetInt@16 | 1 |
| _Profile_GetInt@16 | 1 |
| ?SizeCtrlToText@@YG?AUTagSIZE@@PAUH | 1 |
| _Profile_GetString@24 | 1 |
| _Profile_SetString@16 | 1 |
| ?HideCancel@CWaitDialog@@QBEABV1@X | 1 |
| ?UseFakeProgress@CWaitDialog@@QBEAB` | 1 |
| ?DoModal@CWaitDialog@@QAEHKK@Z | 1 |
| ??1CWaitDialog@@UAE@XZ | 1 |
| ?SetMessageBoxCheck@@YGXPBDH@Z | 1 |
| _Profile_SetBinary@20 | 1 |
| ?Infobox_Create@@YGPAUHWND__@@PA | 1 |
| ?GetMessageBoxCheck@@YGH_PBD@Z | 1 |
| ?GetString@CProfile@@QBEHPBD00PADI@ | 1 |
| ?GetKeyName@CProfile@@QBEPBDXZ | 1 |
| _CenterWindow@4 | 1 |
| ?GetInt@CProfile@@QBEHPBD0H@Z | 1 |
| ?MessageBoxPlus@@YAHPAUMSGBOXPLUS` | 1 |
| ??1CProfile@@UAE@XZ | 1 |

| | |
|--|---|
| ??OCProfile@@QAE@PBD_N@Z | 1 |
| MakeFullPathName | 1 |
| _HTML_GoForward@4 | 1 |
| InitNAC | 1 |
| GetEvent | 1 |
| nac_recus | 1 |
| SetCallBackEvent | 1 |
| ??0CGif@@QAE@XZ | 1 |
| ?UnLoad@CGif@@QAEEXZ | 1 |
| ?Draw@CGif@@QAE_NPAUWND__@@@ | 1 |
| ?CreateView@CGif@@QAE_NPAUWND__ | 1 |
| ?Load@CGif@@QAE_NPBDDHK@Z | 1 |
| ?Stop@CGif@@QAEEXZ | 1 |
| ??1CGif@@UAE@XZ | 1 |
| ?AddSkinChild@@YGHPAUWND__@@PBI | 1 |
| ?nuiCustomizeTabControl@@YGHPAUHWN | 1 |
| ?SetSkinText@@YGHPAUWND__@@IPBD | 1 |
| ?ShowSkinChild@@YGHPAUWND__@@IH | 1 |
| ?g_Colors@@3UCOLORS@@A | 1 |
| ?SetWindowSkin@@YGHPAUWND__@@F | 1 |
| ?SetBorderXPCColors@@YGXPAUWND__@ | 1 |
| ?GetSkinText@@YGHPAUWND__@@IPAC | 1 |
| ?IsSkinChildVisible@@YGHPAUWND__@@C | 1 |
| ?FillBackground@@YGXPAUWND__@@PA | 1 |
| ?CreateExplorerBarWindow@@YGPAAUHWN | 1 |
| ?nuiCreateInstance@@YGPAXABU_GUID@() | 1 |
| ??_7CToolbarWindow32@@6B@ | 1 |
| ?SetBorderXP@@YGXPAUWND__@@@Z | 1 |
| ?Create@CToolbarWindow32@@QAEHKAB | 1 |
| ?LoadImageList@CToolbarWindow32@@QAF | 1 |
| ?LoadColorScheme@@YG_NPBDK@Z | 1 |
| ?GlobalSubclassDialog@@YGXXZ | 1 |
| ?SetGroupXPCColor@@YGXPAUWND__@@ | 1 |
| ?ApplyColorScheme@@YGHPAUWND__@ | 1 |
| _RasCM_EnumConnections@12 | 1 |
| _Z8qMemcpyPvPKvj | 1 |
| _ZN7QBuffer4openE6QFlagsIN9QIODevice1 | 1 |
| _ZN7QBufferC1EP10QByteArrayP7QObject | 1 |
| _ZN7QBufferD1Ev | 1 |
| _ZN9QIODevice4readEPcx | 1 |
| _ZN9QIODevice9ungetCharEc | 1 |
| _ZN15QImageIOHandler5writeERK6QImage | 1 |
| _ZN15QImageIOHandler9setDeviceEP9QIOD | 1 |
| _ZN15QImageIOHandler9setOptionENS_11I | 1 |
| _ZN15QImageIOHandlerC2Ev | 1 |
| _ZN15QImageIOHandlerD2Ev | 1 |
| _ZN6QImage12invertPixelsENS_10InvertMo | 1 |

| | |
|--|---|
| _ZN6QImage12setNumColorsEi | 1 |
| _ZN6QImage15setAlphaChannelERKS_ | 1 |
| _ZN6QImage4fillEj | 1 |
| _ZN6QImage4loadERK7QStringPKc | 1 |
| _ZN6QImage8scanLineEi | 1 |
| _ZN6QImage8setColorEij | 1 |
| _ZN6QImage8setPixelEiij | 1 |
| _ZN6QImageC1ERKS_ | 1 |
| _ZN6QImageC1EiiNS_6FormatE | 1 |
| _ZN6QImageC1Ev | 1 |
| _ZN6QImageaSERKS_ | 1 |
| _ZN8QPainter9drawImageERK7QPointFRK6C | 1 |
| _ZN8QPainter9translateERK7QPointF | 1 |
| _ZNK15QImageIOHandler14nextImageDelay | 1 |
| _ZNK15QImageIOHandler14supportsOptionI | 1 |
| _ZNK15QImageIOHandler16currentImageRe | 1 |
| _ZNK15QImageIOHandler18currentImageNu | 1 |
| _ZNK15QImageIOHandler6deviceEv | 1 |
| _ZNK15QImageIOHandler6optionENS_11Im | 1 |
| _ZNK15QImageIOHandler9loopCountEv | 1 |
| _ZNK15QImageIOHandler9setFormatERK10C | 1 |
| _ZNK6QImage12bytesPerLineEv | 1 |
| _ZNK6QImage15convertToFormatENS_6Forr | 1 |
| _ZNK6QImage15createAlphaMaskE6QFlagsII | 1 |
| _ZNK6QImage15hasAlphaChannelEv | 1 |
| _ZNK6QImage4sizeEv | 1 |
| _ZNK6QImage5widthEv | 1 |
| _ZNK6QImage6heightEv | 1 |
| _ZNK6QImage6isNullEv | 1 |
| _ZNK6QImage6scaledERK5QSizeN2Qt15Aspe | 1 |
| ??0CApplInitialize@@QAE@XZ | 1 |
| ??1CApplInitialize@@UAE@XZ | 1 |
| ??0BString@@QAE@XZ | 1 |
| ??IBString@@QAEPAVAGXZ | 1 |
| ??1BString@@QAE@XZ | 1 |
| ?AfCreateInstance@@YAJABU_GUID@@PA | 1 |
| ?glbf_SetDataTip@@YAXHPBD@Z | 1 |
| ?glbf_GetFileFrequentFont@@YAXAAV?\$CS | 1 |
| ?glbf_SetFontManager@@YAXPAVCFontMa | 1 |
| ?glbf_SetPathFONT@@YAXAAV?\$CStringT@ | 1 |
| ?glbf_GetWinApp@@YAPAVCWinApp@@X | 1 |
| ?glbf_SetPathTOOL@@YAXAAV?\$CStringT@ | 1 |
| ?glbf_SetDataManager@@YAXPAVCDataMa | 1 |
| ?glbf_SetModel@@YAXPAVCModel@@@Z | 1 |
| ?ExitMemory@@YAXXZ | 1 |
| ?glbf_SetOtherCursor@@YAXPAUHICON__(| 1 |
| ?glbf_SetPathCursor@@YAXPAUHICON__@ | 1 |

| | |
|--|---|
| ?glbf_SetPointCursor@@YAXPAUHICON__6 | 1 |
| ?glbf_SetSurfCursor@@YAXPAUHICON__@1 | 1 |
| ?glbf_SetCurveCursor@@YAXPAUHICON__@0 | 1 |
| ?glbf_SetSketchCursor@@YAXPAUHICON__@1 | 1 |
| ?glbf_SetWPlaneCursor@@YAXPAUHICON__@1 | 1 |
| ?InitMemory@@YAXXZ | 1 |
| ?glbf_SetPrintSupport@@YAXPAVCPrintSup | 1 |
| ?glbf_SetCmdManager@@YAXPAVCCmdMa | 1 |
| ?glbf_SetDC@@YAXPAVCDrawDC@@@Z | 1 |
| ?glbf_GetCtrlMessageByID@@YAHIAAPAVC | 1 |
| ?glbf_GetCommandByID@@YAHIAAPAVCCr | 1 |
| ?glbf_GetPickPixel@@YAHXZ | 1 |
| ?glbf_GetDataTip@@YAXAAHPAD@Z | 1 |
| ?glbf_GetPathPLUG@@YAXAAV?\$CStringT@C | 1 |
| ?glbf_GetUndoSupport@@YAPAVCUndoSu | 1 |
| ?glbf_GetPathPROG@@YAXAAV?\$CStringT@C | 1 |
| ?glbf_GetModel@@YAPAVCModel@@XZ | 1 |
| ?glbf_GetDC@@YAPAVCDrawDC@@XZ | 1 |
| ?glbf_GetCmdManager@@YAPAVCCmdMar | 1 |
| ?glbf_GetSystemCFG@@YAPAUtagSystemCl | 1 |
| ?glbf_GetLocalLangID@@YAGXZ | 1 |
| ?glbf_SetPlugManager@@YAXPAVCPlugMa | 1 |
| ?glbf_GetPlugManager@@YAPAVCPlugMan | 1 |
| ?glbf_GetPathCFG@@YAXAAV?\$CStringT@I | 1 |
| ?glbf_GetActiveView@@YAPAVCWnd@@XZ | 1 |
| ?glbf_GetClipboardFormat3D@@YAIHZ | 1 |
| ?glbf_SetWinApp@@YAXPAVCWinApp@@() | 1 |
| ?glbf_SetPathPROG@@YAXAAV?\$CStringT@C | 1 |
| ?glbf_SetPathGLIB@@YAXAAV?\$CStringT@I | 1 |
| ?glbf_SetPathFONT@@YAXAAV?\$CStringT@C | 1 |
| ?glbf_SetPathTOOL@@YAXAAV?\$CStringT@C | 1 |
| ?glbf_SetPathPLUG@@YAXAAV?\$CStringT@C | 1 |
| ?glbf_SetPathWORK@@YAXAAV?\$CStringT@C | 1 |
| ?glbf_SetPathCFG@@YAXAAV?\$CStringT@L | 1 |
| ?glbf_SetPathHELP@@YAXAAV?\$CStringT@C | 1 |
| ?glbf_SetPathFilterPLUG@@YAXAAV?\$CStringT@C | 1 |
| ?glbf_SetPathMultLang@@YAXAAV?\$CStringT@C | 1 |
| ?glbf_SetFileFrequentFont@@YAXAAV?\$CSi | 1 |
| ?glbf_SetFileFrequentTool@@YAXAAV?\$CSt | 1 |
| ?glbf_SetSysResHandle@@YAXPAUHINSTAN | 1 |
| ?glbf_SetLocalLangID@@YAXG@Z | 1 |
| ?glbf_SetPathMultLang@@YAXAAV?\$CStringT@C | 1 |
| ?glbf_SetSysVersion@@YAXAAUtagVersionI | 1 |
| ?glbf_GetClipboardFormat2D@@YAIHZ | 1 |
| ?glbf_GetPathHELP@@YAXAAV?\$CStringT@C | 1 |
| ?glbf_InitCommandID@@YAXH@Z | 1 |
| ?glbf_InitCtrlMessageID@@YAXH@Z | 1 |

| | |
|---|---|
| ??0CJdpConfig@@QAE@XZ | 1 |
| ?glbf_SetBitmapClipboardFormat@@YAXI@ | 1 |
| ?glbf_SetClipboardFormat3D@@YAXI@Z | 1 |
| ?glbf_SetClipboardFormat2D@@YAXI@Z | 1 |
| ?SaveJdpConfigFile@@YAHAACJdpConfig@ | 1 |
| ?ReadJdpConfigFile@@YAHAACJdpConfig@ | 1 |
| ?glbf_SetMainFrame@@YAXPAVCFrameWn | 1 |
| ?glbf_LoadSysString@@YAHIPADH@Z | 1 |
| ?glbf_GetCurrLineWidth@@YAHXZ | 1 |
| ?glbf_GetCurrLineStyle@@YAHXZ | 1 |
| ?glbf_GetCurPointStyle@@YAHXZ | 1 |
| ?glbf_GetCurrentColor@@YAKXZ | 1 |
| ?glbf_SetCurrentColor@@YAXK@Z | 1 |
| ?glbf_SetCurrLineWidth@@YAXH@Z | 1 |
| ?glbf_SetCurrLineStyle@@YAXH@Z | 1 |
| ?glbf_SetCurPointStyle@@YAXH@Z | 1 |
| ?glbf_GetPromptString@@YAPADXZ | 1 |
| ?glbf_GetPathFilterPLUG@@YAXAAV?\$CStri | 1 |
| ?glbf_GetBackgrdColor@@YAKXZ | 1 |
| ?glbf_GetConfig@@YAPAVCJdpConfig@@XZ | 1 |
| ?glbf_SetPathGLIB@@YAXAAV?\$CStringT@ | 1 |
| ?glbf_SetActiveView@@YAXPAVCWnd@@@C | 1 |
| ?glbf_SetPrintSupport@@YAPAVCPrintSupr | 1 |
| ?glbf_SetConfig@@YAPAVCJdpConfig@@C | 1 |
| ?GetXWidth@Box3D@@QBEMXZ | 1 |
| ?CopyMatrix2D@@YAXQBMQAM@Z | 1 |
| ?MultiMatrix2D@@YAXQBM0QAM@Z | 1 |
| ?Grow@Box2D@@QAEXMM@Z | 1 |
| ?DefineBox@Box2D@@QAEXABVpoint_2d@ | 1 |
| ?EmptyBox@Box2D@@QAEXXZ | 1 |
| ?MakeScaleMatrix@@YAXMMMMMQAM@Z | 1 |
| ?GetYWidth@Box3D@@QBEMXZ | 1 |
| ?GetZWidth@Box3D@@QBEMXZ | 1 |
| mathInitPnt | 1 |
| mathTransWorldPnt3D | 1 |
| mathTransLocalPnt3D | 1 |
| ??4Box2D@@QAEXABVBox3D@@@Z | 1 |
| ??4point_2d@@QAEEAV0@ABVpoint_3d@ | 1 |
| ??4point_3d@@QAEEAV0@ABVpoint_2d@ | 1 |
| ??0Box2D@@QAE@MMMM@Z | 1 |
| ?Adjust@Box2D@@QAEXXZ | 1 |
| mathTransLocalPnt2D | 1 |
| mathInitRFrame | 1 |
| mathIsParallel | 1 |
| mathIsValidBox3D | 1 |
| ?DefineBox@Box2D@@QAEXMMMM@Z | 1 |
| mathDistPntLin | 1 |

| | |
|---------------------------------------|---|
| ?MultiMatrix3D@@YAXQBM0QAM@Z | 1 |
| ?GetHeight@Box2D@@QBEMXZ | 1 |
| ?GetWidth@Box2D@@QBEMXZ | 1 |
| mathOProduct | 1 |
| ??0Box3D@@QAE@XZ | 1 |
| ?Union@Box3D@@QAEXABV1@@Z | 1 |
| ??4Box3D@@QAEXABV0@@Z | 1 |
| ?EmptyBox@Box3D@@QAEXXZ | 1 |
| ?GetCenter@Box3D@@QBE?AVpoint_3d@() | 1 |
| ??0Box2D@@QAE@XZ | 1 |
| mathTransLocalVec3D | 1 |
| mathTransWorldVec3D | 1 |
| mathCpyPnt | 1 |
| mathClamp01 | 1 |
| ?AngleToVector@point_2d@@QBEMABV1@ | 1 |
| mathGetVec | 1 |
| mathRevVec | 1 |
| mathGetXYFromZ | 1 |
| mathGetVecUnit | 1 |
| mathVProductUnit | 1 |
| mathDist | 1 |
| ?DefineBox@Box2D@@QAEXABVBox3D@@ | 1 |
| ?Move@Box2D@@QAEXMM@Z | 1 |
| ?GetCenter@Box2D@@QBE?AVpoint_2d@() | 1 |
| ??0Box2D@@QAE@ABV0@@Z | 1 |
| ?IsEmpty@Box2D@@QBEHXZ | 1 |
| ?Union@Box2D@@QAEXABV1@@Z | 1 |
| ??4Box2D@@QAEXABV0@@Z | 1 |
| ?MakeMoveMatrix@@YAXMMQAM@Z | 1 |
| ?DistFrom@point_3d@@QBEMABV1@@Z | 1 |
| ?IsEmpty@Box3D@@QBEHXZ | 1 |
| ??4point_3d@@QAEEAV0@ABV0@@Z | 1 |
| mathTransWorldPnt3DTo2D | 1 |
| mathGetAngle | 1 |
| ?AngleToXAxis@point_2d@@QBEMXZ | 1 |
| ?AngleToYAxis@point_2d@@QBEMXZ | 1 |
| ??Gpoint_2d@@QBE?AV0@ABV0@@Z | 1 |
| ??8point_3d@@QBEHABV0@@Z | 1 |
| ??Apont_3d@@QAEEAMABH@Z | 1 |
| ?IsEmpty@CSectionList@@QBEHXZ | 1 |
| ?DIBHeight@@YGKPAD@Z | 1 |
| ?DIBWidth@@YGKPAD@Z | 1 |
| ?PaintDIB@@YGHPAUHDC__@@PAUtagRE | 1 |
| ?cciSectSectOnePt@@YAHQAVCSectObject@ | 1 |
| ??0CSectionLoop@@QAE@XZ | 1 |
| ?WeldContour@CSectionLoop@@QAEPAV1 | 1 |
| ??1CSectionLoop@@QAE@XZ | 1 |

| | |
|--|---|
| ?ConvertToLine@CSectionList@@QBEPAVpc | 1 |
| ?SaveDIB@@YGHPAUHDIB__@@AAVCFile@ | 1 |
| ?GetHeadPoint@CSectionList@@QAEHAAV_I | 1 |
| ?GetTailPoint@CSectionList@@QAEHAAVpc | 1 |
| ?CanClose@CSectionList@@QAEHXZ | 1 |
| ?CloseSectList@CSectionList@@QAEHH@Z | 1 |
| ?GetTangent@CGeoCurve@@QAEHNQANO | 1 |
| ?IterateCurveOneIntpt@CGeoInter@@QAEI | 1 |
| ??0CGeoInter@@QAE@XZ | 1 |
| ?GetPoint@CCurlIntpt@@QAEPAVtagCCItp | 1 |
| ??1CCurlIntpt@@QAE@XZ | 1 |
| ?GetCurvePlaneAllIntpt@CGeoInter@@QAE | 1 |
| ??0CCurlIntpt@@QAE@XZ | 1 |
| VecNormalize | 1 |
| ?RemoveUsedFlag@CJDTToolGroup@@QAE> | 1 |
| ?RemoveLockFlag@CJDTToolGroup@@QAEEX | 1 |
| ?InitDefToolLib@CJDTToolLib@@QAEHXZ | 1 |
| ?Create@CJDTToolLib@@QAEHPBD@Z | 1 |
| ?GetNearestPt@CGeoTrmSurf@@QAEHQAN | 1 |
| ?GetNormal@CGeoTrmSurf@@QAEHNNQA | 1 |
| ?GetRFrame@CJDTPlane@@QAEXAU_rect | 1 |
| ?SurfNC_GetSysToolLib@@YAPAVCJDTToolLi | 1 |
| ?SaveToolLib@CJDTToolLib@@QAEHXZ | 1 |
| ?UpdateDrawTol@CDrawDC@@QAEXXZ | 1 |
| ?VW_GetLogWndCorner@CDrawDC@@QAI | 1 |
| ?VW_GetLogWndSize@CDrawDC@@QAEAXA | 1 |
| ??0CDrawDC@@QAE@XZ | 1 |
| ??1CDrawDC@@QAE@XZ | 1 |
| ?PushMatrix3D@CDrawDC@@QAEXXZ | 1 |
| ?SetMatrix3D@CDrawDC@@QAEQAM@Z | 1 |
| ?PopMatrix3D@CDrawDC@@QAEXXZ | 1 |
| ?VW_SaveData@CDrawDC@@QAEXXZ | 1 |
| ?VW_SetDevWndSize@CDrawDC@@QAEV | 1 |
| ?VW_SetLogWndSize@CDrawDC@@QAEV | 1 |
| ?VW_RestoreData@CDrawDC@@QAEXXZ | 1 |
| ??0CMaterial@@QAE@XZ | 1 |
| ??4CMaterial@@QAEAAV0@ABV0@@Z | 1 |
| ?SetMaterial@CMaterial@@QAEPAV1@@ | 1 |
| ?Invalidate@CDrawDC@@QAEXXZ | 1 |
| ?InvalidateRect@CDrawDC@@QAEAAVBo: | 1 |
| ?GD_DrawArrow@@YAXQAN0@Z | 1 |
| ?GD_DrawLine3d@@YAXQAN0@Z | 1 |
| ?GD_DrawPnt2Arrow@@YAXQAN0@Z | 1 |
| ?GD_ReleaseDC@CDrawDC@@QAEXXZ | 1 |
| ?GD_LogDrawLine@CDrawDC@@QAEQMM | 1 |
| ?GD_LogDrawLine@CDrawDC@@QAEQABV | 1 |
| ?GD_LogDrawRect@CDrawDC@@QAEQABV | 1 |

| | |
|--------------------------------------|---|
| ?GD_GetDC@CDrawDC@@QAEAVCDC@@ | 1 |
| ?VW_GetLogWndCorner@CDrawDC@@QAI | 1 |
| ?GD_DPtoLogP@CDrawDC@@QAXABVCPc | 1 |
| ?GD_DevDrawRect@CDrawDC@@QAXABV | 1 |
| ?GD_DrawGeoCurve@@YAXPAVCGeoCurve | 1 |
| ?GD_LogLineTo@CDrawDC@@QAXMM@Z | 1 |
| ?GD_LogMoveTo@CDrawDC@@QAXMM@ | 1 |
| ?GD_DrawSectSegment@@YAXPAVCsectOb | 1 |
| ?GD_DrawPointArrow@@YAXVpoint_2d@C | 1 |
| ?GD_LogPtoDP@CDrawDC@@QAXABVpoi | 1 |
| ?GD_LogDrawRect@CDrawDC@@QAXABV | 1 |
| ?GD_LogLineTo@CDrawDC@@QAXABVpoi | 1 |
| ?GD_LogMoveTo@CDrawDC@@QAXABVp | 1 |
| ?SetMatrix3DByVI@CDrawDC@@QAXXZ | 1 |
| ?VW_ZoomByFactor@CDrawDC@@QAXM | 1 |
| ?VW_GetViewDate@CDrawDC@@QAXAAI | 1 |
| ?VW_ZoomByBox@CDrawDC@@QAXVpoi | 1 |
| ?VW_SetViewDate@CDrawDC@@QAXABL | 1 |
| ??1CMaterial@@QAE@XZ | 1 |
| ?VW_Zoom1To1@CDrawDC@@QAXXZ | 1 |
| ?VW_Pan@CDrawDC@@QAXMM@Z | 1 |
| ?VW_ZoomByWheel@CDrawDC@@QAXV(| 1 |
| ?VW_SetLogWndOrg@CDrawDC@@QAXA. | 1 |
| ?VW_GetLogWndOrg@CDrawDC@@QAXA | 1 |
| ?GD_DevLineTo@CDrawDC@@QAXHH@Z | 1 |
| ?GD_DevMoveTo@CDrawDC@@QAXHH@ | 1 |
| ?PopMatrix2D@CDrawDC@@QAXXZ | 1 |
| ?MultMatrix2D33@CDrawDC@@QAXQAM | 1 |
| ?PushMatrix2D@CDrawDC@@QAXXZ | 1 |
| ??1CLight@@QAE@XZ | 1 |
| ?DrawLight@CLight@@QAXQAN000@Z | 1 |
| ??4CLight@@QAEAAV0@ABV0@@Z | 1 |
| ?Default7@CLight@@QAXXZ | 1 |
| ?Default6@CLight@@QAXXZ | 1 |
| ?Default5@CLight@@QAXXZ | 1 |
| ?Default4@CLight@@QAXXZ | 1 |
| ?Default3@CLight@@QAXXZ | 1 |
| ?Default2@CLight@@QAXXZ | 1 |
| ?Default1@CLight@@QAXXZ | 1 |
| ?Default0@CLight@@QAXXZ | 1 |
| ??0CLight@@QAE@XZ | 1 |
| ?IsVertLine@CEntGuideLine@@QBEHXZ | 1 |
| ??0CEntCombine@@QAE@XZ | 1 |
| ?UpdateVisibleBox@CDataManager@@QAF | 1 |
| ?SetColorEnable@CEntLayer@@SAXH@Z | 1 |
| ?SetColorEnable@CEntGroup@@SAXH@Z | 1 |
| ?SetColorEnable@CEntPathGroup@@SAXH(| 1 |

| | |
|--------------------------------------|---|
| ?IsColorEnable@CEntLayer@@SAHXZ | 1 |
| ?IsColorEnable@CEntGroup@@SAHXZ | 1 |
| ?IsColorEnable@CEntPathGroup@@SAHXZ | 1 |
| ?DC2d_ShowGuideLine@CDataManager@@ | 1 |
| ?DC2d_HideGuideLine@CDataManager@@I | 1 |
| ?IsHoriLine@CEntGuideLine@@QBEHXZ | 1 |
| ?GetBox2D@CEntity@@UBEHAVBox2D@() | 1 |
| ?BeginDraw@CDataManager@@QAEXXZ | 1 |
| ?DrawEntity@CDataManager@@QAEXPVC | 1 |
| ?EndDraw@CDataManager@@QAEXXZ | 1 |
| ?DC23_ShowSelectFrame@CDataManager@ | 1 |
| ??1CEntGroup@@UAE@XZ | 1 |
| ?GetSelect@CDataManager@@QAEPAVCEn | 1 |
| ?GetUseToolList@CDataManager@@QAEHF | 1 |
| ?UpdateSelectViewBox@CDataManager@@ | 1 |
| ?SetUCSFlag@CDataManager@@QAEXH@Z | 1 |
| ?CalcScreenEntityBox@CDataManager@@C | 1 |
| ?Undo@CUndoSupport@@QAEHH@Z | 1 |
| ?Redo@CUndoSupport@@QAEHH@Z | 1 |
| ?BeginCommandUndo@CDataManager@@ | 1 |
| ?EndCommandUndo@CDataManager@@Q | 1 |
| ?CanRedo@CUndoSupport@@QBEHXZ | 1 |
| ?CanUndo@CUndoSupport@@QBEHXZ | 1 |
| ??0PointPosition@@QAE@XZ | 1 |
| ??0CEntEditor@@QAE@XZ | 1 |
| ?ConvertEntToSectLoop@CEntEditor@@QA | 1 |
| ??1CEntEditor@@QAE@XZ | 1 |
| ?DestroyLoopList@CEntEditor@@QAEXPV | 1 |
| ??0DnavParam@@QAE@XZ | 1 |
| ?Dnav@CDataManager@@QAEHAVDnavP | 1 |
| ??0PickPointInfo@@QAE@XZ | 1 |
| ?Pick@CDataManager@@QAEHAVPickPar | 1 |
| ?DC23_HideSelectFrame@CDataManager@ | 1 |
| ?GetBox2D@CDataManager@@QBEHAVB | 1 |
| ?GetLastUndoName@CUndoSupport@@QA | 1 |
| ?GetCurrUndoTimes@CUndoSupport@@QE | 1 |
| ?GetUndoSupport@CDataManager@@QAEI | 1 |
| ?GetLastRedoName@CUndoSupport@@QA | 1 |
| ?GetCurrRedoTimes@CUndoSupport@@QB | 1 |
| ?GetSelectCount@CDataManager@@QAEH | 1 |
| ?GetTopEntity@CEntity@@QAEPAV1@XZ | 1 |
| ?GetEntity@PickParam@@QAEPAVCEntity@ | 1 |
| ?Pick@CDataManager@@QAEHAVPickPar | 1 |
| ??0PickParam@@QAE@QAN0@Z | 1 |
| ?GetFirstSelect@CDataManager@@QAEPAV | 1 |
| ?GetSelectBox2D@CDataManager@@QAEA | 1 |
| ?EndUndo@CDataManager@@QAEXXZ | 1 |

| | |
|--------------------------------------|---|
| ?UD_Modify@CEntity@@QAEXG@Z | 1 |
| ?BeginUndo@CDataManager@@QAEHPBD(| 1 |
| ?CopySelectList@CDataManager@@QAEHP | 1 |
| ?UpdateBox@CDataManager@@QAEHH@Z | 1 |
| ?UD_Delete@CEntity@@QAEXXZ | 1 |
| ?GetLayer@CEntity@@QAEPAV1@XZ | 1 |
| ?ResetSelectList@CDataManager@@QAEXF | 1 |
| ?CopySelectListSort@CDataManager@@QA | 1 |
| ?GetSelectBox@CDataManager@@QAEPAV | 1 |
| ?GetLayerAttrib@CEntLayer@@QBEGXZ | 1 |
| ?GetLayerList@CDataManager@@QAEPAV? | 1 |
| ?UD_AddLayer@CDataManager@@QAEXPAP | 1 |
| ?Remove@CEntity@@QAEXXZ | 1 |
| ?GetLayerName@CEntLayer@@QAEPAADXZ | 1 |
| ?SelectEntity@CDataManager@@QAEHPAV | 1 |
| ?UD_AddToChildTail@CEntity@@QAEXPAP: | 1 |
| ?GetCurrLayer@CDataManager@@QAEPAV | 1 |
| ?GetPathLayer@CDataManager@@QAEPAV | 1 |
| ?EndSelect@CDataManager@@QAEXXZ | 1 |
| ?Transform2D@CEntity@@QAEPAV1@GQB | 1 |
| ?SetTreeColor@CEntity@@QAEXK@Z | 1 |
| ?BeginSelect@CDataManager@@QAEXXZ | 1 |
| ?Create@CEntBitmap@@QAEXPAPUHDIB__(| 1 |
| ??0CEntBitmap@@QAE@XZ | 1 |
| ?SetCoord@CEntGuideLine@@QAEXM@Z | 1 |
| ?DestroyChild@CEntity@@UAEXXZ | 1 |
| ??1CEntCombine@@UAE@XZ | 1 |
| ?CheckLayerName@CDataManager@@QAE | 1 |
| ??0CEntLayer@@QAE@XZ | 1 |
| ?UpdateVisibleBox@CEntity@@QAEXHAAVI | 1 |
| ?UD_DelLayer@CDataManager@@QAEXPAP | 1 |
| ?AddUndoData@CUndoSupport@@QAEXPFE | 1 |
| ?SetLayerName@CEntLayer@@QAEXPBD@: | 1 |
| ?UD_MoveToChildTail@CEntity@@QAEXPAP | 1 |
| ?UpdateSelectBox@CDataManager@@QAE | 1 |
| ?GetLayerType@CEntLayer@@QAEGXZ | 1 |
| ?GetChildCount@CEntity@@QAEHXZ | 1 |
| ?SetCurrLayer@CDataManager@@QAEXPAP | 1 |
| ?SetViewLF@CDataManager@@QAEXPAX@ | 1 |
| ?SetupSelectFrameBox@CDataManager@@ | 1 |
| ?Destory@CDataManager@@QAEXXZ | 1 |
| ?Destory@CFontManager@@QAEXXZ | 1 |
| ??0CDataManager@@QAE@XZ | 1 |
| ?Create@CDataManager@@QAEHP6GHGP/ | 1 |
| ??0CFontManager@@QAE@XZ | 1 |
| ?Create@CFontManager@@QAEHPAUHINS | 1 |
| ?LoadFrequentFont@CFontManager@@QAI | 1 |

| | |
|--------------------------------------|---|
| ?SnapTypeToName@@YAHHQAD@Z | 1 |
| ?EmptyData@CDataManager@@QAEXXZ | 1 |
| ??1CFontManager@@QAE@XZ | 1 |
| ?DC2d_DrawGuideLine@CDataManager@@ | 1 |
| ?GetCoord@CEntGuideLine@@QBEMXZ | 1 |
| ?GetGuideLineLayer@CDataManager@@QA | 1 |
| ?CreateHoriLine@CEntGuideLine@@QAEXM | 1 |
| ?CreateVertLine@CEntGuideLine@@QAEXM | 1 |
| ??0CEntGuideLine@@QAE@XZ | 1 |
| ?SetCurrDrawColor@CEntity@@QAEXK@Z | 1 |
| ?GetViewLF@CDataManager@@QAEPAU_r | 1 |
| ?GetPickTol@CDataManager@@QAEMXZ | 1 |
| ?SortByDist@PickParam@@QAEXXZ | 1 |
| ?UpdateViewBox@CDataManager@@QAEX | 1 |
| ?GetBox3D@CDataManager@@QAEPAVBo | 1 |
| ?ShowSelect@CDataManager@@QAEXPBV | 1 |
| ?EndDrawSelect@CDataManager@@QAEXX | 1 |
| ?HideSelect@CDataManager@@QAEXPAC | 1 |
| ?BeginDrawSelect@CDataManager@@QAE | 1 |
| ?GetViewBox@CDataManager@@QAEPAVE | 1 |
| ??0WinPickParam@@QAE@XZ | 1 |
| ?DefineBox2D@WinPickParam@@QAEXVpc | 1 |
| ?GetLocalUCS@CDataManager@@QAEXAAI | 1 |
| ?SetViewLF@WinPickParam@@QAEXPBAU_r | 1 |
| ?DefineBox3D@WinPickParam@@QAEXQAI | 1 |
| ?DefineMatrix@WinPickParam@@QAEXPAl | 1 |
| ?End@CCommand@@UAEXG@Z | 1 |
| ?SetDynamicCursor@CCommand@@QAEXF | 1 |
| ?Suspend@CCommand@@UAEXPBV1@G@ | 1 |
| ?PromptMessage@CCommand@@IAEXPBD | 1 |
| ?GetCopy@tagColorChange@@UAEPAVDA1 | 1 |
| ?GetManagerStatus@CCommand@@IAEHA | 1 |
| ?Resume@CCommand@@UAEGPAV1@G@ | 1 |
| ??0CMDMSG@@QAE@XZ | 1 |
| ?Sound@CCommand@@IAEXH@Z | 1 |
| ?GetUndoName@CCommand@@UAEPADX | 1 |
| ?SetCommandAttrib@CCommand@@QAEX | 1 |
| ?SuspendDraw@CCommand@@QAEXH@Z | 1 |
| ?IsCommandSuspendDraw@CCommand@@ | 1 |
| ?AddNavConrol@CCommand@@IAEHABV | 1 |
| ?DelAllNavConrol@CCommand@@IAEXXZ | 1 |
| ?SetCmdProcess3D@CCommand@@QAEXH | 1 |
| ??1CMDResult@@UAE@XZ | 1 |
| ?SendMessageToManager@CCommand@@ | 1 |
| ??0CMDResult@@QAE@XZ | 1 |
| ??0InputDirect3D@@QAE@XZ | 1 |
| ?GetLBDMsg@CCommand@@IAEHAAVInpu | 1 |

| | |
|--------------------------------------|---|
| ??0InputMode@@QAE@XZ | 1 |
| ?OnLButtonDown@CCommand@@UAEGAA | 1 |
| ??0InputPlane3D@@QAE@XZ | 1 |
| ?PromptWarning@CCommand@@IAEXPBD | 1 |
| ?SetCmdProcess2D@CCommand@@QAEXH | 1 |
| ?OnMouseMove@CCommand@@UAEXAAV | 1 |
| ?PushCursor@CCommand@@IAEXPAPUHICC | 1 |
| ?PopCursor@CCommand@@IAEXXZ | 1 |
| ?SetActivePage@CCommand@@IAEXPACI | 1 |
| ?AddNavPageEx@CCommand@@IAEHPAVC | 1 |
| ?EndCommand@CCommand@@IAEHG@Z | 1 |
| ?GetPoint2D@InputPoint@@QAE?AVpoint_ | 1 |
| ??1DATA_CONTAINER@@UAE@XZ | 1 |
| ?IsEnabled@CCommand@@UAEHAAVtagSy | 1 |
| ?ReleaseCapture@CCommand@@IAEXXZ | 1 |
| ?IsCommandCapture@CCommand@@QBEF | 1 |
| ?SetCapture@CCommand@@IAEXXZ | 1 |
| ??0InputPoint@@QAE@XZ | 1 |
| ?IsCommandActive@CCommand@@QBEHX | 1 |
| ?AddNavPage@CCommand@@IAEHPAVCN | 1 |
| ?GetNavPageParent@CCommand@@IAEPA | 1 |
| ?SetPrevPoint@CCommand@@IAEHAAPre | 1 |
| ??0PrevPoint@@QAE@XZ | 1 |
| ?GetPlane3D@CCommand@@IAEHAAVInpu | 1 |
| ?SetCommandStatus@CCommand@@QAE | 1 |
| ?OnInitMenuPopup@CNavDlgBar@@MAEX | 1 |
| ?CalcWidth@CNavDlgBar@@UAEXHAAH0@ | 1 |
| ?IsInitSize@CNavDlgBar@@UBEHXZ | 1 |
| ?UpdateNavData@CNavDlgBar@@UAEXXZ | 1 |
| ?OnInit@CNavDlgBar@@UAEXXZ | 1 |
| ?OnToolResume@CNavDlgBar@@UAEXXZ | 1 |
| ?OnToolSuspend@CNavDlgBar@@UAEXH@ | 1 |
| ?RepositionNavCtrl@CNavDlgBar@@UAEXX | 1 |
| ?HidePrivateCtrl@CNavDlgBar@@UAEXXZ | 1 |
| ?ShowPrivateCtrl@CNavDlgBar@@UAEXXZ | 1 |
| ?OnInitDialog@CNavDlgBar@@MAEHXZ | 1 |
| ??0DATA_CONTAINER@@QAE@XZ | 1 |
| ?GetCopy@tagSysStatus@@UAEPAVDATA_! | 1 |
| ?OnUpdateCtrlMessage@CCommand@@U | 1 |
| ?OnCtrlMessage@CCommand@@UAEGGPA | 1 |
| ?GetSubCmdName@CCommand@@UAEPA | 1 |
| ??0Command@@IAE@PBDO@Z | 1 |
| ?SetCommandAttrib@CCommand@@QAEX | 1 |
| ?OnVector3D@CCommand@@UAEGAAVInp | 1 |
| ?OnPlane3D@CCommand@@UAEGAAVInp | 1 |
| ?OnUserCmd@CCommand@@UAEGPAVDA | 1 |
| ?uiCommandPrompt@CCommand@@UAE | 1 |

| | |
|------------------------------------|---|
| ?OnHelp@CCommand@@UAEHXZ | 1 |
| ?IsCommandLocked@CCommand@@QBEH: | 1 |
| ?GetNavWindow@CCmdTool@@QAEPAVCI | 1 |
| ?GetCtrlPrompt@CNavDlgBar@@QAEHHAA | 1 |
| ?GetToolType@CCmdTool@@QBEGXZ | 1 |
| ?GetCommandType@CCmdObject@@QBEG | 1 |
| ??1CCommand@@UAE@XZ | 1 |
| ?OnAccelKey@CNavDlgBar@@QAEHH@Z | 1 |
| ?GetCurWindow@CCmdTool@@QAEPAVCN | 1 |
| ?SetCurWindow@CCmdTool@@QAEXPACV | 1 |
| ?GetCmdSubFunc@CCommand@@QBEGXZ | 1 |
| ?GetCommandName@CCommand@@QAEF | 1 |
| ?SetToolID@CCmdTool@@QAEXH@Z | 1 |
| ?SetToolType@CCmdTool@@QAEXG@Z | 1 |
| ?OnDirect3D@CCommand@@UAEGAAVInp | 1 |
| ?OnPick3D@CCommand@@UAEGAAVInput | 1 |
| ?OnPick2D@CCommand@@UAEGAAVInput | 1 |
| ?OnString@CCommand@@UAEGAAVInput\ | 1 |
| ?OnChar@CCommand@@UAEGAAVInputV\ | 1 |
| ?OnLong@CCommand@@UAEGAAVInputV\ | 1 |
| ?OnDouble@CCommand@@UAEGAAVInput\ | 1 |
| ?OnLength@CCommand@@UAEGAAVInput | 1 |
| ?OnAngle@CCommand@@UAEGAAVInputA | 1 |
| ?OnPoint@CCommand@@UAEGAAVInputP | 1 |
| ?GetDirectInputMode@CCommand@@UAE | 1 |
| ?OnTimer@CCommand@@UAEGVCPoint@ | 1 |
| ?OnTimer@CCommand@@UAEGAAVInputF | 1 |
| ?OnKeyChar@CCommand@@UAEGIII@Z | 1 |
| ?OnKeyChar@CCommand@@UAEGAAVInpi | 1 |
| ?OnKeyUp@CCommand@@UAEGIII@Z | 1 |
| ?OnKeyUp@CCommand@@UAEGAAVInput | 1 |
| ?OnKeyDown@CCommand@@UAEGIII@Z | 1 |
| ?OnKeyDown@CCommand@@UAEGAAVInj | 1 |
| ?OnMBDbIClk@CCommand@@UAEGAAVIn | 1 |
| ?OnRBDbIClk@CCommand@@UAEGAAVInç | 1 |
| ?OnLBDbIClk@CCommand@@UAEGAAVInp | 1 |
| ?OnMButtonUp@CCommand@@UAEGAAV | 1 |
| ?OnMButtonDown@CCommand@@UAEGA | 1 |
| ?OnLButtonUp@CCommand@@UAEGAAVIr | 1 |
| ?OnRButtonUp@CCommand@@UAEGAAVII | 1 |
| ?OnRButtonDown@CCommand@@UAEGA/ | 1 |
| ?EndPickProcess@CCommand@@UAEHXZ | 1 |
| ?OnUpdatePickMessage@CCommand@@U. | 1 |
| ?OnPickMessage@CCommand@@UAEGGP/ | 1 |
| ?OnPointPick@CCommand@@UAEGAAVInç | 1 |
| ?OnMouseMovePick@CCommand@@UAEX | 1 |
| ?UpdateViewBox@CCommand@@UAEHHA | 1 |

| | |
|--------------------------------------|---|
| ?UpdateData@CCommand@@UAEXXZ | 1 |
| ?OnGetCtrlMessageString@CCommand@@ | 1 |
| ?DrawGL@CCommand@@UAEXXZ | 1 |
| ?DrawGL@CCommand@@UAEXH@Z | 1 |
| ?Draw@CCommand@@UAEXXZ | 1 |
| ?Resume@CCommand@@UAEGXZ | 1 |
| ?Suspend@CCommand@@UAEXXZ | 1 |
| ?MessageEntry@CCmdObject@@UAEHAAU | 1 |
| ?GetCommandMessageString@CCommand(| 1 |
| ?GetPromptName@CCommand@@UAEPAL | 1 |
| ?GetMenuName@CCommand@@UAEPADC | 1 |
| ?IsEnabled@CCommand@@UAEHAAVtagSy | 1 |
| ?CanAppendCommand@CCommand@@UA | 1 |
| ?CreateNavigationMenu@CCommand@@U | 1 |
| ?IsCommand@CCommand@@UAEPBD@Z | 1 |
| ?CanShowDynCursor@CCommand@@UBEI | 1 |
| ?IsCommandPicked@CCommand@@UBEH> | 1 |
| ?Destory@CCommand@@UAEXXZ | 1 |
| ?Create@CCommand@@UAEXPACCmdOb | 1 |
| ?GetPoint@CCommand@@IAEHAADVInputN | 1 |
| ?OnNotify@CParamDlg2D@@UAEHIPAJ@Z | 1 |
| ?OnOK@CParamDlg2D@@MAEXXZ | 1 |
| ?OnCancel@CParamDlg2D@@MAEXXZ | 1 |
| ?GetNavClientRect@CParamDlg2D@@UAE | 1 |
| ?OnNavButton@CParamDlg2D@@MAEXI@; | 1 |
| ?OnUpdateNavButton@CParamDlg2D@@M | 1 |
| ?OnCtlColor@CParamDlg2D@@MAEPAUHB | 1 |
| ?OnSelectUpdate@CParamDlg2D@@UAEXP | 1 |
| ?OnCommand@CParamDlg2D@@UAEHIJ@. | 1 |
| ?OnUpdateOK@CParamDlg2D@@MAEXPA\ | 1 |
| ?OnUpdateCancel@CParamDlg2D@@MAEX | 1 |
| ?OnDestroy@CParamDlg2D@@MAEXXZ | 1 |
| ?OnUpdateOK@CParamDlg@@MAEXPACCC | 1 |
| ?GetThisMessageMap@CParamDlg@@KGPI | 1 |
| ??1CSelListCtrl@@UAE@XZ | 1 |
| ?GetSelEleCount@CSelListCtrl@@QAEHXZ | 1 |
| ??0CParamDlg@@QAE@XZ | 1 |
| ?DestroyWindow@CParamDlg2D@@UAEH> | 1 |
| ?GetRuntimeClass@CParamDlg2D@@UBEP | 1 |
| ?PromptSelect@CPromptRecord@@QAEXIII | 1 |
| ?PickSelect@CPromptRecord@@QAEXI@Z | 1 |
| ?glbf_GetPromptRecord@@YAPAVCPrompt | 1 |
| ??1CParamDlg2D@@UAE@XZ | 1 |
| ??0CParamDlg2D@@QAE@XZ | 1 |
| ?OnArrowUpdate@CParamDlg2D@@UAEXF | 1 |
| ??0CSelListCtrl@@QAE@XZ | 1 |
| ??1CParamDlg@@UAE@XZ | 1 |

| | |
|--|---|
| ?GetRuntimeClass@CParamDlg@@UBEPAU | 1 |
| ?DestroyWindow@CParamDlg@@UAEHXZ | 1 |
| ?OnCommand@CParamDlg@@UAEHIJ@Z | 1 |
| ?OnNotify@CParamDlg@@UAEHIPAJ@Z | 1 |
| ?OnOK@CParamDlg@@MAEXXZ | 1 |
| ?OnCancel@CParamDlg@@MAEXXZ | 1 |
| ?GetNavClientRect@CParamDlg@@UAEXA\ | 1 |
| ?OnNavButton@CParamDlg@@MAEXI@Z | 1 |
| ?OnUpdateNavButton@CParamDlg@@MAE | 1 |
| ?OnCtlColor@CParamDlg@@MAEPAUHBRU | 1 |
| ?OnSelectUpdate@CParamDlg@@UAEXPAN | 1 |
| ?OnArrowUpdate@CParamDlg@@UAEXPAN\ | 1 |
| ?OnUpdateCancel@CParamDlg@@MAEXPAN | 1 |
| ?OnDestroy@CParamDlg@@MAEXXZ | 1 |
| ?Resume@CCmdParam2D@@UAEGPAVCCc | 1 |
| ?Suspend@CCmdParam2D@@UAEXPAPAVCCc | 1 |
| ?End@CCmdParam2D@@UAEXG@Z | 1 |
| ?Begin@CCmdParam2D@@UAEGGPAX@Z | 1 |
| ?SetCommand@CParamDlg2D@@QAEXPAN\ | 1 |
| ?AttachToNavWindow@CParamDlg2D@@Q | 1 |
| ??0CCmdParam2D@@QAE@PBD0@Z | 1 |
| ?IsCommandPicked@CCommandEx2D@@U | 1 |
| ?DrawGL@CCmdParam2D@@UAEXH@Z | 1 |
| ?OnMouseMovePick@CCommandEx2D@@I | 1 |
| ?OnPointPick@CCommandEx2D@@UAEGA\ | 1 |
| ?OnPickMessage@CCommandEx2D@@UAE | 1 |
| ?OnUpdatePickMessage@CCommandEx2D@C | 1 |
| ?EndPickProcess@CCommandEx2D@@UAEI | 1 |
| ?GetDirectInputMode@CCommandEx2D@C | 1 |
| ?PromptMessageEx@CCommandEx2D@@U | 1 |
| ?ShowGDI@CCommandEx2D@@UAEXXZ | 1 |
| ?HideGDI@CCommandEx2D@@UAEXXZ | 1 |
| ?FindSelected@CCmdParam2D@@UAEPAN\ | 1 |
| ?OnMouseMove_Pick@CCmdParam2D@@I | 1 |
| ?OnMouseMovePrompt@CCmdParam2D@C | 1 |
| ?OnPointPick_Pick@CCmdParam2D@@MAE | 1 |
| ?DelParamDlg@CCmdParam2D@@UAEXXZ | 1 |
| ?UpdatePreviewData@CCmdParam2D@@U | 1 |
| ??1CCommandEx2D@@UAE@XZ | 1 |
| ?ClearAll@CSelListCtrl@@QAEXH@Z | 1 |
| ?Redraw@CCommandEx@@QAEXXZ | 1 |
| ?SetCommand@CParamDlg@@QAEXPAPAVCC | 1 |
| ?AttachToNavWindow@CParamDlg@@QAE | 1 |
| ?RegisterSelListCtrl@CParamDlg@@QAEHKI | 1 |
| ?RegisterProcess@CParamDlg@@QAEXHGF | 1 |
| ?AddSelSet@CSelListCtrl@@QAEHPAVCSelS | 1 |
| ?End@CCmdParam@@UAEXG@Z | 1 |

| | |
|---------------------------------------|---|
| ?Begin@CCmdParam@@UAEGGPAX@Z | 1 |
| ?AddSelSet@CSelListCtrl@@QAEHPAVCSelS | 1 |
| ??0CCmdParam@@QAE@PBDO@Z | 1 |
| ?Suspend@CCmdParam@@UAEXPACVCom | 1 |
| ?Resume@CCmdParam@@UAEGPAVCCom | 1 |
| ?DrawGL@CCmdParam@@UAEXH@Z | 1 |
| ?CreateCtrlButton@CCommandEx@@UAEX | 1 |
| ?DeleteCtrlButton@CCommandEx@@UAEX | 1 |
| ?FindSelected@CCmdParam@@UAEHPAVC | 1 |
| ?OnMouseMove_Pick@CCmdParam@@MA | 1 |
| ?OnMouseMovePrompt@CCmdParam@@N | 1 |
| ?OnPointPick_Pick@CCmdParam@@MAEG/ | 1 |
| ?CanPopupSelectMenu@CCmdParam@@M | 1 |
| ?DelParamDlg@CCmdParam@@UAEXXZ | 1 |
| ?OnPopupMenu@CCmdParam@@UAEXXZ | 1 |
| ?UpdatePreviewData@CCmdParam@@UAE | 1 |
| ?sysEndPick@CCommandEx@@IAEXXZ | 1 |
| ?SetCurrProcess@CParamDlg@@QAEXH@Z | 1 |
| ?HideAllSelect@CSelListCtrl@@QAEXXZ | 1 |
| ?DrawGL@CSelListCtrl@@QAEXXZ | 1 |
| ?DrawDC@CSelListCtrl@@QAEXXZ | 1 |
| ?End@CCommandEx@@UAEXG@Z | 1 |
| ?Begin@CCommandEx@@UAEGGPAX@Z | 1 |
| ?HideGDI@CCommandEx@@UAEXXZ | 1 |
| ?ShowGDI@CCommandEx@@UAEXXZ | 1 |
| ?BeginPick@CCommandEx@@IAEXHHHH@ | 1 |
| ??0CCommandEx@@QAE@PBDO@Z | 1 |
| ??1CCommandEx@@UAE@XZ | 1 |
| ?IsCommandPicked@CCommandEx@@UBE | 1 |
| ?Draw@CCommandEx@@UAEXXZ | 1 |
| ?DrawGL@CCommandEx@@UAEXH@Z | 1 |
| ?OnMouseMovePick@CCommandEx@@UA | 1 |
| ?OnPointPick@CCommandEx@@UAEGAIV | 1 |
| ?OnPickMessage@CCommandEx@@UAEGC | 1 |
| ?OnUpdatePickMessage@CCommandEx@@@ | 1 |
| ?EndPickProcess@CCommandEx@@UAEHX: | 1 |
| ?GetDirectInputMode@CCommandEx@@U | 1 |
| ?PromptMessageEx@CCommandEx@@UAE | 1 |
| ?FindSelected@CCommandEx@@UAEHPAV | 1 |
| ?OnMouseMove_Pick@CCommandEx@@M | 1 |
| ?OnMouseMovePrompt@CCommandEx@@@ | 1 |
| ?OnPointPick_Pick@CCommandEx@@MAE\ | 1 |
| ?CanPopupSelectMenu@CCommandEx@@I | 1 |
| ?GetThisMessageMap@CParamDlg2D@@K | 1 |
| ?GetName@CVIRecord@@QAEPADXZ | 1 |
| ?GetFirstSelected@CSelSet@@QAEPAVCSel | 1 |
| ?GetCurrCmdTool@CModel@@QAEGXZ | 1 |

| | |
|--------------------------------------|---|
| ?SetCurrCPlaneByLF@CModel@@QAEXPAU | 1 |
| ?GetVIManager@CModel@@QAEPAVCVIM | 1 |
| ?AddNewGView@CVIManager@@QAEHPB | 1 |
| ?SetGViewRandom@CModel@@QAEXXZ | 1 |
| ?SendMsgToCmdManager@CModel@@QAI | 1 |
| ?GetUCSLevel@CModel@@QAEPAVCEttLev | 1 |
| ?CalcLFBox@CSelSet@@QAEHPAU_rect_fm | 1 |
| ?RestoreVIEnv@VIRecord@@QAEXH@Z | 1 |
| ??0VIRecord@@QAE@XZ | 1 |
| ?GetVIRecord@CModel@@QAEPAVCVIRecc | 1 |
| ?ArchiveVIEnv@VIRecord@@QAEXH@Z | 1 |
| ??4VIRecord@@QAEAAV0@ABV0@@Z | 1 |
| ??1VIRecord@@UAE@XZ | 1 |
| ?CalcVisibleEntityBox@CModel@@QAEHAA | 1 |
| ?BeginCommandUndo@CModel@@QAEXP | 1 |
| ?EndCommandUndo@CModel@@QAEXPAA | 1 |
| ?GetCurrUCSFrame@CModel@@QAEHPAU_ | 1 |
| ??0PickResult@@QAE@XZ | 1 |
| ?Clear@PickResult@@QAEXXZ | 1 |
| ??0CDnavInfo@@QAE@XZ | 1 |
| ?Navigate@CModel@@QAEHPAVCDnavInfc | 1 |
| ?IsGeoCurve@PickResult@@QAEHXZ | 1 |
| ??4PickResult@@QAEAAV0@ABV0@@Z | 1 |
| ??0winPickInfo@@QAE@XZ | 1 |
| ?SetViewLF@winPickInfo@@QAEHPAU_rect | 1 |
| ?DefineBox@winPickInfo@@QAEQAN0@Z | 1 |
| ?Pick@CModel@@QAEHPAVwinPickInfo@C | 1 |
| ?FindSelected@CSelSet@@QAEPAVCSEL | 1 |
| ?UpdateViewBox@CModel@@QAEXH@Z | 1 |
| ?GetViewBox@CModel@@QAEHAAU_box3 | 1 |
| ?ClearSelectedFlag@CModel@@QAEXXZ | 1 |
| ?SetFilterInfo@PickInfo@@QAEXPBV1@@Z | 1 |
| ?SetEleFltProc@CSelSet@@QAEXP6GHPAVC | 1 |
| ?PriorityRanked@CSelSet@@QAEHAAVptPi | 1 |
| ?IsSamePrompting@CSelSet@@QAEHAAVp | 1 |
| ?FindSelected@CSelSet@@QAEPAVCSEL | 1 |
| ?SetPrompting@CSelSet@@QAEHPAVptPicl | 1 |
| ??0CEleInfo@@QAE@XZ | 1 |
| ?PickOnThisSet@CSelSet@@QAEPAVCSEL | 1 |
| ??1CEleInfo@@QAE@XZ | 1 |
| ?ShowPrompting@CSelSet@@QAEXXZ | 1 |
| ?GetSelectCount@CModel@@QAEHXZ | 1 |
| ?RemovePrompting@CSelSet@@QAEXH@Z | 1 |
| ?WinPick@CSelSet@@QAEHQAN0HH@Z | 1 |
| ?PickPrompting@CSelSet@@QAEHQAN0HC | 1 |
| ?UpdateLevelBox@CModel@@QAEXH@Z | 1 |
| ?GetBox@CModel@@QAEHAAU_box3d@@ | 1 |

| | |
|---|---|
| ?GetName@CEntity3D@@QAEPADXZ | 1 |
| ?SurfNC_GetCurPathModel@@YAPAVCEttPl | 1 |
| ?BeginPathUndo@CModel@@QAEHPBD@Z | 1 |
| ?UD_MergeModel@CEttPModelEx@@QAEY | 1 |
| ?EndPathUndo@CModel@@QAEXXZ | 1 |
| ?SetAttrib@CEntity3D@@QAEXH@Z | 1 |
| ?SetState@CEntity3D@@QAEXH@Z | 1 |
| ?UpdateViewBoxEx@CEntity3D@@QAEXH@C | 1 |
| ?UD_AddEntity@CModel@@QAEHPAVCEnt | 1 |
| ?UD_AddLevel@CModel@@QAEHPAVCEttL | 1 |
| ?GetCurrLevel@CModel@@QAEPAVCEttLev | 1 |
| ?UD_DeleteEntList@CModel@@QAEHPAV? | 1 |
| ?ClearSelSet@CModel@@QAEXH@Z | 1 |
| ?GetAttrib@CEntity3D@@QBEHXZ | 1 |
| ?RemoveAllSelected@CSelSet@@QAEXH@Z | 1 |
| ?IsCoplanar@CSelSet@@QAEHQAN0NN@Z | 1 |
| ?GetCPlaneLF@CEttUCS@@QAEXPAPU_rect_ | 1 |
| ?GetLocLF@CEttUCS@@QBEXPAPU_rect_fm: | 1 |
| ?EnableSketch2D@CModel@@QAEXPAPU_re | 1 |
| ?DisableSketch2D@CModel@@QAEXXZ | 1 |
| ?GetSketchFlag@CModel@@QAEHXZ | 1 |
| ?GetCurrCPlaneFrame@CModel@@QAEHP/ | 1 |
| ?ClearAll@CSelSet@@QAEXH@Z | 1 |
| ?GetGeomType@CEttSurface@@QAEHXZ | 1 |
| ?GetGeomType@CEttCBSurf@@QAEHXZ | 1 |
| ?DrawGL@CSelSet@@QAEXXZ | 1 |
| ?MoveTopEntityTo@CSelSet@@QAEXAAV?` | 1 |
| ?BeginUndo@CModel@@QAEHPBD@Z | 1 |
| ?UD_Modify@CEntity3D@@QAEXH@Z | 1 |
| ?SetColor@CEntity3D@@QAEXK@Z | 1 |
| ?SetColorAttrib@CEntity3D@@QAEXH@Z | 1 |
| ?SetLineStyle@CEntity3D@@QAEXH@Z | 1 |
| ?SetLineStyleAttrib@CEntity3D@@QAEXH@ | 1 |
| ?SetLineWidth@CEntity3D@@QAEXH@Z | 1 |
| ?SetLineWidthAttrib@CEntity3D@@QAEXH@ | 1 |
| ?EndUndo@CModel@@QAEXXZ | 1 |
| ?DelSelEleList@@YAXAAV?\$CTypedPtrList@ | 1 |
| ?GetFirstSelected@CSelSet@@QAEPAVCSEL | 1 |
| ??OptPickInfo@@QAE@XZ | 1 |
| ?DefViewDir@ptPickInfo@@QAEXQAN0@Z | 1 |
| ?GetViewLF@CModel@@QAEPAPU_rect_fm: | 1 |
| ?DefAccPnt@ptPickInfo@@QAEXPAPU_rect_ | 1 |
| ?GetPickTol@CModel@@QAENXZ | 1 |
| ?PickFromModel@CSelSet@@QAEHPAVptP | 1 |
| ?GetTopEntity@CEntity3D@@QAEPAV1@XZ | 1 |
| ?GetColor@CEntity3D@@QBEKXZ | 1 |
| ?GetLineStyle@CEntity3D@@QBEHXZ | 1 |

| | |
|---------------------------------------|---|
| ?GetLineWidth@CEntity3D@@QBEHXZ | 1 |
| ??1PickInfo@@UAE@XZ | 1 |
| ?GetSelSet@CModel@@QAEPAVCSelSet@C | 1 |
| ?SetCPlaneType@CEttUCS@@QAEXH@Z | 1 |
| ?GetUndoSupport@CModel@@QAEPAVCUI | 1 |
| ?GetPathUndoSupport@CModel@@QAEPAP` | 1 |
| ?GetCurrUCS@CModel@@QBEPAVCEttUCS | 1 |
| ?GetCPlaneType@CEttUCS@@QAEXHZ | 1 |
| ?GetGViewTag@CModel@@QAEXHZ | 1 |
| ?ModifyMaxUndoTimes@CModel@@QAEH | 1 |
| ?ModifyMaxRedoTimes@CModel@@QAHI | 1 |
| ?SetModifyFlag@CModel@@QAEXH@Z | 1 |
| ?SetSaveModifyFlag@CModel@@QAEXH@Z | 1 |
| ?SetAutoSaveModifyFlag@CModel@@QAEXH | 1 |
| ?GetAutoSaveModifyFlag@CModel@@QAEXH | 1 |
| ?GetSaveModifyFlag@CModel@@QAEXHZ | 1 |
| ?GetChild@CEttGroup@@QAEPAVCEntity3D | 1 |
| ?GetCPlaneTag@VIRecord@@QBEHAAH0@ | 1 |
| ?DeleteGView@CVIManager@@QAEEHAAPA | 1 |
| ?DeleteUserGView@CVIManager@@QAEXH | 1 |
| ?UpdateBox@CSelSet@@QAEPAU_box3d@ | 1 |
| ?CalcSelSetViewBox@CModel@@QAEEHAAL | 1 |
| ?CheckLevelName@CModel@@QAEXQAD@ | 1 |
| ?UD_MoveToChildTail@CEntity3D@@QAEX | 1 |
| ??0CEttLevel@@QAE@XZ | 1 |
| ?RemoveAllEntity@CSelSet@@QAEXPAAUELI | 1 |
| ?IsPickable@CEntity3D@@QBEHXZ | 1 |
| ?AddSelected@CSelSet@@QAEPAVCSelEleC | 1 |
| ?ShowGL@CSelSet@@QAEXXZ | 1 |
| ?UD_DelLevel@CModel@@QAEEHPAVCEttLe | 1 |
| ?GetLevel@CEntity3D@@QBEPAVCEttLevel | 1 |
| ?GetChildCount@CEttGroup@@QBEHXZ | 1 |
| ?SetCurrLevel@CModel@@QAEXPACETtLe | 1 |
| ?SetPickPixelTol@CModel@@QAEXH@Z | 1 |
| ?SetViewLF@CModel@@QAEXPAX@Z | 1 |
| ?SwitchCPlane@CModel@@QAEXHZ | 1 |
| ??0CModel@@QAE@XZ | 1 |
| ??1CModel@@QAE@XZ | 1 |
| ?GetLevelList@CModel@@QAEPAV?\$CType | 1 |
| ?CMG_OnRButtonDown@CCmdManager@() | 1 |
| ?CMG_OnRButtonUp@CCmdManager@@U | 1 |
| ?CMG_OnRDBlClk@CCmdManager@@UAE | 1 |
| ?CMG_OnMButtonDown@CCmdManager@ | 1 |
| ?CMG_OnMButtonUp@CCmdManager@@@L | 1 |
| ?CMG_OnMButtonDblClk@CCmdManager@ | 1 |
| ?CMG_OnMouseMove@CCmdManager@@@ | 1 |
| ?CMG_OnChar@CCmdManager@@UAEXIII, | 1 |

| | |
|------------------------------------|---|
| ?CMG_OnKeyUp@CCmdManager@@UAEXI | 1 |
| ?CMG_OnEscape@CCmdManager@@UAEX | 1 |
| ?CMG_OnIdle@CCmdManager@@UAEXXZ | 1 |
| ?CMG_OnTimer@CCmdManager@@UAEXV | 1 |
| ?CMG_OnDraw@CCmdManager@@UAEXP | 1 |
| ?CMG_OnDrawGL@CCmdManager@@UAE | 1 |
| ?CMG_OnCommandMessage@CCmdManag | 1 |
| ?CMG_OnHelp@CCmdManager@@UAEHXZ | 1 |
| ?CMG_GetViewBox@CCmdManager@@UA | 1 |
| ?CMG_OnPoint@CCmdManager@@UAEXQ | 1 |
| ?CMG_OnAngle@CCmdManager@@UAEXN | 1 |
| ?CMG_OnLength@CCmdManager@@UAEX | 1 |
| ?CMG_OnPick2D@CCmdManager@@UAEXI | 1 |
| ?CMG_OnPick3D@CCmdManager@@UAEXI | 1 |
| ?CMG_OnDirect3D@CCmdManager@@UAE | 1 |
| ?CMG_OnVector3D@CCmdManager@@UA | 1 |
| ?CMG_OnPlane3D@CCmdManager@@UAE | 1 |
| ?CMG_OnUserCmd@CCmdManager@@UA | 1 |
| ?PutChar@CCmdManager@@MAEXEH@Z | 1 |
| ?RegisterToolCommand@CCmdManager@C | 1 |
| ?SetDefaultSnapMask@CCmdManager@@C | 1 |
| ?SelectTool@CCmdManager@@UAEGGPAX | 1 |
| ?SetCoordSystem@CCmdManager@@QAEX | 1 |
| ?GetAutoSnapFlag@CCmdManager@@QAE | 1 |
| ?SetAutoSnapFlag@CCmdManager@@QAE) | 1 |
| ?CMG_OnLButtonUp@CCmdManager@@U | 1 |
| ?CMG_OnLButtonDown@CCmdManager@C | 1 |
| ?OnUpdateCtrlMessage@CCmdManager@C | 1 |
| ?OnCtrlMessage@CCmdManager@@UAEXC | 1 |
| ??1CCmdManager@@UAE@XZ | 1 |
| ??0CCmdManager@@IAE@XZ | 1 |
| ?SelectTool@CCmdManager@@UAEGPBDP | 1 |
| ?RunChildCommand@CCmdManager@@IA | 1 |
| ??0CommandRecord@@QAE@XZ | 1 |
| ?Sound@CCmdManager@@IAEXH@Z | 1 |
| ?GetValidSnapMode@CCmdManager@@Q | 1 |
| ?GetCurrCommandChildCounts@CCmdMan | 1 |
| ?GetCurrChildCommand@CCmdManager@C | 1 |
| ?Destory@CCmdManager@@UAEXXZ | 1 |
| ?MessageEntry@CCmdManager@@UAEHA | 1 |
| ?Create@CCmdManager@@UAEHPAVCVie | 1 |
| ?CMG_OnKeyDown@CCmdManager@@UA | 1 |
| ?Prompt@CCmdManager@@QAEXXZ | 1 |
| ?Warning@CCmdManager@@QAEXXZ | 1 |
| ?RunCommand@CCmdManager@@QAEHP | 1 |
| ?CmdIsEnable@CCmdManager@@QAEHPA | 1 |
| ?SetInputMode@CCmdManager@@QAEXH | 1 |

| | |
|---------------------------------------|---|
| ?SearchCommand@CCmdManager@@QAEI | 1 |
| ?AttachToolNavWindow@CCmdManager@() | 1 |
| ?DeleteCommand@CCmdManager@@QAEI | 1 |
| ?RegisterCommand@CCmdManager@@QA | 1 |
| ?SearchToolByType@CCmdManager@@QA | 1 |
| ?SearchToolByName@CCmdManager@@QV | 1 |
| ?RunChildCommand@CCmdManager@@QA | 1 |
| ?GetRunningCommandCounts@CCmdManager | 1 |
| ?GetDefaultSnapMask@CCmdManager@@Q | 1 |
| ?GetAutoSnapMask@CCmdManager@@QA | 1 |
| ?SetAutoSnapMask@CCmdManager@@QAI | 1 |
| ?SetManagerSnapModeFP@CCmdManager@ | 1 |
| ?GetCurrCommand@CCmdManager@@QAI | 1 |
| ?GetCurrToolType@CCmdManager@@QAEI | 1 |
| ?SearchToolByID@CCmdManager@@QAEP | 1 |
| ?GetInputMode@CCmdManager@@QAEHX | 1 |
| ?GetCoordSystem@CCmdManager@@QAEI | 1 |
| ?CmdIsCheck@CCmdManager@@QAEHPBC | 1 |
| ?GetCurrToolCommand@CCmdManager@C | 1 |
| ?GetManagerSnapMode@CCmdManager@() | 1 |
| ?SetManagerSnapModeFS@CCmdManager@ | 1 |
| ?CmdIsEnable@CCmdManager@@QAEHPB | 1 |
| ?RegisterCommand@CCmdManager@@QA | 1 |
| ?GetCommandEnv@CCmdManager@@QAE | 1 |
| ?RunCommand@CCmdManager@@QAEHP | 1 |
| ?CMG_OnLDbIClk@CCmdManager@@UAE | 1 |
| ?Detach@CJdpServer3X@@UAEXXZ | 1 |
| ?GetSupportVersionCount@CJdpServer3X@ | 1 |
| ?GetSupportVersionName@CJdpServer3X@ | 1 |
| ?IsValid@CJdpServer3X@@UAEHXZ | 1 |
| ?GetVersion@CJdpServer3X@@UAEHAAK@ | 1 |
| ?Attach@CJdpServer3X@@UAEHPAVCFil | 1 |
| ??1CJdpServer3X@@UAE@XZ | 1 |
| ?UpdateTextData@CJdpServer2X@@UAEXP | 1 |
| ?IllegalTextToCurve@CJdpServer2X@@UAE | 1 |
| ?FindIllegalFontID@CJdpServer2X@@UAEH | 1 |
| ?ImportPath@CJdpServer2X@@UAEHPAV?S | 1 |
| ?ImportGlib@CJdpServer2X@@UAEHPAVCE | 1 |
| ?ImportFile@CJdpServer2X@@UAEHPAV?SI | 1 |
| ?OpenFile@CJdpServer2X@@UAEHXZ | 1 |
| ?GetPreviewBitmap@CJdpServer2X@@UAE | 1 |
| ?GetPreviewBitmap@CJdpServer2X@@UAE | 1 |
| ?GetClientName@CJdpServer2X@@UAEHA | 1 |
| ?GetAuthorName@CJdpServer2X@@UAEHA | 1 |
| ?GetNotes@CJdpServer2X@@UAEHAAV?SC | 1 |
| ?GetKeyWord@CJdpServer2X@@UAEHAAV | 1 |
| ?GetVersion@CJdpServer2X@@UAEHAAV?S | 1 |

| | |
|--|---|
| ?GetVersion@CJdpServer2X@@UAEHAAK@ | 1 |
| ?IsValid@CJdpServer2X@@UAEHXZ | 1 |
| ?GetSupportVersionName@CJdpServer2X@ | 1 |
| ?GetKeyWord@CJdpServer3X@@UAEHAAV | 1 |
| ?GetNotes@CJdpServer3X@@UAEHAAV?\$C | 1 |
| ?GetAuthorName@CJdpServer3X@@UAEH/ | 1 |
| ?GetClientName@CJdpServer3X@@UAEHA | 1 |
| ?GetPreviewBitmap@CJdpServer3X@@UAE | 1 |
| ?GetPreviewBitmap@CJdpServer3X@@UAE | 1 |
| ?OpenFile@CJdpServer3X@@UAEHXZ | 1 |
| ?ImportFile@CJdpServer3X@@UAEHPAV?\$I | 1 |
| ?ImportGlib@CJdpServer3X@@UAEHPAVCE | 1 |
| ?ImportPath@CJdpServer3X@@UAEHPAV?{ | 1 |
| ??1CJdpServer4X@@UAE@XZ | 1 |
| ?Attach@CJdpServer4X@@UAEHPAVCF@ | 1 |
| ?Detach@CJdpServer4X@@UAEXXZ | 1 |
| ?GetSupportVersionCount@CJdpServer4X@ | 1 |
| ?GetSupportVersionName@CJdpServer4X@ | 1 |
| ?IsValid@CJdpServer4X@@UAEHXZ | 1 |
| ?IsValidPassWord@CJdpServer4X@@UAEHI | 1 |
| ?GetVersion@CJdpServer4X@@UAEHAAK@ | 1 |
| ?UpdateTextData@CJdpServer@@UAEXP@\\ | 1 |
| ?IllegalTextToCurve@CJdpServer@@UAEXP. | 1 |
| ?FindIllegalFontID@CJdpServer@@UAEHPA | 1 |
| ?IsValidPassWord@CJdpServer@@UAEHHQ | 1 |
| ?Detach@CJdpServer@@UAEXXZ | 1 |
| ?Attach@CJdpServer@@UAEHPAVCF@{@ | 1 |
| ??1CJdpServer@@UAE@XZ | 1 |
| ?ImportClip@CJdpServer5X@@UAEHPAVCE | 1 |
| ?ImportClip@CJdpServer5X@@UAEHPAV?{\$ | 1 |
| ?ImportPath@CJdpServer5X@@UAEHPAV?{ | 1 |
| ?ImportGlib@CJdpServer5X@@UAEHPAVCE | 1 |
| ?ImportFile@CJdpServer5X@@UAEHPAV?\$I | 1 |
| ?OpenFile@CJdpServer5X@@UAEHXZ | 1 |
| ?GetPreviewBitmap@CJdpServer5X@@UAE | 1 |
| ?GetPreviewBitmap@CJdpServer5X@@UAE | 1 |
| ?GetClientName@CJdpServer5X@@UAEHA | 1 |
| ?GetAuthorName@CJdpServer5X@@UAEH/ | 1 |
| ?GetNotes@CJdpServer5X@@UAEHAAV?\$C | 1 |
| ?GetKeyWord@CJdpServer5X@@UAEHAAV | 1 |
| ?GetVersion@CJdpServer5X@@UAEHAAV?{ | 1 |
| ?GetVersion@CJdpServer5X@@UAEHAAK@ | 1 |
| ?IsValidPassWord@CJdpServer5X@@UAEHI | 1 |
| ?IsValid@CJdpServer5X@@UAEHXZ | 1 |
| ?GetSupportVersionName@CJdpServer5X@ | 1 |
| ?GetSupportVersionCount@CJdpServer5X@ | 1 |
| ?Detach@CJdpServer5X@@UAEXXZ | 1 |

| | |
|--|---|
| ?Attach@CJdpServer5X@@UAEHPAVCFile@ | 1 |
| ??1CJdpServer5X@@UAE@XZ | 1 |
| ?ImportPath@CJdpServer4X@@UAEHPAV?` | 1 |
| ?ImportGlib@CJdpServer4X@@UAEHPAVCE | 1 |
| ?ImportFile@CJdpServer4X@@UAEHPAV?\$` | 1 |
| ?OpenFile@CJdpServer4X@@UAEHXZ | 1 |
| ?GetPreviewBitmap@CJdpServer4X@@UAE | 1 |
| ?GetPreviewBitmap@CJdpServer4X@@UAE | 1 |
| ?GetClientName@CJdpServer4X@@UAEHA` | 1 |
| ?GetAuthorName@CJdpServer4X@@UAEHA` | 1 |
| ?GetNotes@CJdpServer4X@@UAEHAAV?\$C | 1 |
| ?GetKeyWord@CJdpServer4X@@UAEHAAV | 1 |
| ?GetVersion@CJdpServer4X@@UAEHAAV?` | 1 |
| ?OpenFile@CJdpFileServer@@QAEHAAV?\$C | 1 |
| ?SaveFile@CJdpFileServer@@QAEHAAV?\$C | 1 |
| ?SaveSome2D@CJdpFileServer@@QAEHAA` | 1 |
| ?SetFltEntity2D@CJdpFileServer@@QAEXP` | 1 |
| ?SaveSome3D@CJdpFileServer@@QAEHAA` | 1 |
| ?SetFltEntity3D@CJdpFileServer@@QAEXP` | 1 |
| ?ExportGlib@CJdpServer5X@@QAEHPAPAV | 1 |
| ??0CJdpServer5X@@QAE@XZ | 1 |
| ?GetSupportVersionCount@CJdpServer2X@ | 1 |
| ?Detach@CJdpServer2X@@UAEXXZ | 1 |
| ?Attach@CJdpServer2X@@UAEHPAVCFile@ | 1 |
| ??1CJdpServer2X@@UAE@XZ | 1 |
| ??1CJdpFileServer@@QAE@XZ | 1 |
| ?Detach@CJdpFileServer@@QAEXXZ | 1 |
| ?GetPreviewBitmap@CJdpFileServer@@QA | 1 |
| ?GetPreviewBitmap@CJdpFileServer@@QA | 1 |
| ?GetNotes@CJdpFileServer@@QAEHAAV?\$ | 1 |
| ?GetClientName@CJdpFileServer@@QAEHA` | 1 |
| ?GetAuthorName@CJdpFileServer@@QAEH` | 1 |
| ?GetVersion@CJdpFileServer@@QAEHAAV? | 1 |
| ?IsValid@CJdpFileServer@@QAEHXZ | 1 |
| ?Attach@CJdpFileServer@@QAEHPAVCFile(| 1 |
| ??0CJdpFileServer@@QAE@XZ | 1 |
| ?GetVersion@CJdpFileServer@@QAEHAAK(` | 1 |
| ?CreateSaveBitmap@CJdpFileServer@@QAI | 1 |
| ?GetVersion@CJdpServer3X@@UAEHAAV?` | 1 |
| ?ActiveNavPage@CTabDlgBar@@QAEHPAV | 1 |
| ?HideNavPage@CTabDlgBar@@QAEHPAVC | 1 |
| ?ShowNavPage@CTabDlgBar@@QAEHPAVC | 1 |
| ?DelNavPage@CTabDlgBar@@QAEHPAVCN | 1 |
| ?AddNavPageEx@CTabDlgBar@@QAEHPBD | 1 |
| ?ResumeNavPage@CTabDlgBar@@QAEHXZ | 1 |
| ??0CDATATip@@QAE@XZ | 1 |
| ?SetNewTip@CDataTip@@QAEXVCPoint@(` | 1 |

| | |
|---------------------------------------|---|
| ?AddText@CDataTip@@QAEXPBD@Z | 1 |
| ?GetActiveWnd@CTabDlgBar@@QAEPAVCI | 1 |
| ?AddWnd@CTabDlgBar@@QAEHPBDHPAVC | 1 |
| ?AddNavPage@CTabDlgBar@@QAEHPBDHF | 1 |
| ?SetToolWindow@CTabDlgBar@@QAEXPAL | 1 |
| ?SetURL@CHyperLink@@QAEXV?\$CStringT@ | 1 |
| ?SetSurrounding@CDataTip@@QAEXJJ@Z | 1 |
| ?GetType@CNewToolBar@@QAEIXZ | 1 |
| ?GetName@CNewToolBar@@QAEPAV?\$CS | 1 |
| ??1CDataTip@@UAE@XZ | 1 |
| ??1CNewStatusBar@@UAE@XZ | 1 |
| ??1CNewToolBar@@UAE@XZ | 1 |
| ??1CPntToolBar@@UAE@XZ | 1 |
| ??1CTabDlgBar@@UAE@XZ | 1 |
| ?GetShowName@CNewToolBar@@QAEPAV | 1 |
| ?GetMessageMap@CNewToolBar@@MBEP | 1 |
| ?SetName@CNewToolBar@@QAEXPBD0@Z | 1 |
| ?SetType@CNewToolBar@@QAEXI@Z | 1 |
| ??0CNewToolBar@@QAE@XZ | 1 |
| ??0CTabDlgBar@@QAE@XZ | 1 |
| ??0CPntToolBar@@QAE@XZ | 1 |
| ??0CNewStatusBar@@QAE@XZ | 1 |
| ?SetTabImageList@CTabDlgBar@@QAEPAV | 1 |
| ?SetColour@CCColorButton@@QAEXK@Z | 1 |
| ??1CCColorButton@@UAE@XZ | 1 |
| ??0CCColorButton@@QAE@XZ | 1 |
| ?ResetText@CDataTip@@QAEXXZ | 1 |
| ?Get_StatusCode@TraceOnConstruct@KR_L | 1 |
| ?Error@KR_DZS_ExcTrc@@YAXJPBDH@Z | 1 |
| ?Warning@KR_DZS_ExcTrc@@YAXJPBDH@: | 1 |
| DVSOpCodeProt | 1 |
| ??0DVSProtocol@@QAE@HJ@Z | 1 |
| ??RDVSProtocol@@QAEXJJPBD@Z | 1 |
| CreateNewDVSBasicObjectNr | 1 |
| ??1DVSProtocol@@QAE@XZ | 1 |
| ??1VString@@QAE@XZ | 1 |
| ?Mid@VString@@QBE?AV1@HH@Z | 1 |
| ??BVString@@QBEPBDXZ | 1 |
| ?Empty@VString@@QAEXXZ | 1 |
| ??AVString@@QBEDH@Z | 1 |
| ?Replace@VString@@QAEXPBD0@Z | 1 |
| ?Find@VString@@QBEHPBD@Z | 1 |
| ??4VString@@QAEAAV0@PBD@Z | 1 |
| ??0VString@@QAE@ABV0@@Z | 1 |
| CreateDVSDatabaseHandle | 1 |
| CreateDVSSpaceHandle | 1 |
| ReleaseDVSHandle | 1 |

| | |
|---|---|
| CreateDVSDatabaseHandle2 | 1 |
| DVSRecordSetInt | 1 |
| CreateSaveFileInt | 1 |
| GetErfFilePosBlckArrayInt | 1 |
| SetErfFilePosBlckArrayInt | 1 |
| ArrayRebuildInProcessInt | 1 |
| DVSClientInt | 1 |
| CreateDVSRecordSetHandleWithTop | 1 |
| CreateDVSRecordSetHandle3 | 1 |
| CreateDVSRecordSetHandle2 | 1 |
| DVSDatabaseInt | 1 |
| DVSWorkspaceInt | 1 |
| DVSIid2TxtInt | 1 |
| DVSStrCmpInt | 1 |
| DVSStrnCmpInt | 1 |
| DVSGetIDInt | 1 |
| GetDvsFileInfo | 1 |
| _Z7qMallocj | 1 |
| _ZN11QBasicTimer4stopEv | 1 |
| _ZN11QBasicTimer5startEiP7QObject | 1 |
| _ZN6QTimer10singleShotEiP7QObjectPKc | 1 |
| _ZN7QStringC1EPK5QChari | 1 |
| _ZN9QListData7detach2Ev | 1 |
| _ZNK5QChar10digitValueEv | 1 |
| _ZNK5QChar16isLetterOrNumberEv | 1 |
| _ZNK5QChar7isPrintEv | 1 |
| _ZNK5QChar7isSpaceEv | 1 |
| _ZNK5QChar7toLowerEv | 1 |
| _ZNK5QChar8isLetterEv | 1 |
| _ZNK5QChar8isNumberEv | 1 |
| _ZNK5QRect8containsERKS_b | 1 |
| _ZNK6QPoint15manhattanLengthEv | 1 |
| _ZNK7QString7indexOfE5QChariN2Qt15Case | 1 |
| _ZN11QAccessible19updateAccessibilityEP7(| 1 |
| _ZN11QFocusEvent6reasonEv | 1 |
| _ZN11QMessageBox13setIconPixmapERK7Q | 1 |
| _ZN11QMessageBox16setDefaultButtonENS_ | 1 |
| _ZN11QSizePolicy14setControlTypeENS_11C | 1 |
| _ZN11QTextFormat11setPropertyEiRK8QVar | 1 |
| _ZN11QTextFormatC1ERKS_ | 1 |
| _ZN11QTextFormatC1Ev | 1 |
| _ZN11QTextFormatC2ERKS_ | 1 |
| _ZN11QTextFormatD1Ev | 1 |
| _ZN11QTextFormatD2Ev | 1 |
| _ZN11QTextFormataSERKS_ | 1 |
| _ZN11QTextLayout10createLineEv | 1 |
| _ZN11QTextLayout11beginLayoutEv | 1 |

| | |
|---|---|
| _ZN11QTextLayout13setTextOptionERK11Q1 | 1 |
| _ZN11QTextLayout14setPreeditAreaEiRK7Q5 | 1 |
| _ZN11QTextLayout20setAdditionalFormatsE | 1 |
| _ZN11QTextLayout7setFontERK5QFont | 1 |
| _ZN11QTextLayout7setTextERK7QString | 1 |
| _ZN11QTextLayout9endLayoutEv | 1 |
| _ZN11QTextLayoutC1Ev | 1 |
| _ZN11QTextLayoutD1Ev | 1 |
| _ZN11QTextOptionC1Ev | 1 |
| _ZN12QApplication10windowIconEv | 1 |
| _ZN12QApplication11globalStrutEv | 1 |
| _ZN12QApplication13setWindowIconERK5Q | 1 |
| _ZN12QApplication15cursorFlashTimeEv | 1 |
| _ZN12QApplication17activePopupWidgetEv | 1 |
| _ZN12QApplication17startDragDistanceEv | 1 |
| _ZN12QApplication19doubleClickIntervalEv | 1 |
| _ZN12QApplication5styleEv | 1 |
| _ZN12QProgressBar12setAlignmentE6QFlag | 1 |
| _ZN12QProgressBar5resetEv | 1 |
| _ZN12QStyleOption4initEPK7QWidget | 1 |
| _ZN12QStyleOptionD2Ev | 1 |
| _ZN15QTextCharFormatC1Ev | 1 |
| _ZN19QStyleOptionFrameV2C1Ev | 1 |
| _ZN6QStyle15visualAlignmentEN2Qt15Layout | 1 |
| _ZN7QLayout17setSizeConstraintENS_14Size | 1 |
| _ZN7QWidget12inputContextEv | 1 |
| _ZN7QWidget14setAcceptDropsEb | 1 |
| _ZN7QWidget14updateGeometryEv | 1 |
| _ZN7QWidget16updateMicroFocusEv | 1 |
| _ZN7QWidget17resetInputContextEv | 1 |
| _ZN7QWidget17setBackgroundRoleEN8QPal | 1 |
| _ZN7QWidget5raiseEv | 1 |
| _ZN7QWidget6createEP6HWND__bb | 1 |
| _ZN7QWidget6updateERK5QRect | 1 |
| _ZN7QWidget7destroyEbb | 1 |
| _ZN8QPainter11setClipRectERK5QRectN2Qt | 1 |
| _ZN8QPaletteaSERKS_ | 1 |
| _ZNK11QMessageBox6buttonENS_14Standar | 1 |
| _ZNK11QTextFormat12toCharFormatEv | 1 |
| _ZNK11QTextFormat4typeEv | 1 |
| _ZNK11QTextLayout10drawCursorEP8QPain | 1 |
| _ZNK11QTextLayout15preeditAreaTextEv | 1 |
| _ZNK11QTextLayout18nextCursorPositionEi | 1 |
| _ZNK11QTextLayout22previousCursorPosition | 1 |
| _ZNK11QTextLayout4drawEP8QPainterRK7C | 1 |
| _ZNK11QTextLayout6lineAtEi | 1 |
| _ZNK12QFontMetrics11lineSpacingEv | 1 |

| | |
|--|---|
| _ZNK12QFontMetrics14minLeftBearingEv | 1 |
| _ZNK12QFontMetrics15minRightBearingEv | 1 |
| _ZNK12QFontMetrics5widthE5QChar | 1 |
| _ZNK12QFontMetrics6ascentEv | 1 |
| _ZNK12QFontMetrics6heightEv | 1 |
| _ZNK12QFontMetrics7leadingEv | 1 |
| _ZNK12QFontMetrics8maxWidthEv | 1 |
| _ZNK16QDialogButtonBox6buttonENS_14Sta | 1 |
| _ZNK5QFontcv8QVariantEv | 1 |
| _ZNK5QIcon6 pixmapERK5QSizeNS_4ModeEl | 1 |
| _ZNK6QBrushcv8QVariantEv | 1 |
| _ZNK6QStyle12standardIconENS_14Standar | 1 |
| _ZNK7QWidget10metaObjectEv | 1 |
| _ZNK7QWidget12contentsRectEv | 1 |
| _ZNK7QWidget14ensurePolishedEv | 1 |
| _ZNK7QWidget15layoutDirectionEv | 1 |
| _ZNK7QWidget18getContentsMarginsEPiSO_ | 1 |
| _ZNK7QWidget5styleEv | 1 |
| _ZNK7QWidget8hasFocusEv | 1 |
| _ZNK8QPalette7isEqualENS_10ColorGroupE | 1 |
| _ZNK9QKeyEvent7matchesEN12QKeySeque | 1 |
| _ZNK9QTextLine16naturalTextWidthEv | 1 |
| _ZNK9QTextLine6ascentEv | 1 |
| _ZNK9QTextLine9cursorToXEPiNS_4EdgeE | 1 |
| _ZNK9QTextLine9xToCursorEdNS_14CursorF | 1 |
| BeginTiffDecode | 1 |
| EndTiffDecode | 1 |
| GetTiffLine | 1 |
| EndYccDecode | 1 |
| GetYccLine | 1 |
| BeginYccDecode | 1 |
| rnt_initfilename | 1 |
| rnt_initfilestream | 1 |
| rnt_initstringstream | 1 |
| rnt_setstringstream | 1 |
| ??1APtrArray@@UAE@XZ | 1 |
| ??1ADWordArray@@UAE@XZ | 1 |
| ??1AByteArray@@UAE@XZ | 1 |
| ?SetAtGrow@APtrArray@@QAEXHPAX@Z | 1 |
| ?SetSize@APtrArray@@QAEXHH@Z | 1 |
| ?SetSize@ADWordArray@@QAEXHH@Z | 1 |
| ??0ADWordArray@@QAE@XZ | 1 |
| ??0AByteArray@@QAE@XZ | 1 |
| ?SetSize@AByteArray@@QAEXHH@Z | 1 |
| ?SetAtGrow@ADWordArray@@QAEXHK@Z | 1 |
| ?SetAtGrow@AByteArray@@QAEXHE@Z | 1 |
| ??0AFilePath@@QAE@XZ | 1 |

| | |
|---------------------------------------|---|
| ??YAFFilePath@@QAEAAV0@PBD@Z | 1 |
| ?GetFullPath@AFilePath@@QBE?AVAString | 1 |
| ??0APtrArray@@QAE@XZ | 1 |
| ??0AColorant@@QAE@ABVString@@0H@ | 1 |
| ??1AColorant@@UAE@XZ | 1 |
| ?flexiSerialize@AColorant@@UAEHAAVAAr | 1 |
| ??1ExportBitmap@@UAE@XZ | 1 |
| ??0ExportBitmap@@QAE@PBDKNNHHHP/ | 1 |
| ?WriteBand@ExportBitmap@@QAEHKKPAX | 1 |
| SeAuditHardLinkCreation | 1 |
| ?_Getcat@?\$collate@D@std@@SAIXZ | 1 |
| zend_ini_deactivate | 1 |
| zend_memory_peak_usage | 1 |
| sapi_get_default_content_type | 1 |
| sapi_send_headers | 1 |
| sapi_free_header | 1 |
| add_next_index_string! | 1 |
| _object_init | 1 |
| add_property_long_ex | 1 |
| add_property_string_ex | 1 |
| _ap_register_output_filter@16 | 1 |
| _ap_hook_post_read_request@16 | 1 |
| _ap_hook_insert_filter@16 | 1 |
| _ap_hook_post_config@16 | 1 |
| _ap_hook_pre_config@16 | 1 |
| _ap_save_brigade@16 | 1 |
| _ap_add_common_vars@4 | 1 |
| _ap_add_cgi_vars@4 | 1 |
| _ap_add_output_filter@16 | 1 |
| _ap_add_input_filter@16 | 1 |
| _ap_add_version_component@8 | 1 |
| _ap_auth_type@4 | 1 |
| _ap_get_brigade@24 | 1 |
| ap_log_error | 1 |
| _ap_set_content_length@12 | 1 |
| _ap_pass_brigade@8 | 1 |
| ap_loaded_modules | 1 |
| _ap_run_sub_req@4 | 1 |
| _ap_destroy_sub_req@4 | 1 |
| _ap_sub_req_lookup_uri@12 | 1 |
| _ap_server_root_relative@8 | 1 |
| _ap_register_input_filter@16 | 1 |
| apr_psprintf | 1 |
| _apr_pool_cleanup_register@16 | 1 |
| apr_pool_cleanup_null | 1 |
| _apr_table_elts@4 | 1 |
| _apr_table_set@12 | 1 |

| | |
|------------------------------------|---|
| _apr_table_get@8 | 1 |
| _apr_table_add@12 | 1 |
| _apr_table_clear@4 | 1 |
| _apr_table_unset@8 | 1 |
| _apr_pool_userdata_set@16 | 1 |
| _apr_pool_userdata_get@12 | 1 |
| _apr_bucket_transient_create@12 | 1 |
| _apr_brigade_create@8 | 1 |
| _apr_bucket_flush_create@4 | 1 |
| _apr_brigade_destroy@4 | 1 |
| _apr_brigade_flatten@12 | 1 |
| _apr_brigade_split@8 | 1 |
| _apr_brigade_partition@16 | 1 |
| _apr_brigade_length@12 | 1 |
| _apr_bucket_eos_create@4 | 1 |
| apr_bucket_type_eos | 1 |
| _apr_brigade_cleanup@4 | 1 |
| _e | 1 |
| ??1?\$DfVector@I@DFHack@@QAE@XZ | 1 |
| ?getProcess@Context@DFHack@@QAEPAV | 1 |
| ?getItems@Context@DFHack@@QAEPAVIt | 1 |
| ?getGroup@OffsetGroup@DFHack@@QAEF | 1 |
| ?getAddress@OffsetGroup@DFHack@@QA | 1 |
| ??0?\$DfVector@I@DFHack@@QAE@PAVPr | 1 |
| ?readItem@Items@DFHack@@QAE_NIAU | 1 |
| ?writeItem@Items@DFHack@@QAE_NABU | 1 |
| CSZ | 1 |
| ceCaps | 1 |
| RasPppStart | 1 |
| RasSetEapLogonInfo | 1 |
| RasSetRasdialInfo | 1 |
| RasPppStarted | 1 |
| RasGetBandwidthUtilization | 1 |
| RasSetBapPolicy | 1 |
| RasSendPppMessageToRasman | 1 |
| _wstrtime_s | 1 |
| _wstrdate_s | 1 |
| IPGetInfo | 1 |
| IPDeregisterARP | 1 |
| SendICMPErr | 1 |
| IPRegisterARP | 1 |
| __input_item_NewExt | 1 |
| __net_Connect | 1 |
| __net_OpenDgram | 1 |
| __vlc_object_timedwait | 1 |
| input_item_AddSubItem | 1 |
| BASS_WMA_EncodeClose | 1 |

| | |
|---------------------------------------|---|
| __exit | 1 |
| efunction | 1 |
| DiskCopy | 1 |
| QueryAvailableFileSystemFormat | 1 |
| BtGetSecurityLevel | 1 |
| BtSetSecurityLevel | 1 |
| BtGetDevicePropertyParam | 1 |
| BtGetDiscoverabilityMode | 1 |
| BtSetDiscoverabilityMode | 1 |
| ?AVDT_AbortRsp@@YAHEEEPAJ@Z | 1 |
| ?AVDT_ReconfigureRsp@@YAHEEEEPAJ@Z | 1 |
| ?AVDT_SuspendRsp@@YAHEEPAEKEPAJ@Z | 1 |
| ?AVDT_StartRsp@@YAHEEPAUSTARTINFO_I | 1 |
| ?AVDT_CloseRsp@@YAHEEEPAJ@Z | 1 |
| ?AVDT_OpenRsp@@YAHEEEGEPAJ@Z | 1 |
| ?AVDT_SetConfigurationRsp@@YAHEEEEEP, | 1 |
| ?AVDT_GetCapabilitiesRsp@@YAHPAEEEOKI | 1 |
| ?AVDT_DiscoverRsp@@YAHPAEEE0KEPAJ@ | 1 |
| ?AVDT_ConnectRsp@@YAHPAEGPAUBTCON | 1 |
| ?AVDT_AbortReq@@YAHPAEEPAJ@Z | 1 |
| ?AVDT_ReconfigureReq@@YAHPAEEOKPAJ(| 1 |
| ?AVDT_SuspendReq@@YAHPAEOKPAJ@Z | 1 |
| ?AVDT_CloseReq@@YAHPAEEPAJ@Z | 1 |
| ?AVDT_StartReq@@YAHPAEPKAUSTARTINFO | 1 |
| ?AVDT_OpenReq@@YAHPAEEGP AJ@Z | 1 |
| ?AVDT_SetConfigurationReq@@YAHPAE00E | 1 |
| ?AVDT_GetCapabilitiesReq@@YAHPAE0EPA | 1 |
| ?AVDT_DiscoverReq@@YAHPAEOPAJ@Z | 1 |
| ?AVDT_DisconnectReq@@YAHPAEGPAJ@Z | 1 |
| ?AVDT_ConnectReq@@YAHPAEPKAUBTCONI | 1 |
| ?AVDT_Listen@@YAHXZ | 1 |
| ?AVDT_SndRfUnplug@@YAXG@Z | 1 |
| ?AVDT_CancelListen@@YAHXZ | 1 |
| ?AVDT_GetConnectionState@@YAPAUCONI | 1 |
| ?AVDT_ReleaseStateList@@YAXPAUCONN | 1 |
| ?AVDT_Finalize@@YAHGPAJ@Z | 1 |
| ?AVDT_Initialize@@YAHGPAUSEIDINFO_LIS | 1 |
| ?AVDT_SigEventRegistration@@YAHGGP6G | 1 |
| ?AVDT_GetSEPSState@@YA?AW4AVDTP_ST/ | 1 |
| ?Free@nsMemory@@SAXPAX@Z | 1 |
| ?Alloc@nsMemory@@SAPAXI@Z | 1 |
| _NR_RegDeleteKey@12 | 1 |
| _NR_RegEnumSubkeys@24 | 1 |
| _NR_RegGetKey@16 | 1 |
| _NR_RegDeleteKeyRaw@12 | 1 |
| _NR_RegGetKeyRaw@16 | 1 |
| _NR_RegGetEntryInfo@16 | 1 |

| | |
|---|---|
| _NR_RegDeleteEntry@12 | 1 |
| _NR_RegGetUsername@4 | 1 |
| _NR_RegSetUsername@4 | 1 |
| _NR_RegPack@12 | 1 |
| _NR_RegEnumEntries@24 | 1 |
| _NR_RegAddKeyRaw@16 | 1 |
| _NR_RegAddKey@16 | 1 |
| _NR_RegSetEntry@24 | 1 |
| _NR_RegSetEntryString@16 | 1 |
| _NR_RegGetEntryString@20 | 1 |
| _NR_RegFlush@4 | 1 |
| _NR_RegClose@4 | 1 |
| _NR_RegOpen@8 | 1 |
| _NR_ShutdownRegistry@0 | 1 |
| _NR_StartupRegistry@0 | 1 |
| ?Create@nsFileSpecImpl@@SGIPAVnsISupp | 1 |
| ?Create@nsDirectoryIteratorImpl@@SGIPA' | 1 |
| _NR_RegGetEntry@20 | 1 |
| ??RCMessageHandler@ipc@@UAEXPBDBP` | 1 |
| ?Send@CIpcSender@ipc@@SAKPAVCIpc@2 | 1 |
| ?DestroyMMIpcObject@CIpc@ipc@@SAXP/ | 1 |
| ?CreateMMIpcObject@CIpc@ipc@@SAKPB_ | 1 |
| ??_7CMessageHandler@ipc@@6B@ | 1 |
| ?AddRemoveToGroup@CXmlGroup@@SAKI | 1 |
| ??0CReadStream@@QAE@PBXK_N@Z | 1 |
| ??5CReadStream@@QAEAAV0@AAV?\$basin | 1 |
| ?Unsignal@CEventHandle@@QAEXXZ | 1 |
| ?Unload@CObjectDII@@QAEXXZ | 1 |
| ?GetSessionId@CProcessTree@@SAKK@Z | 1 |
| ?Canonicalize@CPath@@SAXKPB_WAAV?\$I | 1 |
| ?GetRole@CRole@@SAPB_WK@Z | 1 |
| ?GetActiveCategories@CRuleCategories@@ | 1 |
| ??6CStream@@QAEAAV0 @_N@Z | 1 |
| ?RevertToSelf@CImpersonateHelper@@QA | 1 |
| ??0CScopeASApi@@QAE@JPB_W_N@Z | 1 |
| ??1CScopeASApi@@QAE@XZ | 1 |
| ?ExtractFilesFromContainer@CScopeASApi@ | 1 |
| ?DelteFilesFromContainer@CScopeASApi@() | 1 |
| ?LoadFromRegistry@CReadStream@@QAEI | 1 |
| ?DumpToRegistry@CReadStream@@QAEKF | 1 |
| ?Open@CRegistryKey@@QAEJPAUHKEY__@ | 1 |
| ?Open@CMMHandle@@QAEKPB_WK_N@Z | 1 |
| ??0?\$CSharedObject@USModulesActivated(| 1 |
| ??1?\$CWcMbString@_W@@QAE@XZ | 1 |
| ??0CMMHandle@@QAE@XZ | 1 |
| ??1CObjectDII@@UAE@XZ | 1 |
| ??0?\$CWcMbString@_W@@QAE@PBDII@Z | 1 |

| | |
|---|---|
| ?GetProcessFileName@CProcessTree@@QAF | 1 |
| ?FindNextProcess@CProcessTree@@QAEHA | 1 |
| ?FindFirstProcess@CProcessTree@@QAEHA | 1 |
| ??1CProcessTree@@QAE@XZ | 1 |
| ??0CProcessTree@@QAE@XZ | 1 |
| ?Unload@CRuleCategories@@SAXXZ | 1 |
| ?UnloadGroups@CXmlGroup@@SAXXZ | 1 |
| ?LoadGroups@CXmlGroup@@SAKPA_N_N@ | 1 |
| ?Load@CRuleCategories@@SAXXZ | 1 |
| ?End@CASApi@@QAEXJ@Z | 1 |
| ?ChangeData@?\$CSharedObject@USModul | 1 |
| ?Lock@CMutexHandle@@QAE_NK@Z | 1 |
| ?ForceSubsystems@CASApi@@QAEXK@Z | 1 |
| ?gASApi@@3VCASApi@@A | 1 |
| ?ForceNereusLevel@CASApi@@QAEXK@Z | 1 |
| ??0CObjectDII@@QAE@PB_W@Z | 1 |
| ?DeleteValue@CRegistryKey@@SAJPAUHKE | 1 |
| ?Create@?\$CSharedObject@USModulesActi | 1 |
| ?gProcessInfo@@3VCProcessInfo@@A | 1 |
| ?SetDword@CRegistryKey@@SAJPAUHKEY_ | 1 |
| ??1?\$CSharedObject@USModulesActivated(| 1 |
| ??6CStream@@QAEAAV0@PB_W@Z | 1 |
| ??6CStream@@QAEAAV0@H@Z | 1 |
| ??5CReadStream@@QAEAAV0@AAH@Z | 1 |
| ?Close@CMutexHandle@@QAEXXZ | 1 |
| ?Lock@CMtGuard@@QAE_NK@Z | 1 |
| ?Unlock@CWriterGuard@@QAEXXZ | 1 |
| ?Unlock@CReaderGuard@@QAEXXZ | 1 |
| ?Lock@CReaderGuard@@QAEXXZ | 1 |
| ??0CEventHandle@@QAE@XZ | 1 |
| ??1CEventHandle@@UAE@XZ | 1 |
| ?Signal@CEventHandle@@QAEXXZ | 1 |
| ?InjectLibrary@CHookDII@@QAEHPAXK@Z | 1 |
| ?Open@CEventHandle@@QAEKPB_WH_N@Z | 1 |
| ?Close@CObjectHandle@@QAEXXZ | 1 |
| ?Create@CEventHandle@@QAEKPB_WH_N | 1 |
| ?Impersonate@CImpersonateHelper@@QA | 1 |
| ??1CImpersonateHelper@@QAE@XZ | 1 |
| ??0CImpersonateHelper@@QAE@XZ | 1 |
| ?IsValid@CObjectHandle@@QAE_NXZ | 1 |
| ??4CObjectHandle@@QAEPAXPAX@Z | 1 |
| ??1CHookDII@@UAE@XZ | 1 |
| ??0CHookDII@@QAE@PB_W@Z | 1 |
| ??1CObjectHandle@@UAE@XZ | 1 |
| ??0CObjectHandle@@QAE@XZ | 1 |
| ??0CReaderGuard@@QAE@AAJAAU_RTL_C | 1 |
| ??1CReaderGuard@@QAE@XZ | 1 |

| | |
|---------------------------------------|---|
| ??0CWriterGuard@@QAE@AAJAAU_RTL_CI | 1 |
| ??1CWriterGuard@@QAE@XZ | 1 |
| ??0CMtGuard@@QAE@PAX@Z | 1 |
| ??1CMtGuard@@QAE@XZ | 1 |
| ?Unlock@CMtGuard@@QAEXXZ | 1 |
| ??0CIncrement@@QAE@AAJ@Z | 1 |
| ??1CIncrement@@QAE@XZ | 1 |
| ?Decrement@CIncrement@@QAEXXZ | 1 |
| ?Free@CBaseStream@@SAXPAX@Z | 1 |
| ??0CTPEExcept@@QAE@ABV0@@Z | 1 |
| ?SetString@CRegistryKey@@SAJPAUHKEY_ | 1 |
| ??BCObjectHandle@@QBEPAXXZ | 1 |
| ?Create@CMutexHandle@@QAEKPB_W_N@ | 1 |
| ??1CMutexHandle@@UAE@XZ | 1 |
| ??0CMutexHandle@@QAE@XZ | 1 |
| ??1TrustCertifier@@QAE@XZ | 1 |
| ??0TrustCertifier@@QAE@XZ | 1 |
| ?FreeNodeSet@CXmlParser@@QAEXPAU_x | 1 |
| ?GetDword@CRegistryKey@@SAJPAUHKEY_ | 1 |
| ?GetNodeSet@CXmlParser@@QAEPAU_xm | 1 |
| ?GetnodeValue@CXmlParser@@QAEXPAU_ | 1 |
| ?Init@CXmlParser@@QAEKPB_W_N@Z | 1 |
| ??1CXmlParser@@QAE@XZ | 1 |
| ?Match@CRegularExp@@SA_NPB_W0@Z | 1 |
| ??5CReadStream@@QAEAV0@AA_J@Z | 1 |
| ?ParsePattern@CRegularExp@@SAXAAV?\$k | 1 |
| ?AddBackSlash@CPath@@SAXAAV?\$basic_ | 1 |
| ?GetString@CRegistryKey@@SAJPAUHKEY_ | 1 |
| ??0CCsGuard@@QAE@AAU_RTL_CRITICAL_ | 1 |
| ??1CCsGuard@@QAE@XZ | 1 |
| ?Lock@CCsGuard@@QAEXXZ | 1 |
| ?Unlock@CCsGuard@@QAEXXZ | 1 |
| ??1CReadStream@@UAE@XZ | 1 |
| ??1CTPEExcept@@QAE@XZ | 1 |
| ??1CStream@@UAE@XZ | 1 |
| ?End@TrustCertifier@@QAEXXZ | 1 |
| ?End@CLog@@QAEXXZ | 1 |
| ?DumpToFile@CStream@@QAEKPB_W_N1@ | 1 |
| ??0CStream@@QAE@XZ | 1 |
| ?crc32@CCRC32@@SAKPB_WPAK_NI@Z | 1 |
| ??5CReadStream@@QAEAV0@AAK@Z | 1 |
| ??5CReadStream@@QAEAV0@AAV?\$bas | 1 |
| ?LoadFromFile@CReadStream@@QAEKPB_ | 1 |
| ??0CReadStream@@QAE@XZ | 1 |
| ?Init@CLog@@QAE_NPB_WK0@Z | 1 |
| ?g_system@@3VCSystem@@A | 1 |
| ??0CTPEExcept@@QAA@KKPBD0HPB_WZZ | 1 |

| | |
|--|---|
| ?Init@TrustCertifier@@QAEKP6GJPAXPAUT | 1 |
| ?Flush@CLog@@QAEXXZ | 1 |
| ?Write@CLog@@QAAXPB_WZZ | 1 |
| ?AppendTime@CLog@@QAEXXZ | 1 |
| ?VerifyFileTrust@TrustCertifier@@QAEJPB_ | 1 |
| ??1CLog@@QAE@XZ | 1 |
| ??0CLog@@QAE@XZ | 1 |
| ??6CStream@@QAEAAV0@ABV?\$basic_stri | 1 |
| ??6CStream@@QAEAAV0@K@Z | 1 |
| ?GetFunction@CObjectDII@@QAEKPBDPAP | 1 |
| FindReso | 1 |
| cawin_mbsrchr | 1 |
| cawin_mbstok | 1 |
| ?AskForAllow@EventThread@@MAEHPAXP | 1 |
| ?AskForItemRect@EventThread@@MAEXP@ | 1 |
| ??0EventsPlugInClass@@QAE@HPAEventI | 1 |
| ??1EventsPlugInClass@@UAE@XZ | 1 |
| ?AnswerQuestion@EventThread@@MAEHP | 1 |
| ?DoDefaultAllowOperationForRect@EventTl | 1 |
| ShellE | 1 |
| GetDlgItemA | 1 |
| ?createDevice@VCLXDevice@@UAA?AV?\$R | 1 |
| ?createGraphics@VCLXDevice@@UAA?AV?: | 1 |
| ??1VCLXWindow@@UAE@XZ | 1 |
| ?startPopupMode@VCLXWindow@@UAAX, | 1 |
| ?addEventListener@VCLXWindow@@UAAX | 1 |
| ?dispose@VCLXWindow@@UAAXXZ | 1 |
| ?release@?\$ImplInheritanceHelper9@VVCL | 1 |
| ?isLocked@VCLXWindow@@UAAEXZ | 1 |
| ?unlock@VCLXWindow@@UAAXXZ | 1 |
| ?lock@VCLXWindow@@UAAXXZ | 1 |
| ?setFloatingMode@VCLXWindow@@UAAXI | 1 |
| ?isFloating@VCLXWindow@@UAAEXZ | 1 |
| ?enableDocking@VCLXWindow@@UAAXE@ | 1 |
| ?removeDockableWindowListener@VCLXWi | 1 |
| ?addDockableWindowListener@VCLXWindo | 1 |
| ?setZoom@VCLXWindow@@UAAXMM@Z | 1 |
| ?draw@VCLXWindow@@UAAXJJ@Z | 1 |
| ?getInfo@VCLXDevice@@UAA?AUDeviceInI | 1 |
| ?getGraphics@VCLXWindow@@UAA?AV?\$I | 1 |
| ?setGraphics@VCLXWindow@@UAAEABV?! | 1 |
| ?calcAdjustedSize@VCLXWindow@@UAA?A | 1 |
| ?getPreferredSize@VCLXWindow@@UAA?A | 1 |
| ?getMinimumSize@VCLXWindow@@UAA?A/ | 1 |
| ?getProperty@VCLXWindow@@UAA?AVAn | 1 |
| ?setProperty@VCLXWindow@@UAAXABVO | 1 |
| ?getStyles@VCLXWindow@@UAAXFAAUFo | 1 |

| | |
|---|---|
| ?setControlFont@VCLXWindow@@UAAXAE | 1 |
| ?setForeground@VCLXWindow@@UAAXJ@ | 1 |
| ?enableClipSiblings@VCLXWindow@@UAA) | 1 |
| ?isDesignMode@VCLXWindow@@UAAEXZ | 1 |
| ?setDesignMode@VCLXWindow@@UAAXE(| 1 |
| ?isChild@VCLXWindow@@UAAEABV?\$Refe | 1 |
| ?invalidateRect@VCLXWindow@@UAAXABI | 1 |
| ?invalidate@VCLXWindow@@UAAXF@Z | 1 |
| ?setBackground@VCLXWindow@@UAAXJ@ | 1 |
| ?getFontDescriptors@VCLXDevice@@UAA?. | 1 |
| ?getFont@VCLXDevice@@UAA?AV?\$Refere | 1 |
| ?createBitmap@VCLXDevice@@UAA?AV?\$I | 1 |
| ?createDisplayBitmap@VCLXDevice@@UAA | 1 |
| ?ProcessWindowEvent@VCLXWindow@@N | 1 |
| ?CreateAccessibleContext@VCLXWindow@() | 1 |
| ?queryInterface@?\$ImplInheritanceHelper9 | 1 |
| ?acquire@?\$ImplInheritanceHelper9@VVCL | 1 |
| ??0VCLXWindow@@QAE @_N@Z | 1 |
| ?getStyleSettings@VCLXWindow@@UAA?A | 1 |
| ?hasPropertyByName@VCLXWindow@@UA | 1 |
| ?getPropertyByName@VCLXWindow@@UA | 1 |
| ?getProperties@VCLXWindow@@UAA?AV? | 1 |
| ?disposing@VCLXWindow@@UAAXABUEve | 1 |
| ?getAccessibleContext@VCLXWindow@@U | 1 |
| ?getSize@VCLXWindow@@UAA?AUSize@a | 1 |
| ?isInPopupMenu@VCLXWindow@@UAAEX: | 1 |
| ?setPointer@VCLXWindow@@UAAxABV?\$I | 1 |
| ?getToolkit@VCLXWindow@@UAA?AV?\$Re | 1 |
| ?hasFocus@VCLXWindow@@UAAEXZ | 1 |
| ?isEnabled@VCLXWindow@@UAAEXZ | 1 |
| ?isActive@VCLXWindow@@UAAEXZ | 1 |
| ?isVisible@VCLXWindow@@UAAEXZ | 1 |
| ?getOutputSize@VCLXWindow@@UAA?AU! | 1 |
| ?setOutputSize@VCLXWindow@@UAAXABI | 1 |
| ?removePaintListener@VCLXWindow@@U/ | 1 |
| ?addPaintListener@VCLXWindow@@UAAX/ | 1 |
| ?removeMouseMotionListener@VCLXWindc | 1 |
| ?addMouseMotionListener@VCLXWindow@ | 1 |
| ?removeMouseListener@VCLXWindow@@l | 1 |
| ?addMouseListener@VCLXWindow@@UAA | 1 |
| ?removeKeyListener@VCLXWindow@@UAF | 1 |
| ?addKeyListener@VCLXWindow@@UAAXAF | 1 |
| ?removeFocusListener@VCLXWindow@@U. | 1 |
| ?addFocusListener@VCLXWindow@@UAAX | 1 |
| ?removeWindowListener@VCLXWindow@@C | 1 |
| ?addWindowListener@VCLXWindow@@UA | 1 |
| ?setFocus@VCLXWindow@@UAAXXZ | 1 |

| | |
|--|---|
| ?setEnable@VCLXWindow@@UAAXE@Z | 1 |
| ?setVisible@VCLXWindow@@UAAXE@Z | 1 |
| ?getPosSize@VCLXWindow@@UAA?AURec | 1 |
| ?setPosSize@VCLXWindow@@UAAXJJF@Z | 1 |
| ?convertSizeToPixel@VCLXDevice@@UAA?I | 1 |
| ?convertSizeToLogic@VCLXDevice@@UAA?I | 1 |
| ?convertPointToPixel@VCLXDevice@@UAA?I | 1 |
| ?convertPointToLogic@VCLXDevice@@UAA?I | 1 |
| ?getSomething@VCLXWindow@@UAA_JAB | 1 |
| ?SetWindow@VCLXWindow@@UAEXPAVW | 1 |
| ?removeEventListener@VCLXWindow@@U. | 1 |
| ?GetPropertyIds@VCLXWindow@@MAEXA/ | 1 |
| ?EndAllDialogs@Dialog@@SAXPAVWindow | 1 |
| i_APCI1500_ResetBoardIntRoutine | 1 |
| i_APCI1500_ReadCounter3 | 1 |
| i_APCI1500_GetHardwareInformation | 1 |
| i_APCI1500_CheckAndGetPCISlotNumber | 1 |
| i_APCI1500_StopCounter3 | 1 |
| i_APCI1500_StartCounter3 | 1 |
| i_APCI1500_InitWatchdogCounter3 | 1 |
| i_APCI1500_SetBoardIntRoutineWin32 | 1 |
| i_APCI1500_SetBoardInformation | 1 |
| i_APCI1500_InitCompiler | 1 |
| i_APCI1500_CloseBoardHandle | 1 |
| ??0SimpleResMgr@@QAE@ABVOUString@ | 1 |
| ?IsAvailable@SimpleResMgr@@QAE_NKK@ | 1 |
| ?GetLanguageData@CLanguageVer@@SAXF | 1 |
| ?GetBusy@WebFromDLL@@QAEHXZ | 1 |
| gimp_hsv_to_rgb4 | 1 |
| gimp_rgb_to_hsv4 | 1 |
| ?add@@YAH@Z | 1 |
| CM_SendObex | 1 |
| eW | 1 |
| @Sysutils@TimePMString | 1 |
| @Sysutils@TimeAMString | 1 |
| @Sysutils@CurrencyString | 1 |
| @Strutils@AnsiLeftStr\$qqrx17System@Ansi | 1 |
| @Dbgrids@TColumn@GetField\$qqrv | 1 |
| @Smdbgrid@initialization\$qqrv | 1 |
| @Smdbgrid@Finalization\$qqrv | 1 |
| @Smdbgrid@TSMDBGrid@ | 1 |
| @Smcnst@initialization\$qqrv | 1 |
| @Smcnst@Finalization\$qqrv | 1 |
| @Rxutils@initialization\$qqrv | 1 |
| @Rxutils@Finalization\$qqrv | 1 |
| @Jclunitversioning@initialization\$qqrv | 1 |
| @Jclunitversioning@Finalization\$qqrv | 1 |

| | |
|---|---|
| @Jvtooledit@TJvCustomDateEdit@SetMinD | 1 |
| @Jvtooledit@TJvCustomDateEdit@SetMaxD | 1 |
| @Jvtooledit@TJvCustomDateEdit@GetDate' | 1 |
| @Jvtooledit@TJvDateEdit@ | 1 |
| @Jvtranslatestring@initialization\$qqrv | 1 |
| @Jvtranslatestring@Finalization\$qqrv | 1 |
| @Jvstrings@initialization\$qqrv | 1 |
| @Jvstrings@Finalization\$qqrv | 1 |
| @Jvdatasourceintf@initialization\$qqrv | 1 |
| @Jvdatasourceintf@Finalization\$qqrv | 1 |
| @Jvxpcore@initialization\$qqrv | 1 |
| @Jvxpcore@Finalization\$qqrv | 1 |
| @Jvxpcoreutils@initialization\$qqrv | 1 |
| @Jvxpcontainer@initialization\$qqrv | 1 |
| @Jvxpcontainer@Finalization\$qqrv | 1 |
| @Jvxpcontainer@TJvXPContainer@ | 1 |
| @Jvarrowbutton@initialization\$qqrv | 1 |
| @Jvarrowbutton@Finalization\$qqrv | 1 |
| @Jvarrowbutton@TJvArrowButton@ | 1 |
| @Jvcoolbar@initialization\$qqrv | 1 |
| @Jvcoolbar@Finalization\$qqrv | 1 |
| @Jvcoolbar@TJvCoolBar@ | 1 |
| @Fibdatabase@TFIBTransaction@SetActive' | 1 |
| @Fibdatabase@TFIBTransaction@GetInTran | 1 |
| @Fibquery@TFIBQuery@ParamByName\$qq | 1 |
| @Fibquery@TFIBQuery@SetTransaction\$qq | 1 |
| @Fibquery@TFIBQuery@FieldByName\$qqr | 1 |
| @Fibquery@TFIBQuery@Close\$qqrv | 1 |
| @Fibquery@TFIBXSQLVAR@SetAsString\$qq | 1 |
| @Fibquery@TFIBXSQLVAR@SetAsLong\$qqri | 1 |
| @Fibquery@TFIBXSQLVAR@SetAsDate\$qqr: | 1 |
| @Fibquery@TFIBXSQLVAR@GetAsLong\$qqr | 1 |
| @Fibquery@TFIBXSQLVAR@GetAsDateTime | 1 |
| @Fibdataset@TFIBCustomDataSet@SetTran | 1 |
| @Fibdataset@TFIBCustomDataSet@SetData | 1 |
| @Fibdataset@TFIBCustomDataSet@FullRefr | 1 |
| @Fibdataset@TFIBBCDField@ | 1 |
| @Fibdataset@TFIBDateTextField@ | 1 |
| @Fibdataset@TFIBTimeField@ | 1 |
| @Fibdataset@TFIBDateField@ | 1 |
| @Fibdataset@TFIBIntegerField@ | 1 |
| @Fibdataset@TFIBStringField@ | 1 |
| @Pfibdataset@TpFIBDataSet@ParamByName | 1 |
| @Pfibdataset@TpFIBDataSet@GetSelectSQL | 1 |
| @Pfibdataset@TpFIBDataSet@ | 1 |
| @Pfibdatabase@TpFIBTransaction@ | 1 |
| @Pfibquery@TpFIBQuery@ | 1 |

| | |
|---|---|
| @Jvbaloohint@initialization\$qqrv | 1 |
| @Jvbaloohint@Finalization\$qqrv | 1 |
| @Jvbaloohint@TJvBalloonHint@ | 1 |
| @Frxvariables@TfrxVariables@SetVariable\$ | 1 |
| @Frxpicturecache@initialization\$qqrv | 1 |
| @Frxpicturecache@Finalization\$qqrv | 1 |
| @Frxinheritorerror@initialization\$qqrv | 1 |
| @Frxinheritorerror@Finalization\$qqrv | 1 |
| dllsettlement | 1 |
| dllcanceltrans | 1 |
| BASS_ChannelSetFlags | 1 |
| BASS_SampleGetChannel | 1 |
| BASS_GetChannels | 1 |
| BASS_Update | 1 |
| BASS_GetDeviceDescription | 1 |
| BASS_ChannelGetAttributes | 1 |
| ??4BDII@@QAEAAV0@ABV0@@Z | 1 |
| ??0BDII@@QAE@ABV0@@Z | 1 |
| ?getFunction@BDII@@QAE_NVRWCString@ | 1 |
| ?LoadDII@BDII@@QAE_NVRWCString@@@ | 1 |
| ?UnLoadDII@BDII@@QAE_NXZ | 1 |
| ??1BDII@@UAE@XZ | 1 |
| ??0BDII@@QAE@XZ | 1 |
| @Dateutils@DayOfTheMonth\$qqrx16Systen | 1 |
| @Dateutils@EndOfAYear\$qqrxus | 1 |
| @Dateutils@StartOfAYear\$qqrxus | 1 |
| @Jvdatetimepicker@Finalization\$qqrv | 1 |
| @Jvcalendar@initialization\$qqrv | 1 |
| @Jvcalendar@Finalization\$qqrv | 1 |
| @Jvmonthcalendar@initialization\$qqrv | 1 |
| @Jvmonthcalendar@Finalization\$qqrv | 1 |
| @Dxpscore@TBasedxReportLink@SetReport | 1 |
| @Dxpscore@TBasedxReportLink@Preview\$ | 1 |
| @Dxgrclms@TdxDBGGridCheckColumn@ | 1 |
| ??4range_error@std@@QAEAAV01@ABV0: | 1 |
| ??0?\$complex@M@std@@QAE@ABV?\$cor | 1 |
| GdipCreatePath2I | 1 |
| Wow64Win32ApiEntry | 1 |
| ??0CBestBabyResult@@QAE@XZ | 1 |
| ?GetBestBabyList@CBestBabyResult@@QAI | 1 |
| ?GetBestBabyPlate@CBestBabyResult@@S/ | 1 |
| ?SetBornTime@CBestBabyResult@@QAEXA | 1 |
| ?SetBabyBornTime@CBestBabyResult@@Q | 1 |
| ??1CBestBabyResult@@QAE@XZ | 1 |
| ?GetPolygonRGN@NdHelp@@SAPAUHRGN | 1 |
| ?SetTextColor@CSkinRadioButton@@QAEX | 1 |
| ?SetTextFont@CSkinRadioButton@@QAEXA | 1 |

| | |
|---|---|
| ?QuiteTransparent@CSkinRadioButton@@C | 1 |
| ?SetBackColor@CityProCtrl@@QAEXK@Z | 1 |
| ?SetDataProvide@CityProCtrl@@QAEXPUI | 1 |
| ?IsShowCity@CityProCtrl@@QAEXH@Z | 1 |
| ?Create@CityProCtrl@@QAEHIABVCRect@(| 1 |
| ?SetAutoSize@CSkinButton@@QAEXXZ | 1 |
| ?QuiteTransparent@CSkinButton@@QAEX_ | 1 |
| ?SetToolTip@CSkinButton@@QAEXABV?\$C! | 1 |
| ??0CEngPopButton@@QAE@QAVCMenuGr | 1 |
| ??0CEngComButton@@QAE@XZ | 1 |
| ??0CEngComTabCtrl@@QAE@XZ | 1 |
| ??1CEngComTabCtrl@@UAE@XZ | 1 |
| ?Create@CEngComTabCtrl@@QAEHIABVCR | 1 |
| ?SetActivePage@CEngComTabCtrl@@QAEX | 1 |
| ?RemoveAllPage@CEngComTabCtrl@@QAE | 1 |
| ?SetResBtnBeSel@CEngComTabCtrl@@QAE | 1 |
| ??1CEngComButton@@UAE@XZ | 1 |
| ?AddPage@CEngComTabCtrl@@QAEPAVCP | 1 |
| ?ExMessageBox@@YAHHPBDPADI@Z | 1 |
| ?GetCurrentCount@CEngComTabCtrl@@QA | 1 |
| ??0CEngComStatic@@QAE@XZ | 1 |
| ??0CExComboBox@@QAE@XZ | 1 |
| ??1CMenuEx@@UAE@XZ | 1 |
| ??1CExComboBox@@UAE@XZ | 1 |
| ?SetCurSel@CExComboBox@@QAEHH@Z | 1 |
| ?GetCheck@CSkinCheckButton@@QAEHXZ | 1 |
| ?SetTextFont@CSkinButton@@QAEXABUta{ | 1 |
| ?SetColor@CSkinButton@@QAEXABK@ | 1 |
| ?SetFont@CSkinStatic@@QAEXUtagLOC | 1 |
| ?SetColor@CSkinStatic@@QAEXK@Z | 1 |
| ??0CMenuEx@@QAE@XZ | 1 |
| ?LoadMenuA@CMenuEx@@QAEHI@Z | 1 |
| ??1CEngComStatic@@UAE@XZ | 1 |
| ?QuiteTransparent@CSkinCheckButton@@(| 1 |
| ?SetTextFont@CSkinCheckButton@@QAEXF | 1 |
| ?SetColor@CSkinCheckButton@@QAEX | 1 |
| ?AutoSize@CSkinCheckButton@@QAEXX | 1 |
| ??1CEngComCheckButton@@UAE@XZ | 1 |
| ??0CEngComCheckButton@@QAE@XZ | 1 |
| ?AutoSize@CSkinRadioButton@@QAEXX | 1 |
| ?GetGongliDate@CalendarCtrl@@QAEXAAL | 1 |
| ?GetCityProCtrlInfo@CityProCtrl@@QAEXAA | 1 |
| ?Create@CalendarCtrl@@QAEHIABVCRect(| 1 |
| ?SetDateRange@CalendarCtrl@@QAEXHH@ | 1 |
| ??1CityProCtrl@@UAE@XZ | 1 |
| ?IsShowHourAndMiteCtrl@CalendarCtrl@@ | 1 |
| ??1CalendarCtrl@@UAE@XZ | 1 |

| | |
|--|---|
| ?IsGongliOrNongliChange@CalendarCtrl@@ | 1 |
| ?SetBackColor@CalendarCtrl@@QAEXK@Z | 1 |
| ??0CityProCtrl@@QAE@XZ | 1 |
| ??0CalendarCtrl@@QAE@XZ | 1 |
| ??1CEngComRadioButton@@UAE@XZ | 1 |
| ??0CEngComRadioButton@@QAE@XZ | 1 |
| ?SetGongliDate@CalendarCtrl@@QAEXAAU | 1 |
| ?DIISetAstroContext@@YAHPAUIAstroConte | 1 |
| CNDivineTool_GetUserRealTimeInfo | 1 |
| CNDivineTool_SetDbAccess | 1 |
| _ZNKSt9basic_iosIcSt11char_traitsIcEE4good | 1 |
| _ZNSi3getEv | 1 |
| _ZNSi4peekEv | 1 |
| _ZNSi6ignoreEv | 1 |
| _ZNSirsERi | 1 |
| _ZNSirsERs | 1 |
| _ZNSt14basic_ifstreamIcSt11char_traitsIcEE | 1 |
| _ZNSt14basic_ifstreamIcSt11char_traitsIcEE! | 1 |
| _ZNSt14basic_ifstreamIcSt11char_traitsIcEE(| 1 |
| _ZNSt14basic_ifstreamIcSt11char_traitsIcEE! | 1 |
| _ZStrsIcSt11char_traitsIcEERSt13basic_istrea | 1 |
| NdisMTransferDataComplete | 1 |
| Mad_VirtualFreeEx | 1 |
| Mad_CreateRemoteThread | 1 |
| Mad_VirtualAllocEx | 1 |
| ?SetTabImageList@CCJTabCtrlBar@@QAEP/ | 1 |
| ?AddView@CCJTabCtrlBar@@QAEHPBDPAL | 1 |
| ?SetInitialSize@CCJMDIFrameWnd@@QAE | 1 |
| ??1CCJMDIFrameWnd@@UAE@XZ | 1 |
| ??0CCJTabCtrlBar@@QAE@XZ | 1 |
| ?classCCJMDIFrameWnd@CCJMDIFrameWn | 1 |
| ?messageMap@CCJMDIFrameWnd@@1UA | 1 |
| ?RecalcLayout@CCJMDIFrameWnd@@UAE) | 1 |
| ??1CCJTabCtrlBar@@UAE@XZ | 1 |
| ?EnableDockingSizeBar@CCJMDIFrameWnd | 1 |
| ??0CCJMDIFrameWnd@@QAE@XZ | 1 |
| ?SetActiveView@CCJTabCtrlBar@@QAEXH@ | 1 |
| ?DockSizeBar@CCJMDIFrameWnd@@QAEX | 1 |
| ?EnableDockingOnSizeBar@CCJControlBar@ | 1 |
| CsrSetForegroundPriority | 1 |
| CsrSetBackgroundPriority | 1 |
| CsrCreateWait | 1 |
| CsrMoveSatisfiedWait | 1 |
| CsrDereferenceWait | 1 |
| CsrNotifyWait | 1 |
| CsrValidateMessageBuffer | 1 |
| CsrPopulateDosDevices | 1 |

| | |
|--|------|
| CsrDereferenceProcess | 1 |
| CsrReferenceThread | 1 |
| CsrLockThreadByClientId | 1 |
| CsrUnlockThread | 1 |
| CsrGetProcessLuid | 1 |
| CsrAddStaticServerThread | 1 |
| CsrLockProcessByClientId | 1 |
| CsrUnlockProcess | 1 |
| CsrExecServerThread | 1 |
| CsrConnectToUser | 1 |
| CsrDereferenceThread | 1 |
| CsrImpersonateClient | 1 |
| CsrRevertToSelf | 1 |
| CsrQueryApiPort | 1 |
| CsrShutdownProcesses | 1 |
| ComPs_CStdStubBuffer_DebugServerReleas | 1 |
| K_UNK | 1 |
| I_RpcBindingInqDynamicEndpointW | 1 |
| ?narrow@?\${ctype@D@std@@QBEDDD@Z | 1 |
| __B7406ABB72 | 1 |
| __C93A7ABFD72 | 1 |
| __DB1660ABDB3 | 1 |
| | 222 |
| BD3 | 1 |
| __A9702E1ABD3 | 1 |
| __52AF783485 | 1 |
| CB3 | 1 |
| p_1E3C1087EB3 | 1 |
| F93 | 1 |
| | 46 |
| | 8581 |
| __428F5640 | 1 |
| B1E72 | 1 |
| s_DDF5834A7A1 | 1 |
| __A164C14AD91 | 1 |
| s_8DD958F9B7 | 1 |
| A72 | 1 |
| 6_58D930008D1 | 1 |
| 4_18583000A72 | 1 |
| 0_468930008D1 | 1 |
| ?_162C5CDF993 | 1 |
| ?_7AB9FB72E3 | 1 |
| ?_B7A7C70C162 | 1 |
| ?_4ADBBB36AF1 | 1 |
| ?_8B122A1CF3 | 1 |
| ?_7E3CF30C9D1 | 1 |
| ?_8F506ABD1 | 1 |

| | |
|---------------|-----|
| ?_8181485CDF1 | 1 |
| ?_464C97C3242 | 1 |
| 2_00422C997C1 | 1 |
| G_8997E1420C1 | 1 |
| T_720E9760E5 | 1 |
| | 872 |
| T_8B34C38B9D3 | 1 |
| G_DFB76E91642 | 1 |
| R_60481C385C3 | 1 |
| C_85287A10A93 | 1 |
| G_C306E7222C3 | 1 |
| S_B918F162242 | 1 |
| G_6C722832E7 | 1 |
| T_68F1A5A76A3 | 1 |
| W_B7C5A1C3681 | 1 |
| G_C3608F102E1 | 1 |
| D_ED1C918FD3 | 1 |
| I_1E362C5204 | 1 |
| G_9FB74200683 | 1 |
| S_E9F95224281 | 1 |
| G_E783428BB32 | 1 |
| S_740A3EDB952 | 1 |
| S_83A5281046 | 1 |
| R_F9566E360C3 | 1 |
| I_0EFBD7C3C12 | 1 |
| D_CFB76E95CB1 | 1 |
| I_89B140CDBF1 | 1 |
| E_6C585CF70A3 | 1 |
| L_3A9F12EF72 | 1 |
| G_FBB1C7224C3 | 1 |
| G_8954C568D5 | 1 |
| 1_008B5E3A9F1 | 1 |
| G_428B748954 | 1 |
| F_AFD5895026 | 1 |
| 2_0089 | 1 |
| 1_000EF785 | 1 |
| 6_58D9300002 | 1 |
| G_A3AFB9108B | 1 |
| 1_00C1A916A5 | 1 |
| 2_0044085E | 1 |
| 7_46000066A12 | 1 |
| F_1685285066 | 1 |
| S_CF7ABFF3EB | 1 |
| 3_0081004208 | 1 |
| 3_0046893 | 1 |
| W_DF9146A746 | 1 |
| CutPaper | 1 |

| | |
|--|---|
| pango_color_copy | 1 |
| pango_win32_render | 1 |
| @Datamodule@Jongmok | 1 |
| @Kbmmemtable@TkbmCustomMemTable@ | 1 |
| @Kbmmemtable@TkbmCustomMemTable@ | 1 |
| @Table@CnvInt8\$qqrd | 1 |
| @Table@CnvInt4\$qqri | 1 |
| @Table@CnvInt2\$qqrus | 1 |
| @Etcctrls@TivTabControl@ | 1 |
| @Textctrls@THDImageText@SetIsTermCode | 1 |
| @Textctrls@TivBorderSet@SetBottom\$qqrx | 1 |
| @Textctrls@TivDBText@SetDataField\$qqrx2 | 1 |
| @Textctrls@TivDBText@SetDataSource\$qqr | 1 |
| @\$xp\$19Textctrls@THDBText | 1 |
| @Textctrls@THDBText@ | 1 |
| @\$xp\$17Textctrls@THDText | 1 |
| @Textctrls@THDText@ | 1 |
| @\$xp\$22Textctrls@THDImageText | 1 |
| @Textctrls@THDImageText@ | 1 |
| @Hdcolorinfo@GHDColorInfo | 1 |
| @\$xp\$20Codeview@TivCodeEdit | 1 |
| @Multicandle@initialization\$qqrv | 1 |
| @Multicandle@Finalization\$qqrv | 1 |
| @Multicandle@TMultiCandle@Clear\$qqrv | 1 |
| @Multicandle@TMultiCandle@ValueFormat | 1 |
| @Multicandle@TMultiCandle@SetStartInde | 1 |
| @Multicandle@TMultiCandle@Draw\$qqrv | 1 |
| @\$xp\$24Multicandle@TMultiCandle | 1 |
| @Multicandle@TMultiCandle@ | 1 |
| ?CompareNoCase@CSTString@@QBEHPBG@ | 1 |
| ?Format@CSTString@@QAAHPBGZZ | 1 |
| ?Compare@CSTString@@QBEHPBG@Z | 1 |
| ??0CSTString@@QAE@ABV0@@Z | 1 |
| ??0CSTString@@QAE@XZ | 1 |
| ??4CSTString@@QAEAAV0@PBG@Z | 1 |
| ??0CSTString@@QAE@PBG@Z | 1 |
| ??HCSTString@@QBE?AV0@PBG@Z | 1 |
| ??4CSTString@@QAEAAV0@ABV0@@Z | 1 |
| ??1CSTString@@QAE@XZ | 1 |
| ??BCSTString@@QBEPBGXZ | 1 |
| ?AddInfo@CSTLog@@QAAHPBGZZ | 1 |
| ?AddError@CSTLog@@QAAHPBGZZ | 1 |
| ?ExitFunction@CSTLog@@QAEHH@Z | 1 |
| ?GetInstance@CSTLog@@SAPAV1@XZ | 1 |
| ?EnterFunction@CSTLog@@QAAHPBGZZ | 1 |
| ?ExitFunction@CSTLog@@QAEPBGPB@Z | 1 |
| ??OSSndBoxInit@@QAE@XZ | 1 |

| | |
|--|---|
| ??OSWaveHeader@@QAE@XZ | 1 |
| ??OSSndLibHeader@@QAE@XZ | 1 |
| SetPCIEventCallback | 1 |
| CloseCpqServer | 1 |
| OpenCpqServer | 1 |
| CheckSecurity | 1 |
| rCreateFile | 1 |
| rDeviceIoControl | 1 |
| rCloseHandle | 1 |
| rEmbeddedPtrDeviceIoControl | 1 |
| ?classCSipKimdenView@CSipKimdenView@ | 1 |
| ?classCSipKimdenDoc@CSipKimdenDoc@@ | 1 |
| ?classCTalepDoc@CTalepDoc@@2UCRuntin | 1 |
| ?classCTalepView@CTalepView@@2UCRun | 1 |
| ?classCTeklifView@CTeklifView@@2UCRun | 1 |
| ?classCTeklifDoc@CTeklifDoc@@2UCRuntin | 1 |
| ?classCTeklifMektupDoc@CTeklifMektupDoc | 1 |
| ?classCTeklifMektupView@CTeklifMektupVi | 1 |
| ?classCMektuptanTeklifDoc@CMektuptanTe | 1 |
| ?classCMektuptanTeklifView@CMektuptanT | 1 |
| ?classCSaChSipView@CSaChSipView@@2UC | 1 |
| ?classCSaChSipDoc@CSaChSipDoc@@2UCR | 1 |
| CreateHardwareEventMoniker | 1 |
| ?Bink_Manager_Start_Service@@YAXXZ | 1 |
| ?Bink_Manager_Set_Language@@YAXH@Z | 1 |
| ?Bink_Manager_Stop_Service@@YAXXZ | 1 |
| ?WindowMessageOpen@@3IA | 1 |
| ?ReallocContiguous@F_malloc@@UAEPAXP/ | 1 |
| ?GetLanguage@UObject@@SAPBGXZ | 1 |
| ?appSaveStringToFile@@YAHABVFString@C | 1 |
| ?SetDefaultSpinCount@CSmallSpinLock@@! | 1 |
| ??0CReaderWriterLock@@QAE@XZ | 1 |
| ??_7?\$num_get@GV?\$istreambuf_iterator@ | 1 |
| ?log10@std@@YA?AV?\$complex@M@1@/ | 1 |
| SplReadPrinter | 1 |
| SplPowerEvent | 1 |
| SplCloseSpoolFileHandle | 1 |
| UndoAlignKMPtr | 1 |
| AddPrinterExW | 1 |
| bGetDevModePerUser | 1 |
| UpdatePrinterRegAll | 1 |
| RemoteFindFirstPrinterChangeNotification | 1 |
| SplIsUpgrade | 1 |
| SplUnregisterForDeviceEvents | 1 |
| GetJobAttributes | 1 |
| ?skinDir@ImPref@@QAE?AVQString@@XZ | 1 |
| ?value@ImPref@@QAE?AVQVariant@@AB | 1 |

| | |
|---|---|
| ?setCurrentLang@ImLangItemModel@@QA | 1 |
| ?copyright@ImPref@@QAE?AVQString@@` | 1 |
| ?product_version@ImPref@@QAE?AVQString@ | 1 |
| ?versionString@Im@@YA?AVQString@@AE | 1 |
| ?product_name_prefix@ImPref@@QAE?AV | 1 |
| ?moveCenter@Im@@YAXPAVQWidget@@ | 1 |
| ??1QtLocalPeer@@UAE@XZ | 1 |
| ?qt_metacall@QtLocalPeer@@UAEHW4Call | 1 |
| ?qt_metacast@QtLocalPeer@@UAEPAXPBC | 1 |
| ?metaObject@QtLocalPeer@@UBEPBUQM@ | 1 |
| ??0ImApplication@@QAE@AAHPAPAD@Z | 1 |
| ?setImfcVersion@ImApplication@@QAEHX | 1 |
| ?setStartSoftwareManage@ImApplication@ | 1 |
| ?checkIntegrity@ImApplication@@QAE_N | 1 |
| ?installTranslators@ImApplication@@QAE | 1 |
| ?initCfg@ImApplication@@QAEXPBD_N@Z | 1 |
| ?appInfoValue@ImPref@@QAE?AVQString(| 1 |
| ??0QtLocalPeer@@QAE@PAVQObject@@A | 1 |
| ?isClient@QtLocalPeer@@QAE_NXZ | 1 |
| ??1ImApplication@@UAE@XZ | 1 |
| ?sendMessage@QtLocalPeer@@QAE_NABV | 1 |
| ?app_name@ImPref@@QAE?AVQString@@C | 1 |
| ?qSleep@Im@@YAJ@Z | 1 |
| ?instance@regLib@@SAPAV1@XZ | 1 |
| ?incCIAItem@regLib@@QAExABVQString@ | 1 |
| ?secsTo@QTime@@QBEHABV1@@Z | 1 |
| ?readAllStandardOutput@QProcess@@QAE | 1 |
| ?start@QProcess@@QAExABVQString@@V | 1 |
| __wrap_ZdIpv | 1 |
| __wrap_Znwj | 1 |
| _ZN11QMetaObject8addGuardEPP7QObject | 1 |
| _ZN14QWaitCondition7wakeOneEv | 1 |
| _ZN7QObject12moveToThreadEP7QThread | 1 |
| _ZN8QMapData11node_deleteEPPNS_4Nod | 1 |
| _ZNK7QThread10isFinishedEv | 1 |
| ?C9998_DumpTrace@@YAXHPBDHPAD@Z | 1 |
| ?C9999_Trace@@YAXPAD@Z | 1 |
| ?C1010_Log@@YAHPADHH0@Z | 1 |
| ?C1030_InitializeLogging@@YAXPAD0HHHF | 1 |
| ?C9950_GetVersion@@YAHHPAD@Z | 1 |
| ?C9970_Init@@YAXHPAD@Z | 1 |
| ??0os_critical_section@@QAE@_N@Z | 1 |
| ??1os_critical_section@@QAE@XZ | 1 |
| ?unlock@os_critical_section@@QAEXXZ | 1 |
| ?lock@os_critical_section@@QAEXXZ | 1 |
| ?Disconnect@CDBSession_ODBC@@QAEXX | 1 |
| ?FinalFlushLog@CTracer@@QAEJXZ | 1 |

| | |
|--|---|
| ??1CRowSet_ODBC@@UAE@XZ | 1 |
| ?AddBinder@CRowSet_ODBC@@QAEXPAPI | 1 |
| ??0CRowSet_ODBC@@QAE@XZ | 1 |
| ?MoveNext@CRowSet_ODBC@@QAEHXZ | 1 |
| ?Open@CRowSet_ODBC@@QAEJAAVCDBS@ | 1 |
| ??1CDBSession_ODBC@@QAE@XZ | 1 |
| ??0CDBSession_ODBC@@QAE@XZ | 1 |
| ??1CDBCWString@@UAE@XZ | 1 |
| ??_7CDBCWString@@6B@ | 1 |
| ??0CRowSet_ODBC@@QAE@_N@Z | 1 |
| ?Open@CRowSet_ODBC@@QAEJAAVCDBS@ | 1 |
| ??1CCallerInfo@@UAE@XZ | 1 |
| ??_7CCallerInfo@@6B@ | 1 |
| ??1CServiceRegistrationInfo@@UAE@XZ | 1 |
| ?SetServiceInterface@CServiceRegistrationI | 1 |
| ?SetCallbackInterface@CServiceRegistration | 1 |
| ??0CServiceRegistrationInfo@@QAE@XZ | 1 |
| ?m_pimalloc@CGlobalAlloc@@OPAUIMallo | 1 |
| ??1CLanguageInfo@@UAE@XZ | 1 |
| ??0CLanguageInfo@@QAE@XZ | 1 |
| ?Free@CLanguageInfo@@UAEXAAUtagLang | 1 |
| ??BCDBCWString@@QAEPAGXZ | 1 |
| ??1CTracer@@UAE@XZ | 1 |
| ?FetchBlob@CRowSet_ODBC@@QAEHHHP@ | 1 |
| ?GetBlobSize@CRowSet_ODBC@@QAEHH@C | 1 |
| ??1CDBInitInfo_ODBC@@QAE@XZ | 1 |
| ?Connect@CDBSession_ODBC@@QAEJABV@ | 1 |
| ??0CDBInitInfo_ODBC@@QAE@PBG00@Z | 1 |
| ?IsConnected@CDBSession_ODBC@@QAEH | 1 |
| ??0CTracer@@QAE@XZ | 1 |
| ?Close@CRowSet_ODBC@@UAEXXZ | 1 |
| ?WriteLog@CTracer@@QAAJW4TRACELEVE | 1 |
| ??0CAppManager@@QAE@H@Z | 1 |
| ?Free@CCallerInfo@@UAEXAAUtagCallerIn | 1 |
| ?ReleaseService@CProvideServices@@QAE. | 1 |
| ??0CCallerInfo@@QAE@XZ | 1 |
| ?RegisterService@CProvideServices@@QAE | 1 |
| ?SetFrom@CCallerInfo@@UAEXAAUtagCall | 1 |
| ?RegisterComponent@CProvideServices@@@ | 1 |
| ?Connect@CAppManager@@QAEHXZ | 1 |
| ?CloneInto@CLanguageInfo@@UAEXPAPAL | 1 |
| ?SetFrom@CLanguageInfo@@UAEXAAUtag | 1 |
| ?CopyInto@CLanguageInfo@@UAEXAAUtag | 1 |
| ??3CLanguageInfo@@SAXPAX@Z | 1 |
| ??2CLanguageInfo@@SAPAXI@Z | 1 |
| ?GetDatabase@CAppManager@@QAEPAVC | 1 |
| ??_7CComponent@@6B@ | 1 |

| | |
|--|---|
| ?Disconnect@CAppManager@@UAEXXZ | 1 |
| ?Connect@CTracer@@QAEHXZ | 1 |
| ??1CAppManager@@UAE@XZ | 1 |
| ?GetFormatDataFlavor@SotExchange@@SA | 1 |
| ??0HeaderBar@@QAE@PAVWindow@@AE | 1 |
| ??0SvTabListBox@@QAE@PAVWindow@@ | 1 |
| ?GetToolboxStyle@SvtMiscOptions@@QBEI | 1 |
| ?GetCurrentSymbolsSize@SvtMiscOptions@ | 1 |
| ?RemoveListenerLink@SvtMiscOptions@@C | 1 |
| ?AddListenerLink@SvtMiscOptions@@QAE | 1 |
| ??1SvTabListBox@@UAE@XZ | 1 |
| ?CreateControlContainer@VCLUnoHelper@ | 1 |
| ?MouseMove@ToolBox@@UAEXABVMouse | 1 |
| ?MouseButtonDown@ToolBox@@UAEXAB\ | 1 |
| ?MouseButtonUp@ToolBox@@UAEXABVM | 1 |
| ?KeyInput@ToolBox@@UAEXABVKeyEvent(| 1 |
| ?Paint@ToolBox@@UAEXABVRectangle@@ | 1 |
| ?Move@ToolBox@@UAEXXZ | 1 |
| ?Resize@ToolBox@@UAEXXZ | 1 |
| ?Activate@ToolBox@@UAEXXZ | 1 |
| ?Deactivate@ToolBox@@UAEXXZ | 1 |
| ?GetFocus@ToolBox@@UAEXXZ | 1 |
| ?LoseFocus@ToolBox@@UAEXXZ | 1 |
| ?RequestHelp@ToolBox@@UAEXABVHelpE | 1 |
| ?Command@ToolBox@@UAEXABVComma | 1 |
| ?Tracking@ToolBox@@UAEXABVTrackingEv | 1 |
| ?StateChanged@ToolBox@@UAEXG@Z | 1 |
| ?Notify@ToolBox@@UAEJAAVNotifyEvent@ | 1 |
| ?GetDisplayText@ToolBox@@UBE?AVString | 1 |
| ?StartDocking@ToolBox@@UAEXXZ | 1 |
| ?Docking@ToolBox@@UAEEABVPoint@@A | 1 |
| ?EndDocking@ToolBox@@UAEXABVRectan | 1 |
| ?PrepareToggleFloatingMode@ToolBox@@ | 1 |
| ?PrepareToggleFloatingMode@DockingWin | 1 |
| ?Resizing@ToolBox@@UAEXAAVSize@@@ | 1 |
| ?DoubleClick@ToolBox@@UAEXXZ | 1 |
| ?Highlight@ToolBox@@UAEXXZ | 1 |
| ?NextToolBox@ToolBox@@UAEXXZ | 1 |
| ?Customize@ToolBox@@UAEXABVToolBox | 1 |
| ?UserDraw@ToolBox@@UAEXABVUserDraw | 1 |
| ?GetItemCommand@ToolBox@@QBEABVSt | 1 |
| ?GetItemId@ToolBox@@QBEGG@Z | 1 |
| ?GetItemCount@ToolBox@@QBEGXZ | 1 |
| ?Execute@PopupMenu@@QAEGPAVWindo | 1 |
| ?GetItemRect@ToolBox@@QBE?AVRectang | 1 |
| ?SetItemDown@ToolBox@@QAEXGEE@Z | 1 |
| ?EndSelection@ToolBox@@QAEXXZ | 1 |

| | |
|--|---|
| ?GetItemText@ToolBox@@QBEABVString@ | 1 |
| ?SetDropdownClickHdl@ToolBox@@QAEXA | 1 |
| ??0ToolBox@@QAE@PAVWindow@@ABVF | 1 |
| ?SetVisibleSize@ScrollBar@@QAEXJ@Z | 1 |
| ?SetRange@ScrollBar@@QAEXABVRange@ | 1 |
| ??1MnemonicGenerator@@QAE@XZ | 1 |
| ?CreateMnemonic@MnemonicGenerator@ | 1 |
| ?RegisterMnemonic@MnemonicGenerator@ | 1 |
| ??0MnemonicGenerator@@QAE@XZ | 1 |
| ??1ScrollBar@@UAE@XZ | 1 |
| ?SetThumbPos@ScrollBar@@QAEXJ@Z | 1 |
| ?MatchMnemonic@I18nHelper@vcl@@QBI | 1 |
| ?GetUILocaleI18nHelper@AllSettings@@QB | 1 |
| ??0ScrollBar@@QAE@PAVWindow@@_J@ | 1 |
| ?CheckItem@Menu@@QAEXGE@Z | 1 |
| ?GetItemText@Menu@@QBE?AVString@@ | 1 |
| ?InsertItem@Menu@@QAEXGABVString@C | 1 |
| ?SetOutStyle@ToolBox@@QAEXG@Z | 1 |
| ?DataChanged@ToolBox@@UAEXABVDataC | 1 |
| ?SetItemImage@ToolBox@@QAEXGABVIma | 1 |
| ?SetDefaultCheckBoxText@QueryBox@@Q/ | 1 |
| ?GetCheckBoxState@MessBox@@QBEEHZ | 1 |
| ?RemoveItem@SplitWindow@@QAEXGE@Z | 1 |
| ?GetItemSize@SplitWindow@@QBEJG@Z | 1 |
| ?SetParent@Window@@QAEXP@V1@@Z | 1 |
| ??0SplitWindow@@QAE@PAVWindow@@ | 1 |
| ??1SplitWindow@@UAE@XZ | 1 |
| ?EndDocking@DockingWindow@@UAEXAB' | 1 |
| ?Docking@DockingWindow@@UAEEABVPo | 1 |
| ?StartDocking@DockingWindow@@UAEXXZ | 1 |
| ?Notify@DockingWindow@@UAEJAAVNotif | 1 |
| ?PreNotify@SplitWindow@@UAEJAAVNotif | 1 |
| ?DataChanged@SplitWindow@@UAEXABV[| 1 |
| ?StateChanged@SplitWindow@@UAEXG@Z | 1 |
| ?Tracking@SplitWindow@@UAEXABVTracki | 1 |
| ?RequestHelp@SplitWindow@@UAEXABVH | 1 |
| ?Resize@SplitWindow@@UAEXXZ | 1 |
| ?Move@SplitWindow@@UAEXXZ | 1 |
| ?Paint@SplitWindow@@UAEXABVRectangl | 1 |
| ?MouseButtonDown@SplitWindow@@UAE | 1 |
| ?MouseMove@SplitWindow@@UAEXABVN | 1 |
| ?InsertItem@SplitWindow@@QAEXGPAVW | 1 |
| ?SetItemSize@SplitWindow@@QAEXGJ@Z | 1 |
| ?GetTaskPaneList@SystemWindow@@QAEI | 1 |
| ?AddWindow@TaskPaneList@@QAEXP@VW | 1 |
| ?RemoveWindow@TaskPaneList@@QAEXP, | 1 |
| ??0KeyCode@@QAE@W4KeyFuncType@@ | 1 |

| | |
|---|---|
| ?GetChildCount@Window@@QBEGXZ | 1 |
| ?GetChild@Window@@QBEPAV1@G@Z | 1 |
| ?FadeOut@SplitWindow@@UAEXXZ | 1 |
| ?FadeIn@SplitWindow@@UAEXXZ | 1 |
| ?AutoHide@SplitWindow@@UAEXXZ | 1 |
| ?SplitResize@SplitWindow@@UAEXXZ | 1 |
| ?Split@SplitWindow@@UAEXXZ | 1 |
| ?StartSplit@SplitWindow@@UAEXXZ | 1 |
| ?Close@DockingWindow@@UAEXXZ | 1 |
| ?Resizing@DockingWindow@@UAEXAAVSiz | 1 |
| ?ToggleFloatingMode@DockingWindow@@ | 1 |
| ?ToggleFloatingMode@ToolBox@@UAEXXZ | 1 |
| ??1SfxItemPropertySet@@UAE@XZ | 1 |
| ??0SfxItemPropertySet@@QAE@PBUSfxIter | 1 |
| ?getPropertySetInfo@SfxItemPropertySet@ | 1 |
| ?SetSetProperties@ConfigItem@utl@@IAEE | 1 |
| ?SearchAndReplaceAll@String@@QAEXGG(C | 1 |
| Est0300200009 | 1 |
| Est0300200002 | 1 |
| ?translate_point@@YGXPANOPBUTM@@@ | 1 |
| _mul_tm@8 | 1 |
| ?GetDoubleCadlink@@YGNPBDON@Z | 1 |
| ?Convert2kToMode2Form1With2336@@YA | 1 |
| ?GenEDC@@YAHPAEKPAV?\$LittleEndian@K | 1 |
| ?ClearErrors@CNeroErrorList@@QAEXXZ | 1 |
| CoreSet | 1 |
| CoreDeleteInstance | 1 |
| CoreUninit | 1 |
| CoreGet | 1 |
| CoreNewInstance | 1 |
| CoreInit | 1 |
| RY2_Close | 1 |
| RNBOsproFindFirstUnit | 1 |
| ?CopyUCS2toASCII@@YAXABVnsAString_int | 1 |
| ?mclcomGetErrorMessage@@YAPBDH@Z | 1 |
| ?mclReleaseGlobalLock@@YAHXZ | 1 |
| ?mclGetConversionFlags@@YAJPAUIMWFla | 1 |
| ?mclCheckMWComMgr@@YA_NXZ | 1 |
| ?mclCheckMWComUtil@@YA_NXZ | 1 |
| ?mclRequestGlobalLock@@YAHXZ | 1 |
| ?mclInitConversionFlags@@YAXPAU_MCLCI | 1 |
| ?mclVariant2mxArray@@YAHPBUTagVARI | 1 |
| ?mclmxArray2Variant@@YAHPBUmxA | 1 |
| mclUnRegisterMatLabCOMComponent_pro | 1 |
| mclRegisterMatLabCOMComponent_proxy | 1 |
| PanGetCharSetFromUnicode | 1 |
| PanCharset2Codepage | 1 |

| | |
|----------------------------------|---|
| PanSeekFile | 1 |
| PanLReadFile | 1 |
| PanOpenFile | 1 |
| PanReadFile | 1 |
| PanCloseFile | 1 |
| PanWriteFile | 1 |
| HOOK_DeactivateMus | 1 |
| HOOK_DeactivateKbd | 1 |
| HOOK_ActivateMus | 1 |
| HOOK_ActivateKbd | 1 |
| ExpInterlockedPushEntrySList | 1 |
| ExpInterlockedPopEntrySList | 1 |
| ExQueryDepthSList | 1 |
| wctomb_s | 1 |
| phoneGetHookSwitch | 1 |
| phoneConfigDialog | 1 |
| lineGetStatusMessages | 1 |
| phoneGetDevCapsW | 1 |
| MMCGetDeviceFlags | 1 |
| lineGetAgentCapsW | 1 |
| MMCGetPhoneInfo | 1 |
| lineGatherDigitsW | 1 |
| lineGenerateDigitsA | 1 |
| _SbieDll_StartSbieDrv@4 | 1 |
| _SbieDll_CallServer@4 | 1 |
| _SbieDll_FormatMessage0@4 | 1 |
| _SbieDll_StartSbieSvc@4 | 1 |
| _SbieDll_FormatMessage1@8 | 1 |
| _SbieApi_IsBoxEnabled@4 | 1 |
| _SbieApi_EnumProcessEx@16 | 1 |
| _SbieApi_EnumBoxes@8 | 1 |
| _SbieDll_KillAll@8 | 1 |
| _SbieDll_InitProcess@0 | 1 |
| _SbieDll_GetSetDeviceMap@4 | 1 |
| _SbieApi_StartProcess@8 | 1 |
| _SbieDll_StartCOM@4 | 1 |
| _SbieDll_RunFromHome@16 | 1 |
| _SbieApi_QueryProcessInfo@8 | 1 |
| _SbieApi_DisableForceProcess@8 | 1 |
| _SbieApi_ReloadConf@4 | 1 |
| _SbieDll_DisableElevationHook@0 | 1 |
| _SbieDll_GetTokenElevationType@0 | 1 |
| _SbieDll_GetLanguage@4 | 1 |
| _SbieDll_InitPStore@0 | 1 |
| _SbieApi_QueryConfBool@12 | 1 |
| _SbieApi_QueryProcess@20 | 1 |
| _SbieDll_FreeMem@4 | 1 |

| | |
|---------------------------------|---|
| _SbieApi_QueryConf@20 | 1 |
| _SbieDll_GetHandlePath@12 | 1 |
| _SbieDll_TranslateNtToDosPath@4 | 1 |
| _SbieApi_QueryBoxPath@28 | 1 |
| _SbieDll_IsDirectory@4 | 1 |
| _SbieDll_FormatMessage@8 | 1 |
| lineTranslateAddressA | 1 |
| achayan_mal_parse | 1 |
| waddnstr | 1 |
| waddstr | 1 |
| waddch | 1 |
| wmove | 1 |
| curs_set | 1 |
| nodelay | 1 |
| keypad | 1 |
| has_colors | 1 |
| start_color | 1 |
| COLORS | 1 |
| COLOR_PAIRS | 1 |
| init_pair | 1 |
| __throw_temporary_ptr | 1 |
| __SALFORD_MAP | 1 |
| __undefined_function | 1 |
| __CONCAT | 1 |
| __CCOPY | 1 |
| __adjust_stack_f | 1 |
| __get_main_arguments | 1 |
| __get_virtual_common_block | 1 |
| __General_shared_address | 1 |
| __WindowsType_address | 1 |
| __init_WindowsType | 1 |
| __initialise_cplib | 1 |
| __errno_address | 1 |
| __stdin_address | 1 |
| __stdout_address | 1 |
| __stderr_address | 1 |
| __cout_address | 1 |
| __salf_exception_handler | 1 |
| __initialise_sccdll | 1 |
| __cin_address | 1 |
| __cerr_address | 1 |
| __Put_exception_title | 1 |
| ___console_stdin_address | 1 |
| ___console_stdout_address | 1 |
| WinMain | 1 |
| ___console_stderr_address | 1 |
| mprintf0 | 1 |

| | |
|---|---|
| __ctype_ptr_address | 1 |
| _scc_lib_version | 1 |
| _vd_info_address | 1 |
| _special_flags_address | 1 |
| _Register_map_info | 1 |
| _Put_exception_message | 1 |
| _init_cpplib_info | 1 |
| _clearwin | 1 |
| ?CallChannel@A3d_Channel@@UAEXXZ | 1 |
| ?OneTimeInitialize@A3d_Channel@@UAEX | 1 |
| ?DoEvent@A3d_Channel@@UAEXHK@Z | 1 |
| ?GetChannelType@A3d_Channel@@UAE?A | 1 |
| ?SetChannelInterfaceType@A3d_Channel@ | 1 |
| ?GetChannelFromChannel@A3d_Channel@ | 1 |
| ?GetTimeStamp@A3d_Channel@@UAEKXZ | 1 |
| ?SetTimeStamp@A3d_Channel@@UAEXXZ | 1 |
| ?CheckIndexNrRemoval@A3d_Channel@@I | 1 |
| ?GetInternalChild@A3d_Channel@@UAEPA | 1 |
| ?CheckPublicChannelInstanceRemoval@A3d | 1 |
| ?AddMetaData@A3d_Channel@@UAEXAA\ | 1 |
| ?SetChannelGroup@A3d_Channel@@UAEX | 1 |
| ?GetFeedbackClass@A3d_Channel@@UAEF | 1 |
| ?SetContextRenderCountName@A3d_Chani | 1 |
| ?GetContextRenderCountName@A3d_Chani | 1 |
| ?SaveChannel@A3d_Channel@@UAE_NAA\ | 1 |
| ?LoadChannel@A3d_Channel@@UAE_NAA' | 1 |
| ?AddChannelGuidDepend@A3d_Channel@() | 1 |
| ??0ChannelType@@QAE@XZ | 1 |
| ?GetChild@A3d_Channel@@QAEPAV1@H\ | 1 |
| ?SetChildCreateType@A3d_Channel@@QAI | 1 |
| ?SetChildCreationCount@A3d_Channel@@I | 1 |
| ?globalEngine@@3PAVEngineInterface@@I | 1 |
| ?SetChannelName@A3d_Channel@@QAEXI | 1 |
| ??1ClassInstance@@UAE@XZ | 1 |
| ?RemoveClassInstanceId@ClassInstance@@ | 1 |
| ?GetItemCount@ClassInstance@@UAEHXZ | 1 |
| ?Release@ClassInstance@@UAEXXZ | 1 |
| ?GetIfSaveData@ClassInstance@@UAE_NXZ | 1 |
| ?SetIfSaveData@ClassInstance@@UAEX_N@ | 1 |
| ?SetLoadTargetInstance@ClassInstance@@I | 1 |
| ??0ClassInstance@@QAE@XZ | 1 |
| ??0ClassInstance@@QAE@ABV0@@Z | 1 |
| ??4ClassInstance@@QAEAAV0@ABV0@@Z | 1 |
| RpcNsBindingImportNext | 1 |
| ?DoSave@CHerDoc@@UAEPBDHV?\$CStri | 1 |
| _wstat32 | 1 |
| CreateAcsCompatibleObjectName | 1 |

| | |
|--|---|
| _PhLibExceptionFilter@4 | 1 |
| ??0CFileSpec@@QAE@PBD@Z | 1 |
| ?Exists@CFileSpec@@QAE_NW4FILESPECTY | 1 |
| ?Extension@CFileSpec@@QAEPBDXZ | 1 |
| ?IsType@CFileSpec@@QAE_NPBD@Z | 1 |
| ??1CFileSpec@@QAE@XZ | 1 |
| ?AppendAttribute@XMLHIpNode@@QAEXF | 1 |
| ?NewTextNode@XMLHIp@@QAEPAVXMLH | 1 |
| ??0XMLHIp@@QAE@XZ | 1 |
| ?NewRoot@XMLHIp@@QAEPAVXMLHIpNo | 1 |
| ?NewNode@XMLHIp@@QAEPAVXMLHIpNc | 1 |
| ?GetUCS2Buff@XMLHIp@@QAEPAGXZ | 1 |
| ??1XMLHIp@@QAE@XZ | 1 |
| _XCommGetACSTalkbackId@8 | 1 |
| ExitDragman | 1 |
| InitDragman | 1 |
| CountDragItems | 1 |
| GetDragItemReferenceNumber | 1 |
| CountDragItemFlavors | 1 |
| GetFlavorType | 1 |
| GetFlavorDataSize | 1 |
| GetFlavorData | 1 |
| GetDragAttributes | 1 |
| GetDragMouse | 1 |
| GetDragDataObject | 1 |
| ?AcfRegisterServers@@YAJW4EACFRegistra | 1 |
| ?AcfInitialize@@YAJXZ | 1 |
| ?AcfUninitialize@@YAJXZ | 1 |
| ??1BSTRING@@UAE@XZ | 1 |
| getpwent | 1 |
| dialog_ProgressSet | 1 |
| dialog_Question | 1 |
| ??6std@@YAAV?\$basic_ostream@GU?\$cl | 1 |
| ?infinity@?\$numeric_limits@G@std@@SAC | 1 |
| @Classes@TWriter@WriteVariant\$qqrrx14S | 1 |
| @Classes@TReader@ReadVariant\$qqrv | 1 |
| @\$xp\$22Controls@TControlClass | 1 |
| @\$xp\$17Controls@TControl | 1 |
| @Dxlayoutlookandfeels@TdxLayoutWebLoc | 1 |
| @Dxlayoutlookandfeels@TdxLayoutWebLoc | 1 |
| @\$xp\$44Dxlayoutlookandfeels@TdxLayout\ | 1 |
| @\$xp\$47Dxlayoutlookandfeels@TdxLayoutC | 1 |
| @\$xp\$49Dxlayoutlookandfeels@TdxLayoutS | 1 |
| @Dxlayoutlookandfeels@TdxLayoutStandar | 1 |
| @\$xp\$47Dxlayoutlookandfeels@TdxCustom | 1 |
| @Dxlayoutlookandfeels@TdxCustomLayoutI | 1 |
| @\$xp\$52Dxlayoutlookandfeels@TdxCustom | 1 |

| | |
|---|---|
| @Dxlayoutcontainer@TdxLayoutLabeledIter | 1 |
| @\$xp\$44Dxlayoutcontainer@TdxLayoutCust | 1 |
| @Dxlayoutcontainer@TdxLayoutCustomLab | 1 |
| @Dxlayoutcontainer@TdxLayoutLabeledIter | 1 |
| @Dxlayoutcontainer@TdxLayoutSplitterIter | 1 |
| @Dxlayoutcontainer@TdxLayoutSeparatorIt | 1 |
| @\$xp\$42Dxlayoutcontainer@TdxLayoutDire | 1 |
| @Dxlayoutcontainer@TdxLayoutDirectionall | 1 |
| @Dxlayoutcontainer@TdxLayoutEmptySpaci | 1 |
| @Dxlayoutcontainer@TdxLayoutBasicItem@ | 1 |
| @\$xp\$37Dxlayoutcontainer@TdxCustomLay | 1 |
| @Dxlayoutcontainer@TdxCustomLayoutIter | 1 |
| @\$xp\$34Dxlayoutcontainer@TdxCaptionLay | 1 |
| @\$xp\$42Dxlayoutcontainer@TdxCustomLay | 1 |
| @Dxlayoutdraganddrop@initialization\$qqrv | 1 |
| @Dxlayoutdraganddrop@Finalization\$qqrv | 1 |
| @Dxlayoutcontrol@TdxLayoutControlViewI | 1 |
| @Dxlayoutcontrol@TdxCustomLayoutContr | 1 |
| @Dxlayoutcontrol@TdxCustomLayoutContr | 1 |
| @Dxlayoutcontrol@TdxCustomLayoutContr | 1 |
| @\$xp\$32Dxlayoutcontrol@TdxLayoutContro | 1 |
| @\$xp\$38Dxlayoutcontrol@TdxCustomLayou | 1 |
| @Dxlayoutcontrol@TdxCustomLayoutContr | 1 |
| @Dxbase@TdxCustomClassMaps@GetPairC | 1 |
| @Dxbase@TdxCustomClassMapItem@PairC | 1 |
| @Dxbase@TdxCustomClassFactory@Initializ | 1 |
| @Dxbase@TdxCustomClassFactory@Finalize | 1 |
| @Dxbase@TdxCustomClassFactory@Unregis | 1 |
| @Dxbase@TdxCustomClassFactory@Unregis | 1 |
| @Dxbase@TdxCustomClassFactory@Registe | 1 |
| @Dxbase@TdxCustomCache@GetItem\$qqri | 1 |
| @Dxbase@TdxCustomCache@IndexOfByCla | 1 |
| @Dxbase@TdxCustomCache@Add\$qqrp14S | 1 |
| @Dxbase@TdxCustomCache@Clear\$qqrv | 1 |
| @Dxbase@TdxCustomCache@\$bdtr\$qqrv | 1 |
| @\$xp\$25Dxbase@TdxCustomClassMaps | 1 |
| @Dxbase@TdxCustomClassMaps@ | 1 |
| @Dxpssngltn@TBasedxPSSingleton@Unregi | 1 |
| @Dxpssngltn@TBasedxPSSingleton@Registe | 1 |
| @Dxpssngltn@TBasedxPSSingleton@GetInst | 1 |
| @Dxpssngltn@TBasedxPSSingleton@Release | 1 |
| @Dxpssngltn@TBasedxPSSingleton@Instanc | 1 |
| @Dxpssngltn@TBasedxPSSingleton@\$bdtr\$ | 1 |
| @Dxpssngltn@TBasedxPSSingleton@\$bctr\$ | 1 |

@Dxprnpg@TdxPrinterPage@PaintRectPixel
@\$xp\$52Dxpsreportrendercanvas@TdxPSRe
@Dxpscore@TStandarddxReportLinkDesign\
@Dxpscore@TAbstractdxReportLinkDesignV
@Dxpscore@TAbstractdxReportLinkDesignV
@Dxpscore@TAbstractdxReportLinkDesignV
@Dxpscore@TAbstractdxReportLinkDesignV
@Dxpscore@TBasedxReportLink@MakeHar
@Dxpscore@TBasedxReportLink@IsDrawRo
@Dxpscore@TBasedxReportLink@IsDrawHe
@Dxpscore@TBasedxReportLink@IsDrawHe
@Dxpscore@TBasedxReportLink@IsDrawFo
@Dxpscore@TBasedxReportLink@FinalizeD
@Dxpscore@TBasedxReportLink@DoPagePa
@Dxpscore@TBasedxReportLink@DoDestro
@Dxpscore@TBasedxReportLink@DoCreate
@Dxpscore@TBasedxReportLink@InternalRe
@Dxpscore@TBasedxReportLink@InternalA
@Dxpscore@TBasedxReportLink@GetVisible
@Dxpscore@TBasedxReportLink@GetUseHa
@Dxpscore@TBasedxReportLink@GetUseHa
@Dxpscore@TBasedxReportLink@GetPageC
@Dxpscore@TBasedxReportLink@InitializeC
@Dxpscore@TBasedxReportLink@GetRende
@Dxpscore@TBasedxReportLink@CreateRe
@Dxpscore@TBasedxReportLink@GetRende
@Dxpscore@TBasedxReportLink@CreateRe
@Dxpscore@TBasedxReportLink@TunePixel
@Dxpscore@TBasedxReportLink@StdProces
@Dxpscore@TBasedxReportLink@ShowPage
@Dxpscore@TBasedxReportLink@ShowPage
@Dxpscore@TBasedxReportLink@ShowEmp

| | |
|---|---|
| @Dxpsscore@TBasedxReportLink@GetRealP | 1 |
| @Dxpsscore@TBasedxReportLink@SetCompo | 1 |
| @Dxpsscore@TBasedxReportLink@SetActive | 1 |
| @Dxpsscore@TBasedxReportLink@WriteFoo | 1 |
| @Dxpsscore@TBasedxReportLink@WriteTitle | 1 |
| @Dxpsscore@TBasedxReportLink@WriteRep | 1 |
| @Dxpsscore@TBasedxReportLink@WriteStor | 1 |
| @Dxpsscore@TBasedxReportLink@WriteOffs | 1 |
| @Dxpsscore@TBasedxReportLink@WriteDat | 1 |
| @Dxpsscore@TBasedxReportLink@ReadTitle | 1 |
| @Dxpsscore@TBasedxReportLink@ReadFoot | 1 |
| @Dxpsscore@TBasedxReportLink@ReadStor | 1 |
| @Dxpsscore@TBasedxReportLink@ReadRepor | 1 |
| @Dxpsscore@TBasedxReportLink@ReadOffs | 1 |
| @Dxpsscore@TBasedxReportLink@ReadData | 1 |
| @Dxpsscore@TBasedxReportLink@RetrieveS | 1 |
| @Dxpsscore@TBasedxReportLink@InternalW | 1 |
| @Dxpsscore@TBasedxReportLink@InternalR | 1 |
| @Dxpsscore@TBasedxReportLink@GetDataV | 1 |
| @Dxpsscore@TBasedxReportLink@GetDataR | 1 |
| @Dxpsscore@TBasedxReportLink@GetRepor | 1 |
| @Dxpsscore@TBasedxReportLink@CreateRe | 1 |
| @Dxpsscore@TBasedxReportLink@DoReport | 1 |
| @Dxpsscore@TBasedxReportLink@GetRepor | 1 |
| @Dxpsscore@TBasedxReportLink@Documen | 1 |
| @Dxpsscore@TBasedxReportLink@GetCritica | 1 |
| @Dxpsscore@TBasedxReportLink@DoMeasu | 1 |
| @Dxpsscore@TBasedxReportLink@DoMeasu | 1 |
| @Dxpsscore@TBasedxReportLink@IsLoading | 1 |
| @Dxpsscore@TBasedxReportLink@IsSupport | 1 |
| @Dxpsscore@TBasedxReportLink@IsCompos | 1 |
| @Dxpsscore@TBasedxReportLink@PaintPage | 1 |
| @Dxpsscore@TBasedxReportLink@PaintPage | 1 |
| @Dxpsscore@TBasedxReportLink@DoGetNe | 1 |
| @Dxpsscore@TBasedxReportLink@DoParent | 1 |
| @Dxpsscore@TBasedxReportLink@DoParent | 1 |
| @Dxpsscore@TBasedxReportLink@DoParent | 1 |
| @Dxpsscore@TBasedxReportLink@DoCuston | 1 |
| @Dxpsscore@TBasedxReportLink@GetRepor | 1 |
| @Dxpsscore@TBasedxReportLink@GetRepor | 1 |
| @Dxpsscore@TBasedxReportLink@GetRealS | 1 |
| @Dxpsscore@TBasedxReportLink@SetHeade | 1 |
| @Dxpsscore@TBasedxReportLink@SetFooter | 1 |
| @Dxpsscore@TBasedxReportLink@GetContir | 1 |

| | |
|--|---|
| @Dxpsscore@TBasedxReportLink@GetAlway | 1 |
| @Dxpsscore@TBasedxReportLink@GetAllow | 1 |
| @Dxpsscore@TBasedxReportLink@CannotAc | 1 |
| @Dxpsscore@TBasedxReportLink@Calculate. | 1 |
| @Dxpsscore@TBasedxReportLink@GetBreak | 1 |
| @Dxpsscore@TBasedxReportLink@BeforePri | 1 |
| @Dxpsscore@TBasedxReportLink@AfterPrint | 1 |
| @Dxpsscore@TBasedxReportLink@SetTransf | 1 |
| @Dxpsscore@TBasedxReportLink@SetFont\$ | 1 |
| @Dxpsscore@TBasedxReportLink@SetContin | 1 |
| @Dxpsscore@TBasedxReportLink@SetColor\$ | 1 |
| @Dxpsscore@TBasedxReportLink@IsFontSto | 1 |
| @Dxpsscore@TBasedxReportLink@LinkModi | 1 |
| @Dxpsscore@TBasedxReportLink@FontChan | 1 |
| @Dxpsscore@TBasedxReportLink@SetName! | 1 |
| @Dxpsscore@TBasedxReportLink@ReadState | 1 |
| @Dxpsscore@TBasedxReportLink@AssignTo\$ | 1 |
| @Dxpsscore@TBasedxReportLink@VirtualPa | 1 |
| @Dxpsscore@TBasedxReportLink@RealPage | 1 |
| @Dxpsscore@TBasedxReportLink@FrameRoi | 1 |
| @Dxpsscore@TBasedxReportLink@FillRgnEx | 1 |
| @Dxpsscore@TBasedxReportLink@FillRound | 1 |
| @Dxpsscore@TBasedxReportLink@FillRound | 1 |
| @Dxpsscore@TBasedxReportLink@FillRectEx | 1 |
| @Dxpsscore@TBasedxReportLink@FillEllipse | 1 |
| @Dxpsscore@TBasedxReportLink@FillEllipse | 1 |
| @Dxpsscore@TBasedxReportLink@drawText | 1 |
| @Dxpsscore@TBasedxReportLink@drawText | 1 |
| @Dxpsscore@TBasedxReportLink@DrawSort | 1 |
| @Dxpsscore@TBasedxReportLink@DrawRou | 1 |
| @Dxpsscore@TBasedxReportLink@DrawRect | 1 |
| @Dxpsscore@TBasedxReportLink@DrawGra | 1 |
| @Dxpsscore@TBasedxReportLink@DrawGra | 1 |
| @Dxpsscore@TBasedxReportLink@DrawExp | 1 |
| @Dxpsscore@TBasedxReportLink@DrawEllip | 1 |
| @Dxpsscore@TBasedxReportLink@DrawChev | 1 |
| @Dxpsscore@TBasedxReportLink@DrawChev | 1 |
| @Dxpsscore@TBasedxReportLink@CreateGr | 1 |
| @Dxpsscore@TBasedxReportLink@AddFontT | 1 |
| @Dxpsscore@TBasedxReportLink@SaveData | 1 |
| @Dxpsscore@TBasedxReportLink@SaveData | 1 |
| @Dxpsscore@TBasedxReportLink@LoadData | 1 |
| @Dxpsscore@TBasedxReportLink@LoadData | 1 |
| @Dxpsscore@TBasedxReportLink@GetNewR | 1 |
| @Dxpsscore@TBasedxReportLink@CanUnloa | 1 |
| @Dxpsscore@TBasedxReportLink@CanSaveC | 1 |
| @Dxpsscore@TBasedxReportLink@CanLoadC | 1 |

| | |
|--|---|
| @Dxpsscore@TdxReportCellImageContainer(| 1 |
| @Dxpsscore@TdxReportCellString@SetText\$ | 1 |
| @Dxpsscore@TdxReportCellString@GetText\$ | 1 |
| @Dxpsscore@TdxReportCellText@WriteData | 1 |
| @Dxpsscore@TdxReportCellText@ReadData | 1 |
| @Dxpsscore@TdxReportCellText@IsTextDraw | 1 |
| @Dxpsscore@TdxReportCellText@IsSortMai | 1 |
| @Dxpsscore@TdxReportCellText@GetTextBc | 1 |
| @Dxpsscore@TdxReportCellText@GetSortMa | 1 |
| @Dxpsscore@TdxReportCellText@ConvertCc | 1 |
| @Dxpsscore@TdxReportCellText@MeasureF | 1 |
| @Dxpsscore@TdxReportCellText@MeasureC | 1 |
| @Dxpsscore@TdxReportCellText@MeasureC | 1 |
| @Dxpsscore@TdxReportCellText@CalculateL | 1 |
| @Dxpsscore@TdxReportCellText@DrawText\$ | 1 |
| @Dxpsscore@TdxReportCellText@DrawSortN | 1 |
| @Dxpsscore@TdxReportCellText@Assign\$qq | 1 |
| @Dxpsscore@TdxReportCellText@\$bdtr\$qqr | 1 |
| @Dxpsscore@TdxReportCellText@\$bctr\$qqr | 1 |
| @Dxpsscore@TAbstractdxReportCellData@S | 1 |
| @Dxpsscore@TAbstractdxReportCellData@G | 1 |
| @Dxpsscore@TAbstractdxReportCellData@G | 1 |
| @Dxpsscore@TAbstractdxReportCellData@Is | 1 |
| @Dxpsscore@TAbstractdxReportCellData@G | 1 |
| @Dxpsscore@TAbstractdxReportCellData@G | 1 |
| @Dxpsscore@TAbstractdxReportCellData@C | 1 |
| @Dxpsscore@TAbstractdxReportCellData@G | 1 |
| @Dxpsscore@TdxReportCells@FindGroupLoc | 1 |
| @Dxpsscore@TdxReportGroup@SetShowCap | 1 |
| @Dxpsscore@TdxReportGroup@SetLookAnd | 1 |
| @Dxpsscore@TdxReportGroup@GetShowCap | 1 |
| @Dxpsscore@TdxReportGroup@GetLookAnc | 1 |
| @Dxpsscore@TdxReportGroup@WriteData\$ | 1 |
| @Dxpsscore@TdxReportGroup@ReadData\$ | 1 |
| @Dxpsscore@TdxReportGroup@IsBordersDr | 1 |
| @Dxpsscore@TdxReportGroup@InternalGetI | 1 |
| @Dxpsscore@TdxReportGroup@GetBorderE | 1 |
| @Dxpsscore@TdxReportGroup@GetBorderE | 1 |
| @Dxpsscore@TdxReportGroup@GetBorderC | 1 |
| @Dxpsscore@TdxReportGroup@InternalDra | 1 |
| @Dxpsscore@TdxReportGroup@ConvertCoo | 1 |

| | |
|--|---|
| @Dxpscore@TdxPSReportGroupLookAndFeel | 1 |
| @Dxpscore@TdxReportCell@GetBorderBou | 1 |
| @Dxpscore@TdxReportCell@GetBackground | 1 |
| @Dxpscore@TdxReportCell@GetBackground | 1 |
| @Dxpscore@TdxReportCell@GetBackground | 1 |
| @Dxpscore@TdxReportCell@DoReportLinkE | 1 |
| @Dxpscore@TdxReportCell@ConvertCoord | 1 |
| @Dxpscore@TdxReportCell@AddDataItem\$ | 1 |
| @Dxpscore@TdxReportCell@WriteProperti | 1 |
| @Dxpscore@TdxReportCell@WriteDataItem | 1 |
| @Dxpscore@TdxReportCell@WriteCells\$qq | 1 |
| @Dxpscore@TdxReportCell@ReadProperti | 1 |
| @Dxpscore@TdxReportCell@ReadDataItem | 1 |
| @Dxpscore@TdxReportCell@ReadCells\$qqr | 1 |
| @Dxpscore@TdxReportCell@WriteData\$qqi | 1 |
| @Dxpscore@TdxReportCell@ReadData\$qqr | 1 |
| @Dxpscore@TdxReportCell@IsCell\$qqrv | 1 |
| @Dxpscore@TdxReportCell@IndexOf\$qqrpz | 1 |
| @Dxpscore@TdxReportCell@GetDataItemC | 1 |
| @Dxpscore@TdxReportCell@GetDataItem\$ | 1 |
| @Dxpscore@TdxReportCell@GetItemCount\$ | 1 |
| @Dxpscore@TdxReportCell@GetCell\$qqri | 1 |
| @Dxpscore@TdxReportCell@GetReportCell: | 1 |
| @Dxpscore@TdxReportCell@Offset\$qqrii | 1 |
| @Dxpscore@TdxReportCell@MeasureWidth | 1 |
| @Dxpscore@TdxReportCell@MeasureHeigh | 1 |
| @Dxpscore@TdxReportCell@GetOuterBoun | 1 |
| @Dxpscore@TdxReportCell@GetInnerBoun | 1 |
| @Dxpscore@TdxReportCell@GetBorderOut | 1 |
| @Dxpscore@TdxReportCell@ExcludeNested | 1 |
| @Dxpscore@TdxReportCell@Assign\$qqrp1S | 1 |
| @Dxpscore@TdxReportCell@\$bdtr\$qqrv | 1 |
| @Dxpscore@TdxReportVisualItem@SetWid | 1 |
| @Dxpscore@TdxReportVisualItem@SetTran | 1 |
| @Dxpscore@TdxReportVisualItem@SetHeig | 1 |

| | |
|--|---|
| @Dxpscore@TdxReportVisualItem@SetColo | 1 |
| @Dxpscore@TdxReportVisualItem@SetBou | 1 |
| @Dxpscore@TdxReportVisualItem@SetBorc | 1 |
| @Dxpscore@TdxReportVisualItem@GetWid | 1 |
| @Dxpscore@TdxReportVisualItem@GetTop | 1 |
| @Dxpscore@TdxReportVisualItem@GetHeig | 1 |
| @Dxpscore@TdxReportVisualItem@GetFon | 1 |
| @Dxpscore@TdxReportVisualItem@GetBor | 1 |
| @Dxpscore@TdxReportVisualItem@IsBorde | 1 |
| @Dxpscore@TdxReportVisualItem@IsBackg | 1 |
| @Dxpscore@TdxReportVisualItem@IsBackg | 1 |
| @Dxpscore@TdxReportVisualItem@IsShado | 1 |
| @Dxpscore@TdxReportVisualItem@HasBac | 1 |
| @Dxpscore@TdxReportVisualItem@SetShac | 1 |
| @Dxpscore@TdxReportVisualItem@SetFont | 1 |
| @Dxpscore@TdxReportVisualItem@SetCont | 1 |
| @Dxpscore@TdxReportVisualItem@SetCont | 1 |
| @Dxpscore@TdxReportVisualItem@GetSha | 1 |
| @Dxpscore@TdxReportVisualItem@GetSha | 1 |
| @Dxpscore@TdxReportVisualItem@GetCon | 1 |
| @Dxpscore@TdxReportVisualItem@GetCon | 1 |
| @Dxpscore@TdxReportVisualItem@HasBor | 1 |
| @Dxpscore@TdxReportVisualItem@InitBorc | 1 |
| @Dxpscore@TdxReportVisualItem@GetBor | 1 |
| @Dxpscore@TdxReportVisualItem@Offset\$ | 1 |
| @Dxpscore@TdxReportVisualItem@Measur | 1 |
| @Dxpscore@TdxReportVisualItem@Calculat | 1 |
| @Dxpscore@TdxReportVisualItem@SetBouri | 1 |
| @Dxpscore@TdxReportVisualItem@GetOut | 1 |
| @Dxpscore@TdxReportVisualItem@GetInne | 1 |
| @Dxpscore@TdxReportVisualItem@GetBori | 1 |

| | |
|--|---|
| @Dxpsscore@TdxReportVisualItem@DrawBc | 1 |
| @Dxpsscore@TdxReportVisualItem@DrawBa | 1 |
| @Dxpsscore@TdxReportVisualItem@AdjustC | 1 |
| @Dxpsscore@TdxReportVisualItem@\$bctr\$q | 1 |
| @Dxpsscore@TdxReportItem@GetReportLin | 1 |
| @Dxpsscore@TdxReportItem@GetReportCel | 1 |
| @Dxpsscore@TdxReportItem@Serializable\$c | 1 |
| @Dxpsscore@TdxReportItem@DoReportLink | 1 |
| @Dxpsscore@TdxReportItem@IsCell\$qqrV | 1 |
| @Dxpsscore@TdxReportItem@Unregister\$qi | 1 |
| @Dxpsscore@TdxReportItem@Register\$qqrV | 1 |
| @Dxpsscore@TBasedxReportLink@PossibleC | 1 |
| @Dxpsscore@dxPSUnregisterReportLink\$qqr | 1 |
| @Dxpsscore@dxPSRegisterReportLink\$qqrP1 | 1 |
| @\$xp\$26Dxpsscore@TBasedxReportLink | 1 |
| @Dxpsscore@TdxReportCellGraphic@ | 1 |
| @\$xp\$27Dxpsscore@TdxReportCellImage | 1 |
| @Dxpsscore@TdxReportCellImage@ | 1 |
| @\$xp\$28Dxpsscore@TdxReportCellString | 1 |
| @Dxpsscore@TdxReportCellString@ | 1 |
| @\$xp\$23Dxpsscore@TdxReportGroup | 1 |
| @Dxpsscore@TdxReportGroup@ | 1 |
| @\$xp\$39Dxpsscore@TdxPSReportGroupWeb | 1 |
| @Dxpsscore@TdxPSReportGroupWebLookAr | 1 |
| @Dxpsscore@TdxPSReportGroupOfficeLookA | 1 |
| @\$xp\$44Dxpsscore@TdxPSReportGroupStan | 1 |
| @Dxpsscore@TdxPSReportGroupStandardLo | 1 |
| @\$xp\$51Dxpsscore@TdxPSReportGroupStan | 1 |
| @Dxpsscore@TdxPSReportGroupStandardLo | 1 |
| @\$xp\$22Dxpsscore@TdxReportCell | 1 |
| @Dxpsscore@TdxReportCell@ | 1 |
| @\$xp\$28Dxpsscore@TdxReportVisualItem | 1 |
| @\$xp\$26Dxpsscore@TdxPSRenderStages | 1 |
| @Dxpsscore@TdxPSCellSunkenSoftBorder@ | 1 |
| @Dxpsscore@TdxPSCellSunkenBorder@ | 1 |
| @Dxpsscore@TdxPSCellUltraFlatBorder@ | 1 |
| @Dxpsscore@TdxPSCellNullBorder@ | 1 |
| @\$xp\$21Dxpsscore@TdxCellSides | 1 |
| @\$xp\$20Dxpsscore@TdxCellSide | 1 |
| @Dxpsspdfexportcore@initialization\$qqrV | 1 |
| @Dxpsspdfexportcore@Finalization\$qqrV | 1 |
| @Dxpsspdffonts@initialization\$qqrV | 1 |
| @Dxpsspdffonts@Finalization\$qqrV | 1 |
| @Dxpssres @_sdxLayoutItemDefaultCaption | 1 |

| | |
|--|---|
| @DxpscontainerInk@TdxPSCustomProducer | 1 |
| @DxpscontainerInk@TdxPSCustomContainer | 1 |
| @DxpscontainerInk@TdxReportWinControl | 1 |
| @DxpscontainerInk@TdxReportWinControl | 1 |
| @DxpscontainerInk@TdxReportWinControl | 1 |
| @\$xp\$49DxpscontainerInk@TdxfmCustomC | 1 |
| @DxpscontainerInk@TdxfmCustomContain | 1 |
| @\$xp\$45DxpscontainerInk@TdxCustomCon | 1 |
| @DxpscontainerInk@TdxCustomContainerR | 1 |
| @\$xp\$63DxpscontainerInk@TdxCustomCon | 1 |
| @DxpscontainerInk@TdxCustomContainerR | 1 |
| @\$xp\$62DxpscontainerInk@TdxCustomCon | 1 |
| @DxpscontainerInk@TdxCustomContainerR | 1 |
| @\$xp\$52DxpscontainerInk@TdxCustomCon | 1 |
| @DxpscontainerInk@TdxCustomContainerR | 1 |
| @\$xp\$52DxpscontainerInk@TdxPSContain | 1 |
| @DxpscontainerInk@TdxPSContainerReport | 1 |
| @\$xp\$43DxpscontainerInk@TdxPSRootCont | 1 |
| @DxpscontainerInk@TdxPSRootContainerPr | 1 |
| @\$xp\$52DxpscontainerInk@TdxPSNativePri | 1 |
| @DxpscontainerInk@TdxPSNativePrintableC | 1 |
| @\$xp\$36DxpscontainerInk@TdxPSCustomPi | 1 |
| @DxpscontainerInk@TdxPSCustomProducer | 1 |
| @\$xp\$51DxpscontainerInk@TdxPSCustomCi | 1 |
| @DxpscontainerInk@TdxPSCustomContain | 1 |

| | |
|--|---|
| @\$xp\$56DxpscontainerInk@TdxPSCustomC | 1 |
| @\$xp\$40DxpscontainerInk@TdxReportWinC | 1 |
| @DxpscontainerInk@TdxReportWinControll | 1 |
| @Dxpsstandardfillpatterns@initialization\$qr | 1 |
| @Dxpsstandardfillpatterns@Finalization\$qq | 1 |
| @Dxpsshapes@initialization\$qqrv | 1 |
| @Dxpsshapes@Finalization\$qqrv | 1 |
| ??0BCommandStringParser@@QAE@VRWC | 1 |
| ?getString@BCommandStringParser@@QAE | 1 |
| ??1BCommandStringParser@@UAE@XZ | 1 |
| ??0BHost@@QAE@XZ | 1 |
| ?enableCommunications@BHost@@QAE_N | 1 |
| ??0sysRouteTable@@QAE@XZ | 1 |
| ?addToRouteTable@sysRouteTable@@QAE | 1 |
| ??1sysRouteTable@@UAE@XZ | 1 |
| ??1BHost@@UAE@XZ | 1 |
| ??0CGlbExtraData@@QAE@XZ | 1 |
| ?SetFromUnicode@CGlbChar@@QAGHQB_ | 1 |
| _CgiCloseEnhMetaFile@4 | 1 |
| _TMPOpenTmpFile@8 | 1 |
| _TMPCloseFile@4 | 1 |
| _TMPCreateTmpFile@8 | 1 |
| _TMPGetTmpFileName@12 | 1 |
| _TMPDeleteTmpFile@4 | 1 |
| _CgiCloseMetaFile@4 | 1 |
| _TMPSeek@12 | 1 |
| _TMPGetTmpFileLength@4 | 1 |
| _TMPExtractTmpFile@8 | 1 |
| _TMPWriteHuge@12 | 1 |
| _UTLStatusSetTotal@4 | 1 |
| _UTLStatusUpdate@4 | 1 |
| _CgiCreateEnhMetaFile@16 | 1 |
| _TMPStartupTmpFileManEx@4 | 1 |
| _CgiCreateMetaFile@4 | 1 |
| _CgiSetViewportExt@16 | 1 |
| _CgiSetViewportOrg@16 | 1 |
| _CgiSetWindowExt@16 | 1 |
| _CgiSetWindowOrg@16 | 1 |
| _CgiSetMapMode@8 | 1 |
| _CgiDeleteDC@4 | 1 |
| _TMPReadHuge@12 | 1 |
| _UTLUnTransformPoint@12 | 1 |
| ?BezierToLines@CrIMath@@YGXPBUTagPOI | 1 |
| _UTLIsClearMatrix@4 | 1 |
| ?GetPointsBBox@CrIMath@@YGXPBUTagPC | 1 |
| _UTLIsMatrixOrthogonal@4 | 1 |
| _UTLSetMatrixDisplacement@12 | 1 |

| | |
|---------------------------------------|---|
| _UTLTranslateMatrix@12 | 1 |
| _UTLSkewMatrix@20 | 1 |
| _UTLGetFineAngleBetween@24 | 1 |
| _UTLIsIdentityMatrix@4 | 1 |
| _UTLRotateMatrix@8 | 1 |
| _UTLTransformPoint@12 | 1 |
| _UTLStretchMatrix@28 | 1 |
| _UTLRotateMatrixAround@16 | 1 |
| _UTLGetMatrixRotationAngle@4 | 1 |
| _UTLGetMatrixScaleAmount@12 | 1 |
| _UTLGetIdentityMatrix@4 | 1 |
| _UTLTransformMatrix@8 | 1 |
| _UTLInvertMatrix@4 | 1 |
| ?CFMMapFonts@@YGHPAVFONTMAPARRA | 1 |
| ?CFM_ATMGetMenuName@@YGHPA_WPA | 1 |
| ?CFMGetDefaultFont@@YGHPAHPAUFONT! | 1 |
| ?CFMMapFontEx@@YGHPA_WEPAUFONTS' | 1 |
| ?CFMBeginMapFonts@@YGPAVFONTMAPA | 1 |
| ?CFMSetFont@YGHPAVFONTMAPARI | 1 |
| ?CFMGetFontMapping@@YGPAVFONTMA | 1 |
| ?CFMEndMapFonts@@YGXPAVFONTMAPAF | 1 |
| ?CFMGetFace@@YGHHPAUFCMFACE@ @@ | 1 |
| ?CFMGetFontInfo@@YGHHFONTSTYLE@ @ | 1 |
| ?CFMBeginFontAccess@@YGPAUHACCFON` | 1 |
| ?CFMEndFontAccess@@YGHPAUHACCFON1 | 1 |
| ?CFMGetCharWidths@@YGHPAUHACCFON` | 1 |
| ?CFMIsVerticalFont@@YGH@Z | 1 |
| ?CFMGetNormalCharSpacing@@YGHPAUH/ | 1 |
| ?CFMGetCharOutline@@YGHPAUHACCFON` | 1 |
| ?CFM_ATMGetPostScriptName@@YGHPAU | 1 |
| ?UDIRequest@@YGHPAXW4UDI_REQUEST_ | 1 |
| ?UDISetCallbackData@@YGHPAXPAUCGE_C | 1 |
| ?UDIRestoreLastGlobalTransfo@@YG?AW4I | 1 |
| ?UDIAddGlobalTransfo@@YG?AW4UDI_RC(| 1 |
| ?UDISetGlobalTransfo@@YG?AW4UDI_RC@ | 1 |
| ?UDIDevToLog@@YGXPAXHQAUTAGPOINT@ | 1 |
| ?UDILogToDev@@YGXPAXHQAUTAGPOINT@ | 1 |
| ?UDIPopMappingMode@@YG?AW4UDI_RC | 1 |
| ?UDIPushMappingMode@@YG?AW4UDI_RC | 1 |
| ?UDITXTCharactersEx@@YG?AW4UDI_RC@ | 1 |
| ?UDITXTCharacters@@YG?AW4UDI_RC@ @ | 1 |
| ?UDITXTCharInfo@@YG?AW4UDI_RC@ @P/ | 1 |
| ?UDITXTEndParagraph@@YG?AW4UDI_RC@ | 1 |
| ?UDITXTBeginParagraph@@YG?AW4UDI_RC | 1 |
| ?UDITXTEndTextStream@@YG?AW4UDI_RC | 1 |
| ?UDITXTBeginTextStream@@YG?AW4UDI_F | 1 |
| ?UDIPopTint@@YG?AW4UDI_RC@ @PAX@: | 1 |

| | |
|---------------------------------------|---|
| ?UDIPushTint@@YG?AW4UDI_RC@@PAX, | 1 |
| ?UDIThumbnail@@YG?AW4UDI_RC@@PAX | 1 |
| ?UDIComment@@YG?AW4UDI_RC@@PAXI | 1 |
| ?UDIEndGroup@@YG?AW4UDI_RC@@PAX | 1 |
| ?UDIBeginGroupEx@@YG?AW4UDI_RC@@@ | 1 |
| ?UDIBeginGroup@@YG?AW4UDI_RC@@PA | 1 |
| ?UDIEndLayer@@YG?AW4UDI_RC@@PAXC | 1 |
| ?UDIBeginLayer@@YG?AW4UDI_RC@@PA} | 1 |
| ?UDIClearClipping@@YG?AW4UDI_RC@@F | 1 |
| ?UDIEllipse@@YG?AW4UDI_RC@@PAXPAL | 1 |
| ?UDISimpleText@@YG?AW4UDI_RC@@PA} | 1 |
| ?UDIDrawChars@@YG?AW4UDI_RC@@PA) | 1 |
| ?UDISetTextStyle@@YG?AW4UDI_RC@@PA | 1 |
| ?UDIEndTextGroup@@YG?AW4UDI_RC@@@ | 1 |
| ?UDIBeginTextGroup@@YG?AW4UDI_RC@ | 1 |
| ?UDIEndTextObject@@YG?AW4UDI_RC@@ | 1 |
| ?UDIBeginTextObject@@YG?AW4UDI_RC@ | 1 |
| ?UDIQueryRectVisible@@YGH_PAXPAutagRE | 1 |
| _UDIIMGIsDuotone@4 | 1 |
| ?UDIBeginPageEx@@YG?AW4UDI_RC@@@P | 1 |
| ?UDIBeginDocument@@YG?AW4UDI_RC@() | 1 |
| _UDIIMGSetDuotoneInfo@12 | 1 |
| _UDIIMGCreateDeviceNFromCORIMG@12 | 1 |
| _UDIIMGCreateFromCORIMG@8 | 1 |
| _UDIIMGSetExternalPath@12 | 1 |
| _UDIIMGGetRect@40 | 1 |
| _UDIIMGCreateCompatibleRIMAGE_ex@16 | 1 |
| _CLPClipObject@24 | 1 |
| _UUTL_GetClippedImage@20 | 1 |
| _UDIIMGGetEPSData@16 | 1 |
| _UDIIMGIsEPS@4 | 1 |
| _UDIIMGGetOPIPath@12 | 1 |
| _UDIIMGIsOPI@4 | 1 |
| _CGEIMGIsMaskEmpty@4 | 1 |
| _UDIIMGSetMaskFromHCORIMG@12 | 1 |
| _UDIIMGGetBaseImageWithMask@12 | 1 |
| _CMF2UDI_EndPlayFromCallbacks@0 | 1 |
| _CMF2UDI_StartPlayFromCallbacks@8 | 1 |
| _UDIIMGSetOPIPath@12 | 1 |
| _UDIIMGSetEPSData@16 | 1 |
| _UDIIMGSetOpacity@8 | 1 |
| _UDIIMGSetMaskROP@8 | 1 |
| _UDIIMGSetMask@8 | 1 |
| ?UDIEndObject@@YG?AW4UDI_RC@@PAX | 1 |
| ?UDIBeginObject@@YG?AW4UDI_RC@@PA | 1 |
| ?UDIRectangle@@YG?AW4UDI_RC@@PAXI | 1 |
| ?UDIDrawFormObject@@YG?AW4UDI_RC@ | 1 |

| | |
|--|---|
| ?UDIDrawImage@@YG?AW4UDI_RC@@PA | 1 |
| ?UDIPolyCurve@@YG?AW4UDI_RC@@PAX | 1 |
| ?UDISimpleWideText@@YG?AW4UDI_RC@ | 1 |
| ?UDIRemoveLastClippingRegion@@YG?AW | 1 |
| ?UDIAddClippingRegion@@YG?AW4UDI_RC | 1 |
| ?UDIEndPage@@YG?AW4UDI_RC@@PAX@ | 1 |
| ?UDIBeginPage@@YG?AW4UDI_RC@@PAX | 1 |
| _CGEInitGraphicState@12 | 1 |
| _UDIIMGDuplicateHandle@4 | 1 |
| _UDIIMGDestroy@4 | 1 |
| _UDIIMGCreate@24 | 1 |
| _UDIIMGCreateFromRIMAGE@4 | 1 |
| _UDIIMGGetBaseImage@4 | 1 |
| _BUDIStream_Close@4 | 1 |
| _BUDIStream_Open@16 | 1 |
| _CMF2UDI_PlayFromFile@12 | 1 |
| ?UDIPlayBUDIFile@@YG?AW4UDI_RC@@P | 1 |
| ?UDIPrintDuotoneToPostscriptFile@@YGHP | 1 |
| ?UDIUTLDrawImageFromGlobalHDIB@@YG | 1 |
| _EMF2UDI_PlayEMFFromFileName@24 | 1 |
| _WMF2UDI_PlayWMFFromFileNameEx@20 | 1 |
| ?UDIDestroyPort@@YGXPAX@Z | 1 |
| ?UDICreatePort@@YGPAXIPAX@Z | 1 |
| ?UDIGetFillMode@@YG?AW4UDIFILLMODE | 1 |
| ?UDISetFillMode@@YG?AW4UDIFILLMODE | 1 |
| _CGECopyFill@8 | 1 |
| ?UDIDrawMeshObject@@YG?AW4UDI_RC@ | 1 |
| ?UDIDrawWColoredMeshObject@@YG?AW | 1 |
| ?UDICreateWColoredMesh@@YAPAVWCol | 1 |
| ?UDIDeleteWColoredMesh@@YGXPBVWCo | 1 |
| ?UDIGetClipBox@@YGHPAXPAUtagRECT@C | 1 |
| ?UDIOBJECTConductor@@YG?AW4UDI_RC@ | 1 |
| ?UDIShutdown@@YGHXZ | 1 |
| ?UDIIInitialize@@YGHXZ | 1 |
| ?UDIDrawChar@@YG?AW4UDI_RC@@PAX' | 1 |
| _UUTL_DefaultRequest@12 | 1 |
| ?PRNEpsExportDocument@@YGHPAX@Z | 1 |
| ?SetType@CLR_COLORSPEC@@QAEXG@Z | 1 |
| ??1CLR_COLORSPEC@@QAE@XZ | 1 |
| ?ApplyDensity@WClrConvert@@SAHPAVCL | 1 |
| ?ConvertToModel@WClrConvert@@SAXPA' | 1 |
| ?ConvertCMY255ToRGB@WClrConvert@@S | 1 |
| ?ConvertRGBToCMY255@WClrConvert@@S | 1 |
| ??4CLR_COLORSPEC@@QAEAAV0@ABV0@ | 1 |
| ?ConvertRGBToLAB@WClrConvert@@SAXP | 1 |
| ?ConvertLABToRGB@WClrConvert@@SAXP | 1 |
| ?GetPantoneID@WClrPaletteMgr@@QBEH | 1 |

| | |
|---|---|
| ?Instance@WCIrPaletteMgr@@SAPAV1@XZ | 1 |
| ?GetColorNameFromID@WCIrPaletteMgr@ | 1 |
| ??0CLR_COLORSPEC@@QAE@XZ | 1 |
| ?GetSystemWhiteTemp@WAppColorInfo@() | 1 |
| CDROleImportFile | 1 |
| CDROleInitialize | 1 |
| ?GetIDFromString@CNMediaManager@@NV | 1 |
| ?ReadInFileChunk@CNMediaManager@@NV | 1 |
| ?LoadSprayListChunk@CNMediaManager@() | 1 |
| ?LoadBrushListChunk@CNMediaManager@() | 1 |
| ?WriteOutFileChunk@CNMediaManager@() | 1 |
| ?SaveSprayStrokesToFile@CNMediaManage | 1 |
| ?SaveBrushStrokesToFile@CNMediaManage | 1 |
| ?GetStrokeHandlesInUse@CNMediaManage | 1 |
| ?RemoveFiles@CNMediaManager@@MAEX | 1 |
| ?GetTempFileDirectory@CNMediaManager(| 1 |
| ?GetFileHandleFromPath@CNMediaManage | 1 |
| ?GetNextFileHandle@CNMediaManager@@ | 1 |
| ??0CNMediaManager@@QAE@XZ | 1 |
| ??1WSymbolManager@@UAE@XZ | 1 |
| ?PropagateProperties@WSymbolManager@ | 1 |
| ?SetSymbolTreeModified@WSymbolManag | 1 |
| ?GetSymbolTreeModified@WSymbolManag | 1 |
| ?SetOptimizationVal@WSymbolManager@() | 1 |
| ?GetOptimizationVal@WSymbolManager@() | 1 |
| ?UpdateSymbolInfo@WSymbolManager@() | 1 |
| ?IsLocalSectionEntry@WSymbolManager@() | 1 |
| ?AddEntryToLocalSection@WSymbolManag | 1 |
| ?RemoveEntryFromLocalSection@WSymbol | 1 |
| ?GetLocalSectionEntryPathByIndex@WSymk | 1 |
| ?GetLocalSectionEntryCount@WSymbolMar | 1 |
| ?InstantiateADefinition@WSymbolManager | 1 |
| ?DeleteDefinition@WSymbolManager@@U | 1 |
| ?PurgeUnusedDefinitions@WSymbolManag | 1 |
| ?Notification_ShutDown@WSymbolManage | 1 |
| ?Notification_NewSymbolDefinitionsAddedI | 1 |
| ?Fix_BrokenLinkedDefinitions@WSymbolM | 1 |
| ?SaveNMediaListChunk@CNMediaManager@ | 1 |
| ?BreakLinkedDefinitions@WSymbolManage | 1 |
| ?GetLibraryItems@WSymbolManager@@U, | 1 |
| ?GetLibraryItems@WSymbolManager@@U, | 1 |
| ?GetSymbolDefinitionInfo@WSymbolManag | 1 |
| ?GetSymbolDefinitionInfo@WSymbolManag | 1 |
| ?ExtractSymbolDefinitionLastTimeModifiedI | 1 |
| ?ValidateLinkTable@WSymbolManager@@I | 1 |
| ?GetNodeToRemap@WSymbolManager@@@ | 1 |
| ?GetNumberOfNodeToRemap@WSymbolM | 1 |

| | |
|---|---|
| ?ReadSymbolLinkTable@WSymbolManager(| 1 |
| ?WriteSymbolLinkTable@WSymbolManager | 1 |
| ?IsNodeOnSymbolTree@WSymbolManager(| 1 |
| ?RevertSymbol@WSymbolManager@@UAG | 1 |
| ?InsertSymbol@WSymbolManager@@UAG. | 1 |
| ?CreateSymbolFromSelection@WSymbolMa | 1 |
| ?CurrentlyEditingSymbolDefinition@WSymb | 1 |
| ?FinishEditingSymbol@WSymbolManager@ | 1 |
| ?StartEditingSymbol@WSymbolManager@C | 1 |
| ?DuplicateSymbolDefinition@WSymbolMan | 1 |
| ?GetSymbolDefinitionDependencyOrder@W | 1 |
| ?GetAllSymbolDefinition@WSymbolManage | 1 |
| ?GetSymbolDefinitionDependents@WSymb | 1 |
| ?GetSymbolInstanceDefinition@WSymbolM | 1 |
| ?UnDeleteSymbolDefinition@WSymbolMan | 1 |
| ?PseudoDeleteSymbolDefinition@WSymbol | 1 |
| ?UnDeleteSymbolReference@WSymbolMan | 1 |
| ?PseudoDeleteSymbolReference@WSymbol | 1 |
| ?Initialize@CNMediaManager@@UAEXXZ | 1 |
| ?ReferenceSymbol@WSymbolManager@@I | 1 |
| ?RebuildSymbolInstance@WSymbolManage | 1 |
| ?RebuildAllSymbol@WSymbolManager@@I | 1 |
| ?RebuildAllSymbolInstance@WSymbolManag | 1 |
| ?UpdateSymbolFromNode@WSymbolManager | 1 |
| ?GetSymbolRoot@WSymbolManager@@UA | 1 |
| ?IsValidForSymbol@WSymbolManager@@I | 1 |
| ?SymbolSelected@WSymbolManager@@U | 1 |
| ?UnRegisterSymbolManagerClient@WSymb | 1 |
| ?RegisterSymbolManagerClient@WSymbolN | 1 |
| ?Release@WSymbolManager@@UAGKXZ | 1 |
| ?AddRef@WSymbolManager@@UAGKXZ | 1 |
| ?QueryInterface@WSymbolManager@@UA | 1 |
| ??0WSymbolManager@@QAE@XZ | 1 |
| ?DoFileConversion@CDrawlibApp@@QAE_I | 1 |
| ??1COSSettings@@QAE@XZ | 1 |
| ??1CDrawlibApp@@UAE@XZ | 1 |
| ?CreateFileFromTemplateName@CDrawlibA | 1 |
| ?GetDocumentList@CDrawlibApp@@UBE?A | 1 |
| ?GetVBAPlugInManager@CDrawlibApp@@I | 1 |
| ?GetEventBroadcaster@CDrawlibApp@@UE | 1 |
| ?FireDocEvent@CDrawlibApp@@UAAJKPAL | 1 |
| ?FireEvent@CDrawlibApp@@UAAJKZZ | 1 |
| ?FireQueryDocEvent@CDrawlibApp@@UAA | 1 |
| ?FireQueryEvent@CDrawlibApp@@UAAJKZ | 1 |
| ?GetWeldManager@CDrawlibApp@@UBEP | 1 |
| ?GetToolbarsCommandsInterface@CDrawli | 1 |
| ?GetTextCommandsInterface@CDrawlibApp | 1 |

| | |
|--|---|
| ?GetStyleCommandsInterface@CDrawlibAp | 1 |
| ?GetStatusManagerInterface@CDrawlibApp | 1 |
| ?GetRollOverCommandsInterface@CDrawlib | 1 |
| ?GetPreviewWindowInterface@CDrawlibAp | 1 |
| ?GetPowerClipCommandsInterface@CDrawl | 1 |
| ?GetDockersCommandsInterface@CDrawlib | 1 |
| ?GetClipboardCommandsInterface@CDrawl | 1 |
| ?GetTSReader@CDrawlibApp@@UBEPAUIT | 1 |
| ?LoadAppString@CDrawlibApp@@UBE?AV? | 1 |
| ?AddState@CDrawlibApp@@UBEXU_GUID(| 1 |
| ?OpenDocument@CDrawlibApp@@UBE_NF | 1 |
| ?SetCanUpdateDocker@CDrawlibApp@@U/ | 1 |
| ?GetActiveToolComponent@CDrawlibApp@ | 1 |
| ?GetContextViewMgr@CDrawlibApp@@UB | 1 |
| ?GetConstraintMgr@CDrawlibApp@@UBEP | 1 |
| ?GetComponentManager@CDrawlibApp@C | 1 |
| ?SetSymbolManager@CDrawlibApp@@UAE | 1 |
| ?GetSymbolManager@CDrawlibApp@@UBF | 1 |
| ?SetW3DViewMgr@CDrawlibApp@@UAEXF | 1 |
| ?GetW3DViewMgr@CDrawlibApp@@UBEP/ | 1 |
| ?GetFileName@CDrawlibApp@@UBEHW4F | 1 |
| ?CalculateSwapFileSpace@CDrawlibApp@@ | 1 |
| ?GetUIInfoPaletteType@CDrawlibApp@@U | 1 |
| ?DRAWOptions@CDrawlibApp@@UBE_NPA | 1 |
| ?FixNMediaStrokeHandles@CNMediaManag | 1 |
| ?GetObjSprayNewListHandle@CNMediaMar | 1 |
| ??1CNMediaManager@@UAE@XZ | 1 |
| ?OnShutDown@CDrawlibApp@@UAEHXZ | 1 |
| ?GetPathResolver@CdrCore@@YABVPathI | 1 |
| ?OnStartUp@CDrawlibApp@@UAEHXZ | 1 |
| ?CloseDownManager@CNMediaManager@ | 1 |
| ?GetFilePathFromHandle@CNMediaManage | 1 |
| ?DeleteSymbolReference@WSymbolManag | 1 |
| ?LoadNMediaListChunk@CNMediaManager | 1 |
| ?UpdateLinkedDefinitions@WSymbolManag | 1 |
| ?InitClipFormat@CDrawlibApp@@UAE_NXZ | 1 |
| ?GetOspManager@CDrawlibApp@@UBEPA` | 1 |
| ?SetNumboxPrecision@CDrawlibApp@@UB | 1 |
| ?GetDockWndAndVerify@CDrawlibApp@@I | 1 |
| ??0CDrawlibApp@@IAE@XZ | 1 |
| ?InitInstance@CDrawlibApp@@UAEHXZ | 1 |
| ?ExitInstance@CDrawlibApp@@UAEHXZ | 1 |
| ?FireQueryEvent@CDrawlibApp@@UBAJKZ: | 1 |
| ?FireQueryDocEvent@CDrawlibApp@@UBA | 1 |
| ?FireEvent@CDrawlibApp@@UBAJKZZ | 1 |
| ?FireDocEvent@CDrawlibApp@@UBAJKPAL | 1 |
| ?GetDynamicGuideAngleList@CDrawlibApp | 1 |

| | |
|---|---|
| ?SetDynamicGuideAngleList@CDrawlibApp@ | 1 |
| ?BeforeShutDown@CDrawlibApp@@UAEXX | 1 |
| ?OnAppStarted@CDrawlibApp@@UAEXXZ | 1 |
| ?NodeEditTool@CDrawlibApp@@UBEHH_N | 1 |
| ?FreeTransformTool@CDrawlibApp@@UBE | 1 |
| ?ZoomTool@CDrawlibApp@@UBEHH_N@Z | 1 |
| ?CurveTool@CDrawlibApp@@UBEHH_N@Z | 1 |
| ?ShapeTool@CDrawlibApp@@UBEHH_N@Z | 1 |
| ?EllipseTool@CDrawlibApp@@UBEHH_N@Z | 1 |
| ?RectangleTool@CDrawlibApp@@UBEHH_N | 1 |
| ?DimensTool@CDrawlibApp@@UBEHH_N@ | 1 |
| ?OnScreenTool@CDrawlibApp@@UBEHH_N | 1 |
| ?TextTool@CDrawlibApp@@UBEHH_N@Z | 1 |
| ?FillTool@CDrawlibApp@@UBEHH_N@Z | 1 |
| ?EyedropperTool@CDrawlibApp@@UBEHH | 1 |
| ?ScrapbookWriteDefaults@CDrawlibApp@C | 1 |
| ?ScripManagerWriteDefaults@CDrawlibApp | 1 |
| ?ScripManagerGetAndVerifyScriptsDir@CDr | 1 |
| ?CreateVBATransObjInstance@CDrawlibApp | 1 |
| ?QueryInterface@CDrawlibApp@@UAGJAB | 1 |
| ?AddRef@CDrawlibApp@@UAGKXZ | 1 |
| ?Release@CDrawlibApp@@UAGKXZ | 1 |
| ?GetDrawlibApp@CDrawlibApp@@UAEPAV | 1 |
| ?SetDefaultGenericViewPrefs@CDrawlibApp | 1 |
| ?SetDefaultGenericDocPrefs@CDrawlibApp | 1 |
| ?GetDefaultGenericViewPrefs@CDrawlibApp | 1 |
| ?GetDefaultGenericDocPrefs@CDrawlibApp | 1 |
| ?GetGenericAppPrefs@CDrawlibApp@@UB | 1 |
| ?GetDefaultViewPrefs@CDrawlibApp@@UE | 1 |
| ?GetDefaultDocPrefs@CDrawlibApp@@UBE | 1 |
| ?GetAppPrefs@CDrawlibApp@@UBEPAVWI | 1 |
| ?GetTDPlayer@CDrawlibApp@@UBEPAVCT | 1 |
| ?GetTDRRecorder@CDrawlibApp@@UBEPAV | 1 |
| ?GetPaperTypeMgr@CDrawlibApp@@UBEP | 1 |
| ?GetRDISPLAY@CDrawlibApp@@UBEPAU_F | 1 |
| ?GetAppColorInfo@CDrawlibApp@@UBEPA | 1 |
| ?GetThreadACI@CDrawlibApp@@UBEPAVV | 1 |
| ?SetThreadACI@CDrawlibApp@@UBEPAVM | 1 |
| ?SetThreadACI@CDrawlibApp@@UBEPAVM | 1 |
| ?GetOSSettings@CDrawlibApp@@UBEPAVC | 1 |
| ?SetTrueDocPRFDomains@CDrawlibApp@@ | 1 |
| ?GetTrueDocPRFDomains@CDrawlibApp@C | 1 |
| ?GetFullScreenPreview@CDrawlibApp@@U | 1 |
| ?SetFullScreenPreview@CDrawlibApp@@U, | 1 |
| ?Get3DObjectManager@CDrawlibApp@@U | 1 |
| ?GetFormatTable@CDrawlibApp@@UBEPAI | 1 |
| ?GetIsSmallPixels@CDrawlibApp@@UBE_N | 1 |

| | |
|---|---|
| ?SetIsSmallPixels@CDrawlibApp@@UAEX_N | 1 |
| ?GetDisplayPixelsPerMeterX@CDrawlibApp@ | 1 |
| ?SetDisplayPixelsPerMeterX@CDrawlibApp@ | 1 |
| ?GetDisplayPixelsPerMeterY@CDrawlibApp@ | 1 |
| ?SetDisplayPixelsPerMeterY@CDrawlibApp@ | 1 |
| ?GetGracePixels@CDrawlibApp@@UBEHZ | 1 |
| ?GetMarkerHalfSize@CDrawlibApp@@UBEI | 1 |
| ?GetMoveMarkerHalfSize@CDrawlibApp@@C | 1 |
| ?SetMarkerHalfSize@CDrawlibApp@@UAE | 1 |
| ?GetPickAreaHalfSize@CDrawlibApp@@UBI | 1 |
| ?SetPickAreaHalfSize@CDrawlibApp@@UAF | 1 |
| ?GetEditNodeHalfSize@CDrawlibApp@@UB | 1 |
| ?SetEditNodeHalfSize@CDrawlibApp@@UA | 1 |
| ?GetSmallEditNodeHalfSize@CDrawlibApp@ | 1 |
| ?GetEditNodeTrackingHalfSize@CDrawlibAp | 1 |
| ?GetLinkSource@CDrawlibApp@@UBEGXZ | 1 |
| ?GetEmbedObject@CDrawlibApp@@UBEG | 1 |
| ?GetObjectDescriptor@CDrawlibApp@@UB | 1 |
| ?GetLinkDescriptor@CDrawlibApp@@UBEG | 1 |
| ?GetDrawFMHandler@CDrawlibApp@@UBI | 1 |
| ?GetShouldWarnOfPrintableGuideline@CDr | 1 |
| ?SetShouldWarnOfPrintableGuideline@CDr | 1 |
| ?SetInCdrConvMode@CDrawlibApp@@UAE | 1 |
| ?IsInCdrConvMode@CDrawlibApp@@UBE_ | 1 |
| ?GetAppTitle@CDrawlibApp@@UBEPB_WX | 1 |
| ?GetAppVersionNumberAsDouble@CDrawli | 1 |
| ?GetFilterID@CDrawlibApp@@UBEHZ | 1 |
| ?GetOleInterface@CDrawlibApp@@UBEPAI | 1 |
| ?RefreshAllViews@CDrawlibApp@@UBEXXZ | 1 |
| ?RefreshDocsViews@CDrawlibApp@@UBEX | 1 |
| ?RefreshDocsRulers@CDrawlibApp@@UBE | 1 |
| ?OnNodeMoved@CDrawlibApp@@UBEXP | 1 |
| ?OnNodeChanged@CDrawlibApp@@UBEXP | 1 |
| ?DeepFreeze@CDrawlibApp@@UBEX_N@Z | 1 |
| ?WaldoErrorMessage@CDrawlibApp@@UB | 1 |
| ?WaldoErrorMessage@CDrawlibApp@@UB | 1 |
| ?FileErrorMessage@CDrawlibApp@@UBEXF | 1 |
| ?IPFOccurs@CDrawlibApp@@UBEXXZ | 1 |
| ?WaldoMessage@CDrawlibApp@@UBEHPI | 1 |
| ?WaldoWarningMessage@CDrawlibApp@@ | 1 |
| ?MessageBoxW@CDrawlibApp@@UBEHPA | 1 |
| ?WeHaveProblem@CDrawlibApp@@UBEXII | 1 |
| ?OutOfMemory@CDrawlibApp@@UBEXIPB | 1 |
| ?TextImportPasteWarningMessage@CDrawl | 1 |

| | |
|---|---|
| ?NotifyDockersDlgUnitsChange@CDrawlibApp@ | 1 |
| ?NotifyDockersPageChange@CDrawlibApp@ | 1 |
| ?NotifyDockersFontChange@CDrawlibApp@ | 1 |
| ?NotifyDockersSelInChange@CDrawlibApp@ | 1 |
| ?PostDockersSelInChange@CDrawlibApp@@@ | 1 |
| ?SendDockWndMsg@CDrawlibApp@@UBE | 1 |
| ?PostDockWndMsg@CDrawlibApp@@UBEX | 1 |
| ?EnableMenuItem@CDrawlibApp@@UBEXF | 1 |
| ?AboutBox@CDrawlibApp@@UBEXXZ | 1 |
| ?LensGetLens@CDrawlibApp@@UBE_NPAX | 1 |
| ?LensSetLens@CDrawlibApp@@UBE_NPAXI | 1 |
| ?LensGetColor@CDrawlibApp@@UBE_NPA | 1 |
| ?LensIsLensCandidate@CDrawlibApp@@UB | 1 |
| ?LensIsFreezeCandidate@CDrawlibApp@@I | 1 |
| ?LensGetDrawingOrigin@CDrawlibApp@@L | 1 |
| ?LensGetSelObjRect@CDrawlibApp@@UBE_ | 1 |
| ?LensSelObjectChange@CDrawlibApp@@UI | 1 |
| ?TextIsFrameVisible@CDrawlibApp@@UBE_ | 1 |
| ?TextIsRectVisible@CDrawlibApp@@UBE_N | 1 |
| ?TextImportFillResource@CDrawlibApp@@I | 1 |
| ?TextCGECallbackData@CDrawlibApp@@UF | 1 |
| ?TextUserHasInterrupted@CDrawlibApp@@ | 1 |
| ?TextGetAppID@CDrawlibApp@@UBE_NPA | 1 |
| ?TextGetCurrentCGIDC@CDrawlibApp@@U | 1 |
| ?TextReleaseCurrentCGIDC@CDrawlibApp@ | 1 |
| ?TextGetFrameFountainAngle@CDrawlibAp | 1 |
| ?TextUdiToRip@CDrawlibApp@@UBE_NPA | 1 |
| ?TextGetPaletteDisplayData@CDrawlibApp@ | 1 |
| ?TextDoProgressMeter@CDrawlibApp@@U | 1 |
| ?TextTranslateUrlString@CDrawlibApp@@L | 1 |
| ?TextBlitBackgroundToDC@CDrawlibApp@@C | 1 |
| ?TextDrawTransientsToDC@CDrawlibApp@I | 1 |
| ?TextUseUdiForEditing@CDrawlibApp@@U | 1 |
| ?TextGetFormatAmt@CDrawlibApp@@UBE | 1 |
| ?TextHandleHyperlinkText@CDrawlibApp@I | 1 |
| ?GetFullScreenPreviewRect@CDrawlibApp@ | 1 |
| ?IsFullScreenPreviewWindow@CDrawlibAp | 1 |
| ?USDFormatInit@CDrawlibApp@@UAE_NX | 1 |
| ?USDFormatShutdown@CDrawlibApp@@U | 1 |
| ?LinkManagerAffected@CDrawlibApp@@UI | 1 |
| ?OnObjectDataChanged@CDrawlibApp@@I | 1 |
| ?OnColorStylesChanged@CDrawlibApp@@I | 1 |
| ?UpdateColorStylesTreeAfterTrans@CDrawl | 1 |
| ?ProcessMessage@CDrawlibApp@@UBE_N | 1 |
| ?CreateInternetAnchorManager@CDrawlibA | 1 |
| ?CreateViewManager@CDrawlibApp@@UB | 1 |
| ?GetPresetManager@CDrawlibApp@@UBEI | 1 |

| | |
|--|---|
| ?GetAppIniFileName@CDrawlibApp@@UBE | 1 |
| ?GetApplicationPreferencesRegKey@CDraw | 1 |
| ?GetOverrideCurrentWorkspace@CDrawlib/ | 1 |
| ?IsWorkspaceChanging@CDrawlibApp@@U | 1 |
| ?GetProfileStringW@CDrawlibApp@@@UBE_ | 1 |
| ?SetProfileString@CDrawlibApp@@@UBE_NF | 1 |
| ?IsAudioEnabled@CDrawlibApp@@@UBE_NX | 1 |
| ?IsBehaviorEnabled@CDrawlibApp@@@UBE_ | 1 |
| ?GetActiveDocument@CDrawlibApp@@@UBI | 1 |
| ?ROLLUPGetActiveDoc@CDrawlibApp@@@UI | 1 |
| ?GetActiveView@CDrawlibApp@@@UBEPAU | 1 |
| ?GetAfxMainWnd@CDrawlibApp@@@UBEPA | 1 |
| ?GetBuildNumber@CDrawlibApp@@@UBEH\ | 1 |
| ?AreTutorNotesEnabled@CDrawlibApp@@@l | 1 |
| ?UndoCreatePageFixForPageTabs@CDrawlik | 1 |
| ?PageTabsGetCurrentPage@CDrawlibApp@ | 1 |
| ?ValidateHTMLAttributes@CDrawlibApp@@@ | 1 |
| ?GetBookmarkMgr@CDrawlibApp@@@UBEP. | 1 |
| ?GetTBIItemsMgr@CDrawlibApp@@@UBEPAI | 1 |
| ?GetPenTabletInterface@CDrawlibApp@@@l | 1 |
| ?GetIsPenInverted@CDrawlibApp@@@UBE_I | 1 |
| ?GetBinResourceHandle@CDrawlibApp@@@l | 1 |
| ?GetComponentResourceHandle@CDrawlib. | 1 |
| ?GetLangResourceHandle@CDrawlibApp@C | 1 |
| ?GetHelpFileName@CDrawlibApp@@@UBEPI | 1 |
| ?CustomizingUI@CDrawlibApp@@@UBE_NXZ | 1 |
| ?Set3DLook@CDrawlibApp@@@UAEX_N@Z | 1 |
| ?Get3DLook@CDrawlibApp@@@UBE_NXZ | 1 |
| ?GetAppActive@CDrawlibApp@@@UBE_NXZ | 1 |
| ?SetDrawCursor@CDrawlibApp@@@UAEXP | 1 |
| ?GetDrawCursor@CDrawlibApp@@@UBEPA | 1 |
| ?GetAppCursor@CDrawlibApp@@@UBE_NIW | 1 |
| ?SetCurDP@CDrawlibApp@@@UAEXPAUTagP | 1 |
| ?GetCurDP@CDrawlibApp@@@UBEPAUTagP(| 1 |
| ?SetCurOP@CDrawlibApp@@@UAEXPAUTagF | 1 |
| ?GetCurOP@CDrawlibApp@@@UBEPAUTagP(| 1 |
| ?SetCurDH@CDrawlibApp@@@UAEXPAUDISF | 1 |
| ?GetCurDH@CDrawlibApp@@@UBEPAUDISP(| 1 |
| ?SetCurDN@CDrawlibApp@@@UAEXPANOI | 1 |
| ?GetCurDN@CDrawlibApp@@@UBEPAUNOD | 1 |
| ?SetCurON@CDrawlibApp@@@UAEXPANOI | 1 |
| ?GetCurON@CDrawlibApp@@@UBEPAUNOD | 1 |
| ?SetCurOC@CDrawlibApp@@@UAEXPACUR | 1 |
| ?GetCurOC@CDrawlibApp@@@UBEPAUCUR\ | 1 |
| ?SetCurOH@CDrawlibApp@@@UAEXPAUOBJ | 1 |
| ?GetCurOH@CDrawlibApp@@@UBEPAUOBJE | 1 |
| ?GetDottedPen@CDrawlibApp@@@UBEPAUF | 1 |

| | |
|---|---|
| ?GetDottedPen2@CDrawlibApp@@UBEPAUL | 1 |
| ?CreateDockWnd@CDrawlibApp@@UBE_N. | 1 |
| ?GetDockWnd@CDrawlibApp@@UBEPAVC1 | 1 |
| ?GetDockingManager@CDrawlibApp@@UB | 1 |
| ?GetESData@CDrawlibApp@@UBEPAUTXT_ | 1 |
| ?SetESData@CDrawlibApp@@UBEXPAUTXT | 1 |
| ?GetTextUndoRecord@CDrawlibApp@@UB | 1 |
| ?SetTextUndoRecord@CDrawlibApp@@UAI | 1 |
| ?GethplBitmaps@CDrawlibApp@@UBEPAU | 1 |
| ?IsVBATreatingMessages@CDrawlibApp@@ | 1 |
| ?GetVBAOptimization@CDrawlibApp@@UB | 1 |
| ?IsVBAMethodRunning@CDrawlibApp@@U | 1 |
| ?IsVBARecordingSuspended@CDrawlibApp@ | 1 |
| ?GetMacroRecorder@CDrawlibApp@@UBE | 1 |
| ?SetMacroRecorder@CDrawlibApp@@UAE) | 1 |
| ?GetMacroHostManager@CDrawlibApp@@ | 1 |
| ?VbaGetPrimary@CDrawlibApp@@UAGJPA | 1 |
| ?GetAutomationEngine@CDrawlibApp@@U | 1 |
| ?GetDrawObjectTracker@CDrawlibApp@@I | 1 |
| ?InvokeModalDialog@CDrawlibApp@@UBE | 1 |
| ?GetDragDropHandler@CDrawlibApp@@UE | 1 |
| ?PreventTranslateShortcutKeys@CDrawlibA | 1 |
| ?EnableCmdShortcutKeys@CDrawlibApp@@C | 1 |
| _RIPSetDevRectFromImage@8 | 1 |
| _RIPSetLogRect@20 | 1 |
| _RIPGetImageDataPtr@12 | 1 |
| _RIPGetImageData@24 | 1 |
| _RIPDestroyImage@4 | 1 |
| ?RIPCreateImageHeader@@YGPAU_rimage | 1 |
| _RIPConvertImageToImage@36 | 1 |
| _RIPCreateImageEx@32 | 1 |
| ?RIPCreateImageEx2@@YGPAU_rimage@@ | 1 |
| _RIPCreatePalettedImageEx@40 | 1 |
| ?RIPCreatePalettedImageEx2@@YGPAU_rin | 1 |
| _RIPCreateImagePtrToDIB@4 | 1 |
| _RIPCreateRS@0 | 1 |
| _RIPDestroyRS@4 | 1 |
| _RIPInitializeDisplay@0 | 1 |
| _RIPInitializeDisplayEx@4 | 1 |
| _RIPShutdownDisplay@4 | 1 |
| _RIPSetDevOriginPoint@12 | 1 |
| _RIPSetLogOriginPoint@12 | 1 |
| _RIPSetMapMode@20 | 1 |
| _RIPDisplayImageRect@20 | 1 |
| _RIPSolidRectangle@28 | 1 |
| _RIPStretchBlitInContext@56 | 1 |
| _RIPGetOptimizedPaletteRImage@12 | 1 |

| | |
|---|---|
| _RIPDuplicateImage@4 | 1 |
| _RIPDuplicatePalette@4 | 1 |
| _RIPDestroyPalette@4 | 1 |
| _RIPSetImageData@32 | 1 |
| _RIPGetNearestPalIndex@16 | 1 |
| _RIPSetImageDataChannel@36 | 1 |
| _RIPGetImageDataChannel@32 | 1 |
| _RIPGetPaletteSize@4 | 1 |
| _RIPDestroyMask@4 | 1 |
| _RIPGetMaskBBox@8 | 1 |
| _RIPCreateMaskFromImage@4 | 1 |
| _RIPReadInterleavedBuffer@44 | 1 |
| _RIPWriteInterleavedBuffer@44 | 1 |
| _RIPFlipImage@12 | 1 |
| _RIPOffsetRRect@12 | 1 |
| _RIPIsRRectEmpty@4 | 1 |
| _RIPIntersectRRect@12 | 1 |
| _RIPGetPaletteEntry@20 | 1 |
| _RIPCreateColorMask@24 | 1 |
| _RIPCreatePalette@8 | 1 |
| _RIPSetPaletteEntry@20 | 1 |
| _RIPResetPalLookup@4 | 1 |
| _RIPDeterminePaletteType@4 | 1 |
| ?RIPCreatePalettedImageHeader@@YGPAU | 1 |
| ?RIPDuplicateImageHeader@@YGPAU_rimage@ | 1 |
| _RIPCombineImage@44 | 1 |
| ?RIPGetWidth@@YGPAU_rimage@@@Z | 1 |
| ?RIPGetHeight@@YGPAU_rimage@@@Z | 1 |
| _RIPSetRenderType@8 | 1 |
| ?RIPGetHRes@@YGPAU_rimage@@@Z | 1 |
| ?RIPGetImageType@@YGPAU_rimage@@@() | 1 |
| ?RIPGetBytesPerLine@@YGPAU_rimage@ | 1 |
| ?RIPGetBitsPerPixel@@YGPAU_rimage@ | 1 |
| ?RIPGetPlanes@@YGPAU_rimage@@@Z | 1 |
| ?RIPGetPalette@@YGPAU_RPALETTE@@P | 1 |
| ?RIPIsSingleTileImage@@YGPAU_rimage@ | 1 |
| ?RIPSetAlpha@@YGXPAPAU_rimage@@@PA | 1 |
| ?RIPGetAlpha@@YGPAU_rimage@@PAU1@ | 1 |
| ?RIPGetAlphaRect@@YG?AUTagRECT@@PA | 1 |
| ?RIPGetClipRect@@YG?AUTagRECT@@PAU | 1 |
| ?RIPGetRIMAGEFlags@@YGPAU_rimage@ | 1 |
| ?RIPSetRIMAGEFlags@@YGPAU_rimage@ | 1 |
| ?RIPGetRIMAGETileWidth@@YGPAU_rim | 1 |
| ?RIPGetRIMAGETileHeight@@YGPAU_rim | 1 |
| ?RIPGetNumXTiles@@YGPAU_rimage@ | 1 |
| ?RIPGetNumYTiles@@YGPAU_rimage@ | 1 |
| ?RIPSetPalette@@YGPAU_rimage@@PAU | 1 |

| | |
|---|---|
| ?RIPSetPaletteOwnership@@YGXPAU_rima | 1 |
| _RIPSetPixel@12 | 1 |
| _RIPSetPixelAt@20 | 1 |
| _RIPGetPixel@12 | 1 |
| _RIPGetPixelAt@20 | 1 |
| _RIPCreatePalLookup@8 | 1 |
| _RIPCheckerBoardEx@48 | 1 |
| _RIPGetNumPlanesFromType@4 | 1 |
| _RIPGetPluginData@44 | 1 |
| ?RIPSetClipRect@@YGHPAUtagRECT@@PA | 1 |
| _RIPSetPluginData@44 | 1 |
| ?RIPSetBytesPerLine@@YGHPAU_rimage@1 | 1 |
| _RIPGetAppColorInfo@4 | 1 |
| _RIPSetAppColorInfo@8 | 1 |
| _RIPLogPosSizeToDevRect@24 | 1 |
| _RIPSetDevRect@20 | 1 |
| _RIPDevRectToLargestLogRect@12 | 1 |
| _RIPCopyMappingMode@8 | 1 |
| _RIPLogVIntToDevInt@8 | 1 |
| _RIPLogHIntToDevInt@8 | 1 |
| _RIPGetMapMode@20 | 1 |
| _RIPCalcDispContext@12 | 1 |
| _RIPDisplay@32 | 1 |
| ?RIPGetVRes@@YGPAU_rimage@@@Z | 1 |
| _RIPCreateImageFromDIB_New@4 | 1 |
| _RIPLogPtToDevPt@12 | 1 |
| _RIPDevHIntToLogInt@8 | 1 |
| _RIPDevVIntToLogInt@8 | 1 |
| ?RIPGetAlphaRectPtr@@YGPBUTagRECT@@ | 1 |
| _RIPIsRRectEqual@8 | 1 |
| ?SetFOMACI@@YGXPAVWAppColorInfo@@ | 1 |
| ?FOMShutdown@@YGXXZ | 1 |
| ?FOMInitialize@@YGHH@Z | 1 |
| ?FMGetFilterHelpFileCB@@YGHPAVFLTCLIP | 1 |
| ?CRV_FreehandInfoCreateCurveEx@@YGHP | 1 |
| ?CRV_FreehandInfoDestruct@@YGXPAUCR\ | 1 |
| ?CRV_FreehandInfoConstructFromPolylineE | 1 |
| ?UICUR_UpdateWaitCursor@@YGXXZ | 1 |
| ?UICUR_ResetWaitCursor@@YGXXZ | 1 |
| ?UICUR_SetWaitCursor@@YGXXZ | 1 |
| ?GetMessageMap@WCorelWinApp@@MBF | 1 |
| ?GetEmbeddedFlag@WCorelWinApp@@UA | 1 |
| _IMGGetPalette@16 | 1 |
| ?GetAppModuleState@CrlUtil@@YAPAVAFX | 1 |
| ?Initialize@WWorkspaceManager@@QAEH | 1 |
| ?INIGetNetworkWorkspaceDir@@YAHPA_W | 1 |
| _BOXIDGetBoxName@8 | 1 |

| | |
|--|---|
| ?SetAppID@WUTLAppInfo@@SAXW4AppID | 1 |
| ?SetAppClass@WUTLAppInfo@@SAXW4ApI | 1 |
| ?FeatureSet@FeatureManagement@@YGA/ | 1 |
| ??0WWorkspaceManager@@QAE@XZ | 1 |
| ?SetAppStateManager@CrlUtil@@YGXPAC | 1 |
| ??1CAppStateManager@CrlUtil@@UAE@XZ | 1 |
| _UNITInitialize@0 | 1 |
| _BOXIDGetRegistryInfo@16 | 1 |
| ?INIGetBootDefaultWorkspaceDir@@YAHPI | 1 |
| ?INI GetUserDefaultWorkspaceDir@@YAHPI | 1 |
| ?INIGetProgramsDir@@YAHPA_WH@Z | 1 |
| ?INIGetDataDir@@YAHPA_WH@Z | 1 |
| ?INIGetColorDir@@YAHPA_WH@Z | 1 |
| ?GetUserProfileConfigDir@@YAHPA_W@Z | 1 |
| _MMInitTemp@0 | 1 |
| _MMShutdownTemp@0 | 1 |
| _MMAlocTemp@12 | 1 |
| _MMReAllocTemp@12 | 1 |
| _MMLockTemp@8 | 1 |
| _MMUnlockTemp@4 | 1 |
| _MMFreeTemp@4 | 1 |
| _MMAlocLockTemp@12 | 1 |
| _MMReAllocLockTemp@12 | 1 |
| _MMUnlockFreeTemp@4 | 1 |
| ?INIGetConfigDir@@YAHPA_WH@Z | 1 |
| ?INIGetFiltersDir@@YAHPA_WH@Z | 1 |
| ?SetAppInterface@CrlComponent@@YAXP/ | 1 |
| ??1WCuiColorDialog@@UAE@XZ | 1 |
| ?GetSelectedColor@WCuiColorDialog@@QI | 1 |
| ??0WCuiColorDialog@@QAE@PAVWAppCo | 1 |
| ?SetRows@CGXRange@@QAEAAV1@K@Z | 1 |
| ?SetTable@CGXRange@@QAEAAV1@XZ | 1 |
| ??0CGXRange@@QAE@KK@Z | 1 |
| ?SetVerticalAlignment@CGXStyle@@QAEA/ | 1 |
| ?SetSpecialMode@CGXGridParam@@QAEX | 1 |
| ?EnableSelection@CGXGridParam@@QAEX | 1 |
| ?SetDisplayVertLines@CGXProperties@@Q/ | 1 |
| ?SetDisplayHorzLines@CGXProperties@@Q. | 1 |
| ?GetProperties@CGXGridParam@@QAEPAI | 1 |
| ?SetHideCurrentCell@CGXGridParam@@Q/ | 1 |
| ?EnableTrackRowHeight@CGXGridParam@() | 1 |
| ?EnableTrackColWidth@CGXGridParam@@ | 1 |
| ?Create@CGXGridWnd@@QAEHKABUtagRE | 1 |
| ?GetCurrentCell@CGXGridCore@@QAEHAA | 1 |
| ?Dump@CGXGridWnd@@UBEXAAVCDump | 1 |
| ?AssertValid@CGXGridWnd@@UBEXXZ | 1 |
| FOxCallBack | 1 |

| | |
|--|---|
| OxLibCheckType | 1 |
| OxRunMessage | 1 |
| pp_tcode | 1 |
| ?GetDword@RegistryUtils@@SA_NPAUHKE | 1 |
| ?GetNumSubKeys@RegistryUtils@@SAKPAI | 1 |
| ?IsMetricLocale@CEnv@@SA_NXZ | 1 |
| ??0CPersistentHome@@QAE@PAUHKEY__ | 1 |
| ??0CPersistentString@@QAE@ABVCPersistentString | 1 |
| ?Exists@CPersistentData@@QBE_NXZ | 1 |
| ?Get@CPersistentString@@QAE?AVCString@1 | 1 |
| ?Set@CPersistentString@@QAEXABVCString@1 | 1 |
| ??1CPersistentString@@UAE@XZ | 1 |
| ??1CPersistentHome@@UAE@XZ | 1 |
| ?OpenKey@RegistryUtils@@SAPAUHKEY__ | 1 |
| ?IsMetricPaperLocale@CEnv@@SA_NXZ | 1 |
| ?GetSubStringName@RegistryUtils@@SA?A | 1 |
| ?remove@QListData@@QAEXHH@Z | 1 |
| ?squeeze@QByteArray@@QAEXXZ | 1 |
| ?toLong@QByteArray@@QBEJPA_NH@Z | 1 |
| ?qFatal@@YAXPBDZ | 1 |
| ?connectNotify@QBuffer@@MAEXPBD@Z | 1 |
| ?disconnectNotify@QBuffer@@MAEXPBD@Z | 1 |
| ?start@QBasicTimer@@QAEXHPAVQObject | 1 |
| ?stop@QBasicTimer@@QAEXXZ | 1 |
| ??1QBasicTimer@@QAE@XZ | 1 |
| ?disableReset@QNonContiguousByteDevice | 1 |
| ?create@QNonContiguousByteDeviceFactor | 1 |
| ?create@QNonContiguousByteDeviceFactor | 1 |
| ?wrap@QNonContiguousByteDeviceFactory | 1 |
| ?setEncodedQuery@QUrl@@QAEXABVQBye@1 | 1 |
| ?daysTo@QDateTime@@QBEHABV1@@Z | 1 |
| ?setTime_t@QDateTime@@QAEXI@Z | 1 |
| ??NQByteRef@@QBE_ND@Z | 1 |
| ??PQByteRef@@QBE_ND@Z | 1 |
| ??8QByteRef@@QBE_ND@Z | 1 |
| ?isValid@QDate@@QBE_NXZ | 1 |
| ?getAndRef@ExternalRefCountData@QtSha | 1 |
| ?className@QMetaObject@@QBEPDXZ | 1 |
| ??6@YAAAVQDataStream@@AAV0@ABVQDataStream@1 | 1 |
| ??6QDataStream@@QAEAAV0 @_N@Z | 1 |
| ??6@YAAAVQDataStream@@AAV0@ABVQDataStream@1 | 1 |
| ??5QDataStream@@QAEAAV0@AA_N@Z | 1 |
| ??5@YAAAVQDataStream@@AAV0@AAVQDataStream@1 | 1 |
| ?setData@QBuffer@@QAEXPBDH@Z | 1 |
| ?map@QFile@@QAEPAE_J0W4MemoryMap@1 | 1 |
| ?created@QFileInfo@@QBE?AVQDateTime@1 | 1 |
| ?open@QTemporaryFile@@QAE_NXZ | 1 |

| | |
|---------------------------------------|---|
| ??0QTemporaryFile@@QAE@ABVQString@ | 1 |
| ?metaObject@QTemporaryFile@@UBEPU@ | 1 |
| ?qt_metacast@QTemporaryFile@@UAEPAX | 1 |
| ?qt_metacall@QTemporaryFile@@UAEHW@ | 1 |
| ?open@QTemporaryFile@@MAE_NV?\$QFl@ | 1 |
| ?fileEngine@QTemporaryFile@@UBEPAVQ@ | 1 |
| ??1QTemporaryFile@@UAE@XZ | 1 |
| ?setAutoRemove@QTemporaryFile@@QAE | 1 |
| ??6@YA?AVQDebug@@V0@PBVQObject@ | 1 |
| ?count@QString@@QBEHABV1@W4CaseSe | 1 |
| ?testAndSetRelaxed@QBasicAtomicInt@@C | 1 |
| ?midRef@QString@@QBE?AVQStringRef@() | 1 |
| ?leftRef@QString@@QBE?AVQStringRef@() | 1 |
| ?setEnabled@QWinEventNotifier@@QAEX_ | 1 |
| ??0QWinEventNotifier@@QAE@PAXPAVQC | 1 |
| ?metaObject@QWinEventNotifier@@UBEPI | 1 |
| ?qt_metacast@QWinEventNotifier@@UAEF | 1 |
| ?qt_metacall@QWinEventNotifier@@UAEH | 1 |
| ?event@QWinEventNotifier@@MAE_NPAV | 1 |
| ??1QWinEventNotifier@@UAE@XZ | 1 |
| ?openMode@QIODevice@@QBE?AV?\$QFl@ | 1 |
| ?qt_error_string@@YA?AVQString@@H@Z | 1 |
| ??1CString@Microgaming@@QAE@XZ | 1 |
| ?DestroyModuleManager@Microgaming@@ | 1 |
| ?CreateModuleManager@Microgaming@@ | 1 |
| ?Format@CString@Microgaming@@QAAXF | 1 |
| ?WriteProfile@Microgaming@@YA_NPB_W | 1 |
| ??0CString@Microgaming@@QAE@PB_W@C | 1 |
| ??YCString@Microgaming@@QAEABV01@F | 1 |
| ??YCString@Microgaming@@QAEABV01@L | 1 |
| ??4CString@Microgaming@@QAEABV01@F | 1 |
| ??0CString@Microgaming@@QAE@ABV01@ | 1 |
| ?FileExist@Microgaming@@YA_NPB_W@Z | 1 |
| ??0CString@Microgaming@@QAE@XZ | 1 |
| SendSignal | 1 |
| PostSubmit | 1 |
| PostNew | 1 |
| GetConfigParameter | 1 |
| PostAddParam | 1 |
| GetTask | 1 |
| RegisterModule | 1 |
| ?SetInBuffer@CryptoSymm@@QAEIPADJ@: | 1 |
| ?SetEncodeType@CryptoSymm@@QAEI_N@ | 1 |
| ?DecodeBuffer@CryptoSymm@@QAEIXZ | 1 |
| ?GetOutBufferSize@CryptoSymm@@QAEJX | 1 |
| ?DecryptBuffer@CryptoSymm@@QAEIXZ | 1 |
| ?DecodeAndDecryptBuffer@CryptoSymm@ | 1 |

| | |
|--|---|
| ?EncodeBuffer@CryptoSymm@@QAEIXZ | 1 |
| ?EncryptBuffer@CryptoSymm@@QAEIXZ | 1 |
| ?EncryptAndEncodeBuffer@CryptoSymm@() | 1 |
| ?GetOutBuffer@CryptoSymm@@QAEPADX: | 1 |
| ?SetKeyValue@CryptoSymm@@QAEIPADH(| 1 |
| ??1CryptoSymm@@UAE@XZ | 1 |
| ?ResetAllBuffers@CryptoSymm@@QAEXXZ | 1 |
| ??0CryptoSymm@@QAE@XZ | 1 |
| ?SetAlgorithm@CryptoSymm@@QAEIPAD@ | 1 |
| ?LoadKeyValue@CryptoSymm@@QAEIH@Z | 1 |
| GetModuleHandleList | 1 |
| GetProcessIDList | 1 |
| GetProcessBaseSize | 1 |
| GetNumberOfModules | 1 |
| GetNumberOfProcesses | 1 |
| GetModuleSize | 1 |
| GetModulePath | 1 |
| GetProcessPath | 1 |
| ReBasePEImage | 1 |
| WipeReloc | 1 |
| HESpecifySettings | 1 |
| virtualStop | 1 |
| WsxEscape | 1 |
| @Dragdropfile@initialization\$qqrv | 1 |
| @Dragdropformats@initialization\$qqrv | 1 |
| @Dragdrop@initialization\$qqrv | 1 |
| @Droptarget@initialization\$qqrv | 1 |
| @Dropsource@initialization\$qqrv | 1 |
| @Dragdroppidl@initialization\$qqrv | 1 |
| @Uftlistview@initialization\$qqrv | 1 |
| ?end@?\$basic_string@GU?\$char_traits@G@ | 1 |
| GenHWID | 1 |
| _DBCompress@4 | 1 |
| PoCancelDeviceNotify | 1 |
| ZTagGetINT | 1 |
| PsSetThreadWin32Thread | 1 |
| PsGetJobSessionId | 1 |
| SeTokenObjectType | 1 |
| NdisGetSharedDataAlignment | 1 |
| NdisAcquireReadWriteLock | 1 |
| NdisGetCurrentProcessorCpuUsage | 1 |
| NdisCmCloseAddressFamilyComplete | 1 |
| NdisCmDispatchIncomingCall | 1 |
| ??6?\$basic_ostream@_WU?\$char_traits@_` | 1 |
| RegisterCltUsr | 1 |
| DecObxRsp | 1 |
| RegisterObexSock | 1 |

| | |
|---|---|
| InitObex | 1 |
| ReleaseObxPkt | 1 |
| SetObxStatusIdle | 1 |
| sendObxReq | 1 |
| encObxReq | 1 |
| ExitObex | 1 |
| CsUtil_utf8ToUcs2 | 1 |
| CsUtil_ucs2ToUtf8 | 1 |
| ?DecodeMemToObj@IvCard@vCard@@SAF | 1 |
| ?CreateObj@IvCard@vCard@@SAPAVIvCar | 1 |
| ?DecodeMemToMultiObj@IvCard@vCard@ | 1 |
| ?CreateObj@IvCal@vCalendar@@SAPAVIvC | 1 |
| ?EncodeObjToMem@IvCal@vCalendar@@S | 1 |
| ?DecodeMemToObj@IvCal@vCalendar@@S | 1 |
| ?DecodeMemToMultiObj@IvCal@vCalendar | 1 |
| ?EncodeObjToMem@IvCard@vCard@@SAF | 1 |
| @System@Pos\$qqrx17System@WideStringI | 1 |
| @System@EndThread\$qqri | 1 |
| @System@@InitResStrings\$qqrv | 1 |
| @Sysutils@CompareStr\$qqrx20System@Un | 1 |
| @Tuneupwow64@TTUFsRedirection@GetIn | 1 |
| @Tuneupwow64@TTUFsRedirection@SetEn | 1 |
| @Tuneupwow64@TTUFsRedirection@ | 1 |
| @Comctrls@TPageControl@GetActivePageI | 1 |
| @Tregistry@TerminateApplfNonNT\$qqrv | 1 |
| @Tregistry@GetProductRegSetting\$qqr20S | 1 |
| @Tfileutils@IsFloppyDiskette\$qqrb | 1 |
| @Gr32@TBitmap32@Clear\$qqrui | 1 |
| @WbemsCripting_tlb@CoSWbemLocator@C | 1 |
| @WbemsCripting_tlb@CoSWbemLocator@ | 1 |
| @\$xp\$30WbemsCripting_tlb@ISWbemObje | 1 |
| @TuTaskscheduler@TUScheduleTask@AddB | 1 |
| @TuTaskscheduler@TUScheduleTask@Clear | 1 |
| @TuTaskscheduler@TUScheduleTask@Delet | 1 |
| @TuTaskscheduler@TUScheduleTask@Creat | 1 |
| @TuTaskscheduler@TUScheduleTask@\$bctr | 1 |
| @TuTaskscheduler@TUScheduleTask@ | 1 |
| @TuGroupbox@TTUGroupBox@ | 1 |
| @TuClusterbitmap@TTUClusterBitmapHelp | 1 |
| @TuClusterbitmap@TTUClusterBitmap@Set | 1 |
| @TuClusterbitmap@TTUClusterBitmap@Blo | 1 |
| @TuClusterbitmap@TTUClusterBitmap@Get | 1 |
| @TuClusterbitmap@TTUClusterBitmap@Blo | 1 |
| @TuClusterbitmap@TTUClusterBitmap@Blo | 1 |

| | |
|--|---|
| @Tuclusterbitmap@TTUClusterBitmap@Blo | 1 |
| @Tuclusterbitmap@TTUClusterBitmap@Get | 1 |
| @Tuclusterbitmap@TTUClusterBitmap@Scan | 1 |
| @Tuclusterbitmap@TTUClusterBitmap@Shc | 1 |
| @Tuclusterbitmap@TTUClusterBitmap@Set | 1 |
| @Tuclusterbitmap@TTUClusterBitmap@Set | 1 |
| @Tuclusterbitmap@TTUClusterBitmap@Help | 1 |
| @Tuclusterbitmap@TTUClusterBitmap@ | 1 |
| @Bigcheckbox@TBigCheckListBox@AddItem | 1 |
| @Bigcheckbox@TBigCheckListBox@SetIn | 1 |
| @Tureport@TTURReportDiskDoctor@SetScar | 1 |
| g_thread_join | 1 |
| g_queue_remove | 1 |
| g_ptr_array_remove | 1 |
| g_queue_pop_tail | 1 |
| g_thread_pool_push | 1 |
| g_queue_push_head | 1 |
| g_queue_delete_link | 1 |
| g_queue_find_custom | 1 |
| g_thread_pool_set_max_unused_threads | 1 |
| g_thread_pool_set_max_idle_time | 1 |
| g_key_file_get_integer | 1 |
| g_thread_pool_free | 1 |
| g_win32_error_message | 1 |
| g_option_group_set_error_hook | 1 |
| g_option_context_get_main_group | 1 |
| g_option_context_set_summary | 1 |
| g_key_file_get_boolean | 1 |
| g_main_loop_get_context | 1 |
| g_main_loop_is_running | 1 |
| g_thread_pool_new | 1 |
| g_module_symbol | 1 |
| g_module_open_utf8 | 1 |
| g_module_make_resident | 1 |
| g_module_error | 1 |
| g_signal_lookup | 1 |
| g_signal_parse_name | 1 |
| g_cclosure_marshal_VOID__POINTER | 1 |
| BackdoorChannel_New | 1 |
| GuestApp_GetConfPath | 1 |
| StrUtil_GetNextToken | 1 |
| RpcChannel_SetRetVals | 1 |
| RpcOut_sendOne | 1 |
| VMTools_GetString | 1 |
| GuestApp_GetInstallPath | 1 |
| RpcChannel_RegisterCallback | 1 |
| VmCheck_IsVirtualWorld | 1 |

| | |
|---|---|
| VMTools_LoadConfig | 1 |
| RpcChannel_Setup | 1 |
| Unicode_InitW | 1 |
| VMTools_ConfigLogging | 1 |
| VMTools_BindTextDomain | 1 |
| VMTools_AttachConsole | 1 |
| CodeSet_Utf8ToUtf16le | 1 |
| RpcChannel_Destroy | 1 |
| Str_SafeVasprintf | 1 |
| Str_Aswprintf | 1 |
| vm_free | 1 |
| Hostinfo_GetOSType | 1 |
| Str_Wcscpy | 1 |
| Str_Snwprintf | 1 |
| Str_Vaswprintf | 1 |
| Panic | 1 |
| Str_Vasprintf | 1 |
| VMTools_NewHandleSource | 1 |
| icudt40_dat | 1 |
| @Sysutils@WideCompareText\$qqrx17Syste | 1 |
| @Aimp_core@AIMP_SendCmdLineParamsT | 1 |
| @Aimp_core@AIMPCoreFinalize\$qqrv | 1 |
| @Aimp_core@AIMPCoreInitialize\$qqrv | 1 |
| @Aimp_core@GlobalConfig\$qqrv | 1 |
| @Aimp_core@AIMP_GetPath\$qqri | 1 |
| @Aimp_basesysutils@initialization\$qqrv | 1 |
| @Aimp_basesysutils@Finalization\$qqrv | 1 |
| @Aimp_basesysutils@TAIMPIniFile@SetSec | 1 |
| @Aimp_basesysutils@TAIMPIniFile@GetSec | 1 |
| @Aimp_basesysutils@TAIMPIniFile@WriteI | 1 |
| @Aimp_basesysutils@TAIMPIniFile@WriteE | 1 |
| @Aimp_basesysutils@TAIMPIniFile@ReadB | 1 |
| @Aimp_basesysutils@TAIMPStringListW@L | 1 |
| @Aimp_basesysutils@TAIMPStringListW@S | 1 |
| @Aimp_basesysutils@TAIMPStringListW@G | 1 |
| @Aimp_basesysutils@TAIMPStringListW@G | 1 |
| @Aimp_basesysutils@TAIMPStringListW@G | 1 |
| @Aimp_basesysutils@TAIMPStringListW@Ir | 1 |
| @Aimp_basesysutils@TAIMPStringListW@R | 1 |
| @Aimp_basesysutils@TAIMPStringListW@R | 1 |
| @Aimp_basesysutils@TAIMPStringListW@R | 1 |
| @Aimp_basesysutils@TAIMPStringListW@G | 1 |
| @Aimp_basesysutils@TAIMPStringListW@A | 1 |
| @Aimp_basesysutils@TAIMPUnknownObjec | 1 |
| @Aimp_basesysutils@TAIMPOBJECTList@No | 1 |
| @Aimp_basesysutils@TAIMPOBJECTList@Ge | 1 |

| | |
|--|---|
| @Aimp_basesysutils@TAIMPOBJECTLIST@\$b | 1 |
| @Aimp_basesysutils@TAIMPOBJECTLIST@Ad | 1 |
| @Aimp_basesysutils@WideMoveFile\$qqrx1 | 1 |
| @Aimp_basesysutils@WideMakePath\$qqrx | 1 |
| @Aimp_basesysutils@WideDeleteFile\$qqrx | 1 |
| @Aimp_basesysutils@WideCopyFile\$qqrx1 | 1 |
| @Aimp_basesysutils@WideDirectoryExists\$ | 1 |
| @Aimp_basesysutils@WideFileExists\$qqrx1 | 1 |
| @Aimp_basesysutils@WideValidatePath\$qc | 1 |
| @Aimp_basesysutils@WideIsOurFile\$qqrx1 | 1 |
| @Aimp_basesysutils@WideGetFreeFileName | 1 |
| @Aimp_basesysutils@WideExtractFilePath\$ | 1 |
| @Aimp_basesysutils@WideExtractFileName | 1 |
| @Aimp_basesysutils@WideExtractFileFormat | 1 |
| @Aimp_basesysutils@WideSameText\$qqrx1 | 1 |
| @Aimp_basesysutils@SizeFormat\$qqrjo | 1 |
| @Aimp_basesysutils@FormatTime\$qqrxj37/ | 1 |
| @Aimp_basesysutils@IfThenW\$qqrx17Syste | 1 |
| @Aimp_basesysutils@MyStrToInt\$qqrx17Sy | 1 |
| @Aimp_basesysutils@WideMessageBox\$qq | 1 |
| @Aimp_basesysutils@MyWndFree\$qqrp6H' | 1 |
| @Aimp_basesysutils@MyWndDefaultProc\$ | 1 |
| @Aimp_basesysutils@MyWndCreate\$qqryn | 1 |
| @Aimp_basesysutils@TAIMPStringListW@ | 1 |
| @\$xp\$33Aimp_basesysutils@TAIMPOBJECTL | 1 |
| @Aimp_basesysutils@TAIMPOBJECTLIST@ | 1 |
| @Aimp_baseencoding@initialization\$qqrv | 1 |
| @Aimp_baseencoding@Finalization\$qqrv | 1 |
| @Aimp_baseparsers@initialization\$qqrv | 1 |
| @Aimp_baseparsers@Finalization\$qqrv | 1 |
| @Aimp_baseparsers@WideFindSwitch\$qqrv | 1 |
| @Aimp_baseclasses@initialization\$qqrv | 1 |
| @Aimp_baseclasses@Finalization\$qqrv | 1 |
| @Aimp_baseclasses@TAIMPThread@Termi | 1 |
| @Aimp_baseclasses@TAIMPThread@Before | 1 |
| @Aimp_baseclasses@TMyTimer@SetEnable | 1 |
| @Aimp_baseclasses@TAIMPSearch@SetPat | 1 |
| @Aimp_baseclasses@TAIMPSearch@Stop\$ | 1 |
| @Aimp_baseclasses@TAIMPSearch@Start\$ | 1 |
| @Aimp_baseclasses@SwitchToThisWindow! | 1 |
| @Aimp_baseclasses@TMyTimer@ | 1 |
| @\$xp\$28Aimp_baseclasses@TAIMPThread | 1 |
| @Aimp_baseclasses@TAIMPThread@ | 1 |
| @Aimp_baseclasses@TAIMPSearch@ | 1 |
| @Aimp_coreclasses@TAIMPCustomForm@' | 1 |
| @Aimp_coreclasses@TAIMPCustomForm@! | 1 |
| @Aimp_coreclasses@TAIMPCustomLangFor | 1 |

| | |
|--|---|
| @Aimp_coreclasses@TAIMPCustomLangFor | 1 |
| @Aimp_coreclasses@TAIMPCustomLangFor | 1 |
| @Aimp_coreclasses@TAIMPCustomLangFor | 1 |
| @Aimp_coreclasses@TerminateOpenForms | 1 |
| @Aimp_coreclasses@InitInternalSkinsEngin | 1 |
| @Aimp_coreclasses@ResourceLoadImageLi: | 1 |
| @Aimp_coreclasses@TemplateMenuLoad\$c | 1 |
| @Aimp_coreclasses@TemplateMenuInsert\$ | 1 |
| @\$xp\$36Aimp_coreclasses@TAIMPCustomI | 1 |
| @Aimp_coreclasses@TAIMPCustomLangFor | 1 |
| @\$xp\$32Aimp_coreclasses@TAIMPCustomI | 1 |
| @Aimp_coreclasses@TAIMPCustomForm@ | 1 |
| @Aimp_coreclasses@TAIMPBackground@ | 1 |
| @Aimpmultilangs@LangLoadListView\$qqrx1 | 1 |
| @Myskingroups@TMySkinCategory@SetCa | 1 |
| @Myskingroups@TMySkinGroupBox@SetCl | 1 |
| @Myskingroups@TMySkinGroupBox@GetCl | 1 |
| @Myskingroups@TMySkinPanel@ | 1 |
| @Myskingroups@TMySkinCategory@ | 1 |
| @Myskingroups@TMySkinGroupBox@ | 1 |
| @Myskintheme@initialization\$qqrv | 1 |
| @Myskintheme@Finalization\$qqrv | 1 |
| @Myskinengine@TMyForm@SetStayOnTop | 1 |
| @Myskinengine@TMyForm@DoGetStayOnT | 1 |
| @Myskinengine@TMyForm@CloseByEsc\$qc | 1 |
| @Myskinengine@TMyForm@BeforeFormCr | 1 |
| @Myskinengine@TMyForm@BeforeDestruc | 1 |
| @Myskinengine@TMyForm@AfterFormCre | 1 |
| @Myskinengine@TMyForm@CreateParams | 1 |
| @Myskinengine@TMyForm@\$bdtr\$qqrv | 1 |
| @Myskinengine@TMyForm@\$bctr\$qqrp18(| 1 |
| @Myskinengine@TMyForm@\$bctr\$qqruio | 1 |
| @Myskinengine@TMyForm@\$bctr\$qqrp18(| 1 |
| @Aimp_basegraphics@initialization\$qqrv | 1 |
| @Aimp_basegraphics@Finalization\$qqrv | 1 |
| @Aimp_basegraphics@DrawGradient\$qqrp: | 1 |
| @Aimp_basegraphics@MyRectCenter\$qqrr) | 1 |
| @Aimp_basegdiplus@initialization\$qqrv | 1 |
| @Aimp_basegdiplus@Finalization\$qqrv | 1 |
| @Aimp_basegdiplus@TMySkinGDIPlusImag | 1 |
| @Aimp_baseskinimage@initialization\$qqrv | 1 |
| @Aimp_baseskinimage@Finalization\$qqrv | 1 |
| @Myskinctrls@TMySkinSplitter@ConfigSave | 1 |

@Myskinctrls@TMySkinSplitter@ConfigLoac
@Myskinctrls@TMySkinSlider@SetPosition\$
@Myskinctrls@TMySkinSplitter@
@Myskinctrls@TMySkinBevel@
@Myskinctrls@TMySkinSlider@
@Aimp_baseshell@ShellDeleteFile\$qqrx17S
@Aimp_baseshell@ShellGetMyDocuments\$
@Myskinbuttons@TMySkinCheckBox@SetSl
@Myskinbuttons@TMySkinCheckBox@GetS
@Myskinbuttons@TMySkinCheckBox@GetC
@Myskinbuttons@TMySkinButton@ShowDr
@Myskinbuttons@TMySkinCheckBox@
@Myskinbuttons@TMySkinButton@
@Myskinmenus@initialization\$qqrv
@Myskinmenus@Finalization\$qqrv
@Myskinmenus@TMySkinPopup@
@Myskineditors@TMySkinCustomTextEdit@
@Myskineditors@TMySkinComboBox@SetT
@Myskineditors@TMySkinComboBox@SetI
@Myskineditors@TMySkinComboBox@Add
@Myskineditors@TMyReportDialog@SetRe
@Myskineditors@TMyReportDialog@GetRe
@Myskineditors@TMyReportDialog@\$bctr\$
@Myskineditors@WideMemoEditBox\$qqrx:
@Myskineditors@ShowReport\$qqrx17Syste
@Myskineditors@MyInputQueryButtonCan
@Myskineditors@TMyReportDialog@
@Myskineditors@TMySkinComboBox@
@Myskineditors@TMySkinCheckCombo@
@Myskinlistview@initialization\$qqrv
@Myskinlistview@Finalization\$qqrv
@Myskinlistview@TMySkinListViewStringIt
@Myskinlistview@TMySkinListViewStringIt
@Myskinlistview@TMySkinListViewStringIt
@Myskinlistview@TMySkinListViewStringIt
@Myskinlistview@TMySkinCustomListView(

| | |
|--|---|
| @Myskinlistview@TMySkinCustomListView(| 1 |
| @Myskinlistview@TMySkinCustomListView(| 1 |
| @Myskinlistview@TMySkinListViewCustomI | 1 |
| @Myskinlistview@TMySkinListViewCustomI | 1 |
| @Myskinlistview@TMySkinListViewItem@S | 1 |
| @Myskinlistview@TMySkinListViewItem@G | 1 |
| @Myskinlistview@TMySkinListViewItem@C | 1 |
| @Myskinlistview@TMySkinListViewItem@\$ | 1 |
| @Myskinlistview@TMySkinListViewItem@\$ | 1 |
| @Myskinlistview@TMySkinListViewTableVi | 1 |
| @Myskinlistview@TMySkinListViewColumns | 1 |
| @Myskinlistview@TMySkinListViewColumn(| 1 |
| @Myskinlistview@TMySkinListViewColumn(| 1 |
| @Myskinlistview@TMySkinListViewColumn(| 1 |
| @Myskinlistview@TMySkinListView@ | 1 |
| @\$xp\$40Myskinlistview@TMySkinListViewS | 1 |
| @Myskinlistview@TMySkinListViewStringIt | 1 |
| @Myskindragdrop@initialization\$qqrv | 1 |
| @Myskindragdrop@Finalization\$qqrv | 1 |
| @Myskindragdrop@TMyDropTarget@ | 1 |
| @Aimp_soundoutfilemanager@initializati | 1 |
| @Aimp_soundoutfilemanager@Finalizatio | 1 |
| @Myskinshell@TMyShellTreeView@SetDire | 1 |
| @Myskinshell@TMyShellTreePaths@GetRe | 1 |
| @Myskinshell@TMyShellTreePaths@GetPat | 1 |
| @Myskinshell@TMyShellTreePaths@GetCo | 1 |
| @Myskinshell@TMyShellTreePaths@\$bctr\$ | 1 |
| @Myskinshell@MyShellSelectPathEx\$qqrx1 | 1 |
| @Myskinshell@MyShellBrowseCaption | 1 |
| @Myskinshell@TMyShellTreeView@ | 1 |
| @Myskinshell@TMyShellTreePaths@ | 1 |
| @Aimp_taglibcore@initialization\$qqrv | 1 |
| @Aimp_taglibcore@Finalization\$qqrv | 1 |
| @Aimp_taglibcore@TAIMPFileTag@GetIsEn | 1 |
| @Aimp_taglibcore@TAIMPFileTag@SetTrac | 1 |
| @Aimp_taglibcore@TAIMPFileTag@SetTrac | 1 |
| @Aimp_taglibcore@TAIMPFileTag@GetTrac | 1 |
| @Aimp_taglibcore@TAIMPFileTag@GetTrac | 1 |
| @Aimp_taglibcore@TAIMPFileTag@SetStrin | 1 |

| | |
|---|---|
| @Aimp_taglibcore@TAIMPFileTag@GetStrir | 1 |
| @Aimp_taglibcore@TAIMPFileTag@ClearCc | 1 |
| @Aimp_taglibcore@TAIMPFileTag@\$bctr\$q | 1 |
| @Aimp_taglibcore@TAIMPTagsManager@€ | 1 |
| @Aimp_taglibcore@TAIMPTagsManager@F | 1 |
| @Aimp_taglibcore@TAIMPCustomTagsColle | 1 |
| @Aimp_taglibcore@TagsFillGenres\$qqrpqqi | 1 |
| @Aimp_taglibcore@ReplayGainTrackPeakTc | 1 |
| @Aimp_taglibcore@ReplayGainTrackGainTc | 1 |
| @Aimp_taglibcore@TagsManager\$qqrv | 1 |
| @Aimp_taglibcore@TAIMPFileTag@ | 1 |
| @Aimp_baseglobaldata@initialization\$qqrv | 1 |
| @Aimp_baseglobaldata@Finalization\$qqrv | 1 |
| @Aimp_baseglobaldata@TAIMPGlobalData | 1 |
| @Aimp_baseglobaldata@SendDataGetData! | 1 |
| @Aimp_baseglobaldata@GlobalDataClient\$ | 1 |
| @Aimp_taglibquickeditorframe@initializati | 1 |
| @Aimp_taglibquickeditorframe@Finalizatio | 1 |
| @Aimp_mediabaseapi@initialization\$qqrv | 1 |
| @Aimp_mediabaseapi@Finalization\$qqrv | 1 |
| @Aimp_mediabaseapi@MediaBaseFileMov | 1 |
| @Aimp_mediabaseapi@MediaBaseFinalize\$ | 1 |
| @Aimp_mediabaseapi@MediaBaseInitialize | 1 |
| @Aimp_taglibeditorutils@TAIMPTagsEditorl | 1 |
| @Aimp_taglibeditorutils@TAIMPTagsEditorl | 1 |
| @Aimp_taglibeditorutils@PopulateKnownT | 1 |
| @Aimp_taglibeditorutils@SaveCoverArtToFi | 1 |
| @Aimp_taglibeditorutils@CoverArtResize\$q | 1 |
| @Aimp_taglibeditorutils@CoverArtBuildRes | 1 |
| @Aimp_taglibeditorutils@TAIMPTagsEditorl | 1 |
| @Aimp_taglibeditor@initialization\$qqrv | 1 |
| @Aimp_taglibeditor@Finalization\$qqrv | 1 |
| @Aimp_taglibeditor@TAIMPTagsQuickSetM | 1 |
| @Aimp_taglibeditor@TAIMPTagsEditor@Se | 1 |
| @Aimp_taglibeditor@TAIMPTagsEditor@Ge | 1 |
| @Aimp_taglibeditor@TAIMPTagsEditor@Sa | 1 |
| @Aimp_taglibeditor@TAIMPTagsEditor@Sa | 1 |
| @Aimp_taglibeditor@TAIMPTagsEditor@Lo | 1 |
| @Aimp_taglibeditor@TAIMPTagsEditor@Co | 1 |
| @Aimp_taglibeditor@TAIMPTagsEditor@Co | 1 |
| @Aimp_taglibeditor@TAIMPTagsEditor@Co | 1 |
| @Aimp_taglibeditor@TAIMPTagsEditor@Ap | 1 |
| @Aimp_taglibeditor@TAIMPTagsEditor@\$b | 1 |
| @Aimp_taglibeditor@TAIMPAutoTag@Setti | 1 |
| @Aimp_taglibeditor@TAIMPAutoTag@Prep | 1 |
| @Aimp_taglibeditor@TAIMPAutoTag@\$bct | 1 |
| @Aimp_taglibeditor@TagsAutoNerate\$qq | 1 |

| | |
|--|---|
| @Aimp_taglibeditor@FTagsGlobalMsgUnloc | 1 |
| @Aimp_taglibeditor@FTagsGlobalMsgRenai | 1 |
| @Aimp_taglibeditor@FTagsGlobalMsgLockII | 1 |
| @Aimp_taglibeditor@TAIMPTagsEditor@ | 1 |
| @Aimp_taglibeditor@TAIMPTagsQuickSetM | 1 |
| @Aimp_taglibeditor@TAIMPAutoTag@ | 1 |
| @Aimp_taglibeditor@QuickEditCustomAssig | 1 |
| @Aimp_taglibautotagdialog@initialization\$ | 1 |
| @Aimp_taglibautotagdialog@Finalization\$q | 1 |
| @MySkinprogress@TMySkinProgressBox@S | 1 |
| @MySkinprogress@TMySkinProgressBox@S | 1 |
| @MySkinprogress@TMySkinProgressBox@S | 1 |
| @MySkinprogress@TMySkinProgressBox@C | 1 |
| @MySkinprogress@TMySkinProgressBox@P | 1 |
| @MySkinprogress@TMySkinProgressBox@ | 1 |
| @Aimp_basenetwork@initialization\$qqrv | 1 |
| @Aimp_basenetwork@Finalization\$qqrv | 1 |
| @Aimp_basexml@initialization\$qqrv | 1 |
| @Aimp_basexml@Finalization\$qqrv | 1 |
| @Aimp_soundouttypes@initialization\$qqrv | 1 |
| @Aimp_soundouttypes@Finalization\$qqrv | 1 |
| @Aimp_soundouttypes@TAIMPSoundOutEr | 1 |
| @Aimp_soundouttypes@TAIMPSoundOutEr | 1 |
| @Aimp_soundouttypes@MakeOutputForma | 1 |
| @Aimp_soundouttypes@FastTrunc\$qqrd | 1 |
| @Aimp_soundouttypes@TAIMPSoundOutEr | 1 |
| @MySkinTabControl@TMySkinTabControl@S | 1 |
| @MySkinTabControl@TMySkinTabsList@Get | 1 |
| @MySkinTabControl@TMySkinTab@SetCapti | 1 |
| @MySkinTabControl@TMySkinTabControl@ | 1 |
| @Aimp_configs@initialization\$qqrv | 1 |
| @Aimp_configs@Finalization\$qqrv | 1 |
| @Aimp_coreunit@initialization\$qqrv | 1 |
| @Aimp_coreunit@Finalization\$qqrv | 1 |
| @Aimp_confirmDialog@ReplaceConfirmatic | 1 |
| @Aimp_soundoutreplaygain@TAIMPSound | 1 |
| @Aimp_soundoutdata@TAIMPSoundOutCh | 1 |
| @Aimp_soundoutdecoders@initialization\$q | 1 |
| @Aimp_soundoutdecoders@Finalization\$qc | 1 |
| @Aimp_soundoutdecoders@TAIMPSoundO | 1 |

| | |
|--|---|
| @Aimp_soundoutdecoders@TAIMPSSoundO | 1 |
| @Aimp_soundoutdecoders@TAIMPSSoundO | 1 |
| @Aimp_soundoutdecoders@SoundOutDeco | 1 |
| @Aimp_soundoutdecoders@TAIMPSSoundO | 1 |
| @Aimp_soundoutbufferedstream@initializa | 1 |
| @Aimp_soundoutbufferedstream@Finalizat | 1 |
| @Aimp_soundoutdatastream@TAIMPSSounc | 1 |
| @Aimp_soundoutfastfouriertrasform@initia | 1 |
| @Aimp_soundoutfastfouriertrasform@Final | 1 |
| @Aimp_soundoutplayer@TAIMPSSoundOutP | 1 |
| @Aimp_soundoutradiorippers@initializatio | 1 |
| @Aimp_soundoutradiorippers@Finalization | 1 |
| @Aimp_taglibformatid3v2@initialization\$qc | 1 |
| @Aimp_taglibformatid3v2@Finalization\$qq | 1 |
| @Aimp_taglibformatwav@initialization\$qqr | 1 |
| @Aimp_taglibformatwav@Finalization\$qqrv | 1 |
| @Aimp_taglibformatape@initialization\$qqr | 1 |
| @Aimp_taglibformatape@Finalization\$qqrv | 1 |
| @Aimp_taglibformatid3v1@initialization\$qc | 1 |
| @Aimp_taglibformatid3v1@Finalization\$qq | 1 |
| @Aimp_soundoutbassdecoder@initializatio | 1 |
| @Aimp_soundoutbassdecoder@Finalization | 1 |
| @Aimp_soundoutbassapi@initialization\$qqi | 1 |
| @Aimp_soundoutbassapi@Finalization\$qqr | 1 |
| @Aimp_soundoutdevice@initialization\$qqrv | 1 |
| @Aimp_soundoutdevice@Finalization\$qqrv | 1 |
| @Aimp_soundoutdevicenull@initialization\$ | 1 |
| @Aimp_soundoutdevicenull@Finalization\$q | 1 |
| @Aimp_fileformatcue@initialization\$qqrv | 1 |
| @Aimp_fileformatcue@Finalization\$qqrv | 1 |
| @Aimp_soundouteffectsdsp@initialization\$ | 1 |
| @Aimp_soundouteffectsdsp@Finalization\$c | 1 |
| @Aimp_soundoutradio@initialization\$qqrv | 1 |
| @Aimp_soundoutradio@Finalization\$qqrv | 1 |
| @Aimp_taglibformatwma@initialization\$qq | 1 |

| | |
|---|---|
| @Aimp_taglibformatwma@Finalization\$qqr | 1 |
| @Aimp_soundoutdeviceasio@initialization\$ | 1 |
| @Aimp_soundoutdeviceasio@Finalization\$c | 1 |
| @Aimp_soundoutdeviceds@initialization\$qi | 1 |
| @Aimp_soundoutdeviceds@Finalization\$qq | 1 |
| @Aimp_soundoutdevicewasapi@initializatio | 1 |
| @Aimp_soundoutdevicewasapi@Finalizatio | 1 |
| @Aimp_optionsdialog@ExecuteOptions\$qqi | 1 |
| @Aimp_optionsdialog@FAboutDialogExecut | 1 |
| @Aimp_optionsctrls@initialization\$qqrv | 1 |
| @Aimp_optionsctrls@Finalization\$qqrv | 1 |
| @Aimp_optionsctrls@TAIMPOptionFrames(| 1 |
| @Aimp_optionsctrls@OptionsFrames\$qqrv | 1 |
| @Aimp_optionframesoundout@TAIMPOptic | 1 |
| @Aimp_optionframelang@TAIMPOptionsFr | 1 |
| @Aimp_optionframenet@TAIMPOptionsFra | 1 |
| @Aimp_optionframeplugins@initialization\$ | 1 |
| @Aimp_optionframeplugins@Finalization\$q | 1 |
| @Aimp_optionframeplugins@TAIMPOption | 1 |
| @Aimp_pluginscore@initialization\$qqrv | 1 |
| @Aimp_pluginscore@Finalization\$qqrv | 1 |
| @Aimp_pluginscore@TAIMPPluginManager | 1 |
| @Aimp_pluginscore@TAIMPPluginManager | 1 |
| @Aimp_pluginscore@PluginManager\$qqrv | 1 |
| @Aimp_taglibformatmp3@initialization\$qqi | 1 |
| @Aimp_taglibformatmp3@Finalization\$qqr | 1 |
| @Aimp_taglibformataac@initialization\$qqrv | 1 |
| @Aimp_taglibformataac@Finalization\$qqrv | 1 |
| @Aimp_taglibformatmpc@initialization\$qqr | 1 |
| @Aimp_taglibformatmpc@Finalization\$qqrv | 1 |
| @Aimp_taglibformatogg@initialization\$qqrv | 1 |
| @Aimp_taglibformatogg@Finalization\$qqrv | 1 |
| @Aimp_taglibformatflac@initialization\$qqrv | 1 |
| @Aimp_taglibformatflac@Finalization\$qqrv | 1 |
| @Aimp_taglibformatm4a@initialization\$qqi | 1 |
| @Aimp_taglibformatm4a@Finalization\$qqrv | 1 |
| @Aimp_taglibformattta@initialization\$qqrv | 1 |
| @Aimp_taglibformattta@Finalization\$qqrv | 1 |
| @Aimp_taglibformatwv@initialization\$qqrv | 1 |
| @Aimp_taglibformatwv@Finalization\$qqrv | 1 |
| @Aimp_pluginsbass@initialization\$qqrv | 1 |
| @Aimp_pluginsbass@Finalization\$qqrv | 1 |
| @Aimpabout@ShowAboutDialog\$qqrv | 1 |
| SetTPSRegFirstInstValueAdmin | 1 |
| SetTPSRegGUIDEntryValueAdmin | 1 |
| SetTPSRegOSDefaultValueAdmin | 1 |
| SetPwrTPSItemAttributeAdmin | 1 |

| | |
|--|---|
| PwrReplaceDefaultAdmin | 1 |
| PwrTPSItemInitializeAdmin | 1 |
| PwrOSItemInitializeAdmin | 1 |
| _Rdr_HookAllApps@8 | 1 |
| SDL_AddTimer | 1 |
| BatteryClassUnload | 1 |
| ?setPlainText@QTextEdit@@QAEXABVQString | 1 |
| ?standardIcon@QStyle@@QBE?AVQIcon@() | 1 |
| ?setStretch@QBoxLayout@@QAEXHH@Z | 1 |
| ??0QAlign@@QAE@XZ | 1 |
| InstallHookb | 1 |
| GetPsw | 1 |
| ProStartup | 1 |
| ServerListDialogUser | 1 |
| HtmlHelpW | 1 |
| GdipGetStringFormatHotkeyPrefix | 1 |
| GdipGetPenDashStyle | 1 |
| GdipGetStringFormatTrimming | 1 |
| GdipGetStringFormatLineAlign | 1 |
| GdipGetStringFormatAlign | 1 |
| GdipGetPathGradientSurroundColorCount | 1 |
| GdipGetPathGradientCenterPointI | 1 |
| GdipGetPathGradientCenterPoint | 1 |
| GdipGetPathGradientSurroundColorsWithCc | 1 |
| GdipGetPathGradientCenterColor | 1 |
| TraceSQLConnect | 1 |
| CheckSignatureInFile | 1 |
| __vbaS | 1 |
| M_vbaLenBstr | 1 |
| lytpapsfywt | 1 |
| DefragInitialize | 1 |
| vout_DestroyPicture | 1 |
| vout_LinkPicture | 1 |
| vout_UnlinkPicture | 1 |
| ?NclLogDump@@YAXAAVCModuleInfo@@I | 1 |
| GETDEPR | 1 |
| ?compare@?\$char_traits@D@_STL@@SAH | 1 |
| ?data@?\$basic_string@DV?\$char_traits@D@_STL@@SAIPB | 1 |
| ?length@?\$char_traits@D@_STL@@SAIPB | 1 |
| __net_ConnectTCP | 1 |
| vlc_vasprintf | 1 |
| IOFunctionFromDriver | 1 |
| ??0QXmlSchema@@QAE@XZ | 1 |
| ?load@QXmlSchema@@QAE_NABVQUrl@() | 1 |
| ?isValid@QXmlSchema@@QBE_NXZ | 1 |
| ??1QXmlSchema@@QAE@XZ | 1 |
| ??0QXmlSchemaValidator@@QAE@ABVQX | 1 |

| | |
|--------------------------------------|---|
| ?validate@QXmlSchemaValidator@@QBE_` | 1 |
| ??1QXmlSchemaValidator@@QAE@XZ | 1 |
| ?isRelative@QUrl@@QBE_NXZ | 1 |
| CsrServerInitialization | 1 |
| _analysis_output_always | 1 |
| SetEXEIcon | 1 |
| MQSec_GetProcessUserSid | 1 |
| MQSec_GetThreadUserSid | 1 |
| MQSec_CopySecurityDescriptor | 1 |
| MQSec_GetLocalMachineSid | 1 |
| MQSec_UnpackPublicKey | 1 |
| MQSec_GetUserType | 1 |
| MQSec_MergeSecurityDescriptors | 1 |
| MQSec_ConvertsSDToNT4Format | 1 |
| MQSec_ConvertSDToNT5Format | 1 |
| MQSec_SetPrivilegeInThread | 1 |
| MQSec_IsAnonymusSid | 1 |
| Cla\$ALERT | 1 |
| Cla\$FILE_SETF | 1 |
| Cla\$FIRSTFIELD | 1 |
| Cla\$LASTFIELD | 1 |
| Cla\$NOTIFY | 1 |
| Cla\$popen | 1 |
| Cla\$PushTemp | 1 |
| Cla\$SELECTED | 1 |
| Cla\$StackVAL | 1 |
| Cla\$START1 | 1 |
| Cla\$START3 | 1 |
| CONFIGURACIONEMPRESA@Fsbsb | 1 |
| CONFIGURACIONESVARIAS@Fsb | 1 |
| CONFIGURACIONPARTIDAS@F | 1 |
| CONFIGURACIONPRODUCCION@F | 1 |
| ACTUALIZARORDENFABRICACION@Fsb | 1 |
| ACTUALIZARORDENMONTAJE@Fsb | 1 |
| ACTUALIZOCRONOGRAMAINCUMPLIDO@F | 1 |
| CONSULTACRONOGRAMAFECHA@F | 1 |
| CONSULTACRONOGRAMASECTOR@F | 1 |
| CONSULTAETAPASPORACTOR@F | 1 |
| CONSULTAETAPASPORFECHA@F | 1 |
| CONSULTAORDENFABRICACION@Fsbsb | 1 |
| CONTROLARORDENESFABRICACION@F | 1 |
| RECALCULOCRONOGRAMA@F | 1 |
| REVALORIZARORDENFABRICACION@F | 1 |
| CONSULTASALDOSPARTPRODDEPOSITO@Fs | 1 |
| CONSULTASALDOSPARTPRODGENERAL@Fsb | 1 |
| CONSULTASALDOSPARTPRODPARTIDA@Fsb | 1 |
| CONSULTASTOCKPARTPROD@Fsbsb | 1 |

| | |
|-------------------------------------|---|
| CONSULTASTOCKPARTPRODDEPOSITO@Fsb: | 1 |
| CONTROLPARTIDASWINDOW@F | 1 |
| LISTADOSALDOSPARTPRODUCTODEPOSITO@ | 1 |
| PRODUCTOSPENDIENTESPORSERIE@F | 1 |
| CONSULTANECESSIDADESMONTAJE@F | 1 |
| CONSULTASALDOSDEPOSITO@Fsbsb | 1 |
| CONSULTASALDOSSTOCK@Fsbsb | 1 |
| CONSULTASTOCK@Fsbsbsb | 1 |
| CONSULTASTOCKDEPOSITO@Fsbsb | 1 |
| CONSULTASTOCKDEPOSITOESTIMADO@Fsb: | 1 |
| CONSULTASTOCKESTIMADO@Fsbsbsb | 1 |
| CONSULTASTOCKMONTAJE@Fsbsbsb | 1 |
| LISTADOERRORESRESERVAS@F | 1 |
| LISTADOFUTUROSFALTANTES@Fsbsb | 1 |
| LISTADOUNMOVILIZACIONESDIARIAS@F | 1 |
| LISTADOMOVIMIENTOSTOCKDEPOSITO@Fsk | 1 |
| LISTADOMOVIMIENTOSTOCKESTIMADODEP | 1 |
| LISTADOMOVIMIENTOSTOCKESTIMADOGEN | 1 |
| LISTADOMOVIMIENTOSTOCKGENERAL@Fsb: | 1 |
| LISTADOPENDIENTESPORFECHA@F | 1 |
| LISTADOPENDIENTESPORFECHAVALORIZADC | 1 |
| LISTADOSALDOSPRODUCTODEPOSITO@Fsbs | 1 |
| LISTADOSALDOSSTOCKGENERAL@Fsbsbsb | 1 |
| LISTADOVALUACIONSTOCKDEPOSITO@Fsbsl | 1 |
| LISTADOVALUACIONSTOCKGENERAL@Fsbsb | 1 |
| VALUACIONSTOCK@Fsbsb | 1 |
| VALUACIONSTOCKWINDOW@Fsbsb | 1 |
| \$CONFSIST | 1 |
| \$LIPRCABE | 1 |
| CHANGEACTION@F13WINDOWMANAGER | 1 |
| CONSTRUCT@F10ERRORCLASS | 1 |
| CONSTRUCT@F16ERRORSTATUSCLASS | 1 |
| CONSTRUCT@F8INICLASS | 1 |
| DELETEACTION@F13WINDOWMANAGER | 1 |
| DESTRUCT@F16ERRORSTATUSCLASS | 1 |
| INIT@F10ERRORCLASS16ERRORSTATUSCLAS | 1 |
| INIT@F8INICLASSsbII | 1 |
| INSERTACTION@F13WINDOWMANAGER | 1 |
| OPEN@F13WINDOWMANAGERBwBw | 1 |
| SAVEONCHANGEACTION@F13WINDOWMAI | 1 |
| SAVEONINSERTACTION@F13WINDOWMAN | 1 |
| TAKEDISABLEBUTTON@F13WINDOWMANA\ | 1 |
| TAKENOTIFY@F13WINDOWMANAGERIII | 1 |
| VMT\$ERRORSTATUSCLASS | 1 |
| LISTADOPRODUCTOSSINMOVIMIENTOS@F | 1 |
| CONVERSIONMOVIMENTOSSTOCKDBFWIN\ | 1 |
| CONVERSIONSALDOSSTOCKDBFWINDOW@F | 1 |

| | |
|---------------------------------|---|
| ACTORESABM@Fsb | 1 |
| CONFIGURACIONFABRICACION@F | 1 |
| CONFIGURACIONNUMSERIES@Fsb | 1 |
| ETAPASABM@F | 1 |
| NUMSERIESABM@F | 1 |
| ORDENARFABRICACION@FRUc | 1 |
| HORASTRABAJADASCONS@Fsb | 1 |
| AGREGARDISCODATOS@F | 1 |
| AGREGOHORASTRABAJADAS@Fbdbtbdbt | 1 |
| AGREGOTRACEPROC@Fsb | 1 |
| BORROTEMPORALES@FUC | 1 |
| BOTONESACCESORAPIDOABM@Fsb | 1 |
| CALCULADORABTB@FUC | 1 |
| CALCULADORABTBPROC@F | 1 |
| CALENDARIOBTB@FIUC | 1 |
| CALENDARIOBTBPROC@F | 1 |
| CAMBIOCLAVE@F | 1 |
| CAMBIOSPORVERSION@FUC | 1 |
| CANTIDADVENTANASABIERTAS@F | 1 |
| CARGOCOLAMAESTROS@F | 1 |
| CARGORANGOSCONTABLES@F | 1 |
| CONFIGIMPRESORA@Fsb | 1 |
| CONTROLRARACCESO@Fsb OuOuOuOuOu | 1 |
| CONTROLDEVERSION@F | 1 |
| CONTROLEMPRESACERRADA@FRUc | 1 |
| CONTROLLLAVE@F | 1 |
| DATOSLLAVE@F | 1 |
| DESMARCAROPERACION@Fsb | 1 |
| EMPRESAACTIVA@FOUc | 1 |
| EMPRESAACTIVALOC@F | 1 |
| IMPRIMIRMANUAL@F | 1 |
| INICIARSISTEMALOC@Fsb | 1 |
| LLAMARHELP@Fsb | 1 |
| MANEJODECARPETAS@Fsbsb | 1 |
| MC@FI | 1 |
| MEJORASCONS@F | 1 |
| MENUEMPRESAS@FRUcRsbsbUcUc | 1 |
| NOMBREARCHIVOSTEMPORALES@F | 1 |
| NOMBREEJECUTABLEACTUAL@F | 1 |
| OC@FIPu | 1 |
| PARAMETROSGENERALES@F | 1 |
| R_ERROR@FsOsb | 1 |
| VERMANUALWORD@FOsbOsbPl | 1 |
| VERSION@F | 1 |
| VERSIONWINDOWS@F | 1 |
| ARCHIVOTESTIGO@FsbOsb | 1 |
| LISTADOMINUTAPROC@Fsb | 1 |

| | |
|---------------------------------------|---|
| BLOQUEAR SISTEMA@F | 1 |
| VERIFICAREMPRESASEGURIDAD@FRUcsb | 1 |
| VERIFICARSEGURIDADGENERAL@FRUcRUC | 1 |
| LISTADOCOMPONENTESNECESARIOS@Fsb | 1 |
| LISTADOCOMPONENTESORDFABR@F | 1 |
| LISTADONECESARIOSPORSERIE@F | 1 |
| LISTADOTAREASPORSECTOR@Fsb | 1 |
| LISTADOTAREASPORSECTORAPAI@Fsb | 1 |
| LLAMOANALISISFABRICACION@Fsb | 1 |
| LLAMOANEXOFABRICACION@Fsbsbsb | 1 |
| LLAMOANEXOMONTAJE@Fsbsbsb | 1 |
| BLOQUEARMODULO@F | 1 |
| LEGAJOSABM@Fsb | 1 |
| CALCULORAPIDOCOSTOSMONTAJE@F | 1 |
| CONFIGURACIONMONTAJE@F | 1 |
| INGRESOORDMONTAJE@F | 1 |
| PROCESARFABRICAPORLOTE@F | 1 |
| INGRESOORDFABRICACION@F | 1 |
| INGRESOORDPROD@F | 1 |
| PARTIDASABM@F | 1 |
| CAMBIARFAMILIA@F | 1 |
| COMPONENTESARECALCULAR@Fsb | 1 |
| COPIARFORMULASPRODUCTO@Fsb | 1 |
| RECALCULOPRODUCTOSCONFORMULA@Fsk | 1 |
| RECUPEROSRECALCULAR@F | 1 |
| CONFIGURACIONPRODUCTOS@F | 1 |
| ETAPASRECALCULAR@F | 1 |
| FAMILIAFORMULASABM@Fsbsb | 1 |
| FAMILIAPRODUCTOSABM@F | 1 |
| ORDENARPRODUCTOS@FRUc | 1 |
| PRODUCTOSABMSIMPLE@Fsbsb | 1 |
| REORDENOFORMULASMONTAJEWIN@F | 1 |
| ORDENARARCHIVOSISTEMA@FRUc | 1 |
| ORDENARMAESTROSGENERALES@FRUc | 1 |
| ORDENARSTOCK@FRUc | 1 |
| RECALCULOGENERALSALDOS@Fsbsb | 1 |
| RECALCULOPRODUCTOSPROC@Fsbsbsb | 1 |
| STOCKABM@F | 1 |
| HrDiAddComponentToINetCfg | 1 |
| NetClassInstaller | 1 |
| NetPropPageProvider | 1 |
| NetCfgDiagRepairRegistryBindings | 1 |
| NetCfgDiagFromCommandArgs | 1 |
| ?hitTestContent@QWebFrame@@QBE?AVC | 1 |
| ??0XmlQuery@@QAE@XZ | 1 |
| ?writeStartElement@QXmlStreamWriter@C | 1 |
| _ZN4Foam4Time4loopEv | 1 |

| | |
|--------------------------------------|---|
| _ZN4FoamIsERNS_7OstreamE | 1 |
| _ZNK4Foam13primitiveMesh9checkMeshEb | 1 |
| _ZNK4Foam5clock16elapsedClockTimeEv | 1 |
| _ZNK4Foam7cpuTime14elapsedCpuTimeEv | 1 |
| _ZN4Foam13dynamicFvMesh3NewERKNS_8 | 1 |
| anew | 1 |
| PacketGetVersion | 1 |
| PacketGetNetInfoEx | 1 |
| DevicePropertiesExW | 1 |
| DeviceProblenWizard_RunDLLW | 1 |
| DeviceProblemWizardW | 1 |
| DeviceProblemWizardA | 1 |
| EditReestr | 1 |
| _FSOUND_Sample_SetMode@8 | 1 |
| _FSOUND_Stream_OpenFile@12 | 1 |
| _FSOUND_Stream_Play@8 | 1 |
| _FSOUND_SetBufferSize@4 | 1 |
| PsGetProcessJob | 1 |
| XmlUtf8Encode | 1 |
| XmlGetUtf8InternalEncodingNS | 1 |
| XmlGetUtf8InternalEncoding | 1 |
| PR | 1 |
| fd1 | 1 |
| Insert | 1 |
| GetIvaEuro | 1 |
| ZOPERATORE | 1 |
| Delete | 1 |
| DBXISAMExvInterpreter | 1 |
| CheckDate | 1 |
| ConvertDate8 | 1 |
| fnyear | 1 |
| InsDB6 | 1 |
| fndate | 1 |
| ZVIDDESCR | 1 |
| ANNO | 1 |
| XRS1 | 1 |
| XRS2 | 1 |
| LineToString | 1 |
| GetArg | 1 |
| SkipLRBIk | 1 |
| ReplaceBlob | 1 |
| CopyBlob | 1 |
| ZDSNODECOD | 1 |
| FindDynamicStruct | 1 |
| ZDSELEM | 1 |
| ZDYNs_VALELEMENTO | 1 |
| KillDynamicStruct | 1 |

| | |
|---|---|
| ?STD_AlPoolMem@@YAPAXH@Z | 1 |
| ?STD_FrePoolMem@@YAXPAX@Z | 1 |
| ?glbf_FreeLocalResHandle@@YAXPAUHINS` | 1 |
| ??1TRANSF_2D@@QAE@XZ | 1 |
| ??0TRANSF_2D@@QAE@QBM@Z | 1 |
| ?MakeRotateMatrix@@YAXMMMQAM@Z | 1 |
| ?InitMatrix2D@@YAXQAM@Z | 1 |
| ?ArcSplineFit@CSectionList@@QBEPAVCSec | 1 |
| ?ArcToLine@@YAHABVpoint_2d@@MMMN | 1 |
| ?CircleToLine@@YAHABVpoint_2d@@MMF | 1 |
| ?EllipseToLine@@YAHABVpoint_2d@@MM | 1 |
| ?Copy@CSectPoint@@QAEXABVpoint_2d@ | 1 |
| ??0CSectEllipse@@QAE@XZ | 1 |
| ?Create@CSectEllipse@@QAEXVpoint_2d@ | 1 |
| ??0CSectCircle@@QAE@XZ | 1 |
| ?CreateCR@CSectCircle@@QAEHVpoint_2d | 1 |
| ?CreateCSE@CSectArc@@QAEHABVpoint_2 | 1 |
| ??0CSectArc@@QAE@XZ | 1 |
| ?CreateSEA@CSectArc@@QAEHABVpoint_2 | 1 |
| ?Create@CSectionList@@QAEHPAVCSectOk | 1 |
| ??0CEntCircle@@QAE@XZ | 1 |
| ??0CEntEllipse@@QAE@XZ | 1 |
| ??0CEntPoint@@QAE@XZ | 1 |
| ?CreateMultiText@@YAPAVCEntText@@AB | 1 |
| ?GetDefFontParam@CDataManager@@QAI | 1 |
| FsRtlAllocateResource | 1 |
| starhook | 1 |
| ?Flush@KEYBOARD@@QAEEXZ | 1 |
| ?SetDevice@PATH@@QAEPPBVWSTRING@ | 1 |
| Config_Init | 1 |
| Playback_SetStyle | 1 |
| ??0Canvas@@QAE@PAUHWND__@@PAV | 1 |
| ?ResizeWindow@Canvas@@QAEJHH@Z | 1 |
| ?Render@Canvas@@QAE_NAAUtagRECT@ | 1 |
| ?ResizeScreen@Canvas@@QAEJHH@Z | 1 |
| ??1Canvas@@QAE@XZ | 1 |
| ?Draw@Canvas@@QAE_NHHHPBE@Z | 1 |
| GetLibTls | 1 |
| ??9@YA_NPA_WABVCTXBSTR@@@Z | 1 |
| ?SetUseUtf8Head@CTXHttpDownload@@Q | 1 |
| ?CreateUDPForProxyValidate@Network@Ui | 1 |
| ?CreateConnectTCPForProxyValidate@Netw | 1 |
| ?Trim@CTXStringW@@QAEAAV1@PB_W@ | 1 |
| ?ReadMultiLoginDataToFileMapping@Multil | 1 |
| ??0CScanVirus@@QAE@XZ | 1 |
| ?SetLoadPwdFlag@CScanVirus@@QAEXH@ | 1 |
| ?SyncScanState@CScanVirus@@QAEHPAUI | 1 |

| | |
|---|---|
| ?Init@CScanVirus@@QAEHPAUIGFFrame@ | 1 |
| ?GetLoadPwdFlag@CScanVirus@@QAEHXZ | 1 |
| ?CheckAccountLoginFinished@MultiLogin@ | 1 |
| ??1CScanVirus@@UAE@XZ | 1 |
| ?Clear@CScanVirus@@QAEXXZ | 1 |
| ?IsQQDoctorWell@CScanVirus@@QAEHXZ | 1 |
| ?WriteMultiLoginDataToFileMapping@Multi | 1 |
| ?GetScanBox@CScanVirus@@QAEXPAPAUI | 1 |
| ?InitAppFrameworkOnce@Misc@Util@@YA | 1 |
| ?CloseBubbleTip@BubbleTipMgr@@YAJPAL | 1 |
| ?PopupBubbleTip@BubbleTipMgr@@YAJPA | 1 |
| ?GetHttpDataReportURL@Misc@Util@@YA | 1 |
| ?MarkFinishedLogin@MultiLogin@Util@@Y | 1 |
| ?BeginCheckEngine@CScanVirus@@QAEXX: | 1 |
| ??Hstd@@YA?AV?\$complex@M@0@ABV1I | 1 |
| ??4?\$basic_ifstream@DU?\$char_traits@D@ | 1 |
| ?getInstance@?\$Singleton@VApplication@I | 1 |
| ?initPreRenderWindow@Application@Pina(| 1 |
| ?initPostRenderWindow@Application@Pina | 1 |
| ?run@Application@Pina@@UAEXXZ | 1 |
| ?initRenderWindow@Application@Pina@@ | 1 |
| ?contains@StringUtil@Pina@@SA_NABV?\$I | 1 |
| ?UseFlatSpeechPath@SoundManagerOAL@I | 1 |
| ??0DefaultMemoryAllocator@Pina@@QAE(| 1 |
| ??1DefaultMemoryAllocator@Pina@@UAE(| 1 |
| ??0Application@Pina@@QAE@PAVMemory | 1 |
| ??1Application@Pina@@UAE@XZ | 1 |
| _JNU_ThrowArrayIndexOutOfBoundsException@ | 1 |
| _JNU_ThrowClassNotFoundException@8 | 1 |
| _JNU_ThrowNoSuchFieldException@8 | 1 |
| _D3DDrawGlyphList@36 | 1 |
| _GrPrim_Sg2dGetLCDTextContrast@8 | 1 |
| _GetNativePrim@8 | 1 |
| _GrPrim_Sg2dGetPixel@8 | 1 |
| _Region_GetBounds@12 | 1 |
| _SurfaceData_GetOps@8 | 1 |
| _GrPrim_Sg2dGetComplInfo@16 | 1 |
| _GrPrim_Sg2dGetClip@12 | 1 |
| _SurfaceData_IntersectBounds@8 | 1 |
| _GrPrim_Sg2dGetEaRGB@8 | 1 |
| _basCheck@0 | 1 |
| _usiAbout@4 | 1 |
| _usilInitLibrary@4 | 1 |
| _usiFreeLibrary@0 | 1 |
| _usiErrorMessage@28 | 1 |
| ?GetThisMessageMap@CXTFrameWnd@@I | 1 |
| ?LoadToolBar@CXTToolBar@@QAEHI@Z | 1 |

| | |
|---------------------------------------|----------|
| ?Create@CXTReBar@@QAEHPAVCWnd@@ | 1 |
| ?GetThisClass@CXTSplitterWnd@@SGPAUC | 1 |
| ?OnDrawSplitter@CXTSplitterWnd@@MAE) | 1 |
| ?GetThisClass@CXTFrameWnd@@SGPAUCF | 1 |
| ?SaveWindowPos@CXTWindowPos@@QAE | 1 |
| ?LoadWindowPos@CXTWindowPos@@QAE | 1 |
| ?RemoveIndicator@CXTStatusBar@@QAEHI | 1 |
| ?AddControl@CXTStatusBar@@QAEHPAVCI | 1 |
| ?SetPaneWidth@CXTStatusBar@@QAEXHHI | 1 |
| ?AddIndicator@CXTStatusBar@@QAEHIH@ | 1 |
| ?GetTextSize@CXTLogoPane@@QAE?AVCSI | 1 |
| ?AddBar@CXTReBar@@QAEHPAVCWnd@@C | 1 |
| ??1CXTLogoPane@@UAE@XZ | 1 |
| ??1CXTOutBarCtrl@@UAE@XZ | 1 |
| ??1CXTDialogBar@@UAE@XZ | 1 |
| ??1CXTReBar@@UAE@XZ | 1 |
| ??0CXTLogoPane@@QAE@XZ | 1 |
| ??0CXTOutBarCtrl@@QAE@XZ | 1 |
| ??0CXTDialogBar@@QAE@XZ | 1 |
| ??0CXTReBar@@QAE@XZ | 1 |
| ??0CaswCaption@@QAE@XZ | 1 |
| ??1CXTControlBar@@UAE@XZ | 1 |
| ?InstallCoolMenus@CXTFrameWnd@@QAE | 1 |
| ?ShowFilesList@CChestListView@@QAEXH@ | 1 |
| ?GetThisClass@CChestListView@@SGPAUCI | 1 |
| ?OnDropFiles@CChestListView@@QAEXPAL | 1 |
| ?PrintOffsets@VersionInfo@DFHack@@QAI | 1 |
| ?getMemoryInfo@Context@DFHack@@QA | 1 |
| MmMapViewInSystemSpace | 1 |
| D238847B | 1 |
| 6E590F67 | 1 |
| 8B41F245 | 1 |
| 03A1E958 | 1 |
| 07C1AFBC | 1 |
| 5582A5BD | 1 |
| 5578747E | 1 |
| 6938DB7B | 1 |
| 9D82B814 | 1 |
| 02674FCC | 1 |
| | 73598767 |
| 9F49E25E | 1 |
| 741E48CD | 1 |
| AE7B0100 | 1 |
| 740E4ECD | 1 |
| 6B6D2E5D | 1 |
| 6C5DA767 | 1 |

| | |
|--------------------------|---|
| 1E3CA7D5 | 1 |
| FB499BCB | 1 |
| 6619DA75 | 1 |
| 6BD02BCA | 1 |
| 3B4673CB | 1 |
| E6178F7B | 1 |
| C097E2EF | 1 |
| DD9CBD72 | 1 |
| A16A3DD8 | 1 |
| 9C951A6E | 1 |
| 98FE8A0E | 1 |
| 3B4953CB | 1 |
| CC3D61CD | 1 |
| 0FA71E59 | 1 |
| A2C2E897 | 1 |
| 0F8A4824 | 1 |
| 7D3D59B2 | 1 |
| DC722258 | 1 |
| E318AF8B | 1 |
| B7AB6445 | 1 |
| 74D266BE | 1 |
| D32A119E | 1 |
| 5CB9B5DD | 1 |
| 1C3D593F | 1 |
| 326DC7D5 | 1 |
| 54B312CB | 1 |
| PyErr_SetFromErrno | 1 |
| PyExc_DeprecationWarning | 1 |
| PyExc_EOFError | 1 |
| PyExc_IOError | 1 |
| PyList_SetItem | 1 |
| PyMem_Realloc | 1 |
| PyModule_AddObject | 1 |
| PyNumber_AsSsize_t | 1 |
| PyOS_snprintf | 1 |
| PyObject_Free | 1 |
| PyObject_Repr | 1 |
| PyObject_RichCompareBool | 1 |
| PyObject_Selfilter | 1 |
| PySlice_GetIndicesEx | 1 |
| PySlice_Type | 1 |
| PyString_ConcatAndDel | 1 |
| PyTuple_Pack | 1 |
| Py_Py3kWarningFlag | 1 |
| _PyArg_NoKeywords | 1 |
| _PyArg_ParseTuple_SizeT | 1 |
| _PyArg_Parse_SizeT | 1 |

| | |
|--|---|
| _Py_BuildValue_SizeT | 1 |
| ??0?\$ctype@G@std@@QAE@ABV_Locinfo | 1 |
| ?pubseekpos@?\$basic_streambuf@GU?\$ch | 1 |
| ?do_grouping@?\$numpunct@D@std@@M | 1 |
| _BinkBufferSetOffset@12 | 1 |
| _BinkBufferCheckWinPos@12 | 1 |
| _BinkBufferBlit@12 | 1 |
| _BinkCopyToBuffer@28 | 1 |
| _BinkBufferUnlock@4 | 1 |
| _BinkBufferLock@4 | 1 |
| _BinkBufferOpen@16 | 1 |
| _BinkBufferSetResolution@12 | 1 |
| _BinkBufferSetScale@12 | 1 |
| _BinkBufferClose@4 | 1 |
| @ZHttpClient@\$bctr\$qv | 1 |
| @ZHttpClient@\$bdtr\$qv | 1 |
| @ZHttpClient@GetBody\$qv | 1 |
| @ZHttpClient@GetBodyLength\$qv | 1 |
| @ZHttpClient@GetHttp\$qpxci | 1 |
| @log_err\$qpxcit1e | 1 |
| @CppSQLite3Query@\$bdtr\$qv | 1 |
| @ZSession@GetGlobalSession\$qv | 1 |
| @ZSession@InsertVul\$qpxc11_EN_AFFECTS | 1 |
| apr_pstrcat | 1 |
| _apr_pstrndup@12 | 1 |
| ??_F_Timevec@std@@QAEXXZ | 1 |
| KeSeRVICEDescriptorTable | 1 |
| php_output_startup | 1 |
| zend_llist_add_element | 1 |
| zend_load_extension | 1 |
| php_print_info | 1 |
| module_registry | 1 |
| zend_hash_apply_with_argument | 1 |
| zend_extensions | 1 |
| zend_llist_apply_with_argument | 1 |
| zend_llist_apply | 1 |
| zend_llist_destroy | 1 |
| virtual_fopen | 1 |
| _persist_alloc | 1 |
| empty_string | 1 |
| php_header | 1 |
| gdwInvBitMasks | 1 |
| gdwBitMasks | 1 |
| zrcctde_Destroy | 1 |
| zrcctr_Create | 1 |
| zrcctdi_Disconnect | 1 |
| zrcctgg_GetOutputGeneral | 1 |

| | |
|--------------------------------------|---|
| zrcctgo_GetOutput | 1 |
| zrcctrss_RunReportSync | 1 |
| zrcctras_RunReportAsync | 1 |
| zrcctsas_SetAuthId | 1 |
| zrcctcos_Connect | 1 |
| SetLanguage | 1 |
| ereg | 1 |
| genid | 1 |
| CAPXORWindow | 1 |
| CAPFreePolyPoints | 1 |
| ?UTLFileExists@@@YGHPAG@Z | 1 |
| _TMPStartupTmpFileMan@0 | 1 |
| _UNITConvertResUnitToUnit@16 | 1 |
| _UTL_fstrchr@8 | 1 |
| _INIGetHelpFileDir@8 | 1 |
| _UTLAddSlashToEndOfString@4 | 1 |
| _UTLIsUIShell@0 | 1 |
| _UNITGetUnitControlValue@16 | 1 |
| _UNITFillUnitControl@16 | 1 |
| _UNITIsValidCustomUnit@4 | 1 |
| _UNITConvToUnitAndStringEx@28 | 1 |
| _UNITSetUnitControlValue@16 | 1 |
| _UNITGetIncrement@12 | 1 |
| _UNITGetValAsDouble@12 | 1 |
| ?CheckForValidSerialNumber@@YGHXZ | 1 |
| _INIGetLangRelCustomDir@8 | 1 |
| _INIInitCommonIniFile@0 | 1 |
| _ GetUserProfileCustomDir@4 | 1 |
| _INIGetColorDir@8 | 1 |
| _INIGetDataDir@8 | 1 |
| _UTLMakePathName@12 | 1 |
| _ GetUserProfileConfigDir@4 | 1 |
| _UTLFindHelpFile@8 | 1 |
| _UTLBezierToLines@12 | 1 |
| ??0WCuiColorComboBox@@QAE@XZ | 1 |
| ?SetSelectedColor@WCuiColorComboBox@ | 1 |
| ??1WCuiColorComboBox@@@UAE@XZ | 1 |
| ?Initialize@WCuiColorComboBox@@QAEXP | 1 |
| ??0WCmnUI_PropertyPage@@QAE@XZ | 1 |
| ?AddCell@WCellComboBox@@QAEHPAX@ | 1 |
| ?ResetContent@WCellComboBox@@QAEX@ | 1 |
| ?GetThisMessageMap@WCellComboBox@C | 1 |
| ?GetDroppedState@WCellComboBox@@QF | 1 |
| ??1WCorelWinApp@@@UAE@XZ | 1 |
| ??1WAboutBox@@@UAE@XZ | 1 |
| ??1ABOUTINFO@@QAE@XZ | 1 |
| ??0ABOUTINFO@@QAE@XZ | 1 |

| | |
|--|---|
| ??0WAboutBox@@QAE@PAVCWnd@@@Z | 1 |
| ??0WCorelWinApp@@QAE@PBG@Z | 1 |
| ?CMNUIRegisterSoundEvent@@YGHPBGI@ | 1 |
| ?CMNUIEnableSoundEvents@@YGHH@Z | 1 |
| ?EnableFlatLook@@YGXII@Z | 1 |
| ?InitInstance@WCorelWinApp@@UAEHXZ | 1 |
| ?ExitInstance@WCorelWinApp@@UAEHXZ | 1 |
| ?GetThisMessageMap@WCorelWinApp@@ | 1 |
| ?IsFlatLookEnabled@@YGHXZ | 1 |
| ?CrlCloseThemeData@@YGJPAX@Z | 1 |
| _BMBDrawArrowButton@12 | 1 |
| ?CrlDrawThemeBackground@@YGJPAXPAU | 1 |
| ?IsBorderVisible@@YGHPAUHWND__@@@ | 1 |
| ?CrlOpenThemeData@@YGPAXPAUHWND_ | 1 |
| ?CrlIsThemeActive@@YGHXZ | 1 |
| _CorelGetStockObject@4 | 1 |
| ?CorelGetStockGDIObject@@YGPAVCGdiOb | 1 |
| ?UTLRestoreWindowPosByName@@YGHPA | 1 |
| ?UTLWriteWindowPosByName@@YGHPAU | 1 |
| ?UTLGetLastTabUsedByName@@YGHPAUH | 1 |
| ?UTLGetLastTabUsed@@YGHPAUHINSTANC | 1 |
| ?UTLWriteWindowPos@@YGHPAUHINSTAN | 1 |
| _CTLCLASS_GetDialogFont@0 | 1 |
| ?CMNUIPlaySound@@YGHPBG@Z | 1 |
| ?EndCommandLogging@WCorelWinApp@@ | 1 |
| ?UTLRestoreWindowPos@@YGHPAUHINST/ | 1 |
| ??4FLTCLIPDATA@@QAEAAV0@ABV0@@Z | 1 |
| ?ExportClip@WFilterManager@@QAEHPAV | 1 |
| ??1FLTCLIPDATA@@UAE@XZ | 1 |
| ?EndExport@WFilterManager@@QAEHPAV | 1 |
| ?GetMatchedFilter@WFilterManager@@QA | 1 |
| ??0FLTCLIPDATA@@QAE@XZ | 1 |
| ?GetFiltersList@WFilterManager@@QAEHP | 1 |
| ?FMGetFilterHelpFileCB@@YGHPAVFILTCLIP | 1 |
| ?GetFilterInfo@WFilterManager@@QAEHH | 1 |
| ??1WFilterManager@@QAE@XZ | 1 |
| ??0WFilterManager@@QAE@PAUTag_SETU | 1 |
| ?ShutDown@WFilterManager@@QAEHXZ | 1 |
| ?Setup@WFilterManager@@QAEHPAUtag_ | 1 |
| RIPCreateMaskFromBWImage | 1 |
| RIPEllipse | 1 |
| RIPSetOutlineClr | 1 |
| RIPSetCurrentPosition | 1 |
| RIPRectangle | 1 |
| RIPSetFillColor | 1 |
| RIPPolygon | 1 |
| RIPClearMask | 1 |

| | |
|------------------------------|---|
| RIPCreateMask | 1 |
| RIPGetDataSize | 1 |
| RIPGetPixelAt | 1 |
| RIPGetPixel | 1 |
| RIPSetPixelAt | 1 |
| RIPSetPixel | 1 |
| RIPCreateImageFromDIB_New | 1 |
| RIPSetPaletteOwnership | 1 |
| RIPGetNumYTiles | 1 |
| RIPGetNumXTiles | 1 |
| RIPGetRIMAGETileHeight | 1 |
| RIPGetRIMAGETileWidth | 1 |
| RIPSetRIMAGEFlags | 1 |
| RIPGetRIMAGEFlags | 1 |
| RIPGetClipRect | 1 |
| RIPGetAlphaRect | 1 |
| RIPIsSingleTileImage | 1 |
| RIPGetBytesPerLine | 1 |
| RIPGetPaletteEntry | 1 |
| RIPIntersectRRect | 1 |
| RIPIsRRectEmpty | 1 |
| RIPOffsetRRect | 1 |
| RIPWriteInterleavedBuffer | 1 |
| RIPReadInterleavedBuffer | 1 |
| RIPCreateMaskFromImage | 1 |
| RIPGetMaskBBox | 1 |
| RIPDestroyMask | 1 |
| RIPGetPaletteSize | 1 |
| RIPGetImageDataChannel | 1 |
| RIPSetImageDataChannel | 1 |
| RIPGetNearestPalIndex | 1 |
| RIPSetImageData | 1 |
| RIPDuplicatePalette | 1 |
| RIPGetOptimizedPaletteRImage | 1 |
| RIPCreatePalette | 1 |
| RIPGetPalette | 1 |
| RIPSetMask | 1 |
| RIPSetMapMode | 1 |
| RIPSetLogOriginPoint | 1 |
| RIPSetDevOriginPoint | 1 |
| RIPGetMask | 1 |
| RIPSetDevRect | 1 |
| RIPInitializeDisplayEx | 1 |
| RIPCreateImagePtrToDIB | 1 |
| RIPCreatePalettesImageEx2 | 1 |
| RIPCreatePalettesImageEx | 1 |
| RIPMergeMask | 1 |

| | |
|---|---|
| RIPCreatePalLookup | 1 |
| RIPCreateImageHeader | 1 |
| RIPGetImageData | 1 |
| RIPGetImageDataPtr | 1 |
| RIPSetLogRect | 1 |
| RIPDestroyPalette | 1 |
| RIPSetPalette | 1 |
| RIPShutdownTileManager | 1 |
| RIPShutdownDisplay | 1 |
| RIPShutdown | 1 |
| RIPInitializeEx | 1 |
| RIPInitializeDisplay | 1 |
| RIPInitializeTileManager | 1 |
| RIPLogPosSizeToDevRect | 1 |
| RIPDevRectToLargestLogRect | 1 |
| RIPCopyMappingMode | 1 |
| RIPLogVIntToDevInt | 1 |
| RIPLogHIntToDevInt | 1 |
| RIPGetMapMode | 1 |
| RIPCalcDispContext | 1 |
| RIPDisplay | 1 |
| RIPIsRRectEqual | 1 |
| RIPGetAlphaRectPtr | 1 |
| RIPDevVIntToLogInt | 1 |
| RIPDevHIntToLogInt | 1 |
| RIPLogPtToDevPt | 1 |
| RIPSetAppColorInfo | 1 |
| RIPGetAppColorInfo | 1 |
| RIPSetPaletteEntry | 1 |
| RIPSolidRectangle | 1 |
| ?MakeNewACI@WAppColorInfo@@SAPAV1 | 1 |
| ECLicenseGetInfo | 1 |
| ECLicenseFunction | 1 |
| ??0Registry@@QAE@PAGK@Z | 1 |
| ?GetDWORDStr@Registry@@QAEHPAGPAK | 1 |
| E8A75B25 | 1 |
| 18F7E56B | 1 |
| 3395AD65 | 1 |
| C67D3329 | 1 |
| 7040A930 | 1 |
| 77E50CB3 | 1 |
| _ZN10KateGlobal4selfEv | 1 |
| _ZN10KateGlobal5s_refE | 1 |
| _ZN10KateGlobal6s_selfE | 1 |
| _ZN12KateDocumentC1EbbbP7QWidgetP7Q | 1 |
| _ZN6KParts7Factory12createObjectEP7QObj | 1 |
| _ZN6KParts7Factory17partComponentDataE | 1 |

| | |
|--|---|
| _ZN11KTextEditor6Editor13setSimpleModeE | 1 |
| _ZN11KTextEditor7Factory11qt_metacallEN1 | 1 |
| _ZN11KTextEditor7Factory11qt_metacastEP1 | 1 |
| _ZN11KTextEditor7FactoryC2EP7QObject | 1 |
| _ZN11KTextEditor7FactoryD2Ev | 1 |
| _ZNK11KTextEditor7Factory10metaObjectEv | 1 |
| _Z7qstrcmpRK10QByteArrayPKc | 1 |
| e_event | 1 |
| sAccel | 1 |
| wScrollBar | 1 |
| OwnedPopups | 1 |
| ndowPos | 1 |
| imer | 1 |
| etScrollPos | 1 |
| ollInfo | 1 |
| regrundWindow | 1 |
| us | 1 |
| terWindowMessageA | 1 |
| rdFormatA | 1 |
| ssA | 1 |
| ssage | 1 |
| sageA | 1 |
| penInputDesktop | 1 |
| op | 1 |
| opA | 1 |
| emToCharA | 1 |
| sgWaitForMultipleObjects | 1 |
| ects | 1 |
| essageBeep | 1 |
| owPoints | 1 |
| IKeyA | 1 |
| ringA | 1 |
| rdLayoutA | 1 |
| pA | 1 |
| med | 1 |
| owVisible | 1 |
| nabled | 1 |
| ormatAvailable | 1 |
| ctRect | 1 |
| ulitemA | 1 |
| dowThreadProcessId | 1 |
| etWindowPlacement | 1 |
| etWindowDC | 1 |
| InformationA | 1 |
| mMetrics | 1 |
| sh | 1 |
| ScrollInfo | 1 |

| | |
|------------------------|---|
| MenuStringA | 1 |
| State | 1 |
| temID | 1 |
| temCount | 1 |
| tActivePopup | 1 |
| KeyState | 1 |
| oundWindow | 1 |
| ameA | 1 |
| ndowsEx | 1 |
| numThreadWindows | 1 |
| dFormats | 1 |
| int | 1 |
| ar | 1 |
| wMenuBar | 1 |
| rameControl | 1 |
| wEdge | 1 |
| hMessageA | 1 |
| troyWindow | 1 |
| yMenu | 1 |
| ylcon | 1 |
| owProcA | 1 |
| dProcA | 1 |
| reatelcon | 1 |
| Desktop | 1 |
| ard | 1 |
| uffA | 1 |
| yout | 1 |
| umA | 1 |
| ourceA | 1 |
| eEnum | 1 |
| I_NotifyIconA | 1 |
| ecuteA | 1 |
| ROP2 | 1 |
| te | 1 |
| etaFile | 1 |
| ndowOrgEx | 1 |
| etricsA | 1 |
| TextExtentPointA | 1 |
| letteEntries | 1 |
| ckObject | 1 |
| etPaletteEntries | 1 |
| MetaFilePaletteEntries | 1 |
| Caps | 1 |
| Bits | 1 |
| rTable | 1 |
| tionEx | 1 |
| ox | 1 |

| | |
|------------------------|---|
| Flush | 1 |
| ipRect | 1 |
| Object | 1 |
| ile | 1 |
| reateSolidBrush | 1 |
| h | 1 |
| rect | 1 |
| ePalette | 1 |
| ateHalftonePalette | 1 |
| lette | 1 |
| ontIndirectA | 1 |
| IBSection | 1 |
| eCompatibleDC | 1 |
| tibleBitmap | 1 |
| itmap | 1 |
| hMetaFileA | 1 |
| itBlt | 1 |
| tl | 1 |
| rdType | 1 |
| etUBound | 1 |
| eArrayGetLBound | 1 |
| eate | 1 |
| ChangeType | 1 |
| Clear | 1 |
| dowA | 1 |
| urceA | 1 |
| tValueExA | 1 |
| ueryValueExA | 1 |
| QueryInfoKeyA | 1 |
| egFlushKey | 1 |
| gEnumValueA | 1 |
| KeyExA | 1 |
| eValueA | 1 |
| egDeleteKeyA | 1 |
| reateKeyExA | 1 |
| CloseKey | 1 |
| ProcessToken | 1 |
| ookupPrivilegeValueA | 1 |
| legeValueA | 1 |
| EventSource | 1 |
| tTokenPrivileges | 1 |
| ileges | 1 |
| VersionInfoSizeA | 1 |
| ersionInfoA | 1 |
| ServiceA | 1 |
| ServiceCtrlDispatcherA | 1 |
| spatcherA | 1 |

| | |
|---------------------------|---|
| viceStatus | 1 |
| gisterServiceCtrlHandlerA | 1 |
| rlHandlerA | 1 |
| yServiceStatus | 1 |
| ceConfigA | 1 |
| enSCManagerA | 1 |
| KeyNameA | 1 |
| usA | 1 |
| ce | 1 |
| iceA | 1 |
| rolService | 1 |
| ServiceHandle | 1 |
| onfigA | 1 |
| hooseA | 1 |
| matEnumA | 1 |
| rmatTagEnumA | 1 |
| tailsW | 1 |
| rClose | 1 |
| num | 1 |
| cs | 1 |
| IsSetValue | 1 |
| dleA | 1 |
| leanup | 1 |
| eIAsyncRequest | 1 |
| GetServByName | 1 |
| AsyncGetHostByName | 1 |
| Select | 1 |
| ethostname | 1 |
| ervbyname | 1 |
| ostbyname | 1 |
| v | 1 |
| dr | 1 |
| ockopt | 1 |
| ckname | 1 |
| ringLen | 1 |
| CryptUpdateProtectedState | 1 |
| CYusfNdyhdd | 1 |
| Chya | 1 |
| MWiypnxfjay | 1 |
| enhxwt | 1 |
| xhgnnd | 1 |
| fobwmt | 1 |
| rbqqiy | 1 |
| astfswz | 1 |
| keiuu | 1 |
| rbqfgf | 1 |
| Jzuyo | 1 |

| | |
|---------------------------------------|---|
| snds | 1 |
| fjay | 1 |
| lasg | 1 |
| oudmqiy | 1 |
| xylunb | 1 |
| bfgd | 1 |
| fhsusk | 1 |
| njphr | 1 |
| xylusk | 1 |
| sodsh | 1 |
| tzhtx | 1 |
| lsnamy | 1 |
| zvdjfm | 1 |
| VndwwwFlxyeFjbmL | 1 |
| QwiiSums | 1 |
| QymswwNdyy@ | 1 |
| JphQdlqliqndep | 1 |
| TzhpPhtqszt | 1 |
| Fpdss | 1 |
| Zhr_mypwChl | 1 |
| GyfUqwiypWdoFjl | 1 |
| GyfYswfFpeDnB | 1 |
| RdbVamlpp | 1 |
| FhalrsqWfxx | 1 |
| FhalrsBvl | 1 |
| YocnBzbvyrefa | 1 |
| @Vrbrowu@initialization\$qqrv | 1 |
| @Vrbrowu@Finalization\$qqrv | 1 |
| @Vrbrowu@TVRBrowF@FormCreate\$qqrp1 | 1 |
| @\$xp\$16Vrbrowu@TVRBrowF | 1 |
| @Vrbrowu@TVRBrowF@ | 1 |
| @Csep@initialization\$qqrv | 1 |
| @Csep@Finalization\$qqrv | 1 |
| @Csep@TCSEPF@StartService\$qqrv | 1 |
| @Csep@TCSEPF@\$bctr\$qqrp18Classes@TC | 1 |
| @Csep@TCSEPF@AssignFormVar\$qqrpv | 1 |
| @Csep@TCSEPF@InitSecurity\$qqrv | 1 |
| @Csep@TCSEPF@\$bctr\$qqrp18Classes@TC | 1 |
| @Csep@TCSEPF@Msg\$qqrx17System@Ans | 1 |
| @Csconst@initialization\$qqrv | 1 |
| @Csconst@Finalization\$qqrv | 1 |
| @Csconst@Pub_CustField | 1 |
| @\$xp\$15Csconst@TCArray | 1 |
| @Dbtables@TQuery@Prepare\$qqrv | 1 |
| @Dbtables@TTable@SetTableType\$qqr19D | 1 |
| @Dbtables@TTable@EmptyTable\$qqrv | 1 |
| @Dbtables@TTable@CreateTable\$qqrv | 1 |

| | |
|--------------------------------------|---|
| @Db@TParams@GetItem\$qqri | 1 |
| @Cslib@initialization\$qqrv | 1 |
| @Cslib@Finalization\$qqrv | 1 |
| @Cslib@ROCFormatToDate\$qqr17System@ | 1 |
| @Cslib@DateToROCFormat\$qqr16System@ | 1 |
| @Cslib@GetTemp\$qqrv | 1 |
| @Misibutils@initialization\$qqrv | 1 |
| @Misibutils@Finalization\$qqrv | 1 |
| @Misibase@initialization\$qqrv | 1 |
| @Misibase@Finalization\$qqrv | 1 |
| @Dbisamt@initialization\$qqrv | 1 |
| @Dbisamt@Finalization\$qqrv | 1 |
| @Dbisamen@initialization\$qqrv | 1 |
| @Dbisamen@Finalization\$qqrv | 1 |
| @Dbisamlb@initialization\$qqrv | 1 |
| @Dbisamlb@Finalization\$qqrv | 1 |
| @Dbisamsq@initialization\$qqrv | 1 |
| @Dbisamsq@Finalization\$qqrv | 1 |
| @Dbisamcn@initialization\$qqrv | 1 |
| @Dbisamcn@Finalization\$qqrv | 1 |
| @Dbisampw@initialization\$qqrv | 1 |
| @Dbisampw@Finalization\$qqrv | 1 |
| @Csputils@initialization\$qqrv | 1 |
| @Csputils@Finalization\$qqrv | 1 |
| @Fsecfun@initialization\$qqrv | 1 |
| @Fsecfun@Finalization\$qqrv | 1 |
| @Csdbbtn@initialization\$qqrv | 1 |
| @Csdbbtn@Finalization\$qqrv | 1 |
| @Csengine@initialization\$qqrv | 1 |
| @Csengine@Finalization\$qqrv | 1 |
| @Cslibcom@initialization\$qqrv | 1 |
| @Cslibcom@Finalization\$qqrv | 1 |
| @DII_service@initialization\$qqrv | 1 |
| @DII_service@Finalization\$qqrv | 1 |
| @Calllibrary@initialization\$qqrv | 1 |
| @Calllibrary@Finalization\$qqrv | 1 |
| @Csdm@initialization\$qqrv | 1 |
| @Csdm@Finalization\$qqrv | 1 |
| @Commonutils@initialization\$qqrv | 1 |
| @Commonutils@Finalization\$qqrv | 1 |
| @Messagedialogs@initialization\$qqrv | 1 |
| @Messagedialogs@Finalization\$qqrv | 1 |
| @Csalledit@initialization\$qqrv | 1 |
| @Csalledit@Finalization\$qqrv | 1 |
| @Csalledit@TCSBasicEdit@ | 1 |
| @Cscalconst@initialization\$qqrv | 1 |
| @Cscalconst@Finalization\$qqrv | 1 |

| | |
|--|---|
| @Mislib@initialization\$qqrv | 1 |
| @Mislib@Finalization\$qqrv | 1 |
| @Sf_cal@initialization\$qqrv | 1 |
| @Sf_cal@Finalization\$qqrv | 1 |
| @Calendl@initialization\$qqrv | 1 |
| @Calendl@Finalization\$qqrv | 1 |
| @Cscalend@initialization\$qqrv | 1 |
| @Cscalend@Finalization\$qqrv | 1 |
| @Cscals@initialization\$qqrv | 1 |
| @Cscals@Finalization\$qqrv | 1 |
| @Sf_calc@initialization\$qqrv | 1 |
| @Sf_calc@Finalization\$qqrv | 1 |
| @Qfquery@initialization\$qqrv | 1 |
| @Qfquery@Finalization\$qqrv | 1 |
| @Csdbgrid@initialization\$qqrv | 1 |
| @Csdbgrid@Finalization\$qqrv | 1 |
| @Dbgrids@TDBGridColumns@GetColumn\$qqrv | 1 |
| @Dbgrids@TColumnTitle@GetCaption\$qqrv | 1 |
| @Rzdlgbtn@initialization\$qqrv | 1 |
| @Rzdlgbtn@Finalization\$qqrv | 1 |
| @Rzbtnbmp@initialization\$qqrv | 1 |
| @Rzbtnbmp@Finalization\$qqrv | 1 |
| @Iwmisglobalmng@initialization\$qqrv | 1 |
| @Iwmisglobalmng@Finalization\$qqrv | 1 |
| @Iwtflpkgladmng@initialization\$qqrv | 1 |
| @Iwtflpkgladmng@Finalization\$qqrv | 1 |
| @Iwmisactiveformmng@initialization\$qqrv | 1 |
| @Iwmisactiveformmng@Finalization\$qqrv | 1 |
| @Wmistypes@initialization\$qqrv | 1 |
| @Wmistypes@Finalization\$qqrv | 1 |
| @Csep140@initialization\$qqrv | 1 |
| @Csep140@Finalization\$qqrv | 1 |
| @Csep10@initialization\$qqrv | 1 |
| @Csep10@Finalization\$qqrv | 1 |
| @DII_public@initialization\$qqrv | 1 |
| @DII_public@Finalization\$qqrv | 1 |
| @Repengin@initialization\$qqrv | 1 |
| @Repengin@Finalization\$qqrv | 1 |
| @Repengin@TRepEngin@CombiCondition\$qqrv | 1 |
| @Visrep@initialization\$qqrv | 1 |
| @Visrep@Finalization\$qqrv | 1 |
| @Visrep@TVvisualReport@GetPageNumber\$qqrv | 1 |
| @Visrep@TRptPanel@ | 1 |
| @Vr_word97@initialization\$qqrv | 1 |
| @Vr_word97@Finalization\$qqrv | 1 |
| @Wordtlb@initialization\$qqrv | 1 |
| @Wordtlb@Finalization\$qqrv | 1 |

| | |
|--|---|
| @Vbidetlb@initialization\$qqrv | 1 |
| @Vbidetlb@Finalization\$qqrv | 1 |
| @Officetlb@initialization\$qqrv | 1 |
| @Officetlb@Finalization\$qqrv | 1 |
| @Vrcomps@initialization\$qqrv | 1 |
| @Vrcomps@Finalization\$qqrv | 1 |
| @Vrcomps@TRptField@SetDataSource\$qqrv | 1 |
| @Vrcomps@TRptField@SetDataField\$qqrv | 1 |
| @Vrcomps@TRptControl@SetText\$qqrv | 1 |
| @Vrcomps@TRptVariable@ | 1 |
| @Vrcomps@TRptField@ | 1 |
| @Vrcomps@TRptLabel@ | 1 |
| @Vrcomps@TRptLine@ | 1 |
| @Vrcomps@TRptMemo@ | 1 |
| @Promptbox@initialization\$qqrv | 1 |
| @Promptbox@Finalization\$qqrv | 1 |
| @History@initialization\$qqrv | 1 |
| @History@Finalization\$qqrv | 1 |
| @Verinfomsg@initialization\$qqrv | 1 |
| @Verinfomsg@Finalization\$qqrv | 1 |
| @Callbacklib@initialization\$qqrv | 1 |
| @Callbacklib@Finalization\$qqrv | 1 |
| @Msbasefrm@initialization\$qqrv | 1 |
| @Msbasefrm@Finalization\$qqrv | 1 |
| @Rzdbedit@initialization\$qqrv | 1 |
| @Rzdbedit@Finalization\$qqrv | 1 |
| @Dbcgrids@Finalization\$qqrv | 1 |
| @Sf_bkground@initialization\$qqrv | 1 |
| @Sf_bkground@Finalization\$qqrv | 1 |
| @Xsecurity@initialization\$qqrv | 1 |
| @Xsecurity@Finalization\$qqrv | 1 |
| @Xcrypt@initialization\$qqrv | 1 |
| @Xcrypt@Finalization\$qqrv | 1 |
| @Ovctcmnn@initialization\$qqrv | 1 |
| @Ovctcmnn@Finalization\$qqrv | 1 |
| @Ovcbase@initialization\$qqrv | 1 |
| @Ovcbase@Finalization\$qqrv | 1 |
| @Ovccmd@initialization\$qqrv | 1 |
| @Ovccmd@Finalization\$qqrv | 1 |
| @Ovccconst@initialization\$qqrv | 1 |
| @Ovccconst@Finalization\$qqrv | 1 |
| @Ovcdatalib@initialization\$qqrv | 1 |
| @Ovcdatalib@Finalization\$qqrv | 1 |
| @Ovcdatalib@Initialization\$qqrv | 1 |
| @Ovcdatalib@Finalization\$qqrv | 1 |
| @O32sr@initialization\$qqrv | 1 |
| @O32sr@Finalization\$qqrv | 1 |

| | |
|--------------------------------|---|
| @Ovcexcpt@initialization\$qqrv | 1 |
| @Ovcexcpt@Finalization\$qqrv | 1 |
| @Ovcintl@initialization\$qqrv | 1 |
| @Ovcintl@Finalization\$qqrv | 1 |
| @Ovcstr@initialization\$qqrv | 1 |
| @Ovcstr@Finalization\$qqrv | 1 |
| @Ovcmisc@initialization\$qqrv | 1 |
| @Ovcmisc@Finalization\$qqrv | 1 |
| @Ovctimer@initialization\$qqrv | 1 |
| @Ovctimer@Finalization\$qqrv | 1 |
| @Ovcver@initialization\$qqrv | 1 |
| @Ovcver@Finalization\$qqrv | 1 |
| @Ovcef@initialization\$qqrv | 1 |
| @Ovcef@Finalization\$qqrv | 1 |
| @Ovccaret@initialization\$qqrv | 1 |
| @Ovccaret@Finalization\$qqrv | 1 |
| @Ovccolor@initialization\$qqrv | 1 |
| @Ovccolor@Finalization\$qqrv | 1 |
| @Ovcuser@initialization\$qqrv | 1 |
| @Ovcuser@Finalization\$qqrv | 1 |
| @Ovcbordr@initialization\$qqrv | 1 |
| @Ovcbordr@Finalization\$qqrv | 1 |
| @Ovceditf@initialization\$qqrv | 1 |
| @Ovceditf@Finalization\$qqrv | 1 |
| @Ovcbcalc@initialization\$qqrv | 1 |
| @Ovcbcalc@Finalization\$qqrv | 1 |
| @Ovcedclc@initialization\$qqrv | 1 |
| @Ovcedclc@Finalization\$qqrv | 1 |
| @Ovccalc@initialization\$qqrv | 1 |
| @Ovccalc@Finalization\$qqrv | 1 |
| @Ovcedpop@initialization\$qqrv | 1 |
| @Ovcedpop@Finalization\$qqrv | 1 |
| @Ovctcell@initialization\$qqrv | 1 |
| @Ovctcell@Finalization\$qqrv | 1 |
| @Ovcspary@initialization\$qqrv | 1 |
| @Ovcspary@Finalization\$qqrv | 1 |
| @Ovctcstr@initialization\$qqrv | 1 |
| @Ovctcstr@Finalization\$qqrv | 1 |
| @Ovctcbef@initialization\$qqrv | 1 |
| @Ovctcbef@Finalization\$qqrv | 1 |
| @Ovctable@initialization\$qqrv | 1 |
| @Ovctable@Finalization\$qqrv | 1 |
| @Ovctcary@initialization\$qqrv | 1 |
| @Ovctcary@Finalization\$qqrv | 1 |
| @Ovctsell@initialization\$qqrv | 1 |
| @Ovctsell@Finalization\$qqrv | 1 |
| @Ovctchdr@initialization\$qqrv | 1 |

| | |
|--|---|
| @Ovctchdr@Finalization\$qqrv | 1 |
| @Ovctgns@Initialization\$qqrv | 1 |
| @Ovctgns@Finalization\$qqrv | 1 |
| @Ovctbclr@Initialization\$qqrv | 1 |
| @Ovctbclr@Finalization\$qqrv | 1 |
| @Ovctbrws@Initialization\$qqrv | 1 |
| @Ovctbrws@Finalization\$qqrv | 1 |
| @Ovctbcls@Initialization\$qqrv | 1 |
| @Ovctbcls@Finalization\$qqrv | 1 |
| @Ovcdrag@Initialization\$qqrv | 1 |
| @Ovcdrag@Finalization\$qqrv | 1 |
| @Ovctcnum@Initialization\$qqrv | 1 |
| @Ovctcnum@Finalization\$qqrv | 1 |
| @Ovcnf@Initialization\$qqrv | 1 |
| @Ovcnf@Finalization\$qqrv | 1 |
| @Ovcpb@Initialization\$qqrv | 1 |
| @Ovcpb@Finalization\$qqrv | 1 |
| @Csdbstctrls@Initialization\$qqrv | 1 |
| @Csdbstctrls@Finalization\$qqrv | 1 |
| @Setym@Initialization\$qqrv | 1 |
| @Setym@Finalization\$qqrv | 1 |
| @Wmisglobalvar@Initialization\$qqrv | 1 |
| @Wmisglobalvar@Finalization\$qqrv | 1 |
| @Rptdate@Initialization\$qqrv | 1 |
| @Rptdate@Finalization\$qqrv | 1 |
| @Browseu@Initialization\$qqrv | 1 |
| @Browseu@Finalization\$qqrv | 1 |
| @Browseu@TBrowseF@ | 1 |
| @Dbgridsx@Initialization\$qqrv | 1 |
| @Dbgridsx@Finalization\$qqrv | 1 |
| @Cspngrid@Initialization\$qqrv | 1 |
| @Cspngrid@Finalization\$qqrv | 1 |
| @Setreportu@Initialization\$qqrv | 1 |
| @Setreportu@Finalization\$qqrv | 1 |
| @Setreportu@TSetReportF@DoPrint\$qqrp1 | 1 |
| @Setreportu@TSetReportF@InitSecurity\$qc | 1 |
| @Setreportu@TSetReportF@FormClose\$qq | 1 |
| @Setreportu@TSetReportF@RepEngin1Create | 1 |
| @Setreportu@TSetReportF@SpeedButton5C | 1 |
| @Setreportu@TSetReportF@FormCreate\$qi | 1 |
| @\$xp\$22Setreportu@TSetReportF | 1 |
| @Setreportu@TSetReportF@ | 1 |
| @Setcustomu@Initialization\$qqrv | 1 |
| @Setcustomu@Finalization\$qqrv | 1 |
| @Cslibqf@Initialization\$qqrv | 1 |
| @Cslibqf@Finalization\$qqrv | 1 |
| @Qfphr@Initialization\$qqrv | 1 |

| | |
|---|---|
| @Qfphr@Finalization\$qqrv | 1 |
| @Qfadrl@Initialization\$qqrv | 1 |
| @Qfadrl@Finalization\$qqrv | 1 |
| @Setabu@Initialization\$qqrv | 1 |
| @Setabu@Finalization\$qqrv | 1 |
| @Setyearu@Initialization\$qqrv | 1 |
| @Setyearu@Finalization\$qqrv | 1 |
| @Setcondiu@Initialization\$qqrv | 1 |
| @Setcondiu@Finalization\$qqrv | 1 |
| @Repsetu@Initialization\$qqrv | 1 |
| @Repsetu@Finalization\$qqrv | 1 |
| @Moditle@Initialization\$qqrv | 1 |
| @Moditle@Finalization\$qqrv | 1 |
| @Ovctcedt@Initialization\$qqrv | 1 |
| @Ovctcedt@Finalization\$qqrv | 1 |
| @Csep220@Initialization\$qqrv | 1 |
| @Csep220@Finalization\$qqrv | 1 |
| @Rquery@Initialization\$qqrv | 1 |
| @Rquery@Finalization\$qqrv | 1 |
| @Csep221@Initialization\$qqrv | 1 |
| @Csep221@Finalization\$qqrv | 1 |
| @Replib@Initialization\$qqrv | 1 |
| @Replib@Finalization\$qqrv | 1 |
| @Wnfield@Initialization\$qqrv | 1 |
| @Wnfield@Finalization\$qqrv | 1 |
| @Csep130@Initialization\$qqrv | 1 |
| @Csep130@Finalization\$qqrv | 1 |
| @Ovctccbx@Initialization\$qqrv | 1 |
| @Ovctccbx@Finalization\$qqrv | 1 |
| @Ctbrowu@Initialization\$qqrv | 1 |
| @Ctbrowu@Finalization\$qqrv | 1 |
| @Setgraph@Initialization\$qqrv | 1 |
| @Setgraph@Finalization\$qqrv | 1 |
| @Rsetup@Initialization\$qqrv | 1 |
| @Rsetup@Finalization\$qqrv | 1 |
| @Microshiftu@Initialization\$qqrv | 1 |
| @Microshiftu@Finalization\$qqrv | 1 |
| @Trlib@Initialization\$qqrv | 1 |
| @Trlib@Finalization\$qqrv | 1 |
| @Trlib@QueryAcctName\$qqrp15Dbtables(| 1 |
| ?transcode@XMLString@xercesc_2_7@@SF | 1 |
| ?resetErrors@HandlerBase@xercesc_2_7@(! | 1 |
| ?fatalError@HandlerBase@xercesc_2_7@@@ | 1 |
| ?error@HandlerBase@xercesc_2_7@@@UAE | 1 |
| ?warning@HandlerBase@xercesc_2_7@@@U | 1 |
| ?setDocumentLocator@HandlerBase@xerce | 1 |
| ?resetDocument@HandlerBase@xercesc_2_ | 1 |

| | |
|---|---|
| ?processingInstruction@HandlerBase@xercesc_2_7@() | 1 |
| ?resetDocType@HandlerBase@xercesc_2_7@() | 1 |
| ?unparsedEntityDecl@HandlerBase@xercesc_2_7@() | 1 |
| ?notationDecl@HandlerBase@xercesc_2_7@() | 1 |
| ?TextDecl@SAXParser@xercesc_2_7@(@UAEXI) | 1 |
| ?startExtSubset@SAXParser@xercesc_2_7@() | 1 |
| ?startIntSubset@SAXParser@xercesc_2_7@() | 1 |
| ?startAttList@SAXParser@xercesc_2_7@(@L) | 1 |
| ?notationDecl@SAXParser@xercesc_2_7@(@C) | 1 |
| ?resetDocType@SAXParser@xercesc_2_7@(@I) | 1 |
| ?entityDecl@SAXParser@xercesc_2_7@(@U) | 1 |
| ?endExtSubset@SAXParser@xercesc_2_7@(@I) | 1 |
| ?endIntSubset@SAXParser@xercesc_2_7@(@I) | 1 |
| ?endAttList@SAXParser@xercesc_2_7@(@U) | 1 |
| ?elementDecl@SAXParser@xercesc_2_7@(@E) | 1 |
| ?doctypeWhitespace@SAXParser@xercesc_2_7@() | 1 |
| ?doctypePI@SAXParser@xercesc_2_7@(@U) | 1 |
| ?doctypeDecl@SAXParser@xercesc_2_7@(@D) | 1 |
| ?doctypeComment@SAXParser@xercesc_2_7@() | 1 |
| ?attDef@SAXParser@xercesc_2_7@(@UAEXI) | 1 |
| ?startInputSource@SAXParser@xercesc_2_7@() | 1 |
| ?resolveEntity@SAXParser@xercesc_2_7@(@C) | 1 |
| ?resolveEntity@SAXParser@xercesc_2_7@(@E) | 1 |
| ?resetEntities@SAXParser@xercesc_2_7@(@R) | 1 |
| ?expandSystemId@SAXParser@xercesc_2_7@() | 1 |
| ?endInputSource@SAXParser@xercesc_2_7@() | 1 |
| ?resetErrors@SAXParser@xercesc_2_7@(@L) | 1 |
| ?error@SAXParser@xercesc_2_7@(@UAEXI) | 1 |
| ?elementTypeInfo@XMLDocumentHandler@() | 1 |
| ?XMLDecl@SAXParser@xercesc_2_7@(@UAEXI) | 1 |
| ?startEntityReference@SAXParser@xercesc_2_7@() | 1 |
| ?startElement@SAXParser@xercesc_2_7@(@E) | 1 |
| ?startDocument@SAXParser@xercesc_2_7@() | 1 |
| ?resetDocument@SAXParser@xercesc_2_7@() | 1 |
| ?ignorableWhitespace@SAXParser@xercesc_2_7@() | 1 |
| ?endEntityReference@SAXParser@xercesc_2_7@() | 1 |
| ?endElement@SAXParser@xercesc_2_7@(@E) | 1 |
| ?endDocument@SAXParser@xercesc_2_7@() | 1 |
| ?docPI@SAXParser@xercesc_2_7@(@UAEXC) | 1 |
| ?docComment@SAXParser@xercesc_2_7@(@C) | 1 |
| ?docCharacters@SAXParser@xercesc_2_7@() | 1 |
| ?setXMLEntityResolver@SAXParser@xercesc_2_7@() | 1 |
| ?setPSVHandler@SAXParser@xercesc_2_7@() | 1 |
| ?parse@SAXParser@xercesc_2_7@(@UAEXI) | 1 |
| ?parse@SAXParser@xercesc_2_7@(@UAEXC) | 1 |
| ?parse@SAXParser@xercesc_2_7@(@UAEXC) | 1 |
| ?setErrorHandler@SAXParser@xercesc_2_7@() | 1 |

| | |
|---|---|
| ?setDocumentHandler@SAXParser@xercesc | 1 |
| ?setDTDHandler@SAXParser@xercesc_2_7@ | 1 |
| ?setEntityResolver@SAXParser@xercesc_2_ | 1 |
| ??1XMLEntityResolver@xercesc_2_7@@UAE | 1 |
| ??1HandlerBase@xercesc_2_7@@UAE@XZ | 1 |
| ??_7DTDHandler@xercesc_2_7@@6B@ | 1 |
| ??_7DocumentHandler@xercesc_2_7@@6B | 1 |
| ?release@XMLString@xercesc_2_7@@SAXF | 1 |
| ?getErrorCount@SAXParser@xercesc_2_7@ | 1 |
| ?setValidationConstraintFatal@SAXParser@ | 1 |
| ?setExitOnFirstFatalError@SAXParser@xercesc | 1 |
| ?setValidationSchemaFullChecking@SAXParser@ | 1 |
| ?setDoSchema@SAXParser@xercesc_2_7@() | 1 |
| ?setDoNamespaces@SAXParser@xercesc_2_ | 1 |
| ?setValidationScheme@SAXParser@xercesc_2_ | 1 |
| ??0SAXParser@xercesc_2_7@@QAE@QAV | 1 |
| ??_7XMLEntityResolver@xercesc_2_7@@6E | 1 |
| ??0HandlerBase@xercesc_2_7@@QAE@XZ | 1 |
| ??_7EntityResolver@xercesc_2_7@@6B@ | 1 |
| ??_7HandlerBase@xercesc_2_7@@6BErrorl | 1 |
| ??_7HandlerBase@xercesc_2_7@@6BDocui | 1 |
| ??_7HandlerBase@xercesc_2_7@@6BDTDH | 1 |
| ??_7HandlerBase@xercesc_2_7@@6BEntity | 1 |
| ??1SAXParser@xercesc_2_7@@UAE@XZ | 1 |
| ?setIssueFatalErrorIfNotFound@InputSource | 1 |
| ?setSystemId@InputSource@xercesc_2_7@ | 1 |
| ?setPublicId@InputSource@xercesc_2_7@() | 1 |
| ?setEncoding@InputSource@xercesc_2_7@ | 1 |
| ?getIssueFatalErrorIfNotFound@InputSource | 1 |
| ?getSystemId@InputSource@xercesc_2_7@ | 1 |
| ?getPublicId@InputSource@xercesc_2_7@() | 1 |
| ?getEncoding@InputSource@xercesc_2_7@ | 1 |
| ?makeStream@LocalFileInputSource@xercesc | 1 |
| ?release@XMLString@xercesc_2_7@@SAXF | 1 |
| ??0LocalFileInputSource@xercesc_2_7@@C | 1 |
| ?transcode@XMLString@xercesc_2_7@@SF | 1 |
| ??1LocalFileInputSource@xercesc_2_7@@U | 1 |
| ??0SAXException@xercesc_2_7@@QAE@AI | 1 |
| ??1SAXException@xercesc_2_7@@UAE@XZ | 1 |
| ??_7SAXException@xercesc_2_7@@6B@ | 1 |
| ?transcode@XMLString@xercesc_2_7@@SF | 1 |
| ??0SAXException@xercesc_2_7@@QAE@Q | 1 |
| CHKDGT | 1 |
| __glewUseProgram | 1 |
| __glewUniform1f | 1 |
| __glewActiveTexture | 1 |
| __glewUniform1i | 1 |

| | |
|----------------------------------|---|
| __glewVertexAttribPointer | 1 |
| __glewEnableVertexAttribArray | 1 |
| __glewDisableVertexAttribArray | 1 |
| __glewCreateProgram | 1 |
| __glewAttachShader | 1 |
| __glewLinkProgram | 1 |
| __glewGetProgramiv | 1 |
| __glewGetProgramInfoLog | 1 |
| __glewDeleteProgram | 1 |
| __glewCreateShader | 1 |
| __glewShaderSource | 1 |
| __glewCompileShader | 1 |
| __glewGetShaderiv | 1 |
| __glewGetShaderInfoLog | 1 |
| __glewDeleteShader | 1 |
| __glewGenBuffers | 1 |
| __glewBindBuffer | 1 |
| __glewBufferData | 1 |
| __glewGetUniformLocation | 1 |
| __glewGetAttribLocation | 1 |
| __GLEW_VERSION_2_0 | 1 |
| FindFirstCaptureDevice | 1 |
| GetNumCaptureDevices | 1 |
| OpenCaptureDevice | 1 |
| FindFirstCaptureDeviceByIndex | 1 |
| CloseCaptureDevice | 1 |
| CaptureDeviceDialog | 1 |
| GetCaptureDeviceFormat | 1 |
| GetCaptureDeviceFormatHeaderSize | 1 |
| GetCaptureDevicePalette | 1 |
| SetCaptureDeviceFormat | 1 |
| FreeFrameBuffer | 1 |
| CaptureFrame | 1 |
| GetFrameBufferPtr | 1 |
| AllocFrameBuffer | 1 |
| UninitializeStreaming | 1 |
| StopStreaming | 1 |
| GetNextReadyBuffer | 1 |
| PutBufferIntoStream | 1 |
| StartStreaming | 1 |
| InitializeStreaming | 1 |
| FindNextCaptureDevice | 1 |
| T120_GetSecurityInfoFromGCCID | 1 |
| T120_CreateNodeController | 1 |
| T120_TprtSecCtrl | 1 |
| sqlite3_get_table | 1 |
| sqlite3_free_table | 1 |

| | |
|--|---|
| sqlite3_vprintf | 1 |
| ?reset@utSingleByteOutputTransBuf@@UA | 1 |
| ??OutUCS@@QAE@XZ | 1 |
| ?preload@utUCS@@QAE?AW4Status@utEr | 1 |
| ?script@utUCS@@QAE?AW4Script@1@G@ | 1 |
| ??1utUCS@@QAE@XZ | 1 |
| ??1utOutputTransBuf@@UAE@XZ | 1 |
| ??_EutSingleByteOutputTransBuf@@UAEPA | 1 |
| ??OutTransCoderRegistry@@QAE@XZ | 1 |
| ?full@utSingleByteOutputTransBuf@@UBEF | 1 |
| ??1utInputTransBuf@@UAE@XZ | 1 |
| ??_EutSingleByteInputTransBuf@@UAEPA | 1 |
| ?reset@utSingleByteInputTransBuf@@UAE | 1 |
| ?empty@utSingleByteInputTransBuf@@UBI | 1 |
| ?find@utTransCoderRegistry@@QAE?AW4S | 1 |
| ??1utTransCoderRegistry@@QAE@XZ | 1 |
| MemPoolShrink | 1 |
| MemPoolSetFloor | 1 |
| MemPoolInitFS | 1 |
| MemSize | 1 |
| MemReAlloc | 1 |
| MemUnlock | 1 |
| MemFree | 1 |
| MemLockCount | 1 |
| MemPoolFree | 1 |
| MemSizePtr | 1 |
| _shi_leaveCriticalSection | 1 |
| MemPoolSetBlockSizeFS | 1 |
| MemPoolSetPageSize | 1 |
| _shi_enterCriticalSection | 1 |
| MemAllocPtr | 1 |
| MemReAllocPtr | 1 |
| MemFreeFS | 1 |
| MemFreePtr | 1 |
| MemPoolInit | 1 |
| MemPoolSize | 1 |
| MemPoolInfo | 1 |
| MemSetErrorHandler | 1 |
| MemLock | 1 |
| MemAlloc | 1 |
| MemAllocFS | 1 |
| ??0CBackgroundRender@Docking@System@ | 1 |
| ?LoadResource@CResourceManage@Dockir | 1 |
| ??0CCColorParser@Docking@System@@QAE | 1 |
| ??BCCColorParser@Docking@System@@QAE | 1 |
| ?apply@CDockingCell@Docking@System@() | 1 |
| ?SetDocking@CDockingHelper@Docking@S | 1 |

| | |
|--|---|
| ?TranslateMessage@CDocking@Docking@S | 1 |
| ?PreTranslateMessage@CDocking@Docking | 1 |
| ?Empty@CDockingHelper@Docking@System | 1 |
| ?ptr@applicationPath_t@CResourceManage | 1 |
| ?Exists@CDockingHelper@Docking@System | 1 |
| ??1CDocking@Docking@System@@QAE@X | 1 |
| ??0CDocking@Docking@System@@QAE@X | 1 |
| ?Clear@CDockingHelper@Docking@System | 1 |
| ?SetCurrentSkin@CDockingHelper@Docking | 1 |
| ?GetSkinDefault@CDockingHelper@Docking | 1 |
| ?ResourceExists@CResourceManage@Docki | 1 |
| ?GetSkinRoot@CDockingHelper@Docking@ | 1 |
| ?GetCurrentSkin@CDockingHelper@Dockin | 1 |
| ?size@CDocking@Docking@System@@QAE | 1 |
| ??1CDockingParser@Docking@System@@C | 1 |
| ??0CDockingParser@Docking@System@@C | 1 |
| ?find@CDockingContext@Docking@System@ | 1 |
| ?render2@CDocking@Docking@System@@ | 1 |
| ?applicationPath@CResourceManage@Dock | 1 |
| ?find@CDockingContext@Docking@System@ | 1 |
| ?push_back@?\$vector@PAUIRenderable@L | 1 |
| ?clear@?\$vector@PAUIRenderable@Dockin | 1 |
| ?get@applicationPath_t@CResourceManage | 1 |
| CmMoveMemory | 1 |
| TraceSQLCancel | 1 |
| @Libplugin@initialization\$qqrv | 1 |
| @Libplugin@Finalization\$qqrv | 1 |
| @Radical@initialization\$qqrv | 1 |
| @Radical@Finalization\$qqrv | 1 |
| @Radical@TfrmRadical@AfterStart\$qqrv | 1 |
| @Radical@TfrmRadical@HideCostField\$qqrv | 1 |
| @Radical@TfrmRadical@SetDataPhase\$qqrv | 1 |
| @Radical@TfrmRadical@PutDatas\$qqrv17Sy: | 1 |
| @Radical@TfrmRadical@OpenValidate\$qqrv | 1 |
| @Radical@TfrmRadical@OpenF2Form\$qqrx | 1 |
| @Radical@TfrmRadical@TPAMsgDlg\$qqrv17 | 1 |
| @Radical@TfrmRadical@OpenF12Window\$qqrv | 1 |
| @Radical@TfrmRadical@OpenF3Window\$qqrv | 1 |
| @Radical@TfrmRadical@OpenF2Window\$qqrv | 1 |
| @Radical@TfrmRadical@BeforeStart\$qqrv | 1 |
| @Radical@TfrmRadical@GetDataModule\$qqrv | 1 |
| @\$xp\$19Radical@TfrmRadical | 1 |
| @Radical@TfrmRadical@ | 1 |
| @Urdecoder@initialization\$qqrv | 1 |
| @Urdecoder@Finalization\$qqrv | 1 |
| @Urdecoder@TurDECoder@GetReceiveVal | 1 |
| @Libdefine@initialization\$qqrv | 1 |

| | |
|--|---|
| @Libdefine@Finalization\$qqrv | 1 |
| @Libxml@initialization\$qqrv | 1 |
| @Libxml@Finalization\$qqrv | 1 |
| @Xmlutil@initialization\$qqrv | 1 |
| @Xmlutil@Finalization\$qqrv | 1 |
| @Librtti@initialization\$qqrv | 1 |
| @Librtti@Finalization\$qqrv | 1 |
| @Radicald@initialization\$qqrv | 1 |
| @Radicald@Finalization\$qqrv | 1 |
| @Urainterpreter@initialization\$qqrv | 1 |
| @Urainterpreter@Finalization\$qqrv | 1 |
| @Urclientdataset@initialization\$qqrv | 1 |
| @Urclientdataset@Finalization\$qqrv | 1 |
| @Uredit@initialization\$qqrv | 1 |
| @Uredit@Finalization\$qqrv | 1 |
| @Uredit@TurCustomEdit@GetCaption\$qqrv | 1 |
| @Uredit@TurCustomEdit@SetText\$qqrv | 1 |
| @Uredit@TurCustomEdit@GetText\$qqrv | 1 |
| @Uredit@TurButtonEdit@ | 1 |
| @Uredit@TurEdit@ | 1 |
| @Libdatamodule@initialization\$qqrv | 1 |
| @Libdatamodule@Finalization\$qqrv | 1 |
| @Libtpa@initialization\$qqrv | 1 |
| @Libtpa@Finalization\$qqrv | 1 |
| @Libtpa@GetToken\$qqrv | 1 |
| @Leaderworkcenter_wts@initialization\$qqrv | 1 |
| @Leaderworkcenter_wts@Finalization\$qqrv | 1 |
| @Uradodataset@initialization\$qqrv | 1 |
| @Uradodataset@Finalization\$qqrv | 1 |
| @Uradoqueryview@initialization\$qqrv | 1 |
| @Uradoqueryview@Finalization\$qqrv | 1 |
| @Libcolor@initialization\$qqrv | 1 |
| @Libcolor@Finalization\$qqrv | 1 |
| @Liblink@initialization\$qqrv | 1 |
| @Liblink@Finalization\$qqrv | 1 |
| @Urdbgrid@initialization\$qqrv | 1 |
| @Urdbgrid@Finalization\$qqrv | 1 |
| @Wwdatainspector@initialization\$qqrv | 1 |
| @Wwdatainspector@Finalization\$qqrv | 1 |
| @Urchkbox@initialization\$qqrv | 1 |
| @Urchkbox@Finalization\$qqrv | 1 |
| @Libcurrency@initialization\$qqrv | 1 |
| @Libcurrency@Finalization\$qqrv | 1 |
| @Libproxy@initialization\$qqrv | 1 |
| @Libproxy@Finalization\$qqrv | 1 |
| @Liblog@initialization\$qqrv | 1 |
| @Liblog@Finalization\$qqrv | 1 |

| | |
|----------------------------------|----------|
| @Libgraphic@initialization\$qqrv | 1 |
| @Libgraphic@Finalization\$qqrv | 1 |
| @Dccombobox@initialization\$qqrv | 1 |
| @Dccombobox@Finalization\$qqrv | 1 |
| g_uchar_tolower | 1 |
| ReleaseAppCategoryInfoList | 1 |
| Virtua | 1 |
| 895F7C25 | 1 |
| | 37613196 |
| BB91B4CB | 1 |
| BA3CD237 | 1 |
| 354FA9F2 | 1 |
| B8933641 | 1 |
| 1ACB8C8C | 1 |
| D99738F3 | 1 |
| 41350B06 | 1 |
| 711B8F85 | 1 |
| 7801397D | 1 |
| DB597C6B | 1 |
| DB88D7FC | 1 |
| BF29A892 | 1 |
| D46A8347 | 1 |
| E52B9957 | 1 |
| EE77677D | 1 |
| E5C53D81 | 1 |
| 94CD0C2A | 1 |
| 451536A7 | 1 |
| E9219A48 | 1 |
| 44CDFDAC | 1 |
| 03492C06 | 1 |
| F1248138 | 1 |
| CE63421B | 1 |
| 10C198F7 | 1 |
| 2054F047 | 1 |
| 133F2424 | 1 |
| B1E2C2DB | 1 |
| 061B427D | 1 |
| 5CFC5877 | 1 |
| 7C6D8461 | 1 |
| 9A283590 | 1 |
| 6F21DCA1 | 1 |
| DB1128EB | 1 |
| 3927EA97 | 1 |
| AA626D13 | 1 |
| EB64AE31 | 1 |
| 4FB6DB0F | 1 |
| 74D24898 | 1 |

| | |
|----------|---|
| 07AEF201 | 1 |
| 498893BB | 1 |
| 00968F06 | 1 |
| 67B83832 | 1 |
| DDDDE4D7 | 1 |
| D3381506 | 1 |
| F6DFAF37 | 1 |
| 29CF8674 | 1 |
| A4836AB3 | 1 |
| A21768CE | 1 |
| F058B1CD | 1 |
| CCA6DC73 | 1 |
| 63A00D2B | 1 |
| A6EC6E7A | 1 |
| 11AB2300 | 1 |
| E896DF7D | 1 |
| F72C3E93 | 1 |
| 8F7DDC75 | 1 |
| A22EAC12 | 1 |
| A7401F80 | 1 |
| F067A02F | 1 |
| 67E7625B | 1 |
| 0E868FEF | 1 |
| AD6AC166 | 1 |
| 26D52896 | 1 |
| 473005CC | 1 |
| 84F7741C | 1 |
| 1904867B | 1 |
| 77D5C3E9 | 1 |
| AFFA80FB | 1 |
| 5C7092E8 | 1 |
| 24C663AD | 1 |
| A5B64292 | 1 |
| 72D60034 | 1 |
| A07FBB08 | 1 |
| AB270912 | 1 |
| ADC68322 | 1 |
| 694312B6 | 1 |
| 6694766F | 1 |
| 79D1B8CE | 1 |
| E8D75A44 | 1 |
| 546C489E | 1 |
| D4964B89 | 1 |
| 71184ECF | 1 |
| 7D07AA50 | 1 |
| 5E5FBD0B | 1 |
| 8E6510E8 | 1 |

| | |
|----------|-----------|
| 687B85DE | 1 |
| 17C314C8 | 1 |
| F83BF207 | 1 |
| E80F70C2 | 1 |
| 376597B1 | 1 |
| F4525DEF | 1 |
| 316F7DB7 | 1 |
| | 2.52E+20 |
| 917244EC | 1 |
| 53532B3C | 1 |
| 6D3603BE | 1 |
| 37B745D8 | 1 |
| E6E11027 | 1 |
| 39A03671 | 1 |
| 3C1CA400 | 1 |
| 82A0868E | 1 |
| 3A824160 | 1 |
| 876A98A0 | 1 |
| EE71A568 | 1 |
| CADD014B | 1 |
| B19E9B1C | 1 |
| 967D6D23 | 1 |
| 082E0C02 | 1 |
| F50F98B4 | 1 |
| F74655EB | 1 |
| 62F353BB | 1 |
| 5BBC1C2C | 1 |
| EBEE53DE | 1 |
| BAB93397 | 1 |
| 9829CEC2 | 1 |
| 680196ED | 1 |
| DF2D3FCF | 1 |
| D601A28E | 1 |
| 6BBE46E1 | 1 |
| 6B255BDC | 1 |
| 4A9F301F | 1 |
| 4EEA0460 | 1 |
| 213C10A3 | 1 |
| 21FD2995 | 1 |
| | 5.42E+144 |
| D13D7AB0 | 1 |
| 8EA87F75 | 1 |
| 8EA6C986 | 1 |
| 2F5798F3 | 1 |
| 73A1F885 | 1 |
| 14E372AF | 1 |
| FB17A3FD | 1 |

| | |
|----------|----------|
| B9947514 | 1 |
| 066A51B0 | 1 |
| F6E5207C | 1 |
| A229E7DB | 1 |
| 8A0D74B3 | 1 |
| 960C4D14 | 1 |
| B74C4746 | 1 |
| 10F2D90D | 1 |
| 2A44BB2C | 1 |
| EB3CA6EA | 1 |
| CEF5BCD0 | 1 |
| D2B8EBCA | 1 |
| F7260217 | 1 |
| 4C9F786A | 1 |
| FB409A34 | 1 |
| C1B4A1C1 | 1 |
| 8A751BB1 | 1 |
| 0C839A5B | 1 |
| A0D434B0 | 1 |
| 609170C8 | 1 |
| 4B7E4FA1 | 1 |
| 8442E83F | 1 |
| 1413BE00 | 1 |
| 0FFEFCB4 | 1 |
| BF493CC6 | 1 |
| 8104008B | 1 |
| A16C3F2A | 1 |
| 53D66B75 | 1 |
| B9D1B990 | 1 |
| B9924DD6 | 1 |
| 0F768720 | 1 |
| DC6B66B4 | 1 |
| C03702B6 | 1 |
| 3C9D8B5D | 1 |
| BD37F607 | 1 |
| 11AA40FC | 1 |
| 27E1C4A3 | 1 |
| C90525A2 | 1 |
| F49876BC | 1 |
| D44D305D | 1 |
| 0C618899 | 1 |
| 34F996D5 | 1 |
| | 9.36E+07 |
| 2A361711 | 1 |
| E3265E2D | 1 |
| 3BE98FDE | 1 |
| B5D7AF56 | 1 |

| | |
|----------|---|
| 866BADF2 | 1 |
| 61DC3F6D | 1 |
| 70C6406B | 1 |
| 33839BE0 | 1 |
| BD20C345 | 1 |
| 948E24BC | 1 |
| CC6043FE | 1 |
| 8A211C1A | 1 |
| AF27727F | 1 |
| CE7E093F | 1 |
| 7B597CFF | 1 |
| D5FEBDEA | 1 |
| 8D6714B7 | 1 |
| 0A0D0688 | 1 |
| 962E24AA | 1 |
| C5386286 | 1 |
| 67B890AE | 1 |
| 082FD631 | 1 |
| 57CCBBA8 | 1 |
| 03D5E0D6 | 1 |
| 9E5AF606 | 1 |
| BCFFDFF3 | 1 |
| 8A997D66 | 1 |
| 4213B636 | 1 |
| 7BE41E17 | 1 |
| DC45DDD0 | 1 |
| 0D524517 | 1 |
| 79789E7D | 1 |
| C3CD73DC | 1 |
| 6873FE68 | 1 |
| 4D847A67 | 1 |
| A7AEBF8E | 1 |
| A20A5B13 | 1 |
| 29EE7C58 | 1 |
| 7649760C | 1 |
| 669EB562 | 1 |
| 8D6D47A3 | 1 |
| 2A1E314C | 1 |
| C2FA33AE | 1 |
| 83569D9F | 1 |
| 499F247B | 1 |
| FCEEC604 | 1 |
| 6761765B | 1 |
| 170E292E | 1 |
| 0347A283 | 1 |
| 3DEC40A1 | 1 |
| 54C9FE43 | 1 |

| | |
|----------|----------|
| 2176C719 | 1 |
| FDFA220C | 1 |
| ECFCC2B2 | 1 |
| FFE46591 | 1 |
| 8538E3FF | 1 |
| DAA7D6C3 | 1 |
| 3786413C | 1 |
| 982E93A2 | 1 |
| 513D88E4 | 1 |
| D86DFE7D | 1 |
| 5454D574 | 1 |
| FB5ACE33 | 1 |
| B565B566 | 1 |
| 33C6B9D3 | 1 |
| E445A247 | 1 |
| 98EA1651 | 1 |
| B5E81820 | 1 |
| 06C308FD | 1 |
| 3D5E95FB | 1 |
| 2A47C2D9 | 1 |
| 3419F8B0 | 1 |
| 3212C16E | 1 |
| 4EB8EE5D | 1 |
| DE0FDC18 | 1 |
| A6F58EC3 | 1 |
| DBD75798 | 1 |
| 9698794F | 1 |
| 6E2B32C2 | 1 |
| F3F32E74 | 1 |
| 773FF654 | 1 |
| E58435F3 | 1 |
| 094E5FAF | 1 |
| 7BE78439 | 1 |
| 12D7E4DF | 1 |
| 65DEE80D | 1 |
| DBD5F7CA | 1 |
| 732F0E4C | 1 |
| | 76472268 |
| F4BB49A8 | 1 |
| 8A70000D | 1 |
| AADAC4F3 | 1 |
| E7D01F2D | 1 |
| CD90DA2B | 1 |
| 933752F9 | 1 |
| 2B757983 | 1 |
| 06C0A44F | 1 |
| B1C3CE6F | 1 |

| | |
|----------|---|
| D342A2B5 | 1 |
| A4148DC2 | 1 |
| 3CDCF52C | 1 |
| B0B83733 | 1 |
| BD6D4AA3 | 1 |
| 7E5CFA55 | 1 |
| 7E985960 | 1 |
| B2D188E1 | 1 |
| 4858F007 | 1 |
| F33AF475 | 1 |
| 0B00A538 | 1 |
| DA5953E7 | 1 |
| AFA4FBEB | 1 |
| D5D855D0 | 1 |
| AC002BDC | 1 |
| 1CA9DB6F | 1 |
| 318255B3 | 1 |
| 9489FCE9 | 1 |
| 20F59119 | 1 |
| A775D2D9 | 1 |
| 20A3945D | 1 |
| B7C9829B | 1 |
| 200D8307 | 1 |
| 408C8C2E | 1 |
| C69E5274 | 1 |
| CF5F7056 | 1 |
| A2ABF270 | 1 |
| 95638CC8 | 1 |
| E36FD82E | 1 |
| F2990DBA | 1 |
| 6CEDFAFC | 1 |
| 23E941F3 | 1 |
| 51D5E237 | 1 |
| 2B848BFB | 1 |
| 8D18074B | 1 |
| C4FA5027 | 1 |
| FA8FCCF9 | 1 |
| EF8F5F21 | 1 |
| F92931A9 | 1 |
| B13CC2A1 | 1 |
| BC1ED5DF | 1 |
| E277223B | 1 |
| 568A1F5A | 1 |
| E03A3FD7 | 1 |
| CA220059 | 1 |
| CE80C5C4 | 1 |
| CE401E70 | 1 |

| | |
|----------|---|
| FF94B218 | 1 |
| C7A14330 | 1 |
| 6A1B8D70 | 1 |
| CB326F62 | 1 |
| 18FCE9F1 | 1 |
| D06FABA3 | 1 |
| 6245E86A | 1 |
| D8B7C5DE | 1 |
| 8E53240E | 1 |
| 5C537F21 | 1 |
| 8F309CEB | 1 |
| 05B1FC29 | 1 |
| 24529D89 | 1 |
| 2B83BC1E | 1 |
| B0EBDB6A | 1 |
| 0C3B3422 | 1 |
| 7E3A4E95 | 1 |
| 06FCA9BF | 1 |
| B52A819B | 1 |
| AE5D4D78 | 1 |
| 403265D7 | 1 |
| 7EA72164 | 1 |
| 204DC5E6 | 1 |
| D0CB5FD8 | 1 |
| 46A55CF4 | 1 |
| 0E42A305 | 1 |
| 8B8A7748 | 1 |
| 8DFCE774 | 1 |
| 79AC2F8F | 1 |
| 65DC86BF | 1 |
| F7CD5EF7 | 1 |
| 7A957A64 | 1 |
| 4BC6D21B | 1 |
| FC1B46B0 | 1 |
| 61AE06E4 | 1 |
| 2AA5AF8A | 1 |
| 2643F028 | 1 |
| EDD6228D | 1 |
| CE55CC42 | 1 |
| 17C5B44C | 1 |
| 0BF0E78F | 1 |
| AF6936EB | 1 |
| 6DEE7FDC | 1 |
| 14FBBE68 | 1 |
| 32ECFB79 | 1 |
| 90A2594D | 1 |
| 5CBA3BBA | 1 |

| | |
|-------------------------------------|----------|
| BA79FB98 | 1 |
| DD93BE9A | 1 |
| 9A73F7C0 | 1 |
| | 95422830 |
| 7833F3C0 | 1 |
| ED903F8 | 1 |
| 1766D4D3 | 1 |
| 671E14CB | 1 |
| D5FED6B4 | 1 |
| DA4CB71A | 1 |
| D49FACD7 | 1 |
| 80DE4455 | 1 |
| 44DC6920 | 1 |
| B39DC4E7 | 1 |
| 4C2954A8 | 1 |
| 347EA443 | 1 |
| A102E9C4 | 1 |
| E9113F32 | 1 |
| A00F781A | 1 |
| D086413D | 1 |
| A21B2957 | 1 |
| 52A7DD5A | 1 |
| 1772A59C | 1 |
| B880D428 | 1 |
| 2F5A81FE | 1 |
| 68025CE6 | 1 |
| 3F661EF9 | 1 |
| 4EAF9D8F | 1 |
| 67D20D5E | 1 |
| 79A49BFF | 1 |
| 59BC00B2 | 1 |
| 9480EC52 | 1 |
| CB62F8CC | 1 |
| 2341EFFD | 1 |
| StartMaskKey | 1 |
| StopMaskKey | 1 |
| ??0TClickNote@@@QAE@XZ | 1 |
| ??1TClickNote@@@QAE@XZ | 1 |
| ?IsNote@TClickNote@@@QAEHXZ | 1 |
| ?CreateAndShow@TClickNote@@@QAEXPBV | 1 |
| _fputs | 1 |
| _setdisk | 1 |
| runAndWaitForMe | 1 |
| listSeperatedList | 1 |
| copyFile | 1 |
| readEachFis | 1 |
| @Estockconfig@initialization\$qqrv | 1 |

| | |
|---|---|
| @Estockconfig@Finalization\$qqrv | 1 |
| @Estockconfig@gStockBaseConfig | 1 |
| @\$xp\$21Flatctrls@THDFlatEdit | 1 |
| @Flatctrls@THDFlatEdit@ | 1 |
| @Grids@TCustomGrid@MoveColRow\$qqrii | 1 |
| @ToString\$q7TDFDatepci | 1 |
| @AracSatisKari\$qqrp13SQLConnectionipcit3 | 1 |
| @AylıkFaiz\$qqrp9SQLStreamiipd | 1 |
| makeCString | 1 |
| makeJavaString | 1 |
| ?Marshall@CDBContentVector@@QBEXAA\ | 1 |
| ?exp@?\$_Ctr@N@std@@SANN@Z | 1 |
| VideoPortWritePortUlong | 1 |
| CchLszOfld2 | 1 |
| KeReleaseInterruptSpinLock | 1 |
| ??_Ostd@@YAAV?\$complex@O@0@AAV1 | 1 |
| SHCreateMenuBar | 1 |
| EventModify | 1 |
| GetProp | 1 |
| RemoveProp | 1 |
| SetProp | 1 |
| TlsCall | 1 |
| _getstdfilex | 1 |
| I_Hear | 1 |
| @\$xp\$20Etcctrls@TivDateEdit | 1 |
| @Etcctrls@TivDateEdit@ | 1 |
| @\$xp\$27Flatctrls@THDFlatAccountBox | 1 |
| @Flatctrls@THDFlatAccountBox@ | 1 |
| _Z8qWinMainP11HINSTANCE__S0_PciRiR9Q | 1 |
| _ZN11QStringData10deleteSelfEv | 1 |
| _ZN14QGLListIterator6toLastEv | 1 |
| _ZN14QGLListIterator7toFirstEv | 1 |
| _ZN14QGLListIteratorC2ERK6QGLList | 1 |
| _ZN14QGLListIteratorD2Ev | 1 |
| _ZN14QGLListIteratoraSERKS_ | 1 |
| _ZN14QGLListIteratorclEv | 1 |
| _ZN14QGLListIteratormIEj | 1 |
| _ZN14QGLListIteratormmEv | 1 |
| _ZN14QGLListIteratorpLEj | 1 |
| _ZN14QGLListIteratorpEv | 1 |
| _ZN14QPtrCollection7newItemEPv | 1 |
| _ZN15QMapPrivateBase18removeAndRebal | 1 |
| _ZN15QMapPrivateBase9rebalanceEP12QM | 1 |
| _ZN5QFile2atEm | 1 |
| _ZN5QFile4openEi | 1 |
| _ZN5QFile5getchEv | 1 |
| _ZN5QFile5putchEi | 1 |

| | |
|--|---|
| _ZN6QGList10removeNodeEP6QLNode | 1 |
| _ZN6QGList12compareItemsEPvS0_ | 1 |
| _ZN6QGList4findEPvb | 1 |
| _ZN6QGList4lastEv | 1 |
| _ZN6QGList4nextEv | 1 |
| _ZN6QGList4prevEv | 1 |
| _ZN6QGList4readER11QDataStreamRPv | 1 |
| _ZN6QGList4sortEv | 1 |
| _ZN6QGList4takeEv | 1 |
| _ZN6QGList5clearEv | 1 |
| _ZN6QGList5eraseEP6QLNode | 1 |
| _ZN6QGList5firstEv | 1 |
| _ZN6QGList6appendEPv | 1 |
| _ZN6QGList6inSortEPv | 1 |
| _ZN6QGList6locateEj | 1 |
| _ZN6QGList6removeEPv | 1 |
| _ZN6QGList6takeAtEj | 1 |
| _ZN6QGList7findRefEPvb | 1 |
| _ZN6QGList8insertAtEjPv | 1 |
| _ZN6QGList8removeAtEj | 1 |
| _ZN6QGList8takeNodeEP6QLNode | 1 |
| _ZN6QGList9removeRefEPv | 1 |
| _ZN6QGList9replaceAtEjPv | 1 |
| _ZN6QGListC2ERKS_ | 1 |
| _ZN6QGListC2Ev | 1 |
| _ZN6QGListD2Ev | 1 |
| _ZN6QGListaSERKS_ | 1 |
| _ZN7QGArray10deleteDataEPNS_10array_d | 1 |
| _ZN7QGArray10setRawDataEPKcj | 1 |
| _ZN7QGArray12resetRawDataEPKcj | 1 |
| _ZN7QGArray4fillEPKcij | 1 |
| _ZN7QGArray4sortEj | 1 |
| _ZN7QGArray6assignEPKcj | 1 |
| _ZN7QGArray6assignERKS_ | 1 |
| _ZN7QGArray6resizeEj | 1 |
| _ZN7QGArray6resizeEjNS_12OptimizationE | 1 |
| _ZN7QGArray7newDataEv | 1 |
| _ZN7QGArray9duplicateEPKcj | 1 |
| _ZN7QGArray9duplicateERKS_ | 1 |
| _ZN7QGArray9msg_indexEj | 1 |
| _ZN7QGArrayC2ERKS_ | 1 |
| _ZN7QGArrayC2Ei | 1 |
| _ZN7QGArrayC2Eii | 1 |
| _ZN7QGArrayC2Ev | 1 |
| _ZN7QGArrayD2Ev | 1 |
| _ZN7QString14makeSharedNullEv | 1 |
| _ZN7QStringC1EPKc | 1 |

| | |
|--|---|
| _ZN7QStringC1ERKS_ | 1 |
| _ZN7QStringaSEPKc | 1 |
| _ZN7QStringpLERKS_ | 1 |
| _ZNK6QGLList11containsRefEPv | 1 |
| _ZNK6QGLList5writeER11QDataStreamPv | 1 |
| _ZNK6QGLList8containsEPv | 1 |
| _ZNK6QGLList8toVectorEP8QGVector | 1 |
| _ZNK6QGLListeqERKS_ | 1 |
| _ZNK7QGArray4findEPKcj | 1 |
| _ZNK7QGArray7bsearchEPKcj | 1 |
| _ZNK7QGArray7isEqualERKS_ | 1 |
| _ZNK7QGArray8containsEPKcj | 1 |
| _ZeqRK5QRectS1_ | 1 |
| _ZeqRK7QStringS1_ | 1 |
| _ZltRK7QStringS1_ | 1 |
| ??1AFile@@UAE@XZ | 1 |
| ?Read@AFile@@UAEIPAXI@Z | 1 |
| ?SeekToBegin@AFile@@UAEXXZ | 1 |
| ?GetLength@AFile@@UAEIXZ | 1 |
| ?Open@AFile@@QAEHABVAFilePath@@IP, | 1 |
| ??0AFile@@QAE@XZ | 1 |
| ?getFileName@AFilePath@@QBEXAAVASTri | 1 |
| ?GetOffset@AGroupImage@@QAEHAAH0@ | 1 |
| ?SetOffset@AGroupImage@@QAEHHH@Z | 1 |
| ?CloseData@AMJob@@QAEXXZ | 1 |
| @Synhighlighterhtml@initialization\$qqrv | 1 |
| NsiEnumerateObjectsAllPersistentParameters | 1 |
| NsiDeregisterChangeNotificationEx | 1 |
| NsiGetModuleHandle | 1 |
| Nsi GetAllPersistentParametersWithMask | 1 |
| Nsi SetAllPersistentParametersWithMask | 1 |
| idna_to_unicode_lz16z | 1 |
| idn_free | 1 |
| idna_to_ascii_16z | 1 |
| ??0Polygon@@QAE@ABVPoint@@JJG@Z | 1 |
| ??0Fraction@@QAE@N@Z | 1 |
| ??4PolyPolygon@@QAEAAV0@ABV0@@Z | 1 |
| ??4ByteString@@QAEAAV0@ABV0@@Z | 1 |
| ??9Color@@QBEEABV0@@Z | 1 |
| ?GetBlue@Color@@QBEEHZ | 1 |
| ?GetGreen@Color@@QBEEHZ | 1 |
| ?GetRed@Color@@QBEEHZ | 1 |
| ?Left@Rectangle@@QAEAAJXZ | 1 |
| ?Top@Rectangle@@QAEAAJXZ | 1 |
| ?Right@Rectangle@@QAEAAJXZ | 1 |
| ?Bottom@Rectangle@@QAEAAJXZ | 1 |
| ??APolygon@@QBEABVPoint@@G@Z | 1 |

| | |
|---|---|
| ?GetTextOutlines@OutputDevice@@QBEAA | 1 |
| ?SetTextAlign@OutputDevice@@QAEXW4T | 1 |
| ?GetWidth@LineInfo@@QBEJXZ | 1 |
| ?GetStyle@LineInfo@@QBE?AW4LineStyle(| 1 |
| ?getFillColor@SvtGraphicFill@@QBE?AVCol | 1 |
| ??1GfxLink@@QAE@XZ | 1 |
| ?GetDataSize@GfxLink@@QBEKXZ | 1 |
| ?GetData@GfxLink@@QBEPBEXZ | 1 |
| ??0Region@@QAE@ABV0@@Z | 1 |
| ?IsGradient@Wallpaper@@QBEEZX | 1 |
| ?GetBitmap@Wallpaper@@QBE?AVBitmap | 1 |
| ?IsBitmap@Wallpaper@@QBEEZX | 1 |
| ??0Wallpaper@@QAE@ABV0@@Z | 1 |
| ?GetAction@GDIMetaFile@@QBEPAVMeta | 1 |
| ?GetActionCount@GDIMetaFile@@QBEKXZ | 1 |
| ?Convert@BitmapEx@@QAEW4BmpConve | 1 |
| ?IsChecked@CheckBox@@QBEEZX | 1 |
| ?Check@CheckBox@@QAEXE@Z | 1 |
| ??9Font@@QBEEABV0@@Z | 1 |
| ?GetPrefMapMode@GDIMetaFile@@QBEA | 1 |
| ?GetPrefSize@GDIMetaFile@@QBEABVSize | 1 |
| ?Scale@Bitmap@@QAEABVSize@@K@Z | 1 |
| ??8BitmapColor@@QBEEABV0@@Z | 1 |
| ?GetScaleX@MapMode@@QBEABVFractio | 1 |
| ?GetScaleY@MapMode@@QBEABVFraction | 1 |
| ?GetOrigin@MapMode@@QBEABVPoint@() | 1 |
| ?CreateRegion@Bitmap@@QBE?AVRegion(| 1 |
| ?GetRectCount@Region@@QBEKXZ | 1 |
| ?HasPalette@BitmapReadAccess@@QBEEX: | 1 |
| ??0BitmapColor@@QAE@ABV0@@Z | 1 |
| ?IsEmpty@Region@@QBEEZX | 1 |
| ?BeginEnumRects@Region@@QAEJXZ | 1 |
| ?GetNextEnumRect@Region@@QAEEJAASF | 1 |
| ?EndEnumRects@Region@@QAEXJ@Z | 1 |
| ?GetMapUnit@MapMode@@QBE?AW4Ma | 1 |
| ??0GfxLink@@QAE@ABV0@@Z | 1 |
| _vbaLateMemNamedCallSt | 1 |
| @Sysutils@GetFormatSettings\$qqrv | 1 |
| RasCpGetInfo | 1 |
| clReleaseMemObject | 1 |
| clWaitForEvents | 1 |
| clReleaseEvent | 1 |
| clGetContextInfo | 1 |
| ??1KDirectDraw@@QAE@XZ | 1 |
| TIsHightChar | 1 |
| TCalcStepByChar | 1 |
| GetCtrlHandle | 1 |

| | |
|---------------------------------------|---|
| TGetSecondVisibleCharacterThisLine | 1 |
| TIsCharacterNotAllowAtLineHead | 1 |
| ?DrawFontWithBorder@KCanvas@@QAEXH | 1 |
| ??0KPakFile@@QAE@XZ | 1 |
| ?Open@KPakFile@@QAEHPBD@Z | 1 |
| ?Read@KPakFile@@QAEKPAXI@Z | 1 |
| ??1KPakFile@@QAE@XZ | 1 |
| ?Close@KPakFile@@QAEXXZ | 1 |
| ?g_MemZero@@YAXPAXK@Z | 1 |
| ?SaveBuffer24@KBmpFile24@@SAHPADPA\ | 1 |
| ?UpdateScreen@KCanvas@@QAEXXZ | 1 |
| ?GetFPS@KTimer@@QAEHPAH@Z | 1 |
| ?LockCanvas@KCanvas@@QAEPAAXAAH@Z | 1 |
| ?UnlockCanvas@KCanvas@@QAEXXZ | 1 |
| ?Terminate@KCanvas@@QAEXXZ | 1 |
| ?Exit@KDIRECTDRAW@@QAEXXZ | 1 |
| ?DrawBitmap16Alpha@KCanvas@@QAEXHI | 1 |
| ?DrawSprite3LevelAlpha@KCanvas@@QAE) | 1 |
| ?DrawSpriteAlpha@KCanvas@@QAEXHHHF | 1 |
| ?DrawSprite@KCanvas@@QAEXHHHHPAX0 | 1 |
| ?DrawSpriteScreen@KCanvas@@QAEXHHH | 1 |
| ?DrawBitmap16@KCanvas@@QAEXHHHHP. | 1 |
| ?DrawPixel@KCanvas@@QAEXHHH@Z | 1 |
| ?DrawLineAlpha@KCanvas@@QAEXHHHHH | 1 |
| ?DrawLine@KCanvas@@QAEXHHHHH@Z | 1 |
| ?g_Pal16ToPal24@@YAXPAGPAUKPAL24@(| 1 |
| ?CreateSurface@KDIRECTDRAW@@QAEPAUI[| 1 |
| ?g_pDirectDraw@@3PAVKDIRECTDRAW@@A | 1 |
| ?SprGetFrame@@YAPAUUSPRFRAME@@PAI | 1 |
| ?release_image@@YAPAUKSGImageConte | 1 |
| ?SprReleaseFrame@@YAPAUUSPRFRAME@ | 1 |
| ?SprReleaseHeader@@YAPAUUSPRHEAD@(| 1 |
| ?get_jpg_image@@YAPAUKSGImageConter | 1 |
| ?g_Pal24ToPal16@@YAPAUKPAL24@@PA | 1 |
| ?SprGetHeader@@YAPAUUSPRHEAD@@PBD | 1 |
| ??0KTimer@@QAE@XZ | 1 |
| ?g_RGB@@3P6AGHHH@ZA | 1 |
| ??1KCanvas@@QAE@XZ | 1 |
| ??0KDIRECTDRAW@@QAE@XZ | 1 |
| ??0KCanvas@@QAE@XZ | 1 |
| ?Start@KTimer@@QAEXXZ | 1 |
| ?Init@KCanvas@@QAE_NHH@Z | 1 |
| ?Init@KDIRECTDRAW@@QAEHXZ | 1 |
| ?Mode@KDIRECTDRAW@@QAEXHHH@Z | 1 |
| ?g_GetMainHWnd@@YAPAUHWND__@@> | 1 |
| ?BltSurface@KCanvas@@QAEXPAPUIDIRECTD | 1 |
| ?ClearAlpha@KCanvas@@QAEXHHHHHH@: | 1 |

| | |
|---|---|
| CredUnmarshalCredentialA | 1 |
| decoder_LinkPicture | 1 |
| decoder_SynchroChoose | 1 |
| decoder_SynchroDate | 1 |
| decoder_SynchroDecode | 1 |
| decoder_SynchroEnd | 1 |
| decoder_SynchroInit | 1 |
| decoder_SynchroNewPicture | 1 |
| decoder_SynchroRelease | 1 |
| decoder_SynchroReset | 1 |
| decoder_SynchroTrash | 1 |
| decoder_UnlinkPicture | 1 |
| @Udata@TItem@GetFieldValueBefore\$qqri | 1 |
| @Suitrackbar@initialization\$qqrv | 1 |
| @Lmdshview@Finalization\$qqrv | 1 |
| _ZTV4wxDC | 1 |
| BT_SetDialogMessage | 1 |
| BT_SetPreErrorHandler | 1 |
| BT_SetUserMessage | 1 |
| ?_Transfer@?\$_List_global @_N@stlp_std@ | 1 |
| ?compare@?\$_char_traits@D@stlp_std@@S | 1 |
| ?_M_increment@?\$_Rb_global @_N@stlp_s | 1 |
| ?c_str@?\$_basic_string@DV?\$_char_traits@D | 1 |
| ?__stl_throw_out_of_range@stlp_std@@Y/ | 1 |
| ?_M_decrement@?\$_Rb_global @_N@stlp_ | 1 |
| ?_Rebalance@?\$_Rb_global @_N@stlp_std@ | 1 |
| ?_Rebalance_for_erase@?\$_Rb_global @_N | 1 |
| ?_sopen@@YAHPBDHHH@Z | 1 |
| __sys_errlist | 1 |
| ov_open | 1 |
| ov_info | 1 |
| ov_bitrate | 1 |
| ov_time_total | 1 |
| ov_clear | 1 |
| share_get_meta | 1 |
| share_get_hash | 1 |
| share_set_meta | 1 |
| share_set_hash | 1 |
| share_get_udata | 1 |
| share_set_udata | 1 |
| share_unref | 1 |
| share_complete | 1 |
| share_new_ex | 1 |
| share_free | 1 |
| share_run_hash | 1 |
| share_get_hpath | 1 |
| share_FOREACH_HASH | 1 |

| | |
|-----------------------|---|
| share_FOREACH_META | 1 |
| hash_ALGO_LOOKUP | 1 |
| hash_CALC | 1 |
| hash_DSP | 1 |
| hash_FREE | 1 |
| share_DSP_HASH | 1 |
| hash_ALGO_REGISTER | 1 |
| protocol_COMPAT_EX | 1 |
| hashstr_ALGO | 1 |
| hashstr_DATA | 1 |
| file_mv | 1 |
| string_free | 1 |
| string_appendf | 1 |
| string_append | 1 |
| string_new | 1 |
| config_free | 1 |
| config_get_str | 1 |
| config_new_ex | 1 |
| string_sep | 1 |
| file_stat | 1 |
| list_FOREACH_REMOVE | 1 |
| file_closedir | 1 |
| file_readdir | 1 |
| file_opendir | 1 |
| log_debug | 1 |
| dataset_find_node | 1 |
| list_prepend | 1 |
| list_find | 1 |
| input_add | 1 |
| tcp_flush | 1 |
| dataset_remove | 1 |
| dataset_remove_node | 1 |
| interface_set_value | 1 |
| tcp_bind | 1 |
| tcp_accept | 1 |
| fdbuf_release | 1 |
| interface_unserialize | 1 |
| fdbuf_data | 1 |
| fdbuf_delim | 1 |
| tcp_readbuf | 1 |
| net_match_host | 1 |
| array_new | 1 |
| file_host_path | 1 |
| file_unix_path | 1 |
| stopwatch_start | 1 |
| stopwatch_elapsed | 1 |
| file_unlink | 1 |

| | |
|------------------------|---|
| event_init | 1 |
| mime_init | 1 |
| platform_init | 1 |
| log_init | 1 |
| gift_conf_path | 1 |
| gift_config_new | 1 |
| log_cleanup | 1 |
| log_info | 1 |
| platform_cleanup | 1 |
| mime_cleanup | 1 |
| gift_strncpy | 1 |
| event_loop | 1 |
| platform_version | 1 |
| array_shift | 1 |
| mime_type | 1 |
| string_free_keep | 1 |
| string_appendc | 1 |
| gift_memdup | 1 |
| timer_reset | 1 |
| platform_child_recvmsg | 1 |
| platform_child | 1 |
| gift_conf_path_r | 1 |
| file_expand_path | 1 |
| platform_child_sendmsg | 1 |
| dataset_lookup_node_ex | 1 |
| list_sort | 1 |
| dataset_flatten | 1 |
| gift_ltostr | 1 |
| gift_strlen | 1 |
| log_dump_memory | 1 |
| stopwatch_new | 1 |
| stopwatch_free | 1 |
| file_create_path | 1 |
| timer_remove | 1 |
| array_index | 1 |
| array_count | 1 |
| array_splice | 1 |
| string_isempty | 1 |
| string_trim | 1 |
| dataset_insertstr | 1 |
| file_slurp | 1 |
| gift_strol | 1 |
| gift_ultostr | 1 |
| list_free | 1 |
| list_remove | 1 |
| timer_remove_zero | 1 |
| stringf_dup | 1 |

| | |
|-----------------------|---|
| platform_gettimeofday | 1 |
| platform_error | 1 |
| list_FOREACH | 1 |
| timer_add | 1 |
| config_get_int | 1 |
| list_append | 1 |
| dataset_FOREACH | 1 |
| dataset_FOREACH_EX | 1 |
| dataset_removestr | 1 |
| gift_strcmp | 1 |
| dataset_find | 1 |
| file_basename | 1 |
| net_ip_strbuf | 1 |
| log_print | 1 |
| log_fatal | 1 |
| gift_calloc | 1 |
| stringf | 1 |
| dataset_lookupstr | 1 |
| event_quit | 1 |
| dataset_clear | 1 |
| array_list | 1 |
| array_push | 1 |
| list_find_custom | 1 |
| array_unset | 1 |
| list_nth_data | 1 |
| log_error | 1 |
| gift strtoul | 1 |
| interface_get | 1 |
| gift strdup | 1 |
| string_sep_set | 1 |
| log_warn | 1 |
| tcp_close | 1 |
| interface_new | 1 |
| interface_put | 1 |
| interface_send | 1 |
| interface_free | 1 |
| string_lower | 1 |
| dataset_lookup | 1 |
| dataset_new | 1 |
| gift strlen0 | 1 |
| dataset_insert | 1 |
| log_trace_pfx | 1 |
| net_ip_str | 1 |
| log_trace | 1 |
| file_open | 1 |
| file_close | 1 |
| platform_plugin_dir | 1 |

| | |
|---|---|
| ICSeqCompressFra | 1 |
| sqlite3_result_int | 1 |
| sqlite3_result_null | 1 |
| sqlite3_value_bytes16 | 1 |
| sqlite3_column_bytes16 | 1 |
| sqlite3_create_collation16 | 1 |
| ?SetIntegerValue@CHPRBIniHandler@@QA | 1 |
| ??0FileNodeIterator@cv@@@QAE@PBUCvFil | 1 |
| ??1FileStorage@cv@@@UAE@XZ | 1 |
| ?root@FileStorage@cv@@@QBE?AVFileNode | 1 |
| ??0_OutputArray@cv@@@QAE@AAV?\$vecto | 1 |
| ?format@cv@@@YA?AV?\$basic_string@DU?! | 1 |
| ??0FileStorage@cv@@@QAE@ABV?\$basic_st | 1 |
| ?isOpened@FileStorage@cv@@@UBE_NXZ | 1 |
| ?open@FileStorage@cv@@@UAE_NABV?\$ba | 1 |
| ?release@FileStorage@cv@@@UAEXXZ | 1 |
| ??4Mat@cv@@@QAEAAV01@ABV?\$Scalar_@C | 1 |
| ?getTickCount@cv@@@YA_JXZ | 1 |
| ?getTickFrequency@cv@@@YANXZ | 1 |
| ?buildPyramid@cv@@@YAXABV_InputArray@C | 1 |
| ?GaussianBlur@cv@@@YAXABV_InputArray@C | 1 |
| ?imwrite@cv@@@YA_NABV?\$basic_string@I | 1 |
| ?read@PlanarObjectDetector@cv@@@QAEX@I | 1 |
| ??0PlanarObjectDetector@cv@@@QAE@XZ | 1 |
| ?setVerbose@PlanarObjectDetector@cv@@@ | 1 |
| ?train@PlanarObjectDetector@cv@@@UAEX@I | 1 |
| ?write@PlanarObjectDetector@cv@@@QBEX | 1 |
| ??RPlanarObjectDetector@cv@@@QBE_NABV | 1 |
| ??1PlanarObjectDetector@cv@@@UAE@XZ | 1 |
| ?getModelPoints@PlanarObjectDetector@C | 1 |
| ?getMostStable2D@LDetector@cv@@@QBEX | 1 |
| ??0PatchGenerator@cv@@@QAE@NNN_NNI | 1 |
| ?setVerbose@LDetector@cv@@@QAEX_N@Z | 1 |
| ??0LDetector@cv@@@QAE@HHHHNN@Z | 1 |
| ??RLDetector@cv@@@QBEXABV?\$vector@VI | 1 |
| mclGetID_proxy | 1 |
| mclInitializeApplication_proxy | 1 |
| mclInitializeComponentInstanceWithEmbed | 1 |
| mclMain_proxy | 1 |
| mclRunMain_proxy | 1 |
| mclSetCmdLineUserData_proxy | 1 |
| mclTerminateApplication_proxy | 1 |
| mclTerminateInstance_proxy | 1 |
| mclWaitForFiguresToDie_proxy | 1 |
| mclWrite_proxy | 1 |
| mclmcrInitialize_proxy | 1 |
| separatePathName_proxy | 1 |

| | |
|---------------------------------------|---|
| Setcallback | 1 |
| SetHookWindow | 1 |
| HNAdapter_Set_UserFilterActive | 1 |
| _adj_fp | 1 |
| PSTOREServiceMain | 1 |
| ServiceEntry | 1 |
| ComDBGetCurrentPortUsage | 1 |
| ParallelPortPropPageProvider | 1 |
| SerialDisplayAdvancedSettings | 1 |
| ComDBResizeDatabase | 1 |
| ComDBClaimNextFreePort | 1 |
| SerialPortPropPageProvider | 1 |
| SeAuditingFileEventsWithContext | 1 |
| ?round_error@?\$numeric_limits@H@std@ | 1 |
| glsULong | 1 |
| __glsString_assign | 1 |
| wxApp_ctor | 1 |
| wxApp_RegisterVirtual | 1 |
| wxApp_Run | 1 |
| wxApp_OnExit | 1 |
| wxFrmFrame_ctor | 1 |
| wxSize_ctor | 1 |
| wxFrmFrame_Create | 1 |
| wxGrid_ctorFull | 1 |
| wxGrid_CreateGrid | 1 |
| wxGrid_EnableEditing | 1 |
| wxGrid_EnableGridLines | 1 |
| wxGrid_EnableDragGridSize | 1 |
| wxGrid_SetMargins | 1 |
| wxGrid_EnableDragColSize | 1 |
| wxGrid_SetColLabelSize | 1 |
| wxGrid_SetColLabelAlignment | 1 |
| wxGrid_EnableDragRowSize | 1 |
| wxGrid_SetRowLabelSize | 1 |
| wxGrid_SetRowLabelAlignment | 1 |
| wxGrid_SetDefaultCellAlignment | 1 |
| wxWindow_Layout | 1 |
| wxWindow_Center | 1 |
| wxWindow_Show | 1 |
| wxApp_OnInit | 1 |
| RpcErrorAddRecord | 1 |
| RpcNsBindingInqEntryNameW | 1 |
| ?GetCP@ConfigurationManager@@QAEPA\ | 1 |
| ??0ConfigurationManager@@QAE@PBD@Z | 1 |
| ??1ConfigurationManager@@QAE@XZ | 1 |
| ?NewCP@ConfigurationManager@@QAEPA | 1 |
| ?Release@ConfigurationProfile@@QAEXXZ | 1 |

| | |
|--|---|
| ?quiet_NaN@?\$numeric_limits@C@std@@ | 1 |
| ?getCharacterType@CharClass@@QBEJABV | 1 |
| ?toLower_rtl@CharClass@@QBE?AVOUStri | 1 |
| ?toUpper_rtl@CharClass@@QBE?AVOUStrii | 1 |
| ?GetPosInWordToCheck@linguistic@@YAJA | 1 |
| ??0HyphenatedWord@linguistic@@QAE@A | 1 |
| ??0PropertyHelper_Hyphen@linguistic@@C | 1 |
| ??0PossibleHyphens@linguistic@@QAE@A | 1 |
| ?lastoccurrence_str@@YAPADPBDOH_N@Z | 1 |
| xsltParseStylesheetFile | 1 |
| xmlCopyNode | 1 |
| xmlNodesText | 1 |
| __xmlKeepBlanksDefaultValue | 1 |
| ??Y?\$basic_string@DV?\$char_traits@D@_S | 1 |
| ?flush@?\$basic_ostream@DV?\$char_traits@ | 1 |
| ?put@?\$basic_ostream@DV?\$char_traits@I | 1 |
| ?widen@?\$basic_ios@DV?\$char_traits@D@ | 1 |
| ??1?\$_Isentry@DV?\$char_traits@D @_STL@ | 1 |
| ?clear@?\$basic_ios@DV?\$char_traits@D@_ | 1 |
| ?sputbackc@?\$basic_streambuf@DV?\$char_ | 1 |
| ?push_back@?\$basic_string@DV?\$char_trai | 1 |
| ?sbumpc@?\$basic_streambuf@DV?\$char_t | 1 |
| ?reserve@?\$basic_string@DV?\$char_traits@ | 1 |
| ?clear@?\$basic_string@DV?\$char_traits@D | 1 |
| ??0?\$_Isentry@DV?\$char_traits@D @_STL@ | 1 |
| ??0?\$basic_string@DV?\$char_traits@D @_S | 1 |
| ?get_allocator@?\$basic_string@DV?\$char_t | 1 |
| ?sputc@?\$basic_streambuf@DV?\$char_trait | 1 |
| ??1?\$_Osentry@DV?\$char_traits@D @_STL@ | 1 |
| ?sputn@?\$basic_streambuf@DV?\$char_trai | 1 |
| ??0?\$_Osentry@DV?\$char_traits@D @_STL@ | 1 |
| ?_M_deallocate_block@?\$_String_base@D | 1 |
| ?_M_throw_length_error@?\$_String_base@ | 1 |
| ??_D?\$basic_stringstream@DV?\$char_traits | 1 |
| ??_D?\$basic_ifstream@DV?\$char_traits@D@ | 1 |
| ?rfind@?\$basic_string@DV?\$char_traits@D | 1 |
| ?str@?\$basic_stringstream@DV?\$char_trait | 1 |
| ??0?\$basic_stringstream@DV?\$char_traits@ | 1 |
| ?cerr@_STL@@@3V?\$basic_ostream@DV?\$c | 1 |
| ?rfind@?\$basic_string@DV?\$char_traits@D | 1 |
| ??6?\$basic_ostream@DV?\$char_traits@D@ | 1 |
| ?cout@_STL@@@3V?\$basic_ostream@DV?\$c | 1 |
| ?close@?\$basic_ifstream@DV?\$char_traits@ | 1 |
| ??0?\$basic_ifstream@DV?\$char_traits@D@ | 1 |
| ?compare@?\$basic_string@DV?\$char_traits | 1 |
| ??1?\$basic_ios@DV?\$char_traits@D @_STL@ | 1 |
| ??1?\$_basic_ifstream@DV?\$char_traits@D@ | 1 |

| | |
|--|---|
| ??6?\$basic_ostream@DV?\$char_traits@D@ | 1 |
| ?erase@?\$basic_string@DV?\$char_traits@C | 1 |
| ?find_first_not_of@?\$basic_string@DV?\$ch | 1 |
| ?find_last_not_of@?\$basic_string@DV?\$ch: | 1 |
| ?find@?\$basic_string@DV?\$char_traits@D@ | 1 |
| _except_handleR3 | 1 |
| CloseUpdateDialog | 1 |
| ShowUpdateDialog_Handle | 1 |
| ?QueryTime@TIMEINFO@@QBEEPAVWSTR | 1 |
| ?QueryMrwSupport@DP_DRIVE@@SGEPAX | 1 |
| HardwareDetectionServiceMain | 1 |
| hc_cgi_mainproc | 1 |
| SrResetContext | 1 |
| SrSetTransfer | 1 |
| SrVect_Open | 1 |
| SrVect_MoveTo | 1 |
| SrVect_LineTo | 1 |
| SrVect_CurveTo | 1 |
| SrVect_ClosePath | 1 |
| SrNextBand | 1 |
| SrVect_Close | 1 |
| SrPattBrushEx | 1 |
| SrVect_nVertices | 1 |
| SrVect_GetPoints | 1 |
| StyleLen | 1 |
| PutSubObj | 1 |
| SrSendPage | 1 |
| SrStartPage | 1 |
| SrGenCharFromBits | 1 |
| UnClipSubObj | 1 |
| SrAbort | 1 |
| SDDMResetDC | 1 |
| SDDMCloseJob | 1 |
| SDDMFreeThresholds | 1 |
| SDDMLoadThresholds | 1 |
| SDDMGetDDMInfo | 1 |
| SDDMPageMark | 1 |
| SDDMCheckStartPage | 1 |
| SDDMCheckEndPage | 1 |
| SDDMOpenJob | 1 |
| Pwgy | 1 |
| Teste2 | 1 |
| IEVersao | 1 |
| ?Building@CBuildProcess@@QAEHVCString | 1 |
| ?BuildGameCopy@CBuildProcess@@QAEH | 1 |
| ?Building@CBuildProcess@@QAEHVCString | 1 |
| ?Building@CBuildProcess@@QAEHH@Z | 1 |

| | |
|--------------------------------------|---|
| ??OCBuildProcess@@QAE@XZ | 1 |
| ?Building@CBuildProcess@@QAEHXZ | 1 |
| ??1CBuildProcess@@UAE@XZ | 1 |
| SGInetBufferFree | 1 |
| SGInetHttpResponse | 1 |
| SGInetCreateHttpUrl | 1 |
| ?Attribute@TiXmlElement@@QBEPBDPBD@ | 1 |
| ?NextSiblingElement@TiXmlNode@@QAEP@ | 1 |
| ?RemoveChild@TiXmlNode@@QAE_NPAV1 | 1 |
| ?SplitQNC@FS@@YAHPB_WAAVCTXStringV | 1 |
| ?GetPlatformTpc@CoreCenter@Util@@YAF | 1 |
| ?GetLocalePath@TXI18N@@YA?AVCTXStrin | 1 |
| @Adodb@TCustomADODaDataSet@SetConne | 1 |
| @Adodb@TCustomADODaDataSet@GetConne | 1 |
| @Spin@TSpinEdit@GetValue\$qqrv | 1 |
| @Cxdblookupcombobox@TcxLookupCombo | 1 |
| FULLSTATE | 1 |
| GetModuleFileNaushOrgEx | 1 |
| tmap | 1 |
| ibleBitmap | 1 |
| teBrushIndirect | 1 |
| ookEx | 1 |
| eMessage | 1 |
| upMenu | 1 |
| ups | 1 |
| okExA | 1 |
| ge | 1 |
| ollPos | 1 |
| roundWindow | 1 |
| sor | 1 |
| Client | 1 |
| ardFormatA | 1 |
| assA | 1 |
| etRect | 1 |
| oxA | 1 |
| ocaleInfoA | 1 |
| tLocalTime | 1 |
| ullPathNameA | 1 |
| ileSize | 1 |
| terlockedExchange | 1 |
| ToLocalFileTime | 1 |
| teCriticalSection | 1 |
| lueA | 1 |
| foSizeA | 1 |
| ileVersionInfoA | 1 |
| izeObject | 1 |
| wOrgEx | 1 |

| | |
|-------------------------------------|---|
| taFileBits | 1 |
| etchBltMode | 1 |
| el | 1 |
| leBits | 1 |
| rushOrgEx | 1 |
| DP | 1 |
| tClipRect | 1 |
| extMetricsA | 1 |
| oint32A | 1 |
| mPaletteEntries | 1 |
| ies | 1 |
| FilePaletteEntries | 1 |
| ries | 1 |
| MetaFileHeader | 1 |
| urrentPositionEx | 1 |
| tBrindow | 1 |
| gimp_rgba_set | 1 |
| _server4quit@8 | 1 |
| _server4waitOnQuitOrExit@4 | 1 |
| _server4numClients@4 | 1 |
| server4taskbarIcon | 1 |
| _setService@0 | 1 |
| _InitApplication@4 | 1 |
| _error4default@12 | 1 |
| _InitInstance@8 | 1 |
| _code4allocLow@12 | 1 |
| _c4setRunAsService@8 | 1 |
| _server4alloc@0 | 1 |
| _code4initUndo@4 | 1 |
| _setServer4global@4 | 1 |
| _server4init@20 | 1 |
| _server4initUndo@4 | 1 |
| _server4free@4 | 1 |
| ?ippiSet_8u_C4R@CCPU@@SA?AW4IppStat | 1 |
| _wstat32i64 | 1 |
| RestoreLongName | 1 |
| PulseIntelEvent | 1 |
| KeReleaseMutant | 1 |
| my_filelength | 1 |
| my_write | 1 |
| my_copyfile | 1 |
| my_open_create | 1 |
| my_unlink | 1 |
| my_close | 1 |
| my_lseek | 1 |
| my_read | 1 |
| my_open | 1 |

| | |
|---|---|
| DeleteRegistryValue | 1 |
| IILC | 1 |
| RPI | 1 |
| ISA | 1 |
| ?IsAllocated@NTFS_BITMAP@@QBEEVBIG_ | 1 |
| @Sysutils@StrCopy\$qqrpbx _b | 1 |
| SetLanguageFile | 1 |
| IsTaskExists | 1 |
| DeleteTask | 1 |
| EditTask | 1 |
| GetTaskInfo | 1 |
| SetTaskDetails | 1 |
| GetTaskDetails | 1 |
| CreateNewTask_OnLogon | 1 |
| CreateNewTask_OnStart | 1 |
| CreateNewTask_Weekly | 1 |
| CreateNewTask_Daily | 1 |
| IsmlsAttributeSetOnObject | 1 |
| IsmClearAttributeOnObject | 1 |
| IsmlsApplyObject | 1 |
| IsmRegisterPreEnumerationCallback | 1 |
| IsmRegisterPostEnumerationCallback | 1 |
| IsmlsPersistentObjectId | 1 |
| TrackedIsmCompressEnvironmentString | 1 |
| IsmExecuteHooks | 1 |
| IsmAddPropertyToObject _{Id} | 1 |
| IsmlsPersistentObject | 1 |
| IsmMakeNonCriticalObject | 1 |
| IsmClearPersistenceOnObject _{Id} | 1 |
| IsmRegisterStaticExclusion | 1 |
| NdrContextHandleSize | 1 |
| ?Signature@@YAHHPAPAD@Z | 1 |
| @System@@BlockRead\$qqrv | 1 |
| @\$xp\$18Forms@TModalResult | 1 |
| @Imglist@TCustomImageList@\$bctr\$qqri | 1 |
| @Graphics@TBitmap@SetMonochrome\$qq | 1 |
| @Graphics@TBitmap@GetMonochrome\$qc | 1 |
| @Controls@TWinControl@WMNCPaint\$qqi | 1 |
| @Controls@TWinControl@WMNCCalcSize\$ | 1 |
| @Controls@TControl@CMParentColorChan | 1 |
| @Controls@FindDragTarget\$qqrrx14Window | 1 |
| @Stdctrls@TCustomEdit@CMFontChanged\$ | 1 |
| @Stdctrls@TCustomEdit@SetOEMConvert\$ | 1 |
| @Stdctrls@TCustomEdit@SetHideSelection\$ | 1 |
| ??1Snmp@@QAE@XZ | 1 |
| ??1Vb@@QAE@XZ | 1 |
| ??1Pdu@@QAE@XZ | 1 |

| | |
|--------------------------------------|---|
| ?get_value@Vb@@QAEHPAEAAKK@Z | 1 |
| ?get_vb@Pdu@@QBEHAAVVb@@H@Z | 1 |
| ?get@Snmp@@UAEHAAVPdu@@AAVSnm  | 1 |
| ??YPdu@@QAEAAV0@AAVVb@@@Z | 1 |
| ??OPdu@@QAE@XZ | 1 |
| ??0Vb@@QAE@ABVOid@@@Z | 1 |
| ??0Snmp@@QAE@AAHG@Z | 1 |
| ?set_timeout@SnmpTarget@@QAEXK@Z | 1 |
| ?set_retry@SnmpTarget@@QAEXH@Z | 1 |
| ??0CTarget@@QAE@ABVAddress@@@Z | 1 |
| ??0Oid@@QAE@PBD@Z | 1 |
| ??0IpAddress@@QAE@PBD@Z | 1 |
| initSNMP | 1 |
| ??1SnmpUInt32@@UAE@XZ | 1 |
| ??1CTarget@@UAE@XZ | 1 |
| ??1Address@@UAE@XZ | 1 |
| ??1SnmpTarget@@UAE@XZ | 1 |
| ?get_notify_filter@Snmp@@UAEHAV?\$Sn | 1 |
| ?notify_unregister@Snmp@@UAEHXZ | 1 |
| ?notify_register@Snmp@@UAEHABV?\$Snn | 1 |
| ?notify_register@Snmp@@UAEHABV?\$Snn | 1 |
| ?inform@Snmp@@UAEHAAVPdu@@AAVSi | 1 |
| ?inform@Snmp@@UAEHAAVPdu@@AAVSi | 1 |
| ?trap@Snmp@@UAEHAAVPdu@@AAVSnm | 1 |
| ?get_bulk@Snmp@@UAEHAAVPdu@@AAV | 1 |
| ?get_bulk@Snmp@@UAEHAAVPdu@@AAV | 1 |
| ?set@Snmp@@UAEHAAVPdu@@AAVSnm  | 1 |
| ?set@Snmp@@UAEHAAVPdu@@AAVSnm  | 1 |
| ?get_next@Snmp@@UAEHAAVPdu@@AAV | 1 |
| ?get_next@Snmp@@UAEHAAVPdu@@AAV | 1 |
| ?get@Snmp@@UAEHAAVPdu@@AAVSnm  | 1 |
| ?cancel@Snmp@@UAEHK@Z | 1 |
| ??1Oid@@UAE@XZ | 1 |
| ??1IpAddress@@UAE@XZ | 1 |
| ?valid@Address@@UBEHXZ | 1 |
| uninitSNMP | 1 |
| ??0GemThread@@QAE@PBD@Z | 1 |
| ?setJoinable@GemThread@@UAEX_N@Z | 1 |
| ?isJoinable@GemThread@@UBE_NXZ | 1 |
| ?start@GemThread@@UAEXXZ | 1 |
| ??1GemThread@@MAE@XZ | 1 |
| GdipEmfToWmfBits | 1 |
| Oex11 | 1 |
| CreateDIBSec | 1 |
| | 6 |
| ciCOS | 1 |
| adj_fptan | 1 |

| | |
|-------------------------------------|---|
| McIRGB | 1 |
| BT_SetAppVersion | 1 |
| ?BilinearResizeMem24@@YAHPAUtagDSRG | 1 |
| u32TxBufResizeEx | 1 |
| i32ColorFilter | 1 |
| i32MergeEx | 1 |
| mem32MergeMem | 1 |
| mem32GetMem | 1 |
| @\$xp\$21Classes@TMemoryStream | 1 |
| @Sysutils@AnsiStrPos\$qqrpct1 | 1 |
| @Sysutils@Exception@\$bctr\$qqri | 1 |
| @Sysutils@StrComp\$qqrpct1 | 1 |
| @Sysutils@FileSetDate\$qqrii | 1 |
| @Sysutils@FileGetDate\$qqri | 1 |
| @Sysutils@FileSeek\$qqrixji | 1 |
| @Sysutils@FileRead\$qqripvui | 1 |
| @Graphics@TIcon@ReleaseHandle\$qqrv | 1 |
| @\$xp\$5TDate | 1 |
| BeginKeybrdHook | 1 |
| ?GetLangString@CG_LangUtil@@QAEPADH | 1 |
| ??1CG_LangUtil@@UAE@XZ | 1 |
| ?ReadLangString@CG_LangUtil@@QAEHGP | 1 |
| ??0CG_LangUtil@@QAE@XZ | 1 |
| ?HfxWon@@YGXAAVCString@@H@Z | 1 |
| ?XAbout_Dlg@@YGHPAD0@Z | 1 |
| ?XHelp_Dlg@@YGHPAD00PAH@Z | 1 |
| ?XHelp_GetData@@YGHPADHH@Z | 1 |
| ?SetMsg@CNeoXView@@UAEXVCString@C | 1 |
| ?OnGmDbDown@CG_OneGrid@@UAEIJ@: | 1 |
| ??0CNeoXWinApp@@QAE@PBD@Z | 1 |
| ?GetRuntimeClass@CNeoXWinApp@@UBEI | 1 |
| ?OnGmDbUpdate@CG_OneGrid@@UAEIJ(C | 1 |
| ?classCNeoXFrameWnd@CNeoXFrameWnd(| 1 |
| ?messageMap@CNeoXFrameWnd@@1UAF | 1 |
| ?DrawMenuNonClientBkgnd@CNeoXFrame\ | 1 |
| ?DrawMenuClientBkgnd@CNeoXFrameWnd | 1 |
| ?DrawMenuSidebar@CNeoXFrameWnd@@ | 1 |
| ?DrawMenuBorder@CNeoXFrameWnd@@I | 1 |
| ?MessageDsp@CNeoXFrameWnd@@UAEXI | 1 |
| ?SetUserID@CNeoXFrameWnd@@UAEXVC | 1 |
| ?SetMsg@CNeoXFrameWnd@@UAEXVCStri | 1 |
| ?DelayUpdateFrameMenu@CNeoXFrameWi | 1 |
| ?OnUpdateFrameMenu@CNeoXFrameWnd(| 1 |
| ?OnUpdateFrameTitle@CNeoXFrameWnd@ | 1 |
| ?OnCreateClient@CNeoXFrameWnd@@MA | 1 |
| ?RecalcLayout@CNeoXFrameWnd@@MAEX | 1 |
| ?PreTranslateMessage@CNeoXFrameWnd@ | 1 |

| | |
|-------------------------------------|---|
| ?PreCreateWindow@CNeoXFrameWnd@@I | 1 |
| ?OnFinalRelease@CNeoXFrameWnd@@UAI | 1 |
| ??0CNeoXFrameWnd@@QAE@XZ | 1 |
| ??1CNeoXFrameWnd@@UAE@XZ | 1 |
| ?OnCreate@CNeoXFrameWnd@@IAEHPAU | 1 |
| ?SetMenu@CMenuBar@@QAE_NPAUHMEI | 1 |
| ?GetRuntimeClass@CNeoXComboBox@@U | 1 |
| ??1CNeoXComboBox@@UAE@XZ | 1 |
| ??0CNeoXComboBox@@QAE@XZ | 1 |
| ?messageMap@CNeoXComboBox@@1UAF | 1 |
| ?OnCreate@CNeoXComboBox@@IAEHPAU | 1 |
| ?PreTranslateMessage@CNeoXComboBox@ | 1 |
| ?OnGmSetUp@CG_OneGrid@@UAEXXZ | 1 |
| ?OnGmDbSetDwg@CG_OneGrid@@UAEJIJ(| 1 |
| ?OnGmDbYSpcResize@CG_OneGrid@@UAE | 1 |
| ?OnGmDbDelete@CG_OneGrid@@UAEJIJ@ | 1 |
| ??0CNeoXView@@IAE@XZ | 1 |
| ?OnGmDbAppend@CG_OneGrid@@UAEJIJ(| 1 |
| ?OnGmDbLast@CG_OneGrid@@UAEJIJ@Z | 1 |
| ?OnGmDbTop@CG_OneGrid@@UAEJIJ@Z | 1 |
| ?OnGmDbPgDn@CG_OneGrid@@UAEJIJ@Z | 1 |
| ?OnGmDbPgUp@CG_OneGrid@@UAEJIJ@Z | 1 |
| ?OnGmDbEnd@CG_OneGrid@@UAEJIJ@Z | 1 |
| ?OnGmDbHome@CG_OneGrid@@UAEJIJ@ | 1 |
| ?OnGmDbUp@CG_OneGrid@@UAEJIJ@Z | 1 |
| ?messageMap@CNeoXWinApp@@1UAFX_I | 1 |
| ?DoMessageBox@CNeoXWinApp@@UAEHF | 1 |
| ??1CNeoXWinApp@@UAE@XZ | 1 |
| ?InitInstance@CNeoXWinApp@@UAEHXZ | 1 |
| ?messageMap@CNeoXDialog@@1UAFX_M! | 1 |
| ?classCNeoXView@CNeoXView@@2UCRunI | 1 |
| ?messageMap@CNeoXView@@1UAFX_MS! | 1 |
| ?MessageDsp@CNeoXView@@UAEXVCStrir | 1 |
| ?SetUserID@CNeoXView@@UAEXVCString(| 1 |
| ?OnUpdate@CNeoXView@@MAEXPACVie | 1 |
| ?PreSubclassWindow@CNeoXView@@MAE | 1 |
| ??1CNeoXView@@MAE@XZ | 1 |
| ?PreTranslateMessage@CNeoXView@@UAI | 1 |
| ?OnEraseBkgnd@CNeoXView@@IAEHPAVC | 1 |
| ?OnSetFocus@CNeoXView@@IAEXPACWri | 1 |
| ?OnCreate@CNeoXView@@IAEHPAUtagCRI | 1 |
| ?OnSize@CNeoXView@@IAEXIHH@Z | 1 |
| ?OnInitialUpdate@CNeoXView@@UAEXXZ | 1 |
| ?PreCreateWindow@CNeoXView@@MAEH. | 1 |
| ?SetMaskAttr@CG_OneGrid@@QAEXHHPBI | 1 |
| ?SetEtc@CG_OneGrid@@QAEXHHI@Z | 1 |
| ?SetText@CG_OneGrid@@QAEXHHPBDH@ | 1 |

| | |
|--------------------------------------|---|
| ?SetText@CG_OneGrid@@QAEXHHVCString | 1 |
| ?SetDefSpace@CG_OneGrid@@QAEXHH@Z | 1 |
| ?SetScrollMode@CG_OneGrid@@QAEXH@: | 1 |
| ?GetColCount@CG_OneGrid@@QAEHH@Z | 1 |
| ?InitCols@CG_OneGrid@@QAEXHHH@Z | 1 |
| ?GetRowCount@CG_OneGrid@@QAEHXZ | 1 |
| ?Create@CG_OneGrid@@QAEHABUtagREC | 1 |
| ?SetFont@CG_OneGrid@@QAEXABUtagLOC | 1 |
| ?GetFont@CG_OneGrid@@QAEXAAUtagLO | 1 |
| ?Init@CG_OneGrid@@QAEXH@Z | 1 |
| ?GetText@CG_OneGrid@@QAE?AVCString(| 1 |
| ?WindowProc@CG_OneGrid@@MAEJIJ@Z | 1 |
| ??1CG_OneGrid@@UAE@XZ | 1 |
| ?GetRect@CG_OneGrid@@QAE?AUTagREC1 | 1 |
| ?SetCellWindow@CG_OneGrid@@QAEXHH | 1 |
| ?GotoXY@CG_OneGrid@@QAEXHH@Z | 1 |
| ??0CG_OneGrid@@QAE@XZ | 1 |
| ?messageMap@CG_OneGrid@@1UAFX_MS | 1 |
| ?messageMap@CG_UGCtrl@@1UAFX_MSG | 1 |
| ?OnScreenDCSetup@CG_UGCtrl@@UAEXP/ | 1 |
| ?UpdateCheckTitle@CG_UGCtrl@@QAEXHF | 1 |
| ?QuickGetText@CG_UGCtrl@@QAEPBDHJH | 1 |
| ?GetNumberRows@CG_UGCtrl@@QAEJXZ | 1 |
| ?DisplayData@CG_UGCtrl@@QAEXHH@Z | 1 |
| ?OnRH_LClicked@CG_UGCtrl@@UAEXHJHP | 1 |
| ?OnBH_DClicked@CG_UGCtrl@@UAEXHJP/ | 1 |
| ?OnBH_RClicked@CG_UGCtrl@@UAEXHJHF | 1 |
| ?OnBH_LClicked@CG_UGCtrl@@UAEXHJHP | 1 |
| ?GotoCell@CG_UGCtrl@@QAEHHJH@Z | 1 |
| ?OnRH_RClicked@CG_UGCtrl@@UAEXHJHF | 1 |
| ?GetCurrentRow@CG_UGCtrl@@QAEJXZ | 1 |
| ?OnBottomHdgSizing@CG_UGCtrl@@UAEH | 1 |
| ?OnRightHdgSized@CG_UGCtrl@@UAEPHPA | 1 |
| ?OnCanSizeRightHdg@CG_UGCtrl@@UAEH. | 1 |
| ?WindowProc@CG_UGCtrl@@MAEJIJ@Z | 1 |
| ?OnCommand@CG_UGCtrl@@MAEHIIJ@Z | 1 |
| ?PreCreateWindow@CG_UGCtrl@@MAEHA | 1 |
| ??1CG_UGCtrl@@UAE@XZ | 1 |
| ??0CG_UGCtrl@@QAE@XZ | 1 |
| ??1CG_UGCell@@UAE@XZ | 1 |
| ?SetUserColWidth@CG_UGCtrl@@QAEXXZ | 1 |
| ?SetMixMode@CG_UGCtrl@@QAEXH@Z | 1 |
| ?SetSelColor@CG_UGCtrl@@QAEXHH@Z | 1 |
| ?SetDoubleBufferMode@CG_UGCtrl@@QA | 1 |
| ?SetSelectMode@CG_UGCtrl@@QAEXH@Z | 1 |
| ?SetNumberRows@CG_UGCtrl@@QAEHJH! | 1 |
| ?SetInputTpye@CG_UGCtrl@@QAEXVCStrir | 1 |

| | |
|--------------------------------------|---|
| ?OnBottomHdgSized@CG_UGCtrl@@UAEH@ | 1 |
| ?OnRightHdgSizing@CG_UGCtrl@@UAEHP@ | 1 |
| ?CreateTypeListBox@CG_UGCtrl@@QAEXH@ | 1 |
| ?OnKeyUp@CG_UGCtrl@@UAEXIII@Z | 1 |
| ?OnRH_DClicked@CG_UGCtrl@@UAEXHJP@ | 1 |
| ?CreateGrid@CG_UGCtrl@@QAEHKABUtag | 1 |
| ?OnCanSizeBottomHdg@CG_UGCtrl@@UAf | 1 |
| ?SetColDefault@CG_UGCtrl@@QAEHHPAV@ | 1 |
| ?SetCell@CG_UGCtrl@@QAEHHJPACG_UC | 1 |
| ?SetColWidth@CG_UGCtrl@@QAEHHH@Z | 1 |
| ?SetBool@CG_UGCell@@QAEHH@Z | 1 |
| ?SetLabelText@CG_UGCell@@QAEHPBD@Z | 1 |
| ?SetCellTypeEx@CG_UGCell@@QAEHJ@Z | 1 |
| ?GetCell@CG_UGCtrl@@QAEHHJPACG_U@ | 1 |
| ?SetMaskAttr@CG_UGCtrl@@QAEHHPADH@ | 1 |
| ?QuickSetText@CG_UGCtrl@@QAEHHJPBD@ | 1 |
| ?SetCellType@CG_UGCell@@QAEHH@Z | 1 |
| ?JoinTitleCells@CG_UGCtrl@@QAEHHHH@I | 1 |
| ?SetBH_Height@CG_UGCtrl@@QAEHH@Z | 1 |
| ?SetBH_NumberRows@CG_UGCtrl@@QAEf | 1 |
| ?SetTH_NumberRows@CG_UGCtrl@@QAEf | 1 |
| ?SetNumberCols@CG_UGCtrl@@QAEHHH@C | 1 |
| ??OCG_UGCell@@QAE@XZ | 1 |
| ?OnColSized@CG_UGCtrl@@UAEXHPAH@Z | 1 |
| ?SetListMode@CG_UGCtrl@@QAEZH@Z | 1 |
| ?StartEdit@CG_UGCtrl@@QAEHXZ | 1 |
| ?GetCellID@CG_UGCtrl@@QAEKHH@Z | 1 |
| ?GetCurrentCol@CG_UGCtrl@@QAEHXZ | 1 |
| ?StartEdit@CG_UGCtrl@@QAEHH@Z | 1 |
| ?SetText@CG_UGCell@@QAEHPBDHJ@Z | 1 |
| ?GetNumber@CG_UGCell@@QAENXZ | 1 |
| ?GetText@CG_UGCell@@QAEPBDXZ | 1 |
| ?GetData-Type@CG_UGCell@@QAEHXZ | 1 |
| ?GetCellRect@CG_UGCtrl@@QAEHPAHPAJI | 1 |
| ?SetBallisticKeyMode@CG_UGCtrl@@QAE- | 1 |
| ?AddStringTypeListBox@CG_UGCtrl@@QAE | 1 |
| ?SetTypeListBox@CG_UGCtrl@@QAEZH@Z | 1 |
| ?GotoCol@CG_UGCtrl@@QAEHH@Z | 1 |
| ??1CG_DzSplashwin@@UAE@XZ | 1 |
| ?ShowSplashText@CG_DzSplashwin@@QAE | 1 |
| ?GetMessageMap@CG_DzSplashwin@@ME | 1 |
| ??OCG_DzSplashwin@@QAE@IHKKK@Z | 1 |
| ?TWO_Dlg@CG_Calendar_@@QAEIPAVCStr | 1 |
| ?DLLGetDay@CG_Calendar_@@QAEXPAC! | 1 |
| ??OCG_Calendar_@@QAE@PAVCWnd@@@C | 1 |
| ??1CG_Calendar_@@UAE@XZ | 1 |
| ?OnReleaseUpdateRemoveList@G_DataSou | 1 |

| | |
|---------------------------------------|---|
| ?OnSetKeyField@G_DataSource@@QAEXP@ | 1 |
| ?OnOneRecordCommit@G_DataSource@@I | 1 |
| ?OnGetRecordStatus@G_DataSource@@QA | 1 |
| ?OnSetRecordStatus@G_DataSource@@QA | 1 |
| ?OnGetFieldValue@G_DataSource@@QAE? | 1 |
| ?OnSetFieldValue@G_DataSource@@QAE_I | 1 |
| ?OnSetFieldValue@G_DataSource@@QAE_I | 1 |
| ?OnBeginTrans@G_DataSource@@QAE_NX | 1 |
| ?OnGetFieldValue@G_DataSource@@QAE? | 1 |
| ?OnRemoveRecord@G_DataSource@@QAE | 1 |
| ?OnExecuteQuery@G_DirectSQL@@QAE_N | 1 |
| ?OnCommitTrans@G_DataSource@@QAE_I | 1 |
| ?OnRollbackTrans@G_DataSource@@QAE_ | 1 |
| ?OnExecuteSQL@G_DataSource@@QAE_N\ | 1 |
| ?OnOneRecordCommit@G_DataSource@@I | 1 |
| ?OnGetRecordCount@G_DataSource@@QA | 1 |
| ?OnGetFieldCount@G_BulkDataSource@@C | 1 |
| ??0G_BulkDataSource@@QAE@XZ | 1 |
| ??0G_DataSource@@QAE@XZ | 1 |
| ??0G_DirectSQL@@QAE@XZ | 1 |
| ?OnGetFieldValue@G_BulkDataSource@@C | 1 |
| ??1G_BulkDataSource@@QAE@XZ | 1 |
| ??1G_DataSource@@QAE@XZ | 1 |
| ??1G_DirectSQL@@QAE@XZ | 1 |
| ?OnRetrievalSQLOpen@G_BulkDataSource@ | 1 |
| ?OnGetRecordCount@G_BulkDataSource@() | 1 |
| ?OnGetFieldValue@G_BulkDataSource@@C | 1 |
| ?OnMemClear@G_BulkDataSource@@QAE | 1 |
| ?OnReleaseMem@G_DataSource@@QAEX\ | 1 |
| ?XHelp_SITEM_GetData@@YGHAAVCString. | 1 |
| ?XHelp_LCTRL_MGM_D_Dlg@@YGHPAD000 | 1 |
| ?XHelp_LCTRL_MGM_D_GetData@@YGHPA | 1 |
| ?XHelp_SITEM_Dlg@@YGHPAD000HH@Z | 1 |
| UpdateSessionCheckForFiles | 1 |
| UpdateSessionDownloadFiles | 1 |
| UpdateSessionDownloadFileEx | 1 |
| UpdateSessionClearEx | 1 |
| UpdateDataUninit | 1 |
| UpdateUninit | 1 |
| UpdateInit | 1 |
| UpdateDataInit | 1 |
| UpdateSessionInit | 1 |
| UpdateSessionClear | 1 |
| UpdateSessionUninit | 1 |
| ?CopyDirContents@@YAKPB_WOP6AHPA_V | 1 |
| ?getFirstMappingItem@CMappingFile@@Q | 1 |
| ?FreeInstance@CMappingFile@@SAXXZ | 1 |

| | |
|--|---|
| ?GetInstance@CMappingFile@@SAPAV1@F | 1 |
| ?getFirstReuseItem@CMappingFile@@QAEI | 1 |
| ?ExtendUrlPath@@YAXPA_WIPB_W@Z | 1 |
| ?getIncompatibilityMessage@CMappingFile | 1 |
| ?IsEnoughDiskSpace@@YA_NPB_WI@Z | 1 |
| ?getMinVersion@CMappingFile@@QAEXAA | 1 |
| ?getUserAgentProps@CLoaderControlFile@ | 1 |
| ?getLicenseURL@CLoaderControlFile@@QA | 1 |
| ?ConvertProductLanguageForUserAgent@@ | 1 |
| ?getSetupFilename@CMappingFile@@QAE | 1 |
| ?getFirstSetupParameter@CMappingFile@C | 1 |
| ?getFirstSetupExitCode@CMappingFile@@C | 1 |
| ?getFirstUpdateServer@CLoaderControlFile | 1 |
| ?getMasterIdxUrl@CLoaderControlFile@@C | 1 |
| ?getProductLanguageURLs@CLoaderControl | 1 |
| ?GetInstance@CLoaderControlFile@@SAPA | 1 |
| ?getXMLTree@CXMLFile@@QAEPAU_scew_ | 1 |
| ?getFirstProduct@CLoaderControlFile@@Q | 1 |
| ?getFirstLanguageOfProduct@CLoaderContr | 1 |
| ?getFirstUILanguage@CLoaderControlFile(C | 1 |
| ?FreeInstance@CLoaderControlFile@@SAX | 1 |
| ?StringReplace@@YAXPA_WIPB_W1@Z | 1 |
| ?myTrace@@YAXPB_W_N@Z | 1 |
| ?WriteUnlock@CLKRHashTable@@QBEXXZ | 1 |
| GetModuleDirectory | 1 |
| GetOS | 1 |
| ?QueryIterator@LIST@@UBEPAVITERATOR(| 1 |
| ?DeleteAllMembers@SEQUENTIAL_CONTAI | 1 |
| ??1ITERATOR@@UAE@XZ | 1 |
| ?SetChAt@WSTRING@@QAEGGK@Z | 1 |
| ?FindNext@ITERATOR@@UAEPAVOBJECT@ | 1 |
| ??0ITERATOR@@IAE@XZ | 1 |
| ?EliminateCycles@DIGRAPH@@QAEEPAVCC | 1 |
| ?QueryNumParents@DIGRAPH@@QBEKK@ | 1 |
| ?PowForceAllocation@IO_DP_DRIVE@@QA | 1 |
| ?QueryUdfMediaNeedsVat@DP_DRIVE@@(| 1 |
| ?QueryUdfMediaNeedsSparing@DP_DRIVE(C | 1 |
| ?IsUdfMediaWritable@DP_DRIVE@@QAEE | 1 |
| ?WaitForUnit@DP_DRIVE@@QAEEPAVMES: | 1 |
| ?QueryUdfMediaSupportsBackgroundForma | 1 |
| ?QueryDiscStatus@DP_DRIVE@@QAEEPAKC | 1 |
| ?ReinitiateBackgroundFormat@DP_DRIVE@ | 1 |
| ?QueryNextWritableAddress@DP_DRIVE@C | 1 |
| ?QueryUdfMediaSupportsQuickGrow@DP_L | 1 |
| ?ReadFormattableCapacity@DP_DRIVE@@(| 1 |
| ?QueryVolumeBounds@DP_DRIVE@@QAEE | 1 |
| ?QueryFreeBlocksInLastTrack@DP_DRIVE@C | 1 |

| | |
|--|---|
| ?SendPowLowLevelFormat@DP_DRIVE@@C | 1 |
| ?SetPowTrackConfiguration@DP_DRIVE@@ | 1 |
| ?QueryLastWritableAddress@DP_DRIVE@@ | 1 |
| ?QueryHighestTrackAddress@DP_DRIVE@@ | 1 |
| ?SetSectors@DP_DRIVE@@QAEXVBIG_INT@ | 1 |
| ??0POW_CACHE@@QAE@XZ | 1 |
| ??0WRITE_ONCE_CACHE@@QAE@XZ | 1 |
| ?Initialize@WRITE_ONCE_CACHE@@QAEEP | 1 |
| ?Initialize@POW_CACHE@@QAEEPAVIO_DI | 1 |
| ?Initialize@POW_CACHE@@QAEEKKKKK@Z | 1 |
| ??0READ MODIFY_WRITE_CACHE@@QAE@ | 1 |
| ?Initialize@READ MODIFY_WRITE_CACHE@ | 1 |
| ?WaitForWriteCompletion@DP_DRIVE@@C | 1 |
| ?QueryUdfMediaHasPow@DP_DRIVE@@Q/ | 1 |
| ?QueryEccBlockSizeInSectors@DP_DRIVE@C | 1 |
| ?QueryRewritableMOSupport@DP_DRIVE@ | 1 |
| GetSkinsName | 1 |
| getEBX | 1 |
| GetAF | 1 |
| ?PrintFooter@CCrystalTextView@@UAEXP@ | 1 |
| ?PrintHeader@CCrystalTextView@@UAEXP. | 1 |
| ?GetLineCount@CCrystalTextView@@UAEH | 1 |
| ?ResetView@CCrystalEditView@@UAEXXZ | 1 |
| ?OnEndPrinting@CCrystalTextView@@MAE | 1 |
| ?OnPrint@CCrystalTextView@@MAEXP AVC | 1 |
| ?OnBeginPrinting@CCrystalTextView@@M/ | 1 |
| ?OnPreparePrinting@CCrystalTextView@@I | 1 |
| ?OnDraw@CCrystalTextView@@UAEXP AVC | 1 |
| ?OnInitialUpdate@CCrystalTextView@@MA | 1 |
| ?OnPrepareDC@CCrystalTextView@@UAEX | 1 |
| ?PreTranslateMessage@CCrystalTextView@ | 1 |
| ?OnCmdMsg@CCrystalTextView@@UAEHIF | 1 |
| ??1CCrystalParser@@UAE@XZ | 1 |
| ??1CCrystalEditViewEx@@UAE@XZ | 1 |
| ?SetDisableBSAtSOL@CCrystalEditView@@C | 1 |
| ?SetParser@CCrystalTextView@@QAEPAVC | 1 |
| ??0CCrystalParser@@QAE@XZ | 1 |
| ??0CCrystalEditViewEx@@QAE@XZ | 1 |
| ?PreCreateWindow@CCrystalTextView@@I | 1 |
| ?IsSelection@CCrystalTextView@@QAEHZ | 1 |
| ?SetTextType@CCrystalTextView@@UAE_N | 1 |
| ?SetTextType@CCrystalTextView@@UAE_N | 1 |
| ?UpdateView@CCrystalEditView@@UAEXP, | 1 |
| ?OnEditOperation@CCrystalEditView@@UA | 1 |
| ?QueryEditable@CCrystalEditView@@UAEF | 1 |
| ?ParseLine@CCrystalEditViewEx@@MAEKKI | 1 |
| ?messageMap@CCrystalEditView@@1UAFX | 1 |

| | |
|---|---|
| ?classCCrystalEditViewEx@CCrystalEditView | 1 |
| ?GetCursorPos@CCrystalTextView@@QAE? | 1 |
| ?Create@CReg@@QAEPAUHKEY__@@PAU | 1 |
| ?SaveBinary@CReg@@QAE_NPBDQAEK@Z | 1 |
| ?GetReadOnly@CCrystalTextBuffer@@QBEI | 1 |
| ?SetReadOnly@CCrystalTextBuffer@@QAE\ | 1 |
| ?GetExt@@YA?AVCString@@V1@@Z | 1 |
| ?RetypeViews@CCrystalTextBuffer@@QAEF | 1 |
| ?SaveToFile@CCrystalTextBuffer@@QAEHP | 1 |
| ?StopWatching@CFileEvent@@QAEXXZ | 1 |
| ?RemoveFile@CFileEvent@@QAEXPBD@Z | 1 |
| ?LoadFromFile@CCrystalTextBuffer@@QAE | 1 |
| ?GetItalic@CCrystalTextView@@UAEEHH@Z | 1 |
| ?StartWatching@CFileEvent@@QAEXXZ | 1 |
| ?PopCursor@CCrystalTextView@@QAEXXZ | 1 |
| ?InitNew@CCrystalTextBuffer@@QAEHH@; | 1 |
| ?FreeAll@CCrystalTextBuffer@@QAEXXZ | 1 |
| ??1CCrystalTextBuffer@@UAE@XZ | 1 |
| ?SetModified@CCrystalTextBuffer@@UAEX | 1 |
| ??0CCrystalTextBuffer@@QAE@XZ | 1 |
| ?GetRuntimeClass@CCrystalTextBuffer@@I | 1 |
| ?GetMessageMap@CCrystalTextBuffer@@N | 1 |
| ?GetActionDescription@CCrystalTextBuffer(| 1 |
| ??0CFileEvent@@QAE@XZ | 1 |
| ??1CFileEvent@@UAE@XZ | 1 |
| ?SetText@CCrystalTextView@@QAEXAAVC\ | 1 |
| ?GetText@CCrystalTextView@@QAEXAAVC | 1 |
| ??0CReg@@QAE@XZ | 1 |
| ?Open@CReg@@QAEPAUHKEY__@@PAU2 | 1 |
| ?CanRedo@CCrystalTextBuffer@@QAEHXZ | 1 |
| ?CanUndo@CCrystalTextBuffer@@QAEHXZ | 1 |
| ??1CEditorOptionsPage@@UAE@XZ | 1 |
| ??1CFontPage@@UAE@XZ | 1 |
| ??0CFontPage@@QAE@PAVCCrystalTextVi\ | 1 |
| ?LoadNumber@CReg@@QAE_NPBDOPAK@ | 1 |
| ?DeleteSubKeys@CReg@@QAE_NXZ | 1 |
| ?SaveNumber@CReg@@QAE_NPBDK@Z | 1 |
| ?Close@CReg@@QAEXXZ | 1 |
| ?LoadSettings@CCrystalTextView@@SAXXZ | 1 |
| ?LoadSettings@CMemComboBox@@SAXXZ | 1 |
| ?szWIspellPath@CCrystalEditView@@2PAD. | 1 |
| ??0CEditorOptionsPage@@QAE@PAVCCrys\ | 1 |
| ?SetDisableDragAndDrop@CCrystalTextView | 1 |
| ?OnCreate@CCrystalEditView@@IAEHPAUT | 1 |
| ?FileExist@@YA_NPBD@Z | 1 |
| ?SetCursorPos@CCrystalTextView@@QAE\ | 1 |
| ?InsertText@CCrystalTextBuffer@@QAEHP/ | 1 |

| | |
|---|---|
| ?OnEditDelete@CCrystalEditView@@IAEXX: | 1 |
| ?folderDlg@@YAHPADPBD1KPAUWND__C | 1 |
| ?SetSelectionMargin@CCrystalTextView@@ | 1 |
| ?SetWordWrapping@CCrystalTextView@@(| 1 |
| ?GetTextType@CCrystalTextView@@SAPAU | 1 |
| ?GetPrintFooterText@CCrystalTextView@@ | 1 |
| ?UpdateSiblingScrollPos@CCrystalTextView(| 1 |
| ?OnUpdateSibling@CCrystalTextView@@U/ | 1 |
| ?GetSubLineCount@CCrystalTextView@@U. | 1 |
| ?GetSubLineIndex@CCrystalTextView@@U/ | 1 |
| ?GetLineBySubLine@CCrystalTextView@@U | 1 |
| ?GetLineLength@CCrystalTextView@@UAEI | 1 |
| ?GetLineActualLength@CCrystalTextView@(| 1 |
| ?GetLineChars@CCrystalTextView@@UAEPI | 1 |
| ?GetLineFlags@CCrystalTextView@@UAEKI | 1 |
| ?GetText@CCrystalTextView@@UAEXABVC | 1 |
| ?TextInClipboard@CCrystalTextView@@UA | 1 |
| ?PutToClipboard@CCrystalTextView@@UAI | 1 |
| ?GetFromClipboard@CCrystalTextView@@I | 1 |
| ?PrepareDragData@CCrystalTextView@@U. | 1 |
| ?GetDropEffect@CCrystalEditView@@MAEI | 1 |
| ?OnDropSource@CCrystalEditView@@MAE: | 1 |
| ?GetColor@CCrystalTextView@@UAEKH@Z | 1 |
| ?PushCursor@CCrystalTextView@@QAEXXZ | 1 |
| ?GetLineColors@CCrystalTextView@@UAE\ | 1 |
| ?IsModified@CCrystalTextBuffer@@QBEHX: | 1 |
| ?GetBold@CCrystalTextView@@UAEHH@Z | 1 |
| ?DrawSingleLine@CCrystalTextView@@UAE | 1 |
| ?DrawMargin@CCrystalTextView@@UAEXP | 1 |
| ?WrapLine@CCrystalTextView@@UAEXHHF | 1 |
| ?InvalidateLineCache@CCrystalTextView@C | 1 |
| ?GetResourceHandle@CCrystalEditViewEx@ | 1 |
| ?DrawScreenLine@CCrystalTextView@@UA | 1 |
| ?DoSetTextType@CCrystalEditView@@UAE_ | 1 |
| ?AddFile@CFileEvent@@QAEXPBD@Z | 1 |
| ?SetTextType@CCrystalTextView@@UAE_N | 1 |
| ??1CReg@@QAE@XZ | 1 |
| ?ToXml@CXmlObjectBase@LtXmlLib5@@U | 1 |
| ?ToXmlStream@CXmlObjectBase@LtXmlLib! | 1 |
| ?ToFastInfoSetStream@CXmlObjectBase@Lt | 1 |
| ?FromXmlFile@CXmlObjectBase@LtXmlLib5 | 1 |
| ?FromXml@CXmlObjectBase@LtXmlLib5@C | 1 |
| ?FromXml@CXmlObjectBase@LtXmlLib5@C | 1 |
| ?FromXmlStream@CXmlObjectBase@LtXmlI | 1 |
| ?FromXmlStream@CXmlObjectBase@LtXmlI | 1 |
| ?FromXmlElement@CXmlObjectBase@LtXm | 1 |
| ?FromXmlElement@CXmlObjectBase@LtXm | 1 |

| | |
|---|---|
| ?GetTargetNamespace@CXmlCollectionBase@ | 1 |
| ?GetNamespace@CXmlCollectionBase@LtXm | 1 |
| ?AttributesToXml_Int@CXmlCollection@LtX | 1 |
| ?GetCount@CXmlCollection@LtXmlLib5@@ | 1 |
| ?Clear@CXmlCollection@LtXmlLib5@@UAE | 1 |
| ?Remove@CXmlCollection@LtXmlLib5@@U | 1 |
| ?ValidateCount@CXmlCollectionBase@LtXm | 1 |
| ??4CXmlCollection@LtXmlLib5@@QAEAAVC | 1 |
| ??0CXmlGeneratedClass@LtXmlLib5@@QAI | 1 |
| ?AttributesToXml_Int@CXmlGeneratedClass | 1 |
| ?ToXml_Int@CXmlGeneratedClass@LtXmlLib | 1 |
| ?FromXml_Int@CXmlGeneratedClass@LtXm | 1 |
| ??4CXmlGeneratedClass@LtXmlLib5@@QAI | 1 |
| ?AddRef@CXmlObjectBase@LtXmlLib5@@C | 1 |
| ?Release@CXmlObjectBase@LtXmlLib5@@(| 1 |
| ??1CLtException@LtXmlLib5@@UAE@XZ | 1 |
| ??0CLtException@LtXmlLib5@@QAE@ABVC | 1 |
| ??0CLtException@LtXmlLib5@@QAE@V?\$b | 1 |
| ??1CLtInvalidStateException@LtXmlLib5@@ | 1 |
| ?FormatString@LtXmlLib5@@YA?AV?\$basic | 1 |
| ??_7CLtInvalidStateException@LtXmlLib5@@(| 1 |
| ??0CLtInvalidStateException@LtXmlLib5@@ | 1 |
| ?GetElementTypeNamespaceUri@CClassfac | 1 |
| ?GetNamespaceURI@CXmlElement@LtXmlL | 1 |
| ?GetLocalName@CXmlElement@LtXmlLib5@ | 1 |
| ?GetElementType@CClassfactoryBase@LtXr | 1 |
| ??0CLtInvalidStateException@LtXmlLib5@@ | 1 |
| ??1CXmlDocument@LtXmlLib5@@UAE@XZ | 1 |
| ?GetDocumentElement@CXmlDocument@L | 1 |
| ?LoadXml@CXmlDocument@LtXmlLib5@@(| 1 |
| ??0CXmlDocument@LtXmlLib5@@QAE@W | 1 |
| ?GetSchemaType@CXmlSerializationContex | 1 |
| ?Load@CXmlDocument@LtXmlLib5@@QAE | 1 |
| ?LoadXmlStream@CXmlDocument@LtXmlLi | 1 |
| ?GetData@CBinaryData@LtXmlLib5@@QBE | 1 |
| ?GetLength@CBinaryData@LtXmlLib5@@Q | 1 |
| ?m_defaultContext@CXmlSerializationConte | 1 |
| ?Add@CNamespaceAliasMap@LtXmlLib5@@ | 1 |
| ?GetNamespaceAliases@CXmlSerializationC | 1 |
| ?ToFastInfoSetFile@CXmlObjectBase@LtXml | 1 |
| ?Register@LtXmlLib5@@YAXPBD00@Z | 1 |
| ??1CLtInvalidValueException@LtXmlLib5@@ | 1 |
| ??_7CLtInvalidValueException@LtXmlLib5@ | 1 |
| ??0CLtInvalidValueException@LtXmlLib5@@ | 1 |
| ??0CLtInvalidValueException@LtXmlLib5@@ | 1 |
| ??0CLtValidationException@LtXmlLib5@@Q | 1 |
| ?Collapse@CWhitespaceUtils@LtXmlLib5@@(| 1 |

| | |
|---|---|
| ?Preserve@CWhitespaceUtils@LtXmlLib5@() | 1 |
| ?CleanMetaData@CXmlGeneratedClass@LtXmlLib5@() | 1 |
| ??0CParentElementInfo@LtXmlLib5Data@@ | 1 |
| ??1CParentElementInfo@LtXmlLib5Data@@ | 1 |
| ??1CPrimitiveRestrictions@LtXmlLib5@@UAE | 1 |
| ??0CPrimitiveRestrictions@LtXmlLib5@@QAE | 1 |
| ??0CAttributeInfoPrimitive@LtXmlLib5Data@() | 1 |
| ?AttributeToXml@CAttributeInfoPrimitive@() | 1 |
| ?AttributeFromXml@CAttributeInfoPrimitive@() | 1 |
| ?Validate@CAttributeInfoPrimitive@LtXmlLib5Data@() | 1 |
| ??1CAttributeInfoPrimitive@LtXmlLib5Data@() | 1 |
| ??0CInstanceMonitor@@QAE@PB_W@Z | 1 |
| ?GetString@LtVariant@LtXmlLib5@@QBE?A | 1 |
| ?GetI4@LtVariant@LtXmlLib5@@QBEJZ | 1 |
| ?IsValid@LtVariant@LtXmlLib5@@QBE_NXZ | 1 |
| ?SetInvalid@LtVariant@LtXmlLib5@@QAEX | 1 |
| ?SetString@LtVariant@LtXmlLib5@@QAEXV | 1 |
| ?SetI4@LtVariant@LtXmlLib5@@QAEXJ@Z | 1 |
| ?AppendItem@CXmlCollection@LtXmlLib5@() | 1 |
| ?AddItemAt@CXmlCollection@LtXmlLib5@() | 1 |
| ?RemoveNode@CXmlCollection@LtXmlLib5@() | 1 |
| ?GetNodeForItem@CXmlCollection@LtXmlLib5@() | 1 |
| ?GetNodeAtIndex@CXmlCollection@LtXmlLib5@() | 1 |
| ?ToXml_Int@CXmlObjectBase@LtXmlLib5@() | 1 |
| ?GetNextSiblingElement@CXmlElement@LtXmlLib5@() | 1 |
| ?FromXml_Int@CXmlObjectBase@LtXmlLib5@() | 1 |
| ?GetFirstElement@CXmlElement@LtXmlLib5@() | 1 |
| ?DoesElementNameMatch@CXmlObjectBase@() | 1 |
| ??0CAttributeInfoEnum@LtXmlLib5Data@@ | 1 |
| ?AttributeToXml@CAttributeInfoEnum@LtXmlLib5@() | 1 |
| ?AttributeFromXml@CAttributeInfoEnum@LtXmlLib5@() | 1 |
| ?Validate@CAttributeInfoEnum@LtXmlLib5Data@() | 1 |
| ??1CAttributeInfoEnum@LtXmlLib5Data@@ | 1 |
| ?GetI8@LtVariant@LtXmlLib5@@QBE_JXZ | 1 |
| ?SetI8@LtVariant@LtXmlLib5@@QAEX_J@Z | 1 |
| ??0CElementInfoSeqClsCol@LtXmlLib5Data@() | 1 |
| ?ElementToXml@CElementInfoSeqCol@LtXmlLib5Data@() | 1 |
| ?ElementFromXml@CElementInfoSeqCol@LtXmlLib5Data@() | 1 |
| ?Validate@CElementInfoSeq@LtXmlLib5Data@() | 1 |
| ?PseudoChildAttributeToXml@CElementInfoSeq@LtXmlLib5Data@() | 1 |
| ??1CElementInfoSeqClsCol@LtXmlLib5Data@() | 1 |
| ?GetR8@LtVariant@LtXmlLib5@@QBENXZ | 1 |
| ?SetXmlCollection@LtVariant@LtXmlLib5@() | 1 |
| ?SetR8@LtVariant@LtXmlLib5@@QAEXN@Z | 1 |
| ??0CXmlCollection@LtXmlLib5@@IAE@PB_W | 1 |
| ??1CXmlCollection@LtXmlLib5@@UAE@XZ | 1 |
| ??0CXmlGeneratedClass@LtXmlLib5@@QAI | 1 |

| | |
|---|---|
| ??1CXmlGeneratedClass@LtXmlLib5@@UAI | 1 |
| ?ToXmlFile@CXmlObjectBase@LtXmlLib5@() | 1 |
| ?GetBase@CXmlCollectionBase@LtXmlLib5@ | 1 |
| ?OnEvent@CXmlObjectBase@LtXmlLib5@@ | 1 |
| ??0CXmlCollection@LtXmlLib5@@QAE@AB | 1 |
| ??1CClassfactoryBase@LtXmlLib5@@UAE@ | 1 |
| ??0CClassfactoryBase@LtXmlLib5@@QAE@ | 1 |
| ?SetSchemaType@CXmlSerializationContext | 1 |
| CryptStr | 1 |
| installhook | 1 |
| ?GetVersatz@M3_Mdv@@QBEPAVM3_MD | 1 |
| ?GetShape@M3_Mdv@@QBEPAVM3_MDV | 1 |
| ?GetWazCarriage@M3_Mdv@@QBEPAVM3 | 1 |
| ?GetFdfStorage@M3_Mdv@@QBEPAVM3_I | 1 |
| ?ObjectExist@M3_Mdv@@QBE_NW4ClassS | 1 |
| ?GetCurrentIndex@M3_MDV_Settings@@C | 1 |
| ?GetSettings@M3_Mdv@@QBEPAVM3_ME | 1 |
| ?GetStrickRow@M3_MDV_StrickreiheToMd | 1 |
| ?GetStrickreiheToMdvRow@M3_Mdv@@Q | 1 |
| ?usFdfActionKlemmeOeffnen@M3_MDV_Fc | 1 |
| ?GetFdfActionMask@M3_MDV_FdF@@QBE | 1 |
| ?GetYftFieldId@M3_MDV_FdF@@QBECXZ | 1 |
| ?GetGarnfeld@M3_Mdv@@QBEPAVM3_MI | 1 |
| ?GetMdt@M3_Mdv@@QBEPAVM3_MDV_M | 1 |
| ?GetLds@M3_Mdv@@QBEPAVM3_MDV_Lc | 1 |
| ?GetNeedleBedCount@M3_Mdv@@QBEJXZ | 1 |
| ?GetMaxVisualRow@M3_MDV_VisualRows(| 1 |
| ?GetVisualRows@M3_Mdv@@QBEPAVM3_ | 1 |
| ??1M3_MDV_FdF@@UAE@XZ | 1 |
| ?GetFdfEndPosition@M3_MDV_FdF@@QBE | 1 |
| ?GetFdfStartPosition@M3_MDV_FdF@@QBE | 1 |
| ?usFdfActionKlemmeOeffnenSofort@M3_M | 1 |
| ?usFdfActionKlemmeNichtOeffnen@M3_M | 1 |
| ?SetKlemmenOeffnenActionMaskWithOffset | 1 |
| ?SetFdfRightCorrectionDeziNic@M3_MDV_F | 1 |
| ?SetFdfLeftCorrectionDeziNic@M3_MDV_Fd | 1 |
| ?Next@Iterator@M3_MDV_FdfStorage@@(| 1 |
| ?PutFdf@Iterator@M3_MDV_FdfStorage@() | 1 |
| ?usFdfActionSchwenken@M3_MDV_FdF@() | 1 |
| ?SetFdfActionMask@M3_MDV_FdF@@QAE | 1 |
| ?GetFdfActionAndOffset@M3_MDV_FdF@() | 1 |
| ?usFdfActionEinlegen@M3_MDV_FdF@@20 | 1 |
| ?GetFdF@Iterator@M3_MDV_FdfStorage@ | 1 |
| ?IsDone@Iterator@M3_MDV_FdfStorage@() | 1 |
| ?Reset@Iterator@M3_MDV_FdfStorage@() | 1 |
| ?GetData@M3_MDV_Garnfeld@@QBEXJJJP | 1 |
| ?GetCalcCarriageDirection@M3_MDV_Waz(| 1 |

| | |
|---|---|
| ?GetLastInFormPositionOfRow@M3_MDV_S | 1 |
| ??4M3_MDV_FdF@@QAEAAV0@ABV0@@@: | 1 |
| ?InitIndexIterator@M3_Mdv@@QAEXW4CI | 1 |
| ?GetNext@M3_Mdv@@QBE_NAAE@Z | 1 |
| ?GetModuleNumber@M3_Mdv@@QBE_NF | 1 |
| ?GetModuleOffset@M3_Mdv@@QBE_NPA\ | 1 |
| ?GetDbKey@M3_MDV_Mdt@@QBEABVM3 | 1 |
| ?usFdfActionNichtSchwenken@M3_MDV_Fc | 1 |
| ?ResetEntryIterator@M3_MDV_Mdt@@QA | 1 |
| ?GetNextModuleNumber@M3_MDV_Mdt@ | 1 |
| ?MdvRow@M3_Mdv@@QBEJJ@Z | 1 |
| ??HIterator@M3_Mdv@@QBE?AV01@J@Z | 1 |
| ?GetNeedleAction@M3_Mdv@@QBE_NPA\ | 1 |
| ?GetTrackNr@M3_MDV_FdfNames@@QAE | 1 |
| ??0M3_MDV_FdF@@QAE@XZ | 1 |
| ?First@M3_Mdv@@QBE?AVIterator@1 @_I | 1 |
| ?Last@M3_Mdv@@QBE?AVIterator@1 @_N | 1 |
| ??Elterator@M3_Mdv@@QAE?AV01@H@Z | 1 |
| ??1Iterator@M3_Mdv@@UAE@XZ | 1 |
| ??NIterator@M3_Mdv@@QBE_NABV01@C | 1 |
| ??DIterator@M3_Mdv@@QBEJXZ | 1 |
| ?KnitRow@M3_Mdv@@QBEJJ@Z | 1 |
| ??OIterator@M3_MDV_FdfStorage@@QAE(| 1 |
| ?GetFirstInFormPositionOfRow@M3_MDV_! | 1 |
| ?TpaAssert@@YAXPBDK@Z | 1 |
| ??1M3_RegelBase@@UAE@XZ | 1 |
| ?WriteStatusMsgToProblemAssist@M3_Reg | 1 |
| ??0M3_RegelBase@@QAE@XZ | 1 |
| ?LookupAndRun@M3_RegelBase@@QAE_N | 1 |
| ?WriteErrorMsgToProblemAssist@M3_Rege | 1 |
| ?GetErrorText@M3_RegelBase@@QBE_NJA | 1 |
| ?Get@M3_TPA_Properties@@QAE_NPB_W | 1 |
| ?GetInstance@M3_TPA_Properties@@SAP/ | 1 |
| ?ReleaseInstance@M3_TPA_Properties@@I | 1 |
| ??0M3_ISTIXXi@@QAE@PAVCWnd@@@Z | 1 |
| ??1M3_ISTIXXData@@UAE@XZ | 1 |
| ?GetSize@M3_YarnFieldTable@@QAEJXZ | 1 |
| ??1M3_YarnFieldTableRow@@UAE@XZ | 1 |
| ?SetIsPlattieren@M3_TechnikAuxiliary@@C | 1 |
| ?GetAuxiliaryData@M3_MDV_Technik@@C | 1 |
| ?GetIsWidth@M3_YarnFieldTableRow@@Q | 1 |
| ?GetFdfSchwenken@M3_YarnFieldTableRov | 1 |
| ?GetConnectedFdf@M3_YarnFieldTableRow | 1 |
| ?GetYarnFieldId@M3_YarnFieldTableRow@ | 1 |
| ?GetFdfFieldId@M3_YarnFieldTableRow@@ | 1 |
| ?GetFdflId@M3_YarnFieldTableRow@@QAE | 1 |
| ?GetRow@M3_YarnFieldTable@@QAEJJAA\ | 1 |

| | |
|---|---|
| ??0M3_YarnFieldTableRow@@QAE@XZ | 1 |
| ?SetRow@M3_YarnFieldTable@@QAEJJA\ | 1 |
| ?SetFdfType@M3_YarnFieldTableRow@@Q | 1 |
| ?GetFdfType@M3_YarnFieldTableRow@@C | 1 |
| ?GetClampOpenRows@M3_YarnFieldTable\ | 1 |
| ?GetFdfCorrectionRightWithSwivelDeziNic@ | 1 |
| ?GetFdfCorrectionLeftWithSwivelDeziNic@N | 1 |
| ?GetFdfCorrectionLeftWithoutSwivelDeziNic | 1 |
| ?FindGarnfeldRow@M3_YarnFieldTable@@ | 1 |
| ?GetFdfCorrectionRightWithoutSwivelDeziN | 1 |
| ??1M3_TechConnectionPoints@@UAE@XZ | 1 |
| ??1M3_ModuleWithConnectionPoints@@Q | 1 |
| ??1M3_MdvTechModuleAccess@@EAE@XZ | 1 |
| ?GetKnitFieldsInsideForm@M3_MdvTechFu\ | 1 |
| ?ClearVector@M3_MdvTechFunctions@@Q | 1 |
| ??0M3_MdvTechFunctions@@QAE@PAVM: | 1 |
| ??1M3_MdvTechFunctions@@UAE@XZ | 1 |
| ??1M3_FdfOffsetCalculateAndSet@@UAE@ | 1 |
| ?GetErrorMdvRow@M3_FdfOffsetInMotion\ | 1 |
| ?GetErrorFdfID@M3_FdfOffsetInMotion@@ | 1 |
| ?GetErrorCode@M3_FdfOffsetInMotion@@ | 1 |
| ?SetOffsetPosOfKnitRows@M3_FdfOffsetCa | 1 |
| ?Init@M3_FdfOffsetCalculateAndSet@@QA | 1 |
| ??4M3_FdfOffsetCalculateAndSet@@QAEA\ | 1 |
| ?GetCollisionDistanceNic@M3_FdfOffsetInN | 1 |
| ?IsNeedleCollision@M3_FdfOffsetInMotion(| 1 |
| ?CalcYarnPos@M3_FdfOffsetInMotion@@Q | 1 |
| ?SetOffsetPosOfKnitRowsCnt@M3_FdfOffse | 1 |
| ??0M3_FdfOffsetCalculateAndSet@@QAE@ | 1 |
| ?SetMcStoll@M3_IMcStoll@@QAE_NJ@Z | 1 |
| ??1M3_DbVariant@@UAE@XZ | 1 |
| ??1M3_IMcManager@@UAE@XZ | 1 |
| ??1M3_IMcTech@@UAE@XZ | 1 |
| ??1M3_IMcClient@@UAE@XZ | 1 |
| ??1M3_IMcClientVirtual@@UAE@XZ | 1 |
| ??1M3_IMcStoll@@UAE@XZ | 1 |
| ??1M3_IMcMIConversionTable@@UAE@XZ | 1 |
| ??1M3_IMcGlobals@@UAE@XZ | 1 |
| ?Init@M3_IODBCMcClient@@UAEXXZ | 1 |
| ??1M3_ITextOfDbIDs@@UAE@XZ | 1 |
| ?Init@M3_IMcItemInfo@@QAE_NXZ | 1 |
| ?GetRuntimeClass@M3_IMcItemInfo@@UE | 1 |
| ?Serialize@M3_IMcItemInfo@@UAEXAAVC | 1 |
| ??0M3_DbVariant@@QAE@XZ | 1 |
| ?GetInstance@M3_IMcGlobals@@SAPAV1\ | 1 |
| ?Init@M3_IODBCMcStoll@@UAEXXZ | 1 |
| ?GetAttribValue@M3_IMcStoll@@QAE_NW | 1 |

| | |
|--------------------------------------|---|
| ??1M3_IDbCheck@@UAE@XZ | 1 |
| ?GetMdvOfCurrentVersion@M3_MOD_DBU | 1 |
| ??1M3_Color@@QAE@XZ | 1 |
| ?CreateFromRgb@M3_Color@@SA?AV1@A | 1 |
| FTK_Context_Release | 1 |
| FTK_Context_IsInit | 1 |
| FTK_Downloader_ReannounceAll | 1 |
| FTK_Downloader_Close | 1 |
| FTK_GlobalVar_RemoveTorrentSHA1 | 1 |
| FTK_Downloader_AddSource | 1 |
| FTK_Proxy_SetType | 1 |
| FTK_Proxy_SetOnlyTracker | 1 |
| FTK_Proxy_SetProxy | 1 |
| FTK_Proxy_SetAuthProxy | 1 |
| FTK_Downloader_AddExtAnnounce | 1 |
| FTK_Downloader_SetFixMaxUploadRate | 1 |
| FTK_Downloader_SetFixMaxDownloadRate | 1 |
| FTK_Context_IsRunning | 1 |
| FTK_Context_Run | 1 |
| FTK_Context_Init | 1 |
| FTK_Torrent_GetPieceCount | 1 |
| FTK_Torrent_GetFileSize | 1 |
| FTK_GlobalVar_AddTorrentSHA1 | 1 |
| FTK_Downloader_Execute | 1 |
| FTK_Downloader_Init | 1 |
| FTK_Torrent_GetTorrentName | 1 |
| FTK_Downloader_Open | 1 |
| FTK_Torrent_GetHexInfoHash | 1 |
| FTK_Torrent_GetFilesCount | 1 |
| FTK_Torrent_Open | 1 |
| FTK_Downloader_ForceFilePriority | 1 |
| FTK_Downloader_SetFilePriority | 1 |
| FTK_Torrent_GetFiles | 1 |
| FTK_MT_Open | 1 |
| FTK_MT_SetAnnounceUrl | 1 |
| FTK_MT_AddAnnounceList | 1 |
| FTK_MT_SetComments | 1 |
| FTK_MT_SetFile | 1 |
| FTK_MT_SetPath | 1 |
| FTK_MT_SetPieceSize | 1 |
| FTK_MT_SetLangCodePage | 1 |
| FTK_MT_MakeTorrent | 1 |
| FTK_MT_SaveAsTorrentFile | 1 |
| FTK_MT_GetMTProgress | 1 |
| FTK_MT_StopMake | 1 |
| FTK_MT_Close | 1 |
| FTK_Downloader_GetState | 1 |

| | |
|--|---|
| FTK_Stat_GetCheckPieceCount | 1 |
| FTK_Stat_GetTotalFileHaveSize | 1 |
| FTK_Stat_GetDownloadRate | 1 |
| FTK_Stat_GetUploadRate | 1 |
| FTK_Stat_GetLeftTime | 1 |
| FTK_Stat_GetUploaded | 1 |
| FTK_Torrent_IsFile | 1 |
| DiscpSetRegistryValue | 1 |
| rtcNPV | 1 |
| __vbaVarEqv | 1 |
| png_set_background | 1 |
| png_set_error_fn | 1 |
| KilntSystemCall | 1 |
| vice | 1 |
| ?open@?\$basic_ofstream@DU?\$char_traits | 1 |
| nmentStrings | 1 |
| gimp_extension_ack | 1 |
| gimp_extension_enable | 1 |
| gimp_install_temp_proc | 1 |
| gimp_progress_end | 1 |
| gimp_uninstall_temp_proc | 1 |
| g_file_get_parse_name | 1 |
| g_input_stream_get_type | 1 |
| g_markup_parse_context_end_parse | 1 |
| g_markup_parse_context_free | 1 |
| g_markup_parse_context_new | 1 |
| g_markup_parse_context_parse | 1 |
| ?StopListen2@Communicator@@YAXPAX@ | 1 |
| ?StartListen2@Communicator@@YAPAXPBI | 1 |
| FInvalidateCacheEntryOfFile | 1 |
| FIRegisterBypassPid | 1 |
| FISetOptVarlen | 1 |
| FIStartScanner2 | 1 |
| FIStopDriver | 1 |
| FISetOpt | 1 |
| FIStopScanner | 1 |
| FIStartDriver | 1 |
| FIQueryDriver | 1 |
| ThreatScanner_Uninitialize | 1 |
| ThreatScanner.CreateInstance | 1 |
| ThreatScanner_DestroyInstance | 1 |
| ThreatScanner_DeleteException | 1 |
| ?ThreatScanner_Initialize@@YAHPBG0@Z | 1 |
| ?x_statebuf@ios@@0QAJA | 1 |
| LockDownProtectProcessById | 1 |
| StartKeyLogger | 1 |
| _W | 1 |

| | |
|--|---|
| ??0QSvgRenderer@@QAE@ABVQString@@ | 1 |
| ??0QSvgRenderer@@QAE@PAVQObject@@ | 1 |
| ?load@QSvgRenderer@@QAE_NABVQByte/ | 1 |
| ?load@QSvgRenderer@@QAE_NABVQString/ | 1 |
| ?isValid@QSvgRenderer@@QBE_NXZ | 1 |
| ?render@QSvgRenderer@@QAEPAVQPain | 1 |
| ??1QSvgRenderer@@UAE@XZ | 1 |
| ?find@QPixmapCache@@SA_NABVQString(| 1 |
| ?palette@QApplication@@SA?AVQPalette@ | 1 |
| ??4QPalette@@QAEAAV0@ABV0@@Z | 1 |
| ?insert@QPixmapCache@@SA_NABVQString(| 1 |
| ??1QIconEngine@@UAE@XZ | 1 |
| ?virtual_hook@QIconEngineV2@@UAEXHP, | 1 |
| ??1QIconEngineV2@@UAE@XZ | 1 |
| ??5@YAAAVQDataStream@@AAV0@AAVQ | 1 |
| ??6@YAAAVQDataStream@@AAV0@ABVQI | 1 |
| ??1QIconEnginePluginV2@@UAE@XZ | 1 |
| ?qt_metacall@QIconEnginePluginV2@@UA | 1 |
| ?qt_metacast@QIconEnginePluginV2@@UA | 1 |
| ?metaObject@QIconEnginePluginV2@@UBI | 1 |
| ??0QIconEnginePluginV2@@QAE@PAVQOb | 1 |
| D3DXMatrixDecompose | 1 |
| ??0ACAAutoConfig@@QAE@XZ | 1 |
| ??1ACAAutoConfig@@UAE@XZ | 1 |
| ?DbgPrintEx@@YAXW4PRINT_VERBOSITY@ | 1 |
| ?DbgPrintf@@YAXPADZZ | 1 |
| ?SetDebugOutputMode@@YAXHPADH@Z | 1 |
| ?Start@ACAAutoConfig@@QAEHPAX@Z | 1 |
| ?SetPowerState@ACAAutoConfig@@QAEXK@ | 1 |
| ?Stop@ACAAutoConfig@@QAEHXZ | 1 |
| ?WaitOnThreadExit@ACAAutoConfig@@QAE | 1 |
| ?SetConsoleMode@ACAAutoConfig@@QAEH | 1 |
| ?SetLocalThreadMode@ACAAutoConfig@@Q | 1 |
| ?Initialize@ACAAutoConfig@@QAEHKPAPAD | 1 |
| ?SetPowerEventHandle@ACAAutoConfig@@I | 1 |
| ?SetDeviceEventHandle@ACAAutoConfig@@@ | 1 |
| ?m_bIsWinnt4@ACStaticNicInfo@@2HB | 1 |
| ?SetDeviceState@ACAAutoConfig@@QAEXK@ | 1 |
| ?Resume@ACAAutoConfig@@QAEHXZ | 1 |
| ?Suspend@ACAAutoConfig@@QAEHXZ | 1 |
| ?GetInstance@CLicenseStub@@QAEPAVCLI | 1 |
| ?GetTaskInfoSettings@CTask@@QBE_NPAL | 1 |
| ?GetType@CTask@@QBE?AV?\$basic_string | 1 |
| ?GetRTPGUIStatus@CTaskList@@QAE_NAA | 1 |
| ?GetTSID@CTask@@QBE?AV?\$basic_string@ | 1 |
| ?GetAVBasesExpiredEventPeriod1@CTaskList | 1 |
| ?GetAVBasesExpiredEventPeriod2@CTaskList | 1 |

| | |
|---|---|
| ?IsRunning@CTask@@QBE_NXZ | 1 |
| ?SubscribeForChanges@CTaskList@@QAEH | 1 |
| ?GetFullScanStatus@CTaskList@@QAE_NAA | 1 |
| ?GetFullScanNotificationEventPeriod2@CTas | 1 |
| ?GetTaskBySubtype@CTaskList@@QBEHPB(| 1 |
| ?GetTaskParameters@CTask@@QAE_NPAP | 1 |
| ?GetUPDStatus@CTaskList@@QAE_NAAUCI | 1 |
| ?GetSerialNum@CLicenseStub@@QAE?AV? | 1 |
| ?GetExpirationDate@CLicenseStub@@QAE? | 1 |
| ?GetOwnerInfo@CLicenseStub@@QAE?AV? | 1 |
| ?IsNoUpdates@CLicenseStub@@QAE_NXZ | 1 |
| ?IsNoFeatures@CLicenseStub@@QAE_NXZ | 1 |
| ?GetDaysTillExp@CLicenseStub@@QAEKXZ | 1 |
| ?GetTaskListFromBL@CTaskList@@QAEHXZ | 1 |
| SetComponentInstance | 1 |
| DeinitLic | 1 |
| ?SetTaskParameters@CTask@@QAE_NPAVI | 1 |
| ?Trace2@KLSTD@@YAXPBG0ZZ | 1 |
| ?Trace1@KLSTD@@YAXPBG0ZZ | 1 |
| ?InitTrace@KLSTD@@YAXXZ | 1 |
| ?StartTrace@KLSTD@@YAXHPADH@Z | 1 |
| ?DeinitTrace@KLSTD@@YAXXZ | 1 |
| ?Trace@KLSTD@@YAXHPBG0ZZ | 1 |
| ?Trace5@KLSTD@@YAXPBG0ZZ | 1 |
| ?Trace3@KLSTD@@YAXPBG0ZZ | 1 |
| ?GetValue@KLPAR@@YAXPAVParams@1@ | 1 |
| KLPRSS_UnregisterComponent | 1 |
| KLSSS_SetDefaultServer | 1 |
| KLSSS_AddSsServer | 1 |
| KLSTD_SplitPath | 1 |
| KLPRSS_RegisterComponent | 1 |
| KLSSS_RemoveSsServer | 1 |
| KLSTD_W2AHelper | 1 |
| KLSTD_InterlockedDecrement | 1 |
| KLSTD_InterlockedIncrement | 1 |
| KLSTD_A2WHelper | 1 |
| KLCSC_Initialize | 1 |
| KLSTD_SetDefaultProductAndVersion | 1 |
| KLCSC_Deinitialize | 1 |
| KLERR_CreateError | 1 |
| ?SayFailure@KLERR@@YAXHPAVERror@1@ | 1 |
| KLERR_throwError | 1 |
| KLPRSS_CreateSettingsStorage | 1 |
| KLPRSS_GetSettingsStorageLocation | 1 |
| KLPRCP_CreateAgentProxy | 1 |
| ?CreateValue@KLPAR@@YAXPAVParams@ | 1 |
| ?CreateValue@KLPAR@@YAX_NPAPAVBool | 1 |

| | |
|---------------------------------------|---|
| ?CreateValue@KLPAR@@YAXPBGPAPAVStr | 1 |
| KLPAR_CreateParams | 1 |
| KLPRS_IsLocalTask | 1 |
| KLPAR_CreateValuesFactory | 1 |
| ?GetValue@KLPAR@@YAXPAVParams@1@ | 1 |
| ?GetValue@KLPAR@@YAXPAVParams@1@ | 1 |
| ?GetValue@KLPAR@@YAXPAVParams@1@ | 1 |
| ?CreateValue@KLPAR@@YAXJPAPAVDateTi | 1 |
| ?GetValue@KLPAR@@YAXPAVParams@1@ | 1 |
| KLPRSS_GetProductInfo | 1 |
| ?GetValue@KLPAR@@YAXPAVParams@1@ | 1 |
| ?CreateValue@KLPAR@@YAXJPAPAVIntVali | 1 |
| ?GetValue@KLPAR@@YAXPAVParams@1@ | 1 |
| KLPRCP_CreateComponentProxy | 1 |
| ?CreateParamsBody@KLPAR@@YAXPAUpai | 1 |
| KLRCI_CreateInstancId | 1 |
| ?CreateValue@KLPAR@@YAX_JPAPAVLong' | 1 |
| ?GetValue@KLPAR@@YAXPAVParams@1@ | 1 |
| KLSTD_CreateCriticalSection | 1 |
| KLTP_GetThreadsPool | 1 |
| KLRCI_CreateComponentInstance | 1 |
| KLRCI_CreateDIIComponentInstance | 1 |
| KLSTD_Sleep | 1 |
| KLRCI_GetClientContext | 1 |
| FSSync_Remove | 1 |
| FSSync_Done | 1 |
| FSSync_SetCheck | 1 |
| FSSync_Init | 1 |
| ?CreateStorableObjectFactory@stg@@YA? | 1 |
| SetClassLongPtrW | 1 |
| ??0exception@@QEAA@XZ | 1 |
| ??0exception@@QEAA@AEBQEBD@Z | 1 |
| ??0CryptBytes@@QAE@XZ | 1 |
| ?decodeBase64@CryptBytes@@QAEHPBDH | 1 |
| ?_old_Decrypt@CryptBytes@@QAEXPADH@ | 1 |
| ??1CryptBytes@@QAE@XZ | 1 |
| CertTrustInit | 1 |
| CE_DeleteQuarantinedInfection | 1 |
| CE_RestoreQuarantinedInfection | 1 |
| CE_CleanPrivacy | 1 |
| CE_UnloadDB | 1 |
| CE_GetDBInfo | 1 |
| CE_GetDefFileVersions | 1 |
| CE_LoadDefFilesToDB | 1 |
| CE_RegisterProgressHooks | 1 |
| CE_RegisterSystemInfectionHooks | 1 |
| CE_LoadEngine | 1 |

| | |
|--|---|
| CE_ExtendedSettings | 1 |
| CE_GetEngineStatus | 1 |
| CE_ScanTargetLocations | 1 |
| CE_GetFamilyInfo | 1 |
| CE_ClearInfectionList | 1 |
| CE_SetBrowserHijackPages | 1 |
| CE_CleanInfections | 1 |
| CE_UnloadEngine | 1 |
| CE_QuarantineInfections | 1 |
| _CE_GetVersion@12 | 1 |
| ?polar@std@@YA?AV?\$complex@M@1@A | 1 |
| GetProc | 1 |
| ?DoSave@CHerDoc@@UAEHPBDHVCStringI | 1 |
| IsHighDynamicRangeImage | 1 |
| SetQuantumFormat | 1 |
| DestroyLinkedList | 1 |
| GetNextValueInLinkedList | 1 |
| ResetLinkedListIterator | 1 |
| AppendValueToLinkedList | 1 |
| NewLinkedList | 1 |
| AcquireString | 1 |
| GetQuantumType | 1 |
| SetImageColorspace | 1 |
| IsGrayImage | 1 |
| AFP_EnumEntry | 1 |
| BASS_RecordStart | 1 |
| BASS_RecordInit | 1 |
| CryptRetrieveObjectByUrlW | 1 |
| CryptGetObjectUrl | 1 |
| tERMINATEtHREAD | 1 |
| _FSOUND_SetPan@8 | 1 |
| _FSOUND_SetSFXMasterVolume@4 | 1 |
| _FSOUND_GetCurrentPosition@4 | 1 |
| DsBrowseForContainerA | 1 |
| DsBrowseForContainerW | 1 |
| DsGetFriendlyClassName | 1 |
| ?ClearInquiryCompleteCallback@CWBTAPI@ | 1 |
| ?MapGuidToUuid@@YAXPAU_GUID@@PAI | 1 |
| ?GapStartServiceDiscovery@CWBTAPI@@Q | 1 |
| ??_7FObject@@6B@ | 1 |
| av_new_packet | 1 |
| av_register_input_format | 1 |
| av_set_pts_info | 1 |
| av_log | 1 |
| AdbCloseHandle | 1 |
| AdbCreateInterfaceByName | 1 |
| AdbEnumInterfaces | 1 |

| | |
|---|---|
| AdbGetEndpointInformation | 1 |
| AdbGetInterfaceName | 1 |
| AdbGetSerialNumber | 1 |
| AdbGetUsbDeviceDescriptor | 1 |
| AdbGetUsbInterfaceDescriptor | 1 |
| AdbNextInterface | 1 |
| AdbOpenDefaultBulkReadEndpoint | 1 |
| AdbOpenDefaultBulkWriteEndpoint | 1 |
| AdbReadEndpointSync | 1 |
| AdbWriteEndpointSync | 1 |
| gdk_draw_gray_image | 1 |
| gdk_draw_rgb_image | 1 |
| gdk_window_get_pointer | 1 |
| g_rand_free | 1 |
| g_rand_int_range | 1 |
| g_rand_new | 1 |
| gtk_widget_get_style | 1 |
| @Nmstrm@initialization\$qqrv | 1 |
| @Nmstrm@Finalization\$qqrv | 1 |
| @Nmstrm@TNMStrm@PostIt\$qqrp15Class | 1 |
| @Nmstrm@TNMStrm@ | 1 |
| @System@@ReadRec\$qqrv | 1 |
| @System@@EofFile\$qqrv | 1 |
| @System@@ChDir\$qqrx17System@AnsiStri | 1 |
| @Graphics@TPicture@SetBitmap\$qqrp16Gi | 1 |
| @Graphics@TGraphic@SetModified\$qqro | 1 |
| @Registry@TRegistry@GetDataType\$qqrx1: | 1 |
| @Scktcomp@TAbstractSocket@SetPort\$qqr | 1 |
| video_format_FixRgb | 1 |
| VoiboomfeFydfqtionFilter | 1 |
| gai_strerror | 1 |
| readdir_r | 1 |
| strcasecmp | 1 |
| gnutls_certificate_client_set_retrieve_functi | 1 |
| gnutls_global_set_log_function | 1 |
| gnutls_global_set_log_level | 1 |
| gnutls_x509_privkey_deinit | 1 |
| gnutls_x509_privkey_import | 1 |
| gnutls_x509_privkey_init | 1 |
| rb_ary_join | 1 |
| rb_load_protect | 1 |
| rb_time_new | 1 |
| ruby_init_stack | 1 |
| @Ccfmmst@TfrmMaintenance@UserKeyCh | 1 |
| @Ccfmmst@TfrmMaintenance@UpdateKey | 1 |
| @Ccfmmst@TfrmMaintenance@UpdateAll | 1 |
| @Ccfmmst@TfrmMaintenance@TopOfForm | 1 |

| | |
|--------------------------------------|---|
| @Ccfmmst@TfrmMaintenance@SingleItem | 1 |
| @Ccfmmst@TfrmMaintenance@SingleItem | 1 |
| @Ccfmmst@TfrmMaintenance@SetMaxKey | 1 |
| @Ccfmmst@TfrmMaintenance@SetMasterI | 1 |
| @Ccfmmst@TfrmMaintenance@SetKeyFocu | 1 |
| @Ccfmmst@TfrmMaintenance@SetKeyEna | 1 |
| @Ccfmmst@TfrmMaintenance@SetFilterDi | 1 |
| @Ccfmmst@TfrmMaintenance@SetEditPen | 1 |
| @Ccfmmst@TfrmMaintenance@SetEditPen | 1 |
| @Ccfmmst@TfrmMaintenance@SetDeleteE | 1 |
| @Ccfmmst@TfrmMaintenance@RefreshLoc | 1 |
| @Ccfmmst@TfrmMaintenance@ProcessCor | 1 |
| @Ccfmmst@TfrmMaintenance@OpenDataS | 1 |
| @Ccfmmst@TfrmMaintenance@LoadSyste | 1 |
| @Ccfmmst@TfrmMaintenance@InitSearchE | 1 |
| @Ccfmmst@TfrmMaintenance@InitDataSor | 1 |
| @Ccfmmst@TfrmMaintenance@GetUserRe | 1 |
| @Ccfmmst@TfrmMaintenance@ GetUserDis | 1 |
| @Ccfmmst@TfrmMaintenance@GetRecordI | 1 |
| @Ccfmmst@TfrmMaintenance@GetRecordI | 1 |
| @Ccfmmst@TfrmMaintenance@GetModifie | 1 |
| @Ccfmmst@TfrmMaintenance@GetKeyFor | 1 |
| @Ccfmmst@TfrmMaintenance@GetFilterDi | 1 |
| @Ccfmmst@TfrmMaintenance@GetDuplica | 1 |
| @Ccfmmst@TfrmMaintenance@GetDisplay | 1 |
| @Ccfmmst@TfrmMaintenance@GetDisplay | 1 |
| @Ccfmmst@TfrmMaintenance@FormCreati | 1 |
| @Ccfmmst@TfrmMaintenance@EditRecord | 1 |
| @Ccfmmst@TfrmMaintenance@DuplicateM | 1 |
| @Ccfmmst@TfrmMaintenance@DoSingleIt | 1 |
| @Ccfmmst@TfrmMaintenance@DoSingleIt | 1 |
| @Ccfmmst@TfrmMaintenance@DoSingleIt | 1 |
| @Ccfmmst@TfrmMaintenance@DoRollback | 1 |
| @Ccfmmst@TfrmMaintenance@DoRename | 1 |
| @Ccfmmst@TfrmMaintenance@DoMergeEi | 1 |
| @Ccfmmst@TfrmMaintenance@DoMasterR | 1 |
| @Ccfmmst@TfrmMaintenance@DoMasterF | 1 |
| @Ccfmmst@TfrmMaintenance@DoMasterC | 1 |
| @Ccfmmst@TfrmMaintenance@DoKeyValic | 1 |
| @Ccfmmst@TfrmMaintenance@DoKeySear | 1 |
| @Ccfmmst@TfrmMaintenance@DoKeyExit\$ | 1 |
| @Ccfmmst@TfrmMaintenance@DoFirstFor | 1 |
| @Ccfmmst@TfrmMaintenance@DoEditRecc | 1 |
| @Ccfmmst@TfrmMaintenance@DoDuplicat | 1 |
| @Ccfmmst@TfrmMaintenance@DoChangeE | 1 |
| @Ccfmmst@TfrmMaintenance@DoCancelID | 1 |
| @Ccfmmst@TfrmMaintenance@DoBeforeE | 1 |

| | |
|--|---|
| @Ccfmmst@TfrmMaintenance@DoAfterSe | 1 |
| @Ccfmmst@TfrmMaintenance@DoAfterLoc | 1 |
| @Ccfmmst@TfrmMaintenance@DoAddItem | 1 |
| @Ccfmmst@TfrmMaintenance@DisplayKey | 1 |
| @Ccfmmst@TfrmMaintenance@CreateGrid | 1 |
| @Ccfmmst@TfrmMaintenance@CreateCDSI | 1 |
| @Ccfmmst@TfrmMaintenance@CreateCalc | 1 |
| @Ccfmmst@TfrmMaintenance@CreateAggr | 1 |
| @Ccfmmst@TfrmMaintenance@CanDeleteI | 1 |
| @Ccfmmst@TfrmMaintenance@CanChange | 1 |
| @Ccfmmst@TfrmMaintenance@CanAddItem | 1 |
| @\$xp\$23Ccfmmst@TfrmMaintenance | 1 |
| @Ccfmmst@TfrmMaintenance@ | 1 |
| @Dbclient@TCustomClientDataSet@GetInd | 1 |
| @Db@TDataSet@UpdateCursorPos\$qqrv | 1 |
| @Db@TField@SetFieldName\$qqrx17Syste | 1 |
| @Db@TField@SetDisplayLabel\$qqr17Syste | 1 |
| @Db@TFieldDefs@Update\$qqrv | 1 |
| @Hform@THITForm@SetTabOnEnter\$qqro | 1 |
| @Hform@THITForm@\$bctr\$qqrp18Classes(| 1 |
| @Cxradiogroup@TcxCustomRadioGroup@S | 1 |
| @Hcxlookup@THITcxLookupComboBox@ | 1 |
| @Cxgridcustomtableview@TcxCustomGridT | 1 |
| @Cxgridcustomtableview@TcxCustomGridT | 1 |
| @Hfkbtn@THITFkeyButton@ | 1 |
| @\$xp\$25Cscok@TfrmOKCancelDialog | 1 |
| @Cscok@TfrmOKCancelDialog@ | 1 |
| @Ccdmmst@TdtmCCMaster@RefreshLooku | 1 |
| @Hclasses@THITPrinter@SetOrientation\$qc | 1 |
| @Hclasses@HITPrinter\$qqrv | 1 |
| @Hclasses@THITPrinter@GetPrinterIndex\$c | 1 |
| @Hclasses@THITPrinter@GetOrientation\$q | 1 |
| @Ccmisc@SetControlsEnabled\$qqrpp17Con | 1 |
| @Ccmisc@IsProductDetailRowEmpty\$qqrp1 | 1 |
| @Ccmisc@IsPercentDiscount\$qqrx17Syste | 1 |
| @Ccmisc@GetDiscountDisplay\$qqr17Syste | 1 |
| @Ccmisc@CheckPercentDiscountField\$qqrp | 1 |
| @Ccmisc@BuildDiscZoneDescription\$qqrcx1 | 1 |
| @Hsrchdlg@THITSearchControls@Add\$qqrv | 1 |
| @Hsrchdlg@THITSearchControl@SetControl | 1 |
| @Hcxlabel@THITcxLabel@ | 1 |
| @Cscfrm@TCCBaseForm@LoadSystemSect | 1 |
| @Cscfrm@TCCBaseForm@LoadProgramSect | 1 |
| @Cscfrm@TCCBaseForm@HandleProperties | 1 |
| @Cscfrm@TCCBaseForm@DoEditOnTheFly | 1 |
| @Cscfrm@TCCBaseForm@\$bctr\$qqrp18Clas | 1 |
| @Cscfrm@TCCBaseForm@CCExecAndWait | 1 |

| | |
|--|---|
| @Ccdmsct@TdtmSecurityControl@CheckM | 1 |
| @Ccdmsct@TdtmSecurityControl@CheckIte | 1 |
| @Ccdmsct@TdtmSecurityControl@CheckIte | 1 |
| @Ccdmsct@TdtmSecurityControl@CheckIte | 1 |
| @Ardmprd@dtmProduct | 1 |
| @Ardmprd@TdtmProduct@ | 1 |
| @Ardmptx@initialization\$qqrv | 1 |
| @Ardmptx@Finalization\$qqrv | 1 |
| @Cxdblabel@TcxDBLabel@ | 1 |
| @Ccpromst@TfrmReport@SelectPrinter\$qqri | 1 |
| @Ccpromst@TfrmReport@PrintersExist\$qqrv | 1 |
| @Ccpromst@TfrmReport@DoSelectPrinterDi | 1 |
| @Ccdevex@SetReadOnlyGridColumn\$qqrp4 | 1 |
| @Ccdevex@SetLookupGridColumn\$qqrp44C | 1 |
| @Ccdevex@SetActiveGridColumn\$qqrp44C | 1 |
| @Ardmums@dtmUnitOfMeasure | 1 |
| @Ardmums@TdtmUnitOfMeasure@ | 1 |
| @Ardmplt@TdtmPlant@DupLookupAllPlant | 1 |
| @Ardmplt@dtmPlant | 1 |
| @Ardmplt@TdtmPlant@ | 1 |
| @Ardmzon@TdtmZone@LookupZonePrice\$ | 1 |
| @Ardmzon@dtmZone | 1 |
| @Ardmzon@TdtmZone@ | 1 |
| @Ardmpcl@dtmProductClass | 1 |
| @Ardmpcl@TdtmProductClass@ | 1 |
| @Ardmcpr@TdtmCustomerPrice@RefreshP | 1 |
| @Ardmcpr@dtmCustomerPrice | 1 |
| @Ardmcpr@TdtmCustomerPrice@ | 1 |
| gimp_rgb_set_alpha | 1 |
| rtl_ustr_ascii_compareIgnoreCase_With | 1 |
| ??OSvXMLNamespaceMap@@QAE@ABV0@ | 1 |
| ?AddIfKnown@SvXMLNamespaceMap@@@Q | 1 |
| ?NormalizeOasisURN@SvXMLNamespaceM: | 1 |
| ?ResetTokens@token@xmloff@@YAXXZ | 1 |
| ?convertMeasure@SvXMLUnitConverter@@ | 1 |
| ?convertMeasure@SvXMLUnitConverter@@ | 1 |
| ??OSvXMLNamespaceMap@@QAE@XZ | 1 |
| ?_GetKeyByAttrName@SvXMLNamespaceM | 1 |
| ??1SvXMLNamespaceMap@@QAE@XZ | 1 |
| ?convertNumber@SvXMLUnitConverter@@ | 1 |
| ??OSvXMLTokenEnumerator@@QAE@ABVC | 1 |
| ?getNextToken@SvXMLTokenEnumerator@ | 1 |
| ?convertPercent@SvXMLUnitConverter@@! | 1 |
| ?convertPercent@SvXMLUnitConverter@@! | 1 |
| ?convertDouble@SvXMLUnitConverter@@S | 1 |
| ?convertNumber@SvXMLUnitConverter@@ | 1 |
| ?convertDouble@SvXMLUnitConverter@@S | 1 |

| | |
|--|---|
| ?decodeBase64@SvXMLUnitConverter@@S | 1 |
| ?GetNameByKey@SvXMLNamespaceMap@ | 1 |
| ?GetAttrNameByKey@SvXMLNamespaceMa | 1 |
| ?Add@SvXMLNamespaceMap@@QAEGABV | 1 |
| ?GetIndexByName@SvXMLAttributeList@@ | 1 |
| ?AppendAttributeList@SvXMLAttributeList@ | 1 |
| ?RenameAttributeByIndex@SvXMLAttribute | 1 |
| ?RemoveAttributeByIndex@SvXMLAttribute | 1 |
| ?SetValueByIndex@SvXMLAttributeList@@C | 1 |
| ?getImplementationId@?\$WeakImplHelper@ | 1 |
| ??0?\$WeakImplHelper3@VXAttributeList@s | 1 |
| ??1?\$WeakImplHelper3@VXAttributeList@s | 1 |
| ??0SvXMLAttributeList@@QAE@ABV?\$Refe | 1 |
| ?IsXMLToken@token@Xmlloff@@YAEABVOI | 1 |
| ?GetKeyByAttrName@SvXMLNamespaceMa | 1 |
| ?GetXMLToken@token@Xmlloff@@YAAEVO | 1 |
| ?GetQNameByKey@SvXMLNamespaceMap@ | 1 |
| ?getTypes@?\$WeakImplHelper3@VXAttribu | 1 |
| ijlErrorStr | 1 |
| ijlWrite | 1 |
| ijlRead | 1 |
| ijlFree | 1 |
| ijlInit | 1 |
| _DistCancelJob@0 | 1 |
| _DistInitialize@36 | 1 |
| _DistMain@16 | 1 |
| _DistBeginFileJob@16 | 1 |
| _DistTerminate@0 | 1 |
| @System@@DynArrayAsg\$qqrrpvpt2 | 1 |
| @System@@DynArrayLength\$qqrpvx | 1 |
| @System@@ClassCreate\$qqrpvzc | 1 |
| @System@Sysutils@Format\$qqrx20System | 1 |
| @System@Sysutils@ExtractFileExt\$qqrx20S | 1 |
| @System@Sysutils@ExtractFileName\$qqrx2 | 1 |
| @System@Sysutils@ChangeFileExt\$qqrx20S | 1 |
| @System@Sysutils@FileExists\$qqrx20Syste | 1 |
| @System@Sysutils@SameText\$qqrx20Syste | 1 |
| @System@Classes@TComponent@ReadSta | 1 |
| @System@Classes@TComponent@DefineP | 1 |
| @System@Classes@TComponent@BeforeD | 1 |
| @System@Classes@TComponent@\$bdtr\$q | 1 |
| @System@Classes@TComponent@\$bctr\$qi | 1 |
| @\$xp\$25System@Classes@TComponent | 1 |
| @System@Classes@TComponent@ | 1 |
| @Appstrs@fnBinDir\$qqrv | 1 |
| @\$xp\$23Idemodel@IGraphLocation | 1 |
| @\$xp\$20Tasksintf@IOTAFilter | 1 |

| | |
|--|---|
| @Compintf@TBuildControl@\$bctr\$qqr21Cc | 1 |
| @Containerintf@PMMRemoveLocalOpts | 1 |
| @\$xp\$32Containerintf@IUpdateIncludePath | 1 |
| @\$xp\$25Containerintf@IAddFilters | 1 |
| @\$xp\$35Containerintf@ILocalCommandsH@ | 1 |
| @\$xp\$28Containerintf@IModuleChanger | 1 |
| @\$xp\$31Containerintf@.IContainerCreator | 1 |
| @\$xp\$37Containerintf@ICustomFileEntryCr | 1 |
| @Msbuild@TBDSHostObject@ | 1 |
| @Optioninfo@TMSBuildTask@\$bctr\$qqrx2C | 1 |
| @Optioninfo@TCustomTask@\$bdtr\$qqrv | 1 |
| @Optioninfo@TCustomTask@\$bctr\$qqrx20: | 1 |
| @Optioninfo@TCustomTask@BeforeDestroy | 1 |
| @Projectmodule@TEvModuleRemoved@Re | 1 |
| @Projectmodule@TEvModuleRemoved@Ac | 1 |
| @Projectmodule@TEvModuleAdded@Remo | 1 |
| @Projectmodule@TEvModuleAdded@Add\$ | 1 |
| @Projectmodule@EvProjectModuleAdded | 1 |
| @Projectmodule@EvProjectModuleRemove | 1 |
| @Containermgr@ContainerManager | 1 |
| @\$xp\$27Projectintf@IModelContainer | 1 |
| @Projectintf@piSourceCode | 1 |
| @Containers@TStdFileContainer@DeleteFile | 1 |
| @Containers@TStdFileContainer@CanDelete | 1 |
| @Containers@TStdFileContainer@GetOverl | 1 |
| @Containers@TStdFileContainer@GetFileName | 1 |
| @Containers@TStdFileContainer@ChangeName | 1 |
| @Containers@TStdFileContainer@NotifyMe | 1 |
| @Containers@TStdFileContainer@Command | 1 |
| @Containers@TStdContainer@SortChildren | 1 |
| @Containers@TStdContainer@CommandHandle | 1 |
| @Containers@TStdContainer@Expand\$qqrv | 1 |
| @Containers@TBaseContainer@GetItemGr | 1 |
| @Containers@TBaseContainer@\$bdtr\$qqrv | 1 |
| @\$xp\$28Containers@TStdFileContainer | 1 |
| @Containers@TStdFileContainer@ | 1 |
| @Docmodul@FindDocModule\$qqrx20System | 1 |
| @\$xp\$19Docmodul@TDocModule | 1 |
| @Ideintf@MainFormCreated\$qqrv | 1 |
| @Appconst @_sldIFileFilter | 1 |
| @Uiutils@Split\$qqrx20System@UnicodeString | 1 |
| @Uiutils@SameFileName\$qqrx20System@L | 1 |
| @\$xp\$34Codemgr@ICustomProjectGroupPr | 1 |
| @\$xp\$21Codemgr@TUsesFormType | 1 |
| @Cppusesentry@TUsesEntryEx@ | 1 |
| @Cbuildertasks@TCBuilderTask@ValidFor\$ | 1 |
| @\$xp\$27Cbuildertasks@TCBuilderTask | 1 |

| | |
|--|---|
| @Cbuildertasks@TCBuilderTask@ | 1 |
| _demus | 1 |
| __vbaGeneratrBoundsError | 1 |
| __vboGet4 | 1 |
| __vbaObjVer | 1 |
| DIIDEMIltionCall | 1 |
| _Ccsrsu | 1 |
| __vbaUI2I4 | 1 |
| __vbaExceptHandlIr | 1 |
| __vbaStrToUnUcode | 1 |
| __vbaVarVat | 1 |
| 6adj_fdiv_m32i | 1 |
| _ass_fdiv_r | 1 |
| _DEmius | 1 |
| _ditan | 1 |
| OpenTSObject | 1 |
| @Cxgridtableview@TcxGridGroupRow@ | 1 |
| ?GetRuntimeClass@CXTSplitterWnd@@UBE | 1 |
| ?GetThisClass@CXTSearchOptionsView@@S | 1 |
| ?OnInitDialog@CXTSearchOptionsView@@N | 1 |
| ?OnSize@CXTSearchOptionsView@@IAEXIH | 1 |
| ?WindowProc@CXTSearchOptionsView@@I | 1 |
| ?GetThisMessageMap@CXTSearchOptionsVi | 1 |
| ?OnCtlColor@CXTSearchOptionsView@@IA | 1 |
| ?GetRuntimeClass@CXTSearchOptionsView(| 1 |
| ??1CXTSearchOptionsView@@MAE@XZ | 1 |
| ??0CXTSearchOptionsView@@IAE@I@Z | 1 |
| ?OnClick@CXTPTaskPanel@@UAEXPACXTI | 1 |
| ?OnToolHitTest@CXTPTaskPanel@@MBEHV | 1 |
| ??1CXTPTaskPanel@@UAE@XZ | 1 |
| ??0CXTPTaskPanel@@QAE@XZ | 1 |
| ?GetCount@CXTPTaskPanelItems@@QAEH | 1 |
| ?SetBold@CXTPTaskPanelGroupItem@@QA | 1 |
| ?GetAt@CXTPTaskPanelGroup@@QAEPAVC | 1 |
| ?GetItems@CXTPTaskPanelGroup@@QAEPI | 1 |
| ?GetAt@CXTPTaskPanel@@QAEPAVCXTPTa | 1 |
| ?OnPaint@CXTPTaskPanelGroup@@QAEXP, | 1 |
| ?GetScrollOffset@CXTPTaskPanel@@QAEH | 1 |
| ?GetThisMessageMap@CXTPTaskPanel@@I | 1 |
| ?SetIconSize@CXTPCommandBar@@QAEXV | 1 |
| ?ShowTopBorder@CXTSplitterWndEx@@U | 1 |
| ?GetInsideRect@CXTSplitterWndEx@@MBE | 1 |
| ?GetRuntimeClass@CXTSplitterWndEx@@U | 1 |
| ?RecalcLayout@CXTSplitterWndEx@@UAEX | 1 |
| ?OnDrawSplitter@CXTSplitterWndEx@@UA | 1 |
| ?DrawTextW@CXTPDefaultTheme@XTPPair | 1 |
| ?DrawImage@CXTPDefaultTheme@XTPPaint | 1 |

| | |
|---|---|
| ?SetGroupImageList@CXTPTaskPanel@@QA | 1 |
| ?FillStatusBar@CXTPPaintManager@@UAE | 1 |
| ?FillDockBar@CXTPPaintManager@@UAEXF | 1 |
| ?DrawStatusBarGripper@CXTPPaintManage | 1 |
| ?DrawStatusBarPane@CXTPDefaultTheme@ | 1 |
| ?AdjustExcludeRect@CXTPDefaultTheme@X | 1 |
| ?DrawCommandBarSeparator@CXTPDefault | 1 |
| ?DrawCommandBarGripper@CXTPDefaultTl | 1 |
| ?DrawRectangle@CXTPDefaultTheme@XTPI | 1 |
| ?DrawListBoxControl@CXTPDefaultTheme@ | 1 |
| ??1CXTPDefaultTheme@XTPPaintThemes@i | 1 |
| ??1CXTPWinThemeWrapper@@QAE@XZ | 1 |
| ?GetColor@CXTPColorManager@@QAEKH@C | 1 |
| ?s_managerInstance@CXTPColorManager@ | 1 |
| ??0CXTPWinThemeWrapper@@QAE@XZ | 1 |
| ?DrawTextExW@CXTPPaintManager@@SA? | 1 |
| ?GetImage@CXTPImageManager@@QAEPA | 1 |
| ?GetIconId@CXTPControl@@QAEHXZ | 1 |
| ?GetCaption@CXTPControl@@QAE?AV?\$CS | 1 |
| ?GetPosition@CXTPCommandBar@@QBE?A | 1 |
| ?SetChecked@CXTPControl@@QAEHX@Z | 1 |
| ?GetSelected@CXTPControl@@QAEHXZ | 1 |
| ?GetPressed@CXTPControl@@QAEHXZ | 1 |
| ?GetID@CXTPControl@@QAEHXZ | 1 |
| ?GetIconSize@CXTPCommandBar@@QAE?A | 1 |
| ?GetParent@CXTPControl@@QAEPAVCXTP@ | 1 |
| ?GetRect@CXTPControl@@QAE?AVCRect@ | 1 |
| ?m_fontRegular@CXTPPaintManager@@1V | 1 |
| ?GetStyle@CXTPControl@@QAE?AW4XTPB@ | 1 |
| ?GetType@CXTPControl@@QAE?AW4XTPC@ | 1 |
| ?GetEnabled@CXTPControl@@QAEHXZ | 1 |
| ?GetChecked@CXTPControl@@QAEHXZ | 1 |
| ?DrawCaptionGripper@CXTPTaskPanelPaint | 1 |
| ?DrawGroupClientItems@CXTPTaskPanelPai | 1 |
| ?DrawGroupClient@CXTPTaskPanelPaintMa | 1 |
| ?FillTaskPanel@CXTPTaskPanelPaintManage | 1 |
| ??1CXTPTaskPanelExplorerTheme@XTPTask | 1 |
| ??1CXTPTaskPanelPaintManager@@UAE@Y | 1 |
| ?m_instanceDrawManager@CXTPDrawHelp | 1 |
| ?CreateGripperBitmaps@CXTPTaskPanelPai | 1 |
| ?GetCurrentSystemTheme@CXTPDrawHelp@ | 1 |
| ?RefreshMetrics@CXTPTaskPanelPaintMana | 1 |
| ?IsExpanding@CXTPTaskPanelGroup@@QA | 1 |
| ?IsExpanded@CXTPTaskPanelGroup@@QA@E | 1 |
| ?IsSpecialGroup@CXTPTaskPanelGroup@@I | 1 |
| ?GetCaption@CXTPTaskPanelItem@@QAE? | 1 |
| ?GetIcon@CXTPImageManagerIcon@@QAE | 1 |

| | |
|--|---|
| ?GetIconIndex@CXTPTaskPanelItem@@QAI | 1 |
| ?GetGroupIconSize@CXTPTaskPanel@@QAI | 1 |
| ?GetTaskPanel@CXTPTaskPanelGroup@@Q | 1 |
| ?IsItemFocused@CXTPTaskPanelItem@@QAF | 1 |
| ?GradientFill@CXTPDrawHelpers@@QAEXP | 1 |
| ?IsCaptionVisible@CXTPTaskPanelGroup@@Q | 1 |
| ?GetCaptionRect@CXTPTaskPanelGroup@@Q | 1 |
| ??0CXTPTaskPanelExplorerTheme@XTPTask | 1 |
| ?GetDisabledIcon@CXTPIImageManagerIcon | 1 |
| ?GetEnabled@CXTPTaskPanelItem@@QAEF | 1 |
| ?GetItemGroup@CXTPTaskPanelGroupItem | 1 |
| ?GetImageList@CXTPTaskPanel@@QAEPAV | 1 |
| ?GetListItemIconSize@CXTPTaskPanel@@QAE? | 1 |
| ?GetTaskPanel@CXTPTaskPanelItem@@QA | 1 |
| ?IsItemHot@CXTPTaskPanelItem@@QAEHX | 1 |
| ?IsBold@CXTPTaskPanelGroupItem@@QAE | 1 |
| ?GetType@CXTPTaskPanelItem@@QAE?AV | 1 |
| ?ModifyBarStyle@CXTPToolBar@@QAEXKK | 1 |
| ?GetCommandBarsOptions@CXTPCommand | 1 |
| ?GetControls@CXTPCommandBar@@QAEPA | 1 |
| ?FindControl@CXTPControls@@QAEPAVCX | 1 |
| ?SetFlags@CXTPControl@@QAEXK@Z | 1 |
| ?SetVisible@CXTPControl@@QAEXH@Z | 1 |
| ?GetFirst@CXTPControls@@QAEPAVCXTPC | 1 |
| ?GetNext@CXTPControls@@QAEAAAPAVCX | 1 |
| ?GetDescription@CXTPControl@@QAE?AV? | 1 |
| ?SetTooltip@CXTPControl@@QAEXV?\$CStr | 1 |
| ?CreateCommandBars@CXTPCommandBars | 1 |
| ?Create@CXTPTaskPanel@@QAEHKABUtag | 1 |
| ?SetImageList@CXTPTaskPanel@@QAEXPAT | 1 |
| ?SetCustomTheme@CXTPTaskPanel@@QAE | 1 |
| ?AddGroup@CXTPTaskPanel@@QAEPAVCX | 1 |
| ?AddLinkItem@CXTPTaskPanelGroup@@QA | 1 |
| ?SetSpecialGroup@CXTPTaskPanelGroup@@C | 1 |
| ?SetLockRedraw@CXTPTaskPanel@@QAEXI | 1 |
| ?SaveWindowPos@CXTWindowPos@@QAE | 1 |
| ?Done@CXTPPaintManager@@SAXXZ | 1 |
| ?LoadWindowPos@CXTWindowPos@@QAE | 1 |
| ?GetThisClass@CXTPToolBar@@SGPAUCRu | 1 |
| ?SetAnimation@CXTPTaskPanel@@QAEXW | 1 |
| ?GetID@CXTPTaskPanelItem@@QAEIXZ | 1 |
| ?SetMenu@CXTPCommandBars@@QAEPAV | 1 |
| ?Add@CXTPCommandBars@@QAEPAVCXTI | 1 |
| ?SetContextMenuPresent@CXTPToolBar@@ | 1 |
| ?IsAlphaIconsSupported@CXTPIImageManag | 1 |
| ?OpenTheme@CXTPWinThemeWrapper@@ | 1 |
| ?SetIcons@CXTPIImageManager@@QAEHIP | 1 |

| | |
|---|---|
| RunStopHook | 1 |
| _vcwprintf | 1 |
| WmiGetTraceHeader | 1 |
| TMR_Timer_Set | 1 |
| TMR_Timer_Kill | 1 |
| DSCreateSecurityInfoObject | 1 |
| isc_detach_database | 1 |
| ?rbegin@?\$basic_string@DU?\$char_traits@ | 1 |
| ?RenderID3V2@ID3_Tag@@QAEPADAAI@Z | 1 |
| ?GetPrependedBytes@ID3_Tag@@QBEIXZ | 1 |
| ?GetFileSize@ID3_Tag@@QBEIXZ | 1 |
| ?GetAppendedBytes@ID3_Tag@@QBEIXZ | 1 |
| ?ID3_FreeBuffer@ID3_Tag@@QAEXPAD@Z | 1 |
| ??1ID3_Frame@@UAE@XZ | 1 |
| ??0ID3_Frame@@QAE@W4ID3_FrameID@ | 1 |
| ?AttachFrame@ID3_Tag@@QAE_NPAVID3_ | 1 |
| ?RemoveFrame@ID3_Tag@@QAEPAVID3_F | 1 |
| ?Find@ID3_Tag@@QBEPAVID3_Frame@@\ | 1 |
| ?Field@ID3_Frame@@QBEAAVID3_Field@() | 1 |
| ?GetField@ID3_Frame@@QBEPAVID3_Fiel | 1 |
| ?Size@ID3_Tag@@QBEIXZ | 1 |
| ?MyParse@ID3_Tag@@QAEIPBEIPB_WIG@ | 1 |
| ??1ID3_Tag@@UAE@XZ | 1 |
| ?Parse@ID3_Tag@@QAEIPBEI@Z | 1 |
| ??0ID3_Tag@@QAE@PBD@Z | 1 |
| ?Clear@ID3_Tag@@QAEXXZ | 1 |
| ?HasTagType@ID3_Tag@@QBE_NW4ID3_T | 1 |
| ?HasChanged@ID3_Tag@@QBE_NXZ | 1 |
| ?SetSpec@ID3_Tag@@QAE_NW4ID3_V2Sp | 1 |
| ?GetSpec@ID3_Tag@@QBE?AW4ID3_V2Sp | 1 |
| ?Find@ID3_Tag@@QBEPAVID3_Frame@@\ | 1 |
| ??0c_xml_reader_file@lmx@@QAE@PBD@ | 1 |
| ?is_occurs_ok@c_MessageInfo@bandoo_l | 1 |
| ?get_Icon@c_MessageInfo@bandoo_lmx@ | 1 |
| ?get_Text@c_MessageInfo@bandoo_lmx@ | 1 |
| ?get_Explanation@c_MessageInfo@bandoo | 1 |
| ?get_CheckText@c_MessageInfo@bandoo_ | 1 |
| ?isset_CheckText@c_MessageInfo@bandoo | 1 |
| ?get_ButtonType@c_ButtonInfo@bandoo_l | 1 |
| ??1c_ButtonInfo@bandoo_lmx@@UAE@XZ | 1 |
| ?get_Button@c_MessageInfo@bandoo_lmx | 1 |
| ??0c_ButtonInfo@bandoo_lmx@@QAE@AE | 1 |
| ?size_Button@c_MessageInfo@bandoo_lm | 1 |
| ?get_ClientCommand@c_ButtonInfo@band | 1 |
| ?isset_ClientCommand@c_ButtonInfo@ban | 1 |
| ?get_CustomText@c_ButtonType@c_Butto | 1 |
| ?isset_CustomText@c_ButtonType@c_Butt | 1 |

| | |
|--|---|
| ?get_ButtonType@c_ButtonInfo@bandoo_li | 1 |
| ?get_ID@c_MessageInfo@bandoo_lmx@@@i | 1 |
| ?get_LocalMessage@c_LocalMessages@bar | 1 |
| ?size_LocalMessage@c_LocalMessages@bar | 1 |
| ??0c_LocalMessages@bandoo_lmx@@QAE@ | 1 |
| ??1c_LocalMessages@bandoo_lmx@@UAE@ | 1 |
| ??0c_ClientCommand@bandoo_lmx@@QAE@ | 1 |
| ??1c_ClientCommand@bandoo_lmx@@UAI | 1 |
| ?marshal@c_ClientCommand@bandoo_lmx | 1 |
| ??1c_xml_writer@lmx@@UAE@XZ | 1 |
| ??0c_xml_writer@lmx@@QAE@AAV?\$basic | 1 |
| ?assign_ShowWebDialog@c_ClientComman | 1 |
| ?set_Title@c_ShowWebDialog@c_ClientCor | 1 |
| ?set_URL@c_ShowWebDialog@c_ClientCon | 1 |
| ?set_Target@c_ClientCommandType@band | 1 |
| ??1c_ShowWebDialog@c_ClientCommandT | 1 |
| ??0c_ShowWebDialog@c_ClientCommandT | 1 |
| ?unmarshal@c_LocalMessages@bandoo_Im | 1 |
| ?is_occurs_ok@c_LocalMessages@bandoo_ | 1 |
| ??0c_xml_writer@lmx@@QAE@AAV?\$basic | 1 |
| ?include_xml_decl@c_xml_writer@lmx@@ | 1 |
| ??1c_xml_reader_file@lmx@@UAE@XZ | 1 |
| CAPCREATECAPTUREWINDOWA | 1 |
| ?Stop@@@YGHXZ | 1 |
| ?Start@@@YGHXZ | 1 |
| vzbmndl | 1 |
| vzrlchr | 1 |
| vzstcom | 1 |
| vzifmn | 1 |
| vzbcup | 1 |
| vifreef | 1 |
| vifree16 | 1 |
| vigetprocaddr | 1 |
| vigetprocaddr16 | 1 |
| violoadf | 1 |
| vioload16 | 1 |
| callcl | 1 |
| callcd | 1 |
| calci16 | 1 |
| calcd16 | 1 |
| calcl16 | 1 |
| ptr32_16 | 1 |
| yfshow | 1 |
| yxclose | 1 |
| ymemex | 1 |
| yxopen | 1 |
| yfxic | 1 |

| | |
|--|---|
| yfxin | 1 |
| ypsstr | 1 |
| yfxpc | 1 |
| yfxpn | 1 |
| zfmn | 1 |
| yfname | 1 |
| ywobget | 1 |
| yytexit | 1 |
| @System@@SeekEof\$qqrr15System@TText | 1 |
| @Variants@@VarDiv\$qqrr8TVarDatarx8TVa | 1 |
| @Math@RoundTo\$qqrxidxzc | 1 |
| @Comctrls@TTabSheet@SetPageIndex\$qqri | 1 |
| @Extctrls@TNotebook@SetActivePage\$qqrv | 1 |
| @Printers@TPrinter@GetPrinter\$qqrpct1t1 | 1 |
| @Dateutils@IncYear\$qqrx16System@TDate | 1 |
| @Db@TParam@SetAsDate\$qqrx16System@ | 1 |
| @Db@TPParam@SetAsFloat\$qqrxrd | 1 |
| @Db@TDataSource@\$bctr\$qqrp18Classes@ | 1 |
| @Db@TIndexDefs@GetIndexDef\$qqri | 1 |
| @Db@TIndexDefs@AddIndexDef\$qqrv | 1 |
| @Db@TIndexDef@SetFields\$qqrx17System@ | 1 |
| @Db@TBlobField@SetBlobType\$qqr13Db@ | 1 |
| @Db@TBlobField@\$bctr\$qqrp18Classes@T | 1 |
| @Db@TDateField@\$bctr\$qqrp18Classes@T | 1 |
| @Db@TFloatField@SetPrecision\$qqri | 1 |
| @Db@TFloatField@SetCurrency\$qqro | 1 |
| @Db@TFloatField@\$bctr\$qqrp18Classes@T | 1 |
| @Db@TField@SetIndex\$qqri | 1 |
| @Db@TField@SetAlignment\$qqr18Classes@ | 1 |
| @Db@TField@GetFullName\$qqrv | 1 |
| @Db@TFieldDefs@AddFieldDef\$qqrv | 1 |
| @Db@TFieldDef@SetSize\$qqri | 1 |
| @Db@TFieldDef@SetDataType\$qqr13Db@1 | 1 |
| @Db@EDatabaseError@ | 1 |
| @Dbctrls@TDBComboBox@ | 1 |
| @Dbctrls@TDBText@ | 1 |
| @Dbctrls@TDBEdit@ | 1 |
| @Wwrcdpnl@Finalization\$qqrv | 1 |
| @Wwdblook@TwwDBLookupCombo@ | 1 |
| @Wwcombobutton@Finalization\$qqrv | 1 |
| @Wwdbigrd@TwwCustomDBGrid@SetUseT | 1 |
| @Wwdbigrd@TwwCustomDBGrid@SetIndic | 1 |
| @Wwdbigrd@TwwCustomDBGrid@Column | 1 |
| @Wwdbigrd@TwwColumn@SetFooterValue | 1 |
| @Wwdbigrd@TwwCustomDBGrid@SetColW | 1 |
| @Wwdbigrd@TwwCustomDBGrid@SetTitle | 1 |
| @Wwdbigrd@TwwCustomDBGrid@SetTitle | 1 |

| | |
|---|---|
| @Wwdbigrd@TwwCustomDBGrid@SetTitle. | 1 |
| @Wwdbigrd@TwwCustomDBGrid@GetSele | 1 |
| @Wwdbdatetimepicker@TwwDBCUSTOMDA | 1 |
| @Wwdbdatetimepicker@TwwDBCUSTOMDA | 1 |
| @Wwdbdatetimepicker@TwwDBCUSTOMDA | 1 |
| @Wwdbdatetimepicker@TwwDBDATETIMEF | 1 |
| @Wwrched@TwwCustomRichEdit@CopyRi | 1 |
| @Wwrched@TwwDBRichEdit@SetReadOnl | 1 |
| @Wwdbcomb@TwwDBCUSTOMComboBox@ | 1 |
| @Wwcheckbox@TwwCheckBox@ | 1 |
| @Wwdbgrid@TwwIniAttributes@SetDelim | 1 |
| @Wwdbgrid@TwwDBGrid@SetActiveField\$ | 1 |
| @Wwdbgrid@TwwDBGrid@GetActiveField\$ | 1 |
| @Wwdbgrid@TwwDBGrid@SetTitleColor\$q | 1 |
| @Wwdbgrid@TwwDBGrid@SetDataSource\$ | 1 |
| @Wwdbgrid@TwwDBGrid@SetFixedCols\$q | 1 |
| @Wwradiogroup@TwwRadioGroup@SetVal | 1 |
| @Wwradiogroup@TwwCustomRadioGroup | 1 |
| @Wwradiogroup@TwwRadioGroup@ | 1 |
| @Dbgrids@TBookmarkList@SetCurrentRow | 1 |
| @Dbgrids@TBookmarkList@GetItem\$qqri | 1 |
| @Dbgrids@TBookmarkList@GetCount\$qqrv | 1 |
| @Wwrtfconverter@Finalization\$qqrv | 1 |
| @Wwrcdv@Finalization\$qqrv | 1 |
| @Wwdbnavigator@Finalization\$qqrv | 1 |
| @Wwclearpanel@Finalization\$qqrv | 1 |
| @Wwcollection@Finalization\$qqrv | 1 |
| @Wwspeedbutton@Finalization\$qqrv | 1 |
| @Wwidlg@Finalization\$qqrv | 1 |
| @Wwkeycb@Finalization\$qqrv | 1 |
| @Wwdbdlg@Finalization\$qqrv | 1 |
| @Wwfldlg@Finalization\$qqrv | 1 |
| @Wwfldum@Finalization\$qqrv | 1 |
| @Wwfltvw@Finalization\$qqrv | 1 |
| @Ibcustomdataset@TIBCustomDataSet@Se | 1 |
| @Ibcustomdataset@TIBCustomDataSet@Se | 1 |
| @Ibcustomdataset@TIBCustomDataSet@Ge | 1 |
| @Ibsql@TIBSQL@ParamByName\$qqr17Syst | 1 |
| @Ibsql@TIBSQL@SetTransaction\$qqrp25Ibc | 1 |
| @Ibsql@TIBSQL@Prepare\$qqrv | 1 |
| @Ibsql@TIBSQL@SetDatabase\$qqrp22Ibdat | 1 |
| @Ibsql@TIBSQL@GetTransaction\$qqrv | 1 |
| @Ibsql@TIBSQL@GetSQLParams\$qqrv | 1 |
| @Ibsql@TIBSQL@Next\$qqrv | 1 |
| @Ibsql@TIBSQL@FieldByName\$qqr17Syste | 1 |
| @Ibsql@TIBSQL@GetEOF\$qqrv | 1 |
| @Ibsql@TIBSQL@ExecQuery\$qqrv | 1 |

| | |
|--|---|
| @Ibsql@TIBSQL@Close\$qqrv | 1 |
| @Ibsql@TIBXSQLDA@ByName\$qqr17System | 1 |
| @Ibsql@TIBXSQLDA@GetSQLVAR\$qqri | 1 |
| @Ibsql@TIBXSQLVAR@SetAsVariant\$qqrrx1 | 1 |
| @Ibsql@TIBXSQLVAR@SetAsString\$qqr17Sy | 1 |
| @Ibsql@TIBXSQLVAR@SetAsLong\$qqri | 1 |
| @Ibsql@TIBXSQLVAR@SetAsFloat\$qqrf | 1 |
| @Ibsql@TIBXSQLVAR@SetAsDateTime\$qqr1 | 1 |
| @Ibsql@TIBXSQLVAR@GetAsLong\$qqrv | 1 |
| @Ibsql@TIBXSQLVAR@GetAsFloat\$qqrv | 1 |
| @Ibsql@TIBSQL@ | 1 |
| @Ibdatabase@TIBTransaction@GetInTransa | 1 |
| @Ibquery@initialization\$qqrv | 1 |
| @Ibquery@Finalization\$qqrv | 1 |
| @Ibquery@TIBQuery@ParamByName\$qqrx | 1 |
| @Ibquery@TIBQuery@Prepare\$qqrv | 1 |
| @Kbmmemtable@TkbmCustomMemTable@ | 1 |
| @Kbmmemtable@TkbmCustomMemTable@ | 1 |
| @Kbmmemtable@TkbmCustomMemTable@ | 1 |
| @Uformfeature@initialization\$qqrv | 1 |
| @Uformfeature@Finalization\$qqrv | 1 |
| @Uformfeature@TFormFeature@FormCrea | 1 |
| @Uformfeature@TFormFeature@btnFeatur | 1 |
| @Uformfeature@TFormFeature@FormClosi | 1 |
| @Uformfeature@TFormFeature@FormShov | 1 |
| @Uformfeature@TFormFeature@btnFeatur | 1 |
| @Uformfeature@TFormFeature@CheckEdit | 1 |
| @Uformfeature@TFormFeature@TimerDel | 1 |
| @Uformfeature@TFormFeature@SetFeatur | 1 |
| @Uformfeature@TFormFeature@SetFeatur | 1 |
| @Uformfeature@TFormFeature@SetNavBu | 1 |
| @Uformfeature@TFormFeature@memNavC | 1 |
| @Uformfeature@TFormFeature@memNavC | 1 |
| @\$xp\$25Uformfeature@TFormFeature | 1 |
| @Uformfeature@TFormFeature@ | 1 |
| @Ufrmbase@initialization\$qqrv | 1 |
| @Ufrmbase@Finalization\$qqrv | 1 |
| @Ufrmbase@TFrmBase@DateCeiling\$qqr16 | 1 |
| @Ufrmbase@TFrmBase@ClearWWDBRichE | 1 |
| @Ufrmbase@TFrmBase@DatabasePostQuer | 1 |
| @Ufrmbase@TFrmBase@DatabasePrequery | 1 |
| @Uformplus@initialization\$qqrv | 1 |
| @Uformplus@Finalization\$qqrv | 1 |
| @Uformx@initialization\$qqrv | 1 |
| @Uformx@Finalization\$qqrv | 1 |
| @Uformx@TformX@PromptSaveChanges\$qq | 1 |
| @Jvexextctrls@initialization\$qqrv | 1 |

| | |
|---------------------------------------|---|
| @Jvexextctrls@Finalization\$qqrv | 1 |
| @Uprocvar@initialization\$qqrv | 1 |
| @Uprocvar@Finalization\$qqrv | 1 |
| @Uprocvar@gv_nAbsenceCodeHoursWorked | 1 |
| @Uprocvar@gv_sHireTo | 1 |
| @Uprocvar@gv_sHireFrom | 1 |
| @Uprocvar@gv_bUseHireRange | 1 |
| @Uprocvar@gv_bTimeEnabled | 1 |
| @Uprocvar@gv_bShowDeleted | 1 |
| @Uprocvar@gv_bTerminated | 1 |
| @Uprocvar@gv_bInactive | 1 |
| @Uprocvar@gv_bActive | 1 |
| @Uprocvar@gv_bPartTime | 1 |
| @Uprocvar@gv_bFullTime | 1 |
| @Uprocvar@GlobalSettingsRecord | 1 |
| @Uprocvar@gv_bRetainOriginalClass | 1 |
| @Uprocvar@gv_bDisplayInHours | 1 |
| @Uprocvar@gv_bCalendarNotes | 1 |
| @Uprocvar@gv_bUseCalendarSettings | 1 |
| @Uprocvar@gv_dCalendarDate | 1 |
| @Uprocvar@gv_bATCONIntegration | 1 |
| @Uprocvar@gv_nEmployeeCode | 1 |
| @Uprocvar@gv_nActiveCode | 1 |
| @Uprocvar@gv_nUserID | 1 |
| @Uprocvar@gv_nEmployeeID | 1 |
| @Uinilocation@initialization\$qqrv | 1 |
| @Uinilocation@Finalization\$qqrv | 1 |
| @Uinilocation@gIniFileLocation | 1 |
| @Unosversion@initialization\$qqrv | 1 |
| @Unosversion@Finalization\$qqrv | 1 |
| @Ucommonfolders@initialization\$qqrv | 1 |
| @Ucommonfolders@Finalization\$qqrv | 1 |
| @Wwrichedspellxp@initialization\$qqrv | 1 |
| @Wwrichedspellxp@Finalization\$qqrv | 1 |
| @Wwrichedspellxp@TwwDBRichEditMSWord | 1 |
| @Wordxp@initialization\$qqrv | 1 |
| @Wordxp@Finalization\$qqrv | 1 |
| @Vbidexp@initialization\$qqrv | 1 |
| @Vbidexp@Finalization\$qqrv | 1 |
| @Officeexp@initialization\$qqrv | 1 |
| @Officeexp@Finalization\$qqrv | 1 |
| @Udmbase@initialization\$qqrv | 1 |
| @Udmbase@Finalization\$qqrv | 1 |
| @Udmbase@Tdm@CopyDataset\$qqrp11Db | 1 |
| @Udmbase@Tdm@DescribePlan\$qqrip14St | 1 |
| @Udmbase@Tdm@AddUserRestrictionJoin! | 1 |
| @Udmbase@Tdm@IsLockedByTimeClock\$q | 1 |

| | |
|---|---|
| @Udmbase@Tdm@SetAbsenceCodeHours\ | 1 |
| @Udmbase@Tdm@UpdateAtcon\$qqrxixix | 1 |
| @Udmbase@Tdm@CreateSelectedWhere\$ | 1 |
| @Udmbase@Tdm@CreateWhere\$qqrxoxox | 1 |
| @Udmbase@Tdm@SetMru\$qqrp15Menus@ | 1 |
| @Udmbase@Tdm@LoadMemTable\$qqrp11 | 1 |
| @Udmbase@Tdm@GetGlobalSetting\$qqrx1 | 1 |
| @Udmbase@Tdm@GetGenID\$qqr17System | 1 |
| @Udmbase@Tdm@GetCode\$qqrx17System | 1 |
| @Udmbase@Tdm@FixQuotes\$qqr17Systen | 1 |
| @Udmbase@Tdm@DateCast\$qqr16System\ | 1 |
| @Udmbase@Sec | 1 |
| @Udmbase@Main | 1 |
| @Udmbase@dm | 1 |
| @Fctreeview@initialization\$qqrv | 1 |
| @Fctreeview@Finalization\$qqrv | 1 |
| @Fcbitmap@initialization\$qqrv | 1 |
| @Fcbitmap@Finalization\$qqrv | 1 |
| @Fcchangelink@initialization\$qqrv | 1 |
| @Fcchangelink@Finalization\$qqrv | 1 |
| @Fcgraphics@initialization\$qqrv | 1 |
| @Fcgraphics@Finalization\$qqrv | 1 |
| @Fccanvas@initialization\$qqrv | 1 |
| @Fccanvas@Finalization\$qqrv | 1 |
| @Fccustomdraw@initialization\$qqrv | 1 |
| @Fccustomdraw@Finalization\$qqrv | 1 |
| @Utypesbpl@initialization\$qqrv | 1 |
| @Utypesbpl@Finalization\$qqrv | 1 |
| @Udmcontent@initialization\$qqrv | 1 |
| @Udmcontent@Finalization\$qqrv | 1 |
| @Utempfile@initialization\$qqrv | 1 |
| @Utempfile@Finalization\$qqrv | 1 |
| @Udmlicensekey@initialization\$qqrv | 1 |
| @Udmlicensekey@Finalization\$qqrv | 1 |
| @Gnmenuitem@initialization\$qqrv | 1 |
| @Gnmenuitem@Finalization\$qqrv | 1 |
| @Ucontentpdfpreprocess@initialization\$qq | 1 |
| @Ucontentpdfpreprocess@Finalization\$qqr | 1 |
| @Uisedquickpdf@initialization\$qqrv | 1 |
| @Uisedquickpdf@Finalization\$qqrv | 1 |
| @Updfpicasso@initialization\$qqrv | 1 |
| @Updfpicasso@Finalization\$qqrv | 1 |
| @Updfmatrix@initialization\$qqrv | 1 |
| @Updfmatrix@Finalization\$qqrv | 1 |
| @Updfgenericcanvas@initialization\$qqrv | 1 |
| @Updfgenericcanvas@Finalization\$qqrv | 1 |
| @Updfpng@initialization\$qqrv | 1 |

| | |
|--|---|
| @Updfpng@Finalization\$qqrv | 1 |
| @Updfflate@initialization\$qqrv | 1 |
| @Updfflate@Finalization\$qqrv | 1 |
| @Updfgdiplus@initialization\$qqrv | 1 |
| @Updfgdiplus@Finalization\$qqrv | 1 |
| @Updfextra@initialization\$qqrv | 1 |
| @Updfextra@Finalization\$qqrv | 1 |
| @Updfghostscript@initialization\$qqrv | 1 |
| @Updfghostscript@Finalization\$qqrv | 1 |
| @Updfform@initialization\$qqrv | 1 |
| @Updfform@Finalization\$qqrv | 1 |
| @Updfpainter@initialization\$qqrv | 1 |
| @Updfpainter@Finalization\$qqrv | 1 |
| @Updfstructure@initialization\$qqrv | 1 |
| @Updfstructure@Finalization\$qqrv | 1 |
| @Updflzw@initialization\$qqrv | 1 |
| @Updflzw@Finalization\$qqrv | 1 |
| @Updfdigest@initialization\$qqrv | 1 |
| @Updfdigest@Finalization\$qqrv | 1 |
| @Updfascii85@initialization\$qqrv | 1 |
| @Updfascii85@Finalization\$qqrv | 1 |
| @Updfbarcode@initialization\$qqrv | 1 |
| @Updfbarcode@Finalization\$qqrv | 1 |
| @Updffont@initialization\$qqrv | 1 |
| @Updffont@Finalization\$qqrv | 1 |
| @Updffontconst@initialization\$qqrv | 1 |
| @Updffontconst@Finalization\$qqrv | 1 |
| @Updfstype1@initialization\$qqrv | 1 |
| @Updfstype1@Finalization\$qqrv | 1 |
| @Updffontrasterizer@initialization\$qqrv | 1 |
| @Updffontrasterizer@Finalization\$qqrv | 1 |
| @Updfimagedecoder@initialization\$qqrv | 1 |
| @Updfimagedecoder@Finalization\$qqrv | 1 |
| @Updfimagelist@initialization\$qqrv | 1 |
| @Updfimagelist@Finalization\$qqrv | 1 |
| @Updfcolormanagement@initialization\$qqrv | 1 |
| @Updfcolormanagement@Finalization\$qqrv | 1 |
| @Updtiff@initialization\$qqrv | 1 |
| @Updtiff@Finalization\$qqrv | 1 |
| @Updfjpeg@initialization\$qqrv | 1 |
| @Updfjpeg@Finalization\$qqrv | 1 |
| @Updfttvector@initialization\$qqrv | 1 |
| @Updfttvector@Finalization\$qqrv | 1 |
| @Updftruetyperasterizer@initialization\$qqrv | 1 |
| @Updftruetyperasterizer@Finalization\$qqrv | 1 |
| @Updftruetypeparser@initialization\$qqrv | 1 |
| @Updftruetypeparser@Finalization\$qqrv | 1 |

| | |
|---|---|
| @Updfimage@initialization\$qqrv | 1 |
| @Updfimage@Finalization\$qqrv | 1 |
| @Updfgif@initialization\$qqrv | 1 |
| @Updfgif@Finalization\$qqrv | 1 |
| @Updfmetafile@initialization\$qqrv | 1 |
| @Updfmetafile@Finalization\$qqrv | 1 |
| @Updfhtmlrender@initialization\$qqrv | 1 |
| @Updfhtmlrender@Finalization\$qqrv | 1 |
| @Updfxfa@initialization\$qqrv | 1 |
| @Updfxfa@Finalization\$qqrv | 1 |
| @Updfsmartaccess@initialization\$qqrv | 1 |
| @Updfsmartaccess@Finalization\$qqrv | 1 |
| @Updftextfunnel@initialization\$qqrv | 1 |
| @Updftextfunnel@Finalization\$qqrv | 1 |
| @Updfextractor@initialization\$qqrv | 1 |
| @Updfextractor@Finalization\$qqrv | 1 |
| @Updfeps@initialization\$qqrv | 1 |
| @Updfeps@Finalization\$qqrv | 1 |
| @Upfdither@initialization\$qqrv | 1 |
| @Upfdither@Finalization\$qqrv | 1 |
| @Upfrenderer@initialization\$qqrv | 1 |
| @Upfrenderer@Finalization\$qqrv | 1 |
| @Updffunctions@initialization\$qqrv | 1 |
| @Updffunctions@Finalization\$qqrv | 1 |
| @Updfencrypt@initialization\$qqrv | 1 |
| @Updfencrypt@Finalization\$qqrv | 1 |
| @Updfdocument@initialization\$qqrv | 1 |
| @Updfdocument@Finalization\$qqrv | 1 |
| @Updfxref@initialization\$qqrv | 1 |
| @Updfxref@Finalization\$qqrv | 1 |
| @Updfpagetree@initialization\$qqrv | 1 |
| @Upfpagetree@Finalization\$qqrv | 1 |
| @Upfannots@initialization\$qqrv | 1 |
| @Upfannots@Finalization\$qqrv | 1 |
| @Upfpreview@initialization\$qqrv | 1 |
| @Upfpreview@Finalization\$qqrv | 1 |
| @Updfcontentstreamprocessor@initializatio | 1 |
| @Updfcontentstreamprocessor@Finalizatio | 1 |
| @Upfnametree@initialization\$qqrv | 1 |
| @Upfnametree@Finalization\$qqrv | 1 |
| @Updfprinting@initialization\$qqrv | 1 |
| @Updfprinting@Finalization\$qqrv | 1 |
| @Uencrytmemtable@initialization\$qqrv | 1 |
| @Uencrytmemtable@Finalization\$qqrv | 1 |
| @Uencrytmemtable@TGNEncrypt@SetValu | 1 |
| @Uencrytmemtable@TGNEncryptMemTabl | 1 |
| @Dcpcrypt2@initialization\$qqrv | 1 |

| | |
|--|---|
| @Dcpcrypt2@Finalization\$qqrv | 1 |
| @Dcpconst@initialization\$qqrv | 1 |
| @Dcpconst@Finalization\$qqrv | 1 |
| @Dcpbase64@initialization\$qqrv | 1 |
| @Dcpbase64@Finalization\$qqrv | 1 |
| @Dcpsha1@initialization\$qqrv | 1 |
| @Dcpsha1@Finalization\$qqrv | 1 |
| @Dcpblockciphers@initialization\$qqrv | 1 |
| @Dcpblockciphers@Finalization\$qqrv | 1 |
| @Dcpdes@initialization\$qqrv | 1 |
| @Dcpdes@Finalization\$qqrv | 1 |
| @Ureconnect@initialization\$qqrv | 1 |
| @Ureconnect@Finalization\$qqrv | 1 |
| @Umainmsg@initialization\$qqrv | 1 |
| @Umainmsg@Finalization\$qqrv | 1 |
| @Uformreport@initialization\$qqrv | 1 |
| @Uformreport@Finalization\$qqrv | 1 |
| @Uformreport@TFormReport@EnablefrxDz | 1 |
| @Uformreport@TFormReport@FormClose\$ | 1 |
| @Uformreport@TFormReport@FormCreate | 1 |
| @Uformreport@TFormReport@CreateStanc | 1 |
| @Uformreport@TFormReport@CreateStanc | 1 |
| @Uformreport@TFormReport@CreateAuxil | 1 |
| @Uformreport@TFormReport@FormShow\$ | 1 |
| @Uformreport@TFormReport@tbtnHelpCli | 1 |
| @Uformreport@TFormReport@GetSelectec | 1 |
| @Uformreport@TFormReport@FillLikeField | 1 |
| @\$xp\$23Uformreport@TFormReport | 1 |
| @Uformreport@TFormReport@ | 1 |
| @Frxclass@TfrxReportDataSets@Find\$qqrp: | 1 |
| @Frxclass@TfrxReportDataSets@GetItem\$q | 1 |
| @Frxclass@TfrxReportDataSets@Add\$qqrp: | 1 |
| @Frxcharhelpers@initialization\$qqrv | 1 |
| @Frxcharhelpers@Finalization\$qqrv | 1 |
| @Teeshape@Finalization\$qqrv | 1 |
| @Bubblech@Finalization\$qqrv | 1 |
| @Arrowcha@Finalization\$qqrv | 1 |
| @Teegally@initialization\$qqrv | 1 |
| @Teegally@Finalization\$qqrv | 1 |
| @Frxibxcomponents@initialization\$qqrv | 1 |
| @Frxibxcomponents@Finalization\$qqrv | 1 |
| @Ibtable@initialization\$qqrv | 1 |
| @Ibtable@Finalization\$qqrv | 1 |
| @Frxibxrtti@initialization\$qqrv | 1 |
| @Frxibxrtti@Finalization\$qqrv | 1 |
| @Fs_iibxrtti@initialization\$qqrv | 1 |
| @Fs_iibxrtti@Finalization\$qqrv | 1 |

| | |
|--|---|
| @Ibstoredproc@initialization\$qqrv | 1 |
| @Ibstoredproc@Finalization\$qqrv | 1 |
| @Frxibxeditor@initialization\$qqrv | 1 |
| @Frxibxeditor@Finalization\$qqrv | 1 |
| @Frxexportmail@initialization\$qqrv | 1 |
| @Frxexportmail@Finalization\$qqrv | 1 |
| @Frxexportmail@TfrxMailExport@ | 1 |
| @Frsmtp@initialization\$qqrv | 1 |
| @Frsmtp@Finalization\$qqrv | 1 |
| @Frxnetutils@initialization\$qqrv | 1 |
| @Frxnetutils@Finalization\$qqrv | 1 |
| @Ureportcustom@initialization\$qqrv | 1 |
| @Ureportcustom@Finalization\$qqrv | 1 |
| @Jvdialogs@initialization\$qqrv | 1 |
| @Jvdialogs@Finalization\$qqrv | 1 |
| @Ucustomrepsopt@initialization\$qqrv | 1 |
| @Ucustomrepsopt@Finalization\$qqrv | 1 |
| @Ucrdata@initialization\$qqrv | 1 |
| @Ucrdata@Finalization\$qqrv | 1 |
| @Ucustomrepfilter@initialization\$qqrv | 1 |
| @Ucustomrepfilter@Finalization\$qqrv | 1 |
| @Uadvertise@initialization\$qqrv | 1 |
| @Uadvertise@Finalization\$qqrv | 1 |
| @Jvlabel@initialization\$qqrv | 1 |
| @Jvlabel@Finalization\$qqrv | 1 |
| @Jvdataprovider@initialization\$qqrv | 1 |
| @Jvdataprovider@Finalization\$qqrv | 1 |
| @Jvdataproviderintf@initialization\$qqrv | 1 |
| @Jvdataproviderintf@Finalization\$qqrv | 1 |
| @Uformmodal@initialization\$qqrv | 1 |
| @Uformmodal@Finalization\$qqrv | 1 |
| @Uformmodal@TFormModal@DateCeiling\$ | 1 |
| @Uformmodal@TFormModal@FormShow\$ | 1 |
| @Uformmodal@TFormModal@FormClose\$ | 1 |
| @Uformmodal@TFormModal@FormCreate: | 1 |
| @\$xp\$21Uformmodal@TFormModal | 1 |
| @Uformmodal@TFormModal@ | 1 |
| @Fclabel@initialization\$qqrv | 1 |
| @Fclabel@Finalization\$qqrv | 1 |
| @Fclabel@TfcLabel@ | 1 |
| @Fctext@initialization\$qqrv | 1 |
| @Fctext@Finalization\$qqrv | 1 |
| @Jvmaskedit@initialization\$qqrv | 1 |
| @Jvmaskedit@Finalization\$qqrv | 1 |
| @Jvcaret@initialization\$qqrv | 1 |
| @Jvcaret@Finalization\$qqrv | 1 |
| @Unhelperfunctions@initialization\$qqrv | 1 |

| | |
|--|---|
| @Unhelperfunctions@Finalization\$qqrv | 1 |
| @Unhelperfunctions@THelperFunctions@R | 1 |
| @Unhelperfunctions@HelperFunctions\$qqrv | 1 |
| @Dbclient@TCustomClientDataSet@SetIndex | 1 |
| @Uwait@initialization\$qqrv | 1 |
| @Uwait@Finalization\$qqrv | 1 |
| @Udmshared@initialization\$qqrv | 1 |
| @Udmshared@Finalization\$qqrv | 1 |
| @Udbconnect@initialization\$qqrv | 1 |
| @Udbconnect@Finalization\$qqrv | 1 |
| @Ugraphs@initialization\$qqrv | 1 |
| @Ugraphs@Finalization\$qqrv | 1 |
| @Ugraphs@TfrmGraph@PassParameters\$qq | 1 |
| @Ugraphs@TfrmGraph@InitializeGraphArra | 1 |
| @Ugraphs@TfrmGraph@ | 1 |
| @Wavrec@initialization\$qqrv | 1 |
| @Wavrec@Finalization\$qqrv | 1 |
| @Wavrec@TWavRec@stopRecording\$qqrv | 1 |
| @Wavrec@TWavRec@beginRecording\$qqrv | 1 |
| @Wavrec@TWavRec@\$bctr\$qqrp18Classes | 1 |
| @Wavrec@TWavRec@ | 1 |
| FPX_CloseImage | 1 |
| FPX_ClearSystem | 1 |
| FPX_SetResampleMethod | 1 |
| FPX_ReadImageRectangle | 1 |
| FPX_CreateImageByFilename | 1 |
| FPX_OpenImageByFilename | 1 |
| FPX_InitSystem | 1 |
| TestVersion | 1 |
| FPX_WriteImageLine | 1 |
| FPX_SetJPEGCompression | 1 |
| FPX_SetToolkitMemoryLimit | 1 |
| ?GetAttribute@KeyBase@SSH2@@QBE_NP | 1 |
| ?Close@PublicKeyChannel@SSH2@@QAEX | 1 |
| ?List@PublicKeyChannel@SSH2@@QAEXXZ | 1 |
| ?Remove@PublicKeyChannel@SSH2@@QA | 1 |
| ?Add@PublicKeyChannel@SSH2@@QAEXP | 1 |
| ??1PublicKeyChannel@SSH2@@UAE@XZ | 1 |
| ??0PublicKeyChannel@SSH2@@QAE@PAVI | 1 |
| ?SetSink@PublicKeyChannel@SSH2@@QAE | 1 |
| ?Open@PublicKeyChannel@SSH2@@QAEX | 1 |
| ?QueryInterface@PublicKeyChannel@SSH2@ | 1 |
| ?AddRef@PublicKeyChannel@SSH2@@UAC | 1 |
| ?Release@PublicKeyChannel@SSH2@@UAC | 1 |
| ?OnChannelSend@PublicKeyChannel@SSH2 | 1 |
| ?OnChannelReceive@PublicKeyChannel@SS | 1 |
| ?OnChannelReceiveExtended@PublicKeyCh | 1 |

| | |
|---|---|
| ?OnChannelEOF@PublicKeyChannel@SSH2@ | 1 |
| ?OnChannelOpen@PublicKeyChannel@SSH2@ | 1 |
| ?OnChannelOpenSuccess@PublicKeyChanne | 1 |
| ?OnChannelOpenFailure@PublicKeyChannel | 1 |
| ?OnChannelClose@PublicKeyChannel@SSH2@ | 1 |
| ?Seed@RandomSource@SSH2@@@QAEXP@E | 1 |
| ?Create@PrivateKey@SSH2@@@SAPAV12@F | 1 |
| ?GetRandomSource@SSH2@@@YAAAVRandc | 1 |
| ?MapAuthenticationProtocolToDisplay@SSH | 1 |
| ?SetAttribute@KeyStore@SSH2@@@QAEXPB | 1 |
| ?CreateHostKeyDatabase@SSH2@@@YAPAVI | 1 |
| ?GetPublicKeyFingerprint@SSH2@@@YA?AV\ | 1 |
| ?GetPublicKeyAlgorithm@SSH2@@@YAPBDH | 1 |
| ?GetProtocolList@SSH2@@@YA?AVVString@ | 1 |
| ??1SSHPacket@SSH2@@@QAE@XZ | 1 |
| ??0SSHPacket@SSH2@@@QAE@ABV01@@@Z | 1 |
| ?CreatePortForwardManager@SSH2@@@YAF | 1 |
| ?CreateClientTransport@SSH2@@@YAPAVITr | 1 |
| ?MapKexProtocolToDisplay@SSH2@@@YA_N | 1 |
| ?MapPublicKeyProtocolToDisplay@SSH2@@@ | 1 |
| ?MapCipherProtocolToDisplay@SSH2@@@YA | 1 |
| ?MapMacProtocolToDisplay@SSH2@@@YA_N | 1 |
| ?MapCompressionProtocolToDisplay@SSH2 | 1 |
| ?GetCoreDII@SSH2@@@YAPAUHINSTANCE_ | 1 |
| ?Create@KeyStore@SSH2@@@SAPAV12@PB | 1 |
| ?GetAttribute@KeyStore@SSH2@@@QAE_NF | 1 |
| ??1PrivateKey@SSH2@@@UAE@XZ | 1 |
| ?GetFingerprint@KeyBase@SSH2@@@MBEH | 1 |
| ?LoadFromOpenSSHPublicKey@PrivateKey@ | 1 |
| ?OnChannelRequest@PublicKeyChannel@S@ | 1 |
| ?OnChannelRequestFailed@PublicKeyChann | 1 |
| ?OnChannelRequestSucceeded@PublicKeyC | 1 |
| ?SetCapabilities@KeyBase@SSH2@@@QAEXI | 1 |
| ?Create@KeyStore@SSH2@@@SAPAV12@AB | 1 |
| ?GetLocalName@PublicKeyChannel@SSH2@ | 1 |
| ?GetRemoteName@PublicKeyChannel@SSH | 1 |
| ?Copy@PublicKey@SSH2@@@QBEPAV12@X: | 1 |
| ?GetAuthenticationAlgorithmDisplay@SSH2 | 1 |
| ?MapAuthenticationDisplayToProtocol@SSH | 1 |
| ?GenerateAgentPacket@PrivateKey@SSH2@ | 1 |
| ?Update@PrivateKey@SSH2@@@UAE_NH@z | 1 |
| ?LoadFromAgent@PrivateKey@SSH2@@@UA | 1 |
| rtrim | 1 |
| gimp_image_attach_parasite | 1 |
| gimp_image_convert_rgb | 1 |
| gimp_layer_translate | 1 |
| gimp_progress_pulse | 1 |

| | |
|--|---|
| gimp_progress_set_text_printf | 1 |
| gimp_register_thumbnail_loader | 1 |
| MsiSIPVerifyIndirectData | 1 |
| MsiSIPRemoveSignedDataMsg | 1 |
| MsiSIPIsMyTypeOfFile | 1 |
| MsiSIPGetSignedDataMsg | 1 |
| MsiSIPPutSignedDataMsg | 1 |
| MsiSIPCreateIndirectData | 1 |
| ?SetSize@SvStream@@MAEXK@Z | 1 |
| ?SyncSvStream@SvStream@@IAEXK@Z | 1 |
| ?GetData@SvStream@@MAEKPAKK@Z | 1 |
| ?PutData@SvStream@@MAEKPBXK@Z | 1 |
| ?SeekPos@SvStream@@MAEKK@Z | 1 |
| ?FlushData@SvStream@@MAEXXZ | 1 |
| ?ClearBuffer@SvStream@@IAEXXZ | 1 |
| ?GetByteSequence@SvGlobalName@@QBE | 1 |
| ?CreateTempName@TempFile@@SA?AVStr | 1 |
| ?SetStreamSize@SvStream@@QAEEK@Z | 1 |
| ?GetLastName@INetURLObject@@QBE?AV | 1 |
| ?IsOf@SvDataCopyStream@@SAEP6APAXX; | 1 |
| ??_7SvDataCopyStream@@6B@ | 1 |
| ??1SvDataCopyStream@@UAE@XZ | 1 |
| ?SyncSysStream@SvStream@@IAEXXZ | 1 |
| ?SetName@INetURLObject@@QAEXABVOU | 1 |
| ?encode@INetURLObject@@SA?AVOUString | 1 |
| ?CreateStream@UcbStreamHelper@utl@@ | 1 |
| ?CreateStream@UcbStreamHelper@utl@@ | 1 |
| ?CreateStream@UcbStreamHelper@utl@@ | 1 |
| ??0InputStreamWrapper@utl@@QAE@P/ | 1 |
| ?CreateStream@UcbStreamHelper@utl@@ | 1 |
| ?getImplementationId@?\$WeakImplHelper: | 1 |
| ?getTypes@?\$WeakImplHelper2@VXInputStream | 1 |
| ??0?\$WeakImplHelper2@VXInputStream@i | 1 |
| ??1?\$WeakImplHelper2@VXInputStream@i | 1 |
| ?Execute@PathDialog@@UAEFXZ | 1 |
| ??0PathDialog@@QAE@PAVWindow@@_J | 1 |
| ?SetPath@PathDialog@@QAEXABVString@ | 1 |
| ?GetPath@PathDialog@@QBE?AVString@@ | 1 |
| ?OK@PathDialog@@UAEJXZ | 1 |
| ??1PathDialog@@UAE@XZ | 1 |
| ??0SvNumberFormatter@@QAE@ABV?\$Re | 1 |
| ?GetStandardFormat@SvNumberFormatter(| 1 |
| ?GetOutputString@SvNumberFormatter@@ | 1 |
| ?GetNullDate@SvNumberFormatter@@QAIf | 1 |
| ??0FixedBitmap@@QAE@PAVWindow@@I | 1 |
| ??0GroupBox@@QAE@PAVWindow@@AB' | 1 |
| ??1GroupBox@@UAE@XZ | 1 |

| | |
|---|---|
| ?GetStandardImage@ErrorBox@@SA?AVIm | 1 |
| ?GetStandardImage@QueryBox@@SA?AVIr | 1 |
| ?AddButton@ButtonDialog@@QAEYABVStr | 1 |
| ?AddButton@ButtonDialog@@QAEYGGGJ@ | 1 |
| ?SetButtonHelpText@ButtonDialog@@QAE | 1 |
| ?Click@ButtonDialog@@UAEXXZ | 1 |
| ?GetOptimalSize@MessBox@@UBE?AVSize | 1 |
| ?StateChanged@MessBox@@UAEXG@Z | 1 |
| ?Resize@ButtonDialog@@UAEXXZ | 1 |
| ?Create@VclAbstractDialogFactory@@SAPA | 1 |
| ?GetCtrlTextWidth@OutputDevice@@QBEJ. | 1 |
| ??0MessBox@@QAE@PAVWindow@@_JAE | 1 |
| ?GetTextRect@OutputDevice@@QBE?AVRe | 1 |
| ?openNode@OConfigurationNode@utl@@I | 1 |
| ?getNodeValue@OConfigurationNode@utl@C | 1 |
| ?GetPath@INetURLObject@@QBE?AVOUSti | 1 |
| ?getAbbreviated@INetURLObject@@QBE?A | 1 |
| ?EmptyString@String@@SAABV1@XZ | 1 |
| ?GetContext@ErrorHandler@@SAPAV1@XZ | 1 |
| ?GetErrorHandler@ErrorHandler@@SAEKAAV | 1 |
| ?GetTimeInDays@Time@@QBENXZ | 1 |
| ?createComponent@ComponentContext@c | 1 |
| ??0NamedValueCollection@comphelper@@ | 1 |
| ?getWrappedPropertyValues@NamedValue | 1 |
| ?impl_put@NamedValueCollection@comph | 1 |
| ?has@NamedValueCollection@comphelper | 1 |
| ?DeleteIf@CLKRLinearHashTable@@QAEKP | 1 |
| ??4CReaderWriterLock2@@QAEAAV0@ABV | 1 |
| NdrCorrelationFree | 1 |
| ?GetDwordValue@CHPRBReg@@QAEJPBDF | 1 |
| ?MouseProc@@YGJHIJ@Z | 1 |
| ?StopHooks@@YAXQAD@Z | 1 |
| WmiCommitObject | 1 |
| WmiCreateObject | 1 |
| WmiCreateObjectWithProps | 1 |
| @GetApplicationObject\$qui | 1 |
| @TApplication@\$bctr\$qpxcrp7TModulep14 | 1 |
| @TApplication@BeginModal\$qp7TWindowi | 1 |
| @TApplication@CanClose\$qv | 1 |
| @TApplication@EndModal\$qi | 1 |
| @TApplication@IdlAction\$ql | 1 |
| @TApplication@InitApplication\$qv | 1 |
| @TApplication@InitInstance\$qv | 1 |
| @TApplication@MessageBox\$qp6HWND__f | 1 |
| @TApplication@MessageLoop\$qv | 1 |
| @TApplication@PreProcessMenu\$qp7HMEI | 1 |
| @TApplication@ProcessAppMsg\$qr6tagMS | 1 |

| | |
|--|---|
| @TApplication@ProcessMsg\$qr6tagMSG | 1 |
| @TApplication@Run\$qv | 1 |
| @TApplication@SetMainWindow\$qp12TFra | 1 |
| @TApplication@Start\$qv | 1 |
| @TApplication@TermInstance\$qi | 1 |
| @TBitmap@\$bctr\$qp11HINSTANCE__6TRes | 1 |
| @TBitmap@\$bdtr\$qv | 1 |
| @TBrush@\$bctr\$qr6TColor | 1 |
| @TBrush@\$bdtr\$qv | 1 |
| @TButton@\$bctr\$qp7TWindowipxciiii4bool | 1 |
| @TButton@\$bdtr\$qv | 1 |
| @TButtonGadget@\$bctr\$q6TResIdi19TButtc | 1 |
| @TButtonGadget@\$bdtr\$qv | 1 |
| @TCheckBox@\$bctr\$qp7TWindowip9TGrou | 1 |
| @TCheckBox@\$bdtr\$qv | 1 |
| @TChooseFontDialog@\$bctr\$qp7TWindowwr | 1 |
| @TChooseFontDialog@\$bdtr\$qv | 1 |
| @TComboBox@\$bctr\$qp7TWindowiiiiuluip | 1 |
| @TComboBox@\$bdtr\$qv | 1 |
| @TComboBox@SetText\$qpxc | 1 |
| @TCommonDialog@\$bctr\$qp7TWindowpxc | 1 |
| @TCommonDialog@DoCreate\$qv | 1 |
| @TCommonDialog@SetupWindow\$qv | 1 |
| @TControl@\$bctr\$qp7TWindowipxciiiip7TN | 1 |
| @TControl@CompareItem\$qr20tagCOMPAF | 1 |
| @TControl@DeleteItem\$qr19tagDELETEITEM | 1 |
| @TControl@DrawItem\$qr17tagDRAWITEMS | 1 |
| @TControl@MeasureItem\$qr20tagMEASUR | 1 |
| @TControl@ODADrawEntire\$qr17tagDRAW | 1 |
| @TControl@ODAFocus\$qr17tagDRAWITEMS | 1 |
| @TControl@ODASelect\$qr17tagDRAWITEM | 1 |
| @TControlBar@\$bctr\$qp7TWindow28TGad | 1 |
| @TControlBar@\$bdtr\$qv | 1 |
| @TControlBar@PreProcessMsg\$qr6tagMSG | 1 |
| @TControlGadget@\$bctr\$qr7TWindow20TC | 1 |
| @TControlGadget@\$bdtr\$qv | 1 |
| @TCreatedDC@\$bdtr\$qv | 1 |
| @TCursor@\$bctr\$qp11HINSTANCE__6TResl | 1 |
| @TCursor@\$bdtr\$qv | 1 |
| @TDC@GetCurrentObject\$xqui | 1 |
| @TDC@RestoreBrush\$qv | 1 |
| @TDC@RestoreObjects\$qv | 1 |
| @TDC@RestorePen\$qv | 1 |
| @TDC@SelectObject\$qr6TBrush | 1 |
| @TDecoratedMDIFrame@\$bctr\$qpxc6TResl | 1 |
| @TDecoratedMDIFrame@DefWindowProcA | 1 |
| @TDialog@SetCaption\$qpxc | 1 |

| | |
|--|---|
| @TDialog@StdDlgProc\$qqfsp6HWND__uiuil | 1 |
| @TEdit@\$bctr\$qp7TWindowipxciiui4boolp | 1 |
| @TEdit@CanClose\$qv | 1 |
| @TEdit@Clear\$qv | 1 |
| @TEdit@EvChar\$quiuiui | 1 |
| @TEdit@EvKeyDown\$quiuiui | 1 |
| @TEdit@EvKillFocus\$qp6HWND__ | 1 |
| @TEdit@EvSetFocus\$qp6HWND__ | 1 |
| @TEdit@GetClassNameA\$qv | 1 |
| @TEdit@GetSubText\$xqpcuiui | 1 |
| @TEdit@Search\$quipxc4boolt3t3 | 1 |
| @TEdit@SetupWindow\$qv | 1 |
| @TEdit@Transfer\$qpv18TTransferDirection | 1 |
| @TFindDialog@\$bctr\$qp7TWindowr24TFinc | 1 |
| @TFindReplaceDialog@TData@\$bctr\$quili | 1 |
| @TFindReplaceDialog@TData@\$bdtr\$qv | 1 |
| @TFindReplaceDialog@UpdateData\$ql | 1 |
| @TFloatingFrame@\$bctr\$qp7TWindowpxct: | 1 |
| @TFloatingFrame@EvCommand\$quip6HW\ | 1 |
| @TFloatingFrame@EvCommandEnable\$qr1! | 1 |
| @TFloatingFrame@EvSysCommand\$quir6TF | 1 |
| @TFloatingFrame@GetCommandTarget\$qv | 1 |
| @TFont@\$bctr\$qpx11tagLOGFONTA | 1 |
| @TFont@\$bctr\$qpvciiiiucucucucucucuc | 1 |
| @TFont@GetTextMetricsA\$xqr14tagTEXTMI | 1 |
| @TFrameWindow@\$bctr\$qv | 1 |
| @TFrameWindow@EvCommand\$quip6HW\ | 1 |
| @TFrameWindow@EvCommandEnable\$qr1 | 1 |
| @TFrameWindow@EvSize\$quir5TSsize | 1 |
| @TFrameWindow@SetIcon\$qp7TModule6T | 1 |
| @TFrameWindow@SetIconSm\$qp7TModule\ | 1 |
| @TFrameWindow@SetMenuDescr\$qrx10TN | 1 |
| @TGadget@\$bdtr\$qv | 1 |
| @TGadgetList@GadgetWithId\$xqi | 1 |
| @TGadgetWindow@CleanupWindow\$qv | 1 |
| @TGadgetWindow@Create\$qv | 1 |
| @TGadgetWindow@EvCommand\$quip6HW | 1 |
| @TGadgetWindow@EvCommandEnable\$qr: | 1 |
| @TGadgetWindow@EvNotify\$quir7TNotify | 1 |
| @TGadgetWindow@GetCelArray\$qii | 1 |
| @TGadgetWindow@GetDesiredSize\$qr5TSi: | 1 |
| @TGadgetWindow@GetInnerRect\$qr5TRec\ | 1 |
| @TGadgetWindow@IdleAction\$ql | 1 |
| @TGadgetWindow@Insert\$qr7TGadget22TC | 1 |
| @TGadgetWindow@InsertFrom\$qr11TGadg | 1 |
| @TGadgetWindow@Inserted\$qr7TGadget | 1 |
| @TGadgetWindow@LayoutGadgets\$q28TG: | 1 |

| | |
|---|---|
| @TGadgetWindow@LayoutSession\$qv | 1 |
| @TGadgetWindow@Paint\$qr3TDC4boolr5Tl | 1 |
| @TGadgetWindow@PaintGadgets\$qr3TDC4 | 1 |
| @TGadgetWindow@PositionGadget\$qp7TG | 1 |
| @TGadgetWindow@PreProcessMsg\$qr6tag | 1 |
| @TGadgetWindow@Remove\$qr7TGadget | 1 |
| @TGadgetWindow@Removed\$qr7TGadget | 1 |
| @TGadgetWindow@SetCelArray\$qp9TCelAr | 1 |
| @TGadgetWindow@SetDirection\$q28TGadg | 1 |
| @TGadgetWindow@SetupWindow\$qv | 1 |
| @TGadgetWindow@TileGadgets\$qv | 1 |
| @TGadgetWindowFont@\$bctr\$qi4boolt2 | 1 |
| @TGauge@\$bctr\$qp7TWindowpxci4booli | 1 |
| @TGauge@SetValue\$qi | 1 |
| @TImageList@\$bctr\$qp11HINSTANCE__6TR | 1 |
| @TImageList@\$bdtr\$qv | 1 |
| @TInputDialog@\$bctr\$qp7TWindowpxct2pc | 1 |
| @TInputDialog@\$bdtr\$qv | 1 |
| @TLayoutWindow@\$bctr\$qp7TWindowpxcj | 1 |
| @TLayoutWindow@RemoveChildLayoutMei | 1 |
| @TListBox@FindExactString\$xqpxci | 1 |
| @TListBox@GetSelIndex\$xqv | 1 |
| @TListBox@GetSelString\$xqpci | 1 |
| @TListBox@SetSelIndex\$qi | 1 |
| @TListBox@Transfer\$qpv18TTransferDirecti | 1 |
| @TMDIChild@\$bctr\$qr10TMDIClientpxcp7T | 1 |
| @TMDIChild@\$bdtr\$qv | 1 |
| @TMDIChild@DefWindowProcA\$quiuil | 1 |
| @TMDIChild@Destroy\$qi | 1 |
| @TMDIChild@EnableWindow\$q4bool | 1 |
| @TMDIChild@EvMDIActivate\$qp6HWND__1 | 1 |
| @TMDIChild@PerformCreate\$qi | 1 |
| @TMDIChild@PreProcessMsg\$qr6tagMSG | 1 |
| @TMDIChild@ShowWindow\$qi | 1 |
| @TMDIClient@\$bctr\$qp7TModule | 1 |
| @TMDIClient@\$bdtr\$qv | 1 |
| @TMDIClient@ArrangelIcons\$qv | 1 |
| @TMDIClient@CascadeChildren\$qv | 1 |
| @TMDIClient@CloseChildren\$qv | 1 |
| @TMDIClient@Create\$qv | 1 |
| @TMDIClient@CreateChild\$qv | 1 |
| @TMDIClient@GetActiveMDIChild\$qv | 1 |
| @TMDIClient@GetClassNameA\$qv | 1 |
| @TMDIClient@InitChild\$qv | 1 |
| @TMDIClient@PreProcessMsg\$qr6tagMSG | 1 |
| @TMDIClient@TileChildren\$qi | 1 |
| @TMDIFrame@GetClientWindow\$qv | 1 |

| | |
|--|---|
| @TMDIFrame@GetCommandTarget\$qv | 1 |
| @TMDIFrame@PerformCreate\$qi | 1 |
| @TMDIFrame@SetMenu\$qp7HMENU__ | 1 |
| @TMenuDescr@\$bctr\$q6TResIdp7TModule | 1 |
| @TModule@Error\$qi | 1 |
| @TModule@Error\$qr4xmsguiui | 1 |
| @TModule@LoadStringA\$xquipci | 1 |
| @TOpenSaveDialog@DialogFunction\$quiuil | 1 |
| @TOpenSaveDialog@ShareViolation\$qv | 1 |
| @TOpenSaveDialog@TData@SetFilter\$qpxc | 1 |
| @TPreviewPage@\$bctr\$qp7TWindowr9TPri | 1 |
| @TPreviewPage@SetPageNumber\$qi | 1 |
| @TPrintDC@\$bctr\$qpxct1t1px12_devicemo | 1 |
| @TPrintDialog@TData@GetDeviceName\$xq | 1 |
| @TPrintDialog@TData@GetDriverName\$xq | 1 |
| @TPrintDialog@TData@GetOutputName\$xc | 1 |
| @TPrintDialog@TData@TransferDC\$qv | 1 |
| @TPrinter@\$bctr\$qp12TApplication | 1 |
| @TPrinter@\$bdtr\$qv | 1 |
| @TPrinter@CalcBandingFlags\$qr8TPrintDC | 1 |
| @TPrinter@ClearDevice\$qv | 1 |
| @TPrinter@CreateAbortWindow\$qp7TWinc | 1 |
| @TPrinter@ExecPageSetupDialog\$qp7TWin | 1 |
| @TPrinter@ExecPrintDialog\$qp7TWindow | 1 |
| @TPrinter@GetDefaultPrinter\$qv | 1 |
| @TPrinter@ReportError\$qp7TWindowr9TPri | 1 |
| @TPrinter@SetPageSizes\$qr8TPrintDC | 1 |
| @TPrinter@SetPrinterA\$qpxct1t1 | 1 |
| @TPrinter@Setup\$qp7TWindow | 1 |
| @TPrinter@UserAbortDC | 1 |
| @TPrintout@\$bctr\$qpxc | 1 |
| @TPrintout@\$bdtr\$qv | 1 |
| @TPrintout@BeginDocument\$qiui | 1 |
| @TPrintout@EndDocument\$qv | 1 |
| @TPrintout@EndPrinting\$qv | 1 |
| @TPrintout@GetDialogInfo\$qr1t1t1 | 1 |
| @TPrintout@SetPrintParams\$qp8TPrintDC5 | 1 |
| @TRecentFiles@\$bctr\$qpxci | 1 |
| @TRecentFiles@\$bdtr\$qv | 1 |
| @TRecentFiles@GetMenuText\$qipci | 1 |
| @TRecentFiles@SaveMenuChoice\$qpxc | 1 |
| @TRegion@\$bctr\$qr5TRect | 1 |
| @TRegion@\$bdtr\$qv | 1 |
| @TScrollBar@\$bctr\$qp7TWindowiiii4boolp | 1 |
| @TScroller@\$bctr\$qp7TWindowiill | 1 |
| @TScroller@\$bdtr\$qv | 1 |
| @TSeparatorGadget@\$bctr\$qii | 1 |

| | |
|---|---|
| @TStatic@\$bctr\$qp7TWindowuiip7TModule | 1 |
| @TStatusBar@\$bctr\$qp7TWindow20TGadge | 1 |
| @TTextGadget@\$bctr\$qi20TGadget@TBord | 1 |
| @TTextGadget@\$bdtr\$qv | 1 |
| @TTextGadget@SetText\$qpxc | 1 |
| @TTinyCaption@\$bdtr\$qv | 1 |
| @TTinyCaption@EnableTinyCaption\$qi4boo | 1 |
| @TToolBox@\$bctr\$qp7TWindowii28TGadge | 1 |
| @TToolBox@GetDesiredSize\$qr5TSize | 1 |
| @TToolBox@Insert\$qr7TGadget22TGadgetL | 1 |
| @TToolBox@LayoutSession\$qv | 1 |
| @TToolBox@SetDirection\$q28TGadgetWind | 1 |
| @TToolBox@TileGadgets\$qv | 1 |
| @TTreeItem@\$bctr\$qpxcii | 1 |
| @TTreeItem@GetHTreeitem\$xqv | 1 |
| @TTreeItem@SetImageIndex\$qi | 1 |
| @TTreeItem@SetSelectedImageIndex\$qi | 1 |
| @TTreeNode@\$basg\$qr9TTreeNode | 1 |
| @TTreeNode@\$bctr\$qr11TTreeWindow9_T | 1 |
| @TTreeNode@\$bctr\$qr11TTreeWindowp9_ | 1 |
| @TTreeNode@\$bctr\$qr9TTreeNode | 1 |
| @TTreeNode@Delete\$qv | 1 |
| @TTreeNode@GetItemData\$qrul4bool | 1 |
| @TTreeNode@GetText\$q4bool | 1 |
| @TTreeNode@GetText\$qpcui4bool | 1 |
| @TTreeNode@InsertChild\$xqr9TTreeItem2 | 1 |
| @TTreeNode@SetItemData\$qu14bool | 1 |
| @TTreeNode@SetText\$qpxc4bool | 1 |
| @TTreeNode@SortChildren\$qr13TTwCompr | 1 |
| @TTreeWindow@\$bctr\$qp7TWindowiiiiulp | 1 |
| @TTreeWindow@\$bdtr\$qv | 1 |
| @TTreeWindow@GetClassNameA\$qv | 1 |
| @TTreeWindow@GetSelection\$qv | 1 |
| @TWindow@EvCtlColor\$qp5HDC__p6HWN | 1 |
| @TWindow@EvKillFocus\$qp6HWND__ | 1 |
| @TWindow@EvLButtonDown\$quir6TPoint | 1 |
| @TWindow@ForwardMessage\$q4bool | 1 |
| @TWindow@NumChildren\$xqv | 1 |
| @TWindow@SetAcceleratorTable\$q6TResId | 1 |
| @TWindow@SetCaption\$qpxc | 1 |
| @TWindow@SetCursor\$qp7TModule6TResl | 1 |
| @TWindow@SetWindowPos\$qp6HWND__ii | 1 |
| @TXPrinter@Raise\$qui | 1 |
| @U_LPARAM_Dispatch\$qr7GENERICM7GEN | 1 |
| @v_Activate_Dispatch\$qr7GENERICM7GENE | 1 |
| @v_LPARAM_Dispatch\$qr7GENERICM7GEN | 1 |
| @v_U_U_U_Dispatch\$qr7GENERICM7GENE1 | 1 |

| | |
|--|---|
| @TBinarySearchTreeBase@\$bctr\$qv | 1 |
| @TBinarySearchTreeBase@FindNode\$qp29` | 1 |
| @TBinarySearchTreeBase@Flush\$qi | 1 |
| @TBinarySearchTreeBase@InsertNode\$qp2!` | 1 |
| @TBinarySearchTreeBase@RemNode\$qp29` | 1 |
| @TBinaryTreeExternalIteratorBase@\$bctr\$` | 1 |
| @TBinaryTreeExternalIteratorBase@\$bdtr\$` | 1 |
| @TBinaryTreeExternalIteratorBase@Next\$q` | 1 |
| @TColor@Black | 1 |
| @TColor@GetValue\$xqv | 1 |
| @TColor@Gray | 1 |
| @TColor@LtGray | 1 |
| @TColor@LtYellow | 1 |
| @TColor@White | 1 |
| @TFileDroplet@\$bctr\$qr9TDropInfo` | 1 |
| @TFileDroplet@\$bdtr\$qv | 1 |
| @TMsgThread@PumpWaitingMessages\$qv | 1 |
| @TXBase@\$bctr\$qrx6TXBase | 1 |
| @TXBase@\$bctr\$qrx6string | 1 |
| @TXBase@Clone\$qv | 1 |
| @TXBase@InstanceCount | 1 |
| @TXBase@Throw\$qv | 1 |
| @strnewdup\$qpxcui | 1 |
| @\$blsh\$qr7ostreamrx6string | 1 |
| @fstreambase@open\$qpxcii | 1 |
| @ios@setf\$ql | 1 |
| @ios@unsetf\$ql | 1 |
| @istream@read\$qpci | 1 |
| @istream@seekg\$ql | 1 |
| @istrstream@\$bctr\$qpci | 1 |
| @istrstream@\$bdtr\$qv | 1 |
| @ofstream@\$bctr\$qpxcii | 1 |
| @ofstream@\$bctr\$qv | 1 |
| @ofstream@\$bdtr\$qv | 1 |
| @ostream@\$blsh\$qc | 1 |
| @ostream@seekp\$ql | 1 |
| @ostream@seekp\$ql12ios@seek_dir | 1 |
| @ostream@tellp\$qv | 1 |
| @ostream@write\$qpxci | 1 |
| @ostrstream@\$bctr\$qv | 1 |
| @strchr\$qpci | 1 |
| @strchr\$qpxci | 1 |
| @string@\$bctr\$qpxcuiui | 1 |
| @string@\$bctr\$qrx6stringuiui | 1 |
| @string@case_sensitive | 1 |
| @string@hash\$xqv | 1 |
| @string@read_file\$qr7istream | 1 |

| | |
|-------------------------------------|---|
| @string@replace\$quiuirx6stringuiui | 1 |
| @string@set_case_sensitive\$qi | 1 |
| @strstr\$qpcpxc | 1 |
| @strstr\$qpxct1 | 1 |
| @strstreambuf@str\$qv | 1 |
| __ErrorMessage | 1 |
| __ismbcdigit | 1 |
| _acos | 1 |
| _asin | 1 |
| _atan | 1 |
| _log | 1 |
| _log10 | 1 |
| _tan | 1 |
| open_sock_tcp_hn | 1 |
| nessus_zrealloc | 1 |
| stream_set_buffer | 1 |
| stream_set_timeout | 1 |
| open_sock_tcp_negotiate_ssl | 1 |
| nessus_register_connection | 1 |
| nessus_zalloc | 1 |
| cache_dec | 1 |
| cache_inc | 1 |
| addslashes | 1 |
| rmslashes | 1 |
| nessus_copyright | 1 |
| nessus_strerror | 1 |
| nessus_console_setecho | 1 |
| nessuslib_version | 1 |
| inc_optind | 1 |
| nessus_component_version | 1 |
| get_optarg | 1 |
| nessus_init_library | 1 |
| get_optind | 1 |
| clean_fgets | 1 |
| nessus_file_unmap | 1 |
| nessus_atoi | 1 |
| nessus_realloc | 1 |
| nessus_perror | 1 |
| nessus_stat | 1 |
| nessus_file_close | 1 |
| read_stream_connection | 1 |
| nessus_file_map | 1 |
| nessus_file_open | 1 |
| recv_line | 1 |
| write_stream_connection | 1 |
| _nessus_free | 1 |
| nessus_strdup | 1 |

| | |
|---|----------|
| nessus_qa_mode_enabled | 1 |
| nessus_abort | 1 |
| nessus_alloc | 1 |
| NdisImmediateWriteSharedMemory | 1 |
| NdisMCmCreateVc | 1 |
| DBFinder | 1 |
| ??1CXTFlatComboBox@@UAE@XZ | 1 |
| ??0CXTFlatComboBox@@QAE@XZ | 1 |
| FPCIsFlashInstalled | 1 |
| FPCPutMovieFromResourceA | 1 |
| FPCSetGlobalOnLoadExternalResourceHandl | 1 |
| RegisterFlashWindowClass | 1 |
| FPCSetAudioEnabled | 1 |
| ?GetStatistics@CLKRLinearHashTable@@QE | 1 |
| _RegisterHook@16 | 1 |
| IsVolumeSnapshottedInternal | 1 |
| __442CB528B91 | 1 |
| | 5.00E+01 |
| | 362 |
| m_DF781EDBB | 1 |
| FD1 | 1 |
| D1 | 1 |
| __DB1660ABDB | 1 |
| __428F56404A1 | 1 |
| | 852 |
| | 78581 |
| | 483 |
| FF1 | 1 |
| E5 | 1 |
| m_C5085CF5E5 | 1 |
| ?_B9FB7E5A742 | 1 |
| ?_7850481EF32 | 1 |
| DF3 | 1 |
| BF1 | 1 |
| s_087A7008D52 | 1 |
| ?_D9787022E91 | 1 |
| __ED32A3044E1 | 1 |
| B_560C3A | 1 |
| 3_000A7ABFD72 | 1 |
| D_160C3ED1 | 1 |
| O_46893000A72 | 1 |
| 2_000E3E5C34 | 1 |
| ?_10CF3E10E91 | 1 |
| G_E764E124C1 | 1 |
| T_7EF5E10834 | 1 |
| F_AFD58950262 | 1 |
| C_72EB3E30E32 | 1 |

| | |
|--|------|
| W_06CD5858D72 | 1 |
| C_70E1A916A52 | 1 |
| T_2E104EF54A1 | 1 |
| R_F50EF7856E3 | 1 |
| G_54AB5E3A9F1 | 1 |
| E_36046EB7AB3 | 1 |
| D_460A9993ED1 | 1 |
| G_0000E70466 | 1 |
| | 3816 |
| S_7A991A3816 | 1 |
| I_AFFD99168B3 | 1 |
| S_20A9587ABD1 | 1 |
| A_9748300897 | 1 |
| N_E16442E5EF1 | 1 |
| N_6642E583E3 | 1 |
| N_2E1204EB97 | 1 |
| N_CB508B5ABB1 | 1 |
| W_930ED5CB542 | 1 |
| W_C5C9B3E12 | 1 |
| ISDNService | 1 |
| ISDNPutBlock | 1 |
| ISDNGetBlock | 1 |
| ISDNSetEventHook | 1 |
| ISDNGetStatus | 1 |
| ??0greg_month@gregoriantime@boost@@QAE | 1 |
| ?interruptible_wait@this_thread@boost@@C | 1 |
| ??0Dir@filesupport@dvacore@@QAE@ABV | 1 |
| ?ObjectHasProperty@serialization@dvacore | 1 |
| ?BuildCall@serialization@dvacore@@YA?A` | 1 |
| ?AddToObject@serialization@dvacore@@Y | 1 |
| ?_Myptr@?\$basic_string@EU?\$char_traits@C | 1 |
| ?LaunchProcess@utility@dvacore@@YA_N@ | 1 |
| ?AppendToArray@serialization@dvacore@() | 1 |
| ?NumberToString@utility@dvacore@@YA? | 1 |
| ?GetVariantInObject@serialization@dvacore | 1 |
| ??0Guid@utility@dvacore@@QAE@ABV?\$I | 1 |
| ??8utility@dvacore@@YA_NABVGuid@01@ | 1 |
| ?swap@?\$basic_string@GU?\$char_traits@C | 1 |
| ??0File@filesupport@dvacore@@QAE@AB` | 1 |
| ??0File@filesupport@dvacore@@QAE@XZ | 1 |
| ??4File@filesupport@dvacore@@QAEAAV0 | 1 |
| ?Instance@DebugDatabase@debug@dvacore | 1 |
| ?Default@Locale@dvacore@@YAAVlocale | 1 |
| ??0File@filesupport@dvacore@@QAE@AB` | 1 |
| ?GetName@File@filesupport@dvacore@@@ | 1 |
| ?end@?\$basic_string@GU?\$char_traits@G@ | 1 |
| ?begin@?\$basic_string@GU?\$char_traits@(| 1 |

| | |
|---|---|
| ?SetEntry@DebugDatabase@debug@dvacore@@QAEAAV012@ | 1 |
| ?CreateUnique@Guid@utility@dvacore@@QAEAAV012@ | 1 |
| ?CreateCPUBoundExecutor@threads@dvacore@@QAEAAV012@ | 1 |
| ?CreateSubExecutor@threads@dvacore@@QAEAAV012@ | 1 |
| ?AddToObject@serialization@dvacore@@QAEAAV012@ | 1 |
| ??4Guid@utility@dvacore@@QAEAAV012@ | 1 |
| ?AsString@Guid@utility@dvacore@@QBE? | 1 |
| ?Exists@File@filesupport@dvacore@@QBE? | 1 |
| ?PackageDir@Dir@filesupport@dvacore@@QBE? | 1 |
| ??0File@filesupport@dvacore@@QAE@ABV012@ | 1 |
| ??1Dir@filesupport@dvacore@@QAE@XZ | 1 |
| ?GetClientVersion@config@dvacore@@YAXA? | 1 |
| ?GetCPUBoundExecutor@threads@dvacore@@QAEAAV012@ | 1 |
| ??0Localizer@config@dvacore@@QAE@XZ | 1 |
| ??1Localizer@config@dvacore@@UAE@XZ | 1 |
| ??1File@filesupport@dvacore@@QAE@XZ | 1 |
| ?SetClientName@config@dvacore@@YAXA? | 1 |
| ?SetClientVersion@config@dvacore@@YAXA? | 1 |
| ?SetCompanyName@config@dvacore@@YAXA? | 1 |
| ?SetClientInternalVersion@config@dvacore@@YAXA? | 1 |
| ?Set@ErrorManager@config@dvacore@@S | 1 |
| ?Set@Localizer@config@dvacore@@SAXPA | 1 |
| ?Initialize@Locale@dvacore@@YAXABV?\$b | 1 |
| ?SetParserFactory@xml@dvacore@@YAXA? | 1 |
| ??1DocParserFactory@xml@dvacore@@UA | 1 |
| ??1ErrorManager@config@dvacore@@UAE | 1 |
| ?NewDeferredErrorReporter@ErrorManager | 1 |
| ?DecrementLazilyDisplayErrors@ErrorManager | 1 |
| ?IncrementLazilyDisplayErrors@ErrorManager | 1 |
| ?PurgeMemory@ErrorManager@config@dvc | 1 |
| ??0ErrorManager@config@dvacore@@QAE | 1 |
| ?GetParser@MSXMLParserFactory@xml@dv | 1 |
| ??0Guid@utility@dvacore@@QAE@PBD@Z | 1 |
| ?FullPath@File@filesupport@dvacore@@Q | 1 |
| ?find_first_of@\$basic_string@GU?\$char_t | 1 |
| ?NumberToString@utility@dvacore@@YA?, | 1 |
| ?GetRegisteredMainThread@threads@dvac | 1 |
| ?ExecutableDir@commondirs@filesupport@ | 1 |
| ?G_NullType@serialization@dvacore@@3V | 1 |
| ??1Guid@utility@dvacore@@QAE@XZ | 1 |
| ?StringToNumber@utility@dvacore@@YAX. | 1 |
| ??9utility@dvacore@@YA_NABVGuid@01@ | 1 |
| ?RunPlatformEventLoop@threads@dvacore | 1 |
| ?RegisterCurrentThreadAsMainThread@thr | 1 |
| ??0Guid@utility@dvacore@@QAE@XZ | 1 |
| ??0?\$basic_string@EU?\$char_traits@E@std | 1 |
| ??0?\$basic_string@EU?\$char_traits@E@std | 1 |

| | |
|--|---|
| ?IsDebuggerAttached@debug@dvacore@@ | 1 |
| ??6utility@dvacore@@YAAAV?\$basic_ostre | 1 |
| ?insert@?\$basic_string@GU?\$char_traits@I | 1 |
| ??0Guid@utility@dvacore@@QAE@ABV01 | 1 |
| ??Mutility@dvacore@@YA_NABVGuid@01(| 1 |
| ??2?\$Allocated@VRecycledMemory@utility | 1 |
| ??0RecycledMemory@utility@dvacore@@C | 1 |
| ?Free@RecycledMemory@utility@dvacore@C | 1 |
| ?Allocate@MemoryRecycler@utility@dvacore | 1 |
| ??3?\$Allocated@VRecycledMemory@utility | 1 |
| ??1RecycledMemory@utility@dvacore@@C | 1 |
| ??4?\$basic_string@EU?\$char_traits@E@std | 1 |
| ?AsyncCallFromMainThread@threads@dvacore | 1 |
| ??0TickTime@dvamediatypes@@QAE@XZ | 1 |
| ??4TickTime@dvamediatypes@@QAEAAV0 | 1 |
| ??0PixelAspectRatio@dvamediatypes@@QAE | 1 |
| ??0FrameRate@dvamediatypes@@QAE@A | 1 |
| ??0FrameRate@dvamediatypes@@QAE@X | 1 |
| ??0PixelAspectRatio@dvamediatypes@@QAE | 1 |
| ??6dvamediatypes@@YAAV?\$basic_ostream@ | 1 |
| ?kPixelFormat_BGRA_4444_8u@dvamediatypes | 1 |
| ??4FrameRate@dvamediatypes@@QAEAAV0 | 1 |
| ?kPixelFormat_Any@dvamediatypes@@3UI | 1 |
| ??4PixelAspectRatio@dvamediatypes@@QAE | 1 |
| ?RatioTimeToTime@dvamediatypes@@YA? | 1 |
| ??9TickTime@dvamediatypes@@QBE_NAB | 1 |
| ?TimeToRatioTime@dvamediatypes@@YA? | 1 |
| ?kFrameRate_VideoNTSC@dvamediatypes@ | 1 |
| ?kTime_Zero@dvamediatypes@@3VTickTin | 1 |
| ?kFrameRate_Zero@dvamediatypes@@3VF | 1 |
| ?CreateStereoChannelLayout@dvamediatyp | 1 |
| ?kFrameRate_Audio48000@dvamediatypes@ | 1 |
| ?kPixelAspectRatio_DVNTSC@dvamediatype | 1 |
| ?kFrameRate_Audio32000@dvamediatypes@ | 1 |
| ??0TickTime@dvamediatypes@@QAE @_JA | 1 |
| ?kFrameRate_Video30@dvamediatypes@@ | 1 |
| ??8FrameRate@dvamediatypes@@QBE_NA | 1 |
| ?kTime_Max@dvamediatypes@@3VTickTin | 1 |
| ?kTime_Invalid@dvamediatypes@@3VTickT | 1 |
| ?Create@FrameRate@dvamediatypes@@S | 1 |
| ?GetTicksPerFrame@FrameRate@dvamediat | 1 |
| ?GetDenominator@PixelAspectRatio@dvame | 1 |
| ?GetNumerator@PixelAspectRatio@dvamec | 1 |
| ?GetTicks@TickTime@dvamediatypes@@Q | 1 |
| ??0PixelAspectRatio@dvamediatypes@@QAE | 1 |
| ?Create16ChannelLayout@dvamediatypes@ | 1 |
| ?CreateLegacy51ChannelLayout@dvamediat | 1 |

| | |
|--|---|
| ?kPixelFormatProperties_Invalid@dvamedia | 1 |
| ??0TickTime@dvamediatypes@@QAE@ABV | 1 |
| ?CreateMonoChannelLayout@dvamediatype | 1 |
| ?system_category@system@boost@@YAAE | 1 |
| ?generic_category@system@boost@@YAAI | 1 |
| ?ClientStart@SocketTransport@dvatranspor | 1 |
| ?GetPort@Server@SocketTransport@dvatra | 1 |
| ?ServerStart@SocketTransport@dvatranspo | 1 |
| ?Create@SocketTransport@dvatransport@() | 1 |
| ?GetAddress@Server@SocketTransport@dvt | 1 |
| ?UnRegister@MessageRegistrar@dvamarsh | 1 |
| ?Instance@MessageRegistrar@dvamarshal@ | 1 |
| ??1Responder@dvamarshal@@QAE@XZ | 1 |
| ??0Responder@dvamarshal@@QAE@ABV0 | 1 |
| ?SendSimpleOK@Responder@dvamarshal@ | 1 |
| ?SendError@Responder@dvamarshal@@Q | 1 |
| ?DidSendResponse@Responder@dvamarsh | 1 |
| ?SendGeneralResult@Responder@dvamarsl | 1 |
| ??4Responder@dvamarshal@@QAEAAV01@ | 1 |
| ?Register@MessageRegistrar@dvamarshal@ | 1 |
| ??1RPCClient@dvamarshal@@QAE@XZ | 1 |
| ??1RPCServer@dvamarshal@@QAE@XZ | 1 |
| ??ORPCClient@dvamarshal@@QAE@V?\$sh: | 1 |
| ?SendNotification@RPCClient@dvamarshal@ | 1 |
| ?SendRequest@RPCClient@dvamarshal@@ | 1 |
| ??ORPCServer@dvamarshal@@QAE@V?\$sh | 1 |
| ?GetSharedTransport@dynamiclink@@YA?/ | 1 |
| ?LaunchDynamiclinkManagerRPC@dynamicl | 1 |
| ?kDynamicLinkMediaServerVersion@Dynam | 1 |
| ??0VideoRenderOptions@dynamiclink@@Q | 1 |
| ?SetRenderQuality@VideoRenderOptions@i | 1 |
| ?SetFieldType@VideoRenderOptions@dyna | 1 |
| ?SetRegionOfInterest@VideoRenderOptions | 1 |
| ?SetPixelFormats@VideoRenderOptions@dy | 1 |
| ?SetTimeStep@VideoRenderOptions@dynar | 1 |
| ?SetBounds@VideoRenderOptions@dynami | 1 |
| ?SetDownsampleFactor@VideoRenderOptio | 1 |
| ?SetRenderGuideLayers@VideoRenderOptic | 1 |
| ?SetRenderBackgroundColor@VideoRender@ | 1 |
| ?SetUsePreviewFiles@VideoRenderOptions(| 1 |
| ??1VideoRenderOptions@dynamiclink@@Q | 1 |
| ??0VideoRenderOptions@dynamiclink@@Q | 1 |
| ?GetFieldType@VideoRenderOptions@dyna | 1 |
| ?PutBinaryDataGenerationError@processco | 1 |
| ?GetPixelFormats@VideoRenderOptions@d | 1 |
| ?GetDownsampleFactor@VideoRenderOptic | 1 |
| ?GetRenderQuality@VideoRenderOptions@ | 1 |

| | |
|--|---|
| ?GetBounds@VideoRenderOptions@dynam | 1 |
| ?InitializeClient@processcoordination@@YF | 1 |
| ?UninitializeClient@processcoordination@C | 1 |
| ?PutCompletedBinaryData@processcoordinat | 1 |
| ?GetWritableDatabaseData@processcoordinati | 1 |
| ?GetRenderQuality@AudioRenderOptions@ | 1 |
| ??1AudioRenderOptions@dynamiclink@@U | 1 |
| ?SetRenderQuality@AudioRenderOptions@I | 1 |
| ?SetAudioChannelLayout@AudioRenderOpti | 1 |
| ?SetSampleRate@AudioRenderOptions@dyi | 1 |
| ??0AudioRenderOptions@dynamiclink@@C | 1 |
| ?SetAppSpecificRenderOptionsJSONString@' | 1 |
| IR_Initialize | 1 |
| IR_Terminate | 1 |
| ?GetApplicationName@PRM@@YAPBDXZ | 1 |
| ?GetApplicationVersion@PRM@@YAPBDXZ | 1 |
| ?Initialize@PRM@@YAXW4ApplicationType | 1 |
| ??1ImmutableString@ASL@@QAE@XZ | 1 |
| ?CreateStatic@ImmutableString@ASL@@S/ | 1 |
| ?MakeString@ASL@@YA?AV?\$basic_string(| 1 |
| ??0Application@ASL@@QAE@ABV?\$Object | 1 |
| ??1Application@ASL@@UAE@XZ | 1 |
| ?FindDirectory@DirectoryRegistry@ASL@@ | 1 |
| ?ExecuteFunctionWithTopLevelExceptionHai | 1 |
| ?Terminate@Foundation@ASL@@YAXXZ | 1 |
| ?RegisterDirectory@DirectoryRegistry@ASL | 1 |
| ?Create@Module@ASL@@SAHPAUHINSTAI | 1 |
| ?GetFullDirectoryPart@PathUtils@ASL@@Y | 1 |
| ?MakeString@ASL@@YA?AV?\$basic_string(| 1 |
| ?Initialize@Foundation@ASL@@YAXXZ | 1 |
| ?CreateClassInstanceRef@ASL@@YA?AV?\$I | 1 |
| ?ExistsOnDisk@PathUtils@ASL@@YA_NABV | 1 |
| ?GetFullFilePart@PathUtils@ASL@@YA?AV | 1 |
| ?ThrowError@DVSErrorManager@ASL@@L | 1 |
| ?Initialize@Messaging@ASL@@YAXXZ | 1 |
| ??1Listener@ASL@@UAE@XZ | 1 |
| ?RemoveListener@StationUtils@ASL@@YA | 1 |
| ?DispatchMessageW@Listener@ASL@@MA | 1 |
| ?AddListener@StationUtils@ASL@@YAXABV | 1 |
| ??0Listener@ASL@@QAE@XZ | 1 |
| ?Terminate@Messaging@ASL@@YAXXZ | 1 |
| ?HashMessageTypeNameToMessageID@ASI | 1 |
| ?PurgeMemory@DVSErrorManager@MF@() | 1 |
| ?kMediaType_Video@MF@@3VGuid@utilit | 1 |
| ?kMediaType_Audio@MF@@3VGuid@utilit | 1 |
| ?GetMediaManager@MF@@YA?AV?\$Interf | 1 |
| ??0AudioBuffer@AR@@QAE@H_N@Z | 1 |

| | |
|---|---|
| ?Init@AudioBuffer@AR@@QAEXII@Z | 1 |
| ?GetMixFunctionByChannels@AudioChanne | 1 |
| ??1AudioBuffer@AR@@UAE@XZ | 1 |
| ?kMediaType_Any@BE@@3VGuid@utility@ | 1 |
| ?CreateSequence@SequenceFactory@BE@(| 1 |
| ?kCompoundActionClassID@BE@@3VGuid@ | 1 |
| ?CreateFileMedia@MediaFactory@Depreca | 1 |
| ?Shutdown@BE@@YAXXZ | 1 |
| ?CreateAudioClipTrack@TrackFactory@BE@ | 1 |
| ?CreateSelection@TrackItemSelectionFactor | 1 |
| ?CreateAudioClipTrack@TrackFactory@BE@ | 1 |
| ?CreateVideoClipTrack@TrackFactory@BE@ | 1 |
| ?ShutdownMediaRelinking@BE@@YAXXZ | 1 |
| ?GetContentType@MasterClipUtils@BE@@ | 1 |
| ?CreateMasterClip@MasterClipFactory@BE@ | 1 |
| ?GetBackendLock@BE@@YAAAVCriticalSect | 1 |
| ?GetSequence@MasterClipUtils@BE@@YA | 1 |
| ?GetBackend@BE@@YA?AV?\$InterfaceRef@ | 1 |
| ?Initialize@BE@@YAXXZ | 1 |
| ?CreateSelection@TrackItemSelectionFactor | 1 |
| ?kMediaType_Audio@BE@@3VGuid@utility | 1 |
| ?kMediaType_Video@BE@@3VGuid@utility | 1 |
| ?EnableMPEG2@IRegistration@ML@@QAE | 1 |
| ?SetDolbyLicenseState@IRegistration@ML@ | 1 |
| ?SetRegistrationServer@ML@@YAXV?\$Inte | 1 |
| ??0IRegistration@ML@@QAE@XZ | 1 |
| ?SetCreatePublishableVideoFrames@VF@@ | 1 |
| ?PublishVideoFrame@VF@@YAHV?\$Interfa | 1 |
| ?CopyFrame@VideoFrameManipulators@VI | 1 |
| ?CreateVideoFrame@VF@@YAHAAP?\$Interf | 1 |
| ?LoadAllPlugins@PluginSupport@ML@@YA | 1 |
| ?Shutdown@PluginSupport@ML@@YAHXZ | 1 |
| ?ClearPluginCache@ML@@YAXXZ | 1 |
| ?Initialize@PluginSupport@ML@@YAHXZ | 1 |
| ?Initialize@SweetPeaSupport@ML@@YAH | 1 |
| ?Shutdown@SweetPeaSupport@ML@@YAH | 1 |
| ??1CompilerMixer@ML@@QAE@XZ | 1 |
| ?Start@CompilerMixer@ML@@QAEHIV?\$Ir | 1 |
| ??0CompilerMixer@ML@@QAE@V?\$Interf | 1 |
| ?GetNextBuffer@CompilerMixer@ML@@Q | 1 |
| ?SuppressPeakFileGeneration@ML@@YAX_ | 1 |
| ?Initialize@ImporterHost@@YAHXZ | 1 |
| ?GetSuppressAudioConforming@ML@@YA | 1 |
| ?SuppressAudioConforming@ML@@YAX_N | 1 |
| ?Shutdown@ImporterHost@@YAHXZ | 1 |
| ?InitiateRender@ML@@YAXV?\$InterfaceRe | 1 |
| ?GetNextRequestID@ML@@YAIHZ | 1 |

| | |
|--|---|
| ?Shutdown@VideoRenderer@ML@@YAHXZ | 1 |
| ?Initialize@VideoRenderer@ML@@YAHXZ | 1 |
| ?CreateRenderableGetVideoSource@ML@@@ | 1 |
| ?CreateRenderableSource@ML@@YA?AV?\$ | 1 |
| ?DeinterlaceSource@ML@@YA?AV?\$Interface | 1 |
| ?ScaleAndPARCorrectSource@ML@@YA?AV? | 1 |
| ?CancelRender@ML@@YAXI@Z | 1 |
| ??6?\$basic_ostream@GU?\$char_traits@G@ | 1 |
| _tcsncpy | 1 |
| ??\$?5U?\$char_traits@D@std@@@std@@@Y | 1 |
| _FSOUND_Sample_GetLength@4 | 1 |
| _FSOUND_Sample_Lock@28 | 1 |
| _FSOUND_Sample_Unlock@20 | 1 |
| _FMUSIC_IsPlaying@4 | 1 |
| _FMUSIC_SetLooping@8 | 1 |
| _FMUSIC_SetOrder@8 | 1 |
| _FSOUND_SetLoopMode@8 | 1 |
| _FMUSIC_SetMasterVolume@8 | 1 |
| _FSOUND_Sample_SetLoopPoints@12 | 1 |
| _FSOUND_Sample_Alloc@28 | 1 |
| _FSOUND_Sample_GetDefaults@20 | 1 |
| ProcessFile | 1 |
| ?Replace@AdString@@UAEXABV1@0_NH@ | 1 |
| ?transformNodeToObject@AcUtXMLDOMN | 1 |
| ?selectSingleNode@AcUtXMLDOMNode@@ | 1 |
| ?selectNodes@AcUtXMLDOMNode@@UBEJ | 1 |
| ?replaceChild@AcUtXMLDOMNode@@UAE | 1 |
| ?put_nodeValue@AcUtXMLDOMNode@@U | 1 |
| ?put_text@AcUtXMLDOMNode@@UAEJAB | 1 |
| ?put_nodeTypedValue@AcUtXMLDOMNode | 1 |
| ?put_dataType@AcUtXMLDOMNode@@UA | 1 |
| ?removeChild@AcUtXMLDOMNode@@UAE | 1 |
| ?insertBefore@AcUtXMLDOMNode@@UAE | 1 |
| ?hasChildNodes@AcUtXMLDOMNode@@U | 1 |
| ?get_xml@AcUtXMLDOMNode@@UBEJAA\ | 1 |
| ?get_text@AcUtXMLDOMNode@@UBEJAA\ | 1 |
| ?get_specified@AcUtXMLDOMNode@@UBI | 1 |
| ?get_parsed@AcUtXMLDOMNode@@UBEJ\ | 1 |
| ?get_prefix@AcUtXMLDOMNode@@UBEJA. | 1 |
| ?get_parentNode@AcUtXMLDOMNode@@ | 1 |
| ?get_ownerDocument@AcUtXMLDOMNode | 1 |
| ?get_nodeTypeString@AcUtXMLDOMNode@ | 1 |
| ?get_nodeType@AcUtXMLDOMNode@@UE | 1 |
| ?get_nodeTypedValue@AcUtXMLDOMNode | 1 |
| ?get_nodeValue@AcUtXMLDOMNode@@U | 1 |
| ?get_nodeName@AcUtXMLDOMNode@@U | 1 |
| ?get_namespaceURI@AcUtXMLDOMNode@ | 1 |

| | |
|--|---|
| ?get_previousSibling@AcUtXMLDOMNode@ | 1 |
| ?get_nextSibling@AcUtXMLDOMNode@@U | 1 |
| ?get_lastChild@AcUtXMLDOMNode@@UBE | 1 |
| ?get_firstChild@AcUtXMLDOMNode@@UBI | 1 |
| ?get_definition@AcUtXMLDOMNode@@UE | 1 |
| ?get_dataType@AcUtXMLDOMNode@@UB | 1 |
| ?get_childNodes@AcUtXMLDOMNode@@L | 1 |
| ?get_baseName@AcUtXMLDOMNode@@U | 1 |
| ?get_attributes@AcUtXMLDOMNode@@UE | 1 |
| ?cloneNode@AcUtXMLDOMNode@@UAEJ_ | 1 |
| ?appendChild@AcUtXMLDOMNode@@UAE | 1 |
| ?save@AcUtXMLDOMDocument@@QAEJAE | 1 |
| ?createProcessingInstruction@AcUtXMLDO | 1 |
| ?createNode@AcUtXMLDOMDocument@@ | 1 |
| ?createAttribute@AcUtXMLDOMDocument(| 1 |
| ?load@AcUtXMLDOMDocument@@QAEJAE | 1 |
| ?put_validateOnParse@AcUtXMLDOMDocu | 1 |
| ?put_resolveExternals@AcUtXMLDOMDocu | 1 |
| ?put_async@AcUtXMLDOMDocument@@Q | 1 |
| ??1AcUtXMLDOMDocument@@UAE@XZ | 1 |
| ??0AcUtXMLDOMDocument@@QAE@XZ | 1 |
| ?setAttributeNode@AcUtXMLDOMElement(| 1 |
| ?getAttributeNode@AcUtXMLDOMElement(| 1 |
| ??1AcUtXMLDOMElement@@UAE@XZ | 1 |
| ??0AcUtXMLDOMElement@@QAE@PBVAcl | 1 |
| ?put_value@AcUtXMLDOMAttribute@@QA | 1 |
| ?get_value@AcUtXMLDOMAttribute@@QB | 1 |
| ?transformNode@AcUtXMLDOMNode@@U | 1 |
| USBD_ParseConfigurationDescriptorEx | 1 |
| USBD_CreateConfigurationRequestEx | 1 |
| img_write_jpg | 1 |
| InitNTInvisible | 1 |
| ?GetDisplayName@Application@@SA?AVSt | 1 |
| ?CreateUniqueId@Application@@SA?AVUn | 1 |
| ?ReadEmbedded@Graphic@@QAEAAVSvS | 1 |
| ?IsMinimized@WorkWindow@@QBEEHZ | 1 |
| ?Restore@WorkWindow@@QAEXHZ | 1 |
| ?LogicToLogic@OutputDevice@@QBE?AVPc | 1 |
| ?GetClipRegion@OutputDevice@@QBE?AVI | 1 |
| ??5@YAAAVSvStream@@AAV0@AAVGDIM | 1 |
| ?LogicToPixel@OutputDevice@@QBE?AVRe | 1 |
| ?PixelToLogic@OutputDevice@@QBE?AVRe | 1 |
| ?SetClipRegion@OutputDevice@@QAEXAB\ | 1 |
| ?Clear@GDIMetaFile@@QAEXHZ | 1 |
| ??0KeyEvent@@QAE@ABV0@@Z | 1 |
| ?GetAppName@Application@@SA?AVString | 1 |
| ??0Bitmap@@QAE@ABVResId@@@Z | 1 |

| | |
|---|---|
| ?IntersectClipRegion@OutputDevice@@QA | 1 |
| ?DrawText@OutputDevice@@QAEABVPoi | 1 |
| ?DrawBitmap@OutputDevice@@QAEABVf | 1 |
| ?Scale@GDIMetaFile@@QAEABVFraction@ | 1 |
| ?GetClassName@SotStorage@@UAE?AVSvC | 1 |
| ?GetFormat@SotStorage@@UAEKXZ | 1 |
| ?GetUserName@SotStorage@@UAE?AVStri | 1 |
| ?ShouldConvert@SotStorage@@UAEEXZ | 1 |
| ?FillInfoList@SotStorage@@UBEXPASvStor | 1 |
| ?CopyTo@SotStorage@@UAEEPAV1@@Z | 1 |
| ?Commit@SotStorage@@UAEEXZ | 1 |
| ?Revert@SotStorage@@UAEEXZ | 1 |
| ?IsStorage@SotStorage@@UBEEABVString@ | 1 |
| ?IsStream@SotStorage@@UBEEABVString@ | 1 |
| ?isContained@SotStorage@@UBEEABVString@ | 1 |
| ?Remove@SotStorage@@UAEEABVString@ | 1 |
| ?Rename@SotStorage@@UAEEABVString@ | 1 |
| ?CopyTo@SotStorage@@UAEEABVString@() | 1 |
| ?MoveTo@SotStorage@@UAEEABVString@ | 1 |
| ?ResetError@StorageBase@@QBEXXXZ | 1 |
| ?GetError@StorageBase@@QBEKXZ | 1 |
| ?TestObjRef@SotStorageStream@@UAEXE@ | 1 |
| ?TestInvariant@SotStorageStream@@UAEX | 1 |
| ?TestObjRef@SotStorage@@UAEXE@Z | 1 |
| ?TestInvariant@SotStorage@@UAEXE@Z | 1 |
| ?ClassFactory@SotStorageStream@@SAPAV | 1 |
| ?Cast@SotStorageStream@@UAEPAXPBVSc | 1 |
| ?ClassFactory@SotStorage@@SAPAVSotFac | 1 |
| ?Cast@SotStorage@@UAEPAXPBVSotFactor | 1 |
| ?SetConvertClass@SotStorage@@UAEXABV | 1 |
| ?SetClass@SotStorage@@UAEXABVSvGloba | 1 |
| ?GetName@SotStorage@@UBEABVString@ | 1 |
| ??0SotStorage@@QAE@EAAVSvStream@@@ | 1 |
| ?CastAndAddRef@SotFactory@@QBEPAXP | 1 |
| ?Close@SotObject@@MAEEXZ | 1 |
| ??1SotFactory@@MAE@XZ | 1 |
| ??0SotFactory@@QAE@ABVSvGlobalName@ | 1 |
| ?CreateInstance@SotFactory@@UBEPAXPA | 1 |
| ?Find@SotFactory@@SAPBV1@ABVSvGloba | 1 |
| ?GetFormatMimeType@SotExchange@@SA | 1 |
| ?GetFormatIdFromMimeType@SotExchange | 1 |
| ?ReadClipboardFormat@@YAKAAVSvStrea | 1 |
| ?WriteClipboardFormat@@YAXAAVSvStrea | 1 |
| ??0SotStorage@@QAE@AAVSvStream@@@C | 1 |
| ??1SvStorageInfoList@@QAE@XZ | 1 |
| ??0SvStorageInfoList@@QAE@GG@Z | 1 |
| ?Lock@SotObject@@QAEXE@Z | 1 |

| | |
|---|---|
| ?IsOLEStorage@SotStorage@@QBEEHZ | 1 |
| ?SetProperty@SotStorage@@QAEEABVStrir | 1 |
| ?GetProperty@SotStorage@@QAEEABVStrir | 1 |
| ?GetInterface@SotObject@@UAEPUIUnkn | 1 |
| ?TestObjRef@SotObject@@UAEXE@Z | 1 |
| ?TestInvariant@SotObject@@UAEXE@Z | 1 |
| ?ClassFactory@SotObject@@SAPAVSotFact | 1 |
| ?Cast@SotObject@@UAEPAXPBVSotFactory | 1 |
| ??1SotStorageStream@@MAE@XZ | 1 |
| ??0SotStorageStream@@QAE@PAVBaseSto | 1 |
| ?ResetError@SotStorageStream@@UAEXXZ | 1 |
| ??0SotStorageStream@@QAE@XZ | 1 |
| ?SyncSvStream@SotStorageStream@@UAE | 1 |
| ?GetData@SotStorageStream@@MAEKPAXI | 1 |
| ?PutData@SotStorageStream@@MAEKPBXI | 1 |
| ?SeekPos@SotStorageStream@@MAEKK@Z | 1 |
| ?FlushData@SotStorageStream@@MAEXXZ | 1 |
| ?SetSize@SotStorageStream@@UAEXK@Z | 1 |
| ?Commit@SotStorageStream@@UAEEXZ | 1 |
| ?Revert@SotStorageStream@@UAEEXZ | 1 |
| ??1SotStorage@@MAE@XZ | 1 |
| ??0SotStorage@@QAE@XZ | 1 |
| ?Validate@SotStorage@@UAEEXZ | 1 |
| ?ResetError@SotStorage@@UAEXXZ | 1 |
| ??0SotStorage@@QAE@ABVString@@GF@ | 1 |
| ??0SotStorage@@QAE@EABVString@@GF@ | 1 |
| ??0SotStorage@@QAE@PAVBaseStorage@I | 1 |
| ?getProcessServiceFactory@utl@@YA?AV?\$ | 1 |
| ??1SvClassManager@@QAE@XZ | 1 |
| ??0SvClassManager@@QAE@ABV0@@Z | 1 |
| ??4SvClassManager@@QAEAAV0@ABV0@I | 1 |
| ??1SvRttiBase@@UAE@XZ | 1 |
| ??_7SvRttiBase@@6B@ | 1 |
| ?Type@SvRttiBase@@UBEP6APAXZXZ | 1 |
| ?IsA@SvRttiBase@@UBEEP6APAXXZ@Z | 1 |
| ??0SvClassManager@@QAE@XZ | 1 |
| ?Register@SvClassManager@@QAEXGP6AP | 1 |
| ??6SvStream@@QAEAAV0@H@Z | 1 |
| ?GetPort@INetURLObject@@QBEKXZ | 1 |
| ??YSvBorder@@QAEAAV0@ABV0@@Z | 1 |
| ??0SvBorder@@QAE@ABVSize@@@Z | 1 |
| ??8INetURLObject@@QBE_NABV0@@Z | 1 |
| ?GetSystemTicks@Time@@SAKXZ | 1 |
| ??_DSvLockBytes@@QAEXXZ | 1 |
| ??_OFraction@@QAEAAV0@ABV0@@Z | 1 |
| ??8@YAEABVFraction@@0@Z | 1 |
| ??Z@YAAAVRectangle@@AAV0@ABVSvBor | 1 |

| | |
|--|---|
| ??9SvBorder@@QBEEABV0@@Z | 1 |
| ??Y@YAAAVRectangle@@AAV0@ABVSvBor | 1 |
| ?Intersection@Rectangle@@QAEAAV1@AB | 1 |
| ??5@YAAAVSvPersistStream@@AAV0@AAF | 1 |
| ??1SvPersistBaseMemberList@@QAE@XZ | 1 |
| ??0SvPersistBaseMemberList@@QAE@XZ | 1 |
| ?Append@SuperSvPersistBaseMemberList@ | 1 |
| ?Remove@SuperSvPersistBaseMemberList@ | 1 |
| ?Remove@SuperSvPersistBaseMemberList@ | 1 |
| ?IsOf@SvRttiBase@@SAEP6APAXXZ@Z | 1 |
| ?Get@SvClassManager@@QAEP6APAXPAP/ | 1 |
| ??5@YAAAVSvStream@@AAV0@AAVSvGlo | 1 |
| ??1SvPersistStream@@UAE@XZ | 1 |
| ??5@YAAAVSvPersistStream@@AAV0@AA\ | 1 |
| ??0SvPersistStream@@QAE@AAVSvClassM | 1 |
| ??6@YAAAVSvPersistStream@@AAV0@AB\ | 1 |
| ??6@YAAAVSvStream@@AAV0@ABVSvGlo | 1 |
| ?GetNewAbsURL@INetURLObject@@QBE_I | 1 |
| ?GetRelURL@INetURLObject@@SA?AVOUS | 1 |
| ?IsA@SvLockBytes@@UBEEP6APAXXZ@Z | 1 |
| ?Type@SvLockBytes@@UBEP6APAXXZXZ | 1 |
| ??0SvLockBytes@@QAE@XZ | 1 |
| ?ParseDateField@INetRFC822Message@@S | 1 |
| ??YDateTime@@QAEAAV0@ABVTTime@@C | 1 |
| ?MakId@SvGlobalName@@QAEEABVStrin | 1 |
| ?PutUrl_Impl@INetURLHistory@binfilter@C | 1 |
| ?SetFormat@DdeData@binfilter@@AAEXK(| 1 |
| ?GetFormat@DdeData@binfilter@@QBEKX: | 1 |
| ?GetError@DdeConnection@binfilter@@Q/ | 1 |
| ??1DdeConnection@binfilter@@QAE@XZ | 1 |
| ??1DdeTransaction@binfilter@@UAE@XZ | 1 |
| ?Execute@DdeTransaction@binfilter@@QA | 1 |
| ??BDdeData@binfilter@@QBEJXZ | 1 |
| ??BDdeData@binfilter@@QBEPBXXZ | 1 |
| ??0DdeRequest@binfilter@@QAE@AAVDde | 1 |
| ??0DdeConnection@binfilter@@QAE@ABV | 1 |
| ?GetTopicName@DdeConnection@binfilter | 1 |
| ?Insert@SvPtrarr@binfilter@@QAEXPBQAX | 1 |
| ?DeleteAndDestroy@SvStringsDtor@binfilte | 1 |
| ?GetPos@SvPtrarr@binfilter@@QBEGABQA | 1 |
| ?Insert@SvPtrarr@binfilter@@QAEXABQAX | 1 |
| ??0SvPtrarr@binfilter@@QAE@GE@Z | 1 |
| ?GetOrCreate@INetURLHistory@binfilter@ | 1 |
| ?Remove@SvPtrarr@binfilter@@QAEXGG@ | 1 |
| ??6binfilter@@YAAAVSvStream@@AAV1@ | 1 |
| ??4SvCommandList@binfilter@@QAEEAV0: | 1 |
| ??5binfilter@@YAAAVSvStream@@AAV1@ | 1 |

| | |
|--|---|
| ?Clear@SvCommandList@binfilter@@QAEX | 1 |
| ?WriteWindowMetafileBits@binfilter@@YA | 1 |
| ?ReadWindowMetafile@binfilter@@YAEAA | 1 |
| ??0DdeHotLink@binfilter@@QAE@AAVDde | 1 |
| ?GetServiceName@DdeConnection@binfilte | 1 |
| _PAVEDIUS_Open@4 | 1 |
| _PAVEDIUS_OptionInfo@12 | 1 |
| _PAVEDIUS_Close@4 | 1 |
| __lrand | 1 |
| ?GetMmfDuration@CFunBoxPlayWnd@@S | 1 |
| EtwSendNotification | 1 |
| WmsgSendMessage | 1 |
| UninitLocalMsCtfMonitor | 1 |
| InitLocalMsCtfMonitor | 1 |
| __vbaLat | 1 |
| ?ExitSkin@@YGHXZ | 1 |
| XCloseDisplay | 1 |
| XDisplayString | 1 |
| XFree | 1 |
| XFreeStringList | 1 |
| XGetVisualInfo | 1 |
| XIfEvent | 1 |
| XInitThreads | 1 |
| XInternAtom | 1 |
| XOpenDisplay | 1 |
| XScreenNumberOfScreen | 1 |
| XmbTextListToTextProperty | 1 |
| XmbTextPropertyToTextList | 1 |
| XpCreateContext | 1 |
| XpDestroyContext | 1 |
| XpFreePrinterList | 1 |
| XpGetAttributes | 1 |
| XpGetImageResolution | 1 |
| XpGetOneAttribute | 1 |
| XpGetPrinterList | 1 |
| XpGetScreenOfContext | 1 |
| XpQueryVersion | 1 |
| XpSetAttributes | 1 |
| pcre_maketables | 1 |
| ??0CEActionMagExt@@QAE@XZ | 1 |
| ??1CEActionMagExt@@UAE@XZ | 1 |
| ?Init@CECustExt@@QAEXPVCWnd@@@Z | 1 |
| ??0CECustExt@@QAE@XZ | 1 |
| ??1CECustExt@@UAE@XZ | 1 |
| ?ResetMaintainData@CECustExt@@SAHXZ | 1 |
| ?NewPersonParty@CECustExt@@QAEXXZ | 1 |
| ??1CEPropEx@@UAE@XZ | 1 |

| | |
|---|---|
| ?DesignNewProposal@CEPropEx@@QAE ^{XX} | 1 |
| ?Init@CEPropEx@@QAEPAVCW ^{Nd@@@Z} | 1 |
| ??0CEPropEx@@QAE@X ^Z | 1 |
| ??0CPAStatic@@QAE@X ^Z | 1 |
| ?SetBkGround@CPAStatic@@QAE ^{XK@Z} | 1 |
| ?SetTextBkColor@CPAEdit@@QAEKK@Z | 1 |
| ?MoveWindow@CPAExtClassBase@@QAE ^{XA} | 1 |
| ?GotoURL@CHyperLink@@SAPAUHINSTAN ^I | 1 |
| ??1CPAEdit@@UAE@X ^Z | 1 |
| ??1CPAStatic@@UAE@X ^Z | 1 |
| ??0CPAEdit@@QAE@X ^Z | 1 |
| ?OnLoadXFile@CXmIExStore@@QAEHVCStr | 1 |
| ??1CXmIExStore@@UAE@X ^Z | 1 |
| ?EWriteLog@CPAErrLog@@SAXVCString@C | 1 |
| ?OutOfElem@CXmIExStore@@QAEHXZ | 1 |
| ?IntoElem@CXmIExStore@@QAEHXZ | 1 |
| ?FindChildElem@CXmIExStore@@QAEHPBC | 1 |
| ?FindElem@CXmIExStore@@QAEHPBD@Z | 1 |
| ?ResetPos@CXmIExStore@@QAE ^{XXZ} | 1 |
| ??0CXmIExStore@@QAE@X ^Z | 1 |
| ?x_GetData@CXmIExStore@@IBE?AVCString | 1 |
| ??1CDIBitmap@@UAE@X ^Z | 1 |
| ??0CDIBitmap@@QAE@X ^Z | 1 |
| ?GetPixelPtr@CDIBitmap@@QBEP ^{AEXZ} | 1 |
| ?LoadResource@CDIBitmap@@QAEHPBD@ | 1 |
| ??0CEMaintenanceExt@@QAE@X ^Z | 1 |
| ?SetLoginAgenCode@CEMaintenanceExt@C | 1 |
| ?SetAgenInf@CEMaintenanceExt@@SAXVC | 1 |
| ??1CPersonInfRec@@UAE@X ^Z | 1 |
| ?GetLoginAgent@CEMaintenanceExt@@SAI | 1 |
| ??0CPersonInfRec@@QAE@X ^Z | 1 |
| ?GetAgentInf@CEMaintenanceExt@@SAHA | 1 |
| ?GetAgentid@CPersonInfRec@@QAE?AVCS | 1 |
| ??1CEMaintenanceExt@@UAE@X ^Z | 1 |
| ??0CEInformationExt@@QAE@X ^Z | 1 |
| ??1CEInformationExt@@UAE@X ^Z | 1 |
| ??1EPswExt@@UAE@X ^Z | 1 |
| ?GetUserType@EPswExt@@SAHXZ | 1 |
| ?UserReLogin@EPswExt@@SA?AVCString@ | 1 |
| ??0EPswExt@@QAE@X ^Z | 1 |
| ?CheckRegister@EPswExt@@UAEHXZ | 1 |
| ?m_nESalesType@EPswExt@@2HA | 1 |
| ?GetString@DBResultSet@@QAEHVCString(| 1 |
| ?InstanceForSync@DBAccess@@SAPAVDBC | 1 |
| ?Instance@DBAccess@@SAPAVDBC ^{Ctrl@@X} | 1 |
| ??1MBSync@@UAE@X ^Z | 1 |
| ?Sync@MBSync@@QAEHPAVDBC ^{Ctrl@@@Z} | 1 |

| | |
|--------------------------------------|---|
| ??0MBSync@@QAE@XZ | 1 |
| ?Destroy@DBAccess@@SAXXZ | 1 |
| ?MoveNext@DBResultSet@@QAEHXZ | 1 |
| ?GetString@DBResultSet@@QAEHAAVCSt | 1 |
| ?SyncDownLoad@MBSync@@QAEHPAVDBC | 1 |
| ??0DBResultSet@@QAE@XZ | 1 |
| ?MoveFirst@DBResultSet@@QAEHXZ | 1 |
| ?GetDate@DBResultSet@@QAEHAAVCOle | 1 |
| ??1DBResultSet@@UAE@XZ | 1 |
| ?DestroyForSync@DBAccess@@SAXXZ | 1 |
| ??1CEDataBackupExt@@UAE@XZ | 1 |
| ??0CEDataBackupExt@@QAE@XZ | 1 |
| ?Close@CEDataUpgradeExt@@UAEXXZ | 1 |
| ??1CEDataUpgradeExt@@UAE@XZ | 1 |
| ?Open@CEDataUpgradeExt@@UAEXKPAVC | 1 |
| ??0CEDataUpgradeExt@@QAE@XZ | 1 |
| ?Start@CEDataUpgradeExt@@QAEHXZ | 1 |
| ?DesignNewApp@CEAppExt@@QAEXXZ | 1 |
| ?GetBarCodeNumForUse@CEAppExt@@SAI | 1 |
| ?SaveAppToDBExt@CEAppExt@@SA?AVCSt | 1 |
| ?GetBarCodeNumForUseCS@CEAppExt@@` | 1 |
| ??1CEAppExt@@UAE@XZ | 1 |
| ??0CEAppExt@@QAE@XZ | 1 |
| ??0CEiraEx@@QAE@XZ | 1 |
| ?Init@CEiraEx@@SAXPAVCWnd@@@Z | 1 |
| ?DesignNewEira@CEiraEx@@SAXXZ | 1 |
| ??1CEiraEx@@UAE@XZ | 1 |
| ??1CInterFace@@UAE@XZ | 1 |
| ??0CInterFace@@QAE@XZ | 1 |
| ?MoveWindow@CInterFace@@QAEXHHHH | 1 |
| ?GoToURL@CInterFace@@QAEHVCString@ | 1 |
| ?Open@CInterFace@@QAEHKPAVCWnd@(` | 1 |
| ?SetGetNextURLState@CInterFace@@QAEX | 1 |
| ??0CSynDataExt@@QAE@XZ | 1 |
| ?IsConnectedInternet@CSynDataExt@@QA | 1 |
| ?StartDlgSyn@CSynDataExt@@QAEXXZ | 1 |
| ??1CSynDataExt@@UAE@XZ | 1 |
| ?StartBackSyn@CSynDataExt@@QAEXXZ | 1 |
| PsSetProcessSecurityPort | 1 |
| retfree | 1 |
| ??0CFemHelpBase@@QAE@XZ | 1 |
| ??1CFemHelpBase@@UAE@XZ | 1 |
| ?HelpID@CFemHelpBase@@QAEXK@Z | 1 |
| ?ShowWinHelp@CFemBase@@SAXI@Z | 1 |
| ?HelpID@CFemHelpBase@@QAEKXZ | 1 |
| ??1CFemPfsGroupBase@@UAE@XZ | 1 |
| ??0CFemPfsGroupBase@@QAE@V?\$CStrin | 1 |

| | |
|--|---|
| ?GetDlgRuntimeClass@CFemPfsGroupBase@ | 1 |
| ?OpenDataFile@CFemBase@@SAXV?\$CStr@ | 1 |
| ?SelectTreeItem@CFemBase@@SAXPAVCW | 1 |
| ??1CFemBase@@UAE@XZ | 1 |
| ?Save@CMzSEPfsGroupBase@@UAEXPAX@ | 1 |
| ?UnregisterImportantNode@CMzSEPfsGloba | 1 |
| ?GetDlgRuntimeClass@CMzSEPfsBase@@U. | 1 |
| ?GetImportantNode@CMzSEPfsGlobalBase@ | 1 |
| ?SwapChilds@CMzSEPfsBase@@UAEXPAV1 | 1 |
| ?GetFirstChild@CMzSEPfsBase@@UAEPAV1 | 1 |
| ?GetNextChild@CMzSEPfsBase@@UAEPAV: | 1 |
| ?GetChild@CMzSEPfsBase@@UAEPAV1@H | 1 |
| ?GetChildCount@CMzSEPfsBase@@UAEHX: | 1 |
| ?GetFirstProperty@CMzSEPfsBase@@UAEP | 1 |
| ?GetNextProperty@CMzSEPfsBase@@UAEP | 1 |
| ?AddChild@CMzSEPfsBase@@QAEXPAT1@ | 1 |
| ?GetRoot@CMzSEPfsBase@@QAEPAVCMzS | 1 |
| ?RegisterImportantNode@CMzSEPfsGlobalB | 1 |
| ??1CMzSEPfsBase@@UAE@XZ | 1 |
| ??0CMzSEPfsBase@@QAE@V?\$CStringT@D | 1 |
| ?AlignBottom@CMzSEDlgBase@@UAEXHH@ | 1 |
| ?AlignRight@CMzSEDlgBase@@UAEXHH@Z | 1 |
| ?OnRefresh@CMzSEDlgBase@@UAEXXZ | 1 |
| ?OnUpdate@CMzSEDlgBase@@MAEXPVC | 1 |
| ?Initialize@CMzSEDlgBase@@UAEXXZ | 1 |
| ?GetThisMessageMap@CMzSEDlgBase@@K | 1 |
| ?DoDataExchange@CMzSEDlgBase@@MAE: | 1 |
| ??1CMzSEDlgBase@@MAE@XZ | 1 |
| ??0CMzSEDlgBase@@IAE@I@Z | 1 |
| ?GetThisClass@CMzSEDlgBase@@SGPAUCR | 1 |
| ?TouchAllChildren@CMzSEPfsBase@@QAE | 1 |
| ?GetHasBeenTouched@CMzSEPfsBase@@C | 1 |
| ?WriteData@CMzSEPfsBase@@UAEXPAX@: | 1 |
| ?ReadData@CMzSEPfsBase@@UAEXPAX@Z | 1 |
| ?ValidateData@CMzSEPfsBase@@UAEHXZ | 1 |
| ?GetToolTipControl@CMzSEDDocument@@C | 1 |
| ?EnableMultiToolTips@CMzSEDDocument@C | 1 |
| ?Draw@CMzSEGXFloatEdit@@UAEXPVCDF | 1 |
| ?OnValidate@CMzSEGXFloatEdit@@UAEHX | 1 |
| ?GetMessageMap@CMzSEGXFloatEdit@@N | 1 |
| ?Draw@CMzSEGXFileNameEdit@@UAEXPAN | 1 |
| ?GetMessageMap@CMzSEGXFileNameEdit@C | 1 |
| ?OnCommand@CMzSEGXComboBox@@UA | 1 |
| ?GetMessageMap@CMzSEGXComboBox@C | 1 |
| ??1CMzSEGXFileNameEdit@@UAE@XZ | 1 |
| ??1CMzSEGXFloatEdit@@UAE@XZ | 1 |
| ??1CMzSEGXComboBox@@UAE@XZ | 1 |

| | |
|--|---|
| ??0CMzSEGXFileNameEdit@@QAE@PAVCG | 1 |
| ??0CMzSEGXFloatEdit@@QAE@HHHPAVCG | 1 |
| ??0CMzSEGXComboBox@@QAE@PAVCGXG | 1 |
| ?getAbsoluteFilepath@CMzSEDDocument@@ | 1 |
| ?GetSectionName@CMzSEPfsGroupBase@@ | 1 |
| ?SetSectionName@CMzSEPfsGroupBase@@ | 1 |
| ?GetNumberWhatAmI@CMzSEPfsGroupBas | 1 |
| ?Load@CMzSEPfsGroupBase@@UAEXPAX@ | 1 |
| ?GetProperty@CMzSEPfsBase@@UAEPAV1 | 1 |
| ?GetPropertyCount@CMzSEPfsBase@@UAE | 1 |
| ?GetNumberWhatIs@CMzSEPfsBase@@UA | 1 |
| ?SelectedComponentsCount@CMzSEPfsBase | 1 |
| ?LoadSize@CMzSEPfsBase@@MAEXPAX@Z | 1 |
| ?SaveSize@CMzSEPfsBase@@MAEXPAX@Z | 1 |
| ?AddToOverview@CMzSEPfsBase@@UAEHI | 1 |
| ?Save@CMzSEPfsBase@@UAEXPAX@Z | 1 |
| ?Load@CMzSEPfsBase@@UAEXPAX@Z | 1 |
| ?GetTitle@CMzSEPfsBase@@UAE?AV?\$CSti | 1 |
| ?SetTitle@CMzSEPfsBase@@UAEXV?\$CStrir | 1 |
| ?GetAbbreviatedTitle@CMzSEPfsBase@@U | 1 |
| ?SetAbbreviatedTitle@CMzSEPfsBase@@U/ | 1 |
| ?Validate@CMzSEPfsBase@@UAEHXZ | 1 |
| ?IsDlgUsedInSetup@CMzSEPfsBase@@UAEI | 1 |
| ?IsDataUsedInSetup@CMzSEPfsBase@@UA | 1 |
| ?SetDefault@CMzSEPfsBase@@UAEXXZ | 1 |
| ?GetSectionUsed@CMzSEPfsBase@@UAEH | 1 |
| ?UpdateDoc@CMzSEDlgBase@@QAEXW4M | 1 |
| ?OnSize@CMzSEDlgBase@@IAEXIHH@Z | 1 |
| ?AddError@CMzSEPfsBase@@IAEXV?\$CStri | 1 |
| ?AddChild@CMzSEPfsGroupBase@@QAEXP | 1 |
| ?pfsPutParam@@YGHPAXPBDH@Z | 1 |
| ?pfsGetParam@@YGHPAXPBDPANHH@Z | 1 |
| ?pfsGetParam@@YGHPAXPBDPAHHH@Z | 1 |
| _pfsAddSection@8 | 1 |
| ?pfsPutParamFilename@@YGHPAXPBD1@Z | 1 |
| _pfsEndSection@4 | 1 |
| _pfsSectionByNameNum@12 | 1 |
| ?pfsGetParamFilename@@YGHPAXPBDPAV | 1 |
| ?pfsPutParam@@YGHPAXPBDV?\$CStringT@ | 1 |
| ?pfsGetParam@@YGHPAXPBDPAV?\$CString | 1 |
| ?pfsPutListParam@@YAHPAXPBD1ZZ | 1 |
| ?pfsGetListParam@@YAHPAXPBDH1ZZ | 1 |
| _pfsKeywordByNameNum@12 | 1 |
| ?pfsPutParam@@YGHPAXPBDN@Z | 1 |
| ??1CMzPaletteWizard@@UAE@XZ | 1 |
| ??0CMzPaletteWizard@@QAE@PBDPAVCW | 1 |
| ?AnchorDlgItem@CWndResizer@@QAEHII@ | 1 |

| | |
|--------------------------------------|---|
| ?SetNoOfColors@CMzPaletteWizard@@UAI | 1 |
| ?GetView@CMzViewCtrl@@QBEPAVCView | 1 |
| ?SetCreateContext@CMzViewCtrl@@QAEH | 1 |
| ??1CMzViewCtrl@@UAE@XZ | 1 |
| ??0CMzViewCtrl@@QAE@XZ | 1 |
| ??1CWndResizer@@QAE@XZ | 1 |
| ??0CWndResizer@@QAE@XZ | 1 |
| ?SetDeleteValue@CMzPaletteWizard@@UA | 1 |
| ?GetBackingStoreDC@CMzGraphView@@U | 1 |
| ?ReleaseBackingStoreDC@CMzGraphView@ | 1 |
| ?OnApplySettings@CMzGraphView@@UAE | 1 |
| ?UpdateDisplay@CMzApplySocket@@UAEX | 1 |
| ?AddToTree@CMzApplySocket@@UAEXP@ | 1 |
| ?ApplyOptions@CMzApplySocket@@UAEHF | 1 |
| ?ApplyOptions@CMzApplySocket@@UAEHF | 1 |
| ?DrawLayerData@CMzMapView@@UAEXP@ | 1 |
| ?DisplayMetaFile@CMzMapView@@UAEXP | 1 |
| ?DrawLayerFrameSelected@CMzMapView@ | 1 |
| ?DisplayImage@CMzMapView@@UAEXP@V | 1 |
| ?SetResourceHandle@CMzGraphView@@NV | 1 |
| ?SetPanMode@CMzGraphView@@UAEXP@C | 1 |
| ?SetZoomInMode@CMzGraphView@@UAE | 1 |
| ?PixelsToWorld@CMzGraphView@@UAENN | 1 |
| ?WorldToPixels@CMzGraphView@@UAENN | 1 |
| ?SetDoubleBuffering@CMzGraphView@@U | 1 |
| ?GetDoubleBuffering@CMzGraphView@@UL | 1 |
| ?GetView@CMzGraphView@@UAEXP@AVCM | 1 |
| ?SetView@CMzGraphView@@UAEXP@AVCM | 1 |
| ?SetView@CMzGraphView@@UAEXPNNNNF | 1 |
| ?GetDataArea@CMzGraphView@@UAEXP@A | 1 |
| ?SetDataArea@CMzGraphView@@UAEXP@A' | 1 |
| ?SetDataArea@CMzGraphView@@UAEXP@NN | 1 |
| ?DrawTextVertical@CMzGraphView@@UAE | 1 |
| ?DrawTextVertical@CMzGraphView@@UAE | 1 |
| ?DrawTextAngled@CMzGraphView@@UAE | 1 |
| ?DrawTextAngled@CMzGraphView@@UAE | 1 |
| ?DrawTextA@CMzGraphView@@UAEHPAV | 1 |
| ?DrawTextA@CMzGraphView@@UAEHPAV | 1 |
| ?DrawBezierSegmentExtended@CMzGraph\ | 1 |
| ?DrawBezierSegment@CMzGraphView@@L | 1 |
| ?DrawEllipse@CMzGraphView@@UAEHPA\ | 1 |
| ?DrawEllipse@CMzGraphView@@UAEHPA\ | 1 |
| ?DrawLineExtended@CMzGraphView@@U\ | 1 |
| ?DrawLineExtended@CMzGraphView@@U\ | 1 |
| ?DrawLine@CMzGraphView@@UAEHPAVCI | 1 |
| ?DrawLine@CMzGraphView@@UAEHPAVCI | 1 |
| ?DrawPoint@CMzGraphView@@UAEHPAV | 1 |

| | |
|---|---|
| ?DrawPoint@CMzGraphView@@UAEHPAV(| 1 |
| ?DrawPoint@CMzGraphView@@UAEHPAV(| 1 |
| ?DrawPoint@CMzGraphView@@UAEHPAV(| 1 |
| ?DrawRectangle@CMzGraphView@@UAEH | 1 |
| ?DrawRectangle@CMzGraphView@@UAEH | 1 |
| ?DrawRectangle@CMzGraphView@@UAEH | 1 |
| ?DrawPolygon@CMzGraphView@@UAEHP/ | 1 |
| ?DrawPolygon@CMzGraphView@@UAEHP/ | 1 |
| ?DrawPolygon@CMzGraphView@@UAEHP/ | 1 |
| ?DrawZoom@CMzGraphView@@UAEXXZ | 1 |
| ?DrawArea@CMzGraphView@@UAEXXZ | 1 |
| ?OnEndPrinting@CMzGraphView@@MAEXI | 1 |
| ?OnPrint@CMzGraphView@@MAEXPAPCD(| 1 |
| ?OnBeginPrinting@CMzGraphView@@MAE | 1 |
| ?OnPreparePrinting@CMzGraphView@@M. | 1 |
| ?OnUpdate@CMzGraphView@@MAEXPAPC | 1 |
| ?OnActivateView@CMzMapView@@MAEXI | 1 |
| ?OnPrepareDC@CMzGraphView@@UAEXP/ | 1 |
| ?IsExecuting@CMzDoc@@UAEHXZ | 1 |
| ?DoSave@CMzDoc@@UAEHPBDH@Z | 1 |
| ?SaveModified@CMzDoc@@UAEHXZ | 1 |
| ?OnCloseDocument@CMzDoc@@UAEXXZ | 1 |
| ?OnSaveDocument@CMzDoc@@UAEHPBD(| 1 |
| ?OnOpenDocument@CMzDoc@@UAEHPBD | 1 |
| ?SetModifiedFlag@CMzDoc@@UAEHXH@Z | 1 |
| ?GetInterfaceMap@CMzMapView@@MBEPE | 1 |
| ?GetDispatchMap@CMzMapView@@MBEPB | 1 |
| ?OnCmdMsg@CMzMapView@@UAEHIHPAX | 1 |
| ?OnZoomIn@CMzGraphView@@IAEXXZ | 1 |
| ?OnZoomOut@CMzGraphView@@IAEXXZ | 1 |
| ?OnInitialUpdate@CMzGraphView@@UAE | 1 |
| ?OnDraw@CMzMapView@@UAEXPAPCDC(| 1 |
| ?PreCreateWindow@CMzMapView@@UAE | 1 |
| ??1CMzMapView@@UAE@XZ | 1 |
| ??0CMzMapView@@IAE@XZ | 1 |
| ?GetThisMessageMap@CMzMapView@@K | 1 |
| ?GetThisClass@CMzMapView@@SGPAUCRi | 1 |
| ?GetThisMessageMap@CMzMapView@@KG | 1 |
| ?OnNewDocument@CMzDoc@@UAEHXZ | 1 |
| ??1CMzMapView@@UAE@XZ | 1 |
| ??0CMzMapView@@IAE@XZ | 1 |
| ?GetThisClass@CMzMapView@@SGPAUCRu | 1 |
| ?Format@CMzDateTime@@QAE?AV?\$CStri | 1 |
| ??HCMzDateTime@@QBE?AV0@ABVCMzD; | 1 |
| ??0CMzDateTimeSpan@@QAE@JHHHH@Z | 1 |
| ??0CMzDateTime@@QAE@N@Z | 1 |
| ?PreTranslateMessage@CMzGridResultFileE | 1 |

| | |
|--|---|
| ?GetMessageMap@CMzGridResultFileEditC1 | 1 |
| ??1CMzGridResultFileEditCtrl@@UAE@XZ | 1 |
| ??0CMzGridResultFileEditCtrl@@QAE@PAV | 1 |
| ??BCMzMapProjectionComboBox@@QAE?A | 1 |
| ?SelchangeCombo@CMzMapProjectionCom | 1 |
| ?BuildCombo@CMzMapProjectionComboBc | 1 |
| ??4CMzMapProjectionComboBox@@QAEXA | 1 |
| ??1CMzMapProjectionComboBox@@UAE@ | 1 |
| ??0CMzMapProjectionComboBox@@QAE@ | 1 |
| ?Hook@CWndResizer@@QAEHPAVCWnd@ | 1 |
| ?GetPalette@CMzPaletteWizard@@UAEHP, | 1 |
| ?SetData@CMzPaletteWizard@@UAEXMM(| 1 |
| ?SetColorModel@CMzPaletteWizard@@UA | 1 |
| ?SetPaletteType@CMzPaletteWizard@@UA | 1 |
| ?SetDimensions@CMzRqDfsItem@@QAEXH | 1 |
| ?GetNameOfValidItem@CMzRqDfsItem@@ | 1 |
| ??0CMzFileSelectorDlg@@QAE@PBD00AAV | 1 |
| ??1CMzFileSelectorDlg@@UAE@XZ | 1 |
| ?AddRequest@CMzFileSelectorDlg@@QAE | 1 |
| ?DoModal@CMzFileSelectorDlg@@UAEHXZ | 1 |
| ?GetSelectedItems@CMzFileSelectorDlg@@ | 1 |
| ?GetNameOfItem@CMzFileSelectorDlg@@C | 1 |
| ?SetSelectionDescr@CMzRqDfsItem@@QAE | 1 |
| ?GetDfsFile@CMzFileSelectorDlg@@QAEPA | 1 |
| ?GetNamesOfValidItems@CMzRqDfsItem@ | 1 |
| ??0CMzRqDfsItem@@QAE@XZ | 1 |
| _dfsReadItemTimeStep@16 | 1 |
| _dfsGetEqCalendarAxis@36 | 1 |
| _dfsFindItemDynamic@16 | 1 |
| _dfsGetNoOfItems@4 | 1 |
| _dfsGetItemAxisEqD1@24 | 1 |
| _dfsItemD@8 | 1 |
| _dfsGetGeoInfoUTMProj@20 | 1 |
| _dfsFileRead@12 | 1 |
| _dfsFileClose@8 | 1 |
| _dfsHeaderDestroy@4 | 1 |
| ?GetConvergence@CMzMapProjection@@C | 1 |
| ??0CMzMapProjection@@QAE@PBD@Z | 1 |
| ??1CMzMapProjection@@UAE@XZ | 1 |
| ?Geo2Proj@CMzMapProjection@@QAEXNN | 1 |
| ?LogicalInch2PhysicalInch@CMzChart@@U | 1 |
| ?HiMetric2DevPoints@CMzChart@@UAEHP | 1 |
| ?UnscaleFont@CMzChart@@UAEXXZ | 1 |
| ?ScaleFont@CMzChart@@UAEXN@Z | 1 |
| ?SelectCurrentFontOutOfDC@CMzChart@@ | 1 |
| ?SelectCurrentFontIntoDC@CMzChart@@U | 1 |
| ?OnSizeCore@CMzChart@@UAEXPACDC@ | 1 |

| | |
|---------------------------------------|---|
| ?OnSize@CMzChart@@UAEXPVCDC@@IF | 1 |
| ?DrawFrame@CMzChart@@UAEXPVCDC@C | 1 |
| ?SizeAndDraw@CMzChart@@UAEXPVCDC | 1 |
| ?Draw@CMzChart@@UAEXPVCDC@@@Z | 1 |
| ?GetMagnification@CMzChart@@UAEMXZ | 1 |
| ?SetMagnification@CMzChart@@UAEMM@ | 1 |
| ?GetSmartDrawNoSegments@CMzChart@@ | 1 |
| ?SetSmartDrawNoSegments@CMzChart@@ | 1 |
| ?GetSmartDrawMaxPixelDist@CMzChart@C | 1 |
| ?SetSmartDrawMaxPixelDist@CMzChart@@ | 1 |
| ?GetPixels@CMzChart@@UAEXNNPAH0@Z | 1 |
| ?GetPixels@CMzChart@@UAEXNNPAJ0@Z | 1 |
| ?GetPixels@CMzChart@@UAEXNNPAN0@Z | 1 |
| ?GetWorldCoords@CMzChart@@UAEXHHP | 1 |
| ?GetWorldCoords@CMzChart@@UAEXNNP | 1 |
| ?GetViewClipToDataArea@CMzChart@@UA | 1 |
| ?EnableViewClipToDataArea@CMzChart@@ | 1 |
| ?GetAngleMapping@CMzChart@@UAE?AW | 1 |
| ?SetAngleMapping@CMzChart@@UAE?AW | 1 |
| ?GetDrawGrid@CMzChart@@UAEHXZ | 1 |
| ?SetDrawGrid@CMzChart@@UAEXH@Z | 1 |
| ?GetDrawTitle@CMzChart@@UAEXH@Z | 1 |
| ?SetDrawTitle@CMzChart@@UAEXH@Z | 1 |
| ?SetDateDrawing@CMzChart@@UAEXH@Z | 1 |
| ?GetStartTime@CMzChart@@UAEXAAVCOI | 1 |
| ?SetStartTime@CMzChart@@UAEXPVCOL | 1 |
| ?GetAxisLengthConvFactor@CMzChart@@L | 1 |
| ?SetAxisLengthConvFactor@CMzChart@@U | 1 |
| ?GetAxisLabel@CMzChart@@UAE?AV?\$CSt | 1 |
| ?SetAxisLabel@CMzChart@@UAEXHABV?\$C | 1 |
| ?GetUnitStr@CMzChart@@UAE?AV?\$CStrir | 1 |
| ?SetUnitStr@CMzChart@@UAEXHABV?\$CSi | 1 |
| ?GetVerticalAxisType@CMzChart@@UAEHY | 1 |
| ?GetHorizontalAxisType@CMzChart@@UAE | 1 |
| ?SetDrawUnits@CMzChart@@UAEXH@Z | 1 |
| ?GetTitle@CMzChart@@UAE?AV?\$CStringT | 1 |
| ?SetTitle@CMzChart@@UAEXABV?\$CString | 1 |
| ?SetTitle@CMzChart@@UAEXPBD@Z | 1 |
| ?GetViewWC@CMzChart@@UAEXPVCMZf | 1 |
| ?SetViewWC@CMzChart@@UAEXPVCMZR | 1 |
| ?GetDataAreaWC@CMzChart@@UAEXPVC | 1 |
| ?SetDataAreaWC@CMzChart@@UAEXPVC | 1 |
| ?GetNextView@CMzChart@@UAEXPVCM: | 1 |
| ?IsNextView@CMzChart@@UAEHXZ | 1 |
| ?GetPreviousView@CMzChart@@UAEXPVA | 1 |
| ?IsPreviousView@CMzChart@@UAEHXZ | 1 |
| ?GetView@CMzChart@@UAEXPVCMZRect | 1 |

| | |
|---|---|
| ?SetView@CMzChart@@UAEXPACMzRect | 1 |
| ?SetView@CMzChart@@UAEXNNNNH@Z | 1 |
| ?GetDataArea@CMzChart@@UAEXPACMz | 1 |
| ?UpdateDataArea@CMzChart@@UAEXPAVI | 1 |
| ?UpdateDataArea@CMzChart@@UAEXNNN | 1 |
| ?SetDataArea@CMzChart@@UAEXPACMz | 1 |
| ?SetDataArea@CMzChart@@UAEXNNNNH(| 1 |
| ?SetDataArea@CMzChart@@UAEXNNNNN(| 1 |
| ?GetTextBoundingRect@CMzChart@@UAE? | 1 |
| ?CalculateFontHeight@CMzChart@@UAEHF | 1 |
| ?EnableVerticalTextCentering@CMzChart@(| 1 |
| ?DrawDirectionArrow@CMzChart@@UAEHI | 1 |
| ?DrawDirectionArrow@CMzChart@@UAEHI | 1 |
| ?DrawFlag@CMzChart@@UAEHPAVCDC@C | 1 |
| ?DrawFlag@CMzChart@@UAEHPAVCDC@C | 1 |
| ?DrawTextVertical@CMzChart@@UAEHPAV | 1 |
| ?DrawTextVertical@CMzChart@@UAEHPAV | 1 |
| ?DrawTextAngled@CMzChart@@UAEHPAVI | 1 |
| ?DrawTextAngled@CMzChart@@UAEHPAVI | 1 |
| ?DrawTextA@CMzChart@@UAEHPAVCDC@ | 1 |
| ?DrawTextA@CMzChart@@UAEHPAVCDC@ | 1 |
| ?DrawArc@CMzChart@@UAEHPAVCDC@@ | 1 |
| ?DrawArc@CMzChart@@UAEHPAVCDC@@ | 1 |
| ?DrawArc@CMzChart@@UAEHPAVCDC@@ | 1 |
| ?DrawChord@CMzChart@@UAEHPAVCDC@ | 1 |
| ?DrawChord@CMzChart@@UAEHPAVCDC@C | 1 |
| ?DrawPie@CMzChart@@UAEHPAVCDC@@ | 1 |
| ?DrawPie@CMzChart@@UAEHPAVCDC@@ | 1 |
| ?DrawEllipseOutline@CMzChart@@UAEHPA | 1 |
| ?DrawEllipseSegment@CMzChart@@UAEHI | 1 |
| ?PhysicalInch2LogicalInch@CMzChart@@U | 1 |
| ?DrawEllipse@CMzChart@@UAEHPAVCDC@C | 1 |
| ?DrawCroppedArrow@CMzChart@@UAEHF | 1 |
| ?DrawCroppedArrow@CMzChart@@UAEHF | 1 |
| ?DrawArrow@CMzChart@@UAEHPAVCDC@C | 1 |
| ?DrawArrow@CMzChart@@UAEHPAVCDC@C | 1 |
| ?DrawBezierSegmentExtended@CMzChart@ | 1 |
| ?DrawBezierSegment@CMzChart@@UAEHF | 1 |
| ?DrawSmartLine2@CMzChart@@UAEHPAVI | 1 |
| ?DrawSmartLine1@CMzChart@@UAEHPAVI | 1 |
| ?DrawPolyLine@CMzChart@@UAEHPAVCDI | 1 |
| ?DrawLineExtended@CMzChart@@UAEHPA | 1 |

| | |
|--|---|
| ?DrawLineExtended@CMzChart@@UAEHPA | 1 |
| ?DrawLine@CMzChart@@UAEHPAVCDC@C | 1 |
| ?DrawLine@CMzChart@@UAEHPAVCDC@C | 1 |
| ?DrawPointSet@CMzChart@@UAEHPAVCDI | 1 |
| ?DrawPointSet@CMzChart@@UAEHPAVCDI | 1 |
| ?DrawPointSet@CMzChart@@UAEHPAVCDI | 1 |
| ?DrawPoint@CMzChart@@UAEHPAVCDC@ | 1 |
| ?DrawFilledRectangle@CMzChart@@UAEHI | 1 |
| ?DrawFilledRectangle@CMzChart@@UAEHI | 1 |
| ?DrawRectangle@CMzChart@@UAEHPAVCI | 1 |
| ?DrawRectangle@CMzChart@@UAEHPAVCI | 1 |
| ?DrawRectangle@CMzChart@@UAEHPAVCI | 1 |
| ?DrawPolygon@CMzChart@@UAEHPAVCDI | 1 |
| ?DrawPolygon@CMzChart@@UAEHPAVCDI | 1 |
| ?DrawPolygon@CMzChart@@UAEHPAVCDI | 1 |
| ?GetCoordinateSystemCount@CMzChart@C | 1 |
| ?GetCoordinateSystemByNum@CMzChart@ | 1 |
| ?GetActiveCoordinateSystem@CMzChart@C | 1 |
| ?SetActiveCoordinateSystemByNum@CMzC | 1 |
| ?SetActiveCoordinateSystem@CMzChart@C | 1 |
| ?RemoveAllCoordinateSystems@CMzChart@C | 1 |
| ?RemoveCoordinateSystemByNum@CMzCh | 1 |
| ?RemoveCoordinateSystem@CMzChart@@ | 1 |
| ?AddCoordinateSystem@CMzChart@@UAE | 1 |
| ?SortOverlaysByDrawingIndex@CMzChart@ | 1 |
| ?GetOverlayCount@CMzChart@@UAEHXZ | 1 |
| ?GetOverlayIndex@CMzChart@@UAEHPAV | 1 |
| ?GetOverlayByNum@CMzChart@@UAEPAV | 1 |
| ?GetNextOverlay@CMzChart@@UAEPAVCN | 1 |
| ?GetPreviousOverlay@CMzChart@@UAEPA | 1 |
| ?GetDisplayOverlayByNum@CMzChart@@L | 1 |
| ?GetDisplayOverlay@CMzChart@@UAEHPA | 1 |
| ?SetDisplayOverlayByNum@CMzChart@@U | 1 |
| ?SetDisplayOverlay@CMzChart@@UAEHPA | 1 |
| ?SwapOverlaysByNum@CMzChart@@UAEX | 1 |
| ?SwapOverlays@CMzChart@@UAEXPACVM | 1 |
| ?RemoveAllOverlays@CMzChart@@UAEXX; | 1 |
| ?RemoveOverlayByNum@CMzChart@@UAI | 1 |
| ?RemoveOverlay@CMzChart@@UAEPAVCN | 1 |
| ?InsertOverlayBeforeByNum@CMzChart@@ | 1 |
| ?InsertOverlayAfterByNum@CMzChart@@L | 1 |
| ?InsertOverlayBefore@CMzChart@@UAEXP | 1 |

| | |
|---|---|
| ?InsertOverlayAfter@CMzChart@@UAEXPA | 1 |
| ?AddOverlay@CMzChart@@UAEXPACMzC | 1 |
| ?IsCreated@CMzChart@@UAEHXZ | 1 |
| ?Create@CMzChart@@UAEXXZ | 1 |
| ?Create@CMzChart@@UAEXPACWnd@@ | 1 |
| ?GetRuntimeClass@CMzChart@@UBEPAUC | 1 |
| ??1CMzChart@@UAE@XZ | 1 |
| ?Create@CMzChart@@UAEXPACWnd@@ | 1 |
| ?WidthMinusTitle@CMzColorLegendOverlay | 1 |
| ?DrawRightAligned@CMzColorLegendOverlay | 1 |
| ?DrawLeftAligned@CMzColorLegendOverlay | 1 |
| ?GetRuntimeClass@CMzColorLegendOverlay | 1 |
| ??1CMzColorLegendOverlay@@UAE@XZ | 1 |
| ??0CMzColorLegendOverlay@@QAE@PAVC | 1 |
| ?GetRgbaData@CMzPalette@@QAEPAKXZ | 1 |
| ?GetOverlayType@CMzOverlay@@UAE?AV | 1 |
| ?GetRuntimeClass@CMzOverlay@@UBEPAI | 1 |
| ?GetSizeIn_mm@CMzPointPresentation@@ | 1 |
| ?GetPointType@CMzPointPresentation@@ | 1 |
| ?Draw@CMzOverlay@@UAEXPACDC@@(| 1 |
| ?SetStyle@CMzSegmentPresentation@@QAF | 1 |
| ?SetPolygonStyle@CMzSegmentPresentation | 1 |
| ?SetThickness@CMzSegmentPresentation@ | 1 |
| ?SetDisplayOn@CMzPresentation@@QAEHI | 1 |
| ?SetPointStyle@CMzPointPresentation@@C | 1 |
| ?SetAttachedRectangle@CMzChart@@UAE) | 1 |
| ?GetAttachedRectangle@CMzChart@@UAE | 1 |
| ?GetPrimaryRectangle@CMzChart@@UAE? | 1 |
| ?DrawEllipse@CMzChart@@UAEHPAVCDC(| 1 |
| ??0CMzChart@@QAE@XZ | 1 |
| ?GetPixels@CMzOverlay@@UAEXNNPAJ0@ | 1 |
| ??1CMzRectangle@@UAE@XZ | 1 |
| ??0CMzRectangle@@QAE@XZ | 1 |
| ??0CMzPoint@@QAE@NN@Z | 1 |
| ??1CMzPoint@@UAE@XZ | 1 |
| ??_7CMzPoint@@6B@ | 1 |
| ??0CMzPalette@@QAE@XZ | 1 |
| ?SetDataValid@CMzOverlay@@UAEHH@Z | 1 |
| ?SetDisplay@CMzOverlay@@UAEHH@Z | 1 |
| ??0CMzColorLegendCustomOverlay@@QAE | 1 |
| ?SetRightTextAlignment@CMzColorLegendC | 1 |
| ?AddString@CMzColorLegendCustomOverla | 1 |
| ?SetAlignment@CMzAttachedOverlay@@Q | 1 |
| ?EnableDraw@CMzAttachedOverlay@@UAI | 1 |
| ??1CMzPalette@@UAE@XZ | 1 |
| ??1CMzColorLegendCustomOverlay@@UAE | 1 |
| ??0CMzPoint@@QAE@XZ | 1 |

| | |
|---------------------------------------|---|
| ??0CMzFemGridData@@QAE@XZ | 1 |
| ?ReadBathymetryData@CMzFemGridData@ | 1 |
| ??0CMzFemGridOverlay@@QAE@XZ | 1 |
| ?EnableNiceValue@CMzZOverlay@@QAEXF | 1 |
| ?SetGridData@CMzFemGridOverlay@@UAE | 1 |
| ?CreateAutoScaledRainbowPalette@CMzZO | 1 |
| ?GetCurrentPalette@CMzZOverlay@@UAEF | 1 |
| ?SetLandColor@CMzPalette@@QAEXK@Z | 1 |
| ?SetDeleteColor@CMzPalette@@QAEXK@Z | 1 |
| ?SwapCurrentPalette@CMzZOverlay@@UA | 1 |
| ??1CMzFemGridData@@UAE@XZ | 1 |
| ??1CMzFemGridOverlay@@UAE@XZ | 1 |
| ?GetRuntimeClass@CMzIMapData@@UBEP | 1 |
| ?GetDataArea@CMzFemGridData@@UAEXI | 1 |
| ?ConvertGeometry@CMzFemGridData@@L | 1 |
| ?XYMinMax@CMzFemGridData@@UAEXXZ | 1 |
| ?ZMinMax@CMzFemGridData@@UAEXXZ | 1 |
| ?GetXRange@CMzFemGridData@@UAEXAA | 1 |
| ?GetYRange@CMzFemGridData@@UAEXAA | 1 |
| ?GetZRange@CMzFemGridData@@UAEXAA | 1 |
| ?GetGeoInfoA@CMzIMapData@@UAEXPAAV | 1 |
| ?SetGeoInfo@CMzIMapData@@UAEXABV?! | 1 |
| ?GetDeleteValue@CMzIMapData@@UAEXA | 1 |
| ?SetDeleteValue@CMzIMapData@@UAEXN | 1 |
| ?IsGeoReferenced@CMzIMapData@@UAEF | 1 |
| ?GetEumItemType@CMzIMapData@@UAEJ | 1 |
| ?SetEumItemType@CMzIMapData@@UAEJ | 1 |
| ?GetEumItemUnit@CMzIMapData@@UAEJ | 1 |
| ?SetEumItemUnit@CMzIMapData@@UAEX. | 1 |
| ?GetElements@CMzFemGridData@@UAEPV | 1 |
| ?GetNodes@CMzFemGridData@@UAEPAV?! | 1 |
| ?SwapElements@CMzFemGridData@@UAE | 1 |
| ?SwapNodes@CMzFemGridData@@UAEPAV | 1 |
| ?UpdateDerivedData@CMzFemGridData@C | 1 |
| ?GetRuntimeClass@CMzFemGridOverlay@C | 1 |
| ?SetParent@CMzOverlay@@UAEXPACVMzC | 1 |
| ?GetParent@CMzOverlay@@UAEPAVCMzC | 1 |
| ?GetDisplay@CMzOverlay@@UAEHXZ | 1 |
| ?Draw@CMzFemGridOverlay@@UAEXPACV | 1 |
| ?DrawPolygon@CMzOverlay@@UAEHPAVC | 1 |
| ?DrawPolygon@CMzOverlay@@UAEHPAVC | 1 |
| ?DrawPolygon@CMzOverlay@@UAEHPAVC | 1 |
| ?DrawRectangle@CMzOverlay@@UAEHPAV | 1 |
| ?DrawRectangle@CMzOverlay@@UAEHPAV | 1 |
| ?DrawFilledRectangle@CMzOverlay@@UAE | 1 |
| ?DrawFilledRectangle@CMzOverlay@@UAE | 1 |

| | |
|--------------------------------------|---|
| ?DrawPoint@CMzOverlay@@UAEHPAVCDC | 1 |
| ?DrawPointSet@CMzOverlay@@UAEHPAVC | 1 |
| ?DrawLine@CMzOverlay@@UAEHPAVCDC@ | 1 |
| ?DrawLine@CMzOverlay@@UAEHPAVCDC@ | 1 |
| ?DrawLineExtended@CMzOverlay@@UAEH | 1 |
| ?DrawLineExtended@CMzOverlay@@UAEH | 1 |
| ?DrawPolyLine@CMzOverlay@@UAEHPAVC | 1 |
| ?DrawSmartLine1@CMzOverlay@@UAEHPA | 1 |
| ?DrawSmartLine2@CMzOverlay@@UAEHPA | 1 |
| ?DrawBezierSegment@CMzOverlay@@UAE | 1 |
| ?DrawBezierSegmentExtended@CMzOverla | 1 |
| ?DrawArrow@CMzOverlay@@UAEHPAVCDI | 1 |
| ?DrawArrow@CMzOverlay@@UAEHPAVCDI | 1 |
| ?DrawCroppedArrow@CMzOverlay@@UAE | 1 |
| ?DrawCroppedArrow@CMzOverlay@@UAE | 1 |
| ?DrawEllipse@CMzOverlay@@UAEHPAVCD | 1 |
| ?DrawEllipse@CMzOverlay@@UAEHPAVCD | 1 |
| ?DrawEllipseSegment@CMzOverlay@@UAE | 1 |
| ?DrawEllipseOutline@CMzOverlay@@UAEH | 1 |
| ?DrawPie@CMzOverlay@@UAEHPAVCDC@ | 1 |
| ?DrawPie@CMzOverlay@@UAEHPAVCDC@ | 1 |
| ?DrawPie@CMzOverlay@@UAEHPAVCDC@ | 1 |
| ?DrawChord@CMzOverlay@@UAEHPAVCDI | 1 |
| ?DrawChord@CMzOverlay@@UAEHPAVCDI | 1 |
| ?DrawChord@CMzOverlay@@UAEHPAVCDI | 1 |
| ?DrawArc@CMzOverlay@@UAEHPAVCDC@ | 1 |
| ?DrawArc@CMzOverlay@@UAEHPAVCDC@ | 1 |
| ?DrawArc@CMzOverlay@@UAEHPAVCDC@ | 1 |
| ?DrawTextA@CMzOverlay@@UAEHPAVCDC@ | 1 |
| ?DrawTextA@CMzOverlay@@UAEHPAVCDC@ | 1 |
| ?DrawTextAngled@CMzOverlay@@UAEHPA | 1 |
| ?DrawTextAngled@CMzOverlay@@UAEHPA | 1 |
| ?DrawTextVertical@CMzOverlay@@UAEP | 1 |
| ?DrawTextVertical@CMzOverlay@@UAEP | 1 |
| ?DrawFlag@CMzOverlay@@UAEHPAVCDC@ | 1 |
| ?DrawFlag@CMzOverlay@@UAEHPAVCDC@ | 1 |
| ?DrawFlag@CMzOverlay@@UAEHPAVCDC@ | 1 |

| | |
|--|---|
| ?DrawFlag@CMzOverlay@@UAEHPAVCDC@ | 1 |
| ?DrawFlag@CMzOverlay@@UAEHPAVCDC@ | 1 |
| ?DrawFlag@CMzOverlay@@UAEHPAVCDC@ | 1 |
| ?DrawDirectionArrow@CMzOverlay@@UAE | 1 |
| ?DrawDirectionArrow@CMzOverlay@@UAE | 1 |
| ?EnableVerticalTextCentering@CMzOverlay@ | 1 |
| ?CalculateFontHeight@CMzOverlay@@UAE | 1 |
| ?GetTextBoundingRect@CMzOverlay@@UA | 1 |
| ?GetTextVerticalCenterOffset@CMzOverlay@ | 1 |
| ?SetDataArea@CMzOverlay@@UAEXNNNN | 1 |
| ?SetDataArea@CMzOverlay@@UAEXNNNN | 1 |
| ?SetDataArea@CMzOverlay@@UAEXPACN | 1 |
| ?UpdateDataArea@CMzOverlay@@UAEXNI | 1 |
| ?UpdateDataArea@CMzOverlay@@UAEXPAA | 1 |
| ?GetDataArea@CMzOverlay@@UAEXPACI | 1 |
| ?SetView@CMzOverlay@@UAEXNNNN@Z | 1 |
| ?SetView@CMzOverlay@@UAEXPACMzRe | 1 |
| ?GetView@CMzOverlay@@UAEXPACMzRe | 1 |
| ?GetPreviousView@CMzOverlay@@UAEXP@ | 1 |
| ?SetTitle@CMzOverlay@@UAEXPBD@Z | 1 |
| ?SetTitle@CMzOverlay@@UAEXABV?\$CStri | 1 |
| ?GetTitle@CMzOverlay@@UAE?AV?\$CStrin | 1 |
| ?SetOverlayTitle@CMzOverlay@@UAEXABV | 1 |
| ?GetOverlayTitle@CMzOverlay@@UAE?AV? | 1 |
| ?GetOverlayType@CMzFemGridOverlay@@ | 1 |
| ?GetAspectRatioOfChart@CMzOverlay@@U | 1 |
| ?IsFixedAspectRatio@CMzOverlay@@UAEH | 1 |
| ?UndistortAngle@CMzOverlay@@UAENN@ | 1 |
| ?SetUnitStr@CMzOverlay@@UAEXHABV?\$C | 1 |
| ?GetUnitStr@CMzOverlay@@UAE?AV?\$CSt | 1 |
| ?SetAxisLabel@CMzOverlay@@UAEXHABV? | 1 |
| ?GetAxisLabel@CMzOverlay@@UAE?AV?\$C | 1 |
| ?SetAxisLengthConvFactor@CMzOverlay@ | 1 |
| ?GetAxisLengthConvFactor@CMzOverlay@ | 1 |
| ?SetStartTime@CMzOverlay@@UAEXPACI | 1 |
| ?GetStartTime@CMzOverlay@@UAEXAAVC | 1 |
| ?SetDateDrawing@CMzOverlay@@UAEXH@C | 1 |
| ?SetDrawTitle@CMzOverlay@@UAEXH@Z | 1 |
| ?GetDrawTitle@CMzOverlay@@UAEHXZ | 1 |
| ?SetDrawGrid@CMzOverlay@@UAEXH@Z | 1 |
| ?GetDrawGrid@CMzOverlay@@UAEHXZ | 1 |
| ?SetAngleMapping@CMzOverlay@@UAE?A | 1 |
| ?GetAngleMapping@CMzOverlay@@UAE?A | 1 |
| ?GetWorldCoords@CMzOverlay@@UAEXNI | 1 |
| ?GetWorldCoords@CMzOverlay@@UAEXHI | 1 |
| ?GetPixels@CMzOverlay@@UAEXNNPANO@ | 1 |
| ?GetPixels@CMzOverlay@@UAEXNNPAHO@ | 1 |

| | |
|--|---|
| ?WorldToPixels@CMzOverlay@@UAENNHC | 1 |
| ?PixelsToWorld@CMzOverlay@@UAENNHC | 1 |
| ?SetCoordinateSystemNumber@CMzOverlay@@UAEM | 1 |
| ?GetCoordinateSystemNumber@CMzOverlay@@UAEM | 1 |
| ?GetMagnification@CMzOverlay@@UAEM | 1 |
| ?SetFont@CMzOverlay@@UAEXPATagLOG | 1 |
| ?GetLogFont@CMzOverlay@@UAEPATagLOG | 1 |
| ?GetLogFontCopy@CMzOverlay@@UAEXPATagLOG | 1 |
| ?GetFontHeightIn_mm@CMzOverlay@@UAEXPATagLOG | 1 |
| ?SelectCurrentFontIntoDC@CMzOverlay@@UAEXPATagLOG | 1 |
| ?SelectCurrentFontOutOfDC@CMzOverlay@@UAEXPATagLOG | 1 |
| ?HiMetric2DevPoints@CMzOverlay@@UAEXPATagLOG | 1 |
| ?LogicalInch2PhysicalInch@CMzOverlay@@UAEXPATagLOG | 1 |
| ?mm2WhiteSpaces@CMzOverlay@@UAEXPATagLOG | 1 |
| ?ScaleFont@CMzOverlay@@UAEXN@Z | 1 |
| ?UnscaleFont@CMzOverlay@@UAEXXZ | 1 |
| ?IsDataValid@CMzOverlay@@UAEHXZ | 1 |
| ?ComputeLayout@CMzOverlay@@UAEXXZ | 1 |
| ?SetVerticalRange@CMzOverlay@@UAEXNI | 1 |
| ?GetVerticalRange@CMzOverlay@@UAEXPATagLOG | 1 |
| ?SetHorizontalRange@CMzOverlay@@UAEM | 1 |
| ?GetHorizontalRange@CMzOverlay@@UAEM | 1 |
| ?SelectPenAndBrush@CMzOverlay@@UAEM | 1 |
| ?RestorePenAndBrush@CMzOverlay@@UAEM | 1 |
| ?SelectPen@CMzOverlay@@UAEXPAVCDC | 1 |
| ?RestorePen@CMzOverlay@@UAEXPAVCD | 1 |
| ?SetTextAlignStyle@CMzOverlay@@UAEXPATagLOG | 1 |
| ?RestoreTextAlignStyle@CMzOverlay@@UAEXPATagLOG | 1 |
| ?SetTextBkMode@CMzOverlay@@UAEXPATagLOG | 1 |
| ?RestoreTextBkMode@CMzOverlay@@UAEM | 1 |
| ?GetZMin@CMzFemGridOverlay@@UAENX | 1 |
| ?GetZMax@CMzFemGridOverlay@@UAENX | 1 |
| ?CreateStandardLandWaterPalette@CMzZO | 1 |
| ?CreateAutoScaledBluePalette@CMzZO | 1 |
| ?CreateFixedScaledRainbowPalette@CMzZC | 1 |
| ?RescaleLandWaterAutoPalette@CMzZOverl | 1 |
| ?GetColorIndex@CMzZOverlay@@UAEHM | 1 |
| ?SetPrinting@CMzZOverlay@@UAEXHH@Z | 1 |
| ?SetPrintingToMetafile@CMzZOverlay@@UAEH | 1 |
| ?NiceValue@CMzZOverlay@@UAEXNNPAN | 1 |
| ?GetExtremeValues@CMzZOverlay@@UAEM | 1 |
| ?UpdatePalette@CMzZOverlay@@UAEXXZ | 1 |
| ?EnableIsoline@CMzIMapOverlay@@UAEH | 1 |
| ?IsIsolineEnabled@CMzIMapOverlay@@UAEH | 1 |
| ?EnableElementMesh@CMzIMapOverlay@@UAEH | 1 |
| ?IsElementMeshEnabled@CMzIMapOverlay@@UAEH | 1 |
| ?EnableBorder@CMzIMapOverlay@@UAEH | 1 |

| | |
|--|---|
| ?IsBorderEnabled@CMzIMapOverlay@@UA | 1 |
| ?SetIsolineType@CMzIMapOverlay@@UAE | 1 |
| ?GetIsolineType@CMzIMapOverlay@@UAE | 1 |
| ?SetShadingType@CMzIMapOverlay@@UAI | 1 |
| ?GetShadingType@CMzIMapOverlay@@UA | 1 |
| ?SetBilinearIsolineResolution@CMzIMapOve | 1 |
| ?EnableIsolineLabelDraw@CMzIMapOverlay | 1 |
| ?IsIsolineLabelDrawEnabled@CMzIMapOver | 1 |
| ?SetIsolineLabelText@CMzIMapOverlay@@C | 1 |
| ?GetIsolineLabelText@CMzIMapOverlay@@C | 1 |
| ?EnableBoxContourDivider@CMzIMapOverl | 1 |
| ?IsBoxContourDividerEnabled@CMzIMapOv | 1 |
| ?SetDeleteValueDraw@CMzIMapOverlay@@C | 1 |
| ?IsDeleteValueDraw@CMzIMapOverlay@@@ | 1 |
| ?SetLineThickness@CMzIMapOverlay@@U/ | 1 |
| ?GetLineThickness@CMzIMapOverlay@@U/ | 1 |
| ?SetSmoothEdge@CMzIMapOverlay@@UAI | 1 |
| ?IsSmoothEdge@CMzIMapOverlay@@UAEI | 1 |
| ?SetIsolineLabelSlots@CMzIMapOverlay@@@ | 1 |
| ?GetIsolineLabelSlots@CMzIMapOverlay@@C | 1 |
| ?EnableRemoveCollidingLabels@CMzIMapO | 1 |
| ?IsRemoveCollidingLabelsEnabled@CMzIMA | 1 |
| ?EnableRemoveAdjacentIdenticalLabels@CN | 1 |
| ?IsRemoveAdjacentIdenticalLabelsEnabled@ | 1 |
| ?SetFeathering@CMzIMapOverlay@@UAE | 1 |
| ?GetFeathering@CMzIMapOverlay@@UAE | 1 |
| ?EnableMaskOutDeleteValues@CMzFemGrid | 1 |
| ?IsMaskOutDeleteValues@CMzFemGridOve | 1 |
| ?EnableDrawNodeValues@CMzFemGridOve | 1 |
| ?IsDrawNodeValues@CMzFemGridOverlay@ | 1 |
| ?EnableDrawElementNumbers@CMzFemGrid | 1 |
| ?EnableDrawNodeNumbers@CMzFemGridC | 1 |
| ?DrawIsolines@CMzFemGridOverlay@@UA | 1 |
| ?DrawIsolineLabels@CMzFemGridOverlay@ | 1 |
| ?CreateIsolineLabels@CMzFemGridOverlay(| 1 |
| ?DrawBorder@CMzFemGridOverlay@@UAE | 1 |
| ?DrawMesh@CMzFemGridOverlay@@UAE | 1 |
| ?DrawBoxContour@CMzFemGridOverlay@@C | 1 |
| ?DrawBoxContourTransparent@CMzFemGrid | 1 |
| ?DrawBoxContourDivider@CMzFemGridOve | 1 |
| ?DrawShadedContour@CMzFemGridOverlay | 1 |
| ?DrawNodes@CMzFemGridOverlay@@UAE | 1 |
| ?GetGridData@CMzFemGridOverlay@@UAI | 1 |
| ?FindElement@CMzFemGridOverlay@@UAI | 1 |
| ?FindElement@CMzFemGridOverlay@@UAI | 1 |
| ?CreateNodeIterator@CMzFemGridOverlay(| 1 |
| ?DestroyNodeIterator@CMzFemGridOverlay | 1 |

| | |
|---|---|
| ?DrawLineLabelsExcluded@CMzFemGridOverl | 1 |
| ?IsDry@CMzFemGridOverlay@@MAEHPAVI | 1 |
| ?MaskOutDeleteValues@CMzFemGridOverlay@@MAEHPAVI | 1 |
| ?MaskOutDeleteValuesTransparent@CMzFemGridOverlay@@MAEHPAVI | 1 |
| ?GetRuntimeClass@CMzColorLegendCustom@@UAEAII | 1 |
| ?Draw@CMzColorLegendOverlay@@UAEXP | 1 |
| ?GetOverlayType@CMzColorLegendOverlay@@UAEAI | 1 |
| ?ComputeLayout@CMzAttachedOverlay@@UAEAI | 1 |
| ?GetCoordinateOffset@CMzAttachedOverlay@@UAEAI | 1 |
| ?GetOverlayWidth@CMzColorLegendOverlay@@UAEAI | 1 |
| ?GetOverlayHeight@CMzColorLegendOverlay@@UAEAI | 1 |
| ?SetAttachedRectangle@CMzAttachedOverlay@@UAEAI | 1 |
| ?GetAttachedRectangle@CMzAttachedOverlay@@UAEAI | 1 |
| ?LimitResizeTo@CMzAttachedOverlay@@UAEAI | 1 |
| ?GetResizeType@CMzAttachedOverlay@@UAEAI | 1 |
| ?Resize@CMzColorLegendOverlay@@UAEXP | 1 |
| ?DrawPolygon@CMzAttachedOverlay@@UAEAI | 1 |
| ?DrawRectangle@CMzAttachedOverlay@@UAEAI | 1 |
| ?DrawFilledRectangle@CMzAttachedOverlay@@UAEAI | 1 |
| ?DrawPoint@CMzAttachedOverlay@@UAEAI | 1 |
| ?DrawPoint@CMzAttachedOverlay@@UAEAI | 1 |
| ?DrawLine@CMzAttachedOverlay@@UAEAI | 1 |
| ?DrawLineExtended@CMzAttachedOverlay@@UAEAI | 1 |
| ?DrawArrow@CMzAttachedOverlay@@UAEAI | 1 |
| ?DrawCroppedArrow@CMzAttachedOverlay@@UAEAI | 1 |
| ?DrawEllipse@CMzAttachedOverlay@@UAEAI | 1 |
| ?DrawPie@CMzAttachedOverlay@@UAEHP | 1 |
| ?DrawChord@CMzAttachedOverlay@@UAEAI | 1 |
| ?DrawArc@CMzAttachedOverlay@@UAEHP | 1 |
| ?DrawTextA@CMzAttachedOverlay@@UAEAI | 1 |
| ?DrawTextAngled@CMzAttachedOverlay@@UAEAI | 1 |
| ?DrawTextVertical@CMzAttachedOverlay@@UAEAI | 1 |
| ?DrawDirectionArrow@CMzAttachedOverlay@@UAEAI | 1 |
| ?DrawLeftAligned@CMzColorLegendCustom@@UAEAI | 1 |
| ?DrawRightAligned@CMzColorLegendCustom@@UAEAI | 1 |
| ?SetPalette@CMzColorLegendOverlay@@UAEAI | 1 |
| ?GetPalette@CMzColorLegendOverlay@@UAEAI | 1 |
| ?GetAnnotationKey@CMzColorLegendOverlay@@UAEAI | 1 |
| ?WidthMinusTitle@CMzColorLegendCustom@@UAEAI | 1 |
| ?WidthOfRawString@CMzColorLegendOverlay@@UAEAI | 1 |
| ?BuildTitle@CMzColorLegendOverlay@@UAEAI | 1 |
| ??4CMzPoint@@QAEAAV0@ABV0@@Z | 1 |
| ??0CMzPoint@@QAE@ABV0@@Z | 1 |
| ?ReadDynamicItem@CMzIMapData@@UAEAI | 1 |
| ??0CMzOverlay@@QAE@XZ | 1 |
| ??1CMzOverlay@@UAE@XZ | 1 |
| ??0CMzPointPresentation@@QAE@XZ | 1 |

| | |
|--|---|
| ??1CMzPointPresentation@@UAE@XZ | 1 |
| ??0CMzSegmentPresentation@@QAE@XZ | 1 |
| ??1CMzSegmentPresentation@@UAE@XZ | 1 |
| ?SetTitle@CMzPresentation@@QAE?AV?\$C | 1 |
| ?SetColor@CMzPresentation@@QAEKK@Z | 1 |
| ?SetSize@CMzPointPresentation@@QAEHH | 1 |
| ?SetPointType@CMzPointPresentation@@C | 1 |
| ?GetMessageMap@CGXGridWnd@@MBEPI | 1 |
| ?Draw@CGXEditControl@@UAEXPVCDC@ | 1 |
| ?ValidatePaste@CGXEditControl@@UAEHA | 1 |
| ?ValidateString@CGXControl@@MAEHABV | 1 |
| ?OnInitChildren@CGXControl@@MAEXKKA | 1 |
| ?OnClickedButton@CGXControl@@UAEXP | 1 |
| ?GetSelectedText@CGXEditControl@@UAEI | 1 |
| ?ReplaceAll@CGXEditControl@@UAEHABU | 1 |
| ?ReplaceSel@CGXEditControl@@UAEXPBD(| 1 |
| ?FindTextA@CGXEditControl@@UAEHABUC | 1 |
| ?Cut@CGXEditControl@@UAEHXZ | 1 |
| ?Paste@CGXEditControl@@UAEHXZ | 1 |
| ?LockUpdate@CGXGridCore@@QAEHH@Z | 1 |
| ?SetLockReadOnly@CGXGridParam@@QAE | 1 |
| ?SetValueType@CGXStyle@@QAEAAV1@I@C | 1 |
| ?SetCells@CGXRange@@QAEAAV1@KK@Z | 1 |
| ?SetIncludeHorizontalAlignment@CGXStyle(| 1 |
| ?SetInterior@CGXStyle@@QAEAAV1@K@Z | 1 |
| ?SetIncludeInterior@CGXStyle@@QAEAAV1 | 1 |
| ?SetStyle@CGXBrush@@QAEAAU1@I@Z | 1 |
| ?SetColor@CGXBrush@@QAEAAU1@K@Z | 1 |
| ?SetReadOnly@CGXStyle@@QAEAAV1@H@C | 1 |
| ?SetIncludeReadOnly@CGXStyle@@QAEAA' | 1 |
| ?SetPlaces@CGXStyle@@QAEAAV1@I@Z | 1 |
| ?SetIncludePlaces@CGXStyle@@QAEAAV1@C | 1 |
| ?GetSysColor@GX_SYS_DATA@@QAEKH@Z | 1 |
| ?GXGetAppState@@YGPAUGX_APP_STATE(| 1 |
| ?SetChoiceList@CGXStyle@@QAEAAV1@PB | 1 |
| ?SetIncludeControl@CGXStyle@@QAEAAV1 | 1 |
| ?SetFormat@CGXStyle@@QAEAAV1@I@Z | 1 |
| ?SetIncludeFormat@CGXStyle@@QAEAAV1 | 1 |
| ?GetShortValue@CGXStyle@@QBFXZ | 1 |
| ?GetDoubleValue@CGXStyle@@QBENXZ | 1 |
| ?SetValue@CGXStyle@@QAEAAV1@ABV?\$ | 1 |
| ?SetValue@CGXStyle@@QAEAAV1@I@Z | 1 |
| ?SetValue@CGXStyle@@QAEAAV1@N@Z | 1 |
| ?GetReadOnly@CGXStyle@@QBEHXZ | 1 |
| ?!invalidate@CGXGridWnd@@QAEXH@Z | 1 |
| ?OnStartEditing@CGXGridCore@@MAEHKK | 1 |
| ?Paste@CGXGridCore@@UAEHXZ | 1 |

| | |
|---------------------------------------|---|
| ?GetRangeList@CGXGridParam@@QAEPAV | 1 |
| ??0CGXRange@@QAE@PBV0@@Z | 1 |
| ?GetNext@CGXRangeList@@QAEAAPAVCG\ | 1 |
| ?IsRows@CGXRange@@QBEHXZ | 1 |
| ?RemoveRows@CGXRangeList@@QAEXKK | 1 |
| ?SetValue@CGXStyle@@QAEAAV1@F@Z | 1 |
| ?SetValue@CGXStyle@@QAEAAV1@PBD@; | 1 |
| ?SetChoiceList@CGXStyle@@QAEAAV1@AE | 1 |
| ?GetUIntValue@CGXStyle@@QBEIXZ | 1 |
| ?RegisterControl@CGXGridCore@@QAEXGF | 1 |
| ??1CGXRangeList@@UAE@XZ | 1 |
| ?GetHead@CGXRangeList@@QAEAAPAVCG | 1 |
| ?IsAnyCellFromCol@CGXRangeList@@QAEF | 1 |
| ?ExpandRange@CGXRange@@QAEAAV1@I | 1 |
| ?AddTail@CGXRangeList@@QAEPAU__POS | 1 |
| ?GetCurrentCell@CGXGridCore@@QAEHPA | 1 |
| ?SetEnabled@CGXStyle@@QAEAAV1@H@z | 1 |
| ?SetIncludeEnabled@CGXStyle@@QAEAAV: | 1 |
| ?SetTextColor@CGXStyle@@QAEAAV1@K@ | 1 |
| ?SetIncludeTextColor@CGXStyle@@QAEAA' | 1 |
| ?DeleteAll@CGXRangeList@@QAEXXZ | 1 |
| ?GetRuntimeClass@CGXRangeList@@UBEP, | 1 |
| ?Serialize@CGXRangeList@@UAEXAAVCArc | 1 |
| ??4CGXRangeList@@UAEAAV0@ABV0@@Z | 1 |
| ?GetRuntimeClass@CGXComboBoxWnd@@ | 1 |
| ?PreTranslateMessage@CGXComboBoxWnd | 1 |
| ?OnGetListboxRect@CGXComboBoxWnd@C | 1 |
| ?OnKeyDown@CGXComboBoxWnd@@MAE | 1 |
| ?OnSetfocus@CGXComboBoxWnd@@MAE\ | 1 |
| ?GetControlClass@CGXComboBoxWnd@@l | 1 |
| ?GetWndPtr@CGXComboBoxWnd@@UBEP | 1 |
| ?SetActive@CGXComboBoxWnd@@UAEXH\ | 1 |
| ?IsActive@CGXComboBoxWnd@@UAEHXZ | 1 |
| ?IsActiveAlways@CGXControl@@UAEHXZ | 1 |
| ?SetModify@CGXComboBoxWnd@@UAEXF | 1 |
| ?GetModify@CGXComboBoxWnd@@UAEH\ | 1 |
| ?Init@CGXComboBoxWnd@@UAEXKK@Z | 1 |
| ?Reset@CGXControl@@UAEXXZ | 1 |
| ?Store@CGXComboBoxWnd@@UAEHXZ | 1 |
| ?OnValidate@CGXControl@@UAEHXZ | 1 |
| ?OnStartEditing@CGXControl@@UAEHXZ | 1 |
| ?OnModifyCell@CGXControl@@UAEXXZ | 1 |
| ?OnCancelEditing@CGXControl@@UAEHXZ | 1 |
| ?OnCanceledEditing@CGXControl@@UAEX) | 1 |
| ?OnEndEditing@CGXControl@@UAEHXZ | 1 |
| ?OnLeftCell@CGXControl@@UAEHKK@Z | 1 |
| ?OnDeleteCell@CGXControl@@UAEHXZ | 1 |

| | |
|--|---|
| ?GetCellRect@CGXComboBoxWnd@@UAE? | 1 |
| ?AddBorders@CGXComboBoxWnd@@UAE? | 1 |
| ?CalcSize@CGXComboBoxWnd@@UAE?AV | 1 |
| ?CanFloatCell@CGXComboBoxWnd@@UAE | 1 |
| ?CanMergeCell@CGXControl@@UAEHKKAB | 1 |
| ?InvertBorders@CGXControl@@UAEXPAC | 1 |
| ?Draw@CGXComboBoxWnd@@UAEXPACI | 1 |
| ?GetCurrentText@CGXComboBoxWnd@@U | 1 |
| ?SetCurrentText@CGXComboBoxWnd@@U | 1 |
| ?GetValue@CGXComboBoxWnd@@UAEHA | 1 |
| ?SetValue@CGXComboBoxWnd@@UAEXPB | 1 |
| ?GetControlText@CGXComboBoxWnd@@U | 1 |
| ?SetControlText@CGXComboBoxWnd@@U | 1 |
| ?ConvertControlTextToValue@CGXCombo | 1 |
| ?StoreStyle@CGXControl@@UAEHKKPBVCE | 1 |
| ?LoadStyle@CGXControl@@UAEHKKPAVCG | 1 |
| ?GetChoiceListItem@CGXControl@@UAEH | 1 |
| ?FindStringInChoiceList@CGXControl@@UA | 1 |
| ?Hide@CGXComboBoxWnd@@UAEXXZ | 1 |
| ?Refresh@CGXControl@@UAEXXZ | 1 |
| ?MouseMove@CGXControl@@UAEHIVCPoi | 1 |
| ?MouseMoveOver@CGXControl@@UAEHKI | 1 |
| ?LButtonDown@CGXControl@@UAEHIVCPc | 1 |
| ?LButtonUp@CGXComboBoxWnd@@UAEH | 1 |
| ?LButtonDblClk@CGXComboBoxWnd@@UA | 1 |
| ?MButtonDown@CGXControl@@UAEHIVCP | 1 |
| ?MButtonUp@CGXControl@@UAEHIVCPoir | 1 |
| ?MButtonDblClk@CGXControl@@UAEHIVCI | 1 |
| ?RButtonDown@CGXControl@@UAEHIVCP | 1 |
| ?RButtonUp@CGXControl@@UAEHIVCPoin | 1 |
| ?RButtonDblClk@CGXControl@@UAEHIVCP | 1 |
| ?MouseActivate@CGXControl@@UAEHPAV | 1 |
| ?OnGridPreTranslateMessage@CGXContro | 1 |
| ?KeyPressed@CGXControl@@UAEHIIIZ | 1 |
| ?OnGridKeyDown@CGXComboBoxWnd@@ | 1 |
| ?OnGridKeyUp@CGXControl@@UAEHIII@Z | 1 |
| ?OnGridChar@CGXComboBoxWnd@@UAEI | 1 |
| ?OnGridDoubleByteChar@CGXComboBoxW | 1 |
| ?OnGridDeadChar@CGXControl@@UAEHIII | 1 |
| ?OnGridSysKeyDown@CGXComboBoxWnd@ | 1 |
| ?OnGridSysKeyUp@CGXControl@@UAEHIII | 1 |
| ?OnGridSysChar@CGXControl@@UAEHIII@ | 1 |
| ?OnGridSysDeadChar@CGXControl@@UAEI | 1 |
| ?Copy@CGXControl@@UAEHXZ | 1 |
| ?Paste@CGXControl@@UAEHXZ | 1 |
| ?Cut@CGXControl@@UAEHXZ | 1 |
| ?CanCopy@CGXControl@@UAEHXZ | 1 |

| | |
|---|---|
| ?CanCut@CGXControl@@UAEHXZ | 1 |
| ?CanPaste@CGXControl@@UAEHXZ | 1 |
| ?GetSortKey@CGXControl@@UAEXKKABUC | 1 |
| ?FindTextA@CGXComboBoxWnd@@UAEHAA | 1 |
| ?ReplaceSel@CGXComboBoxWnd@@UAEXI | 1 |
| ?ReplaceAll@CGXComboBoxWnd@@UAEHIA | 1 |
| ?GetSelectedText@CGXComboBoxWnd@@IA | 1 |
| ?OnClickedButton@CGXComboBoxWnd@@IA | 1 |
| ?OnNotifyMsg@CGXControl@@UAEXPAAuta | 1 |
| ?OnGridCtlColor@CGXControl@@UAEPAUFI | 1 |
| ?OnGridWinIniChange@CGXControl@@UAFI | 1 |
| ?OnGridSysColorChange@CGXControl@@UAUFI | 1 |
| ?IsReadOnly@CGXControl@@UAEHXZ | 1 |
| ?OnGridCancelMode@CGXControl@@UAEXI | 1 |
| ?NeedShowCellTip@CGXControl@@UAEHKI | 1 |
| ?GetCellTipID@CGXControl@@UAEKKKPAV | 1 |
| ?InitializeCellTip@CGXControl@@UAEXKKP | 1 |
| ?IsWindowlessControl@CGXControl@@UAEF | 1 |
| ?AddChild@CGXControl@@MAEXPAAVGXC | 1 |
| ?RemoveChild@CGXControl@@MAEXPAAVC | 1 |
| ?GetChild@CGXControl@@MAEPAVCGXChi | 1 |
| ?GetCount@CGXControl@@MAEHXZ | 1 |
| ?ChildWithFocus@CGXControl@@MAEPAV(| 1 |
| ?FocusOnChild@CGXControl@@MAEXPAAVC | 1 |
| ?OnInitChildren@CGXComboBoxWnd@@M | 1 |
| ?DrawBackground@CGXControl@@MAEXPB | 1 |
| ?DrawFrame@CGXControl@@MAEXPAAVCDI | 1 |
| ?ValidateString@CGXComboBoxWnd@@UA | 1 |
| ?ValidatePaste@CGXControl@@MAEHABV? | 1 |
| ?OnInvalidKeyPressed@CGXControl@@MAI | 1 |
| ?GetMarkHeaderState@CGXControl@@MA | 1 |
| ?GetRuntimeClass@CGXEditControl@@UBE | 1 |
| ?OnCommand@CGXEditControl@@UAEHIJ(| 1 |
| ?StripSeparatorFromValue@CGXEditControl | 1 |
| ?PutDecInValue@CGXEditControl@@UAEHIA | 1 |
| ?AcceptCommasInNumbers@CGXEditContro | 1 |
| ?OnProcessChar@CGXEditControl@@UAEH | 1 |
| ?CreateControl@CGXEditControl@@MAEHk | 1 |
| ?CalcEditStyle@CGXEditControl@@MAEKPA | 1 |
| ?GetControlClass@CGXEditControl@@UBEF | 1 |
| ?GetWndPtr@CGXEditControl@@UBEPAVC | 1 |
| ?SetActive@CGXEditControl@@UAEXH@Z | 1 |
| ?IsActive@CGXEditControl@@UAEHXZ | 1 |
| ?SetModify@CGXEditControl@@UAEXH@Z | 1 |
| ?GetModify@CGXEditControl@@UAEHXZ | 1 |
| ?Init@CGXEditControl@@UAEXKK@Z | 1 |
| ?Store@CGXEditControl@@UAEHXZ | 1 |

| | |
|---|---|
| ?OnEndEditing@CGXEditControl@@UAEHX; | 1 |
| ?GetCellRect@CGXStatic@@UAE?AVCRect@ | 1 |
| ?AddBorders@CGXStatic@@UAE?AVCSize@ | 1 |
| ?CalcSize@CGXStatic@@UAE?AVCSize@@P | 1 |
| ?CanFloatCell@CGXEditControl@@UAEHKK. | 1 |
| ?GetCurrentText@CGXEditControl@@UAEEX | 1 |
| ?SetCurrentText@CGXEditControl@@UAEIX | 1 |
| ?GetValue@CGXEditControl@@UAEHAAV?§ | 1 |
| ?SetValue@CGXEditControl@@UAEXPBD@` | 1 |
| ?GetControlText@CGXControl@@UAEHAAV | 1 |
| ?SetControlText@CGXEditControl@@UAEHI | 1 |
| ?ConvertControlTextToValue@CGXControl@ | 1 |
| ?Hide@CGXEditControl@@UAEXXZ | 1 |
| ?LButtonUp@CGXEditControl@@UAEHVCP | 1 |
| ?LButtonDblClk@CGXEditControl@@UAEHI` | 1 |
| ?OnGridKeyDown@CGXEditControl@@UAE | 1 |
| ?OnGridChar@CGXEditControl@@UAEHIII@ | 1 |
| ?OnGridDoubleByteChar@CGXEditControl@ | 1 |
| ?OnGridSysKeyDown@CGXControl@@UAEF | 1 |
| ?Copy@CGXEditControl@@UAEHZ | 1 |
| SES_WCharsFromAChars | 1 |
| SES_wstrlen | 1 |
| SES_wstrcpy | 1 |
| SES_wsprintf | 1 |
| __crt_debugger_hook | 1 |
| ?_type_info_dtor_internal_method@type_i | 1 |
| ZSP_GetObjectType | 1 |
| ZSP_LoadDriverLibraryEx | 1 |
| rtcDateFromVar | 1 |
| ??1CAIMManager@@UAE@XZ | 1 |
| ?Initialize@CAIMManager@@QAEHW4ENU | 1 |
| ??0CAIMManager@@QAE@XZ | 1 |
| ?initChatBar@CAIMManager@@QAEXAAV? | 1 |
| ?isOwnerDPWindowURL@CAIMManager@(` | 1 |
| ?isHistoryWindowURL@CAIMManager@@C | 1 |
| ?getUrlOfIEWindow@CAIMManager@@QA | 1 |
| ?getChatButtonRectByButtonNumber@CAIN | 1 |
| ?getChatButtonRectById@CAIMMane | 1 |
| ?isInputWindowURL@CAIMManager@@QA | 1 |
| ?getHTMLDocumentOfIEWindow@CAIMMa | 1 |
| ?getPropertyAsInt@CConfig@@QBEHV?\$ba | 1 |
| ??0CHookCOM@@QAE@XZ | 1 |
| ??1CHookCOM@@UAE@XZ | 1 |
| ?UnhookAPI@CHookAPI@@SGHPAPAX@Z | 1 |
| ?HookAPI@CHookAPI@@SGHPBDOPAXPAP, | 1 |
| ??0CErrIllegalArgumentException@@QAE@ | 1 |
| ??0CAutoLock@@QAE@ABVClockable@@(| 1 |

| | |
|--|---|
| ??1CAutoLock@@QAE@XZ | 1 |
| ?UnLock@CCriticalSec@@UBEXXZ | 1 |
| ?StringReplaceAll@@YA?AV?\$basic_string@ | 1 |
| ?StringFindi@@YAHABV?\$basic_string@GU | 1 |
| ?UnicodeToAscii@@YG?AV?\$basic_string@I | 1 |
| ?FormatString@@YAHPAGIPBGZZ | 1 |
| ??0CErrException@@QAE@V?\$basic_string@ | 1 |
| ??1CErrException@@UAE@XZ | 1 |
| ??1CCriticalSec@@UAE@XZ | 1 |
| ??0CCriticalSec@@QAE@XZ | 1 |
| ?Lock@CCriticalSec@@UBEXXZ | 1 |
| EndMouseHook | 1 |
| StartMouseHook | 1 |
| i32Merge | 1 |
| cvt32DDBToBuf | 1 |
| cvt32DIBToBuf | 1 |
| cvt32BufToDIB | 1 |
| cvt32DIBPtrToBuf | 1 |
| cvt32DIBToDDB | 1 |
| uVideoCheckAndLink | 1 |
| uVideoScanSceneBegin | 1 |
| uVideoScanScene | 1 |
| uVideoScanSceneEnd | 1 |
| uVideoShowSceneOptionDB | 1 |
| uVideoPlayEnd | 1 |
| uVideoPlayBeginEx | 1 |
| uVideoPlayAction | 1 |
| uVideoReadVideoEx | 1 |
| uVideoReadVideo | 1 |
| uVideoReadVideoEnd | 1 |
| uVideoReadVideoBegin | 1 |
| uVideoGetFileInfo | 1 |
| uVideoFreeFileInfo | 1 |
| uVideoGetMiscData | 1 |
| ?GetUICutCFRCHandle@@YGPAUHINSTANC | 1 |
| ?ufcCreateSliderWnd@@YAPAUHWND__@ | 1 |
| gfnAllocateDIB | 1 |
| gfnFreeDIB | 1 |
| VideoPortUnmapMemory | 1 |
| NdisScheduleWorkItem | 1 |
| NdisOpenConfigurationKeyByName | 1 |
| NdisMSendResourcesAvailable | 1 |
| NdisInterlockedRemoveHeadList | 1 |
| NdisMPromoteMiniport | 1 |
| NdisMFreeMapRegisters | 1 |
| ?ReportMsg@COOutputReport@@QAEXKKPA | 1 |
| SetFalconKeyValue | 1 |

| | |
|---|---|
| ?Report@@3VCOutputReport@@A | 1 |
| ?ReportStringMsg@COutputReport@@QAA | 1 |
| MQSec_StorePubKeys | 1 |
| SignalAudioDeviceRemoved | 1 |
| Reg | 1 |
| TraceSQLSpecialColumnsW | 1 |
| Bematech_FI_CGC_IE | 1 |
| Daruma_FI_CGC_IE | 1 |
| EPSON_Obter_GT | 1 |
| generateEAD | 1 |
| @AcContextConfigTLSCredentialsA@28 | 1 |
| @AclterateAdapters@4 | 1 |
| @AcGetLogErrorA@20 | 1 |
| @AcContextConfigResumption@8 | 1 |
| @AcContextRelease@4 | 1 |
| @AcGlobalConfigLoginCallback@8 | 1 |
| @AcGlobalOpenContextA@4 | 1 |
| @AcContextConfigMd5CredentialsA@12 | 1 |
| @AcContextConfigTTLSCredentialsA@40 | 1 |
| @AcContextType@4 | 1 |
| @AcContextConfigPeapCredentialsA@40 | 1 |
| @AcGlobalConfigCertStores@20 | 1 |
| @AcContextConfigWpa@8 | 1 |
| @AcAdapterAuthenticateStop@4 | 1 |
| @AcAdapterAuthenticate@8 | 1 |
| @AcCredentialsNumber@4 | 1 |
| @AcStatusNumber@4 | 1 |
| @AclterateAdaptersNext@4 | 1 |
| @AcAdapterQuery@8 | 1 |
| @AcAdapterGetMacAddress@8 | 1 |
| @AcAdapterGetNameA@12 | 1 |
| @AcStatusRelatedContext@4 | 1 |
| @AcStatusFormatA@12 | 1 |
| ArmadaRun | 1 |
| RegisterTypeLibForUser | 1 |
| ?docCharacters@AbstractDOMParser@xerces-c | 1 |
| WmiQueryTrace | 1 |
| ?SICreateSLog@@YAPAVISLog@@PAKHPBD | 1 |
| ?SIDeleteSLog@@YAXPAVISLog@@@Z | 1 |
| NeGetVersion | 1 |
| NelsNECoreRunning | 1 |
| NeSetDebugOutput | 1 |
| NeCreateNECore | 1 |
| NeDeleteNECore | 1 |
| __vb | 1 |
| WindowEnd | 1 |
| WAITFORSINGLEOBJECT | 1 |

| | |
|-----------------------------|---|
| LOADLIBRARYA | 1 |
| GETSYSTEMDIRECTORYA | 1 |
| GETPROCADDRESS | 1 |
| UNMAPVIEWOFFILE | 1 |
| MAPVIEWOFFILE | 1 |
| GETVERSION | 1 |
| CREATEFILEMAPPINGA | 1 |
| GETWINDOWS DIRECTORYA | 1 |
| CREATEDIRECTORYA | 1 |
| REGCREATEKEYEXA | 1 |
| CLOSESERVICEHANDLE | 1 |
| OPENSCMANAGERA | 1 |
| REGCLOSEKEY | 1 |
| REGQUERYVALUEEXA | 1 |
| OPENSERVICEA | 1 |
| CREATESERVICEA | 1 |
| LOADCURSORA | 1 |
| GETFOREGROUNDWINDOW | 1 |
| FINDWINDOWA | 1 |
| ENDDIALOG | 1 |
| DIALOGBOXPARAMA | 1 |
| DEFWINDOWPROCA | 1 |
| EXITWINDOWSEX | 1 |
| WVSPRINTFA | 1 |
| SETDLGITEMTEXTA | 1 |
| SENDMESSAGEA | 1 |
| SENDDLGITEMMESSAGEA | 1 |
| LOADICONA | 1 |
| SELECT | 1 |
| LISTEN | 1 |
| BIND | 1 |
| ACCEPT | 1 |
| WSAASYNCSELECT | 1 |
| MAPISENDMAIL | 1 |
| MAPILOGON | 1 |
| MAPILOGOFF | 1 |
| MCISENDSTRINGA | 1 |
| SHELLEXECUTEA | 1 |
| PR_Delete | 1 |
| PR_OpenFile | 1 |
| PR_MkDir | 1 |
| PR_Access | 1 |
| PR_CloseFileMap | 1 |
| PR_MemUnmap | 1 |
| PR_MemMap | 1 |
| PR_CreateFileMap | 1 |
| JVM_FindClassFromBootLoader | 1 |

| | |
|--|---|
| _JVM_DefineClassWithSourceCond@32 | 1 |
| ?FindNextFileA@FileFindTraits@@SAHAAUFI | 1 |
| ?SetSize@ArrayBase@@QAEXHH@Z | 1 |
| ?Lock@SpinLockTraits@SyncLack@@SAHAA | 1 |
| ?Unlock@SpinLockTraits@SyncLack@@SAH. | 1 |
| ?GetHeadPos@HashBase@@QBEPAU__POS | 1 |
| ?Close@FileFindTraits@@SAXAAUHType@1 | 1 |
| ?RemoveAt@HashBase@@QAEXPBAU__POS | 1 |
| ?Close@SpinLockTraits@SyncLack@@SAXA/ | 1 |
| ?RegisterTimer@TimerTask@@SGXPBVTTask | 1 |
| ?Close@ThreadKeyTraits@@SAXAAUHType | 1 |
| ?Create@ThreadKeyTraits@@SAHAAUHTyp | 1 |
| ?Create@SpinLockTraits@SyncLack@@SAH/ | 1 |
| ?MemoryAlloc@@YGPAXK@Z | 1 |
| ?RemoveAll@HashBase@@QAEXXZ | 1 |
| ??0HashBase@@IAE@XZ | 1 |
| ?SetAt@HashBase@@QAEPAU__POSITION(| 1 |
| ?ThrowMemoryException@@YGXXZ | 1 |
| ?BrtStringAllocator@@YGPBVStringAllocato | 1 |
| ?MemoryFree@@YGXPAX@Z | 1 |
| ??0ArrayBase@@IAE@H@Z | 1 |
| ?FindFile@FileFindTraits@@SAHAAUHType | 1 |
| ?RemoveKey@HashBase@@QAEHPBX@Z | 1 |
| ?RemoveAt@ArrayBase@@QAEXHH@Z | 1 |
| ?GetNextPos@HashBase@@QBEPAU__POS | 1 |
| ??0?\$basic_string@GU?\$char_traits@G@st | 1 |
| AUTReloadObject | 1 |
| AUTOBJECTArraySize | 1 |
| AUTGetObjectArray | 1 |
| AUTPathIDArrayDelete | 1 |
| AUTTypeArrayAdd | 1 |
| AUTOBJECTArrayDelete | 1 |
| AUTGetStringAttribute | 1 |
| AUTOBJECTArrayRemoveAll | 1 |
| AUTTypeArrayDelete | 1 |
| AUTTypeArrayRemoveAll | 1 |
| AUTOBJECTArrayGetAt | 1 |
| AUTCreateFilter | 1 |
| AUTSetShortAttribute | 1 |
| AUTGetObjectSetMode | 1 |
| AUTSetName | 1 |
| AUTSetStringAttribute | 1 |
| AUTReopenObjectSet | 1 |
| AUTGetObjectSetMode | 1 |
| AUTOBJECTArraySetAt | 1 |
| AUTDoVerb | 1 |

| | |
|-------------------------------------|---|
| AUTGetUnitType | 1 |
| AUTGetUnitID | 1 |
| AUTGetEnvType | 1 |
| AUTSetErrorTitle | 1 |
| AUTLogError | 1 |
| AUTSetLongBinaryAttribute | 1 |
| AUTCreateObject | 1 |
| AUTGetTimestampAttribute | 1 |
| AUTSetTimestampAttribute | 1 |
| AUTPathIDArrayRemoveAll | 1 |
| AUTAddFilterTextItem | 1 |
| AUTFindObject | 1 |
| AUTDestroyFilter | 1 |
| AUTGetLongBinaryAttribute | 1 |
| AUTCopyObject | 1 |
| AUTEnEnterObjectSet | 1 |
| AUTLogError0 | 1 |
| AUTLogError1 | 1 |
| AUTGetLongAttribute | 1 |
| AUTGetShortAttribute | 1 |
| AUTGetTypeInfos | 1 |
| AUTTypeArraySize | 1 |
| AUTTypeArrayGetAt | 1 |
| AUTGetTypeNames | 1 |
| AUTTypeArrayRemoveAt | 1 |
| AUTGetLinkedObjects | 1 |
| AUTOBJECTArrayAdd | 1 |
| AUTGetCurrentObjectSet | 1 |
| AUTGetEnvID | 1 |
| AUTGetPath | 1 |
| AUTTypeArrayCreate | 1 |
| AUTOBJECTArrayCreate | 1 |
| AUTPathIDArrayCreate | 1 |
| ?Format@CBstr@@QAAXPBDZZ | 1 |
| ?GetBuffer@CBstr@@QAEPADH@Z | 1 |
| ?IsEmpty@CBstr@@QBEHZ | 1 |
| ??0CBstr@@QAE@ABV0@@Z | 1 |
| ??4CBstr@@QAEABV0@PBG@Z | 1 |
| ??ACBstr@@QBEDH@Z | 1 |
| ?LoadStringA@CBstr@@QAEHIPAUHINSTAN | 1 |
| ??0CBstr@@QAE@PBD@Z | 1 |
| ??BCBstr@@QBEPBDXZ | 1 |
| ??4CBstr@@QAEABV0@PBD@Z | 1 |
| S7aCaptionDestroy | 1 |
| S7aCaptionInstall | 1 |
| ?Reg_GetFont@@YAXHPAVCString@@PAH | 1 |
| AUTHwGethHwStation | 1 |

| | |
|---------------------------------------|---|
| AUTHwDoSdbVerb | 1 |
| ?getNumWarnings@CmpErrorList@@QBEH` | 1 |
| ?logCmpErrors@CmpErrorList@@QAEHPAV | 1 |
| ?MessagePrepare@CmpErrorList@@QAEXK | 1 |
| ?getNumErrors@CmpErrorList@@QBEHXZ | 1 |
| ??0CmpErrorList@@QAE@H@Z | 1 |
| ?checkErrorsBreak@CmpErrorList@@QAEH` | 1 |
| ??1CmpErrorList@@QAE@XZ | 1 |
| ?flush@CmpErrorList@@QAEXXZ | 1 |
| ?SetCaption@CmpErrorList@@QAEPAW | 1 |
| ?MessagePrepare@CmpErrorList@@QAEXK | 1 |
| ?MessageDisplay@CmpErrorList@@QAEPAF | 1 |
| ?returnTableInfoPtr@CmpPgSection@@QAI | 1 |
| ?returnTableName@CmpTableInfo@@QAEI | 1 |
| ?locateSendBlock@CmpCPUCircle@@QAEPI | 1 |
| ?locateCircle@CmpCpuSdb@@QAEPAVCmp | 1 |
| ?locateRcvBlock@CmpCPUCircle@@QAEPA` | 1 |
| ?returnPgSectionPtr@CmpCpuSdb@@QAEPI | 1 |
| ??0CmpCPUCircle@@QAE@E@Z | 1 |
| ??0CmpGDOOperand@@QAE@HH@Z | 1 |
| ??0CmpCPSdb@@QAE@G@Z | 1 |
| ?convertToSdb@CmpCpuSdb@@QAEKPAE0 | 1 |
| ??0CmpCpuSdb@@QAE@G@Z | 1 |
| ?GetGBZRowID@CmpGDTTable@@QAE?AW | 1 |
| ?SetCellData@CmpGDTTable@@QAEKHPA | 1 |
| ?createGBZItem@CmpGDTTable@@QAEKHW | 1 |
| ?createCPUItem@CmpGDTTable@@QAEKHP | 1 |
| ?createScanRateObj@CmpGDTTable@@QAE | 1 |
| ?createOperand@CmpGDTTable@@QAEKHH | 1 |
| ?rowIsVisible@CmpGDTTable@@QAEHH@Z | 1 |
| ?isSender@CmpGDTTable@@QAEHHH@Z | 1 |
| ?SetRowIsVisible@CmpGDTTable@@QAEKH` | 1 |
| ?appendCols@CmpGDTTable@@QAEKI@Z | 1 |
| ?SetCPUItem@CmpGDTTable@@QAEKHPAV | 1 |
| ?fillComplfHandles@CmpGDTTable@@QAE | 1 |
| ??0CmpCPUItem@@QAE@AAV0@@Z | 1 |
| ?insertRows@CmpGDTTable@@QAEKII@Z | 1 |
| ?insertCols@CmpGDTTable@@QAEKII@Z | 1 |
| ?GetGBZStr@CmpGDTTable@@QAEKHPAD@ | 1 |
| ?GetCellDisplayData@CmpGDTTable@@QAE | 1 |
| ?SetGBZSender@CmpGDTTable@@QAEKH@ | 1 |
| ?SetAllRowsVisible@CmpGDTTable@@QAEK | 1 |
| ?SetSource@CmpGDTTable@@QAEW4SOU | 1 |
| ?GetRowInfo@CmpGDTTable@@QBEPAVCm | 1 |
| ?GetCPUCollected@CmpGDTTable@@QAEHI | 1 |
| ?GetOnlineDBHandle@CmpGDTTable@@QA | 1 |
| ?SetCPUCollected@CmpGDTTable@@QAEHX | 1 |

| | |
|--|---|
| ?SetDbaseHandle@CmpGDTTable@@QAEXH | 1 |
| ?GetOfflineDBHandle@CmpGDTTable@@QA | 1 |
| ?SetPrevHandle@CmpGDTTable@@QAEXH@ | 1 |
| ?GetOfflineProgfile@CmpGDTTable@@QAEP | 1 |
| ?ReturnOfflineDBHandle@CmpGDTTable@@ | 1 |
| ?ReturnOnlineDBHandle@CmpGDTTable@@ | 1 |
| ?GetDownloadSelected@CmpGDTTable@@C | 1 |
| ?GetOnlineProgfile@CmpGDTTable@@QAEP | 1 |
| ?GetCPUItem@CmpGDTTable@@QAEPAVCn | 1 |
| ?SetCPUItem@CmpGDTTable@@QAEKHPAU | 1 |
| ?createCPUItem@CmpGDTTable@@QAEKHP | 1 |
| ?validCPUItem@CmpGDTTable@@QAEKH@Z | 1 |
| ?getGeneralErrorLine@CmpGDTTable@@QA | 1 |
| ?getGeneralErrorFile@CmpGDTTable@@QAf | 1 |
| ?GetProgItem@CmpGDTTable@@QAEPAUta | 1 |
| ?SetProgItem@CmpGDTTable@@QAEKHPAU | 1 |
| ?deleteCols@CmpGDTTable@@QAEKII@Z | 1 |
| ?GetCollInfo@CmpGDTTable@@QBEPVCmp | 1 |
| ?returnNrRows@CmpGDTTable@@QBEHXZ | 1 |
| ?GetGBZCircleID@CmpGDTTable@@QAEHH@ | 1 |
| ?GetGBZBlockID@CmpGDTTable@@QAEHH@C | 1 |
| ?GetGBZItemID@CmpGDTTable@@QAEHH@C | 1 |
| ??0CmpSortObj@@QAE@HH@Z | 1 |
| ??NCmpSortObj@@QAEHAAV0@@Z | 1 |
| ?returnNrCols@CmpTable@@QBEIXZ | 1 |
| ??0CmpGDTTable@@QAE@IIPAKH@Z | 1 |
| ?sortGDTTableRow@CmpGDTTable@@QAEK | 1 |
| ?deleteRows@CmpGDTTable@@QAEKII@Z | 1 |
| ?appendRows@CmpGDTTable@@QAEKI@Z | 1 |
| ?pasteRows@CmpGDTTable@@QAEKIIQAV1 | 1 |
| ?hasScanRateInfo@CmpGDTTable@@QAEHX | 1 |
| ?hasStatusInfo@CmpGDTTable@@QAEHXZ | 1 |
| ??1CmpGDTTable@@QAE@XZ | 1 |
| ?GetDataTbl@CmpGDTTable@@QBEPVCmp | 1 |
| ?returnNrRows@CmpTable@@QBEIXZ | 1 |
| ?GetCPUName@CmpGDTTable@@QAE?AVC | 1 |
| ?GetSource@CmpGDTTable@@QAE?AW4SO | 1 |
| ??0CmpGDTTable@@QAE@PAV0@@Z | 1 |
| ?returnNrCols@CmpGDTTable@@QBEHXZ | 1 |
| ?GetCPUSdb@CmpGDTTable@@QAEPAVCm | 1 |
| ?SetDownloadSelected@CmpGDTTable@@Q | 1 |
| ?checkCircles@CmpTranslator@@QAEKPAV | 1 |
| ?addStatusScanRateInfo@CmpTranslator@C | 1 |
| ?mem2sdb@CmpTranslator@@QAEKPAVCr | 1 |
| ?mem2ascii@CmpTranslator@@QAEKPAVC | 1 |
| ?syntaxChecks@CmpTranslator@@QAEKPA | 1 |
| ?sdb2mem@CmpTranslator@@QAEKPAVCr | 1 |

| | |
|---------------------------------------|---|
| ?semanticChecks@CmpTranslator@@QAEK | 1 |
| AUTGetBrowserState | 1 |
| AUTDeleteBrowser | 1 |
| AUTOObjectBrowser | 1 |
| _HWRegSetValueEx@24 | 1 |
| _HWRegDeleteValue@8 | 1 |
| _HWRegCloseKey@4 | 1 |
| _HWRegQueryValueEx@24 | 1 |
| _HWRegCreateKeyEx@36 | 1 |
| _HWRegOpenKeyEx@20 | 1 |
| _HWRegDeleteKey@8 | 1 |
| ?SetError@CDocProVWBase@@QAEHPBD@ | 1 |
| ?OnEndPrinting@CDocProView@@MAEXPA | 1 |
| ?OnFilePrintPreview@CDocProView@@IAE) | 1 |
| ?SetOpenNewDoc@CDocProVWBase@@QA | 1 |
| ?OnEndPrintPreview@CDocProView@@MA | 1 |
| ?PrintLayout@CDocProVWBase@@QAEJPAI | 1 |
| ?IsStartedByDocPro@CDocProVWBase@@C | 1 |
| ?OnPrint@CDocProView@@MAEXPACDC@ | 1 |
| ?CalcFreeRect@CDocProVWBase@@QAEJP, | 1 |
| ?OnBeginPrinting@CDocProView@@MAEXF | 1 |
| ?SetLayoutCurrentPage@CDocProVWBase@ | 1 |
| ?CheckIfPreviewOpen@CDocProVWBase@() | 1 |
| ?SetTempPrintObj@CDocProVWBase@@QA | 1 |
| ?CalledByDocPro@CDocProVWBase@@QAE | 1 |
| ?OnPreparePrinting@CDocProView@@MAE | 1 |
| ??0CDocProView@@IAE@XZ | 1 |
| ??1CDocProView@@MAE@XZ | 1 |
| ?OnFilePrint@CDocProView@@IAEXXZ | 1 |
| ?SetLayoutObjectText@CDocProVWBase@() | 1 |
| ?GetDPLongAttribute@CDocProVWBase@@ | 1 |
| ?AutoTerminate@CDocProVWBase@@QAE | 1 |
| InitOnceExecuteOnce | 1 |
| gst_event_new_flush_stop | 1 |
| gst_pad_pull_range | 1 |
| gst_pad_pause_task | 1 |
| gst_query_set_duration | 1 |
| gst_pad_get_peer | 1 |
| gst_util_seqnum_next | 1 |
| gst_event_parse_seek | 1 |
| gst_pad_get_element_private | 1 |
| gst_structure_get_name | 1 |
| gst_caps_make_writable | 1 |
| gst_mini_object_copy | 1 |
| gst_pad_set_link_function | 1 |
| gst_value_array_append_value | 1 |
| gst_preset_get_type | 1 |

| | |
|-----------------------------------|---|
| gst_pad_get_negotiated_caps | 1 |
| gst_value_set_mini_object | 1 |
| gst_value_array_get_type | 1 |
| gst_structure_set_value | 1 |
| gst_event_type_get_name | 1 |
| gst_pad_get_caps | 1 |
| gst_fourcc_get_type | 1 |
| gst_query_parse_convert | 1 |
| gst_query_set_position | 1 |
| gst_query_parse_position | 1 |
| gst_query_set_convert | 1 |
| gst_caps_is_equal | 1 |
| gst_buffer_is_metadata_writable | 1 |
| gst_query_parse_duration | 1 |
| gst_pad_start_task | 1 |
| gst_pad_activate_pull | 1 |
| gst_message_new_segment_start | 1 |
| gst_pad_query_duration | 1 |
| gst_segment_set_seek | 1 |
| gst_element_remove_pad | 1 |
| gst_caps_ref | 1 |
| gst_type_register_static_full | 1 |
| gst_segment_set_last_stop | 1 |
| gst_util_uint64_scale | 1 |
| gst_pad_activate_push | 1 |
| gst_tag_list_new_full | 1 |
| gst_tag_list_add | 1 |
| gst_element_found_tags | 1 |
| gst_pad_set_active | 1 |
| gst_query_set_seeking | 1 |
| gst_segment_init | 1 |
| gst_element_post_message | 1 |
| gst_message_new_segment_done | 1 |
| gst_pad_set_activatepush_function | 1 |
| gst_pad_query_default | 1 |
| gst_buffer_new | 1 |
| gst_pad_set_query_function | 1 |
| gst_event_new_new_segment | 1 |
| gst_object_set_name | 1 |
| gst_element_no_more_pads | 1 |
| gst_message_set_seqnum | 1 |
| gst_pad_set_activate_function | 1 |
| gst_event_new_flush_start | 1 |
| gst_event_set_seqnum | 1 |
| gst_pad_alloc_buffer_and_set_caps | 1 |
| gst_pad_set_getcaps_function | 1 |
| gst_element_found_tags_for_pad | 1 |

| | |
|--|---|
| gst_pad_set_activatepull_function | 1 |
| gst_pad_check_pull_range | 1 |
| gst_segment_set_duration | 1 |
| gst_tag_list_new | 1 |
| gst_pad_stop_task | 1 |
| gst_object_sink | 1 |
| gst_query_parse_seeking | 1 |
| gst_event_get_seqnum | 1 |
| gst_pad_set_query_type_function | 1 |
| gst_pad_use_fixed_caps | 1 |
| gst_pad_new_from_static_template | 1 |
| gst_static_pad_template_get | 1 |
| gst_buffer_new_and_alloc | 1 |
| gst_pad_push_event | 1 |
| g_static_rec_mutex_unlock | 1 |
| g_list_delete_link | 1 |
| g_queue_pop_head | 1 |
| g_static_rec_mutex_lock | 1 |
| g_slist_foreach | 1 |
| g_list_concat | 1 |
| g_queue_peek_head | 1 |
| g_queue_get_length | 1 |
| g_queue_push_tail | 1 |
| g_queue_peek_nth | 1 |
| g_value_get_uint64 | 1 |
| g_param_spec_uint64 | 1 |
| ogg_stream_pageout | 1 |
| ogg_stream_flush | 1 |
| ogg_stream_packetin | 1 |
| ogg_page_packets | 1 |
| ogg_page_pageno | 1 |
| gst_riff_create_video_caps | 1 |
| gst_riff_create_video_template_caps | 1 |
| gst_riff_init | 1 |
| gst_riff_create_audio_template_caps | 1 |
| gst_riff_create_audio_caps | 1 |
| gst_tag_list_from_vorbiscomment_buffer | 1 |
| gst_collect_pads_set_function | 1 |
| gst_collect_pads_remove_pad | 1 |
| gst_collect_pads_new | 1 |
| gst_collect_pads_start | 1 |
| gst_collect_pads_stop | 1 |
| gst_collect_pads_add_pad_full | 1 |
| gst_collect_pads_peek | 1 |
| gst_collect_pads_pop | 1 |
| DupString | 1 |
| GetSzProperty | 1 |

| | |
|---------------------------------------|---|
| GetSzValue | 1 |
| SetResourceServiceStartParameters | 1 |
| VerifyService | 1 |
| GetPrivateProperties | 1 |
| FindLongProperty | 1 |
| EnumPrivateProperties | 1 |
| GetEnvironmentWithNetName | 1 |
| install_int_ex | 1 |
| remove_int | 1 |
| ??1OThreadData@vos@@UAE@XZ | 1 |
| ??0OThreadData@vos@@QAE@P6AXPAX@ | 1 |
| ?getData@OThreadData@vos@@QAAPAXX | 1 |
| ?setData@OThreadData@vos@@QAAEPAXI | 1 |
| _RegDeleteKey_@8 | 1 |
| St | 1 |
| ASRVZSQ | 1 |
| RegEnum | 1 |
| | 4 |
| NewLog | 1 |
| LogSize | 1 |
| SetTex | 1 |
| StrCmpICW | 1 |
| @Ardmecl@dtmExemptClass | 1 |
| @Ardmecl@TdtmExemptClass@ | 1 |
| jTTSSet2 | 1 |
| jTTSEnd | 1 |
| jTTSPlay | 1 |
| jTTSSetPlay | 1 |
| jTTSSInit | 1 |
| jTTSSetSerialNo | 1 |
| jTTSSResume | 1 |
| jTTSSPlayToFileEx | 1 |
| jTTSGetStatus | 1 |
| jTTSSStop | 1 |
| jTTSPause | 1 |
| rtcRightBstr | 1 |
| ??0jfStreamFile@@QAE@H@Z | 1 |
| ?DQuoteString@jfString@@SAABV1@XZ | 1 |
| ?ReAlloc@jfString@@QAE@H@Z | 1 |
| ??0jfMsMutex@@QAE@XZ | 1 |
| ??1jfMsMutex@@UAE@XZ | 1 |
| ?allocMemoryMin@jfCacheManager@@QA | 1 |
| ??0jfFileId@@QAE@ABVjfString@@@Z | 1 |
| ??0jfFileId@@QAE@XZ | 1 |
| ?LocPath@jfFileId@@QBE?AVjfString@@XZ | 1 |
| ?AbsoluteName@jfFileId@@QAEXXZ | 1 |
| ?Relative@jfFileId@@QBEHXZ | 1 |

| | |
|---|---|
| ??0jfExFull@@QAE@ABVjfFormatPos@@H(| 1 |
| ?Extension@jfFileId@@QAEXABVjfString@@C | 1 |
| ?UserName@jfFileId@@QBE?AVjfString@@@ | 1 |
| ?Open@jfStreamFile@@QAEXABVjfFileId@I | 1 |
| ??1jfFileId@@QAE@XZ | 1 |
| ?Write@jfStreamFile@@QAEXABVjfString@ | 1 |
| ?Close@jfStreamFile@@QAEXXZ | 1 |
| ??1jfStreamFile@@UAE@XZ | 1 |
| ?EqualsString@jfString@@SAABV1@XZ | 1 |
| ?SpaceString@jfString@@SAABV1@XZ | 1 |
| ??6jfFormatPos@@QAEAAV0@ABVjfString@C | 1 |
| ??0jfFormat@@QAE@G@Z | 1 |
| ??1jfLiteral@@QAE@XZ | 1 |
| ?Acquire@jfMsMutex@@UAE?AVjfSynchRe | 1 |
| ?Acquired@jfMutex@@QBEHXZ | 1 |
| ?Release@jfMsMutex@@UAE?AVjfSynchRe | 1 |
| ?JfExThrow@@YAXG@Z | 1 |
| ?CharInString@jfString@@QBEHD@Z | 1 |
| ?GetToken@jfString@@QBEHABV1@AAV1@C | 1 |
| ?Swallow@jfString@@QAEABV1@II@Z | 1 |
| ?Truncate@jfString@@QAEABV1@I@Z | 1 |
| ?CompareCase@jfString@@QBEHPBDI@Z | 1 |
| ??0jfString@@QAE@QAVjfAtomStore@@@A | 1 |
| ?OneString@jfString@@SAABV1@XZ | 1 |
| ??0jfFormatPos@@QAE@G@Z | 1 |
| ??6jfFormatPos@@QAEAAV0@PAVjfAtomS | 1 |
| ?FileName@jfFileId@@QBE?AVjfString@@@> | 1 |
| ?toString@jfObjImpl@@UBE?AVjfString@@@ | 1 |
| ?peerRemoved@jfPeerImpl@@MAEXPBV1@C | 1 |
| ?peekAtom@jfAtomTable@@SAPAVjfAtom! | 1 |
| ?aUT_EmptyString@@3PAVjfAtomStore@@@ | 1 |
| ?getAtom@jfAtomTable@@SAPAVjfAtomSt | 1 |
| ?jfCacheManager_free@@YAXPAX@Z | 1 |
| ??1jfFormatPos@@QAE@XZ | 1 |
| ??0jfFormat@@QAE@GPBVjfAtomStore@C | 1 |
| ??0jfExFull@@QAE@ABVjfFormat@@H@Z | 1 |
| ??0jfExFull@@QAE@ABV0@@Z | 1 |
| ??1jfExFull@@UAE@XZ | 1 |
| ?Type@jfObjWrap@@QBEGXZ | 1 |
| ?toString@jfObjWrap@@QBE?AVjfString@@C | 1 |
| ?Equals@jfString@@QBEHABV1@@Z | 1 |
| ?GetThreadId@jfString@@QBEIXZ | 1 |
| ??0jfString@@QAE@PBDII@Z | 1 |
| ?CharInString@jfString@@QBEHDAII@Z | 1 |
| ??0jfFormat@@QAE@GABVjfString@@@Z | 1 |
| ?JfExThrow@@YAXABVjfFormat@@@Z | 1 |
| ??1jfFormat@@QAE@XZ | 1 |

| | |
|--------------------------------------|---|
| ?jfCacheManager_alloc@@YAPAXI@Z | 1 |
| ??1jfObjWrap@@QAE@XZ | 1 |
| ??3jfObj@@SAXPAX@Z | 1 |
| ?freeMemory@jfCacheManager@@SAXPAX | 1 |
| ?getCacheManager@jfCacheManager@@SA | 1 |
| ?allocMemory@jfCacheManager@@QAEPA | 1 |
| ?getNodeType@jfDomNode@@QBE?AW4jf | 1 |
| ?getParseFileName@jfDomDocument@@Q | 1 |
| ?aDOMSTRS_ELEMENTSTART@@3PAVjfAtom | 1 |
| ?getString@DOMSTRS@@SAABVjfString@@@ | 1 |
| ?aDOMSTRS_ENDTAG@@3PAVjfAtomStore | 1 |
| ?aDOMSTRS_COMMENTSTART@@3PAVjfAt | 1 |
| ?aDOMSTRS_COMMENTEND@@3PAVjfAtom | 1 |
| ?aDOMSTRS_CLOSING@@3PAVjfAtomStore | 1 |
| ?aDOMSTRS_EMPTYELEMENT@@3PAVjfAto | 1 |
| ?getNamedItemNS@jfDomNamedNodeMap | 1 |
| ?getAtomValue@jfDomAttr@@QBEPAVjfAt | 1 |
| ?getNodeName@jfDomNode@@QBEPAVjfA | 1 |
| ?getPrefix@jfDomNode@@QBEPAVjfAtomS | 1 |
| ?getLineNumber@jfDomElement@@QBEIXZ | 1 |
| ?getParentNode@jfDomNode@@QBE?AV1(| 1 |
| ?getAttributes@jfDomNode@@QBE?AVjfDc | 1 |
| ?getLength@jfDomNamedNodeMap@@QB | 1 |
| ?item@jfDomNamedNodeMap@@QBE?AVj | 1 |
| ?getNodeValue@jfDomNode@@QBE?BVjfS | 1 |
| ??1jfDomNamedNodeMap@@QAE@XZ | 1 |
| ?getFirstChild@jfDomNode@@QBE?AV1@X | 1 |
| ?getNextSibling@jfDomNode@@QBE?AV1@C | 1 |
| ?getThreadId@jfDomDocument@@QBEIXZ | 1 |
| ?getOwnerDocument@jfDomNode@@QBEI | 1 |
| ?createElementNS@jfDomDocument@@QA | 1 |
| ??1jfDomDocument@@QAE@XZ | 1 |
| ?getAttributeNodeNS@jfDomElement@@Q | 1 |
| ??4jfDomNode@@QAEAAV0@ABV0@@Z | 1 |
| ??1jfDomNode@@QAE@XZ | 1 |
| ?getValue@jfDomAttr@@QBE?BVjfString@ | 1 |
| ?getLocalName@jfDomNode@@QBEPAVjfA | 1 |
| ??1jfDomAttr@@QAE@XZ | 1 |
| ??1jfDomElement@@QAE@XZ | 1 |
| ?insertChild@XFANodeImpl@@UAEXP@V1@ | 1 |
| ?foundBadAttribute@XFANodeImpl@@UBE | 1 |
| ?foundBadAttribute@XFANodeImpl@@UBE | 1 |
| ?remove@XFANodeImpl@@UAEXHH@Z | 1 |
| ?notifyParent@XFANodeImpl@@UBEHXZ | 1 |
| ?isSpecified@XFANodeImpl@@MBEHIW4XF | 1 |
| ?getAttribute@XFANodeImpl@@UBE?AVXF | 1 |
| ?setAttribute@XFANodeImpl@@UAEXABVX | 1 |

| | |
|--|---|
| ?getElement@XFANodeImpl@@UBEPAV1@ | 1 |
| ?setElement@XFANodeImpl@@UAEXPBV1@ | 1 |
| ?getOneOfChild@XFANodeImpl@@UBEPAV1@ | 1 |
| ?getSchemaType@XFANodeImpl@@UBE?A@ | 1 |
| ?isValidChild@XFANodeImpl@@UBEHIGH@ | 1 |
| ?isValidElement@XFANodeImpl@@UBEHI@ | 1 |
| ?newAttribute@XFANodeImpl@@UBE?AVX@ | 1 |
| ?defaultAttribute@XFANodeImpl@@UBE?A@ | 1 |
| ?defaultElement@XFANodeImpl@@UBEIXZ@ | 1 |
| ?getIsNull@XFANodeImpl@@UBEHXZ@ | 1 |
| ?getNodeSchema@XFANodeImpl@@UBEAE@ | 1 |
| ?loadXML@XFANodeImpl@@UAEXAAVjfString@ | 1 |
| ?resetPostLoadXML@XFANodeImpl@@UAE@ | 1 |
| ?connectPeerToDocument@XFANodeImpl@ | 1 |
| ?getPI@XFANodeImpl@@UAEXAAV?\$jfStorage@ | 1 |
| ?getPI@XFANodeImpl@@UAEXPBVjfAtomS@ | 1 |
| ?removePI@XFANodeImpl@@UAEXPBVjfAt@ | 1 |
| ?appendPI@XFANodeImpl@@UAEXPBVjfAt@ | 1 |
| ?getDeltas@XFANodeImpl@@UBEXPBV1@I@ | 1 |
| ?defaultElementImpl@XFANodeImpl@@MA@ | 1 |
| ??1XFANodeImpl@@UAE@XZ@ | 1 |
| ?setClassAtom@XFANodeImpl@@IAEXPBVjf@ | 1 |
| ?aXFA_NAME@@3PAVjfAtomStore@@A@ | 1 |
| ?isValidAttr@XFANodeImpl@@UBEHI@Z@ | 1 |
| ??1XFATree@@QAE@XZ@ | 1 |
| ?IsDerivedFrom@XFANodeImpl@@UBEHG@ | 1 |
| ?setString@XFAArg@@QAEXABVjfString@C@ | 1 |
| ?getAttributeNode@XFANodeImpl@@QBE?A@ | 1 |
| ?updateAttribute@XFANodeImpl@@QAE?A@ | 1 |
| ?getString@XFAArg@@QBE?BVjfString@A@ | 1 |
| ?appendChild@XFANodeImpl@@UAEXPBV1@ | 1 |
| ?getDynamicScriptProp@XFATreeImpl@@N@ | 1 |
| ?getDynamicScriptProp@XFANodeImpl@@I@ | 1 |
| ??1XFAModel@@QAE@XZ@ | 1 |
| ??1XFAModelFactoryImpl@@UAE@XZ@ | 1 |
| ?aXFASTRS_XFACONFIGURATIONNS_CURRENT@ | 1 |
| ?childRemoved@XFANodeImpl@@UAEXPBV1@ | 1 |
| ??0XFAGenerator@@QAE@ABVjfString@A@ | 1 |
| ?domDocument@XFAModelImpl@@QAEXV@ | 1 |
| ?domDocument@XFAModelImpl@@QAE?A@ | 1 |
| ?createDomPeer@XFAAppModelImpl@@QAE@ | 1 |
| ?getNamedModel@XFAModel@@KA?AV1@ | 1 |
| ??1XFAModelFactory@@QAE@XZ@ | 1 |
| ??4XFAModelFactory@@QAEEAV0@ABV0@ | 1 |
| ??0XFAModelFactoryImpl@@QAE@IPAVjfA@ | 1 |
| ?aXFA_CONFIG@@3PAVjfAtomStore@@A@ | 1 |
| ?aXFASTRS_DOLLARCONFIG@@3PAVjfAtom@ | 1 |

| | |
|---------------------------------------|---|
| ?isRootNode@XFAModelFactoryImpl@@UB | 1 |
| ?findModel@XFAModelFactoryImpl@@UAE | 1 |
| ?rootName@XFAModelFactoryImpl@@UBE | 1 |
| ?isRootName@XFAModelFactoryImpl@@U/ | 1 |
| ?appendChild@XFAPermsHandler@@SA?A\ | 1 |
| ?setOption@XFAModelFactoryImpl@@UAE | 1 |
| ?IsDerivedFrom@XFAModelFactoryImpl@@ | 1 |
| ?setTLSStorage@XFASchema@@SAXIPAV1C | 1 |
| ?getTLSStorage@XFASchema@@SAPAV1@I | 1 |
| ??1XFAModelImpl@@UAE@XZ | 1 |
| ??0XFAModelImpl@@QAE@PAVXFANodeIn | 1 |
| ?getThreadId@XFAModelImpl@@UBEIXZ | 1 |
| ?getScriptTable@XFAModelImpl@@MBEAB | 1 |
| ?getName@XFAModelImpl@@UBEPAVjfAtc | 1 |
| ?setName@XFAModelImpl@@UAEXPAPVjfA\ | 1 |
| ?resolveNodes@XFAModelImpl@@UBE?AV | 1 |
| ?clone@XFAModelImpl@@UBE?AVXFANod\ | 1 |
| ?preSave@XFAModelImpl@@UAEXXZ | 1 |
| ?preLoadNode@XFAModelImpl@@UAEHPA | 1 |
| ?loadXMLImpl@XFAModelImpl@@UAEXPAP | 1 |
| ?postSave@XFAModelImpl@@UAEXXZ | 1 |
| ?getEventManager@XFAModelImpl@@UAE | 1 |
| ?getScriptHandler@XFAModelImpl@@UAEF | 1 |
| ?isCompatibleNS@XFAModelImpl@@UBEH | 1 |
| ?getErrorList@XFAModelImpl@@UBEABV?§ | 1 |
| ?clearErrorList@XFAModelImpl@@UAEXXZ | 1 |
| ?removeLastError@XFAModelImpl@@UAE\ | 1 |
| ?getProtoList@XFAModelImpl@@UBEABVjf | 1 |
| ?createDomPeer@XFAModelImpl@@UBE?A | 1 |
| ?factories@XFAModelImpl@@UAEAAV?§jfs | 1 |
| ?normalizeNameSpaces@XFAModelImpl@@C | 1 |
| ?lookupPseudoModel@XFAModelImpl@@L | 1 |
| ?addAttributes@XFAModelImpl@@UAEXPAP | 1 |
| ?loadRootAttributes@XFAModelImpl@@UB | 1 |
| ?setLogMessenger@XFAModelImpl@@UAE | 1 |
| ?getLogMessenger@XFAModelImpl@@UBE | 1 |
| ?ready@XFAModelImpl@@UAEXH@Z | 1 |
| ?enumerateScripts@XFAModelImpl@@UAE | 1 |
| ?nodeCleanup@XFAModelImpl@@UAEXPAP | 1 |
| ?getDeltas@XFAModelImpl@@UBE?AVXFAC | 1 |
| ?getDelta@XFAModelImpl@@UBE?AVXFAC | 1 |
| ?loadSpecialAttribute@XFAModelImpl@@N | 1 |
| ?doLoadNode@XFAModelImpl@@MAEPAV | 1 |
| ?getOriginalVersion@XFAModelImpl@@MB | 1 |
| ?loadChildren@XFAModelImpl@@UAEXAA\ | 1 |
| ?setName@XFATree@@QAEXPAPVjfAtomStc | 1 |
| ?setnodeValue@XFAPermsHandler@@SAX/ | 1 |

| | |
|--------------------------------------|---|
| ??BXFAAttribute@@QBE?AVjfString@@XZ | 1 |
| ?getInstance@XFASchema@@QBE?AVXFAN | 1 |
| ?isDerivedFrom@XFAModelImpl@@UBEHG | 1 |
| ??1XFAString@@QAE@XZ | 1 |
| ?setAttribute@XFANode@@QAEXABVXFAA | 1 |
| ??0XFAString@@QAE@ABVjfString@@I@Z | 1 |
| ?getLocked@XFATree@@QBEHXZ | 1 |
| ??AXFANodeList@@QBE?AVXFANode@@I@C | 1 |
| ?length@XFANodeList@@QBEIXZ | 1 |
| ??1XFANodeList@@QAE@XZ | 1 |
| ?makeNonDefaultProperty@XFANodeImpl@ | 1 |
| ?aXFA_EQUATE@@3PAVjfAtomStore@@A | 1 |
| ?getChildReIn@XFANodeImpl@@QBEPBVXF | 1 |
| ?getClassTag@XFANode@@QBEIXZ | 1 |
| ?locateChildByName@XFATreeImpl@@QBE | 1 |
| ?getNodes@XFANode@@QBE?AVXFANode | 1 |
| ?addErrorList@XFAModelImpl@@QAEXVjfE | 1 |
| ?getName@XFATree@@QBEPAVjfAtomStor | 1 |
| ??1XFAObject@@QAE@XZ | 1 |
| ??1XFAArg@@QAE@XZ | 1 |
| ?getChild@XFATreeImpl@@QBEPAV1@I@Z | 1 |
| ?removeChild@XFAPermsHandler@@SA?A\ | 1 |
| ?aXFA_LOCK@@3PAVjfAtomStore@@A | 1 |
| ?aXFA_XMLNS@@3PAVjfAtomStore@@A | 1 |
| ?aXFA_MASTERPASSWORD@@3PAVjfAtom! | 1 |
| ?aXFA_USERPASSWORD@@3PAVjfAtomSto | 1 |
| ?removeNamedItemNS@XFAPermsHandler | 1 |
| ?setNodeName@XFAPermsHandler@@SAX. | 1 |
| ?aXFA_ACROBAT@@3PAVjfAtomStore@@A | 1 |
| ?aXFA_AGENT@@3PAVjfAtomStore@@A | 1 |
| ?loadSpecialNode@XFAModelImpl@@IAEH | 1 |
| ?resolveNodeCreate@XFANodeImpl@@QBF | 1 |
| ?removeChild@XFATreeImpl@@QAEXPBV1 | 1 |
| ?getChildReIn@XFANodeSchema@@QBEPB | 1 |
| ?getNodeSchema@XFASchema@@QBEABV | 1 |
| ?isSameClass@XFAObject@@QBEHPAVjfAtc | 1 |
| ?aXFA_CONFIGURATIONKEY@@3PAVjfAtot | 1 |
| ?resolveNode@XFATree@@QBE?AV1@ABV | 1 |
| ??1XFASOMParser@@QAE@XZ | 1 |
| ??0XFAArg@@QAE@ABV0@Z | 1 |
| ?resolve@XFASOMParser@@QAEHABVXFA | 1 |
| ??0XFASOMParser@@QAE@PAVXFADepen | 1 |
| ?getContext@XFAModelImpl@@QBE?AVXF | 1 |
| ??1XFATextNode@@QAE@XZ | 1 |
| ??1XFATreeList@@QAE@XZ | 1 |
| ?setValue@XFATextNode@@QAEXABVjfStri | 1 |
| ?getValue@XFATextNode@@QBE?AVjfStrin | 1 |

| | |
|---|---|
| ?item@XFATreeList@@QBE?AVXFATree@@ | 1 |
| ?length@XFATreeList@@QBEIXZ | 1 |
| ??4XFAChildReln@@QAEAV0@ABV0@@Z | 1 |
| ??0XFAChildReln@@QAE@XZ | 1 |
| ?initSchema@XFASchema@@IAEXPAX@Z | 1 |
| ?getTLEnumStorage@XFAEnumStorage@@ | 1 |
| ?addSample@XFASchema@@IAEXIP6APAV) | 1 |
| ?putAttribute@XFASchema@@IAEXIIPBVXF. | 1 |
| ?putElement@XFASchema@@IAEXIIPBVXF | 1 |
| ?getZeroOrOne@XFAChildReln@@SAABV1@ | 1 |
| ?newClass@XFATextNodeImpl@@SAPAVXF. | 1 |
| ?getZeroOrMore@XFAChildReln@@SAABV1 | 1 |
| ?getEnum@XFAEnumStorage@@QAEPAVXF | 1 |
| ?getStrings@XFAEnum@@QBEPAPBVjfLiter | 1 |
| ?getString@XFASTRS@@SAABVjfString@@F | 1 |
| ?aXFASTRS_INDENT@@3PAVjfAtomStore@I | 1 |
| ?aXFASTRS_RIGHTBRACE@@3PAVjfAtomStc | 1 |
| ?newAttribute@XFAAttribute@@QBE?AV1@ | 1 |
| ??1XFASchema@@UAE@XZ | 1 |
| ?aXFASTRS_SRGB@@3PAVjfAtomStore@@I | 1 |
| ?aXFASTRS_NONE@@3PAVjfAtomStore@@ | 1 |
| ??0XFALnt@@QAE@JI@Z | 1 |
| ??0XFASchema@@IAE@IIIII@Z | 1 |
| ?newAttribute@XFASchema@@UBE?AVXF | 1 |
| ?defaultAttribute@XFASchema@@UBE?AV | 1 |
| ?getElementTag@XFASchema@@UAEPAPAV | 1 |
| ?getAtom@XFASchema@@UBEPAVjfAtomS | 1 |
| ?aXFASTRS_COLON@@3PAVjfAtomStore@C | 1 |
| ?getFile@XFADebugPath@@QBEHABVjfString@ | 1 |
| ?getRefFileLocation@XFADebugPath@@QBE?A | 1 |
| ?getExeFileLocation@XFADebugPath@@QBE?A | 1 |
| ??0XFADebugPath@@QAE@XZ | 1 |
| ??1XFADebugPath@@UAE@XZ | 1 |
| ?getThreadId@XFAModel@@QBEIXZ | 1 |
| ?getModel@XFANodeImpl@@QBE?AVXFAN | 1 |
| ?aXFAScript_value@@3PAVjfAtomStore@@ | 1 |
| ?aXFAScript_file@@3PAVjfAtomStore@@A | 1 |
| ?moScriptTable@XFANodeImpl@@1UXFASc | 1 |
| ?aXFA_TEXTNODE@@3PAVjfAtomStore@@ | 1 |
| ?preSave@XFANodeImpl@@UAEXXZ | 1 |
| ?isTransient@XFANodeImpl@@UAEXH@Z | 1 |
| ?setDomPeer@XFANodeImpl@@UAEXAAVj | 1 |
| ?getNS@XFANodeImpl@@UBEPAVjfAtomSt | 1 |
| ?clone@XFANodeImpl@@UBE?AVXFANode | 1 |
| ?isLikeNode@XFANodeImpl@@EBEHIPBVXF. | 1 |
| ?getScriptChild@XFANodeImpl@@MBEPAV | 1 |
| ?getAll@XFANodeImpl@@UBE?AVXFATreeI | 1 |

| | |
|--|---|
| ?getIndex@XFANodeImpl@@UBEIH@Z | 1 |
| ?getSibling@XFANodeImpl@@UBE?AVXFAT | 1 |
| ?setPermsLock@XFATreeImpl@@UAEXH@Z | 1 |
| ?isTransparent@XFANodeImpl@@UBEHXZ | 1 |
| ?setLocked@XFANodeImpl@@UAEXH@Z | 1 |
| ?resolveNodes@XFATreeImpl@@UBE?AVXF | 1 |
| ?remove@XFANodeImpl@@UAEXH@Z | 1 |
| ?insertChild@XFANodeImpl@@UAEXPAXF | 1 |
| ?appendChild@XFANodeImpl@@UAEXPAXF | 1 |
| ?getNodes@XFATreeImpl@@UBE?AVXFATr | 1 |
| ?setName@XFANodeImpl@@UAEXPAVjfAtc | 1 |
| ?useNameInSOM@XFANodeImpl@@UBEHX | 1 |
| ?getEventTable@XFANodeImpl@@MAEPAV | 1 |
| ?getDynamicScriptProps@XFANodeImpl@@ | 1 |
| ?getScriptThis@XFAObjectImpl@@MBEPBV | 1 |
| ?getScriptTable@XFANodeImpl@@MBEABL | 1 |
| ?checkAncestorPerms@XFATreeImpl@@UB | 1 |
| ?getThreadId@XFANodeImpl@@UBEIXZ | 1 |
| ?getScriptMethodInfo@XFAObjectImpl@@L | 1 |
| ?getScriptPropertyInfo@XFAObjectImpl@@ | 1 |
| ?notifyPeers@XFANodeImpl@@UAEXW4eE | 1 |
| ?updateFromPeer@XFANodeImpl@@UAEXI | 1 |
| ?Type@XFANodeImpl@@UBEGXZ | 1 |
| ??0XFANodeImpl@@QAE@PAV0@ABVjfDoI | 1 |
| ?getAtom@XFANamespace@@SAPAVjfAtor | 1 |
| ?getTagImpl@XFANamespace@@SAHPAVjf. | 1 |
| ??1XFAGenerator@@QAE@XZ | 1 |
| ?setPropPermsCheck@XFAObjectImpl@@S/ | 1 |
| @Strutils@AnsIndexText\$qqrx17System@A | 1 |
| @Ccmisc@CompactAddress\$qqrx17System(| 1 |
| @Hreport@THITReport@StartReport\$qqrv | 1 |
| @Hreport@THITReport@EndReport\$qqrv | 1 |
| @Ccpfmst@TfrmFormReport@ReportHeade | 1 |
| @Ccpfmst@TfrmFormReport@RenderCopie | 1 |
| @Ccpfmst@TfrmFormReport@PrintTestPatt | 1 |
| @Ccpfmst@TfrmFormReport@PrintSingleFc | 1 |
| @Ccpfmst@TfrmFormReport@PrintSection\$ | 1 |
| @Ccpfmst@TfrmFormReport@PrintReport\$ | 1 |
| @Ccpfmst@TfrmFormReport@PreviewSingl | 1 |
| @Ccpfmst@TfrmFormReport@LoadPrinterC | 1 |
| @Ccpfmst@TfrmFormReport@LoadFormDa | 1 |
| @Ccpfmst@TfrmFormReport@GetField\$qqr | 1 |
| @Ccpfmst@TfrmFormReport@FormCreate\$ | 1 |
| @Ccpfmst@TfrmFormReport@EmailSingleF | 1 |
| @Ccpfmst@TfrmFormReport@DoReportSet | 1 |
| @Ccpfmst@TfrmFormReport@DoReportCle | 1 |
| @Ccpfmst@TfrmFormReport@DoProcessPri | 1 |

| | |
|---|---|
| @Ccpfmst@TfrmFormReport@DoPrintSelc | 1 |
| @Ccpfmst@TfrmFormReport@\$bctr\$qqrp1\$ | 1 |
| @\$xp\$22Ccpfmst@TfrmFormReport | 1 |
| @Ccpfmst@TfrmFormReport@ | 1 |
| @Ccdmfrm@dtmCCForm | 1 |
| @Ccdmfrm@TdtmCCForm@ | 1 |
| ExQueryPoolBlockSize | 1 |
| IoWMISetSingleInstance | 1 |
| PsGetProcessSessionId | 1 |
| PsGetProcessPriorityClass | 1 |
| VideoPortReadPortBufferUlong | 1 |
| NdisMRegisterInterrupt | 1 |
| NdisBufferLength | 1 |
| NdisMDeregisterInterrupt | 1 |
| NdisMFreeSharedMemory | 1 |
| CoGetSystemSecurityPermissions | 1 |
| gdk_window_get_origin | 1 |
| g_array_prepend_vals | 1 |
| g_dpgettext | 1 |
| g_file_set_contents | 1 |
| g_filename_from_uri_utf8 | 1 |
| g_get_home_dir_utf8 | 1 |
| g_getenv_utf8 | 1 |
| g_key_file_get_groups | 1 |
| g_key_file_load_from_file | 1 |
| g_key_file_set_value | 1 |
| g_key_file_to_data | 1 |
| g_string_printf | 1 |
| g_string_set_size | 1 |
| g_strnfill | 1 |
| g_try_malloc0 | 1 |
| g_uri_list_extract_uris | 1 |
| g_win32_getlocale | 1 |
| g_win32_locale_filename_from_utf8 | 1 |
| gtk_button_set_alignment | 1 |
| gtk_combo_box_append_text | 1 |
| gtk_combo_box_get_active | 1 |
| gtk_combo_box_get_type | 1 |
| gtk_combo_box_new_text | 1 |
| gtk_combo_box_set_active | 1 |
| gtk_dialog_new_with_buttons | 1 |
| gtk_dialog_response | 1 |
| gtk_frame_set_label_widget | 1 |
| gtk_get_current_event_time | 1 |
| gtk_icon_set_new_from_pixbuf | 1 |
| gtk_image_clear | 1 |
| gtk_image_get_type | 1 |

| | |
|--|---|
| gtk_image_menu_item_get_type | 1 |
| gtk_image_menu_item_new_with_label | 1 |
| gtk_image_menu_item_set_image | 1 |
| gtk_image_new | 1 |
| gtk_image_set_from_stock | 1 |
| gtk_label_get_text | 1 |
| gtk_label_set_ellipsize | 1 |
| gtk_label_set_markup | 1 |
| gtk_menu_get_active | 1 |
| gtk_menu_set_active | 1 |
| gtk_menu_shell_prepend | 1 |
| gtk_menu_shell_select_first | 1 |
| gtk_menu_shell_select_item | 1 |
| gtk_message_dialog_format_secondary_ma | 1 |
| gtk_separator_menu_item_new | 1 |
| gtk_tree_view_column_set_visible | 1 |
| gtk_tree_view_set_cursor | 1 |
| gtk_vseparator_new | 1 |
| gtk_widget_get_child_requisition | 1 |
| gimp_drawable_get_visible | 1 |
| gimp_get_color_configuration | 1 |
| gimp_image_attach_new_parasite | 1 |
| gimp_image_flatten | 1 |
| gimp_image_get_active_layer | 1 |
| gimp_image_get_layers | 1 |
| gimp_image_parasite_attach | 1 |
| gimp_image_parasite_detach | 1 |
| gimp_image_parasite_find | 1 |
| gimp_image_remove_channel | 1 |
| gimp_image_undo_group_end | 1 |
| gimp_image_undo_group_start | 1 |
| gimp_pixel_rgns_process | 1 |
| gimp_pixel_rgns_register | 1 |
| gimp_selection_load | 1 |
| gimp_selection_none | 1 |
| gimp_selection_save | 1 |
| gimp_parasite_data | 1 |
| gimp_parasite_data_size | 1 |
| _cmsIsMatrixShaper | 1 |
| _cmsSearchTag | 1 |
| cmsCreateMultiprofileTransform | 1 |
| cmsDeleteTransform | 1 |
| cmsErrorAction | 1 |
| cmsEstimateGamma | 1 |
| cmsFreeGamma | 1 |
| cmsGetColorSpace | 1 |
| cmsGetDeviceClass | 1 |

| | |
|----------------------------------|---|
| cmsGetPCS | 1 |
| cmsGetProfileICCversion | 1 |
| cmsIsTag | 1 |
| cmsOpenProfileFromMem | 1 |
| cmsReadChromaticAdaptationMatrix | 1 |
| cmsReadICCGamma | 1 |
| cmsSetAdaptationState | 1 |
| cmsTakeColorants | 1 |
| SkinH_DetachEx | 1 |
| SkinH_SetBackColor | 1 |
| ReleaseGlobalProxyInstance | 1 |
| GetGlobalProxyInstance | 1 |
| CheckICS | 1 |
| ShowDevice8180 | 1 |
| RT_SetTurboMode | 1 |
| RT_SetPrivacy | 1 |
| RT_SetAuthenticaionMode | 1 |
| RT_SetDefaultKeyID | 1 |
| RT_SetWEPKey | 1 |
| RT_SetSSID | 1 |
| RT_GetSSID | 1 |
| RT_GetStatusLinkInfo | 1 |
| RT_SetChannel | 1 |
| RT_SetNetworkType | 1 |
| RT_Set802_1xStatus | 1 |
| RT_CustomRequest | 1 |
| RT_AutoCfgScan | 1 |
| RT_Passphrase128 | 1 |
| RT_Passphrase64 | 1 |
| RT_SetNicTcpipAddr | 1 |
| RT_GetStatusSignalInfo | 1 |
| RT_GetStatusMediaStatus | 1 |
| RT_AP_GetIsAPMode | 1 |
| RT_IsUnplug | 1 |
| RT_AP_SwitchToStationMode | 1 |
| RT_SetWirelessMode | 1 |
| RT_GetWirelessMode | 1 |
| RT_GetSupportedWirelessMode | 1 |
| RT_GetStatusDriverInfo | 1 |
| RT_AP_SwitchToAPMode | 1 |
| RT_GetNicGuid | 1 |
| RT_SetRadioOff | 1 |
| RT_Rescan | 1 |
| RT_EnableZeroConfig | 1 |
| RT_IsXPConfig | 1 |
| RT_ZeroConfigService | 1 |
| RT_GetIsRadioOff | 1 |

| | |
|----------------------------------|---|
| RT_GetStatusHardwareRadioOff | 1 |
| RT_SetIsWDS_MODE | 1 |
| RT_GetIsWDS_MODE | 1 |
| RT_AP_IsSupported | 1 |
| RT_NicChangeState | 1 |
| RT.GetUserCertList | 1 |
| RT_GetAUTOChannel | 1 |
| RT_GetStatusChannelInfo | 1 |
| RT_Disassociate | 1 |
| RT_GetMacAddress | 1 |
| RT_GetChannelList | 1 |
| RT_PasswordHash | 1 |
| RT_CertUrlWin32String | 1 |
| RT_ReNewIPAddress | 1 |
| RT_GetStatusSecurityInfo | 1 |
| RT_SetOID | 1 |
| RT_SetEncryptionStatus | 1 |
| RT_GetMacAddressString | 1 |
| RT_GetDriverPath | 1 |
| RT_OpenClassRegKey | 1 |
| RT_SetPreambleMode | 1 |
| RT_GetPreambleMode | 1 |
| RT_SetRates | 1 |
| RT_GetRates | 1 |
| RT_SetPowerSaveMode | 1 |
| RT_GetPowerSaveMode | 1 |
| RT_AP_SetPassphrase | 1 |
| RT_ADD_PMK_CONX | 1 |
| RT_ADD_PSK_CONX | 1 |
| RT_Set_8021x_tunngle | 1 |
| RT_Set_8021x_conf | 1 |
| RT_GetDefaultEncryptionAlgorithm | 1 |
| RT_SetMHSecurityInfo | 1 |
| RT_SetAUTOChannel | 1 |
| RT_REMOVE_PSK_CONX | 1 |
| RT_SetDATA_RATE_STA | 1 |
| RT_SetIsHidden_SSID | 1 |
| RT_SetLOCKED_STA_ADDRESS | 1 |
| RT_RefreshAdapter | 1 |
| RT_SetDefaultAdapterIndex | 1 |
| RT_Initialize | 1 |
| RT_Stop | 1 |
| RT_GetAdapterList | 1 |
| RT_GetAuthenticaionMode | 1 |
| RT_GetPrivacy | 1 |
| RT_GetStatusWEPKeyMisMatch | 1 |
| RT_GetRTSThreshold | 1 |

| | |
|--|---|
| RT_GetFragmentationThreshold | 1 |
| RT_SetChannelPlan | 1 |
| RT_GetTurboMode | 1 |
| RT_Set_WMM_QoS_APSD | 1 |
| RT_Get_WMM_QoS_APSD | 1 |
| RT_SetIsXlink | 1 |
| RT_GetIsXlink | 1 |
| RT_SetRTSThreshold | 1 |
| RT_SetFragmentationThreshold | 1 |
| RT_SetAdhocDefaultWirelessMode | 1 |
| RT_EnableWirelessMode | 1 |
| RT_SaveLog | 1 |
| RT_SendMagicPacket | 1 |
| RT_GetDTIMPeriod | 1 |
| RT_GetBeaconInterval | 1 |
| RT_SetDTIMPeriod | 1 |
| RT_SetBeaconInterval | 1 |
| RT_GetLiveTime | 1 |
| RT_AP_GetStationList | 1 |
| RT_SetWDS_AP_LIST | 1 |
| RT_GetSBW | 1 |
| RT_SiteSurveyEx | 1 |
| RT_SetSBW | 1 |
| RT_DebuggCmdReturn | 1 |
| RT_DebugCmdCheck | 1 |
| RT_DebugCmdSend | 1 |
| RT_GetStatusSignalInfoMIMO | 1 |
| RT_GetStatusDynamicRate | 1 |
| RT_GetExtendedStatistics | 1 |
| RT_GEN_PIN | 1 |
| RT_WS2_stop | 1 |
| RT_Check_Session_Overlap | 1 |
| RT_WSC_Connect | 1 |
| RT_GetPIN_WS2 | 1 |
| RT_Debug_Methodflag | 1 |
| RT_WPS | 1 |
| RT_WS2_init | 1 |
| RT_WPSAPSurvey | 1 |
| RT_SiteSurvey_WS2 | 1 |
| RT_GetStatistics | 1 |
| RT_GetStatusPowerMode | 1 |
| RT_GetStatusPerformanceInfo | 1 |
| RT_SetBSSID | 1 |
| GetIpInformation | 1 |
| ?staticMetaObject@QProgressDialog@@2U | 1 |
| ?information@QMessageBox@@SA?AW4St | 1 |
| ?windowIcon@ QApplication@@SA?AVQIcon@ | 1 |

| | |
|---|---|
| ?setCancelButton@QProgressDialog@@QAI | 1 |
| ?setAutoClose@QProgressDialog@@QAEX_ | 1 |
| ?setAutoReset@QProgressDialog@@QAEX_ | 1 |
| ?setBar@QProgressDialog@@QAEXPAVQPr | 1 |
| ??5@YAAVQDataStream@@AAV0@AAVQ | 1 |
| ?popup@QMenu@@QAEXABVQPoint@@P | 1 |
| ?qstrcmp@@YAHABVQByteArray@@0@Z | 1 |
| ?fromHex@QByteArray@@SA?AV1@ABV1@ | 1 |
| ?realloc@QListData@@QAEXH@Z | 1 |
| ?qWinAppInst@@YAPAUHINSTANCE__@@` | 1 |
| ?filePath@QDir@@QBE?AVQString@@ABV | 1 |
| ?applicationPid@QCoreApplication@@SA_J | 1 |
| ?detach@QSharedMemory@@QAE_NXZ | 1 |
| ??6QTextStream@@QAEAAV0@PBX@Z | 1 |
| ?unlock@QSharedMemory@@QAE_NXZ | 1 |
| ?lock@QSharedMemory@@QAE_NXZ | 1 |
| ?create@QSharedMemory@@QAE_NHW4A | 1 |
| ??YQString@@QAEAAV0@ABVQByteArray@ | 1 |
| ?data@QSharedMemory@@QAEPAxxZ | 1 |
| ??1QSharedMemory@@UAE@XZ | 1 |
| ?size@QSharedMemory@@QBEHXZ | 1 |
| ?attach@QSharedMemory@@QAE_NW4Ac | 1 |
| ??0QSharedMemory@@QAE@ABVQString@ | 1 |
| ??6@YA?AVQDebug@@V0@ABVQDir@@@ | 1 |
| ?mkdir@QDir@@QBE_NABVQString@@@Z | 1 |
| ?toUInt@QByteArray@@QBEIPA_NH@Z | 1 |
| ?qCritical@@YA?AVQDebug@@XZ | 1 |
| ?waitForFinished@QProcess@@QAE_NH@Z | 1 |
| ?setWorkingDirectory@QProcess@@QAEXA | 1 |
| ?start@QProcess@@QAEXABVQString@@A | 1 |
| ??6QDebug@@QAEAAV0@P6AAAVQTextSt | 1 |
| cudaGetDeviceCount | 1 |
| ComputeClusterPlacement | 1 |
| FreeOutBuffer | 1 |
| ?_WksHeapReAlloc@@YAPAXPAXKPAPAXK(| 1 |
| ?PwchFindWchInWz@MWblStrings@@SAPF | 1 |
| ?CwchWz.ToDouble@MWblStrings@@SAHP | 1 |
| ?OperatorNew@@YAPAXIPAXK@Z | 1 |
| ProcessGroupPolicyEx | 1 |
| ?erase@?\$basic_string@_WU?\$char_traits@ | 1 |
| @System@StringToWideChar\$qqrx20System | 1 |
| @System@@PWCharLen\$qqrb | 1 |
| @System@UniqueString\$qqrr17System@W | 1 |
| @System@@SetExpand\$qqrv | 1 |
| @\$xp\$23System@TCustomAttribute | 1 |
| @\$xp\$18System@IEnumerable | 1 |
| @\$xp\$5TGUID | 1 |

| | |
|--|---|
| @\$xp\$15System@Extended | 1 |
| @Forms@TScreen@GetWorkAreaWidth\$qq | 1 |
| @Forms@TScreen@GetWorkAreaHeight\$qc | 1 |
| @Forms@TCustomForm@CloseModal\$qqrv | 1 |
| @Forms@TCustomForm@WMSysCommanc | 1 |
| @Forms@TCustomForm@GetLeft\$qqrv | 1 |
| @Forms@TCustomFrame@SetParent\$qqrp; | 1 |
| @Forms@TCustomFrame@PaintWindow\$qi | 1 |
| @Forms@TCustomFrame@CreateParams\$q | 1 |
| @Forms@TCustomFrame@\$bctr\$qqrp18Clz | 1 |
| @Forms@TScrollBox@PaintWindow\$qqrp5I | 1 |
| @Forms@TScrollBox@SetBorderStyle\$qqr2: | 1 |
| @Forms@TScrollingWinControl@AlignContr | 1 |
| @Forms@TControlScrollBar@SetVisible\$qqi | 1 |
| @\$xp\$12Forms@TFrame | 1 |
| @Forms@TFrame@ | 1 |
| @\$xp\$18Forms@TWindowState | 1 |
| @\$xp\$15Syncobjs@TEvent | 1 |
| @Classes@TThread@Start\$qqrv | 1 |
| @Classes@TThread@Queue\$qqrynpqqrv\$v | 1 |
| @Classes@ TStringStream@WriteString\$qqr: | 1 |
| @Classes@ TStringStream@GetDataString\$q | 1 |
| @Classes@ TStringStream@\$bctr\$qqrv | 1 |
| @Classes@ TStringStream@\$bctr\$qqrx20Sys | 1 |
| @Classes@ TStringStream@\$bctr\$qqrx20Sys | 1 |
| @Classes@ TStringStream@\$bctr\$qqrx20Sys | 1 |
| @Classes@ TMemoryStream@LoadFromFile | 1 |
| @Classes@ TCustomMemoryStream@SaveT | 1 |
| @Classes@ TStrings@GetNameValueSeparat | 1 |
| @Classes@ TCollection@SetItem\$qqrip23Clz | 1 |
| @Classes@ TCollectionItem@Changed\$qqro | 1 |
| @\$xp\$18Classes@TWndMethod | 1 |
| @\$xp\$24Classes@TThreadProcedure | 1 |
| @\$xp\$21Classes@TThreadMethod | 1 |
| @\$xp\$22Classes@TInterfaceList | 1 |
| @\$xp\$19Classes@TThreadList | 1 |
| @Sysutils@IsDelimiter\$qqrx20System@Unic | 1 |
| @Sysutils@CheckWin32Version\$qqrii | 1 |
| @Sysutils@StrToDateDef\$qqrx20System@U | 1 |
| @Sysutils@TimeToStr\$qqrx16System@TDat | 1 |
| @Sysutils@ExtractRelativePath\$qqrx20Syste | 1 |
| @Sysutils@TryStrToInt\$qqrx20System@Unic | 1 |
| @Sysutils@SameStr\$qqrx20System@Unicoc | 1 |
| @\$xp\$18Sysutils@TEncoding | 1 |
| @\$xp\$45Sysutils@TMultiReadExclusiveWrit | 1 |
| @Rtlconsts @_SArgumentOutOfRange | 1 |
| @Math@RoundTo\$qqrxgxzc | 1 |

| | |
|--|---|
| @Strutils@PosEx\$qqrx20System@UnicodeS | 1 |
| @Strutils@IndexStr\$qqrx20System@Unicod | 1 |
| @Strutils@IndexText\$qqrx20System@Unicc | 1 |
| @Variants@VarToStrDef\$qqrrx14System@V | 1 |
| @Variants@@VarFromWChar\$qqrr8TVarDa | 1 |
| @Variants@@VarToInt64\$qqrrx8TVarData | 1 |
| @\$xp\$16Actnlist@TAction | 1 |
| @\$xp\$20Actnlist@TActionList | 1 |
| @Imglist@TCustomImageList@GetBkColor\$ | 1 |
| @Graphics@TPicture@SetGraphic\$qqrp17G | 1 |
| @Dateutils@CompareDateTime\$qqrx16Syst | 1 |
| @Controls@THintWindow@NCPaint\$qqrp5 | 1 |
| @Controls@THintWindow@CalcHintRect\$qq | 1 |
| @Controls@THintWindow@ActivateHintDat | 1 |
| @Controls@THintWindow@ActivateHint\$qqc | 1 |
| @Controls@TWinControl@SetDoubleBuffer | 1 |
| @Controls@TControl@SetParentComponen | 1 |
| @Controls@FindVCLWindow\$qqrrx12Types | 1 |
| @\$xp\$19Controls@TImageList | 1 |
| @\$xp\$15Menus@TMenuItem | 1 |
| @Dialogs@PromptForFileName\$qqrr20Syst | 1 |
| @Dialogs@InputQuery\$qqrx20System@Uni | 1 |
| @Dialogs@TOpenDialog@SetInitialDir\$qqrx | 1 |
| @Dialogs@TOpenDialog@GetFiles\$qqrv | 1 |
| @Comctrls@TTreeNodes@AddChild\$qqrp18 | 1 |
| @Comctrls@TTreeNode@GetPrev\$qqrv | 1 |
| @Comctrls@TTreeNode@getPrevSibling\$qqc | 1 |
| @Comctrls@TTreeNode@getNextSibling\$qqc | 1 |
| @\$xp\$18Comctrls@TListItem | 1 |
| @\$xp\$16Stdctrls@TButton | 1 |
| @\$xp\$14Stdctrls@TEdit | 1 |
| @Extctrls@TCustomFlowPanel@\$bctr\$qqrp | 1 |
| @Extctrls@TCustomPanel@SetShowCaption | 1 |
| @\$xp\$19Extctrls@TFlowPanel | 1 |
| @Extctrls@TFlowPanel@ | 1 |
| @Clipbrd@TClipboard@HasFormat\$qqrus | 1 |
| @Dxbar@TdxBarCustomPopupMenu@Popu | 1 |
| @Dxbar@TdxBarCustomPopupMenu@Popu | 1 |
| @Dxbar@TdxBarCustomPopupMenu@DoPa | 1 |
| @Dxbar@TdxBarCustomPopupMenu@IsShc | 1 |
| @Dxbar@TdxBarCustomPopupMenu@DoPc | 1 |
| @Dxbar@TdxBarCustomPopupMenu@DoCl | 1 |
| @Dxbar@TdxBarCustomPopupMenu@SetVi | 1 |
| @Dxbar@TdxBarCustomPopupMenu@SetEr | 1 |
| @Dxbar@TdxBarCustomPopupMenu@GetE | 1 |
| @Dxbar@TdxBarCustomPopupMenu@SetB; | 1 |
| @Dxbar@TdxBarCustomPopupMenu@GetS | 1 |

| | |
|---|---|
| @Dxbar@TdxBarCustomPopupMenu@\$bdti | 1 |
| @Dxbar@TdxBarCustomPopupMenu@\$bctr | 1 |
| @Dxbar@TdxBarCustomPopupComponent@ | 1 |
| @Dxbar@TdxBar@GetItemLinks\$qqrsv | 1 |
| @Dxbar@TdxBar@SetVisible\$qqro | 1 |
| @Dxbar@TdxBarItem@SetShortCut\$qqrus | 1 |
| @Dxbar@TdxBarItem@SetShowCaption\$qq | 1 |
| @Dxbar@TdxBarItem@SetIndex\$qqri | 1 |
| @Dxbar@TdxBarItem@GetIndex\$qqrv | 1 |
| @Dxbar@TdxBarLabel@\$bctr\$qqrp18Classe | 1 |
| @Dxbar@TdxBarSubItem@\$bctr\$qqrp18Cla | 1 |
| @Dxbar@TCustomdxBarSubItem@SetItemL | 1 |
| @Dxbar@TdxBarCustomCombo@SetItemIn | 1 |
| @Dxbar@TdxBarButton@SetDown\$qqro | 1 |
| @Dxbar@TdxBarButton@SetButtonStyle\$qc | 1 |
| @Dxbar@TdxBarButton@\$bctr\$qqrp18Clas | 1 |
| @Dxbar@TdxBarItemLinks@Add\$qqrv | 1 |
| @Dxbar@TdxBarItemLink@SetItem\$qqrp16 | 1 |
| @Dxbar@TdxBarManager@SaveToStream\$() | 1 |
| @Dxbar@TdxBarManager@LoadFromStrea | 1 |
| @Dxbar@TdxBarComponent@GetCompon | 1 |
| @Dxbar@TdxBarComponent@GetPersisten | 1 |
| @Dxbar@TdxBarComponent@SelectionCha | 1 |
| @Dxbar@TdxBarComponent@SelectParent | 1 |
| @Dxbar@TdxBarComponent@SelectCompo | 1 |
| @Dxbar@TdxBarComponent@IsComponent | 1 |
| @Dxbar@TdxBarComponent@IsComplex\$q | 1 |
| @Dxbar@TdxBarComponent@Invalidate\$qc | 1 |
| @Dxbar@TdxBarComponent@GetSupporter | 1 |
| @Dxbar@TdxBarComponent@GetSelection! | 1 |
| @Dxbar@TdxBarComponent@GetBarManag | 1 |
| @Dxbar@TdxBarComponent@ExecuteCustc | 1 |
| @Dxbar@TdxBarComponent@CanDelete\$qi | 1 |
| @Dxbar@TdxBarComponent@GetSelectable | 1 |
| @Dxbar@TdxBarComponent@GetNextSelec | 1 |
| @Dxbar@TdxBarComponent@GetMasterOk | 1 |
| @Dxbar@TdxBarComponent@GetVisible\$qi | 1 |
| @Dxbar@TdxBarComponent@Changed\$qqri | 1 |
| @Dxbar@GetWorkArea\$qqrrx12Types@TPc | 1 |
| @\$xp\$19Dxbar@TdxBarSubItem | 1 |
| @Dxbar@TdxBarSubItem@ | 1 |
| @\$xp\$17Dxbar@TdxBarCombo | 1 |
| @Dxbar@TdxBarCombo@ | 1 |

| | |
|---|---|
| @\$xp\$18Dxbar@TdxBarButton | 1 |
| @\$xp\$21Dxbar@TdxBarSeparator | 1 |
| @\$xp\$16Dxbar@TdxBarItem | 1 |
| @Dxbar@TdxBarItem@ | 1 |
| @\$xp\$23Dxbar@TdxBarDockControl | 1 |
| @Dxbar@TdxBarDockControl@ | 1 |
| @\$xp\$21Dxbar@TdxBarPopupMenu | 1 |
| @\$xp\$21Dxbar@TdxBarItemLinks | 1 |
| @\$xp\$12Dxbar@TdxBar | 1 |
| @Dxbar@TdxBar@ | 1 |
| @\$xp\$19Dxbar@TdxBarManager | 1 |
| @Dxscreetip@initialization\$qqrv | 1 |
| @Dxscreetip@Finalization\$qqrv | 1 |
| @Dxcustomhint@initialization\$qqrv | 1 |
| @Dxcustomhint@Finalization\$qqrv | 1 |
| @Dxcustomhint@TcxCustomHintStyleContr | 1 |
| @\$xp\$38Cxlookandfeelpainters@TcxCheckE | 1 |
| @Cxgraphics@TcxCanvas@TextWidth\$qqrx: | 1 |
| @Cxgraphics@TcxCanvas@FillRect\$qqrrx11 | 1 |
| @Cxgraphics@TcxCanvas@DrawText\$qqrx2 | 1 |
| @Cxgraphics@TcxCanvas@GetHandle\$qqrv | 1 |
| @Cxgraphics@TcxCanvas@GetBrush\$qqrv | 1 |
| @Cxgraphics@cxDrawImage\$qqruirx11Type | 1 |
| @Cxcontrols@TcxControl@AcceptMousePo | 1 |
| @Cxcontrols@TcxControl@CanFocusEx\$qqr | 1 |
| @Cxcontrols@TcxControl@InitDragImages\$ | 1 |
| @Cxcontrols@TcxControl@HasDragImages\$ | 1 |
| @Cxcontrols@TcxControl@GetIsCopyDragD | 1 |
| @Cxcontrols@TcxControl@GetDragImagesS | 1 |
| @Cxcontrols@TcxControl@GetDragImagesC | 1 |
| @Cxcontrols@TcxControl@DrawDragImage! | 1 |
| @Cxcontrols@TcxControl@GetDragAndDrop | 1 |
| @Cxcontrols@TcxControl@UpdateInternalC | 1 |
| @Cxcontrols@TcxControl@SetInternalContr | 1 |
| @Cxcontrols@TcxControl@GetVScrollBarBo | 1 |
| @Cxcontrols@TcxControl@GetSizeGripBour | 1 |
| @Cxcontrols@TcxControl@GetHScrollBarBo | 1 |
| @Cxcontrols@TcxControl@NeedsToBringInt | 1 |
| @Cxcontrols@TcxControl@IsPixelScrollBar\$ | 1 |
| @Cxcontrols@TcxControl@InitScrollBarsPar | 1 |
| @Cxcontrols@TcxControl@GetLookAndFeel | 1 |
| @Cxcontrols@TcxControl@UpdateMousePc | 1 |
| @Cxcontrols@TcxControl@NeedRedrawOnF | 1 |
| @Cxcontrols@TcxControl@IsInternalContro | 1 |

| | |
|--|---|
| @Cxcontrols@TcxControl@InitControl\$qqrv | 1 |
| @Cxcontrols@TcxControl@HasBackground\$ | 1 |
| @Cxcontrols@TcxControl@GetSizeGripClass | 1 |
| @Cxcontrols@TcxControl@GetScrollBarClas | 1 |
| @Cxcontrols@TcxControl@GetPaintBlackOp | 1 |
| @Cxcontrols@TcxControl@GetMouseWhee | 1 |
| @Cxcontrols@TcxControl@GetIsFocused\$qr | 1 |
| @Cxcontrols@TcxControl@GetIsDesigning\$ | 1 |
| @Cxcontrols@TcxControl@GetCursor\$qqri | 1 |
| @Cxcontrols@TcxControl@GetBounds\$qqrv | 1 |
| @Cxcontrols@TcxControl@GetBorderSize\$c | 1 |
| @Cxcontrols@TcxControl@DoPaint\$qqrv | 1 |
| @Cxcontrols@TcxControl@CanFocusOnClick | 1 |
| @Cxcontrols@TcxControl@AllowCompositio | 1 |
| @Cxcontrols@TcxControl@CancelMouseOp | 1 |
| @Cxcontrols@TcxControl@BringInternalCor | 1 |
| @Cxcontrols@TcxControl@CreateDragAndD | 1 |
| @Cxcontrols@TcxControl@AfterMouseDow | 1 |
| @Cxcontrols@TcxControl@ParentBackgrou | 1 |
| @Cxcontrols@TcxControl@PaintWindow\$qr | 1 |
| @Cxcontrols@TcxControl@Modified\$qqrv | 1 |
| @Cxcontrols@TcxControl@EraseBackground | 1 |
| @Cxcontrols@TcxControl@DestroyWindowI | 1 |
| @Cxcontrols@TcxControl@CreateWnd\$qqrv | 1 |
| @Cxcontrols@TcxControl@SetPopupMenu\$ | 1 |
| @Dxgdiplusclasses@TdxGPIImage@\$bctr\$qc | 1 |
| @Dxgdiplusclasses@TdxPNGImage@ | 1 |
| @Cxlookandfeels@TcxLookAndFeelControll | 1 |
| @Cxlookandfeels@TcxLookAndFeel@Remov | 1 |
| @Cxlookandfeels@TcxLookAndFeel@Refres | 1 |
| @Cxlookandfeels@TcxLookAndFeel@AddCh | 1 |
| @Cxlookandfeels@RootLookAndFeel\$qqrv | 1 |
| @\$xp\$39Cxlookandfeels@TcxLookAndFeelC | 1 |
| @Cxcontainer@TcxContainer@SetScrollBar\ | 1 |
| @Cxcontainer@TcxContainer@SetDragKind! | 1 |
| @Cxcontainer@TcxContainer@IsAdjustingSc | 1 |
| @Cxcontainer@TcxContainer@GetScrollBar | 1 |
| @Cxcontainer@TcxContainer@GetScrollBar | 1 |
| @Cxcontainer@TcxContainer@GetBackgrou | 1 |
| @Cxcontainer@TcxContainer@GetBackgrou | 1 |
| @Cxcontainer@TcxContainer@GetBackgrou | 1 |
| @Cxcontainer@TcxContainer@AdjustScrollE | 1 |
| @Cxcontainer@TcxContainer@UpdateData\$ | 1 |
| @Cxcontainer@TcxContainer@SetVisibleBo | 1 |
| @Cxcontainer@TcxContainer@UpdateWind | 1 |
| @Cxcontainer@TcxContainer@IsReadOnly\$ | 1 |

| | |
|--|---|
| @Cxcontainer@TcxContainer@IsMouseTrac | 1 |
| @Cxcontainer@TcxContainer@IsContainerC | 1 |
| @Cxcontainer@TcxContainer@InternalGetA | 1 |
| @Cxcontainer@TcxContainer@InnerControl | 1 |
| @Cxcontainer@TcxContainer@HasShadow\$ | 1 |
| @Cxcontainer@TcxContainer@GetStylesCla | 1 |
| @Cxcontainer@TcxContainer@GetShadowB | 1 |
| @Cxcontainer@TcxContainer@GetShadowB | 1 |
| @Cxcontainer@TcxContainer@GetColorSett | 1 |
| @Cxcontainer@TcxContainer@GetBorderCc | 1 |
| @Cxcontainer@TcxContainer@GetBackgrou | 1 |
| @Cxcontainer@TcxContainer@GetActiveSty | 1 |
| @Cxcontainer@TcxContainer@EndMouseTr | 1 |
| @Cxcontainer@TcxContainer@DefaultParer | 1 |
| @Cxcontainer@TcxContainer@DataSetChan | 1 |
| @Cxcontainer@TcxContainer@DataChange\$ | 1 |
| @Cxcontainer@TcxContainer@CreateWindc | 1 |
| @Cxcontainer@TcxContainer@CanShowPor | 1 |
| @Cxcontainer@TcxContainer@CanRefreshC | 1 |
| @Cxcontainer@TcxContainer@CanHaveTrar | 1 |
| @Cxcontainer@TcxContainer@CalculateVie | 1 |
| @Cxcontainer@TcxContainer@AdjustInnerC | 1 |
| @Cxcontainer@TcxContainer@CreateWindc | 1 |
| @Cxcontainer@TcxContainer@SetDragMod | 1 |
| @Cxcontainer@TcxContainer@IsContainerF | 1 |
| @Cxcontainer@TcxContainer@GetClientBo | 1 |
| @Cxcontainer@TcxContainer@FocusWhenC | 1 |
| @Cxcontainer@TcxContainer@AlignControl | 1 |
| @Cxcontainer@TcxContainer@AdjustClientI | 1 |
| @Cxcontainer@TcxContainer@GetLookAndI | 1 |
| @Cxcontainer@TcxContainer@TranslationC | 1 |
| @Cxcontainer@TcxContainer@Update\$qqrv | 1 |
| @Cxcontainer@TcxContainer@Invalidate\$qq | 1 |
| @Cxcontainer@TcxContainer@HasPopupWi | 1 |
| @Cxcontainer@TcxContainer@GetVisibleBo | 1 |
| @Cxcontainer@TcxContainer@ClearSavedC | 1 |
| @Cxcontainer@TcxContainer@SetFocus\$qq | 1 |
| @Cxcontainer@TcxContainer@GetDragImage | 1 |
| @Cxcontainer@TcxContainerStyle@SetTextI | 1 |
| @Cxcontainer@TcxContainerStyle@GetFont | 1 |
| @Dxdockcontrol@TdxDockingManager@Sav | 1 |
| @Dxdockcontrol@TdxDockingManager@Lo: | 1 |
| @\$xp\$31Dxdockcontrol@TdxDockingManag | 1 |
| @\$xp\$25Dxdockcontrol@TdxDockSite | 1 |
| @\$xp\$38Dxdockcontrol@TdxVertContainerI | 1 |
| @Dxdockcontrol@TdxVertContainerDockSit | 1 |
| @\$xp\$31Dxdockcontrol@TdxLayoutDockSite | 1 |

| | |
|---|---|
| @Cxpc@TcxTabSheet@SetPageControl\$qqri | 1 |
| @Cxpc@TcxTabSheet@SetImageIndex\$qqrx | 1 |
| @Cxpc@TcxTabSheet@GetTabIndex\$qqrv | 1 |
| @Cxpc@TcxTabSheet@GetPageIndex\$qqrv | 1 |
| @Cxpc@TcxTabSheet@SetParentPageContr | 1 |
| @Cxpc@TcxTabSheet@SetParent\$qqrp20C | 1 |
| @Cxpc@TcxTabSheet@CreateParams\$qqrr2 | 1 |
| @Cxpc@TcxTabSheet@\$bdtr\$qqrv | 1 |
| @Cxpc@TcxTabSheet@\$bctr\$qqrp18Classe | 1 |
| @Cxpc@TcxTab@SetEnabled\$qqrxo | 1 |
| @Cxpc@TcxTab@GetFullRect\$qqrv | 1 |
| @Cxpc@TcxCustomTabControl@IndexOfTa | 1 |
| @Cxpc@TcxCustomTabControl@\$bctr\$qqrp | 1 |
| @Cxpc@TcxCustomTabControl@SetTabPosi | 1 |
| @Cxpc@TcxCustomTabControl@GetTabIndex | 1 |
| @Cxpc@TcxCustomTabControl@SetTabIndex | 1 |
| @Cxpc@TcxCustomTabControl@SetShowFr | 1 |
| @Cxpc@TcxCustomTabControl@SetRotate\$ | 1 |
| @Cxpc@TcxCustomTabControl@SetNavigation | 1 |
| @Cxpc@TcxCustomTabControl@SetHotTrac | 1 |
| @Cxpc@TcxCustomTabControl@SetHideTa | 1 |
| @Cxpc@TcxCustomTabControl@GetTabs\$qq | 1 |
| @Cxpc@TcxCustomTabControl@GetOptions\$ | 1 |
| @Cxpc@TcxTabs@GetTab\$qqri | 1 |
| @Cxpc@TcxPageControl@GetPageCount\$qq | 1 |
| @Cxpc@TcxPageControl@GetPage\$qqri | 1 |
| @Cxpc@TcxPageControl@GetActivePageIn | 1 |
| @Cxpc@TcxPageControl@GetActivePage\$qq | 1 |
| @Cxpc@TcxPageControl@SelectNextPage\$ | 1 |
| @Cxpc@TcxPageControl@\$bctr\$qqrp18Clas | 1 |
| @\$xp\$18Cxpc@TcxTabControl | 1 |
| @Cxpc@TcxTabControl@ | 1 |
| @\$xp\$16Cxpc@TcxTabSheet | 1 |
| @\$xp\$19Cxpc@TcxPageControl | 1 |
| @Dxdockstylevs2005@initialization\$qqrv | 1 |
| @Dxdockstylevs2005@Finalization\$qqrv | 1 |
| @\$xp\$24Dxdockpanel@TdxDockPanel | 1 |
| @Cxedit@TcxCustomEdit@SetTransparent\$ | 1 |
| @Cxedit@TcxCustomEdit@SetHeight\$qqri | 1 |
| @Cxedit@TcxCustomEdit@GetStyleFocused | 1 |
| @Cxedit@TcxCustomEdit@GetHeight\$qqrv | 1 |
| @Cxedit@TcxCustomEdit@SpellCheckerSet\ | 1 |
| @Cxedit@TcxCustomEdit@SpellCheckerSet\ | 1 |
| @Cxedit@TcxCustomEdit@UseAnchorY\$qqr | 1 |
| @Cxedit@TcxCustomEdit@UseAnchorX\$qqr | 1 |
| @Cxedit@TcxCustomEdit@UseAnchors\$qqr | 1 |
| @Cxedit@TcxCustomEdit@LockInnerEditRe | 1 |

| | |
|--|---|
| @Cxedit@TcxCustomEdit@ValidateKeyPress | 1 |
| @Cxedit@TcxCustomEdit@SetInternalEditValue | 1 |
| @Cxedit@TcxCustomEdit@SetEditText\$qq | 1 |
| @Cxedit@TcxCustomEdit@SetEditAutoSize\$qq | 1 |
| @Cxedit@TcxCustomEdit@RepositoryItemAdd | 1 |
| @Cxedit@TcxCustomEdit@RepositoryItemAdd | 1 |
| @Cxedit@TcxCustomEdit@RealReadOnly\$qq | 1 |
| @Cxedit@TcxCustomEdit@PrepareDisplayValue | 1 |
| @Cxedit@TcxCustomEdit@PaintCopyDraw\$qq | 1 |
| @Cxedit@TcxCustomEdit@IsTransparent\$qq | 1 |
| @Cxedit@TcxCustomEdit@IsNativeBackground | 1 |
| @Cxedit@TcxCustomEdit@IsEditValueStored | 1 |
| @Cxedit@TcxCustomEdit@IsDBEditPaintCopy | 1 |
| @Cxedit@TcxCustomEdit@IsClickEnabledD | 1 |
| @Cxedit@TcxCustomEdit@IsButtonDC\$qqrv | 1 |
| @Cxedit@TcxCustomEdit@IsActiveControl\$qq | 1 |
| @Cxedit@TcxCustomEdit@IsRepositoryItem | 1 |
| @Cxedit@TcxCustomEdit@InitializeInnerEdit | 1 |
| @Cxedit@TcxCustomEdit@InitializeEditData | 1 |
| @Cxedit@TcxCustomEdit@HandleValidation | 1 |
| @Cxedit@TcxCustomEdit@GetEditingValue\$qq | 1 |
| @Cxedit@TcxCustomEdit@GetEditDataClass | 1 |
| @Cxedit@TcxCustomEdit@GetDataBindingC | 1 |
| @Cxedit@TcxCustomEdit@GetClearValue\$qq | 1 |
| @Cxedit@TcxCustomEdit@EditingChanged\$qq | 1 |
| @Cxedit@TcxCustomEdit@DoShowEdit\$qqrv | 1 |
| @Cxedit@TcxCustomEdit@DoProcessEvent | 1 |
| @Cxedit@TcxCustomEdit@DoOnEditValueChange | 1 |
| @Cxedit@TcxCustomEdit@DoOnChange\$qqc | 1 |
| @Cxedit@TcxCustomEdit@DoChange\$qqrv | 1 |
| @Cxedit@TcxCustomEdit@DoButtonUp\$qqrv | 1 |
| @Cxedit@TcxCustomEdit@DoButtonDown\$qqrv | 1 |
| @Cxedit@TcxCustomEdit@DoButtonClick\$qq | 1 |
| @Cxedit@TcxCustomEdit@DoAutoSizeChange | 1 |
| @Cxedit@TcxCustomEdit@DefaultButtonClick | 1 |
| @Cxedit@TcxCustomEdit@CreateViewData | 1 |
| @Cxedit@TcxCustomEdit@CreateInnerEdit\$qq | 1 |
| @Cxedit@TcxCustomEdit@CanModify\$qqrv | 1 |
| @Cxedit@TcxCustomEdit@CanAutoWidth\$qq | 1 |
| @Cxedit@TcxCustomEdit@CanAutoHeight\$qq | 1 |
| @Cxedit@TcxCustomEdit@BeforePosting\$qq | 1 |
| @Cxedit@TcxCustomEdit@AfterPosting\$qqrv | 1 |
| @Cxedit@TcxCustomEdit@SafeSelectionFocus | 1 |
| @Cxedit@TcxCustomEdit@IsNativeStyle\$qq | 1 |
| @Cxedit@TcxCustomEdit@CreateHandle\$qq | 1 |
| @Cxedit@TcxCustomEdit@DoSetSize\$qqrv | 1 |
| @Cxedit@TcxCustomEdit@SetName\$qqrx2 | 1 |

| | |
|---|---|
| @Cxedit@TcxCustomEdit@RequestAlign\$qc | 1 |
| @Cxedit@TcxCustomEdit@Paint\$qqrv | 1 |
| @Cxedit@TcxCustomEdit@Notification\$qqri | 1 |
| @Cxedit@TcxCustomEdit@IsTransparentBa | 1 |
| @Cxedit@TcxCustomEdit@InternalGetNotP | 1 |
| @Cxedit@TcxCustomEdit@GetViewInfoClas | 1 |
| @Cxedit@TcxCustomEdit@GetStyleClass\$qc | 1 |
| @Cxedit@TcxCustomEdit@GetEditStateColc | 1 |
| @Cxedit@TcxCustomEdit@GetBorderExtent | 1 |
| @Cxedit@TcxCustomEdit@DefineProperties | 1 |
| @Cxedit@TcxCustomEdit@CanResize\$qqrrit | 1 |
| @Cxedit@TcxCustomEdit@CanContainerHa | 1 |
| @Cxedit@TcxCustomEdit@CalculateAnchor: | 1 |
| @Cxedit@TcxCustomEdit@PostEditValue\$qqrv | 1 |
| @Cxedit@TcxCustomEdit@Deactivate\$qqrv | 1 |
| @Cxedit@TcxCustomEdit@Clear\$qqrv | 1 |
| @Cxedit@TcxCustomEdit@ActivateByKey\$q | 1 |
| @Cxedit@TcxCustomEdit@UpdateAction\$qi | 1 |
| @Cxedit@TcxCustomEdit@IsInplace\$qqrv | 1 |
| @Cxedit@TcxCustomEdit@InnerControlMer | 1 |
| @Cxedit@TcxCustomEdit@\$bctr\$qqrp18Cla | 1 |
| @Cxedit@TcxCustomEdit@\$bctr\$qqrp18Cla | 1 |
| @Cxedit@TcxCustomEditStyle@SetBorderSt | 1 |
| @Cxedit@TcxEditButtons@GetItem\$qqri | 1 |
| @Cxedit@TcxEditButtons@Add\$qqrv | 1 |
| @Cxedit@TcxEditButton@SetLeftAlignment | 1 |
| @Cxedit@TcxEditButton@SetKind\$qqr24Cx | 1 |
| @Cxedit@TcxEditButton@SetEnabled\$qqro | 1 |
| @Cxedit@TcxEditButton@GetGlyph\$qqrv | 1 |
| @Cxedit@TcxCustomEditProperties@SetRe | 1 |
| @Cxedit@TcxCustomEditProperties@BaseG | 1 |
| @Cxedit@TcxEditAlignment@SetVert\$qqrx2 | 1 |
| @Cxedit@TcxEditAlignment@SetHorz\$qqrx: | 1 |
| @Cxdatastorage@TcxIntegerValueType@ | 1 |
| @Cxdatastorage@TcxStringValue@ | 1 |
| @Cxdropdownedit@TcxPopupEdit@GetPro | 1 |
| @Cxdropdownedit@TcxCustomPopupEditPr | 1 |
| @Cxdropdownedit@TcxComboBox@GetPro | 1 |
| @Cxdropdownedit@TcxCustomComboBoxP | 1 |
| @Cxdropdownedit@TcxCustomComboBoxP | 1 |
| @Cxdropdownedit@TcxCustomComboBoxP | 1 |
| @Cxdropdownedit@TcxCustomDropDownE | 1 |
| @Cxdropdownedit@TcxCustomDropDownE | 1 |
| @Cxdropdownedit@TcxCustomDropDownE | 1 |
| @\$xp\$27Cxdropdownedit@TcxPopupEdit | 1 |
| @Cxdropdownedit@TcxPopupEdit@ | 1 |
| @\$xp\$26Cxdropdownedit@TcxComboBox | 1 |

| | |
|--|---|
| @Cxdropdownedit@TcxComboBoxProperties | 1 |
| @Cxfilter@TcxFilterCriteria@GetOptions\$qc | 1 |
| @Cxteditedit@TcxTextEdit@GetProperties\$cc | 1 |
| @Cxteditedit@TcxCustomTextEdit@SetSelSt | 1 |
| @Cxteditedit@TcxCustomTextEdit@GetSelTe | 1 |
| @Cxteditedit@TcxCustomTextEdit@GetSelSt | 1 |
| @Cxteditedit@TcxCustomTextEdit@GetSelLe | 1 |
| @Cxteditedit@TcxCustomTextEdit@UpdateC | 1 |
| @Cxteditedit@TcxCustomTextEdit@UpdateC | 1 |
| @Cxteditedit@TcxCustomTextEdit@UndoPer | 1 |
| @Cxteditedit@TcxCustomTextEdit@SetEditir | 1 |
| @Cxteditedit@TcxCustomTextEdit@ResetOn | 1 |
| @Cxteditedit@TcxCustomTextEdit@NeedRes | 1 |
| @Cxteditedit@TcxCustomTextEdit@LookupK | 1 |
| @Cxteditedit@TcxCustomTextEdit@LookupK | 1 |
| @Cxteditedit@TcxCustomTextEdit@ItemInde | 1 |
| @Cxteditedit@TcxCustomTextEdit@InternalS | 1 |
| @Cxteditedit@TcxCustomTextEdit@InternalL | 1 |
| @Cxteditedit@TcxCustomTextEdit@HandleS | 1 |
| @Cxteditedit@TcxCustomTextEdit@GetScrol | 1 |
| @Cxteditedit@TcxCustomTextEdit@GetItem | 1 |
| @Cxteditedit@TcxCustomTextEdit@GetInne | 1 |
| @Cxteditedit@TcxCustomTextEdit@SpellChe | 1 |
| @Cxteditedit@TcxCustomTextEdit@InternalS | 1 |
| @Cxteditedit@TcxCustomTextEdit@DoLayou | 1 |
| @Cxteditedit@TcxCustomTextEdit@DoSelect | 1 |
| @Cxteditedit@TcxCustomTextEdit@DoDrawl | 1 |
| @Cxteditedit@TcxCustomTextEdit@CanSpell | 1 |
| @Cxteditedit@TcxCustomTextEdit@DoOnNe | 1 |
| @Cxteditedit@TcxCustomTextEdit@CheckEd | 1 |
| @Cxteditedit@TcxCustomTextEdit@CheckEd | 1 |
| @Cxteditedit@TcxCustomTextEdit@CanSele | 1 |
| @Cxteditedit@TcxCustomTextEdit@CanChar | 1 |
| @Cxteditedit@TcxCustomTextEdit@FormatC | 1 |
| @Cxteditedit@TcxCustomTextEdit@UnlockIr | 1 |
| @Cxteditedit@TcxCustomTextEdit@LockedIr | 1 |
| @Cxteditedit@TcxCustomTextEdit@WantNa | 1 |
| @Cxteditedit@TcxCustomTextEdit@SetInter | 1 |
| @Cxteditedit@TcxCustomTextEdit@SetDispl | 1 |
| @Cxteditedit@TcxCustomTextEdit@Loaded\$ | 1 |
| @Cxteditedit@TcxCustomTextEdit@IsValidCl | 1 |
| @Cxteditedit@TcxCustomTextEdit@IsTextInp | 1 |
| @Cxteditedit@TcxCustomTextEdit@InternalS | 1 |
| @Cxteditedit@TcxCustomTextEdit@InternalL | 1 |
| @Cxteditedit@TcxCustomTextEdit@GetDispl | 1 |
| @Cxteditedit@TcxCustomTextEdit@GetInne | 1 |

| | |
|---|---|
| @Cxtedite@TcxCustomTextEdit@FillSizeP | 1 |
| @Cxtedite@TcxCustomTextEdit@DoValidat | 1 |
| @Cxtedite@TcxCustomTextEdit@DoFocus | 1 |
| @Cxtedite@TcxCustomTextEdit@DoEditV | 1 |
| @Cxtedite@TcxCustomTextEdit@DoEditKe | 1 |
| @Cxtedite@TcxCustomTextEdit@SetScroll | 1 |
| @Cxtedite@TcxCustomTextEdit@IsChildW | 1 |
| @Cxtedite@TcxCustomTextEdit@DoInnerr | 1 |
| @Cxtedite@TcxCustomTextEdit@HasTextI | 1 |
| @Cxtedite@TcxCustomTextEdit@GetTextE | 1 |
| @Cxtedite@TcxCustomTextEdit@SelectAll | 1 |
| @Cxtedite@TcxCustomTextEdit@CopyToC | 1 |
| @Cxtedite@TcxCustomTextEdit@Activate' | 1 |
| @Cxtedite@TcxCustomTextEdit@DefaultH | 1 |
| @Cxtedite@TcxCustomTextEdit@\$bctr\$qc | 1 |
| @\$xp\$22Cxtedite@TcxTextEdit | 1 |
| @Cxtedite@TcxTextEditProperties@ | 1 |
| @Cxmaskedit@TcxCustomMaskEdit@\$bctr\$ | 1 |
| @Decfmt@TFormat_MIME64@ | 1 |
| @Decfmt@TFormat_HEX@ | 1 |
| @Decfmt@TFormat_Copy@ | 1 |
| @\$xp\$27Appevnts@TApplicationEvents | 1 |
| GetPluginFolder | 1 |
| GetTemplatesTypeFolder | 1 |
| GetTemplatesSiteFolder | 1 |
| GetTemplatesCMSFolder | 1 |
| GetSettingsFolder | 1 |
| GetConfigurationFolder | 1 |
| GetHiddenDataDir | 1 |
| IsPortable | 1 |
| @\$xp\$44Generics_collections@TCollection | 1 |
| @Uxmlserializer@initialization\$qqrv | 1 |
| @Uxmlserializer@Finalization\$qqrv | 1 |
| @Uxmlserializer@TxsXMLSettings@SetWell | 1 |
| @Uxmlserializer@TXMLSerializer@SaveToFi | 1 |
| @Uxmlserializer@TXMLSerializer@LoadFr | 1 |
| @Uxmlserializer@TXMLSerializer@\$bctr\$qq | 1 |
| @Uxmlserializer@TXMLSerializer@ | 1 |
| @\$xp\$20Xmlintf@IXMLDocument | 1 |
| @\$xp\$20Xmlintf@IXMLNodeList | 1 |
| @\$xp\$16Xmlintf@IXMLNode | 1 |
| @Xmldoc@NewXMLDocument\$qqr20Syster | 1 |
| @Dehash@THash_SHA512@ | 1 |
| @Regexpr@TRegExpr@Replace\$qqr17Syste | 1 |
| @Regexpr@TRegExpr@SetInputString\$qqrx | 1 |
| @Regexpr@TRegExpr@GetInputString\$qqrv | 1 |
| @Regexpr@TRegExpr@ExecNext\$qqrv | 1 |

| | |
|--|---|
| @Fs_iinterpreter@TfsClassVariable@AddInc | 1 |
| @Fs_iinterpreter@TfsClassVariable@AddPr | 1 |
| @\$xp\$25Fs_iinterpreter@TfsScript | 1 |
| @Cxgrid@TcxCustomGrid@CreateView\$qqr | 1 |
| @Cxgrid@TcxCustomGrid@\$bctr\$qqrp18Cl | 1 |
| @\$xp\$14Cxgrid@TcxGrid | 1 |
| @Cxgridcustomview@TcxCustomGridView@ | 1 |
| @Cxgridcustomview@TcxCustomGridOptior | 1 |
| @Cxgridcustomview@TcxCustomGridCellVie | 1 |
| @Cxgridcustomview@TcxCustomGridHitTes | 1 |
| @Cxtreeview@TcxCustomTreeView@SetRe: | 1 |
| @Cxtreeview@TcxCustomTreeView@SetHo | 1 |
| @Cxtreeview@TcxCustomTreeView@SetHic | 1 |
| @Cxtreeview@TcxCustomTreeView@GetSe | 1 |
| @Cxtreeview@TcxCustomTreeView@GetTre | 1 |
| @Cxtreeview@TcxCustomTreeView@GetNc | 1 |
| @Cxtreeview@TcxCustomTreeView@GetHit | 1 |
| @Cxtreeview@TcxCustomTreeView@\$bctr\$ | 1 |
| @\$xp\$22Cxtreeview@TcxTreeView | 1 |
| @Cxtreeview@TcxTreeView@ | 1 |
| @Cxgridlevel@TcxGridLevel@Add\$qqrv | 1 |
| @Cxgridlevel@TcxGridLevel@SetGridView\$ | 1 |
| @\$xp\$24Cxgridlevel@TcxGridLevel | 1 |
| @Cxgridcustomtableview@TcxGridItemData | 1 |
| @Cxgridcustomtableview@TcxCustomGridR | 1 |
| @Cxgridcustomtableview@TcxCustomGridT | 1 |
| @\$xp\$44Cxgridcustomtableview@TcxCusto | 1 |
| @\$xp\$44Cxgridcustomtableview@TcxCusto | 1 |
| @\$xp\$50Cxgridcustomtableview@TcxGridT | 1 |
| @\$xp\$41Cxgridcustomtableview@TcxCusto | 1 |
| @Cxgridcustomtableview@TcxGridRecordCe | 1 |
| @Cxmemo@TcxCustomMemo@GetLines\$q | 1 |
| @Cxmemo@TcxCustomMemo@WndProc\$c | 1 |
| @Cxmemo@TcxCustomMemo@CreatePara | 1 |
| @Cxmemo@TcxCustomMemo@TabsNeede | 1 |
| @Cxmemo@TcxCustomMemo@SetSelText\$ | 1 |

| | |
|--|---|
| @Cxmemo@TcxCustomMemo@SendActivat | 1 |
| @Cxmemo@TcxCustomMemo@ReadState\$ | 1 |
| @Cxmemo@TcxCustomMemo@NeedsScrol | 1 |
| @Cxmemo@TcxCustomMemo@SupportsSp | 1 |
| @Cxmemo@TcxCustomMemo@InitializeVie | 1 |
| @Cxmemo@TcxCustomMemo@CanScrollLir | 1 |
| @Cxmemo@TcxCustomMemo@CanKeyPres | 1 |
| @Cxmemo@TcxCustomMemo@CanAutoSize | 1 |
| @Cxmemo@TcxCustomMemo@AdjustInne | 1 |
| @Cxmemo@TcxCustomMemo@IsEditClass\$ | 1 |
| @Cxmemo@TcxCustomMemoProperties@S | 1 |
| @\$xp\$14Cxmemo@TcxMemo | 1 |
| @Cxmemo@TcxMemo@ | 1 |
| @Cxbuttons@TcxCustomButton@SetCanBe | 1 |
| @Cxbuttons@TcxCustomButton@SetKind\$q | 1 |
| @Cxbuttons@TcxCustomButton@\$bctr\$qqr | 1 |
| @\$xp\$19Cxbuttons@TcxButton | 1 |
| @\$xp\$27Cxradiogroup@TcxRadioButton | 1 |
| @Cxgroupbox@TcxButtonGroupItem@SetEi | 1 |
| @\$xp\$22Cxgroupbox@TcxGroupBox | 1 |
| @Cxblobedit@TcxBlobEdit@GetProperties\$ | 1 |
| @\$xp\$22Cxblobedit@TcxBlobEdit | 1 |
| @Cxblobedit@TcxBlobEdit@ | 1 |
| @Cximage@TcxImageProperties@ | 1 |
| @Extdlgs@TOpenTextFileDialog@\$bctr\$qqr | 1 |
| @Extdlgs@TSaveTextFileDialog@ | 1 |
| @Jpeg@TJPEGImage@DIBNeeded\$qqr | 1 |
| @Jpeg@TJPEGImage@\$bctr\$qqr | 1 |
| @Cxcalendar@TcxDateEdit@GetProperties\$ | 1 |
| @\$xp\$22Cxcalendar@TcxDateEdit | 1 |
| @Cxbuttonedit@TcxButtonEditProperties@ | 1 |
| @Cxlabel@TcxLabel@GetProperties\$qqr | 1 |
| @Cxlabel@TcxCustomLabel@GetStyle\$qqr | 1 |
| @Cxlabel@TcxCustomLabelProperties@Set\ | 1 |
| @\$xp\$16Cxlabel@TcxLabel | 1 |
| @Cxlabel@TcxLabelProperties@ | 1 |
| @Cxgridtableview@TcxGridTableView@Cre | 1 |
| @Cxgridtableview@TcxGridTableView@Get | 1 |
| @Cxgridtableview@TcxGridOptionsVie | 1 |
| @Cxgridtableview@TcxGridOptionsVie | 1 |
| @Cxgridtableview@TcxGridFilterRowOpti | 1 |
| @Cxgridtableview@TcxGridSpecialRowOpti | 1 |
| @\$xp\$32Cxgridtableview@TcxGridTableVie | 1 |

| | |
|--|---|
| @Cxgridtableview@TcxGridTableView@ | 1 |
| @\$xp\$29Cxgridtableview@TcxGridColumn | 1 |
| @Cxgridtableview@TcxGridColumn@ | 1 |
| @Cxhint@TcxHintStyle@SetStandard\$qqro | 1 |
| @Cxhint@TcxHintStyle@SetIconType\$qqr22 | 1 |
| @Cxhint@TcxHintStyle@SetIconSize\$qqr22 | 1 |
| @Cxhint@TcxHintStyle@SetCallOutPosition! | 1 |
| @\$xp\$29Cxhint@TcxHintStyleController | 1 |
| @Cxhint@TcxHintStyleController@ | 1 |
| @Cxhint@TcxHintStyle@ | 1 |
| @Eztexturepanel@TEZTexturePanel@Paint\$ | 1 |
| @Eztexturepanel@TEZTexturePanel@Redra | 1 |
| @Eztexturepanel@TEZTexturePanel@SetBe | 1 |
| @Eztexturepanel@TEZTexturePanel@Define | 1 |
| @Eztexturepanel@TEZTexturePanel@\$bdtr\$ | 1 |
| @Eztexturepanel@TEZTexturePanel@\$bctr\$ | 1 |
| @Eztexturepanel@TEZTextureSettings@SetI | 1 |
| @Eztexturepanel@TEZTextureSettings@SetL | 1 |
| @Eztexturepanel@TEZTextureSettings@SetR | 1 |
| @\$xp\$30Eztexturepanel@TEZTexturePanel | 1 |
| @Eztexturepanel@TEZTexturePanel@ | 1 |
| @Cxrichedit@TcxCustomRichEdit@Undo\$qc | 1 |
| @Cxrichedit@TcxCustomRichEdit@SaveSele | 1 |
| @Cxrichedit@TcxCustomRichEdit@Print\$qq | 1 |
| @Cxrichedit@TcxCustomRichEdit@PrepareE | 1 |
| @Cxrichedit@TcxCustomRichEdit@PasteFro | 1 |
| @Cxrichedit@TcxCustomRichEdit@CutToCli | 1 |
| @Cxrichedit@TcxCustomRichEdit@ClearSel | 1 |
| @Cxrichedit@TcxCustomRichEdit@UpdateE | 1 |
| @Cxrichedit@TcxCustomRichEdit@GetEditP | 1 |
| @Cxrichedit@TcxCustomRichEdit@UpdateS | 1 |
| @Cxrichedit@TcxCustomRichEdit@UpdateC | 1 |
| @Cxrichedit@TcxCustomRichEdit@Synchror | 1 |
| @Cxrichedit@TcxCustomRichEdit@Synchror | 1 |
| @Cxrichedit@TcxCustomRichEdit@SetParen | 1 |
| @Cxrichedit@TcxCustomRichEdit@ResetEdi | 1 |
| @Cxrichedit@TcxCustomRichEdit@Properties | 1 |
| @Cxrichedit@TcxCustomRichEdit@DoTextC | 1 |
| @Cxrichedit@TcxCustomRichEdit@InternalV | 1 |
| @Cxrichedit@TcxCustomRichEdit@InternalS | 1 |
| @Cxrichedit@TcxCustomRichEdit@Initialize | 1 |
| @Cxrichedit@TcxCustomRichEdit@GetCanU | 1 |
| @Cxrichedit@TcxCustomRichEditProperties | 1 |
| @Cxrichedit@TcxCustomRichEdit@GetEditV | 1 |
| @Cxrichedit@TcxCustomRichEdit@DoSpellC | 1 |
| @Cxrichedit@TcxCustomRichEdit@DoShowI | 1 |
| @Cxrichedit@TcxCustomRichEdit@Contain | 1 |

| | |
|--|---|
| @Cxrichedit@TcxCustomRichEdit@CanFocu | 1 |
| @Cxrichedit@TcxCustomRichEdit@AdjustIni | 1 |
| @Cxrichedit@TcxCustomRichEdit@SelChang | 1 |
| @Cxrichedit@TcxCustomRichEdit@Scroll\$qc | 1 |
| @Cxrichedit@TcxCustomRichEdit@ChangeH | 1 |
| @Cxrichedit@TcxCustomRichEdit@GetLines | 1 |
| @Cxrichedit@TcxCustomRichEdit@GetInner | 1 |
| @Cxrichedit@TcxCustomRichEdit@\$bdtr\$qc | 1 |
| @Cxrichedit@TcxRichEdit@GetProperties\$q | 1 |
| @Cxrichedit@TcxRichEdit@GetPropertiesCl | 1 |
| @\$xp\$22Cxrichedit@TcxRichEdit | 1 |
| @Cxrichedit@TcxRichEdit@ | 1 |
| @Cxlistview@TcxCustomListView@GetSelCo | 1 |
| @Cxlistview@TcxCustomListView@GetListIt | 1 |
| @Cxlistview@TcxCustomListView@SelectAll | 1 |
| @\$xp\$22Cxlistview@TcxListView | 1 |
| @Cxlistview@TcxListView@ | 1 |
| @\$xp\$20Idsocks@TIdSocksInfo | 1 |
| @Idsocks@TIdSocksInfo@ | 1 |
| @Idbasecomponent@TIdBaseComponent@ | 1 |
| @Idbasecomponent@TIdInitializerCompone | 1 |
| @Idcomponent@TIdComponent@EndWork | 1 |
| @Idcomponent@TIdComponent@DoWork\$ | 1 |
| @Idcomponent@TIdComponent@BeginWor | 1 |
| @Idtcpconnection@TIdTCPConnection@Pre | 1 |
| @Idtcpconnection@TIdTCPConnection@Dis | 1 |
| @Idtcpconnection@TIdTCPConnection@Che | 1 |
| @Idtcpconnection@TIdTCPConnection@Get | 1 |
| @Idtcpconnection@TIdTCPConnection@Get | 1 |
| @Idtcpconnection@TIdTCPConnection@Che | 1 |
| @Idtcpconnection@TIdTCPConnection@Che | 1 |
| @Idtcpconnection@TIdTCPConnection@Set | 1 |
| @Idtcpconnection@TIdTCPConnection@Ser | 1 |
| @Idtcpconnection@TIdTCPConnection@Rai | 1 |
| @Idtcpconnection@TIdTCPConnection@Rai | 1 |
| @Idtcpconnection@TIdTCPConnection@Get | 1 |
| @Idtcpconnection@TIdTCPConnection@Dis | 1 |
| @Idtcpconnection@TIdTCPConnection@Cor | 1 |
| @Idtcpconnection@TIdTCPConnection@Get | 1 |
| @Idtcpconnection@TIdTCPConnection@Get | 1 |
| @Idtcpclient@TIdTCPClientCustom@MakeIr | 1 |
| @Idtcpclient@TIdTCPClientCustom@SetIOH | 1 |
| @Idtcpclient@TIdTCPClientCustom@SetIPV | 1 |
| @Idtcpclient@TIdTCPClientCustom@SetPor | 1 |
| @Idtcpclient@TIdTCPClientCustom@SetHos | 1 |
| @Idtcpclient@TIdTCPClientCustom@SetReu | 1 |
| @Idtcpclient@TIdTCPClientCustom@SetRea | 1 |

| | |
|---|---|
| @Idtcpclient@TIdTCPClientCustom@SetCon | 1 |
| @Idtcpclient@TIdTCPClientCustom@DoOnC | 1 |
| @Idtcpclient@TIdTCPClientCustom@Conne | 1 |
| @Idtcpclient@TIdTCPClientCustom@Conne | 1 |
| @Idhttpheaderinfo@TIdProxyConnectionIn | 1 |
| @Idhttpheaderinfo@TIdProxyConnectionIn | 1 |
| @Idhttpheaderinfo@TIdEntityHeaderInfo@' | 1 |
| @Idheaderlist@TIdHeaderList@GetValue\$q | 1 |
| @Idcharsets@IdCharsetNames | 1 |
| @Iduri@TIdURI@\$bctr\$qqrx20System@Uni | 1 |
| @Iduri@TIdURI@ | 1 |
| @Idhttp@TIdCustomHTTP@DoRequest\$qqr | 1 |
| @Idhttp@TIdCustomHTTP@InitComponent\$ | 1 |
| @Idhttp@TIdCustomHTTP@CreateProtocol\$ | 1 |
| @Idhttp@TIdCustomHTTP@DoOnDisconnect | 1 |
| @Idhttp@TIdCustomHTTP@GetRequest\$qq | 1 |
| @Idhttp@TIdCustomHTTP@GetResponse\$qq | 1 |
| @Idhttp@TIdCustomHTTP@DoOnProxyAuth | 1 |
| @Idhttp@TIdCustomHTTP@DoOnAuthorization | 1 |
| @Idhttp@TIdCustomHTTP@SetCookieManag | 1 |
| @Idhttp@TIdCustomHTTP@Notification\$qq | 1 |
| @Idhttp@TIdCustomHTTP@SetAllowCookie | 1 |
| @Idhttp@TIdCustomHTTP@DoOnRedirect\$qq | 1 |
| @Idhttp@TIdCustomHTTP@Get\$qqr20Syste | 1 |
| @Idhttp@TIdCustomHTTP@Post\$qqr20Syst | 1 |
| @Idhttp@TIdCustomHTTP@Post\$qqr20Syst | 1 |
| @Idhttp@TIdCustomHTTP@Get\$qqr20Syste | 1 |
| @Idhttp@TIdCustomHTTP@\$bdtr\$qqrv | 1 |
| @Idhttp@EldHTTPProtocolException@ | 1 |
| @\$xp\$14Idhttp@TIdHTTP | 1 |
| @Idmultipartformdata@TIdFormDataField@ | 1 |
| @Idmultipartformdata@TIdMultiPartFormD | 1 |
| @Idmultipartformdata@TIdMultiPartFormD | 1 |
| @Idmultipartformdata@TIdMultiPartFormD | 1 |
| @\$xp\$46Idmultipartformdata@TIdMultiPar | 1 |
| @Idmultipartformdata@TIdMultiPartFormD | 1 |
| @Idheadercoderbase@initialization\$qqrv | 1 |
| @Idheadercoderbase@Finalization\$qqrv | 1 |
| @Idheadercoderindy@initialization\$qqrv | 1 |
| @Idheadercoderindy@Finalization\$qqrv | 1 |
| @Idheadercoderutf@initialization\$qqrv | 1 |
| @Idheadercoderutf@Finalization\$qqrv | 1 |
| @Idheadercoder2022jp@initialization\$qqrv | 1 |
| @Idheadercoder2022jp@Finalization\$qqrv | 1 |
| @Idheadercoderplain@initialization\$qqrv | 1 |
| @Idheadercoderplain@Finalization\$qqrv | 1 |
| @Idcookiemanager@TIdCookieManager@A | 1 |

| | |
|--|---|
| @\$xp\$32Idcookiemanager@TIdCookieManager | 1 |
| @Idcookiemanager@TIdCookieManager@ | 1 |
| @Idcookie@TIdCookies@GetCookie\$qqri | 1 |
| @Idauthenticationdigest@initialization\$qqrv | 1 |
| @Idauthenticationdigest@Finalization\$qqrv | 1 |
| @Idfips@initialization\$qqrv | 1 |
| @Idfips@Finalization\$qqrv | 1 |
| @Idauthenticationsspi@initialization\$qqrv | 1 |
| @Idauthenticationsspi@Finalization\$qqrv | 1 |
| @Idauthenticationntlm@initialization\$qqrv | 1 |
| @Idauthenticationntlm@Finalization\$qqrv | 1 |
| @Idntlm@initialization\$qqrv | 1 |
| @Idntlm@Finalization\$qqrv | 1 |
| @\$xp\$41Idssopenssl@TIdSSLIOWHandlerSoc | 1 |
| @Idssopenssl@TIdSSLIOWHandlerSocketOper | 1 |
| @Idzlib@EDecompressionError@ | 1 |
| @\$xp\$34Idcompressor zlib@TIdCompressorZ | 1 |
| @Idcompressor zlib@TIdCompressorZLib@ | 1 |
| @Rtti@TRttiProperty@SetValue\$qqrpvrx11I | 1 |
| @Rtti@TRttiType@GetTypeKind\$qqrv | 1 |
| @Rtti@TRttiContext@GetType\$qqrp17Syste | 1 |
| @Rtti@TRttiContext@Free\$qqrv | 1 |
| @Rtti@TRttiContext@Create\$qqrv | 1 |
| @Rtti@ TValue@Make\$qqrpvp17Typinfo@T | 1 |
| @Rtti@ TValue@FromVariant\$qqrrx14Syster | 1 |
| @\$xp\$17Rtti@TRttiContext | 1 |
| @\$xp\$18Rtti@TRttiProperty | 1 |
| @\$xp\$11Rtti@ TValue | 1 |
| @Cxcheckboxgroup@TcxCheckGroup@GetProp | 1 |
| @Cxcheckboxgroup@TcxCustomCheckGroup@C | 1 |
| @Cxcheckboxgroup@TcxCustomCheckGroup@C | 1 |
| @\$xp\$26Cxcheckboxgroup@TcxCheckGroup | 1 |
| @Cxcheckboxgroup@TcxCheckGroup@ | 1 |
| @Cxcheckboxcombobox@TcxCustomCheckCom | 1 |
| @Cxcheckboxcombobox@TcxCustomCheckCom | 1 |
| @Cxcheckboxcombobox@TcxCheckComboBox@ | 1 |
| @Cxcheckboxcombobox@TcxCheckComboBoxIt | 1 |
| @Cxcheckboxcombobox@TcxCheckComboBoxIt | 1 |
| @\$xp\$32Cxcheckboxcombobox@TcxCheckCom | 1 |
| @Cxtrackbar@TcxCustomTrackBar@SetPosi | 1 |
| @Cxtrackbar@TcxCustomTrackBar@GetPosi | 1 |
| @\$xp\$22Cxtrackbar@TcxTrackBar | 1 |
| @Cxtrackbar@TcxTrackBar@ | 1 |
| @Abzipper@TAbCustomZipper@SetDOSMo | 1 |
| @Abzipper@TAbCustomZipper@SetAutoSav | 1 |
| @Abzipper@TAbCustomZipper@AddFromSt | 1 |

| | |
|---|---|
| @Abzipper@TAbCustomZipper@AddFiles\$q | 1 |
| @Abzipper@TAbCustomZipper@\$bctr\$qqrp | 1 |
| @\$xp\$18Abzipper@TAbZipper | 1 |
| @Abzipper@TAbZipper@ | 1 |
| @Abbrowse@TAbBaseBrowser@SetBaseDir | 1 |
| @Abbrowse@TAbBaseBrowser@CloseArch | 1 |
| @Abfcifdi@initialization\$qqrv | 1 |
| @Abfcifdi@Finalization\$qqrv | 1 |
| @Cxpcdxbarpopupmenu@initialization\$qqrv | 1 |
| @Cxpcdxbarpopupmenu@Finalization\$qqrv | 1 |
| @Dxbarbuiltinmenu@initialization\$qqrv | 1 |
| @Dxbarbuiltinmenu@Finalization\$qqrv | 1 |
| @Abunzper@TAbCustomUnZipper@Extractl | 1 |
| @Abunzper@TAbCustomUnZipper@\$bctr\$c | 1 |
| @Abunzper@TAbUnZipper@ | 1 |
| @Deccipher@TDECCipher@\$bctr\$qqrv | 1 |
| @Deccipher@TDECCipher@SetMode\$qqr21 | 1 |
| @Deccipher@TCipher_Rijndael@ | 1 |
| @Dxstatusbar@TdxStatusBarPanel@SetText | 1 |
| @\$xp\$24Dxstatusbar@TdxStatusBar | 1 |
| @\$xp\$40Dxstatusbar@TdxStatusBarContain | 1 |
| @Dxstatusbar@TdxStatusBarContainerConti | 1 |
| @Gifimg@TGIFImage@SetAnimate\$qqrxo | 1 |
| @Gifimg@TGIFImage@\$bctr\$qqrv | 1 |
| @Gifimg@TGIFImage@ | 1 |
| @\$xp\$36Cxgriddbtableview@TcxGridDBTab | 1 |
| @Cxgriddbdatadefinitions@TcxGridDBDataC | 1 |
| @Cxgridcardview@TcxGridCardView@GetD | 1 |
| @\$xp\$30Cxgridcardview@TcxGridCardView | 1 |
| @Cxgridcardview@TcxGridCardView@ | 1 |
| @\$xp\$33Cxgridcardview@TcxGridCardView | 1 |
| @Cxgridcardview@TcxGridCardViewRow@ | 1 |
| @\$xp\$22Cxsplitter@TcxSplitter | 1 |
| @Cxsplitter@TcxSplitter@ | 1 |
| @Cxbaredititem@Finalization\$qqrv | 1 |
| @Cxbaredititem@TcxCustomBarEditItem@S | 1 |
| @Cxbaredititem@TcxCustomBarEditItem@C | 1 |
| @\$xp\$28Cxbaredititem@TcxBarEditItem | 1 |
| @Cxbaredititem@TcxBarEditItem@ | 1 |
| @Cxshellcommon@Finalization\$qqrv | 1 |
| @Cxshelltreeview@TcxCustomShellTreeView | 1 |
| @Cxshelltreeview@TcxCustomShellTreeView | 1 |
| @\$xp\$32Cxshelltreeview@TcxShellTreeView | 1 |
| @Cxshelltreeview@TcxShellTreeView@ | 1 |
| @Cxshellcontrols@Finalization\$qqrv | 1 |
| @Cxshelllistview@Finalization\$qqrv | 1 |
| lineGetAddressID | 1 |

| | |
|--|---|
| lineConfigDialogEditW | 1 |
| RtlEnumProcessHeaps | 1 |
| ?UninstallHook@@YA_NXZ | 1 |
| FlashConfigCreateNetworkW | 1 |
| FDITruncateCabinet | 1 |
| GetDIIVersion | 1 |
| CredUIStoreSSOCredW | 1 |
| CredUIStoreSSOCredA | 1 |
| SetShellOfflineState | 1 |
| DoFileDownloadEx | 1 |
| DllGetTscCtlVer | 1 |
| D3DPERF_GetStatus | 1 |
| D3DPERF_QueryRepeatFrame | 1 |
| DebugSetLevel | 1 |
| Direct3DShaderValidatorCreate9 | 1 |
| D3DPERF_SetOptions | 1 |
| D3DPERF_SetMarker | 1 |
| PSGPSampleTexture | 1 |
| D3DPERF_SetRegion | 1 |
| PSGPError | 1 |
| PStoreEnumProviders | 1 |
| SisFreeRestoreStructure | 1 |
| SisCreateRestoreStructure | 1 |
| ?getPlatformSystemUILanguage@MsLangId@ | 1 |
| ZwStartProfile | 1 |
| DC_GETTEMPLATE | 1 |
| OPEN_DBF | 1 |
| ?add_page@CRWIZARD_PAGE@@UAE_NP/ | 1 |
| ?find_last_page@CRWIZARD_PAGE@@UAE | 1 |
| ?find_first_page@CRWIZARD_PAGE@@UAE | 1 |
| ?on_update_symbol@CRWIZARD_PAGE@@ | 1 |
| ?has_read_cnx_file@CRWIZARD_PAGE@@I | 1 |
| ?get_map_file_entries@CRWIZARD_PAGE@ | 1 |
| ?do_param_port_to_private_translation@C | 1 |
| ?on_post_cnx_file_read_update@CRWIZAR | 1 |
| ?set_control_defaults@CRWIZARD_PAGE@() | 1 |
| ?set_control_settings@CRWIZARD_PAGE@() | 1 |
| ?get_map_file_port_rule_entry@CRWIZARD | 1 |
| ?get_map_file_port_used_entry@CRWIZARD | 1 |
| ?get_map_file_numeric_param_entry@CRW | 1 |
| ?get_map_file_string_private_entry@CRWI | 1 |
| ?get_map_file_string_param_entry@CRWIZ | 1 |
| ?get_page_specific_map_file_entries@CRW | 1 |
| ?do_page_specific_param_port_to_private_ | 1 |
| ?get_page_caption@CRWIZARD_PAGE@@@L | 1 |
| ?IncludedInSequence@CRWIZARD_PAGE@() | 1 |
| ?wizard_page_is_valid@CRWIZARD_PAGE@ | 1 |

| | |
|--|---|
| ?on_wiz_page_return_with_do_nothing@CI | 1 |
| ?on_wiz_page_help@CRWIZARD_PAGE@@ | 1 |
| ?get_last_std_pages_count@CRWIZARD_PA | 1 |
| ?invalidate_wizard_page@CRWIZARD_PAGE | 1 |
| ?on_end_dialog@CRWIZARD_PAGE@@UAE | 1 |
| ?get_last_dlg_size@CRWIZARD_PAGE_BASE | 1 |
| ?is_initialization_complete@CRWIZARD_PA | 1 |
| ?set_initialization_complete@CRWIZARD_P | 1 |
| ?enable_invalidate_and_update_page@CRV | 1 |
| ?invalidate_and_update_page_is_enabled@ | 1 |
| ?update_resource_info@CRWIZARD_PAGE@C | 1 |
| ?on_wiz_page_invalidate_and_update@CRV | 1 |
| ?invalidate_and_update_page@CRWIZARD_ | 1 |
| ?on_dialog_decorated@CRWIZARD_PAGE_E | 1 |
| ?on_wiz_page_cbx_device_family_selection | 1 |
| ?on_wiz_page_about_button_pressed@CRV | 1 |
| ?on_wiz_page_help_button_pressed@CRW | 1 |
| ?on_wiz_page_cancel@CRWIZARD_PAGE@I | 1 |
| ?on_wiz_page_prev@CRWIZARD_PAGE@@ | 1 |
| ?on_wiz_page_next@CRWIZARD_PAGE@@ | 1 |
| ?on_wiz_page_finish@CRWIZARD_PAGE@C | 1 |
| ?on_tcl_shell_thread_terminated@CRWIZAI | 1 |
| ?on_simlib_info_thread_terminated@CRWI | 1 |
| ?on_resource_info_thread_terminated@CR | 1 |
| ?on_page_decoration_done@CRWIZARD_P | 1 |
| ?get_wizard_base_ref@CRWIZARD_PAGE_B | 1 |
| ?set_wizard_base_ref@CRWIZARD_PAGE_B | 1 |
| ?set_cbx_combobox_device_family@CRWIZ | 1 |
| ?get_cbx_combobox_device_family@CRWIZ | 1 |
| ?set_cbx_device_family@CRWIZARD_PAGE_ | 1 |
| ?get_cbx_device_family@CRWIZARD_PAGE_ | 1 |
| ?get_cbx_device_family_obj@CRWIZARD_P | 1 |
| ?set_cbx_device_family_obj@CRWIZARD_P | 1 |
| ?get_next_page_index@CRWIZARD_PAGE_I | 1 |
| ?set_next_page_index@CRWIZARD_PAGE_E | 1 |
| ?get_page_order@CRWIZARD_PAGE@@UA | 1 |
| ?position_page@CRWIZARD_PAGE_BASE@() | 1 |
| ?get_page_id@CRWIZARD_PAGE_BASE@@ | 1 |
| ?get_page_nav_button_label@CRWIZARD_F | 1 |
| ?get_page_nav_parent_item_id@CRWIZARI | 1 |
| ?set_page_nav_info@CRWIZARD_PAGE_BA | 1 |
| ?OnCreate@CRWIZARD_PAGE_BASE@@UA | 1 |
| ?on_browser_launch_requested@CRDIALOG | 1 |
| ?get_default_background_color_color@CRD | 1 |
| ?register_control@CRDIALOG@@UAEXAAVI | 1 |
| ?modify_dialog_controls@CRDIALOG@@UA | 1 |
| ?move_dialog_controls@CRDIALOG@@UAE | 1 |

| | |
|--|---|
| ?move_control@CRDIALOG@@UAEXPACV | 1 |
| ?on_page_unpacked@CRWIZARD_PAGE_BA | 1 |
| ?on_page_packed@CRWIZARD_PAGE_BASE | 1 |
| ?unpack_page@CRWIZARD_PAGE_BASE@@ | 1 |
| ?pack_page@CRWIZARD_PAGE_BASE@@U, | 1 |
| ?get_border_panel@CRDIALOG@@UAEPAV | 1 |
| ?add_border_panel@CRDIALOG@@UAEXP/ | 1 |
| ?restore_dialog_on_cancel@CRDIALOG@@I | 1 |
| ?update_dialog_on_ok@CRDIALOG@@UAE | 1 |
| ?OnCancel@CRWIZARD_PAGE@@UAEXXZ | 1 |
| ?OnOK@CRWIZARD_PAGE@@UAEXXZ | 1 |
| ?OnInitDialog@CRWIZARD_PAGE@@UAEH> | 1 |
| ?GetMessageMap@CRWIZARD_PAGE_BASE | 1 |
| ??1CRCHECK_BUTTON@@UAE@XZ | 1 |
| ??1CREDIT_BOX_INTEGER@@UAE@XZ | 1 |
| ??1CRCOMBO_BOX_NUMERIC@@UAE@XZ | 1 |
| ?find_first_page@CRWIZARD@@UAEHI@Z | 1 |
| ??1CRRADIO_BUTTON@@UAE@XZ | 1 |
| ??1CRWIZARD_PAGE@@UAE@XZ | 1 |
| ??0CRCHECK_BUTTON@@QAE@XZ | 1 |
| ??0CREDIT_BOX_INTEGER@@QAE@XZ | 1 |
| ??0CRCOMBO_BOX_NUMERIC@@QAE@XZ | 1 |
| ??0CRRADIO_BUTTON_GROUP@@QAE@XZ | 1 |
| ??0CRRADIO_BUTTON@@QAE@XZ | 1 |
| ??0CRWIZARD_PAGE@@QAE@IPAVCWnd@ | 1 |
| ?on_cbx_device_combobox_sel_changed@C | 1 |
| ??1CRSTATIC@@UAE@XZ | 1 |
| ??0CRSTATIC@@QAE@XZ | 1 |
| ?MWIZC_NAV_BUTTON_ID_PARAM_SETTIN | 1 |
| ?on_end_wizard@CRWIZARD@@UAEXXZ | 1 |
| ?paint@CRUI_ELEMENT@@UAEXXZ | 1 |
| ?get_read_back_cnx_constant_string@CRW | 1 |
| ?get_cnx_private_bool@CRWIZARD_PAGE@ | 1 |
| ?notify_listeners@CRSUBJECT@@UAEXQAV | 1 |
| ?on_attach_control@CRSTATIC@@MAEXXZ | 1 |
| ?update_state@CCONTROL@@UAEXIKIJ@Z | 1 |
| ?get_action_command@CCONTROL@@UAE | 1 |
| ?set_action_command@CCONTROL@@UAE | 1 |
| ?notify_all@CCONTROL@@UAE_NQAVCRC(| 1 |
| ?show_control@CCONTROL@@UAEX_N@Z | 1 |
| ?is_control_visible@CCONTROL@@UAE_NX | 1 |
| ?enable_control@CCONTROL@@UAEX_N@ | 1 |
| ?is_control_enabled@CCONTROL@@UAE_N | 1 |
| ?attach_control@CCONTROL@@UAEXIPAV(| 1 |
| ?set_size@CPANEL@@UAEXABVCSize@@@ | 1 |
| ?get_preferred_size@CRSYMBOL_OUTLINE(| 1 |
| ?get_ui_delegate_class_id@CPANEL@@UBI | 1 |

| | |
|---|---|
| ?do_layout@CPANEL@@UAE?AVCSize@@A | 1 |
| ?create_element@CRSYMBOL_OUTLINE@@ | 1 |
| ?get_extent@CRSYMBOL_OUTLINE@@UAE | 1 |
| ?generate_cnx@CRSYMBOL_OUTLINE@@U | 1 |
| ?create_outline@CRSYMBOL_OUTLINE@@L | 1 |
| ?paint@CPANEL@@MAEXPACPaintDC@@ | 1 |
| ?on_panel_created@CPANEL@@UAEXXZ | 1 |
| ?remove_all_controls@CPANEL@@UAEX_N | 1 |
| ?update_controls@CPANEL@@UAEXXZ | 1 |
| ?add_controls@CPANEL@@UAEXXZ | 1 |
| ?get_inset@CPANEL@@UBE?AVCRect@@X | 1 |
| ?set Insets@CPANEL@@UAEXABVCRect@C | 1 |
| ?set_layout_direction@CPANEL@@UAEXW | 1 |
| ?get_layout_direction@CPANEL@@UAE?AV | 1 |
| ?set_resource_id@CPANEL@@UAEXI@Z | 1 |
| ?get_resource_id@CPANEL@@UBEIXZ | 1 |
| ?get_controls_list@CPANEL@@UAEPAV?\$N | 1 |
| ?on_size_set@CPANEL@@UAEXXZ | 1 |
| ?add_gel_block@CPANEL@@UAEXXZ | 1 |
| ?add_gel_block@CPANEL@@UAEXK@Z | 1 |
| ?add_rigid_block@CPANEL@@UAEXH@Z | 1 |
| ?add_panel@CPANEL@@UAEXIPAV1@KW4 | 1 |
| ?add_control@CPANEL@@UAEXIPAVCCON | 1 |
| ?create_in_dlg@CPANEL@@UAE_NPAVCWI | 1 |
| ?GetMessageMap@CRSYMBOL_OUTLINE@C | 1 |
| ?add_title_text@CRWIZARD@@IAEPAVCRS | 1 |
| ?add_point@CRWIZARD@@IAEPAVCRSYME | 1 |
| ?add_point@CRSYMBOL_OUTLINE@@QAEP | 1 |
| ?MWIZC_COLOR_TEAL@@3KB | 1 |
| ?add_text@CRWIZARD@@IAEPAVCRSYMBC | 1 |
| ?SYM_INFO_TEXT_HEIGHT@CRSYMBOL_TE | 1 |
| ?SYM_TEXT_FONT_NAME@CRSYMBOL_TEX | 1 |
| ?add_pinstub@CRWIZARD@@IAEPAVCRSY | 1 |
| ?add_symbol_outline@CRWIZARD@@IAEP | 1 |
| ?set_origin@CRSYMBOL_OUTLINE@@QAEX | 1 |
| ?enable_border@CPANEL@@QAEX_N@Z | 1 |
| ?MWIZC_COLOR_BLACK@@3KB | 1 |
| ??0CRSYMBOL_OUTLINE@@QAE@ABV?\$CS | 1 |
| ??1CRSYMBOL_OUTLINE@@UAE@XZ | 1 |
| ?set_value_no_notify@CREDIT_BOX_INTEGI | 1 |
| ?mwizc_global_int2str@@YA?AV?\$CStringT | 1 |
| ?add_cnx_port_and_connection@CRWIZARI | 1 |
| ?add_cnx_portbus_and_connection@CRWIZ | 1 |
| ?add_cnx_constant@CRWIZARD_PAGE@@C | 1 |
| ?add_cnx_constant@CRWIZARD_PAGE@@C | 1 |
| ?sequence_page_list@CRWIZARD_PAGE@C | 1 |
| ?add_cnx_module@CRWIZARD_PAGE@@Q | 1 |

| | |
|--|---|
| ?add_cnx_private@CRWIZARD_PAGE@@QF | 1 |
| ?get_read_back_cnx_constant_int@CRWIZA | 1 |
| ?get_cnx_private@CRWIZARD_PAGE@@QA | 1 |
| ?update_symbol@CRWIZARD_PAGE@@QAI | 1 |
| ?add_button@CRRADIO_BUTTON_GROUP@ | 1 |
| ?remove_all_buttons@CRRADIO_BUTTON_() | 1 |
| ?find_last_page@CRWIZARD@@UAEHI@Z | 1 |
| ?get_page_order@CRWIZARD@@UAEHPAV | 1 |
| ?add_page@CRWIZARD@@UAE_NPAVCRW | 1 |
| ?add_page_with_label@CRWIZARD_PAGE@ | 1 |
| ?set_page_at@CRWIZARD@@UAE_NHPAV(| 1 |
| ?set_page_at_with_label@CRWIZARD@@U | 1 |
| ?insert_page_after@CRWIZARD@@UAE_NI | 1 |
| ?insert_page_after_with_label@CRWIZARD | 1 |
| ?insert_page_before@CRWIZARD@@UAE_I | 1 |
| ?insert_page_before_with_label@CRWIZAR | 1 |
| ?remove_page_at@CRWIZARD@@UAE_NH | 1 |
| ?jump_to_page@CRWIZARD@@UAE_NH@: | 1 |
| ?show_wizard@CRWIZARD@@UAEX_N@Z | 1 |
| ?set_page_info@CRWIZARD@@UAEXPACI | 1 |
| ?get_wizard_pages_list@CRWIZARD@@UAI | 1 |
| ?sequence_page_list@CRWIZARD@@UAE?/ | 1 |
| ?get_device_part_info_table@CRWIZARD@ | 1 |
| ?get_page_from_page_id@CRWIZARD@@L | 1 |
| ?get_page_from_page_id@CRWIZARD@@L | 1 |
| ?get_summary_page@CRWIZARD@@UAEP. | 1 |
| ?get_page_at@CRWIZARD_PAGE@@UAEPA | 1 |
| ?set_page_at@CRWIZARD_PAGE@@UAE_N | 1 |
| ?set_page_at_with_label@CRWIZARD_PAGI | 1 |
| ?insert_page_after@CRWIZARD_PAGE@@L | 1 |
| ?insert_page_after_with_label@CRWIZARD | 1 |
| ?insert_page_before@CRWIZARD_PAGE@@@ | 1 |
| ?insert_page_before_with_label@CRWIZAR | 1 |
| ?remove_page_at@CRWIZARD_PAGE@@U | 1 |
| ?pre_ddx_value@CRWIZARD_PAGE@@MAI | 1 |
| ?add_and_register_control@CRWIZARD_PA | 1 |
| ?get_indexed_cnx_private_id@CRWIZARD_I | 1 |
| ?get_slave_mode_exclusion_list_for_tag@C | 1 |
| ?set_base_wnd@CRUI_ELEMENT@@UAEXP | 1 |
| ?get_base_wnd@CRUI_ELEMENT@@UBEPA | 1 |
| ?get_hWnd@CRUI_ELEMENT@@UAEPAUH` | 1 |
| ?create_element@CRUI_ELEMENT@@UAE_ | 1 |
| ?destroy_element@CRUI_ELEMENT@@UAE | 1 |
| ?do_layout@CRUI_ELEMENT@@UAE?AVCSI | 1 |
| ?is_valid_window@CRUI_ELEMENT@@UAE | 1 |
| ?create@CRUI_ELEMENT@@UAE_NIAVCR | 1 |
| ?set_focus@CRUI_ELEMENT@@UAEXXZ | 1 |

| | |
|--|---|
| ?is_enabled@CRUI_ELEMENT@@UBE_NXZ | 1 |
| ?enable@CRUI_ELEMENT@@UAEX_N@Z | 1 |
| ?is_visible@CRUI_ELEMENT@@UBE_NXZ | 1 |
| ?show@CRUI_ELEMENT@@UAEX_N@Z | 1 |
| ?get_default_color@CRUI_ELEMENT@@UA | 1 |
| ?get_default_disabled_color@CRUI_ELEM | 1 |
| ?get_default_background_color@CRUI_ELE | 1 |
| ?get_default_disabled_background_color@ | 1 |
| ?get_default_border_color@CRUI_ELEMENT | 1 |
| ?get_default_disabled_border_color@CRUI_ | 1 |
| ?get_default_font@CRUI_ELEMENT@@UAE | 1 |
| ?set_ui_delegate@CRUI_ELEMENT@@UAE> | 1 |
| ?get_ui_delegate@CRUI_ELEMENT@@UAEI | 1 |
| ?get_ui_delegate_class_id@CRDIALOG@@L | 1 |
| ?handle_mouse_move@CRUI_ELEMENT@@ | 1 |
| ?handle_mouse_leave@CRUI_ELEMENT@@ | 1 |
| ?handle_mouse_hover@CRUI_ELEMENT@@ | 1 |
| ?contains@CRUI_ELEMENT@@UAE_NHH@: | 1 |
| ?update@CRUI_ELEMENT@@UAEXXZ | 1 |
| ?get_size@CRUI_ELEMENT@@UAE?AVCSiz€ | 1 |
| ?set_size@CRUI_ELEMENT@@UAEXABVCSI: | 1 |
| ?set_creation_size@CRUI_ELEMENT@@UAI | 1 |
| ?set_margins@CRUI_ELEMENT@@UAEXAB\ | 1 |
| ?window_proc@CRUI_ELEMENT@@UAEJIIJ | 1 |
| ?on_action_performed@CRWIZARD_PAGE@ | 1 |
| ??0CRWIZARD_APP@@QAE@XZ | 1 |
| ??1CRWIZARD_APP@@UAE@XZ | 1 |
| ?InitInstance@CRWIZARD_APP@@UAEHXZ | 1 |
| ?ExitInstance@CRWIZARD_APP@@UAEHXZ | 1 |
| ?on_tcl_shell_command_done@CRWIZARD | 1 |
| ?set_cmdline_manager@CRWIZARD_BASE@ | 1 |
| ?get_cmdline_manager@CRWIZARD_BASE@ | 1 |
| ?get_calling_thread_id@CRWIZARD_BASE@ | 1 |
| ?get_wizard_ID@CRWIZARD_BASE@@UAE | 1 |
| ?get_cmdline_device_speed@CRWIZARD_B | 1 |
| ?get_quartus_install_path@CRWIZARD_BA | 1 |
| ?get_cmdline_device_family@CRWIZARD_B | 1 |
| ?get_wizard_title@CRWIZARD@@UAE?AV? | 1 |
| ?get_wizard_subtitle@CRWIZARD@@UAE?/ | 1 |
| ?get_cmdline_wizard_name@CRWIZARD_B | 1 |
| ?get_variation_file_full_path@CRWIZARD_E | 1 |
| ?get_alternate_caption_text@CRWIZARD_B | 1 |
| ?get_megafunction_name@CRWIZARD_BAS | 1 |
| ?get_start_page_offset@CRWIZARD_BASE@ | 1 |
| ?is_silent_mode@CRWIZARD_BASE@@UAE | 1 |
| ?is_map_file_gen_mode@CRWIZARD_BASE | 1 |
| ?is_new_variation_mode@CRWIZARD_BASE | 1 |

| | |
|---|---|
| ?is_capable_of_symbol_generation@CRWIZ | 1 |
| ?is_send_msg_to_wizman_enabled@CRWIZ | 1 |
| ?is_cmd_line_flow@CRWIZARD_BASE@@U | 1 |
| ?cmd_line_resource_info_state@CRWIZARD | 1 |
| ?cmd_line_quartus_help_state@CRWIZARD | 1 |
| ?cmd_line_sample_waveform_state@CRWI | 1 |
| ?has_cbx_device_combobox@CRWIZARD_B | 1 |
| ?has_help_button@CRWIZARD_BASE@@U/ | 1 |
| ?is_entered_from_ged@CRWIZARD_BASE@ | 1 |
| ?is_entered_from_protocol_planner@CRWI | 1 |
| ?has_simlib_gen_check_box@CRWIZARD_B | 1 |
| ?has_synth_wrapper_gen_check_box@CRW | 1 |
| ?has_simlib_std_msg@CRWIZARD_BASE@C | 1 |
| ?has_nav_panel@CRWIZARD_BASE@@UAE | 1 |
| ?has_custom_laf@CRWIZARD_BASE@@UAI | 1 |
| ?get_initial_wizard_page_bottom_right_poi | 1 |
| ?is_cbx_generated@CRWIZARD_BASE@@U | 1 |
| ?get_quartus_version@CRWIZARD@@UAE? | 1 |
| ?get_quartus_short_version@CRWIZARD@() | 1 |
| ?get_quartus_build_date@CRWIZARD@@U | 1 |
| ?get_altera_copyright@CRWIZARD@@UAE! | 1 |
| ?get_logo_file_pathname@CRWIZARD@@L | 1 |
| ?build_decorators@CRWIZARD_BASE@@U/ | 1 |
| ?get_cbx_combobox_decorator@CRWIZARD | 1 |
| ?get_navigation_panel_decorator@CRWIZA | 1 |
| ?get_std_buttons_panel_decorator@CRWIZ | 1 |
| ?get_symbol_decorator@CRWIZARD_BASE@C | 1 |
| ?add_page_decorations@CRWIZARD_BASE@C | 1 |
| ?!invalidate@CRWIZARD_BASE@@UAEXH@: | 1 |
| ?set_page_group_entry@CRWIZARD_BASE@C | 1 |
| ?get_logo_bitmap_resource_id@CRWIZARD | 1 |
| ?get_variation_file_name@CRWIZARD_BAS | 1 |
| ?get_variation_file_title@CRWIZARD_BAS | 1 |
| ?get_variation_file_ext@CRWIZARD_BASE@ | 1 |
| ?get_variation_file_path@CRWIZARD_BASE | 1 |
| ?is_design_file_extension_valid@CRWIZARD | 1 |
| ?get_cnx_file_ext@CRWIZARD_BASE@@UA | 1 |
| ?get_cnx_file_full_path@CRWIZARD_BASE@C | 1 |
| ?set_wizard_name@CRWIZARD_BASE@@U | 1 |
| ?get_wizard_name@CRWIZARD_BASE@@U | 1 |
| ?get_gen_file_list_count@CRWIZARD@@U/ | 1 |
| ?get_gen_file_namepath@CRWIZARD@@U | 1 |
| ?get_gen_file_type@CRWIZARD@@UAE?A\ | 1 |
| ?is_gen_file_checked@CRWIZARD@@UAE_ | 1 |
| ?is_gen_file_checked_state_persistent@CR\ | 1 |
| ?on_wizard_help@CRWIZARD_BASE@@UA | 1 |
| ?get_symbol_outline@CRWIZARD_BASE@@ | 1 |

| | |
|---|---|
| ?fill_symbol_outline@CRWIZARD_BASE@@ | 1 |
| ?has_license_available@CRWIZARD@@UAE | 1 |
| ?is_supported_device_info_available@CRW | 1 |
| ?has_support_for_device_family@CRWIZAR | 1 |
| ?jump_to_page@CRWIZARD@@UAE_NABV | 1 |
| ?get_page_nav_parent_item_id_at@CRWIZ | 1 |
| ?get_page_nav_button_label_at@CRWIZAR | 1 |
| ?get_page_id_at@CRWIZARD@@UAE?AV?§ | 1 |
| ?is_cur_page_id@CRWIZARD@@UAE_NAB\ | 1 |
| ?set_cur_page_default_button_id@CRWIZA | 1 |
| ?get_cur_page_index@CRWIZARD@@UAE† | 1 |
| ?get_page_count@CRWIZARD@@UAEHXZ | 1 |
| ?is_slave_mode_only_page@CRWIZARD@© | 1 |
| ?is_slave_mode_last_page@CRWIZARD@@ | 1 |
| ?is_slave_mode@CRWIZARD@@UBE_NXZ | 1 |
| ?is_page_included_in_sequence@CRWIZAR | 1 |
| ?get_cur_page_positional_order@CRWIZAR | 1 |
| ?get_last_std_pages_count@CRWIZARD_BA | 1 |
| ?get_max_last_dlg_size@CRWIZARD@@UA | 1 |
| ?get_wizard_page_BR_point@CRWIZARD_B | 1 |
| ?set_wizard_page_BR_point@CRWIZARD_B | 1 |
| ?set_wizard_page_has_moved@CRWIZARD. | 1 |
| ?has_wizard_page_moved@CRWIZARD_BA§ | 1 |
| ?set_need_first_page_centering@CRWIZARI | 1 |
| ?needs_first_page_centering@CRWIZARD_E | 1 |
| ?initialize_custom_laf@CRWIZARD_BASE@© | 1 |
| ?set_cbx_device_family_checkbox@CRWIZA | 1 |
| ?is_cbx_device_family_checkbox_on@CRWI | 1 |
| ?set_cbx_device_family_obj@CRWIZARD_B, | 1 |
| ?get_cbx_device_family_obj@CRWIZARD_B. | 1 |
| ?get_prev_cbx_device_family@CRWIZARD_ | 1 |
| ?get_cbx_device_family@CRWIZARD_BASE© | 1 |
| ?set_cbx_device_family@CRWIZARD_BASE© | 1 |
| ?check_for_device_family_validity@CRWIZA | 1 |
| ?send_message_to_cur_page@CRWIZARD@ | 1 |
| ?send_message_to_wizman@CRWIZARD_B, | 1 |
| ?can_create_simulation_library_files@CRWI | 1 |
| ?on_summary_page_initialized@CRWIZARD | 1 |
| ?should_generate_synth_wrapper@CRWIZA | 1 |
| ?has_custom_validator@CRWIZARD@@UAI | 1 |
| ?on_cancel_wizard@CRWIZARD@@UAEXXZ | 1 |
| ?wizard_var_to_param@CRWIZARD@@UAI | 1 |
| ?all_pages_are_valid@CRWIZARD@@UAE_I | 1 |
| ?start_wizard@CRWIZARD@@UAE_N_N@Z | 1 |
| ?get_wizard_closing_state@CRWIZARD@@ | 1 |
| ?get_wizard_exit_state@CRWIZARD@@UAI | 1 |
| ?get_file_in_gen_file_list@CRWIZARD@@U | 1 |

| | |
|--|---|
| ?get_module_name@CRWIZARD@@UAE?A | 1 |
| ?get_cur_page@CRWIZARD@@UAEPAVCRV | 1 |
| ?get_page_count@CRWIZARD_PAGE@@UA | 1 |
| ?add_page_with_label@CRWIZARD@@UAE | 1 |
| ?get_simlib_page@CRWIZARD@@UAEPAVC | 1 |
| ?create_simlib_page@CRWIZARD@@UAEP/ | 1 |
| ?generate_waveform@CRWIZARD@@UAEX | 1 |
| ?update_symbol@CRWIZARD@@UAEXPBV | 1 |
| ?get_symbol_extent@CRWIZARD@@UAE?A | 1 |
| ?prepare_cnx_data@CRWIZARD@@MAEXX: | 1 |
| ?add_megafunction_port_names_to_cnx@C | 1 |
| ?get_wizard_pages_list@CRWIZARD_PAGE@ | 1 |
| ?get_preferred_size@CRUI_ELEMENT@@U | 1 |
| ?get_creation_size@CRUI_ELEMENT@@UBI | 1 |
| ?get_creation_rect@CRUI_ELEMENT@@UBI | 1 |
| ?add_cnx_altera_mf_library@CRWIZARD_P/ | 1 |
| ?get_margins_rect@CRUI_ELEMENT@@UBI | 1 |
| ?is_read_back_cnx_port_present@CRWIZAF | 1 |
| ?get_page_at@CRWIZARD@@UAEPAVCRW | 1 |
| ?update_state_from_cnx_info@CRWIZARD@ | 1 |
| ?initialize_wizard@CRWIZARD@@MAE_NXZ | 1 |
| ?on_wizard_initialized@CRWIZARD@@MAE | 1 |
| ?add_summary_page@CRWIZARD@@MAE@ | 1 |
| ??1CRRADIO_BUTTON_GROUP@@QAE@XZ | 1 |
| ?add_simlib_page@CRWIZARD@@MAEXXZ | 1 |
| GdipSetImageAttributesRemapTable | 1 |
| JgstmFindARTSegment | 1 |
| JgplDecGetReport | 1 |
| JgplDecSetEOF | 1 |
| JgplDecQuery | 1 |
| JgplDecGetMask | 1 |
| JgplDecGetImage | 1 |
| JgplDecInput | 1 |
| JgplDecOpenContext | 1 |
| JgplDecOpenDecoder | 1 |
| JgplDecCloseDecoder | 1 |
| JgplDecGetPalette | 1 |
| JgplDecCloseContext | 1 |
| BIO_new_socket | 1 |
| SSL_set_accept_state | 1 |
| Fd02_SetLED | 1 |
| Fd02_WriteUserData | 1 |
| Fd02_GetLastError | 1 |
| Fd02_MakeFS | 1 |
| Fd02_WriteSecByZone | 1 |
| Fd02_ChangePin | 1 |
| Fd02_GetTotalCap | 1 |

| | |
|--|----------|
| Fd02_CheckDisk | 1 |
| Fd02_SetZoneInfo | 1 |
| Fd02_IsWP | 1 |
| Fd02_OpenDevice | 1 |
| Fd02_GetMemStatus | 1 |
| Fd02_CloseDevice | 1 |
| ??_0?\$Complex_base@N@std@@QAEAA\ | 1 |
| ??0?\$basic_ostringstream@DU?\$char_traits | 1 |
| go | 1 |
| ?setVisible@mCompLayer@mSh@@UAEX_I | 1 |
| 68F2AAFC | 1 |
| 260EB4A0 | 1 |
| 6A91250D | 1 |
| | 2116444 |
| | 40297471 |
| 000ED771 | 1 |
| 2FA1A21E | 1 |
| C3E5E367 | 1 |
| F163073D | 1 |
| D1938D18 | 1 |
| FFB8C2A5 | 1 |
| 3066F6D8 | 1 |
| AB499084 | 1 |
| B47D7294 | 1 |
| BD4E4E0E | 1 |
| 5E04B104 | 1 |
| B86282CB | 1 |
| A3C2F95E | 1 |
| D46FC52B | 1 |
| | 9.82E+60 |
| A7401DF4 | 1 |
| AD32421A | 1 |
| 640BC16A | 1 |
| BAD71C9A | 1 |
| 694A50E6 | 1 |
| F2194BDD | 1 |
| A252BBB5 | 1 |
| 1122BD11 | 1 |
| 3938264C | 1 |
| 5D4A5DF3 | 1 |
| 7B8AB30F | 1 |
| 7148C91F | 1 |
| E1900598 | 1 |
| AEEF2223 | 1 |
| 206BAF15 | 1 |
| 6281E47C | 1 |
| 092C8A4B | 1 |

| | |
|----------|----------|
| 4A9779C3 | 1 |
| 193B34D3 | 1 |
| C3DD7AC9 | 1 |
| 1516D12A | 1 |
| 02E3CB71 | 1 |
| 614E0C9E | 1 |
| 4A074926 | 1 |
| 6CC522E6 | 1 |
| F6F18B82 | 1 |
| 6854460C | 1 |
| D99950F4 | 1 |
| 6A356351 | 1 |
| 18EBE47B | 1 |
| 986C65EB | 1 |
| D5C6E5F6 | 1 |
| 6C7E4A64 | 1 |
| B3317A82 | 1 |
| 7F0D1CEB | 1 |
| 05ED84E9 | 1 |
| 6BCB3558 | 1 |
| 85502A73 | 1 |
| AA4A4136 | 1 |
| B3AA5122 | 1 |
| D74A74B3 | 1 |
| C7E721C9 | 1 |
| B4F7DF7D | 1 |
| 89717E5E | 1 |
| 35CCDA67 | 1 |
| 34A065D4 | 1 |
| B485F121 | 1 |
| 4C487E60 | 1 |
| BC58761C | 1 |
| CD775119 | 1 |
| 0D4F5013 | 1 |
| F6F30AEE | 1 |
| 96C169B4 | 1 |
| E50E33B1 | 1 |
| DB51A5A1 | 1 |
| 121DC1F3 | 1 |
| | 9.85E+12 |
| B8483594 | 1 |
| 4D39EC14 | 1 |
| FEFFACF0 | 1 |
| 2EE63070 | 1 |
| 784E998F | 1 |
| 0517DC3B | 1 |
| 12144DF4 | 1 |

| | |
|--|---|
| 462A1E10 | 1 |
| B341984C | 1 |
| 67DD539B | 1 |
| 976B6188 | 1 |
| 7CF4497D | 1 |
| 7441E24C | 1 |
| 4038C4FD | 1 |
| 54BEA71D | 1 |
| 8F66AF1F | 1 |
| DD1E9232 | 1 |
| mdlSystem_releaseObjectMdl2 | 1 |
| mdlSystem_forceObjectMdl | 1 |
| ComPs_IUnknown_QueryInterface_Proxy | 1 |
| ComPs_NdrClientCall2 | 1 |
| ComPs_CStdStubBuffer_Invoke | 1 |
| ComPs_CStdStubBuffer_CountRefs | 1 |
| wiasGetPropertyAttributes | 1 |
| GdipGetSolidFillColor | 1 |
| SetMcShieldEngine | 1 |
| ?ReadBufferFromFile@AdvXMLParser@@YAF | 1 |
| ?GetElement@Element@AdvXMLParser@@A | 1 |
| ?GetName@Node@AdvXMLParser@@QBEA | 1 |
| ?cmnlib_QueryRegValue@@YA?AV?\$basic_ | 1 |
| ?cmnlib_GetFrameworkDataDir@@YA?AV?S | 1 |
| ?cmnlib_AppendFilePath@@YA?AV?\$basic_ | 1 |
| ?AddMessageW@CnaLogger@@SAJW4ESU | 1 |
| ?cmnlib_CreateGlobalObjectName@@YA?A | 1 |
| ?cmnlib_AllowAuthenticatedUsersToAccess(| 1 |
| ?SjrqyDIIDialogTitle@@3PADA | 1 |
| ?SjrqyDIIDialogTitleHwnd@@3PAUHWND__@@A | 1 |
| utime | 1 |
| Free | 1 |
| RecognizeFromFile | 1 |
| FaxSendDocumentForBroadcastA | 1 |
| ?ParseCatalogURL@@YGJPBGAAV?\$XPtrST@ | 1 |
| @Dxcore@dxBuildNumber | 1 |
| _HookStart@4 | 1 |
| _HookEnd@0 | 1 |
| _GetLClockVersion@4 | 1 |
| DisableKeyHook | 1 |
| EnableKeyHook | 1 |
| DirectPlay8AddressCreate | 1 |
| eklb_CreateKernel | 1 |
| eklb_AddKernelToLibrary | 1 |
| eklb_FreeKernel | 1 |
| estr_StringCopy | 1 |
| epmg_GetStringPreference | 1 |

| | |
|--------------------------------------|---|
| efio_NextFilename | 1 |
| efio_FindFree | 1 |
| eklb_CloseKernelLibrary | 1 |
| eklb_OpenKernelLibrary | 1 |
| eklb_GetKernelNames | 1 |
| esym_GetIdentifier | 1 |
| efio_Fgetc | 1 |
| efio_Feof | 1 |
| efio_DirectoryGetTemporary | 1 |
| efio_Sprintf | 1 |
| eklb_SaveKernelLibrary | 1 |
| eeml_RemoveFrame | 1 |
| eeml_ParseResultFree | 1 |
| eeml_TimerAdd | 1 |
| eeml_Init | 1 |
| eeml_GetNextCommand | 1 |
| eeml_ClearList | 1 |
| eeml_AddListItem | 1 |
| eeml_GetTheRoot | 1 |
| eeml_ParseVa | 1 |
| eeml_PartFind | 1 |
| eeml_FrameFindPart | 1 |
| eeml_AddCallback | 1 |
| eeml_DisplayFrame | 1 |
| eeml_StringPartValueSet | 1 |
| eeml_PostMessage | 1 |
| eeml_TimerRemove | 1 |
| ?GetImage@CastMemberImage@@UAEPA\ | 1 |
| ?DeleteImage@CastMemberImage@@UAE | 1 |
| ?AnimConfig@CastMemberImage@@UAEP. | 1 |
| ?Init@CastMemberImage@@UAEXV?\$basic | 1 |
| ?ShowDropShadow@CastMember@@MAE_ | 1 |
| ?ClearHotRect@CastMember@@UAEXXZ | 1 |
| ?SetHotRect@CastMember@@UAEXHHHH(| 1 |
| ?HandleMoveToForMoveToPrev@CastMem | 1 |
| ?GetPrevDistance@CastMember@@UAEHX | 1 |
| ?HandleMouseCanceled@CastMember@@I | 1 |
| ?GroupHide@CastMember@@UAEXXZ | 1 |
| ?GroupSafeDelete@CastMember@@UAEXX | 1 |
| ?RemoveFromGroup@CastMember@@UAE | 1 |
| ?AddToGroup@CastMember@@UAEXPBV1 | 1 |
| ?SetScaleOriginCentered@CastMember@@ | 1 |
| ?ForceOnScreen@CastMember@@UAE_N_ | 1 |
| ?GetClickTime@CastMember@@UAEHXZ | 1 |
| ?GetClickDistance@CastMember@@UAEHX | 1 |
| ?GetSnapDistance@CastMember@@UAEH\ | 1 |
| ?MoveBackOnNoReceiver@CastMember@C | 1 |

| | |
|---------------------------------------|---|
| ?SetDraggingListener@CastMember@@UAI | 1 |
| ?SetNumber@CastMember@@UAEXH@Z | 1 |
| ?GetNumber@CastMember@@UAEHZ | 1 |
| ?GetCurTime@CastMember@@UAEIXZ | 1 |
| ?AdjustPauseTimes@CastMemberImage@C | 1 |
| ?HideOnPause@CastMember@@UAEX_N@ | 1 |
| ?Pauseable@CastMember@@UAE_NXZ | 1 |
| ?SetPauseable@CastMember@@UAEX_N@ | 1 |
| ?SetRemoveListener@CastMember@@UAE | 1 |
| ?DeleteOnRemovedFromCast@CastMember | 1 |
| ?RemovedFromCast@CastMember@@UAE | 1 |
| ?IsADialog@CastMember@@UAE_NXZ | 1 |
| ?UsePerPixelAccuracy@CastMember@@UA | 1 |
| ?RefactorDropShadow@CastMemberImage | 1 |
| ?CreateScaledSurface@CastMemberImage@ | 1 |
| ?StopRotating@CastMember@@UAEX_N@ | 1 |
| ?Rotate@CastMemberImage@@UAEXMH@ | 1 |
| ?UseSmoothing@CastMember@@UAEX_N@ | 1 |
| ?SetRotation@CastMember@@UAEXM@Z | 1 |
| ?RotateTo@CastMember@@UAEXMHPAVC | 1 |
| ?RotateTo@CastMember@@UAEXMHPAVC | 1 |
| ?OnScale@CastMember@@UAEXXZ | 1 |
| ?ScaleTo@CastMember@@UAEXMHPAVCu | 1 |
| ?ScaleTo@CastMember@@UAEXMHPAVCu | 1 |
| ?ScaleTo@CastMember@@UAEXMHPAVCu | 1 |
| ?GetRotatingIncrement@CastMember@@U | 1 |
| ?GetRotatingMills@CastMember@@UAEHX | 1 |
| ?GetRotation@CastMember@@UAEMXZ | 1 |
| ?ScaleIsFullSize@CastMember@@UAE_NXZ | 1 |
| ?GetScaledHeight@CastMemberImage@@l | 1 |
| ?GetScaledWidth@CastMemberImage@@U | 1 |
| ?GetScaledY@CastMemberImage@@UAEH@ | 1 |
| ?GetScaledX@CastMemberImage@@UAEH@ | 1 |
| ?SetUnscaled@CastMember@@UAEXXZ | 1 |
| ?SetScale@CastMember@@UAEXMM@Z | 1 |
| ?GetScaleY@CastMember@@UAEMXZ | 1 |
| ?GetScaleX@CastMember@@UAEMXZ | 1 |
| ?GetScale@CastMember@@UAEMXZ | 1 |
| ?GetSWPixelFormat@CastMember@@UAEI | 1 |
| ?GetShadowPos@CastMember@@UAE?AVI | 1 |
| ?SetDropShadow@CastMember@@UAEXHI | 1 |
| ?LimitAlpha@CastMember@@UAEHH@Z | 1 |
| ?FadingOut@CastMember@@UAE_NXZ | 1 |
| ?FadingIn@CastMember@@UAE_NXZ | 1 |
| ?Fading@CastMember@@UAE_NXZ | 1 |
| ?FadeStop@CastMember@@UAEXXZ | 1 |

| | |
|--------------------------------------|---|
| ?FadeOut@CastMember@@UAEXHIPAVCue | 1 |
| ?FadeIn@CastMember@@UAEXHIPAVCueL | 1 |
| ?GetAlpha@CastMember@@UAEHXZ | 1 |
| ?SetAlpha@CastMemberImage@@UAEXH@ | 1 |
| ?OnAlpha@CastMember@@UAEXH@Z | 1 |
| ?DoAlpha@CastMember@@UAEXXZ | 1 |
| ?UseTransparentBackground@CastMember | 1 |
| ?UseTransparentBackground@CastMember | 1 |
| ?GetAnimationManager@CastMember@@l | 1 |
| ?CheckInputOverride@CastMember@@UAI | 1 |
| ?ResetScript@CastMember@@UAEXXZ | 1 |
| ?GetNextState@CastMember@@UAEHXZ | 1 |
| ?GetPrevState@CastMember@@UAEHXZ | 1 |
| ?GetState@CastMember@@UAEHXZ | 1 |
| ?SetState@CastMember@@UAEXH@Z | 1 |
| ?ChangeStateLock@CastMember@@UAEX_ | 1 |
| ?ChangeState@CastMember@@UAEXXZ | 1 |
| ?ChangeState@CastMember@@UAEXH@Z | 1 |
| ?ChangeState@CastMember@@UAEXHH@: | 1 |
| ?SameState@CastMember@@UAEXXZ | 1 |
| ?SameState@CastMember@@UAEXH@Z | 1 |
| ?DoScript@CastMember@@UAEXXZ | 1 |
| ?StopBlinking@CastMember@@UAEXXZ | 1 |
| ?Blink@CastMember@@UAEXXZ | 1 |
| ?Blink@CastMember@@UAEXH@Z | 1 |
| ?Blink@CastMember@@UAEXHH@Z | 1 |
| ?StopFlashing@CastMember@@UAEXXZ | 1 |
| ?Flash@CastMember@@UAEXXZ | 1 |
| ?Flash@CastMember@@UAEXH@Z | 1 |
| ?Flash@CastMember@@UAEXHH@Z | 1 |
| ?HideAfterBlink@CastMember@@UAEX_N(| 1 |
| ?SetBlinkRate@CastMember@@UAEXH@Z | 1 |
| ?SetBlinkRate@CastMember@@UAEXHH@: | 1 |
| ?GetTooltipCfg@CastMember@@UAEPAVC | 1 |
| ?SetTooltipCfg@CastMember@@UAEXPAC | 1 |
| ?SetTooltipCfg@CastMember@@UAEXABV! | 1 |
| ?DoTimeCue@CastMember@@UAEXXZ | 1 |
| ?Animate@CastMemberImage@@UAEXI@z | 1 |
| ?IsMoving@CastMember@@UAE_NXZ | 1 |
| ?CancelAllCues@CastMemberImage@@UAI | 1 |
| ?SetBlinkCue@CastMember@@UAEXXZ | 1 |
| ?SetTimeCue@CastMember@@UAEXH@Z | 1 |
| ?SetMoveCue@CastMember@@UAEXXZ | 1 |
| ?SetCueListener@CastMember@@UAEXPAC | 1 |
| ?MoveEnded@CastMember@@UAEXXZ | 1 |
| ?GetPrevY@CastMember@@UAEHXZ | 1 |
| ?GetPrevX@CastMember@@UAEHXZ | 1 |

| | |
|--|---|
| ?GetMouseDownAdjustmentY@CastMember@@UAEH@Z | 1 |
| ?GetMouseDownAdjustmentX@CastMember@@UAEH@Z | 1 |
| ?SetMouseDownAdjustment@CastMember@@UAEH@Z | 1 |
| ?SetPrevPosition@CastMember@@UAEH@Z | 1 |
| ?Contains@CastMember@@UAE_NHH@Z | 1 |
| ?GetPrevPri@CastMember@@UAEHXZ | 1 |
| ?SetPrevPri@CastMember@@UAEHX@Z | 1 |
| ?CanMove@CastMember@@UAE_NHH@Z | 1 |
| ?HandleCycle@CastMemberImage@@UAEH@Z | 1 |
| ?HandleScaleAndRotate@CastMember@@UAEH@Z | 1 |
| ?OnMove@CastMember@@UAEXHH_N@Z | 1 |
| ?HandleMove@CastMember@@UAEXXZ | 1 |
| ?HandleSpriteVelocityMove@CastMember@@UAEH@Z | 1 |
| ?ResetVelocity@CastMember@@UAEXXZ | 1 |
| ?SetVelocity@CastMember@@UAEXMM_N | 1 |
| ?MoveTo@CastMember@@UAEXHHI_NM@Z | 1 |
| ?MoveTo@CastMember@@UAEXHHIPANM | 1 |
| ?MoveTo@CastMember@@UAEXHHIW4Tin | 1 |
| ?AllowKeystrokes@CastMember@@UAEX_I | 1 |
| ?AllowKeystrokes@CastMember@@UAE_N | 1 |
| ?AllowClicks@CastMember@@UAEX_N@Z | 1 |
| ?AllowClicks@CastMember@@UAE_NXZ | 1 |
| ?AllowTracking@CastMember@@UAEX_N@Z | 1 |
| ?AllowTracking@CastMember@@UAE_NXZ | 1 |
| ?AllowDragging@CastMember@@UAEX_N@Z | 1 |
| ?AllowDragging@CastMember@@UAE_NXZ | 1 |
| ?AllowInput@CastMember@@UAE_NXZ | 1 |
| ?AllowMouseMoves@CastMember@@UAE_N | 1 |
| ?AllowMouseMoves@CastMember@@UAE_N | 1 |
| ?AllowNegativePriority@CastMember@@UAE_N | 1 |
| ?AllowNegativePriority@CastMember@@UAE_N | 1 |
| ?SetHighestPriorityOnDrag@CastMember@@UAE_N | 1 |
| ?SetPriority@CastMember@@UAEXH_N@Z | 1 |
| ?GetPriority@CastMember@@UAEHXZ | 1 |
| ?ResetDirty@CastMember@@UAEXXZ | 1 |
| ?GetDirtyRect@CastMember@@UAEAVRect | 1 |
| ?SetDirtyRect@CastMember@@UAEXXZ | 1 |
| ?SetDimensions@CastMember@@UAEXHH | 1 |
| ?MoveRel@CastMember@@UAEXHH@Z | 1 |
| ?Move@CastMember@@UAEXHH_N@Z | 1 |
| ?CenterAt@CastMember@@UAEXHH_N@Z | 1 |
| ?IsMovingDown@CastMember@@UAE_NX@Z | 1 |
| ?GetVelocitySquared@CastMember@@UAE_N | 1 |
| ?GetCurVelY@CastMember@@UAEMXZ | 1 |
| ?GetCurVelX@CastMember@@UAEMXZ | 1 |
| ?SetVelY@CastMember@@UAEXM@Z | 1 |
| ?SetVelX@CastMember@@UAEXM@Z | 1 |

| | |
|--------------------------------------|---|
| ?GetVelY@CastMember@@UAEMXZ | 1 |
| ?GetVelX@CastMember@@UAEMXZ | 1 |
| ?GetH@CastMember@@UAEHXZ | 1 |
| ?GetW@CastMember@@UAEHXZ | 1 |
| ?GetY@CastMember@@UAEHXZ | 1 |
| ?GetX@CastMember@@UAEHXZ | 1 |
| ?GetFromRect@CastMemberImage@@UAE | 1 |
| ?SetTotalScreenRect@CastMember@@UAE | 1 |
| ?GetTotalScreenRect@CastMember@@UAE | 1 |
| ?GetShadowRect@CastMember@@UAEAA\ | 1 |
| ?GetScaledRect@CastMember@@UAEAAVF | 1 |
| ?GetRect@CastMember@@UAEAAVRectan\ | 1 |
| ?PredictNextLocation@CastMember@@UAI | 1 |
| ?HasVelocity@CastMember@@UAE_NXZ | 1 |
| ?IsVisible@CastMember@@UAE_NXZ | 1 |
| ?IsDirty@CastMember@@UAE_NXZ | 1 |
| ?Repaint@CastMember@@UAEXXZ | 1 |
| ?Hide@CastMember@@UAEXXZ | 1 |
| ?Show@CastMember@@UAEXXZ | 1 |
| ?Update@CastMember@@UAEXPACanvas | 1 |
| ?Paint@CastMemberImage@@UAEXPACa | 1 |
| ?SetReceiver@CastMember@@UAEXPARe | 1 |
| ?GetReceiver@CastMember@@UAEPAVRe | 1 |
| ?Clicked@CastMemberImage@@UAE_NPA\ | 1 |
| ?Dragged@CastMemberImage@@UAE_NPA\ | 1 |
| ?StartMoving@CastMember@@UAEXXZ | 1 |
| ?StartDragging@CastMember@@UAEXXZ | 1 |
| ?KeyUp@CastMember@@UAE_NW4SDLKey | 1 |
| ?KeyDown@CastMember@@UAE_NW4SDL | 1 |
| ?OnJoystickMove@CastMember@@UAE_NI | 1 |
| ?OnJoystickTriggerMove@CastMember@@I | 1 |
| ?OnJoystickButtonUp@CastMember@@UAI | 1 |
| ?OnJoystickButtonDown@CastMember@@I | 1 |
| ?JoystickMove@CastMember@@UAE_NHH | 1 |
| ?JoystickTriggerMove@CastMember@@UA | 1 |
| ?JoystickButtonUp@CastMember@@UAE_N | 1 |
| ?JoystickButtonDown@CastMember@@UA | 1 |
| ?OnMouseHoverEnded@CastMember@@U | 1 |
| ?OnMouseHover@CastMember@@UAEXHI | 1 |
| ?OnMouseOver@CastMember@@UAEXHH_ | 1 |
| ?OnMouseDrag@CastMember@@UAEXHH(| 1 |
| ?OnMouseUp@CastMember@@UAEXHH(| 1 |
| ?OnMouseExit@CastMember@@UAEXHH@ | 1 |
| ?OnMouseEnter@CastMember@@UAEXHH | 1 |
| ?MouseMove@CastMember@@UAE_NHH_ | 1 |
| ?MouseDrag@CastMember@@UAE_NHH@ | 1 |
| ?MouseUp@CastMember@@UAE_NHHH@ | 1 |

| | |
|--------------------------------------|---|
| ?MouseDown@CastMember@@UAE_NHH@ | 1 |
| ?PreventInput@CastMember@@UAE_NXZ | 1 |
| ?CancelTracking@CastMember@@UAEXXZ | 1 |
| ?CancelDragging@CastMember@@UAEXXZ | 1 |
| ?SetDragPriority@CastMember@@UAEXH@C | 1 |
| ?GetDefaultAnimationManager@CastMemb | 1 |
| ?GetDefaultCast@CastMember@@UAEPAV | 1 |
| ?OnResume@CastMember@@UAEXXZ | 1 |
| ?OnPause@CastMember@@UAEXXZ | 1 |
| ?SetCast@CastMember@@UAEXPACast@ | 1 |
| ?GetCast@CastMember@@UAEPAVCast@() | 1 |
| ?GetID@CastMember@@UAEHXZ | 1 |
| ?SetID@CastMember@@UAEXH@Z | 1 |
| ?GetClassMemberType@CastMemberImage | 1 |
| ?FreeTooltip@CastMember@@MAEX_N@Z | 1 |
| ?MoveToPrev@CastMember@@MAEHXZ | 1 |
| ?DoBlinkScript@CastMember@@MAEXXZ | 1 |
| ?ChangeBlinkState@CastMember@@MAEX | 1 |
| ?ChangeBlinkState@CastMember@@MAEX | 1 |
| ?DoBlinkState@CastMember@@MAEXH@Z | 1 |
| ?GetCopyright@Debug@@UAE?AV?\$basic_ | 1 |
| ??1CastMemberImage@@UAE@XZ | 1 |
| ?AllowInput@CastMember@@UAE_N@Z | 1 |
| ??0CastMemberImage@@QAE@PAVCast@ | 1 |
| ?OnPixel@CastMemberImage@@UAE_NHH | 1 |
| ??1Debug@@UAE@XZ | 1 |
| ??0Rectangle@@QAE@FFFF@Z | 1 |
| ??0Color@@QAE@EEEE@Z | 1 |
| ?AdjustPauseTimes@CastMember@@UAEX | 1 |
| ?RefactorDropShadow@CastMember@@U/ | 1 |
| ?CreateScaledSurface@CastMember@@UA | 1 |
| ?Rotate@CastMember@@UAEXMH@Z | 1 |
| ?GetScaledHeight@CastMember@@UAEHX | 1 |
| ?GetScaledWidth@CastMember@@UAEHX; | 1 |
| ?GetScaledY@CastMember@@UAEHXZ | 1 |
| ?GetScaledX@CastMember@@UAEHXZ | 1 |
| ?OnPixel@CastMember@@UAE_NHH@Z | 1 |
| ?SetAlpha@CastMember@@UAEXH@Z | 1 |
| ?UseTransparentBackground@CastMember | 1 |
| ?DoState@CastMember@@UAEXH@Z | 1 |
| ?Animate@CastMember@@UAEXI@Z | 1 |
| ?CancelAllCues@CastMember@@UAEXXZ | 1 |
| ?HandleCycle@CastMember@@UAEXXZ | 1 |
| ?GetFromRect@CastMember@@UAEAAVR@ | 1 |
| ?Paint@CastMember@@UAEXPACanvas@ | 1 |
| ?Clicked@CastMember@@UAE_NPAVRecei | 1 |
| ?Dragged@CastMember@@UAE_NPAVRece | 1 |

| | |
|--------------------------------------|---|
| ?OnMouseDown@CastMember@@UAEXHF | 1 |
| ?GetClassMemberType@CastMember@@U | 1 |
| ??1Rectangle@@UAE@XZ | 1 |
| ??0Color@@QAE@ABV0@@Z | 1 |
| ??0Rectangle@@QAE@ABV0@@Z | 1 |
| ??4Color@@QAEAAV0@AAV0@@Z | 1 |
| ??4Rectangle@@QAEAAV0@ABV0@@Z | 1 |
| ??1CastMember@@UAE@XZ | 1 |
| ?Cue@CueListener@@UAEXPACastMemb | 1 |
| ?Cue@CueListener@@UAEXPACastMemb | 1 |
| ??1CueListener@@UAE@XZ | 1 |
| ?DoState@CastMemberImage@@UAEXH@: | 1 |
| ??0Dimension@@QAE@HH@Z | 1 |
| ??1Color@@UAE@XZ | 1 |
| ??1Cast@@UAE@XZ | 1 |
| ?OnRemoveChild@MessageHandler@@UAE | 1 |
| ?OnAddChild@MessageHandler@@UAEXP | 1 |
| ?OnMessage@MessageHandler@@UAE_NII | 1 |
| ?SendMessage@MessageHandler@@UAE_I | 1 |
| ?HasParent@MessageHandler@@UAE_NXZ | 1 |
| ?GetParent@MessageHandler@@UAEPAV1 | 1 |
| ?SetParent@MessageHandler@@UAEXPAV: | 1 |
| ??1MessageHandler@@UAE@XZ | 1 |
| ?GetUppercaseOnly@DialogItem@@UAE_N | 1 |
| ?SetUppercaseOnly@DialogItem@@UAEX_I | 1 |
| ??1Dimension@@UAE@XZ | 1 |
| ??0Dimension@@QAE@AAV0@@Z | 1 |
| ??4Dimension@@QAEAAV0@AAV0@@Z | 1 |
| ??1DialogItem@@UAE@XZ | 1 |
| ?GetActualWidth@CastMemberText@@UAI | 1 |
| ?CheckDropShadow@CastMemberText@@I | 1 |
| ?SetButtonListener@CastMemberText@@U | 1 |
| ?RefreshSurface2@CastMemberText@@UA | 1 |
| ?RefreshSurface1Hi@CastMemberText@@L | 1 |
| ?RefreshSurface1@CastMemberText@@UA | 1 |
| ?SetFont@CastMemberText@@UAEPAVFor | 1 |
| ?GetText@CastMemberText@@UAE?AV?\$b | 1 |
| ?SetTextNumber@CastMemberText@@UAE | 1 |
| ?SetText@CastMemberText@@UAEXABV?\$ | 1 |
| ?SetFont@CastMemberText@@UAEXPAVFc | 1 |
| ?SetShadowDist@CastMemberText@@UAE | 1 |
| ?JustifyOffset@CastMemberText@@UAEHX | 1 |
| ?Justify@CastMemberText@@UAEXH_N@Z | 1 |
| ?SetShadowColor@CastMemberText@@UA | 1 |
| ?SetColorBoth@CastMemberText@@UAEXF | 1 |
| ?SetColor2@CastMemberText@@UAEXAAV | 1 |
| ?SetColor@CastMemberText@@UAEXAAVC | 1 |

| | |
|---------------------------------------|---|
| ?SetNoShadow@CastMemberText@@UAEX | 1 |
| ?SetExtraShadow@CastMemberText@@UA | 1 |
| ?Init@CastMemberText@@UAEXV?\$basic_s | 1 |
| ?OnAlpha@CastMemberText@@UAEXH@Z | 1 |
| ?Paint@CastMemberText@@UAEXPACanv | 1 |
| ?Clicked@CastMemberText@@UAE_NPAVR | 1 |
| ?OnMouseOver@CastMemberText@@UAE) | 1 |
| ?OnMouseUp@CastMemberText@@UAEXH | 1 |
| ?OnMouseDown@CastMemberText@@UAE | 1 |
| ?OnMouseExit@CastMemberText@@UAEXI | 1 |
| ?OnMouseEnter@CastMemberText@@UAE | 1 |
| ?GetClassMemberType@CastMemberText@ | 1 |
| ??1CastMemberText@@UAE@XZ | 1 |
| ??1ImeHandler@@UAE@XZ | 1 |
| ?GetSeed@Application@@UAEIXZ | 1 |
| ?Dolt@Application@@UAEXXZ | 1 |
| ?OnExit@Application@@UAEXXZ | 1 |
| ?OnIdle@Application@@UAEXI@Z | 1 |
| ?OnEvent@Application@@UAEXPATSDL_Ev | 1 |
| ?OnInit@Application@@UAE_NHQAPAD@Z | 1 |
| ?OnUser@EventHandler@@UAEXEHPAXO@ | 1 |
| ?OnExpose@EventHandler@@UAEXXZ | 1 |
| ?OnResize@EventHandler@@UAEXHH@Z | 1 |
| ?OnJoystickTrigger@EventHandler@@UAEX | 1 |
| ?OnJoystickButtonUp@EventHandler@@UA | 1 |
| ?OnJoystickButtonDown@EventHandler@@ | 1 |
| ?OnJoystickMove@EventHandler@@UAEXE | 1 |
| ?OnJoyBall@EventHandler@@UAEXEEFF@Z | 1 |
| ?OnJoyHat@EventHandler@@UAEXEEE@Z | 1 |
| ?OnJoyButtonUp@EventHandler@@UAEXEI | 1 |
| ?OnJoyButtonDown@EventHandler@@UAE | 1 |
| ?OnJoyAxis@EventHandler@@UAEXEEF@Z | 1 |
| ?OnMButtonUp@EventHandler@@UAEXGG | 1 |
| ?OnMButtonDown@EventHandler@@UAEX | 1 |
| ?OnRButtonUp@EventHandler@@UAEXGG(| 1 |
| ?OnRButtonDown@EventHandler@@UAEXC | 1 |
| ?OnLButtonUp@EventHandler@@UAEXGG(| 1 |
| ?OnLButtonDown@EventHandler@@UAEXC | 1 |
| ?OnMouseMove@EventHandler@@UAEXG(| 1 |
| ?OnKeyUp@EventHandler@@UAEXW4SDLK | 1 |
| ?OnKeyDown@EventHandler@@UAEXW4SI | 1 |
| ?OnRestore@EventHandler@@UAEXXZ | 1 |
| ?OnMinimize@EventHandler@@UAEXXZ | 1 |
| ?ResetScreenMode@EventHandler@@UAE) | 1 |
| ?OnMouseBlur@EventHandler@@UAEXXZ | 1 |
| ?OnMouseFocus@EventHandler@@UAEXXZ | 1 |
| ?OnInputBlur@EventHandler@@UAEXXZ | 1 |

| | |
|--|---|
| ?OnInputFocus@EventHandler@@UAEXXZ | 1 |
| ?FilterEvent@EventHandler@@UAE_NPATS | 1 |
| ?OnEvent@EventHandler@@UAEXPATSDL_ | 1 |
| ??1EventHandler@@UAE@XZ | 1 |
| ?Unicode@TextFileUnicode@@UAEHXZ | 1 |
| ?Close@TextFileUnicode@@UAE_NXZ | 1 |
| ?WriteLine@TextFileUnicode@@UAE_NV?\$ | 1 |
| ?GetLine@TextFileUnicode@@UAE_NAAV?: | 1 |
| ?OpenOut@TextFileUnicode@@UAE_NH@? | 1 |
| ?OpenIn@TextFileUnicode@@UAE_N_N@Z | 1 |
| ??1TextFileUnicode@@UAE@XZ | 1 |
| ?AllowFlushes@ConfigFile@@UAEX_N@Z | 1 |
| ?ValueExists@ConfigFile@@UAE_NABV?\$ba | 1 |
| ?RegisteredFont@ConfigFile@@UAEPAVFor | 1 |
| ?NewFont@ConfigFile@@UAEPAVFont@@' | 1 |
| ?GetFont@ConfigFile@@UAEPAVFont@@V | 1 |
| ?SmartNewImage@ConfigFile@@UAEPAVIr | 1 |
| ?NewImage@ConfigFile@@UAEPAVImage@ | 1 |
| ?NewImageResource@ConfigFile@@UAEPA | 1 |
| ?HandleSounds@ConfigFile@@UAEX_N@Z | 1 |
| ??1ConfigFile@@UAE@XZ | 1 |
| ?LoadOneAsset@AssetManager@@MAEPA\ | 1 |
| ?LoadAsset@AssetManager@@MAEPAVAss | 1 |
| ?GetAsset@AssetManager@@MAEPAVAsse | 1 |
| ?LoadAssets@AssetManager@@MAEXPVC | 1 |
| ?LoadAssets@AssetManager@@MAEXABV? | 1 |
| ?GetData@AssetManager@@MAEQAXABV? | 1 |
| ?DeleteAll@AssetManager@@MAEXXZ | 1 |
| ??1AssetManager@@UAE@XZ | 1 |
| ?LoadAsset@ImageResources@@MAEPAVA | 1 |
| ??1ImageResources@@UAE@XZ | 1 |
| ?Flush@File@@UAEXXZ | 1 |
| ?Close@File@@UAEXXZ | 1 |
| ?Tell@File@@UAEHXZ | 1 |
| ?Seek@File@@UAEHHH@Z | 1 |
| ?Read@File@@UAEHPADH@Z | 1 |
| ?OpenWA@File@@UAE_NXZ | 1 |
| ?OpenRW@File@@UAE_NXZ | 1 |
| ?OpenA@File@@UAE_NXZ | 1 |
| ?OpenW@File@@UAE_NXZ | 1 |
| ?OpenR@File@@UAE_NXZ | 1 |
| ?Open@File@@UAE_NV?\$basic_string@DU | 1 |
| ?SaveData@File@@UAE_NPADH@Z | 1 |
| ?SaveData@File@@UAE_NV?\$basic_string@ | 1 |
| ?LoadData@File@@UAE_NPAPADA@Z | 1 |
| ?LoadData@File@@UAE_NAAV?\$basic_stri | 1 |
| ?Write@File@@MAEHPADH@Z | 1 |

| | |
|--|---|
| ?Write@File@@UAEHV?\$basic_string@GU1 | 1 |
| ??1File@@UAE@XZ | 1 |
| ??1LogFile@@UAE@XZ | 1 |
| ?WriteRichSavedGameData@Framework@ | 1 |
| ?GetNumAudioChannels@Framework@@U | 1 |
| ?IsFlashAvailable@Framework@@UAE_NXZ | 1 |
| ?AnimAllowedToRun@Framework@@UAE_ | 1 |
| ?GetPauseOnTitleBarClick@Framework@@I | 1 |
| ?SetPauseOnTitleBarClick@Framework@@L | 1 |
| ?SecondaryAnimsGameTime@Framework@ | 1 |
| ?SecondaryAnimsRepaintAll@Framework@ | 1 |
| ?SecondaryAnimsMouseUp@Framework@@C | 1 |
| ?SecondaryAnimsMouseDown@Framework@ | 1 |
| ?RegisterSecondaryAnimationManager@Fra | 1 |
| ?GetSessionId@Framework@@UAEHXZ | 1 |
| ?CreateNewWebUpdater@Framework@@L | 1 |
| ?GetCPUThreshold@Framework@@UAEHX: | 1 |
| ?GetAudioBufferSize@Framework@@UAEH | 1 |
| ?GetAppBytesPerPixel@Framework@@UAE | 1 |
| ?GetAppHeight@Framework@@UAEHXZ | 1 |
| ?GetAppWidth@Framework@@UAEHXZ | 1 |
| ?AllowLoadingThread@Framework@@UAE_ | 1 |
| ?AllowDoubleBufferMode@Framework@@I | 1 |
| ?GetScript@Framework@@UAEPAVScript@ | 1 |
| ?SetScript@Framework@@UAEXPAPVScript@ | 1 |
| ?LoadOtherResources@Framework@@UAE | 1 |
| ?LoadGameResources@Framework@@UAE | 1 |
| ?LoadMenuResources@Framework@@UAE | 1 |
| ?IconifyWindow@Framework@@UAEXXZ | 1 |
| ?ForceMousePosition@Framework@@UAE) | 1 |
| ?GetMovingAverageFPS@Framework@@U/ | 1 |
| ?GetFPS@Framework@@UAEHXZ | 1 |
| ?SetFPS@Framework@@UAEXH@Z | 1 |
| ?ShowFPS@Framework@@UAE_NXZ | 1 |
| ?ShowFPS@Framework@@UAEX_N@Z | 1 |
| ?Create Cursors@Framework@@UAEXPAC | 1 |
| ?HasInputFocus@Framework@@UAE_NXZ | 1 |
| ?SetPlayerRating@Framework@@UAEXH@ | 1 |
| ?SetPlayerLocation@Framework@@UAEXV | 1 |
| ?GetPlayerLocation@Framework@@UAE?A | 1 |
| ?GetPlayerNameOnly@Framework@@UAE! | 1 |
| ?GetPlayerName@Framework@@UAE?AV? | 1 |
| ?GetPlayerFileName@Framework@@UAE?/ | 1 |
| ?GetHighDetail@Framework@@UAE_NXZ | 1 |
| ?SetHighDetail@Framework@@UAEX_N@Z | 1 |
| ?SetVolumeMusic@Framework@@UAEHH@ | 1 |
| ?SetVolumeSounds@Framework@@UAEHH | 1 |

| | |
|---------------------------------------|---|
| ?UnPauseGame@Framework@@UAEX_N@ | 1 |
| ?PauseGame@Framework@@UAEX_N0@Z | 1 |
| ?ToggleDropShadows@Framework@@UAE_ | 1 |
| ?CursorVisible@Framework@@UAE_NXZ | 1 |
| ?HideCursor@Framework@@UAEXXZ | 1 |
| ?ShowCursor@Framework@@UAEXXZ | 1 |
| ?GetSWPixelFormat@Framework@@UAEP/ | 1 |
| ?AudioFocus@Framework@@UAEX_N@Z | 1 |
| ?GetDefaultFontName@Framework@@UAE | 1 |
| ?SetTitle@Framework@@UAEXPBG0@Z | 1 |
| ?ParseOPParams@Framework@@UAEXH@ | 1 |
| ?SetDialogAttributes@Framework@@UAEX. | 1 |
| ?CreateFonts@Framework@@UAEXXZ | 1 |
| ?CreateAnimationManager@Framework@C | 1 |
| ?GetGameName@Framework@@UAE?AV?: | 1 |
| ?CreateFrameworkFonts@Framework@@U | 1 |
| ?CloseFrameworkFonts@Framework@@UA | 1 |
| ?GetThemeConfig@Framework@@UAEPAV | 1 |
| ?OnExpose@Framework@@UAEXXZ | 1 |
| ?OnJoystickTrigger@Framework@@UAEXEE | 1 |
| ?OnJoystickButtonUp@Framework@@UAE> | 1 |
| ?OnJoystickButtonDown@Framework@@U, | 1 |
| ?OnJoystickMove@Framework@@UAEXEEE | 1 |
| ?OnMButtonUp@Framework@@UAEXGG@ | 1 |
| ?OnMButtonDown@Framework@@UAEXG@ | 1 |
| ?OnRButtonUp@Framework@@UAEXGG@: | 1 |
| ?OnRButtonDown@Framework@@UAEXGG | 1 |
| ?OnLButtonUp@Framework@@UAEXGG@Z | 1 |
| ?OnLButtonDown@Framework@@UAEXGG | 1 |
| ?OnMouseMove@Framework@@UAEXGGF | 1 |
| ?OnKeyUp@Framework@@UAEXW4SDLKey | 1 |
| ?OnKeyDown@Framework@@UAEXW4SDL | 1 |
| ?OnRestore@Framework@@UAEXXZ | 1 |
| ?OnMinimize@Framework@@UAEXXZ | 1 |
| ?ResetScreenMode@Framework@@UAEXX: | 1 |
| ?OnMouseBlur@Framework@@UAEXXZ | 1 |
| ?OnMouseFocus@Framework@@UAEXXZ | 1 |
| ?OnInputBlur@Framework@@UAEXXZ | 1 |
| ?OnInputFocus@Framework@@UAEXXZ | 1 |
| ?Dolt@Framework@@UAEXXZ | 1 |
| ?OnExit@Framework@@UAEXXZ | 1 |
| ?OnIdle@Framework@@UAEXI@Z | 1 |
| ?OnInit@Framework@@UAE_NHQAPAD@Z | 1 |
| ??1Framework@@UAE@XZ | 1 |
| ??1Sound@@UAE@XZ | 1 |
| ??1Music@@UAE@XZ | 1 |
| ?NoReceiverAccepts@InputCatcher@@UAE | 1 |

| | |
|---|---|
| ?KeyUp@InputCatcher@@UAE_NW4SDLKey@Z | 1 |
| ?KeyDown@InputCatcher@@UAE_NW4SDLKey@Z | 1 |
| ?JoystickMove@InputCatcher@@UAEXHH@Z | 1 |
| ?JoystickTriggerMove@InputCatcher@@UAEXH@Z | 1 |
| ?JoystickButtonUp@InputCatcher@@UAEXH@Z | 1 |
| ?JoystickButtonDown@InputCatcher@@UAEXH@Z | 1 |
| ?MouseHoverEnded@InputCatcher@@UAE_NW4SDLMouse@Z | 1 |
| ?MouseHover@InputCatcher@@UAEXHH_N@Z | 1 |
| ?MouseMove@InputCatcher@@UAEXHH_N@Z | 1 |
| ?MouseDrag@InputCatcher@@UAEXHH_N@Z | 1 |
| ?MouseUp@InputCatcher@@UAEXHHH_N@Z | 1 |
| ?MouseDown@InputCatcher@@UAEXHHH_N@Z | 1 |
| ??1InputCatcher@@UAE@XZ | 1 |
| ?DialogDetached@DialogListener@@UAEXH@Z | 1 |
| ?DialogItemSet@DialogListener@@UAEXHF@Z | 1 |
| ?DialogItemSet@DialogListener@@UAEXHF@Z | 1 |
| ?DialogButtonClicked@DialogListener@@UAE_NW4SDL@Z | 1 |
| ?DialogTimesUp@DialogListener@@UAEXH@Z | 1 |
| ??1DialogListener@@UAE@XZ | 1 |
| ?OnMouseUp@ButtonListener@@UAEXH@Z | 1 |
| ?OnButtonOver@ButtonListener@@UAEXH@Z | 1 |
| ?ButtonClicked@ButtonListener@@UAEXH@Z | 1 |
| ??1ButtonListener@@UAE@XZ | 1 |
| ?SetSubScript@Script@@UAEXP_AV1@@Z | 1 |
| ?AdjustPauseTime@Script@@UAEXI@Z | 1 |
| ?LoadMenuResources@Script@@UAEH_N@Z | 1 |
| ?KeyUp@Script@@UAE_NW4SDLKey@@W | 1 |
| ?KeyDown@Script@@UAE_NW4SDLKey@@W | 1 |
| ?UserActivity@Script@@UAEXHHI@Z | 1 |
| ?PositionCursor@Script@@UAEXXZ | 1 |
| ?SetState@Script@@UAEXH@Z | 1 |
| ?SameState@Script@@UAEXXZ | 1 |
| ?SameState@Script@@UAEXH@Z | 1 |
| ?ChangeStateLock@Script@@UAEX_N@Z | 1 |
| ?ChangeState@Script@@UAEXXZ | 1 |
| ?ChangeState@Script@@UAEXH@Z | 1 |
| ?ChangeState@Script@@UAEXHH@Z | 1 |
| ?GetNextState@Script@@UAEXXZ | 1 |
| ?GetPrevState@Script@@UAEXXZ | 1 |
| ?GetState@Script@@UAEXXZ | 1 |
| ?DoScript@Script@@UAEXI@Z | 1 |
| ?DoState@Script@@UAEXH@Z | 1 |
| ??1Script@@UAE@XZ | 1 |
| ?CopyFrameNoMirror@Canvas@@MAEXP_A | 1 |
| ?SetRLE@Canvas@@UAEX_NPAUSDL_Surfa@Z | 1 |
| ?HasRLE@Canvas@@UAE_NXZ | 1 |
| ?SuperZoomSurface@Canvas@@UAEPAUSL@Z | 1 |

| | |
|---|---|
| ?GetDirtyRects@Canvas@@UAEAAV?\$vector@_UAE@Z | 1 |
| ?CopyFrame@Canvas@@UAEXPAPUSDL_Rect | 1 |
| ?SetAlpha@Canvas@@UAEXH@Z | 1 |
| ?GetDropShadowAlpha@Canvas@@UAEHX@Z | 1 |
| ?GetDropShadow@Canvas@@UAEPAPUSDL_ | 1 |
| ?CreateDropShadow16@Canvas@@UAEPAL@Z | 1 |
| ?CreateDropShadow@Canvas@@UAEPAPUSI@Z | 1 |
| ?Blit@Canvas@@UAE_NAAVRectangle@@F | 1 |
| ?Blit@Canvas@@UAE_NAAVRectangle@@F@Z | 1 |
| ?Blit@Canvas@@UAE_NAAV1@HH@Z | 1 |
| ?Blit@Canvas@@UAE_NPAUSDL_Surface@Z | 1 |
| ?Clear@Canvas@@UAE_NAAVColor@@@Z | 1 |
| ?DrawRect@Canvas@@UAEXPAAVRectangle | 1 |
| ?FillRect@Canvas@@UAE_NAAVRectangle@Z | 1 |
| ?GetClipRect@Canvas@@UAE_AVRectangle | 1 |
| ?SetClipRect@Canvas@@UAEXPAPVRectangl | 1 |
| ?SetClipRect@Canvas@@UAEXPAAVRectangl | 1 |
| ?ClearColorKey@Canvas@@UAE_NXZ | 1 |
| ?GetColorKey@Canvas@@UAE_AVColor@C | 1 |
| ?SetColorKey@Canvas@@UAE_NAAVColor@C | 1 |
| ?HasColorKey@Canvas@@UAE_NXZ | 1 |
| ?Flip@Canvas@@UAE_NXZ | 1 |
| ?UpdateRects@Canvas@@UAEXXZ | 1 |
| ?ClearDirtyRect@Canvas@@UAEXPAPRecta | 1 |
| ?ClearDirtyRects@Canvas@@UAEXXZ | 1 |
| ?AddDirtyRect@Canvas@@UAEXFFFF@Z | 1 |
| ?AddDirtyRect@Canvas@@UAE_NPAVRecta | 1 |
| ?GetH@Canvas@@UAEHXZ | 1 |
| ?GetW@Canvas@@UAEHXZ | 1 |
| ?MatchColor@Canvas@@UAE_AVColor@@C | 1 |
| ?SetPixel@Canvas@@UAEXPAAVColor@C@Z | 1 |
| ?GetPixel@Canvas@@UAE_AVColor@@HH@Z | 1 |
| ?Unlock@Canvas@@UAEXXZ | 1 |
| ?Lock@Canvas@@UAE_NXZ | 1 |
| ?SetSurface@Canvas@@UAEXPAPUSDL_Surf | 1 |
| ?Get32Surface@Canvas@@UAEPAPUSDL_Sur | 1 |
| ?GetSurface@Canvas@@UAEPAPUSDL_Surfa | 1 |
| ?SetDropShadowSourceSurface@Canvas@@@ | 1 |
| ?DeleteDropShadow@Canvas@@UAEXXZ | 1 |
| ?Init@Canvas@@UAEXPAPUSDL_Surface@@@ | 1 |
| ??0Canvas@@QAE@PAUSDL_Surface@@@Z | 1 |
| ??1Canvas@@UAE@XZ | 1 |
| ?Init@Image@@UAEXPAPVImageResource@Z | 1 |
| ??1Image@@UAE@XZ | 1 |
| ?OnVendorUnpause@VendorListener@@UAE | 1 |
| ?OnVendorPause@VendorListener@@UAE | 1 |
| ?SetImage@CastMemberImage@@UAEXPAP | 1 |

| | |
|---|---|
| ?OnVendorPurchase@VendorListener@@U | 1 |
| ??1VendorListener@@UAE@XZ | 1 |
| ?OnVendorUnpause@AppScript@@UAEXXZ | 1 |
| ?OnVendorPause@AppScript@@UAEXXZ | 1 |
| ?OnVendorExpire@AppScript@@UAEXXZ | 1 |
| ?OnVendorPurchase@AppScript@@UAEXXZ | 1 |
| ?DialogDetached@AppScript@@UAEXH@Z | 1 |
| ?DialogItemSet@AppScript@@UAEXHH_N | 1 |
| ?DialogButtonClicked@AppScript@@UAEXF | 1 |
| ?DialogTimesUp@AppScript@@UAEXH@Z | 1 |
| ?Cue@AppScript@@UAEXPACastMember | 1 |
| ?Cue@AppScript@@UAEXPACastMember | 1 |
| ?ButtonClicked@AppScript@@UAEXH@Z | 1 |
| ?EndLoadingText@AppScript@@MAEXXZ | 1 |
| ?ShowLoadingText@AppScript@@MAEXXZ | 1 |
| ?HandleUpdate@AppScript@@MAE_N_NV | 1 |
| ?ShowUpdaterDialog@AppScript@@MAEXV | 1 |
| ?MultiplayerGame@AppScript@@MAE_NX | 1 |
| ?PlayerIsSelected@AppScript@@MAE_NH@ | 1 |
| ?OptionsRulesCheck@AppScript@@UAEXP | 1 |
| ?StartMenuMusic@AppScript@@UAEXXZ | 1 |
| ?GetTracker@AppScript@@UAEPAVTracker | 1 |
| ?CreateVendor@AppScript@@UAEPAVVen | 1 |
| ?UnsetGameVariant@AppScript@@UAEXXZ | 1 |
| ?SetGameVariant@AppScript@@UAEXH@Z | 1 |
| ?GetGameVariant@AppScript@@UAEHXZ | 1 |
| ?GetMenuCast@AppScript@@UAEPAVCast | 1 |
| ?GetGameCast@AppScript@@UAEPAVCast | 1 |
| ?GetCast@AppScript@@UAEPAVCast@@X | 1 |
| ?DeletedPlayer@AppScript@@UAEXABV?\$k | 1 |
| ?PlayAsDialogClosed@AppScript@@UAE_N | 1 |
| ?ShowRules@AppScript@@UAEXXZ | 1 |
| ?ShowPlayAsDialog@AppScript@@UAEXH@ | 1 |
| ?ShowOptions@AppScript@@UAEXXZ | 1 |
| ?UpdatePlayerRating@AppScript@@UAEXH | 1 |
| ?SetPlayAsNamesFromSave@AppScript@@I | 1 |
| ?SetPlayAsNames@AppScript@@UAEXXZ | 1 |
| ?ShowURL@AppScript@@UAEXV?\$basic_st | 1 |
| ?CreateMenuAnimations@AppScript@@UA | 1 |
| ?CreateMenuObjects@AppScript@@UAEXX | 1 |
| ?DeleteSplashObjects@AppScript@@UAEXX | 1 |
| ?CreateSplashObjects@AppScript@@UAEXX | 1 |
| ?DetermineModeToEnterOnSaveGame@Ap | 1 |
| ?HandleOptionalStartButtonBehavior@AppS | 1 |
| ?SetOption@AppScript@@UAEXH@Z | 1 |
| ?SetFullScreen@AppScript@@UAEX_N@Z | 1 |
| ?DestroyGame@AppScript@@UAEXXZ | 1 |

| | |
|---|---|
| ?InitGame@AppScript@@UAEXXZ | 1 |
| ?WaitOnThreads@AppScript@@UAEXXZ | 1 |
| ?LoadMenuResources@AppScript@@UAEH_ | 1 |
| ?DoScript@AppScript@@UAEXI@Z | 1 |
| ?DoState@AppScript@@UAEXH@Z | 1 |
| ??1AppScript@@UAE@XZ | 1 |
| ?SetupSprites@AnimatedAppScript@@UAE_ | 1 |
| ?ResetGlobalAnimationDefaults@Animated_ | 1 |
| ?GetDefaultStuff@AnimatedAppScript@@U | 1 |
| ?ShowStuffAtFrame@AnimatedAppScript@() | 1 |
| ?AddKeyframeChange@AnimatedAppScript@ | 1 |
| ?DeleteKeyFrame@AnimatedAppScript@@I | 1 |
| ?ProcessSpriteCommand@AnimatedAppScri | 1 |
| ?CleanUpAnimation@AnimatedAppScript@() | 1 |
| ?BeginAnimation@AnimatedAppScript@@L | 1 |
| ?DeleteSplashObjects@AnimatedAppScript@() | 1 |
| ?CreateSplashObjects@AnimatedAppScript@() | 1 |
| ?KeyUp@AnimatedAppScript@@UAE_NW4 | 1 |
| ?DoState@AnimatedAppScript@@UAEXH@Z | 1 |
| ??1AnimatedAppScript@@UAE@XZ | 1 |
| ?SetEnabled@CastMemberButton@@UAEX_ | 1 |
| ?GetEnabled@CastMemberButton@@UAE_ | 1 |
| ?SetButtonListener@CastMemberButton@@C | 1 |
| ?Blink@CastMemberButton@@UAEXXZ | 1 |
| ?Blink@CastMemberButton@@UAEXH@Z | 1 |
| ?Blink@CastMemberButton@@UAEXHH@Z | 1 |
| ?Clicked@CastMemberButton@@UAE_NPA | 1 |
| ?OnMouseOver@CastMemberButton@@UAE_ | 1 |
| ?OnMouseUp@CastMemberButton@@UAE | 1 |
| ?OnMouseDown@CastMemberButton@@UAE | 1 |
| ?OnMouseExit@CastMemberButton@@UAI | 1 |
| ?OnMouseEnter@CastMemberButton@@UAI | 1 |
| ?GetClassMemberType@CastMemberButton@ | 1 |
| ?DoBlinkState@CastMemberButton@@UAE | 1 |
| ??1CastMemberButton@@UAE@XZ | 1 |
| ?DialogDetached@DialogAttachListener@@I | 1 |
| ?DialogAttached@DialogAttachListener@@I | 1 |
| ??1DialogAttachListener@@UAE@XZ | 1 |
| ?DialogDetached@CastMemberDialog@@UAE | 1 |
| ?DialogItemSet@CastMemberDialog@@UAE | 1 |
| ?DialogItemSet@CastMemberDialog@@UAE | 1 |
| ?DialogButtonClicked@CastMemberDialog@ | 1 |
| ?DialogTimesUp@CastMemberDialog@@UAE | 1 |
| ?Cue@CastMemberDialog@@UAEXPACast | 1 |
| ?SliderStop@CastMemberDialog@@UAEXXZ | 1 |
| ?SliderStart@CastMemberDialog@@UAEXXZ | 1 |
| ?RepaintAll@CastMemberDialog@@UAEXP | 1 |

| | |
|---|---|
| ?CheckArrows@CastMemberDialog@@UAE | 1 |
| ?SetSliderItem@CastMemberDialog@@UAE | 1 |
| ?SetDownArrowItem@CastMemberDialog@ | 1 |
| ?SetUpArrowItem@CastMemberDialog@@I | 1 |
| ?SetEscKeyItem@CastMemberDialog@@UA | 1 |
| ?SetEnterKeyItem@CastMemberDialog@@I | 1 |
| ?IsModeless@CastMemberDialog@@UAE_I | 1 |
| ?UpdateBackground@CastMemberDialog@ | 1 |
| ?SetFadeOutTime@CastMemberDialog@@I | 1 |
| ?SetFadeInTime@CastMemberDialog@@UAE | 1 |
| ?SetMembersDirty@CastMemberDialog@@ | 1 |
| ?CheckDropShadow@CastMemberDialog@() | 1 |
| ?GetCanvas@CastMemberDialog@@UAEPA | 1 |
| ?InitCanvas@CastMemberDialog@@UAEXX | 1 |
| ?CreateCanvas@CastMemberDialog@@UAE | 1 |
| ?ImmediateAction@CastMemberDialog@@ | 1 |
| ?GetAttributes@CastMemberDialog@@UAE | 1 |
| ?RemoveElementFromButtons@CastMember | 1 |
| ?RemoveElementFromItems@CastMemberI | 1 |
| ?ChangeToOKButton@CastMemberDialog@ | 1 |
| ?Detach@CastMemberDialog@@UAEXXZ | 1 |
| ?DetachDialog@CastMemberDialog@@UAE | 1 |
| ?AttachDialog@CastMemberDialog@@UAE | 1 |
| ?PinAdjust@CastMemberDialog@@UAEXHF | 1 |
| ?PinAdjust@CastMemberDialog@@UAEXHF | 1 |
| ?Center@CastMemberDialog@@UAEXXZ | 1 |
| ?ArrowKeyPressed@CastMemberDialog@@ | 1 |
| ?DelKeyPressed@CastMemberDialog@@UA | 1 |
| ?EscKeyPressed@CastMemberDialog@@UA | 1 |
| ?EnterKeyPressed@CastMemberDialog@@I | 1 |
| ?ProcessDialogClosing@CastMemberDialog(| 1 |
| ?SliderSet@CastMemberDialog@@UAEXHH | 1 |
| ?ValidateCloseDialog@CastMemberDialog@ | 1 |
| ?RefuseMouse@CastMemberDialog@@UAE | 1 |
| ?MouseDownOutsideOfDialog@CastMembe | 1 |
| ?SetModeless@CastMemberDialog@@UAE | 1 |
| ?DoAddButton@CastMemberDialog@@UAE | 1 |
| ?GetRadioSetting@CastMemberDialog@@L | 1 |
| ?GetListboxItem@CastMemberDialog@@U | 1 |
| ?GetBackgroundControl@CastMemberDialo | 1 |
| ?GetCheckBox@CastMemberDialog@@UAE | 1 |
| ?SetCheckBox@CastMemberDialog@@UAE | 1 |
| ?AddTextBox@CastMemberDialog@@UAEP | 1 |
| ?AddSlider@CastMemberDialog@@UAEPA\ | 1 |
| ?AddSlider@CastMemberDialog@@UAEPA\ | 1 |
| ?AddListBox@CastMemberDialog@@UAEP/ | 1 |
| ?AddTextInput@CastMemberDialog@@UAE | 1 |

| | |
|--|---|
| ?AddCustomButton@CastMemberDialog@@C | 1 |
| ?AddCustomButton@CastMemberDialog@@C | 1 |
| ?AddButton@CastMemberDialog@@UAEPA | 1 |
| ?AddButton@CastMemberDialog@@UAEPA | 1 |
| ?AddIcon@CastMemberDialog@@UAEPAV[| 1 |
| ?AddImage@CastMemberDialog@@UAEPA[| 1 |
| ?AddImage@CastMemberDialog@@UAEPA[| 1 |
| ?AddLine@CastMemberDialog@@UAEPAV[| 1 |
| ?AddLine@CastMemberDialog@@UAEPAV[| 1 |
| ?UpdateCheckbox@CastMemberDialog@@I | 1 |
| ?UpdateRadioButton@CastMemberDialog@ | 1 |
| ?AddRadioButton@CastMemberDialog@@I | 1 |
| ?AddRadioButton@CastMemberDialog@@I | 1 |
| ?AddControlsFromConfig@CastMemberDial | 1 |
| ?AddCheckBox@CastMemberDialog@@UAE | 1 |
| ?AddCheckBox@CastMemberDialog@@UAE | 1 |
| ?AddClickableText@CastMemberDialog@@ | 1 |
| ?AddClickableText@CastMemberDialog@@ | 1 |
| ?AddText@CastMemberDialog@@UAEPAV[| 1 |
| ?ValidateText@CastMemberDialog@@UAE_ | 1 |
| ?Show@CastMemberDialog@@UAEXHHHH | 1 |
| ?PreShow@CastMemberDialog@@UAE_NX | 1 |
| ?GetActiveRadioItemSubID@CastMemberDi | 1 |
| ?GetActiveRadioItem@CastMemberDialog@ | 1 |
| ?GetItemByID@CastMemberDialog@@UAEI | 1 |
| ?GetFontSize@CastMemberDialog@@UAEH | 1 |
| ?GetForeColor@CastMemberDialog@@UAE | 1 |
| ?SetOverlayImage@CastMemberDialog@@I | 1 |
| ?SetBackImage@CastMemberDialog@@UAI | 1 |
| ?SetButtonImages@CastMemberDialog@@ | 1 |
| ?SetAttributes@CastMemberDialog@@UAE | 1 |
| ?SetListener@CastMemberDialog@@UAEXF | 1 |
| ?Clear@CastMemberDialog@@UAEXXZ | 1 |
| ?SetTransparency@CastMemberDialog@@I | 1 |
| ?SetKeyEquivalentsFromConfig@CastMemb | 1 |
| ?IsADialog@CastMemberDialog@@UAE_NX | 1 |
| ?RefactorDropShadow@CastMemberDialog@ | 1 |
| ?CreateScaledSurface@CastMemberDialog@ | 1 |
| ?GetScaledHeight@CastMemberDialog@@I | 1 |
| ?GetScaledWidth@CastMemberDialog@@L | 1 |
| ?GetScaledY@CastMemberDialog@@UAEH | 1 |
| ?GetScaledX@CastMemberDialog@@UAEH | 1 |

| | |
|--|---|
| ?OnPixel@CastMemberDialog@@UAE_NHF | 1 |
| ?FadeOut@CastMemberDialog@@UAEXHIP | 1 |
| ?FadeIn@CastMemberDialog@@UAEXHIPA | 1 |
| ?SetAlpha@CastMemberDialog@@UAEXH@C | 1 |
| ?DoState@CastMemberDialog@@UAEXH@I | 1 |
| ?Animate@CastMemberDialog@@UAEXI@Z | 1 |
| ?MoveEnded@CastMemberDialog@@UAEX | 1 |
| ?SetPriority@CastMemberDialog@@UAEXH | 1 |
| ?GetScaledRect@CastMemberDialog@@UA | 1 |
| ?Paint@CastMemberDialog@@UAEXPACa | 1 |
| ?Dragged@CastMemberDialog@@UAE_NPA | 1 |
| ?KeyUp@CastMemberDialog@@UAE_NW4! | 1 |
| ?KeyDown@CastMemberDialog@@UAE_NV | 1 |
| ?MouseMove@CastMemberDialog@@UAE_ | 1 |
| ?MouseDrag@CastMemberDialog@@UAE_I | 1 |
| ?MouseUp@CastMemberDialog@@UAE_NI | 1 |
| ?MouseDown@CastMemberDialog@@UAE_ | 1 |
| ?GetClassMemberType@CastMemberDialog | 1 |
| ??1Point@@UAE@XZ | 1 |
| ??0Point@@QAE@ABV0@@Z | 1 |
| ??4Point@@QAEAAV0@ABV0@@Z | 1 |
| ??1CastMemberDialog@@UAE@XZ | 1 |
| ?Show@CastMemberDialogImage@@UAEX | 1 |
| ?UpdateBackground@CastMemberDialogIm | 1 |
| ?InitCanvas@CastMemberDialogImage@@l | 1 |
| ?ProcessDialogClosing@CastMemberDialog | 1 |
| ?MouseUp@CastMemberDialogImage@@U | 1 |
| ?GetClassMemberType@CastMemberDialog | 1 |
| ??1CastMemberDialogImage@@UAE@XZ | 1 |
| ?NewImage@Control@@MAEPAVImage@C | 1 |
| ?Move@Control@@UAEXHH@Z | 1 |
| ?Load@Control@@UAE_NPAVConfigFile@C | 1 |
| ?SetItem@Control@@UAEXPADialogItem(| 1 |
| ?GetW@Control@@UAEHXZ | 1 |
| ?GetH@Control@@UAEHXZ | 1 |
| ?AddTo@Control@@UAEXPACastMember | 1 |
| ?Animate@ControlAnimation@@UAEXI@Z | 1 |
| ?Load@ControlAnimation@@UAE_NPAVCo | 1 |
| ?GetW@ControlAnimation@@UAEHXZ | 1 |
| ?GetH@ControlAnimation@@UAEHXZ | 1 |
| ?AddTo@ControlAnimation@@UAEXPACa | 1 |
| ??1ControlAnimation@@UAE@XZ | 1 |
| ?Load@ControlBackground@@UAE_NPAVC | 1 |
| ?GetW@ControlBackground@@UAEHXZ | 1 |
| ?GetH@ControlBackground@@UAEHXZ | 1 |
| ?AddTo@ControlBackground@@UAEXPACV | 1 |
| ??1ControlBackground@@UAE@XZ | 1 |

| | |
|--------------------------------------|---|
| ?AddTo@ControlButton@@UAEXPACastM | 1 |
| ?Load@ControlButton@@UAE_NPAVConfig | 1 |
| ?GetW@ControlButton@@UAEHXZ | 1 |
| ?GetH@ControlButton@@UAEHXZ | 1 |
| ?AddTo@ControlButton@@UAEXPACastM | 1 |
| ??1ControlButton@@UAE@XZ | 1 |
| ?Load@ControlLabel@@UAE_NPAVConfigFi | 1 |
| ?GetW@ControlLabel@@UAEHXZ | 1 |
| ?GetH@ControlLabel@@UAEHXZ | 1 |
| ?AddTo@ControlLabel@@UAEXPACastMe | 1 |
| ??1ControlLabel@@UAE@XZ | 1 |
| ?AddTo@ControlCheckBox@@UAEXPACas | 1 |
| ?Load@ControlCheckBox@@UAE_NPAVCor | 1 |
| ?GetW@ControlCheckBox@@UAEHXZ | 1 |
| ?GetH@ControlCheckBox@@UAEHXZ | 1 |
| ?AddTo@ControlCheckBox@@UAEXPACas | 1 |
| ??1ControlCheckBox@@UAE@XZ | 1 |
| ?AddTo@ControlRadio@@UAEXPACastMe | 1 |
| ?Load@ControlRadio@@UAE_NPAVConfigF | 1 |
| ?AddTo@ControlRadio@@UAEXPACastMe | 1 |
| ??1ControlRadio@@UAE@XZ | 1 |
| ?Move@ControlRadioSet@@UAEXHH@Z | 1 |
| ?Load@ControlRadioSet@@UAE_NPAVConl | 1 |
| ?GetW@ControlRadioSet@@UAEHXZ | 1 |
| ?GetH@ControlRadioSet@@UAEHXZ | 1 |
| ?AddTo@ControlRadioSet@@UAEXPACast | 1 |
| ??1ControlRadioSet@@UAE@XZ | 1 |
| ?AddTo@ControlInput@@UAEXPACastMe | 1 |
| ?Load@ControlInput@@UAE_NPAVConfigFi | 1 |
| ?GetW@ControlInput@@UAEHXZ | 1 |
| ?GetH@ControlInput@@UAEHXZ | 1 |
| ?AddTo@ControlInput@@UAEXPACastMe | 1 |
| ?Load@ControlTextBox@@UAE_NPAVConfi | 1 |
| ?GetW@ControlTextBox@@UAEHXZ | 1 |
| ?GetH@ControlTextBox@@UAEHXZ | 1 |
| ?AddTo@ControlTextBox@@UAEXPACastM | 1 |
| ??1ControlTextBox@@UAE@XZ | 1 |
| ?AddTo@ControlSlider@@UAEXPACastMe | 1 |
| ?Load@ControlSlider@@UAE_NPAVConfigF | 1 |
| ?GetW@ControlSlider@@UAEHXZ | 1 |
| ?GetH@ControlSlider@@UAEHXZ | 1 |
| ?AddTo@ControlSlider@@UAEXPACastMe | 1 |
| ??1ControlSlider@@UAE@XZ | 1 |
| ?Load@ControlLine@@UAE_NPAVConfigFil | 1 |
| ?GetW@ControlLine@@UAEHXZ | 1 |
| ?GetH@ControlLine@@UAEHXZ | 1 |
| ?AddTo@ControlLine@@UAEXPACastMen | 1 |

| | |
|--|---|
| ??1ControlLine@@UAE@XZ | 1 |
| ?Load@ControlListBox@@UAE_NPAVConfig | 1 |
| ?GetW@ControlListBox@@UAEHXZ | 1 |
| ?GetH@ControlListBox@@UAEHXZ | 1 |
| ?AddTo@ControlListBox@@UAEXPACastIV | 1 |
| ??1ControlListBox@@UAE@XZ | 1 |
| ?RemoveElementFromTextItems@CastMem | 1 |
| ?UsesTiles@CastMemberDialogResizable@() | 1 |
| ?RepositionControls@CastMemberDialogRe | 1 |
| ?PaintExtras@CastMemberDialogResizable@() | 1 |
| ?PaintCorners@CastMemberDialogResizable@() | 1 |
| ?PaintEdges@CastMemberDialogResizable@() | 1 |
| ?PaintBackground@CastMemberDialogResiz | 1 |
| ?LoadConfigOptions@CastMemberDialogRes | 1 |
| ?GetHeaderHeight@CastMemberDialogResi | 1 |
| ?CalculateTextDims@CastMemberDialogRes | 1 |
| ?CalculateDialogDims@CastMemberDialogR | 1 |
| ?CalculateButtonDims@CastMemberDialogF | 1 |
| ?AddTextBlock@CastMemberDialogResizabl | 1 |
| ?GetTextItem@CastMemberDialogResizable@ | 1 |
| ?SetInactive@CastMemberDialogResizable@ | 1 |
| ?SetHTMLText@CastMemberDialogResizabl | 1 |
| ?Init@CastMemberDialogResizable@@UAE | 1 |
| ?HandleButtonClicked@CastMemberDialogF | 1 |
| ?GetCfgPos@CastMemberDialogResizable@ | 1 |
| ?MouseDownOutsideOfDialog@CastMembe | 1 |
| ?Animate@CastMemberDialogResizable@@ | 1 |
| ?GetH@CastMemberDialogResizable@@UA | 1 |
| ?GetClassMemberType@CastMemberDialog | 1 |
| ??1CastMemberDialogResizable@@UAE@X | 1 |
| ?SetWrap@CastMemberTextImage@@UAE | 1 |
| ?SetSpacing@CastMemberTextImage@@U/ | 1 |
| ?GetTextW@CastMemberTextImage@@UA | 1 |
| ?SetTextNumber@CastMemberTextImage@ | 1 |
| ?SetText@CastMemberTextImage@@UAEX | 1 |
| ?SetFont@CastMemberTextImage@@UAEX | 1 |
| ?SetColor@CastMemberTextImage@@UAE | 1 |
| ?SetAutoSize@CastMemberTextImage@@U | 1 |
| ?GetText@CastMemberTextImage@@UAE? | 1 |
| ?GetFont@CastMemberTextImage@@UAEF | 1 |
| ?GetColor@CastMemberTextImage@@UAE | 1 |
| ?CreateImage@CastMemberTextImage@@I | 1 |
| ?Justify@CastMemberTextImage@@UAEXH | 1 |
| ?TrySetSpacing@CastMemberTextImage@@ | 1 |
| ?TrySetText@CastMemberTextImage@@UA | 1 |
| ?Init@CastMemberTextImage@@UAEXV?\$l | 1 |
| ?SetDropShadow@CastMemberTextImage@ | 1 |

| | |
|---|---|
| ?GetClassMemberType@CastMemberTextIn | 1 |
| ??1CastMemberTextImage@@UAE@XZ | 1 |
| ??0Debug@@QAE@XZ | 1 |
| ??0MultiType@@QAE@ABV0@@Z | 1 |
| ?OnFlashFSCommand@CastMemberFlash@ | 1 |
| ?AdjustPauseTimes@CastMemberFlash@@I | 1 |
| ?Paint@CastMemberFlash@@UAEXPACan | 1 |
| ?KeyUp@CastMemberFlash@@UAE_NW4SI | 1 |
| ?KeyDown@CastMemberFlash@@UAE_NW | 1 |
| ?MouseMove@CastMemberFlash@@UAE_I | 1 |
| ?MouseDrag@CastMemberFlash@@UAE_N | 1 |
| ?MouseUp@CastMemberFlash@@UAE_NH | 1 |
| ?MouseDown@CastMemberFlash@@UAE_I | 1 |
| ?OnResume@CastMemberFlash@@UAEXXZ | 1 |
| ?OnPause@CastMemberFlash@@UAEXXZ | 1 |
| ?GetClassMemberType@CastMemberFlash(| 1 |
| ??1CastMemberFlash@@UAE@XZ | 1 |
| ?SetImageUpdateFrequency@CastMemberF | 1 |
| ?FlashLoadMovieEx@CastMemberFlash@@ | 1 |
| ?B@Color@@QAEAAEXZ | 1 |
| ?G@Color@@QAEAAEXZ | 1 |
| ?R@Color@@QAEAAEXZ | 1 |
| ?Write@ConfigFile@@QAEXV?\$basic_string | 1 |
| ?Write@ConfigFile@@QAEXV?\$basic_string | 1 |
| ??0ConfigFile@@QAE@ABV?\$basic_string@ | 1 |
| ??0CastMemberFlash@@QAE@PAVCast@C | 1 |
| ?OnFlashExternalInterfaceCall@CastMembe | 1 |
| ?DebugVar2@Debug@@QAAXHV?\$basic_st | 1 |
| ?FlashCallFunctionEx@CastMemberFlash@C | 1 |
| ?Animate@CastMemberFlash@@UAEXI@Z | 1 |
| ?Remove@Cast@@QAEXPACastMember@ | 1 |
| ?ValueAsColor@ConfigFile@@QAE?AVColor | 1 |
| ??BMultiType@@QBE?AV?\$basic_string@G | 1 |
| ?Value@ConfigFile@@QAE?AVMultiType@I | 1 |
| ??BMultiType@@QBENXZ | 1 |
| RhLDJ | 1 |
| N7 | 1 |
| U | 1 |
| ?SetImageResource@CastMemberImage@C | 1 |
| ?SetImageResource@CastMemberImage@C | 1 |
| ?GetImageResourceKey@CastMemberImage | 1 |
| ?GetNumFrames@CastMemberImage@@U | 1 |
| ?GetFrame@CastMemberImage@@UAEHX: | 1 |
| ?NextFrame@CastMemberImage@@UAEXX | 1 |
| ?PrevFrame@CastMemberImage@@UAEXX | 1 |
| ?GetRow@CastMemberImage@@UAEHXZ | 1 |
| ?SetNewFrameOnly@CastMemberImage@C | 1 |

| | |
|--|---|
| ?SetFrame@CastMemberImage@@UAEXH | 1 |
| ?BlendBlit@CastMemberImage@@UAEXP | 1 |
| ?Loop@CastMemberImage@@UAEXHHH | 1 |
| ?Loop@CastMemberImage@@UAEXH@Z | 1 |
| ?Loop@CastMemberImage@@UAEXXZ | 1 |
| ?OnLooped@CastMemberImage@@UAEXX | 1 |
| ?StopLooping@CastMemberImage@@UAE | 1 |
| ?UseTransparency@CastMemberImage@@ | 1 |
| ?UseTransparency@CastMemberImage@@ | 1 |
| ?GetLooping@CastMemberImage@@UAE_I | 1 |
| ?GetLoopTimes@CastMemberImage@@UA | 1 |
| ?GetLoopSpeed@CastMemberImage@@UA | 1 |
| ?MirrorHorizontal@CastMemberImage@@I | 1 |
| ?MirrorVertical@CastMemberImage@@UA | 1 |
| ?CheckDropShadow@CastMemberImage@() | 1 |
| ?SetButtonListener@CastMemberImage@@ | 1 |
| ?GetFrameSequence@CastMemberImage@ | 1 |
| ?NewFrameSequence@CastMemberImage@ | 1 |
| ?NewFrameSequence@CastMemberImage@ | 1 |
| ?NewFrameSequence@CastMemberImage@ | 1 |
| ?GetFrameSequenceString@CastMemberIm | 1 |
| ?BlitInto@CastMemberImage@@UAEXPVI | 1 |
| ?ResetFrame@CastMemberImage@@UAEX | 1 |
| ?Cycle@CastMemberImage@@UAEXHW4 | 1 |
| ?OnCycle@CastMemberImage@@UAEXN@ | 1 |
| ?CyclingEnded@CastMemberImage@@UAE | 1 |
| ?SetCycleCue@CastMemberImage@@UAEX | 1 |
| ?StartAnimation@CastMemberImage@@U/ | 1 |
| ?StartNewAnimation@CastMemberImage@ | 1 |
| ?ContinueAnimation@CastMemberImage@ | 1 |
| ?PreInitAnimation@CastMemberImage@@I | 1 |
| ?InitAnimation@CastMemberImage@@UAF | 1 |
| ?JustifyOffset@CastMemberImage@@UAEI | 1 |
| ?SetCurrentStateStr@CastMemberImage@() | 1 |
| ?SetDefinedVariables@CastMemberImage@ | 1 |
| ?TryBreak@CastMemberImage@@UAE_NX | 1 |
| ?TryTrace@CastMemberImage@@UAEXXZ | 1 |
| ?TryMusicStop@CastMemberImage@@UAE | 1 |
| ?TryMusicFadeOut@CastMemberImage@@ | 1 |
| ?TrySoundInit@CastMemberImage@@UAE) | 1 |
| ?TrySoundPlay@CastMemberImage@@UAE | 1 |
| ?TrySoundPlayOneOf@CastMemberImage@ | 1 |
| ?TrySetImage@CastMemberImage@@UAE) | 1 |
| ?TrySetText@CastMemberImage@@UAEXX | 1 |
| ?TrySetSpacing@CastMemberImage@@UAI | 1 |
| ?TryMove@CastMemberImage@@UAEXXZ | 1 |
| ?TryMoveRel@CastMemberImage@@UAEX | 1 |

| | |
|---|---|
| ?TryMoveTo@CastMemberImage@@UAEX) | 1 |
| ?TryMoveToRel@CastMemberImage@@UA | 1 |
| ?TryCycle@CastMemberImage@@UAEXXZ | 1 |
| ?TrySetAlpha@CastMemberImage@@UAEX | 1 |
| ?TryFadeTo@CastMemberImage@@UAEXX: | 1 |
| ?TrySetScale@CastMemberImage@@UAEX) | 1 |
| ?TryScaleTo@CastMemberImage@@UAEXX | 1 |
| ?TrySetRotation@CastMemberImage@@UA | 1 |
| ?TryRotate@CastMemberImage@@UAEXXZ | 1 |
| ?TryRotateStop@CastMemberImage@@UA | 1 |
| ?TryRotateTo@CastMemberImage@@UAEX | 1 |
| ?TryBlink@CastMemberImage@@UAEXXZ | 1 |
| ?TryBlinkStop@CastMemberImage@@UAE) | 1 |
| ?TryShow@CastMemberImage@@UAEXXZ | 1 |
| ?TryHide@CastMemberImage@@UAEXXZ | 1 |
| ?TrySetFrame@CastMemberImage@@UAE) | 1 |
| ?TrySetPriority@CastMemberImage@@UAE | 1 |
| ?TryChangeNextState@CastMemberImage@ | 1 |
| ?TryChangeState@CastMemberImage@@U | 1 |
| ?TryLoopState@CastMemberImage@@UAE | 1 |
| ?TryCuePoint@CastMemberImage@@UAEX | 1 |
| ?TryDone@CastMemberImage@@UAE_NXi | 1 |
| ?ReadString@CastMemberImage@@UAE?A | 1 |
| ?ReadString@CastMemberImage@@UAE?A | 1 |
| ?ReadInt@CastMemberImage@@UAEHV?\$ | 1 |
| ?ReadInt@CastMemberImage@@UAEHV?\$ | 1 |
| ?ReadDouble@CastMemberImage@@UAE\ | 1 |
| ?ReadDouble@CastMemberImage@@UAE\ | 1 |
| ?ReadPoint@CastMemberImage@@UAE?A' | 1 |
| ?ReadPoint@CastMemberImage@@UAE?A' | 1 |
| ?ReadColor@CastMemberImage@@UAE?A' | 1 |
| ?ReadColor@CastMemberImage@@UAE?A' | 1 |
| ?CuePoint@CastMemberImage@@UAEXH@ | 1 |
| ?Justify@CastMemberImage@@UAEXH_N@ | 1 |
| ?Cue@CastMemberImage@@UAEXPACast | 1 |
| ?Cue@CastMemberImage@@UAEXPACast | 1 |
| ?CuePoint@CueListener@@UAEXPACastM | 1 |
| ?OnVendorExpire@VendorListener@@UAE) | 1 |
| ?ChangeStateSound@CueListener@@UAEXI | 1 |
| h\$BJ | 1 |
| 5J | 1 |
| xDJ | 1 |
| @\$xp\$15System@Shortint | 1 |
| @Sysutils@LastDelimiter\$qqrx17System@A | 1 |
| @Consts @_SOutOfRange | 1 |
| @Graphics@TCanvas@Pie\$qqriiiiii | 1 |
| @Graphics@StringToColor\$qqrx17System@ | 1 |

| | |
|--|---|
| @Stdctrls@TCustomEdit@SetSelText\$qqrx1` | 1 |
| @Stdctrls@TCustomEdit@Undo\$qqrv | 1 |
| @Stdctrls@TCustomEdit@PasteFromClipboard\$qqrv | 1 |
| @Stdctrls@TCustomEdit@CutToClipboard\$qqrv | 1 |
| @Stdctrls@TCustomEdit@CopyToClipboard\$qqrv | 1 |
| @Extctrls@TCustomPanel@SetAlignment\$qqrv | 1 |
| @\$xp\$21Extctrls@TCustomPanel | 1 |
| @Extctrls@TCustomPanel@ | 1 |
| @Clipbrd@TClipboard@SetAsText\$qqrx17S` | 1 |
| @Controls@TWinControl@SetUseDockMan\$qqrv | 1 |
| @Controls@TWinControl@SetDockSite\$qqrv | 1 |
| @Controls@TWinControl@WMSize\$qqrr16I | 1 |
| @Controls@TControl@GetTextLen\$qqrv | 1 |
| @Controls@NewStyleControls | 1 |
| @\$xp\$20Controls@TBevelWidth | 1 |
| @Buttons@TSpeedButton@GetNumGlyphs\$qqrv | 1 |
| @\$xp\$18Buttons@TNumGlyphs | 1 |
| @Comctrls@TToolButton@SetDown\$qqro | 1 |
| @Comctrls@TCustomListView@SetAllocBy\$qqrv | 1 |
| @Comctrls@TListItems@Insert\$qqri | 1 |
| @Comctrls@TCustomTreeView@SaveToString\$qqrv | 1 |
| @Comctrls@TCustomTreeView@LoadFromText\$qqrv | 1 |
| @Comctrls@TTreeNodes@EndUpdate\$qqrv | 1 |
| @Comctrls@TTreeNodes@BeginUpdate\$qqrv | 1 |
| @Comctrls@TTreeNode@SetSelectedIndex\$qqrv | 1 |
| @Comctrls@TTreeNode@SetImageIndex\$qqrv | 1 |
| @Comctrls@TCustomStatusBar@SetSimple\$qqrv | 1 |
| PR_GetOpenFileInfo | 1 |
| ?DoLog@@YAXGPBD0G0PBG@Z | 1 |
| ?getProductInfo@YYConfig@@SA?AVQString@0@Z | 1 |
| ??1YYApplication@@UAE@XZ | 1 |
| ?start@YYApplication@@QAE_NXZ | 1 |
| ??0YYApplication@@QAE@HQAPAD@Z | 1 |
| ?instance@MallocExtension@@SAPAV1@XZ | 1 |
| ?Initialize@MallocExtension@@SAXXZ | 1 |
| AddERECLUDEDAPPLICATIONW | 1 |
| IID_ITextHost2 | 1 |
| RichEdit10ANSIWndProc | 1 |
| IID_ITextServices | 1 |
| IID_IRichEditOleCallback | 1 |
| RichEditANSIWndProc | 1 |
| RE_EXTENDEDREGISTERCLASS | 1 |
| IID_IRichEditOle | 1 |
| IID_ITextHost | 1 |
| criwsitpf | 1 |
| ??0iUTF16StringStream@dvacore@@QAE@Z | 1 |
| ??_DiUTF16StringStream@dvacore@@QAE@Z | 1 |

| | |
|--|---|
| ?Decode@Vindaloo@@YA?AV?\$vector@EV | 1 |
| ?ReadOnlyRamPort@CPort@Vindaloo@@S | 1 |
| ??0CReadStream@Vindaloo@@QAE@AAVC | 1 |
| ?ReadInt@CReadStream@Vindaloo@@UBE | 1 |
| ?ReadFloat@CReadStream@Vindaloo@@UI | 1 |
| ?ReadDouble@CReadStream@Vindaloo@@ | 1 |
| ?ReadByte@CReadStream@Vindaloo@@UE | 1 |
| ?ReadShort@CReadStream@Vindaloo@@U | 1 |
| ??1CReadStream@Vindaloo@@UAE@XZ | 1 |
| ?StaticRamPort@CPort@Vindaloo@@SA?A\ | 1 |
| ??0CWriteStream@Vindaloo@@QAE@AAV\ | 1 |
| ?PutInt@CWriteStream@Vindaloo@@UAEK | 1 |
| ?PutFloat@CWriteStream@Vindaloo@@UA | 1 |
| ?PutDouble@CWriteStream@Vindaloo@@l | 1 |
| ?Encode@Vindaloo@@YA?AV?\$basic_string | 1 |
| ?PutByte@CWriteStream@Vindaloo@@UAI | 1 |
| ?PutShort@CWriteStream@Vindaloo@@UA | 1 |
| ?Flush@CWriteStream@Vindaloo@@UAEKI | 1 |
| ??1CWriteStream@Vindaloo@@UAE@XZ | 1 |
| ?VUTF16ToUTF8@StringUtils@Vindaloo@@ | 1 |
| ?VWIsequal@StringUtils@Vindaloo@@YAEF | 1 |
| ?VAsciiToUTF16@StringUtils@Vindaloo@@` | 1 |
| ?VWCopy@StringUtils@Vindaloo@@YAPAC | 1 |
| ?VWLen@StringUtils@Vindaloo@@YAIPBG(| 1 |
| ?VUTF8ToUTF16@StringUtils@Vindaloo@@ | 1 |
| ?VGenerateGUID@Vindaloo@@YAKPAU_VC | 1 |
| AtaPortMoveMemory | 1 |
| AtaPortReadPortUshort | 1 |
| vlc_loaddir | 1 |
| V2mIsPlay | 1 |
| AavmGetVpsProperty | 1 |
| AavmDecreaseProcessPriority | 1 |
| aavmFltCheckMgrService | 1 |
| AavmGetDIICachePath | 1 |
| aavmFltIsPresent | 1 |
| AavmIncreaseProcessPriority | 1 |
| FilterComm_Send | 1 |
| AavmProviderRegister | 1 |
| AavmGetScannerExtensionsDllPath | 1 |
| _basGetBaseLang@0 | 1 |
| _basGetStringValue@16 | 1 |
| _basGetFeatureLicenseInfo@32 | 1 |
| _basLogEvent2@24 | 1 |
| secCreateSharedEvent | 1 |
| aswPropertyInitLibrary | 1 |
| aswGetPropertyInt | 1 |
| aswGetProperty | 1 |

| | |
|--|---|
| aswGetProviderPropertyInt | 1 |
| aswPropertyFreeLibrary | 1 |
| _tcvdec_SetPAL_NTSC@4 | 1 |
| ??1TCVPlayBackDlg@@UAE@XZ | 1 |
| ?ReadINI@TCINI@@UAE?AVCString@@PBC | 1 |
| ?TCOnCreate@TCFrameGuiDlg@@MAEXXZ | 1 |
| avcodec_init | 1 |
| ff_gcd | 1 |
| EventWriteTransfer | 1 |
| CreateXmlWriterOutputWithEncodingName | 1 |
| @Classes@GetClass\$qqrx17System@AnsiSt | 1 |
| @Designditors@TStringProperty@SetValue | 1 |
| @Designditors@TStringProperty@GetValue | 1 |
| @Designditors@TStringProperty@GetEditL | 1 |
| @Designditors@TStringProperty@AllEqual | 1 |
| @\$xp\$29Designditors@TStringProperty | 1 |
| @Designditors@TStringProperty@ | 1 |
| @\$xp\$18Comctrls@TSortType | 1 |
| @Isconst@initialization\$qqrv | 1 |
| @Isconst@Finalization\$qqrv | 1 |
| @Isconst@teRetrieveFields | 1 |
| @Isconst@teSaveTemplate | 1 |
| @Isconst@teLoadTemplate | 1 |
| @Isutils@initialization\$qqrv | 1 |
| @Isutils@Finalization\$qqrv | 1 |
| @Isutils@UniCompareStr\$qqrx17System@A | 1 |
| @Treecoll@initialization\$qqrv | 1 |
| @Treecoll@Finalization\$qqrv | 1 |
| @Treecoll@RegisterTreeCollectionClass\$qqi | 1 |
| @Treecoll@TTreeCollection@SetCaption\$qc | 1 |
| @Treecoll@TTreeCollection@SetIndex\$qqri | 1 |
| @Treecoll@TTreeCollection@Update\$qqrp2 | 1 |
| @Treecoll@TTreeCollection@GetIndex\$qqr | 1 |
| @Treecoll@TTreeCollection@GetCount\$qqr | 1 |
| @Treecoll@TTreeCollection@IsList\$qqrv | 1 |
| @Treecoll@TTreeCollection@EndUpdate\$qq | 1 |
| @Treecoll@TTreeCollection@Clear\$qqrv | 1 |
| @Treecoll@TTreeCollection@Changed\$qqrc | 1 |
| @Treecoll@TTreeCollection@BeginUpdate\$ | 1 |
| @Treecoll@TTreeCollection@BeginUpdateN | 1 |
| @Treecoll@TTreeCollection@GetDisplayNa | 1 |
| @Treecoll@TTreeCollection@Add\$qqrx17Sy | 1 |
| @Treecoll@TTreeCollection@_Add\$qqri | 1 |
| @Islists@initialization\$qqrv | 1 |
| @Islists@Finalization\$qqrv | 1 |
| @Exgrid@initialization\$qqrv | 1 |
| @Exgrid@Finalization\$qqrv | 1 |

| | |
|---|---|
| @Exgrid@TCustomExGrid@EndColumnDrag | 1 |
| @Exgrid@TCustomExGrid@CheckRowDrag\$ | 1 |
| @Exgrid@TCustomExGrid@CheckColumnDr | 1 |
| @Exgrid@TCustomExGrid@SetFixedColAsBu | 1 |
| @Exgrid@TCustomExGrid@SetFixedRowAsE | 1 |
| @Exgrid@TCustomExGrid@DeleteRow\$qqri | 1 |
| @Exgrid@TCustomExGrid@DeleteColumn\$c | 1 |
| @Exgrid@TCustomExGrid@RowHeightsChai | 1 |
| @Exgrid@TCustomExGrid@SetScrollBars\$qc | 1 |
| @Exgrid@TCustomExGrid@SetScrollbarsCol | 1 |
| @Exgrid@TCustomExGrid@SetScrollBarsSty | 1 |
| @Exgrid@TCustomExGrid@RowHeightChan | 1 |
| @Exgrid@TCustomExGrid@RowHeightChan | 1 |
| @Exgrid@TCustomExGrid@SetUseVisualSty | 1 |
| @Exgrid@TCustomExGrid@SetGridLineWidt | 1 |
| @Exgrid@TCustomExGrid@SetFixedCols\$qq | 1 |
| @Exgrid@TCustomExGrid@SetFixedFont\$qc | 1 |
| @Exgrid@TCustomExGrid@SetFixedColor\$q | 1 |
| @Exgrid@TCustomExGrid@SetMinimumRow | 1 |
| @Exgrid@TCustomExGrid@SetDefaultRowH | 1 |
| @Exgrid@TCustomExGrid@SetDefaultColWi | 1 |
| @Exgrid@TCustomExGrid@SetColWidths\$q | 1 |
| @Exgrid@TCustomExGrid@ColumnWidthCh | 1 |
| @Exgrid@TCustomExGrid@SetHTMLDrawin | 1 |
| @Exgrid@TCustomExGrid@GetSelection\$qc | 1 |
| @Exgrid@TCustomExGrid@AllowDesignSizir | 1 |
| @Exgrid@TCustomExGrid@AppendRow\$qq | 1 |
| @Exgrid@TCustomExGrid@CreateWnd\$qqqr | 1 |
| @Exgrid@TCustomExGrid@DestroyWnd\$qq | 1 |
| @Exgrid@TCustomExGrid@CreateEditor\$qq | 1 |
| @Exgrid@TCustomExGrid@UpdateWidths\$() | 1 |
| @Exgrid@TCustomExGrid@InvalidateRow\$ç | 1 |
| @Exgrid@TCustomExGrid@InvalidateCell\$q | 1 |
| @Exgrid@TCustomExGrid@SetFixedLineCol | 1 |
| @Exgrid@TCustomExGrid@SetLineColor\$qq | 1 |
| @Exgrid@TCustomExGrid@CanColSizing\$qc | 1 |
| @Exgrid@TCustomExGrid@DrawOn\$qqrp1€ | 1 |
| @Exgrid@TCustomExGrid@GetDrawColor\$ç | 1 |
| @Exgrid@TCustomExGrid@GetEditLimit\$qq | 1 |
| @Exgrid@TCustomExGrid@GetEditMask\$qc | 1 |
| @Exgrid@TCustomExGrid@CanEditModify\$ç | 1 |
| @Exgrid@TCustomExGrid@CanEditAcceptKe | 1 |
| @Exgrid@TCustomExGrid@AdjustSize\$qqrii | 1 |
| @\$xp\$22Exgrid@TScrollBarStyle | 1 |
| @\$xp\$18Exgrid@TMovedEvent | 1 |
| @\$xp\$21Exgrid@TDrawCellEvent | 1 |
| @\$xp\$19Exgrid@TGridOptions | 1 |

| | |
|---|---|
| @Isthemes@initialization\$qqrv | 1 |
| @Isthemes@Finalization\$qqrv | 1 |
| @Isuxtheme@initialization\$qqrv | 1 |
| @Isuxtheme@Finalization\$qqrv | 1 |
| @Iscontrols@initialization\$qqrv | 1 |
| @Iscontrols@Finalization\$qqrv | 1 |
| @Raptree@initialization\$qqrv | 1 |
| @Raptree@Finalization\$qqrv | 1 |
| @Raptree@TFlyNodes@GetNodeFromIndex | 1 |
| @Raptree@TFlyNodes@GetFirstNode\$qqrv | 1 |
| @Raptree@TFlyNodes@Insert\$qqrp16Raptr | 1 |
| @Raptree@TFlyNode@SetIndex\$qqri | 1 |
| @Raptree@TFlyNode@Update\$qqrp24Tree | 1 |
| @Raptree@TFlyNode@Assign\$qqrp19Class | 1 |
| @Raptree@TFlyNode@DeleteChildren\$qqrv | 1 |
| @Raptree@TFlyNode@Delete\$qqrv | 1 |
| @Raptree@TFlyNode @_Add\$qqri | 1 |
| @Raptree@TFlyNode@InternalGetClass\$qq | 1 |
| @Raptree@TFlyNode@GetItem\$qqri | 1 |
| @Raptree@TFlyNode@GetPrev\$qqrv | 1 |
| @Raptree@TFlyNode@GetNext\$qqrv | 1 |
| @Raptree@TFlyNode@GetLastChild\$qqrv | 1 |
| @Raptree@TFlyNode@GetParent\$qqrv | 1 |
| @Raptree@TFlyNode@SetHasChildren\$qqri | 1 |
| @Raptree@TFlyNode@GetHasChildren\$qqri | 1 |
| @Raptree@TFlyNode@GetExpanded\$qqrv | 1 |
| @Raptree@TFlyNode@Expand\$qqro | 1 |
| @Raptree@TFlyNode@SetStateIndex\$qqri | 1 |
| @Raptree@TFlyNode@SetSelectedIndex\$qq | 1 |
| @Raptree@TFlyNode@SetImageIndex\$qqri | 1 |
| @Raptree@TFlyNode@SetCaption\$qqrx17S | 1 |
| @Raptree@TFlyNode@SetCellDynamic\$qqri | 1 |
| @Raptree@TFlyNode@GetCellDynamic\$qqri | 1 |
| @Raptree@TFlyNode@SetCellOrd\$qqrix17S | 1 |
| @Raptree@TFlyNode@SetCell\$qqrix17Syste | 1 |
| @Raptree@TFlyNode@GetCellOrd\$qqri | 1 |
| @Raptree@TFlyNode@GetCell\$qqri | 1 |
| @Raptree@TFlyNode@HasAsParent\$qqrp16 | 1 |
| @Raptree@TFlyNode@GetTree\$qqrv | 1 |
| @Raptree@TFlyNode@\$bdtr\$qqrv | 1 |
| @Raptree@TFlyNode@\$bctr\$qqrp24Treeco | 1 |
| @Raptree@TCustomRapidTree@GetTooltip | 1 |
| @Raptree@TCustomRapidTree@SetToolTip | 1 |
| @Raptree@TCustomRapidTree@GetNodeAt | 1 |
| @Raptree@TCustomRapidTree@SelectItem | 1 |
| @Raptree@TCustomRapidTree@InSelection | 1 |
| @Raptree@TCustomRapidTree@ExpandIter | 1 |

| | |
|---------------------------------------|---|
| @Raptree@TCustomRapidTree@Delete\$qqi | 1 |
| @Raptree@TCustomRapidTree@SetButtonS | 1 |
| @Raptree@TCustomRapidTree@SizeChange | 1 |
| @Raptree@TCustomRapidTree@ColumnWi | 1 |
| @Raptree@TCustomRapidTree@BeginColur | 1 |
| @Raptree@TCustomRapidTree@InternalSet | 1 |
| @Raptree@TCustomRapidTree@SetRowHei | 1 |
| @Raptree@TCustomRapidTree@CalcSizingS | 1 |
| @Raptree@TCustomRapidTree@GetColWid | 1 |
| @Raptree@TCustomRapidTree@GetAlignm | 1 |
| @Raptree@TCustomRapidTree@CreateWin | 1 |
| @Raptree@TCustomRapidTree@SetOutline: | 1 |
| @Raptree@TCustomRapidTree@SetNodeSe | 1 |
| @Raptree@TCustomRapidTree@DrawFixed | 1 |
| @Raptree@TCustomRapidTree@GetHitTest | 1 |
| @Raptree@TCustomRapidTree@SetTranspa | 1 |
| @Raptree@TCustomRapidTree@GetNodeA† | 1 |
| @Raptree@TCustomRapidTree@MouseHit\$ | 1 |
| @Raptree@TCustomRapidTree@RowSized\$ | 1 |
| @Raptree@TCustomRapidTree@ColSized\$q | 1 |
| @Raptree@TCustomRapidTree@EndRowDr | 1 |
| @Raptree@TCustomRapidTree@BeginRow[| 1 |
| @Raptree@TCustomRapidTree@GetDragIm | 1 |
| @Raptree@TCustomRapidTree@DragOver\$ | 1 |
| @Raptree@TCustomRapidTree@MoveEdito | 1 |
| @Raptree@TCustomRapidTree@PasteSelec | 1 |
| @Raptree@TCustomRapidTree@CopySelect | 1 |
| @Raptree@TCustomRapidTree@CutSelectic | 1 |
| @Raptree@TCustomRapidTree@SetHideSel | 1 |
| @Raptree@TCustomRapidTree@SetFitToHe | 1 |
| @Raptree@TCustomRapidTree@SetFitToWi | 1 |
| @Raptree@TCustomRapidTree@SetStatesD | 1 |
| @Raptree@TCustomRapidTree@GetBitmap | 1 |
| @Raptree@TCustomRapidTree@SetHotTrac | 1 |
| @Raptree@TCustomRapidTree@SetHotTrac | 1 |
| @Raptree@TCustomRapidTree@SetAutoExç | 1 |
| @Raptree@TCustomRapidTree@SetSelecter | 1 |
| @Raptree@TCustomRapidTree@GetSelecte | 1 |
| @Raptree@TCustomRapidTree@SetShowRc | 1 |
| @Raptree@TCustomRapidTree@SetShowInr | 1 |
| @Raptree@TCustomRapidTree@SetShowLir | 1 |
| @Raptree@TCustomRapidTree@SetShowBl | 1 |
| @Raptree@TCustomRapidTree@SetShowLo | 1 |
| @Raptree@TCustomRapidTree@SetStructur | 1 |
| @Raptree@TCustomRapidTree@SetIndent\$ | 1 |
| @Raptree@TCustomRapidTree@GetEditTex | 1 |
| @Raptree@TCustomRapidTree@SetEditText | 1 |

| | |
|---|---|
| @Raptree@TCustomRapidTree@Edited\$qqrv | 1 |
| @Raptree@TCustomRapidTree@SetNodeData | 1 |
| @Raptree@TCustomRapidTree@Notification | 1 |
| @Raptree@TCustomRapidTree@SetSortOrder | 1 |
| @Raptree@TCustomRapidTree@SetSortColumn | 1 |
| @Raptree@TCustomRapidTree@SetSortType | 1 |
| @Raptree@TCustomRapidTree@SetFixedRow | 1 |
| @Raptree@TCustomRapidTree@GetFixedRow | 1 |
| @Raptree@TCustomRapidTree@SetNodes\$ | 1 |
| @Raptree@TCustomRapidTree@InsertRows | 1 |
| @Raptree@TCustomRapidTree@DeleteRow | 1 |
| @Raptree@TCustomRapidTree@FixupRowHeader | 1 |
| @Raptree@TCustomRapidTree@FixupRows | 1 |
| @Raptree@TCustomRapidTree@ColCountChanged | 1 |
| @Raptree@TCustomRapidTree@SetOutlineStyle | 1 |
| @\$xp\$27Raptree@TNodeSelectionStyle | 1 |
| @\$xp\$21Raptree@TOOutlineStyle | 1 |
| @\$xp\$24Raptree@TFTVCompareEvent | 1 |
| @\$xp\$25Raptree@TFTVExpandedEvent | 1 |
| @\$xp\$27Raptree@TFTVCollapsingEvent | 1 |
| @\$xp\$26Raptree@TFTVExpandingEvent | 1 |
| @\$xp\$23Raptree@TFTVEditedEvent | 1 |
| @\$xp\$24Raptree@TFTVErasingEvent | 1 |
| @\$xp\$24Raptree@TFTVChangedEvent | 1 |
| @\$xp\$25Raptree@TFTVChangingEvent | 1 |
| @\$xp\$17Raptree@TFlyNodes | 1 |
| @\$xp\$16Raptree@TFlyNode | 1 |
| @Raptree@TFlyNode@ | 1 |
| @\$xp\$20Raptree@TSortOptions | 1 |
| @\$xp\$18Raptree@TSortOrder | 1 |
| @OleDragdrop@Initialization\$qqrv | 1 |
| @OleDragdrop@Finalization\$qqrv | 1 |
| @IshtmlHintWindow@Initialization\$qqrv | 1 |
| @IshtmlHintWindow@Finalization\$qqrv | 1 |
| @Ishtmldraw@Initialization\$qqrv | 1 |
| @Ishtmldraw@Finalization\$qqrv | 1 |
| @FlyEdit@Initialization\$qqrv | 1 |
| @FlyEdit@Finalization\$qqrv | 1 |
| @ISPlugEdit@Initialization\$qqrv | 1 |
| @ISPlugEdit@Finalization\$qqrv | 1 |
| @ISPlugEdit@TISPlugSection@Set.MaxValue | 1 |
| @ISPlugEdit@TISPlugSection@Set.MinValue | 1 |
| @ISPlugEdit@TISPlugSections@GetSection\$ | 1 |
| @RtProps@Initialization\$qqrv | 1 |
| @RtProps@Finalization\$qqrv | 1 |
| @ISColled@Initialization\$qqrv | 1 |
| @ISColled@Finalization\$qqrv | 1 |

| | |
|--|---|
| @Flytree@initialization\$qqrv | 1 |
| @Flytree@Finalization\$qqrv | 1 |
| @Finplace@initialization\$qqrv | 1 |
| @Finplace@Finalization\$qqrv | 1 |
| @Flytredt@initialization\$qqrv | 1 |
| @Flytredt@Finalization\$qqrv | 1 |
| @Proptree@initialization\$qqrv | 1 |
| @Proptree@Finalization\$qqrv | 1 |
| @Ispictedit@initialization\$qqrv | 1 |
| @Ispictedit@Finalization\$qqrv | 1 |
| @Isstred@initialization\$qqrv | 1 |
| @Isstred@Finalization\$qqrv | 1 |
| @Flytreepro@initialization\$qqrv | 1 |
| @Flytreepro@Finalization\$qqrv | 1 |
| @Flytreepro@TTreeColumns@GetColumn\$ | 1 |
| @Flytreepro@TTreeColumns@GetTree\$qqr | 1 |
| @Flytreepro@TTreeColumns@SetColumnCl | 1 |
| @Flytreepro@TTreeColumns@GetColumnCl | 1 |
| @Flytreepro@TTreeColumn@InternalGetCl | 1 |
| @Flytreepro@TTreeColumn@SetFetchMode | 1 |
| @Flytreepro@TTreeColumn@SetReadOnly\$ | 1 |
| @Flytreepro@TTreeColumn@SetAlign\$qqr1 | 1 |
| @Flytreepro@TTreeColumn@SetVisible\$qqi | 1 |
| @Flytreepro@TTreeColumn@SetWidth\$qqr | 1 |
| @Flytreepro@TTreeColumn@SetImageInde | 1 |
| @Flytreepro@TTreeColumn@SetSpacing\$qq | 1 |
| @Flytreepro@TTreeColumn@SetLayout\$qqr | 1 |
| @Flytreepro@TTreeColumn@SetMargin\$qq | 1 |
| @Flytreepro@TTreeColumn@Assign\$qqrp1! | 1 |
| @Flytreepro@TTreeColumn@SetPrompt\$qc | 1 |
| @Flytreepro@TTreeColumn@SetDefValue\$ | 1 |
| @Flytreepro@TTreeColumn@IsTitleColorSt | 1 |
| @Flytreepro@TTreeColumn@SetTitleColor\$ | 1 |
| @Flytreepro@TTreeColumn@IsTitleFontSto | 1 |
| @Flytreepro@TTreeColumn@SetTitleFont\$ | 1 |
| @Flytreepro@TTreeColumn@SetEditorStyle | 1 |
| @Flytreepro@TTreeColumn@\$bdtr\$qqrv | 1 |
| @Flytreepro@TTreeColumn@\$bctr\$qqrp24 | 1 |
| @Flytreepro@TEditorStyle@SetEditorType\$ | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Re | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Ge | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Sel | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Cre | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Up | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Sel | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Sel | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Sel | 1 |

| | |
|---------------------------------------|---|
| @Flytreepro@TCustomFlyTreeViewPro@Ge | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Ge | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@De | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Sel | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Co | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Exp | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Cal | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Cal | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Ch | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Ge | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Ge | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Ge | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Co | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Hic | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Shi | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Cal | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Shi | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Hic | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Mc | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Up | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Sel | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Cu | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Aft | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Be | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Be | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Aft | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@aG | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Sel | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Sel | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Ge | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@als | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@lsR | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@aE | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@aV | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@aV | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Sel | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@aPi | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@aBi | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@aG | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@aG | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Ge | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Ge | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Ro | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Co | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Pai | 1 |

| | |
|---|---|
| @Flytreepro@TCustomFlyTreeViewPro@Fill | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Ne | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Ca | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Dr | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Ge | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Ge | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Sel | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Ge | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Sel | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Sel | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@To | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@To | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Ch | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Ce | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@Sel | 1 |
| @\$xp\$32Flytreepro@TCustomFlyTreeViewP | 1 |
| @Flytreepro@TCustomFlyTreeViewPro@ | 1 |
| @\$xp\$22Flytreepro@TTreeColumn | 1 |
| @Flytreepro@TTreeColumn@ | 1 |
| @\$xp\$24Flytreepro@TButtonLayout | 1 |
| @\$xp\$32Flytreepro@TTreeColumnClickEver | 1 |
| @\$xp\$31Flytreepro@TTreeSelChangedEven | 1 |
| @\$xp\$32Flytreepro@TTreeSelChangingEver | 1 |
| @\$xp\$33Flytreepro@TTreeGetEditStyleEver | 1 |
| @\$xp\$35Flytreepro@TTreeIsReadOnlyNode | 1 |
| @\$xp\$36Flytreepro@TTreeEditButtonClickE | 1 |
| @\$xp\$38Flytreepro@TTreeGetNodeAttribut | 1 |
| @\$xp\$28Flytreepro@TTreeCloseUpEvent | 1 |

| | |
|---|---|
| @\$xp\$32Flytreepro@TTreeButtonPressEvent | 1 |
| @\$xp\$39Flytreepro@TTreeGetDropDownC | 1 |
| @\$xp\$37Flytreepro@TTreeValidateNodeDa | 1 |
| @\$xp\$32Flytreepro@TTreeGetNodeDataEv | 1 |
| @\$xp\$29Flytreepro@TStateChangedEvent | 1 |
| @\$xp\$30Flytreepro@TStateChangingEvent | 1 |
| @\$xp\$29Flytreepro@TRefreshStateEvent | 1 |
| @\$xp\$21Flytreepro@TTreeStyle | 1 |
| @\$xp\$23Flytreepro@TTreeOptions | 1 |
| @\$xp\$21Flytreepro@TWallpaper | 1 |
| @\$xp\$23Flytreepro@TEditorStyle | 1 |
| @\$xp\$28Flytreepro@EOutlineTreeError | 1 |
| @Flytreepro@EOutlineTreeError@ | 1 |
| @Ispinedit@initialization\$qqrv | 1 |
| @Ispinedit@Finalization\$qqrv | 1 |
| @Flytredtpro@initialization\$qqrv | 1 |
| @Flytredtpro@Finalization\$qqrv | 1 |
| @Flytredtpro@SaveTemplate\$qqrp32Flytre | 1 |
| @Flytredtpro@Loadtemplate\$qqrp32Flytre | 1 |
| @Flytredtpro@CustomizeTree\$qqrp32Flytre | 1 |
| @Proptreepro@initialization\$qqrv | 1 |
| @Proptreepro@Finalization\$qqrv | 1 |
| @Db@TDataLink@MoveBy\$qqri | 1 |
| @Db@TDataLink@GetBufferCount\$qqrv | 1 |
| @Db@TDataLink@GetEOF\$qqrv | 1 |
| @Db@TDataLink@GetBOF\$qqrv | 1 |
| @Db@TDataLink@UpdateData\$qqrv | 1 |
| @Db@TDataLink@LayoutChanged\$qqrv | 1 |
| @Db@TDataLink@FocusControl\$qrpp9Db(| 1 |
| @Db@TDataLink@EditingChanged\$qqrv | 1 |
| @Db@TDataLink@CheckBrowseMode\$qqrv | 1 |
| @Db@TDataLink@DataEvent\$qqr13Db@TD | 1 |
| @Db@TDataLink@GetRecordCount\$qqrv | 1 |
| @Db@TDataLink@SetBufferCount\$qqri | 1 |
| @Db@TDataLink@SetActiveRecord\$qqri | 1 |
| @Db@TDataLink@GetActiveRecord\$qqrv | 1 |
| @Db@TDataLink@Edit\$qqrv | 1 |
| @Db@TDataLink@GetDataSet\$qqrv | 1 |
| @Db@TDataLink@\$bdtr\$qqrv | 1 |
| @Db@TDataLink@\$bctr\$qqrv | 1 |
| @Db@TField@GetDisplayWidth\$qqrv | 1 |
| @\$xp\$12Db@TDataLink | 1 |
| @Db@TDataLink@ | 1 |
| @\$xp\$13Db@TFieldType | 1 |
| lineDialA | 1 |
| PartitionAccessCheck | 1 |
| GetClassInfoForCurrentUser | 1 |

| | |
|--|---|
| eServiceDescriptorTable | 1 |
| @Rxspin@initialization\$qqrv | 1 |
| @Tabs95@initialization\$qqrv | 1 |
| @Rxlookup@initialization\$qqrv | 1 |
| @Dxpschlbxlnk@initialization\$qqrv | 1 |
| @Dxpsgrlnks@initialization\$qqrv | 1 |
| @Dxpsbasegridlnk@initialization\$qqrv | 1 |
| ?OpenMovie@QMovieQT@@QAEHXZ | 1 |
| ??1QMovieQT@@UAE@XZ | 1 |
| ??0QMovieQT@@QAE@XZ | 1 |
| ?AttachMovie@QMovieQT@@QAEXXZ | 1 |
| ?SetMovieRect@QMovieQT@@QAEXUtagR | 1 |
| ?Create@QMovieQT@@QAEPAUWND__C | 1 |
| ?SetMovieWndRect@QMovieQT@@QAEXU | 1 |
| ?GetFontName@QMovieQT@@QAEXFPAD(| 1 |
| ?GetFontID@QMovieQT@@QAEFPBD@Z | 1 |
| ?CloseMovie@QMovieQT@@QAEXXZ | 1 |
| ??1CMDLTextInfo2@@UAE@XZ | 1 |
| ??0CMDLTextInfo2@@QAE@XZ | 1 |
| ?SetText@CMDLTextInfo2@@QAEXPBD@Z | 1 |
| ?GetText@CMDLTextInfo2@@QBEXPADH@ | 1 |
| ?CheckLineLen@CMDLTextInfo2@@QAEIXZ | 1 |
| ?IsFontAvailable@CMDLTextInfo2@@SAHPI | 1 |
| ??1CMDLTransitionInfo@@UAE@XZ | 1 |
| ??0CMDLTransitionInfo@@QAE@XZ | 1 |
| ??1CMDLPlayList@@UAE@XZ | 1 |
| ?CreateTransitionMovie2@CMDLPlayList@C | 1 |
| ?SetMovieHeight@CMDLPlayList@@QAEXJ(| 1 |
| ?SetMovieWidth@CMDLPlayList@@QAEXJ(C | 1 |
| ?SetMDPLibCallback@CMDLPlayList@@QA | 1 |
| ?SetClipList@CMDLPlayList@@QAEIPAPAVC | 1 |
| ??0CMDLPlayList@@QAE@XZ | 1 |
| ??1CMDLPlayList2@@UAE@XZ | 1 |
| ?SetNonfxRenderingDir@CMDLClipInfo2@A | 1 |
| ?CreateTransitionMovie@CMDLPlayList2@C | 1 |
| ?SetClipList@CMDLPlayList2@@QAEIPAPAV | 1 |
| ??0CMDLPlayList2@@QAE@XZ | 1 |
| ?SetUserData@CMDLClipInfo2@@QAEXJ@Z | 1 |
| ?GetMovieHeight@CMDLClipInfo2@@QBEJ | 1 |
| ?GetMovieWidth@CMDLClipInfo2@@QBEJ | 1 |
| ?GetClippingRect@CMDLClipInfo2@@QBEIF | 1 |
| ?GetClipHeight@CMDLClipInfo2@@QBEJXZ | 1 |
| ?GetClipWidth@CMDLClipInfo2@@QBEJXZ | 1 |
| ?SetClippingRect@CMDLClipInfo2@@QAEIP | 1 |
| ?SetOutlineColor@CMDLTextInfo@@QAEXK | 1 |
| ?SetFontID@CMDLTextInfo@@QAEXF@Z | 1 |
| ?SetFontSize@CMDLTextInfo@@QAEXF@Z | 1 |

| | |
|---|---|
| ?SetFontStyle@CMDLTextInfo@@QAEXH@Z | 1 |
| ??1CMDLTextInfo@@UAE@XZ | 1 |
| ?SetRotateDegrees@CMDLClipInfoBase@@I | 1 |
| ?SetInverseType@CMDLClipInfoBase@@QA | 1 |
| ?GetBrightnessContrastParam@CMDLEffectI | 1 |
| ?SetBrightnessContrastParam@CMDLEffectI | 1 |
| ??4CMDLClipInfo2@@QEAHAV0@ABV0@@ | 1 |
| ?SetTransitionID@CMDLTransitionInfo@@Q | 1 |
| ?GetTransitionID@CMDLTransitionInfo@@C | 1 |
| ?GetInTime@CMDLTextInfo@@QBEJXZ | 1 |
| ?GetOutTime@CMDLTextInfo@@QBEJXZ | 1 |
| ?SetTextEffectID@CMDLTextInfo@@QAEXH | 1 |
| ?SetInTime@CMDLTextInfo@@QAEXJ@Z | 1 |
| ?SetOutTime@CMDLTextInfo@@QAEXJ@Z | 1 |
| ?GetTransitionTime@CMDLTransitionInfo@I | 1 |
| ?SetTransitionTime@CMDLTransitionInfo@C | 1 |
| ?SetInTime@CMDLClipInfoBase@@QAEXJ@C | 1 |
| ?SetOutTime@CMDLClipInfoBase@@QAEXJ | 1 |
| ?IsFontAvailable@CMDLTextInfo@@SAHPA | 1 |
| ?SetShadowColor@CMDLTextInfo@@QAEXI | 1 |
| ?GetRGBBalanceParam@CMDLEffectInfo2@ | 1 |
| ?SetRGBBalanceParam@CMDLEffectInfo2@ | 1 |
| ?SetTempClipDir@CMDLClipInfo2@@QAEIP | 1 |
| ??0CMDLEffectInfo2@@QAE@XZ | 1 |
| ??1CMDLEffectInfo2@@UAE@XZ | 1 |
| ?MDLCREATECLIPMOVIE@@YAIPAVCMDLClip | 1 |
| ?GetInTime@CMDLEffectInfo@@QBEJXZ | 1 |
| ?GetOutTime@CMDLEffectInfo@@QBEJXZ | 1 |
| ??0CMDLEffectInfo@@QAE@XZ | 1 |
| ?SetEffectID@CMDLEffectInfo@@QAEXH@Z | 1 |
| ?SetInTime@CMDLEffectInfo@@QAEXJ@Z | 1 |
| ?SetOutTime@CMDLEffectInfo@@QAEXJ@Z | 1 |
| ??1CMDLEffectInfo@@UAE@XZ | 1 |
| ?GetUserData@CMDLClipInfo2@@QBEJXZ | 1 |
| ?GetTextLen@CMDLTextInfo2@@QBEHXZ | 1 |
| ?GetRotateDegrees@CMDLClipInfoBase@@I | 1 |
| ?GetInverseType@CMDLClipInfoBase@@QE | 1 |
| ??0CMDLClipInfo2@@QAE@XZ | 1 |
| ??1CMDLClipInfo2@@UAE@XZ | 1 |
| ?GetClipType@CMDLClipInfoBase@@QBEH | 1 |
| ?GetEffectID@CMDLEffectInfo@@QBEHXZ | 1 |
| ?GetTextEffectID@CMDLTextInfo@@QBEHX | 1 |
| ??0CMDLClipInfo@@QAE@XZ | 1 |
| ??1CMDLClipInfo@@UAE@XZ | 1 |
| ?.GetFileName@CMDLClipInfo2@@QBEIPAC | 1 |
| ?SetAudioLevel@CMDLClipInfoBase@@QAE | 1 |
| ?SetFadeIn@CMDLClipInfoBase@@QAEXHC | 1 |

| | |
|--------------------------------------|---|
| ?SetFadeOut@CMDLClipInfoBase@@QAEXF | 1 |
| ?GetFileName@CMDLClipInfoBase@@QBEII | 1 |
| ?GetInTime@CMDLClipInfoBase@@QBEJXZ | 1 |
| ?GetOutTime@CMDLClipInfoBase@@QBEJX | 1 |
| ?GetDuration@CMDLClipInfoBase@@QBEJX | 1 |
| ?GetAudioLevel@CMDLClipInfoBase@@QBF | 1 |
| ?SetInTime@CMDLAudioInfo@@QAEXJ@Z | 1 |
| ?GetInTime@CMDLAudioInfo@@QBEJXZ | 1 |
| ?SetFadeOut@CMDLAudioInfo@@QAEXH@ | 1 |
| ?GetFadeOut@CMDLAudioInfo@@QBEHXZ | 1 |
| ?SetFadeIn@CMDLAudioInfo@@QAEXH@Z | 1 |
| ?GetFadeIn@CMDLAudioInfo@@QBEHXZ | 1 |
| ?SetAudioLevel@CMDLAudioInfo@@QAEXF | 1 |
| ?GetAudioLevel@CMDLAudioInfo@@QBEF | 1 |
| ??1CMDLAudioInfo2@@UAE@XZ | 1 |
| ??0CMDLAudioInfo2@@QAE@XZ | 1 |
| ?GetFileName@CMDLAudioInfo2@@QBEIP, | 1 |
| ?GetFadeOut@CMDLClipInfoBase@@QBEH | 1 |
| ?GetFadeIn@CMDLClipInfoBase@@QBEHXZ | 1 |
| ?SetOutTime@CMDLAudioInfo@@QAEXJ@: | 1 |
| ?GetFileName@CMDLAudioInfo@@QBEIPA | 1 |
| ?GetDuration@CMDLAudioInfo@@QBEJXZ | 1 |
| ??0CMDLAudioInfo@@QAE@XZ | 1 |
| ??1CMDLAudioInfo@@UAE@XZ | 1 |
| ?CheckLineLen@CMDLTextInfo@@QAEIXZ | 1 |
| ?GetFontColor@CMDLTextInfo@@QBEKXZ | 1 |
| ?GetOutlineColor@CMDLTextInfo@@QBEK | 1 |
| ?GetFontID@CMDLTextInfo@@QBEFXZ | 1 |
| ?GetFontSize@CMDLTextInfo@@QBEFXZ | 1 |
| ?GetFontStyle@CMDLTextInfo@@QBEHXZ | 1 |
| ?GetText@CMDLTextInfo@@QBEXPADH@Z | 1 |
| ?SetText@CMDLTextInfo@@QAEXPAD@Z | 1 |
| ??0CMDLTextInfo@@QAE@XZ | 1 |
| ?MDLCREATECLIPMOVIE2@@YAIPAVCMDLCli | 1 |
| ?SetFontColor@CMDLTextInfo@@QAEXK@: | 1 |
| ?GetOutTime@CMDLAudioInfo@@QBEJXZ | 1 |
| ?GetCurrentData@CMDDPreference3@@Q | 1 |
| ?MDDLoadDirect@@YAHPADOPAKPAE1@Z | 1 |
| ?MDDSaveDirect@@YAHPADOPAKPAE1@Z | 1 |
| ?MDDSavePrevVolmeLevel@@YAHF@Z | 1 |
| ?MDDLoadPrevVolmeLevel@@YAHFAF@Z | 1 |
| ??0CMDDPreference3@@QAE@XZ | 1 |
| ?GetData@CMDDPreference3@@QAEHPAL | 1 |
| ??1CMDDPreference3@@UAE@XZ | 1 |
| ??0CMDDPreference@@QAE@XZ | 1 |
| ?GetCurrentData@CMDDPreference@@QA | 1 |
| ??1CMDDPreference@@UAE@XZ | 1 |

| | |
|--|---|
| ?SetText@QButton@@QAEPADPADKKKW@ | 1 |
| ?GetBtnRect@QButton@@QAEXPATagREC | 1 |
| ?CreateButton@QButton@@QAEPAUHWNI | 1 |
| ?WndProc@QPane@@UAEJPAUWND__@ | 1 |
| ?WindowMapProc@QPane@@SGJPAUHWNI | 1 |
| ??0QPane@@QAE@XZ | 1 |
| ??1QPane@@UAE@XZ | 1 |
| ?SetBtnRect@QButton@@QAEXPATagREC | 1 |
| ?CreateButton@QButton@@QAEPAUHWNI | 1 |
| ?CreateButton@QButton@@QAEPAUHWNI | 1 |
| ?ShowButton@QButton@@QAEXH@Z | 1 |
| ?CreateButton@QButton@@QAEPAUHWNI | 1 |
| ?SetText@QButton@@QAEPADPKW4Tex | 1 |
| ?SetFont@QButton@@QAEXPBDH@Z | 1 |
| ?ChangeStatusBtn@QButton@@QAEXG@Z | 1 |
| ?EnableButton@QButton@@QAEHH@Z | 1 |
| ??0QButton@@QAE@XZ | 1 |
| ??1QButton@@UAE@XZ | 1 |
| ?GetFrameAtSpecifiedTime@CMDLQTUtility | 1 |
| ??1CApdadrv@@QAE@XZ | 1 |
| ?GetStrImage@@YAXPAEHPAY1BGI@DA@E | 1 |
| ?GetTimeSpan@CImTimeStamp@@QBE?AV | 1 |
| ?LoadTimeStamp@CImTimeStamp@@QAEF | 1 |
| ??0CImTimeStamp@@QAE@XZ | 1 |
| ?SaveTimeStamp@CImTimeStamp@@QAEY | 1 |
| ??1CImTimeStamp@@UAE@XZ | 1 |
| g_try_realloc | 1 |
| MemoryUsed | 1 |
| MemoryInfo | 1 |
| MemoryFree | 1 |
| MemoryMalloc | 1 |
| @Jvcomctrls@TJvPageControl@ | 1 |
| @Tabs@TTabSet@ | 1 |
| PyFunction_Type | 1 |
| PyErr_GivenExceptionMatches | 1 |
| PyThread_allocate_lock | 1 |
| PyThread_acquire_lock | 1 |
| PyThread_release_lock | 1 |
| PyModule_GetName | 1 |
| PyFrame_FastToLocals | 1 |
| PyExc_AssertionError | 1 |
| PyObject_Compare | 1 |
| PyEval_SetTrace | 1 |
| Py_GetRecursionLimit | 1 |
| Py_SetRecursionLimit | 1 |
| Py_FlushLine | 1 |
| PyFile_WriteString | 1 |

| | |
|--------------------------------|---|
| PyString_FromFormatV | 1 |
| PySys_GetObject | 1 |
| PyFile_WriteObject | 1 |
| PyFile_SetEncoding | 1 |
| PyExc_OSError | 1 |
| PyFrame_Type | 1 |
| PyFrame_LocalsToFast | 1 |
| PyThreadState_Get | 1 |
| PyLong_AsVoidPtr | 1 |
| PyDict_DelItem | 1 |
| ?VS_Logout@CvAutoLog@@QAEXXZ | 1 |
| playlist_ItemNewWithType | 1 |
| playlist_LockItemGetByInput | 1 |
| playlist_LockItemToNode | 1 |
| _MemAvail@8 | 1 |
| _FileLength@4 | 1 |
| _IOCtlVWin32@12 | 1 |
| _DiskIsNetwork@4 | 1 |
| _DiskIsAssigned@4 | 1 |
| _StringAppendChar@8 | 1 |
| _DiskExists@4 | 1 |
| _FileRename@8 | 1 |
| _ConvertDateToEncoded@12 | 1 |
| _ConvertTimeToEncoded@12 | 1 |
| _DOSGetTime@16 | 1 |
| _FileSetSize@8 | 1 |
| _FileTimeToDosTime@12 | 1 |
| _FileFindNext@8 | 1 |
| _FileFindClose@4 | 1 |
| _CharIsNumeric@4 | 1 |
| _PackedNameIsDevice@4 | 1 |
| _NameIsValidFileChar@8 | 1 |
| _DBCSIsTrailByte@4 | 1 |
| _NameReturnIllegalChars@16 | 1 |
| _ConvertEncodedTimeToNormal@16 | 1 |
| __ConvertLongToString@16 | 1 |
| _QuickSort@32 | 1 |
| _DBCSIsLeadByte@4 | 1 |
| _DiskIsDriveSpace3@4 | 1 |
| __DiskIsDoubleSpace@16 | 1 |
| _FileGetAttr@8 | 1 |
| _DiskIsBlockDevice@4 | 1 |
| _DiskGetFATMirrStatus@8 | 1 |
| _DiskGetActiveFAT@8 | 1 |
| _DiskIsSubst@4 | 1 |
| _DiskIsPhantom@4 | 1 |
| fdopen | 1 |

| | |
|--------------------------------------|---|
| ftruncate | 1 |
| nice | 1 |
| times | 1 |
| ?EncodeUcs2@CXCodec@@QAEHPB_WHPA | 1 |
| ?EncodeCompress7bit@CXCodec@@QAEHF | 1 |
| ?EncodeUncompress7bit@CXCodec@@QAE | 1 |
| ?PDUEncoder@CXCodec@@QAEPBDAUSn | 1 |
| ?EncoderToGSM7String@CXCodec@@QAE? | 1 |
| ?UnicodeEncodeUcs2@CXCodec@@QAEHPI | 1 |
| ?SMTTextModeEncoder@CXCodec@@QAEHI | 1 |
| ?StringDecodeUnicode@CXCodec@@QAEHI | 1 |
| ?Gsm7StringToWideChar@CXCodec@@QAE | 1 |
| ?EncoderPB@CXCodec@@QAE?AV?\$basic_: | 1 |
| ?DecoderGroupString@CXCodec@@QAE_N` | 1 |
| ?DecodectGroupNumericStr@CXCodec@@Q | 1 |
| ?RawDataDecoderUnicode@CXCodec@@Q | 1 |
| ?BinaryDecoderUnicode@CXCodec@@QAE_ | 1 |
| ?DecoderGroup@CXCodec@@QAE_NV?\$ba | 1 |
| ?EncodeUssdData@CXCodec@@QAEHAAHF | 1 |
| ?EncoderPB@CXCodec@@QAEHPB_WHPAE | 1 |
| ?DecodectUssdPack@CXCodec@@QAEHEPB | 1 |
| ?DecoderPB@CXCodec@@QAE_NKPBEHAA` | 1 |
| ?OCXCodec@@QAE@XZ | 1 |
| ?DecoderPDU@CXCodec@@QAE_NW4SMS | 1 |
| ?DecoderPDUReport@CXCodec@@QAE_NK | 1 |
| ?DecoderCbsPdu@CXCodec@@QAE_NPBDI | 1 |
| ?1CXCodec@@QAE@XZ | 1 |
| @Search_Exit\$qv | 1 |
| CALLPIN | 1 |
| CallSpeakMiDII | 1 |
| CallSpeakBangDII1 | 1 |
| CallSpeakBangDII | 1 |
| CallSpeakw1 | 1 |
| CallSpeakw | 1 |
| CallSpeakc | 1 |
| RunMapFunc | 1 |
| PCallSkill | 1 |
| PCallBao | 1 |
| PCallGong | 1 |
| PCallFollow | 1 |
| PCallNpc | 1 |
| RivestStr | 1 |
| PlayMp3 | 1 |
| MacAddress | 1 |
| GetIdleSerialNumber | 1 |
| GetMyServer | 1 |
| Get MyBase | 1 |

| | |
|--------------------------------------|---|
| PO | 1 |
| ?Cv_Convert@CCvEnt@@QAEHXZ | 1 |
| ?Cv_SetFitPoints@CCvEnt@@QAEHX@Z | 1 |
| ?Cv_SetOutputFormat@CCvEnt@@QAEHX@C | 1 |
| ?Cv_SetOutputName@CCvEnt@@QAEHPAC | 1 |
| ?Cv_SetInputName@CCvEnt@@QAEHPAD@C | 1 |
| ?Cv_SetResourcePath@CCvEnt@@QAEPAI | 1 |
| ?Cv_Shaker@CCvEnt@@QAEHPAD@Z | 1 |
| ?Cv_SetQuietMode@CCvEnt@@QAEXXZ | 1 |
| ??0CCvEnt@@QAE@XZ | 1 |
| vppisdebug | 1 |
| vppfree | 1 |
| vppadderr | 1 |
| vppalloc | 1 |
| vpx_get_client_byid | 1 |
| vpp_send | 1 |
| vpp_add_parameter | 1 |
| vppgetcltype | 1 |
| vpx_get_tslabel | 1 |
| vpptimeget | 1 |
| vpx_get_catmsg | 1 |
| vp_send_instance | 1 |
| vpx_initialize_state | 1 |
| vppgetbbhandle | 1 |
| vpx_get_classes_request2 | 1 |
| vpx_add_class | 1 |
| vpx_get_class_request2 | 1 |
| vpx_get_charts_request2 | 1 |
| vpx_add_chart_resource | 1 |
| vpx_add_chart | 1 |
| vpx_get_chart_info_request2 | 1 |
| vpx_add_chart_colparm | 1 |
| vpx_add_chart_prop | 1 |
| vp_send_chart_label | 1 |
| vp_send_drilldown_info | 1 |
| vpx_get_resources_request2 | 1 |
| vpx_add_resource0 | 1 |
| vppatId2 | 1 |
| vpx_send_analysis | 1 |
| vpx_add_value_extrapolation | 1 |
| vp_send_extended_help | 1 |
| vppnls_atoi | 1 |
| vpx_end_var_data | 1 |
| ?Equals@nsCSubstring@@QBEHPBDABVnsC | 1 |
| ?ReplaceSubstring@nsString@@QAEXPBGO | 1 |
| ?Assign@nsAString_internal@@QAEXG@Z | 1 |
| ?CopyUTF8toUTF16@@YAXPBDAAVnsAStrir | 1 |

| | |
|---|---|
| ?Assign@nsACString_internal@@QAEXPBD(| 1 |
| ?SetLength@nsACString_internal@@QAEXI(| 1 |
| ?First@nsACString_internal@@QBEDXZ | 1 |
| ?Equals@nsACString_internal@@QBEHPBD(| 1 |
| ?free@nsCRT@@SAXPAG@Z | 1 |
| ?RemoveElementAt@nsVoidArray@@QAEH | 1 |
| ?SafeElementAt@nsVoidArray@@QBEPAXH | 1 |
| ?FindInReadable@@YAHABVnsAString_intel | 1 |
| ?MoveElement@nsVoidArray@@QAEHHH@ | 1 |
| ?AppendElements@nsVoidArray@@QAEHA | 1 |
| ?Equals@nsCSubstring@@QBEHABVnsACSti | 1 |
| PR_NewNamedMonitor | 1 |
| PL_Base64Decode | 1 |
| ??1?\$_String_base@DV?\$allocator@D@stlp | 1 |
| ?_M_allocate_block@?\$_String_base@DV?\$_ | 1 |
| ?_M_throw_out_of_range@?\$_String_base@ | 1 |
| ?find_first_of@?\$_NoMemT_str@DV?\$char_t | 1 |
| ??0?\$_NoMemT_str@DV?\$char_traits@D@ | 1 |
| ?_M_append@?\$_NoMemT_str@DV?\$char_t | 1 |
| ??1?\$_P__A@PADDV?\$allocator@D@stlp_sti | 1 |
| ?deallocate@?\$_P__A@PADDV?\$allocator@I | 1 |
| ?_M_assign@?\$_NoMemT_str@DV?\$char_t | 1 |
| ?_M_deallocate_block@?\$_String_base@DV? | 1 |
| ??0?\$_NoMemT_str@DV?\$char_traits@D@ | 1 |
| ??0?\$_NoMemT_str@DV?\$char_traits@D@ | 1 |
| ?deallocate@D__A@stlp_std@@SAXPAXI@ | 1 |
| ?_Rebalance_for_erase@?\$_Rb_global @_N | 1 |
| ??0?\$_P__A@PADDV?\$allocator@D@stlp_sti | 1 |
| ?get_allocator@?\$_NoMemT_str@DV?\$cha | 1 |
| ?_M_deallocate@D__A@stlp_std@@CAXPA | 1 |
| ?_M_allocate@D__A@stlp_std@@CAPAXA | 1 |
| ?_M_decrement@?\$_Rb_global @_N@priv@ | 1 |
| ?_Rebalance@?\$_Rb_global @_N@priv@stl | 1 |
| ??0?\$_allocator@D@stlp_std@@QAE@XZ | 1 |
| ?_M_increment@?\$_Rb_global @_N@priv@ | 1 |
| BaseIsAppcompatInfrastructureDisabled | 1 |
| DisableMsgHook | 1 |
| EnableMsgHook | 1 |
| widMessage | 1 |
| ?CBitmapFillRectUsingPixelCopy@@YAXPAL | 1 |
| ?RotateBitmap@@YAPAU_CBitmap@@PAL | 1 |
| ??0TextBlock@Library@@QAE@XZ | 1 |
| ?font@TextBlock@Library@@QAEXABVStrir | 1 |
| ?font@TextBlock@Library@@QAEPAVFont(| 1 |
| ?GetPixelColor@@YAKPAU_CBitmap@@JJ@ | 1 |
| ?CBitmapFillRect@@YAXPAU_CBitmap@@J | 1 |
| ?horizontalPosition@TextBlock@Library@@ | 1 |

| | |
|--|---|
| ?verticalPosition@TextBlock@Library@@QAF | 1 |
| ?blockWidth@TextBlock@Library@@QAEXK | 1 |
| ?text@TextBlock@Library@@QAEXABVStrir | 1 |
| ?bitmap@TextBlock@Library@@QAEPAU_C | 1 |
| ??1TextBlock@Library@@QAE@XZ | 1 |
| ?CBitmapBitmapCopySection@@YAXPAU_C | 1 |
| ?CFrameBitmapBltSection@@YAXPAU_CFra | 1 |
| ?textMetrics@SystemFont@@QAEXPBGPAJ | 1 |
| ?newCBitmapBlank@@YAPAU_CBitmap@@ | 1 |
| ?CBitmapBitmapBlt@@YAXPAU_CBitmap@ | 1 |
| ?BitmapCopyAlphaBitsSection@@YAXPAU_I | 1 |
| ??1SystemFont@@UAE@XZ | 1 |
| ?textMetric@SystemFont@@UAEXP AJ000PI | 1 |
| ?glyphMetric@SystemFont@@UAEXP AJ000 | 1 |
| ?drawText@SystemFont@@UAEXP AJJPBGP. | 1 |
| ?drawText@SystemFont@@UAEXP AJJPBGP. | 1 |
| ?blockHeight@TextBlock@Library@@QAEXI | 1 |
| ?drawText@SystemFont@@QAEXP AU_CFra | 1 |
| ?textMetric@SystemFont@@UAEXP AJ000G | 1 |
| ?textMetric@SystemFont@@UAEXP AJ000PI | 1 |
| ?maximumTextWidth@SystemFont@@UAE. | 1 |
| ?maximumTextHeight@SystemFont@@UAE | 1 |
| ?maximumGlyphWidth@SystemFont@@UA | 1 |
| ?maximumGlyphHeight@SystemFont@@UAE | 1 |
| ?kind@SystemFont@@UAEKXZ | 1 |
| ?isA@SystemFont@@UAEK@Z | 1 |
| ?glyphMetric@SystemFont@@UAEXP AJ000 | 1 |
| ?glyphMetric@SystemFont@@UAEXP AJ000 | 1 |
| ?externalLeading@SystemFont@@UAEJXZ | 1 |
| ?drawText@SystemFont@@UAEXP AJJPBKG | 1 |
| ?drawText@SystemFont@@UAEXP AJJGPAU | 1 |
| ?drawText@SystemFont@@UAEXP AJJPBKG | 1 |
| ?drawText@SystemFont@@UAEXP AJJGPAU | 1 |
| ?descent@SystemFont@@UAEJXZ | 1 |
| ?charOffset@SystemFont@@UAEJG@Z | 1 |
| ?ascent@SystemFont@@UAEJXZ | 1 |
| ?isLoaded@SystemFont@@UAEEXZ | 1 |
| ??0SystemFont@@QAE@ABVString@Librar | 1 |
| ?setChar@String@Library@@QAEXKVChara | 1 |
| ?convert@StringConversions@Library@@YF | 1 |
| ?CFrameFillRect@@YAXPAU_CFrame@@JJJ | 1 |
| ?newCBitmapCopy@@YAPAU_CBitmap@@ | 1 |
| ?CBitmapAdjustBitmapHLS@@YAXPAU_CBit | 1 |
| ?CFrameTransparentBitmapBlt@@YAXPAU_ | 1 |
| ?CFrameBitmapBlt@@YAXPAU_CFrame@@ | 1 |
| ?deleteCBitmap@@YAXPAU_CBitmap@@@ | 1 |
| ?newCBitmap@@YAPAU_CBitmap@@ABVS | 1 |

| | |
|---|---|
| ??4String@Library@@QAEABV01@PBD@Z | 1 |
| ??YString@Library@@QAEABV01@PBD@Z | 1 |
| ??4String@Library@@QAEABV01@PBG@Z | 1 |
| ?getLobby@CApp@@QAEPAVLobby@@XZ | 1 |
| ?setSoundPath@CWinApp@CasinoClient@() | 1 |
| ?releaseResource@CApp@@QAEABVString@ | 1 |
| ?releaseStringTable@CApp@@SAEABVString@ | 1 |
| ?loadStringTable@CApp@@SAEABVString@ | 1 |
| ?loadResource@CApp@@QAEABVString@ | 1 |
| ?exeDir@AppPath@@1VPathName@@A | 1 |
| ?casinoName@CasinoSkin@@2VString@Lib | 1 |
| ?skinPoker@CasinoSkin@@2EA | 1 |
| ?isForFun@CApp@@QAEEXZ | 1 |
| ?PatchManager@CApp@@QAEPAV0Casino@ | 1 |
| ?canAccessPlayHistory@CApp@@QAEEXZ | 1 |
| ?getIsFullscreen@CApp@@QAEEXZ | 1 |
| ?language@CasinoSkin@@2VString@Librar | 1 |
| ?casinoTitle@CasinoSkin@@2VString@Libra | 1 |
| ?tempDir@AppPath@@1VPathName@@A | 1 |
| ?loadString@Skin@@SAXPAVCApp@@ABV! | 1 |
| ?sChatDisplay@CasinoSkin@@2VString@Lit | 1 |
| ?isChatServiceEnable@CApp@@QAEEXZ | 1 |
| ??1TimedNotify@@UAE@XZ | 1 |
| ?schedule@TimedNotify@@QAEJ@Z | 1 |
| ?unschedule@TimedNotify@@QAEJ@Z | 1 |
| ??0TimedNotify@@QAE@XZ | 1 |
| ?launchChat@CApp@@QAEABVString@Lit | 1 |
| ?getGameInfoFromLaunchURL@CApp@@Q | 1 |
| ?realEnabled@CasinoSkin@@2EA | 1 |
| ?show@MsgBox@@SAJPAVCApp@@ABVSt | 1 |
| ?uriScheme@CasinoSkin@@2VString@Libra | 1 |
| ?g_isSmall@@3EA | 1 |
| ?historyURL@CasinoSkin@@2VString@Libr | 1 |
| ?setGameCashierInd@CApp@@QAEXE@Z | 1 |
| ?hasStopGameRequest@CApp@@QAE?AVS | 1 |
| ?getString@CApp@@SAEABVString@Library(| 1 |
| ?playWhile@SoundMgr@@SAXJE@Z | 1 |
| ?releaseUserNotifHandle@PatchManager@ | 1 |
| _NRM_MCPIInit@12 | 1 |
| ?SetSaveType@@YGXH@Z | 1 |
| ??1domain_error@std@@UAE@XZ | 1 |
| ?_Init@\$num_get@DV?\$istreambuf_iterat | 1 |
| _ReadPackageStringMulti@20 | 1 |
| _QueryGameInfo@16 | 1 |
| _SendServerMessage@16 | 1 |
| _ConnectGame@4 | 1 |
| _CasinoFrameUnlock@4 | 1 |

| | |
|--|---|
| @Dxskinxmas2008blue@initialization\$qqrv | 1 |
| @Dxskinxmas2008blue@Finalization\$qqrv | 1 |
| @Dxskinsummer2008@initialization\$qqrv | 1 |
| @Dxskinsummer2008@Finalization\$qqrv | 1 |
| @Dxskinspringtime@initialization\$qqrv | 1 |
| @Dxskinspringtime@Finalization\$qqrv | 1 |
| @Dxskinsilver@initialization\$qqrv | 1 |
| @Dxskinsilver@Finalization\$qqrv | 1 |
| @Dxskinoffice2007silver@initialization\$qqrv | 1 |
| @Dxskinoffice2007silver@Finalization\$qqrv | 1 |
| @Dxskinoffice2007pink@initialization\$qqrv | 1 |
| @Dxskinoffice2007pink@Finalization\$qqrv | 1 |
| @Dxskinoffice2007green@initialization\$qqrv | 1 |
| @Dxskinoffice2007green@Finalization\$qqrv | 1 |
| @Dxskinoffice2007black@initialization\$qqrv | 1 |
| @Dxskinoffice2007black@Finalization\$qqrv | 1 |
| @Dxskinlilian@initialization\$qqrv | 1 |
| @Dxskinlilian@Finalization\$qqrv | 1 |
| @Dxskinimaginary@initialization\$qqrv | 1 |
| @Dxskinimaginary@Finalization\$qqrv | 1 |
| @Dxskinglassoceans@initialization\$qqrv | 1 |
| @Dxskinglassoceans@Finalization\$qqrv | 1 |
| @Dxskincoffee@initialization\$qqrv | 1 |
| @Dxskincoffee@Finalization\$qqrv | 1 |
| @Dxskincaramel@initialization\$qqrv | 1 |
| @Dxskincaramel@Finalization\$qqrv | 1 |
| @Dxskinblue@initialization\$qqrv | 1 |
| @Dxskinblue@Finalization\$qqrv | 1 |
| @Dxskinblack@initialization\$qqrv | 1 |
| @Dxskinblack@Finalization\$qqrv | 1 |
| iddPluginsCheck | 1 |
| iddUpload | 1 |
| iddDownload | 1 |
| _GetRegSzValue@16 | 1 |
| _WEBGetURL@12 | 1 |
| ?GetPaperInfoAt@CPaperTypeMgr@@QBE_ | 1 |
| ?GetCount@CPaperTypeMgr@@QBEHZ | 1 |
| ?GetPaperNameAt@CPaperTypeMgr@@QB | 1 |
| ?GetInstance@CPaperTypeMgr@@SAAV1 | 1 |
| ?UTLUninitialize@@YGXXZ | 1 |
| ?UTLInitialize@@YGXXZ | 1 |
| _UTLGetSpecialFolder@12 | 1 |
| ?GetPaperInfo@CPaperTypeMgr@@QBE_N | 1 |
| ?Split@Path@SystemIO@@YA_NPB_WAAV | 1 |
| ?Combine@Path@SystemIO@@YA?AV?\$CS | 1 |
| ?EnsureExists@Folder@SystemIO@@YA_NF | 1 |
| ?ReplaceExtension@Path@SystemIO@@YA | 1 |

| | |
|---|---|
| ?Exists@File@SystemIO@@YA_NPB_W@Z | 1 |
| ?GetFileName@Path@SystemIO@@YA?AV? | 1 |
| ?Copy@File@SystemIO@@YA_NPB_W0@Z | 1 |
| ?GetFolderName@Path@SystemIO@@YA?A? | 1 |
| ?ConstructCol@WCtrlColumnStaticText@@! | 1 |
| ?InsertRow@WCtrlColumn@@UAEHH@Z | 1 |
| ?AppendRows@WCtrlColumn@@UAEHH@: | 1 |
| ??1WCtrlColumn@@UAE@XZ | 1 |
| ?ResetContents@WCtrlColumn@@UAEXXZ | 1 |
| ?MeasureItemMinWidth@WCtrlColumn@@ | 1 |
| ?MeasureItemHeight@WCtrlColumn@@UA | 1 |
| ?BeginEditRow@WCtrlColumn@@UAEHHV(| 1 |
| ??0WCtrlColumn@@QAE@XZ | 1 |
| ?GetColRect@WCtrlContainerList@@QAEHI | 1 |
| ?GetFocusItemRect@WCtrlContainerList@@ | 1 |
| ?GetRowFromPoint@WCtrlContainerList@@C | 1 |
| ?GetColRowCount@WCtrlContainerList@@I | 1 |
| ?ResetContents@WCtrlContainerList@@QA | 1 |
| ?PreTranslateMessage@WCmnUI_Property` | 1 |
| ?SetUnit@WUnitSpinBase@@QAEHH@Z | 1 |
| ?GetUnit@WUnitSpinBase@@QBEHXZ | 1 |
| ?SetNumDecimalPlaces@WUnitSpinBase@@C | 1 |
| ?HiliteCurrentSelection@WCellComboBox@ | 1 |
| ?DrawCellFocusRect@WCellComboBox@@l | 1 |
| ?GetFocusCell@WCellComboBox@@UAEHX | 1 |
| ?OnCCBNSelEndOk@WCellComboBox@@U | 1 |
| ?OnCCBNSelEndOther@WCellComboBox@@C | 1 |
| ?GetCellTipText@WCellComboBox@@UAEY | 1 |
| ?AdjustRectForOuterBorder@WCellComboBox | 1 |
| ?PaintOuterBorder@WCellComboBox@@M | 1 |
| ?GetArrowRectFromRect@WCellComboBox | 1 |
| ?GetCellRectFromRect@WCellComboBox@@(| 1 |
| ?GetThisClass@WCtrlColumn@@SGPAUCRt | 1 |
| ?Initialize@WCtrlColumn@@UAEXPWVCtr | 1 |
| ?GetRowCount@WCtrlContainerList@@QB{ | 1 |
| ?EnableColRowItem@WCtrlContainerList@@(| 1 |
| ?GetItemRect@WCtrlContainerList@@QAEI | 1 |
| ?RemoveRow@WCtrlColumn@@UAEHH@Z | 1 |
| ?CreatePPDManagerInstance@@YGHPAPAV | 1 |
| ??1IPDiscoveryDLL@@UAE@XZ | 1 |
| ?GetJetdirectHandleSize@IPDiscoveryDLL@@ | 1 |
| ?GetJetdirectHandle@IPDiscoveryDLL@@Q | 1 |
| ?DiscoverIP@IPDiscoveryDLL@@QAGPBDPE | 1 |
| ?VerifyIPMatchesJetdirect@IPDiscoveryDLL(| 1 |
| ??0IPDiscoveryDLL@@QAE@XZ | 1 |
| ?SetLength@CZipMemFile@@UAEXK@Z | 1 |
| ??0CZipArchive@@QAE@XZ | 1 |

| | |
|--|---|
| ?Open@CZipArchive@@QAEXPBDHH@Z | 1 |
| ?ExtractFile@CZipArchive@@QAE_NGAAVC | 1 |
| ?Write@CZipMemFile@@UAEXPBXI@Z | 1 |
| ?Read@CZipMemFile@@UAEIPAXI@Z | 1 |
| ?Seek@CZipMemFile@@UAEKJH@Z | 1 |
| ??1CZipArchive@@UAE@XZ | 1 |
| ?Close@CZipArchive@@QAEXH_N@Z | 1 |
| @Forms@TCustomForm@WMQueryEndSes | 1 |
| @Jmsgbox@initialization\$qqrv | 1 |
| @Jmsgbox@Finalization\$qqrv | 1 |
| @Jmsgbox@JMBBox\$qqrx17System@AnsiStr | 1 |
| @Jmsgbox@EditBox\$qqrx17System@AnsiStr | 1 |
| @Comctrls@TCustomListView@CustomSort | 1 |
| @Comctrls@TListColumn@SetImageIndex\$qq | 1 |
| @Comctrls@TListColumn@SetAutoSize\$qqrx | 1 |
| @Corbcnst@initialization\$qqrv | 1 |
| @Corbcnst@Finalization\$qqrv | 1 |
| @Orbpas30@initialization\$qqrv | 1 |
| @Orbpas30@Finalization\$qqrv | 1 |
| @Orbpas@initialization\$qqrv | 1 |
| @Orbpas@Finalization\$qqrv | 1 |
| @Corbaobj@initialization\$qqrv | 1 |
| @Corbaobj@Finalization\$qqrv | 1 |
| @Corbastd@initialization\$qqrv | 1 |
| @Corbastd@Finalization\$qqrv | 1 |
| @Corbacon@initialization\$qqrv | 1 |
| @Corbacon@Finalization\$qqrv | 1 |
| @Messagebox@initialization\$qqrv | 1 |
| @Messagebox@Finalization\$qqrv | 1 |
| @Corba@initialization\$qqrv | 1 |
| @Corba@Finalization\$qqrv | 1 |
| @Sqlquery_i@initialization\$qqrv | 1 |
| @Sqlquery_i@Finalization\$qqrv | 1 |
| @\$xp\$19Sqlquery_i@StrArray | 1 |
| @Dlfuncdeclare@initialization\$qqrv | 1 |
| @Dlfuncdeclare@Finalization\$qqrv | 1 |
| @Utilities@initialization\$qqrv | 1 |
| @Utilities@Finalization\$qqrv | 1 |
| @Utilities@decrypt\$qqrx17System@AnsiStr | 1 |
| @Utilities@encrypt\$qqrx17System@AnsiStr | 1 |
| @Utilities@writeIntegerToRegistry\$qqrx17Sy | 1 |
| @Utilities@readIntegerFromRegistry\$qqrx17Sy | 1 |
| @Utilities@writeStringToRegistry\$qqrx17Sys | 1 |
| @Utilities@readStringFromRegistry\$qqrx17S | 1 |
| @Utilities@splitString\$qqrx17System@Ansi | 1 |
| @Transbtn@initialization\$qqrv | 1 |
| @Transbtn@Finalization\$qqrv | 1 |

| | |
|--|---|
| @Transbtn@TTransparentButton@ | 1 |
| @Scktcomp@TServerWinSocket@GetActive | 1 |
| @Scktcomp@TCustomWinSocket@GetRem | 1 |
| @Appserver_tlb@initialization\$qqrv | 1 |
| @Appserver_tlb@Finalization\$qqrv | 1 |
| @Sqlquery_c@initialization\$qqrv | 1 |
| @Sqlquery_c@Finalization\$qqrv | 1 |
| @Hashtable@initialization\$qqrv | 1 |
| @Hashtable@Finalization\$qqrv | 1 |
| @Hashtable@THashtableStr@getsize\$qqrv | 1 |
| @Hashtable@THashtableStr@remove\$qqr1 | 1 |
| @Hashtable@THashtableStr@getvalueSet\$ | 1 |
| @Hashtable@THashtableStr@getKeySet\$qq | 1 |
| @Hashtable@THashtableStr@clear\$qqrv | 1 |
| @Hashtable@THashtableStr@containsKey\$ | 1 |
| @Hashtable@THashtableStr@put\$qqr17Sys | 1 |
| @Hashtable@THashtableStr@\$bctr\$qqrp18 | 1 |
| @Hashtable@THashtableStr@ | 1 |
| @Dcmintray@initialization\$qqrv | 1 |
| @Dcmintray@Finalization\$qqrv | 1 |
| @Dcmintray@TDCMinTray@ | 1 |
| @Nmudp@initialization\$qqrv | 1 |
| @Nmudp@Finalization\$qqrv | 1 |
| @Nmudp@TNMUDP@SendStream\$qqrp15(| 1 |
| @Nmudp@TNMUDP@ | 1 |
| ??0runtime_error@_STL@@QAE@ABV?\$ba | 1 |
| ??0?\$basic_string@GV?\$char_traits@G @_S | 1 |
| ??0?\$allocator@G@_STL@@QAE@XZ | 1 |
| ?rfind@?\$basic_string@GV?\$char_traits@G | 1 |
| ?c_str@?\$basic_string@GV?\$char_traits@G | 1 |
| ??4runtime_error@_STL@@QAEAAV01@AE | 1 |
| ?_M_put_char@?\$basic_ostream@DV?\$cha | 1 |
| ?fill@?\$basic_ios@DV?\$char_traits@D @_S1 | 1 |
| ?width@ios_base@_STL@@QAEHH@Z | 1 |
| ?length@?\$basic_string@GV?\$char_traits@ | 1 |
| ??_D?\$basic_ostringstream@DV?\$char_trait | 1 |
| ?str@?\$basic_ostringstream@DV?\$char_tra | 1 |
| ??6?\$basic_ostream@DV?\$char_traits@D @ | 1 |
| ??0?\$basic_ostringstream@DV?\$char_traits | 1 |
| ?_M_terminate_string@?\$basic_string@DV | 1 |
| ??0?\$_String_base@DV?\$allocator@D@_ST | 1 |
| ?find@?\$basic_string@DV?\$char_traits@D@ | 1 |
| ?length@?\$basic_string@DV?\$char_traits@ | 1 |
| ?setf@ios_base@_STL@@QAEHHH@Z | 1 |
| ?GetImageInterface@@YAPAVICamfrogPicti | 1 |
| ?EndDrag@CContactListControlTS@@QAEX | 1 |
| ?Navigate@CWebBrowserTS@@QAEXABV? | 1 |

| | |
|---|---|
| ?GetAddress@CWebBrowserTS@@QAE?AV | 1 |
| ?GetNavigateURL@CWebBrowserTS@@QAI | 1 |
| ?Pop@\$CToolTipCtrlT@VCWindow@ATL@ | 1 |
| ?SetMaxTipWidth@\$CToolTipCtrlT@VCWIr | 1 |
| ?AddTool@\$CToolTipCtrlT@VCWindow@A | 1 |
| ?GetToolCount@\$CToolTipCtrlT@VCWindc | 1 |
| ?DelTool@\$CToolTipCtrlT@VCWindow@A | 1 |
| ?PosFromChar@\$CEditT@VCWindow@ATL | 1 |
| ?LineIndex@\$CEditT@VCWindow@ATL@C | 1 |
| ?GetLineCount@\$CEditT@VCWindow@ATI | 1 |
| ?GetRect@\$CEditT@VCWindow@ATL@() | 1 |
| ?GetLine@\$CEditT@VCWindow@ATL@() | 1 |
| ?LineLength@\$CEditT@VCWindow@ATL@ | 1 |
| ?GetFirstVisibleLine@\$CEditT@VCWindow | 1 |
| ?CharFromPos@\$CEditT@VCWindow@ATL | 1 |
| ??0?\$CEditT@VCWindow@ATL@()@WTL@ | 1 |
| ?AdjustRect@\$CToolTipCtrlT@VCWindow@ | 1 |
| ??0?\$CComboBoxT@VCWindow@ATL@() | 1 |
| ?SetTipBkColor@\$CToolTipCtrlT@VCWindc | 1 |
| ?SetTipTextColor@\$CToolTipCtrlT@VCWin | 1 |
| ?SetParseFunction@CEditTS@@QAEXP6AKC | 1 |
| ?DestroyWindow@\$CWindowImplBaseT@ | 1 |
| ?SetPicID@CPictureTS@@QAEXK@Z | 1 |
| ?UpdateTipText@\$CToolTipCtrlT@VCWind | 1 |
| ?EnableMenuItem@CMenuTS@@QAEHII@Z | 1 |
| ?InsertMenuW@CMenuTS@@QAEHIIAAV_ | 1 |
| ?DelTool@\$CToolTipCtrlT@VCWindow@A | 1 |
| ?AddTool@\$CToolTipCtrlT@VCWindow@A | 1 |
| ?DeleteGroup@CContactListControlTS@Q | 1 |
| ?EditLabel@\$CTreeViewCtrlT@VCWindow@ | 1 |
| ??B__val@@QAE?AUTagRECT@@XZ | 1 |
| ?GetGroupNames@CContactListControlTS@ | 1 |
| ?IsInGroup@CContactListControlTS@@QAEI | 1 |
| ?IsBD@CContactListControlTS@@QAEHABV | 1 |
| ?GetHeight@CControlBase@@QBEHXZ | 1 |
| ??0__val@@QAE@HE@Z | 1 |
| ?SetImageList@CContactListControlTS@@Q | 1 |
| ?SetItemHeight@CContactListControlTS@Q | 1 |
| ?SetIndent@\$CTreeViewCtrlT@VCWindow@ | 1 |
| ?data@__packet@@QAE?AV?\$basic_string@ | 1 |
| ??0__val@@QAE@HV?\$basic_string@DU?\$ | 1 |
| ??0CMenuTS@@QAE@AAV__packet@@_N | 1 |
| ?TrackPopupMenu@CMenuTS@@QAEHIHH | 1 |
| ?DeleteItemIndirect@CContactListControlTS | 1 |
| ?EndEdit@CContactListTS@@QAEXXZ | 1 |
| ?ChangeServerStatus@CContactListControlT | 1 |
| ?ChangeUserStatus@CContactListControlTS | 1 |

| | |
|--|---|
| ?BeginEdit@CContactListTS@@QAEXXZ | 1 |
| ?GetFullName@CContactListControlTS@@C | 1 |
| ?SetNotify@CContactListControlTS@@QAEY | 1 |
| ?AddGroup@CContactListControlTS@@QAE | 1 |
| ?AddContact@CContactListControlTS@@QA | 1 |
| ?SetFirstItemVisible@CContactListControlTS | 1 |
| ?AddContact@CContactListControlTS@@QA | 1 |
| ?size@__packet@@QAEHXZ | 1 |
| ?SetHideGifts@CContactListControlTS@@Q | 1 |
| ?SetText@CTextTS@@QAEXPBG@Z | 1 |
| ?Activate@?\$CToolTipCtrlIT@VCWindow@A | 1 |
| ?LimitText@?\$CEditT@VCWindow@ATL@@ | 1 |
| ?DeleteAllItems@CContactListControlTS@@ | 1 |
| ?RemoveMenu@CMenuTS@@QAEHII@Z | 1 |
| ?GetTextSize@CTextTS@@QAEAAVCSIZE@ | 1 |
| ?GetText@CTextTS@@QAE?AV?\$basic_stri | 1 |
| ?GetContactList@CContactListControlTS@@ | 1 |
| ?GetCurrentTreeType@CContactListControl | 1 |
| ?GetCount@?\$CTreeViewCtrlIT@VCWindow | 1 |
| ?ShowContactList@CContactListControlTS@ | 1 |
| ?GetTextSize@CButtonTS@@QAEAAVCSIZE@ | 1 |
| ??1CInformationBarTS@@UAE@XZ | 1 |
| ??1CContactListControlTS@@UAE@XZ | 1 |
| ??1CAnimateTS@@UAE@XZ | 1 |
| ??1CEditSecureTS@@UAE@XZ | 1 |
| ??1CEditTS@@UAE@XZ | 1 |
| ??1CComboBoxHistoryTS@@UAE@XZ | 1 |
| ??1CComboBoxTS@@UAE@XZ | 1 |
| ??1CButtonTS@@UAE@XZ | 1 |
| ??1CTextTS@@UAE@XZ | 1 |
| ??1CPictureTS@@UAE@XZ | 1 |
| ??0__packet@@QAE@ABV0@@Z | 1 |
| ??B__val@@QAE?AUTAGSIZE@@XZ | 1 |
| ??B__val@@QAE?AV__packet@@XZ | 1 |
| ??0CPictureTS@@QAE@PAV__packet@@@C | 1 |
| ??0CTextTS@@QAE@PAV__packet@@@Z | 1 |
| ??0CButtonTS@@QAE@PAV__packet@@@ | 1 |
| ?Create@CButtonTS@@QAEPAUWND__@ | 1 |
| ??0CComboBoxTS@@QAE@PAV__packet@ | 1 |
| ?Create@CComboBoxTS@@QAEPAUWND | 1 |
| ?SetParseFunction@CComboBoxTS@@QAE | 1 |
| ?LimitText@?\$CComboBoxT@VCWindow@, | 1 |
| ??0CComboBoxHistoryTS@@QAE@PAV__p | 1 |
| ?Create@CComboBoxHistoryTS@@QAEPAU | 1 |
| ?SetParseFunction@CComboBoxHistoryTS@ | 1 |
| ??0CEditTS@@QAE@PAV__packet@@@Z | 1 |
| ?Create@CEditTS@@QAEPAUWND__@ | 1 |

| | |
|---|---|
| ??OCEditSecureTS@@QAE@PAV__packet@1 | 1 |
| ?Create@CEditSecureTS@@QAEPAUHWND_ | 1 |
| ?SetParseFunction@CEditSecureTS@@QAE> | 1 |
| ??OCAnimateTS@@QAE@PAV__packet@@ | 1 |
| ?Create@?\$CWindowImpl@VCAnimateTS@ | 1 |
| ??OCContactListControlTS@@QAE@PAUHW | 1 |
| ??OCInformationBarTS@@QAE@PAV__pack | 1 |
| ?Create@CInformationBarTS@@QAEPAUHV | 1 |
| ??OCWebBrowserTS@@QAE@PAV__packet | 1 |
| ?Create@?\$CAxDialogImpl@VCWebBrowse | 1 |
| ?SetData@CMenuTS@@QAEXAAV__packet | 1 |
| ??BCMenuTS@@QBEPAUHMENU__@@XZ | 1 |
| ?CheckItem@CMenuTS@@QAEHII@Z | 1 |
| ?DoDefParentDraw@CPictureTS@@UAEXP@ | 1 |
| ?SetPlacementOpt@CControlBase@@UAEX | 1 |
| ?GetPlacementOpt@CControlBase@@UBEK | 1 |
| ?SetPlacementRect@CControlBase@@UAE> | 1 |
| ?GetPlacementRect@CControlBase@@UBE` | 1 |
| ?GetCurrentRect@CControlBase@@UBE?AI | 1 |
| ?SetData@CPictureTS@@UAEXP@AV__packe | 1 |
| ?GetCtrlID@CControlBase@@UBEKXZ | 1 |
| ?SetVisible@CControlBase@@UAEXH@Z | 1 |
| ?IsVisible@CControlBase@@UAEHXZ | 1 |
| ?GetHWND@CControlBase@@UAEPAUHWI | 1 |
| ?Resize@CTextTS@@UAEXABUtagRECT@@ | 1 |
| ?DoDefParentDraw@CTextTS@@UAEXP@UI | 1 |
| ?SetData@CTextTS@@UAEXP@AV__packet@ | 1 |
| ?ProcessWindowMessage@CButtonTS@@U | 1 |
| ?GetWindowProc@CButtonTS@@UAEP6GJF | 1 |
| ?OnFinalMessage@?\$CWindowImplBaseT@ | 1 |
| ?Resize@CButtonTS@@UAEXABUtagRECT@ | 1 |
| ?DoDefParentDraw@CButtonTS@@UAEXP@A | 1 |
| ?SetData@CButtonTS@@UAEXP@AV__packet | 1 |
| ?SetVisible@CButtonTS@@UAEXH@Z | 1 |
| ?IsVisible@?\$CControlWindowBase@VCBut | 1 |
| ?GetHWND@?\$CControlWindowBase@VCB | 1 |
| ?ProcessWindowMessage@CComboBoxTS@ | 1 |
| ?GetWindowProc@?\$CWindowImplBaseT@ | 1 |
| ?OnFinalMessage@?\$CWindowImplBaseT@ | 1 |
| ?Resize@CComboBoxTS@@UAEXABUtagRE | 1 |
| ?DoDefParentDraw@?\$CControlWindowBas | 1 |
| ?SetData@CComboBoxTS@@UAEXP@AV__pa | 1 |
| ?SetVisible@?\$CControlWindowBase@VCCo | 1 |
| ?IsVisible@?\$CControlWindowBase@VCCo | 1 |
| ?ResetContent@CComboBoxHistoryTS@@C | 1 |
| ?MoveItemsToGroup@CContactListControlIT | 1 |
| ?RemoveItemsFromGroup@CContactListCor | 1 |

| | |
|--|---|
| ??1CWebBrowserTS@@UAE@XZ | 1 |
| ?FindItem@CMenuTS@@QAEPAVCMenuulte | 1 |
| ??1CMenuTS@@QAE@XZ | 1 |
| ?GetHWND@?\$CCtrlWindowBase@VCC | 1 |
| ?ProcessWindowMessage@CComboBoxHist | 1 |
| ?Resize@CComboBoxHistoryTS@@UAEXABI | 1 |
| ?DoDefParentDraw@CComboBoxHistoryTS@ | 1 |
| ?SetData@CComboBoxHistoryTS@@UAEXP, | 1 |
| ?SetVisible@?\$CCtrlWindowBase@VCCc | 1 |
| ?IsVisible@?\$CCtrlWindowBase@VCCor | 1 |
| ?GetHWND@?\$CCtrlWindowBase@VCC | 1 |
| ?ProcessWindowMessage@CEditTS@@UAE | 1 |
| ?GetWindowProc@?\$CWindowImplBaseT@ | 1 |
| ?OnFinalMessage@?\$CWindowImplBaseT@ | 1 |
| ?Resize@?\$CCtrlWindowBase@VCEditT! | 1 |
| ?DoDefParentDraw@?\$CCtrlWindowBas | 1 |
| ?SetData@CEditTS@@UAEXP_AV__packet@ | 1 |
| ?SetVisible@?\$CCtrlWindowBase@VCEc | 1 |
| ?IsVisible@?\$CCtrlWindowBase@VCEdit | 1 |
| ?GetHWND@?\$CCtrlWindowBase@VCE | 1 |
| ?ProcessWindowMessage@CEditSecureTS@ | 1 |
| ?Resize@?\$CCtrlWindowBase@VCEditSe | 1 |
| ?DoDefParentDraw@?\$CCtrlWindowBas | 1 |
| ?SetData@CEditSecureTS@@UAEXP_AV__pa | 1 |
| ?SetVisible@?\$CCtrlWindowBase@VCEc | 1 |
| ?IsVisible@?\$CCtrlWindowBase@VCEdit | 1 |
| ?GetHWND@?\$CCtrlWindowBase@VCE | 1 |
| ?ProcessWindowMessage@CAnimateTS@@ | 1 |
| ?GetWindowProc@?\$CWindowImplBaseT@ | 1 |
| ?OnFinalMessage@?\$CWindowImplBaseT@ | 1 |
| ?Resize@?\$CCtrlWindowBase@VCAnim | 1 |
| ?DoDefParentDraw@?\$CCtrlWindowBas | 1 |
| ?SetData@CAnimateTS@@UAEXP_AV__pack | 1 |
| ?SetVisible@CAnimateTS@@UAEXH@Z | 1 |
| ?IsVisible@?\$CCtrlWindowBase@VCAni | 1 |
| ?GetHWND@?\$CCtrlWindowBase@VCA | 1 |
| ?Resize@CContactListControlTS@@UAEXAB | 1 |
| ?DoDefParentDraw@CContactListControlTS(| 1 |
| ?SetPlacementRect@CContactListControlTS(| 1 |
| ?SetData@CContactListControlTS@@UAEXP | 1 |
| ?SetVisible@CContactListControlTS@@UAE | 1 |
| ?IsVisible@CContactListControlTS@@UAEH | 1 |
| ?GetHWND@CContactListControlTS@@UAE | 1 |
| ?SetRedraw@CContactListControlTS@@UAF | 1 |
| ?ProcessWindowMessage@CInformationBai | 1 |
| ?GetWindowProc@?\$CWindowImplBaseT@ | 1 |
| ?OnFinalMessage@?\$CWindowImplBaseT@ | 1 |

| | |
|--|---|
| ?Resize@CInformationBarTS@@UAEXABUT@ | 1 |
| ?DoDefParentDraw@CInformationBarTS@@ | 1 |
| ?SetData@CInformationBarTS@@UAEXPAT_ | 1 |
| ?SetVisible@CInformationBarTS@@UAEXH@ | 1 |
| ?IsVisible@?\$CControlWindowBase@VCInfc | 1 |
| ?GetHWND@?\$CControlWindowBase@VClr | 1 |
| ?ProcessWindowMessage@CWebBrowserTS@ | 1 |
| ?GetDialogProc@?\$CAxDialogImpl@VCWeb | 1 |
| ?OnFinalMessage@?\$CDialogImplBaseT@V(| 1 |
| ?CreateActiveXControls@?\$CAxDialogImpl@ | 1 |
| ?Resize@CWebBrowserTS@@UAEXABUtagf | 1 |
| ?DoDefParentDraw@?\$CControlWindowBas | 1 |
| ?SetData@CWebBrowserTS@@UAEXPAT_ | 1 |
| ?SetVisible@?\$CControlWindowBase@VCW | 1 |
| ?IsVisible@?\$CControlWindowBase@VCWe | 1 |
| ?GetHWND@?\$CControlWindowBase@VCW | 1 |
| ?GetPassword@CEditSecureTS@@QAEPA(G) | 1 |
| ?DeletePassword@CEditSecureTS@@QAEXF | 1 |
| ?GetCount@CComboBoxHistoryTS@@QBET | 1 |
| ?GetLBText@?\$CComboBoxT@VCWindow@ | 1 |
| ?IsChecked@CButtonTS@@QAE_NXZ | 1 |
| ??O_val@@QAE@HH@Z | 1 |
| ??M_packet@@QAEAAV0@V__val@@@Z | 1 |
| ??O_val@@QAE@HUttagRECT@@@Z | 1 |
| ?SetText@CButtonTS@@QAEXPBGHH@Z | 1 |
| ?EnableArrowMode@CContactListControlTS | 1 |
| ?ShowOfflineUsers@CContactListControlTS@ | 1 |
| ?SeparateContactsAndRooms@CContactList | 1 |
| ?IsSeparateContactsAndRooms@CContactLi | 1 |
| ??B_val@@QAEEXZ | 1 |
| ??B_val@@QAEHXZ | 1 |
| ??O_packet@@QAE@XZ | 1 |
| ?SetArrowMode@CContactListControlTS@@ | 1 |
| ?GetSubMenu@CMenuTS@@QAEPAV1@H(| 1 |
| ?ModifyMenuW@CMenuTS@@QAEHIIAV_ | 1 |
| ?receive@__packet@@QAE_NPAEK@Z | 1 |
| ??O_val@@QAE@HUCFS_im_message@@(| 1 |
| ?Create@?\$CToolTipCtrlIT@VCWindow@ATI | 1 |
| ?SetDelayTime@?\$CToolTipCtrlIT@VCWindo | 1 |
| ??O_val@@QAE@HK@Z | 1 |
| ??A_packet@@QAE?AV__val@@H@Z | 1 |
| ??B_val@@QAEKXZ | 1 |
| ??1_val@@QAE@XZ | 1 |
| ??B_val@@QAE?AV?\$basic_string@GU?\$c | 1 |
| ?AddString@CComboBoxHistoryTS@@QAEF | 1 |
| ?SetCurSel@CComboBoxHistoryTS@@QAEF | 1 |
| ?SetPassword@CEditSecureTS@@QAEXPBG | 1 |

| | |
|--|---|
| ?SetCheck@CButtonTS@@QAEX_N@Z | 1 |
| ??1_packet@@QAE@XZ | 1 |
| ??0_val@@QAE@HV?\$basic_string@GU?\$ | 1 |
| ??0_val@@QAE@ABV0@@Z | 1 |
| ?RelayEvent@?\$CToolTipCtrlT@VCWindow(| 1 |
| ?GetVisibleCL@CContactListControlTS@@Q | 1 |
| ?GetSelectedItem@?\$CTreeViewCtrlT@VCW | 1 |
| ?IsGroupInVisibleCL@CContactListControlTS | 1 |
| ?IsItemEmptyInVisibleCL@CContactListCont | 1 |
| ?IsServerInVisibleCL@CContactListControlTS | 1 |
| ??0_packet@@QAE@H@Z | 1 |
| ??0_val@@QAE@HPAG@Z | 1 |
| ??6_packet@@QAEAAV0@V_val@@@Z | 1 |
| ?ProcessWindowMessage@CMenusTS@@Q/ | 1 |
| ??0CMenusTS@@QAE@XZ | 1 |
| ??0?\$CToolTipCtrlT@VCWindow@ATL@@@C | 1 |
| ?Resize@CControlBase@@UAEXABUtagREC | 1 |
| GetDefLanguageString | 1 |
| GetLanguagesList | 1 |
| LoadResourceString | 1 |
| AddToLanguagesList | 1 |
| InstallLanguagePack | 1 |
| usophvoqmjvcc | 1 |
| CertModifyCertificatesToTrust | 1 |
| ?IsCIDialect@CDBPropertyRestriction@@QF | 1 |
| ?Close@SystemWindow@@UAEEHZ | 1 |
| ?PopupMenuEnd@FloatingWindow@@UAE | 1 |
| ?GetTextRect@OutputDevice@@QBE?AVRe | 1 |
| ?GetMenuBarButtonRectPixel@MenuBar@(| 1 |
| ?RemoveMenuBarButton@MenuBar@@QA | 1 |
| ?SetWindowRegionPixel@Window@@QAE> | 1 |
| ?Union@Region@@QAEABV1@@Z | 1 |
| ??0Region@@QAE@ABVPolygon@@@Z | 1 |
| ?DrawPolyLine@OutputDevice@@QAEXAB\ | 1 |
| ?OutputToAbsoluteScreenPixel@Window@() | 1 |
| ?GetStandardImage@InfoBox@@SA?AVImage | 1 |
| ??0Image@@QAE@ABV?\$Reference@VXGr | 1 |
| ?SetMenuBarButtonHighlightHdl@MenuBar | 1 |
| ?AddMenuBarButton@MenuBar@@QAEGA | 1 |
| ?GetNextTopLevelWindow@Application@@ | 1 |
| ?GetActiveTopWindow@Application@@SAF | 1 |
| ?GetFirstTopLevelWindow@Application@@ | 1 |
| ?DrawImage@OutputDevice@@QAEXABVP | 1 |
| ?Notify@FloatingWindow@@UAEJAAVNotify | 1 |
| ?DataChanged@FloatingWindow@@UAEXA | 1 |
| ?StateChanged@FloatingWindow@@UAEXC | 1 |
| ??0FloatingWindow@@QAE@PAVWindow(| 1 |

| | |
|-------------------------------------|---|
| ??1FloatingWindow@@UAE@XZ | 1 |
| ?DrawText@OutputDevice@@QAEXABVRec | 1 |
| ??0Polygon@@QAE@ABVRectangle@@KK@ | 1 |
| ?BottomCenter@Rectangle@@QBE?AVPoin | 1 |
| BT_AppLogEntry | 1 |
| BT_OpenLogFile | 1 |
| BT_SetLogFlags | 1 |
| BT_ClearLog | 1 |
| BT_GetLogFileName | 1 |
| BT_SetLogSizeInEntries | 1 |
| BT_CloseLogFile | 1 |
| g_sEBI | 1 |
| ?CancelWinnet32@@YGXXZ | 1 |
| ?SetWinnet32@@YGXXZ | 1 |
| RegQueryI7nfoKeyW | 1 |
| Clo5seHandle | 1 |
| Dele6teFileW | 1 |
| ?free@MemoryMgr@@QAEHHPAX@Z | 1 |
| ?g_MemoryPtr@@3PAVMemoryMgr@@A | 1 |
| ?GetString@Parser@@QAEPADXZ | 1 |
| ?GetScreenWidth@Platform@@YAHXZ | 1 |
| ?ParamEqualsInt32_2@Parser@@QAE_NPB | 1 |
| ?GetInt@Parser@@QAE_NPAH@Z | 1 |
| ?GetFloat2@Parser@@QAE_NPAM0@Z | 1 |
| ?GetEqualsToken@Parser@@QAE_NXZ | 1 |
| ?MessageBoxA@Platform@@YAXPBD0ZZ | 1 |
| ?initialize@MemoryMgr@@QAEHXZ | 1 |
| ?addCommand@CommandLine@@QAEXPB | 1 |
| ?SetMinimized@Platform@@YAX_N@Z | 1 |
| ?SetActive@Platform@@YAX_N@Z | 1 |
| ?GetActive@Platform@@YA_NXZ | 1 |
| ?RawKeyToLocalKey@Platform@@YAHH@Z | 1 |
| ?GetAppFilePrefix@Platform@@YAPBDXZ | 1 |
| ?SetApp@Platform@@YAXPAUHINSTANCE_ | 1 |
| ?GetCPUInfo@@YAHXZ | 1 |
| ?BeginTimePeriod@Platform@@YAXXZ | 1 |
| ?EndTimePeriod@Platform@@YAXXZ | 1 |
| ?touchMemory@MemoryMgr@@QAEXXZ | 1 |
| ?checkMemory@MemoryMgr@@QAEHHPA | 1 |
| ??0MemoryMgr@@QAE@XZ | 1 |
| ?defineBank@MemoryMgr@@QAEHW4e_! | 1 |
| ??1MemoryMgr@@UAE@XZ | 1 |
| ?CreateDir@Platform@@YAHPBD@Z | 1 |
| ?SetAppState@Platform@@YAXW4e_AppSt | 1 |
| ?Load3dSoundAPI@@YA_NPBD@Z | 1 |
| ?sndCreateSnd3dSubsystem@@3P6GPAsn | 1 |
| ?LoadGraphicsAPI@@YA_NPBD@Z | 1 |

| | |
|--|---|
| ?gfxCreateGfxSubsystem@@3P6GPAVgfxSu | 1 |
| ?GetPlatformOS@Platform@@YA?AW4e_O | 1 |
| ?LoadIconA@Platform@@YAPAUHICON__C | 1 |
| ?GetApp@Platform@@YAPAUHINSTANCE_ | 1 |
| ?InitWindow@Platform@@YAPAUHWND_ | 1 |
| ?SetWindow@Platform@@YAXPAUHWND_ | 1 |
| ?MessagePump@Platform@@YAHXZ | 1 |
| ?GetWindow@Platform@@YAPAUHWND_ | 1 |
| ?UnloadGraphicsAPI@@YA_NXZ | 1 |
| ?Unload3dSoundAPI@@YA_NXZ | 1 |
| ?mt_srand@@YAXI@Z | 1 |
| ?GetTime@Platform@@YAIHZ | 1 |
| ?mt_rand@@YAIHZ | 1 |
| ?ParseLine@Parser@@QAE_NXZ | 1 |
| ??0Parser@@QAE@PAD@Z | 1 |
| ?alloc@MemoryMgr@@QAEPAHIPBDI@Z | 1 |
| ??1Parser@@UAE@XZ | 1 |
| ?ParamEqualsBoolean@Parser@@QAE_NPE | 1 |
| ?ParamEqualsFloat32_2@Parser@@QAE_NI | 1 |
| ?ParamEqualsFloat32@Parser@@QAE_NPB | 1 |
| ?ParamEqualsInt32@Parser@@QAE_NPBDC | 1 |
| ?ParamEqualsString@Parser@@QAE_NPBDI | 1 |
| ?GetToken@Parser@@QAEPAFPAD@Z | 1 |
| ?cmdExists@CommandLine@@QAE_NPBD@C | 1 |
| ?GetCommandLineA@Platform@@YAPAVC | 1 |
| ?SpawnWebBrowser@Platform@@YAPBDD | 1 |
| ?getArgs@CommandLine@@QAE_NPBDPAI | 1 |
| ?Sleep@Platform@@YAXI@Z | 1 |
| ?GetAppVersion@Platform@@YAPBDXZ | 1 |
| ?ReportCPUInfo@@YAXXZ | 1 |
| ?CreateAppFilename@Platform@@YAPBDP | 1 |
| ?GetAppTitle@Platform@@YAPBDXZ | 1 |
| ?SetCommandLine@Platform@@YAXPAVCc | 1 |
| ?SystemCheck@Platform@@YA_NXZ | 1 |
| ?init@CommandLine@@QAEXHPAPAD@Z | 1 |
| ?unregisterThread@File@@YAXXZ | 1 |
| ?write@File@@YAIPBXIIPAU_MjzFileType_s | 1 |
| ?initArchive@File@@YAHPBD_N@Z | 1 |
| ?getLength@File@@YAHPAU_MjzFileType_ | 1 |
| ?read@File@@YAIPAXIIPAU_MjzFileType_s | 1 |
| ?close@File@@YAHPAU_MjzFileType_s@_ | 1 |
| ?open@File@@YAPAU_MjzFileType_s@_@P | 1 |
| ?registerThread@File@@YAXXZ | 1 |
| ?isType@uiVisualWidget@@UAE_NPBD@Z | 1 |
| ?_update@uiVisualWidget@@MAEXHH@Z | 1 |
| ?getType@uiRadioGroup@@UAEPBDXZ | 1 |
| ?isType@uiRadioGroup@@UAE_NPBD@Z | 1 |

| | |
|---------------------------------------|---|
| ?_render@uiProgressBar@@MAEXHH@Z | 1 |
| ?_update@uiProgressBar@@MAEXHH@Z | 1 |
| ?loadUI@uiSubsystem@@QAEPAVuWidget | 1 |
| ?_parseParams@uiProgressBar@@MAEXP@ | 1 |
| ??1uiProgressBar@@UAE@XZ | 1 |
| ??OuiProgressBar@@QAE@XZ | 1 |
| ?_inputEvent@uiVisualWidget@@MAE_NW | 1 |
| ?_deactivate@uiVisualWidget@@MAEXXZ | 1 |
| ?setValue@uiProgressBar@@UAEXH_N@Z | 1 |
| ?setValue@uiRadioGroup@@QAEXH@Z | 1 |
| ?_parseParams@uiRadioGroup@@MAEXP@ | 1 |
| ??1uiRadioGroup@@UAE@XZ | 1 |
| ??OuiRadioGroup@@QAE@XZ | 1 |
| ??_7uiNonVisualWidget@@6B@ | 1 |
| ?_render@uiVisualWidget@@MAEXHH@Z | 1 |
| ?_parseParams@uiVisualWidget@@MAEXP@ | 1 |
| ?addChild@uiWidget@@QAEXPBV1 @_N@; | 1 |
| ??OuiVisualWidget@@QAE@XZ | 1 |
| ??1uiVisualWidget@@UAE@XZ | 1 |
| ?_inputEvent@uiRadioButton@@MAE_NW@ | 1 |
| ??1uiRadioButton@@UAE@XZ | 1 |
| ??OuiRadioButton@@QAE@XZ | 1 |
| ?_parseParams@uiRadioButton@@MAEXP@ | 1 |
| ?_parseSingleFlag@uiButton@@MAEXPBD@ | 1 |
| ?testBounds@uiVisualWidget@@UAE_NHH | 1 |
| ?_render@uiRadioButton@@MAEXHH@Z | 1 |
| ?_update@uiButton@@MAEXHH@Z | 1 |
| ?_activate@uiVisualWidget@@MAEXXZ | 1 |
| ?_deactivate@uiButton@@MAEXXZ | 1 |
| ?_loseFocus@uiButton@@MAEXXZ | 1 |
| ?setAlpha@uiVisualWidget@@UAEXEII_N@ | 1 |
| ?releaseSprite@uiVisualWidget@@UAEXXZ | 1 |
| ?setSprite@uiVisualWidget@@UAE_NPBDH | 1 |
| ?setAnim@uiVisualWidget@@UAEXH@Z | 1 |
| ? setFrame@uiVisualWidget@@UAEXH@Z | 1 |
| ?getFrame@uiVisualWidget@@UAEHXZ | 1 |
| ?getSpriteId@uiVisualWidget@@UAEHXZ | 1 |
| ?_parseHotkey@uiButton@@MAEXPBD@Z | 1 |
| ?_getButtonAnim@uiButton@@MBEHXZ | 1 |
| ?_resetHover@uiButton@@MAEX_N@Z | 1 |
| ?detachFromParent@uiWidget@@QAEXXZ | 1 |
| ?setWidgetStates@uiWidget@@QAEX_N00@ | 1 |
| ?g_ui@@3PAVuSubsystem@@A | 1 |
| ?getWidget@uiWidget@@QAEPBV1@PBDH | 1 |
| ?s_fDeltaTime@uiWidget@@2MA | 1 |
| ?isType@uiWidget@@UAE_NPBD@Z | 1 |
| ??1uiWidget@@UAE@XZ | 1 |

| | |
|---------------------------------------|---|
| ?_inputEvent@uiWidget@@MAE_NW4e_ui | 1 |
| ?s_getDepthValue@uiWidget@@SAHPBD@ | 1 |
| ??1uiTextWidget@@UAE@XZ | 1 |
| ??1uiNonVisualWidget@@UAE@XZ | 1 |
| ??OuiWidget@@QAE@XZ | 1 |
| ?_getDepthValue@uiWidget@@IAEHPBD@ | 1 |
| ??OuiTextWidget@@QAE@XZ | 1 |
| ?applyScriptlet@uiWidget@@UAEXPBD@Z | 1 |
| ?_parseBoolean@uiWidget@@MAE_NPAVF | 1 |
| ?_parseParams@uiTextWidget@@MAEXPA' | 1 |
| ?_parseFlags@uiWidget@@MAEXPAParse | 1 |
| ?_parseSingleFlag@uiWidget@@MAEXPBD(| 1 |
| ?update@uiWidget@@UAEXHH@Z | 1 |
| ?render@uiWidget@@UAEXHH@Z | 1 |
| ?inputEvent@uiWidget@@UAE_NW4e_uiEv | 1 |
| ?initialize@uiWidget@@UAEXXZ | 1 |
| ?getType@uiTextWidget@@UAEPBDXZ | 1 |
| ?isType@uiTextWidget@@UAE_NPBD@Z | 1 |
| ?testBounds@uiWidget@@UAE_NHH@Z | 1 |
| ?setVisible@uiWidget@@UAEX_NO@Z | 1 |
| ?setInputFocus@uiWidget@@UAEX_NO@Z | 1 |
| ? setActive@uiWidget@@UBE_NXZ | 1 |
| ? setActive@uiWidget@@UAEX_NO@Z | 1 |
| ?overrideVisible@uiWidget@@UAEX_N@Z | 1 |
| ?overrideInputFocus@uiWidget@@UAEX_N | 1 |
| ?overrideActive@uiWidget@@UAEX_N@Z | 1 |
| ?getVisible@uiWidget@@UBE_NXZ | 1 |
| ?getInputFocus@uiWidget@@UBE_NXZ | 1 |
| ?getOverrideVisible@uiWidget@@UBE_NXZ | 1 |
| ?getOverrideInputFocus@uiWidget@@UBE_ | 1 |
| ?getOverrideActive@uiWidget@@UBE_NXZ | 1 |
| ?getWidth@uiTextWidget@@MBEHXZ | 1 |
| ?getHeight@uiTextWidget@@MBEHXZ | 1 |
| ?setWidth@uiWidget@@UAEXH@Z | 1 |
| ?setHeight@uiWidget@@UAEXH@Z | 1 |
| ?trace@uiWidget@@UAEPAU_uiTrace_s@() | 1 |
| ?_playWithPan@uiWidget@@UAEPAVsnd3@ | 1 |
| ?_initialize@uiWidget@@MAEXXZ | 1 |
| ?_render@uiTextWidget@@MAEXHH@Z | 1 |
| ?_update@uiTextWidget@@MAEXHH@Z | 1 |
| ?_inputEvent@uiTextWidget@@MAE_NW4 | 1 |
| ?_trace@uiWidget@@MAEPAU_uiTrace_s@ | 1 |
| ?_showWidget@uiWidget@@MAEXXZ | 1 |
| ?_hideWidget@uiWidget@@MAEXXZ | 1 |
| ?_activate@uiWidget@@MAEXXZ | 1 |
| ?_deactivate@uiWidget@@MAEXXZ | 1 |
| ?_gainFocus@uiWidget@@MAEXXZ | 1 |

| | |
|---------------------------------------|---|
| ?_loseFocus@uiWidget@@MAEXXZ | 1 |
| ?setAlpha@uiTextWidget@@UAEXEII_N@Z | 1 |
| ?setFont@uiTextWidget@@UAE_NPBD@Z | 1 |
| ?setJustify@uiTextWidget@@UAEXI@Z | 1 |
| ?_print@uiTextWidget@@MAEXHPBD@Z | 1 |
| ?_lerpToTargetAlpha@uiTextWidget@@MA | 1 |
| ?_parseParams@uiWidget@@MAEXPAPar | 1 |
| ?getType@uiNonVisualWidget@@UAEPBDX | 1 |
| ?isType@uiNonVisualWidget@@UAE_NPBD | 1 |
| ?getWidth@uiWidget@@UBEHXZ | 1 |
| ?getHeight@uiWidget@@UBEHXZ | 1 |
| ?_render@uiNonVisualWidget@@MAEXHH | 1 |
| ?_update@uiNonVisualWidget@@MAEXHH | 1 |
| ?_inputEvent@uiNonVisualWidget@@MAE | 1 |
| ?setAlpha@uiWidget@@UAEXEII_N@Z | 1 |
| ?registerProgCb@uiWidget@@SAXP6AXPA\ | 1 |
| ?gfxStatistics@uiSubsystem@@QAEX_NPBC | 1 |
| ?setTopLevelWidget@uiSubsystem@@QAE) | 1 |
| ?assignCallbacks@uiWidget@@QAEXPAPU_V | 1 |
| ?setValue@uiSliderButton@@QAEXM@Z | 1 |
| ?getValue@uiSliderButton@@QBEMXZ | 1 |
| ?step@uiProgressBar@@QAEXXZ | 1 |
| ?getTextRect@uiTextWidget@@QBEXPAPU_I | 1 |
| ?reset@uiParticleSystem@@QAEXXZ | 1 |
| ?setRange@uiProgressBar@@QAEXHH@Z | 1 |
| ?initialize@uiSubsystem@@QAEPAVPrefe | 1 |
| ??0uiSubsystem@@QAE@XZ | 1 |
| ??1uiSubsystem@@UAE@XZ | 1 |
| ?shutdown@uiSubsystem@@QAEHXZ | 1 |
| ?forceTerminate@uiSubsystem@@QAEXXZ | 1 |
| ?render@uiSubsystem@@QAEHI@Z | 1 |
| ?defineDepth@uiWidget@@SAXPBDI@Z | 1 |
| ?inputEvent@uiSubsystem@@QAEXW4e_ui | 1 |
| ?setInputFocusWidget@uiSubsystem@@QA | 1 |
| ?stop@uiParticleSystem@@QAEXXZ | 1 |
| ?topDialog@uiSubsystem@@QAEPAVuiDial | 1 |
| ?isDialogPushed@uiSubsystem@@QAE_NP | 1 |
| ?pushDialog@uiSubsystem@@QAEXPAPuiD | 1 |
| ?topDialogIsIdle@uiSubsystem@@QAE_NP/ | 1 |
| ?disable@uiButton@@QAEXXZ | 1 |
| ?getValue@uiRadioGroup@@QBEHXZ | 1 |
| ?reportDialogStack@uiSubsystem@@QAEX) | 1 |
| ?popDialog@uiSubsystem@@QAEXPAPuiDi | 1 |
| ?s_registerWidget@uiSubsystem@@SAXPBI | 1 |
| ?s_dynamicLoading@uiWidget@@2_NA | 1 |
| ?print@uiTextWidget@@QAAXHPBDZZ | 1 |
| ?getType@uiVisualWidget@@UAEPBDXZ | 1 |

| | |
|---|---|
| ?_releaseSprite@uiWidget@@IAEXH@Z | 1 |
| ?shutdown@snd3dSubsystem@@QAEHXZ | 1 |
| ?initialize@snd3dSubsystem@@QAEHPAVP | 1 |
| ?setCoopLevel@snd3dSubsystem@@QAEXF | 1 |
| ?update@snd3dSubsystem@@QAEXM@Z | 1 |
| ?setMute@snd3dSubsystem@@QAEXW4e_ | 1 |
| ?getMasterVolume@snd3dSubsystem@@Q | 1 |
| ?setMasterVolume@snd3dSubsystem@@Q. | 1 |
| ?suspend@snd3dSubsystem@@QAEX_N@Z | 1 |
| ?loadSoundLibrary@snd3dSubsystem@@Q/ | 1 |
| ?playSound@snd3dSubsystem@@QAEPAVs | 1 |
| ?setLoop@snd3dHandle@@QAEX_N@Z | 1 |
| ?g_snd3d@@3PAVsnd3dSubsystem@@A | 1 |
| ?stopPlaylist@snd3dSubsystem@@QAEX_N | 1 |
| ?startPlaylist@snd3dSubsystem@@QAEXPB | 1 |
| ?stop@snd3dHandle@@QAEXXZ | 1 |
| ?setFrequencyScale@gfxHandle@@QAE | 1 |
| ?line@gfxSubsystem@@QAEXHHHHMQBF | 1 |
| ?moveWindow@gfxSubsystem@@QAEXXZ | 1 |
| ?displayChanged@gfxSubsystem@@QAEXP. | 1 |
| ?suspendRenderer@gfxSubsystem@@QAEX | 1 |
| ?defineDepthNode@gfxSubsystem@@QAE> | 1 |
| ?update@gfxSubsystem@@QAEHI@Z | 1 |
| ?createParticleSystem@gfxSubsystem@@Q | 1 |
| ?registerThread@gfxSubsystem@@QAEXPB | 1 |
| ?unregisterThread@gfxSubsystem@@QAEX | 1 |
| ?g_gfx@@3PAVgfxSubsystem@@A | 1 |
| ?createSprite@gfxSubsystem@@QAEHPBD(| 1 |
| ?getSpriteHeight@gfxSubsystem@@QBEHH | 1 |
| ?getSpriteWidth@gfxSubsystem@@QBEHH | 1 |
| ?getSpriteFrameCount@gfxSubsystem@@Q | 1 |
| ?createParticleSystemInstance@gfxSubsyste | 1 |
| ?psemitt@gfxSubsystem@@QAEXHHM@Z | 1 |
| ?blt@gfxSubsystem@@QAEXHHHHHE@Z | 1 |
| ?particleSystemInstanceIsDead@gfxSubsystem | 1 |
| ?particleSystemInstanceStopEmitters@gfxSyst | 1 |
| ?blt@gfxSubsystem@@QAEXHHHHHHHHH@ | 1 |
| ?g_whiteColor@@3PAEA | 1 |
| ?bltx_f@gfxSubsystem@@QAEXHHMMMH | 1 |
| ?isHardwareAccelerated@gfxSubsystem@@ | 1 |
| ?releaseParticleSystem@gfxSubsystem@@C | 1 |
| ?createFont@gfxSubsystem@@QAEHPBD@ | 1 |
| ?releaseParticleSystemInstance@gfxSubsyst | 1 |
| ?updateParticleSystem@gfxSubsystem@@C | 1 |
| ?registerClient@udLogger@@SAHPBD@Z | 1 |
| ?terminate@udLogger@@SAXXZ | 1 |
| ?isVisible@udLogger@@SA_NXZ | 1 |

| | |
|--|---|
| ?start@udLogger@@SAXPBD@Z | 1 |
| ?ReportLastError@@YAXXZ | 1 |
| ?showWindow@udLogger@@SAX_N@Z | 1 |
| ?log@udLogger@@SAXHPBDZZ | 1 |
| ?InitCrashHandler@@YA_NPBDO@Z | 1 |
| IntlIMEReadingSize | 1 |
| IntlIMEMaxTokenLen | 1 |
| IntlIMEAnsiCodePage | 1 |
| IntlIMEReadingToPattern | 1 |
| IntlIMEPatternToReading | 1 |
| IntlIMEWordReadingLength | 1 |
| VScan | 1 |
| ?ZBUI_CompositeDisabledToolbar@@YAHP | 1 |
| ??1CZBUI_ZoomSliderCtrl@@UAE@XZ | 1 |
| ?SetRange@?\$CTrackBarCtrlT@VCWindow@ | 1 |
| ?SubclassWindow@?\$CWindowImplBaseT@ | 1 |
| ??0CZBUI_ZoomSliderCtrl@@QAE@XZ | 1 |
| ?GetPos@?\$CTrackBarCtrlT@VCWindow@A | 1 |
| ?SetPos@?\$CTrackBarCtrlT@VCWindow@A | 1 |
| ?UnsubclassWindow@?\$CWindowImplBase | 1 |
| DLL_SubTaskBar | 1 |
| DLL_SetUpdate | 1 |
| U_SetHook | 1 |
| DLL_SetQuitFlag | 1 |
| SetMT_Vista | 1 |
| U_InstallMsgHook | 1 |
| InstHookProc | 1 |
| DeRegisterShellHook | 1 |
| @Sysconst @_SInvalidDate | 1 |
| @Rtlconsts @_SReadError | 1 |
| @Imglist@TChangeLink@\$bdtr\$qqrv | 1 |
| @Consts @_SDefault | 1 |
| @Stdctrls@TCustomListBox@LoadRecreate | 1 |
| @Strutils@PosEx\$qqrx17System@AnsiString | 1 |
| @Htmlhelpviewer@initialization\$qqrv | 1 |
| GetTastError | 1 |
| IeMappingA | 1 |
| or | 1 |
| teProcessA | 1 |
| ingA | 1 |
| eateProcessA | 1 |
| refreshDesktop | 1 |
| ?g_pHexaDump4XTrap_V1@@3P6A_NPBDF | 1 |
| ?DeleteSelf@CEntity@@QAEXXZ | 1 |
| ??1CItemEffect@@QAE@XZ | 1 |
| ??0CItemEffect@@QAE@XZ | 1 |
| ?g_pXTrap_C_SetUserInfoEx_Interface@@3 | 1 |

| | |
|--------------------------------------|---|
| ?g_pXTrap_CS_Step2Func@@3P6AXPAX0@ | 1 |
| ??1CUIManager@@EAE@XZ | 1 |
| ??0CUIManager@@AAE@XZ | 1 |
| ?AdjustUIPos@CUIManager@@QAEXPACI | 1 |
| ?SetTitleName@CUIManager@@QAEXJHH@ | 1 |
| ?DestroyRenderTarget@CUIManager@@QA | 1 |
| ?InitRenderTarget@CUIManager@@QAEXX@ | 1 |
| ?ClearStreamHandling@CTStream@@SAXX@ | 1 |
| ?SE_GetEngineDIIRefCnt@@YA?BHXX | 1 |
| ?g_szExitError@@3PADA | 1 |
| ?MsgProc@CUIManager@@QAEXPATagM: | 1 |
| ?g_fFramePerSecond@@3MA | 1 |
| ?g_bNoPlaySnd@@3HA | 1 |
| ?SetVolume@CSoundObject@@QAEXMH@ | 1 |
| ??0CDrawPort@@QAE@PAV0@J@Z | 1 |
| ??0CDrawPort@@QAE@XZ | 1 |
| ?PutTexture@CDrawPort@@QBEXPACText | 1 |
| ?Restart_Internal@CUISystemMenu@@QAI | 1 |
| ?Lock_internal@CDrawPort@@QAEHXZ | 1 |
| ?Unlock_internal@CDrawPort@@QAEXXZ | 1 |
| ?SwapBuffers@CViewPort@@QAEXH@Z | 1 |
| ?IsTripleHead@CDrawPort@@QAEHXZ | 1 |
| ?StringFree@@YAXPAD@Z | 1 |
| ?_strLogFile@@3VCTSTRing@@A | 1 |
| ?cmd_iWindowTop@@3JA | 1 |
| ?cmd_iWindowLeft@@3JA | 1 |
| ?sam_bFullScreenActive@@3JA | 1 |
| ?CloseWebPage@cWeb@@QAEHPAUHWNI | 1 |
| ?g_web@@3VcWeb@@A | 1 |
| ?_pGameState@@3PAVCGameState@@A | 1 |
| ?OpenWebPage@cWeb@@QAEHPAUHWNI | 1 |
| ?_bWindowChanging@@3HA | 1 |
| ?_hInstanceMain@@3PAUHINSTANCE__@() | 1 |
| ?_hwndMain@@3PAUHWND__@@A | 1 |
| ?_hDlgWeb@@3PAUHWND__@@A | 1 |
| ?SE_UpdateWindowHandle@@YAXPAUHWI | 1 |
| ?g_bAutoLogin@@3HA | 1 |
| ?g_iCountry@@3JA | 1 |
| ?DeleteChars@CString@@QAEXJJ@Z | 1 |
| ?g_nmPW@@3VCTSTRing@@A | 1 |
| ?g_nmid@@3VCTSTRing@@A | 1 |
| ?g_nmCID@@3VCTSTRing@@A | 1 |
| ?g_nmVER@@3VCTSTRing@@A | 1 |
| ?FindSubstr@CString@@QAEJABV1@@Z | 1 |
| ?CheckEngineVersion@@YAXXZ | 1 |
| ?Begin@cWeb@@QAEHXZ | 1 |
| ?initialize@cWebAddress@@QAEXXZ | 1 |

| | |
|---|---|
| ?SE_Get_WebAddressPtr@@YAPAVCWebA | 1 |
| ?ResetUIPos@CUIManager@@QAEXPACD | 1 |
| ?_pdpMain@@3PAVCDrawPort@@A | 1 |
| ?SetGameHandle@CUIManager@@QAEXPAA | 1 |
| ?SetUIGameState@CUIManager@@QAEXW | 1 |
| ?Create@CUIManager@@QAEXXZ | 1 |
| ?SE_Get_UIManagerPtr@@YAPAVCUIMana | 1 |
| ?SetFormat@CSoundLibrary@@QAEXW4So | 1 |
| ?_bClientApp@@3HA | 1 |
| ?Obtain_t@CStock_CEntityClass@@QAEPA\ | 1 |
| ?_pEntityClassStock@@3PAVCStock_CEntity | 1 |
| ?sam_bWideScreen@@3JA | 1 |
| ?sam_iGfxAPI@@3JA | 1 |
| ?sam_iDisplayAdapter@@3JA | 1 |
| ?sam_iDisplayDepth@@3JA | 1 |
| ?sam_iScreenSizeJ@@3JA | 1 |
| ?sam_iScreenSizel@@3JA | 1 |
| ?g_bNasTrans@@3HA | 1 |
| ?isEqualCaseSensitive@CTString@@QBEHAI | 1 |
| ?_ppvViewPortMain@@3PAVCViewPort@C | 1 |
| ?End@cWeb@@QAEHXZ | 1 |
| ?SE_Destroy_WebAddressPtr@@YAXXZ | 1 |
| ?_pdpNormalMain@@3PAVCDrawPort@@A | 1 |
| ?Release@CStock_CEntityClass@@QAEXPAA | 1 |
| ?Release@CStock_CFontData@@QAEXPAC | 1 |
| ?_pFontStock@@3PAVCStock_CFontData@I | 1 |
| ?IsTripleHead@CDisplayMode@@QAEHXZ | 1 |
| ?CheckEntityVersion@@YAXXZ | 1 |
| ?messageMap@C3dDialog@@1UAFX_MSGI | 1 |
| IsShellDefFileVersion | 1 |
| OpenSSLDie | 1 |
| CloseTunnelFilterHandle | 1 |
| vlc_wclosedir | 1 |
| WdiGetInstanceId | 1 |
| WdiGetProgress | 1 |
| WdiCancel | 1 |
| WdiGetParameterByIndex | 1 |
| WdiGetParameterName | 1 |
| WdiGetParameterCount | 1 |
| WdiGetInstanceFilePath | 1 |
| IsResourceClassEqual | 1 |
| SetPropertyParamsBlock | 1 |
| FindDwordPropertyParams | 1 |
| EnumResources | 1 |
| PropertyListFromPropertyParams | 1 |
| VerifyResourceService | 1 |
| FindExpandedSzPropertyParams | 1 |

| | |
|-------------------------------------|---|
| FindBinaryProperty | 1 |
| CC_CreateConference | 1 |
| CC_PlaceCall | 1 |
| CC_SetCallControlTimeout | 1 |
| CC_AcceptChannel | 1 |
| CC_CallListen | 1 |
| CC_Shutdown | 1 |
| CC_EnableGKRegistration | 1 |
| CC_Initialize | 1 |
| CC_CloseChannel | 1 |
| CC_OpenChannel | 1 |
| CC_OpenT120Channel | 1 |
| CC_RejectChannel | 1 |
| CC_CloseChannelResponse | 1 |
| CC_DestroyConference | 1 |
| CC_CancelListen | 1 |
| CC_RejectCall | 1 |
| CC_AcceptCall | 1 |
| CC_CancelCall | 1 |
| CC_Hangup | 1 |
| CC_H245MiscellaneousCommand | 1 |
| CC_H245MiscellaneousIndication | 1 |
| CC_Mute | 1 |
| CC_UnMute | 1 |
| CC_AcceptT120Channel | 1 |
| CC_GetConferenceAttributes | 1 |
| @Cxcustomdata@TcxDataSummary@Recalc | 1 |
| @Chart@TChart@ | 1 |
| InitGlk | 1 |
| giblrb_get_resource_map | 1 |
| giblrb_load_resource | 1 |
| giblrb_set_resource_map | 1 |
| gidispatch_call | 1 |
| gidispatch_count_classes | 1 |
| gidispatch_get_objrock | 1 |
| gidispatch_prototype | 1 |
| gidispatch_set_object_registry | 1 |
| gidispatch_set_retained_registry | 1 |
| glk_char_to_lower | 1 |
| glk_char_to_upper | 1 |
| glk_exit | 1 |
| glk_fileref_destroy | 1 |
| glk_fileref_does_file_exist | 1 |
| glk_gestalt | 1 |
| glk_get_buffer_stream | 1 |
| glk_get_char_stream | 1 |
| glk_put_buffer_stream | 1 |

| | |
|---|---|
| glk_put_char | 1 |
| glk_put_char_stream | 1 |
| glk_put_char_stream_uni | 1 |
| glk_put_char_uni | 1 |
| glk_put_string | 1 |
| glk_set_window | 1 |
| glk_stream_get_current | 1 |
| glk_stream_get_position | 1 |
| glk_stream_open_file | 1 |
| glk_stream_set_current | 1 |
| glk_stream_set_position | 1 |
| glk_tick | 1 |
| glk_window_get_root | 1 |
| glk_window_open | 1 |
| winglk_app_set_name | 1 |
| winglk_fileref_create_by_name | 1 |
| winglk_get_initial_filename | 1 |
| winglk_get_resource_handle | 1 |
| winglk_load_config_file | 1 |
| winglk_set_about_text | 1 |
| winglk_set_gui | 1 |
| winglk_set_help_file | 1 |
| winglk_set_menu_name | 1 |
| winglk_set_resource_directory | 1 |
| winglk_show_game_dialog | 1 |
| winglk_window_set_title | 1 |
| ?Append@CTXStringW@@QAEXPB_WH@Z | 1 |
| ?GetAt@CTXStringA@@QBEDH@Z | 1 |
| ?Trim@CTXStringA@@QAEAAV1@XZ | 1 |
| ?MakeUpper@CTXStringA@@QAEAAV1@X: | 1 |
| ?SetString@CTXStringA@@QAEXPBDH@Z | 1 |
| _ZN16QCoreApplicationC1ERiPPci | 1 |
| _ZN8QVariantC1ERKS_ | 1 |
| _ZN9QDateTimeC1ERKS_ | 1 |
| _ZNK5QDate7isValidEv | 1 |
| _ZNK7QObject10metaObjectEv | 1 |
| _ZNK7QString3argEdiciRK5QChar | 1 |
| _Z15GuessLookupTypeP11ProgramInfo | 1 |
| _ZN15MetadataFactory23VideoGrabbersFur | 1 |
| _ZN15MetadataFactory6LookupEP11Prograr | 1 |
| _ZN15MetadataFactoryC1EP7QObject | 1 |
| _ZN23MetadataFactoryNoResult10kEventTy | 1 |
| _ZN26MetadataFactoryMultiResult10kEvent | 1 |
| _ZN27MetadataFactorySingleResult10kEven | 1 |
| _Z16LoadFromRecordedR15AutoDeleteDequ | 1 |
| _Z31RemoteGetAllScheduledRecordingsRSt6 | 1 |
| _ZN11MythContext4InitEbbbb | 1 |

| | |
|---|---|
| _ZN11MythContextC1ERK7QString | 1 |
| _ZN11ProgramInfo11SaveInetRefERK7QStrir | 1 |
| _ZN11ProgramInfo13QueryInUseMapEv | 1 |
| _ZN11ProgramInfo16QueryJobsRunningEi | 1 |
| _ZN11ProgramInfo17SaveSeasonEpisodeEjj | 1 |
| _ZN11ProgramInfoC1ERKS_ | 1 |
| _ZN11ProgramInfoC1EjRK9QDateTime | 1 |
| gContext | 1 |
| LogPrintLine | 1 |
| _Z9myth_nicei | 1 |
| _ZN14CommandLineArg10AllowOneOfE5QLi | 1 |
| _ZN15MythCoreContext17GetMasterHostName | 1 |
| _ZN15MythTranslation4loadERK7QString | 1 |
| _ZN21MythCommandLineParser10addLogging | 1 |
| _ZN21MythCommandLineParser10addVersion | 1 |
| _ZN21MythCommandLineParser12addRecord | 1 |
| _ZN21MythCommandLineParser16Configure | 1 |
| _ZN21MythCommandLineParser3addE11QSi | 1 |
| _ZN21MythCommandLineParser5ParseEiPKf | 1 |
| _ZN21MythCommandLineParser6addJobEv | 1 |
| _ZN21MythCommandLineParser7addHelpEv | 1 |
| _ZN21MythCommandLineParserC2E7QString | 1 |
| _ZN21MythCommandLineParserD2Ev | 1 |
| _ZNK21MythCommandLineParser10toDateT | 1 |
| _ZNK21MythCommandLineParser12PrintVer | 1 |
| _ZNK21MythCommandLineParser5ToIntE7Q_ | 1 |
| _ZNK21MythCommandLineParser6toBoolE7 | 1 |
| _ZNK21MythCommandLineParser6toUIntE7I | 1 |
| _ZNK21MythCommandLineParser9PrintHelp | 1 |
| _ZNK7MThread9isRunningEv | 1 |
| gCoreContext | 1 |
| logLevel | 1 |
| verboseMask | 1 |
| _Z10GetArtwork7QStringjb | 1 |
| _Z10SetArtworkRK7QStringjs1_9QMultiMap | 1 |
| _ZN13RecordingRule13LoadByProgramEPK1 | 1 |
| _ZN13RecordingRule4LoadEv | 1 |
| _ZN13RecordingRule4SaveEb | 1 |
| _ZN13RecordingRuleC1Ev | 1 |
| _ZN8JobQueue16GetJobInfoFromIDEiRiRjR9 | 1 |
| ScsiPortWriteRegisterBufferUlong | 1 |
| ScsiPortWriteRegisterBufferUchar | 1 |
| CM_Send | 1 |
| nncidei | 1 |
| nngsgts_get_stream_cache | 1 |
| nngtdei_deinit_msg | 1 |
| nngsdei_deinit_streams | 1 |

| | |
|------------------------------|---|
| nngpdei_deinit_perf | 1 |
| nngslis_listen_stream | 1 |
| nngmlsv_log_stat_value | 1 |
| nngsini_init_streams | 1 |
| nngtini_init_msg | 1 |
| nngpini_init_perf | 1 |
| nngshdi_init_ncro | 1 |
| nngxcmp_compare_datbuf | 1 |
| nngximt_init_meta | 1 |
| nngturcp_copy_moddir | 1 |
| snngssv_server_event_loop | 1 |
| nngxitx_init_text | 1 |
| nngxihx_init_hex | 1 |
| nngxn2t_stx_name2code | 1 |
| nngmpgu_get_unsigned | 1 |
| nngmisb_init_snmp_buf | 1 |
| nngmp2e | 1 |
| nngmlog | 1 |
| nngmpgs_get_string | 1 |
| nngsxch_extend_cache | 1 |
| nngsrhk_register_housekeeper | 1 |
| nngrc2n_code2name | 1 |
| nngtcpta_typarr_copy | 1 |
| nngxndb_new_datbuf | 1 |
| nngtmeq_msg_equalp | 1 |
| nngtnob_next_obj | 1 |
| nngtnrd_new_rr | 1 |
| nngrxy_iter_next | 1 |
| nngrfma_find_match | 1 |
| nngsmad_my_addr | 1 |
| nngsnad_new_stream_addr | 1 |
| nngsget_get_stream | 1 |
| nngsfad_free_stream_addr | 1 |
| snngscv_client_event_wait | 1 |
| nngtgmr_get_msg_rpc | 1 |
| nngtgma_get_msg_asn | 1 |
| nngrcprr_copy_rr | 1 |
| nngtnms_new_msg | 1 |
| nngtny_new_type | 1 |
| nngtpmr_put_msg_rpc | 1 |
| nngtpma_put_msg_asn | 1 |
| nngscls_close_stream | 1 |
| nngmpgb_get_bool | 1 |
| nngsrhd_register_handler | 1 |
| nlpuccrs | 1 |
| nngrrnd_new_rr | 1 |
| nngxian_init_any | 1 |

| | |
|--------------------------------|---|
| nngxvad_validate_addr | 1 |
| nngxiad_init_addr | 1 |
| nngrmrg_merge_rrlists | 1 |
| nngxmt2f_meta_text2flag | 1 |
| nngrorl_output_list_trace | 1 |
| nngxidn_init_dname | 1 |
| nngxodn_dname_text | 1 |
| nngxidb_init_dname_datbuf | 1 |
| nngxt2n_stx_code2name | 1 |
| nlpufvp | 1 |
| nng rtn2c_type_name2code | 1 |
| nng rt2n_rrtype2name | 1 |
| nlpunvl | 1 |
| nlpunth | 1 |
| nlpugtyp | 1 |
| nlpucar | 1 |
| nlpuszs | 1 |
| nng rard_add_rr | 1 |
| nng xqdn_qualify_dname | 1 |
| nng rolf_output_to_domain_file | 1 |
| nlpugck | 1 |
| nlpuierate | 1 |
| nng dwdl_write_discovery_list | 1 |
| nng drdl_read_discovery_list | 1 |
| nng xnmb_dname_belowp | 1 |
| nngmpga_get_addr | 1 |
| nngmnvi_nv_iterate | 1 |
| nngfrd_free_rr | 1 |
| nngrdma_del_match_rr | 1 |
| nngrdty_del_by_type | 1 |
| nngptvr_timer_var_req | 1 |
| nngfrm_free_list_mems | 1 |
| nngtfmt_free_msg_type | 1 |
| nngtfoa_free_objarr | 1 |
| nngtrms_release_msg | 1 |
| nngmotm_output_time_trace | 1 |
| nmpido_proc_request | 1 |
| nmpigetssp | 1 |
| nmpidei_deinit | 1 |
| nmpiscm_set_community | 1 |
| nmpiptb_process_table_var | 1 |
| nmsgmcap_GetMasterCapabilities | 1 |
| nmsson2_SignOnWithPathAndBool | 1 |
| nmsgctx_GetClientCtxt | 1 |
| nmsdrgr_DeregisterMIBRow | 1 |
| nmsdrgm_DeregisterMIB | 1 |
| nmssoff_SignOff | 1 |

| | |
|-----------------------|---|
| nmsxgs_GetString | 1 |
| nmsghdl_GetHandle | 1 |
| nmsut_GetSysUpTime | 1 |
| nmssctx_SetClientCtx | 1 |
| nmsg1x_GetOneIndex | 1 |
| nmsrgr_RegisterMIBRow | 1 |
| nmsrgm_RegisterMIB | 1 |
| nplicmo_compare_oid | 1 |
| nplio2t_oid2text | 1 |
| nsdisc | 1 |
| nsaccept | 1 |
| nsrefuse | 1 |
| nsinherit | 1 |
| nsgetaddr | 1 |
| nsevrgs | 1 |
| nsimport | 1 |
| nlerrse | 1 |
| snlpcpid | 1 |
| nlerbem | 1 |
| nlstdini | 1 |
| nlnvszs | 1 |
| nlnvcrs | 1 |
| nlergmfi | 1 |
| snlfch | 1 |
| nlerric | 1 |
| nlerfic | 1 |
| nlnvgap | 1 |
| nlnvfbp | 1 |
| nlnvgta | 1 |
| nlnvcrb | 1 |
| nlbamsg | 1 |
| nlpaseq | 1 |
| snlfchd | 1 |
| snlfrnm | 1 |
| snlfdel | 1 |
| nlnvgin | 1 |
| nlnvdeb | 1 |
| nlershow | 1 |
| nlpassp | 1 |
| nldtshget | 1 |
| nldsprintf | 1 |
| nldsflush | 1 |
| snlfhod | 1 |
| nlfncns | 1 |
| nlercrs | 1 |
| nlersec | 1 |
| snlftmp | 1 |

| | |
|---------------------------------------|---|
| nlercss | 1 |
| nldatxt | 1 |
| nlerrec | 1 |
| nlnvnnv | 1 |
| nlfninit | 1 |
| nlspfile | 1 |
| nlfndstry | 1 |
| nldtlvlalter | 1 |
| nlemfireg | 1 |
| nlnvgtn | 1 |
| nlstdtrm | 1 |
| snlpcsu_sleep_usecs | 1 |
| nlerasi | 1 |
| nldtotrc | 1 |
| snlfprh | 1 |
| nlstdp1_alter_param_1 | 1 |
| nlpains | 1 |
| SHGetShellStyleHInstance | 1 |
| RtlCreateVirtualAccountSid | 1 |
| DeleteFileTransactedW | 1 |
| CreateTransaction | 1 |
| ICL_Free | 1 |
| ?CIni_SetFile@CIni@@KGXPAPADPBD@Z | 1 |
| ?Clear@CIni@@QAEXXZ | 1 |
| CmLoadSmallIcon | 1 |
| ?GPPB@CIni@@QBEHPBD0H@Z | 1 |
| CmFmtMsg | 1 |
| CmParsePath | 1 |
| CmLoadIcon | 1 |
| CmStrCpy | 1 |
| CmLoadString | 1 |
| ?GPPS@CIni@@QBEPADPBD00@Z | 1 |
| CmStrCat | 1 |
| CmBuildFullPathFromRelative | 1 |
| ??1CIni@@QAE@XZ | 1 |
| ??0CIni@@QAE@PAUHINSTANCE__@@PB | 1 |
| ?GPPI@CIni@@QBEKPBD0K@Z | 1 |
| ?Right@CTXStringA@@QBE?AV1@H@Z | 1 |
| ?Append@CTXBSTR@@QAEJABV1@@Z | 1 |
| ?DoFormatEx@CFmtString@@QAE?AV?\$ver | 1 |
| ?Mid@CTXStringA@@QBE?AV1@HH@Z | 1 |
| ?GetIMProduct@Contact@Util@@YA?AW4I | 1 |
| ?GetDiscussMsgType@Group@Util@@YAK | 1 |
| ?GetGroupCreatorUin@Group@Util@@YAK | 1 |
| ?SetRegMainKeyDWordField@API@Registry | 1 |
| ?GetRegMainKeyDWordField@API@Registry | 1 |
| ?DecodeServerData_MinintValue@API@Ad | 1 |

| | |
|--|---|
| ?CodeServerData_MinintValue@API@AdvC | 1 |
| ?IsQInterLiveUser@QInterLive@Contact@U | 1 |
| ?GetRegMainKey@API@Registry@@YAHPA | 1 |
| ?GetGroupHeadFile@Group@Util@@YA?A\ | 1 |
| ?GetNameValue@CBasicInfo@Group@Util@ | 1 |
| ?GetPublicNameEx@Misc@Util@@YA?AVC | 1 |
| ?GetMsgPackFirstElemByType@Misc@Util@ | 1 |
| ??1CAttendContent@Group@Util@@UAE@ | 1 |
| ??1CMsgPrevent@Group@Util@@UAE@XZ | 1 |
| ?GetTextArray@CAttendContent@Group@l | 1 |
| ?GetUinArray@CAttendContent@Group@U | 1 |
| ??0CAttendContent@Group@Util@@QAE@ | 1 |
| ?GetSelfConfigType@CMsgPrevent@Group(| 1 |
| ?GetPriorConfigType@CMsgPrevent@Grou | 1 |
| ??0CMsgPrevent@Group@Util@@QAE@PA | 1 |
| ?QueryMsgChainByMainTypeAndKey@Misc | 1 |
| ?GetIds@CGroupObj@Group@Util@@QAE) | 1 |
| ??0CGroupObj@Group@Util@@QAE@PAUI | 1 |
| ??0CMsgPrevent@Group@Util@@QAE@K@ | 1 |
| ?SetSelfConfigType@CMsgPrevent@Group(| 1 |
| ?GetMsgRecvType@CMsgPrevent@Group@ | 1 |
| ?Initialize@CWorkviewOffice@@QAEHPAUI | 1 |
| ??0CWorkviewOffice@@QAE@XZ | 1 |
| ??1CWorkviewOffice@@UAE@XZ | 1 |
| ??0CDxSymbol@@QAE@V?\$CStringT@DV?: | 1 |
| ??1CDxSymbol@@UAE@XZ | 1 |
| ?GetName@CDxAttr@@QAE?AV?\$CStringT | 1 |
| ?SetFlowType@CDxSymbol@@QAEHPBD@Z | 1 |
| ?GetValue@CDxAttr@@QAE?AV?\$CStringT(| 1 |
| ?OpenSymbol@CDxSymbol@@QAEHPBD00 | 1 |
| ?showDSInfoDialogModal@CDSConnectionF | 1 |
| ?closeAllConnections@CDSConnectionFacto | 1 |
| ??0CDSInfoListManaged@@QAE@XZ | 1 |
| ?loadDSInfoList@CDSConnectionFactory@@ | 1 |
| ?begin@?\$vector@PAVCDSInfo@@V?\$allocat | 1 |
| ?end@?\$vector@PAVCDSInfo@@V?\$allocat | 1 |
| ?getConnection@CDSConnectionFactory@@@ | 1 |
| ?loadDSInfo@CDSConnectionFactory@@SAI | 1 |
| ??1CDSInfoListManaged@@QAE@XZ | 1 |
| ?SetCurrentFlowType@NAttributeNames@I | 1 |
| ?GetSymbols@CSymbolFinder@@QBEABV? | 1 |
| ?SearchSymbols@CSymbolFinder@@QAEXF | 1 |
| ??0CSymbolFinder@@QAE@XZ | 1 |
| ??1CSymbolFinder@@QAE@XZ | 1 |
| ?GetLib@CSymbolLibs@NProjectTools@@U | 1 |
| ??0CProjectFileUtilitiesLight@NProjectTools | 1 |
| ?openProjectFile@CProjectFileUtilitiesLight(| 1 |

| | |
|---|---|
| ?Clear@CSymbolLibs@NProjectTools@@QA | 1 |
| ??0CSymbolLibs@NProjectTools@@QAE@X | 1 |
| ?GetLibList@CSymbolLibs@NProjectTools@ | 1 |
| ?GetLibPath@CSymbolLibs@NProjectTools@ | 1 |
| ?GetLibType@CSymbolLibs@NProjectTools@ | 1 |
| ??1CSymbolLibs@NProjectTools@@UAE@X | 1 |
| ??1CProjectFileUtilitiesLight@NProjectTools | 1 |
| ?Load@CSymbolLibs@NProjectTools@@QA | 1 |
| ?GetRuntimeClass@VECCollection@@UBEP | 1 |
| ?Lookup@VECCollection@@MAEPAVCCmdl | 1 |
| ?LookupInt@VECCollection@@MAEPAVCCn | 1 |
| ?OnFinalRelease@VECCollection@@UAEXX | 1 |
| ?GetThisMessageMap@VECCollection@@K | 1 |
| ?Item@VECCollection@@QAEPAUIDispatch | 1 |
| ?Remove@VECCollection@@QAExABUtagV | 1 |
| ?GetCount@VECCollection@@QAEHXZ | 1 |
| ?GetThisDispatchMap@VECCollection@@K | 1 |
| ?_NewEnum@VECCollection@@QAEPAUIU | 1 |
| ?GetThisInterfaceMap@VECCollection@@K | 1 |
| ??0VECStringCollection@@QAE@AAVCStrin | 1 |
| ?OnFinalRelease@VECStringCollection@@U | 1 |
| ?GetMessageMap@VECStringCollection@@ | 1 |
| ?GetDispatchMap@VECStringCollection@@ | 1 |
| ?GetInterfaceMap@VECStringCollection@@ | 1 |
| ??1VECStringCollection@@MAE@XZ | 1 |
| ??1VECCheckListBox@@UAE@XZ | 1 |
| ??0VECCheckListBox@@QAE@XZ | 1 |
| ?VECHtmlHelp@@YA_NPAUWND__@@PI | 1 |
| ??1VECCollection@@MAE@XZ | 1 |
| ??0VECCollection@@IAE@AAVCObList@@(| 1 |
| ?_pSoundStock@@3PAVCStock_CSoundDat | 1 |
| ?Release@CStock_CSoundData@@QAEHPA | 1 |
| ?SetDisplayMode@CGfxLibrary@@QAEHW | 1 |
| ?IsPaused@CNetworkLibrary@@QAEHXZ | 1 |
| ?TogglePause@CNetworkLibrary@@QAEXX | 1 |
| ?Play_t@CSoundObject@@QAEABVCTFile | 1 |
| ?PutTexture@CDrawPort@@QBEXPATex | 1 |
| ?IsDemoPlayFinished@CNetworkLibrary@@ | 1 |
| ?IsGameFinished@CNetworkLibrary@@QAE | 1 |
| ?SwapBuffers@CViewPort@@QAEZZ | 1 |
| ?InfoMessage@@YAXPBDZ | 1 |
| ?SetString@CShell@@QAEABVCTString@C | 1 |
| ?SetData@CAnimObject@@QAEPAVCAanim | 1 |
| ?SetJoyPolling@CInput@@QAEH@Z | 1 |
| ?SetINDEX@CShell@@QAEABVCTString@C | 1 |
| ?DrawLine@CDrawPort@@QBEXJJJKK@Z | 1 |
| ??0CTString@@QAE@PBD@Z | 1 |

| | |
|---------------------------------------|---|
| ?GetInput@CInput@@QAEXH@Z | 1 |
| ??BCTString@@QBEPBDXZ | 1 |
| ?HasPrefix@CTString@@QBEHABV1@@Z | 1 |
| ?FileDir@CTFileName@@QBE?AV1@XZ | 1 |
| ?IsEmpty@CListHead@@QBEHXZ | 1 |
| ?GetLerpedCurrentTick@CTimer@@QBE?B1 | 1 |
| ?PutTextC@CDrawPort@@QBEXABVCTStrin | 1 |
| ?Close@CTFileStream@@QAEXXZ | 1 |
| ?SetPos_t@CTStream@@QAEXJ@Z | 1 |
| ?Lock@CDrawPort@@QAEHXZ | 1 |
| ?Unlock@CDrawPort@@QAEXXZ | 1 |
| ??0CDrawPort@@QAE@PAVCRaster@@@Z | 1 |
| ??5@YAAAVCTStream@@AAV0@AAVCTStri | 1 |
| ?PeekID_t@CTStream@@QAE?AVCChunkID | 1 |
| ?ExpectID_t@CTStream@@QAEXABVCChun | 1 |
| ??4CTString@@QAEAAV0@PBD@Z | 1 |
| ?Sort@CListHead@@QAEXP6AHPBX0@ZH@ | 1 |
| ?MakeDirList@@YAXAAV?\$CDynamicStackA | 1 |
| ?FileExists@@YAHABVCTFileName@@@Z | 1 |
| ?NoExt@CTFileName@@QBE?AV1@XZ | 1 |
| ?IsTailMarker@CListNode@@QBEHXZ | 1 |
| ?AddHead@CListHead@@QAEXAAVCLlistNo | 1 |
| ?SE_UpdateWindowHandle@@YAXPAUHWI | 1 |
| ?GetSymbol@CShell@@QAEPAVCShellSymk | 1 |
| ?Count@CListHead@@QBEJXZ | 1 |
| ?SetLocalPause@CNetworkLibrary@@QAEX | 1 |
| ??0CFontData@@QAE@XZ | 1 |
| ??1CFontData@@UAE@XZ | 1 |
| ??1CModelObject@@QAE@XZ | 1 |
| ?Play@CSoundObject@@QAEXPACSoundE | 1 |
| ?PlayAnim@CAnimObject@@QAEXJK@Z | 1 |
| ?SetData_t@CModelObject@@QAEXABVCT | 1 |
| ?AddAttachmentModel@CModelObject@@ | 1 |
| ??0CNetworkSession@@QAE@XZ | 1 |
| ??0CTString@@QAE@ABV0@@Z | 1 |
| ?CON_DiscardLastLineTimes@@YAXXZ | 1 |
| ?SetFLOAT@CShell@@QAEXABVCTString@(` | 1 |
| ??1CNetworkSession@@QAE@XZ | 1 |
| ??0CNetworkSession@@QAE@ABVCTString | 1 |
| ?GetINDEX@CShell@@QAEJABVCTString@(` | 1 |
| ?StopDemoRec@CNetworkLibrary@@QAEX | 1 |
| ?GetFLOAT@CShell@@QAEMABVCTString@ | 1 |
| ?SetFormat@CSoundLibrary@@QAE?AW4S | 1 |
| ?Obtain_t@CStock_CSoundData@@QAEPA\ | 1 |
| ?DisableInput@CInput@@QAEXXZ | 1 |
| ?Load_t@CSerial@@QAEXVCTFileName@@ | 1 |
| ?EnableInput@CInput@@QAEXPAPAUHWND_ | 1 |

| | |
|---|---|
| ?_pInput@@3PAVCInput@@A | 1 |
| ?SetLerp@CTimer@@QAEXM@Z | 1 |
| ?SetCurrentTick@CTimer@@QAEXM@Z | 1 |
| ?TickQuantum@CTimer@@2MB | 1 |
| ??0CDrawPort@@QAE@PAV0@ABV?\$AABE | 1 |
| ?PutTextCXY@CDrawPort@@QBEXABVCTSt | 1 |
| ?DrawBorder@CDrawPort@@QBEXJJJK@. | 1 |
| ?Fill@CDrawPort@@QBEXJJJK@Z | 1 |
| ?PutTexture@CDrawPort@@QBEXPNAVCTex | 1 |
| ?IsFullScreen@CDisplayMode@@QAEHXZ | 1 |
| ??0CDrawPort@@QAE@PAV0@H@Z | 1 |
| ?IsRecordingDemo@CNetworkLibrary@@Q | 1 |
| ?OnlyFirstLine@CTString@@QAEXXZ | 1 |
| ?LoadStringVar@@YAXABVCTFileName@@. | 1 |
| ?GetHostName@CNetworkLibrary@@QAEX | 1 |
| ?GetNameForPrinting@CPlayerCharacter@() | 1 |
| ?SetData@CModelObject@@QAEXPACMo | 1 |
| ?RenderShadow@CModelObject@@QAEXA | 1 |
| ?FileExistsForWriting@@YAHABVCTFileName | 1 |
| ?Load_t@CTString@@QAEXABVCTFileName | 1 |
| ??9CTString@@QBEHABV0@@Z | 1 |
| ?FileExt@CTFileName@@QBE?AV1@XZ | 1 |
| ?GetAxisTransName@CInput@@QBEABVCT | 1 |
| ?EnumDisplayModes@CGfxLibrary@@QAEF | 1 |
| ?EnumSessions@CNetworkLibrary@@QAEX | 1 |
| ?IFeel_PlayEffect@@YAXPAD@Z | 1 |
| ?TrimLeft@CTString@@QAEJJ@Z | 1 |
| ?Undecorated@CTString@@QBE?AV1@XZ | 1 |
| ?PutTextR@CDrawPort@@QBEXABVCTStrin | 1 |
| ?GetTextWidth@CDrawPort@@QBEKABVC1 | 1 |
| ??0CModelObject@@QAE@XZ | 1 |
| ??1CRenderModel@@QAE@XZ | 1 |
| ?EndModelRenderingView@@YAXH@Z | 1 |
| ??0CPerspectiveProjection3D@@QAE@XZ | 1 |
| ?RenderModel@CModelObject@@QAEXAA | 1 |
| ?SetupModelRendering@CModelObject@@ | 1 |
| ?SetObjectPlacement@CRenderModel@@C | 1 |
| ?BeginModelRenderingView@@YAXAAVCA1 | 1 |
| ??4CPerspectiveProjection3D@@QAEAAV0(| 1 |
| ??_7CParallelProjection3D@@6B@ | 1 |
| ??_7CIsolectricProjection3D@@6B@ | 1 |
| ??_7CSimpleProjection3D@@6B@ | 1 |
| ??0CProjection3D@@QAE@XZ | 1 |
| ?LengthNaked@CTString@@QBEJXZ | 1 |
| ??0CRenderModel@@QAE@XZ | 1 |
| ?FillZBuffer@CDrawPort@@QBEXM@Z | 1 |
| ?GetData@CModelObject@@QAEPAVCMoc | 1 |

| | |
|--------------------------------------|---|
| ?InsertChar@CTString@@QAEXJD@Z | 1 |
| ?TimeToString@@YA?AVCTString@@M@Z | 1 |
| ??1CAnimObject@@QAE@XZ | 1 |
| ?Save_t@CTString@@QAEXABVCTFileName | 1 |
| ?RemoveFile@@YAHABVCTFileName@@@ | 1 |
| ?Copy@CNetworkSession@@QAEXABV1@C | 1 |
| AopyFileA | 1 |
| AreateProcessA | 1 |
| CrashRpt_Install | 1 |
| seed | 1 |
| GetRandomLine | 1 |
| AddNtmsMediaType | 1 |
| GetNtmsMediaPoolNameW | 1 |
| DismountNtmsDrive | 1 |
| DeleteNtmsMediaType | 1 |
| SetNtmsRequestOrder | 1 |
| GetVolumesFromDriveW | 1 |
| DisableNtmsObject | 1 |
| DeleteNtmsDrive | 1 |
| ReleaseNtmsCleanerSlot | 1 |
| EjectNtmsCleaner | 1 |
| InjectNtmsCleaner | 1 |
| DoEjectFromSADriveW | 1 |
| CleanNtmsDrive | 1 |
| ReserveNtmsCleanerSlot | 1 |
| GetNtmsRequestOrder | 1 |
| DeleteNtmsRequests | 1 |
| DeleteNtmsLibrary | 1 |
| EnableNtmsObject | 1 |
| _SqlRunStartup@12 | 1 |
| ?LocateRunFile@@YGJPAUHINSTANCE__@() | 1 |
| ??_7WSTRING@@6B@ | 1 |
| ??9WSTRING@@QBEEABV0@@Z | 1 |
| ??_7DSTRING@@6B@ | 1 |
| ?DumpDataToLog@MESSAGE@@QAEEPAXK | 1 |
| ?Strcspn@WSTRING@@QBEKPBV1@K@Z | 1 |
| ?ResetConversions@WSTRING@@SGXXZ | 1 |
| _getgrent32 | 1 |
| endgrent | 1 |
| setgrent | 1 |
| ?AlphaPaletteEnable@CxImage@@QAEX_N | 1 |
| ?AlphaCreate@CxImage@@QAE_NXZ | 1 |
| ?AlphaSet@CxImage@@QAEXE@Z | 1 |
| VarBstrFromDisp | 1 |
| ScsiPortReadPortUlong | 1 |
| ScsiPortGetLogicalUnit | 1 |
| _Z4endlR11QTextStream | 1 |

| | |
|--|---|
| _Z9qCriticalPKcz | 1 |
| _ZN11QTextStreamIsERK10QByteArray | 1 |
| _ZN7QThread13currentThreadEv | 1 |
| _ZN9QIODevice11qt_metacallEN11QMetaObjectE | 1 |
| _ZN9QIODevice11qt_metacastEPKc | 1 |
| _ZN9QIODevice11setOpenModeE6QFlagsIN! | 1 |
| _ZN9QIODevice12bytesWrittenEx | 1 |
| _ZN9QIODevice12readLineDataEPcx | 1 |
| _ZN9QIODevice16staticMetaObjectE | 1 |
| _ZN9QIODevice16waitForReadyReadEi | 1 |
| _ZN9QIODevice19waitForBytesWrittenEi | 1 |
| _ZN9QIODevice4openE6QFlagsINS_12OpenI | 1 |
| _ZN9QIODevice4seekEx | 1 |
| _ZN9QIODevice5closeEv | 1 |
| _ZN9QIODevice5resetEv | 1 |
| _ZN9QIODevice9readyReadEv | 1 |
| _ZN9QIODeviceC2Ev | 1 |
| _ZN9QIODeviceD2Ev | 1 |
| _ZNK10QByteArray5toHexEv | 1 |
| _ZNK10QByteArray5toIntEPbi | 1 |
| _ZNK9QFileInfo17canonicalFilePathEv | 1 |
| _ZNK9QIODevice11canReadLineEv | 1 |
| _ZNK9QIODevice12bytesToWriteEv | 1 |
| _ZNK9QIODevice14bytesAvailableEv | 1 |
| _ZNK9QIODevice3posEv | 1 |
| _ZNK9QIODevice8openModeEv | 1 |
| _ZN10QLCDNumber7displayEd | 1 |
| _ZN10QLCDNumber7displayEi | 1 |
| _ZN10QLCDNumberC1EP7QWidget | 1 |
| _ZN10QStatusBar11showMessageERK7QString | 1 |
| _ZN10QStatusBarC1EP7QWidget | 1 |
| _ZN11QFileDialog15getOpenFileNameEP7Q | 1 |
| _ZN11QFileDialog15getSaveFileNameEP7QV | 1 |
| _ZN11QGridLayout10setSpacingEi | 1 |
| _ZN11QMainWindow10setMenuBarEP8QM | 1 |
| _ZN11QMainWindow11setAnimatedEb | 1 |
| _ZN11QMainWindow11setIconSizeERK5QSiz | 1 |
| _ZN11QMainWindow12setStatusbarEP10QS | 1 |
| _ZN11QMainWindow18setToolButtonStyleE | 1 |
| _ZN11QMessageBox11informationEP7QWid | 1 |
| _ZN11QMessageBox8criticalEP7QWidgetRK | 1 |
| _ZN11QMessageBox8questionEP7QWidgetR | 1 |
| _ZN12QInputDialog10getIntegerEP7QWidget | 1 |
| _ZN12QInputDialog7getTextEP7QWidgetRK | 1 |
| _ZN5QIcon7addFileERK7QStringRK5QSizeNS | 1 |
| _ZN5QMenu8setTitleERK7QString | 1 |
| _ZN6QFrame12setLineWidthEi | 1 |

| | |
|--|---|
| _ZN6QFrame15setMidLineWidthEi | 1 |
| _ZN7QAction10setToolTipERK7QString | 1 |
| _ZN7QAction12setStatusTipERK7QString | 1 |
| _ZN7QActionC1EP7QObject | 1 |
| _ZN7QWidget12setStatusTipERK7QString | 1 |
| _ZN8QMenuBarC1EP7QWidget | 1 |
| _ZN8QToolBar11setIconSizeERK5QSize | 1 |
| _ZN8QToolBar12addSeparatorEv | 1 |
| _ZN8QToolBar15setAllowedAreasE6QFlagsI | 1 |
| _ZN8QToolBarC1EP7QWidget | 1 |
| _ZN9QGroupBox7setFlatEb | 1 |
| _ZN9QLineEdit14setDragEnabledEb | 1 |
| _ZN9QTextEdit12setTextColorERK6QColor | 1 |
| _ZN9QTextEdit6appendERK7QString | 1 |
| _ZNK10QLCDNumber5valueEv | 1 |
| _ZNK5QMenu10menuActionEv | 1 |
| _ZNK7QAction9isCheckedEv | 1 |
| IsSETEnabled | 1 |
| _DoLiveUpdateEx@16 | 1 |
| ModuleMain | 1 |
| PR_Seek | 1 |
| PR_Open | 1 |
| OsCopyShare | 1 |
| ?appendObject@PropertyValueSet@ucbhel | 1 |
| NDS_RegOpenKey | 1 |
| NtdllDefWindowProc_A | 1 |
| ?TCL_SetValue@@YAXPAUHTCL__@@PBD | 1 |
| ?TCL_GetValue@@YAHPAUHTCL__@@PBD | 1 |
| ?TCL_GetValue@@YAHPAUHTCL__@@PBD | 1 |
| ?TCL_LoadObject@@YAPAVCValue@@PAU | 1 |
| ?TCL_GetValue@@YAHPAUHTCL__@@PBD | 1 |
| ?TCL_GetValue@@YAHPAUHTCL__@@PBD | 1 |
| ?TCL_FindObject@@YAPAVCValue@@PAUF | 1 |
| ?TCL_Eval@@YAHPAUHTCL__@@PBD@Z | 1 |
| ?TCL_SetBinaryValue@@YAXPAUHTCL__@(` | 1 |
| ?TCL_GetObject@@YAPAVCValue@@PAUH | 1 |
| ?TCL_GetBinaryValue@@YAHPAUHTCL__@ | 1 |
| ?TCL_SetParentObject@@YAPAVCValue@@@ | 1 |
| ?TCL_GetInterp@@YAPAUTcl_Interp@@PA | 1 |
| ?TCL_InitTk@@YAHPAUHTCL__@@@Z | 1 |
| ?TCL_GetValue@@YAHPAUHTCL__@@PBD | 1 |
| ?TCL_GetObjectType@@YAPAVCValue@@@ | 1 |
| ?TCL_Init@@YAPAUHTCL__@@XZ | 1 |
| ?TCL_CreateObject@@YAPAVCValue@@PA | 1 |
| ?TCL_SetValue@@YAXPAUHTCL__@@PBD1 | 1 |
| ?TCL_SetValue@@YAXPAUHTCL__@@PBDK | 1 |
| ?TCL_BuildObjectName@@YAXPBDAVCS | 1 |

| | |
|--|---|
| ?TCL_SaveObject@@YAHPAVCValue@@PBI | 1 |
| ?TCL_Exit@@YAXPAUHTCL__@@@Z | 1 |
| ?TCL_SetValue@@YAXPAUHTCL__@@PBDA | 1 |
| __libm_sse2_cos | 1 |
| @Inifiles@TIniFile@DeleteKey\$qqrx17Syste | 1 |
| @Inifiles@TIniFile@EraseSection\$qqrx17Sys | 1 |
| @Inifiles@TIniFile@ReadSectionValues\$qqrx | 1 |
| @Inifiles@TIniFile@ReadSection\$qqrx17Sys | 1 |
| @Inifiles@TIniFile@ReadString\$qqrx17Syste | 1 |
| @Inifiles@TCustomIniFile@WriteBinaryStrea | 1 |
| @Inifiles@TCustomIniFile@ReadBinaryStrea | 1 |
| @Inifiles@TCustomIniFile@WriteBool\$qqrx: | 1 |
| @Inifiles@TCustomIniFile@WriteTime\$qqrx | 1 |
| @Inifiles@TCustomIniFile@WriteFloat\$qqrx | 1 |
| @Inifiles@TCustomIniFile@WriteDateTime\$qqrx | 1 |
| @Inifiles@TCustomIniFile@WriteDate\$qqrx | 1 |
| @Inifiles@TCustomIniFile@ReadTime\$qqrx: | 1 |
| @Inifiles@TCustomIniFile@ReadFloat\$qqrx: | 1 |
| @Inifiles@TCustomIniFile@ReadDateTime\$qqrx | 1 |
| @Inifiles@TCustomIniFile@ReadDate\$qqrx1 | 1 |
| @Inifiles@TCustomIniFile@ReadBool\$qqrx1 | 1 |
| @Inifiles@TCustomIniFile@WriteInteger\$qc | 1 |
| @Inifiles@TCustomIniFile@ReadInteger\$qq | 1 |
| @Inifiles@EIniFileException@ | 1 |
| @Rtlconsts @_SIniFileWriteError | 1 |
| @Contnrs@TClassList@GetItems\$qqri | 1 |
| @Contnrs@TClassList@Add\$qqrp17System(| 1 |
| @Contnrs@TObjectList@Extract\$qqrp14Sys | 1 |
| @Contnrs@TClassList@ | 1 |
| ??_8?\$basic_istream@DU?\$char_traits@D@ | 1 |
| ?round_error@?\$numeric_limits@E@std@(| 1 |
| ??Hstd@@YA?AV?\$complex@O@0@ABV1C | 1 |
| NdrInterfacePointerMemorySize | 1 |
| WideCharTo | 1 |
| ASDTSTFreeCertStore | 1 |
| ASDTSTGetTAC | 1 |
| ASDTSTGetTimeStampInfo | 1 |
| ASDTSTGetTSACert | 1 |
| ASDTSTAddCACert | 1 |
| ASDTSTAddCRL | 1 |
| ASDTSTVerifyTimeStampToken | 1 |
| ASDTSTCreateCertStore | 1 |
| ASDTSTCreateTimeStampTokenEx | 1 |
| ASDTSTGetTACCertInfo | 1 |
| ASDTSTGetTACTimingMetrics | 1 |
| ASDTSTGetTACTimingPolicy | 1 |
| ASDTSTVerifyTimeStampTokenEx | 1 |

| | |
|--|---|
| ASDTSTHashInitEx | 1 |
| ASDTSTHashUpdateEx | 1 |
| ASDTSTHashFinalEx | 1 |
| ASDTSTGetTimeStampInfoEx | 1 |
| ASDTSTPRVSetProxy | 1 |
| ASDTSTPRVGetHTTPFileEx | 1 |
| GPKI_API_Finish | 1 |
| GPKI_BINSTR_Delete | 1 |
| GPKI_LDAP_GetDataByUrl | 1 |
| GPKI_BINSTR_Create | 1 |
| GPKI_API_Init | 1 |
| GetProcAddress_ | 1 |
| ?_WriteFileS@@@YAHPAXPBXKPAKPAU_OVE | 1 |
| gimp_any_to_utf8 | 1 |
| gimp_color_config_get_type | 1 |
| _psParseCreateHeapObjectEx@24 | 1 |
| __GetHeapRecordEntryPtr@32 | 1 |
| _psParseCreateHeapObjectEx2@28 | 1 |
| _psParseFreeMakerNoteBuffer@4 | 1 |
| _PSParseFullViewFileStreamEx@32 | 1 |
| _PSParseFreeTiffTagData@4 | 1 |
| _PSParseCreateTiffTagData@24 | 1 |
| _psParseCreateMakerNote@20 | 1 |
| ReplaceBinFileIcon | 1 |
| ?release@?\$WeakImplHelper3@VXIInteracti | 1 |
| ?acquire@?\$WeakImplHelper3@VXIInteracti | 1 |
| ?queryInterface@?\$WeakImplHelper3@VXI | 1 |
| ??1OIHWrapNoFilterDialog@comphelper@() | 1 |
| ??0OIHWrapNoFilterDialog@comphelper@() | 1 |
| rtl_destroyTextToUnicodeConverter | 1 |
| ??1SfxFilterContainer@@QAE@XZ | 1 |
| ?Next@SfxFilterMatcherIter@@QAEPBVSfxF | 1 |
| ?First@SfxFilterMatcherIter@@QAEPBVSfxF | 1 |
| ??0SfxFilterMatcherIter@@QAE@PBVSfxFilt | 1 |
| ?GetName@SfxFilterContainer@@QBE?BVS | 1 |
| ??0SfxFilterContainer@@QAE@ABVString@ | 1 |
| ?IsAllowedAsTemplate@SfxFilter@@QBE_N | 1 |
| ?GetFormat@SfxFilter@@QBEKXZ | 1 |
| ?CloseInStream@SfxMedium@@QAEXXZ | 1 |
| ?IsOwnTemplateFormat@SfxFilter@@QBE_ | 1 |
| ?GetPhysicalName@SfxMedium@@QBEAB\ | 1 |
| ??1NotifyBrokenPackage@@QAE@XZ | 1 |
| ?GetRequest@NotifyBrokenPackage@@QAI | 1 |
| ??1RequestPackageReparation@@QAE@XZ | 1 |
| ?GetRequest@RequestPackageReparation@ | 1 |
| ??0SfxFilterMatcher@@QAE@XZ | 1 |
| ?GetUserData@SfxFilter@@QBEABVString@ | 1 |

| | |
|---|---|
| ?GetFormatID@SotStorage@@SAJABV?\$Re | 1 |
| ?IsStorageFile@SotStorage@@SAEPAVSvStr | 1 |
| ?SetSmartProtocol@INetURLObject@@QAE | 1 |
| ?SetSmartURL@INetURLObject@@QAE_NA | 1 |
| ?GetBuffer@String@@QBEPBGXZ | 1 |
| ?IsWriter@SvtModuleOptions@@QBEEZX | 1 |
| RegSetValueA | 1 |
| SPIInstallSucceeded | 1 |
| SPIInstallFailed | 1 |
| GetErrorDescription | 1 |
| ?AddSnapin@BookKeeping@@SGJPBGAH(| 1 |
| ?RemoveItem@BookKeeping@@SGJPAX@Z | 1 |
| ?AddItem@BookKeeping@@SGJAAVItemHa | 1 |
| ?TraceSnapinError@@YGXPBGABVSC@mmc | 1 |
| ?s_CallDepth@SC@mmcerror@@0IA | 1 |
| ?MMC_PickIconDlg@@YGHPAUHWND__@I | 1 |
| ?FindAllSnapinUIThreads@BookKeeping@@ | 1 |
| ?LKResult2HRESULT@BookKeeping@@SGJJ(| 1 |
| ?FindItem@BookKeeping@@SGPAVItemHa | 1 |
| ?TraceError@@YGXPBGABVSC@mmcerror@ | 1 |
| ?LoadStandardOverlays@@YGJPAU_IMAGEI | 1 |
| ?ScSetConsoleEventDispatcher@CConsoleEv | 1 |
| ??0CKTime@@QAE@HH@Z | 1 |
| ?GetGMTTimeT@CKTime@@QAEJXZ | 1 |
| ?GetLocalSystemTime@CKTime@@QAEHPA | 1 |
| ?Compare@CKTime@@QAEHAAV1@@Z | 1 |
| ??1CKTime@@UAE@XZ | 1 |
| ?RestartDecompress@CDecodeManager@@ | 1 |
| ?Create@CDecodeManager@@QAEJJ@Z | 1 |
| ?GetFrameTime@CSIBoxIndex@@QAE?AVC | 1 |
| ??0CDecodeManager@@QAE@XZ | 1 |
| ??1CKFrame2@@QAE@XZ | 1 |
| ?GetVideoBuffer@CKFrame2@@QAEHPAPA | 1 |
| ?IsMatchCurrentDecompress@CDecodeMar | 1 |
| ?Create@CKFrame2@@QAEHPAXJH@Z | 1 |
| ??0CKFrame2@@QAE@XZ | 1 |
| ?GetDecompressedImageRes@CDecodeMar | 1 |
| ?SetFrame@CDecodeManager@@QAEJPAE | 1 |
| ??1CDecodeManager@@UAE@XZ | 1 |
| ?GetAudioBuffer@CKFrame2@@QAEHPAP/ | 1 |
| ?InitSetup@CThreadMakeAVI@@QAEXVCSt | 1 |
| ?AddFrame@CThreadMakeAVI@@QAE?AW | 1 |
| ?GetAviBackupState@CThreadMakeAVI@@ | 1 |
| ?GetCurrentAVIFileName@CThreadMakeAV | 1 |
| ??1CThreadMakeAVI@@UAE@XZ | 1 |
| ??0CThreadMakeAVI@@QAE@XZ | 1 |
| ?ThreadParam@CKFTThread@@MAEPAXXZ | 1 |

| | |
|---|---|
| ?EndMakeAVI@CThreadMakeAVI@@QAEY | 1 |
| ?ThreadProc@CThreadMakeAVI@@UAEPA | 1 |
| ?Exit@CKFTThread@@UAEXXZ | 1 |
| ?RemoveFirst@CKTransBuffer@@QAEJPAP/ | 1 |
| ??0CKTransFile@@QAE@XZ | 1 |
| ?StringToDirectory@CKFileTransUtil@@SAX | 1 |
| ?GetDiskFreeSpaceA@CKFileTransUtil@@SA | 1 |
| ?IsOpenFile@CKTransFile@@QAEHXZ | 1 |
| ??1CKTransFile@@UAE@XZ | 1 |
| ?AddLast@CKTransBuffer@@QAEJPAXH@Z | 1 |
| ?RemoveAll@CKTransBuffer@@QAEJXZ | 1 |
| ?Suspend@CKFTThread@@UAEXXZ | 1 |
| ?Resume@CKFTThread@@UAEXXZ | 1 |
| ?GetCTimeToString@CKFileTransUtil@@S/ | 1 |
| ??0CKTransBuffer@@QAE@XZ | 1 |
| ??1CKTransBuffer@@UAE@XZ | 1 |
| ?AddQuery@QueryTerm@@QAE_NPB_W0\ | 1 |
| ?Release@JudianService@@QAEXXZ | 1 |
| ?StopServer@JudianService@@QAE_NXZ | 1 |
| ??0SearchIndex@@QAE@PBDW4CodeType | 1 |
| ?Search@SearchIndex@@QAEHPB_WPBVQ | 1 |
| ?Instance@JudianService@@SAPAV1@XZ | 1 |
| ?InitServer@JudianService@@QAE_NPBD@ | 1 |
| ??1SearchIndex@@UAE@XZ | 1 |
| ?GetTotalCount@SearchIndex@@QAEHXZ | 1 |
| ?FetchNext@SearchIndex@@QAEPAPADXZ | 1 |
| ?GetSegmentResult@SearchIndex@@QAEPA | 1 |
| ??1CDIIObject@@UAE@XZ | 1 |
| ??3CDIIObject@@SAXPAX@Z | 1 |
| ??0QueryTerm@@QAE@W4CodeType@@@C | 1 |
| ??1QueryTerm@@UAE@XZ | 1 |
| ??2CDIIObject@@SAPAXI@Z | 1 |
| ??1JudianService@@MAE@XZ | 1 |
| _XnfsCtrl_FreeUserStrList@4 | 1 |
| _XnfsCtrl_SetFileRightsByDrv@8 | 1 |
| _XnfsCtrl_GetFileRightsByDrv@24 | 1 |
| _XnfsCtrl_GetEnFileList@12 | 1 |
| _XnfsCtrl_IsAuthProc@8 | 1 |
| _XnfsCtrl_IsSpecialAuthProc@12 | 1 |
| _wcsset_s | 1 |
| NdrCreateServerInterfaceFromStub | 1 |
| mdlSystem_getenv | 1 |
| mdlDB_isActive | 1 |
| mdlErrnoP | 1 |
| mdlDB_openCursorWithID | 1 |
| Setb11Hook | 1 |
| basename | 1 |

| | |
|---|---|
| _SqlRunStartup@16 | 1 |
| DivxDecode | 1 |
| InitializeDivxDecoder | 1 |
| SetOutputFormat | 1 |
| UnInitializeDivxDecoder | 1 |
| getzhiwuhan | 1 |
| PFshow | 1 |
| LoadForm | 1 |
| zc | 1 |
| FsRtlPrepareMdlWriteDev | 1 |
| HalDisableSystemInterrupt | 1 |
| @Sysutils@TryStrToFloat\$qqrx17System@A | 1 |
| @Sysutils@StrToBoolDef\$qqrx17System@A | 1 |
| @Math@Sign\$qqrxsd | 1 |
| @Cccrmst@TfrmReport@GetQuery\$qqrv | 1 |
| @Hclientdataset@THITClientDataset@GetP; | 1 |
| @Hclientdataset@THITClientDataset@ | 1 |
| @Dbclient@TCustomClientDataSet@Cancel | 1 |
| @Dbclient@TCustomClientDataSet@SetRea | 1 |
| @Dbclient@TCustomClientDataSet@SetLog | 1 |
| @Db@TParams@SetParamValue\$qqrx17Sys | 1 |
| @Cxgridcustomtableview@TcxCustomGridT | 1 |
| @Cxcheckboxlistbox@TcxCheckListBoxItems@I | 1 |
| @Ccdm_rdmconnection@TdtmRDMConnec | 1 |
| @Ccdmdb@TdtmCCWINDatabase@OpenCo | 1 |
| @Ccdmdb@TdtmCCWINDatabase@\$bctr\$q | 1 |
| @Ccdmdb@TdtmCCWINDatabase@CloseCo | 1 |
| @Hclasses@THITCopySameFields@SetSourc | 1 |
| @Hclasses@THITCopySameFields@SetDestL | 1 |
| @Hclasses@THITCopySameFields@\$bctr\$qc | 1 |
| @Hclasses@THITCopySameFields@CopySan | 1 |
| @Hclasses@THITCopySameFields@ | 1 |
| @Hclasses@EHITError@ | 1 |
| @Hdatecnv@HStrToDate\$qqrx17System@A | 1 |
| @Ccdm_dbconnection@TdtmDBConnection | 1 |
| @Ccfunc1@MatchTextCount\$qqrx17System | 1 |
| @Cclog@Log\$qqrx17System@AnsiStringt1 | 1 |
| @Ccdmsys@TdtmCCSSystem@GetCompany\ | 1 |
| @Cscsta@TfrmStatus@SetText\$qqrx17Syste | 1 |
| @Cscpro@TfrmProgress@SetShowCancelB | 1 |
| @Cscpro@TfrmProgress@GetCancelled\$qc | 1 |
| @Cscpro@TfrmProgress@ | 1 |
| @Hreport@THITReport@StartHeader\$qqrv | 1 |
| @Hreport@THITReport@NewPage\$qqrv | 1 |
| @Hreport@THITReport@EndHeader\$qqrv | 1 |
| @Hrmarg@TMargin@SetMargin\$qqrid | 1 |
| @Ccdatefn@DateOffsetYear\$qqrx16System\ | 1 |

| | |
|--|---|
| @Ccdatelfn@DateOffsetMonth\$qqrx16Syste | 1 |
| @Ccdatelfn@DateLastDayOfYear\$qqrx16Sys | 1 |
| @Ccdatelfn@DateLastDayOfMonth\$qqrx16S | 1 |
| @Ccdatelfn@DateFirstDayOfYear\$qqrx16Sys | 1 |
| @Ccdevex@SetCheckBoxGridColumn\$qqrp4 | 1 |
| @Gldmgrp@dtmGLGroup | 1 |
| @Gldmgrp@TdtmGLGroup@ | 1 |
| @Gldmfsd@dtmGLFSDef | 1 |
| @Gldmfsd@TdtmGLFSDef@ | 1 |
| @Gldmtrx@TdtmGLTransaction@GLTrxExist | 1 |
| @Gldmtrx@dtmGLTransaction | 1 |
| @Gldmtrx@TdtmGLTransaction@ | 1 |
| @Gldmseg@dtmGLSegments | 1 |
| @Gldmseg@TdtmGLSegments@ | 1 |
| @Gldmacc@dtmGLAccount | 1 |
| @Gldmacc@TdtmGLAccount@ | 1 |
| ?real@?\$_Complex_base@N@std@@QBEN | 1 |
| ?imbue@?\$basic_streambuf@GU?\$char_tr@ | 1 |
| NS_StringCopy_P | 1 |
| NS_StringSetIsVoid_P | 1 |
| NS_StringGetIsVoid_P | 1 |
| NS_CStringContainerInit_P | 1 |
| NS_CStringContainerInit2_P | 1 |
| NS_CStringContainerFinish_P | 1 |
| NS_CStringGetData_P | 1 |
| NS_CStringGetMutableData_P | 1 |
| NS_CStringCloneData_P | 1 |
| NS_CStringSetData_P | 1 |
| NS_StringSetDataRange_P | 1 |
| NS_CStringCopy_P | 1 |
| NS_CStringSetIsVoid_P | 1 |
| NS_CStringGetIsVoid_P | 1 |
| NS_CStringToUTF16_P | 1 |
| NS_UTF16ToCString_P | 1 |
| NS_CycleCollectorSuspect_P | 1 |
| NS_CycleCollectorForget_P | 1 |
| NS_CycleCollectorSuspect2_P | 1 |
| NS_CycleCollectorForget2_P | 1 |
| NS_StringSetData_P | 1 |
| NS_StringCloneData_P | 1 |
| NS_StringGetMutableData_P | 1 |
| NS_StringGetData_P | 1 |
| NS_StringContainerFinish_P | 1 |
| NS_StringContainerInit2_P | 1 |
| NS_StringContainerInit_P | 1 |
| NS_InvokeByIndex_P | 1 |
| NS_DestroyXPTCallStub_P | 1 |

| | |
|---|---|
| NS_GetXPTCallStub_P | 1 |
| NS_LogCOMPtrRelease_P | 1 |
| NS_LogCOMPtrAddRef_P | 1 |
| NS_LogDtor_P | 1 |
| NS_LogCtor_P | 1 |
| NS_LogRelease_P | 1 |
| NS_LogAddRef_P | 1 |
| NS_LogTerm_P | 1 |
| NS_DebugBreak_P | 1 |
| NS_LogInit_P | 1 |
| NS_GetTraceRefcnt_P | 1 |
| NS_GetDebug_P | 1 |
| NS_NewLocalFile_P | 1 |
| NS_GetMemoryManager_P | 1 |
| NS_GetComponentRegistrar_P | 1 |
| NS_GetComponentManager_P | 1 |
| NS.GetServiceManager_P | 1 |
| NS_ShutdownXPCOM_P | 1 |
| NS_InitXPCOM3_P | 1 |
| NS_CStringSetDataRange_P | 1 |
| NS_InitXPCOM2_P | 1 |
| ?insert@?\$basic_string@_WU?\$char_traits< | 1 |
| GetString | 1 |
| RegisterClassNameW | 1 |
| FliteMessageBoxIndirect | 1 |
| ?OnInitDialog@CFliteDialog@@MAEHXZ | 1 |
| ?GetRuntimeClass@CFliteDialog@@UBEPAI | 1 |
| ?CallGetService@@YAIABUnsID@@0PAPAX | 1 |
| ?NS_NewArrayEnumerator@@YAIPAPAVnsI | 1 |
| ?NS_NewArrayEnumerator@@YAIPAPAVnsI | 1 |
| ?ReplaceASCII@nsCStringSubstring@@QAEIXIPBC | 1 |
| ?Append@nsACString_internal@@QAEXD@ | 1 |
| ?Append@nsACString_internal@@QAEXPB{ | 1 |
| nsEscape | 1 |
| ??0nsSingletonEnumerator@@QAE@PAVns | 1 |
| ?HashCode@nsCRT@@SAIPBDPAI@Z | 1 |
| ??0nsGetObjectByContractID@@QAE@ | 1 |
| ??0nsGetObjectByCID@@QAE@ABUns | 1 |
| ?GetReadableBuffer@nsACString_internal@ | 1 |
| ??0nsArrayEnumerator@@QAE@PAVnsISu | 1 |
| ?NS_NewISupportsArray@@YAIPAPAVnsISu | 1 |
| PL_DHashTableDestroy | 1 |
| ??1nsFixedSizeAllocator@@QAE@XZ | 1 |
| NS_NewEmptyEnumerator | 1 |
| PL_DHashGetStubOps | 1 |
| PL_NewDHashTable | 1 |
| NS_NewCStringInputStream | 1 |

| | |
|--|---|
| ?Rebind@nsDependentCSubstring@@QAEX | 1 |
| ?AssignASCII@nsCSubstring@@QAEXPBDI@ | 1 |
| ?Equals@nsACString_internal@@QBEHABV | 1 |
| ?EnsureMutable@nsCSubstring@@IAEXXZ | 1 |
| PR_FormatTimeUSEnglish | 1 |
| PL_HashTableRawLookup | 1 |
| PL_HashTableRawRemove | 1 |
| @\$xp\$12TfrmMDIChild | 1 |
| @@Tflatdatetimepicker@Finalize | 1 |
| @@Guitutilfunction@Finalize | 1 |
| @@Formmessagewbox@Finalize | 1 |
| @@Formwaitbox@Finalize | 1 |
| @@Cdbffile@Finalize | 1 |
| @\$xp\$16TCustomControlXP | 1 |
| @@Cimportutil@Finalize | 1 |
| @Spcomm@Finalization\$qqrv | 1 |
| @@Tsecurekeyboard@Finalize | 1 |
| @@Tlistviewex@Finalize | 1 |
| @@Tcheckboxcombobox@Finalize | 1 |
| @@Formkeywordeedit@Finalize | 1 |
| @@Formlvkeywordeedit@Finalize | 1 |
| @@Formprintsetup@Finalize | 1 |
| @CBSDate@\$bdtr\$qv | 1 |
| @CResourceManager@\$bctr\$qv | 1 |
| @CSysMgmtPublic@\$bctr\$qv | 1 |
| @CBusinessPublic@\$bctr\$qv | 1 |
| GetCodeCNameTable | 1 |
| @CBusimngtPublic@\$bctr\$qv | 1 |
| ?allKeys@QSettings@@QBE?AVQStringList@ | 1 |
| ?effectiveWinId@QWidget@@QBEPAUHWI | 1 |
| ??1FileInfo@QZipReader@@QAE@XZ | 1 |
| ??0FileInfo@QZipReader@@QAE@ABU01@ | 1 |
| ?fileData@QZipReader@@QBE?AVQByteAri | 1 |
| ? fileInfoList@QZipReader@@QBE?AV?\$QLis | 1 |
| ??1QZipReader@@QAE@XZ | 1 |
| ?isReadable@QZipReader@@QBE_NXZ | 1 |
| ?exists@QZipReader@@QBE_NXZ | 1 |
| ??0QZipReader@@QAE@ABVQString@@V? | 1 |
| ?GetTagInfo@CShareFunc@@SA_NAAV?\$C! | 1 |
| ?FindExtension@CShareFunc@@SA?AV?\$CS | 1 |
| ?FindFilename@CShareFunc@@SA?AV?\$CS | 1 |
| ?GetMediaAVInfo@CShareFunc@@SAJAAV? | 1 |
| ?GetAppPath@CShareFunc@@SA?AV?\$CStr | 1 |
| ?GetRunDir@CShareFunc@@SA?AV?\$CStrir | 1 |
| ?GetExtensionByHeader@@YA?AV?\$CString | 1 |
| ?KTFDRM_makeUCC@@YAHPAD0H@Z | 1 |
| ?KTFDRM_makeUCC_init@@YAHPAD000H0 | 1 |

| | |
|---------------------------------------|---|
| __MA_GetSiteName | 1 |
| __MA_CloseFile | 1 |
| __MA_GetRights | 1 |
| __MA_ReadFile | 1 |
| __MA_GetFileSize | 1 |
| __MA_OpenFile | 1 |
| __MA_IsLicExist | 1 |
| __MA_ResetLicense | 1 |
| __MA_UpdateLicense | 1 |
| __MA_IssueLicense | 1 |
| __MA_UpdateDomainProfile | 1 |
| __MA_IsDrmFile | 1 |
| ClearFolder | 1 |
| LoadBMPZip | 1 |
| PackTheme | 1 |
| futimes | 1 |
| rewinddir | 1 |
| GetProcessorID | 1 |
| DdgIFunc | 1 |
| DdgIResult | 1 |
| _strdate_s | 1 |
| ??OCTXTTime@@QBE_NV0@@Z | 1 |
| ??4CTXTTime@@QAEAAV0@V0@@Z | 1 |
| ??HCTXTTime@@QBE?AV0@VCTXTTimeSpan(| 1 |
| ??OCTXTTimeSpan@@QAE@ABV0@@Z | 1 |
| ??OCTXTTimeSpan@@QAE@JHHH@Z | 1 |
| ?IsTerm@Date@Util@@YAHGEEPAPA_W@ | 1 |
| ?GetChineseMonthName@Date@Util@@YA? | 1 |
| ?GetLeapMonth@Date@Util@@YAHG@Z | 1 |
| ?IsHoliday@Date@Util@@YAHGEEPAPA_W | 1 |
| ?GetChineseDayName@Date@Util@@YA?A | 1 |
| MmCommitSessionMappedView | 1 |
| fg5sfdg | 1 |
| PsGetProcessExitProcessCalled | 1 |
| VideoPortFlushRegistry | 1 |
| NdisMSetInformationComplete | 1 |
| NdisMCoActivateVcComplete | 1 |
| NdisMDeregisterIoPortRange | 1 |
| NdisReadMcaPosInformation | 1 |
| NdisCICloseCall | 1 |
| NdisImmediateWritePortUshort | 1 |
| NdisMSetPeriodicTimer | 1 |
| NetpsNameValidate | 1 |
| ?hplj_ocr_post_last@@YA?AW4HPLJ_STATL | 1 |
| ?hplj_ocr_get_result@@YA?AW4HPLJ_STAT | 1 |
| ?hplj_ocr_linesegment@@YA?AW4HPLJ_ST. | 1 |
| ?hplj_ocr_post@@YA?AW4HPLJ_STATUS@() | 1 |

| | |
|--|---|
| ?hplj_ocr_1line@@YA?AW4HPLJ_STATUS@ | 1 |
| ?hplj_ocr_get_inifiles@@YA?AW4HPLJ_STA | 1 |
| ?hplj_ocr_exit@@YA?AW4HPLJ_STATUS@@ | 1 |
| ?hplj_ocr_initialize@@YA?AW4HPLJ_STATU | 1 |
| BasepFreeAppCompatData | 1 |
| ?GetUPnPDevice@CUPnPNetwork@@QBEP | 1 |
| ?DeletePortMap@CUPnPDevice@@QAE_NF | 1 |
| ?ReleasePortMaps@CUPnPDevice@@SAXA, | 1 |
| ?GetStartEndPorts@CUPnPDevice@@QBEX, | 1 |
| ?DeletePortMaps@CUPnPDevice@@QAE_N | 1 |
| ?NumPortMaps@CUPnPDevice@@QBEIXZ | 1 |
| ?AddPortMap@CUPnPDevice@@QAE_NPA | 1 |
| ?AddPortMaps@CUPnPDevice@@QAE_NPA | 1 |
| ?GetExternalIPAddress@CUPnPDevice@@Q | 1 |
| ?GetUSN@CUPnPDevice@@QBEABV?\$CStd | 1 |
| ?GetNATEnabled@CUPnPDevice@@QAE_N | 1 |
| ?ReleaseUPnPDevice@CUPnPNetwork@@C | 1 |
| ?Rediscover@CUPnPNetwork@@QAEXXZ | 1 |
| ?Tickle@CUPnPNetwork@@QAEXXZ | 1 |
| ?GetPortMappingDescription@CUPnPPortM | 1 |
| ?GetInternalClient@CUPnPPortMap@@QBE | 1 |
| ?GetIpAddr@CUPnPDevice@@QBEABV?\$CS | 1 |
| ?ParentDepth@CUPnPObject@@QAEHXZ | 1 |
| ??0CUPnPNetwork@@QAE@P6GXPAVIPAVI | 1 |
| ?ExternalPort@CUPnPPortMap@@QBEIXZ | 1 |
| ??1CUPnPNetwork@@UAE@XZ | 1 |
| IsPrivateIP | 1 |
| ?GetPortMaps@CUPnPDevice@@QAE_NPA | 1 |
| _stat32i64 | 1 |
| ?WaitThread@CTXThreadModel@@QAEHK | 1 |
| ?GetInfoBox@PadSystem@@YAAVInfoBox | 1 |
| ?Retourne_Index_Layer_Pour_Rang_Donne | 1 |
| macFunc | 1 |
| ?GetDongle@@YAPAVNGDongle@@XZ | 1 |
| ?SetInfoInt@CNCCExtraInfo@@QAEXPBDH(| 1 |
| ksba_cert_get_auth_key_id | 1 |
| ksba_cert_get_authority_info_access | 1 |
| ksba_cert_get_cert_policies | 1 |
| ksba_cert_get_crl_dist_point | 1 |
| ksba_cert_get_digest_algo | 1 |
| ksba_cert_get_ext_key_usages | 1 |
| ksba_cert_get_extension | 1 |
| ksba_cert_get_image | 1 |
| ksba_cert_get_issuer | 1 |
| ksba_cert_get_key_usage | 1 |
| ksba_cert_get_public_key | 1 |
| ksba_cert_get_serial | 1 |

| | |
|----------------------------|---|
| ksba_cert_get_sig_val | 1 |
| ksba_cert_get_subj_key_id | 1 |
| ksba_cert_get_subject | 1 |
| ksba_cert_get_user_data | 1 |
| ksba_cert_get_validity | 1 |
| ksba_cert_hash | 1 |
| ksba_cert_init_from_mem | 1 |
| ksba_cert_is_ca | 1 |
| ksba_cert_new | 1 |
| ksba_cert_read_der | 1 |
| ksba_cert_ref | 1 |
| ksba_cert_release | 1 |
| ksba_cert_set_user_data | 1 |
| ksba_check_version | 1 |
| ksba_crl_get_auth_key_id | 1 |
| ksba_crl_get_crl_number | 1 |
| ksba_crl_get_digest_algo | 1 |
| ksba_crl_get_extension | 1 |
| ksba_crl_get_issuer | 1 |
| ksba_crl_get_item | 1 |
| ksba_crl_get_sig_val | 1 |
| ksba_crl_get_update_times | 1 |
| ksba_crl_new | 1 |
| ksba_crl_parse | 1 |
| ksba_crl_release | 1 |
| ksba_crl_set_hash_function | 1 |
| ksba_crl_set_reader | 1 |
| ksba_free | 1 |
| ksba_name_enum | 1 |
| ksba_name_get_uri | 1 |
| ksba_name_release | 1 |
| ksba_ocsp_add_target | 1 |
| ksba_ocsp_build_request | 1 |
| ksba_ocsp_get_cert | 1 |
| ksba_ocsp_get_responder_id | 1 |
| ksba_ocsp_get_sig_val | 1 |
| ksba_ocsp_get_status | 1 |
| ksba_ocsp_hash_response | 1 |
| ksba_ocsp_new | 1 |
| ksba_ocsp_parse_response | 1 |
| ksba_ocsp_release | 1 |
| ksba_ocsp_set_nonce | 1 |
| ksba_reader_new | 1 |
| ksba_reader_read | 1 |
| ksba_reader_release | 1 |
| ksba_reader_set_cb | 1 |
| ksba_reader_set_file | 1 |

| | |
|-------------------------------|---|
| ksba_reader_unread | 1 |
| ksba_set_hash_buffer_function | 1 |
| ksba_set_malloc_hooks | 1 |
| pth_accept | 1 |
| pth_accept_ev | 1 |
| pth_attr_destroy | 1 |
| pth_attr_new | 1 |
| pth_attr_set | 1 |
| pth_close | 1 |
| pth_connect | 1 |
| pth_event | 1 |
| pth_event_concat | 1 |
| pth_event_free | 1 |
| pth_event_isolate | 1 |
| pth_event_occurred | 1 |
| pth_event_status | 1 |
| pth_init | 1 |
| pth_mutex_acquire | 1 |
| pth_mutex_init | 1 |
| pth_mutex_release | 1 |
| pth_pipe | 1 |
| pth_read | 1 |
| pth_read_ev | 1 |
| pth_rwlock_acquire | 1 |
| pth_rwlock_init | 1 |
| pth_rwlock_release | 1 |
| pth_select | 1 |
| pth_sigmask | 1 |
| pth_sleep | 1 |
| pth_spawn | 1 |
| pth_timeout | 1 |
| pth_usleep | 1 |
| pth_wait | 1 |
| pth_waitpid | 1 |
| pth_write | 1 |
| pth_yield | 1 |
| __assuan_close | 1 |
| __assuan_connect | 1 |
| __assuan_pipe | 1 |
| __assuan_socket | 1 |
| __assuan_socketpair | 1 |
| __assuan_spawn | 1 |
| assuan_accept | 1 |
| assuan_fdopen | 1 |
| assuan_get_data_fp | 1 |
| assuan_get_pointer | 1 |
| assuan_init_pipe_server | 1 |

| | |
|--------------------------------|---|
| assuan_init_socket_server | 1 |
| assuan_inquire | 1 |
| assuan_new | 1 |
| assuan_process | 1 |
| assuan_register_command | 1 |
| assuan_register_option_handler | 1 |
| assuan_register_reset_notify | 1 |
| assuan_release | 1 |
| assuan_send_data | 1 |
| assuan_set_assuan_log_prefix | 1 |
| assuan_set_error | 1 |
| assuan_set_gpg_err_source | 1 |
| assuan_set_hello_line | 1 |
| assuan_set_log_stream | 1 |
| assuan_set_malloc_hooks | 1 |
| assuan_set_pointer | 1 |
| assuan_set_system_hooks | 1 |
| assuan_sock_bind | 1 |
| assuan_sock_check_nonce | 1 |
| assuan_sock_close | 1 |
| assuan_sock_get_nonce | 1 |
| assuan_sock_init | 1 |
| assuan_sock_new | 1 |
| assuan_write_line | 1 |
| assuan_write_status | 1 |
| gcry_calloc | 1 |
| gcry_check_version | 1 |
| gcry_create_nonce | 1 |
| gcry_free | 1 |
| gcry_malloc | 1 |
| gcry_md_algo_name | 1 |
| gcry_md_close | 1 |
| gcry_md_ctl | 1 |
| gcry_md_debug | 1 |
| gcry_md_get_algo | 1 |
| gcry_md_get_algo_dlen | 1 |
| gcry_md_hash_buffer | 1 |
| gcry_md_map_name | 1 |
| gcry_md_open | 1 |
| gcry_md_read | 1 |
| gcry_md_write | 1 |
| gcry_pk_verify | 1 |
| gcry_realloc | 1 |
| gcry_set_log_handler | 1 |
| gcry_sexp_build | 1 |
| gcry_sexp_cadr | 1 |
| gcry_sexp_canon_len | 1 |

| | |
|--|---|
| gcry_sexp_find_token | 1 |
| gcry_sexp_nth_data | 1 |
| gcry_sexp_release | 1 |
| gcry_sexp_sscanf | 1 |
| gcry_strdup | 1 |
| gcry_strerror | 1 |
| gcry_xcalloc | 1 |
| gcry_xmalloc | 1 |
| gcry_xrealloc | 1 |
| gcry_xstrdup | 1 |
| gpg_err_code_from_errno | 1 |
| gpg_err_set_errno | 1 |
| _wctime64_s | 1 |
| ?open@?\$_basic_ofstream@_WU?\$char_traits@_S@std@ | 1 |
| cvGetRawData | 1 |
| cvError | 1 |
| cvGetDims | 1 |
| cvGetElemType | 1 |
| cvCloneImage | 1 |
| cvGetMat | 1 |
| cvSet | 1 |
| cvGEMM | 1 |
| cvFree_ | 1 |
| cvReleaseMat | 1 |
| cvCreateMat | 1 |
| cvAlloc | 1 |
| cvGetErrStatus | 1 |
| cvSave | 1 |
| cvReleaseMemStorage | 1 |
| cvCvtSeqToArray | 1 |
| cvEndWriteSeq | 1 |
| cvCreateSeqBlock | 1 |
| cvStartWriteSeq | 1 |
| cvSeqPush | 1 |
| cvCreateSeq | 1 |
| cvRawDataToScalar | 1 |
| cvKMeans2 | 1 |
| cvGetSubRect | 1 |
| cvInitMatHeader | 1 |
| cvSeqPushMulti | 1 |
| cvMinMaxLoc | 1 |
| cvSetData | 1 |
| cvSolve | 1 |
| cvIntegral | 1 |
| cvSmooth | 1 |
| cvResize | 1 |
| cvErode | 1 |

| | |
|--|---|
| cvDilate | 1 |
| cvSaveImage | 1 |
| cvLoadHaarClassifierCascade | 1 |
| cvReleaseHaarClassifierCascade | 1 |
| cvRodrigues2 | 1 |
| GetDWApp | 1 |
| ?epsilon@?\$numeric_limits@O@std@@SA | 1 |
| ?getUNOContext@ComponentContext@con | 1 |
| ??0\$WeakImplHelper1@VXEnumeration@I | 1 |
| ??1EventLogger@comphelper@@QAE@XZ | 1 |
| ?getImplementationId@?\$WeakImplHelper: | 1 |
| ?getTypes@?\$WeakImplHelper1@VXEnume | 1 |
| ?release@?\$WeakImplHelper1@VXEnume | 1 |
| ?acquire@?\$WeakImplHelper1@VXEnume | 1 |
| ?impl_log@EventLogger@comphelper@@IE | 1 |
| ?queryInterface@?\$WeakImplHelper1@VXE | 1 |
| ??1?\$WeakImplHelper1@VXEnumeration@I | 1 |
| ?isLoggable@EventLogger@comphelper@@ | 1 |
| ??0EventLogger@comphelper@@QAE@AB | 1 |
| ??0DriversConfig@connectivity@@QAE@AF | 1 |
| ?getDriverFactoryName@DriversConfig@co | 1 |
| ??1DriversConfig@connectivity@@QAE@XZ | 1 |
| _get_wpgmptr | 1 |
| SetParameter | 1 |
| JS_ValueToBoolean | 1 |
| ?getSkinPath@CImSetting@@QAEAAV?\$ba | 1 |
| ?getSkinName@CImSetting@@QAEAAV?\$b | 1 |
| ?Get@CImWidget@@QAE?AV?\$CStringT@_ | 1 |
| ?GetBitmapSize@CImTools@@SA?AVCSIZE@ | 1 |
| ??1CAutoFont@@UAE@XZ | 1 |
| ?SetUnderline@CAutoFont@@QAEHH@Z | 1 |
| ?SetItalic@CAutoFont@@QAEHH@Z | 1 |
| ?SetWeight@CAutoFont@@QAEJJ@Z | 1 |
| ?SetHeight@CAutoFont@@QAEJJ@Z | 1 |
| ?SetFaceName@CAutoFont@@QAEPB_WPF | 1 |
| ?g_SkinCss@@3PAVUCss@@A | 1 |
| ?ColorStrToRGB@CImTools@@SAKV?\$basic | 1 |
| ?getStyle@UStyleHints@@QAE?AV?\$basic_ | 1 |
| ?getStyleHints@UCss@@QAEPAVUStyleHin | 1 |
| ??0CAutoFont@@QAE@XZ | 1 |
| ?GetID@xcProfileInfo@@QBE?AV?\$basic_st | 1 |
| ?GetDesc@xcProfileInfo@@QBE?AV?\$basic_c | 1 |
| ?GetExtname@xcProfileInfo@@QBE?AV?\$b | 1 |
| ?GetName@xcGroup@@QAE?AV?\$basic_st | 1 |
| ?GetOriginalName@xcGroup@@QAE?AV?\$b | 1 |
| ?GetImageFileName@xclIconParser@@QAE | 1 |
| ?GetIconInfo@xclIconParser@@QAEXAAH0@ | 1 |

| | |
|--|---|
| ??1xcGroup@@@UAE@XZ | 1 |
| ?SetName@xcGroup@@@QAEXABV?\$basic_s | 1 |
| ?RegisterChangedCallback@xcManager@@@I | 1 |
| ??0xcGroup@@@QAE@XZ | 1 |
| ?GetName@xcProfileInfo@@QBE?AV?\$basi | 1 |
| ?TCCheckUser@@YAKPBD0AAUTCUserRight | 1 |
| ?BitsToHexString@@YA?AV?\$CStringT @_W | 1 |
| ?InitializePath@CLexer@@@QAEJPAG@Z | 1 |
| ??0CLexer@@@QAE@XZ | 1 |
| GetServerAndPort | 1 |
| BerEncodingQuotaControl | 1 |
| SamIFreeVoid | 1 |
| OASAddInternalEngine | 1 |
| ??0QStyleOptionComboBox@@QAE@XZ | 1 |
| ?value@QAccessibleEvent@@QBE?AVQString | 1 |
| ?orientation@QHeaderView@@QBE?AW4C | 1 |
| ??0QItemSelection@@QAE@ABVQModelIn | 1 |
| ??1QAccessibleInterface@@UAE@XZ | 1 |
| ?view@QComboBox@@@QBEP_AVQAbstractI | 1 |
| ??1QItemSelection@@QAE@XZ | 1 |
| ?tr@QTabBar@@@SA?AVQString@@@PBD0@; | 1 |
| ?staticMetaObject@QHeaderView@@2UQN | 1 |
| ?tr@QComboBox@@@SA?AVQString@@@PBD | 1 |
| ?lineEdit@QComboBox@@@QBEP_AVQLineEd | 1 |
| ?isEditable@QComboBox@@@QBE_NXZ | 1 |
| ?visualIndex@QTableView@@ABEHABVQM | 1 |
| ?staticMetaObject@QTabBar@@2UQMetaC | 1 |
| ?isRowHidden@QTableView@@QBE_NH@Z | 1 |
| ??0QStyleOptionComboBox@@QAE@XZ | 1 |
| ?setCurrentIndex@QTabBar@@@QAEXH@Z | 1 |
| ?staticMetaObject@QTreeView@@2UQMet | 1 |
| ?hasFocus@QWidget@@@QBE_NXZ | 1 |
| ?visualIndex@QTreeView@@ABEHABVQM | 1 |
| ?count@QTabBar@@@QBEHXZ | 1 |
| ?isExpanded@QTreeView@@@QBE_NABVQNM | 1 |
| ?currentIndex@QTabBar@@@QBEHXZ | 1 |
| ?isRowHidden@QTreeView@@@QBE_NHABV | 1 |
| ?staticMetaObject@QTableView@@2UQMet | 1 |
| ?tabRect@QTabBar@@@QBE?AVQRect@@H | 1 |
| ?selection@QItemSelectionModel@@QBE?I | 1 |
| ?sectionsHidden@QHeaderView@@@QBE_N | 1 |
| ?tabText@QTabBar@@@QBE?AVQString@@I | 1 |
| ?selectedColumns@QItemSelectionModel@ | 1 |
| ?resizeMode@QHeaderView@@@QBE?AW4F | 1 |
| ?mapTo@QWidget@@@QBE?AVQPoint@@P | 1 |
| ?isTabEnabled@QTabBar@@@QBE_NH@Z | 1 |
| ?selectedRows@QItemSelectionModel@@C | 1 |

| | |
|--|---|
| ?isClickable@QHeaderView@@QBE_NXZ | 1 |
| ?isColumnSelected@QItemSelectionModel@ | 1 |
| ?isMovable@QHeaderView@@QBE_NXZ | 1 |
| ?windowList@QWorkspace@@QBE?AV?\$QI | 1 |
| ?tr@QDockWidget@@SA?AVQString@@PB | 1 |
| ?subWindowList@QMdiArea@@QBE?AV?\$C | 1 |
| ?setTextCursor@QTextEdit@@QAEXABVQT | 1 |
| ?font@QTextCharFormat@@QBE?AVQFont | 1 |
| ?activeWindow@QWorkspace@@QBEPAVC | 1 |
| ?widgetForRole@QDockWidgetLayout@@Q | 1 |
| ?activeSubWindow@QMdiArea@@QBEPAV | 1 |
| ?isMaximized@QWidget@@QBE_NXZ | 1 |
| ?count@QToolBox@@QBEHXZ | 1 |
| ?isWindow@QWidget@@QBE_NXZ | 1 |
| ?staticMetaObject@QMdiArea@@2UQMet | 1 |
| ?indexOf@QToolBox@@QBEHPAVQWidget | 1 |
| ?charFormat@QTextCursor@@QBE?AVQTe | 1 |
| ?widget@QToolBox@@QBEPAVQWidget@() | 1 |
| ?block@QTextCursor@@QBE?AVQTextBloc | 1 |
| ?staticMetaObject@QDockWidgetLayout@C | 1 |
| ?currentWidget@QToolBox@@QBEPAVQW | 1 |
| ?selectedText@QTextCursor@@QBE?AVQSt | 1 |
| ?widget@QDockWidget@@QBEPAVQWidget@ | 1 |
| ?itemText@QToolBox@@QBE?AVQString@ | 1 |
| ?selectionEnd@QTextCursor@@QBEHXZ | 1 |
| ?count@QStackedWidget@@QBEHXZ | 1 |
| ??0QAccessibleEvent@@QAE@W4Type@QI | 1 |
| ?selectionStart@QTextCursor@@QBEHXZ | 1 |
| ?focusWidget@QApplication@@SAPAVQWi | 1 |
| ?clearSelection@QTextCursor@@QAEXXZ | 1 |
| ?removeSelectedText@QTextCursor@@QAI | 1 |
| ?staticMetaObject@QDockWidget@@2UQN | 1 |
| ?staticMetaObject@QFocusFrame@@2UQN | 1 |
| ?widget@QMdiSubWindow@@QBEPAVQW | 1 |
| ?hasSelection@QTextCursor@@QBE_NXZ | 1 |
| ?staticMetaObject@QMdiSubWindow@@2I | 1 |
| ?select@QTextCursor@@QAEXW4Selection | 1 |
| ?previous@QTextBlock@@QBE?AV1@XZ | 1 |
| ?next@QTextBlock@@QBE?AV1@XZ | 1 |
| ?staticMetaObject@QWorkspace@@2UQM | 1 |
| ?text@QTextBlock@@QBE?AVQString@@X | 1 |
| ?position@QTextCursor@@QBEHXZ | 1 |
| ??0QTextCursor@@QAE@PAVQTextDocum | 1 |
| ??0QTextCursor@@QAE@ABVQTextBlock@ | 1 |
| ??0QTextCursor@@QAE@ABV0@@Z | 1 |
| ?blockCount@QTextDocument@@QBEHXZ | 1 |
| ?begin@QTextDocument@@QBE?AVQTextE | 1 |

| | |
|--|---|
| ?paste@QTextEdit@@QAEXXZ | 1 |
| ?isAncestorOf@QWidget@@QBE_NPBV1@1 | 1 |
| ?isNavigationBarVisible@QCalendarWidget@ | 1 |
| ?cursorRect@QTextEdit@@QBE?AVQRect@ | 1 |
| ?cursorForPosition@QTextEdit@@QBE?AVC | 1 |
| ?testAttribute@QWidget@@QBE_NW4Wid_ | 1 |
| ?documentLayout@QTextDocument@@QBI | 1 |
| ?isFloating@QDockWidget@@QBE_NXZ | 1 |
| ?isReadOnly@QTextEdit@@QBE_NXZ | 1 |
| ?contentsRect@QWidget@@QBE?AVQRect@ | 1 |
| ?setActiveAction@QMenuBar@@QAEXPAVI | 1 |
| ?activeAction@QMenuBar@@QBEPBVQAct | 1 |
| ?staticMetaObject@QMenuBar@@2UQMet | 1 |
| ?isVisible@QAction@@QBE_NXZ | 1 |
| ?tr@QMenu@@SA?AVQString@@PBD0@Z | 1 |
| ?trigger@QAction@@QAEXXZ | 1 |
| ?shortcut@QAction@@QBE?AVQKeySequer | 1 |
| ?toString@QKeySequence@@QBE?AVQString@ | 1 |
| ?isSeparator@QAction@@QBE_NXZ | 1 |
| ?isEmpty@QKeySequence@@QBE_NXZ | 1 |
| ?menu@QAction@@QBEPBVQMenu@@XZ | 1 |
| ?whatsThis@QAction@@QBE?AVQString@() | 1 |
| ?title@QMenu@@QBE?AVQString@@XZ | 1 |
| ?text@QAction@@QBE?AVQString@@XZ | 1 |
| ?actionAt@QMenu@@QBEPBVQAction@@ | 1 |
| ?actionGeometry@QMenu@@QBE?AVQRect@ | 1 |
| ?activeAction@QMenu@@QBEPBVQAction@ | 1 |
| ?actions@QWidget@@QBE?AV?\$QList@PA | 1 |
| ?staticMetaObject@QAction@@2UQMetaO | 1 |
| ?actionGeometry@QMenuBar@@QBE?AVC | 1 |
| ?sectionSize@QHeaderView@@QBEHH@Z | 1 |
| ?sectionPosition@QHeaderView@@QBEHH | 1 |
| ??1QAccessibleEvent@@UAE@XZ | 1 |
| ?visualIndex@QListView@@ABEHABVQMoc | 1 |
| ?cornerWidget@QAbstractScrollArea@@QE | 1 |
| ?sectionViewportPosition@QHeaderView@ | 1 |
| ?viewport@QAbstractScrollArea@@QBEPBV | 1 |
| ?selectionModel@QAbstractItemView@@Q | 1 |
| ?isSectionHidden@QHeaderView@@QBE_N | 1 |
| ?isRightToLeft@QWidget@@QBE_NXZ | 1 |
| ??_7QAccessibleInterface@@6B@ | 1 |
| ?SelectionMode@QAbstractItemView@@QI | 1 |
| ?currentIndex@QItemSelectionModel@@Q | 1 |
| ?isLeftToRight@QWidget@@QBE_NXZ | 1 |
| ?hiddenSectionCount@QHeaderView@@QE | 1 |
| ?isSelected@QItemSelectionModel@@QBE | 1 |
| ?count@QHeaderView@@QBEHXZ | 1 |

| | |
|--|---|
| ?isRowSelected@QItemSelectionModel@@@ | 1 |
| ??1QAccessibleTableInterface@@UAE@XZ | 1 |
| ?stepUp@QAbstractSpinBox@@QAEXXZ | 1 |
| ??1QStyleOptionSpinBox@@QAE@XZ | 1 |
| ??1QStyleOptionSlider@@QAE@XZ | 1 |
| ?stepDown@QAbstractSpinBox@@QAEXXZ | 1 |
| ?minimum@QSpinBox@@QBEHXZ | 1 |
| ?orientation@QAbstractSlider@@QBE?AW4 | 1 |
| ?maximum@QSpinBox@@QBEHXZ | 1 |
| ?minimum@QAbstractSlider@@QBEHXZ | 1 |
| ?maximum@QAbstractSlider@@QBEHXZ | 1 |
| ?invertedAppearance@QAbstractSlider@@@() | 1 |
| ?staticMetaObject@QSpinBox@@2UQMeta | 1 |
| ?value@QAbstractSlider@@QBEHXZ | 1 |
| ?staticMetaObject@QSlider@@2UQMetaO | 1 |
| ??_7QAccessibleValueInterface@@6B@ | 1 |
| ??0QPolygonF@@QAE@H@Z | 1 |
| ?qt_qsliderStyleOption@@YA?AVQStyleOpt | 1 |
| ?tr@QSlider@@SA?AVQString@@PBD0@Z | 1 |
| ?tr@QDial@@SA?AVQString@@PBD0@Z | 1 |
| ??0QStyleOptionSpinBox@@QAE@XZ | 1 |
| ?tr@QSpinBox@@SA?AVQString@@PBD0@ | 1 |
| ?wrapping@QDial@@QBE_NXZ | 1 |
| ?tr@QDoubleSpinBox@@SA?AVQString@@ | 1 |
| ?notchesVisible@QDial@@QBE_NXZ | 1 |
| ?staticMetaObject@QAbstractSpinBox@@2 | 1 |
| ?value@QDoubleSpinBox@@QBENXZ | 1 |
| ?tr@QScrollBar@@SA?AVQString@@PBD0(| 1 |
| ?minimum@QDoubleSpinBox@@QBENXZ | 1 |
| ?qt_qscrollbarStyleOption@@YA?AVQStyleC | 1 |
| ?maximum@QDoubleSpinBox@@QBENXZ | 1 |
| ?staticMetaObject@QGroupBox@@2UQMe | 1 |
| ?qt_accHotKey@@YA?AVQString@@ABV1@ | 1 |
| ?queryAccessibleInterface@QAccessible@@ | 1 |
| ??0QStyleOptionToolButton@@QAE@XZ | 1 |
| ??1QAccessibleSimpleEditableTextInterface(| 1 |
| ??0QAccessibleSimpleEditableTextInterface(| 1 |
| ??1QAccessibleTextInterface@@UAE@XZ | 1 |
| ?copyText@QAccessibleSimpleEditableTextI | 1 |
| ?deleteText@QAccessibleSimpleEditableTex | 1 |
| ??1QAccessibleEditableTextInterface@@UA | 1 |
| ?insertText@QAccessibleSimpleEditableText | 1 |
| ?setAttributes@QAccessibleSimpleEditableT | 1 |
| ?cutText@QAccessibleSimpleEditableTextInt | 1 |
| ?pasteText@QAccessibleSimpleEditableText | 1 |
| ??_7QAccessibleEditableTextInterface@@6E | 1 |
| ?replaceText@QAccessibleSimpleEditableTe | 1 |

| | |
|--|---|
| ?isDefault@QPushButton@@QBE_NXZ | 1 |
| ?picture@QLabel@@QBEPBVQPicture@@X | 1 |
| ?showMenu@QPushButton@@QAEXXZ | 1 |
| ??_7QAccessible2Interface@@6B@ | 1 |
| ?movie@QLabel@@QBEPAVQMovie@@XZ | 1 |
| ?qt_accStripAmp@@YA?AVQString@@ABV | 1 |
| ?widget@QAccessibleWidgetEx@@IBEPAVC | 1 |
| ?buddy@QLabel@@QBEPAVQWidget@@XZ | 1 |
| ?autoRaise@QToolButton@@QBE_NXZ | 1 |
| ?addControllingSignal@QAccessibleWidgetE | 1 |
| ?showMenu@QToolButton@@QAEXXZ | 1 |
| ?echoMode@QLineEdit@@QBE?AW4EchoM | 1 |
| ?numDigits@QLCDNumber@@QBEHXZ | 1 |
| ?isReadOnly@QLineEdit@@QBE_NXZ | 1 |
| ?staticMetaObject@QLCDNumber@@2UQN | 1 |
| ?value@QLCDNumber@@QBENXZ | 1 |
| ?cursorPosition@QLineEdit@@QBEHXZ | 1 |
| ?isDown@QAbstractButton@@QBE_NXZ | 1 |
| ?isTristate@QCheckBox@@QBE_NXZ | 1 |
| ?intValue@QLCDNumber@@QBEHXZ | 1 |
| ?animateClick@QAbstractButton@@QAEXH | 1 |
| ??1QStyleOptionToolBar@@QAE@XZ | 1 |
| ?cursorPositionAt@QLineEdit@@QAEHABVI | 1 |
| ?title@QGroupBox@@QBE?AVQString@@X | 1 |
| ?tr@QCheckBox@@SA?AVQString@@PBD0 | 1 |
| ?mapFromGlobal@QWidget@@QBE?AVQP(| 1 |
| ?hasSelectedText@QLineEdit@@QBE_NXZ | 1 |
| ?tr@QPushButton@@SA?AVQString@@PBI | 1 |
| ??BQKeySequence@@QBE?AVQString@@X | 1 |
| ?selectedText@QLineEdit@@QBE?AVQString | 1 |
| ?accessibleName@QWidget@@QBE?AVQSt | 1 |
| ?tr@QRadioButton@@SA?AVQString@@PB | 1 |
| ?selectionStart@QLineEdit@@QBEHXZ | 1 |
| ??_7QAccessibleTextInterface@@6B@ | 1 |
| ?staticMetaObject@QCheckBox@@2UQMe | 1 |
| ?tr@QToolButton@@SA?AVQString@@PBC | 1 |
| ?deselect@QLineEdit@@QAEXXZ | 1 |
| ?focusPolicy@QWidget@@QBE?AW4FocusF | 1 |
| ?contextMenuPolicy@QWidget@@QBE?AW | 1 |
| ?childAt@QAccessibleWidgetEx@@UBEHHF | 1 |
| ?rect@QAccessibleWidgetEx@@UBE?AVQR | 1 |
| ?navigate@QAccessibleWidgetEx@@UBEHV | 1 |
| ?menu@QToolButton@@QBEPAVQMenu@ | 1 |
| ?text@QAccessibleWidgetEx@@UBE?AVQS | 1 |
| ?popupMode@QToolButton@@QBE?AW4T | 1 |
| ?role@QAccessibleWidgetEx@@UBE?AW4R | 1 |
| ??0QAccessibleWidget@@QAE@PAVQWidg | 1 |

| | |
|--|---|
| ?state@QAccessibleWidgetEx@@UBE?AV?\$ | 1 |
| ?childCount@QAccessibleWidget@@UBEHx | 1 |
| ?indexOfChild@QAccessibleWidget@@UBEI | 1 |
| ?actionText@QAccessibleWidgetEx@@UBEI | 1 |
| ?doAction@QAccessibleWidgetEx@@UAE_I | 1 |
| ?relationTo@QAccessibleWidget@@UBE?A` | 1 |
| ?invokeMethodEx@QAccessibleWidgetEx@i | 1 |
| ?childAt@QAccessibleWidget@@UBEHHH@ | 1 |
| ??1QAccessibleWidgetEx@@MAE@XZ | 1 |
| ?rect@QAccessibleWidget@@UBE?AVQRec | 1 |
| ?navigate@QAccessibleWidget@@UBEHW4 | 1 |
| ?isValid@QAccessibleObjectEx@@UBE_NXZ | 1 |
| ?text@QAccessibleWidget@@UBE?AVQStri | 1 |
| ?object@QAccessibleObjectEx@@UBEPAVQ | 1 |
| ?role@QAccessibleWidget@@UBE?AW4Rol | 1 |
| ?setText@QAccessibleObjectEx@@UAEXW4 | 1 |
| ?state@QAccessibleWidget@@UBE?AV?\$Q | 1 |
| ?userActionCount@QAccessibleObjectEx@C | 1 |
| ?userActionCount@QAccessibleWidget@@I | 1 |
| ?actionText@QAccessibleWidget@@UBE?A` | 1 |
| ?isValid@QAccessibleObject@@UBE_NXZ | 1 |
| ?doAction@QAccessibleWidget@@UAE_NH | 1 |
| ?interface_cast@QAccessibleInterfaceEx@@ | 1 |
| ?object@QAccessibleObject@@UBEPAVQOI | 1 |
| ??1QAccessibleWidget@@MAE@XZ | 1 |
| ?setText@QAccessibleObject@@UAEXW4T€ | 1 |
| ?metaObject@QAccessiblePlugin@@UBEPA | 1 |
| ?qt_metacast@QAccessiblePlugin@@UAEP, | 1 |
| ?qt_metacall@QAccessiblePlugin@@UAEHV | 1 |
| ??0QAccessiblePlugin@@QAE@PAVQObjec | 1 |
| ??1QAccessiblePlugin@@UAE@XZ | 1 |
| ??0QAccessibleWidgetEx@@QAE@PAVQWi | 1 |
| ?virtual_hook@QAccessibleInterfaceEx@@I | 1 |
| ?childCount@QAccessibleWidgetEx@@UBE | 1 |
| ?indexOfChild@QAccessibleWidgetEx@@UI | 1 |
| ?relationTo@QAccessibleWidgetEx@@UBEI | 1 |
| ?setItemText@QToolBox@@QAEXHABVQSt | 1 |
| ?invokeMethod@QMetaObject@@SA_NPA` | 1 |
| ?intersect@QRect@@QBE?AV1@ABV1@@; | 1 |
| ?replace@QString@@QAEAAV1@ABVQLati | 1 |
| ?child@QModelIndex@@QBE?AV1@HH@Z | 1 |
| ?flags@QModelIndex@@QBE?AV?\$QFlags< | 1 |
| ?intersects@QRect@@QBE_NABV1@@Z | 1 |
| ?sendEvent@QCoreApplication@@SA_NPA` | 1 |
| ??0QPersistentModelIndex@@QAE@ABVQI | 1 |
| ??8QPersistentModelIndex@@QBE_NABVQ | 1 |
| ?parent@QPersistentModelIndex@@QBE?A | 1 |

| | |
|---------------------------------------|---|
| ?sibling@QPersistentModelIndex@@QBE?A | 1 |
| ?flags@QPersistentModelIndex@@QBE?AV | 1 |
| ?model@QPersistentModelIndex@@QBEPB | 1 |
| ??_5QRect@@QAEAAV0@ABV0@@Z | 1 |
| ?parent@QModelIndex@@QBE?AV1@XZ | 1 |
| ?sibling@QModelIndex@@QBE?AV1@HH@ | 1 |
| Tbsi_Get_TCG_Log | 1 |
| Tbsip_Submit_Command | 1 |
| Tbsip_Context_Close | 1 |
| Tbsi_Context_Create | 1 |
| FveCertIsValidCertInfo | 1 |
| FveCertCanCertificateBeAdded | 1 |
| FveCertGetPublicKeyHandle | 1 |
| FveCertFreeCertInfo | 1 |
| FveCertCreateCertInfo | 1 |
| GetVolumeInformationByHandleW | 1 |
| ulcProductName | 1 |
| ?AttachView@CBLAY_Layout@biap@@UAE | 1 |
| ?DetachView@CBLAY_Layout@biap@@UAE | 1 |
| ??1CBLAY_Layout@biap@@UAE@XZ | 1 |
| ??0CBLAY_Layout@biap@@QAE@XZ | 1 |
| ??1CBBAS_AutoCriticalSection@biap@@QA | 1 |
| ?BBAS_NotifyLeakageDetector@biap@@YA | 1 |
| BQLT_Ensure | 1 |
| BQLT_ErrorBreakPointSetPosition | 1 |
| ?InitModel@CBMVC_Model@biap@@UAE | 1 |
| ?OnChildUpdate@CBMVC_Model@biap@@@ | 1 |
| ??1CBMVC_ViewNotice@biap@@UAE@XZ | 1 |
| ??1CBMVC_ParentChildNotice@biap@@UA | 1 |
| ?NotifyChildren@CBMVC_Model@biap@@@ | 1 |
| ?CleanupModel@CBMVC_Model@biap@@@ | 1 |
| ??1CBMVC_Model@biap@@UAE@XZ | 1 |
| ??0CBMVC_Model@biap@@QAE@PBD@Z | 1 |
| ?AttachView@CBMVC_Model@biap@@UAI | 1 |
| ?DetachView@CBMVC_Model@biap@@UA | 1 |
| ?AttachController@CBMVC_Model@biap@ | 1 |
| ?DetachController@CBMVC_Model@biap@ | 1 |
| ?OnParentUpdate@CBMVC_Model@biap@ | 1 |
| ??0CBMVC_ViewNotice@biap@@QAE@PA | 1 |
| ?NotifyAll@CBNTF_Subject@biap@@UAEXI | 1 |
| ?Detach@CBNTF_Subject@biap@@UAEXP@ | 1 |
| ?Attach@CBNTF_Subject@biap@@UAEXP@ | 1 |
| glutWireTeapot | 1 |
| lineGetAddressIDA | 1 |
| ?GetType@CxImage@@QBEKXZ | 1 |
| ?Mix@CxImage@@QAEXAAV1@W4ImageC | 1 |
| SetTextureSlice | 1 |

| | |
|--|---|
| ??0CMSString@@QAE@XZ | 1 |
| ?ConfigDirFileName@@YA?AV?\$modena_b | 1 |
| ??1CMSString@@UAE@XZ | 1 |
| ?init_nil@os_tree_aux@@SAXPAVos_tree_i | 1 |
| ?uninit_nil@os_tree_aux@@SAXPAVos_tree | 1 |
| ?decrement@os_tree_aux@@SAXAAPAVos_ | 1 |
| ?insert@os_tree_aux@@SAX_NPAVos_tree | 1 |
| ?increment@os_tree_aux@@SAXAAPAVos_ | 1 |
| ?minimum@os_tree_aux@@SAPAVos_tree | 1 |
| ?maximum@os_tree_aux@@SAPAVos_tree | 1 |
| ?theApplication@CVirtualApplication@@2P | 1 |
| ShowDlg | 1 |
| ?InstallHook@@YG_NKH@Z | 1 |
| ?ScanPassword@@YG_NQAUHWND__@@C | 1 |
| ?RemoveHook@@YG_NXZ | 1 |
| _JVM_DefineClassWithSource@28 | 1 |
| gethaddr | 1 |
| ??1FWnd@@UAE@XZ | 1 |
| ID3Tag_New | 1 |
| beVersion | 1 |
| ?removeTranslator@QCoreApplication@@S | 1 |
| ??0?\$basic_ofstream@GU?\$char_traits@G@ | 1 |
| _mbscat_s | 1 |
| _mbsncat_s | 1 |
| EtwEventWriteEndScenario | 1 |
| EtwEventWriteStartScenario | 1 |
| LookupAccountSidLocalW | 1 |
| Uninject | 1 |
| curl_version | 1 |
| a_p_commode | 1 |
| _fcvt_s | 1 |
| @System@@WStrAddRef\$qqrv | 1 |
| @\$xp\$8IUnknown | 1 |
| @\$xp\$12IPersistFile | 1 |
| @Sysutils@ExtractShortPathName\$qqrx17S | 1 |
| ??0?\$complex@N@std@@QAE@ABNO@Z | 1 |
| PsIsThreadImpersonating | 1 |
| GetVolumeNameForVolumeMountPoint | 1 |
| ??1CDlgResize@@UAE@XZ | 1 |
| ??0CDlgResize@@QAE@IPAVCWnd@@@Z | 1 |
| ?DrawTitle@CDlgResize@@MAEXPACDC@ | 1 |
| ?DrawBack@CDlgResize@@UAEXPACDC@ | 1 |
| ?DrawNumberEx@CLibFunc@@SAXPAVCDC | 1 |
| ?messageMap@CDlgResize@@1UAFX_MSG | 1 |
| ?SetIconBitmap@CResizeButton@@QAEXP/ | 1 |
| ?InitCtrlSkin@CDlgResize@@MAEXXXZ | 1 |
| ?OrientationItem@CDlgResize@@MAEXHH | 1 |

| | |
|--|---|
| ?OnInitDialog@CDlgResize@@MAEHXZ | 1 |
| ?LoadStringsFromFile@CLibFunc@@SAXPBC | 1 |
| ?CutString@CLibFunc@@SAHAAVCString@(| 1 |
| ?OnCloseResize@CDlgResize@@MAEXH@Z | 1 |
| ?DoDataExchange@CDlgResize@@MAEXP@ | 1 |
| ?OnDestroy@CDlgResize@@IAEXXZ | 1 |
| ?DrawCaption@CLibFunc@@SAXPAVCDC@ | 1 |
| ?PaintToDC@@YAXPAVCDC@@HHHHPAVC | 1 |
| ?DrawBorder@CLibFunc@@SAXPAVCDC@C | 1 |
| ?OnNcHitTest@CDlgResize@@IAEIVCPoint@C | 1 |
| ??1CHash@@UAE@XZ | 1 |
| ??0CHash@@QAE@K@Z | 1 |
| ?InsertItem@CHash@@QAEHPBDPAX@Z | 1 |
| ?QueryItem@CHash@@QAEPAXPBD@Z | 1 |
| ?InitParam@CHash@@QAEHXZ | 1 |
| ??0CGifBrowser@@QAE@XZ | 1 |
| ??1CGifBrowser@@UAE@XZ | 1 |
| ?LoadGifEx@CGifBrowser@@QAEHPBDH@Z | 1 |
| ?DrawBtnFace@CResizeBtnEx@@UAEXP@V | 1 |
| ?SetCurFaceEx@CResizeBtnEx@@QAEHPAV | 1 |
| ?DefaultFont@CLibFunc@@SAPAVCFont@C | 1 |
| ??0CResizeBtnEx@@QAE@XZ | 1 |
| ??1CResizeBtnEx@@UAE@XZ | 1 |
| ?ReplaceBtnFace@CResizeButton@@QAEHI | 1 |
| ?messageMap@CResizeButton@@1UAFX_N | 1 |
| ?GetAttrValueByName@CCressXML@@QAE | 1 |
| ?SelectNodeToList@CCressXML@@QAEHV? | 1 |
| ?CreateFontA@CLibFunc@@SAHAAVCFont@C | 1 |
| ?TransparentBMP@CLibFunc@@SAXPAVCD | 1 |
| ?PreCreateWindow@CDlgResize@@MAEHA | 1 |
| ?CommandToIndex@CBCGPStatusbar@@Q | 1 |
| ?PreCreateWindow@CBCGPStatusbar@@U | 1 |
| ?GetThisMessageMap@CBCGPStatusbar@@@ | 1 |
| ?GetThisClass@CBCGPStatusbar@@SGPAU@ | 1 |
| ?BCGCBProSetResourceHandle@@YAXPAUI | 1 |
| ?ReloadWindowPlacement@CBCGPWorksp@ | 1 |
| ?StoreWindowPlacement@CBCGPWorkspac | 1 |
| ?LoadWindowPlacement@CBCGPWorkspac@ | 1 |
| ?SaveCustomState@CBCGPWorkspace@@N | 1 |
| ?LoadCustomState@CBCGPWorkspace@@N | 1 |
| ?OnClosingMainFrame@CBCGPWorkspace@C | 1 |
| ?OnSelectSkin@CBCGPWorkspace@@UAEX | 1 |
| ?OnBCGPIidle@CBCGPWorkspace@@UAEHF | 1 |
| ?OnAppContextHelp@CBCGPWorkspace@@@ | 1 |
| ?ShowPopupMenu@CBCGPWorkspace@@@l | 1 |
| ?OnViewDoubleClick@CBCGPWorkspace@@C | 1 |
| ?SaveState@CBCGPWorkspace@@UAEHPB_ | 1 |

| | |
|---|---|
| ?CleanState@CBCGPWorkspace@@UAEHPE | 1 |
| ?LoadState@CBCGPWorkspace@@UAEHPB_ | 1 |
| ?OnAfterDownloadSkins@CBCGPWorkspace | 1 |
| ??0CBCGPWorkspace@@QAE@H@Z | 1 |
| ?GetSectionString@CBCGPWorkspace@@Q_ | 1 |
| ?BCGCBProCleanUp@@YAXXZ | 1 |
| ?WriteSectionString@CBCGPWorkspace@@ | 1 |
| ??1CBCGPWorkspace@@UAE@XZ | 1 |
| ?GetThisMessageMap@CBCGPFrameWnd@ | 1 |
| ?OnClose@CBCGPFrameWnd@@QAEXXZ | 1 |
| ?OnDestroy@CBCGPFrameWnd@@QAEXXZ | 1 |
| ?PreCreateWindow@CBCGPFrameWnd@@ | 1 |
| ?OnCreate@CBCGPFrameWnd@@QAEHPAI | 1 |
| ?GetThisClass@CBCGPVisualManager2007@ | 1 |
| ?SetDefaultManager@CBCGPVisualManager | 1 |
| ?GetInstance@CBCGPVisualManager@@SA | 1 |
| ?SetSizes@CBCGPToolBar@@SAXUtagSIZE@ | 1 |
| ?ResetAllImages@CBCGPToolBar@@SAXXZ | 1 |
| ?EnableDocking@CBCGPFrameWnd@@QAE | 1 |
| ?DockControlBar@CBCGPFrameWnd@@QA | 1 |
| ?Create@CBCGPStatusBar@@QAEHPAVCW | 1 |
| ?SetIndicators@CBCGPStatusBar@@QAEHP | 1 |
| ??0CBCGPFrameWnd@@IAE@XZ | 1 |
| ??0CBCGPToolBar@@QAE@XZ | 1 |
| ??0CBCGPMMenuBar@@QAE@XZ | 1 |
| ?OnCloseDockingBar@CBCGPFrameWnd@@ | 1 |
| ?OnCloseMiniFrame@CBCGPFrameWnd@@ | 1 |
| ?OnShowControlBars@CBCGPFrameWnd@@ | 1 |
| ?OnTearOffMenu@CBCGPFrameWnd@@U/ | 1 |
| ?OnDrawMenuLogo@CBCGPFrameWnd@@ | 1 |
| ?GetToolbarButtonToolTipText@CBCGPFrame | 1 |
| ?OnMenuItemToolHitTest@CBCGPFrame\ | 1 |
| ?OnDrawMenuItemImage@CBCGPFrameWnd@() | 1 |
| ?OnClosePopupMenu@CBCGPFrameWnd@ | 1 |
| ?OnShowCustomizePane@CBCGPFrameWn\ | 1 |
| ??0CBCGPStatusBar@@QAE@XZ | 1 |
| ?GetInPlaceActiveItem@CBCGPFrameWnd@ | 1 |
| ?AdjustClientArea@CBCGPFrameWnd@@IV | 1 |
| ?OnMoveMiniFrame@CBCGPFrameWnd@@C | 1 |
| ?AdjustDockingLayout@CBCGPFrameWnd@ | 1 |
| ?DelayUpdateFrameMenu@CBCGPFrameWi | 1 |
| ?OnUpdateFrameMenu@CBCGPFrameWn\ | 1 |
| ?NegotiateBorderSpace@CBCGPFrameWn\ | 1 |
| ?OnSetPreviewMode@CBCGPFrameWnd@() | 1 |
| ?RecalcLayout@CBCGPFrameWnd@@UAEX | 1 |
| ?LoadFrame@CBCGPFrameWnd@@UAEHIK | 1 |
| ?PreTranslateMessage@CBCGPFrameWnd@ | 1 |

| | |
|---|---|
| ?OnCommand@CBCGPFrameWnd@@MAE | 1 |
| ?HtmlHelpW@CBCGPFrameWnd@@MAEXK | 1 |
| ?WinHelpW@CBCGPFrameWnd@@UAEXKI | 1 |
| ?OnCmdMsg@CBCGPFrameWnd@@UAEHII | 1 |
| ??1CBCGPMMenuBar@@UAE@XZ | 1 |
| ??1CBCGPToolBar@@UAE@XZ | 1 |
| ??1CBCGPFrameWnd@@MAE@XZ | 1 |
| ??1CBCGPStatusBar@@UAE@XZ | 1 |
| ?GetThisClass@CBCGPFrameWnd@@SGPAI | 1 |
| ?CanBeAttached@CBCGPBaseControlBar@C | 1 |
| ?CanBeTabbedDocument@CBCGPControlBa | 1 |
| ?GetCurrentAlignment@CBCGPBaseControll | 1 |
| ?GetEnabledAlignment@CBCGPBaseControl | 1 |
| ?GetDockSite@CBCGPBaseControlBar@@UI | 1 |
| ?GetParentDockBar@CBCGPBaseControlBar | 1 |
| ?GetCaptionHeight@CBCGPBaseControlBar(| 1 |
| ?IsFloatingMulti@CBCGPControlBar@@UBE | 1 |
| ?GetRecentVisibleState@CBCGPBaseControl | 1 |
| ?IsRestoredFromRegistry@CBCGPBaseContr | 1 |
| ?SetRestoredFromRegistry@CBCGPBaseCon | 1 |
| ?GetDockMode@CBCGPBaseControlBar@@@ | 1 |
| ?GetBarIcon@CBCGPBaseControlBar@@UA | 1 |
| ?GetBarStyle@CBCGPBaseControlBar@@@UE | 1 |
| ?GetBCGStyle@CBCGPBaseControlBar@@@U | 1 |
| ?CanBeClosed@CBCGPBaseControlBar@@@L | 1 |
| ?CanFloat@CBCGPBaseControlBar@@@UBEH | 1 |
| ?CanBeResized@CBCGPBaseControlBar@@@ | 1 |
| ?CanAutoHide@CBCGPBaseControlBar@@@L | 1 |
| ?CanFocus@CBCGPBaseControlBar@@@UBEI | 1 |
| ?IsAutoHideMode@CBCGPBaseControlBar@ | 1 |
| ?SetBarAlignment@CBCGPBaseControlBar@ | 1 |
| ?SetBarStyle@CBCGPBaseControlBar@@@UA | 1 |
| ?SetBCGStyle@CBCGPBaseControlBar@@@U, | 1 |
| ?EnableDocking@CBCGPBaseControlBar@@@ | 1 |
| ?EnableGripper@CBCGPBaseControlBar@@@ | 1 |
| ?OnDrawCaption@CBCGPBaseControlBar@I | 1 |
| ?DockControlBar@CBCGPControlBar@@@UA | 1 |
| ?FloatControlBar@CBCGPControlBar@@@UA | 1 |
| ?DockToFrameWindow@CBCGPControlBar@C | 1 |
| ?OnMoveSlider@CBCGPBaseControlBar@@@ | 1 |
| ?StretchControlBar@CBCGPBaseControlBar(| 1 |
| ?Serialize@CBCGPBaseControlBar@@@UAEX | 1 |
| ?OnToolHitTest@CBCGPStatusBar@@@MBEH | 1 |
| ?WindowProc@CBCGPBaseControlBar@@@N | 1 |
| ?IsHorizontal@CBCGPBaseControlBar@@@U@ | 1 |
| ?IsDocked@CBCGPBaseControlBar@@@UBEH- | 1 |
| ?IsTabbed@CBCGPControlBar@@@UBEHXZ | 1 |

| | |
|--|---|
| ?IsFloating@CBCGPBaseControlBar@@UBEI | 1 |
| ?IsMDITabbed@CBCGPBaseControlBar@@L | 1 |
| ?IsResizable@CBCGPControlBar@@UBEHXZ | 1 |
| ?IsVisible@CBCGPBaseControlBar@@UBEH\ | 1 |
| ?DoesAllowDynInsertBefore@CBCGPStatusE | 1 |
| ?OnShowPopupMenu@CBCGPFrameWnd@ | 1 |
| ?CanBeDocked@CBCGPControlBar@@UBEI | 1 |
| ?AdjustLayout@CBCGPBaseControlBar@@L | 1 |
| ?RecalcLayout@CBCGPStatusBar@@MAEXX | 1 |
| ?CreateDefaultMiniframe@CBCGPControlBa | 1 |
| ?OnRemoveFromMiniFrame@CBCGPBaseCc | 1 |
| ?OnBeforeChangeParent@CBCGPControlBai | 1 |
| ?OnAfterChangeParent@CBCGPControlBar@C | 1 |
| ?ShowControlBar@CBCGPBaseControlBar@ | 1 |
| ?GetParentMiniFrame@CBCGPBaseControlE | 1 |
| ?LoadState@CBCGPControlBar@@UAEHPB_ | 1 |
| ?SaveState@CBCGPControlBar@@UAEHPB_ | 1 |
| ?MoveWindow@CBCGPBaseControlBar@@ | 1 |
| ?SetWindowPos@CBCGPBaseControlBar@C | 1 |
| ?CopyState@CBCGPBaseControlBar@@UAE | 1 |
| ?UnDockControlBar@CBCGPControlBar@@I | 1 |
| ?OnUpdateCmdUI@CBCGPStatusBar@@MA | 1 |
| ?OnControlBarContextMenu@CBCGPBaseCc | 1 |
| ?HideInPrintPreviewMode@CBCGPStatusBar | 1 |
| ?CreateEx@CBCGPBaseControlBar@@UAEI | 1 |
| ?CalcFixedLayout@CBCGPStatusBar@@UAE | 1 |
| ?DoPaint@CBCGPStatusBar@@MAEXPACI | 1 |
| ?AdjustDockingLayout@CBCGPBaseControlE | 1 |
| ?IsDragMode@CBCGPControlBar@@UBEHX | 1 |
| ?GetMinSize@CBCGPControlBar@@UBEXA\ | 1 |
| ?GetMinLength@CBCGPControlBar@@UBEI | 1 |
| ?GetResizeStep@CBCGPControlBar@@UBEI | 1 |
| ?GetAvailableExpandSize@CBCGPControlBa | 1 |
| ?GetAvailableStretchSize@CBCGPControlBai | 1 |
| ?DoesAllowSiblingBars@CBCGPControlBar@ | 1 |
| ?CopyState@CBCGPControlBar@@UAEXPAB | 1 |
| ?AllowShowOnControlMenu@CBCGPStatusF | 1 |
| ?GetBarName@CBCGPControlBar@@UBEX\ | 1 |
| ?SetActiveInGroup@CBCGPControlBar@@U | 1 |
| ?SetExclusiveRowMode@CBCGPControlBar(| 1 |
| ?GetExclusiveRowMode@CBCGPControlBar(| 1 |
| ?PrepareToDock@CBCGPControlBar@@UAE | 1 |
| ?DockByMouse@CBCGPControlBar@@UAEI | 1 |
| ?CalcSize@CBCGPControlBar@@UAE?AVCS | 1 |
| ?MoveControlBar@CBCGPControlBar@@U/A | 1 |
| ?StretchBar@CBCGPControlBar@@UAEHHA | 1 |
| ?DockControlBarStandard@CBCGPControlBa | 1 |

| | |
|---|---|
| ?IsChangeState@CBCGPControlBar@@UBE1 | 1 |
| ?SetDockState@CBCGPControlBar@@UAEX | 1 |
| ?OnProcessDbClick@CBCGPControlBar@@U, | 1 |
| ?OnBeforeFloat@CBCGPControlBar@@UAE | 1 |
| ?OnAfterFloat@CBCGPControlBar@@UAEX | 1 |
| ?Create@CBCGPControlBar@@UAEHPB_WI | 1 |
| ?CreateEx@CBCGPControlBar@@UAEHPB_ | 1 |
| ?CalcAvailableSize@CBCGPControlBar@@U | 1 |
| ?AdjustSizeImmediate@CBCGPControlBar@ | 1 |
| ?ToggleAutoHide@CBCGPControlBar@@UA | 1 |
| ?OnPressCloseButton@CBCGPControlBar@() | 1 |
| ?ConvertToTabbedDocument@CBCGPContro | 1 |
| ?OnShowControlBarMenu@CBCGPControlB | 1 |
| ?OnBeforeShowControlBarMenu@CBCGPCo | 1 |
| ?OnAfterShowControlBarMenu@CBCGPCon | 1 |
| ?OnContinueMoving@CBCGPControlBar@@ | 1 |
| ?OnDrawDragRect@CBCGPControlBar@@NV | 1 |
| ?OnBeforeDock@CBCGPControlBar@@MAE | 1 |
| ?OnAfterDock@CBCGPControlBar@@MAEX | 1 |
| ?OnBeforeStretch@CBCGPControlBar@@M | 1 |
| ?OnAfterStretch@CBCGPControlBar@@MAI | 1 |
| ?RemoveFromMiniframe@CBCGPControlBa | 1 |
| ?SetDragMode@CBCGPControlBar@@MAE | 1 |
| ?Dock@CBCGPControlBar@@MAEHPAVCBC | 1 |
| ?EnterDragMode@CBCGPControlBar@@MA | 1 |
| ?OnRTLChanged@CBCGPControlBar@@MA | 1 |
| ?StoreRecentDockInfo@CBCGPControlBar@ | 1 |
| ?GetExtendedArea@CBCGPStatusBar@@UE | 1 |
| ?OnDrawPane@CBCGPStatusBar@@MAEXP | 1 |
| ?SetPaneText@CBCGPStatusBar@@UAEHHI | 1 |
| ?SetPanelInfo@CBCGPStatusBar@@QAEXHII | 1 |
| ?GetPanelInfo@CBCGPStatusBar@@QBEXH/ | 1 |
| ?GetItemRect@CBCGPStatusBar@@QBEXHF | 1 |
| ?PreTranslateMessage@CBCGPBaseControll | 1 |
| ?CanAcceptBar@CBCGPBaseControlBar@@` | 1 |
| GdipDrawImagePointRect | 1 |
| ?MatchDHCPProfiles@CAutoProfiler@@QA | 1 |
| ?DiscoverDHCPAdapters@CAutoProfiler@@ | 1 |
| ?ReadProfileInfo@CAutoProfiler@@QAEXXZ | 1 |
| ?FindBestProfile@CAutoProfiler@@QAE?AL | 1 |
| ?CheckInternetConnectivity@CAutoProfiler(| 1 |
| ?GetWLANDeviceCount@CNetInfoRetrieve(| 1 |
| ?RunPrtWizard@CCommonFtn@@QAEHZ | 1 |
| ?AcquiringDHCPAddress@CNetInfoManage(| 1 |
| ?ApplySelectProfile@CNetInfoManage@@C | 1 |
| ?GetAdaptersLanConnStatus@CNetInfoMan | 1 |
| ?SetLastProfileNo@CNetInfoManage@@QA | 1 |

| | |
|--|---|
| ?GetCurrentProfileInfo@CNetInfoRetrieve@ | 1 |
| ?GetNameIndexInfo@CNetInfoRetrieve@@ | 1 |
| ?GetProfileCount@CNetInfoRetrieve@@QA | 1 |
| ?GetInfoFromRegistry@CNetInfoRetrieve@(| 1 |
| ?IPRetrieve@CNetInfoRetrieve@@QAEHPA\ | 1 |
| ?IsXp@CNetDiag@@SAHXZ | 1 |
| ?CheckOutNetConnectStatus@CNetDiag@@ | 1 |
| ?CheckOutHWEnableDisable@CNetDiag@@ | 1 |
| ?CheckOutCableConnection@CNetDiag@@(| 1 |
| ?callNetsh@CNetInfoManage@@QAEHPA_\ | 1 |
| ??0CNetDiag@@QAE@XZ | 1 |
| ?DeleteSelectProfile@CNetInfoManage@@(| 1 |
| ?InitStructure@CCommonFtn@@QAEXPUI | 1 |
| ?DisconnectClient@CWLanControl@@QAE\ | 1 |
| ??0CCommonFtn@@QAE@XZ | 1 |
| ?GetTotalPrtCount@CNetInfoRetrieve@@Q | 1 |
| ?GetTotoalPrinterInfo@CNetInfoRetrieve@(| 1 |
| ?CanUseThisName@CNetInfoRetrieve@@Q | 1 |
| ??0CWlanControl@@QAE@XZ | 1 |
| ?SaveProfileInfoToRegistry@CNetInfoManag | 1 |
| ?GetAdapSharingType@CNetInfoManage@(| 1 |
| ??0CNetInfoRetrieve@@QAE@XZ | 1 |
| ?ConnectClient@CWlanControl@@QAEHPA | 1 |
| ?StartWZCService@CWlanControl@@QAEJ | 1 |
| ?InstallPDDriver@CWlanControl@@QAEJP/ | 1 |
| ?CheckPDDriverExist@CWlanControl@@QA | 1 |
| ?MakeOneClickAdHoc@CWlanControl@@C | 1 |
| ?m_bShClientConnected@CWlanControl@(| 1 |
| ??1CAutoProfiler@@QAE@XZ | 1 |
| ??0CAutoProfiler@@QAE@XZ | 1 |
| ?CheckInfoChangeStatus@CNetInfoRetrieve | 1 |
| ?CanUseThisNameEdit@CNetInfoRetrieve@ | 1 |
| ?SaveNameOrPrinter@CNetInfoManage@@ | 1 |
| ?SetICF@CNetInfoManage@@QAEHPAUEn\ | 1 |
| ??0CNetInfoManage@@QAE@XZ | 1 |
| DC_GETREFRESH | 1 |
| COM_SEND | 1 |
| CREATEOBJECT | 1 |
| AX_RIGHTSCHECK | 1 |
| XBPBROWSE | 1 |
| STRINGOF | 1 |
| SweepControlsByLastAccessDate | 1 |
| ?PboUseUnicon@CCurrentPhone@@QBE_N | 1 |
| ?SelectPhoneStorage@CBaseApp@@QAE_N | 1 |
| ?ReadPboInfo@CBaseApp@@QAE_NAAUSF | 1 |
| ?GetCount@CContacts@@QBEHXZ | 1 |
| ?Trace@CBaseApp@@SAXV?\$CStringT@_W | 1 |

| | |
|--|---|
| ?ReadPbo@CBaseApp@@QAE_NAAVCPbol | 1 |
| ??0CPboltem@@QAE@ABV0@@Z | 1 |
| ?WritePboToDB@CBaseApp@@QAEXVCBc | 1 |
| ?CheckException@CBaseApp@@QAEXVCCo | 1 |
| ?ReadInfoGroup@CBaseApp@@QAE_NAAH | 1 |
| ?ReadGroup@CBaseApp@@QAE_NAAVCStr | 1 |
| ?ReadCountMsgTone@CBaseApp@@QAE_N_ | 1 |
| ?ReadMsgToneList@CBaseApp@@QAE_NA_ | 1 |
| ?SetUsing@CBaseApp@@QAE_N_NW4OrgC | 1 |
| ?ReadCountCallerImg@CBaseApp@@QAE_I | 1 |
| ?ReadCallerImgList@CBaseApp@@QAE_NA | 1 |
| ??1CPboltem@@QAE@XZ | 1 |
| ??0CPboltem@@QAE@XZ | 1 |
| ?DeleteAll@CContacts@@QAEXXZ | 1 |
| ?setName@INetURLObject@@QAE_NABVO | 1 |
| ??5comphelper@@YAABV?\$Reference@VX | 1 |
| ??5comphelper@@YAABV?\$Reference@VX | 1 |
| ??5comphelper@@YAABV?\$Reference@VX | 1 |
| ??0OStreamSection@comphelper@@QAE@ | 1 |
| ?Available@OStreamSection@comphelper@ | 1 |
| ??1OStreamSection@comphelper@@QAE@ | 1 |
| ??0?\$ctype@D@std@@QAE@ABV_Locinfo | 1 |
| Imucvertys | 1 |
| gsl_sf_erfc | 1 |
| ??0WBEMTime@@QAE@ABU_FILETIME@C | 1 |
| ?Create@CWbemGlueFactory@@SGPAV1@ | 1 |
| ?Destroy@CWbemGlueFactory@@QAEXXZ | 1 |
| SRSetRestorePointInternal | 1 |
| EnableSRIInternal | 1 |
| DisableSRIInternal | 1 |
| ?Discard@?\$CPointerArray@VCWmiTextSol | 1 |
| _aclsort32 | 1 |
| _getgrnam32 | 1 |
| cygwin_attach_handle_to_fd | 1 |
| cygwin_conv_to_full_win32_path | 1 |
| getpgrp | 1 |
| lutimes | 1 |
| mallinfo | 1 |
| tcgetpgrp | 1 |
| createSessionInstantiator | 1 |
| start | 1 |
| ??1CUResBundle@I18N@@QAE@XZ | 1 |
| ?GetResFilePath@CUResBundle@I18N@@C | 1 |
| ?Open@CUResBundle@I18N@@QAE_NPB_ | 1 |
| ?GetItem@CUResBundle@I18N@@QAE_NF | 1 |
| ?_free_memory@I18N@@YAXPAX@Z | 1 |
| ?FormatString@I18N@@YA?BV?\$TUString@ | 1 |

| | |
|---|---|
| ??OCUResBundle@I18N@@QAE@XZ | 1 |
| UnmapDII | 1 |
| ??4CWSTR@@QAEABV0@PBE@Z | 1 |
| ??ACWSTR@@QBEGH@Z | 1 |
| ?Mid@CWString@@QBE?AV1@HH@Z | 1 |
| ?W95LoadLibraryEx@@YAPAXPBGPAXK@Z | 1 |
| ??OCWSTR@@QAE@PBE@Z | 1 |
| ??OCWSTR@@QAE@PBD@Z | 1 |
| ??4CWSTR@@QAEABV0@PBD@Z | 1 |
| ?VLTrueRealloc@CVLHeap@@QAGPAXPAXF | 1 |
| ?ReplaceAt@CWString@@QAEXHPBGH@Z | 1 |
| ?ConcatInPlace@CWString@@QAEXHPBG@Z | 1 |
| ??OCUtilProps2@@QAE@K@Z | 1 |
| ?GetUPropValIndex@CUtilProps2@@MAEK | 1 |
| ?GetIndexofPropIdinPropSet@CUtilProps2@ | 1 |
| ??OCWSTR@@QAE@ABV0@@Z | 1 |
| ??M@YG_NABU_GUID@@0@Z | 1 |
| NdisGetThreadObjectCompartmentId | 1 |
| NdisSetThreadObjectCompartmentId | 1 |
| ??OCFxString@@QAE@ABVQString@@@Z | 1 |
| ??BCFxString@@QBEABVQString@@XZ | 1 |
| ?convertToQtFilter@CFxUtils@@SA?AVCFxS | 1 |
| ?GetFxSystemServices@@YAPAVCFxSystem | 1 |
| ??OCFxString@@QAE@ABV0@@Z | 1 |
| ??OCFxString@@QAE@XZ | 1 |
| ?equalNoCase@CFxString@@QBE_NABV1@Z | 1 |
| ?ACTIVE_DOCUMENT@@YAPAVCFxDocume | 1 |
| ??YCFxString@@QAEABV0@ABV0@@Z | 1 |
| ??OCFxString@@QAE@PBG@Z | 1 |
| ??H@YA?AVCFxString@@PBGABV0@@Z | 1 |
| ?wide_strU@CFxString@@QBEPBGXZ | 1 |
| ??4CFxString@@QAEABV0@PBG@Z | 1 |
| ?getLength@CFxString@@QBEHXZ | 1 |
| ?replaceW@CFxString@@QAEAAV1@GG@Z | 1 |
| ?equalNoCase@CFxString@@QBE_NPBG@Z | 1 |
| ??4CFxString@@QAEABV0@ABV0@@Z | 1 |
| ?startsWith@CFxString@@QBE_NPBG@Z | 1 |
| ?SplitW@CFxString@@QBE?AV?\$vector@V | 1 |
| ?compare@CFxString@@QBEHABV1@@Z | 1 |
| ??H@YA?AVCFxString@@ABV0@0@Z | 1 |
| ?SplitA@CFxString@@QBE?AV?\$vector@VC | 1 |
| ?empty@CFxString@@QAEXXZ | 1 |
| ??H@YA?AVCFxString@@ABV0@PBG@Z | 1 |
| ?isEmpty@CFxString@@QBE_NXZ | 1 |
| ?trimRight@CFxString@@QAEAAV1@PBG@Z | 1 |
| ??1CFxPreviewBitmap@@QAE@XZ | 1 |
| ??OCFxPreviewBitmap@@QAE@XZ | 1 |

| | |
|--|---|
| ?DrawNoPreview@CFxPreviewBitmap@@S | 1 |
| ?DrawToHDC@CFxPreviewBitmap@@QAEX | 1 |
| ?HasPreview@CFxPreviewBitmap@@QAE_I | 1 |
| ?Read@CFxPreviewBitmap@@QAE_NABVC | 1 |
| ??1CFxString@@QAE@XZ | 1 |
| ??0CFxAppModalLock@@QAE@PAVQWidget@ | 1 |
| ?unlock@CFxAppModalLock@@QAEXXZ | 1 |
| ??1CFxAppModalLock@@QAE@XZ | 1 |
| ??0CFxDlgEncoding@@QAE@PAVQWidget@ | 1 |
| ?exec@CFxDialog@@UAEHXZ | 1 |
| ?GetCodepage@CFxDlgEncoding@@QAEAA | 1 |
| ?IsReadOnly@CFxDlgEncoding@@QBE_NXZ | 1 |
| ?mid@CFxString@@QBE?AV1@H@Z | 1 |
| ??1CFxDlgEncoding@@UAE@XZ | 1 |
| ??4QFileInfo@@QAEAAV0@ABV0@@Z | 1 |
| ?childKeys@QSettings@@QBE?AVQStringLi | 1 |
| ?setDirectory@QFileDialog@@QAExABVQS | 1 |
| ?set FileMode@QFileDialog@@QAEWX4File | 1 |
| ?confirmOverwrite@QFileDialog@@QBE_N | 1 |
| ?scaledToWidth@QImage@@QBE?AV1@HV | 1 |
| ?staticMetaObject@QGridLayout@@2UQM | 1 |
| ??1QFileDialog@@UAE@XZ | 1 |
| ?setVisible@QFileDialog@@UAEX_N@Z | 1 |
| ?changeEvent@QFileDialog@@MAEXPAVQI | 1 |
| ?done@QFileDialog@@MAEXH@Z | 1 |
| ?accept@QFileDialog@@MAEXXZ | 1 |
| ??0QFileDialog@@QAE@PAVQWidget@@A | 1 |
| ?qt_metacast@QFileDialog@@UAEPAXPBD | 1 |
| ?qt_metacall@QFileDialog@@UAEHW4Call | 1 |
| ?staticMetaObject@QFileDialog@@2UQMe | 1 |
| ?setAcceptMode@QFileDialog@@QAEWX4/ | 1 |
| ?selectFile@QFileDialog@@QAExABVQStrin | 1 |
| ?sidebarUrls@QFileDialog@@QBE?AV?\$QLi | 1 |
| ?setSidebarUrls@QFileDialog@@QAExABV? | 1 |
| ??0QCursor@@QAE@XZ | 1 |
| ??4QCursor@@QAEAAV0@ABV0@@Z | 1 |
| ?selectedFiles@QFileDialog@@QBE?AVQSt | 1 |
| ?selectedFilter@QFileDialog@@QBE?AVQSt | 1 |
| ?setPopupMode@QToolButton@@QAEWX4 | 1 |
| ?button@QDialogButtonBox@@QBEPAVQP | 1 |
| ?icon@QAbstractButton@@QBE?AVQIcon@ | 1 |
| ?removeButton@QDialogButtonBox@@QAI | 1 |
| ?setMenu@QToolButton@@QAEPAVQMe | 1 |
| ?staticMetaObject@QDialogButtonBox@@2 | 1 |
| ?directory@QFileDialog@@QBE?AVQDir@C | 1 |
| ?setOption@QFileDialog@@QAEWX4Optior | 1 |
| ?setDefaultSuffix@QFileDialog@@QAExAB\ | 1 |

| | |
|--|---|
| ?selectFilter@QFileDialog@@QAEXABVQStr | 1 |
| DIFXAPISetLogCallbackW | 1 |
| Scm_Init | 1 |
| Scm_SimpleMain | 1 |
| g_cancellable_is_cancelled | 1 |
| g_content_type_get_mime_type | 1 |
| g_content_type_guess | 1 |
| g_inet_address_to_string | 1 |
| g_inet_socket_address_get_address | 1 |
| g_inet_socket_address_new | 1 |
| g_io_error_quark | 1 |
| g_resolver_free_addresses | 1 |
| g_resolver_get_default | 1 |
| g_resolver_get_type | 1 |
| g_resolver_lookup_by_address | 1 |
| g_resolver_lookup_by_address_async | 1 |
| g_resolver_lookup_by_address_finish | 1 |
| g_resolver_lookup_by_name | 1 |
| g_resolver_lookup_by_name_async | 1 |
| g_resolver_lookup_by_name_finish | 1 |
| g_socket_address_get_native_size | 1 |
| g_socket_address_new_from_native | 1 |
| g_socket_address_to_native | 1 |
| g_array_sort | 1 |
| g_ascii_dtostr | 1 |
| g_ascii_strdown | 1 |
| g_ascii strtoll | 1 |
| g_ascii strtoull | 1 |
| g_ascii toupper | 1 |
| g_base64_decode | 1 |
| g_base64_encode | 1 |
| g_byte_array_set_size | 1 |
| g_byte_array_sized_new | 1 |
| g_checksum_free | 1 |
| g_checksum_get_string | 1 |
| g_checksum_new | 1 |
| g_checksum_update | 1 |
| g_datalist_foreach | 1 |
| g_error_matches | 1 |
| g_get_language_names | 1 |
| g_hash_table_foreach_remove | 1 |
| g_hash_table_iter_init | 1 |
| g_hash_table_iter_next | 1 |
| g_hash_table_lookup_extended | 1 |
| g_hash_table_remove_all | 1 |
| g_hostname_is_ip_address | 1 |
| g_idle_source_new | 1 |

| | |
|--|---|
| g_intern_string | 1 |
| g_io_channel_error_quark | 1 |
| g_io_channel_init | 1 |
| g_io_channel_read_chars | 1 |
| g_io_channel_ref | 1 |
| g_io_channel_set_buffered | 1 |
| g_io_channel_set_close_on_unref | 1 |
| g_io_channel_set_encoding | 1 |
| g_io_channel_unix_get_fd | 1 |
| g_io_channel_win32_new_socket | 1 |
| g_io_create_watch | 1 |
| g_main_context_pop_thread_default | 1 |
| g_main_context_push_thread_default | 1 |
| g_main_context_ref | 1 |
| g_propagate_error | 1 |
| g_quark_to_string | 1 |
| g_slist_delete_link | 1 |
| g_slist_find | 1 |
| g_slist_sort_with_data | 1 |
| g_source_destroy | 1 |
| g_source_set_priority | 1 |
| g_static_mutex_get_mutex_impl | 1 |
| g_strdelimit | 1 |
| g_strjoinv | 1 |
| g_strv_length | 1 |
| g_timeout_source_new | 1 |
| g_warn_message | 1 |
| gnutls_certificate_activation_time_peers | 1 |
| gnutls_certificate_expiration_time_peers | 1 |
| gnutls_certificate_get_peers | 1 |
| gnutls_certificate_set_dh_params | 1 |
| gnutls_certificate_set_verify_flags | 1 |
| gnutls_certificate_set_x509_key_file | 1 |
| gnutls_certificate_set_x509_trust_file | 1 |
| gnutls_certificate_verify_peers | 1 |
| gnutls_dh_params_deinit | 1 |
| gnutls_dh_params_generate2 | 1 |
| gnutls_dh_params_init | 1 |
| gnutls_dh_set_prime_bits | 1 |
| gnutls_priority_set_direct | 1 |
| gnutls_record_get_direction | 1 |
| gnutls_transport_set_errno | 1 |
| gnutls_transport_set_pull_function | 1 |
| gnutls_transport_set_push_function | 1 |
| gnutls_x509_crt_check_hostname | 1 |
| g_cclosure_marshal_VOID__BOXED | 1 |
| g_cclosure_marshal_VOID__OBJECT | 1 |

| | |
|--|---|
| g_cclosure_new | 1 |
| g_closure_add_finalize_notifier | 1 |
| g_closure_set_meta_marshal | 1 |
| g_flags_register_static | 1 |
| g_hash_table_get_type | 1 |
| g_object_add_weak_pointer | 1 |
| g_object_freeze_notify | 1 |
| g_object_get_property | 1 |
| g_object_get_qdata | 1 |
| g_object_remove_weak_pointer | 1 |
| g_object_set_property | 1 |
| g_object_set_qdata | 1 |
| g_object_thaw_notify | 1 |
| g_param_spec_boxed | 1 |
| g_param_spec_flags | 1 |
| g_param_spec_gtype | 1 |
| g_param_spec_uint | 1 |
| g_signal_connect_closure | 1 |
| g_signal_handler_disconnect | 1 |
| g_type_add_interface_check | 1 |
| g_type_class_add_private | 1 |
| g_type_default_interface_peek | 1 |
| g_type_instance_get_private | 1 |
| g_type_interface_add_prerequisite | 1 |
| g_type_interface_peek | 1 |
| g_type_interface_peek_parent | 1 |
| g_type_is_a | 1 |
| g_type_name_from_instance | 1 |
| g_value_array_get_type | 1 |
| g_value_array_insert | 1 |
| g_value_copy | 1 |
| g_value_dup_boxed | 1 |
| g_value_dup_object | 1 |
| g_value_get_gtype | 1 |
| g_value_take_boxed | 1 |
| g_value_take_string | 1 |
| ?FramePoint2WindowPoint@GF@Util@@Y | 1 |
| ?SelSidebarTabInChatFrame@ChatSession@ | 1 |
| GetPropertyCaption | 1 |
| GetPropertyPageCount | 1 |
| InitPropertyPage | 1 |
| DestroyPropertyPage | 1 |
| SaveAllSettingParam | 1 |
| GetPropertyPage | 1 |
| GetCurrentFlag | 1 |
| AddEpsonFileError | 1 |
| MotorMoveStop | 1 |

| | |
|------------------------------------|---|
| HorzMotorLeft | 1 |
| HorzMotorRight | 1 |
| VertMotorUp | 1 |
| VertMotorDown | 1 |
| AdjustUsbDeviceIn | 1 |
| TestPrinterLength | 1 |
| ParamPrintHeaderVert2AdjustPicture | 1 |
| ParamVertAdjustPicture | 1 |
| ParamHorzAdjustPicture | 1 |
| ParamPrintGeHeadAdjustPicture | 1 |
| ParamPrintTongHeadAdjustPicture | 1 |
| ParamPrintHeaderVertAdjustPicture | 1 |
| ParamStateAdjustPicture | 1 |
| ResetMotorToZero | 1 |
| BeginClearProgress | 1 |
| PrintHeadClearBeginOrReturn | 1 |
| SetAutoCutPaper | 1 |
| GetKeyDown | 1 |
| GetEpsonAfterPaperDown | 1 |
| GetEpsonBeforePaperDown | 1 |
| GetEpsonPushPaperDown | 1 |
| GetEpsonCoverDown | 1 |
| GetStepsCount | 1 |
| SetEpsonAfterPaperDownFlag | 1 |
| SetEpsonBeforePaperDownFlag | 1 |
| SetEpsonPushPaperDownFlag | 1 |
| SetEpsonCoverDownFlag | 1 |
| SetEpsonMotorToZero | 1 |
| SetEpsonPrintMenuEnter | 1 |
| SetEpsonMenuEnter | 1 |
| SetEpsonPrintQualityEnter | 1 |
| SetEpsonClearMenuEnter | 1 |
| SetEpsonPrintMenu | 1 |
| SetEpsonMenu | 1 |
| SetEpsonPrintQuality | 1 |
| SetEpsonBeginPrintPos | 1 |
| SetEpsonTestPaperErrorCancel | 1 |
| DelEpsonFileError | 1 |
| SetEpsonClearMenu | 1 |
| SetEpsonPrintMenuRight | 1 |
| SetEpsonClearMenuRight | 1 |
| SetEpsonPrintQualityRight | 1 |
| SetEpsonMenuRight | 1 |
| SetEpsonPrintMenuLeft | 1 |
| SetEpsonClearMenuLeft | 1 |
| SetEpsonPrintQualityLeft | 1 |
| SetEpsonMenuLeft | 1 |

| | |
|--|---|
| SetEpsonPrintMenuDown | 1 |
| SetEpsonClearMenuDown | 1 |
| SetEpsonPrintQualityDown | 1 |
| SetEpsonMenuDown | 1 |
| SetEpsonPrintMenuUp | 1 |
| SetEpsonClearMenuUp | 1 |
| SetEpsonPrintQualityUp | 1 |
| SetEpsonMenuUp | 1 |
| CancelPrint | 1 |
| PausePrint | 1 |
| ResumePrint | 1 |
| GetMulseCount | 1 |
| GetAdjustPaperDown | 1 |
| BeginPrint | 1 |
| SetPageSize | 1 |
| SetColorBits | 1 |
| SetPrintDpi | 1 |
| SetPrintColor | 1 |
| SetEpsonVsdMode | 1 |
| SendALine | 1 |
| EndPrint | 1 |
| __vout_OSDMessage | 1 |
| ExfInterlockedCompareExchange64 | 1 |
| PySys_SetArgv | 1 |
| Py_FdIsInteractive | 1 |
| PyRun_InteractiveLoop | 1 |
| Py_SetPythonHome | 1 |
| PyRun_SimpleString | 1 |
| Py_NoSiteFlag | 1 |
| ??6?\$basic_ostream@_WU?\$char_traits@_`us_atof | 1 |
| __strtold | 1 |
| SetHookedProcess | 1 |
| PostHookApisMsg | 1 |
| SetHookedProcessFontA | 1 |
| InjectRemote | 1 |
| InjectRemoteDynamic | 1 |
| ?UnhookRemoteDynamic@@YGHU_PROCESSOR_INFORMATION@?getExePath@CImSetting@@QAE?AV?\$basic_string@_WU?\$char_traits@_`us@std@@@std@@Z | 1 |
| ?Copy@@YAHHPAPAD@Z | 1 |
| FtpQuit | 1 |
| FtpLogin | 1 |
| FtpChdir | 1 |
| FtpMkdir | 1 |
| FtpInit | 1 |
| FtpPut | 1 |
| ?GetDevMode@CElecCalc@@SAHHABJ@Z | 1 |

| | |
|--|---|
| ?GetCableMode@CElecCalc@@SAHHABJ@Z | 1 |
| ?ShellBrowseDir@CElecCalc@@SAHPAUHW | 1 |
| ?MyMessageBox@@YAHIPBDZZ | 1 |
| ?GetElecCodes@CElecData@@SAHPAVCDlg | 1 |
| ?GetElecDecks@CElecData@@SAHPAVCDlg | 1 |
| ?GetElecAreas@CElecData@@SAHPAVCDlg | 1 |
| ?GetElecRooms@CElecData@@SAHPAVCDlg | 1 |
| ?GetElecDatum@CHDCPE@@QAEHAAV?\$C | 1 |
| ?GetElecDatum@CHDCPE@@QAEHAAV?\$C | 1 |
| ?GetElecDatum@CHDCPE@@QAEHAAV?\$C | 1 |
| ?getNextCable@CHdpPrincipleFile@@QAEF | 1 |
| ?testModify@CHDC@@QBEHH@Z | 1 |
| ?getIniFilePath@CHDC@@QBE?AV?\$CString | 1 |
| ?openProj@CHDCP@@QAEHPBD0@Z | 1 |
| ?getProjDir@CHDCP@@QBE?AV?\$CStringT | 1 |
| ?getData@CHdpPrincipleFile@@QAEHKAAL | 1 |
| ?getNextEDevice@CHdpPrincipleFile@@QA | 1 |
| ?getData@CHdpPrincipleFile@@QAEHKAAL | 1 |
| ?GetElecManager@CHDCP@@QAEPAVCHD | 1 |
| ??0CDlgComm@@QAE@PAUWND__@@F | 1 |
| ??1CDlgComm@@UAE@XZ | 1 |
| ?MessageBoxA@CDlgComm@@QBEHPBDH | 1 |
| StartS | 1 |
| Get_Falgs | 1 |
| accredit | 1 |
| Channel_Calc | 1 |
| SaveMem | 1 |
| RDLJ | 1 |
| SetLJ | 1 |
| RDBase | 1 |
| CalcSmallRop | 1 |
| Read_Curr | 1 |
| Set_Curr_F | 1 |
| Set_Curr | 1 |
| Calc_CommPara | 1 |
| AddCirculation | 1 |
| Circulation | 1 |
| _HReleaseWinStyle@4 | 1 |
| frex | 1 |
| malloc_usable_size | 1 |
| ?ParseOneLine@CPropertyList@@SGXAAVC | 1 |
| VaultCreateVault | 1 |
| VaultGetItemType | 1 |
| VaultSetInformation | 1 |
| VaultEnumerateItems | 1 |
| VaultRemoveItem | 1 |
| VaultAddItem | 1 |

| | |
|--|---|
| VaultCloseVault | 1 |
| VaultLockVault | 1 |
| VaultFree | 1 |
| VaultGetInformation | 1 |
| VaultOpenVault | 1 |
| VaultUnlockVault | 1 |
| VaultEnumerateVaults | 1 |
| VaultLoadVaults | 1 |
| VaultUnloadVaults | 1 |
| VaultCopyVault | 1 |
| VaultEnumerateItemTypes | 1 |
| ?GetDesktopEnvironment@Application@@` | 1 |
| ?addFilePicker@svt@@YAXABV?\$Reference | 1 |
| ?addFolderPicker@svt@@YAXABV?\$Refere | 1 |
| sal_detail_deinitialize | 1 |
| sal_detail_initialize | 1 |
| ?Create@TImage@@QAEPAUHBITMAP __@ | 1 |
| ?GetPixelFormat@TImage@@QBE?AW4TPi | 1 |
| ??0TImage@@QAE@XZ | 1 |
| ?GetHeight@TImage@@QBEJXZ | 1 |
| ?GetWidth@TImage@@QBEJXZ | 1 |
| ?IsNoHandle@TImage@@QBEHXZ | 1 |
| ?IsValid@TImage@@QBEHXZ | 1 |
| ?GetDC@TImage@@QAEPAUHDC __@@XZ | 1 |
| ?GetBitCount@TImage@@QBEGXZ | 1 |
| ?CreateInstance@TImageGenerator@@SAP | 1 |
| ?GetBits@TImage@@QBEQAEXZ | 1 |
| ?InitializeTLib@@YAHK@Z | 1 |
| ??1TImagePNG@@UAE@XZ | 1 |
| ?SetNoHandleMode@TImage@@QAEHH@Z | 1 |
| ?GetBits@TImage@@QAEPAEXZ | 1 |
| ?GetSize@TImage@@QBEJXZ | 1 |
| ?UninitializeTLib@@YAHXZ | 1 |
| ?Blt@TImage@@QAEHPAUHDC __@@JJJJJ | 1 |
| ??1TImage@@UAE@XZ | 1 |
| ?Resize@TEffectImage@@SAJAAVTImage@ | 1 |
| ??0TImagePNG@@QAE@XZ | 1 |
| ??1TImageBMP@@UAE@XZ | 1 |
| ?AddExtendSupportFormat@TImageGenera | 1 |
| ??0TImageBMP@@QAE@XZ | 1 |
| ?GetWidthBytes@TImage@@QBEJXZ | 1 |
| ?TryReadLock@CReaderWriterLock@@QAE | 1 |
| 1lobalFree | 1 |
| 1etErrorMode | 1 |
| 1nterCriticalSection | 1 |
| 1etLastError | 1 |
| 1ockResource | 1 |

| | |
|---|---|
| 1lobalDeleteAtom | 1 |
| 1etACP | 1 |
| 1eapCreate | 1 |
| 1izeofResource | 1 |
| 1initAtomTable | 1 |
| 1etConsoleCP | 1 |
| 1lobalAddAtomA | 1 |
| 1aiseException | 1 |
| 1etPriorityClass | 1 |
| 1etTimeFormatA | 1 |
| 1loseHandle | 1 |
| 1rawEdge | 1 |
| DeleaseDC | 1 |
| 1prAdminUserOpen | 1 |
| @Idtelnetserver@initialization\$qqrv | 1 |
| ??0CCleanCommon@@QAE@XZ | 1 |
| ?IsUseStartPage@CCleanEOption@@QAEH | 1 |
| ?SendAddSite@CCleanCommon@@QAEHH | 1 |
| ?SendMessageToCleanE@CCleanCommon@ | 1 |
| ?GetStartPageUrl@CCleanCommon@@QAE | 1 |
| ?SetFirstToolBar@CCleanEOption@@QAEHF | 1 |
| ?IsFirstToolBar@CCleanEOption@@QAEHXZ | 1 |
| ?LoadPublicOption@CCleanEOption@@QAE | 1 |
| ?GetWindowVersion@CCEUtil@@SAHZ | 1 |
| ?GetStartPage@CCleanEOption@@QAE?AV | 1 |
| ??1CCleanCommon@@UAE@XZ | 1 |
| ??1CCleanEOption@@UAE@XZ | 1 |
| ??0CCleanEOption@@QAE@XZ | 1 |
| ?SavePublicOption@CCleanEOption@@QAE | 1 |
| ?LoadOption@CCleanEOption@@QAEHXZ | 1 |
| ?GetLocationUrl@CIEWebBrowser@@SA?A` | 1 |
| ?InitEventHandler@CIExplorer@@QAEHXZ | 1 |
| ?InitExplorer@CIExplorer@@QAEHPAUIWel | 1 |
| ??0CIExplorer@@QAE@XZ | 1 |
| ??1CIExplorer@@UAE@XZ | 1 |
| ?OnWindowRegistered@CIExplorerFilter@C | 1 |
| ?OnTitleChange@CIExplorerFilter@@UAEXF | 1 |
| ?OnStatusTextChange@CIExplorerFilter@@I | 1 |
| ?OnProgressChange@CIExplorerFilter@@U | 1 |
| ?OnDownloadComplete@CIExplorerFilter@ | 1 |
| ?OnCommandStateChange@CIExplorerFilter | 1 |
| ??1CIExplorerFilter@@UAE@XZ | 1 |
| ??0CIExplorerFilter@@QAE@XZ | 1 |
| ?Navigate2@CIExplorer@@QAEJV?\$CString | 1 |
| ?OnWindowRevoked@CIExplorerFilter@@L | 1 |
| ?Stop@CIExplorer@@QAEJXZ | 1 |
| DimsRoamEntry | 1 |

| | |
|---|---|
| _setRequestorID@4 | 1 |
| _cleanupIADD@0 | 1 |
| _downloadPatch@28 | 1 |
| _setPatchListIndex@4 | 1 |
| _getPatchCount@0 | 1 |
| _setPatchIndex@4 | 1 |
| _getGuid@12 | 1 |
| _getFile@12 | 1 |
| _getPatchDownloadTime@0 | 1 |
| _getPatchDownloadSize@0 | 1 |
| _getImprovement@12 | 1 |
| _getPatchList@32 | 1 |
| @Dxtl@TdxTreeListColumn@SetSorted\$qqr | 1 |
| @Dxtl@TCustomdxTreeList@SetTopIndex\$q | 1 |
| @Radiogroup@TivRadioGroup@GetValue\$c | 1 |
| ??1GFCrc32@@UAE@XZ | 1 |
| ??0GFSerial@@QAE@PAVGFCComLink@@@ | 1 |
| ??0GFComWin32@@QAE@HIIH@Z | 1 |
| ?Ring@GFLineStatus@@QAEHXZ | 1 |
| ??0GFCrc32@@QAE@XZ | 1 |
| ?GetCommError@GFSerial@@QAEHAAG@Z | 1 |
| ?RXFlush@GFSerial@@QAEHI@Z | 1 |
| ?TXFlush@GFSerial@@QAEXXZ | 1 |
| ?GetBuffer@GFSerial@@QAEJPAEII@Z | 1 |
| ?PutBuffer@GFSerial@@QAEIPAEI@Z | 1 |
| ?Carrier@GFLineStatus@@QAEHXZ | 1 |
| ??0GFModem@@QAE@XZ | 1 |
| ?Cts@GFLineStatus@@QAEHXZ | 1 |
| ?Status@GFLineStatus@@QAEXXZ | 1 |
| ?DataLength@GFDataFormat@@QAEHH@Z | 1 |
| ?StopBits@GFDataFormat@@QAEHH@Z | 1 |
| ?GetLineStatus@GFSerial@@QAEPAVGFLin | 1 |
| ?SetHandShake@GFLineStatus@@QAEHHH | 1 |
| ?GetDataFormat@GFSerial@@QAEPAVGFD | 1 |
| ?BaudRate@GFDataFormat@@QAEJJ@Z | 1 |
| ?FindChildElem@CMarkup@@QAE_NPBD@ | 1 |
| ?GetTagName@CMarkup@@QBE?AVCStrin | 1 |
| ?AddPanelArray@CDataProcessing@@QAE | 1 |
| ?SetHypelink@CHypelinkButton@@QAEXVC | 1 |
| ?SetTextColor@CHypelinkButton@@QAEXK | 1 |
| ??1CQQDataArrayHelper@@UAE@XZ | 1 |
| ??_7CQQDataArrayHelper@@6B@ | 1 |
| ?SetSpePanelBasicInfoByPanelID@CDataPro | 1 |
| ?SetPanelExInfoSrc@CDataProcessing@@Q | 1 |
| ?SetDoc@CMarkup@@QAE_NPBD@Z | 1 |
| ??0CHypelinkButton@@QAE@XZ | 1 |
| ??1CHypelinkButton@@UAE@XZ | 1 |

| | |
|--|---|
| ?SetPanelExInfoDisk@CDataProcessing@@@C | 1 |
| ??0CDataProcessing@@QAE@XZ | 1 |
| ??1CDataProcessing@@UAE@XZ | 1 |
| ?GetRuntimeClass@CShockwaveFlashWnd@ | 1 |
| ?ResetChildPos@CMarkup@@QAEXXZ | 1 |
| ?HbitGray@CImagePro@@QAEHPAUHBITM | 1 |
| ?HbitAlpha32@CImagePro@@QAEHPAUHB | 1 |
| ?CreateFromHBITMAP@CxImage@@QAEXP | 1 |
| ?Save@CxImage@@QAE_NPBDK@Z | 1 |
| ?SetAwayMask@CbmpImageList@@QAEHP | 1 |
| ?HbitZoom24@CImagePro@@QAEHPAUHB | 1 |
| ?HbitAlpha24@CImagePro@@QAEHPAUHB | 1 |
| ??0CImagePro@@QAE@XZ | 1 |
| ?Init@CImagePro@@QAEHXZ | 1 |
| ?HbittoRGB@CImagePro@@QAEHPAUHDC_ | 1 |
| ?HbitGray24@CImagePro@@QAEHPAUHBI_ | 1 |
| ?UnInit@CImagePro@@QAEXXZ | 1 |
| ??1CImagePro@@QAE@XZ | 1 |
| ?Create@CbmpImageList@@QAEHHH@Z | 1 |
| ?AddDelayBitmap@CbmpImageList@@QAE | 1 |
| ?DeleteAllBitmaps@CbmpImageList@@QAE | 1 |
| ??0CbmpImageList@@QAE@XZ | 1 |
| ??1CbmpImageList@@QAE@XZ | 1 |
| ?ShowIniPanel@CDataProcessing@@QAEXK | 1 |
| ??0CShortcut@@QAE@XZ | 1 |
| ?GetSpecialFolder@CShortcut@@QAEHIAA\ | 1 |
| ?CreateShortCut@CShortcut@@QAEHVCStr | 1 |
| ??1CShortcut@@UAE@XZ | 1 |
| ??0CProtocolParser@@QAE@XZ | 1 |
| ?ParseWebPresence@CProtocolParser@@C | 1 |
| ?GetParaValue@CProtocolParser@@QAEHV | 1 |
| ??1CProtocolParser@@UAE@XZ | 1 |
| ?HideIniPanel@CDataProcessing@@QAEXK\ | 1 |
| ?GetPanelIDArray@CDataProcessing@@QA | 1 |
| ?SetPanelBasicInfoByInID@CDataProcessing | 1 |
| ?SetPos@CProgressWnd@@QAEHH@Z | 1 |
| ?PeekAndPump@CProgressWnd@@QAEXH | 1 |
| ?OffsetPos@CProgressWnd@@QAEHH@Z | 1 |
| ?Load@CPublicGDI@@SAXXZ | 1 |
| ?EnableHypelink@CHypelinkButton@@QAE | 1 |
| ?InitQQShow@@YAHPAUIQQCore@@@Z | 1 |
| ?LoadStatusTray@@YAPAXPAUHINSTANCE_ | 1 |
| ?GetHostingConfig@@YAHPBDAAVCString@ | 1 |
| ?AddMixedStat@@YAXI@Z | 1 |
| ?StartTrayAnimate@@YAXPAUIQQCore@@ | 1 |
| ?IsIdentityFlagEx@@YAHAAVCString@@E@ | 1 |
| ?InitHostingCustomConfig@@YAHXZ | 1 |

| | |
|--|---|
| ?GetMsgArray@@YAHPAUIQQCore@@VCS | 1 |
| ?GetHostingConfig@@YAHPBDAAVCStringLi | 1 |
| ?GetCurrentProxy@@YAHPAUIQQCore@@, | 1 |
| ?GetGamePath@@YAHAAVCString@@@Z | 1 |
| ?IsLogin@@YAHPAUIQQCore@@@Z | 1 |
| ?GetTTPPath@@YAHAAVCString@@@Z | 1 |
| ?GetCurrentGender@@YAHPAUIQQCore@() | 1 |
| ?DoModal_InputLocalPwdDlg@@YAHHHVC! | 1 |
| ?CheckForUinNeedUpdate@@YAHPAUIQQC | 1 |
| ?Base64Decode2@@YAHPBDHPAEPAH@Z | 1 |
| ?GetFaceIndex@@YAGPAUIQQCore@@@Z | 1 |
| ?GetLastChangeTime@@YAKPAUIQQCore@ | 1 |
| ?GetQQExeHash@@YAHPAE@Z | 1 |
| ?GetOlcqProcessCount@@YAEXZ | 1 |
| ?GetLocalComputerGUID@@YAXPAEH@Z | 1 |
| ??0CCsRegisterSinkHelper@@QAE@XZ | 1 |
| ??1CCsRegisterSinkHelper@@UAE@XZ | 1 |
| ?CrackStr@@YAXAAVCStringArray@@VCStr | 1 |
| ?LoadResponseStr@@YAXAAVCString@@I€ | 1 |
| ?GetBasicCtrlDIIResourceHandle@@YAPAUt | 1 |
| ?PtrArrayToQQArray@@YAJABVCPtrArray@ | 1 |
| ?FreeQQPtrArray@@YAJAAVCPtrArray@@(| 1 |
| ?QQArrayToPtrArray@@YAJPAUIQQDataAri | 1 |
| ?GetOSVersion@@YAHAAK000@Z | 1 |
| ?RemoveTempDir1@@YAHVCString@@@Z | 1 |
| ?Decode16@@YAXAAVCString@@@Z | 1 |
| ?GetCurrentStatus@@YAHPAUIQQCore@@ | 1 |
| ?CreateObjectFromFile@@YAJPBDPDAUIUnk | 1 |
| ?CheckCameraStatus@@YAHXZ | 1 |
| ??0CLoginFailedDlg@@QAE@PAVCWnd@@ | 1 |
| ?SetText@CLoginFailedDlg@@QAEXVCString | 1 |
| ?OnInitDialog@CLoginFailedDlg@@MAEHXZ | 1 |
| ??1CLoginFailedDlg@@UAE@XZ | 1 |
| ?ShowDlg@CLoginFailedDlg@@QAEXXZ | 1 |
| ?GetMessageMap@CLoginFailedDlg@@MB | 1 |
| ?DoDataExchange@CLoginFailedDlg@@MA | 1 |
| ?OnOK@CLoginFailedDlg@@MAEXXZ | 1 |
| ?InitBugReport@@YAHVCString@@0000P6. | 1 |
| Unzip | 1 |
| Zip | 1 |
| rtcGetDayOfWeek | 1 |
| IsUTF8 | 1 |
| input_item_AddInfo | 1 |
| input_item_node_AppendNode | 1 |
| HksClose | 1 |
| HksInit | 1 |
| FaxGetDeviceStatusW | 1 |

| | |
|---------------------------------------|---|
| BluetoothAuthenticateDeviceEx | 1 |
| GdipGetFontUnit | 1 |
| ?GetTransferOptions@CFTPMgr@@QAEPBL | 1 |
| ?SubmitGroup@CFTPMgr@@QAEHPAVCXfe | 1 |
| ?AddGroupToArchive@CFTPMgr@@QAE_N | 1 |
| ?GetTransferMgrStatus@CFTPMgr@@QAEEX | 1 |
| ?DisconnectingClient@CFTPMgr@@QAEXP@ | 1 |
| ?ExitingApplication@CFTPMgr@@QAEXXZ | 1 |
| ?Init@CFTPMgr@@QAEXPAVCWnd@@H@: | 1 |
| ?GetTransferMgrUI@CFTPMgr@@QAEPAVC | 1 |
| ??1CFTPMgr@@QAE@XZ | 1 |
| ??0CFTPMgr@@QAE@PAUWND__@@@z | 1 |
| ?AddFolderToGroup@CFTPMgr@@QAEPAV | 1 |
| ?CreateGroup@CFTPMgr@@QAEPAVCXferC | 1 |
| ?CreateRequest@CFTPMgr@@QAEPAVCXfe | 1 |
| ?AddFileToArchive@CXferRequest@@QAE | 1 |
| ?AddFileToGroup@CFTPMgr@@QAE_NPAV | 1 |
| ?AddItemToArchive@CXferRequest@@QAE | 1 |
| ?AddItemToGroup@CFTPMgr@@QAE_NPA' | 1 |
| ??0SSHUntrustedKey@@QAE@PAVCWnd@ | 1 |
| ?DoModal@SSHUntrustedKey@@QAEHPAU | 1 |
| ??1WebBrowserTarget@@UAE@XZ | 1 |
| ?RecursiveDosFilenameWildcardMatch@@Y | 1 |
| ?IsHTTPBasedProtocol@@YA_NH@Z | 1 |
| ?has_chars@@YA_NPBD@Z | 1 |
| ?replacechar@@YAPADPADDD@Z | 1 |
| ?StartsWithUNCSpec@@YA_NPBDPAPBD@: | 1 |
| ?StartsWithDosDriveSpec@@YA_NPBDH@Z | 1 |
| ?CanonicalFtpUrlBuffer@@YAHPADHPBD11 | 1 |
| ?ParseFtpUrl@@YAXPBDAUWsftpUrl@@H | 1 |
| ?GetProtocolDefaultPort@@YAH@Z | 1 |
| ?EnsureTrailingChar@@YAPADPADD@Z | 1 |
| ??1CIPString@@QAE@XZ | 1 |
| SetMouseDown | 1 |
| ?appUserDir@@YAPBGXZ | 1 |
| ?appSaveStringToFile@@YAHABVFString@C | 1 |
| ?appItoa@@YAPAGH@Z | 1 |
| ?Localize@@YAPBGPB000H@Z | 1 |
| ?appGetAppInstanceHandle@@YAPAXXZ | 1 |
| ??9FString@@QBEHABV0@@Z | 1 |
| ??0FString@@QAE@PBD@Z | 1 |
| ?appStrupr@@YAPAGPAG@Z | 1 |
| Q_strncmp | 1 |
| Q_SetExtension | 1 |
| Q_DefaultExtension | 1 |
| _InstallSof@8 | 1 |
| SiSReadPortULONG | 1 |

| | |
|--|---|
| SiSWritePortULONG | 1 |
| ?get_dims@kdu_resolution@@QAEAAUkd | 1 |
| ?get_bit_depth@kdu_tile_comp@@QAEH_I | 1 |
| ?which@kdu_resolution@@QAEHXZ | 1 |
| ?access_subband@kdu_resolution@@QAE? | 1 |
| ??0kdu_decoder@@QAE@Vkdud_subband@ | 1 |
| ??0kdu_synthesis@@QAE@Vkdud_resolutior | 1 |
| ??0kdu_error@@QAE@XZ | 1 |
| ?kdu_convert_ycc_to_rgb@@YAXAAVkdud_li | 1 |
| ?restart@kdu_codestream@@QAEPAVkdud | 1 |
| ?get_dims@kdu_codestream@@QAEHAAI | 1 |
| ?get_bit_depth@kdu_codestream@@QAEH | 1 |
| ?get_num_components@kdu_codestream@ | 1 |
| ?kdu_customize_warnings@@YAXPAVkdud_i | 1 |
| ?kdu_customize_errors@@YAXPAVkdud_me | 1 |
| ?create@kdu_codestream@@QAEPAVkdud | 1 |
| ?enable_restart@kdu_codestream@@QAE | 1 |
| ?set_fast@kdu_codestream@@QAEXXZ | 1 |
| ?get_valid_tiles@kdu_codestream@@QAE | 1 |
| ?destroy@kdu_codestream@@QAEXXZ | 1 |
| ?access_resolution@kdu_tile_comp@@QAE | 1 |
| ?access_component@kdu_tile@@QAE?AVk | 1 |
| ?get_ycc@kdu_tile@@QAE_NXZ | 1 |
| ?open_tile@kdu_codestream@@QAE?AVkc | 1 |
| ?close@kdu_tile@@QAEXXZ | 1 |
| ?get_subsampling@kdu_tile_comp@@QAE | 1 |
| ?get_signed@kdu_tile_comp@@QAE_NXZ | 1 |
| ?get_reversible@kdu_tile_comp@@QAE_N | 1 |
| GetProcessHandleFromHwnd | 1 |
| PropMgrClient_LookupProp | 1 |
| ?AuthMode@CPreferredProfile@@QAE?AW | 1 |
| ?Ssid@CPreferredProfile@@QAEPADXZ | 1 |
| ?AuthAlg@CPreferredProfile@@QAE?AW4I | 1 |
| ?WepAlgorithm@CPreferredProfile@@QAE | 1 |
| ?Dot1xEnabled@CPreferredProfile@@QAEF | 1 |
| ?PasswordMode@CPreferredProfile@@QAF | 1 |
| ?Update@CProfileMgr@@QAEJAAUINTEL_\ | 1 |
| ?PacExists@CProfileMgr@@QAEJPAEPBDW | 1 |
| ??0CProfileMgr@@QAE@PBD0@Z | 1 |
| ?CompareProfiles@CProfileMgr@@QAEHA/ | 1 |
| ?MandatoryAp@CPreferredProfile@@QAEF | 1 |
| ?GetLastProfile@CProfileMgr@@QAEJAAU | 1 |
| ?SaveLastProfile@CProfileMgr@@QAEJAAU | 1 |
| StopAuthentication | 1 |
| GetScanList | 1 |
| DisconnectFromWLAN | 1 |
| GetReadyForProfileState | 1 |

| | |
|--|---|
| GetRadioState | 1 |
| GetHwRadioState | 1 |
| GetRegistrationState | 1 |
| GetAdapterState | 1 |
| Get802_1xState | 1 |
| GetAuthenticationStatus | 1 |
| Release1xConfig | 1 |
| GetSmartCardList | 1 |
| SetAdapterState | 1 |
| RegisterProfileService | 1 |
| GetSimList | 1 |
| SetDwordSetting | 1 |
| IsTcpIpInstalledAndBound | 1 |
| PromptChangeFastPassword | 1 |
| SaveFastPACAndApply | 1 |
| SetReadyForProfileState | 1 |
| GetProtocolPreference | 1 |
| ?GetValue@CRegistryEx@@@UAEPBDPBD0K(| 1 |
| ?Open@CRegistryEx@@@UAEHPAUHKEY__@ | 1 |
| ?SetValue@CRegistryEx@@@UAEHPBD0@Z | 1 |
| ClassSendIrpSynchronous | 1 |
| entry | 1 |
| GETCURRENTDIRECTORYA | 1 |
| GLOBALALLOC | 1 |
| VIRTUALALLOC | 1 |
| @System@GetMemory\$qi | 1 |
| @System@@WStrFromPChar\$qqrr17System | 1 |
| @System@@WStrFromPCharLen\$qqrr17Sys | 1 |
| @\$xp\$13System@Single | 1 |
| @Aimp_memman@initialization\$qqrv | 1 |
| @Aimp_memman@Finalization\$qqrv | 1 |
| @Types@PtInRect\$qqrrx11Types@TRectrx1 | 1 |
| @Types@EqualRect\$qqrrx11Types@TRectt1 | 1 |
| @Aimp_core@AIMP_Core_Finalize\$qqrv | 1 |
| @Aimp_core@AIMP_Core_Initialize\$qqrv | 1 |
| @Aimp_core@TAIMPConfigController@Opt | 1 |
| @Aimp_core@AIMP_AlreadyRunned\$qqrv | 1 |
| @Aimp_core@AIMPGetParams\$qqrv | 1 |
| @Aimp_core@LoadLang\$qqrx17System@W | 1 |
| @Aimp_core@GetLangFile\$qqrv | 1 |
| @Aimp_core@GetMsgOnOff\$qqrv | 1 |
| @Aimp_core@AIMP_GetOptionIniFileName | 1 |
| @Aimp_core@AIMP_QueryOption\$qqrv | 1 |
| @Aimp_core@AIMP_GetPath\$qqruc | 1 |
| @Aimp_core@AIMP_ScanLangFiles\$qqrpX2: | 1 |
| @Aimp_core@ConfigController\$qqrv | 1 |
| @Aimp_core @_PrevVersion | 1 |

| | |
|---|---|
| @Aimp_core@IsPortableEdition | 1 |
| @Sysutils@Supports\$qqrx14System@TObj | 1 |
| @Sysutils@WideLowerCase\$qqrx17System@ | 1 |
| @Classes@TComponent@RemoveComponen | 1 |
| @Classes@TInterfacedPersistent @_Releas | 1 |
| @Classes@TInterfacedPersistent @_AddRef | 1 |
| @Classes@TList@Extract\$qqrv | 1 |
| @Classes@TList@Pack\$qqrv | 1 |
| @Classes@TList@Exchange\$qqrii | 1 |
| @Controls@TWinControl@FindChildControl | 1 |
| @Controls@TWinControl@SetBevelKind\$qq | 1 |
| @Controls@TWinControl@PaintHandler\$qq | 1 |
| @Controls@TControl@CMHitTest\$qqrr21M | 1 |
| @Controls@TControl@CalcCursorPos\$qqrv | 1 |
| @Controls@TControl@ManualFloat\$qqrrx1 | 1 |
| @Controls@TControl@Dragging\$qqrv | 1 |
| @Controls@TControl@DragCanceled\$qqrv | 1 |
| @Controls@TControl@EndDrag\$qqro | 1 |
| @Controls@MoveWindowOrg\$qqruiii | 1 |
| @Controls@GetCaptureControl\$qqrv | 1 |
| @\$xp\$19Controls@TBevelKind | 1 |
| @\$xp\$20Controls@TBevelEdges | 1 |
| @Actnlist@TShortCutList@IndexOfShortCut | 1 |
| @Actnlist@TCustomAction@GetSecondaryS | 1 |
| @Actnlist@TCustomAction@SetAutoCheck\$ | 1 |
| @Math@RandomRange\$qqrxixi | 1 |
| @Math@IsZero\$qqrxgg | 1 |
| @Math@Sign\$qqrxii | 1 |
| @Math@Max\$qqrxgxg | 1 |
| @Math@Max\$qqrxfxf | 1 |
| @Math@Min\$qqrxfxf | 1 |
| @Consts @_SmkcAlt | 1 |
| @Consts @_SmkcCtrl | 1 |
| @Consts @_SmkcShift | 1 |
| @Forms@TScreen@MonitorFromWindow\$qq | 1 |
| @Forms@TScreen@MonitorFromPoint\$qqri | 1 |
| @Forms@TScreen@GetDesktopRect\$qqrv | 1 |
| @Forms@TScreen@GetMonitorCount\$qqrv | 1 |
| @Forms@TScreen@GetMonitor\$qqri | 1 |
| @Forms@TMonitor@GetWorkareaRect\$qqri | 1 |
| @Forms@TMonitor@GetBoundsRect\$qqrv | 1 |
| @Forms@TCustomForm@SetAlphaBlend\$qq | 1 |
| @Forms@TCustomForm@WMActivate\$qqri | 1 |
| @Forms@TCustomForm@WMPaint\$qqrr17 | 1 |
| @Forms@TCustomForm@Paint\$qqrv | 1 |
| @Forms@TCustomForm@Dock\$qqrp20Con | 1 |
| @Forms@KeyDataToShiftState\$qqri | 1 |

| | |
|--|---|
| @Forms@KeysToShiftState\$qqrus | 1 |
| @\$xp\$17Forms@TCustomForm | 1 |
| @Menus@TMenuItem@IsLine\$qqrv | 1 |
| @Menus@TMenuItem@GetBitmap\$qqrv | 1 |
| @Menus@TMenuItem@IndexOf\$qqrp15M€ | 1 |
| @Menus@TMenuItem@GetHandle\$qqrv | 1 |
| @Stdctrls@TCustomListBox@SelectAll\$qqrv | 1 |
| @Stdctrls@TCustomListBox@SetMultiSelect | 1 |
| @Stdctrls@TCustomListBox@SetItemIndex\$ | 1 |
| @Stdctrls@TCustomListBox@GetSelCount\$ç | 1 |
| @Stdctrls@TCustomListBox@GetCount\$qqr | 1 |
| @Stdctrls@TCustomListBox@DeleteSelected | 1 |
| @Stdctrls@TCustomListBox@CopySelection | 1 |
| @Stdctrls@TCustomListBox@ClearSelection | 1 |
| @Stdctrls@TCustomListBox@AddItem\$qqr1 | 1 |
| @Aimpclasses@initialization\$qqrv | 1 |
| @Aimpclasses@Finalization\$qqrv | 1 |
| @Aimpclasses@TAIMPOBJECTLinks@Remove | 1 |
| @Aimpclasses@TAIMPOBJECTLinks@Remove | 1 |
| @Aimpclasses@TAIMPOBJECTLinks@AddObj | 1 |
| @Aimpclasses@TAIMPICustomThread@Wait | 1 |
| @Aimpclasses@TAIMPICustomThread@Termi | 1 |
| @Aimpclasses@TAIMPICustomThread@Suspend | 1 |
| @Aimpclasses@TAIMPICustomThread@Critic | 1 |
| @Aimpclasses@TAIMPICustomThread@Before | 1 |
| @Aimpclasses@TAIMPICustomThread@After | 1 |
| @Aimpclasses@TAIMPICustomThread@\$bd1 | 1 |
| @Aimpclasses@TAIMPICustomThread@\$bct | 1 |
| @Aimpclasses@TAIMPIClasedObject@QI | 1 |
| @Aimpclasses@TAIMPIClasedObject@IF | 1 |
| @Aimpclasses@TAIMPUnknownObject@Qu | 1 |
| @Aimpclasses@TAIMPUnknownObject @_R | 1 |
| @Aimpclasses@TAIMPUnknownObject @_A | 1 |
| @Aimpclasses@TAIMPOBJECTList@Remove\$ | 1 |
| @Aimpclasses@TAIMPOBJECTList@Notify\$qi | 1 |
| @Aimpclasses@TAIMPOBJECTList@Changed | 1 |
| @Aimpclasses@TAIMPOBJECTList@Last\$qqr | 1 |
| @Aimpclasses@TAIMPOBJECTList@ChangeP | 1 |
| @Aimpclasses@TAIMPOBJECTList@IndexOf\$ | 1 |
| @Aimpclasses@TAIMPOBJECTList@GetItem\$ | 1 |
| @Aimpclasses@TAIMPOBJECTList@First\$qqr | 1 |
| @Aimpclasses@TAIMPOBJECTList@\$bctr\$qq | 1 |
| @Aimpclasses@TAIMPOBJECTList@Add\$qqr1 | 1 |
| @Aimpclasses@TAIMPIIniFileW@SetSection | 1 |
| @Aimpclasses@TAIMPIIniFileW@GetSection | 1 |
| @Aimpclasses@TAIMPIIniFileW@WriteBinar | 1 |

| | |
|--|---|
| @Aimpclasses@TAIMPIIniFileW@WriteInteg | 1 |
| @Aimpclasses@TAIMPIIniFileW@WriteBool\$ | 1 |
| @Aimpclasses@TAIMPIIniFileW@WriteRect\$ | 1 |
| @Aimpclasses@TAIMPIIniFileW@ReadRect\$ | 1 |
| @Aimpclasses@TAIMPIIniFileW@ReadSectic | 1 |
| @Aimpclasses@TAIMPIIniFileW@ReadBool\$ | 1 |
| @Aimpclasses@TAIMPIIniFileW@ReadBinary | 1 |
| @Aimpclasses@TAIMPIIniFileW@SectionExist | 1 |
| @Aimpclasses@TAIMPIIniFileW@ValueExist: | 1 |
| @Aimpclasses@TAIMPIIniFileW@DeleteKey: | 1 |
| @Aimpclasses@TAIMPIIniFileW@RenameKe | 1 |
| @Aimpclasses@TAIMPIIniFileW@DeleteSect | 1 |
| @Aimpclasses@TAIMPIIniFileW@GetSection | 1 |
| @Aimpclasses@TAIMPIIniFileW@GetSection | 1 |
| @Aimpclasses@TAIMPIIniFileW@Clear\$qqrv | 1 |
| @Aimpclasses@TAIMPIIniFileW@\$bctr\$qqrx | 1 |
| @Aimpclasses@TAIMPStringListW@SaveTo: | 1 |
| @Aimpclasses@TAIMPStringListW@SaveToL | 1 |
| @Aimpclasses@TAIMPStringListW@LoadFrc | 1 |
| @Aimpclasses@TAIMPStringListW@LoadFrc | 1 |
| @Aimpclasses@TAIMPStringListW@SetCapa | 1 |
| @Aimpclasses@TAIMPStringListW@GetString | 1 |
| @Aimpclasses@TAIMPStringListW@GetCount | 1 |
| @Aimpclasses@TAIMPStringListW@GetObject | 1 |
| @Aimpclasses@TAIMPStringListW@Sort\$qc | 1 |
| @Aimpclasses@TAIMPStringListW@Custom | 1 |
| @Aimpclasses@TAIMPStringListW@Clear\$q | 1 |
| @Aimpclasses@TAIMPStringListW@IndexOf | 1 |
| @Aimpclasses@TAIMPStringListW@IndexOfI | 1 |
| @Aimpclasses@TAIMPStringListW@Delete\$ | 1 |
| @Aimpclasses@TAIMPStringListW@GetText | 1 |
| @Aimpclasses@TAIMPStringListW@GetAsText | 1 |
| @Aimpclasses@TAIMPStringListW@SetText | 1 |
| @Aimpclasses@TAIMPStringListW@Assign\$ | 1 |
| @Aimpclasses@TAIMPStringListW@GetValue | 1 |
| @Aimpclasses@TAIMPStringListW@GetNaN | 1 |
| @Aimpclasses@TAIMPStringListW@Add\$qc | 1 |
| @Aimpclasses@TAIMPStringListW@Add\$qc | 1 |
| @Aimpclasses@TAIMPStringListW@EndUpc | 1 |
| @Aimpclasses@TAIMPStringListW@BeginUpc | 1 |
| @Aimpclasses@TAIMPStringListW@\$bdtr\$c | 1 |
| @Aimpclasses@TAIMPStringListW@AfterCo | 1 |
| @Aimpclasses@TAIMPSearch@StopSearch\$ | 1 |
| @Aimpclasses@TAIMPSearch@StartSearch\$ | 1 |
| @Aimpclasses@TAIMPSearch@\$bctr\$qqryn | 1 |
| @Aimpclasses@TAIMPDeviceChangeListene | 1 |
| @Aimpclasses@TAIMPDeviceChangeListene | 1 |

| | |
|--|---|
| @Aimpclasses@CopyDialog\$qqrpX28Aimpcl | 1 |
| @Aimpclasses@WideAppMessageBox\$qqrx | 1 |
| @Aimpclasses@WideGetFilesFromDrop\$qqri | 1 |
| @Aimpclasses@WideCopyStringToClipBoard\$qq | 1 |
| @Aimpclasses@WideCopyFilesToClipboard\$qq | 1 |
| @Aimpclasses@WideCopyFileToClipboard\$qq | 1 |
| @Aimpclasses@WideFormatFloat\$qqrx17Sy | 1 |
| @Aimpclasses@HasActiveMenus\$qqrv | 1 |
| @Aimpclasses@MouseCursorPos\$qqrv | 1 |
| @Aimpclasses@ShowWindowNoAnimation\$qq | 1 |
| @Aimpclasses@AIMP_DeallocateHWnd\$qqi | 1 |
| @Aimpclasses@AIMP_AllocateHWnd\$qqryr | 1 |
| @Aimpclasses@SwitchToThisWindow\$qqsu | 1 |
| @Aimpclasses@AIMPObjectLinks\$qqrv | 1 |
| @Aimpclasses@AppTerminated | 1 |
| @Aimpclasses@TAIMPCustomThread@ | 1 |
| @Aimpclasses@TAIMPUknownObject@ | 1 |
| @Aimpclasses@TAIMPDeviceChangeListene | 1 |
| @Aimpclasses@TAIMPSearch@ | 1 |
| @Aimpclasses@TAIMPIniFileW@ | 1 |
| @\$xp\$28Aimpclasses@TAIMPStringListW | 1 |
| @Aimpclasses@TAIMPStringListW@ | 1 |
| @Aimpclasses@TAIMPObjectList@ | 1 |
| @Aimpunicodeutils@initialization\$qqrv | 1 |
| @Aimpunicodeutils@Finalization\$qqrv | 1 |
| @Aimpunicodeutils@IsUrlFileName\$qqrx17 | 1 |
| @Aimpunicodeutils@WideRegOpenWrite\$qq | 1 |
| @Aimpunicodeutils@WideRegOpenRead\$qq | 1 |
| @Aimpunicodeutils@WideRegReadStr\$qqru | 1 |
| @Aimpunicodeutils@WideRegWriteStr\$qqru | 1 |
| @Aimpunicodeutils@WideRegClose\$qqru | 1 |
| @Aimpunicodeutils@WideRegValueExists\$qq | 1 |
| @Aimpunicodeutils@WideRegReadDefaultS | 1 |
| @Aimpunicodeutils@WideRegWriteInt\$qqri | 1 |
| @Aimpunicodeutils@WideRegWriteDefault | 1 |
| @Aimpunicodeutils@WideRegKeyExists\$qqi | 1 |
| @Aimpunicodeutils@WideRegDeleteValue\$qq | 1 |
| @Aimpunicodeutils@WideRegKeyDeleteWi | 1 |
| @Aimpunicodeutils@WideSetText\$qq | 1 |
| @Aimpunicodeutils@WideValidatePath\$qqr | 1 |
| @Aimpunicodeutils@WideValidateDirName | 1 |
| @Aimpunicodeutils@WideTrim\$qqrx17Syst | 1 |
| @Aimpunicodeutils@WideSelfPath\$qqrv | 1 |
| @Aimpunicodeutils@WideSelfExeName\$qq | 1 |
| @Aimpunicodeutils@WideSystemName\$qq | 1 |
| @Aimpunicodeutils@WideSubPath\$qqrx1 | 1 |
| @Aimpunicodeutils@WideOurFile\$qqrx1 | 1 |

| | |
|--|---|
| @Aimpunicodeutils@WideFromAnsi\$qqrx17 | 1 |
| @Aimpunicodeutils@AnsiFromWide\$qqrx17 | 1 |
| @Aimpunicodeutils@WideExtractFilePath\$qc | 1 |
| @Aimpunicodeutils@WideExtractFileName\ | 1 |
| @Aimpunicodeutils@WideExtractFileName\\$ | 1 |
| @Aimpunicodeutils@WideExtractFileExt\$qq | 1 |
| @Aimpunicodeutils@WideExtractFileDir\$qq | 1 |
| @Aimpunicodeutils@WideExpandFileName! | 1 |
| @Aimpunicodeutils@WideChangeFileExt\$qqc | 1 |
| @Aimpunicodeutils@Shell_ShutDown\$qqrx3 | 1 |
| @Aimpunicodeutils@Shell_Execute\$qqrx17! | 1 |
| @Aimpunicodeutils@Shell_DeleteFile\$qqrx17 | 1 |
| @Aimpunicodeutils@TFileStreamW@Write\$ | 1 |
| @Aimpunicodeutils@TFileStreamW@\$bctr\$ | 1 |
| @Aimpunicodeutils@WideParamStr\$qqri | 1 |
| @Aimpunicodeutils@WideFindNext\$qqrr28 | 1 |
| @Aimpunicodeutils@WideFindFirst\$qqrx17! | 1 |
| @Aimpunicodeutils@WideFindSimple\$qqrx17 | 1 |
| @Aimpunicodeutils@WideFileExists\$qqrx17 | 1 |
| @Aimpunicodeutils@WideDirectoryExists\$qq | 1 |
| @Aimpunicodeutils@WideDeleteFile\$qqrx17 | 1 |
| @Aimpunicodeutils@WideCopyFile\$qqrx17! | 1 |
| @Aimpunicodeutils@WideSameText\$qqrx17 | 1 |
| @Aimpunicodeutils@IfThenW\$qqrx17Syste | 1 |
| @Aimpunicodeutils@IfThenW\$qqrox17Syste | 1 |
| @Aimpunicodeutils@WideStrLCopy\$qqrb1 | 1 |
| @Aimpunicodeutils@WideModulePath\$qqri | 1 |
| @Aimpunicodeutils@WideModuleHandle\$qq | 1 |
| @Aimpunicodeutils@WideLogicalCompare\$ | 1 |
| @Aimpunicodeutils@WideLoadLibrary\$qqrx17 | 1 |
| @Aimpunicodeutils@WideSetCurrentDir\$qc | 1 |
| @Aimpunicodeutils@Shell_GetMyDocumen | 1 |
| @Aimpunicodeutils@WideMoveEx\$qqrx17S | 1 |
| @Aimpunicodeutils@WindowsVersion\$qqrv | 1 |
| @Aimpunicodeutils@DecodeUTF8\$qqrx17Sy | 1 |
| @Aimpunicodeutils@DupeString\$qqrx17Sys | 1 |
| @Aimpunicodeutils@SilentStrToInt\$qqrx17S | 1 |
| @Aimpunicodeutils@WideFileSize\$qqrx17Sy | 1 |
| @Aimpunicodeutils@LimitFloat\$qqrfff | 1 |
| @Aimpunicodeutils@Limit\$qqriii | 1 |
| @Aimpunicodeutils@FindTaskbar\$qqrr11Ty | 1 |
| @Aimpunicodeutils@SendDataToApp\$qqrx17 | 1 |
| @Aimpunicodeutils@MinimizeMemoryUsag | 1 |
| @Aimpunicodeutils@Size\$qqrii | 1 |
| @Aimpunicodeutils@TrackFormat\$qqri | 1 |
| @Aimpunicodeutils@SizeFormat\$qqrjo | 1 |
| @Aimpunicodeutils@AIMP_CompareString\$ | 1 |

| | |
|---|---|
| @Aimpunicodeutils@WideElfHash\$qqrx17S' | 1 |
| @Aimpunicodeutils@AnsiElfHash\$qqrx17Sy: | 1 |
| @Aimpunicodeutils@DefaultSystemCodePage | 1 |
| @\$xp\$28Aimpunicodeutils@TSearchRecW@ | 1 |
| @Aimpunicodeutils@TFileStreamW@ | 1 |
| @\$xp\$28Aimpunicodeutils@TWideStrArr | 1 |
| @Aimpunicodeutils@NullPoint | 1 |
| @Aimpunicodeutils@NullRect | 1 |
| @Aimpunicodeutils@AIMPSigns | 1 |
| @Comobj@TComObject@\$bctr\$qqrv | 1 |
| @Aimp_coreclasses@AIMP_IsLocalShortCut | 1 |
| @Aimp_coreclasses@TAIMP2VirtualFilesManager | 1 |
| @Aimp_coreclasses@TAIMP2VirtualFile@Get | 1 |
| @Aimp_coreclasses@TAIMP2VirtualFile@Get | 1 |
| @Aimp_coreclasses@TAIMP2VirtualFile@Create | 1 |
| @Aimp_coreclasses@TAIMP2VirtualFile@\$t | 1 |
| @Aimp_coreclasses@TAIMPAlphaBlendManager | 1 |
| @Aimp_coreclasses@TAIMPFileTypeManager | 1 |
| @Aimp_coreclasses@TAIMPFileTypeManager | 1 |
| @Aimp_coreclasses@TAIMPWavWriteStream | 1 |
| @Aimp_coreclasses@TAIMP2CustomTag@\$S | 1 |
| @Aimp_coreclasses@TAIMP2CustomTag@C | 1 |
| @Aimp_coreclasses@TAIMP2CustomTag@\$ | 1 |
| @Aimp_coreclasses@ProcessSelectedMessage | 1 |
| @Aimp_coreclasses@VirtualFilesManager | 1 |
| @Aimp_coreclasses@PlayerController | 1 |
| @Aimp_coreclasses@TAIMPFileTypeManager | 1 |
| @Aimp_coreclasses@TAIMPWavWriteStream | 1 |
| @Aimp_coreclasses@TAIMPAlphaBlendManager | 1 |
| @Aimp_coreclasses@TAIMP2VirtualFile@ | 1 |
| @Aimp_coreclasses@TAIMP2VirtualFileStre | 1 |
| @Aimp_coreclasses@TAIMP2CustomTag@\$ | 1 |
| BASS_FXSetParameters | 1 |

| | |
|---|---|
| BASS_ChannelSlideAttribute | 1 |
| BASS_ChannelGetAttribute | 1 |
| BASS_ChannelSetAttribute | 1 |
| BASS_ChannelRemoveFX | 1 |
| BASS_ChannelSetFX | 1 |
| BASS_ChannelRemoveDSP | 1 |
| BASS_ChannelSetDSP | 1 |
| BASS_ChannelSetSync | 1 |
| BASS_ChannelRemoveSync | 1 |
| BASS_ChannelIsSliding | 1 |
| BASS_ChannelGetTags | 1 |
| BASS_ChannelGetData | 1 |
| BASS_ChannelGetLevel | 1 |
| BASS_ChannelSeconds2Bytes | 1 |
| BASS_ChannelGetPosition | 1 |
| BASS_ChannelSetPosition | 1 |
| BASS_StreamCreateURL | 1 |
| BASS_StreamCreate | 1 |
| BASS_PluginGetInfo | 1 |
| BASS_PluginFree | 1 |
| BASS_PluginLoad | 1 |
| BASS_SetConfigPtr | 1 |
| BASS_SetVolume | 1 |
| BASS_SetDevice | 1 |
| BASS_GetDeviceInfo | 1 |
| BASS_GetDevice | 1 |
| @Bassapi@initialization\$qqrv | 1 |
| @Bassapi@Finalization\$qqrv | 1 |
| @Bassapi@LoadAddonBASS\$qqrv | 1 |
| @Bassapi@BassFuncs | 1 |
| @Bassapi@BASSErrors | 1 |
| @Aimp_moduleapi@initialization\$qqrv | 1 |
| @Aimp_moduleapi@Finalization\$qqrv | 1 |
| @\$xp\$38Aimp_moduleapi@IAIMP2Scheduler | 1 |
| @\$xp\$31Aimp_moduleapi@IAIMP2Module | 1 |
| @\$xp\$35Aimp_moduleapi@IAIMP2Custom | 1 |
| @Aimp_sdk@initialization\$qqrv | 1 |
| @Aimp_sdk@Finalization\$qqrv | 1 |
| @\$xp\$27Aimp_sdk@IAIMP2VisualPlugin | 1 |
| @\$xp\$25Aimp_sdk@IAIMPAddonHeader | 1 |
| @\$xp\$26Aimp_sdk@IAIMP2OptionFrame | 1 |
| @Aimp_const@initialization\$qqrv | 1 |
| @Aimp_const@Finalization\$qqrv | 1 |
| @Aimp_const@AIMP_Version\$qqrv | 1 |
| @Aimp_const@AIMP_VersionStr\$qqrv | 1 |
| @Aimp_const@AIMP_VersionDate\$qqrv | 1 |
| @Aimp_const@AIMP_Warning\$qqrx17System | 1 |

| | |
|--|---|
| @Aimp_const@StayOnTopFlags | 1 |
| @\$xp\$30Aimp_const@TProgramVersionInfo | 1 |
| @Aimp_pls_manager@initialization\$qqrv | 1 |
| @Aimp_pls_manager@Finalization\$qqrv | 1 |
| @Aimp_pls_manager@TAIMPPlaylistManag | 1 |
| @Aimp_pls_manager@SavePlaylist\$qqrx17: | 1 |
| @Aimp_pls_manager@AIMP2_PlaylistCanSe | 1 |
| @Aimp_pls_manager@AIMP2_GetSavePlay | 1 |
| @Aimp_pls_manager@GlobalManager | 1 |
| @Aimp_pls_manager@SaveFullPath | 1 |
| @\$xp\$30Aimp_pls_manager@TPlaylistInfo | 1 |
| @Aimp_sys@initialization\$qqrv | 1 |
| @Aimp_sys@Finalization\$qqrv | 1 |
| @Aimp_sys@FormatDemoString\$qqrx17Sys | 1 |
| @Aimp_sys@Resource_LoadImageList\$qqrq | 1 |
| @Aimp_sys@Resource_FindStream\$qqrx17: | 1 |
| @Aimp_sys@TAIMPPlaylistEntry@SetFileName | 1 |
| @Aimp_sys@TAIMPPlaylistEntry@SetFlag\$cc | 1 |
| @Aimp_sys@TAIMPPlaylistEntry@GetFlag\$cc | 1 |
| @Aimp_sys@TAIMPPlaylistEntry@SetInfo\$c | 1 |
| @Aimp_sys@TAIMPPlaylistEntry@GetInfo\$c | 1 |
| @Aimp_sys@TAIMPPlaylistEntry@GetTrack | 1 |
| @Aimp_sys@TAIMPPlaylistEntry@GetItemT | 1 |
| @Aimp_sys@TAIMPPlaylistEntry@GetItemT | 1 |
| @Aimp_sys@TAIMPPlaylistEntry@GetIsEmpty | 1 |
| @Aimp_sys@TAIMPPlaylistEntry@Clone\$qc | 1 |
| @Aimp_sys@TAIMPPlaylistEntry@Clear\$qq | 1 |
| @Aimp_sys@TAIMPPlaylistEntry@Assign\$qq | 1 |
| @Aimp_sys@TAIMPPlaylistEntry@Assign\$qq | 1 |
| @Aimp_sys@TAIMPPlaylistEntry@\$bctr\$qq | 1 |
| @Aimp_sys@TAIMPPlaylistEntry@\$bctr\$qq | 1 |
| @Aimp_sys@TAIMPRatingStars@Paint\$qqri | 1 |
| @Aimp_sys@TAIMPRatingStars@Paint\$qqri | 1 |
| @Aimp_sys@TAIMPRatingStars@SetToPos\$ | 1 |
| @Aimp_sys@TAIMPRatingStars@SetRating\$ | 1 |
| @Aimp_sys@TAIMPRatingStars@SetEnable\$ | 1 |
| @Aimp_sys@TAIMPRatingStars@GetWidth\$ | 1 |
| @Aimp_sys@TAIMPRatingStars@GetHeight\$ | 1 |
| @Aimp_sys@TAIMPRatingStars@MouseHover\$ | 1 |
| @Aimp_sys@TAIMPRatingStars@MouseClick\$ | 1 |
| @Aimp_sys@TAIMPRatingStars@ResetText\$ | 1 |
| @Aimp_sys@TAIMPRatingStars@LoadFrom\$ | 1 |
| @Aimp_sys@TAIMPRatingStars@\$bctr\$qqri | 1 |
| @Aimp_sys@AssignFullInfoFromPlaylistEntr | 1 |

| | |
|--|---|
| @Aimp_sys@CopyPlsEntryToFileInfo\$qqrpx: | 1 |
| @Aimp_sys@CopyFileInfoToPlsEntry\$qqrpx: | 1 |
| @Aimp_sys@NowStr\$qqrv | 1 |
| @Aimp_sys@FormatString\$qqrx17System@ | 1 |
| @Aimp_sys@FormatString\$qqrx17System@ | 1 |
| @Aimp_sys@AIMP_InitInternalSkinsEngine\$ | 1 |
| @Aimp_sys@FormatTime\$qqri | 1 |
| @Aimp_sys@SubFormatText | 1 |
| @Aimp_sys@PlaylistEntryHelper | 1 |
| @Aimp_sys@FmtPlsItem | 1 |
| @Aimp_sys@TAIMPRatingStars@ | 1 |
| @Aimp_sys@TAIMPPlaylistEntry@ | 1 |
| @Myskingdiplus@initialization\$qqrv | 1 |
| @Myskingdiplus@Finalization\$qqrv | 1 |
| @Myskingdiplus@TMySkinGDIPlusImage@[| 1 |
| @Myskingdiplus@TMySkinGDIPlusImage@\$ | 1 |
| @Myskingdiplus@TMySkinGDIPlusImage@\$ | 1 |
| @Myskingdiplus@MyImageStretchResult\$qi | 1 |
| @Myskingdiplus@TMySkinGDIPlusImage@ | 1 |
| @Myskinggraphics@initialization\$qqrv | 1 |
| @Myskinggraphics@Finalization\$qqrv | 1 |
| @Myskinggraphics@TMyFontSymbolSizeTabl | 1 |
| @Myskinggraphics@TMyFontSymbolSizeTabl | 1 |
| @Myskinggraphics@TAIMPBoldFontCache@` | 1 |
| @Myskinggraphics@TAIMPBoldFontCache@` | 1 |
| @Myskinggraphics@TAIMPBoldFontCache@` | 1 |
| @Myskinggraphics@ChangeColorHue\$qqrr1E | 1 |
| @Myskinggraphics@AddDarkness\$qqr15Gra | 1 |
| @Myskinggraphics@DrawHueColorBar\$qqrp: | 1 |
| @Myskinggraphics@DrawHueIntensityBar\$qq | 1 |
| @Myskinggraphics@DrawGradient\$qqrp16Gi | 1 |
| @Myskinggraphics@DrawGradientHorizontal | 1 |
| @Myskinggraphics@CanvasFocusRect\$qqrp1 | 1 |
| @Myskinggraphics@CanvasFillRect\$qqruirx1: | 1 |
| @Myskinggraphics@CanvasExcludeRect\$qqri | 1 |
| @Myskinggraphics@CanvasLeftRect\$qqrrx11 | 1 |
| @Myskinggraphics@CanvasOffsetRect\$qqrrx | 1 |
| @Myskinggraphics@CanvasInflateRect\$qqrrx | 1 |
| @Myskinggraphics@CanvasCenterRect\$qqrrx | 1 |
| @Myskinggraphics@RectSetSize\$qqrrx11Typ | 1 |
| @Myskinggraphics@RectContent\$qqrrx11Typ | 1 |
| @Myskinggraphics@RectCenterHeight\$qqrrx | 1 |
| @Myskinggraphics@CanvasDrawFrame\$qqru | 1 |
| @Myskinggraphics@MyRectHeight\$qqrrx11T | 1 |
| @Myskinggraphics@MyRectSetPos\$qqrrx11T | 1 |
| @Myskinggraphics@MyRectsetWidth\$qqrrx1 | 1 |
| @Myskinggraphics@MyRectSetLeft\$qqrrx11T | 1 |

| | |
|---|---|
| @Myskingraphics@MyRectSetHeight\$qqrrx: | 1 |
| @Myskingraphics@MyRectWidth\$qqrrx11T\ | 1 |
| @Myskingraphics@TMyBitmapFX@DrawMi\ | 1 |
| @Myskingraphics@TMyBitmapFX@CreateR\ | 1 |
| @Myskingraphics@TMyDoubleBuffer@\$bct | 1 |
| @Myskingraphics@TMyCustomBitmap@Ma | 1 |
| @Myskingraphics@TMyCustomBitmap@Ch\ | 1 |
| @Myskingraphics@TMyCustomBitmap@Cle | 1 |
| @Myskingraphics@TMyCustomBitmap@Set | 1 |
| @Myskingraphics@TMyCustomBitmap@Dra | 1 |
| @Myskingraphics@TMyCustomBitmap@Dra | 1 |
| @Myskingraphics@TMyCustomBitmap@Dra | 1 |
| @Myskingraphics@TMyCustomBitmap@Ge\ | 1 |
| @Myskingraphics@TMyCustomBitmap@\$bc | 1 |
| @Myskingraphics@TMyCustomBitmap@\$bc | 1 |
| @Myskingraphics@MyStretchDraw\$qqruiui | 1 |
| @Myskingraphics@MyStretchBlt\$qqruiuirx1 | 1 |
| @Myskingraphics@MyBitBlt\$qqruip16Grap\ | 1 |
| @Myskingraphics@MyBitBlt\$qqruuiirx11Ty\ | 1 |
| @Myskingraphics@MyAlphaBlend\$qqruip1\ | 1 |
| @Myskingraphics@MyAlphaBlend\$qqruip1\ | 1 |
| @Myskingraphics@AlphaBlendFillRegion\$qq | 1 |
| @Myskingraphics@PixelFilterAlphaBlend\$qq | 1 |
| @Myskingraphics@MyGetBitmapBits\$qqrp1 | 1 |
| @Myskingraphics@WideTextOut\$qqruiiix17 | 1 |
| @Myskingraphics@WideTextDraw\$qqruix17 | 1 |
| @Myskingraphics@WideTextDraw\$qqruiuix | 1 |
| @Myskingraphics@WideGetTextSize\$qqruix | 1 |
| @Myskingraphics@MyStringToFont\$qqrx17: | 1 |
| @Myskingraphics@MyGetProportionalSizes | 1 |
| @Myskingraphics@MyIntToFontStyle\$qqri | 1 |
| @\$xp\$25Myskingraphics@TRGBColors | 1 |
| @Myskingraphics@TMyFontSymbolSizeTabl | 1 |
| @Myskingraphics@TAIMPBoldFontCache@ | 1 |
| @Myskingraphics@TMyBitmapFX@ | 1 |
| @\$xp\$30Myskingraphics@TMyCustomBitm\ | 1 |
| @Myskingraphics@TMyCustomBitmap@ | 1 |
| @Myskingraphics@TMyDoubleBuffer@ | 1 |
| @Myskinengine@TMySkinCustomTheme@C | 1 |
| @Myskinengine@MasterSkinDrawer\$qqrv | 1 |
| @Myskinengine@MyAligns | 1 |
| @Myskinbitmap32@initialization\$qqrv | 1 |
| @Myskinbitmap32@Finalization\$qqrv | 1 |
| @Myskinbitmap32@TMySkinBitmap32@Set | 1 |
| @Myskinbitmap32@TMySkinBitmap32@Ge | 1 |

| | |
|--|---|
| @Myskinbitmap32@TMySkinBitmap32@GetImage | 1 |
| @Myskinbitmap32@TMySkinBitmap32@SaveImage | 1 |
| @Myskinbitmap32@TMySkinBitmap32@LoadImage | 1 |
| @Myskinbitmap32@TMySkinBitmap32@SaveImage | 1 |
| @Myskinbitmap32@TMySkinBitmap32@LoadImage | 1 |
| @Myskinbitmap32@TMySkinBitmap32@Image | 1 |
| @Myskinbitmap32@TMySkinBitmap32@Image | 1 |
| @Myskinbitmap32@TMySkinBitmap32@DrawImage | 1 |
| @Myskinbitmap32@TMySkinBitmap32@ClearImage | 1 |
| @Myskinbitmap32@TMySkinBitmap32@ChangeImage | 1 |
| @Myskinbitmap32@TMySkinBitmap32@CalculateImage | 1 |
| @Myskinbitmap32@TMySkinBitmap32@\$bmpr | 1 |
| @Myskinbitmap32@TMySkinBitmap32@\$bmpr | 1 |
| @Myskinbitmap32@StretchModeToBmp32 | 1 |
| @Myskinbitmap32@TMySkinBitmap32@ | 1 |
| @Myskinctrls@TMySkinRadioGroup@SetItem | 1 |
| @Myskinctrls@TMySkinGroupBox@SetCaption | 1 |
| @Myskinctrls@TMySkinCheckBox@SetTransparent | 1 |
| @Myskinctrls@TMySkinCheckBox@SetState | 1 |
| @Myskinctrls@TMySkinCheckBox@\$bctr\$qr | 1 |
| @Myskinctrls@TMySkinPanel@SetBorderSize | 1 |
| @Myskinctrls@TMySkinPanel@Paint\$qqrv | 1 |
| @Myskinctrls@TMySkinPanel@GetHasTransparent | 1 |
| @Myskinctrls@TMySkinPanel@AdjustClient | 1 |
| @Myskinctrls@TMySkinPanel@\$bdtr\$qqrv | 1 |
| @Myskinctrls@TMySkinPanel@\$bctr\$qqrp1 | 1 |
| @Myskinctrls@TMySkinContainer@GetHasL | 1 |
| @Myskinctrls@TMySkinContainer@GetAnimation | 1 |
| @Myskinctrls@TMySkinContainer@GetTheme | 1 |
| @Myskinctrls@TMySkinContainer@SetSource | 1 |
| @Myskinctrls@TMySkinContainer@Notification | 1 |
| @Myskinctrls@TMySkinContainer@PaintWindow | 1 |
| @Myskinctrls@TMySkinContainer@WndProc | 1 |
| @Myskinctrls@TMySkinContainer@Update | 1 |
| @Myskinctrls@TMySkinContainer@DoSkinControl | 1 |
| @Myskinctrls@TMySkinContainer@MouseEvent | 1 |
| @Myskinctrls@TMySkinContainer@MouseLeave | 1 |
| @Myskinctrls@TMySkinContainer@DrawPath | 1 |
| @Myskinctrls@TMySkinButton@DrawBackground | 1 |
| @Myskinctrls@TMySkinButton@SetHint\$qq | 1 |
| @Myskinctrls@TMySkinButton@DrawText\$qq | 1 |
| @Myskinctrls@TMySkinButton@DrawContent | 1 |
| @Myskinctrls@TMySkinButton@Notification | 1 |

| | |
|--|---|
| @Myskinctrls@TMySkinButton@IsMouseAt | 1 |
| @Myskinctrls@TMySkinButton@GetTextRec | 1 |
| @Myskinctrls@TMySkinButton@GetHasTrar | 1 |
| @Myskinctrls@TMySkinButton@GetButton1 | 1 |
| @Myskinctrls@TMySkinButton@\$bctr\$qqrp | 1 |
| @Myskinctrls@TMySkinCustomButton@Pai | 1 |
| @Myskinctrls@TMySkinCustomButton@DoS | 1 |
| @Myskinctrls@TMySkinCustomButton@Get | 1 |
| @Myskinctrls@TMySkinCustom@IsCaptionS | 1 |
| @Myskinctrls@TMySkinCustom@SetHint\$q | 1 |
| @Myskinctrls@TMySkinCustom@Notificatio | 1 |
| @Myskinctrls@TMySkinCustom@UpdateTra | 1 |
| @Myskinctrls@TMySkinCustom@DoSkinCh | 1 |
| @Myskinctrls@TMySkinCustom@GetHint\$q | 1 |
| @Myskinctrls@TMySkinCustom@GetTheme | 1 |
| @Myskinctrls@TMySkinCustom@GetSource | 1 |
| @Myskinctrls@TMySkinCustom@\$bctr\$qqrj | 1 |
| @Myskinctrls@TMySkinCustomControl@Mc | 1 |
| @Myskinctrls@TMySkinCustomControl@Mc | 1 |
| @Myskinctrls@TMySkinCustomControl@Ge | 1 |
| @Myskinctrls@TMySkinCustomControl@Do | 1 |
| @Myskinctrls@TMySkinCustomControl@IsN | 1 |
| @Myskinctrls@TMySkinCustomControl@\$b | 1 |
| @Myskinctrls@TMySkinThumbSlider@SetPc | 1 |
| @Myskinctrls@TMySkinThumbSlider@SetPa | 1 |
| @Myskinctrls@TMySkinThumbSlider@SetTr | 1 |
| @Myskinctrls@TMySkinThumbSlider@SetVe | 1 |
| @Myskinctrls@TMySkinThumbSlider@\$bctr | 1 |
| @Myskinctrls@TMySkinLabel@MouseLeave | 1 |
| @Myskinctrls@TMySkinLabel@MouseEnter | 1 |
| @Myskinctrls@TMySkinLabel@GetLabelText | 1 |
| @Myskinctrls@TMySkinLabel@SetTranspare | 1 |
| @Myskinctrls@TMySkinLabel@SetAlignmen | 1 |
| @Myskinctrls@TMySkinLabel@SetUrl\$qqrx1 | 1 |
| @Myskinctrls@TMySkinLabel@GetHasTrans | 1 |
| @Myskinctrls@TMySkinLabel@\$bdtr\$qqrv | 1 |
| @Myskinctrls@TMySkinLabel@\$bctr\$qqrp1 | 1 |
| @Myskinctrls@TMySkinFillInfo@SetDraw\$q | 1 |
| @Myskinctrls@TMySkinFillInfo@SetColor\$q | 1 |
| @Myskinctrls@DrawGradientBorder\$qqrp1 | 1 |
| @Myskinctrls@TMySkinFormHeader@ | 1 |
| @\$xp\$24Myskinctrls@TMySkinLabel | 1 |
| @Myskinctrls@TMySkinRoundBevel@ | 1 |
| @Myskinctrls@TMySkinThumbSlider@ | 1 |

| | |
|--|---|
| @Tntforms@Finalization\$qqrv | 1 |
| @Tntforms@TTntForm@SetCaption\$qqrx17 | 1 |
| @Tntforms@TTntForm@GetCaption\$qqrv | 1 |
| @Tntforms@TTntForm@DefaultHandler\$qq | 1 |
| @Tntforms@TTntForm@DefineProperties\$c | 1 |
| @Tntforms@TTntForm@DestroyWindowHa | 1 |
| @Tntforms@TTntForm@CreateWindowHan | 1 |
| @Tntforms@TTntForm@\$bctr\$qqrp18Class | 1 |
| @Tntcontrols@initialization\$qqrv | 1 |
| @Tntcontrols@Finalization\$qqrv | 1 |
| @Tntcontrols@TTntCustomControl@Define | 1 |
| @Tntcontrols@TTntCustomControl@Create' | 1 |
| @Tntactnlist@initialization\$qqrv | 1 |
| @Tntactnlist@Finalization\$qqrv | 1 |
| @Tntactnlist@TTntAction@SetHint\$qqrx17S | 1 |
| @Tntactnlist@TTntAction@GetHint\$qqrv | 1 |
| @Tntactnlist@TTntAction@SetCaption\$qqrx | 1 |
| @Tntactnlist@TTntAction@GetCaption\$qqrx | 1 |
| @Tntactnlist@TTntAction@ | 1 |
| @Tntactnlist@TTntActionList@ | 1 |
| @Tntmenus@initialization\$qqrv | 1 |
| @Tntmenus@Finalization\$qqrv | 1 |
| @Tntmenus@TTntPopupMenu@\$bctr\$qqrp | 1 |
| @Tntmenus@TTntMenuItem@SetHint\$qqrx | 1 |
| @Tntmenus@TTntMenuItem@SetCaption\$qqrx | 1 |
| @Tntmenus@TTntPopupMenu@ | 1 |
| @Tntmenus@TTntMenuItem@ | 1 |
| @Tntwidestrings@initialization\$qqrv | 1 |
| @Tntwidestrings@Finalization\$qqrv | 1 |
| @Tntwidestrings@TWideStrings@EndUpdat | 1 |
| @Tntwidestrings@TWideStrings@BeginUpd | 1 |
| @Tntstdctrls@initialization\$qqrv | 1 |
| @Tntstdctrls@Finalization\$qqrv | 1 |
| @Tntstdctrls@TTntCustomEdit@SetText\$qq | 1 |
| @Tntstdctrls@TTntCustomEdit@GetText\$qc | 1 |
| @Tntstdctrls@TTntCustomEdit@GetSelText! | 1 |
| @Tntstdctrls@TTntCustomEdit@SetSelLengt | 1 |
| @Tntstdctrls@TTntCustomEdit@GetSelLengt | 1 |
| @Tntstdctrls@TTntCustomEdit@SetSelStart! | 1 |
| @Tntstdctrls@TTntCustomEdit@GetSelStart | 1 |
| @Tntstdctrls@TTntCustomEdit@DefineProp | 1 |
| @Tntstdctrls@TTntCustomEdit@CreateWnd | 1 |
| @Tntstdctrls@TTntCustomEdit@CreateWin | 1 |
| @\$xp\$20Tntstdctrls@TTntEdit | 1 |
| @Tntstdctrls@TTntEdit@ | 1 |
| @Aimp_macrosengine@initialization\$qqrv | 1 |
| @Aimp_macrosengine@Finalization\$qqrv | 1 |

| | |
|---|---|
| @Aimp_macrosengine@TAIMPCustomMacr | 1 |
| @Myxmldocument@initialization\$qqrv | 1 |
| @Myxmldocument@Finalization\$qqrv | 1 |
| @Myxmldocument@TMyXMLNode@GetNo | 1 |
| @Myxmldocument@TMyXMLNode@GetCo | 1 |
| @Myxmldocument@TMyXMLNode@Sort\$q | 1 |
| @Myxmldocument@TMyXMLDocument@\$l | 1 |
| @Myxmldocument@TMyXMLDocument@ | 1 |
| @Aimpstrutils@initialization\$qqrv | 1 |
| @Aimpstrutils@Finalization\$qqrv | 1 |
| @Aimpstrutils@ValidateFolderNamesByPatl | 1 |
| @Aimpstrutils@FormatTime2\$qqrj | 1 |
| @Aimpstrutils@CollapseFileName\$qqrx17S\ | 1 |
| @Aimpstrutils@AIMP_MakePath\$qqrx17Sy\ | 1 |
| @Aimpstrutils@GetDriveTitle\$qqrcx17Syst | 1 |
| @Aimp_customforms@initialization\$qqrv | 1 |
| @Aimp_customforms@Finalization\$qqrv | 1 |
| @Aimp_customforms@TAIMPCustomForm(| 1 |
| @Aimp_customforms@TAIMPForm@LangC | 1 |
| @Aimp_customforms@TAIMPForm@\$bctr\$ | 1 |
| @Aimp_customforms@TAIMPDialogLang@I | 1 |
| @Aimp_customforms@TAIMPDialog@IsDia | 1 |
| @Aimp_customforms@TerminateOpenForm | 1 |
| @Aimp_customforms@UpdateAppVisibleSt | 1 |
| @Aimp_customforms@HasActiveModalWin | 1 |
| @Aimp_customforms@DefaultCodePages | 1 |
| @Aimp_customforms@HideTask | 1 |
| @\$xp\$32Aimp_customforms@TAIMPDialog | 1 |
| @Aimp_customforms@TAIMPDialogLang@ | 1 |
| @\$xp\$28Aimp_customforms@TAIMPDialog | 1 |
| @Aimp_customforms@TAIMPDialog@ | 1 |
| @\$xp\$26Aimp_customforms@TAIMPForm | 1 |
| @Aimp_customforms@TAIMPForm@ | 1 |
| @\$xp\$32Aimp_customforms@TAIMPCustor | 1 |
| @Aimp_customforms@TAIMPCustomForm(| 1 |
| @Aimpvirtuallistview@initialization\$qqrv | 1 |
| @Aimpvirtuallistview@Finalization\$qqrv | 1 |
| @Aimpvirtuallistview@TAIMPVirtualLVCustom | 1 |

| | |
|---|---|
| @Aimpmultilangs@GetSectionData\$qqrx17` | 1 |
| @Aimpmultilangs@WideFileDeletionQuery\$ | 1 |
| @Aimpmultilangs@OnLangChanged | 1 |
| @Aimpmultilangs@LangFile | 1 |
| @\$xp\$28Aimpmultilangs@TAIMPLangData | 1 |
| @Myskinctrlsex@initialization\$qqrv | 1 |
| @Myskinctrlsex@Finalization\$qqrv | 1 |
| @Myskinctrlsex@TMySkinComboBox@GetI | 1 |
| @Myskinctrlsex@TMySkinComboBox@SetIt | 1 |
| @Myskinctrlsex@TMySkinComboBox@AddI | 1 |
| @Myskinctrlsex@TMySkinComboBox@SetIt | 1 |
| @Myskinctrlsex@TMySkinHotKeyEdit@SetH | 1 |
| @Myskinctrlsex@TMySkinHotKeyEdit@\$bct | 1 |
| @Myskinctrlsex@TMySkinComboBox@ | 1 |
| @Myskinctrlsex@TMySkinHotKeyEdit@ | 1 |
| @Myskinctrlsex@TMySkinButtonEx@ | 1 |
| @Aimp_wizard@initialization\$qqrv | 1 |
| @Aimp_wizard@Finalization\$qqrv | 1 |
| @Aimp_wizard@TAIMPLangListInfo@ | 1 |
| BASS_CD_StreamCreate | 1 |
| BASS_CD_GetTracks | 1 |
| BASS_CD_GetTrackLength | 1 |
| BASS_FX_TempoCreate | 1 |
| BASS_Encode_Write | 1 |
| BASS_Encode_Start | 1 |
| @Bassapiaddons@initialization\$qqrv | 1 |
| @Bassapiaddons@Finalization\$qqrv | 1 |
| @Bassapiaddons@BASS_CTYPE_GetInfo\$qq | 1 |
| @Bassapiaddons@BASS_CTYPE_GetFmt\$qq | 1 |
| @\$xp\$29Bassapiaddons@BASS_CTYPE_INF | 1 |
| @Aimp_networks@initialization\$qqrv | 1 |
| @Aimp_networks@Finalization\$qqrv | 1 |
| @Aimp_networks@TAIMPPProxySettings@Se | 1 |
| @Aimp_networks@TAIMPPProxySettings@G | 1 |
| @Aimp_networks@TAIMPPProxySettings@S | 1 |
| @Aimp_networks@TAIMPPProxySettings@Lc | 1 |
| @Aimp_networks@AIMP_NetWork_Downloa | 1 |
| @Aimp_networks@ProxySettings\$qqrv | 1 |
| @Aimp_parsers@initialization\$qqrv | 1 |
| @Aimp_parsers@Finalization\$qqrv | 1 |
| @Aimp_parsers@TAIMP2CDTextParser@Ex | 1 |
| @Aimp_parsers@TAIMP2MetaParser@IsBu | 1 |
| @Aimp_parsers@TAIMP2MetaParser@Extr | 1 |

| | |
|--|---|
| @Aimp_parsers@TAIMP2MetaParser@End | 1 |
| @Aimp_parsers@TAIMP2MetaParser@Begin | 1 |
| @Aimp_parsers@TAIMP2CmdLineEncoderH | 1 |
| @Aimp_parsers@CountOfChar\$qqrpcc | 1 |
| @Aimp_parsers@WideReplaceMacros\$qqrx | 1 |
| @Aimp_parsers@WideRemoveSpecSymbols\$qqrx | 1 |
| @Aimp_parsers@TAIMP2CDTextParser@ | 1 |
| @Aimp_parsers@TAIMP2CmdLineEncoderH | 1 |
| @Aimp_parsers@TAIMP2MetaParser@ | 1 |
| @Aimp2_tagscore@initialization\$qqrv | 1 |
| @Aimp2_tagscore@Finalization\$qqrv | 1 |
| @Aimp2_tagscore@TAIMP2TagsManager@ | 1 |
| @Aimp2_tagscore@TAIMP2CustomFileTagC | 1 |
| @Aimp2_tagscore@AIMP2_TE_GetFullInfo\$qqrv | 1 |
| @Aimp2_tagscore@AIMP2_TE_WriteSuppo | 1 |
| @Aimp2_tagscore@AIMP2_TE_GetGenreCa | 1 |
| @Aimp2_tagscore@TagsManager\$qqrv | 1 |
| @Aimp2_tagscore@TAIMP2CustomFileTagC | 1 |
| @Aimp2_wmafile@initialization\$qqrv | 1 |
| @Aimp2_wmafile@Finalization\$qqrv | 1 |
| @Aimp2_flacfile@initialization\$qqrv | 1 |
| @Aimp2_flacfile@Finalization\$qqrv | 1 |
| @Aimp2_id3file@initialization\$qqrv | 1 |
| @Aimp2_id3file@Finalization\$qqrv | 1 |
| @Aimp2_oggfile@initialization\$qqrv | 1 |
| @Aimp2_oggfile@Finalization\$qqrv | 1 |
| @Aimp2_apefile@initialization\$qqrv | 1 |
| @Aimp2_apefile@Finalization\$qqrv | 1 |
| @Aimp2_wavfile@initialization\$qqrv | 1 |
| @Aimp2_wavfile@Finalization\$qqrv | 1 |
| @Aimp2_aacfile@initialization\$qqrv | 1 |
| @Aimp2_aacfile@Finalization\$qqrv | 1 |
| @Aimp2_mpcfile@initialization\$qqrv | 1 |
| @Aimp2_mpcfile@Finalization\$qqrv | 1 |
| @Aimp2_coverartdownloader@initializatior | 1 |
| @Aimp2_coverartdownloader@Finalizati | 1 |
| @Mydialogs@initialization\$qqrv | 1 |
| @Mydialogs@Finalization\$qqrv | 1 |

| | |
|---|---|
| @Mydialogs@TMyFileDialog@SetFileName\$ | 1 |
| @Mydialogs@TMyFileDialog@\$bctr\$qqrp18 | 1 |
| @Mydialogs@MyDialogActiveCount\$qqrv | 1 |
| @Aimp_inputcue@initialization\$qqrv | 1 |
| @Aimp_inputcue@Finalization\$qqrv | 1 |
| @Aimp_inputcue@TAIMP2Cueltem@GetStc | 1 |
| @Aimp_inputcue@TAIMP2Cueltem@GetNe | 1 |
| @Aimp_inputcue@TAIMP2Cueltem@Make' | 1 |
| @Aimp_inputcue@TAIMP2Cueltem@GetInf | 1 |
| @Aimp_inputcue@TAIMP2CueSheet@Unlo | 1 |
| @Aimp_inputcue@TAIMP2CueSheet@Lock\$ | 1 |
| @Aimp_inputcue@TAIMP2CueSheet@IsPos | 1 |
| @Aimp_inputcue@TAIMP2CueSheet@FindI | 1 |
| @\$xp\$35Aimp_inputcue@IAIMP2CueInfoLis | 1 |
| @Aimp_inputcue@TAIMP2Cueltem@ | 1 |
| @Aimpdroptarget@initialization\$qqrv | 1 |
| @Aimpdroptarget@Finalization\$qqrv | 1 |
| @Aimpdroptarget@TDropDataObject@\$bdt | 1 |
| @Aimpdroptarget@TDropDataObject@\$bct | 1 |
| @Aimpdroptarget@TFileDropSource@\$bctr | 1 |
| @Aimpdroptarget@TAIMPDropTarget@Unr | 1 |
| @Aimpdroptarget@TAIMPDropTarget@Reg | 1 |
| @Aimpdroptarget@TAIMPDropTarget@\$bc | 1 |
| @Aimpdroptarget@AIMPDropAloneFile\$qqi | 1 |
| @Aimpdroptarget@TFileDropSource@ | 1 |
| @Aimpdroptarget@TDropDataObject@ | 1 |
| @Aimpdroptarget@TAIMPDropTarget@ | 1 |
| @Myskinshell@MyShellSelectPath\$qqrr17S\ | 1 |
| @Myskinshell@MyShellSelectPath\$qqrr17S\ | 1 |
| @Myskinshell@MyShellIsDialogActive\$qqrv | 1 |
| @Aimpvirtualtreeview@initialization\$qqrv | 1 |
| @Aimpvirtualtreeview@Finalization\$qqrv | 1 |
| @Aimpvirtualtreeview@TAIMPVirtualTreeV | 1 |
| @Aimp_virtualpopup@initialization\$qqrv | 1 |
| @Aimp_editpopup@Finalization\$qqrv | 1 |

| | |
|---|-----------|
| @Aimp_quickeditor@initialization\$qqrv | 1 |
| @Aimp_quickeditor@Finalization\$qqrv | 1 |
| @Aimp2_autotagdialog@initialization\$qqrv | 1 |
| @Aimp2_autotagdialog@Finalization\$qqrv | 1 |
| @Aimp_dialogs@initialization\$qqrv | 1 |
| @Aimp_dialogs@Finalization\$qqrv | 1 |
| @Mytrayicon@initialization\$qqrv | 1 |
| @Mytrayicon@Finalization\$qqrv | 1 |
| @Mytrayicon@TMyTrayIcon@HideTaskbarIcon\$qqrv | 1 |
| @Mytrayicon@TMyTrayIcon@SetHint\$qqrv | 1 |
| @Mytrayicon@TMyTrayIcon@SetIconIndex\$qqrv | 1 |
| @Mytrayicon@TMyTrayIcon@SetSetting\$qqrv | 1 |
| @Mytrayicon@TMyTrayIcon@GetSetting\$qqrv | 1 |
| @Mytrayicon@MyTrayIconGetIsMouseAtIcon\$qqrv | 1 |
| @Mytrayicon@TMyTrayIcon@GetIcon\$qqrv | 1 |
| PL_DHashVoidPtrKeyStub | 1 |
| 96058D0F | 1 |
| 5894EFAB | 1 |
| F22D2AB5 | 1 |
| C539472B | 1 |
| 27719D76 | 1 |
| E63D49DD | 1 |
| 9CD4D609 | 1 |
| 7EC19F6F | 1 |
| 9A72E8C2 | 1 |
| E8FF8C55 | 1 |
| E82EE8E6 | 1 |
| CCCFB87C | 1 |
| DF411E1F | 1 |
| E1109431 | 1 |
| 78E5EC83 | 1 |
| F2D1A941 | 1 |
| FB1D7867 | 1 |
| F26B4E6B | 1 |
| A1731D14 | 1 |
| 9A432267 | 1 |
| 0D00EEC6 | 1 |
| 52BB4691 | 1 |
| 320DD44B | 1 |
| 2A0628F4 | 1 |
| A4D17A4B | 1 |
| | 8688241 |
| F6C7AA32 | 1 |
| F14AD68E | 1 |
| | 5.17E+101 |
| CE15FF3B | 1 |
| 1BCFC01C | 1 |

| | |
|----------|----------|
| 85F9FE9C | 1 |
| 88F51C50 | 1 |
| BF79109D | 1 |
| 10EF3CF0 | 1 |
| 1D53C018 | 1 |
| E7A69191 | 1 |
| D7B0378B | 1 |
| FECA9122 | 1 |
| FE95345E | 1 |
| CC13519F | 1 |
| | 6926728 |
| 68C6537B | 1 |
| 46CF79ED | 1 |
| EABBAFFF | 1 |
| DB095305 | 1 |
| 6D1FE09F | 1 |
| 1D67A9E1 | 1 |
| 91DBC198 | 1 |
| 9426C6CC | 1 |
| 16247B9B | 1 |
| BBA6A457 | 1 |
| 20E5340E | 1 |
| BE88D3C5 | 1 |
| 72CEAB7A | 1 |
| 69A26961 | 1 |
| A7151E76 | 1 |
| FBBD003A | 1 |
| 88FE0E82 | 1 |
| 5E57446D | 1 |
| | 4616021 |
| A7CE457A | 1 |
| 8A00D920 | 1 |
| E847D4EA | 1 |
| 7CC7EC8B | 1 |
| E8B738D5 | 1 |
| 46CDFA81 | 1 |
| B7087EFD | 1 |
| 5C5CECF9 | 1 |
| 2726E3B2 | 1 |
| | 81785982 |
| 145403EC | 1 |
| 562EA4A5 | 1 |
| 0D3CA0F0 | 1 |
| 745E491C | 1 |
| EA83F5C1 | 1 |
| E0DE25F0 | 1 |
| 77822C42 | 1 |

| | |
|----------|---|
| D4D28C6D | 1 |
| 0386C021 | 1 |
| 17C390C8 | 1 |
| BFC0377C | 1 |
| 7AC9D7A6 | 1 |
| FA25B035 | 1 |
| 9D145B14 | 1 |
| AFBD78B8 | 1 |
| FDFEC1B7 | 1 |
| 7B74D4FA | 1 |
| D94CED5D | 1 |
| B3927F64 | 1 |
| 6219D494 | 1 |
| D52B9972 | 1 |
| BBA0119C | 1 |
| B663035F | 1 |
| 0977DE38 | 1 |
| F53CF067 | 1 |
| 04D34E7D | 1 |
| 6F6D1F5C | 1 |
| 9C23ED5F | 1 |
| 5D2ABF12 | 1 |
| AFD4BCFC | 1 |
| B4E62F6A | 1 |
| FD0DB119 | 1 |
| 748D7345 | 1 |
| 1B2CA0D9 | 1 |
| BA10D250 | 1 |
| 337B3980 | 1 |
| 013960B7 | 1 |
| 0F17CDAA | 1 |
| 54D615B6 | 1 |
| 919D8506 | 1 |
| 55C8F3E8 | 1 |
| 26AA9665 | 1 |
| 847BD4D3 | 1 |
| BCA091E5 | 1 |
| CFE88AEA | 1 |
| 87824EE4 | 1 |
| 0C34E51B | 1 |
| B25C537C | 1 |
| 66C686C3 | 1 |
| 52ECD243 | 1 |
| 7F7C111E | 1 |
| 66D5E634 | 1 |
| B2E194DE | 1 |
| 9D8641E8 | 1 |

| | |
|----------|----------|
| 7FF33075 | 1 |
| B8CD19FC | 1 |
| BA6C940C | 1 |
| 76E922A0 | 1 |
| 733A8759 | 1 |
| 8677C9B8 | 1 |
| F57D6B2E | 1 |
| | 61125988 |
| E13C5C73 | 1 |
| 7EBE5EB9 | 1 |
| 8AADBA3A | 1 |
| 6B05CEF5 | 1 |
| 9B0B21D2 | 1 |
| 246925B2 | 1 |
| F5B580AC | 1 |
| 440BA89B | 1 |
| 01F96DD9 | 1 |
| 3E158EA1 | 1 |
| 32BE3E00 | 1 |
| 9E1855D6 | 1 |
| 60F93B26 | 1 |
| 445D56C2 | 1 |
| F3872111 | 1 |
| 4646475B | 1 |
| 49C2B4EA | 1 |
| 8F469778 | 1 |
| 9410A98A | 1 |
| FB17B652 | 1 |
| D7831235 | 1 |
| BE44AC06 | 1 |
| A3237E0D | 1 |
| 02B6A89E | 1 |
| 04ED65D5 | 1 |
| 6F9964A5 | 1 |
| 68622D16 | 1 |
| F89464C8 | 1 |
| C75F4481 | 1 |
| A5CFDEAC | 1 |
| 75A7A6D7 | 1 |
| ECD34FB9 | 1 |
| E3A7B278 | 1 |
| 786457CB | 1 |
| 78CB6BC6 | 1 |
| | 57454109 |
| 2EE2208D | 1 |
| 2EA33A7F | 1 |
| 61BEF12B | 1 |

| | |
|-----------|----------|
| DEE38A9A | 1 |
| 9B4E905F | 1 |
| 9B4CDA70 | 1 |
| 3CFDA8DD | 1 |
| | 80470970 |
| | 21898399 |
| 08BEB3E7 | 1 |
| 038C3166 | 1 |
| 97B3849D | 1 |
| A3B25DFE | 1 |
| C4F25730 | 1 |
| 1D98EAF7 | 1 |
| F8E2B6D4 | 1 |
| DB9BCDBA | 1 |
| DF5EFBCB4 | 1 |
| 04CD1201 | 1 |
| 08E7AA1E | 1 |
| CE5AB2AB | 1 |
| 1929AB45 | 1 |
| AD7A459A | 1 |
| 6D3781B2 | 1 |
| 5824608B | 1 |
| 91E8F829 | 1 |
| CCEF4CB0 | 1 |
| 8EAA1075 | 1 |
| D61053D3 | 1 |
| 3BA218E1 | 1 |
| AE125014 | 1 |
| 607C7C5F | 1 |
| C677CA7A | 1 |
| C6385EC0 | 1 |
| 1C1C980A | 1 |
| E911779E | 1 |
| CDDD12A0 | 1 |
| 49439C47 | 1 |
| CADD06F2 | 1 |
| 1E5051E6 | 1 |
| 3487D58D | 1 |
| D6AB358C | 1 |
| 013F87A6 | 1 |
| E1F34047 | 1 |
| A0FE43CC | 1 |
| F0CC6E17 | 1 |
| 488FA0C8 | 1 |
| C27DC040 | 1 |
| 9311BEDC | 1 |
| BB5AEDFF | 1 |

| | |
|----------|----------|
| 6E825057 | 1 |
| 7D6C5155 | 1 |
| 4029ACCA | 1 |
| CAC6D32F | 1 |
| A13435A6 | 1 |
| D90654E8 | 1 |
| 97C72C04 | 1 |
| BCCD8269 | 1 |
| 88FF8CE9 | 1 |
| E2A4CED4 | 1 |
| 3ECEB7C8 | 1 |
| 9A0D25A1 | 1 |
| 17B31672 | 1 |
| A3D43494 | 1 |
| 745EA198 | 1 |
| 15D5E61B | 1 |
| 6472CC92 | 1 |
| 107BF1C0 | 1 |
| AB0007F1 | 1 |
| C9A5F0DD | 1 |
| 973F8E50 | 1 |
| 4FB9C620 | 1 |
| 888A2F01 | 1 |
| E9EBEDBA | 1 |
| 1AF85501 | 1 |
| 861EAF67 | 1 |
| D07384C6 | 1 |
| 75190F53 | 1 |
| B454D078 | 1 |
| AFB06BFD | 1 |
| 36948D42 | 1 |
| 9B88E068 | 1 |
| 181C893C | 1 |
| 83EF86F6 | 1 |
| 7344C64C | 1 |
| 9A13588D | 1 |
| 8576C901 | 1 |
| 37C44136 | 1 |
| CFA04498 | 1 |
| 90FCAD89 | 1 |
| | 56453565 |
| 0995D7EE | 1 |
| | 74078745 |
| 24B43918 | 1 |
| 10EDB26D | 1 |
| 4A92518B | 1 |
| 616F0F2E | 1 |

| | |
|----------|----------|
| 2E1CD803 | 1 |
| 0AA133F6 | 1 |
| F9A2D39C | 1 |
| 0C8B767B | 1 |
| 92DEF3E9 | 1 |
| E74DE7AD | 1 |
| 442C5226 | 1 |
| E5130F68 | 1 |
| 61FAE55E | 1 |
| 0801DF1D | 1 |
| C20BC650 | 1 |
| 406CCABD | 1 |
| A590273B | 1 |
| C28E290A | 1 |
| | 1.37E+12 |
| 4A04A6E5 | 1 |
| 37EDD2C3 | 1 |
| 41BF089B | 1 |
| 801EF202 | 1 |
| 3FB8D158 | 1 |
| 5B5EFF47 | 1 |
| EBB5EC02 | 1 |
| B39B9FAD | 1 |
| E87D6882 | 1 |
| A33E8A39 | 1 |
| 7BD142AC | 1 |
| 009A3F5E | 1 |
| 84E5063F | 1 |
| F22A46DD | 1 |
| 16F46F99 | 1 |
| 888D9523 | 1 |
| FD212DC4 | 1 |
| 7284F9F7 | 1 |
| E87B08B5 | 1 |
| 80D51E36 | 1 |
| 83ED3252 | 1 |
| 01625A92 | 1 |
| 971611F7 | 1 |
| B780D5DD | 1 |
| F4763017 | 1 |
| DA36EB15 | 1 |
| A0DD62E3 | 1 |
| 381B8A6D | 1 |
| 1366B539 | 1 |
| BE69DF59 | 1 |
| E0E8B29F | 1 |
| B1BA9DAC | 1 |

| | |
|----------|----------|
| CA135B8D | 1 |
| 8B020B40 | 1 |
| 8B3E6A4A | 1 |
| BF7799CB | 1 |
| 55FE00F2 | 1 |
| 00E10460 | 1 |
| 18A6B522 | 1 |
| E7FF63D1 | 1 |
| BC4A0CD6 | 1 |
| E27E66BA | 1 |
| 294FEC59 | 1 |
| 3E28669D | 1 |
| 2D9BA203 | 1 |
| B41BE3C3 | 1 |
| 032F76E2 | 1 |
| 2D49A547 | 1 |
| C46F9385 | 1 |
| 2DB393F1 | 1 |
| 4D329D18 | 1 |
| D344635E | 1 |
| DC058140 | 1 |
| AF51035B | 1 |
| A2099DB2 | 1 |
| F015E918 | 1 |
| FF3F1EA4 | 1 |
| 79930BE7 | 1 |
| 308F52DD | 1 |
| 5E7BF321 | 1 |
| 382A9CE5 | 1 |
| D1A06111 | 1 |
| 0736DDE3 | 1 |
| FC35700B | 1 |
| 06D04193 | 1 |
| BEE2D28B | 1 |
| C9C4E5C9 | 1 |
| | 63303044 |
| EDE04FC1 | 1 |
| D7C81043 | 1 |
| DB26D6AE | 1 |
| DBE62E5A | 1 |
| 0C3BC302 | 1 |
| D447541A | 1 |
| 9D5AD88E | 1 |
| 25A2FADB | 1 |
| DD15BC8D | 1 |
| 6FEBF854 | 1 |
| E55DD6C8 | 1 |

| | |
|----------|----------|
| 9BF934F8 | 1 |
| 69F98F0B | 1 |
| 9CD6ACD5 | 1 |
| 12570D14 | 1 |
| 31F8AD73 | 1 |
| 3829CD08 | 1 |
| BD91EC54 | 1 |
| 19E1440C | 1 |
| 8BE05E7F | 1 |
| 13A2BAA9 | 1 |
| C2D09185 | 1 |
| BB035E62 | 1 |
| 4DD875C1 | 1 |
| 8B4D324E | 1 |
| 2DF3D5D0 | 1 |
| DD7170C2 | 1 |
| DBFBDC2C | 1 |
| 246BC536 | 1 |
| 1896F879 | 1 |
| BC0F47D5 | 1 |
| 7A9490C6 | 1 |
| 21A1CF52 | 1 |
| 3F920C64 | 1 |
| 9D486A37 | 1 |
| 69604CA4 | 1 |
| C71F0C83 | 1 |
| EA39CF84 | 1 |
| A71908AB | 1 |
| 85D903AB | 1 |
| FA3644E2 | 1 |
| 240CE5BD | 1 |
| 74C424B5 | 1 |
| E2A4E79E | 1 |
| E7F2C704 | 1 |
| E145BDC1 | 1 |
| 8D84553F | 1 |
| 51827A0A | 1 |
| C043D5D1 | 1 |
| 59CF6492 | 1 |
| 4124B52D | 1 |
| AEA8F9AE | 1 |
| | 9.92E+47 |
| F6B74F1C | 1 |
| DD2C5227 | 1 |
| 5F4DEE44 | 1 |
| 9D3499B7 | 1 |
| 16E286A0 | 1 |

| | |
|----------|----------|
| 8CACF5AE | 1 |
| 94835C63 | 1 |
| 5D7CA308 | 1 |
| BD87F291 | 1 |
| | 82341786 |
| 0BFE00C9 | 1 |
| 469148CF | 1 |
| 7D8C6103 | 1 |
| 133DF26B | 1 |
| D6EBC01B | 1 |
| AEF84F51 | 1 |
| 98DFAEB2 | 1 |
| 976D1129 | 1 |
| 75A86CD0 | 1 |
| 4C0C2FE3 | 1 |
| 38CE4392 | 1 |
| 2C34F6A2 | 1 |
| 623FA87C | 1 |
| 58DE736D | 1 |
| DDAE199B | 1 |
| 7B80D34A | 1 |
| 4DB45968 | 1 |
| 5B55AE79 | 1 |
| | 7.48E+52 |
| BD568A2F | 1 |
| BF1418B2 | 1 |
| 864AAC9 | 1 |
| 79FA2B8E | 1 |
| EA4BAE74 | 1 |
| 6662119C | 1 |
| | 87541766 |
| B6775D04 | 1 |
| E79A7017 | 1 |
| 069340B2 | 1 |
| 37B84195 | 1 |
| A126FD3C | 1 |
| 4F764D05 | 1 |
| 306F660A | 1 |
| ED20B49B | 1 |
| D80809B7 | 1 |
| 30E7FFE7 | 1 |
| 0C030689 | 1 |
| EDFC59F5 | 1 |
| 27A6EDFD | 1 |
| 3D246135 | 1 |
| 0A87CE2A | 1 |
| 4FE11721 | 1 |

| | |
|--|----------|
| 09ED594B | 1 |
| F2B02A9C | 1 |
| A2E299B0 | 1 |
| 4D40F569 | 1 |
| 200E5966 | 1 |
| EF5A0413 | 1 |
| D8FE7BDF | 1 |
| 946BEEB4 | 1 |
| F27BFC7B | 1 |
| FD6D3725 | 1 |
| 3FC4536F | 1 |
| CF08326C | 1 |
| E4081F67 | 1 |
| 50AC02B5 | 1 |
| 8B249D49 | 1 |
| D2BFEF7A | 1 |
| 01159B0E | 1 |
| C899BFB0 | 1 |
| 2BA64B38 | 1 |
| E3755912 | 1 |
| 5EC64BDA | 1 |
| AD59AE72 | 1 |
| D3A37310 | 1 |
| 37AA746F | 1 |
| 0BF28C50 | 1 |
| | 37288602 |
| D6D69B8A | 1 |
| E598C155 | 1 |
| 179F667D | 1 |
| 0D05EC24 | 1 |
| 8AF2522F | 1 |
| 3967065C | 1 |
| BDC9C9AC | 1 |
| 54DA3283 | 1 |
| 0FFCE131 | 1 |
| 5CD19F87 | 1 |
| EF522DC6 | 1 |
| A06211FA | 1 |
| 7946D1E1 | 1 |
| MD5Str | 1 |
| ?ShowPage@WizardDialog@@QAEEG@Z | 1 |
| ?Finnish@WizardDialog@@QAEEJ@Z | 1 |
| ?executedDialog@OGenericUnoDialog@svt(| 1 |
| ??1WizardDialog@@UAE@XZ | 1 |
| ?Resize@WizardDialog@@UAEXXZ | 1 |
| ?StateChanged@WizardDialog@@UAEXG@ | 1 |
| ?ActivatePage@WizardDialog@@UAEXXZ | 1 |

| | |
|--|---|
| ?DeactivatePage@WizardDialog@@UAEJXZ | 1 |
| ??0WizardDialog@@QAE@PAVWindow@@@ | 1 |
| ?AddButton@WizardDialog@@QAEXPABu | 1 |
| ?AddPage@WizardDialog@@QAEXPATabP | 1 |
| ?SetPage@WizardDialog@@QAEXGPAVTabl | 1 |
| ??0SfxItemSet@@QAE@AAVSfxItemPool@() | 1 |
| ?Clone@SfxItemSet@@UBEPAV1@EPAVSfx | 1 |
| ?Put@SfxItemSet@@UAEHABV1@E@Z | 1 |
| ?Put@SfxItemSet@@UAEPBVSfxPoolItem@ | 1 |
| ?ReadCString@SvStream@@QAEEAAVString | 1 |
| ? GetUserConfigPath@SvtPathOptions@@QI | 1 |
| _FMUSIC_FreeSong@4 | 1 |
| _FMUSIC_SetPanSeperation@8 | 1 |
| CeFindNextFile | 1 |
| CeFindFirstFile | 1 |
| CeFindClose | 1 |
| Discreen_Init | 1 |
| @Ccmisc@MakeTh\$qqrxii | 1 |
| @Ardmtcl@dtmCreditTermsClass | 1 |
| @Ardmtcl@TdtmCreditTermsClass@ | 1 |
| ??1CXSudokuWnd@@UAE@XZ | 1 |
| ?qVerify@QTest@@YA_N_NPBD1H@Z | 1 |
| ?newRow@QTest@@YAAAVQTestData@@@I | 1 |
| ?qData@QTest@@YAPAXPBDH@Z | 1 |
| ?qExec@QTest@@YAHPAVQObject@@HPA | 1 |
| ?compare_helper@QTest@@YA_N_NPBDP/ | 1 |
| ?compare_helper@QTest@@YA_N_NPBD1f | 1 |
| ?addColumnInternal@QTest@@YAXHPBD@ | 1 |
| ?append@QTestData@@QAEXHPBX@Z | 1 |
| ?toString@QTest@@YAPADPBX@Z | 1 |
| ?qSleep@QTest@@YAXH@Z | 1 |
| ?metaObject@QWebPage@@UBEPBUQMe | 1 |
| ?setHtml@QWebFrame@@QAEXABVQStrin | 1 |
| ?setFocus@QWebFrame@@QAEXXXZ | 1 |
| ?inputMethodQuery@QWebPage@@QBE?/ | 1 |
| ?scroll@QWebFrame@@QAEXHH@Z | 1 |
| ?setAttribute@QWebSettings@@QAEXW4V | 1 |
| ?javaScriptConfirm@QWebPage@@MAE_N | 1 |
| ?createWindow@QWebPage@@MAEPAV1(| 1 |
| ?sizeHint@QGraphicsWebView@@UBE?AV | 1 |
| ?updateGeometry@QGraphicsWebView@@@ | 1 |
| ?setGeometry@QGraphicsWebView@@UAI | 1 |
| ?itemChange@QGraphicsWebView@@UAE | 1 |
| ?inputMethodQuery@QGraphicsWebView@ | 1 |
| ?inputMethodEvent@QGraphicsWebView@ | 1 |
| ?wheelEvent@QGraphicsWebView@@MAE | 1 |
| ?mouseDoubleClickEvent@QGraphicsWebVi | 1 |

| | |
|---|---|
| ?mouseReleaseEvent@QGraphicsWebView@ | 1 |
| ?mouseMoveEvent@QGraphicsWebView@() | 1 |
| ?mousePressEvent@QGraphicsWebView@() | 1 |
| ?keyReleaseEvent@QGraphicsWebView@@@ | 1 |
| ?hoverLeaveEvent@QGraphicsWebView@@@ | 1 |
| ?hoverMoveEvent@QGraphicsWebView@@@ | 1 |
| ?focusOutEvent@QGraphicsWebView@@@M | 1 |
| ?focusInEvent@QGraphicsWebView@@@MA | 1 |
| ?dropEvent@QGraphicsWebView@@@MAEX | 1 |
| ?dragMoveEvent@QGraphicsWebView@@@I | 1 |
| ?dragLeaveEvent@QGraphicsWebView@@@I | 1 |
| ?dragEnterEvent@QGraphicsWebView@@@N | 1 |
| ?contextMenuEvent@QGraphicsWebView@ | 1 |
| ?sceneEvent@QGraphicsWebView@@@MAE_ | 1 |
| ?paint@QGraphicsWebView@@@UAEXP_AVQ | 1 |
| ?focusNextPrevChild@QGraphicsWebView@ | 1 |
| ?event@QGraphicsWebView@@@UAE_NPAV | 1 |
| ?qt_metacall@QGraphicsWebView@@@UAEI | 1 |
| ?qt_metacast@QGraphicsWebView@@@UAE | 1 |
| ?metaObject@QGraphicsWebView@@@UBEF | 1 |
| ?load@QWebFrame@@@QAEXABVQUrl@() | 1 |
| ??0QGraphicsWebView@@@QAE@PAVQGra | 1 |
| ?url@QGraphicsWebView@@@QBE?AVQUrl@ | 1 |
| ?title@QGraphicsWebView@@@QBE?AVQStr | 1 |
| ?icon@QGraphicsWebView@@@QBE?AVQIcc | 1 |
| ?zoomFactor@QGraphicsWebView@@@QBEI | 1 |
| ?history@QGraphicsWebView@@@QBEP AVC | 1 |
| ?settings@QGraphicsWebView@@@QBEP AVI | 1 |
| ?page@QGraphicsWebView@@@QBEP AVW | 1 |
| ?setPage@QGraphicsWebView@@@QAEXP A | 1 |
| ?setUrl@QGraphicsWebView@@@QAEXABV C | 1 |
| ?setZoomFactor@QGraphicsWebView@@@Q | 1 |
| ?load@QGraphicsWebView@@@QAEXABVQL | 1 |
| ?setHtml@QGraphicsWebView@@@QAEXP AB | 1 |
| ?setContent@QGraphicsWebView@@@QAEX | 1 |
| ?isModified@QGraphicsWebView@@@QBE_I | 1 |
| ??1QGraphicsWebView@@@UAE@XZ | 1 |
| ?render@QWebFrame@@@QAEXP AVQPainte | 1 |
| ?currentFrame@QWebPage@@@QBEP AVW | 1 |
| ?palette@QWebPage@@@QBE?AVQPalette@ | 1 |
| ?viewportSize@QWebPage@@@QBE?AVQ Siz | 1 |
| ?setResizesToContents@QGraphicsWebView@ | 1 |
| ?setRenderHint@QGraphicsWebView@@@Q | 1 |
| ?renderHints@QGraphicsWebView@@@QBE | 1 |
| ?staticMetaObject@QGraphicsWebView@@ | 1 |
| ?keyPressEvent@QGraphicsWebView@@@M | 1 |
| ?metaObject@QGraphicsScene@@@UBEPBU | 1 |

| | |
|--|---|
| ?qt_metacast@QGraphicsScene@@UAEPA× | 1 |
| ?qt_metacall@QGraphicsScene@@UAEHW@ | 1 |
| ?event@QGraphicsScene@@MAE_NPAVQE@ | 1 |
| ?eventFilter@QGraphicsScene@@MAE_NP@ | 1 |
| ?inputMethodQuery@QGraphicsScene@@L | 1 |
| ?contextMenuEvent@QGraphicsScene@@N | 1 |
| ?dragMoveEvent@QGraphicsScene@@MAE@ | 1 |
| ?dragLeaveEvent@QGraphicsScene@@MAE@ | 1 |
| ?dropEvent@QGraphicsScene@@MAEXP@AV | 1 |
| ?focusInEvent@QGraphicsScene@@MAEXP@ | 1 |
| ?focusOutEvent@QGraphicsScene@@MAEX@ | 1 |
| ?helpEvent@QGraphicsScene@@MAEXP@AV | 1 |
| ?keyPressEvent@QGraphicsScene@@MAEX@ | 1 |
| ?keyReleaseEvent@QGraphicsScene@@MA | 1 |
| ?mousePressEvent@QGraphicsScene@@M@ | 1 |
| ?mouseMoveEvent@QGraphicsScene@@M@ | 1 |
| ?mouseReleaseEvent@QGraphicsScene@@ | 1 |
| ?mouseDoubleClickEvent@QGraphicsScene@ | 1 |
| ?wheelEvent@QGraphicsScene@@MAEXP@AV | 1 |
| ?inputMethodEvent@QGraphicsScene@@N | 1 |
| ?drawBackground@QGraphicsScene@@MA | 1 |
| ?drawForeground@QGraphicsScene@@MA | 1 |
| ?drawItems@QGraphicsScene@@MAEXP@AV | 1 |
| ?metaObject@QGraphicsView@@UBEPEBUC | 1 |
| ?inputMethodHints@QGraphicsItem@@QB | 1 |
| ??1QGraphicsSceneMouseEvent@@UAE@X | 1 |
| ?setButtons@QGraphicsSceneMouseEvent@ | 1 |
| ?setButton@QGraphicsSceneMouseEvent@ | 1 |
| ?setPos@QGraphicsSceneMouseEvent@@C | 1 |
| ??0QGraphicsSceneMouseEvent@@QAE@V | 1 |
| ??9QImage@@QBE_NABV0@@Z | 1 |
| ? setActiveWindow@QApplication@@SAXP@ | 1 |
| ??8QPalette@@QBE_NABV0@@Z | 1 |
| ?palette@QGraphicsWidget@@QBE?AVQP@ | 1 |
| ?setPalette@QGraphicsWidget@@QAEXAB@ | 1 |
| ?setFocus@QGraphicsItem@@QAEXW4Foci | 1 |
| ?setSceneRect@QGraphicsView@@QAEXNN@ | 1 |
| ??8QImage@@QBE_NABV0@@Z | 1 |
| ?setScale@QGraphicsItem@@QAEXN@Z | 1 |
| ?getContentsMargins@QGraphicsWidget@() | 1 |
| ?type@QGraphicsWidget@@UBEHXZ | 1 |
| ?shape@QGraphicsWidget@@UBE?AVQPai | 1 |
| ?boundingRect@QGraphicsWidget@@UBE@ | 1 |
| ?ungrabKeyboardEvent@QGraphicsWidget@ | 1 |
| ?grabKeyboardEvent@QGraphicsWidget@@ | 1 |
| ?ungrabMouseEvent@QGraphicsWidget@@ | 1 |
| ?grabMouseEvent@QGraphicsWidget@@M | 1 |

| | |
|---------------------------------------|---|
| ?showEvent@QGraphicsWidget@@MAEXP/ | 1 |
| ?resizeEvent@QGraphicsWidget@@MAEXP. | 1 |
| ?polishEvent@QGraphicsWidget@@MAEXX | 1 |
| ?moveEvent@QGraphicsWidget@@MAEXP/ | 1 |
| ?hideEvent@QGraphicsWidget@@MAEXP@ | 1 |
| ?closeEvent@QGraphicsWidget@@MAEXP@ | 1 |
| ?changeEvent@QGraphicsWidget@@MAEX | 1 |
| ?windowFrameSectionAt@QGraphicsWidge | 1 |
| ?windowFrameEvent@QGraphicsWidget@C | 1 |
| ?propertyChange@QGraphicsWidget@@M/ | 1 |
| ?initStyleOption@QGraphicsWidget@@MBI | 1 |
| ?paintWindowFrame@QGraphicsWidget@C | 1 |
| ??0QGraphicsView@@QAE@PAVQGraphics | 1 |
| ?addItem@QGraphicsScene@@QAEXPAPQ | 1 |
| ?geometry@QWidget@@QBEABVQRect@C | 1 |
| ?resize@QGraphicsWidget@@QAEXABVQSi | 1 |
| ?dragEnterEvent@QGraphicsScene@@MAE | 1 |
| ?qstrdup@@YAPADPBD@Z | 1 |
| ??8@YA_NABVQRect@@0@Z | 1 |
| ??0QRectF@@QAE@NNNN@Z | 1 |
| ??0QPointF@@QAE@NN@Z | 1 |
| ?toRect@QVariant@@QBE?AVQRect@@XZ | 1 |
| ?start@QElapsedTimer@@QAEXXZ | 1 |
| ?parameterTypes@QMetaMethod@@QBE? | 1 |
| ?type@QMetaType@@SAHPBD@Z | 1 |
| ?methodCount@QMetaObject@@QBEHXZ | 1 |
| ?normalizedSignature@QMetaObject@@SA | 1 |
| ?connect@QMetaObject@@SA_NPBVQObj | 1 |
| ?method@QMetaObject@@QBE?AVQMeta | 1 |
| ?setSingleShot@ QTimer@@QAEX_N@Z | 1 |
| ?size@QRect@@QBE?AVQSize@@XZ | 1 |
| ??0QSizeF@@QAE@ABVQSize@@@Z | 1 |
| ?elapsed@QElapsedTimer@@QBE_JXZ | 1 |
| ?setHook@@YA_NPAUHWND__@I@Z | 1 |
| FilterCreateInstance | 1 |
| foA | 1 |
| teValueA | 1 |
| ventA | 1 |
| ent | 1 |
| ipboardData | 1 |
| sWindowEnabled | 1 |
| ed | 1 |
| etIconSize | 1 |
| emove | 1 |
| ??0CFullPropSpec@@QAE@AAVPDeSerStre | 1 |
| CheckForVersionConflict | 1 |
| CheckTrust | 1 |

| | |
|------------------------------------|---|
| HttpSendHttpResponse | 1 |
| HttpSendResponseEntityBody | 1 |
| HttpReceiveRequestEntityBody | 1 |
| HttpReceiveHttpRequest | 1 |
| GST_CAT_DEFAULT | 1 |
| _gst_debug_bin_to_dot_file_with_ts | 1 |
| gst_alloc_trace_available | 1 |
| gst_alloc_trace_print_live | 1 |
| gst_alloc_trace_set_flags_all | 1 |
| gst_bin_add | 1 |
| gst_bin_get_by_name | 1 |
| gst_bin_recalculate_latency | 1 |
| gst_bus_poll | 1 |
| gst_bus_set_sync_handler | 1 |
| gst_caps_to_string | 1 |
| gst_date_time_get_day | 1 |
| gst_date_time_get_hour | 1 |
| gst_date_time_get_minute | 1 |
| gst_date_time_get_month | 1 |
| gst_date_time_get_second | 1 |
| gst_date_time_get_time_zone_offset | 1 |
| gst_date_time_get_type | 1 |
| gst_date_time_get_year | 1 |
| gst_date_time_unref | 1 |
| gst_deinit | 1 |
| gst_element_factory_make | 1 |
| gst_element_get_bus | 1 |
| gst_element_get_state | 1 |
| gst_element_send_event | 1 |
| gst_element_set_index | 1 |
| gst_element_set_state | 1 |
| gst_element_state_get_name | 1 |
| gst_index_entry_assoc_map | 1 |
| gst_index_new | 1 |
| gst_init_get_option_group | 1 |
| gst_message_get_seqnum | 1 |
| gst_message_get_structure | 1 |
| gst_message_parse_buffering | 1 |
| gst_message_parse_error | 1 |
| gst_message_parse_info | 1 |
| gst_message_parse_new_clock | 1 |
| gst_message_parse_request_state | 1 |
| gst_message_parse_state_changed | 1 |
| gst_message_parse_tag | 1 |
| gst_message_parse_warning | 1 |
| gst_message_type_get_name | 1 |
| gst_object_default_deep_notify | 1 |

| | |
|---|---|
| gst_object_get_path_string | 1 |
| gst_parse_launchv | 1 |
| gst_pipeline_get_type | 1 |
| gst_structure_to_string | 1 |
| gst_tag_get_nick | 1 |
| gst_tag_get_type | 1 |
| gst_tag_list_foreach | 1 |
| gst_tag_list_get_date_time_index | 1 |
| gst_tag_list_get_string_index | 1 |
| gst_tag_list_get_tag_size | 1 |
| gst_tag_list_get_value_index | 1 |
| gst_util_get_timestamp | 1 |
| gst_util_set_object_arg | 1 |
| gst_version_string | 1 |
| gst_xml_get_topelements | 1 |
| gst_xml_new | 1 |
| gst_xml_parse_file | 1 |
| gst_xml_write_file | 1 |
| g_get_prgname | 1 |
| g_get_tmp_dir_utf8 | 1 |
| g_option_context_add_group | 1 |
| g_set_prgname | 1 |
| ?ws@std@@YAAV?\$basic_istream@GU?\$??4?\$basic_string@GU?\$char_traits@G@st ?Get@Localizer@config@dvacore@@SAPAI ?substr@?\$basic_string@EU?\$char_traits@I ?GetApplicationType@PRM@@YA?AW4App ?GetIsHeadless@PRM@@YA_NXZ | 1 |
| ??0CriticalSectionLock@ASL@@QAE@ABVC ?ParseString@ASL@@YAHABV?\$basic_strin ?WzStrStr@MWbIStrings@@SAPAGPBGIOI@ ?FailureReinstall@CWbIMessages@@QAEXI ?WzStrStrEx@MWbIStrings@@SAPAGPBGIO ?BCheckResources@@YA_N_NIII@Z | 1 |
| ?NMessageBox@CWbIMessages@@QAEHP ?LoadUIResourceDLL@MWbIntl@@SAPAU ?CwchFromWz@MWbIStrings@@SAHPBG@ ?CbFromWz@MWbIStrings@@SAHPBG@Z | 1 |
| ?WksBFirstRunReg@@YAXXZ ?WksBEulaAccepted@@YA_NXZ ?Splash@@YAHIPAGPAUHICON__@@1_N@ EngGetCurrentProcessId | 1 |
| EngRestoreFloatingPointState | 1 |
| EngSaveFloatingPointState | 1 |
| EngUnmapEvent | 1 |
| EngMapEvent | 1 |
| EngQuerySystemAttribute | 1 |

| | |
|---|---|
| EngSecureMem | 1 |
| PALOBJ_cGetColors | 1 |
| ?GetOriginalOrientation@CStillObject@@Q | 1 |
| ??0DrpMsgThread@@QAE@XZ | 1 |
| ?ftow@DrpStrUtil@@SAXMPA_WH@Z | 1 |
| ?IsSameFramerate@CDrpFramerateConvert | 1 |
| ?GetLoadModuleName@CDrpLoadModule@ | 1 |
| ??1DrpMsgThread@@QAE@XZ | 1 |
| ??1DrpEvent@@QAE@XZ | 1 |
| ?GetResultCode@DrpMsgThread@@QAEJP, | 1 |
| ?PutThreadMsg@DrpMsgThread@@QAEXIK | 1 |
| ?OnThreadInit@DrpMsgThread@@UAEXZ | 1 |
| ?GetThreadMsg@DrpMsgThread@@UAEXP | 1 |
| ?wtof@DrpStrUtil@@SAMPA_W@Z | 1 |
| ?CreateThread@DrpMsgThread@@QAEHW | 1 |
| ??0DrpEvent@@QAE@H@Z | 1 |
| ?GetCapsuleID@CMpegObject@@QAEJXZ | 1 |
| ?GetParamInfo@CDrpVideoBasebandObject | 1 |
| ?GetAudioParam@CDrpBasebandObject@@ | 1 |
| ?GetVideoParam@CDrpBasebandObject@@ | 1 |
| DrpCreateVideoCapsuleObject | 1 |
| DrpCreateMediaObjectW | 1 |
| DrpCreateExTimelineMediaObject | 1 |
| DrpCreateSource | 1 |
| DrpCreateTrack | 1 |
| DrpCreateGroup | 1 |
| DrpCreateTimelineObject | 1 |
| GetUDiskSerialNumber | 1 |
| SUD_Exit | 1 |
| DI_GetNengbangmode | 1 |
| neko_alloc_array | 1 |
| neko_global_init | 1 |
| neko_vm_alloc | 1 |
| neko_vm_select | 1 |
| neko_vm_set_stats | 1 |
| neko_default_loader | 1 |
| neko_val_print | 1 |
| neko_val_ocall0 | 1 |
| neko_global_free | 1 |
| neko_alloc_string | 1 |
| neko_alloc_function | 1 |
| neko_val_id | 1 |
| neko_val_field | 1 |
| neko_val_callEx | 1 |
| neko_alloc_field | 1 |
| neko_alloc_buffer | 1 |
| neko_exc_stack | 1 |

| | |
|---|---|
| neko_buffer_append | 1 |
| val_null | 1 |
| neko_val_buffer | 1 |
| neko_buffer_append_char | 1 |
| neko_buffer_to_string | 1 |
| neko_vm_jit | 1 |
| BT_InitializeLibrary | 1 |
| BT_UninitializeLibrary | 1 |
| BT_IsBlueSoleilStarted | 1 |
| BT_EnumConnections | 1 |
| BT_GetDefaultAudioDeviceInfo | 1 |
| BT_RegisterCallback | 1 |
| BT_ConnectService | 1 |
| BT_SendProfileCommand | 1 |
| RasfileGetLineText | 1 |
| RasfileGetKeyValueFields | 1 |
| RasfileGetLine | 1 |
| RasfileFindNextKeyLine | 1 |
| RasfilePutLineMark | 1 |
| RasfileGetLineMark | 1 |
| RasfileFindPrevLine | 1 |
| RasfileGetLineType | 1 |
| RasfileLoad | 1 |
| RasfileFindFirstLine | 1 |
| RasfileClose | 1 |
| RasfileGetSectionName | 1 |
| RasfileFindNextLine | 1 |
| @System@@@_llushr\$qqrv | 1 |
| @Graphics@TBitmap@Dormant\$qqrv | 1 |
| @Graphics@TCanvas@SetPixel\$qqrii15Grap | 1 |
| @Math@Min\$qqrii | 1 |
| SetExceptionReport | 1 |
| ?__app_standalone@@@3HA | 1 |
| ?temp@KFolder@@@QAEHPADPBD@Z | 1 |
| ?user@KFolder@@@QAEHPADPBD@Z | 1 |
| ?zeroSet@@YAXPAXI@Z | 1 |
| ?slash@KFolder@@@SAXAAV?\$basic_string@ | 1 |
| ?program@KFolder@@@QAEHPADPBD@Z | 1 |
| ??1TextFileRead@@@QAE@XZ | 1 |
| ??0TextFileRead@@@QAE@PADH@Z | 1 |
| ?Read@TextFileRead@@@QAEHPADH@Z | 1 |
| ??0KFolder@@@QAE@XZ | 1 |
| vlc_strcasestr | 1 |
| SendRpcLocatorAttackData | 1 |
| ?FTP_ServerEventAuthorization@CWBTAPI@ | 1 |
| ?OPP_ServerEventAuthorization@CWBTAPI@ | 1 |
| ?SyncAuthorize0Vcf@CWBTAPI@@QAE?AW | 1 |

| | |
|---|---|
| ?SetOnBTPINCodeRequest@CWBtAPI@@Q | 1 |
| ?SetOnBTAuthorizeRequest@CWBtAPI@@C | 1 |
| ?SetOnOPPServerEventCallback@CWBtAPI@ | 1 |
| ?SetOnFTPServerEventCallback@CWBtAPI@ | 1 |
| ?SetOnOAPPAuthenticateCallback@CWBtAF | 1 |
| ?SetOnSyncServerEventCallback@CWBtAPI@C | 1 |
| ?SetOnSyncConflictEventCallback@CWBtAPI | 1 |
| ?SetOnSync0VcfEventCallback@CWBtAPI@C | 1 |
| ?SetOnHFPNotificationCallback@CWBtAPI@ | 1 |
| ?SetOnSyncDeleteEventCallback@CWBtAPI@C | 1 |
| ?SetVRCallback@CWBtAPI@@QAE?AW4WE | 1 |
| ?SetOnOppExchangeCallback@CWBtAPI@@ | 1 |
| ?SetOnOppPullCallback@CWBtAPI@@QAE? | 1 |
| ?SetOnOppPushCallback@CWBtAPI@@QAE | 1 |
| ?ClearVRCallback@CWBtAPI@@QAE?AW4V | 1 |
| ?GapGetAvailableServicesEx@CWBtAPI@@I | 1 |
| ?SetOnOppProgressCallback@CWBtAPI@@I | 1 |
| ?OppExchange@CWBtAPI@@QAE?AW4WB | 1 |
| ?OppPush@CWBtAPI@@QAE?AW4WBtRc@ | 1 |
| ?OppPull@CWBtAPI@@QAE?AW4WBtRc@I | 1 |
| ?Parse@CBTvCard@@QAEHPA_W@Z | 1 |
| BluetoothIsDiscoverable | 1 |
| DbScale | 1 |
| ThruCreate | 1 |
| ConnRepair | 1 |
| SymCreate | 1 |
| CompDelete | 1 |
| DbDefault | 1 |
| CompCreate | 1 |
| SymPut | 1 |
| ObsDelete | 1 |
| TextCreate | 1 |
| NameFind | 1 |
| TextPut | 1 |
| ?IsTransparent@Graphic@@QBEEHZ | 1 |
| ?Replace@Bitmap@@QAEABV1@ABVColo | 1 |
| SQLI_GetNameW | 1 |
| SQLI_IsClustered | 1 |
| SQLI_GetPackageId | 1 |
| DeleteTopology | 1 |
| ST_GetPhysicalNode | 1 |
| PN_StartScan | 1 |
| SQLI_GetVSNameW | 1 |
| PN_Enumerate | 1 |
| CreateSetupTopologyW | 1 |
| PN_GetNext | 1 |
| ST.GetType | 1 |

| | |
|---|---|
| ??\$?6DU?\$char_traits@D@std@@@std@@ | 1 |
| ??\$?6DU?\$char_traits@D@std@@@std@@ | 1 |
| UnSetHooks | 1 |
| ??1omni_mutex@@QAE@XZ | 1 |
| ??0omni_mutex@@QAE@XZ | 1 |
| ?set_priority@omni_thread@@QAEXW4pri | 1 |
| ?sleep@omni_thread@@SAXKK@Z | 1 |
| ?join@omni_thread@@QAEXPAPAX@Z | 1 |
| ?start@omni_thread@@QAEXXZ | 1 |
| ?broadcast@omni_condition@@QAEXXZ | 1 |
| ?wait@omni_condition@@QAEXXZ | 1 |
| ?signal@omni_condition@@QAEXXZ | 1 |
| ?create@omni_thread@@SAPAV1@P6AXP/ | 1 |
| ?create@omni_thread@@SAPAV1@P6APA) | 1 |
| ??0omni_condition@@QAE@PAVomni_mut | 1 |
| ?start_undetached@omni_thread@@IAEXX | 1 |
| ??0omni_thread@@IAE@PAXW4priority_t@ | 1 |
| ?post@omni_semaphore@@QAEXXZ | 1 |
| ?wait@omni_semaphore@@QAEXXZ | 1 |
| ??0omni_semaphore@@QAE@I@Z | 1 |
| ?unlock@omni_mutex@@QAEXXZ | 1 |
| ?lock@omni_mutex@@QAEXXZ | 1 |
| ??1omni_condition@@QAE@XZ | 1 |
| ??1omni_thread@@MAE@XZ | 1 |
| NdrpReleaseTypeGenCookie | 1 |
| sqlolsLdapEnabled@0 | 1 |
| sqlolLdapFreeValue_api | 1 |
| sqlolLdapGetPreference_api | 1 |
| sqledosd_dx@20 | 1 |
| sqledgne_dx@12 | 1 |
| CLI_iniReadStrNew@36 | 1 |
| sqleSetTypeCtx@4 | 1 |
| CLI_iniWriteStr@20 | 1 |
| CLI_iniWriteStrNew@24 | 1 |
| sqledcls_dx@8 | 1 |
| CLI_iniReadStr@28 | 1 |
| sqlolLoadResourceLibrary | 1 |
| ?push_back@QByteArray@@QAEXPBD@Z | 1 |
| ?execute@QProcess@@SAHABVQString@@ | 1 |
| ?setTabChangesFocus@QTextEdit@@QAEX_ | 1 |
| @Classes@EOutOfResources@ | 1 |
| @Nms_huge@initialization\$qqrv | 1 |
| @Nms_huge@Finalization\$qqrv | 1 |
| @Nms_stream@initialization\$qqrv | 1 |
| @Nms_stream@Finalization\$qqrv | 1 |
| @Nmsmt@TNMSMTP@ClearParameters\$` | 1 |
| ?seekoff@\$basic_stringbuf@DU?\$char_tr | 1 |

| | |
|------------------------------|---|
| ??0GemObserver@@QAE@XZ | 1 |
| ??1GemObserver@@UAE@XZ | 1 |
| towctrans | 1 |
| NdrConformantArrayMemorySize | 1 |
| UnlocStrEqNW | 1 |
| __AVSStrI2 | 1 |
| __AVSStrI4 | 1 |
| __AVSVarMove | 1 |
| __AVSVarVargNofree | 1 |
| __AVSAryMove | 1 |
| __AVSFreeVar | 1 |
| __AVSStrVarMove | 1 |
| __AVSLenBstr | 1 |
| __AVSGosubReturn | 1 |
| __AVSFreeVarList | 1 |
| __AVSFreeObjList | 1 |
| __AVSRecAnsiToUni | 1 |
| __AVSStrCat | 1 |
| __AVSLsetFixstr | 1 |
| __AVSSetSystemError | 1 |
| __AVSHresultCheckObj | 1 |
| __AVSAryVar | 1 |
| __AVSAryDestruct | 1 |
| __AVSExitProc | 1 |
| __AVSOnError | 1 |
| __AVSObjSet | 1 |
| __AVSObjSetAddref | 1 |
| __AVSRefVarAry | 1 |
| __AVSErase | 1 |
| __AVSVarZero | 1 |
| __AVSChkstk | 1 |
| __AVSGosubFree | 1 |
| __AVSFileClose | 1 |
| __AVSGenerateBoundsError | 1 |
| __AVSStrCmp | 1 |
| __AVSGet3 | 1 |
| __AVSAryConstruct2 | 1 |
| __AVSFixstrConstruct | 1 |
| __AVSRedim | 1 |
| __AVSRecUniToAnsi | 1 |
| __AVSNew | 1 |
| __AVSExceptHandler | 1 |
| __AVSStrToUnicode | 1 |
| __AVGosub | 1 |
| __AVSFPEception | 1 |
| __AVSUbounD | 1 |
| __AVSStrVarVal | 1 |

| | |
|--|---|
| __AVSVarCat | 1 |
| __AVSFileOpen | 1 |
| __AVSNew2 | 1 |
| __AVSVar2Vec | 1 |
| __AVSStrCopy | 1 |
| __AVSFreeStrList | 1 |
| __AVSDerefAry1 | 1 |
| __AVSI4Var | 1 |
| __AVSVarAdd | 1 |
| __AVSAryLock | 1 |
| __AVSVarDup | 1 |
| __AVSStrToAnsi | 1 |
| __AVSFpl4 | 1 |
| __AVSVarCopy | 1 |
| __AVSCastObj | 1 |
| __AVSUI1Str | 1 |
| __AVSStrMove | 1 |
| __AVSAryCopy | 1 |
| __AVSStrVarCopy | 1 |
| __AVSUI1Var | 1 |
| __AVSAryUnlock | 1 |
| __AVSFreeObj | 1 |
| __AVSFreeStr | 1 |
| ?replace@?\$basic_string@DU?\$char_traits@ | 1 |
| GetprocessHeap | 1 |
| ?SetTencentProductName@ProductConfig@ | 1 |
| ?SetWindowLayered@Misc@Util@@YAXH@ | 1 |
| picture_pool_New | 1 |
| foldup | 1 |
| SegmentCheck | 1 |
| SetLoadFailed | 1 |
| get_verbos_fn | 1 |
| dfdsiz | 1 |
| femcls | 1 |
| topopc | 1 |
| prslct | 1 |
| modinz | 1 |
| sclr | 1 |
| fms_check_obj_num | 1 |
| femini | 1 |
| fem_ps_pick | 1 |
| fms_lst_free | 1 |
| fms_lst_del_srf | 1 |
| modify | 1 |
| modrc | 1 |
| DM_FREE | 1 |
| free_mesh | 1 |

| | |
|------------------------|---|
| fmtmesh | 1 |
| create_fem_mesh | 1 |
| fms_lst_get_id_srf | 1 |
| DM_ALLOC | 1 |
| fms_lst_get_num_faces | 1 |
| fms_lst_get_num_solids | 1 |
| modmc | 1 |
| gsanls | 1 |
| menuc | 1 |
| prmptc | 1 |
| eroutc | 1 |
| dfcgng | 1 |
| setwv | 1 |
| wvputc | 1 |
| dfcgwp | 1 |
| trdef | 1 |
| plan2l | 1 |
| egclty | 1 |
| dfdgnng | 1 |
| dfdget | 1 |
| fa_fix | 1 |
| dfcc | 1 |
| dfdc | 1 |
| dfd1cg | 1 |
| dfdini | 1 |
| edelet | 1 |
| modm | 1 |
| wvgetc | 1 |
| sipop | 1 |
| sllen | 1 |
| mpckpc | 1 |
| enasat | 1 |
| apfemdb | 1 |
| ireplc | 1 |
| edisp | 1 |
| tmsh_delent | 1 |
| deltmsh | 1 |
| userrc | 1 |
| gluetmsh | 1 |
| restore_tmsh | 1 |
| replyc | 1 |
| pick | 1 |
| setir | 1 |
| tmesh_init | 1 |
| eclose | 1 |
| eopen | 1 |
| sltop | 1 |

| | |
|---------|---|
| slpshi | 1 |
| dfdgnC | 1 |
| redraw | 1 |
| modif1 | 1 |
| modic | 1 |
| movcnd | 1 |
| crvpar | 1 |
| slrjct | 1 |
| getnbd | 1 |
| enac12 | 1 |
| getnnb | 1 |
| chkind | 1 |
| geteid | 1 |
| enafet | 1 |
| exgvi2 | 1 |
| exgvr | 1 |
| delent | 1 |
| dpfeme | 1 |
| vi2rev | 1 |
| newmsh | 1 |
| prcont | 1 |
| exgi | 1 |
| irepyc | 1 |
| mapw2m | 1 |
| attion | 1 |
| getpt | 1 |
| evcrm | 1 |
| dfcget | 1 |
| dfcgmd | 1 |
| setncr | 1 |
| setcr | 1 |
| dfdput | 1 |
| entdup | 1 |
| mov2 | 1 |
| dpsbnd | 1 |
| movrr | 1 |
| dpfemd | 1 |
| putent | 1 |
| rsort | 1 |
| preexec | 1 |
| srfpt | 1 |
| slpop3 | 1 |
| enasrf | 1 |
| addbnd | 1 |
| evsrf | 1 |
| putnms | 1 |
| crmtri | 1 |

| | |
|---------------------------|---|
| addnod | 1 |
| dfdlen | 1 |
| shlmsg | 1 |
| getpol | 1 |
| getptf | 1 |
| add_to_nodelist | 1 |
| getxyz | 1 |
| neighbour_node_load | 1 |
| get_space_for_tridata | 1 |
| exgr | 1 |
| slpsh3 | 1 |
| wrk2df | 1 |
| evcrv | 1 |
| putnod | 1 |
| getnod | 1 |
| fndcrv | 1 |
| movr | 1 |
| int2l | 1 |
| v3scal | 1 |
| eqpt3 | 1 |
| v3unit | 1 |
| getent | 1 |
| auto_merge_mesh_once | 1 |
| cancel_short_stitch_edges | 1 |
| blind_seamstress | 1 |
| merge_meshes_by_edge | 1 |
| movi2t | 1 |
| tbfnd | 1 |
| tbskip | 1 |
| clstab | 1 |
| opntab | 1 |
| tbexst | 1 |
| cvi2t | 1 |
| movc | 1 |
| gsvnum | 1 |
| movi | 1 |
| calcen | 1 |
| evblim | 1 |
| evbcre_scr | 1 |
| trsgnp | 1 |
| trsgnc | 1 |
| evbini | 1 |
| trsgng | 1 |
| uv_srf_crvt | 1 |
| smooth_mesh | 1 |
| free_edge_graph | 1 |
| swap_mesh_triangles | 1 |

| | |
|---------------------------|---|
| create_edge_graph | 1 |
| cancel_short_intint_edges | 1 |
| cancel_short_bndbnd_edges | 1 |
| correct_mesh_boundaries | 1 |
| create_mesh_on_surf | 1 |
| dlatra | 1 |
| dlattf | 1 |
| gtmqua | 1 |
| getmsh | 1 |
| getnms | 1 |
| getdsp | 1 |
| crmqua | 1 |
| d2node | 1 |
| modfc | 1 |
| trsgid | 1 |
| evdsrf | 1 |
| maxdv | 1 |
| mindv | 1 |
| usmsgc | 1 |
| mapm2w | 1 |
| dfcgnc | 1 |
| dfcgoc | 1 |
| DM_REALLOC | 1 |
| free_node_graph | 1 |
| free_verts | 1 |
| v3btp | 1 |
| crvlng | 1 |
| dist3 | 1 |
| calcid | 1 |
| getpls | 1 |
| getpty | 1 |
| getlst | 1 |
| distd | 1 |
| dsdlpt | 1 |
| trrels | 1 |
| tr1trg | 1 |
| tr1int | 1 |
| filnct | 1 |
| trinii | 1 |
| get_surf_normalf | 1 |
| get_surf_pointf | 1 |
| get_flag_badsrf | 1 |
| put_id_in_buf_badsrf | 1 |
| redraw_badsrf | 1 |
| msg_mdls | 1 |
| gs_current_srf_id | 1 |
| find_id_in_buf_badsrf | 1 |

| | |
|---------------------------|---|
| eqvl0d | 1 |
| distd_c | 1 |
| v3dotd | 1 |
| v3crsd | 1 |
| v3untd | 1 |
| v3subd | 1 |
| movd | 1 |
| get_surf_point | 1 |
| eqv0dd | 1 |
| ncgeom_dbbsts | 1 |
| eqptd | 1 |
| get_set_allsurf_part_mode | 1 |
| nu_sgcd_get_code | 1 |
| gtval | 1 |
| v3sizd | 1 |
| enaall | 1 |
| fill2 | 1 |
| evcrl | 1 |
| v3size | 1 |
| selarr | 1 |
| prompt | 1 |
| eqval | 1 |
| eputr | 1 |
| egetr | 1 |
| eskipr | 1 |
| eattc | 1 |
| estore | 1 |
| eputd | 1 |
| egetd | 1 |
| degree | 1 |
| evbget_arc | 1 |
| evbrpd | 1 |
| egeti | 1 |
| eskipi | 1 |
| eskipt | 1 |
| eputi | 1 |
| eskippd | 1 |
| msg_modal | 1 |
| eqptdd | 1 |
| cm3und_c | 1 |
| skipd | 1 |
| skipi | 1 |
| edpid | 1 |
| trsbox | 1 |
| m3vecd | 1 |
| m3crsd | 1 |
| trgetd | 1 |

| | |
|---|---|
| gswpld | 1 |
| trsgps | 1 |
| exgd | 1 |
| closrb | 1 |
| mmclos | 1 |
| trsgdp_free | 1 |
| mmcptr | 1 |
| mmopsa | 1 |
| trsgdp_ini | 1 |
| revdmd | 1 |
| erroot | 1 |
| cygwin32_gethostbyaddr | 1 |
| ??1TemplateDictionary@ctemplate@@UAE | 1 |
| ?ExpandWithData@Template@ctemplate@ | 1 |
| ??0TemplateDictionary@ctemplate@@QAE | 1 |
| ??0TemplateString@ctemplate@@QAE@PB | 1 |
| ?GetTemplate@Template@ctemplate@S/ | 1 |
| ??0TemplateString@ctemplate@@QAE@AE | 1 |
| ?Expand@Template@ctemplate@@QBE_NI | 1 |
| ??0StaticTemplateStringInitializer@ctemplat | 1 |
| ?SetValue@TemplateDictionary@ctemplate | 1 |
| ?AddSectionDictionary@TemplateDictionary | 1 |
| ??1Serializer@QJson@@QAE@XZ | 1 |
| ?serialize@Serializer@QJson@@QAE?AVQB | 1 |
| ??0Serializer@QJson@@QAE@XZ | 1 |
| ?mouseMoveEvent@QWebView@@MAEXP | 1 |
| ?mouseDoubleClickEvent@QWebView@@N | 1 |
| ?mouseReleaseEvent@QWebView@@MAE | 1 |
| ?mousePressEvent@QWebView@@MAEXP, | 1 |
| ?sizeHint@QWebView@@UBE?AVQSize@@ | 1 |
| ?event@QWebView@@UAE_NPAVQEEvent@ | 1 |
| ?qt_metacall@QWebView@@UAEHW4Call(| 1 |
| ?qt_metacast@QWebView@@UAEPAXPBD(| 1 |
| ?metaObject@QWebView@@UBEPBUQMe | 1 |
| ??0QWebView@@QAE@PAVQWidget@@@C | 1 |
| ?setUrl@QWebView@@QAEXABVQUrl@@@ | 1 |
| ?load@QWebView@@QAEXABVQUrl@@@@ | 1 |
| ?page@QWebView@@QBEPBVQWebPage(| 1 |
| ?setScrollBarPolicy@QWebFrame@@QAEXI | 1 |
| ?url@QWebView@@QBE?AVQUrl@@XZ | 1 |
| ?wheelEvent@QWebView@@MAEXP@AVQW | 1 |
| ?staticMetaObject@QWebView@@2UQMe | 1 |
| ?loadFinished@QWebPage@@IAEX_N@Z | 1 |
| ?view@QWebPage@@QBEPBVQWidget@@@C | 1 |
| ?setNetworkAccessManager@QWebPage@ | 1 |
| ?setForwardUnsupportedContent@QWebPa | 1 |
| ?load@QWebView@@QAEXABVQNetworkF | 1 |

| | |
|---------------------------------------|---|
| ?pageAction@QWebView@@QBEP_AVQActi | 1 |
| ?stop@QWebView@@QAEX_XZ | 1 |
| ?setPage@QWebView@@QAEXP_AVQWebP | 1 |
| ?print@QWebFrame@@QBEXP_AVQPrinter() | 1 |
| ?addToJavaScriptWindowObject@QWebFra | 1 |
| ??1QWebView@@UAE@XZ | 1 |
| ?createWindow@QWebView@@MAEPAV1(| 1 |
| ?focusNextPrevChild@QWebView@@MAE_ | 1 |
| ?inputMethodQuery@QWebView@@UBE?A | 1 |
| ?inputMethodEvent@QWebView@@MAEXI | 1 |
| ?changeEvent@QWebView@@MAEXP_AVQE | 1 |
| ?dropEvent@QWebView@@MAEXP_AVQDrc | 1 |
| ?dragLeaveEvent@QWebView@@MAEXP_A\ | 1 |
| ?dragMoveEvent@QWebView@@MAEXP_A\ | 1 |
| ?dragEnterEvent@QWebView@@MAEXP_AV | 1 |
| ?contextMenuEvent@QWebView@@MAEX | 1 |
| ?resizeEvent@QWebView@@MAEXP_AVQR\ | 1 |
| ?paintEvent@QWebView@@MAEXP_AVQPai | 1 |
| ?focusOutEvent@QWebView@@MAEXP_AV\ | 1 |
| ?focusInEvent@QWebView@@MAEXP_AVQF | 1 |
| ?keyReleaseEvent@QWebView@@MAEXP_A | 1 |
| ?databaseName@QSqlDatabase@@QBE?A\ | 1 |
| ??0QXmlStreamReader@@QAE@XZ | 1 |
| ?isStartElement@QXmlStreamReader@@QF | 1 |
| ?isEndElement@QXmlStreamReader@@QB | 1 |
| ?isCharacters@QXmlStreamReader@@QBE_ | 1 |
| ?isCDATA@QXmlStreamReader@@QBE_NX | 1 |
| ?hasError@QXmlStreamReader@@QBE_NX | 1 |
| ?raiseError@QXmlStreamReader@@QAEXA | 1 |
| ?addData@QXmlStreamReader@@QAEXP_AB | 1 |
| ?setDevice@QXmlStreamReader@@QAEXP_ | 1 |
| ?setLayoutDirection@QWidget@@QAEXW4 | 1 |
| ?stop@QMovie@@QAEX_XZ | 1 |
| ?drawPixmap@QPainter@@QAEXHHHHAB\ | 1 |
| ?minimumHeight@QWidget@@QBEHX_Z | 1 |
| ?drawPixmap@QPainter@@QAEXHHABVQF | 1 |
| ?minimumWidth@QWidget@@QBEHX_Z | 1 |
| ?width@QFontMetrics@@QBEHVQChar@@ | 1 |
| ??4QFontMetrics@@QAEAAV0@ABV0@@Z | 1 |
| ?clearFocus@QWidget@@QAEX_XZ | 1 |
| ?setAnimated@QMainWindow@@QAEX_N | 1 |
| ?setStatusbar@QMainWindow@@QAEXP_A\ | 1 |
| ?setUniformItemSizes@QListView@@QAEX | 1 |
| ??1QListWidgetItem@@UAE@XZ | 1 |
| ??0QListWidgetItem@@QAE@PAVQLListWid | 1 |
| ?clone@QListWidgetItem@@UBEP_AV1@XZ | 1 |
| ?setBackgroundcolor@QListWidgetItem@@ | 1 |

| | |
|---------------------------------------|---|
| ?data@QListWidgetItem@@UBE?AVQVaria | 1 |
| ?setData@QListWidgetItem@@UAEXHABVC | 1 |
| ??M QListWidgetItem@@UBE_NABV0@@Z | 1 |
| ?read@QListWidgetItem@@UAEXAAVQDat | 1 |
| ?write@QListWidgetItem@@UBEXAAVQDat | 1 |
| ?item@QListWidget@@QBEPAVQListWidge | 1 |
| ?takeItem@QListWidget@@QAEPAVQListW | 1 |
| ?row@QListWidget@@QBEHPBVQListWidge | 1 |
| ?setText@QListWidgetItem@@QAEXABVQS | 1 |
| ?setHint@QListWidgetItem@@QAEXABV | 1 |
| ?addItem@QListWidget@@QAEXPAPVListV | 1 |
| ?drawPixmap@QPainter@@QAEXHHHHAB\ | 1 |
| ?drawLine@QPainter@@QAEXHHHH@Z | 1 |
| ??0QColor@@QAE@ABV0@@Z | 1 |
| ??1QPrinter@@UAE@XZ | 1 |
| ??0QPrintDialog@@QAE@PAVQPrinter@@ | 1 |
| ??0QPrinter@@QAE@W4PrinterMode@0@ | 1 |
| ?metaObject@QPrintDialog@@UBEPBUQM | 1 |
| ?qt_metacast@QPrintDialog@@UAEPAXPBI | 1 |
| ?qt_metacall@QPrintDialog@@UAEHW4Ca | 1 |
| ?setVisible@QPrintDialog@@UAEX_N@Z | 1 |
| ?done@QPrintDialog@@UAEXH@Z | 1 |
| ?exec@QPrintDialog@@UAEHXZ | 1 |
| ??1QPrintDialog@@UAE@XZ | 1 |
| ??1QStatusBar@@UAE@XZ | 1 |
| ?event@QStatusBar@@MAE_NPAVQEvent@ | 1 |
| ?paintEvent@QStatusBar@@MAEXPAPQPai | 1 |
| ?resizeEvent@QStatusBar@@MAEXPAPQRe | 1 |
| ?showEvent@QStatusBar@@MAEXPAPQSh | 1 |
| ?setFileName@QMovie@@QAEXABVQString | 1 |
| ??0QMovie@@QAE@PAVQObject@@@Z | 1 |
| ?addWidget@QStatusBar@@QAEXPAPQWidget | 1 |
| ??0QStatusBar@@QAE@PAVQWidget@@@C | 1 |
| ??0QListWidgetItem@@QAE@ABVQIcon@() | 1 |
| ?qt_metacast@QItemDelegate@@UAEPAXF | 1 |
| ?qt_metacall@QItemDelegate@@UAEHW4I | 1 |
| ?staticMetaObject@QItemDelegate@@2UQ | 1 |
| ?staticMetaObject@QListWidget@@2UQM@ | 1 |
| ?qt_metacast@QStatusBar@@UAEPAPXBDF | 1 |
| ?qt_metacall@QStatusBar@@UAEHW4Call | 1 |
| ?staticMetaObject@QStatusBar@@2UQMe1 | 1 |
| ??0QApplication@@QAE@AAHPAPAD_NH@ | 1 |
| ?windowOpacity@QWidget@@QBENXZ | 1 |
| ?paint@QItemDelegate@@UBEXPAPQPaint | 1 |
| ?drawTiledPixmap@QPainter@@QAEXABV(| 1 |
| ?drawText@QPainter@@QAEXABVRect@ | 1 |
| ??0QItemDelegate@@QAE@PAVQObject@ | 1 |

| | |
|---|---|
| ??0QColor@@QAE@XZ | 1 |
| ?drawCheck@QItemDelegate@@MBEXPAV | 1 |
| ?drawFocus@QItemDelegate@@MBEXPAV | 1 |
| ?drawDecoration@QItemDelegate@@MBE | 1 |
| ?drawDisplay@QItemDelegate@@MBEXP | 1 |
| ?editorEvent@QItemDelegate@@MAE_NPA | 1 |
| ?updateEditorGeometry@QItemDelegate@ | 1 |
| ?setModelData@QItemDelegate@@UBEXP | 1 |
| ?setEditorData@QItemDelegate@@UBEXP | 1 |
| ?createEditor@QItemDelegate@@UBEPAVC | 1 |
| ?sizeHint@QItemDelegate@@UBE?AVQSize | 1 |
| ?eventFilter@QItemDelegate@@MAE_NPA' | 1 |
| ??1QItemDelegate@@UAE@XZ | 1 |
| ?takeTopLevelItem@QTreeWidget@@QAEF | 1 |
| ?button@QMouseEvent@@QBE?AW4Mous | 1 |
| ?pos@QMouseEvent@@QBEABVQPoint@@ | 1 |
| ?setHeaderHidden@QTreeView@@QAEX_N | 1 |
| ?setHeaderItem@QTreeWidget@@QAEXP | 1 |
| ?setAllColumnsShowFocus@QTreeView@@ | 1 |
| ?windowFlags@QWidget@@QBE?AV?\$QFl | 1 |
| ?setAutoRepeatDelay@QAbstractButton@@ | 1 |
| ??0QSplitter@@QAE@PAVQWidget@@@Z | 1 |
| ?setOrientation@QSplitter@@QAEXW4Orie | 1 |
| ?setChildrenCollapsible@QSplitter@@QAEX | 1 |
| ?setHandleWidth@QSplitter@@QAEXH@Z | 1 |
| ?setWidgetResizable@QScrollArea@@QAEX | 1 |
| ?setStretchFactor@QSplitter@@QAEXHH@: | 1 |
| ?createHandle@QSplitter@@MAEPAVQSpli | 1 |
| ?drawPixmap@QPainter@@QAEXHHABVQF | 1 |
| ??0QLocalSocket@@QAE@PAVQObject@@ | 1 |
| ?connectToServer@QLocalSocket@@QAEXA | 1 |
| ?waitForConnected@QLocalSocket@@QAE_ | 1 |
| ??1QLocalSocket@@UAE@XZ | 1 |
| ?waitForBytesWritten@QLocalSocket@@UA | 1 |
| ?waitForReadyRead@QLocalSocket@@UAE_ | 1 |
| ?listen@QLocalServer@@QAE_NABVQString | 1 |
| ?errorString@QLocalServer@@QBE?AVQStr | 1 |
| ??1QLocalServer@@UAE@XZ | 1 |
| ?incomingConnection@QLocalServer@@M/ | 1 |
| ?nextPendingConnection@QLocalServer@@ | 1 |
| ?hasPendingConnections@QLocalServer@@ | 1 |
| ?qt_metacall@QLocalServer@@UAEHW4Ca | 1 |
| ?qt_metacast@QLocalServer@@UAEPAXPB | 1 |
| ?metaObject@QLocalServer@@UBEPBUQN | 1 |
| ??0QLocalServer@@QAE@PAVQObject@@ | 1 |
| ?staticMetaObject@QNetworkAccessManag | 1 |
| ?hasRawHeader@QNetworkReply@@QBE_ | 1 |

| | |
|---------------------------------------|---|
| ?rawHeader@QNetworkReply@@QBE?AVQ | 1 |
| ?url@QNetworkReply@@QBE?AVQUrl@@> | 1 |
| ??1QNetworkDiskCache@@UAE@XZ | 1 |
| ?expire@QNetworkDiskCache@@MAE_JXZ | 1 |
| ?clear@QNetworkDiskCache@@UAEXXZ | 1 |
| ?insert@QNetworkDiskCache@@UAEXPAC | 1 |
| ?prepare@QNetworkDiskCache@@UAEPAV | 1 |
| ?cacheSize@QNetworkDiskCache@@UBE_J: | 1 |
| ?remove@QNetworkDiskCache@@UAE_NA | 1 |
| ?data@QNetworkDiskCache@@UAEPAVQC | 1 |
| ?updateMetaData@QNetworkDiskCache@C | 1 |
| ?metaData@QNetworkDiskCache@@UAE?A | 1 |
| ?qt_metacall@QNetworkDiskCache@@UAE | 1 |
| ?qt_metacast@QNetworkDiskCache@@UAI | 1 |
| ?metaObject@QNetworkDiskCache@@UBE | 1 |
| ??0QNetworkDiskCache@@QAE@PAVQObj | 1 |
| ?setCacheDirectory@QNetworkDiskCache@ | 1 |
| ?setCache@QNetworkAccessManager@@Q | 1 |
| ?request@QNetworkReply@@QBE?AVQNe1 | 1 |
| ?url@QNetworkRequest@@QBE?AVQUrl@I | 1 |
| ?post@QNetworkAccessManager@@QAEP/ | 1 |
| ?header@QNetworkReply@@QBE?AVQVari | 1 |
| ?staticMetaObject@QNetworkReply@@2UC | 1 |
| ?setRawHeader@QNetworkRequest@@QAI | 1 |
| ?isFinished@QNetworkReply@@QBE_NXZ | 1 |
| ?createRequest@QNetworkAccessManager(| 1 |
| ?qt_metacall@QNetworkAccessManager@C | 1 |
| ?qt_metacast@QNetworkAccessManager@I | 1 |
| ?metaObject@QNetworkAccessManager@C | 1 |
| ?writeBytes@QDataStream@@QAEAAV1@I | 1 |
| ?remove@QString@@QAEAAV1@ABVQReg | 1 |
| ?qChecksum@@YAGPBDI@Z | 1 |
| ?number@QString@@SA?AV1@KH@Z | 1 |
| ?qerrnoWarning@@YAXPBDZ | 1 |
| ?completeSuffix@QFileInfo@@QBE?AVQStr | 1 |
| ?canonicalFilePath@QFileInfo@@QBE?AVQ | 1 |
| ??0QVariant@@QAE@ABV?\$QMap@VQString | 1 |
| ??0QDate@@QAE@XZ | 1 |
| ?toDate@QVariant@@QBE?AVQDate@@XZ | 1 |
| ?isNull@QDate@@QBE_NXZ | 1 |
| ??0QVariant@@QAE@ABVQDate@@@Z | 1 |
| ?hasQueryItem@QUrl@@QBE_NABVQStrin | 1 |
| ??0QRect@@QAE@XZ | 1 |
| ?setTop@QRect@@QAEXH@Z | 1 |
| ?setRight@QRect@@QAEXH@Z | 1 |
| ?setBottom@QRect@@QAEXH@Z | 1 |
| ?setLeft@QRect@@QAEXH@Z | 1 |

| | |
|--|---|
| ?row@QModelIndex@@QBEHXZ | 1 |
| ?setFile@QFileInfo@@QAEXABVQString@@ | 1 |
| ?qsrand@@YAXI@Z | 1 |
| ??YQPoint@@QAEAAV0@ABV0@@Z | 1 |
| ?push_front@QString@@QAEXVQChar@@I | 1 |
| ?setX@QPoint@@QAEXH@Z | 1 |
| ?setY@QPoint@@QAEXH@Z | 1 |
| ?y@QPoint@@QBEHXZ | 1 |
| ?x@QPoint@@QBEHXZ | 1 |
| ?fromUserInput@QUrl@@SA?AV1@ABVQS | 1 |
| ?setCodecForCStrings@ QTextCodec@@SAX | 1 |
| ?setCodecForTr@ QTextCodec@@SAXPAV1@ | 1 |
| ??0QFile@@QAE@PAVQObject@@@Z | 1 |
| ??6QDebug@@QAEAAV0@F@Z | 1 |
| ?isActive@ QTimer@@QBE_NXZ | 1 |
| ?isAbsolute@ QDir@@QBE_NXZ | 1 |
| ?ignore@ QEvent@@QAEXXZ | 1 |
| ?accept@ QEvent@@QAEXXZ | 1 |
| ?adjust@ QRect@@QAEHHHH@Z | 1 |
| ?column@QModelIndex@@QBEHXZ | 1 |
| ?isValid@ QRect@@QBE_NXZ | 1 |
| ?isValid@QModelIndex@@QBE_NXZ | 1 |
| ?addQueryItem@QUrl@@QAEXABVQString | 1 |
| ?queryItemValue@QUrl@@QBE?AVQString | 1 |
| ?erase@?\$basic_string@GU?\$char_traits@C@Q@E@?AVString@Q@E@ | 1 |
| gst_segment_set_newsegment | 1 |
| gst_pad_alloc_buffer | 1 |
| gst_segment_clip | 1 |
| gst_caps_from_string | 1 |
| gst_event_parse_new_segment | 1 |
| gst_structure_get_int | 1 |
| gst_segment_new | 1 |
| gst_core_error_quark | 1 |
| gst_fraction_range_get_type | 1 |
| gst_value_get_fraction_numerator | 1 |
| gst_int_range_get_type | 1 |
| gst_value_get_fraction_denominator | 1 |
| gst_segment_free | 1 |
| glWritePrefix | 1 |
| ShlInt_VerifyAssociations_XMLFile | 1 |
| ShlInt_PerformAssociations_XMLFile | 1 |
| Int | 1 |
| IsLFNDriveW | 1 |
| vlc_submodule_create | 1 |
| __vbaSt | 1 |
| Hea | 1 |
| debugger | 1 |

| | |
|---|---|
| writeClientField | 1 |
| ?InitTextStyleAndLayer@CStrStr@@QAEX_JC | 1 |
| ?LoadAllData@GzgData@@QAEXPBD@Z | 1 |
| ??1CgData@@QAE@XZ | 1 |
| ??1GzgData@@QAE@XZ | 1 |
| ??0YgData@@QAE@ABV0@@Z | 1 |
| ??0FgData@@QAE@ABV0@@Z | 1 |
| ??0CgData@@QAE@ABV0@@Z | 1 |
| ??0GzgData@@QAE@ABV0@@Z | 1 |
| ??1CReadFile@@UAE@XZ | 1 |
| ?GetIronType@CStrStr@@SAHPBD@Z | 1 |
| ??0JgData@@QAE@ABV0@@Z | 1 |
| ??1LjbData@@QAE@XZ | 1 |
| ?ReadLjbsb@CDataOnStParam@@SANAAL | 1 |
| ??0LjbData@@QAE@XZ | 1 |
| ??0GzgData@@QAE@XZ | 1 |
| ?DrawAxisCode@CStrStr@@SA?AVAcDbObj | 1 |
| ?DrawAxisCode@CStrStr@@SA?AVAcDbObj | 1 |
| ?DrawFsTGzg@CStILzjd@@QAE?AV?\$AcArr | 1 |
| ?DrawBoltSyt@CStILzjd@@QAE?AV?\$AcArr | 1 |
| ?DrawCg@CStrStr@@QAE?AV?\$AcArray@V | 1 |
| ?DrawBoltCmSyt@CStILzjd@@QAE?AV?\$Ac | 1 |
| ?DrawGzgFC@CStrStr@@QAE?AV?\$AcArray | 1 |
| ?DrawWeldAround@CWeld@@SA?AV?\$Ac | 1 |
| ??0LjbData@@QAE@ABV0@@Z | 1 |
| ??1JgData@@QAE@XZ | 1 |
| ?DrawBoltP@CStrStr@@QAE?AV?\$AcArray@ | 1 |
| ?LoadAllData@JgData@@QAEXPBD@Z | 1 |
| ?DrawFg@CStrStr@@QAE?AV?\$AcArray@V | 1 |
| ?DrawYg@CStrStr@@QAE?AV?\$AcArray@V | 1 |
| ?DrawWeldSBord@CWeld@@SA?AV?\$AcAr | 1 |
| ?DrawWeldVsMeet@CWeld@@SA?AV?\$Ac | 1 |
| ?DrawWeldAngle@CWeld@@SA?AV?\$AcAr | 1 |
| ??0CStILzjd@@QAE@XZ | 1 |
| ?LoadAllData@FgData@@QAEXPBD@Z | 1 |
| ??1CStILzjd@@UAE@XZ | 1 |
| ?DrawJJCgPm@CStILzjd@@QAE?AV?\$AcArr | 1 |
| ?DrawFsTGzg1@CStILzjd@@QAE?AV?\$AcAr | 1 |
| ?DrawJJCgLM@CStILzjd@@QAE?AV?\$AcArr | 1 |
| ?DrawGzgCLm@CStILzjd@@QAE?AV?\$AcAr | 1 |
| ?DrawArrLine@CStILzjd@@QAE?AV?\$AcArr | 1 |
| ?DrawKzb@CStILzjd@@QAE?AV?\$AcArray@ | 1 |
| ?DrawGzgLm@CStILzjd@@QAE?AV?\$AcArr | 1 |
| ?DrawFsTGzg2@CStILzjd@@QAE?AV?\$AcAr | 1 |
| ?DrawJJCgClm@CStILzjd@@QAE?AV?\$AcAr | 1 |
| ?DrawJJLM@CStILzjd@@QAE?AV?\$AcArray@ | 1 |
| ??1YgData@@QAE@XZ | 1 |

| | |
|--|---|
| ??9YgData@@QAEHABV0@@Z | 1 |
| ??9FgData@@QAEHABV0@@Z | 1 |
| ??9CgData@@QAEHABV0@@Z | 1 |
| ??9GzgData@@QAEHABV0@@Z | 1 |
| ??9JgData@@QAEHABV0@@Z | 1 |
| ?MatchSjPdGzg@CStlStr@@SAXAAVCCombi | 1 |
| ?MatchSjPdCg@CStlStr@@SAXAAVCCombo | 1 |
| ??4YgData@@QAEAAV0@ABV0@@Z | 1 |
| ??4FgData@@QAEAAV0@ABV0@@Z | 1 |
| ?DrawGzg@CStlStr@@QAE?AV?\$AcArray@' | 1 |
| ??1FgData@@QAE@XZ | 1 |
| ??4CgData@@QAEAAV0@ABV0@@Z | 1 |
| ??4GzgData@@QAEAAV0@ABV0@@Z | 1 |
| ??4JgData@@QAEAAV0@ABV0@@Z | 1 |
| ??0YgData@@QAE@XZ | 1 |
| ??0FgData@@QAE@XZ | 1 |
| ??0CgData@@QAE@XZ | 1 |
| ?GetGzgData@CStlStr@@SA?AVGzgData@() | 1 |
| ??0JgData@@QAE@XZ | 1 |
| ?GetYgData@CStlStr@@SA?AVYgData@@A | 1 |
| ?GetFgData@CStlStr@@SA?AVFgData@@A | 1 |
| ?GetCgData@CStlStr@@SA?AVCgData@@A | 1 |
| ?SaveAllData@YgData@@QAEXPBD@Z | 1 |
| ?SaveAllData@FgData@@QAEXPBD@Z | 1 |
| ?SaveAllData@GzgData@@QAEXPBD@Z | 1 |
| ?LoadAllData@YgData@@QAEXPBD@Z | 1 |
| ?SaveAllData@JgData@@QAEXPBD@Z | 1 |
| ??0CReadFile@@QAE@XZ | 1 |
| ?GetIronXh@CReadFile@@SAHHAAVCString | 1 |
| ?SetTssdPrgPath@CLoadDataTable@@SAXP | 1 |
| ?GetIronData@CReadFile@@SAHV?\$CString | 1 |
| ?setDimValue@AcEdJig@@UAE?AW4ErrorS | 1 |
| acedTextBox | 1 |
| ?acquirePoint@AcEdJig@@QAE?AW4DragSi | 1 |
| ?setUserInputControls@AcEdJig@@QAEXW | 1 |
| ?dimData@AcEdJig@@UAEPAV?\$AcArray@ | 1 |
| ?isA@AcEdJig@@UBEPAVAcRxClass@@XZ | 1 |
| ??1AcEdJig@@UAE@XZ | 1 |
| ??0AcEdJig@@QAE@XZ | 1 |
| ?acedRestoreStatusBar@@YAXXZ | 1 |
| ?acedSetStatusBarProgressMeterPos@@YAI | 1 |
| ?acedSetStatusBarProgressMeter@@YAHPB | 1 |
| ?drag@AcEdJig@@QAE?AW4DragStatus@1 | 1 |
| acedSetVar | 1 |
| acedGetVar | 1 |
| acedGetPoint | 1 |
| acedHelp | 1 |

| | |
|--|---|
| acedSetFunHelp | 1 |
| ?moveStretchPointsAt@AcDbEntity@@UAE | 1 |
| ?getStretchPoints@AcDbEntity@@UBE?AW | 1 |
| ?moveGripPointsAt@AcDbEntity@@UAE?A\ | 1 |
| ?moveGripPointsAt@AcDbEntity@@UAE?A\ | 1 |
| ?getGripPoints@AcDbEntity@@UBE?AW4Er | 1 |
| ?getGripPoints@AcDbEntity@@UBE?AW4Er | 1 |
| ?getOsnapPoints@AcDbEntity@@UBE?AW4 | 1 |
| ?getOsnapPoints@AcDbEntity@@UBE?AW4 | 1 |
| ?getOsnapPoints@AcDbEntity@@UBE?AW4 | 1 |
| ?subentPtr@AcDbEntity@@UBEPAV1@ABV | 1 |
| ?unhighlight@AcDbEntity@@UBE?AW4Erro | 1 |
| ?highlight@AcDbEntity@@UBE?AW4ErrorSt | 1 |
| ?getGsMarkersAtSubentPath@AcDbEntity@ | 1 |
| ?getSubentPathsAtGsMarker@AcDbEntity@ | 1 |
| ?getSubentPathsAtGsMarker@AcDbEntity@ | 1 |
| ?getGeomExtents@AcDbEntity@@UBE?AW | 1 |
| ?getEcs@AcDbEntity@@UBEXAAVAcGeMat | 1 |
| ?setLineWeight@AcDbEntity@@UAE?AW4E | 1 |
| ?setVisibility@AcDbEntity@@UAE?AW4Errc | 1 |
| ?setLinetypeScale@AcDbEntity@@UAE?AW | 1 |
| ?c5ObjIdIsEqualTo@YA_NPBVAcDbStub@ | 1 |
| ?setLinetype@AcDbEntity@@UAE?AW4Errc | 1 |
| ?setLayer@AcDbEntity@@UAE?AW4ErrorSt | 1 |
| ?setLayer@AcDbEntity@@UAE?AW4ErrorSt | 1 |
| ?setPlotStyleName@AcDbEntity@@UAE?AV | 1 |
| ?setPlotStyleName@AcDbEntity@@UAE?AV | 1 |
| ?setTransparency@AcDbEntity@@UAE?AW | 1 |
| ?setColorIndex@AcDbEntity@@UAE?AW4Ei | 1 |
| ?setColor@AcDbEntity@@UAE?AW4ErrorSt | 1 |
| ?getClassID@AcDbEntity@@UBE?AW4Error | 1 |
| ?drawable@AcDbEntity@@UAEPAVAcGiDra | 1 |
| ?decomposeForSave@AcDbObject@@UAE? | 1 |
| ?getObjectSaveVersion@AcDbObject@@UA | 1 |
| ?getObjectSaveVersion@AcDbObject@@UA | 1 |
| ?modifiedGraphics@AcDbObject@@UAEXP | 1 |
| ?objectClosed@AcDbObject@@UAEXVAcDb | 1 |
| ?reappended@AcDbObject@@UAEXPBV1@ | 1 |
| ?unappended@AcDbObject@@UAEXPBV1@ | 1 |
| ?modifiedXData@AcDbObject@@UAEXPBV: | 1 |
| ?modifyUndone@AcDbObject@@UAEXPBV: | 1 |
| ?subObjModified@AcDbObject@@UAEXPB\ | 1 |
| ?modified@AcDbObject@@UAEXPBV1@@Z | 1 |
| ?openedForModify@AcDbObject@@UAEXP | 1 |
| ?goodbye@AcDbObject@@UAEXPBV1@@Z | 1 |
| ?erased@AcDbObject@@UAEXPBV1@H@Z | 1 |

| | |
|---------------------------------------|---|
| ?copied@AcDbObject@@UAEXPBV1@0@Z | 1 |
| ?cancelled@AcDbObject@@UAEXPBV1@@` | 1 |
| ?wblockClone@AcDbObject@@UBE?AW4Er | 1 |
| ?deepClone@AcDbObject@@UBE?AW4Erro | 1 |
| ?xmitPropagateModify@AcDbObject@@UB | 1 |
| ?recvPropagateModify@AcDbObject@@UA | 1 |
| ?removePersistentReactor@AcDbObject@ | 1 |
| ?addPersistentReactor@AcDbObject@@UAI | 1 |
| ?applyPartialUndo@AcDbEntity@@UAE?AW | 1 |
| ?setXData@AcDbObject@@UAE?AW4ErrorS | 1 |
| ?xData@AcDbObject@@UBEPAUresbuf@@@ | 1 |
| ?mergeStyle@AcDbObject@@UBE?AW4Duf | 1 |
| ?dxOutFields@AcDbEntity@@UBE?AW4Err | 1 |
| ?intersectWith@AcDbEntity@@UBE?AW4Er | 1 |
| ?dwgOutFields@AcDbEntity@@UBE?AW4Er | 1 |
| ?dwgInFields@AcDbEntity@@UAE?AW4Err | 1 |
| ?audit@AcDbEntity@@UAE?AW4ErrorStat | 1 |
| ?swapReferences@AcDbObject@@UAE?AW | 1 |
| ?subSwapIdWith@AcDbObject@@UAE?AW | 1 |
| ?subHandOverTo@AcDbObject@@UAE?AW | 1 |
| ?subErase@AcDbObject@@UAE?AW4ErrorS | 1 |
| ?subClose@AcDbObject@@UAE?AW4ErrorS | 1 |
| ?subCancel@AcDbObject@@UAE?AW4Error | 1 |
| ?subOpen@AcDbObject@@UAE?AW4ErrorS | 1 |
| ?setOwnerId@AcDbObject@@UAE?AW4Err | 1 |
| ?gsNode@AcDbEntity@@UBEPAVAcGsNode | 1 |
| ?setGsNode@AcDbEntity@@UAEXPAAcGs | 1 |
| ?id@AcDbObject@@UBE?AVAcDbObjectId@ | 1 |
| ?isPersistent@AcDbObject@@UBEHZ | 1 |
| ?viewportDraw@AcDbEntity@@UAEXPAAV | 1 |
| ?setAttributes@AcDbEntity@@UAEKPAVAc | 1 |
| ?copyFrom@AcDbObject@@UAE?AW4Error | 1 |
| ?clone@AcDbObject@@UBEPAVAcRxObject | 1 |
| ?isA@AcDbEntity@@UBEPAVAcRxClass@@ | 1 |
| ??0AcDbEntity@@IAE@XZ | 1 |
| ?erase@AcDbObject@@QAE?AW4ErrorStat | 1 |
| ?colorIndex@AcDbEntity@@QBEGXZ | 1 |
| ?linetype@AcDbEntity@@QBEPADXZ | 1 |
| ?scaleFactors@AcDbBlockReference@@QB | 1 |
| ?rotation@AcDbBlockReference@@QBENXZ | 1 |
| ?blockTableRecord@AcDbBlockReference@ | 1 |
| ?position@AcDbBlockReference@@QBE?AV | 1 |
| ??0AcDbBlockReference@@QAE@XZ | 1 |
| ?desc@AcDbBlockReference@@SAPAVAcRx | 1 |
| ??0AcDbExtents@@QAE@ABVAcGePoint3d | 1 |
| ?location@AcDbMText@@QBE?AVAcGePoi | 1 |
| ?textHeight@AcDbMText@@QBENXZ | 1 |

| | |
|---------------------------------------|---|
| ?contents@AcDbMText@@QBEPADXZ | 1 |
| ?desc@AcDbMText@@SAPAVAcRxClass@@ | 1 |
| ?position@AcDbText@@QBE?AVAcGePoint: | 1 |
| ?widthFactor@AcDbText@@QBENXZ | 1 |
| ?height@AcDbText@@QBENXZ | 1 |
| ?textString@AcDbText@@QBEPADXZ | 1 |
| ?desc@AcDbText@@SAPAVAcRxClass@@X: | 1 |
| ?setClosed@AcDbPolyline@@QAEXH@Z | 1 |
| ?addVertexAt@AcDbPolyline@@QAE?AW4I | 1 |
| ??0AcDbPolyline@@QAE@I@Z | 1 |
| ??0AcDbPolyline@@QAE@XZ | 1 |
| ?setAlignmentPoint@AcDbText@@QAE?AW | 1 |
| ?setHorizontalMode@AcDbText@@QAE?AV | 1 |
| ?setRotation@AcDbText@@QAE?AW4Error | 1 |
| ?setPosition@AcDbText@@QAE?AW4ErrorS | 1 |
| ?setWidthFactor@AcDbText@@QAE?AW4E | 1 |
| ?setHeight@AcDbText@@QAE?AW4ErrorSt | 1 |
| ?setTextStyle@AcDbText@@QAE?AW4Error | 1 |
| ?setTextString@AcDbText@@QAE?AW4Errc | 1 |
| ??0AcDbText@@QAE@XZ | 1 |
| ?getPointAt@AcDbPolyline@@QBE?AW4Err | 1 |
| ?intersectWith@AcDbEntity@@UBE?AW4Er | 1 |
| ?list@AcDbEntity@@UBEXXZ | 1 |
| ?transformBy@AcDbEntity@@UAE?AW4Err | 1 |
| ?transformBy@AcDbEntity@@UAE?AW4Err | 1 |
| ?explode@AcDbEntity@@UBE?AW4ErrorSt: | 1 |
| ?saveAs@AcDbEntity@@UAEXPAAcGiWor | 1 |
| ?getCompoundObjectTransform@AcDbEntit | 1 |
| ?subSetDatabaseDefaults@AcDbEntity@@U | 1 |
| ?cloneMeForDragging@AcDbEntity@@UAEI | 1 |
| ?dragStatus@AcDbEntity@@UAEXW4DragS | 1 |
| ?gripStatus@AcDbEntity@@UAEXW4GripSt: | 1 |
| acdbAcisSetDeleteBulletins | 1 |
| ?layer@AcDbEntity@@QBEPADXZ | 1 |
| ?upgradeOpen@AcDbObject@@QAE?AW4E | 1 |
| ?set@AcDbExtents@@QAE?AW4ErrorStatus | 1 |
| ??0AcDbExtents@@QAE@ABV0@@Z | 1 |
| ?addExt@AcDbExtents@@QAEXABV1@@Z | 1 |
| ??1AcDbObject@@UAE@XZ | 1 |
| ?acdbOpenAcDbEntity@@YA?AW4ErrorStat | 1 |
| ?freeRawMem@AcHeapOperators@@CIXP/ | 1 |
| ?allocRawMem@AcHeapOperators@@CIPA | 1 |
| ??0AcDbExtents@@QAE@XZ | 1 |
| ?textstyle@AcDbDatabase@@QBE?AVAcDb | 1 |
| ?getName@AcDbSymbolTableRecord@@QF | 1 |
| acad_free | 1 |
| acutBuildList | 1 |

| | |
|--|---|
| ?dxflnFields@AcDbEntity@@UAE?AW4Error | 1 |
| ?setLinetype@AcDbEntity@@UAE?AW4Errc | 1 |
| ?getTransformedCopy@AcDbEntity@@UBE` | 1 |
| ??HAcGePoint3d@@QBE?AV0@ABVAcGeV< | 1 |
| ??0AcGeVector2d@@QAE@NN@Z | 1 |
| ??HAcGePoint2d@@QBE?AV0@ABVAcGeV< | 1 |
| ??0AcGePoint2d@@QAE@XZ | 1 |
| ??0AcGePoint2d@@QAE@NN@Z | 1 |
| ??GAcGePoint3d@@QBE?AVAcGeVector3d(| 1 |
| ??0AcGePoint3d@@QAE@NNN@Z | 1 |
| ??0AcGeMatrix3d@@QAE@XZ | 1 |
| ??0AcGeVector3d@@QAE@NNN@Z | 1 |
| ?setTranslation@AcGeMatrix3d@@QAEAAV | 1 |
| ??9AcGePoint3d@@QBEHABV0@@Z | 1 |
| ??0AcGePoint3d@@QAE@XZ | 1 |
| ??0AcGePoint3d@@QAE@ABV0@@Z | 1 |
| ?EnableMultiDocumentActivation@CAcUiDi | 1 |
| ?IsMultiDocumentActivationEnabled@CAcU | 1 |
| ?EnableFloatingWindows@CAcUiDialog@@ | 1 |
| ?AppRootKey@CAcUiDialog@@UAEPBDXZ | 1 |
| ?AppResourceInstance@CAcUiDialog@@UA | 1 |
| ?AppMainWindow@CAcUiDialog@@UAEPA | 1 |
| ?FindContextHelpFullPath@CAcUiDialog@@ | 1 |
| ?OnCancel@CAcUiDialog@@MAEXXZ | 1 |
| ?OnOK@CAcUiDialog@@MAEXXZ | 1 |
| ?OnDialogHelp@CAcUiDialog@@UAEXXZ | 1 |
| ?Create@CAdUiBaseDialog@@UAEHPBDPA | 1 |
| ?PreCreateWindow@CAdUiBaseDialog@@N | 1 |
| @Sysutils@StrToDate\$qqrx20System@ | 1 |
| ?GetGlobalData@NBGlobalData@@SAABU_ | 1 |
| ??0_tagGlobalData@@QAE@XZ | 1 |
| ?SetGlobalData@NBGlobalData@@SAXABU | 1 |
| calFree | 1 |
| terlockedDecrement | 1 |
| trlenA | 1 |
| trcpynA | 1 |
| adLibraryExA | 1 |
| tStartupInfoA | 1 |
| tCommandLineA | 1 |
| handledExceptionFilter | 1 |
| IUnwind | 1 |
| tFileSize | 1 |
| tFileType | 1 |
| tKeyboardType | 1 |
| sFreeString | 1 |
| sReAllocStringLen | 1 |
| sAllocStringLen | 1 |

| | |
|-------------------------|---|
| sSetValue | 1 |
| sGetValue | 1 |
| trcpyA | 1 |
| zeofResource | 1 |
| tEvent | 1 |
| setEvent | 1 |
| eryPerformanceFrequency | 1 |
| eryPerformanceCounter | 1 |
| IDiv | 1 |
| adResource | 1 |
| adLibraryA | 1 |
| obalUnlock | 1 |
| obalReAlloc | 1 |
| obalHandle | 1 |
| obalLock | 1 |
| obalFree | 1 |
| obalFindAtomA | 1 |
| obalAddAtomA | 1 |
| tVersionExA | 1 |
| tVersion | 1 |
| tTickCount | 1 |
| tSystemInfo | 1 |
| tStringTypeExA | 1 |
| tDiskFreeSpaceA | 1 |
| tCurrentProcessId | 1 |
| tACP | 1 |
| eeResource | 1 |
| umCalendarInfoA | 1 |
| eateThread | 1 |
| eateEventA | 1 |
| realizeObject | 1 |
| tTextColor | 1 |
| tROP2 | 1 |
| tBkColor | 1 |
| lectPalette | 1 |
| lectClipRgn | 1 |
| veDC | 1 |
| undRect | 1 |
| storeDC | 1 |
| ctangle | 1 |
| alizePalette | 1 |
| InRegion | 1 |
| lyline | 1 |
| lygon | 1 |
| ayEnhMetaFile | 1 |
| fsetRgn | 1 |
| veToEx | 1 |

| | |
|----------------------------|---|
| skBlt | 1 |
| neTo | 1 |
| tersectClipRect | 1 |
| tTextMetricsA | 1 |
| tTextExtentPoint32W | 1 |
| tTextExtentPoint32A | 1 |
| tSystemPaletteEntries | 1 |
| tStockObject | 1 |
| tPaletteEntries | 1 |
| tObjectA | 1 |
| tEnhMetaFilePaletteEntries | 1 |
| tEnhMetaFileHeader | 1 |
| tDIBits | 1 |
| tDCOrgEx | 1 |
| tCurrentPositionEx | 1 |
| tClipBox | 1 |
| tBitmapBits | 1 |
| tCreateRegion | 1 |
| lipse | 1 |
| leteObject | 1 |
| leteEnhMetaFile | 1 |
| leteDC | 1 |
| eateSolidBrush | 1 |
| eatePenIndirect | 1 |
| eateFontIndirectA | 1 |
| eateDIBitmap | 1 |
| eateCompatibleDC | 1 |
| eateBitmap | 1 |
| pyEnhMetaFileA | 1 |
| mbineRgn | 1 |
| itMessage | 1 |
| dateWindow | 1 |
| registerClassA | 1 |
| ionRect | 1 |
| hookWindowsHookEx | 1 |
| anslateMessage | 1 |
| anslateMDISysAccel | 1 |
| stemParametersInfoA | 1 |
| owWindow | 1 |
| owOwnedPopups | 1 |
| owCursor | 1 |
| owCaret | 1 |
| tWindowsHookExA | 1 |
| tTimer | 1 |
| tRect | 1 |
| tClassLongA | 1 |
| tCaretPos | 1 |

| | |
|--------------------------|---|
| ndMessageA | 1 |
| reenToClient | 1 |
| movePropA | 1 |
| moveMenu | 1 |
| leaseDC | 1 |
| gisterWindowMessageA | 1 |
| gisterClipboardFormatA | 1 |
| drawWindow | 1 |
| stQuitMessage | 1 |
| ekMessageA | 1 |
| enClipboard | 1 |
| fsetRect | 1 |
| mToCharA | 1 |
| pWindowPoints | 1 |
| pVirtualKeyA | 1 |
| adKeyboardLayoutA | 1 |
| adIconA | 1 |
| lITimer | 1 |
| Zoomed | 1 |
| WindowVisible | 1 |
| Iconic | 1 |
| DialogMessageA | 1 |
| ClipboardFormatAvailable | 1 |
| validateRect | 1 |
| sertMenuItemA | 1 |
| sertMenuA | 1 |
| flateRect | 1 |
| deCaret | 1 |
| tWindowThreadProcessId | 1 |
| tWindowRect | 1 |
| tWindowDC | 1 |
| tSystemMetrics | 1 |
| tSysColor | 1 |
| tSubMenu | 1 |
| tParent | 1 |
| tWindow | 1 |
| tMessageA | 1 |
| tMenuStringA | 1 |
| tMenuState | 1 |
| tMenuItemID | 1 |
| tMenuItemCount | 1 |
| tLastActivePopup | 1 |
| tKeyboardState | 1 |
| tKeyboardLayoutList | 1 |
| tKeyboardLayout | 1 |
| tKeyState | 1 |
| tKeyNameTextA | 1 |

| | |
|----------------------|---|
| tDlgItem | 1 |
| tDesktopWindow | 1 |
| tDCEx | 1 |
| tDC | 1 |
| tClassNameA | 1 |
| tClassInfoA | 1 |
| ameRect | 1 |
| ndWindowA | 1 |
| ualRect | 1 |
| umWindows | 1 |
| umThreadWindows | 1 |
| umClipboardFormats | 1 |
| ableWindow | 1 |
| ableScrollBar | 1 |
| ableMenuItem | 1 |
| ptyClipboard | 1 |
| awTextW | 1 |
| awTextA | 1 |
| awMenuBar | 1 |
| awlIconEx | 1 |
| awlIcon | 1 |
| awFrameControl | 1 |
| awFocusRect | 1 |
| awEdge | 1 |
| spatchMessageA | 1 |
| stroyMenu | 1 |
| stroyIcon | 1 |
| stroyCursor | 1 |
| stroyCaret | 1 |
| leteMenu | 1 |
| fWindowProcA | 1 |
| fMDIChildProcA | 1 |
| fFrameProcA | 1 |
| eateWindowExA | 1 |
| eateMenu | 1 |
| eateIcon | 1 |
| eateCaret | 1 |
| pyImage | 1 |
| oseClipboard | 1 |
| ientToScreen | 1 |
| lINextHookEx | 1 |
| arLowerA | 1 |
| arUpperBuffA | 1 |
| tivateKeyboardLayout | 1 |
| feArrayPtrOfIndex | 1 |
| feArrayPutElement | 1 |
| feArrayGetElement | 1 |

| | |
|---------------------------------|---|
| feArrayGetUBound | 1 |
| feArrayGetLBound | 1 |
| feArrayRedim | 1 |
| feArrayCreate | 1 |
| riantChangeTypeEx | 1 |
| riantCopyInd | 1 |
| riantClear | 1 |
| riantInit | 1 |
| ageList_SetIconSize | 1 |
| ageList_GetIconSize | 1 |
| ageList_Write | 1 |
| ageList_Read | 1 |
| ageList_GetDragImage | 1 |
| ageList_DragShowNolock | 1 |
| ageList_SetDragCursorImage | 1 |
| ageList_DragMove | 1 |
| ageList_DragLeave | 1 |
| ageList_DragEnter | 1 |
| ageList_EndDrag | 1 |
| ageList_BeginDrag | 1 |
| ageList_Remove | 1 |
| ageList_DrawEx | 1 |
| ageList_Draw | 1 |
| ageList_GetBkColor | 1 |
| ageList_SetBkColor | 1 |
| ageList_ReplaceIcon | 1 |
| ageList_Add | 1 |
| ageList_GetImageCount | 1 |
| ageList_Destroy | 1 |
| ageList_Create | 1 |
| mSetCompositionWindow | 1 |
| mSetCompositionFontA | 1 |
| mGetCompositionStringW | 1 |
| mReleaseContext | 1 |
| mGetContext | 1 |
| ell_NotifyIconA | 1 |
| tOpenFileNameA | 1 |
| cvCircle | 1 |
| cvLine | 1 |
| SLIsGenuineLocalEx | 1 |
| SLGetEncryptedPIDEx | 1 |
| SLIsWindowsGenuineLocal | 1 |
| @Planner@initialization\$qqrv | 1 |
| @Planutil@initialization\$qqrv | 1 |
| @Plancheck@initialization\$qqrv | 1 |
| @Planxpv\$initialization\$qqrv | 1 |
| @Planhtml@initialization\$qqrv | 1 |

| | |
|---|---|
| @Plancombo@initialization\$qqrv | 1 |
| @Dbplanner@initialization\$qqrv | 1 |
| @Veoutpan@initialization\$qqrv | 1 |
| @Plannercal@initialization\$qqrv | 1 |
| @Dbplannercal@initialization\$qqrv | 1 |
| @Dbplannerdatepicker@initialization\$qqrv | 1 |
| @Plannerdatepicker@initialization\$qqrv | 1 |
| @Dbspinedit@initialization\$qqrv | 1 |
| @Pprptexp@initialization\$qqrv | 1 |
| @Pprptexpcommon@initialization\$qqrv | 1 |
| @Ppexpfrm@initialization\$qqrv | 1 |
| @Ppexpdlg@initialization\$qqrv | 1 |
| @Lucombo@initialization\$qqrv | 1 |
| @Dblucomb@initialization\$qqrv | 1 |
| RtlAssert2 | 1 |
| ?Commit@XPDB_Connection@@QAEAXZ | 1 |
| ?Left@XPST_String@@QBE?AV1@H@Z | 1 |
| ?DumpMessages@XPMM_Message@@SAX | 1 |
| ?Delete@XPDB_ReadWriteTxn@@QAEXAB\ | 1 |
| ??1XPWZ_Processing@@UAE@XZ | 1 |
| ??0XPWZ_Processing@@QAE@XZ | 1 |
| ??_7XPDB_ReadWriteTxn@@6B@ | 1 |
| ?SplitConnectStr@XPUT_Workbench@@SA | 1 |
| ?RollbackReadWriteTxn@XPDB_Connection | 1 |
| ?StartReadWriteTxn@XPDB_Connection@@ | 1 |
| ?AddArg@XPMM_Message@@QAEJJ@Z | 1 |
| ??0XPLI_List@@QAE@W4XPLI_CopyAction(| 1 |
| ?Format@XPST_String@@QAEAAV1@ABV1 | 1 |
| ?SetWipBatch@XPUT_Workbench@@SAXJ(| 1 |
| ?InsertCR@XPST_String@@QAEAXZ | 1 |
| ?Right@XPST_String@@QBE?AV1@H@Z | 1 |
| ??1XPPR_AstCallback@@QAE@XZ | 1 |
| ?Getenv@XPUT_Workbench@@SAXABVXP\\$ | 1 |
| ?Purge@XPMM_Message@@SAXH@Z | 1 |
| ?Rollback@XPDB_ReadWriteTxn@@QAEXX: | 1 |
| ??0XPVA_BaseType@@IAE@W4xpva_type_ | 1 |
| ??_7XPVA_Int@@6B@ | 1 |
| ??0XPST_String@@QAE@ABVXPST_BufferSi | 1 |
| ??_7XPPR_ErrorCallback@@6B@ | 1 |
| ?VariableName@XPVA_BaseType@@QAEX/ | 1 |
| ?Select@XPDB_Txn@@QAEJABVXPST_Strin\ | 1 |
| ??1XPVA_Int@@UAE@XZ | 1 |
| ?Check_args@XPKB_Link@@QAEXJJ@Z | 1 |
| ??0PUT_Client@@QAE@XZ | 1 |
| ??YXPLI_List@@QAEAAV0@ABV0@@Z | 1 |
| ?Argument@XPKB_Link@@QAEPAVXPKB_V | 1 |
| ??0PSM_FileCallback@@QAE@XZ | 1 |

| | |
|--|---|
| ?Clone@XPPR_ErrorCallback@@UAEP_AV1@ | 1 |
| ??0XPKB_Engine@@QAE@XZ | 1 |
| ?IsDebugFlag@XPUT_Workbench@@SAJD@ | 1 |
| ?WipMessage@XPUT_Workbench@@SAXJA | 1 |
| ?Declare@XPKB_Engine@@SAPAVXPKB_Va | 1 |
| ??0XPDB_ReadWriteTxn@@IAE@AAVXPDB_ | 1 |
| ??_7XPDB_ReadWriteRepositoryTxn@@6B@ | 1 |
| ??1XPSM_FileCallback@@QAE@XZ | 1 |
| ?m_success@XPKB_Engine@@1PAVXPKB_V | 1 |
| ?m_no_action@XPKB_Engine@@1PAVXPKB | 1 |
| ?m_wb@XPUT_Workbench@@0PAV1@A | 1 |
| ?m_cs@XPUT_Lock@@0PAU_RTL_CRITICAL | 1 |
| ?m_current@XPUT_Workbench@@0PAVXP | 1 |
| ?UnRegister@XPUT_Workbench@@SAXAB\ | 1 |
| ??_7XPUT_Refresh@@6B@ | 1 |
| ?SetWipWindow@XPUT_Workbench@@SA | 1 |
| ?Execute_buffer@XPKB_Engine@@SAXABV | 1 |
| ?Declare@XPKB_Engine@@SAPAVXPKB_Va | 1 |
| ?Set@XPST_String@@UAEXJPBD@Z | 1 |
| ?m_count@XPUT_HideWip@@0JA | 1 |
| ?Getenv@XPUT_Workbench@@SAXABVXP\ | 1 |
| ?Copy@XPST_String@@QAEXPBD@Z | 1 |
| ?Format@XPST_String@@QAEEAV1@JABV\ | 1 |
| ?Format@XPST_String@@QAEEAV1@JABV) | 1 |
| ??0XPST_Arg@@QAE@PBD0@Z | 1 |
| ??0XPST_Arg@@QAE@ABVXPST_String@@ | 1 |
| ??0XPSM_Sql@@QAE@PAUxppr_tree@@@ | 1 |
| ??0XPDB_ReadWriteRepositoryTxn@@QAE(| 1 |
| ?ExecuteFile@XPSM_Sql@@QAEXAAVXPDB | 1 |
| ?Commit@XPDB_ReadWriteTxn@@QAEXXZ | 1 |
| ??1XPDB_ReadWriteTxn@@UAE@XZ | 1 |
| ??1XPSM_Sql@@UAE@XZ | 1 |
| ?ExecuteSql@XPDB_ReadWriteTxn@@QAE) | 1 |
| ?xpdb_commit@@YAXXZ | 1 |
| ?Get_return@XPKB_Engine@@SAXPAJ@Z | 1 |
| ??0XPMM_Message@@AAE@J@Z | 1 |
| ?Purge@XPLI_List@@QAEXP6AXPAVXPEL_E | 1 |
| ?IsWipWindow@XPUT_Workbench@@SAJX | 1 |
| ?NewMessage@XPMM_Message@@SAPAV | 1 |
| ?First@XPLI_List@@QAEP_AVXPEL_Element(| 1 |
| ?DisableCancel@XPUT_Workbench@@SAXF | 1 |
| ?EnableCancel@XPUT_Workbench@@SAXH | 1 |
| ?Next@XPLI_List@@QAEP_AVXPEL_Element | 1 |
| ??0XPST_Arg@@QAE@HPBD@Z | 1 |
| ?WipMessage@XPUT_Workbench@@SAXA\ | 1 |
| ??0XPST_Arg@@QAE@JPBD@Z | 1 |
| ??1XPKB_Engine@@UAE@XZ | 1 |

| | |
|--|---|
| ??1XPDB_ReadWriteRepositoryTxn@@UAE(| 1 |
| ??0XPST_String@@QAE@ABVCString@@@ | 1 |
| ??1XPMM_Message@@UAE@XZ | 1 |
| ?Count@XPMM_Message@@SAJH@Z | 1 |
| ?Format@XPST_String@@QAEAAV1@J@Z | 1 |
| ??_7XPST_Arg@@6B@ | 1 |
| ?Set@XPST_String@@UAEXABV1@PBD@Z | 1 |
| ?Format@XPST_String@@QAEAAV1@JABV) | 1 |
| ?AddArg@XPMM_Message@@QAEJABVXP(| 1 |
| ?Signal@XPMM_Message@@QAEJJ@Z | 1 |
| ??1XPST_Arg@@UAE@XZ | 1 |
| ?Clone@XPMM_Message@@UBEPAVXPEL_ | 1 |
| ?Getpath@XPUT_Workbench@@SAXABVXP | 1 |
| ?Concatenate@XPST_String@@QAEABV1@C | 1 |
| ?Concatenate@XPST_String@@QAEXPBD@ | 1 |
| ?ConstructFilename@XPFL_Channel@@SAX | 1 |
| ??0XPWR_Report_writer@@QAE@ABVXPS1 | 1 |
| ?Open@XPWR_Report_writer@@QAEXXZ | 1 |
| ?Write@XPWR_Report_writer@@QAEXJAB' | 1 |
| ?Close@XPWR_Report_writer@@QAEXXZ | 1 |
| ??1XPWR_Style@@QAE@XZ | 1 |
| ??1XPWR_Report_writer@@QAE@XZ | 1 |
| ?Repository@XPDB_Connection@@SAAAIV1 | 1 |
| ??0XPDB_Txn@@IAE@AAVXPDB_Connectio | 1 |
| ??_7XPDB_ReadOnlyTxn@@6B@ | 1 |
| ??_7XPDB_ReadOnlyRepositoryTxn@@6B@ | 1 |
| ?AllocAppend@XPLI_List@@AAEPAVXPLI_Li | 1 |
| ??0XPST_String@@QAE@PBD@Z | 1 |
| ?OpenStream@XPDB_Txn@@QAEABVXPS | 1 |
| ?Fetch@XPDB_Stream@@QAEJXZ | 1 |
| ?Commit@XPDB_ReadOnlyTxn@@QAEXXZ | 1 |
| ??_7XPEL_Element@@6B@ | 1 |
| ?RollbackReadOnlyTxn@XPDB_Connection@ | 1 |
| ??_7XPDB_Txn@@6B@ | 1 |
| ?CloseStream@XPDB_Txn@@QAEXXZ | 1 |
| ??1XPDB_ReadOnlyRepositoryTxn@@UAE@ | 1 |
| ??1XPDB_Txn@@MAE@XZ | 1 |
| ??_7XPLI_List@@6B@ | 1 |
| ?LoadMessage@XPST_String@@QAEHJ@Z | 1 |
| ??_7XPST_String@@6B@ | 1 |
| ??1XPVA_BaseType@@UAE@XZ | 1 |
| ?ConnectToRepository@XPDB_Connection@ | 1 |
| ?DisconnectRepository@XPDB_Connection@ | 1 |
| ?Delete@XPLI_List@@AAEPAVXPLI_ListEnt | 1 |
| ??1XPLI_List@@UAE@XZ | 1 |
| ??1XPEL_Element@@UAE@XZ | 1 |
| ??0XPST_String@@QAE@XZ | 1 |

| | |
|---|---|
| ??0XPST_String@@QAE@ABV0@@Z | 1 |
| ??1XPST_String@@UAE@XZ | 1 |
| ?Copy@XPST_String@@QAEXABV1@@Z | 1 |
| ?StepProgress@XPWZ_Progress@@SAXXZ | 1 |
| ?Refresh@XPUT_Workbench@@SAXXZ | 1 |
| ?ProcessAst@XPSM_FileCallback@@UAEXP. | 1 |
| ??_7XPPR_AstCallback@@6B@ | 1 |
| ??_7XPSM_FileCallback@@6B@ | 1 |
| ?Define_linkage@XPKB_Engine@@SAXABV | 1 |
| ?Execute_source_file@XPKB_Engine@@SA | 1 |
| ??1XPUT_Client@@UAE@XZ | 1 |
| ?Register@XPUT_Workbench@@SAXAAVXF | 1 |
| ?Copy@XPST_String@@QAEXABVCString@(| 1 |
| ?Clone@XPUI_Processing@@UBEPAVXPEL_ | 1 |
| ??1XPUI_Processing@@UAE@XZ | 1 |
| ?IsVisible@XPUI_WipDialog@@SAHXZ | 1 |
| ?TheThread@XPUI_WipThread@@SAPAV1(| 1 |
| ?m_autoActivate@XPUI_WipDialog@@1HA | 1 |
| ?IsCreated@XPUI_WipDialog@@SAHXZ | 1 |
| ?m_parent@XPUI_WipDialog@@1PAUHWN | 1 |
| ?SetParent@XPUI_WipDialog@@SAXPAVCV | 1 |
| ?AutoActivate@XPUI_WipDialog@@SAXH@ | 1 |
| ??_7XPUI_Processing@@6B@ | 1 |
| ?SetTitle@XPUI_WipDialog@@SAXABVXPST | 1 |
| ?Dismiss@XPUI_WipDialog@@SAXXZ | 1 |
| ?Destroy@XPUI_WipDialog@@SAXXZ | 1 |
| ?DeleteTheThread@XPUI_WipThread@@SA | 1 |
| ?SetParent@XPUI_WipDialog@@SAXPAUHI | 1 |
| ?SetTitle@XPUI_Processing@@UAEXABVXP | 1 |
| ?Initialize@XPUI_Processing@@UAEXJJ@Z | 1 |
| ?Initialize@XPUI_Processing@@UAEXABVXI | 1 |
| ?DeInitialize@XPUI_Processing@@UAEXXZ | 1 |
| ?Successful@XPUI_Processing@@UAEXXZ | 1 |
| ?ProcessingWhat@XPUI_Processing@@UAE | 1 |
| ?WipMessage@XPUI_Processing@@UAEXA | 1 |
| ?WipMessageNumber@XPUI_Processing@() | 1 |
| ??0XPUI_Progress@@QAE@JHHH@Z | 1 |
| ??1XPUI_Progress@@UAE@XZ | 1 |
| ??0XPUI_DbLoginInfo@@QAE@PAVCWnd@ | 1 |
| ?SetTitle@XPUI_DbLoginInfo@@QAEXVXPS | 1 |
| ?ConnectionString@XPUI_DbLoginInfo@@QAE | 1 |
| ? GetUserConnInfo@XPUI_DbLoginInfo@@C | 1 |
| ??1XPUI_DbLoginInfo@@UAE@XZ | 1 |
| ?Display@XPUI_WipDialog@@SAXXZ | 1 |
| textport | 1 |
| JSJ_ConvertJavaObjectToJSValue | 1 |
| JSJ_ConnectToJavaVM | 1 |

| | |
|--------------------------------------|---|
| JSJ_ConvertJSValueToJavaObject | 1 |
| JSJ_IsJSCallApplet | 1 |
| JSJ_AttachCurrentThreadToJava | 1 |
| JSJ_Init | 1 |
| JSJ_InitJSContext | 1 |
| JSJ_RegisterLiveConnectFactory | 1 |
| JSJ_DisconnectFromJavaVM | 1 |
| ?ToNewUTF8String@@YAPADABVnsAString. | 1 |
| ?AppendElement@nsVoidArray@@QAEHPA | 1 |
| PR_OpenDir | 1 |
| PR_GetFileInfo | 1 |
| PR_GetPathSeparator | 1 |
| PR_ReadDir | 1 |
| PR_CWait | 1 |
| PR_CNotify | 1 |
| PR_CNotifyAll | 1 |
| PR_CloseDir | 1 |
| JSGetPropertyAttributes | 1 |
| RasDialAO | 1 |
| iipConnectClient | 1 |
| iipGetRemoteAddress | 1 |
| iipSetLocalAddress | 1 |
| iipSetWorkMode | 1 |
| iipExitInstance | 1 |
| iipInitInstance | 1 |
| iipInstallCallback | 1 |
| iipCloseSession | 1 |
| iipCreateSession | 1 |
| iipConnectServer | 1 |
| wsupGetComment | 1 |
| wsupOpenFile | 1 |
| wsupCreateFile | 1 |
| wsupConvertData | 1 |
| wsupIterate | 1 |
| wsupAddEntry | 1 |
| wsupGetAlternate | 1 |
| wsupClose | 1 |
| I_24EB9DDD | 1 |
| C_B185E9BBF9 | 1 |
| 1_0044AD58 | 1 |
| 3_66000816A5 | 1 |
| 2_000EDDDBD3 | 1 |
| 1_0089 | 1 |
| 9_68D93008 | 1 |
| 1_185830002A3 | 1 |
| G_1856893 | 1 |
| M_1E91A546852 | 1 |

| | |
|--|---|
| internalRenameLocationW | 1 |
| LAddrParamsInited | 1 |
| _ZN11CommonUtils10MoveCentreEP7QDial | 1 |
| _ZN11CommonUtils11GetSettingsE7QString | 1 |
| _ZN11CommonUtils11ShowMessageEN11QI | 1 |
| _ZN11CommonUtils12GetNewMStyleEv | 1 |
| _ZN11CommonUtils13GetMainWindowEv | 1 |
| _ZN11CommonUtils13GetPathWidgetEv | 1 |
| _ZN11CommonUtils20GetPluginLibraryPathI | 1 |
| _ZN12ExtendDialog10paintEventEP11QPaint | 1 |
| _ZN12ExtendDialog11qt__metacallEN11QMe | 1 |
| _ZN12ExtendDialog11qt__metacastEPKc | 1 |
| _ZN12ExtendDialog11resizeEventEP12QResi | 1 |
| _ZN12ExtendDialog13AddMainWidgetEP7Q! | 1 |
| _ZN12ExtendDialog13CorrectMsgWndEv | 1 |
| _ZN12ExtendDialog13dlgCloseEventEv | 1 |
| _ZN12ExtendDialog13keyPressEventEP9QKe | 1 |
| _ZN12ExtendDialog14setWindowFlagsE6QFI | 1 |
| _ZN12ExtendDialog14setTitleERK7Q | 1 |
| _ZN12ExtendDialog6rejectEv | 1 |
| _ZN12ExtendDialog9hideEventEP10QHideEv | 1 |
| _ZN12ExtendDialog9showEventEP10QShowI | 1 |
| _ZN12ExtendDialogC1EP7QWidget6QFlagsIN | 1 |
| _ZN12ExtendDialogC2EP7QWidget6QFlagsIN | 1 |
| _ZN12ExtendDialogD2Ev | 1 |
| _ZN6Change2trERK7QStringS2_ | 1 |
| _ZN7Startup18GetPluginContainerEv | 1 |
| _ZNK12ExtendDialog10metaObjectEv | 1 |
| UTPS_DevSrv_RegisterDevInitEventCallback | 1 |
| UTPS_DevSrv_UnRegisterDevInitEventCallba | 1 |
| UTPS_GetUserDataDirectory | 1 |
| UTPS_Statistics_GetAllConnRecord | 1 |
| UTPS_Statistics_ReleaseConnRecord | 1 |
| UTPS_USSDSrv_RegisterUSSDCallback | 1 |
| UTPS_USSDSrv_Release | 1 |
| UTPS_USSDSrv_Request | 1 |
| UTPS_USSDSrv_UnRegisterUSSDCallback | 1 |
| _ZN10QSemaphore10tryAcquireEii | 1 |
| _ZN10QSemaphore7releaseEi | 1 |
| _ZN10QSemaphoreC1Ei | 1 |
| _ZN16QXmlStreamWriter14writeAttributeEf | 1 |
| _ZN16QXmlStreamWriter15writeEndElement | 1 |
| _ZN16QXmlStreamWriter16writeEndDocum | 1 |
| _ZN16QXmlStreamWriter16writeTextEleme | 1 |
| _ZN16QXmlStreamWriter17setAutoFormatti | 1 |
| _ZN16QXmlStreamWriter17writeStartElement | 1 |
| _ZN16QXmlStreamWriter18writeStartDocun | 1 |

| | |
|---|---|
| _ZN16QXmlStreamWriter9setDeviceEP9QIO | 1 |
| _ZN16QXmlStreamWriterC1Ev | 1 |
| _ZN16QXmlStreamWriterD1Ev | 1 |
| _ZN5QFile4copyERK7QString | 1 |
| _ZN5QFileC1EP7QObject | 1 |
| _ZN7QRegExpC1ERK7QStringN2Qt15CaseSe | 1 |
| _ZN7QRegExpD1Ev | 1 |
| _ZN7QString6expandEi | 1 |
| _ZN7QString6setNumEdci | 1 |
| _ZN7QString6setNumExi | 1 |
| _ZN7QString7replaceEiiRKS_ | 1 |
| _ZN7QString9fromUtf16EPKti | 1 |
| _ZN9QDateTimeC1Ev | 1 |
| _ZN9QFileInfoC1ERK5QFile | 1 |
| _ZNK16QXmlStreamReader11errorStringEv | 1 |
| _ZNK4QDir5rmdirERK7QString | 1 |
| _ZNK5QChar7isDigitEv | 1 |
| _ZNK5QDate5monthEv | 1 |
| _ZNK5QTime8toStringERK7QString | 1 |
| _ZNK7QString5utf16Ev | 1 |
| _ZNK7QString7compareERKS_ | 1 |
| _ZNK9QDateTime4dateEv | 1 |
| _ZNK9QFileInfo4pathEv | 1 |
| _ZN10QBoxLayout10addSpacingEi | 1 |
| _ZN10QScrollBarC1EP7QWidget | 1 |
| _ZN10QTableView10moveCursorEN17QAbst | 1 |
| _ZN10QTableView10paintEventEP11QPaintE | 1 |
| _ZN10QTableView10timerEventEP11QTimer | 1 |
| _ZN10QTableView11setWordWrapEb | 1 |
| _ZN10QTableView12setRootIndexERK11QM | 1 |
| _ZN10QTableView12setRowHeightEii | 1 |
| _ZN10QTableView12setSelectionERK5QRect | 1 |
| _ZN10QTableView14currentChangedERK11C | 1 |
| _ZN10QTableView14setColumnWidthEii | 1 |
| _ZN10QTableView16scrollContentsByEii | 1 |
| _ZN10QTableView16selectionChangedERK14 | 1 |
| _ZN10QTableView16updateGeometriesEv | 1 |
| _ZN10QTableView17setSelectionModelEP19 | 1 |
| _ZN10QTableView23verticalScrollbarActionE | 1 |
| _ZN10QTableView25horizontalScrollbarActic | 1 |
| _ZN10QTableView8scrollToERK11QModelIn | 1 |
| _ZN11QGridLayout18setVerticalSpacingEi | 1 |
| _ZN11QGridLayout19setRowMinimumHeigh | 1 |
| _ZN11QGridLayout20setHorizontalSpacingEi | 1 |
| _ZN11QGridLayout21setColumnMinimumW | 1 |
| _ZN11QGridLayout9addLayoutEP7QLayoutiil | 1 |
| _ZN11QHeaderView19setDefaultAlignmentE | 1 |

| | |
|---|---|
| _ZN11QHeaderView21setStretchLastSection | 1 |
| _ZN11QMessageBox14setTitleERK7 | 1 |
| _ZN11QMessageBox7setIconENS_4IconE | 1 |
| _ZN11QMessageBoxC1EP7QWidget | 1 |
| _ZN11QPushButtonC1ERK7QStringP7QWidget | 1 |
| _ZN11QVBoxLayoutC1Ev | 1 |
| _ZN12QApplication11fontMetricsEv | 1 |
| _ZN12QApplication15layoutDirectionEv | 1 |
| _ZN12QButtonGroup9 addButtonEP15QAbstract | 1 |
| _ZN12QButtonGroupC1EP7QObject | 1 |
| _ZN12QRadioButtonC1ERK7QStringP7QWidget | 1 |
| _ZN12QTableWidget11qt_metacallEN11QM | 1 |
| _ZN12QTableWidget11qt_metacastEPKc | 1 |
| _ZN12QTableWidget12dropMimeDataEiiPKc | 1 |
| _ZN12QTableWidget14setCurrentCellEii | 1 |
| _ZN12QTableWidget14setCurrentCellEii6QF | 1 |
| _ZN12QTableWidget15setItemSelectedEPK1 | 1 |
| _ZN12QTableWidget16staticMetaObjectE | 1 |
| _ZN12QTableWidget23setHorizontalHeader | 1 |
| _ZN12QTableWidget5eventEP6QEvent | 1 |
| _ZN12QTableWidget7setItemEiiP16QTableW | 1 |
| _ZN12QTableWidget8editItemEP16QTableW | 1 |
| _ZN12QTableWidget8setModelEP18QAbstract | 1 |
| _ZN12QTableWidget9dropEventEP10QDropI | 1 |
| _ZN12QTableWidgetC2EP7QWidget | 1 |
| _ZN12QTableWidgetC2EiiP7QWidget | 1 |
| _ZN12QTableWidgetD2Ev | 1 |
| _ZN13QItemDelegate11editorEventEP6QEve | 1 |
| _ZN13QItemDelegate11eventFilterEP7QObject | 1 |
| _ZN13QItemDelegate11qt_metacallEN11QM | 1 |
| _ZN13QItemDelegate11qt_metacastEPKc | 1 |
| _ZN13QItemDelegate16staticMetaObjectE | 1 |
| _ZN13QItemDelegateC2EP7QObject | 1 |
| _ZN13QItemDelegateD2Ev | 1 |
| _ZN15QAbstractSlider14setOrientationEN2 | 1 |
| _ZN15QAbstractSlider8setRangeEii | 1 |
| _ZN16QRegExpValidatorC1ERK7QRegExpP7C | 1 |
| _ZN16QTableWidgetItem8setFlagsE6QFlagsI | 1 |
| _ZN16QTableWidgetItemC1Ei | 1 |
| _ZN17QAbstractItemView10commitDataEP7 | 1 |
| _ZN17QAbstractItemView11closeEditorEP7C | 1 |
| _ZN17QAbstractItemView11dataChangedER | 1 |
| _ZN17QAbstractItemView11resizeEventEP12 | 1 |
| _ZN17QAbstractItemView12focusInEventEP: | 1 |
| _ZN17QAbstractItemView12rowsInsertedER | 1 |
| _ZN17QAbstractItemView13doItemsLayoutE | 1 |
| _ZN17QAbstractItemView13dragMoveEvent | 1 |

| | |
|---|---|
| _ZN17QAbstractItemView13focusOutEventE | 1 |
| _ZN17QAbstractItemView13keyPressEventE | 1 |
| _ZN17QAbstractItemView13viewportEventE | 1 |
| _ZN17QAbstractItemView14dragEnterEventE | 1 |
| _ZN17QAbstractItemView14dragLeaveEventE | 1 |
| _ZN17QAbstractItemView14mouseMoveEventE | 1 |
| _ZN17QAbstractItemView15editorDestroyedE | 1 |
| _ZN17QAbstractItemView15mousePressEventE | 1 |
| _ZN17QAbstractItemView15setItemDelegateE | 1 |
| _ZN17QAbstractItemView16inputMethodEventE | 1 |
| _ZN17QAbstractItemView16setSelectionModelE | 1 |
| _ZN17QAbstractItemView16setTextElideModeE | 1 |
| _ZN17QAbstractItemView16updateEditorDataE | 1 |
| _ZN17QAbstractItemView17mouseReleaseEventE | 1 |
| _ZN17QAbstractItemView18focusNextPrevChildE | 1 |
| _ZN17QAbstractItemView20rowsAboutToBeRemovedE | 1 |
| _ZN17QAbstractItemView22updateEditorGeometryE | 1 |
| _ZN17QAbstractItemView29verticalScrollbarEventE | 1 |
| _ZN17QAbstractItemView31horizontalScrollEventE | 1 |
| _ZN17QAbstractItemView4editERK11QModelIndexE | 1 |
| _ZN17QAbstractItemView5resetEventE | 1 |
| _ZN17QAbstractItemView9selectAllEventE | 1 |
| _ZN17QAbstractItemView9startDragEventE6QFlagsE | 1 |
| _ZN19QAbstractScrollView10wheelEventEP11QPointE | 1 |
| _ZN19QAbstractScrollView16contextMenuEventE | 1 |
| _ZN6QFrame13setFrameStyleEventE | 1 |
| _ZN6QLabel10paintEventEP11QPaintEventE | 1 |
| _ZN6QLabel11changeEventEP6QEventE | 1 |
| _ZN6QLabel11qt_metacallEN11QMetaObjectE | 1 |
| _ZN6QLabel11qt_metacastEPKcE | 1 |
| _ZN6QLabel12focusInEventEP11QFocusEventE | 1 |
| _ZN6QLabel13focusOutEventEP11QFocusEventE | 1 |
| _ZN6QLabel13keyPressEventEP9QKeyEventE | 1 |
| _ZN6QLabel14mouseMoveEventEP11QMou | 1 |
| _ZN6QLabel16contextMenuEventEP17QCon | 1 |
| _ZN6QLabel16staticMetaObjectE | 1 |
| _ZN6QLabel17mouseReleaseEventEP11QMouseEventE | 1 |
| _ZN6QLabel18focusNextPrevChildEventE | 1 |
| _ZN6QLabel23setTextInteractionFlagsE6QFlagsE | 1 |
| _ZN6QLabel5eventEP6QEventE | 1 |
| _ZN6QLabelC2EP7QWidget6QFlagsIN2Qt10\ | 1 |
| _ZN6QLabelC2ERK7QStringP7QWidget6QFlagsE | 1 |
| _ZN6QLabelD2EventE | 1 |
| _ZN7QDialog4openEventE | 1 |
| _ZN7QLayout12removeWidgetEP7QWidgetE | 1 |
| _ZN7QWidget11setDisabledEventE | 1 |
| _ZN7QWidget11unsetCursorEventE | 1 |

| | |
|---|---|
| _ZN7QWidget13setFixedWidthEi | 1 |
| _ZN7QWidget14setFixedHeightEi | 1 |
| _ZN7QWidget18setContentsMarginsEiiii | 1 |
| _ZN7QWidget8setStyleEP6QStyle | 1 |
| _ZN9QCheckBoxC1ERK7QStringP7QWidget | 1 |
| _ZN9QComboBox11setEditableEb | 1 |
| _ZN9QComboBox15setInsertPolicyENS_12In | 1 |
| _ZN9QComboBox18setMaxVisibleItemsEi | 1 |
| _ZN9QKeyEventC1EN6QEvent4TypeEi6QFlag | 1 |
| _ZN9QLineEdit10paintEventEP11QPaintEven | 1 |
| _ZN9QLineEdit11changeEventEP6QEvent | 1 |
| _ZN9QLineEdit11qt_metacallEN11QMetaOb | 1 |
| _ZN9QLineEdit11qt_metacastEPKc | 1 |
| _ZN9QLineEdit11setReadOnlyEb | 1 |
| _ZN9QLineEdit12focusInEventEP11QFocusEv | 1 |
| _ZN9QLineEdit12setValidatorEPK10QValidat | 1 |
| _ZN9QLineEdit13dragMoveEventEP14QDrag | 1 |
| _ZN9QLineEdit13focusOutEventEP11QFocus | 1 |
| _ZN9QLineEdit13keyPressEventEP9QKeyEve | 1 |
| _ZN9QLineEdit14dragEnterEventEP15QDrag | 1 |
| _ZN9QLineEdit14dragLeaveEventEP15QDrag | 1 |
| _ZN9QLineEdit14mouseMoveEventEP11QM | 1 |
| _ZN9QLineEdit15mousePressEventEP11QM | 1 |
| _ZN9QLineEdit16contextMenuEventEP17QC | 1 |
| _ZN9QLineEdit16inputMethodEventEP17QIr | 1 |
| _ZN9QLineEdit16staticMetaObjectE | 1 |
| _ZN9QLineEdit17mouseReleaseEventEP11QI | 1 |
| _ZN9QLineEdit17setCursorPositionEi | 1 |
| _ZN9QLineEdit21mouseDoubleClickEventEP | 1 |
| _ZN9QLineEdit5clearEv | 1 |
| _ZN9QLineEdit5eventEP6QEvent | 1 |
| _ZN9QLineEdit6insertERK7QString | 1 |
| _ZN9QLineEdit9dropEventEP10QDropEvent | 1 |
| _ZN9QLineEditD2Ev | 1 |
| _ZN9QTextEdit10moveCursorEN11QTextCur | 1 |
| _ZN9QTextEdit11setReadOnlyEb | 1 |
| _ZN9QTextEdit14setCursorPositionEi | 1 |
| _ZN9QTextEdit15setWordWrapModeEN11Q | 1 |
| _ZN9QTextEdit23setTextInteractionFlagsE6C | 1 |
| _ZN9QTextEdit7setTextERK7QString | 1 |
| _ZN9QTextEditC1EP7QWidget | 1 |
| _ZNK10QTableView10visualRectERK11QMo | 1 |
| _ZNK10QTableView11viewOptionsEv | 1 |
| _ZNK10QTableView13isIndexHiddenERK11Q | 1 |
| _ZNK10QTableView14sizeHintForRowEi | 1 |
| _ZNK10QTableView14verticalHeaderEv | 1 |
| _ZNK10QTableView14verticalOffsetEv | 1 |

| | |
|---|---|
| _ZNK10QTableView15selectedIndexesEv | 1 |
| _ZNK10QTableView16horizontalHeaderEv | 1 |
| _ZNK10QTableView16horizontalOffsetEv | 1 |
| _ZNK10QTableView17sizeHintForColumnEv | 1 |
| _ZNK10QTableView24visualRegionForSelect | 1 |
| _ZNK10QTableView7indexAtERK6QPoint | 1 |
| _ZNK12QButtonGroup9checkedIdEv | 1 |
| _ZNK12QFontMetrics10elidedTextERK7QStr | 1 |
| _ZNK12QFontMetrics12boundingRectERK7Q | 1 |
| _ZNK12QWidget10currentRowEv | 1 |
| _ZNK12QWidget11columnCountEv | 1 |
| _ZNK12QWidget11currentItemEv | 1 |
| _ZNK12QWidget13currentColumnEv | 1 |
| _ZNK12QWidget20horizontalHeaderItemEv | 1 |
| _ZNK12QWidget20supportedDropActionsEv | 1 |
| _ZNK12QWidget4itemEi | 1 |
| _ZNK12QWidget8mimeDataE5QListIP1 | 1 |
| _ZNK12QWidget8rowCountEv | 1 |
| _ZNK12QWidget9mimeTypesEv | 1 |
| _ZNK13QItemDelegate11drawDisplayEP8QP | 1 |
| _ZNK13QItemDelegate12setModelDataEP7C | 1 |
| _ZNK13QItemDelegate13setEditorDataEP7Q | 1 |
| _ZNK13QItemDelegate14drawDecorationEP7C | 1 |
| _ZNK13QItemDelegate20updateEditorGeometryEv | 1 |
| _ZNK13QItemDelegate5paintEP8QPainterRK | 1 |
| _ZNK13QItemDelegate8sizeHintERK20QStyleOptionViewItemEv | 1 |
| _ZNK13QItemDelegate9drawCheckEP8QPair | 1 |
| _ZNK13QItemDelegate9drawFocusEP8QPair | 1 |
| _ZNK13QTextDocument6toHtmlERK10QByteArrayList | 1 |
| _ZNK17QAbstractItemView12itemDelegateEv | 1 |
| _ZNK17QAbstractItemView16inputMethodEventEv | 1 |
| _ZNK17QAbstractItemView16selectionCommandEv | 1 |
| _ZNK19QAbstractScrollArea17verticalScrollBarEv | 1 |
| _ZNK19QAbstractScrollArea19horizontalScrollBarEv | 1 |
| _ZNK19QAbstractScrollArea8sizeHintEv | 1 |
| _ZNK6QColorcv8QVariantEv | 1 |
| _ZNK6QLabel14heightForWidthEv | 1 |
| _ZNK6QLabel15minimumSizeHintEv | 1 |
| _ZNK6QLabel8sizeHintEv | 1 |
| _ZNK9QComboBox4viewEv | 1 |
| _ZNK9QComboBox8lineEditEv | 1 |
| _ZNK9QLineEdit14cursorPositionEv | 1 |
| _ZNK9QLineEdit15minimumSizeHintEv | 1 |
| _ZNK9QLineEdit16inputMethodQueryEN2Qt | 1 |
| _ZNK9QLineEdit8sizeHintEv | 1 |
| _ZNK9QTextEdit20textInteractionFlagsEv | 1 |
| MakePathW | 1 |

| | |
|---------------------------------------|---|
| HEAPFree | 1 |
| PvHEAPAllocate_ | 1 |
| StringCopyW | 1 |
| HrRegistryLoadDwordW | 1 |
| _xVDS_WriteMsgToLog@20 | 1 |
| ?xVDS_ParseMsg@@YGFJPAEFK@Z | 1 |
| ?xVDS_ClientConnectionNotify@@YGFJF@Z | 1 |
| xVDS_WriteFmtMsgToLog | 1 |
| _xVDS_GetModuleIDFromHandle@8 | 1 |
| _xVDS_GetModulePlaybackStatus@8 | 1 |
| ?xVDS_LoadBinFile@@YGFJPA_W@Z | 1 |
| ?xVDS_Connect@@YGFJPADFOH@Z | 1 |
| ?xVDS_SendCommand@@YGFJJPAEJJP6AF@ | 1 |
| ?xVDS_EnableParsing@@YGFJJ@Z | 1 |
| ?xVDS_Disconnect@@YGFJ@Z | 1 |
| ?xVDS_SendMsg@@YGFJPAEJJP6AFXZ@Z | 1 |
| ?xVDS_GetFunctionAddress@@3P6GP6GFX@ | 1 |
| ?Remove@DList@@QAEPAVDList@P@ | 1 |
| ??0DList@@QAE@XZ | 1 |
| ?Next@DList@@QAEPAVDList@P@ | 1 |
| ??1DList@I@IAE@XZ | 1 |
| ?AddTail@DList@@QAEPAVDList@P@ | 1 |
| ??0DIni@@QAE@PB_W@Z | 1 |
| ?Open@DIni@@UAE_NPB_W@Z | 1 |
| ?GetKeyValue@DIni@@UAEKPB_W00PA_W | 1 |
| ?Close@DIni@@UAEXXZ | 1 |
| ??1DIni@@UAE@XZ | 1 |
| ?Size@DList@@QAEKXZ | 1 |
| _ThreadSpawn@24 | 1 |
| ??1DList@@QAE@XZ | 1 |
| D3DXCreateTextureFromResourceA | 1 |
| ConnNetFirst | 1 |
| HeapAssign | 1 |
| HeapSlice | 1 |
| DbSizeOf | 1 |
| OutFormat | 1 |
| ConnNetNext | 1 |
| LevLibFind | 1 |
| NoteGet | 1 |
| DbPut | 1 |
| DbLoad | 1 |
| HeapDeassign | 1 |
| AttrPut | 1 |
| LoadFilename | 1 |
| Flags | 1 |
| MassteckHeapAlloc | 1 |
| AttrSearch | 1 |

| | |
|--|---|
| AttrNext | 1 |
| AttrGet | 1 |
| SaveFilename | 1 |
| LogStrStr | 1 |
| SwError | 1 |
| DbVersion | 1 |
| ComErrLong | 1 |
| ComIniCommand | 1 |
| ComIniClose | 1 |
| ComIniSection | 1 |
| ComIniOpen | 1 |
| ComIniFileOpen | 1 |
| StratFilename | 1 |
| FourthFilename | 1 |
| LstrToUpper | 1 |
| SymGetHeader | 1 |
| TextNext | 1 |
| TextCompFirst | 1 |
| ParseClose | 1 |
| DebugSync | 1 |
| ParseArgs | 1 |
| Chain | 1 |
| ??0CDoubleDlg@Troubleshooter@@QAE@I | 1 |
| ?getVariable@ConfigurationFile@Troublesh | 1 |
| ?getSingleton@?\$Singleton@VBrowserInter | 1 |
| ??1CDoubleDlg@Troubleshooter@@UAE@) | 1 |
| ?setElementHTML@BrowserInterface@Trou | 1 |
| ?getElement@BrowserInterface@Troublesh | 1 |
| ?NewBuf@FSTRING@@UAEEK@Z | 1 |
| ?QueryLocalTimeFromUTime@SYSTEM@@S | 1 |
| ?Unlock@MESSAGE@@QAEXXZ | 1 |
| ?GetSortProp@CCatState@@QBEXIPAPBGP. | 1 |
| osl_acquireDirectoryItem | 1 |
| rtl_bootstrap_set | 1 |
| cppu_Any_extraction_failure_msg | 1 |
| ?anyToString@comphelper@@YA?AVOStr | 1 |
| ?setProcessServiceFactory@utl@@YAXABV? | 1 |
| ?InitVCL@@YAEABV?\$Reference@VXMutiS | 1 |
| ?SetIcon@SystemWindow@@QAEXG@Z | 1 |
| ?DeInitVCL@@YAXXZ | 1 |
| ?raiseProcess@dp_misc@@YAPAXABVOSt | 1 |
| ?resolveUnoURL@dp_misc@@YA?AV?\$Ref | 1 |
| ?TRACE@dp_misc@@YAXABVOString@rtl | 1 |
| ?compareVersions@dp_misc@@YA?AW4Or | 1 |
| ?readConsole@dp_misc@@YA?AVOString | 1 |
| ?writeConsole@dp_misc@@YAXABVOString | 1 |
| ?writeConsoleError@dp_misc@@YAXABVO | 1 |

| | |
|--|---|
| ?office_is_running@dp_misc@@YA_NXZ | 1 |
| ?writeConsole@dp_misc@@YAXABVOUStri | 1 |
| ?writeConsoleError@dp_misc@@YAXABVO' | 1 |
| ?getIdentifier@dp_misc@@YA?AVOUString | 1 |
| ?generateRandomPipeId@dp_misc@@YA?A | 1 |
| ?installPath@KStandardDirs@@SA?AVQStri | 1 |
| ?data@QString@@QAEPAVQChar@@XZ | 1 |
| ?decodeName@QFile@@SA?AVQString@@ | 1 |
| ?setFileName@QLibrary@@QAEPAVQStrir | 1 |
| ?qgetenv@@YA?AVQByteArray@@PBD@Z | 1 |
| ?errorString@QLibrary@@QBE?AVQString@ | 1 |
| ??0QString@@QAE@HW4Initialization@Qt | 1 |
| ?realloc@QString@@AAEXXZ | 1 |
| @Sysutils@StrToDateDef\$qqrx17System@A | 1 |
| ??0CLocaleManager@@QAE@PBDO_NPAUF | 1 |
| ?LoadStringA@CLocaleManager@@QBEHIP, | 1 |
| ??1CLocaleManager@@QAE@XZ | 1 |
| ?GetModuleHandleA@CLocaleManager@@ | 1 |
| ?ShowInfo@CPvUtils@@SAHPAUHWND__@ | 1 |
| ?PeekFront@nsDeque@@QAEPAVXXZ | 1 |
| ?PopFront@nsDeque@@QAEPAVXXZ | 1 |
| ?PushFront@nsDeque@@QAEAAV1@PAX@ | 1 |
| ?ObjectAt@nsDeque@@QBEPAXH@Z | 1 |
| ?Peek@nsDeque@@QAEPAVXXZ | 1 |
| ?IsAsciiSpace@nsCRT@@SAHG@Z | 1 |
| ?IsAscii@nsCRT@@SAHG@Z | 1 |
| ?First@nsAString@@QBEGXZ | 1 |
| ?StringBeginsWith@@YAHABVnsAString@@ | 1 |
| ?strncmp@nsCRT@@SAHPBG0I@Z | 1 |
| ??_7ns.GetServiceByCID@@6B@ | 1 |
| ?NS_NewUTF8ConverterStream@@YAIPAP/ | 1 |
| ?CopyUTF8toUTF16@@YAXABVnsACString@ | 1 |
| ?smprintf_free@nsTextFormatter@@SAXPA | 1 |
| ?EqualsWithConversion@nsCString@@QBEI | 1 |
| ?CreateInstance@nsComponentManager@@ | 1 |
| ?Empty@nsDeque@@QAEAAV1@XZ | 1 |
| ??0ns.GetServiceByCID@@QAE@ABUnsID@ | 1 |
| ?Replace@nsSubstring@@QAEXIABVnsASti | 1 |
| ?ForEach@nsDeque@@QBEXAAVnsDequeF | 1 |
| ?Append@nsAString@@QAEXG@Z | 1 |
| ?Append@nsAString@@QAEXABV1@@Z | 1 |
| ?AssignWithConversion@nsCString@@QAE | 1 |
| ?Append@nsAString@@QAEXPBG@Z | 1 |
| ?StripChar@nsString@@QAEXGH@Z | 1 |
| ?Assign@nsACString@@QAEXABV1@@Z | 1 |
| ?Assign@nsCSubstring@@QAEXABVnsACStr | 1 |
| ?FirstThat@nsDeque@@QBEPBXAAVnsDeqi | 1 |

| | |
|--|---|
| ?Equals@nsACString@@QBEHABV1@@Z | 1 |
| ?AppendUTF8toUTF16@@YAXABVnsACStrir | 1 |
| ?Assign@nsAString@@QAEXABVnsSubstrin | 1 |
| ?CaseInsensitiveFindInReadable@@YAHAB\ | 1 |
| ??_7nsCreateInstanceByCID@@6B@ | 1 |
| ??_7nsGetServiceByContractID@@6B@ | 1 |
| ?Equals@nsAString@@QBEHABV1@@Z | 1 |
| ?AppendASCIItoUTF16@@YAXABVnsACStrir | 1 |
| ??OnsStringArray@@QAE@H@Z | 1 |
| ?InsertStringAt@nsStringArray@@QAEHAB\ | 1 |
| ?Assign@nsSubstring@@QAEXABVnsAString | 1 |
| ?Pop@nsDeque@@QAEPAZ | 1 |
| ?SetLength@nsAString@@QAEXI@Z | 1 |
| ?GetWritableDatabase@nsAString@@IAEIPAP/ | 1 |
| ??1nsAString@@QAE@XZ | 1 |
| ?Length@nsAString@@QBEIXZ | 1 |
| ?CountChar@nsAString@@QBEIG@Z | 1 |
| ?GetReadableBuffer@nsAString@@IBEIPAP | 1 |
| PL_HashTableLookupConst | 1 |
| EbSetContextWorkerThread | 1 |
| @\$xp\$9ITypeInfo | 1 |
| @Typinfo@SetVariantProp\$qqrp14System@ | 1 |
| @Typinfo@SetFloatProp\$qqrp14System@T(| 1 |
| @Variants@VarIsArray\$qqrrx14System@Va | 1 |
| @Variants@VarArrayUnlock\$qqrrx14System | 1 |
| @Variants@VarArrayLock\$qqrrx14System@ | 1 |
| @Comobj@DeleteRegKey\$qqrx17System@/ | 1 |
| @Vclcom@initialization\$qqrv | 1 |
| @Vclcom@Finalization\$qqrv | 1 |
| @Provider@TCustomProvider@GetParams\$ | 1 |
| @Provider@TCustomProvider@Execute\$qq | 1 |
| @Provider@TCustomProvider@RowReques | 1 |
| @Provider@TCustomProvider@GetRecords: | 1 |
| @Provider@TCustomProvider@ApplyUpdat | 1 |
| @Db@TDataSet@ActiveBuffer\$qqrv | 1 |
| @Db@TPParam@GetIsNull\$qqrv | 1 |
| @Db@TField@GetOldValue\$qqrv | 1 |
| @Db@TField@GetNewValue\$qqrv | 1 |
| @Ufffintf@initialization\$qqrv | 1 |
| @Ufffintf@Finalization\$qqrv | 1 |
| @Dbclient@TCustomClientDataSet@SetMas | 1 |
| @Dbclient@TCustomClientDataSet@SetDat | 1 |
| @Dbclient@TCustomClientDataSet@SetRan | 1 |
| @Dbclient@TCustomClientDataSet@SetInde | 1 |
| @Dbclient@TCustomClientDataSet@SetAltF | 1 |
| @Dbclient@TCustomClientDataSet@GetDel | 1 |
| @Dbclient@TCustomClientDataSet@SetPro | 1 |

| | |
|--|---|
| @Dbclient@TCustomClientDataSet@\$bctr\$ | 1 |
| @\$xp\$29Dbclient@TCustomClientDataSet | 1 |
| @Dbclient@TCustomClientDataSet@ | 1 |
| @Lbosconnection_tlb@initialization\$qqrv | 1 |
| @Lbosconnection_tlb@Finalization\$qqrv | 1 |
| @\$xp\$36Lbosconnection_tlb@IDomainPersi | 1 |
| @\$xp\$33Lbosconnection_tlb@IbosConnecti | 1 |
| @Dbintf@initialization\$qqrv | 1 |
| @Dbintf@Finalization\$qqrv | 1 |
| @Umdbcommon@initialization\$qqrv | 1 |
| @Umdbcommon@Finalization\$qqrv | 1 |
| @Ufactory@initialization\$qqrv | 1 |
| @Ufactory@Finalization\$qqrv | 1 |
| @Ufactory@MakeObjectId\$qqrv | 1 |
| @Stdintf@initialization\$qqrv | 1 |
| @Stdintf@Finalization\$qqrv | 1 |
| @\$xp\$17Stdintf@ImSession | 1 |
| @Ulists@initialization\$qqrv | 1 |
| @Ulists@Finalization\$qqrv | 1 |
| @Udelphi@initialization\$qqrv | 1 |
| @Udelphi@Finalization\$qqrv | 1 |
| @Udelphi@BuildWhereClause\$qqrx17Syste | 1 |
| @Udelphi@VariantsEqual\$qqrrx14System@ | 1 |
| @Udelphi@StrReplace\$qqrx17System@Ans | 1 |
| @Udelphi@CmpDates\$qqr16System@TDate | 1 |
| @Uenv@initialization\$qqrv | 1 |
| @Uenv@Finalization\$qqrv | 1 |
| @Uservercommon@initialization\$qqrv | 1 |
| @Uservercommon@Finalization\$qqrv | 1 |
| @Uservercommon@GetStopWatch\$qqrj | 1 |
| @Uservercommon@StartStopWatch\$qqrv | 1 |
| @Udelphi2@initialization\$qqrv | 1 |
| @Udelphi2@Finalization\$qqrv | 1 |
| @Udelphi2@derefVariant\$qqrrx14System@ | 1 |
| @Udelphi2@VariantToStr\$qqrrx14System@ | 1 |
| @Udelphi2@SynchroDataSets\$qqrp11Db@1 | 1 |
| @Udelphi2@RemLastBackSlash\$qqr17Syste | 1 |
| @Udelphi2@LeftPad\$qqr17System@AnsiStr | 1 |
| @Udelphi2@IsUniqueInDelta\$qqrp23Dbclie | 1 |
| @Udelphi2@IsUniqueInDataSet\$qqrp23Dbc | 1 |
| @Udelphi2@CreateValuePacket\$qqrpx17Sy | 1 |
| @Udelphi2@PutPacketForIndex\$qqrr17Syst | 1 |
| @Udelphi2@PutPacket\$qqrr17System@Ole | 1 |
| @Udelphi2@PacketExists\$qqr17System@Ar | 1 |
| @Udelphi2@GetPacketForIndex\$qqrirx17Sy | 1 |
| @Udelphi2@GetNameForIndex\$qqrirx17Sys | 1 |
| @Udelphi2@GetPacketForName\$qqr17Syst | 1 |

| | |
|--|---|
| @Udelphi2@CheckDataPacket\$qqrrx17Syst | 1 |
| @Udelphi2@VarArrayToStrings\$qqrrx17Syst | 1 |
| @Udelphi2@VarArrayFromStrings\$qqrp16 | 1 |
| @Udelphi2@curlInfoTbl\$qqrv | 1 |
| @Udelphi2@NumericDigits | 1 |
| @Udelphi2@EDeadlockError@ | 1 |
| @Threadbase@initialization\$qqrv | 1 |
| @Threadbase@Finalization\$qqrv | 1 |
| @Dxfexplorer@initialization\$qqrv | 1 |
| @Dxfexplorer@Finalization\$qqrv | 1 |
| @Uobjcommon@initialization\$qqrv | 1 |
| @Uobjcommon@Finalization\$qqrv | 1 |
| @Umdbcomponents@initialization\$qqrv | 1 |
| @Umdbcomponents@Finalization\$qqrv | 1 |
| @Umdbcomponents@TmdbAutoInc@GetA1 | 1 |
| @Umdbcomponents@TmdbUpdateSQL @_F | 1 |
| @Umdbcomponents@TmdbQuery@ExecSQ | 1 |
| @Umdbcomponents@TmdbQuery@\$bctr\$c | 1 |
| @Umdbcomponents@TmdbDataSet @_Rele | 1 |
| @Umdbcomponents@TmdbDataSet@Prepa | 1 |
| @Umdbcomponents@TmdbDataSet@Paran | 1 |
| @Umdbcomponents@TmdbBaseProvider@ | 1 |
| @Umdbcomponents@IsDeadlockError\$qqrq | 1 |
| @Umdbcomponents@TmdbAutoInc@ | 1 |
| @Umdbcomponents@TmdbUpdateSQL@ | 1 |
| @Umdbcomponents@TmdbStoredProc@ | 1 |
| @Umdbcomponents@TmdbQuery@ | 1 |
| @Umdbcomponents@TmdbDataSet@ | 1 |
| @Umdbcomponents@TmdbDataSetProvide | 1 |
| @Umdbcomponents@TmdbProvider@ | 1 |
| @Umdbcomponents@TmdbBrowseProvider | 1 |
| @Umdbcomponents@TmdbBaseProvider@ | 1 |
| @Umdbcomponents@TmdbDatabase@ | 1 |
| @Thrddcf@initialization\$qqrv | 1 |
| @Thrddcf@Finalization\$qqrv | 1 |
| @Thrddcf@TmAsynchThread@Run\$qqrynp | 1 |
| @Thrddcf@TmAsynchThread@\$bctr\$qqrp1 | 1 |
| @Thrddcf@TmAsynchThread@ | 1 |
| @Upersistentmanager@initialization\$qqrv | 1 |
| @Upersistentmanager@Finalization\$qqrv | 1 |

| | |
|--|---|
| @Upersistentmanager@TPersistentManage | 1 |
| @Upersistentmanager@TPersistentManage | 1 |
| @Uclients@initialization\$qqrv | 1 |
| @Uclients@Finalization\$qqrv | 1 |
| @Umremotetransport@initialization\$qqrv | 1 |
| @Umremotetransport@Finalization\$qqrv | 1 |
| @Umsession@initialization\$qqrv | 1 |
| @Umsession@Finalization\$qqrv | 1 |
| @Umremoteconnect@initialization\$qqrv | 1 |
| @Umremoteconnect@Finalization\$qqrv | 1 |
| @Idcompressionintercept@initialization\$qq | 1 |
| @Idcompressionintercept@Finalization\$qq | 1 |
| @Umtcpsocket@initialization\$qqrv | 1 |
| @Umtcpsocket@Finalization\$qqrv | 1 |
| @Userver@initialization\$qqrv | 1 |
| @Userver@Finalization\$qqrv | 1 |
| @Ufffimpl@initialization\$qqrv | 1 |
| @Ufffimpl@Finalization\$qqrv | 1 |
| @Umappserver@initialization\$qqrv | 1 |
| @Umappserver@Finalization\$qqrv | 1 |
| @Sdengine@initialization\$qqrv | 1 |
| @Sdengine@Finalization\$qqrv | 1 |
| @Sdcommon@initialization\$qqrv | 1 |
| @Sdcommon@Finalization\$qqrv | 1 |
| @Sdconsts@initialization\$qqrv | 1 |
| @Sdconsts@Finalization\$qqrv | 1 |
| @Usqlparse@initialization\$qqrv | 1 |
| @Usqlparse@Finalization\$qqrv | 1 |
| @Sdoledb@initialization\$qqrv | 1 |
| @Sdoledb@Finalization\$qqrv | 1 |
| @Sdsyb@initialization\$qqrv | 1 |
| @Sdsyb@Finalization\$qqrv | 1 |
| @Sdpgsql@initialization\$qqrv | 1 |
| @Sdpgsql@Finalization\$qqrv | 1 |
| @Sdmysql@initialization\$qqrv | 1 |
| @Sdmysql@Finalization\$qqrv | 1 |
| @Sdfib@initialization\$qqrv | 1 |
| @Sdfib@Finalization\$qqrv | 1 |
| @Sdint@initialization\$qqrv | 1 |
| @Sdint@Finalization\$qqrv | 1 |
| @Sdodbc@initialization\$qqrv | 1 |
| @Sdodbc@Finalization\$qqrv | 1 |
| @Sdinf@initialization\$qqrv | 1 |
| @Sdinf@Finalization\$qqrv | 1 |
| @Sddb2@initialization\$qqrv | 1 |
| @Sddb2@Finalization\$qqrv | 1 |
| @Sdora@initialization\$qqrv | 1 |

| | |
|------------------------------------|---|
| @Sdora@Finalization\$qqrv | 1 |
| @Sdmss@initialization\$qqrv | 1 |
| @Sdmss@Finalization\$qqrv | 1 |
| @Sdcsb@initialization\$qqrv | 1 |
| @Sdcsb@Finalization\$qqrv | 1 |
| @Udevtools@initialization\$qqrv | 1 |
| @Udevtools@Finalization\$qqrv | 1 |
| @Umsqldir@initialization\$qqrv | 1 |
| @Umsqldir@Finalization\$qqrv | 1 |
| @Mehostscript@initialization\$qqrv | 1 |
| @Mehostscript@Finalization\$qqrv | 1 |
| @Activscp@initialization\$qqrv | 1 |
| @Activscp@Finalization\$qqrv | 1 |
| @Megetdialogs@initialization\$qqrv | 1 |
| @Megetdialogs@Finalization\$qqrv | 1 |
| @Meclrbtn@initialization\$qqrv | 1 |
| @Meclrbtn@Finalization\$qqrv | 1 |
| @Graphlib@initialization\$qqrv | 1 |
| @Graphlib@Finalization\$qqrv | 1 |
| @Medbctrl@initialization\$qqrv | 1 |
| @Medbctrl@Finalization\$qqrv | 1 |
| @Medblockups@initialization\$qqrv | 1 |
| @Medblockups@Finalization\$qqrv | 1 |
| @Metreebase@initialization\$qqrv | 1 |
| @Metreebase@Finalization\$qqrv | 1 |
| @Meedits@initialization\$qqrv | 1 |
| @Meedits@Finalization\$qqrv | 1 |
| @Fcalendar@initialization\$qqrv | 1 |
| @Fcalendar@Finalization\$qqrv | 1 |
| @Fbasicobjinh@initialization\$qqrv | 1 |
| @Fbasicobjinh@Finalization\$qqrv | 1 |
| @Mectrls@initialization\$qqrv | 1 |
| @Mectrls@Finalization\$qqrv | 1 |
| @Populplib@initialization\$qqrv | 1 |
| @Populplib@Finalization\$qqrv | 1 |
| @Mestringres@initialization\$qqrv | 1 |
| @Mestringres@Finalization\$qqrv | 1 |
| @Fbasicinh@initialization\$qqrv | 1 |
| @Fbasicinh@Finalization\$qqrv | 1 |
| @Meexpress@initialization\$qqrv | 1 |
| @Meexpress@Finalization\$qqrv | 1 |
| @Dxgridmenus@initialization\$qqrv | 1 |
| @Dxgridmenus@Finalization\$qqrv | 1 |
| @Medialogs@initialization\$qqrv | 1 |
| @Medialogs@Finalization\$qqrv | 1 |
| @FdIginh@initialization\$qqrv | 1 |
| @FdIginh@Finalization\$qqrv | 1 |

| | |
|---------------------------------------|---|
| @Mepopupcalendar@initialization\$qqrv | 1 |
| @Mepopupcalendar@Finalization\$qqrv | 1 |
| @Fcalc@initialization\$qqrv | 1 |
| @Fcalc@Finalization\$qqrv | 1 |
| @Megrids@initialization\$qqrv | 1 |
| @Megrids@Finalization\$qqrv | 1 |
| @Melookupdlg@initialization\$qqrv | 1 |
| @Melookupdlg@Finalization\$qqrv | 1 |
| @Fselectorexpr@initialization\$qqrv | 1 |
| @Fselectorexpr@Finalization\$qqrv | 1 |
| @Meregistry@initialization\$qqrv | 1 |
| @Meregistry@Finalization\$qqrv | 1 |
| @Mesectiongrids@initialization\$qqrv | 1 |
| @Mesectiongrids@Finalization\$qqrv | 1 |
| @Melookupdlg2@initialization\$qqrv | 1 |
| @Melookupdlg2@Finalization\$qqrv | 1 |
| @Fselector@initialization\$qqrv | 1 |
| @Fselector@Finalization\$qqrv | 1 |
| @Udbutils@initialization\$qqrv | 1 |
| @Udbutils@Finalization\$qqrv | 1 |
| @Dxfprogressbar@initialization\$qqrv | 1 |
| @Dxfprogressbar@Finalization\$qqrv | 1 |
| @Usqlserversupp@initialization\$qqrv | 1 |
| @Usqlserversupp@Finalization\$qqrv | 1 |
| @Fimage@initialization\$qqrv | 1 |
| @Fimage@Finalization\$qqrv | 1 |
| @Fadvancemsg@initialization\$qqrv | 1 |
| @Fadvancemsg@Finalization\$qqrv | 1 |
| @Fbaseprepare@initialization\$qqrv | 1 |
| @Fbaseprepare@Finalization\$qqrv | 1 |
| @Fdataform@initialization\$qqrv | 1 |
| @Fdataform@Finalization\$qqrv | 1 |
| @Fbasicdlg@initialization\$qqrv | 1 |
| @Fbasicdlg@Finalization\$qqrv | 1 |
| @Mesysmenu@initialization\$qqrv | 1 |
| @Mesysmenu@Finalization\$qqrv | 1 |
| @Fldselector@initialization\$qqrv | 1 |
| @Fldselector@Finalization\$qqrv | 1 |
| @Findtext@initialization\$qqrv | 1 |
| @Findtext@Finalization\$qqrv | 1 |
| _PGS_ViewPort@16 | 1 |
| _PGS_Refresh@12 | 1 |
| _PGS_Start@8 | 1 |
| _PGS_Set3D@36 | 1 |
| _PGS_Camera@36 | 1 |
| _PGS_Light@32 | 1 |
| _PGS_Rendering@16 | 1 |

| | |
|---|---|
| _PGS_Flip@8 | 1 |
| _PGS_End@4 | 1 |
| _PGSL_RecallFunction@20 | 1 |
| _PGSL_Start@4 | 1 |
| _PGSL_CreateLayer@8 | 1 |
| _PGSL_LoadLayer@12 | 1 |
| _PGSL_SearchLayer@8 | 1 |
| _PGSL_AbsMoveLayer@16 | 1 |
| _PGSL_CalcLayerEx@8 | 1 |
| _PGSL_End@4 | 1 |
| @Gbq4appinstance@initialization\$qqrv | 1 |
| @Gpiengineutils@initialization\$qqrv | 1 |
| rpc_nt_init | 1 |
| xdr_pmaplist | 1 |
| clnttcp_create | 1 |
| rpc_nt_exit | 1 |
| ?GetStrings@nsINIParser@@QAEIPBDP6AH | 1 |
| ?GetString@nsINIParser@@QAEIPBD0AAVn | 1 |
| ??0nsINIParser@@QAE@XZ | 1 |
| ?GetSections@nsINIParser@@QAEIP6AHPB | 1 |
| ?NS_NewUTF8StringEnumerator@@YAIPAP | 1 |
| ?Clear@nsCStringArray@@UAEXXZ | 1 |
| ?Compact@nsCStringArray@@UAEXXZ | 1 |
| ??1nsINIParser@@QAE@XZ | 1 |
| ?Init@nsINIParser@@QAEIPAVnsILocalFile@ | 1 |
| ilLoadImage | 1 |
| BASS_SamplePlay | 1 |
| FsRtlTeardownPerStreamContexts | 1 |
| ?AddC@CLogProc@@QAAXEPADZZ | 1 |
| ?Print@CLogProc@@QAEXPADZZ | 1 |
| ?Create@CLogProc@@QAEXH@Z | 1 |
| ?MsgBox@@YAXPADZZ | 1 |
| ??0CLogProc@@QAE@XZ | 1 |
| ??1CLogProc@@QAE@XZ | 1 |
| ?AddTD@CLogProc@@QAAXPADZZ | 1 |
| cm_x_closesocket | 1 |
| cm_x_send_rec | 1 |
| cm_x_send_rec_enc | 1 |
| cm_x_sendv | 1 |
| cm_x_sendv_enc | 1 |
| cm_x_recv_rec | 1 |
| cm_x_reccv | 1 |
| cm_x_set_recvtimeout | 1 |
| cm_x_set_sendtimeout | 1 |
| cm_x_ready | 1 |
| cm_x_gethostbyname | 1 |
| cm_x_gethostname | 1 |

| | |
|-----------------------------|---|
| cm_x_getservport | 1 |
| cm_x_gethostaddr | 1 |
| cm_x_gethostaddrbyname | 1 |
| cm_x_gethostnamebyaddr | 1 |
| cm_x_getpeeraddr | 1 |
| cm_x_bind | 1 |
| cm_x_listen | 1 |
| cm_x_accept | 1 |
| cm_x_connect | 1 |
| cm_x_ap_connect | 1 |
| cm_x_ap_connect_str | 1 |
| cm_x_ap_connect_nb | 1 |
| cm_x_ap_connect_str_nb | 1 |
| cm_x_ap_connect_raw | 1 |
| cm_x_ap_connect_raw_nb | 1 |
| cm_x_ap_listen | 1 |
| cm_x_ap_listen_dgram | 1 |
| cm_x_ap_listen_dgram_size | 1 |
| cm_x_ap_accept | 1 |
| cm_x_ap_register | 1 |
| cm_x_ap_register_str | 1 |
| cm_x_socket_dgram | 1 |
| cm_x_ap_locate_dgram | 1 |
| cm_x_ap_register_dgram | 1 |
| cm_x_ap_register_dgram_size | 1 |
| cm_x_sendto | 1 |
| cm_x_recvfrom | 1 |
| cm_x_socket | 1 |
| cm_x_create_set | 1 |
| cm_x_delete_set | 1 |
| cm_x_add_set | 1 |
| cm_x_remove_set | 1 |
| cm_x_ready_break | 1 |
| cm_x_spawn | 1 |
| cm_x_check_module | 1 |
| cm_x_get_tag | 1 |
| cm_x_prt_tag | 1 |
| cm_x_kill_module | 1 |
| cm_x_term_module | 1 |
| cm_x_get_agent_port | 1 |
| cm_x_getpeername | 1 |
| cm_x_ap_reconnect_enc | 1 |
| cm_x_ap_reconnect_enc_str | 1 |
| cm_x_getsockport | 1 |
| cm_x_getpeerport | 1 |
| cm_x_getpeerstring | 1 |
| cm_x_setpeerstring | 1 |

| | |
|---------------------------|---|
| cm_x_set_quit_code | 1 |
| cm_x_get_quit_code | 1 |
| cm_x_setkey | 1 |
| cm_x_set_blocking | 1 |
| cm_x_getenv | 1 |
| cm_x_putenv | 1 |
| cm_x_flush | 1 |
| cm_x_set_send_buf | 1 |
| cm_x_set_recvbufsize | 1 |
| cm_x_set_sendbufsize | 1 |
| cm_x_set_reuse | 1 |
| cm_x_set_keep | 1 |
| cm_x_get_sock_info | 1 |
| cm_x_get_sock_data | 1 |
| cm_x_set_callbacks | 1 |
| cm_x_get_callbacks | 1 |
| cm_x_set_cb_ctx | 1 |
| cm_x_pkg_socket | 1 |
| cm_x_socket_raw | 1 |
| cm_x_set_signal_pass | 1 |
| cm_x_set_trace_fn | 1 |
| cm_x_set_trace | 1 |
| cm_x_init2 | 1 |
| cm_x_ready_set | 1 |
| cm_x_term | 1 |
| UIGlobalProperty | 1 |
| EnableMsgBus | 1 |
| create_main_thread_window | 1 |
| IsServiceRunning | 1 |
| CheckUpdate | 1 |
| RunService | 1 |
| Deploy | 1 |
| RegService | 1 |
| GetDefaultAppID | 1 |
| JS_InitClass | 1 |
| JS_CompiledScript | 1 |
| JS_AddNamedRoot | 1 |
| JS_SetContextPrivate | 1 |
| JS_DestroyContextNoGC | 1 |
| JS_NewScriptObject | 1 |
| JS_IsRunning | 1 |
| JS_IsArrayObject | 1 |
| JS_InstanceOf | 1 |
| JS_ConstructObject | 1 |
| JS_GetClass | 1 |
| JS_ContextIterator | 1 |
| JS_CompiledFile | 1 |

| | |
|---------------------------|---|
| JS_ExecuteScript | 1 |
| JS_DestroyScript | 1 |
| JS_BufferIsCompilableUnit | 1 |
| JS_DeleteProperty | 1 |
| JS_HasProperty | 1 |
| JS_GetArrayLength | 1 |
| JS_GetElement | 1 |
| JS_SetProperty | 1 |
| JS_ValueToUint16 | 1 |
| JS_NewStringCopyN | 1 |
| JS_GetInstancePrivate | 1 |
| JS_SetVersion | 1 |
| JS_ToggleOptions | 1 |
| JS_ConvertValue | 1 |
| JS_ConvertArguments | 1 |
| JS_SuspendRequest | 1 |
| JS_ResumeRequest | 1 |
| JS_ClearScope | 1 |
| JS_ValueToECMAUint32 | 1 |
| JS_NewArrayObject | 1 |
| JS_SetElement | 1 |
| JS_InternString | 1 |
| JS_ReportWarning | 1 |
| JS_ValueToECMAInt32 | 1 |
| JS_ReportError | 1 |
| JS_ObjectIsFunction | 1 |
| JS_EnterLocalRootScope | 1 |
| JS_CallFunctionValue | 1 |
| JS_LeaveLocalRootScope | 1 |
| JS_TypeOfValue | 1 |
| JS_GetStringBytes | 1 |
| JS_ValueToNumber | 1 |
| JS_ValueToInt32 | 1 |
| JS_AddNamedRootRT | 1 |
| JS_DefineFunctions | 1 |
| JS_DefineProperties | 1 |
| JS_SetPrivate | 1 |
| JS_RemoveRootRT | 1 |
| JS_SetContextThread | 1 |
| JS_NewStringCopyZ | 1 |
| JS_ClearContextThread | 1 |
| JS_NewNumberValue | 1 |
| JS_SetOptions | 1 |
| JS_SetBranchCallback | 1 |
| JS_SetGCCallbackRT | 1 |
| JS_SetContextCallback | 1 |
| JS_Init | 1 |

| | |
|--|---|
| JS_ShutDown | 1 |
| JS_Finish | 1 |
| _fseek_nolock | 1 |
| _fread_nolock | 1 |
| _fflush_nolock | 1 |
| _fclose_nolock | 1 |
| _ftell_nolock | 1 |
| _fwrite_nolock | 1 |
| ?lua_pushnumber@@YAXPAUlua_State@@ | 1 |
| ?lua_pushinteger@@YAXPAUlua_State@@I | 1 |
| ?lua_setfield@@YAXPAUlua_State@@@HPBC | 1 |
| ?luaL_checkstring@@YAPBDPAUlua_State@C | 1 |
| ?lua_next@@YAHPAUlua_State@@H@Z | 1 |
| ?lua_tolstring@@YAPBDPAUlua_State@@H | 1 |
| ?lua_toboolean@@YAHPAUlua_State@@H@I | 1 |
| ?lua_getfield@@YAXPAUlua_State@@@HPBI | 1 |
| ?lua_type@@YAHPAUlua_State@@H@Z | 1 |
| ?lua_pushnil@@YAXPAUlua_State@@@Z | 1 |
| ?lua_pushcclosure@@YAXPAUlua_State@@ | 1 |
| ?luaL_checktype@@YAXPAUlua_State@@H | 1 |
| ?lua_tointeger@@YAHPAUlua_State@@H@C | 1 |
| ?lua_settop@@YAXPAUlua_State@@H@Z | 1 |
| ?lua_pushvalue@@YAXPAUlua_State@@H@C | 1 |
| ?luaL_checknumber@@YANPAUlua_State@ | 1 |
| ?lua_pushlstring@@YAXPAUlua_State@@P | 1 |
| ?lua_pushstring@@YAXPAUlua_State@@@PE | 1 |
| ?lua_settable@@YAXPAUlua_State@@H@Z | 1 |
| ?luaL_register@@YAXPAUlua_State@@PBC | 1 |
| ?lua_createtable@@YAXPAUlua_State@@I | 1 |
| CabGetObject | 1 |
| DmGetXiaobaiObject | 1 |
| ?stub@@YA_NXZ | 1 |
| ?DLL_vShowMsg@@YAXP6AJPAUHWND__@ | 1 |
| ??1WebFromDLL@@QAE@XZ | 1 |
| GetDAOEngineForPDir | 1 |
| GetDAOVersion | 1 |
| WdsGenericSetupLogInit | 1 |
| WdsSetupLogDestroy | 1 |
| ??1ISerializable@UnBCL@@UAE@XZ | 1 |
| ??5SerializationStream@UnBCL@@QAEAAV | 1 |
| ??5SerializationStream@UnBCL@@QAEAAV | 1 |
| ??5SerializationStream@UnBCL@@QAEAAV | 1 |
| ?DecRef@Object@UnBCL@@QAEHXZ | 1 |
| ?AddRef@Object@UnBCL@@QAEXXZ | 1 |
| ??6SerializationStream@UnBCL@@QAEAAV | 1 |
| ?AddStackTrace@Exception@UnBCL@@QA | 1 |
| ??0InvalidCastException@UnBCL@@QAE@) | 1 |

| | |
|---|---|
| ?ToString@Exception@UnBCL@@UBEPAVS1 | 1 |
| ?get_InnerException@Exception@UnBCL@() | 1 |
| ?get_Message@Exception@UnBCL@@UBEF | 1 |
| ?get_Source@Exception@UnBCL@@UBEPB | 1 |
| ?set_Source@Exception@UnBCL@@UAEXP | 1 |
| ?GetBaseException@Exception@UnBCL@@ | 1 |
| ?get_HResult@Exception@UnBCL@@UBEJX | 1 |
| ?set_HResult@Exception@UnBCL@@MAEX | 1 |
| ?SetMessage@Exception@UnBCL@@MAEX | 1 |
| ??1Exception@UnBCL@@UAE@XZ | 1 |
| ?WriteBytes@SerializationStream@UnBCL@ | 1 |
| ??6SerializationStream@UnBCL@@QAEAAV | 1 |
| ?ReadBytes@SerializationStream@UnBCL@ | 1 |
| ?MemAllocFailed@Allocator@UnBCL@@SG | 1 |
| ??0ArgumentOutOfRangeException@UnBCL | 1 |
| ??0ArgumentException@UnBCL@@QAE@P | 1 |
| ??0ArgumentNullException@UnBCL@@QAE | 1 |
| ??0InvalidOperationException@UnBCL@@C | 1 |
| ??0Exception@UnBCL@@QAE@PBG@Z | 1 |
| ?EnqueueSbRegistration@SbRegistrationList | 1 |
| ?RegisterType@SerializationStream@UnBCL | 1 |
| ?SetLiteralStorage@_ @_UnBCL@@YGXPAPB` | 1 |
| ??0NotSupportedException@UnBCL@@QAE | 1 |
| ??0InvalidOperationException@UnBCL@@C | 1 |
| ??5SerializationStream@UnBCL@@QAEAAV | 1 |
| ??0InvalidOperationException@UnBCL@@C | 1 |
| ??6SerializationStream@UnBCL@@QAEAAV | 1 |
| ??6SerializationStream@UnBCL@@QAEAAV | 1 |
| ??0Object@UnBCL@@QAE@ABV01@@Z | 1 |
| ?Steal@?\$_SmartPtr@VString@UnBCL@@@ | 1 |
| ?Format@String@UnBCL@@SAPAV12@PBC | 1 |
| ?Replace@String@UnBCL@@QBEPBV12@P | 1 |
| ?IndexOf@String@UnBCL@@QBEHPBGH@: | 1 |
| ?Remove@String@UnBCL@@QBEPBV12@I | 1 |
| ?get_Length@String@UnBCL@@QBEHXZ | 1 |
| ?Copy@File@UnBCL@@SGPAVString@2@P | 1 |
| ?GetTempPathName@Directory@UnBCL@() | 1 |
| ?Concat@String@UnBCL@@SGPAV12@PBC | 1 |
| ?CompareTo@String@UnBCL@@QBEHPBG | 1 |
| ?get_NextSibling@XmlNode@UnBCL@@QA | 1 |
| ?Compare@String@UnBCL@@SGHPBG0H@ | 1 |
| ?get_Name@XmlNode@UnBCL@@QAEPAV | 1 |
| ?get_InnerText@XmlNode@UnBCL@@QAE | 1 |
| ?get_Attributes@XmlNode@UnBCL@@QAE | 1 |
| ?get_Item@XmlAttributeCollection@UnBCL | 1 |
| ??C?\$_SmartPtr@VString@UnBCL@@@UnB | 1 |
| ?get_Item@XmlNodeList@UnBCL@@QAEPI | 1 |

| | |
|--|---|
| ?SelectNodes@XmlNode@UnBCL@@QAEP/ | 1 |
| ?Load@XmlDocument@UnBCL@@QAEXP@ | 1 |
| ?GetApplicationStartDir@Directory@UnBCL | 1 |
| ??0 XmlDocument@UnBCL@@QAE@XZ | 1 |
| ??1 XmlDocument@UnBCL@@UAE@XZ | 1 |
| ?GetFileName@Path@UnBCL@@SGPAVStri | 1 |
| ?Exists@File@UnBCL@@SGHPBVString@2@ | 1 |
| ?Exists@Directory@UnBCL@@SGHPBVStrin | 1 |
| ??0 String@UnBCL@@QAE@XZ | 1 |
| ?Compare@String@UnBCL@@SGHPBV12@ | 1 |
| ?GetBuffer@StringBuilder@UnBCL@@QAEF | 1 |
| ?Append@StringBuilder@UnBCL@@QAEPA | 1 |
| ??0 StringBuilder@UnBCL@@QAE@XZ | 1 |
| ?Append@StringBuilder@UnBCL@@QAEPA | 1 |
| ?ToString@StringBuilder@UnBCL@@UBEPA | 1 |
| ??1 StringBuilder@UnBCL@@UAE@XZ | 1 |
| ?Compare@String@UnBCL@@SGHPBV12@ | 1 |
| ?get_Length@StringBuilder@UnBCL@@QBF | 1 |
| ?get_CString@String@UnBCL@@QBEPBGXZ | 1 |
| ??0 String@UnBCL@@QAE@PBG@Z | 1 |
| ?GetEnvironmentVar@Environment@UnBCl | 1 |
| ??0?\$SmartPtr@VString@UnBCL@@@UnB(| 1 |
| ??0?\$SmartPtr@V?\$ArrayList@PAVString@I | 1 |
| ??2Object@UnBCL@@SGPAXI@Z | 1 |
| ?ToLower@String@UnBCL@@QBEPAV12@) | 1 |
| ?Trim@String@UnBCL@@QBEPAV12@XZ | 1 |
| ?get_IsEmpty@String@UnBCL@@QBEHXZ | 1 |
| ?Split@String@UnBCL@@QBEPAV?\$ArrayList | 1 |
| ??0?\$SmartPtr@V?\$ArrayList@PAVString@I | 1 |
| ??4?\$SmartPtr@V?\$ArrayList@PAVString@I | 1 |
| ??1?\$SmartPtr@V?\$ArrayList@PAVString@I | 1 |
| ??C?\$SmartPtr@V?\$ArrayList@PAVString@I | 1 |
| ?IndexOf@String@UnBCL@@QBEHPBG@Z | 1 |
| ??0 String@UnBCL@@QAE@PBV01@@Z | 1 |
| ?Combine@Path@UnBCL@@SGPAVString@ | 1 |
| ?GetParentPath@Path@UnBCL@@SGPAVSt | 1 |
| ?CreateDir@Directory@UnBCL@@SGPAVDi | 1 |
| ?CanRegister@SerializationStream@UnBCL(| 1 |
| ?GetCallingModule@SerializationStream@U | 1 |
| ?UnregisterType@SerializationStream@UnB | 1 |
| ??1 String@UnBCL@@UAE@XZ | 1 |
| ??3 Object@UnBCL@@SGXPAX@Z | 1 |
| ?Clone@String@UnBCL@@UBEPAVObject@ | 1 |
| ?CompareTo@String@UnBCL@@UBEHPBV(| 1 |
| ?ToString@String@UnBCL@@UBEPAV12@> | 1 |
| ?GetHashCode@String@UnBCL@@UBEHXZ | 1 |
| ?Equals@String@UnBCL@@UBEHPBVObjec | 1 |

| | |
|---|---|
| ?FromASCII@String@UnBCL@@SGPAV12@ | 1 |
| ??0?\$SmartPtr@VString@UnBCL@@@UnB(| 1 |
| ??D?\$SmartPtr@VString@UnBCL@@@UnB(| 1 |
| ?SanitizeTypeName@SerializationStream@l | 1 |
| ??4?\$SmartPtr@VString@UnBCL@@@UnB(| 1 |
| ??1?\$SmartPtr@VString@UnBCL@@@UnB(| 1 |
| ??2Object@UnBCL@@SGPAXII@Z | 1 |
| ??0String@UnBCL@@QAE@ABV01@@Z | 1 |
| ?Clone@Object@UnBCL@@UBEPAV12@XZ | 1 |
| ?CompareTo@Object@UnBCL@@UBEHPBV | 1 |
| ?GetObjectID@Object@UnBCL@@UBEIXZ | 1 |
| ?ToString@Object@UnBCL@@UBEPAVStrin | 1 |
| ?GetType@Object@UnBCL@@UBEPAVType | 1 |
| ?GetHashCode@Object@UnBCL@@UBEHXZ | 1 |
| ?Equals@Object@UnBCL@@UBEHPBV12@() | 1 |
| ??1Object@UnBCL@@UAE@XZ | 1 |
| ??0Object@UnBCL@@QAE@XZ | 1 |
| ?get_P@?\$SmartPtr@V?\$ArrayList@PAVStr | 1 |
| ?get_P@?\$SmartPtr@VString@UnBCL@@@@ | 1 |
| ??4?\$CStringT@GV?\$StrTraitATL@GV?\$ChTi | 1 |
| ?AppendFormat@?\$CStringT@GV?\$StrTrait | 1 |
| ??Y?\$CStringT@GV?\$StrTraitATL@GV?\$ChTi | 1 |
| ?Find@?\$CStringT@GV?\$StrTraitATL@GV?\$ | 1 |
| ??0?\$CStringT@GV?\$StrTraitATL@GV?\$ChTi | 1 |
| ?Compare@?\$CStringT@GV?\$StrTraitATL@() | 1 |
| ?Trim@String@UnBCL@@QBEPAV12@PBG | 1 |
| ?CompareNoCase@?\$CStringT@GV?\$StrTra | 1 |
| ?Tokenize@?\$CStringT@GV?\$StrTraitATL@C | 1 |
| ?TrimEnd@String@UnBCL@@QBEPAV12@F | 1 |
| ?Substring@String@UnBCL@@QBEPAV12@ | 1 |
| ?IndexOf@String@UnBCL@@QBEHG@Z | 1 |
| ?StartsWith@String@UnBCL@@QBEHPBGH | 1 |
| ?Concat@String@UnBCL@@SGPAV12@PBC | 1 |
| ?CreateTemporaryDirectory@Directory@Un | 1 |
| ?get_Count@XmlNodeList@UnBCL@@QAEI | 1 |
| ??0Win32Exception@UnBCL@@QAE@K@Z | 1 |
| ??C?\$SmartPtr@VStream@UnBCL@@@UnI | 1 |
| ??1?\$SmartPtr@VStream@UnBCL@@@UnI | 1 |
| ??4?\$SmartPtr@VStream@UnBCL@@@UnI | 1 |
| ??0?\$SmartPtr@VStream@UnBCL@@@UnI | 1 |
| ??0FileStream@UnBCL@@QAE@PBVString(| 1 |
| ??0?\$SmartPtr@VStream@UnBCL@@@UnI | 1 |
| ??1FileStream@UnBCL@@UAE@XZ | 1 |
| ??0?\$CStringT@GV?\$StrTraitATL@GV?\$ChTi | 1 |
| ??Y?\$CStringT@GV?\$StrTraitATL@GV?\$ChTi | 1 |
| ?Find@?\$CStringT@GV?\$StrTraitATL@GV?\$ | 1 |
| ?Right@?\$CStringT@GV?\$StrTraitATL@GV?: | 1 |

| | |
|--|---|
| ?ReverseFind@?\$_CStringT@GV?\$StrTraitATI | 1 |
| ?Left@?\$_CStringT@GV?\$StrTraitATL@GV?\$C | 1 |
| ?Mid@?\$_CStringT@GV?\$StrTraitATL@GV?\$C | 1 |
| ??4?\$_CStringT@GV?\$StrTraitATL@GV?\$ChTi | 1 |
| ??A?\$_CSimpleStringT@G\$0A@@ATL@@QB | 1 |
| ?GetManager@?\$_CStringT@GV?\$StrTraitAT | 1 |
| ??0?\$_CStringT@GV?\$StrTraitATL@GV?\$ChTi | 1 |
| ?Concatenate@?\$_CSimpleStringT@G\$0A@() | 1 |
| ?Empty@?\$_CSimpleStringT@G\$0A@@ATL@ | 1 |
| ??0?\$_CStringT@GV?\$StrTraitATL@GV?\$ChTi | 1 |
| ??1?\$_CStringT@GV?\$StrTraitATL@GV?\$ChTi | 1 |
| ?get_FirstChild@XmlNode@UnBCL@@QAEI | 1 |
| RtlGetProductInfo | 1 |
| _HB_FUN_APPLICATION | 1 |
| _HB_FUN_DIALOG | 1 |
| _HB_FUN_MEMORYDATABASE | 1 |
| _HB_FUN_IMAGELIST | 1 |
| _HB_FUN_FREEIMAGERENDERER | 1 |
| _HB_FUN_PICTUREBOX | 1 |
| _HB_FUN_BUTTON | 1 |
| _HB_FUN_TABCONTROL | 1 |
| _HB_FUN_TABPAGE | 1 |
| _HB_FUN_DATAGRID | 1 |
| _HB_FUN_GRIDCOLUMN | 1 |
| _HB_FUN_PANEL | 1 |
| _HB_FUN_LABEL | 1 |
| _HB_FUN_GROUPBOX | 1 |
| _HB_FUN_EDITBOX | 1 |
| _HB_FUN_CHECKBOX | 1 |
| _HB_FUN_ANIMATION | 1 |
| _HB_FUN__GETAPPLICATION | 1 |
| _HB_FUN__OAPP | 1 |
| _HB_FUN_WF_INIT | 1 |
| _HB_FUN_WFVARS | 1 |
| _HB_FUN_WF_SETDEFAULTLANG | 1 |
| _HB_FUN_WF_NEWLANG | 1 |
| _HB_FUN_WF_GETDEFAULTLANGINPRGFRO | 1 |
| _HB_FUN_WF_SETDEFAULTLANGINPRGTO | 1 |
| _HB_FUN_WF_SETPROPERTIESINFORM | 1 |
| _HB_FUN_WF_GETFROMWFINI | 1 |
| _HB_FUN_WF_GETLANG | 1 |
| _HB_FUN_WF_GETINI | 1 |
| _HB_FUN_WF_ROOTFOLDER | 1 |
| _HB_FUN_WF_DOSSIER_GETNAME | 1 |
| _HB_FUN_WF_DOSSIER_EXISTS | 1 |
| _HB_FUN_WF_SETINI | 1 |
| _HB_FUN_WF_INITSWF | 1 |

| | |
|-------------------------------------|---|
| _HB_FUN_WF_DOSSIER_ISBEZIGMETSORTEF | 1 |
| _HB_FUN_WF_DOSSIER_ASK4PASSWORD | 1 |
| _HB_FUN_WF_DOSSIER_LOAD | 1 |
| _HB_FUN_WF_SEND | 1 |
| _HB_FUN_WF_MSGBOXCLASS | 1 |
| _HB_FUN_WF_SETLANG | 1 |
| _HB_FUN_WF_DOSSIER_GETPASSWORD | 1 |
| _HB_FUN_WF_FILECOPY | 1 |
| _HB_FUN_WF_FILENOPATH | 1 |
| _HB_FUN_WF_FILEERASE | 1 |
| _HB_FUN_WF_LOGDEBUG | 1 |
| _HB_FUN_VDEBUG | 1 |
| _HB_FUN_WF_VALTYPE | 1 |
| _HB_FUN_WF_DBUSEAREA | 1 |
| _HB_FUN_WF_DBZAP | 1 |
| _HB_FUN_WF_SHOWWIKI | 1 |
| _HB_FUN_WF_SWAP | 1 |
| _hb_vmExplicitStartup | 1 |
| _hb_vmExecute | 1 |
| _HB_FUN__CLSISSACTIVE | 1 |
| _HB_FUN_HBCLASS | 1 |
| _HB_FUN__CLSACTIVE | 1 |
| _HB_FUN__CLSINST | 1 |
| _HB_FUN__OBJHASMSG | 1 |
| _HB_FUN_HB_APARAMS | 1 |
| _HB_FUN_PCOUNT | 1 |
| _HB_FUN_EMPTY | 1 |
| _HB_FUN_ASIZE | 1 |
| _HB_FUN_MAX | 1 |
| _HB_FUN_NTOC | 1 |
| _HB_FUN_DBAPPEND | 1 |
| _HB_FUN_DBSELECTAREA | 1 |
| _HB_FUN_RTRIM | 1 |
| _HB_FUN_ALLTRIM | 1 |
| _HB_FUN_STRTRAN | 1 |
| _HB_FUN_SECONDS | 1 |
| _HB_FUN_FILE | 1 |
| _HB_FUN_MAKEDIR | 1 |
| _HB_FUN_DIRECTORY | 1 |
| _HB_FUN_LEN | 1 |
| _HB_FUN_LTRIM | 1 |
| _HB_FUN_HB_ISNIL | 1 |
| _HB_FUN_UPPER | 1 |
| _HB_FUN_VAL | 1 |
| _HB_FUN_FRENAME | 1 |
| _hb_vmProcessExeUsesDlISymbols | 1 |
| _hb_gtSetDefault | 1 |

| | |
|-------------------------------------|---|
| _hb_winmainArgInit | 1 |
| _hb_cmdargInit | 1 |
| _hb_vmlInit | 1 |
| _hb_vmQuit | 1 |
| _PSGetHostName@8 | 1 |
| _PSRegistrySetValue@24 | 1 |
| ??3pscore@@YAXPAX@Z | 1 |
| ??2pscore@@YAPAXI@Z | 1 |
| _PSStrStrW@8 | 1 |
| _PSLibOpen@8 | 1 |
| _PSStrCatW@8 | 1 |
| _PSFileOpen@16 | 1 |
| _PSFileClose@4 | 1 |
| _PSStrLenA@4 | 1 |
| _PSStrLenW@4 | 1 |
| _PSStrCpyW@8 | 1 |
| _PSStrCmpW@8 | 1 |
| _PSDirOpen@8 | 1 |
| _PSDirCreate@8 | 1 |
| _PSStrRChrW@8 | 1 |
| _PSDirClose@4 | 1 |
| _PSRegistryGetValue@24 | 1 |
| _PSRegistryDeleteValue@12 | 1 |
| _PSUnicodeToAnsi@12 | 1 |
| _PSNamedSemOpen@12 | 1 |
| _PSSharedMemOpen@20 | 1 |
| _PSSharedMemAttach@12 | 1 |
| _PSThreadCreate@24 | 1 |
| _PSMutexCreate@12 | 1 |
| _PSMutexDestroy@4 | 1 |
| _PSLibGetSymbol@12 | 1 |
| _PSLibClose@4 | 1 |
| _PSMutexRelease@4 | 1 |
| _PSMutexAcquire@4 | 1 |
| _PSThreadJoin@8 | 1 |
| _PSNamedSemClose@4 | 1 |
| _PSSharedMemDetach@4 | 1 |
| _PSSharedMemClose@4 | 1 |
| _PSSemaphorePost@4 | 1 |
| _PSSemaphoreWait@4 | 1 |
| ?write@OutputStreamWriter@io@ps@@U/ | 1 |
| ?write@Writer@io@ps@@UAEXPB_W@Z | 1 |
| ?write@Writer@io@ps@@UAEXABVString(| 1 |
| ?getSize@FileOutputStream@io@ps@@UA | 1 |
| ?open@FileOutputStream@io@ps@@UAEX | 1 |
| ?is_open@FileOutputStream@io@ps@@UE | 1 |
| ?close@FileOutputStream@io@ps@@UAEX | 1 |

| | |
|--------------------------------------|---|
| ?flush@FileOutputStream@io@ps@@UAEX | 1 |
| ?write@Writer@io@ps@@UAEX_W@Z | 1 |
| ?flush@OutputStreamWriter@io@ps@@UFA | 1 |
| ?close@OutputStreamWriter@io@ps@@UFA | 1 |
| ?getEncodingName@OutputStreamWriter@ | 1 |
| ??1FileOutputStream@io@ps@@UAE@XZ | 1 |
| ??1OutputStreamWriter@io@ps@@UAE@> | 1 |
| ?write@OutputStream@io@ps@@UAEXC@ | 1 |
| ?write@FileOutputStream@io@ps@@UAE@X | 1 |
| ?write@OutputStream@io@ps@@UAEXPBI | 1 |
| ?write@OutputStream@io@ps@@UAEXPBI | 1 |
| ?Release@Object@ps@@UBGKXZ | 1 |
| ?AddRef@Object@ps@@UBGKXZ | 1 |
| ?QueryInterface@Object@ps@@UAGJABU_ | 1 |
| ??0String@ps@@QAE@H@Z | 1 |
| ?getWriteLock@String@ps@@UAEPA_WH@C | 1 |
| ?releaseWriteLock@String@ps@@UAEXH@ | 1 |
| ??0String@ps@@QAE@PAUICharBuffer@uI | 1 |
| ?create@Logger@log@ps@@SA?AV?\$Refer | 1 |
| ??0FileOutputStream@io@ps@@QAE@ABV | 1 |
| ??0OutputStreamWriter@io@ps@@QAE@F | 1 |
| ?setProcessor@Logger@log@ps@@QAEXP@ | 1 |
| ?getBundle@StringBundle@i18n@ps@@SA | 1 |
| ?setEnabled@Logger@log@ps@@QAEX_N@ | 1 |
| ?wait@FileOutputStream@io@ps@@QAEX@ | 1 |
| ??YString@ps@@QAEAAV01@ABV01@@Z | 1 |
| ?replace@String@ps@@QAEAAV12@HH_V | 1 |
| ?valueOf@String@ps@@SA?AV12@I@Z | 1 |
| ?replace@String@ps@@QAEAAV12@HHPB | 1 |
| ?regionMatches@String@ps@@QBE_NHHP | 1 |
| ?signal@FileOutputStream@io@ps@@QAE | 1 |
| ??0String@ps@@QAE@XZ | 1 |
| ??4String@ps@@QAEAAV01@ABV01@@Z | 1 |
| ?getLength@String@ps@@UBEHXZ | 1 |
| ??0String@ps@@QAE@PBDHPB_WH@Z | 1 |
| ??0String@ps@@QAE@PB_WH@Z | 1 |
| ??1String@ps@@UAE@XZ | 1 |
| ??1AbstractLogWriter@log@ps@@UAE@XZ | 1 |
| ?process@AbstractLogWriter@log@ps@@L | 1 |
| ?HashCode@Object@ps@@UBGJPAK@Z | 1 |
| ?CompareTo@Object@ps@@UBGJPBUIPSU | 1 |
| ?flush@AbstractLogWriter@log@ps@@UAE | 1 |
| ?toString@Object@ps@@UBE?AVString@2I | 1 |
| ?hashCode@Object@ps@@UBEKXZ | 1 |
| ?getClass@Object@ps@@UBEPBVClass@2C | 1 |
| ?equals@Object@ps@@UBE_NABV12@@Z | 1 |
| ?compareTo@Object@ps@@UBEHABV12@ | 1 |

| | |
|---|---|
| ?clone@Object@ps@@UBEPAV12@XZ | 1 |
| ?Release@AbstractLogWriter@log@ps@@@l | 1 |
| ?AddRef@AbstractLogWriter@log@ps@@@U | 1 |
| ?QueryInterface@AbstractLogWriter@log@ | 1 |
| ??0AbstractLogWriter@log@ps@@IAE@PA` | 1 |
| ?js_DateGetSeconds@@YAHPAUJSContext@ | 1 |
| IMGLoadImg | 1 |
| ?Assign@nsAString_internal@@QAEXABVns | 1 |
| ?Rebind@nsDependentSubstring@@QAEXA | 1 |
| ?FindChar@nsAString_internal@@QBEHGI@ | 1 |
| ?AppendASCII@nsAString_internal@@QAE> | 1 |
| ?Find@nsString@@QBEHABV1@HH@Z | 1 |
| ?Equals@nsAString_internal@@QBEHABV1@ | 1 |
| ?Replace@nsSubstring@@QAEXIIABVnsASti | 1 |
| ?InsertStringAt@nsStringArray@@QAEHABV | 1 |
| ?RemoveStringAt@nsStringArray@@QAEHF | 1 |
| ?StringAt@nsStringArray@@QBEXHAAVnsA | 1 |
| ??0nsStringArray@@QAE@XZ | 1 |
| ?EqualsASCII@nsSubstring@@QBEHPBD@Z | 1 |
| ?EnumerateForwards@nsVoidArray@@QAE | 1 |
| ??4nsVoidArray@@QAEAAV0@ABV0@@@Z | 1 |
| ?IndexOf@nsStringArray@@QBEHABVnsASti | 1 |
| ?Init@nsPromiseFlatString@@AAEXABVnsSi | 1 |
| ?Append@nsAString_internal@@QAEXPBGI | 1 |
| ?GetWritableDatabase@nsAString_internal@@ | 1 |
| ?IsVoid@nsAString_internal@@QBEHXZ | 1 |
| ?SetIsVoid@nsAString_internal@@QAEHX@ | 1 |
| ?ToString@nsID@@QBEPADZ | 1 |
| ?InsertElementsAt@nsVoidArray@@QAEHA | 1 |
| ??0nsCOMArray_base@@IAE@ABV0@@@Z | 1 |
| ?Append@nsAString_internal@@QAEXABV1 | 1 |
| PR_FormatTime | 1 |
| PR_strtod | 1 |
| JS_GetStringLength | 1 |
| ??0CModuleManager@@QAE@PAUHINSTA | 1 |
| ?StretchBitmap@CBitmap@@QAEXAAPAUFI | 1 |
| ?Seek@CFile@@UAEJJH@Z | 1 |
| ??0CMenuPopup@@QAE@PAUHWND__@I | 1 |
| ?AddCheckBmp@CButtonEx@@QAEXHHH@ | 1 |
| qyjaaoymxqkxbn | 1 |
| RtlMergeRangeLists | 1 |
| ?_H1@CLKRLinearHashTable@@ABEKK@Z | 1 |
| PM_GetFileList | 1 |
| Wow64GetThreadContext | 1 |
| Wow64SetThreadContext | 1 |
| GdipDrawImagePointsl | 1 |
| ?SetGlobalContainer@@YAPAVIModContair | 1 |

| | |
|---------------------------------------|---|
| ?CreateContainer@@YAPAVIModContainer | 1 |
| ?GetGlobalContainer@@YAPAVIModContai | 1 |
| ?CreateFileMap@CCommunicate@@SAHAA | 1 |
| ?SetData@CCommunicate@@SAHHPAXH@ | 1 |
| ?GetData@CCommunicate@@SAHHPAXHA | 1 |
| ?LogError@CCommunicate@@SAXPBDZZ | 1 |
| ?CleanFileMap@CCommunicate@@SAHPA} | 1 |
| ?PostMessageA@CCommunicate@@SAHIJ@ | 1 |
| ?GetConn@CNetStateMsg@@QAEPAVINetC | 1 |
| ?GetClass@CNetStateMsg@@SAPAXXZ | 1 |
| ?GetEvent@CShareMsg@@QAEIXZ | 1 |
| ?GetOldState@CNetStateMsg@@QAE?AW4 | 1 |
| ?GetNewState@CNetStateMsg@@QAE?AW | 1 |
| ?IsKindOf@CControlMsg@@UAEHPAX@Z | 1 |
| ?GetRuntimeClass@CControlMsg@@UBEPA | 1 |
| ??0CControlMsg@@QAE@K@Z | 1 |
| ??1CControlMsg@@UAE@XZ | 1 |
| ?GetClass@CShareMsg@@SAPAXXZ | 1 |
| ?GetInstance@@YAPAXXZ | 1 |
| SetServerInfo | 1 |
| AddFile | 1 |
| ?Exists@CDictionary@@UAE_NPBG0@Z | 1 |
| ?ExtendedParams@CDictionary@@UAE?AV | 1 |
| ?Find@CDictionary@@UAEPBG0@Z | 1 |
| ?GetCount@CDictionary@@UAEHXZ | 1 |
| ?Key@CDictionary@@UAEPAVCDictionar | 1 |
| ?KeyExists@CDictionary@@UAE_NPBG@Z | 1 |
| ?KeyIndex@CDictionary@@UAEPBG@Z | 1 |
| ?KeyOf@CDictionary@@UAE?AVCString@ | 1 |
| ?KeyValue@CDictionary@@UAEPAVCDictio | 1 |
| ?EqualsNoCase@CDictionary@@UAE_NPAV | 1 |
| ?Params@CDictionary@@UAE?AVCString@ | 1 |
| ?Permute@CDictionary@@UAE_NHH@Z | 1 |
| ?RemoveAll@CDictionary@@UAEX_N@Z | 1 |
| ?RemoveAt@CDictionary@@UAEXHH@Z | 1 |
| ?SerializeUnicode@CDictionary@@UAEXAA | 1 |
| ?SetValueForKey@CDictionary@@UAEXPBC | 1 |
| ?StoreToFile@CDictionary@@UAEXPBGW41 | 1 |
| ?Value@CDictionary@@UAEPAVCDictionar | 1 |
| ?ValueExists@CDictionary@@UAE_NPBG@ | 1 |
| ?ValueIndex@CDictionary@@UAEPBG@Z | 1 |
| ?ValueOf@CDictionary@@UAE?AVCString@ | 1 |
| ?ValueParams@CDictionary@@UAE?AVCSt | 1 |
| ?GetItem@CDictionary@@UBEPAVCDiction | 1 |
| ?SetItem@CDictionary@@UAEXHPAVCDicti | 1 |
| ?FetchData@CDictionary@@UAE?AVCString | 1 |
| ?GetFontIndirect@CDialogEx@@QAE?AUta | 1 |

| | |
|--|---|
| ?GetDataPath@CUtility@@SA?AVCString@() | 1 |
| ?GetResource@CDialogEx@@QAE?AVCStrin | 1 |
| ?LoadIconW@CUtility@@SAPAUHICON__@ | 1 |
| ??1CContainer@@UAE@XZ | 1 |
| ??0CContainer@@QAE@XZ | 1 |
| ?Serialize@CContainer@@UAEXAAVCArchiv | 1 |
| ?InventoryFiles@CContainer@@UAEHPAVC | 1 |
| ?ToString@CCustomObject@@UAE?AVCStri | 1 |
| ?Compare@CCustomObject@@UAEHPAV1@ | 1 |
| ?LoadFromXML@CContainer@@UAE_NPAV | 1 |
| ?SaveToXML@CContainer@@UAEPAVCXML | 1 |
| ?CreateCustomObject@CContainer@@MAE | 1 |
| ?Add@CContainer@@UAEHPAVCCustomOk | 1 |
| ?InsertAt@CContainer@@UAEXHPAVCCustc | 1 |
| ?DeleteAt@CContainer@@UAEXHH@Z | 1 |
| ?DeleteAll@CContainer@@QAEXXZ | 1 |
| ?GetString@CDialogEx@@QAE?AVCString@ | 1 |
| ?Equals@CDictionary@@UAE_NPAV1@@Z | 1 |
| ?DeleteAll@CDictionary@@UAEXXZ | 1 |
| ?DeleteAt@CDictionary@@UAEXH@Z | 1 |
| ?CustomString@CDictionary@@UAE?AVCSt | 1 |
| ?Copy@CDictionary@@UAEXPBV1@@Z | 1 |
| ?Contains@CDictionary@@UAE_NPBG0@Z | 1 |
| ?Clear@CDictionary@@UAEXXZ | 1 |
| ?QuickSort@CDictionary@@MAEXPBV1@H | 1 |
| ?Serialize@CDictionary@@UAEXAAVCArchiv | 1 |
| ?Add@CDictionary@@QAEHPBG0@Z | 1 |
| ?IntToStr@CUtility@@SA?AVCString@@H@ | 1 |
| ?GetResourcePath@CWinAppEx@@QAE?A\ | 1 |
| ??0CDictionary@@QAE@XZ | 1 |
| ?GetLanguageCode@CAppConfigEx@@QAE | 1 |
| ?Get AppConfigEx@CDialogEx@@QAEPAVC/ | 1 |
| ??1CDictionary@@UAE@XZ | 1 |
| ?GetColor@CDialogEx@@QAE?AVCString@ | 1 |
| ?SaveStringToFile@CUtility@@SA_NPBG0@ | 1 |
| ?GetCfgComPath@CUtility@@SA?AVCString@ | 1 |
| ?ViewFile@CUtility@@SAHVCString@@_N@ | 1 |
| ?CreateCustomObject@CLocalizeMenu@@I | 1 |
| ?SaveToXML@CLocalizeMenu@@UAEPAVC | 1 |
| ?LoadFromXML@CLocalizeMenu@@UAE_N | 1 |
| ?InventoryFiles@CLocalizeMenu@@UAEHP | 1 |
| ?Serialize@CLocalizeMenu@@UAEXAAVCAr | 1 |
| ?SetControlStyle@CLocalizeMenu@@QAEXI | 1 |
| ??0CLocalizeMenu@@QAE @_N@Z | 1 |
| ?GetLocalizeCode@CCustomObject@@SA?A | 1 |
| ?GetLanguage@CAppConfigExManager@@I | 1 |
| ?Get AppConfigExManager@CWinAppEx@@ | 1 |

| | |
|--|---|
| ??1CLocalizeMenu@@UAE@XZ | 1 |
| ?GetElement@CContainer@@QBEPAVCEler | 1 |
| ?GetCount@CContainer@@QBEHXZ | 1 |
| ?MultiCompilLibrary@CUtility@@SA?AVCSt | 1 |
| ?GetVersion@CUtility@@SA?AW4TOSVersi\ | 1 |
| ?LoadFromFile@CDictionary@@UAEXPBGW | 1 |
| ?TRACE_DEBUG@@YAXPBG000@Z | 1 |
| ?GetString@CWinAppEx@@QAE?AVCString | 1 |
| ?GetModulePath@CUtility@@SA?AVCString | 1 |
| ?GetCfgProductFSUPath@CUtility@@SA?AV | 1 |
| ?FileExists@CUtility@@SA_NPBG@Z | 1 |
| ??0WebLinks@@QAE@XZ | 1 |
| ?LoadFromXMLFile@CCustomObject@@QA | 1 |
| ?GetWebLink@WebLinks@@QAEPAVWebLi | 1 |
| ?MustDisplay@WebLink@@QAEHXZ | 1 |
| ??1WebLinks@@UAE@XZ | 1 |
| ?AddPrefixToStr@CUtility@@SA?AVCString | 1 |
| ??0CFonctionArray@@QAE@XZ | 1 |
| ??1CFonctionArray@@UAE@XZ | 1 |
| ?GetColorRef@CColor@@QAEKXZ | 1 |
| ??0CColor@@QAE@K@Z | 1 |
| ??1CColor@@UAE@XZ | 1 |
| ?FromMetaString@CColor@@QAEXPBG@Z | 1 |
| ??0CKitStatusBar@@QAE@XZ | 1 |
| ?IsMenu@CCustomMenu@@SAHPAVCMen | 1 |
| ?UpdateMenu@CCustomMenu@@SAXPAV(| 1 |
| ?IsMenu@CCustomMenu@@SAHPAUHMEN | 1 |
| ?CreateLocalizeMenuPopup@CKitMenu@@ | 1 |
| ?OnSize@CKitDialog@@IAEXIHH@Z | 1 |
| ?OnClose@CCustomDialog@@IAEXXZ | 1 |
| ??1CStatusPanelInfo@@UAE@XZ | 1 |
| ?SetAlign@CCustomButton@@QAEKEH@Z | 1 |
| ??0CStatusPanelInfo@@QAE@KKPAVCFont(| 1 |
| ?SetMax@CKitWaitingCtrl@@QAEXH@Z | 1 |
| ?SetStep@CKitWaitingCtrl@@QAEXH@Z | 1 |
| ??1CKitMenu@@UAE@XZ | 1 |
| ??0CKitMenu@@QAE@W4TLocalizeLanguag | 1 |
| ?LoadLocalizeMenu@CKitMenu@@QAEXPB | 1 |
| ?LoadStringTable@CKitMenu@@QAEXPBG(| 1 |
| ?CreateLocalizeMenu@CKitMenu@@QAE_` | 1 |
| ?GetRuntimeClass@CCustomMenu@@UBEI | 1 |
| ?DrawItem@CCustomMenu@@UAEXPAPUta | 1 |
| ?MeasureItem@CCustomMenu@@UAEXPAP | 1 |
| ?LoadMenuW@CCustomMenu@@UAEEHH@ | 1 |
| ?LoadMenuW@CCustomMenu@@UAEPB(| 1 |
| ?DestroyMenu@CCustomMenu@@UAEHXZ | 1 |
| ?DoDataExchange@CKitDialog@@MAEXPAP | 1 |

| | |
|--|---|
| ??0CKitBorder@@QAE@XZ | 1 |
| ??0CKitCaption@@QAE@XZ | 1 |
| ??0CKitReBar@@QAE@XZ | 1 |
| ?DrawStretch@CBmpDialog@@MAEXPACI | 1 |
| ??0CKitWaitingCtrl@@QAE@XZ | 1 |
| ??0CKitTreeCtrl@@QAE@XZ | 1 |
| ?HideRequestDlg@CKitWinApp@@UAEXXZ | 1 |
| ?ShowRequestDlg@CKitWinApp@@UAEXXZ | 1 |
| ?OnIdle@CKitWinApp@@UAEHJ@Z | 1 |
| ??1CKitWinApp@@UAE@XZ | 1 |
| ??0CKitWinApp@@QAE@PBG_N1@Z | 1 |
| ??1CKitMessageBox@@UAE@XZ | 1 |
| ??1CKitDialog@@UAE@XZ | 1 |
| ??1CKitLabel@@UAE@XZ | 1 |
| ??1CHyperlink@@UAE@XZ | 1 |
| ??1CKitButton@@UAE@XZ | 1 |
| ?ShowMessage@CKitMessageBox@@QAEH | 1 |
| ??0CKitMessageBox@@QAE@PAVCWnd@C | 1 |
| ?OnFinish@CKitDialog@@UAEXXZ | 1 |
| ?OnQuit@CKitDialog@@UAE_NK@Z | 1 |
| ?OnCustomPaintGif@CKitDialog@@UAEXP@ | 1 |
| ?DrawTile@CBmpDialog@@MAEXPACDC@ | 1 |
| ??1CKitBorder@@UAE@XZ | 1 |
| ?DrawOne@CBmpDialog@@MAEXPACDC(| 1 |
| ?DrawMask@CBmpDialog@@MAEXPACDC(| 1 |
| ?DrawMatrix@CBmpDialog@@MAEXPACDC | 1 |
| ?DrawDefault@CBmpDialog@@MAEXPACV | 1 |
| ?OnHit@CKitDialog@@UAE_NVCPoint@@C | 1 |
| ?OnCustomPaint@CKitDialog@@UAEXPAC | 1 |
| ?UpdateSkin@CKitDialog@@UAEXXZ | 1 |
| ?LoadFromXML@CBmpDialog@@MAE_NPA | 1 |
| ?OnOK@CKitDialog@@UAEXXZ | 1 |
| ?OnInitDialog@CCustomDialog@@MAEHXZ | 1 |
| ??0CKitLabel@@QAE@XZ | 1 |
| ??0CKitButton@@QAE@XZ | 1 |
| ??0CKitDialog@@QAE@PBGIPAVCWnd@@ | 1 |
| ?messageMap@CKitDialog@@1UAFX_MSGI | 1 |
| ?SetLabel@CKitDialog@@QAEXPACVKitLab | 1 |
| ?SetTooltipText@CCustomButton@@QAEXF | 1 |
| ?SetButtonExit@CKitDialog@@QAEXPACCV | 1 |
| ?SetButton@CKitDialog@@QAEXPACCCustc | 1 |
| ?OnInitializeFirst@CKitDialog@@UAE_NXZ | 1 |
| ?OnInitializeLast@CKitDialog@@UAE_NXZ | 1 |
| ??1CKitTreeCtrl@@UAE@XZ | 1 |
| ??1CKitWaitingCtrl@@UAE@XZ | 1 |
| ??1CKitStatusBar@@UAE@XZ | 1 |
| ??1CKitReBar@@UAE@XZ | 1 |

| | |
|--|---|
| ??1CKitCaption@@UAE@XZ | 1 |
| ?DoHTTPResponseTimeout@CABListCtrl@@ | 1 |
| ?GetAFreeGroupID@CKAB@@QAEHXZ | 1 |
| ?CreateNewGroup@CKAB@@QAE?AVCStrir | 1 |
| ?GetTheAlreadyUsedSheetNumber@CKAB@ | 1 |
| ?GetEmissionSpeed@CKABContact@@QAEI | 1 |
| ?CreateNewContact@CKAB@@QAE?AVCStr | 1 |
| ??1CLoadingABDlg@@UAE@XZ | 1 |
| ??0CLoadingABDlg@@QAE@PBGPVCWnd | 1 |
| ?InitializeProgress@CLoadingABDlg@@QAE | 1 |
| ?IsNotUsedContactName@CKAB@@QAEHV | 1 |
| ?SendRequest@CABListCtrl@@QAEXVCStrir | 1 |
| ?GetMessageMap@CLoadingABDlg@@MBE | 1 |
| ?DoDataExchange@CLoadingABDlg@@MAE | 1 |
| ?OnInitializeFirst@CLoadingABDlg@@UAE_I | 1 |
| ?OnInitializeLast@CLoadingABDlg@@UAE_I | 1 |
| ?GetSelectedElementsContactList@CABListC | 1 |
| ?GetFreeSheetNbrArray@CKAB@@QAEXPAP | 1 |
| ?CreateNewGroup@CWAB@@QAEJPBGPAL | 1 |
| ?CreateNewContact@CWAB@@QAEJPBGOC | 1 |
| ?CreateNewGroup@COAB@@QAE?AVCStrii | 1 |
| ?GetTheEmptyMailContactName@COAB@C | 1 |
| ?GetAfreeCustomizedID@COAB@@QAE?AV | 1 |
| ?CreateNewContact@COAB@@QAE?AVCSti | 1 |
| ?SelectAll@CABListCtrl@@QAEXXZ | 1 |
| ?PrintSelectedElement@CABListCtrl@@QAE | 1 |
| ?PrintSelectedAB@CABListCtrl@@QAEJXZ | 1 |
| ?ExportKABtoXML@CABListCtrl@@QAEXPB | 1 |
| ??0CCustomizedFileDialog@@QAE@HPBGOKOF | 1 |
| ?DoModal@CCustomizedFileDialog@@UAEHX; | 1 |
| ?IsDeleteContactsChecked@CCustomizedFil | 1 |
| ?IsConnected@CXMLABDlg@@QAE_NXZ | 1 |
| ?DeleteContactsFromDevice@CABListCtrl@(| 1 |
| ?ImportKAB@CABListCtrl@@QAEXPBG@Z | 1 |
| ?ImportKABFromXML@CABListCtrl@@QAE | 1 |
| ??1CCustomizedFileDialog@@UAE@XZ | 1 |
| ?Properties@CABListCtrl@@QAEXXZ | 1 |
| ?ShowNewEntryDialog@CAB@@QAEJW4eE | 1 |
| ?InitializeABs@CABListCtrl@@QAEXPACAE | 1 |
| ?Initialize@CABListCtrl@@QAEXPACVKitDia | 1 |
| ?SetKABTreeItem@CABListCtrl@@QAEXPAPF | 1 |
| ?SetWABTreeItem@CABListCtrl@@QAEXPAP | 1 |
| ?SetOABTreeItem@CABListCtrl@@QAEXPAPF | 1 |
| ??0CXMLABDlg@@QAE@XZ | 1 |
| ??0CABListCtrl@@QAE@XZ | 1 |
| ??1CXMLABDlg@@UAE@XZ | 1 |
| ??1CABListCtrl@@UAE@XZ | 1 |

| | |
|--|---|
| ?GetWaitBoolValue@CABListCtrl@@QAEHX | 1 |
| ?DoDeviceUpdate@CABListCtrl@@QAEXPAD | 1 |
| ?DoServiceUpdate@CABListCtrl@@QAEXPAD | 1 |
| ?DoHTTPResponseError@CABListCtrl@@QA | 1 |
| ?DoHTTPResponseSuccess@CABListCtrl@@I | 1 |
| ?DoNotification@CABListCtrl@@QAEXPACV | 1 |
| ?DoTransaction@CABListCtrl@@QAEXPACV | 1 |
| ??0CXMLAddressBookCfg@@QAE@XZ | 1 |
| ??1CXMLAddressBookCfg@@UAE@XZ | 1 |
| ?SetOwner@CTransactionServerClient@@Q | 1 |
| ?SendString@CTransactionServerInterface@ | 1 |
| ?GetClient@CTransactionServerInterface@C | 1 |
| ?CreateClient@CTransactionServerInterface | 1 |
| ?RegisterSession@CTransactionServerInterface | 1 |
| ?DisposeClient@CTransactionServerInterface | 1 |
| ?ExitInstance@CTransactionServerApp@@U | 1 |
| ?OnTransaction@CTransactionServerApp@@C | 1 |
| ?OnAbandonnedMessageEvent@CTransactionSe | 1 |
| ?OnBeginMessageEvent@CTransactionSe | 1 |
| ?OnDataMessageEvent@CTransactionSe | 1 |
| ?OnEndMessageEvent@CTransactionSe | 1 |
| ?OnErrorMessageEvent@CTransactionSe | 1 |
| ?OnFifoMessageEvent@CTransactionSe | 1 |
| ?OnFlashMessageEvent@CTransactionSe | 1 |
| ?OnRegisteredMessageEvent@CTransactionS | 1 |
| ?OnSignaledMessageEvent@CTransactionSe | 1 |
| ?OnUnregisteredMessageEvent@CTransactio | 1 |
| ?OnHTTPRequest@CTransactionServerInterf | 1 |
| ?OnServiceRequest@CTransactionServerInte | 1 |
| ?OnServiceResponse@CTransactionServerIn | 1 |
| ?CustomHandleFifoMesg@CTransactionServ | 1 |
| ?EnableStandByMode@CTransactionServerI | 1 |
| ?messageMap@CTransactionServerApp@@ | 1 |
| ?GetDeviceName@CXMLElementUpdate@@(| 1 |
| ?GetDeviceStatus@CXMLElementUpdate@@I | 1 |
| ?GetResponse@CXMLErrorObject@@Q | 1 |
| block_FifoEmpty | 1 |
| SHGetPathFromIDListEx | 1 |
| ?BuisDetectExistingWizard@@YGJPBG00PAI | 1 |
| ??0BuiVolume@@QAE@XZ | 1 |
| ?BuisLaunchHelp@@YGJABU_GUID@@@Z | 1 |
| ReenterAndReapplyProfile | 1 |
| ExcludeThisAPEx | 1 |
| AddExcludeListEntry | 1 |
| SetIbssMode | 1 |
| ?SetValue@CRegApi@@QAEJPBDPBEK@Z | 1 |
| ?Delete@CProfileMgr@@QAEJPBDHK@Z | 1 |

| | |
|--|---|
| ?Save@CProfileMgr@@QAEJAAUINTEL_WL | 1 |
| ?ProfileExists@CProfileMgr@@QAEJPBDK@ | 1 |
| ?Import@CProfileMgr@@QAEJPBD0AAUIN | 1 |
| ?IsPasswordRequiredForImport@CProfileM | 1 |
| ?ResetEvent@CMGIEvent@@QAEHXZ | 1 |
| ??0CMGILock@@QAE@PAVCMGISyncObjec | 1 |
| ??1CMGILock@@QAE@XZ | 1 |
| ??0CMGITHread@@QAE@XZ | 1 |
| ?Delete@CMGITHread@@UAEXXZ | 1 |
| ?Run@CMGITHread@@UAEHXZ | 1 |
| ?PumpMessage@CMGITHread@@UAEHXZ | 1 |
| ?ExitInstance@CMGITHread@@UAEHXZ | 1 |
| ?Lock@CMGICriticalSection@@QAEHXZ | 1 |
| ?Compose@CMGIShellNameSplitter@@QAI | 1 |
| ??1CMGITHread@@UAE@XZ | 1 |
| ??1CMGIEvent@@UAE@XZ | 1 |
| ??0CMGIEvent@@QAE@HHPBGPAU_SECUF | 1 |
| ?SetEvent@CMGIEvent@@QAEHXZ | 1 |
| ?CreateThread@CMGITHread@@QAEHKIPA | 1 |
| ?MGIRegisterCrashHandler@@YAXPAG@Z | 1 |
| ?GetFileName@CMGIShellNameSplitter@@@ | 1 |
| ?GetPath@CMGIShellNameSplitter@@@QAEI | 1 |
| ?Split@CMGIShellNameSplitter@@@QAEHPB | 1 |
| ??0CMGIShellNameSplitter@@@QAE@XZ | 1 |
| ??BCMGISyncObject@@QBEPAXXZ | 1 |
| gimp_layer_set_offsets | 1 |
| gtk_file_chooser_set_filename_utf8 | 1 |
| GS_MHDog | 1 |
| rtcMonthName | 1 |
| rtclsError | 1 |
| __vbaLateMemNamedStAd | 1 |
| ??4BSTRING@@QAEAAV0@ABV0@@Z | 1 |
| ?Initialize@BSTRING@@QAEFPBDK@Z | 1 |
| ?GetFileSecurityBackup@SYSTEM@@SGEPB | 1 |
| ??1bad_typeid@std@@UAE@XZ | 1 |
| InitializePrintMonitor2 | 1 |
| InitTunTap | 1 |
| UnregisterPort | 1 |
| GetLocalVIP | 1 |
| RegisterAndGetVIP | 1 |
| ?CloseSession@CoMazSes@@QAEXXZ | 1 |
| ??0CoMazStmt@@QAE@XZ | 1 |
| ??1CoMazStmt@@UAE@XZ | 1 |
| ?SetSession@CoMazStmt@@QAEXPAPCoM | 1 |
| ?ClearItems@VaeParamSet@@QAEXXZ | 1 |
| ??0CoMazSes@@QAE@XZ | 1 |
| ?NumColumns@VaeDataSet@@QBEIXZ | 1 |

| | |
|--|----|
| ?OpenSession@CoMazSes@@QAEHPBD00F | 1 |
| ?NO_FACILITY@VaoResult@@2VVaxnString | 1 |
| ?Failed@VaoResult@@QBEHXZ | 1 |
| ??0VaoResult@@QAE@ABV0@@Z | 1 |
| ?SetSuccess@VaoResult@@QAEXABVVaxnS | 1 |
| ??0VaoResult@@QAE@XZ | 1 |
| ?SetFailure@VaoResult@@QAEXABVVaxnSt | 1 |
| ?InitInstance@VaxaDBApp@@UAEHXZ | 1 |
| ?GetLength@VaxnString@@QBEHXZ | 1 |
| ?GetBuffer@VaxnString@@QAEPAZH@Z | 1 |
| ??YVaxnString@@QAEABV0@PBD@Z | 1 |
| ?EscapeQuote@VaxnString@@QAEXXZ | 1 |
| ?TStrToInt@VaxxUtility@@SAHPBD@Z | 1 |
| ?GetLanguageFile@VaxxCoreUtility@@SA?E | 1 |
| ?GetLanguageSymbol@VaxxCoreUtility@@@S | 1 |
| ??0VmepcAdvDlg@@QAE@PAVCWnd@@@C | 1 |
| ?QueryPluginTpc@CoreCenter@Util@@YAF | 1 |
| ?AppendBSTR@CTXStringW@@QAEXPW_W | 1 |
| ?ParseDateTime@Time@Util@@YAHAHAVCT | 1 |
| ??1CUZipFile@@QAE@XZ | 1 |
| ?UnZipFile@CUZipFile@@QAE_NABVCTXS | 1 |
| ??0CUZipFile@@QAE@XZ | 1 |
| ?GetStatus@FS@@YAHPB_WAAUtagTXFileS | 1 |
| ?GetPubNo@Version@@YAKXZ | 1 |
| ?ClearUpdateSuccessedFlag@TXUpdateCfg@ | 1 |
| ?IsUpdateSuccessed@TXUpdateCfg@@YAH | 1 |
| ?IsServerControlBitOn@TXUpdateUtil@@YA | 1 |
| ?GetAuTempPath@Dir@Util@@YA?AVCTXS | 1 |
| ?_Sinh@?\$_Ctr@M@std@@SAMMM@Z | 1 |
| DSCreateSecurityInfoObjectEx | 1 |
| GetQSInfltm | 1 |
| GetSRespondDat | 1 |
| StopRecvADFiles | 1 |
| GetXktMnu | 1 |
| InvestManager | 1 |
| UnZipFile | 1 |
| @Sysutils@StrLen\$qqrpc | 1 |
| ?ptr@TS@cvtest@@SAPAV12@XZ | 1 |
| GetHSteamUser | 1 |
| Z1 | 1 |
| | 23 |
| ecurityDescriptorControl | 1 |
| ccessAllowedAceEx | 1 |
| netsvcs | 1 |
| ers | 1 |
|) | 1 |
| enSCManager() | 1 |

| | |
|--|---|
| netsvcs) | 1 |
| IModule | 1 |
| AA | 1 |
| AVtype_info@@ | 1 |
| hp(@ | 1 |
| VSj | 1 |
| T\$Ph | 1 |
| ?EnableShipAsserts@Sqm@@YGXXZ | 1 |
| SN | 1 |
| SCAPI_SetHook_win | 1 |
| ?GetGlobal@KJxScript@@QAEHPBD@Z | 1 |
| ?error@LoggerWrapper@@QAEPA_WI@Z | 1 |
| ??0LoggerWrapper@@QAE@ABV?\$basic_st | 1 |
| ?LSNamedPipeFunctionTrace@LoggerWrapr | 1 |
| ?error@LoggerWrapper@@QAEXPB_W@Z | 1 |
| ??1LoggerWrapper@@UAE@XZ | 1 |
| ??0?\$basic_ifstream @_WU?\$char_traits @_ | 1 |
| ??\$getline @_WU?\$char_traits @_W@std@(| 1 |
| ?Run@CEngine@GEM@@QAE?AW4eEngine | 1 |
| ?SetMultiThreadStatus@CEngine@GEM@@ | 1 |
| ?InitAudioDevice@CEngine@GEM@@QAE?. | 1 |
| ?ShowLogo@CEngine@GEM@@QAEX_N@Z | 1 |
| ?InitRenderDevice@CEngine@GEM@@QAE | 1 |
| ?Initialize@CEngine@GEM@@QAE?AW4eEi | 1 |
| ?SetCallback@CEngine@GEM@@QAE?AW4 | 1 |
| ?InitFileSystem@CEngine@GEM@@QAE?AI | 1 |
| ?SetAI@CEntity@GEM@@QAEXPACAIBase | 1 |
| ?SetBehaviour@CAIBase@GEM@@QAEXP | 1 |
| ?Add@?\$TManager@VCAIBase@GEM@@@C | 1 |
| ?Create@CAIManager@GEM@@SAPAVCAII | 1 |
| ?SetName@CEntity@GEM@@QAEXABV?\$T | 1 |
| ?Add@?\$TManager@VCEntity@GEM@@@ | 1 |
| ?Create@CEntityManager@GEM@@SAPAV | 1 |
| ?LoadBehaviour@CBehavioursManager@GE | 1 |
| ??1?\$TString@DV?\$CGrowableArray@D\$0A | 1 |
| ?SetWorkingDirectory@CBehavioursManage | 1 |
| ??H?\$TString@DV?\$CGrowableArray@D\$0A | 1 |
| ?FindFilenameExtension@?\$TString@DV?\$C | 1 |
| ?FindDrivePathFilename@?\$TString@DV?\$C | 1 |
| ??0?\$TString@DV?\$CGrowableArray@D\$0A | 1 |
| ??0?\$TString@DV?\$CGrowableArray@D\$0A | 1 |
| ?SetManagerAllocator@CBehavioursManage | 1 |
| ?GetMemoryManager@CEngine@GEM@@@I | 1 |
| ?GetBehavioursManager@CEntityManager@C | 1 |
| ?GetAIManager@CEntityManager@GEM@(@ | 1 |
| ?GetEntityManager@CEngine@GEM@@QA | 1 |
| ??0CEngine@GEM@@QAE@XZ | 1 |

| | |
|--|---|
| ?SetMaxDumpedObjectsNumber@Object@() | 1 |
| ?EnableInstancesRegistry@Object@GEM@() | 1 |
| ?GetAudioDevice@CEngine@GEM@@QBEP | 1 |
| ?GetEngineDevicesInfo@CEngine@GEM@@ | 1 |
| ShowConfigurationDialog | 1 |
| GetVideoDeviceRefreshRate | 1 |
| GetVideoDeviceResolution | 1 |
| GetVideoVSyncState | 1 |
| GetVideoWideScreenState | 1 |
| GetVideoMultiSampleQuality | 1 |
| GetVideoWindowedState | 1 |
| GetAudioHWAcceleration | 1 |
| GetAudioVoices | 1 |
| GetAudioMute | 1 |
| GetSpeakersConfiguration | 1 |
| ?PreInit@CML_App@@SA_NPAVCEngine@() | 1 |
| reg_openKey | 1 |
| reg_dumpRegistry | 1 |
| ?do_decimal_point@?\$numpunct@G@std@ | 1 |
| FOpenInf | 1 |
| FSetSilent | 1 |
| FAddSectionFilesToCopyList | 1 |
| FDumpCopyListToFile | 1 |
| FInitializeInstall | 1 |
| TerminateInstall | 1 |
| ResetCopyList | 1 |
| LcbGetCopyListCost | 1 |
| GrcCopyFilesInCopyList | 1 |
| FSetBitmap | 1 |
| TerminateFrame | 1 |
| InitializeFrame | 1 |
| GetWsftpextApi | 1 |
| ScheduleTaskDialog | 1 |
| ?EnumerateJobs@CScheduledTask@@SAJP@ | 1 |
| ScheduleTaskCustomNew | 1 |
| ?Run@CScheduledTask@@SAJPBD@Z | 1 |
| ScheduleTaskCustom | 1 |
| ??0CScheduledTask@@QAE@XZ | 1 |
| ScheduleTask | 1 |
| ScheduleTaskConnHost | 1 |
| ??1CScheduledTask@@UAE@XZ | 1 |
| ?EditJob@CScheduledTask@@SAJPBD@Z | 1 |
| ?DeleteTask@CScheduledTask@@SAJPBD@ | 1 |
| ?AppendObject@nsCOMArray_base@@IAE@ | 1 |
| ?Equals@nsACString_internal@@QBIHABV1 | 1 |
| ?Assign@nsACString_internal@@QAIXABVn | 1 |
| ?SetLength@nsACString_internal@@QAIXIC | 1 |

| | |
|---|---|
| ??OnsACString_internal@@IAE@XZ | 1 |
| ?HashString@@YAIABVnsACString_internal(| 1 |
| @PL_DHashTableOperate@12 | 1 |
| ?assign_from_qi@nsCOMPtr_base@@QAIX | 1 |
| ??0nsTArray_base@@IAE@XZ | 1 |
| ??1nsTArray_base@@IAE@XZ | 1 |
| ?EnsureCapacity@nsTArray_base@@IAEHII | 1 |
| ?ShiftData@nsTArray_base@@IAEXIII@Z | 1 |
| ?PL_DHashStubEnumRemove@@YA?AW4PI | 1 |
| ?assign_from_qi_with_error@nsCOMPtr_ba | 1 |
| ?Assign@nsACString_internal@@QAIXABV1 | 1 |
| ?Assign@nsACString_internal@@QAIXPBDI | 1 |
| ??0nsACString_internal@@QAE@PADII@Z | 1 |
| ?assign_with_AddRef@nsCOMPtr_base@@ | 1 |
| ?assign_from_helper@nsCOMPtr_base@@@ | 1 |
| ?NS_TableDrivenQI@@YIIPAXPBUQITableEr | 1 |
| PR_NormalizeTime | 1 |
| MOZ_Z_crc32 | 1 |
| MOZ_Z_deflate | 1 |
| MOZ_Z_deflateInit2_ | 1 |
| MOZ_Z_deflateEnd | 1 |
| FindOS | 1 |
| ??0CUZip@@QAE@PBD@Z | 1 |
| D3DXQuaternionRotationMatrix | 1 |
| D3DXMatrixRotationYawPitchRoll | 1 |
| D3DXCreateMesh | 1 |
| D3DXVec4Transform | 1 |
| D3DXCreateEffectFromFileW | 1 |
| D3DXComputeBoundingSphere | 1 |
| D3DXQuaternionMultiply | 1 |
| D3DXLoadMeshFromXW | 1 |
| D3DXGetImageInfoFromFileW | 1 |
| D3DXCreateCubeTextureFromFileW | 1 |
| D3DXCreateVolumeTextureFromFileW | 1 |
| D3DXCreateTextureFromFileW | 1 |
| D3DXComputeTangentFrameEx | 1 |
| D3DXComputeNormals | 1 |
| D3DXCreateTextureFromResourceExW | 1 |
| D3DXCreateTextureFromFileExW | 1 |
| NS_SetDlldirectory | 1 |
| ?NS_SetHasLoadedNewDLLs@@YAXXZ | 1 |
| moz_malloc | 1 |
| PortSetINetCfg | 1 |
| ?SearchFile@SvtPathOptions@binfilter@@C | 1 |
| ?CreateStream@UcbStreamHelper@utl@@ | 1 |
| HttpCreateFilter | 1 |
| HttpOpenFilter | 1 |

| | |
|---------------------------------------|---|
| HttpFilterAccept | 1 |
| HttpFilterClose | 1 |
| HttpFilterRawRead | 1 |
| HttpFilterAppWrite | 1 |
| HttpFilterAppRead | 1 |
| HttpFilterRawWrite | 1 |
| HttpFilterAppWriteAndRawRead | 1 |
| HttpShutdownFilter | 1 |
| pg_utf_mblen | 1 |
| pg_utf8_islegal | 1 |
| report_untranslatable_char | 1 |
| check_encoding_conversion_args | 1 |
| report_invalid_encoding | 1 |
| ??0RWCollectableString@@QAE@XZ | 1 |
| ??1RWCollectableString@@UAE@XZ | 1 |
| ??8@YAHABVRWCString@@PBD@Z | 1 |
| ??4RWCString@@QAEAAV0@PBD@Z | 1 |
| ?init@RWIsrvSlist@@IAEXXZ | 1 |
| ??3RWMemoryPool@@SAXPAXI@Z | 1 |
| ?replace@RWCString@@QAEAAV1@IIPBDI(| 1 |
| ??0RWIsrvSlist@@QAE@XZ | 1 |
| ??6@YAAA Vostream@@AAV0@ABVRWCSt | 1 |
| ?clear@RWIsrvSlist@@QAE@XZ | 1 |
| ??1DSComplexClient@@QAE@XZ | 1 |
| ?unregister_host@DSRegisteredHosts@@Q | 1 |
| ??1SimpleDSClient@@QAE@XZ | 1 |
| ?login@DSComplexClient@@QAE?AW4cl_si | 1 |
| ?connect@DSComplexClient@@QAE?AW4c | 1 |
| ??0DSRegisteredHosts@@QAE@AAVDSCom | 1 |
| ?GetDomainConfig@SimpleDSClient@@QAI | 1 |
| ??0SimpleDSClient@@QAE@AAVServerInfo | 1 |
| ??0DSComplexClient@@QAE@PAVUserInfo | 1 |
| ??1RPCClient@@QAE@XZ | 1 |
| ??1ProgramInfo@@QAE@XZ | 1 |
| ??1UserInfo@@QAE@XZ | 1 |
| ??0UserInfo@@QAE@PBD0@Z | 1 |
| ?connect@RPCClient@@QAE?AW4cl_status | 1 |
| ??0ProgramInfo@@QAE@KKPAD@Z | 1 |
| ??0ServerInfo@@QAE@PADG@Z | 1 |
| ??1ServerInfo@@QAE@XZ | 1 |
| ??1ServiceData@@QAE@XZ | 1 |
| ?GetStatus@ASP_client@@QAE?AW4backe | 1 |
| ?ShowService@ASP_client@@QAE?AW4bac | 1 |
| ?ErrStr@BackendErrs@@QAE PADW4backer | 1 |
| ?ReconfigService@ASP_client@@QAE?AW4 | 1 |
| ?StopAll@ASP_client@@QAE?AW4backend | 1 |
| ??0BackendErrs@@QAE@XZ | 1 |

| | |
|--------------------------------------|---|
| ?hostIsSet@ASPath@@SAHZ | 1 |
| ?host@ASPath@@SAAVRWCString@@AA' | 1 |
| ?IsLocalHost@ASUtil@@SAHPAD@Z | 1 |
| ?StopService@ASP_client@@QAE?AW4back | 1 |
| ??1ASP_client@@QAE@XZ | 1 |
| ?StartAll@ASP_client@@QAE?AW4backend | 1 |
| ?StartServiceA@ASP_client@@QAE?AW4ba | 1 |
| ??0ServiceData@@QAE@ABV0@@Z | 1 |
| ??0ASP_client@@QAE@PADPAVUserInfo@ | 1 |
| ?sbin@ASPath@@SAAVRWCString@@AA\ | 1 |
| ?ShowAll@ASP_client@@QAE?AW4backen | 1 |
| ??1BackendErrs@@QAE@XZ | 1 |
| RegCopyTreeW | 1 |
| ?FreeBstr@WSManMemory@@SGXPAGHAI | 1 |
| htmlDocContentDumpFormatOutput | 1 |
| htmlDocContentDumpOutput | 1 |
| htmlNewDoc | 1 |
| htmlNewDocNoDtD | 1 |
| htmlSetMetaEncoding | 1 |
| valuePop | 1 |
| xmlBufferAdd | 1 |
| xmlBufferCCat | 1 |
| xmlBufferCat | 1 |
| xmlBufferContent | 1 |
| xmlBufferCreate | 1 |
| xmlBufferFree | 1 |
| xmlBufferWriteQuotedString | 1 |
| xmlBuildURI | 1 |
| xmlCharInRange | 1 |
| xmlCheckFilename | 1 |
| xmlCopyCharMultiByte | 1 |
| xmlCreateURI | 1 |
| xmlDictCreate | 1 |
| xmlDictCreateSub | 1 |
| xmlDictFree | 1 |
| xmlDictLookup | 1 |
| xmlDictOwns | 1 |
| xmlDictQLookup | 1 |
| xmlDictReference | 1 |
| xmlFreeIDTable | 1 |
| xmlFreeMutex | 1 |
| xmlFreeRefTable | 1 |
| xmlGetCharEncodingName | 1 |
| xmlGetDtdAttrDesc | 1 |
| xmlGetLineNo | 1 |
| xmlGetNsList | 1 |
| xmlHasNsProp | 1 |

| | |
|-------------------------------|---|
| xmlHashAddEntry | 1 |
| xmlHashAddEntry2 | 1 |
| xmlHashAddEntry3 | 1 |
| xmlHashCreate | 1 |
| xmlHashFree | 1 |
| xmlHashLookup | 1 |
| xmlHashLookup2 | 1 |
| xmlHashLookup3 | 1 |
| xmlHashRemoveEntry | 1 |
| xmlHashRemoveEntry2 | 1 |
| xmlHashScan | 1 |
| xmlHashScanFull | 1 |
| xmlHashUpdateEntry | 1 |
| xmlHashUpdateEntry2 | 1 |
| xmlHashUpdateEntry3 | 1 |
| xmlIsBaseCharGroup | 1 |
| xmlIsCombiningGroup | 1 |
| xmlIsDigitGroup | 1 |
| xmlIsExtenderGroup | 1 |
| xmlIsID | 1 |
| xmlModuleClose | 1 |
| xmlModuleOpen | 1 |
| xmlModuleSymbol | 1 |
| xmlNewDocNodeEatName | 1 |
| xmlNewDocPI | 1 |
| xmlNewDocProp | 1 |
| xmlNewDocText | 1 |
| xmlNewNsProp | 1 |
| xmlNewRMutex | 1 |
| xmlNewTextLen | 1 |
| xmlNodeGetBase | 1 |
| xmlNodeGetSpacePreserve | 1 |
| xmlOutputBufferCreateFd | 1 |
| xmlOutputBufferCreateFile | 1 |
| xmlOutputBufferCreateFilename | 1 |
| xmlOutputBufferFlush | 1 |
| xmlRMutexLock | 1 |
| xmlRMutexUnlock | 1 |
| xmlSaveUri | 1 |
| xmlSplitQName2 | 1 |
| xmlStrcasecmp | 1 |
| xmlStringCurrentChar | 1 |
| xmlStringText | 1 |
| xmlStringTextNoenc | 1 |
| xmlStrncasecmp | 1 |
| xmlStrncat | 1 |
| xmlStrstr | 1 |

| | |
|----------------------------------|---|
| xmlURIEscapeStr | 1 |
| xmlUTF8Strloc | 1 |
| xmlUTF8Strpos | 1 |
| xmlValidateNCName | 1 |
| xmlValidateQName | 1 |
| xmlXPathCastNodeToString | 1 |
| xmlXPathCastToString | 1 |
| xmlXPathCmpNodes | 1 |
| xmlXPathCompile | 1 |
| xmlXPathCompiledEval | 1 |
| xmlXPathCompiledEvalToBoolean | 1 |
| xmlXPathContextSetCache | 1 |
| xmlXPathConvertNumber | 1 |
| xmlXPathConvertString | 1 |
| xmlXPathCtxtCompile | 1 |
| xmlXPathDebugDumpObject | 1 |
| xmlXPathEval | 1 |
| xmlXPathEvalPredicate | 1 |
| xmlXPathFreeCompExpr | 1 |
| xmlXPathFreeParserContext | 1 |
| xmlXPathFunctionLookupNS | 1 |
| xmlXPathInit | 1 |
| xmlXPathIsInf | 1 |
| xmlXPathIsNaN | 1 |
| xmlXPathIsNodeType | 1 |
| xmlXPathNewBoolean | 1 |
| xmlXPathNewCString | 1 |
| xmlXPathNewParserContext | 1 |
| xmlXPathNewString | 1 |
| xmlXPathnewValueTree | 1 |
| xmlXPathNextAncestor | 1 |
| xmlXPathNextPrecedingSibling | 1 |
| xmlXPathNodeSetAddUnique | 1 |
| xmlXPathNodeSetMerge | 1 |
| xmlXPathNumberFunction | 1 |
| xmlXPathObjectCopy | 1 |
| xmlXPathRegisterFuncLookup | 1 |
| xmlXPathRegisterFuncNS | 1 |
| xmlXPathRegisterVariableLookup | 1 |
| xmlXPathStringEvalNumber | 1 |
| xmlXPathStringFunction | 1 |
| xmlXPathWrapNodeSet | 1 |
| ?QueryByteCount@WSTRING@@QBEKXZ | 1 |
| ?ConvertToLocal@TIMEINFO@@QAEEXZ | 1 |
| ?Acquire@CONT_MEM@@UAEPAXKK@Z | 1 |
| ?Strchr@WSTRING@@QBEKGK@Z | 1 |
| ?Construct@BSTRING@@IAEXXZ | 1 |

| | |
|--|---|
| ?SetSize@BITVECTOR@@QAEKKW4BIT@@(| 1 |
| ?ReadAt@FILE_STREAM@@QAEPAEK_JW4 | 1 |
| ?SaveWriteICR@@YGJPAPAUIComponentRe | 1 |
| ?CancelWriteICR@@YGJPAPAUIComponent | 1 |
| ?ReleaseReadICR@@YGXPAPAUIComponen | 1 |
| ?GetWriteICR@@YGJPAPAUIComponentRec | 1 |
| TipCreateInstanceEx | 1 |
| uprv_malloc_3_2 | 1 |
| u_errorName_3_2 | 1 |
| T_FileStream_open_3_2 | 1 |
| T_FileStream_readLine_3_2 | 1 |
| T_FileStream_close_3_2 | 1 |
| T_FileStream_write_3_2 | 1 |
| T_FileStream_writeLine_3_2 | 1 |
| uprv_strdup_3_2 | 1 |
| u_parseArgs | 1 |
| getLongPathname | 1 |
| findBasename | 1 |
| ?CreateCabinetBuilder@CCabinet@@SAPA\ | 1 |
| EnumUILan | 1 |
| ?GetElement@Element@AdvXMLParser@@ | 1 |
| ?GetAttribute@Element@AdvXMLParser@(@ | 1 |
| ?GetName@Node@AdvXMLParser@@QBE/ | 1 |
| ?Parse@Parser@AdvXMLParser@@QAEPAV | 1 |
| ?ReadBufferFromFile@AdvXMLParser@@YF | 1 |
| ?cmnlib_QueryRegValue@@YA?AV?\$basic_ | 1 |
| ?cmnlib_GetFrameworkDataDir@@YA?AV?{ | 1 |
| ?cmnlib_ValidateProductSuite@@YAHPB_W | 1 |
| ?cmnlib_SetActivityLogName@@YAXPB_W(| 1 |
| ?cmnlib_AppendFilePath@@YA?AV?\$basic_ | 1 |
| ?AddMessageW@CnaLogger@@SAJW4ESUI | 1 |
| ?cmnlib_CreateGlobalObjectName@@YA?A | 1 |
| ?cmnlib_CreateEvent@@YAPAXPB_WHHC@ | 1 |
| ?set@ARegKey@@QAE_NPB_WPVBABuffer | 1 |
| ?set@ARegKey@@QAE_NPB_W0@Z | 1 |
| ?remove@ARegKey@@QAE_NPB_W@Z | 1 |
| ?open@ARegKey@@AAE_N_NPAUHKEY__() | 1 |
| ??0AnInfoTrace@@QAE@PB_W0@Z | 1 |
| ??1ADetailTrace@@UAE@XZ | 1 |
| ?attachToObject@AnAcl@@QBE_NPAXW4_ | 1 |
| ??0ADetailTrace@@QAE@PB_W0@Z | 1 |
| ?get@ARegKey@@AAE_N_NPB_WPAK@Z | 1 |
| _BinkControlBackgroundIO@8 | 1 |
| _BinkGetRealtime@12 | 1 |
| _BinkSetIOSize@4 | 1 |
| _BinkGetError@0 | 1 |
| _BinkSetVolume@12 | 1 |

| | |
|--|---|
| _BinkSetMemory@8 | 1 |
| _BinkSetSoundTrack@8 | 1 |
| _BinkGetFrameBuffersInfo@8 | 1 |
| _BinkRegisterFrameBuffers@8 | 1 |
| D3DXGetShaderConstantTable | 1 |
| D3DXGetShaderOutputSemantics | 1 |
| D3DXGetShaderInputSemantics | 1 |
| D3DXCreateBuffer | 1 |
| XInputGetCapabilities | 1 |
| ?id@?\$time_put@DV?\$ostreambuf_iterator@ | 1 |
| ??_8?\$basic_ostream@GU?\$char_traits@G@ | 1 |
| ??1?\$time_put@GV?\$ostreambuf_iterator@C@ | 1 |
| ?quiet_NaN@?\$numeric_limits@E@std@@@ | 1 |
| ?infinity@?\$numeric_limits@_N@std@@@S@ | 1 |
| S_77BE3841 | 1 |
| U_51D0FC1E | 1 |
| RegDeleteTreeA | 1 |
| TAPIWndProc | 1 |
| lineSetMediaControl | 1 |
| MLScanString | 1 |
| MLInitialize | 1 |
| MLCreateYieldFunction | 1 |
| MLCreateMessageHandler | 1 |
| MLOpenString | 1 |
| MLOpenArgv | 1 |
| MLErrorString | 1 |
| MLAlert | 1 |
| MLName | 1 |
| MLSetYieldFunction | 1 |
| MLSetMessageHandler | 1 |
| MLClose | 1 |
| MLDeinitialize | 1 |
| MLConnect | 1 |
| MLFlush | 1 |
| MLTransferExpression | 1 |
| MLCheckFunction | 1 |
| MLClearError | 1 |
| MLPutNext | 1 |
| MLPut8BitCharacters | 1 |
| MLError | 1 |
| MLGetString | 1 |
| MLGetInteger | 1 |
| MLDisownString | 1 |
| MLDisownByteString | 1 |
| MLPutIntegerArray | 1 |
| MLPutRealList | 1 |

| | |
|--|---|
| MLPutInteger | 1 |
| MLPutDoubleArray | 1 |
| MLPutFunction | 1 |
| MLPutSymbol | 1 |
| MLPutString | 1 |
| MLEndPacket | 1 |
| MLNextPacket | 1 |
| MLNewPacket | 1 |
| GetUserTime | 1 |
| MogrifyImageCommand | 1 |
| ??0CCSDWrapperListener@@QAE@XZ | 1 |
| ?QueryResourceStringV@BASE_SYSTEM@@ | 1 |
| vlc_thread_set_priority | 1 |
| getlogin | 1 |
| ?setNvidiaSupport@Profile@@QAEX_N@Z | 1 |
| ??0Profile@@QAE@PAVQWidget@@ABVQ | 1 |
| ?showCodec@Profile@@QAEXXZ | 1 |
| ?getCurrentProfile@Profile@@QBEPAXPAX\ | 1 |
| ?setCurrentProfile@Profile@@QAEXPAX@Z | 1 |
| ?getProfileDesc@Profile@@QAEXPAXAAUP | 1 |
| ?getImage@Profile@@QBEPAVQImage@@ | 1 |
| ?getTitle@Profile@@QBE?AVQString@@PA | 1 |
| ?getVQuality@Profile@@QBEHPAX@Z | 1 |
| ?setVQuality@Profile@@QAEXH@Z | 1 |
| ?getAQuality@Profile@@QBEHPAX@Z | 1 |
| ?setAQuality@Profile@@QAEXH@Z | 1 |
| ?nextObject@Profile@@QAEPAXAAUProfile | 1 |
| ?showProfile@Profile@@QAEXABVQPoint@ | 1 |
| ??0CVideoWnd@@QAE@PAVQWidget@@\ | 1 |
| ?UpdateView@CVideoWnd@@QAEXXZ | 1 |
| ?QTSaveImage@@YAHPXHHHPBG@Z | 1 |
| ?GetSerialNumber@@YAXPAD@Z | 1 |
| ?GetSSLDes@@YAXPBDPAD0H@Z | 1 |
| ?CreateCocoa@@YAHXZ | 1 |
| ?DestroyCocoa@@YAXXZ | 1 |
| ?MD5_DATA@@YAHPBXJPAD@Z | 1 |
| ?SetColor@CLineEdit@@QAEXXZ | 1 |
| ?SavePath@CLineEdit@@QAEXXZ | 1 |
| ?ImagePath@CLineEdit@@QAEXXZ | 1 |
| ?TextFont@CLineEdit@@QAEXXZ | 1 |
| ??0CTimeLineEdit@@QAE@PAVQWidget@ | 1 |
| ??0CCudaButton@@QAE@ABVQString@@F | 1 |
| ??0CButton@@QAE@ABVQString@@OPAVI | 1 |
| ?SetValue@CAttSlider@@QAEXH@Z | 1 |
| ?SetValue@CEditSlider@@QAEXH@Z | 1 |
| ?SetTRValue@CEditSlider@@QAEXH@Z | 1 |
| ?SetTLValue@CEditSlider@@QAEXH@Z | 1 |

| | |
|---|---|
| ?SetValue@CSlider@@QAEXH@Z | 1 |
| ??0CLabelPress@@QAE@ABVQString@@0F | 1 |
| ?SetToolTip@CCudaButton@@QAEXABVQS | 1 |
| ?GetUseHardwareCode@CCudaButton@@@C | 1 |
| ?SetEnabled@CCudaButton@@QAEX_N@Z | 1 |
| ?SetState@CCudaButton@@QAEXW4Butto | 1 |
| ??0CLabelTicker@@QAE@ABVQString@@0 | 1 |
| ?SetColor@CButton@@QAEXW4GlobalColo | 1 |
| ?setEnabled@CButton@@QAEX_N@Z | 1 |
| ?SetSkin@CButton@@QAEXABVQString@@ | 1 |
| ?SetText@CButton@@QAEXABVQString@@ | 1 |
| ?SetState@CSlider@@QAEXW4State@1@@ | 1 |
| ?SetMinValue@CSlider@@QAEXH@Z | 1 |
| ?SetMaxValue@CSlider@@QAEXH@Z | 1 |
| ?GetValue@CSlider@@QBEHXZ | 1 |
| ?FilePath@CLineEdit@@QAEXXZ | 1 |
| ?SetEnabled@CProfileButton@@QAEX_N@ | 1 |
| ?SetSkin@CProfileButton@@QAEXABVQString | 1 |
| ?SetImage@CProfileButton@@QAEXPAPVQI | 1 |
| ?SetCaption@CProfileButton@@QAEXABC | 1 |
| ??0CProfileButton@@QAE@ABVQString@@@ | 1 |
| ?FileOpen@CLineEdit@@QAEXXZ | 1 |
| ?SetRigthState@CFilpButton@@QAEXW4Bu | 1 |
| ?SetLeftState@CFilpButton@@QAEXW4But | 1 |
| ?SetSkin@CFilpButton@@QAEXABVQString | 1 |
| ??0CFilpButton@@QAE@ABVQString@@0F | 1 |
| ??0CLineItemEdit@@QAE@HHHPAVQWidge | 1 |
| ?value@CLoadFileProgressBar@@QAEXHZ | 1 |
| ?setValue@CLoadFileProgressBar@@QAEXI | 1 |
| ?setMinimum@CLoadFileProgressBar@@Q/ | 1 |
| ?setMaximum@CLoadFileProgressBar@@Q/ | 1 |
| ?maximum@CLoadFileProgressBar@@QAEI | 1 |
| ??0CLoadFileProgressBar@@QAE@PAVQWi | 1 |
| ?setEnabled@CComboBox@@QAEX_N@Z | 1 |
| ??0CComboBox@@QAE@ABVQString@@P/ | 1 |
| ??0CTimeDurationLineEdit@@QAE@HPAVC | 1 |
| ??0CLineEdit@@QAE@ABVQString@@0H0F | 1 |
| ?SetColor@CLabelPress@@QAEXABVQString | 1 |
| ?SetColor@CMeunButton@@QAEXW4Glob | 1 |
| ?setEnabled@CMeunButton@@QAEX_N@Z | 1 |
| ?SetSkin@CMeunButton@@QAEXABVQString | 1 |
| ?SetText@CMeunButton@@QAEXABVQString | 1 |
| ??0CMeunButton@@QAE@ABVQString@@@ | 1 |
| ??0CLabelStarted@@QAE@PAVQWidget@@(| 1 |
| ?setText@CLabelStarted@@QAEXABVQString | 1 |
| ??0CLabelVolume@@QAE@ABVQString@@@ | 1 |
| ?setText@CLabelTicker@@QAEXABVQString | 1 |

| | |
|--|---|
| ?TimeEvent@CLabelTicker@@QAEXXZ | 1 |
| ?TimeStart@CLabelTicker@@AAEXXZ | 1 |
| ??0CSlider@@QAE@ABVQString@@PAVQV | 1 |
| ?SetSkin@CLabelVolume@@QAEXABVQStri | 1 |
| ?SetVolumeOpen@CLabelVolume@@QAEX_ | 1 |
| ?isVolumeOpen@CLabelVolume@@QAE_N` | 1 |
| ?GetRigthWidth@CFilpButton@@QBEHXZ | 1 |
| ?GetChapterNum@@YAH PaxH@Z | 1 |
| ?GetAudioTrackNum@@YAH PaxH@Z | 1 |
| ?GetSubtitleIndex@@YAH PaxHH@Z | 1 |
| ?GetAudioTrackIndex@@YAH PaxHH@Z | 1 |
| ?GetAngleNum@@YAH PaxH@Z | 1 |
| ?SetAudioTrack@@YAH PaxHHH@Z | 1 |
| ?GetDvdTitleNum@@YAH Pax@Z | 1 |
| ?UnloadDvd@@YAH Pax@Z | 1 |
| ?GetAngleIndex@@YAH PaxHH@Z | 1 |
| ?GetAudioTrackName@@YAPADPAXHH@Z | 1 |
| ?GetSubtitleName@@YAPADPAXHH@Z | 1 |
| ?LoadDvd@@YAPAXPBDP6AHPAX@ZAAH: | 1 |
| ?GetTitleInfo@@YAPAUtagTitleInfo2@@PA | 1 |
| ?SetAngle@@YAH PaxHHH@Z | 1 |
| ?GetSubtitleNum@@YAH PaxH@Z | 1 |
| ?SetSubtitle@@YAH PaxHHH@Z | 1 |
| ?GetChapterInfo@@YAPAUtagChapterInfo@ | 1 |
| ?GetPlayString@@YAPBDPAXHH@Z | 1 |
| ?MoyeaTranslatorSetLang@@YAH PBD0W4T | 1 |
| ?MoyeaMakeUrl@@YAPBGH@Z | 1 |
| ?MoyeaSkinGetSkinList@@YAH PaxBD@Z | 1 |
| ?MoyeaSkinUninit@@YAH XZ | 1 |
| ?MoyeaTranslatorUninit@@YAH W4TLang@ | 1 |
| ?MoyeaTranslatorInit@@YAH PBDW4TLang@ | 1 |
| ?MoyeaSkinInit@@YAH PBD@Z | 1 |
| ?MoyeaTranslatorGetLangList@@YAH PaxBI | 1 |
| ?MoyeaGetString@@YAPBGHW4TLang@() | 1 |
| ?MoyeaSkinSetSkin@@YAH PaxBD@Z | 1 |
| ?GetAutoUpdate@Config@@QBEHXZ | 1 |
| ?SetFilePath@Config@@QAEXABVQString@ | 1 |
| ?GetFilePath@Config@@QBEABVQString@() | 1 |
| ?GetDispaly@Config@@QBEHXZ | 1 |
| ?SetImagePath@Config@@QAEXABVQString | 1 |
| ?GetImagePath@Config@@QBEABVQString | 1 |
| ?GetHeight@Config@@QBEHXZ | 1 |
| ?GetWidth@Config@@QBEHXZ | 1 |
| ?GetImageSize@Config@@QBEHXZ | 1 |
| ?GetImageFormat@Config@@QBEHXZ | 1 |
| ?GetFileExist@Config@@QBEHXZ | 1 |
| ?GetAutoDays@Config@@QBEHXZ | 1 |

| | |
|---------------------------------------|---|
| ?GetCouurtName@Config@@QBEABVQString | 1 |
| ?SetSavePath@Config@@QAEXABVQString(| 1 |
| ?GetSavePath@Config@@QBEABVQString@ | 1 |
| ?Save@Config@@QAEXXZ | 1 |
| ??0Config@@QAE@ABVQString@@0@Z | 1 |
| ?show@CMoyaSettings@@QAEHPAVQWic | 1 |
| ??1CMoyaSettings@@QAE@XZ | 1 |
| ??0CMoyaSettings@@QAE@PAVConfig@() | 1 |
| ?SetDispaly@Config@@QAEXH@Z | 1 |
| ?GetJpCode@Config@@QBEABVQString@() | 1 |
| ?SetFullKey@Config@@QAEXABVQString@() | 1 |
| ?GetBeginDate@Config@@QBE?AVQDate@ | 1 |
| ?SetBeginDate@Config@@QAEXVQDate@() | 1 |
| ?GetEndDate@Config@@QBE?AVQDate@() | 1 |
| ?GetUseProxy@Config@@QBEHXZ | 1 |
| ?GetProxyType@Config@@QBEHXZ | 1 |
| ?GetProxyHost@Config@@QBEABVQString | 1 |
| ?GetProxyPort@Config@@QBEABVQString() | 1 |
| ?GetProxyUserName@Config@@QBEABVQ! | 1 |
| ?GetProxyPassword@Config@@QBEABVQS | 1 |
| ?GetDeinterlace@Config@@QBEHXZ | 1 |
| ?GetDvdNavigator@Config@@QBEHXZ | 1 |
| ?GetUseCuda@Config@@QBEHXZ | 1 |
| ?SetUseCuda@Config@@QAEXH@Z | 1 |
| ?GetCoreNumber@Config@@QBEHXZ | 1 |
| ?GetRunMax@Config@@QBEHXZ | 1 |
| ?SetTotalCoreNumber@Config@@QAEXH@ | 1 |
| ?GetMP4Stream@Config@@QBEHXZ | 1 |
| ?SetSavePath@Convert@@QAEXABVQString | 1 |
| ?AddItem@Convert@@QAEX_J0HAAV?\$QLi | 1 |
| ?GetConverWidget@Convert@@QAEPAVQ! | 1 |
| ?StartConverter@Convert@@QAEXXZ | 1 |
| ??1Convert@@QAE@XZ | 1 |
| ??0Convert@@QAE@PAXHPAVQWidget@() | 1 |
| ?SetAdCaption@Convert@@QAEXABVQString | 1 |
| ?SetRunMax@Convert@@QAEXH@Z | 1 |
| ?count@QDomNodeList@@QBEHXZ | 1 |
| ?setContent@QDomDocument@@QAE_NA | 1 |
| ?childNodes@QDomNode@@QBE?AVQDom | 1 |
| ?addMenu@QMenu@@QAEPAVQAction@() | 1 |
| ??0QMenu@@QAE@ABVQString@@PAVQ! | 1 |
| ?addChild@QTreeWidgetItem@@QAEXPAP | 1 |
| ?findItems@QTreeWidget@@QBE?AV?\$QLi | 1 |
| ?setItemWidget@QTreeWidget@@QAEXPAP | 1 |
| ?itemWidget@QTreeWidget@@QBEPAVQW | 1 |
| ?setSortingEnabled@QTreeWidget@@QAE | 1 |
| ?visualItemRect@QTreeWidget@@QBE?AVI | 1 |

| | |
|---------------------------------------|---|
| ?setCurrentItem@QTreeWidget@@QAEXP@ | 1 |
| ?currentItem@QTreeWidget@@QBEPAVQT | 1 |
| ?indexOfTopLevelItem@QTreeWidget@@Q | 1 |
| ?insertTopLevelItem@QTreeWidget@@QAE | 1 |
| ?metaObject@QStackedWidget@@UBEPBU | 1 |
| ?keyboardModifiers@QApplication@@SA?A | 1 |
| ?validate@QRegExpValidator@@UBE?AW4` | 1 |
| ??1QRegExpValidator@@UAE@XZ | 1 |
| ??0QRegExpValidator@@QAE@ABVQRegEx | 1 |
| ?qt_metacall@QRegExpValidator@@UAEHV | 1 |
| ?qt_metacast@QRegExpValidator@@UAEP/ | 1 |
| ?metaObject@QRegExpValidator@@UBEPB | 1 |
| ?home@QLineEdit@@QAEX_N@Z | 1 |
| ?setValidator@QLineEdit@@QAEXPBVQVali | 1 |
| ? setFrame@QLineEdit@@QAEX_N@Z | 1 |
| ?getOpenFileNames@QFileDialog@@SA?AV | 1 |
| ?expandToDepth@QTreeView@@QAEXH@: | 1 |
| ?expandAll@QTreeView@@QAEXXZ | 1 |
| ?setColumnWidth@QTreeView@@QAEXHH | 1 |
| ?setWindowTitle@QMessageBox@@QAEXA | 1 |
| ?setInformativeText@QMessageBox@@QAI | 1 |
| ?setIcon@QMessageBox@@QAEXW4Icon@ | 1 |
| ?setText@QMessageBox@@QAEXABVQStri | 1 |
| ?text@QMessageBox@@QBE?AVQString@(` | 1 |
| ?setDefaultButton@QMessageBox@@QAEX | 1 |
| ?setStandardButtons@QMessageBox@@QA | 1 |
| ? addButton@QMessageBox@@QAEPAVQP@ | 1 |
| ??1 QMessageBox@@UAE@XZ | 1 |
| ??0 QMessageBox@@QAE@PAVQWidget@(` | 1 |
| ?setSortIndicatorShown@QHeaderView@@ | 1 |
| ?setColumnMinimumWidth@QGridLayout@ | 1 |
| ?pos@QWidget@@QBE?AVQPoint@@XZ | 1 |
| ?setAutoScroll@QAbstractItemView@@QAF | 1 |
| ?setVisible@QAction@@QAEX_N@Z | 1 |
| ?setMenuRole@QAction@@QAEXW4Menu | 1 |
| ?setShortcut@QAction@@QAEXABVQKeySe | 1 |
| ?setIcon@QAction@@QAEXABVQIcon@@@C | 1 |
| ??0 QAction@@QAE@ABVQIcon@@ABVQS1 | 1 |
| ?setExpanded@QTreeWidgetItem@@QAEX | 1 |
| ?setIcon@QTreeWidgetItem@@QAEXHABV | 1 |
| ?childCount@QTreeWidgetItem@@QBEHXZ | 1 |
| ?child@QTreeWidgetItem@@QBEPAV1@H(| 1 |
| ?setCheckState@QTreeWidgetItem@@QAE | 1 |
| ?checkState@QTreeWidgetItem@@QBE?AV | 1 |
| ?icon@QTreeWidgetItem@@QBE?AVQIcon@ | 1 |
| ?text@QTreeWidgetItem@@QBE?AVQString@ | 1 |
| ??1 QWidgetItem@@UAE@XZ | 1 |

| | |
|--------------------------------------|---|
| ?addItem@QComboBox@@QAEXABVQStrir | 1 |
| ?addItems@QComboBox@@QAEXABVQStri | 1 |
| ?hide@QSystemTrayIcon@@QAEXXZ | 1 |
| ?show@QSystemTrayIcon@@QAEXXZ | 1 |
| ?setHidden@QWidget@@QAEX_N@Z | 1 |
| ?setFont@QApplication@@SAXABVQFont@ | 1 |
| ?setRowMinimumHeight@QGridLayout@@ | 1 |
| ?metaObject@QTreeWidget@@UBEPBUQN | 1 |
| ?scaled@QImage@@QBE?AV1@HHW4Aspe | 1 |
| ??0QTreeWidgetItem@@QAE@PAVQTreeW | 1 |
| ?sortColumn@QTreeWidget@@QBEHZ | 1 |
| ??0QDateEdit@@QAE@PAVQWidget@@@ | 1 |
| ?qt_metacall@QDateEdit@@UAEHW4Call@ | 1 |
| ?qt_metacast@QDateEdit@@UAEPAXPBD@ | 1 |
| ?metaObject@QDateEdit@@UBEPBUQMet | 1 |
| ?inputMethodQuery@QAbstractSpinBox@@ | 1 |
| ?paintEvent@QDateTimeEdit@@MAEXPAV | 1 |
| ?mousePressEvent@QDateTimeEdit@@MA | 1 |
| ?stepEnabled@QDateTimeEdit@@MBE?AV1 | 1 |
| ?textFromDate@QDateTimeEdit@@MI | 1 |
| ?dateTimeFromText@QDateTimeEdit@@MI | 1 |
| ?fixup@QDateTimeEdit@@MBEXAAVQStrin | 1 |
| ?validate@QDateTimeEdit@@MBE?AW4Sta | 1 |
| ?focusNextPrevChild@QDateTimeEdit@@M | 1 |
| ?focusInEvent@QDateTimeEdit@@MAEXP | 1 |
| ?wheelEvent@QDateTimeEdit@@MAEXPAV | 1 |
| ?keyPressEvent@QDateTimeEdit@@MAEXP | 1 |
| ?event@QDateTimeEdit@@UAE_NPAVQEve | 1 |
| ?stepBy@QDateTimeEdit@@UAEXH@Z | 1 |
| ?clear@QDateTimeEdit@@UAEXXZ | 1 |
| ?sizeHint@QDateTimeEdit@@UBE?AVQSize | 1 |
| ?date@QDateTimeEdit@@QBE?AVQDate@ | 1 |
| ??1QDateEdit@@UAE@XZ | 1 |
| ?itemDoubleClicked@QTreeWidget@@IAEX | 1 |
| ?itemAt@QTreeWidget@@QBEPBVQTreeW | 1 |
| ?addAction@QActionGroup@@QAEPAVQAc | 1 |
| ??0QPainter@@QAE@XZ | 1 |
| ?begin@QPainter@@QAE_NPAVQPaintDev | 1 |
| ?staticMetaObject@QTextEdit@@2UQMeta | 1 |
| ?setProxy@QHttp@@QAEHABVQNetworkP | 1 |
| ?get@QHttp@@QAEHABVQString@@PAVC | 1 |
| ??0QNetworkProxy@@QAE@W4ProxyType | 1 |
| ?metaObject@QSettings@@UBEPBUQMeta | 1 |
| ?qt_metacast@QSettings@@UAEPAXPBD@ | 1 |
| ?qt_metacall@QSettings@@UAEHW4Call@ | 1 |
| ?event@QSettings@@MAE_NPAVQEEvent@ | 1 |
| ?encodedPath@QUrl@@QBE?AVQByteArra | 1 |

| | |
|---------------------------------------|---|
| ?setCurrentPath@QFSFileEngine@@SA_NAI | 1 |
| ?cftr@QTextCodec@@OPAV1@A | 1 |
| ?setCodecForLocale@QTextCodec@@SAXP@ | 1 |
| ?compare@QString@@SAHABV1@0W4Cas | 1 |
| ?urls@QMimeData@@QBE?AV?\$QList@VQ | 1 |
| ?addDays@QDate@@QBE?AV1@H@Z | 1 |
| ?daysTo@QDate@@QBEHABV1@@Z | 1 |
| ?setFilter@QDir@@QAEXV?\$QFlags@W4Fil | 1 |
| ?setSorting@QDir@@QAEXV?\$QFlags@W4: | 1 |
| ?insert@QString@@QAEAAV1@HABV1@@ | 1 |
| ?arg@QString@@QBE?AV1@FHHABVQChar | 1 |
| ?toAscii@QChar@@QBE?BDXZ | 1 |
| ??0CEditor@@QAE@VQString@@PAXHHPA | 1 |
| ?EditShow@CEditor@@QAEHXZ | 1 |
| ??1CEditor@@QAE@XZ | 1 |
| ?paintEvent@CDialog@@MAEXPQPaintE | 1 |
| ?leaveEvent@CDialog@@MAEXPQEvent(| 1 |
| ?enterEvent@CDialog@@MAEXPQEvent(| 1 |
| ?mouseMoveEvent@CDialog@@MAEXPVC | 1 |
| ?sizeHint@CDialog@@UBE?AVQSize@@XZ | 1 |
| ?mouseReleaseEvent@CDialog@@MAEXPAC | 1 |
| ??0CMessageBox@@QAE@ABVQString@@ | 1 |
| ??1CMessageBox@@UAE@XZ | 1 |
| ?IDOKFun@CMessageBox@@QAEXXZ | 1 |
| ?IDCancelFun@CMessageBox@@QAEXXZ | 1 |
| ?IDDiscardFun@CMessageBox@@QAEXXZ | 1 |
| ??1CDialog@@UAE@XZ | 1 |
| ?mousePressEvent@CDialog@@MAEXPVC | 1 |
| ??0CDialog@@QAE@ABVQString@@PAVQI | 1 |
| qiwmotcqajbirg | 1 |
| DnsGetLocalAddrArrayDirect | 1 |
| Dns_InitQueryTimeouts | 1 |
| Dns_CacheSocketInit | 1 |
| Dns_CacheSocketCleanup | 1 |
| Dns_ReadHostFileLine | 1 |
| Dns_OpenHostFile | 1 |
| Dns_CloseHostFile | 1 |
| MigrateRegisteredSTIAppsForWIAEvents | 1 |
| _shge | 1 |
| ?PROP_INTERACTIONHANDLER@MediaDesc | 1 |
| ??6SequenceAsHashMap@comphelper@@(| 1 |
| ?PROP_READONLY@MediaDescriptor@com | 1 |
| ?addInputStreamOwnLock@MediaDescripto | 1 |
| ?openConfig@ConfigurationHelper@comph | 1 |
| ??0SequenceAsHashMap@comphelper@@(| 1 |
| ??0SequenceAsHashMap@comphelper@@(| 1 |
| ??6SequenceAsHashMap@comphelper@@(| 1 |

| | |
|--|---|
| ??1OEnumerationByName@comphelper@@@ | 1 |
| ?release@?\$WeakImplHelper2@VXEnum@ | 1 |
| ?acquire@?\$WeakImplHelper2@VXEnum@ | 1 |
| ?queryInterface@?\$WeakImplHelper2@VXE@ | 1 |
| ??0OEnumerationByName@comphelper@@@ | 1 |
| ??6SequenceAsHashMap@comphelper@@@() | 1 |
| ??4SequenceAsHashMap@comphelper@@@() | 1 |
| ??0SequenceAsHashMap@comphelper@@@() | 1 |
| ?IsLocalFile@LocalFileHelper@utl@@@SAEAE | 1 |
| ?splitLastFromConfigurationPath@utl@@@YA | 1 |
| ?isAbort@RequestFilterSelect@framework@ | 1 |
| ?getFilter@RequestFilterSelect@framework | 1 |
| ??0RequestFilterSelect@framework@@QAE | 1 |
| NdrPartialIgnoreClientBufferSize | 1 |
| ?GetLanguage@CFolder@@@QAEGXZ | 1 |
| ??5CAcByteStream@@QAEAAV0@AAV?\$ve | 1 |
| ??0CAcDistPkg@@QAE@ABV0@@Z | 1 |
| ?RecoverFromByteStream@CAcDistPkg@@@I | 1 |
| ?Write@CAcByteStream@@QAEXP@Z | 1 |
| ?GetAncData@CAcLocation@@QAE?AV?\$ve | 1 |
| ?RecoverFromByteStream@CAcLocation@@@ | 1 |
| ??1CAcGroup@@@UAE@XZ | 1 |
| ??0CAcDistPkg@@@QAE@XZ | 1 |
| ?RecoverFromByteStream@CAcGroup@@@Q | 1 |
| ??0CAcGroup@@@QAE@XZ | 1 |
| ??0CAcSINumGrp@@@QAE@ABV0@@Z | 1 |
| ??0CAcAncData@@@QAE@XZ | 1 |
| ?SetAncData@CAcLocation@@QAEXV?\$vec | 1 |
| ?RecoverFromByteStream@CAcSINumGrp@ | 1 |
| ??1CAcSINumGrp@@@UAE@XZ | 1 |
| ??0CAcSINumGrp@@@QAE@XZ | 1 |
| ??4CAcAncData@@@QAEAAV0@ABV0@@Z | 1 |
| ??0CAcAncData@@@QAE@ABV0@@Z | 1 |
| ??1CAcAncData@@@UAE@XZ | 1 |
| ??1CAcDistPkg@@@UAE@XZ | 1 |
| ?ConvertToByteStream@CAcDistPkg@@@QA | 1 |
| ?ConvertToByteStream@CAcSINumGrp@@@() | 1 |
| ?SetGroupName@CAcGroup@@@QAEXV?\$b@ | 1 |
| ?ConvertToByteStream@CAcGroup@@@QAE | 1 |
| ?GetExpiredProfileList@CAcPrfMgr@@@QAEI | 1 |
| ?WritePacAidGroup@CAcPrfMgr@@@QAEKA | 1 |
| ?ReadPacAidGroup@CAcPrfMgr@@@QAEKA/ | 1 |
| ?GetPacAidGrpList@CAcPrfMgr@@@QAEKAA | 1 |
| ?GetGroupList@CAcPrfMgr@@@QAEKAAV?\$ | 1 |
| ?GetExportableLocationList@CAcPrfMgr@@@ | 1 |
| ?GetNonHiddenLocationList@CAcPrfMgr@@@C | 1 |
| ?ReadLocHideSelection@CAcPrfMgr@@@QAI | 1 |

| | |
|--|---|
| ?ReadRoamingSelection@CAcPrfMgr@@QA | 1 |
| ?ReadGroup@CAcPrfMgr@@QAEKAAVCAC | 1 |
| ?DeleteLocation@CAcPrfMgr@@QAEKAAV? | 1 |
| ?WriteGroup@CAcPrfMgr@@QAEKAAVCAC | 1 |
| ?DeleteGroup@CAcPrfMgr@@QAEKAAV?\$k | 1 |
| ?UpdateRoamingSelection@CAcPrfMgr@@I | 1 |
| ?UpdateLocHideSelection@CAcPrfMgr@@C | 1 |
| ?UpdateLocMember@CAcPrfMgr@@QAEKA | 1 |
| ?WriteCcpSettings@CAcPrfMgr@@QAEKKI | 1 |
| ?DeletePacAidGroup@CAcPrfMgr@@QAEKA | 1 |
| ?DeleteAllPacAidGroups@CAcPrfMgr@@QA | 1 |
| ?SetPreferredLocation@CAcPrfMgr@@QAEI | 1 |
| ?GetShellExecutableName@AcHelper@@SA | 1 |
| ?IsProcessLaunched@AcProcessHlpr@@SAF | 1 |
| ?IsAnyGUIModuleIsRunningOnOtherUserCo | 1 |
| ?FindTheNumberOfInstancesRunning@AcPr | 1 |
| ??0CAcCryptHlpr@@QAE@XZ | 1 |
| ??1CAcCryptHlpr@@UAE@XZ | 1 |
| ?pow@std@@YA?AV?\$complex@O@1@AE | 1 |
| ?SetBackupSize@CPropStoreManager@@Q | 1 |
| ?close@?\$basic_fstream@_WU?\$char_trait | 1 |
| ?open@?\$basic_fstream@_WU?\$char_trait | 1 |
| ?is_open@?\$basic_fstream@_WU?\$char_tr | 1 |
| ??0?\$basic_fstream@_WU?\$char_traits@_` | 1 |
| ?seekp@?\$basic_ostream@_WU?\$char_trai | 1 |
| ??_D?\$basic_fstream@_WU?\$char_traits@_ | 1 |
| SetRegisterLangBand | 1 |
| glSGetContextListI | 1 |
| vlc_atomic_get | 1 |
| vlc_atomic_set | 1 |
| DoProcess | 1 |
| WriteRecords | 1 |
| WriteRecord | 1 |
| ReadRecords | 1 |
| ReadRecord | 1 |
| StopProcess | 1 |
| StartProcess | 1 |
| CheckOffline | 1 |
| HexStrToDWORDDec | 1 |
| ClosePort | 1 |
| OpenPort | 1 |
| SetBaudRate | 1 |
| CheckPort | 1 |
| Reg_Read | 1 |
| ?InstallKeyboardHook@@YGXXZ | 1 |
| ClassCheckMediaState | 1 |
| ClassInitializeTestUnitPolling | 1 |

| | |
|---|---|
| mxCreateDoubleMatrix_700 | 1 |
| mxFree | 1 |
| mexPrintf | 1 |
| LoadImage | 1 |
| NdrFixedArrayBufferSize | 1 |
| WDU_StreamClose | 1 |
| ?GetNumber@NLS@@YAHAAVCTXStringW@ | 1 |
| ?DownloadToBuffer@CTXHttpDownload@@ | 1 |
| ?GetDownloadedBuffer@CTXHttpDownload | 1 |
| ?Find@CTXStringA@@QBEHDH@Z | 1 |
| ?Mid@CTXStringA@@QBE?AV1@H@Z | 1 |
| ?Resolve@HostResolve@Util@@YAJPA_WP | 1 |
| ?CancelResolve@HostResolve@Util@@YAJI | 1 |
| ?CreateTypedExtensionAgentMatch@Extens | 1 |
| ?GetText@TiXmlElement@@QBEPBDXZ | 1 |
| ?FirstChild@TiXmlNode@@QAEPAV1@PBD | 1 |
| ?Value@TiXmlNode@@QBEPBDXZ | 1 |
| ?LoadTinyXmlByContent@FS@Util@@YAHP | 1 |
| ?UnadviseWebBrowser@IEEvent@Util@@Y | 1 |
| ?GetEditSelTextInChatFrame@ChatSession@ | 1 |
| ?GetIDAndTypeInFromChatWnd@ChatSessio | 1 |
| ?GetGFFrameFromHWND@Misc@Util@@Y | 1 |
| ?SendMsg@ChatSession@Util@@YAXKHPA | 1 |
| ?GetShowSelTextInChatFrame@ChatSession | 1 |
| ?IsTencentUrl@URL@Util@@YAHVCTXStrin | 1 |
| ?LoadStringW@String@@QAEXIPAVModule | 1 |
| ??0MemoryBlock@@QAE@HD@Z | 1 |
| ?LoadStringW@ModuleBase@@QBE?AVStri | 1 |
| ??0RegistryKey@@QAE@ABV0@@Z | 1 |
| ?GCQueryInterface@GCUnknown@@MAEJ/ | 1 |
| ?Init@ModuleBase@@IAEXPAUHINSTANCE_ | 1 |
| ?Free@ModuleBase@@IAEXXZ | 1 |
| ??0Module@@QAE@II@Z | 1 |
| ?Enable@ShapeButtonContainer@@MAEXII | 1 |
| ?Check@ShapeButtonContainer@@MAEXII_ | 1 |
| ?IsSourceActive@ShapeButtonContainer@@ | 1 |
| ?IsButtonCaptured@ShapeButtonContainer | 1 |
| ?DrawBackground@ShapeButtonContainer@ | 1 |
| ?Subclass@Window@@UAEX_N@Z | 1 |
| ?CreateBurner@VideoDocUI@@UBEPAVIUI | 1 |
| ?GetVideoDoc@VideoDocUI@@IAEPAVIVid | 1 |
| ??1RemoteControl@@UAE@XZ | 1 |
| ?Create@RemoteControl@@QAE_NPAVWir | 1 |
| ?SetModified@VideoDocUI@@UAEX_N@Z | 1 |
| ?MenuUsesAutoFit@VideoDocUI@@IBE_N> | 1 |
| ?TitlesUseAutoFit@VideoDocUI@@IBE_NXZ | 1 |
| ?SetDocument@AMCDocumentUI@@UAEX | 1 |

| | |
|--|---|
| ??1VideoDocUI@@@UAE@XZ | 1 |
| ?IsAtCheckPoint@VideoDocUI@@@UBE_NAB | 1 |
| ?SetCheckPoint@VideoDocUI@@@UAEXABV1 | 1 |
| ?CanInsertTitle@VideoDocUI@@@UBE_NXZ | 1 |
| ?DVDEngineError2String@UIBaseTextService | 1 |
| ?IsModified@VideoDocUI@@@UBE_NXZ | 1 |
| ?GetDisplayName@VideoDocUI@@@UBE?AV | 1 |
| ??0AMCDocumentUI@@IAE@XZ | 1 |
| ?GetDisplayWindow@AMCDocumentUI@@ | 1 |
| ?GetDisplayName@VideoDocUI@@@UBE?AV | 1 |
| ?GetDisplayName@VideoDocUI@@@UBE?AV | 1 |
| ?GetVideoDoc@VideoDocUI@@@UBEPBVIvic | 1 |
| ?GetTitleUI@VideoDocUI@@@UBEPAVITitleU | 1 |
| ?GetSummary@VideoDocUI@@@UBE?AVStri | 1 |
| ?SetSummary@VideoDocUI@@@UAEXABVSti | 1 |
| ?EnableMenu@RemoteControl@@@UAEX_N | 1 |
| ?EnablePlaylists@RemoteControl@@@UAEX_ | 1 |
| ?SetRunInfo@RemoteControl@@@UAEXII_J@ | 1 |
| ?GetPosition@RemoteControl@@@UBE?AVP | 1 |
| ?SetPosition@RemoteControl@@@UAEXABVI | 1 |
| ?GetSize@RemoteControl@@@UBE?AVSize@ | 1 |
| ?UpdateCommandProc@RemoteControl@@C | 1 |
| ?CommandProc@RemoteControl@@@MAEJII | 1 |
| ??0RemoteControl@@QAE@XZ | 1 |
| ?OnTimer@RemoteControl@@MAEXI@Z | 1 |
| ?GetToolTipText@RemoteControl@@@UBE?/ | 1 |
| ?WndProc@RemoteControl@@@MAEJJAAU | 1 |
| ??1AMCDocumentUI@@@UAE@XZ | 1 |
| ??0VideoDocUI@@@QAE@XZ | 1 |
| ?GetDisplayName@VideoDocUI@@@UBE?AV | 1 |
| ?GetAllowedMediaTypes@DocTypeRecordir | 1 |
| SpewOutputFunc | 1 |
| Plat_VerifyHardwareKeyPrompt | 1 |
| SetCVarIF | 1 |
| ?kill@PM_PIC_HDL@@AAEXXZ | 1 |
| ??0PM_PIC_HDL@@QAE@ABV0@@Z | 1 |
| ?getdatafilename@PM_SPEC@@QBEPADDF | 1 |
| ?swrite@UT_STREAM@@QAEXPBEH@Z | 1 |
| ?fixreference@UT_PTRFIXTABLE@@AAEXP@ | 1 |
| ?sread@UT_STREAM@@QAEHPAEH@Z | 1 |
| ?get_rawoffset@UT_STREAM@@EAEJXZ | 1 |
| ?set_rawoffset@UT_STREAM@@EAEJJ@Z | 1 |
| ?set_rawdata@UT_STREAM@@EAEJPAEH@ | 1 |
| ?get_rawdata@UT_STREAM@@EAEJPAEH@ | 1 |
| ?write@UT_STREAM@@QAEXPBEH@Z | 1 |
| ?writeln@UT_STREAM@@QAEXPBD@Z | 1 |
| ?find@UT_STROBJ@@QBEIABV1@I@Z | 1 |

| | |
|--|---|
| ?setnewaddr@UT_PTRFIXTABLE@@AAEXP@ | 1 |
| ?add_ofile@UT_FILEMANAGER@@AAEPAV@ | 1 |
| ?ut_file@@3VUT_FILEMANAGER@@A | 1 |
| ??OUT_PTRFIXTABLE@@AAE@XZ | 1 |
| ??OUT_STREAM@@QAE@W4UT_ACCESS@I | 1 |
| ??1UT_PTRFILE@@UAE@XZ | 1 |
| ??_7UT_PTRFILE@@6B@ | 1 |
| ?getstring@UT_STROBJ@@QBEPBDE@Z | 1 |
| ??1UT_STROBJ@@QAE@XZ | 1 |
| ?skip@UT_STREAM@@QAEJJ@Z | 1 |
| ??OUT_STROBJ@@QAE@PBD@Z | 1 |
| ?readkey@UT_STREAM@@QAEHPAEHPBD@ | 1 |
| ?neoform@@YAPADPBDDZ | 1 |
| ?ut_strdup@@YAPADPB@Z | 1 |
| ??4UT_BASE_ARRAY@@QAEAAV0@ABV0@ | 1 |
| ??1UT_DARRAY@@UAE@XZ | 1 |
| ??OUT_DARRAY@@QAE@PAPAXHHE@Z | 1 |
| ?ut_msgman@@3PAVUT_MSGMAN@@A | 1 |
| ?clearmem@UT_BASE_ARRAY@@MAEXPA@ | 1 |
| ?qsort@UT_BASE_ARRAY@@MAEXJP6AHP | 1 |
| ?a_shift@UT_DARRAY@@MAEXJH@Z | 1 |
| ?a_sort@UT_BASE_ARRAY@@MAEXP6AHPI | 1 |
| ?a_sortadd@UT_BASE_ARRAY@@MAEXPB@ | 1 |
| ?a_sortuadd@UT_BASE_ARRAY@@MAEJPB | 1 |
| ?a_bsearch@UT_BASE_ARRAY@@MAEJPBX | 1 |
| ?a_resetnum@UT_DARRAY@@MAEXJ@Z | 1 |
| ?intgetindex@UT_DARRAY@@MBEJPAX@Z | 1 |
| ?a_makearray@UT_DARRAY@@MBEPAXXZ | 1 |
| ?getaddr@UT_DARRAY@@UAEPAJ@Z | 1 |
| ?rm_ofile@UT_FILEMANAGER@@AAEPAV@ | 1 |
| ?checkptrs@UT_PTRFIXTABLE@@AAEPAXZ | 1 |
| ?np_devcache@@3PAVNP_DEVCACHE@@F | 1 |
| ?fetch@NP_DEVCACHE@@QAEPAVNP_DEV | 1 |
| __vbaLateldNamedCallSt | 1 |
| ?getTagNoHTML@Language@Troubleshoot | 1 |
| ?getSrcFile@XMLException@xercesc_2_7@I | 1 |
| ?DeleteLeadDC@LBitmapBase@@UAEIPAUI | 1 |
| ?CreateLeadDC@LBitmapBase@@UAEPAUF | 1 |
| ?CreatePaintPalette@LBitmapBase@@UAEFI | 1 |
| ?GetFixedPalette@LBitmapBase@@UAEHPA | 1 |
| ?DupPalette@LBitmapBase@@UAEPAUHPA | 1 |
| ?CopyToClipboard@LBitmapBase@@UAEHF | 1 |
| ?CopyFromClipboard@LBitmapBase@@UAEF | 1 |
| ?IsClipboardReady@LBitmapBase@@UAEIX | 1 |
| ?ChangeViewPerspective@LBitmapBase@@ | 1 |
| ?ChangeViewPerspective@LBitmapBase@@ | 1 |
| ?ColorRes@LBitmapBase@@UAEHAAV1@H | 1 |

| | |
|--|---|
| ?ConvertFromDDB@LBitmapBase@@UAEH | 1 |
| ?ConvertToDDB@LBitmapBase@@UAEPUI | 1 |
| ?ConvertToDIB@LBitmapBase@@UAEPAXX: | 1 |
| ?ConvertFromDIB@LBitmapBase@@UAEP | 1 |
| ?Resize@LBitmapBase@@UAEHPAV1@Z | 1 |
| ?GetColorCount@LBitmapBase@@UAEP | 1 |
| ?HasRgn@LBitmapBase@@UAEIXZ | 1 |
| ?Trim@LBitmapBase@@UAEPAUTagRECT(| 1 |
| ?StopDithering@LBitmapBase@@UAEH | 1 |
| ?DitherLine@LBitmapBase@@UAEP | 1 |
| ?StartDithering@LBitmapBase@@UAEP | 1 |
| ?SetAlpha@LBitmapBase@@UAEHAAV1@C | 1 |
| ?RectToBitmap@LBitmapBase@@UAEP | 1 |
| ?RectFromBitmap@LBitmapBase@@UAEP | 1 |
| ?PutPixelColor@LBitmapBase@@UAEP | 1 |
| ?PutColors@LBitmapBase@@UAEP | 1 |
| ?PointToBitmap@LBitmapBase@@UAEP | 1 |
| ?PointFromBitmap@LBitmapBase@@UAEP | 1 |
| ?IsGrayScale@LBitmapBase@@UAEH | 1 |
| ?GrayScale@LBitmapBase@@UAEP | 1 |
| ?GetPixelColor@LBitmapBase@@UAEP | 1 |
| ?PutRowColCompressed@LBitmapBase@@I | 1 |
| ?PutRowCompressed@LBitmapBase@@UAI | 1 |
| ?PutRowCol@LBitmapBase@@UAEP | 1 |
| ?PutRow@LBitmapBase@@UAEP | 1 |
| ?GetRowCompressed@LBitmapBase@@UAI | 1 |
| ?GetRowColCompressed@LBitmapBase@@ | 1 |
| ?GetRowCol@LBitmapBase@@UAEP | 1 |
| ?GetRow@LBitmapBase@@UAEP | 1 |
| ?GetColors@LBitmapBase@@UAEP | 1 |
| ?ToggleCompression@LBitmapBase@@UA | 1 |
| ?Load@LBitmapBase@@UAEPADHHH@Z | 1 |
| ?Create@LBitmapBase@@UAEP | 1 |
| ?CopyRect@LBitmapBase@@UAEP | 1 |
| ?CopyRect@LBitmapBase@@UAEP | 1 |
| ?CopyHandle@LBitmapBase@@UAEP | 1 |
| ?CopyData@LBitmapBase@@UAEP | 1 |
| ?Combine@LBitmapBase@@UAEP | 1 |
| ?Clear@LBitmapBase@@UAEP | 1 |
| ?ChangeHeight@LBitmapBase@@UAEP | 1 |
| ?Allocate@LBitmapBase@@UAEP | 1 |
| ?Release@LBitmapBase@@UAEP | 1 |
| ?Access@LBitmapBase@@UAEP | 1 |
| ?Free@LBitmapBase@@UAEP | 1 |
| ?IsRedirectStatusCallBackEnabled@LBitmap | 1 |
| ?EnableRedirectStatusCallBack@LBitmapB | 1 |
| ?IsAlwaysEndNotification@LBitmapBase@@ | 1 |

| | |
|---|---|
| ?EnableAlwaysEndNotification@LBitmapBas | 1 |
| ?IsChangeNotificationEnabled@LBitmapBas | 1 |
| ?EnableChangeNotification@LBitmapBase@ | 1 |
| ?EndChanging@LBitmapBase@@UAEXIIH@ | 1 |
| ?StartChanging@LBitmapBase@@UAEHII@: | 1 |
| ?SetClipDstRect@LBitmapBase@@UAEHPAI | 1 |
| ?SetClipSrcRect@LBitmapBase@@UAEHPAL | 1 |
| ?SetSrcRect@LBitmapBase@@UAEHPAUtag | 1 |
| ?GetRects@LBitmapBase@@UAEXPAAUtagRI | 1 |
| ?ColorResBitmapCallBack@LBitmapBase@@@ | 1 |
| ?VectorMemoryFile@LBitmap@@UAEPAVL' | 1 |
| ?VectorFile@LBitmap@@UAEPAVLVectorFil | 1 |
| ?VectorDialog@LBitmap@@UAEPAVLVectorD | 1 |
| ?ScreenCapture@LBitmap@@UAEPAVLScre | 1 |
| ?Print@LBitmap@@UAEPAVLPrint@@XZ | 1 |
| ?File@LBitmap@@UAEPAVLFile@@XZ | 1 |
| ?MemoryFile@LBitmap@@UAEPAVLMemoi | 1 |
| ?Isis@LBitmap@@UAEPAVLIasis@@XZ | 1 |
| ?Twain@LBitmap@@UAEPAVLTwain@@XZ | 1 |
| ?PaintEffect@LBitmap@@UAEPAVLPaintEff | 1 |
| ?Paint@LBitmap@@UAEPAVLPaint@@XZ | 1 |
| ?Region@LBitmap@@UAEPAVLBitmapRgn@ | 1 |
| ?Dialog@LBitmap@@UAEPAVLDialog@@XZ | 1 |
| ??0LBitmap@@QAE@PAUstruct_LEAD_Bitn | 1 |
| ?Fill@LBitmapBase@@UAEHK@Z | 1 |
| ?Flip@LBitmapBase@@UAEHXZ | 1 |
| ?Reverse@LBitmapBase@@UAEHXZ | 1 |
| ?Rotate@LBitmapBase@@UAEHHIK@Z | 1 |
| ?Load@LBitmapBase@@UAEHPADHHPAU_ | 1 |
| ?Load@LBitmapBase@@UAEHHHH@Z | 1 |
| ?Load@LBitmapBase@@UAEHHHPAU_LOAI | 1 |
| ?Save@LBitmapBase@@UAEHHHHHI@Z | 1 |
| ?Save@LBitmapBase@@UAEHHHHIPAU_SA | 1 |
| ?SetDataPointer@LBitmapBase@@UAEHPA | 1 |
| ?Save@LBitmapBase@@UAEHPADHHHHI@ | 1 |
| ??0LBitmap@@QAE@AAV0@@Z | 1 |
| ??4LBitmap@@QAEAAV0@AAV0@@Z | 1 |
| ??1LBitmapSettings@@UAE@XZ | 1 |
| ?SetDisplayMode@LBitmapSettings@@SAKI | 1 |
| ?IsSupportLocked@LSettings@@SAII@Z | 1 |
| ??0LBitmapSettings@@QAE@XZ | 1 |
| ??1LBitmapRgn@@UAE@XZ | 1 |
| ?Free@LBitmapRgn@@UAEHXZ | 1 |
| ?CreateMaskFromBitmapRgn@LBitmapRgn(| 1 |
| ?GetRgnArea@LBitmapRgn@@UAEHPAK@Z | 1 |
| ?BitmapHasRgn@LBitmapRgn@@UAEIXZ | 1 |
| ?SetRgnColor@LBitmapRgn@@UAEHK@Z | 1 |

| | |
|---|---|
| ?SetDstRect@LBitmapBase@@UAEHPAUtag | 1 |
| ?GetPlayBackTransparentColor@LBitmapBa | 1 |
| ?SetRgnCombineMode@LBitmapRgn@@QA | 1 |
| ??0LBitmapRgn@@QAE@PAVLBitmapBase() | 1 |
| ?GetHandle@LBitmapBase@@QAEPAUstruc | 1 |
| ?GetBitsPerPixel@LBitmapBase@@QAEHXZ | 1 |
| ?GetViewPerspective@LBitmapBase@@QAI | 1 |
| ?CreateAlphaBitmap@LBitmapBase@@UAE | 1 |
| ?GetPlayBackLeft@LBitmapBase@@QAEHX: | 1 |
| ?GetPlayBackTop@LBitmapBase@@QAEHX: | 1 |
| ?SetPlayBackLeft@LBitmapBase@@QAEHX(| 1 |
| ?SetPlayBackTop@LBitmapBase@@QAEHX(| 1 |
| ?EnablePlayBackTransparency@LBitmapBas | 1 |
| ?SetPlayBackTransparentColor@LBitmapBas | 1 |
| ?SetHandle@LBitmapBase@@QAEHPAUstru | 1 |
| ?IsPlayBackTransparencyEnabled@LBitmapE | 1 |
| ?SetRgnFromMask@LBitmapRgn@@UAEHA | 1 |
| ?SetPalette@LBitmapBase@@QAEPAUHP/ | 1 |
| ?GetDefaultSaveFileOption@LBaseFile@@S | 1 |
| ?ContourFilter@LBitmap@@UAEHFFFH@Z | 1 |
| ?WindowLevelBitmap@LBitmap@@UAEHHI | 1 |
| ?WindowLevel@LBitmap@@UAEHHHPAUta | 1 |
| ?Picturize@LBitmap@@UAEHPADIHH@Z | 1 |
| ?Sharpen@LBitmap@@UAEHH@Z | 1 |
| ?Mosaic@LBitmap@@UAEHI@Z | 1 |
| ?RemapIntensity@LBitmap@@UAEHPAEI@ | 1 |
| ?GetMinMaxVal@LBitmap@@UAEHPAIO@Z | 1 |
| ?GetMinMaxBits@LBitmap@@UAEHPAH0@ | 1 |
| ?StretchIntensity@LBitmap@@UAEHXZ | 1 |
| ?SpatialFilter@LBitmap@@UAEHPAUtagSPA | 1 |
| ?Solarize@LBitmap@@UAEHI@Z | 1 |
| ?Posterize@LBitmap@@UAEHI@Z | 1 |
| ?Oilify@LBitmap@@UAEHI@Z | 1 |
| ?MinFilter@LBitmap@@UAEHI@Z | 1 |
| ?Shear@LBitmapBase@@UAEHHIK@Z | 1 |
| ?Underlay@LBitmapBase@@UAEHAAV1@I | 1 |
| ?RotateViewPerspective@LBitmapBase@@I | 1 |
| ?ClearNegativePixels@LBitmapBase@@UAE | 1 |
| ?PicturizeCallBack@LBitmap@@MAEHPAU | 1 |
| ?HalfTone@LBitmap@@UAEHIJ@Z | 1 |
| ?AddNoise@LBitmap@@UAEHII@Z | 1 |
| ?AutoTrim@LBitmap@@UAEHH@Z | 1 |
| ?AverageFilter@LBitmap@@UAEHI@Z | 1 |
| ?BinaryFilter@LBitmap@@UAEHPAUtagBIN | 1 |
| ?ChangeContrast@LBitmap@@UAEHH@Z | 1 |
| ?ChangeHue@LBitmap@@UAEHH@Z | 1 |
| ?ChangeIntensity@LBitmap@@UAEHH@Z | 1 |

| | |
|--|---|
| ?ChangeSaturation@LBitmap@@UAEHH@Z | 1 |
| ?ColorMerge@LBitmap@@UAEHPAV1@K@ | 1 |
| ?ColorSeparate@LBitmap@@UAEHPAV1@K | 1 |
| ?Deskew@LBitmap@@UAEHPAJ@Z | 1 |
| ?Despeckle@LBitmap@@UAEHXZ | 1 |
| ?Emboss@LBitmap@@UAEHII@Z | 1 |
| ?GammaCorrect@LBitmap@@UAEHI@Z | 1 |
| ?GetAutoTrimRect@LBitmap@@UAEHIPAU | 1 |
| ?GetHistogram@LBitmap@@UAEHPAKI@Z | 1 |
| ?Invert@LBitmap@@UAEHXZ | 1 |
| ?HistoContrast@LBitmap@@UAEHH@Z | 1 |
| ?HistoEqualize@LBitmap@@UAEHXZ | 1 |
| ?IntensityDetect@LBitmap@@UAEHII@Z | 1 |
| ?MaxFilter@LBitmap@@UAEHI@Z | 1 |
| ?MedianFilter@LBitmap@@UAEHI@Z | 1 |
| _OrenameW@8 | 1 |
| ?HDV__get_checker_html_definition@@YAI | 1 |
| ?HDV__fill_up_values_via_file@@YAHABVL | 1 |
| ?BASE_close_part@@YAXI@Z | 1 |
| ?BASE_new_display_part@@YAHPBDW4PA | 1 |
| ?CFI_open_directory@@YAHPBDHOPAH@Z | 1 |
| ?CFI_read_next_directory_entry@@YAHHP | 1 |
| ?CFI_read_fullspec@@YAHHPAUCFI_header | 1 |
| ?CFI_get_file_type@@YAHPBDAH@Z | 1 |
| ?CFI_free_file_header@@YAXPAUCFI_head | 1 |
| ?CFI_get_simple_name@@YAHPBDPAPAD | 1 |
| ?TEXT_create_string@@YAPAUTEXT_s@@@P | 1 |
| ?TEXT_free@@YAXPAUTEXT_s@@@Z | 1 |
| ?CFI_ask_directory_exist@@YAHPBD@Z | 1 |
| ?CFI_ask_directory_creatable@@YA_NPBDF | 1 |
| ?CFI_create_directory_path@@YAHPBD@Z | 1 |
| ?CFI_add_extension@@YAHPBDPAPAD@Z | 1 |
| ?CFI_split_filespec@@YAHPBDPAPAD1@Z | 1 |
| ?CFI_remove_extension@@YAHPBDPAPAI | 1 |
| ?append@UString@UGS@@QAEAAV12@P{ | 1 |
| ?CFI_is_directory@@YA_NPBD@Z | 1 |
| ?CFI_write_line@@YAHHPBD@Z | 1 |
| ?CFI_close_file@@YAHPAHH@Z | 1 |
| ??0UString@UGS@@QAE@XZ | 1 |
| ?find@UString@UGS@@QBEIABV12@I@Z | 1 |
| ?size@UString@UGS@@QBEIXZ | 1 |
| ?substr@UString@UGS@@QBE?AV12@II@: | 1 |
| ?utf8_str@UString@UGS@@QBEPBDXZ | 1 |
| ?CFI_append_delimiter@@YAPADPBD@Z | 1 |
| ??0UString@UGS@@QAE@PBD@Z | 1 |
| ??4UString@UGS@@QAEAAV01@ABV01@I | 1 |
| ?CFI_delete_file@@YAHPBDH@Z | 1 |

| | |
|--|---|
| ?CFI_ask_temporary_directory@@YAPBDXZ | 1 |
| ?CFI_validate_file_specification@@YAHPBD | 1 |
| ?ARG_get_switch@@YAPBDBDHPAH@Z | 1 |
| ?ERROR_internal@@YAXPBDH0ZZ | 1 |
| ?STR_compare_i@@YAHPBD0@Z | 1 |
| ??8UGS@@YA_NABVUString@0@0@Z | 1 |
| ??0UString@UGS@@QAE@ABV01@@Z | 1 |
| ?append@UString@UGS@@QAEAAV12@AI | 1 |
| ??1UString@UGS@@QAE@XZ | 1 |
| ?CFI_open_file@@YAHPBDHHHPAH@Z | 1 |
| ?ARG_init_module@@YAXHPAPAD@Z | 1 |
| UF_terminate | 1 |
| UF_initialize | 1 |
| ?MQC_is_checker_or_profile@@YAHPAUTE | 1 |
| ?KBL_init_part@@YA?AW4KBL_init_status_ | 1 |
| ?DFK_file_ask_first_design@@YAHPBDPAP/ | 1 |
| CryptRetrieveTimeStamp | 1 |
| NCryptFreeObject | 1 |
| ??0CNbuuAniStaticSkin@@QAE@XZ | 1 |
| ?GetLangID@CRTLHelper@@SAPAGPAUHKF | 1 |
| ??1CNbuuAniStaticSkin@@UAE@XZ | 1 |
| ??0CNbuuAniStaticCtrl@@QAE@XZ | 1 |
| ?StopAnimation@CNbuuAniStaticCtrl@@QA/ | 1 |
| ?StartAnimation@CNbuuAniStaticCtrl@@QA/ | 1 |
| ?LoadBitmapW@CNbuuResourceManager@ | 1 |
| ??1CNbuuAniStaticCtrl@@UAE@XZ | 1 |
| ?SetTooltip@CNbuuTooltip@@QAEXP AUHV | 1 |
| ??1CPNGAnimation@@UAE@XZ | 1 |
| ?DeleteAnimation@CPNGAnimation@@QA/ | 1 |
| ?SetTextAlignment@CNbuuStaticCtrl@@QA | 1 |
| ?StartAnimation@CPNGAnimation@@QAE_ | 1 |
| ?StopAnimation@CPNGAnimation@@QAE_ | 1 |
| ??0CPNGAnimation@@QAE@XZ | 1 |
| ?SetStartupFrame@CPNGAnimation@@QAI | 1 |
| ?SetBitmapHandles@CPNGAnimation@@Q | 1 |
| ?SetAnimationMembers@CPNGAnimation@ | 1 |
| ?SetDestinationWindow@CPNGAnimation@ | 1 |
| ?SetAnimationCoordinates@CPNGAnimatio | 1 |
| GdipCreateHalftonePalette | 1 |
| PyStaticMethod_Type | 1 |
| PyWeakref_NewRef | 1 |
| _PyObject_New | 1 |
| PyLong_AsLongLong | 1 |
| PyUnicodeUCS2_FromEncodedObject | 1 |
| PyComplex_Type | 1 |
| PyComplex_RealAsDouble | 1 |
| PyComplex_ImagAsDouble | 1 |

| | |
|---------------------------|---|
| PyLong_AsUnsignedLongLong | 1 |
| PySequence_GetSlice | 1 |
| _PyEval_SliceIndex | 1 |
| PySequence_SetSlice | 1 |
| PySequence_DelSlice | 1 |
| PyNumber_Add | 1 |
| PyNumber_Divide | 1 |
| PyNumber_Remainder | 1 |
| PyNumber_Lshift | 1 |
| PyNumber_Rshift | 1 |
| PyNumber_And | 1 |
| PyNumber_Xor | 1 |
| PyNumber_InPlaceAdd | 1 |
| PyNumber_InPlaceSubtract | 1 |
| PyNumber_InPlaceMultiply | 1 |
| PyNumber_InPlaceDivide | 1 |
| PyNumber_InPlaceRemainder | 1 |
| PyNumber_InPlaceLshift | 1 |
| PyNumber_InPlaceRshift | 1 |
| PyNumber_InPlaceAnd | 1 |
| PyNumber_InPlaceXor | 1 |
| PyNumber_InPlaceOr | 1 |
| PyRun_StringFlags | 1 |
| PyRun_FileExFlags | 1 |
| PyFile_FromString | 1 |
| PyObject_HasAttrString | 1 |
| PyStaticMethod_New | 1 |
| PyBaseObject_Type | 1 |
| _PyType_Lookup | 1 |
| PyProperty_Type | 1 |
| PyExc_ReferenceError | 1 |
| PySlice_New | 1 |
| PyDict_Values | 1 |
| PyDict_Update | 1 |
| PyDict_Keys | 1 |
| PyDict_Items | 1 |
| PyDict_Copy | 1 |
| PyDict_Clear | 1 |
| PyList_Sort | 1 |
| PyList_Reverse | 1 |
| PyList_Insert | 1 |
| PyObject_CallFunction | 1 |
| PyObject_IsInstance | 1 |
| PyImport_Import | 1 |
| PyBool_FromLong | 1 |
| PyEval_CallFunction | 1 |
| PyErr_ExceptionMatches | 1 |

| | |
|--------------------------------------|---|
| ?LaunchOWSConfigWizard@@YIXPAU_TAG(| 1 |
| _WorkProc@4 | 1 |
| SM_BSP_Init | 1 |
| @Idrawbase@initialization\$qqrv | 1 |
| @Idrawclient@initialization\$qqrv | 1 |
| @Idicmpclient@initialization\$qqrv | 1 |
| @Idrawheaders@initialization\$qqrv | 1 |
| @Idechoserver@initialization\$qqrv | 1 |
| @Idecho@initialization\$qqrv | 1 |
| ?log@?\$_Ctr@O@std@@SAOO@Z | 1 |
| ?denorm_min@?\$numeric_limits@D@std@ | 1 |
| NewUrlW | 1 |
| MigrateToOldFavoritesW | 1 |
| SetProxyDlgW | 1 |
| GetProxyDlgW | 1 |
| ImportConnectSetW | 1 |
| SaveStartSearchW | 1 |
| InitializeStartSearchW | 1 |
| DeleteADMItemsW | 1 |
| AddADMItemW | 1 |
| CopyAnimBmpW | 1 |
| ImportProgramsW | 1 |
| BrowseForFileW | 1 |
| BToolbar_InitW | 1 |
| ImportAuthCodeW | 1 |
| ImportZonesW | 1 |
| ImportRatingsW | 1 |
| IsAnimBitmapFileValidW | 1 |
| CopyLogoBmpW | 1 |
| ModifyFavoriteW | 1 |
| GetFavoriteUrlW | 1 |
| GetAdmFileListW | 1 |
| GenerateNewVersionStrW | 1 |
| GetBaseFileNameW | 1 |
| SetOrClearVersionInfoW | 1 |
| TestURLW | 1 |
| ImportFavoritesCmdW | 1 |
| MigrateFavoritesW | 1 |
| DeleteFavoriteW | 1 |
| GetFavoritesInfoTipW | 1 |
| IsBitmapFileValidW | 1 |
| ImportFavoritesW | 1 |
| ImportQuickLinksW | 1 |
| ExportFavoritesW | 1 |
| ExportQuickLinksW | 1 |
| BToolbar_SaveW | 1 |
| emet_MeterCancelQuery | 1 |

| | |
|-----------------------------------|---|
| hex908798435 | 1 |
| eimg_FileCopy | 1 |
| esmg_LogMessage | 1 |
| emsc_HeapFreeEx | 1 |
| eprj_MapInfoPixelSizeSet | 1 |
| epmg_GetEnumPreference | 1 |
| efio_Create | 1 |
| efio_TempName | 1 |
| estr_GetPathPart | 1 |
| estr_GetExtPart | 1 |
| estr.GetNamePart | 1 |
| edlm_GetAddr | 1 |
| egda_BaseDataCreate | 1 |
| eprj_MapInfoLowerRightCenterSet | 1 |
| eprj_MapInfoUpperLeftCenterSet | 1 |
| eprj_MapInfoCopy | 1 |
| emsc_HeapRealloc | 1 |
| ehis_EventGenerateAndAppend | 1 |
| eaoi_AreaOfInterestDelete | 1 |
| eaoi_AreaOfInterestCopy | 1 |
| ehfa_FileClose | 1 |
| eaoi_ReadAoiFromHfaFile | 1 |
| ehfa_FileOpen | 1 |
| eprj_ConvertMetersToLonSize | 1 |
| ecvt_UnitsConvertByName | 1 |
| emif_EmifStringFromString | 1 |
| epmg_GetNumberPreference | 1 |
| efio_FindFilesInPath | 1 |
| efnp_FileNameGet | 1 |
| edlm_CountList | 1 |
| efio_FileNameCorrect | 1 |
| efio_FileNameVerifyAddDefaultPath | 1 |
| eimg_LayerClose | 1 |
| eimg_LayerOpen | 1 |
| eprj_ProjectionCopy | 1 |
| estr_LowerCase | 1 |
| eprj_ProjectionInit | 1 |
| estr_GetRootPart | 1 |
| efga_BaseCoordBlockCreate | 1 |
| efga_CoordBlockDelete | 1 |
| eant_ProParametersGet | 1 |
| evec_BboxDelete | 1 |
| eant_MapInfoGet | 1 |
| eant_ElementListBoundingBoxGet | 1 |
| evec_LayerClose | 1 |
| evec_GetAttributeByRecNum | 1 |
| evec_GetBboxFromCoordBlock | 1 |

| | |
|---|---|
| eprj_CharStrCreate | 1 |
| eprj_MapInfoCreate | 1 |
| evec_ReadPolygon2 | 1 |
| evec_GetAttNames | 1 |
| evec_InitializeAttTable | 1 |
| edlm_Delete | 1 |
| evec_GetTotalNumberPolyElements | 1 |
| evec_LayerOpenGeneric | 1 |
| evec_LayerIsArcCoverage | 1 |
| eant_CoordSysConversionFree | 1 |
| eant_RectangleGetVectorData | 1 |
| eant_CoordSysConversionSetValues | 1 |
| eant_VectorDataGet | 1 |
| eant_AddXForm | 1 |
| eprj_ConvertLonSizeToMeters | 1 |
| eprj_MapInfoUnitsSet | 1 |
| eprj_MapInfoProjectionNameSet | 1 |
| eprj_ProParametersCreate | 1 |
| estr_Eqnic | 1 |
| eprj_ProjectionPairFree | 1 |
| eprj_ProParametersFree | 1 |
| eprj_ProjectPairWithUnits | 1 |
| eprj_ProjectionPairInit | 1 |
| exfr_XFormCreateUnity | 1 |
| egda_BaseDataDelete | 1 |
| exfr_Transform | 1 |
| exfr_XFormInvert | 1 |
| evec_GetAttribute | 1 |
| evec_ReadArc | 1 |
| evec_GetTotalNumberArcElements | 1 |
| eprj_PointsFree | 1 |
| eprj_ProjectWithUnits | 1 |
| eprj_PointsCreate | 1 |
| efio_FileNameEq | 1 |
| edlm_Add | 1 |
| estr_GetEnv | 1 |
| efio_SearchListGenerateAndIdentifyFiles | 1 |
| eprj_ProjectionLibraryRead | 1 |
| eprj_ProjectionLibraryGetTitle | 1 |
| eprj_ProjectionLibraryGetItemByName | 1 |
| eprj_ProjectionItemProParametersGet | 1 |
| eprj_ProParametersCopy | 1 |
| estr_StringListAppend | 1 |
| estr_Eqic | 1 |
| efio_Sscanf | 1 |
| efnp_FileNameExternalToInternal | 1 |
| estr_RemoveChars | 1 |

| | |
|----------------------------------|---|
| esmg_IsBatchRun | 1 |
| eerr_SetAltErrorFunction | 1 |
| eprj_ProjectionLibraryFree | 1 |
| eeml_SMRunArgcArgv | 1 |
| eeml_LogErrorContents | 1 |
| emsx_ReadArg | 1 |
| emos_LayerReprojectionX | 1 |
| emso_ClipImageWithCutline | 1 |
| emso_SetCutlineSide | 1 |
| emso_CutlineDelete | 1 |
| emso_UnprojectCutlinePoints | 1 |
| emso_CutlineMeasure | 1 |
| emos_ExtendCoordBlockWithPolygon | 1 |
| emso_ClipAndMergeCutline | 1 |
| emso_CutlineCopy | 1 |
| emso_ReprojectCutlinePoints | 1 |
| emso_CutlineCreate | 1 |
| emso_ImageNameOnList | 1 |
| emso_IntersectDelete | 1 |
| emos_CBInfoUseColorBalancing | 1 |
| emos_CBInfoCopyParams | 1 |
| emos_SetSurfaceMethod | 1 |
| emos_CBTTargetGetCBInfo | 1 |
| emso_ReprojectOutputPointsMSH | 1 |
| emos_CBTTargetListGetFile | 1 |
| emso_GetRegionFromCoordblock | 1 |
| emos_CBTTargetListGetCount | 1 |
| emos_CBTTargetListLoadASCII | 1 |
| emos_IDTargetListDestroy | 1 |
| emos_IDInfoCopy | 1 |
| emos_IDTargetGetIDInfo | 1 |
| emos_IDTargetListGetTarget | 1 |
| emos_IDTargetListLoadASCII | 1 |
| emos_IDTargetSetMeter | 1 |
| emos_IDTargetListReOpenTarget | 1 |
| emos_IDTargetSetActiveArea | 1 |
| emos_MakeActiveAreaFileAOI | 1 |
| emos_CoordinateBlocksToRegion | 1 |
| emos_IDTargetSetExclusionArea | 1 |
| emos_IDTargetSetIDInfo | 1 |
| emos_IDTargetListAdd | 1 |
| emos_IDTargetListCreate | 1 |
| emso_OutputDelete | 1 |
| emos_CBTTargetGetLayerCount | 1 |
| emso_GetCoordblockFromAOIPolygon | 1 |
| emso_MosaicInfoDelete | 1 |
| emos_MosaicXXX | 1 |

| | |
|---------------------------------|---|
| emso_MosaicReadX | 1 |
| emos_CBInfoSetIgnore | 1 |
| emso_OutputCreate | 1 |
| emos_CoordinateBlockArrayCreate | 1 |
| emso_ReprojectOutputPoints | 1 |
| emos_RegionFree | 1 |
| emos_DeriveExternalRegion | 1 |
| emos_RegionCopy | 1 |
| emos_PolyUnion | 1 |
| emos_CBTarGetListGetTarget | 1 |
| emso_NameOnList | 1 |
| emos_CBInfoGetFilter | 1 |
| emos_MosaicInfoXInit | 1 |
| emos_CoordinateBlockToPolyline | 1 |
| emso_MosaicWrite | 1 |
| emso_SaveOverlaps | 1 |
| emso_GetIntersectFromPolygon | 1 |
| emso_SetImageAreaAOI | 1 |
| emso_ImageCreate | 1 |
| emso_FindUniqueImageID | 1 |
| emso_SetImageParametersBlk | 1 |
| emso_ImageDelete | 1 |
| emso_SetImageParameters | 1 |
| emso_SetImageAreaCrop | 1 |
| emso_SetImageAreaEntireBlk | 1 |
| emso_SetImageAreaCompute | 1 |
| emso_SetImageAreaTemplate | 1 |
| emso_ReprojectImagePoints | 1 |
| emos_IDInfoCreate | 1 |
| emos_ValidateBlkImage | 1 |
| emso_MosaicInfoCreate | 1 |
| emso_ResampleInfoCreate | 1 |
| emso_SetOutputProjection | 1 |
| emso_ResampleInfoDelete | 1 |
| emso_GenerateWeightedCutlines | 1 |
| emso_GenerateGeometricCutlines | 1 |
| emos_ReadAndRepairAOI | 1 |
| emso_SaveCutlines | 1 |
| ewaf_IsFilterActive | 1 |
| epho_BlockDataCreate | 1 |
| ebgm_ImageGet | 1 |
| epho_BlockDataRead | 1 |
| epho_BlockDataReadOrthoList | 1 |
| emdb_ReadMapsProjection | 1 |
| emdb_ReadMapsIndexSize | 1 |
| emdb_ReadMapsForRectangle | 1 |
| emdb_MapDefinitionListDelete | 1 |

| | |
|---|---|
| esht_MapDefinitionListRead | 1 |
| esht_ProjInfoRead | 1 |
| esht_MapDefinitionListDelete | 1 |
| emdb_SeriesNodeExists | 1 |
| edis_CoordListDelete | 1 |
| edis_CoordListNew | 1 |
| edis_CoordListInsert | 1 |
| edis_CoordListIntersectionGet | 1 |
| ?RegOrDestroyVideoDeviceDIIWnd@@YAX_ | 1 |
| ?getArgs@SfxBaseModel@binfilter@@UAA | 1 |
| ?connectController@SfxBaseModel@binfilte | 1 |
| ?disconnectController@SfxBaseModel@binf | 1 |
| ?getCurrentController@SfxBaseModel@binf | 1 |
| ?setCurrentController@SfxBaseModel@binf | 1 |
| ?getCurrentSelection@SfxBaseModel@binfi | 1 |
| ?addModifyListener@SfxBaseModel@binfilt | 1 |
| ?removeModifyListener@SfxBaseModel@bi | 1 |
| ?isModified@SfxBaseModel@binfilter@@U | 1 |
| ?setModified@SfxBaseModel@binfilter@@@ | 1 |
| ?print@SfxBaseModel@binfilter@@UAAXA | 1 |
| ?hasLocation@SfxBaseModel@binfilter@@@I | 1 |
| ?getLocation@SfxBaseModel@binfilter@@@l | 1 |
| ?is Readonly@SfxBaseModel@binfilter@@U | 1 |
| ?store@SfxBaseModel@binfilter@@UAAXX | 1 |
| ?storeAsURL@SfxBaseModel@binfilter@@@l | 1 |
| ?storeToURL@SfxBaseModel@binfilter@@@l | 1 |
| ?initNew@SfxBaseModel@binfilter@@UAA | 1 |
| ?load@SfxBaseModel@binfilter@@UAAXAE | 1 |
| ?getLibraryContainer@SfxBaseModel@binfi | 1 |
| ?createLibrary@SfxBaseModel@binfilter@@C | 1 |
| ?addModule@SfxBaseModel@binfilter@@@l | 1 |
| ?addDialog@SfxBaseModel@binfilter@@@U/ | 1 |
| ?addCloseListener@SfxBaseModel@binfilter@ | 1 |
| ?removeCloseListener@SfxBaseModel@binfl | 1 |
| ?close@SfxBaseModel@binfilter@@UAAXE | 1 |
| ?getTransferData@SfxBaseModel@binfilter(| 1 |
| ?getTransferDataFlavors@SfxBaseModel@b | 1 |
| ?getTypes@SfxBaseModel@binfilter@@UA | 1 |
| ?setData@SfxBaseModel@binfilter@@@ | 1 |
| ?supportsService@SvxServiceInfoHelper@bi | 1 |
| ?queryInterface@SfxBaseModel@binfilter@ | 1 |
| ?getViewData@SfxBaseModel@binfilter@@@ | 1 |
| ?getUnoPage@SdrPage@binfilter@@QAE?A | 1 |
| ?getImplementation@SvxDrawPage@binfilt | 1 |
| ?getImplementation@SvxShape@binfilter@ | 1 |
| ?CreateSvxShapeByTypeAndInventor@binfil | 1 |
| ?OSvXMLElementObjectHelper@binfilter | 1 |

| | |
|---|---|
| ??OSvXMLGraphicHelper@binfilter@@QAE@ | 1 |
| ?NamespaceMap_createInstance@svx@binf | 1 |
| ??OSvxUnoTextField@binfilter@@QAE@J@: | 1 |
| ?SvxCreateNumRule@binfilter@@YA?AV?\$I | 1 |
| ?SvxUnoMarkerTable_createInstance@binfil | 1 |
| ?SvxUnoTransGradientTable_createInstance | 1 |
| ?SvxUnoBitmapTable_createInstance@binfil | 1 |
| ?SvxUnoHatchTable_createInstance@binfilt | 1 |
| ?SvxUnoGradientTable_createInstance@bin | 1 |
| ?SvxUnoDashTable_createInstance@binfilte | 1 |
| ?GetBasicContainer@sfxObjectShell@binfilt | 1 |
| ?SvxMapUnitToMeasureUnit@binfilter@@Y | 1 |
| ?SvxLanguageToLocale@binfilter@@YAAU | 1 |
| ?InsertMakeUserDataHdl@sdrObjFactory@l | 1 |
| ?RemoveMakeUserDataHdl@sdrObjFactory@ | 1 |
| ?CreateObject@sfxObjectFactory@binfilter@ | 1 |
| ?GetFactory@sfxObjectFactory@binfilter@() | 1 |
| ?Type@sdrTextVertAdjustItem@binfilter@() | 1 |
| ?IsA@sdrTextVertAdjustItem@binfilter@@I | 1 |
| ?QueryValue@sdrTextVertAdjustItem@binf | 1 |
| ?PutValue@sdrTextVertAdjustItem@binfilte | 1 |
| ?Create@sdrTextVertAdjustItem@binfilter@ | 1 |
| ?Clone@sdrTextVertAdjustItem@binfilter@ | 1 |
| ?GetValueCount@sdrTextVertAdjustItem@k | 1 |
| ?Type@sdrTextHorzAdjustItem@binfilter@() | 1 |
| ?IsA@sdrTextHorzAdjustItem@binfilter@@A | 1 |
| ?QueryValue@sdrTextHorzAdjustItem@binf | 1 |
| ?PutValue@sdrTextHorzAdjustItem@binfilte | 1 |
| ?Create@sdrTextHorzAdjustItem@binfilter@ | 1 |
| ?Clone@sdrTextHorzAdjustItem@binfilter@ | 1 |
| ?GetValueCount@sdrTextHorzAdjustItem@l | 1 |
| ?GetValueTextByPos@sdrTextHorzAdjustIt | 1 |
| ?IsOf@sdrObjUserCall@binfilter@@SAEP6A | 1 |
| ?IsOf@FmFormPage@binfilter@@SAEP6AP_ | 1 |
| ?Type@sdrObjUserCall@binfilter@@UBEP6 | 1 |
| ?IsA@sdrObjUserCall@binfilter@@UBEEP6/ | 1 |
| ?Changed@sdrObjUserCall@binfilter@@UA | 1 |
| ??1SdrObjUserCall@binfilter@@UAE@XZ | 1 |
| ??1FmFormPage@binfilter@@UAE@XZ | 1 |
| ?RecalcRects@sdrObjList@binfilter@@MAE | 1 |
| ?GetPage@sdrObjList@binfilter@@UBEPAV | 1 |
| ?SetPage@sdrObjList@binfilter@@UAEXPA | 1 |
| ?GetModel@sdrObjList@binfilter@@UBEPA | 1 |
| ?InsertObject@FmFormPage@binfilter@@L | 1 |
| ?NbcRemoveObject@sdrObjList@binfilter@ | 1 |
| ?ReplaceObject@sdrObjList@binfilter@@U | 1 |
| ?NbcSetObjectOrdNum@sdrObjList@binfilte | 1 |

| | |
|---|---|
| ?SetObjectOrdNum@SdrObjList@binfilter@ | 1 |
| ?SetRectsDirty@SdrObjList@binfilter@@UA | 1 |
| ?AfterRead@SdrObjList@binfilter@@UAEX> | 1 |
| ?FlattenGroups@SdrObjList@binfilter@@U/ | 1 |
| ?UnGroupObj@SdrObjList@binfilter@@UAE | 1 |
| ?SetChanged@SdrPage@binfilter@@UAEX> | 1 |
| ?GetSize@SdrPage@binfilter@@UBE?AVSiz | 1 |
| ?GetWdt@SdrPage@binfilter@@UBEJXZ | 1 |
| ?GetHgt@SdrPage@binfilter@@UBEJXZ | 1 |
| ?GetLftBorder@SdrPage@binfilter@@UBEJ | 1 |
| ?GetUppBorder@SdrPage@binfilter@@UBE | 1 |
| ?GetRgtBorder@SdrPage@binfilter@@UBEJ | 1 |
| ?GetLwrBorder@SdrPage@binfilter@@UBE | 1 |
| ?InsertMasterPage@SdrPage@binfilter@@I | 1 |
| ?InsertMasterPage@SdrPage@binfilter@@I | 1 |
| ?RemoveMasterPage@SdrPage@binfilter@ | 1 |
| ?MoveMasterPage@SdrPage@binfilter@@I | 1 |
| ?SetMasterPageVisibleLayers@SdrPage@bir | 1 |
| ?NbInsertObject@SdrObjList@binfilter@@ | 1 |
| ?RemoveObject@FmFormPage@binfilter@() | 1 |
| ?Type@SvxLRSpaceItem@binfilter@@UBEP | 1 |
| ?IsA@SvxLRSpaceItem@binfilter@@UBEEP{ | 1 |
| ??8SvxLRSpaceItem@binfilter@@UBEHAVB: | 1 |
| ?GetVersion@SvxLRSpaceItem@binfilter@C | 1 |
| ?QueryValue@SvxLRSpaceItem@binfilter@() | 1 |
| ?PutValue@SvxLRSpaceItem@binfilter@@U | 1 |
| ?Create@SvxLRSpaceItem@binfilter@@UBE | 1 |
| ?Store@SvxLRSpaceItem@binfilter@@UBE | 1 |
| ?Clone@SvxLRSpaceItem@binfilter@@UBEI | 1 |
| ?SetText@Outliner@binfilter@@QAEXABVS | 1 |
| ?GetParagraph@Outliner@binfilter@@QBE | 1 |
| ?SetPaperSize@Outliner@binfilter@@QAEX | 1 |
| ?Init@Outliner@binfilter@@QAEXG@Z | 1 |
| ?GetUpdateMode@Outliner@binfilter@@C | 1 |
| ?GetPaperSize@Outliner@binfilter@@QBE/ | 1 |
| ?SetEditTextObjectPool@Outliner@binfilter | 1 |
| ??0Outliner@binfilter@@QAE@PAVSfxItem | 1 |
| ??0FmFormPage@binfilter@@QAE@AAVFn | 1 |
| ?SetVertical@Outliner@binfilter@@QAEXE(| 1 |
| ?SetVerticalWriting@SdrTextObj@binfilter@ | 1 |
| ??0SdrPageObj@binfilter@@QAE@G@Z | 1 |
| ?SetResizeProtect@SdrObject@binfilter@@ | 1 |
| ?SetMoveProtect@SdrObject@binfilter@@(| 1 |
| ??0SdrRectObj@binfilter@@QAE@XZ | 1 |
| ??0SdrOle2Obj@binfilter@@QAE@H@Z | 1 |
| ??0SdrGrafObj@binfilter@@QAE@XZ | 1 |
| ??0SdrRectObj@binfilter@@QAE@W4SdrOI | 1 |

| | |
|--|---|
| ?ChangeStyleSheetName@OutlinerParaObj | 1 |
| ?IsAutoGrowWidth@SdrTextObj@binfilter@ | 1 |
| ?IsAutoGrowHeight@SdrTextObj@binfilter@ | 1 |
| ?IsVerticalWriting@SdrTextObj@binfilter@() | 1 |
| ?AdjustToMaxRect@SdrGrafObj@binfilter@ | 1 |
| ?StaticType@SdrGrafObj@binfilter@@SAP6 | 1 |
| ?SetSize@SdrPage@binfilter@@UAEXABVSi | 1 |
| ?SetBorder@SdrPage@binfilter@@UAEXJJ. | 1 |
| ?SetLftBorder@SdrPage@binfilter@@UAEX. | 1 |
| ?SetRgtBorder@SdrPage@binfilter@@UAE> | 1 |
| ?SetUppBorder@SdrPage@binfilter@@UAE | 1 |
| ?SetLwrBorder@SdrPage@binfilter@@UAE) | 1 |
| ??0SdrDownCompat@binfilter@@QAE@AA | 1 |
| ??1SdrOutliner@binfilter@@UAE@XZ | 1 |
| ?ParagraphInsertedHdl@Outliner@binfilter(| 1 |
| ?ParagraphRemovingHdl@Outliner@binfilte | 1 |
| ?DepthChangedHdl@Outliner@binfilter@@ | 1 |
| ?DrawingText@Outliner@binfilter@@UAEX | 1 |
| ?CalcFieldValue@SdrOutliner@binfilter@@I | 1 |
| ?SetForbiddenCharsTable@Outliner@binfilt | 1 |
| ??0SdrOutliner@binfilter@@QAE@PAVSfxIt | 1 |
| ?InvalidateAllWin@SdrPaintView@binfilter(| 1 |
| ?Clear@SdrHelpLineList@binfilter@@QAEX: | 1 |
| ?SnapMove@SdrSnapView@binfilter@@QA | 1 |
| ?SetFrameHandles@SdrMarkView@binfilter | 1 |
| ??4SdrHelpLineList@binfilter@@QAEXABV0 | 1 |
| ??1SdrView@binfilter@@UAE@XZ | 1 |
| ?Type@SdrView@binfilter@@UBEP6APAXX | 1 |
| ?IsA@SdrView@binfilter@@UBEEP6APAXXZ | 1 |
| ?Notify@SdrView@binfilter@@MAEXAAVSf | 1 |
| ?WriteRecords@SdrView@binfilter@@MBE | 1 |
| ?ReadRecord@SdrView@binfilter@@MAEE. | 1 |
| ?ModelHasChanged@SdrObjEditView@binfi | 1 |
| ?ClearPageViews@SdrMarkView@binfilter@ | 1 |
| ?ClearHideViews@SdrPaintView@binfilter@ | 1 |
| ?ClearAll@SdrPaintView@binfilter@@UAEX | 1 |
| ?Clear@SdrPaintView@binfilter@@UAEXXZ | 1 |
| ?IsAction@SdrCreateView@binfilter@@UBF | 1 |
| ?BrkAction@SdrCreateView@binfilter@@U. | 1 |
| ?SetError@SfxObjectShell@binfilter@@QAE | 1 |
| ?getURL@SfxBaseModel@binfilter@@UAA? | 1 |
| ?HidePage@SdrMarkView@binfilter@@UAI | 1 |
| ?HideAllPages@SdrPaintView@binfilter@@ | 1 |
| ?AddWin@SdrPaintView@binfilter@@UAE> | 1 |
| ?DelWin@SdrObjEditView@binfilter@@UAI | 1 |
| ?InitRedraw@SdrPaintView@binfilter@@U, | 1 |
| ?InvalidateOneWin@SdrPaintView@binfilte | 1 |

| | |
|--|---|
| ?InvalidateOneWin@SdrPaintView@binfilte | 1 |
| ?onChangeColorConfig@SdrPaintView@binf | 1 |
| ?SetMarkHandles@SdrMarkView@binfilter@ | 1 |
| ?SetMarkRects@SdrMarkView@binfilter@@@ | 1 |
| ?CheckMarked@SdrMarkView@binfilter@@@ | 1 |
| ?AddDragModeHdl@SdrMarkView@binfilte | 1 |
| ?AddCustomHdl@SdrMarkView@binfilter@ | 1 |
| ?IsObjMarkable@SdrMarkView@binfilter@@(| 1 |
| ?ShowMarkHdl@SdrMarkView@binfilter@@(| 1 |
| ?HideMarkHdl@SdrMarkView@binfilter@@@ | 1 |
| ?MarkListHasChanged@SdrEditView@binfilt | 1 |
| ?CheckPossibilities@SdrEditView@binfilter@ | 1 |
| ?GetMarkedObjMetaFile@SdrExchangeView | 1 |
| ?DeleteMarked@SdrView@binfilter@@UAE | 1 |
| ?onAccessibilityOptionsChanged@SdrView@ | 1 |
| ??6binfilter@@YAAAVSvStream@@AAV1@ | 1 |
| ??6binfilter@@YAAAVSvStream@@AAV1@ | 1 |
| ??5binfilter@@YAAAVSvStream@@AAV1@ | 1 |
| ??5binfilter@@YAAAVSvStream@@AAV1@ | 1 |
| ?SetSolidMarkHdl@SdrMarkView@binfilter(| 1 |
| ?SetMasterPagePaintCaching@SdrPaintView | 1 |
| ?SetNoDragXorPolys@SdrDragView@binfilt | 1 |
| ?SetPlusHandlesAlwaysVisible@SdrMarkVie | 1 |
| ?SetDragStripes@SdrDragView@binfilter@@(| 1 |
| ?PutValue@SetOfByte@binfilter@@QAEXAI | 1 |
| ?SetDesignMode@SdrMarkView@binfilter@ | 1 |
| ?IsReadOnly@SfxObjectShell@binfilter@@C | 1 |
| ?OpenInDesignModelsDefaulted@FmFormN | 1 |
| ??OSdrView@binfilter@@QAE@PAVSdrMoc | 1 |
| ?QueryValue@SetOfByte@binfilter@@QBE | 1 |
| ??OSvxNumberFormat@binfilter@@QAE@A | 1 |
| ?GetLevel@SvxNumRule@binfilter@@QBE | 1 |
| ?GetPersistName@SdrOle2Obj@binfilter@@(| 1 |
| ?StaticType@SdrOle2Obj@binfilter@@SAP@ | 1 |
| ?supportsService@SvxDrawPage@binfilter@ | 1 |
| ?getCount@SvxDrawPage@binfilter@@UA | 1 |
| ?getByIndex@SvxDrawPage@binfilter@@U | 1 |
| ?getElementType@SvxDrawPage@binfilter@ | 1 |
| ?hasElements@SvxDrawPage@binfilter@@I | 1 |
| ?add@SvxDrawPage@binfilter@@UAAXABV | 1 |
| ??1SvxFmDrawPage@binfilter@@UAE@XZ | 1 |
| ?queryAggregation@SvxFmDrawPage@binfi | 1 |
| ?getImplementationId@SvxFmDrawPage@t | 1 |
| ?remove@SvxDrawPage@binfilter@@UAA | 1 |
| ?group@SvxDrawPage@binfilter@@UAA?A | 1 |
| ?ungroup@SvxDrawPage@binfilter@@UAA | 1 |
| ?getImplementationName@SvxDrawPage@ | 1 |

| | |
|--|---|
| ?Notify@SvxDrawPage@binfilter@@UAEXA | 1 |
| ?getForms@SvxFmDrawPage@binfilter@@I | 1 |
| ??0SvxFmDrawPage@binfilter@@QAE@PAV | 1 |
| ?_CreateSdrObject@SvxFmDrawPage@binfi | 1 |
| ?_CreateShape@SvxFmDrawPage@binfilter | 1 |
| ??0SvxShapeText@binfilter@@QAE@PAVSc | 1 |
| ?GetBackgroundColor@SdrPage@binfilter@ | 1 |
| ?addToSequence@SvxServiceInfoHelper@bi | 1 |
| ?getSupportedServiceNames@SvxFmDrawP | 1 |
| ?getSomething@SvxDrawPage@binfilter@C | 1 |
| ?SendRepaintBroadcast@SdrPage@binfilter | 1 |
| ?SetBackgroundObj@SdrPage@binfilter@@ | 1 |
| ?getUnoModel@SdrModel@binfilter@@QA | 1 |
| ?getUnoShape@SdrObject@binfilter@@QA | 1 |
| ?SetOptions@sfxPrinter@binfilter@@QAEX | 1 |
| ?SetKernAsianPunctuation@Outliner@binfil | 1 |
| ?SetKernAsianPunctuation@SdrModel@binf | 1 |
| ?SetAsianCompressionMode@Outliner@bin | 1 |
| ?SetCharCompressType@SdrModel@binfilte | 1 |
| ??0SfxPrinter@binfilter@@QAE@PAVSfxIt | 1 |
| ?SetUIScale@SdrModel@binfilter@@QAEXI | 1 |
| ?SetUIUnit@sdrModel@binfilter@@QAEXW | 1 |
| ?SvxMeasureUnitToFieldUnit@binfilter@@Y | 1 |
| ?SetUseUserData@sfxDocumentInfo@binfil | 1 |
| ?IsUseUserData@sfxDocumentInfo@binfilte | 1 |
| ?GetDocInfo@sfxObjectShell@binfilter@@C | 1 |
| ??0XBitmapList@binfilter@@QAE@ABVStri | 1 |
| ??0XGradientList@binfilter@@QAE@ABVSt | 1 |
| ??0XHatchList@binfilter@@QAE@ABVString | 1 |
| ??0XLineEndList@binfilter@@QAE@ABVStri | 1 |
| ?SetName@XPropertyList@binfilter@@QAE | 1 |
| ??0XDashList@binfilter@@QAE@ABVString | 1 |
| ?SetName@XPropertyTable@binfilter@@Q | 1 |
| ??0XColorTable@binfilter@@QAE@ABVStri | 1 |
| ?SvxFieldUnitToMeasureUnit@binfilter@@Y | 1 |
| ?Type@sdrObjUserData@binfilter@@UBEP | 1 |
| ?IsA@sdrObjUserData@binfilter@@UBEEP6 | 1 |
| ?WriteData@sdrObjUserData@binfilter@@ | 1 |
| ?ReadData@sdrObjUserData@binfilter@@I | 1 |
| ?AfterRead@sdrObjUserData@binfilter@@I | 1 |
| ?HasMacro@sdrObjUserData@binfilter@@I | 1 |
| ??1SdrObjUserData@binfilter@@UAE@XZ | 1 |
| ?setMaster@SvxShape@binfilter@@QAEXP | 1 |
| ?queryAggregation@SvxShape@binfilter@@C | 1 |
| ?_getPropertyState@SvxShape@binfilter@C | 1 |
| ?_setPropertyToDefault@SvxShape@binfilte | 1 |
| ?InsertUserData@sdrObject@binfilter@@Q | 1 |

| | |
|---|---|
| ?GetEditOutlinerParaObject@SdrTextObj@b | 1 |
| ?Insert@Outliner@binfilter@@QAEPAVPara | 1 |
| ?IsVertical@Outliner@binfilter@@QBEEHZ | 1 |
| ?GetStyleSheetPool@Outliner@binfilter@@ | 1 |
| ?SetGraphic@SdrOle2Obj@binfilter@@QAE | 1 |
| ?SetGraphic@SdrGrafObj@binfilter@@QAE | 1 |
| ?IsVertical@OutlinerParaObject@binfilter@ | 1 |
| ?_getPropertyDefault@SvxShape@binfilter@ | 1 |
| ?getShapeKind@SvxShape@binfilter@@QB | 1 |
| ?_getSupportedServiceNames@SvxShape@I | 1 |
| ?_setPropertyValue@SvxShape@binfilter@() | 1 |
| ?StaticType@SdrPathObj@binfilter@@SAP6 | 1 |
| ?GetSdrObjectFromXShape@binfilter@@YA | 1 |
| ?_getPropertyValue@SvxShape@binfilter@() | 1 |
| ?_getTypes@SvxShape@binfilter@@QAA?A | 1 |
| ?_getPropertySetInfo@SvxShape@binfilter@ | 1 |
| ??1SvxUnoDrawPool@binfilter@@UAE@XZ | 1 |
| ??0SvxUnoDrawPool@binfilter@@QAE@PA | 1 |
| ?queryInterface@SvxUnoDrawPool@binfilte | 1 |
| ?acquire@SvxUnoDrawPool@binfilter@@U | 1 |
| ?release@SvxUnoDrawPool@binfilter@@U, | 1 |
| ?getModelPool@SvxUnoDrawPool@binfilter@ | 1 |
| ?getAny@SvxUnoDrawPool@binfilter@@M | 1 |
| ?queryAggregation@SvxUnoDrawPool@binf | 1 |
| ?getImplementationName@SvxUnoDrawPo | 1 |
| ?supportsService@SvxUnoDrawPool@binfilt | 1 |
| ?getSupportedServiceNames@SvxUnoDrawI | 1 |
| ?getTypes@SvxUnoDrawPool@binfilter@@ | 1 |
| ?getImplementationId@SvxUnoDrawPool@ | 1 |
| ?_setPropertyValues@SvxUnoDrawPool@bi | 1 |
| ?_getPropertyValues@SvxUnoDrawPool@bi | 1 |
| ?_getPropertyStates@SvxUnoDrawPool@bi | 1 |
| ?_setPropertyToDefault@SvxUnoDrawPool@ | 1 |
| ?_getPropertyDefault@SvxUnoDrawPool@b | 1 |
| ?putAny@SvxUnoDrawPool@binfilter@@M | 1 |
| ?GetUsrAnyForID@SvxItemPropertySet@bir | 1 |
| ?setPropertyValue@SvxItemPropertySet@bi | 1 |
| ?setPropertyValue@SvxItemPropertySet@bi | 1 |
| ?SetFillAttribute@SvxShape@binfilter@@S/ | 1 |
| ??0XFillBmpTileItem@binfilter@@QAE@E@ | 1 |
| ??0XFillBmpStretchItem@binfilter@@QAE@ | 1 |
| ?getPropertyValue@SvxItemPropertySet@b | 1 |
| ?getPropertyValue@SvxItemPropertySet@b | 1 |
| ?GetLayer@SdrLayerAdmin@binfilter@@QF | 1 |
| ?GetLayerPerID@SdrLayerAdmin@binfilter@ | 1 |
| ?WriteData@FmFormPage@binfilter@@UB | 1 |
| ?RecalcObjOrdNums@SdrObjList@binfilter@ | 1 |

| | |
|--|---|
| ?ReadData@FmFormPage@binfilter@@UAI | 1 |
| ?SetModel@FmFormPage@binfilter@@UAI | 1 |
| ??0SdrPage@binfilter@@QAE@ABV01@@Z | 1 |
| ?Type@FmFormPage@binfilter@@UBEP6AI | 1 |
| ?IsA@FmFormPage@binfilter@@UBEEP6AF | 1 |
| ?createUnoPage@SdrPage@binfilter@@MA | 1 |
| ?SetOrientation@SdrPage@binfilter@@UAI | 1 |
| ?GetLayoutName@SdrPage@binfilter@@UI | 1 |
| ?GetTextStyleSheetForObject@SdrPage@bir | 1 |
| ?Clone@FmFormPage@binfilter@@UBEPA\ | 1 |
| ??1SvXMLAttrContainerItem@binfilter@@U | 1 |
| ?PutValue@SvXMLAttrContainerItem@binfi | 1 |
| ??0SvXMLAttrContainerItem@binfilter@@C | 1 |
| ?QueryValue@SvXMLAttrContainerItem@bi | 1 |
| ?StaticType@SdrAttrObj@binfilter@@SAP6, | 1 |
| ??1SdrObjSurrogate@binfilter@@QAE@XZ | 1 |
| ??6binfilter@@YAAAVSvStream@@AAV1@ | 1 |
| ??0SdrObjSurrogate@binfilter@@QAE@PA\ | 1 |
| ??0SdrObjSurrogate@binfilter@@QAE@AB\ | 1 |
| ?GetObject@SdrObjSurrogate@binfilter@@ | 1 |
| ?SetPropertyValueHelper@SvxUnoTextRang | 1 |
| ?GetPropertyValueHelper@SvxUnoTextRang | 1 |
| ?Save@SfxInPlaceObject@binfilter@@MAE\ | 1 |
| ??0SfxMedium@binfilter@@QAE@PAVSvSt | 1 |
| ?attachResource@sfxBaseModel@binfilter@ | 1 |
| ?removeEventListener@sfxBaseModel@bin | 1 |
| ?addEventListener@sfxBaseModel@binfilte | 1 |
| ?getEvents@sfxBaseModel@binfilter@@UA | 1 |
| ?disposing@sfxBaseModel@binfilter@@UA | 1 |
| ?removeEventListener@sfxBaseModel@bin | 1 |
| ?addEventListener@sfxBaseModel@binfilte | 1 |
| ?getDocumentInfo@sfxBaseModel@binfilte | 1 |
| ?setParent@sfxBaseModel@binfilter@@UA | 1 |
| ?getParent@sfxBaseModel@binfilter@@UA | 1 |
| ??0SfxBaseModel@binfilter@@QAE@PAVSI | 1 |
| ??0SvxItemPropertySet@binfilter@@QAE@ | 1 |
| ??1SfxBaseModel@binfilter@@UAE@XZ | 1 |
| ??1SvxItemPropertySet@binfilter@@QAE@ | 1 |
| ?getPropertyMapEntry@svxItemPropertySe | 1 |
| ?SetOpenInDesignMode@FmFormModel@k | 1 |
| ?SetAutoControlFocus@FmFormModel@bin | 1 |
| ?SvxLocaleToLanguage@binfilter@@YAGAB | 1 |
| ?hasEventListeners@sfxBaseModel@binfilte | 1 |
| ?createEvent@svxUnoDrawMSFactory@bin\ | 1 |
| ?notifyEvent@sfxBaseModel@binfilter@@C | 1 |
| ?Notify@sfxBaseModel@binfilter@@UAEX\ | 1 |
| ?SvxCreateNumRuleCompare@binfilter@@' | 1 |

| | |
|--|---|
| ?getPropertySetInfo@SvxItemPropertySet@ | 1 |
| ?setLock@SdrModel@binfilter@@QAEXE@: | 1 |
| ?GetLayerID@SdrLayerAdmin@binfilter@@ | 1 |
| ?GetForbiddenCharsTable@SdrModel@binfi | 1 |
| ??OSvxUnoForbiddenCharsTable@binfilter@ | 1 |
| ?createInstance@SvxFmMSFactory@binfilte | 1 |
| ?getAvailableServiceNames@SvxUnoDrawN | 1 |
| ?createInstanceWithArguments@SvxUnoDrw | 1 |
| ?createInstance@SvxUnoDrawMSFactory@binfil | 1 |
| ?dispose@SfxBaseModel@binfilter@@UAA | 1 |
| ?StaticType@SdrRectObj@binfilter@@SAP6 | 1 |
| ?release@SfxBaseModel@binfilter@@UAA) | 1 |
| ?acquire@SfxBaseModel@binfilter@@UAA) | 1 |
| ?StaticType@SdrHint@binfilter@@SAP6AP@ | 1 |
| ?hasLocale@SvxUnoForbiddenCharsTable@ | 1 |
| ?getLocales@SvxUnoForbiddenCharsTable@ | 1 |
| ?removeForbiddenCharacters@SvxUnoForbi | 1 |
| ?setForbiddenCharacters@SvxUnoForbidde | 1 |
| ?hasForbiddenCharacters@SvxUnoForbidde | 1 |
| ?getForbiddenCharacters@SvxUnoForbidde | 1 |
| ??1SvxUnoForbiddenCharsTable@binfilter@ | 1 |
| ?ReformatAllTextObjects@SdrModel@binfil | 1 |
| ?IsLayer@SdrPageView@binfilter@@IBEHA | 1 |
| ?ChangeStyleSheets@OutlinerParaObject@I | 1 |
| ?SetName@SdrLayer@binfilter@@QAEXAB' | 1 |
| ??0XPolygon@binfilter@@QAE@GG@Z | 1 |
| ?RGB_Color@binfilter@@YA?AVColor@@K | 1 |
| ??0XDash@binfilter@@QAE@W4XDashStyl | 1 |
| ??0XGradient@binfilter@@QAE@ABVColor | 1 |
| ??0XHatch@binfilter@@QAE@ABVColor@C | 1 |
| ??0XLineStyleItem@binfilter@@QAE@W4X | 1 |
| ??0XLineColorItem@binfilter@@QAE@ABV | 1 |
| ??0XLineWidthItem@binfilter@@QAE@J@Z | 1 |
| ??0XLineDashItem@binfilter@@QAE@PAVS | 1 |
| ??0XLineStartItem@binfilter@@QAE@PAVS | 1 |
| ??0XLineEndItem@binfilter@@QAE@PAVSf | 1 |
| ??0XLineStartWidthItem@binfilter@@QAE@C | 1 |
| ??0XLineEndWidthItem@binfilter@@QAE@C | 1 |
| ??0XLineStartCenterItem@binfilter@@QAE@ | 1 |
| ??0XLineEndCenterItem@binfilter@@QAE@C | 1 |
| ??0XFillStyleItem@binfilter@@QAE@W4XF | 1 |
| ??0XFillColorItem@binfilter@@QAE@ABVS | 1 |
| ??0XFillGradientItem@binfilter@@QAE@PA | 1 |
| ??0XFillHatchItem@binfilter@@QAE@PAVS | 1 |
| ??0XOBitmap@binfilter@@QAE@ABVBitma | 1 |
| ??0XFillBitmapItem@binfilter@@QAE@PAV | 1 |
| ??OSvxFontItem@binfilter@@QAE@W4Fon | 1 |

| | |
|---|---|
| ??OSvxFontHeightItem@binfilter@@QAE@I | 1 |
| ??OSvxWeightItem@binfilter@@QAE@W4F | 1 |
| ??OSvxPostureItem@binfilter@@QAE@W4F | 1 |
| ??OSvxContourItem@binfilter@@QAE@EGC | 1 |
| ??OSvxShadowedItem@binfilter@@QAE@E | 1 |
| ??OSvxUnderlineItem@binfilter@@QAE@W | 1 |
| ??OSvxCrossedOutItem@binfilter@@QAE@' | 1 |
| ??OSvxEmphasisMarkItem@binfilter@@QAE@ | 1 |
| ??OSvxCharReliefItem@binfilter@@QAE@W | 1 |
| ??OSvxColorItem@binfilter@@QAE@ABVCc | 1 |
| ??1SvxColorItem@binfilter@@UAE@XZ | 1 |
| ??OSvxLRSpaceItem@binfilter@@QAE@G@ | 1 |
| ??OSvxULSpaceItem@binfilter@@QAE@G@ | 1 |
| ??OSvxLineSpacingItem@binfilter@@QAE@ | 1 |
| ??AXPolygon@binfilter@@QAEAAVPoint@() | 1 |
| ??OXLineStartItem@binfilter@@QAE@ABVS | 1 |
| ??OSvxAdjustItem@binfilter@@QAE@W4Sv | 1 |
| ??OSvxNumBulletItem@binfilter@@QAE@A | 1 |
| ?ImportBulletItem@EditEngine@binfilter@() | 1 |
| ??OSvxLRSpaceItem@binfilter@@QAE@JJF | 1 |
| ??OSvxULSpaceItem@binfilter@@QAE@GG | 1 |
| ??OXLineEndItem@binfilter@@QAE@ABVSt | 1 |
| ??OSvxBulletItem@binfilter@@QAE@G@Z | 1 |
| ??OSvxNumberFormat@binfilter@@QAE@F | 1 |
| ?SetBulletFont@SvxNumberFormat@binfilter | 1 |
| ??OSvxNumRule@binfilter@@QAE@KGEW4 | 1 |
| ?SetLevel@SvxNumRule@binfilter@@QAE@X | 1 |
| ??OSvxNumBulletItem@binfilter@@QAE@A | 1 |
| ??1SvxNumBulletItem@binfilter@@UAE@X | 1 |
| ??1SvxNumRule@binfilter@@UAE@XZ | 1 |
| ??1SvxNumberFormat@binfilter@@QAE@X | 1 |
| ??1SvxBulletItem@binfilter@@UAE@XZ | 1 |
| ?CreateRomanString@SvxNumberFormat@I | 1 |
| ??1XPolygon@binfilter@@QAE@XZ | 1 |
| ??1XOBitmap@binfilter@@QAE@XZ | 1 |
| ?Clone@XColorItem@binfilter@@UBEPAVS | 1 |
| ?Store@XColorItem@binfilter@@UBEAAVS | 1 |
| ?Create@XColorItem@binfilter@@UBEPAV | 1 |
| ?PutValue@XColorItem@binfilter@@UAEEA | 1 |
| ?QueryValue@XColorItem@binfilter@@UBI | 1 |
| ??8XColorItem@binfilter@@UBEHABVSfxPc | 1 |
| ?IsA@XColorItem@binfilter@@UBEEP6APA | 1 |
| ?Type@XColorItem@binfilter@@UBEP6APA | 1 |
| ??0XColorItem@binfilter@@QAE@GABVStr | 1 |
| ?Store@NameOrIndex@binfilter@@UBEAAV | 1 |
| ??8NameOrIndex@binfilter@@UBEHABVSf | 1 |
| ?IsA@NameOrIndex@binfilter@@UBEPP6A | 1 |

| | |
|--|---|
| ?Type@NameOrIndex@binfilter@@UBEP6A | 1 |
| ?Clone@sdrOnOffItem@binfilter@@UBEPA | 1 |
| ?Create@sdrOnOffItem@binfilter@@UBEP/ | 1 |
| ?IsA@sdrOnOffItem@binfilter@@UBEEP6A | 1 |
| ?Type@sdrOnOffItem@binfilter@@UBEP6A | 1 |
| ?Clone@sdrMetricItem@binfilter@@UBEPA/ | 1 |
| ?Create@sdrMetricItem@binfilter@@UBEP | 1 |
| ?IsA@sdrMetricItem@binfilter@@UBEERP6A | 1 |
| ?Type@sdrMetricItem@binfilter@@UBEPEP6/ | 1 |
| ?AdjustLeft@SvxLRSpaceItem@binfilter@@ | 1 |
| ?Create@SvXMLGraphicHelper@binfilter@() | 1 |
| ?Create@SvXMLEmbeddedObjectHelper@b | 1 |
| ?Destroy@SvXMLGraphicHelper@binfilter@ | 1 |
| ?Destroy@SvXMLEmbeddedObjectHelper@l | 1 |
| ?GetStorage@sfxMedium@binfilter@@QAEE | 1 |
| ?GetOutputStorage@sfxMedium@binfilter@C | 1 |
| ?PreSave@sdrModel@binfilter@@QAEXXZ | 1 |
| ?PostSave@sdrModel@binfilter@@QAEXXZ | 1 |
| ?SetText@Outliner@binfilter@@QAEXABC | 1 |
| ?GetParagraphCount@Outliner@binfilter@() | 1 |
| ?GetStyleSheet@Outliner@binfilter@@QAE | 1 |
| ?GetParaAttribs@Outliner@binfilter@@QAI | 1 |
| ?SetStyleSheet@Outliner@binfilter@@QAE | 1 |
| ?SetParaAttribs@Outliner@binfilter@@QAE | 1 |
| ?CreateParaObject@Outliner@binfilter@() | 1 |
| ?checkForUniqueItem@XFillGradientItem@l | 1 |
| ?checkForUniqueItem@XFillBitmapItem@bi | 1 |
| ?checkForUniqueItem@XLineDashItem@bin | 1 |
| ?checkForUniqueItem@XLineStartItem@bin | 1 |
| ?checkForUniqueItem@XLineEndItem@binf | 1 |
| ?checkForUniqueItem@XFillFloatTransparen | 1 |
| ?checkForUniqueItem@XFillHatchItem@bin | 1 |
| ?HasEditText@sdrTextObj@binfilter@@QBFI | 1 |
| ?OSfxProgress@binfilter@@QAE@PAVSfxC | 1 |
| ?OFmFormModel@binfilter@@QAE@ABVS | 1 |
| ?SetObjectShell@FmFormModel@binfilter@ | 1 |
| ?SetSwapGraphics@sdrModel@binfilter@() | 1 |
| ?SetUIUnit@sdrModel@binfilter@@QAEXW | 1 |
| ?SetScaleUnit@sdrModel@binfilter@@QAE | 1 |
| ?SetScaleFraction@sdrModel@binfilter@() | 1 |
| ?SetDefaultFontHeight@sdrModel@binfilter | 1 |
| ?SetDefaultTabulator@sdrModel@binfilter@ | 1 |
| ?OSvxLinkManager@binfilter@@QAE@PAV | 1 |
| ?GetEmptyItemSet@Outliner@binfilter@() | 1 |
| ?NewLayer@sdrLayerAdmin@binfilter@@C | 1 |
| ?GetModel@sfxObjectShell@binfilter@@Q | 1 |
| ?GetMasterPage@sdrPage@binfilter@@QB | 1 |

| | |
|---|---|
| ?GetOrdNum@SdrObject@binfilter@@QBE | 1 |
| ?GetControlWord@Outliner@binfilter@@Q | 1 |
| ?SetControlWord@Outliner@binfilter@@Q | 1 |
| ??0SdrObjListIter@binfilter@@QAE@ABVSc | 1 |
| ?GetOutlinerMode@OutlinerParaObject@bi | 1 |
| ?SetOutlinerMode@OutlinerParaObject@bi | 1 |
| ?FinishLoad@OutlinerParaObject@binfilter@ | 1 |
| ?StaticType@SdrTextObj@binfilter@@SAP6 | 1 |
| ?Clear@Outliner@binfilter@@QAEXXZ | 1 |
| ??5binfilter@@YAAAVSvStream@@AAV1@ | 1 |
| ?GetControlExportLayerId@FmFormModel@ | 1 |
| ?MovePage@FmFormModel@binfilter@@L | 1 |
| ?AfterRead@SdrModel@binfilter@@UAEXX | 1 |
| ?ReadData@FmFormModel@binfilter@@U, | 1 |
| ?WriteData@FmFormModel@binfilter@@U | 1 |
| ?SetReadOnly@SdrModel@binfilter@@UAE | 1 |
| ?IsReadOnly@SdrModel@binfilter@@UBEH | 1 |
| ?MoveMasterPage@SdrModel@binfilter@C | 1 |
| ?RemoveMasterPage@FmFormModel@binf | 1 |
| ?DeleteMasterPage@SdrModel@binfilter@ | 1 |
| ?InsertMasterPage@FmFormModel@binfilt | 1 |
| ?AllocModel@SdrModel@binfilter@@UBEP | 1 |
| ?Clear@SdrModel@binfilter@@QAEXXZ | 1 |
| ??1FmFormModel@binfilter@@UAE@XZ | 1 |
| ?SetUpdateMode@Outliner@binfilter@@Q | 1 |
| ?EnableUndo@Outliner@binfilter@@QAEXI | 1 |
| ?SetDefTab@Outliner@binfilter@@QAEXG(| 1 |
| ?SetStyleSheetPool@Outliner@binfilter@@ | 1 |
| ?SetMinDepth@Outliner@binfilter@@QAE | 1 |
| ?SetChanged@SdrModel@binfilter@@UAE) | 1 |
| ??6binfilter@@YAAAVSvStream@@AAV1@ | 1 |
| ?Store@SfxPrinter@binfilter@@QBAAVSv | 1 |
| ?IsOf@FmFormModel@binfilter@@SAEP6A | 1 |
| ?Write@SdrDownCompat@binfilter@@MA | 1 |
| ?Read@SdrDownCompat@binfilter@@MAE | 1 |
| ??1SdrDownCompat@binfilter@@QAE@XZ | 1 |
| ?IsA@SdrHint@binfilter@@UBEEP6APAXXZ | 1 |
| ?Type@SdrHint@binfilter@@UBEP6APAXXZ | 1 |
| ?GetDrawOutliner@SdrModel@binfilter@@ | 1 |
| ?SetDefaultLanguage@Outliner@binfilter@ | 1 |
| ??0SvxLanguageItem@binfilter@@QAE@GC | 1 |
| ?GetPageNum@SdrPage@binfilter@@QBEC | 1 |
| ?RemovePage@FmFormModel@binfilter@() | 1 |
| ?DeletePage@SdrModel@binfilter@@UAEX | 1 |
| ?InsertPage@FmFormModel@binfilter@@L | 1 |
| ?SendRepaintBroadcast@SdrObject@binfilte | 1 |
| ?SetInserted@SdrPage@binfilter@@QAEXH | 1 |

| | |
|--|---|
| ?RecalcPageNums@SdrModel@binfilter@@ | 1 |
| ?GetUserDataCount@SdrObject@binfilter@ | 1 |
| ?GetUserData@SdrObject@binfilter@@QBF | 1 |
| ??1SvxOptionsGrid@binfilter@@QAE@XZ | 1 |
| ??0SvxOptionsGrid@binfilter@@QAE@XZ | 1 |
| ?Current@SfxObjectShell@binfilter@@SAP/ | 1 |
| ?CreateResManager@SfxApplication@binfil | 1 |
| ?IsOf@SfxModule@binfilter@@SAEP6APAX | 1 |
| ??1SfxModule@binfilter@@UAE@XZ | 1 |
| ?GetResMgr@SfxModule@binfilter@@UAEI | 1 |
| ?Free@SfxModule@binfilter@@UAEXXZ | 1 |
| ?QueryUnload@SfxModule@binfilter@@M. | 1 |
| ??0SfxModule@binfilter@@QAA@PAVResN | 1 |
| ?GetModuleFieldUnit@binfilter@@YA?AW4 | 1 |
| ?GetOrCreate@SfxApplication@binfilter@@ | 1 |
| ?Cast@SfxInPlaceObject@binfilter@@UAEP | 1 |
| ??0SfxObjectFactory@binfilter@@QAE@AB | 1 |
| ?ClassFactory@SfxInPlaceObject@binfilter@ | 1 |
| ??0SfxObjectShell@binfilter@@IAE@W4Sfx | 1 |
| ??0SfxInPlaceObject@binfilter@@QAE@XZ | 1 |
| ?SetShell@SfxInPlaceObject@binfilter@@IA | 1 |
| ?SetModel@SfxObjectShell@binfilter@@QA | 1 |
| ?Load@SfxInPlaceObject@binfilter@@MAE | 1 |
| ?GetAllObjBoundRect@SdrObjList@binfilter | 1 |
| ?FinishedLoading@SfxObjectShell@binfilter | 1 |
| ??0SfxPrinter@binfilter@@QAE@PAVSfxIt | 1 |
| ?SetModified@SfxInPlaceObject@binfilter@ | 1 |
| ??0SvxColorTableItem@binfilter@@QAE@P | 1 |
| ?PutItem@SfxShell@binfilter@@QAEXABVS | 1 |
| ??0SvxGradientListItem@binfilter@@QAE@ | 1 |
| ??0SvxHatchListItem@binfilter@@QAE@PA | 1 |
| ??0SvxBitmapListItem@binfilter@@QAE@P | 1 |
| ??0SvxDashListItem@binfilter@@QAE@PA\ | 1 |
| ??0SvxLineEndListItem@binfilter@@QAE@F | 1 |
| ?TestObjRef@SfxInPlaceObject@binfilter@C | 1 |
| ?DoSaveCompleted@SfxObjectShell@binfilt | 1 |
| ?DoHandsOff@SfxObjectShell@binfilter@@ | 1 |
| ?DoSave@SfxObjectShell@binfilter@@UAEI | 1 |
| ?GetInterface@SfxInPlaceObject@binfilter@ | 1 |
| ?TestInvariant@SfxInPlaceObject@binfilter@ | 1 |
| ?DoLoad@SfxObjectShell@binfilter@@UAEI | 1 |
| ?DoLoad@SfxObjectShell@binfilter@@UAEI | 1 |
| ?DoSaveAs@SfxObjectShell@binfilter@@U/ | 1 |
| ?Create@SfxPrinter@binfilter@@SAPAV12(| 1 |
| ?FillClass@SfxInPlaceObject@binfilter@@M | 1 |
| ?GetItemSet@SfxMedium@binfilter@@QBF | 1 |
| ?SaveAsOwnFormat@SfxObjectShell@binfilt | 1 |

| | |
|--|---|
| ?HandsOff@SfxInPlaceObject@binfilter@@I | 1 |
| ?SaveCompleted@SfxInPlaceObject@binfilter@@I | 1 |
| ?SaveAs@SfxInPlaceObject@binfilter@@MAE | 1 |
| ?ShowPage@SdrPaintView@binfilter@@UA | 1 |
| ?GetError@SfxObjectShell@binfilter@@QBI | 1 |
| ?UpdateDocInfoForSave@SfxObjectShell@b | 1 |
| ??1SfxMedium@binfilter@@UAE@XZ | 1 |
| ?InitNew@SfxInPlaceObject@binfilter@@M | 1 |
| ?SetRefDevice@SdrModel@binfilter@@QAI | 1 |
| ?SetRefDevice@Outliner@binfilter@@QAE | 1 |
| ?SetVisArea@SfxInPlaceObject@binfilter@@C | 1 |
| ?Verb@SfxInPlaceObject@binfilter@@MAE | 1 |
| ?InPlaceActivate@SfxInPlaceObject@binfilte | 1 |
| ?DocumentNameChanged@SfxInPlaceObjec | 1 |
| ?Embed@SfxInPlaceObject@binfilter@@MA | 1 |
| ?Open@SfxInPlaceObject@binfilter@@MAE | 1 |
| ?Verb@SfxInPlaceObject@binfilter@@MAE | 1 |
| ?GetEventNames@SfxObjectShell@binfilter@ | 1 |
| ?GetObjectShell@SfxObjectShell@binfilter@ | 1 |
| ?LoadStyles@SfxObjectShell@binfilter@@U | 1 |
| ?GetContent@SfxObjectShell@binfilter@@I | 1 |
| ?GetContent@SfxObjectShell@binfilter@@I | 1 |
| ?GetContentCount@SfxObjectShell@binfilte | 1 |
| ?HasBasic@SfxObjectShell@binfilter@@UBI | 1 |
| ?DdeCreateLinkSource@SfxObjectShell@bin | 1 |
| ?DdeSetData@SfxObjectShell@binfilter@@I | 1 |
| ?DdeGetData@SfxObjectShell@binfilter@@@ | 1 |
| ?DdeExecute@SfxObjectShell@binfilter@@I | 1 |
| ?MemoryError@SfxObjectShell@binfilter@() | 1 |
| ?CancelTransfers@SfxObjectShell@binfilter(| 1 |
| ?GetPreviewMetaFile@SfxObjectShell@binf | 1 |
| ?PrepareReload@SfxObjectShell@binfilter@ | 1 |
| ?GetFirstPageSize@SfxObjectShell@binfilter | 1 |
| ?IsInformationLost@SfxObjectShell@binfilte | 1 |
| ?PrepareClose@SfxObjectShell@binfilter@@C | 1 |
| ?ViewAssigned@SfxObjectShell@binfilter@@I | 1 |
| ?LoadFrom@SfxObjectShell@binfilter@@U | 1 |
| ?QueryTitle@SfxObjectShell@binfilter@@U | 1 |
| ?ConvertTo@SfxObjectShell@binfilter@@U | 1 |
| ?ConvertFrom@SfxObjectShell@binfilter@@C | 1 |
| ?DoSaveCompleted@SfxObjectShell@binfilt | 1 |
| ?DoLoad@SfxObjectShell@binfilter@@UAEI | 1 |
| ?LoadOwnFormat@SfxObjectShell@binfilter | 1 |
| ?GetAPIName@SfxObjectShell@binfilter@@@ | 1 |
| ? Invalidate@SfxObjectShell@binfilter@@U@ | 1 |
| ??1SfxInPlaceObject@binfilter@@MAE@XZ | 1 |
| ??1SfxObjectShell@binfilter@@MAE@XZ | 1 |

| | |
|--|---|
| ?ModifyChanged@SfxObjectShell@binfilter(| 1 |
| ?Close@SfxObjectShell@binfilter@@MAEE | 1 |
| ?DoInitNew@SfxObjectShell@binfilter@@U | 1 |
| ?ToggleShownXor@SdrCreateView@binfilte | 1 |
| ?IsOf@SfxObjectShell@binfilter@@SAEP6AI | 1 |
| getLegacyProcessServiceFactory | 1 |
| ?Close@SvEmbeddedObject@binfilter@@NV | 1 |
| ?GetMiscStatus@SvEmbeddedObject@binfil | 1 |
| ?Connect@SvEmbeddedObject@binfilter@() | 1 |
| ?PlugIn@SvEmbeddedObject@binfilter@@I | 1 |
| ?Draw@SvEmbeddedObject@binfilter@@NV | 1 |
| ?SetData@SvEmbeddedObject@binfilter@C | 1 |
| ?OnDocumentPrinterChanged@SvEmbedde | 1 |
| ?GetViewAspect@SvEmbeddedObject@binf | 1 |
| ?TopWinActivate@SvInPlaceObject@binfilte | 1 |
| ?DocWinActivate@SvInPlaceObject@binfilte | 1 |
| ?UIActivate@SvInPlaceObject@binfilter@@ | 1 |
| ?MergePalette@SvInPlaceObject@binfilter@ | 1 |
| ?ReactivateAndUndo@SvInPlaceObject@bin | 1 |
| ?MakeUnknown@SvObject@binfilter@@MAE | 1 |
| ?SetVisArea@SvEmbeddedObject@binfilter(| 1 |
| ?GetVisArea@SvEmbeddedObject@binfilter | 1 |
| ?GetStorage@SvPersist@binfilter@@QBEP4 | 1 |
| ?SetVisArea@SvInPlaceObject@binfilter@@ | 1 |
| ?GetDocumentRefDev@SvEmbeddedObject | 1 |
| ?LoadContent@SvEmbeddedObject@binfilt | 1 |
| ?SaveContent@SvEmbeddedObject@binfilt | 1 |
| ??1SvObject@binfilter@@MAE@XZ | 1 |
| ??1SvPersist@binfilter@@MAE@XZ | 1 |
| ??0SvPersist@binfilter@@QAE@XZ | 1 |
| ??0SvObject@binfilter@@QAE@XZ | 1 |
| ?UpdateAllLinks@SvLinkManager@binfilter(| 1 |
| ?Remove@SvLinkManager@binfilter@@QA | 1 |
| ?OpenSotStream@SvStorage@binfilter@@C | 1 |
| ?GetVisArea@SvEmbeddedObject@binfilter | 1 |
| ?GetBaseUrl@StaticBaseUrl@binfilter@@Y | 1 |
| ?AbsToRel@StaticBaseUrl@binfilter@@YA? | 1 |
| ?SmartRelToAbs@StaticBaseUrl@binfilter@ | 1 |
| ?GetVerbList@SvPseudoObject@binfilter@() | 1 |
| ??4ImageMap@binfilter@@QAEAAV01@AE | 1 |
| ?Notify@SfxListener@binfilter@@UAEXAAV | 1 |
| ??0ImageMap@binfilter@@QAE@ABV01@ | 1 |
| ??1ImageMap@binfilter@@UAE@XZ | 1 |
| ?IsA@ImageMap@binfilter@@UBEEP6APA) | 1 |
| ?Type@ImageMap@binfilter@@UBEP6APA | 1 |
| ??0SfxStyleSheetPool@binfilter@@QAE@A/ | 1 |
| ?Create@SfxStyleSheetPool@binfilter@@M | 1 |

| | |
|---|---|
| ?SetParent@SfxStyleSheetBasePool@binfilter@@@ | 1 |
| ?Find@SfxStyleSheetBasePool@binfilter@@@ | 1 |
| ?Next@SfxStyleSheetBasePool@binfilter@@@ | 1 |
| ?First@SfxStyleSheetBasePool@binfilter@@@ | 1 |
| ?Clear@SfxStyleSheetBasePool@binfilter@@@ | 1 |
| ?Erase@SfxStyleSheetBasePool@binfilter@@@ | 1 |
| ?Insert@SfxStyleSheetBasePool@binfilter@@@ | 1 |
| ?Remove@SfxStyleSheetBasePool@binfilter@@@ | 1 |
| ?Replace@SfxStyleSheetBasePool@binfilter@@@ | 1 |
| ?Make@SfxStyleSheetBasePool@binfilter@@@ | 1 |
| ??ASfxStyleSheetBasePool@binfilter@@@UAI | 1 |
| ?Count@SfxStyleSheetBasePool@binfilter@@@ | 1 |
| ?CreateIterator@SfxStyleSheetBasePool@bi | 1 |
| ?Create@SfxStyleSheetBasePool@binfilter@@@ | 1 |
| ?IsA@SfxBroadcaster@binfilter@@@UBEEP6A | 1 |
| ?Type@SfxBroadcaster@binfilter@@@UBEP6 | 1 |
| ??1SfxStyleSheetBasePool@binfilter@@@UAE | 1 |
| ??0SfxItemSet@binfilter@@@QAE@AAVSfxIt | 1 |
| ?Put@SfxItemSet@binfilter@@@UAEHABV12 | 1 |
| ?ClearItem@SfxItemSet@binfilter@@@UAEG | 1 |
| ?Get@SfxItemSet@binfilter@@@UBEABVSfxF | 1 |
| ??0SfxItemSet@binfilter@@@QAE@AAVSfxIt | 1 |
| ?IsA@SfxEnumItem@binfilter@@@UBEEP6AF | 1 |
| ?Type@SfxEnumItem@binfilter@@@UBEP6A | 1 |
| ?SetEnumValue@CntEnumItem@binfilter@@@ | 1 |
| ?GetEnumValue@CntEnumItem@binfilter@@@ | 1 |
| ?Store@CntEnumItem@binfilter@@@UBEAA' | 1 |
| ?IsA@CntEnumItem@binfilter@@@UBEEP6AI | 1 |
| ?Type@CntEnumItem@binfilter@@@UBEP6A | 1 |
| ?SetBoolValue@SfxEnumItemInterface@bin | 1 |
| ?GetBoolValue@SfxEnumItemInterface@bir | 1 |
| ?HasBoolValue@SfxEnumItemInterface@bir | 1 |
| ?Enabled@SfxEnumItemInterface@binfilte | 1 |
| ?GetPosByValue@SfxEnumItemInterface@b | 1 |
| ?GetValueByPos@SfxEnumItemInterface@b | 1 |
| ?GetValueTextByPos@SfxEnumItemInterface@ | 1 |
| ?PutValue@SfxEnumItemInterface@binfilte | 1 |
| ?QueryValue@SfxEnumItemInterface@binfi | 1 |
| ?GetPresentation@SfxEnumItemInterface@ | 1 |
| ??8SfxEnumItemInterface@binfilter@@@UBE | 1 |
| ?IsA@SfxEnumItemInterface@binfilter@@@L | 1 |
| ?Type@SfxEnumItemInterface@binfilter@@@ | 1 |
| ?SvUnoImageMapRectangleObject_createIn | 1 |
| ?SvUnoImageMapCircleObject_createInstan | 1 |
| ?SvUnoImageMapPolygonObject_createInst | 1 |
| ?IsA@SfxListener@binfilter@@@UBEEP6APA | 1 |
| ?Type@SfxListener@binfilter@@@UBEP6APA | 1 |

| | |
|--|---|
| ?EndListening@SfxListener@binfilter@@QA | 1 |
| ??0SfxStyleSheetIterator@binfilter@@QAE@ | 1 |
| ?First@SfxStyleSheetIterator@binfilter@@L | 1 |
| ?Next@SfxStyleSheetIterator@binfilter@@I | 1 |
| ??1SfxStyleSheetIterator@binfilter@@UAE@ | 1 |
| ?GetPoolDefaultItem@SfxItemPool@binfilte | 1 |
| ?HasMetrics@SfxMetricItem@binfilter@@L | 1 |
| ?ScaleMetrics@SfxMetricItem@binfilter@@@ | 1 |
| ?IsA@SfxMetricItem@binfilter@@UBEPP6A | 1 |
| ?Type@SfxMetricItem@binfilter@@UBEPP6A | 1 |
| ?Clone@SfxStringItem@binfilter@@UBEPA\ | 1 |
| ?Create@SfxStringItem@binfilter@@UBEPA | 1 |
| ?Clone@CntUnencodedStringItem@binfilter | 1 |
| ?PutValue@CntUnencodedStringItem@binfi | 1 |
| ?QueryValue@CntUnencodedStringItem@bi | 1 |
| ?GetPresentation@CntUnencodedStringIten | 1 |
| ?Compare@CntUnencodedStringItem@binfi | 1 |
| ?Compare@CntUnencodedStringItem@binfi | 1 |
| ??8CntUnencodedStringItem@binfilter@@L | 1 |
| ?IsA@CntUnencodedStringItem@binfilter@ | 1 |
| ?Type@CntUnencodedStringItem@binfilter(| 1 |
| ?Clone@SfxInt32Item@binfilter@@UBEPAV | 1 |
| ?Create@SfxInt32Item@binfilter@@UBEPA\ | 1 |
| ?IsA@SfxInt32Item@binfilter@@UBEPP6AP | 1 |
| ?Type@SfxInt32Item@binfilter@@UBEPP6AF | 1 |
| ??1CntInt32Item@binfilter@@UAE@XZ | 1 |
| ?GetUnit@CntInt32Item@binfilter@@UBE? | 1 |
| ?GetMax@CntInt32Item@binfilter@@UBEJ | 1 |
| ?GetMin@CntInt32Item@binfilter@@UBEJ | 1 |
| ?Clone@CntInt32Item@binfilter@@UBEPA\ | 1 |
| ?Store@CntInt32Item@binfilter@@UBEAA\ | 1 |
| ?Create@CntInt32Item@binfilter@@UBEPA | 1 |
| ?PutValue@CntInt32Item@binfilter@@UAE | 1 |
| ?QueryValue@CntInt32Item@binfilter@@U | 1 |
| ?GetPresentation@CntInt32Item@binfilter(| 1 |
| ?Compare@CntInt32Item@binfilter@@UBE | 1 |
| ??8CntInt32Item@binfilter@@UBEHABVSfx | 1 |
| ?IsA@CntInt32Item@binfilter@@UBEPP6AF | 1 |
| ?Type@CntInt32Item@binfilter@@UBEPP6A\ | 1 |
| ?IsPrettyPrinting@SvtSaveOptions@binfilter | 1 |
| ?release@?\$_WeakImplHelper1@VXProperty | 1 |
| ?Write@ImageMap@binfilter@@QBEXAAV | 1 |
| ?Load@SfxStyleSheetBasePool@binfilter@C | 1 |
| ?SetFormatVersion@SfxItemPool@binfil | 1 |
| ?SetSearchMask@SfxStyleSheetBasePool@k | 1 |
| ?Store@SfxStyleSheetBasePool@binfilter@C | 1 |
| ?GetItem@SfxItemSet@binfilter@@QBEPB\ | 1 |

| | |
|---|---|
| ?GetPalettePath@SvtPathOptions@binfilter | 1 |
| ?SetDefaultMetric@SfxItemPool@binfilter@ | 1 |
| ?FreezeIdRanges@SfxItemPool@binfilter@() | 1 |
| ??0SvtLinguConfig@binfilter@@QAE@XZ | 1 |
| ??0SvtLinguOptions@binfilter@@QAE@XZ | 1 |
| ?GetOptions@SvtLinguConfig@binfilter@@@ | 1 |
| ??1SvtLinguConfig@binfilter@@UAE@XZ | 1 |
| ??0SfxItemSet@binfilter@@QAE@ABV01@ | 1 |
| ??1SfxItemSet@binfilter@@UAE@XZ | 1 |
| ?LoadCompleted@SfxItemPool@binfilter@() | 1 |
| ??0SvtSaveOptions@binfilter@@QAE@XZ | 1 |
| ?IsSaveDocView@SvtSaveOptions@binfilter | 1 |
| ??1SvtSaveOptions@binfilter@@UAE@XZ | 1 |
| ?GetItemCount@SfxItemPool@binfilter@@@ | 1 |
| ?GetItem@SfxItemPool@binfilter@@@QBEPE | 1 |
| ?IsA@SfxHint@binfilter@@UBEEP6APAXXZ(| 1 |
| ?Type@SfxHint@binfilter@@UBEP6APAXXZ | 1 |
| ?SetPoolDefaultItem@SfxItemPool@binfilte | 1 |
| ?Store@SfxPoolItem@binfilter@@UBEAAVS | 1 |
| ?Create@SfxPoolItem@binfilter@@UBEPAV | 1 |
| ?GetPresentation@SfxPoolItem@binfilter@ | 1 |
| ?IsA@SfxPoolItem@binfilter@@UBEEP6AP/ | 1 |
| ?Type@SfxPoolItem@binfilter@@@UBEP6AP. | 1 |
| ??0SvtSysLocale@binfilter@@QAE@XZ | 1 |
| ?GetLocaleDataPtr@SvtSysLocale@binfilter(| 1 |
| ??1SvtSysLocale@binfilter@@QAE@XZ | 1 |
| ?StaticType@SfxSimpleHint@binfilter@@SA | 1 |
| ??1SfxListener@binfilter@@UAE@XZ | 1 |
| ??0SfxListener@binfilter@@QAE@XZ | 1 |
| ?StartListening@SfxListener@binfilter@@Q | 1 |
| ??0SfxErrorHandler@binfilter@@QAE@GKK | 1 |
| ?Clone@SfxUInt16Item@binfilter@@@UBEP/ | 1 |
| ?Create@SfxUInt16Item@binfilter@@@UBEP | 1 |
| ?IsA@SfxUInt16Item@binfilter@@UBEEP6A | 1 |
| ?Type@SfxUInt16Item@binfilter@@@UBEP6/ | 1 |
| ??1CntUInt16Item@binfilter@@UAE@XZ | 1 |
| ?GetUnit@CntUInt16Item@binfilter@@@UBE | 1 |
| ?GetMax@CntUInt16Item@binfilter@@@UBE | 1 |
| ?GetMin@CntUInt16Item@binfilter@@@UBE | 1 |
| ?Clone@CntUInt16Item@binfilter@@@UBEP/ | 1 |
| ?Store@CntUInt16Item@binfilter@@UBEAV | 1 |
| ?Create@CntUInt16Item@binfilter@@@UBEF | 1 |
| ?PutValue@CntUInt16Item@binfilter@@@UA | 1 |
| ?QueryValue@CntUInt16Item@binfilter@@@ | 1 |
| ?GetPresentation@CntUInt16Item@binfilte | 1 |
| ?Compare@CntUInt16Item@binfilter@@@UE | 1 |
| ??8CntUInt16Item@binfilter@@UBEHABVSI | 1 |

| | |
|---|---|
| ?IsA@CntUInt16Item@binfilter@@UBEEP6/ | 1 |
| ?Type@CntUInt16Item@binfilter@@UBEP6 | 1 |
| ??0SfxFlagItem@binfilter@@QAE@GG@Z | 1 |
| ??0SfxSimpleHint@binfilter@@QAE@K@Z | 1 |
| ?Broadcast@sfxBroadcaster@binfilter@@Q | 1 |
| ??0SfxItemSet@binfilter@@QAA@AAVSfxIt | 1 |
| ?GetItemState@sfxItemSet@binfilter@@QF | 1 |
| ??1SfxHint@binfilter@@UAE@XZ | 1 |
| ?ListenersGone@sfxBroadcaster@binfilter@ | 1 |
| ??0CntBoolItem@binfilter@@QAE@GAAVS | 1 |
| ??0SfxPoolItem@binfilter@@IAE@ABV01@ | 1 |
| ?IsA@sfxBoolItem@binfilter@@UBEEP6AP/ | 1 |
| ?Type@sfxBoolItem@binfilter@@UBEP6AP. | 1 |
| ?GetValueTextByVal@CntBoolItem@binfilte | 1 |
| ?GetValueCount@CntBoolItem@binfilter@() | 1 |
| ?Clone@CntBoolItem@binfilter@@UBEPAV | 1 |
| ?Store@CntBoolItem@binfilter@@UBEAAV | 1 |
| ?Create@CntBoolItem@binfilter@@UBEPA' | 1 |
| ?PutValue@CntBoolItem@binfilter@@UAEF | 1 |
| ?QueryValue@CntBoolItem@binfilter@@UI | 1 |
| ?GetPresentation@CntBoolItem@binfilter@ | 1 |
| ?Compare@CntBoolItem@binfilter@@UBEI | 1 |
| ??8CntBoolItem@binfilter@@UBEHABVSfxF | 1 |
| ?IsA@CntBoolItem@binfilter@@UBEEP6AP. | 1 |
| ?Type@CntBoolItem@binfilter@@UBEP6AF | 1 |
| ??0SfxPoolItem@binfilter@@IAE@G@Z | 1 |
| ?GetFlagText@sfxFlagItem@binfilter@@UB | 1 |
| ?GetFlagCount@sfxFlagItem@binfilter@@L | 1 |
| ?Clone@sfxFlagItem@binfilter@@UBEPAVS | 1 |
| ?Store@sfxFlagItem@binfilter@@UBEAAVS | 1 |
| ?Create@sfxFlagItem@binfilter@@UBEPAV | 1 |
| ?PutValue@sfxPoolItem@binfilter@@UAEE | 1 |
| ?QueryValue@sfxPoolItem@binfilter@@UE | 1 |
| ?HasMetrics@sfxPoolItem@binfilter@@UB | 1 |
| ?ScaleMetrics@sfxPoolItem@binfilter@@U | 1 |
| ?GetVersion@sfxPoolItem@binfilter@@UBI | 1 |
| ?GetPresentation@sfxFlagItem@binfilter@() | 1 |
| ?Compare@sfxPoolItem@binfilter@@UBEI- | 1 |
| ?Compare@sfxPoolItem@binfilter@@UBEI- | 1 |
| ??8SfxFlagItem@binfilter@@UBEHABVSfxPc | 1 |
| ?IsA@sfxFlagItem@binfilter@@UBEEP6APA | 1 |
| ?Type@sfxFlagItem@binfilter@@UBEP6AP/ | 1 |
| ??1SfxPoolItem@binfilter@@UAE@XZ | 1 |
| ?Read@ImageMap@binfilter@@QAEXAAVS | 1 |
| ?SvUnolImageMap_fillImageMap@binfilter@ | 1 |
| ?SvUnolImageMap_createInstance@binfilter | 1 |
| ?SvUnolImageMap_createInstance@binfilter | 1 |

| | |
|---|---|
| ??OSfxExtItemPropertySetInfo@binfilter@@ | 1 |
| ?IsOf@SfxStyleSheet@binfilter@@SAEP6AP | 1 |
| ??OSfxStyleSheet@binfilter@@QAE@ABVSt | 1 |
| ?GetName@SfxStyleSheetBase@binfilter@() | 1 |
| ?SetName@SfxStyleSheetBase@binfilter@() | 1 |
| ?GetParent@SfxStyleSheetBase@binfilter@() | 1 |
| ?GetFollow@SfxStyleSheetBase@binfilter@() | 1 |
| ?SetFollow@SfxStyleSheetBase@binfilter@() | 1 |
| ?HasFollowSupport@SfxStyleSheetBase@binfilter@() | 1 |
| ?HasParentSupport@SfxStyleSheetBase@binfilter@() | 1 |
| ?HasClearParentSupport@SfxStyleSheetBase@binfilter@() | 1 |
| ?GetDescription@SfxStyleSheetBase@binfilter@() | 1 |
| ?GetDescription@SfxStyleSheetBase@binfilter@() | 1 |
| ?GetHelpId@SfxStyleSheetBase@binfilter@() | 1 |
| ?SetHelpId@SfxStyleSheetBase@binfilter@() | 1 |
| ?GetVersion@SfxStyleSheetBase@binfilter@() | 1 |
| ??1SfxStyleSheet@binfilter@@UAE@XZ | 1 |
| ?Load@SfxStyleSheetBase@binfilter@@MA | 1 |
| ?Store@SfxStyleSheetBase@binfilter@@MA | 1 |
| ?StaticType@SfxStyleSheet@binfilter@@SA | 1 |
| ?Count@SfxStyleSheetIterator@binfilter@() | 1 |
| ?Notify@SfxStyleSheet@binfilter@@UAEXA | 1 |
| ?SetParent@SfxStyleSheet@binfilter@@UA | 1 |
| ??0SfxItemSet@binfilter@@QAE@AAVSfxIt | 1 |
| ?GetPool@SfxStyleSheetBasePool@binfilter@() | 1 |
| ?StaticType@SfxStyleSheetHint@binfilter@() | 1 |
| ?queryInterface@?\$WeakImplHelper1@VXF | 1 |
| ?IsListening@SfxListener@binfilter@@QBEE | 1 |
| ?GetImplementation@VCLXDevice@@SAPA | 1 |
| ?SetShadow@Font@@QAEXE@Z | 1 |
| ?Erase@Bitmap@@QAEEABVColor@@@Z | 1 |
| ?GetStyleName@Font@@QBEABVString@() | 1 |
| ?SetOutline@Font@@QAEXE@Z | 1 |
| ??0JobSetup@@QAE@XZ | 1 |
| ??6@YAAAVSvStream@@AAV0@ABVJobSe | 1 |
| ??1JobSetup@@QAE@XZ | 1 |
| ?SetStrikeout@Font@@QAEXW4FontStrike | 1 |
| ?SetUnderline@Font@@QAEXW4FontUnde | 1 |
| ?SetCharSet@Font@@QAEXG@Z | 1 |
| ?OpenUCBStorage@SotStorage@@QAEPAV | 1 |
| ? SetProperty@SotStorageStream@@QAEAA | 1 |
| ?GetProperty@SotStorageStream@@QAEAA | 1 |
| ?GetXInputStream@SotStorageStream@@C | 1 |
| ?getMeasurementSystemEnum@LocaleData | 1 |
| ??6@YAAAVSvStream@@AAV0@ABVColor(| 1 |
| ??6@YAAAVSvStream@@AAV0@ABVPolyg | 1 |
| ??5@YAAAVSvStream@@AAV0@AAVColor(| 1 |

| | |
|---|---|
| ??5@YAAAVSvStream@@AAV0@AAVPolyg | 1 |
| ?SetKey@SvStream@@QAEXABVByteString | 1 |
| ?Seek@Container@@QAEPAHK@Z | 1 |
| ?removeExtension@INetURLObject@@QAE | 1 |
| ?isRightToLeft@MsLangId@@SA_NG@Z | 1 |
| ??1PropertySetInfo@comphelper@@UAE@ | 1 |
| ?GenericPropertySet_CreateInstance@com | 1 |
| ??0PropertySetInfo@comphelper@@QAE@ | 1 |
| ?acquire@?\$WeakImplHelper1@VXProperty | 1 |
| ?setPropertyValue@PropertySetHelper@co | 1 |
| ?getPropertyValue@PropertySetHelper@co | 1 |
| ?addPropertyChangeListener@PropertySetH | 1 |
| ?removePropertyChangeListener@Property! | 1 |
| ?addVetoableChangeListener@PropertySetH | 1 |
| ?removeVetoableChangeListener@Property | 1 |
| ?setPropertyValues@PropertySetHelper@cc | 1 |
| ?addPropertiesChangeListener@PropertySe | 1 |
| ?removePropertiesChangeListener@Propert | 1 |
| ?firePropertiesChangeEvent@PropertySetH | 1 |
| ??1PropertySetHelper@comphelper@@UAI | 1 |
| ?_getPropertyStates@PropertySetHelper@c | 1 |
| ?_setPropertyToDefault@PropertySetHelper | 1 |
| ?_getPropertyDefault@PropertySetHelper@ | 1 |
| ?getPropertyState@PropertySetHelper@co | 1 |
| ?getPropertyStates@PropertySetHelper@co | 1 |
| ?setPropertyToDefault@PropertySetHelper@ | 1 |
| ?getPropertyDefault@PropertySetHelper@c | 1 |
| ?getPropertySetInfo@PropertySetHelper@c | 1 |
| ?add@PropertySetInfo@comphelper@@QA | 1 |
| ??0PropertySetHelper@comphelper@@QAI | 1 |
| ?getPropertyValues@PropertySetHelper@cc | 1 |
| rtl_ustr_asciil_reverseCompare_WithLength | 1 |
| ?_Doraise@bad_typeid@std@@MBEXXZ | 1 |
| PdhiPlaDowngrade | 1 |
| PdhiPlaUpgrade | 1 |
| @Db@TDataSet@IsSequenced\$qqrv | 1 |
| @Db@TDataSet@CloseBlob\$qqrp9Db@TFie | 1 |
| @Db@TDataSet@GetFieldClass\$qqr13Db@` | 1 |
| @Mtfields@TMtFloatField@ | 1 |
| @Mtcacheddataset@TMtCachedDataSet@F | 1 |
| @Mtclientdataset@TMtClientDataSet@DoB | 1 |
| @Mtclientdataset@TMtClientDataSet@Loo | 1 |
| @Mtclientdataset@TMtClientDataSet@DoA | 1 |
| @Mtclientdataset@TMtClientDataSet@DoA | 1 |
| @Mtclientdataset@TMtClientDataSet@DoA | 1 |
| @Dbclient@TCustomClientDataSet@DoExec | 1 |

| | |
|---|---|
| @Dbclient@TCustomClientDataSet@Refresh | 1 |
| @Dbclient@TCustomClientDataSet@CreateI | 1 |
| @Dbclient@TCustomClientDataSet@SetFiel | 1 |
| @Dbclient@TCustomClientDataSet@GetSta | 1 |
| @Dbclient@TCustomClientDataSet@GetFiel | 1 |
| @Dbclient@TCustomClientDataSet@GetFiel | 1 |
| @Dbclient@TCustomClientDataSet@Update | 1 |
| @Dbclient@TCustomClientDataSet@GetRec | 1 |
| @Dbclient@TCustomClientDataSet@SetRec | 1 |
| @Dbclient@TCustomClientDataSet@GetRec | 1 |
| @Dbclient@TCustomClientDataSet@GetRec | 1 |
| @Dbclient@TCustomClientDataSet@GetCur | 1 |
| @Dbclient@TCustomClientDataSet@GetRec | 1 |
| @Dbclient@TCustomClientDataSet@InitRec | 1 |
| @Dbclient@TCustomClientDataSet@ClearC | 1 |
| @Dbclient@TCustomClientDataSet@Internal | 1 |
| @Dbclient@TCustomClientDataSet@FreeRe | 1 |
| @Dbclient@TCustomClientDataSet@AllocRe | 1 |
| @Dbclient@TCustomClientDataSet@GetCar | 1 |
| @Dbclient@TCustomClientDataSet@CloneC | 1 |
| @Dbclient@TCustomClientDataSet@ApplyU | 1 |
| @Dbclient@TCustomClientDataSet@DataRe | 1 |
| @Dbclient@TCustomClientDataSet@Execute | 1 |
| @Dbclient@TCustomClientDataSet@DataEv | 1 |
| @Dbclient@TCustomClientDataSet@Notific | 1 |
| @Dbclient@TCustomClientDataSet@SetRen | 1 |
| @Dbclient@TCustomClientDataSet@GetRer | 1 |
| @Dbclient@TCustomClientDataSet@GetApp | 1 |
| @Dbclient@TCustomClientDataSet@AddDa | 1 |
| @Dbclient@TCustomClientDataSet@Internal | 1 |
| @Dbclient@TCustomClientDataSet@IsCursc | 1 |
| @Dbclient@TCustomClientDataSet@Internal | 1 |
| @Dbclient@TCustomClientDataSet@Internal | 1 |
| @Dbclient@TCustomClientDataSet@Internal | 1 |
| @Dbclient@TCustomClientDataSet@DefCha | 1 |
| @Dbclient@TCustomClientDataSet@CloseC | 1 |
| @Dbclient@TCustomClientDataSet@DoBefc | 1 |
| @Dbclient@TCustomClientDataSet@DoAfte | 1 |
| @Dbclient@TCustomClientDataSet@OpenC | 1 |
| @Dbclient@TCustomClientDataSet@SetCon | 1 |
| @\$xp\$21Mtintf@IMtTransaction | 1 |
| @Mtcommon@StringInArray\$qqr17System(| 1 |
| @Mtibquery@TMtIBOQuery@GetMtTrans | 1 |
| @Ibodataset@EIBO_ISCError@ | 1 |
| @Dbctrls@TDBEdit@SetReadOnly\$qqro | 1 |
| @Dbctrls@TDBCcheckBox@ | 1 |

| | |
|--|---|
| @Mtdateedit@TMtDBDateEdit@ | 1 |
| @Dbgrids@TCustomDBGrid@GetSelectedFi | 1 |
| @Dbgrids@TCustomDBGrid@GetDataSourc | 1 |
| @Udmdisposizioniuse@initialization\$qqrv | 1 |
| @Udmdisposizioniuse@Finalization\$qqrv | 1 |
| @Udmdisposizioniuse@TMtDistIdentifier@` | 1 |
| @Udmdisposizioniuse@TMtDistIdentifier@l | 1 |
| @Udmdisposizioniuse@TMtDistIdentifier@c | 1 |
| @Udmdisposizioniuse@TMtDistIdentifier@k | 1 |
| @Udmdisposizioniuse@TMtDistIdentifier@` | 1 |
| @Udmdisposizioniuse@TMtDistIdentifier@` | 1 |
| @Udmdisposizioniuse@TMtDistIdentifier@` | 1 |
| @Utydistinte@initialization\$qqrv | 1 |
| @Utydistinte@Finalization\$qqrv | 1 |
| @Utycommon@ENonFatalError@ | 1 |
| @Udmbancheuse@initialization\$qqrv | 1 |
| @Udmbancheuse@Finalization\$qqrv | 1 |
| @UdmlookupTables@DmLookupTables | 1 |
| @Udmsecurity@TDmSecurity@CanLaunchF | 1 |
| @Mttransnav@TMtTransNav@GetDataSour | 1 |
| @Mttransnav@TMtTransNav@BtnClick\$qqr | 1 |
| @Mttransnav@TMtTransNav@ | 1 |
| @Cmtwnform@TMtWnForm@GetPersSet\$c | 1 |
| @Mtmodeswitcher@TMtModeSwitcher@ | 1 |
| @Mtdbgrid@TMtDBGrid@ | 1 |
| @Mtdialogs@DlgWarningOkCancelDef\$qqr | 1 |
| @Mtdialogs@SetNextDlgWarningOkCancelE | 1 |
| @Mtinvregistry@TMtInvParams@WriteStri | 1 |
| @Mtinvregistry@TMtInvParams@GetStringI | 1 |
| @Mtinvregistry@CheckInvParams\$qqrp\$26I | 1 |
| @Udmparametrinodo@TDmParametriNodo | 1 |
| @Udmparametrinodo@TDmParametriNodo | 1 |
| @Udmparametrinodo@TDmParametriNodo | 1 |
| @Udmparametrinodo@ParamDateToDate\$qq | 1 |
| @Udmexecimportexport@initialization\$qqr | 1 |
| @Udmexecimportexport@Finalization\$qqrv | 1 |
| @Udmditteuse@initialization\$qqrv | 1 |
| @Udmditteuse@Finalization\$qqrv | 1 |
| @Udmditteuse@TVociSBF@\$bctr\$qqrv | 1 |
| @Udmditteuse@TVociSBF@ | 1 |
| @Udmrbnuse@initialization\$qqrv | 1 |
| @Udmrbnuse@Finalization\$qqrv | 1 |
| @Mtrbtassidecorrenzespread@initializatio | 1 |
| @Mtrbtassidecorrenzespread@Finalizatio | 1 |
| @Utytassi@initialization\$qqrv | 1 |
| @Utytassi@Finalization\$qqrv | 1 |
| @Mtrbtassi@initialization\$qqrv | 1 |
| @Mtrbtassi@Finalization\$qqrv | 1 |

| | |
|---|---|
| @Udmtassiuse@initialization\$qqrv | 1 |
| @Udmtassiuse@Finalization\$qqrv | 1 |
| @Udmcalendariouse@initialization\$qqrv | 1 |
| @Udmcalendariouse@Finalization\$qqrv | 1 |
| @Mtboimporttassi@initialization\$qqrv | 1 |
| @Mtboimporttassi@Finalization\$qqrv | 1 |
| @Mtbo@TMtBO@GetUserId\$qqrv | 1 |
| @Mtbo@TMtBO@GetQueryClass\$qqrv | 1 |
| @Mtbo@TMtBO@GetDefaultTransaction\$qqrv | 1 |
| @\$xp\$10Mtbo@TMtBO | 1 |
| @Mtbo@TMtBO@ | 1 |
| @Mtbusinessobject@TMtBusinessObject@L | 1 |
| @Mtbusinessobject@TMtBusinessObject@F | 1 |
| @Mtbusinessobject@TMtBusinessObject@E | 1 |
| @Mtbusinessobject@TMtBusinessObject@A | 1 |
| @Mtbusinessobject@TMtBusinessObject@I | 1 |
| @Mtbusinessobject@TMtBusinessObject@C | 1 |
| @Mtbusinessobject@TMtBusinessObject@F | 1 |
| @Mtbusinessobject@TMtBusinessObject@E | 1 |
| @Mtbusinessobject@TMtBusinessObject@C | 1 |
| @Mtbusinessobject@TMtBusinessObject@A | 1 |
| @Mtbusinessobject@TMtBusinessObject@L | 1 |
| @Mtbusinessobject@TMtBusinessObject@I | 1 |
| @Mtbusinessobject@TMtBusinessObject@C | 1 |
| @Mtbusinessobject@TMtBusinessObject@F | 1 |
| @Mtbusinessobject@TMtBusinessObject@S | 1 |
| @Mtbusinessobject@TMtBusinessObject@L | 1 |
| @Mtbusinessobject@TMtBusinessObject@I | 1 |
| @Mtbusinessobject@TMtBusinessObject@C | 1 |
| @Mtbusinessobject@TMtBusinessObject@F | 1 |
| @\$xp\$27Mtbusinessobject@TTableInfo | 1 |
| @Mttassiwarning@initialization\$qqrv | 1 |
| @Mttassiwarning@Finalization\$qqrv | 1 |
| @Mtobserved@initialization\$qqrv | 1 |
| @Mtobserved@Finalization\$qqrv | 1 |
| @Uwnccalcolotassi@initialization\$qqrv | 1 |
| @Uwnccalcolotassi@Finalization\$qqrv | 1 |
| @Cmtwncalcolotassi@initialization\$qqrv | 1 |
| @Cmtwncalcolotassi@Finalization\$qqrv | 1 |
| @Udmtassispreaduse@initialization\$qqrv | 1 |
| @Udmtassispreaduse@Finalization\$qqrv | 1 |
| @Mtrbntassispread@initialization\$qqrv | 1 |
| @Mtrbntassispread@Finalization\$qqrv | 1 |
| @Mttassilistino@initialization\$qqrv | 1 |
| @Mttassilistino@Finalization\$qqrv | 1 |
| @Utybbancbichecker@initialization\$qqrv | 1 |
| @Utybbancbichecker@Finalization\$qqrv | 1 |

| | |
|---|---|
| @Utycoordinatebancarie@initialization\$qqrv | 1 |
| @Utycoordinatebancarie@Finalization\$qqrv | 1 |
| @Mtvalidation@initialization\$qqrv | 1 |
| @Mtvalidation@Finalization\$qqrv | 1 |
| @Mtvalidation@IsValidBIC\$qqrx17System@ | 1 |
| @Mtvalidation@IsValidCodiceFiscalePIVA\$q | 1 |
| @Mtregularexpression@initialization\$qqrv | 1 |
| @Mtregularexpression@Finalization\$qqrv | 1 |
| @Mtdistlist@initialization\$qqrv | 1 |
| @Mtdistlist@Finalization\$qqrv | 1 |
| @Mtcustomrecordlist@initialization\$qqrv | 1 |
| @Mtcustomrecordlist@Finalization\$qqrv | 1 |
| @Mtallineaimporti@initialization\$qqrv | 1 |
| @Mtallineaimporti@Finalization\$qqrv | 1 |
| @Udmcambiuse@initialization\$qqrv | 1 |
| @Udmcambiuse@Finalization\$qqrv | 1 |
| @Uwnnotmodalerror@initialization\$qqrv | 1 |
| @Uwnnotmodalerror@Finalization\$qqrv | 1 |
| @Mtditta@initialization\$qqrv | 1 |
| @Mtditta@Finalization\$qqrv | 1 |
| @Mtbdisp@initialization\$qqrv | 1 |
| @Mtbdisp@Finalization\$qqrv | 1 |
| @Udmdistinteuse@initialization\$qqrv | 1 |
| @Udmdistinteuse@Finalization\$qqrv | 1 |
| @Mtbdist@initialization\$qqrv | 1 |
| @Mtbdist@Finalization\$qqrv | 1 |
| @Udmdittelocal@initialization\$qqrv | 1 |
| @Udmdittelocal@Finalization\$qqrv | 1 |
| @Udmdittelocal@TDmDitteLocal@StoreDitt | 1 |
| @Udmdittelocal@DmDitteLocal | 1 |
| @Utydisprid@initialization\$qqrv | 1 |
| @Utydisprid@Finalization\$qqrv | 1 |
| @Utyinvprocs@initialization\$qqrv | 1 |
| @Utyinvprocs@Finalization\$qqrv | 1 |
| @Utyinvprocs@RigeneraVociPortaf\$qqrx17: | 1 |
| @Cmtwndfanagrafica@initialization\$qqrv | 1 |
| @Cmtwndfanagrafica@Finalization\$qqrv | 1 |
| @Cmtwndfanagrafica@TMtWnDFAnagrafica | 1 |
| @Cmtwndfanagrafica@TMtWnDFAnagrafica | 1 |
| @Cmtwndfanagrafica@TMtWnDFAnagrafica | 1 |
| @\$xp\$35Cmtwndfanagrafica@TMtWnDFAn | 1 |
| @Cmtwndfanagrafica@TMtWnDFAnagrafica | 1 |
| @Cmtwnanagrafica@TMtWnAnagrafica@N | 1 |
| @Mtcheckbox@initialization\$qqrv | 1 |
| @Mtcheckbox@Finalization\$qqrv | 1 |
| @Mtcheckbox@TMtCheckListBox@GetCl | 1 |
| @Mtcheckbox@TMtCheckListBox@SetCh | 1 |

| | |
|---|---|
| @Mtcheckbox@TMtCheckListBox@ | 1 |
| @Mtpagecontrol@initialization\$qqrv | 1 |
| @Mtpagecontrol@Finalization\$qqrv | 1 |
| @Mtpagecontrol@TMtPageControl@ | 1 |
| @Mtpagecontrol@TMtTabSheet@ | 1 |
| @Mtdbctrls@initialization\$qqrv | 1 |
| @Mtdbctrls@Finalization\$qqrv | 1 |
| @Mtdbctrls@TMtDBCheckBox@ | 1 |
| @Mtdbradiogroup@initialization\$qqrv | 1 |
| @Mtdbradiogroup@Finalization\$qqrv | 1 |
| @Mtdbradiogroup@TMtDBRadioGroup@ | 1 |
| @Mtgroupbox@initialization\$qqrv | 1 |
| @Mtgroupbox@Finalization\$qqrv | 1 |
| @Mtgroupbox@TMtGroupBox@ | 1 |
| @Ulookups@LookupCDC\$qqrp17System@An | 1 |
| @Ulookups@LookupDerogabilita\$qqrp14Sy: | 1 |
| @Ulookups@LookupTipoCambio\$qqrp14Sys | 1 |
| @Ulookups@LookupNazione\$qqrp14System | 1 |
| @Ulookups@LookupProvincia\$qqrp14Syste | 1 |
| @Ulookups@LookupVoceFinanziaria\$qqrp1· | 1 |
| @Ulookups@LookupDivisaCBI\$qqrp14Syste | 1 |
| @Ulookups@LookupDivisa\$qqrp14System@ | 1 |
| @Ulookups@SetLookupOnExitForNextLooku | 1 |
| @Cmtwndfform@TMtWnDFForm@GetCust | 1 |
| @Cmtwndfform@TMtWnDFForm@DoAfter | 1 |
| @Cmtwndfform@TMtWnDFForm@ApplySe | 1 |
| @\$xp\$23Cmtwndfform@TMtWnDFForm | 1 |
| @Cmtwndfform@TMtWnDFForm@ | 1 |
| _isalpha | 1 |
| _bitBlt_2 | 1 |
| _QClxLineEdit_hook_hookTextChanged | 1 |
| _QClxLineEdit_hook_create | 1 |
| _QClipboard_hook_hook_dataChanged | 1 |
| _QClipboard_hook_create | 1 |
| _QClipboard_hook_destroy | 1 |
| _QMultiLineEdit_hook_hook_redoAvailable | 1 |
| _QMultiLineEdit_hook_hook_undoAvailable | 1 |
| _QMultiLineEdit_hook_hook_returnPressed | 1 |
| _QMultiLineEdit_hook_hook_textChanged | 1 |
| _QMultiLineEdit_hook_create | 1 |
| _QButton_hook_hook_stateChanged | 1 |
| _QButton_hook_hook_toggled | 1 |
| _QButton_hook_hook_clicked | 1 |
| _QButton_hook_create | 1 |
| _QOpenTableView_setAutoUpdate | 1 |
| _QOpenMultiLineEdit_clearTableFlags | 1 |
| _QOpenMultiLineEdit_setTableFlags | 1 |

| | |
|--------------------------------------|---|
| _QOpenMultiLineEdit_search | 1 |
| _QOpenMultiLineEdit_getText | 1 |
| _QOpenMultiLineEdit_isEndOfParagraph | 1 |
| _QOpenMultiLineEdit_textLength | 1 |
| _QOpenMultiLineEdit_lineLength | 1 |
| _QOpenMultiLineEdit_getMarkedRegion | 1 |
| _QOpenMultiLineEdit_insert | 1 |
| _QOpenMultiLineEdit_markedText | 1 |
| _QOpenMultiLineEdit_hasMarkedText | 1 |
| _QOpenMultiLineEdit_create | 1 |
| _QClxMimeSource_create | 1 |
| _QOpenWidget_resizeEvent | 1 |
| _QClxDrawUtil_DrawShadePanel2 | 1 |
| _QClxLineEdit_canRedo | 1 |
| _QClxLineEdit_canUndo | 1 |
| _QClxLineEdit_redo | 1 |
| _QClxLineEdit_undo | 1 |
| _QClxLineEdit_clear | 1 |
| _QClxLineEdit_insert | 1 |
| _QClxLineEdit_selectAll | 1 |
| _QClxLineEdit_setText | 1 |
| _QClxLineEdit_setMarkedText | 1 |
| _QClxLineEdit_setSelStart | 1 |
| _QClxLineEdit_selStart | 1 |
| _QClxLineEdit_resetSelection | 1 |
| _QClxLineEdit_clearSelection | 1 |
| _QClxLineEdit_setHideSelection | 1 |
| _QClxLineEdit_setAutoSelect | 1 |
| _QClxLineEdit_autoSelect | 1 |
| _QClxLineEdit_markedText | 1 |
| _QClxLineEdit_edited | 1 |
| _QClxLineEdit_setEdited | 1 |
| _QClxLineEdit_alignment | 1 |
| _QClxLineEdit_setAlignment | 1 |
| _QClxLineEdit_copy | 1 |
| _QClxLineEdit_cut | 1 |
| _QClxLineEdit_setCursorPosition | 1 |
| _QClxLineEdit_setSelection | 1 |
| _QClxLineEdit_isReadOnly | 1 |
| _QClxLineEdit_setReadOnly | 1 |
| _QClxLineEdit_echoMode | 1 |
| _QClxLineEdit_setEchoMode | 1 |
| _QClxLineEdit_frame | 1 |
| _QClxLineEdit_setFrame | 1 |
| _QClxLineEdit_setMaxLength | 1 |
| _QClxLineEdit_text | 1 |
| _QClxLineEdit_create | 1 |

| | |
|--------------------------------|---|
| _QPicture_play | 1 |
| _QPicture_setData | 1 |
| _QPicture_data | 1 |
| _QPicture_size | 1 |
| _QPicture_create | 1 |
| _QPicture_destroy | 1 |
| _QMimeSource_destroy | 1 |
| _QFontMetrics_height | 1 |
| _QTableView_repaint | 1 |
| _QRadioButton_setChecked | 1 |
| _QRadioButton_isChecked | 1 |
| _QRadioButton_create | 1 |
| _QPushButton_setDefault | 1 |
| _QPushButton_setToggleButton | 1 |
| _QPushButton_create | 1 |
| _QPopupMenu_exec2 | 1 |
| _QPainter_drawPolygon | 1 |
| _QPainter_drawPolyline | 1 |
| _QPainter_drawWinFocusRect3 | 1 |
| _QPainter_drawRect | 1 |
| _QPainter_lineTo | 1 |
| _QPainter_setClipRect | 1 |
| _QPainter_clipRegion | 1 |
| _QPainter_setViewport2 | 1 |
| _QPainter_setWindow2 | 1 |
| _QPainter_rasterOp | 1 |
| _QPainter_device | 1 |
| _QLabel_setText | 1 |
| _QLabel_setAlignment | 1 |
| _QLabel_alignment | 1 |
| _QLabel_text | 1 |
| _QLabel_create | 1 |
| _QGroupBox_setAlignment | 1 |
| _QGroupBox_alignment | 1 |
| _QGroupBox setTitle | 1 |
| _QGroupBox_create | 1 |
| _QClipboard_text | 1 |
| _QClipboard_setData | 1 |
| _QClipboard_data | 1 |
| _QCheckBox_setTristate | 1 |
| _QCheckBox_setNoChange | 1 |
| _QCheckBox_setChecked | 1 |
| _QCheckBox_isChecked | 1 |
| _QCheckBox_create | 1 |
| _QObject_setName | 1 |
| _QImage_setPixel | 1 |
| _QStyle_exclusiveIndicatorSize | 1 |

| | |
|--------------------------------------|---|
| _QMultiLineEdit_redo | 1 |
| _QMultiLineEdit_undo | 1 |
| _QMultiLineEdit_cut | 1 |
| _QMultiLineEdit_copy | 1 |
| _QMultiLineEdit_paste | 1 |
| _QMultiLineEdit_selectAll | 1 |
| _QMultiLineEdit_clear | 1 |
| _QMultiLineEdit_setReadOnly | 1 |
| _QMultiLineEditSetText | 1 |
| _QMultiLineEdit_isReadOnly | 1 |
| _QMultiLineEdit_setUndoDepth | 1 |
| _QMultiLineEdit_setUndoEnabled | 1 |
| _QMultiLineEdit_wrapPolicy | 1 |
| _QMultiLineEdit_setWrapPolicy | 1 |
| _QMultiLineEdit_wrapColumnOrWidth | 1 |
| _QMultiLineEdit_setWrapColumnOrWidth | 1 |
| _QMultiLineEdit_setWordWrap | 1 |
| _QMultiLineEdit_hMargin | 1 |
| _QMultiLineEdit_setHMargin | 1 |
| _QMultiLineEdit_setMaxLength | 1 |
| _QMultiLineEdit_edited | 1 |
| _QMultiLineEdit_setEdited | 1 |
| _QMultiLineEdit_alignment | 1 |
| _QMultiLineEdit_setAlignment | 1 |
| _QMultiLineEdit_setCursorPosition | 1 |
| _QMultiLineEditCursorPosition | 1 |
| _QMultiLineEdit_removeLine | 1 |
| _QMultiLineEdit_insertLine | 1 |
| _QMultiLineEdit_numLines | 1 |
| _QMultiLineEdit_textLine | 1 |
| _QFrame_contentsRect | 1 |
| _QResizeEvent_create | 1 |
| _QFocusEvent_reason | 1 |
| _QMouseEvent_globalPos | 1 |
| _QEvent_destroy | 1 |
| _QPushButton_toggle | 1 |
| _QPushButton_animateClick | 1 |
| _QPushButton_isToggleButton | 1 |
| _QPushButton_setAccel | 1 |
| _QPushButton_accel | 1 |
| _QPushButton_setText | 1 |
| _QPushButton_text | 1 |
| _QPushButton_create | 1 |
| _QApplication_beep | 1 |
| _QApplication_processOneEvent | 1 |
| _QApplication_clipboard | 1 |
| _QApplication_style | 1 |

| | |
|--|---|
| _QWidget_erase4 | 1 |
| _QWidget_fontMetrics | 1 |
| _QWidget_setFont | 1 |
| ?Change_String@ChangeStringClass@@QAF | 1 |
| ?Log@@YAXPBDZZ | 1 |
| ?GetNameFromOle@CRegisteryManager@() | 1 |
| ?CompareWildChars@ChangeStringClass@() | 1 |
| ??0ChangeStringClass@@QAE@XZ | 1 |
| ??1ChangeStringClass@@QAE@XZ | 1 |
| @Ehlibvcl@initialization\$qqrv | 1 |
| @Calculatoreh@initialization\$qqrv | 1 |
| @Dbsumlst@initialization\$qqrv | 1 |
| @Gridseh@initialization\$qqrv | 1 |
| @Dblookupuh@initialization\$qqrv | 1 |
| @Dblookupgridseh@initialization\$qqrv | 1 |
| @Ehlibconsts@initialization\$qqrv | 1 |
| GetBillNOType | 1 |
| cdsApplyUpdates | 1 |
| ?SetQQHook@@YGHPAUHWND__@@@Z | 1 |
| ?IsWindowsVista@@YGHXZ | 1 |
| @Prdmrun@initialization\$qqrv | 1 |
| @Prdmrun@Finalization\$qqrv | 1 |
| @Prdmrun@TdtmPRRun@LookupActivePay | 1 |
| @Prdmrun@dtmPRRun | 1 |
| ?append@?\$basic_string@_WU?\$char_trait | 1 |
| RunCVHService | 1 |
| config_ChainCreate | 1 |
| config_ChainDestroy | 1 |
| filter_chain_AudioFilter | 1 |
| filter_chain_GetLength | 1 |
| module_unneed | 1 |
| sout_EncoderCreate | 1 |
| sout_UpdateStatistic | 1 |
| spu_Create | 1 |
| spu_Destroy | 1 |
| spu_DisplaySubpicture | 1 |
| spu_Init | 1 |
| spu_RenderSubpictures | 1 |
| spu_SortSubpictures | 1 |
| stats_TimerClean | 1 |
| stats_TimerDump | 1 |
| stats_TimerStart | 1 |
| stats_TimerStop | 1 |
| subpicture_Delete | 1 |
| subpicture_New | 1 |
| ??0?\$basic_iostream@GU?\$char_traits@G@ | 1 |
| @System@VarIsArray\$qqrrx14System@Vari | 1 |

| | |
|--|---|
| @System@VarArrayHighBound\$qqrrx14Syst | 1 |
| @System@VarArrayLowBound\$qqrrx14Syst | 1 |
| @System@VarArrayDimCount\$qqrrx14Syste | 1 |
| @System@@VarArrayRedim\$qqrr14System | 1 |
| @System@VarIsNull\$qqrrx14System@Varia | 1 |
| @System@VarIsEmpty\$qqrrx14System@Vai | 1 |
| @System@VarType\$qqrrx14System@Variar | 1 |
| @System@@VarAddRef\$qqrv | 1 |
| @System@@VarToInt\$qqrv | 1 |
| @System@Unassigned | 1 |
| @Sysutils@ByteType\$qqrx17System@Ansii | 1 |
| @Sysutils@StrToInt64Def\$qqrx17System@A | 1 |
| @Sysutils@AdjustLineBreaks\$qqrx17System | 1 |
| @Sysutils@ShortDayNames | 1 |
| @Sysutils@EWin32Error@ | 1 |
| @Classes@TComponent@ExecuteAction\$qc | 1 |
| @\$xp\$18Classes@TLeftRight | 1 |
| @Typinfo@SetMethodProp\$qqrp14System@ | 1 |
| @Typinfo@GetMethodProp\$qqrp14System@ | 1 |
| @Typinfo@SetPropValue\$qqrp14System@T | 1 |
| @Typinfo@GetPropValue\$qqrp14System@1 | 1 |
| @Typinfo@GetObjectProp\$qqrp14System@ | 1 |
| @Graphics@TBitmap@FreeImage\$qqrv | 1 |
| @Graphics@TCanvas@DrawFocusRect\$qqrr | 1 |
| @Controls@TWinControl@CMCtl3DChange | 1 |
| @Controls@TWinControl@CMFontChanged | 1 |
| @Controls@TWinControl@WMPaint\$qqrr1 | 1 |
| @Controls@TWinControl@CreateSubClass\$ | 1 |
| @Controls@TControl@UseRightToLeftAlign | 1 |
| @Controls@TControl@SendToBack\$qqrv | 1 |
| @Controls@TControl@Changed\$qqrv | 1 |
| @Controls@TControl@SetClientWidth\$qqri | 1 |
| @\$xp\$17Controls@TImeName | 1 |
| @Forms@FreeObjectInstance\$qqrpv | 1 |
| @Menus@TMenu@SetOwnerDraw\$qqro | 1 |
| @Stdctrls@TCustomListBox@ItemRect\$qqri | 1 |
| @Stdctrls@TCustomListBox@ItemAtPos\$qq | 1 |
| @Stdctrls@TCustomListBox@SetItems\$qqrp | 1 |
| @Stdctrls@TCustomListBox@SetSorted\$qqri | 1 |
| @Stdctrls@TCustomListBox@SetTabWidth\$ | 1 |
| @Stdctrls@TCustomListBox@SetItemHeight | 1 |
| @Stdctrls@TCustomListBox@SetIntegralHei | 1 |
| @Stdctrls@TCustomCheckBox@CreateWnd! | 1 |
| @Stdctrls@TCustomCheckBox@CreateParar | 1 |
| @Stdctrls@TCustomCheckBox@SetState\$qc | 1 |
| @Stdctrls@TCustomCheckBox@SetChecked | 1 |
| @Stdctrls@TCustomCheckBox@SetAlignme | 1 |

| | |
|---|---|
| @StdCtrls@TCustomCheckBox@Toggle\$qqrv | 1 |
| @StdCtrls@TButtonControl@WndProc\$qqrr | 1 |
| @StdCtrls@TButtonControl@IsCheckedStore | 1 |
| @StdCtrls@TButtonControl@\$bctr\$qqrp18C | 1 |
| @StdCtrls@TCustomMemo@KeyPress\$qqrr | 1 |
| @StdCtrls@TCustomMemo@SetWordWrap\$ | 1 |
| @StdCtrls@TCustomMemo@SetScrollBars\$c | 1 |
| @StdCtrls@TCustomMemo@SetAlignment\$ | 1 |
| @StdCtrls@TCustomMemo@Loaded\$qqrv | 1 |
| @StdCtrls@TCustomMemo@GetCaretPos\$q | 1 |
| @StdCtrls@TCustomMemo@CreateWindow | 1 |
| @StdCtrls@TCustomMemo@CreateParams\$ | 1 |
| @StdCtrls@TCustomLabel@SetFocusControl | 1 |
| @StdCtrls@TCustomGroupBox@WMSize\$qc | 1 |
| @StdCtrls@TCustomGroupBox@Paint\$qqrv | 1 |
| @StdCtrls@TCustomGroupBox@CreateParai | 1 |
| @StdCtrls@TCustomGroupBox@AdjustClien | 1 |
| @\$xp\$23StdCtrls@TCheckBoxState | 1 |
| @\$xp\$23StdCtrls@TButtonControl | 1 |
| @StdCtrls@TButtonControl@ | 1 |
| @\$xp\$23StdCtrls@TDrawItemEvent | 1 |
| @\$xp\$24StdCtrls@TCustomGroupBox | 1 |
| @StdCtrls@TCustomGroupBox@ | 1 |
| @Dsgnintf@RegisterPropertyEditor\$qqrp17 | 1 |
| @Dsgnintf@TComponentProperty@SetValu | 1 |
| @Dsgnintf@TComponentProperty@GetValu | 1 |
| @Dsgnintf@TComponentProperty@GetEdit | 1 |
| @Dsgnintf@TComponentProperty@GetAttr | 1 |
| @Dsgnintf@TComponentProperty@Edit\$qq | 1 |
| @Dsgnintf@TBoolProperty@GetValues\$qqr | 1 |
| @Dsgnintf@TBoolProperty@GetValue\$qqrv | 1 |
| @Dsgnintf@TEnumProperty@GetAttributes | 1 |
| @Dsgnintf@TIntegerProperty@SetValue\$qc | 1 |
| @Dsgnintf@TIntegerProperty@GetValue\$qr | 1 |
| @Dsgnintf@TOrdinalProperty@GetEditLimit | 1 |
| @Dsgnintf@TOrdinalProperty@AllEqual\$qq | 1 |
| @Dsgnintf@TPropertyEditor@SetOrdValue\$ | 1 |
| @Dsgnintf@TPropertyEditor@Initialize\$qqr | 1 |
| @Dsgnintf@TPropertyEditor@GetValues\$qc | 1 |
| @Dsgnintf@TPropertyEditor@GetProperties | 1 |
| @Dsgnintf@TPropertyEditor@GetName\$qq | 1 |
| @Dsgnintf@TPropertyEditor@GetCompon | 1 |
| @Dsgnintf@TPropertyEditor@AutoFill\$qqrv | 1 |
| @Dsgnintf@TPropertyEditor@Edit\$qqrv | 1 |
| @Dsgnintf@TPropertyEditor@AllEqual\$qqrv | 1 |
| @Dsgnintf@TPropertyEditor@Activate\$qqrv | 1 |
| @Dsgnintf@TPropertyEditor@\$bdtr\$qqrv | 1 |

| | |
|---|---|
| @\$xp\$27Dsgnintf@TComponentProperty | 1 |
| @Dsgnintf@TComponentProperty@ | 1 |
| @\$xp\$22Dsgnintf@TBoolProperty | 1 |
| @Dsgnintf@TBoolProperty@ | 1 |
| @\$xp\$25Dsgnintf@TIntegerProperty | 1 |
| @Dsgnintf@TIntegerProperty@ | 1 |
| @Dbctrls@TDBNavigator@GetHints\$qqrv | 1 |
| @Dbctrls@TPaintControl@GetHandle\$qqrv | 1 |
| @Dbctrls@TPaintControl@DestroyHandle\$qqrv | 1 |
| @Dbctrls@TPaintControl@\$bctr\$qqrp20Cor | 1 |
| @Dbctrls@TFieldDataLink@Reset\$qqrv | 1 |
| @Dbctrls@TFieldDataLink@Modified\$qqrv | 1 |
| @Dbctrls@TFieldDataLink@GetCanModify\$qqrv | 1 |
| @Dbctrls@TFieldDataLink@Edit\$qqrv | 1 |
| @Dbctrls@DBUseRightToLeftAlignment\$qqrv | 1 |
| @Dbctrls@TDBNavigator@ | 1 |
| @Dbctrls@TDRadioButton@ | 1 |
| @Dbctrls@TPaintControl@ | 1 |
| @Db@TDataLink@UpdateRecord\$qqrv | 1 |
| @Db@TDataLink@SetReadOnly\$qqro | 1 |
| @Mask@TCustomMaskEdit@EditCanModify\$qqrv | 1 |
| @Mask@TCustomMaskEdit@Clear\$qqrv | 1 |
| @Mask@TCustomMaskEdit@\$bctr\$qqrp18C | 1 |
| @\$xp\$14Mask@TMaskEdit | 1 |
| @Comctrls@TCustomListView@DoInfoTip\$qqrv | 1 |
| @Comctrls@TCustomListView@CustomDraw\$qqrv | 1 |
| @Comctrls@TCustomListView@WMLButton\$qqrv | 1 |
| @Comctrls@TCustomListView@GetSelection\$qqrv | 1 |
| @Comctrls@TCustomListView@SetSortType\$qqrv | 1 |
| @Comctrls@TCustomListView@WndProc\$qqrv | 1 |
| @Comctrls@TCustomListView@GetDragImage\$qqrv | 1 |
| @Comctrls@TCustomListView@GetSelCount\$qqrv | 1 |
| @Comctrls@TCustomListView@CreateListItems\$qqrv | 1 |
| @Comctrls@TCustomListView@OwnerData\$qqrv | 1 |
| @Comctrls@TCustomListView@OwnerData\$qqrv | 1 |
| @Comctrls@TCustomListView@SetViewStyle\$qqrv | 1 |
| @Comctrls@TCustomListView@SetReadonly\$qqrv | 1 |
| @Comctrls@TCustomListView@SetHideSelected\$qqrv | 1 |
| @Comctrls@TCustomListView@SetColumnHeader\$qqrv | 1 |
| @Comctrls@TCustomListView@SetMultiSelect\$qqrv | 1 |
| @Comctrls@TCustomListView@SetRowSelection\$qqrv | 1 |
| @Comctrls@TCustomListView@Notification\$qqrv | 1 |
| @Comctrls@TCustomListView@DestroyWindow\$qqrv | 1 |
| @Comctrls@TCustomListView@CreateWindow\$qqrv | 1 |
| @Comctrls@TCustomListView@CreateParameter\$qqrv | 1 |
| @Comctrls@TCustomListView@\$bdtr\$qqrv | 1 |
| @Comctrls@TCustomListView@\$bctr\$qqrp18C | 1 |

| | |
|---|---|
| @Comctrls@TTreeNodes@Insert\$qqrp18Co | 1 |
| @Comctrls@TTreeNodes@AddFirst\$qqrp18 | 1 |
| @Comctrls@TTreeNodes@AddChildFirst\$qc | 1 |
| @Comctrls@TPageControl@UpdateActiveP; | 1 |
| @Comctrls@TPageControl@ShowControl\$q | 1 |
| @Comctrls@TPageControl@GetImageIndex | 1 |
| @Comctrls@TPageControl@CanShowTab\$q | 1 |
| @Comctrls@TPageControl@Loaded\$qqrv | 1 |
| @Comctrls@TPageControl@\$bdtr\$qqrv | 1 |
| @Comctrls@TPageControl@\$bctr\$qqrp18Cl | 1 |
| @Comctrls@TTabSheet@GetPageIndex\$qqqr | 1 |
| @Comctrls@TCustomTabControl@AdjustCli | 1 |
| @Comctrls@TCustomTabControl@Notificati | 1 |
| @Comctrls@TCustomTabControl@CreateW | 1 |
| @Comctrls@TCustomTabControl@CreatePa | 1 |
| @\$xp\$18Comctrls@TListView | 1 |
| @\$xp\$19Comctrls@TListItems | 1 |
| @\$xp\$21Comctrls@TListColumns | 1 |
| @Comctrls@TStatusPanels@ | 1 |
| @\$xp\$21Comctrls@TPageControl | 1 |
| @\$xp\$22Comctrls@TDrawTabEvent | 1 |
| @Buttons@TSpeedButton@SetFlat\$qqro | 1 |
| @Buttons@TSpeedButton@Click\$qqrv | 1 |
| @Dbtables@EDBEngineError@GetErrorCour | 1 |
| @Dbtables@EDBEngineError@GetError\$qqqr | 1 |
| @Dbtables@EDBEngineError@ | 1 |
| @Grids@TCustomGrid@MoveColRow\$qqrii | 1 |
| @Wwdbigrd@TwwCustomDBGrid@CreateH | 1 |
| @Wwdbigrd@TwwCustomDBGrid@FreeHin | 1 |
| @Wwdbigrd@TwwCustomDBGrid@DoCreat | 1 |
| @Wwdbigrd@TwwCustomDBGrid@DoUpda | 1 |
| @Wwdbigrd@TwwCustomDBGrid@GetFoot | 1 |
| @Wwdbigrd@TwwCustomDBGrid@GetClien | 1 |
| @Wwdbigrd@TwwCustomDBGrid@SetSelect | 1 |
| @Wwdbigrd@TwwCustomDBGrid@DoCalcT | 1 |
| @Wwdbigrd@TwwCustomDBGrid@DoDraw | 1 |
| @Wwdbigrd@TwwCustomDBGrid@DoCalcT | 1 |
| @Wwdbigrd@TwwCustomDBGrid@Notifica | 1 |
| @Wwdbigrd@TwwCustomDBGrid@DoCellC | 1 |
| @Wwdbigrd@TwwCustomDBGrid@DoTitleF | 1 |
| @Wwdbigrd@TwwCustomDBGrid@CreateE | 1 |
| @Wwdbigrd@TwwCustomDBGrid@Validati | 1 |
| @Wwdbigrd@TwwCustomDBGrid@DoChec | 1 |
| @Wwdbigrd@TwwCustomDBGrid@DoRowC | 1 |
| @Wwdbigrd@TwwCustomDBGrid@DoTopR | 1 |
| @Wwdbigrd@TwwCustomDBGrid@DoField | 1 |
| @Wwdbigrd@TwwCustomDBGrid@DataCh | 1 |

| | |
|---|---|
| @Wwdbigrd@TwwCustomDBGrid@CheckFc | 1 |
| @Wwdbigrd@TwwCustomDBGrid@LayoutC | 1 |
| @Wwdbigrd@TwwCustomDBGrid@DefineF | 1 |
| @Wwdbigrd@TwwCustomDBGrid@GetCan | 1 |
| @Wwdbgrid@TwwDBGrid@CreateDateTim | 1 |
| @Wwdbgrid@TwwDBGrid@DoCreateDateT | 1 |
| @Wwdbgrid@TwwDBGrid@GetControllInfo | 1 |
| @Wwdbgrid@TwwDBGrid@FlushChanges\$ | 1 |
| @Wwdbgrid@TwwDBGrid@CreateWnd\$qq | 1 |
| @Wwdbgrid@TwwDBGrid@RefreshActiveC | 1 |
| @Wwdbgrid@TwwDBGrid@Loaded\$qqrv | 1 |
| @Wwdbgrid@TwwDBGrid@Scroll\$qqri | 1 |
| @Wwdbgrid@TwwDBGrid@RefreshBookma | 1 |
| @Wwdbgrid@TwwDBGrid@SelectRecord\$q | 1 |
| @Wwdbgrid@TwwDBGrid@UnselectRecord | 1 |
| @Wwdbgrid@TwwDBGrid@UnselectAll\$qq | 1 |
| @Wwdbgrid@TwwDBGrid@RemoveSelecte | 1 |
| @Wwdbgrid@TwwDBGrid@SelectRecordRa | 1 |
| @Wwdbgrid@TwwDBGrid@CanEditShow\$q | 1 |
| @Wwdbgrid@TwwDBGrid@IsWWControl\$c | 1 |
| @Wwdbgrid@TwwDBGrid@CellColor\$qqrii | 1 |
| @Wwdbgrid@TwwDBGrid@Paint\$qqrv | 1 |
| @Wwdbgrid@TwwDBGrid@HideControls\$q | 1 |
| @Wwdbgrid@TwwDBGrid@SetColumnAttri | 1 |
| @Wwdbgrid@TwwDBGrid@LinkActive\$qqrc | 1 |
| @Wwdbgrid@TwwDBGrid@\$bdtr\$qqrv | 1 |
| @\$xp\$18Wwdbgrid@TwwDBGrid | 1 |
| @Filectrl@ForceDirectories\$qqr17System@. | 1 |
| GetBmplIntro | 1 |
| @Exptintf@ToolServices | 1 |
| @Spin@TSpinEdit@DownClick\$qqrp14Syste | 1 |
| @Spin@TSpinEdit@UpClick\$qqrp14System@ | 1 |
| @Spin@TSpinEdit@CreateWnd\$qqrv | 1 |
| @Spin@TSpinEdit@CreateParams\$qqrr22Cc | 1 |
| @Spin@TSpinEdit@IsValidChar\$qqrc | 1 |
| @Spin@TSpinEdit@\$bdtr\$qqrv | 1 |
| @Spin@TSpinEdit@\$bctr\$qqrp18Classes@T | 1 |
| @\$xp\$14Spin@TSpinEdit | 1 |
| @Wwclient@initialization\$qqrv | 1 |
| @Wwclient@Finalization\$qqrv | 1 |
| @Wwclient@TwwClientDataSet@GetContrc | 1 |
| @Objbrkr@initialization\$qqrv | 1 |
| @Objbrkr@Finalization\$qqrv | 1 |
| PeerPnrpResolve | 1 |
| PeerPnrpRegister | 1 |
| PeerHostNameToPeerName | 1 |
| PeerNameToPeerHostName | 1 |

| | |
|-------------------------------------|---|
| PeerEndEnumeration | 1 |
| PeerPnrpStartup | 1 |
| PeerPnrpUnregister | 1 |
| PeerGetNextItem | 1 |
| PeerCollabEnumContacts | 1 |
| PeerCollabUpdateContact | 1 |
| PeerCollabShutdown | 1 |
| PeerCollabDeleteContact | 1 |
| PeerCollabStartup | 1 |
| PeerCollabExportContact | 1 |
| PeerCollabParseContact | 1 |
| PeerCollabAddContact | 1 |
| PeerPnrpShutdown | 1 |
| PeerCollabGetContact | 1 |
| GetModuleHandle | 1 |
| __unlink | 1 |
| Perl_win32_init | 1 |
| Perl_win32_term | 1 |
| Perl_Tainted_ptr | 1 |
| Perl_sv_2pv_nolen | 1 |
| Perl_Tstatbuf_ptr | 1 |
| lame_close | 1 |
| lame_encode_buffer | 1 |
| lame_encode_buffer_interleaved | 1 |
| lame_get_quality | 1 |
| lame_init | 1 |
| lame_init_params | 1 |
| lame_print_config | 1 |
| lame_print_internals | 1 |
| lame_set_VBR | 1 |
| lame_set_VBR_mean_bitrate_kbps | 1 |
| lame_set_brate | 1 |
| lame_set_disable_reservoir | 1 |
| lame_set_in_samplerate | 1 |
| lame_set_mode | 1 |
| lame_set_num_channels | 1 |
| lame_set_out_samplerate | 1 |
| lame_set_preset | 1 |
| lame_set_quality | 1 |
| ADM_backTrack | 1 |
| myAdmMemcpy | 1 |
| _Z8dither16Pfjh | 1 |
| _ZN11AUDMEncoder12refillBufferEi | 1 |
| _ZN11AUDMEncoder7cleanupEv | 1 |
| _ZN11AUDMEncoderC2EP15AUDMAudioFilt | 1 |
| _ZN11AUDMEncoderD2Ev | 1 |
| _Z13GUI_Error_HIGPKcS0_z | 1 |

| | |
|--|---|
| _Z13diaFactoryRunPKcjPP7diaElem | 1 |
| _ZN11diaElemMenuC1EPjPKcjPK12diaMenu | 1 |
| _ZN11diaElemMenuD1Ev | 1 |
| _ZN13diaElemToggleC1EPjPKcs2_ | 1 |
| _ZN13diaElemToggleD1Ev | 1 |
| _ZN15diaElemUIIntegerC1EPjPKcjjS2_ | 1 |
| _ZN15diaElemUIIntegerD1Ev | 1 |
| _Unwind_SjLj_RaiseException | 1 |
| _Unwind_SjLj_Resume_or_Rethrow | 1 |
| SetMMFilter | 1 |
| ?size@QImage@@QBE?AVQSize@@XZ | 1 |
| ?setColorTable@QImage@@QAEXV?\$QVec` | 1 |
| ?setDotsPerMeterX@QImage@@QAEXH@Z | 1 |
| ?setDotsPerMeterY@QImage@@QAEXH@Z | 1 |
| ?mirrored@QImage@@QBE?AV1 @_N0@Z | 1 |
| ?transformed@QImage@@QBE?AV1@ABV(| 1 |
| ?dotsPerMeterX@QImage@@QBEHXZ | 1 |
| ?dotsPerMeterY@QImage@@QBEHXZ | 1 |
| ?logicalDpiX@QPaintDevice@@QBEHXZ | 1 |
| ?logicalDpiY@QPaintDevice@@QBEHXZ | 1 |
| ?colorTable@QImage@@QBE?AV?\$QVector` | 1 |
| ?copy@QImage@@QBE?AV1@HHHH@Z | 1 |
| ?nextImageDelay@QImageIOHandler@@UE | 1 |
| ?imageCount@QImageIOHandler@@UBEH> | 1 |
| ?loopCount@QImageIOHandler@@UBEHXZ | 1 |
| deflateParams | 1 |
| inflateSync | 1 |
| ?peek@QIODevice@@QAE?AVQByteArray@ | 1 |
| ?DVA_DebugBreak@debug@dvacore@@YA | 1 |
| ?Trace@debug@dvacore@@YAXPBD@Z | 1 |
| ?TraceEnabled@debug@dvacore@@YA_NA | 1 |
| ?Create@File@ASL@@QAEJABV?\$basic_str | 1 |
| ?ProcessorSupportsSSE2@SystemInfo@ASL(| 1 |
| ??0ConstString@ASL@@QAE@ABV?\$basic_ | 1 |
| ?Initialize@ThreadedWorkQueue@ASL@@(| 1 |
| ?Init@ThreadedWorkQueueFlush@ASL@@(| 1 |
| ??1ConstString@ASL@@QAE@XZ | 1 |
| ?Stop@ThreadedWorkQueue@ASL@@QAE | 1 |
| ?SizeOnDisk@File@ASL@@SAJABV?\$basic_ | 1 |
| ?AllocateBuffer@MemoryRecycler@ASL@@ | 1 |
| ?GetExtensionPart@PathUtils@ASL@@YA?A | 1 |
| ?GetNumberOfThreads@ThreadedWorkQue | 1 |
| ?QueueRequest@ThreadedWorkQueue@AS | 1 |
| ?Flush@ThreadedWorkQueueFlush@ASL@@(| 1 |
| ??0ThreadedWorkQueueFlush@ASL@@QAE | 1 |
| ??0ThreadedWorkQueue@ASL@@QAE@XZ | 1 |
| ?Instance@MemoryRecycler@ASL@@SA?A' | 1 |

| | |
|---|---|
| ?RecycleBuffer@MemoryRecycler@ASL@@ | 1 |
| ?IsOpen@File@ASL@@QBE_NXZ | 1 |
| ??_7Exception@ASL@@6B@ | 1 |
| ??0Exception@ASL@@QAE@ABV01@@Z | 1 |
| ?GetFilePart@PathUtils@ASL@@YA?AV?\$b: | 1 |
| ?MakeUniqueFilename@PathUtils@ASL@@@ | 1 |
| ?Write@File@ASL@@QAEJPBXAAK@Z | 1 |
| ??1AsyncFileReader@ASL@@QAE@XZ | 1 |
| ??1File@ASL@@QAE@XZ | 1 |
| ??0AsyncFileReader@ASL@@QAE@XZ | 1 |
| ??0File@ASL@@QAE@XZ | 1 |
| ?Close@AsyncFileReader@ASL@@QAEXXZ | 1 |
| ?Close@File@ASL@@QAEXXZ | 1 |
| ?QueueReadRequest@AsyncFileReader@AS | 1 |
| ?SizeOnDisk@File@ASL@@QBE_KXZ | 1 |
| ?Open@AsyncFileReader@ASL@@SAJABV?: | 1 |
| ?GetEfficientDiskBufferSizeFromPath@DiskL | 1 |
| ?Read@File@ASL@@QAEJPAXAAK@Z | 1 |
| ?SetFilePointer@File@ASL@@QAEJ_JW4TyI | 1 |
| ??1MemoryRecycler@ASL@@QAE@XZ | 1 |
| ?GetLastModificationTime@File@ASL@@SA | 1 |
| ?Open@File@ASL@@SAJABV?\$basic_string | 1 |
| ?ToNormalizedPath@PathUtils@ASL@@YA | 1 |
| ?IsNormalizedPath@PathUtils@ASL@@YA_ | 1 |
| _ZN4Foam10readScalarERNS_7IstreamE | 1 |
| _ZN4Foam12cellModeller6lookupERKNS_4w | 1 |
| _ZN4Foam5planeC1ERKNS_6VectorIdEES4_ | 1 |
| _ZN4Foam7argList10noParallelEv | 1 |
| _ZN4Foam8polyMesh10movePointsERKNS_! | 1 |
| _ZN4Foam8polyMesh11setInstanceERKNS_8 | 1 |
| _ZN4FoamIsERNS_7OstreamERKNS_6stringE | 1 |
| _ZN4FoamrsERNS_7IstreamERd | 1 |
| _ZNK4Foam13primitiveMesh10cellShapesEv | 1 |
| _ZNK4Foam13primitiveMesh9faceAreasEv | 1 |
| _ZNK4Foam8polyMesh14pointsInstanceEv | 1 |
| _ZN4Foam10meshCutter10updateMeshERKI | 1 |
| _ZN4Foam10meshCutter13setRefinementEF | 1 |
| _ZN4Foam10meshCutterC1ERKNS_8polyMe | 1 |
| _ZN4Foam10meshCutterD1Ev | 1 |
| _ZN4Foam14geomCellLooperC1ERKNS_8pol | 1 |
| _ZN4Foam14geomCellLooperD1Ev | 1 |
| _ZN4Foam14polyTopoChange10changeMesl | 1 |
| _ZN4Foam14polyTopoChangeC1ERKNS_8po | 1 |
| _ZN4Foam8cellCutsC1ERKNS_8polyMeshERI | 1 |
| _ZN4Foam8cellCutsD1Ev | 1 |
| _ZN4Foam7cellSet10updateMeshERKNS_11i | 1 |
| _ZN4Foam7cellSetC1ERKNS_8polyMeshERKI | 1 |

| | |
|---|---|
| @Uurlbuilder@initialization\$qqrv | 1 |
| @Uurlbuilder@Finalization\$qqrv | 1 |
| @Umodulemanager@initialization\$qqrv | 1 |
| @Umodulemanager@Finalization\$qqrv | 1 |
| @Upointstone_shared_globals@initializatio | 1 |
| @Upointstone_shared_globals@Finalization | 1 |
| @Umadexcepthelper@initialization\$qqrv | 1 |
| @Umadexcepthelper@Finalization\$qqrv | 1 |
| @Uping@PingFactory@CreatePingV4\$qqrv | 1 |
| @\$xp\$17Uping@PingFactory | 1 |
| @Uping@PingFactory@ | 1 |
| @\$xp\$11Uping@TPing | 1 |
| @Uping@TPing@ | 1 |
| @Uping@PingFactory@Implementor | 1 |
| @I18ncexpr@initialization\$qqrv | 1 |
| @I18ncexpr@Finalization\$qqrv | 1 |
| @I18nplurals@initialization\$qqrv | 1 |
| @I18nplurals@Finalization\$qqrv | 1 |
| @I18nwinnls@initialization\$qqrv | 1 |
| @I18nwinnls@Finalization\$qqrv | 1 |
| @I18ncalendar@initialization\$qqrv | 1 |
| @I18ncalendar@Finalization\$qqrv | 1 |
| @I18nkalgregorian@initialization\$qqrv | 1 |
| @I18nkalgregorian@Finalization\$qqrv | 1 |
| @I18ncore@initialization\$qqrv | 1 |
| @I18ncore@Finalization\$qqrv | 1 |
| @I18nlocalizer@initialization\$qqrv | 1 |
| @I18nlocalizer@Finalization\$qqrv | 1 |
| @Ulocalizer_strings@initialization\$qqrv | 1 |
| @Ulocalizer_strings@Finalization\$qqrv | 1 |
| @Ulocalizer_strings@TLocalizerStrings@_In | 1 |
| @Ulocalizer_strings@TLocalizerStrings@Get | 1 |
| @Ulocalizer_strings@TLocalizerStrings@Get | 1 |
| @Ulocalizer_strings@TLocalizerStrings@Get | 1 |
| @Ulocalizer_strings@TLocalizerStrings@\$bc | 1 |
| @Ulocalizer_strings@TLocalizerStrings@\$bc | 1 |
| @\$xp\$34Ulocalizer_strings@TLibraryStrings | 1 |
| @Ulocalizer_strings@TLibraryStrings@ | 1 |
| vlc_gai_strerror | 1 |
| eateFileW | 1 |
| ePointer | 1 |
| pFileNameW | 1 |
| leW | 1 |
| adLibraryW | 1 |
| ?DoSaveCompleted@ScDocShell@@UAEEPA | 1 |
| ?ConvertFrom@ScDocShell@@UAEEAAVSfx | 1 |
| ?ConvertTo@ScDocShell@@UAEEAAVSfxM | 1 |

| | |
|---|---|
| ?InitNew@ScDocShell@@UAEEABV?\$Refer | 1 |
| ?Load@ScDocShell@@UAEEAAVSfxMedium | 1 |
| ?LoadFrom@ScDocShell@@UAEEAAVSfxMe | 1 |
| ?Save@ScDocShell@@UAEEXZ | 1 |
| ?SaveAs@ScDocShell@@UAEEAAVSfxMediu | 1 |
| ?SaveCompleted@ScDocShell@@UAEEABV | 1 |
| ?UpdateLinks@ScDocShell@@UAEXXZ | 1 |
| ?CreateDocumentInfoDialog@ScDocShell@() | 1 |
| ?PrepareClose@ScDocShell@@UAEGEE@Z | 1 |
| ?IsInformationLost@ScDocShell@@UAEEXZ | 1 |
| ?GetHiddenInformationState@ScDocShell@ | 1 |
| ?PrepareReload@ScDocShell@@UAEXXZ | 1 |
| ?DdeGetData@ScDocShell@@UAEJABVStrin | 1 |
| ?DdeSetData@ScDocShell@@UAEJABVStrin | 1 |
| ?DdeCreateLinkSource@ScDocShell@@UAE | 1 |
| ?GetStyleSheetPool@ScDocShell@@UAEPA' | 1 |
| ?Insert@ScDocShell@@UAEEAAVSfxObjectS | 1 |
| ?LoadStyles@ScDocShell@@UAEXAAVSfxOlk | 1 |
| ?SetModified@ScDocShell@@UAEXE@Z | 1 |
| ?GetDocumentPrinter@ScDocShell@@UAEF | 1 |
| ?GetVisArea@ScDocShell@@UBE?AVRectan | 1 |
| ?SetVisArea@ScDocShell@@UAEXABVRecta | 1 |
| ?Draw@ScDocShell@@UAEXPAPVOutputDev | 1 |
| ?FillClass@ScDocShell@@UBEXPAPSVGlobal | 1 |
| ?Activate@ScDocShell@@UAEXXZ | 1 |
| ?Deactivate@ScDocShell@@UAEXXZ | 1 |
| ?Notify@ScDocShell@@MAEXAAVSfxBroadc | 1 |
| ?_DS _c DocShell@@QAEXXZ | 1 |
| ?CreateValidTabName@ScDocument@@QB | 1 |
| ?Factory@ScDocShell@@SAAVSfxObjectFa | 1 |
| ?GetDocument@ScViewData@@QBEPAVScl | 1 |
| ?_0ScExpandedFixedText@@QAE@PAVWin | 1 |
| ?_1ScDocumentLoader@@QAE@XZ | 1 |
| ?ReleaseDocRef@ScDocumentLoader@@QF | 1 |
| ?_0ScDocumentLoader@@QAE@ABVString(| 1 |
| ?Next@ScAreaNameIterator@@QAEEAAVSt | 1 |
| ?_0ScAreaNameIterator@@QAE@PAVScDo | 1 |
| ?GetOptions@ScDocumentLoader@@SA?AI | 1 |
| ?GetFilterName@ScDocumentLoader@@SA | 1 |
| ?StaticType@ScDocShell@@SAP6APAXXZXZ | 1 |
| ?_1ScQueryParam@@QAE@XZ | 1 |
| ?GetFilterEntriesArea@ScDocument@@QA{ | 1 |
| ?_0ScSortedCollection@@QAE@GGE@Z | 1 |
| ?Clone@TypedScStrCollection@@UBEPAVS | 1 |
| ?Insert@ScSortedCollection@@UAEEPAVScl | 1 |
| ?IndexOf@ScSortedCollection@@UBEGPAV | 1 |
| ?Compare@TypedScStrCollection@@UBEFP | 1 |

| | |
|--|---|
| ?IsEqual@ScSortedCollection@@UBEEPAVS | 1 |
| ?InsertPos@ScSortedCollection@@UAEEPA\ | 1 |
| ??1ScCollection@@UAE@XZ | 1 |
| ??0ScQueryItem@@QAE@GPBUScQueryPa\ | 1 |
| ??0ScQueryParam@@QAE@ABU0@@Z | 1 |
| ?Type@ScQueryItem@@UBEP6APAXXZXZ | 1 |
| ?IsA@ScQueryItem@@UBEEP6APAXXZ@Z | 1 |
| ??8ScQueryItem@@UBEHABVSfxPoolItem@\ | 1 |
| ?Clone@ScQueryItem@@UBEPAVSfxPoolIt\ | 1 |
| ?GetValueText@ScQueryItem@@UBE?AVSt | 1 |
| ??1ScQueryItem@@UAE@XZ | 1 |
| ?ScColToAlpha@@YAXAAVOUStringBuffer@ | 1 |
| ?GetString@ScDocument@@QAEXFJFAAVSt | 1 |
| ?GetDBAtArea@ScDBCollection@@QBEPAV | 1 |
| ?Format@ScRange@@QBEXAAVString@@C | 1 |
| ?GetAddressConvention@ScDocument@@C | 1 |
| ?GetDBCollection@ScDocument@@QBEPA\ | 1 |
| ??1ScDataObject@@UAE@XZ | 1 |
| ??0ScCollection@@QAE@GG@Z | 1 |
| ??0ScCollection@@QAE@ABV0@@Z | 1 |
| ?Clone@ScCollection@@UBEPAVScDataObj | 1 |
| ??4ScCollection@@QAEAAV0@ABV0@@Z | 1 |
| ?Clone@ScStrCollection@@UBEPAVScDataC | 1 |
| ?Compare@ScStrCollection@@UBEFPAScC | 1 |
| ?GetExistingDimensionByName@ScDPSaveE | 1 |
| ?IsDuplicated@ScDPObjec@@QAEJJ@Z | 1 |
| ?GetDimName@ScDPObjec@@QAE?AVStri | 1 |
| ?GetDimCount@ScDPObjec@@QAEJXZ | 1 |
| ?GetMembers@ScDPObjec@@QAEJJAAV\ | 1 |
| ?ValidNewTabName@ScDocument@@QBEF | 1 |
| ?GetpLocaleData@ScGlobal@@SAPBVLocale | 1 |
| ?SetTextEncoding@ScImportOptions@@QA | 1 |
| ?GetSubStr@ScUserListData@@QBE?AVStri | 1 |
| ?GetSubCount@ScUserListData@@QBEGXZ | 1 |
| ??0ScUserListData@@QAE@ABVString@@(| 1 |
| ??0ScUserList@@QAE@GG@Z | 1 |
| ?Clone@ScUserList@@UBEPAVScDataObjec | 1 |
| ?Insert@ScCollection@@UAEEPAVScDataOk | 1 |
| ?IndexOf@ScCollection@@UBEGPAVScData | 1 |
| ?Clone@ScUserListData@@UBEPAVScDataC | 1 |
| ??1ScUserListData@@UAE@XZ | 1 |
| ?HasStringData@ScDocument@@QBEEFJF@ | 1 |
| ?SetString@ScUserListData@@QAEXABVStri | 1 |
| ?IsAbsPos@ScRangeUtil@@QBEEABVString\ | 1 |
| ?GetFactory@ScDocShell@@UBEAAVSfxObj | 1 |
| ??1ScUserListItem@@UAE@XZ | 1 |
| ?SetUserList@ScUserListItem@@QAEXABVS | 1 |

| | |
|--|---|
| ??OScUserListItem@@QAE@G@Z | 1 |
| ??8ScUserList@@QBEEABV0@@Z | 1 |
| ?detailsOOOa1@ScAddress@@2UDetails@1 | 1 |
| ?GetSimpleArea@ScViewData@@QBE?AW4 | 1 |
| ?StaticType@ScTabViewShell@@SAP6APAX | 1 |
| ??1ScDocOptions@@QAE@XZ | 1 |
| ??1ScTpCalcItem@@UAE@XZ | 1 |
| ??0ScTpCalcItem@@QAE@GABVScDocOptic | 1 |
| ??8ScDocOptions@@QBEHABV0@@Z | 1 |
| ??4ScDocOptions@@QAEABV0@ABV0@@Z | 1 |
| ??0ScDocOptions@@QAE@XZ | 1 |
| ??0ScDocOptions@@QAE@ABV0@@Z | 1 |
| ??1ScPrintOptions@@QAE@XZ | 1 |
| ??4ScPrintOptions@@QAEABV0@ABV0@@ | 1 |
| ?GetPrintOptions@ScModule@@QAEABVSc | 1 |
| ??0ScPrintOptions@@QAE@XZ | 1 |
| ??1ScTpPrintItem@@UAE@XZ | 1 |
| ??0ScTpPrintItem@@QAE@GABVScPrintOp | 1 |
| ?GetDocStat@ScDocShell@@QAEXAAUScDc | 1 |
| ??1ScViewOptions@@QAE@XZ | 1 |
| ??1ScTpViewItem@@UAE@XZ | 1 |
| ??0ScTpViewItem@@QAE@GABVScViewOp | 1 |
| ?SetGridColor@ScViewOptions@@QAEXAB\ | 1 |
| ??4ScViewOptions@@QAEABV0@ABV0@@ | 1 |
| ?GetGridColor@ScViewOptions@@QBE?AV\ | 1 |
| ??0ScViewOptions@@QAE@XZ | 1 |
| ??0ScViewOptions@@QAE@ABV0@@Z | 1 |
| ??1ScAppOptions@@QAE@XZ | 1 |
| ?SetAppOptions@ScModule@@QAEXABVSc | 1 |
| ??0ScAppOptions@@QAE@ABV0@@Z | 1 |
| ?GetAppOptions@ScModule@@QAEABVSc/ | 1 |
| ?PostPaintGridAll@ScDocShell@@QAEXXZ | 1 |
| ?AddToken@ScGlobal@@SAXAAVString@@ | 1 |
| ?AddQuotes@ScGlobal@@SAXAAVString@() | 1 |
| ?EraseQuotes@ScGlobal@@SAXAAVString@ | 1 |
| ?IsQuoted@ScGlobal@@SA_NABVString@C | 1 |
| ?GetScCompilerNativeSymbol@@YA?AVStri | 1 |
| ??1ScProtectionAttr@@UAE@XZ | 1 |
| ?SetHidePrint@ScProtectionAttr@@QAEEE(| 1 |
| ?SetHideFormula@ScProtectionAttr@@QAE | 1 |
| ?SetHideCell@ScProtectionAttr@@QAEEE@ | 1 |
| ?SetProtection@ScProtectionAttr@@QAEEE | 1 |
| ??0ScProtectionAttr@@QAE@XZ | 1 |
| ??1ScEditWindow@@UAE@XZ | 1 |
| ?SetNumType@ScEditWindow@@QAEXW4! | 1 |
| ??1ScPageHFIItem@@UAE@XZ | 1 |
| ?SetRightArea@ScPageHFIItem@@QAEXAB\ | 1 |

| | |
|---|---|
| ?SetCenterArea@ScPageHFIItem@@QAECAF | 1 |
| ?SetLeftArea@ScPageHFIItem@@QAEABVE | 1 |
| ?CreateTextObject@ScEditWindow@@QAEI | 1 |
| ??0ScPageHFIItem@@QAE@G@Z | 1 |
| ?SetText@ScEditEngineDefaulter@@QAEXA | 1 |
| ?InsertField@ScEditWindow@@QAEABVSv | 1 |
| ?SetCharAttriutes@ScEditWindow@@QAEAX | 1 |
| ?GetScEditWindow@@YAPAVScEditWindow | 1 |
| ?GetSelected@ScExtIButton@@QAEGXZ | 1 |
| ?SetText@ScEditWindow@@QAEABVEditT | 1 |
| ??1ScPatternAttr@@UAE@XZ | 1 |
| ?SetFont@ScEditWindow@@QAEABVScPa | 1 |
| ?SetPopupMenu@ScExtIButton@@QAEPA` | 1 |
| ??0ScPatternAttr@@QAE@PAVSfxItemPool | 1 |
| ??_7ScPopupMenu@@6B@ | 1 |
| ??0ScExtIButton@@QAE@PAVWindow@@, | 1 |
| ??0ScEditWindow@@QAE@PAVWindow@() | 1 |
| ??1ScViewObjectModelItem@@UAE@XZ | 1 |
| ??0ScViewObjectModelItem@@QAE@GW4S | 1 |
| ??1ScPageScaleToltem@@UAE@XZ | 1 |
| ??0ScPageScaleToltem@@QAE@XZ | 1 |
| ?GetPageStyle@ScDocument@@QBEABVSt | 1 |
| ??1ScSubTotalItem@@UAE@XZ | 1 |
| ??0ScSubTotalItem@@QAE@GPBUScSubTo | 1 |
| ??4ScSubTotalParam@@QAEAAU0@ABU0@C | 1 |
| ??0ScSubTotalParam@@QAE@XZ | 1 |
| ? GetUserList@ScGlobal@@SAPAVScUserList | 1 |
| ??0ScSubTotalParam@@QAE@ABU0@@Z | 1 |
| ?SetSubTotals@ScSubTotalParam@@QAEXC | 1 |
| ??1ScSortParam@@QAE@XZ | 1 |
| ??1ScSortItem@@UAE@XZ | 1 |
| ??0ScSortItem@@QAE@GPBVScViewData@ | 1 |
| ??4ScSortParam@@QAEAAU0@ABU0@@Z | 1 |
| ??0ScSortParam@@QAE@ABU0@@Z | 1 |
| ?Parse@ScAddress@@QAEGBVString@@F | 1 |
| ?Format@ScAddress@@QBEXAAVString@@ | 1 |
| ??0ScSortItem@@QAE@GPBUScSortParam(| 1 |
| ?GetpTransliteration@ScGlobal@@SAPAVTr | 1 |
| ??1ScCsvTableBox@@UAE@XZ | 1 |
| ?SetSeparatorsMode@ScCsvTableBox@@Q | 1 |
| ?SetFixedWidthMode@ScCsvTableBox@@Q | 1 |
| ?Execute@ScCsvControl@@QAEW4ScCsvC | 1 |
| ?SetUniStrings@ScCsvTableBox@@QAEWPB' | 1 |
| ?GetVisLineCount@ScCsvControl@@QBEJXZ | 1 |
| ?GetUndoManager@ScDocShell@@UAEPA\ | 1 |
| ?GetInterface@ScDocShell@@UBEPAVSfxIn | 1 |
| ?IsA@ScDocShell@@UBEEP6APAXXZ@Z | 1 |

| | |
|---|---|
| ?Type@ScDocShell@@UBEP6APAXXZXZ | 1 |
| ??0ScDocShell@@QAE@W4SfxObjectCreate | 1 |
| ?GetEmptyString@ScGlobal@@SAABVString | 1 |
| ?ValidTabName@ScDocument@@QBEEABV | 1 |
| ?GetName@ScDocument@@QBEEFAAVStri | 1 |
| ?GetFormatTable@ScDocument@@QBEPAV | 1 |
| ?AnyToInterface@ScUnoHelpFunctions@@S | 1 |
| ??1ScAutoFmtPreview@@UAE@XZ | 1 |
| ??0ScAutoFmtPreview@@QAE@PAVWindow | 1 |
| ?Paint@ScAutoFmtPreview@@MAEXABVRe | 1 |
| ?AtFree@ScCollection@@QAEXG@Z | 1 |
| ??1ScAutoFormatData@@UAE@XZ | 1 |
| ?Clone@ScAutoFormatData@@UBEPAVScD | 1 |
| ??0ScAutoFormatData@@QAE@ABV0@@Z | 1 |
| ?SetName@ScAutoFormatData@@QAEXAB' | 1 |
| ?GetRscString@ScGlobal@@SAABVString@I | 1 |
| ?GetName@ScAutoFormatData@@QBEXAA | 1 |
| ?NotifyChange@ScAutoFmtPreview@@QAE | 1 |
| ?GetAutoFormat@ScGlobal@@SAPAVScAut | 1 |
| ?Save@ScAutoFormat@@QAEEZ | 1 |
| ?At@ScCollection@@QBEPAVScDataObject(| 1 |
| ??0ScCsvTableBox@@QAE@PAVWindow@(| 1 |
| ?InitTypes@ScCsvTableBox@@QAEXABVList | 1 |
| ?IsAbsArea@ScRangeUtil@@QBEEABVString | 1 |
| ?FillColumnData@ScCsvTableBox@@QBEXA | 1 |
| ??0ScResId@@QAE@G@Z | 1 |
| ?GetSelColumnType@ScCsvGrid@@QBEJXZ | 1 |
| ?CheckEntryPos@SvxCheckListBox@@QAEX | 1 |
| ??0SvxCheckListBox@@QAE@PAVWindow@C | 1 |
| ??1SvxCheckListBox@@UAE@XZ | 1 |
| ?GetCheckedEntryCount@SvxCheckListBox@C | 1 |
| ?GetColor@XColorTable@@QBEPAVXColorF | 1 |
| ?Count@XPropertyTable@@QBEJXZ | 1 |
| ??_7SvxTimeField@@6B@ | 1 |
| ?FillFromDbTextEncodingMap@SvxTextEnc | 1 |
| ?GetStdColorTable@XColorTable@@SAPAV | 1 |
| ??1SvxStringArray@@QAE@XZ | 1 |
| ?SetFieldUnit@@YAXAAVMetricField@@W | 1 |
| ?GetStringByPos@SvxStringArray@@QBEAE | 1 |
| ??0SvxStringArray@@QAE@ABVResId@@@C | 1 |
| ??1SvxFontListItem@@UAE@XZ | 1 |
| ??0SvxFontListItem@@QAE@PBVFontList@ | 1 |
| ??1SvxNumberInfoItem@@UAE@XZ | 1 |
| ??0SvxNumberInfoItem@@QAE@ABV0@@@ | 1 |
| ??0SvxFontListItem@@QAE@ABV0@@Z | 1 |
| ??0SvxDateField@@QAE@XZ | 1 |
| ??0SvxExtFileField@@QAE@XZ | 1 |

| | |
|--|---|
| ??_7SvxFileField@@6B@ | 1 |
| ??_7SvxTableField@@6B@ | 1 |
| ??1SvxFieldData@@UAE@XZ | 1 |
| ??1SvxFieldItem@@UAE@XZ | 1 |
| ??0SvxFieldItem@@QAE@ABVSvxFieldData | 1 |
| ??_7SvxPageField@@6B@ | 1 |
| ?StaticType@SvxExtFileField@@SAP6APAXX | 1 |
| ??0SvxFieldData@@QAE@XZ | 1 |
| ?StaticType@SvxDateField@@SAP6APAXXZ | 1 |
| ?IsChecked@SvxCheckListBox@@QBEEG@Z | 1 |
| ?InsertEntry@SvxCheckListBox@@QAEXAB\ | 1 |
| ?FillFromTextEncodingTable@SvxTextEncodi | 1 |
| ?InsertTextEncoding@SvxTextEncodingBox@ | 1 |
| ?SelectTextEncoding@SvxTextEncodingBox@C | 1 |
| ?GetSelectTextEncoding@SvxTextEncodingB | 1 |
| ??0SvxTextEncodingBox@@QAE@PAVWind | 1 |
| ??0SvxLanguageBox@@QAE@PAVWindow(C | 1 |
| ?SetLanguageList@SvxLanguageBox@@QAE | 1 |
| ?InsertLanguage@SvxLanguageBox@@QAE(C | 1 |
| ?SelectLanguage@SvxLanguageBox@@QAE: | 1 |
| ?GetSelectLanguage@SvxLanguageBox@@C | 1 |
| ??1SvxLanguageBox@@UAE@XZ | 1 |
| ?SetEntryData@SvxCheckListBox@@QAEPA. | 1 |
| ?SelectEntryPos@SvxCheckListBox@@QAEX | 1 |
| ?GetSelectEntryPos@SvxCheckListBox@@Q | 1 |
| ?GetEntryData@SvxCheckListBox@@QBEPA | 1 |
| ??0SvxHFPage@@IAE@PAVWindow@@GA | 1 |
| ?Reset@SvxHFPage@@UAEXABVSfxItemSet | 1 |
| ?GetRanges@SvxHeaderPage@@SAPAGXZ | 1 |
| ?TurnOnHdl@SvxHFPage@@IAEJPAVCheckE | 1 |
| ?DeactivatePage@SvxHFPage@@MAEHPAV | 1 |
| ?ActivatePage@SvxHFPage@@MAEXABVSf | 1 |
| ?FillItemSet@SvxHFPage@@UAEEAAVSfxIt | 1 |
| ??1SvxHFPage@@UAE@XZ | 1 |
| ?GetText@EditEngine@@QBE?AVString@@ | 1 |
| ?StaticType@SvxTableField@@SAP6APAXXZ | 1 |
| ?QuickInsertField@EditEngine@@QAEXABV | 1 |
| ?QuickInsertText@EditEngine@@QAEXABV\ | 1 |
| ?CreateTextObject@EditEngine@@QAEPAV | 1 |
| ?GetPortions@EditEngine@@QAEXGAAVSvI | 1 |
| ?GetText@EditEngine@@QBE?AVString@@ | 1 |
| ?CreateTextObject@EditEngine@@QAEPAV | 1 |
| ??0SvxExtFileField@@QAE@ABVString@@V | 1 |
| ??_7SvxPagesField@@6B@ | 1 |
| ??0SvxDateField@@QAE@ABVDate@@W4! | 1 |
| ??1SvxTextEncodingBox@@UAE@XZ | 1 |
| ?GetOldItem@SfxTabPage@@IAEPBVSfxPoc | 1 |

| | |
|---|---|
| ??OSfxSingleTabDialog@@QAE@PAVWindow | 1 |
| ?SetTabPage@SfxSingleTabDialog@@QAEXI | 1 |
| ?AddTabPage@SfxTabDialog@@QAEXGE@Z | 1 |
| ??1SfxStyleDialog@@UAE@XZ | 1 |
| ?Ok@SfxStyleDialog@@UAEFXZ | 1 |
| ??OSfxStyleDialog@@QAE@PAVWindow@C | 1 |
| ?GetInputSetImpl@SfxTabDialog@@IAEPAV | 1 |
| ??OSfxTabDialog@@QAE@PAVSfxViewFram | 1 |
| ?ChooseScript@SfxApplication@@SA?AVOL | 1 |
| ?PageCreated@SfxTabDialog@@MAEXGAA\ | 1 |
| ?Ok@SfxTabDialog@@MAEFXZ | 1 |
| ?GetWhich@SfxTabPage@@IBEGGE@Z | 1 |
| ?GetInputRanges@SfxTabDialog@@QAEPBC | 1 |
| ?SetInputSet@SfxTabDialog@@QAEXPBVSf | 1 |
| ??1ControlWrapperBase@sfx@@UAE@XZ | 1 |
| ??1DocumentInserter@sfx2@@QAE@XZ | 1 |
| ?GetTitle@SfxObjectShell@@QBE?AVString | 1 |
| ?GetError@SfxObjectShell@@QBEKXZ | 1 |
| ?GetErrorCode@SfxObjectShell@@QBEKXZ | 1 |
| ?DoLoad@SfxObjectShell@@QAEEPAVSfxM | 1 |
| ?CreateMedium@DocumentInserter@sfx2@ | 1 |
| ?GetGlobalName@SfxShell@@UBE?AVSvGl | 1 |
| ? Invalidate@SfxObjectShell@@UAEXG@Z | 1 |
| ?Activate@SfxShell@@UAEXE@Z | 1 |
| ?Deactivate@SfxShell@@UAEXE@Z | 1 |
| ?ParentActivate@SfxShell@@UAEXXZ | 1 |
| ?ParentDeactivate@SfxShell@@UAEXXZ | 1 |
| ?HasUIFeature@SfxShell@@UAEEK@Z | 1 |
| ?GetObjectShell@SfxObjectShell@@UAEP@ | 1 |
| ?CreateItemSet@SfxShell@@UAEPAVSfxIt ei | 1 |
| ?ApplyItemSet@SfxShell@@UAEXGABVSfxIt | 1 |
| ?ModifyChanged@SfxObjectShell@@MAEX) | 1 |
| ?DoFlushDocInfo@SfxObjectShell@@MAEX) | 1 |
| ?GetAPIName@SfxObjectShell@@UBE?AVS | 1 |
| ?LoadOwnFormat@SfxObjectShell@@UAEE. | 1 |
| ?SaveAsOwnFormat@SfxObjectShell@@UAI | 1 |
| ?SwitchPersistance@SfxObjectShell@@UAE | 1 |
| ?QueryTitle@SfxObjectShell@@UBE?AVStri | 1 |
| ?ViewAssigned@SfxObjectShell@@UAEXXZ | 1 |
| ?HasSecurityOptOpenReadOnly@SfxObjectS | 1 |
| ?GetFirstPageSize@SfxObjectShell@@UAE? | 1 |
| ?DoClose@SfxObjectShell@@UAEECX | 1 |
| ?GetPreviewMetaFile@SfxObjectShell@@U | 1 |
| ?CancelTransfers@SfxObjectShell@@UAEXX | 1 |
| ?MemoryError@SfxObjectShell@@UAEXXZ | 1 |
| ?DdeExecute@SfxObjectShell@@UAEJABVS | 1 |
| ?HasBasic@SfxObjectShell@@UBEECX | 1 |

| | |
|---|---|
| ?SetOrganizerSearchMask@SfxObjectShell@ | 1 |
| ?GetContentCount@SfxObjectShell@@UAE@ | 1 |
| ?CanHaveChilds@SfxObjectShell@@UAEEG@ | 1 |
| ?GetContent@SfxObjectShell@@UAEXAAVS | 1 |
| ?GetContent@SfxObjectShell@@UAEXAAVS | 1 |
| ?TriggerHelpPI@SfxObjectShell@@UAEXGG | 1 |
| ?GetStyleFamilyBitmap@SfxObjectShell@@ | 1 |
| ?GetStyleFamilyBitmap@SfxObjectShell@@ | 1 |
| ?Remove@SfxObjectShell@@UAEEGGG@Z | 1 |
| ?Print@SfxObjectShell@@UAEEAAVPrinter@ | 1 |
| ?GetSmartSelf@SfxObjectShell@@UAEPAVS | 1 |
| ?GetEventNames@SfxObjectShell@@UAE?A | 1 |
| ?InPlaceActivate@SfxObjectShell@@UAEXE | 1 |
| ?UIActivate@SfxObjectShell@@UAEXE@Z | 1 |
| ?GetDocumentRefDev@SfxObjectShell@@L | 1 |
| ?OnDocumentPrinterChanged@SfxObjectSh | 1 |
| ?GetMiscStatus@SfxObjectShell@@UBEKXZ | 1 |
| ?StartExecuteModal@DocumentInserter@s | 1 |
| ??0DocumentInserter@sfx2@@QAE@_JAB\ | 1 |
| ?IsDocShared@SfxObjectShell@@QBEEHZ | 1 |
| ?SetFilter@SfxMedium@@QAEXPBVSfxFilte | 1 |
| ?GetFilterContainer@SfxObjectFactory@@C | 1 |
| ?GetNext@SfxObjectShell@@SAPAV1@ABV | 1 |
| ?Current@SfxObjectShell@@SAPAV1@XZ | 1 |
| ?GetFirst@SfxObjectShell@@SAPAV1@PBQ | 1 |
| ?Current@SfxViewShell@@SAPAV1@XZ | 1 |
| ?GetItem@SfxShell@@QBEPBVSfxPoolItem@ | 1 |
| ??1ColorListBox@@UAE@XZ | 1 |
| ?GetSelectEntryColor@ColorListBox@@QBE | 1 |
| ?SelectEntry@ColorListBox@@QAEXABVCol | 1 |
| ??0ColorListBox@@QAE@PAVWindow@@@F | 1 |
| ??0ToolTipMultiListBox@svtools@@QAE@F | 1 |
| ??1SfxBoolItem@@UAE@XZ | 1 |
| ??0SfxBoolItem@@QAE@GE@Z | 1 |
| ??1SfxUInt16Item@@UAE@XZ | 1 |
| ??0SfxUInt16Item@@QAE@GG@Z | 1 |
| ??0SfxStringItem@@QAE@GABVString@@(| 1 |
| ??1SfxAllEnumItem@@UAE@XZ | 1 |
| ??0SfxAllEnumItem@@QAE@GG@Z | 1 |
| ?GetValue@SfxInt16Item@@QBEFXZ | 1 |
| ??1SfxInt16Item@@UAE@XZ | 1 |
| ??0SfxInt16Item@@QAE@GF@Z | 1 |
| ??1SvtCJKOptions@@UAE@XZ | 1 |
| ?IsAsianTypographyEnabled@SvtCJKOptions | 1 |
| ??0SvtCJKOptions@@QAE@E@Z | 1 |
| ??1SfxUInt32Item@@UAE@XZ | 1 |
| ??0SfxUInt32Item@@QAE@GK@Z | 1 |

| | |
|--|---|
| ?GetCompany@SvtUserOptions@@QBE?AV | 1 |
| ?GetAbsPos@SvTreeList@@QBEKPAVSvListI | 1 |
| ?SetSpaceBetweenEntries@SvTreeListBox@ | 1 |
| ??1CollatorRessource@@QAE@XZ | 1 |
| ?GetTranslation@CollatorRessource@@QAE | 1 |
| ??0CollatorRessource@@QAE@XZ | 1 |
| ?GetInputLineString@SvNumberFormatter@ | 1 |
| ??0SfxErrorContext@@QAE@GABVString@I | 1 |
| ?IsNumberFormat@SvNumberFormatter@C | 1 |
| ??0SvtURLBox@@QAE@PAVWindow@@AE | 1 |
| ?SetSeparatorPos@ListBox@@QAEXG@Z | 1 |
| ?GetDate@DateFormatter@@QBE?AVDate(| 1 |
| ?SetDate@DateFormatter@@QAEXABVDate | 1 |
| ?SetShowDateCentury@DateFormatter@@(| 1 |
| ??0DateField@@QAE@PAVWindow@@AB\ | 1 |
| ??1DateField@@UAE@XZ | 1 |
| ?Hide@Window@@QAEXG@Z | 1 |
| ?GetEntry@ComboBox@@QBE?AVString@(| 1 |
| ?SaveValue@ListBox@@QAEXXZ | 1 |
| ?GetSavedValue@Edit@@QBEABVString@C | 1 |
| ?SaveValue@Edit@@QAEXXZ | 1 |
| ??1TriStateBox@@UAE@XZ | 1 |
| ?EnableTriState@CheckBox@@QAEXE@Z | 1 |
| ??0TriStateBox@@QAE@PAVWindow@@A | 1 |
| ?Draw@Edit@@UAEXPABVOutputDevice@@ | 1 |
| ?Resize@Edit@@UAEXXZ | 1 |
| ?StateChanged@Edit@@UAEXG@Z | 1 |
| ?DataChanged@Edit@@UAEXABVDataChan | 1 |
| ?SetText@Edit@@UAEXABVString@@@Z | 1 |
| ?Modify@Edit@@UAEXXZ | 1 |
| ?SetText@Edit@@UAEXABVString@@ABVS | 1 |
| ?CalcMinimumSize@Edit@@UBE?AVSize@(| 1 |
| ??0PopupMenu@@QAE@ABVResId@@@Z | 1 |
| ?MouseMove@SpinField@@UAEXABVMous | 1 |
| ?MouseButtonDown@SpinField@@UAEXAB | 1 |
| ?MouseButtonUp@SpinField@@UAEXABV | 1 |
| ?Paint@SpinField@@UAEXABVRectangle@(| 1 |
| ?Draw@SpinField@@UAEXPABVOutputDevic | 1 |
| ?Resize@SpinField@@UAEXXZ | 1 |
| ?Command@SpinField@@MAEXABVComm: | 1 |
| ?StateChanged@SpinField@@UAEXG@Z | 1 |
| ?DataChanged@NumericField@@UAEXABV | 1 |
| ?PreNotify@NumericField@@UAEJAAVNoti | 1 |
| ?Notify@NumericField@@UAEJAAVNotifyE | 1 |
| ?GetOptimalSize@SpinField@@UBE?AVSize | 1 |
| ?FillLayoutData@SpinField@@MBEXXZ | 1 |
| ?CalcMinimumSize@SpinField@@UBE?AVSi | 1 |

| | |
|--|---|
| ?CalcSize@SpinField@@UBE?AVSize@@G@ | 1 |
| ?ShowDropDown@SpinField@@UAEEE@Z | 1 |
| ?Up@NumericField@@UAEXXZ | 1 |
| ?Down@NumericField@@UAEXXZ | 1 |
| ?First@NumericField@@UAEXXZ | 1 |
| ?Last@NumericField@@UAEXXZ | 1 |
| ?Reformat@NumericFormatter@@UAEXXZ | 1 |
| ?ReformatAll@FormatterBase@@UAEXXZ | 1 |
| ?SetLocale@FormatterBase@@UAEXABULo | 1 |
| ?CreateFieldText@NumericFormatter@@M | 1 |
| ?SetEmptyFieldValue@FormatterBase@@Q | 1 |
| ?Modify@NumericField@@UAEXXZ | 1 |
| ?SetValue@NumericFormatter@@UAEX_J@ | 1 |
| ?GetValue@NumericFormatter@@UBE_JXZ | 1 |
| ?IsEmptyFieldValue@FormatterBase@@QBI | 1 |
| ?GetFlags@DataChangedEvent@@QBEKXZ | 1 |
| ?GetType@DataChangedEvent@@QBEGXZ | 1 |
| ?SetDecimalDigits@NumericFormatter@@C | 1 |
| ?Normalize@NumericFormatter@@QBE_J_ | 1 |
| ?SetLast@MetricField@@QAEX_JW4FieldUr | 1 |
| ?SetFirst@MetricField@@QAEX_JW4FieldUi | 1 |
| ?SetSpinSize@NumericFormatter@@QAEX_ | 1 |
| ?Denormalize@NumericFormatter@@QBE_ | 1 |
| ??0MultiListBox@@QAE@PAVWindow@@A | 1 |
| ?SetMax@NumericFormatter@@QAEX_J@Z | 1 |
| ?SetTimeoutHdl@Timer@@QAEXABVLink@ | 1 |
| ?Clear@ComboBox@@QAEXXZ | 1 |
| ??0MoreButton@@QAE@PAVWindow@@A | 1 |
| ?AddWindow@MoreButton@@QAEXPAPW | 1 |
| ??1MoreButton@@UAE@XZ | 1 |
| ?SetSelectHdl@ComboBox@@QAEXABVLink | 1 |
| ??0Pointer@@QAE@G@Z | 1 |
| ?InsertEntry@ComboBox@@QAEGABVStrin | 1 |
| ??1VclAbstractDialog2@@UAE@XZ | 1 |
| ??1VclAbstractDialog@@UAE@XZ | 1 |
| ?Put@SfxAllItemSet@@QAEPBVSfxPoolIter | 1 |
| ??0SfxAllItemSet@@QAE@ABV0@@Z | 1 |
| ?IsA@SfxPoolItem@@UBEEP6APAXXZ@Z | 1 |
| ?Type@SfxPoolItem@@UBEP6APAXXZXZ | 1 |
| ?GetValue@CntEnumItem@@QBEGXZ | 1 |
| ?GetValue@CntUnencodedStringItem@@Q | 1 |
| ?GetValue@CntUInt16Item@@QBEFXZ | 1 |
| ?GetItemState@SfxItemSet@@QBEGGEPA | 1 |
| ?Put@SfxItemSet@@QAEPBVSfxPoolItem@ | 1 |
| ?GetItemSet@SfxSetItem@@QAEAAVSfxIt | 1 |
| ?GetWhich@SfxItemPool@@QBEGGE@Z | 1 |
| ?PutValue@SfxPoolItem@@UAEEABVAny@ | 1 |

| | |
|--|---|
| ?QueryValue@SfxPoolItem@@UBEEAAVAny_ | 1 |
| ?ListenersGone@SfxBroadcaster@@MAEXX | 1 |
| ?GetPresentation@SfxPoolItem@@UBE?AV | 1 |
| ?GetParent@SfxItemSet@@QBEPBV1@XZ | 1 |
| ??1SvUShorts@@QAE@XZ | 1 |
| ??0SvUShorts@@QAE@GE@Z | 1 |
| ??0SfxItemSet@@QAA@AAVSfxItemPool@I | 1 |
| ?GetPool@SfxItemSet@@QBEPAVSfxItemPo | 1 |
| ?SetParent@SfxItemSet@@QAEXPBV1@@Z | 1 |
| ?listCollatorAlgorithms@CollatorWrapper@ | 1 |
| ??1CollatorWrapper@@QAE@XZ | 1 |
| ??0CollatorWrapper@@QAE@ABV?\$Refere | 1 |
| ??8Link@@QBEEABV0@@Z | 1 |
| ?GetQuotedTokenCount@String@@QBEGAI | 1 |
| ?GetQuotedToken@String@@QBE?AV1@G, | 1 |
| ?GetColor@Color@@QBEKXZ | 1 |
| ??YString@@QAEAAV0@G@Z | 1 |
| ??0Date@@QAE@ABV0@@Z | 1 |
| ??YDate@@QAEAAV0@J@Z | 1 |
| ??1ErrorContext@@UAE@XZ | 1 |
| ??0Link@@QAE@XZ | 1 |
| ?SetStreamCharSet@SvStream@@QAEXG@ | 1 |
| ??YString@@QAEAAV0@D@Z | 1 |
| ?GetStreamCharSet@SvStream@@QBEGXZ | 1 |
| ?StartReadingUnicodeText@SvStream@@Q | 1 |
| ?ReadCsvLine@SvStream@@QAEAAVStrin | 1 |
| ?GetChar@String@@QBEGG@Z | 1 |
| ??4String@@QAEAAV0@G@Z | 1 |
| ??0CUpdateAgent@@QAE@XZ | 1 |
| ??0CUpdateManager@@QAE@XZ | 1 |
| ??1CUpdateManager@@UAE@XZ | 1 |
| ??1CUpdateAgent@@UAE@XZ | 1 |
| ?stop@CUpdateAgent@@QAEXXZ | 1 |
| ?start@CUpdateAgent@@QAEXXZ | 1 |
| ?GetValuesFromRegistry@@YAHAACRegKey | 1 |
| ?GetStringValue@@YAHAACRegKey@ATL | 1 |
| ?SetStringValue@@YAHAAV?\$basic_string@ | 1 |
| ?ResolveShellLink@@YGHPBGPAGK@Z | 1 |
| ?GetStringValue@@YAHAAV?\$basic_string@ | 1 |
| _IsFileExist@4 | 1 |
| ?TrimString@@YA?AV?\$basic_string@GU?\$ | 1 |
| ??0CTaskManager@@QAE@XZ | 1 |
| ?Populate@CTaskManager@@QAEHXZ | 1 |
| ?GetProcessCount@CTaskManager@@QBEI | 1 |
| ?GetProcessByIndex@CTaskManager@@QA | 1 |
| ?GetBaseName@CModuleInstance@@QAE | 1 |
| ??1CTaskManager@@UAE@XZ | 1 |

| | |
|---|---|
| ?GetShellFolderPath@@YG?AV?\$basic_string@_N@std@@QAE@Z | 1 |
| ?GetEnumSubKeysNames@@YAHAAVCRegI@Z | 1 |
| ??0CMutex@@QAE@PAG@Z | 1 |
| ?init@CMutex@@QAEXPAG@Z | 1 |
| ?IsAnotherInstanceRunning@CMutex@@QAE@Z | 1 |
| ??1CMutex@@UAE@XZ | 1 |
| @Basedataset@initialization\$qqrv | 1 |
| @Objdataset@initialization\$qqrv | 1 |
| @Frmctrllink@initialization\$qqrv | 1 |
| @Asglinks@initialization\$qqrv | 1 |
| @Moneyedit@initialization\$qqrv | 1 |
| @Clisted@initialization\$qqrv | 1 |
| @Colorcombo@initialization\$qqrv | 1 |
| @Imagepicker@initialization\$qqrv | 1 |
| @Adfilenameedit@initialization\$qqrv | 1 |
| @Advdirectoryedit@initialization\$qqrv | 1 |
| @Advgrid@initialization\$qqrv | 1 |
| ?GetOptimalSize@FixedImage@@UBE?AVSize@0@Z | 1 |
| _nl_is_initialized@0 | 1 |
| _nl_close@0 | 1 |
| _nl_readwrite@20 | 1 |
| _nl_init@4 | 1 |
| DS_DSDRead | 1 |
| DS_Close | 1 |
| DS_Init | 1 |
| DS_GetParams | 1 |
| DS_SetParams | 1 |
| DS_DSDSetParamDefaults | 1 |
| DS_DSDInit | 1 |
| DS_DSDGetParams | 1 |
| DS_DSDSetParams | 1 |
| DS_DSDGetTiming | 1 |
| SetTimingSpec | 1 |
| ExecuteCommandSequence | 1 |
| SetDSDComSpecExt | 1 |
| SetSelectedHI | 1 |
| Logout | 1 |
| LoggedIn | 1 |
| SetOutputBitStream | 1 |
| SetEnableIO | 1 |
| StartDataInput | 1 |
| SetDSDComSpecRO | 1 |
| EndCommandSequence | 1 |
| StartDataOutputAndInput | 1 |
| LearnCommandSequence | 1 |
| SetDSDComSpec | 1 |
| GetInputData | 1 |

| | |
|---------------------------|---|
| Login | 1 |
| GetSystemID | 1 |
| SetHiProUserID | 1 |
| SetProgrammingVoltage | 1 |
| SetOutputVoltage | 1 |
| SetInputThresholdVoltage | 1 |
| SetOutputDataLines | 1 |
| SetOutput6Specification | 1 |
| SetOutput3Specification | 1 |
| SetOutput4Specification | 1 |
| SetEnable50mAbat | 1 |
| SetHIIInterfaceToDefault | 1 |
| GetHiProUserID | 1 |
| microcardSetComPort | 1 |
| microcardGetStatus | 1 |
| microcardClose | 1 |
| microcardSetSide | 1 |
| microcardInit | 1 |
| microcardDSDReadWriteRaw | 1 |
| microcardGetParamsEx | 1 |
| microcardSetParamsEx | 1 |
| XstGetEnvironmentVariable | 1 |
| XstPathString\$ | 1 |
| XxxXstLoadLibrary | 1 |
| XxxTerminate | 1 |
| XxxInline\$ | 1 |
| XstQuickSort | 1 |
| XstGetFileAttributes | 1 |
| XstGetFilesAndAttributes | 1 |
| upidpr | 1 |
| kpusvcrh | 1 |
| OCIDateTimeToText | 1 |
| upidsc | 1 |
| upigml | 1 |
| upibrn | 1 |
| OCIBindByPos | 1 |
| OCIPasswordChange | 1 |
| OCIDefineObject | 1 |
| upivsn | 1 |
| OCISStmtGetBindInfo | 1 |
| OCIEnvInit | 1 |
| OCILobIsTemporary | 1 |
| OCILobFreeTemporary | 1 |
| OCIIInitialize | 1 |
| OCITransCommit | 1 |
| OCITransRollback | 1 |
| upiarc | 1 |

| | |
|--------------------|---|
| OCILogon | 1 |
| OCILogoff | 1 |
| upista8 | 1 |
| upidbg | 1 |
| upisto | 1 |
| upiosd | 1 |
| upibnn | 1 |
| upial7 | 1 |
| upicom | 1 |
| upiefn | 1 |
| upiver | 1 |
| kpusvc2hst | 1 |
| OCIIIntervalToText | 1 |
| upiopn | 1 |
| upiosq | 1 |
| upidfn | 1 |
| upiexe | 1 |
| upifch | 1 |
| upicls | 1 |
| upih2o | 1 |
| Idxsto | 1 |
| Idxmxsz | 1 |
| Icvb24 | 1 |
| lzf3olp | 1 |
| Idxmdsz | 1 |
| Istcpn | 1 |
| Icvb2w | 1 |
| Inxcpn | 1 |
| Inxscn | 1 |
| Idxstd | 1 |
| Inxfcnn | 1 |
| Istcpers | 1 |
| Inxpfl | 1 |
| Imxconpar | 1 |
| Icvw2b | 1 |
| Inxsub | 1 |
| Istclo | 1 |
| Icv42b | 1 |
| Ipmdelete | 1 |
| Inxnfn | 1 |
| Inxnuc | 1 |
| Inxgfs | 1 |
| Ictbnam | 1 |
| Inxnur | 1 |
| Inxadd | 1 |
| Inxmul | 1 |
| Idxini | 1 |

| | |
|------------|---|
| sldxgd | 1 |
| Idxsti | 1 |
| Idxdts | 1 |
| Inxmin | 1 |
| Istss | 1 |
| Inxsqr | 1 |
| Inxdiv | 1 |
| Ipmterm | 1 |
| Isfini | 1 |
| Ipmloadpkg | 1 |
| Istrtb | 1 |
| Inxsni | 1 |
| osnsui | 1 |
| osncui | 1 |
| Ixgratio | 1 |
| Ixicmi | 1 |
| Ixnchar | 1 |
| IxmcpI | 1 |
| Ixncmp | 1 |
| Ixi42b | 1 |
| Ixscat | 1 |
| Ixscmp | 1 |
| Ixwc2Ix | 1 |
| Ixipdd | 1 |
| IxncpI | 1 |
| Ixmpuc | 1 |
| Ixmlowx | 1 |
| Ixisch | 1 |
| Ixicds | 1 |
| Ixicdp | 1 |
| Ixmcpbx | 1 |
| Ixicop | 1 |
| IxmC2wx | 1 |
| Ixm2wlx | 1 |
| Ixncpu | 1 |
| Ixmalnx | 1 |
| IxmR2w | 1 |
| Ixnbyte | 1 |
| Ixncat | 1 |
| Ixncps | 1 |
| Ixrcpu | 1 |
| Ixntrn | 1 |
| Ixskip | 1 |
| Ixndssp | 1 |
| Ixndisp | 1 |
| Ixmcpen | 1 |
| Ixmalpx | 1 |

| | |
|------------------------|---|
| lxmdigx | 1 |
| lxmctex | 1 |
| lxhnlangid | 1 |
| lxscpu | 1 |
| lxhcnv | 1 |
| lxncop | 1 |
| lxhcsn | 1 |
| lxhnmod | 1 |
| lxscml | 1 |
| lxlterm | 1 |
| lxhcurrlangid | 1 |
| lmsaip | 1 |
| lxmdssln | 1 |
| lxmdspx | 1 |
| lxmblax | 1 |
| lxt24s | 1 |
| lxicps | 1 |
| lxmcpcx | 1 |
| lxmspax | 1 |
| lxmfwdx | 1 |
| lxhlod | 1 |
| lxhnsze | 1 |
| slsprom | 1 |
| OCITypeElemExtTypeCode | 1 |
| sldext | 1 |
| slspool | 1 |
| OCITypeAttrNext | 1 |
| OCITypeCollTypeCode | 1 |
| OCIOBJECTUnpin | 1 |
| OCIRefHexSize | 1 |
| OCIRefToHex | 1 |
| OCIStringSize | 1 |
| OCIStringPtr | 1 |
| OCIDateToText | 1 |
| OCINumberToText | 1 |
| OCIRawPtr | 1 |
| OCIRawSize | 1 |
| OCITypeByName | 1 |
| OCITypeName | 1 |
| OCITypeTypeCode | 1 |
| OCILterDelete | 1 |
| OCITypelterFree | 1 |
| OCITypeElemName | 1 |
| OCILterCreate | 1 |
| OCITypelterNew | 1 |
| OCITypeAttrs | 1 |
| OCITypeCollSize | 1 |

| | |
|--------------------------------------|---|
| OCIIterNext | 1 |
| OCITypeCollElem | 1 |
| OCITypeElemLength | 1 |
| OCITypeElemType | 1 |
| OCITypeElemTypeCode | 1 |
| OCIOBJECTMarkDelete | 1 |
| OCIOBJECTGetAttr | 1 |
| sqlrcn | 1 |
| sqlglm | 1 |
| sqlnul | 1 |
| sqlghp | 1 |
| sqlfcn | 1 |
| D3DXFrameRegisterNamedMatrices | 1 |
| _tskFreeData@4 | 1 |
| _tskExecData2@16 | 1 |
| _tskAddAreaR@8 | 1 |
| _tskFreeLibrary@0 | 1 |
| _tskProcessData@16 | 1 |
| _tskInitLibrary@0 | 1 |
| _tskDefTask@16 | 1 |
| _tskVirusAction@4 | 1 |
| _tskGetVirusDetailsType@12 | 1 |
| _tskFreeResult@4 | 1 |
| _tskFreeAreas@4 | 1 |
| _tskCopyResult@4 | 1 |
| _tskLogResult@12 | 1 |
| cmdlineGetRawCount | 1 |
| cmdlineAddParameterDefinition | 1 |
| cmdlineClose | 1 |
| cmdlineInitFromWindowApp | 1 |
| cmdlineInitialize | 1 |
| cmdlineGetRawParameter | 1 |
| fsGetAvastSkinPath | 1 |
| _basProductInfoFilesOnly@0 | 1 |
| _basGetSkinFontsIfApplicable@8 | 1 |
| _basFontSupportsCharset@8 | 1 |
| _basLoadStorage@0 | 1 |
| _basFreeStorage@4 | 1 |
| cmsTakeProductName | 1 |
| _cmsIdentifyWhitePoint | 1 |
| cmsXYZ2Lab | 1 |
| cmsLab2LCh | 1 |
| dbgetall | 1 |
| @Gepengineutils@initialization\$qqrv | 1 |
| @Gspengineutils@initialization\$qqrv | 1 |
| @Grandfileutils@GetExePath\$qqrv | 1 |
| @Grandxml/doc@initialization\$qqrv | 1 |

| | |
|---|---|
| @Grandxmlutils@initialization\$qqrv | 1 |
| PowerCreateRequest | 1 |
| PowerSetRequest | 1 |
| PowerClearRequest | 1 |
| GetDurationFormatEx | 1 |
| qsort_s | 1 |
| AssocGetPerceivedType | 1 |
| GetDUserModule | 1 |
| DisableContainerHwnd | 1 |
| OpenKeyReader | 1 |
| ?AllocBlinkMem@@YAPAXK@Z | 1 |
| Co | 1 |
| PackageRenderConstructor | 1 |
| CryModuleGetMemoryInfo | 1 |
| ?SetDIPSHook@@YGHK@Z | 1 |
| _FreeImage_GetFileType@8 | 1 |
| _FreeImage_GetFIFFromFilename@4 | 1 |
| _FreeImage_FIFSupportsReading@4 | 1 |
| _FreeImage_Initialise@4 | 1 |
| _FreeImage_GetBPP@4 | 1 |
| _FreeImage_ConvertTo32Bits@4 | 1 |
| _FreeImage_GetImageType@4 | 1 |
| _FreeImage_ConvertToType@12 | 1 |
| _FreeImage_GetWidth@4 | 1 |
| _FreeImage_GetHeight@4 | 1 |
| _FreeImage_GetPitch@4 | 1 |
| _FreeImage_GetScanLine@8 | 1 |
| _FreeImage_DelInitialise@0 | 1 |
| _FreeImage_Unload@4 | 1 |
| DPA_SetPtr | 1 |
| AdsSkip | 1 |
| GetMD5BiosID | 1 |
| wprintf_s | 1 |
| _wcslwr_l | 1 |
| _wcslwr_s_l | 1 |
| SLInstallProofOfPurchase | 1 |
| SLGetPKeyInformation | 1 |
| SLConsumeWindowsRight | 1 |
| SLActivateProduct | 1 |
| ?IcxGetLastServer@@YA_NPADH@Z | 1 |
| ?IcxGetTrnuid@@YA_NPAGI@Z | 1 |
| ?GetId@VclSimpleEvent@@QBEKXZ | 1 |
| ?GetWindow@VclWindowEvent@@QBEPAV | 1 |
| ?GetAccessible@Window@@QAE?AV?\$Ref | 1 |
| ?ReadData@EbmlISInteger@libebml@@UAE | 1 |
| ?IsDefaultValue@EbmlISInteger@libebml@C | 1 |
| ?RenderData@EbmlISInteger@libebml@@U | 1 |

| | |
|---------------------------------------|---|
| ??0EbmlSInteger@libebml@@QAE@ABV01 | 1 |
| ??1EbmlSInteger@libebml@@UAE@XZ | 1 |
| ??4EbmlSInteger@libebml@@QAEAAV01@ | 1 |
| ?UpdateSize@EbmlSInteger@libebml@@U/ | 1 |
| ?Render@EbmlElement@libebml@@QAEIA | 1 |
| ?Sort@EbmlMaster@libebml@@QAEXXZ | 1 |
| ?FindFirstElt@EbmlMaster@libebml@@QAI | 1 |
| ??BEbmlUInteger@libebml@@QBEGXZ | 1 |
| ?CodedSizeLengthSigned@libebml@@YAH_ | 1 |
| ?CodedSizeLength@libebml@@YAH_KI_N@ | 1 |
| ?CodedValueLengthSigned@libebml@@YAF | 1 |
| ?CodedValueLength@libebml@@YAH_KHP/ | 1 |
| ?writeFully@IOCallback@libebml@@QAEXF | 1 |
| ?ReadCodedSizeSignedValue@libebml@@Y. | 1 |
| ?ReadCodedSizeValue@libebml@@YA_KPB | 1 |
| ??8EbmlId@libebml@@QBE_NABV01@@Z | 1 |
| ?FindNextElt@EbmlMaster@libebml@@QB | 1 |
| ??4EbmlUInteger@libebml@@QAEAAV01@ | 1 |
| ??BEbmlUInteger@libebml@@QBE_KXZ | 1 |
| ?ValidateSize@EbmlSInteger@libebml@@U | 1 |
| ??BEbmlUInteger@libebml@@QBEIXZ | 1 |
| ??AEbmlMaster@libebml@@QAEPAVEbmlE | 1 |
| ?ListSize@EbmlMaster@libebml@@QBEIXZ | 1 |
| ?GetEbmlGlobal_Context@libebml@@YAAE | 1 |
| ??AEbmlMaster@libebml@@QBEPBVEbmlE | 1 |
| ?GetPosition@EbmlElement@libebml@ | 1 |
| ??MEbmlUInteger@libebml@@QBE_NABVC | 1 |
| ??0EbmlFloat@libebml@@QAE@W4Precisi | 1 |
| ??0EbmlDate@libebml@@QAE@XZ | 1 |
| ?ValidateSize@EbmlDate@libebml@@UBE_ | 1 |
| ?UpdateSize@EbmlDate@libebml@@UAE_I | 1 |
| ?ReadData@EbmlDate@libebml@@UAE_K/ | 1 |
| ?IsDefaultValue@EbmlDate@libebml@@UE | 1 |
| ?RenderData@EbmlDate@libebml@@MAEI | 1 |
| ??0EbmlDate@libebml@@QAE@ABV01@@@ | 1 |
| ??1EbmlDate@libebml@@UAE@XZ | 1 |
| ??4EbmlDate@libebml@@QAEAAV01@ABV | 1 |
| ?CopyBuffer@EbmlBinary@libebml@@QAE | 1 |
| ??0EbmlId@libebml@@QAE@QBEI@Z | 1 |
| ?GetBuffer@EbmlBinary@libebml@@QBEP. | 1 |
| ?HeadSize@EbmlElement@libebml@@QBE | 1 |
| ?ClassInfos@EbmlHead@libebml@@2VEbr | 1 |
| ??0EbmlSInteger@libebml@@QAE@XZ | 1 |
| ?FindFirstElt@EbmlMaster@libebml@@QBI | 1 |
| ??BEbmlUInteger@libebml@@QBEEHZ | 1 |
| ?FindElt@EbmlMaster@libebml@@QBEPAV | 1 |
| ??0EbmlString@libebml@@QAE@ABV?\$ba: | 1 |

| | |
|---------------------------------------|---|
| ??4EbmlFloat@libebml@@QAEAAV01@AB\ | 1 |
| ??1EbmlFloat@libebml@@UAE@XZ | 1 |
| ??0EbmlFloat@libebml@@QAE@ABV01@C | 1 |
| ?RenderData@EbmlFloat@libebml@@UAEI | 1 |
| ?IsDefaultValue@EbmlFloat@libebml@@UE | 1 |
| ?ReadData@EbmlFloat@libebml@@UAE_K | 1 |
| ?UpdateSize@EbmlFloat@libebml@@UAE_ | 1 |
| ?ValidateSize@EbmlFloat@libebml@@UBE_ | 1 |
| ??0EbmlFloat@libebml@@QAE@NW4Preci | 1 |
| ??0EbmlUInteger@libebml@@QAE @_K@Z | 1 |
| ??0EbmlCallbacks@libebml@@QAE@P6AA\ | 1 |
| ??0EbmlSemanticContext@libebml@@QAE\ | 1 |
| ??0EbmlId@libebml@@QAE@II@Z | 1 |
| ??0EbmlSemantic@libebml@@QAE @_NOAI | 1 |
| ??0EbmlMaster@libebml@@QAE@ABVEbn | 1 |
| ?SetSizeLength@EbmlElement@libebml@@ | 1 |
| ??4EbmlUInteger@libebml@@QAEAAV01@ | 1 |
| ??1EbmlUInteger@libebml@@UAE@XZ | 1 |
| ??0EbmlUInteger@libebml@@QAE@ABV01 | 1 |
| ?RenderData@EbmlUInteger@libebml@@L | 1 |
| ?IsDefaultValue@EbmlUInteger@libebml@ | 1 |
| ?ReadData@EbmlUInteger@libebml@@UA | 1 |
| ?UpdateSize@EbmlUInteger@libebml@@U | 1 |
| ?ValidateSize@EbmlUInteger@libebml@@L | 1 |
| ??0EbmlUInteger@libebml@@QAE@XZ | 1 |
| ??4EbmlBinary@libebml@@QAEAAV01@AF | 1 |
| ??1EbmlBinary@libebml@@UAE@XZ | 1 |
| ??0EbmlBinary@libebml@@QAE@ABV01@ | 1 |
| ?RenderData@EbmlBinary@libebml@@UAI | 1 |
| ?IsDefaultValue@EbmlBinary@libebml@@L | 1 |
| ?ReadData@EbmlBinary@libebml@@UAE_I | 1 |
| ?GetSize@EbmlBinary@libebml@@UBE_KX | 1 |
| ?UpdateSize@EbmlBinary@libebml@@UAE | 1 |
| ??0EbmlBinary@libebml@@QAE@XZ | 1 |
| ??4EbmlString@libebml@@QAEAAV01@AB | 1 |
| ??1EbmlString@libebml@@UAE@XZ | 1 |
| ??0EbmlString@libebml@@QAE@ABV01@() | 1 |
| ?RenderData@EbmlString@libebml@@UAE | 1 |
| ?IsDefaultValue@EbmlString@libebml@@U | 1 |
| ?ReadData@EbmlString@libebml@@UAE_K | 1 |
| ?UpdateSize@EbmlString@libebml@@UAE_ | 1 |
| ?ValidateSize@EbmlString@libebml@@UBE | 1 |
| ??0EbmlString@libebml@@QAE@XZ | 1 |
| ??4EbmlUnicodeString@libebml@@QAEAA' | 1 |
| ??1EbmlUnicodeString@libebml@@UAE@X | 1 |
| ??0EbmlUnicodeString@libebml@@QAE@A | 1 |
| ?RenderData@EbmlUnicodeString@libebml | 1 |

| | |
|--|---|
| ?IsDefaultValue@EbmlUnicodeString@libeb | 1 |
| ?IsMaster@EbmlElement@libebml@@UBE_ | 1 |
| ?Read@EbmlElement@libebml@@UAEXAA` | 1 |
| ?ReadData@EbmlUnicodeString@libebml@ | 1 |
| ?GetSize@EbmlElement@libebml@@UBE_I | 1 |
| ?UpdateSize@EbmlUnicodeString@libebml(| 1 |
| ?ValidateSize@EbmlUnicodeString@libebml | 1 |
| ?SetSizeInfinite@EbmlElement@libebml@@ | 1 |
| ??0EbmlUnicodeString@libebml@@QAE@X | 1 |
| ??1EbmlMaster@libebml@@UAE@XZ | 1 |
| ?RenderData@EbmlMaster@libebml@@UA | 1 |
| ?SetDefaultSize@EbmlElement@libebml@@ | 1 |
| ?IsDefaultValue@EbmlMaster@libebml@@ | 1 |
| ?IsMaster@EbmlMaster@libebml@@UBE_I | 1 |
| ?IsDummy@EbmlElement@libebml@@UBE | 1 |
| ??MEbmlElement@libebml@@UBE_NABV0 | 1 |
| ?Read@EbmlMaster@libebml@@UAEXAAV | 1 |
| ?ReadData@EbmlMaster@libebml@@UAE_ | 1 |
| ?GetSize@EbmlMaster@libebml@@UBE_K` | 1 |
| ?UpdateSize@EbmlMaster@libebml@@UAI | 1 |
| ?ValidateSize@EbmlMaster@libebml@@UE | 1 |
| ?SetSizeInfinite@EbmlMaster@libebml@@I | 1 |
| ?AddNewElt@EbmlMaster@libebml@@QAI | 1 |
| ??0EbmlMaster@libebml@@QAE@ABV01@ | 1 |
| ?regRead@@YAHPAUHKEY__@@PAD1@Z | 1 |
| ?regWrite@@YAHPAUHKEY__@@PAD11@: | 1 |
| ?g_dwOSVersion@@3KA | 1 |
| ?g_bSubclassed@@3HA | 1 |
| ?Transform@@YAPADPBD@Z | 1 |
| ?regDel@@YAHPAUHKEY__@@PAD1@Z | 1 |
| ?InjectDII@@YAHPAUHWND__@@@Z | 1 |
| @Imglist@TCustomImageList@RegisterChar | 1 |
| @Imglist@TCustomImageList@UnRegisterC | 1 |
| @Imglist@TChangeLink@ | 1 |
| @Inifiles@TCustomIniFile@SectionExists\$qc | 1 |
| _db_open@4 | 1 |
| _clrfsp@4 | 1 |
| sky | 1 |
| _rec_work@16 | 1 |
| _output@4 | 1 |
| _DeleteRec@4 | 1 |
| _GetRec@8 | 1 |
| _UpdateRec@4 | 1 |
| _perr@8 | 1 |
| _AddRec@4 | 1 |
| _sys_close@4 | 1 |
| _end_sky@4 | 1 |

| | |
|--------------------------------------|---|
| _LoadFile@8 | 1 |
| _urn_num@12 | 1 |
| _db_close@4 | 1 |
| _FreeFile@4 | 1 |
| _init_sky@4 | 1 |
| _sys_open@4 | 1 |
| _setmpptr@4 | 1 |
| _mess@4 | 1 |
| _add@8 | 1 |
| _dbequal@8 | 1 |
| _clear_rec@4 | 1 |
| _OutToForms@4 | 1 |
| BTRCALL@28 | 1 |
| BTRCALLID@32 | 1 |
| WBRQSHELLINIT@4 | 1 |
| WDU_Uninit | 1 |
| | 8 |
| FsRtlReleaseFile | 1 |
| NdisMInitializeTimer | 1 |
| NdisMCloseLog | 1 |
| ?exp@\$_Ctr@O@std@@SAOO@Z | 1 |
| ?_Getcat@\$money_put@GV?\$ostreambuf | 1 |
| ?NewBuf@BDSTRING@@UAEEK@Z | 1 |
| ??ODSTRING@@QAE@ABV0@@Z | 1 |
| DevicePropertiesW | 1 |
| DeviceProblemTextW | 1 |
| DeviceProblemTextA | 1 |
| DeviceAdvancedPropertiesA | 1 |
| DeviceProperties_RunDLLW | 1 |
| DeviceAdvancedPropertiesW | 1 |
| ?toupper@\$ctype@G@std@@QBEPBGPAC | 1 |
| init_hash | 1 |
| insert_entry | 1 |
| xstrdup | 1 |
| c_tolower | 1 |
| gcd | 1 |
| c_isalnum | 1 |
| c_isalpha | 1 |
| locale_charset | 1 |
| rpl_getline | 1 |
| c_isascii | 1 |
| c_isprint | 1 |
| mbs_width_linebreaks | 1 |
| fwriteerror | 1 |
| concatenated_pathname | 1 |
| xasprintf | 1 |
| program_name | 1 |

| | |
|--|---|
| gnu_basename | 1 |
| multiline_warning | 1 |
| c_isxdigit | 1 |
| c_isdigit | 1 |
| c_isupper | 1 |
| uc_width | 1 |
| error_at_line | 1 |
| error_with_progname | 1 |
| error_message_count | 1 |
| error | 1 |
| fstrcmp | 1 |
| find_entry | 1 |
| delete_hash | 1 |
| xrealloc | 1 |
| xmalloc | 1 |
| ?GetIPAddress@WulpAddress@@QAE?AVC | 1 |
| ??0WuMacAddress@@QAE@XZ | 1 |
| ?GetMacAddress@WuMacAddress@@QAE! | 1 |
| ?WcLoadAPI2@@YAPAVWcAPI@@KPAX@Z | 1 |
| ??0WulpAddress@@QAE@XZ | 1 |
| ??1WuMacAddress@@QAE@XZ | 1 |
| ??1WulpAddress@@UAE@XZ | 1 |
| ?IsEmpty@WulpAddress@@QAEHXZ | 1 |
| ?IsRunning@WgWindowsService@@QAE?A | 1 |
| ?GetAuthenticationTypeString@WgHelper@ | 1 |
| ?LoadLocaleDependentDII@WgHelper@@Q | 1 |
| ?DetectLanguage@WgHelper@@QAEGXZ | 1 |
| ??1WgRegKey@@UAE@XZ | 1 |
| ?CloseKey@WgRegKey@@QAEHXZ | 1 |
| ?GetValue@WgRegKey@@QAEHPBGA@` | 1 |
| ??0WgRegKey@@QAE@XZ | 1 |
| ??0WgWindowsService@@QAE@VCString@ | 1 |
| ?MoveToForeground@WgHelper@@QAEXP | 1 |
| ?OpenKeyForQueryOnly@WgRegKey@@QA | 1 |
| ?g_szSWRegPath@@3PBGB | 1 |
| ?OpenKey@WgRegKey@@QAEHPAUHKEY_ | 1 |
| PyObject_Malloc | 1 |
| PyMember_Set | 1 |
| PySequence_Tuple | 1 |
| PyUnicode_DecodeMBCS | 1 |
| PyUnicode_EncodeMBCS | 1 |
| PyUnicodeUCS2_FromWideChar | 1 |
| PyUnicodeUCS2_AsUnicode | 1 |
| Py_MakePendingCalls | 1 |
| PyThreadState_Swap | 1 |
| Py_FatalError | 1 |
| PyMember_Get | 1 |

| | |
|--|---|
| PyEval_AcquireThread | 1 |
| PyEval_ReleaseThread | 1 |
| PyThreadState_Delete | 1 |
| PyThreadState_Clear | 1 |
| PyLong_FromUnsignedLongLong | 1 |
| PyEval_InitThreads | 1 |
| PyObject_InitVar | 1 |
| PyObject_Print | 1 |
| PyExc_WindowsError | 1 |
| PyString_AsStringAndSize | 1 |
| PyObject_GenericSetAttr | 1 |
| Py_FindMethod | 1 |
| PySequence_Check | 1 |
| PyArg_ParseTupleAndKeywords | 1 |
| PyExc_NotImplementedError | 1 |
| PyMapping_Check | 1 |
| PyObject_CheckReadBuffer | 1 |
| PyObject_AsReadBuffer | 1 |
| PyThreadState_New | 1 |
| IsTimeZoneRedirectionEnabled | 1 |
| ?pubsetbuf@?\$basic_streampbuf@GU?\$char | 1 |
| ??4?\$numeric_limits@N@std@@QAEAAV0 | 1 |
| PKPIFL_EncodeMultiSize | 1 |
| PKPIFL_Encode | 1 |
| PKPIFL_Decode | 1 |
| PKPIFL_GetInLayoutFileInfo | 1 |
| PKPIFL_GetInLayoutFileSizeInfo | 1 |
| PKPIFL_ReadInLayoutFileData | 1 |
| PKPIFL_PackageSpecifies | 1 |
| PKPIFL_GetMultiSizeInfo | 1 |
| PKPIFL_GetPIFHeaderInfo | 1 |
| PKPIFL_GetPackageClassification | 1 |
| ??1PIF_SDK@@UAE@XZ | 1 |
| ?PIF_ObjectDetailRead@PIF_SDK@@UAEJAJA | 1 |
| ?PIF_GetPackageBasicInfo@PIF_SDK@@UAI | 1 |
| ?PIF_GetFileNameInPackage@PIF_SDK@@L | 1 |
| ??0PIF_SDK@@QAE@J@Z | 1 |
| ?PIF_SetTempDir@PIF_SDK@@UAEJABUEPI | 1 |
| ?PIF_LayoutSpecifies@PIF_SDK@@UAEJUEF | 1 |
| ?PIF_GetBasicInfo@PIF_SDK@@UAEJAAUPI | 1 |
| ?EnableCache@CEpPifHttpClient@@UAEH_ | 1 |
| ?ClearCache@CEpPifHttpClient@@UAEHXZ | 1 |
| ??1CEpPifHttpClient@@UAE@XZ | 1 |
| ??0CEpPifHttpClient@@QAE@XZ | 1 |
| ?Login@CEpPifHttpClient@@UAEHPBD00@ | 1 |
| ?Logout@CEpPifHttpClient@@UAEHXZ | 1 |
| ?GetEntryList@CEpPifHttpClient@@UAEHPA | 1 |

| | |
|--|---|
| ?Download@CEpPifHttpClient@@UAEHPAV | 1 |
| ?Cancel@CEpPifHttpClient@@UAEHXZ | 1 |
| ?GetRoot@CEpClient@@UAEPAVCEpFolder | 1 |
| ?SetAgentName@CEpPifHttpClient@@UAEI | 1 |
| ?GetDownloadBufferSize@CEpClient@@UB | 1 |
| ?ClearCache@CEpPifHttpClient@@UAEHPA` | 1 |
| ?SetTimeoutTime@CEpPifHttpClient@@UAI | 1 |
| ?GetTimeoutTime@CEpClient@@MBEIXZ | 1 |
| ?GetInformationList@CEpPifHttpClient@@L | 1 |
| ?ConfirmServerContents@CEpPifHttpClient@ | 1 |
| ?SetCachePath@CEpPifHttpClient@@UAEHI | 1 |
| ?IsCancel@CEpPifHttpClient@@MAE_NXZ | 1 |
| ?SetDownloadBufferSize@CEpPifHttpClient@ | 1 |
| ExportStream | 1 |
| UsbTools_IsUsbDisk | 1 |
| USEDISK_Unmount | 1 |
| createDevice | 1 |
| ?vswprintf@@YAHPAGIPBGPAD@Z | 1 |
| __fgetc | 1 |
| __fputc | 1 |
| @Sysutils@StrToDate\$qqrx20System@Unic | 1 |
| @Sysutils@StrToFloatDef\$qqrx20System@U | 1 |
| @Graphics@StringToColor\$qqrx20System@ | 1 |
| @Stdctrls@TCustomListBox@ItemAtPos\$qq | 1 |
| @\$xp\$18Extctrls@TSplitter | 1 |
| @Dxtl@TdxTreeListColumn@SetColIndex\$q | 1 |
| @Dxtl@TdxTreeListColumn@GetAlignment\$ | 1 |
| @\$xp\$20Etcctrls@TivSpinEdit | 1 |
| @Etcctrls@TivSpinEdit@ | 1 |
| @Spinedit@TSpinControl@SetValue\$qqrg | 1 |
| @Spinedit@TSpinControl@GetValue\$qqrv | 1 |
| @\$xp\$22Checklst@TCheckListBox | 1 |
| @Mayachartmain@initialization\$qqrv | 1 |
| @Mayachartmain@Finalization\$qqrv | 1 |
| @\$xp\$29Mayachartmain@TMayaStockChar | 1 |
| @Mayachartmain@TMayaStockChart@ | 1 |
| @Chartvalues@initialization\$qqrv | 1 |
| @Chartvalues@Finalization\$qqrv | 1 |
| @Chartvalues@TSeriesElementList@Get\$qc | 1 |
| @Chartvalues@TSeriesElement@SetUserCh | 1 |
| @Chartcustom@initialization\$qqrv | 1 |
| @Chartcustom@Finalization\$qqrv | 1 |
| @Selectcolor@TSelectColorButton@SetActi | 1 |
| @\$xp\$30Selectcolor@TSelectColorButton | 1 |
| @Selectcolor@TSelectColorButton@ | 1 |
| @Chartconfig@initialization\$qqrv | 1 |
| @Chartconfig@Finalization\$qqrv | 1 |

| | |
|--|---|
| @Chartengine@initialization\$qqrv | 1 |
| @Chartengine@Finalization\$qqrv | 1 |
| @Chartengine@TMayaCustomStockChart@ | 1 |
| @Chartengine@TMayaCustomStockChart@! | 1 |
| @Chartengine@TMayaCustomStockChart@! | 1 |
| @Chartengine@TMChartSeriesList@Get\$qq | 1 |
| @Chartengine@TChartPanelList@Get\$qqri | 1 |
| @Chartviewdata@initialization\$qqrv | 1 |
| @Chartviewdata@Finalization\$qqrv | 1 |
| @Linestylecombo@initialization\$qqrv | 1 |
| @Linestylecombo@Finalization\$qqrv | 1 |
| dummy | 1 |
| NIsDllCodePageTranslation | 1 |
| ?create@DeviceSoftwareUpdaterFactory@S | 1 |
| ??0DeviceInfo@SoftwareUpdater@N | 1 |
| ??0DeviceApplicationUpdates@SoftwareUpd | 1 |
| ?productType@DeviceInfo@SoftwareUpdat | 1 |
| ?productCode@DeviceInfo@SoftwareUpdat | 1 |
| ?swVersion@DeviceInfo@SoftwareUpdat | 1 |
| ??1DeviceApplicationUpdates@SoftwareUpd | 1 |
| ?bullets@ReleaseNote@SoftwareUpdater@ | 1 |
| ?title@ReleaseNote@SoftwareUpdater@Mc | 1 |
| ?version@ReleaseNote@SoftwareUpdater@ | 1 |
| ?at@?\$QList@PAVReleaseNote@SoftwareU | 1 |
| ?releaseNotes@DeviceUpdateInfo@Softwar | 1 |
| ?estimatedFlashTime@DeviceUpdateInfo@C | 1 |
| ?estimatedDownloadTime@DeviceUpdateIn | 1 |
| ??1DeviceInfo@SoftwareUpdater@N | 1 |
| ??0DeviceInfo@SoftwareUpdater@Mobile@ | 1 |
| ??1DeviceApplicationUpdate@SoftwareUpd | 1 |
| ??1DeviceInfo@SoftwareUpdater@Mobile@ | 1 |
| ?selectDeviceApplicationUpdate@DeviceAp | 1 |
| ?warnings@ReleaseNote@SoftwareUpdater | 1 |
| ?firmwareUpgradeRequired@DeviceApplica | 1 |
| ??4DeviceApplicationUpdates@SoftwareUp | 1 |
| ?listOfUpdates@DeviceApplicationUpdates@ | 1 |
| ?rebootAfterInstallRequired@DeviceApplic | 1 |
| ?estimatedInstallTime@DeviceApplicationU | 1 |
| ?updateSize@DeviceApplicationUpdate@So | 1 |
| ?updateVersion@DeviceApplicationUpdate@C | 1 |
| ?description@DeviceApplicationUpdate@So | 1 |
| ?name@DeviceApplicationUpdate@Softwar | 1 |
| ?updatePackageSize@DeviceUpdateInfo@So | 1 |
| ?dateAndTimeOutOfSync@DeviceInfo@Soft | 1 |
| ?deviceApplicationUpdatePriority@DeviceA | 1 |
| ?id@DeviceApplicationUpdate@SoftwareUp | 1 |
| ?dependencies@DeviceApplicationUpdate@ | 1 |

| | |
|---|---|
| ?at@?\$QList@PAVDetectedDeviceInfo@Sof | 1 |
| ?deviceInfo@DetectedDeviceInfo@Software | 1 |
| ??A?\$QList@PAVDetectedDeviceInfo@Softv | 1 |
| ?status@DetectedDeviceInfo@SoftwareUpd | 1 |
| ?salesName@DeviceInfo@SoftwareUpdater | 1 |
| ?imei@DeviceInfo@SoftwareUpdater@Mot | 1 |
| ?preservesUserDataOverFlash@DeviceInfo@ | 1 |
| ?refurbishRecommended@DeviceInfo@Soft | 1 |
| ?devicePicture@DeviceInfo@SoftwareUpda | 1 |
| ?connectedThroughUsbHub@DeviceInfo@S | 1 |
| ?devicePlatform@DeviceInfo@SoftwareUpd | 1 |
| ??4DeviceUpdateInfo@SoftwareUpdater@N | 1 |
| ?swVersion@DeviceUpdateInfo@SoftwareU | 1 |
| ?authenticationRequired@AccessChannel@ | 1 |
| ?description@AccessChannel@@QBE?AVQS | 1 |
| ?isRd@AccessChannel@@QBE_NXZ | 1 |
| ?name@AccessChannel@@QBE?AVQString(| 1 |
| ??1COviStandardWindow@@UAE@XZ | 1 |
| ?event@COviStandardWindow@@MAE_NP | 1 |
| ?resizeEvent@COviStandardWindow@@MA | 1 |
| ?winEvent@COviStandardWindow@@MAE_ | 1 |
| ?okToCloseWindow@COviStandardWindow | 1 |
| ?menuBar@COviStandardWindow@@QAEP | 1 |
| ?setButtonEnabled@COviStandardWindow(| 1 |
| ??0COviStandardWindow@@QAE@PAVQW | 1 |
| ??0COviLineEditV2@@QAE@PAVQWidget@ | 1 |
| ?event@COviLineEditV2@@MAE_NPAVQE | 1 |
| ?eventFilter@COviLineEditV2@@MAE_NPA | 1 |
| ?sizeHint@COviLineEditV2@@UBE?AVQSize | 1 |
| ?minimumSizeHint@COviLineEditV2@@UBF | 1 |
| ?mouseMoveEvent@COviLineEditV2@@MA | 1 |
| ?leaveEvent@COviLineEditV2@@MAEXPAV | 1 |
| ?resizeEvent@COviLineEditV2@@MAEXPAV | 1 |
| ?staticMetaObject@COviLineEditV2@@2UQ | 1 |
| ?qt_metacall@COviLineEditV2@@UAEHW4 | 1 |
| ?qt_metacast@COviLineEditV2@@UAEPAXF | 1 |
| ?staticMetaObject@COviStandardWindow@ | 1 |
| ?qt_metacall@COviStandardWindow@@UA | 1 |
| ?qt_metacast@COviStandardWindow@@U | 1 |
| ?showText@COviToolTip@@SAXABVQPoint | 1 |
| ?setWordWrap@COviSecondaryButton@@(| 1 |
| ?setButtonType@COviSecondaryButton@@ | 1 |
| ?staticMetaObject@COviSecondaryButton@ | 1 |
| ?staticMetaObject@COviRadioButton@@2L | 1 |
| ??1COviSecondaryButton@@UAE@XZ | 1 |
| ?paintEvent@COviSecondaryButton@@MAI | 1 |
| ?keyPressEvent@COviSecondaryButton@@I | 1 |

| | |
|--|---|
| ?mousePressEvent@COviSecondaryButton@ | 1 |
| ?heightForWidth@COviSecondaryButton@() | 1 |
| ?minimumSizeHint@COviSecondaryButton@ | 1 |
| ?sizeHint@COviSecondaryButton@@UBE?A | 1 |
| ?qt_metacall@COviSecondaryButton@@UA | 1 |
| ?qt_metacast@COviSecondaryButton@@U/ | 1 |
| ?metaObject@COviSecondaryButton@@UB | 1 |
| ??0COviSecondaryButton@@QAE@PAVQW | 1 |
| ??1COviRadioButton@@UAE@XZ | 1 |
| ?indicatorType@COviRadioButton@@MBE? | 1 |
| ?indicatorIconSpacing@COviRadioButton@() | 1 |
| ?indicatorSize@COviRadioButton@@MBE?A | 1 |
| ?indicatorAndIconWidth@COviRadioButton(| 1 |
| ?initOviStyleOptions@COviAbstractWrapBut | 1 |
| ?event@COviAbstractWrapButton@@MAE_ | 1 |
| ?qt_metacall@COviRadioButton@@UAEHW | 1 |
| ?qt_metacast@COviRadioButton@@UAEPA | 1 |
| ?metaObject@COviRadioButton@@UBEPBL | 1 |
| ??0COviRadioButton@@QAE@PAVQWidget | 1 |
| ??1COviComboBox@@UAE@XZ | 1 |
| ?paintEvent@COviComboBox@@MAEXPAV | 1 |
| ?eventFilter@COviComboBox@@MAE_NPA | 1 |
| ?qt_metacall@COviComboBox@@UAEHW4 | 1 |
| ?qt_metacast@COviComboBox@@UAEPAXI | 1 |
| ?metaObject@COviComboBox@@UBEPBUC | 1 |
| ??0COviComboBox@@QAE@PAVQWidget@ | 1 |
| ?staticMetaObject@COviCheckBox@@2UQI | 1 |
| ?staticMetaObject@COviGradientButton@() | 1 |
| ?drawGuideText@COviLineEditV2@@IAEXP | 1 |
| ??1COviLineEditV2@@UAE@XZ | 1 |
| ?contextMenuEvent@COviLineEditV2@@M | 1 |
| ??1Nsu3uiProxyOptionsDialog@@UAE@XZ | 1 |
| ?reject@Nsu3uiProxyOptionsDialog@@EAE | 1 |
| ?accept@Nsu3uiProxyOptionsDialog@@EAE | 1 |
| ?qt_metacall@Nsu3uiProxyOptionsDialog@ | 1 |
| ?qt_metacast@Nsu3uiProxyOptionsDialog@ | 1 |
| ?metaObject@Nsu3uiProxyOptionsDialog@ | 1 |
| ??0Nsu3uiProxyOptionsDialog@@QAE@PA | 1 |
| ?reject@Nsu3uiOptionsDialog@@EAEXXZ | 1 |
| ?accept@Nsu3uiOptionsDialog@@EAEXXZ | 1 |
| ?qt_metacall@Nsu3uiOptionsDialog@@UAF | 1 |
| ?qt_metacast@Nsu3uiOptionsDialog@@UA | 1 |
| ?metaObject@Nsu3uiOptionsDialog@@UBE | 1 |
| ?getNetworkProxy@Nsu3uiProxyOptionsDia | 1 |
| ?staticMetaObject@Nsu3uiProxyOptionsDia | 1 |
| ??1Nsu3uiAboutBox@@UAE@XZ | 1 |
| ?qt_metacall@Nsu3uiAboutBox@@UAEHW | 1 |

| | |
|--|---|
| ?qt_metacast@Nsu3uiAboutBox@@UAEPA | 1 |
| ?metaObject@Nsu3uiAboutBox@@UBEPBU | 1 |
| ??0Nsu3uiAboutBox@@QAE@ABVQString@ | 1 |
| ?hasChildNodes@QDomNode@@QBE_NXZ | 1 |
| ?firstChild@QDomNode@@QBE?AV1@XZ | 1 |
| ?isText@QDomNode@@QBE_NXZ | 1 |
| ?setnodeValue@QDomNode@@QAEXABVC | 1 |
| ?createElement@QDomDocument@@QAE? | 1 |
| ?setAttribute@QDomElement@@QAEXABV | 1 |
| ?appendChild@QDomNode@@QAE?AV1@, | 1 |
| ?createTextNode@QDomDocument@@QAE | 1 |
| ?toString@QDomDocument@@QBE?AVQSt | 1 |
| ??1QDomText@@QAE@XZ | 1 |
| ?visualRect@QStyle@@SA?AVQRect@@W4 | 1 |
| ?sliderPositionFromValue@QStyle@@SAHH | 1 |
| ?drawRects@QPainter@@QAEXPBVQRect@ | 1 |
| ?scaledToWidth@QPixmap@@QBE?AV1@F | 1 |
| ??0QStyledItemDelegate@@QAE@PAVQOb | 1 |
| ?metaObject@QStyledItemDelegate@@UBI | 1 |
| ?qt_metacast@QStyledItemDelegate@@UA | 1 |
| ?qt_metacall@QStyledItemDelegate@@UAI | 1 |
| ?eventFilter@QStyledItemDelegate@@MAE | 1 |
| ?createEditor@QStyledItemDelegate@@UB | 1 |
| ?setEditorData@QStyledItemDelegate@@U | 1 |
| ?setModelData@QStyledItemDelegate@@L | 1 |
| ?updateEditorGeometry@QStyledItemDeleg | 1 |
| ?editorEvent@QStyledItemDelegate@@MA | 1 |
| ?displayText@QStyledItemDelegate@@UBE | 1 |
| ?initStyleOption@QStyledItemDelegate@@ | 1 |
| ??1QStyledItemDelegate@@UAE@XZ | 1 |
| ?setRowHidden@QListView@@QAEXH_N@ | 1 |
| ?staticMetaObject@QHBoxLayout@@2UQN | 1 |
| ?removeItem@QLayout@@QAEXPAVQLayo | 1 |
| ?setHorizontalScrollMode@QAbstractItemV | 1 |
| ?setMovement@QListView@@QAEXW4Mo | 1 |
| ?setSpacing@QListView@@QAEXH@Z | 1 |
| ?setFlow@QListView@@QAEXW4Flow@1@ | 1 |
| ?setWrapping@QListView@@QAEX_N@Z | 1 |
| ?setViewMode@QListView@@QAEXW4Vie | 1 |
| ?setHorizontalScrollBar@QAbstractScrollAre | 1 |
| ?addWidget@QLayout@@QAEXPAVQWidget | 1 |
| ?rect@QImage@@QBE?AVQRect@@XZ | 1 |
| ??1QStyleOptionViewItemV4@@QAE@XZ | 1 |
| ??0QStyleOptionViewItemV4@@QAE@ABV | 1 |
| ??0QStyleOptionViewItemV4@@QAE@ABV | 1 |
| ?size@ QFontMetrics@@QBE?AVQSize@@F | 1 |
| ??0QListView@@QAE@PAVQWidget@@@: | 1 |

| | |
|--|---|
| ?event@QListView@@MAE_NPAVQEvent@ | 1 |
| ?dropEvent@QListView@@MAEXPAPAVQDrop | 1 |
| ?setModel@QAbstractItemView@@UAEXP/ | 1 |
| ??1QListView@@UAE@XZ | 1 |
| ?clicked@QAbstractItemView@@IAEXABVQ | 1 |
| ?boundingRect@QFontMetrics@@QBE?AVC | 1 |
| ?helpEvent@QAbstractItemDelegate@@QA | 1 |
| ??1QScrollBar@@UAE@XZ | 1 |
| ??0QScrollBar@@QAE@W4Orientation@Qt | 1 |
| ?event@QScrollBar@@UAE_NPAVQEvent@ | 1 |
| ?timerEvent@QAbstractSlider@@MAEXPAP | 1 |
| ?sizeHint@QScrollBar@@UBE?AVQSize@@ | 1 |
| ?mousePressEvent@QScrollBar@@MAEXPAP | 1 |
| ?mouseReleaseEvent@QScrollBar@@MAEXPAP | 1 |
| ?mouseMoveEvent@QScrollBar@@MAEXPAP | 1 |
| ?wheelEvent@QAbstractSlider@@MAEXPAP | 1 |
| ?keyPressEvent@QAbstractSlider@@MAEXPAP | 1 |
| ?paintEvent@QScrollBar@@MAEXPAPAVQPair | 1 |
| ?hideEvent@QScrollBar@@MAEXPAPAVQHide | 1 |
| ?changeEvent@QAbstractSlider@@MAEXPAP | 1 |
| ?sliderChange@QScrollBar@@MAEXPAPAVQPair | 1 |
| ??1QStyleOptionFrame@@QAE@XZ | 1 |
| ?centralWidget@QMainWindow@@QBEPA` | 1 |
| ??0QStyleOptionFrame@@QAE@XZ | 1 |
| ?addMenu@QMenuBar@@QAEPAVQMenu | 1 |
| ?restoreOverrideCursor@QApplication@@S | 1 |
| ?setOverrideCursor@QApplication@@SAXA | 1 |
| ??1QStyleOptionFrameV2@@QAE@XZ | 1 |
| ??0QStyleOptionFrameV2@@QAE@XZ | 1 |
| ?setOpenLinks@QTextBrowser@@QAEX_N(| 1 |
| ?insertWidget@QBoxLayout@@QAEXHPAVI | 1 |
| ?insertBlock@QTextCursor@@QAEXXXZ | 1 |
| ??0QDialogButtonBox@@QAE@W4Orientation | 1 |
| ??0QTextBrowser@@QAE@PAVQWidget@() | 1 |
| ?metaObject@QTextBrowser@@UBEPUQU` | 1 |
| ?qt_metacast@QTextBrowser@@UAEPAXPB | 1 |
| ?qt_metacall@QTextBrowser@@UAEHW4Call | 1 |
| ??1QTextBrowser@@UAE@XZ | 1 |
| ??0QTableView@@QAE@PAVQWidget@() | 1 |
| ?metaObject@QTableView@@UBEPUQU` | 1 |
| ?qt_metacast@QTableView@@UAEPAXPBC | 1 |
| ?qt_metacall@QTableView@@UAEHW4Call | 1 |
| ?event@QAbstractItemView@@MAE_NPAV | 1 |
| ?timerEvent@QTableView@@MAEXPAPAVQTi | 1 |
| ?mouseReleaseEvent@QAbstractItemView@() | 1 |
| ?mouseMoveEvent@QAbstractItemView@() | 1 |
| ?paintEvent@QTableView@@MAEXPAPAVQP | 1 |

| | |
|--|---|
| ?dragMoveEvent@QAbstractItemView@@@N | 1 |
| ?dropEvent@QAbstractItemView@@MAEXF | 1 |
| ?scrollContentsBy@QTableView@@MAEXH | 1 |
| ?setModel@QTableView@@UAEXP_AVQAbs | 1 |
| ?setSelectionModel@QTableView@@UAEXI | 1 |
| ?visualRect@QTableView@@UBE?AVQRect | 1 |
| ?scrollTo@QTableView@@UAEXABVQMode | 1 |
| ?indexAt@QTableView@@UBE?AVQModell | 1 |
| ?sizeHintForRow@QTableView@@MBEHH@C | 1 |
| ?sizeHintForColumn@QTableView@@MBEFT | 1 |
| ?reset@QAbstractItemView@@UAEXXZ | 1 |
| ?setRootIndex@QTableView@@UAEXABVQ | 1 |
| ?doItemsLayout@QAbstractItemView@@U | 1 |
| ?dataChanged@QAbstractItemView@@MA | 1 |
| ?rowsInserted@QAbstractItemView@@MAI | 1 |
| ?rowsAboutToBeRemoved@QAbstractItemV | 1 |
| ?selectionChanged@QTableView@@MAEXF | 1 |
| ?currentChanged@QTableView@@MAEXAE | 1 |
| ?updateGeometries@QTableView@@MAEX | 1 |
| ?verticalScrollbarAction@QTableView@@M | 1 |
| ?horizontalScrollbarAction@QTableView@@C | 1 |
| ?moveCursor@QTableView@@MAE?AVQM | 1 |
| ?horizontalOffset@QTableView@@MBEHXZ | 1 |
| ?verticalOffset@QTableView@@MBEHXZ | 1 |
| ?isIndexHidden@QTableView@@MBE_NAB | 1 |
| ?setSelection@QTableView@@MAEXABVQI | 1 |
| ?visualRegionForSelection@QTableView@@@ | 1 |
| ?selectedIndexes@QTableView@@MBE?AV | 1 |
| ?viewOptions@QTableView@@MBE?AVQSt | 1 |
| ??1QTableView@@UAE@XZ | 1 |
| ?click@QAbstractButton@@QAEXXZ | 1 |
| ?setLayout@QFormLayout@@QAEXHW4lte | 1 |
| ?setWidget@QFormLayout@@QAEXHW4lte | 1 |
| ?setVerticalSpacing@QFormLayout@@QAE | 1 |
| ?setLabelAlignment@QFormLayout@@QAE | 1 |
| ?setFieldGrowthPolicy@QFormLayout@@Q | 1 |
| ??0QFormLayout@@QAE@PAVQWidget@C | 1 |
| ?metaObject@QFormLayout@@UBEPBUQN | 1 |
| ?qt_metacast@QFormLayout@@UAEPAXPB | 1 |
| ?qt_metacall@QFormLayout@@UAEHW4C | 1 |
| ?addItem@QFormLayout@@UAEXP_AVQLay | 1 |
| ?itemAt@QFormLayout@@UBEPAVQLayout | 1 |
| ?takeAt@QFormLayout@@UAEPAVQLayout | 1 |
| ?count@QFormLayout@@UBEHXZ | 1 |
| ?sizeHint@QFormLayout@@UBE?AVQSize@ | 1 |
| ?minimumSize@QFormLayout@@UBE?AVC | 1 |
| ?maximumSize@QLayout@@UBE?AVQSize@ | 1 |

| | |
|--|---|
| ?expandingDirections@QFormLayout@@UE | 1 |
| ?setGeometry@QFormLayout@@UAEXABV | 1 |
| ?hasHeightForWidth@QFormLayout@@UBF | 1 |
| ?heightForWidth@QFormLayout@@UBEHH | 1 |
| ?invalidate@QFormLayout@@UAEXXZ | 1 |
| ??1QFormLayout@@UAE@XZ | 1 |
| ?selectAll@QLineEdit@@QAEXXZ | 1 |
| ?clear@QLabel@@QAEXXZ | 1 |
| ?setMaximum@QProgressBar@@QAEXH@I | 1 |
| ?parentWidget@QWidget@@QBEPAV1@XZ | 1 |
| ?staticMetaObject@ QMessageBox@@2UQI | 1 |
| ?changeSize@QSpacerItem@@QAEXHHW4I | 1 |
| ?activeModalWidget@ QApplication@@SAP | 1 |
| ?buttonRole@ QMessageBox@@QBE?AW4B | 1 |
| ?clickedButton@ QMessageBox@@QBEPAVI | 1 |
| ?checkState@QStandardItem@@QBE?AW4I | 1 |
| ?item@QStandardItemModel@@QBEPAVQ | 1 |
| ??1QTextFrameFormat@@QAE@XZ | 1 |
| ?setFormat@QTextObject@@IAEXABVQTex | 1 |
| ??BQTextLength@@QBE?AVQVariant@@XZ | 1 |
| ?frameFormat@QTextFrame@@QBE?AVQT | 1 |
| ?currentFrame@QTextCursor@@QBEPAVQ | 1 |
| ?setCheckable@QStandardItem@@QAEX_N | 1 |
| ?setCheckState@QStandardItem@@QAEXW | 1 |
| ??1QTextTableCell@@QAE@XZ | 1 |
| ??1QTextImageFormat@@QAE@XZ | 1 |
| ?insertText@QTextCursor@@QAEXABVQStr | 1 |
| ?insertImage@QTextCursor@@QAEXABVQ1 | 1 |
| ??4QTextCursor@@QAEAAV0@ABV0@@Z | 1 |
| ?firstCursorPosition@QTextTableCell@@QB | 1 |
| ?cellAt@QTextTable@@QBE?AVQTextTable | 1 |
| ??0QTextImageFormat@@QAE@XZ | 1 |
| ?clear@QStandardItemModel@@QAEXXZ | 1 |
| ?setOffset@QGraphicsDropShadowEffect@(| 1 |
| ?setBlurRadius@QGraphicsDropShadowEffe | 1 |
| ??0QGraphicsDropShadowEffect@@QAE@P | 1 |
| ?setAcceptRichText@QTextEdit@@QAEX_N | 1 |
| ?setAlignment@QLayout@@QAE_NPAV1@' | 1 |
| ?setVerticalScrollBar@QAbstractScrollArea@ | 1 |
| ?metaObject@QGraphicsDropShadowEffect | 1 |
| ?qt_metacast@QGraphicsDropShadowEffect | 1 |
| ?qt_metacall@QGraphicsDropShadowEffect | 1 |
| ?boundingRectFor@QGraphicsDropShadowE | 1 |
| ?draw@QGraphicsDropShadowEffect@@M | 1 |
| ??1QGraphicsDropShadowEffect@@UAE@X | 1 |
| ??1QTextListFormat@@QAE@XZ | 1 |
| ??1QTextBlockFormat@@QAE@XZ | 1 |

| | |
|---|---|
| ?setAlignment@QTextEdit@@QAEXV?\$QFla | 1 |
| ?insertBlock@QTextCursor@@QAEXABVQT | 1 |
| ?endEditBlock@QTextCursor@@QAEXXZ | 1 |
| ?createList@QTextCursor@@QAEPAVQText | 1 |
| ?setIndentWidth@QTextDocument@@QAE | 1 |
| ?document@QTextCursor@@QBEPBVQText | 1 |
| ??4QTextFormat@@QAEAAV0@ABV0@@Z | 1 |
| ?format@QTextList@@QBE?AVQTextListFor | 1 |
| ?currentList@QTextCursor@@QBEPBVQTex | 1 |
| ?beginEditBlock@QTextCursor@@QAEXXZ | 1 |
| ?append@QTextEdit@@QAEXABVQString@ | 1 |
| ??0QTextListFormat@@QAE@XZ | 1 |
| ??0QTextBlockFormat@@QAE@XZ | 1 |
| ??1QTextTableFormat@@QAE@XZ | 1 |
| ?insertTable@QTextCursor@@QAEPBVQTe | 1 |
| ?setAlignment@QTextTableFormat@@QAE | 1 |
| ??0QTextTableFormat@@QAE@XZ | 1 |
| ?scrollToAnchor@QTextEdit@@QAEXABVQ | 1 |
| ?setCharFormat@QTextCursor@@QAEXAB\ | 1 |
| ?insertHtml@QTextCursor@@QAEXABVQSt | 1 |
| ?lastPosition@QTextFrame@@QBEHXZ | 1 |
| ?setAutoFormatting@QTextEdit@@QAEXV? | 1 |
| ?setWordWrapMode@QTextEdit@@QAEXV | 1 |
| ?clearSelection@QAbstractItemView@@QA | 1 |
| ?setGraphicsEffect@QWidget@@QAEXPBV | 1 |
| ?setToolTip@QStandardItem@@QAEXABVC | 1 |
| ?setTextInteractionFlags@ QLabel@@QAEX\ | 1 |
| ?update@QWidget@@QAEXABVQRect@@I | 1 |
| ?setTristate@QCheckBox@@QAEX_N@Z | 1 |
| ?setMargin@ QLabel@@QAEXH@Z | 1 |
| ?indexFromItem@QStandardItemModel@@ | 1 |
| ?setEditable@QStandardItem@@QAEX_N@ | 1 |
| ??0QStandardItemModel@@QAE@HHPAVC | 1 |
| ?metaObject@QStandardItemModel@@UB | 1 |
| ?qt_metacast@QStandardItemModel@@U/ | 1 |
| ?qt_metacall@QStandardItemModel@@UA | 1 |
| ?index@QStandardItemModel@@UBE?AVC | 1 |
| ?parent@QStandardItemModel@@UBE?AV | 1 |
| ?rowCount@QStandardItemModel@@UBEI | 1 |
| ?columnCount@QStandardItemModel@@U | 1 |
| ?hasChildren@QStandardItemModel@@UB | 1 |
| ?data@QStandardItemModel@@UBE?AVQ\ | 1 |
| ?setData@QStandardItemModel@@UAE_N | 1 |
| ?headerData@QStandardItemModel@@UB | 1 |
| ?setHeaderData@QStandardItemModel@@ | 1 |
| ?itemData@QStandardItemModel@@UBE? | 1 |
| ?setItemData@QStandardItemModel@@UA | 1 |

| | |
|--|---|
| ?mimeTypes@QStandardItemModel@@UBI | 1 |
| ?aData@QStandardItem@@UBE?AVQVariant | 1 |
| ?dropMimeData@QStandardItem@@@C | 1 |
| ?supportedDropActions@QStandardItemMc | 1 |
| ?insertRows@QStandardItemModel@@UAE | 1 |
| ?insertColumns@QStandardItemModel@@I | 1 |
| ?removeRows@QStandardItemModel@@U | 1 |
| ?removeColumns@QStandardItemModel@() | 1 |
| ?flags@QStandardItemModel@@UBE?AV?\$ | 1 |
| ?sort@QStandardItemModel@@UAEXHW4! | 1 |
| ??1QStandardItemModel@@UAE@XZ | 1 |
| ?columnWidth@QTableView@@QBEHH@Z | 1 |
| ?resizeRowsToContents@QTableView@@Q | 1 |
| ?setStretchLastSection@QHeaderView@@C | 1 |
| ?setColumnWidth@QTableView@@QAEXHI | 1 |
| ?setRowHidden@QTableView@@QAEXH_N | 1 |
| ?setDefaultAlignment@QHeaderView@@Q | 1 |
| ?setEditTriggers@QAbstractItemView@@Q | 1 |
| ?setTabKeyNavigation@QAbstractItemView | 1 |
| ?setSortingEnabled@QTableView@@QAEX_ | 1 |
| ?setDragEnabled@QAbstractItemView@@C | 1 |
| ?setGridStyle@QTableView@@QAEXW4Per | 1 |
| ?setWordWrap@QTableView@@QAEX_N@ | 1 |
| ??1QBitmap@@UAE@XZ | 1 |
| ?setMask@QPixmap@@QAEXABVQBitmap(| 1 |
| ?createMaskFromColor@QPixmap@@QBE? | 1 |
| ?sectionSizeHint@QHeaderView@@QBEHH | 1 |
| ?setIndexWidget@QAbstractItemView@@C | 1 |
| ?setRowHeight@QTableView@@QAEXHH@ | 1 |
| ?setShowGrid@QTableView@@QAEX_N@Z | 1 |
| ?insertRow@QStandardItemModel@@QAE | 1 |
| ??0QStandardItem@@QAE@XZ | 1 |
| ?data@QStandardItem@@UBE?AVQVariant | 1 |
| ?setData@QStandardItem@@UAEXABVQVa | 1 |
| ?clone@QStandardItem@@UBEPAV1@XZ | 1 |
| ?type@QStandardItem@@UBEHXZ | 1 |
| ?read@QStandardItem@@UAEXAAVQDataS | 1 |
| ?write@QStandardItem@@UBEXAAVQData | 1 |
| ??MQStandardItem@@UBE_NABV0@@Z | 1 |
| ??1QStandardItem@@UAE@XZ | 1 |
| ?setRowCount@QStandardItemModel@@Q | 1 |
| ?setColumnCount@QStandardItemModel@ | 1 |
| ??0QStandardItemModel@@QAE@PAVQO& | 1 |
| ?appendRow@QStandardItemModel@@QA | 1 |
| ??BQIcon@@QBE?AVQVariant@@XZ | 1 |
| ?setSizeHint@QStandardItem@@QAEXABV | 1 |
| ?setLayoutDirection@QApplication@@SAXV | 1 |

| | |
|--|---|
| ?fontMetrics@QApplication@@SA?AVQFont | 1 |
| ?staticMetaObject@QStyledItemDelegate@ | 1 |
| ?qt_metacast@QListView@@UAEPAXPBD@ | 1 |
| ?qt_metacall@QListView@@UAEHW4Call@ | 1 |
| ?qt_metacast@QScrollBar@@UAEPAXPBD@ | 1 |
| ?qt_metacall@QScrollBar@@UAEHW4Call@ | 1 |
| ?initStyleOption@QProgressBar@@IBEXP@ | 1 |
| ??1QStyleOptionProgressBar@@QAE@XZ | 1 |
| ??0QStyleOptionProgressBar@@QAE@XZ | 1 |
| ?contextMenuEvent@QScrollBar@@MAEXP | 1 |
| ??0QHostAddress@@QAE@XZ | 1 |
| ?hasPendingDatagrams@QUdpSocket@@Q | 1 |
| ?pendingDatagramSize@QUdpSocket@@QE | 1 |
| ?readDatagram@QUdpSocket@@QAE_JPAE | 1 |
| ??0QUdpSocket@@QAE@PAVQObject@@@C | 1 |
| ?bind@QUdpSocket@@QAE_NABVQHostAc | 1 |
| ??1QUdpSocket@@UAE@XZ | 1 |
| ?writeDatagram@QUdpSocket@@QAE_JPB | 1 |
| ?tryLock@QMutex@@QAE_NXZ | 1 |
| ?terminate@QProcess@@QAEXXZ | 1 |
| ?staticMetaObject@QProcess@@2UQMetaI | 1 |
| ?isRightToLeft@QString@@QBE_NXZ | 1 |
| ??0QPersistentModelIndex@@QAE@ABV0@ | 1 |
| ?column@QPersistentModelIndex@@QBEH | 1 |
| ?removeRow@QAbstractItemModel@@QAI | 1 |
| ??0QTimeLine@@QAE@HPAVQObject@@@C | 1 |
| ?setCurveShape@QTimeLine@@QAEXW4CI | 1 |
| ??1QTimeLine@@UAE@XZ | 1 |
| ?currentFrame@QTimeLine@@QBEHXZ | 1 |
| ?revert@QAbstractItemModel@@UAEXXZ | 1 |
| ?submit@QAbstractItemModel@@UAE_NX | 1 |
| ?span@QAbstractItemModel@@UBE?AVQS | 1 |
| ?match@QAbstractItemModel@@UBE?AV? | 1 |
| ?buddy@QAbstractItemModel@@UBE?AVC | 1 |
| ?fetchMore@QAbstractItemModel@@UAE | 1 |
| ??4QPersistentModelIndex@@QEAIAV0@A | 1 |
| ?data@QPersistentModelIndex@@QBE?AVI | 1 |
| ??8QPersistentModelIndex@@QBE_NABV0@ | 1 |
| ??4QPersistentModelIndex@@QEAIAV0@A | 1 |
| ?toList@QVariant@@QBE?AV?\$QList@VQV | 1 |
| ??0QPersistentModelIndex@@QAE@XZ | 1 |
| ?toString@QLocale@@QBE?AVQString@@@F | 1 |
| ?invokeMethod@QMetaObject@@SA_NPAI | 1 |
| ??0QBitArray@@QAE@H_N@Z | 1 |
| ?setBit@QBitArray@@QAEXH@Z | 1 |
| ?at@QBitArray@@QBE_NH@Z | 1 |
| ?moveBottomLeft@QRect@@QAEXABVQPc | 1 |

| | |
|--|---|
| ?moveTopRight@QRect@@QAEXABVQPoin | 1 |
| ?children@QObject@@QBEABV?\$QList@PA | 1 |
| ?setMapping@QSignalMapper@@QAEXP@V | 1 |
| reg_createRegistry | 1 |
| reg_mergeKey | 1 |
| SQLSCMControlA | 1 |
| SQLSCMQueryServiceConfigA | 1 |
| SQLSCMGetServiceStateA | 1 |
| SQLSCMChangeServiceConfigA | 1 |
| ?AdaptiveSubdivide@Polygon@@QBEXAAV | 1 |
| ??APolyPolygon@@QAEAAVPolygon@@G@Z | 1 |
| ??ZBigInt@@QAEAV0@ABV0@@Z | 1 |
| ?ConvertDoubleValue@MetricField@@SAN | 1 |
| ?SetDefaultUnit@MetricField@@SAXW4Fie | 1 |
| ?DrawBitmap@OutputDevice@@QAEXABVf | 1 |
| ?GetFontMetric@OutputDevice@@QBE?AV | 1 |
| ?GetFillColor@Font@@QBEABVColor@@XZ | 1 |
| ?SetFillColor@Font@@QAEABVColor@@@C | 1 |
| ??8MapMode@@QBEEABV0@@Z | 1 |
| ??6@YAAAVSvStream@@AAV0@ABVBitma | 1 |
| ??0BitmapPalette@@QAE@G@Z | 1 |
| ??1BitmapPalette@@QAE@XZ | 1 |
| ?ReadSize@FilterConfigItem@@QAE?AUSiz | 1 |
| ?WriteSize@FilterConfigItem@@QAEXABVC | 1 |
| SetEndOffI | 1 |
| ?id@?\$money_put@GV?\$ostreambuf_itera | 1 |
| ?pos_format@?\$_Mpunct@G@std@@QBE | 1 |
| _AutoDialFunc@16 | 1 |
| _InetDialHandler@16 | 1 |
| ?ipfx@?\$basic_istream@GU?\$char_traits@ | 1 |
| __vbaMidStmtVarB | 1 |
| ??5?\$basic_istream@GU?\$char_traits@G@ | 1 |
| ??0?\$_Mpunct@D@std@@QAE@I_N@Z | 1 |
| rb_load_file | 1 |
| rb_str2cstr | 1 |
| ruby_exec | 1 |
| rb_path2class | 1 |
| rb_obj_alloc | 1 |
| rb_iv_set | 1 |
| rb_last_status | 1 |
| rb_w32_fclose | 1 |
| rb_newobj | 1 |
| ruby_safe_level | 1 |
| rb_eRuntimeError | 1 |
| rb_cIO | 1 |
| rb_io_close | 1 |
| ruby_xmalloc | 1 |

| | |
|--|---|
| rb_ary_new2 | 1 |
| rb_ary_push | 1 |
| rb_scan_args | 1 |
| rb_block_given_p | 1 |
| rb_yield_splat | 1 |
| rb_ensure | 1 |
| rb_define_module | 1 |
| rb_define_module_function | 1 |
| rb_define_const | 1 |
| rb_eStandardError | 1 |
| rb_eArgError | 1 |
| rb_raise | 1 |
| ?detach@QImage@@QAEXXZ | 1 |
| ?byteCount@QImage@@QBEHXZ | 1 |
| uoowwbkrrwerphc | 1 |
| CreateFileObjectInstance | 1 |
| CreateArchiveObjectInstanceOneType | 1 |
| ?Browse@CFilesBrowserDlg@@QAEHV?\$CS | 1 |
| ?copy@?\$basic_string@_WU?\$char_traits@ | 1 |
| ??0?\$basic_string@_WU?\$char_traits@_W(| 1 |
| ?_Copy_s@?\$char_traits@D@std@@SAPAT | 1 |
| CeGetSystemPowerStatusEx | 1 |
| CeGetDesktopDeviceCaps | 1 |
| ?GetViewServAddress@GameDataTrans@@ | 1 |
| ?GetViewUserPhoto@GameDataTrans@@Q | 1 |
| ?SendBuyUsePrivateDJ@GameDataTrans@() | 1 |
| ?SendGetOutData@GameDataTrans@@QAF | 1 |
| ?SendReadyGame@GameDataTrans@@QAI | 1 |
| ?SendChatData@GameDataTrans@@QAEXF | 1 |
| ?SendTestNetRateData@GameDataTrans@() | 1 |
| ?SendMLChangeJB@GameDataTrans@@QA | 1 |
| ?SendAddFriend@GameDataTrans@@QAEX | 1 |
| ?UpdateIMWindow@GameDataTrans@@Q | 1 |
| ?GetTableOwner@GameDataTrans@@QAEJ | 1 |
| ?SendGift@GameDataTrans@@QAEXJPBDH | 1 |
| ?GetStarPicInfo@GameDataTrans@@SAPB | 1 |
| ?SendExitData@GameDataTrans@@QAEXH | 1 |
| ?GetKillManUIData@GameDataTrans@@QF | 1 |
| ?ShowMsgDlg@GameDataTrans@@QAEHPI | 1 |
| ??1CGameBaseState@@UAE@XZ | 1 |
| ??_7CGameBaseState@@6B@ | 1 |
| ?IsCanGetOut@CGameBaseState@@UBEHP | 1 |
| ?IsPlaying@CGameBaseState@@UBEHXZ | 1 |
| ?SendFrameCreatedToLobby@GameDataTr | 1 |
| ?GetGameHelpURL@GameDataTrans@@QF | 1 |
| ?SetMainFrame@GameDataTrans@@QAEXI | 1 |
| ?SetGameVersion@GameDataTrans@@QAF | 1 |

| | |
|--|---|
| ??0GameDataTrans@@QAE@XZ | 1 |
| ??1GameDataTrans@@UAE@XZ | 1 |
| ?GetRunOff_ML@GameDataTrans@@QBEH | 1 |
| ?CheckLobbyExist@GameDataTrans@@QAE | 1 |
| ?SendTransData@GameDataTrans@@QAEX | 1 |
| ?ReceiveLobbyMsg@GameDataTrans@@QA | 1 |
| ?ReceiveLobbyGameDataMsg@GameDataTr | 1 |
| ?GetRoomType@GameDataTrans@@QAEH | 1 |
| ? GetUserPhoto@GameDataTrans@@QAEHJ | 1 |
| ?SetNetInfo@CAVManager@@QEXPBDI@. | 1 |
| ?SetOutputBackImage@CAVManager@@Q/ | 1 |
| ?SetInputBackImage@CAVManager@@QAE | 1 |
| ?SetVideoAlwaysOpen@CAVManager@@Q | 1 |
| ??0CAVManager@@QAE@PAVCWnd@@@ | 1 |
| ?Close@CAVManager@@QAEXXZ | 1 |
| ?SetSnapshotFilePath@CAVManager@@QA | 1 |
| ?StartSocket@CAVManager@@QAEXXZ | 1 |
| ?StartThread@CAVManager@@QAEXXZ | 1 |
| ?InitConfigInfo@CAVManager@@QAEHPBD | 1 |
| ?SetUserInfo@CAVManager@@QAXHHPB | 1 |
| ?TransparentToDC@@YAXPAVCDC@@HHH | 1 |
| ?FreePictureData@CPicture2@@QAEXXZ | 1 |
| ?LoadPictureData@CPicture2@@QAEHPBE | 1 |
| ?Visite@CHyperLink@@QAEVString@@C | 1 |
| ?RemoveRectFromRgn@CLibFunc@@SAXA/ | 1 |
| ?GetUpperDirectory@CLibFunc@@SAHPBD, | 1 |
| ?LoadGif@CGifWnd@@QAEHPBD@Z | 1 |
| ?DrawBtnFace@CResizeButton@@UAEXPBA | 1 |
| ??1CGifWnd@@UAE@XZ | 1 |
| ?GetMessageMap@CGifWnd@@MBEPBUAI | 1 |
| ??0CGifWnd@@QAE@XZ | 1 |
| ??1CFaceManage@@UAE@XZ | 1 |
| ??1CIIconPicker@@UAE@XZ | 1 |
| ??0CIIconPicker@@QAE@XZ | 1 |
| ??0CFaceManage@@QAE@XZ | 1 |
| ?SetFaceHash@CIIconPicker@@QAEPAVCH | 1 |
| ?SetBitmapArrayPtr@CIIconPicker@@QAEXF | 1 |
| ?InitFaceInfo@CFaceManage@@QAEEXPBD@ | 1 |
| ?GetFaceInfo@CFaceManage@@QAEPAU_1 | 1 |
| ?GetCurrentBitmapIndex@CIIconPicker@@C | 1 |
| runmayhook | 1 |
| FindStaticResources | 1 |
| IsVgoTraceLevelEnabled | 1 |
| BtCreateCOMM2 | 1 |
| BtRefreshSDDB2 | 1 |
| BtDisconnect | 1 |
| BtRecvData | 1 |

| | |
|------------------------------|---|
| BtSendData | 1 |
| BtGetAutoConnectCOMMInfoList | 1 |
| BtConnect | 1 |
| D_CFE67AC5 | 1 |
| L_35E19F71 | 1 |
| E_6615EF0D | 1 |
| I_8C240BB7 | 1 |
| V_22A0CA23 | 1 |
| V_5B2F136F | 1 |
| L_47807F1C | 1 |
| G_0F5E033B | 1 |
| G_7B2519EA | 1 |
| G_A643D125 | 1 |
| G_F580047F | 1 |
| G_2D2706E8 | 1 |
| G_A3E4992D | 1 |
| F_07CD7952 | 1 |
| E_3386FEAD | 1 |
| R_0D0E05B5 | 1 |
| G_41672252 | 1 |
| G_7DEF4A01 | 1 |
| M_172A2D8A | 1 |
| C_3019D9D6 | 1 |
| T_6C3AAE6D | 1 |
| T_71C9B1E2 | 1 |
| L_67D5AC47 | 1 |
| G_F8A997E4 | 1 |
| R_66452F0B | 1 |
| R_76C9A2BA | 1 |
| R_ACEF6D65 | 1 |
| S_DD506EC3 | 1 |
| S_B8518301 | 1 |
| S_5AE46EAD | 1 |
| R_F2CF3A6F | 1 |
| M_0D7C4675 | 1 |
| L_C384C46B | 1 |
| L_0D7500D6 | 1 |
| L_2724E30C | 1 |
| G_BA3D8915 | 1 |
| G_14D8C | 1 |
| G_5A65F497 | 1 |
| G_000E3863 | 1 |
| F_44285CCF | 1 |
| F_5849FF1C | 1 |
| F_13A24163 | 1 |
| F_56904D72 | 1 |
| F_72273BB3 | 1 |

| | |
|--|---|
| C_CABD3562 | 1 |
| C_39D64EB4 | 1 |
| C_783A4CAA | 1 |
| C_663266EF | 1 |
| P_90F5DC44 | 1 |
| G_BBDEB0E7 | 1 |
| DolImport2 | 1 |
| ?GetECON@CCompanyHandler@@QBE?AV` | 1 |
| ?GetDeductionTypeByRef@CCompanyHandl | 1 |
| ?GetCurrentCustRepSettings@CCompanyHa | 1 |
| ?SetDatabase@CCompanyHandler@@QAEF | 1 |
| ?GetCostCentreByRef@CCompanyHandler@ | 1 |
| ?GetAddress@CCompanyHandler@@QBEXC | 1 |
| ?GetName@CCompanyHandler@@QBE?AV | 1 |
| ?GetTelephone@CCompanyHandler@@QBF | 1 |
| ?GetFax@CCompanyHandler@@QBE?AV?\$I | 1 |
| ?GetPensionSchemeByIndex@CCompanyHa | 1 |
| ?GetPensionSchemeCount@CCompanyHanc | 1 |
| ??0CCompanyHandler@@QAE@XZ | 1 |
| ??0CEmployeePersonalSet@@QAE@PAVCSI | 1 |
| ??0CEmployeeHolidayDetailsSet@@QAE@P | 1 |
| ??0CEmployeeBankSet@@QAE@PAVCSData | 1 |
| ??0CEmployeePaymentSet@@QAE@PAVCS | 1 |
| ??0CEmployeeDeductionSet@@QAE@PAVC | 1 |
| ?IsHolSchemeUnitsHours@CHolidayHandler | 1 |
| ??1CEmployeeBankSet@@UAE@XZ | 1 |
| ??1CEmployeeHolidayDetailsSet@@UAE@X | 1 |
| ??1CEmployeePersonalSet@@UAE@XZ | 1 |
| ??1CCompanyHandler@@UAE@XZ | 1 |
| ??1CEmployeePaymentSet@@UAE@XZ | 1 |
| ?GetPaymentTypeByRef@CCompanyHandle | 1 |
| ?GetEMail@CCompanyHandler@@QBE?AV` | 1 |
| CoUninitializeCor | 1 |
| GetMetaDataInternalInterface | 1 |
| GetMetaDataPublicInterfaceFromInternal | 1 |
| GetMetaDataInternalInterfaceFromPublic | 1 |
| CoInitializeCor | 1 |
| CoUninitializeEE | 1 |
| CoInitializeEE | 1 |
| cryptPopData | 1 |
| cryptFlushData | 1 |
| cryptPushData | 1 |
| cryptDestroySession | 1 |
| cryptCreateSession | 1 |
| cryptSignCert | 1 |
| cryptDestroyCert | 1 |
| cryptCreateCert | 1 |

| | |
|---|---|
| cryptAddPrivateKey | 1 |
| cryptAddPublicKey | 1 |
| cryptGetPrivateKey | 1 |
| cryptGetPublicKey | 1 |
| cryptKeysetClose | 1 |
| cryptKeysetOpen | 1 |
| cryptAddRandom | 1 |
| cryptGetAttribute | 1 |
| cryptSetAttributeString | 1 |
| cryptSetAttribute | 1 |
| cryptGenerateKey | 1 |
| cryptDestroyContext | 1 |
| cryptCreateContext | 1 |
| cryptEnd | 1 |
| cryptInit | 1 |
| ufdCalcBGCurve | 1 |
| i32ColorspaceConvert | 1 |
| ufdClrCmykToRgb | 1 |
| ufdClrRgbToCmyk | 1 |
| u32ChooseColor | 1 |
| u32IsEscPressed | 1 |
| GetIpAddrTableFromStack | 1 |
| ??0DefaultIntersectionSceneQuery@G3D@() | 1 |
| ?setQueryMask@SceneQuery@G3D@@UAI | 1 |
| ?getQueryMask@SceneQuery@G3D@@UBI | 1 |
| ?setWorldFragmentType@SceneQuery@G3I | 1 |
| ?getWorldFragmentType@SceneQuery@G3 | 1 |
| ?getSupportedWorldFragmentTypes@Scene | 1 |
| ?execute@IntersectionSceneQuery@G3D@() | 1 |
| ?getLastResults@IntersectionSceneQuery@() | 1 |
| ?clearResults@IntersectionSceneQuery@G3 | 1 |
| ?queryResult@IntersectionSceneQuery@G3 | 1 |
| ?queryResult@IntersectionSceneQuery@G3 | 1 |
| ??4DefaultIntersectionSceneQuery@G3D@() | 1 |
| ??0DefaultRaySceneQuery@G3D@@QAE@I | 1 |
| ?setRay@RaySceneQuery@G3D@@UAEXAE | 1 |
| ?getRay@RaySceneQuery@G3D@@UBEABV | 1 |
| ?setSortByDistance@RaySceneQuery@G3D@() | 1 |
| ?getSortByDistance@RaySceneQuery@G3D@() | 1 |
| ?getMaxResults@RaySceneQuery@G3D@@ | 1 |
| ?execute@RaySceneQuery@G3D@@UAEAA | 1 |
| ?getLastResults@RaySceneQuery@G3D@@ | 1 |
| ?clearResults@RaySceneQuery@G3D@@UAI | 1 |
| ?queryResult@RaySceneQuery@G3D@@UAI | 1 |
| ?queryResult@RaySceneQuery@G3D@@UAF | 1 |
| ??4DefaultRaySceneQuery@G3D@@QAEAA | 1 |
| ??0DefaultSphereSceneQuery@G3D@@QAI | 1 |

| | |
|---|---|
| ?execute@RegionSceneQuery@G3D@@UAI | 1 |
| ?getLastResults@RegionSceneQuery@G3D@C | 1 |
| ?clearResults@RegionSceneQuery@G3D@C | 1 |
| ?queryResult@RegionSceneQuery@G3D@C | 1 |
| ?queryResult@RegionSceneQuery@G3D@C | 1 |
| ??4DefaultSphereSceneQuery@G3D@@QAI | 1 |
| ??0DefaultPlaneBoundedVolumeListSceneQ | 1 |
| ??4DefaultPlaneBoundedVolumeListSceneQ | 1 |
| ??0DefaultAxisAlignedBoxSceneQuery@G3D | 1 |
| ??4DefaultAxisAlignedBoxSceneQuery@G3D | 1 |
| ??4MaterialPtr@G3D@@QAEAAV01@ABV0 | 1 |
| ??1MaterialPtr@G3D@@UAE@XZ | 1 |
| ??1MovableObject@G3D@@UAE@XZ | 1 |
| ??1Renderable@G3D@@UAE@XZ | 1 |
| ??0HardwareVertexBufferSharedPtr@G3D@ | 1 |
| ??0MaterialPtr@G3D@@QAE@ABV01@@Z | 1 |
| ??0AxisAlignedBox@G3D@@QAE@ABV01@ | 1 |
| ??0MovableObject@G3D@@QAE@ABV01@ | 1 |
| ??0Renderable@G3D@@QAE@ABV01@@Z | 1 |
| ?getTechnique@Renderable@G3D@@UBE | 1 |
| ?getNumWorldTransforms@Renderable@G | 1 |
| ?useIdentityProjection@Renderable@G3D@ | 1 |
| ?useIdentityView@Renderable@G3D@@UE | 1 |
| ?getRenderDetail@Renderable@G3D@@UE | 1 |
| ?getNormaliseNormals@Renderable@G3D@ | 1 |
| ?getClipPlanes@Renderable@G3D@@UBE | 1 |
| ?setClipPlanes@Renderable@G3D@@UAEX | 1 |
| ?getCastShadows@Renderable@G3D@@U | 1 |
| ?setRenderDetailOverrideable@Renderable | 1 |
| ?getRenderDetailOverrideable@Renderable | 1 |
| ?renderCustom@Renderable@G3D@@UAE | 1 |
| ?getCastShadows@MovableObject@G3D@() | 1 |
| ?getEdgeList@MovableObject@G3D@@UAI | 1 |
| ?getWorldBoundingBox@MovableObject@C | 1 |
| ?getLightCapBounds@MovableObject@G3D | 1 |
| ?getDarkCapBounds@MovableObject@G3D | 1 |
| ?getShadowVolumeRenderableIterator@Mc | 1 |
| ?getPointExtrusionDistance@MovableObjec | 1 |
| ?updateEdgeListLightFacing@ShadowCaster | 1 |
| ?generateShadowVolume@ShadowCaster@ | 1 |
| ?extrudeBounds@ShadowCaster@G3D@@I | 1 |
| ?getParentNode@MovableObject@G3D@@ | 1 |
| ?getParentSceneNode@MovableObject@G3 | 1 |
| ?_notifyAttached@MovableObject@G3D@() | 1 |
| ?isAttached@MovableObject@G3D@@UBE | 1 |
| ?isInScene@MovableObject@G3D@@UBE_ | 1 |
| ?setAlignedBox@MovableObject@G3D@@I | 1 |

| | |
|---------------------------------------|---|
| ?setBoundingRadius@MovableObject@G3D | 1 |
| ?getWorldBoundingSphere@MovableObject | 1 |
| ?setVisible@MovableObject@G3D@@@UAEX | 1 |
| ?isVisible@MovableObject@G3D@@@UBE_N | 1 |
| ?setUserObject@MovableObject@G3D@@@I | 1 |
| ?getUserObject@MovableObject@G3D@@@I | 1 |
| ?setRenderQueueGroup@MovableObject@I | 1 |
| ?getRenderQueueGroup@MovableObject@I | 1 |
| ?_getParentNodeFullTransform@MovableO | 1 |
| ?setQueryFlags@MovableObject@G3D@@@I | 1 |
| ?addQueryFlags@MovableObject@G3D@@@I | 1 |
| ?removeQueryFlags@MovableObject@G3D@ | 1 |
| ?getQueryFlags@MovableObject@G3D@@@I | 1 |
| ?setRenderingDistance@MovableObject@G | 1 |
| ?getRenderingDistance@MovableObject@G | 1 |
| ?setDynamicObject@MovableObject@G3D@ | 1 |
| ?releaseMemory@MovableObject@G3D@@C | 1 |
| ??4HardwareVertexBufferSharedPtr@G3D@ | 1 |
| ??4AxisAlignedBox@G3D@@@QAEAAV01@A | 1 |
| ??4MovableObject@G3D@@@QAEAAV01@A | 1 |
| ??4Renderable@G3D@@@QAEAAV01@ABV0 | 1 |
| ?getData@Image@G3D@@@QAEPAEXZ | 1 |
| ??0Exception@G3D@@@QAE@HABV?\$basic_ | 1 |
| ?getFormat@Image@G3D@@@QBE?AW4Pix | 1 |
| ??1Exception@G3D@@@QAE@XZ | 1 |
| ??0Exception@G3D@@@QAE@ABV01@@@Z | 1 |
| ??1Image@G3D@@@UAE@XZ | 1 |
| ??0Image@G3D@@@QAE@ABV01@@@Z | 1 |
| ??4Image@G3D@@@QAEAAV01@ABV01@@ | 1 |
| ??0Image@G3D@@@QAE@XZ | 1 |
| ?toString@StringConverter@G3D@@@SA?AV | 1 |
| ?getWidth@Image@G3D@@@QBEIXZ | 1 |
| ?getHeight@Image@G3D@@@QBEIXZ | 1 |
| ?load@Image@G3D@@@QAEAAV12@ABV?\$ | 1 |
| ?toString@StringConverter@G3D@@@SA?AV | 1 |
| ??0MemoryDataStream@G3D@@@QAE@AB' | 1 |
| ?openResource@ResourceGroupManager@ | 1 |
| ?getSingleton@ResourceGroupManager@G | 1 |
| ?read@MemoryDataStream@G3D@@@UAEII | 1 |
| ?readLine@MemoryDataStream@G3D@@@L | 1 |
| ?getLine@DataStream@G3D@@@UAE?AV?\$I | 1 |
| ?getAsString@DataStream@G3D@@@UAE?A | 1 |
| ?skipLine@MemoryDataStream@G3D@@@U | 1 |
| ?skip@MemoryDataStream@G3D@@@UAE. | 1 |
| ?seek@MemoryDataStream@G3D@@@UAEX | 1 |
| ?tell@MemoryDataStream@G3D@@@UBEIX | 1 |
| ?eof@MemoryDataStream@G3D@@@UBE_N | 1 |

| | |
|---|---|
| ?size@DataStream@G3D@@UBEIXZ | 1 |
| ?close@MemoryDataStream@G3D@@UAE | 1 |
| ??1MemoryDataStream@G3D@@UAE@XZ | 1 |
| ?parseBool@StringConverter@G3D@@SA_I | 1 |
| ?endsWith@StringUtil@G3D@@SA_NABV?: | 1 |
| ?startsWith@StringUtil@G3D@@SA_NABV?: | 1 |
| ?trim@StringUtil@G3D@@SAXAAV?\$basic_ | 1 |
| ??1SceneManager@G3D@@UAE@XZ | 1 |
| ??0SceneManager@G3D@@QAE@ABV01@ | 1 |
| ?setPass@SceneManager@G3D@@MAEPAI | 1 |
| ?setViewport@SceneManager@G3D@@MA | 1 |
| ?renderSingleObject@SceneManager@G3D@ | 1 |
| ?findLightsAffectingFrustum@SceneManage | 1 |
| ?initShadowVolumeMaterials@SceneManag | 1 |
| ?createShadowTextures@SceneManager@C | 1 |
| ?prepareShadowTextures@SceneManager@ | 1 |
| ?renderShadowVolumesToStencil@SceneM | 1 |
| ?setShadowVolumeStencilState@SceneMan | 1 |
| ?findShadowCastersForLight@SceneManage | 1 |
| ?renderQueueGroupObjects@SceneManage | 1 |
| ?renderBasicQueueGroupObjects@SceneMa | 1 |
| ?renderAdditiveStencilShadowedQueueGro | 1 |
| ?renderModulativeStencilShadowedQueueG | 1 |
| ?renderTextureShadowCasterQueueGroupO | 1 |
| ?renderTextureShadowReceiverQueueGroup | 1 |
| ?renderModulativeTextureShadowedQueueG | 1 |
| ?renderObjects@SceneManager@G3D@@N | 1 |
| ?renderObjects@SceneManager@G3D@@N | 1 |
| ?renderTransparentShadowCasterObjects@! | 1 |
| ?_queryCustomObjects@SceneManager@G | 1 |
| ?getCamera@SceneManager@G3D@@UAE | 1 |
| ?removeCamera@SceneManager@G3D@@ | 1 |
| ?removeCamera@SceneManager@G3D@@ | 1 |
| ?removeAllCameras@SceneManager@G3D(| 1 |
| ?createLight@SceneManager@G3D@@UAE | 1 |
| ?getLight@SceneManager@G3D@@UAEPAI | 1 |
| ?removeLight@SceneManager@G3D@@UA | 1 |
| ?removeLight@SceneManager@G3D@@UA | 1 |
| ?removeAllLights@SceneManager@G3D@@C | 1 |
| ?_populateLightList@SceneManager@G3D@ | 1 |
| ?getRootSceneNode@SceneManager@G3D@ | 1 |
| ?getSceneNode@SceneManager@G3D@@l | 1 |
| ?createEntity@SceneManager@G3D@@UA | 1 |
| ?createEntity@SceneManager@G3D@@UA | 1 |
| ?createEntity@SceneManager@G3D@@UA | 1 |
| ?reCreateEntity@SceneManager@G3D@@l | 1 |
| ?getEntity@SceneManager@G3D@@UAEP/ | 1 |

| | |
|---|---|
| ?existEntity@SceneManager@G3D@@UAE_ | 1 |
| ?removeEntity@SceneManager@G3D@@U_ | 1 |
| ?removeEntity@SceneManager@G3D@@U. | 1 |
| ?removeAllEntities@SceneManager@G3D@ | 1 |
| ?setWorldGeometry@SceneManager@G3D@ | 1 |
| ?estimateWorldGeometry@SceneManager@ | 1 |
| ?getSuggestedViewpoint@SceneManager@ | 1 |
| ?hasOption@SceneManager@G3D@@UBE_ | 1 |
| ?_applySceneAnimations@SceneManager@ | 1 |
| ?_renderVisibleObjects@SceneManager@G | 1 |
| ?_renderScene@SceneManager@G3D@@U | 1 |
| ?_queueSkiesForRendering@SceneManager | 1 |
| ?_setDestinationRenderSystem@SceneManager | 1 |
| ?setSkyPlane@SceneManager@G3D@@UAI | 1 |
| ?setSkyBox@SceneManager@G3D@@UAEX | 1 |
| ?setSkyDome@SceneManager@G3D@@UA | 1 |
| ?getFogMode@SceneManager@G3D@@UE | 1 |
| ?getFogColour@SceneManager@G3D@@U | 1 |
| ?getFogStart@SceneManager@G3D@@UBE | 1 |
| ?getFogEnd@SceneManager@G3D@@UBEI | 1 |
| ?getFogDensity@SceneManager@G3D@@L | 1 |
| ?createBillboardSet@SceneManager@G3D@ | 1 |
| ?getBillboardSet@SceneManager@G3D@@ | 1 |
| ?existBillboardSet@SceneManager@G3D@() | 1 |
| ?removeBillboardSet@SceneManager@G3D | 1 |
| ?removeBillboardSet@SceneManager@G3D | 1 |
| ?removeAllBillboardSets@SceneManager@ | 1 |
| ?setDisplaySceneNodes@SceneManager@G | 1 |
| ?createAnimation@SceneManager@G3D@() | 1 |
| ?getAnimation@SceneManager@G3D@@U | 1 |
| ?destroyAnimation@SceneManager@G3D@ | 1 |
| ?destroyAllAnimations@SceneManager@G | 1 |
| ?createAnimationState@SceneManager@G | 1 |
| ?getAnimationState@SceneManager@G3D@ | 1 |
| ?destroyAnimationState@SceneManager@C | 1 |
| ?destroyAllAnimationStates@SceneManager | 1 |
| ?manualRender@SceneManager@G3D@@I | 1 |
| ?manualRender@SceneManager@G3D@@I | 1 |
| ?getRenderQueue@SceneManager@G3D@() | 1 |
| ?addRenderQueueListener@SceneManager@ | 1 |
| ?removeRenderQueueListener@SceneMana | 1 |
| ?addSpecialCaseRenderQueue@SceneMana | 1 |
| ?removeSpecialCaseRenderQueue@SceneM | 1 |
| ?clearSpecialCaseRenderQueues@SceneMa | 1 |
| ?setSpecialCaseRenderQueueMode@Scenel | 1 |
| ?getSpecialCaseRenderQueueMode@Scenel | 1 |
| ?isRenderQueueToBeProcessed@SceneMan | 1 |

| | |
|--|---|
| ?setWorldGeometryRenderQueue@SceneM | 1 |
| ?getWorldGeometryRenderQueue@SceneM | 1 |
| ?showBoundingBoxes@SceneManager@G3I | 1 |
| ?getShowBoundingBoxes@SceneManager@ | 1 |
| ?_notifyAutotrackingSceneNode@SceneMar | 1 |
| ?destroyQuery@SceneManager@G3D@@U | 1 |
| ?setShadowTechnique@SceneManager@G3 | 1 |
| ?getShadowTechnique@SceneManager@G3 | 1 |
| ?setShowDebugShadows@SceneManager@ | 1 |
| ?getShowDebugShadows@SceneManager@ | 1 |
| ?setShadowColour@SceneManager@G3D@ | 1 |
| ?getShadowColour@SceneManager@G3D@ | 1 |
| ?setShadowDirectionalLightExtrusionDistanc | 1 |
| ?getShadowDirectionalLightExtrusionDistanc | 1 |
| ?setShadowFarDistance@SceneManager@G | 1 |
| ?getShadowFarDistance@SceneManager@C | 1 |
| ?setShadowIndexBufferSize@SceneManager | 1 |
| ?getShadowIndexBufferSize@SceneManager | 1 |
| ?setShadowTextureSize@SceneManager@G | 1 |
| ?setShadowTexturePixelFormat@SceneMan | 1 |
| ?setShadowTextureCount@SceneManager@ | 1 |
| ?setShadowTextureSettings@SceneManager | 1 |
| ?setShadowDirLightTextureOffset@SceneMa | 1 |
| ?getShadowDirLightTextureOffset@SceneMa | 1 |
| ?setShadowTextureFadeStart@SceneManag | 1 |
| ?getShadowTextureFadeStart@SceneManag | 1 |
| ?setShadowTextureFadeEnd@SceneManage | 1 |
| ?getShadowTextureFadeEnd@SceneManage | 1 |
| ?setShadowTextureSelfShadow@SceneMan | 1 |
| ?getShadowTextureSelfShadow@SceneMan | 1 |
| ?setShadowTextureCasterMaterial@SceneM | 1 |
| ?setShadowTextureReceiverMaterial@Scene | 1 |
| ?setShadowUseInfiniteFarPlane@SceneMan | 1 |
| ?createStaticGeometry@SceneManager@G | 1 |
| ?getStaticGeometry@SceneManager@G3D(| 1 |
| ?removeStaticGeometry@SceneManager@C | 1 |
| ?removeStaticGeometry@SceneManager@C | 1 |
| ?removeAllStaticGeometry@SceneManager | 1 |
| ??4SceneManager@G3D@@QAEAAV01@AI | 1 |
| ?midPoint@Vector3@G3D@@QBE?AV12@, | 1 |
| ?setExtents@AxisAlignedBox@G3D@@QAE | 1 |
| ??GVector3@G3D@@QBE?AV01@ABV01@ | 1 |
| ??HVector3@G3D@@QBE?AV01@ABV01@ | 1 |
| ?setupBoundingBox@WireBoundingBox@G | 1 |
| ??OWireBoundingBox@G3D@@QAE@XZ | 1 |
| ?getName@SimpleRenderable@G3D@@UE | 1 |
| ?getMovableType@SimpleRenderable@G3L | 1 |

| | |
|--|---|
| ?_notifyCurrentCamera@SimpleRenderable | 1 |
| ?getBoundingBox@SimpleRenderable@G3D | 1 |
| ?getBoundingRadius@WireBoundingBox@G | 1 |
| ?_updateRenderQueue@SimpleRenderable@ | 1 |
| ?setRenderOperation@SimpleRenderable@ | 1 |
| ?getMaterial@SimpleRenderable@G3D@@@ | 1 |
| ?getRenderOperation@SimpleRenderable@ | 1 |
| ?getWorldTransforms@WireBoundingBox@ | 1 |
| ?getWorldOrientation@WireBoundingBox@ | 1 |
| ?getWorldPosition@WireBoundingBox@G3I | 1 |
| ?getSquaredViewDepth@WireBoundingBox@ | 1 |
| ?getLights@SimpleRenderable@G3D@@@UB | 1 |
| ?_updateCustomGpuParameter@Renderabl | 1 |
| ??1WireBoundingBox@G3D@@@UAE@XZ | 1 |
| ??0AxisAlignedBox@G3D@@@QAE@XZ | 1 |
| ??0Camera@G3D@@@QAE@ABV?\$basic_stri | 1 |
| ?getName@Camera@G3D@@@UBEAV?\$ba | 1 |
| ?getMovableType@Camera@G3D@@@UBEA | 1 |
| ?_notifyCurrentCamera@Frustum@G3D@@@ | 1 |
| ?getBoundingBox@Frustum@G3D@@@UBEA | 1 |
| ?getBoundingRadius@Camera@G3D@@@UB | 1 |
| ?_updateRenderQueue@Frustum@G3D@@@ | 1 |
| ?updateFrustum@Camera@G3D@@@MBEXX | 1 |
| ?updateView@Camera@G3D@@@MBEXXZ | 1 |
| ?isViewOutOfDate@Camera@G3D@@@MBE_ | 1 |
| ?isFrustumOutOfDate@Frustum@G3D@@@N | 1 |
| ?invalidateFrustum@Camera@G3D@@@MBE | 1 |
| ?invalidateView@Camera@G3D@@@MBEXX: | 1 |
| ?getPositionForViewUpdate_d@Camera@G | 1 |
| ?getOrientationForViewUpdate_d@Camera | 1 |
| ?isVisible@Frustum@G3D@@@UBE_NABVVe | 1 |
| ?isVisible@Frustum@G3D@@@UBE_NABVSp | 1 |
| ?isVisible@Frustum@G3D@@@UBE_NABVAx | 1 |
| ?setFOVy@Frustum@G3D@@@UAEXABVRad | 1 |
| ?getFOVy@Frustum@G3D@@@UBEABVRadi | 1 |
| ?setNearClipDistance@Frustum@G3D@@@U | 1 |
| ?getNearClipDistance@Frustum@G3D@@@U | 1 |
| ?setFarClipDistance@Frustum@G3D@@@UA | 1 |
| ?getFarClipDistance@Frustum@G3D@@@UB | 1 |
| ?setAspectRatio@Frustum@G3D@@@UAEXN | 1 |
| ?getAspectRatio@Frustum@G3D@@@UBEM | 1 |
| ?getProjectionMatrix@Frustum@G3D@@@U | 1 |
| ?getStandardProjectionMatrix@Frustum@G | 1 |
| ?getViewMatrix@Frustum@G3D@@@UBEAB' | 1 |
| ?getViewMatrix_d@Frustum@G3D@@@UBE, | 1 |
| ?getFrustumPlane@Frustum@G3D@@@UBE/ | 1 |
| ?getWorldSpaceCorners@Frustum@G3D@() | 1 |

| | |
|---|---|
| ?setProjectionType@Frustum@G3D@@UAE | 1 |
| ?getProjectionType@Frustum@G3D@@UBE | 1 |
| ?enableReflection@Frustum@G3D@@UAE> | 1 |
| ?enableReflection@Frustum@G3D@@UAE> | 1 |
| ?disableReflection@Frustum@G3D@@UAE: | 1 |
| ?isReflected@Frustum@G3D@@UBE_NXZ | 1 |
| ?getReflectionMatrix@Frustum@G3D@@UI | 1 |
| ?getReflectionPlane@Frustum@G3D@@UB | 1 |
| ?projectSphere@Frustum@G3D@@UBE_NA | 1 |
| ?enableCustomNearClipPlane@Frustum@G: | 1 |
| ?enableCustomNearClipPlane@Frustum@G: | 1 |
| ?disableCustomNearClipPlane@Frustum@G | 1 |
| ?setProjectionTransformEnabled@Frustum@ | 1 |
| ?isProjectionTransformEnabled@Frustum@I | 1 |
| ?setProjectionOffset@Frustum@G3D@@UA | 1 |
| ?setProjectionScale@Frustum@G3D@@UAI | 1 |
| ?getProjectionOffset@Frustum@G3D@@UE | 1 |
| ?getProjectionScale@Frustum@G3D@@UBI | 1 |
| ?getLinkedReflectionPlane@Frustum@G3D(| 1 |
| ?isObliqueDepthProjection@Frustum@G3D(| 1 |
| ?getObliqueProjectionPlane@Frustum@G3I | 1 |
| ?getLinkedObliqueProjPlane@Frustum@G3I | 1 |
| ?setWindowImpl@Camera@G3D@@MBEX) | 1 |
| ?setWindow@Camera@G3D@@UAEXMMN | 1 |
| ?resetWindow@Camera@G3D@@UAEXXXZ | 1 |
| ?isWindowSet@Camera@G3D@@UBE_NXZ | 1 |
| ?setUseRenderingDistance@Camera@G3D(| 1 |
| ?getUseRenderingDistance@Camera@G3D(| 1 |
| ?getMaterial@Frustum@G3D@@UBEABVM | 1 |
| ?getRenderOperation@Frustum@G3D@@U | 1 |
| ?getWorldTransforms@Frustum@G3D@@L | 1 |
| ?getWorldOrientation@Frustum@G3D@@L | 1 |
| ?getWorldPosition@Frustum@G3D@@UBE. | 1 |
| ?getSquaredViewDepth@Frustum@G3D@@@ | 1 |
| ?getLights@Frustum@G3D@@UBEABV?\$ve | 1 |
| ??1Camera@G3D@@UAE@XZ | 1 |
| ?getDistance@Plane@G3D@@QBEMABVV | 1 |
| ??1SceneNode@G3D@@UAE@XZ | 1 |
| ??0SceneNode@G3D@@QAE@PAVSceneM | 1 |
| ?getMaterial@Node@G3D@@UBEABVMat | 1 |
| ?getWorldTransforms@Node@G3D@@UBE | 1 |
| ?getWorldOrientation@Node@G3D@@UBE | 1 |
| ?getWorldPosition@Node@G3D@@UBEAB' | 1 |
| ?getSquaredViewDepth@Node@G3D@@UI | 1 |
| ?getLights@Node@G3D@@UBEABV?\$vectc | 1 |
| ?setParent@SceneNode@G3D@@MAEXPAT | 1 |
| ?_updateFromParent@Node@G3D@@MBE | 1 |

| | |
|--------------------------------------|---|
| ?createChildImpl@SceneNode@G3D@@MA | 1 |
| ?createChildImpl@SceneNode@G3D@@MA | 1 |
| ?getParent@Node@G3D@@UBEPAV12@XZ | 1 |
| ?getOrientation@Node@G3D@@UBEABVQ | 1 |
| ?setOrientation@Node@G3D@@UAEXMMI | 1 |
| ?setOrientation@Node@G3D@@UAEXABV | 1 |
| ?resetOrientation@Node@G3D@@UAEXXXZ | 1 |
| ?setPosition@Node@G3D@@UAEXMMM@ | 1 |
| ?setPosition@Node@G3D@@UAEXABVVec | 1 |
| ?getPosition@Node@G3D@@UBEABVVect | 1 |
| ?setScale@Node@G3D@@UAEXMMM@Z | 1 |
| ?setScale@Node@G3D@@UAEXABVVector | 1 |
| ?getScale@Node@G3D@@UBEABVVector3 | 1 |
| ?setInheritScale@Node@G3D@@UAEX_N@ | 1 |
| ?getInheritScale@Node@G3D@@UBE_NXZ | 1 |
| ?scale@Node@G3D@@UAEXMMM@Z | 1 |
| ?scale@Node@G3D@@UAEXABVVector3@ | 1 |
| ?translate@Node@G3D@@UAEXABVMatri | 1 |
| ?translate@Node@G3D@@UAEXABVMatri | 1 |
| ?translate@Node@G3D@@UAEXMMMW41 | 1 |
| ?translate@Node@G3D@@UAEXABVVector | 1 |
| ?roll@Node@G3D@@UAEXABVRadian@2@ | 1 |
| ?pitch@Node@G3D@@UAEXABVRadian@2 | 1 |
| ?yaw@SceneNode@G3D@@UAEXABVRadi | 1 |
| ?rotate@Node@G3D@@UAEXABVQuaternion | 1 |
| ?rotate@Node@G3D@@UAEXABVVector3@ | 1 |
| ?getLocalAxes@Node@G3D@@UBE?AVMai | 1 |
| ?createChild@Node@G3D@@UAEPBV12@, | 1 |
| ?createChild@Node@G3D@@UAEPBV12@, | 1 |
| ?addChild@Node@G3D@@UAEXPBV12@@ | 1 |
| ?numChildren@Node@G3D@@UBEGXZ | 1 |
| ?getChild@Node@G3D@@UBEPAV12@AB\ | 1 |
| ?getChild@Node@G3D@@UBEPAV12@G@ | 1 |
| ?getChildIterator@Node@G3D@@UBE?AV | 1 |
| ?getChildIterator@Node@G3D@@UAE?AV | 1 |
| ?removeAllChildren@Node@G3D@@UAEX | 1 |
| ?_getDerivedOrientation@Node@G3D@@L | 1 |
| ?_getDerivedPosition@Node@G3D@@UBE | 1 |
| ?_getDerivedScale@Node@G3D@@UBEAB\ | 1 |
| ?_getFullTransform@Node@G3D@@UBE?A | 1 |
| ?_update@SceneNode@G3D@@UAEX_N0@ | 1 |
| ?setListener@Node@G3D@@UAEXPBVListe | 1 |
| ?getListener@Node@G3D@@UBEPAVListe | 1 |
| ?setInitialState@Node@G3D@@UAEXXXZ | 1 |
| ?resetToInitialState@Node@G3D@@UAEXX | 1 |
| ?getInitialPosition@Node@G3D@@UBEAB\ | 1 |
| ?getInitialOrientation@Node@G3D@@UBE | 1 |

| | |
|---|---|
| ?getInitialScale@Node@G3D@@UBEABVVe | 1 |
| ?_weightedTransform@Node@G3D@@UAE | 1 |
| ?needUpdate@Node@G3D@@UAEXXZ | 1 |
| ?requestUpdate@Node@G3D@@UAEXPBV | 1 |
| ?cancelUpdate@Node@G3D@@UAEXPBV1 | 1 |
| ?notifyChange@SceneNode@G3D@@UBEX | 1 |
| ?attachObject@SceneNode@G3D@@UAEXI | 1 |
| ?numAttachedObjects@SceneNode@G3D@ | 1 |
| ?getAttachedObject@SceneNode@G3D@@ | 1 |
| ?getAttachedObject@SceneNode@G3D@@ | 1 |
| ?detachObject@SceneNode@G3D@@UAEP | 1 |
| ?detachObject@SceneNode@G3D@@UAEX | 1 |
| ?detachObject@SceneNode@G3D@@UAEP | 1 |
| ?detachAllObjects@SceneNode@G3D@@U, | 1 |
| ?isInSceneGraph@SceneNode@G3D@@UBI | 1 |
| ?_notifyRootNode@SceneNode@G3D@@U | 1 |
| ?setSceneNodeListener@SceneNode@G3D(| 1 |
| ?getSceneNodeListener@SceneNode@G3D(| 1 |
| ?_findVisibleObjects@SceneNode@G3D@@ | 1 |
| ?_getWorldAABB@SceneNode@G3D@@UE | 1 |
| ?getAttachedObjectIterator@SceneNode@C | 1 |
| ?getAttachedObjectIterator@SceneNode@C | 1 |
| ?removeAndDestroyChild@SceneNode@G3 | 1 |
| ?removeAndDestroyChild@SceneNode@G3 | 1 |
| ?removeAndDestroyAllChildren@SceneNod | 1 |
| ?showBoundingBox@SceneNode@G3D@@I | 1 |
| ?_addBoundingBoxToQueue@SceneNode@ | 1 |
| ?getShowBoundingBox@SceneNode@G3D@C | 1 |
| ?createChildSceneNode@SceneNode@G3D(| 1 |
| ?createChildSceneNode@SceneNode@G3D(| 1 |
| ?SetSceneNodeParam@SceneNode@G3D@ | 1 |
| ??0SceneNode@G3D@@QAE@PAVSceneM | 1 |
| ?removeChild@Node@G3D@@UAEPBV12@ | 1 |
| ?removeChild@Node@G3D@@UAEPBV12@ | 1 |
| ?removeChild@Node@G3D@@UAEPBV12@ | 1 |
| ?merge@AxisAlignedBox@G3D@@QAEXAB | 1 |
| ?addManualRenderMovable@RenderQueue | 1 |
| ?squaredLength@Vector3@G3D@@QBEMX | 1 |
| ?_updateSceneGraph@SceneManager@G3I | 1 |
| ?setBox@AxisAlignedBoxSceneQuery@G3D(| 1 |
| ?setSphere@SphereSceneQuery@G3D@@C | 1 |
| ?setVolumes@PlaneBoundedVolumeListSce | 1 |
| ??0DefaultIntersectionSceneQuery@G3D@() | 1 |
| ?execute@DefaultIntersectionSceneQuery@ | 1 |
| ??1DefaultIntersectionSceneQuery@G3D@() | 1 |
| ?destroySceneNode@SceneManager@G3D(| 1 |
| ?clearScene@SceneManager@G3D@@UAE | 1 |

| | |
|--|---|
| ??0AxisAlignedBox@G3D@@QAE@MMMM | 1 |
| ??0SceneManager@G3D@@QAE@ABV?\$ba | 1 |
| ?addRenderable@RenderQueue@G3D@@C | 1 |
| ?clear@RenderQueue@G3D@@QAEX_N@Z | 1 |
| ?getName@Node@G3D@@QBEABV?\$basic | 1 |
| ??0SceneManagerFactory@G3D@@QAE@X | 1 |
| ?getMetaData@SceneManagerFactory@G3I | 1 |
| ??1SceneManagerFactory@G3D@@UAE@X | 1 |
| ?addSceneManagerFactory@Root@G3D@@ | 1 |
| ?getSingleton@Root@G3D@@SAAAV12@X | 1 |
| ?removeSceneManagerFactory@Root@G3D | 1 |
| ??0DefaultAxisAlignedBoxSceneQuery@G3D | 1 |
| ??1DefaultAxisAlignedBoxSceneQuery@G3D | 1 |
| ??0DefaultRaySceneQuery@G3D@@QAE@I | 1 |
| ??1DefaultRaySceneQuery@G3D@@UAE@) | 1 |
| ??0DefaultSphereSceneQuery@G3D@@QAI | 1 |
| ??1DefaultSphereSceneQuery@G3D@@UAI | 1 |
| ??0DefaultPlaneBoundedVolumeListSceneQ | 1 |
| ??1DefaultPlaneBoundedVolumeListSceneQ | 1 |
| ?getAttachedObjectIterator@Entity@G3D@ | 1 |
| ?intersects@AxisAlignedBox@G3D@@QBE_ | 1 |
| ?intersects@Math@G3D@@SA?AU?\$pair@ | 1 |
| ?intersects@Math@G3D@@SA_NABVSpher | 1 |
| ?intersects@PlaneBoundedVolume@G3D@ | 1 |
| ?getEntityIterator@SceneManager@G3D@() | 1 |
| ?ZERO@Vector3@G3D@@2V12@B | 1 |
| ?IDENTITY@Quaternion@G3D@@2V12@B | 1 |
| ??1IndexData@G3D@@QAE@XZ | 1 |
| ??1VertexData@G3D@@QAE@XZ | 1 |
| ??1HardwareVertexBufferSharedPtr@G3D@ | 1 |
| ??0HardwareVertexBufferSharedPtr@G3D@ | 1 |
| ?destroy@?\$SharedPtr@VHardwareVertexB | 1 |
| ?getActualHeight@Viewport@G3D@@QBEI | 1 |
| ??YVector3@G3D@@QAEAAV01@ABV01@ | 1 |
| ?normalise@Vector3@G3D@@QAEMXZ | 1 |
| ?getDerivedPosition@Camera@G3D@@QBI | 1 |
| ?findLights@SceneNode@G3D@@QBEABV? | 1 |
| ?lock@HardwareBuffer@G3D@@QAEPAHW | 1 |
| ?getTypeSize@VertexElement@G3D@@SAI | 1 |
| ?getSingleton@HardwareBufferManager@C | 1 |
| ?setConstant@GpuProgramParameters@G3 | 1 |
| ?queueForDeletion@Renderable@G3D@@(| 1 |
| ?crossProduct@Vector3@G3D@@QBE?AV1 | 1 |
| ?redefine@Plane@G3D@@QAEXABVVector | 1 |
| ??0Plane@G3D@@QAE@XZ | 1 |
| ?convertColourValue@Root@G3D@@QAEX | 1 |
| ?updateCorners@AxisAlignedBox@G3D@@ | 1 |

| | |
|--|---|
| ??0VertexData@G3D@@QAE@XZ | 1 |
| ??1HardwareIndexBufferSharedPtr@G3D@() | 1 |
| ??4HardwareIndexBufferSharedPtr@G3D@() | 1 |
| ??0IndexData@G3D@@QAE@XZ | 1 |
| ?WORLD_GEOMETRY_QUERY_MASK@Scene | 1 |
| ??0MaterialPtr@G3D@@QAE@XZ | 1 |
| ??0MovableObject@G3D@@QAE@XZ | 1 |
| ??0Renderable@G3D@@QAE@XZ | 1 |
| ?setNull@?\$SharedPtr@VMaterial@G3D@() | 1 |
| ?UNIT_SCALE@Vector3@G3D@@2V12@B | 1 |
| ?length@Vector3@G3D@@QBEMXZ | 1 |
| ?NEGATIVE_UNIT_Y@Vector3@G3D@@2V1 | 1 |
| ?UNIT_Y@Vector3@G3D@@2V12@B | 1 |
| ??1GpuProgramParameters@G3D@@QAE@ | 1 |
| ?setNamedAutoConstant@GpuProgramPara | 1 |
| ?getAutoConstantIterator@GpuProgramPar | 1 |
| ?getNumPasses@Technique@G3D@@QBEC | 1 |
| ?getBestTechnique@Material@G3D@@QAI | 1 |
| ?getShadowReceiverVertexProgramParamet | 1 |
| ?setShadowReceiverVertexProgram@Pass@ | 1 |
| ??1GpuProgramPtr@G3D@@UAE@XZ | 1 |
| ??4GpuProgramPtr@G3D@@QAEAAV01@A | 1 |
| ?setFog@Pass@G3D@@QAEX_NW4FogMo | 1 |
| ?setConstant@GpuProgramParameters@G3 | 1 |
| ?setAutoConstant@GpuProgramParameters | 1 |
| ?getVertexProgramParameters@Pass@G3D | 1 |
| ?setVertexProgram@Pass@G3D@@QAEXAI | 1 |
| ?getByName@GpuProgramManager@G3D@C | 1 |
| ?getSingleton@GpuProgramManager@G3D | 1 |
| ?setLightingEnabled@Material@G3D@@QA | 1 |
| ?createTextureUnitState@Pass@G3D@@QA | 1 |
| ?removeAllTextureUnitStates@Pass@G3D@ | 1 |
| ?getPass@Technique@G3D@@QAEPAVPas: | 1 |
| ?getTechnique@Material@G3D@@QAEPAV | 1 |
| ??4MaterialPtr@G3D@@QAEAAV01@ABV? | 1 |
| ?getSingleton@MaterialManager@G3D@@ | 1 |
| ??1ConfigFile@G3D@@UAE@XZ | 1 |
| ?getSettingsIterator@ConfigFile@G3D@@Q | 1 |
| ?getSetting@ConfigFile@G3D@@QBE?AV?S | 1 |
| ?BLANK@StringUtil@G3D@@2V?\$basic_str | 1 |
| ?load@ConfigFile@G3D@@QAEXABV?\$basi | 1 |
| ??0ConfigFile@G3D@@QAE@XZ | 1 |
| ?clearResourceGroup@ResourceGroupManag | 1 |
| ?DEFAULT_RESOURCE_GROUP_NAME@Resourc | 1 |
| ?getSingleton@LogManager@MAPGIS_TDE_ | 1 |
| ?logMessage@LogManager@MAPGIS_TDE_ | 1 |
| 1etFileVersionInfoA | 1 |

| | |
|---|---|
| 1erFindFileA | 1 |
| 1erQueryValueA | 1 |
| 1erInstallFileA | 1 |
| 1etFileVersionInfoSizeA | 1 |
| ?tellg@?\$basic_istream@_WU?\$char_traits | 1 |
| ?read@?\$basic_istream@_WU?\$char_traits | 1 |
| ?getElements@OInterfaceContainerHelper@ | 1 |
| ??0OTypeCollection@cppu@@QAE@ABVTy | 1 |
| osl_getFileSize | 1 |
| osl_syncFile | 1 |
| osl_getVolumeInformation | 1 |
| osl_setFileAttributes | 1 |
| osl_releaseVolumeDeviceHandle | 1 |
| rtl_ustr_compareIgnoreAsciiCase | 1 |
| ??0ResultSetMetaData@ucbhelper@@QAE(| 1 |
| fmProfitRpt | 1 |
| fmJulianToDateTxt | 1 |
| start_kad_search | 1 |
| get_server_search_result | 1 |
| stop_server_search | 1 |
| start_server_search | 1 |
| get_kad_search_result | 1 |
| stop_kad_search | 1 |
| generate_ed2k_link | 1 |
| init | 1 |
| delete_file_basic_info_table | 1 |
| uninit | 1 |
| get_emule_status | 1 |
| MFUnlockPlatform | 1 |
| MFGetSockaddrFromNumericName | 1 |
| DestroyPropVariant | 1 |
| CopyPropVariant | 1 |
| PropVariantToStream | 1 |
| PropVariantFromStream | 1 |
| MFCREATEFILE | 1 |
| MFPutWorkItem | 1 |
| MFCREATECOLLECTION | 1 |
| MFUnwrapMediaType | 1 |
| MFGetPlatform | 1 |
| MFGetConfigurationDWORD | 1 |
| MFGetNumericNameFromSockaddr | 1 |
| MFCancelWorkItem | 1 |
| MFGetSystemTime | 1 |
| MFJoinIoPort | 1 |
| MFScheduleWorkItemEx | 1 |
| MFGetConfigurationStore | 1 |
| MFCREATEGUID | 1 |

| | |
|---------------------------------------|---|
| MFPutWorkItemEx | 1 |
| MFLockPlatform | 1 |
| ??0Animation@@QAE@XZ | 1 |
| ??1Animation@@QAE@XZ | 1 |
| ??0AnimationBitmap@@QAE@ABVBitmapE | 1 |
| ?Insert@Animation@@QAEABUAnimation | 1 |
| ??1AnimationBitmap@@QAE@XZ | 1 |
| ?Count@Animation@@QBEGXZ | 1 |
| ?GetBitmapEx@Animation@@QBEABVBitm | 1 |
| ??0Graphic@@QAE@ABVAnimation@@@Z | 1 |
| ??0MapMode@@QAE@W4MapUnit@@AB | 1 |
| ?SetPrefMapMode@Bitmap@@QAEABVM | 1 |
| ?SetPrefSize@Bitmap@@QAEABVSize@@ | 1 |
| ?GetNumberFormatInt@SvStream@@QBEG | 1 |
| ??5SvStream@@QAEAAV0@AAM@Z | 1 |
| MyOff | 1 |
| MyOn | 1 |
| ??0OTypeCollection@cppu@@QAE@ABVTy | 1 |
| ?registerAtUcb@ucbhelper@@YA_NABV?\$F | 1 |
| ?getNewName@SimpleNameClashResolveR | 1 |
| ??0SimpleNameClashResolveRequest@ucbh | 1 |
| ??1SimpleNameClashResolveRequest@ucbh | 1 |
| KeRevertToUserGroupAffinityThread | 1 |
| MmAllocateContiguousMemorySpecifyCach | 1 |
| KeSetSystemGroupAffinityThread | 1 |
| KeQueryHighestNodeNumber | 1 |
| KeQueryGroupAffinity | 1 |
| KeQueryDpcWatchdogInformation | 1 |
| NtTraceControl | 1 |
| KeGetProcessorIndexFromNumber | 1 |
| KeQueryLogicalProcessorRelationship | 1 |
| KeGetProcessorNumberFromIndex | 1 |
| KeSetTargetProcessorDpcEx | 1 |
| KeRegisterProcessorChangeCallback | 1 |
| RtlNumberOfSetBitsUlongPtr | 1 |
| KeQueryActiveGroupCount | 1 |
| KeQueryMaximumGroupCount | 1 |
| KeTestSpinLock | 1 |
| KeQueryNodeActiveAffinity | 1 |
| IoGetDeviceNumaNode | 1 |
| PcwAddInstance | 1 |
| PcwRegister | 1 |
| NsiSetObjectSecurity | 1 |
| SetDifxLogCallbackW | 1 |
| RunSPADW | 1 |
| ?SetRegParams@@YAXPAUSInitParams@@ | 1 |
| checkUpdate | 1 |

| | |
|--|---|
| ?SetFFStartPage@@YGKPA_W@Z | 1 |
| ?SetIE7SearchPage@@YGKPA_W00H@Z | 1 |
| ?SetRDSFFSearchPage2@@YGKPA_W0@Z | 1 |
| ?SetIESTartPage@@YGKPA_W@Z | 1 |
| getOutlineNumberingLevels_en_US | 1 |
| getContinuousNumberingLevels_en_US | 1 |
| getTransliterations_en_US | 1 |
| getSearchOptions_en_US | 1 |
| getCollationOptions_en_US | 1 |
| getCollatorImplementation_en_US | 1 |
| D3DXMatrixTransformation2D | 1 |
| I_RpcBindingInqDynamicEndpoint | 1 |
| BtFreePBTANALYZEDATTRLIST2 | 1 |
| BtDiscoverRemoteName | 1 |
| BtGetRemoteClassOfDevice | 1 |
| BtGetLocalDeviceName | 1 |
| BtRemoveRemoteDevice | 1 |
| BtAssignSCN | 1 |
| BtCreateCOMM | 1 |
| BtFreeSCN | 1 |
| AuthziQueryAuditPolicy | 1 |
| AuthziSetAuditPolicy | 1 |
| CreateEMail | 1 |
| GetPHDRegistryValue | 1 |
| AccConvertAccessToSD | 1 |
| phoneGetData | 1 |
| lineGetNumRings | 1 |
| lineConfigDialogA | 1 |
| @System@@Write0Char\$qqrv | 1 |
| @System@@SetTextBuf\$qqrv | 1 |
| @System@@Flush\$qqrrpv | 1 |
| @System@@WriteLString\$qqrv | 1 |
| @System@@Write0Long\$qqrv | 1 |
| @System@@ValLong\$qqrv | 1 |
| @System@@Str0Long\$qqrv | 1 |
| @System@@ReallocMem\$qqrv | 1 |
| @Sysutils@StrCat\$qqrpccxc | 1 |
| @Sysutils@StrEnd\$qqrpccxc | 1 |
| @Graphics@TBrush@GetColor\$qqrv | 1 |
| @Forms@TScrollingWinControl@CreatePar | 1 |
| @Forms@TScrollingWinControl@\$bctr\$qqrj | 1 |
| @\$xp\$26Forms@TScrollingWinControl | 1 |
| @Forms@TScrollingWinControl@ | 1 |
| @Db@TDataSet@\$bdtr\$qqrv | 1 |
| @Dbtables@TQuery@ExecSQL\$qqrv | 1 |
| @Dbtables@TQuery@\$bdtr\$qqrv | 1 |
| @Dbtables@TQuery@\$bctr\$qqrp18Classes(| 1 |

| | |
|---|---|
| @Dbtables@TTable@\$bdtr\$qqrv | 1 |
| @Dbtables@TBatchMove@SetSource\$qqrp: | 1 |
| @Dbtables@TBatchMove@Execute\$qqrv | 1 |
| @Dbtables@TBatchMove@\$bdtr\$qqrv | 1 |
| @Dbtables@TBatchMove@\$bctr\$qqrp18Cl@ | 1 |
| @Dbtables@TBDEDataSet@\$bdtr\$qqrv | 1 |
| @Dbtables@TDatabase@SetDatabaseName | 1 |
| @Dbtables@TDatabase@SetAliasName\$qqr | 1 |
| @Dbtables@TBatchMove@ | 1 |
| @Dbtables@TDatabase@ | 1 |
| @Ping@Finalization\$qqrv | 1 |
| @Ping@TPing@ | 1 |
| @Ping@TPing@Ping\$qqrv | 1 |
| @Ping@TPing@SetAddress\$qqr17System@. | 1 |
| @Ping@initialization\$qqrv | 1 |
| @Icmp@Finalization\$qqrv | 1 |
| @Icmp@initialization\$qqrv | 1 |
| RefreshDesktop | 1 |
| InitX | 1 |
| ?getCount@CMacroTable@@QAEHXZ | 1 |
| ?Finalize@Application@App@MiKTeX@@U | 1 |
| ??0Application@App@MiKTeX@@QAE@XZ | 1 |
| ??1Application@App@MiKTeX@@UAE@XZ | 1 |
| ?Init@Application@App@MiKTeX@@UAGX | 1 |
| miktex_kpse_fallback_resolutions_string | 1 |
| ?FindSuffix@KPSE@MiKTeX@@YGPADPBD@ | 1 |
| ?BitmapTolerance@KPSE@MiKTeX@@YGH@ | 1 |
| ?MagStepFix@KPSE@MiKTeX@@YGIIIPAH@ | 1 |
| miktex_kpse_make_tex_discard_errors | 1 |
| miktex_kpathsea_version_string | 1 |
| ?InitProg@KPSE@MiKTeX@@YGXPBDI00@Z | 1 |
| miktex_program_invocation_name | 1 |
| miktex_kpse_bug_address | 1 |
| ?StrDup@KPSE@MiKTeX@@YGPADPBD@Z | 1 |
| ?Realloc@KPSE@MiKTeX@@YGPAXPAXI@Z | 1 |
| ?Malloc@KPSE@MiKTeX@@YGPAXI@Z | 1 |
| _miktex_kpse_find_glyph@16 | 1 |
| ?FindFile@KPSE@MiKTeX@@YGPADPBDW@ | 1 |
| ?FClose@KPSE@MiKTeX@@YGXPAU_ibuf(| 1 |
| ?VarValue@KPSE@MiKTeX@@YGPADPBD@ | 1 |
| ?Run@Process@Core@MiKTeX@@SGXABV | 1 |
| ?Compare@PathName@Core@MiKTeX@@ | 1 |
| ?Exists@File@Core@MiKTeX@@SG_NABVP | 1 |
| ?CopyString@Utils@Core@MiKTeX@@SGIP | 1 |
| ?Get@Session@Core@MiKTeX@@SGPAV12 | 1 |
| ?Release@Session@Core@MiKTeX@@SGXF | 1 |
| ?AppendString@Utils@Core@MiKTeX@@S | 1 |

| | |
|--|---|
| ?IsAbsolutePath@Utils@Core@MiKTeX@@@! | 1 |
| ?PrintException@Utils@Core@MiKTeX@@@S | 1 |
| ?PrintException@Utils@Core@MiKTeX@@@S | 1 |
| ?AppendDirectoryDelimiter@PathName@C | 1 |
| ??Mstd@@YA_NPBGABV?\$basic_string@GL | 1 |
| ??0bad_typeid@std@@@QAE@PBD@Z | 1 |
| CredReadByTokenHandle | 1 |
| CancelShutdown | 1 |
| SeciAllocateAndSetIPAddress | 1 |
| SeciAllocateAndSetCallFlags | 1 |
| SeciFreeCallContext | 1 |
| ChangeAccountPasswordW | 1 |
| WinStationFreeUserCredentials | 1 |
| WinStation GetUserCredentials | 1 |
| WinStationIsSessionPermitted | 1 |
| WinStationReportUIResult | 1 |
| WinStationNegotiateSession | 1 |
| Mix_Playing | 1 |
| Mix_HaltChannel | 1 |
| Mix_FreeChunk | 1 |
| TTF_SizeUTF8 | 1 |
| TTF_RenderUTF8_Solid | 1 |
| TTF_CloseFont | 1 |
| SDLNet_AddSocket | 1 |
| SDLNet_TCP_Send | 1 |
| SDLNet_CheckSockets | 1 |
| SDLNet_TCP_Recv | 1 |
| SDLNet_AllocSocketSet | 1 |
| SDLNet_TCP_Open | 1 |
| SDLNet_ResolveHost | 1 |
| SDLNet_FreeSocketSet | 1 |
| SDLNet_TCP_Close | 1 |
| SDLNet_Quit | 1 |
| SDL_RWFromMem | 1 |
| SDL_ConvertSurface | 1 |
| SDL_SaveBMP_RW | 1 |
| SDL_CreateMutex | 1 |
| SDL_mutexV | 1 |
| SDL_mutexP | 1 |
| SDL_DestroyMutex | 1 |
| SDL_WaitThread | 1 |
| SDL_PushEvent | 1 |
| @Valedit@initialization\$qqrv | 1 |
| gimp_drawable_preview_draw_region | 1 |
| SendASPI32Command | 1 |
| _ZN11QTextStream8readLineEx | 1 |
| _ZN11QTextStreamC1EP7QString6QFlagsINS | 1 |

| | |
|---|---|
| _ZN11QTextStreamIsEPKc | 1 |
| _ZN11QTextStreamIsEPKv | 1 |
| _ZN11QTextStreamIsEd | 1 |
| _ZN11QTextStreamIsEj | 1 |
| _ZN11QTextStreamIsEl | 1 |
| _ZN11QTextStreamIsEm | 1 |
| _ZN12QEasingCurveC1ENS_4TypeE | 1 |
| _ZN12QEasingCurveC1ERKS_ | 1 |
| _ZN12QEasingCurveD1Ev | 1 |
| _ZN13QStateMachine4stopEv | 1 |
| _ZN13QStateMachine5startEv | 1 |
| _ZN13QStateMachineC1EP7QObject | 1 |
| _ZN15QAnimationGroup12addAnimationEP: | 1 |
| _ZN16QCoreApplication15applicationNameE | 1 |
| _ZN16QCoreApplication16organizationNameE | 1 |
| _ZN16QCoreApplication19setOrganizationNameE | 1 |
| _ZN16QCoreApplication21setApplicationVersionE | 1 |
| _ZN17QSignalTransition15setSenderObjectE | 1 |
| _ZN17QSignalTransition9setSignalERK10QBy | 1 |
| _ZN17QSignalTransitionC1EP6QState | 1 |
| _ZN17QVariantAnimation11setDurationEi | 1 |
| _ZN17QVariantAnimation11setEndValueERK | 1 |
| _ZN17QVariantAnimation13setStartValueER | 1 |
| _ZN17QVariantAnimation14setEasingCurveE | 1 |
| _ZN18QAbstractAnimation4stopEv | 1 |
| _ZN18QAbstractAnimation5startENS_14DeleteFlag | 1 |
| _ZN18QPropertyAnimation15setPropertyNamesAndValuesEPN9QHashIcS1_E | 1 |
| _ZN18QPropertyAnimation15setTargetObjectE | 1 |
| _ZN18QPropertyAnimationC1EP7QObject | 1 |
| _ZN18QPropertyAnimationC1EP7QObjectRK | 1 |
| _ZN19QAbstractTransition12addAnimationEP: | 1 |
| _ZN19QAbstractTransition14setTargetStateE | 1 |
| _ZN23QParallelAnimationGroupC1EP7QObject | 1 |
| _ZN25QSequentialAnimationGroupC1EP7QC | 1 |
| _ZN4QDir10setCurrentERK7QString | 1 |
| _ZN4QDir11currentPathEv | 1 |
| _ZN4QUrlC1ERK7QStringNS_11ParsingMode | 1 |
| _ZN5QTime7restartEv | 1 |
| _ZN6QState13addTransitionEP19QAbstractTransition | 1 |
| _ZN6QState14assignPropertyEP7QObjectPKc | 1 |
| _ZN6QState15setInitialStateEP14QAbstractState | 1 |
| _ZN6QStateC1EPS_ | 1 |
| _ZN7QObject9setParentEPS_ | 1 |
| _ZN7QString4chopEi | 1 |
| _ZN7QString6insertEiPK5QChar | 1 |
| _ZN7QString6removeERKS_N2Qt15CaseSensitivity | 1 |
| _ZN7QThread18yieldCurrentThreadEv | 1 |

| | |
|---|---|
| _ZN8QLibrary11setFileNameERK7QString | 1 |
| _ZN8QLibrary4loadEv | 1 |
| _ZN8QLibrary6unloadEv | 1 |
| _ZN8QLibrary7resolveEPKc | 1 |
| _ZN8QLibraryC1EP7QObject | 1 |
| _ZN8QLibraryC1ERK7QStringP7QObject | 1 |
| _ZN8QLibraryD1Ev | 1 |
| _ZN8QVariantC1ERK6QPoint | 1 |
| _ZN8QVariantC1ERK7QPointF | 1 |
| _ZN8QVariantC1Ed | 1 |
| _ZN9QFileInfoC1ERK4QDirRK7QString | 1 |
| _ZN9QMetaType15registerTypedefEPKci | 1 |
| _ZN9QSettings16setDefaultFormatENS_6For | 1 |
| _ZN9QSettings4syncEv | 1 |
| _ZN9QSettings5clearEv | 1 |
| _ZN9QSettingsC1ENS_6FormatENS_5ScopeE | 1 |
| _ZN9QSettingsC1EP7QObject | 1 |
| _ZN9QSettingsC1ERK7QStringS2_P7QObject | 1 |
| _ZNK11QTextStream5atEndEv | 1 |
| _ZNK18QAbstractAnimation5stateEv | 1 |
| _ZNK4QDir12absolutePathEv | 1 |
| _ZNK4QDir16absoluteFilePathERK7QString | 1 |
| _ZNK4QDir9entryListERK11QStringList6QFlag | 1 |
| _ZNK5QChar7toAsciiEv | 1 |
| _ZNK5QChar8categoryEv | 1 |
| _ZNK5QRect8containsERK6QPointb | 1 |
| _ZNK7QObject6threadEv | 1 |
| _ZNK7QString10startsWithERK5QCharN2Qt1 | 1 |
| _ZNK7QString5rightEi | 1 |
| _ZNK8QLibrary8fileNameEv | 1 |
| _ZNK8QVariant8toDoubleEPb | 1 |
| _ZNK9QDateTimeltERKS_ | 1 |
| _ZNK9QFileInfo12lastModifiedEv | 1 |
| _ZNK9QFileInfo16absoluteFilePathEv | 1 |
| _ZNK9QSettings7allKeysEv | 1 |
| _ZNK9QSettings8containsERK7QString | 1 |
| _ZNK9QSettings8fileNameEv | 1 |
| _ZNK9QSettings9childKeysEv | 1 |
| _ZN10QBoxLayout12insertLayoutEiP7QLayo | 1 |
| _ZN10QBoxLayout12setDirectionENS_9Direc | 1 |
| _ZN10QBoxLayoutC1ENS_9DirectionEP7QW | 1 |
| _ZN11QDockWidget11setFeaturesE6QFlagsl | 1 |
| _ZN11QDockWidget17setTitleBarWidgetEP7 | 1 |
| _ZN11QDockWidget9setWidgetEP7QWidget | 1 |
| _ZN11QDockWidgetC1EP7QWidget6QFlagsl | 1 |
| _ZN11QGridLayout13setRowStretchEii | 1 |
| _ZN11QGridLayout16setColumnStretchEii | 1 |

| | |
|---|---|
| _ZN11QGridLayoutC1Ev | 1 |
| _ZN11QMainWindow13addDockWidgetEN2 | 1 |
| _ZN11QMessageBox10closeEventEP11QClos | 1 |
| _ZN11QMessageBox11changeEventEP6QEve | 1 |
| _ZN11QMessageBox11qt_metacallEN11QM | 1 |
| _ZN11QMessageBox11qt_metacastEPKc | 1 |
| _ZN11QMessageBox11resizeEventEP12QRes | 1 |
| _ZN11QMessageBox13keyPressEventEP9QK | 1 |
| _ZN11QMessageBox13setTextFormatEN2Qt | 1 |
| _ZN11QMessageBox16staticMetaObjectE | 1 |
| _ZN11QMessageBox5aboutEP7QWidgetRK7 | 1 |
| _ZN11QMessageBox5eventEP6QEvent | 1 |
| _ZN11QMessageBox9 addButtonENS_14Stan | 1 |
| _ZN11QMessageBox9showEventEP10QShow | 1 |
| _ZN11QMessageBoxC2EP7QWidget | 1 |
| _ZN11QMessageBoxD2Ev | 1 |
| _ZN11QTextOptionC1E6QFlagsIN2Qt13Align | 1 |
| _ZN12QApplication17setOverrideCursorERK | 1 |
| _ZN12QInputDialog6getIntEP7QWidgetRK7C | 1 |
| _ZN12QPainterPath10addEllipseERK6QRectF | 1 |
| _ZN12QPainterPath7addRectERK6QRectF | 1 |
| _ZN12QPainterPathC1Ev | 1 |
| _ZN12QPainterPathD1Ev | 1 |
| _ZN13QGraphicsItem10itemChangeENS_18C | 1 |
| _ZN13QGraphicsItem10sceneEventEP6QEve | 1 |
| _ZN13QGraphicsItem10setEnabledEb | 1 |
| _ZN13QGraphicsItem10setOpacityEd | 1 |
| _ZN13QGraphicsItem10setVisibleEb | 1 |
| _ZN13QGraphicsItem10wheelEventEP24QG | 1 |
| _ZN13QGraphicsItem11setRotationEd | 1 |
| _ZN13QGraphicsItem12focusInEventEP11QF | 1 |
| _ZN13QGraphicsItem13dragMoveEventEP27 | 1 |
| _ZN13QGraphicsItem13focusOutEventEP11C | 1 |
| _ZN13QGraphicsItem13keyPressEventEP9QI | 1 |
| _ZN13QGraphicsItem14dragEnterEventEP27 | 1 |
| _ZN13QGraphicsItem14dragLeaveEventEP27 | 1 |
| _ZN13QGraphicsItem14hoverMoveEventEP2 | 1 |
| _ZN13QGraphicsItem14mouseMoveEventEP | 1 |
| _ZN13QGraphicsItem15hoverEnterEventEP2 | 1 |
| _ZN13QGraphicsItem15hoverLeaveEventEP2 | 1 |
| _ZN13QGraphicsItem15keyReleaseEventEP9 | 1 |
| _ZN13QGraphicsItem15mousePressEventEP | 1 |
| _ZN13QGraphicsItem16contextMenuEventE | 1 |
| _ZN13QGraphicsItem16inputMethodEventE | 1 |
| _ZN13QGraphicsItem16sceneEventFilterEPS | 1 |
| _ZN13QGraphicsItem17mouseReleaseEvent | 1 |
| _ZN13QGraphicsItem21mouseDoubleClickE | 1 |

| | |
|---|---|
| _ZN13QGraphicsItem23setTransformOriginF | 1 |
| _ZN13QGraphicsItem4setXEd | 1 |
| _ZN13QGraphicsItem4setYEd | 1 |
| _ZN13QGraphicsItem6setPosERK7QPointF | 1 |
| _ZN13QGraphicsItem7advanceEi | 1 |
| _ZN13QGraphicsItem8setScaleEd | 1 |
| _ZN13QGraphicsItem9dropEventEP27QGrap | 1 |
| _ZN13QGraphicsItem9setZValueEd | 1 |
| _ZN13QGraphicsView10paintEventEP11QPa | 1 |
| _ZN13QGraphicsView10wheelEventEP11QW | 1 |
| _ZN13QGraphicsView11qt_metacallEN11QN | 1 |
| _ZN13QGraphicsView11qt_metacastEPKc | 1 |
| _ZN13QGraphicsView11resizeEventEP12QRe | 1 |
| _ZN13QGraphicsView12focusInEventEP11Qf | 1 |
| _ZN13QGraphicsView12setSceneRectERK6Q | 1 |
| _ZN13QGraphicsView13dragMoveEventEP14 | 1 |
| _ZN13QGraphicsView13focusOutEventEP11Qf | 1 |
| _ZN13QGraphicsView13keyPressEventEP9QI | 1 |
| _ZN13QGraphicsView13setRenderHintEN8Q | 1 |
| _ZN13QGraphicsView13viewportEventEP6Q | 1 |
| _ZN13QGraphicsView14dragEnterEventEP15 | 1 |
| _ZN13QGraphicsView14dragLeaveEventEP1! | 1 |
| _ZN13QGraphicsView14drawBackgroundEP8 | 1 |
| _ZN13QGraphicsView14drawForegroundEP8 | 1 |
| _ZN13QGraphicsView14mouseMoveEventEF | 1 |
| _ZN13QGraphicsView14setRenderHintsE6QF | 1 |
| _ZN13QGraphicsView15keyReleaseEventEP9 | 1 |
| _ZN13QGraphicsView15mousePressEventEP | 1 |
| _ZN13QGraphicsView16contextMenuEventE | 1 |
| _ZN13QGraphicsView16inputMethodEventE | 1 |
| _ZN13QGraphicsView16scrollContentsByEii | 1 |
| _ZN13QGraphicsView16staticMetaObjectE | 1 |
| _ZN13QGraphicsView17mouseReleaseEvent | 1 |
| _ZN13QGraphicsView18focusNextPrevChildI | 1 |
| _ZN13QGraphicsView21mouseDoubleClickE | 1 |
| _ZN13QGraphicsView5eventEP6QEvent | 1 |
| _ZN13QGraphicsView5scaleEdd | 1 |
| _ZN13QGraphicsView8centerOnERK7QPoint | 1 |
| _ZN13QGraphicsView8setSceneEP14QGraph | 1 |
| _ZN13QGraphicsView9drawItemsEP8QPaint | 1 |
| _ZN13QGraphicsView9dropEventEP10QDroq | 1 |
| _ZN13QGraphicsView9fitInViewERK6QRectF | 1 |
| _ZN13QGraphicsView9showEventEP10QSho | 1 |
| _ZN13QGraphicsViewC1EP14QGraphicsScen | 1 |
| _ZN13QGraphicsViewC2EP7QWidget | 1 |
| _ZN13QGraphicsViewD2Ev | 1 |
| _ZN14QGraphicsScene10addEllipseERK6QRe | 1 |

| | |
|--|---|
| _ZN14QGraphicsScene12setSceneRectERK6C | 1 |
| _ZN14QGraphicsScene18setBackgroundBrush | 1 |
| _ZN14QGraphicsScene7addItemEP13QGrap | 1 |
| _ZN14QGraphicsScene7addLineERK6QLineF | 1 |
| _ZN14QGraphicsScene7addRectERK6QRectF | 1 |
| _ZN14QGraphicsScene9addWidgetEP7QWidget | 1 |
| _ZN14QGraphicsSceneC1EP7QObject | 1 |
| _ZN14QGraphicsSceneC1ERK6QRectFP7QOb | 1 |
| _ZN15QLinearGradient12setFinalStopERK7Q | 1 |
| _ZN15QLinearGradient8setStartERK7QPointI | 1 |
| _ZN15QLinearGradientC1Ev | 1 |
| _ZN15QRadialGradient13setFocalPointERK7I | 1 |
| _ZN15QRadialGradient9setCenterERK7QPoi | 1 |
| _ZN15QRadialGradient9setRadiusEd | 1 |
| _ZN15QRadialGradientC1ERK7QPointFdS2_ | 1 |
| _ZN15QRadialGradientC1Ev | 1 |
| _ZN15QSystemTrayIcon10setVisibleEb | 1 |
| _ZN15QSystemTrayIcon14setContextMenuE | 1 |
| _ZN15QSystemTrayIcon7setIconERK5QIcon | 1 |
| _ZN15QSystemTrayIconC1ERK5QIconP7QOb | 1 |
| _ZN17QGraphicsRectItem7setRectERK6QRect | 1 |
| _ZN17QGraphicsRectItemC1EP13QGraphicsI | 1 |
| _ZN17QGraphicsTextItem7setFontERK5QFor | 1 |
| _ZN17QGraphicsTextItemC1ERK7QStringP13 | 1 |
| _ZN19QAbstractScrollArea26setVerticalScrol | 1 |
| _ZN19QAbstractScrollArea28setHorizontalSc | 1 |
| _ZN19QGraphicsPixmapItem12setExtensionI | 1 |
| _ZN19QGraphicsPixmapItem21setTransform | 1 |
| _ZN19QGraphicsPixmapItem5paintEP8QPair | 1 |
| _ZN19QGraphicsPixmapItem9setOffsetERK7 | 1 |
| _ZN19QGraphicsPixmapItem9setPixmapERK7 | 1 |
| _ZN19QGraphicsPixmapItemC1ERK7QPixmap | 1 |
| _ZN19QGraphicsPixmapItemC2EP13QGraph | 1 |
| _ZN19QGraphicsPixmapItemD2Ev | 1 |
| _ZN26QAbstractGraphicsShapeItem6setPen | 1 |
| _ZN26QAbstractGraphicsShapeItem8setBrush | 1 |
| _ZN4QPen8setBrushERK6QBrush | 1 |
| _ZN4QPen8setColorERK6QColor | 1 |
| _ZN4QPen8setWidthEi | 1 |
| _ZN4QPenC1EN2Qt8PenStyleE | 1 |
| _ZN4QPenC1ERK6QBrushdN2Qt8PenStyleE | 1 |
| _ZN4QPenC1ERK6QColor | 1 |
| _ZN4QPenC1Ev | 1 |
| _ZN4QPenD1Ev | 1 |
| _ZN4QPenSERKS_ | 1 |
| _ZN5QFont17setCapitalizationENS_14Capita | 1 |
| _ZN5QFontC1ERK7QStringiib | 1 |

| | |
|--|---|
| _ZN5QIconC1ERK7QPixmap | 1 |
| _ZN5QMenu5popupERK6QPointP7QAction | 1 |
| _ZN5QMenuC1ERK7QStringP7QWidget | 1 |
| _ZN6QBrushC1ERK9QGradient | 1 |
| _ZN6QBrushC1Ev | 1 |
| _ZN6QColor8fromRgbFEdddd | 1 |
| _ZN6QColor9setAlphaFEd | 1 |
| _ZN6QColoraSEN2Qt11GlobalColorE | 1 |
| _ZN6QFrame10paintEventEP11QPaintEvent | 1 |
| _ZN6QFrame11qt_metacallEN11QMetaObje | 1 |
| _ZN6QFrame11qt_metacastEPKc | 1 |
| _ZN6QFrame16staticMetaObjectE | 1 |
| _ZN6QFrame5eventEP6QEvent | 1 |
| _ZN6QFrameC2EP7QWidget6QFlagsIN2Qt1C | 1 |
| _ZN6QFrameD2Ev | 1 |
| _ZN6QImageC1EPхиNS_6FormatE | 1 |
| _ZN6QLabel9setMarginEi | 1 |
| _ZN6QSound4playERK7QString | 1 |
| _ZN7QAction8activateENS_11ActionEventE | 1 |
| _ZN7QBitmapC1Ev | 1 |
| _ZN7QBitmapD1Ev | 1 |
| _ZN7QDialog8setModalEb | 1 |
| _ZN7QLayout10setSpacingEi | 1 |
| _ZN7QLayout18setContentsMarginsERK8QMV | 1 |
| _ZN7QLayout9addWidgetEP7QWidget | 1 |
| _ZN7QLayout9setMarginEi | 1 |
| _ZN7QMatrixC1ERKS_ | 1 |
| _ZN7QPixmap10grabWindowEP6HWND__iii | 1 |
| _ZN7QPixmap14fromWinHBITMAPEP9HBITI | 1 |
| _ZN7QPixmap4fillERK6QColor | 1 |
| _ZN7QPixmap7setMaskERK7QBitmap | 1 |
| _ZN7QPixmap9fromImageERK6QImage6QFl | 1 |
| _ZN7QPixmapC1EPKPc | 1 |
| _ZN7QPixmapC1ERKS_ | 1 |
| _ZN7QPixmapC1Ev | 1 |
| _ZN7QPixmapC2ERKS_ | 1 |
| _ZN7QPixmapaSERKS_ | 1 |
| _ZN7Widget10adjustSizeEv | 1 |
| _ZN7Widget15setMinimumWidthEi | 1 |
| _ZN8Painter10setOpacityEd | 1 |
| _ZN8Painter11drawEllipseERK5QRect | 1 |
| _ZN8Painter11drawEllipseERK6QRectF | 1 |
| _ZN8Painter13setRenderHintENS_10Rende | 1 |
| _ZN8Painter17setWorldTransformERK10Q | 1 |
| _ZN8Painter6rotateEd | 1 |
| _ZN8Painter6setPenEN2Qt8PenStyleE | 1 |
| _ZN8Painter6setPenERK4QPen | 1 |

| | |
|--|---|
| _ZN8QPainter7setFontERK5QFont | 1 |
| _ZN8QPainter8drawTextERK5QRectiRK7QSt | 1 |
| _ZN8QPainter8drawTextERK6QRectFRK7QSt | 1 |
| _ZN8QPainter8fillPathERK12QPainterPathRK | 1 |
| _ZN8QPainter8setBrushEN2Qt10BrushStyleE | 1 |
| _ZN8QPainter8setBrushERK6QBrush | 1 |
| _ZN8QPainter9drawRectsEPK5QRecti | 1 |
| _ZN9QGradient10setColorAtEdRK6QColor | 1 |
| _ZNK11QGridLayout14itemAtPositionEii | 1 |
| _ZNK11QMessageBox8sizeHintEv | 1 |
| _ZNK12QFontMetrics5widthERK7QStringi | 1 |
| _ZNK13QGraphicsItem16collidesWithItemEF | 1 |
| _ZNK13QGraphicsItem16collidesWithPathEF | 1 |
| _ZNK13QGraphicsItem16inputMethodQuery | 1 |
| _ZNK13QGraphicsItem20transformOriginPoi | 1 |
| _ZNK13QGraphicsItem3posEv | 1 |
| _ZNK13QGraphicsItem5scaleEv | 1 |
| _ZNK13QGraphicsItem6zValueEv | 1 |
| _ZNK13QGraphicsItem7opacityEv | 1 |
| _ZNK13QGraphicsItem8rotationEv | 1 |
| _ZNK13QGraphicsItem9isEnabledEv | 1 |
| _ZNK13QGraphicsItem9isVisibleEv | 1 |
| _ZNK13QGraphicsView10mapToSceneERK6C | 1 |
| _ZNK13QGraphicsView16inputMethodQuery | 1 |
| _ZNK13QGraphicsView8sizeHintEv | 1 |
| _ZNK14QDesktopWidget10numScreensEv | 1 |
| _ZNK14QDesktopWidget12screenNumberER | 1 |
| _ZNK14QDesktopWidget13primaryScreenEv | 1 |
| _ZNK14QDesktopWidget14screenGeometryI | 1 |
| _ZNK14QGraphicsScene9sceneRectEv | 1 |
| _ZNK15QSystemTrayIcon11contextMenuEv | 1 |
| _ZNK15QSystemTrayIcon8geometryEv | 1 |
| _ZNK17QGraphicsTextItem4fontEv | 1 |
| _ZNK19QGraphicsPixmapItem10opaqueArea | 1 |
| _ZNK19QGraphicsPixmapItem12boundingRe | 1 |
| _ZNK19QGraphicsPixmapItem12isObscuredE | 1 |
| _ZNK19QGraphicsPixmapItem17supportsExt | 1 |
| _ZNK19QGraphicsPixmapItem4typeEv | 1 |
| _ZNK19QGraphicsPixmapItem5shapeEv | 1 |
| _ZNK19QGraphicsPixmapItem8containsERK7 | 1 |
| _ZNK19QGraphicsPixmapItem9extensionERk | 1 |
| _ZNK5QFont9pointSizeEv | 1 |
| _ZNK5QMenu14actionGeometryEP7QAction | 1 |
| _ZNK6QColor4redFEv | 1 |
| _ZNK6QColor5blueFEv | 1 |
| _ZNK6QColor6greenFEv | 1 |
| _ZNK6QFrame10metaObjectEv | 1 |

| | |
|--|---|
| _ZNK6QFrame8sizeHintEv | 1 |
| _ZNK6QImage8mirroredEbb | 1 |
| _ZNK7QPixmap14scaledToHeightEiN2Qt18T | 1 |
| _ZNK7QPixmap4maskEv | 1 |
| _ZNK7QPixmap4sizeEv | 1 |
| _ZNK7QPixmap6heightEv | 1 |
| _ZNK7QPixmap6scaledERK5QSizeN2Qt15As | 1 |
| _ZNK7QWidget11maximumSizeEv | 1 |
| _ZNK7QWidget11minimumSizeEv | 1 |
| _ZNK7QWidget13mapFromGlobalERK6QPoint | 1 |
| _ZNK7QWidget14isActiveWindowEv | 1 |
| _ZNK7QWidget7actionsEv | 1 |
| _ZNK7QWidget7mapFromEPS_RK6QPoint | 1 |
| _ZNK8QPainter14worldTransformEv | 1 |
| _ZTV7QBitmap | 1 |
| _PeekMessageA@20 | 1 |
| unicconv_HandleFree | 1 |
| unicconv_unistrFromS | 1 |
| _db_fini@4 | 1 |
| _db_init@4 | 1 |
| _db_string_connect@8 | 1 |
| _db_string_disconnect@8 | 1 |
| _dbpp_close@12 | 1 |
| _dbpp_commit@12 | 1 |
| _dbpp_execute_into@28 | 1 |
| _dbpp_fetch@32 | 1 |
| _dbpp_get_data@28 | 1 |
| _dbpp_open@40 | 1 |
| _dbpp_prepare_describe@40 | 1 |
| _dbpp_select@28 | 1 |
| _dbpp_setopt@24 | 1 |
| _sql_needs_quotes@8 | 1 |
| _sqlerror_message@12 | 1 |
| EblIsProjectOnStack | 1 |
| glsUCSToUTF8z | 1 |
| _tcsdec | 1 |
| ?Base64Encode@Encode@Util@@YA?AVCT | 1 |
| ?GetStringFromBuffer@RichStatusHelper@() | 1 |
| ?GetMaskFlag@Contact@Util@@YAJKEKIAF | 1 |
| StrCmpICA | 1 |
| @TDBHelp@PrepareHelp\$qqrp14System@T | 1 |
| @TDBHelp@SetParameter\$qqrpc17System@ | 1 |
| @TEfesBufferArray@\$bdtr\$qv | 1 |
| xmlSetNs | 1 |
| xmlNodeSetLang | 1 |
| xmlParserInputBufferCreateIO | 1 |
| xmlCreateMemoryParserCtxt | 1 |

| | |
|--|---|
| xmlReplaceNode | 1 |
| xmlSetTreeDoc | 1 |
| xmlParseInNodeContext | 1 |
| xmlEncodeSpecialChars | 1 |
| xmlCreateFileParserCtxt | 1 |
| xmlXPathNodeSetContains | 1 |
| xmlRecoverMemory | 1 |
| xmlNanoHTTPInit | 1 |
| xmlNanoFTPIInit | 1 |
| xmlURIUnescapeString | 1 |
| xmlIOHTTPClose | 1 |
| xmlIOHTTPRead | 1 |
| xmlIOHTTPOpen | 1 |
| xmlIOHTTPMatch | 1 |
| xmlIOFTPClose | 1 |
| xmlIOFTPRead | 1 |
| xmlIOFTPOpen | 1 |
| xmlIOFTPMatch | 1 |
| xmlFileClose | 1 |
| xmlFileRead | 1 |
| xmlFileOpen | 1 |
| xmlFileMatch | 1 |
| xmlNanoFTPCleanup | 1 |
| xmlNanoHTTPCleanup | 1 |
| xmlStrVPrintf | 1 |
| xmlIC14NExecute | 1 |
| xmlOutputBufferCreateIO | 1 |
| bpf_filter | 1 |
| pcap_open_dead | 1 |
| ?progressTrace@ProgressTrace@Pcdr@@@3\ | 1 |
| ?WriteLine@CProgressTrace@ProgressTrace | 1 |
| ?DriverOpened@CPcdrSrvc@PcdrKernelMo | 1 |
| ?GetNextDevice@CPcdrSrvcPci@PcdrKernel | 1 |
| ?PcdrSrvcPci@PcdrKernelModeServices@@ | 1 |
| ?GetFirstDevice@CPcdrSrvcPci@PcdrKernell | 1 |
| ?PcdrSrvcMem@PcdrKernelModeServices@ | 1 |
| ?ReadPhysicalMemory@CPcdrSrvcMem@Pc | 1 |
| ?CMOSReadByte@CPcdrSrvclO@PcdrKernel | 1 |
| ?PcdrSrvclO@PcdrKernelModeServices@@3 | 1 |
| ReadBlobMSBShort | 1 |
| WriteBlobMSBShort | 1 |
| _AdrOpenSound@12 | 1 |
| _AdrOpenDevice@8 | 1 |
| ?Initialize@MULTIPLE_PATH_ARGUMENT@1 | 1 |
| ??1MULTIPLE_PATH_ARGUMENT@@UEAA@ | 1 |
| ?Initialize@LONG_ARGUMENT@@QEAAEPE | 1 |
| ??0MULTIPLE_PATH_ARGUMENT@@QEAA@ | 1 |

| | |
|--|-----|
| ??0LONG_ARGUMENT@@QEAA@XZ | 1 |
| ?QueryFile@SYSTEM@@SAPEAVFSN_FILE@ | 1 |
| ?QueryStream@FSN_FILE@@QEAAPEAVFILI | 1 |
| ?QueryInvalidArgument@ARGUMENT_LEXE | 1 |
| ?WriteByte@STREAM@@QEAAEE@Z | 1 |
| ??0PRINT_STREAM@@QEAA@XZ | 1 |
| ??1PRINT_STREAM@@UEAA@XZ | 1 |
| ?Initialize@PRINT_STREAM@@QEAAEPEBVI | 1 |
| | \$1 |
| DestroyPhysicalMonitors | 1 |
| GetPhysicalMonitorsFromHMONITOR | 1 |
| GetNumberOfPhysicalMonitorsFromHMONI | 1 |
| GetVCPFeatureAndVCPFeatureReply | 1 |
| SetVCPFeature | 1 |
| GetMonitorBrightness | 1 |
| SetMonitorBrightness | 1 |
| GetMonitorContrast | 1 |
| SetMonitorContrast | 1 |
| GetMonitorCapabilities | 1 |
| WcsCreateIccProfile | 1 |
| DccwGetDisplayProfileAssociationList | 1 |
| WcsDisassociateColorProfileFromDevice | 1 |
| WcsSetDefaultColorProfile | 1 |
| WcsGetUsePerUserProfiles | 1 |
| WcsGetDefaultColorProfile | 1 |
| WcsOpenColorProfileW | 1 |
| DccwGetGamutSize | 1 |
| DccwSetDisplayProfileAssociationList | 1 |
| DccwReleaseDisplayProfileAssociationList | 1 |
| WcsGetCalibrationManagementState | 1 |
| WcsSetCalibrationManagementState | 1 |
| DccwCreateDisplayProfileAssociationList | 1 |
| SnmpSvcDecodeMessage | 1 |
| SnmpSvcGenerateColdStartTrap | 1 |
| SnmpSvcGenerateTrap | 1 |
| SnmpSvcReleaseMessage | 1 |
| SnmpSvcReportEvent | 1 |
| SnmpSvcEncodeMessage | 1 |
| t_UNK | 1 |
| ??0CTvPWDDLG@@QAE@PAVCWnd@@@? | 1 |
| WriteCabinetState | 1 |
| ?GetHeadPosition@TZipArchive@XPRT@@@l | 1 |
| ?GetNext@TZipArchive@XPRT@@UAE_NA@ | 1 |
| ?GetDayOfWeek@TTime@XPRT@@QBEHXZ | 1 |
| ?GetCount@TZipArchive@XPRT@@UAEHXZ | 1 |
| ?Close@TMemStream@XPRT@@UAE_NXZ | 1 |
| ?Write@TMemStream@XPRT@@UAEHPBXI | 1 |

| | |
|---|---|
| ?Format@TTime@XPRT@@QBE?AVTBstr@1 | 1 |
| ?StopKbd@@YAHXZ | 1 |
| ?StopInternet@@YAHXZ | 1 |
| ?HelpStopRecord@@YAHXZ | 1 |
| ?CheckINetProcess@@YAHXZ | 1 |
| ?HelpStartRecord@@YAHHKP6AHPAUtagD1 | 1 |
| ?StartKbd@@YAHXZ | 1 |
| ?StartInternet@@YAHXZ | 1 |
| ?MonitorDCEEvents@@YAHKKPAK@Z | 1 |
| ?InactivityTimerProc@@YGXPAUWND__@ | 1 |
| ?TermMonitorDCEEvents@@YAHXZ | 1 |
| ?WriteFinalData@@YAHXZ | 1 |
| ?GetActiveProcessName@@YAHPAD@Z | 1 |
| ?WriteProcessName@@YAHPADJH@Z | 1 |
| var_LocationParse | 1 |
| glsNumub | 1 |
| @Sysutils@AnsiSameStr\$qqrx17System@Ar | 1 |
| @Dateutils@DateTimeToUnix\$qqrx16Syster | 1 |
| Sh | 1 |
| SKIDROW | 1 |
| SSGuiAdmFreeParent | 1 |
| SSGuiAdmCreate | 1 |
| SSGuiAdmInit | 1 |
| World_Cleanup | 1 |
| World_New | 1 |
| World_NonRealTimeSynthesis | 1 |
| World_OpenTCP | 1 |
| World_OpenUDP | 1 |
| World_WaitForQuit | 1 |
| scprintf | 1 |
| _vcomp_atomic_add_i4 | 1 |
| __aout_VolumeDown | 1 |
| __aout_VolumeGet | 1 |
| __aout_VolumeSet | 1 |
| __aout_VolumeUp | 1 |
| __intf_Create | 1 |
| __net_Accept | 1 |
| __net_ListenTCP | 1 |
| __net_ReadNonBlock | 1 |
| __net_vaPrintf | 1 |
| __osd_MenuActivate | 1 |
| __osd_MenuDown | 1 |
| __osd_MenuHide | 1 |
| __osd_MenuNext | 1 |
| __osd_MenuPrev | 1 |
| __osd_MenuShow | 1 |
| __osd_MenuUp | 1 |

| | |
|--|---|
| __osd_Volume | 1 |
| __update_New | 1 |
| __var_Change | 1 |
| __var_Type | 1 |
| intf_Destroy | 1 |
| intf_RunThread | 1 |
| playlist_ItemAdd | 1 |
| update_Check | 1 |
| update_Delete | 1 |
| update_iterator_Action | 1 |
| update_iterator_Delete | 1 |
| update_iterator_New | 1 |
| ?_Pninc@?\$basic_streambuf@_WU?\$char_ | 1 |
| ?setg@?\$basic_streambuf@_WU?\$char_tra | 1 |
| ?setbuf@?\$basic_streambuf@_WU?\$char_t | 1 |
| ?xputn@?\$basic_streambuf@_WU?\$char_ | 1 |
| ?xsgetn@?\$basic_streambuf@_WU?\$char_i | 1 |
| ?showmanyC@?\$basic_streambuf@_WU?\$c | 1 |
| ?_Unlock@?\$basic_streambuf@_WU?\$char | 1 |
| ?_Lock@?\$basic_streambuf@_WU?\$char_t | 1 |
| ?_Init@?\$basic_streambuf@_WU?\$char_tr | 1 |
| ?getloc@?\$basic_streambuf@_WU?\$char_t | 1 |
| ?seekp@?\$basic_ostream@_WU?\$char_trai | 1 |
| ?pubsetbuf@?\$basic_streambuf@_WU?\$ch | 1 |
| ?_Getcat@?\$codecvt@_WDH@std@@SAIP_ | 1 |
| ?unshift@?\$codecvt@_WDH@std@@QBEH | 1 |
| PowerReadDescription | 1 |
| SampDslsRunning | 1 |
| GetFile | 1 |
| PutFile | 1 |
| ?setMaxLength@QLineEdit@@QAEXH@Z | 1 |
| ?font@QWidget@@QBEABVQFont@@XZ | 1 |
| ?rwidth@QSize@@QAEAAHZ | 1 |
| ?prepend@QString@@QAEAAV1@ABV1@C | 1 |
| ?rheight@QSize@@QAEAAHZ | 1 |
| DisplayFatalApplicationErrorMessage | 1 |
| CreateZoneShell | 1 |
| IoDeviceHandlerObjectSize | 1 |
| SetDynamicTimeZoneInformation | 1 |
| ?parse@AbstractDOMParser@xercesc_2_6@ | 1 |
| ?open@?\$basic_fstream@GU?\$char_traits@ | 1 |
| ?rdbuf@?\$basic_ifstream@GU?\$char_traits@ | 1 |
| ??6?\$basic_ostream@GU?\$char_traits@G@ | 1 |
| ?erase@?\$basic_string@GU?\$char_traits@C | 1 |

ectrp17Controls@TControlp20Classes@TBasicAction\$vynpqqrp14System@TObjectrp20Controls@TWinControl\$`

vynpqqrp14System@TObjectp20Controls@TWinControlo\$vynpqqrp14Sys