SAFEMAN · STUDENT MODULE

SM-HCS

Hazardous Chemicals, GHS & Spills

SafeMan™ by Oryx Institute · safeman.oryxinstitute.org

Theory Course · Pass mark 70% · 2 modules

Name _____

Student no. _____ Class _____



info@oryxinstitute.org

WELCOME

SafeMan Hazardous Chemical Substances, GHS & Spill Control

SafeMan Hazardous Chemical Substances, GHS & Spill Control — Theory Course. This SafeMan course is engineered for corporate audit readiness against: GN 156 Hazardous Substances Regulations; ISO 14001 Cl. 8.1.

REGULATORY DISCLOSURE — READ FIRST

SafeMan™ is a proprietary inter-organizational safety management and operational competency benchmark developed by Oryx Institute (safeman.oryxinstitute.org). Courses are engineered in alignment with ISO 45001:2018, ISO 14001:2015, ISO 31000, ILO-OSH guidelines, and pre-referenced against Namibia Training Authority (NTA) Unit Standards and Namibian Government Notice 156 of 1997 for corporate audit readiness. SafeMan credentials verify industry competency and attendance between organizations and are non-NQA credit-bearing.

Contact: info@oryxinstitute.org

Author: Tangi Iigonda · Institution: Oryx Institute | Oryx Safety Academy

How to use this module pack

Work through the modules in order. Each module states its focus and the key points you are expected to carry into practice. Diagrams referenced as web assets accompany the online reader at safeman.oryxinstitute.org. After the modules, sit the knowledge check: 10 questions, pass mark 70%, closed book.

MODULES

Module 1 — SDS 16 sections & GHS pictograms

Reading the safety data sheet the way it is built, and the nine GHS pictograms that headline the hazards.

Key points

16 sections: identification, hazards, composition, first aid, firefighting, spill, handling/storage, exposure/PPE, properties, stability, toxicology, ecology, disposal, transport, regulations, other.

GHS pictograms: flame, flame-over-circle, gas cylinder, corrosion, skull, exclamation, health hazard, environment, exploding bomb.

Label elements: pictogram, signal word (Danger/Warning), hazard and precautionary statements.

The SDS lives where the chemical is used, not in a locked office.

Diagram: /assets/webp/sm-gas-detector.webp

Module 2 — Segregation, drench showers & spill kits

Storing incompatible families apart, emergency showers and eyewash within reach, and deploying a spill kit properly.

Key points

Segregate: oxidizers from flammables, acids from alkalis, cyanides from acids; bunding and secondary containment.

Drench showers and eyewash: within 10 seconds' travel, unobstructed, weekly flushed and logged.

Spill kit: absorbents, neutralizers, drain covers, bags, PPE — sized to the largest credible container.

Spill response: protect self, contain, stop source if safe, protect drains, notify, dispose as hazardous waste with records.

Diagram: /assets/webp/sm-extinguisher.webp

ASSESSMENT

Knowledge check

The closed-book knowledge check draws 10 questions from the bank reproduced in Appendix A. Pass mark 70%. Your SafeMan credential is issued after the knowledge check, and remains valid for 24 months from issue.

Knowledge check bank

Q1. An SDS has how many sections?

A. 8

B. 12

C. 16

D. 20

Q2. Signal words under GHS are:

A. Danger and Warning

B. Stop and Go

C. High and Low

D. Red and Green

Q3. Acids must be stored:

A. With alkalis

B. Separate from alkalis and from flammables

C. In the fridge

D. On the floor

Q4. Drench showers must be reachable within:

A. 1 minute

B. About 10 seconds' unobstructed travel

C. 5 minutes

D. Shift end

Q5. First action at a spill scene:

A. Grab the mop

B. Protect yourself with correct PPE

C. Call the press

D. Wash to drain

Q6. Flame-over-circle pictogram means:

A. Explosive

B. Oxidizer

C. Toxic gas

D. Corrosive

Q7. Spill kit contents are sized to:

A. The smallest bottle

B. The largest credible container volume

C. One absorbent pad

D. The budget

Q8. Secondary containment (bunding) holds:

A. Tools

B. 110% of the largest container's volume in the store

C. Water only

D. Nothing

Q9. Eyewash flushing frequency:

A. Never

B. Weekly with logged checks

C. Annually

D. When used

Q10. Spill waste is disposed of:

A. General waste

B. As hazardous waste with manifests

C. Burned

D. Buried

Answer key

Q1=C Q2=A Q3=B Q4=B Q5=B Q6=B
Q7=B Q8=B Q9=B Q10=B