Create Virtual GPS Function

Create Virtual GPS function adds virtual GPS data for the log files with no GPS information.


Log files with no GPS information can be parsed to a model and analyzed in XCAP by configuring virtual GPS information manually.

This function is supported for the map engines of MapX and MapXtreme only.

The following sub-chapters instruct how to create virtual GPS information for log data.

Configuring GPS coordinates

1. Select [**Map**] tab at the top left.
2. Parameters with data are activated even if GPS data are not included.




3. Double-click a parameter in the parameter tree or drag and drop parameter from parameter

© Copyright by Accuver Co., Ltd.


tree to the workspace at the right.

4. A Create Virtual GPS alarm window appears. Click [**Yes**].



5. [**Create Virtual GPS**] window appears.

6. Configure the longitude and latitude of the corresponding parameter data. Click [**OK**].



7. The digital map moves to the designated location.


   Adjust map zoom level by using Zoom icons  in the Map Icon bar.

© Copyright by Accuver Co., Ltd.


Configuring Drive Route in Map

1. Click [**Create Virtual GPS**]  icon in the Map Icon bar.
2. Draw drive route in the digital map by clicking mouse. Selected locations are pointed in red color.

   To cancel the pointed location, right-click and select [**Back**]. To stop pointing locations for drawing drive route, right-click and select [**End**].




3. Based on the timestamp information of the log data, log data is displayed over the interpolated coordinates while supposing that the measurement moving speed is constant.



© Copyright by Accuver Co., Ltd.

Deleting Virtual GPS Information

1. Right-click a parameter under [**GPS**] tree, and select [**Remove Virtual GPS**].



© Copyright by Accuver Co., Ltd.