



Software Architecture and Techniques


Domain Driven Design Workshop




Domain-Driven Design











Domain-Driven Design starter modeling process

A starter process for beginners, not a rigid best-practice. DDD is continuous, evolutionary and iterative design.





collaboratively




DecomposeThe domain into sub-domains

Connect

Sub-domains to form a


loosely coupled

architecture




Business differentiating core-domains


Strategize



Teams around bounded contexts



Roles & responsibilities for bounded contexts




Your bounded context with tactical patterns

Domain-Driven Design

GitHub DDD Crew

Domain Driven Design On A Page


DDD is a philosophy for developing software systems that encourages Domain Thinking at each step of the Software Development Lifecycle



Domain Discovery

Exploratory DDD


- Model as-is, to-be, and could-be states of the domain
- Model
 collaboratively and
 visually so that the
 whole team* learns
 the domain and
 contributes to
 solution ideas
- Example: Big Picture
 EventStorming



Software Architecture

Strategic DDD

- Bounded Contexts:
 Split a large software system into specialised models aligned to areas of the domain
- Integrate bounded context using domain events**
- Identify strategically significant core domains



Software Design

Tactical DDD

- Create models in code which align to the team's shared understanding of the domain
 - Use appropriate
 patterns in each
 context: entities
 aggregates, event
 sourcing, etc

^{*} whole team: all roles involved in product development including business experts

^{**} domain events: business-relevant happening communicated via (technical) events or commands