

The Note about Histograms

TangNing

Abstract—Histograms have been widely used in computer vision and image processing, the main uses of histogram include image enhancement, object recognition, and image retrieval. Histogram has been basically adopted as a fundamental tool for image enhancement. But in the past few decade, histogram-based feature descriptors have been receiving increasing attention due to the appearance of Histogram of Oriented Gradient (HOG). This note is divided into three parts as follows. The first part primarily summarizes some distinct histogram-related techniques and the relation among these various techniques. The second part explains the definition of multiresolution histogram, this part will focus in comprehending the meaning of multiresolution. And finally, the multi-dimensional histogram is discussed in the third part.

1 Histogram-related Techniques

1.1 Histogram-based Image Enhancement

One of the simplest approaches to image enhancement is based on histogram, which is usually called histogram modification or histogram transformation. The traditional methods of histogram transformation can be classified as either global [2, 25, 30] or local [5]. Histogram stretch [1], histogram equalization [21], and histogram specification (histogram matching) [9, 24, 32, 34] are the common methods for histogram modification. Besides, there is a least popular manner named histogram hyperbolization [26], which could also manipulate the picture brightness levels to achieve the goal of image enhancement.

Histogram specification refers to a class of image transforms which aims to obtain images the histograms of which have a desired shape, and in Particular, obtaining a uniform histogram image corresponds to the well-known image enhancement technique called histogram equalization. Adaptive Histogram Equalization (local histogram equalization, or termed block-overlapped histogram

equalization) is an extension of histogram equalization where the image is divided into several smaller regions and these regions are locally equalized to obtain more local image details. To reduce the high computation complexity of this method, sub-block nonoverlapped histogram equalization can be used. However, this nonoverlapped histogram usually produces blocking effects in output image after enhancement. Therefore, partially overlapped sub-block histogram equalization has been proposed [20]. Contrast limited adaptive histogram equalization, another extension to ordinary adaptive histogram equalization, could limit its contrast and avoid amplified noise excessively in the image [35]. This feature could also be applied to global histogram equalization, giving rise to contrast limited histogram equalization. These histogram-based techniques for image enhancement could even be stretched over two-dimensional histogram or more [6].

1.2 Histogram-based Descriptors

Histogram-based descriptors such as color histograms or histograms of oriented gradients are extensively used in computer vision.

1.2.1 Some Descriptors for Histogram-based Search

Histogram-based search is to tackle the problem of searching a template in a test image using the histogram-based representations. Here, several standard histogram-based descriptors for histogram-based search are explored as follows. The well-known integral histogram is presented to easily and fastly compute histograms of all possible target regions in a given data, yet the computational cost and the requirement of memory for which are proportional to the number of histogram bins [27]. Another method termed distributive histogram is based on fast median filtering, which outperforms the previous approach [23]. But the computational cost and memory requirement of the distributive histogram are still proportion to the number of histogram bins. Thus, other algorithms are presented such as a square-root sampling approach [7] and min-space integral histogram of integral histogram [10].

1.2.2 HOG and Some Extensions of HOG

Histogram of oriented gradients (HOG), a well-known feature description based histogram, counts occurrences of gradient orientation in each block of a given image. HOG outperforms almost all the other feature descriptors (e.g., SIFI, orientation histogram [12]) due to its robustness to illumination variation and invariance to the geometric and photometric transformations. Accordingly, many extensions based HOG have been proposed in the past decade such as histogram of oriented lines (HOL) for palmprint recognition [17], Co-occurrence HOG (Co-HOG) and Convolutional Co-HOG (ConvCo-HOG) for recognition of texts in scenes [33], rotation-invariant histograms of oriented gradients (Ri-HOG) for image retrieval [8], extended Histogram of Gradients (ExHoG) for human detection [31], etc.

1.2.3 Other Histogram-based Descriptors

There are many other histogram-based descriptors such as fast point feature histograms (FPFH) for 3D registration [28], Symmetric-aware Flip Invariant Sketch Histogram (SYM-FISH) to refine the shape context feature for describing a sketch image [4], multi-texton histogram (MTH) for image retrieval [22], Unique signatures of histograms (SHOT) for surface and texture description [29], contrast context histogram (CCH) for image matching and object recognition [15],

1.3 Histogram with Spatial Information

The conventional histograms are inadequate for many applications since they suffers from the inability to capture any spatial image information. An obvious way to extend this feature is to compute the histograms of multiple resolutions of an image to form a multiresolution histogram. Since multiresolution histograms combine spatial information with histogram, they are able to discriminate between different images even if the images have same histograms [13,14]. Instead of the indirect use of spatial information, Spatiogram (or spatial histogram) [3] and correlogram [16] were proposed to encode spatial information directly into histograms. However, all these extensions still have difficulties in distinguishing images, thus, adopting markov chain models to characterize the spatial co-occurrence of histogram patterns was proposed to form the so-called markov stationary features [18]. A extension of markov stationary features is contextualizing histogram, which could encode more complicated spatial information by expanding to higher order contextualized histograms [11,19].

2 Multiresolution Histogram

References

- [1] E. Alparslan and F. Ince. Image Enhancement by Local Histogram Stretching. *IEEE Transactions on Systems, Man, and Cybernetics*, SMC-11(5):376–385, 1981.
- [2] T. Arici, S. Dikbas, and Y. Altunbasak. A Histogram Modification Framework and Its Application for Image Contrast Enhancement. *IEEE Transactions on Image Processing*, 18(9):1921–1935, 2009.
- [3] S. T. Birchfield. Spatiograms Versus Histograms for Region-Based Tracking 1 Introduction 2 Histograms and spatiograms. *Computer vision and pattern recognition*, (0):1158 – 1163 vol. 2, 2005.
- [4] X. Cao, H. Zhang, S. Liu, X. Guo, and L. Lin. SYM-FISH: A Symmetry-Aware Flip Invariant Sketch Histogram Shape Descriptor. *IEEE International Conference on Computer Vision*, pages 313–320, 2013.
- [5] V. Caselles, J. L. Lisani, J. M. Morel, and G. Sapiro. Shape preserving local histogram modification. *IEEE Transactions on Image Processing*, 8(2):220–230, 1999.
- [6] T. Celik. Two-dimensional histogram equalization and contrast enhancement. *Pattern Recognition*, 45(10):3810–3824, 2012.
- [7] H.-W. Chang and H.-T. Chen. A square-root sampling approach to fast histogram-based search. *IEEE Computer Society Conference on Computer Vision and Pattern Recognition*, pages 3043–3049, 2010.
- [8] J. Chen, T. Nakashika, T. Takiguchi, and Y. Ariki. Content-based Image Retrieval Using Rotation-invariant Histograms of Oriented Gradients. *ACM SIGMM International Conference on Multimedia Retrieval*, pages 443–446, 2015.
- [9] D. Coltuc, P. Bolon, and J. M. Chassery. Exact histogram specification. *IEEE Transactions on Image Processing*, 15(5):1143–1152, 2006.
- [10] S. Dubuisson and C. Gonzales. Min-Space Integral Histogram. *European Conference on Computer Vision*, 7573:188–201, 2012.
- [11] J. Feng, B. Ni, D. Xu, and S. Yan. Histogram contextualization. *IEEE Transactions on Image Processing*, 21(2):778–788, 2012.
- [12] W. Freeman and M. Roth. Orientation histograms for hand gesture recognition. *International Workshop on Automatic Face and Gesture Recognition*, 12:296–301, 1995.
- [13] E. Hadjidemetriou. Spatial information in multiresolution histograms. *Computer Vision and ...*, 10027:702–709, 2001.

- [14] E. Hadjidemetriou, M. D. Grossberg, and S. K. Nayar. Multiresolution histograms and their use for recognition. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 26(7):831–847, 2004.
- [15] C. R. Huang, C. S. Chen, and P. C. Chung. Contrast context histogram—An efficient discriminating local descriptor for object recognition and image matching. *Pattern Recognition*, 41(10):3071–3077, 2008.
- [16] J. Huang and W.-j. Zhuf. Satial Color Indexing and Applications. *International Journal of Computer Vision*, pages 602–607, 1999.
- [17] W. Jia, R.-x. Hu, and Y.-k. Lei. Histogram of Oriented Lines for Palmprint Recognition. *Ieee Transactions on Systems, Man, and Cybernetics: Systems*, 44(3):385–395, 2014.
- [18] Jianguo Li, Weixin Wu, Tao Wang, and Yimin Zhang. One step beyond histograms: Image representation using Markov stationary features. *IEEE Conference on Computer Vision and Pattern Recognition*, pages 1–8, 2008.
- [19] a. Kassim. Contextualizing histogram. *IEEE Conference on Computer Vision and Pattern Recognition*, pages 1682–1689, 2009.
- [20] J. Y. Kim, L. S. Kim, and S. H. Hwang. An advanced contrast enhancement using partially overlapped sub-block histogram equalization. *IEEE Transactions on Circuits and Systems for Video Technology*, 11(4):475–484, 2001.
- [21] S. Kundu. A solution to histogram-equalization and other related problems by shortest path methods. *Pattern Recognition*, 31(3):231–234, 1998.
- [22] G.-H. Liu, L. Zhang, Y.-K. Hou, Z.-Y. Li, and J.-Y. Yang. Image retrieval based on multi-texton histogram. *Pattern Recognition*, 43(7):2380–2389, 2010.
- [23] A. H. M. Sizintsev, K. G. Derpanis. Histogram-based search : A comparative study. *IEEE Computer Society Conference on Computer Vision and Pattern Recognition*, 2008.
- [24] M. Mignotte. Fast Ordering Algorithm for Exact Histogram Specification. *IEEE Transactions on Image Processing*, 23(12):1–9, 2011.
- [25] I. H. Modification. Iterative Histogram Modification. *IEEE Transactions on systems, man, and cybernetics*, SMC-8(4):1976–1978, 1978.
- [26] P. J. Nahin. A Simplified Derivation of Frei’s Histogram Hyperbolization for Image Enhancement. *IEEE transactions on pattern analysis and machine intelligence*, PAMI-1(4):1978–1979, 1979.
- [27] F. Porikli. Integral histogram: A fast way to extract histograms in Cartesian spaces. *IEEE Computer Society Conference on Computer Vision and Pattern Recognition*, I:829–837, 2005.
- [28] R. B. Rusu, N. Blodow, and M. Beetz. Fast Point Feature Histograms (FPFH) for 3D Registration. *IEEE International Conference on Robotics and Automation*, 2009.

- [29] S. Salti, F. Tombari, and L. Di Stefano. SHOT: Unique signatures of histograms for surface and texture description. *Computer Vision and Image Understanding*, 125:251–264, 2014.
- [30] G. Sapiro and V. Caselles. Histogram Modification via Differential Equations. *Journal of Differential Equations*, 135(2):238–268, 1997.
- [31] A. Satpathy, X. Jiang, and H. L. Eng. Human detection by quadratic classification on subspace of extended histogram of gradients. *IEEE Transactions on Image Processing*, 23(1):287–297, 2014.
- [32] D. Sen and S. K. Pal. Automatic Exact Histogram Specification for Contrast Enhancement and Visual System. *IEEE Transactions on Image Processing*, 20(5):1211–1220, 2011.
- [33] S. Tian, U. Bhattacharya, S. Lu, B. Su, and C. L. Tan. Multilingual Scene Character Recognition with Co-occurrence of Histogram of Oriented Gradients. *Pattern Recognition*, 51:125–134, 2015.
- [34] Y. Wan and D. Shi. Joint Exact Histogram Specification and Image Enhancement Through the Wavelet Transform. *IEEE Transactions on Image Processing*, 16(9):2245–2250, 2007.
- [35] H. Zhu, F. H. Chan, and F. Lam. Image Contrast Enhancement by Constrained Local Histogram Equalization. *Computer Vision and Image Understanding*, 73(2):281–290, 1999.