Release Note

Cegid Retail Y2 Vertex Tax Connector

cegid

Document follow-up

Date	By	Comments
21/08/2024	Cegid	Updates published with package 24.0.4
21/01/2025	Cegid	Updates published with package 24.0.6
30/05/2025	Cegid	Updates published with package 25.0.2 - Enhanced to support discount amounts through the new Extra Amounts field and introduced country Id and jurisdiction fields in response on version 0.0.217
23/10/2025	Cegid	Updates published on version 0.0.245 with package 25.0.4

Preamble

This module is a set of web services associated with one or more versions of Cegid Retail Y2.
This document describes its scope of implementation, as well as the changes and corrections made.
Please note: All modules methods and services can be cited in this document. Only public methods for which the contract is published can be used by applications not designed by Cegid.

Legal notices

Permission is granted under this Agreement to download documents held by Cegid and to use the information contained in the documents only internally, provided that: (a) the copyright notice on the documents remains on all copies of the document; material; (b) the use of these documents for personal and non-commercial use unless it has been clearly defined by Cegid that certain specifications may be used for commercial purposes; (c) documents will not be copied to networked computers or published on any type of media unless expressly authorized by Cegid; and (d) no changes are made to these documents.

Contents

Introduction 4

Architecture 5

Setup 6

Breaking Changes 9

Versions 10

Introduction

The TaxEngine plugin is a component which allows web-based apps such as MPOS, Live Store and external applications (using the SalesExternal web services) to calculate the correct tax to apply to sales. This plugin can optionally communicate with Vertex through a connector to calculate sales tax, instead of using the standard Y2 tax engine. This document describes that connector.

Vertex is a software solution for automated tax compliance. They deliver real time geospatial location sales tax rates to the Y2 POS during sale.

Please note that this document only describes the Vertex Tax Connector used through the TaxEngine and does not cover the scope of the CBS module designed to use the Vertex from the Y2 Front Office and Back Office applications.

Disclaimer:

When it comes to Tax management, it is important to note that Cegid cannot provide tax expertise or recommendations for its customers. It remains the customer's responsibility or the responsibility of their Tax auditor/expert to provide the rules and settings for the tax calculation.

With this solution, Cegid provides tax technology for retailers to facilitate the implementation of their rules based on Tax data content provided by Vertex.

Retailers may wish to leverage our functions to collect sales on the various sales and manage their tax remittance via Vertex *services*

Architecture

The architecture of the solution is detailed in the diagram below:



The TaxEngine plugin is installed as part of the Y2 Core modules.

The TaxEngine must be configured on the Y2 BackOffice to communicates with the Tax Connector component, which in turn communicates with Vertex to obtain the relevant tax information.





/!\ Important: If the Y2 instance is OnPrem, a “dedicated OnPrem tenant” needs to be obtained from Cegid for the Tax Connector to be accessed from the OnPrem TaxEngine.

Setup

3.1 Vertex Connector Tax Compute Endpoint

The format for the Vertex API endpoint is as follows. The values to use for [TENANT] and [APIKEY] will be provided by Cegid.

SaaS instance environment
POST https://retail-connectors.cegid.cloud/[et or t or ep or p]/vertex/TaxWebConnector?tenant=[TENANT] &profile=[PROFILENAME]
OnPrem instance environment
POST https://retail-connectors.cegid.cloud/[et or t or ep or p]/vertex/TaxWebConnector?tenant=[TENANT]&onPremByPassApiKey=[APIKEY]

The body and reply are identical to the GetTax operation on the TaxEngine.GetTax plugin. The descriptions are available on the swagger UI description of that operation.

3.2 Vertex Connector Define Settings Endpoint

SaaS instance environment
POST https://retail-connectors.cegid.cloud/[et or t or ep or p]/vertex/UpsertSettings?tenant=[TENANT]&profile=[PROFILENAME]
OnPrem instance environment
POST https://retail-connectors.cegid.cloud/[et or t or ep or p]/vertex/UpsertSettings?tenant=[TENANT]&onPremByPassApiKey=[APIKEY] &profile=[PROFILENAME]

Body description

Field	Content
companycode	Company code provided by Vertex

user,Password	Username and password provided by Vertex
IsSandbox	true/false depending on whether you are connecting to a test environment
SecurityKey,SecurityKeyValue	If you are using tokenization to connect to Vertex, then your Vertex contact may provide you with a security key to use in addition to your username and password. If so, then the key and the value need to be filled out here.
TrustedId	Vertex may also provide you with a Trusted ID which you can use instead of a username and password. If this is the case, then you can enter this here
PutCustomDataUrl	Certain customers may wish to use an external database to store the tax information which is sent and received between Y2 and Vertex. If so, then the endpoint for sending the data should be entered in this field. However, this functionality is unlikely to be required when using the Tax Engine with SalesExternal as the external POS system should normally save this data.
Url	For Vertex customers, this field should be null.
Message	Always null

taxCodesMapping	For Vertex installations, the link needs to be made between the Y2 tax codes and the Vertex tax codes. For example, if you have a tax code 001 in Y2 which corresponds to 12345678 in Vertex, and another tax code 002 in Y2 which corresponds to 98765432 in Vertex, the field should look like this: [{"y2":"001","vertex":"12345678"},{"y2":"002","vertex":"98765432"}]
defaultTaxModel	Default value to return as TaxModel when computing taxes
defaultRegion	Default value to return as Region when computing taxes
defaultTaxId	Default value to return as TaxId when computing taxes
commitRequired	This parameter will indicate to the SalesExternal plugin used by LiveStore that an extra call needs to be done at the end of the ticket lifecycle to record the transaction for reporting purposes
Useproductclass	This parameter will determine whether we want to send product or product class to the vertex.
saveTaxAreaType	If this option is true, tax area and type from the vertex response will be saved in custom DB.
putCustomDataUrlTaxAreaId	URL for Custom to store the tax area id and type

Body example

```
{
    "commitRequired": true,
    "companyCode": "cgdny",
    "user": "asahu@cegid.com",
    "password": "***",
    "isSandbox": true,
```

"putCustomDataUrl": "https://aps832001fun001-customdata-test.azurewebsites.net/api/TENANT/custom-data/receipt/[receipt_id]/keys/tax-exemption-ref",
"taxCodesMapping": [
{
"y2": "001",
"vertex": "NOR"
},
{
"y2": "NOR",
"vertex": "NOR"
}
],
"Useproductclass": false,
"saveTaxAreaType": false,
"putCustomDataUrlTaxAreaId": null
}

3.3 Vertex Connector GET Settings Endpoint

SaaS instance environment
GET https://retail-connectors.cegid.cloud/[et or t or ep or p]/vertex/GetSettings?tenant=[TENANT] &profile=[PROFILENAME]
OnPrem instance environment
GET https://retail-connectors.cegid.cloud/[et or t or ep or p]/vertex/GetSettings?tenant=[TENANT]&onPremByPassApiKe y=[APIKEY]

The content returned is the same as the body of the Upsert call in the previous chapter.

Breaking Changes

This section lists evolutions which are not backward compatible, and therefore require an evolution on third party integrated systems.

There are no elements in this list yet.

Versions

5.1 Version 1.0.173

Delivered with package 24.0.4

- **Use Product Class Instead of Product**:

An option has been added in the configuration to send the Product class instead of the product when calling Vertex. This setting allows you to choose whether to include the product or the product class tag in the XML request.

```
        </Seller>
        <Customer        >
            <CustomerCode classCode="125">General</CustomerCode>
            <Destination  >
                <StreetAddress1>299 Oakbrook Center</StreetAddress1>
                <City>OAK BROOK</City>
                <MainDivision>IL</MainDivision>
                <PostalCode>60523</PostalCode>
                <Country>USA</Country>
            </Destination>
        </Customer>
        <LineItem lineItemNumber="1">
            <Product productClass="002"/>
            <Quantity unitOfMeasure="EA">1</Quantity>
            <ExtendedPrice>275</ extendedPrice>
        </LineItem>
    </QuotationRequest>
```

- **Save Tax Area ID and Type:**

  The Vertex response includes the tax area ID and type. Some customers want to use these values for their other systems. We now offer the option to save these details in a custom database.

- **Upgraded Cosmos DB version**

5.2 Version 1.0.204

Delivered with package 24.0.6

- **Commit transaction in Vertex**
  - A few specific values can be provided in the compute body on top of the TaxEngine body requirements. The TaxEngine will provide these fields when calling the connector.

1.1.1 Commit Flag Logic

- Transaction information can be saved in Vertex portal for reporting purposes. To save transactions commit flag is used.
  - **commit=false**: Transactions are not saved in Vertex.
  - **commit=true**: Transactions are saved in Vertex.
  - This feature requires the TaxEngine version 24.0.7.8
  - If running through the SalesExternal plugin (the /receipt API), version 24.0.5.108 is required.

1.1.2 DocCode

- When **commit=true**, the **DocCode** field is mandatory. You must provide a valid value for DocCode along with other transaction details to successfully save the transaction in Vertex.
- **Get th values from internal results**
- **Multi profile change:** Ability to manage multiple settings per tenant.

5.3 Version 0.0.217

Delivered with package 25.0.2

- Support for Discount Amount via ExtraAmounts Field: The Vertex SaaS Connector has been enhanced to support discount amounts through the new ExtraAmounts field. This field has been added to both the request and response payloads, allowing improved handling and visibility of discount-related data in tax calculations. For example:

```
"ExtraAmounts": [
  {
    "Rank": 1,
    "Amount": 10.24
  },
```

```
    {
      "Rank": 2,
      "Amount": 10.24
    }
  ]
```

- The country Id and jurisdiction Name fields have been added to the response payload.

```
"countryISO2": "CA",
"countryISO3A": "CAN",
"countryISO3N": "124",
"jurisName": "CANADA"
```

5.4 Version 0.0.245

Delivered with package 25.0.4

This version contains minor technical evolutions including framework libraries version bumps.