Registration date: 20 February 2026

Follow-up Notes

Customer Plugin V06

Cegid Retail Y2 – Version 26

Make more possible

cegid

Preamble

This plugin is a set of web services associated with one or more versions of Cegid Retail Y2.
This document describes its scope of implementation, as well as the changes and corrections made.
Please note: All plugin methods and services can be cited in this document. Only public methods for which the contract is published can be used by applications not designed by Cegid.

Legal notices

Permission is granted under this Agreement to download documents held by Cegid and to use the information contained in the documents only internally, provided that: (a) the copyright notice on the documents remains on all copies of the document material; (b) these documents are used for personal and non-commercial purposes, unless it has been clearly defined by Cegid that certain specifications may be used for commercial purposes; (c) documents will not be copied to networked computers or published on any type of media unless expressly authorized by Cegid; and (d) no changes are made to these documents.

Contents

Preamble 2

1. OBJECTIVES 4

Documentation 4
Y2 versions 5

2. OFFICIAL DOCUMENTS 6

GetList 6

3. TRIGGERS 7

Evaluate 7

4. MANAGEMENT 8

GetDetail 8
GetListDetail 10
Create 11
Update 14

5. ANONYMIZATION 17

Anonymize 17
BatchAnonymize 17

6. ADDRESSES 19

GetListDetail 19
GetDetail 19
Create 20
Update 21
Delete 23

7. OFFICIAL DOCUMENTS 2 24

GetDetail 24
GetListDetail 24
CreateOrUpdate 25
Delete 26

8. OTHER 27

Net Framework 4.8 27

1. Objectives

The objective of the **Customer** plugin is to offer services relating to customer management.
This version enables you to manage services for retrieving a customer's official documents and addresses, as well as certain setup elements (user-defined tables, triggers, etc.)
The Management service offers methods designed to gradually replace the Core Customer and CustomerWcf services written in older technologies.

Just remind: Only public methods for which the contract is published can be used by applications not designed by Cegid. Cegid reserves the right to modify private services without ensuring backward compatibility, and without informing users.

Documentation

The service contract documentation is visible on the IIS server(s) from the software package download page:

"Documentation" is a link that provides access to the list of documentation:

➔ **Web Services**
The screen displayed provides access to the Web Services contracts and their properties

Please note: the absence of a contract in the Web Services documentation screen means that the service is not installed or is not public.

- **Exceptions**
  This part provides access to exceptions, classified by type, and according to the plugin.

- **Installation**
  This page allows you to download Web Services installation and consumption documentation.

Y2 versions

This plugin is compatible with the following versions of Cegid Retail Y2:

- Version 26

Note:
The # sign at the beginning of the plugin build number corresponds to the major version of Cegid Retail Y2.

2. Official Documents

GetList

➔ Objectives

This method recovers the list of all official documents of a customer, including those that are closed.

3. TRIGGERS

Evaluate

➔ Objectives

This method evaluates whether a customer meets the conditions of the trigger.

➔ Improvements

Implementation of the method.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
PCH	12/3/2021	A2278		95174	#3:26 AM	

4. MANAGEMENT

Customers and prospects are managed by Cegid Retail Y2 with a lot of information. A customer record is populated through tabs:

- General
- Additions
- Conditions
- Payments
- Information
- User fields

The toolbar allows you to enter additional information:

- ➔ The [Zoom menu] button gives access to Outstanding amounts, Transaction history, Loyalty cards, List of items, Pricing, and Document summary.
- ➔ The [Complementary data] button gives access to Classifications Exceptions, Address management, Referencing, Additional identifiers, etc.
- ➔ The [Contacts] button allows you to register contacts with the customer.
- ➔ The [BAID] button allows you to register the customer's bank account details.
- ➔ The [Memos] button allows you to associate photos or memos with the customer's file.

GetDetail

➔ Objectives

This method returns the detail of a customer, or of a prospect called by their external reference identifier. A part of customer data is returned by this method, with more or less information depending on the tags present in the "Fields" property.
The following tags are available:

- *Address*: Returns the customer's main address
- *Communication*: Returns the fields concerning the communication, except the address, with the confidentiality of this information
- *Identification*: Returns the various codes or identifications of the customer
- *Informations*: Returns the general data from the customer record
- *SystemFields*: Returns the system fields of the customer record
- *UserDefinedFields*: Returns the user-defined fields of the customer record
- *UserFields*: Returns the user fields of the customer record

This method will be gradually enriched.

The following business rules are applied:

- ➔ The "Id" property is mandatory. In case of external identifier, Id must be prefixed with "EXT-"
  The search is performed on the exact value transmitted. If the code is unknown, an exception is raised.
- ➔ If the 'Individual' tag is present in the reply, the returned customer is of type Individual. If the tag 'Company' is present, it is a customer of type Company.

- ➔ The customer searched for must respect the user's restrictions on the customer file, otherwise an exception is thrown.
- ➔ Loyalty cards are not returned in this method. They are taken into account by the LoyaltyEngineLoyaltyEngine service, GetCardInfo method.
- ➔ Similarly, official documents are not returned by this method. The CustomerOfficialDocuments service will be upgraded to take them into account

➔ Improvements

Implementation of the method

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
ADU	7/26/2022	A2357		126317	#3.110	

Increased the maximum size of the city and address lines to 70 characters

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
RLO	10/27/2021	A2351		137815	#4.4	

Addition of the 4th address line

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
RLO	11/5/2022	A2351		138888	#4:21 AM	

The method is now set to the Beta status

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
RLO	1/2/2023	A2427		151073	#4.102	

Checking the length of the internal identifier provided.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
EPL	4/27/2023			166811	#4.181	

The method is now set to the Released status

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
LDE	7/12/2023	A2452		179260	#4.275	

Added the Closing date to the reply

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
ADU	1/12/2024	PBI: 1317597		216523	#4.391	

Replacement of 'VAT liability': property VatPayability (Alphanumeric) replaced by VatLiability (List of values)

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
ADU	2/27/2024	PBI: 1393010		231775	#4.442	

GetListDetail

➔ Objectives

This method returns the details of a list of customers or prospects meeting the request criteria.
A part of customer data is returned by this method, with more or less information depending on the tags present in the "Fields" property.
The following tags are available:

- *Address*: Returns the customer's main address
- *Communication*: Returns the fields concerning the communication, except the address, with the confidentiality of this information
- *Identification*: Returns the various codes or identifications of the customer
- *Informations*: Returns the general data from the customer record
- *SystemFields*: Returns the system fields of the customer record
- *UserDefinedFields*: Returns the user-defined fields of the customer record
- *UserFields*: Returns the user fields of the customer record

This method will be gradually enriched.

The following business rules are applied:

- PhoneNumber: Corresponds to the phone presence in the request through one of the following three fields T_TELEPHONE / T_FAX / T_TELEX (or).
- Email: Corresponds to the email presence in the request through one of the following fields T_EMAIL / T_EMAIL2 (or).
- Name: Corresponds to the presence of the name or company name in the request through one of the following fields T_LIBELLE / T_NOM2 (or).
- FirstName: Corresponds to the presence of the first name or addition to the company name in the request through one of the following fields T_PRENOM, T_PRENOM2 (or).
- Individual: If true, you'll get the Individual tag and not the Company one. If false you'll get the Company tag and not Individual one. Moreover, if the property is not present in the request, either one or the other tag will be returned depending on the Third Party.
- User restriction: The user's customer restrictions are applied to the affiliated store. Customers whose affiliated store is not allowed for the user are not returned.

➔ Improvements

Implementation of the method

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
ADU	8/4/2023	A2357		183128	#4.302	

The method is now set to the Beta status

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
LDE	11/21/2023	A2478		203085	#4.368	

The error "you must provide a maximum of 1 piece(s) of information from among: ExternalReferences, Ids." occurred systematically when searching for customers in the case of a REST call. Problem fixed.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
EPL	11/29/2023	1326289		205494	#4.371	

Added the Closing date to the reply

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
ADU	1/12/2024	PBI: 1317597		216523	#4.391	

Replacement of 'VAT liability': property VatPayability (Alphanumeric) replaced by VatLiability (List of values)

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
ADU	2/27/2024	PBI: 1393010		231775	#4.442	

The method is now set to the Released status

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
ADU	2/4/2025	A2508		352496	#4.654	

Create

➔ Objectives

This method is used to create a customer or a prospect.
Some data is updated during this creation. This data can be found in different sections in the contract

- Individual: Information about a customer of type Individual
- Company: Information about a customer of type Company
- Address: Customer's main address
- Identification: Various codes or identifications of the customer
- Informations: General data from the customer record
- UserDefinedFields: User-defined fields from the customer record

This method will be gradually enriched.

The following business rules are applied:

➔ **Identifiers**

- If no identifier is specified in the contract, it is assigned automatically. An exception is raised if the store does not manage the automatic assignment of the customer code.
- If an identifier is specified and corresponds to an existing customer, the following information is checked: Last name - First name - Store of creation and use - zip code - City - 3 E-mails - 3 phones - External reference

        - If at least one piece of information is different, it is not possible to create 2 different customers with the same Identifier, an exception is raised.
        - If all pieces of information are identical, the service considers that there is a case of idempotency (double call of the creation service of the same customer). No exception is raised, the customer is not updated, and the value false is returned in the "CustomerCreated" property.

➔ **Store of creation/affiliation**
    - The customer's stores of creation and affiliation must be identified by their code or their external reference, and must respect the user's restriction on customers.
      No existence control is performed, and it is up to the caller to provide the correct information.

➔ **Identification**
    - The EANCode must not already exist for another customer.
    - The municipal registration number, regional registration number and CPF/CNPJ codes must not already exist for another customer.

➔ **Information**
    - The paying customers, customers to be delivered, and customers to be invoiced must be identified by their code or their external reference, and must exist in the database.

➔ **Individual/Company customer**
    - One and only one of these 2 tags is mandatory and allows you to indicate whether it is an individual or a company
    - Individual:
        - LastName is mandatory
        - BirthDayDate:
            - The day (Day) must be between 1 and 31.
            - The month (Month) must be between 1 and 12
            - The year (Year) must be greater than 1900
            - If all 3 fields are filled in, the date must be consistent.
            - If only the day and month are filled in, the year will automatically be 1900.
    - Company:
        - Name is mandatory

➔ **E-mail**
    - Each e-mail must be in format xxx@yyy.zzz
    - Privacy and validity information must be specified for every e-mail sent.
    - Emailing and EmailRecovery must only be specified in the contract if at least one e-mail is specified

➔ **Address**
    - The zip code (ZipCode), the city (City), and the country (CountryId) must be consistent with each other.

➔ **Confidentiality**
    - Values should be specified for each piece of information; they are not optional.
    - The management level of privacy is defined in Y2 according to a company setting (global, per channel or for each piece of information.) The values transmitted in the contract must be consistent with the setup.
        - Global: All Optins must be the same.
        - By Distribution channel: The Phones Optins must be the same, and the Email Optins must be the same.
        - For each piece of information: Each Optin can be different

➔ Improvements

Implementation of the method

Dev	Date	CEGID's Ref.	Pb Ref.	PR	Plugin Build no.	Quality Ctrl
ADU	4/7/2023	A2357		132683 to 163916	#4.150	

Increased the maximum size of the city and address lines to 70 characters

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
RLO	10/27/2022	A2351		137815	#4.4	

Addition of the 4th address line

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
RLO	11/5/2022	A2351		138888	#4:21 AM	

Added notification and event log management when creating a customer or prospect.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
RLO	6/16/2023	A2357		174532	#4.215	

The method is now set to the Beta status

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
LDE	7/12/2023	A2452		179260	#4.275	

City and zip code (City and ZipCode) are now optional
Added 'VAT liability' to 'Informations': VatLiability property (List of values)
Added in Property identification: Municipal Registration no. (MunicipaleRegistration), Regional Registration no. (RegionaleRegistration) and CPF / CNPJ Code (CpfCnpjCode)

- Municipal and regional registration numbers can only be entered for corporate customers.
- CPF expected on 11 digits for a private customer, with key control.
- CNPJ expected on 14 digits for a corporate customer, with key control.

Added user fields (UserFields)
Added Salespeople (Salespersons)

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
ADU	2/27/2024	PBI: 1391598, 1393010, 1393575, 1391591		231775	#4.442	

The method is now set to the Released status

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl

ADU	2/4/2025	A2508		352496	#4.654	

Language and Nationality identifiers are now optional.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
ADU	2/7/2025	1708914		354885	#4.656	

Fixed the algorithm for assigning the T_AUXILIAIRE counter, when the number of characters for the auxiliary is smaller than that for the Third Party.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
PLA	6/24/2025	1815990	INC0225160	399597	#4.723	

Update

➔ Objectives

This method is used to modify a customer or a prospect.
It must be identified in the Id tag, by its internal identifier or by its external identifier preceded by 'EXT-'.
This data can be found in different sections in the contract:

- Individual: Information about a customer of type Individual
- Company: Information about a customer of type Company
- Address: Customer's main address
- Identification: Various codes or identifications of the customer
- Informations: General data from the customer record
- UserDefinedFields: User-defined fields from the customer record

This method will be gradually enriched.

General update principle:

- A property not transmitted in the contract is not modified.
- A property present in the contract is updated with the transmitted value, after a consistency check against other data.
- An empty value on a property indicates that the field is reset to blank in the database.
- Please note that all data in the updated customer record are checked again before being stored in the database, including those not transmitted. An error on non-updated data may therefore be reported during the update.
  Example: I am changing my customer's e-mail address, but the sales representative associated with this customer has been deleted from the database. An error of type "Sales representative does not exist" will be raised during the update.

Please note that the customer type cannot be changed using this method (Individual ← →Company); the customer must be deleted and the recreated.

The business rules applied are the same as for creation.

➔ Improvements

Implementation of the method.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
ADU	6/6/2023	A2357		173075	#4.198	

Increased the maximum size of the city and address lines to 70 characters

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
RLO	10/27/2021	A2351		137815	#4.4	

Addition of the 4th address line

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
RLO	11/5/2022	A2351		138888	#4:21 AM	

Added notification and event log management when updating a customer or prospect.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
RLO	6/16/2023	A2357		174532	#4.215	

The method is now set to the Beta status

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
LDE	11/21/2023	A2478		203085	#4.368	

Fixes error "Exception - Cegid.Retail.Tools.Resources.Biz001Exception: (1) input data not valid. -The Id field is required. " that occurred when updating a customer without an associated language.

Dev	Date	CEGID's Ref.	Pb Ref.	PR	Plugin Build no.	Quality Ctrl
EPL	12/22/2023	1349425		211544	#4.381	

Added the update of the Closing date in relation to the 'Closed' tag: If 'Closed' becomes true, the closing date is updated with the current date. If it becomes false, it is set to empty (1900-01-01).

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
ADU	1/12/2024	PBI: 1317597		216523	#4.391	

City and zip code (City and ZipCode) are now optional

Added 'VAT liability' to 'Informations': VatLiability property (List of values)

Added in Property identification: Municipal Registration no. (MunicipaleRegistration), Regional Registration no. (RegionaleRegistration) and CPF / CNPJ Code (CpfCnpjCode)

- Municipal and regional registration numbers can only be entered for corporate customers.
- CPF expected on 11 digits for a private customer, with key control.
- CNPJ expected on 14 digits for a corporate customer, with key control.

Added user fields (UserFields)

Added Salespeople (Salespersons)

For all these new properties: the tag can be assigned an empty value to clear the information in the customer record.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
ADU	2/27/2024	PBI: 1391598, 1393010, 1393575, 1391591		231775	#4.442	

The method is now set to the Released status

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
ADU	2/4/2025	A2508		352496	#4.654	

Language and Nationality identifiers are now optional.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
ADU	2/7/2025	1708914		354885	#4.656	

UserDefinedTables could not be reset to empty. It is now possible to put the table rank in the Id, and enter "" in Value to reset the table value to empty.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
ADU	11/20/2025	2004264		435918	#5:26 AM	

5. ANONYMIZATION

This service anonymizes customer data.

Anonymize

➔ Objectives

This method is used to anonymize customer data.

It is not possible to anonymize customer data in the following cases:

- ➔ Clothing allowances were granted to one of the customers
- ➔ There are outstanding payments for one of the customers

Anonymization is subject to the user right "Anonymization" (menu 26).

➔ Improvements

Implementation of the method.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
SBU	4/12/2024			248093	#4.521	

BatchAnonymize

➔ Objectives

This method anonymizes data for a list of customers.

It is not possible to anonymize customer data in the following cases:

- ➔ Clothing allowances were granted to this customer
- ➔ There are outstanding payments for this customer
- ➔ One of the customers does not exist in the database

Anonymization is subject to the user right "Anonymization" (menu 26).

➔ Improvements

Implementation of the method.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
SBU	4/12/2024			248093	#4.521	

6. ADDRESSES

This service is used to manage customers' additional addresses.

GetListDetail

➔ Objectives

This method returns the details of a customer's additional addresses, called by their external reference identifier.

The following business rules are applied:

- ➔ The "Id" property is mandatory.
  It allows the customer to be found from their internal code or external reference.
  In case of an external identifier, the latter must be prefixed with "EXT-"
  The search is performed on the exact value transmitted.
- ➔ In the reply, only one of the two tags "Individual" and "Company" is present, to show whether the address is that of an individual customer or of a company.

➔ Improvements

Implementation of the method.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
JMO	10/11/2022	A2346		134740	#3.182	

Addition of the 4th address line

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
RLO	11/5/2022	A2351		138888	#4:21 AM	

The method is now set to the Released status

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
LDE	7/12/2023	A2452		179260	#4.275	

GetDetail

➔ Objectives

This method returns the details of a customer's additional addresses, called by their external reference identifier.

The following business rules are applied:

- ➔ The "CustomerID" and "AddressNumber" properties are mandatory.
- ➔ The "CustomerID" property allows the customer to be found from their internal code or external reference.
  In case of an external identifier, The "Id" property is be prefixed with "EXT-"
  The search is performed on the exact value transmitted.
- ➔ An exception is also raised, if the transmitted address number does not exist for the customer.
- ➔ In the reply, only one of the two tags "Individual" and "Company" is present, to show whether the address is that of an individual customer or of a company.

➔ Improvements

Implementation of the method.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
JMO	10/11/2022	A2346		134740	#3.182	

Addition of the 4th address line

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
RLO	11/5/2022	A2351		138888	#4:21 AM	

The method is now set to the Released status

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
LDE	7/12/2023	A2452		179260	#4.275	

Create

➔ Objectives

This method is used to create an additional address for a customer.

The following business rules are applied:

- ➔ The "CustomerID" property allows the customer to be found from their internal code or external reference.
  In case of an external identifier, the latter must be prefixed with "EXT-"
  The tag is checked against the exact value transmitted.
- ➔ The "Individual" tag must be present if the customer of the address is of a Type "Individual".

➔ The “Company” tag must be present if the customer of the address is of type “Company”.

➔ An error is raised in the following cases:
- The Customer does not exist
- The internal reference exceeds 17 characters
- Unknown carriage conditions
- Unknown shipping method
- Unknown place of departure of goods
- Unknown title (if the "Individual" tag is present)
- Unknown legal form (if the "Company" tag is present)
- The country does not exist
- The region does not exist
- The zip code does not exist
- Unknown barcode for the country
- Inconsistent address line numbering

➔ Improvements

Implementation of the method.

Dev	Date	CEGID’s Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
JMO	10/11/2022	A2346		134740	#3.182	

Increased the maximum size of the city and address lines to 70 characters

Dev	Date	CEGID’s Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
RLO	10/27/2021	A2351		137815	#4.4	

Addition of the 4th address line

Dev	Date	CEGID’s Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
RLO	11/5/2022	A2351		138888	#4:21 AM	

The method is now set to the Released status

Dev	Date	CEGID’s Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
LDE	7/12/2023	A2452		179260	#4.275	

Update

➔ Objectives

This method allows you to update an additional address for a customer.

This method does not work in "CANCEL-REPLACE" context; only the data specified in the contract is updated.

- A property not transmitted in the contract is not modified.
- Properties specified in the contract are updated with the transmitted value, after a consistency check against other data.
- An empty value on a property indicates that the field is reset to blank in the database.

The following business rules are applied:

- ➔ The "CustomerID" and "AddressNumber" properties are mandatory.
- ➔ The "CustomerID" property allows the customer to be found from their internal code or external reference.
  In case of an external identifier, The "Id" property is be prefixed with "EXT-"
  The tag is checked against the exact value transmitted.
- ➔ An error is raised in case of a non-existent customer, called by their internal or external reference.
- ➔ An exception is also raised if the transmitted address number does not exist for the customer.
- ➔ The "Individual" tag can be present if the customer of the address is of type "Individual".
- ➔ The "Company" tag can be present if the customer of the address is of type "Company".

The business rules applied are the same as for creation.

➔ Improvements

Implementation of the method.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
JMO	10/24/2022	A2346		136828	#3.200	

Increased the maximum size of the city and address lines to 70 characters

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
RLO	10/27/2021	A2351		137815	#4.4	

Addition of the 4th address line

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
RLO	11/5/2022	A2351		138888	#4:21 AM	

The method is now set to the Released status

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
LDE	7/12/2023	A2452		179260	#4.275	

Delete

➔ Objectives

This method allows you to delete a customer's additional address, called by its identifier or external reference.

The following business rules are applied:

- ➔ The "CustomerID" and "AddressNumber" properties are mandatory.
- ➔ The "CustomerID" property allows the customer to be found from their internal code or external reference.
  In case of an external identifier, The "Id" property is be prefixed with "EXT-"
  The tag is checked against the exact value transmitted.
- ➔ An error is raised in case of a non-existent customer, called by their internal or external reference.

➔ Improvements

Implementation of the method.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
JMO	10/11/2022	A2346		134740	#3.182	

The method is now set to the Released status

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
LDE	7/12/2023	A2452		179260	#4.275	

7. OFFICIAL DOCUMENTS 2

This service allows you to manage **official documents for customers and prospects** (passports, ID cards, driver's licenses, etc.).

GetDetail

➔ Objectives

This method returns the **details of an official document** linked to a customer or prospect, identified by its internal ID or external reference.
The following business rules are applied:

- ➔ The **CustomerId** and **Id** properties are mandatory.
- ➔ The **CustomerId** is used to identify the customer:
  - either by internal identifier,
  - or by external reference, prefixed by **EXT**-.
- ➔ The customer must exist.
- ➔ The official document sought must exist for the customer.
- ➔ The customer must be authorized.
- ➔ **System fields (SystemFields)** are only returned if explicitly requested via the Fields parameter.
- ➔ The returned document contains:
  - Document rank,
  - the type and identifier of the document,
  - the issuing institution,
  - the issue and expiration dates,
  - the Closed status,
  - comments,
  - optional system fields.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
SBE	12/3/2025	1990718		437649	#5:38 AM	

GetListDetail

➔ Objectives

This method returns a **detailed list of official documents** for a customer or prospect.
The following business rules are applied:

- ➔ The **CustomerId** property is mandatory.
- ➔ The customer can be identified by internal ID or external reference.
- ➔ Documents can be filtered by:
  - document type,
  - *Closed* status,

- Validity date.

➔ Documents are returned **sorted in descending order.**
➔ **System fields** are only returned if requested.
➔ The customer must exist and be authorized.
➔ If there are missing documents matching the criteria, the method returns an **empty list.**
➔ No pagination is applied.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
SBE	12/3/2025	1990718		437649	#5:38 AM	

CreateOrUpdate

➔ Objectives

This method thus allows you to create or update an official document linked to a customer or prospect.

The following business rules are applied:

➔ The **CustomerId** and **Id** and **DocumentTypeId** properties are mandatory.
➔ The customer must exist and be authorized.
➔ If the document exists:
- it is updated,
- The call is idempotent if the data is identical.

➔ If the document does not exist:
- it is created.

➔ **Rank** management:

Insertion case:

-If the Rank field is not filled in:

-The document is inserted with a rank calculated automatically equal to the maximum existing rank + 1.

-No other documents are modified.

-If the Rank field is filled in:

If the rank provided is not already in use:

The document is inserted with the rank provided, without modifying the other documents.

If the rank provided is already in use:

The document is inserted at the requested rank.
All existing documents with a rank greater than or equal to this rank are incremented by +1 in order to preserve the uniqueness and order of the ranks.

Update case:

-If the Rank field is not filled in:
No change is made to the rank.
-If the Rank field is filled in:
If the target rank does not exist:
The rank of the document is updated with the value provided, without impacting other documents.
If the target rank already exists:
The document is moved to the requested rank.
Other documents with a rank **greater than or equal** to this rank are **incremented by +1** to ensure consistency in the order.

- ➔ Default dates are applied if not specified.
- ➔ The end of validity date must be later than or equal to the beginning date.
- ➔ The document type must exist.
- ➔ The **T_PASSEPORT** field in the customer file is kept up to date for Passport-type documents:
  - Creation,
  - Modification,
  - Closing.
- ➔ The active passport retained is the one **with the highest rank that is not closed.**
- ➔ The existence of the store is not checked.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
SBE	1/16/2026	1990718		446738	#5.69	

Delete

➔ Objectives

This method allows you to **delete an official document** linked to a customer or prospect.
The following business rules are applied:

- ➔ The **CustomerId** and **Id** properties are mandatory.
- ➔ The customer must exist and be authorized.
- ➔ If a Passport type document is deleted:
  - if the deleted passport is the one in the customer file,
    it is replaced by the highest-ranking passport that has not been closed,
    or reset to empty if it no longer exists.
- ➔ No error is raised if the document no longer exists.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
SBE	1/16/2026	1990718		446738	#5.69	

8. OTHER

Net Framework 4.8

Following Microsoft's announcement about the "end of support for .NET Framework 4.5.2, 4.6 and 4.6.1 as soon as April 26, 2022" the plugin now requires the installation of the .Net Framework 4.8 (runtime) on server components.

Swagger

Rest/Restful APIs grouped by plugin, with the option of selecting them by plugin name.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
ADU	1/13/2025	1543349		341752	#3.648	