Registration date: January 21, 2026

Follow-up Notes

Employee Plugin V04

Cegid Retail Y2 – Version 26

Make more possible

cegid

Preamble

This plugin is a set of web services associated with one or more versions of Cegid Retail Y2.
This document describes its scope of implementation, as well as the changes and corrections made.
Please note: All plugin methods and services can be cited in this document. Only public methods for which the contract is published can be used by applications not designed by Cegid.

Legal notices

Permission is granted under this Agreement to download documents held by Cegid and to use the information contained in the documents only internally, provided that: (a) the copyright notice on the documents remains on all copies of the document; material; (b) the use of these documents for personal and non-commercial use unless it has been clearly defined by Cegid that certain specifications may be used for commercial purposes; (c) documents will not be copied to networked computers or published on any type of media unless expressly authorized by Cegid; and (d) no changes are made to these documents.

Contents

Preamble 2

1. OBJECTIVES 4

Documentation 4

Y2 versions 5

2. EMPLOYEE 6

SetPassword 6

3. SALESPERSONS 7

GetDetail 7

GetListDetail 8

4. SALESPERSONS2 10

SetPassword 10

GetDetail 11

GetListDetail 12

Create 13

Update 14

5. OTHER 16

Net Framework 4.8 16

1. Objectives

The objective of the **Employee** plugin is to provide services relating to the management of employees in a network of stores such as salespeople, cashiers, representatives, storekeepers.
Login users are managed in another plugin: Identity
This service will be gradually enriched.

Reminder: Only public methods for which the contract is published can be used by applications not designed by Cegid. Cegid reserves the right to modify private services without ensuring backward compatibility, and without informing users.

Documentation

The service contract documentation is visible on the IIS server(s) from the software package download page:



"Documentation" is a link that provides access to the documentation list:



➔ **Web Services**
The screen displayed provides access to the Web Services contracts and their properties
Please note: the absence of a contract in the Web Services documentation screen means that the service is not installed or is not public.

- **Exceptions**
  This part provides access to exceptions, classified by type, and according to the plugin.

- **Installation**
  This page allows you to download Web Services installation and consumption documentation.

Y2 versions

This plugin is compatible with the following version of Cegid Retail Y2:

- Version 26

Note:
The # sign at the beginning of the plugin build number corresponds to the major version of Cegid Retail Y2.

2. EMPLOYEE

Employees are managed by Cegid Retail Y2 with a lot of information.

SetPassword

➔ Objectives

This method is used to define a new password for the employee. They will have to change it the next time they log in.

➔ Improvements

The method is now set to the Released status.

Dev	Date	CEGID's Ref.	Pb Ref.	PR	Plugin Build no.	Quality Ctrl
ADU	07/2024	A2490		283567	#3.287	

3. SALESPERSONS

Salespeople and Cashiers are managed by Cegid Retail Y2 with a lot of information. A Salesperson/Cashier record is populated through tabs:

- ➔ Contact information
- ➔ User-defined information
- ➔ Contract data
- ➔ Notepads

➔ Improvements

The service is now set to the Obsolete status.
Method replaced by Salespersons2. It has the status Obsolete and will be removed from versions generated after 2/1/2028.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
RLO	1/2/2023	A2427		PR 151370	#3.103	

GetDetail

➔ Objectives

This method returns the detail of a salesperson/cashier called by their unique identifier.
A part of the salesperson/cashier data is returned by this method, with more or less information depending on the tags present in the "Fields" property. This method will be gradually enriched.

The following business rules are applied:

- ➔ The "Id" property is mandatory. The search is performed on the exact value transmitted. In case of unknown code, the reply contains empty information.

➔ Improvements

The method has been enriched to return a grouping of salesperson/cashier information according to the tags indicated in the Fields property. You can select none or several elements *(SystemFields, Communication, Detail, UserDefinedFields*.)

- If the Fields property is set to *SystemFields* the following information is returned:
  Creation date, Last modification date, Last modification user and Creation user.

- If the Fields property is set to *Communication*, the following information is returned:
  Email Address, Phone, and Main Address banner of the salesperson/cashier

- If the Fields property is set to *Detail*, the following information is returned:

Additional information of the salesperson/cashier (Nickname, Commission percentage, Business area, etc.)

- If the Fields property is set to *UserDefinedFields*, the following information is returned:
  Collection (1 to 3) of user-defined amounts
  Collection (1 to 3) of user-defined dates
  Collection (1 to 10) of user-defined tables
  Collection (1 to 3) of user-defined texts
  Collection (1 to 3) of user-defined decisions.

Dev	Date	CEGID's Ref.	Pb Ref.	PR	Plugin Build no.	Quality Ctrl
AMO	3/9/2022	A2321				

The method has been enriched to return the attendance period of the salesperson/cashier in the store (Contract start date and Contract end date).
The presence of this information is conditioned by the presence of the "Detail" property in the Fields property.

Dev	Date	CEGID's Ref.	Pb Ref.	PR	Plugin Build no.	Quality Ctrl
AMO	6/23/2022	A2367	823353			

Addition of the 4th address line

Dev	Date	CEGID's Ref.	Pb Ref.	PR	Plugin Build no.	Quality Ctrl
RLO	11/5/2022	A2351		138365	#3.7	

GetListDetail

➔ Objectives

This method recovers the list of salespeople/cashiers of the folder based on the defined criteria.

The following business rules are applied:

- ➔ The "Roles" property allows you to set a filter. If this information is left blank, all salespeople and cashiers are returned.
- ➔ If the "StoreId" information is filled in, the salespeople who work in this store or who are not assigned to any store are returned (empty string). The reply will allow you to refine the information:
  - Store code in the reply: the employee is associated with this store by default.
  - Empty store information in the reply: the salesperson can work in all stores.
- ➔ If a "Date" property is present, the date must be prior (strict) to the deletion date of the salesperson.
- ➔ In the case where several criteria are present, they are combined.
  Example: Role=Salesperson, StoreId=101 and Date=1/1/2021 – Request for the employee list of type Salesperson assigned to store 101 by default and not deleted on 1/1/2021.

If the code transmitted in the "Request" does not respect the other criteria, it is returned in the reply with empty information.

➔ Improvements

➔ The method has been enriched to return a grouping of salesperson/cashier information according to the tags indicated in the Fields property. You can select none or several elements *(SystemFields, Communication, Detail, UserDefinedFields*.)

- If the Fields property is set to *SystemFields* the following information is returned:
  Creation date, Last modification date, Last modification user and Creation user.

- If the Fields property is set to *Communication*, the following information is returned:
  Email Address, Phone, and Main Address banner of the salesperson/cashier

- If the Fields property is set to *Detail*, the following information is returned:

Additional information of the salesperson/cashier (Nickname, Commission percentage, Business area, etc.)

- If the Fields property is set to *UserDefinedFields*, the following information is returned:
  Collection (1 to 3) of user-defined amounts
  Collection (1 to 3) of user-defined dates
  Collection (1 to 10) of user-defined tables
  Collection (1 to 3) of user-defined texts
  Collection (1 to 3) of user-defined decisions.

Dev	Date	CEGID's Ref.	Pb Ref.	PR	Plugin Build no.	Quality Ctrl
AMO	3/9/2022	A2321				

The method has been enriched to return the attendance period of the salesperson/cashier in the store (Contract start date and Contract end date).
The presence of this information is conditioned by the presence of the "Detail" property in the Fields property.

Dev	Date	CEGID's Ref.	Pb Ref.	PR	Plugin Build no.	Quality Ctrl
AMO	6/23/2022	A2367	823353			

Addition of the 4th address line

Dev	Date	CEGID's Ref.	Pb Ref.	PR	Plugin Build no.	Quality Ctrl
RLO	11/5/2022	A2351		138365	#3.7	

4. SALESPERSONS2

Salespeople and Cashiers are managed by Cegid Retail Y2 with a lot of information. A Salesperson/Cashier record is populated through tabs:

- ➔ Contact information
- ➔ User-defined information
- ➔ Contract data
- ➔ Notepads

SetPassword

➔ Objectives

This method initializes the password of a salesperson/cashier, who will have to change it the next time you log in.
The following business rules are applied:

- ➔ The login user must be an administrator to use this method.
- ➔ The "Id" property is mandatory and must match an existing salesperson/cashier in the database.
- ➔ The "NewPassword" property is required and must follow the vendor password policy.

Dev	Date	CEGID's Ref.	Pb Ref.	PR	Plugin Build no.	Quality Ctrl
LDE	12/12/2022	A2382		143525	#3.31	

➔ Improvements

Added control over the access right "Initialization of passwords" (Tag 26780 – Concepts \ Commercial management \ Management of the store staff)

Dev	Date	CEGID's Ref.	Pb Ref.	PR	Plugin Build no.	Quality Ctrl
LDE	12/23/2022	A2382		145851	#3.59	

The method is now set to the Released status

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
RLO	1/2/2023	A2427		PR 151370	#3.103	

Fixed the connection saturation problem that occurred if the method was called many times.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
LDE	5/12/2025	1764975		390461	#3.421	

GetDetail

➔ Objectives

This method returns the detail of a salesperson/cashier called by their unique identifier.
A part of the salesperson/cashier data is returned by this method, with more or less information depending on the tags present in the "Fields" property. This method will be gradually enriched.

The following business rules are applied:

- ➔ The "Id" property is mandatory. The search is performed on the exact value transmitted. In case of unknown code, the reply contains empty information.
- ➔ The operation is identical to that of the Salespersons service. The StoreId and CustomerID fields have been replaced by Identifier sections where you can enter either the internal reference or the external reference of the entity.

Dev	Date	CEGID's Ref.	Pb Ref.	PR	Plugin Build no.	Quality Ctrl
PCH	12/8/2022	A2381		143205	#3.31	

➔ Improvements

The method is now set to the Released status

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
RLO	1/2/2023	A2427		151370	#3.103	

No longer raise an exception when a sales representative has no customer assigned to them (GCL_TIERS empty).

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
PLA	09/ 11/2022	1230921		188137	#3.189	

No longer raise an exception when a sales representative has no store assigned to them (GCL_ETABLISSEMENT empty).
No longer raise an exception when a sales representative has no calculation base document in section Commission.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
ADU	6/20/2024	1523609		269188	#3.274	

External references from the salesperson's secondary stores are returned.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
NAC	7/12/2024	1536167		277877	#3.281	

GetListDetail

This method recovers the list of salespeople/cashiers of the folder based on the defined criteria.

The following business rules are applied:

- ➔ The "Roles" property allows you to set a filter. If this information is left blank, all salespeople and cashiers are returned.
- ➔ If the "StoreId" information is filled in, the salespeople who work in this store or who are not assigned to any store are returned (empty string). The reply will allow you to refine the information:
  - Store code in the reply: the employee is associated with this store by default.
  - Empty store information in the reply: the salesperson can work in all stores.
- ➔ If a "Date" property is present, the date must be prior (strict) to the deletion date of the salesperson.
- ➔ In the case where several criteria are present, they are combined.
  Example: Role=Salesperson, StoreId=101 and Date=1/1/2021 – Request for the employee list of type Salesperson assigned to store 101 by default and not deleted on 1/1/2021.
- ➔ If the code transmitted in the "Request" does not respect the other criteria, it is returned in the reply with empty information.
- ➔ The operation is identical to that of the Salespersons service. The StoreId field has been replaced by an Identifier section where you can enter either the internal reference or the external reference of the entity.

Dev	Date	CEGID's Ref.	Pb Ref.	PR	Plugin Build no.	Quality Ctrl
PCH	12/8/2022	A2381		143205	#3.31	

The method is now set to the Released status

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
RLO	1/2/2023	A2427		151370	#3.103	

No longer raise an exception when a sales representative has no store assigned to them (GCL_ETABLISSEMENT empty).
No longer raise an exception when a sales representative has no calculation base document in section Commission.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
ADU	6/20/2024	1523609		269188	#3.274	

External references from salespeople's secondary stores are returned.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
NAC	7/12/2024	1536167		277877	#3.281	

Taking into account ancillary stores when selecting salespeople/cashiers for a store listed in a request.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
LDE	9/30/2024	1602437		304582	#3.309	

Create

➔ Objectives

This method is used to create new salesperson;/cashier

The following business rules are applied:

- ➔ The "Id" and "LastName" properties are mandatory. If code already exists, the response contains a Boolean set to False.
- ➔ The stores entered (store and ancillary stores) must be in the list of stores authorized by the user's default restriction.
- ➔ The touchpad identifier must not be associated with another salesperson during the given period in their usual store.

Dev	Date	CEGID's Ref.	Pb Ref.	PR	Plugin Build no.	Quality Ctrl
PCH	12/14/2022	A2381		144251	#3.31	

➔ Improvements

Removal of the test on the touchpad identifier

Dev	Date	CEGID's Ref.	Pb Ref.	PR	Plugin Build no.	Quality Ctrl
PCH	3/9/2023	1120433	PRB0119036	158499	#3.129	

The method is now set to the Released status

Dev	Date	CEGID's Ref.	Pb Ref.	PR	Plugin Build no.	Quality Ctrl
LDE	7/11/2023	A2452		179202	#3.171	

Initialized the Salesperson and Cashier roles to False, as well as Commission Calculation mode to Sales if this information is not passed in the query.
Other fields not exposed by the creation service are also initialized to default values.

Dev	Date	CEGID's Ref.	Pb Ref.	PR	Plugin Build no.	Quality Ctrl
EBU	1/19/2024	1371195		218835	#3.237	

The zip code and the city are now optional.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
ADU	3/14/2024	1396391		237759	#3.250	

External references from the main store and secondary stores are taken into account to create the salesperson.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
NAC	7/12/2024	1536167		277877	#3.281	

Update

➔ Objectives

This method is used to change an existing salesperson/cashier

The following business rules are applied:

- ➔ The "Id" and "LastName" properties are mandatory. If code already exists, the response contains a Boolean set to False.
- ➔ The stores entered (store and ancillary stores) must be in the list of stores authorized by the user's default restriction.
- ➔ The touchpad identifier must not be associated with another salesperson during the given period in their usual store.

Dev	Date	CEGID's Ref.	Pb Ref.	PR	Plugin Build no.	Quality Ctrl
PCH	12/19/2022	A2381		144708	#3.93	

➔ Improvements

The method is now set to the Released status

Dev	Date	CEGID's Ref.	Pb Ref.	PR	Plugin Build no.	Quality Ctrl
LDE	7/11/2023	A2452		179202	#3.171	

No change of the Salesperson and Cashier roles if no information is passed in the query.

Dev	Date	CEGID's Ref.	Pb Ref.	PR	Plugin Build no.	Quality Ctrl
EBU	1/19/2024	1371195		218835	#3.237	

The zip code and the city are now optional.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
ADU	3/14/2024	1396391		237759	#3.250	

Possibility of updating a salesperson's main establishment and secondary stores with the external reference.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
NAC	7/12/2024	1536167		277877	#3.281	

Possibility of updating a salesperson to blank out one of the address lines.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
NAC	7/15/2024	1431032		278666	#3.284	

5. OTHER

Net Framework 4.8

Following Microsoft's announcement about the "end of support for .NET Framework 4.5.2, 4.6 and 4.6.1 as soon as April 26, 2022" the plugin now requires the installation of the .Net Framework 4.8 (runtime) on server components.

Swagger

Rest/Restful APIs grouped by plugin, with the option of selecting them by plugin name.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
ADU	1/14/2025	1543349		342751	#3.341	