Registration date: January 21, 2026

Follow-up Notes

InventoryCount Plugin V07

Cegid Retail Y2 – Version 26

Make more possible

cegid

Preamble

This plugin is a set of web services associated with one or more versions of Cegid Retail Y2.
This document describes its scope of implementation, as well as the changes and corrections made.
Please note: All plugin methods and services can be cited in this document. Only public methods for which the contract is published can be used by applications not designed by Cegid.

Legal notices

Permission is granted under this Agreement to download documents held by Cegid and to use the information contained in the documents only internally, provided that: (a) the copyright notice on the documents remains on all copies of the document; material; (b) the use of these documents for personal and non-commercial use unless it has been clearly defined by Cegid that certain specifications may be used for commercial purposes; (c) documents will not be copied to networked computers or published on any type of media unless expressly authorized by Cegid; and (d) no changes are made to these documents.

Contents

Preamble 2

1. OBJECTIVES 4

Documentation 4

Y2 versions 5

2. COUNTINGMANAGEMENT 6

Create 6

3. LISTMANAGEMENT 8

GetList 8

GetDetail 8

4. OTHER 9

Net Framework 4.8 9

1. OBJECTIVES

The **InventoryCount** plugin contains public and private services intended to manage the inventories. Public services are described in the following chapters. Private services are intended for the operation of the Cegid Retail Inventory Tracking mobile application, available on Android and IOS.

Reminder: Only public methods for which the contract is published can be used by applications not designed by Cegid. Cegid reserves the right to modify private services without ensuring backward compatibility, and without informing users.

Documentation

The service contract documentation is visible on the IIS server(s) from the software package download page:



"Documentation" is a link that provides access to the documentation list:



➔ **Web Services**
The screen displayed provides access to the Web Services contracts and their properties
Please note: the absence of a contract in the Web Services documentation screen means that the service is not installed or is not public.

- **Exceptions**
  This part provides access to exceptions, classified by type, and according to the plugin.

- **Installation**
  This page allows you to download Web Services installation and consumption documentation.

Y2 versions

This plugin is compatible with the following version of Cegid Retail Y2:

- Version 26

Note:
The # sign at the beginning of the plugin build number corresponds to the major version of Cegid Retail Y2.

2. CountingManagement

Create

➔ Objectives

The objective of this service is to create an inventory transmission following the counting of items in the store. It is used for:

- ➔ Inventories of the store associated with an inventory list in Y2.
  The list identifier is to be specified in the service.
- ➔ Inventories conducted in list.
  The list identifier will be assigned by the service reply.
  Note: this type of inventory cannot manage areas, as these are generated in Cegid Retail Y2.

If a list containing thousands of items is transmitted, the transmission can be returned as several calls:

- Creation of a transmission with the first few thousand items and an indicator showing that the transmission is partial.
- Reminder from the service with the following thousands of items to be added to the existing transmission.
- The last call is indicated by specifying the "IsLastTransmissionData" property.

In the case of a single-warehouse folder, the store code (StoreId) should be copied into the warehouse code (WarehouseId).

Recognition of the item

This service allows the item on each line to be found in two ways:

- Lines.ItemIdentifier.Reference: This property should not be used; it is not reliable.
  In the case of a reference with the same level of priority for several items, nothing can predict which item will be used.
  This property will soon be rendered obsolete.
- Lines.ItemIdentifier.Id: This property identifies an item in a unique way in Cegid Retail Y2 and should be used.

➔ Improvements

Added notification management after creating an inventory validation

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
RLO	1/27/2023	A2419		150147		

The Create method no longer throws an exception when the warehouse is closed.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
EPL	4/28/2023	736662		167017	#6.48	

In the case of a search using a serial number specified in the "Reference" property (and only in this case), this serial number is now stored in the GIN_CODEBARRE field of the TRANSINVLIG table, as it is in Y2 Core.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
EPL	8/3/2023	1206424		182891	#6.75	

The size of the GIN_CODEBARRE column has been extended to 35 characters in 2021. The input in this column was always limited to 18 characters, and has been revised to take account of this new size.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
HDA	8/24/2023			185581	#6.80	

Added serial number to the Lines section of the method request.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
EPL	9/1/2023	1206427		186595	#6.85	

Idempotency management to secure the integration of an inventory transmission.
To ensure this idempotency, the service consumer must now set the OperationUid property with a unique GUID for each call of this operation.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
RFO	11/9/2023	A2474		197732	#6.110	

Warehouses sent by the InventoryCount plugin are now listed in priority order instead of alphabetical order.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
FDE	4/19/2024	1462972		251151	#6.151	

3. LISTMANAGEMENT

GetList

➔ Objectives

The objective of this service is to return the active inventory lists not yet pre-validated in the store.
The properties of each list are transmitted, allowing you to know, for example:

- ➔ The date of conducting the inventory.
- ➔ If the inventory is complete. In this case, it is not necessary to retrieve the inventory lines that will not be sent, since all the items in the store and in the warehouse are to be inventoried.
- ➔ If the inventory is partial, calling the GetDetail service allows you to load the items to be counted.
- ➔ The obligation to manage the inventory with areas.
  Please note: in the case of an inventory managed with areas, only private services allow you to retrieve the inventory areas and then reserve them for counting.

Note: incomplete inventory lists for which the counting has started are not returned. A partial inventory should be managed as a single transmission.

It is possible to indicate the identifier of a list to retrieve the properties of this list.

➔ Improvements

GetDetail

➔ Objectives

The GetList service returns the list(s) of items to be inventoried. If the inventory is partial (incomplete), this GetDetail service allows you to load the list of items to be counted.

The "Paging" property provides protection against timeouts due to bulky inventories. We recommend that it be used with a setting of a few hundred lines, supplemented by tests for dimensioning this value according to the communication line.
Please note: the speed of data loading varies according to the device and its location.

The Web Service caller should check that not all information is returned in the first page. It should then call the next page, until all lines are retrieved.

➔ Improvements

4. OTHER

Net Framework 4.8

Following Microsoft's announcement about the "end of support for .NET Framework 4.5.2, 4.6 and 4.6.1 as soon as April 26, 2022" the plugin now requires the installation of the .Net Framework 4.8 (runtime) on server components.