Registration date: January 21, 2026

Follow-up Notes

InventoryMovement Plugin V05

Cegid Retail Y2 – Version 26

Make more possible

cegid

Preamble

This plugin is a set of web services associated with one or more versions of Cegid Retail Y2.
This document describes its scope of implementation, as well as the changes and corrections made.
Please note: All plugin methods and services can be cited in this document. Only public methods for which the contract is published can be used by applications not designed by Cegid.

Legal notices

Permission is granted under this Agreement to download documents held by Cegid and to use the information contained in the documents only internally, provided that: (a) the copyright notice on the documents remains on all copies of the document; material; (b) the use of these documents for personal and non-commercial use unless it has been clearly defined by Cegid that certain specifications may be used for commercial purposes; (c) documents will not be copied to networked computers or published on any type of media unless expressly authorized by Cegid; and (d) no changes are made to these documents.

Contents

Preamble 2

1. OBJECTIVES 4

Documentation 4

Y2 versions 5

2. ITEMSINPUT 6

Create 6

GetDetail 7

3. ITEMSINPUT2 9

Create 9

GetDetail 10

4. ITEMSOUTPUT 11

Create 11

GetDetail 11

5. ITEMSOUTPUT2 13

Create 13

GetDetail 13

6. REPORT 14

GenerateDocument 14

Poll 14

Download 15

7. REPORT2 16

Download 16

EndGenerateLabels 16

GenerateLabels 17

8. OTHER 18

Net Framework 4.8 18

1. Objectives

The **InventoryMovement** plugin is used to manage the flow of item input/output.
This service will be gradually enriched.

Reminder: Only public methods for which the contract is published can be used by applications not designed by Cegid. Cegid reserves the right to modify private services without ensuring backward compatibility, and without informing users.

Documentation

The service contract documentation is visible on the IIS server(s) from the software package download page:



"Documentation" is a link that provides access to the list of documentation:



- **Web Services**
  The screen displayed provides access to the Web Services contracts and their properties
  Please note: the absence of a contract in the Web Services documentation screen means that the service is not installed or is not public.

- **Exceptions**

This part provides access to exceptions, classified by type, and according to the plugin.

- **Installation**
  This page allows you to download Web Services installation and consumption documentation.

Y2 versions

This plugin is compatible with the following version of Cegid Retail Y2:

- Version 26

Note:
The # sign at the beginning of the plugin build number corresponds to the major version of Cegid Retail Y2.

2. ITEMSINPUT

The service is now set to the Obsolete status.
Method replaced by ItemsInput2. It has the status Obsolete and will be removed from versions generated after 2/1/2028.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
RLO	1/2/2023	A2427		151311	#2.134	

Create

➔ Objectives

The objective of this service is to be able to create a special stock entry.

Business rules
User restrictions on stores are taken into account.
The document effective date is updated by import according to the document date.
The document must contain at least one item with a quantity to be entered into stock.
Management of sales representatives/salespeople/ cashiers:

- If there is a representative at line level, he/her will be recovered in the line.
- If there is a representative in the header, but not at line level, the header representative will be recovered in the line.
- If there is a representative in the line, but not in in the header, the representative of the first line will be recovered in the header.

Movement reasons:

- The reason provided in the header of the contract is applied by default to all document lines.
- If the document supports movement reasons, an exception is raised if:
  - The reason is not provided in the contract header
  - The reason provided in the header does not exist in Cegid Retail Y2
  - The scope of the reason does not match the type of the processed document
- If the document type does not support movement reason, an exception is raised if a reason is provided in the contract header

If there is line with a serial number:

- The quantity of the line must be 1
- The document type must accept serial numbers (and management exceptions to the store/warehouse)

External reference

- If the reference is provided in the contract header, it will be recovered in the document header, but it will not be applied to the document lines.
- If the external reference is provided at line level, it will be recovered in the document lines.

Internal reference

- Uniqueness is a requirement in case of document transformation. As this document has no subsequent document, the uniqueness of this reference is not required.

Valuation

- The document will be revalued using the data import function with variable $$_RECALCULPIECE = 'X'.

Item identification

- Each line should use the internal item code (GA_ARTICLE), which identifies it in a unique and unambiguous manner.

Third party required

- All Cegid Retail Y2 documents must have a third party.
  For special inputs/outputs, since the third party is not in the contract, the value of the company setting "Commercial management / Third party for special movements" must be entered with a fictitious third party. It is taken over when the movement is created.
  The third party (customer and/or supplier) must respect the setting of the document type, in tab "Third party": "Authorized types of third parties".

Idempotency

Idempotency guarantees that an action gives the same result, regardless of its number of applications.
It is necessary to specify the OperationUid property in the contract, allowing Cegid Retail Y2 to record this information, in order not to repeat the processing. This number should therefore be unique.

➔ Improvements

Added new properties, catalog reference, package reference and complementary description at the line level.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
RLO	3/1/2022	A2302		106933	#2.39	

The method is now set to the Obsolete status..

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
RLO	1/2/2023	A2427		151311	#2.137	

GetDetail

➔ Objectives

The objective of this service is to return the detail of a special input.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
RLO	10/27/2021	A2266		90063	#1.78	

Added user fields to GetDetail and Create operations.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
PCH	2/18/2022	A2299		104571	#1.78	

Added the new package reference property at line level to the Reply.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
JMO	3/1/2022	A2302		10842	#2.37	

The method is now set to the Obsolete status..

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
RLO	1/2/2023	A2427		151311	#2.137	

3. ITEMSINPUT2

Create

➔ Objectives

The objective of this service is to be able to create a special stock entry.

Business rules

User restrictions on stores are taken into account.
The document effective date is updated by import according to the document date.
The document must contain at least one item with a quantity to be entered into stock.
Management of sales representatives/salespeople/ cashiers:

- If there is a representative at line level, he/her will be recovered in the line.
- If there is a representative in the header, but not at line level, the header representative will be recovered in the line.
- If there is a representative in the line, but not in in the header, the representative of the first line will be recovered in the header.

Movement reasons:

- The reason provided in the header of the contract is applied by default to all document lines.
- If the document supports movement reasons, an exception is raised if:
    - The reason is not provided in the contract header
    - The reason provided in the header does not exist in Cegid Retail Y2
    - The scope of the reason does not match the type of the processed document
- If the document type does not support movement reason, an exception is raised if a reason is provided in the contract header

If there is line with a serial number:

- The quantity of the line must be 1
- The document type must accept serial numbers (and management exceptions to the store/warehouse)

External reference

- If the reference is provided in the contract header, it will be recovered in the document header, but it will not be applied to the document lines.
- If the external reference is provided at line level, it will be recovered in the document lines.

Internal reference

- Uniqueness is a requirement in case of document transformation. As this document has no subsequent document, the uniqueness of this reference is not required.

Valuation

- The document will be revalued using the data import function with variable $$_RECALCULPIECE = 'X'.
- The valuation of a line requires the CurrencyId and TaxIncluded properties to be specified.
- If the base unit price is present in the contract:
    - ➔ It is copied into the unit price of each line.
    - ➔ No price search is performed.

- The line amount is obtained by multiplying the unit price and the quantity. This amount is rounded with the number of decimals defined in the Cegid Retail Y2 settings, or in the currency settings depending on the options.
- The taxation engine of Cegid Retail Y2 is used to calculate the taxes.

Item identification

- Each line should use the internal item code (GA_ARTICLE), which identifies it in a unique and unambiguous manner, or its barcode. If these two properties are provided (not empty), a search for the item is carried out through its Id, allowing the retrieval of its barcode (GA_CODEBARRE).

Idempotency

Idempotency guarantees that an action gives the same result, regardless of its number of applications.
It is necessary to specify the OperationUid property in the contract, allowing Cegid Retail Y2 to record this information, in order not to repeat the processing. This number should therefore be unique.

➔ Improvements

The service is now set to the Released status

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
RLO	1/2/2023	A2427		151311	#2.134	

GetDetail

➔ Objectives

The objective of this service is to return the detail of a special input.

➔ Improvements

The method is now set to the Released status

Dev	Date	CEGID's Ref.	Pb Ref.	PR	Plugin Build no.	Quality Ctrl
LDE	7/11/2023	A2452		179127	#3.73	

4. ITEMSOUTPUT

The service is now set to the Obsolete status.
Method replaced by Itemsoutput2. It has the status Obsolete and will be removed from versions generated after 2/1/2028.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
RLO	1/2/2023	A2427		151311	#2.134	

Create

➔ Objectives

The objective of this service is to be able to create a special stock withdrawal.
The business rules are similar to those applied to special stock entries.

➔ Improvements

Added new properties, catalog reference, package reference and complementary description at the line level.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
RLO	3/1/2022	A2302		106933	#2.39	

The method is now set to the Obsolete status..

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
RLO	1/2/2023	A2427		151311	#2.137	

GetDetail

➔ Objectives

The objective of this service is to return the detail of a special output.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
RLO	10/27/2021	A2266		90063	#1.78	

Added user fields to GetDetail and Create operations.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
PCH	2/18/2022	A2299		104571	#2.19	

Added the new package reference property at line level to the Reply.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
JMO	3/1/2022	A2302		10842	#2.37	

The method is now set to the Obsolete status..

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
RLO	1/2/2023	A2427		151311	#2.137	

5. ITEMSOUTPUT2

Create

➔ Objectives

The objective of this service is to be able to create a special stock withdrawal.
The business rules are similar to those applied to special stock entries.

➔ Improvements

The service is now set to the Released status

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
RLO	1/2/2023	A2427		151311	#2.134	

GetDetail

➔ Objectives

The objective of this service is to return the detail of a special output.

➔ Improvements

The method is now set to the Released status

Dev	Date	CEGID's Ref.	Pb Ref.	PR	Plugin Build no.	Quality Ctrl
LDE	7/11/2023	A2452		179127	#3.73	

6. REPORT

This service manages the PDF transmission of a special input/output with the following steps:

- ➔ Cegid Retail Y2 server request to generate the PDF document on the server, by using the printing templates configured in the Back Office.
- ➔ Loading of the PDF to the service caller as soon as available on server.
- ➔ Sending the PDF to the service caller, for printing managed by this caller.

Please note: this service does not allow the document to be marked as printed (GP_EDITEE field not updated). The change in value of this field is reserved for interactive publishing, which links the creation of the PDF to its printing.

GenerateDocument

➔ Objectives

This method prompts the print server to stack the printing request of a document, using its unique identifier in Cegid Retail Y2.

The report is printed by default in the "software language" as defined in the cultural profile of the user using this service for the following elements:

- ➔ The mask: Titles and descriptions of the report template
- ➔ The format of numbers and dates.
- ➔ The data transmitted: item descriptions, markdown reason, etc.

The **LanguageId** property allows you to edit the report mask and the format of numbers and dates according to this new language.
The **CultureId** property allows you to force the formatting of data numbers and dates:

- ➔ If the **LanguageId** property is missing.
- ➔ If the **LanguageId** property is identical to the "software language" in the user's cultural profile.

The data remains in the user's language.
Only the native Cegid report generator is used to generate the PDF.

➔ Improvements

Poll

➔ Objectives

At the end of the PDF generation call, the Poll method is called to find out its availability.
In interactive mode, we recommend making an initial call after five seconds, then every two seconds with no time limit, leaving the user the option to pause the wait.
In batch mode, a call every 5 seconds is recommended, with a maximum of 10 calls.

➔ Improvements

Download

➔ Objectives

When the Poll returns positively, the Download method is used to download the PDF and print on a printer, store it or send it by e-mail.

➔ Improvements

7. REPORT2

This service manages the reports and follow-up of special inventory input/output.

This service manages the PDF transmission of a special input/output with the following steps:

- ➔ Request the Cegid Retail Y2 server to generate the PDF (GenerateXX method) on the server, by using the printing templates configured in the Back Office.
- ➔ Upload the PDF to the service caller as soon as it is available on server.
- ➔ Send the PDF to the service caller, for printing managed by this caller.

Download

➔ Objectives

This method downloads the PDF file that was generated by one of the Generate methods below.
The following business rules are applied:

- The identifier of the file to be downloaded must exist.

In response, a link will allow you to download the PDF document to your computer.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
ADU	11/29/2024	A2497		328753	#4.27	

➔ Improvements

The method is now set to the Released status

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
ADU	2/4/2025	A2508		352536	#4.62	

EndGenerateLabels

➔ Objectives

This method allows you to check the progress of a label printing request in *Cegid Retail Y2.*
The following business rules are applied:

- The process ID must exist

In response, the Report section is populated only if the PDF was successfully generated. The identifier of the generated file allows you to download it via the Download method

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
ADU	11/29/2024	A2497		328753	#4.27	

➔ Improvements

The method is now set to the Released status

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
ADU	2/4/2025	A2508		352536	#4.62	

GenerateLabels

➔ Objectives

This method is used to initiate a request to generate a PDF file of labels for items in a document identifying a special inventory input/output.
The following business rules are applied:

- The document must exist
- The printing template, language, and the store must exist.

If the print contains the 2D barcode, its setup is retrieved at the store level.

In reply, the information indicates the progress of the PDF generation request.

- The JobId is returned only if the generation could not be finalized within the requested time (WaitTimeout in request). This JobId is used to call the EndGenerateLabels method, which indicates the status of the generation.
- The Report section is populated only if PDF generation was successful. The identifier of the generated file allows you to download it via the Download method.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
LDE	12/10/2024	A2497		331576	#4.27	

➔ Improvements

The method is now set to the Released status

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
ADU	2/4/2025	A2508		352536	#4.62	

The price list type and pricing system used for label printing are no longer those of the document, but are now searched for at store level, in order to be able to print labels with their final consumer price inclusive of tax from a purchase document invoiced exclusive of tax.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
HDA	3/7/2025	1726793		367569	#.4.70	

8. OTHER

Net Framework 4.8

Following Microsoft's announcement about the "end of support for .NET Framework 4.5.2, 4.6 and 4.6.1 as soon as April 26, 2022" the plugin now requires the installation of the .Net Framework 4.8 (runtime) on server components.

Swagger

Rest/Restful APIs grouped by plugin, with the option of selecting them by plugin name.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
ADU	1/16/2025	1543349		345176	#4.54	