Registration date: January 21, 2026

Follow-up Notes

Sourcing Plugin V07

Cegid Retail Y2 – Version 26

Make more possible

cegid

Preamble

This plugin is a set of web services associated with one or more versions of Cegid Retail Y2.
This document describes its scope of implementation, as well as the changes and corrections made.
Please note: All plugin methods and services can be cited in this document. Only public methods for which the contract is published can be used by applications not designed by Cegid.

Legal notices

Permission is granted under this Agreement to download documents held by Cegid and to use the information contained in the documents only internally, provided that: (a) the copyright notice on the documents remains on all copies of the document; material; (b) the use of these documents for personal and non-commercial use unless it has been clearly defined by Cegid that certain specifications may be used for commercial purposes; (c) documents will not be copied to networked computers or published on any type of media unless expressly authorized by Cegid; and (d) no changes are made to these documents.

Contents

Preamble 2

1. OBJECTIVES 4

Documentation 4

Y2 versions 5

2. MANAGEMENT 6

GetList 6

GetDetail 7

GetListDetail 7

CreateFrom 9

Close 10

Create 10

Create2 12

CreateFrom2 13

3. REPORT 15

GenerateDocument 15

Poll 15

Download 16

4. REPORT2 17

GenerateLabels 17

EndGenerateLabels 18

Download 18

5. OTHER 20

Net Framework 4.8 20

1. OBJECTIVES

The **Sourcing** plugin is used to manage the flow of supplier orders. Transformation services for delivery notices are currently available. This service will be gradually enriched.

Reminder: Only public methods for which the contract is published can be used by applications not designed by Cegid. Cegid reserves the right to modify private services without ensuring backward compatibility, and without informing users.

Documentation

The service contract documentation is visible on the IIS server(s) from the software package download page:



"Documentation" is a link that provides access to the documentation list:



- **Web Services**
  The screen displayed provides access to the Web Services contracts and their properties.
  Please note: the absence of a contract in the Web Services documentation screen means that the service is not installed or is not public.

- **Exceptions**
  This part provides access to exceptions, classified by type, and according to the plugin.

- **Installation**
  This page allows you to download Web Services installation and consumption documentation.

Y2 versions

This plugin is compatible with the following version of Cegid Retail Y2:

- Version 26

Note:
The # sign at the beginning of the plugin build number corresponds to the major version of Cegid Retail Y2.

2. MANAGEMENT

GetList

➔ Objectives

This service returns the list of supplier delivery notices that meet the contract criteria:

- ➔ List of stores in which to search delivery notices in compliance with the user restrictions specified in the contract.
- ➔ Document dates period.

The "Paging" property provides protection against timeouts due to a significant number of documents. We recommend that it be used with a setting of a few hundred lines, supplemented by tests for dimensioning this value according to the communication line.
Please note: the speed of data loading varies according to the device and its location.
The Web Service caller should check that not all information is returned in the first page. It can then call the next page, until all headers are recovered.

The ExtractByOldest property decides on the order for document recovery:

- ➔ False: default value, recovering the documents starting with the most recent.
- ➔ True: recovery of documents starting with the oldest.

➔ Improvements

Optimizing the search for delivery notices.
The remaining quantities to deliver for customer orders and reservation requests are no longer calculated systematically, but only if the Y2 company setting "Calculation of customer expectations in GETs of transfer/delivery notices" in the "Commercial Management/Web Services" tab is checked.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
HDA	3/2/2022	A2320		107261	#4.68	

Added user fields in GetList operation.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
JMO	3/10/2022	A2299		108471	#4.97	

Using the UserRestrictions service of the Identity plugin to control the provided stores.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
EPL	3/22/2023	698738		161149	#5.36	

GetDetail

➔ Objectives

The GetDetail service sends the lines of a document, the identifier of which is specified in the contract.
Please note: Managing an item with a serial number requires a unit quantity for the line.

➔ Improvements

Added new properties, external reference, catalog reference, package reference and complementary description at line level to the reply.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
JMO	3/1/2022	A2302		107087	#4.60	

Optimizing the search for delivery notices.
The remaining quantities to deliver for customer orders and reservation requests are no longer calculated systematically, but only if the Y2 company setting "Calculation of customer expectations in GETs of transfer/delivery notices" in the "Commercial Management/Web Services" tab is checked.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
HDA	3/2/2022	A2320		107261	#4.68	

Correction in viewing a supplier return including a serial number.
The XML flow returned by the GetDetail method was incomplete when the line in the supplier return contained a serial number.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
PLA	10/2/2024	1606270		305599	#5.227	

GetListDetail

➔ Objectives

This service returns the list of supplier delivery notices that meet the contract criteria, with details by line, as with the GetList and GetDetail services.
This service should only be used if a limited number of documents are returned, with few lines.
If there are documents with more than a few dozen lines, this service should not be used, GetList and GetDetail being preferred.

➔ Improvements

Added new properties, external reference, catalog reference, package reference and complementary description at line level to the reply.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
JMO	3/1/2022	A2302		107087	#4.60	

Optimizing the search for delivery notices.
The remaining quantities to deliver for customer orders and reservation requests are no longer calculated systematically, but only if the Y2 company setting "Calculation of customer expectations in GETs of transfer/delivery notices" in the "Commercial Management/Web Services" tab is checked.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
HDA	3/2/2022	A2320		107261	#4.68	

Added user fields in GetListDetail operation.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
JMO	3/10/2022	A2299		108471	#4.97	

Added the internal reference, external reference, and the follow-up reference to the request.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
EPL	3/17/2023	A2424		160436	#5.23	

Using the UserRestrictions service of the Identity plugin to control the provided stores.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
EPL	3/22/2023	698738		161149	#5.36	

The StoreIds property is made optional.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
RLO	6/21/2023	A2455		175501	#5.81	

The method now returns supplier return lines with negative quantities.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
EPL	9/18/2023	1205917		189554	#5.116	

The GetListDetail operation of the SourcingManagement WS now returns the positive RemainingQuantity field in the line section.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
FDE	2/7/2025	16897873	INC0209865	354710	#6.51	

The GetListDetail operation of the SourcingManagement WS now returns the TotalQuantity field without being multiplied by the number of serial numbers in the line.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
FDE	2/10/2025	1704359	INC0210668	355867	#6.55	

CreateFrom

➔ Objectives

The objective of this service is to be able to validate a delivery notice to convert it into a supplier receipt and feed into the store's inventory.

Please note: Delivery notices awaiting approval are not returned.

Scope

The generation of delivery notices as delivery slips addresses the following functions:

- Overall generation of a document without passing lines in the contract.
- Line-by-line generation to take account of any remaining information in the document, according to its options
- Possibility to close the delivery notice according to the RemainderManagement property
- Management of lines in quantity, with no concept of valuation, with recovery of the original document valuation and calculation of the document pro-rata to the quantities prepared/delivered.
- Integration of a warehouse in the header (for all lines) or a line-specific warehouse according to the generation type.
- Recognition of the converted document by its Y2 number.
- Integration of serial numbers with a mandatory unit quantity and the DisableMergeLines property set to True.

Idempotency

Idempotency guarantees that an action gives the same result, regardless of its number of applications.
Good practice is to specify the OperationUid property in the contract, allowing Cegid Retail Y2 to record this information, in order not to repeat the processing. This number should therefore be unique.
Example:

- Software calls the CreateFrom service to generate a document in Cegid Retail Y2.
- Y2 performs the processing but cannot communicate this information with the caller, who makes a fresh attempt:
  - If the OperationUid property is transmitted, Y2 knows that the processing was successful and informs the caller.
  - With no OperationUid property specified, Y2 attempts to repeat the same processing, risking the creation of a new document.

We undertake to provide this information; it will soon become mandatory.

Recognition of the item

This service allows the item on each line to be found in two ways:

- Lines.ItemIdentifier.Reference: This property should not be used; it is not reliable.

In the case of a reference with the same level of priority for several items, nothing can predict which item will be used.
This property will soon be rendered obsolete.

- Lines.ItemIdentifier.Id: This property identifies an item in a unique way in Cegid Retail Y2 and should be used.

➔ Improvements

Added user fields in CreateFrom operation.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
PCH	2/24/2022	A2299		106233	#4.31	

Added properties FollowUpReference and ExternalReference at header level and ExternalReference, CatalogReference, AdditionalDescription, and PackageReference at line level.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
RLO	3/9/2022	A2302		108073	#4.91	

The method is now set to the Released status.
Method replaced by CreateFrom2. It has the status Obsolete and will be removed from versions generated after 2/1/2028

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
RLO	1/2/2023	A2427		15157	#4.217	

Close

➔ Objectives

The objective of this service is to close a delivery notice.

Please note: Please note delivery notices awaiting approval cannot be closed.

➔ Improvements

Create

➔ Objectives

The objective of this service is to be able to create a supplier return.

Scope

Please note: You must take into account the option in the company setting which allows you to specify that the items are provided by single supplier. If you manage single supplier items, you must check that the items in the lines are associated with the supplier in the return header.
The supplier return is systematically revalued (same operation as in the import with the $$_RECALCULPIECE variable.)
At least one quantity must be returned in the document.
If the delivery date is not filled in, the document date is copied to this date.
The effective date of the document is updated by the import according to the date of the document.

Management of sales representatives/salespeople:

- If there is a representative at line level, he/her will be recovered in the line.
- If there is a representative in the header, but not at line level, the header representative will be recovered in the line.
- If there is a representative in the line, but not in in the header, the representative of the first line will be recovered in the header.

Management of movement reasons:

- The reason provided in the header of the contract is applied by default to all document
- If the document supports movement reasons, an exception is raised if:
    - The reason is not provided in in the contract header.
    - The reason provided in the header does not exist in Y2
    - The scope of the reason does not match the type of the processed document
- If the document type does not support movement reasons, an exception is raised if a reason is provided in the contract header.

If there is line with a serial number:

- The quantity of the line must be 1
- The DisableMergeLines property must be set to True.
- The document type must accept serial numbers (and management exceptions to the store/warehouse)

External reference:

- If the reference is provided in the contract header, it will be recovered in the document header, but it will not be applied to the document lines.
- If the external reference is provided at line level, it will be recovered in the document lines.

Valuation:

- The document will be systematically revalued (set $$_RECALCULPIECE = 'X')

Idempotency

Idempotency guarantees that an action gives the same result, regardless of its number of applications.
It is necessary to specify the OperationUid property in the contract, allowing Cegid Retail Y2 to record this information, in order not to repeat the processing. This number should therefore be unique.
Example:

- Software calls the Create service to generate a document in Cegid Retail Y2.
- Y2 performs the processing but cannot communicate this information with the caller, who makes a fresh attempt:
    - If the OperationUid property is transmitted, Y2 knows that processing was successful and informs the caller.

➔ Improvements

Added user fields in Create operation.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
PCH	2/24/2022	A2299		106233	#4.31	

Added properties CatalogReference, AdditionalDescription, and PackageReference at line level.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
RLO	3/9/2022	A2302		108073	#4.91	

The method is now set to the Obsolete status.
Method replaced by Create2. It has the status Obsolete and will be removed from versions generated after 2/1/2028.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
RLO	1/2/2023	A2427		15157	#4.217	

The minimum value of the quantity provided to the method is 0.0001.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
EPL	8/3/2023	1210660		182906	#5.99	

Create2

➔ Objectives

This operation corresponds to version 2 of the Create operation. It allows you to create a supplier return with the same scope. The difference occurs at item level. Indeed, there is an ItemId field in the Create operation. In Create2, we now use an ItemIdentifier section which contains the Id/Barcode combination to identify the item either from its identifier, or its barcode.

➔ Improvements

New operation

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
PCH	3/3/2022	A2311		106233	#4.31	

Added properties CatalogReference, AdditionalDescription, and PackageReference at line level.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
RLO	3/9/2022	A2302		108073	#4.91	

The minimum value of the quantity provided to the method is 0.0001.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
EPL	8/1/2023	1210660		182384	#5.95	

A new "Comment" property is added to headers and lines, allowing the comment entered on the mobile device to be integrated.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
RLO	9/5/2025	1947111		415969 416650	#6.616	

CreateFrom2

➔ Objectives

This operation corresponds to version 2 of the CreateFrom2 operation with the same scope . The difference occurs at item level. Indeed, in the CreateFrom operation, there is an ItemIdentifier field with the Id/Reference combination. In CreateFrom2, the ItemIdentifier section but with the Id/Barcode combination to identify the item indifferently from its identifier or its barcode. You can also validate a purchase order (in addition to the delivery notice) to transform it into a supplier receipt and supply the store's stock.

➔ Improvements

Addition of the CreateFrom2 operation.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
PCH	6/2/2022	A2301		PR 119567	#4.98	

A new "Comment" property is added to headers and lines, allowing the comment entered on the mobile device to be integrated.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
	9/5/2025	1947111		415969	#6.616	

RLO				416650		

3. REPORT

This service manages transmission of the PDF of a supplier receipt, once delivery notice been validated, with the following steps:

- ➔ Cegid Retail Y2 server request to generate the PDF document on the server, by using the printing templates configured in the Back Office.
- ➔ Loading of the PDF to the service caller as soon as available on server.
- ➔ Sending the PDF to the service caller, for printing managed by this caller.

Please note: this service does not allow the document to be marked as printed (GP_EDITEE field not updated). The change in value of this field is reserved for interactive publishing, which links the creation of the PDF to its printing.

GenerateDocument

➔ Objectives

This method prompts the print server to stack the printing request of a document, using its unique identifier in Cegid Retail Y2.

The report is printed by default in the "software language" as defined in the cultural profile of the user using this service for the following elements:

- ➔ The mask: Titles and descriptions of the report template
- ➔ The format of numbers and dates
- ➔ The data transmitted: item descriptions, markdown reason, etc.

The **LanguageId** property allows you to edit the report mask and the format of numbers and dates according to this new language.
The **CultureId** property allows you to force the formatting of data numbers and dates:

- ➔ If the **LanguageId** property is missing.
- ➔ If the **LanguageId** property is identical to the "software language" in the user's cultural profile.

The data remains in the user's language.
Only the native Cegid report generator is used to generate the PDF.

➔ Improvements

Poll

➔ Objectives

At the end of the PDF generation call, the Poll method is called to find out its availability.
In interactive mode, we advise to make a first call after 5 seconds, then every 2 seconds without time limit, leaving the user the possibility to interrupt the wait.
In batch mode, a call every 5 seconds is recommended, with a maximum of 10 calls.

➔ Improvements

Download

➔ Objectives

When the Poll returns positively, the Download method is used to download the PDF and print on a printer, store it or send it by e-mail.

➔ Improvements

4. REPORT2

The Report2 service allows the management of reports related to sourcing documents.

The following steps are to be respected:

- ➔ Cegid Retail Y2 server request to generate the PDF of the document on the server, by using the printing templates configured in the Back Office.
- ➔ Upload the PDF to the service caller as soon as it is available on server.
- ➔ Send the PDF to the service caller, for printing managed by this caller.

GenerateLabels

➔ Objectives

This method is used to initiate a request to generate the PDF file for labels of a sourcing document in *Cegid Retail Y2*.

The document types processed are :

- Supplier receipts
- Supplier returns

The following business rules are applied:

- A document identifier must be filled in and exist
- If the reprint request is requested and the reprint reason is entered, it must exist
- The reason for reprint must only be entered when reprinting.
- The printing template, language, and the store must exist.

In reply, the information indicates the progress of the PDF generation request.

- The JobId is returned only if the generation could not be finalized within the requested time (WaitTimeout in request). This JobId is used to call the EndGenerateLabels method, which indicates the status of the generation.
- The Report section is populated only if the PDF generation was successful. The identifier of the generated file allows you to download it via the Download method
- The EventLog section is populated if the event log is updated, i.e. if a reprint is made.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
LDE	12/24/2024	A2497		PR 335383	# 6.24	

➔ Improvements

The method is now set to status Beta

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
ADU	2/4/2025	A2508		353155	# 6.50	

The price list type and pricing system used for label printing are no longer those of the document, but are now searched for at store level, in order to be able to print labels with their final consumer price inclusive of tax from a purchase document invoiced exclusive of tax.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
HDA	3/5/2025	1726793		366581	#.6.64	

EndGenerateLabels

➔ Objectives

This method allows you to check the progress of a label printing request in *Cegid Retail Y2*.
The following business rules are applied:

- The process ID must exist

If the EventLog section is populated, the event log identifier will update it to indicate that printing is complete if it is.

In response, the Report section is populated only if the PDF was successfully generated. The identifier of the generated file allows you to download it via the Download method.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
LDE	12/24/2024	A2497		PR 336877	# 6.32	

➔ Improvements

The method is now set to status Beta

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
ADU	2/4/2025	A2508		353155	# 6.32	

Download

➔ Objectives

This method downloads the PDF file that was generated by one of the Generate methods below.

The following business rules are applied:

- The identifier of the file to be downloaded must exist.

In response, a link will allow you to download the PDF document to your computer.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
LDE	12/24/2024	A2497		PR 336877	# 6.32	

➔ Improvements

The method is now set to status Beta

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
ADU	2/4/2025	A2508		353155	# 6.32	

5. OTHER

Net Framework 4.8

Following Microsoft's announcement about the "end of support for .NET Framework 4.5.2, 4.6 and 4.6.1 as soon as April 26, 2022" the plugin now requires the installation of the .Net Framework 4.8 (runtime) on server components.

Swagger

Rest/Restful APIs grouped by plugin, with the option of selecting them by plugin name.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
ADU	1/16/2025	1543349		344817	#6.43	