Registration date: January 21, 2026

Follow-up Notes

TaskScheduler Plugin

Cegid Retail Y2 – Version V26

Make more possible

cegid

Preamble

This plugin is a set of web services associated with one or more versions of Cegid Retail Y2.
This document describes its scope of implementation, as well as the changes and corrections made.
Please note: All plugin methods and services can be cited in this document. Only public methods for which the contract is published can be used by applications not designed by Cegid.

Legal notices

Permission is granted under this Agreement to download documents held by Cegid and to use the information contained in the documents only internally, provided that: a) the copyright notice on the documents remains on all copies of the document; material; (b) the use of these documents for personal and non-commercial use unless it has been clearly defined by Cegid that certain specifications may be used for commercial purposes; (c) documents will not be copied to networked computers or published on any type of media unless expressly authorized by Cegid; and (d) no changes are made to these documents.

Contents

Preamble 2

1. OBJECTIVES 4

Documentation 4

Y2 versions 5

2. MANAGEMENT 6

GetDetail 8

GetListDetail 8

Enable 9

Disable 10

ForceRun 10

3. OTHER 11

1. Objectives

The objective of the **TaskScheduler** plugin is to provide services related to the scheduling of certain processes, allowing them to be launched automatically on the task servers at a given date/time or on a regular basis.

Reminder: Only public methods for which the contract is published can be used by applications not designed by Cegid. Cegid reserves the right to modify private services without ensuring backward compatibility, and without informing users.

Documentation

The service contract documentation is visible on the IIS server(s) from the software package download page:



"Documentation" is a link that provides access to the documentation list:



- **Web Services**
  The screen displayed provides access to the Web Services contracts and their properties.
  Please note: the absence of a contract in the Web Services documentation screen means that the service is not installed or is not public.

- **Exceptions**

This part provides access to exceptions, classified by type, and according to the plugin.

- **Installation**
  This page allows you to download Web Services installation and consumption documentation.

Y2 versions

This plugin is compatible with the following version of Cegid Retail Y2:

- Version 26

Note:
The # sign at the beginning of the plugin build number corresponds to the major version of Cegid Retail Y2.

2. MANAGEMENT

Scheduled tasks are created from the screens of Cegid Retail Y2 schedulable features (replenishment, data import, accounting transfer, etc.) via the standard scheduling button .

Example of data import:





The created tasks can be viewed in the Back Office module Administration through menu Scheduled tasks > Query:



Task	Description	Automatic description	Date of next run	Server last run date	Sequence	Allocated	Task status	Status	Active	Force execution	Information message	Task server name
316	DATA RECOVERY	Every hours	17/03/2023 09:15:00	17/03/2023 09:18:03	0H		OK				103;2685	
315	LanceProcess 'CgiMode.exe'	LanceProcess 'CgiMode.exe'	03/01/2023 15:57:53	03/01/2023 15:58:02	1F		OK				103;2600	
314	LanceProcess 'CgiMode.exe'	LanceProcess 'CgiMode.exe'	03/01/2023 13:54:44	03/01/2023 13:55:01	1F		OK				103;2596	
313	LanceProcess 'CgiMode.exe'	LanceProcess 'CgiMode.exe'	03/01/2023 13:49:42	03/01/2023 13:49:59	1F		OK				103;2595	
312	LanceProcess 'CgiAdminTools.exe'	LanceProcess 'CgiAdminTools.exe'	03/01/2023 13:49:05		1F		OK					
311	LanceProcess 'CgiMode.exe'	LanceProcess 'CgiMode.exe'	13/12/2022 16:34:54	13/12/2022 16:35:05	1F		OK				103;2547	
310	LanceProcess 'CgiAdminTools.exe'	LanceProcess 'CgiAdminTools.exe'	13/12/2022 16:23:59		1F		OK					
309	LanceProcess 'CgiMode.exe'	LanceProcess 'CgiMode.exe'	26/10/2022 08:25:46	26/10/2022 08:25:56	1F		OK				103;2444	
308	ASSISTANT D'ARRÊTÉ DE STOCK	Une seule fois le 14/09/2022 à 09:54	14/09/2022 09:54:00	14/09/2022 09:54:29	1F		OK				103;2348	
307	LanceProcess 'CgiMode.exe'	LanceProcess 'CgiMode.exe'	07/09/2022 10:04:22	07/09/2022 10:04:32	1F		OK				103;2313	
306	LanceProcess 'CgiAdminTools.exe'	LanceProcess 'CgiAdminTools.exe'	07/09/2022 10:03:52		1F		OK					
305	LanceProcess 'CgiMode.exe'	LanceProcess 'CgiMode.exe'	16/06/2022 13:25:53	16/06/2022 13:26:12	1F		OK				103;2112	
304	LanceProcess 'CgiMode.exe'	LanceProcess 'CgiMode.exe'	09/05/2022 10:32:19	09/05/2022 10:32:34	1F		OK				103;2077	
303	LanceProcess 'CgiAdminTools.exe'	LanceProcess 'CgiAdminTools.exe'	09/05/2022 10:11:56		1F		OK					
302	LanceProcess 'CgiMode.exe'	LanceProcess 'CgiMode.exe'	09/05/2022 10:04:53	09/05/2022 10:05:11	1F		OK				103;2076	
301	LanceProcess 'CgiAdminTools.exe'	LanceProcess 'CgiAdminTools.exe'	09/05/2022 09:55:49		1F		OK					
300	LanceProcess 'CgiMode.exe'	LanceProcess 'CgiMode.exe'	09/05/2022 09:13:42	09/05/2022 09:13:54	1F		OK				103;2075	
299	LanceProcess 'CgiAdminTools.exe'	LanceProcess 'CgiAdminTools.exe'	09/05/2022 09:05:09		1F		OK					
298	LanceProcess 'CgiMode.exe'	LanceProcess 'CgiMode.exe'	09/05/2022 07:57:41	09/05/2022 07:57:50	1F		OK				103;2074	
297	LanceProcess 'CgiAdminTools.exe'	LanceProcess 'CgiAdminTools.exe'	09/05/2022 07:49:49		1F		OK					

Opening the task record allows its administration, with the possibility to:

- Modify the schedule
- Activate/Deactivate the task
- Force an immediate execution of a task, without waiting for its start time.



When a task is launched, its execution is recorded in the event log, allowing its follow-up:



Site code	Number	Creation date	Date of update	Store	Level 1	Level 2	Level 3	Status	Summary	Type of executable file
103	2692	17/03/2023 09:48:19	17/03/2023 09:48:21	ST JEAN DE TURIGNEUX	administration	REP	Data import	OK	Recovery from 03/17/2023 at 09:48:19 AM	PSE
103	2691	17/03/2023 09:48:17	17/03/2023 09:48:21	ST JEAN DE TURIGNEUX	administration	PLA	Data import	OK	Task no.317 - DATA RECOVERY	PSE
103	2690	17/03/2023 09:43:59	17/03/2023 09:44:01	ST JEAN DE TURIGNEUX	administration	REP	Data import	OK	Recovery from 03/17/2023 at 09:43:59 AM	PSE
103	2689	17/03/2023 09:43:56	17/03/2023 09:44:01	ST JEAN DE TURIGNEUX	administration	PLA	Data import	OK	Task no.317 - DATA RECOVERY	PSE
103	2688	17/03/2023 09:43:16	17/03/2023 09:43:16	ST JEAN DE TURIGNEUX	administration	PLA	Create a scheduled task	OK	Data recovery	SC
103	2687	17/03/2023 09:42:47	17/03/2023 09:42:47	ST JEAN DE TURIGNEUX	administration	SOC	Version number	OK	Version: 21.00.0.1620	SC
103	2686	17/03/2023 09:18:13	17/03/2023 09:18:16	ST JEAN DE TURIGNEUX	administration	REP	Data import	OK	Recovery from 03/17/2023 at 09:18:12 AM	PSE
103	2685	17/03/2023 09:18:03	17/03/2023 09:18:17	ST JEAN DE TURIGNEUX	administration	PLA	Data import	OK	Task no.316 - DATA RECOVERY	PSE
103	2683	17/03/2023 09:15:11	17/03/2023 09:15:11	ST JEAN DE TURIGNEUX	administration	PLA	Create a scheduled task	OK	Data recovery	SC
103	2681	17/03/2023 09:01:42	17/03/2023 09:01:42	ST JEAN DE TURIGNEUX	administration	SOC	Version number	OK	Version: 21.00.0.1620	SC

The log report indicates any processing issues.

GetDetail

➔ Objectives

This method allows you to view the periodicity or the settings of a called task by its unique identifier.
More or less information is returned, depending on the tags present in the Fields property.

The following business rules are applied:

- ➔ A task is returned only if it belongs to the Y2 domain (SKJ_APPPLATFORM = "Cegid Retail Y2 XX.Y")
- ➔ An exception is returned if the ID does not exist. In RESTFUL, the http status code 404 (NotFound) is returned.

➔ Improvements

The service is based on the number of occurrences of the task, to return the information of the last execution. This number is zero if the task is a "Once" task, and in this case the information was not returned, a change was made to fix this issue:

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
AMO	3/8/2023	1110892	1110892	158098	#3.20	

A new Origin property has been added to the reply.
This property indicates the origin of the task. The available origin types are:

- DOS – Folder (default value)
- CEG – Predefined (this task type cannot be disabled and is considered a predefined task)

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
AAH	10/20/2025	1968084	1968084	423853	#4:14 AM	

GetListDetail

➔ Objectives

This method allows an external scheduler to have access to the data of the tasks scheduled in Cegid Retail Y2: task number, description, automatic description, next execution date, sequence, allocation, task status, status, last execution end date, scheduled tasks in progress.
It also allows you to retrieve the list of tasks according to their status (activated, deactivated, in progress, etc.), and to filter on a particular task.
More or less information is returned, depending on the tags present in the Fields property.

The following business rules are applied:

- ➔ A task is returned only if it belongs to the Y2 domain (SKJ_APPPLATFORM = "Cegid Retail Y2 XX.Y")
- ➔ The description and the automatic description are not mandatory. If it is present, a “LIKE” is performed.
- ➔ The tasks are returned sorted by Id, by default, if the "Sort" property is not specified.
- ➔ Each Boolean criterion follows the following rule:
  - Not present in the Request: No filter is applied.
  - Present in the Request: A filter is applied according to the value of the Boolean.
- ➔ Each date type criterion follows the following rule:
  - Not present in the Request: No restriction.
  - Present in the Request: Tasks with a date between the start and end dates will be returned in the list.
- ➔ As the list of tasks meeting the criteria can be quite large, a SOAP and RESTFUL compatible paging mechanism is implemented.
  Maximum size of a page: 1000 tasks, default value 100.

➔ Improvements

A new Origin property has been added to the reply.
This property indicates the origin of the task. The available origin types are:

- DOS – Folder (default value)
- CEG – Predefined (this task type cannot be disabled and is considered a predefined task)

Dev	Date	CEGID’s Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
AAH	10/20/2025	1968084	1968084	423853	#4:14 AM	

Enable

➔ Objectives

This method is used to activate a scheduled task in Cegid Retail Y2..

The following business rules are applied:

- ➔ A task is returned only if it belongs to the Y2 domain (SKJ_APPPLATFORM = "Cegid Retail Y2 XX.Y")
- ➔ No error is returned, if the task is already active, with status = "Already done".
- ➔ No check on the scheduling data will be performed on the activation, as the task is assumed to be consistent when it is registered in the database in Y2.

➔ Improvements

Disable

➔ Objectives

This method is used to deactivate a scheduled task in Cegid Retail Y2.

The following business rules are applied:

- ➔ A task is returned only if it belongs to the Y2 domain (SKJ_APPPLATFORM = "Cegid Retail Y2 XX.Y")
- ➔ An exception is returned if the task is not active.

➔ Improvements

Tasks with the origin type Predefined (CEG) cannot be deactivated.

When an attempt is made to deactivate this type of task, the system returns an error status with error code CBR_206_0003 for the task concerned.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
AAH	10/20/2025	1968084	1968084	423853	#4:14 AM	

ForceRun

➔ Objectives

This method allows you to start the immediate execution of a scheduled task.

The following business rules are applied:

- ➔ A task is returned only if it belongs to the Y2 domain (SKJ_APPPLATFORM = "Cegid Retail Y2 XX.Y")
- ➔ The task that is forced to run can be inactive (one-off launch of a previously deactivated task). In this case, it remains inactive after launch.

➔ Improvements

3. OTHER

Swagger

Rest/Restful APIs grouped by plugin, with the option of selecting them by plugin name.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
ADU	1/16/2025	1543349		345140	#3.174	