Registration date: January 21, 2026

Follow-up Notes

TaxEngine Plugin V08

Cegid Retail Y2 – Version 26

Make more possible

cegid

Preamble

This plugin is a set of web services associated with one or more versions of Cegid Retail Y2.
This document describes its scope of implementation, as well as the changes and corrections made.
Please note: All plugin methods and services can be cited in this document. Only public methods for which the contract is published can be used by applications not designed by Cegid.

Legal notices

Permission is granted under this Agreement to download documents held by Cegid and to use the information contained in the documents only internally, provided that: (a) the copyright notice on the documents remains on all copies of the document; material; (b) the use of these documents for personal and non-commercial use unless it has been clearly defined by Cegid that certain specifications may be used for commercial purposes; (c) documents will not be copied to networked computers or published on any type of media unless expressly authorized by Cegid; and (d) no changes are made to these documents.

Contents

Preamble 2

1. OBJECTIVES 4

Documentation 4
Y2 versions 5

2. TAXENGINE 6

GetTax 6
CheckTaxes 10

3. TAXTYPES 11

GetDetail 11
GetListDetail 11
CreateOrUpdate 11

4. TAXSYSTEMS 13

GetDetail 13
GetListDetail 13
CreateOrUpdate 14
Delete 14

5. TAXCATEGORIES 15

GetDetail 15
GetListDetail 15
CreateOrUpdate 16
Delete 16

6. OTHER 17

Net Framework 4.8 17

1. Objectives

The **TaxEngine** plugin is used to manage the taxation of a receipt.

Reminder: Only public methods for which the contract is published can be used by applications not designed by Cegid. Cegid reserves the right to modify private services without ensuring backward compatibility, and without informing users.

Documentation

The service contract documentation is visible on the IIS server(s) from the software package download page:

"Documentation" is a link that provides access to the list of documentation:



➔ **Web Services**
The screen displayed provides access to the Web Services contracts and their properties.
Please note: the absence of a contract in the Web Services documentation screen means that the service is not installed or is not public.

➔ **Exceptions**
This part provides access to exceptions, classified by type, and according to the plugin.

- **Installation**
  This page allows you to download Web Services installation and consumption documentation.

Y2 versions

This plugin is compatible with the following version of Cegid Retail Y2:

- Version 26

Note:
The # sign at the beginning of the plugin build number corresponds to the major version of Cegid Retail Y2.

2. TAXENGINE

GetTax

➔ Objectives

Please note: this service uses internal services from Y2. It is heavily dependent on Core versions.

➔ Improvements

Non-taxable items

From now on, the GetTax method of the Tax service always returns a tax line with the tax information in case the item is not taxable.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
EPL	12/13/2021	688881			#5:15	

External tax calculation connector

The "TaxDetails[].Rank" and "TaxDetails[].SkuTaxSystem" properties in the query lines are used to indicate which tax types of the item will be passed to the external tax calculation connector. If these types are not present in the request, they are added by the service before calling the external connector.
Please note that these properties are not taken into account by the internal calculation of the GetTax operation.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
NAC	3/29/2022	752915	A2343		#5.50	

Tax exception

The "TaxExceptionId" property of the query lines is used to indicate the tax exception code that applies to a line and causes the item tax types to be replaced with those defined for the tax exception.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
NAC	3/29/2022	752915	A2343		#5.50	

Taxation region and country

The ISO codes for the taxation country and the Y2 code for the taxation region are now returned in the details of the taxes applied to the document lines. The values returned depend on the settings of the tax model and whether the goods are delivered or not.

The following table shows how these fields are affected in the case of a sale.

Search for taxes in the model	Over-the-counter sale		Sale for delivery	
	Taxation country	Taxation region	Taxation country	Taxation region
No regionalization	Country of the store	Not specified	Country of the delivery address	Not specified
Zip code	Country of the store	Store zip code	Country of the delivery address	Zip code of the delivery address
Region	Country of the store	Region of the store	Country of the delivery address	Region of the delivery address
Tax system	Not specified	Tax system of the store	Not specified	Tax system of the store (*)
Store	Not specified	Store	Not specified	Store

(*) The behavior differs from the tax calculation of the Y2 Front Office and Back-Office applications that return the customer's tax system in the case of a delivery.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
NAC	5/9/2022	439676			#.5.67	

Additional information for the external connector

The "CustomerTaxExemptionReference" field is added to the query to pass the tax exemption reference provided by the customer to the external tax calculation connector which may require this information for legal reasons.
The "CustomsCode" field is added to the query lines to pass the customs code of the items to the connector, which can use them to determine taxation rules for the items. If this field is missing or empty in the query, the customs code available in the item record is passed to the external connector.
The "MovementReasonId" and "OriginalDocumentDate" fields are added to the query lines to pass the return reason and the date of the original sale of the returned items to the external tax calculation connector, which can use them to determine the tax rules to apply.
These fields are passed as is to the external tax calculation engine set up for the store of the document to be taxed, but they are simply ignored if no external connector is set up.

If the customer's tax system given by the "CustomerTaxSystem" field is missing or empty in the query, the tax system used by the internal calculation is passed to the external connector.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
NAC	5/11/2022	723975	A2348		#.5.73	

Administrative entity address

The "AdministrativeCode" field is added to the query lines to transmit the address of the administrative entity of a return line to the external tax calculation connector that may require this information for legal reasons. This address can be the address of the store where the sale was made or the store where the order was taken.
This field is passed as is to the external tax calculation engine set up for the store to which the document to be taxed belongs, but it is simply ignored if no external connector is set up.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
NAC	6/24/2022	830035	A2348		#.5.86	

External reference of the original sale

The "OriginalDocumentExternalReference" field is added to the query lines to transmit the external reference of the sales document header of a return line to the external tax calculation connector that may require this information for legal reasons.
This field is passed as is to the external tax calculation engine set up for the store to which the document to be taxed belongs, but it is simply ignored if no external connector is set up.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
NAC	8/30/2022	862249	A2388		#5.105	

Generating and sending a Setting:access apikey to authorized URLs

If the URL specified in the taxConnector configuration starts with an allowed URL, an apikey of scope settings:access is generated and cached, or retrieved from the cache for subsequent passes. Authorized URLs are listed in the .cegidconfig file of the plugin.
The apikey is then sent to the taxConnector in the request header along with the tenantId and callback URL.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
DLE	11/28/2022	800679			#5.140	

Additional amounts

Taxes on the additional amounts of a document line given with the "ExtraAmounts" property are calculated even if the net amount of the line is zero, for example for an item with 100% discount. In addition, the tax rates applicable to the line are returned.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
NAC	11/27/2023	1250083	A2464	204824	#6.124	

Tax rates applicable to all tax systems

If the tax rate search criterion set in the tax model is "tax system", you can create a tax rate that applies to all tax systems with the code "...".
The tax calculation operation now searches for the rates defined for the tax system of the document. If no rate exists, it searches for the rates defined for all tax systems.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
NAC	11/27/2023	1250083	A2464	204824	#6.124	

Subsidiary

Corrected the error concerning the length of the SubsidiaryId field, which occurred when calculating taxes for a sale to be delivered to a store in the USA that was not part of a subsidiary.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
NAC	12/15/2023	1250083	A2464	209724	#6.130	

Recording the transaction

The reply of the "GetTax" operation indicates whether the transaction should be recorded in the tax system. This information is given by the external tax calculation connector.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
NAC	4/22/2024	1465732		251872	#6.155	

External tax calculation connector

The result of the internal tax calculation is passed into the "InternalResult" property of the request sent to the TaxConnector.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
NAC	4/30/2024	1465732		254912	#6.158	

Effective rate

Change in the calculation algorithm of the reply.Lines[I].TaxRate property, for items with tax amount equal to 0, the effective rate becomes the sum of the tax rates applying to the line.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
PLA	5/6/2024	1470963		255109	#6.164	

Setting 'Calculating taxes by line' or 'by grouping' is now taken into account

TaxEngine now takes advantage of the Cegid Retail Y2 tax model setting, which allows tax to be calculated by grouping or by line ('Tax model' record, 'Properties' tab, 'Calculating taxes by line'.) Depending on 'IsTaxIncluded', the 'Calculating taxes by line' checkbox 'For tax excl. document' or 'For tax incl. document' is taken into account. If 'by line' is ticked, taxes are calculated line by line. If not ticked, taxes are calculated on the total of all lines, and any difference is distributed over the 2 lines with the highest amount.

Please note: If the tax model properties are not checked, the results may be different with this new version.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
ADU	7/4/2024	1266264		273828	#7.25	

Setting 'Activation of US fiscal representations' is now taken into account

TaxEngine now takes advantage of the Cegid Retail Y2 tax model setting, which allows sales to be tax-exempt if they are to be delivered to a US state in which the retailer does not have a fiscal representation, i.e., a branch or subsidiary (Tax model record, Properties tab, 'Activation of US fiscal representations'.)

Please note: If the tax model property is not checked, the results may be different with this new version.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
NAC	7/9/2024	1391824		276444	#7.28	

Tax system options taken into account when invoicing inclusive of tax

TaxEngine now always takes into account the tax system setting of the document to determine whether taxes apply. Previously, this setting only applied to documents invoiced exclusive of tax. Now it also applies to documents invoiced inclusive of tax.

Please note: Unlike the old versions, if the tax systems are incorrectly set, so **that the taxes do not apply**, the result of the tax calculation can now be zero or different, **according to this setup**.

It is now necessary to make the setup consistent so that the taxes must apply.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
NAC	10/9/2024	1579921		308624	#7.56	

External tax calculation connector

Implementation of a RETY mechanism when the TaxEngine plugin calls an external tax engine, via a REST http call, with 3 attempts made before raising an exception.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
PLA	10/21/2025	1970980	INC0261310	427344	#7.233	

CheckTaxes

➔ Objectives

Unexposed method, used to control the taxes of a cart of lines.
Added dependency on the Company plugin.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
EPL	4/11/2022	706595			#.5.60	

➔ Improvements

3. TAXTYPES

GetDetail

➔ Objectives

This method returns a tax category from a tax model.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
OEL	8/11/2025			411746	#5.413	

➔ Improvements

GetListDetail

➔ Objectives

This method returns a list of tax categories classified by identifier for a tax model.
Paging is implemented.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
OEL	8/19/2025			412111	#7.158	

➔ Improvements

CreateOrUpdate

➔ Objectives

The aim of this method is to create or modify the tax categories of a tax model.
The tax model must exist.
The number of tax categories must correspond to the number of taxes in the tax model (1 or 2).

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
OEL	8/19/2025			412111	#7.158	

➔ Improvements

4. TAXSYSTEMS

GetDetail

➔ Objectives

This operation displays the details of a tax system identified by its code (***TaxSystemId***).
It provides all the descriptive information associated with the tax system, including:

- **TaxModelId**: Model identifier
- **TaxSystemId**: Unique identifier for the tax system.
- **Description**: Full label of the tax system.
- **ShortDescription**: Abbreviated label of the tax system
- **Taxes**: List of application indicators for the taxes making up the tax system
  - **Rank**: Tax number
  - **isSubmitted**: Indicates whether the tax is applicable.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
AAH	9/23/2025			415788	#7.187	

➔ Improvements

GetListDetail

➔ Objectives

This operation allows you to **view the list of tax schemes**.
It provides all the descriptive information associated with every tax system, with the option of filtering and paging, including:

- **TaxModelId**: Tax model identifier
- **TaxSystemId**: Unique identifier for the tax system.
- **Description**: Full name of the tax system.
- **ShortDescription**: Abbreviated label of the tax system.
- **Taxes**: List of application indicators for the taxes making up the tax system
  - **Rank**: Tax number
  - **isSubmitted**: Indicates whether the tax is applicable.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
AAH	9/23/2025			415788	#7.187	

➔ Improvements

CreateOrUpdate

➔ Objectives

This operation is used to create or modify a tax system identified by its code (**TaxSystemId**).
It provides and records all descriptive and structural information associated to the tax system, including:

- **TaxModelId**: Tax model identifier
- **TaxSystemId**: Unique identifier for the tax system.
- **Description**: Full label of the tax system.
- **ShortDescription**: Abbreviated label of the tax system.
- **Taxes**: Collection of application indicators for the taxes making up the tax system
  - **Rank**: Tax number (1 or 2 depending on model).
  - **isSubmitted**: Indicates whether the tax is applicable.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
AAH	9/23/2025			415788	#7.187	

➔ Improvements

Delete

➔ Objectives

This operation is used to **delete a tax system** identified by its code (**TaxSystemId**).

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
AAH	9/23/2025			415788	#7.187	

➔ Improvements

5. TAXCATEGORIES

GetDetail

➔ Objectives

This operation allows you to **view the details of a tax category** for a given tax level (***taxRank***).
It provides all the descriptive information associated to the category, including:

- **TaxRank**: Tax number (1 or 2)
- **TaxCategoryId**: Unique identifier for the tax category
- **Description**: Full label of the tax category.
- **ShortDescription**: Abbreviated label of the tax category

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
AAH	9/23/2025			420024	#7.196	

➔ Improvements

GetListDetail

➔ Objectives

This operation allows you to **view the list of tax categories** for a given tax level (***taxRank***).
It provides all associated descriptive information for every category, including:

- **TaxRank**: Tax number (1 or 2).
- **TaxCategoryId**: Unique identifier for the tax category
- **Description**: Full name of the tax category
- **ShortDescription**: Abbreviated label of the tax category

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
AAH	8/19/2025			418488	#7.194	

➔ Improvements

CreateOrUpdate

➔ Objectives

This operation allows you to **create or modify a tax category** for a given tax level (***taxRank***).
It provides and records all the descriptive information associated to the category, including:

- **TaxRank**: Tax number (1 or 2)
- **TaxCategoryId**: Unique identifier for the tax category
- **Description**: Full label of the tax category.
- **ShortDescription**: Abbreviated label of the tax category

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
AAH	9/23/2025			420024	#7.196	

➔ Improvements

Delete

➔ Objectives

This operation allows you to **delete a tax category** for a given tax level (***taxRank***).

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
AAH	9/23/2025			420560	#	

➔ Improvements

6. OTHER

Net Framework 4.8

Following Microsoft's announcement about the "end of support for .NET Framework 4.5.2, 4.6 and 4.6.1 as soon as April 26, 2022" the plugin now requires the installation of the .Net Framework 4.8 (runtime) on server components.

Swagger

Rest/Restful APIs grouped by plugin, with the option of selecting them by plugin name.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull request	Plugin Build no.	Quality Ctrl
ADU	1/16/2025	1543349		345242	#7.78	