Registration date: January 21, 2026

Follow-up Notes

Transfer Plugin V07

Cegid Retail Y2 – Version 26

Make more possible

cegid

Preamble

This plugin is a set of web services associated with one or more versions of Cegid Retail Y2.
This document describes its scope of implementation, as well as the changes and corrections made.
Please note: All plugin methods and services can be cited in this document. Only public methods for which the contract is published can be used by applications not designed by Cegid.

Legal notices

Permission is granted under this Agreement to download documents held by Cegid and to use the information contained in the documents only internally, provided that: (a) the copyright notice on the documents remains on all copies of the document; material; (b) the use of these documents for personal and non-commercial use unless it has been clearly defined by Cegid that certain specifications may be used for commercial purposes; (c) documents will not be copied to networked computers or published on any type of media unless expressly authorized by Cegid; and (d) no changes are made to these documents.

Contents

Preamble 2

1. OBJECTIVES 4

Documentation 4

Y2 versions 5

2. ITEMSDELIVERYMANAGEMENT 6

Create 6

CreateFrom 7

CreateFromDocuments 9

GetDetail 9

GetList 10

GetListDetail 11

Refuse 12

3. ITEMSRECEPTIONMANAGEMENT 14

Close 14

Create 14

CreateFrom 16

GetDetail 17

GetList 18

GetListDetail 19

4. REPORT2 22

GenerateLabels 22

EndGenerateLabels 23

Download 23

5. TRANSFERREPORT 25

GenerateDocument 25

Poll 26

Download 26

6. OTHER 27

Net Framework 4.8 27

1. OBJECTIVES

The **Transfer** plugin is used to manage the flow of goods transfers between the brand's various warehouses. Several services are currently available:

- ➔ Issue of a transfer to another warehouse
- ➔ Issue of a transfer by validation of a transfer request from another warehouse.
- ➔ Receipt of a transfer by validating a transfer notice from another warehouse

Ce plugin will be enriched gradually.

Reminder: Only public methods for which the contract is published can be used by applications not designed by Cegid. Cegid reserves the right to modify private services without ensuring backward compatibility, and without informing users.

Documentation

The service contract documentation is visible on the IIS server(s) from the software package download page:



"Documentation" is a link that provides access to the list of documentation:



- ➔ **Web Services**
  The screen displayed provides access to the Web Services contracts and their properties.

Please note: the absence of a contract in the Web Services documentation screen means that the service is not installed or is not public.

- **Exceptions**
  This part provides access to exceptions, classified by type, and according to the plugin.

- **Installation**
  This page allows you to download Web Services installation and consumption documentation.

Y2 versions

This plugin is compatible with the following version of Cegid Retail Y2:

- Version 26

Note:
The # sign at the beginning of the plugin build number corresponds to the major version of Cegid Retail Y2.

2. ITEMSDELIVERYMANAGEMENT

Create

➔ Objectives

This service allows you to create a transfer issued from a store and a store warehouse.
Note: in the case of a folder not managing warehouses (single warehouse), the store code (StoreId) should be copied into the warehouse code (WarehouseId).

Depending on the settings used in Cegid Retail Y2, the creation of a transfer generates:

- ➔ A transfer notice, allowing the stock to be placed in a "Transit" status
- ➔ A received transfer, which directly feeds the stock.

Scope
The creation of a transfer addresses the following functions:

- Integration of serial numbers with a mandatory unit quantity and the DisableMergeLines property set to True.

Idempotency
Idempotency guarantees that an action gives the same result, regardless of its number of applications.
Good practice is to specify the OperationUid property in the contract, allowing Cegid Retail Y2 to record this information, in order not to repeat the processing. This number should therefore be unique.
Example:

- Software calls the CreateFrom service to generate a document in Cegid Retail Y2.
- Y2 performs the processing but cannot communicate this information to the caller making a fresh attempt:
    - If the OperationUid property is transmitted, Y2 knows that the processing was successful and informs the caller.
    - With no OperationUid property specified, Y2 attempts to repeat the same processing, risking the creation of a new document.

We undertake to provide this information; it will soon become mandatory.

Recognition of the item
This service allows the item on each line to be found in two ways:

- Lines.ItemIdentifier.Reference: This property should not be used; it is not reliable.
  In the case of a reference with the same level of priority for several items, nothing can predict which item will be used.
  This property will soon be rendered obsolete.
- Lines.ItemIdentifier.Id: This property identifies an item in a unique way in Cegid Retail Y2 and should be used.

➔ Improvements

Added properties ExternalReference, CatalogReference, AdditionalDescription, and PackageReference at line level.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
RLO	3/9/2022	A2302		PR 108085	#4.79	

Revised the principle of the automatic assignment of the internal reference for non-e-commerce documents relating to an e-commerce store in order to avoid the error "DOC00002 - the internal reference of the document is not specified". This fix requires installing a Core Y2 release later than 5/9/2022.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
HDA	5/9/2022	751474		SVN 159518	NC	

Added the CustomerIdentifier section, in order to force the creation customer of the document to be created.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
LDE	9/2/2022	A2386		PR 129770	#4.187	

The minimum value of the quantity provided to the method is 0.0001.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
EPL	8/1/2023	1210660		182384	#5.110	

Increased the size of the TransactionBumber property from 35 to 70 characters.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
PCH	1/19/2026	1967994		447180	#6.56	

CreateFrom

➔ Objectives

The objective of this service is to be able to validate a transfer request, in the case of e-commerce orders, or transfer requests entered directly at checkout. A sent transfer is then created.

Please note: Transfer requests awaiting approval are not returned.

Scope

The generation of transfer requests into sent transfers meets the following functional criteria:

- Overall generation of a document without passing lines in the contract.
- Line-by-line generation to take account of any remaining information in the document, according to its options.
- Possibility to close the transfer request according to the RemainderManagement property.
- Management of lines in quantity, with no concept of valuation, with recovery of the original document valuation and calculation of the document pro-rata to the quantities prepared/delivered.

- Recognition of the converted document by its Y2 number.
- Integration of serial numbers with a mandatory unit quantity and the DisableMergeLines property set to True.

Idempotency

Idempotency guarantees that an action gives the same result, regardless of its number of applications. Good practice is to specify the OperationUid property in the contract, allowing Cegid Retail Y2 to record this information, in order not to repeat the processing. This number should therefore be unique.

Example:

- Software calls the CreateFrom service to generate a document in Cegid Retail Y2.
- Y2 performs the processing but cannot communicate this information to the caller making a fresh attempt:
  - If the OperationUid property is transmitted, Y2 knows that the processing was successful and informs the caller.
  - With no OperationUid property specified, Y2 attempts to repeat the same processing, risking the creation of a new document.

We undertake to provide this information; it will soon become mandatory.

Recognition of the item

This service allows the item on each line to be found in two ways:

- Lines.ItemIdentifier.Reference: This property should not be used; it is not reliable.
  In the case of a reference with the same level of priority for several items, nothing can predict which item will be used.
  This property will soon be rendered obsolete.
- Lines.ItemIdentifier.Id: This property identifies an item in a unique way in Cegid Retail Y2 and should be used.

➔ Improvements

Added properties ExternalReference, CatalogReference, AdditionalDescription, and PackageReference at line level.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
RLO	3/9/2022	A2302		PR 108085	#4.79	

Revised the principle of the automatic assignment of the internal reference for non-e-commerce documents relating to an e-commerce store in order to avoid the error "DOC00002 - the internal reference of the document is not specified". This fix requires installing a Core Y2 release later than 5/9/2022.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
HDA	5/9/2022	751474		SVN 159518	NC	

Increased the size of the TransactionBumber property from 35 to 70 characters.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
PCH	1/19/2026	1967994		447180	#6.56	

CreateFromDocuments

➔ Objectives

The objective of this method is to be able to validate a list of transfer requests, in the case of e-commerce orders, or transfer requests entered directly at checkout. A sent transfer is then created.

Management rules

- The sender warehouse of the header is retrieved from the first line of the sent document.
- The sender store of all transfer requests must be unique.
- The recipient store of all transfer requests must be unique.
- The recipient warehouse of all transfer request headers must be unique.
- The third-party of all transfer requests must be unique.
- The origin of all transfer request must be unique.

Idempotency

Idempotency guarantees that an action gives the same result, regardless of its number of applications.
It is necessary to specify the OperationUid property in the contract, allowing Cegid Retail Y2 to record this information, in order not to repeat the processing. This number should therefore be unique.

➔ Improvements

Added properties ExternalReference, CatalogReference, AdditionalDescription, and PackageReference at line level.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
RLO	3/9/2022	A2302		PR 108085	#4.79	

GetDetail

➔ Objectives

The GetList service returns a list of transfer requests; the GetDetail service allows you to load the lines of a document, the identifier of which is specified in the contract.
Please note:

- Managing an item with a serial number requires a unit quantity for the line.
- Using this method is not authorized for documents awaiting approval.

➔ Improvements

Added new properties, external reference, catalog reference, package reference and complementary description at line level to the reply.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
JMO	3/3/2022	A2302		PR 107333	#4.64	

Optimizing the search for transfer requests.
The remaining quantities to deliver for customer orders and transfer requests are no longer calculated for transfer requests.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
HDA	3/10/2022	A2320		108597	#4.82	

GetList

➔ Objectives

This service returns the list of transfer requests that meet the contract criteria:

- ➔ Recipient store for the transfer request, in compliance with the restrictions of the user specified in the contract.
- ➔ Document creation period.

Please note: Transfer requests awaiting approval are not returned.

The "Paging" property provides protection against timeouts due to a significant number of documents. We recommend that it be used with a setting of a few hundred lines, supplemented by tests for dimensioning this value according to the communication line.
Please note: the speed of data loading varies according to the device and its location.
The Web Service caller should check that not all information is returned in the first page. It can then call the next page, until all headers are recovered.

The ExtractByOldest property decides on the order for document recovery:

- ➔ False: default value, recovering the documents starting with the most recent.
- ➔ True: recovery of documents starting with the oldest.

➔ Improvements

Optimizing the search for transfer requests.
The remaining quantities to deliver for customer orders and transfer requests are no longer calculated for transfer requests.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
HDA	3/10/2022	A2320		108597	#4.82	

Reading user fields in the transfer document.
Fixed an exception "*500 internal server error*" occurring when viewing a transfer containing some populated user fields.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
PLA	6/17/2022	820775		121148	#4.136	

Added the CustomerIdentifier section, in order to get in the reply the customer of each document (internal identifier and external reference.)

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
LDE	9/2/2022	A2386		PR 129770	#4.187	

Using the UserRestrictions service of the Identity plugin to control the provided stores.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
EPL	3/22/2023	698738		161295	#5.32	

Fixed the conversion error from a local DocumentType to a Common DocumentType.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
EPL	9/5/2023	846036		187137	#5.118	

GetListDetail

➔ Objectives

This service returns the list of transfer requests that meet the contract criteria, with details by line, as with the GetList and GetDetail services.
This service should only be used if a limited number of documents are returned, with few lines.
If there are documents with more than a few dozen lines, this service should not be used, GetList and GetDetail being preferred.

Please note: Transfer requests awaiting approval are not returned.

➔ Improvements

Added new properties, external reference, catalog reference, package reference and complementary description at line level to the reply.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
JMO	3/3/2022	A2302		PR 107333	#4.64	

Optimizing the search for transfer requests.
The remaining quantities to deliver for customer orders and transfer requests are no longer calculated for transfer requests.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
HDA	3/10/2022	A2320		108597	#4.82	

Reading user fields in the transfer document.
Fixed an exception "*500 internal server error*" occurring when viewing a transfer containing some populated user fields.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
PLA	6/17/2022	820775		121148	#4.136	

Added the CustomerIdentifier section, in order to get in the reply the customer of each document (internal identifier and external reference.)

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
LDE	9/2/2022	A2386		PR 129770	#4.187	

Added the internal reference, external reference, and the follow-up reference to the request.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
EPL	3/17/2023	A2424		160477	#5.21	

Using the UserRestrictions service of the Identity plugin to control the provided stores.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
EPL	3/22/2023	698738		161295	#5.32	

The StoreIds property is made optional.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
RLO	6/21/2023	A2455		175500	#5.88	

Fixed the conversion error from a local DocumentType to a Common DocumentType.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
EPL	9/5/2023	846036		187137	#5.118	

Refuse

➔ Objectives

The objective of this service is to refuse a transfer request, by closing it.
Please note:

- Only transfer requests visible to the user may be refused.
- Transfer requests awaiting approval cannot be closed.

➔ Improvements

3. ITEMSRECEPTIONMANAGEMENT

Close

➔ Objectives

The objective of this service is to close a transfer notice.

Please note: Transfer notices awaiting approval cannot be closed.

➔ Improvements

Create

➔ Objectives

This service is used to create a transfer request.

Scope
The creation of a transfer request meets the following functional criteria:

- Integration of serial numbers with a mandatory unit quantity and the DisableMergeLines property set to True.

Idempotency
Idempotency guarantees that an action gives the same result, regardless of its number of applications.
The OperationUid property is mandatory, allowing Cegid Retail Y2 to record this information, so as not to repeat the processing. This number should therefore be unique.
Example:

- Software calls Create service to generate a document in Cegid Retail Y2.
- Y2 performs the processing but cannot communicate this information to the caller making a fresh attempt. With the OperationUid property, Y2 knows that the processing was successful, and informs the caller.

Recognition of the item
This service allows the item on each line to be found in two ways:

- Lines.ItemIdentifier.Id: This property identifies an item in a unique way in Cegid Retail Y2.
- Lines.ItemIdentifier.Barcode: Barcode

When both properties are specified, a consistency check is performed: if the barcode does not match the item found, an exception is returned.

Document valuation
Either the document is not valued, or it is fully valued.

- Valuation: The CurrencyId and TaxIncluded properties of the Header section, as well as the UnitPriceBase property of each item line must be specified.
- No valuation: None of the above properties must be specified.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
LDE	3/4/2022	A2303		PR 107424	#4.70	

➔ Improvements

Added properties ExternalReference, CatalogReference, AdditionalDescription, and PackageReference at line level.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
RLO	3/9/2022	A2302		PR 108085	#4.79	

Revised the principle of the automatic assignment of the internal reference for non-e-commerce documents relating to an e-commerce store in order to avoid the error "DOC00002 - the internal reference of the document is not specified". This fix requires installing a Core Y2 release later than 5/9/2022.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
HDA	5/9/2022	751474		SVN 159518	NC	

Added the CustomerIdentifier section, in order to force the creation customer of the document to be created.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
LDE	9/2/2022	A2386		PR 129770	#4.187	

The out-of-stock control is now in place when creating a sent transfer (TEM) (via the *Create* method of the *TransferItemsDeliveryManagementService* Web Service: In case of a shortage, an exception is raised preventing the creation of the TEM.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
PLA	1/13/2023	1081885		SVN 164986	NC	

The minimum value of the quantity provided to the method is 0.0001.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
EPL	8/1/2023	1210660		182384	#5.110	

Increased the size of the TransactionBumber property from 35 to 70 characters.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
PCH	1/19/2026	1967994		447180	#6.56	

CreateFrom

➔ Objectives

The objective of this service is to be able to validate a transfer notice to convert it into a Received transfer and feed the store's inventory.

Please note: Transfer notices awaiting approval are not returned.

Scope

The generation of transfer notices ins Received transfer meets the following functional criteria:

- Overall generation of a document without passing lines in the contract.
- Line-by-line generation to take account of any remaining information in the document, according to its options.
- Possibility to close the transfer notice according to the RemainderManagement property.
- Management of lines in quantity, with no concept of valuation, with recovery of the original document valuation, and calculation of the document pro-rata to the quantities prepared/delivered.
- Recognition of the converted document by its Y2 number.
- Integration of serial numbers with a mandatory unit quantity and the DisableMergeLines property set to True.

Idempotency

Idempotency guarantees that an action gives the same result, regardless of its number of applications.
Good practice is to specify the OperationUid property in the contract, allowing Cegid Retail Y2 to record this information, in order not to repeat the processing. This number should therefore be unique.

Example:

- Software calls the CreateFrom service to generate a document in Cegid Retail Y2.
- Y2 performs the processing but cannot communicate this information to the caller making a fresh attempt:
    - If the OperationUid property is transmitted, Y2 knows that the processing was successful and informs the caller.
    - With no OperationUid property specified, Y2 attempts to repeat the same processing, risking the creation of a new document.

We undertake to provide this information; it will soon become mandatory.

Recognition of the item

This service allows the item on each line to be found in two ways:

- Lines.ItemIdentifier.Reference: This property should not be used; it is not reliable.
  In the case of a reference with the same level of priority for several items, nothing can predict which item will be used.
  This property will soon be rendered obsolete.
- Lines.ItemIdentifier.Id: This property identifies an item in a unique way in Cegid Retail Y2 and should be used.

➔ Improvements

Added properties ExternalReference, CatalogReference, AdditionalDescription, and PackageReference at line level.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
RLO	3/9/2022	A2302		PR 108085	#4.79	

For the folders that do not manage remainders on transfer notices, the idempotency table GUIDDOCUMENT was not correctly populated during the creation of the received transfer; a malfunction that could be the cause of errors of type "CBR00074 -This document is already closed" when calling this method. This fix requires installing a Core Y2 release later than 4/28/2022.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
HDA	4/27/2022	785919			All	

Revised the principle of the automatic assignment of the internal reference for non-e-commerce documents relating to an e-commerce store in order to avoid the error "DOC00002 - the internal reference of the document is not specified". This fix requires installing a Core Y2 release later than 5/9/2022.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
HDA	5/9/2022	751474		SVN 159518	NC	

The out-of-stock control is in place when creating a sent transfer (TEM) from a transfer request DTR (via the *CreateFrom* method of the *TransferItemsDeliveryManagementService* Web Service: In case of a shortage, an exception is raised preventing the creation of the TEM.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
PLA	1/13/2023	1081885		SVN 164986	NC	

Increased the size of the TransactionBumber property from 35 to 70 characters.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
PCH	1/19/2026	1967994		447180	#6:56 AM	

GetDetail

➔ Objectives

The GetDetail service sends the lines of a document, the identifier of which is specified in the contract.
Please note: Managing an item with a serial number requires a unit quantity for the line.

➔ Improvements

Added new properties, external reference, catalog reference, package reference and complementary description at line level to the reply.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
JMO	3/3/2022	A2302		PR 107333	#4.64	

Added the capability to query transfer requests.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
LDE	3/4/2022	A2303		PR 107424	#4.70	

Optimizing the search for transfer notices.
The remaining quantities to deliver for customer orders and reservation requests are no longer calculated systematically, but only if the Y2 company setting "Calculation of customer expectations in GETs of transfer/delivery notices" in the "Commercial Management/Web Services" tab is checked.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
HDA	3/10/2022	A2320		108597	#4.82	

GetList

➔ Objectives

This service returns the list of transfer notices or transfer requests, or received transfers that meet the contract criteria:

- ➔ List of stores in which to search documents in compliance with the user restrictions specified in the contract.
- ➔ Document dates period.

The "Paging" property provides protection against timeouts due to a significant number of documents. We recommend that it be used with a setting of a few hundred lines, supplemented by tests for dimensioning this value according to the communication line.
Please note: the speed of data loading varies according to the device and its location.
The Web Service caller should check that not all information is returned in the first page. It can then call the next page, until all headers are recovered.

The ExtractByOldest property decides on the order for document recovery:

- ➔ False: default value, recovering the documents starting with the most recent.
- ➔ True: recovery of documents starting with the oldest.

➔ Improvements

Added the capability to query transfer requests.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
LDE	3/4/2022	A2303		PR 107424	#4.70	

Optimizing the search for transfer notices.
The remaining quantities to deliver for customer orders and reservation requests are no longer calculated systematically, but only if the Y2 company setting "Calculation of customer expectations in GETs of transfer/delivery notices" in the "Commercial Management/Web Services" tab is checked.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
HDA	3/10/2022	A2320		108597	#4.82	

Reading user fields in the transfer document.
Fixed an exception "*500 internal server error*" occurring when viewing a transfer containing some populated user fields.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
PLA	6/17/2022	820775		121148	#4.136	

Added the CustomerIdentifier section, in order to get in the reply the customer of each document (internal identifier and external reference.)

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
LDE	9/2/2022	A2386		PR 129770	#4.187	

Using the UserRestrictions service of the Identity plugin to control the provided stores.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
EPL	3/22/2023	698738		161295	#5.32	

Fixed the conversion error from a local DocumentType to a Common DocumentType.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
EPL	9/5/2023	846036		187137	#5.118	

GetListDetail

➔ Objectives

This service returns the list of transfer requests, transfer notices, or received transfers that meet the contract criteria, with details by line, as with the GetList and GetDetail services.
This service should only be used if a limited number of documents are returned, with few lines.

If there are documents with more than a few dozen lines, this service should not be used, GetList and GetDetail being preferred.

➔ Improvements

Added new properties, external reference, catalog reference, package reference and complementary description at line level to the reply.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
JMO	3/3/2022	A2302		PR 107333	#4.64	

Added the capability to query transfer requests.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
LDE	3/4/2022	A2303		PR 107424	#4.70	

Optimizing the search for transfer notices.
The remaining quantities to deliver for customer orders and reservation requests are no longer calculated systematically, but only if the Y2 company setting "Calculation of customer expectations in GETs of transfer/delivery notices" in the "Commercial Management/Web Services" tab is checked.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
HDA	3/10/2022	A2320		108597	#4.82	

Reading user fields in the transfer document.
Fixed an exception "*500 internal server error*" occurring when viewing a transfer containing some populated user fields.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
PLA	6/17/2022	820775		121148	#4.136	

Added the CustomerIdentifier section, in order to get in the reply the customer of each document (internal identifier and external reference.)

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
LDE	9/2/2022	A2386		PR 129770	#4.187	

Using the UserRestrictions service of the Identity plugin to control the provided stores.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
EPL	3/22/2023	698738		161295	#5.32	

The RecipientStoreIds property is made optional.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
RLO	6/21/2023	A2455		175500	#5.88	

Fixed the conversion error from a local DocumentType to a Common DocumentType.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
EPL	9/5/2023	846036		187137	#5.118	

4. REPORT2

The Report2 service allows the management of reports related to transfers.

The following steps are to be respected:

- ➔ Request the Cegid Retail Y2 server to generate the PDF on the server, by using the printing templates configured in the Back Office.
- ➔ Upload the PDF to the service caller as soon as it is available on server.
- ➔ Send the PDF to the service caller, for printing managed by this caller.

GenerateLabels

➔ Objectives

This method is used to initiate a request to generate the PDF file for labels of a transfer in *Cegid Retail Y2*.

The proceeded document types are:

- Transfer requests
- Sent transfers
- Received transfers

The following business rules are applied:

- A document identifier must be filled in and exist
- If the reprint request is requested and the reprint reason is entered, it must exist
- The reason for reprint must only be entered when reprinting.
- The printing template, language, and the store must exist.

In reply, the information indicates the progress of the PDF generation request.

- The JobId is returned only if the generation could not be finalized within the requested time (WaitTimeout in request). This JobId is used to call the EndGenerateLabels method, which indicates the status of the generation.
- The Report section is populated only if the PDF generation was successful. The identifier of the generated file allows you to download it via the Download method
- The EventLog section is populated if the event log is updated, i.e., if a reprint is made.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
ADU	12/23/2024	A2497		PR 335942	# 6.13	

➔ Improvements

The method is now set to status Beta

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
ADU	2/4/2025	A2508		353166	# 6.50	

The price list type and pricing system used for label printing are no longer those of the document, but are now searched for at store level, in order to be able to print labels with their final consumer price inclusive of tax from a purchase document invoiced exclusive of tax.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
HDA	3/7/2025	1726793		367497	# 6.37	

EndGenerateLabels

➔ Objectives

This method allows you to check the progress of a label printing request in *Cegid Retail Y2*.
The following business rules are applied:

- The process ID must exist

If the EventLog section is populated, the event log identifier will update it to indicate that printing is complete if it is.

In response, the Report section is populated only if the PDF was successfully generated. The identifier of the generated file allows you to download it via the Download method.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
ADU	12/23/2024	A2497		PR 336867	# 6.15	

➔ Improvements

The method is now set to status Beta

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
ADU	2/4/2025	A2508		353166	# 6.50	

Download

➔ Objectives

This method downloads the PDF file that was generated by one of the Generate methods below.
The following business rules are applied:

- The identifier of the file to be downloaded must exist.

In response, a link will allow you to download the PDF document to your computer.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
ADU	12/23/2024	A2497		PR 336867	# 6.15	

➔ Improvements

The method is now set to status Beta

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
ADU	2/4/2025	A2508		353166	# 6.29	

5. TRANSFERREPORT

This service manages the PDF transmission of a sent transfer or a received transfer with the following steps:

- ➔ Cegid Retail Y2 server request to generate the PDF document on the server, by using the printing templates configured in the Back Office.
- ➔ Loading the PDF to the service caller as soon as available on server.
- ➔ Sending the PDF to the service caller, for printing managed by this caller.

Please note: this service does not allow the document to be marked as printed (GP_EDITEE field not updated). The change in value of this field is reserved for interactive printing, which links the creation of the PDF to its printing.

GenerateDocument

➔ Objectives

This method prompts the print server to stack the printing request of a document, using its unique identifier in Cegid Retail Y2.

The report is printed by default in the "software language" as defined in the cultural profile of the user using this service for the following elements:

- ➔ The mask: titles and descriptions of the report model.
- ➔ The format of numbers and dates.
- ➔ The data transmitted: item descriptions, markdown reason, etc.

The **LanguageId** property allows you to edit the report mask and the format of numbers and dates according to this new language.
The **CultureId** property allows you to force the formatting of data numbers and dates:

- ➔ If the LanguageId property is missing.
- ➔ If the LanguageId property is identical to the "software language" in the user's cultural profile.

The data remains in the user's language.
Only the native Cegid report generator is used to generate the PDF.

➔ Improvements

Added the capability to generate transfer requests.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
LDE	11/15/2022	A2336		PR 139966	#4.226	

Poll

➔ Objectives

At the end of the PDF generation call, the Poll method is called to find out its availability.
In interactive mode, we advise to make a first call after 5 seconds, then every 2 seconds without time limit, leaving the user the possibility to interrupt the wait.
In batch mode, a call every 5 seconds is recommended, with a maximum of 10 calls.

Download

➔ Objectives

When the Poll returns positively, the Download method is used to download the PDF and print it on a printer, store it or send it by e-mail.

6. OTHER

Net Framework 4.8

Following Microsoft's announcement about the "end of support for .NET Framework 4.5.2, 4.6 and 4.6.1 as soon as April 26, 2022" the plugin now requires the installation of the .Net Framework 4.8 (runtime) on server components.

Swagger

Rest/Restful APIs grouped by plugin, with the option of selecting them by plugin name.

Dev	Date	CEGID's Ref.	Pb Ref.	Pull Request	Plugin Build no.	Quality Ctrl
ADU	1/16/2025	1543349		345250	#6:24 AM	