: 18.08.2014

Report Date

: BBV9332113D Material Description : GATE VLV AM10# HWO 3-1/16 10M SS HF PT. Aker Solutions Revision Level : 00:500000100751 : 5800; Aker Solutions, Batam Plant Base Unit of Measure : EA MTO NO: : KG Gross Weight Net Weight WORK ORDER NO: Basic Material : MS 388 : STL, SS, MAR, 410, 75K Y, PSL 1 4, H2S PR. NO: \_\_\_\_\_ Traceability code : TC1.1 ISSUED BY: \_\_\_\_\_ DATE \_\_ Serial No. Profile : YS01 Batch Management 🛛 Shelf life: 0 Day PROPERTY OF PT. Aker Solutions DOCUMENT MUST BE RETURNED TO THE Q.A. QM Control Key Inspection Setup : 01:Goods receipt insp. for purchase order:Active DEPT.IN BATAM PRIOR TO RECEIVING FINAL PAYMENT Master Insp. Char. Classification Attributes Related Drawings : Type:CAD,No:10001149972,Ver:02,Status:Re-issued Constr,Descr:GATE, VALVE, HWO, AM10#, 3-1/16" 10K Other Related Docs : Type:PDC,No:10000024358,Ver:04,Status:Re-issued Constr,Descr:PS-126: STAMPING IDENTIFICATION ON PARTS Type:PDC,No:10000024361,Ver:00,Status:IFC ,Descr:QS-001:Assigning/Maintaining Traceabilit Type:PDC,No:10000096304,Ver:01,Status:Re-issued Constr,Descr:MS-388:STL, SS, MAR, 410, 75K Y, PSL 1 4 Type:PDC,No:10000096489,Ver:05,Status:Re-issued Constr,Descr:MAGNETIC PARTICLE EXAMINATION (PS-107) Type:PDC,No:10000096493,Ver:06,Status:Re-issued Constr,Descr: HARDNESS TESTING OF METALS,PS-113 Type:PDC.No:10000096575,Ver:00.Status:IFC ,Descr:C-114:Indoor Rust Protection for Misc. Type:PDC,No:10000096592,Ver:02,Status:Re-issued Constr,Descr:C-137 HARD FACE COATING Type:PDC,No:10000096609,Ver:01,Status:Re-issued Constr,Descr:C-159:Tungsten Carbide Hardface Type:PDC,No:10000097140,Ver:03,Status:Re-issued Constr,Descr:C-209 HARD FACE COATING Type:PDC,No:10000097152,Ver:02,Status:Re-issued Constr,Descr:C-194 HARD FACE COATING Type:SWP,No:10001824604,Ver:00,Status:In Work ,Descr:GATE,VLV, AM, HWO,3 1/16-5K/10K, SS,HF : GATE, VALVE, AM10#, HWO, 3-1/16 5M/10M, SS, HARDFACED Basic Data Text PSL: 3 Temp: P-X Matl. Class: FF-NL PROCESS SPECIFICATION: 1 MS-388 MATERIAL REQUIREMENT 2 OS-001 UNIOUE TRACEABILITY 3 PS-113 CHECK HARDNESS AT LOCATIONS SHOWNON DRAWING 4 PS-107 WET MAGNETIC INSPECTION OF ALL ACCESSIBLE SURFACES OF EACH FINISHED PART AFTER FINAL HT AND MACHINING 5 C-137 AFTER MACHINING COAT FACES AS SHOWN ON DRAWING C-159 ALTERNATE FACES COAT C-194 ALTERNATE FACES COAT C-209 ALTERNATE FACES COAT 6 - - - LAP BOTH FACES AS SHOWN ON DRAWING 7 PS-126 STAMP AT LOCATION SHOWN ON DRAWING: AS BBV9332113D

MATERIAL REPORT

8 C-114 COAT

Characteristics:

-----

RoM

: No related BoM exist.

## PT. Aker Solutions

ISSUED BY: \_\_\_\_\_ DATE \_\_\_\_

PROPERTY OF PT. Aker Solutions
DOCUMENT MUST BE RETURNED TO THE Q.A
DEPT.IN BATAM PRIOR TO RECEIVING FINAL
PAYMENT

