: 18.08.2014

Report Date

Material	: BBV9332213D	1 1. Akor Gordions							
Description	: GATE VLV F/ ACT 3-1/16 10M SS HF								
Revision Level	: 01;500000105256								
Plant	: 5800; Aker Solutions, Batam	MTO NO:							
		WORK ORDER NO:							
Base Unit of Measure									
	: 17.0 LB	PR. NO:							
Net Weight	: LB								
Basic Material	: N/A	ISSUED BY: DATE							
	: TC1.1	DEODEDTY OF DT Along Colorions							
Serial No. Profile		PROPERTY OF PT. Aker Solutions							
	Batch Management 🛛	DOCUMENT MUST BE RETURNED TO THE Q.A.							
	Shelf life: 0 Day	DEPT.IN BATAM PRIOR TO RECEIVING FINAL							
OM Control Von	: Z001	PAYMENT							
QM Control Key		TAIMENT							
Inspection Setup	: 01;Goods receipt insp. for purchase order;Active								
Master Insp. Char.	:								
Classification	t ·								
Attributes	:								
Related Drawings	: Type:CAD,No:10001173934,Ver:01,Status:Re-issued Constr,Descr:GATE, 3 1/	•							
Other Related Docs	: Type:PDC,No:10000024358,Ver:04,Status:Re-issued Constr,Descr:PS-126: ST								
	Type:PDC,No:10000024361,Ver:00,Status:IFC ,Descr:QS-001:Assigning/Maintaining Traceabilit								
	Type:PDC,No:10000096304,Ver:01,Status:Re-issued Constr,Descr:MS-388:STL, SS, MAR, 410, 75K Y, PSL 1 4								
	Type:PDC,No:10000096489,Ver:05,Status:Re-issued Constr,Descr:MAGNETIC PARTICLE EXAMINATION (PS-107)								
	Type:PDC,No:10000096493,Ver:06,Status:Re-issued Constr,Descr: HARDNESS TESTING OF METALS,PS-113								
	Type:PDC,No:10000096575,Ver:00,Status:IFC ,Descr:C-114:Indoor Rust Protection for Misc.								
	Type:PDC,No:10000096592,Ver:02,Status:Re-issued Constr,Descr:C-137 HARD FACE COATING Type:SWP,No:10001972248,Ver:00,Status:In Work ,Descr:GATE, 3 1/16-10000 FOR ACTUATOR,								
	Type:SWP,No:10001972248,Ver:00,Status:In Work ,Descr:GATE, 3 1/	16-10000 FOR ACTUATOR,							
Basic Data Text	: GATE, VLV, AM10#, F/ACT, 3-1/16 10M, SS, HD FACED								
	PSL: 3 Temp: P-X Matl. Class: FF-NL								
	PROCESS SPECIFICATION:								
	1 MS-388 MATERIAL REQUIREMENTS								
	2 QS-001 UNIQUE TRACEABILITY								
	3 PS-113 CHECK HARDNESS AT LOCATION SHOWN ON DRAWING								
	4 PS-107 WET MAGNETIC INSPECTION OF ALL ACCESSIBLE SURFACES								
	AFTER ALL THERMAL CYCLES AND MACHINING								
	5 C-137 AFTER MACHINING COAT FACES AS SHOWN ON DRAWING								
	6 LAP BOTH FACES AS SHOWN ON DRAWING								
	7 PS-126 STAMP AT LOCATION SHOWN ON DRAWING:								
	AS BBV9332213D								
	8 C-114 COAT								

PT. Aker Solutions

MATERIAL REPORT

Characteristics:

BoM : No related BoM exist.


PT. Aker Solutions

MTO NO: _________WORK ORDER NO: ______

PR. NO: _____

ISSUED BY: _____ DATE ___

PROPERTY OF PT. Aker Solutions
DOCUMENT MUST BE RETURNED TO THE Q.A
DEPT.IN BATAM PRIOR TO RECEIVING FINAL
PAYMENT





PT. Aker Solutions

PR. NO:

ISSUED BY: _____ DATE .

PROPERTY OF PT. Aker Solutions
DOCUMENT MUST BE RETURNED TO THE Q.A
DEPT.IN BATAM PRIOR TO RECEIVING FINAL
PAYMENT





SECTION A-A

Ur	less otherwise specified d	Design file no.	Τ		
	Dimensional tolerances	mm	inch	SDV10006	l
General Machining dimensional tolerances	BREAK SHARP CORNERS FILLET RADII CONCENTRICITY SQUARENESS PARALLELISM FRACTIONS SURFACE RMS	0.25 0.75±0.13 0.25 FIM 0.25 IN 250 0.25 IN 250 X.XX±0.25 X.±1.5 6.3 µm	.010 .030±.003 .010 FIM .010 IN 10* .010 IN 10* ± 1/16 X.XXX±.010 X.X±.03 X.X±.06 250 µin	Layout no. 10001154843 Similar to 10000170812	
	RFS EXCEPT WHEN (M) MODIFI	IGLE ± 0.50 DEG S EXCEPT WHEN (M) MODIFIED			

Proprietary Information
This document contains Asset Subses legal entity propletary and contained had refuged and its intended only for the person or entity to which it is addressed and any unauthorised use is sirtledly profelleded, it is provided for Intride buyunes and shall not be reproduced, or intended to the reproduced for Intride buyunes and shall not be reproduced, addressed to the respective of t

Title GATE, 3-1/16 10M, AM10™ F/ ACTUATOR, WITH HARDFACE COATING						Aker Solutions					
							part of Aker				
Modified by		Originator Sci		Scale	Docume	ent no.	Doc. ver ECO no.				
	KRESENTIA, PIUS	3	A	DRIAN NURHIDAYA	T	1:1	100	01173934	01	50000	0105256
Checked by		Material / Legacy no. Plant		Release	Date	Reason for Issue					
SOMALI, YUDHI				5800	17	7-APR-14	RE-ISSUED CONSTR		ONSTR		
Approved b	ру		Materia	spec.			Est. We	lght	1 1	Size	Sheet no
ENG, SUWAR		SEE ENGINEERING DATA SHEET			17 LBS	⊕ ← Size A1 10		1 OF 1			
0	11	12		13		14		15		16	

1. WAVINESS OF SURFACE NOT TO EXCEED 6 HELIUM LIGHT BANDS NOTES: