Path: miniprogram/app.js

```
1 const USER_INFO_KEY = 'userInfo'
2 const LOGOUT_FLAG_KEY = 'manualLoggedOut'
3 const RESET_KEYS = [
4   USER_INFO_KEY,
5   LOGOUT_FLAG_KEY,
6   'selectedRegion',
7   'userLocation',
8   'recentRegionList',
9 ]
10
11 function getSettingAsync() {
12   return new Promise((resolve, reject) => {
13     wx.getSetting({
14       success: resolve,
15       fail: reject,
16     })
17   })
18 }
19
20 function getLocationAsync(timeout = 8000) {
21   return new Promise((resolve, reject) => {
22     const timer = setTimeout(() => {
23       reject(new Error('getLocation timeout'))
24     }, timeout)
25
26     wx.getLocation({
27       type: 'gcj02',
28       success: (res) => {
29         clearTimeout(timer)
30         resolve(res)
31       },
32       fail: (err) => {
33         clearTimeout(timer)
34         reject(err)
35       },
36     })
37   })
38 }
39
40 App({
41   globalData: {
42     userInfo: null,
43     templateId: {},
44   },
45
46   onLaunch(options) {
47     wx.cloud.init({
48       env: 'cloud1-3ghmr5ki7b1172fe',
49       traceUser: true,
50     })
51
52     this.bootstrap(options)
53   },
54
55   onShow() {
56     this.refreshUserLocationCache()
57   },
58
59   async bootstrap(options = {}) {
60     try {
```

```
    const targetUrl = this.getLaunchTarget()

    if (targetUrl) {
      setTimeout(() => {
        wx.reLaunch({ url: targetUrl })
      }, 80)
    }
  } catch (err) {
    console.error('bootstrap failed', err)
  }
},

async refreshUserLocationCache() {
  try {
    const setting = await getSettingAsync()
    if (!setting || !setting.authSetting || !setting.authSetting['scope.userLocation']) {
      return
    }

    const locationRes = await getLocationAsync()
    const userLocation = {
      latitude: locationRes.latitude,
      longitude: locationRes.longitude,
    }

    wx.setStorageSync('userLocation', userLocation)

    const currentUserInfo = this.globalData.userInfo || wx.getStorageSync(USER_INFO_KEY)
    if (currentUserInfo && currentUserInfo.openid) {
      const nextUserInfo = {
        ...currentUserInfo,
        userLocation,
        locationAuthorized: true,
      }
      this.globalData.userInfo = nextUserInfo
      wx.setStorageSync(USER_INFO_KEY, nextUserInfo)
    }
  } catch (err) {
    console.warn('refreshUserLocationCache failed', err)
  }
},

getLaunchTarget() {
  const agreePrivacy = wx.getStorageSync('agreePrivacy')
  if (!agreePrivacy) {
    return '/pages/welcome/welcome'
  }

  if (wx.getStorageSync(LOGOUT_FLAG_KEY)) {
    this.globalData.userInfo = null
    return '/pages/home/home'
  }

  const userInfo = this.getUserInfo()
  if (!userInfo) {
    return '/pages/home/home'
  }

  this.globalData.userInfo = userInfo
  return this.getPostLoginTarget(userInfo)
```

```
  },

  getPostLoginTarget(userInfo) {
    if (userInfo.onboardingCompleted) {
      return '/pages/home/home'
    }

    if (!userInfo.profileCompleted) {
      return '/pages/registerProfile/registerProfile?mode=register'
    }

    if (!userInfo.locationChoiceMade) {
      return '/pages/permissionSettings/permissionSettings?mode=onboarding'
    }

    if (!userInfo.dnaCompleted) {
      return '/pages/dnaTag/dnaTag?mode=setup'
    }

    return '/pages/home/home'
  },

  setUserInfo(userInfo) {
    if (!userInfo || !userInfo.openid) {
      this.clearUserInfo({ markLoggedOut: false })
      return
    }

    const currentUserInfo = this.globalData.userInfo || wx.getStorageSync(USER_INFO_KEY) || {}
    const mergedUserInfo = {
      ...currentUserInfo,
      ...userInfo,
    }

    if (!userInfo.avatarPreviewUrl && currentUserInfo.avatarPreviewUrl && currentUserInfo.avatarUrl === mergedUserInfo.avatarUrl) {
      mergedUserInfo.avatarPreviewUrl = currentUserInfo.avatarPreviewUrl
    }

    if (!userInfo.avatarResolvedUrl && currentUserInfo.avatarResolvedUrl && currentUserInfo.avatarUrl === mergedUserInfo.avatarUrl) {
      mergedUserInfo.avatarResolvedUrl = currentUserInfo.avatarResolvedUrl
    }

    this.globalData.userInfo = mergedUserInfo
    wx.setStorageSync(USER_INFO_KEY, mergedUserInfo)
    wx.removeStorageSync(LOGOUT_FLAG_KEY)
  },

  clearUserInfo(options = {}) {
    const { markLoggedOut = true } = options
    this.globalData.userInfo = null
    wx.removeStorageSync(USER_INFO_KEY)
    if (markLoggedOut) {
      wx.setStorageSync(LOGOUT_FLAG_KEY, true)
    } else {
      wx.removeStorageSync(LOGOUT_FLAG_KEY)
    }
  },

  getUserInfo() {
```

```
    if (wx.getStorageSync(LOGOUT_FLAG_KEY)) {
      return null
    }

    const userInfo = this.globalData.userInfo || wx.getStorageSync(USER_INFO_KEY)
    if (!userInfo || !userInfo.openid) {
      return null
    }

    return userInfo
  },

  hasActiveSession(options = {}) {
    const userInfo = this.getUserInfo()
    if (!userInfo) {
      return false
    }

    return true
  },

  clearLocalTestData() {
    this.globalData.userInfo = null
    RESET_KEYS.forEach((key) => {
      wx.removeStorageSync(key)
    })
  },
})
```

Path: miniprogram/app.json

```
{
  "pages": [
    "pages/home/home",
    "pages/message/message",
    "pages/cart/cart",
    "pages/me/me",
    "pages/welcome/welcome",
    "pages/login/login",
    "pages/notePublish/notePublish",
    "pages/noteDetail/noteDetail",
    "pages/messageInteraction/messageInteraction",
    "pages/messageMerchant/messageMerchant",
    "pages/messageMerchantChat/messageMerchantChat",
    "pages/messagePlatform/messagePlatform",
    "pages/messagePlatformSupport/messagePlatformSupport",
    "pages/messagePlatformGuarantee/messagePlatformGuarantee",
    "pages/messageBuddyApply/messageBuddyApply",
    "pages/messageBuddyApplyChat/messageBuddyApplyChat",
    "pages/messageConversation/messageConversation",
    "pages/permissionSettings/permissionSettings",
    "pages/registerProfile/registerProfile",
    "pages/dnaTag/dnaTag",
    "pages/buddyIntent/buddyIntent",
    "pages/activityDetail/activityDetail",
    "pages/productDetail/productDetail",
    "pages/scenicDetail/scenicDetail",
    "pages/hotelDetail/hotelDetail",
    "pages/search/search",
    "pages/searchResults/searchResults",
    "pages/askXiaohe/askXiaohe",
    "pages/askXiaoheChat/askXiaoheChat",
    "pages/regionSelect/regionSelect",
    "pages/book/book",
    "pages/order/order",
    "pages/travelerSelect/travelerSelect",
    "pages/travelerEdit/travelerEdit",
    "pages/myActivities/myActivities",
    "pages/activityOrderDetail/activityOrderDetail",
    "pages/activityReview/activityReview",
    "pages/myOrders/myOrders",
    "pages/reviewCenter/reviewCenter",
    "pages/favorites/favorites",
    "pages/favoritesEdit/favoritesEdit",
    "pages/ruralFun/ruralFun",
    "pages/academy/academy",
    "pages/knowledgeDetail/knowledgeDetail",
    "pages/hotel/hotel",
    "pages/mall/mall",
    "pages/qaCenter/qaCenter"
  ],
  "permission": {
    "scope.userLocation": {
      "desc": "\u7528\u4e8e\u4e3a\u60a8\u63a8\u8350\u9644\u8fd1\u9152\u5e97\u6c11\u5bbf\u3001\u6d3b\u52a8\u4e0e\u666f\u70b9\uff0c\u5e76\u663e\u793a\u5f53\u524d\u6240\u5728\u57ce\u5e02"
    }
  },
  "requiredPrivateInfos": [
    "getLocation",
    "chooseLocation"
```

```
59  ],
60  "window": {
61    "navigationBarTitleText": "\u519c\u65c5e\u7ad9",
62    "navigationBarBackgroundColor": "#F8F8F8",
63    "navigationBarTextStyle": "black"
64  },
65  "lazyCodeLoading": "requiredComponents",
66  "tabBar": {
67    "color": "#999999",
68    "selectedColor": "#57984a",
69    "list": [
70      { "pagePath": "pages/home/home", "text": "\u9996\u9875" },
71      { "pagePath": "pages/message/message", "text": "\u6d88\u606f" },
72      { "pagePath": "pages/cart/cart", "text": "\u8d2d\u7269\u8f66" },
73      { "pagePath": "pages/me/me", "text": "\u6211\u7684" }
74    ]
75  }
76 }
```

Path: miniprogram/app.wxss

```
/**app.wxss**/
:root {
  --theme-page-bg: #f6faf4;
  --theme-panel-bg: #ffffff;
  --theme-soft-bg: #edf5ea;
  --theme-soft-bg-strong: #e4f0df;
  --theme-primary: #57984a;
  --theme-primary-dark: #27692a;
  --theme-primary-light: #dff0dc;
  --theme-text-main: #1f2a1f;
  --theme-text-sub: #667566;
  --theme-text-muted: #99a598;
  --theme-border: #dbe8d7;
  --theme-danger: #d9544f;
}

.container {
  display: flex;
  flex-direction: column;
  align-items: center;
  box-sizing: border-box;
}

button {
  background: initial;
}

button:focus{
  outline: 0;
}

button::after{
  border: none;
}


page {
  background: var(--theme-page-bg);
  color: var(--theme-text-main);
  display: flex;
  flex-direction: column;
  justify-content: flex-start;
}
```

Path: miniprogram/envList.js

```
1 const envList = [];
2 const isMac = false;
3 module.exports = {
4   envList,
5   isMac
6 };
```

Path: miniprogram/sitemap.json

```
1 {
2   "desc": "关于本文件的更多信息，请参考文档 https://developers.weixin.qq.com/miniprogram/dev/framework/sitemap.html",
3   "rules": [{
4     "action": "allow",
5     "page": "*"
6   }]
7 }
```

Path: miniprogram/config/agent.js

```
module.exports = {
  yuxiaoheBotId: "agent-yuxiaohe-1grmumm967563411",
  yuxiaoheEnvId: "cloud1-3ghmr5ki7b1172fe",
  yuxiaoheServiceName: "agent-yuxiaohe-1grmumm967563411",
  yuxiaoheHttpBaseUrl: "https://cloud1-3ghmr5ki7b1172fe-1403917845.ap-shanghai.app.tcloudbase.com"
}
```

Path: miniprogram/components/cloudTipModal/index.js

```
Component({

  /**
   * 页面的初始数据
   */
  data: {
    showTip: false,
  },
  properties: {
    showTipProps: Boolean,
    title:String,
    content:String
  },
  observers: {
    showTipProps: function(showTipProps) {
      this.setData({
        showTip: showTipProps
      });
    }
  },
  methods: {
    onClose(){
      this.setData({
        showTip: !this.data.showTip
      });
    },
  }
});
```

Path: miniprogram/components/cloudTipModal/index.json

```
1 {
2   "usingComponents": {},
3   "component": true
4 }
```

Path: miniprogram/components/cloudTipModal/index.wxml

```
<!--miniprogram/components/cloudTipModal/index.wxml-->
<!--  wx:if="{{showUploadTip}}" -->
<view class="install_tip" wx:if="{{showTip}}">
  <view class="install_tip_back"></view>
  <view class="install_tip_detail">
    <image class="install_tip_close" bind:tap="onClose" src="../../images/icons/close.png"/>
    <view class="install_tip_detail_title">{{title}}</view>
    <view class="install_tip_detail_tip">{{content}}</view>
  </view>
</view>
```

Path: miniprogram/components/cloudTipModal/index.wxss

```
.install_tip_back {
  position: fixed;
  top: 0;
  right: 0;
  bottom: 0;
  left: 0;
  background-color: rgba(0,0,0,0.4);
  z-index: 1;
}
.install_tip_close{
  position:absolute;
  right: 10rpx;
  top: 10rpx;
  width: 32px;
  height: 32px;
  /* background-color: red; */
}
.install_tip_detail {
  position: fixed;
  background-color: white;
  right: 0;
  bottom: 0;
  left: 0;
  border-radius: 40rpx 40rpx 0 0;
  padding: 50rpx 50rpx 100rpx 50rpx;
  z-index: 9;
}

.install_tip_detail_title {
  font-weight: 400;
  font-size: 40rpx;
  text-align: center;
}

.install_tip_detail_tip {
  font-size: 25rpx;
  color: rgba(0,0,0,0.4);
  margin-top: 20rpx;
  text-align: left;
}
.install_tip_detail_buttons {
  padding-top: 50rpx;
  display: flex;
}
.install_tip_detail_button {
  color: #07C160;
  font-weight: 500;
  background-color: rgba(0,0,0,0.1);
  width: 40%;
  text-align: center;
  /* height: 90rpx; */
  /* line-height: 90rpx; */
  border-radius: 10rpx;
  margin: 0 auto;
}

.install_tip_detail_button_primary {
  background-color: #07C160;
  color: #fff;
}
```

Path: miniprogram/utils/activityCoverTags.js

```
1 const GENERIC_TAGS = new Set([
2   '\u4e61\u6751',
3   '\u519c\u65c5',
4   '\u6587\u65c5',
5   '\u4f53\u9a8c',
6   '\u6d3b\u52a8',
7   '\u7f8e\u98df',
8   '\u73a9\u6cd5',
9   '\u65b9\u5f0f',
10  '\u51fa\u884c',
11  '\u51fa\u6e38',
12  '\u5fae\u5ea6\u5047',
13  '\u5468\u672b\u77ed\u9014',
14  '\u6444\u5f71',
15  '\u89c2\u5149',
16  '\u624b\u4f5c',
17  '\u975e\u9057',
18  '\u91c7\u6458',
19  '\u82b1\u6d77',
20  '\u7530\u56ed',
21  '\u7267\u573a',
22  '\u6c11\u5bbf',
23  '\u9152\u5e97',
24  '\u5065\u5eb7\u517b\u751f',
25  '\u4eb2\u5b50\u7814\u5b66',
26  '\u51fa\u7247\u6253\u5361',
27 ])
28
29 const NOISE_WORDS = [
30  '\u4f53\u9a8c',
31  '\u4e4b\u65c5',
32  '\u4e4b\u884c',
33  '\u4e3b\u9898',
34  '\u6587\u5316',
35  '\u98ce\u60c5',
36  '\u9650\u5b9a',
37  '\u6d3b\u52a8',
38  '\u7ebf\u8def',
39  '\u5fae\u5ea6\u5047',
40  '\u6162\u6e38',
41  '\u89c2\u5149',
42  '\u6253\u5361',
43  '\u73a9\u6cd5',
44  '\u65b9\u5f0f',
45  '\u9002\u5408',
46  '\u53ef\u9009',
47  '\u4f18\u5148',
48  '\u53ef\u62fc\u8f66',
49  '\u62fc\u8f66',
50  '\u8f7b\u677e',
51 ]
52
53 const NONE_STAY_PATTERNS = [
54  '\u4e0d\u542b\u4f4f\u5bbf',
55  '\u65e0\u4f4f\u5bbf',
56  '\u4e0d\u542b\u4f4f',
57  '\u65e0\u4f4f',
58 ]
59
60 function normalizeText(value = '') {
```

```
  return String(value || '').trim()
}

function normalizeList(value) {
  return Array.isArray(value) ? value.map(normalizeText).filter(Boolean) : []
}

function containsAny(text, patterns) {
  return patterns.some((pattern) => text.includes(pattern))
}

function normalizeCompareText(value) {
  let text = normalizeText(value)
  text = text.replace(/\u534a\u65e5/gu, '\u534a\u5929')
  text = text.replace(/\u4e00\u65e5/gu, '1\u5929')
  text = text.replace(/\u519c\u5bb6\u5348\u9910/gu, '\u519c\u5bb6\u98ce\u5473\u9910')
  text = text.replace(/\u519c\u5bb6\u665a\u9910/gu, '\u519c\u5bb6\u98ce\u5473\u9910')
  text = text.replace(/\u519c\u5bb6\u996d/gu, '\u519c\u5bb6\u98ce\u5473\u9910')
  text = text.replace(/\u4e61\u6751\u5348\u9910/gu, '\u519c\u5bb6\u98ce\u5473\u9910')
  text = text.replace(/\u5de5\u574a/gu, '\u624b\u4f5c')
  text = text.replace(/(\u624b\u4f5c)+/gu, '\u624b\u4f5c')
  text = text.replace(/[\u00b7\u30fb\u3001\uff0c,\s\/|｜-]+/gu, '')
  NOISE_WORDS.forEach((word) => {
    text = text.split(word).join('')
  })
  return text
}

function isSimilarTag(candidate, existingList) {
  const normalizedCandidate = normalizeCompareText(candidate)
  if (!normalizedCandidate) {
    return false
  }

  return existingList.some((item) => {
    const normalizedItem = normalizeCompareText(item)
    if (!normalizedItem) {
      return false
    }

    return (
      normalizedItem === normalizedCandidate ||
      normalizedItem.includes(normalizedCandidate) ||
      normalizedCandidate.includes(normalizedItem)
    )
  })
}

function pushCandidate(target, candidate, excludedList = [], max = 5) {
  const text = normalizeText(candidate)
  if (!text || target.length >= max || GENERIC_TAGS.has(text)) {
    return
  }

  if (isSimilarTag(text, excludedList) || isSimilarTag(text, target)) {
    return
  }

  target.push(text)
```

```
}

function appendCandidates(target, candidates, excludedList, max, limit) {
  const local = []
  candidates.forEach((candidate) => {
    pushCandidate(local, candidate, excludedList, limit)
  })
  local.forEach((candidate) => {
    pushCandidate(target, candidate, excludedList, max)
  })
}

function buildDurationTag(days, durationText) {
  if (typeof days === 'number' && days >= 2) {
    return `${days}\u5929${days - 1}\u665a`
  }

  if (typeof days === 'number' && days > 0 && days < 1) {
    return normalizeText(durationText) || '\u534a\u5929'
  }

  if (typeof days === 'number' && days > 0) {
    return `${days}\u5929`
  }

  return normalizeText(durationText) || '1\u5929'
}

function collectServiceTags(activity, target, excludedList, max) {
  const transportText = normalizeText(activity.transport)
  const pickupPoint = normalizeText(activity.pickupPoint)
  const candidates = []

  if (transportText) {
    if (transportText.includes('\u4fdd\u59c6\u8f66')) {
      candidates.push('\u4fdd\u59c6\u8f66')
    }
    if (transportText.includes('\u4e00\u5355\u4e00\u56e2')) {
      candidates.push('\u4e00\u5355\u4e00\u56e2')
    }
    if (containsAny(transportText, ['\u4e13\u8f66', '\u5305\u8f66'])) {
      candidates.push('\u4e13\u8f66\u670d\u52a1')
    }
    if (containsAny(transportText, ['\u5546\u52a1\u8f66'])) {
      candidates.push('\u5546\u52a1\u8f66\u63a5\u9001')
    }
    if (containsAny(transportText, ['\u5c0f\u5df4', '\u5927\u5df4', '\u5df4\u58eb', '\u65c5\u6e38\u5df4\u58eb', '\u56e2\u961f\u5df4\u58eb'])) {
      candidates.push('\u5df4\u58eb\u63a5\u9001')
    }
    if (containsAny(transportText, ['\u81ea\u9a7e'])) {
      candidates.push('\u81ea\u9a7e\u53ef\u9009')
    }
  }

  if (activity.pickup) {
    if (containsAny(pickupPoint, ['\u9ad8\u94c1', '\u706b\u8f66\u7ad9', '\u8f66\u7ad9', '\u7ad9'])) {
      candidates.push('\u7ad9\u70b9\u63a5\u9001')
    } else if (containsAny(pickupPoint, ['\u9152\u5e97', '\u6c11\u5bbf'])) {
      candidates.push('\u4f4f\u5bbf\u63a5\u9001')
    } else if (containsAny(pickupPoint, ['\u5546\u5708', '\u5730\u94c1', '\u57ce\u51
```

```
    candidates.push('\u5546\u5708\u63a5\u9001')
  } else {
    candidates.push('\u5b9a\u70b9\u63a5\u9001')
  }
}

appendCandidates(target, candidates, excludedList, max, 2)
}

function collectStayTags(activity, target, excludedList, max) {
  const stayText = normalizeText(activity.stay)
  if (!stayText || containsAny(stayText, NONE_STAY_PATTERNS)) {
    return
  }
  const candidates = []

  if (containsAny(stayText, ['\u7cbe\u54c1\u6c11\u5bbf', '\u7279\u8272\u6c11\u5bbf'])) {
    candidates.push('\u7279\u8272\u6c11\u5bbf')
  } else if (stayText.includes('\u6c11\u5bbf')) {
    candidates.push('\u6c11\u5bbf\u53ef\u9009')
  }

  if (containsAny(stayText, ['\u9152\u5e97', '\u53cc\u5e8a', '\u5927\u5e8a'])) {
    candidates.push('\u9152\u5e97\u53ef\u9009')
  }

  if (containsAny(stayText, ['\u5e10\u7bf7', '\u9732\u8425'])) {
    candidates.push('\u5e10\u7bf7\u9732\u8425')
  }

  if (containsAny(stayText, ['\u6728\u5c4b', '\u5c0f\u9662'])) {
    candidates.push('\u4e61\u91ce\u6728\u5c4b')
  }

  appendCandidates(target, candidates, excludedList, max, 1)
}

function collectFoodTags(textPool, target, excludedList, max) {
  const joined = textPool.join(' ')
  const candidates = []

  if (joined.includes('\u6cb3\u5dde') && containsAny(joined, ['\u4e61\u5473\u5bb4', '\u98ce\u5473\u5bb4'])) {
    candidates.push('\u6cb3\u5dde\u4e61\u5473\u5bb4')
  }

  if (joined.includes('\u767e\u5408') && containsAny(joined, ['\u5168\u5e2d', '\u5bb4'])) {
    candidates.push('\u767e\u5408\u5168\u5e2d\u5bb4')
  } else if (joined.includes('\u767e\u5408') && containsAny(joined, ['\u7f8e\u98df', '\u98ce\u5473', '\u751c\u54c1', '\u624b\u4f5c'])) {
    candidates.push('\u767e\u5408\u98ce\u5473')
  }

  if (joined.includes('\u73ab\u7470') && containsAny(joined, ['\u5bb4', '\u665a\u9910', '\u5348\u9910', '\u98ce\u5473'])) {
    candidates.push('\u73ab\u7470\u98ce\u5473\u5bb4')
  }

  if (containsAny(joined, ['\u519c\u5bb6\u5348\u9910', '\u519c\u5bb6\u996d', '\u519c\u5bb6\u9910', '\u4e61\u6751\u665a\u9910'])) {
```

```
  candidates.push('\u519c\u5bb6\u98ce\u5473\u9910')
}

if (containsAny(joined, ['\u8017\u725b\u9178\u5976', '\u9178\u5976'])) {
  candidates.push('\u8017\u725b\u9178\u5976')
}

if (containsAny(joined, ['\u85cf\u5f0f\u5976\u8336', '\u5976\u8336'])) {
  candidates.push('\u85cf\u5f0f\u5976\u8336')
}

appendCandidates(target, candidates, excludedList, max, 1)
}

function normalizeHighlightTag(value) {
  let text = normalizeText(value)
  if (!text) {
    return ''
  }

  if (text.includes('\u767e\u5408') && text.includes('\u5c0f\u5361')) {
    return '\u767e\u5408\u5c0f\u5361'
  }

  text = text.replace(/^[0-9]+\.\s*/u, '')
  text = text
    .replace(/^\u8d60\u9001/u, '')
    .replace(/^\u9644\u8d60/u, '')
    .replace(/^\u5b9a\u5236/u, '')
    .replace(/\u4f53\u9a8c$/u, '')
    .replace(/\u6253\u5361$/u, '')
    .replace(/\u89c2\u5149$/u, '')
    .replace(/\u6162\u6e38$/u, '')
    .replace(/\u5165\u4f4f$/u, '')
    .replace(/\u4f11\u95f2$/u, '')
    .replace(/\u8bb2\u89e3$/u, '')
    .replace(/\u540c\u6846$/u, '')
    .trim()

  if (!text || text.length > 8 || GENERIC_TAGS.has(text)) {
    return ''
  }

  return text
}

function mapSpecificTag(text) {
  const value = normalizeText(text)
  if (!value) {
    return ''
  }

  if (value.includes('\u590f\u6cb3') && value.includes('\u7267\u573a')) return '\u590f\u6cb3\u7267\u573a'
  if (value.includes('\u9647\u5357') && containsAny(value, ['\u8336\u4e61', '\u8336\u5c71', '\u8336\u56ed'])) return '\u9647\u5357\u8336\u4e61'
  if (value.includes('\u82e6\u6c34') && value.includes('\u73ab\u7470')) return '\u82e6\u6c34\u73ab\u7470'
  if (value.includes('\u6c38\u767b') && value.includes('\u73ab\u7470')) return '\u6c38\u767b\u73ab\u7470'
  if (value.includes('\u767e\u5408') && containsAny(value, ['\u91c7\u6316', '\u91c7\u6458', '\u79cd\u690d'])) return '\u767e\u5408\u91c7\u6316'
```

```
  if (value.includes('\u8349\u8393') && containsAny(value, ['\u91c7\u6458', '\u679c\u56ed', '\u6e29\u5ba4'])) return '\u8349\u8393\u91c7\u6458'
  if (value.includes('\u68a8\u56ed')) return '\u68a8\u56ed\u91c7\u6458'
  if (value.includes('\u679c\u56ed') && value.includes('\u91c7\u6458')) return '\u679c\u56ed\u91c7\u6458'
  if (value.includes('\u4e39\u971e') && value.includes('\u5f92\u6b65')) return '\u4e39\u971e\u5f92\u6b65'
  if (value.includes('\u4e39\u971e')) return '\u4e39\u971e\u89c2\u666f'
  if (value.includes('\u82b1\u7530')) return '\u82b1\u7530\u6253\u5361'
  if (value.includes('\u82b1\u6d77')) return '\u82b1\u6d77\u6444\u5f71'
  if (containsAny(value, ['\u8336\u4e61', '\u8336\u5c71'])) return '\u8336\u4e61\u6162\u6e38'
  if (value.includes('\u8336\u56ed')) return '\u8336\u56ed\u624b\u4f5c'
  if (value.includes('\u975e\u9057') && value.includes('\u5de5\u574a')) return '\u975e\u9057\u5de5\u574a'
  if (value.includes('\u53e4\u6751')) return '\u53e4\u6751\u6f2b\u6e38'
  if (value.includes('\u7530\u56ed') && containsAny(value, ['\u6444\u5f71', '\u98ce\u5149', '\u89c2\u666f'])) return '\u7530\u56ed\u89c2\u666f'
  if (value.includes('\u7530\u56ed') && value.includes('\u82b1')) return '\u7530\u56ed\u82b1\u6d77'
  if (value.includes('\u9732\u8425')) return '\u5c71\u91ce\u9732\u8425'
  if (value.includes('\u6c11\u5bbf')) return '\u4e61\u91ce\u6c11\u5bbf'
  if (value.includes('\u624b\u4f5c')) return normalizeHighlightTag(value) || '\u624b\u4f5c\u5de5\u574a'
  if (value.includes('\u91c7\u6458')) return normalizeHighlightTag(value)

  return normalizeHighlightTag(value)
}

function collectSpecificTags(activity, target, excludedList, max) {
  const candidates = normalizeList(activity.highlights)
    .concat([
      normalizeText(activity.locationName),
      normalizeText(activity.title),
      normalizeText(activity.summary),
    ])
    .map(mapSpecificTag)
    .filter(Boolean)

  candidates.forEach((item) => pushCandidate(target, item, excludedList, max))
}

function collectFallbackTags(activity, target, excludedList, max) {
  normalizeList(activity.tags)
    .map(normalizeHighlightTag)
    .filter(Boolean)
    .forEach((item) => pushCandidate(target, item, excludedList, max))
}

function buildActivityCoverTags(activity = {}, options = {}) {
  const maxTotal = options.maxTotal || 6
  const maxExtra = Math.max(0, maxTotal - 1)
  const durationTag = buildDurationTag(activity.days, activity.durationText)
  const excludedList = [durationTag]
    .concat(normalizeList(activity.travelModeTags))
    .concat(normalizeList(activity.playTags))
  const textPool = normalizeList(activity.highlights).concat([
    normalizeText(activity.locationName),
    normalizeText(activity.title),
    normalizeText(activity.summary),
    normalizeText(activity.content),
    normalizeText(activity.detail),
```

```
  ])
  const coverTags = []

  collectServiceTags(activity, coverTags, excludedList, maxExtra)
  collectStayTags(activity, coverTags, excludedList, maxExtra)
  collectFoodTags(textPool, coverTags, excludedList, maxExtra)
  collectSpecificTags(activity, coverTags, excludedList, maxExtra)
  collectFallbackTags(activity, coverTags, excludedList, maxExtra)

  return {
    durationTag,
    tags: coverTags.slice(0, maxExtra),
    combinedTags: [durationTag].concat(coverTags.slice(0, maxExtra)),
  }
}

module.exports = {
  buildActivityCoverTags,
}
```

Path: miniprogram/utils/askConversationStore.js

```
1 const ASK_CONVERSATION_STORAGE_KEY = "askXiaoheConversations"
2 const MAX_CONVERSATIONS = 20
3
4 function normalizeText(value) {
5   return String(value || "").trim()
6 }
7
8 function createConversationId() {
9   return `conv_${Date.now()}_${Math.floor(Math.random() * 100000)}`
10 }
11
12 function buildConversationTitle(firstQuestion = "") {
13   const text = normalizeText(firstQuestion)
14   if (!text) return "新的小禾对话"
15
16   if (/亲子/.test(text) && /(农旅|活动|采摘|研学|农场)/.test(text)) {
17     return "附近亲子农旅活动推荐"
18   }
19
20   if (/(拍照|打卡)/.test(text) && /(景点|地方|景区|哪里)/.test(text)) {
21     return "附近拍照打卡景点推荐"
22   }
23
24   if (/(景点|景区|古村|花海|草原|观景)/.test(text)) {
25     return "附近乡村景点推荐"
26   }
27
28   if (/(特产|乡味|伴手礼|礼盒|美食)/.test(text)) {
29     return "附近乡味特产推荐"
30   }
31
32   if (/(周末|放松|去处)/.test(text)) {
33     return "附近周末放松去处推荐"
34   }
35
36   const compact = text.replace(/[？ ？！ ！。 ，， 、 ； ；： ：\s]/g, "")
37   return compact.slice(0, 14) || "新的小禾对话"
38 }
39
40 function safeRead() {
41   try {
42     return wx.getStorageSync(ASK_CONVERSATION_STORAGE_KEY) || []
43   } catch (error) {
44     return []
45   }
46 }
47
48 function safeWrite(list) {
49   wx.setStorageSync(ASK_CONVERSATION_STORAGE_KEY, Array.isArray(list) ? list : [])
50 }
51
52 function listConversations() {
53   return safeRead()
54     .filter((item) => item && item.id)
55     .sort((a, b) => Number(b.updatedAt || 0) - Number(a.updatedAt || 0))
56 }
57
58 function getConversationById(id) {
59   return listConversations().find((item) => item.id === id) || null
60 }
```

```

function saveConversation(conversation) {
  if (!conversation || !conversation.id) return null

  const current = listConversations().filter((item) => item.id !== conversation.id)
  const next = [
    {
      id: conversation.id,
      title: normalizeText(conversation.title) || "新的小禾对话",
      firstQuestion: normalizeText(conversation.firstQuestion),
      createdAt: conversation.createdAt || Date.now(),
      updatedAt: conversation.updatedAt || Date.now(),
      messages: Array.isArray(conversation.messages) ? conversation.messages : [],
      source: normalizeText(conversation.source),
      skillMode: normalizeText(conversation.skillMode),
      genericPreferences: conversation.genericPreferences || {},
      currentTaskState: conversation.currentTaskState || null
    }
  ].concat(current).slice(0, MAX_CONVERSATIONS)

  safeWrite(next)
  return next[0]
}

function removeConversation(id) {
  const next = listConversations().filter((item) => item.id !== id)
  safeWrite(next)
  return next
}

function clearConversations() {
  safeWrite([])
}

module.exports = {
  ASK_CONVERSATION_STORAGE_KEY,
  buildConversationTitle,
  clearConversations,
  createConversationId,
  getConversationById,
  listConversations,
  removeConversation,
  saveConversation
}
```

Path: miniprogram/utils/collectionStore.js

```
1 const FAVORITES_KEY = 'unifiedFavorites'
2 const FOOTPRINTS_KEY = 'unifiedFootprints'
3
4 const CATEGORY_ALL = 'all'
5 const CITY_ALL = 'all'
6
7 const TYPE_CONFIG = {
8   activity: {
9     label: '活动',
10    path: '/pages/activityDetail/activityDetail',
11  },
12  product: {
13    label: '商品',
14    path: '/pages/productDetail/productDetail',
15  },
16  scenic: {
17    label: '景点',
18    path: '/pages/scenicDetail/scenicDetail',
19  },
20  hotel: {
21    label: '酒店/民宿',
22    path: '/pages/hotelDetail/hotelDetail',
23  },
24  knowledge: {
25    label: '推文',
26    path: '/pages/knowledgeDetail/knowledgeDetail',
27  },
28 }
29
30 function safeList(value) {
31   return Array.isArray(value) ? value : []
32 }
33
34 function getStorageList(key) {
35   try {
36     return safeList(wx.getStorageSync(key))
37   } catch (error) {
38     console.error('[collectionStore] getStorageList failed', key, error)
39     return []
40   }
41 }
42
43 function setStorageList(key, list) {
44   try {
45     wx.setStorageSync(key, safeList(list))
46   } catch (error) {
47     console.error('[collectionStore] setStorageList failed', key, error)
48   }
49 }
50
51 function sortByLatest(list, fieldName) {
52   return safeList(list).sort((left, right) => Number(right[fieldName] || 0) - Number
   (left[fieldName] || 0))
53 }
54
55 function buildKey(type, id) {
56   return `${type || ''}::${id || ''}`
57 }
58
59 function createTargetUrl(type, id) {
```

```
60   const config = TYPE_CONFIG[type] || {}
61   return config.path && id ? `${config.path}?id=${id}` : ''
62 }
63
64 function normalizeText(value = '') {
65   return String(value || '').trim()
66 }
67
68 function normalizeRecord(input = {}) {
69   const type = normalizeText(input.type)
70   const id = normalizeText(input.id)
71   const config = TYPE_CONFIG[type] || {}
72   const key = buildKey(type, id)
73   const normalizedBadgeText = normalizeText(input.badgeText)
74   const badgeText = type === 'knowledge'
75     ? config.label
76     : (normalizedBadgeText || config.label || '')
77
78   return {
79     key,
80     type,
81     id,
82     categoryLabel: config.label || '',
83     title: normalizeText(input.title) || '未命名内容',
84     cover: normalizeText(input.cover),
85     city: normalizeText(input.city) || '未知城市',
86     regionText: normalizeText(input.regionText),
87     summary: normalizeText(input.summary),
88     priceText: normalizeText(input.priceText),
89     metaText: normalizeText(input.metaText),
90     badgeText,
91     author: normalizeText(input.author),
92     statsText: normalizeText(input.statsText),
93     scoreText: normalizeText(input.scoreText),
94     targetUrl: normalizeText(input.targetUrl) || createTargetUrl(type, id),
95     updatedAt: Number(input.updatedAt || 0),
96     favoritedAt: Number(input.favoritedAt || 0),
97     visitedAt: Number(input.visitedAt || 0),
98   }
99 }
100
101 function getFavorites() {
102   return sortByLatest(
103     getStorageList(FAVORITES_KEY).map((item) => normalizeRecord(item)),
104     'favoritedAt'
105   )
106 }
107
108 function getFootprints() {
109   return sortByLatest(
110     getStorageList(FOOTPRINTS_KEY).map((item) => normalizeRecord(item)),
111     'visitedAt'
112   )
113 }
114
115 function isFavorited(type, id) {
116   const targetKey = buildKey(type, id)
117   return getFavorites().some((item) => item.key === targetKey)
118 }
119
120 function toggleFavorite(record = {}) {
121   const normalized = normalizeRecord(record)
```

```
  const currentList = getFavorites()
  const exists = currentList.some((item) => item.key === normalized.key)

  if (exists) {
    const nextList = currentList.filter((item) => item.key !== normalized.key)
    setStorageList(FAVORITES_KEY, nextList)
    return false
  }

  const nextItem = {
    ...normalized,
    favoritedAt: Date.now(),
    updatedAt: Date.now(),
  }
  const nextList = [nextItem, ...currentList.filter((item) => item.key !== normalized.key)]
  setStorageList(FAVORITES_KEY, nextList)
  return true
}

function recordFootprint(record = {}) {
  const normalized = normalizeRecord(record)
  if (!normalized.type || !normalized.id) {
    return
  }

  const currentList = getFootprints().filter((item) => item.key !== normalized.key)
  const nextItem = {
    ...normalized,
    visitedAt: Date.now(),
    updatedAt: Date.now(),
  }
  setStorageList(FOOTPRINTS_KEY, [nextItem, ...currentList])
}

function clearFootprints() {
  setStorageList(FOOTPRINTS_KEY, [])
}

function deleteFavorites(keys = []) {
  const keySet = new Set(safeList(keys).filter(Boolean))
  if (!keySet.size) {
    return
  }

  const nextList = getFavorites().filter((item) => !keySet.has(item.key))
  setStorageList(FAVORITES_KEY, nextList)
}

module.exports = {
  CATEGORY_ALL,
  CITY_ALL,
  TYPE_CONFIG,
  getFavorites,
  getFootprints,
  isFavorited,
  toggleFavorite,
  deleteFavorites,
  recordFootprint,
  clearFootprints,
}
```

Path: miniprogram/utils/knowledgeArticle.js

```
1 const { resolveMediaSource } = require('./mediaAssets')
2
3 const CLOUD_ENV_ID = 'cloud1-3ghmr5ki7b1172fe.636c-cloud1-3ghmr5ki7b1172fe-140391784
  5'
4 const CLOUD_KNOWLEDGE_COVER_PREFIX = `cloud://${CLOUD_ENV_ID}/knowledge/covers`
5 const KNOWLEDGE_COVER_FILE_MAP = {
6   'agri-001': 'spring-vegetable.png',
7   'agri-002': 'village-chicken.png',
8   'agri-003': 'corn-disease.png',
9   'agri-004': 'bee-guide.png',
10   'agri-005': 'rice-brand.png',
11   'culture-001': 'summer-palace.png',
12   'culture-002': 'intangible-heritage.png',
13   'culture-003': 'folk-custom.png',
14   'culture-004': 'travel-tips.png',
15 }
16
17 function normalizeText(value = '') {
18   return String(value || '').trim()
19 }
20
21 function normalizeArray(value) {
22   return Array.isArray(value) ? value : []
23 }
24
25 function normalizeContentType(type = '') {
26   const value = normalizeText(type).toLowerCase()
27   if (value === 'h2' || value === 'heading') {
28     return 'heading'
29   }
30   if (value === 'img' || value === 'image') {
31     return 'image'
32   }
33   return 'paragraph'
34 }
35
36 function getFileName(value = '') {
37   const normalized = normalizeText(value)
38   if (!normalized) {
39     return ''
40   }
41
42   const segments = normalized.split('/')
43   return normalizeText(segments[segments.length - 1])
44 }
45
46 function buildKnowledgeCoverFileID(fileName = '') {
47   const normalized = getFileName(fileName)
48   return normalized ? `${CLOUD_KNOWLEDGE_COVER_PREFIX}/${normalized}` : ''
49 }
50
51 function normalizeKnowledgeCover(article = {}) {
52   const cover = normalizeText(article.cover)
53   if (/^(cloud|https?):\/\//i.test(cover)) {
54     return cover
55   }
56
57   const coverFileName = getFileName(cover) || KNOWLEDGE_COVER_FILE_MAP[normalizeText
  (article.id)]
58   return buildKnowledgeCoverFileID(coverFileName)
```

```
}

async function resolveKnowledgeArticleMedia(article = {}) {
  const content = await Promise.all(
    normalizeArray(article.content).map(async (item = {}) => {
      const type = normalizeContentType(item.type)
      if (type === 'image') {
        const src = await resolveMediaSource(item.src || item.image || '', '')
        return {
          ...item,
          type,
          src,
        }
      }

      return {
        ...item,
        type,
        text: normalizeText(item.text),
      }
    })
  )

  return {
    ...article,
    tags: normalizeArray(article.tags).filter(Boolean),
    cover: await resolveMediaSource(normalizeKnowledgeCover(article), ''),
    content,
  }
}

module.exports = {
  normalizeText,
  normalizeArray,
  normalizeContentType,
  normalizeKnowledgeCover,
  resolveKnowledgeArticleMedia,
}
```

Path: miniprogram/utils/mediaAssets.js

```
1 const ACTIVITY_MEDIA_MAP = {
2   'lz-yuzhong-strawberry-family-day': {
3     aliases: ['榆中', '草莓', '亲子'],
4     localCover: '/images/activities/lz-yuzhong-strawberry-family-day.jpg',
5   },
6   'lz-gaolan-country-photo-day': {
7     aliases: ['皋兰', '田园', '摄影'],
8     localCover: '/images/activities/lz-gaolan-country-photo-day.jpg',
9   },
10  'lz-yongdeng-rose-weekend': {
11    aliases: ['永登', '玫瑰', '周末'],
12    localCover: '/images/activities/lz-yongdeng-rose-weekend.jpg',
13  },
14  'lz-suburb-farm-study-camp': {
15    aliases: ['近郊', '农事', '研学'],
16    localCover: '/images/activities/lz-suburb-farm-study-camp.jpg',
17  },
18  'lz-bailihe-handmade-food-tour': {
19    aliases: ['百合', '乡味', '手作'],
20    localCover: '/images/activities/lz-bailihe-handmade-food-tour.jpg',
21  },
22  'lz-kushui-rose-culture-day': {
23    aliases: ['苦水玫瑰', '玫瑰季', '非遗文化'],
24    localCover: '/images/nav-academy.png',
25  },
26  'lz-kushui-danxia-hike-day': {
27    aliases: ['苦水丹霞', '红色地貌', '轻徒步'],
28    localCover: '/images/nav-academy.png',
29  },
30  'lz-xigu-baihe-culture-day': {
31    aliases: ['西果园', '百合田园', '百合文化'],
32    localCover: '/images/nav-academy.png',
33  },
34  'lz-gaolan-shichuan-pear-garden-day': {
35    aliases: ['什川', '古梨园', '皋兰'],
36    localCover: '/images/nav-academy.png',
37  },
38  'lz-qilihe-shenjialing-red-green-fusion': {
39    aliases: ['沈家岭', '红绿融合', '红色研学'],
40    localCover: '/images/nav-academy.png',
41  },
42  'lz-bali-huazhaizi-peach-garden': {
43    aliases: ['花寨子', '世外桃园', '鲜桃采摘'],
44    localCover: '/images/nav-academy.png',
45  },
46  'tianshui-qinan-fruit-pick-day': {
47    aliases: ['天水', '秦安', '果园'],
48    localCover: '/images/activities/tianshui-qinan-fruit-pick-day.jpg',
49  },
50  'zhangye-rural-homestay-weekend': {
51    aliases: ['张掖', '民宿', '乡野'],
52    localCover: '/images/activities/zhangye-rural-homestay-weekend.jpg',
53  },
54  'longnan-tea-hill-folk-experience': {
55    aliases: ['陇南', '茶山', '民俗'],
56    localCover: '/images/activities/longnan-tea-hill-folk-experience.jpg',
57  },
58  'linxia-food-culture-village-tour': {
59    aliases: ['临夏', '美食', '文化'],
60    localCover: '/images/activities/linxia-food-culture-village-tour.jpg',
```

```
  },
  'gannan-ranch-life-light-tour': {
    aliases: ['甘南', '草原', '牧场'],
    localCover: '/images/activities/gannan-ranch-life-light-tour.jpg',
    cloudCover: 'cloud://cloud1-3ghmr5ki7b1172fe.636c-cloud1-3ghmr5ki7b1172fe-1403917845/activities/covers/gannan-ranch-life-light-tour.jpg',
    cloudBanner: 'cloud://cloud1-3ghmr5ki7b1172fe.636c-cloud1-3ghmr5ki7b1172fe-1403917845/activities/banners/gannan-ranch-life-light-tour.jpg',
    cloudGallery: [
      'cloud://cloud1-3ghmr5ki7b1172fe.636c-cloud1-3ghmr5ki7b1172fe-1403917845/activities/gallery/gannan-ranch-life-light-tour-1.jpg',
      'cloud://cloud1-3ghmr5ki7b1172fe.636c-cloud1-3ghmr5ki7b1172fe-1403917845/activities/gallery/gannan-ranch-life-light-tour-2.jpg',
    ],
  },
}

const DEFAULT_ACTIVITY_KEY = 'lz-yuzhong-strawberry-family-day'
const CLOUD_FILE_CACHE = Object.create(null)
const CLOUD_ACTIVITY_PREFIX = 'cloud://cloud1-3ghmr5ki7b1172fe.636c-cloud1-3ghmr5ki7b1172fe-1403917845/activities'
const MAX_GALLERY_COUNT = 6

function normalizeText(value = '') {
  return String(value || '').trim()
}

function isLocalMedia(src = '') {
  return normalizeText(src).startsWith('/images/')
}

function isRemoteMedia(src = '') {
  return /^https?:\/\//i.test(normalizeText(src))
}

function isCloudFileId(src = '') {
  return /^cloud:\/\//i.test(normalizeText(src))
}

function isRenderableMedia(src = '') {
  return isLocalMedia(src) || isRemoteMedia(src)
}

function findActivityKey(activity = {}) {
  const seedKey = normalizeText(activity.seedKey)
  if (seedKey && ACTIVITY_MEDIA_MAP[seedKey]) {
    return seedKey
  }

  const title = normalizeText(activity.title)
  if (!title) {
    return DEFAULT_ACTIVITY_KEY
  }

  const matchedKey = Object.keys(ACTIVITY_MEDIA_MAP).find((key) => {
    const aliases = ACTIVITY_MEDIA_MAP[key].aliases || []
    return aliases.some((alias) => title.includes(alias))
  })

  return matchedKey || DEFAULT_ACTIVITY_KEY
}
```

```
118 function getActivityMediaConfig(activity = {}) {
119   const key = typeof activity === 'string' ? activity : findActivityKey(activity)
120   const config = ACTIVITY_MEDIA_MAP[key] || ACTIVITY_MEDIA_MAP[DEFAULT_ACTIVITY_KEY]
121   return {
122     key,
123     ...config,
124   }
125 }
126
127 function buildCloudCover(key) {
128   return `${CLOUD_ACTIVITY_PREFIX}/covers/${key}.jpg`
129 }
130
131 function buildCloudBanner(key) {
132   return `${CLOUD_ACTIVITY_PREFIX}/banners/${key}.jpg`
133 }
134
135 function buildCloudGallery(key) {
136   return Array.from({ length: MAX_GALLERY_COUNT }, (_, index) =>
137     `${CLOUD_ACTIVITY_PREFIX}/gallery/${key}-${index + 1}.jpg`
138   )
139 }
140
141 function getRawActivityCover(activity = {}) {
142   const config = getActivityMediaConfig(activity)
143   return config.cloudCover || buildCloudCover(config.key)
144 }
145
146 function getRawActivityBanner(activity = {}) {
147   const config = getActivityMediaConfig(activity)
148   return config.cloudBanner || buildCloudBanner(config.key)
149 }
150
151 function getRawActivityGallery(activity = {}) {
152   const config = getActivityMediaConfig(activity)
153   return (Array.isArray(config.cloudGallery) && config.cloudGallery.length)
154     ? config.cloudGallery
155     : buildCloudGallery(config.key)
156 }
157
158 function resolveCloudFile(fileID) {
159   if (!fileID) {
160     return Promise.resolve('')
161   }
162
163   if (CLOUD_FILE_CACHE[fileID]) {
164     return Promise.resolve(CLOUD_FILE_CACHE[fileID])
165   }
166
167   return new Promise((resolve) => {
168     wx.cloud.getTempFileURL({
169       fileList: [fileID],
170       success: (res) => {
171         const fileInfo = (((res || {}).fileList || [])[0] || {})
172         const tempUrl = fileInfo.tempFileURL || ''
173         console.log('[mediaAssets] getTempFileURL success', {
174           fileID,
175           fileInfo,
176           status: fileInfo.status,
177           errMsg: fileInfo.errMsg,
178           code: fileInfo.code,
179           message: fileInfo.message,
```

```
        tempFileURL: tempUrl,
      })
      if (tempUrl && fileInfo.status !== -1) {
        CLOUD_FILE_CACHE[fileID] = tempUrl
      }
      resolve(tempUrl || '')
    },
    fail: (err) => {
      console.error('[mediaAssets] getTempFileURL fail', {
        fileID,
        err,
      })
      resolve('')
    },
  })
})
}

async function resolveMediaSource(src, fallback = '') {
  const value = normalizeText(src)
  if (!value) {
    return fallback
  }

  if (isRenderableMedia(value)) {
    return value
  }

  if (isCloudFileId(value)) {
    const tempUrl = await resolveCloudFile(value)
    return tempUrl || fallback
  }

  return fallback
}

async function resolveMediaList(list = [], fallback = '') {
  const resolved = await Promise.all((list || []).map((item) => resolveMediaSource(item, '')))
  const filtered = resolved.filter(Boolean)
  return filtered.length ? filtered : (fallback ? [fallback] : [])
}

async function resolveActivityCover(activity = {}) {
  const config = getActivityMediaConfig(activity)
  const fallback = config.localCover || ACTIVITY_MEDIA_MAP[DEFAULT_ACTIVITY_KEY].localCover
  const raw = getRawActivityCover(activity)
  return resolveMediaSource(raw, fallback)
}

async function resolveActivityBanner(activity = {}) {
  const fallback = await resolveActivityCover(activity)
  return resolveMediaSource(getRawActivityBanner(activity), fallback)
}

async function resolveActivityGallery(activity = {}) {
  const fallback = await resolveActivityCover(activity)
  const rawGallery = getRawActivityGallery(activity)
  const gallery = await resolveMediaList(rawGallery, fallback)
  console.log('[mediaAssets] resolveActivityGallery', {
    key: getActivityMediaConfig(activity).key,
```

```
    rawGallery,
    resolvedCount: gallery.length,
    gallery,
  })
  return gallery
}

module.exports = {
  ACTIVITY_MEDIA_MAP,
  getActivityMediaConfig,
  isLocalMedia,
  isRemoteMedia,
  isCloudFileId,
  isRenderableMedia,
  resolveMediaSource,
  resolveMediaList,
  resolveActivityCover,
  resolveActivityBanner,
  resolveActivityGallery,
}
```

Path: miniprogram/utils/messageStore.js

```
1 const STORAGE_KEY = 'messageCenterMockState'
2
3 function normalizeList(value) {
4   return Array.isArray(value) ? value : []
5 }
6
7 function clone(value) {
8   return JSON.parse(JSON.stringify(value))
9 }
10
11 function sortByUpdatedAt(list) {
12   return normalizeList(list).sort((left, right) => Number(right.updatedAt || 0) - Nu
   mber(left.updatedAt || 0))
13 }
14
15 function createSeedState() {
16   const now = Date.now()
17   const minute = 60 * 1000
18   const hour = 60 * minute
19   const day = 24 * hour
20
21   return {
22     interactiveFilters: [
23       { key: 'all', label: '全部消息' },
24       { key: 'like', label: '赞' },
25       { key: 'mention', label: '提及' },
26       { key: 'comment', label: '评论' },
27     ],
28     interactions: [
29       {
30         id: 'interaction-1',
31         type: 'mention',
32         actorName: '春日果园',
33         actorTag: '朋友',
34         avatarText: '春',
35         avatarColor: '#ffb547',
36         actionText: '提到了你',
37         content: '周末黄河边露营活动记得带上相机，我们一起拍照打卡。',
38         targetTitle: '黄河边露营活动',
39         updatedAt: now - 2 * hour,
40       },
41       {
42         id: 'interaction-2',
43         type: 'like',
44         actorName: '风吹麦浪',
45         actorTag: '互相关注',
46         avatarText: '风',
47         avatarColor: '#ff6f91',
48         actionText: '赞了你的出行笔记',
49         content: '你发布的 “周末采摘搭子攻略” 收到了新的赞。',
50         targetTitle: '周末采摘搭子攻略',
51         updatedAt: now - 5 * hour,
52       },
53       {
54         id: 'interaction-3',
55         type: 'comment',
56         actorName: '山野摄影社',
57         actorTag: '朋友',
58         avatarText: '山',
59         avatarColor: '#6e9eff',
```

```
    actionText: '评论了你',
    content: '“这个路线很适合周末短途，想一起去！”',
    targetTitle: '桃花摄影路线',
    updatedAt: now - day,
  },
],
newFollowers: [
  {
    id: 'follower-1',
    userName: '麦田里的风',
    avatarText: '麦',
    avatarColor: '#ff8b5c',
    followAt: now - day,
  },
  {
    id: 'follower-2',
    userName: '西北小路',
    avatarText: '西',
    avatarColor: '#4da1ff',
    followAt: now - 2 * day,
  },
  {
    id: 'follower-3',
    userName: '桃花巷口',
    avatarText: '桃',
    avatarColor: '#ff6ab0',
    followAt: now - 3 * day,
  },
],
noteStories: [
  {
    id: 'note-story-1',
    userName: '桃花摄影搭子',
    avatarText: '桃',
    avatarColor: '#ff6fb5',
    noteId: 'note-1',
    noteTitle: '桃花沟半日摄影笔记',
    noteSummary: '今天桃花已经开得很满，下午四点的光线最适合拍人像，山脚停车也方便。',
    publishAt: now - 18 * minute,
  },
  {
    id: 'note-story-2',
    userName: '乡野慢游小队',
    avatarText: '慢',
    avatarColor: '#5f9dff',
    noteId: 'note-2',
    noteTitle: '周末慢游路线更新',
    noteSummary: '把集合点改到了地铁口，顺路加了一家可以喝茶休息的院子。',
    publishAt: now - 45 * minute,
  },
  {
    id: 'note-story-3',
    userName: '周末采摘计划',
    avatarText: '采',
    avatarColor: '#45b36b',
    noteId: 'note-3',
    noteTitle: '草莓园实测笔记',
    noteSummary: '上午十点前人少一些，采摘区旁边有洗手台，带孩子去会更方便。',
    publishAt: now - 2 * hour,
  },
  {
    id: 'note-story-4',
```

```
    userName: '风吹麦浪',
    avatarText: '风',
    avatarColor: '#ff8b5c',
    noteId: 'note-4',
    noteTitle: '黄河边露营注意事项',
    noteSummary: '晚上风大，建议带厚外套和露营灯，靠河边的位置蚊虫会多一些。',
    publishAt: now - 5 * hour,
  },
],
merchantConversations: [
  {
    id: 'merchant-1',
    shopName: '河湾采摘园',
    avatarText: '河',
    avatarColor: '#ff9f43',
    preview: '您好，周六上午场还有两个名额，可以直接到店集合。',
    updatedAt: now - 40 * minute,
    unread: 2,
  },
  {
    id: 'merchant-2',
    shopName: '山野民宿',
    avatarText: '宿',
    avatarColor: '#6c5ce7',
    preview: '已为你保留山景房，如需加早餐可以直接告诉我。',
    updatedAt: now - 6 * hour,
    unread: 0,
  },
],
merchantMessages: {
  'merchant-1': [
    {
      id: 'merchant-1-msg-1',
      role: 'merchant',
      text: '你好，看到你咨询周末采摘活动了。',
      updatedAt: now - 80 * minute,
    },
    {
      id: 'merchant-1-msg-2',
      role: 'merchant',
      text: '您好，周六上午场还有两个名额，可以直接到店集合。',
      updatedAt: now - 40 * minute,
    },
  ],
  'merchant-2': [
    {
      id: 'merchant-2-msg-1',
      role: 'merchant',
      text: '已为你保留山景房，如需加早餐可以直接告诉我。',
      updatedAt: now - 6 * hour,
    },
  ],
},
platformSupportConversation: {
  id: 'platform-support',
  title: '平台客服',
  avatarText: '平',
  avatarColor: '#3c9f5b',
  updatedAt: now - 3 * hour,
  unread: 1,
},
platformSupportMessages: [
```

```
    {
      id: 'platform-support-1',
      role: 'platform',
      text: '你好，这里是平台客服。账号、订单、退款、规则问题都可以在这里咨询。',
      updatedAt: now - 3 * hour,
    },
    {
      id: 'platform-support-2',
      role: 'platform',
      text: '你最近的活动订单如果需要协助，也可以把订单号直接发给我。',
      updatedAt: now - 2.8 * hour,
    },
  ],
  platformGuarantees: [
    {
      id: 'guarantee-1',
      title: '平台服务保障',
      subtitle: '出行订单保障待领取',
      content: '你本次乡野采摘活动可领取平台出行保障，若遇商家无法履约等问题，可发起平台协助。',
      orderTitle: '春日草莓采摘一日游',
      orderNo: 'TRIP20260326001',
      actionText: '点击领取保障',
      updatedAt: now - 4 * hour,
    },
    {
      id: 'guarantee-2',
      title: '平台服务保障',
      subtitle: '订单保障已生效',
      content: '你上次的民宿订单保障已生效，若出现入住问题，可在订单详情里申请平台介入。',
      orderTitle: '山野民宿周末两日住',
      orderNo: 'HOTEL20260318009',
      actionText: '查看保障说明',
      updatedAt: now - 2 * day,
    },
  ],
  buddyApplications: [
    {
      id: 'buddy-apply-1',
      userName: '桃花摄影搭子',
      avatarText: '桃',
      avatarColor: '#ff6fb5',
      preview: '你好，我也想去桃花摄影活动，能一起拼车吗？',
      updatedAt: now - 25 * minute,
      unread: 2,
      messages: [
        {
          id: 'buddy-apply-1-msg-1',
          role: 'other',
          text: '你好，我也想去桃花摄影活动，能一起拼车吗？',
          updatedAt: now - 25 * minute,
        },
        {
          id: 'buddy-apply-1-msg-2',
          role: 'other',
          text: '我从兰州西出发，时间比较灵活。',
          updatedAt: now - 23 * minute,
        },
      ],
    },
    {
      id: 'buddy-apply-2',
      userName: '黄河露营搭子',
```

```
      avatarText: '黄',
      avatarColor: '#ff9a3d',
      preview: '看到你也收藏了黄河边露营活动，想问下你周六去吗？',
      updatedAt: now - 3 * hour,
      unread: 1,
      messages: [
        {
          id: 'buddy-apply-2-msg-1',
          role: 'other',
          text: '看到你也收藏了黄河边露营活动，想问下你周六去吗？',
          updatedAt: now - 3 * hour,
        },
      ],
    },
  ],
  formalConversations: [
    {
      id: 'conversation-1',
      title: '乡野慢游小队',
      avatarText: '慢',
      avatarColor: '#5f9dff',
      preview: '我们准备周六上午九点在地铁口集合。',
      updatedAt: now - 50 * minute,
      unread: 1,
      kind: 'social',
    },
    {
      id: 'conversation-2',
      title: '周末采摘计划',
      avatarText: '采',
      avatarColor: '#45b36b',
      preview: '我把路线和预算整理好了，你看看。',
      updatedAt: now - 8 * hour,
      unread: 0,
      kind: 'social',
    },
  ],
  formalMessages: {
    'conversation-1': [
      {
        id: 'conversation-1-msg-1',
        role: 'other',
        text: '我们准备周六上午九点在地铁口集合。',
        updatedAt: now - 50 * minute,
      },
    ],
    'conversation-2': [
      {
        id: 'conversation-2-msg-1',
        role: 'other',
        text: '我把路线和预算整理好了，你看看。',
        updatedAt: now - 8 * hour,
      },
    ],
  },
}
}

function mergeWithSeedState(cachedState = {}) {
  const seed = createSeedState()
  return {
    ...seed,
```

```
    ...cachedState,
    interactiveFilters: normalizeList(cachedState.interactiveFilters).length ? cachedState.interactiveFilters : seed.interactiveFilters,
    interactions: normalizeList(cachedState.interactions).length ? cachedState.interactions : seed.interactions,
    newFollowers: normalizeList(cachedState.newFollowers).length ? cachedState.newFollowers : seed.newFollowers,
    noteStories: normalizeList(cachedState.noteStories).length ? cachedState.noteStories : seed.noteStories,
    merchantConversations: normalizeList(cachedState.merchantConversations).length ? cachedState.merchantConversations : seed.merchantConversations,
    merchantMessages: cachedState.merchantMessages && typeof cachedState.merchantMessages === 'object'
      ? { ...seed.merchantMessages, ...cachedState.merchantMessages }
      : seed.merchantMessages,
    platformSupportConversation: cachedState.platformSupportConversation || seed.platformSupportConversation,
    platformSupportMessages: normalizeList(cachedState.platformSupportMessages).length ? cachedState.platformSupportMessages : seed.platformSupportMessages,
    platformGuarantees: normalizeList(cachedState.platformGuarantees).length ? cachedState.platformGuarantees : seed.platformGuarantees,
    buddyApplications: normalizeList(cachedState.buddyApplications).length ? cachedState.buddyApplications : seed.buddyApplications,
    formalConversations: normalizeList(cachedState.formalConversations).length ? cachedState.formalConversations : seed.formalConversations,
    formalMessages: cachedState.formalMessages && typeof cachedState.formalMessages === 'object'
      ? { ...seed.formalMessages, ...cachedState.formalMessages }
      : seed.formalMessages,
  }
}

function readStorageState() {
  try {
    const state = wx.getStorageSync(STORAGE_KEY)
    return state && typeof state === 'object' ? state : null
  } catch (error) {
    console.error('[messageStore] read state failed', error)
    return null
  }
}

function writeStorageState(state) {
  try {
    wx.setStorageSync(STORAGE_KEY, state)
  } catch (error) {
    console.error('[messageStore] write state failed', error)
  }
}

function ensureState() {
  const cached = readStorageState()
  if (cached) {
    const merged = mergeWithSeedState(cached)
    writeStorageState(merged)
    return merged
  }

  const state = createSeedState()
  writeStorageState(state)
  return state
}
```

```
function getMessageState() {
  return clone(ensureState())
}

function setMessageState(nextState) {
  writeStorageState(clone(nextState))
}

function formatMonthDay(timestamp) {
  const date = new Date(Number(timestamp || 0))
  const month = String(date.getMonth() + 1).padStart(2, '0')
  const day = String(date.getDate()).padStart(2, '0')
  return `${month}/${day}`
}

function formatConversationTime(timestamp) {
  const value = Number(timestamp || 0)
  if (!value) return ''

  const date = new Date(value)
  const now = new Date()
  const sameDay = (
    date.getFullYear() === now.getFullYear() &&
    date.getMonth() === now.getMonth() &&
    date.getDate() === now.getDate()
  )

  if (sameDay) {
    const hours = String(date.getHours()).padStart(2, '0')
    const minutes = String(date.getMinutes()).padStart(2, '0')
    return `${hours}:${minutes}`
  }

  return formatMonthDay(value)
}

function buildHomeRows(state) {
  const safeState = state || ensureState()
  const buddyApplications = normalizeList(safeState.buddyApplications).filter((item) => item.direction)
  const buddyUnread = buddyApplications.reduce((sum, item) => sum + Number(item.unread || 0), 0)
  const latestBuddy = sortByUpdatedAt(buddyApplications)[0]

  const specialRows = [
    {
      id: 'buddy-home',
      kind: 'entry',
      entryType: 'buddy',
      title: '搭子申请',
      subtitle: latestBuddy ? latestBuddy.preview : '查看别人给你发送的搭子申请',
      updatedAt: latestBuddy ? latestBuddy.updatedAt : Date.now() - 3000,
      unread: buddyUnread,
      avatarText: '搭',
      avatarColor: '#6e89ff',
    },
  ]

  const conversationRows = sortByUpdatedAt(safeState.formalConversations)
    .filter((item) => item.kind === 'buddy')
    .map((item) => ({
```

```
    ...item,
    kind: 'conversation',
  }))

  return specialRows.concat(conversationRows)
}

function buildStoryList(state) {
  const safeState = state || ensureState()
  const relatedNames = uniqueList(
    normalizeList(safeState.buddyApplications)
      .map((item) => item.userName)
      .concat(normalizeList(safeState.formalConversations).map((item) => item.title))
      .map((item) => String(item || '').trim())
      .filter(Boolean)
  )

  return clone(
    sortByUpdatedAt(safeState.noteStories)
      .filter((item) => relatedNames.includes(String(item.userName || '').trim()))
      .map((item) => ({
        id: item.id,
        title: item.userName,
        avatarUrl: item.avatarUrl || '',
        avatarText: item.avatarText,
        avatarColor: item.avatarColor,
        unread: 0,
        noteId: item.noteId,
        noteTitle: item.noteTitle,
      }))
  )
}

function getInteractiveList(filterKey) {
  const state = ensureState()
  const filter = String(filterKey || 'all')
  const source = normalizeList(state.interactions)
  if (filter === 'all') return clone(source)
  return clone(source.filter((item) => item.type === filter))
}

function markInteractionsRead() {
  const state = ensureState()
  state.interactions = normalizeList(state.interactions).map((item) => ({
    ...item,
    read: true,
  }))
  state.newFollowers = normalizeList(state.newFollowers).map((item) => ({
    ...item,
    read: true,
  }))
  writeStorageState(state)
}

function getNewFollowers() {
  return clone(sortByUpdatedAt(ensureState().newFollowers))
}

function getMerchantConversations() {
  return clone(sortByUpdatedAt(ensureState().merchantConversations))
}
```

```

function getMerchantConversation(id) {
  const state = ensureState()
  const conversation = normalizeList(state.merchantConversations).find((item) => item.id === id)
  const messages = clone((state.merchantMessages && state.merchantMessages[id]) || [])
  return {
    conversation: clone(conversation || null),
    messages,
  }
}

function sendMerchantMessage(id, text) {
  const content = String(text || '').trim()
  if (!content) return null

  const state = ensureState()
  const list = normalizeList(state.merchantConversations)
  const target = list.find((item) => item.id === id)
  if (!target) return null

  const now = Date.now()
  const nextMessage = {
    id: `${id}-user-${now}`,
    role: 'user',
    text: content,
    updatedAt: now,
  }

  state.merchantMessages[id] = normalizeList(state.merchantMessages[id]).concat(nextMessage)
  target.preview = content
  target.updatedAt = now
  writeStorageState(state)
  return nextMessage
}

function getPlatformSupport() {
  const state = ensureState()
  return {
    conversation: clone(state.platformSupportConversation),
    messages: clone(state.platformSupportMessages),
  }
}

function sendPlatformSupportMessage(text) {
  const content = String(text || '').trim()
  if (!content) return null

  const state = ensureState()
  const now = Date.now()
  const nextMessage = {
    id: `platform-user-${now}`,
    role: 'user',
    text: content,
    updatedAt: now,
  }

  state.platformSupportMessages = normalizeList(state.platformSupportMessages).concat(nextMessage)
  state.platformSupportConversation.updatedAt = now
```

```
  writeStorageState(state)
  return nextMessage
}

function getPlatformGuarantees() {
  return clone(sortByUpdatedAt(ensureState().platformGuarantees))
}

function getBuddyApplications() {
  return clone(sortByUpdatedAt(ensureState().buddyApplications).filter((item) => item.direction))
}

function getBuddyApplication(id) {
  const state = ensureState()
  const target = normalizeList(state.buddyApplications).find((item) => item.id === id)
  return clone(target || null)
}

function createBuddyApplicationFromMatch(payload = {}) {
  const userName = String(payload.userName || '').trim()
  const openingText = String(payload.openingText || '').trim()
  if (!userName || !openingText) {
    return null
  }

  const state = ensureState()
  const now = Date.now()
  const id = `buddy-apply-local-${now}`
  const application = {
    id,
    userName,
    avatarUrl: payload.avatarUrl || '',
    avatarText: payload.avatarText || userName.slice(0, 1) || '搭',
    avatarColor: payload.avatarColor || '#6e89ff',
    preview: openingText,
    draftText: openingText,
    updatedAt: now,
    unread: 0,
    direction: payload.direction || 'outgoing',
    matchScore: Number(payload.matchScore || 0),
    matchReason: payload.matchReason || '',
    messages: [],
  }

  state.buddyApplications = [application].concat(
    normalizeList(state.buddyApplications).filter((item) => item.id !== id)
  )
  writeStorageState(state)
  return clone(application)
}

function replyToBuddyApplication(id, text) {
  const content = String(text || '').trim()
  if (!content) return { conversationId: '', conversation: null }

  const state = ensureState()
  const target = normalizeList(state.buddyApplications).find((item) => item.id === id)
  if (!target) {
    return { conversationId: '', conversation: null }
```

```
}

const now = Date.now()
const conversationId = `conversation-${id}`
const nextMessages = normalizeList(target.messages).concat({
  id: `${id}-reply-${now}`,
  role: 'user',
  text: content,
  updatedAt: now,
})

state.buddyApplications = normalizeList(state.buddyApplications).filter((item) =>
item.id !== id)
state.formalConversations = normalizeList(state.formalConversations)
  .filter((item) => item.id !== conversationId)
  .concat({
    id: conversationId,
    title: target.userName,
    avatarUrl: target.avatarUrl || '',
    avatarText: target.avatarText,
    avatarColor: target.avatarColor,
    preview: content,
    updatedAt: now,
    unread: 0,
    kind: 'buddy',
  })
state.formalMessages[conversationId] = nextMessages
writeStorageState(state)

return {
  conversationId,
  conversation: clone(state.formalConversations.find((item) => item.id === convers
ationId) || null),
}
}

function getFormalConversation(id) {
  const state = ensureState()
  return {
    conversation: clone(normalizeList(state.formalConversations).find((item) => item
.id === id) || null),
    messages: clone((state.formalMessages && state.formalMessages[id]) || []),
  }
}

function sendFormalMessage(id, text) {
  const content = String(text || '').trim()
  if (!content) return null

  const state = ensureState()
  const target = normalizeList(state.formalConversations).find((item) => item.id ===
id)
  if (!target) return null

  const now = Date.now()
  const nextMessage = {
    id: `${id}-user-${now}`,
    role: 'user',
    text: content,
    updatedAt: now,
  }

```

```
  state.formalMessages[id] = normalizeList(state.formalMessages[id]).concat(nextMessage)
  target.preview = content
  target.updatedAt = now
  writeStorageState(state)
  return nextMessage
}

function getNoteStories() {
  return clone(sortByUpdatedAt(ensureState().noteStories))
}

function getNoteById(id) {
  const target = normalizeList(ensureState().noteStories).find((item) => item.noteId === id)
  return clone(target || null)
}

function markMerchantConversationRead(id) {
  const state = ensureState()
  const target = normalizeList(state.merchantConversations).find((item) => item.id == id)
  if (!target) return
  target.unread = 0
  writeStorageState(state)
}

function markPlatformSupportRead() {
  const state = ensureState()
  if (!state.platformSupportConversation) return
  state.platformSupportConversation.unread = 0
  writeStorageState(state)
}

function markBuddyApplicationRead(id) {
  const state = ensureState()
  const target = normalizeList(state.buddyApplications).find((item) => item.id === id)
  if (!target) return
  target.unread = 0
  writeStorageState(state)
}

function markFormalConversationRead(id) {
  const state = ensureState()
  const target = normalizeList(state.formalConversations).find((item) => item.id === id)
  if (!target) return
  target.unread = 0
  writeStorageState(state)
}

module.exports = {
  buildHomeRows,
  buildStoryList,
  formatConversationTime,
  getInteractiveList,
  markInteractionsRead,
  getMessageState,
  getNewFollowers,
  getMerchantConversations,
  getMerchantConversation,
```

```
  markMerchantConversationRead,
  sendMerchantMessage,
  getPlatformSupport,
  markPlatformSupportRead,
  sendPlatformSupportMessage,
  getPlatformGuarantees,
  getBuddyApplications,
  getBuddyApplication,
  createBuddyApplicationFromMatch,
  markBuddyApplicationRead,
  getNoteStories,
  getNoteById,
  replyToBuddyApplication,
  getFormalConversation,
  markFormalConversationRead,
  sendFormalMessage,
  setMessageState,
}
```

Path: miniprogram/pages/home/home.js

```
const {
  isRenderableMedia,
  resolveActivityBanner,
  resolveActivityCover,
} = require('../../utils/mediaAssets')
const { buildActivityCoverTags } = require('../../utils/activityCoverTags')

const SAFE_PRODUCT_COVER = '/images/default-goods-image.png'

const DEFAULT_SEARCH_HINTS = [
  '亲子采摘',
  '非遗体验',
  '周末一日游',
  '田园花海',
  '古村漫游',
  '乡味特产',
  '节气礼盒',
]

const NAV_ITEMS = [
  {
    key: 'fun',
    title: '乡野乐事',
    icon: '/images/nav-fun.svg',
    action: 'goRuralFun',
  },
  {
    key: 'academy',
    title: '农旅宝典',
    icon: '/images/nav-academy.png',
    action: 'goAcademy',
  },
  {
    key: 'mall',
    title: '乡味商城',
    icon: '/images/nav-mall.png',
    action: 'goMall',
  },
  {
    key: 'hotel',
    title: '乡野栖居',
    icon: '/images/nav-hotel.png',
    action: 'goHotel',
  },
]

const REGION_THEME_LIBRARY = [
  {
    matchKeywords: ['兰州', '永登', '苦水', '榆中'],
    themes: [
      {
        id: 'rose',
        title: '苦水玫瑰季',
        period: '当季限定',
        description: '围绕玫瑰花田、玫瑰手作和玫瑰风味商品展开的乡野限定主题。',
        activityKeywords: ['玫瑰', '花海', '采摘', '手作', '乡村'],
        products: ['玫瑰酸奶', '干玫瑰', '玫瑰酱', '玫瑰精油', '玫瑰香薰'],
      },
      {
        id: 'lily',
```

```
      title: '百合丰收季',
      period: '时令限定',
      description: '主打百合采挖、百合食养和百合伴手礼的在地主题。',
      activityKeywords: ['百合', '采摘', '乡味', '手作', '康养'],
      products: ['鲜百合', '百合干', '百合银耳羹', '百合礼盒', '百合茶'],
    },
    {
      id: 'farm',
      title: '黄河田园周末',
      period: '周末限定',
      description: '适合亲子与轻度假人群的近郊田园微度假主题。',
      activityKeywords: ['亲子', '田园', '农旅', '草莓', '摄影'],
      products: ['草莓礼盒', '手工果酱', '农家小米', '乡野点心'],
    },
  ],
},
{
  matchKeywords: ['天水', '秦安'],
  themes: [
    {
      id: 'fruit',
      title: '果香采摘季',
      period: '当季限定',
      description: '以果园采摘、乡村休闲和亲子互动为核心的丰收主题。',
      activityKeywords: ['果园', '采摘', '亲子', '乡村'],
      products: ['鲜果礼盒', '果酱', '果脯', '果汁', '果干'],
    },
    {
      id: 'study',
      title: '田园研学周',
      period: '研学限定',
      description: '适合家庭和学校出行的农事课堂与自然观察主题。',
      activityKeywords: ['研学', '劳动', '课堂', '实践', '亲子'],
      products: ['研学手册', '自然观察包', '文创笔记本', '乡土种子盒'],
    },
    {
      id: 'folk',
      title: '乡味手作集',
      period: '体验限定',
      description: '突出地方风物、乡味制作和慢生活体验的文旅主题。',
      activityKeywords: ['手作', '体验', '文旅', '乡味'],
      products: ['手工点心', '乡味礼盒', '风味辣酱', '手作香包'],
    },
  ],
},
{
  matchKeywords: ['甘南', '夏河', '玛曲'],
  themes: [
    {
      id: 'grassland',
      title: '草原牧歌季',
      period: '牧场限定',
      description: '围绕草原牧场生活、帐篷露营和藏乡风情体验展开。',
      activityKeywords: ['草原', '牧场', '露营', '乡村', '摄影'],
      products: ['牦牛酸奶', '风干牛肉', '酥油茶', '草原奶贝'],
    },
    {
      id: 'folk',
      title: '藏乡风物周',
      period: '文化限定',
      description: '结合民族文化、手作体验和草原风物的轻度假主题。',
      activityKeywords: ['文旅', '手作', '体验', '摄影'],
```

```
      products: ['藏纹香囊', '手工挂饰', '特色奶制品', '草原香薰'],
    },
    {
      id: 'light',
      title: '轻牧生活节',
      period: '周末限定',
      description: '适合城市游客体验牧场日常和慢生活节奏的主题。',
      activityKeywords: ['康养', '乡村', '体验', '草原'],
      products: ['牧场早餐包', '奶酪礼盒', '牧场文创杯', '野花蜂蜜'],
    },
  ],
},
{
  matchKeywords: ['张掖', '陇南', '临夏'],
  themes: [
    {
      id: 'homestay',
      title: '乡野栖居周',
      period: '民宿限定',
      description: '聚焦乡村民宿、古村漫游与在地生活体验的主题。',
      activityKeywords: ['民宿', '乡村', '文旅', '摄影'],
      products: ['民宿早餐券', '古村手绘地图', '乡居香氛', '伴手礼盒'],
    },
    {
      id: 'food',
      title: '乡味寻鲜季',
      period: '风味限定',
      description: '围绕地方美食、手作体验和乡味采购的主题活动。',
      activityKeywords: ['乡味', '手作', '文旅', '体验'],
      products: ['地方小吃礼盒', '手工酱料', '风味挂面', '杂粮组合'],
    },
    {
      id: 'photo',
      title: '田园影像节',
      period: '摄影限定',
      description: '适合周末打卡、花海拍摄和乡村慢游的主题内容。',
      activityKeywords: ['摄影', '花海', '田园', '乡村'],
      products: ['摄影明信片', '相框摆件', '风景拼图', '田园文创袋'],
    },
  ],
},
]

const DEFAULT_THEME_GROUP = {
  themes: [
    {
      id: 'season',
      title: '当季采摘季',
      period: '当季限定',
      description: '围绕时令果蔬、田园采摘和亲子乡野出游的主题内容。',
      activityKeywords: ['采摘', '亲子', '田园', '乡村'],
      products: ['采摘鲜果', '手工果酱', '时令蔬菜盒', '田园点心'],
    },
    {
      id: 'craft',
      title: '乡野手作周',
      period: '体验限定',
      description: '主打地方手作、非遗体验和乡味制作的主题。',
      activityKeywords: ['非遗', '手作', '体验', '文旅'],
      products: ['手作文创', '香囊', '风味酱料', '非遗礼盒'],
    },
    {
```

```
    id: 'slow',
    title: '周末慢游节',
    period: '周末限定',
    description: '为近郊微度假、乡村漫游与轻康养人群准备的主题。',
    activityKeywords: ['康养', '摄影', '文旅', '乡村'],
    products: ['轻食礼盒', '香草茶', '乡居民宿券', '慢游地图'],
  },
],
}

const THEME_CONTENT_OVERRIDES = {
  '苦水玫瑰季': {
    activitySeedKeys: [
      'lz-yongdeng-rose-weekend',
      'lz-kushui-rose-culture-day',
      'lz-kushui-danxia-hike-day',
    ],
    productCards: [
      {
        seedKey: 'lz-rose-jam',
        title: '永登玫瑰酱礼装',
        price: 56,
        sold: 93,
        tags: ['玫瑰风味', '伴手礼'],
      },
      {
        title: '苦水玫瑰纯露礼盒',
        price: 79,
        sold: 41,
        tags: ['玫瑰手作', '节气礼盒'],
      },
    ],
  },
  '百合丰收季': {
    activitySeedKeys: [
      'lz-bailihe-handmade-food-tour',
      'lz-xigu-baihe-culture-day',
    ],
    productCards: [
      {
        seedKey: 'lz-baihe-gift-box',
        title: '兰州百合伴手礼盒',
        price: 88,
        sold: 126,
        tags: ['百合特产', '节气礼盒'],
      },
      {
        title: '兰州鲜百合尝鲜装',
        price: 49,
        sold: 58,
        tags: ['时令鲜货', '食养'],
      },
    ],
  },
  '黄河田园周末': {
    activitySeedKeys: [
      'lz-yuzhong-strawberry-family-day',
      'lz-suburb-farm-study-camp',
      'lz-gaolan-country-photo-day',
      'lz-gaolan-shichuan-pear-garden-day',
    ],
    productCards: [
```

```
    {
      title: '榆中草莓鲜采礼盒',
      price: 69,
      sold: 84,
      tags: ['田园鲜果', '周末带走'],
    },
    {
      title: '近郊手工果酱组合',
      price: 39,
      sold: 67,
      tags: ['农旅手作', '轻食伴手'],
    },
  ],
},
}

function normalizeText(value = '') {
  return String(value || '').trim()
}

function trimRegionSuffix(name = '') {
  return normalizeText(name)
    .replace(/(特别行政区|自治区|地区|盟)$/u, '')
    .replace(/(省|市|区|县)$/u, '')
}

function getRegionDisplayText(source) {
  if (!source) {
    return '兰州'
  }

  const displayName = normalizeText(source.displayName || source.label)
  const district = trimRegionSuffix(source.district)
  const city = trimRegionSuffix(source.city)
  const province = trimRegionSuffix(source.province)
  const locationText = normalizeText(source.locationText || source.address)
  return displayName || district || city || province || locationText || '兰州'
}

function pickThemeGroup(regionName) {
  const regionText = normalizeText(regionName)
  return REGION_THEME_LIBRARY.find((group) =>
    group.matchKeywords.some((keyword) => regionText.includes(keyword))
  ) || DEFAULT_THEME_GROUP
}

function getThemeOverride(theme = {}) {
  return THEME_CONTENT_OVERRIDES[normalizeText(theme.title)] || null
}

function buildThemeActivities(activityList, theme) {
  const override = getThemeOverride(theme)
  const activitySeedKeys = (override && override.activitySeedKeys) || []
  if (activitySeedKeys.length) {
    const activityMap = activityList.reduce((result, activity) => {
      result[activity.seedKey] = activity
      return result
    }, {})

    return activitySeedKeys
      .map((seedKey) => activityMap[seedKey])
      .filter(Boolean)
```

```
}

const keywords = theme.activityKeywords || []
return activityList.filter((activity) => {
  const textList = [normalizeText(activity.title), ...(activity.rawTags || []).map(normalizeText)]
  return textList.some((text) => keywords.some((keyword) => text.includes(keyword)))
}).slice(0, 2)
}

function normalizeProduct(product = {}) {
  const categoryTags = Array.isArray(product.categoryTags) ? product.categoryTags : []
  const tags = Array.isArray(product.tags) ? product.tags : []
  return {
    id: product._id || '',
    seedKey: product.seedKey || '',
    title: product.title || '未命名商品',
    cover: product.cover || SAFE_PRODUCT_COVER,
    price: Number(product.price) || 0,
    priceText: product.price ? `¥${product.price}` : '主题精选',
    sold: Number(product.sold) || 0,
    soldText: product.sold ? `${product.sold}人已购` : '主题精选',
    tags: [...categoryTags, ...tags].slice(0, 3),
  }
}

function buildThemeProducts(productList, theme) {
  const override = getThemeOverride(theme)
  const configuredCards = (override && override.productCards) || []
  const productMap = productList.reduce((result, product) => {
    result[product.seedKey] = product
    return result
  }, {})

  if (configuredCards.length) {
    return configuredCards.map((card, index) => {
      const matchedProduct = card.seedKey ? productMap[card.seedKey] : null
      return {
        _cardKey: `${theme.id}-product-${index}`,
        id: matchedProduct ? matchedProduct.id : '',
        seedKey: (matchedProduct && matchedProduct.seedKey) || card.seedKey || '',
        title: (matchedProduct && matchedProduct.title) || card.title,
        cover: (matchedProduct && matchedProduct.cover) || card.cover || SAFE_PRODUCT_COVER,
        priceText: matchedProduct ? matchedProduct.priceText : `¥${card.price}`,
        soldText: matchedProduct ? matchedProduct.soldText : `${card.sold}人已购`,
        tags: (matchedProduct && matchedProduct.tags && matchedProduct.tags.length)
          ? matchedProduct.tags
          : (card.tags || []),
      }
    })
  }

  return (theme.products || []).map((title, index) => ({
    _cardKey: `${theme.id}-product-${index}`,
    id: '',
    seedKey: '',
    title,
    cover: SAFE_PRODUCT_COVER,
    priceText: '主题精选',
```

```
    soldText: theme.period || '主题限定',
    tags: [theme.title],
  }))
}

Page({
  data: {
    regionName: '兰州',
    statusBarHeight: 20,
    menuRect: null,
    searchHints: DEFAULT_SEARCH_HINTS,
    searchHintIndex: 0,
    currentSearchHint: DEFAULT_SEARCH_HINTS[0],
    navItems: NAV_ITEMS,
    bannerList: [],
    activityList: [],
    productList: [],
    themeTabs: [],
    themeActive: 0,
    themeList: [],
    currentTheme: null,
  },

  onLoad() {
    this.initNavMetrics()
    this.syncRegionName()
    this.startSearchHintRotation()
    this.loadActivities()
    this.loadProducts()
  },

  onShow() {
    this.syncRegionName()
    this.startSearchHintRotation()
  },

  onHide() {
    this.clearSearchHintTimer()
  },

  onUnload() {
    this.clearSearchHintTimer()
  },

  initNavMetrics() {
    try {
      const systemInfo = wx.getSystemInfoSync()
      const menuRect = wx.getMenuButtonBoundingClientRect()
      this.setData({
        statusBarHeight: systemInfo.statusBarHeight || 20,
        menuRect,
      })
    } catch (err) {
      this.setData({
        statusBarHeight: 20,
        menuRect: null,
      })
    }
  },

  startSearchHintRotation() {
    this.clearSearchHintTimer()
```

```
    this.searchHintTimer = setInterval(() => {
      const { searchHints, searchHintIndex } = this.data
      if (!searchHints.length) {
        return
      }

      const nextIndex = (searchHintIndex + 1) % searchHints.length
      this.setData({
        searchHintIndex: nextIndex,
        currentSearchHint: searchHints[nextIndex],
      })
    }, 5000)
  },

  clearSearchHintTimer() {
    if (this.searchHintTimer) {
      clearInterval(this.searchHintTimer)
      this.searchHintTimer = null
    }
  },

  syncRegionName() {
    const app = getApp()
    const userInfo = app.getUserInfo ? app.getUserInfo() : null
    const selectedRegion = wx.getStorageSync('selectedRegion') || null
    const regionName = getRegionDisplayText(selectedRegion || userInfo)

    this.setData({ regionName }, () => this.refreshThemeSection())
  },

  async loadActivities() {
    try {
      const res = await wx.cloud.callFunction({
        name: 'getactivities',
      })

      const list = (res.result && res.result.list) || []
      const mapped = await Promise.all(
        list.map(async (item) => {
          const coverTagInfo = buildActivityCoverTags(item)
          return {
            id: item._id,
            seedKey: item.seedKey || '',
            title: item.title || '未命名活动',
            cover: await resolveActivityCover(item),
            dayText: coverTagInfo.durationTag,
            tags: coverTagInfo.tags,
            priceText: item.priceFrom || item.price ? `¥${item.priceFrom || item.price}` : '主题精选',
            soldText: item.traveledCount ? `${item.traveledCount}人已出行` : '主题精选',
            rawTags: item.tags || [],
          }
        })
      )

      const preferredBanners = mapped.slice(0, 3)
      const bannerList = await Promise.all(
        preferredBanners.map(async (item, index) => ({
          _id: `activity-banner-${item.seedKey || index}`,
          type: 'activity',
          targetId: item.id,
          image: await resolveActivityBanner(item),
```

```
      }))
    )

    this.setData({
      bannerList: bannerList.filter((item) => isRenderableMedia(item.image)),
      activityList: mapped,
    }, () => this.refreshThemeSection())
  } catch (err) {
    console.error('load activities failed', err)
    wx.showToast({
      title: '加载失败',
      icon: 'none',
    })
  }
},

async loadProducts() {
  try {
    const db = wx.cloud.database()
    const res = await db.collection('products').limit(50).get()
    const productList = ((res && res.data) || []).map((item) => normalizeProduct(item))

    this.setData({
      productList,
    }, () => this.refreshThemeSection())
  } catch (err) {
    console.error('load products failed', err)
    this.refreshThemeSection()
  }
},

formatDays(days) {
  if (!days) {
    return '1天'
  }
  if (days === 0.5) {
    return '0.5天'
  }
  return `${days}天`
},

refreshThemeSection() {
  const { regionName, activityList, productList, themeActive } = this.data
  const themeGroup = pickThemeGroup(regionName)
  const themeList = themeGroup.themes.map((theme) => ({
    ...theme,
    activities: buildThemeActivities(activityList, theme),
    products: buildThemeProducts(productList, theme),
  }))
  const nextActive = themeList[themeActive] ? themeActive : 0

  this.setData({
    themeTabs: themeList.map((item) => item.title),
    themeList,
    themeActive: nextActive,
    currentTheme: themeList[nextActive] || null,
  })
},

changeThemeTab(e) {
  const idx = Number(e.currentTarget.dataset.idx)
```

```
    this.setData({
      themeActive: idx,
      currentTheme: this.data.themeList[idx] || null,
    })
  },

  goSearch() {
    const hint = this.data.currentSearchHint || ''
    wx.navigateTo({
      url: `/pages/search/search?hint=${encodeURIComponent(hint)}`,
    })
  },

  executeSearch() {
    const keyword = this.data.currentSearchHint || ''
    wx.navigateTo({
      url: `/pages/searchResults/searchResults?keyword=${encodeURIComponent(keyword)}`,
    })
  },

  onNavTap(e) {
    const action = e.currentTarget.dataset.action
    if (action && typeof this[action] === 'function') {
      this[action]()
    }
  },

  goBannerTarget(e) {
    const { type, id } = e.currentTarget.dataset
    if (!type || !id) {
      wx.showToast({
        title: '广告信息不完整',
        icon: 'none',
      })
      return
    }

    if (type === 'activity') {
      wx.navigateTo({ url: `/pages/activityDetail/activityDetail?id=${id}` })
      return
    }

    if (type === 'product') {
      wx.navigateTo({ url: `/pages/productDetail/productDetail?id=${id}` })
      return
    }

    if (type === 'scenic') {
      wx.navigateTo({ url: `/pages/scenicDetail/scenicDetail?id=${id}` })
      return
    }
  },

  goActivityDetail(e) {
    const id = e.currentTarget.dataset.id
    if (!id) {
      return
    }

    wx.navigateTo({
      url: `/pages/activityDetail/activityDetail?id=${id}`,
```

```
  })
},

goProductDetail(e) {
  const id = e.currentTarget.dataset.id
  if (!id) {
    wx.showToast({
      title: '商品详情正在整理中',
      icon: 'none',
    })
    return
  }

  wx.navigateTo({
    url: `/pages/productDetail/productDetail?id=${id}`,
  })
},

goRegion() {
  wx.navigateTo({
    url: '/pages/regionSelect/regionSelect',
  })
},

onScanTap() {
  wx.showToast({
    title: '扫码/拍照购功能待完善',
    icon: 'none',
  })
},

goRuralFun() {
  wx.navigateTo({
    url: '/pages/ruralFun/ruralFun',
  })
},

goAcademy() {
  wx.navigateTo({
    url: '/pages/academy/academy',
  })
},

goHotel() {
  wx.navigateTo({
    url: '/pages/hotel/hotel',
  })
},

goMall() {
  wx.navigateTo({
    url: '/pages/mall/mall',
  })
},

goNotePublish() {
  wx.navigateTo({
    url: '/pages/notePublish/notePublish',
  })
},
})
```

Path: miniprogram/pages/home/home.json

```
1 {
2   "navigationStyle": "custom"
3 }
```

Path: miniprogram/pages/home/home.wxml

```
<view class="page">
  <view class="customNav" style="padding-top: {{statusBarHeight}}px;">
    <view class="navCapsuleRow">
      <view class="locationInfo" catchtap="goRegion">
        <view class="locationIcon"></view>
        <text class="locationText">{{regionName}}</text>
        <text class="locationArrow">▼</text>
      </view>

      <view class="capsuleSpacer" wx:if="{{menuRect}}"></view>
    </view>

    <view class="searchRow">
      <view class="searchBox">
        <view class="searchInputArea" bindtap="goSearch">
          <text class="searchInputText">{{currentSearchHint}}</text>
        </view>
        <view class="searchAction" catchtap="executeSearch">搜索</view>
      </view>

      <view class="scanAction" bindtap="onScanTap">
        <view class="scanIcon"></view>
      </view>
    </view>
  </view>

  <view class="nav">
    <view
      wx:for="{{navItems}}"
      wx:key="key"
      class="navItem"
      data-action="{{item.action}}"
      bindtap="onNavTap"
    >
      <image class="navIconImg" src="{{item.icon}}" mode="aspectFit"></image>
      <view class="navText">{{item.title}}</view>
    </view>
  </view>

  <view class="bannerWrap" wx:if="{{bannerList.length > 0}}">
    <swiper
      class="bannerSwiper"
      indicator-dots="{{true}}"
      indicator-color="rgba(255,255,255,0.45)"
      indicator-active-color="#ffffff"
      autoplay="{{true}}"
      interval="3000"
      duration="500"
      circular="{{true}}"
    >
      <swiper-item wx:for="{{bannerList}}" wx:key="_id">
        <view class="bannerItem" data-type="{{item.type}}" data-id="{{item.targetId}
}" bindtap="goBannerTarget">
          <image src="{{item.image}}" mode="aspectFill" class="bannerImg" />
        </view>
      </swiper-item>
    </swiper>
  </view>

  <view class="bannerWrap" wx:else>
```

```
  <view class="bannerItem">
    <image src="/images/activities/lz-yuzhong-strawberry-family-day.jpg" mode="aspectFill" class="bannerImg" />
  </view>
</view>

<view class="themeSection">
  <view class="sectionHead">
    <view class="hotTitle">
      <text class="line"></text>
      <text class="titleText">主题限定</text>
    </view>
  </view>

  <scroll-view class="themeTabsScroll" scroll-x="{{true}}" enable-flex="{{true}}" show-scrollbar="{{false}}">
    <view class="hotTabs">
      <view
        wx:for="{{themeTabs}}"
        wx:key="*this"
        class="tab {{themeActive===index ? 'active' : ''}}"
        data-idx="{{index}}"
        bindtap="changeThemeTab"
      >
        {{item}}
      </view>
    </view>
  </scroll-view>

  <view class="themePanel" wx:if="{{currentTheme}}">
    <view class="themePanelHead">
      <view class="themeTitleRow">
        <text class="themePeriod">{{currentTheme.period}}</text>
      </view>
      <text class="themeDesc">{{currentTheme.description}}</text>
    </view>

    <view class="themeBlock">
      <text class="themeBlockTitle">主题活动</text>
      <view wx:if="{{currentTheme.activities.length > 0}}">
        <view
          wx:for="{{currentTheme.activities}}"
          wx:key="id"
          class="themeActivityCard"
          data-id="{{item.id}}"
          bindtap="goActivityDetail"
        >
          <view class="themeActivityCoverWrap">
            <image src="{{item.cover}}" class="themeActivityCover" mode="aspectFill" />
          </view>
          <view class="themeActivityBody">
            <text class="themeActivityName">{{item.title}}</text>
            <view class="themeActivityMeta">
              <text class="dayTag">{{item.dayText}}</text>
              <text wx:for="{{item.tags}}" wx:key="*this" class="productTag">{{item}}</text>
            </view>
            <view class="themeActivityFooter">
              <text class="themeActivityPrice">{{item.priceText}}</text>
              <text class="themeActivitySold">{{item.soldText}}</text>
            </view>
```

```
        </view>
      </view>
    </view>
    <view class="emptyState" wx:else>当前主题活动内容正在整理中</view>
  </view>

  <view class="themeBlock">
    <text class="themeBlockTitle">主题商品</text>
    <view wx:if="{{currentTheme.products.length > 0}}" class="themeProductList">
      <view
        wx:for="{{currentTheme.products}}"
        wx:key="_cardKey"
        class="themeProductCard"
        data-id="{{item.id}}"
        bindtap="goProductDetail"
      >
        <image src="{{item.cover}}" class="themeProductCover" mode="aspectFill" />
        <view class="themeProductBody">
          <text class="themeProductName">{{item.title}}</text>
          <view class="themeProductTags">
            <text wx:for="{{item.tags}}" wx:key="*this" class="productTag">{{item}}</text>
          </view>
          <view class="themeProductFooter">
            <text class="themeProductPrice">{{item.priceText}}</text>
            <text class="themeProductSold">{{item.soldText}}</text>
          </view>
        </view>
      </view>
    </view>
    <view class="emptyState" wx:else>当前主题商品内容正在整理中</view>
  </view>
 </view>
</view>

<view class="publishFloat" bindtap="goNotePublish">
  <view class="publishFloatPlus">+</view>
  <view class="publishFloatText">发布笔记</view>
</view>
</view>
```

Path: miniprogram/pages/home/home.wxss

```
.page {
  min-height: 100vh;
  background: #f6faf4;
  padding-bottom: 30rpx;
}

.customNav {
  background: #f6faf4;
  padding-left: 24rpx;
  padding-right: 24rpx;
  padding-bottom: 14rpx;
}

.navCapsuleRow {
  min-height: 88rpx;
  display: flex;
  align-items: center;
  justify-content: space-between;
}

.locationInfo {
  display: flex;
  align-items: center;
  gap: 12rpx;
  color: #1f2a1f;
  max-width: 70%;
}

.locationIcon {
  width: 24rpx;
  height: 24rpx;
  border: 4rpx solid #1f2a1f;
  border-radius: 50%;
  position: relative;
}

.locationIcon::after {
  content: '';
  position: absolute;
  left: 50%;
  bottom: -12rpx;
  width: 4rpx;
  height: 14rpx;
  background: #1f2a1f;
  transform: translateX(-50%);
  border-radius: 999rpx;
}

.locationText {
  font-size: 30rpx;
  font-weight: 700;
  overflow: hidden;
  text-overflow: ellipsis;
  white-space: nowrap;
}

.locationArrow {
  font-size: 24rpx;
  flex-shrink: 0;
}
```

```
.capsuleSpacer {
  width: 180rpx;
  height: 64rpx;
}

.searchRow {
  display: flex;
  align-items: center;
  gap: 16rpx;
  margin-top: 6rpx;
}

.searchBox {
  flex: 1;
  min-height: 82rpx;
  padding: 0 10rpx 0 0;
  border-radius: 999rpx;
  background: #ffffff;
  border: 3rpx solid #d7e8d3;
  display: flex;
  align-items: center;
  box-shadow: 0 14rpx 28rpx rgba(54, 102, 61, 0.08);
}

.searchInputArea {
  flex: 1;
  min-width: 0;
  min-height: 82rpx;
  display: flex;
  align-items: center;
  padding: 0 24rpx 0 26rpx;
}

.searchInputText {
  color: #8ea08b;
  font-size: 26rpx;
  font-weight: 400;
}

.searchAction {
  flex-shrink: 0;
  min-width: 96rpx;
  padding: 14rpx 22rpx;
  border-radius: 999rpx;
  background: #57984a;
  color: #ffffff;
  font-size: 26rpx;
  text-align: center;
  font-weight: 400;
}

.scanAction {
  width: 82rpx;
  height: 82rpx;
  border-radius: 22rpx;
  background: #edf5ea;
  box-shadow: 0 14rpx 28rpx rgba(54, 102, 61, 0.08);
  display: flex;
  align-items: center;
  justify-content: center;
  flex-shrink: 0;
```

```
}

.scanIcon {
  width: 40rpx;
  height: 40rpx;
  position: relative;
  border-left: 4rpx solid transparent;
}

.scanIcon::before,
.scanIcon::after {
  content: '';
  position: absolute;
  width: 14rpx;
  height: 14rpx;
  border: 4rpx solid #1f2a1f;
}

.scanIcon::before {
  left: 0;
  top: 0;
  border-right: none;
  border-bottom: none;
}

.scanIcon::after {
  right: 0;
  bottom: 0;
  border-left: none;
  border-top: none;
}

.nav {
  margin: 18rpx 24rpx 24rpx;
  background: #ffffff;
  border-radius: 22rpx;
  padding: 26rpx 6rpx;
  display: flex;
  justify-content: space-between;
  box-shadow: 0 16rpx 32rpx rgba(53, 88, 57, 0.06);
}

.navItem {
  width: 25%;
  display: flex;
  flex-direction: column;
  align-items: center;
}

.navIconImg {
  width: 88rpx;
  height: 88rpx;
  display: block;
}

.navText {
  margin-top: 14rpx;
  font-size: 26rpx;
  color: #41513f;
  text-align: center;
}

```

```
.bannerWrap {
  margin: 0 24rpx 24rpx;
}

.bannerSwiper {
  width: 100%;
  height: 360rpx;
}

.bannerItem {
  width: 100%;
  height: 100%;
  border-radius: 28rpx;
  overflow: hidden;
}

.bannerImg {
  width: 100%;
  height: 100%;
  display: block;
}

.themeSection {
  margin: 0 24rpx;
}

.sectionHead {
  margin-bottom: 18rpx;
}

.hotTitle {
  display: flex;
  align-items: center;
}

.line {
  width: 8rpx;
  height: 34rpx;
  background: #57984a;
  border-radius: 999rpx;
  margin-right: 12rpx;
}

.titleText {
  font-size: 34rpx;
  font-weight: 700;
  color: #1f2a1f;
}

.themeTabsScroll {
  width: 100%;
  margin-bottom: 12rpx;
}

.hotTabs {
  display: inline-flex;
  gap: 16rpx;
  padding-bottom: 2rpx;
}

.tab {
  padding: 10rpx 22rpx;
```

```
  border-radius: 22rpx;
  background: #eef6ee;
  color: #5f7260;
  font-size: 28rpx;
  white-space: nowrap;
}

.tab.active {
  background: #57984a;
  color: #ffffff;
}

.themePanel {
  background: #ffffff;
  border-radius: 24rpx;
  padding: 28rpx 24rpx;
  margin-bottom: 20rpx;
}

.themePanelHead {
  margin-bottom: 28rpx;
}

.themeTitleRow {
  display: flex;
  align-items: center;
  gap: 14rpx;
  margin-bottom: 12rpx;
}

.themePeriod {
  display: inline-flex;
  padding: 8rpx 18rpx;
  border-radius: 999rpx;
  background: #edf5ea;
  color: #5f7260;
  font-size: 22rpx;
}

.themeDesc {
  font-size: 26rpx;
  color: #667566;
  line-height: 1.7;
}

.themeBlock {
  margin-bottom: 26rpx;
}

.themeBlock:last-child {
  margin-bottom: 0;
}

.themeBlockTitle {
  display: block;
  font-size: 28rpx;
  font-weight: 600;
  color: #233123;
  margin-bottom: 18rpx;
}

.themeActivityCard {
```

```
  display: flex;
  align-items: stretch;
  background: #f7fbf5;
  border-radius: 20rpx;
  overflow: hidden;
  margin-bottom: 18rpx;
  height: 276rpx;
}

.themeActivityCard:last-child {
  margin-bottom: 0;
}

.themeActivityCoverWrap {
  width: 180rpx;
  height: 276rpx;
  flex-shrink: 0;
  overflow: hidden;
}

.themeActivityCover {
  width: 100%;
  height: 100%;
  flex-shrink: 0;
  display: block;
}

.themeActivityBody {
  flex: 1;
  min-width: 0;
  padding: 18rpx 20rpx;
  display: flex;
  flex-direction: column;
}

.themeActivityName {
  display: block;
  font-size: 28rpx;
  font-weight: 600;
  color: #1f2a1f;
  line-height: 1.5;
  display: -webkit-box;
  -webkit-line-clamp: 2;
  -webkit-box-orient: vertical;
  overflow: hidden;
}

.themeActivityMeta {
  display: flex;
  flex-wrap: wrap;
  gap: 12rpx;
  margin-top: 14rpx;
}

.dayTag {
  padding: 8rpx 18rpx;
  border-radius: 999rpx;
  background: #57984a;
  color: #ffffff;
  font-size: 22rpx;
}

```

```
.themeActivityFooter {
  margin-top: auto;
  padding-top: 18rpx;
  display: flex;
  align-items: center;
  justify-content: space-between;
  gap: 16rpx;
}

.themeActivityPrice {
  font-size: 30rpx;
  line-height: 1;
  color: #57984a;
  font-weight: 700;
}

.themeActivitySold {
  font-size: 22rpx;
  color: #8ea08b;
  text-align: right;
}

.themeProductList {
  display: flex;
  flex-direction: column;
  gap: 18rpx;
}

.themeProductCard {
  display: flex;
  align-items: stretch;
  background: #f7fbf5;
  border-radius: 20rpx;
  overflow: hidden;
  height: 180rpx;
}

.themeProductCover {
  width: 180rpx;
  height: 180rpx;
  flex-shrink: 0;
}

.themeProductBody {
  flex: 1;
  min-width: 0;
  padding: 18rpx 20rpx;
  display: flex;
  flex-direction: column;
}

.themeProductName {
  font-size: 28rpx;
  line-height: 1.5;
  color: #1f2a1f;
  font-weight: 600;
  display: -webkit-box;
  -webkit-line-clamp: 2;
  -webkit-box-orient: vertical;
  overflow: hidden;
}

```

```
.themeProductTags {
  display: flex;
  flex-wrap: wrap;
  gap: 12rpx;
  margin-top: 14rpx;
}

.productTag {
  padding: 8rpx 18rpx;
  border-radius: 999rpx;
  background: #edf5ea;
  color: #426046;
  font-size: 22rpx;
}

.themeProductFooter {
  margin-top: auto;
  padding-top: 18rpx;
  display: flex;
  align-items: center;
  justify-content: space-between;
  gap: 16rpx;
}

.themeProductPrice {
  font-size: 30rpx;
  line-height: 1;
  color: #57984a;
  font-weight: 700;
}

.themeProductSold {
  font-size: 22rpx;
  color: #8ea08b;
  text-align: right;
}

.emptyState {
  padding: 28rpx 0;
  font-size: 26rpx;
  color: #8ea08b;
}

.publishFloat {
  position: fixed;
  right: 28rpx;
  bottom: 120rpx;
  width: 132rpx;
  height: 132rpx;
  border-radius: 50%;
  background: linear-gradient(135deg, #5ea94f 0%, #3f8a3e 100%);
  box-shadow: 0 18rpx 36rpx rgba(63, 138, 62, 0.28);
  display: flex;
  flex-direction: column;
  align-items: center;
  justify-content: center;
  color: #ffffff;
  z-index: 20;
}

.publishFloatPlus {
  font-size: 48rpx;
```

```
  line-height: 1;
  font-weight: 600;
}

.publishFloatText {
  margin-top: 6rpx;
  font-size: 22rpx;
  line-height: 1.2;
}


```

Path: miniprogram/pages/login/login.js

```
const app = getApp()

const TEXT = {
  loginFailed: '\u767b\u5f55\u5931\u8d25',
  loginRetry: '\u767b\u5f55\u5931\u8d25\uff0c\u8bf7\u91cd\u8bd5',
  unsupportedLoginMethod: '\u4e0d\u652f\u6301\u7684\u767b\u5f55\u65b9\u5f0f',
  brandName: '\u519c\u65c5e\u7ad9',
  tagline: '\u4e61\u91ce\u98ce\u7269\u4e0e\u4e2a\u6027\u5316\u65c5\u7a0b\uff0c\u4ece\u8fd9\u91cc\u5f00\u59cb',
  heroTitle: '\u6388\u6743\u767b\u5f55\u540e\uff0c\u5feb\u901f\u5f00\u542f\u4f60\u7684\u4e13\u5c5e\u519c\u65c5\u4f53\u9a8c',
  titleWechat: '\u6b22\u8fce\u6765\u5230\u519c\u65c5e\u7ad9',
  descBeforeLogin: '\u4e00\u952e\u767b\u5f55\u540e\uff0c\u5373\u53ef\u7ee7\u7eed\u5b8c\u5584\u4f60\u7684\u519c\u65c5\u504f\u597d\u4e0e\u4e13\u5c5e\u884c\u7a0b\u3002',
  btnWechatLogin: '\u5fae\u4fe1\u4e00\u952e\u767b\u5f55',
  agreementSummary: '\u5df2\u9605\u8bfb\u5e76\u540c\u610f\u300a\u519c\u65c5e\u7ad9\u4e2a\u4eba\u4fe1\u606f\u4fdd\u62a4\u6307\u5f15\u300b\u3001\u300a\u519c\u65c5e\u7ad9\u7528\u6237\u670d\u52a1\u8bf4\u660e\u300b',
  footer: '\u767b\u5f55\u540e\u5c06\u7ee7\u7eed\u5b8c\u6210\u5b9a\u4f4d\u3001\u8d44\u6599\u548c\u519c\u65c5 DNA \u8bbe\u7f6e\u3002',
}

function mapCloudMessage(message) {
  const messageMap = {
    UNSUPPORTED_LOGIN_METHOD: TEXT.unsupportedLoginMethod,
  }
  return messageMap[message] || message
}

Page({
  data: {
    text: {
      brandName: TEXT.brandName,
      tagline: TEXT.tagline,
      heroTitle: TEXT.heroTitle,
      titleWechat: TEXT.titleWechat,
      descBeforeLogin: TEXT.descBeforeLogin,
      btnWechatLogin: TEXT.btnWechatLogin,
      agreementSummary: TEXT.agreementSummary,
      footer: TEXT.footer,
    },
    loading: false,
  },

  onShow() {
    const agreePrivacy = wx.getStorageSync('agreePrivacy')
    if (!agreePrivacy) {
      wx.redirectTo({ url: '/pages/welcome/welcome' })
      return
    }
    this.syncFromStorage()
  },

  syncFromStorage() {
    const currentUser = app.getUserInfo() || null
    if (currentUser && currentUser.openid) {
      this.finishLogin(currentUser)
    }
  },

```

```
  async onWechatLogin() {
    this.setData({ loading: true })
    try {
      const loginRes = await wx.cloud.callFunction({
        name: 'login',
        data: { method: 'wechat' },
      })

      if (!loginRes.result.success) {
        wx.showToast({ title: mapCloudMessage(loginRes.result.message) || TEXT.login
Failed, icon: 'none' })
        return
      }

      app.setUserInfo(loginRes.result.userInfo)
      this.finishLogin(loginRes.result.userInfo)
    } catch (err) {
      console.error('[login] wechat login failed', err)
      wx.showToast({ title: TEXT.loginRetry, icon: 'none' })
    } finally {
      this.setData({ loading: false })
    }
  },

  finishLogin(userInfo) {
    app.setUserInfo(userInfo)
    const target = app.getPostLoginTarget(userInfo)
    if (target === '/pages/home/home') {
      wx.switchTab({ url: target })
      return
    }
    wx.redirectTo({ url: target })
  },
})
```

Path: miniprogram/pages/login/login.json

```
{
  "navigationBarTitleText": "登录"
}
```

Path: miniprogram/pages/login/login.wxml

```
<view class="page">
  <view class="ambient ambientLeft"></view>
  <view class="ambient ambientRight"></view>
  <view class="grain"></view>

  <view class="content">
    <view class="brandBlock">
      <image class="brandAvatar" src="/images/login-brand.png" mode="aspectFill"></image>
      <view class="brandName">{{text.brandName}}</view>
      <view class="brandTagline">{{text.tagline}}</view>
    </view>

    <view class="heroBlock">
      <view class="heroTitle">{{text.titleWechat}}</view>
      <view class="heroDesc">{{text.descBeforeLogin}}</view>
    </view>

    <view class="formCard">
      <view class="cardTop">
        <view class="cardBadge">AgriTravel</view>
        <view class="cardHint">{{text.heroTitle}}</view>
      </view>

      <button
        class="primaryButton"
        bindtap="onWechatLogin"
        loading="{{loading}}"
        disabled="{{loading}}"
      >
        {{text.btnWechatLogin}}
      </button>

      <view class="agreement">{{text.agreementSummary}}</view>
    </view>
  </view>

  <view class="footer">{{text.footer}}</view>
</view>
```

Path: miniprogram/pages/login/login.wxss

```
.page {
  position: relative;
  min-height: 100vh;
  display: flex;
  flex-direction: column;
  background:
    radial-gradient(circle at top left, rgba(186, 218, 183, 0.42) 0, rgba(186, 218, 183, 0) 36%),
    radial-gradient(circle at 85% 22%, rgba(225, 239, 210, 0.68) 0, rgba(225, 239, 210, 0) 28%),
    linear-gradient(180deg, #f7fbf5 0%, #eef6ea 58%, #f8fbf7 100%);
  overflow: hidden;
}

.ambient {
  position: absolute;
  border-radius: 999rpx;
  filter: blur(16rpx);
  opacity: 0.9;
}

.ambientLeft {
  top: 220rpx;
  left: -120rpx;
  width: 360rpx;
  height: 360rpx;
  background: rgba(213, 232, 193, 0.78);
}

.ambientRight {
  top: 640rpx;
  right: -90rpx;
  width: 280rpx;
  height: 280rpx;
  background: rgba(194, 222, 184, 0.72);
}

.grain {
  position: absolute;
  inset: 0;
  background:
    linear-gradient(115deg, rgba(255, 255, 255, 0.18) 0, rgba(255, 255, 255, 0) 34%),
    linear-gradient(290deg, rgba(255, 255, 255, 0.12) 0, rgba(255, 255, 255, 0) 38%);
  pointer-events: none;
}

.content {
  position: relative;
  z-index: 1;
  flex: 1;
  display: flex;
  flex-direction: column;
  justify-content: center;
  padding: 90rpx 40rpx 24rpx;
}

.brandBlock {
  display: flex;
```

```
  flex-direction: column;
  align-items: center;
  text-align: center;
}

.brandAvatar {
  width: 168rpx;
  height: 168rpx;
  border-radius: 50%;
  border: 8rpx solid rgba(255, 255, 255, 0.92);
  box-shadow: 0 24rpx 56rpx rgba(65, 109, 60, 0.16);
}

.brandName {
  margin-top: 28rpx;
  font-size: 56rpx;
  font-weight: 700;
  color: #23472a;
  letter-spacing: 2rpx;
}

.brandTagline {
  margin-top: 14rpx;
  font-size: 26rpx;
  color: #70856f;
  line-height: 1.7;
}

.heroBlock {
  margin-top: 88rpx;
  text-align: center;
}

.heroTitle {
  font-size: 52rpx;
  font-weight: 700;
  color: #203624;
  line-height: 1.34;
}

.heroDesc {
  margin-top: 22rpx;
  font-size: 28rpx;
  line-height: 1.8;
  color: #697d67;
  padding: 0 16rpx;
}

.formCard {
  margin-top: 72rpx;
  padding: 42rpx 36rpx 40rpx;
  border-radius: 36rpx;
  background: rgba(255, 255, 255, 0.92);
  border: 2rpx solid rgba(223, 235, 218, 0.95);
  box-shadow: 0 30rpx 64rpx rgba(49, 92, 53, 0.1);
  backdrop-filter: blur(12rpx);
}

.cardTop {
  margin-bottom: 34rpx;
  text-align: center;
}
```

```
.cardBadge {
  display: inline-flex;
  align-items: center;
  justify-content: center;
  min-width: 168rpx;
  height: 50rpx;
  padding: 0 24rpx;
  border-radius: 999rpx;
  background: #edf5ea;
  color: #57984a;
  font-size: 22rpx;
  font-weight: 600;
  letter-spacing: 1rpx;
}

.cardHint {
  margin-top: 18rpx;
  font-size: 28rpx;
  font-weight: 600;
  color: #37553b;
  line-height: 1.6;
}

.primaryButton {
  width: 100%;
  height: 94rpx;
  line-height: 94rpx;
  border: none;
  border-radius: 999rpx;
  background: linear-gradient(135deg, #57984a 0%, #57984a 100%);
  color: #ffffff;
  font-size: 32rpx;
  font-weight: 700;
  box-shadow: 0 16rpx 36rpx rgba(87, 152, 74, 0.22);
}

.primaryButton[disabled] {
  background: #b7c8b4;
  box-shadow: none;
}

.agreement {
  margin-top: 28rpx;
  text-align: center;
  font-size: 24rpx;
  line-height: 1.8;
  color: #80907e;
}

.agreementStrong {
  color: #57984a;
}

.agreementJoin,
.agreementPrefix {
  color: #80907e;
}

.footer {
  position: relative;
  z-index: 1;
```

```
padding: 18rpx 44rpx 48rpx;
font-size: 22rpx;
line-height: 1.7;
text-align: center;
color: #81917f;
}
```

Path: miniprogram/pages/activityDetail/activityDetail.js

```
const {
  resolveActivityCover,
  resolveActivityGallery,
} = require('../../utils/mediaAssets')
const { buildActivityCoverTags } = require('../../utils/activityCoverTags')
const {
  isFavorited,
  toggleFavorite,
  recordFootprint,
} = require('../../utils/collectionStore')

Page({
  data: {
    detail: null,
    activityId: '',
    favorited: false,
    statusBarHeight: 20,
    favoriteIcon: '/images/icons/favorite-heart-outline.png',
    favoriteIconFilled: '/images/icons/favorite-heart-filled.png',
    text: {
      location: '活动地点',
      price: '参考价格',
      transport: '交通方式',
      stay: '住宿安排',
      travelMode: '旅行方式',
      playMode: '旅行玩法',
      suitableGroups: '适合人群',
      highlights: '活动亮点',
      itinerary: '行程安排',
      info: '活动信息',
      pickup: '接送服务',
      pickupPoint: '接送地点',
      address: '详细地址',
      phone: '联系电话',
      duration: '活动时长',
      region: '活动区域',
      description: '详细介绍',
      gallery: '活动图集',
      priceLabel: '参考价',
      bookNow: '立即报名',
      empty: '暂无活动数据',
    },
  },

  onLoad(options) {
    this.initNavMetrics()
    const id = options.id || ''
    this.setData({ activityId: id })
    if (id) {
      this.loadDetail(id)
    }
  },

  onShow() {
    const { activityId } = this.data
    if (activityId) {
      this.loadDetail(activityId)
    }
  },

```

```
initNavMetrics() {
  try {
    const systemInfo = wx.getSystemInfoSync()
    this.setData({
      statusBarHeight: systemInfo.statusBarHeight || 20,
    })
  } catch (error) {
    this.setData({
      statusBarHeight: 20,
    })
  }
},

async loadDetail(id) {
  wx.showLoading({ title: '加载中' })
  try {
    const res = await wx.cloud.callFunction({
      name: 'getactivitydetail',
      data: { id },
    })
    const rawDetail = res.result?.data || null
    const detail = await this.normalizeDetail(rawDetail)
    const favorited = isFavorited('activity', detail && detail._id)
    if (detail) {
      recordFootprint(this.buildCollectionRecord(detail))
    }

    this.setData({
      detail,
      favorited,
    })
  } catch (error) {
    console.error('[activityDetail] load failed', error)
    wx.showToast({
      title: '加载失败',
      icon: 'none',
    })
  } finally {
    wx.hideLoading()
  }
},

async normalizeDetail(detail) {
  if (!detail) {
    return null
  }

  const cover = await resolveActivityCover(detail)
  const gallery = await resolveActivityGallery(detail)
  const tags = Array.isArray(detail.tags) ? detail.tags : []
  const travelModeTags = Array.isArray(detail.travelModeTags) ? detail.travelModeTags : []
  const playTags = Array.isArray(detail.playTags) ? detail.playTags : []
  const suitableGroups = Array.isArray(detail.suitableGroups) ? detail.suitableGroups : []
  const highlights = Array.isArray(detail.highlights) ? detail.highlights : []
  const itinerary = Array.isArray(detail.itinerary) ? detail.itinerary : []
  const regionText = [detail.province, detail.city, detail.district].filter(Boolean).join(' · ')
  const coverTagInfo = buildActivityCoverTags(detail)
  const priceValue = detail.priceFrom || detail.price || 0

```

```
    return {
      ...detail,
      cover,
      gallery,
      tags,
      travelModeTags,
      playTags,
      suitableGroups,
      highlights,
      itinerary,
      summary: detail.summary || detail.content || '',
      detailText: detail.detail || detail.content || '',
      regionText,
      durationText: coverTagInfo.durationTag,
      coverTags: coverTagInfo.tags,
      priceValue,
      priceText: priceValue ? `¥${priceValue}` : '待定',
      locationText: detail.locationName || regionText || '地点待补充',
      transportText: detail.transport || '待补充',
      stayText: detail.stay || '不含住宿',
      pickupText: detail.pickup ? '支持接送' : '不含接送',
      pickupPointText: detail.pickupPoint || '',
      addressText: detail.address || detail.locationName || regionText || '待补充',
      phoneText: detail.merchantPhone || detail.contactPhone || detail.phone || detail.tel || '待补充',
      traveledCount: detail.traveledCount || 0,
    }
  },

  buildCollectionRecord(detail) {
    if (!detail) {
      return null
    }

    return {
      type: 'activity',
      id: detail._id,
      title: detail.title,
      cover: detail.cover,
      city: detail.city || detail.province || detail.locationText,
      regionText: detail.regionText || detail.locationText,
      summary: detail.summary,
      priceText: detail.priceText,
      metaText: detail.durationText,
      badgeText: '活动',
      statsText: `${detail.traveledCount || 0}人已出行`,
    }
  },

  toggleFavorite() {
    const { detail } = this.data
    if (!detail || !detail._id) {
      return
    }

    const favorited = toggleFavorite(this.buildCollectionRecord(detail))
    this.setData({ favorited })
    wx.showToast({
      title: favorited ? '已收藏' : '已取消收藏',
      icon: 'none',
    })
  },
```

```

  previewGallery(e) {
    const current = e.currentTarget.dataset.src
    const urls = (this.data.detail && this.data.detail.gallery) || []
    if (!current || !urls.length) {
      return
    }

    wx.previewImage({
      current,
      urls,
    })
  },

  goBack() {
    if (getCurrentPages().length > 1) {
      wx.navigateBack()
      return
    }

    wx.switchTab({
      url: '/pages/home/home',
    })
  },

  handleBook() {
    const { detail } = this.data
    if (!detail || !detail._id) {
      wx.showToast({
        title: '数据还在加载，请稍后再试',
        icon: 'none',
      })
      return
    }

    wx.navigateTo({
      url: `/pages/book/book?id=${detail._id}`,
    })
  },
})
```

Path: miniprogram/pages/activityDetail/activityDetail.json

```
1 {
2   "navigationStyle": "custom"
3 }
```

Path: miniprogram/pages/activityDetail/activityDetail.wxml

```
<view class="page" wx:if="{{detail}}">
  <view class="heroWrap">
    <swiper
      class="heroSwiper"
      indicator-dots="{{detail.gallery.length > 1}}"
      indicator-color="rgba(255,255,255,0.42)"
      indicator-active-color="#ffffff"
      autoplay="{{detail.gallery.length > 1}}"
      touchable="{{detail.gallery.length > 1}}"
      interval="3200"
      duration="500"
      circular="{{detail.gallery.length > 1}}"
    >
      <swiper-item wx:for="{{detail.gallery}}" wx:key="*this">
        <image class="hero" src="{{item}}" mode="aspectFill" data-src="{{item}}" bindtap="previewGallery" />
      </swiper-item>
    </swiper>
    <view class="heroMask"></view>

    <view class="customNav" style="padding-top: {{statusBarHeight}}px;">
      <view class="backBtn" bindtap="goBack">
        <view class="backArrow"></view>
      </view>
    </view>
  </view>

  <view class="content">
    <view class="title">{{detail.title}}</view>
    <view class="summary" wx:if="{{detail.summary}}">{{detail.summary}}</view>

    <view class="metaRow">
      <view class="metaPrimary">{{detail.durationText}}</view>
      <view class="metaTag" wx:for="{{detail.coverTags}}" wx:key="*this">{{item}}</view>
    </view>

    <view class="infoGrid">
      <view class="infoCard">
        <view class="infoLabel">{{text.location}}</view>
        <view class="infoValue">{{detail.locationText}}</view>
        <view class="infoSub" wx:if="{{detail.regionText}}">{{detail.regionText}}</view>
      </view>
      <view class="infoCard">
        <view class="infoLabel">{{text.price}}</view>
        <view class="infoValue priceValue">{{detail.priceText}}</view>
        <view class="infoSub">{{detail.traveledCount}} 人已出行</view>
      </view>
      <view class="infoCard">
        <view class="infoLabel">{{text.transport}}</view>
        <view class="infoValue">{{detail.transportText}}</view>
      </view>
      <view class="infoCard">
        <view class="infoLabel">{{text.stay}}</view>
        <view class="infoValue">{{detail.stayText}}</view>
      </view>
    </view>

    <view class="section" wx:if="{{detail.travelModeTags.length}}">
```

```
    <view class="sectionTitle">{{text.travelMode}}</view>
    <view class="chipWrap">
      <view class="chip chipWarm" wx:for="{{detail.travelModeTags}}" wx:key="*this">{{item}}</view>
    </view>
  </view>

  <view class="section" wx:if="{{detail.playTags.length}}">
    <view class="sectionTitle">{{text.playMode}}</view>
    <view class="chipWrap">
      <view class="chip" wx:for="{{detail.playTags}}" wx:key="*this">{{item}}</view>
    </view>
  </view>

  <view class="section" wx:if="{{detail.highlights.length}}">
    <view class="sectionTitle">{{text.highlights}}</view>
    <view class="listCard">
      <view class="bulletItem" wx:for="{{detail.highlights}}" wx:key="*this">
        <view class="bulletDot"></view>
        <view class="bulletText">{{item}}</view>
      </view>
    </view>
  </view>

  <view class="section" wx:if="{{detail.itinerary.length}}">
    <view class="sectionTitle">{{text.itinerary}}</view>
    <view class="listCard">
      <view class="timelineItem" wx:for="{{detail.itinerary}}" wx:key="*this">
        <view class="timelineIndex">{{index + 1}}</view>
        <view class="timelineText">{{item}}</view>
      </view>
    </view>
  </view>

  <view class="section">
    <view class="sectionTitle">{{text.info}}</view>
    <view class="detailCard">
      <view class="detailRow">
        <text class="detailLabel">{{text.pickup}}</text>
        <text class="detailValue">{{detail.pickupText}}</text>
      </view>
      <view class="detailRow" wx:if="{{detail.pickupPointText}}">
        <text class="detailLabel">{{text.pickupPoint}}</text>
        <text class="detailValue">{{detail.pickupPointText}}</text>
      </view>
      <view class="detailRow">
        <text class="detailLabel">{{text.address}}</text>
        <text class="detailValue">{{detail.addressText}}</text>
      </view>
      <view class="detailRow">
        <text class="detailLabel">{{text.phone}}</text>
        <text class="detailValue">{{detail.phoneText}}</text>
      </view>
      <view class="detailRow">
        <text class="detailLabel">{{text.duration}}</text>
        <text class="detailValue">{{detail.durationText}}</text>
      </view>
      <view class="detailRow">
        <text class="detailLabel">{{text.region}}</text>
        <text class="detailValue">{{detail.regionText || detail.locationText}}</text>
```

```
      </view>
    </view>
  </view>

  <view class="section" wx:if="{{detail.detailText}}">
    <view class="sectionTitle">{{text.description}}</view>
    <view class="descriptionCard">{{detail.detailText}}</view>
  </view>

  <view class="section" wx:if="{{detail.gallery.length > 1}}">
    <view class="sectionTitle">{{text.gallery}}</view>
    <scroll-view class="galleryScroll" scroll-x enhanced show-scrollbar="{{false}}
">
      <image
        class="galleryImage"
        wx:for="{{detail.gallery}}"
        wx:key="*this"
        src="{{item}}"
        mode="aspectFill"
        data-src="{{item}}"
        bindtap="previewGallery"
      />
    </scroll-view>
  </view>
</view>

<view class="bottomBar">
  <view class="bottomMain">
    <view class="priceBox">
      <text class="priceLabel">{{text.priceLabel}}</text>
      <text class="priceNum">{{detail.priceText}}</text>
    </view>
    <view class="favoriteBtn" bindtap="toggleFavorite">
      <image class="favoriteIcon" src="{{favorited ? favoriteIconFilled : favorite
Icon}}" mode="aspectFit" />
    </view>
  </view>
  <button class="bookBtn" bindtap="handleBook">{{text.bookNow}}</button>
</view>
</view>

<view wx:else class="emptyState">{{text.empty}}</view>
```

Path: miniprogram/pages/activityDetail/activityDetail.wxss

```
.page {
  min-height: 100vh;
  background: linear-gradient(180deg, #f6faf4 0%, #edf5ea 100%);
  padding-bottom: 220rpx;
  box-sizing: border-box;
}

.heroWrap {
  position: relative;
  width: 100%;
  height: 520rpx;
  overflow: hidden;
}

.heroSwiper {
  width: 100%;
  height: 100%;
}

.hero {
  width: 100%;
  height: 100%;
  display: block;
}

.heroMask {
  position: absolute;
  inset: 0;
  background: linear-gradient(180deg, rgba(20, 20, 20, 0.28) 0%, rgba(20, 20, 20, 0.08) 36%, rgba(20, 20, 20, 0) 68%);
  pointer-events: none;
}

.customNav {
  position: fixed;
  left: 24rpx;
  right: auto;
  top: 0;
  padding-left: 0;
  padding-right: 0;
  z-index: 20;
  pointer-events: none;
}

.backBtn {
  width: 72rpx;
  height: 72rpx;
  border-radius: 50%;
  background: rgba(14, 38, 47, 0.72);
  display: flex;
  align-items: center;
  justify-content: center;
  pointer-events: auto;
}

.backArrow {
  width: 22rpx;
  height: 22rpx;
  border-left: 4rpx solid #ffffff;
  border-bottom: 4rpx solid #ffffff;
```

```
  transform: rotate(45deg);
  margin-left: 8rpx;
}

.content {
  position: relative;
  z-index: 1;
  margin-top: 34rpx;
  padding: 8rpx 24rpx 32rpx;
}

.title {
  font-size: 48rpx;
  line-height: 1.3;
  font-weight: 700;
  color: #1f2a1f;
}

.summary {
  margin-top: 14rpx;
  font-size: 28rpx;
  line-height: 1.7;
  color: #667566;
}

.metaRow {
  margin-top: 20rpx;
  display: flex;
  flex-wrap: wrap;
  gap: 12rpx;
}

.metaPrimary,
.metaTag,
.chip {
  padding: 8rpx 18rpx;
  border-radius: 999rpx;
  font-size: 24rpx;
}

.metaPrimary {
  background: #edf5ea;
  color: #57984a;
}

.metaTag {
  background: rgba(255, 255, 255, 0.86);
  color: #667566;
}

.infoGrid {
  margin-top: 26rpx;
  display: grid;
  grid-template-columns: repeat(2, minmax(0, 1fr));
  gap: 16rpx;
}

.infoCard,
.listCard,
.detailCard,
.descriptionCard {
  background: rgba(255, 255, 255, 0.92);
```

```
  border-radius: 28rpx;
  box-shadow: 0 12rpx 30rpx rgba(87, 73, 54, 0.06);
}

.infoCard {
  padding: 22rpx 22rpx 24rpx;
}

.infoLabel {
  font-size: 24rpx;
  color: #8ea08b;
}

.infoValue {
  margin-top: 12rpx;
  font-size: 28rpx;
  line-height: 1.5;
  color: #1f2a1f;
  font-weight: 600;
}

.priceValue {
  color: #57984a;
}

.infoSub {
  margin-top: 10rpx;
  font-size: 22rpx;
  line-height: 1.5;
  color: #8ea08b;
}

.section {
  margin-top: 28rpx;
}

.sectionTitle {
  margin-bottom: 16rpx;
  font-size: 32rpx;
  font-weight: 700;
  color: #1f2a1f;
}

.chipWrap {
  display: flex;
  flex-wrap: wrap;
  gap: 12rpx;
}

.chip {
  background: rgba(255, 255, 255, 0.9);
  color: #667566;
}

.chipWarm {
  background: #edf5ea;
  color: #57984a;
}

.chipSoft {
  background: #edf5ea;
  color: #426046;
```

```
}

.listCard {
  padding: 16rpx 20rpx;
}

.bulletItem,
.timelineItem {
  display: flex;
  align-items: flex-start;
  gap: 14rpx;
  padding: 12rpx 0;
}

.bulletDot {
  width: 12rpx;
  height: 12rpx;
  margin-top: 12rpx;
  border-radius: 50%;
  background: #57984a;
  flex-shrink: 0;
}

.bulletText,
.timelineText {
  flex: 1;
  font-size: 28rpx;
  line-height: 1.7;
  color: #233123;
}

.timelineIndex {
  width: 42rpx;
  height: 42rpx;
  border-radius: 50%;
  background: #e6f2e3;
  color: #57984a;
  display: flex;
  align-items: center;
  justify-content: center;
  font-size: 24rpx;
  font-weight: 700;
  flex-shrink: 0;
}

.detailCard {
  padding: 16rpx 22rpx;
}

.detailRow {
  display: flex;
  justify-content: space-between;
  gap: 24rpx;
  padding: 14rpx 0;
  border-bottom: 1rpx solid rgba(0, 0, 0, 0.05);
}

.detailRow:last-child {
  border-bottom: none;
}

.detailLabel {
```

```
  color: #8ea08b;
  font-size: 26rpx;
}

.detailValue {
  flex: 1;
  text-align: right;
  color: #233123;
  font-size: 26rpx;
}

.descriptionCard {
  padding: 24rpx;
  color: #233123;
  font-size: 28rpx;
  line-height: 1.85;
  white-space: pre-line;
}

.galleryScroll {
  white-space: nowrap;
}

.galleryImage {
  display: inline-block;
  width: 250rpx;
  height: 180rpx;
  margin-right: 16rpx;
  border-radius: 22rpx;
}

.bottomBar {
  position: fixed;
  left: 0;
  right: 0;
  bottom: 0;
  display: flex;
  justify-content: space-between;
  align-items: center;
  gap: 24rpx;
  padding: 8rpx 24rpx calc(env(safe-area-inset-bottom) + 8rpx);
  background: rgba(255, 255, 255, 0.98);
  box-shadow: 0 -8rpx 28rpx rgba(55, 42, 26, 0.08);
  z-index: 999;
  pointer-events: auto;
}

.bottomMain {
  flex: 1;
  display: flex;
  align-items: center;
  gap: 20rpx;
}

.priceBox {
  display: flex;
  flex-direction: column;
  gap: 6rpx;
  flex: 1;
}

.priceLabel {
```

```
  font-size: 20rpx;
  color: #8ea08b;
}

.priceNum {
  font-size: 40rpx;
  font-weight: 700;
  color: #57984a;
}

.favoriteBtn {
  width: 80rpx;
  height: 80rpx;
  display: flex;
  align-items: center;
  justify-content: center;
  flex-shrink: 0;
}

.favoriteIcon {
  width: 64rpx;
  height: 64rpx;
}

.bookBtn {
  min-width: 240rpx;
  height: 64rpx;
  line-height: 64rpx;
  border-radius: 999rpx;
  background: #57984a;
  color: #ffffff;
  font-size: 26rpx;
  font-weight: 600;
  padding: 0 28rpx;
}

.emptyState {
  padding: 80rpx 32rpx;
  text-align: center;
  color: #99a598;
  font-size: 28rpx;
}
```

Path: miniprogram/pages/book/book.js

```
Page({

  data: {

    activityId: "",

    today: "",

    travelDate: "",

    adultCount: 0,

    childCount: 0

  },


  onLoad(options) {

    const today = this.formatDate(new Date())

    this.setData({

      today,

      // 兼容两种传法：id 或 activityId
      activityId: options.id || options.activityId || ""

    })

  },


  formatDate(date) {

    const y = date.getFullYear()
    const m = (date.getMonth() + 1).toString().padStart(2, '0')
    const d = date.getDate().toString().padStart(2, '0')

    return `${y}-${m}-${d}`

  },


  onDateChange(e) {

    this.setData({

      travelDate: e.detail.value

    })

  },


  addAdult() {

    this.setData({

      adultCount: this.data.adultCount + 1
```

```
  })

},


minusAdult() {

  if (this.data.adultCount <= 0) return

  this.setData({

    adultCount: this.data.adultCount - 1

  })

},


addChild() {

  this.setData({

    childCount: this.data.childCount + 1

  })

},


minusChild() {

  if (this.data.childCount <= 0) return

  this.setData({

    childCount: this.data.childCount - 1

  })

},


goNext() {

  const { activityId, travelDate, adultCount, childCount } = this.data

  if (!activityId) {
    return wx.showToast({
      title: '活动ID丢失，请返回重试',
      icon: 'none'
    })
  }

  if (!travelDate) {

    return wx.showToast({

      title: '请选择出行日期',

      icon: 'none'

```

```
    })

  }

  if (adultCount + childCount <= 0) {

    return wx.showToast({

      title: '请选择出行人数',

      icon: 'none'

    })

  }


  const nonce = Date.now()

  wx.navigateTo({

    url: `/pages/order/order?activityId=${activityId}&date=${travelDate}&adult=${adultCount}&child=${childCount}&nonce=${nonce}`

  })

}

})
```

Path: miniprogram/pages/book/book.json

```
{
  "navigationBarTitleText": "选择日期/出行人数"
}
```

Path: miniprogram/pages/book/book.wxml

```
<view class="container">

<!-- 出行日期 -->
<view class="card">
  <view class="title">请选择出行日期</view>

  <picker mode="date"
        value="{{travelDate}}"
        start="{{today}}"
         bindchange="onDateChange">

    <view class="picker">
      <text wx:if="{{travelDate}}">{{travelDate}}</text>
      <text wx:else class="placeholder">点击选择日期</text>
    </view>

  </picker>
</view>


<!-- 出行人数 -->
<view class="card">

  <view class="title">请选择出行人数</view>

  <!-- 成人 -->
  <view class="row">

    <text>成人</text>

    <view class="counter">

      <button class="btn"
            bindtap="minusAdult"
            disabled="{{adultCount<=0}}">-</button>

      <text class="num">{{adultCount}}</text>

      <button class="btn"
            bindtap="addAdult">+</button>

    </view>

  </view>


  <!-- 儿童 -->
  <view class="row">

    <text>儿童</text>

    <view class="counter">

      <button class="btn"
            bindtap="minusChild"
            disabled="{{childCount<=0}}">-</button>

      <text class="num">{{childCount}}</text>

      <button class="btn"
```

```
            bindtap="addChild">+</button>

    </view>

  </view>

  <view class="child-tip">
    儿童年龄不得超过12周岁（不含）
  </view>

</view>


<!-- 下一步 -->
<view class="bottom">

  <button class="next"
          bindtap="goNext">
    下一步，填写订单
  </button>

</view>

</view>
```

Path: miniprogram/pages/book/book.wxss

```
.container{
  padding:30rpx;
  background:#f6faf4;
  min-height:100vh;
}

.card{
  background:#ffffff;
  border-radius:16rpx;
  padding:30rpx;
  margin-bottom:30rpx;
}

.title{
  font-size:30rpx;
  font-weight:bold;
  margin-bottom:20rpx;
}

.picker{
  padding:20rpx;
  border:1px solid #dbe8d7;
  border-radius:10rpx;
}

.placeholder{
  color:#99a598;
}

.row{
  display:flex;
  justify-content:space-between;
  align-items:center;
  margin:20rpx 0;
}

.counter{
  display:flex;
  align-items:center;
}

.btn{
  width:60rpx;
  height:60rpx;
  line-height:60rpx;
}

.num{
  width:60rpx;
  text-align:center;
}

.child-tip{
  color:red;
  font-size:24rpx;
}

.bottom{
  position:fixed;
  bottom:0;
```

```
  left:0;
  right:0;
  padding:20rpx;
  background:#ffffff;
}

.next{
  background:#57984a;
  color:#ffffff;
}
```

Path: miniprogram/pages/hotel/hotel.js

```
const db = wx.cloud.database()
const { resolveMediaSource } = require('../../utils/mediaAssets')

const SAFE_HOTEL_COVER = '/images/nav-hotel.png'

function normalizeText(value = '') {
  return String(value || '').trim()
}

function trimRegionSuffix(name = '') {
  return normalizeText(name)
    .replace(/(特别行政区|自治区|地区|盟)$/u, '')
    .replace(/(省|市|区|县)$/u, '')
}

function getDisplayCity(source) {
  if (!source) {
    return '兰州'
  }

  const city = trimRegionSuffix(source.city)
  const district = trimRegionSuffix(source.district)
  const province = trimRegionSuffix(source.province)
  const displayName = trimRegionSuffix(source.displayName || source.label || '')
  return city || district || province || displayName || '兰州'
}

function buildDisplayPrice(price) {
  const value = Number(price || 0)
  return value > 0 ? `¥${value}起` : '价格待定'
}

Page({
  data: {
    locationCity: '兰州',
    hotelList: [],
  },

  onLoad() {
    this.syncLocationCity()
    this.loadHotels()
  },

  onShow() {
    this.syncLocationCity()
  },

  syncLocationCity() {
    const app = getApp()
    const userInfo = app.getUserInfo ? app.getUserInfo() : null
    const selectedRegion = wx.getStorageSync('selectedRegion') || null

    this.setData({
      locationCity: getDisplayCity(selectedRegion || userInfo),
    })
  },

  async loadHotels() {
    try {
      const res = await db.collection('hotels')
```

```
      .where({ status: true })
      .orderBy('sort', 'asc')
      .get()

    const hotelList = await Promise.all((res.data || []).map(async (item) => ({
      ...item,
      sourceType: item.sourceType || 'demo',
      cover: await resolveMediaSource(item.cover, SAFE_HOTEL_COVER),
      displayPrice: buildDisplayPrice(item.price),
    })))

    this.setData({
      hotelList,
    })
  } catch (err) {
    console.error('load hotels failed', err)
    wx.showToast({
      title: '加载酒店失败',
      icon: 'none',
    })
  }
},

openHotelDetail(e) {
  const id = e.currentTarget.dataset.id
  if (!id) return

  wx.navigateTo({
    url: `/pages/hotelDetail/hotelDetail?id=${id}`,
  })
},
})
```

Path: miniprogram/pages/hotel/hotel.json

```
1 {
2   "navigationBarTitleText": "酒店民宿"
3 }
```

Path: miniprogram/pages/hotel/hotel.wxml

```
<view class="page">
  <view class="searchWrap">
    <view class="searchBox">
      <view class="city">{{locationCity}}</view>
      <view class="searchDivider"></view>
      <view class="searchPlaceholder">地名/酒店/关键词</view>
    </view>
  </view>

  <view class="filterBar">
    <view class="filterItem">智能排序</view>
    <view class="filterItem">位置区域</view>
    <view class="filterItem">星级/价格</view>
    <view class="filterItem">筛选</view>
  </view>

  <view class="hotelList">
    <view
      wx:for="{{hotelList}}"
      wx:key="_id"
      class="hotelCard"
      data-id="{{item._id}}"
      bindtap="openHotelDetail"
    >
      <image class="hotelImg" src="{{item.cover}}" mode="aspectFill"></image>

      <view class="hotelBody">
        <view class="hotelName">{{item.name}}</view>

        <view class="scoreRow" wx:if="{{Number(item.score) > 0}}">
          <text class="score">{{item.score}}分</text>
          <text class="comment">{{item.commentCount}}评论</text>
        </view>

        <view class="desc">{{item.distanceText}} · {{item.locationText}}</view>

        <view class="tagRow">
          <text wx:for="{{item.tags}}" wx:key="*this" class="tag">{{item}}</text>
        </view>

        <view class="priceRow">
          <text class="price">{{item.displayPrice}}</text>
        </view>
      </view>
    </view>
  </view>

  <view wx:if="{{hotelList.length===0}}" class="empty">
    暂无酒店数据
  </view>
</view>
```

Path: miniprogram/pages/hotel/hotel.wxss

```
.page{
  min-height:100vh;
  background:#f6faf4;
  padding-bottom:30rpx;
}

.searchWrap{
  padding:24rpx;
  background:#ffffff;
}

.searchBox{
  height:84rpx;
  background:#ffffff;
  border:2rpx solid #cfe9e8;
  border-radius:999rpx;
  display:flex;
  align-items:center;
  padding:0 24rpx;
}

.city{
  color:#57984a;
  font-size:28rpx;
  font-weight:600;
  flex-shrink:0;
}

.searchDivider{
  width:1rpx;
  height:34rpx;
  background:#dbe8d7;
  margin:0 20rpx;
}

.searchPlaceholder{
  color:#8ea08b;
  font-size:28rpx;
}

.filterBar{
  background:#ffffff;
  display:flex;
  justify-content:space-around;
  padding:24rpx 0;
  margin-bottom:16rpx;
}

.filterItem{
  font-size:30rpx;
  font-weight:600;
  color:#1f2a1f;
}

.hotelList{
  padding:0 24rpx;
}

.hotelCard{
  background:#ffffff;
```

```
  border-radius:24rpx;
  overflow:hidden;
  margin-bottom:20rpx;
  box-shadow:0 10rpx 28rpx rgba(161, 132, 103, 0.08);
}

.hotelImg{
  width:100%;
  height:260rpx;
  display:block;
}

.hotelBody{
  padding:22rpx;
}

.hotelName{
  font-size:34rpx;
  font-weight:700;
  color:#1f2a1f;
  margin-bottom:12rpx;
}

.scoreRow{
  display:flex;
  align-items:center;
  margin-bottom:10rpx;
}

.score{
  color:#57984a;
  font-size:30rpx;
  font-weight:700;
  margin-right:16rpx;
}

.comment{
  color:#667566;
  font-size:26rpx;
}

.desc{
  color:#667566;
  font-size:26rpx;
  line-height:1.7;
  margin-bottom:14rpx;
}

.tagRow{
  display:flex;
  flex-wrap:wrap;
  gap:12rpx;
  margin-bottom:18rpx;
}

.tag{
  padding:8rpx 16rpx;
  background:#edf5ea;
  border-radius:999rpx;
  color:#667566;
  font-size:22rpx;
}
```

```

.priceRow{
  display:flex;
  justify-content:flex-end;
}

.price{
  color:#57984a;
  font-size:38rpx;
  font-weight:700;
}

.empty{
  text-align:center;
  color:#99a598;
  margin-top:100rpx;
  font-size:28rpx;
}
```

Path: miniprogram/pages/hotelDetail/hotelDetail.js

```
1 const DEFAULT_HOTEL_COVER = '/images/nav-hotel.png'
2 const {
3   resolveMediaSource,
4   resolveMediaList,
5 } = require('../../utils/mediaAssets')
6 const {
7   isFavorited,
8   toggleFavorite,
9   recordFootprint,
10 } = require('../../utils/collectionStore')
11
12 function normalizeArray(value) {
13   return Array.isArray(value) ? value.filter(Boolean) : []
14 }
15
16 Page({
17   data: {
18     id: '',
19     detail: null,
20     favorited: false,
21     favoriteIcon: '/images/icons/favorite-heart-outline.png',
22     favoriteIconFilled: '/images/icons/favorite-heart-filled.png',
23     text: {
24       empty: '暂无酒店民宿数据',
25       location: '位置与周边',
26       price: '参考价格',
27       score: '住客口碑',
28       facilities: '设施服务',
29       roomTypes: '房型参考',
30       highlights: '住宿亮点',
31       suitableGroups: '适合人群',
32       description: '详情介绍',
33       gallery: '图片展示',
34       bookNow: '联系商家',
35     },
36   },
37
38   onLoad(options) {
39     const id = options.id || ''
40     this.setData({ id })
41     if (id) {
42       this.loadDetail(id)
43     }
44   },
45
46   onShow() {
47     const { detail } = this.data
48     if (detail && detail._id) {
49       this.setData({
50         favorited: isFavorited('hotel', detail._id),
51       })
52     }
53   },
54
55   async loadDetail(id) {
56     wx.showLoading({ title: '加载中' })
57     try {
58       const db = wx.cloud.database()
59       const res = await db.collection('hotels').doc(id).get()
60       const detail = await this.normalizeDetail(res.data || null)
```

```
    const favorited = isFavorited('hotel', detail && detail._id)
    if (detail) {
      recordFootprint(this.buildCollectionRecord(detail))
    }

    this.setData({
      detail,
      favorited,
    })
  } catch (error) {
    console.error('[hotelDetail] load failed', error)
    wx.showToast({
      title: '加载失败',
      icon: 'none',
    })
  } finally {
    wx.hideLoading()
  }
},

async normalizeDetail(detail) {
  if (!detail) {
    return null
  }

  const cover = await resolveMediaSource(detail.cover, DEFAULT_HOTEL_COVER)
  const gallery = await resolveMediaList(normalizeArray(detail.gallery), cover)
  const tags = normalizeArray(detail.tags).slice(0, 6)
  const facilities = normalizeArray(detail.facilities)
  const roomTypes = normalizeArray(detail.roomTypes)
  const highlights = normalizeArray(detail.highlights)
  const suitableGroups = normalizeArray(detail.suitableGroups)
  const regionText = [detail.province, detail.city, detail.district].filter(Boolean).join(' · ')
  const commentCount = Number(detail.commentCount || 0)
  const price = Number(detail.price || 0)
  const score = Number(detail.score || 0)

  return {
    ...detail,
    cover,
    gallery,
    tags,
    facilities,
    roomTypes,
    highlights,
    suitableGroups,
    regionText,
    locationText: detail.locationText || detail.address || regionText || '地点待补充',
    addressText: detail.address || '',
    priceText: price ? `¥${price}起` : '价格待定',
    scoreText: score ? `${score}分 · ${commentCount}人评价` : '点评待补充',
    titleScoreText: score ? `${score}分 · ${commentCount}人评价` : '',
    descriptionText: detail.description || detail.desc || detail.summary || '',
  }
},

buildCollectionRecord(detail) {
  if (!detail) {
    return null
  }

```

```
    return {
      type: 'hotel',
      id: detail._id,
      title: detail.name || detail.title,
      cover: detail.cover,
      city: detail.city || detail.province || detail.locationText,
      regionText: detail.regionText || detail.locationText,
      summary: detail.summary || detail.descriptionText,
      priceText: detail.priceText,
      metaText: detail.scoreText,
      badgeText: '酒店/民宿',
      scoreText: detail.scoreText,
    }
  },

  toggleFavorite() {
    const { detail } = this.data
    if (!detail || !detail._id) {
      return
    }

    const favorited = toggleFavorite(this.buildCollectionRecord(detail))
    this.setData({ favorited })
    wx.showToast({
      title: favorited ? '已收藏' : '已取消收藏',
      icon: 'none',
    })
  },

  previewGallery(e) {
    const current = e.currentTarget.dataset.src
    const urls = (this.data.detail && this.data.detail.gallery) || []
    if (!current || !urls.length) {
      return
    }

    wx.previewImage({
      current,
      urls,
    })
  },

  handleContact() {
    wx.showToast({
      title: '联系商家功能稍后接入',
      icon: 'none',
    })
  },
})
```

Path: miniprogram/pages/hotelDetail/hotelDetail.json

```
1 {
2   "navigationBarTitleText": "酒店详情"
3 }
```

Path: miniprogram/pages/hotelDetail/hotelDetail.wxml

```
<view class="page" wx:if="{{detail}}">
  <swiper
    class="heroSwiper"
    indicator-dots="{{detail.gallery.length > 1}}"
    autoplay="{{detail.gallery.length > 1}}"
    circular="{{detail.gallery.length > 1}}"
    interval="4000"
    duration="500"
  >
    <swiper-item wx:for="{{detail.gallery}}" wx:key="*this">
      <image class="hero" src="{{item}}" mode="aspectFill" data-src="{{item}}" bindtap="previewGallery" />
    </swiper-item>
  </swiper>

  <view class="content">
    <view class="titleRow">
      <view class="title">{{detail.name || detail.title}}</view>
      <view class="titleMeta" wx:if="{{detail.titleScoreText}}">{{detail.titleScoreText}}</view>
    </view>
    <view class="summary" wx:if="{{detail.summary}}">{{detail.summary}}</view>

    <view class="tagWrap" wx:if="{{detail.tags.length}}">
      <view class="tag" wx:for="{{detail.tags}}" wx:key="*this">{{item}}</view>
    </view>

    <view class="infoGrid">
      <view class="infoCard">
        <view class="infoLabel">{{text.location}}</view>
        <view class="infoValue">{{detail.locationText}}</view>
        <view class="infoSub" wx:if="{{detail.addressText}}">{{detail.addressText}}</view>
        <view class="infoSub" wx:if="{{detail.regionText}}">{{detail.regionText}}</view>
      </view>
    </view>

    <view class="section" wx:if="{{detail.highlights.length}}">
      <view class="sectionTitle">{{text.highlights}}</view>
      <view class="card">
        <view class="bulletItem" wx:for="{{detail.highlights}}" wx:key="*this">
          <view class="dot"></view>
          <view class="bulletText">{{item}}</view>
        </view>
      </view>
    </view>

    <view class="section" wx:if="{{detail.facilities.length}}">
      <view class="sectionTitle">{{text.facilities}}</view>
      <view class="chipWrap">
        <view class="chip" wx:for="{{detail.facilities}}" wx:key="*this">{{item}}</view>
      </view>
    </view>

    <view class="section" wx:if="{{detail.roomTypes.length}}">
      <view class="sectionTitle">{{text.roomTypes}}</view>
      <view class="card">
        <view class="bulletItem" wx:for="{{detail.roomTypes}}" wx:key="*this">
```

```
56          <view class="dot"></view>
57          <view class="bulletText">{{item}}</view>
58        </view>
59      </view>
60    </view>
61
62    <view class="section" wx:if="{{detail.suitableGroups.length}}">
63      <view class="sectionTitle">{{text.suitableGroups}}</view>
64      <view class="chipWrap">
65        <view class="chip soft" wx:for="{{detail.suitableGroups}}" wx:key="*this">{{
  item}}</view>
66      </view>
67    </view>
68
69    <view class="section" wx:if="{{detail.descriptionText}}">
70      <view class="sectionTitle">{{text.description}}</view>
71      <view class="card plainText">{{detail.descriptionText}}</view>
72    </view>
73
74    <view class="section" wx:if="{{detail.gallery.length}}">
75      <view class="sectionTitle">{{text.gallery}}</view>
76      <scroll-view class="galleryScroll" scroll-x enhanced show-scrollbar="{{false}}
  ">
77        <image
78          class="galleryImage"
79          wx:for="{{detail.gallery}}"
80          wx:key="*this"
81          src="{{item}}"
82          mode="aspectFill"
83          data-src="{{item}}"
84          bindtap="previewGallery"
85        />
86      </scroll-view>
87    </view>
88  </view>
89
90  <view class="bottomBar">
91    <view class="bottomMain">
92      <view class="priceBox">
93        <view class="priceLabel">{{text.price}}</view>
94        <view class="priceNum">{{detail.priceText}}</view>
95      </view>
96      <view class="favoriteBtn" bindtap="toggleFavorite">
97        <image class="favoriteIcon" src="{{favorited ? favoriteIconFilled : favorite
  Icon}}" mode="aspectFit" />
98      </view>
99    </view>
100    <button class="actionBtn" bindtap="handleContact">{{text.bookNow}}</button>
101   </view>
102 </view>
103
104 <view wx:else class="emptyState">{{text.empty}}</view>
```

Path: miniprogram/pages/hotelDetail/hotelDetail.wxss

```
.page {
  min-height: 100vh;
  background: #f6faf4;
  padding-bottom: 180rpx;
}

.heroSwiper,
.hero {
  width: 100%;
  height: 460rpx;
  display: block;
}

.content {
  margin-top: -36rpx;
  background: #f6faf4;
  border-radius: 36rpx 36rpx 0 0;
  padding: 32rpx 28rpx 60rpx;
  position: relative;
  z-index: 1;
}

.title {
  font-size: 52rpx;
  line-height: 1.22;
  font-weight: 700;
  color: #1f2a1f;
}

.titleRow {
  display: flex;
  align-items: baseline;
  justify-content: space-between;
  gap: 20rpx;
}

.titleRow .title {
  flex: 1;
  min-width: 0;
}

.titleMeta {
  flex-shrink: 0;
  font-size: 24rpx;
  line-height: 1.4;
  color: #8ea08b;
}

.summary {
  margin-top: 18rpx;
  font-size: 30rpx;
  line-height: 1.75;
  color: #667566;
}

.tagWrap,
.chipWrap {
  display: flex;
  flex-wrap: wrap;
  gap: 16rpx;
```

```
  margin-top: 24rpx;
}

.tag,
.chip {
  padding: 14rpx 24rpx;
  border-radius: 999rpx;
  font-size: 24rpx;
  color: #57984a;
  background: #eaf5e7;
}

.chip.soft {
  color: #667566;
  background: #eef4eb;
}

.infoGrid {
  margin-top: 28rpx;
  display: grid;
  grid-template-columns: repeat(2, 1fr);
  gap: 18rpx;
}

.infoCard:first-child {
  grid-column: span 2;
}

.infoCard,
.card {
  background: #ffffff;
  border-radius: 28rpx;
  padding: 28rpx;
  box-shadow: 0 12rpx 36rpx rgba(161, 132, 103, 0.08);
}

.infoLabel,
.sectionTitle {
  font-size: 28rpx;
  color: #8ea08b;
}

.infoValue {
  margin-top: 16rpx;
  font-size: 40rpx;
  line-height: 1.32;
  color: #1f2a1f;
  font-weight: 700;
}

.infoSub {
  margin-top: 12rpx;
  font-size: 26rpx;
  line-height: 1.6;
  color: #8ea08b;
}

.priceText,
.bottomPrice {
  color: #57984a;
}

```

```
.section {
  margin-top: 34rpx;
}

.card {
  margin-top: 18rpx;
}

.bulletItem {
  display: flex;
  align-items: flex-start;
  gap: 16rpx;
}

.bulletItem + .bulletItem {
  margin-top: 18rpx;
}

.dot {
  width: 14rpx;
  height: 14rpx;
  margin-top: 12rpx;
  border-radius: 50%;
  background: #57984a;
  flex-shrink: 0;
}

.bulletText,
.plainText {
  font-size: 30rpx;
  line-height: 1.8;
  color: #2f2922;
}

.galleryScroll {
  margin-top: 18rpx;
  white-space: nowrap;
}

.galleryImage {
  width: 360rpx;
  height: 260rpx;
  border-radius: 24rpx;
  margin-right: 18rpx;
  display: inline-block;
}

.bottomBar {
  position: fixed;
  left: 0;
  right: 0;
  bottom: 0;
  z-index: 99;
  display: flex;
  align-items: center;
  justify-content: space-between;
  gap: 24rpx;
  padding: 18rpx 24rpx calc(env(safe-area-inset-bottom) + 18rpx);
  background: rgba(255, 253, 250, 0.96);
  box-shadow: 0 -10rpx 30rpx rgba(115, 91, 67, 0.08);
}

```

```
.bottomMain {
  flex: 1;
  display: flex;
  align-items: center;
  gap: 20rpx;
}

.priceBox {
  display: flex;
  flex-direction: column;
  gap: 8rpx;
  flex: 1;
}

.priceLabel {
  font-size: 22rpx;
  color: #8ea08b;
}

.priceNum {
  font-size: 42rpx;
  line-height: 1;
  font-weight: 700;
  color: #57984a;
}

.favoriteBtn {
  width: 80rpx;
  height: 80rpx;
  display: flex;
  align-items: center;
  justify-content: center;
  flex-shrink: 0;
}

.favoriteIcon {
  width: 64rpx;
  height: 64rpx;
}

.actionBtn {
  margin: 0;
  min-width: 260rpx;
  height: 76rpx;
  line-height: 76rpx;
  border-radius: 999rpx;
  background: #57984a;
  color: #ffffff;
  font-size: 30rpx;
  font-weight: 600;
  padding: 0;
  border: none;
}

.actionBtn::after {
  border: none;
}

.emptyState {
  min-height: 100vh;
  display: flex;
  align-items: center;
```

```
  justify-content: center;
  padding: 60rpx;
  font-size: 30rpx;
  color: #8ea08b;
}
```

Path: miniprogram/pages/mall/mall.js

```
1 const db = wx.cloud.database()
2 const { resolveMediaSource } = require('../../utils/mediaAssets')
3
4 const SAFE_PRODUCT_COVER = '/images/default-goods-image.png'
5
6 async function normalizeProduct(item = {}) {
7   const cover = await resolveMediaSource(item.cover, SAFE_PRODUCT_COVER)
8   return {
9     id: item._id || item.id || '',
10    title: item.title || item.name || '未命名商品',
11    cover,
12    priceText: item.price ? `￥${item.price}` : '价格待定',
13    soldText: item.sold ? `${item.sold}人已购` : '新品上线',
14    sourceType: item.sourceType || 'demo',
15  }
16 }
17
18 Page({
19   data: {
20     goodsList: [
21       {
22         id: '1',
23         title: '高原土豆礼盒',
24         cover: SAFE_PRODUCT_COVER,
25         priceText: '￥39.9',
26         soldText: '126人已购',
27         sourceType: 'demo',
28       },
29       {
30         id: '2',
31         title: '农家小米 5斤装',
32         cover: SAFE_PRODUCT_COVER,
33         priceText: '￥56',
34         soldText: '89人已购',
35         sourceType: 'demo',
36       },
37       {
38         id: '3',
39         title: '手工枣夹核桃',
40         cover: SAFE_PRODUCT_COVER,
41         priceText: '￥29.9',
42         soldText: '203人已购',
43         sourceType: 'demo',
44       },
45       {
46         id: '4',
47         title: '乡味杂粮组合',
48         cover: SAFE_PRODUCT_COVER,
49         priceText: '￥68',
50         soldText: '75人已购',
51         sourceType: 'demo',
52       },
53     ],
54   },
55
56   onLoad() {
57     this.loadRealProducts()
58   },
59
60   async loadRealProducts() {
```

```
    try {
      const res = await db.collection('products').limit(50).get()
      const productList = await Promise.all((res.data || []).map((item) => normalizeProduct(item)))
      this.setData({
        goodsList: [
          ...productList,
          ...this.data.goodsList,
        ],
      })
    } catch (error) {
      console.error('[mall] load real products failed', error)
      wx.showToast({
        title: '商品加载失败',
        icon: 'none',
      })
    }
  },

  goProductDetail(e) {
    const id = e.currentTarget.dataset.id
    if (!id) {
      wx.showToast({
        title: '演示商品暂无详情',
        icon: 'none',
      })
      return
    }

    wx.navigateTo({
      url: `/pages/productDetail/productDetail?id=${id}`,
    })
  },
})
```

Path: miniprogram/pages/mall/mall.json

```
1 {
2   "navigationBarTitleText": "乡味商城"
3 }
```

Path: miniprogram/pages/mall/mall.wxml

```
<view class="page">
  <view class="searchWrap">
    <view class="searchBox">乡味商城</view>
  </view>

  <view class="goodsList">
    <view
      wx:for="{{goodsList}}"
      wx:key="id"
      class="goodsCard"
      data-id="{{item.id}}"
      bindtap="goProductDetail"
    >
      <image class="goodsImg" src="{{item.cover}}" mode="aspectFill"></image>
      <text class="goodsName">{{item.title}}</text>
      <view class="goodsBottom">
        <text class="goodsPrice">{{item.priceText}}</text>
        <text class="goodsSold">{{item.soldText}}</text>
      </view>
    </view>
  </view>
</view>
```

Path: miniprogram/pages/mall/mall.wxss

```
.page{
  min-height:100vh;
  background:#f6faf4;
  padding-bottom:30rpx;
}

.searchWrap{
  padding:24rpx;
  background:#ffffff;
  margin-bottom: 20rpx;
}

.searchBox{
  height:80rpx;
  border-radius:999rpx;
  background:#edf5ea;
  color:#57984a;
  display:flex;
  align-items:center;
  justify-content:center;
  padding:0 24rpx;
  font-size:28rpx;
  font-weight: 600;
}

.goodsList{
  padding:0 24rpx;
  display:flex;
  flex-wrap:wrap;
  justify-content:space-between;
}

.goodsCard{
  width:48%;
  background:#ffffff;
  border-radius:22rpx;
  overflow:hidden;
  margin-bottom:20rpx;
}

.goodsImg{
  width:100%;
  height:260rpx;
  display:block;
}

.goodsName{
  font-size:28rpx;
  color:#1f2a1f;
  line-height:1.6;
  padding:16rpx 16rpx 0;
  min-height:90rpx;
}

.goodsBottom{
  display:flex;
  justify-content:space-between;
  align-items:center;
  padding:14rpx 16rpx 20rpx;
}
```

```

.goodsPrice{
  color:#57984a;
  font-size:32rpx;
  font-weight:700;
}

.goodsSold{
  color:#99a598;
  font-size:22rpx;
}
```

Path: miniprogram/pages/productDetail/productDetail.js

```
const { resolveMediaSource, resolveMediaList } = require('../../utils/mediaAssets')
const {
  isFavorited,
  toggleFavorite,
  recordFootprint,
} = require('../../utils/collectionStore')

Page({
  data: {
    id: '',
    detail: null,
    favorited: false,
    statusBarHeight: 20,
    favoriteIcon: '/images/icons/favorite-heart-outline.png',
    favoriteIconFilled: '/images/icons/favorite-heart-filled.png',
    text: {
      empty: '暂无商品数据',
      origin: '产地信息',
      price: '参考价格',
      sold: '已售数量',
      highlights: '商品亮点',
      description: '商品介绍',
      gallery: '商品图集',
      buyNow: '去看看',
    },
  },

  onLoad(options) {
    this.initNavMetrics()
    const id = options.id || ''
    this.setData({ id })
    if (id) {
      this.loadDetail(id)
    }
  },

  onShow() {
    const { detail } = this.data
    if (detail && detail._id) {
      this.setData({
        favorited: isFavorited('product', detail._id),
      })
    }
  },

  initNavMetrics() {
    try {
      const systemInfo = wx.getSystemInfoSync()
      this.setData({
        statusBarHeight: systemInfo.statusBarHeight || 20,
      })
    } catch (error) {
      this.setData({
        statusBarHeight: 20,
      })
    }
  },

  async loadDetail(id) {
    wx.showLoading({ title: '加载中' })
```

```
  try {
    const db = wx.cloud.database()
    const res = await db.collection('products').doc(id).get()
    const detail = await this.normalizeDetail(res.data || null)
    const favorited = isFavorited('product', detail && detail._id)
    if (detail) {
      recordFootprint(this.buildCollectionRecord(detail))
    }
    this.setData({ detail, favorited })
  } catch (error) {
    console.error('[productDetail] load failed', error)
    wx.showToast({
      title: '加载失败',
      icon: 'none',
    })
  } finally {
    wx.hideLoading()
  }
},

async normalizeDetail(detail) {
  if (!detail) {
    return null
  }

  const cover = await resolveMediaSource(detail.cover, '/images/nav-mall.png')
  const gallery = await resolveMediaList(detail.gallery || [], cover)
  const tags = []
    .concat(Array.isArray(detail.categoryTags) ? detail.categoryTags : [])
    .concat(Array.isArray(detail.tags) ? detail.tags : [])
    .slice(0, 6)
  const regionText = [detail.province, detail.city, detail.district].filter(Boolean).join(' · ')
  const price = Number(detail.price || 0)

  return {
    ...detail,
    cover,
    gallery,
    tags,
    regionText,
    locationText: detail.locationName || regionText || '产地待补充',
    priceText: price ? `¥${price}` : '价格待定',
    soldText: detail.sold ? `${detail.sold}件已售` : '销量待补充',
    highlights: Array.isArray(detail.highlights) ? detail.highlights : [],
    descriptionText: detail.content || detail.summary || '',
  }
},

buildCollectionRecord(detail) {
  if (!detail) {
    return null
  }

  return {
    type: 'product',
    id: detail._id,
    title: detail.title,
    cover: detail.cover,
    city: detail.city || detail.province || detail.locationText,
    regionText: detail.regionText || detail.locationText,
    summary: detail.summary || detail.descriptionText,
```

```
    priceText: detail.priceText,
    metaText: detail.soldText,
    badgeText: '商品',
  }
},

toggleFavorite() {
  const { detail } = this.data
  if (!detail || !detail._id) {
    return
  }

  const favorited = toggleFavorite(this.buildCollectionRecord(detail))
  this.setData({ favorited })
  wx.showToast({
    title: favorited ? '已收藏' : '已取消收藏',
    icon: 'none',
  })
},

previewGallery(e) {
  const current = e.currentTarget.dataset.src
  const urls = (this.data.detail && this.data.detail.gallery) || []
  if (!current || !urls.length) {
    return
  }

  wx.previewImage({
    current,
    urls,
  })
},

goBack() {
  if (getCurrentPages().length > 1) {
    wx.navigateBack()
    return
  }

  wx.switchTab({
    url: '/pages/home/home',
  })
},

handleBuy() {
  wx.showToast({
    title: '商品详情已接通，购买功能稍后完善',
    icon: 'none',
  })
},
})
```

Path: miniprogram/pages/productDetail/productDetail.json

```
{
  "navigationBarTitleText": "商品详情"
}
```

Path: miniprogram/pages/productDetail/productDetail.wxml

```
<view class="page" wx:if="{{detail}}">
  <view class="heroWrap">
    <swiper
      class="heroSwiper"
      indicator-dots="{{detail.gallery.length > 1}}"
      indicator-color="rgba(255,255,255,0.42)"
      indicator-active-color="#ffffff"
      autoplay="{{detail.gallery.length > 1}}"
      touchable="{{detail.gallery.length > 1}}"
      interval="3200"
      duration="500"
      circular="{{detail.gallery.length > 1}}"
    >
      <swiper-item wx:for="{{detail.gallery}}" wx:key="*this">
        <image class="hero" src="{{item}}" mode="aspectFill" data-src="{{item}}" bindtap="previewGallery" />
      </swiper-item>
    </swiper>
    <view class="heroMask"></view>

    <view class="customNav" style="padding-top: {{statusBarHeight}}px;">
      <view class="backBtn" bindtap="goBack">
        <view class="backArrow"></view>
      </view>
    </view>
  </view>

  <view class="content">
    <view class="title">{{detail.title}}</view>
    <view class="summary" wx:if="{{detail.summary}}">{{detail.summary}}</view>

    <view class="tagWrap" wx:if="{{detail.tags.length}}">
      <view class="tag" wx:for="{{detail.tags}}" wx:key="*this">{{item}}</view>
    </view>

    <view class="infoGrid">
      <view class="infoCard">
        <view class="infoLabel">{{text.origin}}</view>
        <view class="infoValue">{{detail.locationText}}</view>
        <view class="infoSub" wx:if="{{detail.regionText}}">{{detail.regionText}}</view>
      </view>
      <view class="infoCard">
        <view class="infoLabel">{{text.price}}</view>
        <view class="infoValue priceText">{{detail.priceText}}</view>
        <view class="infoSub">{{detail.soldText}}</view>
      </view>
    </view>

    <view class="section" wx:if="{{detail.highlights.length}}">
      <view class="sectionTitle">{{text.highlights}}</view>
      <view class="card">
        <view class="bulletItem" wx:for="{{detail.highlights}}" wx:key="*this">
          <view class="dot"></view>
          <view class="bulletText">{{item}}</view>
        </view>
      </view>
    </view>

    <view class="section" wx:if="{{detail.descriptionText}}">
```

```
    <view class="sectionTitle">{{text.description}}</view>
    <view class="card plainText">{{detail.descriptionText}}</view>
  </view>

  <view class="section" wx:if="{{detail.gallery.length}}">
    <view class="sectionTitle">{{text.gallery}}</view>
    <scroll-view class="galleryScroll" scroll-x enhanced show-scrollbar="{{false}}
">
      <image
        class="galleryImage"
        wx:for="{{detail.gallery}}"
        wx:key="*this"
        src="{{item}}"
        mode="aspectFill"
        data-src="{{item}}"
        bindtap="previewGallery"
      />
    </scroll-view>
  </view>
</view>

<view class="bottomBar">
  <view class="bottomMain">
    <view class="priceBox">
      <view class="priceLabel">{{text.price}}</view>
      <view class="priceNum">{{detail.priceText}}</view>
    </view>
    <view class="favoriteBtn" bindtap="toggleFavorite">
      <image class="favoriteIcon" src="{{favorited ? favoriteIconFilled : favorite
Icon}}" mode="aspectFit" />
    </view>
  </view>
  <button class="buyBtn" bindtap="handleBuy">{{text.buyNow}}</button>
</view>
</view>

<view wx:else class="emptyState">{{text.empty}}</view>
```

Path: miniprogram/pages/productDetail/productDetail.wxss

```
.page {
  min-height: 100vh;
  background: linear-gradient(180deg, #f6faf4 0%, #edf5ea 100%);
  padding-bottom: 220rpx;
  box-sizing: border-box;
}

.heroWrap {
  position: relative;
  width: 100%;
  height: 520rpx;
  overflow: hidden;
}

.heroSwiper {
  width: 100%;
  height: 100%;
}

.hero {
  width: 100%;
  height: 100%;
  display: block;
}

.heroMask {
  position: absolute;
  inset: 0;
  background: linear-gradient(180deg, rgba(20, 20, 20, 0.28) 0%, rgba(20, 20, 20, 0.08) 36%, rgba(20, 20, 20, 0) 68%);
  pointer-events: none;
}

.customNav {
  position: fixed;
  left: 24rpx;
  right: auto;
  top: 0;
  padding-left: 0;
  padding-right: 0;
  z-index: 20;
  pointer-events: none;
}

.backBtn {
  width: 72rpx;
  height: 72rpx;
  border-radius: 50%;
  background: rgba(14, 38, 47, 0.72);
  display: flex;
  align-items: center;
  justify-content: center;
  pointer-events: auto;
}

.backArrow {
  width: 22rpx;
  height: 22rpx;
  border-left: 4rpx solid #ffffff;
  border-bottom: 4rpx solid #ffffff;
```

```
  transform: rotate(45deg);
  margin-left: 8rpx;
}

.content {
  position: relative;
  z-index: 1;
  margin-top: 34rpx;
  padding: 8rpx 24rpx 32rpx;
}

.title {
  font-size: 48rpx;
  line-height: 1.3;
  font-weight: 700;
  color: #1f2a1f;
}

.summary {
  margin-top: 14rpx;
  font-size: 28rpx;
  line-height: 1.7;
  color: #667566;
}

.tagWrap {
  display: flex;
  flex-wrap: wrap;
  gap: 12rpx;
  margin-top: 20rpx;
}

.tag {
  padding: 8rpx 18rpx;
  border-radius: 999rpx;
  font-size: 24rpx;
  color: #57984a;
  background: #edf5ea;
}

.infoGrid {
  margin-top: 26rpx;
  display: grid;
  grid-template-columns: repeat(2, minmax(0, 1fr));
  gap: 16rpx;
}

.infoCard,
.card,
.descriptionCard {
  background: rgba(255, 255, 255, 0.92);
  border-radius: 28rpx;
  box-shadow: 0 12rpx 30rpx rgba(87, 73, 54, 0.06);
}

.infoCard,
.card {
  padding: 22rpx 22rpx 24rpx;
}

.infoLabel {
  font-size: 24rpx;
```

```
  color: #8ea08b;
}

.infoValue {
  margin-top: 12rpx;
  font-size: 28rpx;
  line-height: 1.5;
  color: #1f2a1f;
  font-weight: 600;
}

.infoSub {
  margin-top: 10rpx;
  font-size: 22rpx;
  line-height: 1.5;
  color: #8ea08b;
}

.priceText {
  color: #57984a;
}

.section {
  margin-top: 28rpx;
}

.sectionTitle {
  margin-bottom: 16rpx;
  font-size: 32rpx;
  font-weight: 700;
  color: #1f2a1f;
}

.bulletItem {
  display: flex;
  align-items: flex-start;
  gap: 14rpx;
  padding: 12rpx 0;
}

.dot {
  width: 12rpx;
  height: 12rpx;
  margin-top: 12rpx;
  border-radius: 50%;
  background: #57984a;
  flex-shrink: 0;
}

.bulletText,
.plainText {
  flex: 1;
  font-size: 28rpx;
  line-height: 1.7;
  color: #233123;
}

.descriptionCard {
  padding: 24rpx;
  color: #233123;
  font-size: 28rpx;
  line-height: 1.85;
```

```
  white-space: pre-line;
}

.galleryScroll {
  white-space: nowrap;
}

.galleryImage {
  display: inline-block;
  width: 250rpx;
  height: 180rpx;
  margin-right: 16rpx;
  border-radius: 22rpx;
}

.bottomBar {
  position: fixed;
  left: 0;
  right: 0;
  bottom: 0;
  display: flex;
  justify-content: space-between;
  align-items: center;
  gap: 24rpx;
  padding: 8rpx 24rpx calc(env(safe-area-inset-bottom) + 8rpx);
  background: rgba(255, 255, 255, 0.98);
  box-shadow: 0 -8rpx 28rpx rgba(55, 42, 26, 0.08);
  z-index: 999;
}

.bottomMain {
  flex: 1;
  display: flex;
  align-items: center;
  gap: 20rpx;
}

.priceBox {
  display: flex;
  flex-direction: column;
  gap: 6rpx;
  flex: 1;
}

.priceLabel {
  font-size: 20rpx;
  color: #8ea08b;
}

.priceNum {
  font-size: 40rpx;
  font-weight: 700;
  color: #57984a;
}

.favoriteBtn {
  width: 80rpx;
  height: 80rpx;
  display: flex;
  align-items: center;
  justify-content: center;
  flex-shrink: 0;
```

```
}

.favoriteIcon {
  width: 64rpx;
  height: 64rpx;
}

.buyBtn {
  min-width: 240rpx;
  height: 64rpx;
  line-height: 64rpx;
  border-radius: 999rpx;
  background: #57984a;
  color: #ffffff;
  font-size: 26rpx;
  font-weight: 600;
  padding: 0 28rpx;
}

.buyBtn::after {
  border: none;
}

.emptyState {
  padding: 80rpx 32rpx;
  text-align: center;
  color: #99a598;
  font-size: 28rpx;
}
```

Path: miniprogram/pages/cart/cart.js

```
Page({})
```

Path: miniprogram/pages/cart/cart.json

```
1 {
2   "navigationBarTitleText": "购物车"
3 }
```

Path: miniprogram/pages/cart/cart.wxml

```
<view style="padding: 24rpx;">购物车（占位）</view>
```

Path: miniprogram/pages/cart/cart.wxss

1

Path: miniprogram/pages/order/order.js

```
1 const DEFAULT_DATA = () => ({
2   activityId: '',
3   travelDate: '',
4   adultCount: 0,
5   childCount: 0,
6   totalCount: 0,
7   nonce: '',
8   contactName: '',
9   contactPhone: '',
10   contactQQ: '',
11   contactWechat: '',
12   travelers: [],
13   travelerIds: [],
14   specialRequest: '',
15   emergencyEnabled: false,
16   emergencyName: '',
17   emergencyPhone: '',
18 })
19
20 function mapOrderMessage(message) {
21   const messageMap = {
22     ACTIVITY_ID_REQUIRED: 'Missing activity id',
23     INVALID_TRAVEL_DATE: 'Please choose a valid travel date',
24     INVALID_TRAVELER_COUNT: 'Traveler count is invalid',
25     TRAVELER_COUNT_MISMATCH: 'Please select the required travelers',
26     CONTACT_NAME_REQUIRED: 'Please fill in contact name',
27     INVALID_CONTACT_PHONE: 'Invalid contact phone number',
28     EMERGENCY_NAME_REQUIRED: 'Please fill in emergency contact name',
29     INVALID_EMERGENCY_PHONE: 'Invalid emergency contact phone number',
30     ACTIVITY_NOT_AVAILABLE: 'Activity is unavailable',
31     TRAVELER_NOT_FOUND: 'Traveler data is invalid, please reselect',
32     PHONE_BIND_REQUIRED: 'Please bind your phone number first',
33     WECHAT_LOGIN_REQUIRED: 'Please login first',
34   }
35   return messageMap[message] || message || 'Submit failed'
36 }
37
38 Page({
39   data: DEFAULT_DATA(),
40
41   onLoad(options) {
42     const adult = Number(options.adult || 0)
43     const child = Number(options.child || 0)
44     const activityId = options.activityId || options.id || ''
45
46     this.setData({
47       ...DEFAULT_DATA(),
48       activityId,
49       travelDate: options.date || '',
50       adultCount: adult,
51       childCount: child,
52       totalCount: adult + child,
53       nonce: options.nonce || '',
54     })
55   },
56
57   onNameInput(e) { this.setData({ contactName: e.detail.value }) },
58   onPhoneInput(e) { this.setData({ contactPhone: e.detail.value }) },
59   onQQInput(e) { this.setData({ contactQQ: e.detail.value }) },
60   onWechatInput(e) { this.setData({ contactWechat: e.detail.value }) },
```

```
onSpecialInput(e) { this.setData({ specialRequest: e.detail.value }) },
onEmergencyName(e) { this.setData({ emergencyName: e.detail.value }) },
onEmergencyPhone(e) { this.setData({ emergencyPhone: e.detail.value }) },

toggleEmergency(e) {
  this.setData({ emergencyEnabled: !!e.detail.value })
},

goSelectTravelers() {
  const need = this.data.totalCount
  wx.navigateTo({
    url: `/pages/travelerSelect/travelerSelect?need=${need}`,
    success: (res) => {
      res.eventChannel.emit('initSelected', { selectedIds: this.data.travelerIds }
)
      res.eventChannel.on('selectedDone', (data) => {
        const travelers = data.travelers || []
        this.setData({
          travelers,
          travelerIds: travelers.map((item) => item._id),
        })
      })
    },
  })
},

async submitOrder() {
  const {
    activityId, travelDate, adultCount, childCount, contactName, contactPhone,
    contactQQ, contactWechat, travelerIds, specialRequest,
    emergencyEnabled, emergencyName, emergencyPhone,
  } = this.data

  wx.showLoading({ title: 'Submitting' })
  try {
    const res = await wx.cloud.callFunction({
      name: 'activityOrder',
      data: {
        action: 'create',
        activityId,
        travelDate,
        adultCount,
        childCount,
        travelerIds,
        contact: {
          name: contactName,
          phone: contactPhone,
          qq: contactQQ,
          wechat: contactWechat,
        },
        specialRequest,
        emergency: {
          enabled: emergencyEnabled,
          name: emergencyName,
          phone: emergencyPhone,
        },
      },
    })

    if (!res.result || !res.result.success) {
      wx.showToast({ title: mapOrderMessage(res.result && res.result.message), ico
n: 'none' })
```

```
      return
    }

    wx.showToast({ title: 'Order created', icon: 'success' })
    setTimeout(() => wx.navigateBack({ delta: 2 }), 1200)
  } catch (error) {
    console.error('[order] submit failed', error)
    wx.showToast({ title: 'Submit failed', icon: 'none' })
  } finally {
    wx.hideLoading()
  }
},
})
```

Path: miniprogram/pages/order/order.json

```
{
  "navigationBarTitleText": "填写订单"
}
```

Path: miniprogram/pages/order/order.wxml

```
<view class="container">

<!-- 出行信息 -->
<view class="card">
  <view class="title">出行信息</view>

  <view class="row">
    <text>出行日期</text>
    <text>{{travelDate}}</text>
  </view>

  <view class="row">
    <text>成人</text>
    <text>{{adultCount}} 人</text>
  </view>

  <view class="row">
    <text>儿童</text>
    <text>{{childCount}} 人</text>
  </view>

</view>


<!-- 联系人 -->
<view class="card">

  <view class="title">联系人</view>

  <view class="inputRow">
    <text class="label">*姓名</text>
    <input
      class="input"
      placeholder="请输入姓名"
      value="{{contactName}}"
      bindinput="onNameInput"
    />
  </view>

  <view class="inputRow">
    <text class="label">*手机号</text>
    <input
      class="input"
      type="number"
      placeholder="请输入手机号"
      value="{{contactPhone}}"
      bindinput="onPhoneInput"
    />
  </view>

  <view class="inputRow">
    <text class="label">QQ号</text>
    <input
      class="input"
      placeholder="选填"
      value="{{contactQQ}}"
      bindinput="onQQInput"
    />
  </view>

```

```
  <view class="inputRow">
    <text class="label">微信号</text>
    <input
      class="input"
      placeholder="选填"
      value="{{contactWechat}}"
      bindinput="onWechatInput"
    />
  </view>

</view>


<!-- 出行人 -->
<view class="card">

  <view class="titleRow">
    <text class="title">出行人</text>

    <button
      class="chooseBtn"
      size="mini"
      bindtap="goSelectTravelers">
      选择出行人
    </button>
  </view>

  <view class="tip">
    请务必保证所填项与出游所持证件一致
  </view>


  <view wx:if="{{travelers.length==0}}" class="empty">
    暂未选择出行人
  </view>


  <view wx:for="{{travelers}}" wx:key="_id" class="travelerRow">

    <text>出行人{{index+1}}</text>

    <view class="travelerInfo">
      <text>{{item.name}}</text>
      <text class="idno">{{item.idNo}}</text>
    </view>

  </view>

</view>


<!-- 特殊要求 -->
<view class="card">

  <view class="title">特殊要求</view>

  <textarea
    class="textarea"
    placeholder="选填"
    value="{{specialRequest}}"
    bindinput="onSpecialInput"
  />
```

```
</view>


<!-- 紧急联系人 -->
<view class="card">

  <view class="row">

    <text>添加紧急联系人</text>

    <switch
      checked="{{emergencyEnabled}}"
      bindchange="toggleEmergency"
    />

  </view>


  <view wx:if="{{emergencyEnabled}}">

    <view class="inputRow">
      <text class="label">姓名</text>
      <input
        class="input"
        placeholder="请输入姓名"
        value="{{emergencyName}}"
        bindinput="onEmergencyName"
      />
    </view>

    <view class="inputRow">
      <text class="label">手机号</text>
      <input
        class="input"
        type="number"
        placeholder="请输入手机号"
        value="{{emergencyPhone}}"
        bindinput="onEmergencyPhone"
      />
    </view>

  </view>

</view>


<!-- 提交按钮 -->
<view class="bottom">

  <button
    class="submit"
    bindtap="submitOrder">
    提交订单
  </button>

</view>

</view>
```

Path: miniprogram/pages/order/order.wxss

```
.container{
  padding:30rpx;
  background:#f6faf4;
  min-height:100vh;
}

.card{
  background:#ffffff;
  padding:30rpx;
  border-radius:16rpx;
  margin-bottom:30rpx;
}

.title{
  font-weight:bold;
  margin-bottom:20rpx;
}

.titleRow{
  display:flex;
  justify-content:space-between;
  align-items:center;
}

.row{
  display:flex;
  justify-content:space-between;
  margin:20rpx 0;
}

.inputRow{
  display:flex;
  align-items:center;
  margin:20rpx 0;
}

.label{
  width:150rpx;
}

.input{
  flex:1;
  border:1px solid #dbe8d7;
  padding:10rpx;
  border-radius:8rpx;
}

.textarea{
  border:1px solid #dbe8d7;
  border-radius:8rpx;
  padding:20rpx;
}

.tip{
  color:#99a598;
  font-size:24rpx;
  margin-bottom:10rpx;
}

.empty{
```

```
  color:#99a598;
}

.travelerRow{
  display:flex;
  justify-content:space-between;
  margin-top:20rpx;
}

.idno{
  color:#667566;
  font-size:24rpx;
}

.bottom{
  padding:30rpx 0;
}

.submit{
  background:#57984a;
  color:white;
}
```

Path: miniprogram/pages/myOrders/myOrders.js

```
1 const TAB_CONFIG = [
2   { key: 'all', label: 'All' },
3   { key: 'pending_payment', label: 'To Pay' },
4   { key: 'pending_trip', label: 'Upcoming' },
5   { key: 'pending_receive', label: 'To Receive' },
6   { key: 'refund_after_sale', label: 'Refunds' },
7 ]
8
9 const DEFAULT_ORDER_COVER = '/images/activities/lz-yuzhong-strawberry-family-day.jpg
  '
10
11 const EMPTY_COPY = {
12   all: { title: 'No orders', desc: 'Your orders will appear here.' },
13   pending_payment: { title: 'No pending payments', desc: 'Unpaid orders will appear
  here.' },
14   pending_trip: { title: 'No upcoming trips', desc: 'Paid activity orders will appea
  r here.' },
15   pending_receive: { title: 'No deliveries', desc: 'Product delivery flow is not con
  nected yet.' },
16   refund_after_sale: { title: 'No refunds', desc: 'Refunding and cancelled orders wi
  ll appear here.' },
17 }
18
19 function pad(num) {
20   return String(num).padStart(2, '0')
21 }
22
23 function formatDateTime(input) {
24   if (!input) return 'Time unavailable'
25   const date = new Date(input)
26   if (Number.isNaN(date.getTime())) return 'Time unavailable'
27   return `${date.getFullYear()}-${pad(date.getMonth() + 1)}-${pad(date.getDate())} $
  {pad(date.getHours())}:${pad(date.getMinutes())}`
28 }
29
30 function toMoney(value) {
31   return Number(value || 0).toFixed(2)
32 }
33
34 function mapOrder(item) {
35   const statusKey = item.displayStatusKey
36   const bucketMap = {
37     pending_payment: 'pending_payment',
38     upcoming: 'pending_trip',
39     pending_review: 'all',
40     refunding: 'refund_after_sale',
41     cancelled: 'refund_after_sale',
42     completed: 'all',
43   }
44
45   return {
46     ...item,
47     orderType: 'activity',
48     orderTypeText: 'Activity Order',
49     title: item.activityTitle || 'Untitled Activity',
50     cover: item.activityCover || item.cover || DEFAULT_ORDER_COVER,
51     summary: item.travelDate ? `Travel date ${item.travelDate}` : 'Activity order',
52     createdAtValue: new Date(item.createdAt || 0).getTime() || 0,
53     createdAtText: formatDateTime(item.createdAt),
54     totalPriceText: toMoney(item.totalPrice),
```

```
  statusBucket: bucketMap[statusKey] || 'all',
  statusClass: statusKey || 'success',
}
}

Page({
  data: {
    tabs: TAB_CONFIG,
    currentTab: 'all',
    rawList: [],
    displayList: [],
    emptyTitle: EMPTY_COPY.all.title,
    emptyDesc: EMPTY_COPY.all.desc,
  },

  onLoad(options) {
    const tab = options.tab || 'all'
    this.setData({
      currentTab: TAB_CONFIG.some((item) => item.key === tab) ? tab : 'all',
    })
  },

  onShow() {
    this.loadOrders()
  },

  switchTab(e) {
    const { tab } = e.currentTarget.dataset
    this.setData({ currentTab: tab }, () => this.buildDisplayList())
  },

  async loadOrders() {
    wx.showLoading({ title: 'Loading' })
    try {
      const res = await wx.cloud.callFunction({
        name: 'activityOrder',
        data: { action: 'listMine', page: 1, pageSize: 100 },
      })

      if (!res.result || !res.result.success) {
        wx.showToast({ title: (res.result && res.result.message) || 'Load failed', icon: 'none' })
        return
      }

      const orders = (res.result.data || []).map(mapOrder)
      orders.sort((a, b) => (b.createdAtValue || 0) - (a.createdAtValue || 0))
      this.setData({ rawList: orders }, () => this.buildDisplayList())
    } catch (error) {
      console.error('[myOrders] load orders failed', error)
      wx.showToast({ title: 'Load failed', icon: 'none' })
    } finally {
      wx.hideLoading()
    }
  },

  buildDisplayList() {
    const { currentTab, rawList } = this.data
    let list = rawList

    if (currentTab === 'pending_payment') list = rawList.filter((item) => item.statusBucket === 'pending_payment')
```

```
    if (currentTab === 'pending_trip') list = rawList.filter((item) => item.statusBucket === 'pending_trip')
    if (currentTab === 'pending_receive') list = rawList.filter((item) => item.statusBucket === 'pending_receive')
    if (currentTab === 'refund_after_sale') list = rawList.filter((item) => item.statusBucket === 'refund_after_sale')

    const copy = EMPTY_COPY[currentTab] || EMPTY_COPY.all
    this.setData({
      displayList: list,
      emptyTitle: copy.title,
      emptyDesc: copy.desc,
    })
  },

  goDetail(e) {
    const { id } = e.currentTarget.dataset
    if (!id) return
    wx.navigateTo({ url: `/pages/activityOrderDetail/activityOrderDetail?id=${id}` })
  },
})
```

Path: miniprogram/pages/myOrders/myOrders.json

```
1 {
2   "navigationBarTitleText": "我的订单"
3 }
```

Path: miniprogram/pages/myOrders/myOrders.wxml

```
<view class="page">
  <view class="tabs">
    <view
      wx:for="{{tabs}}"
      wx:key="key"
      class="tab {{currentTab===item.key?'active':''}}"
      data-tab="{{item.key}}"
      bindtap="switchTab">
      {{item.label}}
    </view>
  </view>

  <view wx:if="{{displayList.length === 0}}" class="emptyWrap">
    <view class="emptyIcon"></view>
    <view class="emptyTitle">{{emptyTitle}}</view>
    <view class="emptyDesc">{{emptyDesc}}</view>
  </view>

  <view wx:for="{{displayList}}" wx:key="_id" class="orderCard" data-id="{{item._id}
}" bindtap="goDetail">
    <view class="cardHeader">
      <view class="orderType">{{item.orderTypeText}}</view>
      <view class="status {{item.statusClass}}">{{item.displayStatusText}}</view>
    </view>

    <view class="cardBody">
      <image
        wx:if="{{item.cover}}"
        class="cover"
        src="{{item.cover}}"
        mode="aspectFill">
      </image>
      <view wx:else class="cover placeholderCover"></view>

      <view class="info">
        <view class="title">{{item.title}}</view>
        <view class="meta">{{item.summary}}</view>
        <view class="meta">{{item.createdAtText}}</view>
      </view>
    </view>

    <view class="cardFooter">
      <view class="price">￥{{item.totalPriceText}}</view>
    </view>
  </view>
</view>
```

Path: miniprogram/pages/myOrders/myOrders.wxss

```
.page{
  min-height: 100vh;
  background: #f6faf4;
}

.tabs{
  position: sticky;
  top: 0;
  z-index: 10;
  display: flex;
  padding: 0 12rpx;
  background: #ffffff;
  border-bottom: 1rpx solid #e2eadf;
}

.tab{
  position: relative;
  flex: 1;
  padding: 26rpx 0 22rpx;
  text-align: center;
  font-size: 26rpx;
  color: #7f8794;
}

.tab.active{
  color: #1f2a1f;
  font-weight: 700;
}

.tab.active::after{
  content: '';
  position: absolute;
  left: 50%;
  bottom: 6rpx;
  width: 34rpx;
  height: 6rpx;
  margin-left: -17rpx;
  border-radius: 999rpx;
  background: #1f2a1f;
}

.emptyWrap{
  display: flex;
  min-height: 58vh;
  padding: 120rpx 48rpx 0;
  flex-direction: column;
  align-items: center;
  box-sizing: border-box;
}

.emptyIcon{
  width: 112rpx;
  height: 112rpx;
  border-radius: 28rpx;
  background: linear-gradient(180deg, #f5f6f8 0%, #e5efe1 100%);
}

.emptyTitle{
  margin-top: 28rpx;
  font-size: 34rpx;
```

```
  font-weight: 700;
  color: #233123;
}

.emptyDesc{
  margin-top: 12rpx;
  font-size: 24rpx;
  color: #99a598;
}

.orderCard{
  margin: 20rpx 24rpx 0;
  padding: 24rpx;
  border-radius: 24rpx;
  background: #ffffff;
}

.cardHeader{
  display: flex;
  justify-content: space-between;
  align-items: center;
}

.orderType{
  font-size: 24rpx;
  color: #8d96a3;
}

.status{
  font-size: 24rpx;
  font-weight: 600;
}

.status.pending_payment,
.status.pending_review{
  color: #57984a;
}

.status.cancelled,
.status.withdrawn{
  color: #99a598;
}

.status.pending_trip,
.status.pending_receive,
.status.signed_pending_confirm{
  color: #667566;
}

.status.refunding{
  color: #57984a;
}

.status.refunded,
.status.success{
  color: #57984a;
}

.status.reviewed{
  color: #2f6fed;
}

```

```
.cardBody{
  display: flex;
  margin-top: 20rpx;
}

.cover{
  width: 144rpx;
  height: 144rpx;
  border-radius: 20rpx;
  background: #e4eee0;
  flex-shrink: 0;
}

.placeholderCover{
  background: linear-gradient(180deg, #eef5ea 0%, #eceff4 100%);
}

.info{
  min-width: 0;
  margin-left: 20rpx;
  display: flex;
  flex: 1;
  flex-direction: column;
  justify-content: space-between;
}

.title{
  font-size: 30rpx;
  line-height: 1.5;
  color: #181d27;
  font-weight: 700;
}

.meta{
  margin-top: 10rpx;
  font-size: 24rpx;
  line-height: 1.5;
  color: #8b94a1;
}

.cardFooter{
  margin-top: 18rpx;
  display: flex;
  justify-content: flex-end;
}

.price{
  font-size: 30rpx;
  font-weight: 700;
  color: #181d27;
}

```

Path: miniprogram/pages/academy/academy.js

```
const { resolveKnowledgeArticleMedia } = require('../../utils/knowledgeArticle')

const DEFAULT_TAB = 'agri'

Page({
  data: {
    loading: true,
    activeTab: DEFAULT_TAB,
    currentCategory: '全部',
    categories: [],
    filteredList: [],
    heroCover: '',
  },

  onLoad() {
    this.fullList = []
    this.loadArticles()
  },

  onPullDownRefresh() {
    this.loadArticles().finally(() => wx.stopPullDownRefresh())
  },

  async loadArticles() {
    this.setData({ loading: true })
    try {
      const res = await wx.cloud.callFunction({
        name: 'getknowledgearticles',
        data: {
          channel: this.data.activeTab,
        },
      })

      const result = (res || {}).result || {}
      if (!result.ok) {
        throw new Error(result.error || 'load articles failed')
      }

      const resolvedList = await Promise.all(
        (result.list || []).map((item) => resolveKnowledgeArticleMedia(item))
      )

      const categories = Array.isArray(result.categories) && result.categories.length
        ? result.categories
        : ['全部']

      this.fullList = resolvedList
      this.setData({
        loading: false,
        categories,
        heroCover: (resolvedList[0] && resolvedList[0].cover) || '',
      })
      this.applyCategory(this.data.currentCategory)
    } catch (err) {
      console.error('[academy] load articles failed', err)
      this.fullList = []
      this.setData({
        loading: false,
        categories: ['全部'],
```

```
      currentCategory: '全部',
      filteredList: [],
      heroCover: '',
    })
    wx.showToast({
      title: '文章加载失败',
      icon: 'none',
    })
  }
},

applyCategory(category) {
  const currentCategory = category || '全部'
  const sourceList = this.fullList || []
  const filteredList = currentCategory === '全部'
    ? sourceList
    : sourceList.filter((item) => (item.tags || []).includes(currentCategory))

  this.setData({
    currentCategory,
    filteredList,
  })
},

async switchTab(e) {
  const activeTab = e.currentTarget.dataset.tab
  if (!activeTab || activeTab === this.data.activeTab) {
    return
  }

  this.fullList = []
  this.setData({
    activeTab,
    currentCategory: '全部',
    categories: [],
    filteredList: [],
    heroCover: '',
  })

  await this.loadArticles()
},

switchCategory(e) {
  const currentCategory = e.currentTarget.dataset.category || '全部'
  this.applyCategory(currentCategory)
},

goDetail(e) {
  const id = e.currentTarget.dataset.id
  if (!id) {
    return
  }

  wx.navigateTo({
    url: `/pages/knowledgeDetail/knowledgeDetail?id=${id}`,
  })
},
})
```

Path: miniprogram/pages/academy/academy.json

```
1 {
2   "navigationBarTitleText": "农旅宝典",
3   "enablePullDownRefresh": true
4 }
```

Path: miniprogram/pages/academy/academy.wxml

```
<view class="page container-safe">
  <view class="hero">
    <image
      wx:if="{{heroCover}}"
      class="hero-bg"
      src="{{heroCover}}"
      mode="aspectFill"
    ></image>
    <view class="hero-bg hero-placeholder" wx:else></view>
    <view class="hero-mask"></view>
    <view class="hero-content">
      <view class="hero-chip">{{activeTab === 'agri' ? '农事资讯' : '文旅资讯'}}</view>
      <view class="hero-title">农旅宝典</view>
      <view class="hero-subtitle">
        {{activeTab === 'agri' ? '聚焦农业、乡村与实用内容' : '聚焦景点文化、民俗非遗与游玩知识'}}
      </view>
      <view class="hero-desc">
        {{activeTab === 'agri' ? '内容来自云数据库，支持控制台持续维护' : '图片走云存储，文章内容可在云开发控制台直接更新'}}
      </view>
    </view>
  </view>

  <view class="sheet">
    <view class="tab-row">
      <view class="tab {{activeTab === 'agri' ? 'active' : ''}}" data-tab="agri" bindtap="switchTab">农事宝典</view>
      <view class="tab {{activeTab === 'culture' ? 'active' : ''}}" data-tab="culture" bindtap="switchTab">文旅课堂</view>
    </view>

    <scroll-view class="category-scroll" scroll-x enable-flex show-scrollbar="false">
      <view class="category-list">
        <block wx:for="{{categories}}" wx:key="index">
          <view
            class="category-chip {{currentCategory === item ? 'selected' : ''}}"
            data-category="{{item}}"
            bindtap="switchCategory"
          >
            {{item}}
          </view>
        </block>
      </view>
    </scroll-view>

    <view class="feed-head">
      <view>
        <view class="feed-title">{{activeTab === 'agri' ? '今日农事' : '今日文旅'}}</view>
        <view class="feed-subtitle">{{activeTab === 'agri' ? '农业、乡村、实用经验' : '文化、体验、游玩知识'}}</view>
      </view>
      <view class="feed-count">{{filteredList.length}} 篇内容</view>
    </view>

    <view class="loading-box" wx:if="{{loading}}">正在加载文章...</view>

    <block wx:elif="{{filteredList.length}}">
      <block wx:for="{{filteredList}}" wx:key="id">
        <view class="news-card" data-id="{{item.id}}" bindtap="goDetail">
          <view class="news-main">
```

```
        <view class="news-left">
          <view class="news-title">{{item.title}}</view>
          <view class="news-author">{{item.author}}</view>
          <view class="news-time">{{item.publishTime}}</view>
          <view class="news-tag-row">
            <block wx:for="{{item.tags}}" wx:key="index" wx:for-item="tag">
              <text class="news-tag">{{tag}}</text>
            </block>
          </view>
        </view>
        <view class="news-right">
          <image class="cover" src="{{item.cover}}" mode="aspectFill"></image>
          <view class="cover-views">{{item.views}}</view>
        </view>
      </view>
      <view class="news-meta-row">
        <view class="news-wordcount">{{item.wordCount}}字</view>
        <view class="footer-right">
          <text class="stat-item">赞 {{item.likes}}</text>
          <text class="stat-item">评 {{item.comments}}</text>
          <text class="stat-item">转 {{item.shareCount}}</text>
        </view>
      </view>
    </view>
  </block>
</block>

<view class="empty-box" wx:else>
  <view class="empty-title">当前分类还没有内容</view>
  <view class="empty-text">你可以先在云开发控制台新增文章，再回来查看展示效果。</view>
</view>
</view>
</view>
```

Path: miniprogram/pages/academy/academy.wxss

```
.page {
  min-height: 100vh;
  background: #f5f6f7;
}

.hero {
  position: relative;
  height: 390rpx;
  overflow: hidden;
}

.hero-bg {
  width: 100%;
  height: 100%;
}

.hero-placeholder {
  background: linear-gradient(135deg, #8aa96d 0%, #5f7b4d 100%);
}

.hero-mask {
  position: absolute;
  inset: 0;
  background: linear-gradient(180deg, rgba(14, 27, 18, 0.12) 0%, rgba(10, 25, 16, 0.38) 100%);
}

.hero-content {
  position: absolute;
  left: 28rpx;
  right: 28rpx;
  bottom: 38rpx;
  color: #fff;
}

.hero-chip {
  display: inline-flex;
  align-items: center;
  height: 46rpx;
  padding: 0 22rpx;
  border-radius: 999rpx;
  background: rgba(124, 173, 98, 0.96);
  font-size: 24rpx;
  margin-bottom: 18rpx;
}

.hero-title {
  font-size: 52rpx;
  font-weight: 700;
  line-height: 1.2;
}

.hero-subtitle {
  margin-top: 10rpx;
  font-size: 28rpx;
  line-height: 1.5;
  opacity: 0.98;
}

.hero-desc {
```

```
  margin-top: 8rpx;
  font-size: 24rpx;
  line-height: 1.6;
  opacity: 0.94;
}

.sheet {
  margin: -26rpx 24rpx 0;
  padding: 28rpx 22rpx 48rpx;
  background: #fff;
  border-radius: 34rpx 34rpx 0 0;
  box-shadow: 0 -8rpx 26rpx rgba(18, 24, 29, 0.04);
}

.tab-row {
  display: flex;
  gap: 18rpx;
}

.tab {
  min-width: 180rpx;
  height: 76rpx;
  padding: 0 24rpx;
  border-radius: 20rpx;
  background: #f1f2f3;
  color: #6b6f72;
  font-size: 32rpx;
  font-weight: 600;
  display: flex;
  align-items: center;
  justify-content: center;
}

.tab.active {
  background: linear-gradient(135deg, #8aa96d 0%, #6d8a57 100%);
  color: #fff;
}

.category-scroll {
  margin-top: 22rpx;
  white-space: nowrap;
}

.category-list {
  display: inline-flex;
  gap: 14rpx;
  padding-bottom: 8rpx;
}

.category-chip {
  padding: 12rpx 22rpx;
  border-radius: 999rpx;
  background: #f2f3f5;
  color: #8b8f94;
  font-size: 24rpx;
  line-height: 1;
}

.category-chip.selected {
  background: #eaf3e4;
  color: #5e7b4c;
  font-weight: 600;
```

```
}

.feed-head {
  margin: 28rpx 2rpx 18rpx;
  display: flex;
  justify-content: space-between;
  align-items: flex-end;
}

.feed-title {
  color: #1f1f1f;
  font-size: 34rpx;
  font-weight: 700;
}

.feed-subtitle {
  margin-top: 8rpx;
  color: #8d8d8d;
  font-size: 22rpx;
}

.feed-count {
  color: #8e8e8e;
  font-size: 24rpx;
}

.loading-box,
.empty-box {
  padding: 100rpx 0;
  text-align: center;
  color: #8d8d8d;
  font-size: 26rpx;
}

.empty-title {
  font-size: 30rpx;
  font-weight: 700;
  color: #1f1f1f;
}

.empty-text {
  margin-top: 14rpx;
  font-size: 24rpx;
  color: #8d8d8d;
}

.news-card {
  padding: 24rpx;
  border-radius: 28rpx;
  background: #fafafa;
  margin-bottom: 22rpx;
  box-shadow: 0 8rpx 24rpx rgba(31, 35, 41, 0.05);
}

.news-main {
  display: flex;
  align-items: flex-start;
}

.news-left {
  flex: 1;
  min-width: 0;
```

```
  padding-right: 22rpx;
}

.news-right {
  position: relative;
  width: 210rpx;
  flex-shrink: 0;
}

.news-title {
  color: #1e1e1f;
  font-size: 32rpx;
  line-height: 1.36;
  font-weight: 700;
  display: -webkit-box;
  -webkit-line-clamp: 2;
  -webkit-box-orient: vertical;
  overflow: hidden;
}

.news-author,
.news-time,
.news-wordcount {
  color: #8d8d8d;
  font-size: 24rpx;
  line-height: 1.5;
}

.news-author {
  margin-top: 10rpx;
}

.news-time {
  margin-top: 4rpx;
}

.news-tag-row {
  margin-top: 12rpx;
  display: flex;
  flex-wrap: wrap;
  gap: 10rpx;
}

.news-tag {
  height: 40rpx;
  padding: 0 16rpx;
  border-radius: 999rpx;
  background: #edf4e8;
  color: #5d7d4d;
  font-size: 22rpx;
  line-height: 40rpx;
}

.news-meta-row {
  margin-top: 14rpx;
  display: flex;
  align-items: center;
  justify-content: space-between;
  gap: 16rpx;
}

.news-meta-row .news-wordcount {
```

```
  margin-top: 0;
}

.cover {
  width: 210rpx;
  height: 162rpx;
  border-radius: 22rpx;
  background: #e9edf1;
}

.cover-views {
  position: absolute;
  right: 10rpx;
  bottom: 10rpx;
  min-width: 72rpx;
  height: 34rpx;
  padding: 0 12rpx;
  border-radius: 999rpx;
  background: rgba(0, 0, 0, 0.5);
  color: #fff;
  font-size: 20rpx;
  line-height: 34rpx;
  text-align: center;
}

.footer-right {
  display: flex;
  align-items: center;
  gap: 16rpx;
  flex-shrink: 0;
}

.stat-item {
  color: #7e7e7e;
  font-size: 22rpx;
}
```

Path: miniprogram/pages/knowledgeDetail/knowledgeDetail.js

```
1 const { resolveKnowledgeArticleMedia, normalizeArray } = require('../../utils/knowle
  dgeArticle')
2 const {
3   isFavorited,
4   toggleFavorite,
5   recordFootprint,
6 } = require('../../utils/collectionStore')
7
8 Page({
9   data: {
10    loading: true,
11    article: null,
12    liked: false,
13    favorited: false,
14    commentInput: '',
15    commentList: [],
16    favoriteIcon: '/images/icons/favorite-heart-outline.png',
17    favoriteIconFilled: '/images/icons/favorite-heart-filled.png',
18  },
19
20  onLoad(options = {}) {
21    this.articleId = options.id || ''
22    this.loadArticle()
23  },
24
25  onShow() {
26    const article = this.data.article
27    if (article && article.id) {
28      this.setData({
29        favorited: isFavorited('knowledge', article.id),
30      })
31    }
32  },
33
34  async loadArticle() {
35    if (!this.articleId) {
36      wx.showToast({ title: '文章不存在', icon: 'none' })
37      return
38    }
39
40    this.setData({ loading: true })
41    try {
42      const res = await wx.cloud.callFunction({
43        name: 'getknowledgearticledetail',
44        data: {
45          id: this.articleId,
46        },
47      })
48
49      const result = (res || {}).result || {}
50      if (!result.ok || !result.data) {
51        throw new Error(result.error || 'article not found')
52      }
53
54      const article = await resolveKnowledgeArticleMedia(result.data)
55      const likeState = wx.getStorageSync(`knowledge_like_${article.id}`) || false
56      const favState = isFavorited('knowledge', article.id)
57      const storedComments =
58        wx.getStorageSync(`knowledge_comments_${article.id}`) || normalizeArray(arti
  cle.commentList)
```

```

    recordFootprint(this.buildCollectionRecord(article))

    this.setData({
      loading: false,
      article,
      liked: likeState,
      favorited: favState,
      commentList: storedComments,
    })
  } catch (err) {
    console.error('[knowledgeDetail] load article failed', err)
    this.setData({
      loading: false,
      article: null,
    })
    wx.showToast({ title: '文章加载失败', icon: 'none' })
  }
},

buildCollectionRecord(article) {
  if (!article) {
    return null
  }

  const location = article.location || {}
  return {
    type: 'knowledge',
    id: article.id,
    title: article.title,
    cover: article.cover,
    city: article.city || location.city || location.name || article.author,
    regionText: location.address || location.name || '',
    summary: article.summary,
    metaText: `${article.publishTime || ''}${article.views ? ` · ${article.views}阅读` : ''}`,
    badgeText: '笔记/推文',
    author: article.author,
    statsText: `${Number(article.likes || 0)}赞 · ${Number(article.favorites || 0)}收藏`,
  }
},

toggleLike() {
  const article = this.data.article
  if (!article) {
    return
  }

  const liked = !this.data.liked
  const likes = Number(article.likes || 0) + (liked ? 1 : -1)
  wx.setStorageSync(`knowledge_like_${article.id}`, liked)
  this.setData({
    liked,
    'article.likes': Math.max(likes, 0),
  })
},

toggleFavorite() {
  const article = this.data.article
  if (!article) {
    return
```

```
  }

  const baseFavorites = Number(article.favorites || 0)
  const favorited = toggleFavorite(this.buildCollectionRecord(article))
  this.setData({
    favorited,
    'article.favorites': Math.max(baseFavorites + (favorited ? 1 : -1), 0),
  })
},

onCommentInput(e) {
  this.setData({ commentInput: e.detail.value })
},

submitComment() {
  const article = this.data.article
  const value = String(this.data.commentInput || '').trim()
  if (!article || !value) {
    wx.showToast({ title: '请输入评论内容', icon: 'none' })
    return
  }

  const comment = {
    user: '微信用户',
    content: value,
    time: '刚刚',
  }
  const commentList = [comment, ...this.data.commentList]
  wx.setStorageSync(`knowledge_comments_${article.id}`, commentList)
  this.setData({
    commentInput: '',
    commentList,
  })
  wx.showToast({ title: '评论成功', icon: 'success' })
},

focusComment() {
  wx.pageScrollTo({
    selector: '.comment-section',
    duration: 300,
  })
},

openMap() {
  const location = (this.data.article || {}).location
  if (!location) {
    return
  }

  wx.openLocation({
    latitude: Number(location.latitude),
    longitude: Number(location.longitude),
    name: location.name,
    address: location.address,
    scale: 16,
  })
},

onShareAppMessage() {
  const article = this.data.article || {}
  this.setData({
    'article.shareCount': Number(article.shareCount || 0) + 1,
```

```
  })

  return {
    title: article.title || '农旅宝典',
    path: `/pages/knowledgeDetail/knowledgeDetail?id=${article.id}`,
    imageUrl: article.cover || '',
  }
},
})
```

Path: miniprogram/pages/knowledgeDetail/knowledgeDetail.json

```
1 {
2   "navigationBarTitleText": "文章详情"
3 }
```

Path: miniprogram/pages/knowledgeDetail/knowledgeDetail.wxml

```
<view class="detail-page container-safe">
  <view class="loading-box" wx:if="{{loading}}">正在加载文章...</view>

  <block wx:elif="{{article}}">
    <image class="detail-cover" src="{{article.cover}}" mode="aspectFill"></image>
    <view class="detail-card">
      <view class="detail-title">{{article.title}}</view>
      <view class="meta-row">{{article.author}} · {{article.publishTime}}</view>
      <view class="meta-row light">{{article.wordCount}} 字 · {{article.views}} 阅读</view>
      <view class="tag-row">
        <block wx:for="{{article.tags}}" wx:key="*this">
          <text class="tag">{{item}}</text>
        </block>
      </view>

      <view class="summary-box">{{article.summary}}</view>

      <block wx:for="{{article.content}}" wx:key="index">
        <view wx:if="{{item.type === 'heading'}}" class="content-h2">{{item.text}}</view>
        <image wx:elif="{{item.type === 'image'}}" class="content-image" src="{{item.src}}" mode="widthFix"></image>
        <view wx:else class="content-p">{{item.text}}</view>
      </block>

      <view class="location-card" wx:if="{{article.location}}" bindtap="openMap">
        <view class="location-left">
          <view class="location-title">{{article.location.name}}</view>
          <view class="location-address">{{article.location.address}}</view>
        </view>
        <view class="location-right">查看地图</view>
      </view>

      <view class="comment-section">
        <view class="comment-head">评论 {{commentList.length}}</view>
        <view class="comment-input-wrap">
          <input
            class="comment-input"
            placeholder="写下你的评论..."
            value="{{commentInput}}"
            bindinput="onCommentInput"
          />
          <view class="comment-send" bindtap="submitComment">发送</view>
        </view>

        <block wx:if="{{commentList.length}}">
          <block wx:for="{{commentList}}" wx:key="index">
            <view class="comment-item">
              <view class="comment-user">{{item.user}}</view>
              <view class="comment-text">{{item.content}}</view>
              <view class="comment-time">{{item.time}}</view>
            </view>
          </block>
        </block>
        <view class="no-comment" wx:else>还没有评论，来抢沙发吧。</view>
      </view>
    </view>

    <view class="action-bar">
```

```
    <view class="action-item" bindtap="toggleLike">{{liked ? '已赞' : '点赞'}} {{article.likes}}</view>
    <view class="action-item favoriteAction" bindtap="toggleFavorite">
      <image class="favoriteActionIcon" src="{{favorited ? favoriteIconFilled : favoriteIcon}}" mode="aspectFit" />
      <text>{{favorited ? '已收藏' : '收藏'}} {{article.favorites}}</text>
    </view>
    <view class="action-item" bindtap="focusComment">评论 {{commentList.length}}</view>
    <button class="share-btn" open-type="share">转发 {{article.shareCount}}</button>
  </view>
</block>

<view class="empty-box" wx:else>文章不存在或已下线。</view>
</view>
```

Path: miniprogram/pages/knowledgeDetail/knowledgeDetail.wxss

```
.detail-page {
  min-height: 100vh;
  background: #f7f4ef;
  padding-bottom: 140rpx;
}

.loading-box,
.empty-box {
  padding: 180rpx 40rpx;
  text-align: center;
  color: #8d8d8d;
  font-size: 28rpx;
}

.detail-cover {
  width: 100%;
  height: 420rpx;
  background: #e9edf1;
}

.detail-card {
  margin: -34rpx 24rpx 0;
  background: #fff;
  border-radius: 34rpx 34rpx 0 0;
  padding: 32rpx 28rpx 40rpx;
}

.detail-title {
  font-size: 42rpx;
  line-height: 1.45;
  font-weight: 700;
  color: #2d2925;
}

.meta-row {
  margin-top: 16rpx;
  font-size: 24rpx;
  color: #6a6259;
}

.meta-row.light {
  color: #988d80;
}

.tag-row {
  display: flex;
  flex-wrap: wrap;
  gap: 12rpx;
  margin-top: 20rpx;
}

.tag {
  padding: 8rpx 18rpx;
  border-radius: 999rpx;
  background: #eef5ea;
  color: #5f8f4e;
  font-size: 22rpx;
}

.summary-box {
```

```
  margin: 24rpx 0;
  padding: 24rpx;
  background: #fbfaf8;
  border-radius: 24rpx;
  font-size: 26rpx;
  line-height: 1.8;
  color: #5f564d;
}

.content-h2 {
  margin-top: 30rpx;
  font-size: 32rpx;
  font-weight: 700;
  color: #2f2a25;
}

.content-p {
  margin-top: 18rpx;
  font-size: 28rpx;
  line-height: 1.95;
  color: #3e372f;
  text-align: justify;
}

.content-image {
  display: block;
  width: 100%;
  margin-top: 24rpx;
  border-radius: 24rpx;
  background: #e9edf1;
}

.location-card {
  margin-top: 34rpx;
  padding: 24rpx;
  border-radius: 24rpx;
  background: #f4efe7;
  display: flex;
  justify-content: space-between;
  align-items: center;
}

.location-left {
  flex: 1;
  padding-right: 20rpx;
}

.location-title {
  font-size: 28rpx;
  font-weight: 700;
  color: #3a332d;
}

.location-address {
  margin-top: 10rpx;
  font-size: 24rpx;
  line-height: 1.7;
  color: #7d7368;
}

.location-right {
  padding: 12rpx 20rpx;
```

```
  border-radius: 999rpx;
  background: #b78366;
  color: #fff;
  font-size: 24rpx;
}

.comment-section {
  margin-top: 36rpx;
}

.comment-head {
  font-size: 30rpx;
  font-weight: 700;
  color: #2f2a25;
}

.comment-input-wrap {
  margin-top: 18rpx;
  display: flex;
  gap: 16rpx;
}

.comment-input {
  flex: 1;
  background: #f7f4ef;
  border-radius: 999rpx;
  padding: 18rpx 26rpx;
  font-size: 26rpx;
}

.comment-send {
  padding: 18rpx 28rpx;
  border-radius: 999rpx;
  background: #6c9b57;
  color: #fff;
  font-size: 26rpx;
}

.comment-item {
  margin-top: 20rpx;
  padding: 22rpx;
  border-radius: 22rpx;
  background: #fbfaf8;
}

.comment-user {
  font-size: 26rpx;
  font-weight: 700;
  color: #2e2a26;
}

.comment-text {
  margin-top: 10rpx;
  font-size: 26rpx;
  line-height: 1.7;
  color: #4e473f;
}

.comment-time {
  margin-top: 12rpx;
  font-size: 22rpx;
  color: #9a9085;
```

```
}

.no-comment {
  margin-top: 18rpx;
  font-size: 24rpx;
  color: #9a9085;
}

.action-bar {
  position: fixed;
  left: 20rpx;
  right: 20rpx;
  bottom: 20rpx;
  display: flex;
  align-items: center;
  gap: 12rpx;
  padding: 16rpx;
  background: rgba(255, 255, 255, 0.96);
  border-radius: 999rpx;
  box-shadow: 0 8rpx 28rpx rgba(0, 0, 0, 0.08);
}

.action-item {
  flex: 1;
  text-align: center;
  padding: 16rpx 0;
  border-radius: 999rpx;
  background: #f7f4ef;
  color: #4a433b;
  font-size: 24rpx;
}

.favoriteAction {
  display: flex;
  align-items: center;
  justify-content: center;
  gap: 8rpx;
}

.favoriteActionIcon {
  width: 28rpx;
  height: 28rpx;
  flex-shrink: 0;
}

.share-btn {
  flex: 1;
  margin: 0;
  padding: 16rpx 0;
  line-height: 1.3;
  border-radius: 999rpx;
  background: #b78366;
  color: #fff;
  font-size: 24rpx;
}

.share-btn::after {
  border: none;
}
```

Path: miniprogram/pages/askXiaohe/askXiaohe.js

```
Page({
  data: {
    text: {
      title: "问小禾",
      subtitle: "问附近推荐、玩法灵感和出行建议",
      introTitle: "和小禾聊聊你想怎么出发",
      introDesc:
        "无论你是想找附近活动、周末短途、亲子玩法，还是想按预算和偏好筛一轮，小禾都会先结合平台里的真实内容帮你收一收思路。",
      primaryAction: "开始和小禾聊",
      secondaryAction: "去搜索页看看",
      sectionTitle: "你可以这样问小禾",
    },
    exampleQuestions: [
      "兰州周边这周末有什么适合放松的地方？",
      "想带家人去近一点的农旅活动，有推荐吗？",
      "如果下雨，小禾会更建议去哪里？",
    ],
  },

  goBack() {
    if (getCurrentPages().length > 1) {
      wx.navigateBack();
      return;
    }

    wx.navigateTo({
      url: "/pages/search/search",
    });
  },

  goChat() {
    wx.navigateTo({
      url: "/pages/askXiaoheChat/askXiaoheChat",
    });
  },

  goSearch() {
    wx.navigateTo({
      url: "/pages/search/search",
    });
  },

  useExample(e) {
    const question = e.currentTarget.dataset.question || "";
    if (!question) return;

    wx.navigateTo({
      url: `/pages/askXiaoheChat/askXiaoheChat?q=${encodeURIComponent(question)}`,
    });
  },
});
```

Path: miniprogram/pages/askXiaohe/askXiaohe.json

```
{
  "navigationBarTitleText": "问小禾"
}
```

Path: miniprogram/pages/askXiaohe/askXiaohe.wxml

```
<view class="page">
  <view class="ambient ambientOne"></view>
  <view class="ambient ambientTwo"></view>

  <view class="topbar">
    <view class="backBtn" bindtap="goBack">返</view>
    <view class="titleWrap">
      <view class="title">{{text.title}}</view>
      <view class="subtitle">{{text.subtitle}}</view>
    </view>
  </view>

  <view class="heroCard">
    <view class="heroEyebrow">裕小禾</view>
    <view class="heroTitle">{{text.introTitle}}</view>
    <view class="heroDesc">{{text.introDesc}}</view>

    <view class="actionRow">
      <view class="primaryAction" bindtap="goChat">{{text.primaryAction}}</view>
      <view class="secondaryAction" bindtap="goSearch">{{text.secondaryAction}}</view>
    </view>
  </view>

  <view class="exampleCard">
    <view class="sectionTitle">{{text.sectionTitle}}</view>
    <view class="exampleList">
      <view
        class="exampleItem"
        wx:for="{{exampleQuestions}}"
        wx:key="*this"
        data-question="{{item}}"
        bindtap="useExample"
      >
        <view class="exampleDot"></view>
        <view class="exampleText">{{item}}</view>
      </view>
    </view>
  </view>
</view>
```

Path: miniprogram/pages/askXiaohe/askXiaohe.wxss

```
.page {
  position: relative;
  min-height: 100vh;
  padding: 28rpx 24rpx 40rpx;
  box-sizing: border-box;
  background:
    radial-gradient(circle at top left, rgba(253, 210, 149, 0.35) 0, rgba(253, 210, 149, 0) 32%),
    linear-gradient(180deg, #f6f1e7 0%, #fcfaf5 38%, #ffffff 100%);
  overflow: hidden;
}

.ambient {
  position: absolute;
  border-radius: 999rpx;
  filter: blur(10rpx);
  opacity: 0.7;
}

.ambientOne {
  top: 96rpx;
  right: -60rpx;
  width: 220rpx;
  height: 220rpx;
  background: rgba(134, 173, 96, 0.16);
}

.ambientTwo {
  top: 360rpx;
  left: -40rpx;
  width: 180rpx;
  height: 180rpx;
  background: rgba(214, 141, 79, 0.14);
}

.topbar {
  position: relative;
  display: flex;
  align-items: center;
  gap: 22rpx;
  z-index: 1;
}

.backBtn {
  width: 64rpx;
  height: 64rpx;
  border-radius: 50%;
  display: flex;
  align-items: center;
  justify-content: center;
  font-size: 28rpx;
  font-weight: 700;
  color: #2d3423;
  background: rgba(255, 255, 255, 0.82);
  box-shadow: 0 10rpx 22rpx rgba(88, 75, 53, 0.08);
}

.titleWrap {
  display: flex;
  flex-direction: column;
```

```
}

.title {
  font-size: 40rpx;
  font-weight: 700;
  color: #2f302a;
}

.subtitle {
  margin-top: 8rpx;
  font-size: 24rpx;
  color: #7b786c;
}

.heroCard,
.exampleCard {
  position: relative;
  z-index: 1;
  border-radius: 32rpx;
  background: rgba(255, 255, 255, 0.88);
  box-shadow: 0 24rpx 48rpx rgba(118, 96, 66, 0.08);
  backdrop-filter: blur(10rpx);
}

.heroCard {
  margin-top: 34rpx;
  padding: 40rpx 32rpx 36rpx;
}

.heroEyebrow {
  display: inline-flex;
  padding: 10rpx 18rpx;
  border-radius: 999rpx;
  background: rgba(113, 146, 80, 0.12);
  color: #5f7f3e;
  font-size: 22rpx;
  font-weight: 700;
  letter-spacing: 2rpx;
}

.heroTitle {
  margin-top: 24rpx;
  font-size: 44rpx;
  line-height: 1.28;
  font-weight: 700;
  color: #2d2d28;
}

.heroDesc {
  margin-top: 18rpx;
  font-size: 28rpx;
  line-height: 1.8;
  color: #666256;
}

.actionRow {
  display: flex;
  gap: 18rpx;
  margin-top: 30rpx;
}

.primaryAction,
```

```
.secondaryAction {
  display: inline-flex;
  align-items: center;
  justify-content: center;
  min-height: 84rpx;
  padding: 0 30rpx;
  border-radius: 999rpx;
  font-size: 28rpx;
  font-weight: 700;
}

.primaryAction {
  color: #ffffff;
  background: linear-gradient(90deg, #6c8f43 0%, #88a95c 100%);
  box-shadow: 0 14rpx 26rpx rgba(108, 143, 67, 0.22);
}

.secondaryAction {
  color: #5e574a;
  background: #f2ece1;
}

.exampleCard {
  margin-top: 28rpx;
  padding: 32rpx 28rpx;
}

.sectionTitle {
  font-size: 30rpx;
  font-weight: 700;
  color: #2d2d28;
}

.exampleList {
  margin-top: 20rpx;
}

.exampleItem {
  display: flex;
  align-items: flex-start;
  gap: 16rpx;
  padding: 20rpx 0;
  border-bottom: 1rpx solid rgba(93, 85, 66, 0.08);
}

.exampleItem:last-child {
  border-bottom: none;
  padding-bottom: 0;
}

.exampleDot {
  width: 14rpx;
  height: 14rpx;
  margin-top: 14rpx;
  border-radius: 50%;
  background: #7d9d58;
  flex-shrink: 0;
}

.exampleText {
  flex: 1;
  font-size: 28rpx;
```

```
  line-height: 1.7;
  color: #5d584d;
}
```

Path: miniprogram/pages/askXiaoheChat/askXiaoheChat.js

```
1 const {
2   yuxiaoheBotId,
3   yuxiaoheHttpBaseUrl
4 } = require("../../config/agent")
5 const { resolveActivityCover, resolveActivityGallery } = require("../../utils/mediaA
  ssets")
6 const { buildActivityCoverTags } = require("../../utils/activityCoverTags")
7 const { createBuddyApplicationFromMatch } = require("../../utils/messageStore")
8 const {
9   buildConversationTitle,
10   createConversationId,
11   getConversationById,
12   saveConversation
13 } = require("../../utils/askConversationStore")
14
15 const DEFAULT_ACTIVITY_COVER = "/images/nav-academy.png"
16 const DEFAULT_PRODUCT_COVER = "/images/default-goods-image.png"
17 const LOADING_BASE_TEXT = "小禾正在整理合适的内容"
18
19 function normalizeSkillMode(skillMode = "") {
20   return skillMode === "route_planning" ? "guide_customization" : skillMode
21 }
22
23 const SKILL_CONFIG = {
24   guide_customization: {
25     badgeName: "攻略定制",
26     placeholder: "告诉小禾这次想怎么安排行程",
27     intro: "把这次行程的想法告诉小禾，小禾会像聊天一样一步步帮你梳理出发日期、天数、人数、关系、路线、预算和出行方式。"
28   },
29   buddy_matching: {
30     badgeName: "找搭子",
31     placeholder: "告诉小禾你想找什么样的搭子",
32     intro: "告诉小禾你想去哪、什么时候出发、希望和什么样的人同行，小禾会先帮你筛出更合适的同行候选，再由你决定要不要发起申请。"
33   },
34   xiaohe_feedback: {
35     badgeName: "小禾树洞",
36     placeholder: "说说你的想法",
37     intro: "无论是活动、商品、住宿还是体验建议，都可以直接告诉小禾，小禾会认真记下来。"
38   }
39 }
40
41 const DEFAULT_BUDDY_TAGS = ["周末出发", "自由行", "轻社交"]
42
43 const GENERIC_BUDDY_STATUS_TAGS = ["偏好接近"]
44 const GENERIC_BUDDY_TAGS = ["还在建立中"]
45 const GENERIC_BUDDY_HIGHLIGHT_KEYWORDS = ["共同偏好", "资料完整度", "还在建立中"]
46 const GENERIC_BUDDY_PRACTICAL_VALUES = ["轻同行搭子", "同区域"]
47
48 function normalizeText(value) {
49   return String(value || "").trim()
50 }
51
52 function normalizeArray(value) {
53   return Array.isArray(value)
54     ? value.map((item) => normalizeText(item)).filter(Boolean)
55     : []
56 }
57
58 function normalizeTextLower(value) {
59   return normalizeText(value).toLowerCase()
```

```
}

function getSettingAsync() {
  return new Promise((resolve, reject) => {
    wx.getSetting({
      success: resolve,
      fail: reject
    })
  })
}

function getLocationAsync(timeout = 8000) {
  return new Promise((resolve, reject) => {
    const timer = setTimeout(() => {
      reject(new Error("getLocation timeout"))
    }, timeout)

    wx.getLocation({
      type: "gcj02",
      success: (res) => {
        clearTimeout(timer)
        resolve(res)
      },
      fail: (error) => {
        clearTimeout(timer)
        reject(error)
      }
    })
  })
}

function readSelectedRegion() {
  try {
    return wx.getStorageSync("selectedRegion") || null
  } catch (error) {
    return null
  }
}

function buildLocationContext(userInfo = {}, userLocation = null, selectedRegion = null) {
  const region = selectedRegion || {}
  const location = userLocation || {}

  return {
    province: region.province || userInfo.province || "",
    city: region.city || userInfo.city || "",
    district: region.district || userInfo.district || "",
    displayName: region.displayName || region.title || region.label || "",
    locationText: region.locationText || region.address || "",
    latitude: location.latitude || region.latitude || "",
    longitude: location.longitude || region.longitude || ""
  }
}

function ensureBuddySession() {
  const app = getApp()
  if (app.hasActiveSession && app.hasActiveSession()) {
    return true
  }

  wx.showToast({
```

```
    title: "请先登录后再找搭子",
    icon: "none"
  })

  setTimeout(() => {
    wx.navigateTo({
      url: "/pages/login/login"
    })
  }, 250)

  return false
}

function uniqueList(list = []) {
  return Array.from(new Set((list || []).filter(Boolean)))
}

function requestAgentHttp({ path = "/", method = "GET", data = {} } = {}) {
  if (!yuxiaoheHttpBaseUrl) {
    return Promise.reject(new Error("yuxiaoheHttpBaseUrl is required"))
  }

  const normalizedPath = path.startsWith("/") ? path : `/${path}`
  return new Promise((resolve, reject) => {
    wx.request({
      url: `${yuxiaoheHttpBaseUrl}${normalizedPath}`,
      method,
      data,
      header: {
        "content-type": "application/json"
      },
      success: (res) => {
        const statusCode = Number(res && res.statusCode)
        if (statusCode >= 200 && statusCode < 300) {
          resolve(res.data)
          return
        }

        const error = new Error(`request failed with status ${statusCode}`)
        error.statusCode = statusCode
        error.responseData = res && res.data
        try {
          console.error("[askXiaoheChat] requestAgentHttp non-2xx", {
            path: normalizedPath,
            method,
            statusCode,
            responseData: res && res.data
          })
        } catch (logError) {
          console.warn("[askXiaoheChat] inspect requestAgentHttp non-2xx failed", logError)
        }
        reject(error)
      },
      fail: reject
    })
  })
}

function filterBuddyStatusTag(tag = "") {
  const text = normalizeText(tag)
  return GENERIC_BUDDY_STATUS_TAGS.includes(text) ? "" : text
```

```
}

function filterBuddyTags(tags = []) {
  return uniqueList(normalizeArray(tags).filter((tag) => !GENERIC_BUDDY_TAGS.includes(tag)))
}

function filterBuddyHighlights(items = []) {
  return normalizeArray(items).filter(
    (item) => !GENERIC_BUDDY_HIGHLIGHT_KEYWORDS.some((keyword) => item.includes(keyword))
  )
}

function filterBuddyPracticalInfo(list = []) {
  return (Array.isArray(list) ? list : []).filter((item) => {
    const value = normalizeText(item && item.value)
    return value && !GENERIC_BUDDY_PRACTICAL_VALUES.includes(value)
  })
}

function buildBuddyDisplaySummary(item = {}) {
  const tags = filterBuddyTags(item.tags)
  if (tags.length) {
    return `真实标签：${tags.slice(0, 3).join("、")}`
  }

  const practicalInfo = filterBuddyPracticalInfo(item.practicalInfo)
  const locationInfo = practicalInfo.find((entry) => normalizeText(entry && entry.label).includes("地区"))
  if (locationInfo && locationInfo.value) {
    return `真实资料：来自${locationInfo.value}`
  }

  return "以下展示的是该用户已填写的公开资料，以及系统基于资料生成的匹配结果。"
}

function buildBuddySystemReason(item = {}) {
  const parts = []
  const statusTag = filterBuddyStatusTag(item.statusTag)
  const tags = filterBuddyTags(item.tags)

  if (statusTag) {
    parts.push(statusTag)
  }

  if (tags.length) {
    parts.push(`标签重合 ${Math.min(tags.length, 3)} 项`)
  }

  if (item.matchScore) {
    parts.push(`匹配度 ${item.matchScore}%`)
  }

  return `系统匹配说明：${parts.join(" + ") || "已根据地区、已填写标签和资料完整度完成匹配"}`
}

function normalizeBuddyRecommendation(item = {}) {
  const tags = filterBuddyTags(item.tags)
  const practicalInfo = filterBuddyPracticalInfo(item.practicalInfo)

  return {
```

```
    ...item,
    statusTag: filterBuddyStatusTag(item.statusTag),
    summary: normalizeBuddySummaryText(item.summary, normalizeText(item.region)),
    matchReason: normalizeText(item.matchReason) || buildBuddySystemReason({ ...item, tags }),
    reasonTitle: "系统匹配说明",
    tags,
    playItems: filterBuddyHighlights(item.playItems),
    practicalInfo,
  }
}

function trimRegionSuffix(value = "") {
  return normalizeText(value).replace(/(特别行政区|自治区|自治州|地区|盟|省|市|区|县|旗)$/u, "")
}

function buildBuddyAvatarText(name = "") {
  const text = normalizeText(name)
  return text ? text.slice(0, 1).toUpperCase() : "搭"
}

function buildBuddyAvatarColor(name = "") {
  const palette = ["#7A8CFF", "#8B6BFF", "#4FA7A7", "#F08A5D", "#6C9A8B"]
  const text = normalizeText(name)
  if (!text) return palette[0]

  const codeSum = text.split("").reduce((sum, char) => sum + char.charCodeAt(0), 0)
  return palette[codeSum % palette.length]
}

function buildBuddyOpeningText(item = {}) {
  const name = normalizeText(item.title || item.nickname) || "这位搭子"
  const region = normalizeText(item.region)
  const matchReason = normalizeText(item.matchReason)
  if (region && matchReason) {
    return `你好，${name}，我看到你也在关注${region}方向的同行安排，尤其是“${matchReason}”这一点和我的想法很接近，想和你进一步聊聊出发时间和集合方式。`
  }
  if (region) {
    return `你好，${name}，我看到你也在关注${region}方向的同行安排，想和你进一步聊聊出发时间和集合方式。`
  }
  return `你好，${name}，我想和你进一步聊聊这次同行安排，看看我们是不是适合一起出发。`
}

function buildBuddyPracticalInfoFromCandidate(item = {}) {
  const info = []
  const region = normalizeText(item.region)
  if (region && !/待补充|未提供|未知/u.test(region)) {
    info.push({ label: "所在地区", value: region })
  }
  return info
}

function buildBuddyHighlightsFromCandidate(item = {}) {
  const tags = filterBuddyTags(item.tags)
  if (tags.length) {
    return tags.slice(0, 3)
  }

  return ["资料比较完整", "可以先聊聊出发时间和同行节奏"]
}

```

```
function normalizeBuddySummaryText(summary = "", region = "") {
  const text = normalizeText(summary)
  if (
    !text ||
    /已完善基础资料|可进一步发起同行申请|轻同行候选|同行候选/u.test(text)
  ) {
    if (region && !/待补充|未提供|未知/u.test(region)) {
      return `对方也在关注${region}方向的同行安排，可以先从时间和路线聊起。`
    }
    return "这位搭子的资料已经比较完整，可以先从时间和路线聊起。"
  }

  return text
}

function createMessage(role, text, extra = {}) {
  return {
    id: `${role}-${Date.now()}-${Math.floor(Math.random() * 1000)}`,
    role,
    text,
    recommendations: [],
    tips: "",
    guessQuestions: [],
    followUp: "",
    channelLabel: "",
    ...extra
  }
}

function buildSkillContext(skillMode = "") {
  if (!skillMode || !SKILL_CONFIG[skillMode]) {
    return null
  }

  return {
    mode: skillMode,
    title: SKILL_CONFIG[skillMode].badgeName,
    collected: {}
  }
}

const MAINLINE_BY_SKILL_MODE = {
  buddy_matching: "buddy_matching",
  guide_customization: "guide_customization",
  xiaohe_feedback: "xiaohe_feedback"
}

function createEmptyTaskState(mainline = "") {
  return {
    mainline: normalizeText(mainline),
    subType: "",
    collected: {},
    missingField: "",
    lastAskedField: "",
    candidateIds: [],
    feedbackType: "",
    intentConfidence: mainline ? 1 : 0
  }
}

function createInitialTaskState(skillMode = "") {
  const mainline = MAINLINE_BY_SKILL_MODE[normalizeText(skillMode)] || ""
```

```
  return createEmptyTaskState(mainline)
}

function buildTaskStateFromBackend(result = {}, fallbackState = {}) {
  const collected = result && result.collected && typeof result.collected === "object"
    ? { ...result.collected }
    : { ...(fallbackState.collected || {}) }
  const missingField = result && result.missingField && typeof result.missingField === "object"
    ? normalizeText(result.missingField.key || result.missingField.label)
    : normalizeText(result && result.missingField)

  return {
    ...createEmptyTaskState(normalizeText(result && result.mainline)),
    ...fallbackState,
    mainline: normalizeText(result && result.mainline) || normalizeText(fallbackState.mainline),
    collected,
    missingField,
    lastAskedField: normalizeText(result && result.lastAskedField) || missingField || normalizeText(fallbackState.lastAskedField),
    candidateIds: normalizeArray((result.candidates || []).map((item) => item && item.id)),
    feedbackType: normalizeText(result && result.feedbackType) || normalizeText(fallbackState.feedbackType),
    intentConfidence: 1
  }
}

function buildGuideCardIntro(taskState = {}) {
  const collected = (taskState && taskState.collected) || {}
  const time = normalizeText(collected.time)
  const relationship = normalizeText(collected.relationship)
  const destination = normalizeText(collected.destination)
  const budget = normalizeText(collected.budget)

  const segments = [
    time ? `${time}期间` : "",
    relationship ? `和${relationship}` : "",
    destination ? `去${destination}` : "",
    budget ? `预算在${budget}` : ""
  ].filter(Boolean)

  if (!segments.length) {
    return "小禾先帮你把这次更合适的活动和景点整理成卡片啦。"
  }

  return `小禾先按你这次${segments.join("，")}的需求，整理了几张更适合直接参考的卡片。`
}

function buildGuideWarmTips(taskState = {}) {
  const collected = (taskState && taskState.collected) || {}
  const destination = normalizeText(collected.destination) || "目的地"
  const time = normalizeText(collected.time)
  const relationship = normalizeText(collected.relationship)
  const budget = normalizeText(collected.budget)

  const tips = []

  if (time) {
    tips.push(`${time}前往${destination}时，建议优先确认开放时间、天气和路况，假期时段也尽量早点出发。`)
```

```
419 } else {
420   tips.push(`去${destination}前，记得再确认开放时间、天气和交通情况。`)
421 }
422
423 if (relationship) {
424   tips.push(`这次同行关系是${relationship}，更适合把节奏放慢一些，给拍照、休息和临时调整留出余量。`)
425 } else if (budget) {
426   tips.push(`预算在${budget}的话，建议优先把同一区域的点位串起来，行程会更从容。`)
427 } else {
428   tips.push("如果你愿意，小禾还可以继续帮你把这些卡片串成半天或一天的具体安排。")
429 }
430
431 return ["温馨提示"]
432   .concat(tips.slice(0, 2).map((item, index) => `${index + 1}. ${item}`))
433   .join("\n")
434 }
435
436 function buildGuideFallbackRecommendation(item = {}) {
437   const type = normalizeText(item && item.type)
438   const sourceId = normalizeText(item && item.id)
439   if (!type || !sourceId) return null
440
441   const practicalInfo = []
442   const region = normalizeText(item && item.region)
443   const priceText = normalizeText(item && item.priceText)
444
445   if (region) {
446     practicalInfo.push({ label: "所在区域", value: region })
447   }
448
449   if (priceText) {
450     practicalInfo.push({ label: "参考价格", value: priceText })
451   }
452
453   return {
454     id: `${type}-${sourceId}`,
455     sourceId,
456     type,
457     title: normalizeText(item && item.title) || "推荐内容",
458     summary: normalizeText(item && item.summary) || "小禾先帮你筛出了一个合适选项。",
459     gallery: [],
460     tags: normalizeArray(item && item.tags).slice(0, 4),
461     playItems: [],
462     practicalInfo
463   }
464 }
465
466 function buildGuideFocusItems(taskState = {}, candidate = {}, item = {}, type = "")
    {
467   const collected = (taskState && taskState.collected) || {}
468   const destination = normalizeText(collected.destination)
469   const time = normalizeText(collected.time)
470   const relationship = normalizeText(collected.relationship)
471   const budget = normalizeText(collected.budget)
472   const region = normalizeText(candidate.region || item.region || item.locationName)
473   const tags = uniqueList(
474     normalizeArray(item.highlights)
475       .concat(normalizeArray(item.itinerary))
476       .concat(normalizeArray(item.playTags))
477       .concat(normalizeArray(item.categoryTags))
478       .concat(normalizeArray(item.tags))
479       .concat(normalizeArray(item.suitableGroups))
```

```
    .concat(normalizeArray(candidate.tags))
  )

  const focusItems = []

  if (destination && region) {
    focusItems.push(`地点落在${region}，和这次去${destination}的安排更顺路。`)
  }

  if (relationship) {
    focusItems.push(`这类${type === "product" ? "内容" : "行程"}更适合和${relationship}一起慢慢体验，节奏不会太赶。`)
  }

  if (time) {
    focusItems.push(`${time}出行时更建议把它当作半天到大半天的安排，留出机动时间会更舒服。`)
  }

  if (budget) {
    const priceText = normalizeText(candidate.priceText || item.priceText || item.price)
    focusItems.push(priceText ? `当前参考价格是${priceText}，更方便和你这次${budget}的预算一起衡量。` : `这类安排更适合纳入你这次${budget}的整体预算里一起考虑。`)
  }

  tags.forEach((tag) => {
    if (focusItems.length < 4 && normalizeText(tag)) {
      focusItems.push(normalizeText(tag))
    }
  })

  return uniqueList(focusItems).slice(0, 4)
}

function buildGuidePracticalInfo(taskState = {}, candidate = {}, item = {}, type = "") {
  const collected = (taskState && taskState.collected) || {}
  const destination = normalizeText(collected.destination)
  const time = normalizeText(collected.time)
  const relationship = normalizeText(collected.relationship)
  const region = normalizeText(candidate.region || item.region || item.locationName || item.address)
  const priceText = normalizeText(candidate.priceText || item.priceText || item.price)

  const info = []

  if (region) {
    info.push({ label: "所在区域", value: region })
  } else if (destination) {
    info.push({ label: "所在区域", value: destination })
  }

  if (priceText) {
    info.push({ label: type === "hotel" ? "参考房价" : "参考价格", value: priceText })
  }

  if (time) {
    info.push({ label: "建议安排", value: `${time}更适合预留半天到大半天来体验` })
  }

  if (relationship) {
```

```
    info.push({ label: "同行建议", value: `按${relationship}的节奏慢慢走，会比赶点式打卡更舒服` })
  }

  if (!info.length) {
    if (type === "activity") return getActivityPracticalInfo(item)
    if (type === "scenic") return getScenicPracticalInfo(item)
    if (type === "product") return getProductPracticalInfo(item)
  }

  return info.slice(0, 4)
}

async function buildActivityRecommendationCard(item = {}, candidate = {}, taskState = {}) {
  const coverTagInfo = buildActivityCoverTags(item)
  const playItems = buildGuideFocusItems(taskState, candidate, item, "activity")
  const gallery = await resolveActivityGallery(item)

  return {
    id: normalizeText(item._id || item.id || candidate.id),
    sourceId: normalizeText(item._id || item.id || candidate.id),
    type: "activity",
    title: normalizeText(item.title || candidate.title) || "农旅活动",
    summary: normalizeText(candidate.summary || item.summary || item.content || item.detail) || "暂时还没有更详细的介绍。",
    gallery: Array.isArray(gallery) ? gallery.filter(Boolean).slice(0, 2) : [],
    tags: coverTagInfo.combinedTags.slice(0, 4),
    playItems: playItems.length ? playItems : ["活动亮点待补充"],
    practicalInfo: buildGuidePracticalInfo(taskState, candidate, item, "activity"),
    cover: await resolveActivityCover(item)
  }
}

function buildScenicRecommendationCard(item = {}, candidate = {}, taskState = {}) {
  const cover = normalizeText(item.cover) || DEFAULT_ACTIVITY_COVER
  const gallery = Array.isArray(item.gallery) && item.gallery.length
    ? item.gallery.filter(Boolean).slice(0, 2)
    : [cover]
  const playItems = buildGuideFocusItems(taskState, candidate, item, "scenic")

  return {
    id: normalizeText(item._id || item.id || candidate.id),
    sourceId: normalizeText(item._id || item.id || candidate.id),
    type: "scenic",
    title: normalizeText(item.locationName || item.title || candidate.title) || "乡村景点",
    summary: normalizeText(candidate.summary || item.summary || item.content || item.detail) || "暂时还没有更详细的介绍。",
    gallery,
    tags: uniqueList(normalizeArray(item.playTags).concat(normalizeArray(item.tags))).slice(0, 4),
    playItems: playItems.length ? playItems : ["游玩亮点待补充"],
    practicalInfo: buildGuidePracticalInfo(taskState, candidate, item, "scenic"),
    cover
  }
}

function buildProductRecommendationCard(item = {}, candidate = {}, taskState = {}) {
  const cover = normalizeText(item.cover) || DEFAULT_PRODUCT_COVER
  const playItems = buildGuideFocusItems(taskState, candidate, item, "product")

  return {
```

```
    id: normalizeText(item._id || item.id || candidate.id),
    sourceId: normalizeText(item._id || item.id || candidate.id),
    type: "product",
    title: normalizeText(item.title || candidate.title) || "乡味特产",
    summary: normalizeText(candidate.summary || item.summary || item.content || item.detail) || "暂时还没有更详细的介绍。",
    gallery: [cover],
    tags: uniqueList(normalizeArray(item.categoryTags).concat(normalizeArray(item.tags))).slice(0, 4),
    playItems: playItems.length ? playItems : ["选购亮点待补充"],
    practicalInfo: buildGuidePracticalInfo(taskState, candidate, item, "product"),
    cover
  }
}

function buildHotelRecommendationCard(item = {}, candidate = {}, taskState = {}) {
  const cover = normalizeText(item.cover || item.image || item.poster) || DEFAULT_ACTIVITY_COVER
  const gallery = Array.isArray(item.images) && item.images.length
    ? item.images.filter(Boolean).slice(0, 2)
    : [cover]

  return {
    id: normalizeText(item._id || item.id || candidate.id),
    sourceId: normalizeText(item._id || item.id || candidate.id),
    type: "hotel",
    title: normalizeText(item.name || item.title || candidate.title) || "民宿推荐",
    summary: normalizeText(candidate.summary || item.summary || item.description || item.detail) || "暂时还没有更详细的介绍。",
    gallery,
    tags: uniqueList(normalizeArray(item.tags)).slice(0, 4),
    playItems: buildGuideFocusItems(taskState, candidate, item, "hotel"),
    practicalInfo: buildGuidePracticalInfo(taskState, candidate, item, "hotel"),
    cover
  }
}

function readCollectedText(collected = {}, keys = []) {
  for (const key of keys) {
    const value = normalizeText(collected && collected[key])
    if (value) return value
  }
  return ""
}

function extractTaskDestination(text = "", collected = {}) {
  const existing = readCollectedText(collected, ["destination"])
  if (existing) return existing

  const normalized = normalizeText(text)
  const patterns = [
    /去([\u4e00-\u9fa5A-Za-z0-9]{2,12})/u,
    /到([\u4e00-\u9fa5A-Za-z0-9]{2,12})/u,
    /在([\u4e00-\u9fa5A-Za-z0-9]{2,12})(?:玩|逛|旅游|旅行)/u
  ]

  for (const pattern of patterns) {
    const matched = normalized.match(pattern)
    if (matched && matched[1]) return matched[1]
  }

  if (/^[\u4e00-\u9fa5A-Za-z0-9]{2,12}$/u.test(normalized)) {
```

```
  return normalized
}

return ""
}

function extractTaskTime(text = "", collected = {}) {
  const existing = readCollectedText(collected, ["time"])
  if (existing) return existing

  const matched = normalizeText(text).match(
    /(今天|明天|后天|周末|五一|十一|端午|中秋|春节|暑假|寒假|下周|这周|周[一二三四五六日天]|\d{1,2}月\d{1,2}日|\d{1,2}号)/u
  )
  return matched && matched[1] ? matched[1] : ""
}

function extractBuddyCompanionPreference(text = "", collected = {}) {
  const existing = readCollectedText(collected, ["companionPreference"])
  if (existing) return existing

  const normalized = normalizeText(text)
  const directPatterns = [
    /(女生搭子|男生搭子|情侣搭子|亲子搭子|摄影搭子|饭搭子|自由行搭子)/u,
    /(同龄人|大学生|本地人|会开车|能拼车|随和一点|话少一点|会拍照|会摄影)/u
  ]

  for (const pattern of directPatterns) {
    const matched = normalized.match(pattern)
    if (matched && matched[1]) return matched[1]
  }

  const normalizedGender =
    /(女生|小姐姐)/u.test(normalized) ? "女生" : /(男生|小哥哥)/u.test(normalized) ? "男生" : ""
  const normalizedTrait =
    /(会摄影|会拍照|摄影)/u.test(normalized)
      ? "会摄影"
      : /(会开车|能开车)/u.test(normalized)
        ? "会开车"
        : /能拼车/u.test(normalized)
          ? "能拼车"
          : /同龄人/u.test(normalized)
            ? "同龄人"
            : /大学生/u.test(normalized)
              ? "大学生"
              : /本地人/u.test(normalized)
                ? "本地人"
                : /随和/u.test(normalized)
                  ? "随和一点"
                  : /话少/u.test(normalized)
                    ? "话少一点"
                    : ""

  if (normalizedTrait && normalizedGender) {
    return `${normalizedTrait}的${normalizedGender}`
  }

  if (normalizedTrait) return normalizedTrait
  if (normalizedGender) return normalizedGender

  return ""
}
```

```
712
713 function extractGuidePeopleCount(text = "", collected = {}) {
714   const existing = readCollectedText(collected, ["peopleCount"])
715   if (existing) return existing
716
717   const normalized = normalizeText(text)
718   const matched = normalized.match(/([一二三四五六七八九十两\d]+(?:人|位))/u)
719   if (matched && matched[1]) return matched[1]
720
721   if (/^我和/u.test(normalized)) {
722     return "2人"
723   }
724
725   return ""
726 }
727
728 function extractGuideRelationship(text = "", collected = {}) {
729   const existing = readCollectedText(collected, ["relationship"])
730   if (existing) return existing
731
732   const normalized = normalizeText(text)
733   const matched = normalized.match(/(情侣|夫妻|亲子|朋友|闺蜜|同学|同事|家人|一个人|独自|男朋友|女朋友|对象|恋人|爱人
    )/u)
734   if (matched && matched[1]) {
735     return /(男朋友|女朋友|对象|恋人|爱人)/u.test(matched[1]) ? "情侣" : matched[1]
736   }
737
738   if (/(男朋友|女朋友|对象|恋人|爱人)/u.test(normalized)) {
739     return "情侣"
740   }
741
742   return ""
743 }
744
745 function extractGuideBudget(text = "", collected = {}) {
746   const existing = readCollectedText(collected, ["budget"])
747   if (existing) return existing
748
749   const matched = normalizeText(text).match(/(\d{2,5}\s*(?:元|块|w|万))/u)
750   return matched && matched[1] ? matched[1] : ""
751 }
752
753 function buildBuddyCollectedFields(text = "", prevCollected = {}, location = {}) {
754   return {
755     departure:
756       readCollectedText(prevCollected, ["departure"]) ||
757       normalizeText(location && (location.city || location.displayName)) ||
758       "",
759     destination: extractTaskDestination(text, prevCollected),
760     time: extractTaskTime(text, prevCollected),
761     companionPreference: extractBuddyCompanionPreference(text, prevCollected)
762   }
763 }
764
765 function buildGuideCollectedFields(text = "", prevCollected = {}) {
766   return {
767     time: extractTaskTime(text, prevCollected),
768     peopleCount: extractGuidePeopleCount(text, prevCollected),
769     relationship: extractGuideRelationship(text, prevCollected),
770     budget: extractGuideBudget(text, prevCollected),
771     destination: extractTaskDestination(text, prevCollected)
772   }
```

```
773 }
774
775 function pickMissingField(mainline = "", collected = {}) {
776   const fieldOrderMap = {
777     buddy_matching: ["destination", "time", "departure", "companionPreference"],
778     guide_customization: ["destination", "time", "peopleCount", "relationship", "bud
    get"]
779   }
780
781   const order = fieldOrderMap[mainline] || []
782   return order.find((field) => !normalizeText(collected && collected[field])) || ""
783 }
784
785 function classifyFeedbackType(text = "") {
786   const source = normalizeText(text)
787   if (!source) return ""
788   if (/(建议|希望|能不能|可不可以|改进)/u.test(source)) return "platform_suggestion"
789   if (/(难用|卡|bug|闪退|进不去|加载慢|失败)/u.test(source)) return "product_feedback"
790   if (/(烦|难受|委屈|伤心|emo|崩溃|累)/u.test(source)) return "emotion_support"
791   return "experience_complaint"
792 }
793
794 function inferMainlineFromText(text = "") {
795   const source = normalizeText(text)
796   if (!source) return ""
797   if (/(天气|气温|温度|下雨|降雨|冷不冷|热不热|我在哪|我现在在哪|当前位置|定位|我的位置)/u.test(source)) {
798     return "weather_location"
799   }
800   if (/(搭子|同行|一起去|有没有人一起|找人一起|找个伴)/u.test(source)) {
801     return "buddy_matching"
802   }
803   if (/(攻略|行程|路线|怎么玩|安排|旅游|旅行|去.+玩)/u.test(source)) {
804     return "guide_customization"
805   }
806   if (/(建议|反馈|意见|吐槽|抱怨|难受|委屈|伤心|emo|崩溃|压力|不高兴|烦|心情)/u.test(source)) {
807     return "xiaohe_feedback"
808   }
809   return ""
810 }
811
812 function buildSkillOpeningQuestion(skillMode = "") {
813   if (skillMode === "guide_customization") {
814     return "用户刚进入了“攻略定制”技能。请你先热情问候，再用自然聊天的语气引导用户逐步补充这次行程信息。不要一上来就给推荐，也不要
    优先帮助用户收集这次攻略所需的关键信息，并且第一轮只问当前最必要的一个问题。"
815   }
816
817   if (skillMode === "buddy_matching") {
818     return "用户刚进入了“找搭子”技能。请你先以“小禾”的身份主动发出一条自然的开场引导，不要直接给推荐结果，也不要照搬固定模板。核
    次想去哪、什么时候出发、希望和什么样的人同行。第一轮只问当前最必要的一个问题。"
819   }
820
821   if (skillMode === "xiaohe_feedback") {
822     return "用户刚进入了“小禾树洞”技能。请你以小禾的口吻主动开始对话，先邀请用户说出最想反馈的内容，再根据对方表达自然追问必要细节
    表。"
823   }
824
825   return ""
826 }
827
828 function toAgentHistory(messages = []) {
829   return (messages || [])
830     .map((item) => {
```

```
    const content = normalizeText(item && item.text)
    if (!content) return null
    return {
      role: item.role === "user" ? "user" : "assistant",
      content
    }
  })
  .filter(Boolean)
  .slice(-12)
}

function detectRecommendationType(question = "") {
  const text = normalizeText(question)
  if (!text) return ""

  if (/(特产|美食|礼盒|伴手礼|带走|乡味|手作)/u.test(text)) return "product"
  if (/(景点|景区|风景|打卡|拍照|观光|花海|草原|古村|漫游|牧场)/u.test(text)) return "scenic"
  if (/(活动|农旅|采摘|研学|亲子|周末|农场|体验)/u.test(text)) return "activity"

  return ""
}

function buildIntentTokensByType(question = "", type = "") {
  const source = normalizeText(question)
  const keywordMap = {
    activity: ["亲子", "农旅", "采摘", "研学", "周末", "农场", "手作", "萌宠", "草莓"],
    scenic: ["景点", "打卡", "拍照", "古村", "花海", "草原", "漫游", "观光", "田园"],
    product: ["特产", "伴手礼", "礼盒", "美食", "乡味", "手作", "健康", "杂粮", "鲜果"]
  }

  return uniqueList((keywordMap[type] || []).filter((keyword) => source.includes(keyword)))
}

function buildLocationTokens(location = {}) {
  return uniqueList([
    trimRegionSuffix(location.province),
    trimRegionSuffix(location.city),
    trimRegionSuffix(location.district),
    trimRegionSuffix(location.displayName),
    trimRegionSuffix(location.locationText)
  ].filter(Boolean))
}

function joinActivitySearchText(item = {}) {
  return normalizeTextLower([
    item.title,
    item.summary,
    item.content,
    item.detail,
    item.locationName,
    item.province,
    item.city,
    item.district,
    item.transport,
    item.stay
  ]
    .concat(normalizeArray(item.tags))
    .concat(normalizeArray(item.travelModeTags))
    .concat(normalizeArray(item.playTags))
    .concat(normalizeArray(item.suitableGroups))
    .concat(normalizeArray(item.highlights))
```

```
    .concat(normalizeArray(item.itinerary))
    .join(" "))
}

function joinScenicSearchText(item = {}) {
  return normalizeTextLower([
    item.title,
    item.locationName,
    item.summary,
    item.content,
    item.detail,
    item.province,
    item.city,
    item.district,
    item.tips,
    item.openTime
  ]
    .concat(normalizeArray(item.tags))
    .concat(normalizeArray(item.playTags))
    .concat(normalizeArray(item.suitableGroups))
    .concat(normalizeArray(item.highlights))
    .join(" "))
}

function joinProductSearchText(item = {}) {
  return normalizeTextLower([
    item.title,
    item.locationName,
    item.summary,
    item.content,
    item.detail,
    item.province,
    item.city,
    item.district
  ]
    .concat(normalizeArray(item.tags))
    .concat(normalizeArray(item.categoryTags))
    .concat(normalizeArray(item.highlights))
    .concat(normalizeArray(item.suitableGroups))
    .join(" "))
}

function scoreByQuestion(text, question = "", location = {}, type = "") {
  const intentTokens = buildIntentTokensByType(question, type)
  const locationTokens = buildLocationTokens(location)
  let score = 0

  intentTokens.forEach((token) => {
    if (text.includes(normalizeTextLower(token))) {
      score += 12
    }
  })

  locationTokens.forEach((token, index) => {
    if (token && text.includes(normalizeTextLower(token))) {
      score += 16 - Math.min(index * 2, 8)
    }
  })

  if (/(附近|周边)/u.test(normalizeText(question)) && !locationTokens.length) {
    score -= 4
  }
```

```

  return score
}

function getActivityPlayItems(item = {}) {
  return uniqueList(
    normalizeArray(item.highlights)
      .concat(normalizeArray(item.itinerary))
      .concat(normalizeArray(item.playTags))
      .concat(normalizeArray(item.suitableGroups))
  ).slice(0, 4)
}

function getActivityPracticalInfo(item = {}) {
  const addressText = normalizeText(
    item.locationName || [item.province, item.city, item.district].filter(Boolean).j
oin(" · ")
  ) || "待补充"
  const phoneText = normalizeText(item.merchantPhone || item.contactPhone || item.ph
one || item.tel) || "待咨询"

  return [
    { label: "地址", value: addressText },
    { label: "电话", value: phoneText }
  ]
}

function getScenicPlayItems(item = {}) {
  return uniqueList(
    normalizeArray(item.highlights)
      .concat(normalizeArray(item.playTags))
      .concat(normalizeArray(item.suitableGroups))
  ).slice(0, 4)
}

function getScenicPracticalInfo(item = {}) {
  const addressText = normalizeText(
    item.locationName || [item.province, item.city, item.district].filter(Boolean).j
oin(" · ")
  ) || "待补充"
  const openTimeText = normalizeText(item.openTime) || "以现场公示为准"

  return [
    { label: "地址", value: addressText },
    { label: "开放时间", value: openTimeText }
  ]
}

function getProductPlayItems(item = {}) {
  return uniqueList(
    normalizeArray(item.highlights)
      .concat(normalizeArray(item.categoryTags))
      .concat(normalizeArray(item.tags))
      .concat(normalizeArray(item.suitableGroups))
  ).slice(0, 4)
}

function getProductPracticalInfo(item = {}) {
  const originText = normalizeText(
    item.locationName || [item.province, item.city, item.district].filter(Boolean).j
oin(" · ")
  ) || "待补充"
```

```
  const priceText = item.price
    ? `¥${item.price}`
    : (item.priceFrom ? `¥${item.priceFrom}起` : "价格待定")

  return [
    { label: "产地", value: originText },
    { label: "参考价格", value: priceText }
  ]
}

function buildBuddyPromptSummary(question = "", userInfo = {}) {
  const dnaTags = normalizeArray(userInfo.dnaTags).slice(0, 3)
  const profileText = dnaTags.length ? `，也会参考你的偏好标签“${dnaTags.join("、")}”` : ""
  const questionText = normalizeText(question) || "你当前的同行需求"
  return `小禾根据“${questionText}”${profileText}，先帮你筛到这几位更值得进一步联系的搭子候选。`
}

Page({
  data: {
    statusBarHeight: 20,
    text: {
      brand: "问小禾",
      fallbackQuestion: "附近有哪些适合周末放松的去处？",
      inputPlaceholder: "发消息，告诉小禾你想了解什么"
    },
    source: "search_input",
    skillMode: "",
    question: "",
    conversationId: "",
    showSkillIntro: false,
    showSkillBadge: false,
    skillBadgeName: "",
    inputPlaceholder: "发消息，告诉小禾你想了解什么",
    introText: "",
    quickOptions: [],
    messages: [],
    inputValue: "",
    isAiLoading: false,
    currentTaskState: createEmptyTaskState(""),
    genericPreferences: {
      distance: "",
      budget: "",
      detailLevel: ""
    }
  },

  onLoad(options) {
    this.initNavMetrics()

    const source = options && options.source ? options.source : "search_input"
    const skillMode = normalizeSkillMode(options && options.skillMode ? options.skillMode : "")
    const skillConfig = SKILL_CONFIG[skillMode] || null
    const shouldShowSkillIntro = source === "skill_entry" && !!skillConfig && skillMode !== "buddy_matching"
    const question = options && options.q ? decodeURIComponent(options.q) : ""
    const conversationId = options && options.conversationId ? decodeURIComponent(options.conversationId) : ""

    if (conversationId) {
      this.restoreConversation(conversationId, source, skillMode, skillConfig)
      return
```

```
    }

    const initialQuestion = source === "skill_entry"
      ? (skillConfig ? skillConfig.badgeName : this.data.text.brand)
      : (question || this.data.text.fallbackQuestion)
    const messages = this.buildMessages({ source, question: initialQuestion })
    const nextConversationId = createConversationId()

    this.setData({
      source,
      skillMode,
      question: initialQuestion,
      conversationId: nextConversationId,
      showSkillIntro: shouldShowSkillIntro,
      showSkillBadge: source === "skill_entry" && !!skillConfig,
      skillBadgeName: skillConfig ? skillConfig.badgeName : "",
      inputPlaceholder: skillConfig ? skillConfig.placeholder : this.data.text.input
  Placeholder,
      introText: shouldShowSkillIntro && skillConfig ? skillConfig.intro : "",
      quickOptions: [],
      messages,
      currentTaskState: createInitialTaskState(skillMode),
      genericPreferences: {
        distance: "",
        budget: "",
        detailLevel: ""
      }
    })

    this.persistConversation(nextConversationId, messages, initialQuestion)

    if (source === "skill_entry") {
      const openingQuestion = buildSkillOpeningQuestion(skillMode)
      this.requestGenericAnswer(openingQuestion, {
        contextPayload: {
          mode: "skill",
          skillContext: buildSkillContext(skillMode) || {}
        }
      })
      return
    }

    this.requestGenericAnswer(initialQuestion)
  },

  onUnload() {
    this.stopLoadingAnimation()
  },

  initNavMetrics() {
    try {
      const systemInfo = wx.getSystemInfoSync()
      this.setData({ statusBarHeight: systemInfo.statusBarHeight || 20 })
    } catch (error) {
      this.setData({ statusBarHeight: 20 })
    }
  },

  restoreConversation(conversationId, source, skillMode, skillConfig) {
    const conversation = getConversationById(conversationId)
    if (!conversation) {
      wx.showToast({
```

```
      title: "未找到这段历史对话",
      icon: "none"
    })
    wx.navigateBack()
    return
  }

  this.setData({
    source,
    skillMode,
    question: normalizeText(conversation.firstQuestion),
    conversationId,
    showSkillIntro: false,
    showSkillBadge: false,
    skillBadgeName: skillConfig ? skillConfig.badgeName : "",
    inputPlaceholder: skillConfig ? skillConfig.placeholder : this.data.text.input
Placeholder,
    introText: "",
    quickOptions: [],
    messages: Array.isArray(conversation.messages) ? conversation.messages : [],
    currentTaskState: conversation.currentTaskState || createInitialTaskState(skil
lMode),
    genericPreferences: {
      ...(conversation.genericPreferences || {
        distance: "",
        budget: "",
        detailLevel: ""
      })
    }
  })
},

buildMessages({ source, question }) {
  if (source === "skill_entry") {
    return []
  }
  return [createMessage("user", question)]
},

persistConversation(conversationId, messages, firstQuestion) {
  if (!conversationId) return

  saveConversation({
    id: conversationId,
    title: buildConversationTitle(firstQuestion),
    firstQuestion,
    createdAt: getConversationById(conversationId)?.createdAt || Date.now(),
    updatedAt: Date.now(),
    messages,
    source: this.data.source,
    skillMode: this.data.skillMode,
    genericPreferences: this.data.genericPreferences,
    currentTaskState: this.data.currentTaskState
  })
},

syncCurrentConversation() {
  const { conversationId, messages } = this.data
  if (!conversationId || !messages.length) return

  const firstUserMessage = messages.find((item) => item.role === "user")
  const firstQuestion = normalizeText(firstUserMessage && firstUserMessage.text) |
```

```
    if (!firstQuestion) return

    this.persistConversation(conversationId, messages, firstQuestion)
  },

  getCurrentSkillContext(extraSkillContext = null) {
    const baseSkillContext = buildSkillContext(this.data.skillMode) || {}
    const currentTaskState = this.data.currentTaskState || createEmptyTaskState("")
    const mergedSkillContext = {
      ...baseSkillContext,
      ...(extraSkillContext || {})
    }

    return {
      ...mergedSkillContext,
      collected: {
        ...(mergedSkillContext.collected || {}),
        ...(currentTaskState.collected || {})
      }
    }
  },

  buildNextTaskState(question, location = null) {
    const currentTaskState = this.data.currentTaskState || createEmptyTaskState("")
    const inferredMainline = inferMainlineFromText(question)
    const skillMainline =
      MAINLINE_BY_SKILL_MODE[this.data.skillMode] ||
      currentTaskState.mainline ||
      inferredMainline ||
      ""
    const nextState = {
      ...createEmptyTaskState(skillMainline),
      ...currentTaskState,
      mainline: skillMainline || currentTaskState.mainline || ""
    }

    const text = normalizeText(question)
    if (!text) {
      return nextState
    }

    if (nextState.mainline === "buddy_matching") {
      const collected = buildBuddyCollectedFields(text, nextState.collected, location)
      return {
        ...nextState,
        collected,
        missingField: pickMissingField("buddy_matching", collected),
        lastAskedField: currentTaskState.missingField || currentTaskState.lastAskedField || ""
      }
    }

    if (nextState.mainline === "guide_customization") {
      const collected = buildGuideCollectedFields(text, nextState.collected)
      return {
        ...nextState,
        collected,
        missingField: pickMissingField("guide_customization", collected),
        lastAskedField: currentTaskState.missingField || currentTaskState.lastAskedField || ""
      }
```

```
  }

  if (nextState.mainline === "xiaohe_feedback") {
    return {
      ...nextState,
      feedbackType: classifyFeedbackType(text)
    }
  }

  return nextState
},

updateCurrentTaskState(question, location = null) {
  const nextTaskState = this.buildNextTaskState(question, location)
  this.setData({ currentTaskState: nextTaskState })
  return nextTaskState
},

goBack() {
  if (getCurrentPages().length > 1) {
    wx.navigateBack()
    return
  }

  wx.navigateTo({ url: "/pages/search/search?mode=ask" })
},

onInputChange(e) {
  this.setData({ inputValue: e.detail.value || "" })
},

submitInput() {
  const value = normalizeText(this.data.inputValue)
  if (!value) return
  this.handleUserReply(value)
},

useQuickOption(e) {
  const question = normalizeText(e.currentTarget.dataset.question)
  if (!question) return
  this.handleUserReply(question)
},

handleUserReply(value) {
  const nextMessages = this.data.messages.concat(createMessage("user", value))
  this.setData({
    messages: nextMessages,
    inputValue: ""
  })
  this.syncCurrentConversation()

  if (this.data.source === "skill_entry") {
    this.requestGenericAnswer(value, {
      contextPayload: {
        mode: "skill",
        skillContext: buildSkillContext(this.data.skillMode) || {}
      }
    })
    return
  }

  this.replyGeneric(value)
```

```
  },

  async replyGeneric(value) {
    if (!value) return
    const normalizedValue = normalizeText(value)

    if (normalizedValue.includes("更近") || normalizedValue.includes("近一点")) {
      this.setData({
        genericPreferences: {
          ...this.data.genericPreferences,
          distance: "near"
        }
      })
      this.appendAiMessage("记下了。接下来小禾会优先帮你关注更近一些、出行更轻松的选择。")
      return
    }

    if (normalizedValue.includes("便宜") || normalizedValue.includes("性价比") || normalizedValue.includes("省钱")) {
      this.setData({
        genericPreferences: {
          ...this.data.genericPreferences,
          budget: "value"
        }
      })
      this.appendAiMessage("收到。接下来小禾会更偏向高性价比、预算更友好的推荐。")
      return
    }

    if (/^(详细一点|更详细一点|具体一点|说具体点|展开讲讲|讲详细点|再详细点)$/u.test(normalizedValue)) {
      this.setData({
        genericPreferences: {
          ...this.data.genericPreferences,
          detailLevel: "detailed"
        }
      })
      this.appendAiMessage("可以。接下来小禾会把建议说得更具体一些，方便你直接判断。")
      return
    }

    await this.requestGenericAnswer(value)
  },

  appendAiMessage(text, extra = {}) {
    const nextMessages = this.data.messages.concat(createMessage("ai", text, extra))
    this.setData({ messages: nextMessages })
    this.syncCurrentConversation()
  },

  appendAiPlaceholder() {
    const message = createMessage("ai", "", {
      recommendations: [],
      tips: "",
      guessQuestions: [],
      followUp: ""
    })

    const nextMessages = this.data.messages.concat(message)
    this.setData({ messages: nextMessages })
    this.syncCurrentConversation()
    return message.id
  },
```

```
  updateMessageById(id, updates = {}) {
    const messages = (this.data.messages || []).map((message) => {
      if (message.id !== id) return message
      return { ...message, ...updates }
    })

    this.setData({ messages })
    this.syncCurrentConversation()
  },

  startLoadingAnimation(messageId) {
    this.stopLoadingAnimation()
    const frames = ["", ".", "..", "..."]
    let frameIndex = 0

    this.updateMessageById(messageId, {
      text: LOADING_BASE_TEXT
    })

    this.loadingMessageTimer = setInterval(() => {
      frameIndex = (frameIndex + 1) % frames.length
      this.updateMessageById(messageId, {
        text: `${LOADING_BASE_TEXT}${frames[frameIndex]}`
      })
    }, 450)
  },

  stopLoadingAnimation() {
    if (this.loadingMessageTimer) {
      clearInterval(this.loadingMessageTimer)
      this.loadingMessageTimer = null
    }
  },

  async requestGenericAnswer(question, options = {}) {
    if (!question || this.data.isAiLoading) return

    if (!yuxiaoheBotId) {
      this.appendAiMessage("当前还没有完成问小禾的智能体配置，暂时还不能发起对话。")
      return
    }

    if (!wx.cloud || !wx.cloud.extend || !wx.cloud.extend.AI || !wx.cloud.extend.AI.bot) {
      this.appendAiMessage("当前微信基础库暂不支持问小禾对话，请确认小程序基础库版本为 3.7.1 或以上。")
      return
    }

    this.setData({ isAiLoading: true })
    const aiMessageId = this.appendAiPlaceholder()
    const recommendationType = detectRecommendationType(question)
    const latestLocation = await this.ensureFreshLocationContext()
    const currentTaskState = this.data.currentTaskState || createInitialTaskState(this.data.skillMode)
    const contextPayload = {
      ...(options.contextPayload || {}),
      location: latestLocation,
      currentTaskState,
      skillContext: {
        ...this.getCurrentSkillContext(options.contextPayload && options.contextPayload.skillContext),
```

```
      collected: {
        ...(currentTaskState.collected || {})
      }
    }
  }
  const shouldRenderStructuredAnswer = !!recommendationType && !currentTaskState.mainline
  this.startLoadingAnimation(aiMessageId)

  try {
    const groundedUiPromise = shouldRenderStructuredAnswer
      ? this.buildGroundedRecommendationUi(question, contextPayload)
      : Promise.resolve({ introText: "", recommendations: [], tips: "" })
    const conversationStatePromise = this.fetchConversationState(question, contextPayload).catch((error) => {
      console.warn("[askXiaoheChat] fetch conversation state failed", error)
      return null
    })
    const res = await wx.cloud.extend.AI.bot.sendMessage({
      data: {
        botId: yuxiaoheBotId,
        msg: question,
        history: toAgentHistory(this.data.messages),
        contextPayload: this.buildGenericPayload(question, contextPayload)
      }
    })
    try {
      console.log("[askXiaoheChat] sendMessage response keys", Object.keys(res || {}))
      console.log("[askXiaoheChat] sendMessage response", res)
    } catch (logError) {
      console.warn("[askXiaoheChat] inspect sendMessage response failed", logError)
    }

    let answer = ""
    for await (const chunk of res.textStream) {
      answer += chunk
      this.stopLoadingAnimation()
      this.updateMessageById(aiMessageId, {
        text: answer
      })
    }

    const conversationState = await conversationStatePromise
    try {
      console.log("[askXiaoheChat] conversation state", conversationState)
    } catch (logError) {
      console.warn("[askXiaoheChat] inspect conversation state failed", logError)
    }
    if (conversationState) {
      const nextTaskState = buildTaskStateFromBackend(conversationState, currentTaskState)
      this.setData({ currentTaskState: nextTaskState })
    }

    const taskStateFromBackend = buildTaskStateFromBackend(conversationState, currentTaskState)
    const recommendations =
      conversationState && conversationState.mainline === "buddy_matching"
        ? this.buildBuddyRecommendations(conversationState && conversationState.candidates, taskStateFromBackend)
```

```
      : await this.buildGuideRecommendations(
        conversationState && conversationState.candidates,
        taskStateFromBackend
      )
    try {
      console.log("[askXiaoheChat] structured recommendation summary", {
        mainline: conversationState && conversationState.mainline,
        candidateCount: Array.isArray(conversationState && conversationState.candidates)
          ? conversationState.candidates.length
          : 0,
        recommendationCount: Array.isArray(recommendations) ? recommendations.length : 0,
        firstRecommendation: Array.isArray(recommendations) && recommendations.length
          ? recommendations[0]
          : null
      })
    } catch (logError) {
      console.warn("[askXiaoheChat] inspect structured recommendations failed", logError)
    }
    if (
      conversationState &&
      conversationState.mainline === "guide_customization" &&
      recommendations.length
    ) {
      this.updateMessageById(aiMessageId, {
        text: buildGuideCardIntro(taskStateFromBackend),
        recommendations,
        tips: buildGuideWarmTips(taskStateFromBackend, recommendations),
        guessQuestions: [],
        followUp: ""
      })
      return
    }

    if (
      conversationState &&
      conversationState.mainline === "buddy_matching" &&
      recommendations.length
    ) {
      this.updateMessageById(aiMessageId, {
        text: buildBuddyPromptSummary(question),
        recommendations,
        tips: [
          "小禾提醒你",
          "1. 先确认出发时间和集合区域，再决定要不要继续聊。",
          "2. 当前展示的是后端统一返回的真实同行候选卡片。"
        ].join("\n"),
        guessQuestions: [],
        followUp: ""
      })
      return
    }

    const groundedUi = await groundedUiPromise
    if (shouldRenderStructuredAnswer && groundedUi.recommendations && groundedUi.recommendations.length) {
      this.updateMessageById(aiMessageId, {
        text: groundedUi.introText || "",
        recommendations: groundedUi.recommendations || [],
```

```
      tips: groundedUi.tips || "",
      guessQuestions: [],
      followUp: ""
    })
    return
  }

  this.updateMessageById(aiMessageId, {
    text: normalizeText(answer) || "这次小禾没有整理出有效内容，你可以换个问法再试试。",
    recommendations: [],
    tips: "",
    guessQuestions: [],
    followUp: ""
  })
} catch (error) {
  console.error("[askXiaoheChat] generic failed", error)
  this.updateMessageById(aiMessageId, {
    text: "小禾这会儿有点忙，你可以换个问法试试，或者稍后再来找我。",
    recommendations: [],
    tips: "",
    guessQuestions: [],
    followUp: ""
  })
} finally {
  this.stopLoadingAnimation()
  this.setData({ isAiLoading: false })
  this.syncCurrentConversation()
}
},

async ensureFreshLocationContext() {
  const app = getApp()
  let userInfo = {}

  try {
    userInfo = (app && typeof app.getUserInfo === "function" && app.getUserInfo())
    || {}
  } catch (error) {
    userInfo = {}
  }

  const selectedRegion = readSelectedRegion()
  let nextUserLocation = null

  try {
    nextUserLocation = wx.getStorageSync("userLocation") || userInfo.userLocation
    || null
  } catch (error) {
    nextUserLocation = userInfo.userLocation || null
  }

  try {
    const setting = await getSettingAsync()
    if (setting && setting.authSetting && setting.authSetting["scope.userLocation"
    ]) {
      const locationRes = await getLocationAsync()
      nextUserLocation = {
        latitude: locationRes.latitude,
        longitude: locationRes.longitude
      }
      wx.setStorageSync("userLocation", nextUserLocation)

```

```
      if (userInfo && userInfo.openid && app && typeof app.setUserInfo === "function") {
        app.setUserInfo({
          ...userInfo,
          userLocation: nextUserLocation,
          locationAuthorized: true
        })
        userInfo = (typeof app.getUserInfo === "function" && app.getUserInfo()) || userInfo
      }
    }
  } catch (error) {
    console.warn("[askXiaoheChat] refresh location before request failed", error)
  }

  return buildLocationContext(userInfo, nextUserLocation, selectedRegion)
},

buildGenericPayload(question, extraPayload = {}) {
  const app = getApp()
  let userInfo = {}
  let cachedUserLocation = null
  let selectedRegion = null

  try {
    userInfo = (app && typeof app.getUserInfo === "function" && app.getUserInfo()) || {}
  } catch (error) {
    userInfo = {}
  }

  try {
    cachedUserLocation = wx.getStorageSync("userLocation") || (userInfo && userInfo.userLocation) || null
  } catch (error) {
    cachedUserLocation = null
  }

  selectedRegion = readSelectedRegion()

  const baseLocation = buildLocationContext(userInfo, cachedUserLocation, selectedRegion)
  const mergedLocation = {
    ...baseLocation,
    ...(extraPayload.location || {})
  }
  const currentTaskState = extraPayload.currentTaskState || this.data.currentTaskState || createEmptyTaskState("")
  const skillContext = {
    ...this.getCurrentSkillContext(extraPayload.skillContext),
    collected: {
      ...(this.getCurrentSkillContext(extraPayload.skillContext).collected || {}),
      ...(currentTaskState.collected || {})
    }
  }

  return {
    mode: extraPayload.mode || "generic",
    source: this.data.source || "search_input",
    question,
    location: mergedLocation,
    userProfile: {
```

```
      nickname: userInfo.nickName || userInfo.nickname || "",
      dnaTags: userInfo.dnaTags || [],
      residentCity: userInfo.city || "",
      commonDeparture: userInfo.commonDeparture || userInfo.city || "",
      travelStyle: userInfo.travelStyle || "",
      budgetRange: userInfo.budgetRange || ""
    },
    preferences: this.data.genericPreferences || {},
    skillContext,
    currentTaskState,
    history: (this.data.messages || [])
      .map((item) => ({
        role: item.role === "ai" ? "assistant" : item.role,
        text: item.text
      }))
      .filter((item) => item.role && item.text)
      .slice(-20),
    context: {
      source: this.data.source || "search_input"
    },
    ...extraPayload
  }
},

async fetchActivitiesForChat() {
  try {
    const res = await wx.cloud.callFunction({ name: "getactivities" })
    return res && res.result && Array.isArray(res.result.list) ? res.result.list :
[]
  } catch (error) {
    console.error("[askXiaoheChat] fetch activities failed", error)
    return []
  }
},

async fetchScenicsForChat() {
  try {
    const db = wx.cloud.database()
    const res = await db.collection("scenics").get()
    return Array.isArray(res && res.data) ? res.data : []
  } catch (error) {
    console.error("[askXiaoheChat] fetch scenics failed", error)
    return []
  }
},

async fetchProductsForChat() {
  try {
    const db = wx.cloud.database()
    const res = await db.collection("products").get()
    return Array.isArray(res && res.data) ? res.data : []
  } catch (error) {
    console.error("[askXiaoheChat] fetch products failed", error)
    return []
  }
},

async fetchHotelsForChat() {
  try {
    const db = wx.cloud.database()
    const res = await db.collection("hotels").get()
    return Array.isArray(res && res.data) ? res.data : []
```

```
    } catch (error) {
      console.error("[askXiaoheChat] fetch hotels failed", error)
      return []
    }
  },

  async fetchConversationState(question, contextPayload = {}) {
    const app = getApp()
    const genericPayload = this.buildGenericPayload(question, contextPayload)
    const userInfo = (app && typeof app.getUserInfo === "function" && app.getUserInfo()) || {}
    const cloudbaseUserId = normalizeText(userInfo && userInfo.openid)
    const payload = {
      location: genericPayload.location || {},
      currentTaskState: genericPayload.currentTaskState || {},
      history: Array.isArray(genericPayload.history) ? genericPayload.history.slice(-20) : []
    }
    try {
      console.log("[askXiaoheChat] fetchConversationState payload", payload)
      console.log("[askXiaoheChat] fetchConversationState payload json", JSON.stringify(payload))
      console.log("[askXiaoheChat] fetchConversationState cloudbaseUserId", cloudbaseUserId)
    } catch (logError) {
      console.warn("[askXiaoheChat] inspect fetchConversationState payload failed", logError)
    }
    const result = await requestAgentHttp({
      path: "/api/conversation-state",
      method: "POST",
      data: {
        question,
        contextPayload: payload,
        cloudbaseUserId
      }
    })

    return result && result.data ? result.data : result
  },

  async buildGroundedRecommendationUi(question, extraPayload = {}) {
    const recommendationType = detectRecommendationType(question)
    if (!recommendationType) {
      return {
        introText: "",
        recommendations: [],
        tips: ""
      }
    }

    if (recommendationType === "activity") {
      return this.buildGroundedActivityUi(question, extraPayload)
    }

    if (recommendationType === "scenic") {
      return this.buildGroundedScenicUi(question, extraPayload)
    }

    return this.buildGroundedProductUi(question, extraPayload)
  },

```

```
1778  async buildGuideRecommendations(candidates = [], taskState = {}) {
1779    const normalizedCandidates = Array.isArray(candidates) ? candidates : []
1780    if (!normalizedCandidates.length) return []
1781
1782    const [activities, scenics, products, hotels] = await Promise.all([
1783      this.fetchActivitiesForChat(),
1784      this.fetchScenicsForChat(),
1785      this.fetchProductsForChat(),
1786      this.fetchHotelsForChat()
1787    ])
1788
1789    const activityMap = new Map((activities || []).map((item) => [normalizeText(item
    && (item._id || item.id)), item]))
1790    const scenicMap = new Map((scenics || []).map((item) => [normalizeText(item && (
    item._id || item.id)), item]))
1791    const productMap = new Map((products || []).map((item) => [normalizeText(item &&
     (item._id || item.id)), item]))
1792    const hotelMap = new Map((hotels || []).map((item) => [normalizeText(item && (it
    em._id || item.id)), item]))
1793
1794    const recommendations = await Promise.all(
1795      normalizedCandidates.map(async (candidate) => {
1796        const type = normalizeText(candidate && candidate.type)
1797        const sourceId = normalizeText(candidate && candidate.id)
1798        const fallback = buildGuideFallbackRecommendation(candidate)
1799        if (!type || !sourceId) return fallback
1800
1801        if (type === "activity") {
1802          const matched = activityMap.get(sourceId)
1803          return matched ? buildActivityRecommendationCard(matched, candidate, taskS
    tate) : fallback
1804        }
1805
1806        if (type === "scenic") {
1807          const matched = scenicMap.get(sourceId)
1808          return matched ? buildScenicRecommendationCard(matched, candidate, taskSta
    te) : fallback
1809        }
1810
1811        if (type === "product") {
1812          const matched = productMap.get(sourceId)
1813          return matched ? buildProductRecommendationCard(matched, candidate, taskSt
    ate) : fallback
1814        }
1815
1816        if (type === "hotel") {
1817          const matched = hotelMap.get(sourceId)
1818          return matched ? buildHotelRecommendationCard(matched, candidate, taskStat
    e) : fallback
1819        }
1820
1821        return fallback
1822      })
1823    )
1824
1825    return recommendations.filter(Boolean)
1826  },
1827
1828  buildBuddyRecommendations(candidates = [], taskState = {}) {
1829    const normalizedCandidates = Array.isArray(candidates) ? candidates : []
1830    if (!normalizedCandidates.length) return []
1831
```

```
  return normalizedCandidates
    .map((candidate, index) => {
      const title = normalizeText(candidate && (candidate.nickname || candidate.ti
tle)) || `搭子候选 ${index + 1}`
      const tags = filterBuddyTags(candidate && candidate.tags)
      const region = normalizeText(candidate && candidate.region)
      const summary = normalizeBuddySummaryText(candidate && candidate.summary, re
gion)
      const matchReason = normalizeText(candidate && candidate.matchReason) || "资料
和偏好方向比较接近，适合先进一步聊聊。"
      const practicalInfo = buildBuddyPracticalInfoFromCandidate(candidate)
      const playItems = buildBuddyHighlightsFromCandidate({ ...candidate, tags })

      return normalizeBuddyRecommendation({
        id: normalizeText(candidate && candidate.id) || `buddy-${index}`,
        type: "buddy",
        title,
        statusTag: "",
        summary,
        matchReason,
        reasonTitle: "匹配理由",
        tags,
        playItems,
        practicalInfo,
        avatarUrl: "",
        avatarText: buildBuddyAvatarText(title),
        avatarColor: buildBuddyAvatarColor(title),
        actionText: "发起搭子申请",
        openingText: buildBuddyOpeningText({
          ...candidate,
          title,
          region,
          matchReason,
        }),
        planSummary: "",
        matchScore: "",
        matchScoreText: "",
        taskState,
      })
    })
    .filter(Boolean)
  },

  async buildGroundedActivityUi(question, extraPayload = {}) {
    const payload = this.buildGenericPayload(question, extraPayload)
    const location = payload.location || {}
    const list = await this.fetchActivitiesForChat()
    const rankedList = list
      .map((item) => ({ item, score: scoreByQuestion(joinActivitySearchText(item), q
uestion, location, "activity") }))
      .filter((item) => item.score > 0)
      .sort((a, b) => b.score - a.score)
      .slice(0, 3)

    const recommendations = await Promise.all(
      rankedList.map(async ({ item }) => {
        const coverTagInfo = buildActivityCoverTags(item)
        const playItems = getActivityPlayItems(item)
        const gallery = await resolveActivityGallery(item)

        return {
          id: normalizeText(item._id || item.id),
```

```
      sourceId: normalizeText(item._id || item.id),
      type: "activity",
      title: normalizeText(item.title) || "农旅活动",
      summary: normalizeText(item.summary || item.content || item.detail) || "暂时还没有更详细的介绍。",
      gallery: Array.isArray(gallery) ? gallery.filter(Boolean).slice(0, 2) : [],
      tags: coverTagInfo.combinedTags.slice(0, 4),
      playItems: playItems.length ? playItems : ["活动亮点待补充"],
      practicalInfo: getActivityPracticalInfo(item),
      cover: await resolveActivityCover(item)
    }
  })
)

return {
  introText: recommendations.length ? "小禾结合你当前的位置和平台内容，为你整理了这些更值得关注的农旅活动：" : "",
  recommendations,
  tips: recommendations.length
    ? [
      "小禾提醒你",
      "1. 出行前建议先确认最新开放情况和可体验项目。",
      "2. 参与亲子或户外活动时，记得提前做好防晒、防蚊和补水准备。"
      ].join("\n")
    : ""
}
},

async buildGroundedScenicUi(question, extraPayload = {}) {
  const payload = this.buildGenericPayload(question, extraPayload)
  const location = payload.location || {}
  const list = await this.fetchScenicsForChat()
  const rankedList = list
    .map((item) => ({ item, score: scoreByQuestion(joinScenicSearchText(item), question, location, "scenic") }))
    .filter((item) => item.score > 0)
    .sort((a, b) => b.score - a.score)
    .slice(0, 3)

  const recommendations = rankedList.map(({ item }) => {
    const cover = normalizeText(item.cover) || DEFAULT_ACTIVITY_COVER
    const gallery = Array.isArray(item.gallery) && item.gallery.length
      ? item.gallery.filter(Boolean).slice(0, 2)
      : [cover]
    const playItems = getScenicPlayItems(item)

    return {
      id: normalizeText(item._id || item.id),
      sourceId: normalizeText(item._id || item.id),
      type: "scenic",
      title: normalizeText(item.locationName || item.title) || "乡村景点",
      summary: normalizeText(item.summary || item.content || item.detail) || "暂时还没有更详细的介绍。",
      gallery,
      tags: uniqueList(normalizeArray(item.playTags).concat(normalizeArray(item.tags))).slice(0, 4),
      playItems: playItems.length ? playItems : ["游玩亮点待补充"],
      practicalInfo: getScenicPracticalInfo(item),
      cover
    }
  })

```

```
    return {
      introText: recommendations.length ? "小禾结合你当前的位置和平台内容，为你整理了这些值得去看看的乡村景点：" : "",
      recommendations,
      tips: recommendations.length
        ? [
            "小禾提醒你",
            "1. 出行前建议先确认天气、开放时间和停车条件。",
            "2. 如果这次主要是拍照打卡，尽量选择光线更稳定的时段前往。"
          ].join("\n")
        : ""
    }
  },

  async buildGroundedProductUi(question, extraPayload = {}) {
    const payload = this.buildGenericPayload(question, extraPayload)
    const location = payload.location || {}
    const list = await this.fetchProductsForChat()
    const rankedList = list
      .map((item) => ({ item, score: scoreByQuestion(joinProductSearchText(item), question, location, "product") }))
      .filter((item) => item.score > 0)
      .sort((a, b) => b.score - a.score)
      .slice(0, 3)

    const recommendations = rankedList.map(({ item }) => {
      const cover = normalizeText(item.cover) || DEFAULT_PRODUCT_COVER
      const playItems = getProductPlayItems(item)

      return {
        id: normalizeText(item._id || item.id),
        sourceId: normalizeText(item._id || item.id),
        type: "product",
        title: normalizeText(item.title) || "乡味特产",
        summary: normalizeText(item.summary || item.content || item.detail) || "暂时还没有更详细的介绍。",
        gallery: [cover],
        tags: uniqueList(normalizeArray(item.categoryTags).concat(normalizeArray(item.tags))).slice(0, 4),
        playItems: playItems.length ? playItems : ["选购亮点待补充"],
        practicalInfo: getProductPracticalInfo(item),
        cover
      }
    })

    return {
      introText: recommendations.length ? "小禾结合你当前的位置和平台内容，为你整理了这些值得带走的乡味特产：" : "",
      recommendations,
      tips: recommendations.length
        ? [
            "小禾提醒你",
            "1. 送礼或远途携带时，优先选择礼盒、干货或真空包装产品。",
            "2. 生鲜和现做类商品记得留意保质期与便携性。"
          ].join("\n")
        : ""
    }
  },

  async requestBuddyMatches(question) {
    if (!ensureBuddySession()) {
      return
    }

```

```
    const app = getApp()
    let userInfo = {}
    try {
      userInfo = (app && typeof app.getUserInfo === "function" && app.getUserInfo())
    || {}
    } catch (error) {
      userInfo = {}
    }

    try {
      const result = await wx.cloud.callFunction({
        name: "userManage",
        data: {
          action: "getBuddyMatches",
          payload: {
            question: normalizeText(question) || DEFAULT_BUDDY_TAGS.join(" "),
            limit: 3
          }
        }
      })

      const recommendations = Array.isArray(result?.result?.list)
        ? result.result.list.map((item) => ({
            ...normalizeBuddyRecommendation(item),
            type: "buddy",
            title: item.userName,
          }))
        : []

      if (!recommendations.length) {
        this.appendAiMessage("小禾暂时还没有筛到合适的真实搭子候选。等更多用户完成资料和 DNA 标签后，这里会更准确。", {
          channelLabel: "找搭子"
        })
        return
      }

      this.appendAiMessage(buildBuddyPromptSummary(question, userInfo), {
        recommendations,
        tips: [
          "小禾提醒你",
          "1. 先确认出发时间和集合区域，再决定要不要继续聊。",
          "2. 目前展示的是基于真实资料算出的候选，只展示必要字段。"
        ].join("\n"),
        channelLabel: "找搭子"
      })
    } catch (error) {
      console.error("[askXiaoheChat] get buddy matches failed", error)
      this.appendAiMessage("小禾这会儿还没拿到可用的搭子候选，你可以稍后再试。", {
        channelLabel: "找搭子"
      })
    }
  },

  applyBuddyMatch(e) {
    const dataset = (e && e.currentTarget && e.currentTarget.dataset) || {}
    const userName = normalizeText(dataset.username)
    const openingText = normalizeText(dataset.opening)
    if (!userName || !openingText) {
      wx.showToast({ title: "这位搭子的信息还没准备好", icon: "none" })
      return
    }

```

```
    const application = createBuddyApplicationFromMatch({
      userName,
      openingText,
      avatarUrl: dataset.avatarurl,
      avatarText: dataset.avatartext,
      avatarColor: dataset.avatarcolor,
      matchScore: dataset.matchscore,
      matchReason: dataset.matchreason,
      direction: "outgoing"
    })

    if (!application || !application.id) {
      wx.showToast({ title: "发起申请失败", icon: "none" })
      return
    }

    wx.showToast({ title: "已发起申请", icon: "success" })
    setTimeout(() => {
      wx.navigateTo({
        url: `/pages/messageBuddyApplyChat/messageBuddyApplyChat?id=${application.id}`
      })
    }, 220)
  },

  openCardDetail(e) {
    const { type, sourceid: sourceId } = e.currentTarget.dataset || {}
    try {
      console.log("[askXiaoheChat] openCardDetail dataset", e.currentTarget.dataset || {})
    } catch (logError) {
      console.warn("[askXiaoheChat] inspect openCardDetail dataset failed", logError)
    }
    if (type === "buddy") return
    if (!sourceId) return

    const urlMap = {
      activity: `/pages/activityDetail/activityDetail?id=${sourceId}`,
      scenic: `/pages/scenicDetail/scenicDetail?id=${sourceId}`,
      product: `/pages/productDetail/productDetail?id=${sourceId}`,
      hotel: `/pages/hotelDetail/hotelDetail?id=${sourceId}`
    }

    const targetUrl = urlMap[type]
    if (!targetUrl) return

    wx.navigateTo({ url: targetUrl })
  }
})
```

Path: miniprogram/pages/askXiaoheChat/askXiaoheChat.json

```
1 {
2   "navigationStyle": "custom"
3 }
```

Path: miniprogram/pages/askXiaoheChat/askXiaoheChat.wxml

```
<view class="page">
  <view class="customNav" style="padding-top: {{statusBarHeight}}px;">
    <view class="topbar">
      <view class="backBtn" bindtap="goBack">
        <view class="backArrow"></view>
      </view>
      <view class="brandWrap">
        <image class="brandIconImage" src="/images/ask_xiaohe_logo.png" mode="aspectFill"></image>
        <view class="brandTitle">{{text.brand}}</view>
      </view>
    </view>
  </view>

  <scroll-view class="content" scroll-y show-scrollbar="{{false}}" style="padding-top: calc({{statusBarHeight}}px + 108rpx);">
    <view class="introCard" wx:if="{{showSkillIntro}}">
      {{introText}}
    </view>

    <view class="chatList">
      <view class="messageBlock {{item.role}}" wx:for="{{messages}}" wx:key="id">
        <block wx:if="{{item.role === 'user'}}">
          <view class="bubble user">
            <view class="bubbleText" wx:if="{{item.text}}">{{item.text}}</view>
          </view>
        </block>

        <block wx:elif="{{item.role === 'ai'}}">
          <view class="bubble ai aiAsideBubble" wx:if="{{item.text || item.channelLabel}}">
            <view class="channelLabel" wx:if="{{item.channelLabel}}">
              {{item.channelLabel}}
            </view>
            <view class="bubbleText" wx:if="{{item.text}}">{{item.text}}</view>
          </view>

          <view class="recommendationList" wx:if="{{item.recommendations && item.recommendations.length}}">
            <view class="recommendationCard">
              <view class="recommendationBlock" wx:for="{{item.recommendations}}" wx:key="id">
                <view class="buddyCardHead" wx:if="{{item.type === 'buddy'}}">
                  <view>
                    <view class="recommendationTitleLink">{{item.title}}</view>
                    <view class="buddyStatusTag" wx:if="{{item.statusTag}}">{{item.statusTag}}</view>
                  </view>
                  <view class="buddyScore">{{item.matchScoreText}}</view>
                </view>
                <view wx:else class="recommendationTitleLink" data-type="{{item.type}}" data-sourceid="{{item.sourceId}}" bindtap="openCardDetail">
                  {{item.title}}
                </view>
                <view class="recommendationGallery" wx:if="{{item.gallery && item.gallery.length}}">
                  <image class="recommendationGalleryImage" wx:for="{{item.gallery}}" wx:key="*this" src="{{item}}" mode="aspectFill" />
                </view>
                <view class="buddyPlan" wx:if="{{item.type === 'buddy' && item.planS
```

```
            <view class="recommendationSummary">{{item.summary}}</view>
            <view class="resultSection" wx:if="{{item.type === 'buddy' && item.matchReason}}">
              <view class="resultSectionTitle">匹配理由</view>
              <view class="resultInfoValue">{{item.matchReason}}</view>
            </view>
            <view class="resultTags" wx:if="{{item.tags && item.tags.length}}">
              <view class="resultTag" wx:for="{{item.tags}}" wx:key="*this">{{item}}</view>
            </view>
            <view class="resultSection" wx:if="{{item.playItems && item.playItems.length}}">
              <view class="resultSectionTitle">值得关注</view>
              <view class="resultBulletItem" wx:for="{{item.playItems}}" wx:key="*this">
                <view class="resultBulletDot"></view>
                <view class="resultBulletText">{{item}}</view>
              </view>
            </view>
            <view class="resultSection" wx:if="{{item.practicalInfo && item.practicalInfo.length}}">
              <view class="resultSectionTitle">出行参考</view>
              <view class="resultInfoRow" wx:for="{{item.practicalInfo}}" wx:key="label">
                <text class="resultInfoLabel">{{item.label}}：</text>
                <text class="resultInfoValue">{{item.value}}</text>
              </view>
            </view>
            <view
              class="buddyApplyBtn"
              wx:if="{{item.type === 'buddy' && item.actionText}}"
              data-username="{{item.title}}"
              data-opening="{{item.openingText}}"
              data-avatarurl="{{item.avatarUrl}}"
              data-avatartext="{{item.avatarText}}"
              data-avatarcolor="{{item.avatarColor}}"
              data-matchscore="{{item.matchScore}}"
              data-matchreason="{{item.matchReason}}"
              bindtap="applyBuddyMatch"
            >
              {{item.actionText}}
            </view>
          </view>
        </view>
      </view>

      <view class="bubble ai aiAsideBubble" wx:if="{{item.tips}}">
        <view class="tipsText">{{item.tips}}</view>
      </view>

      <view class="bubble ai aiAsideBubble" wx:if="{{item.followUp}}">
        <view class="followUpText">{{item.followUp}}</view>
      </view>
    </block>

    <view class="guessBlock" wx:if="{{item.role === 'ai' && item.guessQuestions && item.guessQuestions.length}}">
      <view class="guessTitle">你还可以继续问</view>
      <view class="guessList">
        <view class="guessItem" wx:for="{{item.guessQuestions}}" wx:key="*this" data-question="{{item}}" bindtap="useQuickOption">
          {{item}}
```

```
          </view>
        </view>
      </view>
    </view>
  </view>

  <view class="quickOptionList" wx:if="{{quickOptions.length}}">
    <view class="quickOption" wx:for="{{quickOptions}}" wx:key="*this" data-question="{{item}}" bindtap="useQuickOption">
      {{item}}
    </view>
  </view>
</scroll-view>

<view class="composerWrap">
  <view class="skillBadge" wx:if="{{showSkillBadge}}">
    <view class="skillBadgeIconPlaceholder"></view>
    <view class="skillBadgeText">{{skillBadgeName}}</view>
  </view>
  <view class="composer">
    <input class="composerInput" value="{{inputValue}}" placeholder="{{inputPlaceholder}}" placeholder-class="composerPlaceholder" confirm-type="send" bindinput="onInputChange" bindconfirm="submitInput" />
    <view class="composerSendBtn" bindtap="submitInput">
      {{isAiLoading ? '整理中' : '发送'}}
    </view>
  </view>
</view>
</view>
```

Path: miniprogram/pages/askXiaoheChat/askXiaoheChat.wxss

```
.page {
  height: 100vh;
  overflow: hidden;
  background:
    radial-gradient(circle at top right, rgba(183, 149, 255, 0.18), transparent 28%),
    radial-gradient(circle at top left, rgba(255, 215, 138, 0.2), transparent 24%),
    linear-gradient(180deg, #fbf5ff 0%, #ffffff 32%, #fafafc 100%);
  box-sizing: border-box;
  display: flex;
  flex-direction: column;
}

.customNav {
  position: fixed;
  top: 0;
  left: 0;
  right: 0;
  z-index: 20;
  padding: 0 24rpx 2rpx;
  min-height: 92rpx;
  background:
    radial-gradient(circle at top right, rgba(183, 149, 255, 0.18), transparent 28%),
    radial-gradient(circle at top left, rgba(255, 215, 138, 0.2), transparent 24%),
    linear-gradient(180deg, rgba(251, 245, 255, 0.98) 0%, rgba(255, 255, 255, 0.94) 76%, rgba(255, 255, 255, 0) 100%);
  box-sizing: border-box;
  backdrop-filter: blur(18rpx) saturate(120%);
  -webkit-backdrop-filter: blur(18rpx) saturate(120%);
}

.topbar {
  display: flex;
  align-items: center;
  gap: 20rpx;
  min-height: 70rpx;
  padding-bottom: 0;
}

.backBtn {
  width: 60rpx;
  height: 60rpx;
  display: flex;
  align-items: center;
  justify-content: center;
  flex-shrink: 0;
}

.backArrow {
  width: 20rpx;
  height: 20rpx;
  border-left: 4rpx solid #1f1f1f;
  border-bottom: 4rpx solid #1f1f1f;
  transform: rotate(45deg);
}

.brandWrap {
  display: flex;
  align-items: center;
```

```
  gap: 12rpx;
  min-width: 0;
}

.brandIconImage {
  width: 66rpx;
  height: 66rpx;
  border-radius: 50%;
  display: block;
  flex-shrink: 0;
}

.brandTitle {
  font-size: 32rpx;
  font-weight: 700;
  color: #232323;
  letter-spacing: 0.5rpx;
}

.content {
  flex: 1;
  height: 100vh;
  padding: 24rpx 24rpx 240rpx;
  box-sizing: border-box;
}

.introCard {
  padding: 28rpx 30rpx;
  border-radius: 28rpx;
  background: rgba(244, 241, 255, 0.92);
  color: #655b8f;
  font-size: 28rpx;
  line-height: 1.75;
  text-align: center;
  box-shadow: 0 14rpx 28rpx rgba(140, 104, 255, 0.08);
}

.chatList {
  margin-top: 22rpx;
  display: flex;
  flex-direction: column;
  gap: 18rpx;
}

.messageBlock {
  display: flex;
  flex-direction: column;
  gap: 12rpx;
  width: 100%;
}

.messageBlock.user {
  align-items: flex-end;
}

.messageBlock.ai {
  align-items: flex-start;
}

.bubble {
  padding: 22rpx 24rpx;
  border-radius: 28rpx;
```

```
  font-size: 28rpx;
  line-height: 1.7;
  box-sizing: border-box;
  max-width: 66%;
}

.bubble.user {
  background: rgba(241, 235, 255, 0.98);
  color: #52468d;
}

.bubble.ai {
  background: rgba(255, 255, 255, 0.96);
  color: #000000;
  box-shadow: 0 16rpx 32rpx rgba(140, 104, 255, 0.08);
}

.aiAsideBubble {
  max-width: 66%;
}

.bubbleText {
  white-space: pre-wrap;
  color: #000000;
  word-break: break-all;
}

.channelLabel {
  display: inline-flex;
  align-items: center;
  margin-bottom: 12rpx;
  padding: 6rpx 14rpx;
  border-radius: 999rpx;
  background: rgba(126, 99, 255, 0.1);
  color: #6d56d6;
  font-size: 28rpx;
  line-height: 1.5;
  font-weight: 700;
}

.recommendationList {
  display: flex;
  flex-direction: column;
  gap: 16rpx;
  align-items: stretch;
  width: 100%;
}

.recommendationCard {
  overflow: hidden;
  width: 100%;
  padding: 28rpx 30rpx;
  border-radius: 28rpx;
  background: rgba(255, 255, 255, 0.97);
  box-shadow: 0 16rpx 32rpx rgba(140, 104, 255, 0.08);
  box-sizing: border-box;
}

.recommendationBlock + .recommendationBlock {
  margin-top: 24rpx;
  padding-top: 24rpx;
  border-top: 2rpx solid rgba(164, 136, 255, 0.14);
```

```
}

.buddyCardHead {
  display: flex;
  align-items: flex-start;
  justify-content: space-between;
  gap: 18rpx;
}

.recommendationSummary {
  margin-top: 16rpx;
  color: #000000;
  font-size: 28rpx;
  line-height: 1.7;
  word-break: break-all;
}

.resultTags {
  margin-top: 14rpx;
  display: flex;
  flex-wrap: wrap;
  gap: 10rpx;
}

.buddyStatusTag {
  margin-top: 10rpx;
  color: #7f67e8;
  font-size: 24rpx;
  line-height: 1.4;
}

.buddyScore {
  flex-shrink: 0;
  padding: 10rpx 16rpx;
  border-radius: 999rpx;
  background: rgba(126, 99, 255, 0.12);
  color: #6d56d6;
  font-size: 24rpx;
  font-weight: 700;
}

.buddyPlan {
  margin-top: 14rpx;
  color: #53478f;
  font-size: 26rpx;
  line-height: 1.6;
}

.resultTag {
  padding: 8rpx 14rpx;
  border-radius: 999rpx;
  background: rgba(241, 235, 255, 0.95);
  color: #6a55ca;
  font-size: 22rpx;
}

.resultSection {
  margin-top: 18rpx;
  padding-top: 16rpx;
  border-top: 2rpx solid rgba(164, 136, 255, 0.14);
}

```

```
.resultSectionTitle {
  margin-bottom: 12rpx;
  color: #000000;
  font-size: 28rpx;
  font-weight: 700;
}

.resultBulletItem {
  display: flex;
  align-items: flex-start;
  gap: 10rpx;
  margin-top: 8rpx;
}

.resultBulletDot {
  width: 10rpx;
  height: 10rpx;
  margin-top: 13rpx;
  border-radius: 50%;
  background: #8b6bff;
  flex-shrink: 0;
}

.resultBulletText {
  color: #000000;
  font-size: 28rpx;
  line-height: 1.7;
  word-break: break-all;
}

.resultInfoRow {
  margin-top: 8rpx;
  font-size: 28rpx;
  line-height: 1.7;
  color: #000000;
  word-break: break-all;
}

.resultInfoLabel {
  font-weight: 700;
  color: #000000;
}

.resultInfoValue {
  color: #000000;
  word-break: break-all;
}

.buddyApplyBtn {
  margin-top: 20rpx;
  height: 78rpx;
  border-radius: 22rpx;
  background: linear-gradient(90deg, #7da6ff 0%, #b46cff 100%);
  color: #ffffff;
  font-size: 28rpx;
  font-weight: 700;
  display: flex;
  align-items: center;
  justify-content: center;
}

.tipsText,
```

```
.followUpText {
  color: #000000;
  font-size: 28rpx;
  line-height: 1.7;
  white-space: pre-wrap;
  word-break: break-all;
}

.guessBlock {
  margin-top: 8rpx;
  padding-left: 6rpx;
}

.guessTitle {
  margin-bottom: 14rpx;
  color: #000000;
  font-size: 28rpx;
  line-height: 1.4;
}

.guessList {
  display: flex;
  flex-direction: column;
  gap: 12rpx;
  align-items: flex-start;
}

.guessItem {
  display: inline-flex;
  align-items: center;
  max-width: 100%;
  padding: 16rpx 22rpx;
  border-radius: 20rpx;
  background: rgba(244, 241, 255, 0.95);
  color: #5a4d8e;
  font-size: 28rpx;
  line-height: 1.55;
  box-sizing: border-box;
  box-shadow: 0 8rpx 20rpx rgba(140, 104, 255, 0.05);
}

.quickOptionList {
  margin-top: 26rpx;
  display: flex;
  flex-direction: column;
  gap: 16rpx;
}

.quickOption {
  align-self: flex-start;
  max-width: 84%;
  padding: 18rpx 24rpx;
  border-radius: 22rpx;
  background: rgba(244, 241, 255, 0.95);
  color: #4a4280;
  font-size: 28rpx;
  line-height: 1.6;
}

.composerWrap {
  position: fixed;
  left: 0;
```

```
  right: 0;
  bottom: 0;
  padding: 0 24rpx calc(env(safe-area-inset-bottom) + 18rpx);
  background: linear-gradient(180deg, rgba(255, 255, 255, 0) 0%, rgba(253, 250, 255,
    0.96) 26%, #ffffff 100%);
}

.skillBadge {
  display: inline-flex;
  align-items: center;
  gap: 10rpx;
  margin-left: 12rpx;
  margin-bottom: 12rpx;
  padding: 12rpx 18rpx;
  border-radius: 999rpx;
  background: rgba(255, 255, 255, 0.96);
  border: 2rpx solid rgba(122, 93, 234, 0.28);
  box-shadow: 0 10rpx 20rpx rgba(140, 104, 255, 0.08);
}

.skillBadgeIconPlaceholder {
  width: 28rpx;
  height: 28rpx;
  border-radius: 10rpx;
  border: 2rpx dashed rgba(122, 93, 234, 0.45);
  background: rgba(244, 241, 255, 1);
}

.skillBadgeText {
  color: #232323;
  font-size: 28rpx;
  font-weight: 600;
}

.composer {
  display: flex;
  align-items: center;
  gap: 10rpx;
  min-height: 92rpx;
  padding: 8rpx 16rpx 8rpx 24rpx;
  border-radius: 999rpx;
  background: rgba(255, 255, 255, 0.98);
  border: 2rpx solid rgba(122, 93, 234, 0.4);
  box-shadow: 0 16rpx 28rpx rgba(140, 104, 255, 0.08);
}

.composerInput {
  flex: 1;
  min-width: 0;
  font-size: 28rpx;
  color: #1f1f1f;
}

.composerPlaceholder {
  color: #b6b6b6;
}

.composerSendBtn {
  min-width: 132rpx;
  height: 60rpx;
  padding: 0 22rpx;
  border-radius: 24rpx;
```

```
  background: linear-gradient(90deg, #7da6ff 0%, #b46cff 100%);
  color: #ffffff;
  font-size: 24rpx;
  font-weight: 600;
  display: flex;
  align-items: center;
  justify-content: center;
  flex-shrink: 0;
}

.recommendationTitleLink {
  display: inline-block;
  color: #5f73ff;
  font-size: 28rpx;
  font-weight: 700;
  line-height: 1.7;
}

.recommendationGallery {
  margin-top: 18rpx;
  display: flex;
  flex-wrap: wrap;
  gap: 12rpx;
}

.recommendationGalleryImage {
  width: 210rpx;
  height: 210rpx;
  border-radius: 18rpx;
  background: #ece5ff;
  flex: 0 0 210rpx;
}
```

Path: miniprogram/pages/me/me.js

```
1 const app = getApp()
2 const { resolveMediaSource } = require('../../utils/mediaAssets')
3
4 const DEFAULT_LOGGED_IN_AVATAR = '/images/avatar.png'
5 const GUEST_AVATAR = '/images/me/guest-avatar.png'
6
7 const TEXT = {
8   defaultNickname: 'e位旅客',
9   guestHint: '登录开启我的专属农旅体验',
10   authLogin: '授权登录',
11   editProfile: '修改个人资料',
12   myDNA: '农旅DNA',
13   dnaPlaceholder: '点击查看和调整你的专属标签',
14   dnaPlaceholderGuest: '登录定制我的专属标签',
15   myOrders: '我的订单',
16   allOrders: '全部',
17   favorites: '收藏浏览',
18   history: '浏览历史',
19   customerService: '在线客服',
20   systemSettings: '系统设置',
21   clearLoginState: '清除本地登录态',
22   clearLocalTestData: '清除本地测试数据',
23   systemSettingsCancel: '取消',
24   logout: '退出登录',
25   historyDeveloping: '浏览历史开发中',
26   customerServiceDeveloping: '在线客服开发中',
27   systemSettingsDeveloping: '系统设置开发中',
28   clearDone: '已清理',
29   logoutSuccess: '已退出登录',
30 }
31
32 const ORDER_ENTRIES = [
33   {
34     key: 'pending_payment',
35     tab: 'pending_payment',
36     label: '待支付',
37     icon: '/images/me/order-status/pending-payment.png',
38   },
39   {
40     key: 'pending_trip',
41     tab: 'pending_trip',
42     label: '待出行',
43     icon: '/images/me/order-status/pending-trip.png',
44   },
45   {
46     key: 'pending_receive',
47     tab: 'pending_receive',
48     label: '待收货',
49     icon: '/images/me/order-status/pending-receive.png',
50   },
51   {
52     key: 'review',
53     tab: 'pending',
54     label: '评价',
55     icon: '/images/me/order-status/review.png',
56   },
57   {
58     key: 'refund_after_sale',
59     tab: 'refund_after_sale',
60     label: '退款/售后',
```

```
  icon: '/images/me/order-status/refund-after-sale.png',
},
]

Page({
  data: {
    text: TEXT,
    orderEntries: ORDER_ENTRIES,
    statusBarHeight: 20,
    loggedIn: false,
    userInfo: {
      avatarUrl: GUEST_AVATAR,
      nickName: '',
    },
    dnaTags: [],
    dnaPlaceholderText: TEXT.dnaPlaceholderGuest,
  },

  onLoad() {
    this.initNavMetrics()
  },

  onShow() {
    this.refreshUser()
  },

  initNavMetrics() {
    try {
      const systemInfo = wx.getSystemInfoSync()
      this.setData({
        statusBarHeight: systemInfo.statusBarHeight || 20,
      })
    } catch (err) {
      this.setData({
        statusBarHeight: 20,
      })
    }
  },

  async refreshUser() {
    const rawUserInfo = app.getUserInfo() || {}
    const loggedIn = !!rawUserInfo.openid
    let avatarUrl = GUEST_AVATAR

    if (loggedIn) {
      const previewAvatar = rawUserInfo.avatarPreviewUrl || ''
      const cachedResolvedAvatar = rawUserInfo.avatarResolvedUrl || ''
      const resolvedAvatar = await resolveMediaSource(rawUserInfo.avatarUrl, cachedR
esolvedAvatar || DEFAULT_LOGGED_IN_AVATAR)
      avatarUrl = previewAvatar || resolvedAvatar || cachedResolvedAvatar || DEFAULT
_LOGGED_IN_AVATAR
    }

    const nickName = loggedIn ? (rawUserInfo.nickName || TEXT.defaultNickname) : ''
    const dnaTags = loggedIn && Array.isArray(rawUserInfo.dnaTags) ? rawUserInfo.dna
Tags : []

    this.setData({
      loggedIn,
      userInfo: {
        avatarUrl,
        nickName,
```

```
    },
    dnaTags,
    dnaPlaceholderText: loggedIn ? TEXT.dnaPlaceholder : TEXT.dnaPlaceholderGuest,
  })

  if (loggedIn && rawUserInfo.avatarPreviewUrl) {
    const resolvedAvatar = await resolveMediaSource(rawUserInfo.avatarUrl, '')
    if (resolvedAvatar) {
      const nextUserInfo = {
        ...rawUserInfo,
        avatarPreviewUrl: '',
        avatarResolvedUrl: resolvedAvatar,
      }
      app.setUserInfo(nextUserInfo)
      this.setData({
        'userInfo.avatarUrl': resolvedAvatar,
      })
    }
  } else if (loggedIn && rawUserInfo.avatarUrl && avatarUrl && avatarUrl !== rawUserInfo.avatarResolvedUrl && avatarUrl !== DEFAULT_LOGGED_IN_AVATAR) {
    app.setUserInfo({
      ...rawUserInfo,
      avatarResolvedUrl: avatarUrl,
    })
  }
},

onAvatarError() {
  this.setData({
    'userInfo.avatarUrl': DEFAULT_LOGGED_IN_AVATAR,
  })
},

onUserBoxTap() {
  if (!this.data.loggedIn) {
    this.goLogin()
  }
},

goLogin() {
  wx.navigateTo({
    url: '/pages/login/login',
  })
},

goEditProfile() {
  wx.navigateTo({
    url: '/pages/registerProfile/registerProfile?mode=edit',
  })
},

goMyDNATags() {
  if (!this.data.loggedIn) {
    this.goLogin()
    return
  }

  wx.navigateTo({
    url: '/pages/dnaTag/dnaTag?mode=edit',
  })
},

```

```
goAllOrders() {
  wx.navigateTo({
    url: '/pages/myOrders/myOrders?tab=all',
  })
},

goOrderTab(e) {
  const { tab } = e.currentTarget.dataset
  if (tab === 'pending') {
    wx.navigateTo({
      url: '/pages/reviewCenter/reviewCenter?tab=pending',
    })
    return
  }

  wx.navigateTo({
    url: `/pages/myOrders/myOrders?tab=${tab || 'all'}`,
  })
},

goFavorites() {
  wx.navigateTo({
    url: '/pages/favorites/favorites',
  })
},

goHistory() {
  wx.showToast({
    title: TEXT.historyDeveloping,
    icon: 'none',
  })
},

goCustomerService() {
  wx.showToast({
    title: TEXT.customerServiceDeveloping,
    icon: 'none',
  })
},

goSystemSetting() {
  wx.showActionSheet({
    itemList: [TEXT.clearLoginState, TEXT.clearLocalTestData],
    success: (res) => {
      if (res.tapIndex === 0) {
        app.clearUserInfo()
        wx.showToast({
          title: TEXT.clearDone,
          icon: 'success',
        })
        setTimeout(() => {
          wx.reLaunch({
            url: '/pages/home/home',
          })
        }, 250)
        return
      }

      if (res.tapIndex === 1) {
        app.clearLocalTestData()
        wx.showToast({
          title: TEXT.clearDone,
```

```
          icon: 'success',
        })
        setTimeout(() => {
          wx.reLaunch({
            url: '/pages/home/home',
          })
        }, 250)
      }
    },
    fail: () => {},
  })
},

logout() {
  app.clearUserInfo()
  this.setData({
    loggedIn: false,
    userInfo: {
      avatarUrl: GUEST_AVATAR,
      nickName: '',
    },
    dnaTags: [],
  })

  wx.showToast({
    title: TEXT.logoutSuccess,
    icon: 'success',
  })

  setTimeout(() => {
    wx.reLaunch({
      url: '/pages/home/home',
    })
  }, 300)
},
})
```

Path: miniprogram/pages/me/me.json

```
1 {
2   "navigationStyle": "custom"
3 }
```

Path: miniprogram/pages/me/me.wxml

```
<view class="page">
  <view class="topSpacer" style="padding-top: {{statusBarHeight}}px;"></view>

  <view class="header">
    <view class="userBox {{loggedIn ? 'userBoxLoggedIn' : 'userBoxGuest'}}">
      <image
        class="avatar"
        src="{{userInfo.avatarUrl}}"
        mode="aspectFill"
         bindtap="onUserBoxTap"
         binderror="onAvatarError"
      ></image>

      <view class="userInfo">
        <block wx:if="{{loggedIn}}">
          <view class="nickname">{{userInfo.nickName}}</view>
          <view class="edit" bindtap="goEditProfile">{{text.editProfile}}</view>
        </block>

        <block wx:else>
          <view class="guestRow">
            <view class="guestHint" bindtap="onUserBoxTap">{{text.guestHint}}</view>
            <view class="loginButton" bindtap="goLogin">{{text.authLogin}}</view>
          </view>
        </block>
      </view>
    </view>
  </view>

  <view class="dnaTagsBox" bindtap="goMyDNATags">
    <view class="dnaTagsLabel">{{text.myDNA}}</view>
    <view wx:if="{{dnaTags.length > 0}}" class="dnaTags">
      <view class="tag" wx:for="{{dnaTags}}" wx:key="*this">{{item}}</view>
    </view>
    <view wx:else class="dnaPlaceholder">{{dnaPlaceholderText}}</view>
  </view>

  <view class="orderSection">
    <view class="orderHeader">
      <view class="orderTitle">{{text.myOrders}}</view>
      <view class="orderAll" bindtap="goAllOrders">
        <text>{{text.allOrders}}</text>
        <text class="orderAllArrow">></text>
      </view>
    </view>

    <view class="orderIcons">
      <view
        class="orderItem"
        wx:for="{{orderEntries}}"
        wx:key="key"
        data-tab="{{item.tab}}"
        bindtap="goOrderTab"
      >
        <image class="orderIcon" src="{{item.icon}}" mode="aspectFit"></image>
        <text class="orderLabel">{{item.label}}</text>
      </view>
    </view>
  </view>

```

```
<view class="menu">
  <view class="menuItem" bindtap="goFavorites">
    <text class="menuText">{{text.favorites}}</text>
    <text class="arrow">></text>
  </view>

  <view class="menuItem" bindtap="goCustomerService">
    <text class="menuText">{{text.customerService}}</text>
    <text class="arrow">></text>
  </view>

  <view class="menuItem" bindtap="goSystemSetting">
    <text class="menuText">{{text.systemSettings}}</text>
    <text class="arrow">></text>
  </view>

  <view class="menuItem logout" bindtap="logout">
    <text class="menuText">{{text.logout}}</text>
    <text class="arrow">></text>
  </view>
</view>
</view>
```

Path: miniprogram/pages/me/me.wxss

```
.page {
  min-height: 100vh;
  background: #f6faf4;
  padding-bottom: 30rpx;
}

.topSpacer {
  height: 72rpx;
}

.header {
  padding: 0 24rpx 20rpx;
}

.dnaTagsBox {
  margin: 12rpx 24rpx 18rpx;
  background: #ffffff;
  border-radius: 20rpx;
  padding: 20rpx;
}

.dnaTagsLabel {
  font-size: 30rpx;
  color: #1f2a1f;
  margin-bottom: 12rpx;
  font-weight: 400;
}

.dnaTags {
  display: flex;
  flex-wrap: wrap;
  gap: 8rpx;
}

.dnaPlaceholder {
  font-size: 24rpx;
  color: #8ea08b;
  line-height: 1.6;
}

.buddyIntentSummary {
  font-size: 24rpx;
  color: #426046;
  line-height: 1.7;
}

.tag {
  background: #edf5ea;
  border: 1rpx solid #57984a;
  color: #57984a;
  padding: 6rpx 12rpx;
  border-radius: 16rpx;
  font-size: 24rpx;
}

.userBox {
  display: flex;
  align-items: center;
}

```

```
.userBoxLoggedIn {
  padding: 18rpx 8rpx 6rpx 8rpx;
}

.userBoxGuest {
  padding: 18rpx 8rpx 6rpx 8rpx;
}

.avatar {
  width: 124rpx;
  height: 124rpx;
  border-radius: 999rpx;
  background: #e5efe1;
  flex-shrink: 0;
}

.userInfo {
  margin-left: 22rpx;
  flex: 1;
}

.nickname {
  font-size: 36rpx;
  font-weight: 700;
  color: #1f2a1f;
}

.edit {
  margin-top: 10rpx;
  font-size: 24rpx;
  color: #99a598;
}

.guestRow {
  display: flex;
  align-items: center;
  justify-content: space-between;
  gap: 20rpx;
}

.guestHint {
  flex: 1;
  font-size: 27rpx;
  font-weight: 500;
  color: #1f2a1f;
  line-height: 1.45;
}

.loginButton {
  flex-shrink: 0;
  min-width: 120rpx;
  height: 62rpx;
  padding: 0 18rpx;
  border-radius: 16rpx;
  background: #57984a;
  color: #ffffff;
  font-size: 24rpx;
  font-weight: 600;
  display: flex;
  align-items: center;
  justify-content: center;
  box-shadow: 0 8rpx 18rpx rgba(87, 152, 74, 0.18);
```

```
}

.orderSection {
  margin: 12rpx 24rpx 18rpx;
  background: #ffffff;
  border-radius: 20rpx;
  padding: 24rpx 20rpx 18rpx;
}

.orderHeader {
  display: flex;
  align-items: center;
  justify-content: space-between;
  margin-bottom: 28rpx;
}

.orderTitle {
  font-size: 30rpx;
  font-weight: 400;
  color: #1f2a1f;
}

.orderAll {
  display: flex;
  align-items: center;
  font-size: 24rpx;
  color: #8ea08b;
}

.orderAllArrow {
  margin-left: 8rpx;
  font-size: 30rpx;
}

.orderIcons {
  display: flex;
  align-items: flex-start;
  justify-content: space-between;
  gap: 8rpx;
}

.orderItem {
  flex: 1;
  display: flex;
  flex-direction: column;
  align-items: center;
}

.orderIcon {
  width: 58rpx;
  height: 58rpx;
}

.orderLabel {
  margin-top: 14rpx;
  font-size: 24rpx;
  line-height: 1.4;
  color: #1f2a1f;
  text-align: center;
}

.menu {
```

```
  margin: 0 24rpx;
  background: #ffffff;
  border-radius: 20rpx;
  overflow: hidden;
}

.menuItem {
  padding: 26rpx 22rpx;
  display: flex;
  align-items: center;
  justify-content: space-between;
  border-bottom: 1rpx solid #e3ece0;
}

.menuItem:last-child {
  border-bottom: none;
}

.menuText {
  font-size: 28rpx;
  color: #1f2a1f;
}

.arrow {
  font-size: 34rpx;
  color: #bbb;
  margin-left: 12rpx;
}

.logout .menuText {
  color: #d9544f;
}
```

Path: cloudfunctions/login/index.js

```
1 const cloud = require('wx-server-sdk')
2
3 cloud.init({ env: cloud.DYNAMIC_CURRENT_ENV })
4 const db = cloud.database()
5
6 function buildNewUser(openid) {
7   return {
8     openid,
9     nickName: '',
10    avatarUrl: '',
11    phoneNumber: '',
12    hasBoundPhone: true,
13    gender: 'unknown',
14    birthDate: '',
15    dnaTags: [],
16    buddyTags: [],
17    buddyIntent: {
18      availability: '',
19      buddyType: '',
20      acceptCarpool: '',
21      groupPreference: '',
22    },
23    buddyIntentCompleted: false,
24    role: 'user',
25    profileCompleted: false,
26    dnaCompleted: false,
27    onboardingCompleted: false,
28    locationAuthorized: false,
29    locationChoiceMade: false,
30    userLocation: null,
31    createdAt: db.serverDate(),
32    updatedAt: db.serverDate(),
33  }
34 }
35
36 async function getUserByOpenid(openid) {
37   const res = await db.collection('users').where({ openid }).limit(1).get()
38   return res.data[0] || null
39 }
40
41 async function ensureWechatUser(openid) {
42   const existingUser = await getUserByOpenid(openid)
43   if (existingUser) {
44     if (existingUser.hasBoundPhone === false) {
45       await db.collection('users').doc(existingUser._id).update({
46         data: {
47           hasBoundPhone: true,
48           updatedAt: db.serverDate(),
49         },
50       })
51       const fresh = await db.collection('users').doc(existingUser._id).get()
52       return { success: true, userInfo: fresh.data, isNewUser: false }
53     }
54     return { success: true, userInfo: existingUser, isNewUser: false }
55   }
56
57   const newUser = buildNewUser(openid)
58   const addRes = await db.collection('users').add({ data: newUser })
59   return {
60     success: true,
```

```
    userInfo: { _id: addRes._id, ...newUser },
    isNewUser: true,
  }
}

exports.main = async (event = {}) => {
  const { method } = event
  const { OPENID } = cloud.getWXContext()

  try {
    if (method === 'wechat') return await ensureWechatUser(OPENID)
    return { success: false, message: 'UNSUPPORTED_LOGIN_METHOD' }
  } catch (err) {
    console.error('[login cloud] failed', method, err)
    return {
      success: false,
      message: err.code || err.message || 'LOGIN_FAILED',
    }
  }
}
```

Path: cloudfunctions/login/package.json

```
1 {
2   "name": "login",
3   "version": "1.0.0",
4   "dependencies": {
5     "wx-server-sdk": "latest"
6   }
7 }
```

Path: cloudfunctions/getactivities/index.js

```
1 const cloud = require('wx-server-sdk')
2
3 cloud.init({ env: cloud.DYNAMIC_CURRENT_ENV })
4 const db = cloud.database()
5
6 exports.main = async () => {
7   const res = await db.collection('activities')
8     .where({ status: 'published' })
9     .orderBy('updatedAt', 'desc')
10    .limit(20)
11    .get()
12
13   return { list: res.data }
14 }
```

Path: cloudfunctions/getactivities/package.json

```
1 {
2   "name": "getactivities",
3   "version": "1.0.0",
4   "dependencies": {
5     "wx-server-sdk": "latest"
6   }
7 }
```

Path: cloudfunctions/getactivitydetail/index.js

```
const cloud = require('wx-server-sdk')

cloud.init({ env: cloud.DYNAMIC_CURRENT_ENV })
const db = cloud.database()

exports.main = async (event) => {
  const { id } = event
  if (!id) return { ok: false, error: 'missing id' }

  const res = await db.collection('activities').doc(id).get()
  return { ok: true, data: res.data }
}
```

Path: cloudfunctions/getactivitydetail/package.json

```
1 {
2   "name": "getactivitydetail",
3   "version": "1.0.0",
4   "dependencies": {
5     "wx-server-sdk": "latest"
6   }
7 }
```

Path: cloudfunctions/activityOrder/index.js

```
1 const cloud = require('wx-server-sdk')
2
3 cloud.init({ env: cloud.DYNAMIC_CURRENT_ENV })
4 const db = cloud.database()
5 const _ = db.command
6
7 const STATUS_TEXT = {
8   pending_payment: '\u5f85\u652f\u4ed8',
9   upcoming: '\u5f85\u51fa\u884c',
10   pending_review: '\u5f85\u8bc4\u4ef7',
11   refunding: '\u9000\u6b3e\u4e2d',
12   cancelled: '\u5df2\u53d6\u6d88',
13   completed: '\u4ea4\u6613\u6210\u529f',
14 }
15
16 function normalizeText(value) {
17   return String(value || '').trim()
18 }
19
20 function normalizeNumber(value, fallback = 0) {
21   const num = Number(value)
22   return Number.isFinite(num) ? num : fallback
23 }
24
25 function normalizePhone(value) {
26   return normalizeText(value).replace(/\s+/g, '')
27 }
28
29 function toDateStart(dateText) {
30   const normalized = normalizeText(dateText)
31   if (!normalized) return null
32   const timestamp = new Date(`${normalized} 00:00:00`).getTime()
33   return Number.isFinite(timestamp) ? timestamp : null
34 }
35
36 function buildOrderStatus(order, now = Date.now()) {
37   const rawStatus = normalizeText(order.status)
38   const travelTs = toDateStart(order.travelDate)
39   const activityDays = Math.max(1, normalizeNumber(order.activityDays || order.days,
   1))
40   const endTs = travelTs ? travelTs + activityDays * 24 * 60 * 60 * 1000 : null
41   const after7Days = endTs ? endTs + 7 * 24 * 60 * 60 * 1000 : null
42   const paymentDeadline = normalizeNumber(order.paymentDeadline, 0)
43   const reviewed = !!order.reviewed
44
45   if (rawStatus === 'pending_payment') {
46     if (paymentDeadline && now > paymentDeadline) {
47       return { key: 'cancelled', text: STATUS_TEXT.cancelled }
48     }
49     return { key: 'pending_payment', text: STATUS_TEXT.pending_payment }
50   }
51
52   if (rawStatus === 'refunding') {
53     return { key: 'refunding', text: STATUS_TEXT.refunding }
54   }
55
56   if (rawStatus === 'cancelled') {
57     return { key: 'cancelled', text: STATUS_TEXT.cancelled }
58   }
59
```

```
  if (rawStatus === 'completed') {
    return { key: 'completed', text: STATUS_TEXT.completed }
  }

  if (rawStatus === 'upcoming') {
    if (endTs && now < endTs) {
      return { key: 'upcoming', text: STATUS_TEXT.upcoming }
    }
    if (after7Days && now <= after7Days && !reviewed) {
      return { key: 'pending_review', text: STATUS_TEXT.pending_review }
    }
    return { key: 'completed', text: STATUS_TEXT.completed }
  }

  if (rawStatus === 'pending_review') {
    if (after7Days && now <= after7Days && !reviewed) {
      return { key: 'pending_review', text: STATUS_TEXT.pending_review }
    }
    return { key: 'completed', text: STATUS_TEXT.completed }
  }

  return { key: 'completed', text: STATUS_TEXT.completed }
}

function buildActions(statusKey, order) {
  return {
    canPay: statusKey === 'pending_payment',
    canCancel: statusKey === 'pending_payment',
    canRefund: statusKey === 'upcoming' || statusKey === 'pending_review',
    canReview: statusKey === 'pending_review' && !order.reviewed,
  }
}

async function expirePendingOrderIfNeeded(order) {
  if (!order || order.status !== 'pending_payment') {
    return order
  }

  const paymentDeadline = normalizeNumber(order.paymentDeadline, 0)
  if (!paymentDeadline || Date.now() <= paymentDeadline) {
    return order
  }

  await db.collection('activityOrders').doc(order._id).update({
    data: {
      status: 'cancelled',
      cancelReason: '\u8d85\u65f6\u672a\u652f\u4ed8\u81ea\u52a8\u53d6\u6d88',
      cancelledAt: db.serverDate(),
      updatedAt: db.serverDate(),
    },
  })

  const fresh = await db.collection('activityOrders').doc(order._id).get()
  return fresh.data
}

function normalizeTraveler(item) {
  return {
    _id: item._id,
    name: normalizeText(item.name),
    idType: normalizeText(item.idType),
    idNo: normalizeText(item.idNo),
```

```
  }
}

function presentOrder(order) {
  const status = buildOrderStatus(order)
  const actions = buildActions(status.key, order)
  const totalPrice = normalizeNumber(order.unitPrice, 0) * normalizeNumber(order.totalCount, 0)

  return {
    ...order,
    displayStatusKey: status.key,
    displayStatusText: status.text,
    totalPrice,
    actions,
    canRefundAfterTrip: status.key === 'pending_review',
  }
}

async function getCurrentUser(openid) {
  const res = await db.collection('users').where({ openid }).limit(1).get()
  return res.data[0] || null
}

async function requireCurrentUser(openid, options = {}) {
  const user = await getCurrentUser(openid)
  if (!user) {
    const error = new Error('WECHAT_LOGIN_REQUIRED')
    error.code = 'WECHAT_LOGIN_REQUIRED'
    throw error
  }

  return user
}

async function getOrderOwnedByUser(orderId, openid) {
  const id = normalizeText(orderId)
  if (!id) {
    const error = new Error('ORDER_ID_REQUIRED')
    error.code = 'ORDER_ID_REQUIRED'
    throw error
  }

  const res = await db.collection('activityOrders').doc(id).get()
  const order = res.data || null
  if (!order) {
    const error = new Error('ORDER_NOT_FOUND')
    error.code = 'ORDER_NOT_FOUND'
    throw error
  }

  const ownerOpenid = normalizeText(order.ownerOpenid || order.openid || order._openid)
  if (ownerOpenid !== openid) {
    const error = new Error('ORDER_NOT_FOUND')
    error.code = 'ORDER_NOT_FOUND'
    throw error
  }

  return expirePendingOrderIfNeeded(order)
}

```

```
182 async function createOrder(event, openid) {
183   await requireCurrentUser(openid)
184
185   const activityId = normalizeText(event.activityId)
186   const travelDate = normalizeText(event.travelDate)
187   const adultCount = normalizeNumber(event.adultCount, 0)
188   const childCount = normalizeNumber(event.childCount, 0)
189   const totalCount = adultCount + childCount
190   const contact = event.contact || {}
191   const specialRequest = normalizeText(event.specialRequest)
192   const emergency = event.emergency || {}
193   const travelerIds = Array.isArray(event.travelerIds)
194     ? Array.from(new Set(event.travelerIds.map((item) => normalizeText(item)).filter
  (Boolean)))
195     : []
196
197   if (!activityId) {
198     throw Object.assign(new Error('ACTIVITY_ID_REQUIRED'), { code: 'ACTIVITY_ID_REQU
  IRED' })
199   }
200   if (!travelDate || !toDateStart(travelDate)) {
201     throw Object.assign(new Error('INVALID_TRAVEL_DATE'), { code: 'INVALID_TRAVEL_DA
  TE' })
202   }
203   if (adultCount < 0 || childCount < 0 || totalCount <= 0) {
204     throw Object.assign(new Error('INVALID_TRAVELER_COUNT'), { code: 'INVALID_TRAVEL
  ER_COUNT' })
205   }
206   if (travelerIds.length !== totalCount) {
207     throw Object.assign(new Error('TRAVELER_COUNT_MISMATCH'), { code: 'TRAVELER_COUN
  T_MISMATCH' })
208   }
209
210   const contactName = normalizeText(contact.name)
211   const contactPhone = normalizePhone(contact.phone)
212   if (!contactName) {
213     throw Object.assign(new Error('CONTACT_NAME_REQUIRED'), { code: 'CONTACT_NAME_RE
  QUIRED' })
214   }
215   if (!/^1[3-9]\d{9}$/.test(contactPhone)) {
216     throw Object.assign(new Error('INVALID_CONTACT_PHONE'), { code: 'INVALID_CONTACT
  _PHONE' })
217   }
218
219   const emergencyEnabled = !!emergency.enabled
220   const emergencyName = normalizeText(emergency.name)
221   const emergencyPhone = normalizePhone(emergency.phone)
222   if (emergencyEnabled) {
223     if (!emergencyName) {
224       throw Object.assign(new Error('EMERGENCY_NAME_REQUIRED'), { code: 'EMERGENCY_N
  AME_REQUIRED' })
225     }
226     if (!/^1[3-9]\d{9}$/.test(emergencyPhone)) {
227       throw Object.assign(new Error('INVALID_EMERGENCY_PHONE'), { code: 'INVALID_EME
  RGENCY_PHONE' })
228     }
229   }
230
231   const activityRes = await db.collection('activities').doc(activityId).get()
232   const activity = activityRes.data || null
233   if (!activity || normalizeText(activity.status) !== 'published') {
234     throw Object.assign(new Error('ACTIVITY_NOT_AVAILABLE'), { code: 'ACTIVITY_NOT_A
```

```
235   }
236
237   const travelerRes = await db.collection('travelers').where({
238     _id: _.in(travelerIds),
239   }).get()
240   const travelers = (travelerRes.data || []).filter((item) => {
241     const ownerOpenid = normalizeText(item.ownerOpenid || item.openid || item._openi
  d)
242     return ownerOpenid === openid
243   })
244
245   if (travelers.length !== travelerIds.length) {
246     throw Object.assign(new Error('TRAVELER_NOT_FOUND'), { code: 'TRAVELER_NOT_FOUND
  ' })
247   }
248
249   const travelersById = new Map(travelers.map((item) => [item._id, item]))
250   const orderedTravelers = travelerIds.map((id) => normalizeTraveler(travelersById.g
  et(id)))
251
252   const now = Date.now()
253   const paymentDeadline = now + 30 * 60 * 1000
254
255   const payload = {
256     ownerOpenid: openid,
257     openid,
258     _openid: openid,
259     activityId,
260     activityTitle: normalizeText(activity.title) || '\u672a\u547d\u540d\u6d3b\u52a8'
  ,
261     activityDays: Math.max(1, normalizeNumber(activity.days, 1)),
262     activityCover: normalizeText(activity.cover),
263     unitPrice: normalizeNumber(activity.price, 0),
264     travelDate,
265     adultCount,
266     childCount,
267     totalCount,
268     contact: {
269       name: contactName,
270       phone: contactPhone,
271       qq: normalizeText(contact.qq),
272       wechat: normalizeText(contact.wechat),
273     },
274     travelerIds,
275     travelers: orderedTravelers,
276     specialRequest,
277     emergency: {
278       enabled: emergencyEnabled,
279       name: emergencyName,
280       phone: emergencyEnabled ? emergencyPhone : '',
281     },
282     status: 'pending_payment',
283     paymentDeadline,
284     paidAt: null,
285     reviewed: false,
286     reviewedAt: null,
287     review: null,
288     refundStatus: '',
289     cancelledAt: null,
290     cancelReason: '',
291     createdAt: db.serverDate(),
292     updatedAt: db.serverDate(),
```

```
  }

  const addRes = await db.collection('activityOrders').add({ data: payload })
  const fresh = await db.collection('activityOrders').doc(addRes._id).get()

  return {
    success: true,
    order: presentOrder(fresh.data),
  }
}

async function listMine(event, openid) {
  await requireCurrentUser(openid)

  const page = Math.max(1, normalizeNumber(event.page, 1))
  const pageSize = Math.min(100, Math.max(1, normalizeNumber(event.pageSize, 20)))
  const skip = (page - 1) * pageSize

  const res = await db.collection('activityOrders')
    .where({ ownerOpenid: openid })
    .orderBy('createdAt', 'desc')
    .skip(skip)
    .limit(pageSize)
    .get()

  const normalized = []
  for (const item of (res.data || [])) {
    const fresh = await expirePendingOrderIfNeeded(item)
    normalized.push(presentOrder(fresh))
  }

  return {
    success: true,
    data: normalized,
  }
}

async function detail(event, openid) {
  await requireCurrentUser(openid)
  const order = await getOrderOwnedByUser(event.id, openid)
  return {
    success: true,
    data: presentOrder(order),
  }
}

async function mockPay(event, openid) {
  await requireCurrentUser(openid)
  const order = await getOrderOwnedByUser(event.id, openid)
  const status = buildOrderStatus(order)

  if (status.key !== 'pending_payment') {
    throw Object.assign(new Error('ORDER_CANNOT_PAY'), { code: 'ORDER_CANNOT_PAY' })
  }

  await db.collection('activityOrders').doc(order._id).update({
    data: {
      status: 'upcoming',
      paidAt: db.serverDate(),
      updatedAt: db.serverDate(),
    },
  })
```

```
355
356   const fresh = await db.collection('activityOrders').doc(order._id).get()
357   return {
358     success: true,
359     data: presentOrder(fresh.data),
360   }
361 }
362
363 async function cancel(event, openid) {
364   await requireCurrentUser(openid)
365   const order = await getOrderOwnedByUser(event.id, openid)
366   const status = buildOrderStatus(order)
367
368   if (status.key !== 'pending_payment') {
369     throw Object.assign(new Error('ORDER_CANNOT_CANCEL'), { code: 'ORDER_CANNOT_CANC
    EL' })
370   }
371
372   await db.collection('activityOrders').doc(order._id).update({
373     data: {
374       status: 'cancelled',
375       cancelReason: '\u7528\u6237\u624b\u52a8\u53d6\u6d88',
376       cancelledAt: db.serverDate(),
377       updatedAt: db.serverDate(),
378     },
379   })
380
381   const fresh = await db.collection('activityOrders').doc(order._id).get()
382   return {
383     success: true,
384     data: presentOrder(fresh.data),
385   }
386 }
387
388 async function requestRefund(event, openid) {
389   await requireCurrentUser(openid)
390   const order = await getOrderOwnedByUser(event.id, openid)
391   const status = buildOrderStatus(order)
392
393   if (!(status.key === 'upcoming' || status.key === 'pending_review')) {
394     throw Object.assign(new Error('ORDER_CANNOT_REFUND'), { code: 'ORDER_CANNOT_REFU
    ND' })
395   }
396
397   await db.collection('activityOrders').doc(order._id).update({
398     data: {
399       status: 'refunding',
400       refundStatus: 'refunding',
401       updatedAt: db.serverDate(),
402     },
403   })
404
405   const fresh = await db.collection('activityOrders').doc(order._id).get()
406   return {
407     success: true,
408     data: presentOrder(fresh.data),
409   }
410 }
411
412 async function submitReview(event, openid) {
413   await requireCurrentUser(openid)
414   const order = await getOrderOwnedByUser(event.id, openid)
```

```
  const status = buildOrderStatus(order)
  const score = Math.min(5, Math.max(1, normalizeNumber(event.score, 5)))
  const content = normalizeText(event.content)

  if (status.key !== 'pending_review') {
    throw Object.assign(new Error('ORDER_CANNOT_REVIEW'), { code: 'ORDER_CANNOT_REVIEW' })
  }
  if (!content) {
    throw Object.assign(new Error('REVIEW_CONTENT_REQUIRED'), { code: 'REVIEW_CONTENT_REQUIRED' })
  }

  await db.collection('activityOrders').doc(order._id).update({
    data: {
      reviewed: true,
      reviewedAt: db.serverDate(),
      review: {
        score,
        content,
      },
      status: 'completed',
      updatedAt: db.serverDate(),
    },
  })

  const fresh = await db.collection('activityOrders').doc(order._id).get()
  return {
    success: true,
    data: presentOrder(fresh.data),
  }
}

exports.main = async (event = {}) => {
  const { OPENID } = cloud.getWXContext()
  const action = normalizeText(event.action)

  try {
    if (action === 'create') return await createOrder(event, OPENID)
    if (action === 'listMine') return await listMine(event, OPENID)
    if (action === 'detail') return await detail(event, OPENID)
    if (action === 'mockPay') return await mockPay(event, OPENID)
    if (action === 'cancel') return await cancel(event, OPENID)
    if (action === 'requestRefund') return await requestRefund(event, OPENID)
    if (action === 'submitReview') return await submitReview(event, OPENID)

    return {
      success: false,
      message: 'UNSUPPORTED_ACTION',
    }
  } catch (error) {
    console.error('[activityOrder] failed', action, error)
    return {
      success: false,
      message: error.code || error.message || 'ACTIVITY_ORDER_FAILED',
    }
  }
}
```

Path: cloudfunctions/activityOrder/package.json

```
1 {
2   "name": "activityOrder",
3   "version": "1.0.0",
4   "dependencies": {
5     "wx-server-sdk": "latest"
6   }
7 }
```

Path: cloudfunctions/getknowledgearticles/index.js

```
1 const cloud = require('wx-server-sdk')
2
3 cloud.init({ env: cloud.DYNAMIC_CURRENT_ENV })
4 const db = cloud.database()
5
6 const COLLECTION_NAME = 'knowledgeArticles'
7 const MAX_LIMIT = 100
8 const CLOUD_ENV_ID = 'cloud1-3ghmr5ki7b1172fe.636c-cloud1-3ghmr5ki7b1172fe-140391784
  5'
9 const CLOUD_KNOWLEDGE_COVER_PREFIX = `cloud://${CLOUD_ENV_ID}/knowledge/covers`
10 const KNOWLEDGE_COVER_FILE_MAP = {
11   'agri-001': 'spring-vegetable.png',
12   'agri-002': 'village-chicken.png',
13   'agri-003': 'corn-disease.png',
14   'agri-004': 'bee-guide.png',
15   'agri-005': 'rice-brand.png',
16   'culture-001': 'summer-palace.png',
17   'culture-002': 'intangible-heritage.png',
18   'culture-003': 'folk-custom.png',
19   'culture-004': 'travel-tips.png',
20 }
21
22 function normalizeText(value = '') {
23   return String(value || '').trim()
24 }
25
26 function normalizeArray(value) {
27   return Array.isArray(value) ? value : []
28 }
29
30 function getFileName(value = '') {
31   const normalized = normalizeText(value)
32   if (!normalized) {
33     return ''
34   }
35
36   const segments = normalized.split('/')
37   return normalizeText(segments[segments.length - 1])
38 }
39
40 function buildKnowledgeCoverFileID(fileName = '') {
41   const normalized = getFileName(fileName)
42   return normalized ? `${CLOUD_KNOWLEDGE_COVER_PREFIX}/${normalized}` : ''
43 }
44
45 function normalizeKnowledgeCover(doc = {}) {
46   const cover = normalizeText(doc.cover)
47   if (/^(cloud|https?):\/\//i.test(cover)) {
48     return cover
49   }
50
51   const coverFileName = getFileName(cover) || KNOWLEDGE_COVER_FILE_MAP[normalizeText
  (doc._id)]
52   return buildKnowledgeCoverFileID(coverFileName)
53 }
54
55 function parseTime(value) {
56   if (!value) {
57     return 0
58   }
```

```
  if (typeof value === 'number') {
    return value
  }

  if (value instanceof Date) {
    return value.getTime()
  }

  if (typeof value === 'string') {
    const timestamp = Date.parse(value.replace(/-/g, '/'))
    return Number.isNaN(timestamp) ? 0 : timestamp
  }

  if (typeof value === 'object') {
    if (typeof value.getTime === 'function') {
      return value.getTime()
    }
    if (value.$date) {
      return parseTime(value.$date)
    }
  }

  return 0
}

function buildListItem(doc = {}) {
  return {
    id: doc._id,
    channel: normalizeText(doc.channel) || 'agri',
    title: normalizeText(doc.title),
    publishTime: normalizeText(doc.publishTime),
    tags: normalizeArray(doc.tags).filter(Boolean),
    wordCount: Number(doc.wordCount) || 0,
    summary: normalizeText(doc.summary),
    cover: normalizeKnowledgeCover(doc),
    views: Number(doc.views) || 0,
    likes: Number(doc.likes) || 0,
    favorites: Number(doc.favorites) || 0,
    comments: Number(doc.comments) || 0,
    shareCount: Number(doc.shareCount) || 0,
    author: normalizeText(doc.author),
    location: doc.location || null,
  }
}

function sortArticles(list = []) {
  return [...list].sort((a, b) => {
    const pinnedDiff = Number(b.isPinned) - Number(a.isPinned)
    if (pinnedDiff !== 0) {
      return pinnedDiff
    }

    const timeDiff = parseTime(b.publishTime) - parseTime(a.publishTime)
    if (timeDiff !== 0) {
      return timeDiff
    }

    return parseTime(b.updatedAt) - parseTime(a.updatedAt)
  })
}

```

```
exports.main = async (event = {}) => {
  const channel = normalizeText(event.channel) || 'agri'
  const res = await db.collection(COLLECTION_NAME)
    .where({
      status: 'published',
      channel,
    })
    .limit(MAX_LIMIT)
    .get()

  const list = sortArticles(res.data || [])
  const categories = ['全部', ...new Set(
    list.flatMap((item) => normalizeArray(item.tags).filter(Boolean))
  )]

  return {
    ok: true,
    channel,
    categories,
    list: list.map(buildListItem),
  }
}
```

Path: cloudfunctions/getknowledgearticles/package.json

```
1 {
2   "name": "getknowledgearticles",
3   "version": "1.0.0",
4   "description": "获取农旅宝典文章列表",
5   "main": "index.js",
6   "dependencies": {
7     "wx-server-sdk": "latest"
8   }
9 }
```

Path: cloudfunctions/getknowledgearticledetail/index.js

```
const cloud = require('wx-server-sdk')

cloud.init({ env: cloud.DYNAMIC_CURRENT_ENV })
const db = cloud.database()
const _ = db.command

const COLLECTION_NAME = 'knowledgeArticles'
const CLOUD_ENV_ID = 'cloud1-3ghmr5ki7b1172fe.636c-cloud1-3ghmr5ki7b1172fe-1403917845'
const CLOUD_KNOWLEDGE_COVER_PREFIX = `cloud://${CLOUD_ENV_ID}/knowledge/covers`
const KNOWLEDGE_COVER_FILE_MAP = {
  'agri-001': 'spring-vegetable.png',
  'agri-002': 'village-chicken.png',
  'agri-003': 'corn-disease.png',
  'agri-004': 'bee-guide.png',
  'agri-005': 'rice-brand.png',
  'culture-001': 'summer-palace.png',
  'culture-002': 'intangible-heritage.png',
  'culture-003': 'folk-custom.png',
  'culture-004': 'travel-tips.png',
}

function normalizeText(value = '') {
  return String(value || '').trim()
}

function normalizeArray(value) {
  return Array.isArray(value) ? value : []
}

function getFileName(value = '') {
  const normalized = normalizeText(value)
  if (!normalized) {
    return ''
  }

  const segments = normalized.split('/')
  return normalizeText(segments[segments.length - 1])
}

function buildKnowledgeCoverFileID(fileName = '') {
  const normalized = getFileName(fileName)
  return normalized ? `${CLOUD_KNOWLEDGE_COVER_PREFIX}/${normalized}` : ''
}

function normalizeKnowledgeCover(article = {}) {
  const cover = normalizeText(article.cover)
  if (/^(cloud|https?):\/\//i.test(cover)) {
    return cover
  }

  const coverFileName = getFileName(cover) || KNOWLEDGE_COVER_FILE_MAP[normalizeText(article._id)]
  return buildKnowledgeCoverFileID(coverFileName)
}

exports.main = async (event = {}) => {
  const id = normalizeText(event.id)
  if (!id) {
    return { ok: false, error: 'missing id' }
```

```
59 }
60
61 const docRes = await db.collection(COLLECTION_NAME).doc(id).get()
62 const article = docRes.data || null
63 if (!article || article.status !== 'published') {
64   return { ok: false, error: 'article not found' }
65 }
66
67 await db.collection(COLLECTION_NAME).doc(id).update({
68   data: {
69     views: _.inc(1),
70     updatedAt: new Date(),
71   },
72 })
73
74 return {
75   ok: true,
76   data: {
77     id: article._id,
78     channel: normalizeText(article.channel) || 'agri',
79     title: normalizeText(article.title),
80     publishTime: normalizeText(article.publishTime),
81     tags: normalizeArray(article.tags).filter(Boolean),
82     wordCount: Number(article.wordCount) || 0,
83     summary: normalizeText(article.summary),
84     cover: normalizeKnowledgeCover(article),
85     views: Number(article.views) + 1,
86     likes: Number(article.likes) || 0,
87     favorites: Number(article.favorites) || 0,
88     comments: Number(article.comments) || 0,
89     shareCount: Number(article.shareCount) || 0,
90     author: normalizeText(article.author),
91     content: normalizeArray(article.content),
92     location: article.location || null,
93     commentList: normalizeArray(article.commentList),
94   },
95 }
96 }
```

Path: cloudfunctions/getknowledgearticledetail/package.json

```
1 {
2   "name": "getknowledgearticledetail",
3   "version": "1.0.0",
4   "description": "获取农旅宝典文章详情",
5   "main": "index.js",
6   "dependencies": {
7     "wx-server-sdk": "latest"
8   }
9 }
```

Path: cloudfunctions/getMyOrders/index.js

```
1 const cloud = require('wx-server-sdk')
2 cloud.init({ env: cloud.DYNAMIC_CURRENT_ENV })
3 const db = cloud.database()
4
5 exports.main = async (event, context) => {
6   const { OPENID } = cloud.getWXContext()
7   const { status, page = 1, pageSize = 20 } = event || {}
8
9   const where = { _openid: OPENID }
10
11   const allowed = new Set(['reserved', 'ongoing', 'cancelled', 'finished'])
12   if (status && allowed.has(status)) where.status = status
13
14   const skip = (Number(page) - 1) * Number(pageSize)
15
16   const res = await db.collection('activityOrders')
17     .where(where)
18     .orderBy('createdAt', 'desc')
19     .skip(skip)
20     .limit(Number(pageSize))
21     .get()
22
23   return { data: res.data }
24 }
```

Path: cloudfunctions/getMyOrders/package.json

```
1 {
2   "name": "getMyOrders",
3   "version": "1.0.0",
4   "dependencies": {
5     "wx-server-sdk": "^3.0.0"
6   }
7 }
```

Path: cloudfunctions/getMyOrderCounts/index.js

```
1 const cloud = require('wx-server-sdk')
2 cloud.init({ env: cloud.DYNAMIC_CURRENT_ENV })
3 const db = cloud.database()
4
5 function ymd(date) {
6   const d = new Date(date)
7   const pad = (x) => String(x).padStart(2, '0')
8   return `${d.getFullYear()}-${pad(d.getMonth()+1)}-${pad(d.getDate())}`
9 }
10
11 function classify(order) {
12   if (order.status === 'cancelled' || order.cancelled === true) return 'cancelled'
13   const td = order.travelDate
14   if (!td) return 'comfirmed'
15   const today = ymd(new Date())
16   if (td > today) return 'comfirmed'
17   if (td === today) return 'ongoing'
18   return 'completed'
19 }
20
21 exports.main = async (event, context) => {
22   const { OPENID } = cloud.getWXContext()
23
24   const res = await db.collection('activityOrders')
25     .where({ _openid: OPENID })
26     .get()
27
28   const counts = { comfirmed: 0, ongoing: 0, cancelled: 0, completed: 0 }
29   for (const o of (res.data || [])) {
30     const s = classify(o)
31     counts[s] = (counts[s] || 0) + 1
32   }
33   return counts
34 }
```

Path: cloudfunctions/getMyOrderCounts/package.json

```
1 {
2   "name": "getMyOrderCounts",
3   "version": "1.0.0",
4   "dependencies": {
5     "wx-server-sdk": "^3.0.0"
6   }
7 }
```

Path: cloudfunctions/userManage/index.js

```
1 const https = require('https')
2 const cloud = require('wx-server-sdk')
3
4 cloud.init({ env: cloud.DYNAMIC_CURRENT_ENV })
5 const db = cloud.database()
6 const TENCENT_MAP_KEY = process.env.TENCENT_MAP_KEY || process.env.QQ_MAP_KEY || ''
7
8 async function getCurrentUserRecord() {
9   const { OPENID } = cloud.getWXContext()
10   const res = await db.collection('users').where({ openid: OPENID }).limit(1).get()
11
12   if (!res.data.length) {
13     return null
14   }
15
16   return res.data[0]
17 }
18
19 async function saveAndFetchUser(userId, data) {
20   await db.collection('users').doc(userId).update({
21     data: {
22       ...data,
23       updatedAt: db.serverDate(),
24     },
25   })
26
27   const fresh = await db.collection('users').doc(userId).get()
28   return fresh.data
29 }
30
31 function requestJson(url) {
32   return new Promise((resolve, reject) => {
33     https
34       .get(url, (res) => {
35         let raw = ''
36         res.on('data', (chunk) => {
37           raw += chunk
38         })
39         res.on('end', () => {
40           try {
41             resolve(JSON.parse(raw))
42           } catch (error) {
43             reject(error)
44           }
45         })
46       })
47       .on('error', reject)
48   })
49 }
50
51 function normalizeNumber(value) {
52   const number = Number(value)
53   return Number.isFinite(number) ? number : null
54 }
55
56 function normalizeText(value) {
57   return typeof value === 'string' ? value.trim() : ''
58 }
59
60 function normalizeArray(value) {
```

```
  return Array.isArray(value)
    ? value.map((item) => normalizeText(item)).filter(Boolean)
    : []
}

function uniqueList(list = []) {
  return Array.from(new Set((list || []).filter(Boolean)))
}

function trimRegionSuffix(value) {
  return normalizeText(value).replace(/(特别行政区|自治区|自治州|地区|盟|省|市|区|县|旗)$/u, '')
}

function getSharedTags(currentUser = {}, candidate = {}) {
  const currentTags = new Set(normalizeArray(currentUser.dnaTags))
  return normalizeArray(candidate.dnaTags).filter((tag) => currentTags.has(tag))
}

function deriveBuddyTagsFromIntent(intent = {}) {
  const normalized = normalizeBuddyIntent(intent)
  const tags = []

  if (normalized.buddyType === 'casual') tags.push('周末同游')
  if (normalized.buddyType === 'photo') tags.push('摄影搭子')
  if (normalized.buddyType === 'parent_child') tags.push('亲子搭子')
  if (normalized.buddyType === 'free_travel') tags.push('自由行搭子')
  if (normalized.acceptCarpool === 'yes') tags.push('接受拼车')
  if (normalized.groupPreference === 'two') tags.push('两人同行')
  if (normalized.groupPreference === 'small_group') tags.push('3-4人小团')
  if (normalized.groupPreference === 'flexible') tags.push('人数灵活')

  return uniqueList(tags)
}

function getBuddyTags(user = {}) {
  const directTags = normalizeArray(user.buddyTags)
  if (directTags.length) {
    return directTags
  }
  return deriveBuddyTagsFromIntent(user.buddyIntent)
}

function getSharedBuddyTags(currentUser = {}, candidate = {}) {
  const currentTags = new Set(getBuddyTags(currentUser))
  return getBuddyTags(candidate).filter((tag) => currentTags.has(tag))
}

function buildBuddyExplanation(currentUser = {}, candidate = {}, sharedTags = []) {
  const parts = []
  const sharedBuddyTags = getSharedBuddyTags(currentUser, candidate)
  const currentCity = trimRegionSuffix(currentUser.city)
  const candidateCity = trimRegionSuffix(candidate.city)
  const currentProvince = trimRegionSuffix(currentUser.province)
  const candidateProvince = trimRegionSuffix(candidate.province)

  if (currentCity && candidateCity && currentCity === candidateCity) {
    parts.push('同城')
  } else if (currentProvince && candidateProvince && currentProvince === candidateProvince) {
    parts.push('同省')
  }

```

```
  if (sharedBuddyTags.length) {
    parts.push(`搭子标签重合 ${Math.min(sharedBuddyTags.length, 3)} 项`)
  }

  if (sharedTags.length) {
    parts.push(`DNA 标签重合 ${Math.min(sharedTags.length, 3)} 项`)
  }

  if (candidate.profileCompleted && candidate.dnaCompleted) {
    parts.push('资料较完整')
  }

  return parts
}

function buildBuddyRealSummary(candidate = {}) {
  const buddyTags = getBuddyTags(candidate)
  if (buddyTags.length) {
    return `真实标签：${buddyTags.slice(0, 3).join('、')}`
  }

  const cityText = trimRegionSuffix(candidate.city) || trimRegionSuffix(candidate.province) || ''
  if (cityText) {
    return `真实资料：来自${cityText}`
  }

  return '以下展示的是该用户已填写的公开资料，以及系统基于资料生成的匹配结果。'
}

function getAgeFromBirthDate(value) {
  const text = normalizeText(value)
  if (!text) return null
  const date = new Date(text)
  if (Number.isNaN(date.getTime())) return null

  const now = new Date()
  let age = now.getFullYear() - date.getFullYear()
  const monthDiff = now.getMonth() - date.getMonth()
  const dayDiff = now.getDate() - date.getDate()
  if (monthDiff < 0 || (monthDiff === 0 && dayDiff < 0)) {
    age -= 1
  }
  return age >= 0 ? age : null
}

function getAgeRangeLabel(age) {
  if (age === null) return ''
  if (age < 18) return '18岁以下'
  if (age < 25) return '18-24岁'
  if (age < 35) return '25-34岁'
  if (age < 45) return '35-44岁'
  if (age < 60) return '45-59岁'
  return '60岁以上'
}

function inferBuddyType(tags = []) {
  const joined = normalizeArray(tags).join(' ')
  if (joined.includes('亲子')) return '亲子搭子'
  if (joined.includes('摄影')) return '摄影搭子'
  if (joined.includes('自由行') || joined.includes('独自旅行')) return '自由行搭子'
  if (joined.includes('团队') || joined.includes('老友')) return '周末同游搭子'
```

```
  return '轻同行搭子'
}

function getBuddyTypeLabel(value) {
  const map = {
    casual: '周末同游搭子',
    photo: '摄影搭子',
    parent_child: '亲子搭子',
    free_travel: '自由行搭子',
  }
  return map[normalizeText(value)] || ''
}

function pickStatusTag(currentUser = {}, candidate = {}, sharedTags = []) {
  const currentCity = trimRegionSuffix(currentUser.city)
  const candidateCity = trimRegionSuffix(candidate.city)
  if (currentCity && candidateCity && currentCity === candidateCity) {
    return '同城更容易约'
  }

  if (sharedTags.length >= 2) {
    return `${sharedTags.slice(0, 2).join(' · ')}`
  }

  return '偏好接近'
}

function buildBuddySummary(candidate = {}, sharedTags = []) {
  const cityText = trimRegionSuffix(candidate.city) || trimRegionSuffix(candidate.province) || '同区域'
  const tags = normalizeArray(candidate.dnaTags)
  const focusTags = sharedTags.length ? sharedTags : tags.slice(0, 3)
  const buddyType = inferBuddyType(focusTags)
  const tagText = focusTags.length ? focusTags.join('、') : '周末轻同行'
  return `来自${cityText}，更偏向${tagText}，适合先从${buddyType}开始沟通。`
}

function buildMatchReason(currentUser = {}, candidate = {}, sharedTags = []) {
  const reasons = []
  const currentCity = trimRegionSuffix(currentUser.city)
  const candidateCity = trimRegionSuffix(candidate.city)
  const currentProvince = trimRegionSuffix(currentUser.province)
  const candidateProvince = trimRegionSuffix(candidate.province)

  if (currentCity && candidateCity && currentCity === candidateCity) {
    reasons.push('你们在同一城市，线下集合成本更低')
  } else if (currentProvince && candidateProvince && currentProvince === candidateProvince) {
    reasons.push('你们在同一省内，出发区域相对接近')
  }

  if (sharedTags.length) {
    reasons.push(`DNA标签有重合：${sharedTags.slice(0, 3).join('、')}`)
  }

  const candidateAge = getAgeFromBirthDate(candidate.birthDate)
  const currentAge = getAgeFromBirthDate(currentUser.birthDate)
  if (candidateAge !== null && currentAge !== null && Math.abs(candidateAge - currentAge) <= 8) {
    reasons.push('年龄阶段接近，出行节奏可能更一致')
  }

```

```
  return reasons.slice(0, 2).join('；') || '基础资料和偏好方向比较接近，适合先发起一次轻量沟通。'
}

function buildBuddyOpeningText(question, candidate = {}, sharedTags = []) {
  const text = normalizeText(question)
  const title = inferBuddyType(sharedTags.length ? sharedTags : normalizeArray(candidate.dnaTags))
  if (text) {
    return `你好，我正在找“${text}”方向的同行搭子，看到我们偏好挺接近，想先和你聊聊是否方便一起出发。`
  }
  return `你好，我想找一位${title}，看到我们资料和偏好比较接近，想先认识一下。`
}

function normalizeBuddyIntent(input = {}) {
  return {
    availability: normalizeText(input.availability),
    buddyType: normalizeText(input.buddyType),
    acceptCarpool: normalizeText(input.acceptCarpool),
    groupPreference: normalizeText(input.groupPreference),
  }
}

function buildBuddyIntentFromTags(tags = []) {
  const list = normalizeArray(tags)

  return normalizeBuddyIntent({
    availability: '',
    buddyType: list.includes('摄影搭子')
      ? 'photo'
      : list.includes('亲子搭子')
        ? 'parent_child'
        : list.includes('自由行搭子')
          ? 'free_travel'
          : list.includes('周末同游')
            ? 'casual'
            : '',
    acceptCarpool: list.includes('接受拼车') ? 'yes' : '',
    groupPreference: list.includes('两人同行')
      ? 'two'
      : list.includes('3-4人小团')
        ? 'small_group'
        : list.includes('人数灵活')
          ? 'flexible'
          : '',
  })
}

function isBuddyIntentCompleted(intent = {}) {
  const normalized = normalizeBuddyIntent(intent)
  return !!(
    normalized.availability &&
    normalized.buddyType &&
    normalized.acceptCarpool &&
    normalized.groupPreference
  )
}

function getQuestionIntentTokens(question = '') {
  const text = normalizeText(question)
  const tokens = []
  if (text.includes('周六')) tokens.push('saturday')
  if (text.includes('周日')) tokens.push('sunday')
```

```
  if (text.includes('周末')) tokens.push('weekend')
  if (text.includes('摄影')) tokens.push('photo')
  if (text.includes('亲子')) tokens.push('parent_child')
  if (text.includes('拼车')) tokens.push('carpool_yes')
  if (text.includes('两个人') || text.includes('2人')) tokens.push('group_two')
  if (text.includes('小团') || text.includes('3') || text.includes('4')) tokens.push('group_small')
  return tokens
}

function scoreBuddyCandidate(currentUser = {}, candidate = {}, question = '') {
  let score = 45
  const sharedTags = getSharedTags(currentUser, candidate)
  const currentIntent = normalizeBuddyIntent(currentUser.buddyIntent)
  const candidateIntent = normalizeBuddyIntent(candidate.buddyIntent)
  const questionTokens = getQuestionIntentTokens(question)
  score += Math.min(sharedTags.length * 14, 42)

  const currentCity = trimRegionSuffix(currentUser.city)
  const candidateCity = trimRegionSuffix(candidate.city)
  const currentProvince = trimRegionSuffix(currentUser.province)
  const candidateProvince = trimRegionSuffix(candidate.province)

  if (currentCity && candidateCity && currentCity === candidateCity) {
    score += 24
  } else if (currentProvince && candidateProvince && currentProvince === candidateProvince) {
    score += 14
  }

  if (candidate.profileCompleted) score += 4
  if (candidate.dnaCompleted) score += 4
  if (candidate.buddyIntentCompleted) score += 10
  if (normalizeText(candidate.avatarUrl)) score += 3
  if (normalizeText(candidate.nickName)) score += 3

  const currentAge = getAgeFromBirthDate(currentUser.birthDate)
  const candidateAge = getAgeFromBirthDate(candidate.birthDate)
  if (currentAge !== null && candidateAge !== null) {
    const diff = Math.abs(currentAge - candidateAge)
    if (diff <= 5) score += 8
    else if (diff <= 10) score += 4
  }

  const candidateText = normalizeArray(candidate.dnaTags).join(' ')
  normalizeArray(String(question || '').match(/[\u4e00-\u9fa5A-Za-z0-9]{2,8}/gu)).forEach((token) => {
    if (candidateText.includes(token)) {
      score += 5
    }
  })

  if (currentIntent.availability && candidateIntent.availability && currentIntent.availability === candidateIntent.availability) {
    score += 10
  }
  if (currentIntent.buddyType && candidateIntent.buddyType && currentIntent.buddyType === candidateIntent.buddyType) {
    score += 12
  }
  if (currentIntent.acceptCarpool && candidateIntent.acceptCarpool && currentIntent.acceptCarpool === candidateIntent.acceptCarpool) {
```

```
    score += 8
  }
  if (currentIntent.groupPreference && candidateIntent.groupPreference && currentIntent.groupPreference === candidateIntent.groupPreference) {
    score += 8
  }

  if (questionTokens.includes('saturday') && candidateIntent.availability === 'saturday') score += 10
  if (questionTokens.includes('sunday') && candidateIntent.availability === 'sunday') score += 10
  if (questionTokens.includes('weekend') && (candidateIntent.availability === 'weekend' || candidateIntent.availability === 'flexible')) score += 8
  if (questionTokens.includes('photo') && candidateIntent.buddyType === 'photo') score += 12
  if (questionTokens.includes('parent_child') && candidateIntent.buddyType === 'parent_child') score += 12
  if (questionTokens.includes('carpool_yes') && candidateIntent.acceptCarpool === 'yes') score += 10
  if (questionTokens.includes('group_two') && candidateIntent.groupPreference === 'two') score += 8
  if (questionTokens.includes('group_small') && candidateIntent.groupPreference === 'small_group') score += 8

  return Math.min(score, 98)
}

function buildBuddyCandidate(currentUser = {}, candidate = {}, question = '') {
  const sharedTags = getSharedTags(currentUser, candidate)
  const score = scoreBuddyCandidate(currentUser, candidate, question)
  const candidateIntent = normalizeBuddyIntent(candidate.buddyIntent)
  const cityText = trimRegionSuffix(candidate.city) || trimRegionSuffix(candidate.province) || '同区域'
  const ageText = getAgeRangeLabel(getAgeFromBirthDate(candidate.birthDate))
  const tags = uniqueList(sharedTags.concat(normalizeArray(candidate.dnaTags))).slice(0, 4)
  const practicalInfo = [
    { label: '所在地区', value: cityText },
    { label: '同行类型', value: getBuddyTypeLabel(candidateIntent.buddyType) || inferBuddyType(tags) },
  ]

  if (candidateIntent.availability) {
    const availabilityMap = {
      saturday: '周六更方便',
      sunday: '周日更方便',
      weekend: '周末都可以',
      flexible: '时间较灵活',
    }
    practicalInfo.push({ label: '可同行时间', value: availabilityMap[candidateIntent.availability] || candidateIntent.availability })
  }

  if (candidateIntent.acceptCarpool) {
    practicalInfo.push({
      label: '是否接受拼车',
      value: candidateIntent.acceptCarpool === 'yes' ? '接受拼车' : '暂不拼车',
    })
  }

  if (ageText) {
    practicalInfo.push({ label: '年龄阶段', value: ageText })
```

```
408   }
409
410   return {
411     id: candidate._id,
412     sourceId: candidate._id,
413     userName: normalizeText(candidate.nickName) || '同行旅友',
414     avatarUrl: normalizeText(candidate.avatarUrl),
415     avatarText: (normalizeText(candidate.nickName) || '搭').slice(0, 1),
416     avatarColor: '#6e89ff',
417     matchScore: score,
418     matchScoreText: `匹配度 ${score}%`,
419     statusTag: '',
420     summary: buildBuddyRealSummary(candidate),
421     matchReason: `系统匹配说明：${buildBuddyExplanation(currentUser, candidate, sharedTags)
    .join(' + ') || '已根据地区、已填写标签和资料完整度完成匹配'}`,
422     tags,
423     playItems: uniqueList([
424       `共同偏好：${sharedTags.length ? sharedTags.slice(0, 3).join('、') : '还在建立中'}`,
425       `资料完整度：${candidate.profileCompleted && candidate.dnaCompleted ? '较完整' : '待继续完善
    '}`,
426       candidateIntent.groupPreference === 'two' ? '更偏好两人同行' : '',
427       candidateIntent.groupPreference === 'small_group' ? '更偏好3-4人小团' : '',
428     ].filter(Boolean),
429     practicalInfo,
430     actionText: '发起搭子申请',
431     openingText: buildBuddyOpeningText(question, candidate, sharedTags),
432   }
433 }
434
435 function buildDisplayName({ displayName, poiTitle, district, city, province, locatio
    nText }) {
436   return (
437     normalizeText(displayName) ||
438     normalizeText(poiTitle) ||
439     stripAdminPrefix(normalizeText(locationText)) ||
440     normalizeText(district) ||
441     normalizeText(city) ||
442     normalizeText(province) ||
443     normalizeText(locationText)
444   )
445 }
446
447 function stripAdminPrefix(text) {
448   const raw = normalizeText(text)
449   if (!raw) return ''
450   return raw.replace(/^(?:(?:[\u4e00-\u9fa5]{2,12})(?:省|特别行政区|自治州|地区|盟|市|区|县)){1,4}/
    u, '')
451 }
452
453 function scorePoi(item = {}) {
454   const title = normalizeText(item.title || item.name)
455   if (!title) {
456     return -999
457   }
458
459   let score = 0
460   if (/(大学|学院|校区|广场|商场|中心|公园|景区|小区|公寓|影城|影院|酒店|民宿|站)$/u.test(title)) score += 12
461   if (/(人民政府|政府|居委会|村委会|街道办|派出所|卫生院)$/u.test(title)) score -= 8
462   if (/(镇|村)$/u.test(title)) score += 4
463   if (title.length <= 16) score += 3
464   if (title.length >= 24) score -= 2
465
```

```
466   const distance = normalizeNumber(item._distance || item.distance)
467   if (distance !== null) {
468     score += Math.max(0, 6 - distance / 200)
469   }
470
471   return score
472 }
473
474 function pickBestPoi(pois = []) {
475   if (!Array.isArray(pois) || !pois.length) {
476     return {}
477   }
478
479   return pois
480     .map((item) => ({ item, score: scorePoi(item) }))
481     .sort((a, b) => b.score - a.score)[0].item || {}
482 }
483
484 function hasOwn(obj, key) {
485   return Object.prototype.hasOwnProperty.call(obj || {}, key)
486 }
487
488 async function reverseGeocodeByTencentMap(location) {
489   if (!TENCENT_MAP_KEY) {
490     console.warn('[userManage] TENCENT_MAP_KEY missing, skip reverse geocode')
491     return null
492   }
493
494   const latitude = normalizeNumber(location && location.latitude)
495   const longitude = normalizeNumber(location && location.longitude)
496   if (latitude === null || longitude === null) {
497     return null
498   }
499
500   const url =
501     'https://apis.map.qq.com/ws/geocoder/v1/?output=json&get_poi=1' +
502     '&poi_options=policy=5;radius=1000;page_size=5;page_index=1' +
503     `&location=${encodeURIComponent(`${latitude},${longitude}`)}` +
504     `&key=${encodeURIComponent(TENCENT_MAP_KEY)}`
505
506   const result = await requestJson(url)
507   if (!result || result.status !== 0 || !result.result) {
508     console.warn('[userManage] reverse geocode failed', result)
509     return null
510   }
511
512   const addressComponent = result.result.address_component || {}
513   const adInfo = result.result.ad_info || {}
514   const pois = Array.isArray(result.result.pois) ? result.result.pois : []
515   const nearestPoi = pickBestPoi(pois)
516   const poiTitle =
517     stripAdminPrefix(normalizeText(nearestPoi.title) || normalizeText(nearestPoi.nam
    e)) ||
518     ''
519
520   return {
521     province: addressComponent.province || adInfo.province || '',
522     city: addressComponent.city || adInfo.city || '',
523     district: addressComponent.district || adInfo.district || '',
524     adcode: adInfo.adcode || '',
525     poiTitle,
526     displayName:
```

```
    poiTitle ||
    addressComponent.street ||
    addressComponent.street_number ||
    '',
  locationText:
    result.result.address ||
    (result.result.formatted_addresses && result.result.formatted_addresses.recommend) ||
    '',
  }
}

async function placeSuggestionByTencentMap(keyword, options = {}) {
  if (!TENCENT_MAP_KEY) {
    console.warn('[userManage] TENCENT_MAP_KEY missing, skip place suggestion')
    return []
  }

  const text = normalizeText(keyword)
  if (!text) {
    return []
  }

  const params = [
    `keyword=${encodeURIComponent(text)}`,
    `key=${encodeURIComponent(TENCENT_MAP_KEY)}`,
    'output=json',
    'get_ad_info=1',
    'region_fix=0',
    'policy=1',
    'page_size=10',
  ]

  const region = normalizeText(options.region)
  if (region) {
    params.push(`region=${encodeURIComponent(region)}`)
  }

  const latitude = normalizeNumber(options.latitude)
  const longitude = normalizeNumber(options.longitude)
  if (latitude !== null && longitude !== null) {
    params.push(`location=${encodeURIComponent(`${latitude},${longitude}`)}`)
  }

  const url = `https://apis.map.qq.com/ws/place/v1/suggestion?${params.join('&')}`
  const result = await requestJson(url)
  if (!result || result.status !== 0 || !Array.isArray(result.data)) {
    console.warn('[userManage] place suggestion failed', result)
    return []
  }

  return result.data.map((item) => ({
    title: item.title || '',
    address: item.address || '',
    adcode: String(item.adcode || ''),
    province: item.province || '',
    city: item.city || '',
    district: item.district || '',
    latitude: item.location && item.location.lat,
    longitude: item.location && item.location.lng,
  }))
}
```

```

exports.main = async (event) => {
  try {
    const user = await getCurrentUserRecord()
    if (!user) {
      return {
        success: false,
        message: '用户不存在',
      }
    }

    if (event.action === 'updateProfile') {
      const profile = event.profile || {}
      const nextUser = await saveAndFetchUser(user._id, {
        avatarUrl: profile.avatarUrl || '',
        nickName: profile.nickName || '',
        gender: profile.gender || '未知',
        birthDate: profile.birthDate || '',
        profileCompleted: true,
      })

      return {
        success: true,
        userInfo: nextUser,
      }
    }

    if (event.action === 'updateOnboarding') {
      const payload = event.payload || {}
      let resolvedLocation = null

      try {
        resolvedLocation = payload.userLocation ? await reverseGeocodeByTencentMap(payload.userLocation) : null
      } catch (error) {
        console.error('[userManage] reverse geocode error', error)
        resolvedLocation = null
      }

      const nextUser = await saveAndFetchUser(user._id, {
        locationAuthorized: !!payload.locationAuthorized,
        locationChoiceMade: !!payload.locationChoiceMade,
        userLocation: payload.userLocation || null,
        province: (resolvedLocation && resolvedLocation.province) || user.province || '',
        city: (resolvedLocation && resolvedLocation.city) || user.city || '',
        district: (resolvedLocation && resolvedLocation.district) || user.district || '',
        adcode: (resolvedLocation && resolvedLocation.adcode) || user.adcode || '',
        locationText: (resolvedLocation && resolvedLocation.locationText) || user.locationText || '',
        displayName:
          (resolvedLocation && buildDisplayName(resolvedLocation)) ||
          user.displayName ||
          '',
      })

      return {
        success: true,
        userInfo: nextUser,
      }
    }
```

```

  if (event.action === 'updateRegion') {
    const payload = event.payload || {}
    let resolvedLocation = null

    try {
      resolvedLocation = payload.userLocation ? await reverseGeocodeByTencentMap(p
ayload.userLocation) : null
    } catch (error) {
      console.error('[userManage] updateRegion reverse geocode error', error)
      resolvedLocation = null
    }

    const nextUser = await saveAndFetchUser(user._id, {
      locationAuthorized:
        typeof payload.locationAuthorized === 'boolean'
          ? payload.locationAuthorized
          : !!user.locationAuthorized,
      locationChoiceMade: true,
      userLocation: hasOwn(payload, 'userLocation')
        ? (payload.userLocation || null)
        : (user.userLocation || null),
      province:
        normalizeText(payload.province) ||
        (resolvedLocation && resolvedLocation.province) ||
        user.province ||
        '',
      city:
        normalizeText(payload.city) ||
        (resolvedLocation && resolvedLocation.city) ||
        user.city ||
        '',
      district:
        normalizeText(payload.district) ||
        (resolvedLocation && resolvedLocation.district) ||
        user.district ||
        '',
      adcode:
        normalizeText(payload.adcode) ||
        (resolvedLocation && resolvedLocation.adcode) ||
        user.adcode ||
        '',
      locationText:
        normalizeText(payload.locationText) ||
        (resolvedLocation && resolvedLocation.locationText) ||
        user.locationText ||
        '',
      displayName:
        buildDisplayName({
          displayName: payload.displayName,
          poiTitle: resolvedLocation && resolvedLocation.poiTitle,
          district:
            normalizeText(payload.district) ||
            (resolvedLocation && resolvedLocation.district) ||
            user.district ||
            '',
          city:
            normalizeText(payload.city) ||
            (resolvedLocation && resolvedLocation.city) ||
            user.city ||
            '',
          province:
```

```
          normalizeText(payload.province) ||
          (resolvedLocation && resolvedLocation.province) ||
          user.province ||
          '',
        locationText:
          normalizeText(payload.locationText) ||
          (resolvedLocation && resolvedLocation.locationText) ||
          user.locationText ||
          '',
      }) ||
      user.displayName ||
      '',
    })

    return {
      success: true,
      userInfo: nextUser,
    }
  }

  if (event.action === 'searchPlaceSuggestions') {
    const payload = event.payload || {}
    const list = await placeSuggestionByTencentMap(payload.keyword, {
      region: payload.region,
      latitude: payload.latitude,
      longitude: payload.longitude,
    })

    return {
      success: true,
      list,
    }
  }

  if (event.action === 'updateDNATags') {
    const tags = Array.isArray(event.tags) ? event.tags : []
    const buddyTags = Array.isArray(event.buddyTags) ? uniqueList(event.buddyTags) : []
    const buddyIntent = buildBuddyIntentFromTags(buddyTags)
    const nextUser = await saveAndFetchUser(user._id, {
      dnaTags: tags,
      buddyTags,
      buddyIntent,
      buddyIntentCompleted: !!buddyTags.length,
      dnaCompleted: true,
      onboardingCompleted: true,
    })

    return {
      success: true,
      userInfo: nextUser,
    }
  }

  if (event.action === 'updateBuddyIntent') {
    const buddyIntent = normalizeBuddyIntent(event.buddyIntent || {})
    const buddyTags = deriveBuddyTagsFromIntent(buddyIntent)
    const nextUser = await saveAndFetchUser(user._id, {
      buddyTags,
      buddyIntent,
      buddyIntentCompleted: !!buddyTags.length,
    })
```

```

    return {
      success: true,
      userInfo: nextUser,
    }
  }

  if (event.action === 'getBuddyMatches') {
    const payload = event.payload || {}
    const question = normalizeText(payload.question)
    const limit = Math.min(Math.max(Number(payload.limit) || 3, 1), 10)
    const res = await db.collection('users').limit(100).get()
    const currentOpenid = user.openid || ''

    const list = (res.data || [])
      .filter((item) => item && item.openid && item.openid !== currentOpenid)
      .filter((item) => item.profileCompleted && item.dnaCompleted)
      .map((item) => buildBuddyCandidate(user, item, question))
      .sort((left, right) => right.matchScore - left.matchScore)
      .slice(0, limit)

    return {
      success: true,
      list,
    }
  }

  return {
    success: false,
    message: '不支持的操作',
  }
} catch (err) {
  console.error('userManage failed', err)
  return {
    success: false,
    message: '操作失败',
  }
}
}
```

Path: cloudfunctions/userManage/package.json

```
1 {
2   "name": "userManage",
3   "version": "1.0.0",
4   "dependencies": {
5     "wx-server-sdk": "latest"
6   }
7 }
```

Path: cloudfunctions/agent-yuxiaohe-1grmumm967563411/src/index.js

---

```
import express from "express";
import { agui, createExpressRoutes } from "@cloudbase/agent-server";
import { AdpAgent } from "@cloudbase/agent-adapter-adp";
import dotenvx from "@dotenvx/dotenvx";
import { Observable } from "rxjs";
import { randomUUID } from "crypto";
import { jwtDecode } from "jwt-decode";
import {
  WeChatAgent,
  createWxMessageHandler,
  WeChatHistoryManager,
} from "@cloudbase/agent-adapter-wx";
import {
  DetectCloudbaseUserMiddleware,
  buildAgentUserPrompt,
  buildBuddyMatchResult,
  buildConversationStateResult,
  buildGuideGroundingPayload,
  buildGuideCustomizationResult,
  buildPlatformGroundingContext,
  buildConversationWorkflow,
  buildUnifiedTaskState,
} from "./utils.js";
import {
  buildDirectAnswer,
  buildLocationQueryResult,
  buildWeatherQueryResult,
} from "./direct-answer.js";

dotenvx.config();

const PORT = Number(process.env.PORT || 9000);

class MyAgent extends AdpAgent {
  generateRequestBody({ message, fileInfos, input }) {
    return super.generateRequestBody({
      message,
      fileInfos,
      input,
    });
  }
}

class PatchedWeChatAgent extends WeChatAgent {
  constructor(config) {
    super(config);
    this.finalReplyCache = "";
  }

  handleWeChatSending(event, input) {
    if (event?.type === "TEXT_MESSAGE_CHUNK") {
      this.messageBuffer += event.delta || event.content || "";
      return;
    }

    if (event?.type === "RUN_FINISHED") {
      this.lastReply = this.messageBuffer.trim();
      if (this.lastReply) {
        this.finalReplyCache = this.lastReply;
        this.sendToWeChat(this.lastReply, input).catch(console.error);
```

```
      this.messageBuffer = "";
    }
    return;
  }

  super.handleWeChatSending(event, input);
}

async sendToWeChat(content, input) {
  if (content) {
    this.finalReplyCache = content;
  }
  return super.sendToWeChat(content, input);
}

run(input) {
  const original$ = super.run(input);

  return new Observable((subscriber) => {
    const subscription = original$.subscribe({
      next: (event) => subscriber.next(event),
      error: (error) => subscriber.error(error),
      complete: () => {
        if (!this.lastReply && this.finalReplyCache) {
          this.lastReply = this.finalReplyCache;
        }
        subscriber.complete();
      },
    });

    return () => subscription.unsubscribe();
  });
}
}

function createAgent({ request }) {
  console.log("[agent-yuxiaohe] createAgent", {
    hasAppKey: !!process.env.ADP_APP_KEY,
    envId: process.env.TCB_ENV || process.env.ENV_ID || "",
    method: request?.method,
    path: request?.path,
  });

  const agent = new MyAgent({
    adpConfig: {
      appKey: process.env.ADP_APP_KEY || "",
      credential: {
        secretId: process.env.TENCENTCLOUD_SECRETID || "",
        secretKey: process.env.TENCENTCLOUD_SECRETKEY || "",
        token: process.env.TENCENTCLOUD_SESSIONTOKEN || "",
      },
      enableUpload: false,
    },
  });

  agent.use(new DetectCloudbaseUserMiddleware(request));
  return agent;
}

function createBaseAgent() {
  return new MyAgent({
    adpConfig: {
```

```
    appKey: process.env.ADP_APP_KEY || "",
    credential: {
      secretId: process.env.TENCENTCLOUD_SECRETID || "",
      secretKey: process.env.TENCENTCLOUD_SECRETKEY || "",
      token: process.env.TENCENTCLOUD_SESSIONTOKEN || "",
    },
    enableUpload: false,
  },
});
}

function extractCloudbaseUserId(request) {
  const authorization =
    request?.headers?.authorization ||
    request?.headers?.Authorization ||
    request?.headers?.get?.("authorization") ||
    request?.headers?.get?.("Authorization") ||
    "";

  const token = authorization.startsWith("Bearer ")
    ? authorization.slice(7)
    : "";

  if (!token) {
    return "";
  }

  try {
    const payload = jwtDecode(token);
    return payload?.uid || payload?.sub || payload?.openid || payload?.user_id || ""
;
  } catch (error) {
    console.warn(
      "[agent-yuxiaohe] jwt decode failed",
      error?.message || error
    );
    return "";
  }
}

function createWxAgent({ request, options }) {
  console.log("[agent-yuxiaohe] createWxAgent", {
    agentId: options?.agentId,
    method: request?.method,
    path: request?.path,
  });

  const baseAgent = createAgent({ request });
  const envId = process.env.TCB_ENV || process.env.ENV_ID || "";
  const authorization =
    request.headers.authorization ||
    request.headers.Authorization ||
    request.headers.get?.("authorization") ||
    request.headers.get?.("Authorization") ||
    "";
  const accessToken = authorization.startsWith("Bearer ")
    ? authorization.slice(7)
    : "";

  return {
    agent: new PatchedWeChatAgent({
      agentId: options?.agentId || process.env.AGENT_ID || "agent-yuxiaohe",
```

```
    agent: baseAgent,
    wechatConfig: {
      sendMode: "aitools",
      context: {
        extendedContext: {
          envId,
          accessToken,
        },
      },
    },
    historyManager: new WeChatHistoryManager({
      envId,
    }),
  }),
};
}

function createRunId() {
  try {
    return randomUUID();
  } catch (error) {
    return `run-${Date.now()}-${Math.floor(Math.random() * 100000)}`;
  }
}

function normalizeBotHistory(history = []) {
  if (!Array.isArray(history)) {
    return [];
  }

  return history
    .map((item, index) => {
      const role = item?.role === "assistant" ? "assistant" : "user";
      const content = String(item?.content || "").trim();

      if (!content) {
        return null;
      }

      return {
        id: `history-${index}-${Date.now()}`,
        role,
        content,
      };
    })
    .filter(Boolean);
}

async function buildAgentInputFromBotBody(body = {}, cloudbaseUserId = "") {
  const historyMessages = normalizeBotHistory(body?.history);
  const msg = String(body?.msg || "").trim();

  if (!msg) {
    throw new Error("msg is required");
  }

  const workflowContext = await buildConversationWorkflow({
    question: msg,
    contextPayload: body?.contextPayload || {},
    cloudbaseUserId,
  });
  const unifiedTaskState = await buildUnifiedTaskState({
```

```
    question: msg,
    contextPayload: body?.contextPayload || {},
    cloudbaseUserId,
  });
  const guideFields =
    workflowContext?.mainline === "guide_customization" &&
    (workflowContext?.fields || unifiedTaskState?.collected)
      ? workflowContext?.fields || unifiedTaskState?.collected || {}
      : null;
  const groundingPayload = guideFields
    ? buildGuideGroundingPayload({
        question: msg,
        contextPayload: body?.contextPayload || {},
        guideFields,
      })
    : body?.contextPayload || {};
  const groundingContext = await buildPlatformGroundingContext(groundingPayload);
  const groundedMessageContent = buildAgentUserPrompt({
    question: msg,
    groundingContext,
    workflowContext,
    contextPayload: body?.contextPayload || {},
  });

  return {
    messages: historyMessages.concat({
      id: `user-${Date.now()}`,
      role: "user",
      content: groundedMessageContent,
    }),
    threadId:
      String(body?.conversationId || "").trim() || `conversation-${Date.now()}`,
    runId: createRunId(),
    tools: [],
    context: [],
    state: {},
    forwardedProps: {
      groundingRegion: groundingContext?.regionLabel || "",
      groundingCandidateCount: groundingContext?.candidates?.length || 0,
      mainline: workflowContext?.mainline || "",
      unifiedTaskState,
      unifiedTaskStateText: JSON.stringify(unifiedTaskState),
    },
  };
}

function writeSseChunk(res, data) {
  res.write(`data: ${JSON.stringify(data)}\n\n`);
}

function writeDirectTextResponse(res, text) {
  const content = String(text || "").trim();
  if (content) {
    writeSseChunk(res, { content });
  }
  res.write("data: [DONE]\n\n");
  res.end();
}

async function handleBotSendMessage(req, res) {
  console.log("[agent-yuxiaohe] bot send-message request", {
    method: req.method,
```

```
  path: req.path,
  bodyKeys: req.body ? Object.keys(req.body) : [],
  hasMsg: !!req.body?.msg,
  historyLength: Array.isArray(req.body?.history) ? req.body.history.length : 0,
});

let agent;
let textBuffer = "";
let chunkCount = 0;

try {
  const cloudbaseUserId = extractCloudbaseUserId(req);
  const directAnswer = await buildDirectAnswer({
    question: req.body?.msg || "",
    contextPayload: req.body?.contextPayload || {},
    cloudbaseUserId,
  });

  if (directAnswer) {
    res.setHeader("Content-Type", "text/event-stream");
    res.setHeader("Cache-Control", "no-cache, no-transform");
    res.setHeader("Connection", "keep-alive");
    res.flushHeaders?.();
    writeDirectTextResponse(res, directAnswer);
    return;
  }

  const input = await buildAgentInputFromBotBody(req.body || {}, cloudbaseUserId);
  input.forwardedProps = {
    ...(input.forwardedProps || {}),
    cloudbaseUserId,
  };
  agent = createBaseAgent();

  console.log("[agent-yuxiaohe] bot send-message createAgent", {
    threadId: input.threadId,
    runId: input.runId,
    messageCount: input.messages.length,
    hasCloudbaseUserId: !!cloudbaseUserId,
    groundingRegion: input.forwardedProps?.groundingRegion || "",
    groundingCandidateCount: input.forwardedProps?.groundingCandidateCount || 0,
    unifiedTaskState: input.forwardedProps?.unifiedTaskState || {},
  });

  res.setHeader("Content-Type", "text/event-stream");
  res.setHeader("Cache-Control", "no-cache, no-transform");
  res.setHeader("Connection", "keep-alive");
  res.flushHeaders?.();

  const events = agui.sendMessageAGUI.handler(input, agent);

  for await (const event of events) {
    console.log("[agent-yuxiaohe] bot send-message event", {
      type: event?.type,
      hasDelta: !!event?.delta,
      hasContent: !!event?.content,
    });

    if (event?.type === "TEXT_MESSAGE_CONTENT") {
      const content = event.delta || event.content || "";
      if (content) {
        textBuffer += content;
```

```
370         chunkCount += 1;
371         console.log("[agent-yuxiaohe] bot send-message chunk", {
372           chunkCount,
373           contentLength: content.length,
374           totalLength: textBuffer.length,
375         });
376         writeSseChunk(res, { content });
377       }
378       continue;
379     }
380
381     if (event?.type === "TEXT_MESSAGE_END") {
382       break;
383     }
384   }
385
386   if (!chunkCount && textBuffer) {
387     writeSseChunk(res, { content: textBuffer });
388   }
389
390   console.log("[agent-yuxiaohe] bot send-message finish", {
391     chunkCount,
392     totalLength: textBuffer.length,
393   });
394   res.write("data: [DONE]\n\n");
395   res.end();
396 } catch (error) {
397   console.error("[agent-yuxiaohe] bot send-message setup failed", error);
398   if (!res.headersSent) {
399     res.status(400).json({
400       error: "invalid send-message request",
401       message: error?.message || String(error),
402     });
403   } else if (!res.writableEnded) {
404     res.end();
405   }
406 }
407 }
408
409 async function handleBuddyMatch(req, res) {
410   try {
411     const body = req.body || {};
412     const departure = String(body.departure || "").trim();
413     const destination = String(body.destination || "").trim();
414     const time = String(body.time || "").trim();
415     const companionPreference = String(body.companionPreference || "").trim();
416     const cloudbaseUserId =
417       String(body.cloudbaseUserId || "").trim() || extractCloudbaseUserId(req);
418
419     const result = await buildBuddyMatchResult({
420       departure,
421       destination,
422       time,
423       companionPreference,
424       cloudbaseUserId,
425       contextPayload: body.contextPayload || {},
426     });
427
428     res.json(result);
429   } catch (error) {
430     console.error("[agent-yuxiaohe] buddy-match failed", error);
431     res.status(500).json({
```

```
    success: false,
    message: "搭子匹配服务暂不可用",
    error: error?.message || String(error),
  });
}
}

async function handleGuideCustomization(req, res) {
  try {
    const body = req.body || {};
    const result = await buildGuideCustomizationResult({
      time: String(body.time || "").trim(),
      peopleCount: String(body.peopleCount || "").trim(),
      relationship: String(body.relationship || "").trim(),
      budget: String(body.budget || "").trim(),
      destination: String(body.destination || "").trim(),
      contextPayload: body.contextPayload || {},
    });

    res.json(result);
  } catch (error) {
    console.error("[agent-yuxiaohe] guide-customization failed", error);
    res.status(500).json({
      success: false,
      message: "攻略候选服务暂时不可用",
      error: error?.message || String(error),
    });
  }
}

async function handleConversationState(req, res) {
  try {
    const body = req.body || {};
    const cloudbaseUserId =
      String(body.cloudbaseUserId || "").trim() || extractCloudbaseUserId(req);
    const result = await buildConversationStateResult({
      question: String(body.question || "").trim(),
      contextPayload: body.contextPayload || {},
      cloudbaseUserId,
    });

    res.json(result);
  } catch (error) {
    console.error("[agent-yuxiaohe] conversation-state failed", error);
    res.status(500).json({
      success: false,
      message: "浼氫瘮鐘舵€佹湳鍔°C殏鏃朵笃鍙⊠敷",
      error: error?.message || String(error),
    });
  }
}

async function handleWeatherQuery(req, res) {
  try {
    const body = req.body || {};
    const result = await buildWeatherQueryResult({
      question: String(body.question || "").trim(),
      contextPayload: body.contextPayload || {},
    });

    res.json(result);
  } catch (error) {
```

```
494     console.error("[agent-yuxiaohe] weather-query failed", error);
495     res.status(500).json({
496       success: false,
497       subType: "weather",
498       answer: "实时天气暂不可用，刚才查询天气服务时失败了。你可以稍后再试。",
499       error: error?.message || String(error),
500     });
501   }
502 }
503
504 async function handleLocationQuery(req, res) {
505   try {
506     const body = req.body || {};
507     const result = await buildLocationQueryResult({
508       contextPayload: body.contextPayload || {},
509     });
510
511     res.json(result);
512   } catch (error) {
513     console.error("[agent-yuxiaohe] location-query failed", error);
514     res.status(500).json({
515       success: false,
516       subType: "location",
517       answer: "位置未获取成功。你可以先开启定位权限，或者直接告诉我你所在的城市。",
518       error: error?.message || String(error),
519     });
520   }
521 }
522
523 const app = express();
524
525 app.use((req, res, next) => {
526   console.log("[agent-yuxiaohe] incoming", {
527     method: req.method,
528     path: req.path,
529   });
530   next();
531 });
532
533 app.post("/send-message", express.json(), handleBotSendMessage);
534
535 app.post("/api/buddy-match", express.json(), handleBuddyMatch);
536
537 app.post("/api/guide-customization", express.json(), handleGuideCustomization);
538
539 app.post("/api/conversation-state", express.json(), handleConversationState);
540
541 app.post("/api/weather-query", express.json(), handleWeatherQuery);
542
543 app.post("/api/location-query", express.json(), handleLocationQuery);
544
545 app.post(
546   "/v1/aibot/bots/:agentId/send-message",
547   express.json(),
548   (req, res, next) => {
549     console.log("[agent-yuxiaohe] /v1/aibot/bots/:agentId/send-message hit", {
550       method: req.method,
551       path: req.path,
552       agentId: req.params?.agentId,
553     });
554     next();
555   },
```

```
  handleBotSendMessage
);

createExpressRoutes({
  createAgent,
  express: app,
});

app.post(
  "/wx-send-message",
  express.json(),
  (req, res, next) => {
    console.log("[agent-yuxiaohe] /wx-send-message hit", {
      hasBody: !!req.body,
    });
    next();
  },
  createWxMessageHandler(createWxAgent)
);

app.post(
  "/v1/aibot/bots/:agentId/wx-send-message",
  express.json(),
  (req, res, next) => {
    console.log("[agent-yuxiaohe] /v1/aibot/bots/:agentId/wx-send-message hit", {
      agentId: req.params?.agentId,
      hasBody: !!req.body,
    });
    next();
  },
  createWxMessageHandler(createWxAgent)
);

app.listen(PORT, () => {
  console.log("[agent-yuxiaohe] boot", {
    port: PORT,
    hasAppKey: !!process.env.ADP_APP_KEY,
    envId: process.env.TCB_ENV || process.env.ENV_ID || "",
  });
});
```

Path: cloudfunctions/agent-yuxiaohe-1grmumm967563411/src/direct-answer.js

---

```
import https from "https";
import {
  MAINLINE,
  buildConversationWorkflow,
  detectMainline,
  normalizeText,
} from "./utils.js";

const WEATHER_KEYWORDS = [
  "天气",
  "气温",
  "温度",
  "下雨",
  "降雨",
  "雨吗",
  "冷不冷",
  "热不热",
  "穿什么",
  "穿啥",
  "天气预报",
];

const LOCATION_KEYWORDS = [
  "我在哪",
  "我现在在哪",
  "当前位置",
  "定位",
  "我的位置",
];

function requestJson(url) {
  return new Promise((resolve, reject) => {
    https
      .get(url, (res) => {
        let raw = "";
        res.on("data", (chunk) => {
          raw += chunk;
        });
        res.on("end", () => {
          try {
            resolve(JSON.parse(raw));
          } catch (error) {
            reject(error);
          }
        });
      })
      .on("error", reject);
  });
}

function formatNumber(value) {
  const number = Number(value);
  return Number.isFinite(number) ? String(Math.round(number)) : "";
}

function routeIntent(question) {
  const text = normalizeText(question);
  if (!text) return { intent: "empty" };
  if (WEATHER_KEYWORDS.some((keyword) => text.includes(keyword))) return { intent: "
    weather" };
```

```
60  if (LOCATION_KEYWORDS.some((keyword) => text.includes(keyword))) return { intent:
  "where_am_i" };
61  return { intent: "other" };
62 }
63
64 function stripWeatherTerms(question = "") {
65  return normalizeText(question)
66    .replace(/(今天天气怎么样|天气怎么样|天气如何|天气咋样)/g, "")
67    .replace(/(今天|现在|这两天|这周末|天气|气温|温度|会下雨|下雨|冷不冷|热不热|怎么样|如何|咋样|适合穿什么)/g, "")
68    .replace(/^(请问|帮我看下|帮我看看|帮我查下|帮我查查)/g, "")
69    .trim();
70 }
71
72 function detectExplicitPlace(question = "") {
73  const cleaned = stripWeatherTerms(question);
74  if (!cleaned) return "";
75
76  const exactAdminMatch = cleaned.match(/([\u4e00-\u9fa5]{2,12}(?:省|市|州|县|区))/u);
77  if (exactAdminMatch?.[1]) return exactAdminMatch[1];
78
79  return cleaned.split(/[,\uFF0C\u3002\uFF1F?!()\s]/u).find(Boolean) || "";
80 }
81
82 async function placeSuggestion(keyword, region = "") {
83  const apiKey = process.env.TENCENT_MAP_KEY || process.env.TENCENT_MAP_API_KEY || "
  ";
84  if (!apiKey || !keyword) return [];
85
86  const params = new URLSearchParams({
87    key: apiKey,
88    keyword,
89    region,
90    region_fix: "0",
91    page_size: "10",
92  });
93
94  const url = `https://apis.map.qq.com/ws/place/v1/suggestion?${params.toString()}`;
95  const result = await requestJson(url);
96  if (result?.status !== 0 || !Array.isArray(result?.data)) return [];
97
98  return result.data.map((item) => ({
99    title: item.title || "",
100    adcode: item.adcode || "",
101    province: item.province || "",
102    city: item.city || "",
103    district: item.district || "",
104    latitude: item.location?.lat || "",
105    longitude: item.location?.lng || "",
106  }));
107 }
108
109 async function reverseGeocoder({ latitude, longitude }) {
110  const apiKey = process.env.TENCENT_MAP_KEY || process.env.TENCENT_MAP_API_KEY || "
  ";
111  if (!apiKey || !latitude || !longitude) return null;
112
113  const params = new URLSearchParams({
114    key: apiKey,
115    location: `${latitude},${longitude}`,
116    get_poi: "0",
117  });
118
```

```
  const url = `https://apis.map.qq.com/ws/geocoder/v1/?${params.toString()}`;
  const result = await requestJson(url);
  if (result?.status !== 0 || !result?.result) return null;

  const component = result.result.address_component || {};
  const location = result.result.location || {};
  return {
    province: component.province || "",
    city: component.city || "",
    district: component.district || "",
    locationText: result.result.address || "",
    adcode: component.adcode || "",
    location: {
      lat: location.lat || "",
      lng: location.lng || "",
    },
  };
}

async function ipLocation() {
  const apiKey = process.env.TENCENT_MAP_KEY || process.env.TENCENT_MAP_API_KEY || "";
  if (!apiKey) return null;

  const url = `https://apis.map.qq.com/ws/location/v1/ip?key=${encodeURIComponent(apiKey)}`;
  const result = await requestJson(url);
  if (result?.status !== 0 || !result?.result) return null;

  const adInfo = result.result.ad_info || {};
  const location = result.result.location || {};
  return {
    province: adInfo.province || "",
    city: adInfo.city || "",
    district: adInfo.district || "",
    locationText: [adInfo.province, adInfo.city, adInfo.district].filter(Boolean).join(""),
    adcode: adInfo.adcode || "",
    location: {
      lat: location.lat || "",
      lng: location.lng || "",
    },
  };
}

async function resolveLocation(contextPayload = {}, question = "") {
  const location = contextPayload.location || {};
  const explicitPlace = detectExplicitPlace(question);
  const region = [location.province, location.city, location.district].filter(Boolean).join("");

  if (explicitPlace) {
    const suggestion = await placeSuggestion(explicitPlace, region || explicitPlace);
    if (suggestion.length) {
      const picked = suggestion[0];
      return {
        label: [picked.province, picked.city, picked.district].filter(Boolean).join("") || picked.title,
        province: picked.province,
        city: picked.city,
        district: picked.district,
```

```
      adcode: picked.adcode,
      latitude: picked.latitude,
      longitude: picked.longitude,
    };
  }
}

if (location.latitude && location.longitude) {
  const reversed = await reverseGeocoder({
    latitude: location.latitude,
    longitude: location.longitude,
  });
  if (reversed) {
    return {
      label: [reversed.province, reversed.city, reversed.district].filter(Boolean).join("") || reversed.locationText,
      province: reversed.province,
      city: reversed.city,
      district: reversed.district,
      adcode: reversed.adcode,
      latitude: reversed.location?.lat,
      longitude: reversed.location?.lng,
    };
  }
}

if (location.city || location.district) {
  const fallbackKeyword = normalizeText(location.city || location.district);
  const suggestion = await placeSuggestion(fallbackKeyword, region);
  if (suggestion.length) {
    const picked = suggestion[0];
    return {
      label: [picked.province, picked.city, picked.district].filter(Boolean).join("") || picked.title,
      province: picked.province,
      city: picked.city,
      district: picked.district,
      adcode: picked.adcode,
      latitude: picked.latitude,
      longitude: picked.longitude,
    };
  }
}

const ipResolved = await ipLocation();
if (ipResolved) {
  return {
    label: [ipResolved.province, ipResolved.city, ipResolved.district].filter(Boolean).join("") || ipResolved.locationText,
    province: ipResolved.province,
    city: ipResolved.city,
    district: ipResolved.district,
    adcode: ipResolved.adcode,
    latitude: ipResolved.location?.lat,
    longitude: ipResolved.location?.lng,
  };
}

return null;
}

async function fetchOpenMeteoWeather(latitude, longitude) {
```

```
  const url =
    "https://api.open-meteo.com/v1/forecast?forecast_days=1&timezone=Asia%2FShanghai" +
    `&latitude=${encodeURIComponent(latitude)}` +
    `&longitude=${encodeURIComponent(longitude)}` +
    "&current=temperature_2m,apparent_temperature,weather_code,wind_speed_10m,precipitation" +
    "&daily=temperature_2m_max,temperature_2m_min,precipitation_probability_max";

  return requestJson(url);
}

function mapWeatherCode(code) {
  const mapping = {
    0: "晴",
    1: "大体晴朗",
    2: "多云",
    3: "阴",
    45: "有雾",
    48: "雾凇",
    51: "小毛毛雨",
    53: "毛毛雨",
    55: "较强毛毛雨",
    61: "小雨",
    63: "中雨",
    65: "大雨",
    71: "小雪",
    73: "中雪",
    75: "大雪",
    80: "小阵雨",
    81: "阵雨",
    82: "强阵雨",
    95: "雷阵雨",
  };
  return mapping[Number(code)] || "天气情况待确认";
}

function buildWeatherAnswer(locationLabel, weatherData) {
  const current = weatherData?.current || {};
  const daily = weatherData?.daily || {};
  const weatherText = mapWeatherCode(current.weather_code);
  const temp = formatNumber(current.temperature_2m);
  const feelTemp = formatNumber(current.apparent_temperature);
  const minTemp = Array.isArray(daily.temperature_2m_min) ? formatNumber(daily.temperature_2m_min[0]) : "";
  const maxTemp = Array.isArray(daily.temperature_2m_max) ? formatNumber(daily.temperature_2m_max[0]) : "";
  const rainProb = Array.isArray(daily.precipitation_probability_max)
    ? formatNumber(daily.precipitation_probability_max[0])
    : "";
  const wind = formatNumber(current.wind_speed_10m);

  const metrics = [];
  if (temp) metrics.push(`当前约 ${temp}°C`);
  if (feelTemp) metrics.push(`体感约 ${feelTemp}°C`);
  if (minTemp && maxTemp) metrics.push(`今天 ${minTemp}°C - ${maxTemp}°C`);
  if (wind) metrics.push(`风速约 ${wind} km/h`);

  const parts = [];
  parts.push(`${locationLabel}今天${weatherText ? `大致是${weatherText}` : "天气已更新"}${metrics.length ? `，${metrics.join("，")}` : ""}。`);

```

```
  if (rainProb) {
    const rainNumber = Number(rainProb);
    if (Number.isFinite(rainNumber) && rainNumber >= 60) {
      parts.push(`今天降水概率较高，大约 ${rainProb}% ，建议带伞。`);
    } else if (Number.isFinite(rainNumber) && rainNumber >= 30) {
      parts.push(`今天有一定降水概率，大约 ${rainProb}% ，出门前可以留意天气变化。`);
    } else {
      parts.push(`今天降水概率不高，大约 ${rainProb}%。`);
    }
  }

  if (temp) {
    const tempNumber = Number(temp);
    if (tempNumber <= 8) {
      parts.push("气温偏低，建议穿外套或稍厚一点的衣服。");
    } else if (tempNumber >= 28) {
      parts.push("体感可能偏热，注意补水和防晒。");
    } else {
      parts.push("整体体感相对适中，按日常出行穿着准备就行。");
    }
  }

  return parts.join("");
}

async function buildWeatherDirectResponse(question, contextPayload = {}) {
  const result = await buildWeatherQueryResult({
    question,
    contextPayload,
  });
  return result.answer;
}

async function buildWhereAmIDirectResponse(contextPayload = {}) {
  const result = await buildLocationQueryResult({
    contextPayload,
  });
  return result.answer;
}

export async function buildWeatherQueryResult({
  question = "",
  contextPayload = {},
} = {}) {
  const resolved = await resolveLocation(contextPayload, question);
  if (!resolved) {
    return {
      success: false,
      subType: "weather",
      resolvedLocation: null,
      weather: null,
      answer: "实时天气暂不可用，因为我还没能准确识别你要查询的地区。你可以直接说城市名，比如“兰州今天天气怎么样”。",
    };
  }

  if (!resolved.latitude || !resolved.longitude) {
    return {
      success: false,
      subType: "weather",
      resolvedLocation: {
        label: normalizeText(resolved.label),
        province: normalizeText(resolved.province),
```

```
      city: normalizeText(resolved.city),
      district: normalizeText(resolved.district),
      adcode: normalizeText(resolved.adcode),
      latitude: normalizeText(resolved.latitude),
      longitude: normalizeText(resolved.longitude),
    },
    weather: null,
    answer: `我已经识别到你想问的大概地区是${resolved.label || "目标地区"}，但位置坐标还没拿到，所以实时天气暂不可用。你可以换一个更具体的区县名再试一次。`,
  };
}

try {
  const weatherData = await fetchOpenMeteoWeather(resolved.latitude, resolved.longitude);
  const locationLabel = normalizeText(resolved.label) || "你当前所在地区";
  const current = weatherData?.current || {};
  const daily = weatherData?.daily || {};

  return {
    success: true,
    subType: "weather",
    resolvedLocation: {
      label: normalizeText(resolved.label),
      province: normalizeText(resolved.province),
      city: normalizeText(resolved.city),
      district: normalizeText(resolved.district),
      adcode: normalizeText(resolved.adcode),
      latitude: normalizeText(resolved.latitude),
      longitude: normalizeText(resolved.longitude),
    },
    weather: {
      weatherText: mapWeatherCode(current.weather_code),
      temperature: formatNumber(current.temperature_2m),
      apparentTemperature: formatNumber(current.apparent_temperature),
      minTemperature: Array.isArray(daily.temperature_2m_min) ? formatNumber(daily.temperature_2m_min[0]) : "",
      maxTemperature: Array.isArray(daily.temperature_2m_max) ? formatNumber(daily.temperature_2m_max[0]) : "",
      precipitationProbability: Array.isArray(daily.precipitation_probability_max)
        ? formatNumber(daily.precipitation_probability_max[0])
        : "",
      windSpeed: formatNumber(current.wind_speed_10m),
    },
    answer: buildWeatherAnswer(locationLabel, weatherData),
  };
} catch (error) {
  return {
    success: false,
    subType: "weather",
    resolvedLocation: {
      label: normalizeText(resolved.label),
      province: normalizeText(resolved.province),
      city: normalizeText(resolved.city),
      district: normalizeText(resolved.district),
      adcode: normalizeText(resolved.adcode),
      latitude: normalizeText(resolved.latitude),
      longitude: normalizeText(resolved.longitude),
    },
    weather: null,
    answer: "实时天气暂不可用，刚才查询天气服务时失败了。你可以稍后再试。",
  };
```

```
411   }
412 }
413
414 export async function buildLocationQueryResult({
415   contextPayload = {},
416 } = {}) {
417   const resolved = await resolveLocation(contextPayload, "");
418   if (!resolved) {
419     return {
420       success: false,
421       subType: "location",
422       resolvedLocation: null,
423       answer: "当前位置信息暂时不可用，请稍后再试。你可以先开启定位权限，或者直接告诉我你所在的城市。",
424     };
425   }
426
427   const label =
428     normalizeText(resolved.label) ||
429     [resolved.province, resolved.city, resolved.district].filter(Boolean).join("") |
    |
430     "你当前所在地区";
431
432   return {
433     success: true,
434     subType: "location",
435     resolvedLocation: {
436       label: normalizeText(label),
437       province: normalizeText(resolved.province),
438       city: normalizeText(resolved.city),
439       district: normalizeText(resolved.district),
440       adcode: normalizeText(resolved.adcode),
441       latitude: normalizeText(resolved.latitude),
442       longitude: normalizeText(resolved.longitude),
443     },
444     answer: `我目前判断你大概在${label}。如果你想，我也可以继续帮你查这个地区的实时天气。`,
445   };
446 }
447
448 function buildBuddyMissingFieldResponse(workflow = {}) {
449   return workflow?.missingField?.ask || "我先帮你把这次找搭子的信息收清楚，你更想找什么样的同伴？";
450 }
451
452 function buildBuddyNoCandidateResponse() {
453   return "当前没有合适候选。你可以补充一下时间、出发地或同行偏好，我再继续帮你缩小范围。";
454 }
455
456 function buildGuideMissingFieldResponse(workflow = {}) {
457   return workflow?.missingField?.ask || "我先帮你把这次攻略信息收清楚，你打算什么时候去？";
458 }
459
460 function buildFeedbackDirectResponse(workflow = {}) {
461   const feedbackType = workflow?.feedbackType || "产品反馈";
462   if (feedbackType === "情绪倾诉") {
463     return "我接住你现在这份情绪。你愿意的话，可以再告诉我刚刚最让你难受的点是什么，我会认真听。";
464   }
465
466   if (feedbackType === "平台建议") {
467     return "这条建议我记下了。你要是愿意，可以再补一句你最希望它先改哪一处，我好把重点收得更准。";
468   }
469
470   return "我收到你的反馈了。要是你愿意，可以再补一点具体场景或步骤，这样我能更准确地整理问题。";
471 }
```

```
472
473 export async function buildDirectAnswer({
474   question = "",
475   contextPayload = {},
476   cloudbaseUserId = "",
477 } = {}) {
478   const route = routeIntent(question);
479   if (route.intent === "weather") {
480     return buildWeatherDirectResponse(question, contextPayload);
481   }
482   if (route.intent === "where_am_i") {
483     return buildWhereAmIDirectResponse(contextPayload);
484   }
485
486   const mainline = detectMainline(question, contextPayload);
487   const workflow = await buildConversationWorkflow({
488     question,
489     contextPayload,
490     cloudbaseUserId,
491   });
492
493   console.log("[agent-yuxiaohe] buildDirectAnswer", {
494     question: normalizeText(question),
495     mainline,
496     isReady: workflow?.isReady,
497     missingField: workflow?.missingField?.key || workflow?.missingField?.label || ""
    ,
498     collected: workflow?.fields || {},
499     feedbackType: workflow?.feedbackType || "",
500   });
501
502   if (mainline === MAINLINE.BUDDY) {
503     if (!workflow.isReady) {
504       return buildBuddyMissingFieldResponse(workflow);
505     }
506
507     if (!workflow.buddyCandidates?.length) {
508       return buildBuddyNoCandidateResponse();
509     }
510
511     return "";
512   }
513
514   if (mainline === MAINLINE.GUIDE && !workflow.isReady) {
515     return buildGuideMissingFieldResponse(workflow);
516   }
517
518   if (mainline === MAINLINE.FEEDBACK && normalizeText(question).length <= 18) {
519     return buildFeedbackDirectResponse(workflow);
520   }
521
522   return "";
523 }
```

Path: cloudfunctions/agent-yuxiaohe-1grmumm967563411/src/utils.js

---

```
import { jwtDecode } from "jwt-decode";
import tcb from "@cloudbase/node-sdk";

const LOCATION_WORD_REGEXP = /(附近|周边|本地|同城|这里|这边|当前位置|现在)/u;
const DEFAULT_REGION_LABEL = "未提供地区";
const MAX_DATASET_FETCH = 60;
const MAX_CANDIDATE_PER_TYPE = 3;
const BUDDY_MAX_CANDIDATES = 3;
const GUIDE_MAX_CANDIDATES = 6;

export const MAINLINE = {
  BUDDY: "buddy_matching",
  GUIDE: "guide_customization",
  WEATHER: "weather_location",
  FEEDBACK: "xiaohe_feedback",
  GENERIC: "generic_guard",
};

const MAINLINE_SKILL_MODE_MAP = {
  buddy_matching: MAINLINE.BUDDY,
  guide_customization: MAINLINE.GUIDE,
  xiaohe_feedback: MAINLINE.FEEDBACK,
};

const BUDDY_KEYWORDS = ["搭子", "同行", "一起去", "找人一起", "结伴", "拼玩", "拼车", "一起玩", "一起旅游",
  "一起旅行"];
const GUIDE_KEYWORDS = ["攻略", "路线", "行程", "怎么玩", "安排", "推荐路线", "定制", "规划"];
const WEATHER_KEYWORDS = [
  "天气",
  "气温",
  "温度",
  "下雨",
  "降雨",
  "穿什么",
  "穿啥",
  "位置",
  "定位",
  "我在哪",
  "附近天气",
];
const FEEDBACK_KEYWORDS = [
  "吐槽",
  "反馈",
  "建议",
  "意见",
  "抱怨",
  "难用",
  "卡顿",
  "bug",
  "心情",
  "烦",
  "难受",
  "委屈",
  "emo",
];

let cloudbaseApp = null;

export function normalizeText(value) {
  return String(value || "").trim();
```

```
}

function normalizeTextLower(value) {
  return normalizeText(value).toLowerCase();
}

function normalizeArray(value) {
  return Array.isArray(value)
    ? value.map((item) => normalizeText(item)).filter(Boolean)
    : [];
}

function uniqueList(list = []) {
  return Array.from(new Set((list || []).filter(Boolean)));
}

function maskIdentifier(value = "") {
  const normalized = normalizeText(value);
  if (!normalized) return "";
  if (normalized.length <= 8) return normalized;
  return `${normalized.slice(0, 4)}***${normalized.slice(-4)}`;
}

function includesAny(text = "", keywords = []) {
  return keywords.some((keyword) => text.includes(keyword));
}

function isBuddyIntentText(text = "") {
  const normalized = normalizeText(text);
  if (!normalized) return false;
  if (includesAny(normalized, BUDDY_KEYWORDS)) return true;

  return (
    /(找|想找|帮我找).*(一起|结伴|同行)/u.test(normalized) ||
    /(一起).*(找|想找|帮我找)/u.test(normalized) ||
    /(找|想找|帮我找).*(女生|男生|小姐姐|小哥哥)/u.test(normalized) ||
    /(女生|男生|小姐姐|小哥哥).*(一起|同行|结伴)/u.test(normalized)
  );
}

function removeRegionSuffix(value) {
  return normalizeText(value)
    .replace(/(特别行政区|自治区|自治州|地区)$/u, "")
    .replace(/(省|市|区|县|旗)$/u, "");
}

function buildRegionTokens(location = {}) {
  return uniqueList(
    [
      location.province,
      location.city,
      location.district,
      location.displayName,
      location.locationText,
    ]
      .map(removeRegionSuffix)
      .filter(Boolean)
  );
}

function buildExplicitRegionTokens(region = "") {
  const normalizedRegion = normalizeText(region);
```

```
  if (!normalizedRegion) return [];

  return uniqueList(
    [normalizedRegion, removeRegionSuffix(normalizedRegion)].filter(Boolean)
  );
}

function buildRegionLabel(location = {}) {
  const displayName = normalizeText(location.displayName);
  if (displayName) {
    return displayName;
  }

  const region = [location.province, location.city, location.district]
    .map(removeRegionSuffix)
    .filter(Boolean)
    .join(" / ");

  return region || normalizeText(location.locationText) || DEFAULT_REGION_LABEL;
}

function getConversationHistory(contextPayload = {}) {
  if (!Array.isArray(contextPayload?.history)) {
    return [];
  }

  return contextPayload.history
    .map((item) => ({
      role: item?.role === "assistant" || item?.role === "ai" ? "assistant" : "user",
      text: normalizeText(item?.text || item?.content || ""),
    }))
    .filter((item) => item.text)
    .slice(-20);
}

function inferFieldFromAssistant(mainline = "", assistantText = "") {
  const text = normalizeText(assistantText);
  if (!text) return "";

  if (mainline === MAINLINE.GUIDE) {
    if (text.includes("最想去哪里")) return "destination";
    if (text.includes("什么时候去")) return "time";
    if (text.includes("几个人一起")) return "peopleCount";
    if (text.includes("什么关系")) return "relationship";
    if (text.includes("预算")) return "budget";
  }

  if (mainline === MAINLINE.BUDDY) {
    if (text.includes("从哪里出发")) return "departure";
    if (text.includes("最想去哪里")) return "destination";
    if (text.includes("什么时候出发")) return "time";
    if (text.includes("同行搭子")) return "companionPreference";
  }

  return "";
}

function inferMainlineFromHistory(contextPayload = {}) {
  const history = getConversationHistory(contextPayload);
  if (!history.length) return "";

```

```
  const lastAssistantText =
    [...history].reverse().find((item) => item.role === "assistant")?.text || "";
  const combinedText = history.map((item) => item.text).join("\n");

  if (
    lastAssistantText.includes("最想去哪里") ||
    lastAssistantText.includes("什么时候去") ||
    lastAssistantText.includes("几个人一起") ||
    lastAssistantText.includes("什么关系") ||
    lastAssistantText.includes("预算")
  ) {
    return MAINLINE.GUIDE;
  }

  if (
    lastAssistantText.includes("从哪里出发") ||
    lastAssistantText.includes("什么时候出发") ||
    lastAssistantText.includes("同行搭子")
  ) {
    return MAINLINE.BUDDY;
  }

  if (
    lastAssistantText.includes("我会认真听") ||
    lastAssistantText.includes("收到你的反馈") ||
    lastAssistantText.includes("收到这条建议") ||
    lastAssistantText.includes("最让你难受的点")
  ) {
    return MAINLINE.FEEDBACK;
  }

  if (includesAny(combinedText, GUIDE_KEYWORDS)) return MAINLINE.GUIDE;
  if (isBuddyIntentText(combinedText)) return MAINLINE.BUDDY;
  if (includesAny(combinedText, FEEDBACK_KEYWORDS)) return MAINLINE.FEEDBACK;
  if (includesAny(combinedText, WEATHER_KEYWORDS)) return MAINLINE.WEATHER;

  return "";
}

function inferTaskStateFromHistory(contextPayload = {}) {
  const explicitState = contextPayload?.currentTaskState || {};
  const mainline =
    normalizeText(explicitState?.mainline) || inferMainlineFromHistory(contextPayload);

  if (!mainline) {
    return explicitState || {};
  }

  const history = getConversationHistory(contextPayload);
  const inferredState = {
    ...explicitState,
    mainline,
    collected: {
      ...(explicitState?.collected || {}),
    },
    lastAskedField: normalizeText(explicitState?.lastAskedField),
    feedbackType: normalizeText(explicitState?.feedbackType),
  };

  const userTexts = history
    .filter((item) => item.role === "user")
```

```
    .map((item) => item.text);

  if (mainline === MAINLINE.GUIDE) {
    const collected = { ...(inferredState.collected || {}) };
    const historyInferenceContext = {
      ...(contextPayload || {}),
      disableHistoryInference: true,
      currentTaskState: {
        ...(explicitState || {}),
        mainline,
        collected,
      },
      skillContext: {
        ...(contextPayload?.skillContext || {}),
        collected: {
          ...(contextPayload?.skillContext?.collected || {}),
          ...collected,
        },
      },
    };

    userTexts.forEach((text) => {
      historyInferenceContext.currentTaskState.collected = collected;
      historyInferenceContext.skillContext.collected = {
        ...(contextPayload?.skillContext?.collected || {}),
        ...collected,
      };

      if (!collected.time) collected.time = extractTime(text, historyInferenceContext);
      if (!collected.peopleCount) {
        collected.peopleCount = extractCount(
          text,
          historyInferenceContext,
          ["peopleCount"],
          /([一二三四五六七八九十两\d]+(?:人|位))/u
        );
      }
      if (!collected.relationship) {
        collected.relationship = extractRelationship(text, historyInferenceContext);
      }
      if (!collected.peopleCount) {
        collected.peopleCount = normalizePeopleCountFromRelationship(
          collected.relationship,
          collected.peopleCount
        );
      }
      if (!collected.budget) collected.budget = extractGuideBudgetValue(text, historyInferenceContext);
      if (!collected.destination) collected.destination = extractDestination(text, historyInferenceContext);
    });
    inferredState.collected = collected;
  }

  if (mainline === MAINLINE.BUDDY) {
    const collected = { ...(inferredState.collected || {}) };
    const historyInferenceContext = {
      ...(contextPayload || {}),
      disableHistoryInference: true,
      currentTaskState: {
        ...(explicitState || {}),
```

```
      mainline,
      collected,
    },
    skillContext: {
      ...(contextPayload?.skillContext || {}),
      collected: {
        ...(contextPayload?.skillContext?.collected || {}),
        ...collected,
      },
    },
  };

  userTexts.forEach((text) => {
    historyInferenceContext.currentTaskState.collected = collected;
    historyInferenceContext.skillContext.collected = {
      ...(contextPayload?.skillContext?.collected || {}),
      ...collected,
    };

    if (!collected.departure) {
      const location = contextPayload?.location || {};
      collected.departure = normalizeText(location.city || location.displayName);
    }
    if (!collected.destination) collected.destination = extractDestination(text, historyInferenceContext);
    if (!collected.time) collected.time = extractTime(text, historyInferenceContext);
    if (!collected.companionPreference) {
      collected.companionPreference = extractCompanionPreference(text, historyInferenceContext);
    }
  });
  inferredState.collected = collected;
}

if (mainline === MAINLINE.FEEDBACK && !inferredState.feedbackType) {
  const latestUserText = [...userTexts].reverse().find(Boolean) || "";
  inferredState.feedbackType = classifyFeedbackType(latestUserText);
}

if (!inferredState.lastAskedField) {
  const lastAssistantText =
    [...history].reverse().find((item) => item.role === "assistant")?.text || "";
  inferredState.lastAskedField = inferFieldFromAssistant(mainline, lastAssistantText);
}

return inferredState;
}

function getCurrentTaskState(contextPayload = {}) {
  if (contextPayload?.disableHistoryInference) {
    return contextPayload?.currentTaskState || {};
  }

  return inferTaskStateFromHistory(contextPayload);
}

function getMergedCollected(contextPayload = {}) {
  const skillCollected = contextPayload?.skillContext?.collected || {};
  const taskCollected = getCurrentTaskState(contextPayload)?.collected || {};

```

```
  return {
    ...skillCollected,
    ...taskCollected,
  };
}

function readStateValue(contextPayload = {}, keys = []) {
  const collected = getMergedCollected(contextPayload);
  for (const key of keys) {
    const value = normalizeText(collected?.[key]);
    if (value) return value;
  }
  return "";
}

function mergeSkillLocation(location = {}, contextPayload = {}) {
  const skillMode = normalizeText(contextPayload?.skillContext?.mode);
  const collected = getMergedCollected(contextPayload);
  const explicitRegion =
    skillMode === MAINLINE.GUIDE
      ? normalizeText(collected.destination || collected.region)
      : normalizeText(collected.region);

  if (!explicitRegion) {
    return location || {};
  }

  return {
    ...(location || {}),
    displayName: explicitRegion,
    locationText: explicitRegion,
  };
}

function safeNumber(value) {
  const number = Number(value);
  return Number.isFinite(number) ? number : 0;
}

function getPriceText(item = {}, type = "activity") {
  const price = safeNumber(item.priceFrom || item.price || 0);
  if (!price) {
    return type === "hotel" ? "价格待定" : "可咨询";
  }
  return type === "hotel" ? `¥${price}/晚` : `¥${price}起`;
}

function getItemRegionText(item = {}) {
  return [item.province, item.city, item.district]
    .map(removeRegionSuffix)
    .filter(Boolean)
    .join(" / ");
}

function joinSearchText(item = {}) {
  return normalizeTextLower(
    [
      item.title,
      item.name,
      item.summary,
      item.content,
      item.detail,
```

```
    item.desc,
    item.description,
    item.locationName,
    item.address,
    item.province,
    item.city,
    item.district,
    item.transport,
    item.stay,
    ...normalizeArray(item.tags),
    ...normalizeArray(item.travelModeTags),
    ...normalizeArray(item.playTags),
    ...normalizeArray(item.suitableGroups),
    ...normalizeArray(item.highlights),
    ...normalizeArray(item.itinerary),
    ...normalizeArray(item.categoryTags),
    ...normalizeArray(item.dnaTags),
  ].join(" ")
);
}

function buildIntentTokens(question = "", userProfile = {}) {
  const source = normalizeText(question);
  const tokens = [];
  const keywordMap = [
    "亲子",
    "农旅",
    "活动",
    "景点",
    "民宿",
    "酒店",
    "住宿",
    "商品",
    "特产",
    "采摘",
    "研学",
    "手作",
    "花海",
    "周末",
    "拍照",
    "露营",
    "慢游",
    "乡村",
    "农场",
    "萌宠",
  ];

  keywordMap.forEach((keyword) => {
    if (source.includes(keyword)) {
      tokens.push(keyword);
    }
  });

  normalizeArray(userProfile.dnaTags).forEach((tag) => tokens.push(tag));
  return uniqueList(tokens);
}

function detectRequestedTypes(question = "") {
  const text = normalizeText(question);
  const requested = [];

  if (/活动|采摘|研学|体验|农旅|亲子|周末|玩/u.test(text)) {
```

```
    requested.push("activity");
  }
  if (/景点|观光|古村|花海|打卡|拍照/u.test(text)) {
    requested.push("scenic");
  }
  if (/民宿|酒店|住宿|住/u.test(text)) {
    requested.push("hotel");
  }
  if (/特产|商品|礼盒|伴手礼/u.test(text)) {
    requested.push("product");
  }

  return requested.length ? requested : ["activity", "scenic", "hotel", "product"];
}

function scoreLocation(item = {}, regionTokens = []) {
  if (!regionTokens.length) return 0;

  const text = joinSearchText(item);
  let score = 0;
  regionTokens.forEach((token, index) => {
    if (token && text.includes(normalizeTextLower(token))) {
      score += 15 - Math.min(index * 2, 8);
    }
  });
  return score;
}

function scoreIntent(item = {}, intentTokens = []) {
  if (!intentTokens.length) return 0;

  const text = joinSearchText(item);
  return intentTokens.reduce((score, token) => {
    if (!token) return score;
    return score + (text.includes(normalizeTextLower(token)) ? 8 : 0);
  }, 0);
}

function scoreNearbyIntent(question = "", item = {}, location = {}) {
  if (!LOCATION_WORD_REGEXP.test(question)) return 0;

  const regionText = buildRegionLabel(location);
  const itemRegion =
    getItemRegionText(item) || normalizeText(item.locationName) || normalizeText(item.address);

  return itemRegion && regionText !== DEFAULT_REGION_LABEL && itemRegion.includes(removeRegionSuffix(regionText))
    ? 10
    : 0;
}

function scoreSourceType(type, requestedTypes = []) {
  if (!requestedTypes.length) return 0;
  if (requestedTypes[0] === type) return 20;
  return requestedTypes.includes(type) ? 10 : -10;
}

function sortByScore(list = []) {
  return [...list].sort((a, b) => {
    if (b.score !== a.score) {
      return b.score - a.score;
```

```
  }

  return safeNumber(b.raw.updatedAt || b.raw.createTime || 0) - safeNumber(a.raw.updatedAt || a.raw.createTime || 0);
});
}

function summarizeItem(type, item = {}) {
  const title = normalizeText(
    item.title ||
      item.name ||
      item.locationName ||
      {
        activity: "农旅活动",
        scenic: "乡村景点",
        hotel: "乡野民宿",
        product: "乡味商品",
      }[type]
  );

  return {
    id: normalizeText(item._id || item.id),
    type,
    title,
    region: getItemRegionText(item) || normalizeText(item.locationName) || normalizeText(item.address) || "地区待补充",
    priceText: getPriceText(item, type),
    summary: normalizeText(item.summary || item.content || item.desc || item.description || item.detail),
    tags: uniqueList([
      ...normalizeArray(item.tags),
      ...normalizeArray(item.travelModeTags),
      ...normalizeArray(item.playTags),
      ...normalizeArray(item.suitableGroups),
      ...normalizeArray(item.categoryTags),
    ]).slice(0, 4),
  };
}

function formatCandidateLine(candidate, index) {
  const summary = candidate.summary ? `；简介：${candidate.summary}` : "";
  const tags = candidate.tags.length ? `；标签：${candidate.tags.join("、")}` : "";
  return `${index + 1}. [${candidate.type}] ${candidate.title}（ID: ${candidate.id || "无"}；地区：${candidate.region}；价格：${candidate.priceText}${tags}${summary}）`;
}

function itemMatchesExplicitRegion(item = {}, regionTokens = []) {
  if (!regionTokens.length) return true;

  const text = joinSearchText(item);
  return regionTokens.some((token) => text.includes(normalizeTextLower(token)));
}

function getCloudbaseApp() {
  if (cloudbaseApp) return cloudbaseApp;

  const env = process.env.TCB_ENV || process.env.ENV_ID || "";
  cloudbaseApp = tcb.init({
    env,
    secretId: process.env.TENCENTCLOUD_SECRETID || "",
    secretKey: process.env.TENCENTCLOUD_SECRETKEY || "",
    sessionToken: process.env.TENCENTCLOUD_SESSIONTOKEN || "",
```

```
603 });
604
605 return cloudbaseApp;
606 }
607
608 async function fetchCollection(collectionName, query = null) {
609   const app = getCloudbaseApp();
610   let request = app.database().collection(collectionName);
611   if (query) {
612     request = request.where(query);
613   }
614
615   const result = await request.limit(MAX_DATASET_FETCH).get();
616   return Array.isArray(result?.data) ? result.data : [];
617 }
618
619 async function fetchUserByOpenid(openid = "") {
620   const normalizedOpenid = normalizeText(openid);
621   if (!normalizedOpenid) return null;
622
623   const result = await fetchCollection("users", { openid: normalizedOpenid });
624   console.log("[agent-yuxiaohe] fetchUserByOpenid", {
625     requestedOpenid: maskIdentifier(normalizedOpenid),
626     matchedCount: result.length,
627     matchedByOpenid: result.some(
628       (item) => normalizeText(item?.openid) === normalizedOpenid
629     ),
630     matchedBy_Openid: result.some(
631       (item) => normalizeText(item?._openid) === normalizedOpenid
632     ),
633   });
634   return result[0] || null;
635 }
636
637 async function loadPlatformDataset() {
638   const [activities, hotels, scenics, products] = await Promise.all([
639     fetchCollection("activities", { status: "published" }),
640     fetchCollection("hotels", { status: true }),
641     fetchCollection("scenics"),
642     fetchCollection("products"),
643   ]);
644
645   return { activities, hotels, scenics, products };
646 }
647
648 function buildRankedCandidates({
649   question = "",
650   location = {},
651   userProfile = {},
652   datasets = {},
653   explicitRegion = "",
654 }) {
655   const regionTokens = buildRegionTokens(location);
656   const explicitRegionTokens = buildExplicitRegionTokens(explicitRegion);
657   const requestedTypes = detectRequestedTypes(question);
658   const intentTokens = buildIntentTokens(question, userProfile);
659
660   const candidates = []
661     .concat((datasets.activities || []).map((item) => ({ type: "activity", raw: item
    })))
662     .concat((datasets.scenics || []).map((item) => ({ type: "scenic", raw: item })))
663     .concat((datasets.hotels || []).map((item) => ({ type: "hotel", raw: item })))
```

```
    .concat((datasets.products || []).map((item) => ({ type: "product", raw: item }))
    .map((entry) => {
      const summary = summarizeItem(entry.type, entry.raw);
      const score =
        scoreSourceType(entry.type, requestedTypes) +
        scoreLocation(entry.raw, regionTokens) +
        scoreIntent(entry.raw, intentTokens) +
        scoreNearbyIntent(question, entry.raw, location);

      return {
        ...summary,
        raw: entry.raw,
        score,
      };
    })
    .filter((item) => item.score > 0);

  const regionConstrainedCandidates = explicitRegionTokens.length
    ? candidates.filter((item) => itemMatchesExplicitRegion(item.raw, explicitRegionTokens))
    : candidates;

  const sorted = sortByScore(regionConstrainedCandidates);
  const grouped = { activity: [], scenic: [], hotel: [], product: [] };

  sorted.forEach((candidate) => {
    if (grouped[candidate.type].length >= MAX_CANDIDATE_PER_TYPE) return;
    grouped[candidate.type].push(candidate);
  });

  const selected = requestedTypes
    .flatMap((type) => grouped[type] || [])
    .concat(
      Object.keys(grouped)
        .filter((type) => !requestedTypes.includes(type))
        .flatMap((type) => grouped[type] || [])
    )
    .slice(0, 6);

  return {
    requestedTypes,
    intentTokens,
    regionLabel: explicitRegion || buildRegionLabel(location),
    selected,
  };
}

export async function buildPlatformGroundingContext(payload = {}) {
  const question = normalizeText(payload.question);
  if (!question) {
    return {
      question: "",
      regionLabel: DEFAULT_REGION_LABEL,
      candidates: [],
      prompt: "",
    };
  }

  const location = mergeSkillLocation(payload.location || {}, payload);
  const userProfile = payload.userProfile || {};
  const preferences = payload.preferences || {};
```

```
  const datasets = payload.platformDataset || (await loadPlatformDataset());
  const explicitRegion = readStateValue(payload, ["destination", "region", "place"]);
  const ranked = buildRankedCandidates({
    question,
    location,
    userProfile,
    datasets,
    explicitRegion,
  });

  const preferenceText = [
    preferences.distance ? `距离偏好：${preferences.distance}` : "",
    preferences.budget ? `预算偏好：${preferences.budget}` : "",
    preferences.detailLevel ? `回答详细度：${preferences.detailLevel}` : "",
  ]
    .filter(Boolean)
    .join("；");

  const profileText = normalizeArray(userProfile.dnaTags).join("、");
  const lines = ranked.selected.map((item, index) => formatCandidateLine(item, index));
  const dataBlock = lines.length ? lines.join("\n") : "平台当前没有筛到匹配候选。";

  const prompt = [
    "以下是平台当前可用的候选内容，请优先基于这些内容回答。",
    `用户当前问题：${question}`,
    `用户地区：${ranked.regionLabel}`,
    profileText ? `用户画像标签：${profileText}` : "",
    preferenceText ? `用户偏好：${preferenceText}` : "",
    ranked.intentTokens.length ? `问题意图关键词：${ranked.intentTokens.join("、")}` : "",
    "你不得编造平台中不存在的活动、景点、商品或酒店。",
    dataBlock,
  ]
    .filter(Boolean)
    .join("\n");

  return {
    question,
    regionLabel: ranked.regionLabel,
    candidates: ranked.selected,
    prompt,
  };
}

export function detectMainline(question = "", contextPayload = {}) {
  const currentTaskMainline = normalizeText(getCurrentTaskState(contextPayload)?.mainline);
  if (currentTaskMainline) {
    return currentTaskMainline;
  }

  const inferredMainline = inferMainlineFromHistory(contextPayload);
  if (inferredMainline) {
    return inferredMainline;
  }

  const skillMode = normalizeText(contextPayload?.skillContext?.mode);
  if (skillMode && MAINLINE_SKILL_MODE_MAP[skillMode]) {
    return MAINLINE_SKILL_MODE_MAP[skillMode];
  }

```

```
  const text = normalizeText(question);
  if (!text) return MAINLINE.GENERIC;
  if (includesAny(text, WEATHER_KEYWORDS)) return MAINLINE.WEATHER;
  if (isBuddyIntentText(text)) return MAINLINE.BUDDY;
  if (includesAny(text, GUIDE_KEYWORDS)) return MAINLINE.GUIDE;
  if (includesAny(text, FEEDBACK_KEYWORDS)) return MAINLINE.FEEDBACK;
  return MAINLINE.GENERIC;
}

function extractDestination(question = "", contextPayload = {}) {
  const fromCollected = readStateValue(contextPayload, ["destination", "region", "place"]);
  if (fromCollected) return fromCollected;

  const normalizedQuestion = normalizeText(question);
  const patterns = [
    /去([\u4e00-\u9fa5A-Za-z0-9]{2,12}?)(?:玩|逛|旅游|旅行|看|参加|的|，|。|\s|$)/u,
    /到([\u4e00-\u9fa5A-Za-z0-9]{2,12}?)(?:玩|逛|旅游|旅行|看|参加|的|，|。|\s|$)/u,
    /在([\u4e00-\u9fa5A-Za-z0-9]{2,12}?)(?:玩|逛|旅游|旅行)/u,
  ];

  for (const pattern of patterns) {
    const matched = normalizedQuestion.match(pattern);
    if (matched?.[1]) return matched[1];
  }

  if (
    /^[\u4e00-\u9fa5A-Za-z0-9]{2,12}$/u.test(normalizedQuestion) &&
    !extractTime(normalizedQuestion, contextPayload) &&
    !extractGuideBudgetValue(normalizedQuestion, contextPayload) &&
    !extractCount(normalizedQuestion, contextPayload, ["peopleCount"], /([一二三四五六七八九十两\d]+(?:人|位))/u)
  ) {
    return normalizedQuestion;
  }

  return "";
}

function extractGuideBudgetValue(question = "", contextPayload = {}) {
  const fromCollected = readStateValue(contextPayload, ["budget"]);
  if (fromCollected) return fromCollected;

  const normalizedQuestion = normalizeText(question);
  const amountWithUnit = normalizedQuestion.match(/(\d{2,5}\s*(?:元|块|w|万))/u);
  if (amountWithUnit?.[1]) return amountWithUnit[1];

  const embeddedBudget = normalizedQuestion.match(
    /(?:预算|人均|花费|费用|开销)(?:大概|大约|差不多|控制在)?\s*(\d{2,5})(?:\s*(?:元|块))?(?:左右|以内|以下|上下|上下浮动)?/u
  );
  if (embeddedBudget?.[1]) {
    return `${embeddedBudget[1]}元`;
  }

  const standaloneBudget = normalizedQuestion.match(
    /^(?:预算)?\s*(\d{2,5})(?:\s*(?:元|块))?(?:左右|以内|以下|上下|以左|以上)?$/u
  );
  if (standaloneBudget?.[1]) {
    return `${standaloneBudget[1]}元`;
  }

```

```
  const currentTaskState = getCurrentTaskState(contextPayload);
  if (normalizeText(currentTaskState?.lastAskedField) === "budget") {
    const plainNumber = normalizedQuestion.match(/^(\d{2,5})(?:左右|以内|以下|上下)?$/u);
    if (plainNumber?.[1]) {
      return `${plainNumber[1]}元`;
    }
  }

  return "";
}

function extractCount(question = "", contextPayload = {}, keys = [], pattern) {
  const fromCollected = readStateValue(contextPayload, keys);
  if (fromCollected) return fromCollected;
  const normalizedQuestion = normalizeText(question);
  const matched = normalizedQuestion.match(pattern);
  if (matched?.[1]) return matched[1];

  const extendedMatched = normalizedQuestion.match(/([一二三四五六七八九十两\d]+)\s*个?人/u);
  if (extendedMatched?.[1]) {
    return `${extendedMatched[1]}人`;
  }

  if (/^(我俩|我们)$/u.test(normalizedQuestion)) return "2人";
  if (/^(两个人|两人|2个人|2人|我们两个人|我们两人)$/u.test(normalizedQuestion)) return "2人";
  if (/^我和(?:男朋友|女朋友|对象|恋人|爱人|老公|老婆|朋友|同学|同事)/u.test(normalizedQuestion)) {
    return "2人";
  }

  return "";
}

function extractTime(question = "", contextPayload = {}) {
  const fromCollected = readStateValue(contextPayload, ["time", "travelTime", "date", "days"]);
  if (fromCollected) return fromCollected;

  const matched = normalizeText(question).match(
    /(今天|明天|后天|周末|五一|十一|端午|中秋|春节|暑假|寒假|下周|这周|周[一二三四五六日天]|\d{1,2}月\d{1,2}日|\d{1,2}号)/u
  );
  return matched?.[1] || "";
}

function extractCompanionPreference(question = "", contextPayload = {}) {
  const fromCollected = readStateValue(contextPayload, ["companionPreference", "groupPreference", "buddyPreference"]);
  if (fromCollected) return fromCollected;

  const normalizedQuestion = normalizeText(question);
  const directPatterns = [
    /(女生搭子|男生搭子|情侣搭子|亲子搭子|摄影搭子|饭搭子|自由行搭子)/u,
    /(同龄人|大学生|本地人|会开车|能拼车|随和一点|话少一点|会拍照|会摄影)/u,
  ];

  for (const pattern of directPatterns) {
    const matched = normalizedQuestion.match(pattern);
    if (matched?.[1]) return matched[1];
  }

  const normalizedGender =
    /(女生|小姐姐)/u.test(normalizedQuestion) ? "女生" : /(男生|小哥哥)/u.test(normalizedQuestio
```

```
const normalizedTrait =
  /(会摄影|会拍照|摄影)/u.test(normalizedQuestion)
    ? "会摄影"
    : /(会开车|能开车)/u.test(normalizedQuestion)
      ? "会开车"
      : /能拼车/u.test(normalizedQuestion)
        ? "能拼车"
        : /同龄人/u.test(normalizedQuestion)
          ? "同龄人"
          : /大学生/u.test(normalizedQuestion)
            ? "大学生"
            : /本地人/u.test(normalizedQuestion)
              ? "本地人"
              : /随和/u.test(normalizedQuestion)
                ? "随和一点"
                : /话少/u.test(normalizedQuestion)
                  ? "话少一点"
                  : "";

if (normalizedTrait && normalizedGender) {
  return `${normalizedTrait}的${normalizedGender}`;
}

if (normalizedTrait) return normalizedTrait;
if (normalizedGender) return normalizedGender;
return "";
}

function extractRelationship(question = "", contextPayload = {}) {
  const fromCollected = readStateValue(contextPayload, ["relationship", "groupType"]
);
  if (fromCollected) return fromCollected;

  const normalizedQuestion = normalizeText(question);
  const matched = normalizedQuestion.match(
    /(情侣|夫妻|亲子|朋友|闺蜜|同学|同事|家人|一个人|独自|男朋友|女朋友|对象|恋人|爱人)/u
  );
  if (!matched?.[1]) return "";

  if (/(男朋友|女朋友|对象|恋人|爱人)/u.test(matched[1])) {
    return "情侣";
  }

  return matched[1];
}

function classifyFeedbackType(question = "") {
  const text = normalizeText(question);
  if (!text) return "普通反馈";
  if (/(建议|希望|能不能|可不可以|改进)/u.test(text)) return "平台建议";
  if (/(难用|卡|bug|闪退|进不去|加载慢|失败)/u.test(text)) return "普通反馈";
  if (/(烦|难受|委屈|伤心|emo|崩溃|累)/u.test(text)) return "情绪倾诉";
  return "普通反馈";
}

function normalizePeopleCountFromRelationship(relationship = "", currentPeopleCount
= "") {
  if (normalizeText(currentPeopleCount)) {
    return normalizeText(currentPeopleCount);
  }

  const normalizedRelationship = normalizeText(relationship);
```

```
  if (normalizedRelationship === "情侣" || normalizedRelationship === "夫妻") {
    return "2人";
  }

  return "";
}

function buildBuddyWorkflow(question = "", contextPayload = {}) {
  const location = contextPayload?.location || {};
  const fields = {
    departure:
      readStateValue(contextPayload, ["departure", "origin"]) ||
      normalizeText(location.city || location.displayName),
    destination: extractDestination(question, contextPayload),
    time: extractTime(question, contextPayload),
    companionPreference: extractCompanionPreference(question, contextPayload),
  };

  const fieldDefs = [
    { key: "departure", label: "出发地", ask: "你这次准备从哪里出发？" },
    { key: "destination", label: "目的地", ask: "你这次最想去哪里？" },
    { key: "time", label: "时间", ask: "你大概什么时候出发？" },
    { key: "companionPreference", label: "同行偏好", ask: "你更想找什么样的同行搭子？" },
  ];

  return {
    mainline: MAINLINE.BUDDY,
    fields,
    missingField: fieldDefs.find((item) => !fields[item.key]) || null,
  };
}

function buildGuideWorkflow(question = "", contextPayload = {}) {
  const relationship = extractRelationship(question, contextPayload);
  const fields = {
    time: extractTime(question, contextPayload),
    peopleCount: extractCount(question, contextPayload, ["peopleCount"], /([一二三四五六七八九十两\d]+(?:人|位))/u),
    relationship,
    budget: extractGuideBudgetValue(question, contextPayload),
    destination: extractDestination(question, contextPayload),
  };
  fields.peopleCount = normalizePeopleCountFromRelationship(relationship, fields.peopleCount);

  const fieldDefs = [
    { key: "destination", label: "目的地", ask: "你这次最想去哪里？" },
    { key: "time", label: "时间", ask: "你打算什么时候去？" },
    { key: "peopleCount", label: "人数", ask: "这次大概几个人一起？" },
    { key: "relationship", label: "关系", ask: "这次同行的人大概是什么关系？" },
    { key: "budget", label: "预算", ask: "这次预算大概想控制在什么范围？" },
  ];

  return {
    mainline: MAINLINE.GUIDE,
    fields,
    missingField: fieldDefs.find((item) => !fields[item.key]) || null,
  };
}

function buildBuddyCandidateCard(currentUser = {}, candidate = {}, fields = {}) {
  const currentTags = new Set(normalizeArray(currentUser.dnaTags));
```

```
  const candidateTags = normalizeArray(candidate.dnaTags);
  const sharedTags = candidateTags.filter((tag) => currentTags.has(tag));
  const currentCity = removeRegionSuffix(currentUser.city || currentUser.province);
  const candidateCity = removeRegionSuffix(candidate.city || candidate.province);
  const destination = normalizeText(fields.destination);
  const companionPreference = normalizeText(fields.companionPreference);
  const candidateText = joinSearchText(candidate);

  let score = 40;
  if (currentCity && candidateCity && currentCity === candidateCity) score += 18;
  score += Math.min(sharedTags.length * 10, 30);
  if (companionPreference && candidateText.includes(normalizeTextLower(companionPreference))) score += 15;
  if (destination && candidateText.includes(normalizeTextLower(destination))) score += 10;
  if (candidate.profileCompleted) score += 5;
  if (candidate.dnaCompleted) score += 5;

  const reasons = [];
  if (currentCity && candidateCity && currentCity === candidateCity) reasons.push("同城出发更方便");
  if (sharedTags.length) reasons.push(`DNA 标签重合 ${Math.min(sharedTags.length, 3)} 项`);
  if (companionPreference && candidateText.includes(normalizeTextLower(companionPreference))) {
    reasons.push(`偏好贴近“${companionPreference}”`);
  }
  if (!reasons.length) reasons.push("资料和偏好方向比较接近");

  return {
    id: normalizeText(candidate._id || candidate.id),
    type: "buddy",
    title: normalizeText(candidate.nickName) || "同行搭子",
    region:
      [candidate.province, candidate.city, candidate.district]
        .map(removeRegionSuffix)
        .filter(Boolean)
        .join(" / ") || "地区待补充",
    priceText: "同行匹配",
    summary: normalizeText(candidate.signature || candidate.bio || "") || "已完善基础资料，可进一步发起同行申请。",
    tags: uniqueList(sharedTags.concat(candidateTags)).slice(0, 4),
    matchReason: reasons.join("；"),
    score,
  };
}

async function buildBuddyCandidates(contextPayload = {}, cloudbaseUserId = "", workflow = {}) {
  const currentUser = await fetchUserByOpenid(cloudbaseUserId);
  if (!currentUser) {
    const users = await fetchCollection("users");
    console.warn("[agent-yuxiaohe] buildBuddyCandidates current user missing", {
      cloudbaseUserId: maskIdentifier(cloudbaseUserId),
      totalUsers: users.length,
      usersWithOpenid: users.filter((item) => normalizeText(item?.openid)).length,
      usersWith_Openid: users.filter((item) => normalizeText(item?._openid)).length,
      usersWithMatchingOpenid: users.filter(
        (item) => normalizeText(item?.openid) === normalizeText(cloudbaseUserId)
      ).length,
      usersWithMatching_Openid: users.filter(
        (item) => normalizeText(item?._openid) === normalizeText(cloudbaseUserId)
```

```
    ).length,
  });
  return [];
}

const users = await fetchCollection("users");
const normalizedCloudbaseUserId = normalizeText(cloudbaseUserId);
const withOpenid = users.filter((item) => normalizeText(item?.openid));
const excludingSelf = withOpenid.filter(
  (item) => normalizeText(item?.openid) !== normalizedCloudbaseUserId
);
const profileCompletedUsers = excludingSelf.filter((item) => item?.profileCompleted);
const dnaCompletedUsers = profileCompletedUsers.filter((item) => item?.dnaCompleted);

console.log("[agent-yuxiaohe] buildBuddyCandidates stats", {
  cloudbaseUserId: maskIdentifier(normalizedCloudbaseUserId),
  currentUserFound: true,
  currentUserOpenid: maskIdentifier(currentUser?.openid || currentUser?._openid || ""),
  currentUserProfileCompleted: Boolean(currentUser?.profileCompleted),
  currentUserDnaCompleted: Boolean(currentUser?.dnaCompleted),
  workflowFields: {
    departure: normalizeText(workflow?.fields?.departure),
    destination: normalizeText(workflow?.fields?.destination),
    time: normalizeText(workflow?.fields?.time),
    companionPreference: normalizeText(workflow?.fields?.companionPreference),
  },
  totalUsers: users.length,
  usersWithOpenid: withOpenid.length,
  usersWith_Openid: users.filter((item) => normalizeText(item?._openid)).length,
  excludingSelf: excludingSelf.length,
  profileCompleted: profileCompletedUsers.length,
  dnaCompleted: dnaCompletedUsers.length,
  finalCandidatePool: dnaCompletedUsers.length,
  sampleCandidateOpenids: dnaCompletedUsers
    .slice(0, 5)
    .map((item) => maskIdentifier(item?.openid || item?._openid || "")),
});

return dnaCompletedUsers
  .map((item) => buildBuddyCandidateCard(currentUser, item, workflow.fields || {}))
  .sort((left, right) => right.score - left.score)
  .slice(0, BUDDY_MAX_CANDIDATES);
}

export async function buildConversationWorkflow({
  question = "",
  contextPayload = {},
  cloudbaseUserId = "",
} = {}) {
  const mainline = detectMainline(question, contextPayload);
  const currentTaskState = getCurrentTaskState(contextPayload);

  if (mainline === MAINLINE.BUDDY) {
    const workflow = buildBuddyWorkflow(question, contextPayload);
    const buddyCandidates = workflow.missingField
      ? []
      : await buildBuddyCandidates(contextPayload, cloudbaseUserId, workflow);

```

```
    return {
      ...workflow,
      isReady: !workflow.missingField,
      buddyCandidates,
      lastAskedField: normalizeText(currentTaskState.lastAskedField),
    };
  }

  if (mainline === MAINLINE.GUIDE) {
    const workflow = buildGuideWorkflow(question, contextPayload);
    return {
      ...workflow,
      isReady: !workflow.missingField,
      lastAskedField: normalizeText(currentTaskState.lastAskedField),
    };
  }

  if (mainline === MAINLINE.FEEDBACK) {
    return {
      mainline,
      feedbackType:
        normalizeText(currentTaskState.feedbackType) ||
        classifyFeedbackType(question),
    };
  }

  return {
    mainline,
    lastAskedField: normalizeText(currentTaskState.lastAskedField),
  };
}

export async function buildUnifiedTaskState({
  question = "",
  contextPayload = {},
  cloudbaseUserId = "",
} = {}) {
  const workflow = await buildConversationWorkflow({
    question,
    contextPayload,
    cloudbaseUserId,
  });
  const currentTaskState = getCurrentTaskState(contextPayload);

  return {
    mainline: normalizeText(workflow?.mainline || currentTaskState?.mainline),
    collected: workflow?.fields || currentTaskState?.collected || {},
    missingField: workflow?.missingField
      ? {
          key: normalizeText(workflow.missingField.key),
          label: normalizeText(workflow.missingField.label),
          ask: normalizeText(workflow.missingField.ask),
        }
      : null,
    lastAskedField: normalizeText(
      workflow?.missingField?.key || workflow?.lastAskedField || currentTaskState?.lastAskedField
    ),
    feedbackType: normalizeText(workflow?.feedbackType || currentTaskState?.feedbackType),
    isReady: Boolean(workflow?.isReady),
  };
```

```
}

export async function buildBuddyMatchResult({
  departure = "",
  destination = "",
  time = "",
  companionPreference = "",
  cloudbaseUserId = "",
  contextPayload = {},
} = {}) {
  const mergedContextPayload = {
    ...(contextPayload || {}),
    currentTaskState: {
      ...(contextPayload?.currentTaskState || {}),
      mainline: MAINLINE.BUDDY,
      collected: {
        ...(contextPayload?.currentTaskState?.collected || {}),
        departure: normalizeText(departure),
        destination: normalizeText(destination),
        time: normalizeText(time),
        companionPreference: normalizeText(companionPreference),
      },
    },
  };

  const workflow = await buildConversationWorkflow({
    question: "",
    contextPayload: mergedContextPayload,
    cloudbaseUserId,
  });

  return {
    success: true,
    mainline: workflow?.mainline || MAINLINE.BUDDY,
    isReady: !!workflow?.isReady,
    missingField: workflow?.missingField
      ? {
          key: normalizeText(workflow.missingField.key),
          label: normalizeText(workflow.missingField.label),
          ask: normalizeText(workflow.missingField.ask),
        }
      : null,
    collected: workflow?.fields || {},
    candidates: normalizeBuddyCandidates(workflow?.buddyCandidates),
  };
}

export function buildGuideRecallQuestion(fields = {}) {
  const segments = [
    normalizeText(fields.destination),
    normalizeText(fields.time),
    normalizeText(fields.peopleCount),
    normalizeText(fields.relationship),
    normalizeText(fields.budget),
    "活动",
    "景点",
    "住宿",
    "路线",
  ].filter(Boolean);

  return segments.join(" ");
}
```

```

export function buildGuideGroundingPayload({
  question = "",
  contextPayload = {},
  guideFields = {},
} = {}) {
  const normalizedFields =
    guideFields && typeof guideFields === "object" ? guideFields : {};

  return {
    ...(contextPayload || {}),
    question: buildGuideRecallQuestion(normalizedFields) || normalizeText(question),
    location: contextPayload?.location || {},
    userProfile: contextPayload?.userProfile || {},
    preferences: contextPayload?.preferences || {},
    skillContext: {
      ...(contextPayload?.skillContext || {}),
      mode: MAINLINE.GUIDE,
      title: normalizeText(contextPayload?.skillContext?.title) || "攻略定制",
      collected: {
        ...(contextPayload?.skillContext?.collected || {}),
        ...normalizedFields,
      },
    },
    currentTaskState: {
      ...(contextPayload?.currentTaskState || {}),
      mainline: MAINLINE.GUIDE,
      collected: {
        ...(contextPayload?.currentTaskState?.collected || {}),
        ...normalizedFields,
      },
    },
  };
}

function normalizeGuideCandidates(candidates = []) {
  return (Array.isArray(candidates) ? candidates : [])
    .filter((item) => normalizeText(item.type) !== "product")
    .slice(0, GUIDE_MAX_CANDIDATES)
    .map((item) => ({
      id: normalizeText(item.id),
      type: normalizeText(item.type),
      title: normalizeText(item.title),
      region: normalizeText(item.region),
      priceText: normalizeText(item.priceText),
      summary: normalizeText(item.summary),
      tags: normalizeArray(item.tags),
    }));
}

function normalizeBuddyCandidates(candidates = []) {
  return (Array.isArray(candidates) ? candidates : []).map((item) => ({
    id: normalizeText(item.id),
    nickname: normalizeText(item.title),
    region: normalizeText(item.region),
    summary: normalizeText(item.summary),
    tags: normalizeArray(item.tags),
    matchReason: normalizeText(item.matchReason),
  }));
}

export async function buildGuideCustomizationResult({
```

```
time = "",
peopleCount = "",
relationship = "",
budget = "",
destination = "",
contextPayload = {},
} = {}) {
const mergedContextPayload = {
  ...(contextPayload || {}),
  currentTaskState: {
    ...(contextPayload?.currentTaskState || {}),
    mainline: MAINLINE.GUIDE,
    collected: {
      ...(contextPayload?.currentTaskState?.collected || {}),
      time: normalizeText(time),
      peopleCount: normalizeText(peopleCount),
      relationship: normalizeText(relationship),
      budget: normalizeText(budget),
      destination: normalizeText(destination),
    },
  },
};

const workflow = await buildConversationWorkflow({
  question: "",
  contextPayload: mergedContextPayload,
  cloudbaseUserId: "",
});

if (!workflow?.isReady) {
  return {
    success: true,
    mainline: workflow?.mainline || MAINLINE.GUIDE,
    isReady: false,
    missingField: workflow?.missingField
      ? {
          key: normalizeText(workflow.missingField.key),
          label: normalizeText(workflow.missingField.label),
          ask: normalizeText(workflow.missingField.ask),
        }
      : null,
    collected: workflow?.fields || {},
    candidates: [],
  };
}

const groundingContext = await buildPlatformGroundingContext(
  buildGuideGroundingPayload({
    question: buildGuideRecallQuestion(workflow.fields || {}),
    contextPayload: mergedContextPayload,
    guideFields: workflow.fields || {},
  })
);

return {
  success: true,
  mainline: workflow?.mainline || MAINLINE.GUIDE,
  isReady: true,
  missingField: null,
  collected: workflow?.fields || {},
  candidates: normalizeGuideCandidates(groundingContext?.candidates || []),
};
```

```
1380 }
1381
1382 export async function buildConversationStateResult({
1383   question = "",
1384   contextPayload = {},
1385   cloudbaseUserId = "",
1386 } = {}) {
1387   const workflow = await buildConversationWorkflow({
1388     question,
1389     contextPayload,
1390     cloudbaseUserId,
1391   });
1392   const unifiedTaskState = await buildUnifiedTaskState({
1393     question,
1394     contextPayload,
1395     cloudbaseUserId,
1396   });
1397
1398   let candidates = [];
1399
1400   if (
1401     normalizeText(unifiedTaskState?.mainline) === MAINLINE.GUIDE &&
1402     Boolean(unifiedTaskState?.isReady)
1403   ) {
1404     const guideFields = workflow?.fields || unifiedTaskState?.collected || {};
1405     const groundingContext = await buildPlatformGroundingContext(
1406       buildGuideGroundingPayload({
1407         question,
1408         contextPayload,
1409         guideFields,
1410       })
1411     );
1412
1413     candidates = normalizeGuideCandidates(groundingContext?.candidates || []);
1414   }
1415
1416   if (
1417     normalizeText(unifiedTaskState?.mainline) === MAINLINE.BUDDY &&
1418     Boolean(unifiedTaskState?.isReady)
1419   ) {
1420     candidates = normalizeBuddyCandidates(workflow?.buddyCandidates);
1421   }
1422
1423   return {
1424     success: true,
1425     mainline: normalizeText(unifiedTaskState?.mainline),
1426     collected: unifiedTaskState?.collected || {},
1427     missingField: unifiedTaskState?.missingField || null,
1428     lastAskedField: normalizeText(unifiedTaskState?.lastAskedField),
1429     feedbackType: normalizeText(unifiedTaskState?.feedbackType),
1430     isReady: Boolean(unifiedTaskState?.isReady),
1431     candidates,
1432   };
1433 }
1434
1435 export function buildAgentUserPrompt({
1436   question = "",
1437   groundingContext = {},
1438   workflowContext = {},
1439   contextPayload = {},
1440 } = {}) {
1441   const normalizedQuestion = normalizeText(question);
```

```
const regionLabel = normalizeText(groundingContext?.regionLabel) || DEFAULT_REGION_LABEL;
const profileTags = normalizeArray(contextPayload?.userProfile?.dnaTags).join("、");
const preferencePairs = Object.entries(contextPayload?.preferences || {})
  .map(([key, value]) => [normalizeText(key), normalizeText(value)])
  .filter(([, value]) => value)
  .map(([key, value]) => `${key}: ${value}`);
const skillMode = normalizeText(contextPayload?.skillContext?.mode);
const skillTitle = normalizeText(contextPayload?.skillContext?.title);
const skillPairs = Object.entries(getMergedCollected(contextPayload))
  .map(([key, value]) => [normalizeText(key), normalizeText(value)])
  .filter(([, value]) => value)
  .map(([key, value]) => `${key}: ${value}`);
const mainline = workflowContext?.mainline || detectMainline(question, contextPayload);
const shouldAttachPlatformGrounding =
  mainline === MAINLINE.GUIDE || mainline === MAINLINE.GENERIC;

const buddyFields = workflowContext?.fields || {};
const guideFields = workflowContext?.fields || {};
const buddyCandidates = Array.isArray(workflowContext?.buddyCandidates)
  ? workflowContext.buddyCandidates
  : [];

const mainlineInstruction =
  mainline === MAINLINE.BUDDY
    ? [
        "当前主线：找搭子。",
        "第一轮只问 1 个最必要的问题。",
        "目标字段只有：出发地、目的地、时间、同行偏好。",
        `当前字段：出发地=${buddyFields.departure || "未提供"}；目的地=${buddyFields.destination || "未提供"}；时间=${buddyFields.time || "未提供"}；同行偏好=${buddyFields.companionPreference || "未提供"}。`,
        workflowContext?.missingField
          ? `信息还不足，当前只追问这个问题：${workflowContext.missingField.ask}`
          : buddyCandidates.length
            ? `信息已足够，请仅基于这些搭子候选回答，并说明匹配理由：\n${buddyCandidates.map((item, index) => `${index + 1}. ${item.title}｜${item.region}｜${item.matchReason}`).join("\n")}`
            : "信息已足够，但当前没有合适候选。请明确说明“当前没有合适候选”，并建议补充时间、出发地或同行偏好。",
        "禁止跳成商品、景点、特产推荐。",
        "禁止因为“美食”等兴趣词误判成商品推荐。",
      ].join("\n")
    : mainline === MAINLINE.GUIDE
      ? [
          "当前主线：攻略定制。",
          "先收集：时间、人数、关系、预算、目的地。",
          `当前字段：时间=${guideFields.time || "未提供"}；人数=${guideFields.peopleCount || "未提供"}；关系=${guideFields.relationship || "未提供"}；预算=${guideFields.budget || "未提供"}；目的地=${guideFields.destination || "未提供"}。`,
          workflowContext?.missingField
            ? `当前信息不足，只问这一个关键问题：${workflowContext.missingField.ask}`
            : "信息足够后再生成路线和建议，并且必须解释“为什么推荐这些”。",
          "不得脑补平台中不存在的内容。",
        ].join("\n")
      : mainline === MAINLINE.FEEDBACK
        ? [
            "当前主线：树洞反馈。",
            `当前反馈分类：${workflowContext?.feedbackType || "普通反馈"}。`,
            "以接住情绪、接收意见为主。",
            "不导购、不推荐、不跳业务主线，只在必要时温和追问。",
          ].join("\n")
```

```
      : mainline === MAINLINE.WEATHER
        ? "当前主线：天气/位置。只负责天气、位置、穿衣和出行提醒，不扩题。"
        : [
          "当前主线：普通聊天防串场。",
          "不是天气意图不要查天气。",
          "不是商品意图不要推商品。",
          "不是搭子意图不要匹配搭子。",
          "不确定时先确认，不要自动跳任务。",
        ].join("\n");

const sections = [
  "你是智能体“裕小禾”，对话中自称“小禾”。",
  "“问小禾”只是小程序里的功能入口名，不是你的名字。",
  "你必须优先使用平台候选和上下文，不得编造平台中不存在的内容。",
  "如果缺数据，要明确说明缺什么。",
  skillMode ? `当前对话来自技能流程：${skillTitle || skillMode}` : "",
  skillPairs.length ? `已收集任务字段：${skillPairs.join("；")}` : "",
  `当前执行主线：${mainline}`,
  mainlineInstruction,
  `用户当前问题：${normalizedQuestion}`,
  `用户当前地区：${regionLabel}`,
  profileTags ? `用户画像标签：${profileTags}` : "",
  preferencePairs.length ? `用户偏好：${preferencePairs.join("；")}` : "",
  shouldAttachPlatformGrounding ? groundingContext?.prompt || "" : "",
  mainline === MAINLINE.GUIDE && workflowContext?.isReady
    ? "攻略主线在信息齐全时，正文只允许输出简短承接、轻量解释和温馨提示，不允许用 1. 2. 3. 枚举推荐项，不允许重复复述具体候选标题、摘推荐内容由前端结构化卡片展示。"
    : "",
  "请直接开始回答用户。",
];

return sections.filter(Boolean).join("\n\n");
}

export class DetectCloudbaseUserMiddleware {
  constructor(request) {
    this.request = request;
  }

  async beforeAgent({ input }) {
    const authorization =
      this.request?.headers?.authorization ||
      this.request?.headers?.Authorization ||
      this.request?.headers?.get?.("authorization") ||
      this.request?.headers?.get?.("Authorization") ||
      "";

    const token = authorization.startsWith("Bearer ") ? authorization.slice(7) : "";
    if (!token) return;

    try {
      const payload = jwtDecode(token);
      input.forwardedProps = {
        ...(input.forwardedProps || {}),
        cloudbaseUserId: payload?.uid || payload?.sub || payload?.openid || payload?.user_id || "",
      };
    } catch (error) {
      console.warn("[DetectCloudbaseUserMiddleware] jwt decode failed", error?.message || error);
    }
  }
```

1555 }

Path: cloudfunctions/agent-yuxiaohe-1grmumm967563411/package.json

---

```
1 {
2   "name": "agent-yuxiaohe",
3   "version": "1.0.0",
4   "description": "CloudBase Agent service for 裕小禾",
5   "main": "src/index.js",
6   "type": "module",
7   "scripts": {
8     "start": "node src/index.js"
9   },
10   "dependencies": {
11     "@cloudbase/agent-adapter-adp": "^1.0.1-alpha.30",
12     "@cloudbase/agent-adapter-wx": "^1.0.1-alpha.30",
13     "@cloudbase/agent-server": "^0.0.20",
14     "@cloudbase/node-sdk": "^3.18.1",
15     "@dotenvx/dotenvx": "^1.51.1",
16     "express": "^5.2.1",
17     "jwt-decode": "^4.0.0",
18     "rxjs": "7.8.1"
19   },
20   "overrides": {
21     "rxjs": "7.8.1"
22   }
23 }
```