

Nama : Tania Nastika P.M.

NIM : 19051397026

Prodi : D4 Manajemen Informatika'19

TUGAS PERTEMUAN KE-9

DOUBLE LINKED LIST

1.

```
#include<iostream>
#include<stdio.h>
#include<conio.h>
#include<stdlib.h>

typedef struct node
{
    int data;
    node* prev;
    node* next;
};

int main()
{
    node *head;
    node *tail;
    node *n;

    n= new node;
    n->data = 1;
    n->prev=NULL;
    head = n;
    tail = n;

    n= new node;
    n->data = 2;
    n->prev = tail;
    tail->next = n;
    tail=n;

    n=new node;
    n->data = 3;
    n->prev = tail;
    tail->next= n;
    tail=n;

    tail->next=NULL;
    tail = head ;

    while( tail!= NULL ){
        cout << "Data : " << tail->data << endl;
        tail = tail->next;
    }
    system("PAUSE");
    return 0;
}
```

Tania Wahyuningrum www.st3telkom.ac.id

Output

```
Data : 1
Data : 2
Data : 3
Press any key to continue . . . .
```

2

Tuliskan keluarannya, jika ditambahkan statement berikut !

```
n=new node;
n->data=50;
n->prev=NULL;
n->next = head;
head->prev = n;
head = n;

tail->next=NULL;

tail = head ;

while( tail!= NULL ){
    cout << "Data : " << tail->data << endl;
    tail = tail->next;
}
system("PAUSE");
return 0;
}
```

Tania Wahyuningrum www.st3telkom.ac.id

| Output |
|--|
| Data : 50 Data : 1 Data : 2 Data : 3 Press any key to continue |

3.



Tuliskan keluarannya, jika



ditambahkan statement berikut !

```
node *bantu, *bantu2;

n=new node;
n->data=9;
n->prev=NULL;
n->next=NULL;
bantu = head;

while(bantu->data != 2)
{
    bantu = bantu->next;
}

bantu2 = bantu->next;
n->next = bantu2;
bantu2->prev = n;
bantu->next = n;
n->prev = bantu;

tail->next=NULL;

tail = head ;
```

```
while( tail!= NULL ){
    cout << "Data : " << tail->data << endl;
    tail = tail->next;
}

system("PAUSE");
return 0;
```

Tenia Wahyuningrum

www.st3telkom.ac.id

| Output |
|---|
| Data : 50 Data : 1 Data : 2 Data : 9 Data : 3 Press any key to continue. . . |

ditambahkan statement berikut !

```
while(bantu->data != 2)
{
    bantu = bantu->next;

    bantu2 = bantu->next;
    n->next = bantu2;
    bantu2->prev = n;
    bantu->next = n;
    n->prev = bantu;

    hapus = head;
    head = head->next;
    head->prev = NULL;
    delete hapus;

    tail->next=NULL;

    tail = head ;

    while( tail!= NULL ){
        cout << "Data : " << tail->data << endl;
        tail = tail->next;
    }
}
```

Tenia Wahyuningrum

www.st3telkom.ac.id

Output

Data : 9

Data : 3

Press any key to continue. . .

```
#include<iostream>
#include<stdio.h>
#include<conio.h>
#include<stdlib.h>
```

```
//linked list circular
typedef struct node{
    int data;
    node* prev;
    node* next;
};
```

```
int main()
{
    node* head;
    node* tail;
    node* n;
    node* bantu;
```

```
n = new node;
n->next = n;
n->prev = n;
n->data = 5;
```

```
head = tail = n;

n = new node;
n->next = n;
n->prev = n;
n->data = 8;
```

```
tail->next = n;
n->prev = tail;
tail = n;
```

```
tail->next = head;
head->prev = tail;
```

```
n = new node;
n->next = n;
n->prev = n;
n->data = 9;

tail->next = n;
n->prev = tail;
tail = n;

tail->next = head;
head->prev = tail;

bantu = head;
do
{
    cout<<bantu->data;
    bantu = bantu->next;
} while(bantu!=head);

system("PAUSE");
return 0;
}
```

Tenia Wahyuningrum

www.st3telkom.ac.id

Output

589

Press any key to continue. . .