


Komputer, więc...

Odpali serwer do Minecrafta



The screenshot shows a terminal window titled "socialbook-theme — pi@raspberrypi: ~/minecraft — ssh — 102x24". The terminal output is as follows:

```
type 'startx' to launch a graphical session

Last login: Sun Apr 14 09:26:10 2013 from 192.168.1.145
pi@raspberrypi ~ $ cd minecraft/
pi@raspberrypi ~/minecraft $ sudo ./start512.sh

13:19:08 [INFO] This server is running CraftBukkit version git-Bukkit-1.4.7-R1.0-31-g4ff57b2-b2663jnks
(MC: 1.5) (Implementing API version 1.5-R0.1-SNAPSHOT)
13:19:10 [INFO] [NoSpawnChunks] Loading NoSpawnChunks v0.3
13:19:10 [INFO] [NoSpawnChunks] Enabling NoSpawnChunks v0.3
13:19:10 [INFO] [NoSpawnChunks] Enabled
13:19:10 [INFO] Preparing level "world"
13:19:12 [INFO] Preparing start region for level 0 (Seed: 752960373002290597)
13:19:12 [INFO] Preparing start region for level 1 (Seed: 752960373002290597)
13:19:12 [INFO] Preparing start region for level 2 (Seed: 752960373002290597)
13:19:12 [INFO] Server permissions file permissions.yml is empty, ignoring it
13:19:13 [INFO] Done (3.120s)! For help, type "help" or "?"
13:19:24 [INFO] ----- Bukkit Auto Updater -----
13:19:24 [INFO] It appears that you're running a Development Build, when you've specified in bukkit.yml
l that you prefer to run Recommended Builds.
13:19:24 [INFO] If you would like to be kept informed about new Development Build releases, it is reco
mmended that you change 'preferred-channel' in your bukkit.yml to 'dev'.
13:19:24 [INFO] With that set, you will be told whenever a new version is available for download, so t
hat you can always keep up to date and secure with the latest fixes.
```

Co to jest?

tanie* to jest



Pi 1 model A+
119 zł



Pi 2 model B+
145 zł



Pi 3 model B+
179 zł

Ceny ze sklepu:



* to zależy