

## CSS & HTML MCQs (Pattern-Based Practice Set)

1. Given the CSS:

```
p { margin: 20px 15px; }  
div { margin-top: 25px; }
```

If a <p> is followed by a <div>, what will be the total vertical space between them?

- A) 45px
- B) 25px
- C) 20px
- D) 35px

**Answer:** B) 25px

2. In CSS Flexbox, which property turns an element into a flex container?

- A) display: block;
  - B) display: flex;
  - C) position: relative;
  - D) align-items: center;
- Answer:** B) display: flex;

3. If flex-direction: row-reverse; is set, items will be arranged:

- A) From left to right
- B) From top to bottom
- C) From right to left
- D) Randomly

**Answer:** C) From right to left

4.

```
a:link { color: blue; }  
a:visited { color: purple; }  
a:hover { color: green; }
```

If a link is visited and hovered, what color appears?

- A) Blue
- B) Green
- C) Purple
- D) Red

**Answer:** B) Green

5. The syntax linear-gradient(to top right, red, yellow); means:

- A) Gradient moves bottom to top
- B) Gradient moves from bottom left to top right
- C) Gradient moves top left to bottom right
- D) Gradient moves left to right

**Answer:** B) Gradient moves from bottom left to top right

6. The :hover pseudo-class is applied when:

- A) The element is clicked
- B) The element is being dragged
- C) The cursor is placed over the element
- D) The element loses focus

**Answer:** C) The cursor is placed over the element

7.

```
<style>
.box { width:100px; height:100px; background:orange; transition: transform 1s; }
.box:hover { transform: scale(1.5); }
</style>
<div class="box"></div>
```

What happens on hover?

- A) The box color changes
- B) The box disappears
- C) The box grows larger smoothly
- D) The box rotates

**Answer:** C) The box grows larger smoothly

8.

```
* { box-sizing: border-box; }
```

This ensures:

- A) Padding and border are excluded from element width
- B) Padding and border are included in element width
- C) Border is ignored
- D) Width is doubled

**Answer:** B) Padding and border are included in element width

9. In CSS, 1em equals:

- A) 16px always

- B) Font size of parent element
  - C) Root font size
  - D) Screen width / 100
- Answer:** B) Font size of parent element

**10.**

``

What will happen?

- A) Image width becomes 50px
  - B) Image width becomes half of container width
  - C) Image height becomes 50%
  - D) Image will not appear
- Answer:** B) Image width becomes half of container width

**11.** Correct Media Query syntax is:

- A) `@media (width > 500px)`
  - B) `@media screen and (min-width:500px)`
  - C) `@query (min-width:500px)`
  - D) `media (max-width:500px)`
- Answer:** B) `@media screen and (min-width:500px)`

**12.** To hide an element in a media query:

- A) `visibility: visible;`
  - B) `display: none;`
  - C) `opacity: 0;`
  - D) `overflow: hidden;`
- Answer:** B) `display: none;`

**13.**

```
.menu { width: 30%; float: left; }  
.main { width: 70%; float: left; }
```

This layout creates:

- A) A single column layout
  - B) A 2-column layout
  - C) A flexbox layout
  - D) A grid layout
- Answer:** B) A 2-column layout

**14.** To move an element 40px right and 60px down:

- A) transform: move(40px, 60px);
- B) transform: translate(40px, 60px);
- C) position: relative(40px, 60px);
- D) margin: 40px 60px;

**Answer:** B) transform: translate(40px, 60px);

**15.** To double an element's size:

- A) transform: scale(2);
- B) transform: stretch(2);
- C) transform: zoom(200%);
- D) size: 2x;

**Answer:** A) transform: scale(2);

**16.**

```
@keyframes slide {  
  from { left: 0; }  
  to { left: 200px; }  
}
```

This defines:

- A) A static element
- B) A color transition
- C) A movement animation
- D) A shadow effect

**Answer:** C) A movement animation

**17.** The <meta name="viewport" content="width=device-width, initial-scale=1.0"> tag ensures:

- A) The page is zoomed out
- B) The layout adapts to device width
- C) The font size is fixed
- D) The CSS resets

**Answer:** B) The layout adapts to device width

**18.** In Flexbox, if flex-grow values are 3 and 1, then:

- A) Both get equal space
- B) First gets three times more space
- C) Second gets more space
- D) No difference

**Answer:** B) First gets three times more space

19. Which property creates a dim overlay background in a modal or lightbox?

- A) opacity
- B) filter: blur()
- C) backdrop-filter: brightness(50%)
- D) z-index

**Answer:** C) backdrop-filter: brightness(50%)

20.

```
@media (max-width: 900px) {  
  div { background: yellow; }  
}  
@media (min-width: 700px) and (max-width: 1000px) {  
  div { background: blue; }  
}
```

If screen width is 850px, background will be:

- A) Yellow
- B) Blue
- C) Both
- D) None

**Answer:** B) Blue

21.

```
@media (max-width: 600px) {  
  body { background: lightblue; }  
}  
@media (min-width: 601px) {  
  body { background: orange; }  
}
```

If screen width is **500px**, background will be:

- A) Lightblue
- B) Orange
- C) Both
- D) None

**Answer:** A) Lightblue

22.

```
@media (min-width: 700px) and (max-width: 1000px) {  
  div { color: green; }  
}
```

If the screen width is **1200px**, text color will be:

- A) Green
- B) Default color
- C) Red
- D) None

**Answer:** B) Default color

**23.**

```
@media (max-width: 800px) {  
  h1 { font-size: 18px; }  
}  
@media (min-width: 801px) {  
  h1 { font-size: 32px; }  
}
```

At **900px**, the font size will be:

- A) 18px
- B) 32px
- C) Both
- D) None

**Answer:** B) 32px

**24.**

```
@media (orientation: landscape) {  
  p { color: red; }  
}  
@media (orientation: portrait) {  
  p { color: blue; }  
}
```

If the device is held **vertically**, paragraph color will be:

- A) Red
- B) Blue
- C) Both
- D) None

**Answer:** B) Blue

**25.**

```
@media screen and (min-width: 480px) {  
  div { background: yellow; }  
}
```

```
@media screen and (min-width: 768px) {  
  div { background: green; }  
}
```

If the screen width is **800px**, background will be:

- A) Yellow
- B) Green
- C) Both
- D) None

**Answer:** B) Green

**26.**

```
@media (max-width: 900px) {  
  div { background: yellow; }  
}  
@media (min-width: 700px) and (max-width: 1000px) {  
  div { background: blue; }  
}
```

If screen width is **850px**, background will be:

- A) Yellow
- B) Blue
- C) Both
- D) None

**Answer:** B) Blue

**27.**

```
@media (max-width: 500px) {  
  h2 { display: none; }  
}
```

At **400px** screen width, <h2> will be:

- A) Visible
- B) Hidden
- C) Blue
- D) Enlarged

**Answer:** B) Hidden

**28.**

```
@media print {  
  body { color: black; background: white; }
```

}

When printing the page, background will be:

- A) White
- B) Black
- C) Transparent
- D) Yellow

**Answer:** A) White

**29.**

```
@media (min-width: 1200px) {  
  .container { width: 80%; }  
}
```

At **1400px**, container width will be:

- A) 100%
- B) 80%
- C) 50%
- D) None

**Answer:** B) 80%

**30.**

```
@media only screen and (max-width: 768px) {  
  nav { display: none; }  
}
```

At **700px**, the navigation bar will be:

- A) Visible
- B) Hidden
- C) Enlarged
- D) Collapsed

**Answer:** B) Hidden

**31.**

```
<style>  
.box { width:100px; height:100px; background:orange; transition: transform 1s; }  
.box:hover { transform: scale(1.5); }  
</style>  
<div class="box"></div>
```

What happens on hover?

- A) The box color changes
- B) The box disappears

- C) The box grows larger smoothly  
D) The box rotates  
Answer: C) The box grows larger smoothly

**32.**

```
<style>
.box {
  width: 100px;
  height: 100px;
  background: blue;
  transition: transform 1s;
}
.box:hover {
  transform: rotate(45deg);
}
</style>
<div class="box"></div>
```

What happens when you hover over the box?

- A) The box color changes  
B) The box rotates 45 degrees smoothly  
C) The box shrinks  
D) The box disappears  
Answer: B) The box rotates 45 degrees smoothly

**33.**

```
<style>
.box {
  width: 100px;
  height: 100px;
  background: red;
  transition: transform 0.5s;
}
.box:hover {
  transform: translate(50px, 50px);
}
</style>
<div class="box"></div>
```

On hover, the box will:

- A) Move 50px right and 50px down  
B) Shrink in size  
C) Change its color  
D) Remain unchanged

Answer: A) Move 50px right and 50px down

**34.**

```
<style>
.image {
  width: 150px;
  height: 150px;
  background: url('photo.jpg');
  transition: transform 1s;
}
.image:hover {
  transform: scale(0.5);
}
</style>
<div class="image"></div>
```

On hovering over the image:

- A) The image becomes transparent
- B) The image doubles in size
- C) The image shrinks to half its size
- D) The image rotates

Answer: C) The image shrinks to half its size

**35.**

```
<style>
.box {
  width: 120px;
  height: 120px;
  background: green;
  transition: transform 1s;
}
.box:hover {
  transform: skew(20deg, 0deg);
}
</style>
<div class="box"></div>
```

When hovered, the box will:

- A) Move to the right
- B) Skew along the X-axis
- C) Become circular
- D) Flip vertically

Answer: B) Skew along the X-axis

**36.**

```
<style>
.box {
  width: 100px;
  height: 100px;
  background: purple;
  transition: transform 1s;
}
.box:hover {
  transform: rotateY(180deg);
}
</style>
<div class="box"></div>
```

What happens on hover?

- A) The box rotates horizontally like a card flip
- B) The box changes color
- C) The box expands
- D) The box blinks

Answer: A) The box rotates horizontally like a card flip

**37.**

```
<style>
.box {
  width: 100px;
  height: 100px;
  background: teal;
  transition: transform 1s;
}
.box:hover {
  transform: rotate(360deg);
}
</style>
<div class="box"></div>
```

What happens when the mouse hovers?

- A) The box disappears
- B) The box rotates completely once
- C) The box fades
- D) The box moves diagonally

Answer: B) The box rotates completely once

**38.**

```
<style>
div {
  width: 100px;
  height: 100px;
  background-color: brown;
  transition: transform 1s;
}
div:hover {
  transform: translateX(100px);
}
</style>
<div></div>
```

When hovered, the box will:

- A) Move 100px to the right
- B) Rotate
- C) Change color
- D) Skew

Answer: A) Move 100px to the right

**39.**

```
<style>
.box {
  width: 150px;
  height: 150px;
  background: pink;
  transition: all 1s;
}
.box:hover {
  transform: scale(1.2);
  background: red;
}
</style>
<div class="box"></div>
```

On hover, the box will:

- A) Only change color
- B) Only scale up
- C) Scale up and change color
- D) Fade out

Answer: C) Scale up and change color

**40.**

```
<style>
```

```
div {  
  width: 100px;  
  height: 100px;  
  background: gray;  
  transition: transform 1s;  
}  
div:hover {  
  transform: rotate(45deg) scale(1.5);  
}  
</style>  
<div></div>
```

When hovered, the box will:

- A) Rotate and scale up
  - B) Only rotate
  - C) Only scale up
  - D) Remain unchanged
- Answer: A) Rotate and scale up

**41.**

Which value of flex-wrap allows items to wrap onto multiple lines?

- A) nowrap
- B) wrap
- C) inline
- D) flex

**Answer:** B) wrap

**42.**

Predict the output for “If flex-grow is set to 0”.

- A) The item expands to fill extra space
- B) The item does not grow, it keeps its original size
- C) The item shrinks to 0 width
- D) The item disappears

**Answer:** B) The item does not grow, it keeps its original size

**43.**

Which pseudo-class is applied when a user presses down on a link?

- A) :hover
- B) :visited
- C) :active
- D) :focus

**Answer:** C) :active

**44.**

Which of the following is **NOT** a pseudo-element?

- A) ::before
- B) ::after
- C) :hover
- D) ::first-letter

**Answer:** C) :hover

**45.**

Which CSS property is used to apply a gradient background?

- A) background-color
- B) gradient-color
- C) background-image
- D) color-gradient

**Answer:** C) background-image

**46.**

```
@media (max-width: 1000px) {  
  div { background: orange; }  
}  
@media (min-width: 800px) and (max-width: 1200px) {  
  div { background: purple; }  
}
```

If the screen width is 900px, what will be the background color of the <div>?

- A) Orange
- B) Purple
- C) Both Orange and Purple
- D) None

**Answer:** B) Purple

**47.**

```
@media (max-width: 600px) {  
  body { font-size: 12px; }  
}  
@media (min-width: 601px) {  
  body { font-size: 16px; }  
}
```

If the screen width is 500px, what will be the font size?

- A) 16px
- B) 12px

C) 14px

D) None

**Answer:** B) 12px

**48.**

```
@media (min-width: 700px) {  
  p { color: red; }  
}
```

If the screen width is 650px, what will be the color of the text?

A) Red

B) Blue

C) Default color

D) None

**Answer:** C) Default color

**49.**

```
@media (min-width: 500px) and (max-width: 900px) {  
  .box { border-radius: 50%; }  
}
```

If the screen width is 750px, what will be the shape of the box?

A) Square

B) Circle

C) Rectangle

D) No change

**Answer:** B) Circle

**50.**

```
@media (min-width: 1200px) {  
  header { background: navy; }  
}
```

If the screen width is 1024px, what will be the background color of the header?

A) Navy

B) Blue

C) Default color

D) None

**Answer:** C) Default color

**51.**

What happens when hovering the box?

```
<!doctype html>
<html lang="en">
<head>
<style>
.box {
  width: 100px;
  height: 100px;
  background: lightblue;
  transition: transform 0.5s;
}
.box:hover {
  transform: scale(1.5);
}
</style>
</head>
<body>
<div class="box"></div>
</body>
</html>
```

- A) The box changes color
- B) The box disappears
- C) The box smoothly enlarges
- D) The box rotates

**Answer:** C) The box smoothly enlarges

**52.**

Consider the following CSS:

```
<style>
#a .b p { color: red; }
.b p { color: blue; }
div p { color: green; }
</style>
<div id="a">
  <div class="b">
    <p>Computer Science</p>
  </div>
</div>
```

What is the color of “Computer Science”?

- A) Red
- B) Blue
- C) Green
- D) Black

**Answer:** A) Red

**53.**

Consider the following CSS:

```
<style>
p { color: blue; }
#main p { color: red; }
p.intro { color: green; }
</style>
<div id="main">
  <p class="intro">Welcome!</p>
</div>
```

What will be the color of the text “Welcome!”?

- A) Blue
- B) Red
- C) Green
- D) Black

**Answer:** B) Red

**54.**

Consider the following CSS:

```
<style>
div p { color: purple; }
div > p { color: orange; }
</style>
<div>
  <p>Hello CSS</p>
  <span><p>World</p></span>
</div>
```

What will be the color of “Hello CSS”?

- A) Purple
- B) Orange
- C) Blue
- D) Green

**Answer:** B) Orange

**55.**

Consider the following CSS:

```
<style>
```

```
#container p { color: red; }  
.container p { color: blue; }  
</style>  
<div class="container" id="container">  
  <p>Learning CSS</p>  
</div>
```

What will be the color of “Learning CSS”?

- A) Red
- B) Blue
- C) Green
- D) Black

**Answer:** A) Red

**56.**

Consider the following CSS:

```
<style>  
p { color: green; }  
p.special { color: orange; }  
p#highlight { color: red; }  
</style>  
<p id="highlight" class="special">Styled Text</p>
```

What will be the color of “Styled Text”?

- A) Green
- B) Orange
- C) Red
- D) Blue

**Answer:** C) Red

**57.**

How will extra space be divided?

```
<div style="display: flex; width: 400px;">  
  <div style="flex-grow: 1;">Box1</div>  
  <div style="flex-grow: 3;">Box2</div>  
</div>
```

- A) Equally between Box1 and Box2
- B) Box1 gets 1 part, Box2 gets 3 parts
- C) Box1 gets all space
- D) Box2 gets all space

**Answer:** B) Box1 gets 1 part, Box2 gets 3 parts

**58.**

What happens when align-items: center; is used on a flex container?

- A) Items align at the start of the container
- B) Items align at the end of the container
- C) Items align vertically centered along the cross axis
- D) Items stretch to fill the container

**Answer:** C) Items align vertically centered along the cross axis

**59.**

Predict the output for the given code:

```
<div style="display: flex; justify-content: space-between;">
  <div>Box1</div>
  <div>Box2</div>
  <div>Box3</div>
</div>
```

- A) Boxes are placed together at the start
- B) Boxes have equal spacing between them
- C) Boxes are stacked vertically
- D) Boxes overlap each other

**Answer:** B) Boxes have equal spacing between them

**60.**

Which property defines the direction of flex items in a container?

- A) flex-wrap
- B) flex-direction
- C) align-content
- D) justify-content

**Answer:** B) flex-direction

**61.**

Consider the following CSS:

```
<div style="display: flex; flex-direction: column-reverse;">
  <div>One</div>
  <div>Two</div>
  <div>Three</div>
</div>
```

What will be the visual order of items?

- A) One, Two, Three
- B) Three, Two, One
- C) Two, One, Three
- D) None

**62.**

What happens when the viewport width is 900px in the following code?

```
<!doctype html>
<html lang="en">
<head>
  <style>
    .box { background: yellow; }
    @media (max-width: 800px) { .box { background: red; } }
    @media (min-width: 850px) { .box { background: blue; } }
  </style>
</head>
<body>
  <div class="box">Responsive Box</div>
</body>
</html>
```

- A) Red
- B) Yellow
- C) Blue
- D) None

**Answer:** C) Blue

**63.**

If screen width is 480px, what will be the background color?

```
<!doctype html>
<html lang="en">
<head>
  <style>
    div { background: gray; }
    @media (max-width: 600px) { div { background: orange; } }
    @media (min-width: 601px) { div { background: green; } }
  </style>
</head>
<body>
  <div>Media Query Example</div>
</body>
</html>
```

- A) Gray

- B) Orange
  - C) Green
  - D) None
- Answer:** B) Orange

**64.**

What will be the background color when the width is 720px?

```
<!doctype html>
<html lang="en">
<head>
  <style>
    div { background: pink; }
    @media (min-width: 700px) and (max-width: 800px) {
      div { background: lightgreen; }
    }
  </style>
</head>
<body>
  <div>Media Query Demo</div>
</body>
</html>
```

- A) Pink
  - B) Lightgreen
  - C) Blue
  - D) None
- Answer:** B) Lightgreen

**65.**

When the width is 1000px, what is the background color of the box?

```
<!doctype html>
<html lang="en">
<head>
  <style>
    .box { background: lightblue; }
    @media (max-width: 900px) { .box { background: yellow; } }
    @media (min-width: 700px) and (max-width: 1100px) { .box { background: blue; } }
  </style>
</head>
<body>
  <div class="box">Responsive Box</div>
</body>
</html>
```

- A) Yellow
  - B) Blue
  - C) Lightblue
  - D) None
- Answer:** B) Blue

**66.**

What happens when screen width is 400px?

```
<!doctype html>
<html lang="en">
<head>
  <style>
    body { background: white; }
    @media (max-width: 500px) { body { background: pink; } }
    @media (min-width: 600px) { body { background: gray; } }
  </style>
</head>
<body>
  <p>Responsive Design</p>
</body>
</html>
```

- A) White
  - B) Pink
  - C) Gray
  - D) None
- Answer:** B) Pink

**67.**

Which media feature targets orientation of a device?

- A) device-width
  - B) aspect-ratio
  - C) orientation
  - D) resolution
- Answer:** C) orientation

**68.**

At width = 1200px, what happens to font size?

```
<!doctype html>
<html lang="en">
<head>
  <style>
```

```

p { font-size: 14px; }
@media (min-width: 1000px) {
  p { font-size: 20px; }
}
</style>
</head>
<body>
  <p>Responsive Text</p>
</body>
</html>

```

- A) 14px
- B) 20px
- C) 18px
- D) No change

**Answer:** B) 20px

**69.**

Which media query applies only when printing a page?

- A) @media screen
- B) @media print
- C) @media handheld
- D) @media all

**Answer:** B) @media print

**70.**

Which of the following is the correct syntax to include an external CSS file named *style.css* in an HTML document?

- A) <link rel="stylesheet" type="text/css" href="style.css">
- B) <style src="style.css"></style>
- C) <css link="style.css">
- D) <script href="style.css"></script>

**Correct Answer:** A

**71.**

Consider the code:

```

<style>
div { border: 2px solid red; padding: 10px; margin: 5px; }
</style>
<div>Box Model</div>

```

What does **padding** define?

- A) Space between elements

- B) Space between the border and content
- C) Distance from the browser edge
- D) Thickness of border

**Correct Answer: B**

**72.**

What will be the background color of the paragraph?

```
<style>
p { background-color: yellow; }
p { background-color: lightgreen; }
</style>
<p>Welcome!</p>
```

- A) Yellow
- B) Lightgreen
- C) Both colors blend
- D) No background color

**Correct Answer: B**

**73.**

Analyze the code below and determine the final color of “Engineering”:

```
<style>
.main p { color: red; }
.main > p { color: blue; }
#section p { color: green; }
</style>
<div id="section" class="main">
  <p>Engineering</p>
</div>
```

- A) Red
- B) Blue
- C) Green
- D) Black

**Correct Answer: C**

**74.**

What will be visible around the middle of the box?

```
div {
  background: linear-gradient(to right, red 0%, yellow 50%, green 50%, blue 100%);
}
```

- A) Red and yellow merge
- B) Yellow and green boundary
- C) Green and blue merge
- D) Red and blue boundary

**Correct Answer: B**

**75.**

What happens when you hover on the image?

```
.image:hover {  
  transform: scale(1.1);  
  transition: transform 0.4s ease;  
}
```

- A) Image shrinks
- B) Image enlarges smoothly
- C) Image rotates
- D) Image fades out

**Correct Answer: B**

**76.**

When a thumbnail in this Lightbox gallery is clicked, what typically occurs?

- A) Image opens in a new tab
- B) Image displays in a modal overlay
- C) Page reloads with image
- D) Thumbnail disappears

**Correct Answer: B**

**77.**

How will the total 200px width be divided?

```
<div style="display: flex; width: 200px;">  
  <div style="flex: 2;">A</div>  
  <div style="flex: 1;">B</div>  
  <div style="flex: 1;">C</div>  
</div>
```

- A) A:100 px B:50 px C:50 px
- B) A:50 px B:50 px C:100 px
- C) A:120 px B:40 px C:40 px
- D) A:80 px B:60 px C:60 px

**Correct Answer: A**

**78.**

Which code correctly applies blue background only between **700 px – 900 px**, and yellow otherwise above **600 px**?

A)

```
@media (min-width:700px) and (max-width:900px) { body { background: blue; } }  
@media (min-width:600px) { body { background: yellow; } }
```

B)

```
@media (min-width:600px) and (max-width:900px) { body { background: yellow; } }
```

C)

```
@media screen and (width:700px) { body { background: blue; } }
```

D) None

**Correct Answer: A**

**79.**

Which transition ensures **width** animates in 2 s and **height** in 3 s?

A) transition: width 2s, height 3s;

B) transition: width, height 2s 3s;

C) transition-duration: 2s 3s;

D) transition: all 2s 3s;

**Correct Answer: A**

**80.**

When does the animation start in the below code?

```
.box {  
  position: relative;  
  width: 50px; height: 50px;  
  background: #e67e22;  
  animation: move 3s ease-in-out 2s 2;  
}
```

A) Immediately on page load

B) After 2 seconds

C) After 3 seconds

D) Never starts

**Correct Answer: B**

**81.**

What happens when hovering the box?

```
.box {  
  width: 120px;  
  height: 120px;  
  background: orange;  
  transition: transform 1s;  
}  
.box:hover {  
  transform: rotateY(180deg);  
}
```

- A) The box flips along the Y-axis
- B) The box disappears
- C) The box scales up
- D) The box changes color

**Correct Answer: A**

82. What does the CSS property flex-grow do in Flexbox?

- A) Defines how much a flex item will grow relative to others
- B) Defines how much a flex item will shrink relative to others
- C) Defines the base size of a flex item
- D) Defines alignment of items in flex container

Correct Answer: A

83. Which CSS property sets the direction of main axis in Flexbox?

- A) align-items
- B) justify-content
- C) flex-direction
- D) flex-wrap

Correct Answer: C

84. What does grid-template-columns: 100px 200px 1fr define?

- A) Three equal columns
- B) Two fixed columns and one flexible column

C) All columns of 100px

D) All columns flexible

Correct Answer: B

85. Which property controls spacing between flex lines when wrapping?

A) align-content

B) justify-content

C) gap

D) flex-gap

Correct Answer: A

86. What will be the effect of flex-wrap: wrap?

A) All items fit on one line

B) Items will wrap to next line when needed

C) Items align vertically

D) Items stretch equally

Correct Answer: B

87. In Grid, which property defines the total layout of columns and rows?

A) grid-area

B) grid-template

C) grid-auto-flow

D) grid-template-areas

Correct Answer: B

88. What is the function of justify-items in CSS Grid?

A) Aligns grid items along inline axis within their cells

B) Aligns grid container within the parent

C) Defines grid spacing

D) Defines grid flow direction

Correct Answer: A

89. Which CSS property allows overlapping of grid items?

A) z-index

B) grid-column

C) align-content

D) justify-items

Correct Answer: A

90. What does the property place-items combine?

A) justify-items and align-items

B) justify-content and align-content

C) flex-direction and flex-wrap

D) grid-template and grid-gap

Correct Answer: A

91. The `overflow-wrap` property in CSS is used to:

A) Control line-height

B) Prevent text overflow by breaking long words

C) Add padding to text

D) Insert hyphens automatically

Answer: Prevent text overflow by breaking long words

92. Which of the following is the default value of `overflow-wrap`?

- A) break-word
- B) anywhere
- C) normal
- D) unset

Answer: normal

93. The `overflow-wrap: anywhere;` value allows:

- A) Breaking words only at spaces
- B) Breaking at any character, without adding hyphen
- C) Wrapping only inside tables
- D) Preventing wrapping completely

Answer: Breaking at any character, without adding hyphen

94. Which value of `overflow-wrap` is considered equivalent to `anywhere` but does not consider soft wrap opportunities for intrinsic size calculations?

- A) break-word
- B) normal
- C) unset
- D) inherit

Answer: break-word

95. To inherit the parent element's `overflow-wrap`, which keyword is used?

- A) default
- B) copy
- C) inherit
- D) extend

Answer: inherit

96. Which CSS function is used to create a linear gradient?

- A) gradient-linear()
- B) linear-gradient()
- C) background-gradient()
- D) color-gradient()

Answer: linear-gradient()

97. What is the default direction of a linear gradient?

- A) Left to right
- B) Top to bottom
- C) Diagonal
- D) Right to left

Answer: Top to bottom

98. Which property ensures fallback if gradients are not supported?

- A) background-fallback
- B) background-color
- C) background-default
- D) color-reset

Answer: background-color

99. To create a diagonal gradient from top left to bottom right, we use:

- A) linear-gradient(to top left, ...)
- B) linear-gradient(to bottom right, ...)
- C) diagonal-gradient(...)
- D) cross-gradient(...)

Answer: linear-gradient(to bottom right, ...)

100. Which angle represents a gradient flowing left to right?

- A) 90deg
- B) 0deg
- C) 180deg
- D) -90deg

Answer: 90deg

101. In linear gradients, what happens if no percentages are specified for color stops?

- A) Colors collapse
- B) First color only applies
- C) Colors are evenly spaced
- D) Gradient fails to render

Answer: Colors are evenly spaced

102. The default shape of a radial gradient is:

- A) Circle
- B) Ellipse
- C) Rectangle
- D) Diamond

Answer: Ellipse

103. Which syntax makes a circular radial gradient?

- A) radial-gradient(ellipse, red, blue)
- B) radial-gradient(circle, red, blue)
- C) circle-gradient(red, blue)
- D) radial-circle(red, blue)

Answer: radial-gradient(circle, red, blue)

104. Which pseudo-class applies to unvisited links?

A) :visited

B) :hover

C) :active

D) :link

Answer: :link

105. Which pseudo-class must be written before :hover for it to work correctly?

A) :visited

B) :link

C) :active

D) :focus

Answer: :link

106. The `:first-child` pseudo-class applies styling to:

A) First element in the document

B) First child of a parent element

C) First element with a given class

D) First sibling in a group

Answer: First child of a parent element

107. Which pseudo-class changes style when a user hovers over an element?

A) :visited

B) :hover

C) :focus

D) :active

Answer: :hover

108. The `:lang` pseudo-class is used for:

- A) Language-specific styling such as quotation marks
- B) Selecting fonts based on language
- C) Translating text
- D) Changing layout direction

Answer: Language-specific styling such as quotation marks

109. A lightbox is typically used for:

- A) Enlarging images in an overlay
- B) Creating navigation bars
- C) Adding background music
- D) Embedding iframes

Answer: Enlarging images in an overlay

110. Which CSS property creates the dark overlay background in a lightbox?

- A) `opacity: 0.5;`
- B) `background-color: black;`
- C) `background: rgba(0,0,0,0.8);`
- D) `filter: brightness(50%);`

Answer: `background: rgba(0,0,0,0.8);`

111. Which property is used to fix lightbox position across the screen?

- A) `position: relative`
- B) `position: absolute`
- C) `position: fixed`
- D) `position: sticky`

Answer: `position: fixed`

112. Why is 'z-index' used in lightbox styling?

- A) To set zoom level
- B) To control stacking order and keep it above other content
- C) To change color saturation
- D) To blur background

Answer: To control stacking order and keep it above other content

113. Which pseudo-element styles the first line of text?

- A) :first-line
- B) ::first-line
- C) :line(1)
- D) ::line-first

Answer: ::first-line

114. Which of the following is a pseudo-element?

- A) :hover
- B) :first-child
- C) ::before
- D) :visited

Answer: ::before

115. Pseudo-elements are represented in CSS using:

- A) Single colon :
- B) Double colon ::
- C) Hash #
- D) At symbol @

Answer: Double colon ::

**116. What will be the output of the following code?**

```
<!doctype html>
<html lang="en">
<head>
  <style>
    .container {
      display: flex;
      align-items: flex-end;
      background: lightgreen;
      height: 100px;
    }
    .item {
      width: 40px;
      height: 60px;
      background: coral;
      margin: 5px;
    }
  </style>
</head>
<body>
  <div class="container">
    <div class="item"></div>
    <div class="item"></div>
    <div class="item"></div>
  </div>
</body>
</html>
```

**Options:**

- A) Three coral boxes aligned at the top inside a lightgreen container
- B) Three coral boxes centered vertically inside a lightgreen container
- C) Three coral boxes aligned at the bottom inside a lightgreen container
- D) Three coral boxes stretched to fill the container height

**Correct Answer: C**

**117. What happens when justify-content: space-between; is applied to a flex container?**

**Options:**

- A) All flex items are packed toward the start of the container
- B) All flex items are evenly spaced with space between them
- C) All flex items are evenly spaced including at the ends
- D) Flex items are centered vertically

**Correct Answer: B**

**118. In CSS Grid, what does the property `grid-template-columns: repeat(3, 1fr);` do?**

**Options:**

- A) Creates three columns with fixed width
- B) Creates three columns each taking equal space of available width
- C) Creates a grid with 3 rows
- D) Creates a grid with 3 flexible rows and 1 fixed column

**Correct Answer: B**

**119. In Flexbox, what will the property `flex-direction: column-reverse;` do?**

**Options:**

- A) Display items in a vertical column from top to bottom
- B) Display items in a vertical column from bottom to top
- C) Display items in a horizontal row from left to right
- D) Reverse the order of items horizontally

**Correct Answer: B**

**120. Which CSS Grid property defines the spacing between rows and columns simultaneously?**

**Options:**

- A) `grid-gap`
- B) `row-gap`
- C) `column-gap`
- D) `gap`

**Correct Answer: D**

**121. What will be the output when `align-items: center;` is applied in a flex container?**

**Options:**

- A) Items align at the bottom
- B) Items align at the top
- C) Items align at the center vertically
- D) Items stretch to full height

**Correct Answer: C**

**122. Which Flexbox property controls how leftover space is distributed among items?**

**Options:**

- A) flex-grow
- B) flex-shrink
- C) flex-basis
- D) justify-items

**Correct Answer: A**

**123. In Grid layout, what does grid-row: 1 / 3; indicate?**

**Options:**

- A) The grid item spans across one row
- B) The grid item starts at row 1 and ends before row 3
- C) The grid item starts at row 3
- D) The grid item occupies only the first row

**Correct Answer: B**

**124. In Flexbox, if flex-wrap: wrap; is applied, what happens?**

**Options:**

- A) Flex items stay in one line
- B) Flex items wrap onto multiple lines if necessary
- C) Flex items are stacked vertically
- D) Flex items disappear beyond container width

**Correct Answer: B**

**125. What does the place-items property in Grid do?**

**Options:**

- A) Sets both align-items and justify-items in one declaration
- B) Sets only justify-items
- C) Sets grid item spacing
- D) Aligns grid tracks horizontally

**Correct Answer: A**

Perfect 👍

Here's the continuation starting from **116 onward**, following the **exact same pattern** (code + 4 options + correct answer).

All questions are based on **Flexbox and Grid CSS concepts**, matching your previous table's structure and Bloom's level (*Understand–Apply*).

**116. What will be the output of the following code?**

```
<!doctype html>
<html lang="en">
<head>
  <style>
    .container {
      display: flex;
      align-items: flex-end;
      background: lightgreen;
      height: 100px;
    }
    .item {
      width: 40px;
      height: 60px;
      background: coral;
      margin: 5px;
    }
  </style>
</head>
<body>
  <div class="container">
    <div class="item"></div>
    <div class="item"></div>
    <div class="item"></div>
  </div>
</body>
</html>
```

**Options:**

- A) Three coral boxes aligned at the top inside a lightgreen container
- B) Three coral boxes centered vertically inside a lightgreen container
- C) Three coral boxes aligned at the bottom inside a lightgreen container
- D) Three coral boxes stretched to fill the container height

**Correct Answer: C**

**117. What happens when justify-content: space-between; is applied to a flex container?**

**Options:**

- A) All flex items are packed toward the start of the container
- B) All flex items are evenly spaced with space between them
- C) All flex items are evenly spaced including at the ends
- D) Flex items are centered vertically

**Correct Answer: B**

**118. In CSS Grid, what does the property `grid-template-columns: repeat(3, 1fr);` do?**

**Options:**

- A) Creates three columns with fixed width
- B) Creates three columns each taking equal space of available width
- C) Creates a grid with 3 rows
- D) Creates a grid with 3 flexible rows and 1 fixed column

**Correct Answer: B**

**119. In Flexbox, what will the property `flex-direction: column-reverse;` do?**

**Options:**

- A) Display items in a vertical column from top to bottom
- B) Display items in a vertical column from bottom to top
- C) Display items in a horizontal row from left to right
- D) Reverse the order of items horizontally

**Correct Answer: B**

**120. Which CSS Grid property defines the spacing between rows and columns simultaneously?**

**Options:**

- A) `grid-gap`
- B) `row-gap`
- C) `column-gap`
- D) `gap`

**Correct Answer: D**

**121. What will be the output when `align-items: center;` is applied in a flex container?**

**Options:**

- A) Items align at the bottom
- B) Items align at the top
- C) Items align at the center vertically
- D) Items stretch to full height

**Correct Answer: C**

**122. Which Flexbox property controls how leftover space is distributed among items?**

**Options:**

- A) flex-grow
- B) flex-shrink
- C) flex-basis
- D) justify-items

**Correct Answer: A**

**123. In Grid layout, what does grid-row: 1 / 3; indicate?**

**Options:**

- A) The grid item spans across one row
- B) The grid item starts at row 1 and ends before row 3
- C) The grid item starts at row 3
- D) The grid item occupies only the first row

**Correct Answer: B**

**124. In Flexbox, if flex-wrap: wrap; is applied, what happens?**

**Options:**

- A) Flex items stay in one line
- B) Flex items wrap onto multiple lines if necessary
- C) Flex items are stacked vertically
- D) Flex items disappear beyond container width

**Correct Answer: B**

**125. What does the place-items property in Grid do?**

**Options:**

- A) Sets both align-items and justify-items in one declaration
- B) Sets only justify-items
- C) Sets grid item spacing
- D) Aligns grid tracks horizontally

**Correct Answer: A**

**126. What will be the output of the following code?**

```
<!doctype html>
<html lang="en">
<head>
  <style>
```

```

.container {
  display: flex;
  justify-content: center;
  background: lightblue;
  height: 100px;
}
.item {
  width: 40px;
  height: 50px;
  background: tomato;
  margin: 5px;
}
</style>
</head>
<body>
  <div class="container">
    <div class="item"></div>
    <div class="item"></div>
    <div class="item"></div>
  </div>
</body>
</html>

```

**Options:**

- A) Three tomato boxes aligned to the left inside a lightblue container
- B) Three tomato boxes evenly spaced with gaps
- C) Three tomato boxes centered horizontally in the lightblue container
- D) Three tomato boxes stacked vertically

**Correct Answer: C**

127 What will be the result of the following code?

```

<div style="display:flex; justify-content:flex-end; background:lightgray;
height:100px;">
  <div style="width:40px; height:40px; background:tomato;
margin:5px;"></div>
  <div style="width:40px; height:40px; background:tomato;
margin:5px;"></div>
</div>

```

**Options:**

- A) Two red boxes aligned at the left side
- B) Two red boxes aligned at the right side
- C) Two red boxes centered horizontally
- D) Two red boxes stacked vertically

**Correct Answer: B) Two red boxes aligned at the right side**

## 2128 Question

What will happen when `align-items:center;` is added to the container below?

```
<div style="display:flex; align-items:center; height:120px;
background:lightblue;">
  <div style="width:60px; height:60px; background:orange;
margin:5px;"></div>
  <div style="width:60px; height:60px; background:orange;
margin:5px;"></div>
</div>
```

### Options:

- A) Boxes align at the top
- B) Boxes align vertically centered
- C) Boxes align at the bottom
- D) Boxes stack vertically

**Correct Answer: B) Boxes align vertically centered**

## 3 129 Question

What happens when `flex-direction: column;` is applied to this container?

```
<div style="display:flex; flex-direction:column; background:lightgreen;
height:150px;">
  <div style="width:50px; height:40px; background:purple;
margin:5px;"></div>
  <div style="width:50px; height:40px; background:purple;
margin:5px;"></div>
</div>
```

### Options:

- A) Boxes appear side by side
- B) Boxes stack one below another
- C) Boxes disappear
- D) Boxes overlap each other

**Correct Answer: B) Boxes stack one below another**

## 130Question

What will be the visible layout when the following code executes?

```
<div style="display:flex; justify-content:space-between;
background:lightyellow; height:80px;">
  <div style="width:40px; height:40px; background:blue;"></div>
  <div style="width:40px; height:40px; background:blue;"></div>
  <div style="width:40px; height:40px; background:blue;"></div>
</div>
```

**Options:**

- A) All boxes centered closely together
- B) Boxes evenly spaced with gaps between and edges aligned
- C) Boxes aligned to left
- D) Boxes stacked vertically

**Correct Answer: B) Boxes evenly spaced with gaps between and edges aligned**

## Question

131 What will happen if `justify-content: space-around;` is used instead?

```
<div style="display:flex; justify-content:space-around;
background:lavender; height:100px;">
  <div style="width:50px; height:50px; background:red;"></div>
  <div style="width:50px; height:50px; background:red;"></div>
  <div style="width:50px; height:50px; background:red;"></div>
</div>
```

**Options:**

- A) Equal space between boxes only
- B) Equal space on left, right, and between boxes
- C) Boxes align to left side
- D) Boxes align to right side

**Correct Answer: B) Equal space on left, right, and between boxes**

132 Which CSS unit helps keep the font size **consistent across all screens** (irrespective of device resolution or viewport size)?

**Options:**

- A) %
- B) em
- C) px
- D) vw

**Correct Answer: C) px**

133 Which of the following media queries targets **screens smaller than 600px**?

```
@media ( _____ : 600px) { ... }
```

**Options:**

- A) min-width
- B) max-width
- C) min-height
- D) orientation

**Correct Answer: B) max-width**

**Explanation:**

**max-width: 600px** means styles apply **only when screen width  $\leq$  600px**, commonly used for **mobile layouts**.

**134.** What will be the background color when screen width is 600px?

```
.box { background: gray; }

@media (max-width: 700px) {
  .box { background: orange; }
}

@media (min-width: 701px) {
  .box { background: green; }
}
```

- A) Gray
- B) Orange
- C) Green
- D) Blue

**Answer: B) Orange**

**135.** Which media query applies styles when the device width is **less than or equal to 480px**?

- A) @media (min-width: 480px)
- B) @media (max-width: 480px)
- C) @media (width: 480px)
- D) @media (device-width: 480px)

**Answer: B)**

**136.** What happens when screen width is 1000px?

```
@media (max-width: 900px) {
  body { background: pink; }
}

@media (min-width: 901px) {
  body { background: skyblue; }
}
```

- A) Pink
- B) Skyblue

- C) White
  - D) No color
- Answer:** B) Skyblue

**137.** Which of the following media query targets tablets in portrait mode?

- A) @media (min-width: 768px) and (max-width: 1024px)
- B) @media (min-width: 320px)
- C) @media (max-width: 600px)
- D) @media (min-width: 1200px)

**Answer:** A

138

`.content { width: 60%; float: left; }`

`.nav { width: 25%; float: left; }`

If the container width is 800px, what total width do `.content` and `.nav` take together?

- A) 680px
- B) 600px
- C) 700px
- D) 680px

**Answer:** D) 680px (60% of 800 = 480 + 25% of 800 = 200 → total 680px)

**139** Read the following snippet carefully:

```
<!doctype html>
<html lang="en">
<head>
  <style>
    .box {
      width: 100px;
      height: 100px;
      background: coral;
      transition: transform 0.8s ease-in-out;
    }
    .box:hover {
      transform: rotate(45deg);
    }
  </style>
</head>
```

```
<body>
  <div class="box"></div>
</body>
</html>
```

**What will happen when the user hovers over the box?**

**Options:**

- A) The box will move 45px to the right.
- B) The box will rotate 45 degrees clockwise smoothly.
- C) The box will double in size.
- D) The box will fade away.

**Correct Answer: B) The box will rotate 45 degrees clockwise smoothly.**

**Explanation:**

- `transform: rotate(45deg)` rotates the element 45° clockwise.
- `transition` adds smooth animation during the rotation.

140 Observe the following code:

```
<!doctype html>
<html lang="en">
<head>
  <style>
    .card {
      width: 120px;
      height: 120px;
      background-color: lightblue;
      transition: transform 1s;
    }
    .card:hover {
      transform: translateX(100px);
    }
  </style>
</head>
<body>
  <div class="card"></div>
</body>
</html>
```

**What will be the visual effect when the box is hovered?**

**Options:**

- A) The box slides 100px to the right smoothly.
- B) The box rotates 100 degrees.
- C) The box grows 100px taller.
- D) The box disappears.

**Correct Answer: A) The box slides 100px to the right smoothly.**

**Explanation:**

- `transform: translateX(100px)` moves the box **horizontally** by 100px.
- The `transition` ensures a smooth sliding animation.