

Problem Statement 1: Student Management System

Table structure:

Column	Data Type
student_id	INT (Primary Key)
name	VARCHAR(50)
age	INT
city	VARCHAR(30)
course	VARCHAR(30)
marks	INT

Sample data(20 records):

ID	Name	Age	City	Course	Marks
101	Amit	20	Delhi	BCA	78
102	Priya	21	Pune	BSc	89
103	Rahul	22	Mumbai	BCA	67
104	Sneha	20	Delhi	BTech	92
105	Rohan	23	Jaipur	BSc	75
106	Anjali	21	Pune	BCA	81
107	Vikas	22	Mumbai	BTech	64
108	Neha	20	Delhi	BCA	90
109	Arjun	23	Lucknow	BSc	55
110	Kiran	21	Pune	BCA	73
111	Meera	22	Delhi	BTech	95
112	Nikhil	20	Mumbai	BSc	70
113	Pooja	21	Jaipur	BCA	84
114	Ritesh	22	Pune	BTech	60
115	Komal	20	Delhi	BCA	88
116	Deepak	23	Mumbai	BSc	77
117	Sonal	21	Pune	BCA	69
118	Manish	22	Delhi	BTech	82
119	Ankit	20	Lucknow	BCA	91
120	Payal	21	Jaipur	BSc	72

Practice Task:

1.

Create above table in database.

2.

Insert all 20 records.

3.

Display all student records.

4.

Display only the names and marks of all students.

5.

Find students who belong to Delhi.

6.

Display students whose marks are greater than 80.

7.

Find all BCA students

Solution:

Create above table in database.

```
mysql> desc student;
```

Field	Type	Null	Key	Default	Extra
student_id	int	NO	PRI	NULL	
name	varchar(50)	YES		NULL	
age	int	YES		NULL	
city	varchar(30)	YES		NULL	
course	varchar(30)	YES		NULL	
marks	int	YES		NULL	

rows in set (0.34 sec)

Insert all 20 records.

Display all student records

```
mysql> select * from student;
```

student_id	name	age	city	course	marks
-6	Vikas	22	Mumbai	Btech	64
101	Amit	20	Delhi	BCA	78
102	Priya	21	Pune	Bsc	89
103	Rahul	22	Mumbai	BCA	67
104	Sneha	20	Delhi	Btech	92
105	Rohan	23	Jaipur	Bsc	75
106	Anjali	21	Pune	BCA	81
108	Neha	20	Delhi	BCA	90
109	Arjun	23	Lucknow	Bsc	55
110	Kiran	21	Pune	BCA	73
111	Meera	22	Delhi	Btech	95
112	Nikhil	20	Mumbai	Bsc	70
113	Pooja	21	Jaipur	BCA	84
114	Ritesh	22	Pune	Btech	60
115	Komal	20	Delhi	BCA	88
116	Deepak	21	Pune	BCA	69
117	Sonal	21	Pune	BCA	69
118	Manish	22	Delhi	Btech	82
119	Ankit	20	Lucknow	BCA	91
120	Payal	21	Jaipur	Bsc	72

20 rows in set (0.01 sec)

Display only the names and marks of all students.

```
mysql> select name,marks from student;
```

name	marks
Vikas	64
Amit	78
Priya	89
Rahul	67
Sneha	92
Rohan	75
Anjali	81
Neha	90
Arjun	55
Kiran	73
Meera	95
Nikhil	70
Pooja	84
Ritesh	60
Komal	88
Deepak	69
Sonal	69
Manish	82
Ankit	91
Payal	72

```
20 rows in set (0.00 sec)
```

Find students who belong to Delhi.

```
mysql> select * from student where city = 'Delhi';
```

student_id	name	age	city	course	marks
101	Amit	20	Delhi	BCA	78
104	Sneha	20	Delhi	Btech	92
108	Neha	20	Delhi	BCA	90
111	Meera	22	Delhi	Btech	95
115	Komal	20	Delhi	BCA	88
118	Manish	22	Delhi	Btech	82

```
6 rows in set (0.00 sec)
```

Display students whose marks are greater than 80.

```
mysql> select * from student where marks > 80;
```

student_id	name	age	city	course	marks
102	Priya	21	Pune	Bsc	89
104	Sneha	20	Delhi	Btech	92
106	Anjali	21	Pune	BCA	81
108	Neha	20	Delhi	BCA	90
111	Meera	22	Delhi	Btech	95
113	Pooja	21	Jaipur	BCA	84
115	Komal	20	Delhi	BCA	88
118	Manish	22	Delhi	Btech	82
119	Ankit	20	Lucknow	BCA	91

```
9 rows in set (0.01 sec)
```

Find all BCA students.

```
mysql> select * from student where course = 'BCA';
```

student_id	name	age	city	course	marks
101	Amit	20	Delhi	BCA	78
103	Rahul	22	Mumbai	BCA	67
106	Anjali	21	Pune	BCA	81
108	Neha	20	Delhi	BCA	90
110	Kiran	21	Pune	BCA	73
113	Pooja	21	Jaipur	BCA	84
115	Komal	20	Delhi	BCA	88
116	Deepak	21	Pune	BCA	69
117	Sonal	21	Pune	BCA	69
119	Ankit	20	Lucknow	BCA	91

```
10 rows in set (0.00 sec)
```

Problem Statement 2 : Employee Database

Table Structure

Column	Data Type
emp_id	INT (Primary Key)
emp_name	VARCHAR(50)
department	VARCHAR(30)
salary	INT
city	VARCHAR(30)
experience	INT

Sample Data (20 Records):

ID	Name	Department	Salary	City	Experience
1	Amit	HR	35000	Delhi	2
2	Priya	IT	60000	Pune	5
3	Rahul	Sales	45000	Mumbai	4
4	Sneha	IT	75000	Delhi	7
5	Rohan	Finance	50000	Jaipur	3
6	Anjali	HR	42000	Pune	2
7	Vikas	IT	82000	Mumbai	8

8	Neha	Sales	39000	Delhi	2
9	Arjun	Finance	68000	Lucknow	6
10	Kiran	IT	56000	Pune	4
11	Meera	HR	47000	Delhi	3
12	Nikhil	Sales	51000	Mumbai	5
13	Pooja	Finance	72000	Jaipur	7
14	Ritesh	IT	61000	Pune	5
15	Komal	HR	38000	Delhi	2
16	Deepak	Finance	65000	Mumbai	6
17	Sonal	IT	78000	Pune	8
18	Manish	Sales	44000	Delhi	3
19	Ankit	IT	59000	Lucknow	4
20	Payal	Finance	71000	Jaipur	7

Practice task:

1.

Create Above table in database.

2.

Insert above 20 records.

3.

Display all employee details.

4.

Display employee names and salaries.

5.

Find employees working in the IT department.

6.

Find employees whose salary is greater than ₹60,000.

7.

Display employees having more than 5 years of experience.

Solutions:

Create Above table in database.

```
mysql> desc employee;
```

Field	Type	Null	Key	Default	Extra
emp_id	int	NO	PRI	NULL	
emp_name	varchar(50)	YES		NULL	
department	varchar(30)	YES		NULL	
salary	int	YES		NULL	
city	varchar(30)	YES		NULL	
experience	int	YES		NULL	

```
6 rows in set (0.13 sec)
```

Insert above 20 records.

Display all employee details.


```
mysql> select * from employee;
```

emp_id	emp_name	department	salary	city	experience
1	Amit	HR	35000	Delhi	2
2	Priya	IT	60000	Pune	5
3	Rahul	Sales	45000	Mumbai	4
4	Sneha	it	75000	delhi	7
5	Rohan	Finance	50000	Jaipur	3
6	Anjali	HR	42000	Pune	5
7	Vikas	IT	82000	Mumbai	8
8	Neha	Sales	39000	Delhi	2
9	Arjun	Finance	68000	Lucknow	6
10	Kiran	IT	56000	Pune	4
11	Meera	HR	47000	Delhi	3
12	Nikhil	Sales	51000	Mumbai	5
13	Pooja	Finance	72000	Jaipur	7
14	Ritesh	IT	61000	Pune	5
15	Komal	HR	38000	Delhi	2
16	Deepak	Finance	65000	Mumbai	6
17	Sonal	IT	78000	Pune	8
18	Manish	Sales	44000	Delhi	3
19	Ankit	IT	59000	Lucknow	4
20	Payal	Finace	71000	Jaipur	7

```
0 rows in set (0.00 sec)
```

Display employee names and salaries.

```
ERROR 1054 (42S22): Unknown column 'name' in 'field list'
mysql> select emp_name,salary from employee;
+-----+-----+
| emp_name | salary |
+-----+-----+
| Amit     | 35000  |
| Priya    | 60000  |
| Rahul    | 45000  |
| Sneha    | 75000  |
| Rohan    | 50000  |
| Anjali   | 42000  |
| Vikas    | 82000  |
| Neha     | 39000  |
| Arjun    | 68000  |
| Kiran    | 56000  |
| Meera    | 47000  |
| Nikhil   | 51000  |
| Pooja    | 72000  |
| Ritesh   | 61000  |
| Komal    | 38000  |
| Deepak   | 65000  |
| Sonal    | 78000  |
| Manish   | 44000  |
| Ankit    | 59000  |
| Payal    | 71000  |
+-----+-----+
20 rows in set (0.00 sec)
```

Find employees working in the IT department.

```
mysql> select * from employee where department = 'IT';
+-----+-----+-----+-----+-----+-----+
| emp_id | emp_name | department | salary | city      | experience |
+-----+-----+-----+-----+-----+-----+
| 2      | Priya    | IT         | 60000  | Pune      | 5          |
| 4      | Sneha    | it         | 75000  | delhi     | 7          |
| 7      | Vikas    | IT         | 82000  | Mumbai    | 8          |
| 10     | Kiran    | IT         | 56000  | Pune      | 4          |
| 14     | Ritesh   | IT         | 61000  | Pune      | 5          |
| 17     | Sonal    | IT         | 78000  | Pune      | 8          |
| 19     | Ankit    | IT         | 59000  | Lucknow   | 4          |
+-----+-----+-----+-----+-----+-----+
```

Find employees whose salary is greater than ₹60,000.

```
mysql> select * from employee where salary > 60000;
```

emp_id	emp_name	department	salary	city	experience
4	Sneha	it	75000	delhi	7
7	Vikas	IT	82000	Mumbai	8
9	Arjun	Finance	68000	Lucknow	6
13	Pooja	Finance	72000	Jaipur	7
14	Ritesh	IT	61000	Pune	5
16	Deepak	Finance	65000	Mumbai	6
17	Sonal	IT	78000	Pune	8
20	Payal	Finace	71000	Jaipur	7

```
8 rows in set (0.00 sec)
```

Display employees having more than 5 years of experience.

```
mysql> select emp_name, experience from employee where experience > 5;
```

emp_name	experience
Sneha	7
Vikas	8
Arjun	6
Pooja	7
Deepak	6
Sonal	8
Payal	7

```
7 rows in set (0.00 sec)
```

Problem Statement 3: Product inventory..

Table structure:

Column	Data Type
product_id	INT (Primary Key)
product_name	VARCHAR(50)
category	VARCHAR(30)
price	INT
quantity	INT
supplier	VARCHAR(40)

Sample Data (20 records):

Product ID	Product Name	Category	Price (₹)	Quantity	Supplier
101	Laptop	Electronics	55000	15	Dell
102	Mouse	Electronics	799	120	Logitech
103	Keyboard	Electronics	1499	80	HP
104	Monitor	Electronics	12500	30	Samsung
105	Printer	Electronics	8500	20	Canon
106	Office Chair	Furniture	4500	25	Godrej
107	Study Table	Furniture	6500	18	Nilkamal
108	Bookshelf	Furniture	7200	12	Godrej
109	Sofa	Furniture	28000	8	Urban Ladder
110	Dining Table	Furniture	22000	10	IKEA
111	Water Bottle	Kitchen	450	150	Milton
112	Mixer Grinder	Kitchen	3800	22	Prestige
113	Pressure Cooker	Kitchen	2800	35	Hawkins
114	Gas Stove	Kitchen	5200	16	Sunflame
115	Microwave Oven	Kitchen	9800	14	LG
116	Refrigerator	Electronics	36000	9	Whirlpool
117	Ceiling Fan	Electronics	2500	40	Crompton
118	Air Conditioner	Electronics	42000	7	Voltas
119	Smart TV	Electronics	48000	11	Sony
120	Iron Box	Electronics	1800	55	Philips

Practice Task:

1.

Create above table.

2.

Insert above 20 records.

3.

Display all products.

4.

Display only product names and prices.

5.

Find all Electronics products.

6.

Display products whose price is greater than ₹10,000.

7.

Find products whose quantity is less than 20.

Solutions:

Create above table.

```
mysql> desc product;
+-----+-----+-----+-----+-----+-----+
| Field          | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| product_id     | int           | NO   | PRI | NULL    |       |
| product_name   | varchar(50)   | YES  |     | NULL    |       |
| category       | varchar(30)   | YES  |     | NULL    |       |
| price          | int           | YES  |     | NULL    |       |
| quantity       | int           | YES  |     | NULL    |       |
| supplier       | varchar(40)   | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
5 rows in set (0.01 sec)
```

Insert above 20 records.

Display all products.

```
mysql> select * from product;
```

product_id	product_name	category	price	quantity	supplier
101	Laptop	Electronics	55000	15	Dell
102	Mouse	Electronics	799	120	Logitech
103	Keyboard	Electronics	1499	80	HP
104	Monitor	Electronics	12500	30	Samsung
105	Printer	Electronics	8500	20	Canon
106	Office Chair	Furniture	4500	25	Godrej
107	Study Table	Furniture	6500	18	Nilkamal
108	Bookshelf	Furniture	7200	12	Godrej
109	Sofa	Furniture	28000	8	Urban Ladder
110	Dining Table	Furniture	22000	10	IKEA
111	Water Bottle	Kitchen	450	150	Milton
112	Mixer Grinder	Kitchen	3800	22	Prestige
113	Pressure Cooker	Kitchen	2800	35	Hawkins
114	Gas Stove	Kitchen	5200	16	Sunflame
115	Microwave Oven	Kitchen	9800	14	LG
116	Refrigerator	Electronics	36000	9	Whirlpool
117	Ceiling Fan	Electronics	2500	40	Crompton
118	Air Conditioner	Electronics	42000	7	Voltas
119	Smart TV	Electronics	48000	11	Sony
120	Iron Box	Electronics	1800	55	Philips

20 rows in set (0.00 sec)

Display only product names and prices.

v

```
mysql> select name, price from product;
ERROR 1054 (42S22): Unknown column 'name' in 'field list'
mysql> select product_name, price from product;
```

product_name	price
Laptop	55000
Mouse	799
Keyboard	1499
Monitor	12500
Printer	8500
Office Chair	4500
Study Table	6500
Bookshelf	7200
Sofa	28000
Dining Table	22000
Water Bottle	450
Mixer Grinder	3800
Pressure Cooker	2800
Gas Stove	5200
Microwave Oven	9800
Refrigerator	36000
Ceiling Fan	2500
Air Conditioner	42000
Smart TV	48000
Iron Box	1800

```
20 rows in set (0.00 sec)
```

Find all Electronics products.

```
mysql> select * from product where category = 'Electronics';
```

product_id	product_name	category	price	quantity	supplier
101	Laptop	Electronics	55000	15	Dell
102	Mouse	Electronics	799	120	Logitech
103	Keyboard	Electronics	1499	80	HP
104	Monitor	Electronics	12500	30	Samsung
105	Printer	Electronics	8500	20	Canon
116	Refrigerator	Electronics	36000	9	Whirlpool
117	Ceiling Fan	Electronics	2500	40	Crompton
118	Air Conditioner	Electronics	42000	7	Voltas
119	Smart TV	Electronics	48000	11	Sony
120	Iron Box	Electronics	1800	55	Philips

```
10 rows in set (0.00 sec)
```

Display products whose price is greater than ₹10,000.

```
mysql> select * from product where price > 10000;
```

product_id	product_name	category	price	quantity	supplier
101	Laptop	Electronics	55000	15	Dell
104	Monitor	Electronics	12500	30	Samsung
109	Sofa	Furniture	28000	8	Urban Ladder
110	Dining Table	Furniture	22000	10	IKEA
116	Refrigerator	Electronics	36000	9	Whirlpool
118	Air Conditioner	Electronics	42000	7	Voltas
119	Smart TV	Electronics	48000	11	Sony

7 rows in set (0.00 sec)

Find products whose quantity is less than 20.

```
mysql> select * from product where quantity < 20;
```

product_id	product_name	category	price	quantity	supplier
101	Laptop	Electronics	55000	15	Dell
107	Study Table	Furniture	6500	18	Nilkamal
108	Bookshelf	Furniture	7200	12	Godrej
109	Sofa	Furniture	28000	8	Urban Ladder
110	Dining Table	Furniture	22000	10	IKEA
114	Gas Stove	Kitchen	5200	16	Sunflame
115	Microwave Oven	Kitchen	9800	14	LG
116	Refrigerator	Electronics	36000	9	Whirlpool
118	Air Conditioner	Electronics	42000	7	Voltas
119	Smart TV	Electronics	48000	11	Sony

10 rows in set (0.00 sec)

Problem Statement 4: Library Management

Table Structure.

Column	Data Type
book_id	INT (Primary Key)
title	VARCHAR(60)
author	VARCHAR(40)
category	VARCHAR(30)
price	INT
available	VARCHAR(5)

Sample Data (20 Records)

Book ID	Title	Author	Category	Price (₹)	Available
201	Java Programming	James Gosling	Programming	650.00	Yes
202	Python Basics	Guido van Rossum	Programming	550.00	Yes
203	SQL for Beginners	John Smith	Database	480.00	No
204	HTML & CSS	David Miller	Web Development	420.00	Yes
205	JavaScript Essentials	Brendan Eich	Web Development	580.00	Yes
206	React in Action	Mark Tielens Thomas	Web Development	720.00	No
207	Node.js Complete Guide	Ryan Dahl	Web Development	690.00	Yes
208	Database Concepts	Abraham Silberschatz	Database	850.00	Yes
209	Operating Systems	Andrew Tanenbaum	Computer Science	780.00	Yes
210	Computer Networks	James Kurose	Computer Science	890.00	No
211	Artificial Intelligence	Stuart Russell	AI	950.00	Yes
212	Machine Learning	Tom Mitchell	AI	920.00	Yes
213	Data Structures	Mark Allen Weiss	Programming	610.00	No
214	C Programming	Dennis Ritchie	Programming	450.00	Yes
215	Spring Boot Guide	Craig Walls	Programming	810.00	Yes
216	MongoDB Basics	Kristina Chodorow	Database	540.00	Yes
217	Docker Essentials	Nigel Poulton	Cloud Computing	760.00	No
218	AWS Cloud Practitioner	John Davis	Cloud Computing	980.00	Yes
219	Git & GitHub	Chris Dawson	Tools	500.00	Yes
220	Kubernetes Up & Running	Kelsey Hightower	Cloud Computing	1100.00	No

Practice Tasks

1.

Create above table.

2.

Insert all 20 records.

3.

Display all books.

4.

Display only Title and Author.

5.

Find all available books.

6.

Display books whose price is greater than ₹700.

7.

Find all books in the Programming category.

Solution:

Create above table.

```
mysql> desc library;
```

Field	Type	Null	Key	Default	Extra
book_id	int	NO	PRI	NULL	
title	varchar(60)	YES		NULL	
author	varchar(40)	YES		NULL	
category	varchar(30)	YES		NULL	
price	int	YES		NULL	
available	varchar(5)	YES		NULL	

6 rows in set (0.06 sec)

Insert all 20 records.

Display all books.

```
mysql> select*from library;
```

book_id	title	author	category	price	available
201	Java Programming	James Gosling	Programming	650	Yes
202	Python Basics	Guido Van Rossum	Programming	550	Yes
203	SQL for Beginner	John Smith	Data base	480	No
204	HTML & CSS	Davil Miller	Web Development	420	Yes
205	JavaScript Essential	Brendan Eich	Web Development	580	Yes
206	React in Action	Mark Tielens Thomas	Web Development	720	No
207	Node.js Complete Guide	Ryan Dahl	Web Development	690	Yes
208	Database Concepts	Abraham Silberschatz	Database	850	Yes
209	Operating Systems	Andrew Tanenbaum	Computer Science	780	Yes
210	Computer Networks	James Kurose	Computer Science	890	No
211	Artificial Intelligence	Stuart Russell	AI	950	Yes
212	Machine Learning	Tom Mitchell	AI	920	Yes
213	Data Structures	Mark Allen Weiss	Programming	610	No
214	C Programming	Dennis Ritchie	Programming	450	Yes
215	Spring Boot Guide	Craig Walls	Programming	810	Yes
216	MongoDB Basics	Kristina Chodorow	Database	540	Yes
217	Docker Essentials	Nigel Poulton	Cloud Computing	760	No
218	AWS Cloud Practitioner	John Davis	Cloud Computing	980	Yes
219	Git & GitHub	Chris Dawson	Tools	550	Yes
220	Kubernetes Up & Running	Kelsey Hightower	Cloud Computing	1100	No

Display only Title and Author.

```
mysql> select title,author from library;
```

title	author
Java Programming	James Gosling
Python Basics	Guido Van Rossum
SQL for Beginner	John Smith
HTML & CSS	Davil Miller
JavaScript Essential	Brendan Eich
React in Action	Mark Tielens Thomas
Node.js Complete Guide	Ryan Dahl
Database Concepts	Abraham Silberschatz
Operating Systems	Andrew Tanenbaum
Computer Networks	James Kurose
Artificial Intelligence	Stuart Russell
Machine Learning	Tom Mitchell
Data Structures	Mark Allen Weiss
C Programming	Dennis Ritchie
Spring Boot Guide	Craig Walls
MongoDB Basics	Kristina Chodorow
Docker Essentials	Nigel Poulton
AWS Cloud Practitioner	John Davis
Git & GitHub	Chris Dawson
Kubernetes Up & Running	Kelsey Hightower

Find all books in the Programming category.

```
mysql> select*from library where category = 'Programming';
```

book_id	title	author	category	price	available
201	Java Programming	James Gosling	Programming	650	Yes
202	Python Basics	Guido Van Rossum	Programming	550	Yes
213	Data Structures	Mark Allen Weiss	Programming	610	No
214	C Programming	Dennis Ritchie	Programming	450	Yes
215	Spring Boot Guide	Craig Walls	Programming	810	Yes

Display books whose price is greater than ₹700.

```
mysql> select*from library where price > 700;
```

book_id	title	author	category	price	available
206	React in Action	Mark Tielens Thomas	Web Development	720	No
208	Database Concepts	Abraham Silberschatz	Database	850	Yes
209	Operating Systems	Andrew Tanenbaum	Computer Science	780	Yes
210	Computer Networks	James Kurose	Computer Science	890	No
211	Artificial Intelligence	Stuart Russell	AI	950	Yes
212	Machine Learning	Tom Mitchell	AI	920	Yes
215	Spring Boot Guide	Craig Walls	Programming	810	Yes
217	Docker Essentials	Nigel Poulton	Cloud Computing	760	No
218	AWS Cloud Practitioner	John Davis	Cloud Computing	980	Yes
220	Kubernetes Up & Running	Kelsey Hightower	Cloud Computing	1100	No

```
10 rows in set (0.00 sec)
```

Problem Statement : Customer Orders

Table Structure:

Column	Data Type
order_id	INT (Primary Key)
customer_name	VARCHAR(50)
product	VARCHAR(50)
quantity	INT
amount	INT
city	VARCHAR(30)

Sample data(20 records):

Order ID	Customer Name	Product Name	Category	Quantity	Amount (₹)	Order Date	City
301	Amit Sharma	Laptop	Electronics	1	55000.00	2026-07-01	Delhi
302	Priya Verma	Mouse	Electronics	2	1600.00	2026-07-02	Pune
303	Rahul Singh	Keyboard	Electronics	1	1500.00	2026-07-02	Mumbai
304	Sneha Patel	Smart TV	Electronics	1	48000.00	2026-07-03	Delhi
305	Rohan Gupta	Office Chair	Furniture	2	9000.00	2026-07-03	Jaipur
306	Anjali Mehta	Refrigerator	Electronics	1	36000.00	2026-07-04	Pune
307	Vikas Kumar	Microwave Oven	Kitchen	1	9800.00	2026-07-04	Mumbai

308	Neha Joshi	Water Bottle	Kitchen	4	1800.00	2026-07-05	Delhi
309	Arjun Mishra	Study Table	Furniture	1	6500.00	2026-07-05	Lucknow
310	Kiran Yadav	Air Conditioner	Electronics	1	42000.00	2026-07-06	Pune
311	Meera Shah	Ceiling Fan	Electronics	2	5000.00	2026-07-06	Delhi
312	Nikhil Jain	Mixer Grinder	Kitchen	1	3800.00	2026-07-07	Mumbai
313	Pooja Roy	Pressure Cooker	Kitchen	2	5600.00	2026-07-07	Jaipur
314	Ritesh Das	Printer	Electronics	1	8500.00	2026-07-08	Pune
315	Komal Kapoor	Sofa	Furniture	1	28000.00	2026-07-08	Delhi
316	Deepak Singh	Iron Box	Electronics	3	5400.00	2026-07-09	Mumbai
317	Sonal Agarwal	Laptop	Electronics	1	55000.00	2026-07-09	Pune
318	Manish Verma	Bookshelf	Furniture	1	7200.00	2026-07-10	Delhi
319	Ankit Tiwari	Monitor	Electronics	2	25000.00	2026-07-10	Lucknow
320	Payal Sharma	Gas Stove	Kitchen	1	5200.00	2026-07-11	Jaipur

Practice task:

1.

Create above table.

2.

Insert all 20 records.

3.

Display all orders.

4.

Display customer names and products.

5.

Find all orders placed from Pune.

6.

Display orders where the amount is greater than ₹20,000.

7.

Find orders where the quantity is greater than 2.

Solutions:

Create above table.

```
mysql> desc customer;
```

Field	Type	Null	Key	Default	Extra
order_id	int	NO	PRI	NULL	
customer_name	varchar(50)	YES		NULL	
product	varchar(50)	YES		NULL	
quantity	int	YES		NULL	
amount	int	YES		NULL	
city	varchar(30)	YES		NULL	

20 rows in set (0.01 sec)

Insert all 20 records.

Display all orders.

```
mysql> select * from customer;
```

order_id	customer_name	product	quantity	amount	city
301	Amit Sharma	Laptop	1	55000	Delhi
302	Priya Verma	Mouse	2	1600	Pune
303	Rahul Singh	Keyboard	1	1500	Mumbai
304	Sneha Patel	Smart TV	1	48000	Delhi
305	Rohan Gupta	Office Chair	2	9000	Jaipur
306	Anjali Mehta	Refrigerator	1	36000	Pune
307	Vikas Kumar	Microwave oven	1	9600	Mumbai
308	Neha Joshi	Water Bottle	4	1800	Delhi
309	Arjun Mishra	Study Table	1	6500	Lucknow
310	Kiran Yadav	Air Conditioner	1	42000	Pune
311	Meera Shah	Ceiling Fan	2	5000	Delhi
312	Nikhil Jain	Mixer Grinder	1	3800	Mumbai
313	Pooja Roy	Pressure Cooker	2	5600	Jaipur
314	Ritesh Das	Printer	1	8500	Pune
315	Komal Kapoor	Sofa	1	28000	Delhi
316	Deepak Singh	Iron Box	3	5400	Mumbai
317	Sonal Agarwal	Laptop	1	55000	Pune
318	Manish Verma	Bookshelf	1	7200	Delhi
319	Ankit Tiwari	Monitor	2	25000	Lucknow
320	Payal Sharma	Gas Stove	1	5200	Jaipur

20 rows in set (0.02 sec)

Display customer names and products.

```
mysql> select customer_name,product from customer;
```

customer_name	product
Amit Sharma	Laptop
Priya Verma	Mouse
Rahul Singh	Keyboard
Sneha Patel	Smart TV
Rohan Gupta	Office Chair
Anjali Mehta	Refrigerator
Vikas Kumar	Microwave oven
Neha Joshi	Water Bottle
Arjun Mishra	Study Table
Kiran Yadav	Air Conditioner
Meera Shah	Ceiling Fan
Nikhil Jain	Mixer Grinder
Pooja Roy	Pressure Cooker
Ritesh Das	Printer
Komal Kapoor	Sofa
Deepak Singh	Iron Box
Sonal Agarwal	Laptop
Manish Verma	Bookshelf
Ankit Tiwari	Monitor
Payal Sharma	Gas Stove

```
20 rows in set (0.04 sec)
```

Find all orders placed from Pune.

```
mysql> select * from customer where city = 'Pune';
```

order_id	customer_name	product	quantity	amount	city
302	Priya Verma	Mouse	2	1600	Pune
306	Anjali Mehta	Refrigerator	1	36000	Pune
310	Kiran Yadav	Air Conditioner	1	42000	Pune
314	Ritesh Das	Printer	1	8500	Pune
317	Sonal Agarwal	Laptop	1	55000	Pune

```
5 rows in set (0.01 sec)
```

Display orders where the amount is greater than ₹20,000.


```
mysql> select * from customer where amount > 20000;
```

order_id	customer_name	product	quantity	amount	city
301	Amit Sharma	Laptop	1	55000	Delhi
304	Sneha Patel	Smart TV	1	48000	Delhi
306	Anjali Mehta	Refrigerator	1	36000	Pune
310	Kiran Yadav	Air Conditioner	1	42000	Pune
315	Komal Kapoor	Sofa	1	28000	Delhi
317	Sonal Agarwal	Laptop	1	55000	Pune
319	Ankit Tiwari	Monitor	2	25000	Lucknow

```
7 rows in set (0.03 sec)
```

Find orders where the quantity is greater than 2.

```
mysql> select * from customer where quantity > 2;
```

order_id	customer_name	product	quantity	amount	city
308	Neha Joshi	Water Bottle	4	1800	Delhi
316	Deepak Singh	Iron Box	3	5400	Mumbai

```
2 rows in set (0.00 sec)
```