


```
0.0s
=> => writing image sha256:3a8f4c8bf06b2d76facd79571cf16cc075345d10ebdc4a5f1b602866516bb26a
0.0s
=> => naming to docker.io/library/microservices-gateway-service
0.0s
[+] Running 4/4
✓ Container product-service   Recreated
0.1s
✓ Container user-service     Recreated
0.1s
✓ Container order-service    Recreated
0.1s
✓ Container gateway-service  Recreated
0.0s
Attaching to gateway-service, order-service, product-service, user-service
user-service | User service running on port 3000
product-service | Product service running on port 3001
order-service | Order service running on port 3002
gateway-service | Gateway service running on port 3003
```

```
localhost:3002/health
Accounts | AWS ac... #6: Database-like...
Pretty print [x]
{
  "status": "Order Service is healthy"
}
```

```
{  
  "status": "Product Service is healthy"  
}
```

```
{  
  "status": "User Service is healthy"  
}
```



← → ↻ ⓘ localhost:3003/api/users

🔍 Accounts | AWS ac... #6: Database-like...

Pretty print ☒

```
[
  {
    "id": 1,
    "name": "John Doe"
  },
  {
    "id": 2,
    "name": "Jane Smith"
  }
]
```

← → ↻ ⓘ localhost:3003/api/products

🔍 Accounts | AWS ac... #6: Database-like...

Pretty print ☒

```
[
  {
    "id": 1,
    "name": "Laptop",
    "price": 999
  },
  {
    "id": 2,
    "name": "Phone",
    "price": 699
  }
]
```