

hi chatgpt its my project please Write a beginner-friendly C++ console program that generates funny roast messages. take user input (name), store at least 10 roast templates in a vector, randomly select one, replace name with the input, and print it. Make sure it gives different output every time, also add comments



Here's a clean, beginner-friendly C++ console program for your project 🙌

It takes a name, stores roast templates in a vector, randomly picks one, replaces the name, and prints it.

✅ **Features covered:**

- User input (name)
- Vector with 10+ roast templates
- Random selection (different every run)
- String replacement
- Proper comments for understanding



What are you working on?



chatgpt my code is giving errors and not showing the correct output please help me correct this code



Create an image



Write or edit




Look something up

Sure — here are **ONLY** the bugs (no explanations, just marked clearly where they are):

```
</> C++  
  
string name          // ✖ BUG: missing semicolon  
  
int seed = name.length() // ✖ BUG: missing semicolon  
  
seed += c           // ✖ BUG: missing semicolon  
  
return seed % excuses.size() // ✖ BUG: missing semicolon  
  
size_t pos = text.find("{name}") // ✖ BUG: missing semicolon  
  
return text         // ✖ BUG: missing semicolon  
  
} // ✖ BUG: missing semicolon after vector initialization block  
  
eg.showExcuse()     // ✖ BUG: missing semicolon
```

If you want, I can now give you a ↪ harder hidden-bug version for practice.



FileEditSelectionViewGoRunTerminalHelp

←→Assignments

EXPLORER

ASSIGNMENTS

Q1..png

Q1.cpp

Q1.exe

Q2.cpp

Q2.png

Q3.cpp

Q3.exe

Q3.png

Q4.cpp

Q4.exe

Q4.png

Q5.cpp

Q5.exe

Q5.png

Q6.cpp

Q6.exe

Q6.png

Q7.cpp

Q7.exe

README.md

Assignment_1

Q1.cpp

Q2.cpp \

Q3.cpp U

Q4.cpp U

Q7.cpp U X

CHAT

SESSIONS

Q7.cpp > main()

1#include <iostream>

2#include <vector>

3#include <string>

4

5using namespace std;

6

7int main() {

8

9string name;

10

11cout << "Enter your name: ";

12getline(cin, name);

13

14vector<string> roasts = {

15" {name} writes code so slow that even a turtle switched to python.",

16" {name} is proof that even bugs need a home.",

17" {name}'s code has more errors than a math exam.",

18" {name} debugs by deleting the whole program.",

19" {name} makes infinite loops look intentional.",

20" {name}'s logic is like Wifi in a basement – weak.",

21" {name} once tried to compile emotions and failed.",

22" {name} writes comments like they're plot twists.",

23" {name} thinks 'Hello World' is a big achievement.",

24" {name}'s code works... only in dreams.",

25" {name} uses Google more than the compiler.",

26" {name} turns simple problems into PhD research."

27};

28

29int seed = name.length() * 7 + 3;

30int randomIndex = seed % roasts.size();

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

powershell + ▾

PS D:\Cody\FOCP11\Assignments> .\Q7.exe

Enter your name: tanishqa

tanishqa turns simple problems into PhD research.

PS D:\Cody\FOCP11\Assignments> |

Tip: Try the [Plan agent](#) to research and plan before implementing changes.

+ Q7.cpp

Describe what to build

+ 🔍 Auto ▾ ↕

Local ▾ Default Approvals ▾

main* 01:11 0 0 0

Ln 43, Col 2 Spaces: 4 UTF-8 CRLF C++ Win32