

```

mysql> CREATE TABLE ecommerce (
  ->   Order_ID INT,
  ->   Customer_ID INT,
  ->   Region VARCHAR(50),
  ->   Category VARCHAR(50),
  ->   Quantity INT,
  ->   Price FLOAT,
  ->   Discount FLOAT
  -> );
Query OK, 0 rows affected (0.02 sec)

mysql> INSERT INTO ecommerce (Order_ID, Customer_ID, Region, Category, Quantity, Price, Discount) VALUES
  -> (101, 1, 'North', 'Electronics', 2, 500.00, 10.0),
  -> (102, 2, 'South', 'Clothing', 5, 40.00, 0.0),
  -> (103, 1, 'North', 'Electronics', 1, 1200.00, 15.0),
  -> (104, 3, 'East', 'Home & Kitchen', 3, 150.00, 5.0),
  -> (105, 2, 'South', 'Books', 4, 25.00, 0.0);
Query OK, 5 rows affected (0.04 sec)
Records: 5 Duplicates: 0 Warnings: 0

mysql> SELECT SUM(Quantity * Price * (1 - Discount/100)) AS Total_Revenue
  -> FROM ecommerce;
+-----+
| Total_Revenue |
+-----+
|          2647.5 |
+-----+
1 row in set (0.00 sec)

mysql> SELECT Category AS Product_Name,
  ->   SUM(Quantity * Price) AS Revenue
  -> FROM ecommerce

```

```
mysql> SELECT SUM(Quantity * Price * (1 - Discount/100)) AS Total_Revenue  
-> FROM ecommerce;
```

Total_Revenue
2647.5

1 row in set (0.00 sec)

```
mysql> SELECT Category AS Product_Name,  
-> SUM(Quantity * Price) AS Revenue  
-> FROM ecommerce  
-> GROUP BY Category  
-> ORDER BY Revenue DESC  
-> LIMIT 5;
```

Product_Name	Revenue
Electronics	2200
Home & Kitchen	450
Clothing	200
Books	100

4 rows in set (0.00 sec)

```
mysql> SELECT Region,  
->      SUM(Quantity * Price) AS Revenue  
-> FROM ecommerce  
-> GROUP BY Region;
```

Region	Revenue
North	2200
South	300
East	450

3 rows in set (0.00 sec)

```
mysql> SELECT Customer_ID, COUNT(Order_ID) AS Orders  
-> FROM ecommerce  
-> GROUP BY Customer_ID  
-> HAVING COUNT(Order_ID) > 1;
```

Customer_ID	Orders
1	2
2	2

2 rows in set (0.00 sec)