deeplearning.ai

One hidden layer Neural Network

Neural Network Representation

Neural Network Representation



Andrew Ng

deeplearning.ai

One hidden layer Neural Network

Computing a Neural Network's Output

Neural Network Representation



$$z = w^T x + b$$

$$a = \sigma(z)$$



Andrew Ng

Neural Network Representation



$$z = w^T x + b$$

$$a = \sigma(z)$$



Andrew Ng

Neural Network Representation



$$z_1^{[1]} = w_1^{[1]T} x + b_1^{[1]}, \quad a_1^{[1]} = \sigma(z_1^{[1]})$$
$$z_2^{[1]} = w_2^{[1]T} x + b_2^{[1]}, \quad a_2^{[1]} = \sigma(z_2^{[1]})$$
$$z_3^{[1]} = w_3^{[1]T} x + b_3^{[1]}, \quad a_3^{[1]} = \sigma(z_3^{[1]})$$
$$z_4^{[1]} = w_4^{[1]T} x + b_4^{[1]}, \quad a_4^{[1]} = \sigma(z_4^{[1]})$$

$$z^{[1]} = \begin{bmatrix} — w_1^{[1]T} — \\ — w_2^{[1]T} — \\ — w_3^{[1]T} — \\ — w_4^{[1]T} — \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \\ x_3 \end{bmatrix} + \begin{bmatrix} b_1^{[1]} \\ b_2^{[1]} \\ b_3^{[1]} \\ b_4^{[1]} \end{bmatrix} = \begin{bmatrix} w_1^{[1]T} x + b_1^{[1]} \\ w_2^{[1]T} x + b_2^{[1]} \\ w_3^{[1]T} x + b_3^{[1]} \\ w_4^{[1]T} x + b_4^{[1]} \end{bmatrix} = \begin{bmatrix} z_1^{[1]} \\ z_2^{[1]} \\ z_3^{[1]} \\ z_4^{[1]} \end{bmatrix}$$

$W^{[1]}$: (4, 3) $b^{[1]}$: (4, 1)

$$a^{[1]} = \begin{bmatrix} a_1^{[1]} \\ \vdots \\ a_4^{[1]} \end{bmatrix} = \sigma(z^{[1]})$$

Andrew Ng

Neural Network Representation learning



Given input x:

$$z^{[1]}_{(4,1)} = W^{[1]}_{(4,3)} a^{[0]}_{(3,1)} + b^{[1]}_{(4,1)}$$

$$a^{[1]}_{(4,1)} = \sigma(z^{[1]}_{(4,1)})$$

$$z^{[2]}_{(1,1)} = W^{[2]}_{(1,4)} a^{[1]}_{(4,1)} + b^{[2]}_{(1,1)}$$

$$a^{[2]}_{(1,1)} = \sigma(z^{[2]}_{(1,1)})$$

Andrew Ng