


**BANGALORE UNIVERSITY
M.E.S COLLEGE OF ARTS,COMMERCE AND SCIENCE
MALLESHWARAM, BANGALORE-560003**




NGO MANAGEMENT SYSTEM

Made By:

TANMAY BHAT (16BGS85105)
PAVITHRA B (16BGS85095)
PREM D (16BGS85097)

**BANGALORE UNIVERSITY
M.E.S COLLEGE OF ARTS,COMMERCE AND SCIENCE
MALLESHWARAM, BANGALORE-560003**



CERTIFICATE

This is to certify that the project entitled “NGO MANAGEMENT SYSTEM” has been successfully carried out by TANMAY BHAT, PAVITHRA B and PREM D in partial fulfillment for the award of VI SEM BSc during the academic year 2019.

Signature of HOD

Signature of Guide

Valued By:

ACKNOWLEDGEMENT

I would like to acknowledge all those whose guidance and encouragement that has made us to do what is done so far. We avail the opportunity to express our deep sense of gratitude and sincere thanks to our Department of Computer Science which is always being a tremendous source for inspiration.

I express our sincere thanks to Dr. Leelavathi, Principal of M.E.S College, Bangalore for providing us the facilities.

I am wholeheartedly thankful to Smt. Durga Kala Sridhar, Head of the Computer Science Department, M.E.S College, Bangalore for allowing us to carry out this project. we also thank all those members of the Computer Science Department who have helped directly or indirectly for the successful completion of this project.

We also thank our friends for their valuable suggestion and for their cooperation for the successful completion of the project.

Last but not the least we also thank our parents for being supportive in all the activities without whom it wouldn't be possible.

CONTENTS

CHAPTERS:

1. INTRODUCTION:

- 1.1 INTRODUCTION TO PROJECT
- 1.2 INTRODUCTION TO HTML
- 1.3 INTRODUCTION TO CSS
- 1.4 INTRODUCTION TO PHP
- 1.5 INTRODUCTION TO MYSQL

2. DESIGN:

- 2.1 DATA FLOW DIAGRAM
- 2.2 OBJECT-RELATIONAL DIAGRAM

3. SOFTWARE REQUIREMENT SPECIFICATIONS

- 3.1 SOFTWARE REQUIREMENTS
- 3.2 HARDWARE REQUIREMENTS

4. IMPLEMENTATION:

- 4.1 CODING
- 4.2 TABLES

5. TESTING

- 5.1 SCREENSHOTS

6. CONCLUSION

7. BIBLIOGRAPHY

INTRODUCTION

1. INTRODUCTION TO PROJECT

NGO MANAGEMENT SYSTEM

Aim: To assist in the process of social integration and personal realisation of underprivileged children, young people, adults and families.

Objectives:

- To encourage healthcare development and health promotion.
- To assist in the process of social integration and personal realisation of underprivileged children, young people, adults and families.
- To endorse the human rights and in particular the rights of the children and young people as well as the rights of underprivileged groups and communities.
- To encourage and popularise voluntary work.
- Making social changes more visible in implementing and funding **NGOs** thus improving the development policy work.
- To educate the people for adoption of the good norms of a good citizenship and to inculcate into the people's mind, ideals of national unity.
- To work for uplifting the status of women in the society. To work against female circumcision and to fight against the victimization of girl /women by anybody in the society on female circumcision or any other related issues.
- To help and generate training programme for self **employment of women** and educated unemployed people and to work for adult education.
- To create the means for providing medical assistance to the people suffering from diseases, especially for helpless people.
- To provide help under **health & nutrition services** for women and children.

Description of the project:

NMS is a NGO based project developed mainly in focus of handling donations to poor people. A non-governmental organization (NGO) is a not-for-profit organization that is independent from states and international government. Sometime it might be possible that some really wants to help peoples but, they can't. This online platform will be helpful to that person. Donors will help people with sharing the captured image, videos or audio clips. They can also view news, events and pictures of NGO events.

This system is designed to maintain the activities of a NGO organisation which helps them to save the data about the events,donations and news. It is a very complicated job to maintain all these things manually and could really mess up. This system might help many current NGO organisation to maintain there files,userdata and other things regarding the various activities in a very sophisticated manner. Through this system the user can ask questions,check the news,events and also view the pics of the events held by the organisation and can also make donations. The users of the organisation are represented by unique user id's. The personal profile of each and every user is maintained and is password protected.

This project on managing the activities of a NGO organisation is user-friendly and avoids problem which occur when carried manually.

INTRODUCTION TO HTML:

Hypertext Markup Language (HTML) is the standard markup language for creating web pages and web applications. With **Cascading Style Sheets (CSS)** and JavaScript, it forms a triad of cornerstone technologies for the World Wide Web.

Web browsers receive HTML documents from a web server or from local storage and render the documents into multimedia web pages. HTML describes the structure of a web page semantically and originally included cues for the appearance of the document.

HTML elements are the building blocks of HTML pages. With HTML constructs, images and other objects such as interactive forms may be embedded into the rendered page. HTML provides a means to create structured documents by denoting structural semantics for text such as headings, paragraphs, lists, links, quotes and other items. HTML elements are delineated by *tags*, written using angle brackets. Tags such as `` and `<input />` directly introduce content into the page. Other tags such as `<p>` surround and provide information about document text and may include other tags as sub-elements. Browsers do not display the HTML tags, but use them to interpret the content of the page.

HTML can embed programs written in a scripting language such as JavaScript, which affects the behavior and content of web pages. Inclusion of CSS defines the look and layout of content. The **World Wide Web Consortium (W3C)**, maintainer of both the HTML and the CSS standards, has encouraged the use of CSS over explicit presentational HTML since 1997.

INTRODUCTION TO CSS:

Cascading Style Sheets (CSS) is a style sheet language used for describing the presentation of a document written in a markup language like HTML. CSS is a cornerstone technology of the World Wide Web, alongside HTML and JavaScript.

CSS is designed to enable the separation of presentation and content, including layout, colors, and fonts. This separation can improve content accessibility, provide more flexibility and control in the specification of presentation characteristics, enable multiple web pages to share formatting by specifying the relevant CSS in a separate .css file, and reduce complexity and repetition in the structural content.

Separation of formatting and content also makes it feasible to present the same markup page in different styles for different rendering methods, such as on-screen, in print, by voice (via speech-based browser or screen reader), and on Braille-based tactile devices. CSS also has rules for alternate formatting if the content is accessed on a mobile device.

The name *cascading* comes from the specified priority scheme to determine which style rule applies if more than one rule matches a particular element. This cascading priority scheme is predictable.

The CSS specifications are maintained by the World Wide Web Consortium (W3C). Internet media type (MIME type) `text/css` is registered for use with CSS by RFC 2318 (March 1998). The W3C operates a free CSS validation service for CSS documents.

INTRODUCTION TO PHP:

PHP: Hypertext Preprocessor (or simply **PHP**) is a general-purpose programming language originally designed for web development. It was originally created by Rasmus Lerdorf in 1994; the PHP reference implementation is now produced by The PHP Group. PHP originally stood for *Personal Home Page*, but it now stands for the recursive initialism PHP: Hypertext Preprocessor.

PHP code may be executed with a command line interface (CLI), embedded into HTML code, or it can be used in combination with various web template systems, web content management systems, and web frameworks. PHP code is usually processed by a PHP interpreter implemented as a module in a web server or as a Common Gateway Interface (CGI) executable. The web server combines the results of the interpreted and executed PHP code, which may be any type of data, including images, with the generated web page. PHP can be used for many programming tasks outside of the web context, such as standalone graphical applications and robotic drone control.

The standard PHP interpreter, powered by the Zend Engine, is free software released under the PHP License. PHP has been widely ported and can be deployed on most web servers on almost every operating system and platform, free of charge.

The PHP language evolved without a written formal specification or standard until 2014, with the original implementation acting as the *de facto* standard which other implementations aimed to follow. Since 2014, work has gone on to create a formal PHP specification.

INTRODUCTION TO MYSQL:

MySQL is an open source relational database management system (RDBMS). Its name is a combination of "My", the name of co-founder Michael Widenius's daughter, and "SQL", the abbreviation for Structured Query Language.

MySQL is free and open-source software under the terms of the GNU General Public License, and is also available under a variety of proprietary licenses. MySQL was owned and sponsored by the Swedish company MySQL AB, which was bought by Sun Microsystems (now Oracle Corporation). In 2010, when Oracle acquired Sun, Widenius forked the open-source MySQL project to create MariaDB.

MySQL is a component of the LAMP web application software stack (and others), which is an acronym for *Linux, Apache, MySQL, Perl/PHP/Python*. MySQL is used by many database-driven web applications, including Drupal, Joomla, phpBB, and WordPress. MySQL is also used by many popular websites, including Google(though not for searches), Facebook, Twitter, Flickr, and YouTube.


MySQL is written in C and C++. Its SQL parser is written in yacc, but it uses a home-brewed lexical analyzer. MySQL works on many system platforms, including AIX, BSDi, FreeBSD, HP-UX, eComStation, i5/OS, IRIX, Linux, macOS, Microsoft Windows, NetBSD, Novell NetWare, OpenBSD, OpenSolaris, OS/2 Warp, QNX, Oracle Solaris, Symbian, SunOS, SCO OpenServer, SCO UnixWare, Sanos and Tru64. A port of MySQL to OpenVMS also exists.

The MySQL server software itself and the client libraries use dual-licensing distribution. They are offered under GPL version 2, or a proprietary license.


Support can be obtained from the official manual. Free support additionally is available in different IRC channels and forums. Oracle offers paid support via its MySQL Enterprise products. They differ in the scope of services and in price.

2. DESIGN

Data Flow Diagram:



Entity Relationship Diagram :



Software and Hardware

requirement

specification

SOFTWARE REQUIREMENT SPECIFICATION:

Software Configuration:

Frontend : HTML,CSS,Javascript

Backend : MYSQL server

Operating System : Windows 7 and above

Language : PHP

Hardware Configuration:

Processor : Intel i3 or i5 processor

RAM : 2GB

Monitor : VGA

Mouse : Optical mouse

Keyboard : PS2 or USB keyboard

Hard Disk : HDD or SSD

IMPLEMENTATION:

4.1 CODING

Index.php

```
<?php
    session_start();
    include("./includes/connection.php");
?>
<!DOCTYPE html>
<html>
<head>
    <meta charset="UTF-8">

    <title>Charis</title>
    <link rel="stylesheet" type="text/css" href="css/style.css">
    <style type="text/css">
body{
    background-image: url('./Pictures/background.jpg');
    background-repeat: repeat;
    opacity:0.90;
}
.topnav{
    border-bottom: 1px solid seashell;
    display: flex;
}
#titl{
    padding-right: 950px;
```

```
color: #1B5E20;
text-decoration: yellow overline;
font-size: 70px;
font-family: Tahoma;
}
</style>
</head>
<body style="margin-left:0px">
<div id="header">
<div>
<div class="topnav">
<a href="index.php" id="logo"></a>
<h1 id="titl">CHARIS</h1>
<h1>CHARIS</h1>
</div>
<div style="height:300px">
<ul>
<li class="current"><a>Home</a></li>
<li><a href="about.php">About</a></li>
<li><a href="gallery.php">Gallery</a></li>
<li><a href="news.php">News</a></li>
<li><a href="event.php">Events</a></li>
<li><a href="donate.php">Donate</a></li>
<?php
    if(isset($_SESSION["user_id"])){
?>
```

```
<li><a href="profile.php">Profile</a></li>
<li class="log_btn"><a href = "logout.php" >
Logout</a></li>
<?php
}
else{
?>
<li class="log_btn"><a href = "login.php" >
Login </a></li>
<?php
}
?>
</ul>
</div>
</div>
</div>
<div id="body">
<div class="header">
<div>

<div id="tagline">
<h1>Help People</h1>
<h3>Where there is charity and wisdom, there is
neither fear nor ignorance.</h3>
</div>
<div class="section">
```

<h2>Organizing seminars, impact studies, workshops, research studies and awareness campaigns on educational opportunities, statistics, health, legal issues, women and children developmental activities.</h2>

<p>

We Encourage sustainable agricultural development and organic farming. Establishing unity, integrity and communal harmony. Encouraging adult education among rural masses and slum dwellers. Working for people with disability.

</p>

Learn More About Us

Join Us

</div>

</div>

</div>

<div class="body">

<div>

<div class="figure">

<h2>gallery</h2>

</div>

<div class="news">

<h2>News</h2>

Feb 06, 2019

<h3>New Children Foundation has joined us </h3>

<p> More and more foundations are joining us ."Hope" is a new foundation which is now going to get connected with us.

</p>

Feb 04, 2019

<h3>Saved elders</h3>

<p>Some elders are now(read..)</p>

Go To News

</div>

<div class="help">

<h2>How To Help</h2>

<h3>In one single step</h3>

<p> We know the needs of people who are poor and disabled. Join us now.

</p>

```

        <span class="link"><a href="login.php">Get
Involved</a></span>
                </div>
            </div>
        </div>
    </div>
    <?php include("./includes/footer.html"); ?>
</body>
</html>
```

Add_donation.php

```

<?php
    session_start();
    include("./includes/connection.php");
?>
<!DOCTYPE html>
<html>
<head>
    <meta charset="UTF-8">
    <link rel="shortcut icon" type="image/x-icon"
href="images/logo_icon.png" />
    <title>Donation - Charis</title>
    <link rel="stylesheet" type="text/css" href="css/style.css">
    <link rel="stylesheet" type="text/css" href=".//css/style_form.css">
    <script src=".//js/jquery.min.js"></script>
    <script>
        $(document).ready(function(){
```

```
$("#donor_state").change(function(){
    var state = $("#donor_state").val();
    $("#donor_city").load("getCity.php?state="+state);
});
</script>
<style type="text/css">
body{
    background-image: url('./Pictures/background.jpg');
    background-repeat: repeat;
    opacity:0.90;
}
.topnav{
    border-bottom: 1px solid seashell;
    display: flex;
}
#titl{
    padding-right: 900px;
    color: #1B5E20;
    text-decoration: yellow overline;
    font-size: 70px;
    font-family: Tahoma;
}
</style>
</head>
<body style="margin-left:30px">
<div id="header">
```

```
<div>
    <div class="topnav">
        <a href="index.php" id="logo"></a>
        <h1 id="titl">CHARIS</h1>
    </div>
    <ul>
        <li><a href="index.php">Home</a></li>
        <li><a href="about.php">About</a></li>
        <li><a href="gallery.php">gallery</a></li>
        <li><a href="news.php">News</a></li>
        <li><a href="event.php">Events</a></li>
        <li class="current"><a>Donate</a></li>
        <?php
            if(isset($_SESSION["user_id"])){
        ?>
            <li><a href="profile.php">profile</a></li>
            <li class="log_btn"><a
href="logout.php">Logout</a></li>
            <?php
                }
            else{
        ?>
            <li class="log_btn"><a
href="login.php">Login</a></li>
            <?php
                }
            
```

```
?>
</ul>
</div>
</div>
<div id="body">
    <div class="donation_div">
        <h3><?php echo $_GET["donate"]; ?> Donation</h3><hr>
        <form action=".//insert_donation.php" method="post"
class="user">
            <input type="hidden" name="cat" value="<?php echo
$_GET['cat'];?>">
            <label>Name</label>
            <input type="text" name="donor_name">
            <label>Email</label>
            <input type="email" name="donor_email">
                <label>Address</label>
            <textarea name="donor_address" rows="3">
            </textarea>
            <label>State</label>
            <select id="donor_state" name="donor_state">
                <option value="">Select State</option>
                <?php
                    $sql = "SELECT * FROM state";
                    $result = mysqli_query($con,$sql);
                    while($rs = mysqli_fetch_array($result)){
                        ?>
                        <option value="<?php echo
$rs["state_id"]; ?>"><?php echo $rs["state_name"]; ?></option>
```

```
<?php
}
?>
</select>
<label>City</label>
<select id="donor_city" name="donor_city">
    <option value="">Select State First</option>
</select>
<label>Items</label>
<input type="number" name="items" required>
<label>description</label>
<textarea name="donor_description" rows="5"
required>
</textarea>
<label>How we collect your donation? </label>
<div class="pickup">
    <span><input type="radio" name="pickup"
value="M" checked>
        <label>I'll come to the
organization</label><br></span>
    <span><input type="radio" name="pickup"
value="A">
        <label>Pickup it from my
address</label></span>
    </div>
    <input type="submit" value="Donate">
</form>
</div>
```

```
</div>
<?php include("./includes/footer.html"); ?>
</body>
</html>
```

Gallery.php

```
<?php
session_start();
include("./includes/connection.php");
?>
<!DOCTYPE html>
<html>
<head>
    <meta charset="UTF-8">
    <link rel="shortcut icon" type="image/x-icon"
href="images/logo_icon.png" />
    <title>Gallery - Charis</title>
    <link rel="stylesheet" type="text/css" href="css/style.css">
    <style type="text/css">
body{
    background-image: url('./Pictures/background.jpg');
    background-repeat: repeat;
    opacity: 0.90;
}
.topnav{
    border-bottom: 1px solid seashell;
```

```
display: flex;
}

#titl{
    padding-right: 900px;
    color: #1B5E20;
    text-decoration: yellow overline;
    font-size: 70px;
    font-family: Tahoma;
}

</style>
</head>
<body style="margin-left:0px">

<div id="header">
    <div>
        <div class="topnav">
            <a href="index.php" id="logo"></a>
            <h1 id="titl">CHARIS</h1>
        </div><ul>
            <li><a href="index.php">Home</a></li>
            <li><a href="about.php">About</a></li>
            <li class="current"><a>gallery</a></li>
            <li><a href="news.php">News</a></li>
            <li><a href="event.php">Events</a></li>
            <li><a href="donate.php">Donate</a></li>
        <?php
```

```
if(isset($_SESSION["user_id"])){
    ?>
        <li><a href="profile.php">profile</a></li>
    <!--      <li><a href="faq.php">FAQ</a></li> -->
        <li class="log_btn"><a
href="logout.php">Logout</a></li>
        <?php
            }
        else{
            ?>
                <li class="log_btn"><a
href="login.php">Login</a></li>
                <?php
                    }
                ?>
            </ul>
        </div>
    </div>
<div id="body" style="height:1125px;">
    <div id="gallery" style="padding-top:50px;">
        <div class="header" style="height:900px;overflow:scroll;">

            <div class="stored">
                <h2>Added Pics</h2><hr>
                <?php
                    $sql = "SELECT * FROM media_gallery
ORDER BY num DESC";
                    $result = mysqli_query($con,$sql);
                </?php>
            </div>
        </div>
    </div>
</div>
```

```
$count=1;
while($rs = mysqli_fetch_array($result)){
    if($count<=8){
        ?>
        <a>
            <div
style="height:200px;width:100px;padding-left:500px;">

                <img src=<?php echo
$rs['image']; ?>" class="imgstyle" height="200px" width="500px"
style="border:none;padding-left:1500px;" />

            </div>
        </a>
        <?php
    }
    $count++;
}
?>
</div>

</div>

<div class="footer">
    <p>
        To help people who need your aid
    </p>
    <a href="login.php">Get Involved</a>
```

```
</div>

</div>
<?php include("./includes/footer.html"); ?>
</body>
</style>
</html>
```

Profile.php

```
<?php
session_start();
include("./includes/connection.php");
?>
<!DOCTYPE html>
<html>
<head>
    <meta charset="UTF-8">
    <link rel="shortcut icon" type="image/x-icon"
href="images/logo_icon.png" />
    <title>Profile - Helping Hands</title>
    <link rel="stylesheet" type="text/css" href="css/style.css">
    <style type="text/css">
body{
    background-image: url('./Pictures/background.jpg');
    background-repeat: repeat;
    opacity:0.90;
```

```
}

.topnav{
    border-bottom: 1px solid seashell;
    display: flex;
}

#titl{
    padding-right: 900px;

    color: #1B5E20;
    text-decoration: yellow overline;
    font-size: 70px;
    font-family: Tahoma;
}

</style>
</head>

<body style="margin-left:0px">
    <div id="header">
        <div>
            <div class="topnav">
                <a href="index.php" id="logo"></a>
                <h1 id="titl">CHARIS</h1>
            </div>
            <ul>
                <li><a href="index.php">Home</a></li>
                <li><a href="about.php">About</a></li>
```

```
<li><a href="gallery.php">gallery</a></li>
<li><a href="news.php">News</a></li>
<li><a href="event.php">Events</a></li>
<li><a href="donate.php">Donate</a></li>
<?php
    if(isset($_SESSION["user_id"])){
?>
    <li class="current"><a>Profile</a></li>

    <li class="log_btn"><a
href="logout.php">Logout</a></li>
    <?php
        }
        else{
?>
        <li class="log_btn"><a
href="login.php">Login</a></li>
        <?php
            }
            ?>
        </ul>
    </div>
</div>
<div id="body">
    <div id="gallery">

        <div class="body">
            <?php
```

```

$uid = $_SESSION['user_id'];
$sql = "SELECT * FROM user_data WHERE
user_id = '$uid'";
$result = mysqli_query($con,$sql);
$rs = mysqli_fetch_array($result);

?>

<img src=<?php echo $rs['profile_pic']; ?>" height="300px"
width="400px" style="padding-left:600px;position:absolute;">
<br/>

<h2><label style="color:Grey">FIRST NAME
:</label><?php echo $rs['first_name'] ?></h2></br>
<h2><label style="color:Grey">MIDDLENAME
:</label><?php echo $rs['middle_name'] ?></h2></br>
<h2><label style="color:Grey">LASTNAME
:</label><?php echo $rs['last_name'] ?></h2></br>
<h2><label style="color:Grey">DATE OF BIRTH
:</label><?php echo $rs['date_of_birth'] ?></h2></br>
<h2><label style="color:Grey">ADDRESS      :</label><?php
echo $rs['address'] ?></h2></br>
<h2><label style="color:Grey">MOBILE      :</label><?php
echo $rs['mobile'] ?></h2></br>
<h2><label style="color:Grey">E-MAIL      :</label><?php
echo $rs['email'] ?></h2></br>
</div>
<div class="footer">
<p>
Be kind and start helping people.

```

```

        <a href="login.php">Get Involved</a>
    </div>
</div>
</div>
<?php include("./includes/footer.html"); ?>
</body>
</html>
```

Registration.php

```

<?php
    include("./includes/connection.php");

//for creating unique id with database checked
$f = 0;
$id = "";
while($f != 1){
    $temp_id = uniqid("UR");
    //query for checking the uniqueid is exist in table or not
    $sql = "SELECT * FROM user_data WHERE
user_id=". $temp_id . "";
    $q = mysqli_query($con,$sql);
    if(mysqli_num_rows($q)==0){
        $id = $temp_id;
        $f = 1;
    }
}
```

```
$user_id = $id;
$fname = $_POST["fname"];
$mname = $_POST["mname"];
$lname = $_POST["lname"];
$date = $_POST["dat"];
$result = explode('-', $date);
$date = $result[2];
$month = $result[1];
$year = $result[0];
$new = $year.'-'.$month.'-'.$year;
$address = $_POST["address"];
$mobile = $_POST["mobile"];
$email = $_POST["email"];
$password = md5($_POST["password"]);
$file_name = $_FILES["fileToUpload"]["name"];
$tmp_file = $_FILES["fileToUpload"]["tmp_name"];
$extension = strchr($file_name, ".");

if(move_uploaded_file($tmp_file, "./Profile_pics/$id$extension")){
    $img = "Profile_pics/$id$extension";
}
else{
    $img = "";
}
```

```
$sql = "INSERT INTO
user_data(user_id,first_name,middle_name,last_name,date_of_birth,address,mobile,email,password,profile_pic)

VALUES(\".$user_id.\",\".$fname.\",\".$mname.\",\".$lname.\",\".$new.\",\".$address.\",\".$mobile.\",\".$email.\",\".$password.\",\".$img.\")";

$q=mysqli_query($con,$sql);
if($q == 1){
    session_start();
    $sql = "SELECT * FROM user_data WHERE
user_id=\"$user_id\"";
    $res = mysqli_query($con,$sql);
    while($rs = mysqli_fetch_array($res)){
        $_SESSION["user_id"] = $rs["user_id"];
    }
    ?>
<script>

    alert("Successfully logged in.!!");
    window.location=("./index.php";
</script>
<?php
}
else{
    header("location:./error/insert_error.php");
}
mysqli_close($con);
?>
```

Login.php

```
<?php
    include("./includes/connection.php");

    if(isset($_POST["email"]) && isset($_POST["password"])){
        $email = $_POST["email"];
        $password = $_POST["password"];

        $sql = "SELECT * FROM user_data WHERE email='".$email."'
and password='".md5($password)."'";
        $q = mysqli_query($con,$sql);
        if(mysqli_num_rows($q)==1){
            session_start();
            while($rs = mysqli_fetch_array($q)){
                $_SESSION["user_id"] = $rs["user_id"];
            }

        ?>
        <script>
            window.location= "./index.php";
            alert("Successfully logged in.!!");
        </script>
        <?php
    }
    else{
```

```
?>
<script>
    alert("Invalid email or password!!!");
    window.location= "./login.php";
</script>
<?php
}
}
else{
    header("location:./errors/illegal_operation.php");
}
mysqli_close($con);
?>
```

Users.php

```
<?php
    include("./includes/session_check.php");
    include("./includes/connection.php");
?>
<!DOCTYPE html>
<html>
<head>
    <meta charset="UTF-8">

    <title>Admin Panel - Charis</title>
    <link rel="stylesheet" type="text/css" href="./css/style.css">
```

```
<link rel="stylesheet" type="text/css" href="./css/style_form.css">
<style type="text/css">
.topnav{
    border-bottom: 1px solid seashell;
    display: flex;
}
#titl{
    padding-right: 900px;
    color: #1B5E20;
    text-decoration: yellow overline;
    font-size: 70px;
    font-family: Tahoma;
}
body{
    background-image: url('../Pictures/background.jpg');
    background-repeat: repeat;
    opacity: 0.93;
}
</style>
</head>
<body>
    <div id="header">
        <div>
            <div class="topnav">
                <a href="index.php" id="logo"></a>
```

```
<h1 id="titl">CHARIS</h1>
</div><ul>
    <li class="current"><a href="users.php">users</a></li>
        <li><a href="home.php">Donations</a></li>
        <li><a href="upload_media.php">Upload media</a></li>
            <li><a href="news.php">News</a></li>
            <li><a href="events.php">Events</a></li>
            <li><a href="ngo_activities.php">NGO_Activities</a></li>
                <li class="log_btn"><a href=".logout.php">Logout</a></li>
            </ul>
        </div>
    </div>
</div>
<?php $fetch_query =mysqli_query($con,"SELECT * from user_data") or die("could not fetch".mysqli_error()); ?>
<div id="body">
<?php
if (isset($_POST['submitDeleteBtn'])) {
    $key = $_POST['keyToDelete'];
    //to check if the records exists
    $check = mysqli_query($con,"SELECT * from user_data where user_id='".$key"'") or die("not found".mysqli_error());
    if(mysqli_num_rows($check)>0){
```

```
$querydelete = mysqli_query($con,"Delete from user_data where
user_id = '$key")
or die("not deleted".mysqli_error()); ?>
<p>record deleted</p>
<?php
header('Location:users.php');
}
else{
?>
<p>User doesnot exist</p>
<?php
}
} ?>
<div class="donation_div acontainer">
<h3 style="padding-left:150px;">Users</h3>
<div style="padding-right:1300px;margin-left:150px;">
<table border="1">
<tr>
<th>Number</th>
<th>First_name</th>
<th>Middle_name</th>
<th>last_name</th>
<th>Mobile</th>
<th colspan="2">D__O__B</th>
<th>E-mail</th>
</tr>
```

```
<?php
$sr = 1;
while($row = mysqli_fetch_array($fetch_query)){?>
<tr>
<form action="" method="post" role="form">

<td><?php echo $sr;?></td>
<td><?php echo $row['first_name'];?></td>
<td><?php echo $row['middle_name'];?></td>
    <td><?php echo $row['last_name'];?></td>

    <td><?php echo $row['mobile'];?></td>
    <td colspan="2"><?php echo
$row['date_of_birth'];?></td>
        <td><?php echo $row['email'];?></td>
        <td><input type="checkbox" name="keyToDelete"
value=<?php echo $row['user_id'];?>" required></td>
        <td><input type="submit"
name="submitDeleteBtn" value="delete" class="btn btn-info"></td>
    </form>

</tr>
<?php $sr++; } ?>

</table>
</div>
</div>
</div>
```

```
<?php include("./includes/footer.html"); ?>
</body>
</html>
```

Donation_manage.php

```
<?php
    include("./includes/session_check.php");
    include("./includes/connection.php");
?>
<!DOCTYPE html>
<html>
<head>
    <meta charset="UTF-8">
    <link rel="shortcut icon" type="image/x-icon"
href="./images/logo_icon.png" />

    <title>Admin Panel - Charis</title>

    <title>Admin Panel - charis</title>

    <link rel="stylesheet" type="text/css" href="./css/style.css">
    <link rel="stylesheet" type="text/css" href="./css/style_form.css">
    <script src="./js/jquery.min.js"></script>
    <style type="text/css">
body{
    background-image: url('../Pictures/background.jpg');
```

```
background-repeat: repeat;
opacity:0.90;
}
.topnav{
    border-bottom: 1px solid seashell;
    display: flex;
}
#titl{
    padding-right: 900px;

    color: #1B5E20;
    text-decoration: yellow overline;
    font-size: 70px;
    font-family: Tahoma;
}
</style>
</head>
<body>
    <div id="header">
        <div>
            <div class="topnav">
                <a href="index.php" id="logo"></a>
                <h1 id="titl">CHARIS</h1>
            </div><ul>
                <li><a href="users.php">users</a></li>
```

```

<li class="current"><a href="home.php">Donations</a></li>
    <li><a href="upload_media.php">Upload Media</a></li>
        <li><a href="news.php">News</a></li>
        <li><a href="events.php">Events</a></li>
        <li><a href="ngo_activities">NGO Activities</a></li>
        <li class="log_btn"><a href=".logout.php">Logout</a></li>
    </ul>
</div>
<div id="body">
    <div class="admin_manages">
        <?php
            $sql = "SELECT * FROM categories WHERE category_id=".$_GET['cat']."";
            $result = mysqli_query($con,$sql);
            $rs = mysqli_fetch_array($result);
            $cat = $rs['name'];
        ?>
        <h3><?php echo $cat;?>'s Donations</h3>
        <?php
            $sql = "SELECT * FROM categories WHERE category_id=".$_GET['cat']."";
            $result = mysqli_query($con,$sql);
            $rs = mysqli_fetch_array($result);
            $avl = $rs['available'];
    
```

```
if( $avl > 0)
{
    echo "<h4
style='text-align:right;'>".$rs['available']."-$cat." Available</h4>";
}else
{
    echo "<h4 style='text-align:right;'> ".$cat." not
Available</h4>";
}
?>
<hr>
<?php
    $sql = "SELECT * FROM donation WHERE
category_id=".$_GET['cat']."' and Receive_date IS NULL";
    $result = mysqli_query($con,$sql);
    while($rs = mysqli_fetch_array($result)){
        ?>
        <div style="height:300px; width:350px;
margin:20px; box-shadow:0 0 1px;">
            <h2><?php echo $rs['donar_name'] ?></h2>
            <h4><?php echo $rs['donar_email'] ?></h4>
            <h4><?php echo $rs['description'] ?></h4>

            <p><?php echo $cat; ?></p>
            <form action="rec_donation.php"
class="user">
                <input type="hidden" value="<?php echo
$_GET['cat']; ?>" name="cat">
```

```
        <input type="hidden" value="php echo<br/$rs['donate_id']; ?>" name="donate">  
        <label>Items</label>  
        <h4>php echo $rs['items'] ?&gt;&lt;/h4&gt;<br/        <input type="submit" value="Received"  
name="btn_reveive">  
        </form>  
    </div>  
    <?php  
}  
  
?>  
<div class="stored">  
<?php  
    if($avl>0){  
        ?>  
        <h4>Send Donations to NGO</h4><hr>  
        <div>  
            <form action="insert_distribution.php"  
class="user">  
                <label>Items</label>  
                <input type="hidden" value="php echo<br/$_GET['cat']; ?>" name="cat" min="">  
                <input type="number" name="donations"  
min="1">  
                <label>Select NGo</label>  
                <select name="ngo_id">  
                <?php
```

```
$sql = "SELECT * FROM ngo_data";
$result = mysqli_query($con,$sql);
while($rs =
mysqli_fetch_array($result)){
    ?>
    <option value="<?php echo
$rs['ngo_id'];?> name="nname"><?php echo
$rs['ngo_name'];?></option>
    <?php
}
?>
</select>
<input type="submit" value="Send"
name="btn_send">
    </form>
</div>

</div>
<?php
}
?>
</div>
</div>
<?php include("./includes/footer.html"); ?>
</body>
</html>
```

Donation_report.php

```
<?php
    //include("./includes/session_check.php");
    include("./includes/connection.php");
?>
<div style="width:600px; margin:0px auto;">
    <h1>Donations & Distribution</h1><hr>
    <table>
        <tr>
            <th>Category</th>
            <th>Donations</th>
            <th>Distribution</th>
        </tr>
        <?php
            $sql = "SELECT * FROM categories";
            $result = mysqli_query($con,$sql);
            while($rs = mysqli_fetch_array($result)){
                ?>
                <tr>
                    <td><?php echo $rs['name']; ?></td>
                    <?php
                        $donate_sql = "SELECT sum(items) FROM
donation WHERE category_id='".$rs['category_id']."'"";;
                        $donate_result =
                        mysqli_query($con,$donate_sql);
                        $donate_rs = mysqli_fetch_array($donate_result);
                    </?php
                </tr>
            }
        </?php
    </table>
</div>
```

```

?>
<td id="no_data"><?php echo
$donate_rs['sum(items)']; ?></td>
<?php
$distribute_sql = "SELECT sum(counts) FROM
distributions WHERE category_id=". $rs['category_id']."'"; 
$distribute_result =
mysqli_query($con,$distribute_sql);
$distribute_rs =
mysqli_fetch_array($distribute_result);
?>
<td id="no_data"> <?php echo
$distribute_rs['sum(counts)']; ?></td>
<?php
}
?>
</table>
<!--<button>Download</button>-->
<button id="btn_print">Print</button>
</div>

```

Home.php

```

<?php
//include("./includes/session_check.php");
include("./includes/connection.php");
?>

```

```
<div style="width:600px; margin:0px auto;">
    <h1>Donations & Distribution</h1><hr>
    <table>
        <tr>
            <th>Category</th>
            <th>Donations</th>
            <th>Distribution</th>
        </tr>
        <?php
            $sql = "SELECT * FROM categories";
            $result = mysqli_query($con,$sql);
            while($rs = mysqli_fetch_array($result)){
                ?>
                <tr>
                    <td><?php echo $rs['name']; ?></td>
                    <?php
                        $donate_sql = "SELECT sum(items) FROM
donation WHERE category_id=". $rs['category_id']. " ";
                        $donate_result =
                        mysqli_query($con,$donate_sql);
                        $donate_rs = mysqli_fetch_array($donate_result);
                    ?>
                    <td id="no_data"><?php echo
$donate_rs['sum(items)']; ?></td>
                    <?php
                        $distribute_sql = "SELECT sum(counts) FROM
distributions WHERE category_id=". $rs['category_id']. " ";
                    ?>
```

```

    $distribute_result =
mysqli_query($con,$distribute_sql);
    $distribute_rs =
mysqli_fetch_array($distribute_result);
    ?>
        <td id="no_data"> <?php echo
$distribute_rs['sum(counts)']; ?></td>
        <?php
    }
    ?>
</table>
<!--<button>Download</button>-->
<button id="btn_print">Print</button>
</div>

```

Insert_distribution.php

```

<?php
    include("./includes/connection.php");
    $f = 0;
    $id = "";
    while($f != 1){
        $temp_id = uniqid("DS");
        //query for checking the uniqueid is exist in table or not
        $sql = "SELECT * FROM distributions WHERE
distribution_id=". $temp_id . "";
        $q = mysqli_query($con,$sql);

```

```
if(mysqli_num_rows($q)==0){
    $id = $temp_id;
    $f = 1;
}
$sql = "INSERT INTO distributions
VALUES(\".$id.\".\".$_GET['ngo_id'].\".\".$_GET['cat'].\".\".$_GET['donations'].\")";
if(mysqli_query($con,$sql)){
    $sql = "SELECT * FROM categories WHERE
category_id=\"".$_GET['cat']."\"";
    $result = mysqli_query($con,$sql);
    $rs = mysqli_fetch_array($result);
    $avl = $rs['available'];
    if($_GET['donations'] > 0){
        $avl = $avl - $_GET['donations'];
    }
}else{
    ?>
    <script>

window.location="donation_manage.php?cat=".$_GET['cat'];
    alert("not in stock");
    </script>
    <?php
}
if($avl >= 0)
{
    $sql = "UPDATE categories SET available=\"$avl.\" WHERE
category_id=\"".$_GET['cat']."'";
```

```
?>
<script>

    alert("Successfully sent to the ngo.!!");
    window.location="home.php?";

</script>
<?php
}

else{
    ?>
    <script>

        alert("not in stock");

window.location="donation_manage.php?cat=".$_GET['cat'];
    </script>
    <?php
}
if(mysqli_query($con,$sql)){
    ?>
    <script>
    alert("not in stock.!!");
    window.location="home.php?";

    </script>
    <?php
}
```

```
else{
    echo mysqli_error($con);
}
else{
    echo mysqli_error($con);
}
?>
```

Insert Ngo.php

```
<?php
include("./includes/session_check.php");
include("../includes/connection.php");

//for creating unique id with database checked
$f = 0;
$id = "";
while($f != 1){
    $temp_id = uniqid("NS");
    //query for checking the uniqueid is exist in table or not
    $sql = "SELECT * FROM ngo_data WHERE
ngo_id='".$temp_id."'";
    $q = mysqli_query($con,$sql);
    if(mysqli_num_rows($q)==0){
        $id = $temp_id;
        $f = 1;
    }
}
```

```

}

$name = $_POST["ngo_name"];
$address = $_POST["ngo_address"];
$city = $_POST["ngo_city"];

$sql = "INSERT INTO ngo_data(ngo_id,ngo_name,address,city_id)
VALUES(\".$id.\",\".$name.\",\".$address.\",\".$city.\")";
$result = mysqli_query($con,$sql);
if($result == 1){
    header("location:ngo_activities.php");
}
else{
    echo "error..".mysqli_error($con);
}
?>

```

Insert_media.php

```

<?php
    include("./includes/session_check.php");
    include("../includes/connection.php");

    //for creating unique id with database checked
    $f = 0;
    $id = "";
    while($f != 1){
        $temp_id = uniqid("MG");

```

```
//query for checking the uniqueid is exist in table or not
$sql = "SELECT * FROM media_gallery WHERE
media_id="" . $temp_id . "";
$q = mysqli_query($con,$sql);
if(mysqli_num_rows($q)==0){
    $id = $temp_id;
    $f = 1;
}
$m_id = $id;
$caption = $_POST["media_cation"];
$description = $_POST["description"];
$file_name = $_FILES["fileToUpload"]["name"];
$tmp_file = $_FILES["fileToUpload"]["tmp_name"];
$extension = strchr($file_name, ".");
if(move_uploaded_file($tmp_file,"../gallery_uploads/$id$extension")){
    $img = "./gallery_uploads/$id$extension";
}
else{
    $img = "";
}
$sql = "INSERT INTO
media_gallery(media_id,caption,image,description)
VALUES("$m_id","$caption","$img","$description");
$result = mysqli_query($con,$sql);
if($result == 1){
```

```
?>
<script>
    window.location="upload_media.php";
    alert("Successfully added to the gallery");
</script>
<?php
}
else{
    echo "error..";
}

?>
```

Manage Ngo.php

```
<?php include("./includes/session_check.php");
include("./includes/connection.php");?>
<!DOCTYPE html>
<html>
<head>
    <meta charset="UTF-8">
    <link rel="shortcut icon" type="image/x-icon"
href="../images/logo_icon.png" />
    <title>Admin Panel - Helping Hands</title>
    <link rel="stylesheet" type="text/css" href="./css/style.css">
    <link rel="stylesheet" type="text/css" href="./css/style_form.css">
```

```
<script src="./js/jquery.min.js"></script>
<script>
    $(document).ready(function(){
        $("#event_state").change(function(){
            var state = $("#event_state").val();
            $("#event_city").load("getCity.php?state="+state);
        });
    });
</script>
<style type="text/css">
body{
    background-image: url('../Pictures/background.jpg');
    background-repeat: repeat;
    opacity: 0.90;
}
.topnav{
    border-bottom: 1px solid seashell;
    display: flex;
}
#titl{
    padding-right: 900px;
    color: #1B5E20;
    text-decoration: yellow overline;
    font-size: 70px;
    font-family: Tahoma;
}
</style>
```

```
</head>
<body>
    <div id="header">
        <div>
            <div class="topnav">
                <a href="index.php" id="logo"></a>
                <h1 id="titl">CHARIS</h1>
            </div><ul>
                <li><a href="users.php">users</a></li>
                <li><a href="home.php">Donations</a></li>
                <li><a href="upload_media.php">Upload Media</a></li>
                <li><a href="news.php">News</a></li>
                <li><a href="events.php">Events</a></li>
                <li class="current"><a href="ngo_activities.php">NGO Activities</a></li>
                <li class="log_btn"><a href=".logout.php">Logout</a></li>
            </ul>
        </div>
    </div>
    <div id="body">
        <div class="admin_manages">
            <h3>Add NGO</h3><hr>
            <form action="insert Ngo.php" method="post" enctype="multipart/form-data" class="user">
```

```
<label>Name</label>
<input type="text" name="ngo_name">
<label>Address</label>
<textarea rows="5" cols="35"
name="ngo_address"></textarea>
<label>state</label>
<select id="event_state" name="ngo_state">
    <option value="">Select State</option>
    <?php
        $sql = "SELECT * FROM state";
        $result = mysqli_query($con,$sql);
        while($rs = mysqli_fetch_array($result)){
            ?>
            <option value="<?php echo $rs["state_id"];
?>"><?php echo $rs["state_name"]; ?></option>
        <?php
    }
    ?>
</select>
<label>city</label>
<select id="event_city" name="ngo_city">
    <option value="">Select State First</option>
</select>
<input type='submit' value='Add'>
</form>
<div class="stored">
    <h4>Available NGO</h4><hr>
    <?php
```

```

$sql = "SELECT * FROM ngo_data";
$result = mysqli_query($con,$sql);
$count=1;
while($rs = mysqli_fetch_array($result)){
    ?>
    <a>
        <div>
            <span><?php echo $count.">
".$rs['ngo_name']; ?></span>
        </div>
    </a>
    <?php
    $count++;
}
?
</div>
</div>
</div>
<?php include("./includes/footer.html"); ?>
</body>
</html>

```

Messages.php

```

<?php
include("./includes/session_check.php");
include("./includes/connection.php");

```

```
?>
<!DOCTYPE html>
<html>
<head>
    <meta charset="UTF-8">
    <link rel="shortcut icon" type="image/x-icon"
href="../images/logo_icon.png" />
    <title>Admin Panel - Helping Hands</title>
    <link rel="stylesheet" type="text/css" href="./css/style.css">
    <link rel="stylesheet" type="text/css" href="./css/style_form.css">
    <script src="./js/jquery.min.js"></script>
    <script>
$(document).ready(function(){
    $("div#senders").click(function(){
        var msg_id = $(this).val();

        $("div#msg_content").load("getMsg.php?msg_id="+msg_id);
    });
});
</script>
<style type="text/css">
body{
    background-image: url('../Pictures/background.jpg');
    background-repeat: repeat;
    opacity: 0.90;
}
.topnav{
    border-bottom: 1px solid seashell;
```

```
display: flex;
}

#titl{
    padding-right: 900px;

    color: #1B5E20;
    text-decoration: yellow overline;
    font-size: 70px;
    font-family: Tahoma;
}

</style>
</head>
<body>
    <div id="header">
        <div>
            <div class="topnav">
                <a href="index.php" id="logo"></a>
                <h1 id="titl">CHARIS</h1>
            </div><ul>
                <li><a href="users.php">users</a></li>
                <li><a href="home.php">Donations</a></li>
                <li><a href="upload_media.php">Upload Media</a></li>
                    <li><a href="news.php">News</a></li>
                    <li><a href="events.php">Events</a></li>
```

```
<li class="current"><a href="ngo_activities.php">NGO  
Activities</a></li>  
    <li class="log_btn"><a  
href=".logout.php">Logout</a></li>  
    </ul>  
  </div>  
</div>  
<div id="body">  
  <div class="ngo_activities">  
    <div>  
      <h3>Feedbacks</h3><hr>  
      <div class="msg_sender">  
        <?php  
          $sql = "SELECT * FROM messages";  
          $result = mysqli_query($con,$sql);  
          while($rs = mysqli_fetch_array($result)){  
            if($rs['isRead']==false){  
              ?>  
              <div id="senders"  
style="background:#edf;color:#000;">  
                <?php  
                }  
                else{  
                  ?>  
                  <div id="senders">  
                    <?php  
                    }  
      </div>
```

```

?>
<h4><?php echo $rs['message']; ?></h4>
<h5><?php echo $rs['name']; ?></h4>
<h5><?php echo $rs['email']; ?></h5>
<input type="hidden" value="<?php echo
$rs['msg_id']; ?>" id="msg_id">
</div>
<?php
}
?>
</div>

</div>
</div>
</div>
<?php include("./includes/footer.html"); ?>
</body>
</html>

```

Ngo_activities.php

```

<?php
    include("./includes/session_check.php");
    include("./includes/connection.php");
?>
<!DOCTYPE html>
<html>

```

```
<head>
    <meta charset="UTF-8">
    <link rel="shortcut icon" type="image/x-icon"
        href="../images/logo_icon.png" />
    <title>Admin Panel - Helping Hands</title>
    <link rel="stylesheet" type="text/css" href="./css/style.css">
    <link rel="stylesheet" type="text/css" href="./css/style_form.css">
    <script src="./js/jquery.min.js"></script>
    <script>
        $(document).ready(function(){
            $("div#senders").click(function(){
                var msg_id = $(this).attr("msg_id");
                $("div#msg_content").load("getMsg.php?msg_id=" + msg_id);
            });
        });
    </script>
    <style type="text/css">
        body{
            background-image: url('../Pictures/background.jpg');
            background-repeat: repeat;
            opacity: 0.90;
        }
        .topnav{
            border-bottom: 1px solid seashell;
            display: flex;
        }
        #titl{
```

```
padding-right: 900px;

color: #1B5E20;
text-decoration: yellow overline;
font-size: 70px;
font-family: Tahoma;
}

</style>
</head>
<body>
<div id="header">
    <div>
        <div class="topnav">
            <a href="index.php" id="logo"></a>
            <h1 id="titl">CHARIS</h1>
        </div><ul>
            <li><a href="users.php">users</a></li>
            <li><a href="home.php">Donations</a></li>
            <li><a href="upload_media.php">Upload Media</a></li>
            <li><a href="news.php">News</a></li>
            <li><a href="events.php">Events</a></li>
            <li class="current"><a href="ngo_activities.php">NGO Activities</a></li>
            <li class="log_btn"><a href=".logout.php">Logout</a></li>
```

```
</ul>
</div>
</div>
<div id="body">
    <div class="ngo_activities">
        <div>
            <h3>Feedbacks</h3><hr>
            <div class="msg_sender">
                <?php
                    $sql = "SELECT * FROM messages";
                    $result = mysqli_query($con,$sql);
                    while($rs = mysqli_fetch_array($result)){
                        if($rs['isRead']==false){
                            ?>
                            <div id="senders"
style="background:#edf;color:#000;">
                                <?php
                                    }
                                else{
                                    ?>
                                    <div id="senders">
                                    <?php
                                    }
                                ?>
                            <h4><?php echo $rs['message']; ?></h4>
                            <h5><?php echo $rs['name']; ?></h4>
                            <h5><?php echo $rs['email']; ?></h5>
```

```
<input type="hidden" value="php echo<br/$rs['msg_id']; ?>" id="msg_id">  
    </div>  
    <?php  
    }  
    ?>  
    </div>  
  
    </div>  
    </div>  
</div>  
<?php include("./includes/footer.html"); ?>  
</body>  
</html>
```

DATA DICTIONARY :

Table Name: user_data

Table Description: Stores the details of users

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	user_id 	varchar(15)	latin1_swedish_ci		No	None		 Change  Drop ▾ More	
2	first_name	varchar(25)	latin1_swedish_ci		No	None		 Change  Drop ▾ More	
3	middle_name	varchar(25)	latin1_swedish_ci		Yes	NULL		 Change  Drop ▾ More	
4	last_name	varchar(25)	latin1_swedish_ci		Yes	NULL		 Change  Drop ▾ More	
5	gender	char(1)	latin1_swedish_ci		Yes	NULL		 Change  Drop ▾ More	
6	date_of_birth	varchar(10)	latin1_swedish_ci		Yes	NULL		 Change  Drop ▾ More	
7	address	varchar(500)	latin1_swedish_ci		Yes	NULL		 Change  Drop ▾ More	
8	city_id 	int(5)			Yes	NULL		 Change  Drop ▾ More	
9	mobile	bigint(10)			Yes	NULL		 Change  Drop ▾ More	
10	email 	varchar(255)	latin1_swedish_ci		No	None		 Change  Drop ▾ More	
11	password	varchar(32)	latin1_swedish_ci		No	None		 Change  Drop ▾ More	
12	security_que	varchar(500)	latin1_swedish_ci		Yes	NULL		 Change  Drop ▾ More	
13	answer	varchar(500)	latin1_swedish_ci		Yes	NULL		 Change  Drop ▾ More	
14	profile_pic	varchar(255)	latin1_swedish_ci		Yes	NULL		 Change  Drop ▾ More	

Table Name: messages

Table Description: Stores donation in events for ngo

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action		
1	msg_id	varchar(15)	latin1_swedish_ci		No	None			Change	Drop ▾	More
2	name	varchar(50)	latin1_swedish_ci		No	None			Change	Drop ▾	More
3	email	varchar(255)	latin1_swedish_ci		No	None			Change	Drop ▾	More
4	message	text	latin1_swedish_ci		No	None			Change	Drop ▾	More
5	isRead	bigint(20)			No	None			Change	Drop ▾	More

Table Name: admin

Table Description: Stores admin login information

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action		
1	admin_Id	varchar(15)	latin1_swedish_ci		No	None			Change	Drop ▾	More
2	password	varchar(32)	latin1_swedish_ci		No	None			Change	Drop ▾	More
<hr/>											
#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action		
1	num	int(1)			No	None	AUTO_INCREMENT		Change	Drop ▾	More
2	media_id	varchar(15)	latin1_swedish_ci		No	None			Change	Drop ▾	More
3	caption	varchar(100)	latin1_swedish_ci		No	None			Change	Drop ▾	More
4	image	varchar(255)	latin1_swedish_ci		No	None			Change	Drop ▾	More
5	description	text	latin1_swedish_ci		No	None			Change	Drop ▾	More
6	view	int(9)			Yes	NULL			Change	Drop ▾	More

Table Name: media_gallery

Table Description: Stores gallery for posts by users on site or in groups

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	num 	int(1)			No	None		AUTO_INCREMENT	 Change  Drop ▾ More
2	media_id	varchar(15)	latin1_swedish_ci		No	None			 Change  Drop ▾ More
3	caption	varchar(100)	latin1_swedish_ci		No	None			 Change  Drop ▾ More
4	image	varchar(255)	latin1_swedish_ci		No	None			 Change  Drop ▾ More
5	description	text	latin1_swedish_ci		No	None			 Change  Drop ▾ More
6	view	int(9)			Yes	NULL			 Change  Drop ▾ More

Table Name: event

Table Description: Stores event informations

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	event_id 	varchar(15)	latin1_swedish_ci		No	None			 Change  Drop ▾ More
2	event_name	varchar(100)	latin1_swedish_ci		No	None			 Change  Drop ▾ More
3	event_description	text	latin1_swedish_ci		No	None			 Change  Drop ▾ More
4	date	date			No	None			 Change  Drop ▾ More
5	time	time			No	None			 Change  Drop ▾ More
6	address	text	latin1_swedish_ci		No	None			 Change  Drop ▾ More
7	city_id 	int(5)			No	None			 Change  Drop ▾ More
8	duration	varchar(10)	latin1_swedish_ci		No	None			 Change  Drop ▾ More
9	image	varchar(255)	latin1_swedish_ci		Yes	NULL			 Change  Drop ▾ More

Table Name: city

Table Description: Stores all Indian city

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	city_id	int(5)			No	None		 Change	 Drop ▾ More
2	state_id	int(5)			No	None		 Change	 Drop ▾ More
3	city_name	varchar(50)	latin1_swedish_ci		No	None		 Change	 Drop ▾ More

Table Name: category

Table Description: Stores category for donation

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	category_id	varchar(15)	latin1_swedish_ci		No	None		 Change	 Drop ▾ More
2	name	varchar(50)	latin1_swedish_ci		No	None		 Change	 Drop ▾ More
3	available	int(5)			No	None		 Change	 Drop ▾ More

Table Name: news

Table Description: Stores News for ngo

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	news_id	varchar(15)	latin1_swedish_ci		No	None		 Change	 Drop ▾ More
2	heading	varchar(500)	latin1_swedish_ci		No	None		 Change	 Drop ▾ More
3	description	varchar(1000)	latin1_swedish_ci		No	None		 Change	 Drop ▾ More
4	image	varchar(255)	latin1_swedish_ci		Yes	NULL		 Change	 Drop ▾ More
5	date	date			No	None		 Change	 Drop ▾ More
6	time	time			No	None		 Change	 Drop ▾ More

Table Name : donation

Table Description : Stores donation for ngo

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	donate_id	varchar(15)	latin1_swedish_ci		No	None			Drop ▾ More
2	user_id	varchar(15)	latin1_swedish_ci		Yes	NULL			Drop ▾ More
3	donar_name	varchar(50)	latin1_swedish_ci		No	None			Drop ▾ More
4	donar_email	varchar(255)	latin1_swedish_ci		No	None			Drop ▾ More
5	city_id	int(5)			No	None			Drop ▾ More
6	address	text	latin1_swedish_ci		No	None			Drop ▾ More
7	category_id	varchar(15)	latin1_swedish_ci		No	None			Drop ▾ More
8	date	date			No	None			Drop ▾ More
9	description	text	latin1_swedish_ci		No	None			Drop ▾ More
10	pickup	char(1)	latin1_swedish_ci		No	None			Drop ▾ More
11	receive_date	date			Yes	NULL			Drop ▾ More
12	items	varchar(100)	latin1_swedish_ci		No	None			Drop ▾ More

Table Name: state

Table Description: Stores all Indian state

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	state_id	int(5)			No	None		AUTO_INCREMENT	Drop ▾ More
2	state_name	varchar(50)	latin1_swedish_ci		No	None			Drop ▾ More

Table Name: distribution

Table Description: Stores distribution donation items

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action		
1	distribution_id	varchar(15)	latin1_swedish_ci		No	None			Change	Drop ▾	More
2	ngo_id	varchar(15)	latin1_swedish_ci		No	None			Change	Drop ▾	More
3	category_id	varchar(15)	latin1_swedish_ci		No	None			Change	Drop ▾	More
4	counts	int(5)			No	None			Change	Drop ▾	More

Table Name: ngo_data

Table Description: Stores ngo data

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action		
1	ngo_id	varchar(15)	latin1_swedish_ci		No	None			Change	Drop ▾	More
2	ngo_name	varchar(100)	latin1_swedish_ci		No	None			Change	Drop ▾	More
3	address	text	latin1_swedish_ci		No	None			Change	Drop ▾	More
4	city_id	int(5)			No	None			Change	Drop ▾	More

5. TESTING



[HOME](#) [ABOUT](#) [GALLERY](#) [NEWS](#) [EVENTS](#) [DONATE](#) [LOGIN](#)

HELP PEOPLE

WHERE THERE IS CHARITY AND WISDOM, THERE IS NEITHER FEAR NOR IGNORANCE.

ORGANIZING SEMINARS, IMPACT STUDIES, WORKSHOPS, RESEARCH STUDIES AND AWARENESS CAMPAIGNS ON EDUCATIONAL OPPORTUNITIES, STATISTICS, HEALTH, LEGAL ISSUES, WOMEN AND CHILDREN DEVELOPMENTAL ACTIVITIES.

We Encourage sustainable agricultural development and organic farming, Establishing unity, integrity and communal harmony, Encouraging adult education among rural masses and slum dwellers, Working for people with disability.

[LEARN MORE ABOUT US](#)

[JOIN US](#)



GALLERY

NEWS

[Feb 08, 2019](#)

NEW CHILDREN FOUNDATION HAS JOINED US

More and more foundations are joining us. "Hope" is a new foundation which is now going to get connected with us.

[Feb 04, 2019](#)

SAVED ELTERS

[Some elders are now \(read...\)](#)

[GO TO NEWS](#)

HOW TO HELP



IN ONE SINGLE STEP

We know the needs of people who are poor and disabled. Join us now.

[GET INVOLVED](#)



[HOME](#) [ABOUT](#) [GALLERY](#) [NEWS](#) [EVENTS](#) [DONATE](#) [LOGIN](#)

WE FOCUS ON:-

Rehabilitating and providing education, shelter and food to economically backward people, child labourers, disabled, orphans and semi orphans.

Spreading awareness among the public on health & sanitation, education, environment, consumer rights, road safety and other socio-economic rights and Human rights

Organizing seminars, impact studies, workshops, research study and awareness campaign on educational policies, statistics, health, legal issues, women and children developmental activities.

Encouraging sustainable agricultural development and organic farming. Establishing unity, integrity and communal harmony. Encouraging adult education among rural masses and slum dwellers. Working for people with disabilities.

Sensitizing destitute women and adolescent girls for their rights & entitlements.

Women Empowerment and promoting SHGs.

Sponsoring midday meals and groceries for old age homes, to ensure that they get proper food and shelter.

Providing relief and rehabilitation to the victims of Natural Calamities like floods and droughts

Enlightening and educating the indigenous people and remote rural masses.

Spreading awareness about HIV/ AIDS, TB, Malaria and conduct medical health camps for the remote rural tribes.

Promoting scientific temper and establish IT in grass roots

WE PROVIDE AID TO :-

[Children](#)

[Women](#)

[Senior Citizens](#)

[Orphans, Semi Orphans, Street Children](#)

[Adolescents](#)

[Women / Self Help groups \(SHGs\)](#)

[Disabled people](#)

[Tribals](#)

SEND A FEEDBACK

Your Name:

Email Address:

Feedback:

SEND

CONTACT DETAILS

Location : Bangalore

Phone : (+91) 8296740109 (+91) 9448826577

Email : charity@charis.org



HOME ABOUT GALLERY NEWS EVENTS DONATE LOGIN

MEDICAL AID

Feb 12, 2019



We have a team of specialized doctors from great hospitals. They offer free medical aids to needy people at camps. The donated medicines and other health care products are also distributed via these camps

HOPE

Feb 13, 2019

"Hope", a new foundation has joined us.

WOMEN EMPOWERMENT

Feb 13, 2019

Women empowerment program was held in tumkur

RECENT POST

- Since many hospitals have joined us it would greatly help our patients.
- "Hope" is a children orphanage that joined us recently.
- Donors helped senior citizens fulfill their requirements.
- Donors gifted children with toys,clothes and sweets.
- "NaiSoch" and "Savera" foundations joined us.

NGO HAS JOINED US

Feb 13, 2019

naisoch has joined us

SEND A FEEDBACK

Your Name:

Email Address:

Feedback:

SEND

CONTACT DETAILS

Location : Bangalore

Phone : (+91) 8296740109 (+91) 9448826577

Email : charity@charis.org



[CONTRIBUTE BY DONATING CLOTHES AND TOYS](#)

2019-05-29 07:00:00

Toys and clothes will be sent to children of ngos.

10hours

[BLOOD DONATION CAMP](#)

2019-05-26 10:00:00

Blood donation camp is held by Smile ngo.

7hours

[PROMOTE SAPLING PLANTING](#)

2019-05-24 09:00:00

Create awareness by planting saplings .

7hours

BE KIND AND START HELPING PEOPLE.

GET INVOLVED

SEND A FEEDBACK

Your Name:

Email Address:

Feedback:

SEND

CONTACT DETAILS

Location : Bangalore

Phone : (+91) 8296740109 (+91) 9448826577

Email : charity@charis.org



HOME ABOUT GALLERY NEWS EVENTS DONATE LOGIN

WHAT YOU WANT TO DONATE ?

Toys

Clothes

Medicines

Stationaries

Food

Others

SEND A FEEDBACK

Your Name:

Email Address:

Feedback:

SEND

CONTACT DETAILS

Location : Bangalore

Phone : (+91) 8296740109 (+91) 9448826577

Email : charity@charis.org



Admin

[HOME](#) [ABOUT](#) [GALLERY](#) [NEWS](#) [EVENTS](#) [DONATE](#) [LOGIN](#)
LOGIN

EMAIL ADDRESS

PASSWORD

[FORGOT PASSWORD ?](#)

REGISTER

FIRST NAME

MIDDLE NAME

LAST NAME

GENDER

- Male
- Female
- Other

DATE OF BIRTH

ADDRESS

MOBILE(10 DIGIT NUMBER)

EMAIL ADDRESS

PROFILE PIC

 No file chosen

PASSWORD(MORE THAN 8 CHARACTERS)

SEND A FEEDBACK

Your Name:

Email Address:

Feedback:

CONTACT DETAILS

Location : Bangalore

Phone : (+91) 8296740109 (+91) 9448826577

Email : charity@charis.org



CHARIS



LOGIN

ADMIN

PASSWORD

AUTHORIZE



USERS DONATIONS UPLOAD MEDIA NEWS EVENTS NGO_ACTIVITIES LOGOUT

DONATIONS

Toys

Clothes

Medicines

Stationaries

Food

Others



CHARIS

[USERS](#) [DONATIONS](#) [UPLOAD MEDIA](#) [NEWS](#) [EVENTS](#) [NGO_ACTIVITIES](#) [LOGOUT](#)

USERS

Number	First_name	Middle_name	last_name	Mobile	D_O_B	E-mail	
1	prem	j	kumar	8945678345	2019-04-20	prem@gmail.com	<input type="button"/> delete
2	Joey		H	9876789758	2002-01-20	joey@gmail.com	<input type="button"/> delete
3	Monica		JK	9876545678	1996-04-19	monica@gmail.com	<input type="button"/> delete
4	Ross		Gellar	9789656786	1991-04-19	ross@gmail.com	<input type="button"/> delete
5	Chandler		Bing	9856739807	1986-04-19	chandler@gmail.com	<input type="button"/> delete
6	Vaishnavi		sehgal	9087654687	1990-04-19	vaish@gmail.com	<input type="button"/> delete

Charis © Copyright 2019. All rights reserved.



USERS DONATIONS UPLOAD MEDIA NEWS EVENTS NGO ACTIVITIES LOGOUT

NEWS UPDATES

DATE

TIME

HEADING

IMAGE

Choose File No file chosen

DESCRIPTION

POST

POSTED NEWS

Medical Aid



Hope



NGO has joined us



Women Empowerment





[USERS](#) [DONATIONS](#) [UPLOAD MEDIA](#) [NEWS](#) [EVENTS](#) [NGO ACTIVITIES](#) [LOGOUT](#)

ADD EVENT

EVENT NAME

DESCRIPTION

DATE

TIME

ADDRESS

POSTER

No file chosen

STATE

▾

CITY

▾

DURATION

ADD EVENT

ADDED EVENTS

Contribute by donating clothes and toys



Blood donation camp



Promote sapling planting





CHARIS

USERS DONATIONS UPLOAD MEDIA NEWS EVENTS NGO ACTIVITIES LOGOUT

Feedbacks NGO Reports

Charis © Copyright 2019. All rights reserved.



USERS DONATIONS UPLOAD MEDIA NEWS EVENTS NGO ACTIVITIES LOGOUT

ADD NGO

NAME

AVAILABLE NGO

1) Good-will Ngo

2) Smile Ngo

ADDRESS

STATE

▼

3) Soch

CITY

▼

ADD

Charis © Copyright 2019. All rights reserved.



CHARIS

USERS DONATIONS UPLOAD MEDIA NEWS EVENTS NGO ACTIVITIES LOGOUT

Donations & Distribution

Category	Donations	Distribution
Toys	15	10
Clothes	15	6
Medicines	13	4
Stationaries	37	14
Food	95	45
Others	10000	2000

[Print](#)

Charis © Copyright 2019. All rights reserved.



[USERS](#) [DONATIONS](#) [UPLOAD MEDIA](#) [NEWS](#) [EVENTS](#) [NGO ACTIVITIES](#) [LOGOUT](#)

FEEDBACKS

Great service

ahuja

ahuja@gmail.com

**Can you please add
ngo "savera" for
further details mail
me.**

Azim

azim@gmail.com

CONCLUSION:

- Donation for the underprivileged children in India can bring a sustainable change. Donate offline for child rights & get 100% tax exemption on these donations.
- Support us to make Their Lives More Happy & Meaningful For giving bright future & transform lives of street children.
- Give the gift of literacy when you donate your money to charity.

Bibliography :

- **Kendall & Kendall**

By Kenneth E. Kendall & Julie E. Kendall

- **Sams Teach Yourself PHP, MySQL and Apache**

By Julie Meloni

- **Web Enabled Commercial Application Development Using HTML, Javascript, DHTML and PHP**

By Ivan Bayross

- **HTML5, Javascript and Jquery**

By Dane Cameron

