

DEVALIVE

User Flow Document (UFD)

Version: 1.0

Document Status: Approved

Purpose:

This document defines all major user journeys and system workflows within DevAlive.

It describes:

- User interactions
- Navigation flows
- System actions
- Monitoring workflows
- Notification workflows

The objective is to provide a clear understanding of how users and the system interact throughout the platform.

1. User Journey Overview

DevAlive consists of three major journeys:

Visitor Journey

Authentication Journey


Monitoring Journey

2. High-Level User Flow

Visitor

↓

Landing Page




3. Visitor Journey

Purpose:

Convert visitors into registered users.

Flow



Visitor Goals

Understand Problem

Understand Solution

Trust Product

Create Account

4. Registration Flow

Purpose:

Allow new users to create an account.

Flow

```
User
  ↓
Register Page
  ↓
Enter Name
Enter Email
Enter Password
  ↓
Submit Form
  ↓
Validation
  ↓
Create User
  ↓
Create Settings
  ↓
Registration Success
  ↓
Redirect To Login
```

System Actions

Validate Inputs

Hash Password

Create User Record

Create User Settings Record

5. Login Flow

Purpose:

Authenticate user.

Flow

User



Login Page



Enter Credentials



Submit



Verify Credentials



Generate JWT



Store Token



Dashboard

System Actions

Validate Credentials

Generate JWT

Return User Data

Return Token

6. First-Time User Flow

Purpose:

Guide new users after login.

Flow

```
graph TD; A[First Login] --> B[Dashboard]; B --> C[No Projects Found]; C --> D[Empty State]; D --> E[Add First Project];
```

User Goal

Register First Project

7. Add Project Flow

Purpose:

Register a project for monitoring.

Flow

Projects Page
↓
Add Project Button
↓
Add Project Modal
↓
Enter Project Details
↓
Submit
↓
Validation
↓
Store Project
↓
Enable Monitoring
↓
Project Created

Fields

Project Name

Endpoint URL

Project Type

Monitoring Interval

System Actions

Validate URL

Create Project

Initialize Statistics

Enable Monitoring

8. Monitoring Activation Flow

Purpose:

Start automated monitoring.

Flow

```
graph TD; A[Project Created] --> B[Monitoring Enabled]; B --> C[Scheduler Detects Project]; C --> D[Monitoring Queue]; D --> E[Health Check Begins];
```

System Actions

```
Project Added To Active Monitoring List
```

9. Automated Monitoring Flow

Purpose:

Continuously check project health.

Flow

```
graph TD; A[Scheduler Trigger] --> B[Fetch Active Projects]; B --> C[Send Request]; C --> D[ ];
```

```
Receive Response
  ↓
Analyze Result
  ↓
Create Monitoring Log
  ↓
Update Statistics
```

Possible Outcomes

```
Success

Failure

Timeout

Error
```

10. Successful Health Check Flow

Purpose:

Handle healthy project state.

Flow

```
Health Check
  ↓
HTTP Success
  ↓
Monitoring Log Created
  ↓
Update Statistics
  ↓
Dashboard Updated
```

System Updates

Total Checks

Successful Checks

Average Response Time

Uptime Percentage

11. Failure Detection Flow

Purpose:

Handle project downtime.

Flow

Health Check

↓

Failure Detected

↓

Monitoring Log Created

↓

Update Project Status

↓

Create Notification

↓

Send Email Alert

Possible Failures

500 Error

404 Error

Connection Failure

DNS Failure

Timeout

12. Recovery Flow

Purpose:

Detect service recovery.

Flow

```
Offline Project
  ↓
Next Successful Check
  ↓
Recovery Detected
  ↓
Update Status
  ↓
Create Recovery Notification
  ↓
Send Recovery Email
```

13. Dashboard Flow

Purpose:

Provide project overview.

Flow

```
User Opens Dashboard
  ↓
Fetch Dashboard Data
  ↓
Display Statistics
  ↓
```

Display Activity
↓
Display Notifications

Displayed Information

Total Projects
Online Projects
Offline Projects
Average Uptime
Recent Activity
Recent Alerts

14. Project Management Flow

Purpose:

Manage registered projects.

Flow

Projects Page
↓
Search / Filter
↓
Select Project
↓
Choose Action

Actions

View

Edit

Delete

Enable Monitoring

Disable Monitoring

15. Project Details Flow

Purpose:

View detailed project analytics.

Flow

Project Card

↓

Open Project Details

↓

Fetch Project Data

↓

Display Information

Displayed Sections

Project Information

Current Status

Uptime Statistics

Response Time Trends

Monitoring History

Notification History

16. Analytics Flow

Purpose:

Analyze monitoring performance.

Flow

```
Analytics Page
  ↓
Fetch Analytics Data
  ↓
Generate Charts
  ↓
Display Metrics
```

Displayed Analytics

```
Uptime Trend

Response Time Trend

Success Rate

Failure Rate

Top Performing Projects
```

17. Monitoring Logs Flow

Purpose:

View monitoring history.

Flow

```
graph TD; A[Logs Page] --> B[Fetch Logs]; B --> C[Apply Filters]; C --> D[Display Results];
```

Available Filters

```
graph TD; A[Project] --> B[Status]; B --> C[Date Range];
```

18. Notification Flow

Purpose:

Manage alerts.

Flow

```
graph TD; A[Notification Created] --> B[Stored In Database]; B --> C[Displayed In Dashboard]; C --> D[Displayed In Notification Center];
```

User Actions

Mark Read

Delete Notification

19. Settings Flow

Purpose:

Manage user preferences.

Flow

Settings Page

↓

Update Preferences

↓

Save Changes

↓

Update Settings Collection

Configurable Settings

Email Notifications

Downtime Alerts

Recovery Alerts

Default Monitoring Interval

20. Logout Flow

Purpose:

Securely end session.

Flow

```
graph TD; A[User Clicks Logout] --> B[Remove JWT]; B --> C[Clear User State]; C --> D[Redirect To Login];
```

21. Complete System Workflow

```
graph TD; A[Visitor] --> B[Register]; B --> C[Login]; C --> D[Dashboard]; D --> E[Add Project]; E --> F[Monitoring Starts]; F --> G[Health Checks Execute]; G --> H[Logs Created]; H --> I[Statistics Updated]; I --> J[Failures Detected]; J --> K[Notifications Generated]; K --> L[Alerts Sent]; L --> M[User Reviews Analytics];
```


22. User Flow Summary

The DevAlive user journey is designed to be:

- Simple
- Developer Friendly
- Minimal Learning Curve
- SaaS Focused
- Automation Driven

Users can move from registration to active monitoring in just a few steps while the platform handles monitoring, analytics, and notifications automatically in the background.